

Index to names of New World members of the Gesneriaceae (subfamilies Sanangoideae and Gesnerioideae)

Clark J.L.^{1,2,3,*}, Skog L.E.², Boggan J.K.² & S. Ginzburg³

¹ Science Department, Lawrenceville School, Lawrenceville, New Jersey – 08648, USA.

² National Museum of Natural History, Department of Botany, Smithsonian Institution,
Washington, DC – 20013, USA.

³Department of Biological Sciences, The University of Alabama,
Tuscaloosa, Alabama – 35487, USA.

*E-mail: jclark@lawrenceville.org

Abstract: A comprehensive taxonomic list of New World Gesneriaceae is provided for all currently known accepted names and their synonyms. The list presented here corresponds to the subfamilies Sanangoideae and Gesnerioideae plus the Old World genus *Titanotrichum* and includes 1217 accepted names and 2332 synonyms. Generic concepts and classification of New World Gesneriaceae have changed with the recent surge in molecular-based phylogenies, and that has made it challenging to determine the accepted names in historical literature and outdated names that persist in databases such as GenBank. The list is organized alphabetically with a look-up table that links all synonyms to currently accepted names.

Keywords: Biodiversity, Gesneriaceae, Neotropics, Taxonomy.

Introduction

The names index presented here covers all currently recognized species of New World Gesneriaceae plus the Old World genus *Titanotrichum*, which is phylogenetically related to neotropical Gesneriaceae (Wang *et al.*, 2004; Weber *et al.*, 2013). The list reflects 1217 accepted names and 2332 synonyms. Including illegitimate and invalid names brings the total to 3740 names. The generic names provided here are congruent with the classification outlined in Weber *et al.* (this issue) and includes all names applied to currently classified

members of the subfamilies Sanangoideae (one genus and one species) and Gesnerioideae (five tribes, c. 77 genera, 1200+ species) plus *Titanotrichum* (one species). More than 4000 names were collected from specimens, scientific literature, and horticultural literature. Earlier versions of these data were maintained in dBase during the 1980s and 1990s with an emphasis on New World Gesneriaceae. In the late 1990s, the data were transferred to Microsoft Access and expanded to include Old World names, literature, and specimen and live collection data. An online version was shared through the portal World Checklist of Gesneriaceae (2003 to 2018), hosted at the Smithsonian Institution's National Museum of Natural History. The index presented here will be available in digital format at the Royal Botanic Garden Edinburgh in the RBGE Gesneriaceae Resource Centre and is here limited to the 1217 accepted names from the New World plus *Titanotrichum*. The authors refrained from including names that pertain to horticultural hybrids. This list includes 144 names that were not validly published (*e.g.*, *nom. nud.*, *nom. nud. pro syn.*) and 47 illegitimate names (*e.g.*, *nom. illeg.* or *nom. illeg. superfl.*). Invalid and illegitimate names are indicated, but not assigned a synonym or currently accepted name. Misapplied names that have appeared in floras and other botanical literature are included here and preceded by *sensu*. For example, the accepted name includes the author (*e.g.*, *Centrosolenia glabra* Benth.), and the author of the

misapplied name is preceded by *sensu* (e.g., *Centrosolenia glabra sensu* Hook.). All names are listed alphabetically with accepted names in bold. All alphabetized names include authors, whether the name is accepted (name in bold) or recognized as a synonym (name in italics, not in bold). Accepted names are provided for all synonyms and indicated directly below (indented and denoted with “=”). The standard form for names of taxon authors follows Brummitt and Powell (1992). Abbreviations for recent authors were obtained from the Index of Botanists at the Harvard University Herbaria and Botany Libraries (<https://huh.harvard.edu/libraries>).

The authors recognize that taxonomic circumscriptions may differ from recently published species or monographic revisions. Differences in generic concepts for *Columnea* alone have resulted in more than 150 synonyms. Taxonomic confusion is reflected in names commonly used in horticulture represented by generic concepts promoted by Wiehler (1983, 1984, 1992, 1995). For example, Wiehler (1992) published 25 new species with limited information (e.g., absence of range data and incomplete type distributions). A more detailed revision of the same species was further elaborated by Wiehler (1995) that cited many of the same specimens from a similar treatment by Kvist and Skog (1993). Reconciling accepted names and which generic system to use was an ongoing issue for practicing taxonomists and horticulturalists during the 1990s and early 2000s. Rejection of Wiehler's classification here is demonstrated by 55 synonyms for *Dalbergaria* (= *Columnea*), 58 synonyms for *Trichantha* (= *Columnea*), and 33 synonyms for *Pentadenia* (= *Columnea*). More recently, generic concepts promoted by Wiehler have been shown to be artificial due to the lack of monophyly based on molecular phylogenetic analyses (e.g., Smith & Sytsma, 1994a,b; Smith & Carroll 1997; Clark et al., 2006, 2012; Schulte et al., 2013; Smith et al., 2013). Molecular phylogenetics has played an important role in resolving most discrepancies of generic circumscriptions in the New World Gesneriaceae, especially when

traditional generic concepts have been shown to be polyphyletic or paraphyletic. The names recognized here reflect circumscriptions based on recent phylogenetic analyses, and available validly published combinations.

In conclusion, this list provides 3740 names that comprise 2332 synonyms for 1217 accepted names. In addition, 47 names are listed as illegitimate (*nom. illeg.* or *nom. illeg. superfl.*) and 144 names in the list are not validly published (e.g., *nom. inval.*, *nom. nud.*, *nom. nud. pro syn.*).

Index to names

Achimenes admirabilis Wiehler

Achimenes albescens Rusby

= *Seemannia sylvatica*

Achimenes alba Hort. ex Vis.

= *nom. nud. pro syn.*

Achimenes alba Hort. Padov. ex Walp.

= *nom. nud. pro syn.*

Achimenes amabilis (Planch. & Linden) Van Houtte

= *Kohleria amabilis* var. *amabilis*

Achimenes amabilis Decne.

= *Smithiantha multiflora*

Achimenes amoena Van Houtte ex Hanst.

= *nom. nud. pro syn.*

Achimenes andrieuxii DC.

= *Eucodonia andrieuxii*

Achimenes antirrhina (DC.) C.V.Morton

Achimenes argyrostigma Hook.

= *Gloxinia erinoides*

Achimenes atrosanguinea Hort. ex Regel

= *nom. nud. pro syn.*

Achimenes atrosanguinea Lindl.

= *Achimenes antirrhina*

Achimenes autumnalis Hort. ex Hanst.

= *Achimenes erecta*

Achimenes bella C.V.Morton

= *Eucodonia verticillata*

Achimenes brevifolia C.V.Morton

Achimenes burchellii S.M.Phillips

= *Sphaerorrhiza burchellii*

Achimenes calderonii Standl.

= *Achimenes warszewicziana*

Achimenes candida Lindl.

Achimenes cardinalis Hort. ex A.Dietr.

= *Achimenes antirrhina*

- Achimenes settoana* H.E.Moore
Achimenes chirita Hort. ex Hanst.
 = nom. nud. pro syn.
Achimenes coccinea (Scop.) Pers.
 = *Achimenes erecta*
Achimenes coccinea var. *pyropaea* (Lindl.) Hanst.
 = *Achimenes erecta*
Achimenes coccinea var. *rosea* (Lindl.) Regel ex Hanst.
 = *Achimenes erecta*
Achimenes coccinea var. *vera* Hanst.
 = *Achimenes erecta*
Achimenes comifera DC.
 = *Diastema comiferum*
Achimenes cordata Hort. ex Regel
 = nom. nud. pro syn.
Achimenes cupreata Hook.
 = *Episcia cupreata*
Achimenes dimidiata Moritz ex Hanst.
 = nom. nud. pro syn.
Achimenes dulcis C.V.Morton
Achimenes ehrenbergii (Hanst.) H.E.Moore
 = *Eucodonia verticillata*
Achimenes erecta (Lam.) H.P.Fuchs
Achimenes erinoides DC.
 = *Gloxinia erinoides*
Achimenes fimbriata (Hook.) Henderson
 = *Achimenes glabrata*
Achimenes fimbriata Rose ex C.V.Morton
Achimenes flaccida Rusby
 = *Seemannia purpurascens*
Achimenes flava C.V.Morton
Achimenes flava var. *puberula* C.V.Morton
 = *Achimenes flava*
Achimenes foliosa C.Morren
 = *Achimenes antirrhina*
Achimenes ghiesbrechtii Hort. ex Lindl.
 = *Achimenes heterophylla*
Achimenes ghiesbrechtiana Hort. ex Regel
 = nom. nud. pro syn.
Achimenes glabrata (Zucc.) Fritsch
Achimenes gloxiniiiflora (Scheidw.) Forkel ex Lem.
 = *Achimenes glabrata*
Achimenes gracilis Britton
 = *Seemannia nematanthodes*
Achimenes gracilis Warsz. ex Regel
 = nom. nud. pro syn.
Achimenes grandiflora (Schiede) DC.
Achimenes grandiflora var. *glabrescens* Klotzsch ex Hanst.
 = *Achimenes grandiflora*
Achimenes grandiflora var. *incisa* Hanst.
 = *Achimenes grandiflora*
Achimenes grandiflora var. *liebmannii* (Hort. ex Regel)
 Hanst.
 = *Achimenes grandiflora*
Achimenes grandiflora var. *pubescens* Hanst.
 = *Achimenes grandiflora*
Achimenes grandis Hort. ex A.Hansen
 = nom. illeg.
Achimenes gymnostoma (Griseb.) Fritsch
 = *Seemannia gymnostoma*
Achimenes gymnostoma Hoehne f. *angustiflora*
 = *Seemannia gymnostoma*
Achimenes gymnostoma Hoehne f. *lilacea*
 = *Seemannia gymnostoma*
Achimenes haageana Otto ex Regel
 = nom. nud. pro syn.
Achimenes heppelloides Fritsch
 = *Seemannia gymnostoma*
Achimenes heterophylla (Mart.) DC.
Achimenes hillii Hort. ex Regel
 = nom. nud. pro syn.
Achimenes hillii Hort. ex Sieb. & Voss
 = nom. nud. pro syn.
Achimenes hintoniana Ram.-Roa & L.E.Skog
Achimenes hirsuta Lindl.
 = *Achimenes skinneri*
Achimenes hirsuta var. *corymbosa* Oerst.
 = *Achimenes skinneri*
Achimenes hirsuta DC.
 = *Mandirola multiflora*
Achimenes hirsuta var. *magnifica* Hort. ex C.Morren
 = *Achimenes skinneri*
Achimenes ichthyostoma (Gardner) Hanst.
 = *Mandirola ichthyostoma*
Achimenes ignescens Lem.
 = *Achimenes heterophylla*
Achimenes ilicifolia Hort. ex Vis.
 = nom. nud. pro syn.
Achimenes incisa (Hanst.) Klotzsch ex Oerst.
 = *Achimenes grandiflora*
Achimenes jaureguia Warsz. ex Haage
 = nom. nud. pro syn.
Achimenes kleei Hort. ex Paxton
 = *Achimenes longiflora*
Achimenes kleei Otto ex Regel
 = nom. nud. pro syn.
Achimenes kewensis Hort. ex Regel
 = nom. nud. pro syn.

Achimenes klotzschii Warsz. ex Regel
 = nom. nud. pro syn.

Achimenes knightii Lem.
 = nom. nud. pro syn.

Achimenes lanata (Planch. & Linden ex Lem.) Hanst.
 = *Eucodonia verticillata*

Achimenes liebmannii Hort. ex Lem.
 = *Achimenes grandiflora*

***Achimenes longiflora* DC.**

Achimenes longiflora var. *alba* Haage
 = *Achimenes longiflora*

Achimenes longiflora var. *albida* Hanst.
 = *Achimenes longiflora*

Achimenes longiflora var. *ilicifolia* Regel ex Hanst.
 = *Achimenes longiflora*

Achimenes longiflora var. *latifolia* Hort. ex C.Morren
 = *Achimenes longiflora*

Achimenes longiflora var. *major* Hort. ex Henderson
 = *Achimenes longiflora*

Achimenes longiflora var. *margaritae* Klotzsch ex Hanst.
 = *Achimenes longiflora*

Achimenes longiflora var. *nobilis* Hanst.
 = *Achimenes longiflora*

Achimenes longiflora var. *sessilis* Klotzsch ex Hanst.
 = *Achimenes longiflora*

Achimenes longiflora var. *vera* Hanst.
 = *Achimenes longiflora*

Achimenes maculata (Martens & Galeotti) Walp.
 = *Achimenes antirrhina*

Achimenes magnifica (Planch. & Linden) Lindl.
 = *Kohleria inaequalis* var. *inaequalis*

Achimenes martensiana Walp.
 = *Achimenes antirrhina*

Achimenes metallica Van Houtte ex Regel
 = nom. nud. pro syn.

***Achimenes mexicana* (Seem.) Benth. & Hook.f. ex Fritsch**

Achimenes mimuliflora (Regel) Hort. ex Voss
 = *Achimenes antirrhina*

***Achimenes misera* Lindl.**

Achimenes mollis (Poepp.) Walp.
 = *Diastema hispidum*

Achimenes multiflora Gardner
 = *Mandirola multiflora*

***Achimenes nayaritensis* L.E.Skog**

***Achimenes obscura* C.V.Morton**

***Achimenes occidentalis* C.V.Morton**

Achimenes ocellata Hook.
 = *Kohleria inaequalis* var. *ocellata*

Achimenes ottonis Hort.
 = nom. nud.

Achimenes panamensis (Seem.) Hemsl.
 = *Chrysanthemis panamensis*

***Achimenes patens* Benth.**

Achimenes patens var. *discolor* Klotzsch ex Hanst.
 = *Achimenes patens*

Achimenes patens var. *unicolor* Klotzsch ex Hanst.
 = *Achimenes patens*

Achimenes pauciflora Oerst.
 = *Achimenes longiflora*

***Achimenes pedunculata* Benth.**

Achimenes petraea S.M.Phillips
 = *Goyazia petraea*

Achimenes picta Benth. ex W.J.Hook.
 = *Kohleria amabilis* var. *bogotensis*

Achimenes populifolia Wagner ex Regel
 = nom. nud. pro syn.

Achimenes pulchella (L'Her.) Hitchc.
 = *Achimenes erecta*

Achimenes punctata Moritz ex Hanst.
 = nom. nud. pro syn.

Achimenes pyropaea Lindl.
 = *Achimenes erecta*

Achimenes rosea Lindl.
 = *Achimenes erecta*

Achimenes rosea var. *major* Hort. ex Paxton
 = *Achimenes erecta*

Achimenes rosea var. *pyropaea* (Lindl.) Hanst. ex Oerst.
 = *Achimenes erecta*

***Achimenes rupestris* Gardner**

= *Mandirola rupestris*

Achimenes rusbyi Britton
 = *Seemannia gymnostoma*

***Achimenes saxicola* (Brandegee) C.V.Morton**

Achimenes scabra (Poepp.) Walp.
 = *Diastema scabrum*

Achimenes scheerii Hemsl.
 = nom. illeg.

Achimenes scheerii Hort. ex Seem.
 = nom. nud. pro syn.

***Achimenes skinneri* Lindl.**

- Achimenes splendens* (Linden) Henderson
 = *Episcia cuprea*
- Achimenes superba* Moritz ex Hanst.
 = *Achimenes pedunculata*
- Achimenes tenella* DC.
 = *Achimenes erecta*
- Achimenes tubiflora* (Hook.) Britton
 = *Sinningia tubiflora*
- Achimenes tyrianthina* Van Houtte
 = *Achimenes heterophylla*
- Achimenes tyrianthina* Voss
 = nom. nud. pro syn.
- Achimenes urticaefolia* Warsz. ex Regel
 = nom. nud. pro syn.
- Achimenes viscida* Lindl. & Paxton
 = *Heppiella viscida*
- Achimenes warszewicziana* (Regel) H.E.Moore
- Achimenes warszewicziana* E.Otto ex Regel
 = nom. nud. pro syn.
- Achimenes woodii* C.V.Morton
- Alagophylla dasyanthes* Raf.
 = *Sinningia allagophylla*
- Alloplectus affinis* Mansf.
 = *Drymonia affinis*
- Alloplectus affinis* (C.V.Morton) Stearn
 = nom. illeg.
- Alloplectus altescandens* Mansf.
 = *Glossoloma altescandens*
- Alloplectus ambiguus* Urb.
 = *Columnea ambigua*
- Alloplectus ambiguus* var. *chlorosepalus* Urb.
 = nom. illeg. superfl.
- Alloplectus ambiguus* var. *erythrosepalus* Urb.
 = *Columnea ambigua*
- Alloplectus ambonensis* L.E.Skog
 = *Drymonia ambonensis*
- Alloplectus angustifolius* DC.
 = *Nematanthus lanceolatus*
- Alloplectus aquatilis* C.V.Morton
- Alloplectus aureonitens* (Hook.) Stearn
 = *Columnea sanguinea*
- Alloplectus baguensis* L.E.Skog
 = *Glossoloma baguense*
- Alloplectus bicolor* (Kunth) G.Don
 = *Glossoloma bicolor*
- Alloplectus bicolor* (Kunth) Klotzsch ex Hanst.
 = *Glossoloma bicolor*
- Alloplectus bicolor* Linden
 = *Corytoplectus speciosus*
- Alloplectus bicolor* Poepp. ex Hanst.
 = nom. nud. pro syn.
- Alloplectus boliviensis* (Britton) Wiegler
 = *Glossoloma boliviense*
- Alloplectus bracteatus* Linden
 = *Nauilocalyx bracteatus*
- Alloplectus calcaratus* (Kunth) G.Don
 = *Gasteranthus calcaratus* subsp. *calcaratus*
- Alloplectus calochlamys* Donn.Sm.
 = *Cobananthus calochlamys*
- Alloplectus calotrichus* (Donn.Sm.) Stearn
 = *Columnea calotricha*
- Alloplectus capitatus* Hook.
 = *Corytoplectus capitatus*
- Alloplectus carpishensis* J.L.Clark & I.Salinas
 = *Glossoloma carpishense*
- Alloplectus chrysanthus* Planch. & Linden
 = *Glossoloma chrysanthum*
- Alloplectus circinatus* Mart.
 = *Drymonia coccinea*
- Alloplectus coccineus* (Aubl.) Mart.
 = *Drymonia coccinea*
- Alloplectus coccineus* var. *fusco-maculatus* Leeuwenb.
 = *Drymonia coccinea*
- Alloplectus concolor* Hook.
 = *Nematanthus lanceolatus*
- Alloplectus congestiflorus* (Donn.Sm.) C.V.Morton
 = *Rufodorsia congestiflora*
- Alloplectus congestus* Decne. ex Linden
 = *Corytoplectus congestus*
- Alloplectus congestus* Linden ex Hanst.
 = *Corytoplectus congestus*
- Alloplectus coriaceus* (Oerst. ex Hanst.) Hanst.
 = *Drymonia coriacea*
- Alloplectus corymbosus* Klotzsch ex Hanst.
 = *Corytoplectus speciosus* var. *orbicularis*
- Alloplectus crenatilobus* Mansf.
 = *Drymonia crenatiloba*
- Alloplectus cristatus* sensu A.Rich.
 = *Columnea tincta*
- Alloplectus cristatus* (Griseb.) Fawc.
 = *Columnea grisebachiana*
- Alloplectus cristatus* (L.) Mart.
 = *Crantzia cristata*
- Alloplectus cristatus* var. *typicus* Fournet
 = nom. illeg. superfl.

- Alloplectus cristatus* var. *typicus* Stehlé
 = nom. illeg. superfl.
- Alloplectus cristatus* var. *brevicalyx* C.V.Morton
 = *Crantzia cristata*
- Alloplectus cristatus* var. *crenatus* C.V.Morton
 = *Crantzia cristata*
- Alloplectus cristatus* var. *epirotes* Leeuwenb.
 = *Crantzia epiores*
- Alloplectus cristatus* sensu Stahl
 = *Columnea ambigua*
- Alloplectus cubensis* (Urb.) Stearn
 = *Columnea sanguinea*
- Alloplectus cucullatus* C.V.Morton
 = *Glossoloma cucullatum*
- Alloplectus cucullatus* var. *substrigosus* C.V.Morton
 = *Glossoloma cucullatum*
- Alloplectus dariensis* Seem.
 = *Trichodrymonia dariensis*
- Alloplectus deltoideus* C.V.Morton
 = *Corytoplectus deltoideus*
- Alloplectus dichrous* (Sprengel) DC.
 = *Nematanthus lanceolatus*
- Alloplectus dichrous* sensu Hook.
 = *Nematanthus hirtellus*
- Alloplectus dielsii* (Mansf.) Wiehler
 = *Columnea dielsii*
- Alloplectus dimidiatus* Benth.
 = *Columnea dimidiata*
- Alloplectus dimorphobracteatus* Hoehne
- Alloplectus discolor* Hook.f.
 = *Nautilocalyx lynchii*
- Alloplectus dodsonii* Wiehler
 = *Drymonia dodsonii*
- Alloplectus domingensis* Urb. var. *microphyllus* C.V.Morton
 = *Columnea domingensis*
- Alloplectus domingensis* Urb.
 = *Columnea domingensis*
- Alloplectus doratostylus* Leeuwenb.
 = *Drymonia doratostyla*
- Alloplectus eriocalyx* Galeotti ex Hook.
 = nom. nud. pro syn.
- Alloplectus erythroloma* Leeuwenb.
 = *Drymonia erythroloma*
- Alloplectus forgetii* Sprague
 = *Nautilocalyx forgetii*
- Alloplectus forseithii* (Oerst.) Hanst.
 = *Crantzia cristata*
- Alloplectus fraternus* C.V.Morton
 = *Glossoloma tetragonum*
- Alloplectus glaber* (Hook.) Decne.
 = *Nematanthus strigillosus*
- Alloplectus glaber* DC.
 = *Drymonia serrulata*
- Alloplectus glabrescens* C.V.Morton
 = *Glossoloma pycnosuzygium*
- Alloplectus grandicalyx* J.L.Clark & L.E.Skog
 = *Glossoloma grandicalyx*
- Alloplectus grandifolius* Britton ex Rusby
 = *Corytoplectus grandifolius*
- Alloplectus grisebachianus* (Kuntze) Urb. var. *ochrotrichus*
 Urb. = *Columnea grisebachiana*
- Alloplectus grisebachianus* (Kuntze) Urb.
 = *Columnea grisebachiana*
- Alloplectus guatemalensis* C.V.Morton
 = *Drymonia guatemalensis*
- Alloplectus guianensis* (C.V.Morton) Stearn
 = *Columnea guianensis*
- Alloplectus herthae* Mansf.
 = *Glossoloma herthae*
- Alloplectus hirsutus* Sprague
 = *Nautilocalyx hirsutus*
- Alloplectus hirtellus* (Schott) Preston ex Hoehne
 f. *crassifolius* Hoehne
 = *Nematanthus hirtellus*
- Alloplectus hirtellus* (Schott) Preston ex Hoehne
 f. *umbrophilus* Hoehne
 = *Nematanthus hirtellus*
- Alloplectus hirtellus* (Schott) Preston ex Hoehne
 = *Nematanthus hirtellus*
- Alloplectus hispidus* (Kunth) Mart.
- Alloplectus hoppii* Mansf.
 = *Drymonia hoppii*
- Alloplectus ichthyoderma* Hanst.
 = *Glossoloma ichthyoderma*
- Alloplectus ichthyoderma* f. *rubescens* C.V.Morton
 = *Glossoloma ichthyoderma*
- Alloplectus ichthyoderma* var. *hirsutulus* C.V.Morton
 = *Glossoloma tetragonum*
- Alloplectus ichthyoderma* var. *pallidus* C.V.Morton
 = *Glossoloma ichthyoderma*
- Alloplectus inflatus* J.L.Clark & L.E.Skog
- Alloplectus kunthii* G.Don.
 = nom. illeg. superfl.
- Alloplectus lanatus* Seem.
 = *Columnea lanata*
- Alloplectus lindenii* (Kuntze) Wiehler
 = nom. illeg.
- Alloplectus lynchii* Hook.f.
 = *Nautilocalyx lynchii*

- Alloplectus macranthus* Donn.Sm.
 = *Drymonia macrantha*
- Alloplectus macrophyllus* (Oerst.) Hemsl.
 = *Drymonia macrophylla*
- Alloplectus martinianus* J.F.Sm.
 = *Glossoloma martinianum*
- Alloplectus medusaeus* L.E.Skog
 = *Glossoloma medusaeum*
- Alloplectus melittifolius* (L.) Mart. ex Loud.
 = *Chrysanthemis melittifolia*
- Alloplectus meridensis* Klotzsch ex Hanst.
 = *Glossoloma ichthyoderma*
- Alloplectus metamorphophyllus* Donn.Sm.
 = *Trichodrymonia metamorphophylla*
- Alloplectus microsepalus* C.V.Morton
 = *Columnea spathulata*
- Alloplectus multiflorus* (Oerst. ex Hanst.) Hanst.
 = *Drymonia multiflora*
- Alloplectus nummularia* (Hanst.) Wiehler
 = *Pachycaulos nummularia*
- Alloplectus oblongicalyx* J.L.Clark & L.E.Skog
 = *Glossoloma oblongicalyx*
- Alloplectus oinochrophyllus* Donn.Sm.
 = *Drymonia oinochrophylla*
- Alloplectus ornatus* C.V.Morton
 = *Glossoloma chrysanthum*
- Alloplectus pallidus* Sprague
 = *Nautilocalyx pallidus*
- Alloplectus panamensis* C.V.Morton
 = *Glossoloma panamense*
- Alloplectus patrisii* Miq. ex Decne.
 = nom. nud. pro syn.
- Alloplectus parviflorus* (Hanst.) Hemsl.
 = *Drymonia hansteiniana*
- Alloplectus parviflorus* Hanst.
 = *Nematanthus hirtellus*
- Alloplectus patrisii* DC.
 = *Drymonia coccinea*
- Alloplectus peltatus* Oliver
 = *Drymonia peltata*
- Alloplectus penduliflorus* M.Freiberg
 = *Glossoloma penduliflorum*
- Alloplectus pendulus* Poepp.
 = *Drymonia pendula*
- Alloplectus peruvianus* (Zahlbr.) L.P.Kvist & L.E.Skog
 = *Columnea peruviana*
- Alloplectus pinelianus* Lem.
 = *Nematanthus lanceolatus*
- Alloplectus pinelianus* var. *bicolor* Lem.
 = *Nematanthus lanceolatus*
- Alloplectus pubescens* (Griseb.) Fawc.
 = *Columnea pubescens*
- Alloplectus purpureus* L.P.Kvist & L.E.Skog
 = *Glossoloma purpureum*
- Alloplectus pycnosuzygius* (Donn.Sm.) C.V.Morton
 = *Glossoloma pycnosuzygium*
- Alloplectus repens* Hook.
 = *Columnea repens*
- Alloplectus ruacophilus* Donn.Sm.
 = *Glossoloma ichthyoderma*
- Alloplectus rubidus* C.V.Morton
 = *Columnea rubida*
- Alloplectus sanguineus* (Pers.) G.Don.
 = *Columnea sanguinea*
- Alloplectus savannarum* C.V.Morton
 = *Lesia savannarum*
- Alloplectus scabridus* Lem.
 = *Nematanthus strigillosus*
- Alloplectus schlimii* Planch. & Linden
 = *Corytoplectus schlimii*
- Alloplectus schottii* G.Don
 = *Nematanthus lanceolatus*
- Alloplectus schultzei* Mansf.
 = *Glossoloma schultzei*
- Alloplectus semicordatus* Poepp.
 = *Drymonia semicordata*
- Alloplectus serpens* J.L.Clark & L.E.Skog
 = *Glossoloma serpens*
- Alloplectus simulatus* C.V.Morton
 = *Glossoloma tetragonum*
- Alloplectus solitarius* Rusby
 = *Drymonia solitaria*
- Alloplectus sparsiflorus* Mart.
 = *Nematanthus hirtellus*
- Alloplectus speciosus* Hort. ex Hook.
 = nom. nud. pro syn.
- Alloplectus speciosus* Poepp.
 = *Corytoplectus speciosus*
- Alloplectus spectabilis* Wiehler ex L.E.Skog & Steyermark.
 = *Crantzia spectabilis*
- Alloplectus splendens* G.Don ex Loud.
 = *Nematanthus hirtellus*
- Alloplectus sprucei* (Kuntze) Wiehler
 = *Glossoloma sprucei*
- Alloplectus stenophyllus* Donn.Sm.
 = *Drymonia stenophylla*
- Alloplectus strigosus* (Oerst.) Hanst.
 = *Drymonia strigosa*
- Alloplectus sylvarum* S.Moore
 = *Drymonia semicordata*

- Alloplectus tenuis* Benth.
= *Drymonia tenuis*
- Alloplectus tessmannii* Mansf.
- Alloplectus tetragonoides* Mansf.
= *Glossoloma tetragonoides*
- Alloplectus tetragonus* (Hanst.) Hanst.
= *Glossoloma tetragonum*
- Alloplectus teuscheri* (Raymond) Wiehler
= *Drymonia teuscheri*
- Alloplectus tigrinus* (Karst.) Hanst.
= *Crantzia tigrina*
- Alloplectus tomentosus* Glaz.
= *Vanhouttea lanata*
- Alloplectus tucurriquensis* Donn.Sm.
= *Drymonia macrantha*
- Alloplectus varelanus* (Cuatrec.) Cuatrec.
= *Glossoloma ichthyoderma*
- Alloplectus ventricosus* Donn.Sm.
= *Drymonia coriacea*
- Alloplectus villosus* Hanst.
= *Nematanthus villosus*
- Alloplectus vinaceus* (C.V.Morton) D.N.Gibson
= *Columnea vinacea*
- Alloplectus viridis* (C.V.Morton) D.N.Gibson
= *Columnea purpurata*
- Alloplectus vittatus* Linden & André
= *Corytoplectus speciosus*
- Alloplectus weiri* (Kuntze) Wiehler
- Alloplectus zamorensis* Linden & André
= *Corytoplectus zamorensis*
- Almania hirsuta* (Lindl.) Raf.
= *Sinningia hirsuta*
- Alsobia antirrhina* (DC.) Oerst.
= *Achimenes antirrhina*
- Alsobia baroniae* L.E.Skog & Barrie
- Alsobia dianthiflora* (H.E.Moore & R.G.Wilson)
Wiehler
- Alsobia punctata* (Lindl.) Hanst.
- Amalophyllum albiflorum* (Rusby) Boggan, L.E.Skog & Roalson
- Amalophyllum caripense* (Klotzsch & Hanst.) Boggan,
L.E.Skog & Roalson
- Amalophyllum clarkii* Boggan & L.E.Skog
- Amalophyllum divaricatum* (Poepp.) Boggan,
L.E.Skog & Roalson
- Amalophyllum ecuadoranum* (Wiehler) J.L.Clark
- Amalophyllum laceratum* (C.V.Morton) Boggan,
L.E.Skog & Roalson
- Amalophyllum macrophyloides* Boggan & L.E.Skog
- Amalophyllum macrophyllum* (Wiehler) Boggan,
L.E.Skog & Roalson
- Amalophyllum parviflorum* (A.Braun & Bouché)
Boggan, L.E.Skog & Roalson
- Amalophyllum repens* Donn.Sm.
- Amalophyllum roezlii* (Regel) Boggan, L.E.Skog &
Roalson
- Amalophyllum rubidum* (Lem.) Boggan, L.E.Skog &
Roalson
- Amalophyllum rupestre* Brandegee
- Anetanthes disjunctus* L.E.Skog & J.L.Clark
- Anetanthes gracilis* Hiern
- Anetanthes gracilis* subsp. *munchiquensis* Fern.Alonso
- Anetanthes hilarianus* Baill.
= *Anetanthes gracilis*
- Anetanthes pusillus* Glaz.
= *Anetanthes gracilis*
- Anetanthes rubra* L.E.Skog
- Anetanthes villosa* (Gardner) Benth. ex B.D.Jacks.
= *Goyazia villosa*
- Anetanthes wedellianus* Baill.
= *Anetanthes gracilis*
- Anodiscus peruvianus* Benth.
= *Gloxinia xanthophylla*
- Anodiscus xanthophyllus* (Poepp.) Mansf.
= *Gloxinia xanthophylla*
- Antirrhinum maculatum* Sesse & Moc.
= *Achimenes antirrhina*
- Antirrhinum uniflorum* Sesse & Moc.
= *Achimenes grandiflora*
- Arctocalyx endlicherianus* Hell. ex Fenzl
= *Solenophora insignis*
- Arctocalyx insignis* (Martens & Galeotti) Fenzl
= *Solenophora insignis*
- Arctocalyx liebmannii* Oerst.
= *Solenophora obscura*
- Arctocalyx obscurus* Oerst.
= *Solenophora obscura*
- Asteranthera ovata* (Cav.) Hanst.
- Asteranthera chiloensis* Klotzsch & Hanst.
= nom. nud. pro syn.
- Basileophyta frederic-augusti* F.Muell.
= *Fieldia australis*
- Bellonia aspera* L.
- Bellonia spinosa* Swartz
- Besleria acropoda* Donn.Sm.
= *Gasteranthus acropodus*
- Besleria acutifolia* Benth.
= *Besleria solanoides* var. *solanoides*
- Besleria affinis* C.V.Morton
- Besleria aggregata* (Mart.) Hanst.

- Besleria aggregata** var. *semiannularis* (C.V.Morton)
C.V.Morton
- Besleria aggregata** var. *loretensis* (C.V.Morton) C.V.Morton
= *Besleria aggregata* var. *aggregata*
- Besleria aggregata** var. *mexiae* (C.V.Morton) C.V.Morton
= *Besleria aggregata* var. *aggregata*
- Besleria allenii** C.V.Morton
= *Gasteranthus acropodus*
- Besleria allenii** var. *paucivenia* C.V.Morton
= *Gasteranthus acropodus*
- Besleria amabilis** C.V.Morton
- Besleria angusta** C.V.Morton
- Besleria angustiflora** Fritsch
- Besleria anomala** C.V.Morton
= *Gasteranthus anomalus*
- Besleria arborescens** C.V.Morton
- Besleria arbusta** L.E.Skog
- Besleria ardens** Decne.
- Besleria aristeguitae** (C.V.Morton) Wiehler
- Besleria attenuata** C.V.Morton
- Besleria aurantiaca** Fritsch
= *Besleria longipedunculata*
- Besleria aurea** I.G.Costa & G.E.Ferreira
- Besleria barbata** (Poepp.) Hanst.
- Besleria barbensis** Hanst.
- Besleria barbensis** var. *hirsuta* C.V.Morton
= *Besleria barbensis*
- Besleria barclayi** L.E.Skog
- Besleria beltranii** I.Salinas
- Besleria berteriana** DC.
= *Besleria lutea*
- Besleria betonicifolia** Hort. Berol. ex Hanst.
= nom. nud. pro syn.
- Besleria bicolor** Kunth
= *Glossoloma bicolor*
- Besleria bicolor** Schott
= *Nematanthus lanceolatus*
- Besleria boliviiana** C.V.Morton
- Besleria brevicalyx** G.E.Ferreira & Chautems
- Besleria calantha** C.V.Morton
- Besleria calcarata** Kunth
= *Gasteranthus calcaratus* subsp. *calcaratus*
- Besleria calceola** Fritsch
= *Gasteranthus calcaratus* subsp. *calceolus*
- Besleria caligula** C.V.Morton
= *Gasteranthus calcaratus* subsp. *calceolus*
- Besleria callista** Standl. & L.O.Wms.
= *Gasteranthus delphinoides*
- Besleria calycina** L.E.Skog
- Besleria campanulata** Linden
- Besleria capitata** Poepp.
- Besleria cestroides** Fritsch
= *Cremospermopsis cestroides*
- Besleria chiapensis** Brandegee
= *Besleria laxiflora*
- Besleria chiriquensis** Wiehler
= *Besleria hirsuta*
- Besleria cinnabarinna** Fritsch
- Besleria citrina** Fritsch
- Besleria clivorum** C.V.Morton
- Besleria coccinea** Aubl.
= *Drymonia coccinea*
- Besleria cognata** C.V.Morton
- Besleria columbiana** C.V.Morton
= *Gasteranthus columbianus*
- Besleria columbiana** var. *arguta* C.V.Morton
= *Gasteranthus calcaratus* subsp. *calcaratus*
- Besleria columneoides** Hanst.
- Besleria comosa** C.V.Morton
- Besleria compta** C.V.Morton
- Besleria concinna** C.V.Morton
- Besleria concolor** Fritsch
- Besleria conformis** C.V.Morton
- Besleria congestiflora** Donn.Sm.
= *Rufodorsia congestiflora*
- Besleria connata** C.V.Morton
- Besleria conspecta** C.V.Morton
- Besleria corallina** Fritsch
= *Gasteranthus corallinus*
- Besleria corallinoides** Fritsch
= *Gasteranthus corallinus*
- Besleria coriacea** Urb.
= *Besleria lanceolata*
- Besleria costaricensis** (Oerst.) Hanst.
= *Besleria solanoides* var. *solanoides*
- Besleria crassa** C.V.Morton
- Besleria crassicaulis** C.V.Morton
= *Besleria tambensis*
- Besleria crassifolia** Schott
= *Nematanthus crassifolius*
- Besleria crenata** C.V.Morton
= *Gasteranthus corallinus*
- Besleria cristata** L.
= *Crantzia cristata*
- Besleria cristata** sensu Sesse & Moc.
= *Drymonia serrulata*
- Besleria cuneata** Gardner
= *Besleria melancholica*
- Besleria cyrtanthemum** Hanst.

- Besleria danii** Flast.
 = *Besleria longimucronata*
- Besleria debilis** Rusby
 = *Besleria laxiflora*
- Besleria decipiens** C.V.Morton
- Besleria deflexa** (Oerst.) Hanst.
- Besleria delphinoides** (Seem.) Leeuwenb.
 = *Gasteranthus delphinoides*
- Besleria delvillari** Cuatrec.
Besleria densiflora Fritsch
 = *Besleria barbata*
- Besleria diabolica** G.E.Ferreira & Chautems
- Besleria dichrus** Spreng.
 = *Nematanthus lanceolatus*
- Besleria disgrega** C.V.Morton
- Besleria divaricata** Poepp.
- Besleria drymonia** Steud.
 = *Drymonia serrulata*
- Besleria duarteana** Hoehne
- Besleria ecuadorensis** (Fritsch) C.V.Morton
 = *Gasteranthus pansamalanus*
- Besleria elegans** Kunth
- Besleria elongata** Urb.
- Besleria emendata** C.V.Morton
- Besleria eriocalyx** C.V.Morton
- Besleria fallax** C.W.González, L.E.Skog & M.Amaya
- Besleria fasciculata** Wawra
- Besleria fecunda** C.V.Morton
- Besleria ferreyrae** C.V.Morton
- Besleria filipes** Urb.
Besleria filipes Urb. f. *glaberrima* C.V.Morton
 = *Besleria filipes*
- Besleria filipes* Urb. f. *latrix* C.V.Morton
 = *Besleria filipes*
- Besleria filipes* Urb. f. *pilicaulis* C.V.Morton
 = *Besleria filipes*
- Besleria flava** C.V.Morton
- Besleria flavovirens** Nees & Mart.
- Besleria floribunda** Fritsch
- Besleria florida** C.V.Morton
- Besleria fluminensis** Brade
- Besleria foliacea** Rusby
 = *Drymonia foliacea*
- Besleria formicaria** Nowicke
- Besleria formosa** C.V.Morton
 = *Besleria amabilis*
- Besleria formosa** F.Dietr.
- Besleria furva** C.V.Morton
- Besleria geminiflora** Gardner
 = *Besleria melancholica*
- Besleria gibbosa** (Poepp.) Hanst.
- Besleria glabra** (Oerst.) Hanst.
- Besleria gracilenta** C.V.Morton
- Besleria grandiflora** Kunth
 = *Kohleria tigridia*
- Besleria grandifolia** Schott
- Besleria guadalupensis** DC.
 = *Chrysanthemis melittifolia*
- Besleria herbacea** C.V.Morton
 = *Gasteranthus herbaceus*
- Besleria heterosepala** Fritsch
- Besleria hirsuta** (Oerst.) Hanst.
- Besleria hirsutissima** (Benth.) Fritsch
 = *Cremosperma hirsutissimum* var. *hirsutissimum*
- Besleria hirsutissima** C.V.Morton
 = nom. illeg.
- Besleria hirtella** Schott
 = *Nematanthus hirtellus*
- Besleria hispida** Kunth
 = *Alloplectus hispidus*
- Besleria horizontalis** C.V.Morton
 = *Glossoloma herthae*
- Besleria hutchisonii** C.V.Morton
- Besleria iara** G.E.Ferreira & M.J.G.Hopkins
- Besleria ignea** Fritsch
 = *Besleria aggregata* var. *aggregata*
- Besleria ignea* var. *loretensis* C.V.Morton
 = *Besleria aggregata* var. *aggregata*
- Besleria ignea* var. *mexiae* C.V.Morton
 = *Besleria aggregata* var. *aggregata*
- Besleria ignea* var. *semiannularis* C.V.Morton
 = *Besleria aggregata* var. *semiannularis*
- Besleria illustris** C.V.Morton
- Besleria imberbis** C.V.Morton
- Besleria imbricans** Donn.Sm.
 = *Gasteranthus imbricans*
- Besleria imbricans* var. *arguta* C.V.Morton
 = *Gasteranthus imbricans*
- Besleria imbricans* var. *uncinata* C.V.Morton
 = *Gasteranthus imbricans*
- Besleria immritis** C.V.Morton
- Besleria impressa** C.V.Morton
- Besleria imrayi** Hook.
 = *Besleria lutea*
- Besleria inaequalis** C.V.Morton
- Besleria incarnata** Aubl.
 = *Sinningia incarnata*

- Besleria insignis* Martens & Galeotti
 = *Solenophora insignis*
- Besleria insolita* C.V.Morton
- Besleria kalbreyeri* Fritsch
- Besleria labiosa* Hanst.
- Besleria laeta* C.V.Morton
- Besleria lanceolata* Urb.
 Besleria lanceolata var. *coriacea* (Urb.) Stehlé
 = *Besleria lanceolata*
- Besleria lanceolata* var. *coriacea* f. *hirsuta* Stehlé
 = *Besleria lanceolata*
- Besleria lanceolata* var. *coriacea* f. *parvifolia* Stehlé
 = *Besleria lanceolata*
- Besleria lanceolata* var. *coriacea* f. *typica* Stehlé
 = *Besleria lanceolata*
- Besleria lanceolata* var. *genuina* Stehlé
 = *Besleria lanceolata*
- Besleria lasiantha* C.V.Morton
- Besleria lateralis* C.V.Morton
 = *Gasteranthus lateralis*
- Besleria laxiflora* Benth.
- Besleria lehmannii* Fritsch
- Besleria leucocarpa* C.V.Morton
- Besleria leucostoma* (Hook.) Hanst.
- Besleria longifolia* Poepp. ex Hanst.
 = nom. nud. pro syn.
- Besleria longimucronata* Hoehne
- Besleria longipedunculata* Britton
- Besleria longipes* Urb.
- Besleria lucida* Poepp.
- Besleria lutea* L.
 Besleria lutea var. *alpestris* Urb.
 = *Besleria lutea*
- Besleria lutea* var. *brevipes* Urb.
 = *Besleria lutea*
- Besleria lutea* var. *imrayi* (Hook.f.) Urb.
 = *Besleria lutea*
- Besleria lutea* var. *intermedia* Urb.
 = *Besleria lutea*
- Besleria lutea* var. *leucantha* Urb.
 = *Besleria lutea*
- Besleria lutea* var. *vincentina* Urb.
 = *Besleria lutea*
- Besleria lutea* var. *vulgaris* Urb.
 = *Besleria lutea*
- Besleria lutea* sensu Sesse & Moc.
 = *Drymonia strigosa*
- Besleria luteovirens* Mart.
 = *Besleria flavovirens*
- Besleria maasii* Wiehler
 = *Besleria patrisii*
- Besleria macahensis* Brade
- Besleria macrocalyx* C.V.Morton
- Besleria macropoda* Donn.Sm.
- Besleria maxima* C.V.Morton
 = *Besleria tambensis*
- Besleria melancholica* (Vell.) C.V.Morton
- Besleria melittifolia* L.
 = *Chrysanthemis melittifolia*
- Besleria melittifolia* sensu Drapiez
 = *Chrysanthemis pulchella*
- Besleria membranacea* C.V.Morton
- Besleria meridionalis* C.V.Morton
- Besleria microphylla* var. *serrulata* C.V.Morton
- Besleria microphylla* Fritsch
- Besleria miniata* C.V.Morton
- Besleria minutiflora* Fritsch
 = *Besleria flavo-virens*
- Besleria mirifica* C.V.Morton
- Besleria modica* C.V.Morton
- Besleria mollis* Hook. ex Steud.
 = *Nautilocalyx melittifolius*
- Besleria mollissima* Spreng. ex Steud.
 = *Nautilocalyx melittifolius*
- Besleria montana* Britton
- Besleria moorei* C.V.Morton
- Besleria mortoniana* Steyermark
- Besleria mucronata* Hanst.
- Besleria multiflora* C.V.Morton
 = *Besleria gibbosa*
- Besleria neblinae* Feuillet
- Besleria nemorosa* C.V.Morton
- Besleria nitens* Fritsch
- Besleria notabilis* C.V.Morton
- Besleria nubigena* C.V.Morton
- Besleria obliqua* C.V.Morton
- Besleria obtusa* C.V.Morton
- Besleria oncogastra* Hanst.
 = *Gasteranthus calcaratus* subsp. *oncogastrus*
- Besleria ornata* C.V.Morton
- Besleria ovalifolia* Rusby
- Besleria ovoidea* C.V.Morton
- Besleria oxyphylla* C.V.Morton
- Besleria pallidiflora* Fritsch
- Besleria panamensis* C.V.Morton
 = *Gasteranthus imbricans*
- Besleria pansamalana* Donn.Sm.
 = *Gasteranthus pansamalanus*

- Besleria pansamalana** Donn.Sm. var. *ecuadorensis* Fritsch
 = *Gasteranthus pansamalananus*
- Besleria parviflora** L.E.Skog & Steyerm.
- Besleria patrisii** DC.
- Besleria pauciflora** Rusby
- Besleria pauciflora** Rusby var. *uniflora* C.V.Morton
 = *Besleria pauciflora*
- Besleria pendula** Hanst.
- Besleria penduliflora** Fritsch
- Besleria pennellii** C.V.Morton
- Besleria perennis** C.V.Morton
 = *Gasteranthus perennis*
- Besleria peruviana** Fritsch
- Besleria peruviana** var. *dissimilis* C.V.Morton
 = *Besleria peruviana*
- Besleria peruviana** var. *occulta* C.V.Morton
 = *Besleria peruviana*
- Besleria petiolaris** (Griseb.) Urb.
- Besleria placita** C.V.Morton
- Besleria princeps** Hanst.
- Besleria pulchella** Donn ex Sims
 = *Chrysanthemis pulchella*
- Besleria pycnosuzygia** Donn.Sm.
 = *Glossoloma pycnosuzygium*
- Besleria quadrangulata** L.E.Skog
- Besleria quitensis** (Benth.) Hanst.
 = *Gasteranthus quitensis*
- Besleria racemosa** C.V.Morton
- Besleria rara** L.E.Skog
- Besleria resupinata** Sesse & Moc.
 = *Columnea schiedeana*
- Besleria reticulata** Fritsch
- Besleria reticulata** var. *macrophylla* Hoehne
- Besleria reticulata** var. *pubistyla* Fritsch
- Besleria reticulata** var. *venosa* C.V.Morton
- Besleria rhytidophyllum** Hanst.
- Besleria riedeliana** Hanst.
 = *Besleria melancholica*
- Besleria riparia** C.V.Morton
- Besleria robusta** Donn.Sm.
- Besleria rosea** (C.V.Morton) Wiegler
- Besleria rotundifolia** Rusby
- Besleria rupestris** C.V.Morton
 = *Gasteranthus wendlandianus*
- Besleria salicifolia** Fritsch
- Besleria sanguinea** Pers.
 = *Columnea sanguinea*
- Besleria saxicola** C.V.Morton
- Besleria seitzii** Krug & Urb.
- Besleria selloana** Klotzsch & Hanst.
- Besleria serrulata** Jacq.
 = *Drymonia serrulata*
- Besleria sieberiana** Urb.
- Besleria sodiroana** Fritsch
 = *Gasteranthus quitensis*
- Besleria solanoides** Kunth
- Besleria solanoides** var. *dentata* C.V.Morton
- Besleria solanoides** var. *tenera* C.V.Morton
- Besleria solanoides** var. *parvifolia* C.V.Morton
 = *Besleria solanoides* var. *solanoides*
- Besleria solitaria** C.V.Morton ex Espinosa
 = *nom. nud.*
- Besleria spectabilis** Kunth
 = *Drymonia serrulata*
- Besleria splendens** Hort. ex Steud.
 = *nom. nud. pro syn.*
- Besleria spinulosa** C.V.Morton
- Besleria spissa** C.V.Morton
- Besleria sprucei** Britton
- Besleria sprucei** var. *flavescens* C.V.Morton
 = *Besleria pauciflora*
- Besleria standleyi** C.V.Morton
- Besleria steyermarkiorum** Wiegler ex L.E.Skog
- Besleria stricta** L.E.Skog
 = *Besleria arborescens*
- Besleria strigillosa** Urb.
- Besleria subcarnosa** Fritsch
- Besleria subcoriacea** C.V.Morton
 = *Gasteranthus delphinoides*
- Besleria subdecurrens** C.V.Morton
 = *Besleria notabilis*
- Besleria subulata** Nowicke
 = *Besleria formicaria*
- Besleria sylvarum** C.V.Morton
 = *Gasteranthus corallinus*
- Besleria symphytum** Hanst.
- Besleria tambensis** C.V.Morton
- Besleria tenuifolia** Rusby
 = *Besleria laxiflora*
- Besleria tetrangularis** Ruiz ex Hanst.
- Besleria timida** C.V.Morton
 = *Gasteranthus timidus*
- Besleria tincta** C.V.Morton
 = *Gasteranthus calcaratus* subsp. *calcaratus*
- Besleria trichiata** C.V.Morton
- Besleria trichostegia** Donn.Sm.

- Besleria triflora** (Oerst.) Hanst.
Besleria triflora var. *australis* C.V.Morton
 = *Besleria amabilis*
Besleria triflora (Oerst.) Hanst. var. *subcorymbosa*
 Donn.Sm.
 = *Besleria triflora*
Besleria tuberculata C.V.Morton
Besleria uleana Fritsch
 = *Besleria sprucei*
Besleria umbellata Herb. Banks ex Sims
 = *nom. nud. pro syn.*
Besleria umbrosa Mart.
Besleria vargasii C.V.Morton
Besleria variabilis C.V.Morton
Besleria variabilis f. *barbatula* C.V.Morton
 = *Besleria variabilis*
Besleria variabilis f. *pallida* C.V.Morton
 = *Besleria variabilis*
Besleria ventricosa C.V.Morton
Besleria venusta C.V.Morton
 = *Gasteranthus lateralis*
Besleria verecunda C.V.Morton
 = *Besleria patrisii*
Besleria vestita Fritsch
Besleria villosa Fritsch
Besleria wendlandiana Hanst.
 = *Gasteranthus wendlandianus*
Besleria wurdackii C.V.Morton
 = *Besleria pauciflora*
Besleria yaracuyensis Hoehne
Besleria yatuana Feuillet
Biglandularia conspicua Seem.
 = *Sinningia conspicua*
Brachyloma elongatum (Kunth) Hanst.
 = *Kohleria trianae*
Brachyloma erianthum (Benth.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma hirsutum (Kunth) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma hondense (Kunth) Hanst.
 = *Kohleria hondensis*
Brachyloma incurvum (Benth.) Oerst.
 = *Kohleria tubiflora*
Brachyloma karstenianum Hanst.
 = *Kohleria hirsuta* var. *longipes*
Brachyloma leucomallon Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma longiflorum (Kunth) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Brachyloma longifolium* (Lindl.) Oerst.
 = *Kohleria spicata*
Brachyloma longipes (Benth.) Hanst.
 = *Kohleria hirsuta* var. *longipes*
Brachyloma molle (Kunth) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma moritzianum Bouché & Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma petiolare (Benth.) Oerst.
 = *Kohleria spicata*
Brachyloma pictum (Hook.) Oerst.
 = *Kohleria tubiflora*
Brachyloma pilosum Oerst.
 = *Kohleria tubiflora*
Brachyloma rhodomallon Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma rhynchocarpum (Benth.) Oerst.
 = *Kohleria tubiflora*
Brachyloma rubricaula (Kunth & Bouché) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma strictum Oerst.
 = *Kohleria tubiflora*
Brachyloma trianae (Regel) Hanst.
 = *Kohleria trianae*
Brachyloma tubiflorum (Cav.) Oerst.
 = *Kohleria tubiflora*
Brachyloma ventricosum Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Brachyloma vestitum (Benth.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Buchnera coccinea Scop.
 = *Achimenes erecta*
Bucinella nariniana Wiehler
 = *Columnea nariniana*
Bucinella paramicola Wiehler
 = *Columnea paramicola*
Bucinellina nariniana (Wiehler) Wiehler
 = *Columnea nariniana*
Bucinellina paramicola (Wiehler) Wiehler
 = *Columnea paramicola*
Calanthe multiflorus Oerst. ex Hanst.
 = *Drymonia multiflora*
Caloplectus macrophyllus Oerst.
 = *Drymonia macrophylla*
Calostemma lindenii Hanst.
 = *Kohleria inaequalis* var. *lindenii*
Capanea affinis Fritsch
 = *Kohleria affinis*

- Capanea andina* Fritsch
 = *Kohleria affinis*
- Capanea chiriquana* C.V.Morton
 = *Kohleria tigridia*
- Capanea grandiflora* (Kunth) Decne. ex Planch.
 = *Kohleria tigridia*
- Capanea hansteinii* Fritsch
 = *Kohleria affinis*
- Capanea hansteinii* var. *intermedia* Fritsch
 = *Kohleria affinis*
- Capanea humboldtii* (Klotzsch) Oerst.
 = *Kohleria tigridia*
- Capanea oerstedii* (Klotzsch) Oerst.
 = *Kohleria tigridia*
- Capanea oerstedii* (Klotzsch) Oerst. var. *laevis* C.V.Morton
 = *Kohleria tigridia*
- Capanea peruviana* Fritsch
 = *Kohleria affinis*
- Capanea picturata* Donn.Sm.
 = *Kohleria tigridia*
- Capanea quitensis* Fritsch
 = *Kohleria affinis*
- Capanea urceolata* Fritsch
 = *Kohleria affinis*
- Capanea warszewiczii* Warsz. ex Regel
 = nom. nud. pro syn.
- Centrosolenia aenea* Linden & André
 = *Nautilocalyx aeneus*
- Centrosolenia bracteata* Planch.
 = *Nautilocalyx bracteatus*
- Centrosolenia bractescens* Hook.
 = *Nautilocalyx bracteatus*
- Centrosolenia bryogeton* (Leeuwenb.) M.M.Mora & J.L.Clark
- Centrosolenia bullata* Lem.
 = *Nautilocalyx bullatus*
- Centrosolenia chimantensis* (L.E.Skog & Steyermark.) M.M.Mora & J.L.Clark
- Centrosolenia coccinea* (Feuillet & L.E.Skog) M.M.Mora & J.L.Clark
- Centrosolenia conferta* C.V.Morton
 = *Trichodrymonia conferta*
- Centrosolenia congesta* (Oerst.) C.V.Morton
 = *Trichodrymonia congesta*
- Centrosolenia crenata* (Feuillet) M.M.Mora & J.L.Clark
- Centrosolenia decurrens* C.V.Morton
 = *Paradrymonia ciliosa*
- Centrosolenia densa* (C.H.Wright) Sprague
 = *Paradrymonia densa*
- Centrosolenia glabra* Benth.
 = *Paradrymonia ciliosa*
- Centrosolenia glabra* sensu Hook.
 = *Codonanthopsis crassifolia*
- Centrosolenia hirsuta* Benth.
- Centrosolenia hirtiflora* (Spruce ex Hanst.) Hanst.
 = *Nautilocalyx hirtiflorus*
- Centrosolenia lineata* C.V.Morton
 = *Trichodrymonia lineata*
- Centrosolenia longipetiolata* (Donn.Sm.) C.V.Morton
 = *Trichodrymonia longipetiolata*
- Centrosolenia orinocensis* (Feuillet) M.M.Mora & J.L.Clark
- Centrosolenia paujiensis* (Feuillet) M.M.Mora & J.L.Clark
- Centrosolenia picta* Hook.
 = *Nautilocalyx pictus*
- Centrosolenia porphyrotricha* (Leeuwenb.) M.M.Mora & J.L.Clark
- Centrosolenia pusilla* (Feuillet) M.M.Mora & J.L.Clark
- Centrosolenia rosea* (Feuillet) M.M.Mora & J.L.Clark
- Centrosolenia rubra* (Feuillet) M.M.Mora & J.L.Clark
- Chautemsia calcicola* A.O.Araujo & V.C.Souza
- Cheirisanthera atrosanguinea* Hort. ex Lindl. & Paxton
 = nom. nud. pro syn.
- Cheirisanthera coccinea* Hort. ex Regel
 = nom. nud. pro syn.
- Chirita lilacina* Lem.
 = *Monopyle lilacina*
- Chorisanthera atrosanguinea* Hort. ex Herincq
 = *Heppiella viscida*
- Chorisanthera hispida* (Benth.) Oerst.
 = *Gesneria acaulis* var. *acaulis*
- Chorisanthera pumila* (Swartz) Oerst.
 = *Gesneria pumila* subsp. *pumila*
- Chorisanthera tenera* Oerst.
 = *Gesneria pumila* subsp. *pumila*
- Christopheria xantha* (Leeuwenb.) J.F.Sm. & J.L.Clark
- Chrysanthemis adenosiphon* (Leeuwenb.) M.M.Mora & J.L.Clark
- Chrysanthemis aurantiaca* Decne.
 = *Chrysanthemis pulchella*
- Chrysanthemis colonensis* (Wiehler) M.M.Mora & J.L.Clark
- Chrysanthemis dichroa* Leeuwenb.
- Chrysanthemis friedrichsthaliana* (Hanst.) H.E.Moore
- Chrysanthemis kuhmannii* Hoehne
- Chrysanthemis melittifolia* (L.) G.Don
 = nom. inval.
- Chrysanthemis melittifolia* (L.) M.M.Mora & J.L.Clark
- Chrysanthemis panamensis* (Seem.) M.M.Mora & J.L.Clark
- Chrysanthemis pulchella* (Donn ex Sims) Decne.
- Chrysanthemis rupestris* (Benth.) Leeuwenb.

- Chrysanthemis semiclausa* (Hanst.) Leeuwenb.
 = *Chrysanthemis pulchella*
- Chrysanthemis venosa* Decne.
 = *Chrysanthemis melittifolia*
- Chrysanthemis villosa* (Benth.) Leeuwenb.
 = *Chrysanthemis pulchella*
- Cobananthus calochlamys** (Donn.Sm.) Wiehler
- Coccanthera devosiana* (Lem.) C.Koch & Hanst.
 = *Codonanthe devosiana*
- Coccanthera hookeriana* C.Koch & Hanst.
 = nom. illeg. superfl
- Codonanthe aggregata* (Mart.) Hanst.
 = *Besleria aggregata* var. *aggregata*
- Codonanthe bipartita* L.B.Sm.
 = *Codonanthopsis calcarata*
- Codonanthe calcarata* (Miq.) Hanst.
 = *Codonanthopsis calcarata*
- Codonanthe calcarata sensu* Hanst.
 = *Codonanthopsis crassifolia*
- Codonanthe caribaea* Urb.
 = *Codonanthopsis caribaea*
- Codonanthe carnosa** (Gardner) Hanst.
- Codonanthe carnosa* (Vell.) Hoehne
 = *Codonanthe carnosa*
- Codonanthe chiricana* Wiehler
 = *Codonanthopsis chiricana*
- Codonanthe confusa* Sandw.
 = *Codonanthopsis crassifolia*
- Codonanthe cordifolia** Chautems
- Codonanthe corniculata* Wiehler
 = *Codonanthopsis corniculata*
- Codonanthe crassifolia* (Focke) C.V.Morton
 = *Codonanthopsis crassifolia*
- Codonanthe decurrens* I.M.Johnst.
 = *Codonanthopsis uleana*
- Codonanthe devosiana** Lem.
- Codonanthe digna* Wiehler
 = *Codonanthe devosiana*
- Codonanthe dissimulata* H.E.Moore
 = *Codonanthopsis dissimulata*
- Codonanthe eggersii* Urb.
 = *Codonanthopsis caribaea*
- Codonanthe elegans* Wiehler
 = *Codonanthopsis elegans*
- Codonanthe erubescens* Wiehler
 = *Codonanthopsis erubescens*
- Codonanthe florida* Pamp.
 = *Codonanthe carnosa*
- Codonanthe formicarum* Fritsch
- = *Codonanthopsis uleana*
- Codonanthe gracilis** (Mart.) Hanst.
- .*Codonanthe hookeri* Lem.
 = *Codonanthe carnosa*
- Codonanthe hookeri* f. *oblongifolia* Hoehne
 = *Codonanthe carnosa*
- Codonanthe luteola* Wiehler
 = *Codonanthopsis luteola*
- Codonanthe macradenia* Donn.Sm.
 = *Codonanthopsis macradenia*
- Codonanthe mattos-silvae** Chautems
- Codonanthe paula* Wiehler
 = *Codonanthe devosiana*
- Codonanthe picta* Lem.
 = *Codonanthe gracilis*
- Codonanthe serrulata** Chautems
- Codonanthe stenantha** Hoehne
- Codonanthe triplinervia* Britton
 = *Codonanthopsis caribaea*
- Codonanthe triplinervia* var. *latifolia* C.V.Morton
 = *Codonanthopsis caribaea*
- Codonanthe triplinervia* var. *purpurea* C.V.Morton
 = *Codonanthopsis caribaea*
- Codonanthe uleana* Fritsch
 = *Codonanthopsis uleana*
- Codonanthe uleana* var. *integrifolia* Fritsch
 = *Codonanthopsis uleana*
- Codonanthe ulei* (Mansf.) H.E.Moore
 = *Codonanthopsis ulei*
- Codonanthe venosa** Chautems
- Codonanthe ventricosa* (Vell.) Hoehne
 = *Codonanthe gracilis*
- Codonanthopsis aggregata* (Mart.) Hoehne
 = *Besleria aggregata* var. *aggregata*
- Codonanthopsis anisophylla** (Feuillet & L.E.Skog)
 Chautems & Mat.Perret
- Codonanthopsis calcarata** (Miq.) Chautems &
 Mat.Perret
- Codonanthopsis caribaea** (Urb.) Chautems &
 Mat.Perret
- Codonanthopsis chiricana** (Wiehler) Chautems &
 Mat.Perret
- Codonanthopsis corniculata** (Wiehler) Chautems &
 Mat.Perret
- Codonanthopsis crassifolia** (Focke) Chautems &
 Mat.Perret
- Codonanthopsis dissimulata** (H.E.Moore) Wiehler
- Codonanthopsis elegans** (Wiehler) Chautems &
 Mat.Perret
- Codonanthopsis erubescens** (Wiehler) Chautems &
 Mat.Perret
- Codonanthopsis hubneri** Mansf.

- Codonanthopsis luteola* (Wiehler) Chautems & Mat.Perret
- Codonanthopsis macradenia* (Donn.Sm.) Chautems & Mat.Perret
- Codonanthopsis mansfeldiana* Hoehne
- Codonanthopsis peruviana* Wiehler
= *Codonanthopsis dissimilata*
- Codonanthopsis uleana* (Fritsch) Chautems & Mat.Perret
- Codonanthopsis ulei* Mansf.
- Codonophora grandiflora* Lindl.
= nom. illeg.
- Codonophora lanceolata* Lindl.
= nom. illeg.
- Codonophora selliana* Hanst.
= *Paliavana prasinata*
- Codonoraphia calycosa* (Hook.) Oerst.
= *Gesneria calycosa*
- Codonoraphia albiflora* (Decne.) Oerst.
= *Gesneria pedunculosa*
- Codonoraphia catalpiflora* (Decne.) Oerst.
= *Gesneria exserta*
- Codonoraphia craniolaria* (Swartz) Oerst.
= *Gesneria fruticosa*
- Codonoraphia lessertiana* (Decne.) Oerst.
= *Gesneria exserta*
- Codonoraphia parviflora* (Decne.) Oerst.
= *Gesneria exserta*
- Collandra atronitens* G.Don. ex Loud.
= *Columnea sanguinea*
- Collandra aureonitens* (Hook.) Hanst.
= *Columnea sanguinea*
- Collandra petiolaris* Griseb.
= *Besleria petiolaris*
- Collandra phoenicea* (Tussac) G.Don ex Loud.
= *Columnea sanguinea*
- Collandra picta* (Hook.) Lem.
= *Nauilocalyx pictus*
- Collandra picta* Klotzsch & Hanst.
= *Columnea sanguinea*
- Collandra pilosa* Lem.
= *Columnea sanguinea*
- Collandra sanguinea* (Pers.) Griseb.
= *Columnea sanguinea*
- Columnea acuminata* Benth.
= *Columnea anisophylla*
- Columnea affinis* C.V.Morton
= *Columnea sanguinea*
- Columnea aggregata* (Mart.) Kuntze
= *Besleria aggregata* var. *aggregata*
- Columnea albiflora* L.P.Kvist & L.E.Skog
- Columnea albovinosa* (M.Freiberg) J.L.Clark & L.E.Skog
- Columnea aliena* (C.V.Morton) C.V.Morton
- Columnea allenii* C.V.Morton
- Columnea ambigua* (Urb.) B.D.Morley
- Columnea ampliata* (Wiehler) L.E.Skog
- Columnea angustata* (Wiehler) L.E.Skog
- Columnea angustifolia* (DC.) Kuntze
= *Nematanthus lanceolatus*
- Columnea anisophylla* DC.
- Columnea antennifera* J.L.Clark & Clavijo
- Columnea antiocana* (Wiehler) J.F.Sm.
- Columnea archidona* Cuatrec.
= *Columnea ericae* var. *archidona*
- Columnea argentea* Griseb.
- Columnea arguta* C.V.Morton
- Columnea aripoensis* Britton
= *Columnea scandens*
- Columnea ascendens* Rusby
= *Columnea inaequilatera*
- Columnea asteroloma* (Wiehler) L.E.Skog
- Columnea atahualpae* J.F.Sm. & L.E.Skog
- Columnea aurantia* Wiehler
- Columnea aurantiaca* Decne. ex Planch.
= *Columnea strigosa*
- Columnea aurea* Warsz.
= nom. nud.
- Columnea aureonitens* Hook.
= *Columnea sanguinea*
- Columnea benthamiana* Kuntze
= *Drymonia tenuis*
- Columnea bicolor* (Kunth) Kuntze
= *Glossoloma bicolor*
- Columnea bicolor* Raf. ex B.D.Jacks.
= nom. nud. pro syn.
- Columnea bilabiata* Seem.
- Columnea billbergiana* Beurl.
- Columnea bivalvis* J.L.Clark & M.Amaya
- Columnea boliviiana* Britton
= *Glossoloma boliviianum*
- Columnea brenneri* (Wiehler) B.D.Morley
- Columnea brevipila* Urb.
- Columnea bullata* (C.V.Morton) C.V.Morton
= *Columnea minor*
- Columnea byrsina* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea calcarata* Donn.Sm.
= *Codonanthopsis uleana*
- Columnea calochlamys* (Donn.Sm.) C.V.Morton
= *Cobananthus calochlamys*
- Columnea calotricha* Donn.Sm.

- Columnea calotricha* var. *austroamericana* C.V.Morton
 = *Lesia savannarum*
- Columnea calotricha* var. *breviflora* C.V.Morton
 = *Columnea calotricha*
- Columnea campanulata* Benth.
 = *Columnea strigosa*
- Columnea campanulata* var. *longipedunculata* Cuatrec.
 = *Columnea strigosa*
- Columnea canarina* Wiehler
 = *Columnea ericae*
- Columnea capillosa* L.P.Kvist & L.E.Skog
- Columnea capitata* (Hook.) Kuntze
 = *Corytoplectus capitatus*
- Columnea capitata* (Poepp.) Walp.
 = *Besleria capitata*
- Columnea carinata* J.L.Clark & L.E.Skog
- Columnea cerropirrana* (Wiehler) L.E.Skog
- Columnea chiricana* Wiehler
- Columnea chloronema* (Mart.) Kuntze
 = *Nematanthus crassifolius* subsp. *chloronema*
 (Mart.) Chautems
- Columnea choocoensis* M.Amaya & L.E.Skog
- Columnea choocoensis* var. *altaquerensis* L.E.Skog
- Columnea chrysantha* (Planch. & Linden) Kuntze
 = *Glossoloma chrysanthum*
- Columnea chrysotricha* L.E.Skog & L.P.Kvist
- Columnea ciliata* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea ciliosa* (Mart.) Kuntze
 = *Paradrymonia ciliosa*
- Columnea cinerea* L.P.Kvist & L.E.Skog
 = *Columnea mastersonii*
- Columnea cinnabarinia* C.V.Morton & Raymond
 = *Columnea purpurata*
- Columnea circinata* (Mart.) Kuntze
 = *Drymonia coccinea*
- Columnea citriflora* L.E.Skog
- Columnea citrina* C.V.Morton
 = *Columnea kalbreyeriana*
- Columnea clara* (C.V.Morton) C.V.Morton
 = *Columnea minor*
- Columnea cobana* Donn.Sm.
- Columnea coccinea* (Aubl.) Kuntze
 = *Drymonia coccinea*
- Columnea coccinea* Hort. Angl. ex Hanst.
 = nom. nud. pro syn.
- Columnea colombiana* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea conferta* C.V.Morton
 = *Columnea kalbreyeriana*
- Columnea congesta* (Linden ex Hanst.) Kuntze
 = *Corytoplectus congestus*
- Columnea consanguinea* Hanst.
- Columnea consanguinea* var. *adpressa* B.D.Morley
- Columnea consanguinea* var. *darienensis*
 (C.V.Morton) B.D.Morley
- Columnea consimilis* C.V.Morton
 = *Columnea arguta*
- Columnea coriacea* (Oerst. ex Hanst.) Kuntze
 = *Drymonia coriacea*
- Columnea coronata* M.Amaya, L.E.Skog & L.P.Kvist
- Columnea coronocrypta* M.Amaya, L.E.Skog &
 L.P.Kvist
- Columnea corticola* (Schrad.) Kuntze
 = *Nematanthus corticola*
- Columnea corymbosa* (Klotzsch ex Hanst.) Kuntze
 = *Corytoplectus speciosus* var. *orbicularis*
- Columnea costaricensis* Kuntze
 = *Columnea sanguinolenta*
- Columnea costaricensis* Raymond
 = *Columnea raymondii*
- Columnea crassa* C.V.Morton
- Columnea crassicaulis* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea crassifolia* Brongn. ex Lem.
- Columnea crassifolia* Hort. ex Hook.
 = *Columnea crassifolia*
- Columnea cristata* (L.) Kuntze
 = *Crantzia cristata*
- Columnea cruenta* B.D.Morley
- Columnea cubensis* (Urb.) Britton
 = *Columnea sanguinea*
- Columnea cuspidata* L.E.Skog & L.P.Kvist
- Columnea darienensis* C.V.Morton
 = *Columnea consanguinea* var. *darienensis*
- Columnea densibracteata* L.P.Kvist & L.E.Skog
 = *Columnea medicinalis*
- Columnea dichroa* (Sprengel) O.Kuntze
 = *Nematanthus lanceolatus*
- Columnea dictyophylla* Donn.Sm.
- Columnea dielsii* Mansf.
- Columnea dimidiata* (Benth.) Kuntze
- Columnea dissimilis* C.V.Morton
- Columnea divaricata* (Poepp.) Walp.
 = *Besleria divaricata*
- Columnea dodsonii* Wiehler
 = *Columnea kienastiana*
- Columnea domingensis* (Urb.) B.D.Morley
- Columnea dressleri* Wiehler
- Columnea eburnea* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea ecuadorana* (Wiehler) L.E.Skog
 = *Columnea angustata*

- Columnea elegans* (Rose ex C.V.Morton) C.V.Morton
 = *Columnea minor*
- Columnea elongatifolia* L.P.Kvist & L.E.Skog
- Columnea endlicheriana* Kuntze
 = *Drymonia pendula*
- Columnea erecta* Lam.
 = *Achimenes erecta*
- Columnea eriantha* (Benth.) Hanst.
 = *Kohleria villosa* var. *anisophylla*
- Columnea ericae* Mansf.
- Columnea ericae* var. *archidonae* (Cuatrec.) L.P.Kvist
- Columnea erythrocalyx* Klotzsch ex Oerst.
 = *Columnea quereti*
- Columnea erythrophaea* Decne. ex Houll.
- Columnea erythrophylla* Hanst.
- Columnea eubracteata* Mansf.
- Columnea fawcettii* (Urb.) C.V.Morton
- Columnea fendleri* Sprague
 = *Columnea scandens*
- Columnea fernandezii* M.Amaya
- Columnea figueroae* M.Amaya
- Columnea filamentosa* L.E.Skog
- Columnea filifera* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea fililoba* L.P.Kvist & L.E.Skog
 = *Columnea filifera*
- Columnea filipendula* Wiehler
 = *Columnea rubricaulis*
- Columnea filipes* Oliver
- Columnea fimbrialyx* L.P.Kvist & L.E.Skog
- Columnea flaccida* Seem.
- Columnea flava* Martens & Galeotti
- Columnea flexiflora* L.P.Kvist & L.E.Skog
- Columnea florida* C.V.Morton
- Columnea foreroi* M.Amaya
- Columnea formosa* (C.V.Morton) C.V.Morton
- Columnea forseithii* (Oerst.) Kuntze
 = *Crantzia cristata*
- Columnea fritschii* (Rusby) J.F.Sm.
- Columnea fuscihirta* L.P.Kvist & L.E.Skog
- Columnea gallicauda* Wiehler
- Columnea gigantifolia* L.P.Kvist & L.E.Skog
- Columnea glabra* Oerst.
- Columnea glicensteinii* Wiehler
- Columnea gloriosa* Sprague
- Columnea gracilis* (Mart.) Kuntze
 = *Codonanthe gracilis*
- Columnea grandiflora* Hort. Angl. ex Hanst.
 = nom. nud. pro syn.
- Columnea grandifolia* Rusby
- Columnea grata* C.V.Morton
 = *Columnea sanguinolenta*
- Columnea grisebachiana* Kuntze
- Columnea guatemalensis* Sprague
- Columnea guianensis* C.V.Morton
- Columnea guttata* Poepp.
- Columnea hansteiniana* Kuntze
 = *Drymonia strigosa*
- Columnea harrisii* (Urb.) Britton ex C.V.Morton
- Columnea herthae* Mansf.
- Columnea heterophylla* (Oerst. ex Hanst.) Hanst.
 = *Columnea sanguinolenta*
- Columnea hiantiflora* Wiehler
- Columnea hirsuta* (Mart.) Kuntze
 = *Nematanthus strigillosum*
- Columnea hirsuta* Klotzsch & Oerst.
 = *Columnea hirta*
- Columnea hirsuta* sensu Griseb.
 = *Columnea fawcettii*
- Columnea hirsuta* sensu Hanst.
 = *Columnea urbanii*
- Columnea hirsuta* Swartz
- Columnea hirsuta* var. *concolor* Urb.
 = *Columnea hirsuta*
- Columnea hirsuta* var. *fawcettii* Urb.
 = *Columnea fawcettii*
- Columnea hirsuta* var. *genuina* Urb.
 = *Columnea hirsuta*
- Columnea hirsuta* var. *pallescens* Urb.
 = *Columnea hirsuta*
- Columnea hirsuta* var. *subintegra* f. *hansenii* Urb.
 = *Columnea proctorii*
- Columnea hirsuta* var. *subintegra* f. *harrisii* Urb.
 = *Columnea harrisii*
- Columnea hirsuta* var. *subintegra* f. *wullschlaegelii* Urb.
 = *Columnea urbanii*
- Columnea hirsutissima* C.V.Morton
- Columnea hirta* Klotzsch & Hanst.
- Columnea hirta* var. *mortonii* (Raymond) B.D.Morley
- Columnea hispida* sensu Griseb.
 = *Columnea urbanii*
- Columnea hispida* Swartz
- Columnea hookeriana* Kuntze
 = nom. illeg.
- Columnea humboldtiana* Kuntze
 = *Alloplectus hispidus*
- Columnea humiliis* Lam. ex Steud.
 = *Achimenes erecta*
- Columnea humiliis* Meerb.
 = *Achimenes erecta*

- Columnea hunnemannii* L.B.Sm.
 = *Columnea grisebachiana*
- Columnea hypocyrtantha* (Wiehler) J.F.Sm. & L.E.Skog
- Columnea ichthyoderma* (Hanst.) Kuntze
 = *Glossoloma ichthyoderma*
- Columnea illepida* H.E.Moore
- Columnea inaequilatera* Poepp.
- Columnea inaequilatera* var. *rhombofia* Mansf.
 = *Columnea inaequilatera*
- Columnea incarnata* C.V.Morton
- Columnea inconspicua* L.P.Kvist & L.E.Skog
 = *Columnea tandapiana*
- Columnea incredibilis* L.P.Kvist & L.E.Skog
- Columnea isernii* Cuatrec.
- Columnea jacquiniana* Presl
 = *Columnea scandens*
- Columnea jamaicensis* Urb.
 = *Columnea repens*
- Columnea jamaicensis* var. *chlorosepala* Stearn
 = *Columnea repens*
- Columnea kalbreyeriana* Masters
- Columnea kalbreyeri* Hook.f.
 = nom. illeg. superfl.
- Columnea katzensteiniae* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea kienastiana* Regel
- Columnea klotzschiana* Kuntze
 = *Nematanthus villosus*
- Columnea kuczyniakii* Raymond
- Columnea labellosa* H.Karst.
- Columnea laevis* L.P.Kvist & L.E.Skog
- Columnea lanata* (Seem.) Kuntze
- Columnea lanata* var. *coccinea* M.Amaya
- Columnea lariensis* Kriebel
- Columnea latifolia* Rusby
 = *Drymonia latifolia*
- Columnea latisepala* Rusby
 = *Drymonia candida*
- Columnea lavandulacea* L.P.Kvist & L.E.Skog
 = *Columnea katzensteiniae*
- Columnea lehmannii* Mansf.
- Columnea lepidocaula* Hanst.
- Columnea leucerinea* L.P.Kvist & L.E.Skog
 = *Columnea rileyi*
- Columnea lindeniana* Hort. Hugh Low ex Colla
 = nom. nud. pro syn.
- Columnea lindenii* Brongn. ex Lem.
 = *Columnea schiedeana*
- Columnea lindenii* Kuntze
 = nom. illeg. superfl.
- Columnea lindleyana* Pasq.
 = *Columnea crassifolia*
- Columnea linearis* Oerst.
- Columnea localis* C.V.Morton
 = *Columnea microcalyx*
- Columnea longepedunculata* Hort. ex Hanst.
 = *Nematanthus crassifolius*
- Columnea longiflora* Hort. ex Voss
 = *Columnea schiedeana*
- Columnea longinervosa* L.P.Kvist & L.E.Skog
- Columnea longipedicellata* M.Amaya, Clavijo & O.H.Marín
- Columnea longepedunculata* Hort. ex Hanst.
 = nom. nud. pro syn.
- Columnea longipes* (DC.) Kuntze
 = *Nematanthus crassifolius*
- Columnea lophophora* Mansf.
- Columnea lucida* (Poepp.) Walp.
 = *Besleria lucida*
- Columnea lucifer* J.L.Clark
- Columnea lutea* Donn.Sm.
 = *Columnea microcalyx*
- Columnea macrantha* Benth.
 = *Columnea strigosa*
- Columnea macrocalyx* (Hanst.) Kuntze
 = *Nematanthus fornix*
- Columnea macrophylla* (Oerst.) Kuntze
 = *Drymonia macrophylla*
- Columnea maculata* C.V.Morton
- Columnea magnifica* Klotzsch ex Oerst.
- Columnea major* (Hook.) Hanst.
 = *Columnea minor*
- Columnea manabiana* (Wiehler) J.F.Sm. & L.E.Skog
- Columnea martiana* Kuntze
 = *Nematanthus strigulosus*
- Columnea mastersonii* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea matudae* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea medicinalis* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea mentiens* B.D.Morley
- Columnea meridensis* (Klotzsch ex Hanst.) Kuntze
 = *Glossoloma ichthyoderma*
- Columnea microcalyx* var. *fucata* B.D.Morley
 = *Columnea scandens*
- Columnea microcalyx* Hanst.
- Columnea microcalyx* var. *macrophylla* Donn.Sm.
 = *Columnea microcalyx*
- Columnea microphylla* Klotzsch & Hanst. ex Oerst.

- Columnea microsepala* (C.V.Morton) L.P.Kvist & L.E.Skog
 = *Columnea spathulata*
- Columnea minor* (Hook.) Hanst.
- Columnea minutiflora* L.P.Kvist & L.E.Skog
- Columnea mira* B.D.Morley
- Columnea mocinoana* Kuntze
 = *Drymonia serrulata*
- Columnea moesta* Poepp.
- Columnea moorei* C.V.Morton
- Columnea mortonii* Raymond
 = *Columnea hirta* var. *mortonii*
- Columnea muenscheri* Standl.
 = *Columnea crassifolia*
- Columnea multiflora* (Oerst. ex Hanst.) Kuntze
 = *Drymonia multiflora*
- Columnea nariniana* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea nematoloba* L.P.Kvist & L.E.Skog
- Columnea nervosa* (Klotzsch ex Oerst.) Hanst.
- Columnea nicaraguensis* Oerst.
- Columnea nummularia* (Hanst.) Kuntze
 = *Pachycaulos nummularia*
- Columnea ob lanceolata* Sprague
 = *Columnea magnifica*
- Columnea obliqua* C.V.Morton
 = *Columnea tenuis*
- Columnea oblongifolia* Rusby
- Columnea ochroleuca* (Klotzsch ex Oerst.) Hanst.
- Columnea oerstediana* Klotzsch ex Oerst.
- Columnea orientandina* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea ornata* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea ovata* Cav.
 = *Asteranthera ovata*
- Columnea ovatifolia* L.P.Kvist & L.E.Skog
- Columnea oxyphylla* Hanst.
- Columnea pallida* Rusby
- Columnea panamensis* C.V.Morton
- Columnea paraguensis* M.Amaya & J.F.Sm
- Columnea paramicola* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea parviflora* C.V.Morton
- Columnea patrisii* (DC.) Kuntze
 = *Drymonia coccinea*
- Columnea pectinata* C.V.Morton
- Columnea pedunculata* M.Amaya, L.E.Skog & L.P.Kvist
- Columnea peltata* (Oliver) Kuntze
 = *Drymonia peltata*
- Columnea pendula* (Klotzsch ex Oerst.) Hanst.
- Columnea percrassa* C.V.Morton
 = *Columnea billbergiana*
- Columnea perpulchra* C.V.Morton
- Columnea peruviana* Zahlbr.
- Columnea pichinchensis* Hanst.
 = *Columnea strigosa*
- Columnea picta* (Lem. ex Hanst.) Voss
 = *Nautilocalyx pictus*
- Columnea picta* H.Karst.
- Columnea picta* sensu Lem. ex Hanst.
 = *Nautilocalyx pictus*
- Columnea pilosa* Lem.
 = *nom. illeg.*
- Columnea pilosissima* Standl.
 = *Columnea hirta*
- Columnea poeppigiana* Kuntze
 = *Corytoplectus speciosus*
- Columnea polyantha* (Wiehler) L.E.Skog
- Columnea poortmannii* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea praetexta* Hanst.
- Columnea presliana* Kuntze
 = *Nematanthus crassifolius*
- Columnea proctorii* Stearn
- Columnea pubescens* (Griseb.) Kuntze
- Columnea pulcherrima* C.V.Morton
- Columnea pulchra* (Wiehler) L.E.Skog
- Columnea purpurata* Hanst.
- Columnea purpureovittata* (Wiehler) B.D.Morley
- Columnea purpurimarginata* L.P.Kvist & L.E.Skog
- Columnea purpusii* Standl.
- Columnea pygmaea* J.L.Clark & J.F.Sm
- Columnea quereti* Oerst.
- Columnea queremalensis* M.Amaya, L.E.Skog & L.P.Kvist
- Columnea radicans* (Klotzsch & Hanst.) Kuntze
 = *Nematanthus gregarius*
- Columnea rangelii* M.Amaya & O.H.Marín
- Columnea raymondii* C.V.Morton
- Columnea repens* (Hook.) Hanst.
- Columnea reticulata* M.Amaya, L.E.Skog, C.E. González, & J.F.Sm
 = *Columnea purpureovittata*
- Columnea rileyi* (Wiehler) J.F.Sm.
- Columnea ringens* Regel
- Columnea robusta* (Wiehler) L.E.Skog
- Columnea rosea* (C.V.Morton) C.V.Morton
- Columnea rosea* (C.V.Morton) C.V.Morton f. *latifolia* (C.V.Morton) C.V.Morton
 = *Columnea rosea*
- Columnea rosea* (C.V.Morton) C.V.Morton f. *viridis* (C.V.Morton) C.V.Morton
 = *Columnea rosea*

- Columnea rotundifolia* Salisb.
 = *Columnea scandens*
- Columnea rubida* (C.V.Morton) C.V.Morton
- Columnea rubra* C.V.Morton
- Columnea rubriacuta* (Wiehler) L.P.Kvist & L.E.Skog
- Columnea rubribracteata* L.P.Kvist & L.E.Skog
- Columnea rubricalyx* L.P.Kvist & L.E.Skog
- Columnea rubricaulis* Standl.
- Columnea rubrocincta* C.V.Morton
- Columnea rutilans* Swartz
- Columnea salmonea* Raymond
 = *Columnea gloriosa*
- Columnea sanguinea* (Pers.) Hanst.
- Columnea sanguinea* var. *cubensis* Urb.
 = *Columnea sanguinea*
- Columnea sanguinea* var. *trinitensis* C.V.Morton
 = *Columnea sanguinea*
- Columnea sanguinolenta* (Klotzsch ex Oerst.) Hanst.
- Columnea sanmartensis* Rusby
 = *Columnea anisophylla*
- Columnea scabrida* (Lem.) Kuntze
 = *Nematanthus strigillosus*
- Columnea scandens* Billb. ex Beurl.
 = nom. nud. pro syn.
- Columnea scandens* L.**
- Columnea scandens* f. *martinicensis* Stehlé
 = *Columnea scandens*
- Columnea scandens* f. *montserratensis* Stehlé
 = *Columnea scandens*
- Columnea scandens* var. *ariopoensis* (Britton) C.V.Morton
 = *Columnea scandens*
- Columnea scandens* var. *fendleri* (Sprague) B.D.Morley
 = *Columnea scandens*
- Columnea scandens* var. *australis* C.V.Morton
 = *Columnea scandens*
- Columnea scandens* var. *typica* Stehlé
 = nom. illeg.
- Columnea scandens* var. *vincentina* C.V.Morton
 = *Columnea scandens*
- Columnea schiedeana* Schleld.**
- Columnea schiedeana* Brongn. ex Colla
 = nom. nud. pro syn.
- Columnea schimpffii* Mansf.**
- Columnea schlimirii* Kuntze
 = nom. nud. pro syn.
- Columnea schlimirii* (Planch. & Linden) Kuntze
 = *Corytoplectus schlimirii*
- Columnea segregata* B.D.Morley**
- Columnea selliana* (Klotzsch & Hanst.) Kuntze
 = *Nematanthus fissus*
- Columnea semicordata* (Poepp.) Kuntze
 = *Drymonia semicordata*
- Columnea septentrionalis* C.V.Morton
 = *Alsobia punctata*
- Columnea sericea* (Hanst.) Kuntze
 = *Nematanthus sericeus*
- Columnea sericea* Mansf.
 = nom. illeg. superfl.
- Columnea sericeovillosa* Suess.**
- Columnea serrata* (Klotzsch ex Oerst.) Hanst.
- Columnea serrulata* (K.Presl) Kuntze
 = *Nematanthus crassifolius*
- Columnea silvarum* C.V.Morton**
- Columnea silvarum* C.V.Morton var. *butcheri* B.D.Morley
 = *Columnea polyantha*
- Columnea silvatica* C.V.Morton
 = *Columnea bilabiata*
- Columnea skogii* M.Amaya**
- Columnea sparsiflora* (Mart.) Kuntze
 = *Nematanthus hirtellus*
- Columnea spathulata* Mansf.**
- Columnea speciosa* Presl
 = *Columnea scandens*
- Columnea spectabilis* Voss
 = nom. nud. pro syn.
- Columnea splendens* Paxton
 = *Nematanthus crassifolius*
- Columnea sprucei* Kuntze
 = *Glossoloma sprucei*
- Columnea stenophylla* Standl.
 = *Columnea crassifolia*
- Columnea steyermarkii* C.V.Morton
 = *Lesia savannarum*
- Columnea stilesiana* M.Amaya & L.P.Kvist**
- Columnea stricta* Rusby
 = *Columnea sanguinea*
- Columnea strigillosa* (Mart.) Kuntze
 = *Nematanthus strigillosus*
- Columnea strigosa* Benth.**
- Columnea subcordata* C.V.Morton**
- Columnea suffruticosa* J.F.Sm. & L.E.Skog
- Columnea sulcata* L.E.Skog & L.P.Kvist
- Columnea sulfurea* Donn.Sm.
- Columnea tandapiana* (Wiehler) L.E.Skog & L.P.Kvist
- Columnea tenella* L.P.Kvist & L.E.Skog
- Columnea tenensis* (Wiehler) B.D.Morley
- Columnea tenuis* Klotzsch ex Oerst.
- Columnea tessmannii* Mansf.**
- Columnea tetragona* (Hanst.) Kuntze
 = *Glossoloma tetragonum*

- Columnea teuscheri* (C.V.Morton) H.E.Moore
 = *Columnea minor*
- Columnea tigrina* (Karst.) Kuntze
 = *Crantzia tigrina*
- Columnea tigrina* Raymond
 = *Columnea zebrina*
- Columnea tincta* Griseb.
- Columnea tocoensis* Britton
 = *Columnea scandens*
- Columnea tomentosa* Oerst.
 = *Columnea tomentulosa*
- Columnea tomentulosa* C.V.Morton
- Columnea tomentulosa* var. *tulae* (Urb.) B.D.Morley
 = nom. illeg.
- Columnea translucens* Raymond
 = *Columnea dissimilis*
- Columnea trollii* Mansf.
- Columnea tropicalis* (C.V.Morton) C.V.Morton
 = *Columnea minor*
- Columnea tuerckheimii* Sprague
 = *Columnea gloriosa*
- Columnea tulae* Urb.
 = *Columnea scandens*
- Columnea tulae* var. *flava* Urb.
 = *Columnea scandens*
- Columnea tulae* var. *rubra* Urb.
 = *Columnea scandens*
- Columnea tulae* var. *tomentulosa* (C.V.Morton)
 B.D.Morley
 = *Columnea tomentulosa*
- Columnea tusilla* Cuatrec.
 = *Columnea dielsii*
- Columnea tutunendana* (Wiehler) L.E.Skog
- Columnea ulei* Mansf.
- Columnea ultravioleta* J.F.Sm. & L.E.Skog
- Columnea umbellata* Bertol.
 = *Moussonia deppeana*
- Columnea urbanii* Stearn
- Columnea venusta* Standl.
 = *Columnea cobana*
- Columnea verecunda* C.V.Morton
- Columnea vestita* Klotzsch & Hanst. ex Hanst.
 = nom. nud. pro syn.
- Columnea villosa* (Hook. & Arnau) Kuntze
 = *Nematanthus fissus*
- Columnea villosa* Willd.
 = *Columnea scandens*
- Columnea villosissima* Mansf.
- Columnea vinacea* C.V.Morton
- Columnea viridis* C.V.Morton
 = *Columnea purpurata*
- Columnea vittata* (Wiehler) L.E.Skog
- Columnea warscewicziana* (Klotzsch ex Oerst.) Hanst.
 = *Columnea anisophylla*
- Columnea weberbaueri* Mansf.
 = *Columnea moesta*
- Columnea weiri* Kuntze
 = *Alloplectus weiri*
- Columnea wendlandiana* Hanst.
 = *Columnea magnifica*
- Columnea wullschlaegeliana* Hanst.
 = *Columnea argentea*
- Columnea xiphoides* J.F.Sm. & L.E.Skog
- Columnea zapatalana* (Wiehler) L.E.Skog
 = *Columnea spathulata*
- Columnea zebranella* Wiehler
 = *Columnea hirsutissima*
- Columnea zebrina* Raymond
- Columnea zebrina* Hort. ex Loud.
 = nom. nud. pro syn.
- Conradia calycina* (Swartz) Mart.
 = *Gesneria calycina*
- Conradia calycosa* Hook.
 = *Gesneria calycosa*
- Conradia celsioides* Griseb.
 = *Gesneria celsioides*
- Conradia clandestina* Griseb.
 = *Gesneria clandestina*
- Conradia corrugata* Griseb.
 = *Gesneria libanensis*
- Conradia craniolaria* (Swartz) Mart.
 = *Gesneria fruticosa*
- Conradia cuneifolia* DC.
 = *Gesneria cuneifolia*
- Conradia depressa* Griseb.
 = *Gesneria depressa*
- Conradia exserta* (Swartz) Mart.
 = *Gesneria exserta*
- Conradia floribunda* Paxton
 = *Gesneria libanensis*
- Conradia gloxinoides* Griseb.
 = *Gesneria gloxinoides*
- Conradia hispida* Benth.
 = *Gesneria acaulis* var. *acaulis*
- Conradia humilis* (L.) Mart. ex G.Don
 = *Gesneria humilis*
- Conradia libanensis* (Linden ex C.Morren) Griseb.
 = *Gesneria libanensis*

- Conradia libanensis* sensu Griseb.
 = *Gesneria acaulis* var. *acaulis*
- Conradia mimuloides* Griseb.
 = *Gesneria pumila* subsp. *mimuloides*
- Conradia neglecta* Hook.
 = *Gesneria pumila* subsp. *neglecta*
- Conradia pedunculosa* DC.
 = *Gesneria pedunculosa*
- Conradia pedunculosa* var. *lutea* Bello
 = *Gesneria pedunculosa*
- Conradia pedunculosa* var. *pallida* Bello
 = *Gesneria pedunculosa*
- Conradia pumila* (Swartz) Mart.
 = *Gesneria pumila* subsp. *pumila*
- Conradia pumila* sensu Millspaugh
 = *Gesneria humilis*
- Conradia reticulata* Griseb.
 = *Gesneria reticulata*
- Conradia reticulata* var. *obovata* Griseb.
 = *Gesneria reticulata*
- Conradia reticulata* var. *ovata* Griseb.
 = *Gesneria reticulata*
- Conradia reticulata* sensu Stahl
 = *Gesneria cuneifolia*
- Conradia scabra* (Swartz) Mart.
 = *Gesneria scabra* var. *scabra*
- Conradia sloanei* DC.
 = *Gesneria acaulis* var. *acaulis*
- Conradia ventricosa* (Swartz) Mart. ex G.Don var. *angustior*
 DC. = *Gesneria ventricosa* subsp. *ventricosa*
- Conradia ventricosa* (Swartz) Mart. ex G.Don
 = *Gesneria ventricosa* subsp. *ventricosa*
- Conradia verrucosa* (Decne.) Scheidw.
 = *Gesneria cubensis* var. *cubensis*
- Coronanthera aspera** C.B.Clarke
- Coronanthera australiana** C.T.White
 = *Fieldia australiana*
- Coronanthera barbata** C.B.Clarke
- Coronanthera clarkeana** Schltr.
- Coronanthera deltoidifolia** Viell. ex C.B.Clarke
- Coronanthera glabra** C.B.Clarke
 = *Depanthus glaber*
- Coronanthera grandis** G.W.Gillet
- Coronanthera pantheri** C.B.Clarke
- Coronanthera pedunculosa** C.B.Clarke
- Coronanthera pedunculosa** var. *stellata* C.B.Clarke
 = *Coronanthera pedunculosa*
- Coronanthera pinguior** C.B.Clarke
- Coronanthera pulchra** C.B.Clarke
- Coronanthera sericea** C.B.Clarke
- Coronanthera squamata** Virot
- Corytholoma aggregatum* (Ker Gawl.) Decne.
 = *Sinningia aggregata*
- Corytholoma allagophyllum* (Mart.) Fritsch
 = *Sinningia allagophylla*
- Corysanthera atrosanguinea* Decne. ex Regel
 = nom. illeg.
- Corytholoma bulbosum* (Ker Gawl.) Fritsch
 = *Sinningia bulbosa*
- Corytholoma calcarium* Dusen ex Malme
 = *Sinningia calcaria*
- Corytholoma canescens* (Mart.) Fritsch
 = *Sinningia canescens*
- Corytholoma caracasanum* (Otto & A.Dietr.) Decne.
 = *Sinningia incarnata*
- Corytholoma cardinale* (Lehm.) Fritsch
 = *Sinningia cardinalis*
- Corytholoma chelonioides* (Kunth) Regel
 = *Sinningia incarnata*
- Corytholoma confertifolium* (Hanst.) Fritsch
 = *Sinningia douglasii*
- Corytholoma cooperi* (Paxton) Fritsch
 = *Sinningia cooperi*
- Corytholoma curtiflorum* Malme
 = *Sinningia curtiflora*
- Corytholoma cyclophyllum* Dusen ex Laurent
 = *Sinningia macropoda*
- Corytholoma defoliatum* Malme
 = *Sinningia defoliata*
- Corytholoma douglasii* (Lindl.) Voss
 = *Sinningia douglasii*
- Corytholoma douglasii* var. *verticillatum* (Hook.) Toursark.
 = *Sinningia douglasii*
- Corytholoma elatius* (Kunth) Fritsch
 = *Sinningia elatior*
- Corytholoma ellipticum* (Hook.) Decne.
 = *Sinningia incarnata*
- Corytholoma fragile* (Poepp.) Decne.
 = *Sinningia elatior*
- Corytholoma glaziovianum* Fritsch
 = *Sinningia glazioviana*
- Corytholoma gracile* Brongn. ex Decne.
 = nom. nud. pro syn.
- Corytholoma gracile* Brongn. ex Regel
 = *Sinningia incarnata*
- Corytholoma igneum* (Mart.) Decne.
 = *Sinningia sceptrum*

- Corytholoma igneum* var. *villosum* Fritsch
 = *Sinningia elatior*
- Corytholoma igneum* (Mart.) Fritsch
 = nom. illeg. superfl.
- Corytholoma latifolium* (Mart. ex Otto & Schltdl.) Fritsch
 = *Sinningia macrostachya*
- Corytholoma lindleyi* (Hook.) Decne.
 = *Sinningia warmingii*
- Corytholoma macropodium* Sprague
 = *Sinningia macropoda*
- Corytholoma maculatum* (Mart. ex Hanst.) Fritsch
 = *Sinningia douglasii*
- Corytholoma magnificum* (Otto & A.Dietr.) Fritsch
 = *Sinningia magnifica*
- Corytholoma marchii* var. *minutiflora* Malme
 = *Sinningia aggregata*
- Corytholoma marchii* (Wailes ex Hook.) Decne.
 = *Sinningia magnifica*
- Corytholoma melittifolium* Brongn. ex Decne.
 = *Sinningia species*
- Corytholoma merckii* (H.Wendl.) Decne. ex Regel
 = *Sinningia magnifica*
- Corytholoma micans* Fritsch
 = *Sinningia micans*
- Corytholoma multiflorum* (Fritsch) Hassl.
 = *Sinningia warmingii*
- Corytholoma oligantha* Malme
 = *Sinningia leopoldii*
- Corytholoma paludosum* Rusby
 = *Sinningia elatior*
- Corytholoma pendulinum* (Lindl.) Decne.
 = *Sinningia aggregata*
- Corytholoma polyanthum* (DC.) Fritsch
 = *Sinningia douglasii*
- Corytholoma pusillum* Fritsch
 = *Sinningia araneosa*
- Corytholoma reflexum* (Knowles & Westc.) Fritsch
 = *Sinningia cooperi*
- Corytholoma rupicolum* (Mart.) Decne.
 = *Sinningia rupicola*
- Corytholoma rutilum* (Lindl.) Decne.
 = *Sinningia incarnata*
- Corytholoma sceptrum* var. *arenosa* Chod. & Hassl.
 = *Sinningia warmingii*
- Corytholoma sceptrum* (Mart.) Decne.
 = *Sinningia sceptrum*
- Corytholoma sellovii* (Mart.) Kuntze
 = *Sinningia sellovii*
- Corytholoma splendens* Fritsch
 = *Sinningia species*
- Corytholoma striatum* Fritsch
 = *Sinningia striata*
- Corytholoma strictum* (Hook. & Arnaud) Decne.
 = *Sinningia elatior*
- Corytholoma tribracteatum* (Otto & A.Dietr.) Fritsch
 = *Sinningia allagophylla*
- Corytholoma tuberosum* (Mart.) Fritsch
 = *Sinningia tuberosa*
- Corytholoma uleanum* Fritsch
 = *Sinningia species*
- Corytholoma verticillatum* (Vell.) Fritsch
 = *Sinningia douglasii*
- Corytholoma warmingii* (Hiern) Toursark.
 = *Sinningia warmingii*
- Corytholoma warszewiczii* (Bouché & Hanst.) Standl.
 = *Sinningia incarnata*
- Corytoplectus capitatus* (Hook.) Wiehler
- Corytoplectus congestus* (Linden ex Hanst.) Wiehler
- Corytoplectus congestus* sensu Wiehler
 = *Corytoplectus schlimii*
- Corytoplectus cutucuensis* Wiehler
- Corytoplectus deltoideus* (C.V.Morton) Wiehler
- Corytoplectus grandifolius* (Britton ex Rusby) Rodr.-Flores & L.E.Skog
- Corytoplectus latifolius* (Rusby) Wiehler
 = *Drymonia latifolia*
- Corytoplectus longipedunculatus* Rodr.-Flores & L.E.Skog
- Corytoplectus oaxacensis* Ram.-Roa, C.Chávez & Rodr.-Flores
- Corytoplectus pulcher* (N.E.Brown) Wiehler
 = *Corytoplectus schlimii*
- Corytoplectus purpuratus* Rodr.-Flores & L.E.Skog
- Corytoplectus riceanus* (Rusby) Wiehler
- Corytoplectus schlimii* (Planch. & Linden) Wiehler
- Corytoplectus speciosus* (Poepp.) Wiehler
- Corytoplectus speciosus* var. *orbicularis* Rodr.-Flores & L.E.Skog
- Corytoplectus zamorensis* (Linden & André) Rodr.-Flores & L.E.Skog
- Craniolaria fruticosa* L.
 = *Gesneria fruticosa*
- Crantzia ambigua* (Urb.) Britton
 = *Columnea ambigua*
- Crantzia bicolor* (Kunth) Fritsch
 = *Glossoloma bicolor*
- Crantzia capitata* (Hook.) Fritsch
 = *Corytoplectus capitatus*
- Crantzia circinata* (Mart.) Fritsch
 = *Drymonia coccinea*
- Crantzia coccinea* (Aubl.) Fritsch
 = *Drymonia coccinea*

- Crantzia congesta* (Linden ex Hanst.) Fritsch
 = *Corytoplectus congestus*
- Crantzia coriacea* (Oerst. ex Hanst.) Fritsch
 = *Drymonia coriacea*
- Crantzia corymbosa* (Klotzsch ex Hanst.) Fritsch
 = *Corytoplectus speciosus* var. *orbicularis*
- Crantzia costaricensis* (Kuntze) Fritsch
 = *Columnea sanguinolenta*
- Crantzia cristata* (L.) Scop.
- Crantzia dichrus* (Sprengel) Fritsch
 = *Nematanthus lanceolatus*
- Crantzia epirotes* (Leeuwenb.) J.L. Clark
- Crantzia hirtella* (Schott) Fritsch
 = *Nematanthus hirtellus*
- Crantzia ichthyoderma* (Hanst.) Fritsch
 = *Glossoloma ichthyoderma*
- Crantzia lindenii* (Kuntze) Fritsch
 = nom. illeg.
- Crantzia multiflora* (Oerst. ex Hanst.) Fritsch
 = *Drymonia multiflora*
- Crantzia parviflora* (Hanst.) Fritsch
 = *Nematanthus hirtellus*
- Crantzia patrisii* (DC.) Fritsch
 = *Drymonia coccinea*
- Crantzia pendula* (Poepp.) Fritsch
 = *Drymonia pendula*
- Crantzia pseudocordata* Cuatrec.
 = *Drymonia semicordata*
- Crantzia semicordata* (Poepp.) Fritsch
 = *Drymonia semicordata*
- Crantzia sparsiflora* (Mart.) Rech.
 = *Nematanthus hirtellus*
- Crantzia speciosa* (Poepp.) Fritsch
 = *Corytoplectus speciosus*
- Crantzia spectabilis* (Wiehler ex L.E.Skog & Steyerm.)
 J.L. Clark
- Crantzia sprucei* (Kuntze) Fritsch
 = *Glossoloma sprucei*
- Crantzia strigosa* (Oerst.) Fritsch
 = *Drymonia strigosa*
- Crantzia tetragona* (Hanst.) Fritsch
 = *Glossoloma tetragonum*
- Crantzia tigrina* (Karst.) Fritsch
- Crantzia varelana* Cuatrec.
 = *Glossoloma ichthyoderma*
- Crantzia villosa* (Hanst.) Fritsch
 = *Nematanthus villosus*
- Crantzia vittata* (Linden & André) Rech.
 = *Corytoplectus speciosus*
- Crantzia weiri* (Kuntze) Fritsch
 = *Alloplectus weiri*
- Cremersia platula* Feuillet & L.E.Skog
- Cremosperma album* C.V.Morton
 = *Cremosperma hirsutissimum* var. *album*
- Cremosperma anisophyllum* J.L.Clark & L.E.Skog
- Cremosperma auriculatum* C.V.Morton
- Cremosperma castroanum* C.V.Morton
- Cremosperma cestroides* (Fritsch) C.V.Morton
 = *Cremospermopsis cestroides*
- Cremosperma cinnabarinum* (Fritsch) C.V.Morton
 = *Besleria cinnabarinia*
- Cremosperma colonense* L.E.Skog, Barrie &
 McPherson
- Cremosperma congruens* C.V.Morton
- Cremosperma cotejense* C.V.Morton
- Cremosperma demissum* C.V.Morton
 = *Cremosperma hirsutissimum* var. *demissum*
- Cremosperma ecuadoranum* L.P.Kvist & L.E.Skog
- Cremosperma filicifolium* L.P.Kvist & L.E.Skog
- Cremosperma hirsutissimum* Benth.
- Cremosperma hirsutissimum* var. *album* (C.V.Morton)
 L.P.Kvist & L.E.Skog
- Cremosperma hirsutissimum* var. *demissum*
 (C.V.Morton) L.P.Kvist & L.E.Skog
- Cremosperma hirsutissimum* var. *glabrum* L.P.Kvist &
 L.E.Skog
- Cremosperma humidum* L.P.Kvist & L.E.Skog
- Cremosperma ignotum* C.V.Morton
- Cremosperma inversum* B.R.Keener & J.L.Clark
- Cremosperma jucundum* C.V.Morton
- Cremosperma maculatum* L.E.Skog
- Cremosperma micropecten* Fern.Alonso
- Cremosperma minutiflorum* (L.E.Skog) Wiehler
 = *Reldia minutiflora* var. *minutiflora*
- Cremosperma monticola* C.V.Morton
 = *Cremosperma hirsutissimum* var. *album*
- Cremosperma muscicola* L.P.Kvist & L.E.Skog
- Cremosperma nobile* C.V.Morton
- Cremosperma occidentale* Wiehler
- Cremosperma parviflorum* C.V.Morton
- Cremosperma peruvianum* L.E.Skog
- Cremosperma pusillum* C.V.Morton
- Cremosperma pusillum* var. *ecuadorensis* C.V.Morton
 = *Cremosperma hirsutissimum* var.
 hirsutissimum
- Cremosperma reldioides* L.P.Kvist & L.E.Skog
- Cremosperma rotundatum* C.V.Morton
 = *Cremosperma hirsutissimum* var. *album*
- Cremosperma serratum* C.V.Morton
- Cremosperma sylvaticum* C.V.Morton
- Cremosperma veraguanum* Wiehler
- Cremosperma verticillatum* J.L.Clark & B.R.Keener

Cremospermopsis cestroides (Fritsch) L.E.Skog & L.P.Kvist
Cremospermopsis galaxias J.L.Clark & Clavijo
Cremospermopsis parviflora L.E.Skog & L.P.Kvist
Cryptoloma anomum Hanst.
 = *Kohleria tubiflora*
Cryptoloma coloratum Hanst.
 = *Kohleria tubiflora*
Cryptoloma cordifolium Hanst.
 = *Kohleria tubiflora*
Cryptoloma hondense (Kunth) Klotsch ex Hanst.
 = *Kohleria hondensis*
Cryptoloma hookerianum (Regel) Hanst.
 = *Kohleria tubiflora*
Cryptoloma pictum (Hook.) Hanst.
 = *Kohleria tubiflora*
Cryptoloma pilosum (Oerst.) Hanst.
 = *Kohleria tubiflora*
Cryptoloma rhynchoscarpum (Benth.) Hanst.
 = *Kohleria tubiflora*
Cryptoloma strictum (Oerst.) Hanst.
 = *Kohleria tubiflora*
Cryptoloma triflorum (Hook.) Hanst.
 = *Kohleria hondensis*
Cyrilla pulchella L'Her.
 = *Achimenes erecta*
Cyrtandromoea minor Ridley
 = *Chrysanthemis pulchella*
Cyrtanthemum deflexum Oerst.
 = *Besleria deflexa*
Cyrtanthemum hirsutum Oerst.
 = *Besleria cyrtanthemum*
Cyrtodeira chontalensis Seem.
 = *Episcia lilacina*
Cyrtodeira cupreata (Hook.) Hanst.
 = *Episcia cupreata*
Cyrtodeira cupreata var. *metallica* Regel
 = *Episcia cupreata*
Cyrtodeira cupreata var. *viridifolia* Hook.
 = *Episcia cupreata*
Cyrtodeira fulgida Linden ex André
 = *Episcia reptans*
Cyrtodeira trianae Hanst.
 = *Episcia cupreata*
Dalbergaria albiflora (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea albiflora*
Dalbergaria albovinosa M.Freiberg
 = *Columnea albovinosa*

Dalbergaria ampliata Wiehler
 = *Columnea ampliata*
Dalbergaria archidonae (Cuatrec.) Wiehler
 = *Columnea ericae* var. *archidonae*
Dalbergaria asteroloma Wiehler
 = *Columnea asteroloma*
Dalbergaria aureonitens (Hook.) Wiehler
 = *Columnea sanguinea*
Dalbergaria capillosa (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea capillosa*
Dalbergaria consanguinea (Hanst.) Wiehler
 = *Columnea consanguinea* var. *consanguinea*
Dalbergaria crassa (C.V.Morton) Wiehler
 = *Columnea crassa*
Dalbergaria cruenta (B.D.Morley) Wiehler
 = *Columnea cruenta*
Dalbergaria cubensis (Urb.) Borhidi
 = *Columnea sanguinea*
Dalbergaria darienensis (C.V.Morton) Wiehler
 = *Columnea consanguinea* var. *darienensis*
Dalbergaria dimidiata (Benth.) Wiehler
 = *Columnea dimidiata*
Dalbergaria eburnea Wiehler
 = *Columnea eburnea*
Dalbergaria ericae (Mansf.) Wiehler
 = *Columnea ericae*
Dalbergaria eubracteata (Mansf.) Wiehler
 = *Columnea eubracteata*
Dalbergaria evolvens Wiehler
 = *Columnea guttata*
Dalbergaria filifera Wiehler
 = *Columnea filifera*
Dalbergaria florida (C.V.Morton) Wiehler
 = *Columnea florida*
Dalbergaria fuscihirta (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea fuscihirta*
Dalbergaria gigantifolia (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea gigantifolia*
Dalbergaria guianensis (C.V.Morton) Wiehler
 = *Columnea guianensis*
Dalbergaria guttata (Poepp.) Wiehler
 = *Columnea guttata*
Dalbergaria inaequilatera (Poepp.) Wiehler
 = *Columnea inaequilatera*
Dalbergaria incredibilis (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea incredibilis*
Dalbergaria kalbreyeriana (Masters) Wiehler
 = *Columnea kalbreyeriana*

- Dalbergaria lanata* (Seem.) Wiehler
 = *Columnea lanata*
- Dalbergaria longinervosa* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea longinervosa*
- Dalbergaria madisonii* Wiehler
 = *Columnea guttata*
- Dalbergaria mastersonii* Wiehler
 = *Columnea mastersonii*
- Dalbergaria medicinalis* Wiehler
 = *Columnea medicinalis*
- Dalbergaria nematoloba* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea nematoloba*
- Dalbergaria ornata* Wiehler
 = *Columnea ornata*
- Dalbergaria pectinata* (C.V.Morton) Wiehler
 = *Columnea pectinata*
- Dalbergaria perpulchra* (C.V.Morton) Wiehler
 = *Columnea perpulchra*
- Dalbergaria phoenicea* Tussac
 = *Columnea sanguinea*
- Dalbergaria picta* (H.Karst) Wiehler
 = *Columnea picta*
- Dalbergaria polyantha* Wiehler
 = *Columnea polyantha*
- Dalbergaria praetexta* (Hanst.) Wiehler
 = *Columnea praetexta*
- Dalbergaria pulcherrima* (C.V.Morton) Wiehler
 = *Columnea pulcherrima*
- Dalbergaria purpurimarginata* (L.P.Kvist & L.E.Skog)
 Wiehler
 = *Columnea purpurimarginata*
- Dalbergaria puyana* Wiehler
 = *Columnea guttata*
- Dalbergaria robusta* Wiehler
 = *Columnea robusta*
- Dalbergaria rubriacuta* Wiehler
 = *Columnea rubriacuta*
- Dalbergaria rubribracteata* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea rubribracteata*
- Dalbergaria rubrocincta* (C.V.Morton) Wiehler
 = *Columnea rubrocincta*
- Dalbergaria sanguinea* (Pers.) Steud.
 = *Columnea sanguinea*
- Dalbergaria schimpffii* (Mansf.) Wiehler
 = *Columnea schimpffii*
- Dalbergaria silvarum* (C.V.Morton) Wiehler
 = *Columnea silvarum*
- Dalbergaria stricta* (Rusby) Wiehler
 = *Columnea sanguinea*
- Dalbergaria tessmannii* (Mansf.) Wiehler
 = *Columnea tessmannii*
- Dalbergaria tutunendana* Wiehler
 = *Columnea tutunendana*
- Dalbergaria variabilis* Wiehler
 = *Columnea rubriacuta*
- Dalbergaria villosissima* (Mansf.) Wiehler
 = *Columnea villosissima*
- Dalbergaria vittata* Wiehler
 = *Columnea vittata*
- Depanthus glaber* (C.B.Clarke) S.Moore
- Depanthus pubescens* Guillaumin
- Diastema affine* Fritsch
- Diastema anisophyllum* Fritsch
 = *Kohleria villosa* var. *anisophylla*
- Diastema anisophyllum* var. *quitense* Fritsch
 = *Kohleria villosa* var. *anisophylla*
- Diastema bracteosum* (Oerst.) Hanst.
 = *Diastema racemiferum*
- Diastema caracasanum* Klotsch & Hanst.
 = *Diastema racemiferum*
- Diastema comiferum* (DC.) Benth. ex Walp.
- Diastema cristatum* Hanst.
 = *Diastema racemiferum*
- Diastema discolor* (Poepp.) Benth. ex Müll. Hal.
 = *Diastema comiferum*
- Diastema divaricatum* (Poepp.) Benth. ex Walp.
 = *Amalophyllum divaricatum*
- Diastema eggersianum* Fritsch
 = *Diastema racemiferum*
- Diastema erinoides* (DC.) Benth. ex Walp.
 = *Gloxinia erinoides*
- Diastema exiguum* C.V.Morton
 = *Diastema racemiferum*
- Diastema exiguum* var. *lilacinum* C.V.Morton
 = *Diastema racemiferum*
- Diastema fimbratiloba* Moonlight & J.L.Clark
- Diastema galeopsis* Fritsch
 = *Pearcea sprucei* var. *parviflora*
- Diastema gloxiniiiflorum* (Scheidw.) Regel
 = *Achimenes glabrata*
- Diastema gracilis* Regel
 = *Achimenes candida*
- Diastema gymnoleuca* Gilli
- Diastema hispidum* (DC.) Fritsch
- Diastema incisum* Benth.
 = *Diastema racemiferum*
- Diastema kalbreyeri* Fritsch
- Diastema latiflorum* Rusby

- Diastema lemannii* Regel
 = *Diastema hispidum*
Diastema longiflorum Benth.
 = *Diastema racemiferum*
Diastema maculatum (Poepp.) Benth. ex Walp.
Diastema micranthum Donn.Sm.
Diastema molle (Poepp.) Benth. ex Walp.
 = *Diastema hispidum*
Diastema ochroleucum Hook.
 = *Diastema racemiferum*
Diastema parviflorum (Rusby) Fritsch
 = *Pearcea sprucei* var. *parviflora*
Diastema peruanum Cuatrec.
 = *Diastema hispidum*
Diastema pictum (Benth. ex Hook.) Walp.
 = *Kohleria amabilis* var. *bogotensis*
Diastema pictum Regel
 = *Diastema vexans*
Diastema platylomatum Donn.Sm.
 = *Kohleria villosa* var. *villosa*
Diastema purpurascens Rusby
Diastema quinquevulnerum Planch. & Linden
Diastema racemiferum Benth.
Diastema rhodotrichum Cuatrec.
 = *Pearcea rhodotricha*
Diastema rupestre Brandegee
Diastema scabrum (Poepp.) Benth. ex Walp.
Diastema sodiroanum Fritsch
Diastema tenerimum (Poepp.) Benth. ex Walp.
Diastema urticifolium (Poepp.) Benth. ex Walp.
Diastema vexans H.E.Moore
Diastema villosum Fritsch
 = *Kohleria villosa* var. *villosa*
Diastema weberbaueri Fritsch
Diastema williamsii Rusby
Diastemella bracteosa Oerst.
 = *Diastema racemiferum*
Dicyrta candida (Lindl.) Hanst.
 = *Achimenes candida*
Dicyrta foliosa (C.Morren) Hanst.
 = *Achimenes antirrhina*
Dicyrta mexicana (Seem.) Hanst.
 = *Achimenes mexicana*
Dicyrta mimuliflora (Regel) Hanst.
 = *Achimenes antirrhina*
Dicyrta warzcewicziana Regel
 = *Achimenes warszewicziana*
Diplolegnon riceanum Rusby
 = *Corytoplectus riceanus*
- Dircaea blassii* (Regel) Regel
 = *Sinningia* species
Dircaea bulbosa (*sensu* Hook.) Decne.
 = *Sinningia cooperi*
Dircaea bulbosa (Hook.) Lem.
 = *Sinningia magnifica*
Dircaea bulbosa var. *lateritia* sv. *subalba* Planch.
 = *Sinningia cooperi*
Dircaea cardinalis (Lehm.) Regel
 = *Sinningia cardinalis*
Dircaea cardinalis Regel
 = *Sinningia* species
Dircaea cooperi (Paxton) Decne.
 = *Sinningia cooperi*
Dircaea decaisniana Lem.
 = nom. illeg.
Dircaea fascialis (Hook.) Decne.
 = *Sinningia bulbosa*
Dircaea houttei (Dumort.) Decne.
 = *Sinningia magnifica*
Dircaea lateritia (Hook.) Decne.
 = *Sinningia cooperi*
Dircaea lobulata Lem.
 = *Sinningia cardinalis*
Dircaea macrantha (Lem.) Lem.
 = *Sinningia cardinalis*
Dircaea magnifica (Otto & A.Dietr.) Decne.
 = *Sinningia magnifica*
Dircaea picta (Hook.) Lem.
 = *Sinningia douglasii*
Dircaea reflexa (Knowles & Westc.) Decne.
 = *Sinningia cooperi*
Dircaea refulgens Hort. ex Carrière
 = *Sinningia magnifica*
Dircaea refulgens var. *anomala* Carrière
 = *Sinningia magnifica*
Dircaea suttonii (Booth ex Lindl.) Decne.
 = *Sinningia bulbosa*
Dircaea suttonii (Booth ex Lindl.) Lem.
 = nom. illeg. superfl.
Dircaea vauthieri (DC.) Decne.
 = *Sinningia bulbosa*
Dolichodeira tubiflora (Hook.) Hanst.
 = *Sinningia tubiflora*
Drymonia aciculata Wiehler
Drymonia affinis (Mansf.) Wiehler
Drymonia alloplectoides Hanst.
Drymonia alloplectoides var. *vallicola* C.V.Morton
 = *Drymonia alloplectoides*
Drymonia ambonensis (L.E.Skog) J.L.Clark

- Drymonia anisophylla** L.E.Skog & L.P.Kvist
Drymonia antherocycla Leeuwenb.
Drymonia antirrhina (DC.) Seem.
 = *Achimenes antirrhina*
Drymonia atropurpurea Clavijo & J.L.Clark
Drymonia belizensis Standl.
 = *Drymonia macrophylla*
Drymonia betancurii Clavijo & J.L.Clark
Drymonia bicolor Lindl.
 = *Drymonia serrulata*
Drymonia brevipes C.V.Morton
 = *Drymonia conchocalyx*
Drymonia brochidodroma Wiehler
Drymonia buscalionii Fritsch ex Buscal.
 = *Drymonia serrulata*
Drymonia calcarata Mart.
 = *Drymonia serrulata*
Drymonia campbellii Rusby
 = *Drymonia serrulata*
Drymonia campostyla Leeuwenb.
 = *Paradrymonia campostyla*
Drymonia candida Hanst.
Drymonia chiapensis Brandegee
 = *Drymonia serrulata*
Drymonia chiribogana Wiehler
Drymonia coccinea (Aubl.) Wiehler
Drymonia collegarum J.L.Clark & J.R.Clark
Drymonia conchocalyx Hanst.
Drymonia coriacea (Oerst. ex Hanst.) Wiehler
Drymonia crassa C.V.Morton
Drymonia crenatiloba (Mansf.) Wiehler
Drymonia cristata Miq.
 = *Drymonia serrulata*
Drymonia decora J.L.Clark & J.R.Clark
Drymonia delphinioides Seem.
 = *Gasteranthus delphinioides*
Drymonia dodsonii (Wiehler) J.L.Clark
Drymonia doratostyla (Leeuwenb.) Wiehler
Drymonia dressleri Wiehler
Drymonia droseroides J.L.Clark & Clavijo
Drymonia ecuadorensis Wiehler
Drymonia erythroloma (Leeuwenb.) Wiehler
Drymonia fimbriata C.V.Morton
 = *Drymonia macrophylla*
Drymonia flava L.E.Skog
Drymonia foliacea (Rusby) Wiehler
Drymonia folsomii L.E.Skog
Drymonia glabra (DC.) C.V.Morton
 = *Drymonia serrulata*
Drymonia glandulosa Kriebel
Drymonia grandiflora (Kunth) G.Don
 = *Kohleria tigridia*
Drymonia guatemalensis (C.V.Morton) D.N.Gibson
Drymonia hansteiniana Wiehler
Drymonia hartwegi Hort. ex Hanst.
 = *nom. nud. pro syn.*
Drymonia hoppii (Mansf.) Wiehler
Drymonia ignea J.L.Clark
Drymonia jacquinii G.Don.
 = *Drymonia serrulata*
Drymonia killipii Wiehler
Drymonia laciniosa Wiehler
Drymonia lanceolata (Hanst.) C.V.Morton
Drymonia latifolia (Rusby) Rodr.-Flores & L.E. Skog
Drymonia latisepala (Rusby) Leeuwenb.
 = *Drymonia candida*
Drymonia lindmaniana Fritsch
 = *Drymonia serrulata*
Drymonia longifolia Poepp.
 = *Paradrymonia longifolia*
Drymonia macrantha (Donn.Sm.) D.N.Gibson
Drymonia macrophylla (Oerst.) H.E.Moore
Drymonia maculata S.Moore
 = *Drymonia serrulata*
Drymonia marmorata Hook.f.
 = *Drymonia turrialvae*
Drymonia microcalyx Wiehler
Drymonia microphylla Wiehler
Drymonia mollis Oerst.
 = *Drymonia serrulata*
Drymonia mortoniana Wiehler
Drymonia mucronulosa Hanst.
 = *Drymonia macrophylla*
Drymonia multiflora (Oerst. ex Hanst.) Wiehler
Drymonia ochroleuca Poepp.
 = *Nautilocalyx pallidus*
Drymonia ochroleuca Standl.
 = *Drymonia macrophylla*
Drymonia oinochrophylla (Donn.Sm.) D.N.Gibson
Drymonia ovata Hanst.
Drymonia ovatifolia J.L.Clark
Drymonia oxysepala Leeuwenb.
Drymonia parviflora Hanst.
Drymonia parvifolia C.V.Morton
 = *Drymonia mortoniana*
Drymonia parvifolia Griseb.
 = *Drymonia serrulata*
Drymonia peltata (Oliver) H.E.Moore
Drymonia pendula (Poepp.) Wiehler
Drymonia pilifera Wiehler

- Drymonia poeppigiana* Fritsch
 = *Drymonia candida*
- Drymonia psila* D.N.Gibson
Drymonia psila Leeuwenb.
 = *Drymonia psilocalyx*
- Drymonia psilocalyx* Leeuwenb.
- Drymonia pudica* L.E.Skog & Steyermark
- Drymonia pulchra* Wiehler
- Drymonia punctata* Lindl.
 = *Alsobia punctata*
- Drymonia punctulata* Wiehler
- Drymonia rhodoloma* Wiehler
- Drymonia rosea* C.V.Morton
 = *Drymonia macrophylla*
- Drymonia rubra* C.V.Morton
- Drymonia rubripilosa* Kriebel
- Drymonia sarmentosula* Lem.
 = *Drymonia serrulata*
- Drymonia semicordata* (Poepp.) Wiehler
- Drymonia serrulata* (Jacq.) Mart.
- Drymonia solitaria* (Rusby) Wiehler
- Drymonia spectabilis* (Kunth) Mart. ex G.Don
 = *Drymonia serrulata*
- Drymonia squamosa* Clavijo & J.L.Clark
- Drymonia stenophylla* (Donn.Sm.) H.E.Moore
- Drymonia strigosa* (Oerst.) Wiehler
- Drymonia submarginalis* Gómez-Laurito & Chavarría
- Drymonia sulphurea* Wiehler
- Drymonia tenuis* (Benth.) J.L.Clark
- Drymonia teuscheri* (Raymond) J.L.Clark
- Drymonia tolimensis* Wiehler
- Drymonia tomentulifera* Kriebel
- Drymonia turrialvae* Hanst.
- Drymonia ulei* Wiehler
- Drymonia uninerva* Wiehler
- Drymonia urceolata* Wiehler
- Drymonia utuanensis* Wiehler
- Drymonia variegata* Uribe
- Drymonia villosa* Kunth & Bouché
 = *Chrysanthemis panamensis*
- Drymonia warszewicziana* Hanst.
- Duchartrea sintenisii* (Urb.) Britton
 = *Gesneria sintenisii*
- Duchartrea viridiflora* Decne.
 = *Gesneria viridiflora* subsp. *viridiflora*
- Episcia acaulis* Donn.Sm.
 = *Episcia lilacina*
- Episcia adenosiphon* Leeuwenb.
 = *Chrysanthemis adenosiphon*
- Episcia andina** Wiehler
- Episcia aurea* Brandegee
 = *Gasteranthus pansamalanus*
- Episcia bicolor* Hook.
 = *Nautilocalyx bicolor*
- Episcia bractescens* (Hook.) Hanst.
 = *Nautilocalyx bracteatus*
- Episcia bryogeton* Leeuwenb.
 = *Centrosolenia bryogeton*
- Episcia buchtienii* Mansf.
 = *Paradrymonia buchtienii*
- Episcia chontalensis* (Seem.) Hook.f.
 = *Episcia lilacina*
- Episcia ciliosa* (Mart.) Hanst.
 = *Paradrymonia ciliosa*
- Episcia conferta* (C.V.Morton) Leeuwenb.
 = *Trichodrymonia conferta*
- Episcia congesta* (Oerst.) Hanst.
 = *Trichodrymonia congesta*
- Episcia cordata* Gleason
 = *Centrosolenia hirsuta*
- Episcia cuneata* Gleason
 = *Tylopsacas cuneatum*
- Episcia cupreata* (Hook.) Hanst.
- Episcia cupreata* var. *viridifolia* (Hook.) G.Nicholson
 = *Episcia cupreata*
- Episcia dariensis* (Seem.) Leeuwenb.
 = *Trichodrymonia dariensis*
- Episcia decumbens* Mart.
 = *Nautilocalyx decumbens*
- Episcia decurrens* (C.V.Morton) Leeuwenb.
 = *Paradrymonia ciliosa*
- Episcia densa* C.H.Wright
 = *Paradrymonia densa*
- Episcia dianthiflora* H.E.Moore & R.G.Wilson
 = *Alsobia dianthiflora*
- Episcia duidae** Feuillet
- Episcia erythropus* Hook.f.
 = *Trichodrymonia erythropus*
- Episcia fendleriana* Kuntze
 = *Episcia lilacina*
- Episcia fimbriata** Fritsch
- Episcia fulgida* (Linden ex André) Hook.f.
 = *Episcia reptans*
- Episcia glabra* (Benth.) Hanst.
 = *Paradrymonia ciliosa*
- Episcia glabra* Pancher ex C.B. Clarke
 = *nom. nud. pro syn.*

- Episcia guadalupensis* (DC.) Hanst.
 = *Chrysanthemis melittifolia*
- Episcia hansteiniana* Mansf.
 = *Paradrymonia ciliosa*
- Episcia hirsuta* (Benth.) Hanst.
 = *Centrosolenia hirsuta*
- Episcia hirtiflora* Spruce ex Hanst.
 = *Nautilocalyx hirtiflorus*
- Episcia hispida* DC.
 = *Diastema hispidum*
- Episcia hookeri* Hanst.
 = *Codonanthopsis crassifolia*
- Episcia inclinata* Brandegee
 = *Chrysanthemis panamensis*
- Episcia kohlerioides* Leeuwenb.
 = *Nautilocalyx kohlerioides*
- Episcia lanceolata* Hanst.
 = *Drymonia lanceolata*
- Episcia lilacina** Hanst.
Episcia lineata (C.V.Morton) Leeuwenb.
 = *Trichodrymonia lineata*
- Episcia longifolia* (Poep.) Hanst.
 = *Paradrymonia longifolia*
- Episcia longipetiolata* Donn.Sm.
 = *Trichodrymonia longipetiolata*
- Episcia lucianii* Linden & Fourn.
 = *Nautilocalyx lucianii*
- Episcia lurida* C.V.Morton & Raymond
 = *Trichodrymonia lineata*
- Episcia lynchii* (Hook.f.) Knuth
 = *Nautilocalyx lynchii*
- Episcia maculata* Hook.f.
 = *Paradrymonia maculata*
- Episcia melittifolia* (L.) Mart.
 = *Chrysanthemis melittifolia*
- Episcia melittifolia* f. *typica* (Urb.) Stehlé
 = *Chrysanthemis melittifolia*
- Episcia melittifolia* f. *guadelupensis* (DC.) Stehlé
 = *Chrysanthemis melittifolia*
- Episcia melittifolia* var. *guadelupensis* (DC.) Urb.
 = *Chrysanthemis melittifolia*
- Episcia melittifolia* var. *typica* Urb.
 = *Chrysanthemis melittifolia*
- Episcia membranacea* C.V.Morton
 = *Nautilocalyx membranaceus*
- Episcia mimuloides* Benth.
 = *Nautilocalyx mimuloides*
- Episcia ochroleuca* (Poep.) Hanst.
 = *Nautilocalyx pallidus*
- Episcia ochroleuca* var. *angustifolia* Hanst.
 = *Nautilocalyx pallidus*
- Episcia panamensis* (Seem.) C.V.Morton
 = *Chrysanthemis panamensis*
- Episcia peltata* C.V.Morton
 = *Trichodrymonia peltata*
- Episcia picta* (Hook.) Hanst.
 = *Nautilocalyx pictus*
- Episcia porphyrotricha* Leeuwenb.
 = *Centrosolenia porphyrotricha*
- Episcia prancei** Wiehler
- Episcia pulchella* (Donn ex Sims) Mart. ex G.Don
 = *Chrysanthemis pulchella*
- Episcia punctata* (Lindl.) Hanst.
 = *Alsobia punctata*
- Episcia purpusii* (Brandegee) Brandegee
 = *Solenophora purpusii*
- Episcia reptans** Mart.
- Episcia resioides* Leeuwenb.
 = *Nautilocalyx resioides*
- Episcia rubra** Feillet
- Episcia silvatica* Cuatrec.
 = *Nautilocalyx silvaticus*
- Episcia sphalera** Leeuwenb.
- Episcia splendens* (Linden) Hanst.
 = *Episcia cupreata*
- Episcia subacaulis* Griseb.
 = *Napeanthus subacaulis*
- Episcia tessellata* Hort. ex Lem.
 = nom. nud. pro syn.
- Episcia truncicola* Brandegee
 = *Pachycaulos nummularia*
- Episcia urticifolia* Leeuwenb.
 = *Nautilocalyx urticifolius*
- Episcia villosa* (Kunth & Bouché) Hanst.
 = *Chrysanthemis panamensis*
- Episcia xantha* Leeuwenb.
 = *Episcia xantha*
- Eriphia jamaicensis* Roem. & Schult.
 = *Besleria lutea*
- Eriphia lutea* (L.) Raf.
 = *Besleria lutea*
- Eriphia pallida* Raf.
 = *Besleria lutea*
- Erythranthus coriaceus* Oerst. ex Hanst.
 = *Drymonia coriacea*
- Escheria gloxiniaeflora* Regel
 = nom. nud. pro syn.
- Eucodonia andrieuxii** (DC.) Wiehler

- Eucodonia ehrenbergii* Hanst.
 = *Eucodonia verticillata*
- Eucodonia verticillata* (Martens & Galeotti) Wiehler
- Eucomis crassifolium* Salisb.
 = *Gloxinia perennis*
- Eumolpe fimbriata* Decne. ex Jacq. & Herincq
 = nom. illeg.
- Eusynandra bicolor* Raf.
 = nom. illeg.
- Fiebrigia digitaliflora* Fritsch
 = *Seemannia gymnostoma*
- Fieldia australiana* (C.T.White) B.L.Burtt
- Fieldia australis* A.Cunn.
- Fimbrolina incarnata* (Aubl.) Raf.
 = *Sinningia incarnata*
- Fluckigeria fritschii* Rusby
 = *Columnea fritschii*
- Fritschiantha benaryi* (Regel) Kuntze
 = *Seemannia sylvatica*
- Fritschiantha cuneata* (Rusby) Kuntze
 = *Seemannia sylvatica*
- Fritschiantha nematanthodes* Kuntze
 = *Seemannia nematanthodes*
- Fritschiantha purpurascens* (Rusby) Kuntze
 = *Seemannia purpurascens*
- Fritschiantha sylvatica* (Kunth) Kuntze
 = *Seemannia sylvatica*
- Fritschiantha sylvatica* var. *aurea* Kuntze
 = *Seemannia sylvatica*
- Fritschiantha sylvatica* var. *coccinea* Kuntze
 = *Seemannia sylvatica*
- Fritschiantha uniflora* (Baill.) Kuntze
 = *Seemannia sylvatica*
- Gasteranthopsis glabra* Oerst.
 = *Besleria glabra*
- Gasteranthopsis hirsuta* Oerst.
 = *Besleria hirsuta*
- Gasteranthus acropodus* (Donn.Sm.) Wiehler
- Gasteranthus acuticarinatus* M.Freiberg
- Gasteranthus adenocalyx* L.E.Skog & L.P.Kvist
- Gasteranthus allenii* (C.V.Morton) Wiehler
 = *Gasteranthus acropodus*
- Gasteranthus anomalus* (C.V.Morton) Wiehler
- Gasteranthus atratus* Wiehler
- Gasteranthus atrolimbus* M.Freiberg
- Gasteranthus aurantiacus* M.Freiberg
- Gasteranthus bilsaensis* L.E.Skog & L.P.Kvist
- Gasteranthus calcaratus* (Kunth) Wiehler
- Gasteranthus calcaratus* subsp. *calceolus* (Fritsch)
 L.E.Skog & L.P.Kvist
- Gasteranthus calcaratus* subsp. *oncogastrus* (Hanst.)
 L.E.Skog & L.P.Kvist
- Gasteranthus calceolus* (Fritsch) Wiehler
 = *Gasteranthus calcaratus* subsp. *calceolus*
- Gasteranthus caligula* (C.V.Morton) Wiehler
 = *Gasteranthus calcaratus* subsp. *calceolus*
- Gasteranthus carinatus* Wiehler
- Gasteranthus columbianus* (C.V.Morton) Wiehler
- Gasteranthus corallinoides* (Fritsch) Wiehler
 = *Gasteranthus corallinus*
- Gasteranthus corallinus* (Fritsch) Wiehler
- Gasteranthus crenatus* (C.V.Morton) Wiehler
 = *Gasteranthus corallinus*
- Gasteranthus crispus* (Mansf.) Wiehler
- Gasteranthus delphinoides* (Seem.) Wiehler
- Gasteranthus diverticularis* J.L.Clark
- Gasteranthus dressleri* Wiehler
- Gasteranthus ecuadorensis* (Fritsch) Wiehler
 = *Gasteranthus pansamalanus*
- Gasteranthus epedunculatus* L.E.Skog & L.P.Kvist
- Gasteranthus extinctus* L.E.Skog & L.P.Kvist
- Gasteranthus giganteus* M.Freiberg
 = *Gasteranthus lateralis*
- Gasteranthus glaber* L.E.Skog & L.P.Kvist
- Gasteranthus herbaceus* (C.V.Morton) Wiehler
- Gasteranthus imbaburensis* M.Freiberg
- Gasteranthus imbricans* (Donn.Sm.) Wiehler
- Gasteranthus lateralis* (C.V.Morton) Wiehler
- Gasteranthus leopardus* M.Freiberg
- Gasteranthus macrocalyx* Wiehler
- Gasteranthus maculatus* Wiehler
 = *Gasteranthus delphinoides*
- Gasteranthus magentatus* M.Freiberg
- Gasteranthus mutabilis* L.E.Skog & L.P.Kvist
- Gasteranthus oncogastrus* (Hanst.) Wiehler
 = *Gasteranthus calcaratus* subsp. *oncogastrus*
- Gasteranthus orientandinus* L.E.Skog & L.P.Kvist
- Gasteranthus osaensis* L.E.Skog & L.P.Kvist
- Gasteranthus otongensis* M.Freiberg
- Gasteranthus panamensis* (C.V.Morton) Wiehler
 = *Gasteranthus imbricans*
- Gasteranthus pansamalanus* (Donn.Sm.) Wiehler
- Gasteranthus pendulus* Hanst.
 = *Besleria pendula*
- Gasteranthus perennis* (C.V.Morton) Wiehler
- Gasteranthus pendulus* Hanst.
 = nom. nud.

- Gasteranthus pendulus* Klotzsch ex Hanst.
 = *nom. nud. pro syn.*
- Gasteranthus pilosus* Benth.
 = *nom. nud. pro syn.*
- Gasteranthus quitenensis* Benth.
- Gasteranthus recurvatus* L.E.Skog & L.P.Kvist
- Gasteranthus rupestris* (C.V.Morton) Wiehler
 = *Gasteranthus wendlandianus*
- Gasteranthus sylvarum* (C.V.Morton) Wiehler
 = *Gasteranthus corallinus*
- Gasteranthus tenellus* L.E.Skog & L.P.Kvist
- Gasteranthus ternatus* L.E.Skog & L.P.Kvist
- Gasteranthus timidus* (C.V.Morton) Wiehler
- Gasteranthus tinctus* (C.V.Morton) Wiehler
 = *Gasteranthus calcaratus* subsp. *calcaratus*
- Gasteranthus trifoliatus* M.Freiberg
- Gasteranthus venustus* (C.V.Morton) Wiehler
 = *Gasteranthus lateralis*
- Gasteranthus villosus* L.E.Skog & L.P.Kvist
- Gasteranthus wendlandianus* (Hanst.) Wiehler
- Gesneria acaulis* L.
- Gesneria acaulis* var. *glabrata* L.E.Skog
- Gesneria acaulis* var. *grandifolia* Urb.
 = *Gesneria acaulis* var. *acaulis*
- Gesneria acaulis* Fl. Mex. ex DC.
 = *nom. nud. pro syn.*
- Gesneria acaulis* Hort. ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria acaulis* sensu Poir.
 = *Gesneria christii*
- Gesneria acaulis* sensu Sesse & Moc.
 = *Achimenes erecta*
- Gesneria acrochordonanthe* (L.E.Skog) Borhidi
 = *Gesneria viridiflora* subsp. *acrochordonanthe*
- Gesneria acuminata* Urb.
 = *Gesneria humilis*
- Gesneria acunae* Borhidi
 = *Gesneria purpurascens*
- Gesneria adenantha* Herb. Fisch. ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria aggregata* Ker Gawl.
 = *Sinningia aggregata*
- Gesneria albiflora* (Decne.) Kuntze
 = *Gesneria pedunculosa*
- Gesneria allagophylla* Mart.
 = *Sinningia allagophylla*
- Gesneria alpina* (Urb.) Urb.
- Gesneria amabilis* Hort. ex L.H.Bailey
 = *Smithiantha multiflora*
- Gesneria angustior* (DC.) Kuntze
 = *Gesneria ventricosa* subsp. *ventricosa*
- Gesneria aspera* Urb. & Ekman
- Gesneria atrosanguinea* Hort. ex Lémon
 = *Sinningia cooperi*
- Gesneria aurantiaca* Hanst.
 = *Sinningia incarnata*
- Gesneria auriculata* (Hook.) Kuntze
 = *Rhytidophyllum auriculatum*
- Gesneria barahonensis* Urb.
- Gesneria barbata* Nees & Mart.
 = *Sinningia barbata*
- Gesneria barbata* sensu A.Dietr.
 = *Sinningia incarnata*
- Gesneria berteroana* (Mart.) Kuntze
 = *Rhytidophyllum berteroanum*
- Gesneria betonicifolia* Hort. ex Hanst.
 = *Sinningia allagophylla*
- Gesneria bibracteata* D.Cameron ex Loud.
 = *Sinningia* species
- Gesneria biflora* Sesse & Moc.
 = *Gesneria pedunculosa*
- Gesneria binghamii* C.V.Morton
- Gesneria blassii* Regel
 = *Sinningia* species
- Gesneria bonaiana* Alain
 = *Gesneria cubensis* var. *cubensis*
- Gesneria brachysepala* Urb. & Ekman
- Gesneria bracteosa* Urb.
- Gesneria breviflora* Lindl.
 = *Kohleria spicata*
- Gesneria brevifolia* Urb.
- Gesneria bulbosa* Ker Gawl.
 = *Sinningia bulbosa*
- Gesneria bulbosa* var. *cooperi* (Hort. Woburn ex DC.) Klotzsch
 = *Sinningia cooperi*
- Gesneria bulbosa* var. *dentata* (Hornsch.) Klotzsch
 = *Sinningia bulbosa*
- Gesneria bulbosa* var. *dentata* (Hornsch.) Walp.
 = *Sinningia bulbosa*
- Gesneria bulbosa* var. *faucialis* (Lindl.) Klotzsch
 = *Sinningia bulbosa*
- Gesneria bulbosa* var. *houttei* (Dumort.) Klotzsch
 = *Sinningia magnifica*
- Gesneria bulbosa* var. *lateritia* (Lindl.) Klotzsch
 = *Sinningia lateritia*
- Gesneria bulbosa* var. *macrorrhiza* (Dumort.) Klotzsch
 = *Sinningia bulbosa*

- Gesneria bulbosa* var. *magnifica* (Otto & A.Dietr.) Klotzsch
 = *Sinningia magnifica*
- Gesneria bulbosa* var. *merckii* (H.Wendl.) Klotzsch
 = *Sinningia magnifica*
- Gesneria bulbosa* var. *splendens* Klotzsch
 = *Sinningia bulbosa*
- Gesneria bulbosa* var. *suttonii* (Booth ex Lindl.) Klotzsch
 = *Sinningia bulbosa*
- Gesneria bulbosa* sensu Hook. 1831
 = *Sinningia cooperi*
- Gesneria bulbosa* sensu Hook. 1842
 = *Sinningia magnifica*
- Gesneria bulbosa* var. *lateritia* Hook.
 = *Sinningia cooperi*
- Gesneria bullata* Urb. & Ekman
- Gesneria calcarata* Sesse & Moc.
 = *Achimenes grandiflora*
- Gesneria calcicola* Alain
 = *Gesneria cubensis* var. *cubensis*
- Gesneria calycina* Swartz
- Gesneria calycosa* (Hook.) Kuntze
- Gesneria calycosa* var. *alpina* Urb.
 = *Gesneria alpina*
- Gesneria canescens* Mart.
 = *Sinningia canescens*
- Gesneria caracasana* Otto & A.Dietr.
 = *Sinningia incarnata*
- Gesneria cardinalis* Lehm.
 = *Sinningia cardinalis*
- Gesneria catalpiflora* (Decne.) Kuntze
 = *Gesneria exserta*
- Gesneria celsioides* (Griseb.) Urb.
- Gesneria chelonoides* Kunth
 = *Sinningia incarnata*
- Gesneria chilensis* Molina
 = *Mitraria coccinea*
- Gesneria christii* Urb.
- Gesneria cinnabarina* (Linden) Galeotti
 = *Smithiantha cinnabarina*
- Gesneria citrina* Urb.
- Gesneria clandestina* (Griseb.) Urb.
- Gesneria clarensis* Britton & P.Wilson
- Gesneria clarensis* subsp. *turquinensis* (C.V.Morton) Borhidi
 = *Gesneria heterochroa*
- Gesneria clarensis* var. *turquinensis* C.V.Morton
 = *Gesneria heterochroa*
- Gesneria clausseniana* Brongn. ex Decne.
 = *Sinningia allagophylla*
- Gesneria coccinea* Hort. Germanicus ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria coccinea* Rojas
 = *Sinningia sellovii*
- Gesneria cochlearis* Hook.
 = *Sinningia cochlearis*
- Gesneria confertifolia* Hanst.
 = *Sinningia douglasii*
- Gesneria cooperi* Paxton
 = *Sinningia cooperi*
- Gesneria cordata* W.Baxter ex Loud.
 = *Sinningia species*
- Gesneria coruscans* Paxton
 = *Sinningia cooperi*
- Gesneria corymbosa* Herb. Balb. & Bertero ex DC.
 = *nom. nud. pro syn.*
- Gesneria corymbosa* Sieber ex Steud.
 = *nom. nud.*
- Gesneria corymbosa* Swartz
 = *Pheidonocarpa corymbosa* subsp. *corymbosa*
- Gesneria craniolaria* Swartz
 = *Gesneria fruticosa*
- Gesneria crenulata* A.DC. ex DC.
 = *nom. nud. pro syn.*
- Gesneria cubensis* (Decne.) Baill.
- Gesneria cubensis* var. *truncata* (Alain) L.E.Skog
- Gesneria cumanensis* (Hanst.) Kuntze
- Gesneria cuneifolia* (DC.) Fritsch
- Gesneria cuneifolia* subsp. *disjuncta* (C.V.Morton) Borhidi
 = *Gesneria reticulata*
- Gesneria cuneifolia* subsp. *obovata* (Griseb.) Borhidi
 = *Gesneria reticulata*
- Gesneria cuneifolia* var. *disjuncta* C.V.Morton
 = *Gesneria reticulata*
- Gesneria cuneifolia* var. *obovata* (Griseb.) C.V.Morton
 = *Gesneria reticulata*
- Gesneria cuneifolia* Sesse & Moc.
 = *Gesneria cuneifolia*
- Gesneria cymosa* Urb.
 = *Gesneria ventricosa* subsp. *cymosa*
- Gesneria cynocephala* De Von ex C.Morren.
 = *Sinningia species*
- Gesneria decapleura* Urb.
- Gesneria dentata* Hornsch.
 = *Sinningia bulbosa*
- Gesneria denticulata* Alain
 = *Gesneria sylvicola*
- Gesneria deppeana* Schltld. & Cham.
 = *Moussonia deppeana*
- Gesneria depressa* (Griseb.) Urb.

- Gesneria discolor** Lindl.
 = *Sinningia gigantifolia*
- Gesneria dolichostyla** Urb.
 = *Gesneria cubensis* var. *cubensis*
- Gesneria domingensis** Urb.
 = *Gesneria cubensis* var. *cubensis*
- Gesneria douglasii** Lindl.
 = *Sinningia douglasii*
- Gesneria douglasii** var. *verticillata* (Hook.) Hook.
 = *Sinningia douglasii*
- Gesneria duchartreoides** (C.H.Wright) Urb.
- Gesneria earlei** Urb. & Britton
 = *Rhytidophyllum earlei*
- Gesneria egregia** Hort. ex Lem.
 = *nom. nud. pro syn.*
- Gesneria eggersii** Donn.Sm.
 = *Sinningia incarnata*
- Gesneria ekmanii** Urb.
- Gesneria elatior** Kunth
 = *Sinningia elatior*
- Gesneria elliptica** Hook.
 = *Sinningia incarnata*
- Gesneria elliptica** var. *lutea* Hook.
 = *Sinningia incarnata*
- Gesneria elliptica** Ramirez Goyena
 = *Moussonia deppeana*
- Gesneria elongata** Kunth
 = *Kohleria trianae*
- Gesneria elongata** var. *fruticosa* Graham
 = *Kohleria trianae*
- Gesneria elongata** sensu Regel
 = *Moussonia deppeana*
- Gesneria elongata** sensu Maund.
 = *Moussonia deppeana*
- Gesneria eriantha** Benth.
 = *Kohleria hirsuta* var. *hirsuta*
- Gesneria erubescens** Hanst.
 = *Sinningia incarnata*
- Gesneria exogonia** Sesse & Moc.
 = *Gesneria pedunculosa*
- Gesneria exserta** Swartz
- Gesneria fascialis** Hook.
 = *Sinningia bulbosa*
- Gesneria faucaialis** Lindl.
 = *Sinningia bulbosa*
- Gesneria fawcettii** Urb.
 = *Gesneria scabra* var. *fawcettii*
- Gesneria fawcettii** subsp. *viridicalyx* (L.E.Skog) Borhidi
 = *Gesneria scabra* var. *viridicalyx*
- Gesneria ferruginea** (C.H.Wright) Urb.
- Gesneria filipes** Alain
- Gesneria filisepala** Alain
 = *Gesneria pulverulenta*
- Gesneria fimbriata** Lam.
 = *Gesneria fruticosa*
- Gesneria flacourtiifolia** Hort. ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria flavescens** Hanst.
 = *Sinningia incarnata*
- Gesneria fragilis** Poepp.
 = *Sinningia elatior*
- Gesneria fruticosa** (L.) Kuntze
- Gesneria fruticulosa** Glaz.
 = *Vanhouttea fruticulosa*
- Gesneria gardneri** Hook.
 = *Vanhouttea gardneri*
- Gesneria gerardiana** Hort. ex Lem.
 = *nom. nud. pro syn.*
- Gesneria gerardiana** Lindley
 = *nom. nud.*
- Gesneria geroltiana** Kunth & Bouché
 = *Smithiantha zebrina*
- Gesneria gibberosa** Urb.
 = *Gesneria salicifolia*
- Gesneria glandulosa** (Griseb.) Urb.
- Gesneria glaucophylla** G.Nicholson
 = *Sinningia species*
- Gesneria gloxinoides** (Griseb.) Urb.
- Gesneria gollmeriana** Hanst.
 = *Sinningia incarnata*
- Gesneria gracilis** (Brongn. ex Regel) Hanst.
 = *Sinningia incarnata*
- Gesneria grandis** Fisch. ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria grandis** Hort. ex Hanst.
 = *nom. nud. pro syn.*
- Gesneria grandis** sensu Rech.
 = *Rhytidophyllum tomentosum*
- Gesneria grandis** sensu Spreng.
 = *Rhytidophyllum auriculatum*
- Gesneria grandis** Swartz
 = *Rhytidophyllum grande*
- Gesneria guazumaefolia** Benth.
 = *Heppiella ulmifolia*
- Gesneria guianensis** Benth.
 = *Sinningia schomburgkiana*
- Gesneria hahnii** Hort. Paris ex Baill.
 = *nom. nud.*

- Gesneria haitiensis** L.E.Skog
Gesneria harrisii Urb.
Gesneria herbertiana Lem.
 = *nom. nud. pro syn.*
Gesneria herminieri (Decne.) Kuntze
 = *Gesneria ventricosa* subsp. *ventricosa*
Gesneria heterochroa Urb.
Gesneria heterochroa var. *turquinensis* (C.V.Morton)
 Borhidi
 = *Gesneria heterochroa*
Gesneria heteroclada Urb.
 = *Gesneria cubensis* var. *cubensis*
Gesneria hirsuta Kunth
 = *Kohleria hirsuta* var. *hirsuta*
Gesneria hispida (Benth.) Kuntze
 = *Gesneria acaulis* var. *acaulis*
Gesneria hondensis C.Morren ex B.D.Jacks.
 = *Gesneria libanensis*
Gesneria hondensis Kunth
 = *Kohleria hondensis*
Gesneria hondensis sensu Hook.
 = *Kohleria tubiflora*
Gesneria hookeri Decne. ex Planch.
 = *nom. nud. pro syn.*
Gesneria hookeri Hanst.
 = *Sinningia cooperi*
Gesneria houttei De Von ex C.Morren
 = *Sinningia* species
Gesneria houttei Dumort.
 = *Sinningia magnifica*
Gesneria humilis L.
Gesneria humilis subsp. *celsioides* (Griseb.) Borhidi
 = *Gesneria celsioides*
Gesneria hybocarpa Urb. & Ekman
Gesneria hypoclada Urb. & Ekman
Gesneria ignorata Kunth & Bouché
 = *Kohleria spicata*
Gesneria inaequalis Benth.
 = *Kohleria inaequalis* var. *inaequalis*
Gesneria incisa Urb.
 = *Gesneria humilis*
Gesneria incurva (Griseb.) Urb.
 = *Gesneria binghamii*
Gesneria incurva Benth.
 = *Kohleria tubiflora*
Gesneria jamaicensis Britton
Gesneria lanceolata Urb. & Ekman
Gesneria lasiantha Zucc.
 = *Moussonia deppeana*
- Gesneria lateritia** Lindl.
 = *Sinningia lateritia*
Gesneria lateritia Paxton
 = *Sinningia cardinalis*
Gesneria lateritia var. *macrantha* Lémon
 = *Sinningia cardinalis*
Gesneria latifolia Mart. ex Otto & Schltld.
 = *Sinningia macrostachya*
Gesneria latifolia var. *gaudichaudii* DC.
 = *Sinningia macrostachya*
Gesneria lehmannii Donn.Sm.
 = *Sinningia incarnata*
Gesneria leiocarpa Urb. & Britton
 = *Gesneria pumila* subsp. *neglecta*
Gesneria leopoldii Scheidw. ex Planch.
 = *Sinningia leopoldii*
Gesneria leptopus Gardner
 = *Vanhouttea gardneri*
Gesneria lessertiana (Decne.) Kuntze
 = *Gesneria exserta*
Gesneria leucomalla (Hanst.) Kuntze
 = *Rhytidophyllum leucomallon*
Gesneria libanensis Linden ex C.Morren
Gesneria libanensis subsp. *lopezii* (C.V.Morton) Borhidi
 = *Gesneria libanensis*
Gesneria libanensis var. *corrugata* (Griseb.) Urb.
 = *Gesneria libanensis*
Gesneria lindeniana Brongn.
 = *Sinningia incarnata*
Gesneria lindenii Hort. ex H.E.Moore
 = *nom. nud.*
Gesneria lindleyana (Decne.) Kuntze
 = *Gesneria ventricosa* subsp. *ventricosa*
Gesneria lindleyi Hook.
 = *Sinningia warmingii*
Gesneria lindmanii Urb.
 = *Gesneria depressa*
Gesneria linkiana Kunth & Bouché
 = *Kohleria spicata*
Gesneria lobulata Hort. Berol. ex Hanst.
 = *nom. nud. pro syn.*
Gesneria lomensis Urb.
 = *Rhytidophyllum lomense*
Gesneria longiflora Fl. Mex. ex DC.
 = *nom. nud. pro syn.*
Gesneria longiflora Kunth
 = *Kohleria hirsuta* var. *hirsuta*
Gesneria longiflora (Lindl.) Baill.
 = *Gesneria ventricosa* subsp. *ventricosa*

- Gesneria longiflora* Sesse & Moc.
 = *Achimenes longiflora*
- Gesneria longifolia* Lindl.
 = *Kohleria spicata*
- Gesneria longipes* Benth.
 = *Kohleria hirsuta* var. *longipes*
- Gesneria longirostris* Mart. ex Hanst.
 = *Sinningia magnifica*
- Gesneria lopezii* C.V.Morton
 = *Gesneria libanensis*
- Gesneria macrantha* Hort. Berol. ex Walp.
 = nom. nud. pro syn.
- Gesneria macrantha* Lem.
 = *Sinningia cardinalis*
- Gesneria macrantha* Spreng.
 = *Sinningia* species
- Gesneria macrorrhiza* Dumort.
 = *Sinningia bulbosa*
- Gesneria macrostachya* Lindl.
 = *Sinningia macrostachya*
- Gesneria maculata* Mart. ex Hanst.
 = *Sinningia douglasii*
- Gesneria maculata* Moc. & Sesse ex DC.
 = *Kohleria rugata*
- Gesneria maculata* Sessé & Moc.
 = *Kohleria rugata*
- Gesneria magnifica* Otto & A.Dietr.
 = *Sinningia magnifica*
- Gesneria marchii* Wailes ex Hook.
 = *Sinningia magnifica*
- Gesneria melittifolia* Brongn.
 = *Sinningia* species
- Gesneria merckii* H.Wendl.
 = *Sinningia magnifica*
- Gesneria mimuloides* (Griseb.) Urb.
 = *Gesneria pumila* subsp. *mimuloides*
- Gesneria mollis* Hort. Berol. ex Kunth
 = nom. nud. pro syn.
- Gesneria mollis* Hort. ex Lehm.
 = nom. nud. pro syn.
- Gesneria mollis* Kunth
 = *Kohleria hirsuta* var. *hirsuta*
- Gesneria montana* (Decne.) Kuntze
 = *Gesneria ventricosa* subsp. *ventricosa*
- Gesneria montevidensis* Hort. ex Decne.
 = nom. nud. pro syn.
- Gesneria mornincola* Urb. & Ekman
 = *Gesneria cubensis* var. *cubensis*
- Gesneria mortonii* Wiehler
 = *Pheidonocarpa corymbosa* subsp. *cubensis*
- Gesneria neglecta* (Hook.) Kuntze
 = *Gesneria pumila* subsp. *neglecta*
- Gesneria nipensis* Britton & P.Wilson
- Gesneria nitida* Hort. ex Hanst.
 = nom. nud. pro syn.
- Gesneria norlindii* Urb.
 = *Gesneria bracteosa*
- Gesneria oblongata* Hort. ex Hanst.
 = nom. nud. pro syn.
- Gesneria oblongata* Hort. Young ex Graham
 = nom. nud. pro syn.
- Gesneria oblongata* Paxton
 = *Kohleria hirsuta* var. *hirsuta*
- Gesneria odontophylla* Urb. & Ekman
- Gesneria onacaensis* Rusby
- Gesneria onychocalyx* L.E.Skog
- Gesneria organa* Hort. ex Decne.
 = nom. nud. pro syn.
- Gesneria oxyphylla* DC.
 = *Seemannia sylvatica*
- Gesneria pachyclada* Urb.
- Gesneria pallida* C.V.Morton ex Borhidi & Muñiz
 = *Gesneria reticulata*
- Gesneria palustris* Hort. ex Hanst.
 = nom. nud. pro syn.
- Gesneria palustris* Hort. ex Regel
 = nom. nud. pro syn.
- Gesneria paluviensis* Hort. ex Hanst.
 = nom. nud. pro syn.
- Gesneria pardina* Decne. ex Planch.
 = nom. nud. pro syn.
- Gesneria pardina* Hook.
 = *Vanhouttea calcarata*
- Gesneria parviflora* (Decne.) Kuntze
 = *Gesneria exserta*
- Gesneria parvifolia* Alain
- Gesneria pauciflora* Urb.
- Gesneria pedicellaris* Alain
- Gesneria pedunculosa* (DC.) Fritsch
- Gesneria pendulina* Lindl.
 = *Sinningia aggregata*
- Gesneria petiolaris* Benth.
 = *Kohleria spicata*
- Gesneria petiolaris* (DC.) Kuntze
 = *Rhytidophyllum petiolare*
- Gesneria picta* Hook.
 = *Kohleria tubiflora*
- Gesneria picta* Hort. ex Hanst.
 = *Kohleria tubiflora*

- Gesneria picta* var. *minus-hirsuta* Hook.
 = *Kohleria tubiflora*
- Gesneria pilosa* Hort. ex Lem.
 = nom. nud. pro syn.
- Gesneria plumierana* (DC.) Kuntze
 = *Rhytidophyllum auriculatum*
- Gesneria polyantha* DC.
 = *Sinningia polyantha*
- Gesneria polyantha* sensu Hook.
 = *Sinningia gigantifolia*
- Gesneria portoricensis* DC. ex Bello
 = *Gesneria cuneifolia*
- Gesneria prasinata* Ker Gawl.
 = *Paliavana prasinata*
- Gesneria proctorii* Stearn
 = *Gesneria pumila* subsp. *proctorii*
- Gesneria pulchella* Swartz
 = nom. illeg. superfl.
- Gesneria pulchella* Hort. ex Hanst.
 = nom. nud. pro syn.
- Gesneria pulverulenta* Alain
- Gesneria pumila* Swartz
- Gesneria pumila* subsp. *mimuloides* (Griseb.) L.E.Skog
- Gesneria pumila* subsp. *neglecta* (Hook.) L.E.Skog
- Gesneria pumila* subsp. *proctorii* (Stearn) L.E.Skog
- Gesneria punctata* H.Jacq.
 = *Sinningia douglasii*
- Gesneria punctata* Hort. ex Decne.
 = *Sinningia incarnata*
- Gesneria punctata* Hort. ex Hanst.
 = *Sinningia incarnata*
- Gesneria purpurascens* Urb.
- Gesneria purpurascens* var. *yamuriensis* (Britton & P.Wilson) Borhidi
 = *Gesneria libanensis*
- Gesneria purpurea* Hort. ex Lindl.
 = *Sinningia douglasii*
- Gesneria quadriflora* Herb. Lamb. ex Decne.
 = nom. nud. pro syn.
- Gesneria quadrifolia* Warsz. ex Hanst.
 = *Seemannia sylvatica*
- Gesneria quaterniflora* Fl. Mex. ex DC.
 = *Moussonia deppeana*
- Gesneria quisqueyana* Alain
- Gesneria reflexa* Knowles & Westc.
 = *Sinningia cooperi*
- Gesneria regalis* L.H.Bailey
 = nom. nud. pro syn.
- Gesneria regeliana* Warsz. ex Planch.
 = nom. nud. pro syn.
- Gesneria regina* Hort. ex L.H.Bailey
 = nom. nud. pro syn.
- Gesneria reticulata* (Griseb.) Urb.
- Gesneria rhynchocarpa* Benth.
 = *Kohleria tubiflora*
- Gesneria rubricaulis* Kunth & Bouché
 = *Kohleria hirsuta* var. *hirsuta*
- Gesneria rugata* Scheidw.
 = *Kohleria rugata*
- Gesneria rupestris* Mart. ex Graham
 = *Sinningia tuberosa*
- Gesneria rupicola* Mart.
 = *Sinningia rupicola*
- Gesneria rupicola* var. *pulcherrima* A.St.-Hil.
 = *Sinningia rupicola*
- Gesneria rupincola* Urb.
 = *Rhytidophyllum rupincola*
- Gesneria rutila* Lindl.
 = *Sinningia incarnata*
- Gesneria rutila* var. *atrosanguinea* Lindl.
 = *Sinningia warmingii*
- Gesneria salicifolia* (Griseb.) Urb.
- Gesneria salicifolia* subsp. *gibberosa* (Urb.) Borhidi
 = *Gesneria salicifolia*
- Gesneria salicifolia* subsp. *spathulata* (L.E.Skog) Borhidi
 = *Gesneria salicifolia*
- Gesneria salicifolia* var. *ferruginea* (C.H.Wright) L.E.Skog
 = *Gesneria ferruginea*
- Gesneria salicifolia* var. *spathulata* L.E.Skog
 = *Gesneria salicifolia*
- Gesneria salvifolia* Gardner
 = *Vanhouttea calcarata*
- Gesneria samuelssonii* Urb.
 = *Gesneria depressa*
- Gesneria saxatilis* Alain
 = *Gesneria pulverulenta*
- Gesneria scabra* Swartz
- Gesneria scabra* var. *fawcettii* (Urb.) L.E.Skog
- Gesneria scabra* var. *sphaerocarpa* (Urb.) L.E.Skog
- Gesneria scabra* subsp. *sphaerocarpa* (Urb.) Borhidi
 = *Gesneria scabra* var. *sphaerocarpa*
- Gesneria scabra* var. *viridicalyx* L.E.Skog
- Gesneria scabra* sensu Spreng.
 = *Rhytidophyllum berteroanum*
- Gesneria sceptroides* Hanst.
 = *Sinningia elatior*
- Gesneria sceptrum* Mart.
 = *Sinningia sceptrum*
- Gesneria sceptrum* var. *flavida* Mart.
 = *Sinningia sceptrum*

- Gesneria sceptrum* var. *igneum* Mart.
= *Sinningia elatior*
- Gesneria sceptrum* var. *ruberum* Mart.
= *Sinningia elatior*
- Gesneria schiedeana* (DC.) Hook.
= *Kohleria spicata*
- Gesneria schomburgkiana* Kunth & Bouché
= *Sinningia schomburgkiana*
- Gesneria scopulorum* Urb. & Ekman
= *Gesneria cubensis* var. *cubensis*
- Gesneria seemannii* Hook.
= *Kohleria spicata*
- Gesneria selloi* Hort. ex G.Don
= *Sinningia aggregata*
- Gesneria sellovii* Mart.
= *Sinningia sellovii*
- Gesneria shaferi* Urb.
= *Gesneria depressa*
- Gesneria shaferi* subsp. *depressa* (Griseb.) L.E.Skog
= *Gesneria depressa*
- Gesneria sintenisi* Urb.
- Gesneria sintenisi* subsp. *quisqueyana* (Alain) Borhidi
= *Gesneria quisqueyana*
- Gesneria sphaerocarpa* Urb.
= *Gesneria scabra* var. *sphaerocarpa*
- Gesneria spicata* Kunth
= *Kohleria spicata*
- Gesneria spicata* var. *schiedeana* DC.
= *Kohleria spicata*
- Gesneria spicata* Hort. Berol. ex Hanst.
= nom. nud. pro syn.
- Gesneria splendens* L.H.Bailey
= nom. nud. pro syn.
- Gesneria splendens* Van Houtte ex Hanst.
= *Sinningia* species
- Gesneria splendidissima* Regel
= *Sinningia* species
- Gesneria stachydifolia* Benth.
= *Sinningia elatior*
- Gesneria stachyfolia* Hanst.
= *Sinningia elatior*
- Gesneria stricta* Hook. & Arnaud
= *Sinningia elatior*
- Gesneria subalata* Urb. & Ekman
= *Gesneria cubensis* var. *cubensis*
- Gesneria sulcata* Rusby
= *Sinningia sulcata*
- Gesneria Suttoni* Booth ex Lindley
= *Sinningia bulbosa*
- Gesneria sylvatica* Kunth
= *Seemannia sylvatica*
- Gesneria sylvicola* Alain
- Gesneria tenella* Fl. Mex. ex DC.
= *Achimenes erecta*
- Gesneria tenella* Fl. Mex. ex DC.
= nom. nud. pro syn.
- Gesneria tenella* Hort. ex Hanst.
= nom. nud. pro syn.
- Gesneria tenera* (Oerst.) Kuntze
= *Gesneria pumila* subsp. *pumila*
- Gesneria tetraphylla* Hort. ex Hanst.
= *Sinningia leopoldii*
- Gesneria tomentosa* L. pro parte
= *Rhytidophyllum auriculatum*
- Gesneria tomentosa* L. pro parte
= *Rhytidophyllum tomentosum*
- Gesneria tomentosa* Moc. ex DC.
= nom. nud. pro syn.
- Gesneria tomentosa* sensu Jacq.
= *Rhytidophyllum crenulatum*
- Gesneria tomentosa* sensu Sesse & Moc.
= *Moussonia deppeana*
- Gesneria tomentosa* sensu Spreng.
= *Rhytidophyllum petiolare*
- Gesneria trianae* Herincq
= *Kohleria trianae*
- Gesneria tribracteata* Otto & A.Dietr.
= *Sinningia allagophylla*
- Gesneria triflora* Hook.
= *Kohleria hondensis*
- Gesneria triflora* Martens & Galeotti
= *Moussonia triflora*
- Gesneria trifoliata* Martens
= *Sinningia aggregata*
- Gesneria truncata* Alain
= *Gesneria cubensis* var. *truncata*
- Gesneria tuberosa* Mart.
= *Sinningia tuberosa*
- Gesneria tubiflora* Cav.
= *Kohleria tubiflora*
- Gesneria tubiflora* Endl.
= *Sinningia tubiflora*
- Gesneria tubiflora* Griseb.
= *Sinningia tubiflora*
- Gesneria tweediana* Hort. ex Hanst.
= nom. nud. pro syn.
- Gesneria ulmifolia* Kunth
= *Heppiella ulmifolia*

- Gesneria umbellata* Decne.
= *Sinningia* species
- Gesneria uniflora* DC.
= *Achimenes longiflora*
- Gesneria vargasii* DC.
= *Sinningia incarnata*
- Gesneria vauthieri* DC.
= *Sinningia bulbosa*
- Gesneria velutina* Poepp. ex Hanst.
= *Pearcea purpurea*
- Gesneria velutina* Willd. ex DC.
= nom. nud. pro syn.
- Gesneria ventricosa* Swartz
- Gesneria ventricosa* subsp. *cymosa* (Urb.) L.E.Skog
- Gesneria ventricosa* f. *montana* (Decne.) Stehlé
= *Gesneria ventricosa* subsp. *ventricosa*
- Gesneria ventricosa* f. *obovata* (Urb.) Stehlé
= *Gesneria ventricosa* subsp. *ventricosa*
- Gesneria ventricosa* f. *ovata* (Urb.) Stehlé
= *Gesneria ventricosa* subsp. *ventricosa*
- Gesneria ventricosa* var. *obovata* Urb.
= nom. illeg. superfl.
- Gesneria ventricosa* Hort. Berol. ex Hanst.
= *Kohleria hirsuta* var. *hirsuta*
- Gesneria verdi* Hort. ex Hanst.
= *Paliavana prasinata*
- Gesneria vernicosa* (Urb. & Ekman) Wiehler
= *Rhytidophyllum vernicosum*
- Gesneria verrucosa* (Decne.) Kuntze
= *Gesneria cubensis* var. *cubensis*
- Gesneria verrucosa* subsp. *cubensis* (Decne.) Borhidi
= *Gesneria cubensis* var. *cubensis*
- Gesneria verrucosa* subsp. *truncata* (Alain) Borhidi
= *Gesneria cubensis* var. *truncata*
- Gesneria verticillata* Cav.
= *Heppiella verticillata*
- Gesneria verticillata* Hook.
= *Sinningia douglasii*
- Gesneria verticillata* Hort. ex Hanst.
= *Sinningia aggregata*
- Gesneria vestita* Benth.
= *Kohleria hirsuta* var. *hirsuta*
- Gesneria viridiflora* (Decne.) Kuntze
- Gesneria viridiflora* subsp. *acrochordonanthe*
L.E.Skog
- Gesneria viridiflora* subsp. *colorata* (C.V.Morton) Borhidi
= *Gesneria viridiflora* subsp. *viridiflora*
- Gesneria viridiflora* subsp. *quisqueyana* (Alain) L.E.Skog
= *Gesneria quisqueyana*
- Gesneria viridiflora* subsp. *sintenisii* (Urb.) L.E.Skog
= *Gesneria sintenisii*
- Gesneria viridiflora* var. *acutifolia* C.V.Morton
= *Gesneria viridiflora* subsp. *viridiflora*
- Gesneria viridiflora* var. *colorata* C.V.Morton
= *Gesneria viridiflora* subsp. *viridiflora*
- Gesneria viridiflora* var. *obovata* C.V.Morton
= *Gesneria viridiflora* subsp. *viridiflora*
- Gesneria warmingii* Hiern
= *Sinningia warmingii*
- Gesneria warszewiczii* Bouché & Hanst.
= *Sinningia incarnata*
- Gesneria wrightii* Urb.
- Gesneria xanthophylla* Poepp.
= *Gloxinia xanthophylla*
- Gesneria yamuriensis* Britton & P.Wilson
= *Gesneria libanensis*
- Gesneria zebrina* Paxton
= *Smithiantha zebrina*
- Gesneria zeziana* Kitan.
= *Gesneria duchartreoides*
- Giesleria picta* (Benth. ex W.J.Hook.) Regel
= *Kohleria amabilis* var. *bogotensis*
- Glossoloma altescandens* (Mansf.) J.L.Clark
- Glossoloma anomalum* J.L.Clark
- Glossoloma baguense* (L.E.Skog) J.L.Clark
- Glossoloma bicolor* (Kunth) J.L.Clark
- Glossoloma bolivianum* (Britton ex Rusby) J.L.Clark
- Glossoloma carpishense* (J.L.Clark & I.Salinas) J.L.Clark
- Glossoloma chrysanthum* (Planch. & Linden) J.L.Clark
- Glossoloma cucullatum* (C.V.Morton) J.L.Clark
- Glossoloma grandicalyx* (J.L.Clark & L.E.Skog)
J.L.Clark
- Glossoloma harlequinoides* J.L.Clark
- Glossoloma herthae* (Mansf.) J.L.Clark
- Glossoloma ichthyoderma* (Hanst.) J.L.Clark
- Glossoloma martinianum* (J.F.Sm.) J.L.Clark
- Glossoloma medusaeum* (L.E.Skog) J.L.Clark
- Glossoloma oblongicalyx* (J.L.Clark & L.E.Skog)
J.L.Clark
- Glossoloma panamense* (C.V.Morton) J.L.Clark
- Glossoloma pedunculatum* J.L.Clark
- Glossoloma penduliflorum* (M.Freiberg) J.L.Clark
- Glossoloma purpureum* (L.P.Kvist & L.E.Skog)
J.L.Clark
- Glossoloma pycnosuzygium* (Donn.Sm.) J.L.Clark
- Glossoloma scandens* J.L.Clark
- Glossoloma schultzei* (Mansf.) J.L.Clark
- Glossoloma serpens* (J.L.Clark & L.E.Skog) J.L. Clark
- Glossoloma sprucei* (Kuntze) J.L.Clark

- Glossoloma subglabrum* J.L.Clark
Glossoloma tetragonoides (Mansf.) J.L.Clark
Glossoloma tetragonum Hanst.
Glossoloma tetragonum Oerst.
 = *nom. illeg. superfl.*
Glossoloma velutinum J.L.Clark & L.A.Rodas
Gloxinella lindeniana (Regel) Roalson & Boggan
Gloxinia alterniflora A.O.Araujo & Chautems
Gloxinia antirrhina DC.
 = *Achimenes antirrhina*
Gloxinia arborea Colla
 = *Paliavana prasinata*
Gloxinia attenuata Hanst.
 = *Sphaerorrhiza sarmentiana*
Gloxinia bicolor Poepp. ex Hanst.
 = *nom. nud. pro syn.*
Gloxinia burchellii (S.M.Phillips) Wiehler
 = *Sphaerorrhiza burchellii*
Gloxinia calycina (Swartz) Hort. ex Steud.
 = *Gesneria calycina*
Gloxinia caulescens Lindl.
 = *Sinningia speciosa*
Gloxinia digitaliflora Paxton
 = *Sinningia speciosa*
Gloxinia discolor Kunze
 = *Sinningia speciosa*
Gloxinia diversiflora Hort. ex May
 = *Sinningia speciosa*
Gloxinia dodsonii Wiehler
 = *Nomopyle dodsonii*
Gloxinia dubia G.Don.
 = *Sinningia helleri*
Gloxinia erecta Hort.
 = *Sinningia speciosa*
Gloxinia erinoides (DC.) Roalson & Boggan
Gloxinia fimbriata Brongn.
 = *Achimenes fimbriata*
Gloxinia fimbriata Hook.
 = *Achimenes glabrata*
Gloxinia floribunda (Hort. ex Otto & A.Dietr.) Walp.
 = *Sinningia speciosa*
Gloxinia fruticosa Dehnh.
 = *Paliavana prasinata*
Gloxinia fyfiana Hort. ex Lem.
 = *Sinningia speciosa*
Gloxinia glabrata Zucc.
 = *Achimenes glabrata*
Gloxinia gloxiniiiflora (Scheidw.) Walp.
 = *Achimenes glabrata*
- Gloxinia gracilis* Mart.
 = *Paliavana gracilis*
Gloxinia guttata (Lindl.) Mart.
 = *Sinningia guttata*
Gloxinia gymnostoma Griseb.
 = *Seemannia gymnostoma*
Gloxinia helleri (Nees) Mart.
 = *Sinningia helleri*
Gloxinia heterophylla Poepp.
 = *Gloxinia perennis*
Gloxinia hirsuta (DC.) Wiehler
 = *Mandirola multiflora*
Gloxinia hirsuta Lindl.
 = *Sinningia hirsuta*
Gloxinia hypocyrtiflora Hook.f.
 = *Pearcea hypocyrtiflora*
Gloxinia ichthyostoma Gardner
 = *Mandirola ichthyostoma*
Gloxinia immaculata Mart. ex Hanst.
 = *nom. nud. pro syn.*
Gloxinia lilacina Lem.
 = *Monopyle lilacina*
Gloxinia lindeniana (Regel) Fritsch
 = *Gloxinella lindeniana*
Gloxinia lindleyi Steud.
 = *Gesneria calycina*
Gloxinia macrophylla Nees & Mart.
 = *Sinningia macrophylla*
Gloxinia maculata L'Hér.
 = *nom. illeg.*
Gloxinia maculata var. *insignis* Beddome
 = *Gloxinia perennis*
Gloxinia maculata var. *pallidiflora* (Hook.) Beddome
 = *Gloxinia perennis*
Gloxinia maculata var. *sceptrum* Beddome
 = *Gloxinia perennis*
Gloxinia major (Fritsch) C.A.Zanotti & Lizarazu
Gloxinia maxima Paxton
 = *Sinningia speciosa*
Gloxinia menziesiana Young ex Otto & A.Dietr.
 = *Sinningia speciosa*
Gloxinia merckii Otto
 = *Sinningia speciosa*
Gloxinia micrantha Martens & Galeotti
 = *Eucodonaria andrieuxii*
Gloxinia mieliezii Regel
 = *Sinningia species*
Gloxinia multiflora Martens & Galeotti
 = *Smithiantha multiflora*

- Gloxinia nematanthodes* (Kuntze) Wiehler
 = *Seemannia nematanthodes*
- Gloxinia pallidiflora* Hook.
 = *Gloxinia perennis*
- Gloxinia passinghamii* Paxton
 = *Sinningia speciosa*
- Gloxinia perennis** (L.) Fritsch
- Gloxinia picta* Hort. ex Vis.
 = *Kohleria amabilis* var. *bogotensis*
- Gloxinia planalta* Wiehler
 = *Mandirola multiflora*
- Gloxinia punctata* Martens & Galeotti
 = *Smithiantha zebrina*
- Gloxinia purpurascens* (Rusby) Wiehler
 = *Seemannia purpurascens*
- Gloxinia racemosa* (Benth.) Wiehler
 = *Gloxiniopsis racemosa*
- Gloxinia reflexa* Rusby
 = *Monopyle reflexa*
- Gloxinia rubra* Paxton
 = *Sinningia speciosa*
- Gloxinia rupestris* (Gardner) Wiehler
 = *Mandirola rupestris*
- Gloxinia sarmentiana* Gardner ex Hook.
 = *Sphaerorrhiza sarmentiana*
- Gloxinia schottii* Mikan
 = *Sinningia helleri*
- Gloxinia speciosa* Lodd.
 = *Sinningia speciosa*
- Gloxinia speciosa* var. *albiflora* Hook.
 = *Sinningia speciosa*
- Gloxinia speciosa* var. *candida* Otto & A.Dietr.
 = *Sinningia speciosa*
- Gloxinia speciosa* var. *lactea* Otto & A.Dietr.
 = *Sinningia speciosa*
- Gloxinia speciosa* var. *macrophylla* Hook.
 = *Sinningia speciosa*
- Gloxinia speciosa* var. *menziesii* Hook.
 = *Sinningia speciosa*
- Gloxinia stolonifera* Fritsch
 = *Sphaerorrhiza sarmentiana*
- Gloxinia suaveolens* Decne.
 = *Gloxinia perennis*
- Gloxinia sylvatica* (Kunth) Wiehler
 = *Seemannia sylvatica*
- Gloxinia tigridia* Ohlend.
 = *Kohleria tigridia*
- Gloxinia trichantha* Miq.
 = *Gloxinia perennis*
- Gloxinia trichotoma* Moench
 = *Gloxinia perennis*
- Gloxinia tubiflora* Hook.
 = *Sinningia tubiflora*
- Gloxinia tydaeoides* Hanst. ex Regel
 = nom. nud. pro syn.
- Gloxinia variabilis* Carrière
 = *Sinningia speciosa*
- Gloxinia velutina* (Lindl.) Mart.
 = *Sinningia velutina*
- Gloxinia verticillata* Martens & Galeotti
 = *Eucodonia verticillata*
- Gloxinia villosa* (Gardner) Wiehler
 = *Goyazia villosa*
- Gloxinia villosa* (Lindl.) Mart.
 = *Sinningia villosa*
- Gloxinia xanthophylla** (Poepp.) Roalson & Boggan
- Gloxiniopsis racemosa** (Benth.) Roalson & Boggan
- Glycanthes scandens* (L.) Raf.
 = *Columnea scandens*
- Gomara racemosa* Ruiz & Pav.
 = *Sanango racemosum*
- Gomaranthus racemosus* Ruiz & Pav.
 = *Sanango racemosum*
- Goyazia petraea* (S.M.Phillips) Wiehler
- Goyazia rupicola* Taubert
- Goyazia villosa* (Gardner) R.Howard
- Guthnickia atrosanguinea* Hort. ex Regel
 = nom. nud. pro syn.
- Guthnickia cardinalis* Hanst.
 = *Achimenes antirrhina*
- Guthnickia foliosa* (C.Morren) Hanst.
 = *Achimenes antirrhina*
- Guthnickia mimuliflora* Regel
 = nom. illeg.
- Guthnickia tyrianthina* Regel ex Voss
 = nom. nud. pro syn.
- Halphophyllum crispum* Mansf.
 = *Gasteranthus crispus*
- Hatschbachia reitzii* L.B.Sm.
 = *Napeanthus reitzii*
- Heintzia picta* H.Karst.
 = nom. nud. pro syn.
- Heintzia tigrina* H.Karst.
 = *Crantzia tigrina*
- Hematophyla villosa* Raf.
 = nom. illeg.
- Heppiella ampla* Hanst.
 = *Heppiella ulmifolia*

- Heppiella atrosanguinea* Regel
 = *Heppiella viscida*
- Heppiella cordata* Klotzsch & Hanst.
 = *Heppiella viscida*
- Heppiella corymbosa* (Swartz) Urb.
 = *Pheidonocarpa corymbosa* subsp. *corymbosa*
- Heppiella cubensis* C.V.Morton
 = *Pheidonocarpa corymbosa* subsp. *cubensis*
- Heppiella grandifolia* Fritsch
 = *Heppiella ulmifolia*
- Heppiella guazumaefolia* (Benth.) Wiehler
 = *Heppiella ulmifolia*
- Heppiella karsteniana* Fritsch
 = *Heppiella ulmifolia*
- Heppiella ovata* Klotzsch & Hanst.
 = *Heppiella viscida*
- Heppiella parviflora* Fritsch
 = *Heppiella verticillata*
- Heppiella pauciflora* Hanst.
 = *Heppiella ulmifolia*
- Heppiella repens* Hanst.
- Heppiella rosea* Fritsch
 = *Heppiella ulmifolia*
- Heppiella rupincola* C.H.Wright ex Sauvalle
 = *Rhytidophyllum rupincola*
- Heppiella scandens* Fritsch
 = *Heppiella ulmifolia*
- Heppiella stenocalyx* Hanst.
 = *Heppiella ulmifolia*
- Heppiella trianae* Fritsch
 = *Heppiella ulmifolia*
- Heppiella ulmifolia* (Kunth) Hanst.
- Heppiella verticillata* (Cav.) Cuatrec.
- Heppiella viscida* (Lindl. & Paxton) Fritsch
- Heppiella warszewiczii* Hanst.
 = *Heppiella ulmifolia*
- Herincquia floribunda* (Lem.) Decne. ex Herincq
 = *Gesneria libanensis*
- Hippodamia guttata* Decne.
 = *Solenophora insignis*
- Hippodamia insignis* (Martens & Galeotti) Decne.
 = *Solenophora insignis*
- Houttea calcarata* (Lem.) Decne.
 = *Vanhouttea calcarata*
- Houttea gardneri* (Hook.) Decne.
 = *Vanhouttea gardneri*
- Houttea leptopus* (Gardner) Hanst.
 = *Vanhouttea gardneri*
- Houttea pardina* (Hook.) Decne.
 = *Vanhouttea calcarata*
- Houttea pardina* var. *calcarata* (Lem.) Decne.
 = *Vanhouttea calcarata*
- Houttea salviifolia* (Gardner) Hanst.
 = *Vanhouttea calcarata*
- Houttea tubiflora* (Hook.) Heynh.
 = *Sinningia tubiflora*
- Hypocyrta aggregata* Mart.
 = *Besleria aggregata* var. *aggregata*
- Hypocyrta barbata* Poepp.
 = *Besleria barbata*
- Hypocyrta bradei* Handro
 = *Nematanthus bradei*
- Hypocyrta brevicalyx* Hort. Veitch
 = *Pearcea hypocyrtiflora*
- Hypocyrta calycodonta* Lem.
 = nom. nud. pro syn.
- Hypocyrta carnosa* Gardner
 = *Codonanthe carnosa*
- Hypocyrta ciliosa* Mart.
 = *Paradrymonia ciliosa*
- Hypocyrta crassifolia* Focke
 = *Codonanthopsis crassifolia*
- Hypocyrta discolor* Lindl.
 = *Nematanthus hirtellus*
- Hypocyrta dusenii* Malme
 = *Nematanthus wettsteinii*
- Hypocyrta epidendra* Poepp.
 = *Besleria montana*
- Hypocyrta ferruginea* Poepp.
 = *Pearcea* species
- Hypocyrta fissa* (Vell.) Handro & L.B.Sm.
 = *Nematanthus fissus*
- Hypocyrta fritschii* (Hoehne) Handro
 = *Nematanthus fritschii*
- Hypocyrta gibbosa* Poepp.
 = *Besleria gibbosa*
- Hypocyrta glabra* Hook.
 = *Nematanthus strigillosus*
- Hypocyrta gracilis* Hook.
 = *Codonanthe carnosa*
- Hypocyrta gracilis* Mart.
 = *Codonanthe gracilis*
- Hypocyrta hirsuta* Mart.
 = *Nematanthus strigillosus*
- Hypocyrta jolyana* Handro
 = *Nematanthus jolyanus*
- Hypocyrta kuhlmanni* Handro
 = *Nematanthus kuhlmanni*
- Hypocyrta leucostoma* Hook.
 = *Besleria leucostoma*

- Hypocyrta macrocalyx* Hanst.
= *Nematanthus fornix*
- Hypocyrta macrophylla* Poepp.
= *Drymonia urceolata*
- Hypocyrta maculata* Fritsch
= *Nematanthus maculatus*
- Hypocyrta mattosiana* Handro
= *Nematanthus mattosianus*
- Hypocyrta mirabilis* Handro
= *Nematanthus mirabilis*
- Hypocyrta nervosa* Fritsch
= *Nematanthus fornix*
- Hypocyrta nummularia* Hanst.
= *Pachycaulos nummularia*
- Hypocyrta perianthomega* (Vell.) Tenore
= *Nematanthus hirtellus*
- Hypocyrta pulchra* N.E.Br.
= *Corytoplectus schlimii*
- Hypocyrta radicans* Klotzsch & Hanst.
= *Nematanthus gregarius*
- Hypocyrta scabrida* Lem.
= *Nematanthus strigillosum*
- Hypocyrta selloana* Klotzsch & Hanst.
= *Nematanthus fissus*
- Hypocyrta sericea* Hanst.
= *Nematanthus sericeus*
- Hypocyrta striata* Handro
= *Nematanthus striatus*
- Hypocyrta strigillosa* Mart.
= *Nematanthus strigillosum*
- Hypocyrta strigillosa* sensu Hook.f.
= *Nematanthus sericeus*
- Hypocyrta teixeirana* Handro
= *Nematanthus teixeiranus*
- Hypocyrta tessmannii* Hoehne
= *Nematanthus tessmannii*
- Hypocyrta teuscheri* Raymond
= *Drymonia teuscheri*
- Hypocyrta villosa* Hook. & Arnould
= *Nematanthus fissus*
- Hypocyrta villosa* Klotzsch
= nom. nud. pro syn.
- Hypocyrta wettsteinii* Fritsch
= *Nematanthus wettsteinii*
- Isoloma amabile* (Planch. & Linden) Hort. ex Bellair & St.-Lég.
= *Kohleria amabilis* var. *amabilis*
- Isoloma bogotense* G.Nicholson
= *Kohleria amabilis* var. *bogotensis*
- Isoloma bogotense* var. *amabile* (Planch. & Linden) Voss
= *Kohleria amabilis* var. *amabilis*
- Isoloma bogotense* var. *ocellatum* (Hook.) Voss
= *Kohleria inaequalis* var. *ocellata*
- Isoloma bogotense* var. *warszewiczii* (Regel) Voss
= *Kohleria inaequalis* var. *inaequalis*
- Isoloma breviflorum* (Lindley) Lindley
= *Kohleria spicata*
- Isoloma bulbosum* Baill.
= *Sinningia bulbosa*
- Isoloma ceciliae* (André) Hort. ex Bellair & St.-Lég.
= *Kohleria amabilis* var. *amabilis*
- Isoloma cordifolium* (Hanst.) Hemsl.
= *Kohleria tubiflora*
- Isoloma costaricense* (Klotzsch ex Oerst.) Hemsl.
= *Moussonia elegans*
- Isoloma deppeanum* (Schleidl. & Cham.) Hemsl.
= *Moussonia deppeana*
- Isoloma digitaliflorum* (Linden & André) Voss
= *Kohleria warszewiczii*
- Isoloma elatior* (Kunth) Decne.
= *Sinningia elatior*
- Isoloma elegans* (Decne.) Hemsl.
= *Moussonia elegans*
- Isoloma erianthum* (Benth.) Decne.
= *Kohleria hirsuta* var. *hirsuta*
- Isoloma flexuosum* Rusby
= *Pearcea sprucei* var. *parviflora*
- Isoloma giganteum* Benth. ex Fritsch
= nom. nud. pro syn.
- Isoloma hirsutum* (Kunth) Regel
= *Kohleria hirsuta* var. *hirsuta*
- Isoloma hondense* (Kunth) Decne.
= *Kohleria hondensis*
- Isoloma hondense* var. *hookeri* Regel
= *Kohleria tubiflora*
- Isoloma hondense* var. *uniflorum* Regel
= *Kohleria tubiflora*
- Isoloma hondense* var. *wageneri* Regel
= nom. illeg.
- Isoloma hondense* var. *warszewiczii* Regel
= *Kohleria tubiflora*
- Isoloma hondense* sensu Decne.
= *Kohleria tubiflora*
- Isoloma hondense* sensu Hook. ex Gentil
= *Kohleria hondensis*
- Isoloma hybridum* Hort. ex Gentil
= nom. nud.
- Isoloma hypocrytiformum* (Hook.f.) Benth.
= *Pearcea hypocrytiforma*
- Isoloma ignoratum* (Kunth & Bouché) Hemsl.
= *Kohleria spicata*

- Isoloma inaequale* (Benth.) Benth. ex B.D.Jacks.
 = *Kohleria inaequalis* var. *inaequalis*
- Isoloma incanum* (Klotzsch & Hanst.) Hemsl.
 = *Kohleria spicata*
- Isoloma incurvum* (Benth.) Hemsl.
 = *Kohleria tubiflora*
- Isoloma jaliscanum* S.Watson
 = *Mousonia jaliscana*
- Isoloma krameriianum* Lehm.
 = *Kohleria spicata*
- Isoloma lindenianum* (Regel) G.Nicholson
 = *Gloxinella lindeniana*
- Isoloma linkianum* (Kunth & Bouché) Hemsl.
 = *Kohleria spicata*
- Isoloma longiflorum* (Kunth) Regel
 = *Kohleria hirsuta* var. *hirsuta*
- Isoloma longipedunculatum* Hort. ex Hanst.
 = nom. nud. pro syn.
- Isoloma longifolium* (Lindl.) Decne.
 = *Kohleria spicata*
- Isoloma longipes* (Benth.) Decne.
 = *Kohleria hirsuta* var. *longipes*
- Isoloma molle* (Kunth) Decne.
 = *Kohleria hirsuta* var. *hirsuta*
- Isoloma ob lanceolatum* Donn.Sm.
 = *Kohleria affinis*
- Isoloma ocellatum* (Hook.) Benth. ex B.D.Jacks.
 = *Kohleria inaequalis* var. *ocellata*
- Isoloma pardinum* (Linden & André) Beddome
 = *Kohleria inaequalis* var. *ocellata*
- Isoloma parviflorum* Rusby
 = *Pearcea sprucei* var. *parviflora*
- Isoloma patentipilosum* Kuntze
 = *Pearcea sprucei* var. *parviflora*
- Isoloma petiolare* (Benth.) Decne.
 = *Kohleria spicata*
- Isoloma pictum* (Hook.) Decne. ex Planch.
 = *Kohleria tubiflora*
- Isoloma pictum* var. *minus-hirsuta* (Hook.) Planch.
 = *Kohleria tubiflora*
- Isoloma pictum* (Hook.) Regel
 = *Kohleria tubiflora*
- Isoloma pilosum* (Oerst.) Hemsl.
 = *Kohleria tubiflora*
- Isoloma purpureum* (Poepp.) Benth.
 = *Pearcea purpurea*
- Isoloma pycnoszygium* Donn.Sm.
 = *Kohleria hirsuta* var. *hirsuta*
- Isoloma regelianum* Voss
 = nom. illeg.
- Isoloma rhynchocarpum* (Benth.) Decne.
 = *Kohleria tubiflora*
- Isoloma rubricaulis* (Kunth & Bouché) Regel
 = *Kohleria hirsuta* var. *hirsuta*
- Isoloma rupestre* (Seem.) Hemsl.
 = *Kohleria spicata*
- Isoloma schiedeanum* (DC.) Hemsl.
 = *Kohleria spicata*
- Isoloma seemannii* (Hook.) Benth.
 = *Kohleria spicata*
- Isoloma spicatum* (Kunth) Decne.
 = *Kohleria spicata*
- Isoloma sprucei* Britton
 = *Pearcea sprucei* var. *sprucei*
- Isoloma strictum* (Oerst.) Hemsl.
 = *Kohleria tubiflora*
- Isoloma tetragonum* (Oerst.) Hemsl.
 = *Kohleria spicata*
- Isoloma trianae* Regel
 = *Kohleria trianae*
- Isoloma triflorum* (Hook.) Decne.
 = *Kohleria hondensis*
- Isoloma tubiflorum* (Cav.) Decne.
 = *Kohleria tubiflora*
- Isoloma tydaea* L.H.Bailey
 = *Kohleria amabilis* var. *bogotensis*
- Isoloma urticifolium* Rusby
 = *Pearcea sprucei* var. *parviflora*
- Isoloma venosum* (Hort. ex Lescuyer) Beddome
 = *Kohleria amabilis* var. *amabilis*
- Isoloma verticillatum* (Cav.) Decne.
 = *Heppiella verticillata*
- Isoloma vestitum* (Benth.) Decne.
 = *Kohleria hirsuta* var. *hirsuta*
- Isoloma vulcanicum* Donn.Sm.
 = *Kohleria affinis*
- Isoloma warszewiczii* (Regel) L.H.Bailey
 = *Kohleria warszewiczii*
- Klugia azurea* Schlehd.
 = *Rhynchoglossum azureum*
- Koellikeria argyrostigma* (Hook.) Regel
 = *Gloxinia erinoides*
- Koellikeria argyrostigma* var. *chlorocaula* Hanst.
 = *Gloxinia erinoides*
- Koellikeria argyrostigma* var. *moritziana* Hanst.
 = *Gloxinia erinoides*
- Koellikeria argyrostigma* var. *ovalifolia* Oerst.
 = *Gloxinia erinoides*
- Koellikeria erinoides* (DC.) Mansf.
 = *Gloxinia erinoides*

- Koellikeria major* Fritsch
 = *Gloxinia major*
- Koellikeria mexicana* Matuda
 = *Smithiantha cinnabarina*
- Koellikeria subdimidiata* Klotzsch & Hanst.
 = *Monopyle subdimidiata*
- Koernickia lanata* (Planch. & Linden ex Lem.) Regel
 = *Eucodonaria verticillata*
- Kohleria affinis* (Fritsch) Roalson & Boggan
- Kohleria allenii* Standl. & L.O.Wms.
- Kohleria amabilis* (Planch. & Linden) Fritsch
- Kohleria amabilis* var. *bogotensis* (G.Nicholson)
 L.P.Kvist & L.E.Skog
- Kohleria anisophylla* (Fritsch) Wiegler
 = *Kohleria villosa* var. *anisophylla*
- Kohleria anonyma* (Hanst.) Hanst.
 = *Kohleria tubiflora*
- Kohleria avilana* Cuatrec.
 = *Pearcea sprucei* var. *sprucei*
- Kohleria baezana* Cuatrec.
 = *Pearcea sprucei* var. *sprucei*
- Kohleria bogotensis* (G.Nicholson) Fritsch
 = *Kohleria amabilis* var. *bogotensis*
- Kohleria brachycalyx* Fritsch
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria chiapensis* Brandegee
 = *Kohleria spicata*
- Kohleria collina* Brandegee
 = *Moussonnia elegans*
- Kohleria colorata* (Hanst.) Hanst.
 = *Kohleria tubiflora*
- Kohleria cordifolia* (Hanst.) Hanst.
 = *Kohleria tubiflora*
- Kohleria deppeana* (Schltdl. & Cham.) Fritsch
 = *Moussonnia deppeana*
- Kohleria deppeana* var. *lasiantha* (Zucc.) Fritsch
 = *Moussonnia deppeana*
- Kohleria diastemoides* L.P.Kvist & L.E.Skog
- Kohleria digitaliflora* (Linden & André) Fritsch
 = *Kohleria warszewiczii*
- Kohleria elegans* (Decne.) Loesn.
 = *Moussonnia elegans*
- Kohleria elegans* var. *pedunculata* (Brandegee)
 C.V.Morton
 = *Moussonnia elegans*
- Kohleria elongata* (Kunth) Hanst.
 = *Kohleria trianae*
- Kohleria elongata* Regel
 = *Moussonnia deppeana*
- Kohleria eriantha* (Benth.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria ferruginea* Fritsch
 = *Kohleria inaequalis* var. *inaequalis*
- Kohleria fruticosa* Brandegee
 = *Moussonnia fruticosa*
- Kohleria grandiflora* L.P.Kvist & L.E.Skog
- Kohleria guazumaefolia* (Benth.) Regel
 = *Heppiella ulmifolia*
- Kohleria hirsuta* (Kunth) Regel
- Kohleria hirsuta* var. *longipes* (Benth.) L.P.Kvist & L.E.Skog
- Kohleria hirsutissima* C.V.Morton
 = *Moussonnia hirsutissima*
- Kohleria hondensis* (Kunth) Hanst.
- Kohleria hondensis* Hanst.
 = *nom. nud. pro syn.*
- Kohleria hookeri* (Regel) Hanst.
 = *Kohleria tubiflora*
- Kohleria hypertrichosa* J.L.Clark & J.E.Skog
- Kohleria ignorata* (Kunth & Bouché) Regel
 = *Kohleria spicata*
- Kohleria inaequalis* (Benth.) Wiegler
- Kohleria inaequalis* var. *lindenii* (Hanst.) L.P.Kvist & L.E.Skog
- Kohleria inaequalis* var. *ocellata* (Hook.) L.P.Kvist & L.E.Skog
- Kohleria incana* Klotzsch & Hanst.
 = *Kohleria spicata*
- Kohleria jamesoniana* Fritsch
 = *Pearcea sprucei* var. *sprucei*
- Kohleria kalbreyeri* Fritsch
 = *Kohleria inaequalis* var. *ocellata*
- Kohleria karsteniana* (Hanst.) Hanst.
 = *Kohleria hirsuta* var. *longipes*
- Kohleria krameriana* (Lehm.) Hanst.
 = *Kohleria spicata*
- Kohleria lanata* Lem.
 = *Kohleria rugata*
- Kohleria lanigera* Fritsch
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria lehmannii* Fritsch
 = *Kohleria inaequalis* var. *inaequalis*
- Kohleria leucomalloides* (Hanst.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria lindeniana* (Regel) H.E.Moore
 = *Gloxinella lindeniana*
- Kohleria lindenii* (Hanst.) Hanst.
 = *Kohleria inaequalis* var. *lindenii*

- Kohleria linkiana* (Kunth & Bouché) Hanst.
 = *Kohleria spicata*
- Kohleria longicalyx** L.P.Kvist & L.E.Skog
Kohleria longiflora (Kunth) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria longifolia* (Lindl.) Hanst. var. *petiolaris* (Benth.) C.V.Morton
 = *Kohleria spicata*
- Kohleria longifolia* (Lindl.) Hanst.
 = *Kohleria spicata*
- Kohleria longipedunculata* Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria longipes* (Benth.) Hanst.
 = *Kohleria hirsuta* var. *longipes*
- Kohleria magnifica* (Planch. & Linden) H.E.Moore
 = *Kohleria inaequalis* var. *inaequalis*
- Kohleria martensii* Fritsch
 = *Moussonia triflora*
- Kohleria melastoma* (Poep.) Cautrec.
 = *Pearcea purpurea*
- Kohleria mollis* (Kunth) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria moritziana* (Bouché & Hanst.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria neglecta** L.P.Kvist & L.E.Skog
Kohleria ocellata (Hook.) Fritsch
 = *Kohleria inaequalis* var. *ocellata*
- Kohleria papillosa* (Oerst. ex Hanst.) Fritsch
 = *Moussonia elegans*
- Kohleria papillosa* var. *pendula* C.V.Morton
 = *Moussonia elegans*
- Kohleria papillosa* var. *sericea* Fritsch
 = *Moussonia elegans*
- Kohleria papillosa* var. *solitaria* C.V.Morton
 = *Moussonia elegans*
- Kohleria patentipilosa* (Kuntze) K.Schum.
 = *Pearcea sprucei* var. *parviflora*
- Kohleria pedunculata* Brandegee
 = *Moussonia elegans*
- Kohleria peruviana** Fritsch
Kohleria peruviana var. *pallida* Fritsch
 = *Kohleria peruviana*
- Kohleria petiolaris* (Benth.) Hanst.
 = *Kohleria spicata*
- Kohleria picta* (Hook.) Hanst.
 = *Kohleria tubiflora*
- Kohleria pilosa* (Oerst.) Hanst.
 = *Kohleria tubiflora*
- Kohleria platylomata* (Donn.Sm.) Wiehler
 = *Kohleria villosa* var. *villosa*
- Kohleria pycnosuzygia* (Donn.Sm.) Badillo
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria regelii** Hanst.
 = nom. nud. pro syn.
- Kohleria reticulata* Fritsch
 = *Pearcea reticulata*
- Kohleria rhodomallon* (Hanst.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria rubricaulis* (Kunth & Bouché) Hassk.
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria rugata** (Scheidweiler) L.P.Kvist & L.E.Skog
Kohleria rupestris Seem.
 = *Kohleria spicata*
- Kohleria rupicola* Standl. & L.O.Wms.
 = *Moussonia rupicola*
- Kohleria sancti-josephi* Cuatrec.
 = *Pearcea sprucei* var. *sprucei*
- Kohleria saxicola* Brandegee
 = *Achimenes saxicola*
- Kohleria scabrida* Fritsch
 = *Kohleria inaequalis* var. *ocellata*
- Kohleria schiedeana* (DC.) Hanst.
 = *Kohleria spicata*
- Kohleria seemannii* (Hook.) Hanst.
 = *Kohleria spicata*
- Kohleria septentrionalis* D.L.Denham ex C.V.Morton
 = *Moussonia septentrionalis*
- Kohleria serrulata* C.V.Morton
 = *Moussonia serrulata*
- Kohleria skutchii* C.V.Morton & D.N.Gibson
 = *Moussonia skutchii*
- Kohleria spicata** (Kunth) Oerst.
Kohleria spicata var. *hispida* Fritsch
 = *Kohleria spicata*
- Kohleria spicata* var. *wageneri* (Regel) Fritsch
 = *Kohleria spicata*
- Kohleria sprucei* (Britton) Fritsch
 = *Pearcea sprucei* var. *sprucei*
- Kohleria straussiana* Fritsch
 = *Kohleria hirsuta* var. *hirsuta*
- Kohleria stricta* (Oerst.) Hanst.
 = *Kohleria tubiflora*
- Kohleria strigosa* C.V.Morton
 = *Moussonia strigosa*
- Kohleria stuebeliana** Fritsch
Kohleria tetragona Oerst.
 = *Kohleria spicata*
- Kohleria tigridia** (Ohlend.) Roalson & Boggan
Kohleria tomentosa Hanst.
 = *Kohleria spicata*

- Kohleria trianae** (Regel) Hanst.
Kohleria triflora (Hook.) Regel
 = *Kohleria hondensis*
Kohleria tubiflora (Cav.) Hanst.
Kohleria urticifolia (Rusby) Fritsch
 = *Pearcea sprucei* var. *parviflora*
Kohleria ventricosa (Hanst.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Kohleria vestita (Benth.) Hanst.
 = *Kohleria hirsuta* var. *hirsuta*
Kohleria villosa (Fritsch) Wiehler
Kohleria villosa var. *anisophylla* (Fritsch) L.P.Kvist & L.E.Skog
Kohleria viminalis Brandegee
 = *Moussonia viminalis*
Kohleria violacea Fritsch
 = *Kohleria warszewiczii*
Kohleria wageneri Regel
 = *Kohleria spicata*
Kohleria warszewiczii (Regel) Hanst.
Kohleria weberbaueri Fritsch
 = *Pearcea purpurea*
Kohlerianthus fritschii (Rusby) Fritsch
 = *Columnea fritschii*
Lampadaria rupestris Feuillet & L.E.Skog
Lembocarpus amoenus Leeuwenb.
Lenbrassia australiana (C.T.White) G.W.Gillett
 = *Fieldia australiana*
Lenbrassia australiana var. *glabrescens* B.D.Morley
 = *Fieldia australiana*
Lesia savannarum (C.V.Morton) J.L.Clark & J.F.Sm
Lesia tepuiensis G.E.Ferreira & Chautems
Lietzia brasiliensis Regel & E.Schmidt
 = *Sinningia brasiliensis*
Lietzia glandulosa Chautems ex Boggan
 = *Sinningia brasiliensis*
Ligeria barbata (Nees & Mart.) Hanst.
 = *Sinningia barbata*
Ligeria caulescens (Lindl.) Decne.
 = *Sinningia speciosa*
Ligeria concinna (Hook.f.) Hanst.
 = *Sinningia concinna*
Ligeria digitaliflora (Paxton) Decne.
 = *Sinningia speciosa*
Ligeria discolor Decne. ex Hanst.
 = *Sinningia speciosa*
Ligeria gesnerifolia Hanst.
 = *Sinningia villosa*
Ligeria gesnerifolia Hanst.
 = *Sinningia gesnerifolia*
- Ligeria gracilis** (Mart.) Hanst.
 = *Paliavana gracilis*
Ligeria hirsuta (Lindl.) Decne. ex Hanst.
 = *Sinningia hirsuta*
Ligeria macrophylla (Nees & Mart.) Hanst.
 = *Sinningia macrophylla*
Ligeria maximiliana Hanst.
 = *Sinningia maximiliana*
Ligeria menziesiana (Young ex Otto & A.Dietr.) Hanst.
 = *Sinningia speciosa*
Ligeria pusilla (Mart.) Hanst.
 = *Sinningia pusilla*
Ligeria speciosa (Lodd.) Decne.
 = *Sinningia speciosa*
Ligeria speciosa var. *caulescens* (Lindl.) Hanst.
 = *Sinningia speciosa*
Ligeria villosa (Gardner) Hanst.
 = *Goyazia villosa*
Loboptera longepedunculata Colla
 = *Columnea schiedeana*
Loboptera subsesilis Colla
 = nom. illeg.
Locheria heterophylla (Mart.) Oerst.
 = *Achimenes heterophylla*
Locheria hirsuta (Lindl.) Regel
 = *Achimenes skinneri*
Locheria hirsuta var. *magnifica* Regel
 = nom. nud. pro syn.
Locheria hirsuta var. *splendens* Regel
 = nom. nud. pro syn.
Locheria ignescens (Lem.) Regel ex Hanst.
 = *Achimenes heterophylla*
Locheria ignescens (Lem.) Regel
 = *Achimenes heterophylla*
Locheria magnifica Planch. & Linden
 = *Kohleria inaequalis* var. *inaequalis*
Locheria multiflora (Gardner) Regel
 = *Mandriola multiflora*
Locheria pedunculata (Benth.) Regel
 = *Achimenes pedunculata*
Locheria pedunculata var. *gracilis* Oerst. ex Hanst.
 = *Achimenes pedunculata*
Locheria pedunculata var. *major* Hanst.
 = *Achimenes pedunculata*
Lophalix bicolor Raf.
 = *Crantzia cristata*
Lophalix coccinea (Aubl.) Raf.
 = *Drymonia coccinea*

- Lophia phoenicea* Desv. ex Hamilton
 = *Crantzia cristata*
- Macrochlamys miquelii* Decne.
 = *Drymonia coccinea*
- Macrochlamys patrisii* (DC.) Decne.
 = *Drymonia coccinea*
- Macrochlamys speciosus* Decne.
 = *Corytoplectus capitatus*
- Mandiola ichthyostoma** (Gardner) Seem. ex Hanst.
- Mandiola lanata* Planch. & Linden
 = *Eucodonaria verticillata*
- Mandiola mexicana* (Seem.) Planch.
 = *Achimenes mexicana*
- Mandiola multiflora** (Gardner) Decne.
- Mandiola multiflora* var. *gardneriana* Hanst.
 = *Mandiola multiflora*
- Mandiola multiflora* (Gardner) Decne. var. *hortorum* Hanst.
 = *Mandiola multiflora*
- Mandiola rupestris** (Gardner) Roalson & Boggan
- Mandiola seemannii* Lem.
 = nom. illeg.
- Marssonia primulina* H.Karst.
 = *Napeanthus primulinus*
- Marssonia subacaulis* (Griseb.) Urb.
 = *Napeanthus subacaulis*
- Martynia fruticosa* (L.) Gloxin
 = *Gesneria fruticosa*
- Martynia perennis* L.
 = *Gloxinia perennis*
- Martynia speciosa* (Lodd.) Loisel.
 = *Sinningia speciosa*
- Matsumuria oldhamii* (Hemsl.) Hemsl.
 = *Titanotrichum oldhamii*
- Megapleilis tuberosa* Raf.
 = *Sinningia bulbosa*
- Meneghinia alba* Vis.
 = *Niphaea oblonga*
- Mitraria coccinea** Cav.
- Monopyle angustifolia** Fritsch
- Monopyle divaricata* Rusby
 = *Monopyle reflexa*
- Monopyle ecuadorensis** C.V.Morton
- Monopyle flava** L.E.Skog
- Monopyle grandiflora** Wiegler
- Monopyle inaequalis** C.V.Morton
- Monopyle iserniana** Cuatrec.
- Monopyle leucantha* Moritz ex Benth.
 = *Monopyle subdimidiata*
- Monopyle lilacina** (Lem.) L.E.Skog, Barrie & Boggan
- Monopyle macrocarpa** Benth.
- Monopyle macrocarpa* var. *costaricana* Hemsl.
- Monopyle macrocarpa* var. *isophylla* Benth.
- Monopyle macrophylla* Benth.
 = *Monopyle macrocarpa*
- Monopyle maxonii** C.V.Morton
- Monopyle mexiae** C.V.Morton
- Monopyle multiflora** Keene & J.L.Clark
- Monopyle panamensis** C.V.Morton
- Monopyle paniculata** Benth.
- Monopyle pilosula* C.V.Morton
 = *Monopyle macrocarpa*
- Monopyle puberula** C.V.Morton
- Monopyle racemosa* Benth.
 = *Gloxiniopsis racemosa*
- Monopyle reflexa** (Rusby) Roaslon & Boggan
- Monopyle sodiroana** Fritsch
- Monopyle stenoloba** C.V.Morton
- Monopyle subdimidiata** (Klotzsch & Hanst.) Mansf.
- Monopyle subsessilis** Benth.
- Monopyle uniflora** J.L.Clark & Keene
- Moussonia adpressipilosa** D.L.Denham ex Ram.-Roa
- Moussonia ampla** L.E.Skog
- Moussonia costaricensis* Klotzsch ex Oerst.
 = *Moussonia elegans*
- Moussonia deppeana** (Schltdl. & Cham.) Hanst.
- Moussonia elegans** Decne.
- Moussonia elongata* Regel
 = *Moussonia deppeana*
- Moussonia formosa* Van Houtte ex Regel
 = *Moussonia elegans*
- Moussonia fruticosa** (Brandegee) Wiegler
- Moussonia hirsutissima** (C.V.Morton) Wiegler
- Moussonia jaliscana** (S.Watson) D.L.Denham ex Ram.-Roa
- Moussonia larryskogii** Ram.-Roa
- Moussonia melastoma* (Poepp.) Hanst.
 = *Pearcea purpurea*
- Moussonia papillosa* Oerst. ex Hanst.
 = *Moussonia elegans*
- Moussonia purpurea* (Poepp.) Hanst.
 = *Pearcea purpurea*
- Moussonia rupicola** (Standl. & L.O.Wms.) Wiegler
- Moussonia septentrionalis** (D.L.Denham ex C.V.Morton) Wiegler
- Moussonia serrulata** (C.V.Morton) Wiegler
- Moussonia skutchii** (C.V.Morton & D.N.Gibson) Wiegler
- Moussonia strigosa* (C.V.Morton) Wiegler
- Moussonia triflora* (Martens & Galeotti) Hanst.
- Moussonia viminalis* (Brandegee) Wiegler

- Naegelia amabilis* (Decne.) Van Houtte
 = *Smithiantha multiflora*
- Naegelia amabilis* Hort. ex Hook.
 = nom. nud. pro syn.
- Naegelia cinnabarinia* Linden
 = *Smithiantha cinnabarina*
- Naegelia fulgida* Ortgies ex Van Houtte
 = *Smithiantha cinnabarina*
- Naegelia fulgida* var. *bicolor* Van Houtte
 = *Smithiantha cinnabarina*
- Naegelia fulgida* var. *concolor* Van Houtte
 = *Smithiantha cinnabarina*
- Naegelia geroltiana* (Kunth & Bouché) Regel
 = *Smithiantha zebrina*
- Naegelia multiflora* (Martens & Galeotti) Hook.
 = *Smithiantha multiflora*
- Naegelia punctata* (Martens & Galeotti) Hemsl.
 = *Smithiantha zebrina*
- Naegelia secunda* Oerst. ex Hanst.
 = *Smithiantha multiflora*
- Naegelia zebrina* (Paxton) Regel
 = *Smithiantha zebrina*
- Naegelia zebrina* var. *geroltiana* (Kunth & Bouché) Regel
 = *Smithiantha zebrina*
- Napeanthus andinus** Rusby ex Donn.Sm.
Napeanthus andinus Rusby
 = *Napeanthus andinus*
- Napeanthus angustifolius** Feuillet & L.E.Skog
- Napeanthus apodemus** Donn.Sm.
- Napeanthus bicolor* (L.O.Wms.) Barringer
 = *Napeanthus bracteatus*
- Napeanthus bracteatus** C.V.Morton
- Napeanthus brasiliensis* Gardner
 = *Napeanthus primulifolius*
- Napeanthus bullatus* Wiehler
 = *Napeanthus apodemus*
- Napeanthus costaricensis** Wiehler
- Napeanthus ecuadorensis** Fritsch
- Napeanthus jelskii** Fritsch
- Napeanthus loretensis** L.E.Skog
- Napeanthus macrostoma** Leeuwenb.
- Napeanthus primulifolius** (Raddi) Sandw.
- Napeanthus primulinus* (Karst.) Benth. & Hook.f. ex B.D.Jacks.
- Napeanthus reitzii* (L.B.Sm.) B.L.Burtt ex Leeuwenb.
- Napeanthus repens* Donn.Sm.
 = *Amalophyllum repens*
- Napeanthus rigidus** Rusby
- Napeanthus riparius** Philipson
- Napeanthus robustus** Fritsch
- Napeanthus rupicola** Feuillet & L.E.Skog
- Napeanthus saxicola** Brandegee
 = *Amalophyllum rupestre*
- Napeanthus spathulatus** Leeuwenb.
- Napeanthus subacaulis** (Griseb.) Benth. & Hook.f. ex Kuntze
- Napeanthus subacaulis** var. *integer* C.V.Morton
- Nautilocalyx adenosiphon* (Leeuwenb.) Wiehler
 = *Chrysanthemis adenosiphon*
- Nautilocalyx aeneus** (Linden & André) Wiehler
- Nautilocalyx antioquensis** Wiehler
- Nautilocalyx arenarius** L.E.Skog & Steyerl.
- Nautilocalyx bicolor** (Hook.) Wiehler
- Nautilocalyx biserrulatus** Kriebel
- Nautilocalyx bracteatus** (Planch.) Sprague
- Nautilocalyx bryogoton* (Leeuwenb.) Wiehler
 = *Centrosolenia bryogoton*
- Nautilocalyx bullatus** (Lem.) Sprague
- Nautilocalyx cataractarum** Wiehler
- Nautilocalyx chmantensis* L.E.Skog & Steyerl.
 = *Centrosolenia chmantensis*
- Nautilocalyx coccineus* Feuillet & L.E.Skog
 = *Centrosolenia coccinea*
- Nautilocalyx colombianus** Wiehler
- Nautilocalyx colonensis* Wiehler
 = *Chrysanthemis colonensis*
- Nautilocalyx cordatus* (Gleason) L.E.Skog
 = *Centrosolenia hirsuta*
- Nautilocalyx crenatus* Feuillet
 = *Centrosolenia crenata*
- Nautilocalyx decumbens** (Mart.) Wiehler
- Nautilocalyx dressleri* Wiehler
 = *Drymonia ovatifolia*
- Nautilocalyx ecuadoranus** Wiehler
- Nautilocalyx fasciculatus** L.E.Skog & Steyerl.
- Nautilocalyx forgetii** (Sprague) Sprague
- Nautilocalyx glandulifer** Wiehler
- Nautilocalyx hastatus* Linden ex Hanst.
 = *Nautilocalyx bracteatus*
- Nautilocalyx hirsutus** (Sprague) Sprague
- Nautilocalyx hirtiflorus** (Spruce ex Hanst.) Sprague
- Nautilocalyx kohlerioides** (Leeuwenb.) Wiehler
- Nautilocalyx lacteus* Sandw.
 = *Nautilocalyx pictus*
- Nautilocalyx lehmannii** Wiehler
- Nautilocalyx leticianus** Wiehler
- Nautilocalyx lucianii** (Linden & Fourn.) Wiehler
- Nautilocalyx lynchii** (Hook.f.) Sprague
- Nautilocalyx maguirei** L.E.Skog & Steyerl.
- Nautilocalyx melittifolius* (L.) Wiehler
 = *Chrysanthemis melittifolia*

- Nautilocalyx membranaceus** (C.V.Morton) Wiehler
Nautilocalyx mimuloides (Benth.) C.V.Morton
Nautilocalyx minutiflorus L.E.Skog
 = *Reldia minutiflora* var. *minutiflora*
Nautilocalyx mulfordii Wiehler
Nautilocalyx orinocensis Feuillet
 = *Centrosolenia orinocensis*
Nautilocalyx pallidus (Sprague) Sprague
Nautilocalyx panamensis (Seem.) Seem.
 = *Chrysanthemis panamensis*
Nautilocalyx paujiensis Feuillet
 = *Centrosolenia paujiensis*
Nautilocalyx peltatus (C.V.Morton) Wiehler
 = *Trichodrymonia peltata*
Nautilocalyx pemphidius L.E.Skog
Nautilocalyx peruvianus Wiehler
Nautilocalyx picturatus L.E.Skog
Nautilocalyx pictus (Hook.) Sprague
Nautilocalyx porphyrotrichus (Leeuwenb.) Wiehler
 = *Centrosolenia porphyrotricha*
Nautilocalyx punctatus Wiehler
Nautilocalyx purpurascens Kriebel
Nautilocalyx pusillus Feuillet
 = *Centrosolenia pusilla*
Nautilocalyx resioides (Leeuwenb.) Wiehler
Nautilocalyx roseus Feuillet
 = *Centrosolenia rosea*
Nautilocalyx ruber Feuillet
 = *Centrosolenia rubra*
Nautilocalyx rugosus R.Rojas & J.L.Clark
Nautilocalyx sastrei Wiehler
Nautilocalyx silvaticus (Cuatrec.) Wiehler
Nautilocalyx speciosus Wiehler
Nautilocalyx urticifolius (Leeuwenb.) Wiehler
Nautilocalyx vestitus Feuillet
 = *Centrosolenia vestita*
Nautilocalyx villosus (Kunth & Bouché) Sprague
 = *Chrysanthemis panamensis*
Nautilocalyx vinosus Wiehler
Nautilocalyx whitei Rusby
Negria rhabdothamnoides F.Muell.
Nematanthus albus Chautems
Nematanthus australis Chautems
Nematanthus bradei (Handro) Chautems
Nematanthus brasiliensis (Vell.) Chautems
Nematanthus calcaratus Miq.
 = *Codonanthopsis calcarata*
Nematanthus calycinus C.Presl
 = nom. illeg.
Nematanthus chloronema Mart.
 = *Nematanthus crassifolius* subsp. *chloronema*
- Nematanthus corticola** Schrad.
Nematanthus crassifolius (Schott) Wiehler
Nematanthus crassifolius subsp. *chloronema* (Mart.) Chautems
Nematanthus dichrus (Sprengel) Wiehler
 = *Nematanthus lanceolatus*
Nematanthus erianthus Benth.
 = *Kohleria villosa* var. *anisophylla*
Nematanthus fissus (Vell.) L.E.Skog
Nematanthus fluminensis (Vell.) Fritsch
Nematanthus fornix (Vell.) Chautems
Nematanthus fritschii Hoehne
Nematanthus gregarius D.L.Denham
Nematanthus guilleminii Brongn.
 = *Nematanthus crassifolius*
Nematanthus heterophyllus C.Presl
 = nom. illeg.
Nematanthus heterophyllus Poepp.
 = nom. illeg.
Nematanthus hirsutus (Mart.) Wiehler
 = *Nematanthus strigillosus*
Nematanthus hirtellus (Schott) Wiehler
Nematanthus ionema Mart.
 = nom. illeg.
Nematanthus jolyanus (Handro) Chautems
Nematanthus kautskyi Chautems & J.Rossini
Nematanthus lanceolatus (Poir.) Chautems
Nematanthus longipes f. *discoloris* Hoehne
 = *Nematanthus crassifolius* subsp. *chloronema*
Nematanthus longipes f. *laticalyx* Hoehne
 = *Nematanthus brasiliensis*
Nematanthus longipes DC.
 = *Nematanthus crassifolius*
Nematanthus maculatus (Fritsch) Wiehler
Nematanthus mirabilis (Handro) Chautems
Nematanthus monanthos (Vell.) Chautems
Nematanthus nervosus (Fritsch) H.E.Moore
 = *Nematanthus fornix*
Nematanthus pereskiaefolius K.Presl
 = *Nematanthus crassifolius* subsp. *chloronema*
Nematanthus perianthomegus (Vell.) H.E.Moore
 = *Nematanthus hirtellus*
Nematanthus punctatus Chautems
Nematanthus pycnophyllus Chautems, T.Lopes & M.Peixoto
Nematanthus radicans K.Presl
 = *Nematanthus crassifolius*
Nematanthus radicans (Klotzsch & Hanst.) H.E.Moore
 = nom. illeg.
Nematanthus savannarum (C.V.Morton) J.L.Clark
 = *Lesia savannarum*

- Nematanthus sellianus* (Klotzsch & Hanst.) H.E.Moore
 = *Nematanthus fissus*
- Nematanthus sericeus* (Hanst.) Chautems
- Nematanthus serpens* (Vell.) Chautems
- Nematanthus serrulatus* K.Presl
 = *Nematanthus crassifolius*
- Nematanthus striatus* (Handro) Chautems
- Nematanthus strigillosum* (Mart.) H.E.Moore
- Nematanthus teixeiranus* (Handro) Chautems
- Nematanthus tessmannii* (Hoehne) Chautems
- Nematanthus tetragonus* Oerst. ex Hanst.
 = nom. nud. pro syn.
- Nematanthus villosus* (Hanst.) Wiehler
- Nematanthus wettsteinii* (Fritsch) H.E.Moore
- Nematanthus wiehleri* Chautems & M.Peixoto
- Neomortonia alba* Wiehler
 = *Neomortonia rosea*
- Neomortonia nummularia* (Hanst.) Wiehler
 = *Pachycaulos nummularia*
- Neomortonia rosea* Wiehler
- Niphaea albolineata* Hook.
 = *Phinaea albolineata*
- Niphaea albolineata* var. *costata* Hanst.
 = *Phinaea albolineata*
- Niphaea albolineata* var. *reticulata* Planch.
 = *Phinaea albolineata*
- Niphaea anoectochilifolia* Warsz. ex Regel
 = nom. nud. pro syn.
- Niphaea argyroneura* Planch. & Linden ex Planch.
 = nom. nud. pro syn.
- Niphaea caripensis* Klotzsch & Hanst.
 = *Amalophyllum caripense*
- Niphaea crenata* H.Karst.
 = *Amalophyllum rubidum*
- Niphaea cupreovirens* Lem.
 = *Phinaea species*
- Niphaea discolor* Warsz. ex Regel
 = nom. nud. pro syn.
- Niphaea domingensis* Urb. & Ekman
 = *Phinaea pulchella* var. *domingensis*
- Niphaea elata* Lem.
 = *Niphaea oblonga*
- Niphaea mexicana* C.V.Morton
- Niphaea oblonga* Lindl.
- Niphaea parviflora* A.Braun & Bouché
 = *Amalophyllum parviflorum*
- Niphaea peruviana* Wiehler
 = *Nomopyle peruviana*
- Niphaea pulchella* Griseb.
 = *Phinaea pulchella*
- Niphaea pumila* Boggan & L.E.Skog
- Niphaea roezlii* Regel
 = *Amalophyllum roezlii*
- Niphaea rubida* Lem.
 = *Amalophyllum rubidum*
- Niphaea saxicola* (Brandegee) D.N.Gibson
 = *Amalophyllum rupestre*
- Niphaea warszewiczii* Hort. Berol. ex Hansl.
 = nom. nud. pro syn.
- Nomopyle dodsonii* (Wiehler) Roalson & Boggan
- Nomopyle peruviana* (Wiehler) Roalson & Boggan
- Oerstedina cerricola* Wiehler
- Oerstedina mexicana* Wiehler
- Oerstedina suffrutescens* L.E.Skog
- Ophianthe libanensis* (Linden ex C.Morren) Hanst.
 = *Gesneria libanensis*
- Oreocaris notha* C.B.Clarke
 = *Napeanthus primulifolius*
- Orobanche brasiliensis* Vell.
 = *Nematanthus brasiliensis*
- Orobanche carnosia* Vell.
 = *Codonanthe carnosia*
- Orobanche cernua* Vell.
 = *Sinningia speciosa*
- Orobanche crenata* Vell.
 = *Codonanthe gracilis*
- Orobanche fissa* Vell.
 = *Nematanthus fissus*
- Orobanche fluminensis* Vell.
 = *Nematanthus fluminensis*
- Orobanche fornix* Vell.
 = *Nematanthus fornix*
- Orobanche hirta* Vell.
 = *Sinningia allagophylla*
- Orobanche melancholica* Vell.
 = *Besleria melancholica*
- Orobanche monantha* Vell.
 = *Nematanthus monanthos*
- Orobanche perianthomega* Vell.
 = *Nematanthus hirtellus*
- Orobanche racemosa* Vell.
 = *Paliavana prasinata*
- Orobanche serpens* Vell.
 = *Nematanthus serpens*
- Orobanche spicata* Vell.
 = *Sinningia allagophylla*
- Orobanche tuberosa* Vell.
 = *Sinningia guttata*
- Orobanche tubulosa* Vell.
 = *Sinningia douglasii*

- Orobanche umbellata* Vell.
 = *Sinningia douglasii*
- Orobanche ventricosa* Vell.
 = *Codonanthe gracilis*
- Orobanche verticillata* Vell.
 = *Sinningia douglasii*
- Orobanchia lanceolata* Poir.
 = *Nematanthus lanceolatus*
- Orobanchia radicans* Poir.
 = *Nematanthus strigillosus*
- Orthanthe fijiana* Lem.
 = *Sinningia speciosa*
- Ortholoma acuminatum* (Benth.) Hanst.
 = *Columnea anisophylla*
- Ortholoma alienum* (C.V.Morton) Wiehler
 = *Columnea aliena*
- Ortholoma ambiguum* (Urb.) Wiehler
 = *Columnea ambigua*
- Ortholoma anisophyllum* (DC.) Wiehler
 = *Columnea anisophylla*
- Ortholoma calotrichum* (Donn.Sm.) Wiehler
 = *Columnea calotricha*
- Ortholoma clarum* (C.V.Morton) Wiehler
 = *Columnea minor*
- Ortholoma cristatum* (Griseb.) Wiehler
 = *Columnea grisebachiana*
- Ortholoma dictyophyllum* (Donn.Sm.) Wiehler
 = *Columnea dictyophylla*
- Ortholoma dielsii* (Mansf.) Wiehler
 = *Columnea dielsii*
- Ortholoma dissimile* (C.V.Morton) Wiehler
 = *Columnea dissimilis*
- Ortholoma domingense* (Urb.) Wiehler
 = *Columnea domingensis*
- Ortholoma erythrophyllum* (Hanst.) Wiehler
 = *Columnea erythrophylla*
- Ortholoma filipes* (Oliv.) Wiehler
 = *Columnea filipes*
- Ortholoma formosa* (C.V.Morton) Wiehler
 = *Columnea formosa*
- Ortholoma herthae* (Mansf.) Wiehler
 = *Columnea herthae*
- Ortholoma heterophyllum* (Oerst.) Wiehler
 = *Columnea sanguinolenta*
- Ortholoma illepidum* (H.E.Moore) Wiehler
 = *Columnea illepida*
- Ortholoma incarnatum* (C.V.Morton) Wiehler
 = *Columnea incarnata*
- Ortholoma lehmannii* (Mansf.) Wiehler
 = *Columnea lehmannii*
- Ortholoma minor* (Hook.) Wiehler
 = *Columnea minor*
- Ortholoma moorei* (C.V.Morton) Wiehler
 = *Columnea moorei*
- Ortholoma oblongifolium* (Rusby) Wiehler
 = *Columnea oblongifolia*
- Ortholoma ochroleucum* Klotzsch ex Oerst.
 = *Columnea ochroleuca*
- Ortholoma parviflorum* (C.V.Morton) Wiehler
 = *Columnea parviflora*
- Ortholoma pendulum* Klotzsch ex Oerst.
 = *Columnea pendula*
- Ortholoma peruvianum* (Zahlbr.) Wiehler
 = *Columnea peruviana*
- Ortholoma pubescens* (Griseb.) Wiehler
 = *Columnea pubescens*
- Ortholoma repens* (Hook.) Wiehler
 = *Columnea repens*
- Ortholoma roseum* (C.V.Morton) Wiehler
 = *Columnea rosea*
- Ortholoma sanguinolentum* (Klotzsch ex Oerst.) Wiehler
 = *Columnea sanguinolenta*
- Ortholoma serratum* (Klotzsch ex Oerst.) Wiehler
 = *Columnea serrata*
- Ortholoma tropicale* (C.V.Morton) Wiehler
 = *Columnea minor*
- Ortholoma ulei* (Mansf.) Wiehler
 = *Columnea ulei*
- Ortholoma venustum* (Standl.) Wiehler
 = *Columnea cobana*
- Ortholoma vestitum* Klotzsch ex Oerst.
 = *Columnea anisophylla*
- Ortholoma warszewiczianum* Klotzsch ex Oerst.
 = *Columnea anisophylla*
- Oxalis primulaefolia* Raddi
 = *Napeanthus primulifolius*
- Pachycaulos nummularia* (Hanst.) J.L.Clark & J.F.Sm.
- Pagothysra maculata* (Hook.f.) J.F.Sm. & J.L.Clark
- Paliavana gracilis* (Mart.) Chautems
- Paliavana lasiantha* Wiehler
 = *Paliavana sericiflora*
- Paliavana plumerioides* Chautems
- Paliavana prasinata* (Ker Gawl.) Benth.
- Paliavana racemosa* (Vell.) Fritsch
 = *Paliavana prasinata*
- Paliavana schiffneri* (Fritsch) Handro
 = *Sinningia schiffneri*
- Paliavana sericiflora* Benth.
- Paliavana tenuiflora* Mansf.
- Paliavana werdermannii* Mansf.

- Parabesleria costaricensis* Oerst.
= *Besleria solanoides* var. *solanoides*
- Parabesleria triflora* Oerst.
= *Besleria triflora*
- Paradrymonia alata* Kriebel
= *Trichodrymonia alata*
- Paradrymonia alba* Wiehler
= *Trichodrymonia alba*
- Paradrymonia anisophylla* Feuillet & L.E.Skog
= *Codonanthopsis anisophylla*
- Paradrymonia apicaudata* M.M.Mora & J.L.Clark
= *Trichodrymonia apicaudata*
- Paradrymonia aurea* Wiehler
= *Trichodrymonia aurea*
- Paradrymonia badia* Feuillet, L.E.Skog & D.Barabé
- Paradrymonia barbata* Feuillet & L.E.Skog
- Paradrymonia binata* Wiehler
= *Trichodrymonia binata*
- Paradrymonia buchtienii* (Mansf.) Wiehler
- Paradrymonia bullata* Gómez-Laurito & Chavarría
= *Nauilocalyx biserrulatus*
- Paradrymonia campostyla* (Leeuwenb.) Wiehler
- Paradrymonia ciliosa* (Mart.) Wiehler
- Paradrymonia conferta* (C.V.Morton) Wiehler
= *Trichodrymonia conferta*
- Paradrymonia congesta* (Oerst.) Wiehler
= *Trichodrymonia congesta*
- Paradrymonia dariensis* (Seem.) Wiehler
= *Trichodrymonia dariensis*
- Paradrymonia decurrens* (C.V.Morton) Wiehler
= *Paradrymonia ciliosa*
- Paradrymonia densa* (C.H.Wright) Wiehler
- Paradrymonia erythropus* (Hook.f.) Wiehler
= *Trichodrymonia erythropus*
- Paradrymonia flava* Wiehler
= *Trichodrymonia flava*
- Paradrymonia fuquaiana* Wiehler
= *Trichodrymonia aurea*
- Paradrymonia gibbosa* Wiehler
= *Trichodrymonia gibbosa*
- Paradrymonia gigantea* Wiehler
= *Trichodrymonia gigantea*
- Paradrymonia glabra* (Benth.) Hanst.
- Paradrymonia glandulosa* Feuillet
- Paradrymonia hamata* Feuillet
= *Paradrymonia ciliosa*
- Paradrymonia hansteiniana* (Mansf.) Wiehler
= *Paradrymonia ciliosa*
- Paradrymonia hirta* L.E.Skog
= *Trichodrymonia hirta*
- Paradrymonia hypocyrta* Wiehler
= *Trichodrymonia hypocyrta*
- Paradrymonia lacera* Wiehler
= *Trichodrymonia lacera*
- Paradrymonia lineata* (C.V.Morton) Wiehler
= *Trichodrymonia lineata*
- Paradrymonia longifolia* (Poepp.) Wiehler
- Paradrymonia longipetiolata* (Donn.Sm.) Wiehler
= *Trichodrymonia longipetiolata*
- Paradrymonia lurida* (C.V.Morton & Raymond) Wiehler
= *Trichodrymonia lineata*
- Paradrymonia lutea* Feuillet
- Paradrymonia macrophylla* Wiehler
= *Trichodrymonia macrophylla*
- Paradrymonia maculata* (Hook.f.) Wiehler
= *Pagothysra maculata*
- Paradrymonia maguirei* Feuillet
= *Trichodrymonia maguirei*
- Paradrymonia metamorphophylla* (Donn.Sm.) Wiehler
= *Trichodrymonia metamorphophylla*
- Paradrymonia ommata* L.E.Skog
= *Trichodrymonia ommata*
- Paradrymonia pedunculata* L.E.Skog
= *Trichodrymonia pedunculata*
- Paradrymonia peltatifolia* J.L.Clark & M.M.Mora
= *Trichodrymonia peltatifolia*
- Paradrymonia picta* (Hook.) Hanst.
= *Nauilocalyx pictus*
- Paradrymonia prististoma* Wiehler
= *Paradrymonia ciliosa*
- Paradrymonia sastrei* Wiehler
= *Trichodrymonia sastrei*
- Paradrymonia sericea* Wiehler
= *Trichodrymonia sericea*
- Paradrymonia splendens* M.Freiberg
= *Trichodrymonia splendens*
- Paradrymonia tepui* Feuillet
- Paradrymonia tylocalyx* Wiehler
= *Trichodrymonia tylocalyx*
- Paradrymonia ulei* Wiehler
= *Trichodrymonia ulei*
- Paradrymonia yatua* Feuillet
- Parakohleria abunda* Wiehler
= *Pearcea abunda*
- Parakohleria avilana* (Cuatrec.) Wiehler
= *Pearcea sprucei* var. *sprucei*
- Parakohleria baezana* (Cuatrec.) Wiehler
= *Pearcea sprucei* var. *sprucei*
- Parakohleria hispidissima* Wiehler
= *Pearcea hispidissima*

- Parakohleria jamesoniana* (Fritsch) Wiehler
 = *Pearcea sprucei* var. *sprucei*
- Parakohleria melastoma* (Poepp.) Wiehler
 = *Pearcea purpurea*
- Parakohleria parviflora* (Rusby) Wiehler
 = *Pearcea sprucei* var. *parviflora*
- Parakohleria purpurea* (Poepp.) Wiehler
 = *Pearcea purpurea*
- Parakohleria rhodotricha* (Cuatrec.) Wiehler
 = *Pearcea rhodotricha*
- Parakohleria sancti-josephi* (Cuatrec.) Wiehler
 = *Pearcea sprucei* var. *sprucei*
- Parakohleria schimpffii* (Mansf.) Wiehler
 = *Pearcea schimpffii*
- Parakohleria sprucei* (Britton) Wiehler
 = *Pearcea sprucei* var. *sprucei*
- Parakohleria vinicolor* Wiehler
 = *Pearcea sprucei* var. *sprucei*
- Parakohleria weberbaueri* (Fritsch) Wiehler
 = *Pearcea purpurea*
- Pearcea abunda* (Wiehler) L.P.Kvist & L.E.Skog
- Pearcea bella* L.P.Kvist & L.E.Skog
- Pearcea bilabiata* L.P.Kvist & L.E.Skog
- Pearcea cordata* L.P.Kvist & L.E.Skog
- Pearcea fuscicalyx* L.P.Kvist & L.E.Skog
- Pearcea glabrata* L.P.Kvist & L.E.Skog
- Pearcea gracilis* L.P.Kvist & L.E.Skog
- Pearcea grandifolia* L.P.Kvist & L.E.Skog
- Pearcea hispidissima* (Wiehler) L.P.Kvist & L.E.Skog
- Pearcea hypocyrtiflora* (Hook.f.) Regel
- Pearcea intermedia* L.P.Kvist & L.E.Skog
- Pearcea pileifolia* J.L.Clark & L.E.Skog
- Pearcea purpurea* (Poepp.) L.P.Kvist & L.E.Skog
- Pearcea reticulata* (Fritsch) L.P.Kvist & L.E.Skog
- Pearcea rhodotricha* (Cuatrec.) L.P.Kvist & L.E.Skog
- Pearcea schimpffii* Mansf.
- Pearcea sprucei* (Britton) L.P.Kvist & L.E.Skog
- Pearcea sprucei* var. *parviflora* (Rusby) L.P.Kvist & L.E.Skog
- Pearcea strigosa* L.P.Kvist & L.E.Skog
- Pentadenia angustata* Wiehler
 = *Columnea angustata*
- Pentadenia antiocana* Wiehler
 = *Columnea antiocana*
- Pentadenia ascendens* (Rusby) Wiehler
 = *Columnea inaequilatera*
- Pentadenia aurantiaca* (Decne. ex Planch.) Hanst.
 = *Columnea strigosa*
- Pentadenia byrsina* Wiehler
 = *Columnea byrsina*
- Pentadenia colombiana* Wiehler
 = *Columnea colombiana*
- Pentadenia crassicaulis* Wiehler
 = *Columnea crassicaulis*
- Pentadenia ecuadorana* Wiehler
 = *Columnea angustata*
- Pentadenia fritschii* (Rusby) Wiehler
 = *Columnea fritschii*
- Pentadenia hypocyrtantha* Wiehler
 = *Columnea hypocyrtantha*
- Pentadenia inconspicua* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea tandapiana*
- Pentadenia isernii* (Cuatrec.) Wiehler
 = *Columnea isernii*
- Pentadenia katzensteiniae* Wiehler
 = *Columnea katzensteiniae*
- Pentadenia lophophora* (Mansf.) Wiehler
 = *Columnea lophophora*
- Pentadenia lutea* M.Freiberg
 = *Columnea angustata*
- Pentadenia manabiana* Wiehler
 = *Columnea manabiana*
- Pentadenia matudae* Wiehler
 = *Columnea matudae*
- Pentadenia microsepala* (C.V.Morton) Wiehler
 = *Columnea spathulata*
- Pentadenia moesta* (Poepp.) Wiehler
 = *Columnea moesta*
- Pentadenia nervosa* Klotzsch ex Oerst.
 = *Columnea nervosa*
- Pentadenia orientandina* Wiehler
 = *Columnea orientandina*
- Pentadenia ovatifolia* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea ovatifolia*
- Pentadenia rileyi* Wiehler
 = *Columnea rileyi*
- Pentadenia rubida* (C.V.Morton) Wiehler
 = *Columnea rubida*
- Pentadenia rubriacuta* Wiehler
 = *Columnea spathulata*
- Pentadenia sericea* (Mansf.) Wiehler
 = *Columnea angustata*
- Pentadenia spathulata* (Mansf.) Wiehler
 = *Columnea spathulata*
- Pentadenia strigosa* (Benth.) Hanst.
 = *Columnea strigosa*
- Pentadenia tandapiana* Wiehler
 = *Columnea tandapiana*
- Pentadenia trollii* (Mansf.) Wiehler
 = *Columnea trollii*

- Pentadenia vinacea* (C.V.Morton) Wiehler
 = *Columnea vinacea*
- Pentadenia weberbaueri* (Mansf.) Wiehler
 = *Columnea moesta*
- Pentadenia zapotalana* Wiehler
 = *Columnea spathulata*
- Pentaraphia acaulis* (L.) Benth. & Hook.f. ex Fawc.
 = *Gesneria acaulis* var. *acaulis*
- Pentaraphia albiflora* Decne.
 = *Gesneria pedunculosa*
- Pentaraphia calycina* (Swartz) Hanst.
 = *Gesneria calycina*
- Pentaraphia calycosa* (Hook.) Decne.
 = *Gesneria calycosa*
- Pentaraphia catalpiflora* Decne.
 = *Gesneria exserta*
- Pentaraphia celsioides* (Griseb.) M.Gómez
 = *Gesneria celsioides*
- Pentaraphia clandestina* (Griseb.) Fawc.
 = *Gesneria clandestina*
- Pentaraphia corrugata* (Griseb.) M.Gómez
 = *Gesneria libanensis*
- Pentaraphia corymbosa* (Swartz) Hanst.
 = *Pheidonocarpa corymbosa* subsp. *corymbosa*
- Pentaraphia craniolaria* (Swartz) Decne.
 = *Gesneria fruticosa*
- Pentaraphia cubensis* Decne.
 = *Gesneria cubensis* var. *cubensis*
- Pentaraphia cumanensis* Hanst.
 = *Gesneria cumanensis*
- Pentaraphia cuneifolia* (DC.) Hanst.
 = *Gesneria cuneifolia*
- Pentaraphia depressa* (Griseb.) Urb.
 = *Gesneria depressa*
- Pentaraphia duchartreoides* C.H.Wright
 = *Gesneria duchartreoides*
- Pentaraphia exserta* (Swartz) Decne.
 = *Gesneria exserta*
- Pentaraphia exserta* (Swartz) Decne.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia ferruginea* C.H.Wright
 = *Gesneria ferruginea*
- Pentaraphia floribunda* (Lem.) Benth. & Hook.f. ex Carrière
 = *Gesneria libanensis*
- Pentaraphia florida* Decne.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia glandulosa* Griseb.
 = *Gesneria glandulosa*
- Pentaraphia gloxinioidea* (Griseb.) M.Gómez
 = *Gesneria gloxinioidea*
- Pentaraphia herminieri* Decne.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia hispida* (Benth.) Hanst.
 = *Gesneria acaulis* var. *acaulis*
- Pentaraphia humilis* (L.) Hanst.
 = *Gesneria humilis*
- Pentaraphia incurva* Griseb.
 = *Gesneria binghamii*
- Pentaraphia lessertiana* Decne.
 = *Gesneria exserta*
- Pentaraphia libanensis* (Griseb.) Benth. & Hook.f. ex Fawc.
 = nom. illeg.
- Pentaraphia libanensis* (Linden ex C.Morren) Hanst.
 = *Gesneria libanensis*
- Pentaraphia lindleyana* Decne.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia longiflora* Lindl.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia longiflora* var. *lindleyana* (Decne.) Duss
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia longiflora* sensu O.F.Cook & G.N.Collins
 = *Gesneria pedunculosa*
- Pentaraphia longiflora* sensu Rolfe
 = *Gesneria ventricosa* subsp. *cymosa*
- Pentaraphia mimuloides* (Griseb.) Fawc.
 = *Gesneria pumila* subsp. *mimuloides*
- Pentaraphia montana* Decne.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia neglecta* (Hook.) Hanst.
 = *Gesneria pumila* subsp. *neglecta*
- Pentaraphia parviflora* Decne.
 = *Gesneria exserta*
- Pentaraphia pedunculosa* (DC.) Decne.
 = *Gesneria pedunculosa*
- Pentaraphia pumila* (Swartz) Hanst.
 = *Gesneria pumila* subsp. *pumila*
- Pentaraphia reticulata* (Griseb.) M.Gómez
 = *Gesneria reticulata*
- Pentaraphia reticulata* var. *ovata* (Griseb.) M.Gómez
 = *Gesneria reticulata*
- Pentaraphia salicifolia* Griseb.
 = *Gesneria salicifolia*
- Pentaraphia scabra* (Swartz) Hanst.
 = *Gesneria scabra* var. *scabra*
- Pentaraphia sloanei* (DC.) Hanst.
 = *Gesneria acaulis* var. *acaulis*
- Pentaraphia swartzii* Decne.
 = nom. illeg. superfl.
- Pentaraphia tenera* (Oerst.) Hanst.
 = *Gesneria pumila* subsp. *pumila*

- Pentaraphia triflora* Griseb.
 = *Gesneria wrightii*
- Pentaraphia ventricosa* (Swartz) Hanst.
 = *Gesneria ventricosa* subsp. *ventricosa*
- Pentaraphia verrucosa* Decne.
 = *Gesneria cubensis* var. *cubensis*
- Pentaraphia viridiflora* (Decne.) Hanst.
 = *Gesneria viridiflora* subsp. *viridiflora*
- Pheidonocarpa corymbosa* (Swartz) L.E.Skog
- Pheidonocarpa corymbosa* subsp. *cubensis*
 (C.V.Morton) L.E.Skog
- Pheidonocarpa cubensis* (C.V.Morton) Borhidi
 = *Pheidonocarpa corymbosa* subsp. *cubensis*
- Phinaea albiflora* Rusby
 = *Amalophyllum albiflorum*
- Phinaea albolineata* (Hook.) Benth. ex Hemsl.
- Phinaea albolineata* var. *reticulata* (Planch.) Hemsl.
 = *Phinaea albolineata*
- Phinaea caripensis* (Klotzsch & Hanst.) Benth. & Hook.f.
 ex Soler.
 = *Amalophyllum caripense*
- Phinaea divaricata* (Poepp.) Wiehler
 = *Amalophyllum divaricatum*
- Phinaea ecuadorana* Wiehler
 = *Amalophyllum ecuadoranum*
- Phinaea lacerata* C.V.Morton
 = *Amalophyllum laceratum*
- Phinaea macrophylla* Wiehler
 = *Amalophyllum macrophyllum*
- Phinaea multiflora* C.V.Morton
- Phinaea parviflora* (A.Braun & Bouché) Benth. & Hook.f.
 ex Soler.
 = *Amalophyllum parviflorum*
- Phinaea pulchella* (Griseb.) C.V.Morton
- Phinaea pulchella* var. *domingensis* (Urb. & Ekman)
 C.V.Morton
- Phinaea pulchella* subsp. *domingensis* (Urb. & Ekman)
 Borhidi
 = *Phinaea pulchella* var. *domingensis*
- Phinaea repens* (Donn.Sm.) Soler.
 = *Amalophyllum repens*
- Phinaea roezlii* (Regel) Wiehler
 = nom. nud.
- Phinaea rubida* (Lem.) Fritsch
 = *Amalophyllum rubidum*
- Physodeira bicolor* (Hook.) Hanst.
 = *Nautilocalyx bicolor*
- Plectopoma fimbriatum* (Hook.) Hanst.
 = *Achimenes glabrata*
- Plectopoma glabratum* (Zucc.) Hanst.
 = *Achimenes glabrata*
- Plectopoma gloxiniiflorum* (Scheidw.) Hanst.
 = *Achimenes glabrata*
- Polythyrsania parviflora* Hanst.
 = *Drymonia hansteiniana*
- Prasanthea paniculata* Decne.
 = nom. illeg.
- Prionoplectus cristatus* (L.) Oerst.
 = *Crantzia cristata*
- Prionoplectus forseithii* Oerst.
 = *Crantzia cristata*
- Pterobesleria aristeguitae* C.V.Morton
 = *Besleria aristeguitae*
- Pterobesleria rosea* C.V.Morton
 = *Besleria rosea*
- Pterygoloma cristatum* Griseb.
 = *Columnea grisebachiana*
- Pterygoloma pubescens* Griseb.
 = *Columnea pubescens*
- Pterygoloma repens* (Hook.) Hanst.
 = *Columnea repens*
- Rechsteineria aggregata* (Ker Gawl.) Kuntze
 = *Sinningia aggregata*
- Rechsteineria aggregata* f. *litoralis* Hoehne
 = *Sinningia aggregata*
- Rechsteineria aggregata* f. *rupicola* Hoehne
 = *Sinningia aggregata*
- Rechsteineria aggregata* f. *tomentosa* Hoehne
 = *Sinningia aggregata*
- Rechsteineria allagophylla* (Mart.) Regel
 = *Sinningia allagophylla*
- Rechsteineria atrosanguinea* (Lindl.) Kuntze
 = *Sinningia warmingii*
- Rechsteineria aurantiaca* (Hanst.) Kuntze
 = *Sinningia incarnata*
- Rechsteineria barbata* (Nees & Mart.) Kuntze
 = *Sinningia barbata*
- Rechsteineria blassii* (Regel) Kuntze
 = *Sinningia species*
- Rechsteineria bulbosa* (Ker Gawl.) Kuntze
 = *Sinningia bulbosa*
- Rechsteineria calcaria* (Dusen ex Malme) Hoehne
 = *Sinningia calcaria*
- Rechsteineria calcaria* (Dusen ex Malme) Hoehne f.
 macrophylla Hoehne
 = *Sinningia calcaria*
- Rechsteineria canescens* (Mart.) Kuntze
 = *Sinningia canescens*
- Rechsteineria canescens* var. *macrophylla* Hoehne
 = *Sinningia canescens*
- Rechsteineria canescens* var. *obovata* Hoehne
 = *Sinningia canescens*

- Rechsteineria caracasana* (Otto & A.Dietr.) Kuntze
= *Sinningia incarnata*
- Rechsteineria cardinalis* (Lehm.) Kuntze
= *Sinningia cardinalis*
- Rechsteineria chelomoides* (Kunth) Kuntze
= *Sinningia incarnata*
- Rechsteineria clausenii* (Brongn. ex Decne.) Decne.
= *Sinningia allagophylla*
- Rechsteineria cochlearis* (Hook.) Kuntze
= *Sinningia cochlearis*
- Rechsteineria confertifolia* (Hanst.) Kuntze
= *Sinningia douglasii*
- Rechsteineria cooperi* (Paxton) Kuntze
= *Sinningia cooperi*
- Rechsteineria coruscans* (Paxton) Kuntze
= *Sinningia cooperi*
- Rechsteineria crenata* Fritsch
= *Sinningia schomburgkiana*
- Rechsteineria curtiflora* (Malme) Hoehne
= *Sinningia curtiflora*
- Rechsteineria cyclophylla* (Dusén ex Laurent) Hjelmq.
= *Sinningia macropoda*
- Rechsteineria defoliata* (Malme) Hoehne
= *Sinningia defoliata*
- Rechsteineria dentata* (Hornschr.) Kuntze
= *Sinningia bulbosa*
- Rechsteineria discolor* (Lindl.) Kuntze
= *Sinningia gigantifolia*
- Rechsteineria douglasii* (Lindl.) Kuntze
= *Sinningia douglasii*
- Rechsteineria elatior* (Kunth) Kuntze
= *Sinningia elatior*
- Rechsteineria elliptica* (Hook.) Kuntze
= *Sinningia incarnata*
- Rechsteineria erubescens* (Hanst.) Kuntze
= *Sinningia incarnata*
- Rechsteineria fauциalis* (Lindl.) Kuntze
= *Sinningia bulbosa*
- Rechsteineria fauциdens* Hoehne
= *Sinningia incarnata*
- Rechsteineria fauциdens* var. *parvifolia* Hoehne
= *Sinningia incarnata*
- Rechsteineria flavescentia* (Hanst.) Kuntze
= *Sinningia incarnata*
- Rechsteineria fruticulosa* Glaz. ex Hoehne
= *Vanhouttea fruticulosa*
- Rechsteineria glaziovianum* (Fritsch) Hoehne
= *Sinningia glazioviana*
- Rechsteineria gollmeriana* (Hanst.) Kuntze
= *Sinningia incarnata*
- Rechsteineria gracilis* (Brongn. ex Regel) Kuntze
= *Sinningia incarnata*
- Rechsteineria guazumaefolia* (Benth.) Kuntze
= *Heppiella ulmifolia*
- Rechsteineria hookeri* (Hanst.) Kuntze
= *Sinningia cooperi*
- Rechsteineria ignea* (Mart.) Fritsch
= *Sinningia elatior*
- Rechsteineria ignea* var. *villosa* (Fritsch) Fritsch
= *Sinningia elatior*
- Rechsteineria ignea* var. *anomala* Hoehne
= *Sinningia elatior*
- Rechsteineria ignea* var. *loefgroenii* Hoehne
= *Sinningia elatior*
- Rechsteineria incarnata* (Aubl.) Leeuwenb.
= *Sinningia incarnata*
- Rechsteineria insularis* Hoehne
= *Sinningia insularis*
- Rechsteineria lateritia* (Lindl.) Kuntze
= *Sinningia lateritia*
- Rechsteineria latifolia* (Mart. ex Otto & Schlehd.) Kuntze
= *Sinningia macrostachya*
- Rechsteineria leopoldii* (Scheidw. ex Planch.) Kuntze
= *Sinningia leopoldii*
- Rechsteineria leucotricha* Hoehne
= *Sinningia leucotricha*
- Rechsteineria lindleyi* (Hook.) Fritsch var. *macrophylla*
Hoehne
= *Sinningia warmingii*
- Rechsteineria lindleyi* (Hook.) Fritsch
= *Sinningia warmingii*
- Rechsteineria lineata* Hjelm.
= *Sinningia lineata*
- Rechsteineria macropoda* (Sprague) C.H.Curtis
= *Sinningia macropoda*
- Rechsteineria macrorrhiza* (Dumort.) Kuntze
= *Sinningia bulbosa*
- Rechsteineria macrostachya* (Lindl.) L.B.Sm.
= *Sinningia macrostachya*
- Rechsteineria maculata* (Mart. ex Hanst.) Kuntze
= *Sinningia douglasii*
- Rechsteineria magnifica* (Otto & A.Dietr.) Kuntze
= *Sinningia magnifica*
- Rechsteineria marchii* (Wailes ex Hook.) Kuntze
= *Sinningia magnifica*
- Rechsteineria merckii* (H.Wendl.) Kuntze
= *Sinningia magnifica*
- Rechsteineria microphylla* Fritsch
= *Sinningia warmingii*
- Rechsteineria montevidensis* Decne.
= *nom. nud.*

- Rechsteineria multiflora* Fritsch
 = *Sinningia warmingii*
- Rechsteineria oligantha* (Malme) Hoehne
 = *Sinningia leopoldii*
- Rechsteineria oligantha* f. *rupestris* Hoehne
 = *Sinningia leopoldii*
- Rechsteineria pendulina* (Lindl.) Kuntze
 = *Sinningia aggregata*
- Rechsteineria peruviana* Fritsch
 = *Sinningia warmingii*
- Rechsteineria piresiana* Hoehne
 = *Sinningia piresiana*
- Rechsteineria polyantha* (DC.) Kuntze
 = *Sinningia polyantha*
- Rechsteineria pusilla* (Fritsch) Fritsch
 = *Sinningia araneosa*
- Rechsteineria ramboi* Hoehne
 = *Sinningia sellovii*
- Rechsteineria reflexa* (Knowles & Westc.) Kuntze
 = *Sinningia cooperi*
- Rechsteineria reitzii* Hoehne
 = *Sinningia reitzii*
- Rechsteineria rupicola* (Mart.) Kuntze
 = *Sinningia rupicola*
- Rechsteineria rupicola* Mart. f. *obovatifolia* Hoehne
 = *Sinningia rupicola*
- Rechsteineria rutila* (Lindl.) Kuntze
 = *Sinningia incarnata*
- Rechsteineria sceptroides* (Hanst.) Kuntze
 = *Sinningia elatior*
- Rechsteineria sceptrum* (Mart.) Kuntze
 = *Sinningia sceptrum*
- Rechsteineria sceptrum* var. *rubra* (Mart.) Hoehne
 = *Sinningia elatior*
- Rechsteineria schlickmannii* Hoehne
 = *Sinningia warmingii*
- Rechsteineria schomburgkiana* (Kunth & Bouché) Kuntze
 = *Sinningia schomburgkiana*
- Rechsteineria sellovii* (Mart.) Kuntze
 = *Sinningia sellovii*
- Rechsteineria spicata* (Vell.) Hoehne
 = *Sinningia allagophylla*
- Rechsteineria spicata* f. *hirta* (Vell.) Hoehne
 = *Sinningia allagophylla*
- Rechsteineria spicata* Kumm. ex Hanst.
 = nom. nud. pro syn.
- Rechsteineria splendens* (Van Houtte ex Hanst.) Kuntze
 = *Sinningia species*
- Rechsteineria stachydifolia* (Benth.) Kuntze
 = *Sinningia elatior*
- Rechsteineria stenantha* Fritsch
 = *Sinningia warmingii*
- Rechsteineria striata* (Fritsch) Fritsch
 = *Sinningia striata*
- Rechsteineria stricta* (Hook. & Arnaud) Kuntze
 = *Sinningia elatior*
- Rechsteineria stricta* var. *parvifolia* Hoehne
 = *Sinningia elatior*
- Rechsteineria sulcata* (Rusby) Fritsch
 = *Sinningia sulcata*
- Rechsteineria suttonii* (Booth ex Lindl.) Kuntze
 = *Sinningia bulbosa*
- Rechsteineria tenera* Fritsch
 = *Sinningia elatior*
- Rechsteineria tribracteata* (Otto & A.Dietr.) Klotzsch ex Hanst.
 = *Sinningia allagophylla*
- Rechsteineria tribracteata* f. *basifoliata* Hoehne
 = *Sinningia allagophylla*
- Rechsteineria trifoliata* (Martens) Kuntze
 = *Sinningia aggregata*
- Rechsteineria tuberosa* (Mart.) Kuntze
 = *Sinningia tuberosa*
- Rechsteineria tuberosa* (Mart.) Kuntze f. *acaulis* Hoehne
 = *Sinningia tuberosa*
- Rechsteineria tuberosa* (Mart.) Kuntze f. *caulescens* Hoehne
 = *Sinningia tuberosa*
- Rechsteineria tuberosa* (Mart.) Kuntze f. *intermedia* Hoehne
 = *Sinningia tuberosa*
- Rechsteineria uleana* (Fritsch) Fritsch
 = *Sinningia species*
- Rechsteineria umbellata* (Decne.) Hjelmq.
 = *Sinningia species*
- Rechsteineria vargasii* (DC.) Kuntze
 = *Sinningia incarnata*
- Rechsteineria vauthieri* (DC.) Kuntze
 = *Sinningia bulbosa*
- Rechsteineria verticillata* (Vell.) L.B.Sm.
 = *Sinningia douglasii*
- Rechsteineria warmingii* (Hiern) Hjelmq.
 = *Sinningia warmingii*
- Rechsteineria warszewiczii* (Bouché & Hanst.) Kuntze
 = *Sinningia incarnata*
- Rechsteineria weberbaueri* Fritsch
 = *Sinningia warmingii*
- Rechsteineria xanthophylla* (Poepp.) Kuntze
 = *Gloxinia xanthophylla*
- Rehmannia oldhamii* Hemsl.
 = *Titanotrichum oldhamii*
- Reldia alternifolia* Wiehler
- Reldia calcarata* L.P.Kvist & L.E.Skog

- Reldia grandiflora* L.P.Kvist & L.E.Skog
Reldia longipedunculata J.L.Clark
Reldia minutiflora (L.E.Skog) L.P.Kvist & L.E.Skog
Reldia minutiflora var. *veraguensis* (Wiehler) L.P.Kvist & L.E.Skog
Reldia multiflora L.P.Kvist & L.E.Skog
Reldia veraguensis Wiehler
 = *Reldia minutiflora* var. *veraguensis*
Resia bracteata J.L.Clark & L.E.Skog
Resia bracteata (L.E.Skog & de Jesus) Fern.Alonso
 = nom. inval.
Resia ichthyoides Leeuwenb.
Resia ichthyoides L.E.Skog & de Jesus subsp. *bracteata*
 = nom. inval.
Resia nimbicola H.E.Moore
Resia nimbicola subsp. *nemoralis* Fern.Alonso
Resia umbratica Fern.Alonso
Rhabdothamnus solandri A.Cunn.
Rhoogoton cyclophyllus Leeuwenb.
Rhoogoton leeuwenbergianus C.V.Morton
 = *Rhoogoton viviparus*
Rhoogoton panamensis Wiehler
 = *Trichodrymonia pedunculata*
Rhoogoton viviparus Leeuwenb.
Rhynchoglossum azureum (Schldtl.) B.L.Burtt
Rhytidophyllum acunae C.V.Morton
Rhytidophyllum asperum Alain
Rhytidophyllum auriculatum Hook.
Rhytidophyllum auriculatum var. *angustatum* Urb.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum auriculatum var. *genuinum* Urb.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum auriculatum var. *plumerianum* (DC.) Urb.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum auriculatum var. *stipulare* (Urb.) Urb.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum berteroanum Mart.
Rhytidophyllum bicolor Urb.
Rhytidophyllum bullatum (Urb. & Ekman) L.E.Skog &
 Z.R.Xu = nom. inval.
Rhytidophyllum caribaeum Urb.
Rhytidophyllum coccineum Urb.
Rhytidophyllum crenulatum DC.
Rhytidophyllum cumanense (Hanst.) L.E.Skog
 = *Gesneria cumanensis*
Rhytidophyllum daisyanum Jiménez Rodr. & Zanoni
Rhytidophyllum earlei (Urb. & Britton) C.V.Morton
Rhytidophyllum exsertum subsp. *vilosulum* (Urb.) Borhidi
 = *Rhytidophyllum exsertum*
Rhytidophyllum exsertum subsp. *wrightianum* (Griseb.)
 Borhidi
 = *Rhytidophyllum wrightianum*
Rhytidophyllum exsertum Griseb.
Rhytidophyllum floribundum Lem.
 = *Gesneria libanensis*
Rhytidophyllum grande Linden mss. ex Hanst.
 = nom. nud. pro syn.
Rhytidophyllum grande (Swartz) Mart.
Rhytidophyllum grande var. *laevigatum* C.D.Adams
Rhytidophyllum grande var. *phaeanthum* Urb.
 = *Rhytidophyllum grande*
Rhytidophyllum grandiflorum Z.R.Xu & L.E.Skog ex
 Zanoni & Jiménez Rodr.
Rhytidophyllum grandiflorum var. *nuecense* Jiménez
 Rodr. & Zanoni
Rhytidophyllum humboldtii Klotzsch
 = *Kohleria tigridia*
Rhytidophyllum intermedium Urb. & Ekman
 = *Rhytidophyllum minus*
Rhytidophyllum lanatum Urb. & Ekman
Rhytidophyllum leucomallon Hanst.
Rhytidophyllum leucomallon var. *carneum* Urb. & Ekman
 = *Rhytidophyllum leucomallon*
Rhytidophyllum leucomallon Hanst. var. *flavicans* Urb. &
 Ekman
 = *Rhytidophyllum leucomallon*
Rhytidophyllum lomense (Urb.) C.V.Morton
Rhytidophyllum melastoma Poepp.
 = *Pearcea purpurea*
Rhytidophyllum minus Urb.
Rhytidophyllum mogotica Borhidi & O.Muñiz
 = *Rhytidophyllum exsertum*
Rhytidophyllum oerstedii Klotzsch
 = *Kohleria tigridia*
Rhytidophyllum onacaense (Rusby) L.E.Skog
 = *Gesneria onacaensis*
Rhytidophyllum petiolare DC.
Rhytidophyllum petiolare sensu Griseb.
 = *Rhytidophyllum rupinicola*
Rhytidophyllum plumerianum DC.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum prasinatum Mart. ex Steud.
 = *Paliavana prasinata*
Rhytidophyllum purpureum Poepp.
 = *Pearcea purpurea*
Rhytidophyllum rhodocalyx Urb.
Rhytidophyllum rupinicola (Urb.) C.V.Morton
Rhytidophyllum stipulare Urb.
 = *Rhytidophyllum auriculatum*
Rhytidophyllum tigridia (Ohlend.) Klotzsch
 = *Kohleria tigridia*

- Rhytidophyllum tomentosum** (L.) Mart.
Rhytidophyllum tomentosum Hort. ex Hanst.
 = *nom. nud. pro syn.*
Rhytidophyllum tomentosum var. *appendiculatum* Urb.
 = *Rhytidophyllum tomentosum*
Rhytidophyllum tomentosum var. *nudum* Urb.
 = *Rhytidophyllum tomentosum*
Rhytidophyllum tomentosum var. *nudum* f. *villosum* Urb.
 = *Rhytidophyllum exsertum*
Rhytidophyllum tomentosum var. *nudum* f. *viscida* Urb.
 = *Rhytidophyllum exsertum*
Rhytidophyllum vernicosum Urb. & Ekman
Rhytidophyllum villosum (Urb.) C.V.Morton
 = *Rhytidophyllum exsertum*
Rhytidophyllum wrightianum Griseb.
Rhytidophyllum wrightii Griseb. ex C.H.Wright
 = *Rhytidophyllum wrightianum*
Rosanowia conspicua (Seem) Regel
 = *Sinningia conspicua*
Rosanowia hybrida Nagy
 = *nom. nud.*
Rufodorsia cerricola (Wiehler) Kriebel
 = *Oerstedina cerricola*
Rufodorsia congestiflora (Donn.Sm.) Wiehler
Rufodorsia intermedia Wiehler
Rufodorsia major Wiehler
Rufodorsia minor Wiehler
Russelia racemosa (Ruiz & Pav.) Wetst.
 = *Sanango racemosum*
Saccoplectus strigosus Oerst.
 = *Drymonia strigosa*
Salisia gloxiniaeeflora Regel
 = *Gloxinia perennis*
Salisia maculata (L'Her.) Regel
 = *Gloxinia perennis*
Salisia pallidiflora (Hook.) Regel
 = *Gloxinia perennis*
Salisia suaveolens (Decne.) Regel
 = *Gloxinia perennis*
Salutiaeae grandiflora (Schiede) Colla
 = *Achimenes grandiflora*
Sanango durum Bunting & Duke
 = *Sanango racemosum*
Sanango racemosum (Ruiz & Pav.) Barringer
Sarmienta scandens (Brandis) Pers.
Scheeria ichthyostoma (Gardner) Seem.
 = *Mandrola ichthyostoma*
Scheeria lanata (Planch. & Linden ex Lem.) Hanst.
 = *Eucodonaria verticillata*
Scheeria mexicana Seem.
 = *Achimenes mexicana*
- Scheeria mexicana* var. *coeruleascens* Seem.
 = *Achimenes mexicana*
Scheeria mexicana var. *purpurea* Seem.
 = *Achimenes mexicana*
Scheeria panamensis Seem.
 = *Chrysanthemis panamensis*
Sciadocalyx digitaliflora Linden & André
 = *Kohleria warszewiczii*
Sciadocalyx warszewiczii Regel
 = *Kohleria warszewiczii*
Scoliotheca trianae Baill.
 = *Monopyle macrocarpa*
Seemannia albescens (Rusby) Fritsch
 = *Seemannia sylvatica*
Seemannia benaryi Regel
 = *Seemannia sylvatica*
Seemannia cuneata Rusby
 = *Seemannia sylvatica*
Seemannia dioica Rusby
 = *Seemannia purpurascens*
Seemannia gymnostoma (Griseb.) Toursark.
Seemannia latifolia Fritsch
 = *Seemannia sylvatica*
Seemannia longiflora Fritsch
 = *Seemannia purpurascens*
Seemannia major Baill.
 = *Seemannia purpurascens*
Seemannia nematanthodes (Kuntze) K.Schum.
Seemannia purpurascens Rusby
Seemannia regnelliana Fritsch
 = *Seemannia sylvatica*
Seemannia sylvatica (Kunth) Hanst.
Seemannia ternifolia Regel
 = *Seemannia sylvatica*
Seemannia uniflora Baill.
 = *Seemannia sylvatica*
Shuaria ecuadorica D.A.Neill & J.L.Clark
Sinningia aggregata (Ker Gawl.) Wiehler
Sinningia aghensis Chautems
Sinningia allagophylla (Mart.) Wiehler
Sinningia amambayensis Chautems
Sinningia araneosa Chautems
Sinningia baragae Chautems, M.Peixoto & Rossini
Sinningia barbata (Nees & Mart.) G.Nicholson
Sinningia brasiliensis (Regel & E.Schmidt) Wiehler & Chautems
Sinningia bulbosa (Ker Gawl.) Wiehler
Sinningia bullata Chautems & M.Peixoto
Sinningia calcaria (Dusen ex Malme) Chautems
Sinningia canastrensis Chautems

- Sinningia canescens* (Mart.) Wiehler
Sinningia carangolensis Chautems
Sinningia cardinalis (Lehm.) H.E.Moore
Sinningia carolinae (Wawra) Benth. & Hook.f. ex Seiber & Voss = *Sinningia barbata*
Sinningia caulinia Malme
 = *Sinningia conspicua*
Sinningia claybergiana H.E.Moore
 = *Sinningia warmingii*
Sinningia cochlearis (Hook.) Chautems
Sinningia concinna (Hook.f.) G.Nicholson
Sinningia conspicua (Seem.) G.Nicholson
Sinningia cooperi (Paxton) Wiehler
Sinningia curtiflora (Malme) Chautems
Sinningia defoliata (Malme) Chautems
Sinningia discolor (Decne. ex Hanst.) Sprague
 = *Sinningia speciosa*
Sinningia douglasii (Lindl.) Chautems
Sinningia elatior (Kunth) Chautems
Sinningia eumorpha H.E.Moore
Sinningia gerdtiana Chautems
Sinningia gesneriifolia (Hanst.) Clayberg
Sinningia gigantifolia Chautems
Sinningia glazioviana (Fritsch) Chautems
Sinningia globulosa Chautems & M.Peixoto
Sinningia gloxiniflora Scheidw.
 = *Achimenes glabrata*
Sinningia gracilis (Mart.) Benth. & Hook.f. ex Fritsch
 = *Paliavana gracilis*
Sinningia guttata Lindl.
Sinningia harleyi Wiehler & Chautems
Sinningia hartwegii Hort.
 = nom. nud.
Sinningia hatschbachii Chautems
Sinningia helioana Chautems & Rossini
Sinningia helleri Lindl.
 = *Sinningia lindleyi*
Sinningia helleri Nees
Sinningia hirsuta (Lindl.) G.Nicholson
Sinningia iarae Chautems
Sinningia incarnata (Aubl.) D.L.Denham
Sinningia insularis (Hoehne) Chautems
Sinningia kautskyi Chautems
Sinningia lateritia (Lindl.) Chautems
Sinningia leopoldii (Scheidw. ex Planch.) Chautems
Sinningia leucotricha (Hoehne) H.E.Moore
Sinningia lindleyi Schauer
Sinningia lineata (Hjelm.) Chautems
Sinningia macrophylla (Nees & Mart.) Benth. & Hook.f. ex Fritsch
Sinningia macropoda (Sprague) H.E.Moore
Sinningia macrorrhiza (Dumort.) Wiehler
 = *Sinningia bulbosa*
Sinningia macrostachya (Lindl.) Chautems
Sinningia magnifica (Otto & A.Dietr.) Wiehler
Sinningia mauroana Chautems
Sinningia maxima (Paxton) Bedd.
 = *Sinningia speciosa*
Sinningia maximiliana (Hanst.) Benth. & Hook.f. ex Fritsch
Sinningia menziesiana (Young ex Otto & A.Dietr.) G.Nicholson
 = *Sinningia speciosa*
Sinningia micans (Fritsch) Chautems
Sinningia minima A.O.Araujo & Chautems
Sinningia muscicola Chautems, T.Lopes & M.Peixoto
Sinningia nivalis Chautems
Sinningia nordestina Chautems, Baracho & J.F.Siqueira
Sinningia piresiana (Hoehne) Chautems
Sinningia polyantha (DC.) Wiehler
Sinningia punctata Ysabeau
Sinningia pusilla (Mart.) Baill.
Sinningia regina Sprague
 = *Sinningia speciosa*
Sinningia reitzii (Hoehne) L.E.Skog
Sinningia richii Clayberg
Sinningia rupicola (Mart.) Wiehler
Sinningia sanguinea Regel
 = *Sinningia speciosa*
Sinningia sceptrum (Mart.) Wiehler
Sinningia schiffneri Fritsch
Sinningia schomburgkiana (Kunth & Bouché) Chautems
Sinningia sellovii (Mart.) Wiehler
Sinningia speciosa (Lodd.) Hiern
Sinningia striata (Fritsch) Chautems
Sinningia stricta (Hook. & Arnaud) Wiehler
 = *Sinningia elatior*
Sinningia sulcata (Rusby) Wiehler
Sinningia tribracteata (Otto & A.Dietr.) Wiehler
 = *Sinningia allagophylla*
Sinningia tuberosa (Mart.) H.E.Moore
Sinningia tubiflora (Hook.) Fritsch
Sinningia valsuganensis Chautems
Sinningia variabilis (Carrière) Bedd.
 = *Sinningia speciosa*
Sinningia velutina Hook.
 = *Sinningia helleri*
Sinningia velutina Lindl.
Sinningia verticillata (Vell.) H.E.Moore
 = *Sinningia douglasii*
Sinningia villosa Lindl.

- Sinningia warmingii** (Hiern) Chautems
Sinningia warszewiczii (Bouché & Hanst.) H.E.Moore
 = *Sinningia incarnata*
Sisyrocarpium ohlendorffii Klotzsch ex Walp.
 = nom. nud. pro syn.
Skizophila melittifolia (L.) Hanst.
 = *Chrysothemis melittifolia*
Skizophila pulchella (Donn ex Sims) Hanst.
 = *Chrysothemis pulchella*
Smithiantha amabilis (Decne.) Kuntze
 = *Smithiantha multiflora*
Smithiantha aurantiaca Wiegler
Smithiantha canarina Wiegler
Smithiantha cinnabarina (Linden) Kuntze
Smithiantha fulgida (Ortgies) Voss
 = *Smithiantha cinnabarina*
Smithiantha geroltiana (Kunth & Bouché) Kuntze
 = *Smithiantha zebrina*
Smithiantha laui Wiegler
Smithiantha multiflora (Martens & Galeotti) Fritsch
Smithiantha punctata (Martens & Galeotti) Kuntze
 = *Smithiantha zebrina*
Smithiantha secunda (Oerst. ex Hanst.) Kuntze
 = *Smithiantha multiflora*
Smithiantha zebrina (Paxton) Kuntze
Smithiantha zebrina var. *geroltiana* (Kunth & Bouché) Voss
 = *Smithiantha zebrina*
Solenophora abietorum Standl. & Steyerm.
Solenophora australis C.V.Morton
 = *Solenophora calycosa* subsp. *australis*
Solenophora calycosa Donn.Sm.
Solenophora calycosa subsp. *australis* (C.V.Morton)
 Weigend & Förther
Solenophora calycosa subsp. *purpurascens* Weigend &
 Förther
Solenophora chiapasensis D.N.Gibson
Solenophora coccinea Benth.
Solenophora endlicheriana (Hell. ex Fenzl) Hanst.
 = *Solenophora insignis*
Solenophora erubescens Donn.Sm.
Solenophora glomerata Weigend & Förther
Solenophora guttata Benth. & Hook.f. ex B.D.Jacks.
 = nom. nud. pro syn.
Solenophora insignis (Martens & Galeotti) Hanst.
Solenophora maculata D.N.Gibson
Solenophora modesta Weigend & Förther
Solenophora obliqua D.L.Denham & D.N.Gibson
 = *Solenophora purpusii*
Solenophora obscura Hanst.
Solenophora pirana C.V.Morton
Solenophora purpusii Brandegee
Solenophora schleehaufii Weigend & Förther
Solenophora toucana D.L.Denham & D.N.Gibson
Solenophora tuerckheimiana Donn.Sm.
Solenophora tuxtlana D.L.Denham
 = *Solenophora tuxtlensis*
Solenophora tuxtlensis Ramírez-Roa & Ibarra-
 Manríquez
Solenophora wilsonii Standl.
 = *Solenophora obscura*
Sphaerorrhiza burchellii (S.M.Phillips) Roalson &
 Boggan
Sphaerorrhiza rosulata A.O.Araujo & Chautems
Sphaerorrhiza sarmentiana (Gardner ex Hook.)
 Roalson & Boggan
Sphaerorrhiza serrata A.O.Araujo & Chautems
Stenanthus heterophyllus Oerst. ex Hanst.
 = *Columnea sanguinolenta*
Stenanthus sanguinolentus Klotzsch ex Oerst.
 = *Columnea sanguinolenta*
Stenanthus serratus Klotzsch ex Oerst.
 = *Columnea serrata*
Stenanthus squarrosum Klotzsch ex Oerst.
 = *Columnea sanguinolenta*
Stenogastra concinna Hook.f.
 = *Sinningia concinna*
Stenogastra hirsuta (Lindl.) Hanst.
 = *Sinningia hirsuta*
Stygnanthe moesta (Poepp.) Hanst.
 = *Columnea moesta*
Synepilaena granatensis Baill.
 = *Kohleria inaequalis* var. *lindenii*
Styrosinia coccinea Raf.
 = nom. illeg.
Tapeinotes barbata (Nees & Mart.) DC.
 = *Sinningia barbata*
Tapeinotes carolinae Wawra
 = *Sinningia barbata*
Tapeinotes carolinae var. *major* Rodrigas
 = *Sinningia barbata*
Tapeinotes pusilla (Mart.) DC.
 = *Sinningia pusilla*
Tapeinotes villosa (Gardner) Walp.
 = *Goyazia villosa*
Tapina barbata (Nees & Mart.) Mart.
 = *Sinningia barbata*
Tapina carolinae (Wawra) Pasq.
 = *Sinningia barbata*
Tapina pusilla Mart.
 = *Sinningia pusilla*
Tapina splendens Linden
 = *Episcia cupreata*

- Tapina variegata* Linden
= *Episcia cuprea*
- Tapina villosa* Gardner
= *Goyazia villosa*
- Tetranema bicolor* L.O.Wms.
= *Napeanthus bracteatus*
- Titanotrichum oldhamii* (Hemsl.) Soler.
- Trevirana andrieuxii* (DC.) D.Dietr.
= *Eucodonaria andrieuxii*
- Trevirana candida* (Lindl.) Decne. ex Van Houtte
= *Achimenes candida*
- Trevirana coccinea* (Scop.) Willd.
= *Achimenes erecta*
- Trevirana comifera* (DC.) D.Dietr.
= *Diastema comiferum*
- Trevirana discolor* Poepp.
= nom. illeg.
- Trevirana divaricata* Poepp.
= *Amalophyllum divaricatum*
- Trevirana erinoides* (DC.) D.Dietr.
= *Gloxinia erinoides*
- Trevirana grandiflora* Schiede
= *Achimenes grandiflora*
- Trevirana heterophylla* Mart.
= *Achimenes heterophylla*
- Trevirana hirsuta* (DC.) D.Dietr.
= *Mandirola multiflora*
- Trevirana longiflora* (DC.) D.Dietr.
= *Achimenes longiflora*
- Trevirana longiflora* (DC.) D.Dietr. var. *ilicifolia* Hort. ex Vis.
= *Achimenes longiflora*
- Trevirana longiflora* (DC.) D.Dietr. var. *latifolia* Regel
= *Achimenes longiflora*
- Trevirana longiflora* (DC.) D.Dietr. var. *rosea* Regel
= *Achimenes longiflora*
- Trevirana maculata* Poepp.
= *Diastema maculatum*
- Trevirana maculata* Martens & Galeotti
= nom. illeg. superfl.
- Trevirana martensiana* Vis.
= *Achimenes antirrhina*
- Trevirana mollis* Poepp.
= *Diastema hispidum*
- Trevirana multiflora* (Gardn.) Vis.
= *Mandirola multiflora*
- Trevirana patens* (Benth.) Walp.
= *Achimenes patens*
- Trevirana pedunculata* (Benth.) Vis.
= *Achimenes pedunculata*
- Trevirana pulchella* (Swartz) Mart.
= *Achimenes erecta*
- Trevirana rosea* (Lindl.) Vis.
= *Achimenes erecta*
- Trevirana rupestris* (Gardn.) Vis.
= *Mandirola rupestris*
- Trevirana scabra* Poepp.
= *Diastema scabrum*
- Trevirana tenella* (DC.) D.Dietr.
= *Achimenes erecta*
- Trevirana tenerrima* Poepp.
= *Diastema tenerrimum*
- Trevirana urticifolia* Poepp.
= *Diastema urticifolium*
- Trichantha acuminata* (Benth.) Wiehler
= *Columnea anisophylla*
- Trichantha aliena* C.V.Morton
= *Columnea aliena*
- Trichantha ambigua* (Urb.) Wiehler
= *Columnea ambigua*
- Trichantha angustifolia* Wiehler
= *Columnea elongatifolia*
- Trichantha anisophylla* (DC.) Wiehler
= *Columnea anisophylla*
- Trichantha brenneri* Wiehler
= *Columnea brenneri*
- Trichantha bullata* C.V.Morton
= *Columnea minor*
- Trichantha calotricha* (Donn.Sm.) Wiehler
= *Columnea calotricha*
- Trichantha cerropirrana* Wiehler
= *Columnea cerropirrana*
- Trichantha ciliata* Wiehler
= *Columnea ciliata*
- Trichantha citrina* Wiehler
= *Columnea citriflora*
- Trichantha clara* C.V.Morton
= *Columnea minor*
- Trichantha cristata* (Griseb.) Wiehler
= *Columnea grisebachiana*
- Trichantha dictyophylla* (Donn.Sm.) Wiehler
= *Columnea dictyophylla*
- Trichantha dielsii* (Mansf.) Wiehler
= *Columnea dielsii*
- Trichantha dissimilis* (C.V.Morton) Wiehler
= *Columnea dissimilis*
- Trichantha dodsonii* Wiehler
= *Columnea flexiflora*
- Trichantha domingensis* (Urb.) Wiehler
= *Columnea domingensis*
- Trichantha elegans* Rose ex C.V.Morton
= *Columnea minor*

- Trichantha erythrophylla* (Hanst.) Wiehler
 = *Columnea erythrophylla*
- Trichantha filifera* Wiehler
 = *Columnea filamentosa*
- Trichantha filipes* (Oliver) Wiehler
 = *Columnea filipes*
- Trichantha fimbrialyx* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea fimbrialyx*
- Trichantha formosa* C.V.Morton
 = *Columnea formosa*
- Trichantha gracilis* Wiehler
 = *Columnea tenella*
- Trichantha herthae* (Mansf.) Wiehler
 = *Columnea herthae*
- Trichantha heterophylla* (Oerst. ex Hanst.) Wiehler
 = *Columnea sanguinolenta*
- Trichantha illepida* (H.E.Moore) C.V.Morton
 = *Columnea illepida*
- Trichantha incarnata* (C.V.Morton) Wiehler
 = *Columnea incarnata*
- Trichantha laevis* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea laevis*
- Trichantha lehmannii* (Mansf.) Wiehler
 = *Columnea lehmannii*
- Trichantha major* Hook.
 = *Columnea minor*
- Trichantha minor* Hook.
 = *Columnea minor*
- Trichantha minutiflora* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea minutiflora*
- Trichantha mira* (B.D.Morley) Wiehler
 = *Columnea mira*
- Trichantha moorei* (C.V.Morton) C.V.Morton
 = *Columnea moorei*
- Trichantha oblongifolia* (Rusby) Wiehler
 = *Columnea oblongifolia*
- Trichantha ochroleuca* (Klotzsch ex Oerst.) Wiehler
 = *Columnea ochroleuca*
- Trichantha parviflora* (C.V.Morton) Wiehler
 = *Columnea parviflora*
- Trichantha pendula* (Klotzsch ex Oerst.) Wiehler
 = *Columnea pendula*
- Trichantha peruviana* (Zahlbr.) Wiehler
 = *Columnea peruviana*
- Trichantha poortmannii* Wiehler
 = *Columnea poortmannii*
- Trichantha pubescens* (Griseb.) Wiehler
 = *Columnea pubescens*
- Trichantha pulchra* Wiehler
 = *Columnea pulchra*
- Trichantha purpureovittata* Wiehler
 = *Columnea purpureovittata*
- Trichantha rosea* C.V.Morton
 = *Columnea rosea*
- Trichantha rosea* C.V.Morton f. *latifolia* C.V.Morton
 = *Columnea rosea*
- Trichantha rosea* C.V.Morton f. *viridis* C.V.Morton
 = *Columnea rosea*
- Trichantha rubricalyx* (L.P.Kvist & L.E.Skog) Wiehler
 = *Columnea rubricalyx*
- Trichantha sanguinolenta* (Klotzsch ex Oerst.) Wiehler
 = *Columnea sanguinolenta*
- Trichantha segregata* (B.D.Morley) Wiehler
 = *Columnea segregata*
- Trichantha serrata* (Klotzsch ex Oerst.) Wiehler
 = *Columnea serrata*
- Trichantha tenella* Wiehler
 = *Columnea tenella*
- Trichantha tenensis* Wiehler
 = *Columnea tenensis*
- Trichantha teuscheri* C.V.Morton
 = *Columnea minor*
- Trichantha tropicalis* C.V.Morton
 = *Columnea minor*
- Trichantha ulei* (Mansf.) Wiehler
 = *Columnea ulei*
- Trichantha venusta* (Standl.) Wiehler
 = *Columnea cobana*
- Trichodrymonia alata* (Kriebel) M.M.Mora & J.L.Clark
- Trichodrymonia alba* (Wiehler) M.M.Mora & J.L.Clark
- Trichodrymonia apicaudata* (M.M.Mora & J.L.Clark)
 M.M.Mora & J.L.Clark
- Trichodrymonia aurea* (Wiehler) M.M.Mora &
 J.L.Clark
- Trichodrymonia binata* (Wiehler) M.M.Mora &
 J.L.Clark
- Trichodrymonia conferta* (C.V.Morton) M.M.Mora &
 J.L.Clark
- Trichodrymonia congesta* Oerst.
- Trichodrymonia dariensis* (Seem.) M.M.Mora &
 J.L.Clark
- Trichodrymonia erythropus* (Hook.f.) M.M.Mora &
 J.L.Clark
- Trichodrymonia flava* (Wiehler) M.M.Mora &
 J.L.Clark
- Trichodrymonia gibbosa* (Wiehler) M.M.Mora &
 J.L.Clark
- Trichodrymonia gigantea* (Wiehler) M.M.Mora &
 J.L.Clark
- Trichodrymonia hirta* (L.E.Skog) M.M.Mora &
 J.L.Clark

- Trichodrymonia hypocyrtoides** (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia lacera (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia lineata (C.V.Morton) M.M.Mora & J.L.Clark
Trichodrymonia longipetiolata (Donn.Sm.) M.M.Mora & J.L.Clark
Trichodrymonia macrophylla (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia maguirei (Feuillet) M.M.Mora & J.L.Clark
Trichodrymonia metamorphophylla (Donn.Sm.) M.M.Mora & J.L.Clark
Trichodrymonia ommata (L.E.Skog) M.M.Mora & J.L.Clark
Trichodrymonia pedunculata (L.E.Skog) M.M.Mora & J.L.Clark
Trichodrymonia peltata (C.V.Morton) M.M.Mora & J.L.Clark
Trichodrymonia peltatifolia (J.L.Clark & M.M.Mora) M.M. Mora & J.L.Clark
Trichodrymonia sastrei (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia sericea (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia splendens (M.Freiberg) M.M.Mora & J.L.Clark
Trichodrymonia tylocalyx (Wiehler) M.M.Mora & J.L.Clark
Trichodrymonia ulei (Wiehler) M.M.Mora & J.L.Clark
Tulisma verticillata (Hook.) Raf.
 = *Sinningia douglasii*
Tupa acuminata sensu Stahl
 = *Gesneria pedunculosa*
Tussacia friedrichsthaliana Hanst.
 = *Chrysanthemis friedrichsthaliana*
Tussacia pulchella (Donn ex Sims) Richb. ex Walp.
 = *Chrysanthemis pulchella*
Tussacia rupestris Benth.
 = *Chrysanthemis rupestris*
Tussacia semiclausa Hanst.
 = *Chrysanthemis pulchella*
Tussacia villosa Benth.
 = *Chrysanthemis pulchella*
Tussacia woodsonii C.V.Morton
 = *Chrysanthemis pulchella*
Tydaea amabilis Planch. & Linden
 = *Kohleria amabilis* var. *amabilis*
Tydaea ceciliae André
 = *Kohleria amabilis* var. *amabilis*
Tydaea decaisneana Hort. ex Fritsch
 = nom. nud. pro syn.
Tydaea elegans (Decne.) Planch. & Linden
 = *Moussonia elegans*
Tydaea gigantea Van Houtte ex Voss
 = nom. nud. pro syn.
Tydaea grandiflora Hort. Behnick ex Fritsch
 = nom. nud. pro syn.
Tydaea karsteniana Hort. Naun ex Hanst.
 = nom. nud. pro syn.
Tydaea lindeniana Regel
 = *Gloxinella lindeniana*
Tydaea lindenii Regel ex André
 = *Gloxinella lindeniana*
Tydaea magnifica (Planch. & Linden) Hanst.
 = *Kohleria inaequalis* var. *inaequalis*
Tydaea ocellata (Hook.) Regel
 = *Kohleria inaequalis* var. *ocellata*
Tydaea ocellata var. *formosa* Regel
 = *Kohleria inaequalis* var. *inaequalis*
Tydaea ocellata var. *confluens* Regel
 = *Kohleria inaequalis* var. *ocellata*
Tydaea ocellata var. *picta* Regel
 = *Kohleria inaequalis* var. *ocellata*
Tydaea pardina Linden & André
 = *Kohleria inaequalis* var. *ocellata*
Tydaea picta (Benth. ex Hook.) Decne.
 = *Kohleria amabilis* var. *bogotensis*
Tydaea picta var. *karsteniana* Hort. ex Hanst.
 = nom. nud.
Tydaea venosa Hort. ex Lesc.
 = nom. nud.
Tydaea warscewiczii Regel
 = *Kohleria inaequalis* var. *inaequalis*
Tylopsacas cuneatum (Gleason) Leeuwenb.
Tylospurma cuneatum (Gleason) Leeuwenb.
 = *Tylopsacas cuneatum*
Urceolaria scandens Brandis.
 = *Sarmienta scandens*
Vanhouttea bradeana Hoehne
Vanhouttea brueggeri Chautems
Vanhouttea calcarata Lem.
Vanhouttea calcarata var. *parvifolia* Hoehne
Vanhouttea fruticulosa (Glaziou ex Hoehne) Chautems
Vanhouttea gardneri (Hook.) Fritsch
Vanhouttea gardneri var. *hirtella* Fritsch
Vanhouttea hilariana Chautems
Vanhouttea lanata Fritsch

- Vanhouttea leonii** Chautems
Vanhouttea leptopus (Gardner) Kuntze
 = *Vanhouttea gardneri*
Vanhouttea mollis Fritsch
Vanhouttea pendula Chautems
Vanhouttea salvifolia (Gardner) Kuntze
 = *Vanhouttea calcarata*
Vanhouttea salvifolia var. *parviflora* Fritsch
 = *Vanhouttea calcarata*
Vaupellia calycina (Swartz) Griseb.
 = *Gesneria calycina*
Vireya sanguinolenta Raf.
 = *Columnea sanguinea*

Acknowledgements

We are grateful to the Smithsonian Institution's National Museum of Natural History for supporting ongoing research on the Gesneriaceae, where two of the authors were resident botanists for much of their careers. We are also grateful to The University of Alabama for supporting collections-based research and the first author's career for a decade. Michael McKain (UNA) was gracious in supporting Steven Ginzburg's time to continue to curate the MS-Access Gesneriaceae database in preparation for this checklist. Adam Case McCormack (The University of Alabama) is acknowledged for coding the export of the Microsoft Access data that allowed us to generate the current version of the index. Fred Barrie (MO) is acknowledged for providing helpful advice on addressing illegitimate names and names that are not validly published. We thank David Mabberley for bringing to our attention several names that were missing in an initial version of the manuscript.

Literature Cited

- BRUMMITT R.K. & C.E. POWELL 1992. *Authors of Plant Names*. Royal Botanic Gardens, Kew, UK. pp. 1–732.
- CLARK J.L., HERENDEEN P.S., SKOG L.E. & E.A. ZIMMER 2006. Phylogenetic relationships and generic boundaries in the Episcieae (Gesneriaceae) inferred from nuclear, chloroplast, and morphological data. *Taxon* 55: 313–336. <https://doi.org/10.2307/25065580>
- CLARK J.L., FUNKE M.M., DUFFY A.M. & J.F. SMITH 2012. Phylogeny of a neotropical clade in the Gesneriaceae: more tales of convergent evolution. *International Journal of Plant Sciences* 173: 894–916. <https://doi.org/10.1086/667229>
- KVIST L.P. & L.E. SKOG 1993. The genus *Columnea* (Gesneriaceae). *Allertonia* 6: 327–400.
- SCHULTE L.J., CLARK J.L., NOVAK S.J., OOI M.T.Y. & J.F. SMITH 2014. Paraphyly of Section *Stygnanthe* (*Columnea*, Gesneriaceae) and a revision of the species of section *Angustiflorae*, a new section inferred from ITS and chloroplast DNA data. *Systematic Botany* 39: 613–636. <https://doi.org/10.1600/036364414X680861>
- SMITH J.F. & C.L. CARROL 1997. A cladistic analysis of the tribe Episcieae (Gesneriaceae) based on *ndhF* sequences: origin of morphological characters. *Systematic Botany* 22: 713–724. <https://doi.org/10.2307/2419437>
- SMITH J.F. & J. SYTSMA 1994a. Evolution in the Andean epiphytic genus *Columnea* (Gesneriaceae): I. morphological variation. *Systematic Botany* 19: 220–235. <https://doi.org/10.2307/2419598>
- SMITH J.F. & J. SYTSMA 1994b. Evolution in the Andean epiphytic genus *Columnea* (Gesneriaceae): II. Chloroplast DNA restriction site variation. *Systematic Botany* 19: 317–336. <https://doi.org/10.2307/2419605>
- SMITH J.F., OOI M.T.Y., SCHULTE L., AMAYA-MÁRQUEZ M., PRITCHARD R. & J.L. CLARK 2013. Searching for monophyly in the subgeneric classification systems of *Columnea* (Gesneriaceae). *Selbyana* 31: 126–142.
- WANG C.N., MÖLLER M. & Q.C.B. CRONK 2004. Phylogenetic position of *Titanotrichum oldhamii* (Gesneriaceae) inferred from four different gene regions. *Systematic Botany* 29: 407–418. <https://doi.org/10.1600/036364404774195593>
- WEBER A., CLARK J.L. & M. MÖLLER 2013. A new formal classification of Gesneriaceae. *Selbyana* 31: 68–94.
- WEBER A., MIDDLETON D.J., CLARK J.L. & M. MÖLLER 2020. Keys to the infrafamilial taxa and genera of Gesneriaceae. *Rheedia* this issue. <https://doi.org/10.22244/rheedia.2020.30.01.02>
- WIEHLER H. 1983. A synopsis of the neotropical Gesneriaceae. *Selbyana* 6: 1–219.
- WIEHLER H. 1984. Miscellaneous new species in the Gesneriaceae. *Selbyana* 7: 328–347.
- WIEHLER H. 1992. New species of Gesneriaceae from the Neotropics. *Phytologia* 73: 220–241.
- WIEHLER H. 1995. New species of Gesneriaceae from the Neotropics (II). *Gesneriana* 1: 29–97.