



NT 45/1 Tact Te H

Handy, commercial wet/dry vacuum cleaner with innovative, patented, auto filter cleaning system - TACT - and completely equipped with accessory. With stepless speed control, tele-electronic socket with On-/Off-automatic for power tools. These versions accord to all European standards and therefore they are qualified and licensed for suctioning of harmful dusts of dust class H incl. asbestos.



1 Hose selector switch

- The diameter of the connected suction hose can be selected on the control panel.

2 Approved for asbestos dust

- Only dust class H safety vacuum cleaners approved with the additional test for asbestos (according to TRGS 519) may be used for dust containing asbestos in Germany. Our H class safety vacuum cleaners have this approval.



NT 45/1 Tact Te H

- Anti-static system
- Automatic on/off switch
- Suitable for asbestos

Technical data

Order no.	1.145-838.0	
EAN code	4039784720954	
Supply voltage	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container content	l	45
Rated input power	W	1380
Standard nominal width	DN 35	
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	67
Weight	kg	14
Dimensions (L x W x H)	mm	520 x 380 x 695

Equipment

Safety filter bag	piece(s)	1	Protection class	I
Suction hose	m	2.5 / with bend	Stop swivel castor	■
Suction tube	piece(s) x m	2 x 0.5 / Stainless steel	Filter cleaning	Tact Filter Clean
Filter bag		Fleece	Dust class	H
Wet/dry floor nozzle	mm	300		
Crevice nozzle		■		
Power tool connection adapter		■		
Automatic switch-on/off for electric devices		■		
Anti-static system		■		
Eco filter system		■		
Flat pleated filter		Fibreglass		

■ Included in the scope of supply.

NT 45/1 TACT TE H

1.145-838.0



		Order no.	Quantity				Price	Description	
Flat pleated filter HEPA, dust class H									
HEPA-14 flat pleated filter	1	6.904-242.0	1 piece(s)					HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	■
Wet filter bag									
Wet filter bag	2	6.904-211.0	5 piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
Safety filter sets/bags									
Safety filter bag	3	6.907-579.0	5 piece(s)					Safety filter bags with dust disposal bag for dust class H safety vacuum cleaners. With inner fleece bag, tear-resistant and moisture-resistant.	□

■ Included in the scope of supply. □ Available accessories.

NT 45/1 TACT TE H

1.145-838.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description		
Bend, plastic										
Bend, plastic, electrically conductive	1	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	■	
Crevice nozzles										
Crevice nozzle	2	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■	
	3	6.900-922.0	1 piece(s)	35 mm	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□	
	4	6.906-240.0	1 piece(s)	35 mm	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□	
Suction tubes, metal										
Suction tube	5	6.900-514.0	1 piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■	
	6	6.900-275.0	1 piece(s)	40	550 mm			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	□	
Nozzle kits										
Nozzle kit	7	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□	
Bends, stainless steel										
Bend, stainless steel, ID 35	8	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	□	
Bends, metal										
Bend, metal	9	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	□	
All-purpose brushes										
All-purpose brush	10	6.903-863.0	1 piece(s)	35 mm	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	□	
Floor nozzles										
Wet/dry floor nozzle, plastic as standard, DN 35	11	6.906-512.0	1 piece(s)	DN 35		300 mm		Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	□	
Multi-purpose nozzle, wet/dry	12	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□	
Car cleaning nozzles										
Car nozzle	13	6.906-108.0	1 piece(s)	DN 35		90 mm		Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□	
Combi-nozzles, dry										
Combi-nozzle, DN 35, 270 mm	14	6.906-511.0	1 piece(s)	DN 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□	
Pipe dusting nozzles										
Pipe brush 35/100	15	6.903-035.0	1 piece(s)	35 mm				Plastic, pipe diameter 100 mm	□	
Pipe brush 35/200	16	6.903-036.0	1 piece(s)	35 mm				Plastic, pipe diameter 200 mm	□	

■ Included in the scope of supply. □ Available accessories.

NT 45/1 TACT TE H

1.145-838.0

KÄRCHER




17



18



19



20-21

		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction brushes									
Suction brush	17	6.903-862.0	1 piece(s)	35 mm		70 mm		Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	<input type="checkbox"/>
Turbo nozzles									
Turbo upholstery nozzle	18	2.860-113.0	1 piece(s)	32 mm		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	19	2.860-114.0	1 piece(s)	32 mm		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Suction tubes, stainless steel									
Suction tube	20	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	21	6.906-531.0	1 piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 45/1 TACT TE H

1.145-838.0

KÄRCHER



		Order no.	Quantity	ID	Length	Price	Description	
Suction hoses (clip system)								
Suction hose	1	6.906-275.0	1 piece(s)	DN 35	2.5 m		With bayonet and clip connection, electrically conductive, C-35.	<input checked="" type="checkbox"/>
	2	6.906-500.0	1 piece(s)	DN 35	4 m			<input type="checkbox"/>
	3	6.906-877.0	1 piece(s)	DN 40	10 m		With bayonet and clip connection, electrically conductive, C-40.	<input type="checkbox"/>
Complete suction hoses (clip system)								
Suction hose, electrically conductive	4	4.440-653.0	1 piece(s)	DN 35	2.5 m		With bend, electrically conductive, C ID 35.	<input checked="" type="checkbox"/>
Suction hose + PFC module, electrically conductive	5	4.440-728.0	1 piece(s)	DN 40	4 m		With bend and module (4.060-533.0), electrically conductive.	<input type="checkbox"/>
Repair kits								
Repair kit, C 35	6	2.639-682.0	1 piece(s)	C- 35			Suction hose repair kit (clip system).	<input type="checkbox"/>
Hose connection								
Adapter, ID 32/35, with internal thread	7	6.902-077.0	1 piece(s)	DN 32			For connecting two suction hoses (not ESB 28 and 34).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 45/1 TACT TE H

1.145-838.0



		Order no.	Quantity	ID		Price	Description	
Connection adapter for power tools, clip-on, electrically conductive								
Connection adapter for power tools, C 35, electrically conductive	1	5.453-042.0	1 piece(s)	35 mm			3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■
	2	5.453-048.0	1 piece(s)	35 mm			Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	□
	3	5.453-050.0	1 piece(s)	35 mm			Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	□
Y-adapter kit								
Y-adapter kit	4	2.637-217.0	1 piece(s)	35 mm			Plastic distributor - suitable for NT vacuum cleaners.	□
Adapter for electric power tools, screwable								
Adapter for electric power tools, screwable, ID 35	5	5.453-026.0	1 piece(s)	35 mm			Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	□
	6	6.902-059.0	1 piece(s)	35 mm			Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	□
	7	6.902-095.0	1 piece(s)	35 mm			2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	□
Reduction/expansion adapter kit								
Set of reducers / adapter sleeves	8	2.860-117.0	1 piece(s)				DN 40/35, DN 35/32 (tube -> nozzle), plastic.	□

■ Included in the scope of supply. □ Available accessories.

NT 45/1 TACT TE H

1.145-838.0



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.