



Batteries, Power and Lighting



Contents

	Page
360 Electrical Power Strips	841
AC Adapters	816-819
Alkaline Batteries	803-805
APC Surge Protectors	848
APC UPS Systems	854
Battery Chargers	806-807, 813, 815, 824-825
Battery Holders	809-811
Battery Testers	811
Belkin Surge Protectors	842-845
Camping Lights	872-873
Car Chargers	819-822, 826-827
Coast LED Flashlights	863-864
Coin Cell Batteries	807-808
Compact Fluorescent Bulbs (CFL)	875-877
Component Type LED Bulbs	See Components
Computer Memory Backup Batteries	809
Cyber Power Surge Protectors	848
Cyber Power UPS	851-853
DC Power Ports	823-824
DC Power Supplies	823, 828
Energizer LED Flashlights	860
Energy Monitoring Devices	828-829
Extension Cords	836-837
Fluorescent Lamps	881-882
Halogen Lamps	880-881
Hospital Grade Power Strips	837
Incandescent Bulbs	879-880, 884-885
Indicator Lamps	883-885
Laptop Adapters	826-827
Lead Acid Batteries	812-813
LED Flashlights	855-869

Contents

	Page
LED Headlamps	864
LED Replacement Bulbs	878-879
LED Rope Lights	874-875
LED Strip Lighting	874-875
Lithium Batteries	808-809, 815
Mag Lite LED Flashlights	859
Miniature Lamps	883-885
Mobile Inverters	828
Monster Power Surge Protectors	847-848
Nite Ize LED Flashlights	862-863
Nite Ize Specialty Lights	870-871
Patio and Outdoor Lighting	873-874
Plug Adapters	834
Plugs and Sockets	834-836
Portable Power	824-825
Power Cords	831-833
Power Strips	837-839, 849
Power Timers	828-829, 839
R/C Batteries	815-816
RCA Surge Protectors	837, 842
Rechargeable Batteries	806-807, 812-815
Replacement Device Batteries	813-816
Solar Power	807, 830-831
Specialty Alkaline	805
Specialty Lights	868-871
Specialty Power Supplies	828
Specialty Replacement Lamps	882
Streamlight LED Flashlights	857-858
Surge Protectors	839-849
Tadiran Batteries	809
Tripp Lite Surge Protectors	845-847
Tripp Lite UPS	850-851
UPS	850-854
USB Chargers	817-823
USB Charging Cables	820-821
Work Lights	865-867

Alkaline Batteries



DURACELL PROCELL
Professional Products

Alkaline Batteries

The #1 rated batteries by AV and broadcast professionals. ProCell batteries can last up to seven years. These batteries can operate in temperatures of -20°C~54°C. They can last up to ten times longer than super heavy-duty zinc carbon batteries in power demanding applications.

MCM Part #	Size	Qty.	(1-12)	(13-up)
293-255	"D"	1	\$0.99	\$0.91
293-260	"C"	1	0.99	0.91
293-275	9V	1	1.99	1.83
MCM Part #	Size	Qty.	(1-24)	(25-up)
293-400	"AA"	4	\$2.29	\$2.11
293-405	"AAA"	4	2.29	2.11
293-440	"6V"	1	9.26	7.90

Bulk Packaged Alkaline Batteries

Save money by buying batteries in bulk.

MCM Part #	Description	(1-9)	(10-up)
Master Pack Quantities (inner cartons of 12)			
293-305	"D" 72/box	\$62.99	\$58.22
293-310	"C" 72/box	69.47	67.33
293-315	"AA" 144/box	55.99	50.46
293-320	"AAA" 72/box	27.99	25.99
293-325	9V 72/box	99.99	91.99



DURACELL Alkaline Batteries

•Duracell's longest lasting power source
•Recommended for heavy drain, frequently used devices including flashlights, radios, pagers, and electronic games

MCM Part #	Size	Qty.	(1-4)
293-640	"AAA"	24	\$19.99
293-030	"AA"	4	4.99
293-282	"AA"	8	9.99
293-635	"AA"	24	16.99
293-020	"C"	4	9.99
293-645	"C"	12	19.99
293-040	9V	1	5.99
293-045	9V	2	8.99
293-650	"9V"	12	33.99
293-435	6V	1	10.29

DURACELL
ULTRA



Super Long Lasting Alkaline Batteries

Most of the exciting, high-tech devices on the market today drain batteries faster than ever. Duracell Ultra is a high-tech alkaline battery that is specifically designed to meet the unique power requirements of demanding devices.

MCM Part #	Size	Qty.	(1-4)	(5-9)
293-210	"AAA"	8	\$11.99	\$11.03
293-185	"AA"	8	11.99	11.03
293-430	"AAAA"	2	3.29	3.03
293-520	"AA"	4	5.99	5.81



Energizer Alkaline

•Formulated to provide long-lasting dependable power •100% mercury free •Recommended for heavy drain, frequently used devices including portable radios, flashlights and motorized toys

MCM Part #	Size	Pkg. Qty.	Price per pkg. (1-4)	(5-9)
291-005	"AAAA"	2	\$3.49	\$3.39
291-015	"AAA"	4	6.49	6.30
291-020	"AAA"	8	8.99	8.72
291-030	"AA"	4	5.65	5.23
291-035	"AA"	8	9.99	9.69
291-045	"C"	4	8.99	8.72
291-055	"D"	4	7.99	7.75
291-060	9V	1	4.49	4.36
291-065	9V	2	8.99	8.72
291-070	"N"	2	2.99	2.90



Energizer MAX® AA 24 Pack Batteries

Your family is filled with energy. Make sure your household batteries can keep up. Energizer® MAX® batteries deliver dependable, powerful performance that keeps going and going. Providing long life for the devices you use every day — from toys to CD players to flashlights. The latest generation of our popular alkaline batteries is exactly what you need. You never quit. Your battery shouldn't either. Zero Mercury Alkaline Battery: Energizer is a leader in the industry in powering people's lives responsibly. Up to seven years shelf life. Mfr. # E91BP24.

MCM Part #	ONLY
291-1095	\$16.99



Energizer Industrial Energizer

•Alkaline •For heavy drain and temperature extremes •Bulk packaging for greater savings!

MCM Part #	Size	Qty.	(1-9)	(10-up)
291-155	"AA"	4	\$2.99	\$2.75
291-160	"C"	12	11.99	11.03
291-165	"D"	12	14.99	13.79
291-170	9V	12	22.99	21.15



maxell

Bulk "AA" and "AAA" Alkaline Batteries

Manufactured to the highest standards in the industry, Maxell's alkaline batteries provide unrivaled value. Save money by buying in bulk, and never worry about running out of batteries again.

MCM Part #	Size	Qty.	ONLY
297-0005	"AA"	20	\$6.99
297-0015	"AAA"	20	7.99
297-0020	"AAA"	36	11.99
297-0025	"AA"	48	17.99



maxell

"AA" and "AAA" Alkaline Batteries

•Manufactured to the highest industry standards
•Maxell's alkaline batteries provide unrivaled value

MCM Part #	Size	Qty.	ONLY
297-0060	"AA"	2	\$0.79
297-0065	"AA"	4	1.49
297-0070	"AA"	10	3.29
297-0075	"AAA"	2	0.79
297-0080	"AAA"	4	1.49
297-0085	"AAA"	10	3.29

TRUSTED POWER BY DURACELL®

MAXIMIZE PRODUCTIVITY WITH
RELIABLE POWER SOLUTIONS



NEW! DURACELL® QUANTUM®

THE WORLD'S #1 MOST ADVANCED ALKALINE BATTERY*

Our most advanced and longest lasting alkaline battery ever. More active ingredient packed into Quantum's HI-DENSITY CORE™ produces more power. Improved Powercheck™ allows you to see remaining power at the press of a button. Guaranteed fresh for 10-years in storage.



DURACELL® PROCELL®

THE EFFICIENT POWER CHOICE

Packaged in bulk and individually date-coded for effective inventory management, the Procell line is designed for efficiency. Manufactured to strict specifications, they meet the highest standards of durability and longevity.



DURACELL® COPPERTOP®

WITH DURALOCK POWER PRESERVE™ TECHNOLOGY

PREMIUM
RELIABLE POWER
Get long-lasting and reliable power for the devices your business uses most. CopperTop batteries are engineered to deliver the right level of power for most electronics.



DURACELL® RECHARGEABLES

WITH DURALOCK POWER PRESERVE™ TECHNOLOGY

STAY CHARGED
LONGER, SO YOU CAN
RECHARGE LESS
Reusable NiMH batteries for frequent-use or high-drain devices. Precharged Rechargeables come fully charged for immediate use.



DURACELL® SPECIALTY BATTERIES

WITH DURALOCK POWER PRESERVE™ TECHNOLOGY

Duracell makes dozens of specialty batteries for devices that may require smaller batteries or button batteries. It's reliable, efficient power in different shapes and sizes for the devices you depend on most at work.

WHETHER YOU'RE POWERING THE DEVICES YOU USE MOST
OFTEN OR THOSE THAT ARE MOST CRITICAL TO YOUR JOB,
DURACELL® HAS A BATTERY ENGINEERED TO SUIT YOUR NEEDS.

maxell

"C" "D" and 9V Alkaline Batteries

•Manufactured to the highest industry standards

•Maxell's alkaline batteries provide unrivaled value



MCM Part #	Size	Qty.	ONLY
297-0090	"C"	2	\$1.99
297-0095	"D"	2	1.99
297-0100	9V	1	1.99



EVEREADY Super Heavy-Duty

•Premium power at popular prices •Excellent leakage resistance •100% mercury free •Recommended for moderate to heavy drain devices including radios, clocks and CD players

MCM Part #	Size	Pkg. Qty.	Price Per Pkg.		
			(1-4)	(5-9)	(10-up)
291-900	"C"	2	\$1.66	\$1.48	\$1.42
291-905	"D"	2	1.54	1.27	1.22



EVEREADY Alkaline Batteries

Designed to provide an economical power source for today's devices that require heavy current or continuous use. **Features include:** Better discharge rate capability, higher energy and more economical price.

MCM Part #	Mfr. #	Description	(1-4)	(5-9)	(10-up)
291-780	A91	"AA" 4 pack	\$3.59	\$3.39	\$3.13
291-870	A91	"AA" 16 pack	10.29	9.61	9.39
291-785	A92	"AAA" 4 pack	3.73	3.28	3.00
291-890	A95	"D" 8 pack	13.41	13.06	12.73
291-895	A522	9 V 4 pack	11.32	10.28	10.07

Panasonic Evolta Alkaline Batteries

EVOLTA is Panasonic's 4th generation battery and is powerful in all drain devices (low, middle and high). Ideal for use in flashlights, cameras, portable games, remotes, radios and toy remote control cars. EVOLTA is recognized by Guinness World Records™ as the World's "Longest Lasting "AA" Alkaline Battery Cell" in more devices based on ANSI and IEC testing. Four batteries per pack.

MCM Part #	Size	ONLY
292-450	"AA"	\$4.99
292-451	"AAA"	4.99



SONY STAMINA™ Platinum Alkaline Batteries

You'll never have to worry about running out of juice just when you want it the most. Sony's STAMINA™ platinum alkaline batteries offer you maximum performance compared to normal alkaline batteries.

MCM Part #	Size	Qty	ONLY
AM2PTB2A	"C"	2	\$2.56
AM3PTB4A	"AA"	4	2.56
AM3PTB8A	"AA"	8	4.11
AM3PTB12A	"AA"	12	5.65
AM4PTB4A	"AAA"	4	2.56
AM4PTB8A	"AAA"	8	4.11
6AM6PTB1A	9V	1	2.29



Panasonic Bulk Packaged Alkaline Batteries

Save money by purchasing batteries in bulk. Panasonic batteries provide the highest usage life in primary batteries and have a five-year storage life.

MCM Part #	Description	(1-4)	(5-9)
292-315	"AA" cell 24/pk	\$10.99	\$10.11
292-320	"AAA" cell 48/pk	24.99	22.99

Panasonic Alkaline Batteries

Panasonic alkaline batteries provide the highest usage life in primary batteries, the best performance at low temperatures, and still maintain a five-year storage life. They work best in personal stereos, cameras, radio control toys and other personal appliances.

MCM Part #	Size	Qty.	(1-4)	(5-9)
292-005	"D"	2	\$2.99	\$2.75
292-010	"C"	2	2.99	2.75
292-015	"AA"	2	1.10	1.01
292-020	"AA"	4	1.99	1.83
292-025	"AAA"	2	1.09	1.00
292-030	"AAA"	4	1.99	1.83

Specialty Alkalines



Panasonic Heavy-Duty Batteries

Panasonic Heavy-Duty Batteries can be used for all applications associated with general purpose batteries, as well as more demanding uses like: Calculators, radios, flashlights, clocks and remote controls.

MCM Part #	Size	Qty.	(1-4)	(5-9)
292-045	"D"	2	\$1.29	\$1.19
292-065	9V	1	1.29	1.19
292-070	9V	2	2.29	2.11
292-075	6V	1	6.63	5.82

EVEREADY 6 Volt Super Heavy-Duty Lantern Battery

These heavy-duty lantern batteries are Zinc-Manganese Dioxide (Zn/MnO₂) with no added mercury or cadmium. Coil spring terminals.

MCM Part #	ONLY
291-1155	\$3.99



DURACELL® PROCELL® 6V Screw Top Lantern Battery

The PROCELL® 6V 13000 mAh screw top premium alkaline lantern battery has an added measure of leakage resistance for more critical applications and a long shelf life. Plus there is no added mercury. Lasts up to twice as long as super heavy-duty zinc carbon batteries. Mfr. #PC915

MCM Part #	ONLY
293-440	\$9.26



DURACELL® Alkaline Specialty Batteries

•Popular Duracell alkaline batteries
•Common uses include photography, medical equipment, garage door openers, invisible fence collars etc.

MCM Part #	Mfr. #	Qty.	Volts	(1-4)	(5-9)	(10-up)
293-160	MN21	1	12	\$1.54	\$1.28	\$1.17
293-620	MN21	2	12	2.99	2.49	2.29
293-165	MN9100	2	1.5	3.28	3.01	2.76



Rechargeable Batteries



DURACELL®
Pre-Charged Rechargeable NiMH Battery

Pre-Charged Rechargeable NiMH cells retain power for up to 365 days when not in use - unlike regular rechargeable batteries. Stays charged longer, so you recharge less! Good for 100's of charges. Four batteries per pack. "AA" is 2000 mAh. "AAA" is 800 mAh. Comes fully charged.

MCM Part #	Type	Mah	ONLY
293-495	"AA"	2000	\$14.41
293-500	"AAA"	800	14.41

DURACELL®
Rechargeable Batteries

Get hundreds of uses out of each battery. These powerful NiMH batteries are ideally suited for high drain or frequently used devices. They hold their charge for up to 1 year when not in use. Sold 4 per pack.



MCM Part #	Type	Mah	ONLY
293-590	"AA"	2650	\$9.99
293-595	"AAA"	100	9.99



DANTONA INDUSTRIES, INC. UltraLast Green Rechargeable Batteries

•Ready to use right out of the pack just like regular batteries •Will keep their charge for up to 6+ months in low power consumption devices such as remote controls, clocks, flashlights, and other common household applications •Holds 80% of charge after 12 months when not in use •Replaces disposables in every application without sacrificing performance •Can be charged as many as 500 times, or up to three years.

MCM Part #	Description	ONLY
294-1925	4pk AA, mAh 2100	\$12.86
294-1930	4pk AAA, mAh 750	10.19

Rechargeable Nickel-Metal Hydride Batteries

Nickel-Metal Hydride (Ni-MH) rechargeable batteries are one of the most advanced rechargeable battery systems commercially available and offer several advantages over today's ordinary nickel-cadmium (Ni-Cd) rechargeable batteries, including up to 40% longer service life. Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries.

MCM Part #	Description	mAh	(1-49)	(50-up)
29-4275	"AA" single	2300	\$2.49	\$2.24
29-4280	"AAA" single	900	1.99	1.78

"EnergyOn" Nickel-Metal Hydride Batteries

•Use the newest technology in rechargeable Ni-MH batteries •EnergyOn batteries are fully charged upon arrival and ready for use •With up to 70% of capacity remaining after one year, these batteries are perfect for travel •Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries and standard "AA" and "AAA" batteries

MCM Part #	Description	mAh	(1-49)	(50-up)
29-4285	"AA" single	2000	\$2.49	\$2.24
29-4290	"AAA" single	750	1.99	1.78

GP
Nickel Metal Hydride Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as NiCd batteries. NiMH batteries do not suffer from "memory" and can be charged and used just like NiCd batteries.




MCM Part #	Description	Capacity	ONLY
29-3275	"AA" (1 pk)	1300mAh	\$3.49
29-3280	"2/3AF" (1 pk)	1000mAh	2.99
29-3295	"Sub-C" (1 pk)	2200mAh	4.99

Battery Chargers

DURACELL®
15 Minute Battery Charger

Recharge your batteries in a flash with the 15 minute charger - your batteries will be ready* in 15 minutes, guaranteed. (*Approx. 75% of full charge, when using Duracell 1700 mAh AA or 750 mAh AAA NiMH Batteries) Offering high performance, this charger can charge up to four "AA" or "AAA" cells at once. The 15 minute charger comes with four "AA" StayCharged rechargeable batteries.

MCM Part #	ONLY
293-605	\$39.99



Energizer®
Rechargeable Batteries and Chargers

High-capacity cells provide exceptional power per charge and up to 1,000 recharges. And since they're renewable and reusable, Energizer® Rechargeable™ batteries are a good economic and environmental choice.

MCM Part #	Mfr. #	Description	ONLY
Batteries			
291-740	NH15	"AA" 2pk 2500mAh	\$8.23
291-745	NH15	"AA" 4pk 2500mAh	15.44
291-750	NH12	"AAA" 2pk 700mAh	8.23
291-760	NH35	"C" 2pk 2500mAh	12.35
291-765	NH50	"D" 2500mAh	11.32
Chargers			
291-775	CCHFC	"AA", "AAA", 9V, "C", "D"	25.74
291-995	CH15MNCPC4	15 minute charger includes four "AA" and "AAA"	36.55
291-1065	CHFC	"AA", "AAA" 9V, "C", "D"	29.86

Energizer® "AA" and "AAA" Smart Charger

Charges two or four "AA" or "AAA" at a time in five hours! Charger tells you how full your batteries are and how long you have to wait until the battery is fully charged. Maximizes cycle life of the NiMH cell due to built-in overcharge protection. Energy Star certified. Mfr. # CHP4WB4.



MCM Part #	ONLY
291-1150	\$19.99

maxell
Battery Chargers

Designed to charge both "AA" and "AAA" batteries; these chargers include pre-charged NiMH batteries. The charger charges via its retractable AC power plug. These batteries can be charged and recharged 4x more than ordinary rechargeable batteries. They will retain 85% of their charge after six months

MCM Part #	Mfr. #	Description	ONLY
297-0030	BC-100	Compact charger with two 2100mAh "AA" batteries	\$21.62





USB Quick Charger

•Charges two "AAA" Ni-MH, Ni-CD rechargeable batteries •Microprocessor controlled for intelligent charging • Built-in safety timer control •Short circuit and overcharge protection •Specially designed for rapid recharging of batteries for use in Digital Cameras, Tops, MP3, Handheld PCs, PDAs, FRS Radios and etc. •LED charge indicator light •Batteries not included

MCM Part # **ONLY**
29-4575 **\$3.99**



Two Hour Rapid Battery Charger with LCD Display

•Charge any combination of 1~4 "AA" and/or "AAA" rechargeable Ni-MH or Ni-CD batteries •100~240VAC autoswitching adapter for worldwide usage •Automatic charge cut-off for safety •Built in micro-controller ensures a full, safe charge •Thermal overheat detection/protection •Back-up safety timer •Batteries not included



Battery	Capacity	Charging Time	Charging Time
"AA"	2300mA	1~2 pieces	3~4 pieces
	2500mA	150mins	300mins
	2700mA	165mins	330mins
		180mins	360mins
"AAA"	900mA	1~2 pieces	3~4 pieces
	1000mA	125mins	250mins
		140mins	280mins
MCM Part #		ONLY	
29-4565		\$14.99	



Intelligent Quick Charger

•Charge two or four pieces "AA" or "AAA" Ni-MH or Ni-CD rechargeable batteries •Microprocessor controlled fast and safe charging •Negative delta voltage detection •Safety timer •Reverse polarity protection •Short circuit protection •Overcharging protection •LED charge indicator •Batteries not included



Battery	Capacity	Charging Time
"AA"	2100mA	280mins
"AA"	2300mA	300mins
"AAA"	800mA	110mins
MCM Part #		ONLY
29-4560		\$6.99



Four-Pack "AA" 2700mAh 1.2V NiMH Rechargeable Batteries

These are one of the highest rated rechargeable batteries in the industry today. Featuring an extremely high recycle rate, they're capable of up to 1000 full charge/recharge cycles before needing replaced. They're also compatible with the latest fast charge technologies and come with an industry leading two year manufacturer warranty against defects. The ideal choice for all high current using electronic devices that will still be holding a powerful charge long after other rechargeable "AA"s have failed!

MCM Part # **ONLY**
29-5842 **\$12.99**



UltraLast Green Sol Charger

Solar Panel/USB Charger with two "AA" rechargeable batteries. Charges Ni-MH or Ni-Cd AA rechargeable batteries through solar panel or USB connection. Charges electronic devices through USB connection from fully charged batteries. Includes AC-USB wall adapter, Interchangeable USB cable, USB and Mini USB connectors.



MCM Part # **ONLY**
294-1940 **\$27.80**



Microprocessor Battery Monitor

•Battery monitor automatically detects voltages between 7~32V making it ideal for 12 or 24 volt systems •Uses three LEDs (red, green, yellow) to display various combination to indicate battery voltage •Audio alarm sounds at high or low levels •All setting are user programmable

MCM Part # **ONLY**
72-9830 **\$45.99**

Coin Cell Batteries

DURACELL® Button Cells

Popular Lithium button cells used in watches, calculators, keyless entry remote controls, computers and many other devices.



MCM Part #	Mfr. #	ONLY
Lithium		
293-070	DL1/3N	\$4.62
293-105	DL2016	1.54
293-110	DL2025	1.54
293-115	DL2032	1.54
293-125	DL2450	3.08
293-445	D303/357	1.44
293-450	D384/392	0.72
293-455	D301/386	1.24
293-460	D389/390	0.82
293-465	D309/393	0.93
Alkaline		
293-615	76A	2.99

SONY Lithium Coin Cells

Sony's lithium coin cell batteries provide an excellent combination of high energy and constant voltage supply. Used in many watches, calculators, cameras, for memory back-up, and pagers.



MCM Part #	Size	ONLY
CR1616B1A	CR1616	\$1.29
CR2016B1A	CR2016	1.29
CR2025B1A	CR2025	1.29
CR2032B1A	CR2032	1.29

Panasonic 3 Volt Lithium Coin Cell

Lithium cells provide twice the voltage of alkaline cells and are perfect for computer memory back-up, camera, calculators and watches. Mfr. #CR2354



MCM Part # **ONLY**
29-5575 **\$1.99**



Energizer® Watch Batteries (Button Cell)

MCM Part #	Eveready #	Duracell #	Maxell #	Panasonic #	Ray-O-Vac #	(1-4)	(5-9)	(10-up)
291-290	317	D317	SR516SW	SP317	317	\$1.44	\$1.22	\$1.10
291-295	319	D319	SR527SW	SP319	319	1.44	1.18	1.07
291-300	321	D321	SR616SW	SP321	321	1.76	1.40	1.23
291-305	329	D329	SR731SW	-	329	1.44	1.26	1.13
291-345	357-303TS	D357	SR44W	SP357	357	2.49	2.29	2.12
291-355	362-361TS	D362	SR721SW	SP362	362	0.99	0.91	0.84
291-360	364-363TS	D364	SR621SW	SP364	364	0.84	0.66	0.56
291-375	370-371TS	D370	SR920W	SP370	370	0.96	0.77	0.66
291-380	370-371TS	D371	SSR920SW	SP371	371	0.96	0.77	0.66
291-390	377-376TS	-	SR626W	SP376	-	0.99	0.91	0.84
291-400	379	D379	SR521SW	SP379	379	0.99	0.91	0.84
291-415	386-301TS	D386	SR43W	SP386	386	1.34	1.10	1.00
291-435	392-384TS	D392	SR41W	SP392	392	0.89	0.82	0.76
291-440	393	D393	SR754W	SP393	393	1.44	1.22	1.10
291-445	392-384TS	D394	SR936SW	-	394	1.24	0.97	0.87
291-450	395-399TS	D395	SR927SW	SP395	395	1.29	1.19	1.10
291-460	397-396TS	D397	SR726SW	SP397	397	0.99	0.91	0.84
291-465	395-399TS	D399	SR927W	SP399	399	1.66	1.42	1.26



Energizer® Lithium

•High energy, long life power source •Good low and high temperature operations
•Recommended for calculators, cameras, memory back-up, pagers and watches

MCM Part #	Eveready #	Duracell #	Maxell #	Panasonic #	Ray-O-Vac #	ONLY
291-470	ECR1216	-	-	CR1216	-	\$2.07
291-475	ECR1220	DL1220	CR1220	CR1220	-	1.66
291-485	ECR1616	-	CR1616	CR1616	-	2.07
291-490	ECR1620	DL1620	CR1620	CR1620	CR1620	2.28
291-495	EGR2012	-	CR2012	CR2012	-	2.49
291-500	EGR2016	DL2016	CR2016	CR2016	-	1.99
291-505	EGR2025	DL2025	R2025	CR2025	CR2025	1.99
291-510	EGR2032	DL2032	CR2032	CR2032	CR2032	1.79
291-520	EGR2430	DL2430	CR2430	-	CR2430	1.86



DURACELL® Lithium Photo Cells

•Popular lithium cells used in photography equipment

MCM Part #	Description	Volts	(1-4)	(5-9)
293-075	DL123A	3	\$6.99	\$6.43
293-130	PX28L	6	8.99	8.27
293-480	DLCR2BPK	3	7.71	7.31

DURACELL® "J" Type Battery

•Popular battery found in remote controls including Zenith, RCA and others
•Duracell #7K67B •6V battery



MCM Part #	(1-4)	(5-9)
293-170	\$3.99	\$3.67

DURACELL®

8-Pack Size 10 Zinc Air Hearing Aid Batteries

These 1.4V batteries with EasyTabs are so simple to handle. Longer tabs make it easy to remove batteries from packaging, easy to hold and easy to insert into hearing aid. Convenient package makes it simple to carry, open, and protect your batteries. Eight batteries per package.

•Mfr. #DA10B8W

MCM Part #	ONLY
293-281	\$12.35



Lithium Batteries

Energizer®

Photo Cells

•High energy, long life power source
•Good low and high temperature operations



MCM Part #	Description	(1-4)	(5-9)	(10-up)
Lithium Photo Cells				
291-580	EL223 6V	\$13.89	\$12.67	\$12.24
291-585	EL123 3V	8.23	7.59	7.12
291-625	L91BP-2 "AA" Lithium 2 pk	6.17	5.77	5.44
291-930	"AA" 4 pack	10.29	9.59	9.36
Alkaline Photo Cells				
291-615	A23 12V 2-pk	3.59	3.22	2.82
291-620	A76 1.5V	1.29	1.19	-
291-630	A544 6V	4.62	4.22	3.86
Silver Oxide Photo Cells				
291-640	EPX76 1.5V	3.59	3.46	3.10

Panasonic® Lithium Cylindrical Cells

Lithium cylindrical cells provide excellent performance and provide more power than alkaline cells.




MCM Part #	Mfr. #	Volts	(1-4)	(5-9)	(10-up)
292-165	CR-123A	3	\$4.99	\$4.59	\$4.24
292-170	CR-123A (2 pk)	3	11.32	10.91	10.60
292-175	CR-2	3	4.99	4.59	4.24

Energizer®

Four-Pack "AAA" Lithium Batteries

These Energizer® Ultimate Lithium batteries deliver long-lasting power to keep up with today's high-tech, power hungry devices like digital cameras and handheld GPS units. They weigh 1/3 less than standard alkaline batteries and perform in extreme temperatures from -40°F~140°F plus they hold power for 15 years when not in use. •Mfr. # L92BP-4



MCM Part #	ONLY
291-1145	\$9.99

SONY® Lithium Photo Cells

Sony's lithium photo cell batteries provide an excellent combination of high energy and constant voltage supply.

MCM Part #	Size	ONLY
CR123AB1A	CR123	\$2.56
CR2B1A	CR2	2.56






Energizer® Advanced Lithium Batteries

Maximum performance for high drain devices. Great for wireless portable games, MP3/DVD players, digital cameras and smoke detectors. 1/3 the weight of standard alkaline batteries. Up to 10 year storage life. Temp. range -40°F ~ 140°F.

MCM Part #	Size	Pkg Qty.	ONLY
29-4660	"AA"	4	\$8.99
29-4661	"AAA"	4	8.99
29-4662	"AAA"	8	16.99
29-4663	9V	1	7.99



Tadiran Batteries

MCM Part #	Voltage	(1-4)	(5-up)
29-2080	3.6	\$7.20	\$6.36
29-2085	3.6	7.20	6.36
29-2100	3.6	7.20	6.36
29-2105	3.6	7.20	6.36
29-2110	3.6	6.68	6.10

Cross Reference

Mfr. #	Model	MCM Part #
Apple	Mac II, IIfx, IIfx, and SE/30	29-2075
Apple	II GS, Mac SE	29-2085
AT&T	AT&T 7300	29-2085
Grid	Series 1100-1200	29-2085
IBM	PC/2 Model	29-2085
Kaypro	PC (new model) and 8088	29-2085
Tadiran	TL-5101/TBP	29-2080
Tadiran	TL-5155/TBP	29-2095
Tadiran	TL-5104/TBP	29-2105
Tadiran	TL-5104/PBP	29-2110
Televideo	905, 9220, 995, PT100, Telos	29-2085
Xerox	Memory Writer 6010 and 6015	29-2085

3.6V Lithium Thionyl Chloride – High Temperature

A range of 3.6V lithium thionyl chloride batteries with excellent memory back-up characteristics, designed for high temperature applications. **Features:** •Non-rechargeable 3.6V lithium thionyl chloride cells •Extended temperature range -55°C to +130°C •Shelf life in excess of ten years •Extremely low self discharge (<1% per annum) •Excellent memory back-up characteristics •Hermetically sealed casing

Specifications				
Type	Capacity	Max. Current Drain	(LxDia.)	Weight
1/2AA	0.8Ah	6mA	25.2xØ14.7mm	9g
2/3AA	1.0Ah	10mA	33.5xØ14.7mm	12g
AA	1.7Ah	20mA	50.5x Ø14.7mm	18g

MCM Part #	Type	(1-9)	(10-up)
29-5887	1/2 AA	\$12.99	\$12.83
29-5888	2/3 AA	16.49	16.26
29-5889	AA	16.99	15.63



3.6V Lithium Thionyl Chloride - Memory Back-Up Battery

A range of 3.6V lithium thionyl chloride batteries, which are ideal for CMOS memory back-up and circuit board mounting. **Features:** •Lithium wafer cells •Long shelf life in excess of 10 years •Low self discharge (<1% per annum) •High terminal voltage •Hermetically sealed casing •Operating temperature -55°C to +75°C **Specifications:** #29-5881 •Capacity: 1Ah •Dims. (H x Dia): 6.5xØ32.9 •Weight: 16g. #29-5882 •Capacity: 0.4Ah •Dims. (H x Dia): 6.5xØ22.5 •Weight: 8g

MCM Part #	Type	(1-9)	(10-Up)
29-5881	1/10 D	\$10.49	\$10.38
29-5882	BEL	9.99	9.88



Battery Holders



ULTRALIFE 9V Lithium Battery

Ultralife 9V lithium battery lasts up to 10 years in devices. Lasts up to 4x longer than standard alkaline batteries. Ideal for smoke detectors, garage door openers, clocks, radios, remote control toys or any device that needs a high-quality 9V battery. UL listed and made in USA. Single packed

MCM Part #	ONLY
294-1950	\$11.32



3.6V Lithium Thionyl Chloride - Axial and Polarised

A range of high capacity 3.6V lithium thionyl chloride batteries designed for long term stand-by applications. **Features:** •New improved capacity •Non-rechargeable cells •Designed for low current drain applications •Ten year shelf life •Extremely low self discharge (<1% per annum) •Wide operating temperature -55°C to +75°C •Hermetically sealed casing •45mm axial lead length



Specifications				
Type	Capacity	Max. Current Drain	(L x Dia.)	Weight
Axial				
1/2AA	1.2	0.5	25.0 x Ø14.7mm	9g
AA	2.4	1.5	50.5x Ø14.7mm	18g
Polarised				
1/2AA	1.2	0.5	25.2 x Ø14.7mm	9g
AA	2.4	1.5	50.7 x Ø14.7mm	18g

MCM Part #	Model	(1-9)	(10-Up)
29-5883	1/2 AA	\$5.99	\$5.65
29-5884	AA	6.99	6.89

MCM Part #	Model	(1-9)	(10-Up)
29-5885	1/2 AA	5.99	5.88
29-5886	AA	6.99	6.89

Battery Holders

•Commonly used in radios and other portable electronics •Ideal for electronic projects

MCM Part #	Holds	Connectors	(1-9)	(10-49)
27-1320	(2) "AA"	9V type	\$0.79	\$0.73
29-630	(4) "AA"	9V type	0.59	0.54
27-1335	(8) "AA"	Leads	1.29	1.19
29-1360	(4) "D"	Leads	0.99	0.91
29-130*	(1)	9V Clip	0.49	0.45
29-1045*	(1)	9V Clip	0.59	0.54
29-1675	CR2032	Spring clip	0.59	0.54

*Minimum ten

Battery Holders

High-quality plastic battery holders for repair and hobby applications. Color is black. Five per package (one per package Fig. D).



Fig.	MCM Part #	Qty / Description	(1-9 pkgs.)	(10 pkgs.-up)
9V Type Snap				
A	BT00827	4/"AA"	\$2.45	\$1.83
B	BT00837	6/"AA"	6.42	5.45
C	BT00802	10/"AA"	8.44	7.94
D	BT03725	4/"D"	1.03	0.99



MCM pro-POWER AA Size Battery Holders

A range of battery holders suitable for standard AA type batteries. **Features:** •Molded black plastic holders •6" lead, solder tag or snap fit connections

Specifications

Type	Dimensions (HxWxD)	Connection	MCM Part #
1 x AA	2.20" x 0.63" x 0.55"	150mm lead	28-12559
1 x AA	2.20" x 0.63" x 0.55"	Solder Tag	28-12560
2 x AA	2.20" x 1.26" x 0.59"	150mm lead	28-12561
2 x AA	2.36" x 1.26" x 0.59"	Snap fit, Side x Side	28-12562
2 x AA	2.24" x 1.26" x 0.59"	Solder Tag	28-12563
2 x AA	2.36" x 0.63" x 1.02"	Snap fit, Opposite	28-12564
3 x AA	2.36" x 1.89" x 0.63"	Snap fit	28-12565
4 x AA	2.48" x 2.24" x 0.63"	150mm lead	28-12566
4 x AA	2.48" x 2.36" x 0.63"	Snap fit, Side x Side	28-12567
4 x AA	2.48" x 2.24" x 0.63"	Solder Tag	28-12568
4 x AA	2.36" x 1.18" x 1.10"	Snap fit, Side x Side, Opposite	28-12569
4 x AA	4.41" x 0.67" x 0.98"	Snap fit, Long, Opposite	28-12570
6 x AA	2.36" x 1.77" x 1.10"	Snap fit, Side x Side, Opposite	28-12571
8 x AA	2.48" x 2.28" x 1.10"	Snap fit, Side x Side, Opposite	28-12572
10 x AA	3.07" x 2.36" x 1.10"	Snap fit, Side x Side, Opposite	28-12573

MCM Part #	Type	(ea.)
28-12559	1 x AA	\$0.49
28-12560	1 x AA	0.49
28-12561	2 x AA	0.49
28-12562	2 x AA	0.49
28-12563	2 x AA	0.49
28-12564	2 x AA	0.49
28-12565	3 x AA	0.49
28-12566	4 x AA	0.49
28-12567	4 x AA	0.49
28-12568	4 x AA	0.49
28-12569	4 x AA	0.49
28-12570	4 x AA	0.49
28-12571	6 x AA	0.99
28-12572	8 x AA	0.99
28-12573	10 x AA	0.99



MCM pro-POWER PCB Mount Battery Holders

A range of molded plastic battery holders suitable for PCB mounting.

Specifications Type	(HxWxD)mm	Connection	MCM Part #
1 x N	1.34" x 0.47" x 0.47"	PCB Pin	28-12583
1 x AA	2.20" x 0.63" x 0.51"	PCB Pin	28-12584
2 x AA	2.24" x 1.22" x 0.59"	PCB Pin	28-12585

MCM Part #	Type	(1-9)	(10-up)
28-12583	1 x N	\$0.39	\$0.35
28-12584	1 x AA	0.49	0.30
28-12585	2 x AA	0.49	0.34

MCM pro-POWER N Size Battery Holder

Features: •Designed to fit 1 x N type battery •Molded plastic battery holder **Specifications:** •Dimensions (HxWxD): 1.34" x 0.47" x 0.47" •Connection: Solder Tag

MCM Part #	(1-9)	(10-up)
28-12552	\$0.49	\$0.30



MCM pro-POWER AAA Size Battery Holders

A range of battery holders suitable for standard AAA type batteries. **Features:** •Molded black plastic holders •6" lead, solder tag or snap fit connections

Specifications Type	Dimensions (HxWxD)	Connection	MCM Part #
1 x AAA	1.93" x 0.47" x 0.47"	Solder Tag	28-12553
2 x AAA	2.09" x 0.94" x 0.47"	150mm lead	28-12554
2 x AAA	2.09" x 0.98" x 0.47"	Solder Tag	28-12555
4 x AAA	2.09" x 1.97" x 0.47"	150mm lead	28-12556
4 x AAA	2.20" x 1.97" x 0.47"	Snap fit	28-12557
4 x AAA	2.09" x 1.97" x 0.47"	Solder Tag	28-12558

MCM Part #	Type	(1-9)	(10-up)
28-12553	1 x AAA	\$0.49	\$0.28
28-12554	2 x AAA	0.49	0.32
28-12555	2 x AAA	0.49	0.34
28-12556	4 x AAA	0.49	0.48
28-12558	4 x AAA	0.49	0.42

MCM pro-POWER C Size Battery Holders

A range of battery holders suitable for standard C type batteries. **Features:** •Molded black plastic holders •Solder tag or snap fit connections

Specifications Type	Dimensions (HxWxD)	Connection	MCM Part #
1 x C	2.44" x 1.18" x 0.94"	Solder Tag	28-12574
2 x C	2.56" x 2.17" x 0.91"	Snap fit	28-12575
4 x C	4.33" x 2.13" x 1.02"	Snap fit, Long, Side x Side	28-12576
8 x C	4.17" x 2.32" x 1.77"	Snap fit, Side x Side, Opposite	28-12577

MCM Part #	Type	(1-9)	(10-up)
28-12574	1 x C	\$0.49	\$0.40
28-12575	2 x C	0.99	0.65
28-12576	4 x C	0.99	0.75
28-12577	8 x C	2.99	2.69



MCM pro-POWER D Size Battery Holders

A range of battery holders suitable for standard D type batteries. **Features:** •Molded black plastic holders •Solder tag or snap fit connections

Specifications Type	Dimensions (HxWxD)	Connection	MCM Part #
1 x D	2.72" x 1.42" x 1.06"	Solder Tag	28-12578
2 x D	2.87" x 2.87" x 1.22"	Snap fit	28-12579
4 x D	5.35" x 2.87" x 1.22"	Snap fit, Long, Side x Side	28-12580
4 x D	5.28" x 2.87" x 1.22"	Solder tag, Long, Side x Side	28-12581
8 x D	5.51" x 2.87" x 2.44"	Solder tag, Side x Side, Opp.	28-12582

MCM Part #	Type	(1-9)	(10-up)
28-12578	1 x D	\$0.49	\$0.43
28-12579	2 x D	0.99	0.75
28-12580	4 x D	1.03	0.99
28-12581	4 x D	0.99	0.87
28-12582	8 x D	1.49	1.46

CR2425 Coin Cell Battery Holder

•Great for hobbies or project 

MCM Part #	(1-9)	(10-up)
29-6080	\$1.49	\$1.19



Philmore 9V Battery Holder

- Great for hobbies and projects
- Holds a single 9V battery
- Plastic clip holds battery in place 

MCM Part #	(1-9)	(10-up)
29-6078	\$0.99	\$0.85



Philmore 9V Battery Holder

- Great for hobbies and projects
- Holds a single 9V battery
- Solder lug connections 

MCM Part #	(1-9)	(10-up)
29-6077	\$1.49	\$1.13



Philmore 9V Battery Holder

- Great for hobbies and projects
- Holds single 9V battery with battery cover
- Built-in On-Off switch
- 6" lead wire connection 

MCM Part #	(1-9)	(10-up)
29-6079	\$2.49	\$2.26



Philmore "AA" Battery Holder

- Great for hobbies and projects
- Holds four "AA" batteries with battery cover
- Built-in On-Off switch and belt clip
- USB A jack output 


MCM Part #	(1-9)	(10-up)
29-6072	\$4.99	\$4.43



Philmore "AAA" Battery Holder

- Great for hobbies and projects
- Solder lug connection 

MCM Part #	# of Batteries	(1-9)	(10-up)
29-6070	6	\$2.49	\$2.17
29-6071	8	2.99	2.45



Philmore "C" Battery Holder

- Great for hobbies and projects
- Integrated battery cover
- 6" lead wire connection
- #29-6074 features On-Off switch 

MCM Part #	# of Batteries	(1-9)	(10-up)
29-6073	2	\$3.99	\$3.51
29-6074	3	2.99	2.77



Philmore "D" Battery Holder

- Great for hobbies and projects
- Holds three "D" cell batteries with battery cover
- 6" lead wire connection 

MCM Part #	(1-9)	(10-up)
29-6075	\$3.49	\$3.02



MCM pro-POWER Snap-On Battery Connectors

Snap-on connectors for use with PP3 and PP6 batteries. Type A replaces the BH9 connector. Type B has a rigid plastic housing with strain relief. Lead length: 6".

MCM Part #	Type	(1-9)	(10-up)
28-12548	A	\$0.99	\$0.92
28-12549	B	1.99	1.89



MCM pro-POWER Snap-On Battery Connectors

Features: •Separated sealed press-stud type battery clips •Suitable for use with battery types PP1, PP4, PP7, PP8 and PP9 •Lead length 6"

MCM Part #	(1-9)	(10-up)
28-12550	\$2.99	\$2.90



MCM pro-POWER Snap-On Battery Connectors

Features: •Separated sealed press-stud type battery clips •Suitable for use with battery types PP3 and PP6 •Lead length 6" •Five pairs supplied per pack.


MCM Part #	(1-9)	(10-up)
28-12551	\$2.49	\$2.40



9V Battery Snap

- Great for hobbies and projects
- Connect two 9V batteries in parallel for higher current application
- 6" 26 AWG wiring 

MCM Part #	(1-9)	(10-up)
29-6076	\$1.99	\$1.47



9V Battery Cables

- A range of PP3 9V battery cables
- Dimensions: 0.98" x 0.51" x 0.15" (approx) without snaps
- Polarized Snap connection
- For PP3 batteries
- #28-12600 has superior heavy-duty pattern, and hard plastic case

MCM Part #	Leads	(1-9)	(10-Up)
28-12600	5.7"	\$0.49	\$0.25
28-12601	5.9"	0.99	0.88



"AAA" or "AA" Clear Plastic Storage Case

Keep your batteries organized and together with this handy "AAA" or "AA" case. Stores up to four "AAA" or "AA" cells for safekeeping. Allows you to sort batteries by alkaline or lithium, used from new, etc. Multiple cases may be linked together. 

MCM Part #	ONLY
28-11412	\$1.49



Battery Tester with LCD Display

- Features: •For testing AAA, AA, C, D, 9V primary and rechargeable batteries
- CR123A, CR2, CR-V3, 2CR5, CR-P2 camera batteries
- 1.5V and 3V button cells
- Powered by one AAA alkaline battery (not supplied)
- Dimensions (HxWxD): 0.91" x 3.46" x 4.65"

MCM Part #	(1-9)	(10-up)
28-12547	\$6.99	\$6.25



Battery Tester



- Use with most popular rechargeable and standard batteries
- Tests batteries under load conditions
- Easy-to-read meter indicates battery condition at a glance

MCM Part #	ONLY
29-1050	\$5.99



Lead Acid Batteries



Sealed Lead Acid Batteries

Replacement batteries used for UPS, emergency lighting, security or any floating application.

Maximum charging current is nominal.



Fig.	MCM Part #	Mfr. #	Voltage	Capacity	Dimensions (L)x(W)x(H)	ONLY
A	294-1375	CyCLON-D 0810-0004	2.0V	2.5Ah	1.34" diameter x 2.65" height	\$9.02
B	294-1380	CYCLON-X 0800-0004	2.0V	5.0Ah	1.74" diameter x 3.16" height	12.78
C	294-1390	0809-0010	4.0V	5.0Ah	3.80" x 2.12" x 3.02"	29.03
D	294-1395	0859-0010	4.0V	8.0Ah	3.81" x 2.13" x 4.00"	28.83
E	294-1405	0859-0012	6.0V	8.0Ah	5.48" x 2.13" x 4.00"	46.85



CSB Sealed Lead Acid Batteries

CSB batteries are used for UPS, emergency lighting, security and any floating application. Maximum charging current is nominal capacity x0.3. All dimensions are in inches.

MCM Part #	Capacity	Dimensions (L) x (W) x (H)	Contact*	ONLY
6 Volt				
29-3085				
GP645	4.5Ah	2.76 x 1.89 x 4.02	A	\$9.99
29-3090				
GP672	7.0Ah	5.94 x 1.34 x 3.70	A	14.99
29-3100				
GP6120F2	12.0Ah	5.94 x 1.97 x 3.70	B	19.99
12 Volt				
29-3110				
GP1222	2.2Ah	7.01 x 1.34 x 2.36	A	14.99
29-1335				
GP1245	4.5Ah	3.5 x 2.75 x 4.0	A	19.99
29-3120				
GP1270F2	7.2Ah	5.95 x 2.56 x 3.70	B	19.99
29-3125				
GP12110F2	11.0Ah	5.94 x 3.98 x 3.70	B	34.99
29-3130				
GP12170	17.0Ah	7.13 x 2.99 x 6.57	C	49.99
29-3135				
GP12260	26.0Ah	6.54 x 6.89 x 4.92	C	69.99

*Contact: A = .187" disconnect, B = .250" disconnect, C = bolt and nut

CSB EVH Series Six Cell 12V 15.0Ah Lead Acid Battery

Designed specially for electric vehicles such as electric golf carts, electric wheelchairs, mowers, dust collectors, etc. Provides high cycling life, high efficiency and long service life. **Specifications:** •15Ah @ 20 hour rate capacity •Dimensions: 4.02" (H) x 5.94" (L) x 3.86" (W) •Weights 9.92 lbs. •F2-Faston tab terminals •Mfr. #EVH12150F2



MCM Part # 29-4645 ONLY \$49.99

CSB XTV Series 12V 7.2Ah Lead Acid Battery

Provides up to 12 years expected life in standby service or more than 260 cycles at 100% discharge in cycle service. The XTV series has very wide operating temperature range, which makes them the choice for harsh duty applications. **Specifications:** •Six cells •7.2Ah @ 10 hour rate •Dimensions: 3.81" (H) x 5.94" (L) x 2.56" (W) •Weights 5.67 lbs. •F2-Faston Tab terminals •Mfr. #XTV1272F2



MCM Part # 29-4655 ONLY \$26.99

CSB PRISM GH Series 6V 3.3Ah Sealed Lead Acid Battery

Designed for general purpose use and provides 3-5 years in standby service or more than 400 cycles at 50% depth of discharge. Economical, lightweight and quality constructed. Rechargeable. **Specifications:** •6V •3.3Ah @ 20 hour rate capacity •Dimensions: 2.64" (H) x 5.28" (L) x 1.34" (W) •Weights 1.52 lbs. •F1-Faston Tab terminals •Mfr. #GH633



MCM Part # 29-4650 ONLY \$14.99

CSB HR Series Six Cell 12V 21.0w/cell Lead Acid Battery

Designed for high efficient discharge application. Its characteristics are high energy density, small footprint and high discharge efficiency. Good for up to 260 cycles at 100% discharge per cycle **Specifications:** •34W @ 15 min. rate capacity •Dimensions: 4.17" (H) x 3.54" (L) x 2.76" (W) •Weights 3.97 lbs. •F2-Faston Tab terminals •Mfr. #HR1221WF2



MCM Part # 29-4640 ONLY \$24.87



NP Series - General Purpose Float and Cyclic Sealed Lead-Acid Batteries

Offering a complete line of rechargeable batteries for a wide variety of applications. Use as a supply of back-up energy, or as a portable power source. The NP series can be stored, charged, or operated in any position without leakage. Qualified to non-spillable UN2800 standards. Standard housing is ABS resin. A flame-retardant version (to UL94-VO) is also available.



MCM Part #	Type	Voltage	Nom. Cap. @ 10 hr. Rate (Ah)	Dimensions (H) x (L) x (W)	Weight (lbs.)	Terminals	ONLY
29-970	NP1.2-6	6V	1.2	2.15" x 3.82" x 0.98"	0.66	Faston Tab 0.187	\$12.99
29-3810	NP3-6	6V	3.0	2.52" x 5.28" x 1.33"	1.43	Faston Tab 0.187	22.99
29-775	NP4-6	6V	4.0	4.15" x 2.76" x 1.85"	1.87	Faston Tab 0.187	9.99
29-780	NP7-6	6V	7.0	3.84" x 5.95" x 1.33"	2.98	Faston Tab 0.187, 0.250 opt.	17.99
29-785	NP10-6	6V	10.0	3.84" x 5.95" x 1.97"	4.41	Faston Tab 0.187, 0.250 opt.	22.99
29-880	NP1.2-12	12V	1.2	2.15" x 3.82" x 1.89"	1.25	Faston Tab 0.187	16.99
29-3830	NP2-12	12V	2.0	3.50" x 5.91" x 0.79"	1.54	Faston Tab 0.187	39.99
29-975	NP2.3-12	12V	2.3	2.52" x 7.01" x 1.34"	2.05	Faston Tab 0.187	27.99
29-790	NP4-12	12V	4.0	4.17" x 3.54" x 2.76"	3.74	Faston Tab 0.187	19.99
29-795	NP7-12	12V	7.0	3.84" x 5.94" x 2.56"	5.84	Faston Tab 0.187, 0.250 opt.	24.99
29-3840	NP12-12	12V	12.0	3.86" x 5.94" x 3.86"	8.82	Faston Tab 0.250	49.99
29-3850	NP24-12B	12V	24.0	4.92" x 6.54" x 6.89"	19.10	0.216 Bolt terminal	79.99
29-3860	NP38-12	12V	38.0	6.89" x 7.74" x 6.50"	30.40	0.260 Bolt terminal	169.00

BATTERY
CS3
HRL Series Six Cell 12V Lead Acid Battery



Designed for high rate discharge and extra long life. Service life up to 10 years. High heat resistance due to special ABS case construction. Compact, light weight and high discharge efficiency. **Specifications:** •34W @ 15 min. rate capacity •Dimensions: 3.87" (H) x 5.94" (L) x 2.52" (W) •Weights 5.95 lbs. •F2-Faston tab terminals •Mfr. #HRL1234WF2FR

MCM Part # **ONLY**
29-4635 **\$32.99**



Battery and Charging System Tester

This tester quickly and accurately measures charge condition to determine whether or not a battery needs to be replaced. Simulates cranking load and evaluates the battery's ability to crank or turn over the vehicle. Features color coded, heavy-duty copper plated clamps and a rugged chrome plated steel case. Tests both 6V and 12V batteries and charging system testers up to 16V. •Mfr. #38050



MCM Part # **ONLY**
28-11369 **\$30.49**



12 Volt Automatic Battery Float Charger

Maintain a charge and extend your battery life while storing cars, motorcycles, boats and farm machinery. Batteries retain battery charge for up to 15 hours at 125A. Safe for gel cell and flooded batteries and has an automatic emergency shut off to protect batteries from damage. Input: 120VAC, 60Hz, 14W. Output: 13.5VDC. •Mfr. #38020

MCM Part # **ONLY**
28-11368 **\$18.49**



Rechargeable, Sealed Lead Acid Batteries

Maintenance free, long life, back-up batteries for alarm applications. Maximum charging current is nominal capacity times 0.3. Connections via .187" disconnect except #82-4765 which is bolt and nut.



MCM Part #	Mfr. #	Capacity	Dimensions (L) x (W) x (H)	ONLY
6 Volt				
82-4740	ELK-0650	5.0Ah	2.8" x 1.8" x 4.0"	\$12.99
12 Volt				
82-4745	ELK-1213	1.3Ah	3.8" x 1.7" x 2.0"	16.99
82-4750	ELK-1250	5.0Ah	2.75" x 2.75" x 4"	18.99
82-4755	ELK-1280	8.0Ah	6.0" x 2.5" x 3.75"	22.99
82-4760	ELK-12120	12Ah	6.0" x 4.0" x 3.75"	46.99
82-4765	ELK-12180	17Ah	7.2" x 3.0" x 6.5"	61.99

Cordless Device Batteries



DANTONA Replacement batteries for popular camcorders. Call your MCM Representative for cross reference information.

MCM Part #	Mfr #	Type	Voltage	Current	(W) x (L) x (D)	ONLY
Canon						
294-0840	CAM-BP511	Li-Io	7.2	240mah	1.5 x 2.25 x 1.5	\$20.07
Panasonic						
294-0980	CAM-322	S.L.A.	12	2300mah	0.94 x 7.17 x 2.43	29.86
294-0975	CAM-350	S.L.A.	12	2000mah	0.94 x 5.6 x 2.55	29.86
RCA						
294-0940	CAM-567	S.L.A.	10	2000mah	2.94 x 4.75 x 1.31	29.86



Digital Camera Batteries

•Designed to provide exact replacement for OEM batteries •Rechargeable batteries for most camera types •Great for adding a spare battery to your camera bag



MCM Part #	Replaces	Voltage	Capacity mAh	(1-4)	(5-up)
CAM-FC11	Sony NP-FC11C	3.6	675	\$17.50	\$15.56
CAM-FM50	Sony NP-FM50	7.2	1500	27.80	24.27
CAM-FS11	Sony NP-F10/11 "s" size	3.6	1140	21.62	19.04
CAM-NB2L	Canon NB-2L	7.4	1000	15.95	13.82
CAM-NP40	Fuji NP-40	3.7	700	8.52	6.88
CAM-NP60	Fuji NP-60, Pentax D-Li2	3.7	1000	8.52	6.88
CAM-NP800	Minolta NP-800	7.4	700	11.83	10.34
CAM-S006	Panasonic S006	7.4	1200	13.89	12.62
294-1775	Sony FM-550	7.2	2000	22.65	20.74
294-1780	Canon NB-4L	3.7	750	12.35	11.13
294-1790	Olympus Li-42B	3.7	700	10.80	9.53
294-1800	Sony NP-BG1	3.6	900	23.16	20.74
294-1805	Nikon EN-EL8	3.7	730	8.74	8.14



Dantona Bar Code Scanner Batteries

•Quality replacement barcode scanner batteries •Please check our website for additional batteries from these and many other manufacturers

Fig.	MCM Part #	Replaces	Volts	mAh	(1-28)	(29-up)
Symbol						
A	294-1870	LS4278	3.6V	750 mAh	\$18.01	\$15.93
B	294-1880	PDT8100	3.7V	1700 mAh	30.89	28.76
C	294-1895	LS3478	3.7V	2300 mAh	49.43	46.38
D	294-1910	ANTARES	7.4V	2300 mAh	55.09	51.18



Apple® iPod® Replacement Batteries

•Replace your dead iPod® batteries with these drop-in replacement batteries, manufactured to original specifications •Choose the standard batteries or extend your runtime with the high-capacity models •Includes replacement tools and instructions



MCM Part #	Description	Apple® #	Capacity	ONLY
iPod® 3rd Generation Slim Model				
294-1585	Replacement	616-0159, E225846	600mAh	\$7.93
PDA-33LI-SPC	Extended Capacity	616-0159, E225846	1100mAh	42.73
iPod® 4th Generation with click wheel				
294-1625	High capacity replacement	616-0183, 616-0198	830mAh	19.56
iPod® Nano™				
PDA-136Li	iPod Nano™ 1st Generation	616-0223, 616-0224	330mAh	20.07
iPod® Photo				
PDA-116Li-HC	High capacity replacement	616-0206	1200mAh	35.52

Panasonic ideas for life

Cordless Telephone Batteries

Genuine Panasonic replacement batteries are ideal for all Panasonic cordless telephones, and work seamlessly with countless other cordless telephones, regardless of the manufacturer. All batteries are packaged with easy-to-understand graphics that clearly delineate battery type and capacity. Chemical consistency: Ni-MH.




Fig.	MCM Part #	Mfr #	Power	Capacity	ONLY
A	P-HHR-P103A/1B	HHR-P103A/1B	3.6V	700mAh	\$18.39
B	P-HHR-P104A/1B	HHR-P104A/1B	3.6V	830mAh	11.14
C	P-HHR-P105A/1B	HHR-P105A/1B	2.4V	830mAh	9.99
D	P-HHR-P301A/1B	HHR-P301A/1B	3.6V	350mAh	5.99
-	P-HHR-P305A/1B	HHR-P305A/1B	2.4V	350mAh	4.99
E	P-HHR-P401A/1B	HHR-P401A/1B	3.6V	1150mAh	16.99
F	P-HHR-P506A/1B	HHR-P506A/1B	2.4V	1500mAh	19.99
G	P-HHR-P513A/1B	HHR-P513A/1B	2.4V	1500mAh	10.97



•Quality replacement FRS radio batteries •Please check our website for additional batteries from these and many other manufacturers

MCM Part #	Replaces	Volts	mAh	(1-9)	(10-up)
Uniden					
294-1815	BP-38	4.8	700	\$6.68	\$5.64
Motorola					
294-1820	53615	3.6	1600	15.44	14.34
294-1825	KEBT-072B	4.8	700	6.68	5.83
294-1830	KEBT-086B	3.6	700	6.68	5.64
294-1860	HKNN4002A	3.6	600	12.86	11.13
294-1850	HKNN9044	7.5	700	7.20	6.62
Midland					
294-1835	BATT-6R	4.8	600	6.68	5.83



DANTONA INDUSTRIES, INC. Quality Makita® and Milwaukee® Replacement Tool Batteries

Fig.	MCM Part #	Volts	mAh	Chemistry	ONLY
Makita® Replacement Batteries					
A	294-0285	7.2V	2000mAh	NICAD	\$48.40
B	294-0295	9.6V	1500mAh	NICAD	29.86
B	294-0300	9.6V	2000mAh	NICAD	58.18
B	294-0305	9.6V	2500mAh	NIMH	55.09
C	294-0315	9.6V	2000mAh	NICAD	51.49
C	294-0320	9.6V	2500mAh	NIMH	76.21
D	294-0325	9.6V	1500mAh	NICAD	37.58
E	294-0340	12V	1500mAh	NICAD	45.31
E	294-0345	12V	2500mAh	NIMH	84.45
F	294-0360	12V	2500mAh	NIMH	62.82
G	294-0375	12V	2500mAh	NIMH	81.87
H	294-0390	14.4V	2500mAh	NIMH	89.08
Milwaukee® Replacement Batteries					
J	294-0470	2.4V	1500mAh	NICAD	22.13
J	294-0475	2.4V	2000mAh	NICAD	25.74
J	294-0480	2.4V	2400mAh	NICAD	29.86
K	294-0540	12V	2400mAh	NICAD	88.57
L	294-0585	18V	2500mAh	NIMH	131.84

Cross Reference

MCM Part #	Dantona #	Cross Reference
294-0285	TOOL-48	7002 HI-CAP
294-0295	TOOL-50	9000 (632007-4)
294-0300	TOOL-51	9002 HI-CAP
294-0305	TOOL-52	9033 (192696-2) SUPER HI-CAP
294-0315	TOOL-56	9101, /A, 9102, /A, 192321-5, 194404-1
294-0320	TOOL-57	SUPER HI-CAP
294-0325	TOOL-61	9120 (192638-6)
294-0330	TOOL-62	9122 (192596-6)
294-0340	TOOL-53	1210 (632277-5)
294-0345	TOOL-54	1210 SUPER HI-CAP
294-0360	TOOL-60	SUPER HI-CAP
294-0375	TOOL-66	1233, 1234, 1235, (192698-A) (193157-5)
294-0390	TOOL-69	1433, 1434, 1435, (192699-A) (193158-3)
294-0470	TOOL-118	48-11-0100
294-0475	TOOL-134	HI-CAP
294-0480	TOOL-119	SUPER HI-CAP
294-0540	TOOL-127	48-11-0300
294-0585	TOOL-87	48-11-2230



DANTONA Cordless Telephone Batteries

INDUSTRIES, INC. Battery failure is the most common cause of cordless telephone problems. Replacing the battery helps reduce or eliminate static, cross talk and reduced range. Dantona offers the broadest range of replacement cordless telephone batteries for today's popular phones.

Fig.	MCM Part #	Con.	Volts	ONLY
A	294-1160	3	3.6	\$3.99
A	294-1300	3	3.6	3.99
A	294-1155	1	3.6	3.99
B	294-1325	1	3.6	6.99
B	294-1365	2*	3.6	6.99
C	294-1095	1	3.6	3.99
C	294-1305	2*	3.6	3.99
C	294-1320	1	3.6	3.99
C	294-1370	1	3.6	3.99
C	294-1100	2**	3.6	3.99
C	294-0740	3	3.6	3.99
D	294-1315	Pressure	3.6	5.99
E	294-1135	Pressure	3.6	6.99
F	294-1310	Pressure	3.6	4.99
F	BATT-2419	Pressure	3.6	4.99
G	294-1330	Pressure	3.6	6.99
G	BATT-511NMH	Pressure	3.6	8.99

Fig.	MCM Part #	Con.	Volts	ONLY
J	294-1340	3	2.4	\$6.99
J	294-1710	1	2.4	3.99
K	294-1350	1	2.4	6.99
L	294-1355	Pressure	3.6	7.99
L	BATT-105	Pressure	2.4	6.99
M	294-1709	Pressure	3.6	6.99
M	294-1360	Pressure	2.4	6.99
N	BATT-CS50	-	3.7	14.99
L	294-1720	Pressure	3.6	6.99
J	294-1725	2	2.4	3.99
B	294-1730	1	3.6	6.99
M	294-1735	Pressure	3.6	6.99
P	294-1740	3	2.4	6.99
P	294-1745	3	3.7	8.99
H	294-1750	1	3.6	6.99

* #2 connector with black lead on left
** #2 connector with black lead on right



R/C Batteries

TENERGY

Universal Smart Charger for Ni-MH/Ni-Cd Battery Packs

Ensure a safer and better charge with this charger that is designed to charge any 5S-10S cell Ni-MH/Ni-Cd battery packs. It gives you a fuller charge for better performance and, over time, more cycles. Ideal for most Ni-MH packs for RC car and airsoft applications. Patent pending "Watchdog" technology provides maximum protection. **Specifications:** •6~12V •Selectable charging current selection 0.9A or 1.8A •Standard Tamiya and temperature sensor installed with charger, one set of female Tamiya to alligator clips and one standard female Tamiya to small male Tamiya included. •Mfr. #01025



MCM Part #

29-5489

ONLY

\$24.99

TENERGY

Dual Power Balancing Charger

Designed to balance charge Ni-MH/Ni-CD/Li-Ion/Li-Poly/Li-Fe/SLA battery packs. Charges each cell individually to make sure they all get fully charged. When your batteries are charged correctly, they perform better. **Specifications:** •2.4~22.2V •50W •5A •Built-in power source •Store up to 10 different battery charging programs •LCD display charging indicator •Includes HiTech, JST, Tamiya, Mini Tamiya, Deans, Traxxas and EC3 charging connectors. •Mfr. #01322



MCM Part #

29-5490

ONLY

\$79.99



TENERGY Lithium Polymer Rechargeable Batteries

RC car and helicopter enthusiasts can always benefit from additional batteries. These high powered Li-Polymer batteries have no memory effect.

Fig. Part #	MCM	Mfr. #	Volts	Capacity	Rating	Connector	ONLY
For radio controlled helicopters							
A	29-5502	30530	3.7V	160mAh	15	Molex	\$6.99
C	29-5504	31104	7.4V	900mAh	10	JST	11.99
D	29-5505	31134	7.4V	900mAh	25	JST	15.99
E	29-5507	31242	11.1V	1350mAh	20	EC3	25.99
G	29-5509	31261	11.1V	2200mAh	25	EC3	32.99
H	29-5510	31280	11.1V	2200mAh	25	Deans	32.99
For radio controlled cars							
J	29-5506	31199	7.4V	5000mAh	50	Deans	96.99
K	29-5511	31289	11.1V	5000mAh	25	Traxxas	78.49



TENERGY

Side by Side Receiver RX Battery Packs

Made of high quality matched NiMH AA cells, these rechargeable packs are for Futaba, Hitec, JR or compatible radio systems. **Specifications:** •No memory effect •2000mAh capacity •Hitec connector attached.

MCM Part #	Mfr. #	Voltage	ONLY
29-5491	11001	4.8V	\$7.99
29-5492	11106	6V	10.99



TENERGY
Ni-MH Battery Packs

Designed for electric radio controlled cars and Airsoft guns. Made of high quality matched Ni-MH sub "C" size cells, these batteries have high power delivery with no memory effect. #29-5499 contains "AA" size batteries compatible with all popular Radio Shack® and Nikko® RC cars.

MCM Part #	Mfr. #	mAh	Connector	ONLY
7.2V				
29-5493	11200	3800	Standard Tamiya	\$25.99
29-5494	11202	4200	Standard Tamiya	32.99
29-5495	11204-01	3000	Standard Tamiya	21.99
29-5496	11226	5000	Traxxas	41.99
29-5497	11228	5000	Standard Tamiya	39.99
8.4V				
29-5498	11346	5000	Traxxas	45.99
9.6V				
29-5499	11401-01	2000	Standard Tamiya	16.99



TENERGY RC Car Battery with Charger

These Ni-MH rechargeable battery packs are ideal replacements for general hobbyist radio controlled fun. The plug and play AC charger makes it easy to use. The advanced Ni-MH power allows for faster acceleration and maximum speed with a quick response and longer run time. Uses standard Tamiya connector.

MCM Part #	Mfr. #	Volts	Capacity	Cell	ONLY
29-5500	91102	9.6V	2000mAh	AA	\$24.99
29-5501	91103	7.2V	3000mAh	SC	32.99

RATE A PRODUCT
 or write a product review!

 Sign in on our website
www.mcmelectronics.com

AC Adapters




#23-746 #23-747 #23-748 **DC Power Cords**

Great for connecting laptop computers to bench-top DC power supply binding posts, or replacing damaged laptop power adapter cords. Simply cut-off the banana plugs and strip the leads if required to suit specific applications. 5' cord length.

Fig.	MCM Part #	Plug Dimensions (OD x ID x L)	ONLY
A	23-746	5.5mm x 2.5mm x 12.0mm	\$4.36
B	23-747	4.75mm x 1.75mm x 12.0mm	4.36
C	23-748	6.5mm x 3.0mm x 12.0mm	4.36

Universal AC/DC Adapters

MCM's unique line of AC/DC adapters allow the user to select the best adapter and plug to suit the application. All adapters are UL listed. Input voltage 120VAC. Cord length 6'. Polarity can easily be changed by reversing the plug. Select the voltage and current rating for the adapter and select the appropriate plug for your application.



Adapters

MCM Part #	Output V	Output mA	(1-9)	(10-up)
28-3050	6VDC	300mA	\$4.99	\$4.45
28-3055	6VDC	500mA	5.99	5.25
28-3060	9VDC	250mA	4.99	4.25
28-3065	9VDC	500mA	4.99	4.22
28-3070	12VDC	250mA	5.99	5.25
28-3075	12VDC	500mA	5.99	5.25

Plugs

MCM Part #	Fig.	Type	(1-9)	(10-up)
28-3095	A	5.5mm x 2.1mm	\$0.69	\$0.62
28-3100	B	5.0mm x 2.5mm	0.69	0.62
28-3235	C	9V battery clip	1.29	1.09

6' Nintendo Type AC Adapter

Replacement power adapter for Nintendo game system. Replaces Nintendo #NES002. Works for system NES001. Input voltage 120VAC, 60Hz. Output voltage 9VAC, 1300mA. 6' line cord.



MCM Part #	(1-9)	(10-up)
28-2090	\$7.99	\$7.25

DC Plug Kit

Make sure you have the DC plug you need, when you need it, with this wide assortment of interchangeable DC plugs. •16 different interchangeable DC plugs •All popular sizes •Standard 2-pin connection, compatible with most universal AC/DC adapters •Labeled storage case




MCM Part #	ONLY
28-11118	\$5.99



MCM pro-POWER DC Plug Adaptors

A range of interchangeable DC plug adapters ideal to adapt power supplies with fixed output plugs. **Features:** •Four common sizes available •Universally compatible solution •Low cost alternative to replacing existing PSU's •2.35x0.75mm for use on all listed power supplies with interchangeable DC tips

MCM Part #	Description	(1-9)	(10-Up)
28-12596	2.1mm to 2.5mm	\$0.49	\$0.48
28-12597	2.5mm to 2.1mm	1.49	1.38
28-12598	2.1mm to 1.3mm	1.99	1.66
28-12599	2.35mm x 0.75mm	0.49	0.26



AC/DC Adapters

Fig.	MCM Part #	Description	Output(V)	Amps	Tip Description	Polarity	Length	(1-9)	(10-up)
A	28-2205	6V high power AC/DC adapter	6VDC	800mA	5.5mm x 2.0mm	Negative	6'	\$8.99	\$8.25
A	28-2780	18V AC to DC adapter	18VDC	300mA	5.5mm x 2.1mm	Positive	6'	4.99	4.65
A	28-2785	12V AC to DC adapter	12VDC	200mA	5.5mm x 2.1mm	Positive	6'	4.99	4.65
A	28-2790	9V AC to DC adapter	9VDC	250mA	5.5mm x 2.1mm	Positive	6'	5.99	5.25
B	28-1440	Tote-Vision type AC/DC adapter	12VDC	1A	2.5mm x 5.5mm barrel	Positive	6'	10.99	10.32
C	28-058	Atari type video game adapter (Atari #C014034)	9VDC	500mA	3.5mm plug	Positive	14'	8.49	7.49
D	28-11123	5V AC to DC adapter	5VDC	1A	3.5mm x 1.35mm	Positive	6'	7.99	7.25
D	28-11124	5V AC to DC adapter	5VDC	1A	2.5mm x 5.5mm	Positive	6'	8.99	8.25



Ultra Compact AC Adapters

UL and CSA listed AC to DC switching power supply suitable for security cameras and other portable electronic devices. Light weight, compact and efficient switch mode design incorporates highly regulated output within $\pm 0.25V$ of rated output, even with no load. Input: 100V~240V 50~60Hz. Output: 12VDC. 5' output cord with 5.5mm x 2.1mm center positive coaxial DC power plug.

Fig.	MCM Part #	Output	ONLY
A	82-11320	500mA	\$4.99
B	82-11321	1.0A	11.99
C	82-11322	1.5A	15.99

6' Universal AC/DC Adapter

•Output: 3V, 4.5V, 6V, 7.5V, 9V, 12VDC
•Amps: 500mA
•Six interchangeable tips
•Reversible tip polarity



MCM Part #	(1-9)	(10-up)
28-1265	\$8.99	\$8.25

DC/DC Switching Power Adapter

This compact size switching power DC/DC car converter is ideal for all electrical items drawing up to 1.5 AMP from your car.

Features: •Fully regulated to assure that a constant, accurate DC power is delivered •Voltage selectable via switch: 3, 4.5, 6, 7.5, 9, or 12V •Fused plug fits all different cars with accessory outlet •LED power indicator •Six most commonly used tips



MCM Part #	(1-9)	(10-up)
29-6305	\$8.99	\$8.25

5VDC 5A Switch Mode AC Adaptor

Highly efficient power supply is ideal for charging and powering a variety of portable devices. Close output regulation ensures precise 5VDC output, even at very small loads, making this an ideal replacement for virtually any 5VDC adaptor. Output connector, 2.1mm ID, 5.5mm OD. Input power cord sold separately.



MCM Part #	Description	ONLY
28-11635	Adaptor	\$17.49
23-190	C8 Power Cord	7.59

12VDC 3A Switch Mode AC Adaptor

Highly efficient power supplies are ideal for charging and powering a variety of portable devices. Close output regulation ensures precise 12VDC output, even at very small loads, making them ideal replacement for virtually any 12VDC adaptor. Output connector, 2.1mm ID, 5.5mm OD. Input power cord sold separately.



MCM Part #	Description	(1-9)
28-11645	12VDC, 3A Adaptor	\$14.49
23-190	C8 power cord	7.59

DC Power Polarity Checker

•Prevent potential damage to equipment •LED indicates whether center pin positive, negative, or AC •3V~15VAC/DC •Accepts 2.1mm and 1.3mm DC plugs, and 3.5mm mono plug



MCM Part #	ONLY
28-11119	\$0.99

Wall Adapter Barrel to 5V/3.3VDC Power Supply

•Accepts normal 9V 2.1mm barrel connector, and outputs regulated 5V and 3.3V with a combined 200mA
•Output headers are standard 2.54mm spacing so you can insert directly onto breadboard
•Designed for rapid prototyping



MCM Part #	(1-9)	(10-up)
28-17745	\$7.99	\$7.91

9VDC 1A Wall Adapter Power Supply

•High quality switching wall wart AC to DC 9V 1000mA wall power supply •These are switch mode power supplies which mean the output is regulated to 9V and the capable output current is much higher (1000mA) •Please note, this specific supply (9V/1A) is also FCC/CE certified
•Center-positive 5.5x2.1mm barrel connector



MCM Part #	(1-9)	(10-up)
28-17746	\$5.49	\$5.44

AC USB Chargers

AC/DC Dual USB Charger

•Charge two USB devices simultaneously •Input Voltage: 100-240VAC, 0.3A •Output Voltage: 5VDC, USB Jacks •Maximum current: 2A (1A per port if both in use) •Dimensions: 2.9" (L) x 1.1" (W) x 1.6" (D)



MCM Part #	(1-9)	(10-up)
28-13010	\$17.49	\$15.79

AC Adapter with USB Outlet

•AC adapter with female USB socket •Input plug folds flat for travel •Voltages: 100~240VAC input, 5VDC 1A output •Compatible with Magellan™ GPS, Blackberry™ and Motorola Razr™ as well as other USB powered devices



MCM Part #	(1-9)	(10-up)
28-10997	\$8.99	\$8.06

Universal DC Adapter

•DC adapter with cigarette lighter socket •Use DC devices around the world •Voltages: 12VDC or 100~240VAC input, 13.5VDC 1A output •Includes UK plug adapter, other countries available



MCM Part #	(1-9)	(10-up)
28-11000	\$11.99	\$11.11

360electrical Mini USB Cube Charger

Compact USB wall charger help keep you charged wherever you go. **Features:** •1A quick charging for smartphones and E-readers •Quick-fold plug for easy travel •Green charging LED shows that the cube is in use •Input: AC 100-200VAC/50-60Hz •Output: 5V/1A



MCM Part #	ONLY
28-16840	\$17.99

GRIFFIN PowerBlock Micro USB Wall Charger

•Low-profile AC charger fits easily in wall outlets and power strips •Charges iPhone®, dock connector iPod® models, even 1st generation iPod shuffle or most other USB-chargable devices •Super-compact 100 to 240 volt, 5W AC charger for USB devices •Designed to save energy when not in use, without sacrificing performance •Includes detachable USB charge/sync cable for iPod® and iPhone®



MCM Part #	(1-9)	(10-up)
28-12641	\$34.99	\$33.22

GRIFFIN

PowerBlock USB Wall Charger

PowerBlock charges iPhone®, many iPod® models, even 1st generation iPod® shuffle, or any other USB-chargeable device. **Features:** •Power-saving design uses less energy, saves money, and helps protect the environment •100 to 240 V AC charger in a slim, fold-flat design •Non-polarized blades fit most outlets and power strips •At-a-glance power status LED indicator •Detachable 3.25" USB dock connector cable

MCM Part #	(1-9)	(10-up)
28-12640	\$34.99	\$33.22

GRIFFIN

PowerDuo Auto/AC Adapter Kit

•Combines the best-selling PowerBlock AC charger and PowerJolt 12 volt auto charger in one convenient bundle •The included dock cable can be used separately to charge or sync your iPod™, iPhone™, or iPad™ •Charge other devices using the cable that comes with the device •Delivers 10W of power for high drain devices •PowerBlock's fold-flat, non-polarized blades fit wall outlets, power strips, and your luggage •Built-in resetting circuit protection with no fuses to replace •Illuminated power indicator

MCM Part #	(1-9)	(10-up)
28-12643	\$43.99	\$42.03

GRIFFIN

PowerBlock Dual Universal USB Wall Charger

•Charge MP3 players and other USB devices, two at a time •5W of charging power through each USB port •Works with AC outlets from 100 to 240 volts •Smartphone compatible: works with iPhone™, Motorola Droid, Palm Pre, most BlackBerry models and other smartphones that charge via USB

MCM Part #	(1-9)	(10-up)
28-12642	\$27.99	\$26.57

GRIFFIN

PowerDuo Micro Auto/AC Adapter Kit

•Combines the micro form-factor PowerBlock AC charger and PowerJolt 12 volt auto charger in one convenient bundle •Charge an assortment of devices at home or in your car •Fast 5W (1 amp) charging for all USB-chargeable devices •Auto adapter charges two devices at once •Built-in SmartFuse circuit protection; no fuses to replace

MCM Part #	(1-9)	(10-up)
28-12644	\$39.99	\$37.94

GRIFFIN

PowerDock Dual Charging Station

•Docking station lets you use your iPad and iPhone or iPod while it is charging •Even the speakers of your iPad are unobstructed, with sound channels that let the sound out so you can listen while you watch •Perfect for bedside entertainment or a quick reference on your countertop •Valet dish for your change and keys •AC power supply included

MCM Part #	(1-9)	(10-up)
28-12645	\$72.49	\$69.51

Innergie USB Wall Charging Kits

The 15W dual USB adapter charges up to two portable devices at the same time including iPad™, iPhone™, iPod™, tablets, smartphones, mp3 players, and more. The kit also includes a multi-tip 2-in-1 cable, with mini and micro USB tips, eliminating the need for multiple charging cables. **Specifications:** •AC Input: 100-240V AC/0.6A 50-60Hz •USB Output: 5V / 3A

MCM Part #	ONLY
28-11735	\$35.49

Innergie mMini AC15

The 15W dual USB adapter charges up to two portable devices at the same time including iPad™, iPhone™, iPod™, tablets, smartphones, mp3 players, and more. **Specifications:** •AC Input: 100-240VAC/0.6A 50-60Hz •USB Output: 5VDC/3A •Output power: 15W •Dimensions: 1.7" x 1.7" x 0.9" •Weight: 1.8 oz. •Built-in protection: Over current protection, over voltage protection, over temperature protection, over power protection and short circuit protection •Efficiency: 75%

MCM Part #	ONLY
28-11745	\$26.49

Velleman Compact Switching Power Supply

Features: •Switch mode design for high power in a lightweight, compact size •Selectable output voltages of: 3V, 4.5V, 6V, 7.5V, 9V and 12VDC •Current capacity of: 1.5A@ 3-6VDC, 1.2A@ 7.5VDC, 1.0A@ 9VDC, .75A@ 12VDC •9VA maximum output •Short-circuit and overload protection •Power requirements: 100-240VAC, 50/60Hz •Includes 6 selectable output jacks

MCM Part #	ONLY
72-6773	\$14.99



newer technology

AC/USB Wall Outlet

Wall outlet offers a convenient, centralized location to charge and power two iDevices, MP3 players, digital cameras and other AC/USB chargeable devices. An energy efficient "Smart Power" design with Safety Shutter reduces energy costs by providing only the charging amount needed, as well as turning power off to USB ports when a connecting cable is removed. A step-by-step manual is included to easily install into a standard wall outlet box. •Mfr. #NWTWPWR2USB

MCM Part #	ONLY
29-5600	\$29.99

USB Power Charger

This is a great on-the-go USB charger. The fold-up AC prongs allow it to be packed away when not in use. Charges almost anything with a USB connection. **Features:** •Connect any portable device with existing USB sync/charge cable •Lightweight and compact design for portability •Retractable prongs •LED indicator light

MCM Part #	ONLY
28-11294	\$12.99

iPod™/iPhone™ Desktop Charger

Features: •Compatible with iPhone 3G / 3GS / 4G and iPod™ Touch •Desktop charger •Synchronises data with iTunes™ •3.5mm line out, allowing easy speaker connection •Available in black or white •Contents: 1x Docking station, 1x USB/Data synchronisation cable

MCM Part #	Color	(1-9)	(10-up)
28-12590	Black	\$16.49	\$16.20
28-12591	White	16.49	16.20

RCA USB Charger

This charger converts any standard 110V power outlets into two USB charging outlets. The 2.1A outlet is optimized for iPad™. USB puck includes cover, making it perfect for travel.

MCM Part #	Mfr. #	Color	ONLY
28-11625	PCHUSB3R	Black	\$13.99
28-11630	PCHUSB2R	White	\$13.99

RCA   **USB**
USB Tabletop Charger

Put a USB and AC outlet where you need them most, from the bedroom, office, family room or kitchen. The 30-pin charging connector is compatible with iPod® and iPhone®. The USB outlet has fast, full-speed charging for smartphones or tablets and the 2.1A outlet is optimized for iPad®. Also includes a convenient AC outlet for other electronics such as lamps or clocks. •Mfr. #PCHSTAB1R



MCM Part #	ONLY
28-11620	\$26.49

  **USB**
USB Wall Plate Charger

This handy wall plate charger converts any standard 110V power outlet into two USB charging outlets. It plugs into an existing outlet to charge in any room in your house. The 2.1A outlet is optimized for iPad®, but can be used for any USB device. Also includes a convenient pass-thru outlet for other electronic uses.



MCM Part #	Mfr. #	Color	ONLY
28-11610	WP2UWR	White	\$21.49
28-11615	WP2UAR	Almond	21.49



Round Shuko Foreign Travel Adapter

•Allows for use of electric appliances in foreign countries

MCM Part #	(1-4)	(5-9)
28-1960	\$0.99	\$0.85

PNY 
3.1A Dual Port USB Wall Charger

Turn any wall outlet into a dual-port charging station. Charge two devices from a single location and stay powered on the go. **Features:** •5V output to 2.1A + 1A •100~240VAC input •Foldaway prongs for convenient travel •Universal USB ports for wide range of devices •Dual outputs for multi-device charging 



MCM Part #	Color	(1-9)	(10-up)
28-17857	Black	\$9.99	\$9.25



NEW!

2.1A USB Car Charger

The Rapid USB car charger is compatible with today's most popular devices including the iPhone®, iPad®, Android™ devices, BlackBerry®, and Windows® 7 Phones. **Features:** •5VDC output at 2.1A (2,100 mAh) •12~18VDC input •Universal USB port for wide range of devices •LED indicator light •Convenient size for use in vehicle 



MCM Part #	Color	(1-9)	(10-up)
28-17859	Black	\$8.99	\$8.25
28-17860	White	8.99	8.25

DURACELL 
iPhone™ 5 AC Adapter

NEW!

•Duracell home charger with Apple™ Lightning plug •Includes 24" cord •Mfr. #DU5265 



MCM Part #	(1-9)	(10-up)
28-17841	\$23.49	\$22.79

DURACELL 
Mini Home Charger with Mini USB Sync Cable

NEW!

•Mini home charger with USB plug •Includes 24" Mini USB sync and charge cable •Mfr. #DU1574 Black 



MCM Part #	(1-9)	(10-up)
28-17844	\$12.99	\$12.60

DURACELL 
Mini USB Home Charger with 30 Pin Sync Cable

NEW!

•Home charger with a USB port •Includes 24" 30 pin sync and charge cable •Mfr. #DU1573 Black 



MCM Part #	(1-9)	(10-up)
28-17846	\$12.99	\$12.60

DURACELL 
Mini Charging Kit

NEW!

•Mini charging kit includes a Mini USB home charger and a Mini USB car charger •Kit also includes a 30P Sync and charge cable •Mfr. #DU1571 Black 



MCM Part #	(1-9)	(10-up)
28-17848	\$15.99	\$15.51

DURACELL 
Mini Charging Kit

NEW!

•Mini charging kit includes a Mini USB home charger and a Mini USB car charger •Kit also includes a Mini USB Sync and charge cable •Mfr. #DU1572 Black 



MCM Part #	(1-9)	(10-up)
28-17849	\$15.99	\$15.51

DURACELL 
Retractable Multi-tip Charging Cable

NEW!

•Retractable charging cable with six tips •Tips include Apple™ 30 Pin, Micro USB, Mini USB and others •Cable connects to a USB port •Mfr. #DU6130 Black 



MCM Part #	(1-9)	(10-up)
28-17850	\$9.99	\$9.69

DURACELL 
Home Charger with USB Port

NEW!

•AC Adapter charger with USB plug •Power Rating 5V 1A •Mfr. #DU6134 Black 



MCM Part #	(1-9)	(10-up)
28-17853	\$6.49	\$6.30

DC USB Chargers

Innergie

Magic Cable Trio

Integrated 3-in-1 smart tip design allows you to charge and sync iPod®, iPhone®, and iPad® and other mini and micro USB devices with one cable. Includes mini and micro USB tips and Apple™ USB tips and Apple™ connector. Cable length: 0.65'

MCM Part #
28-11760

ONLY
\$23.49

Innergie

Magic Cable Duo

Integrated 2-in-1 smart tip design allows you to charge and sync iPod®, iPhone®, and iPad® and other micro USB devices with one cable. Includes Apple™ connector and Micro USB tip. 2.6' cable.

MCM Part #
28-11755

ONLY
\$23.49



2.1A Mobile USB Charger

Convert your car's automotive power socket into a 4-USB charging adapter. You can use it to charge four USB enabled devices simultaneously or charge your iPad® while leaving the other three ports free. Charge your phone, camera, MP3 player and GPS while you drive. **Specifications:** •Input voltage: 12VDC or 24V •USB output: 5V/2.1A

MCM Part #
28-11414

ONLY
\$5.99

Innergie
USB Car Charging Kit

Portable and powerful 10W dual USB auto adapter turns any car charging outlet into two USB power ports. The kit also includes a multi-tip 2-in-1 cable, with micro USB tip and Apple connector, eliminating the need for multiple charging cables. **Specifications:** •DC Input: 12V DC / 1.5A •USB Output: 5V / 2.1A

MCM Part #
28-11740

ONLY
\$35.49

Innergie mMini DC10

The 10W dual USB auto adapter charges up to two portable devices at the same time including iPad®, iPhone®, iPod®, tablets, smartphones, mp3 players, and more. **Specifications:** •DC Input: 12VDC/1.2A •USB Output: 5VDC/2.1A •Output Power: 10W •Dimensions: 2.7" x 0.9" x 0.9" •Weight: 0.76 oz. •Built-in protection: Over current protection, over voltage protection, over power protection and short circuit protection •Efficiency: 86%

MCM Part #
28-11750

ONLY
\$23.49



Innergie

Duo USB Travel Charging Kit

Portable and powerful 15W dual USB wall adapter and 10W dual USB auto adapter turns any wall outlet and car charging outlet into two USB power ports. Includes a multi-tip 2-in-1 cable, eliminating the need for multiple charging cables, a micro USB tip and Apple tip. **Specifications:** •Car charger: 12VDC/1.5A DC input, 5V/2.1A USB output •AC charger: 100~240VAC/0.6A AC input, 5VDC/2A USB output

MCM Part #
28-11730

ONLY
\$38.99



RATED
★★★★★

AC/DC Adapter
with USB Outlet

•Combination AC and DC adapter with female USB socket •Input plug folds flat for travel •Voltages: 12VDC or 100~240VAC input, 5VDC 1A output •Compatible with Magellan™ GPS, Blackberry™ and Motorola RAZR® as well as other USB powered devices

MCM Part #
28-10999

(1-9)
\$9.99

(10-up)
\$9.08

GRIFFIN

RoadTrip FM Transmitter

RoadTrip is the do-it-all in-car charge and play solution for your iPhone® or iPod®. **Features:** •Play music from your iPhone® or iPod® on your car stereo •Charges your iPhone® or iPod® while you listen •Power provided by your 12 volt power outlet (no batteries required) •One-button SmartScan setup •Recall frequency settings with easy-to-use presets •Exclusive SmartSound technology auto-adjusts the signal for clearest possible sound •Flexible steel neck and case-friendly cradle holds your iPod or iPhone always within reach **Specifications:** •Maximum Current: 2A •Output Power: 5W (5VDC, 1A) •RF Output Range: 88.1 MHz to 107.9 MHz

MCM Part #
28-12646

(1-9)
\$69.99

(10-up)
\$67.89



GRIFFIN

iTrip Auto FM Transmitter/Car Charger

iTrip Auto combines Griffin's renowned FM transmitter technology with an integrated charger that plugs into a car's 12 volt accessory outlet. **Features:** •SmartScan button automatically selects the best frequency to transmit on •Inline remote control •Assignable presets •SmartSound automatic signal enhancement App integration for iPhone™ and iPod™ touch with free iTrip app

MCM Part #
28-12647

(1-9)
\$54.99

(10-up)
\$53.34

GRIFFIN

iTrip FM Transmitter

•One-touch setup and tuning: SmartScan finds the best FM frequency for you •Bright illuminated display for easy viewing in any light •Pass-through connector so you can charge using a Micro-B USB cable •Track Controls: Play, pause, forward and back from iTrip's display •iTrip Controller App: Control iTrip from your Multi-Touch display •Output RF range: 88.1 MHz to 107.9 MHz

MCM Part #
28-12648

(1-9)
\$49.99

(10-up)
\$48.49



GRIFFIN

iTrip AutoPilot

•Simple, 1-cable design combines easy-to-use FM transmitter, auto charger, and dash-mounted remote control for iPod™ and iPhone™ •AutoPilot lets you control your iPod™ from your dash or console with the touch of a finger •Industry-leading SmartScan one-button setup scans the radio dial for the best frequencies to get you started quickly •SmartSound technology automatically adjusts the signal level to deliver best-possible sound under noisy, real-world conditions •High-contrast illuminated display •Free iTrip app from the App Store lets you control all iTrip AutoPilot functions from your iPhone™ or iPod™ touch

MCM Part #
28-12649

(1-9)
\$79.99

(10-up)
\$77.59

GRIFFIN

RoadTrip Handsfree

•Play your iPod™ or iPhone™ on your car's FM stereo while you recharge its battery •Power provided by your 12 volt power outlet (no batteries required) •Flexible steel neck and case-friendly cradle holds your iPod™ or iPhone™ securely where you want it •Easy SmartScan 1-button setup finds the best frequency for you •Griffin SmartSound adjusts the signal for best sound, always •Griffin-exclusive up-front controls give you eyes-free fingertip control •Bluetooth pairing and built-in mic let you and your smartphone use RoadTrip as a handsfree speakerphone



MCM Part #	(1-9)	(10-up)
28-12650	\$79.99	\$77.59

GRIFFIN

WindowSeat Three Handsfree

•Mounts your smartphone at eye level on your car's windshield, window, or dashboard, putting street maps, directions and more safely in view and within reach •3-point mounting bracket securely grips your smartphone •Heavy-duty lever-action suction pad stays put on your windshield •Self-adhesive dashboard mount provides secure mounting surface on dash or console •Quick, secure viewing angle adjustments with swiveling ball-and-socket joint •Auxiliary audio cable with built-in mic for handsfree phone calls •Accommodates large phones and bulky cases •Cable-control hook prevents dangles and tangles



MCM Part #	(1-9)	(10-up)
28-12654	\$43.49	\$41.64



GRIFFIN PowerJolt SE USB Charger

PowerJolt SE sports a low-profile 12 volt adapter and a powerful 10W charging circuit so your iPad®, iPhone® or iPod® can power up quickly and safely. **Features:** •10W charger safely powers iPad®, iPhone® and most iPod® models •Coiled cable stretches to 23.5" •LED power indicator glows when PowerJolt is properly connected and ready to charge •Built-in SmartFuse circuit breaker; no fuses to replace •Input voltage range: 12 to 16 volts DC at 2 amps •Output power: 10W (5 volts DC at 2.1 amps)

MCM Part #	(1-9)	(10-up)
28-12636	\$22.99	\$22.30

GRIFFIN

iTrip Auto Universal Plus

•Wirelessly transmits audio from any device to your car stereo over selectable FM frequency •Powered by 12V accessory outlet, no battery required •Built-in USB port lets you simultaneously charge any USB device •3.5mm audio input •SmartScan technology automatically selects the best frequency



MCM Part #	(1-9)	(10-up)
28-12651	\$39.99	\$38.79

GRIFFIN

WindowSeat Mobile Handsfree Car Kit

•The complete hands-free phoning, music-playing, charging, and cradle solution for iPhone™ and smartphones •Five essential components to keep your device secure, charged, and connected •WindowSeat windshield/dashboard mount and cradle •Combo mic + AUX cable sends music to your car stereo and lets you talk hands-free •PowerJolt Universal 5W (1 amp) charger •Included dock adapter and USB to micro-USB cable, together, support charging for a wide variety of devices



MCM Part #	(1-9)	(10-up)
28-12655	\$54.99	\$52.54

GRIFFIN

PowerJolt Dual USB Charger

•12 volt charger for iPad®, iPod®, iPhone®, tablets, and other USB devices •Charge two USB devices at once, with separate charge indicators •Delivers 10W per port (5 volts DC at 2.1 amps) •Includes dock cable for iPad®/iPod®/iPhone® and works with other USB charging cables •SmartFuse protects against surges, with no blown fuses to replace



MCM Part #	(1-9)	(10-up)
28-12637	\$34.99	\$33.22

GRIFFIN

TuneFlex Aux Handsfree Kit

Use your car stereo's AUX port to listen to your iPod™ or listen and talk hands-free on your iPhone™ while you charge its battery. **Features:** •Flexible steel neck and swiveling cradle holds your iPhone™ or iPod™ where you want it •No need to remove your iPhone™ or iPod™ from its case •AUX/Mic cable connects your music to your car stereo •High-sensitivity hands-free mic for phone calls •AUX cable sends call audio through your car's speakers •LEDs on charging base light up to show when TuneFlex is receiving power and ready to charge



MCM Part #	(1-9)	(10-up)
28-12653	\$39.99	\$38.79

GRIFFIN

PowerJolt Micro USB Charger

•Works in your vehicle's 12 volt power outlet •Delivers 10W of fast charging for iPad®, iPhone®, or iPod® •Includes detachable iPad® sync cable •Also compatible with other USB charging cables •Super compact form factor •SmartFuse circuit breaker means no fuses to replace



MCM Part #	(1-9)	(10-up)
28-12638	\$22.99	\$22.30

GRIFFIN

PowerJolt Dual Micro USB Charger

•Auto charger for iPhone® and iPod® •5W per port (5 volts @ 1 amp) for fast charging •Use the included dock cable to plug your iPhone® or iPod® into either of PowerJolt Dual's two USB ports •Use the other port to charge something else at the same time •Provides fast charging for almost any device that charges via a standard USB connector •SmartFuse protects with a built-in circuit breaker; no fuses to replace



MCM Part #	(1-9)	(10-up)
28-12639	\$23.49	\$22.31

Philmore**DC/DC Dual USB Charger**

•Charge two USB devices simultaneously •High output 2.1A each port for iPad and other high drain devices •Input Voltage: 12-24VDC •Output Voltage: 5VDC, USB Jacks •Maximum Current: 2.1A per port •Replaceable fuse protection 

MCM Part #	(1-9)	(10-up)
28-13005	\$16.99	\$15.82

**Philmore****DC/DC USB Charger**

•Charge USB devices on the go with this cigarette lighter adaptor •Provides 2.1A output for iPad™ and other high current devices •Input Voltage: 10-16VDC •Output Voltage: 5VDC, USB Jack •Built-in red LED power indicator light 

MCM Part #	(1-9)	(10-up)
28-13050	\$13.49	\$12.03

**In-Car Charger for iPod™ and iPhone™**

Features: •In-car charger kit for Pod™ and iPhone™ •Ideal for travel •Small compact design •Includes Apple approved charger/sync cable Specifications: •Input Voltage: 12-13.8V DC •Output Voltage: 5V DC •Output Current: 1000mA max •Dimensions (L x W): 2.48" x 0.79"

MCM Part #	(1-9)	(10-up)
28-12593	\$7.49	\$7.20

**MCM pro-POWER****In-Car USB Power Supply**

•Miniature in-car USB adaptor •Ideal for use with all USB powered devices such as iPod™, iPhone™, MP3 and Smart Phones •Small compact design Specifications: •Input Voltage: 12-13.8V DC •Output Voltage: 5V DC •Output Current: 1000mA max •Dimensions (L x W): 2.48" x 0.79" •Color: White

MCM Part #	(1-9)	(10-up)
28-12586	\$2.99	\$2.69

**MCM pro-POWER****In-Car USB Power Supply**

Features: •Miniature in-car USB adaptor •Ideal for use with all USB powered devices such as iPod™, iPhone™, MP3 and Smart Phones •Small compact design •Colour: Black Specifications: •Input Voltage: 12-13.8V DC •Output Voltage: 5V DC •Output Current: 1000mA max •Dimensions (L x W): 2.48" x 0.79"

MCM Part #	(1-9)	(10-up)
28-12587	\$2.99	\$2.95

**In-Car Power Supply with USB and Cigar Socket**

Features: •In car power supply with dual output sockets •12V cigar socket with 5A output •5V USB socket with 1A output •Will power or charge multiple devices Specifications: •Input Voltage: 12-13.8V DC •Output USB: 5V / 1000mA •Output Cigar Adaptor: 12V / 5000mA •Dimensions (HxWxD): 4.17" x 2.05" x 1.3"

MCM Part #	(1-9)	(10-up)
28-12588	\$3.99	\$3.90

**Mini USB Mobile Charger**

Very compact USB charger for mobile use •Plugs into auto, boat or camper lighter and provides a 5V 800mA output to charge cell phones and other USB devices •Red light indicates charger is in use •CE and FCC approval •Dimensions: 41.25mm (H) x 26mm (D) •Mfr. #CDC-1001 

MCM Part #	(1-10)	(11-up)
28-11312	\$4.11	\$3.59

**USB Car Power Adapter**

With this adapter there is no need to buy that expensive car charger for your cell phone. If your phone can charge through USB, you can use this adapter to plug it right into the cigarette lighter or accessory port in your car. It will also charge most iPods or MP3 players. Features: •Charge any portable device with existing USB sync/charge •Has a standard USB port and a mini USB port •Fits into any car cigarette lighter port

MCM Part #	ONLY
28-11293	\$9.99

**USB DC Power Cord**

•12VDC adapter with 5V 2A USB plug •Mini-USB 5 pin male plug with 6' coiled cord •Compatible with Blackberry™ and Motorola Razr™ as well as other USB powered devices

MCM Part #	(1-9)	(10-up)
28-10996	\$7.99	\$7.27

Micro USB In-Car Mobile Phone Charger

Features: •In-Car charger for mobile phones •Micro USB connector - common for all new mobile phones •Stay charged up at home, at work or on the move

MCM Part #	(1-9)	(10-Up)
28-12594	\$8.99	\$8.99

**DURACELL****iPhone™ 5 DC Car Charger**

•Duracell car charger with Apple™ Lightning plug •Includes 3.5' coiled cord •Mfr. #DU5264 

MCM Part #	(1-9)	(10-up)
28-17840	\$22.99	\$22.30

**DURACELL****Mini Car Charger with Mini USB Sync Cable**

•Mini car charger with USB plug •Includes 2' Mini USB sync and charge cable •Mfr. #DU1584 Black 

MCM Part #	(1-9)	(10-up)
28-17843	\$10.49	\$10.18

**DURACELL****Dual Mini USB Car Charger with 30 Pin Sync Cable**

•Mini DC car charger with dual USB ports •Includes 2' 30 pin sync and charge cable •Mfr. #DU1575 Black 

MCM Part #	(1-9)	(10-up)
28-17845	\$12.99	\$12.60



DURACELL

NEW!

2.1A Dual Mini Car Charger

•Mini car charger with dual USB plugs •Each plug supports up to 2A charging or 1A per plug •Capable of charging an iPad™, or 2 X iPod Touch™ •Mfr. #DU6117 Black



MCM Part #	(1-9)	(10-up)
28-17847	\$5.99	\$5.81

DC Power Supplies

DC-DC Power Supply - 1.5A

This small portable power supply with switchable output is ideal for operating equipment from a vehicle cigar adaptor. Supplied with six interchangeable DC plugs **Specifications:** •Input Voltage: 12-15V DC •Output Voltage: 3, 4.5, 6, 7.5, 9, 12V •Output Current: 1.5A



MCM Part #	(1-9)	10-Up
28-12595	\$4.99	\$4.85

12 Volt Universal Coiled Power Cord

•Perfect for mini TVs, radar detectors and other equipment requiring 12VDC up to 2A •Fused protected coiled power cord •Comes complete with six popular interchangeable tips: 3.5mm, 3.5mm x 1.2mm, 5.0mm x 2.1mm, 5.5mm x 1.5mm, 5.5mm x 2.1mm and 5.0mm x 2.5mm •Plugs into cigarette lighter •6' cord



MCM Part #	ONLY
28-1395	\$6.99

DC/DC Switching Power Adapter

Regulated DC/DC adapter for most applications. Comes complete with the six most popular plugs that can be stored in the internal storage compartment. Input voltage: 12~24VDC. Output voltage: 1.5, 3.0, 4.5, 6.0, 7.5, 9.0 or 12VDC.



MCM Part #	ONLY
29-3340	\$8.99

DC Power Cords

Fused power cords for radar detectors and DC appliances. 6' length. 3A fuse



MCM Part #	Dimensions	(1-9)	(10-up)
23-215	5.5 x 2.0	\$2.99	\$2.75
23-210	5.5 x 2.5	2.99	2.75

DC Power Ports

Cigarette Plug - Fused

A high quality cigarette lighter plug with fuse protection and strain relief. Supplied with 3A fuse.



MCM Part #	(1-9)	(10-Up)
28-12622	\$0.99	\$0.72

Cigarette Lighter Extension Cord

•Fused lighter plug with 3A fuse to lighter jack •18 gauge •2 conductor •12' length

RATED
★★★★★



MCM Part #	(1-9)	(10-up)
23-160	\$4.99	\$4.59

12' 12 Volt Fused Power Cord

•Comes complete with 5A fused lighter plug to stripped and tinned 18 gauge wire •Black jacket with polarity markings



MCM Part #	(1-9)	(10-up)
23-240	\$5.29	\$4.97

7.5' 12 Volt Power Cord

•Comes complete with lighter plug •22 gauge wire •Black jacket with polarity marking



MCM Part #	(1-9)	(10-up)
27-112	\$1.59	\$1.17

DIN ISO 4165 Socket with Cover

A dash mount DIN ISO4165 automotive socket outlet with an integrated dust and splash cover. Features solder tab termination. **Specification:** •Rating: 16A @ 24V DC •Dimensions: 1.57" x 1" (L X D) •Tabs: .25x0.031in.



MCM Part #	(1-9)	(10-Up)
28-12617	\$5.49	\$4.79

Cigar Plug-Fuse with LED

A high quality cigarette lighter plug with fuse protection, LED power indicator and strain relief. Ergonomically designed with an easy grip body. Supplied with a 3A fuse.



MCM Part #	(1-9)	(10-Up)
28-12623	\$0.99	\$0.75

#27-825



#27-610



Cigarette Lighter Receptacle

DC plugs for use in mobile applications.



#27-4315

MCM Part #	Description	Fuse	Amp	ONLY
27-825	In-line socket	No	5	\$2.13
27-610	In-line plug	Yes	3	2.35
27-4315	Panel mount socket	No	5	3.74

Cigarette Lighter Plug

Good quality plug to fit car cigarette lighter socket.



MCM Part #	(1-9)	(10-Up)
28-12621	\$0.99	\$0.57

12V Extension Cord

•12V cigarette lighter plug to 12V socket with dust cover •10' 18 AWG wire with 2A fuse



MCM Part #	(1-9)	(10-up)
28-13045	\$10.49	\$9.63

Weatherproof 12V Socket

•Current Rating: 20A, 12/24VDC •Material: Housing- Nylon with glass fiber (UL 94-HB), Top contact: nickel plates spring brass •Watertight sealing cap •Wire gauge: 18 AWG for 10A, 16 AWG for 15A, 12 AWG for 20A



MCM Part #	(1-9)	(10-up)
28-13040	\$7.99	\$7.17

Four Outlet Cigarette Lighter Adapter

•Convert your DC outlet to four outlets •Includes 10A fuse •Cord length 8' •Available with 12VDC plug or tinned leads for permanent installation



MCM Part #	(1-9)	(10-up)
28-10570	\$6.99	\$6.43



12V Socket to Two Pin Connector

•Two pin connector connects to 12V power supply with interchangeable DC plugs •12V cigarette lighter socket •Length: 4" **GREEN**

MCM Part #	(1-9)	(10-up)
28-13020	\$4.49	\$3.74



12V Socket to Two Position Flat Connector

•Allows 12V connection from two pin trailer connector •Provides 12V power outlet •Length: 10" **GREEN**

MCM Part #	(1-9)	(10-up)
28-13025	\$5.49	\$4.72



Splash Proof 3AG Fuse Holder with LED Indicator

•Holds 1/4" x 1/4" 3AG type fuse •Can be used in panel up to 3/8" thick, mounts in .63" mounting hole •Current Rating: 20A, 32VDC •LED indicates when fuse is blown **GREEN**

MCM Part #	(1-9)	(10-up)
28-13030	\$7.49	\$6.41

DIN ISO 4165 Plug – Universal

This DIN plug is suitable for 6 to 24V DC car, boat and RV electrical systems. The bayonet catch ensures firm positioning. It is available in fused and un-fused versions. The DIN plug is suitable for cigarette lighter and standard DIN ISO 4165 socket outlets. **Features:** •DIN ISO 4165 certified universal plug •TUV approved •Dimensions: 3.26" x 1" (LxD)

MCM Part #	Description	(1-9)	(10-Up)
28-12618	Unfused 8A	\$4.49	\$3.88
28-12619	Fused 8A	4.99	4.64
28-12620	Unfused 16A	4.99	4.73



Cigarette Lighter Plug with On-Off Switch

•Power a 12V device and turn it on and off with this plug •Twin lead wire output •Current rating: 8A, 12VDC •Housing material: ABS (UL94-HB) •Contact material: Tip- Nickel plated brass, ground- nickel plated steel •Switch: SPST rocker switch with LED •Wire size: SPT-1 Type up to 18 AWG •Fuse: 8A standard 3AG type (included) **GREEN**

MCM Part #	(1-9)	(10-up)
28-13015	\$8.99	\$8.27

Portable Batteries

GRIFFIN

TuneJuice Backup Battery

Get more out of your iPhone® or iPod® – more music, more video, more talk, more surfing. **Features:** •Charges iPhone® and dock connector iPod® models •Recharges the battery in your iPhone® or iPod® using four AAA batteries (included in package) **GREEN**

MCM Part #	(1-9)	(10-up)
29-6064	\$29.99	\$28.68



DURACELL® Powerhouse USB Compact Multi-Device Charger

Compact yet robust, this 5V 2000mAh rechargeable Lithium-ion battery provides up to 60 hours of backup power. It can charge two devices at once! Includes universal cable with USB and mini USB adapters. •Mfr. #PPS3US0001

MCM Part #	(1-9)	(10-up)
293-515	\$29.99	\$28.68



concept GREEN Mobile Device Charger for iPhone®, iPod®, Smartphones, and Most Digital Devices

•Take this mobile charger anywhere and charge your iPhone®, iPod®, smartphone, and most digital devices •Power indicator shows battery level •Charges in 1~4 hours •Includes standard USB cord and standard adapters (Micro USB, Mini USB, and Apple® connector) •Color: Black **Specifications:** •Lithium-polymer battery •Battery capacity: 2000mAh •Battery life: 500 cycles •Standby time: 50,000~70,000 hours •Output voltage: 5VDC •Output current: 1A and 2A •Weights only 2.1 oz. •Mfr. #: CG2000 **GREEN**

MCM Part #	(1-9)	(10-up)
28-12075	\$22.49	\$22.49



Innergie

PocketCell™ Rechargeable Battery Bank



The universal rechargeable mobile battery bank is designed to provide you power when you need it the most. It charges all USB-powered mobile devices, including tablets, smartphones, mp3 players, portable game consoles and more. Gives you +15 hours of talk time, +70 hours of music, +15 hours of internet or +10 hours of video! **Specifications:** •DC input: 5VDC/1.5A •USB output: 5VDC/2.1A •Power capacity: 3000mAh •Dimensions: 3.6" x 1.2" x 0.8" •Weight: 2.5 oz. •Built-in protection: Over current protection, over voltage protection, over temperature protection, over power protection and short circuit protection •3-in-1 USB cable included

MCM Part #	(1-9)	(10-up)
28-11720	\$79.49	\$79.49

concept GREEN Mobile Device Charger for iPhone®, iPod®, Smartphones, and Most Digital Devices

•Take this mobile charger anywhere and charge your iPhone®, iPod®, smartphone, and just about any other digital device •Power indicator shows battery level •Charges in 3~6 hours •Includes standard USB cord and standard adapters (Micro USB, Mini, USB, and Apple® connector) **Specifications:** •Lithium-polymer battery •Battery capacity: 3600mAh •Battery life: 500 cycles •Talk time up to 30 hours •Standby time: 50,000~70,000 hours •Output voltage: 5VDC and 9VDC •Output current: 500~2000mA at 5V, 500~1000mA at 9V •Weights only 4.6 oz. **GREEN**

MCM Part #	Mfr. #	Color	(1-9)	(10-up)
28-17385	CG3600-B	Black	\$22.99	\$19.75
28-17390	CG3600-S	Silver	21.67	19.75



concept GREEN Mobile Device Charger for iPhone®/iPod®

•Take this mobile charger anywhere and charge your iPhone® or iPod® •Power indicator shows battery level •Built-in two LED flashlight **Specifications:** •Lithium-polymer battery •Battery capacity: 1800mAh •Battery life: 500 cycles •Output voltage: 5VDC •Output current: 500mA •Weights only 2.3 oz. **GREEN**

MCM Part #	Mfr. #	Color	(1-9)
28-17395	CG1810A-B	Black	\$19.99
28-17400	CG1810A-W	White	19.99



concept GREEN Mobile Device Charger

•Take this mobile charger anywhere and charge your iPhone® and iPod® •Power indicator shows battery level •Available in silver and black **Specifications:** •Lithium-polymer battery •Battery capacity: 1800mAh •Output voltage: 5V 500mA •Weights only 2.3 oz. •Mfr. #: CG1800 **GREEN**

MCM Part #	(1-9)	(10-up)
28-12080	\$22.99	\$22.99
28-12085	\$22.99	\$22.99

IOGEAR®
GearPower 7000mAh
Mobile Power Station

With USB outputs for two devices, 2.1A charging, and a huge 7,000mAh capacity you can give even your most power hungry devices a boost with this pocket sized package. **Features:** •7,000mAh lithium polymer cell provides a compact, yet super high capacity battery •Provides fast, convenient charging of almost all mobile devices •Perfect for mobile users and business travelers when conventional A/C outlets are not available •Dual USB outputs allow simultaneous charging of devices •2.1A output capable of charging iPad®, iPhone®, iPod®, mobile gaming devices, etc •Built-in short-circuit, over-charge, and temperature protection •Includes Micro USB charging cable compatible with most smart phones •Includes USB wall charger and convenient carry pouch •Mfr. #GMP7K



IOGEAR®
GearPower 2400mAh
Mobile Power Station

Featuring a USB 1A charging output with 2,400mAh capacity you can fast-charge nearly any smartphone or MP3 player back to full capacity with power to spare. **Features:** •2,400mAh lithium polymer cell provides a compact, yet super high capacity battery •Provides fast, convenient charging of most smartphones, MP3 players, and other USB rechargeable devices •Perfect for mobile users and business travelers when conventional A/C outlets are not available •1A output capable of fast-charging iPhone®, iPod® and most smartphones •Built-in short-circuit, over-charge, and temperature protection •Includes Micro USB charging cable compatible with most smart phones •Mfr. # GMP2K



MCM Part #	(1-9)	(10-up)
29-6355	\$49.99	\$47.99

concept
Mobile Device Charger
for iPhone®, iPod®,
Smartphones, and
Most Digital Devices

•Take this mobile charger anywhere and charge your iPhone®, iPod®, smartphone, and just about any other digital device •Power indicator shows battery level •Includes standard USB cord and standard adapters (Micro USB, Mini, USB, and Apple® connector) •Built-in LED flashlight **Specifications:** •Lithium-polymer battery •Battery capacity: 4400mAh •Battery life: 500 cycles •Output voltage: 5VDC •Output current: 1A •Weighs only 4.8 oz.



MCM Part #	Mfr. #	Color	(1-9)	(10-up)
28-17405	CG4400-B	Black	\$47.99	\$34.50
28-17410	CG4400-W	White	47.99	34.50

concept
Mobile Device
Charger with LED Light

•Take this mobile charger anywhere and charge your iPhone®, iPod®, tablet, smartphone, and just about any other digital device •LCD screen with charging indicator •Charges in 9.5-10 hours •Includes standard USB cord and standard adapters (Micro USB, Mini, USB, and Apple® connector) •Dual USB outputs •Built-in 1 Watt LED flashlight **Specifications:** •Lithium-polymer battery •Battery capacity: 5800mAh •Battery life: 500 cycles •Output voltage: 5VDC •Output current: 2A •Weighs only 5.5 oz.



MCM Part #	Mfr. #	Color	(1-9)
28-17425	CG5810B	Black	\$57.99
28-17430	CG5810W	White	57.99

Performance Tool®
2AA USB
Emergency Charger

•Provides limited battery charge for emergency situations •Use for short term power on cell phones, tablets, cameras and more •Works with any standard USB cable •Requires 2AA batteries (included) **Specifications:** •Input voltage: 2.4-3.0V •Output voltage 5.7V +/-5% •Charging time: 1-2 hours (varies by device, battery level/capacity)



MCM Part #	ONLY
29-6340	\$7.99

PNY TECHNOLOGIES
PowerPack
7800mAh
Rechargeable
Battery

The PNY 5200 PowerPack is a dual-port universal rechargeable battery bank designed to provide you power wherever or whenever you need it. **Features:** •Ideal for charging two devices simultaneously •1A + 2.1A ports for rapid dual port charging •Unique digital power indicator displays precise battery level •20" Micro USB cable included for both device and PowerPack charging •Universal USB output for wide range of devices •Charge your smartphone on the go •7800mAh total power capacity



MCM Part #	(1-9)	(10-up)
28-17856	\$49.99	\$49.05

DURACELL®
Portable Charger
with 1800mAh Battery

•Duracell AC charger with built in rechargeable battery •Charge your device at home and pack this away for when you need an extra boost •LED light lets you know how much battery charge is left •Wall plug folds down for convenient storage and transport •Package includes a sync and charge cable, for all Apple® products using a 30-pin connector •USB Connector for attaching other types of USB devices •Mfr. #DU7131



MCM Part #	(1-9)	(10-up)
28-17839	\$31.99	\$31.03

PNY TECHNOLOGIES
PowerPack 2600mAh
Rechargeable Battery

The 2600 PowerPack is a universal rechargeable battery bank designed to provide you power wherever or whenever you need it. **Features:** •1A output •Unique digital power indicator displays precise battery level •20" Micro USB cable included for both device (except Apple devices) and PowerPack charging •Universal USB output for wide range of devices •Charge your smartphone on the go



MCM Part #	(1-9)	(10-up)
28-17854	\$29.99	\$29.25

PNY TECHNOLOGIES
PowerPack
5200mAh
Rechargeable
Battery

The PNY 5200 PowerPack is a dual-port universal rechargeable battery bank designed to provide you power wherever or whenever you need it. **Features:** •Ideal for charging two devices simultaneously •1A + 2.1A ports for rapid dual port charging •Unique digital power indicator displays precise battery level •20" Micro USB cable included for both device and PowerPack charging •Universal USB output for wide range of devices •Charge your smartphone on the go •5200mAh total power capacity



MCM Part #	(1-9)	(10-up)
28-17855	\$39.99	\$39.25



LOGISYS
Portable Battery Charger

The Logisys Portable Battery Charger allows you to charge virtually any USB-powered device when you don't have easy access to an AC outlet. Supported devices include iPad, iPad 2, New iPad, iPhone 3/4, iPod touch, Motorola Droid, Blackberry, and more. **Features:** •Lithium-ion battery technology •Rapid charge feature lets your device charge faster than an electrical outlet •Indicator light show how much battery power is remaining to charge your device •Lightweight form factor can easily be packed into a bag or backpack for travel •On/off button to conserve power •5V, 800mAh output

MCM Part #	Capacity	(1-9)
83-14551	2200mAh	\$29.99
83-14552	4400mAh	34.99

Laptop Adapters

Tips shown actual size



MCM Universal Laptop Power Adapters
Features: •AC/DC power and charging functionality •Nine tips for 15, 16, 19, 20 and 24V devices •DC version includes airplane plug •Power ratings: #28-10655 input 100~240VAC, 60Hz/50Hz, #28-10660 input: 11.8~16VDC •Output: 15V~24VDC, selectable via tips up to 70W

MCM Part #	Adapts	(1-9)	(10-up)
28-10655	AC/DC	\$58.18	\$49.82
28-10660	DC/DC	43.99	41.06



90 Watt Universal Laptop AC Adapter

This universal AC adapter powers and charges notebook computers from a wall outlet, eliminating the need to carry multiple adapters when you're on the go. Never lose the charge on your notebook! **Features:** •Sixteen different connectors compatible with Dell®, Apple®, Toshiba® laptops and others •Converts AC to DC power •LED display shows voltage •Safe and reliable 15~24V output voltage •**Limited quantities**

MCM Part #	ONLY
28-12546	\$43.49

Notebook Power Adapter

•For use with laptops or other high power devices **Features:** •AC/DC power and charging functionality •LED indicates unit status •Power ratings: 100~240VAC, 60Hz/50Hz •Output: 19VDC 4.74A, 90W maximum •Includes six interchangeable tips •Mfr. #PNA0900122



MCM Part #	(1-9)	(10-up)
28-10980	\$49.99	\$44.99

PRUDENT WAY™

90 Watt Portable Power Universal AC/DC Adapter

This power adapter has a small, slim design for conveniently taking it with you on the road. The smart LCD display memorizes your notebook specific output voltage from 12~24V. Includes 12 tip connectors to fit most notebook models. A USB port is built in to charge cellphones, MP3 players and more.



MCM Part #	Mfr. #	Color	ONLY
28-11705	PWI-AC90CB	Black	\$41.99



PRUDENT WAY™

75W 4.2A Slim Power Universal AC Adapter for Netbooks, Laptops, LCDs

A top quality, full featured universal AC adapter that is slim, light weight and extremely rugged. Compact design for easy storage. **Features:** •Seven selectable DC voltage outputs (10~20V) and nine precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 75W of clean, smooth power •Smart LED indicator light confirms the selected voltage •Extra 5V 800mA USB port to charge cell phones, MP3, etc. •Smart Power Management circuit for full power protection •Over 87% power efficiency for stable, reliable operation •Fanless no-noise design for ultra-quiet performance •Thermal overload and short circuit protection •Input 100~240VAC 1.2A •Mfr. #PWI-AC75NE

MCM Part #	ONLY
28-11408	\$31.99



PRUDENT WAY™

90W Ultra Slim Notebook Adapter

A universal notebook adapter that includes 13 different tips for most notebook types •Seven selectable DC voltage outputs (12~24V) and 13 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 90W of clean, smooth power •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Over 87% power efficiency for stable, reliable operation •Fan-less no-noise design for ultra-quiet performance •Mfr. #PWI-AC90SC

MCM Part #	ONLY
28-16900	\$49.49

Innergie 75W Ultra Slim Universal Laptop Adapter

The mCube Lite's ultra-slim, lightweight portable design charges your laptop and your portable devices at the same time. **Specifications:** •AC input: 100~240VAC/1.5A 50~60Hz •DC output: 19.5VDC/3.08A •USB Output: 5VDC/A •Output power: 65W/75W •Dimensions: 4.6" x 2.2" x 0.6" •Weight: 7.0 oz. •Built-in protection: Over current protection, over voltage protection, over temperature protection, over power protection and short circuit protection •Efficiency: 87% •Includes nine tips



MCM Part #	ONLY
28-11725	\$59.99

Innergie 95 Watt Compact Universal Laptop Adapter

The mCube Slim 95 provides high power performance with an integrated 10.5W fast charging USB port to charge your laptop and portable devices at the same time. **Specifications:** •AC input: 100~240VAC/1.8A 50~60Hz •DC output: 19.5VDC/4.47A •USB output: 5VDC/2.1A •Output power: 95W/110W •Dimensions: 4.3" x 2.4" x 0.7" •Weighs 6.3 oz. •Built-in protection: Over current protection, over voltage protection, over temperature protection, over power protection and short circuit protection •Efficiency: 90% •Includes nine tips



MCM Part #	ONLY
28-11710	\$115.00



PRUDENT WAY™

90W 4.5A Universal AC Adapter for Netbooks, Laptops, LCDs

This top quality, full featured 90W universal AC adapter is one of the best selling and reliable AC adapters on the market today. It features seven selectable DC voltage outputs (12~24V) and 12 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 90W of clean, smooth power. **Additional features include:** •Smart LED indicator light confirms the selected voltage •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Smart power management circuit for full power protection •Over 87% power efficiency for stable, reliable operation •Fanless no-noise design for ultra-quiet performance •Thermal overload and short circuit protection •Input 100~240V AC 1.5A •Mfr. #PWI-AC90LE

MCM Part #	ONLY
28-11409	\$34.49

Innergie All-In-One Universal Laptop Adapter

The mCube Pro's all-in-one design, with the detachable auto/air module, charges everything everywhere with a single power adapter.

Specifications: •AC input: 100~240VAC/1.8A 50~60Hz •DC input: 12~15VDC/8A •DC output: 19.5VDC/3.33A, 16VDC/4.06A •USB output: 5VDC/1A •Output power: 70W/85W •Dimensions: 5" x 2.7" x 0.9" •Weight: 7 oz. •Built-in protection: Over current protection, over voltage protection, over temperature protection, over power protection and short circuit protection •Efficiency: 88% •Includes ten laptop tips.



MCM Part # 28-11715 **ONLY \$89.99**

PRÜDENT WAY™ 120W 6A Notebook Adapter

•A 120 universal notebook adapter that includes 12 different tips for most notebook types •Seven selectable DC voltage outputs (12-24V) and 13 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 120W of clean, smooth power •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Over 87% power efficiency for stable, reliable operation •Fan-less no-noise design for ultra-quiet performance •Mfr. #PWI-AC120LE



MCM Part # 28-16905 **ONLY \$49.49**



PRÜDENT WAY™ 120W 6A Notebook AC/DC Adapter with LED display

•A 120 universal notebook adapter that includes 12 different tips for most notebook types •Seven selectable DC voltage outputs (12-24V) and 13 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 120W of clean, smooth power •Package includes DC adapter for in car use •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Over 87% power efficiency for stable, reliable operation •Fan-less no-noise design for ultra-quiet performance •Mfr. #PWI-AC120HC

MCM Part # 28-16910 **ONLY \$57.99**



PRÜDENT WAY™ 120W 6A Smart Power Universal AC Adapter with LCD Display for Netbooks, Laptops, LCDs

This top quality, full featured 120W universal AC adapter is one of the most reliable and efficient AC adapters on the market today. **Features:** •Eight selectable DC voltage outputs (12~24V) and 12 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 120W of clean, smooth power. •Bright, digital LCD voltage display memorizes and confirms selected voltage •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Smart Power Management circuit for full power protection •Over 87% power efficiency for stable, reliable operation •Fanless no-noise design for ultra-quiet performance •Thermal overload and short circuit protection •Input 100~240VAC 1.8A •Mfr. # PWI-AC120LC

MCM Part # 28-11410 **ONLY \$45.49**



PRÜDENT WAY™ 150W 7.5A Notebook AC/DC Adapter with LED display

•A 150 universal notebook adapter that includes 12 different tips for most notebook types •Seven selectable DC voltage outputs (12-24V) and 13 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 150W of clean, smooth power •Package includes DC adapter for in car use •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Over 87% power efficiency for stable, reliable operation •Fan-less no-noise design for ultra-quiet performance •Mfr. #PWI-AD150HC

MCM Part # 28-16915 **(1-9) \$56.99**



PRÜDENT WAY™ 150W 7.5A Smart Power Universal AC Adapter with LCD Display for Netbooks, Laptops, LCDs

This top quality, full featured 150W universal AC adapter is one of the most powerful, versatile, and clean power producing adapters on the market today. It features eight selectable DC voltage outputs (12~24V) and 12 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 150W of clean, smooth power. **Features:** •Bright, digital LCD voltage display memorizes and confirms selected voltage •Extra 5V 2A USB port to charge cell phones, MP3, etc. •Smart Power Management circuit for full power protection •Over 87% power efficiency for stable, reliable operation •Fanless no-noise design for ultra-quiet performance •Thermal overload and short circuit protection •Input 100~240V AC 2A •Mfr. # PWI-AC150LC

MCM Part # 28-11411 **ONLY \$62.49**



PRÜDENT WAY™ 100W 5A Notebook DC Adapter

•A 100W universal notebook adapter that includes 10 different tips for most notebook types •Four selectable DC voltage outputs (16-20V) and 10 precision fit tips which are fully compatible with over 95% of the most popular netbooks, laptops, and LCD's that require up to 100W of clean, smooth power •Package includes DC adapter for in car use •Over 87% power efficiency for stable, reliable operation •Fan-less no-noise design for ultra-quiet performance •Mfr. #PWI-DC100

MCM Part # 28-16920 **(1-9) \$38.49**

WANT MORE BATTERIES/POWER?
OUR COMPLETE INVENTORY AVAILABLE ANYTIME ONLINE
MCMelectronics.com

DC Inverters



Ultra-Compact PowerVerter DC to AC Inverters

•Convert 12VDC to 120VAC power wherever you need it •Permanent mount and portable power solutions •Advanced modified sine wave output ideal for powering anything from laptop computers to small appliances and tools •Packs reliable technology into a durable lightweight aluminum housing •“HF” models provide a permanently mounted, convenient power center allowing you to outfit your RV or trailer with an entire kitchen or entertainment system •Multiple outlets and up to 1800W of available power means you can power several pieces of equipment at the same time **Specifications:** •12V input, 120V output

MCM Part #	Mfr. #	Output/ AC Watts	AC Outlets	(1-9)	(10-up)
28-6647	PV150	150	1	\$32.99	\$32.05
28-6648	PV375	375	2	49.99	48.45
28-10945	PV700HF	700	3	105.00	97.28
28-8905	PV1000HF	1000	4	206.00	198.56
28-8910	PV1800HF	1800	4	299.00	297.00
28-11010	PV3000	3000	4	585.63	544.17

sima
425 Watt Automotive Power Inverter



The new, compact Sima Titanium series power inverter provides 425W of AC power. Sima Titanium Plus Series power inverter is equipped with a low battery alarm and shutdown to protect your battery from complete discharge. Automatic thermal protection prevents overheating from overloads or inadequate ventilation. Two AC outlets are grounded and short circuit protected. **Features:** •Three year limited consumer warranty •Two short-circuit protected AC outlets •Mounting feet for easy installation in any vehicle

MCM Part #	ONLY
28-11298	\$46.85



Inverter Installation Kits

•Inverter install kits contain a pair of heavy-duty cables and a fuse assembly to connect inverter to a battery bank •Fuse protects equipment if a battery short circuits •Cables provide safe and easy plug and play connection •12 or 24V output •Includes two 10' sections of cable, fuse block and hardware

Specifications	#72-9835	#72-9840	#72-9845
Input at 12V	600~1,000W	1,000~2,000W	2,500~3,500W
Input at 24V	600~2,000W	2,000~3,000W	4,000~6,000W
Amps	100A	200A	400A
Weight	4.2 lbs.	6.2 lbs.	17.5 lbs.
ONLY	\$119.00	\$149.00	\$399.00

Specialty Power Supplies



Medical-Grade Mobile Power Retrofit Kit



The kit includes everything needed to add reliable AC power to medical carts including power supply, user-replaceable battery module, PowerAlert data-saving software, remote user interface, mounting hardware and cabling. It saves money by upgrading non-powered carts for a fraction of the cost of buying new powered models. The isolation transformer reduces the cumulative shock potential of connected equipment, providing UL 60601-1 compliance. Kit is fully compatible with most popular carts by AFC, Anthro, Datalux, GCX, Hergo Humanscale, Jaco, Knurr, Stinger and more. **Features:** •Three NEMA 1-15R AC outlets •10' coiled AC input cord •Hospital grade NEMA 5-15PHG plug •USB communication port •Compact all-metal housing •15A, 120V input •120V, 300W output •PowerAlert software saves valuable patient data from loss or corruption •Includes remote user interface •Simultaneously powers connected equipment while recharging batteries

MCM Part #	Mfr. #	Battery Module	ONLY
28-11428	HCRK	90Ah	\$1402.00
28-11429	HCRK-36	36Ah	1118.00
28-11430	HCRK-54	54Ah	1217.00

Multi Voltage Regulated AC/DC Power Supply



•Ideal for any device drawing up to 2A •Fully regulated to deliver constant DC power •Rotary selector switch selects 3, 4½, 6, 7½, 9 and 12V •Power projects or small battery operated devices •Color coded binding posts makes connection easy

MCM Part #	(1-9)	(10-up)
28-2200	\$19.99	\$18.85



TRIPP LITE
Precision Regulated DC Power Supplies

•Convert 120VAC to 13.8VDC (+/- .5V) •Provides excellent regulation of output voltage •Ideal for use with HAM radio and CB radios, test benches, tape players, and amplifiers •Compact footprint, metal housing and lighted on/off switch

MCM Part #	Mfr. #	Capacity	(1-9)	(10-up)
28-8935	PR4.5	4.5A	\$44.99	\$41.39
28-8940	PR7	7A	63.74	59.49
28-8945	PR10	10A	89.99	-
28-10555	PR25	25A	179.00	169.00
28-10565	PR40	40A	239.15	228.70

TRIPP LITE **UL**
PowerVerter EMS Inverter/Charger



This versatile inverter/charger system with auto-transfer switching serves as an automotive inverter for EMS applications including ambulance, emergency or police vehicles. It also serves as a standalone alternative power source for backup power operation and as an uninterruptible power supply for items compatible with a 16.6 millisecond transfer time. **Features:** •Two hospital-grade GFCI duplex outlets •12VDC or 120VAC input •1250W continuous, 1875W OverPower™ and 2500W DoubleBoost™ inverter output •Auto transfer switching option for battery backup/UPS operation includes wired APSRM4 remote control switch •120VAC output •Three stage, 14/55A selectable wet/dry cell battery charger •Meets OSHA requirements •Mfr. # EMS1250UL

MCM Part #	ONLY
28-11427	\$1061.00

Energy Monitoring Devices

Smartronix

USB Power Monitor



The USB power monitor is a test tool which allows the user to monitor the voltage and current used by the USB devices. Most USB devices can be plugged into the USB upstream port and power usage is monitored and reported. **Features:** •USB 2.0 and 1.1 compatible •Large, easy to read LCD •Folding stand •Auto power-down with peak hold •Measures current in either direction (Host>Device or Device>Host) •Batteries and USB cable included

MCM Part #	(1-9)	(10-Up)
28-17765	\$49.99	\$48.45

belkin

Conserve Socket™ Power Timer



The Conserve Socket Power Timer automatically shuts off power, including standby power, to your electronics and appliances after a time interval you select, to help you save energy. **Features:** •Draws zero power until Start is hit •Three timer options: ½, 3, or 6 hours •Shuts off automatically •Reduces worry of leaving devices like curling irons or heaters on **Specifications:** •120VAC, 15A 60Hz, 1800W

MCM Part #	(1-9)	(10-up)
28-12631	\$20.49	\$19.42

Kill A Watt
Appliance Tester



Connect your appliances into the Kill A Watt™, and assess how efficient they are. A large LCD display counts consumption by the kilowatt-hour just like utility companies. You can figure out your electrical expenses by the hour, day, week, month, even an entire year. Monitor the quality of your power by displaying voltage, line frequency, and power factor. **Features:** •LCD display •Cumulative kilowatt/hour monitor •Displays in volts, amps, watts, Hz, VA •Forecast your electricity cost •Mfr. #P4400

MCM Part #	(1-9)	(10-up)
28-10985	\$22.99	\$21.15



Kill A Watt® GT

This combination electricity usage monitor and automatic timer helps you to track energy consumption and then program On/off periods to save electricity and money. The unit allows unique programs for each day of the week. The easy-to-read LCD display allows you to review and adjust your On/off programs easily. A backup battery (three "AAA" batteries, not included) lets you program even when the unit is not plugged in. Surge, over current, over voltage and under voltage protection provides clean, safe power. •Mfr. #P4480



MCM Part # 28-11378 **ONLY \$44.49**



Save A Watt® Programmable Seven Day Timer

Take control of your energy use with the P3 International P4470 Save-A-Watt™ programmable 7-day timer. This highly accurate and robust electronic timer allows you to connect loads up to 15A and program on/off operation to reduce electric usage, save money and reduce CO2 emissions. Program on/off operation in 15 minute intervals for 24 hour periods over seven days. Programs are stored in memory and can be easily recalled in the event of a power failure. **Features:** Wireless sensor. Operating voltage: 115/1/60. Max. voltage: 125/1/60. Max. connected load: 1875 VA. Power: Uses three 1.5V "AAA" alkaline cells (Suggest #291-015). •Mfr. #P4470



MCM Part # 28-11314 **ONLY \$28.99**



Kill A Watt® PS-10 Electricity Monitor and Surge Protector

Check the quality of your power by monitoring voltage, line frequency, amperage, KWH, current leakage and more. Know how much power your computer, home theater system or other electric devices are using while the built-in surge protection keeps them safe. **Features:** •Advanced surge protection •Soft power-up eliminates harmful voltage spikes •Displays max/min volts, amps, watts, power factor and leakage current •6' cord with flat profile plug •Light-up power switch •Backlit LCD display •10 grounded outlets •EMI filter reduces noise •Mfr. #P4330

MCM Part # 29-5442 **ONLY \$78.99**

BLACK & DECKER® HeatSeeker Thermal Leak Detector

Finding and sealing energy leaks can save up to 20% on heating and cooling costs! Make it an easy task with the HeatSeeker, an infrared sensor that finds these leaks along walls, molding, ductwork and more. **Features:** •Automatic color changing beam provides quick, intuitive feedback, showing users where the problem areas are •Simple to use, just aim at a surface, and when the device hits a hot or cold spot, the light changes to red or blue, and the temperature is displayed on the LCD screen •Mfr. #TLD100



MCM Part #	Description	ONLY
28-11126	Infrared thermal leak detector	\$45.99
6AM6PTB1A	9V battery	2.29



Kill a Watt Wireless Power Monitor

Know at a glance what an electric device or appliance is costing you to operate then calculate the carbon footprint! Forecast electric costs for a day, week, month or year. The P3 International P4200 Kill A Watt® Wireless Power Monitor with Carbon Footprint Meter allows you to view electric data remotely from up to eight plug load sensors. No wiring, no electrician, no dangerous contact with live conductors! The sensors transmit data from up to 300' away to the portable LCD display panel. The panel displays current, voltage, phase angle, effective power, power consumption since previous data transmission, accumulated power consumption, CO2 emission, and energy cost. You input your cost/kWh and CO2 equivalent factor based on your utility company's published emission rate to calculate an accurate estimate of emissions produced during the generation of electricity you consumed. Includes display and one wireless sensor. •Mfr. #P4200



P4225 Wireless display panel

Power: Uses three 1.5V AA alkaline cells (Suggest #291-030)

Transmit Frequency: 916.5 MHz

Modulation: AM, 100% (OOK)

Viewing area: 1.6" (H) x 2.2" (W)

P4220 Wireless sensor

Operating voltage: 115/60/1

Max. voltage: 125/60/1

Load current: 15A max.

Max. connected load: 1875 VA

Transmit Frequency: 916.5 MHz

Connections: NEMA 5-15 (2 pole, 3 wire w/ground)

Approvals: FCC Part 15, Subpart C, UL 61010-1, CSA C22.2

MCM Part # 28-11313 **ONLY \$104.00**

BLUE line INNOVATIONS PowerCost Monitor™

•Includes portable wireless monitor and passive sensor that easily attaches to indoor or outdoor electric meter •Compatible with most traditional electromechanical disc meters, digital meters, AMR, AMI and Smart Meter technologies. •Read moment to moment energy use and costs •Measure how much energy is being consumed by specific appliances •Based on current usage, predict 30 days of energy use and cost •Track cumulative data and reset as frequently as you wish •No interference with meter signal and no electrician required for installation •Display energy in kWh and cost in dollars •Programmable for your utility rate - flat, multi-tiered, on/off peak •Displays time and outside temperature in °F or °C •Includes four "AA" batteries •Mfr. #BLI-28000



MCM Part # 28-11300 **ONLY \$79.99**



Kill A Watt EZ Appliance Tester

- ✓Displays cost
- ✓Displays energy usage

Simply connect any appliance to the Kill A Watt EZ™, and it will assess how much each individual appliance is costing you to run. Large LCD display will count consumption by the kilowatt-hour, and displays the actual cost of running the appliance. **Features:** •Accurate to within 0.2% •Calculates cost and forecasts by week, month and year •Built-in battery back-up •Displays eight critical units of measure.



MCM Part # 29-4545 **ONLY \$39.49**

belkin

Conserve Insight™ Energy Use Monitor

Find out how much energy your devices really use. The Conserve Insight Energy Use Monitor empowers you to understand the true impact of your energy use on your electric bill—and on the environment. **Features:** •Plug in devices to reveal energy wasters •See dollars, CO2 or watts at a glance •Convenient tabletop or handheld display •Tracking feature gives monthly and yearly projected cost and CO2 •Real-time usage in watts **Specifications:** •Electrical Rating: 120V~/15A/60Hz/1800W •Maximum Watts displayed: 1800 •Maximum dollars displayed: 9999



MCM Part # 28-12630 **(1-9) \$44.99 (10-up) \$43.05**

Solar Power



Solar 12 Volt Battery Trickle Charger

Use to preserve battery power in boats, SUVs, RVs and vehicles that use 12V

batteries. **Features:** •Plugs can be connected directly to battery •Built-in overcharge protection keeps charger and battery from incidental damage •Weatherproof design works in all daylight conditions **Includes:** 5W solar panel and battery clamps. Dimensions: 13" L x 13" W x 3/4" D

MCM Part # **ONLY**
28-11309 **\$36.04**



15 Watt Solar Battery Charger

•Use to preserve battery power in boats, SUVs, RVs, and vehicles that use 12V batteries •Weatherproof design enables it to work in all daylight conditions •Plugs can be connected directly to battery •Built-in overcharge protects unit from incidental damage •Dimensions: 37.5"(L) x 13.25"(W) x 3/4"(D) •Includes: 15W solar panel and battery clamps •Mfr. #38080

MCM Part # **ONLY**
28-11155 **\$102.00**



velleman Portable Solar Panel Array

Compact briefcase style solar panel is ideal for providing temporary power. Perfect in emergency applications, or anywhere where generators are not practical and power is not available. Compact carry case weighs less than 10 lbs. and folds together for easy transport. It is ideal for charging 12V storage batteries, and includes a variety of detachable connectors for numerous applications. **Specifications:** •Output power: 13W max •Max voltage: 17.5V •Max current: 750mA •Dimensions (unfolded): •20.1" (H) x 26" (W) x 1.6" (D) •Weight: 9.7 lbs.

MCM Part # (1-3) (4-up)
28-11140 **\$164.00** **\$150.62**



Solar Panel Charge Controller

Compact charge controller is ideal when multiple solar cells are used to charge rechargeable batteries. Selectable DC voltage provides flexibility for use with a wide variety of batteries and devices. Output voltage may be set at 3V, 6V or 12VDC, with maximum output current capacity of 4A. Optimal input voltage is 13.5VDC. Overall dimensions: 4.7" (H) x 3.1" (W) x 0.9" (D).

MCM Part # (1-3) (4-up)
28-11138 **\$41.49** **\$38.63**



velleman-kit LCD Digital Panel Meter

•Low cost version •Single 8/12VDC (1mA) operation •High input impedance: > 100Mohm. **Specifications:** •Display: 3 1/2 digit LCD •Input sensitivity: 200mVFS •Power supply: 9VDC (7~12VDC) •Decimal point selection with wire jumper •Automatic polarity indication •Figure height: 0.52" •Sampling rate: 2-3 readings/sec. •Guaranteed zero reading for 0V input •Accuracy: ±0.5% •Power consumption: 1mA DC •Size: 2.7" x 1.7"

MCM Part # (1-4) (5-up)
72-8100 **\$9.99** **\$8.83**



#28-11154



#28-11158

Weatherproof Solar Panels

Perfect for charging 12V batteries, these fully weatherproof solar panels are great for a variety of alternative energy applications. A heavy-duty anodized aluminum frame provides strength and convenient mounting access. Cells are laminated between high transmissivity, low iron 3mm tempered glass and sheet tedlar-polyester-tedlar (TPT) material by two sheets of ethylene vinyl acetate (EVA). This protects against moisture penetrating into the module. Highly efficient mono crystalline cells provide typical service life of up to 25 years. When used to charge a storage battery, a separately available charge controller is required.

Specifications: •Max power voltage: 17.6V •Open circuit voltage: 21.6V •Operating temperature range: -49~+185°F •See www.MCMelectronics.com for complete specifications

MCM Part #	Wattage	Max Current	ONLY
28-11152	5W	0.28A	\$47.49
28-11153	10W	0.57A	90.99
28-11154	15W	0.85A	134.00
28-11156	20W	1.14A	182.00
28-11158	30W	1.70A	267.00
28-11160	50W	2.80A	449.00

3 Amp Solar Charge Controller

Depending upon the voltage of the battery and that supplied by the solar panel, the controller will adjust the charging current and decide if necessary to supply power to the load, keeping the battery at full voltage condition. The controller also prevents the battery from over charging or discharging, as well as preventing reflow of current back to panels during dark conditions.

MCM Part # **ONLY**
28-11150 **\$21.99**



velleman Portable Solar Trickle Charger

Great for use with automobiles that often sit unused for long periods of time. Panel simply lays on dashboard, plugs into cigarette lighter, and provides constant trickle charge to battery during daylight hours. It is perfectly suitable for charging any storage battery type, or for use as a portable power source. Kit includes cigarette lighter cord, 3m cable with battery clips and four suction cups for windshield mounting. **Specifications:** •Output power: 1.5W max •Max voltage: 17.5V, 12.5V nominal •Max current: 125mA •Dimensions: •4.7" (H) x 13.4" (W) x 0.6" (D)

MCM Part # (1-3) (4-up)
28-11142 **\$38.49** **\$35.71**




Compact Solar Cell with Integrated Battery

This solar panel is a pocket-size solar charger that can serve as a backup power source, and is ideal for charging cell phones and other mobile devices. **Features:** •Output voltage: 5.5V •Output current: 360~800mA •Battery capacity: 1350mA •Charging times: 12~15 hours (full sun), 20~25 hours (partial sun) **Includes:** USB charging cable with various plugs, power supply, •Dimensions: 5" (L) x 2 3/4" (W) x 1/2" (H)

MCM Part # **ONLY**
28-11147 **\$39.99**



velleman
Compact Solar Panels



Small polycrystalline panels provide a wide range of voltages and current, perfect for hobby, experimentation and educational use, as well as larger solar panel prototyping. Pigtail stripped and tinned leads allow easy connection. Versatile mounting allows incorporation in a wide range of applications. Multiple cells (of the same type) may be placed in series/parallel arrangement to provide increased voltage and/or current.

Fig.	MCM Part #	Voltage	Current	Dimensions (H x W x D)	(1-3)	(4-up)
A	28-11130	0.5V	400mA	1.8" x 2.8" x 0.2"	\$6.49	\$5.53
B	28-11134	1.0V	200mA	1.8" x 3.0" x 0.2"	6.49	5.53
C	28-11136	2.0V	200mA	3.0" x 3.7" x 0.2"	10.99	10.13

concept GREEN
Portable Solar Battery Charger



•Portable solar device charges your iPhone®, iPod®, smartphone, and most digital devices
•Power indicator shows battery level
•Charges digital device in 3~4 hours
•Includes standard USB cord and standard adapters (Micro USB, Mini USB, and Apple® connector)
•Available in black and silver
Specifications: •Lithium-polymer battery •1250mAh •0.3W panel •Output voltage: 5VDC •Output current: 500mA •Weighs only 2.1 oz. •Mfr. #: CGS1250

MCM Part #	Color	ONLY
28-12050	Black	\$22.99
28-12055	Red	22.99

concept GREEN
Portable Solar Battery Charger



•Portable solar device charges your iPhone®, iPod®, smartphone, and most digital devices
•Power indicator shows battery level
•Charges digital device in seven hours
•Includes standard USB cord and standard adapters (Micro USB, Mini USB, and Apple® connector)
•Available in black and silver
Specifications: •Lithium-polymer battery •3500mAh •0.6W panel •Output voltage: 5VDC •Output current: 500mA •Weighs only 2.1 oz. •Mfr. #: CGS3500

MCM Part #	Color	ONLY
28-12060	Black	\$43.49
28-12065	Silver	43.49

Osepp
Monocrystalline Solar Cells

Maximum efficiency Monocrystalline solar cells. Encapsulated with low reflecting water clear epoxy to protect against physical impact and harsh outdoor environments. Terminated with a DC barrel plug **Features:** •Monocrystalline cells •Fully encapsulated •Terminated with a DC barrel plug

MCM Part #	Current	Voltage	Size	(1-9)	(10-up)
28-17862	100 mA	3.6V	60 x 60 mm	\$5.99	\$5.81
28-17863	100 mA	5.0V	75 x 60 mm	6.99	6.78
28-17864	100 mA	7.2V	90 x 70 mm	8.99	8.72
28-17865	200 mA	3.6V	85 x 85 mm	9.99	9.69
28-17866	200 mA	5.0V	120 x 70 mm	11.99	11.63
28-17867	200 mA	7.2V	140 x 90 mm	13.99	13.57

Replacement Power Cords

Right Angle 6' 7" Power Cords

Molded PVC right angle grounding connector PH-390 IEC 320-C-13. 18 AWG. Rating 1250W/10A. NEMA 5-15P molded vinyl grounding plug, PVC jacketed. SJT type cord.

MCM Part #	Mfr. #	Type	(1-9)	(10-up)
23-315	17606	Shielded	\$4.99	\$4.59
23-345	17506	Unshielded	4.99	4.59

3 Conductor Power Supply Cords

Unshielded, PVC jacketed power supply cords. NEMA 5-15P molded vinyl grounding plug. SJT type cord.

MCM Part #	Mfr. #	AWG	Length	(1-9)	(10-up)
23-420	17513	18	9'10"	\$4.99	\$4.59
23-430	17515	16	9'10"	5.99	5.51



Computer Power Cords

•Power cords used by many computer and test equipment manufacturers •18 gauge

Fig.	MCM Part #	Length	(1-9)	(10-49)	(50-up)
A	23-145	3'	\$3.49	\$3.17	-
A	23-130	6'	3.99	3.67	-
A	23-146	1'	1.99	1.83	-
A	23-200	10'	6.96	6.04	5.29
B	23-180	3'	4.67	4.44	4.03
B	23-185	6'	5.40	4.97	4.34
IEC320 CS Coverleaf					
C	23-737	3'	1.99	-	-
C	23-738	6'	2.99	2.75	-



6' Popular Technics/Panasonic Type Power Cord

•Used for many Technics/Panasonic series audio components or stereo amplifiers •18 gauge •6' length
#23-190: •Replaces Matsushita #SJA170 #23-195: •Replaces Matsushita #SJA172-1 •Replaces Sony #1-751-676-11 and 1-751-815-11

Type	MCM Part #	Description	(1-9)	(10-49)	(50-up)
Nonpolarized					
	23-190	Audio components	\$7.59	\$7.31	\$7.02
Polarized					
	23-195	Stereo amplifiers	6.59	-	-

Popular Polarized Power Cord

Used by many manufacturers including Sony, Sharp and Magnavox. 18 gauge, 6' length, SPT-2 jacket. Used in many portable electronic devices.

MCM Part #	(1-9)	(10-49)	(50-up)
23-275	\$4.25	\$3.49	\$2.97

6' Replacement Cord

•18 gauge •SPT-22 conductor wire
•Polarized plug

MCM Part #	(1-9)	(10-up)
23-270	\$1.34	\$1.11

6' Replacement Cord


•18 gauge •SPT-1
•2 conductor wire

MCM Part #	(1-9)	(10-up)
23-095	\$2.07	\$1.66

6' Replacement Power Cord

•Power cord that will replace most 3 prong plug cords •18 gauge

MCM Part #	(1-9)	(10-49)	(50-up)
23-150	\$4.25	\$3.71	\$3.38



“Y” Cords

Each of these “Y” cords replaces two standard power cords in computer, home entertainment and professional studio applications. Color: Black. Cord: SJT.

Fig.	Mfr. #	Length	AWG	Rating	(1-9)	(10-up)
A	23-615 17238A	6'	18	125V/10A	\$6.68	\$6.29
B	23-650 17275A	10'	16	125V/13A	11.83	11.19



Laptop Computer Power Cords

•Length: 6' •18AWG wire •125VAC, 10A, 1250W rated
•UL, CSA approved •RoHS compliant

Fig.	MCM Part #	Description	(1-9)
A	23-863	Non-polarized	\$3.99
B	23-864	Grounded	4.99



Computer Power Cord Adapters

•18AWG wire •125VAC, 10A, 1250W rated
•UL, CSA approved
•RoHS compliant

Fig.	MCM Part #	Description	(1-9)	(10-up)
A	23-869	6' PC Y cable	\$8.99	\$8.55
B	23-870	6' desktop extension	3.99	3.75
C	23-871	1' monitor adapter	3.99	3.75

Computer Power Cords

•Standard PC power cord
•18AWG wire •125VAC, 10A, 1250W rated •UL, CSA approved •RoHS compliant

MCM Part #	Length	(1-9)	(10-up)
23-865	1.5'	\$3.99	\$3.75
23-866	4'	3.99	3.75
23-867	6'	3.99	3.75
23-868	12'	8.99	8.55

6' Sony Type Power Cord

•2 conductor •Fits most small Sony products •18 gauge
•Replaces Sony #1-534-558-XX

MCM Part #	(1-9)	(10-49)	(50-up)
23-040	\$2.48	\$2.29	\$2.07



6' Polarized RCA Type Power Cord

•Popular replacement for RCA type power cord
•Used on newer TVs •18 gauge •SPT-2 jacket
•Replaces RCA #187802

MCM Part #	(1-9)	(10-49)	(50-up)
23-255	\$4.25	\$3.62	\$3.02



1' AC Adapter for IBM Type Monitor

•Allows use of monitor other than IBM with IBM PC or XT

MCM Part #	(1-9)	(10-up)
83-0075	\$5.99	\$4.65



3 Conductor AC Power Cords for Wall-Mount Flat Panel HDTVs

Specifically designed in short lengths to reduce wire clutter, these UL and CSA certified power cords are great for connecting power to new wall-mounted, flat panel HDTVs. **Specifications:**
•Foil shielded 16AWG/3C •SJT oil-resistant outer jacket •NEMA 5-15 right-angle male to IEC 320 C13 female •1625W/13A/125V current rating

MCM Part #	Length	ONLY
23-750	1.5'	\$2.99
23-755	3.0'	2.99



3-Conductor Power Cords

Molded PVC grounding connector, PH-386, IEC 320-C-13. NEMA 5-15P molded vinyl grounding plug. UL listed. CSA certified.

MCM Part #	Mfr. #	Rating	Length Cord	(1-9)	(10-up)
Beldfoil Shielded					
23-490	17601	1250W/10A	9'10"	SJT	\$13.38 \$12.50
23-495	17602	1625W/13A	6'7"	SJT	12.35 11.40
23-525	17742	1250W/10A	6'7"	SVT	6.88 6.28
Unshielded					
23-560	17501	1250W/10A	9'10"	SJT	6.44 6.06



Magnum 5' Electric Clothes Dryer Cords

For use with 125/250V free standing electric clothes dryers. Package includes cord, strain relief bracket and hardware. Features a right angle plug to keep cord close to walls and closed eyelet connectors for convenient, secure hook-up. **Specifications:** 10/3 or 10/4 AWG with grey SRDT jacket, 30A, 125/250V.

MCM Part #	Mfr. #	Wire	ONLY
23-796	MAG3025	10/3	\$9.27
23-797	MAG3425	10/4	13.99



IBM Type Monitor AC Extension Cord

•Allows user to extend the length of IBM monitor cables

MCM Part #	Length	(1-9)	(10-up)
83-0090	1'	\$6.49	\$4.40
83-0020	6'	7.49	6.51



C14 to 2x C13 “Y” Power Cords

•The ideal cord for powering two different devices from only one outlet •Provides power without creating a surplus of cables that can become easily tangled •IEC-60320-C14 to two IEC-60320-C13 •Black SJT jacket

MCM Part #	Mfr. #	Length	AWG	Rating	ONLY
23-799	0200.072	6'	16/3	13A/250V	\$11.99
23-800	0200.120	10'	16/3	13A/250V	14.99
23-801	0201.072	6'	18/3	10A/250V	8.99
23-802	0201.120	10'	18/3	10A/250V	10.99



6' Locking Power Cable

Perfect for classrooms, server rooms or other public areas. Unique locking design prevents cable from being removed from device easily. **Features:**
•NEMA 5-15P to IEC-60320-C13 Auto-Lock •18 Gauge/3 Cond •Rating: 10A / 125V •Jacket Type SVT 105°C •Black •OD: .230 - 2.65

MCM Part #	ONLY
28-16875	\$12.99



Hospital Grade Power Cords

High-quality replacement power cords for medical lab equipment, computers. Gray SJT outer jacket, with clear NEMA 5-15PHGC Hospital Grade green dot clear supply end and IEC-60320-C13 clear equipment end.



MCM Part #	Mfr. #	Length	Conductors	(1-9)	(10-49)
Rating: 10A/125V					
28-11315	0310.072	6'	18/3	\$5.99	\$5.51
28-11316	0310.096	8'	18/3	7.99	7.35
28-11337	0310.098S	8'	18/3	5.99	5.51
28-11317	0310.120	10'	18/3	6.99	6.43
Rating: 13A/125V					
28-11318	0322.072	6'	16/3	7.99	7.35
28-11319	0322.096	8'	16/4	8.99	8.27
28-11320	0322.120	10'	16/5	9.99	9.19
Rating: 15A/125V					
28-11321	0313.072	6'	14/3	9.99	9.19
28-11322	0313.120	10'	14/3	11.99	11.03



18AWG Illuminated Hospital Grade Power Cord

Many medical applications take place in dimly lit environments. Quail® provides a solution to medical specialists who are conscious about the connection of their devices. These high quality replacement power cords for medical lab equipment and computers feature a rugged gray SJT outer jacket with a clear lighted NEMA 5-15PHGC hospital grade green dot clear supply end and IEC-60320-C13 clear equipment end. This cord incorporates a molded-in LED lamp in the male plug. Rated 10A/125V, 10' long. Mfr. #0310.120LT.

MCM Part #	ONLY
23-795	\$13.38



8' Extension Cord with 360° Rotating Power Plug

Top quality Quail 8' 10A /125V extension cord is black 18 AWG 3 SJT and features a 360° rotating right angle NEMA 5-15P supply plug and IEC-60320-C13 equipment end. Super versatility! All Quail products are well engineered and rigorously tested. UL and CSA Listed. Mfr. #5501.096.


MCM Part #	(1-9)	(10-24)	(25-up)
28-11333	\$8.55	\$8.12	\$7.80



5-15P to 2xC13 "Y" Power Cords

•The ideal cord for powering two different devices from only one outlet •Provides power without creating a surplus of cables that can become easily tangled •NEMA 5-15P to two IEC-60320-C13 •Black SJT jacket

MCM Part #	Mfr. #	Length	AWG	Rating	ONLY
23-803	0400.072	6'	18/3	10A/125V	\$11.32
23-804	0400.120	10'	18/3	10A/125V	12.35
23-805	0401.072	6'	16/3	13A/125V	12.35
23-806	0401.120	10'	16/3	13A/125V	15.44



Heavy Duty Colored Power Cords

Reduce clutter and color code devices with these heavy duty power cords that are great for both industrial and networking applications. A variety of IEC configurations and lengths allow you to find the best cord for your need. **Features:** C20 to C19 ends: •12 AWG •20A, 250V C14 to C19 ends: •14AWG •15A, 250V C20 to C13 ends: •14AWG •15A, 250V

MCM Part #	Mfr. #	Color	Length	ONLY
IEC-60320-C20 to IEC-60320-C19				
23-836	5281.039R	Red	3'3"	\$11.99
23-837	5281.048R	Red	4'	13.99
23-838	5281.072R	Red	6'	16.99
23-845	5281.039GN	Green	3'3"	11.99
23-846	5281.048GN	Green	4'	13.99
23-847	5281.072GN	Green	6'	16.99
23-854	5281.039BLU	Blue	3'3"	11.99
23-855	5281.048BLU	Blue	4'	13.99
23-856	5281.072BLU	Blue	6'	16.99
IEC-60320-C14 to IEC-60320-C19				
23-839	5287.039R	Red	3'3"	9.99
23-840	5287.048R	Red	4'	10.99
23-841	5287.072R	Red	6'	12.99
23-848	5287.039GN	Green	3'3"	9.99
23-849	5287.048GN	Green	4'	10.99
23-850	5287.072GN	Green	6'	12.99
23-857	5287.039BLU	Blue	3'3"	9.99
23-858	5287.048BLU	Blue	4'	10.99
23-859	5287.072BLU	Blue	6'	12.99
IEC-60320-C20 to IEC60320-C13				
23-842	5345.039R	Red	3'3"	8.99
23-843	5345.048R	Red	4'	9.99
23-844	5345.072R	Red	6'	10.99
23-851	5345.039GN	Green	3'3"	8.99
23-852	5345.048GN	Green	4'	9.99
23-853	5345.072GN	Green	6'	10.99
23-860	5345.039BLU	Blue	3'3"	8.99
23-861	5345.048BLU	Blue	4'	9.99
23-862	5345.072BLU	Blue	6'	10.99



North American Power Cords

High-quality. Ideal for computers, monitors, peripherals, as well as instrument amplifiers, UPS units and pro audio equipment. Features a rugged black SJT outer jacket with IEC-60320-C14 connector end to IEC-60320-C13 coupler end. Rated 10A/125V. Wire type: H05W-F3G1.0mm² x 18/3.

MCM Part #	Mfr. #	Length	ONLY
23-784	3500.012	0.3 meter	\$2.87
23-785	3500.015	0.4 meter	3.08
23-786	3500.018	0.5 meter	3.18
23-787	3500.024	0.6 meter	3.39
23-788	3500.039	1.0 meter	5.10
23-789	3500.048	1.2 meter	4.99
23-790	3500.059	1.5 meter	5.99
23-791	3500.079	2.0 meter	5.99
23-792	3500.098	2.5 meter	7.20
23-793	3500.120	3.0 meter	9.26



Colored IEC-60320-C14 to IEC-60320-C13 Jumper Power Cords

High quality Quail C14 to C13 jumper power cords in three bright colors provide quick, positive power source identification. These cords are extremely useful for IT network professionals to enable color coding of the many devices used in their installations. Use for network components, industrial devices, communication equipment, or any C13 compatible devices to help separate, code, or categorize equipment power sources. Every Quail product is rigorously tested to ensure long lasting, safe and reliable performance. All cords are three conductor. Universal Cords are also VDE listed.

MCM Part #	Blue	Green	Red	Length	AWG	Rating	ONLY
Universal Cords							
23-809	23-818	23-827	2'	18	10A~250V		\$6.48
23-810	23-819	23-828	3'	18	10A~250V		7.20
23-811	23-820	23-829	6'7"	18	10A~250V		10.29
Domestic Cords							
23-812	23-821	23-830	2'	16	13A~250V		7.20
23-813	23-822	23-831	3'3"	16	13A~250V		8.23
23-814	23-823	23-832	6'7"	16	13A~250V		11.83
23-815	23-824	23-833	2'	14	15A~250V		7.92
23-816	23-825	23-834	3'3"	14	15A~250V		9.05
23-817	23-826	23-835	6'7"	14	15A~250V		12.86



IEC Plug Adapters



PRO-ELEC
IEC C6 to C13 Adapter

•IEC C6 “cloverleaf” inlet to C13 IEC female connector adapter •Power rating: 10A @250V •Insulation resistance: 100MΩ

MCM Part # **ONLY**
28-11465 **\$2.99**



PRO-ELEC
IEC Splitter

•2 into 1 IEC splitter •Ideal for taking power to a PC and monitor •Rated at 10A 240V

MCM Part # **ONLY**
28-11450 **\$5.49**



AC Power Plug Adapters

Top quality Quail AC adapters expand your range of power connection configurations. All Quail products are well engineered and rigorously tested. UL listed.

MCM Part #	Supply End	Equipment End	(1-9)	(10-24)	(25-up)
28-11335	NEMA 5-15P	IEC-60320 -C13	\$6.14	\$5.32	\$4.70
28-11336	IEC-60320-C14	NEMA 5-15R	3.59	3.16	2.94



PRO-ELEC
IEC C14 to C5 Adapter

•IEC 320 C14 adapter to IEC 320 C5 receptacle •Power rating: 10A @250V •Insulation resistance: 100MΩ

MCM Part # **ONLY**
28-11455 **\$4.99**



PRO-ELEC
IEC C14 to C7 Adapter

•IEC C14 adapter to C7 Fig. 8 Receptacle •Power Rating: 10A @250V •Insulation Resistance: 100MΩ

MCM Part # **ONLY**
28-11460 **\$2.99**



IEC Plugs and Sockets

PRO-ELEC
Hot Condition IEC Socket

•Rewireable C15 female socket connector •Notched hot condition design •Rubber cable strain relief •Screw terminals •Rated at 10A/250V •Dielectric strength: - 2000Vac/1 minute

MCM Part # **ONLY**
28-11490 **\$2.99**



PRO-ELEC
Right Angled IEC Socket with Strain Relief

•Screw terminals •10A, 250V rated •Dielectric strength 2000V +/-60V AC/second

MCM Part # **ONLY**
28-11500 **\$5.49**



PRO-ELEC
Rewireable IEC Socket

•Hexagon design, allows multiple cable positions •Screw terminals •10A, 250V rated •Dielectric strength 2000V +/-60 V AC/second

MCM Part # **ONLY**
28-11510 **\$4.49**



PRO-ELEC
Rewireable IEC Plug

•Solder/screw terminations and cable strain relief •UL, IEC320, BS4491 compliant •Rated 10A, 250VAC

MCM Part # **ONLY**
28-11470 **\$3.49**



PRO-ELEC
Right Angled IEC Plug with Strain Relief

•Screw terminals •10A, 250V rated •Dielectric strength 2000V +/-60V AC/second

MCM Part # **ONLY**
28-11495 **\$3.49**



PRO-ELEC
Rewireable IEC Plug

•Hexagon design, allows multiple cable positions •Screw terminals •10A, 250V rated •Dielectric strength 2000V +/-60 V AC/second

MCM Part # **ONLY**
28-11505 **\$4.49**



Requireable Free “Moat” Plugs

Features: •IEC straight and right angle connector •Internal screw termination •Approvals: SEMKO, IMQ, UL VDE, and CSA
Specifications: •Current Rating: 10A @ 250VAC •Temperature Range: -40°F~158°F •Housing: Nylon, UL94V-0 •Contacts: Brass, nickel plated •Cable Dia: 0.3" max •Right Angle (HxWxD): 0.89" x 2.84" x 2.04" •Straight (HxWxD): 0.89" x 1.14" x 3.09"

MCM Part #	Description	(1-9)	(10-up)
Black			
28-12522	Straight	\$2.29	\$1.97
28-12523	Right angle	2.39	2.06
White			
28-12524	Straight	3.08	2.66
28-12525	Right angle	2.72	2.34



Rewireable Free Sockets

Features: •Rewireable female socket connector •Screw termination, rubber strain relief grommet ie. sleeve •Ideal for most domestic appliances •Manufactured to BS4491 and IEC320 •Approvals include: VDE, UL, CSA, SEMKO, NEMKO, FEMKO, IMQ, and BSI
Specifications: •Contact Rating: 10A @ 250V ac •Temperature Range: -40°F~248°F •Housing: Matt nylon •Contacts: Brass, Nickel Plated •Terminations: Screw

MCM Part #	Color	(1-9)	(10-up)
28-12511	Black	\$2.13	\$1.83
28-12512	White	2.66	2.29



IEC Free Sockets – Rewireable

Rewireable IEC sockets with screw terminals and strain reliefs. Manufactured to BS4491, EN60.320 and UL, CSA approved. Rated 10A @ 250VAC.

MCM Part #	Description	(1-9)	(10-up)
Black			
28-12513	Straight	\$1.96	\$1.69
28-12514	Right angle	2.15	1.85
White			
28-12515	Straight	2.46	2.12
28-12516	Right angle	2.88	2.48



SCHURTER
IEC Connectors – Hot Condition

Rewireable IEC hot condition, cold connectors with integral notches. The connectors feature screw terminals and cable strain reliefs. Available in straight or angled versions. UL, CSA and BS Approved. Specifications: •Current Rating @250VAC: 15A (UL and CSA), 10A (BS, VDE) •Body Molding: Polyamide 6 Grillon A28VO



MCM Part #	Description	ONLY
28-12518	Straight	\$2.93
28-12519	Right angle	3.19

SCHURTER
IEC Rewireable Cold Connectors

Features: •Rewireable IEC cold connectors with screw terminations and cable strain relief •Available in straight or right angle versions. •UL, CSA approved •Current Rating: 15A



MCM Part #	Description	(1-9)	(10-up)
28-12520	Straight	\$3.32	\$2.86
28-12521	Right angle	3.78	3.26

SCHURTER
Rewireable Straight IEC Mains Connector

Rewireable straight, IEC mains connectors with applications in Hi-Fi, office and computer equipment or where power is taken from a single point. Contains internal screw terminations and a reversible strain relief mechanism for circular and flat cable. UL, BEAB, CSA and VDE approved. Features: •Current rating: 10 Amps @ 250V ac •Max. Cable Dia.: up to 0.26" •Body Material: Black, NORYL UL94V0 •Contacts: Nickel plated brass •Temperature Range: -40°F~149°F



MCM Part #	(1-9)	(10-up)
28-12517	\$5.57	\$4.80

PRO-ELEC
Rewireable IEC Socket

•Solder/screw terminations and cable strain relief •UL, IEC320, BS4491 compliant •Rated 10A, 250V AC



MCM Part #	ONLY
28-11475	\$1.49

multicomp
IEC Sockets – Flange Fixing / Snap Fit

Features: •Panel mount IEC inlet •Screw or snap in Dimensions: •Panel Cut-out: 0.79" x 1.09" Screw dimensions: •Frame Size : 1.97" x 0.87" •Height above panel: 0.22" •Solder Tags: 0.22" x 0.16"x 0.03" Snap-in dimensions: •Panel Thickness: Min 0.03" Max 0.12" •Height above panel: 0.12" •Solder Tags: 0.29" x 0.19" x 0.03" Specifications: •Current rating: 10A @ 250VAV •Dielectric strength: 2000V @ 1 Min. •Material: UL94V-0PBT



MCM Part #	Description	(1-9)	(10-up)
28-12532	Screw	\$0.31	\$0.26
28-12533	Snap In	0.57	0.49

Power Jack

•3 prong •Panel mount •Used in computers and test equipment

MCM Part #	(1-9)	(10-up)
28-0170	\$1.49	\$1.32



bulgin
'Polysnap' IEC Inlets – Switched / Fused

A range of panel/chassis mount IEC inlet plug with integral switches and fuse holders.

Features: •Horizontally mounted fused and/or switched inlets •Illuminated/non-illuminated rocker switches •Snap-fit fixing for 1, 1.5, 2 and 3mm panel thicknesses •Rating: 10A @ 250VAC •Approvals: UL, CSA, VDE Dimensions: •Single Pole: 2.47" x 1.54" (Cut-outs: 2.37" x 1.35") •Double Pole: 2.93" x 1.54" (Cut-outs: 2.83" x 1.35")


MCM Part #	Description	(1-9)	(10-up)
Single Pole Switched			
28-12535	Non Illuminated	\$3.98	\$3.43
28-12536	Red Illuminated	5.52	4.76
Double Pole Switched			
28-12537	Non Illuminated	5.28	4.55
28-12538	Red Illuminated	6.34	5.47



bulgin
Flange and Snap Fit Fixing

Panel cut-out 1.5mm panel thickness for snap-fit. Panel mounting mains outlets available with flange fixing or a snap-in version for quick and simple installation.


Designed for power take-off applications and complying with EN60.320/2/2. Approvals: VDE, UL, CSA, IMQ, SEMKO. Specifications: •Contact Rating: 10A @ 250VAC •Temperature Min: -40°F~158°F •Temperature Max: 158°F •Housing: Nylon to UL94V-0 •Contacts: Brass, Tin Plated •Terminations: 0.25" x 0.03" fast-on



MCM Part #	Description	(1-9)	(10-up)
28-12526	Flange Fix - Black	\$1.29	\$1.11
28-12527	Flange Fix - White	1.16	1.00
28-12528	Snap-Fit	1.04	0.90
28-12529	Shutter Snap-Fit	2.02	1.74

bulgin
Flange Fixing

A front or rear panel mounting mains inlet connector approved to BS.4491.EN60.320. Approvals UL, CSA, VDE, BS, SEMKO, and IMQ. Specifications: •Contact rating: 10A @ 250VAC •Terminations: 0.11" or 0.25" x 0.03" fast-on •Housing: Nylon UL94V-0



MCM Part #	Termination Size	(1-9)	(10-up)
28-12530	0.11"	\$0.82	\$0.71
28-12531	0.25"	1.12	0.97

bulgin
Switched and Fused Inlets

Cut-out "A" Single fuse switched: Panel cut-out H=2.23", W=1.35", Thickness=1.5mm to 3mm Depth behind panel=1".




Cut-out "B" Twin fused switched: Panel cut-out H=3.01", W=1.35", Thickness=1.5mm to 3mm Depth behind panel=1.5" Features: •Snap-fit, panel mount combination, fused inlet sockets •Each item individually terminated for flexibility of interconnection •Twin DPST switched fuse version allows switching and fusing of live and neutral •Manufactured to IEC320/CEE22 and BS4491 •Fuse drawer/fuseholder protected to PC2, IEC127/6 •Approvals: CSA, VDE, SEMKO and UL Recognised Specifications: •Overall current rating: 10A @ 250VAC •Housing: Black nylon •Terminations: 0.25" x 0.03"/0.11" x 0.02"



MCM Part #	Switch	Fuse	Neon	(1-9)	(10-up)
Style "A" Single Fused Switched					
28-12539	SPST	Single	Red	\$4.60	\$3.97
28-12540	SPST	Single	-	4.60	3.97
Style "B" Twin Fused Switched					
28-12541	DPST	Twin	Red	10.14	8.74
28-12542	DPST	Twin	Green	10.88	9.38

bulgin
Twin Fused Inlets

Panel cut-out. Panel cut-out (PCB) PCB drilling pattern (Snap Fit) Features: •Each inlet has integral fuse drawer, protected to PC2, IEC127/6 •Manufactured to BS4491.EN60.320 requirements and conforms to European Safety Standards EN60.950, IEC1010-1 and IEC601 •IEC601 and BS5724 Part 1 require mandatory fitting of twin fuse protection to medical equipment •IEC1010-1 and EN60.950 recommend use of twin fusing for laboratory and "IT" equipment •Approvals: VDE, CSA, IMQ, SEMKO and UL Recognised Specifications: •Contact rating: 10A @ 250VAC fused •Temperature: -4°F~158°F •Max dissipation per fuse: 2.5W •Housing: Black glass filled nylon, UL94V-0 •Terminations: 0.25" x 0.03" (except PCB) •Fuseholder: Twin 20mm x 5mm



PRO-ELEC
Fused Panel Plugs

•IEC 320 type, 3-pole panel plug •10A 250V rated •UL and CSA compliant



MCM Part #	Description	(1-9)	(10-up)
28-12543	Snap fit	\$2.88	\$2.48
28-12544	Flange fixing	2.63	2.27
28-12545	PCB mounting	2.92	2.52

MCM Part #	Mounting	ONLY
28-11480	Flange	\$1.99
28-11485	Snap-In	1.99

IEC320 Socket

High quality screw panel mounted inlets to IEC320 spec.

Specifications: •Rating: 250Vac at 6A •Panel Mounting Hole: 1.06 x 0.78in •Centers: 1.57in •Screw Holes: 0.13in dia. •Panel Depth: 1.10 in •Connections: 0.11 x 0.25 in fast-ons •Approvals: VDE, NEMKO, DEMKO, SEMKO, KEMA, OVE, UL, CSA



LIMITED LIFETIME WARRANTY



RATED
★★★★★

AC Cord Adapter with Rotating Plug

•Converts your standard straight AC plug into a right-angled AC plug •Enables office equipment, furniture, audio/video accessories and other AC powered devices to be positioned within 1/2" from the wall •Rotating plug allows cord to be routed in any direction •Length: 6" •125V, 15A, 1875W

MCM Part #	(1-9)	(10-up)
28-12602	\$0.99	\$0.67

Power Cord Receptacle

Mates with any bendable cord connector PH-386, PH-390 or PH-391, IEC-320-C13. May be used for equipment used in the US, Canada and European countries. Type 17252 rated 15A, 250V; UL listed. •Mfr. #17252



MCM Part #	(1-9)	(10-up)
23-470	\$1.66	\$1.42

IEC Panel Plugs – Switched Fused

Snap-in and flange mounting IEC 320 type, 3-pole panel plugs (hot type) for mains power connections. **Features:** •10A rated •UL VDE DEMKO FIMKO NEMKO SEMKO •Material: Nylon 66 94V-0I •Dielectric strength: 2000V AC 1 Minute



MCM Part #	Description	(1-9)	(10-Up)
28-12603	Snap-In	\$2.49	\$2.31
28-12604	Flange Mount	2.99	2.50



Two Outlet Power Cord with Rocker Switch

These space saving cords have one end that plugs directly into any standard wall outlet, and on the other end, the two receptacles connect to any 5-15P style plugs. The plug and receptacles feature the helpful quick release that easily ejects the plug or connectors from a receptacle or plug. It also features a switch which lets you turn your device on or off without unplugging the power cord.

Specifications: •Length: 1' •Color: White •Rating 10A – 125V. •Mfr.# 0403-012WCQRS

MCM Part #	ONLY
28-12105	\$22.99



Woods® Yellow Jacket® Contractor Grade Cords

Woods' exclusive Yellow Jacket® compound is more flexible and abrasion resistant at any temperature than standard vinyl compounds or blue cold weather cords. Yellow Jacket® cords are the best on the job site, because they are three times as abrasion resistant as standard vinyl. PowerLite power indicator plug glows when the cord has power. Extra heavy, clear molded plugs are rugged and durable.



MCM Part #	Gauge/Cord	Length	125V Rating	ONLY
28-4465	14/3	25'	15A	\$19.99
28-4466	14/3	50'	15A	39.99
28-4467	14/3	100'	13A	61.79
28-4468	12/3	25'	15A	29.99
28-4469	12/3	50'	15A	49.99
28-4470	12/3	100'	15A	89.99

Woods® Slimline™ Household Extension Cords

Woods Slimline™ cords have thin male plugs to keep the cord close to the wall. Plug does not block other outlet. Soft strap makes it easy to pull plug from the wall. Color of cord is white.



MCM Part #	Gauge/Cond	Length	125V Rating	ONLY
28-4477	16/2	7'	13A	\$5.29
28-4478	16/3	13'	13A	13.38

Extension Cords



Two Outlet Extension Cord

•Three prong pass-through power cord •15A, 125V •UL listed

MCM Part #	ONLY
28-11311	\$3.11

6' Extension Cord
•Choose from 14 gauge or 16 gauge cords •NEMA 5-15P

MCM Part #	Gauge	(1-9)	(10-up)
28-11067	16	\$5.99	\$4.76
28-11068	14	6.99	6.59

MCM Black Long Length Extension Cords

These longer length cords are ideal for powering pro audio, video and stage lighting equipment. Features a rugged black SJT jacket, resulting in a less noticeable and durable cord. NEMA 5-15R to NEMA 5-15P ends.

MCM Part #	Length	Gauge	ONLY
23-780	25'	16/3	\$18.49
23-781	50'	16/3	32.99
23-782	25'	14/3	22.49
23-783	50'	14/3	43.99



Woods® Office Cords

Manufactured with polarized outlets in a solid molded plug. These 13A cords include a safety cover for unused outlets.



MCM Part #	Gauge/Cond	Length/Color	Outlets	ONLY
28-4481	16/3	25'/Black	Single	\$15.44
28-4482	16/3	10'/Gray	Triple	13.38
28-4483	16/3	20'/Gray	Triple	16.47

Stellar Labs® Power+

Flat Panel Extension Cord with Rotating Plug

•Convert standard AC power cord to a slim right-angled plug •Perfect when installing a flat panel TV on a wall or placing a desk or piece of furniture close to a wall •360° rotating plug provides angular flexibility •14AWG cable •UL listed •15A, 125V, 1875W

MCM Part #	Length	ONLY
28-11104	6'	\$5.99
28-11105	12'	7.79



Woods® Three Outlet Household Extension Cords

•16 gauge, two conductor wire •125V, 13A •Includes safety cover for unused outlet

MCM Part #	Length	Color	(1-9)	(10-up)
28-8461	6'	Brown	\$2.90	\$2.53
28-8462	6'	White	3.29	2.68
28-8463	9'	Brown	3.32	2.85
28-8465	12'	Brown	4.25	3.59
28-8466	12'	White	5.06	4.27





Outdoor Heavy-Duty Extension Cords

•Easy to see Safety-Orange® vinyl •Three conductor •Cord type: SJTW-A •OSHA compliant for indoor/outdoor use

MCM Part #	Length	AWG	Rating	(ea.)	(2-up)
22-3925	10'	16	13A-125V	\$15.99	\$14.97
22-3930	25'	16	13A-125V	18.99	17.59
22-3940	50'	14	15A-125V	39.99	37.32



2' Heavy-Duty Three-Outlet Extension

•SJTW 12/3 heavy-duty extension cord •Weather resistant for outdoor use •Flame retardant material •Ultra flexible jacket •Grounded 3 conductor •15A •125V •1875W •UL and CUL listed •Meets OSHA requirements

MCM Part #	(1-5)	(6-up)
22-9260	\$4.99	\$4.94



Three Outlet Power Strip

This power strip adds extra grounded outlets to any area within the home, garage or workshop. **Features:** •2' heavy-duty grounded cord •125V, 15A and 1625W •UL and CUL listed

MCM Part #	ONLY
28-11310	\$2.99

Grounding Adapter

•Converts three conductor grounded plugs for use in two conductor ungrounded outlet


MCM Part #	(1-9)	(10-49)
27-310	\$0.99	\$0.91



Cable Retaining Clamp

An accidental power disconnection to medical device could be catastrophic. Make sure the cord is properly attached! This cable retaining clamp is precision tooled to fit an IEC-320-C13 molded plug and fastens securely to the IEC-320 AC receptacle on the device or equipment. Includes one clamp and three attachment screws.

MCM Part #	(1-9)	(10-49)
28-11323	\$2.07	\$1.97



Computer Power Cord Adapters

•18AWG wire •125VAC, 10A, 1250W rated •UL, CSA approved •RoHS compliant

Fig.	MCM Part #	Description	(1-9)	(10-up)
A	23-869	6' PC Y cable	\$8.99	\$8.55
B	23-870	6' desktop extension	3.99	3.75
C	23-871	1' monitor adapter	3.99	3.75



Multi Outlet Extension Cord

•Designed for kiosks, slot machines and arcade games •Plugs into any 120V feed and provides three NEMA 5-15R outlets as well as a monitor receptacle •Constructed of 18 gauge SVT cable

MCM Part #	(1-9)	(10-up)
28-11071	\$8.99	\$8.19

Tripp Lite Power Strips




Hospital-Grade Outlet Strips

Tripp Lite power strips provide convenient power distribution for applications requiring hospital-grade plugs/outlets. Tripp Lite offers multiple configurations, with 4-12 outlets, approved for use both inside and outside of patient-care areas. Utility strip-style models feature keyhole mounting tabs and flanges for installation in a wide variety of configurations.




Fig.	MCM Part #	Mfr#	Outlets	Cord Length	Certification	(1-9)	(10-up)
Approved for use within Patient-Care Areas							
A	28-11064	PS-415-HGULTRA	4	15'	UL 60601-1	\$89.99	\$82.79
Approved for use outside Patient-Care Areas							
B	28-11063	PS-415-HG	4	15'	UL 1363	59.99	58.19
C	28-11062	PS-602-HG	6	1.5'	UL 1363	39.99	38.79
D	28-11065	PS-606-HG	6	6'	UL 1363	59.99	58.19
E	28-11066	PS-615-HG	6	15'	UL 1363	64.99	63.04



Waber by Tripp Lite Power Outlet Strips and Surge Suppressors

Extremely heavy-duty metal housings, making them ideal for standing up to the harshest working environments. Added features including lighted on/off switches, keyhole mounting slots and diagnostic LEDs allow these models to fit seamlessly into any industrial or office environment

Fig.	MCM Part #	Mfr. #	Description	Outlets	(1-9)	(10-up)
Power Strips						
A	28-10270	3SP	3 outlet power strip	3 NEMA 15-R	\$22.13	\$20.11
B	28-9930	4SPDX	4 outlet power strip	4 Nema 5-15R	24.19	21.08
C	28-9935	602	5 outlet power strip	5 Nema 5-15R	26.77	23.29
D	28-10275	6SP	6 outlet power strip	6 NEMA 15-R	31.92	28.59
D	28-9940	UL24RA-15	6 right angle outlet strip 15' cord	6 Nema 5-15R	36.55	33.48
E	28-9955	UL800CB-15	10 transformer spaced outlet strip 15' cord	10 Nema 5-15R	67.97	62.55
Surge Suppressor						
F	28-9920	PM6SN1	450 joules 6 outlet surge strip	6 Nema 5-15R	25.99	23.76



Power Strips and Surge Suppressors

•Provides convenient multiple outlets wherever they are needed •All metal housings stand up to the harshest working environments •15' power cords **Specifications:** •15A NEMA 5-15R receptacles •On/off power switch

MCM Part #	Mfr. #	Description	(1-9)	(10-30)
28-9055	PS2408	8 outlet 24" strip	\$39.99	\$38.45
28-9060	PS3612	12 outlet 36" strip	43.99	42.99
28-9065	PS4816	16 outlet 48" strip	49.99	48.45
28-2955	PS7224	24 outlet 72" strip	69.99	64.39

Surge Suppressors

28-9925	SS-7619-15	450 joules 24 outlet 72" strip	69.99	68.45
---------	------------	-----------------------------------	-------	-------

Outlet Power Strips

Three Outlet Grounded Cube Converter

Converts one grounded receptacle into three outlets. •Light gray color •For indoor use •Rated at 15A, 125VAC •UL listed



MCM Part #	(1-9)	(10-up)
28-12045	\$3.49	\$3.04

MCM Three Outlet Grounded Converter

•Converts one grounded receptacle into three •Rated at 15A, 125VAC



MCM Part #	(1-4)	(5-up)
28-1445	\$2.99	\$2.30

MCM Six Outlet Wall Tap

•Converts two grounded outlets into six •Rated at 15A, 125VAC •Center screw ensures secure mounting



MCM Part #	(1-4)	(5-up)
28-1450	\$4.49	\$4.09



Three Outlet Power Strip

This power strip adds extra grounded outlets to any area within the home, garage or workshop. **Features:** •2' heavy-duty grounded cord •125V, 15A and 1625W •UL and CUL listed

MCM Part #	ONLY
28-11310	\$2.99

MCM Four Outlet Power Strip

•3' heavy-duty cord with grounded plug •15A circuit breaker built-in to lighted power switch •Sleeve pack for retail display



MCM Part #	(1-4)	(5-up)
28-8271	\$7.99	\$7.09



MCM Power Strips

•ABS fire retardant plastic case •Convenient slim design •Safety circuit breaker prevents overload by automatically cutting off electrical flow •6' grounded cord •Lighted rocker switch •Rated at 15A, 125VAC •UL listed

MCM Part #	Color	Outlets	(1-4)	(5-up)
28-1480	White	6	\$11.99	\$10.52
28-16605	Black	6	9.99	9.21
28-1485	White	8	9.99	9.08



DURATOOL Eight Outlet Power Strip with Cord Management

•Ideal for the workshop and jobsite •Three transformer spaced outlets •Five standard spaced outlets •Heavy-duty metal housing •Lighted on/off power switch •Easy cord wrap for convenient cord management •6' 14AWG grounded power cord •Designed for indoor use •UL listed



MCM Part #	ONLY
22-8915	\$15.99



DURATOOL

Six Outlet Power Strip with Cord Management

•Ideal for the workshop and jobsite •Two transformer spaced outlets •Four standard spaced outlets •Heavy-duty metal housing •Lighted on/off power switch •Easy cord wrap for convenient cord management •6' 14AWG grounded power cord •Designed for indoor use •UL listed



MCM Part #	ONLY
22-8910	\$15.99

MONSTER CABLE® Outlets to Go™ Power Strip

A must for frequent travelers who need additional AC outlets. The ultra-flat design with FlatProfile™ plug, FlatWrap™ cord and two wide spaced outlets on both sides make this easy to take with you anywhere. **Specifications:** •Four AC outlets •6.25" x 2.25" x 1.8" •24k gold-plated plug for maximum corrosion resistance and power transfer •Resettable circuit breaker.

MCM Part #	Color	ONLY
28-11660	White	\$16.99
28-11680	Black	15.99

MONSTER CABLE® Outlets to Go™ Power Strip Three with USB

Designed specifically to meet the needs of travelers. The ultra-flat design with FlatProfile™ plug, FlatWrap™ cord and three wide spaced outlets plus integrated USB port make this easy to take with you anywhere. **Specifications:** •Three AC outlets. •Mfr. # 121538.



MCM Part #	ONLY
28-11670	\$16.99

WIREMOLD® Industrial Plug-In Outlet Center® Units

•15A •Rugged construction •Aesthetically pleasing, units have a gray finish and a black cord •Cord properly rated to load requirements; Units have a 1½ SJT cord and a NEMA 5-15P plug; •Lighted switch; Most units have lighted on/off switch(es) to control power to the unit •Resettable circuit breaker provides overload protection •Two year product warranty •UL listed, UL1363 and CSA certified. •#28-9715 has receptacles 5.25" center to center •28-9725 has receptacles 2.50" center to center



MCM Part #	Mfr. #	Outlets	Cord Length	Unit Length	(1-9)	(10-up)
28-9695	UL401BC	8	6'	48"	\$49.99	\$48.55
28-9700	UL401BD	8	15'	48"	67.99	62.55
28-9705	UL402BC	16	6'	48"	79.99	73.59
28-9710	UL402BD	16	15'	48"	59.99	55.19
28-9715	UL2064BC	12	6'	72"	49.99	45.99
28-9725	UL2065BC	24	6'	72"	79.99	73.59



RCA Home Charging Station With Night Light

Turns two AC outlets into four plus a 1A USB port to charge most portable devices. Light sensing circuitry automatically turns light on and off (just like a regular night light). Durable stainless-steel finish goes well with modern kitchens and bathrooms. Uses a 7W replaceable candelabra-type bulb (included).

Specifications:

AC Rating: 15A 120V 60Hz
 USB output: 1A/5V
 Indoor use only

MCM Part #	Finish	ONLY
POLNL42R	Stainless Steel	\$18.49



RCA Home Charging Station with Device Cradle

This smart docking station holds your portable electronic devices as they charge. Keeps them safely off the table or countertop. Charges two portable devices at once with two 1A USB ports. Features a unique and handy built in cord wrap to keep your cords neat and tangle free while charging. Also expands a two 120V AC outlet into four! LED charge indicating light.

Specifications:

AC Rating: 15A 120V 60Hz
 USB output: two 1A/5V

MCM Part #	ONLY
PCHSTA1R	\$18.49



Outlet Surge Strips



Seven Outlet Surge Protector with Dual Zone Timers

This surge protector features two timer controlled zones for electronics that you only want to run for a certain period of time, with minute by minute accuracy. This surge strip centralizes the control of monitors, printers, scanners, speakers and task lights. Simple pushbutton controls make it easy to set a week's on/off schedule. Control four devices on one schedule or three devices on another schedule. This surge strip includes a large central LCD readout with easy programming instructions. **Features:** •Clamping Voltage:400V with a <1 Nanosecond response time •Resettable 15A breaker •Grounded LED, Surge LED and Lighted switch

MCM Part #	(1-9)	(10-up)
28-16610	\$21.99	\$21.10



Seven Outlet Surge Protector with Dual Zone Timers and USB Charging

This surge protector features two timer controlled zones for electronics that you only want to run for a certain period of time, with minute by minute accuracy. This surge strip centralizes the control of monitors, printers, scanners, speakers and task lights. Simple pushbutton controls make it easy to set a week's on/off schedule. Control four devices on one schedule or three devices on another schedule. This surge strip includes a large central LCD readout with easy programming instructions. **Features:** •Two USB ports with 2.1A charging power •Clamping Voltage:400V with a <1 Nanosecond response time •Resettable 15A breaker •Grounded LED, Surge LED and Lighted switch

MCM Part #	(1-9)	(10-up)
28-16615	\$24.99	\$24.24

Three Outlet Surge Protector with two USB Chargers

This handy wall tap converts one grounded outlet to three grounded outlets and includes two USB chargers for easy charging of phones, MP3 players and more. **Specifications:** •1050 joules •125V/15A/1875W •EMI/RFI Filters •USB chargers 5V/2.1A max.

MCM Part #	ONLY
28-11595	\$10.99



MCM Single Outlet Surge Suppressor

✓114 joules

Protect electronic equipment from harmful voltage surges with this easy to use surge suppressor. Surge LED indicates surge protection is functioning. **Specifications:** •Response time: Less than 5nSec •Energy: 114 joules •Peak current: 4,500A •Rated at 15A, 120VAC, 60Hz •UL listed

MCM Part #	(1-9)	(10-up)
28-4395	\$4.49	\$4.09



MCM Single Outlet Surge Protectors

✓750 Joules

•Extend the life of computers, TVs, VCRs, and all other electronic equipment •Single outlet with tele-modem or CATV surge protection •Surge LED indicates surge protection is functioning •EMI/RFI noise protection **Specifications:** •Response time: Less than 1nsec •Energy: 750 joules •Peak current: 4,500A •Rated at 15A, 120VAC, 60Hz

MCM Part #	Protects	(1-9)	(10-up)
28-4396	AC/Telephone	\$4.49	\$4.09



Six Outlet Surge Protected Wall Tap

•90 Joules •Converts two grounded outlets into six •Center screw ensures secure mounting •Continuous surge/spike protection •Status indicator light lets you know surge protection is being enforced •Rated at 15A, 125VAC •UL listed

MCM Part #	(1-9)	(10-up)
28-1455	\$10.99	\$9.90



MCM Six Outlet Surge Protectors with Metal Housings

•Grounded metal housing •15A circuit breaker •Illuminated on/off switch •330V clamping voltage •125V/15A/1875W •Right angle plug •#28-1470 has EMI/RFI filter and LED surge indicator

MCM Part #	AC Lines Protected	Joules	Cord Length	(1-9)	(10-up)
28-1470	3	270	6'	\$16.49	\$15.60
28-5535	1	90	4'	11.99	11.11



MCM Six Outlet Surge Protector

•270 Joules •Full three line surge protection •EMI/RFI filter •Integrated circuit breaker switch •LED indicator shows working surge protector circuit •AC 125VAC/15A •330V clamping voltage •ABS fire retardant plastic case •6' heavy-duty cord

MCM Part #	(1-9)	(10-up)
28-5515	\$10.99	\$10.10



MCM Six Outlet Surge Protector

•90 Joules •330V clamping voltage •AC 125VAC/15A •Lighted power switch


MCM Part #	(1-9)	(10-up)
28-8470	\$8.99	\$8.06



Nine Outlet Surge Protector

Easily protect your computer or other home/office equipment from harmful power surges. Includes three outlets designed for transformer plugs and six regular outlets, all with a sliding safety cover. **Specifications:** •Phone/fax/modem protection •Coaxial/cable protection •1050 joules •125V/15A/1875W •Protection indicator light •Power shut down protection.

MCM Part #	ONLY
28-11600	\$13.99





Six Outlet Shock-Free Safety Surge Protector

Keep your children safe from accidental shock with built-in barriers that block fingers and other objects from entering surge strip. **Specifications:** •Phone/fax/modem protection •EMI/RFI filters •1050 joules •125V/15A/1875W •LED surge indicator light •Power shut down protection. **Ⓢ**

MCM Part # **ONLY**
28-11605 **\$10.99**

Stellar Labs®
Power+

Six Outlet Power Save Surge Protector

RATED
★★★★★
✓2160 joules
✓Smart outlets
✓RJ-11 protection



Perfect for an office environment, these surge protectors feature five "Power Save" outlets that only provide power when the "Master" device is on, helping to reduce your electric bill and protect the environment. **Features:** •Four power save outlets •One master outlet •One always on outlet •2160 joules •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11 surge protection •6' power cord **Includes:** •6' RJ-11 telephone cable **Ⓢ**

MCM Part # **ONLY**
28-11112 **\$14.99**



"Green Power"

Stellar Labs® Smart Home Theater Power+ Surge Protector

It is estimated that seven percent of the world's electricity usage is consumed by electronics in standby mode. The five "Green Power" outlets on this surge protector monitor power usage, and when consumption drops 70% from peak for 3 minutes, the outlets automatically switch off, saving you money and reducing harmful carbon emissions. Three "Always On" outlets are included for your CATV box, DVR, or any other device that needs to always be on. The "Green Power" outlets are perfect for your DVD player, VCR, A/V receiver, or any other component that still functions normally without having to drain electricity while in standby mode. **Specifications:** •"Green Power" outlets switch on when IR signal is detected •LED current meter •4320 joules •EMI/RFI noise filtration •LED status indicators •Dual 2.4GHz coax protection •RJ-11/45 surge protection •External IR receiver connection allows for concealed installation •8' 14AWG power cord •Piano black finish **Includes:** •Two coaxial cables •Cat 5 cable •RJ-11 telephone cable •Owners manual **Ⓢ**

MCM Part # **ONLY**
28-11109 **\$49.43**

Stellar Labs®
Power+

Eight Outlet Power Save Surge Protector

RATED
★★★★★
✓2160 joules
✓Smart outlets
✓Dual coax protection
✓RJ-11 or RJ-45 protection



Featuring five "Power Save" outlets that only provide power when the "Master" device is on, this surge protector can help reduce your electricity bill and protect the environment. **Specifications:** •EMI/RFI noise filtration •Five power save outlets •One master outlet •Two always on outlets •2160 joules •EMI/RFI noise filtration •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11/45 surge protection •Dual 2.4GHz coax protection •6' power cord **Includes:** •6' Cat 5 cable •6' RJ-11 telephone cable **Ⓢ**

MCM Part # **ONLY**
28-11108 **\$29.86**

Stellar Labs®
Power+

Four Outlet Power Save Surge Protector

RATED
★★★★★
✓2160 joules
✓Smart outlets
✓Coax protection
✓RJ-11 or RJ-45 protection



Featuring two "Power Save" outlets that only provide power when the "Master" device is on, this wall mounted surge protector can help reduce your electricity bill and protect the environment. **Specifications:** •Two power save outlets •One master outlet •One always on outlet •2160 joules •EMI/RFI noise filtration •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11/45 surge protection •2.4GHz coax protection **Includes:** •6' RG-59 coaxial cable •6' Cat 5 cable •6' RJ-11 telephone cable **Ⓢ**

MCM Part # **ONLY**
28-11107 **\$21.62**

Stellar Labs®
Power+

Compact Three Outlet Surge Protector

✓1080 joules
✓Coax surge protection



Compact size and coaxial line protection make this a perfect surge protection solution for a wall mounted television. **Specifications:** •EMI/RFI filtration •Two fixed outlets, one rotating outlet •Rotating coaxial input and output •1080 joules •LED protection status light •6' coaxial cable included **Ⓢ**

MCM Part # **ONLY**
28-11106 **\$10.29**




Stellar Labs®
Power+

Mobile Device Charging Station

With four AC adapter spaced outlets, and two USB charging outputs, this six device charger station is perfect for organizing and charging your MP3 player, cell phone, digital camera, or any other portable electronic device. Also protects your charging mobile devices from electrical surges. **Features:** •Skid resistant pads hold devices securely •Five clips for cable organization •Expandable device holder •Foldable for easy portability •1080 joule surge protection •On/off rocker switch **Ⓢ**

MCM Part # **ONLY**
28-11111 **\$20.59**



Stellar Labs®
Power+

Desktop Surge Protector with USB Hub

A perfect desktop power solution, the "Desktop Corner Power" unit provides three surge protected AC power outlets as well as a four-port USB hub. A perfect solution for plugging in your computer speakers, monitor, and printer, an on/off rocker switch provides a convenient and easy way to go green by saving electricity used by electronics typically left in standby mode. **Specifications:** •Two rotating outlets, one fixed outlet •Four port USB hub •1080 joules •6' rotating 14AWG power cord •EMI/RFI noise filtration •RJ-11/45 surge protection •Rocker switch •LED status indicators (grounded, protected) **Includes:** •6' USB cord •6' Cat 5 cable **Ⓢ**

MCM Part # **ONLY**
28-11110 **\$22.99**



Rotating Power Strip & Surge Protector

There always seems to be so many bulky transformers but so little space between the outlets. Results are wasted space, and possibly the need of more power strips or "power strip saver" jumper cords. The Rotating power strip takes care of this problem. Simply rotate the outlets in opposite directions and utilize all of them. This power strip features two fixed side and six rotating NEMA 5-15R grounded outlets, a 6' 1/4" AWG power cord and a 360° rotating NEMA 5-15P plug. It also features a top quality power push button, handy cord organizer clips, EMI/RFI noise filters, and provides up to 2160 joules of protection against equipment damaging surges. Rated at 125V AC, 15A.

MCM Part # **ONLY**
28-11413 **\$36.49**



MIDLITE
QUALITY CUSTOM PRODUCTS
**Power Jumper™
Power Relocation Kit**

Pre-wired and requiring no electrical wiring by the installer, the Power Jumper provides a duplex receptacle for behind the screen, and an IEC receptacle is located below in the same stud bay. Power is supplied by simply plugging in the included IEC power cord into the power inlet and the other end into a remote surge protector or electrical receptacle nearby. **Features:** •7", 14-2 AWG 15A romex cable •Mounts to recessed low voltage brackets (not included) •ETL listed, UL Rated 817, CSA# 22.2#21 •NEC Code Compliant •Mfr. #PJW-7R

MCM Part # **ONLY**
50-14045 **\$69.99**



MIDLITE
QUALITY CUSTOM PRODUCTS
Decor Receptacle and Power Inlet Kit

Use MIDLITE's innovative patent pending decor recessed receptacle and power inlet, 125V, 15A to install power behind your flat panel TV and audio and video devices. **Features:** •Provides an affordable power solution for wall mounted flat panel TVs •Perfect for retro-fit construction projects •Fits in standard 14 cubic inch electric box •Can be used with remote surge/power conditioner to HDTV •Available in white, light almond, ivory, and black **Includes:** •1-gang decor recessed receptacle •1-gang decor recessed power inlet •Two 1-gang work boxes •6' 14 gauge, 15A black power cord

MCM Part #	Mfr. #	Color	ONLY
28-11088	A46-W	White	\$55.09
28-11089	A46-I	Ivory	55.09
28-11091	A46-B	Black	55.09

DURACELL
Two Outlet Wall Tap with Dual USB

•Innovative wall tap with two outlets and dual 1A USB charging ports •Wall tap plugs directly into existing AC outlets providing convenient USB charging ports •Wall tap includes area to hold smart phone s and other small devices •Mfr. #DU6207 White

MCM Part # **ONLY**
28-17852 **\$12.99**



DURACELL
Travel Surge Strip with Dual USB

•Innovative travel surge strip with two outlets and dual 1A USB charging ports •Strip has a unique cable storage spot and a 4' cord •Mfr. #DU6213 White

MCM Part # (1-9) (10-up)
28-17851 **\$11.99** **\$11.63**



360 Electrical Surge Strips

360electrical
it's revolutionary
Compact Mobile Rotating Surge Protector

One outlet surge protection to take with you anywhere. **Features:** •360° rotating adapter helps you fit large plugs •Just plug it in and rotate •Surge protection shields your electronics •12A/120V/1440 Watts/104 Joules

MCM Part # **ONLY**
28-16835 **\$5.99**



360electrical
it's revolutionary
Powercurve™ Mobile Outlet

This durable, fold and travel plug makes a great travel companion to charge all your gadgets on the go. **Features:** •Two 360° rotating AC outlets fit large plugs •Two front-facing USB outlets •918 joules of advanced surge protection •Rated 15A /120 V/1800W

MCM Part # **ONLY**
28-16820 **\$22.99**



360electrical
it's revolutionary
Four Outlet Rotating Surge Protector

This travel size surge lets you take additional outlets and surge protection with you wherever you go. **Features:** •Four 360° rotating outlets can adjust to fit a wide variety of large plugs •Advanced X3 Surge protection •Plug-in to an existing grounded outlet - no wiring necessary •Rated 15A / 120 V/ 1800W

MCM Part # **ONLY**
28-16815 **\$19.99**



360electrical
it's revolutionary
Six Outlet Powercurve™ Outlet Strip

Features: •Six 360° rotating outlets can adjust to fit a wide variety of large plugs •Auto shutdown technology cuts power in the vent of a major surge •1080 joules of advanced surge protection •On/off switch with integrated 15-amp overload circuit breaker reset for easy recovery •4' cord •15A/120V/1800 W •UL listed

MCM Part # **ONLY**
28-16825 **\$32.49**



360electrical
it's revolutionary
Seven Outlet Powercurve™ Outlet Strip with USB Charging

Features: •Five 360° rotating outlets can adjust to fit a wide variety of large plugs •Two front-facing 2.1 amp USB outlet for charging smartphones and E-readers •Auto shutdown technology cuts power in the vent of a major surge •2160 joules of advanced surge protection •On/off switch with integrated 15-amp overload circuit breaker reset for easy recovery •4' cord •15A/120V/1800 W •UL listed

MCM Part # **ONLY**
28-16830 **\$29.99**

360electrical
it's revolutionary
12 Outlet Swivel Surge Strip

Advanced surge protection and multiple outlets provide the security your devices deserve. **Features:** •Eight outlets swivel 90° to fit large plugs •Four fixed outlets have child safety covers •4320 Joules with Advanced X3 Surge Protection •Safety shutdown technology protects your connected equipment by turning off power in the event of an extreme surge •Modem protection •Cable management clips lift to help keep cords neat and tidy •6' cord •15A/120A/1800W •UL Listed

MCM Part # **ONLY**
28-16845 **\$29.99**



RCA Surge Strips

RCA Portable Charging Station



Converts any 110 power outlet into two handy USB charging outlets. Powerful 2A USB quickly charges two smartphones, one iPad or other tablet. The removable/rotatable clip works with any plug orientation and holds your portable device securely, keeping it safe while keeping your countertop clean and clutter free! The charger rotates 90° or 180° and locks into place making it very easy to use. USB puck includes a cover to keep dust and dirt out during travel.



MCM Part # **ONLY**
PCHCLIPR **\$17.99**



RCA Surge Protectors with Child Safety Covers

Featuring integrated child safety covers, and LED status lights, these surge protectors from RCA protect your equipment from electrical surges.

Fig.	MCM Part #	Outlets	Joules	Cord Length	ONLY
A	PS2600DS	6	450	3'	\$10.99
B	PS28210B	8AC, "F", RJ-11	3120	4'	27.99

RCA Six Outlet Surge Protector with Swivel Outlets

Protect your equipment and keep your cords organized with this swiveling surge protector. •Outlets swivel side-to-side 90° •2100 joules surge protection •\$300,000 equipment guarantee



MCM Part # **ONLY**
PSWTS6 **\$13.99**

UL cUL
RCA Appliance Surge Protector

This surge protector maintains power to your appliances, even after powerful surges, with PowerRoute™ technology. Use with refrigerators, freezers, washers and microwave ovens. An alarm sounds when the surge protector has sacrificed itself to protect your appliances from a powerful surge. The two protected side AC outlets are built into the slim profile design. 1500 joule surge protection. Comes with a \$75,000 connected equipment guarantee. Color white.



Specifications:
AC: 15A 120V 60Hz
Max. surge voltage: 6000V
Max. surge current: 60,000A
Voltage protection rating: 400V
EMI/RFI: Yes
MCM Part # **ONLY**
PSAPP1R **\$18.49**



UL cUL
RCA Dual USB Travel Charging Station/Suppressor

A great convenient, compact charging station for your personal electronics! Ideal for home or travel. Has two 1A/5V USB charging outlets, holds your portable devices as they charge, includes three 120V AC outlets and protects your equipment from damaging power surges. The removable cradle creates a larger-sized holding area for your portable devices, keeping your work space clear. 450 Joule surge protection.

MCM Part # **Color** **ONLY**
PCHSTAT1R Grey **\$18.49**
PCHSTAT2R White **18.49**

Belkin Surge Strips



belkin 6 Outlet Surge Protector with Rotating Plugs

Safeguard your home electronics against harmful power fluctuations and secures your everyday power needs **Features:** •630 Joule energy rating provides superior power protection for all your general electronic devices •6 Surge-protected outlets supply complete, 2-line AC protection •8' power cord delivers optimal, safe AC power through a heavy-duty cord •360° swivel plug accommodates inconvenient outlet locations •Large recessed power switch prevents accidental shutdowns and makes system resets easy •\$25,000 connected equipment warranty

MCM Part # (1-9) (10-up)
28-12626 **\$29.49** **\$28.03**

belkin One Outlet Wall Mount Surge Protector

•Direct, plug-in surge protection for your entry-level desktop computers, notebooks, peripherals, phone/fax/modem, kitchen appliances, standard household electronics, and more •Perfect for use during business or personal trips •1045 Joules •45,000 maximum spike amperage •Lifetime \$50,000 connected equipment warranty



MCM Part # (1-9) (10-up)
28-12628 **\$7.99** **\$7.75**

belkin Conserve 8 Outlet Surge Protector with Timer

The Conserve Surge with Timer is an easy-to-use cost-saving business solution that helps reduce the energy wasted by office electronics by turning them off automatically, right at the workstation. **Features:** •Automatically powers electronics off at the end of the day, eliminating standby power •Convenient desktop timer button lets you power electronics on at the start of the day and starts the 11-hour timer •6 Auto-Off outlets, and 2 Always-On outlets for devices that need continuous power, like fax machines or desk clocks •1,080 Joules surge protection •LED light blinks to alert users before power is automatically shut off •Surge protection against power spikes and irregularities •\$50,000 connected equipment warranty



MCM Part # (1-9) (10-up)
28-12634 **\$29.99** **\$29.99**

belkin Conserve Switch™ 8 Outlet Surge Protector with Remote

Now you can control power to your whole computer system or other devices with a single click. **Features:** •Wireless remote switch works up to 60 feet away and is wall-mountable •Remote-Switched Outlets let you eliminate standby power to up to 6 outlets with one click •2 Always-On Outlets for devices that need continuous power, like routers •1,000 Joules circuit protection •Cable-management clip keeps cords neat •Sliding safety covers for added protection •1-Year Limited Warranty •\$100,000 Connected Equipment Warranty



MCM Part # (1-9) (10-up)
28-12632 **\$49.99** **\$48.49**



Travel Surge Charger



Dual Port USB Travel Charger



Dual Port USB Charger



Home Charging Station with Nightlight



INCHARGE



Home Charging Station

Charge multiple portable devices at home or away.

RCA's Portable Charging Stations provide safe keeping of all your portable electronic devices while they charge – including multiple charging options (whether USB or traditional AC outlets), integrated cord management and a device cradle. With our Wall Plate Charger you can easily plug into an existing outlet and charge up to two USB devices. Plus our Travel Chargers really travel well – they're small enough to go with you wherever you go. Learn more about our portable charging stations at rcaaudiovideo.com

FOR ALL OF RCA'S CHARGING SOLUTIONS PLEASE SEE PAGE XXX



USB Wall Plate Charger WP2UWR

Belkin Surge Strips

belkin
Conserve Power Switch™

The Conserve Power Switch completely shuts off power, including standby power, to your electronics and appliances with the flip of a switch, to help you save energy. Features: •Reduces clutter of unplugged devices •Draws zero power when off •1-Year Limited Warranty Specifications: •120VAC, 15A 60Hz, 1800W



MCM Part #	(1-9)	(10-up)
28-12635	\$7.99	\$7.75



belkin Conserve SmartAV™
Eight Outlet Auto-Off Surge Protector

Now you can automatically turn off up to five entertainment system components when you turn off your TV, and easily reduce standby power. Features: •Eight total outlets •Master outlet senses if your TV is on or off •Master-Controlled outlets let you eliminate standby power to components like DVD players and gaming consoles using your TV's power button •Two Not-Controlled outlets for devices that need continuous power, like DVRs •1,000 Joules surge protection •1-Year limited warranty

MCM Part #	(1-9)	(10-up)
28-12633	\$39.99	\$38.79



belkin
Mini Surge Protector with USB Charger

Hotel rooms and airport terminals never seem to have enough power outlets to charge all the devices today's traveler brings along. Now you can add outlets and peace of mind on business trips and vacations. Features: •Three 360° rotating plugs with four locking positions •Two USB charging outlets (no data connection) •Compact, lightweight design

MCM Part #	(1-9)	(10-up)
28-12625	\$14.99	\$14.54

belkin
1-Outlet SurgeCube Surge Protector

The one-outlet Home Series SurgeCube from Belkin offers wall-mount-direct, plug-in surge protection for your general electronics, home appliances, and more. Features: •Provides complete, 3-line AC protection for electronic devices •Features illuminated LEDs to alert you when devices are grounded and protected •Plugs directly into the wall to save space and prevent tangled cords •885 joules •45,000-Amp maximum spike current •Lifetime \$50,000 connected equipment warranty



MCM Part #	(1-9)	(10-up)
28-12627	\$5.99	\$5.81

Tripp Lite Surge Strips



Three Outlet Protect It! Surge Suppressor

The compact direct plug-in design allows for easy portability and features 660 joules of surge energy absorption. Diagnostic LEDs alert you to potential wiring or protection faults before connected equipment is damaged. \$5,000 Ultimate Lifetime Insurance. Mfr. # SK3-0.



MCM Part #	ONLY
28-11560	\$6.99



Six Outlet Home Theater Surge Protector

•Direct plug-in •Outlets swivel on either side •Protection for telephone and DSS/cable •1200 joules •\$50,000 protected equipment warranty •Mfr. #HTSWIVEL6



MCM Part #	(1-9)	(10-up)
28-10990	\$19.99	\$19.39



ISOBAR® Premium Surge Suppressors

•Isolated filter banks eliminate interference between connected equipment •All metal housings stand up to the toughest environments •6' cords except #28-10995 which has a 25' cord Specifications: •140VA RMS initial clamping voltage •(Ons) response time •EMI/RFI filtering =>40dB-80 •Up to \$50,000 Ultimate Lifetime Insurance

MCM Part #	Mfr. #	Outlets	Joules	(1-9)	(10-up)
28-0265	ISOBAR2-6	2	600	\$32.99	\$30.35
28-10875	ULTRABLOCK428	2	600	29.99	29.09
28-9915	IBAR4	4	2200	45.31	42.76
28-0270	ISOBAR4ULTRA	4	2200	45.49	43.83
28-6634	ISOBAR6ULTRA	6	2350	56.64	53.79
28-6636	ISOBAR6DBS	6+RJ-11 +COAX	2850	69.99	64.39
28-6635	ISOBAR8ULTRA	8	2350	69.99	64.39
28-10995	ISOBAR825ULTRA	8	2350	90.80	85.64



Protect It! Surge Suppressors

•Reliable surge protection at an affordable price •Versatile outlet designs accommodate transformers without blocking remaining outlets •Diagnostic LEDs alert you to power problems before sensitive equipment is put at risk •Select models include modem/fax, coax and/or ethernet surge protection •Up to 12' power cords Specifications: •150VA RMS initial clamping voltage •>1ns response time •EMI/RFI filtering = 40dB-80 •Up to \$100,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

Fig.	MCM Part #	Mfr. #	Outlets	Cord Length	Joules	(1-9)	(10-up)
A	28-9000	STRIKER	7	6'	750	\$14.99	\$13.88
A	28-6626	SUPER7	7	7'	2350	17.99	17.25
A	28-6629	SUPER7Tel	7AC/1 line RJ-11	7'	2470	19.99	19.25
A	28-8995	TLP602	6	2'	250	7.99	7.25
A	28-10285	TLP604	6	6'	720	8.99	8.25
A	28-10280	TLP606	6	4'	720	9.99	9.25
B	28-17773	TLP74R	7	4'	540	11.99	11.63
H	28-17772	TLP74RB	7	4'	540	11.99	11.63
H	28-17771	TLP76RBTel	7AC/1 line RJ-11	6'	1080	15.99	15.51
B	28-10662	TLP712	7	12'	1000	19.99	19.25
H	28-17770	TLP806TEL	8AC/1 line RJ-11	6'	2160	23.99	23.27
C	28-9005	TLP808TEL	8AC/2 line RJ-11	8'	2820	26.99	26.25
C	28-9010	TLP810NET	8AC/2 line RJ-11/2 RJ-45/2 sets ("F") coax	10'	3690	37.99	37.25
C	28-9015	TLP810SAT	8AC/2 line RJ-11/2 sets ("F") coax	10'	3570	37.99	37.25
D	28-6633	Traveler	2AC/1 line RJ-11/direct plug-in	-	1050	12.99	12.45
E	28-10020	TMC-6	6AC/1 line RJ-11	6'	1850	32.99	31.88
F	28-11331	TLP64	6AC	4'	540	15.99	15.28
G	28-11330	TLP66NET	6AC/2 line RJ45 network	6'	1180	25.99	24.04

Cover Your Assets.

Are you doing enough to guard your expensive electronics against damage and downtime? With the unpredictability of power problems threatening your equipment, power protection is an essential part of protecting your electronic investment. Tripp Lite offers a wide variety of solutions to protect and power your modern lifestyle:



UPS Systems

Dependable battery backup keeps equipment running through power failures

- High quality surge and noise suppression protects and maintains sensitive electronics
- Phone/DSL, Ethernet and coaxial surge protection options available



PDUs

Highly reliable power distribution, monitoring and control

- Switched, monitored, metered, basic, hot-swap and ATS models available
- 1U, 2U or 0U (vertical) installation options



Surge Suppressors

Strong protection against damaging surges, spikes and line noise

- Built-in EMI/RFI noise protection
- Durable construction



Power Strips

Provide multiple outlets for all types of equipment and years of trouble-free service

- Circuit breaker prevents dangerous overloads
- Keyhole slots or flanges support wall, desk or counter installation

Tripp Lite offers a complete line of power and connectivity solutions!

UPS Systems | Racks | PDUs | Cooling | KVM | Connectivity | Display Solutions | Surge

For more information on Tripp Lite's entire line of over 2,500 power and connectivity solutions, visit www.mcmelectronics.com or contact your sales representative.



Tripp Lite Surge Strips

TRIPPLITE
ISOBAR Two Outlet Surge Protector

•Two outlets with standard duplex wall outlet spacing offers convenient wall receptacle mount placement
•Heavy-grade surge suppression rated at 600 joules/48,000A •Three LED indicators confirm suppressor operatic and site wiring status, plus warning of suppressor or electrical fault conditions •Lifetime warranty with \$10,000 Ultimate Lifetime Insurance (USA and Canada only) •Mfr. #ULTRABLOK428



MCM Part # **ONLY**
28-10875 **\$29.99**

TRIPPLITE
Isobar Low Profile Flat Panel Power Center

Power protection is a critical part of any home theater installation. You can tell the difference with deeper, fuller audio. Tripp Lite ISOBAR series includes two professional products for every home theater set-up #28-10880:
•Twelve outlets in three filter including four individually controlled outlets •IR remote control
•Three sets of coaxial surge protection #28-10800: Two AC outlets •5100 joules surge suppression rating •10' and 18" detachable power cords with right-angle plugs •Flat all-metal housing for behind monitor installations •One line HD 2.2 GHz (gold) coaxial surge protection •One Network/Ethernet protection with RJ45 •Three Diagnostic LEDs report operational conditions •All-metal housing within a Low profile design provides additional EMI/RFI rejection



MCM Part # **ONLY**
28-10800 HT2210ISOCTR **\$94.99**

TRIPPLITE
Remote Control ECO-Surge Suppressor


GREEN surge protection for your computer and peripherals. Outlet configuration reduces phantom loads; cuts AC power to unused peripherals. One-touch remote control turns green energy-saving outlets on/off. Diagnostic LEDs warn of wiring problems or suppressor damage. 2100 Joule AC suppression. Keyhole mounting tabs and up to four transformer plug outlets offers convenient protection of computers and accessories. Lifetime warranty with \$100,000 connected equipment insurance (USA and Canada). Six outlets. 6' cord length. •Mfr. #TLP66RCG



MCM Part # (1-9) (10-up)
28-11332 **\$36.99** **\$35.56**

TRIPPLITE cUL
Seven Outlet Timer Controlled ECO-SURGE Surge Suppressor

Energy-saving outlet configuration reduces energy waste (phantom loads) by cutting AC power to unused peripherals. Convenient multiple programmable timers allow users to set the exact time a device is turned on and off. The unit has two separate banks of outlets so you can program up to 20 timer options. **Specifications:** •Seven outlets •1 designated transformer outlet •4' cord •1400 joules •120V, 60Hz, 15A •Diagnostic LED to warn of wiring problems and suppressor damage •Attractive cool grey housing •EMI/RFI noise filtering •\$75,000 Ultimate Lifetime Insurance. Mfr. #TLP74TG.



MCM Part # **ONLY**
28-11590 **\$32.99**

TRIPPLITE
Home Theater Power Protection

Tripp Lite Home Theater surge suppressor safeguards your home theater investment and enhance the audio/video performance of all your components by filtering disruptive line noise traveling on the AC, coaxial or tel/modem/network lines. **Features:** •Superior surge-blocking architecture/highest joule rating in its class •Exclusive line noise filtering technology •Multiple power-monitoring diagnostic LEDs •Virtually indestructible all-metal housing •Peak performance: •Sharper, crisper video •Deeper, fuller audio •Longer component lifespan •7 AC/1 set ("F") coax •1080 Joules •Up to \$50,00 connected equipment warranty •Mfr. #HT706TV



MCM Part # (1-9) (10-up)
28-10396 **\$16.99** **\$15.63**



TRIPPLITE cUL
Six Outlet Hospital Grade Surge Suppressor

This rugged all metal surge suppressor offers six high quality NEMA 5-15HG hospital grade outlets arranged in one filter bank to prevent system crashes, reboots and performance problems common as noisy system peripherals are powered off and on. **Features:** •3330 joule surge protection •Widely spaced outlets accommodate up to three large transformer plugs without blocking outlets •Three LED indicators confirm power availability, line fault and protection status •Includes 15' 14 gauge AC power cord, NEMA 5-15PHG plug and four child safety covers •Keyhole mounting tabs •Tripp Lite Limited Lifetime warranty •120V/1/50-60Hz UL1449 •Not for patient areas. •Mfr. # ISOBAR6ULTRAHG

MCM Part # **ONLY**
28-11390 **\$99.99**

cUL
TRIPPLITE

Seven Outlet ECO-SURGE Surge Suppressor

Energy-saving outlet configuration reduces energy waste (phantom loads) by cutting AC power to unused peripherals. One outlet is always on for those peripherals that need constant power like a fax machine, DVR or router. It also offers six convenient, individual outlet switches that allow users to select which device is turned on and off. **Specifications:** •Seven total outlets •6' cord •1080 joules •120V, 60Hz •Diagnostic LED to warn of suppressor damage •Attractive cool grey housing •EMI/RFI noise filtering •\$25,000 Ultimate Lifetime Insurance •Mfr. #TLP76MSG



MCM Part # **ONLY**
28-11585 **\$23.99**

TRIPPLITE cUL
Six Outlet Protect It! Surge Suppressor

Built-in AC surge suppression shields connected equipment from damage and performance problems due to transient surges. **Specifications:** •Six outlet •120V, 60Hz, 15A •Diagnostic LED to warn of suppressor damage •Keyhole mounting tabs •EMI/RFI noise filtering •28-11580 comes with an extra-long 15' cord.



MCM Part #	Mfr. #	Joules	Cord Length	Color	Lifetime Insurance	ONLY
28-11570	TLP6B	360	6'	Black	\$10,000	\$8.99
28-11580	TLP615	990	15'	Grey	\$20,000	21.99

TRIPPLITE
Four Outlet Medical Grade Outlet Strip with Surge Suppression

This durable outlet strip is ideal for protecting medical electrical equipment from damaging surges within the patient vicinity. It is approved for use within 6' of patient-care areas and other areas where NEC requires hospital-grade receptacles. **Features:** •Switchless design prevents accidental shutoff •Integrated locking outlet safety covers guard against contact with unused outlets •Four NEMA 5-15R-HG hospital grade outlets •15' cord with NEMA 5-15P hospital-grade plug •Diagnostic LED •15A resettable circuit breaker •Surge protection •Rugged all metal housing •UL 60601-1and 60950-1 compliant •Tripp Lite limited lifetime warranty. •Mfr. # SPS415HGULTRA



MCM Part # **ONLY**
28-11391 **\$167.00**



Eco-Surge Home Theater Surge Suppressors

Tripp Lite's Eco-Surge surge suppressors offer reliable, GREEN surge technology that protects your computer and peripherals, the environment and your wallet. Featuring a switch that allows users to select wattage limits for the master outlet, Eco-Surge are the only green surge suppressors compatible with all PCs, notebooks and netbooks. **Features:** •Energy-saving outlet configuration reduces energy waste (phantom loads) by cutting AC power to unused peripherals •Auto/manual switch offers green energy savings or standard protection •Network-grade AC suppression rated at up to 3500 joules shields equipment from surges and line noise •Integrated child-safety outlet covers safely seal off unused outlets •Lifetime warranty with up to \$250,000 connected equipment insurance •#28-11292 features dual "F" coax protection

Fig.	MCM Part #	Mfr. #	Outlets	Cord Length (1-4)	(5-Up)
A	28-11291	TLP808NETG	8	8'	\$58.70 \$55.61
B	28-11292	TLP1210SATG	12	10'	87.54 84.45



Six Outlet Commercial Grade Surge Suppressor with Hospital Grade Plugs and Receptacles

This outlet strip provides AC power distribution and surge suppression with hospital grade receptacles and plug where durability and reliability are required. **Features:** •Six NEMA 5-15RHG hospital grade outlets •15' cord with NEMA 5-15PHG hospital-grade plug •Rated to 1050 joules •Switch safety cover prevents accidental shutoff •LED power indicator •Rugged all metal housing •120V/1/50-60Hz 15A •Mfr. # SPS-615-HG

MCM Part # 28-11392 **ONLY \$91.49**



Traveler C6 In-Line Laptop and PDA Surge Suppressor

In-line surge suppressor features a 306 joule rating to handle even the strongest surges (820 joule rating at 240VAC). In-line design, over current protection and 120/240V compatibility make this surge suppressor ideal for notebook computers and PDA's. Integrated phone line protection allows you to safeguard tel/modem and AC connections with a single unit. "Protected" LED lets you instantly know whether your wall jacks have potentially damaging signals. Comes with Tripplite's \$50,000 connected equipment warranty and Lifetime Product Warranty. •Mfr. # TRAVELERC6

MCM Part # 28-11370 **ONLY \$27.49**



Traveler In-Line Laptop and PDA Surge Suppressor with C8 Connectors

In-line surge suppressor features a high 1130 joule rating to handle even the strongest surges (820 joule rating at 240VAC). In-line design, over current protection and 120/240V compatibility make this surge suppressor ideal for notebook computers and PDA's. Integrated phone line protection allows you to safeguard tel/modem and AC connections with a single unit. Comes with Tripplite's \$100,000 connected equipment warranty and Lifetime Product Warranty. •Mfr. # TRAVELERC8

MCM Part # 28-11371 **ONLY \$22.99**

Monster Surge Strips



MONSTER CABLE Six Outlet Power Strip

With Multiple SurgeGuard™ protection, this power strip provides layers of defense against harmful surges with its strategically-placed multiple metal oxide varistors. The slim design and right angle plug make it easy to place. Color-coded, labeled outlets and matching cord labels make it easy to keep track of cords. **Specifications:** •550 joules •1.57" H x 2.04" W x 11.13" L. •1.74 pounds. •8' cord •FlatProfile™ right angle plug. •\$10,000 connected equipment protection •Five year product warranty. •Mfr. 109300

MCM Part # 28-11655 **ONLY \$14.99**



MONSTER CABLE Monster Power Digital PowerCenter™

Protect your valuable data with this advanced surge protector. Monster® Dual Mode Plus™ automatically disconnects to protect your equipment from dangerous power conditions. It also sounds an alarm to alert you that it has protected your system from damage. **Specifications:** •1080 joules •Six color coded AC outlets with matching labels. •Mountable design •\$100,000 connected equipment guarantee. •Mfr. # 121601-00

MCM Part # 28-11665 **ONLY \$29.99**

MONSTER CABLE FlatScreen PowerCenter™ HTS300

Protect your investment in high definition home theater components with the FlatScreen PowerCenter™ HTS300. Advanced Dual Mode Plus™ and SurgeGuard™ surge protection keeps your equipment safe from surges, spikes and dips in power with automatic disconnect and audible alarm. The patented Monster Clean Power™ Stage one filtering removes noise and interference for better HDTV picture and sound. **Specifications:** •Three side entry outlets for low profile installation •Coax connection for cable TV, satellite, or antenna •Phone connection for satellite, TiVo® or DVR. •Mfr. # 121565-00.

MCM Part # 28-11675 **ONLY \$49.99**

MONSTER CABLE Audio/Video PowerCenter™

With Multiple SurgeGuard™ protection, this power strip provides layers of defense against harmful surges with its strategically-placed multiple metal oxide varistors. Ultra-low loss RF circuitry minimizes signal loss to maintain the peak output performance of your coax connections. The FlatProfile™ right angle plug makes it easy to place. Color-coded, labeled outlets and matching cord labels make it easy to keep track of cords. **Specifications:** •Eight outlets total, including three spaced for transformers •1480 joules •1.4" H x 3.88" W x 10.13" L •2.3 lbs. •8' cord •Mfr. 109301

MCM Part # 28-11690 **ONLY \$39.99**





MONSTER CABLE
Monster Cable PowerCenter
MP PRO 2500 Line Conditioner

•Monster Clean Power™ Stage 2 v2.0 filtering for high quality sound. •Dual-Mode Plus protection provides audible and visual alarm for maximum protection and performance. •Two-stage sequenced AC power turn-on and turn-off for equipment and overload protection. •Eight switched outlets for power hungry equipment are color-coded for error free connections. •2775 Joules •Dimensions: 1.75" H x 119.00" W x 10.00" D; weight: 12.63 lbs.

MCM Part # **ONLY**
 28-11695 **\$159.00**

MONSTER CABLE
FlatScreen PowerProtect

Advanced surge protection for LCD and plasma TV's with a compact design for a clutter-free look. This unit provides two AC outlets for AC surge protection and one pair coaxial connections for cable/satellite TV surge protection. Dual-Mode Plus protection provides audible and visual alarm for maximum protection and performance. **Specifications:** •1110 joules •Dimensions: 4.25" H x 2.36" W x 2.84" D •Weight: 0.37 lbs. •\$50,000 connected equipment warranty. •Mfr. # 120241.



MCM Part # **ONLY**
 28-11700 **\$19.99**

APC Surge Strips



APC
 AMERICAN POWER CONVERSION
Home Theater
Surge Protection

•Lightning and power surges can permanently damage your audio and video electrical equipment •Even small surges can influence the performance of your electronics •These units will protect your valuable equipment from the threat of bad power •Up to \$50,000 equipment protection •Right angle plugs

Fig.	MCM Part #	Mfr. #	Outlets	Cord Length	Joules	ONLY
A	28-10605	P7V	7AC/1 set "F" coax	6'	480	\$19.99
B	28-10610	P8T3V	8AC/1line RJ-11/1 set "F" coax	8'	1700	24.99



APC
 AMERICAN POWER CONVERSION
SurgeArrest™ Outlet Strips

Lightning and power surges can permanently ruin your electronic equipment. Changes in voltage cause lockups and loss of work. This unit will protect your equipment from the threat of bad power. The SurgeArrest series provides maximum protection for high performance multimedia computers and electronic equipment. **Features:** •Lightning and surge protection •IEEE let-through rating and UL 1449 •Data-line protection •Noise filtering •Plug activated safety covers •Adjustable cable management •Cord management •Transformer block spacing •Right angle plug •180° rotating cord retainer

MCM

Fig.	Part #	Mfr. #	Outlets	RJ-11	Joules	(1-9)	(10-up)
Home/Office Series - \$75,000 Connected Warranty							
A	28-10215	PH8T3	8	2	1750	\$23.55	\$20.61
Essential Series - \$25,000 Connected Warranty							
B	28-10235	P6	6	0	320	11.50	11.20
C	28-10240	P74	7	0	490	11.99	11.03
C	28-10245	P7T	7	2	490	11.99	11.03



APC
 AMERICAN POWER CONVERSION
Power-Saving
Surge Protectors
for Audio/Video

The SurgeArrest Home/Office series provides a high level of protection for your computers, electronics and connected devices, as well as providing surge protection for your phone lines and on selected models - coax cables. Its state of the art circuitry offers excellent protection for sensitive electronic equipment against large surges and multiple surge events. **Features:** •Up to eight outlets •Coax and phone protection •Phone line splitter •Status indicator LEDs •120V •UL listed

Fig.	MCM Part #	Mfr. #	Color	Outlets	Joules	ONLY
A	28-11162	P4V	Black	4	1700	\$28.99
B	28-11163	P6V	Black	6	1700	34.99
C	28-11164	P4GC	White	4	1020	14.99
D	28-11165	P7GB	White	7	1020	19.99
E	28-11167	P8GT	White	8	2030	26.99

CyberPower Surge Strips



LIFETIME LIMITED WARRANTY

CyberPower™ Surge Protectors

•Compact, sleek, and rugged design •Ethernet, phone and coax optional •Protection up to 6,000 joules •Available in rackmount, home theater, professional, and SOHO

MCM Part #	Mfr. #	Dateline	Outlets	Joules	ONLY
Rackmount					
28-10515	CPS1215RM	-	10	N/A	\$42.99
28-10520	CPS1215RMS	-	12	1800	52.99
28-10525	CPS1220RM	-	12	N/A	62.99
28-10530	CPS1220RMS	-	12	1800	82.99
Professional and SOHO					
28-11550	6050S	RJ-11	6	1030	11.99
28-8862	750	RJ-11	7	1250	13.99
28-8863	850	RJ-11	8	2400	17.49
28-8864	880	RJ-11/coax	8	2800	25.99
28-10375	895	RJ-11/45/coax	8	3600	34.99

CyberPower™
Travel Surge Suppressor

Safeguard your laptop, PDAs and other portable electronics while on the road with this rugged CyberPower three outlet surge protector. Fits great in a laptop or brief case and is ideal for people on the go! **Features:** •918 joule surge protection •Compact wall tap design with flip-out plug •EMI/RFI noise filters •125VAC 15A •(2) USB charging ports •\$75,000 Lifetime Connected Equipment Guarantee •Limited Lifetime Product Warranty •UL1449 •Mfr. # TRVL918



MCM Part # **ONLY**
 28-11386 **\$15.49**

CyberPower™
Mobile Surge Suppressor

A rugged CyberPower portable surge protector to safeguard your laptop's motherboard, modem, network and broadband connections. **Features:** •500 joule surge protection •100~240V AC 50/60Hz •Two and three prong AC adapters are included to fit all notebook computers •RJ11/RJ45 combo (1 in/1 out) protection •\$75,000 Connected Equipment Guarantee •Five year product warranty •Mfr. #CPS500NBP.



MCM Part # **ONLY**
 28-11385 **\$10.99**

Rack Mount Power Strips



Stellar Labs® Power+ AC 15A Power Strip for PAR Light Stands

A unique four outlet 125V AC 15A power strip especially designed to attach securely to the horizontal tube of MCM portable PAR light stands #555-11635 and 555-11680. This outlet easily attaches to the stand using two standard zip ties (not included) and features an 8' long 14/3 cord with SJT. It is ideal for powering PAR lights or other lighting devices mounted to the stand. It can also be attached easily to any rigid surface using the (2) steel rear mounted clips and hardware (included). •Dimensions: 14" overall (L) x 1.5" (H) x 1.5" (W). Rugged black anodized finish. UL recognized.

MCM Part #	ONLY
28-11405	\$26.99



TRIPPLITE Rackmount Power Strips

•Provides convenient multiple outlets in a space saving 1U rackmount cabinet •Fits standard 19" rack space •All metal housings stand up to the harshest working environments •15' power cords
Specifications: •15A NEMA 5-15R receptacles •On/off power switch

MCM Part #	Mfr. #	Description	(1-9)	(10-up)
28-9030	RS-1215	12 outlet 15A	\$49.99	\$48.45
28-9035	RS-1215-20	12 outlet 20A	69.99	64.39
28-9040	RS-1215-RA	12 outlet 15A right angled	49.99	45.99
28-9050	RS-0615-F	6 front outlets 15A	49.99	45.99
28-2980	RS-0615-R	6 rear outlets 15A	49.99	45.99



TRIPPLITE Rackmount Surge Suppressors

•Protect rackmount equipment with all of the benefits of the Isobar surge line in a space saving 1U rackmount cabinet •Fits standard 19" rack space •A variety of outlet configurations accommodates providing safe power to any situation •All metal housings stand up to the harshest working environments •15' power cords
Specifications: 15A •140VA RMS initial clamping voltage •Instantaneous (0ns) response time •EMI/RFI filtering =>40~80dB •Up to \$50,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

MCM Part #	Mfr. #	Outlets	Joules	(1-9)	(10-up)
28-9020	ISOBAR12ULTRA	12	1200	\$174.69	\$164.86
28-9025	DRS-1215	12	450	70.54	66.80



ART Rack Mount Eight Outlet Power Strip

ART's 4 x 4 series outlet strips feature four outlets spaced 1.25" a part allowing you to plug in wide power cables and AC adapters, along with four regularly spaced outlets. **Features:** •Surge and spike protection •RFI and EMI filtering •6' power cord •15A circuit breaker •1800W power capacity

MCM Part #	Description	ONLY
555-10550	8 outlet	\$49.00
555-10551	8 outlet with pull out lights and voltage monitor	99.00
555-10552	8 outlet with pull out lights, voltage and current monitor	109.00



ART Pro Series Rack Mount Nine Outlet Power Strip and Power Conditioner

ART's 4 x 4 Pro series outlet strips feature four outlets spaced 1.25" a part allowing you to plug in wide power cables and AC adapters, four regularly spaced outlets, and one un-switched front mounted outlet. Each outlet strip includes an internal discrete module called APF™ (advanced power filtering) which filters out digital and dimmer hash as well as any high-frequency noise that is above the audio range. **Features:** •Surge and spike protection •RFI and EMI filtering •6' power cord •15A circuit breaker •1800W power capacity

MCM Part #	Description	ONLY
555-10556	9 outlet with pull out lights and voltage monitor	\$145.00
555-10557	9 outlet with pull out lights, voltage and current monitor	155.00



Stellar Labs® Power+ Rackmount Eight Outlet Power Strip

Perfect for power distribution racks or DJ applications requiring individual switched and grounded outlets. **Features:** •Eight individual switched outlets with lighted rocker switch •15A resettable circuit breaker •10' 14AWG power cord •Removable feet •Dimensions (H x D x W): 1.75" x 3.75" x 17.5"

MCM Part #	ONLY
28-11161	\$44.99



BUD Rack Mount Eight Outlet Power Strips

15A outlet strips are designed for easy installation into racks, providing your choice of front or rear access. **Features:** •MOV surge protection •Front panel circuit breaker •Illuminated rocker on/off switch •Black steel housing •15' black 14/3 power cord •Overall dimensions: 1.75" (H) x 2.37" (D) x 19.0" (W) •UL and CSA listed

MCM Part #	Outlet Type	(1-2)	(3-up)
555-6470	Rear	\$73.63	\$71.37
555-6471	Front	66.94	56.64



PYLE® Eight Outlet Power Supply with dB Display

A power management system is an easy way to keep your rack mount equipment power cables neat and organized. **Features:** •Dual LED signal level meters •Selectable bar or dot display style •Dual RCA inputs and outputs •Provides eight power outlets for DJ equipment •Rack mountable

MCM Part #	ONLY
555-12730	\$52.99



Penn Elcom Eight Outlet Rack Mount Power Strips

✓Pull-out LED lights
✓Surge protection

Available with or without a voltage meter display, these rack mount power strips from Penn Elcom offer up to 15A/1800W of power. **Features:** •Four adapter spaced outlets •Two pull-out LED lights with dimmer •Resettable circuit breaker •Master on/off switch •1RU height

MCM Part #	Mfr. #	ONLY
Outlet strip with volt meter		
555-13480	PL-8DV	\$143.17
Outlet strip without volt meter		
555-13478	PL-8D	118.45




GemSound Rack Mount Outlet Strip

The GemSound GL99 offers the convenience of a rack-mounted power control unit, providing eight illuminated front switches plus eight rear outlets for your rack-mount power needs. **Features:** •Eight lighted switches •8 three prong outlets on rear panel •15amp front panel circuit breaker •Fits any standard 19" rack •Weight: 4 lbs

MCM Part #	Mfr. #	ONLY
555-17100	SP8500	\$19.99

Tripp Lite UPS Systems



TRIPPLITE ECO UPS

•Energy-saving "ECO" surge outlets that automatically turn off idle equipment •99% power efficiency that lowers annual energy bills by up to \$50 •100% RoHS compliance to meet strict environmental standards •Free PowerAlert software for unattended computer shutdown (web download) •Telephone/DSL line surge protection •\$100,000 ultimate lifetime insurance

Fig.	MCM Part #	Outlets	VA	ONLY
A	28-11115	6	350	\$52.99
B	28-11116	8	550	69.99
C	28-11117	8	750	99.99



TRIPPLITE 650VA Energy Saving Standby UPS with Enhanced LCD Interface

ECO series 650VA /325W 120V UPS system with LCD display. Advanced LCD reports local power monitoring of UPS and site AC voltage levels along with estimated runtime, load percentage, load wattage, and battery charge level. Unit features eight NEMA 5-15R outlets with three of the surge-only providing energy-saving ECO functionality to reduce power usage. ECO outlets automatically power off unnecessary computer accessories like a printer, scanner and audio speakers three minutes after computer enters sleep or shutdown mode. Full load efficiency rating of 99% saves energy and ensures cool operating temperatures. Three year standard warranty with \$100,000 connected equipment insurance (USA, Puerto Rico and Canada only). •Mfr. # ECO650LCD

MCM Part #	28-11372	ONLY	\$79.99
------------	----------	------	---------



TRIPPLITE Internet Office UPS Systems

•Protect personal computers, modems and peripherals •Six outlets (three UPS/surge, three surge only) protect your entire computer set-up •Built-in RJ-11 jacks provide modem/fax protection on up to two lines simultaneously •DB-9 communication port and free PowerAlert software (web download) for unattended system shutdown •350 and 550VA models offer a new compact cabinet design **Specifications:** •120VAC/60Hz •NEMA 5-15R receptacles •EMI/RFI filtering = 40dB at 1MHz •\$25,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

Fig.	MCM Part #	Mfr. #	Outlets	VA/Watts	(1-9)	(10-up)
A	28-6640	INTERNETOFFICE300	6 + RJ-11	300/150	\$69.99	-
B	28-6643	INTERNETOFFICE700	6 + 2 RJ-11	700/425	129.00	-

Ultra Compact

B	28-8870	INTERNET350SER	6 + RJ-11	350/180	51.99	\$50.11
B	28-8875	INTERNET550SER	8 + RJ-11	550/300	66.99	64.56

USB Monitoring

B	28-10095	INTERNET550U	8 + 2 RJ-11, USB	550/300	66.99	64.56
B	28-10100	INTERNET750U	6 + 2 RJ-11, USB	750/450	94.99	91.55



TRIPPLITE 850VA Energy Saving Standby UPS with Enhanced LCD Interface

ECO series 850VA/425W 120V UPS system with LCD display. Advanced LCD reports local power monitoring of UPS and site AC voltage levels along with estimated runtime, load percentage, load wattage, and battery charge level. Unit features 12 NEMA 5-15R outlets with four of the surge-only providing energy-saving ECO functionality to reduce power usage. ECO outlets automatically power off unnecessary computer accessories like a printer, scanner and audio speakers three minutes after computer enters sleep or shutdown mode. Full load efficiency rating of 99% saves energy and ensures cool operating temperatures. Three year standard warranty with \$100,000 connected equipment insurance (USA, Puerto Rico and Canada only). •Mfr. # ECO850LCD

MCM Part #	28-11373	ONLY	\$99.99
------------	----------	------	---------



TRIPPLITE SmartPro UPS

The SmartPro family of intelligent, line-interactive UPS systems is specially designed to provide mission-critical network, telecom and server applications with a superior level of power protection and control. Automatic voltage regulation constantly monitors incoming voltage and "trims" or "boosts" to supply consistent power without draining batteries. \$75,000 Ultimate Lifetime Insurance to cover connected equipment against surge damage for life!

MCM Part #	Mfr. #	Outlets	VA/Watts	(1-9)	(10-up)
Smart Line Interactive Tower UPS					
28-9905	SMART550USB	6 + RJ-11, USB	550/300	\$115.00	-
Smart Pro Line Interactive UPS Tower					
28-10120	SMART700SER	6, DB-9	700/450	244.00	\$235.17
Rack-Mount					
28-10115	SMART500RT1U	6, USB	500/300	194.99	192.99
28-10135	SMART1000RM2U	6 (2 banks), USB, DB-9, SNMP	1000/700	510.50	471.31
28-10140	SMART1500RM2U	8 (2 banks), USB, DB-9, SNMP	1500/1000	661.26	630.36



OmniSmart Value Series Battery Back-Ups

Tripp Lite VS/AVR UPS systems provide basic automatic voltage regulation (AVR) operation, which corrects brownouts without draining battery power. Use VS/AVR UPS systems to protect and support PCs, workstations and servers. During blackouts, VS/AVR models provide reliable battery back-up support. All VS/AVR models include built-in surge suppression and line noise filtering.



MCM Part #	Fig.	Mfr. #	Outlets	VA/Watts	(1-9)	(10-up)
A	28-10105	8 + RJ-11, USB	1000/950	\$149.00	-	OMNIVS1000
B	28-10110	8 + RJ-11, USB	1500/940	232.00	\$223.62	OMNIVS1500XL



Sine Wave Tower UPS

Tripp Lite's BC600SINE UPS system provides long-lasting battery backup for professional workstations, PCs, networking equipment and other sensitive electronics. Sine wave output in both line and battery power modes provides compatibility with all electronic loads, including PC and Mac systems fitted with Active Power Factor Corrected (PFC) power supplies. **Features:** •600VA tower 120V standby UPS with SINE WAVE output •Maintains AC output during power failures •Three UPS battery supported outlets, three surge-only outlets •USB port, Active PFC power supply compatible, 97% efficient •NEMA 5-15P input plug and 6 NEMA 5-15R outlets



MCM Part #	(1-9)	(10-up)
28-17766	\$169.99	\$164.89



Line Conditioners

•Tripp Lite Line Conditioners constantly monitor incoming voltage and adjust it to provide connected equipment with consistent 120V power •Also provides premium surge, spike and RFI/EMI line noise filtering •Up to \$25,000 Ultimate Lifetime Insurance covers connected equipment for life



MCM Part #	Mfr. #	Output	Outlets	(1-9)	(10-up)
28-6637	LS606M	600W	6	\$91.14	\$86.57
28-6638	LC1800	1800W	6	187.46	178.19



Digital UPS Systems

Tripp Lite Digital UPS Systems keep computer and home theater components running safely through short blackouts and allow enough time to safely shut down during longer ones. In addition, they also filter disruptive line noise and protect/support components through low power conditions or power surges. Automatic Voltage Regulation (AVR) corrects brownouts without using battery power. An easy-to-read, LCD display rotates for easy viewing. With Tripp Lite Digital UPS Systems, you can easily monitor input voltage, UPS battery capacity, power status and more at a glance. You'll know you're well protected because you can see it in action!



MCM Part #	Mfr. #	VA	(1-9)	(10-up)
28-10665	SMART1000LCD	1000	\$139.00	-
28-10666	SMART1200LCD	1200	189.00	-
28-10667	SMART1500LCD	1500	199.99	-
28-17767	SMART1300LCDT	1300	149.00	\$144.53
28-17768	SMART1500LCDT	1500	199.00	193.03
28-10664	OMNI900LCD	900	129.00	-
28-17769	OMNI1500LCDT	1500	189.00	183.33



Isolation Transformers

Tripp Lite Isolator series isolation transformers offer complete line isolation, continuous noise filtering and enhanced common mode surge suppression. Internal low-impedance isolation transformer component with Faraday Shield offers 100% isolation from the input AC line. Removes EMI/RFI noise, utility switching transients, background spikes generated by other on-site loads and utility or lightning related surge conditions. Additional surge suppression components placed at both the line input and transformer output combined with full line isolation offers continuous line filtering of a full range of power line noise in all modes. Active transformer filtering with no wearable parts is uniquely able to reduce surges in the worst of power environments to harmless levels. Reduces 6000V IEEE587 Cat A&B ring wave and combination wave test surges to only 0.5V common mode. Two year manufacturers warranty. Model IS1000HG is UL60601-1 medical-grade listed with hospital-grade plug and outlet receptacles.

MCM Part #	Mfr. #	Outlets	Wattage	(1-9)	(10-up)
28-10155	IS250	2	250	\$125.66	\$103.00
28-10160	IS500	4	500	177.16	168.92
28-10170	IS1000HG	4	1000	427.45	401.70



Network Surge Suppressors

Lightning, electrostatic discharges, ground surges and faulty wiring send surges along your network lines, causing glitches, lock-ups and hardware damage on your computer system. Tripp Lite Network Surge Suppressors end the threat of dataline surges. Installed directly at your data ports, they protect your computer's delicate internal circuitry with up to 300% more surge absorbing power than competitive models.

MCM Part #	Mfr. #	Description	(1-9)	(10-up)
28-10310	DTEL2	2 x RJ-11 in-line surge protector	\$19.99	\$18.39
28-10315	DNET1	2 x RJ-45 in-line surge protector	19.99	18.39

CyberPower UPS Systems



CyberPower AVR and SOHO UPS Systems

✓Up to \$500,000 guarantee

•Automatic voltage regulation (AVR) •GreenPower UPS™ technology •Ultra-quiet design •Tower, mini, and compact configurations

Dateline				
MCM Part #	Mfr. #	Outlets	Connectivity	ONLY
RJ-11/				
28-10330	CPS425SL	6	Serial/USB	\$49.99
28-10335	CP550SL	8	USB/serial	67.49
RJ-11/45/coax				
28-10640	CP685AVR	8	USB/serial	89.49
28-8866	CP1200AVR	8	USB/serial	165.00
RJ-11/45				
28-8860	CPS1500AVR	6	(2)serial/USB	376.00

3 YEAR LIMITED WARRANTY

CyberPower Six Outlet Simulated Sine Wave UPS

This standby uninterruptible power supply safeguards PCs with non-Active PFC power supplies and other electronics from blackouts, brownouts, surges, spikes, sags and other power abnormalities. Its composite integrated circuitry offers advanced lightning protection. Patented GreenPower UPS™ advanced circuitry reduced UPS energy costs by up to 75% compared to competitive models. Specifications: •350VA/255W •Six NEMA 5-15R receptacles, including two widely-spaced outlets to accommodate transformer-based plugs •Compact design allows for horizontal or vertical placement •Maintenance-free 12V/3.6Ah battery •RJ11 protection •EMI/RFI filters •810 Joules •\$75,000 Connected Equipment Guarantee •5' Cord •Mfr. # CP350SLG



MCM Part #	ONLY
28-11515	\$55.49



FOR COMPUTERS, WORKSTATIONS, DATA CENTERS, CORPORATE SERVERS, SECURITY SYSTEMS, VOIP AND AUDIO/VIDEO SYSTEMS



The Most ENERGY STAR® UPS Systems Available

ENERGY STAR® and CyberPower Systems make it easy for companies to choose environmentally friendly and energy-conscious power protection. CyberPower has the largest selection of ENERGY STAR qualified UPS systems available from 350VA to 10kVA.

Ecologic UPS Systems

NEW

Protect home/office computer systems, personal electronics and home networks from power surges, brownouts and blackouts.

- Energy-conserving ECO Outlets • Multifunction LCD panel (LCD models) • Power monitoring software • ENERGY STAR qualified
- 3-year warranty includes batteries



Model	Outlets+	Comm. Ports	1/2 load	MCM #	Price
EC350G	8 + RJ11/45	USB	6	28-17896	\$47.95
EC550G	8 + RJ11/45	USB	7	28-17897	\$62.99
EC750G	12 + RJ11/45	USB	8	28-17898	\$84.99
EC650LCD	8 + RJ11/45	USB	8	28-17899	\$69.99
EC850LCD	12 + RJ11/45	USB	6	28-17900	\$89.99

Intelligent LCD UPS Systems

Protect desktop computers systems, SOHO networks, peripherals and home theater equipment from power surges, sags and interruptions.

- Automatic Voltage Regulation (AVR)
- Multifunction LCD panel • Power monitoring software • ENERGY STAR qualified • 3-year warranty includes batteries



Model	Outlets+	Comm. Ports	1/2 load	MCM #	Price
CP685AVRLCD	8 + RJ11/45/Coax	USB	10	28-16200	\$99.99
CP825AVRLCD	8 + RJ11/45/Coax	USB	8	28-16205	\$119.00
CP1000AVRLCD	9 + RJ11/45/Coax	Serial/USB	6	28-11057	\$129.00
CP1500AVRLCD	8 + RJ11/45/Coax	Serial/USB	11	28-10760	\$169.00

Smart App Sinewave UPS Systems

Protect mission-critical networks, servers, storage appliances, network devices and telecom systems.

- Pure sine wave output • Full Buck/Boost AVR
- Multifunction LCD control panel • Power management software • Remote management capability • Extendable runtime models (XL) • ENERGY STAR qualified • 3-year warranty includes batteries



Model	Outlets+	Comm. Ports	1/2 load	MCM #	Price
Tower & Mini-Tower Models (Featuring an extendable LCD control Panel)					
PR750LCD	6	Serial/USB	15	28-11555	\$249.00
PR1500LCD	8	Serial/USB	24	28-16125	\$450.00
PR3000LCD	10	Serial/USB	17	28-17925	\$899.00
Rack / Tower Models					
PR750LCDRM1U	6	Serial/USB	23	28-16065	\$349.00
PR1500LCDR2U	8 + RJ11/45/Coax	(2) Serial/USB	18	28-16090	\$545.00
PR1500LCDR2XL2U	8 + RJ11/45/Coax	(2) Serial/USB	24	28-16095	\$585.00
PR2200LCDR2U	8 + RJ11/45/Coax	(2) Serial/USB	16	28-16100	\$789.00
PR3000LCDR2U	9 + RJ11/45	(2) Serial/USB	8	28-16110	\$929.00
PR3000LCDR2XL2U	7 + RJ11/45	(2) Serial/USB	8	28-16115	\$959.00
PR5000LCDR2XL5U	5 + RJ11/45	(2) Serial/USB	31	28-17926	\$1,799.00

Essential, Professional and Home Theater Surge Protection

Protect valuable home and office electronic equipment from damaging power spikes and surges.

- Data line protection and automatic shutdown • EMI/RFI filters
- Energy-saving ECO outlets (select models) • Lifetime product warranty • Connected Equipment Guarantee



Model	Outlets +	Cord	Joules	MCM #	Price
Essential Protection					
CSB300W	3 + 2 USB	Direct Plug-In	918	28-17927	\$11.99
CSB404	4	4 ft. / straight	450	28-16325	\$10.99
CSB806	8	6 ft. / right-angle	1800	28-17928	\$19.99
Professional Protection					
CSP300WU	3 + 2 USB	Direct Plug-In	918	28-16280	\$16.49
CSP604T	6 + RJ11	4 ft. / right-angle	1350	28-16285	\$9.49
CSP606T	6 + RJ11	6 ft. / right-angle	1350	28-16290	\$11.99
CSP706T	7 + RJ11	6 ft. / right-angle	1650	28-16295	\$18.49
CSP708T	7 + RJ11	8 ft. / right-angle	1650	28-16300	\$18.99
CSP706TG	7 (3 Eco) + RJ11	6 ft. / right-angle	2250	28-16305	\$22.99
CSP806T	8 + RJ11	6 ft. / right-angle	2250	28-16310	\$22.99
CSP1008T	10 + RJ11	8 ft. / right-angle	2850	28-16315	\$28.49
Home Theater Protection					
CSHT706TC	7 + RJ11/Coax	8 ft. / right-angle	1950	28-16250	\$23.49
CSHT808TC	8 + RJ11/Coax	8 ft. / right-angle	2850	28-16255	\$25.99
CSHT1208TNC2	12 + RJ11/RJ45/Coax	8 ft. / right-angle	3150	28-16260	\$35.49
CSHT706TCG	7 (4 Eco) + RJ11/Coax	6 ft. / right-angle	2250	28-16265	\$28.99
CSHT1208TNC2G	12 (6 Eco) + RJ11/RJ45/Coax	8 ft. / right-angle	4350	28-16270	\$47.49

Distribute, Manage and Protect Your Power

Power Distribution Units

Over 140 PDUs!

Distribute regulated or utility AC power to multiple devices, servers and network/telecom equipment.

- 0U, 1U and 2U mounting • 15A, 20A and 30A options
- Switch-free design • Network-grade plugs and outlets • Durable metal housing
- Horizontal or vertical mounting • Lifetime warranty



Model	Output Current	Outlets	Rack Size	MCM #	Price
Basic PDUs					
PDU15B8R	15A	8	1U	28-16330	\$50.49
PDU20B10R	20A	20	1U	28-16350	\$95.49
PDU30BHVT12R	30A	12	1U	28-16370	\$139.00
Metered PDUs					
PDU15M2F12R	15A	14	1U	28-16385	\$76.99
PDU20MVT20F	20A	20	0U	28-17929	\$105.00
Monitored & Switched PDUs					
PDU15M8FNET	15A	8	1U	28-17930	\$229.00
PDU15S8FNET	15A	8	1U	28-16410	\$392.00

Rackbar™ Surge Protection

Safeguard systems and networking equipment against destructive power surges and spikes.

- 27 unique models • 0U and 1U mounting • 15 and 20 Amp options
- Always on, switch free design • Protected and Grounded indicators • Heavy-duty metal housing • Lifetime warranty



Model	Joules	Outlets	Rack Size	MCM #	Price
RKBS15S2F8R	3,600	10	1U	28-16210	\$64.99
RKBS20S2F8R	1,800	10	1U	28-16225	\$94.99




AVR AUTOMATIC VOLTAGE REGULATION
3 YEAR WARRANTY

CyberPower Intelligent LCD UPS Systems

Up to \$500,000 guarantee

- Crystal-blue multi-function read-out
- Tower, mini, and compact configurations
- Automatic voltage regulation (AVR) •Ultra-quiet design
- GreenPower UPS™ technology

Dataline MCM Part #	Mfr. #	Outlets	Connectivity	ONLY
RJ-11/45				
28-11055	CP600LCD	8	USB	\$74.99
RJ-11/45/coax				
28-11056	CP850AVRLCD	9	USB/serial	129.99
28-11057	CP1000AVRLCD	9	USB/serial	129.00
28-11058	CP1350AVRLCD	8	USB/serial	162.00
28-10760	CP1500AVRLCD	8	USB/serial	169.00



CyberPower Pure Sine Wave UPS

This uninterruptible line interactive power supply (UPS) with pure sine wave safeguards networking hardware, networked-based devices, small office servers, workstations and telecom equipment that use conventional and Active Power Factor Correction (PFC) power supplies. Automatic Voltage Regulation (AVR) topology delivers clean and consistent AC power, protecting connected equipment and preventing costly business interruptions. CyberPower's innovative UPS technology is an affordable solution that ensures equipment utilizing Active PFC power supplies do not unexpectedly shutdown when switching from AC power to UPS battery power. **Features:** •RJ11/RJ45 and coax RG6 protection •Eight outlets/USB, serial, and EPO ports •EMI/RFI filters •Includes PowerPanel® Business Edition software •SNMP/HTTP remove management option •2U rack mount/tower convertible •Bright Multi-Function LCD display •Comes with CyberPower® Connected Equipment Guarantee

MCM Part #	Mfr. #	Output	ONLY
28-11383	OR1500PFCRT2U	1500VA/900W	\$459.00
28-11384	OR2200PFCRT2U	2000VA/1320W	549.00

UL c UL
3 YEAR LIMITED WARRANTY
CyberPower Smart App UPS with Removable LCD Display Panel

This mini-tower uninterruptible power supply with LCD Control Panel and pure sine wave output is Active PFC compatible for safeguarding mission-critical servers, telecom equipment, VoIP and internetworking hardware that require seamless pure sine wave power. Its full Automatic Voltage Regulation (AVR) boost/buck topology delivers a consistent and clean AC power, protecting connected equipment and preventing costly business interruptions. Patented GreenPower UPS™ advanced circuitry reduces UPS energy costs by up to 75% compared to competitive models. The LCD Control Panel provides 41 different settings to check status and customize the operating settings, plus it can be removed and mounted separately from the UPS for ease of use regardless of where the UPS is installed. Functions include menus for checking power status on 11 different parameters, 23 settings for setup and control of the UPS, three battery test and calibration options, and four selections in the Log menu. With its attached cable the LCD Control Panel can be removed from the UPS and relocated up to 4.5' away from the UPS for ease of viewing when installed in hard to reach locations. PowerPanel® Business Edition software is also included, giving the user ultimate control and flexibility of power management options. Specifications: •750VA •525W •Six NEMA 5-15R receptacles •two maintenance free, user-replacement 12V/7.0Ah batteries. •One HID USB port •One DB9 serial port •One EPO port •EMI/RFI filters •Lifetime Connected Equipment Guarantee of \$375,000 •Mfr. # PR750LCD.

MCM Part # 28-11555 ONLY \$249.00

3 YEAR LIMITED GUARANTEE

UL c UL us

CyberPower Smart App Sinewave Series UPS

Designed for corporate networks and telecommunication equipment that require high-performance pure sine wave technology. Full AVR buck/boost technology that stabilizes AC energy to prevent power interruptions and incorporates microprocessor-based full digital control. PowerPanel® business edition software is also included, giving the user ultimate control and flexibility of power management options. **Specifications:** •Network/DSL/modem connections protected with a 1,796 Joule rating •EMI/RFI filters •Tower form factor •Line-interactive topology •USB and serial ports •Lifetime connected equipment guarantee of \$350,000 •#28-11535 requires a 20A outlet

MCM Part #	Mfr. #	VA	Watts	Outlets	ONLY
28-11520	PP800SW	800	550	7	\$298.00
28-11530	PP1500SWT4	1500	1000	8	355.00
28-11535	PP2200SW	2200	1500	8	599.00



3 YEAR WARRANTY
AVR AUTOMATIC VOLTAGE REGULATION
ENERGY-SAVING TECHNOLOGY

CyberPower Smart App Intelligent LCD UPS Series

Multi-function LCD

- 11 diagnostic toggle modes
- Automatic voltage regulation (AVR) •GreenPower UPS™ technology •SNMP/HTTP remote management •Rack or tower

MCM Part #	Mfr. #	Dataline	Outlets	ONLY
USB/Serial				
28-11052	OR500LCDRM1U	RJ-11/45	6	\$173.00
28-11053	OR700LCDRM1U	RJ-11/45	6	260.00
USB/(2)Serial				
28-10495	OR1500LCDRM2U	RJ-11/45/coax	8	399.00
28-10500	OR2200LCDRM2U	RJ-11/45/coax	8	469.00

APC UPS Systems



APC 2 YEAR LIMITED WARRANTY
AMERICAN POWER CONVERSION Back-UPS

- Features smart battery back-up and high performance surge suppression for PCs and Macs •USB 2.0 connectivity for the 350 and 500 units **Features:** •USB port, modem and ethernet surge protection, site wiring fault indicator and battery condition indicators •Includes a \$100,000 Lifetime Equipment Protection Policy

MCM Part #	Mfr. #	Capacity VA/Watts	Typical Runtime	Receptacles	ONLY
28-5896	BK350 CS	350/210	8	6	\$89.99
28-5897	BK500 CS	500/300	12	6	129.00

HOT DEALS
TOO GOOD TO PASS UP!
MCMelectronics.com

APC Smart UPS

•Includes PowerChute® plus which will safely store data and shut down your network operating system before the battery is fully discharged **Features:** •Some models offer USB connectivity •“AVR” automatic power under boost for low voltage brown-outs •Load meter technology to monitor and alert you to UPS overloads •Quick swap batteries which can be swapped out in under 60 seconds •The SC620 models offer protection for modem, ethernet, and serial ports



MCM Part #	Mfr. #	VA/Watts	Typical runtime @ 100W	Receptacles	USB	ONLY
Tower Models						
28-9870	SC420	420/260	21 min.	4	N	\$149.00
28-9875	SC620	620/390	45 min.	4	N	199.00
Rack Models						
28-10040	SUA750RM2U	750/480	1.5 hrs	6	Y	513.97
28-10055	SUA1000RM2U	1000/670	3.5 hrs	6	Y	699.37
28-10065	SUA1500RM2U	1440/980	4 hrs	6	Y	978.70

APC AMERICAN POWER CONVERSION Smart UPS

Smart-UPS have extremely high efficiency at low, medium and high load levels making them ideal for today's multi-core or virtualized servers that have varying load consumption. Available in a variety of form factors (tower, rack mount, rack/tower convertible) there is a model for every application. Rack mounted Smart-UPS are ideal for powering blade or density optimized servers in a distributed power protection environment as the primary or redundant protection. Smart-UPS feature a 16-segment LED display, extended range automatic voltage regulation (AVR), and pure sine wave output on battery. **■**



MCM Part #	Mfr. #	VA/Watts	Runtime	Receptacles	ONLY
28-11171	SMT750	750/500	1.5 hrs	6	\$299.99
28-11172	SMT1000	1000/670	3 hrs	8	439.00
28-11173	SMT1500	1440/980	5 hrs	8	529.99
28-11174	SMT2200	2200/1980	8.5 hrs	10	829.00
28-11175	SMT3000	3000/2700	8.5 hrs	10	1199.00

APC Back UPS RS


This high-performance desktop battery back-up features maximum protection in a versatile design. The fully featured APC Back-UPS RS can be placed on the floor, under a monitor or on a shelf. Six battery back-up outlets with automatic voltage regulation (AVR) enable you to work through even the most frequent brownouts and power sags, keeping 90/110 minutes of battery power for when you need it most. For printers and other devices that do not store or process information, two additional outlets provide surge protection. Both ethernet 10/100BaseT and telephone dataline surge protection safeguards against surges entering via network connections. The PowerChute Personal Edition software features easy-to-use safe system shutdown with sophisticated power management **Features:** •Lightning and surge protection preventing damage to your equipment from power surges and spikes •Internet fax, modem, DSL surge protection provides protection from surges and spikes traveling on the phone line •Resettable circuit breaker •Easy recovery from overloads; no need to replace a fuse •Automatic voltage regulation (AVR) corrects under-voltages and over-voltages without draining the battery •Building wiring fault indicator immediately warns you of wiring problems like improper grounds that could cause shocks or prevent adequately suppressing surges •USB compatibility and connectivity ensures quick and easy installation of the free PowerChute Personal Edition Software •Eight receptacles



MCM Part #	Mfr. #	Capacity VA/Watts	Typical Runtime @ 100W	ONLY
28-9980	BR1200	1200/780	30 mins	\$230.72
28-9985	BR1500	1500/750	45 mins	272.95

APC AMERICAN POWER CONVERSION Smart UPS

Provides clear and accurate information in multiple languages with the ability to configure the UPS locally with easy to use navigation keys. Provides the month and year when battery replacement is recommended to aide in long term maintenance planning. Warns when a battery is not available to provide backup power. Provides temporary battery power when the utility power is out. Includes: CD with software, Documentation CD, Installation guide, Rack Mounting brackets, Removable support feet, Smart UPS signaling RS-232 cable, USB cable **■**



MCM Part #	Mfr#	VA/Watts	ONLY
28-11169	SMX750	750/600	\$570.08
28-11170	SMX1000	1000/800	661.16

APC UPS Replacement Batteries

•Replace the worn out battery in your UPS system
•Fits a variety of APC models **■**

MCM Part #	Mfr. #	Compatible With	(1-9)	(10-up)
29-5890	RBC1	BK200, BK200K	\$66.15	\$59.07
29-5891	RBC2	BackUPS 200/BK200~BK500	49.23	43.96
29-5892	RBC3	BK450, BK520	90.77	81.04
29-5893	RBC4	BP650S/G/PNP	80.00	71.43
29-5899	RBC10	BackUPS Office 250~500W	70.77	63.19
29-5905	RBC21	BF400C, BF500V/BB	69.23	61.81
29-5912	RBC29	BE350	50.77	45.33
29-5917	RBC17	BE550G1, BE650R/BB	50.77	45.33
29-5921	RBC32	BackUPS RS/XS 800~1000	89.23	79.67
29-5922	RBC33	BackUPS RS/XS 1500	112.31	100.27
29-5927	RBC47	BE325	33.85	30.22
29-5928	RBC47	SUA750	120.00	107.14



APC AMERICAN POWER CONVERSION Back-UPS ES

•Affordable battery back-up and surge protection for home computers •Enough power for your entire system and built-in phone/fax/modem (DSL compatible) protection •USB 2.0 compatible with PCs and Macs (OS 9 or higher) •Includes \$50,000 Lifetime Equipment Protection warranty •Receptacles: 8



MCM Part #	Mfr. #	VA/Watts Capacity	Typical runtime @ 100W	ONLY
28-9845	BE350G	350/225	8 min.	\$58.99
28-9850	BE550G	330/550	22 min.	79.99
28-10935	BE750BB	750/450	22 min.	123.99

LED Flashlights



PRO-ELEC

22 LED Flashlight with Laser Pointer

•Red LED for laser pointer (Class II) •Requires two "AA" batteries (not included) •Dimensions: 6.7" (L) x 1.3" (W) x 1.3" (D)

MCM Part #	ONLY
29-5550	\$9.99



PRO-ELEC

Five LED Flashlight with Laser Pointer

•Red LED for laser pointer (Class II) •Requires three "AAA" batteries (not included) •Dimensions: 4.3" (L) x 1.2" (W) x 1.2" (D) ■

MCM Part #	ONLY
29-5545	\$5.49



PRO-ELEC

Five LED Aluminum Flashlight

•Super bright LED flashlight •Shock and water resistant •Quality LED with 100,000 hour lifespan •Aircraft grade aluminum •Anodized finish •Endcap rotate on/off switch •Lightweight and compact •Small, convenient for carrying and storage •Requires one "AA" battery (not supplied) •Supplied with lanyard •Blue in color **Specifications:** •Light source: Super Bright LED x 5 •Beam Color: White •Range: 15m •Dimensions (L x D): 3.46" x 0.94" •Weight: 44g

MCM Part #	(1-9)	(10-Up)
29-6215	\$3.49	\$2.93



PRO-ELEC

Aluminum LED Flashlights

•Super bright LED flashlights •Shock, dust and weather proof •Quality LED with 100,000 hour lifespan •Aircraft grade aluminum •Pushbutton on/off switch •Knurled handle for secure grip •Lightweight and compact •Requires one "AA" battery (not supplied) •Supplied with lanyard **Specifications:** •Light source: CREE XR-E® LED •Beam color: White •Lumens: 120 •Range: 300' •Dimensions (L x D): 3.70" x 0.78" •Weight: 36.7g

MCM Part #	Color	(1-9)	(10-Up)
29-6220	Black	\$15.99	\$14.35
29-6225	Red	15.99	14.58



PRO-ELEC

Aluminum LED Flashlight

•Super bright LED flashlight •Shock, dust and water resistant •Quality LED with 100,000 hour lifespan •Aircraft grade aluminum •Anodized finish •Push button on/off switch •Knurled handle for secure grip •Lightweight and compact •Requires three "AAA" batteries (not included) •Supplied with lanyard •Black in color **Specifications:** •Light source: Super Bright LED x 28 •Beam Color: White •Range: 120' •Dimensions (L x D): 5.66" x 1.81" •Weight: 126.5g

MCM Part #	(1-9)	(10-Up)
29-6230	\$7.99	\$6.89



PRO-ELEC

Nine LED Flashlights

•Nine superbright LEDs. •Strong aluminum construction. •Push switch on base. •Requires three AAA batteries (not included). •Dimensions: 3.6" x 1" ■

MCM Part #	Color	ONLY
29-5700	Black	\$2.99
29-5705	Silver	2.99
29-5710	Red	2.99
29-5715	Blue	2.99



PRO-ELEC

Aluminum LED Flashlights

•Super bright LED torches •Shock, dust and water resistant •Quality LED with 100,000 hour lifespan •Aircraft grade aluminum •Anodized finish •Push button on/off switch •Knurled handle for secure grip •Lightweight and compact •Requires three "AAA" batteries (not supplied) •Supplied with lanyard **Specifications:** •Light source: 14 super bright LED •Beam Color: White •Range: 40m •Dimensions (L x D): 4.80" x 1.29" •Weight: 76.8g

MCM Part #	Color	(1-9)	(10-up)
29-6205	Blue	\$4.49	\$4.15
29-6210	Black	4.49	3.88



PRO-ELEC

Five LED Mini Flashlight

•Five superbright LEDs. •Aircraft grade aluminum construction. •Requires one AA batteries (not included). •Dimensions: 3.5" x .95" diameter ■

MCM Part #	ONLY
29-5760	\$3.49



PRO-ELEC

Five LED Flashlight

•Five bright LED's •Strong plastic body •Includes lanyard •Requires two "AA" batteries (not included) •Dimensions (L x D): 5.70" x 1.37"

MCM Part #	(1-9)	(10-Up)
29-6190	\$4.49	\$3.70



PRO-ELEC

Nine LED Flashlight

•Nine ultra bright LED's •Strong plastic body •Includes lanyard •Requires three "AAA" batteries (not included) •Dimensions (L x Dia): 6.37 x 1.96"

MCM Part #	(1-9)	(10-Up)
29-6185	\$5.99	\$5.52



PRO-ELEC

Ten LED Flashlight

•Ten ultra bright LED's •Strong plastic body •Includes lanyard •Requires three "D" batteries (not included) •Dimensions (L x Dia): 9.25 x 2.36"

MCM Part #	(1-9)	(10-Up)
29-6180	\$5.99	\$5.52



PRO-ELEC

10 LED Flashlight

•10 ultrabright LEDs •Strong plastic body •Includes lanyard •Requires three AA batteries (not included) •Head lamp dimensions: 7.8" x 2.5" ■

MCM Part #	ONLY
29-5785	\$3.99



PRO-ELEC

17 LED Flashlights

•17 superbright LEDs. •Strong aluminum construction. •Requires three AAA batteries (not included). •Dimensions: 4.9" x 1.4" ■

MCM Part #	Color	ONLY
29-5720	Black	\$5.49
29-5725	Silver	5.49

PRO-ELEC

28 LED Flashlight

•Requires three AAA batteries (not included).
•Dimensions: 5.3" x 1.7" x 1.7"

MCM Part # **ONLY**
29-5680 **\$6.49**



PRO-ELEC

28 LED Flashlight

•28 superbright LEDs. •Aircraft grade aluminum construction. •Push switch on side.
•Requires three AAA batteries (not included).
•Dimensions: 5.7" x 1.8" diameter

MCM Part # **ONLY**
29-5755 **\$7.99**



PRO-ELEC

12 LED Flashlight

•Requires three AAA batteries (not included).
•Dimensions: 3.9" x 1.3" x 1.3"

MCM Part # **ONLY**
29-5675 **\$3.49**



PRO-ELEC

CREE® LED Mini Flashlight

•1 CREE® LED. •LED Brightness: 120 Lumens.
•Aircraft grade aluminum construction.
•Requires three AAA batteries (not included).
•Dimensions: 3.7" x .75" diameter

MCM Part # **ONLY**
29-5765 **\$16.49**



PRO-ELEC

Three LED Rubber Flashlight

Features: •Three super bright LED's •Anti-roll molded rubber construction •Weather and shock resistant •Push switch on side •100,000 Hours LED life span •requires two "AAA" batteries (not included)
•Dimensions (L x W): 5.78" x 1.49"

MCM Part # **(1-9)** **(10-Up)**
29-6165 **\$2.49** **\$1.87**



PRO-ELEC

Three LED Rubber Flashlights – Pack of Three

Features: •Three super bright LED's •Anti-roll molded rubber construction •Weather and shock resistant
•Push switch on side •100,000 hours LED life span
•Includes small, medium and large flashlight

MCM Part # **(1-9)** **(10-Up)**
29-6195 **\$8.49** **\$7.78**



PRO-ELEC

Three in 1 LED Tripod Light

Features: •Use as three individual torches or as one bright LED Light •Three moveable heads •Tripod design allows the torch to be used hands free •ABS casing •Requires two "AA" batteries (not included)
•Dimensions (H x W x D): 8.85 x 2.48 x 2.48"

MCM Part # **(1-9)** **(10-Up)**
29-6200 **\$12.49** **\$11.44**



PRO-ELEC

Seven LED 3D Rubber Torch

Features: •Seven super bright LED's •Anti-roll molded rubber construction •Weather and shock resistant •Push switch on side •100,000 Hours LED life span •Requires three "D" batteries (not included) •Dimensions (L x W): 10.03 x 2.55"

MCM Part # **(1-9)** **(10-Up)**
29-6175 **\$3.99** **\$3.20**



PRO-ELEC

Seven LED 2D Rubber Flashlight

Features: •Seven super bright LED's •Anti-roll molded rubber construction •Weather and shock resistant •Push switch on side •100,000 hours LED life span •Requires two "D" batteries (not included) •Dimensions (L x W): 7.87 x 2.55"

MCM Part # **(1-9)** **(10-Up)**
29-6170 **\$3.49** **\$2.75**



RATED
★★★★★

MCM

Compact Zoomable CREE Q3 LED Flashlight

A tactical style zoomable LED flashlight with amazingly bright CREE Q3 Technology. Large easy to operate rubberized on/off tail switch. Tool grade aluminum construction with deep knurling for positive grip. Tough gun metal gray anodized finish. Zoom quickly from close spot to broad beam by moving precision objective barrel in or out. Includes selectable high/low/strobe beam settings. O-rings seal out dust and moisture. Requires two "AA" (not included). 152mm L. x 31.5mm D. Includes handy wrist lanyard. Compares to flashlights costing much more!

MCM Part # **(1-9)** **(10-up)**
29-4669 **\$11.99** **\$11.59**

MCM

Zoomable CREE Q3 LED Flashlight

3W zoomable LED flashlight with highly acclaimed CREE Q3 Technology for an extremely bright and crisp beam! A well-built and durable light with adjustable objective lens. Zoom quickly from a spot to broad beam by moving the precision focus barrel in or out. Body is high-quality machined aluminum with black anodized matte finish. Includes selectable high/low/strobe beam settings. O-rings seal out dust and moisture. Requires three "AAA" (not included). Includes handy wrist lanyard. Compares to flashlights costing much more!

MCM Part # **(1-9)** **(10-up)**
29-4668 **\$9.99** **\$9.56**



RATED
★★★★★

DURATOOL

Nine LED Super Bright Pocket Flashlight

•Nine Super bright LED flashlights are small enough to fit in pocket, tool box, or glove box •Brushed barrel for extra grip •Rubber O-ring for water protection •Rubber push button on/off •Three "AAA" batteries included •Dimensions: 1.18" (dia) x 3.93" (L)
•Choice of colors: Silver, red and blue

MCM Part #	Color	ONLY
29-4445	Silver	\$4.49
29-4450	Red	4.49
29-4455	Blue	4.49



RATED
★★★★★

LED Flashlights



DURATOOL LED Solar Torch

A high quality solar powered flashlight that never needs batteries. A full solar charge will provide up to 10 hours of illumination. Features a long lasting and powerful NICHIA LED lamp, built-in solar cell, red LED charge indicator, and rugged non-slip molded hand grip. Super bright NICHIA LED can last up to 100,000 hours under normal use. Compact 6 3/4" overall length fits easily in glove and tool boxes. **[I]**

MCM Part # **ONLY**
25-4019 **\$8.99**

DURATOOL

Q3 CREE Tactical LED Flashlight

This super bright flashlight has 3 modes including high output, low output and flash. Easily rotate the head to adjust the zoom. The aluminum alloy body makes it durable and the steel body clip makes it easy to carry. It also includes a lanyard. Requires three "AAA" batteries (not included). 5.25" long. **[I]**



MCM Part # **ONLY**
29-5660 **\$11.49**

DURATOOL

28 LED Super Bright Pocket Flashlight

•Super bright twenty eight LED flashlight is portable •Great for tool or glove boxes •Knurled barrel for extra grip •Rubber O-ring for water protection •Rubber push button on/off •Three "AAA" batteries included •Dimensions: 1.81" (dia) x 5.43" (L) •Gun metal color **[I]**



MCM Part # **ONLY**
29-4460 **\$10.99**



GREEN LED Flashlight with Built-in Battery Charger

•This LED flashlight is also a device charger for your iPhone®, iPod®, smartphone, and most digital devices •Charges in 3~4 hours •Includes standard USB cord and standard adapters (Micro USB, Mini USB, and Apple connector) **Specifications:** •Lithium-polymer battery •1250mAh •1W light •Output voltage: 5VDC •Weighs only 2.1 oz. •Mfr. #: CGF1400 **[I]**

MCM Part # **ONLY**
28-12070 **\$17.49**



"The Siege" Compact Hand Lantern

Rugged, cordless, alkaline battery-powered lantern provides 360° of soft, even light that illuminates a large area with either white light, or Night vision preserving red.

Features: •IPX7 waterproof to 1m submersion •White, or night vision preserving red light •Stand upright or hang it with D-ring in the base •7.25" (H), 1 lb. 15 oz with batteries •Requires three D-cell batteries (sold separately)

NEW!



MCM Part # (1-9) (10-up)
44931 **\$49.99** **\$47.55**



Tactical LED Flashlight

A handy light with a super bright Nichia® LED bulb that never needs replacing. **Specifications:** •Anodized aluminum housing •55 lumen light output •2120 candela peak beam intensity •3 1/2 hour run time •100 meter beam distance •4 3/4" long •Water resistant •Black, ring colors may vary •Three "AAA" batteries included •Mfr. #W2457 **[I]**

MCM Part # **ONLY**
29-5585 **\$4.99**

Streamlight LED Flashlights

DURACELL®

Daylite® LED Flashlight

This flashlight is quality constructed from hard anodized aircraft grade aluminum. **Features:** •A very smooth and precise spot-to-flood twist focus with a 3:1 zoom ratio with no dark spots •Up to 20x brighter than similar lights •Patented TrueBeam Optics™ concentrate and capture up to 100% of light produced, creating a very efficient and even bright beam •Water and shock resistant and comes with "AA" Duracell Coppertop batteries and a guarantee against defects in material and workmanship for the lifetime of the original owner •Mfr. #KDAY2DWSE04A



MCM Part # **ONLY**
293-530 **\$31.92**



Stinger DS™ LED Flashlight

Features: •Dual Switch Technology, access any of the three variable lighting modes and strobe via the tail cap or the head-mounted switch •The combination of a rechargeable battery and a 50,000 hour lifetime C4 LED results in the lowest operating cost of any flashlight made •Fits existing Stinger chargers with a ten hours recharge time •Length: 8.85" (22.48 cm), Weight: 12.8 oz. (364 grams)




MCM Part # (1-9) **ONLY**
75813 **\$139.00**



Protac™ Series Compact Tactical Light

Compact + C4® LED output equals one of the brightest tactical personal carry lights for its size. High, low and strobe modes. Solid State power regulation provides maximum light output throughout battery life. Rubber push button tail cap switch. IPX7 rated design; waterproof to 1 meter for 30 minutes. Impact-resistant tempered glass lens. Unbreakable pocket clips. Anti-roll head. **[I]**



MCM Part #	Model	Mfr. #	ONLY
29-4670	PT™ 1L	88030	\$51.49
29-4671	PT™ 2L	88031	\$55.73
29-4672	PT™ 1AA	88032	\$48.40
29-4673	PT™ 2 AA	88033	\$51.50



High Output LED Flashlight

A compact light with a super bright Nichia® LED bulb that never needs replacing. **Specifications:** •Weather resistant composite housing •55 lumen light output •2120 candela peak beam intensity •3 1/2 hour run time •100 meter beam distance •3 3/4" long •Wrist strap •Water resistant •Three "AAA" batteries included •Mfr. #W2456 **[I]**



MCM Part # **ONLY**
29-5590 **\$3.99**



Three Watt LED Flashlight

Use for emergency roadside repairs, electronic repairs, or as a multipurpose light around the home or garage. Single hi intensity 3W LED bulb provides bright, energy efficient, white light. Uses three "AA" batteries (not included). Includes nylon storage pouch. **[I]**

MCM Part # **ONLY**
29-4620 **\$20.07**



Task-Light® 3 AAA LED Flashlights

The long life of a LED with the longer range and bright beam of a conventional high-powered flashlight. **Features:** •Powered by three "AAA" alkaline batteries •1W C4 LED is three times brighter than a traditional LED - 95 lumens typical •Up to 16 hours run time •1.33" (D) x 8.6" (L) •6.4 oz.

MCM Part #	Color	(1-9)	(10-up)
51006	Black	\$44.28	\$41.48
51016	Titanium	45.20	42.35



Stinger DS LED HP® Flashlight

•Dual switches allow access to any of the three variable lighting modes (high, medium and low) and strobe via the tail cap or the head-mounted switch •267% more intensity than a Stinger DS LED® •48,000 max candlepower brightness •Battery provides up to 7.25 hours of runtime, and is rechargeable up to 1,000 times •Machined aluminum body •Unbreakable scratch resistant lens •Non-slip rubberized grip

MCM Part #	Description	ONLY
75860	Flashlight only	\$99.99
75861	Flashlight with two 10 hour 120VAC steady charge cradles	139.00
75863	Flashlight with two 10 hour 120VAC/12VDC steady charge cradles	149.00



Streamlight Jr.® LED Flashlight

Features: •Powered by two "AA" alkaline batteries (included) •1W C4 LED, 50,000 hr. LED •Up to four hours of run time to the 10% output level •Push-button tailcap: Steady on and momentary on/off operation •Length: 6.5", weight: 3.8 oz

MCM Part #	ONLY
71500	\$32.95



Rubber Helmet Flashlight Strap

A must have for professionals who need hands free lighting. Strap is constructed from a high quality rubber compound and is very stretchable to fit most industrial hard hats, structural firefighting helmets and rescue helmets. Holds two flashlights on either side of helmet securely in place. Works with the following Streamlight® models as well as lights of similar size from other manufacturers: Streamlight® Propolymer 3N, Streamlight® Propolymer 2AA, Streamlight® Twin-Task 3AA, Streamlight® Task-Light 3AA, Streamlight® Jr. Luxeon, Streamlight® Scorpion and Scorpion LED, Streamlight® Tactical Light TL-2 and TL-2 LED, Streamlight® Tactical Light TL-3 and TL3-LED

MCM Part #	ONLY
28-11426	\$4.49



Microstream® LED Flashlight

Streamlight's new high flux LED light with Proprietary Micro Optical Systems has "Battery-Booster" electronics to provide a super-bright beam.

Features: •Up to 20 lumens output for up to 1.5 hrs runtime •Super-bright 1/2 watt, 30,000 hour high flux LED •Type II MIL-SPEC abrasion and corrosion-resistant anodized aircraft aluminum •Length: 3.5" •Weight: 1.04 oz.

MCM Part #	ONLY
66318	\$19.99



Pink Nano Light Mini LED Keychain Flashlight

For every pink Nano light sold, Streamlight, Inc. will donate \$1 to the breast cancer research foundation. **Features:** •Machined aluminum housing •100,000 hr. lifetime high-intensity white LED •Powered by four alkaline button cells (included), with up to eight hour runtime •Dimension: 1.47" x .51"

MCM Part #	ONLY
73003-01	\$8.99



Stinger LED HP® Flashlight

•Multi-function head-mounted push button switch allows access to any of the three variable lighting modes (high, medium and low) and strobe •267% more intensity than a Stinger DS LED® •48,000 max candlepower brightness •Battery provides up to 7.25 hours of runtime, and is rechargeable up to 1,000 times •Machind aluminum body •Unbreakable scratch resistant lens •Non-slip rubberized grip

MCM Part #	Description	ONLY
75760	Flashlight only	\$89.99
75761	Flashlight with two 10 hour 120VAC steady charge cradles	99.99



Stylus Pro™ LED Flashlight

Streamlight's new high flux LED light with Proprietary Micro Optical Systems has "Battery-Booster" electronics to provide a super-bright beam. **Features:** •Up to 24 lumens output for up to 7.5 hours runtime •Super-bright 1/2W, 30,000 hour high flux LED •Type II MIL-SPEC abrasion and corrosion-resistant anodized aircraft aluminum •Length: 5.3" •Weight: 1.64 oz.

MCM Part #	ONLY
66118	\$19.99

Streamlight Stylus Accessories

MCM Part #	Description	ONLY
65030	"AAAA" batteries six pack	\$7.97
65031-01	Stylus glare guard	2.48



Nanolight® LED Flashlight

Truly tiny, the Nanolight® is a weatherproof, personal flashlight featuring a 100,000 hour life LED. Includes a non-rotating snap hook for easy one handed operation when attached to a keychain **Features:** •Powered by four alkaline cells (included) •Up to eight hours of run time •Length: 1.47" •Weight: 0.36 oz.

MCM Part #	ONLY
73001-02	\$6.99



Twin Task® LED/Xenon Flashlights

This amazing new Twin Task light offers a patented LED/xenon combination, so you can choose between a super bright light (xenon) and an incredibly long runtime (LED). The Twin-Task is ideal to use in a wide variety of applications, including industrial, automotive, security, household, even recreation. All are constructed of computer machined aluminum with an anodized finish, are O-ring sealed, feature an unbreakable polycarbonate lens, and are water resistant. All Twin Task lights are covered by a lifetime warranty. All alkaline powered lights require batteries. All LEDs are white in color.

Fig.	MCM Part #	Body Color	Size	(1-9)	(10-up)
A	51001-01	Black finish	2 "D" cell	\$44.28	\$41.48
	51011-01	Titanium finish	2 "D" cell	42.73	41.48
B	51002-01	Black finish	3 "C" cell	36.55	33.84
C	51003	Black finish	3 "AA" cell	29.86	27.53
	51013	Titanium finish	3 "AA" cell	26.77	25.41
-	51015-01	Titanium finish	2 lithium cell	37.58	35.93
-	51014	Titanium finish	1 lithium cell	24.71	23.56



Key-Mate® Aluminum LED Flashlight

This one LED light is lightweight and compact making it easy to carry. The 100,000 hour lifetime high-intensity LED with reflector optics delivers up to 400% more lighting range than traditional penlights. **Specifications:** •2.36" •.9 oz. •Up to 96 hours run time •Includes neck lanyard and four alkaline button cell batteries •Limited lifetime warranty

MCM Part #	Mfr. #	Body Color	LED Color	ONLY
29-5436	72001	Black	White	\$9.99
29-5437	72003	Black	Green	9.99
29-5438	72016	Black	White with red and green filters	14.99
29-5439	72103	Titanium	White	9.99
29-5440	72203	Realtree Camo	Green	11.99

Replacement Batteries

29-5441	72030	Four LR44 alkaline button cells	2.56
---------	-------	---------------------------------	------

Mag Lite LED Flashlights



MAGLITE® XL200 LED Flashlight

This pocket size flashlight features a powerful projecting LED beam and a push-button tail cap switch with five selectable modes. One quick click gives you high power, two quick clicks is strobe mode, three quick clicks is Nite Lite™ mode, four quick clicks is signal mode and five quick clicks is SOS mode. All modes turn off with 1 single click. **Specifications:**
 •Black •Spot to Flood adjustable LED beam
 •Anodized for corrosion resistance and durability
 •Length: 4.8" long •Weights 3.68 oz. with three included "AAA" batteries •Three AAA batteries included
 •Comes in a presentation box •Mfr. #XL200-S2017

MCM Part #	Color	ONLY
29-5655	Red	\$42.99



Mag Charger

The Mag Charger is without question the ultimate lighting tool. The rechargeable Mag Charger is the most powerful and durable hand held flashlight of its size. The Mag Charger features a rechargeable battery, up to 1,000 times, a state of the art electro-formed reflector, high intensity halogen lamp and 360° charging ring including 12V and 120V convertor.

MCM Part #	Description	ONLY
29-2025	Mag charger	\$89.99
29-2070	Battery stick	22.99
29-2071	Lamp assembly	4.99



Mini Maglite® LED

The new Mini Maglite® LED is crafted after the legendary Mini Maglite® flashlight, an icon of classic American design, famous around the world. Super bright two cell "AA", these technologically advanced lighting instruments are the ideal personal flashlights. **Features:** •A powerful projecting beam that focuses simply by rotating the head •Candle mode, unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head.

MCM Part #	Description	Color	ONLY
29-4240	Two "AA"	Black	\$19.99
29-4245	Two "AA"	Silver	19.99



MAG Solitaire

Less than an ounce and about three inches in length, the Solitaire offers the precision engineering found in every Mag Lite. Using only a single "AAA" battery, its focusing beam is surprisingly bright. The Solitaire includes a spare lamp in the tail cap along with an Energizer Alkaline battery.

MCM Part #	Color	ONLY
29-1960	Red	\$6.99
29-1965	Blue	6.99

MCM Part #	Description	ONLY
29-2045	Lamp	\$2.80



MAG XL100™ Compact LED Flashlight

•Adjustable "spot-to-flood" beam •Anodized inside and out for corrosion resistance and durability
 •Rugged, machined high-strength aluminum alloy case
 •Compact design •Mag Advanced Flashlight User Interface with five selectable modes: Normal, strobe, nite lite, signal and SOS •Motion control for variable power level and strobe rate •Length: 4.8" Uses three "AAA" batteries (included)

MCM Part #	ONLY
29-4610	\$42.22



MAGLITE® XL50 LED Flashlight

This pocket size flashlight features a powerful projecting LED beam and a push-button tail cap switch with three selectable modes. One quick click gives you high power, two quick clicks is 25% power and three quick clicks turns on the emergency safety strobe. All modes turn off with one single click. **Specifications:** •Spot to flood adjustable LED beam
 •Anodized for corrosion resistance and durability
 •Ultra beam distance 145m •104 lumens •4.8" long
 •Weights 3.68 oz. with three included "AAA" batteries

MCM Part #	Mfr. #	Color	ONLY
29-5640	XL50-S3016	Black	\$28.99
29-5645	XL50-S3106	Silver	28.99
29-5650	XL50-S3116	Blue	28.99



MAGLITE® Four Cell D Flashlight

The heavy duty flashlight features a high-intensity light beam from spot to flood with a twist of the wrist. Rugged, machined aluminum construction with knurled design and are anodized inside and out for improved corrosion resistance. **Specifications:**
 •Ultra beam distance 265m •72 lumens •Length: 14.5" long •Requires four D batteries (not included). Black. •Mfr. #S4D016

MCM Part #	ONLY
29-5630	\$21.99



MAGLITE® Flashlight Pack

Pack includes a handy two cell "AA" flashlight and a heavy-duty three cell "D" flashlight. The smaller flashlight quickly converts to a free standing candle mode. The larger flashlight features a high-intensity light beam from spot to flood with a twist of the wrist. Both have rugged, machined aluminum construction with knurled design and are anodized inside and out for improved corrosion resistance. The AA flashlight is 5.75" long; the D flashlight is 12" long. Batteries not included.

MCM Part #	ONLY
29-5625	\$27.99



MAG LED "D" Cell



The Maglite® flashlight, renowned for its quality, durability, and reliability, is now available with the new MAG-LED™ technology. Available in 2 or 3 cell "D" size, **Features:**
 •A powerful projecting beam that focuses simply by rotating the head. •Interchangeable light sourcing
 •Use either the installed LED module or the Krypton lamp (stored in the tailcap).

MCM Part #	Description	Color	ONLY
29-4210	2 "D"	Black	\$27.99
29-4215	2 "D"	Silver	27.99
29-4220	3 "D"	Black	27.99



Mini Mag Lite



The Mini Mag Lite is the flashlight that changed the industry. Until Mag introduced the Mini Mag Lite no one ever dreamed a flashlight could be so small yet so powerful. The Mini Mag Lite includes a spare lamp and two "AA" batteries.

MCM Part #	Color	ONLY
29-1970	Black	\$11.99
29-1975	Red	11.99
29-1980	Blue	11.99

MCM Part #	Description	ONLY
29-2050	Lamp	\$2.80



"D" Cell

From the beginning Mag Lite has designed products for those who demand more from a flashlight than just a simple source of light. Mag offers a truly balanced and efficient lighting system; superior optics, lamps, reflectors and power source. A Mag customer knows that serious duty demands serious equipment.

MCM Part #	Description	Color	ONLY
29-1990	2 "D"	Red	\$18.99
29-2060	3 cell lamp	-	3.59
29-2065	4 cell lamp	-	3.59



ML100 LED Flashlight

Designed for optimum light output, this flashlight deliver performance oriented features in a sleeker compact design. It provides an array of user configurable function sets including five different modes – full power, power save, strobe, SOS and Momentary On/Off functions. **Specifications:** •Ultra beam distance 307m •137 lumens •Anodized for corrosion resistance and durability •Length: 9.135" long •Weight with batteries: 15.2 oz. •Two C batteries (not included).

MCM Part #	Mfr. #	Color	ONLY
29-5635	ML100-S2015	Black	\$42.99



DURATOOL

Telescopes to 21"

3 LED Telescopic Flashlight

•Telescopic pipe and flexible neck •Aluminum body •ON/OFF push button on head •Includes strong head mounted magnet for picking up items •Length: 6.5" closed, extends to 21.5" •Requires four LR44 batteries (included)

MCM Part #	ONLY
29-5605	\$8.99

Energizer Led Flashlights



Energizer LED Safety Flashlights

•Waterproof and dust proof •Survives 7' drop •Carabiner belt hook on tail cap •Reduced battery consumption results in cost savings •Internationally approved orange safety color •UL913 Class I, II and III

MCM Part #	Mfr. #	Description	ONLY
291-1045	MS2AALED	2 "AA" cell flashlight	\$14.41
291-1050	MS2DLED	2 "D" cell flashlight	22.13

Energizer

Solar Three LED Flashlight

Lightweight and hands-free, this is an ideal personal portable lighting solution. Carabiner clip lets you hang the light where you need it. The hybrid power feature lets you charge the light by cranking or with the power of the sun, even in overcast conditions. **Specifications:** •Usable light for two hours with a five-hour solar charge •Dimensions: 1.4" x 5.1" x 1.9". •Mfr. # SOLCKCCBP

MCM Part #	ONLY
291-1125	\$17.99



Energizer

Solar Folding Lantern

Dual power sources provide ultimate flexibility. The solar panel charges even in low light or use three "D" batteries for longer lasting light. The folding design allows for 180° or 360° use. Two light modes provide a bright area light or an amber nightlight. **Specifications:** •Eight white LEDs provide 66 lumens •One amber LED for nightlight •Usable light for 2.5 hours with a five-hour solar charge •Dimensions: 7.7" x 3.5" x 4.7". •Mfr. # SOLRE35BP

MCM Part #	ONLY
291-1135	\$29.99



EVEREADY

Brilliant Beam™ Flashlight

This convenient flashlight features a handy hanger ring and a built-in magnet to allow for hands free use. Set it down and the anti-roll feature keeps the light from shifting when bumped. Krypton lamp provides strong illumination. **Specifications:** •16.5 lumens •Runs on two "D" batteries •Dimensions: 8.24" x 2.39" x 1.66". •Mfr. #E251WB-S

MCM Part #	ONLY
291-1105	\$5.99



Energizer

Solar DC Spotlight

Never be without power for your light again. The silicon solar panel charges internal rechargeable batteries even in low light. You also have the option to use the included car charger. The 44 meter beam distance and water resistance make this great for boating. **Specifications:** •Four white LEDs provide 24 lumens •Usable light for 3.5 hours with a five-hour solar charge •Dimensions: 4.7" x 8.3" x 2.75". •Mfr. # SOLRECBP

MCM Part #	ONLY
291-1130	\$29.99



Energizer® Weatheready™ Emergency Weather Station

Be prepared in any situation. This weather station features a NOAA/AM/FM radio and weather band with NOAA Emergency Alert, dual power sources, a bright 360° area lantern and a USB cell phone charging port. **Specifications:** •Eight white LEDs provide 56 lumens in low mode or 100 lumens in high mode •Hybrid power uses eight "AA" batteries or kinetic energy crank •Dimensions: 9.5" x 3.0" x 4.9". •Mfr. # WRWS81BP

MCM Part #	ONLY
291-1120	\$49.99



Energizer Compact Rechargeable Light

Keep this plugged in and it will turn on when your power goes out. The rechargeable NiMH battery will recharge hundreds of times. Bright white LEDs provide 8 lumens of light. Unplug and fold in the prongs for easy grip to carry with you. It will run for over 2 hours on high or 15 hours on low.

MCM Part #	ONLY
291-1160	\$12.99



EVEREADY Two "AA" Long Life LED Flashlight

This economical flashlight can run 40 hours on two "AA" size carbon zinc batteries and the lifetime LED bulb never needs replacing. An attached wrist lanyard and easy to use slide switch provide added convenience. **Specifications:** •10 lumens •Dimensions: 6" x 1.6". •Mfr. # EVLL21SH


MCM Part #	ONLY
291-1115	\$6.49



Energizer Carabiner Crank LED Light

Always have a light close by with this carabiner clip light. Three white LEDs provide 7 lumens of light. One minute of cranking gives 3 minutes of light.

MCM Part #	ONLY
291-1165	\$10.99



Energizer® the new look of power

ULTIMATE LITHIUM

- Lasts up to 9x longer* in digital cameras for 9x less waste**
- Last up to 7 hours longer* in handheld GPS devices
- Performs well in extreme temperatures, from -40°F to 140°F (-40°C to 60°C)
- Great for use in flashlights, cameras, GPS equipment, digital and wireless devices



*vs. Energizer® MAX®. Results vary by device.
**use less batteries, create less waste

INDUSTRIAL

- Energizer® Industrial® alkaline batteries are trusted by working professionals and have the same long lasting power and reliability of Energizer® MAX® batteries
- No mercury added
- Excellent shelf life
- Excellent for devices you use every day at work or on the job: flashlights, clocks, calculators, laser levels, stud finders, handheld digital devices, and many more



max

- Long-lasting power for your everyday life
- Makers of the World's 1st* Zero Mercury AA Alkaline Battery
- Excellent for devices you use every day: flashlights, smoke detectors, door locks, toys, clocks, two-way radios, label makers, and remote controls



*commercially available since 1991

RECHARGE

- Reusable power that lasts up to 4x longer* in digital cameras (AA)
- Charges hundreds of times
- Economical power solution for high-tech devices
- Great for use in digital cameras, wireless gaming accessories, GPS equipment, portable audio players, and flashlights



*vs. Energizer® MAX®. Results vary by camera and usage.

flashlights

Energizer lights are designed and built with the rugged features hard working professionals need and appreciate on the job.



Handheld



Hands-free



Lanterns & Area Lights



Special Applications

© 2012 Energizer. Energizer, Energizer Bunny design, label graphics, and other marks are trademarks of Energizer.

TM

that's positivenergy



Nite Ize LED Flashlights

NITE IZE INNOVATION "C"/"D" Size Flashlight LED Upgrade Kits

Convert your incandescent flashlights into a bright, long lasting LED light. It's as easy as replacing the bulb. Not only do you get a pure white light in spot to flood focus, the efficient LED technology ensures a much longer battery life to save money on bulbs and batteries. Fits most 2~6 cell PR style flange "C" and "D" cell flashlights. 

MCM Part #	Description	ONLY
29-6050	50,000 hour LED life	\$15.00
29-6055	100,000 hour LED life	9.47

NITE IZE INNOVATION INOVA® X3R USB Rechargeable LED Flashlight

The patented optical system, precision machined aluminum reflector with thermal interface provides superior light projection and visibility. Updated performance and new dual-mode functionality provides long hours of either High or Low power light output. The 3 Position End-Cap Switch activates constant and momentary high and low as well as a lockout mode. Features a mini USB charging port compatible with any standing 1A 5V USB output. The powerful 227 lumens have an effective range of 495 feet. Length; 6.2". Kit includes: Lithium Ion rechargeable battery, mini USB charging cable. 

MCM Part #	ONLY
29-6030	\$78.95



NITE IZE INNOVATION Inova® Bolt Flashlight Series

With aerospace grade aluminum bodies, water resistant construction, and a comfortable non-slip rubber grip, these flashlights endure the rigors of hard use. Their innovative non-rolling geometry keeps them right where you need it for every job. Its patented optical system and precision machined aluminum reflector with thermal management interface provides a focused spot with flood beam pattern. Batteries included. 

MCM Part #	Mfr. #	Size	Lumens	Length	ONLY
29-6016	Bolt® 3A	(2) "AAA"	25	4.76"	\$26.32
29-6017	Bolt® 2A	(2) "AA"	107	5.5"	36.84
29-6018	Bolt® 2L	(2) 123A	120	6.0"	42.11

NITE IZE INNOVATION INOVA® T-Series Tactical LED Flashlights

Engineered with the professional in mind, the T-series has a patented tactical end-cap switch activates constant and momentary High, Low, Strobe, and Lockout modes to enhance overhand operation. It also has a patented optical system that provides thermal management while harnessing and projecting a powerfully bright uniform focused spot with flood beam. The aerospace grade aluminum body with military-spec Type III hard coat anodized finish can withstand extreme conditions. High quality wrist lanyard included. Long-lasting lithium batteries included. 

MCM Part #	Description	Lumens (High)	Effective Range	Length	ONLY
29-6031	T1 - (2) 123A	211	190'	4.56"	\$59.65
29-6032	T2 - (2) 123A	243	475'	5.50"	65.79
29-6033	T3 - (3) 123A	264	518'	6.20"	85.09



NITE IZE INNOVATION INOVA® X Series LED Flashlights

The patented optical system, precision machined aluminum reflector with thermal interface provides superior light projection and visibility. Updated performance and new dual-mode functionality provides long hours of either high or low power light output. The three-position end-cap switch activates constant and momentary high and low as well as a lockout mode. The XS includes a lanyard attachment system. 

MCM Part #	Description	Lumens (High)	Effective Range	Length	ONLY
Black					
29-6019	XS - (1) "AAA"	53	190'	2.9"	\$21.05
29-6021	X1 - (1) "AA"	55	223'	4.0"	21.05
29-6023	X2 - (2) "AA"	150	443'	5.84"	42.11
29-6028	X03 - (2) 123	200	636'	6.0"	52.63
Titanium					
29-6020	XS - (1) "AAA"	53	190'	2.9"	21.05
29-6022	X1 - (1) "AA"	55	223'	4.0"	21.05
29-6024	X2 - (2) "AA"	150	443'	5.84"	42.11
29-6029	X03 - (2) 123	200	636'	6.0"	52.63

NITE IZE INNOVATION INOVA® LED Squeeze Light

Designed for convenient, one-handed use, the bright white LED Squeeze Light turns on when you squeeze it, off when you let go. With its rugged, heavy-duty plastic body, looped on a durable strip of nylon cord on one end and a split ring on the other, the LED Squeeze Light can be easily attached to key rings, belt loops, zipper pulls etc. making it easy for you to shine bright light instantly, whenever you need it. Long lasting replaceable lithium batteries included. 

MCM Part #	ONLY
29-6007	\$3.51



NITE IZE INNOVATION INOVA® T4R Rechargeable LED Flashlight

Engineered with the professional in mind, the T4 has a mid-body tactical switch that activates High Power, Medium Power, Low Power, Strobe, and Momentary High modes for the ultimate in versatility and performance. Its aerospace-grade aluminum body with military-spec Type III hard coat anodized finish makes this flashlight shockproof, crushproof and water-resistant. The rechargeable Lithium Ion battery charges from zero to full in 3 hours and can be recharged at any time without waiting for full discharge. At high power, it is at 303 lumens with an effective range of 698 feet. Length 7.9". Kit includes: Rechargeable Lithium Ion battery, charging cradle, AC power supply and DC/Vehicle adapter. 

MCM Part #	Description	ONLY
29-6035	T4R Flashlight Kit	\$131.58

Additional Accessories

29-6037	AC Adapter	17.54
29-6038	DC Adapter/Car Charger	17.54
29-6039	Extra Rechargeable Battery	17.54
29-6040	Additional Cradle/Recharging Unit	17.54
29-6041	Reserve Battery Holder	35.09
29-6042	Red Signal Cone	4.39
29-6043	White Signal Cone	4.39
29-6044	Yellow Signal Cone	4.39
29-6045	Assorted Signal Cone Pack	11.84

NITE IZE INNOVATION INOVA® T5 Lithium Powered LED Flashlight

This 9" precision-engineered lighting instrument projects a powerful beam up to 670'. Powered by 3-123 lithium batteries (included), it has a patented optical system that provides thermal management while harnessing and projecting a powerfully bright (250 lumens) uniform focused spot with flood beam. Features a tactical mid-body switch that activates high, medium, low, strobe, and momentary high modes. With a precision machined aluminum body from solid bar stock, a military-spec Type III hard coat anodized black finish, and an aggressive knurling pattern for positive grip, the T5 is a high performance illumination tool perfect for professional, mission-critical use. 

MCM Part #	ONLY
29-6036	\$109.65

NITE IZE[®] INNOVATION

LED Flashlight Upgrade Kits

Convert your incandescent flashlights into a bright, long lasting LED light. It's as easy as replacing the bulb. Not only do you get a pure white light, the efficient LED technology ensures a much longer battery life to save money on bulbs and batteries. The IQ switch converts a AA flashlight into offering five light modes: 100%, 50%, 25% power, slow and fast strobe. The push button switch converts a twist on/off flashlight to a push button. **📌**



MCM Part #	Description	ONLY
29-6051	3 LEDs with 100,000 hour life	\$4.82
29-6052	30 lumens, focusable	7.89
29-6054	30 lumens, focusable, with push button switch	8.68

NITE IZE[®] INNOVATION

1 Watt LED Flashlight Upgrade Kits

Convert your incandescent flashlights into a bright, long lasting LED light. It's as easy as replacing the bulb. Not only do you get a pure white light, the efficient LED technology ensures a much longer battery life to save money on bulbs and batteries. The IQ switch converts a "AA" flashlight into offering five light modes: 100%, 50%, 25% power, slow and fast strobe. **📌**



MCM Part #	Description	ONLY
29-6048	55 lumens, focusable	\$15.00
29-6049	65 lumens, includes IQ switch	19.74

NITE IZE[®] INNOVATION

INOVA[®] X5 LED Flashlight

Five LED lamps recessed into the X5's patented stainless-steel head are each surrounded by individual reflectors, creating an unsurpassed brilliant flood beam pattern. Dual-mode functionality provides long hours of either High or Low power light output. Powered by two 123 lithium batteries, with an amazing 10-year shelf life, the X5's reliable performance makes it perfect for long-term duty. The UV light is great for most leak and fluorescent dye detection, counterfeit bill and pest detection. Length: 4.75". **📌**



MCM Part #	Color	ONLY
White LED		
29-6025	Black	\$30.70
29-6026	Titanium	30.70
UV		
29-6027	Titanium	39.47

NITE IZE[®] INNOVATION

INOVA[®] T3R USB Rechargeable LED Flashlight

This boundary pushing design reflects the needs of modern tactical professionals by offering a mini USB recharging port that is compatible with any standard 1A 5V USB output. Its high powered 234 lumen LED projects a powerful uniform focused spot and flood beam pattern up to 500'. Its heavy duty construction is shockproof, crushproof and water-resistant. The tactical three position end-cap switch activates High, Low, Strobe and momentary High modes. Kit includes: Rechargeable Lithium Ion battery, mini USB charging cable, AC/USB charger, DC/USB charger. **📌**

MCM Part #	ONLY
29-6034	\$105.26



NITE IZE[®] INNOVATION

IQ Switch[®]

This easy-to-install tail cap switch fits any "AA" Mini Maglite[®], to convert it into a very useful, multi-functional tool. Five light modes: 100%, 50%, 25% power, slow, fast strobe. Three power levels, so you can choose the function you need for your particular task at hand and extend your battery life in the process. Batteries last four times as long when the IQ Switch is in place. For extra battery conservation, when you're in the first three modes, the flashlight turns off after 14.5 minutes when not in use, preventing accidental battery drainage. Also equipped with a "find-in-the-dark" flashing LED to make location a snap. **📌**

MCM Part #	ONLY
29-6056	\$7.11

Coast LED Flashlights



COAST[™] V13 Mechanics Penlight LED Flashlight

Features the most advanced optical and digital technology, combined with the highest wattage LEDs to create lights that meet the highest professional standards. Specially designed for heavy and continuous use, these lights will stand up to whatever abuse your job puts them through. **Features:** •Moon beam optical glass lens •Slim and elegant size •Two "AAA" batteries required and included •Silver aircraft aluminum body •Includes tie clip •Mfr. #LL7817

MCM Part #	(1-9)	(10-up)
29-4370	\$12.99	\$11.95



COAST[™] V2 6 Chip LED Flashlight

Coast flashlights represent the best combination of quality, efficiency, and value. Their exclusive cloverleaf reflector and crystal reflector tube systems, combined with the highest quality Nichia LEDs, produce the brightest, most energy efficient flashlights available today. **Features:** •Cloverleaf six reflector system •Six high-quality white LEDs •#LL1106 is dual color with five white LEDs and one red LED •6 1/4" length •Black aluminum casing •Three "AAA" batteries required and included

MCM Part #	Mfr. #	Description	(1-9)	(10-up)
29-4325	TT1006CP	6 chip	\$19.99	\$18.39
29-4330	LL1106	5 white chip, 1 red chip	29.99	27.59

COAST[™] Mini Tac Torch LED Flashlight

Coast Tactical Use lights combine the most advanced optical and digital technology with tactical style and technical designs for law enforcement, military, and extreme outdoor situations. Features compact design and lightweight black aluminum casing. **Features:** •Crystal reflector tube system •High quality white LED •Rear on/off switch •2 1/16" length plus key ring •Four AG13 batteries required and included •Mfr. #LL7830

MCM Part #	(1-9)	(10-up)
29-4350	\$7.99	\$7.35

COAST[™] V2 Tactical LED Flashlights

Combines the most advanced optical and digital technology with tactical style and technical designs for law enforcement, military, and extreme outdoor situations. Tactical lights feature compact design and lightweight aluminum casing. **Features:** •Cloverleaf six reflector system •3 1/4" length •Side switches •Tactical lightweight black aluminum casing •Three "AAA" batteries required and included **#LL7736D specifications:** •Five high-quality white LEDs and one high-quality red laser LED •Dual switch system **#LL77364 specifications:** •Three high-quality white LEDs and one blue, red, and green LED •Quad switch system

MCM Part #	Mfr. #	Description	(1-9)	(10-up)
29-4340	LL7736D	Dual color	\$32.99	\$30.35

Coast LED Flashlights

COAST
V2 Tactical Power
Chip LED Flashlight

Combines the most advanced optical and digital technology with tactical style and technical designs for law enforcement, military, and extreme outdoor situations. Tactical lights feature compact design and lightweight aluminum casing. **Features:** •Prism reflector system •High intensity 1.25W white LED •4 1/2" length •Rear on/off switch •Tactical lightweight black aluminum casing •Three "AAA" batteries required and included •Mfr. #LL7736



MCM Part #	(1-9)	(10-up)
29-4335	\$27.99	25.75

LED Headlamps



PRO-ELEC 12 LED Head Lamp

•12 superbright LEDs. •Adjustable headstrap with padded front for added comfort. •ABS casing. •Requires three AAA batteries (not included). •Flashlight head dimensions: 2.2" x 2.5" x 2.5"

MCM Part #	ONLY
29-5730	\$5.49

PRO-ELEC 12 LED Head Lamp



•12 high intensity LEDs (100,000 hours average life) •Four modes of operation: 4 LED, 8 LED, 12 LED, 12 LED flashing •Adjustable head strap with padded front section for comfort •Requires three "AAA" batteries (not included)



MCM Part #	ONLY
29-5520	\$2.99

PRO-ELEC 18 LED Head Lamp

•18 quality superbright LEDs with 100,000 hour lifespan •Adjustable headstrap •ABS casing •Beam distance: 20m •Requires three AAA batteries (not included) •Head lamp dimensions: 2.4" x 3.7" x 3.7"



MCM Part #	ONLY
29-5770	\$3.99



PRO-ELEC 3 Watt CREE® Head Lamp

•One quality superbright LED with 100,000 hour lifespan •Adjustable headstrap •ABS casing •Beam distance: 100m •Requires three AAA batteries (not included) •Head lamp dimensions: 1.8" x 3.0" x 2.0"

MCM Part #	ONLY
29-5775	\$14.49



PRO-ELEC CREE® LED Head Lamp

•One CREE® LED •LED Brightness: 150 Lumens •Adjustable headstrap with padded front for added comfort •Push switch on side •Requires two "AAA" batteries (not included) •Flashlight head dimensions: 1.4" x 2.2" x 2.4"

MCM Part #	ONLY
29-5750	\$13.99



PRO-ELEC CREE® LED Head Lamp

•1 x CREE® LED. •LED Brightness: 120 Lumens. •Adjustable headstrap with padded front for added comfort. •ABS casing. •Requires three AAA batteries (not included). •Flashlight head dimensions: 2.2" x 2.5" x 2.5"

MCM Part #	ONLY
29-5735	\$12.99



PRO-ELEC Eight LED Head Lamp

•Eight superbright LEDs. •Adjustable headstrap with padded front for added comfort. •ABS casing. •Requires three AAA batteries (not included)

MCM Part #	ONLY
29-5740	\$3.99

PRO-ELEC 30 LED Head Lamp



•30 super bright LEDs •Four modes of operation including a flashing option •Adjustable head •Adjustable headstrap with padded front •Requires three "AA" batteries (not included)



MCM Part #	ONLY
29-5525	\$6.99



PRO-ELEC 1W Superbright Head Lamp

•1 x 1W superbright LED •Adjustable headstrap with padded front for added comfort •50,000 hours average lifetime •Requires three AAA batteries (not included) •Head lamp dimensions: 1.4" x 2.3" x 2.6"

MCM Part #	ONLY
29-5790	\$3.99



PRO-ELEC 1x 1W LED Head Lamp

•Compact LED head lamp. •Adjustable headstrap with padded front for added comfort. •ABS casing. •Push switch on side. •Requires two AA batteries (not included). •Flashlight head dimensions: 1.6" x 2.75" x 1.7"

MCM Part #	ONLY
29-5745	\$6.49



Trident® LED Headlamps

These lightweight headlamps (only 4.64 oz. and sized under 3") feature up to three way lighting for short, medium and long distances. These lights also include a lifetime warranty and all use three "AAA" alkaline batteries, which are included. These light come in three different configurations: **61060:** Trident Green-Two white LEDs, one green LED and one Xenon bulb **61007:** Septor 7-Seven white LEDs **61301:** Argon-Single C4: high intensity LED, battery level meter.



MCM Part #	Description	(1-9)	(10-up)
61060	Trident Green	\$24.99	\$22.99
61007	Septor 7	29.99	-

NITE IZE INNOVATION Headlamp Headband™



Constructed of 1" black webbing, this lightweight, adjustable headpiece fits almost any "AAA", "AA" or L123 flashlight, and instantly turns it into a versatile headlamp. Two elastic loops fit most shapes and styles of mini-flashlights. Hook and loop fastener for one-size-fits-all design.

MCM Part # **ONLY**
29-6057 **\$4.74**

Work Lights

MCM 15 LED Rechargeable Flashlight



•Rechargeable flashlight plugs directly into wall for convenient recharging •110V plug slides into body of flashlight for storage •15 super bright LEDs •Built-in lead acid battery (1000 mAh)v

MCM Part # **ONLY**
29-5810 **\$5.49**



14 LED Magnetic Worklight



•LED worklight uses 14 LED bulbs to provide a very bright, energy efficient white light to help with various applications around the house, garage or workshop •Great for use during power outages or emergency roadside repairs •Two magnets on each side enables use from various angles •Operates on three "AAA" batteries (included)

MCM Part # **ONLY**
29-6300 **\$6.49**



2-in-1 LED Work Light



•Two high output LEDs and red laser pointer •Rare earth magnet on back for hands free work •360° swivel hook for added versatility •92 lumens, 3.5 hr run time, 13m beam •Uses three "AAA" batteries (included)

MCM Part # **ONLY**
29-6315 **\$9.99**



USB Rechargeable LED Key Light

•Bright white Nichia LED never needs replacing •Built-in rechargeable lithium battery •Charges in any standard USB port •Convenient clip-on key ring •On/off/flash modes **Specifications:** •3.7V 60MAH Li battery •Charge time: 15~20 minutes •Run time: 2 hours

MCM Part # **ONLY**
29-6320 **\$6.99**



Li-Ion 2M CP Spotlight

•High capacity Lithium Ion rechargeable battery •Run time: approx 50~60 minutes •Charge time: 6~8 hours •Powerful quartz halogen bulb •2 million candle power •High impact ABS housing with protective lens bumper •Comfort pistol grip with trigger lock and wrist strap •Includes both a car charger and household charger •LED charge indicator light with auto shutoff •Great for roadside emergencies, power failures, camping, boating, home, auto and more •Integrated rechargeable battery, no batteries required

MCM Part # **ONLY**
29-6325 **\$24.99**



12 Volt 3.5M CP Spotlight

•3.5 million candle power •Super bright 100W H3 quartz halogen bulb •Removable red lens to protect light vision •Compact design with ergonomic grip •6' coiled cord with 12V fused power plug •Perfect for RV's, trucks, boats and ATV's

MCM Part # **ONLY**
29-6330 **\$24.99**



PRO-ELEC 13 LED Lantern

•13 super bright LEDs •Sturdy rubber casing •Requires four "D" batteries (not included) •Dimensions: 4" (H) x 4" (W) x 8" (D)

MCM Part # **ONLY**
29-5530 **\$10.99**



Rechargeable 24 LED Work Light

•Cordless or corded operation •24 super bright white LEDs •360° swivel hanging hook and heavy-duty magnet •Great for: Home, auto, shop, outdoors •4~5 hour continuous run time •Recharges fully in 3~4 hours •Includes 12V car charger, 120V wall charger, and charging base

MCM Part # **ONLY**
29-6335 **\$34.99**



Rechargeable Spotlight

With a high power quartz halogen bulb, this light is great for roadside emergencies, power failures, general use, camping, boating or at home. Includes both a car and household charger. Lockable trigger switch for hands free use. Comfort grip with built-in hanging hook and tripod hole. Mfr. # W2409.

MCM Part # **ONLY**
28-11440 **\$24.99**



DURATool

45 LED Portable Work Light

•Includes 45 LEDs which use very little energy and generates almost no heat •Convenient handle design for easy transport and storage •Brightness: 225 lumens •LED lights lasts up to 50,000 hours •Voltage: 110V/60Hz •IP44 water resistant

MCM Part # **ONLY**
29-5830 **\$16.99**



DURATool

108 LED Portable Work Light

•Includes 108 LEDs which use very little energy and generates almost no heat •Convenient handle design for easy transport and storage •Brightness: 504 lumens •Includes on/off switch •LED lights lasts up to 50,000 hours •Voltage: 110V/60Hz •IP44 water resistant

MCM Part # **ONLY**
29-5835 **\$38.99**



Work Lights

DURATOOL

45 LED Portable Work Light with Tripod

•Includes 45 LEDs which use very little energy and generates almost no heat •Tripod adjustable height from 3' to 6' •Brightness: 225 lumens •LED lights lasts up to 50,000 hours •Voltage: 110V/60Hz •IP44 water resistant

MCM Part # 29-5840



ONLY \$32.99

PRO-ELEC LED Flood Lights

This energy efficient work light with wide base and cushioned handle make this a sturdy addition to any work bench. The 8' cord gives you lots of flexibility in placement. Utilizes COB type LED. Rated IP65.



MCM Part #	Watts	Lumens	ONLY
29-5845	10W	750	\$32.49
29-5850	20W	1500	\$4.99

PRO-ELEC

24 LED Light with Hanging Hook

•Tactile rubberized finish •Magnet on the back for easy placement •Requires three "AAA" batteries (not included)

MCM Part # 29-5535 ONLY \$4.49



GRIP

24 LED Button Work Light

•Great for emergency repairs, closets or garages •24 LED bulbs provide energy efficient bright white light, while the built-in hook and magnet make for many mounting possibilities •Uses three "AAA" batteries not included

MCM Part #	Description	Mfr. #	ONLY
29-4405	Work light	37236	\$5.40
293-405	Four Pack "AAA" Batteries		2.29



Performance Tool

Artic Camo LED Flashlight

•Super Bright Nichia® LED never needs replacing •Special edition white camo pattern •Interchangeable snap on lenses: Red for enhancing night vision; Blue for fluid detection •Aircraft grade aluminum •Nylon belt pouch •156 lumens, 1 hour run time, 100m beam

MCM Part # 29-6310 ONLY \$15.99



DURATOOL

16 + 3 LED Mini Telescopic Work Light

•16 LEDs slide on as work light •3 LEDs on the top act as a flashlight •Includes strong rear mounted magnet and foldable hook •Length: 4" closed, opens to 5.75" •Requires three "AAA" batteries (not included)

MCM Part # 29-5610 ONLY \$10.49



DURATOOL

18 LED Multi Angle Flip Light

•Comes on automatically when flipped open •Set the angle as needed or use the foldable hook to hang •Includes strong rear mounted magnet •Soft touch comfortable grip •Requires three "AA" batteries (not included)

MCM Part # 29-5620 ONLY \$10.49



MCM

24 LED Work Light

Super bright 24 LED work light with a heavy non-slip rubberized coating. Produces a long lasting and brilliant 13,000 mcd output. Features a handy 360° swiveling rear hanging hook and magnets for attachment to metal surfaces. Large on/off switch for easy operation. Shock resistant. Requires three "AA" batteries (not included).

MCM Part # 29-4667 (1-9) \$11.99 (10-24) \$11.48 (25-up) \$10.81



PRO-ELEC LED Hanging Light

•24 quality superbright LEDs with 100,000 hour lifespan •ABS casing •Beam distance: 20m •Requires three AAA batteries (not included) •Head lamp dimensions: 3.8" x 2.5" x 1.5"

MCM Part # 29-5780 ONLY \$4.49



GRIP

32 LED Worklight

This worklight is great for use for emergency roadside repairs, or as a multi-purpose light around the home or garage. The 32 LED bulbs provide energy efficient bright white light. The built-in hook enables use at various angles and the swivel stand allows the light to stand on any work bench or flat surface making this a versatile light. Uses three "AA" batteries (not included).

MCM Part # 29-5435 ONLY \$13.38



GRIP

72 LED Light Bar

Great light for use during emergency roadside repairs, electronic repair during power outages, or multi-purpose light for use around the home, garage or workshop. Features: •72 LED bulbs provide crisp bright white light •Built-in rear swivel hook allows use at any angle •Heavy rubberized non-slip surface •Three strong magnets allow attachment to metal surfaces •Uses four "AA" batteries (not included)

MCM Part # 29-4615 ONLY \$10.99



DURATOOL

15 + 1 LED Mini Revolving Flashlight

•15 LEDs ON/OFF by swiveling joint for open/close •Push button control of the 1 LED on top •Includes strong bottom mounted magnet •Length: 4" closed, opens to 6.5" •Requires three "AAA" batteries (not included)

MCM Part # 29-5615 ONLY \$9.49



RATED
★★★★★



Five Piece LED Light Pack

72 LED and 24 LED lights feature built-in rear swivel hooks allow the lights to be used at any angle. Strong rear mounted magnets allow attachment to any metal surface. Heavy rubberized non-slip material. Plus a 9 LED flashlight features water proof, shock resistant housing with industrial grade switch. The 72 LED uses four "AA" batteries, 24 LED and nine LED use three "AAA" batteries (not included) **✓**

MCM Part # **ONLY**
29-4625 **\$17.50**

PRO-ELEC

LED Flashlight with Magnetic Pick Up Tool

•Six superbright LEDs •Requires four LR44 batteries (included) •Strong magnetic pick up tool in head •21" long •Flexible magnetic head •Dimensions: 7" (H) x 1.2" (W) x 1.2" (D) **✓**

MCM Part # **ONLY**
29-5570 **\$12.99**



LED Screwdriver

Perfect for intricate work on telephones, cell phones, computer hard drives and more. The bits store in the shaft of driver. Includes PH0 and PH1 Phillips and 1/16" and 1/8" flat heads. The opposite end features a push button LED light for limited light applications. Anodized aluminum body with knurled finish. Drop forged, heat treated, chrome vanadium steel bits. Uses three LR41 batteries (included). •Mfr. #64145 **✓**

MCM Part # **ONLY**
29-5665 **\$4.99**

Energizer® Weatheready™ Emergency Weather Station

Be prepared in any situation. This weather station features a NOAA/AM/FM radio and weather band with NOAA Emergency Alert, dual power sources, a bright 360° area lantern and a USB cell phone charging port. **Specifications:** •Eight white LEDs provide 56 lumens in low mode or 100 lumens in high mode •Hybrid power uses eight "AA" batteries or kinetic energy crank •Dimensions: 9.5" x 3.0" x 4.9". Mfr. # WRWS81BP. **✓**

MCM Part # **ONLY**
291-1120 **\$49.99**

Energizer® Solar Three LED Flashlight

Lightweight and hands-free, this is an ideal personal portable lighting solution. Carabiner clip lets you hang the light where you need it. The hybrid power feature lets you charge the light by cranking or with the power of the sun, even in overcast conditions. **Specifications:** •Usable light for two hours with a five-hour solar charge •Dimensions: 1.4" x 5.1" x 1.9". •Mfr. # SOLCKCCBP. **✓**

MCM Part # **ONLY**
291-1125 **\$17.99**

Energizer® High Tech LED Pen Light



This penlight features an ultra slim design that easily fits in shirt pockets and backpacks. The globe style lens is shatterproof polycarbonate and projects light 360°. Made from non-conductive E-glass, this light is suitable for use in electrical applications. **Specifications:** •10 lumens •Runs on three "AAAA" Energizer Max® batteries (included) •Runs up to 23 hours on one set of batteries •Water resistant •Weights only 40.2 grams. •Mfr. # PLED34AE **✓**

MCM Part # **ONLY**
291-1100 **\$14.99**



Stylus® Penlight



The elegant Stylus® combines the convenience of an ultra-slim pen light with a high intensity LED which lasts 100,000 hours and will operate 10 hours continuous on "AAAA" alkaline batteries. Perfect for tactical use and covert operations, while preserving precious night vision. Its waterproof, machined aluminum case has a momentary blink switch plus constant on. Each Stylus® is individually serialized and features a pocket clip as well as a lifetime warranty. Operates on three "AAAA" batteries, included. **✓**

MCM Part #	Body Color	LED Color	ONLY
65018	Black	White	\$14.99
65012-01	Silver	White	14.99
65069-01	Black	UV	19.99



Stylus Reach® LED Flashlight



The Stylus Reach® has the same great features as the Stylus® but has a flexible cable extension, allowing you to get deep into the tightest spots. With a waterproof, aircraft aluminum casing and a tough PVC shielded cable, the Stylus Reach is built to illuminate those unforgiving, hard-to-reach areas. It's unbreakable, 100,000-hour LED which never needs replacing is available in white or blue.

MCM Part #	Body Color	LED Color	(1-9)	(10-up)
65658	Black UL listed	White	\$18.99	\$17.47
65612	Silver	White	18.99	17.47

LIFETIME WARRANTY

Energizer® LED Inspection Light



This durable and water resistant Hardcase Professional® light is ready when you are. It fits easily into your pocket or in the included belt holster. The Cree® XRC LED gives you a big light in a small package. **Specifications:** •40 lumens •Beam distance: 76m •Runs on two "AAA" batteries •Dimensions: 5.8" x 0.9" •Mfr. #TUFPL22PH **✓**

MCM Part # **ONLY**
291-1110 **\$19.99**

EVEREADY® 6V Floating Utility LED Lantern



•Floats •Shatterproof Lens •Packed with one 6V Eveready® Super Heavy Duty® battery •Made in USA **✓**

MCM Part # **ONLY**
291-1080 **\$8.99**



INOVA® 24/7 Multi-Mode LED Flashlight System



The cluster of eight LEDs projects a forceful flood beam up to 75', and provides up to a 1.25 mile signal visibility. The white, red and yellow LEDs combine to provide eight different light modes all easily accessible with a rotational dial. The stable base makes it a great freestanding light, but it also comes with a built-in stainless steel clip. Clip it directly to clothes or gear or combine it with four special transport and mounting accessories to optimize its versatility and effectiveness. Included is a neck lanyard, headband, magnetic mount and wall mounting brackets. Powered by an included 123A Lithium battery. 3" (L) x 2" (W). **✓**

MCM Part #	Color	ONLY
29-6046	Yellow	\$52.63
29-6047	Olive	52.63

Energizer®

HardCase Pro LED Construction Flashlight



"The toughest lights you will ever need" sums up the Hard Case brand promise, and the Energizer® Hard Case Professional™ line presents our best. How can any light survive a 15' drop test? With durability that's designed and built-in: Impact-resistant ABS plastic, reinforcing ribs, rubber overmold, stainless steel plates, high performance LED light sources and shatterproof lenses. With lights designed for all applications, Energizer® Hard Case Professional™ is an easy choice. **Features:** •The toughest lantern you'll ever own™ •Lifetime guarantee •Advanced technology •Bright LEDs with shatterproof lens •Push-button switch •Four "AA" cell •Mfr. #TUF4AAPE

MCM Part # **ONLY**
291-1030 **\$22.13**

Energizer®

LED Spotlight



The Toughest Flashlights You'll Ever Need™. Serious professionals need serious lighting. On site or in the field, our Energizer® Hard Case® Professional® line of products offer the rugged dependability of the original Energizer® Hard Case® combined with innovative LED technology. **Specifications:** •Impact resistant ABS plastic frames with steel sides and shock absorbing rubber overmolds •Rugged shatterproof lens survives 15' drop •12 hour runtime •Packed with four Energizer® MAX® C batteries. Mfr. #TUF4CPE **✓**

MCM Part # **ONLY**
291-1090 **\$27.99**



Specialty Lights



PRO-ELEC
Solar Powered Key ring light

Features: •Three long life blue LED's •50,000 hours life span •Rechargeable lithium battery included •Solar charge time: 6 - 10 hours •30 - 50 minutes of lighting time •Color: Blue •Dimensions (L x W): 2.047" x 1.37"

MCM Part #	(1-9)	(10-Up)
29-6125	\$2.99	\$2.51



PRO-ELEC
Five LED Bicycle Tail Light

•Five superbright red LEDs •Three modes – static light, flashing or chasing •Comes with mounting clip •Requires two AAA batteries (not included) •Head lamp dimensions: 1.4" x 2.4" x 1.4"

MCM Part #	ONLY	
29-5805	\$1.99	



PRO-ELEC
Three LED Bicycle Tail Light

•Three superbright red LEDs •Three modes – static light, flashing or chasing •Beam is visible for up to 500m •Comes with mounting clip •Requires two AAA batteries (not included) •Head lamp dimensions: 1.4" x 2.4" x 1.4"

MCM Part #	ONLY	
29-5800	\$1.99	



PRO-ELEC LED Finger Light

Features: •One ultra bright LED •Ideal for reading •Silicone band makes it easy to attach to finger •Requires one AG13 battery (included) •Dimensions (L x W x D): 1.61" x 0.59" x 0.62"

MCM Part #	(1-9)	(10-Up)
29-6130	\$1.49	\$0.99

PRO-ELEC
USB Light

Features: •Simply plug into a USB port to light up your notebook or PC •Flexible gooseneck allows you to direct light as required •Length: 11.57in

MCM Part #	(1-9)	(10-up)
29-6145	\$3.99	\$3.68



PRO-ELEC Book Light

Features: •Super bright LED provides powerful reading light •Mechanical arm activates at the touch of a button •Jumbo clip secures light to book •50,000 hours average life span •Requires three button cell batteries (included) •Dimensions (L x W): 4.72" x 1.37"

MCM Part #	(1-9)	(10-Up)
29-6135	\$1.99	\$1.70



PRO-ELEC
LED Clip Light

Features: •Three ultra bright LEDs •Light rotates 360° •Requires three AG13 batteries (included) •Dimensions (H x W x D): 1.96" x 0.70" x 2.36"

MCM Part #	(1-9)	(10-up)
29-6140	\$1.99	\$1.78

PRO-ELEC
10 LED Handheld Magnifier

•4x magnification •Requires three "AAA" batteries (not included)

MCM Part #	ONLY
29-5515	\$6.49



Energizer **Trim Flex LED Reading Light**

•Flexible reading light •Versatile spring clip •30 hours on one coin cell battery

MCM Part #	Description	(1-9)	(10-up)
291-990	Trim flex LED reading light	\$9.26	\$8.23
291-1060	6 LED flashlight	19.04	-



PRO-ELEC
LED Bicycle Light

•One superbright LED •Three modes – static light, flashing or chasing •Beam is visible for up to 600m •Fully waterproof •Can also be used as a flashlight •Requires three AA batteries (not included) •Head lamp dimensions: 3.5" x 1.1" x 2.5"

MCM Part #	ONLY
29-5795	\$3.49

PRO-ELEC
Five LED Bicycle Light

•Water resistant design •Can be used as a flashlight •Requires four "AAA" batteries (not included)

MCM Part #	ONLY
29-5540	\$4.49



Solar Powered Keyhole Light

Place this solar powered light on your entry door making it easier to unlock your door at night by illuminating your keyhole. Simply touch to activate and the light will stay on for 15 seconds so you can get in safely and quickly. Charges without direct sunlight, giving you years of worry free use. Also great for use on your shed, greenhouse or garage door. Mfr. # P7690.

MCM Part #	ONLY
28-11376	\$10.99



Emergency Light

Thanks to its rechargeable battery, this emergency light turns on automatically during power failures. Once unplugged, it becomes as a super bright LED flashlight that lasts up to four hours. When plugged in, it doubles as a nightlight that automatically switches on in low light. •Mfr. #P4860

MCM Part #	ONLY
28-11375	\$14.49



MCM Super Bright Single LED Mini Keychain Light



Never be in the dark again with this super bright blue single LED mini key chain light. Push button on/off and secured to a handy split ring keychain. 10-pack in a zip lock poly bag. Keep several around the house and in your car, boat, and camper! Comes with two long life 3V CR2016 lithium coin cell batteries. **📦**

MCM Part # **ONLY**
29-4590 **\$10.99**

Energizer® High Tech Keychain Light



Sleek, compact and lightweight, this is the ideal keychain light. The three modes (high, low and flash) remain activated after pressing the switch. The auto shut-off feature maintains battery life. The durable cast metal body is impact resistant. **Specifications:** •13 lumens in high mode – more than some larger flashlights •18m beam distance •Key ring attachment included •Uses two CR2016 Lithium coin cells •Dimensions: 0.4" x 2.0" x 0.9". •Mfr. # HTKC2BUS **📦**

MCM Part # **ONLY**
291-1140 **\$7.99**

PHOTON MICRO-LIGHT



White Micro-Light

Micro size (about the size of a quarter), awesome power and convenient, the Photon Micro-light easily goes anywhere. Its versatility, superior engineering, durability and trouble-free operation make it ideal for daily use. The trouble-free switch, long-lasting lithium battery and super-bright LED mean this flashlight will always be ready when you need it.

MCM Part # (1-11) (12-up)
29-3910 **\$9.99** **\$8.79**



Motion Activated Light Owl

Navigate your way through a room at night with this handy battery powered light. When the sensor detects motion, six bright LEDs light up automatically and stay on for 20, 60 or 90 seconds or simply set it for continuous light. The swiveling stand doubles as a hook so you can hang the Light Owl from a door knob or set it at the foot of your bed. A built in dimmer function allows you to control the light intensity. Uses four "AAA" batteries (not included). •Mfr. # P4750

MCM Part # **ONLY**
28-11379 **\$14.49**

DURATOOL


Two-in-One LED Flashlight and Laser

•Super bright LED flashlight is portable enough to fit in pocket, tool box, or glove box •Magnetic base for easy placement •Flexible neck for ease of use •Built-in laser for diagnostic or identification •Includes three extra LR44 batteries •Dimension: 2.65" x .75" (base) **📦**



MCM Part # (1-9) (10-up)
29-4495 **\$2.99** **\$2.75**

Nite Ize Specialty Lights



NITE IZE INNOVATION MoonLit™ LED Area Light

With this light, you can prop, twist, hang, loop and even wear, bright ambient light, anywhere you need it. The NiteIze SpotLit™ is attached to a bendable, durable 18" Gear Tie™ to allow the light to be used in countless configurations. The long-lasting LED bulb has two functions: Steady glow and continuous flash, and emits light bright enough for reading fine print. The Gear Tie has a tough rubber shell that provides excellent grip but won't scratch or mark. Weather resistant. Long-lasting replaceable lithium battery included. **📦**

MCM Part # **ONLY**
29-6059 **\$8.51**



NITE IZE INNOVATION

WrapLit™ LED Utility Light

The tough INOVA® microlight is attached to a durable, flexible 18" Gear Tie™, creating a whole new category of versatility and usefulness. The Microlight has four functions high power, low power, strobe, and signal). Its focused, bright white LED has an effective range of up to 50 feet and one-mile visibility. The Gear Tie, with its strong, bendable wire interior and sturdy rubber exterior, can be configured and reconfigured at either end, so you can position the light from almost any angle imaginable. Weather resistant. Long-lasting replaceable lithium batteries included. **📦**



MCM Part # **ONLY**
29-6060 **\$10.23**

NITE IZE INNOVATION

SpotLit™ LED Clip-On Pet Safety Light



Clip this lightweight, durable light to your four-footed friend's collar, and you'll be able to easily see him or her in the darkest night—and so will everyone else within 1000'. The secure stainless steel spring clip easily clips to the D-ring on your dog's collar. Two modes: glow and flash. Weather resistant. Long-lasting replaceable lithium battery. **📦**

MCM Part #	Color	ONLY
29-5998	Red	\$5.70
29-5999	White	5.70



NITE IZE INNOVATION NiteDawg™ LED Dog Collars

Never lose sight of your dog in the dark again. Made of high quality nylon, this lightweight, durable collar houses a flexible, light-transmitting polymer core that illuminates when the collar is turned on. A reflective stripe adds additional safety by providing passive reflectivity. It also features a strong metal D-ring, quick release buckle and push button switch. Weather resistant. Visible up to 1000' in the dark. Long-lasting replaceable lithium batteries included. **📦**

MCM Part #	Size	ONLY
Red Webbing		
29-5991	Small (10" – 13")	\$13.82
29-5992	Medium (13" – 18")	13.82
29-5993	Large (18" – 27")	13.82
Orange Webbing		
29-5994	Small (10" – 13")	13.82
29-5995	Medium (13" – 18")	13.82
29-5996	Large (18" – 27")	13.82



NITE IZE INNOVATION SlapLit™ LED Slap Wrap

Made of durable nylon patterned with a reflective spider web design, the SlapLit is powered by a bright, easy-to-activate LED that lights up the entire wrap. Use countless times. It can be straightened with a simple twist of the thumb and store flat, or hung in its straightened form and used as an LED marker beacon. Long life replaceable lithium battery runs 100 hours.

MCM Part # **ONLY**
29-5988 **\$9.47**

Nite Ize Specialty Lights



NITE IZE
INNOVATION

NiteDawg™ LED Pet Leash

With its 18" flexible, LED light-transmitting polymer core, with a reflective stripe for passive reflectivity, this leash makes both you and your dog's presence obvious to everything on-coming, from dusk till dawn. The 5' long leash is made of high quality red webbing and features a strong, rotating spring clip. Glow and flash modes. Long-lasting replaceable lithium battery included.

MCM Part # **ONLY**
29-5997 **\$13.82**

NITE IZE
INNOVATION

PetLit™ LED Collar Light

This bright white LED illumination keeps your pet visible at night up to 100'. Made of durable plastic, it is easy to activate with a simple twist. The secure clip is easy to attach to the D-ring of a pet's collar. Weather resistant. Long-lasting replaceable lithium battery included.

MCM Part # **Style** **ONLY**
29-6000 Paw print **\$3.51**
29-6001 Jewel **3.51**



NITE IZE
INNOVATION

ZipLit™ LED Zipper Pull

Threaded with a durable cord that's easy to attach, this light is a must have for anyone out early in the morning or late at night. The bright LED provides instant visibility so you can see your surrounding better and others can see you. Water resistant plastic housing. Long-lasting replaceable battery.

MCM Part # **Color** **Pack Size** **ONLY**
29-5950 White 2 per pack **\$4.39**
29-5951 Red 2 per pack **4.39**
29-5952 White 1 per pack **2.19**
29-5953 Red 1 per pack **2.19**



NITE IZE
INNOVATION
ClipLit™ Clip-On LED Zipper Pull



Set in a durable plastic housing and molded to a rugged plastic carabiner clip to attach quickly and securely to just about anything with a hook or zipper, this light is the perfect mini-beacon whenever you need a little help in the dark. Water resistant. Long-life replaceable battery included.

MCM Part # **LED Color** **ONLY**
29-5948 White **\$2.19**
29-5949 Red **2.19**



NITE IZE
INNOVATION

ClipLit™ Clip-on LED Zipper Pull

Set in a durable plastic housing and molded to a rugged plastic carabiner clip to attach quickly and securely to just about anything with a hook or zipper, this light is the perfect mini-beacon whenever you need a little help in the dark. The long lasting white LED bulb provides an ambient glow bright enough to read fine print or when attached to you, is a fun and stylish way to let people know where you are. Water resistant. Long-life replaceable battery included.

MCM Part # **Design** **ONLY**
29-6061 Green Earth **\$3.51**
29-5937 Blue Wildflowers **3.51**
29-5938 Red Wildflowers **3.51**
29-5939 Orange Wildflowers **3.51**
29-5940 Fuchsia Wildflowers **3.51**
29-5941 Blue Peace Sign **3.51**
29-5942 Pink Peace Sign **3.51**
29-5943 Red Sun **5.99**
29-5944 Yellow Sun **3.51**
29-5945 Orange Sun **3.51**
29-5946 Blue Spiral **3.51**
29-5947 Pink Spiral **3.51**

NITE IZE
INNOVATION

SpokeLit™ LED Spoke Wheel Light

Increase your visibility, safety and cool factor while biking with these easy to attach lights. Press it onto the spokes of your wheel and slide towards the rim until the fit is tight and it stays securely in place. The SpokeLit not only marks your bike plainly in the dark, when you're riding at medium speed or faster, it creates the attention-getting effect of a moving circle of light. Water and shock resistant, it fits wheel sizes 16" - 27" with 32-26 spokes. Glow and flash modes. Long lasting replaceable lithium batteries included.




NITE IZE
INNOVATION
SpotLit™ LED Carabiner Light



Set in a lightweight carabiner to attached quickly and securely to just about anything with a hook or zipper, this light is the perfect mini-beacon whenever you need a little help in the dark. The long lasting LED bulb provides an ambient glow bright enough to read fine print or provide instant location of hazards. Choose from two modes: Press once for steady glow, twice for continuous flash. Water resistant. Long-life replaceable battery included.

MCM Part # **Color** **ONLY**
Black Titanium Clip
29-5956 Red **\$5.70**
29-5957 White **5.70**
Stainless Steel Clip
29-5958 Red **5.70**
29-5959 White **5.70**
29-5960 Blue **5.70**
29-5961 Green **5.70**
29-5962 Disc-O (cycles through color spectrum) **5.70**
29-5963 Pink **5.70**
29-5964 Lime **5.70**
29-5965 Orange **5.70**



NITE IZE
INNOVATION

BugLit™ LED Micro Flashlight

This versatile light uses GearTie technology for fully bendable legs that can be bent, wrapped or twisted to securely attach and point the light exactly where you need it. The bright white LED has an effective range of up to 50' and one-mile visibility. It is water resistant and features four modes including high power, low power, strobe, and signal mode. A lightweight plastic S-Biner clip allows you to attach, hang or store. Runs on two lithium batteries (included).

MCM Part # **Body Color** **ONLY**
29-5966 Blue **\$10.23**
29-5967 Green **10.23**
29-5968 Red **10.23**
29-5969 Clear/Black **10.23**

NITE IZE[®] INNOVATION Inova[®] Microlight XT LED Wand

The LED wand transforms the Inova[®] Microlight XT flashlight into a versatile signal marker/spot beam. It's an ecologically responsible alternative to disposable chemical light sticks. The wand itself is an extremely durable light transmitting polycarbonate rod. It has a polished end to project a spot-beam in addition to the illuminating glow. Lightweight, waterproof, and neutrally buoyant, make's it perfect for diving, boating and other water sports. Four functions: High beam, low beam, strobe, and signal. Makes an excellent signal marker, flashlight, emergency flare, and spot beam. Light wand, Microlight XT with clip, wrist lanyard and long-lasting replaceable lithium batteries included. 

MCM Part #	Color	ONLY
29-6013	Blue	\$14.04
29-6014	Green	14.04
29-6015	White	14.04



NITE IZE[®] INNOVATION RideLit[™] LED Marker

This light provides be seen and be safe illumination for riding – be seen for up to a mile away. The elastic strap is adjustable and removable, so you can wear, hang, or attach it wherever you like. The RideLit is available in red and white: two colors that universally signify front and rear. Strap a white RideLit on one ankle facing forward, a red RideLit on the other facing to the rear, and at a glance, everyone around you will know whether you're coming or going. Weather resistant. Long-lasting replaceable lithium batteries included. 

MCM Part #	Color	ONLY
29-5980	White	\$7.89
29-5981	Red	7.89



NITE IZE[®] INNOVATION BikeLit[™] LED Marker

The long-lasting LED bulb of the BikeLit emits a bright, ambient glow that can be seen up to a mile away. Like the universally recognized headlights and taillights of a car, the BikeLit comes in two colors: white attaches to the front brake cables, and red locks under the back of the seat. Attachment is quick and easy—no tools required. Glow and flash modes. Weather resistant. Long-lasting replaceable lithium batteries included. 

MCM Part #	Color	ONLY
29-5984	White	\$6.58
29-5985	Red	6.58
29-5986	Combination Pack	11.05



NITE IZE[®] INNOVATION BikeBug[™] LED Bike Lite

These versatile bicycle lights use GearTie technology to put an innovative twist on bicycle safety with universally recognized white (for front) and red (for rear) lights. The bright LEDs have an effective range of up to 50' and one-mile visibility. It is water resistant and features four modes including high power, low power, strobe, and signal mode. The two flexible 6" ties can be wrapped around your bike's handlebars, frame or basket. Or use the plastic S-Biner to attach it to any convenient location. Two long lasting replaceable lithium batteries included. 

MCM Part #	Color	ONLY
29-5970	White	\$10.23
29-5971	Red	10.23

NITE IZE[®] INNOVATION TwistLit[™] LED Bike Light

Endlessly versatile, secure, and easy to reposition, the TwistLit is perfect for bikes, scooters and jogging strollers. The long-lasting LED (white for front, red for rear) is encased in specially formed housings with curved backs that rest snugly against the round surfaces on your bike or scooter. The two 7" gear ties easily grip to nearly any bike surface without scratching. Weather resistant. Glow and flash modes. Two long-lasting replaceable lithium batteries included. 

MCM Part #	Color	ONLY
29-5982	White	\$7.11
29-5983	Red	7.11



NITE IZE[®] INNOVATION See'Em[™] Mini Spoke Lights

Innovative clip-on design fits most common spokes, round, oval and bladed (flat). Go from being hard-to-spot to impossible-to-miss. When the wheels are spinning, these lights create the ultra-attention-getting effect of a moving circle of light. Use one or several on each wheel to create your own signature bands of color. Molded durable plastic with stainless steel clips. Weather resistant. Long-lasting replaceable lithium battery included. Two per pack. 

MCM Part #	Color	ONLY
29-5977	Red	\$5.53
29-5978	Amber	5.53
29-5979	Green	5.53

NITE IZE[®] INNOVATION Clip-On Marker[™] LED Safety Light

Perfect for creating safety visibility anywhere, this flexible polymer strip is encased in lightweight, durable nylon fabric and illuminated on each side. It's sturdy S-Biner clip can be attached to almost anything with a hook and ring including the utility D-ring on the opposite end. Clip it to itself to create a loop of light to wear on your wrist or wrap around anything up to 3" (dia). Bright red LED with two modes, glow and flash. Weather resistant. Long-lasting replaceable lithium battery included. 

MCM Part #	ONLY
29-5989	\$9.47

NITE IZE[®] INNOVATION Marker Band[™] Adjustable LED Band

Be seen up to a mile away with this handy band. The thin, durable polymer strip is encased in sturdy nylon fabric and decorated with a reflective pattern for extra visibility. The quick release buckle and fully adjustable band (5.5"~25.5") allows you to wear it snugly and comfortably. Use for running, walking, playing or working at night. The bright red LED has two modes, glow and flash. Weather resistant. Long-lasting replaceable batteries included. 

MCM Part #	ONLY
29-5990	\$9.47

NITE IZE[®] INNOVATION LED Sport Vest[™]

This lightweight black mesh vest is made with 3M Scotchlite[™] reflective material, and features two illuminated flexible polymer strips. Wearing this vest when you're heading out for a run or ride in the dark is a comfortable, effective way to ensure you'll be highly, instantly visible to oncoming traffic. Universally sized with hook and loop sections conveniently located at the shoulder, easy to slip on and off. Elastic sections with hook and loop closure allow adjustment at the waist for a snug fit. Two long-lasting, easy-to-replace batteries included. 

MCM Part #	ONLY
29-5987	\$21.93

NITE IZE[®] INNOVATION SlapLit[™] LED Slap Wrap

Made of durable nylon patterned with a reflective spider web design, the SlapLit is powered by a bright, easy-to-activate LED that lights up the entire wrap. Use countless times. It can be straightened with a simple twist of the thumb and store flat, or hung in its straightened form and used as an LED marker beacon. Long life replaceable lithium battery runs 100 hours. 

MCM Part #	ONLY
29-5988	\$9.47

Nite Ize Specialty Lights



NITE IZE
INNOVATION
BrimLit™

This LED-powered light clips easily and securely onto nearly any hat, cap, or visor brim for convenient hands-free lighting. Formed from high-density EVA foam, the BrimLit slides underneath your hat's brim and easily accommodates its shape. Its two spring-tension clips automatically adjust to the brim's thickness, and a quick press of the button activates the BrimLit's four LED bulbs - choose high mode for more directed light or low mode for glow. Powered by two fully replaceable lithium batteries (included). 

MCM Part # **ONLY**
29-6058 **\$13.16**

NITE IZE
INNOVATION
INOVA®
UV LED Microlight

This ingenious micro LED flashlight provides UV light at your fingertips. It is great for detecting counterfeit bills/IDs, spotting fluorescent dyes or leaks during auto or HVAC repairs and even during hunting or crime scene investigations. It features four functions (high power, low power, strobe and signal mode), a tough polycarbonate body that is water and crush resistant, plus a stainless steel clip. It attaches easily to keys, zippers or packs so you are never without this lightweight, handy light. Long-lasting replaceable lithium batteries included. 

MCM Part # **ONLY**
29-6006 **\$8.77**

Camping Lighting

NITE IZE
INNOVATION
DomeLit™ LED
Area Light

This small, multi-functional area light is as transportable as you need it to be. Attached to a loop of adjustable elastic, it can be hung wherever there's a hook, bar, pole or tree branch it can be looped around. It can also be worn around your wrist or strapped on your ankle. For semi-permanent placement, an adhesive strip of hook-and-loop is also included. Once positioned, simply press and the parabolic lens creates a flood beam that illuminates a 4' area. Glow or flash modes. Weather resistant. Long lasting replaceable lithium batteries included.

MCM Part # **ONLY**
29-5954 **\$7.89**

NITE IZE
INNOVATION
TaskLit™ LED Headlamp

This lightweight headlamp is the perfect hands-free lighting devise. Its parabolic LED lens illuminates a 4' area with a full flood beam that's gentle on night vision. The high quality elastic headband adjusts easily to fit any head size. Water resistant. Glow and flash modes. Long-life replaceable batteries included.

MCM Part # **ONLY**
29-5955 **\$7.89**

Energizer
LED Folding Lantern

This compact lantern folds out for 360° area light and folds in for easy storage. It has 3 modes for extra flexibility - high, low and includes an amber nightlight. On high, it will run for 75 hours at 96 lumens. The long run time gives users security for extended power outages. Includes carrying handle. Runs on 4 "D" batteries (not included). 

MCM Part # **ONLY**
291-1170 **\$24.99**

PRO-ELEC
11 LED Camping Light

Features: •Ideal for camping or fishing •11 Super bright LED's •ABS casing •Requires three "AA" batteries (not included) •Dimensions (H x W x D): 5.11" x 2.55" x 1.77"

MCM Part # **(1-9) (10-Up)**
29-6240 **\$4.99 \$4.38**

PRO-ELEC
Dynamo Camping Lantern

Features: •Ideal for camping or fishing •12 Super bright LED's •ABS casing •Beam distance: 100m •Quality LED with 100,000 hour lifespan •requires one NI-Mh battery (included) •Dimensions (H x W x D): 10.23" x 4.92" x 4.92"

MCM Part # **(1-9) (10-Up)**
29-6155 **\$22.49 \$20.68**

PRO-ELEC
Camping Lantern

Features: •Ideal for camping or fishing •Four super bright LED's •ABS casing •Quality LED with 100,000 hour lifespan •Requires four "AA" batteries (not included) •Dimensions (H x W x D): 5.51" x 1.85" x 1.85"

MCM Part # **(1-9) (10-Up)**
29-6160 **\$4.99 \$4.03**

Flip 'N Charge™
Candle

Built-in battery is charged by the patent-pending solar panel hidden on the underside of the candle housing. Just flip the candle over to charge it then flip it back over to enjoy the lifelike candlelight all evening long. Amber LED bulb "flickers" like a real candle. Illuminates indoors or out for up to eight hours on a full charge. •Mfr. # P7615

MCM Part # **ONLY**
28-11377 **\$20.49**

PRO-ELEC
LED Lantern

•12 superbright LEDs. •Carrying handle and built in compass. •Dimmable option. •Requires three AA batteries (not included). •Dimensions: 6.1" x 3" x 3". 

MCM Part # **ONLY**
29-5670 **\$3.99**

PRO-ELEC
LED Camping Light with Remote

Features: •23 Super bright LED's •Remote control distance: 8 - 10m •Requires four "AA" batteries (not included) •Easy hanging magnet on rear

MCM Part # **(1-9) (10-Up)**
29-6235 **\$9.49 \$8.43**



MCM
UFO Style LED Camp Lights

These popular super bright UFO style LED lights are ideal for campers, emergency use, power outages or anytime a hands free area light is needed. Easily illuminate a basement, room or other space. Long lasting LED lamps maintain their brightness. Includes hanging clip and magnets for vertical mounting to metal surfaces. Requires four "AA" batteries (not included) [E]

MCM Part #	# LEDs	(1-9)	(10-24)	(25-up)
29-4664	24	\$8.99	\$8.43	\$7.71
29-4665	48	10.99	10.42	9.69

Energizer
LED Area Light

Serious professionals need serious lighting. On site or in the field, our Energizer® Hard Case® Professional® line of products offer the rugged dependability of the original Energizer® Hard Case® combined with innovative LED technology. **Specifications:** •Bright wide angle LED's deliver 50 lumens of broad area light •Comes with two mounting options: magnetic mount and wall mount •Impact absorbing rubber casing for maximum durability •Simple push lens switch to activate. •Mfr. # TUFPAL31E [E]



MCM Part #	ONLY
291-1085	\$9.99

PRO-ELEC
Stick On LED Lights

Features: •Stylish, portable LED push lights •Perfect for the bedroom, car, garage, shed, tent, closet, and many more applications •Sticks and re-sticks as often as you need •Self adhesive backing •Three bright white LEDs •Batteries not supplied (needs three "AAA") •Giving approx. 100 hours battery life •Dimensions (Depth x Diameter): 0.78" x 2.36"



MCM Part#	(1-9)	(10-Up)
29-6150	\$3.49	\$2.71

Patio and Outdoor Lighting

PRO-ELEC
Solar String Lights

•Plastic lamp body
•Battery included
•Works up to eight hours after a full charge
•Multi-color includes yellow, green, red, white and blue [E]



MCM Part #	Color	LEDs	Length	ONLY
25-4485	White	50	20'	\$14.49
25-4490	Multicolored	50	20'	16.99
25-4495	White	100	40'	21.49
25-4500	Multicolored	100	40'	23.99

PRO-ELEC
Solar LED Garden Light

•Stylish, plastic body •One superbright LED •12000 MCD •Eight hours working time on full charge •Dimensions: 30" (L) x 6.5" (W) x 21" (H) [E]

MCM Part #	ONLY
29-5565	\$5.49



PRO-ELEC
Solar LED Wall Light

•Stylish, plastic body •One superbright LED •12000 MCD •Eight hours working time on full charge •Dimensions: 6.6" (L) x 6.6" (W) x 10.7" (H) [E]

MCM Part #	ONLY
29-5560	\$6.49



PRO-ELEC
Solar LED Garden Light

•Stylish solar LED garden light.
•Stainless steel body. •1 x superbright LED.
•12000 MCD. •Eight hours working time on full charge. •Dimensions: 9.5" x 2.4" [E]

MCM Part #	ONLY
29-5690	\$4.49



PRO-ELEC
Solar LED Garden Light

•Stylish solar LED garden light. •Stainless steel body. •1 x superbright LED. •12000 MCD. •Eight hours working time on full charge. •Dimensions: 14" x 2.4" [E]

MCM Part #	ONLY
29-5695	\$2.99



PRO-ELEC
Solar LED Garden Light

•Stylish solar LED garden light.
•Plastic body. •1 x superbright LED.
•12000 MCD. •Eight hours working time on full charge. •Dimensions: 11.8" x 2.2" [E]

MCM Part #	ONLY
29-5685	\$2.99



PRO-ELEC
LED Outdoor Spotlight

Features: •20 super bright LED's •Stainless steel body •Tempered glass diffuser •Maximum power: 2W •12V AC 50Hz •Dimensions (H x W x D): 10.62" x 4.724" x 3.14"

MCM Part #	(1-9)	(10-Up)
29-6095	\$46.49	\$42.86



PRO-ELEC
Garden Spotlight

Features: •Stainless steel body •Tempered glass diffuser •MR16 Light base •Maximum power: 20W •IP68 Rated •12V AC 50Hz •Lamp not included •Dimensions (H x W x D): 10.62" x 3.26" x 3.54"

MCM Part #	(1-9)	(10-Up)
29-6085	\$14.99	\$13.90
50W 12V MR16 Floodlight		
25-5362	1.27	1.29



Patio and Outdoor Lighting

PRO-ELEC
Garden Spotlight 12V LED

Features: •MR16 lamp base •Stainless steel body •Tempered glass diffuser •Maximum power: 50W •12V AC 50Hz •IP68 Rated •Lamp not included •Dimensions (H x W x D): 10.62" x 4.09" x 4.60"

MCM Part #	(1-9)	(10-Up)
29-6105	\$39.99	\$36.84
50W 12V MR16 Floodlight		
25-5362	1.27	1.29



PRO-ELEC
Outdoor Spotlight

Features: •Stainless steel body •Tempered glass diffuser •MR16 Light base •Maximum power: 20W •IP68 Rated •12V AC 50Hz •Lamp not included •Dimensions (H x W x D): 4.33" x 3.26" x 3.54"

MCM Part #	(1-9)	(10-Up)
29-6090	\$13.99	\$12.94
50W 12V MR16 Floodlight		
25-5362	1.27	1.29



PRO-ELEC
Six 1W LED Spotlight

Features: •Six super bright LED's •Stainless steel body •Tempered glass diffuser •Maximum power: 6W •12V AC 50Hz •IP68 Rated •Dimensions (H x W x D): 5.51" x 4.72" x 3.14"

MCM Part #	(1-9)	(10-Up)
29-6100	\$77.49	\$72.13



MCM
Wireless 24 LED Parasol Light

•Ideal for outdoor entertainment areas •This umbrella light features 24 super bright LEDs •Design allows light to fit almost any umbrella pole •LEDs last up to 50,000 hours •Uses two "AA" batteries not included

MCM Part #	ONLY
29-5595	\$11.49



PRO-ELEC
Solar Powered LED Rock Light

Features: •Natural rock light with super bright LED •Push switch on base •Working time: Eight hours after full charge •Brightness: 12000 MCD •Dimensions (L x W x H): 5.70" x 4.33" x 3.34"

MCM Part #	(1-9)	(10-Up)
29-6110	\$6.99	\$6.05



PRO-ELEC
Solar Powered LED Rock Light

Features: •Natural rock light with super bright LED •Push switch on base •Working time: Eight hours after full charge •Brightness: 12000 MCD •Dimensions (L x W x H): 3.34" x 2.75" x 2.55"

MCM Part #	(1-9)	(10-Up)
29-6115	\$4.49	\$3.73



PRO-ELEC
Solar Powered LED Rock Light

Features: •Natural rock light with super bright LED •Push switch on base •Working time: Eight hours after full charge •Brightness: 12000 MCD •Dimensions (L x W x H): 4.72" x 3.81" x 3.149"

MCM Part #	(1-9)	(10-Up)
29-6120	\$5.49	\$5.11



Led Rope Lighting

Touch Sensitive LED Light Switch

•Universal touch sensitive LED switch automatically powers on/off LED lights when switch is touched •Switch dims the lights when the touched longer than 5 seconds •Connect any 12VDC or 24VDC LED light or light strips •Operating mode is single channel with a 3A maximum load •Switch comes with male and female 5.5mm barrel power connector for connecting directly between the LED power source and LED driver •3M double sided adhesive is included in the package •Perfect for under cabinet or bar lighting •Silver color

MCM Part #	(1-9)	(10-up)
25-6065	\$12.99	\$11.25



Motion Sensitive IR LED Light Switch

•Universal IR sensitive LED switch automatically powers on/off LED lights when motion is detected •Perfect for cabinet doors, the LED's turn on when the door is opened and off when the door is closed •Connect any 12VDC or 24VDC LED light or light strips •Operating mode is single channel with a 3A maximum load •Switch comes with male and female 5.5mm barrel power connector for connecting directly between the LED power source and LED driver •3M double sided adhesive is included in the package •Pewter color

MCM Part #	(1-9)	(10-up)
25-6070	\$12.99	\$11.25



LED Light Strip Kits

•These kits are perfect for the DIYers that want to add background or under the cabinet lighting •These kits come with either three or four LED light strips •Available in warm white or RGB colors •RGB kit comes with a remote control that allows for complete customization of the lighting •RGB remote can strobe, flash, fade, or smooth out the LED lighting •Each strip is 20" (L) x 3/8" (W) x 1/8" (H) •Kit includes either three or four LED strips, four-way LED distributor and power supply (RGB kit includes remote control) •Each strip is IP63 waterproof rated and backed with 3M adhesive tape for easy installation •These kits use extra bright SMD5050 LEDs •Power rating is 12V 3.2A for the LED driver

MCM Part #	Description	(1-9)
Warm White		
25-6075	3 piece	\$29.99
25-6080	4 piece	\$4.99
RGB		
25-6085	3 piece	\$4.99
25-6090	4 piece	\$9.99



Three Piece Under Cabinet Light Kit

•This kit is perfect for the DIYers that want to add under the cabinet lighting •This kit comes with three 3-LED light discs •Lights are designed to be flush mounted under a cabinet, desk or counter •Each light is made of a polished aluminum like material with three screw holes for mounting •LED driver has three male DC plugs, a single 6' cord and is rated at 12V 1A •These kits use extra bright SMD5050 LEDs

MCM Part #	(1-9)	(10-up)
25-6150	\$49.99	\$48.45



LOGISYS

LED PC Lighting


The LED corner light is a high efficiency light. It is energy saving, high density with long life span (over 5 years in normal usage). **Features:**

- Small physical size that can be used in narrow spaces
- Easy to install with included installation brackets
- Comes with 2.1x5.5mm female plug that can be cut for bare wire connection
- Power supply sold separately



LED Flexible Lighting Strips

- Ideal uses include home theater and entertainment lighting, accent lighting, and under counter lighting
- Easily connect multiple runs together by soldering contacts together
- Dimensions: 72" (L) x .28"(W) x .5" (H)
- Available in three colors (blue, white, red)




MCM Part #	Color	ONLY
25-5522	Blue	\$25.99
25-5524	White	38.99
25-5526	Red	25.99

LED Flexible Lighting Strips

- Ideal uses include home theater and entertainment lighting, accent lighting, and under counter lighting
- Easily connect multiple runs by soldering contacts together
- Dimensions: .28" (W) x .5" (H)
- Available in three colors (blue, white, red) and two length sizes (10" and 20")



MCM Part #	Color	Length	ONLY
25-5510	Blue	10"	\$6.19
25-5512	White	10"	6.19
25-5514	Red	10"	6.19
25-5516	Blue	20"	9.29
25-5518	White	20"	9.29
25-5520	Red	20"	9.29



LED Flexible Lighting Strips

- Ideal uses include home theater and entertainment lighting, accent lighting, and under counter lighting
- This LED strip can be cut at every three LED interval, simply solder the wire to the terminal at the point where the strip was cut
- For indoor and outdoor use, will hold up in all weather conditions
- Flexible, can bend in a 90° angle
- Dimensions: .4" (W) x .07" (H)
- Available in three colors (blue, red, white) and two sizes (12" and 24")




MCM Part #	Color	Length	ONLY
25-5540	Blue	12"	\$4.99
25-5542	Red	12"	4.99
25-5544	White	12"	4.99
25-5546	Blue	24"	8.49
25-5548	Red	24"	8.49
25-5550	White	24"	8.49

16' LED Flexible Lighting Strips

- Ideal uses include home theater and entertainment lighting, accent lighting, and under counter lighting
- This LED strip can be cut at every 3 LED interval, simply solder the wire to the terminal at the point where the strip was cut
- Dimensions: 16' (L) x .31" (W) x .07" (H)
- Available in six colors (blue, orange, red, green, purple, white)



MCM Part #	Color	ONLY
25-5528	Blue	\$69.99
25-5530	Orange	69.99
25-5532	Red	69.99
25-5534	Green	69.99
25-5536	Purple	69.99
25-5538	White	69.99



Spiral Compact Fluorescent Bulbs

23 Watt Mini Spiral Compact Fluorescent Light Bulb



- Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs
- Equivalent to a 100W incandescent light bulb
- Average life hours: 10,000 hours
- Lumens: 1600
- Energy star rated, UL listed



MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5035	Soft white	2700K	\$4.49	\$4.24
25-5038	Daylight	6500K	4.49	4.24

65W T3 Twist Compact Fluorescent Light Bulb

- Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs
- Equivalent to a 275W incandescent light bulb
- Average life hours: 10,000 hours
- Lumens: 4000
- Energy star rated, UL listed



MCM Part #	Color	Color Temperature	ONLY
25-5820	Bright white	5000K	\$17.49

14 Watt Mini Spiral Compact Fluorescent Light Bulb



- Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs
- Equivalent to a 60W incandescent light bulb
- Average life hours: 10,000 hours
- Lumens: 900
- Energy star rated, UL listed



MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5025	Soft White	2700K	\$2.99	\$2.71
25-5028	Daylight	6500K	2.99	2.71



EIKO Self Ballasted Compact Fluorescent Bulbs

- ✓CCFL screw in bulbs
- ✓60W, 75W and 100W bulbs
- ✓Two temperature types (daylight and soft white)

- Energy efficient, saves up to 75% in electricity when compared to incandescent bulbs
- Bulbs come in two temperatures: 2700K = soft white and 6500K = full daylight
- 100,000 hour life reduces maintenance costs
- Integrated electronic ballast, provides for easy installation
- All bulbs come with a medium screw (E26) type base for easy replacement

MCM Part #	Watt	Color	Replaces	(1-29)	(30-up)
25-3115	13W	Soft white	60W	\$3.59	\$3.08
25-3125	13W	Daylight	60W	3.59	3.08
25-3130	20W	Soft white	75W	4.62	4.19
25-3145	23W	Soft white	100W	6.17	5.65
25-3155	23W	Daylight	100W	6.17	5.65

Spiral Compact Fluorescent Bulbs



18W Compact Fluorescent Mini Twist Light Bulbs

•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs
•Equivalent to a 75W incandescent bulb
•Average life hours: 10,000 hours •Initial lumens: 1170 •Energy star rated, UL listed



MCM Part #	Color	Color Temperature	ONLY
25-5080	Soft White	2700K	\$3.75
25-5085	Bright White	4100K	3.75



13W Compact Fluorescent Mini Twist Light Bulbs

•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs
•Equivalent to a 60W incandescent bulb
•Average life hours: 10,000 hours •Initial lumens: 900 •Energy star rated, UL listed



MCM Part #	Color	Color Temperature	ONLY
25-5050	Soft White	2700K	\$2.92
25-5055	Bright White	4100K	2.92



23W Compact Fluorescent Mini Twist Light Bulbs

•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs
•Equivalent to a 100W incandescent bulb
•Average life hours: 10,000 hours •Initial lumens: 1600 •Energy star rated



MCM Part #	Color	Color Temperature	ONLY
25-5090	Soft White	2700K	\$3.92
25-5095	Bright White	4100K	3.92



40W Compact Fluorescent Mini Twist Light Bulbs

•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs
•Equivalent to a 200W incandescent bulb
•Average life hours: 10,000 hours •Initial lumens: 2800 •Energy star rated, UL listed



MCM Part #	Color	Color Temperature	ONLY
25-5100	Soft White	2700K	\$10.58
25-5105	Bright White	4100K	10.58

Mini Twist Three-Way Spiral Compact Fluorescent Light Bulb

•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 55/85/105W incandescent light bulb •Average life hours: 10,000 hours •Lumens: 600/1200/1600 •Energy star rated, UL listed

MCM Part #	(1-9)	(10-up)
25-5825	\$8.49	\$7.73



EIKO Spiral Shaped Dimmable 120V CFLi Lamps

•Reduce power consumption by as much as 75% vs. incandescent bulbs •Dimmable down to 8% of light output •8000 hour average life



MCM Part #	Mfr. #	Height	Diameter	CT	ONLY
13W, Replaces I60W					
25-4000	SP13/27K-DIM	4.92"	2.28"	2700K	\$9.26
25-4001	SP13/41K-DIM	4.92"	2.28"	4100K	9.26
20W, Replaces I75W					
25-4002	SP19/27K-DIM	5.12"	2.44"	2700K	10.29
25-4003	SP19/41K-DIM	5.12"	2.44"	4100K	10.29
23W, Replaces I100W					
25-4004	SP23/27K-DIM	5.47"	2.44"	2700K	10.29
25-4005	SP23/41K-DIM	5.47"	2.44"	4100K	10.29

Three-Way Spiral Fluorescent Bulbs

19W Mini Spiral Compact Fluorescent Light Bulb

•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs
•Equivalent to a 75W incandescent light bulb
•Average life hours: 10,000 hours •Lumens: 1200 •Energy star rated, UL listed



MCM Part #	Color	Color Temperature	ONLY
25-5030	Soft White	2700K	\$3.49
25-5032	Daylight	6500K	3.49

30W T3 Twist Compact Fluorescent Light Bulb

•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 120W incandescent light bulb •Average life hours: 10,000 hours •Lumens: 1900 •Energy star rated, UL listed



MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5800	Soft white	2700K	\$5.49	\$4.89
25-5805	Daylight	6500K	5.49	4.89

EIKO High Power CCFL Lamp

Perfect in a garage, barn, or any location where heavy lighting is needed, while allowing you to reduce energy consumption by up to 75%. Features:
•105W power consumption •Medium screw base (E26) •Self ballasted •Light output equivalent to 420W incandescent bulb •Color temperature: 5000K •Lumens: 6900 •Typical life: 8,000 hours •Dimensions: 11" (H) x 4" (W)



MCM Part #	ONLY
25-3575	\$32.95



13W Colored Compact Fluorescent Mini Twist Light Bulbs

•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs •Equivalent to a 60W incandescent bulb •Average life hours: 10,000 hours

MCM Part #	Color	ONLY
25-5060	Blue	\$5.75
25-5065	Green	5.75
25-5070	Orange	5.75
25-5075	Red	5.75

13W Mini Spiral Colored Compact Fluorescent Light Bulb

•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 60W incandescent light bulb •Average life hours: 10,000 hours •UL listed

MCM Part #	Color	Lumens	ONLY
25-5850	Yellow	500	\$4.99
25-5855	Red	180	4.99
25-5860	Green	500	4.99
25-5865	Blue	180	4.99

40W T3 Twist Compact Fluorescent Light Bulb

•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 150W incandescent light bulb •Average life hours: 10,000 hours •Lumens: 2650 •Energy star rated, UL listed

MCM Part #	Color	Color Temperature	ONLY
25-5810	Soft white	2700K	\$9.49
25-5815	Bright white	5000K	9.49



Enclosed Compact Fluorescent Bulbs

EiKO 
 CERTIFIED GREEN
R (Reflector) and PAR (Parabolic Aluminized Reflector) CFL Lamps



Reduce power consumption by up to 75% by switching from incandescent to CFL bulbs. **Features:** •Medium screw base (E26) •120V •Used in many can lights and exterior floodlights •Up to 8,000 hour life •Self-ballasted 

MCM Part #	Mfr. #	Shape/Dia. (mm)	Watts	Height (in)	CT	Initial Lumens	ONLY
25-3565	SP15/R30/27K	R30	15	2.700	260	\$7.20	
25-3570	SP15/R30/65K	R30	15	6.500	320	7.20	
25-4340	PAR20/9/30K	PAR20	9	3.000	280	9.26	
25-4341	PAR20/9/35K	PAR20	9	3.500	272	9.26	
25-4342	PAR20/9/41K	PAR20	9	4.100	270	9.26	
25-4343	PAR20/9/50K	PAR20	9	5.000	258	9.26	
25-3580	PAR30LN/15/30K	PAR30	15	3.000	750	10.29	
25-4344	PAR30LN/15/35K	PAR30	15	3.500	728	10.29	
25-4345	PAR30LN/15/41K	PAR30	15	4.100	725	10.29	
25-4346	PAR30LN/15/50K	PAR30	15	5.000	745	10.29	
25-4347	PAR38/23/30K	PAR38	23	3.000	1200	11.32	
25-4348	PAR38/23/35K	PAR38	23	3.500	1200	11.32	
25-4349	PAR38/23/41K	PAR38	23	4.100	1210	11.32	
25-4350	PAR38/23/50K	PAR38	23	5.000	1200	11.32	

EiKO 
 CERTIFIED GREEN
Globe Shaped 120V CFLi Lamps



Compact fluorescent lamps use up to 75% less energy than standard incandescent (I) candle lamps. **Features:** •Frosted coating •10,000 hour average life •Medium screw (E26) base •Energy Star rated. 

MCM Part #	Mfr.#	Watts	Height	Dia.	CT	ONLY
Replaces 60W						
25-4028	SP13G25/27K	13	4.3"	3.1"	2700K	\$6.17
25-4029	SP13G25/41K	13	4.3"	3.1"	4100K	6.17
Replaces 40W						
25-4030	SP9G25/27K	9	4.3"	3.1"	2700K	6.17
25-4031	SP9G25/41K	9	4.3"	3.1"	4100K	6.17

EiKO 
 CERTIFIED GREEN
A19 Shape 120V CFLi Lamps



Compact fluorescent lamps use up to 75% less energy than a standard incandescent candle lamps. **Features:** •Frosted coating •10,000 hour average life •Medium screw (E26) base •Energy Star rated 

MCM Part #	Mfr.#	Watts	Height	Dia.	CT	ONLY
Replaces 60W						
25-4020	SP13A19/27K	13	4.84"	2.40"	2700K	\$6.17
25-4021	SP13A19/41K	13	4.84"	2.40"	4100K	6.17
Replaces 140W						
25-4022	SP9A19/27K	9	4.10"	2.20"	2700K	5.65
25-4023	SP9A19/41K	9	4.10"	2.20"	4100K	5.65

EiKO 
 CERTIFIED GREEN
B13 Decorative 120 Volt CFLi Lamps



Decorative compact fluorescent lamps use up to 75% less energy than standard incandescent candle lamps. For use in open fixtures. Not for use with dimmers, photocells or motion sensors. 10,000 hour average life. Medium screw (E26) base. Diffused coating. UL/CSA, Energy Star Rated. 

MCM Part #	Mfr. #	Watts	Height	CT	Replaces	ONLY
Medium Screw Base (E26) - 1.73" (dia.)						
25-4006	SP5V13/E26/27K	5	4.84"	2700K	125W	\$5.14
25-4007	SP5B13/E26/41K	5	4.84"	4100K	125W	5.14
25-4009	SP7B13/E26/41K	7	4.84"	4100K	140W	5.14
Candelabra Screw Base (E12) - 1.42" (dia.)						
25-4024	SP5B10/E12/27K	5	4.33"	2700K	125W	3.99
25-4025	SP5B10/E12/41K	5	4.33"	4100K	125W	3.99
Candelabra Screw Base (E12) - 1.73" (dia.)						
25-4026	SP7B10/E12/27K	7	4.84"	2700K	140W	3.99
25-4027	SP7B10/E12/41K	7	4.84"	4100K	140W	3.99

PAR 38 Compact Fluorescent Light Bulbs



•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 90W incandescent light bulb •Average life hours: 8,000 hours •Lumens: 1200 •UL listed 

MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5830	Soft white	3000K	\$10.99	\$10.03
25-5835	Bright white	5000K	10.99	10.03

15 Watt BR30 Compact Fluorescent Standard Floodlight



•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 65W incandescent light bulb •Average life hours: 8,000 hours •Lumens: 690 •Energy star rated, UL listed 

MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5040	Soft White	2700K	\$5.49	\$4.89
25-5042	Bright white	5000K	5.49	4.89

FET Electric 
 It's the bright thing to do
EcoBulb Plus A Shaped Compact Fluorescent Light Bulbs



•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs •Color Temperature: 2700K •Average life hours: 8,000 hours •Energy star rated •Available in 15W (60 Wequivalent), 18W (75 W equivalent) and 23W (100W equivalent) 

MCM Part #	Watts/Equivalent	Lumens	ONLY
25-5110	15W/60W	800	\$6.75
25-5115	18W/75W	1000	6.92
25-5120	23W/100W	1480	7.08

FET Electric 
 It's the bright thing to do

EcoBulb Plus 65BR30 Compact Fluorescent Light Bulbs



•Uses 75% less energy and lasts up to 13 times longer than incandescent bulbs •Color Temperature: 2700K •Average life hours: 10,000 hours •Initial lumens: 750 •15W (equivalent to a 65 W incandescent bulb) •Energy star rated 

MCM Part #	ONLY
25-5125	\$6.75

7W Candle Shape Compact Fluorescent Light Bulb



•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 30W incandescent light bulb •Average life hours: 8,000 hours •Lumens: 350 •UL listed 

MCM Part #	Color	Color Temperature	(1-9)
25-5845	Soft white	2700K	\$4.49

9W Globe Compact Fluorescent Light Bulb



•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 40W incandescent light bulb •Average life hours: 8,000 hours •Lumens: 450 •Energy Star rated, UL listed 

MCM Part #	Color	Color Temperature	(1-9)
25-5840	Soft white	2700K	\$4.99

14 Watt Standard A19 Compact Fluorescent Light Bulb



•Compact fluorescent light bulbs use up to 75% less energy and last up to 15x longer than standard incandescent light bulbs •Equivalent to a 60W incandescent light bulb •Average life hours: 8,000 hours •Lumens: 800 •Energy star rated, UL listed 

MCM Part #	Color	Color Temperature	(1-9)	(10-up)
25-5045	Soft white	2700K	\$4.49	\$4.24
25-5048	Bright white	5000K	4.49	4.24

LED Replacement Bulbs



Accent A19 LED Light Bulb



Accent LED light bulbs contain clusters of LEDs that cast directional light suitable for short distance highlighting of objects or are used for decorative accent purposes. They offer extreme long life and low energy usage in areas where accent or decorative light is required. Accent LED light bulbs contain no mercury, and require no warm up time for illumination. •Brightness: 330 lumens equivalent to a 40W incandescent bulb •Average life: 20,000 hours, lasts up to 20x longer than an incandescent light bulb •Energy usage: Only 5.5W •Color temperature: 3000K

MCM Part #	ONLY
25-5475	\$8.99

18 LED Accent Light



•18 LEDs with a 6500k color temperature •Approximately 30,000 hour life •80 lumens •Uses only 1.5W total power •Medium screw base (E26) •Non dimmable •For indoor use only

MCM Part #	ONLY
25-3730	\$5.99

MR16 High Powered LED Lamps

•Ideal replacement high powered LED lights •Base type: GU5.3 •Closed front •Life time: 30,000 hours •Supply voltage: 12 V



MCM Part #	Description	Color	Lumens	Power Rating	ONLY
25-4895	1x 1W	White	65-75	1.3W	\$10.99
25-4900	1x 3W	Warm White	95-105	2.7W	10.99
25-4905	3x 1W	White	145-155	2.9W	12.99
25-4910	3x 1W	Warm White	145-155	2.9W	12.99
25-4915	4x 1W	White	200-210	4.3W	15.49



Dimmable Performance PAR38 LED Lamp



Dimmable Performance LED lamps use ocular lenses to harness the output of high power LEDs. The light output is comparable to incandescent and halogen products and can be used for both distance and close range directional light. What makes these special is that they achieve their brightness with up to 78% less energy than incandescent bulbs and last up to 25,000 hours. Dimmable Performance LED light bulbs contain no mercury, and require no warm up time for illumination. •Brightness: 885 lumens, equivalent to a 75W incandescent bulb •Average life: 25,000 hours, lasts up to 20x longer than an incandescent light bulb •Energy usage: Only 18W •Color temperature: 3000K •Energy star qualified

MCM Part #	ONLY
25-5490	\$60.00



PRO-ELEC 12 Volt MR16 LED Lamps

•Ideal replacements for low voltage halogen lamps •Longer life with low heat and low power consumption •50,000 hours average life •Closed front •White •GX5.3/GU5.3 base

MCM Part #	LEDs	Wattage	ONLY
25-4410	15	1.0~1.5W	\$5.49
25-4415	20	1.5~2.0W	5.49



PRO-ELEC MR16 High Powered LED Lamps

•Ideal replacement for high powered 12V LED lights •GU5.3 base type •Closed front •30,000 hours average life

MCM Part #	Description	Power	Lumen Output	ONLY
Warm white				
25-4420	1 x 1W	1.3W	65~75lm	\$12.49
25-4430	4 x 1W	4.3W	200~210lm	19.99
White				
25-4425	1 x 3W	2.7W	95~105lm	10.99

Replacement LED MR16 Bulbs

These replacement MR16 LED bulbs only use 20% of the electricity used by traditional MR16 bulbs. Features: •Low heat •Up to 50,000 hour life Note: Not to be used with a dimmer



MCM Part #	Color temperature	Wattage	ONLY
20 LED bulb			
25-3593	8000K	1.5	\$18.99
Color Changing (red, green, blue) 18 LED bulb			
25-3592	-	1.8	12.35



Dimmable Performance PAR30 LED Lamp



Dimmable Performance LED lamps use ocular lenses to harness the output of high power LEDs. The light output is comparable to incandescent and halogen products and can be used for both distance and close range directional light. What makes these special is that they achieve their brightness with up to 78% less energy than incandescent bulbs and last up to 25,000 hours. Dimmable Performance LED light bulbs contain no mercury, and require no warm up time for illumination. •Brightness: 650 lumens, equivalent to a 75W incandescent bulb. •Average life: 25,000 hours, lasts up to 20x longer than an incandescent light bulb. •Energy usage: Only 13.5W •Color temperature: 3000K •Energy star qualified

MCM Part #	ONLY
25-5485	\$52.00



Performance Chandelier LED Light Bulb



Performance LED light bulbs use ocular lenses to harness the output of high power LEDs. The light output is comparable to incandescent and halogen products and can be used for both distance and close range directional light. What makes these special is that they achieve their brightness with up to 78% less energy than incandescent bulbs and last up to 30,000 hours. Performance LED light bulbs contain no mercury, and require no warm up time for illumination. •Brightness: 90 lumens •Average life: 30,000 hours, lasts up to 20x longer than an incandescent light bulb •Energy usage: Only 3.5W •Color temperature: 3000K

MCM Part #	ONLY
25-5480	\$16.99



Parabolic NTE COAST LED Lectors™ MR16 12V Replacement Bulbs

The Lector™ replaces MR16 halogen lamps up to 20W. Designed for extreme energy efficiency, brilliance and durability. Parabolic Lector™ collects and focuses light and adjusts to flood or spot beam. Flood Lector™ has a wide beam to illuminate large areas. Spot Lector™ has colored LEDs to provide true colored light. Spotlight beams highlight interior or exterior features and are great for club lighting. No filament to ever break or wear out. Burns cooler than halogen lamps. Up to 50,000 hour lamp life and saves up to 90% of the cost to operate a 20W halogen bulb.

MCM Part #	Type	Color	ONLY
25-3773	Adjustable parabolic	White beam	\$37.99
25-3774	Flood	Warm white beam	35.99
25-3775	Spot	Red beam	32.95
25-3776	Spot	White beam	32.95
25-3777	Spot	Green beam	32.95

REPLACEMENT BULBS & LAMPS

MCMelectronics.com/Lamps



LED Lamps with CREE Light Chips

These based LED lamps are the ideal energy retrofit for inefficient, short lived incandescent and even fluorescent lamps. Top quality CREE light chips are used for superior and consistent light output, lumen and color maintenance, and extremely long life. They're good for both general and task-oriented illumination applications. Features include flicker free start, wide operating temperature range, and no ballast. Lamps marked DIM are dimmable. Use current manufactured dimmers with a rated power no higher than 700W. **Additional Features:** •Contain no mercury •Heavy-duty constructed for shock and vibration resistance •Ultra Low IR/UV emission •Average life 40,000 hours plus •Color Rendering Index greater than 80



MCM Part #	Mfr. #	Watts	Base	Color	Lumens	Replaces	ONLY
12VDC							
25-4351	LEDP-3W/MR16/830	3.5	GU5.3	Warm white	170	12V MR16	\$17.99
120VAC							
25-4352	LEDP-4W/GU10/FL/830	3.5	GU10	Warm white	170	120V MR16	17.99
25-4358	LEDP-8WA19/830-DIM	7.5	E26/27	Warm white	410	120V A19	37.99
25-4353	LEDP-8WA19/840-DIM	7.5	E26/27	White	440	120V A19	42.99
25-4359	LEDP-9WPAR30/FL/830-DIM	9	E26/27	Warm white	480	120V 50PAR30/H/FL	46.99
25-4354	LEDP-9WPAR30/FL/840-DIM	9	E26/27	White	530	120V 50PAR30/H/FL	49.99
25-4360	LEDP-9WPAR30/SP/830-DIM	9	E26/27	Warm white	480	120V 50PAR30/H/SP	46.99
25-4355	LEDP-9WPAR30/SP/840-DIM	9	E26/27	White	530	120V 50PAR30/H/SP	49.99
25-4361	LEDP-11WPAR38/FL/830-DIM	11	E26/27	Warm white	610	120V 65PAR38/H/FL	52.99
25-4356	LEDP-11WPAR38/FL/840-DIM	11	E26/27	White	680	120V 65PAR38/H/FL	56.99
25-4362	LEDP-11WPAR38/SP/830-DIM	11	E26/27	Warm white	610	120V 65PAR38/H/SP	52.99
25-4357	LEDP-11WPAR38/SP/840-DIM	11	E26/27	White	680	120V 65PAR38/H/SP	56.99



A19 Decade Long Life Light Bulbs

•Lasts 10 years guaranteed •Contains Krypton for extra-long life and brighter light •Heavy-duty lead in wires •Brass base resists corrosion •Average life hours: 25,000 hours •Color: Frost, 120 volts •UL listed •Sold in a four pack



MCM Part #	Watts	Lumens	ONLY
25-5430	40W	230	\$4.49
25-5435	60W	440	4.49
25-5440	75W	660	4.49
25-5445	100W	900	4.49

Incandescent Bulbs



A21 Standard 3-Way Light Bulbs

•Available in 30/70/100W and 50/100/150W •Soft white color •120 volts, medium screw base (E26) •Average life hours: 2,000 hours



MCM Part #	Watts	ONLY
25-5215	30/70/100W	\$1.75
25-5220	50/100/150W	1.75



A19 Standard Household Light Bulbs

•Soft white color •120 volts, medium screw base (E26) •Bulbs can be used in any position •Average life hours: 2,000 hours •Sold in a four pack



MCM Part #	Watts	ONLY
25-5190	25W	\$1.99
25-5195	40W	1.99
25-5205	75W	1.99
25-5210	100W	1.99

A19 Industrial Quality Light Bulbs

•Color: Frost •130 volts •Medium screw base (E26) •Bulbs can be used in any position •Average life hours: 14,400 hours •UL listed •Sold in a four pack



MCM Part #	Watts	ONLY
25-5450	25W	\$2.29
25-5455	40W	2.29
25-5460	60W	2.29
25-5465	75W	2.29
25-5470	100W	2.29



A19 Heavy-Duty Rough Service Light Bulbs

•Heavy-duty multiple filament resists vibration •Frost color •Medium screw base (E26) •Average life hours: 14,000 hours •Sold in a four pack

MCM Part #	Watts	ONLY
25-5225	60W	\$2.99
25-5230	75W	2.99
25-5235	100W	2.99



R30 Colored Reflector Light Bulbs

•Ideal for outdoor entertainment or parties •Medium screw base (E26) •Average life hours: 2,000 hours •Available in two colors: Blue and green



MCM Part #	Color	ONLY
25-5280	Blue	\$4.90
25-5285	Green	4.90

Incandescent Bulbs

65 Watt BR30 Reflector Light Bulbs

•Constructed with TuffKote, shatter resistant rubber coated bulb •Color: Light frost, 120 volts •Medium screw base (E26) •Average life hours: 2,000 hours •Available in two types: Flood and spot 



Standard A19 Blacklight Party Bulbs

•75W, 120 volts •Average life hours: 1,000 hours •UL listed 

MCM Part # **ONLY**
25-5425 **\$2.45**



Standard A19 Colored Party Bulbs

•Perfect for outdoor entertainment and parties •25W, 120 volts •Average life hours: 2,500 hours 

MCM Part #	Color	ONLY
25-5400	Blue	\$1.27
25-5405	Green	1.27
25-5410	Orange	1.27
25-5415	Red	1.27
25-5420	Yellow	1.27



G25 Globe Light Bulbs

•Color: Clear •120 volts •Medium screw base (E26) •Average life hours: 2,000 hours 



MCM Part #	Watts	ONLY
25-5240	25W	\$1.08
25-5245	40W	1.08
25-5250	60W	1.08
25-5255	100W	1.08



G16 Globe Light Bulbs

•Color: Clear, 120 volts •Medium Screw Base (E26) •Average life hours: 2,000 hours 



MCM Part #	Watts	ONLY
25-5265	40W	\$0.94
25-5270	60W	0.94



65 Watt BR30 Incandescent Light Bulb

The popular BR30 remains one of the most common lamps used in recessed can and track lighting **Specifications:** •Medium screw base (E26) •Flood reflector •650 lumens •5000 life hours •Mfr. # 65BR30/FL-130V 



MCM Part # **ONLY**
25-4510 **\$0.99**



65W Par 38 Reflector Flood Light Bulb

•Indoor use and weatherproof for outdoor use •65W, 120 volts •Medium screw base (E26) •Average life hours: 2,000 hours •Type: Flood •UL listed 



MCM Part # (1-11) (12-up)
25-5310 **\$3.24** **\$2.95**

Halogen Lamps

Flame Tip Chandelier Bulbs

•Clear bent tip •120 volts •Average life hours: 2,000 hours •Available in candelabra and medium screw base (E26) 



MCM Part #	Watts	Base	ONLY
25-5130	15W	Candelabra	\$0.49
25-5135	25W	Candelabra	0.49
25-5140	40W	Candelabra	0.49
25-5145	60W	Candelabra	0.49
25-5150	15W	Medium Screw	0.55
25-5155	25W	Medium Screw	0.55
25-5160	40W	Medium Screw	0.55
25-5165	60W	Medium Screw	0.55



MR16 12 Volt Halogen Lamps

•2,000 hours average life •Aluminum coated reflector •Clear enclosed front •GX5.3/ GU5.3 base •1.96" diameter

MCM Part #	Watts	Beam Angle	ONLY
25-4455	20W	24°	\$0.99
25-4460	20W	36°	0.99
25-4465	35W	24°	1.49
25-4470	35W	36°	1.49
25-4475	50W	24°	1.49
25-4480	50W	38°	0.99

PRO-ELEC

MR11 Low Voltage 12 Volt Halogen Lamps

•Multi faceted reflector (MR) lamps •Perfect for down-lighting and accent lighting •Excellent white light and cool beam characteristics •Ideal for home/ office, restaurants, retail displays •2,000 hours average rated life •37mm reflector diameter •G4/GU4 fitting 



MCM Part #	Watts	Beam	ONLY
25-4385	20W	10°	\$1.49
25-4390	20W	20°	1.49
25-4395	35W	30°	1.49



MR16 Colored 12 Volt Halogen Lamps

•Low voltage halogen lamps with aluminum coated colored reflectors •3,000 hours average life •Closed front •36° beam angle •35W •GX5.3/GU5.3 base 

MCM Part #	Color	ONLY
25-4400	Red	\$3.99
25-4405	Blue	5.49



75 Watt PAR30 Halogen Lamp

These commercial grade Quartz Halogen Lamps are designed with the professional installer in mind. They feature high-grade, heavy-gauge glass, high output halogen burners, premium gas mixtures, quality reflector coatings, linear beam patterns, and superior construction quality. Halogen lamps provide a whiter, brighter light that saves up to 30% in energy costs when compared to incandescent lamps. Available in 130V version which extends lamp life. •Base: Medium screw (E26) •Volts: 120 •Lumens: 1100 •Life Hours: 2000 



MCM Part # **ONLY**
25-4525 **\$3.99**

EIKO
PAR20 Halogen
Spot Lamp

These commercial grade quartz halogen lamps are designed with the professional installer in mind. They feature high-grade, heavy-gauge glass, high output halogen burners, premium gas mixtures, quality reflector coatings, linear beam patterns, and superior construction quality. Halogen lamps provide a whiter, brighter light that saves up to 30% in energy costs when compared to incandescent lamps. Features:
•50W •Medium screw base (E26) • 550 lumens
•Available in 130V version which extends lamp life



MCM Part #	Volts	Life Hours	ONLY
25-4520	130	5000	\$4.99

EIKO
PAR38 Halogen Flood Lamps

These commercial grade Quartz Halogen Lamps are designed with the professional installer in mind. They feature high-grade, heavy-gauge glass, high output halogen burners, premium gas mixtures, quality reflector coatings, linear beam patterns, and superior construction quality. Halogen lamps provide a whiter, brighter light that saves up to 30% in energy costs when compared to incandescent lamps. Medium screw base (E26). Available in 130V version which extends lamp life.



MCM Part #	Watts	Volts	Lumens	Life Hours	ONLY
25-4545	75	120	1100	2000	\$3.99
25-4550	75	130	1100	5000	4.99
25-4560	90	130	1270	5000	4.99

FEIT Electric
MR16 12
Volt Halogen Lamps

•Average life hours: 3,000 hours •Aluminum coated reflector •GX5.3/GU5.3 base
•UL listed



MCM Part #	Watts	Beam Spread	ONLY
No Cover Glass			
25-5345	20W	38° (flood)	\$1.27
25-5355	42W	24° (narrow flood)	1.27
25-5360	50W	38° (flood)	1.27
25-5365	50W	12° (spot)	1.27
25-5370	50W	10° (narrow spot, cover glass)	1.27
25-5375	50W	24° (narrow flood)	1.27
25-5380	75W	38° (flood)	1.27
25-5385	75W	12° (spot)	1.27
Clear Enclosed Front with Cover Glass			
25-5348	20W	38° (flood)	1.27
25-5362	50W	38° (flood)	1.27
25-5370	50W	10° (narrow spot)	1.27

FEIT Electric
GU10 MR16
120 Volt Halogen Lamps

•Covered glass lens •Average life hours: 2,000 hours •Aluminum coated reflector •Beam spread: 38° •GU10 base



MCM Part #	Watts	ONLY
25-5390	35W	\$2.94
25-5395	50W	2.94

FEIT Electric
150 Watt Halogen Mini Candelabra Light Bulb

•Color: Clear, 120 volts •Candelabra base •Average life hours: 2,000 hours •UL listed



MCM Part #	ONLY
25-5495	\$6.99

PRO-ELEC
10 Watt Halogen
Capsule Lamp

•Single-ended, low voltage (12V) capsule lamps •2,000 hours average life •Can be operated in any position
•Low-pressure, ideally suited for use in open fixtures
•Standard G4 pin spacing, 4mm



MCM Part #	ONLY
25-4365	\$1.49

PRO-ELEC
G9 Halogen Capsule Lamps

•Single-ended, twin fused halogen capsule lamps
•4,000 hours average life •G4 spacing



MCM Part #	Watts	ONLY
25-4370	25W	\$0.99
25-4375	40W	0.99
25-4380	60W	0.99

**12 Volt Halogen
Replacement Bulbs**

•Bulb Type: JC •Bi-Pin Base •Color: Clear, 12 volt •Average life hours: 2,000 hours



MCM Part #	Watts	Base	Description	ONLY
25-5315	10W	G4	T3 Clear	\$1.08
25-5320	20W	G4	T3 Clear	1.08
25-5325	35W	GY6.35	T4 Clear	1.08
25-5330	50W	GY6.35	T4 Clear	1.08
25-5335	75W	GY6.35	T4 Clear	1.08
25-5340	100W	GY6.35	T4 Clear	1.08

Fluorescent Lamps



EIKO
Miniature Fluorescent Lamps

•Replacement lamps •Various color types •G5 and G13 bases

MCM Part #	Type	Watts	Length	Life	Base	(1-9)	(10-up)
25-955	F4T5/CW	4	6"	6000	G5	\$1.97	\$1.63
25-960	F6T5/CW	6	9"	7500	G5	2.38	2.11
25-2755	F6T5/D	6	9"	7500	G5	2.38	2.21
25-965	F8T5/CW	8	12"	7500	G5	1.97	1.60
25-2760	F8T5/BLB	8	12"	7500	G5	10.08	9.50
25-2765	F10T8/CW	10	13"	7500	G5	3.63	3.41
25-2770	F13T8/CW	13	12"	7500	G13	5.50	5.39
25-970	F13T5/CW	13	21"	7500	G5	4.15	3.85
25-975	F14T8/CW	14	15"	7500	G13	2.28	2.03
25-980	F15T8/CW	15	18"	7500	G13	1.66	1.10
25-2385	F15T8/BL	15	18"	7500	G13	8.21	7.56
25-2785	F15T8/BLB	15	18"	7500	G13	10.29	9.69
25-2790	F15T8/WW	15	18"	7500	G13	3.85	3.77
25-2365	F4T5/BL	4	6"	6000	G5	4.78	4.67

CW = Cool White, D = Daylight, BL = Black Light, BLB = Ultraviolet Black Light Blue, WW = Warm White

DuoTube®

•G23 base

MCM Part #	Type	Watts	Color Temperature	(1-9)	(10-up)
25-985	DT5/27	5	2700	\$3.63	\$3.14
25-990	DT7/27	7	2700	3.63	3.14
25-2795	DT9/27	9	2700	5.40	5.22
25-2800	DT9/35	9	3500	5.40	5.22
25-2805	DT9/41	9	4100	5.40	5.08
25-2810	DT13/27	13	2700	5.40	5.22



Circuline Fluorescent Lamps

•T9 •Rapid start •Base: G10q •Average life: 12,000

MCM Part #	Type	Watts	Diameter	(1-9)	(10-99)	(100-up)
25-2815	22	8.25"	\$13.89	\$12.29	\$10.32	
FC8T9/CW						
25-2820	22	8.25"	13.89	12.66	10.63	
FC8T9/D						
25-2825	32	12.00"	14.49	13.29	11.20	
FC12T9/CW						

CW = Cool White D = Daylight



22 Watt Fluorescent T-9 Circular Light Bulb

•Diameter: 8 1/4" •4 Pin Base •Average life hours: 12,000 hours •UL listed

MCM Part #	Color	ONLY
25-5500	Cool White	\$6.99
25-5505	Daylight	6.99



9 Watt Compact Fluorescent 2 Pin Light Bulb

•Single Tube •G23 Base •Average life hours: 10,000 hours •580 lumens •UL listed

MCM Part #	Color Temperature	ONLY
25-5870	2700°K	\$5.99
25-5875	3500°K	5.99
25-5880	4100°K	5.99



Williams BlueBird™ LCD CCFL Repair Kits


•Replace burnt out or dim CCFL lamps quickly and easily

MCM Part #	Description	ONLY
25-3625	18" (2 lamps)	\$47.88
25-3630	19" (1 lamp)	12.86

Specialty Replacement Lamps

Medical/Scientific and Microscope Lamps

MCM Fig. Part #	ANSI Code	Volts/Watts	Base	Approx. Lumens	Approx. Color Temp K°	Avg. Life Hours	(1-4)	(5-up)
A 25-1740	ESA/FHD	6V/10W	G4	200	3200	100	\$6.64	\$5.53
A 25-1745	ESB/FHE	6V/20W	G4	450	3200	100	6.86	5.53
C 25-1690	EFP	12V/100W	GZ6.35	-	3400	50	25.74	20.11
D 25-1715	EKE	21V/150W	GX5.3	-	3250	200	25.74	20.74
B 25-1730	FCS	24V/150W	G6.35	4800	3400	50	4.99	3.91



Wiko Lamps

✓Projector, slide projector and micro-fiche lamps
✓Drop-in replacements

Wiko lamps are manufactured using state-of-the-art manufacturing technique ensuring the highest quality lamps available today. Each lamp is checked with an electrical current to ensure the overall total quality of their product. These bulbs are the replacement choice in microfiche viewers, slide projectors, movie projectors, and other equipment where near perfect viewing is needed.

MCM Part #	ANSI Code	Voltage/Watt	Avg. Life (Hrs.)	(1-4)	(5-up)
25-675	BHC	120V/600W	75	\$11.32	\$10.36
25-660	DAK	120V/500W	30	20.07	18.53
25-660	DAY	120V/500W	30	20.07	18.53
25-675	DYS	120V/600W	75	11.32	10.36
25-675	DYV	120V/600W	75	11.32	10.36
25-630	ELC	24V/250W	50	11.32	9.82
25-625	ELH	120V/300W	35	13.89	12.09
25-605	ENH	120V/250W	175	15.44	14.30
25-615	ENX	82V/360W	75	12.35	10.39
25-1390	ENX/5	86V/360W	75	12.35	10.43
25-685	EYB	82V/360W	75	13.89	12.62
25-1380	EYB/5	86V/360W	75	13.89	12.51
25-620	FHS	82V/300W	70	16.98	15.50
25-2450	JCD12V20WH20	12V/20W	2000	3.42	2.88



LED EXIT SIGN REPLACEMENT LAMPS

Ideal for exit sign energy retrofits and a long-lasting high-performance alternative to incandescent lamps. Solid-state electronics provide long life and resist vibration, temperature swings, and power surges. Uniform lighting eliminates hot spots and distortion. Low power consumption means reduced energy costs. UL listed.

MCM Part #	# LEDs	Lamp Base	Mfr. #	ONLY
25-3778	20	Intermediate	2410D41-A	\$12.35
25-3771	20	Bayonet	2410D42-A	12.35
25-3772	16	Candelabra	2410D43-A	12.35

M/LEC Large LED Indicator Lights

1501 series indicator lights mount in 15mm panel hole with nut and washer provided. Solder terminals standard. LED light source and top hat style lens.

MCM Part #	Type	Lens	Volts	mA	(1-4)	(5-up)
25-1905	L1501-12G	Green	12	20	\$5.14	\$4.80
25-1915	L1501-12R	Red	12	20	5.14	4.80
25-1920	L1501-24R	Red	24	20	7.58	7.37
25-1925	L1501-12Y	Yellow	12	15	5.14	4.80
25-1930	L1501-24Y	Yellow	24	15	4.67	4.42



Indicator Lamps

Indicator Lamps

•.12" diameter •1" lead wire •Five per package



MCM Part #	Volts	Amps	Price per package (1-9)
25-2645	12	35mA	6.99



M/LEC Universal Indicator Lights

151 series indicator lights are versatile, high-impact plastic units which provide excellent visibility. Mounts in a 0.281" hole with nut and washer supplied. Round lens.

MCM Part #	Type	Lens	Volts	ONLY
------------	------	------	-------	------

Incandescent Lamps

25-1940	F151-12R	Red	12	\$3.08
25-1950	F151-24R	Red	24	3.59

Neon Lamps

25-1970	NR151-110R	Red	110	5.14
25-1975	NR151-110A	Amber	110	5.14
25-1980	NR151-110C	Clear	110	4.56
25-1985	NR151-110G	Green	110	5.14

LED Lamps

25-1990	L151-12R	Red	12	4.62
25-1995	L151-24R	Red	24	4.62
25-2000	L151-24G	Green	24	5.65



CHICAGO MINIATURE LAMP, INC.
WHERE INNOVATION COMES TO LIGHT
An SMI Company

125 Volt Non-Relampable Red Indicator

Non-relampable solid state lamp with polycarbonate lens. Solid state indicator light features built-in current-limiting resistor and rectifier diode. 22AWG wire leads. Stainless-steel bezel. Snap fits into 0.505" diameter hole in panels 0.100" thick. 1091M5-125VAC.

MCM Part #	(1-4)	(5-up)
25-2190	\$4.78	\$4.34

Colored Sub-Miniature Bulbs

A range of 12V, 65mA lamps available in two colors. Wire fitting. 3 (dia) x 8mm. 28mm wire length.



MCM Part #	Color	(1-9)	(10-up)
AR70318	Red	\$0.50	\$0.43
AR70320	Blue	0.54	0.43

LED Holder

A chrome metal LED holder with rubber base to hold the legs. Accepts 5mm dia LEDs. Mounting hole: 8mm.



MCM Part #	(1-9)	(10-up)
AR70438	\$0.96	\$0.90



LED Indicator Lights

Indicator lamps with chrome-plated brass bodies. Type 406 features macrodome lens. Voltage range from 2~24V with built-in resistor. Type 407 has large dish-shaped reflector around LED to produce a larger illumination area. Panel hole for both types: 0.244" for 2 volt models and 0.280" for 12 and 24 volt models. Type 440 is a larger version of type 407 to provide even greater illumination. Panel hole: 0.335".



Fig.	MCM Part #	Type	Color	Volts (1-4)	(5-up)
A	25-2020	LED-406R-12	Red	12	\$6.68 \$6.13
A	25-2040	LED-406G-12	Green	12	7.20 6.46
B	25-2065	LED-407R-24	Red	24	6.68 6.13

multicomp 12mm Neon Indicators, Rear Panel Mounting



These low profile neon indicators require only 9mm clearance behind the panel. The neon is rear panel mounting and snaps into the lens making a simple and secure mounting. An appropriate resistor is incorporated in the body moulding. **Features:** •Length: 31 (excl. leads) •Depth behind panel: 9 •Lens: 2.5 x 12 dia. •Panel cut-out dia.: 9.5, panel thickness = 2 max. •Termination: 200mm PVC flexible leads

MCM Part #	Color	(1-9)	(10-Up)
25-4870	Amber	\$1.49	\$1.28
25-4875	Green	1.99	1.70
25-4865	Red	1.49	1.29



Hi-Bright LED Light Module

•ABS plastic housing with transparent epoxy seal around the LEDs •50/50 ultra-bright LED chip •Adhesive backing for quick installation •Terminated in bare leads **Specifications:** •Input voltage: 12VDC •Working Temperature: -20°C to 40°C Storage Temperature: -25°C to 60°C •Life expectancy: >30000 hours •IP65 rated

MCM Part #	Color	(1-9)	(10-up)
3 LED Rectangular			
25-5885	Red	\$6.99	\$6.13
25-5895	Yellow	6.99	6.13
25-5905	Pure White	6.99	6.13
25-5915	Warm White	6.99	6.13
25-5925	Green	6.99	6.13
25-5935	Blue	6.99	6.13
4 LED Square			
25-5890	Red	7.49	6.60
25-5900	Yellow	7.49	6.60
25-5910	Pure White	7.49	6.60
25-5920	Warm White	7.49	6.60
25-5930	Green	7.49	6.60
25-5940	Blue	7.49	6.60

Miniature Lamps

Bulb Installer/Remover

•Has inside diameter of 1/16" and 1/32" •For bulb sizes T3 1/4 and 656 •Material: Synthetic rubber



MCM Part #	(1-9)	(10-99)	(100-up)
25-2520	\$2.48	\$2.44	\$2.32



Landscape Lighting

•Low voltage replacement lamps for landscape lights •Used in fixtures by Toro, Malibu and others •12V •Two per package



MCM Part #	Color	Wattage	(1-9)	(10-99)	(100-up)
25-2330	Clear	4	\$2.17	\$2.00	\$1.77
25-2340	Clear	7	2.17	2.00	1.77
25-2350	Clear	11	3.32	3.00	2.70



T-3 1/4 Miniature Bayonet Base Led Bulb

•Energy Efficient 110-130VAC/DC T-31/4 bulb with miniature bayonet (BA9s) base •30,000 hour average lamp life •1.0" overall length, 0.40" outside diameter •30° viewing angle •Yellow •Mfr. #LED-120-MB-Y



MCM Part #	Color	ONLY
25-3735	Yellow	\$4.62



T-2 Slide Base 5 Led Bulb

•Energy efficient 110-130VAC/DC T-2 replacement bulb with TS5 slide base. •30,000 hour average lamp life •1.1" overall length, 0.27" outside diameter •100° viewing angle •Mfr. #LED-120-PSB



MCM Part #	Color	ONLY
25-3740	Green	\$5.14
25-3770	White	5.14



T-3 1/4 Miniature Wedge Base Led Bulb

•Energy Efficient 14VAC/DC T-3 1/4 bulb with Miniature wedge base •30,000 hour average lamp life •1.1" overall length, 0.40" outside diameter •30° viewing angle •Color: White •Mfr. #LED-194



MCM Part #	Color	ONLY
25-3765	White	\$6.17

Micro Lamps

•6mm bulb height •3mm bulb width 1" leads



MCM Part #	Watts	Amps	Voltage	(1-9)	(10-99)	(100-up)
25-995	0.5	60mA	8	\$0.41	\$0.39	\$0.37
25-1365	0.42	70mA	6	0.41	0.39	0.37
25-1370	0.6	50mA	12	0.47	0.44	0.43

Lamps

Fig	MCM Part #	Standard #	Description	Type	Voltage	Current	(1-9)	(10-99)	(100-up)
A	25-020	#47	Miniature bayonet base	T-3 $\frac{1}{2}$	6.3V	.15A	0.49	0.44	-
B	25-575	-	Red and green dual color 5mm	-	2.5V	-	0.72	0.69	0.58
C	25-040	#46	Miniature screw base	T-3 $\frac{1}{2}$	6.3V	.25A	0.42	0.37	0.32
D	25-1275	#211-2	End caps	T-3	12.8V	.97A	1.24	1.01	0.90
D	25-2725	214-2	Double end cap	T-3	13.5V	.52A	0.94	0.91	0.87
E	25-060	-	Bi-pin	-	8V	.08A	0.59	-	-
E	25-070	-	Bi-pin	-	12V	.08A	0.84	0.65	0.55
F	25-1165	#327	Midget flanged base	T-1 $\frac{1}{2}$	28.0V	.04A	0.41	0.38	0.36
F	25-1170	#330	Midget flanged base	T-1 $\frac{1}{2}$	14.0V	.08A	0.54	0.39	0.34
F	25-2605	382	Midget flanged	T-1 $\frac{1}{2}$	14.0V	.08A	0.54	0.41	0.39
G	25-080	-	Fuse type	-	6V	.25A	0.54	0.49	0.46
G	25-090	-	Fuse type	-	8V	.25A	0.55	0.50	0.47
G	25-100	-	Fuse type	-	12V	.15A	0.54	0.49	-
G	25-490	-	Sub mini stereo indicator	-	12V	.035A	0.69	0.55	0.43
H	25-1180	#386	Midget grooved base	T-1 $\frac{1}{2}$	14.0V	.08A	0.54	0.38	0.33
H	25-1185	#388	Midget grooved base	T-1 $\frac{1}{2}$	28.0V	.04A	0.50	0.39	0.34
H	25-2600	379	Midget grooved	T-1 $\frac{1}{2}$	6.3V	.20A	0.82	0.74	0.70
J	25-130	-	Subminiature	-	6.3V	.07A	0.54	0.43	0.38
J	25-140	-	Subminiature	-	8V	.07A	0.74	0.63	0.57
J	25-150	-	Subminiature	-	12V	.07A	0.54	0.44	0.39
J	25-160	-	Sub mini stereo indicator	-	8V	.035A	0.48	0.43	0.38
J	25-500	-	Micro size	-	8V	.035A	0.72	0.57	0.52
J	25-505	-	Micro size	-	12V	.035A	0.59	-	-
K	25-1555	562	Rigid loop	T-3	13.5V	.74A	0.93	0.78	0.68
L	25-1100	#PR3	S. C. miniature flange base	B-3 $\frac{1}{2}$	3.57V	.50A	0.30	0.23	0.19
L	25-1110	#PR4	S. C. miniature flange base	B-3 $\frac{1}{2}$	2.33V	.27A	0.30	0.23	0.19
M	25-1160	#168	Sub miniature wedge base	T-3 $\frac{1}{2}$	14.0V	.35A	0.31	0.23	0.19
M	25-745	#555	Wedge base	T-3 $\frac{1}{2}$	6.3V	.25A	0.49	0.35	0.24
M	25-825	#159	Wedge base	T-3 $\frac{1}{2}$	6.3V	.15A	0.30	0.20	0.15
M	25-830	#161	Sub miniature wedge base	T-3 $\frac{1}{2}$	14.0V	.19A	0.30	0.22	0.16
M	25-840	#259	Sub miniature wedge base	T-3 $\frac{1}{2}$	6.3V	.25A	0.30	0.24	0.19
N	25-1200	#1003	S. C. bayonet base	B-6	12.8V	.94A	0.50	0.39	0.29
P	25-215	#50	Miniature screw base	G-3 $\frac{1}{2}$	7.5V	.22A	0.72	0.68	0.62
Q	25-755	#906	Wedge base	T-5	13.0V	.69A	0.40	0.28	0.22
Q	25-870	#912	Miniature wedge base	T-5	12.8V	1.0A	0.40	0.28	0.22
R	25-1225	#1157	D. C. index base	S-8	12.8V	2.1A	0.63	0.59	0.53
R	25-930	#1895	Miniature bayonet base	G-4 $\frac{1}{2}$	14.0V	.27A	0.40	0.28	0.20
S	25-230	#53	Miniature bayonet base	G-3 $\frac{1}{2}$	14.4V	.12A	0.74	0.55	0.43
S	25-795	#55	Miniature bayonet base	G-4 $\frac{1}{2}$	7.0V	.41A	0.30	0.15	0.10
S	25-800	#57	Miniature bayonet base	G-6	14.0V	.24A	0.30	0.22	0.18
T	25-590	-	Wedge base	-	12V	.42A	0.64	0.50	0.44
U	25-2580	219	Miniature bayonet	G-3 $\frac{1}{2}$	6.3V	.25A	0.72	0.67	0.64
U	25-2590	257	Miniature bayonet	G-4 $\frac{1}{2}$	14.0V	.27A	0.73	0.71	0.67
U	25-765	#89	S. C. bayonet base	G-6	13.0V	.58A	0.40	0.28	0.22
U	25-805	#63	S. C. bayonet base	G-6	7.0V	.63A	0.40	0.28	0.20
U	25-810	#67	S. C. bayonet base	G-6	13.5V	.59A	0.41	0.37	0.34
V	25-450	-	Level meter lamp	-	8V	.25A	0.74	0.56	0.43
V	25-455	-	Level meter lamp	-	12V	.25A	0.41	0.39	-
W	25-1285	#KPR102	Krypton gas filled	T-3 $\frac{1}{2}$	2.4V	.70A	0.62	0.49	0.44
W	25-1290	#KPR103	Krypton gas filled	T-3 $\frac{1}{2}$	3.6V	.70A	0.50	0.42	0.38
X	25-1375	#120PSB	Switchboard pilot indicator	T-2	120.0V	.025A	0.96	0.73	0.62
Y	25-2660	1821	Miniature screw	T-3 $\frac{1}{2}$	28.0V	.17A	0.40	0.39	0.37
Y	25-785	#40	Miniature screw base	T-3 $\frac{1}{2}$	6.3V	.15A	0.30	0.20	0.15
Z	25-1235	#1816	Miniature bayonet base	T-3 $\frac{1}{2}$	13.0V	.33A	0.41	0.29	0.23
Z	25-2650	1815	Miniature bayonet	T-3 $\frac{1}{2}$	14.0V	.20A	0.41	0.37	0.36
Z	25-2655	1820	Miniature bayonet	T-3 $\frac{1}{2}$	28.0V	.10A	0.41	0.36	0.35
Z	25-2665	1873	Miniature bayonet	T-3 $\frac{1}{2}$	28.0V	.20A	0.40	0.37	0.36
Z	25-2670	1888	Miniature bayonet	T-3 $\frac{1}{2}$	7.0V	.50A	0.50	0.42	0.40
Z	25-2675	1889	Miniature bayonet	T-3 $\frac{1}{2}$	14.0V	.27A	0.40	0.32	0.30
Z	25-2680	1893	Miniature bayonet	T-3 $\frac{1}{2}$	14.0V	.33A	0.40	0.32	0.30
Z	25-855	#755	Miniature bayonet base	T-3 $\frac{1}{2}$	6.30V	.15A	0.39	0.35	0.33
Z	25-860	#756	Miniature bayonet base	T-3 $\frac{1}{2}$	14.0V	.08A	0.30	0.22	0.18
Z	25-890	#1813	Miniature bayonet base	T-3 $\frac{1}{2}$	14.4V	.10A	0.40	0.31	0.28
Z	25-895	#1819	Miniature bayonet base	T-3 $\frac{1}{2}$	28.0V	.04A	0.39	0.35	0.32

Lamps continued

Fig	MCM Part #	Standard #	Description	Type	Voltage	Current	(1-9)	(10-99)	(100-up)
Z	25-910	#1847	Miniature bayonet base	T-3/4	6.3V	.15A	\$0.30	\$0.23	\$0.18
Z	25-920	#1891	Miniature bayonet base	T-3/4	14.0V	.24A	0.40	0.28	0.20
Z	25-925	#1892	Miniature bayonet base	T-3/4	14.4V	.12A	0.31	0.27	0.22
AA	25-1580	3157	D. C. plastic wedge base	S-8	12.8V	2.10A	1.34	1.12	0.96
BB	25-1000	#86	Sub miniature wedge base	T-1/4	6.3V	.20A	0.30	0.22	0.18
BB	25-1140	#70	Sub miniature wedge base	T-1/4	14.0V	.15A	0.40	0.29	0.23
BB	25-815	#73	Sub miniature wedge base	T-1/4	14.0V	.08A	0.40	0.27	0.23
DD	25-820	#74	Sub miniature wedge base	T-1/4	14.0V	.10A	0.30	0.23	0.21
CC	25-1550	1416	Miniature bayonet	T-4/4	12.8V	.8A	1.76	1.45	1.29
CC	25-845	#313	Miniature bayonet base	T-3/4	28.0V	.17A	0.40	0.27	0.20
CC	25-865	#757	Miniature bayonet base	T-3/4	28.0V	.08A	0.39	0.35	0.32
CC	25-900	#1828	Miniature bayonet base	T-3/4	37.5V	.05A	0.40	0.33	0.27
CC	25-905	#1829	Miniature bayonet base	T-3/4	28.0V	.07A	0.39	0.35	0.32
CC	25-915	#1864	Miniature bayonet base	T-3/4	28.0V	.17A	0.40	0.28	0.20
DD	25-1010	#658	Wedge base	T-3/4	14.0V	.08A	0.30	0.21	-
DD	25-1190	#464	Wedge base	T-3/4	28.0V	.17A	0.40	0.38	0.35
DD	25-2535	37	Sub-miniature wedge	T-1/4	14.0V	.09A	0.62	0.58	0.57
DD	25-2540	85	Sub-miniature wedge	T-1/4	28.0V	.04A	0.54	0.41	0.39
DD	25-2560	147	Wedge	T-3/4	7.0V	.43A	0.62	0.53	0.48
DD	25-2565	158	Wedge	T-3/4	14.0V	.24A	0.50	0.42	0.40
DD	25-2570	192	Wedge	T-3/4	13.0V	.33A	0.41	0.38	0.36
DD	25-2575	193	Wedge	T-3/4	14.0V	.33A	0.41	0.32	0.30
DD	25-2610	400	Wedge	T-3/4	28.0V	.10A	0.40	0.32	0.30
DD	25-2620	585	Miniature wedge	T-3/4	28.0V	.04A	0.50	0.42	0.40
DD	25-2690	2821	Miniature wedge	T-3/4	12.0V	.25A	0.40	0.37	0.36
DD	25-2735	E73	Sub-miniature wedge	T-1/4	14.0V	.80A	0.30	-	-
DD	25-2740	E85	Sub-miniature wedge	T-1/4	28.0V	.04A	0.40	0.32	0.30
DD	25-850	#656	Wedge base	T-3/4	28.0V	.06A	0.30	0.22	0.18
DD	25-950	#657	Wedge base	T-3	28.0V	.08A	0.31	0.24	0.19
FF	25-2550	93	S. C. bayonet	S-8	12.8V	1.04A	0.62	0.53	0.48
FF	25-1215	#1141	S. C. bayonet base	S-8	12.8V	1.44A	0.50	0.39	0.29
FF	25-875	#1156	S. C. bayonet base	S-8	12.8V	2.1A	0.40	0.30	0.22
GG	25-1590	20T61/2N-130V	Intermediate screw base	T-6 1/2	130V	20W	1.34	1.12	0.96
HH	25-2685	2187	Wire terminal	T-1/4	28.0V	.04A	0.40	0.34	0.32
HH	25-935	#2182	Wire terminal	T-1/4	14.0V	.08A	0.39	0.37	0.35
JJ	25-170	-	Neon with resistor #NE2	-	117V	-	0.41	0.39	0.37
KK	25-1255	#7387	Bi-pin base	T-1/4	28.0V	.04A	0.64	0.57	0.49
KK	25-940	#7373	Bi-pin base	T-1/4	14.0V	.1A	0.59	0.55	0.51
KK	25-945	#7382	Bi-pin base	T-1/4	14.0V	.08A	0.59	0.55	-
LL	25-1600	25T8DC-130V	D. C. bayonet base	T-8	130V	25W	0.84	0.68	0.57
MM	25-110	-	Red LED 5mm	-	2.5V	-	0.64	0.50	0.40
MM	25-120	-	Green LED 5mm	-	2.5V	-	0.64	0.50	0.40
MM	25-125	-	Yellow LED 5mm	-	2.5V	-	0.62	0.50	0.40
NN	25-257	-	Green 3mm	-	2.5V	-	0.31	0.24	0.19
PP	25-1020	6S6120V	Candelabra screw base	S-6	120V	6W	0.50	0.37	0.30
RR	25-2555	112	Miniature screw	TL-3	1.2V	.22A	0.62	0.53	0.48
RR	25-2585	222	Miniature screw	TL-3	2.25V	.25A	0.84	0.72	0.68
SS	25-2715	120MB	Miniature bayonet	T-2 1/2	120V	.025A	1.24	0.95	0.90
TT	25-2595	359	Miniature screw	G-3 1/2	1.35V	.06A	0.73	0.72	0.69
UU	25-2625	680	Standard wire terminal	T-1	5.0V	.06A	0.41	0.32	0.30
UU	25-2630	715	Standard wire terminal	T-1	5.0V	.115A	0.54	0.43	0.41
UU	25-2700	8640	Wire terminal	T-1/4	14.0V	.08A	0.84	0.72	0.68
WW	25-1020	6S6-120V	Candelabra screw base	S-6	120V	6W	0.50	0.37	0.30
XX	25-1025	6S6DC-120V	D. C. Bayonet base	S-6	120V	6W	0.40	0.29	0.24
ZZ	25-1590	20T6-1/2N-130V	Intermediate screw base	T-6 1/2	130V	20W	1.34	1.12	0.96
AAA	25-1600	25T8DC-130V	D. C. Bayonet base	T-8	130V	25W	0.84	0.68	0.57
BBB	25-2880	BAB	GX5.3	MR-16	12V	20W	1.76	-	-

