

Serving the
**Commercial
Pool Market**



ANDERSON
POOLWORKS

Table of Contents

Filters	1 - 7
Filter Accessories	8 - 9
Valves	10 - 15
Flanged Reducers	16
Plumbing	17 - 18
Flow Meters	19 - 20
Self-Priming Pumps	21 - 24
End Suction Pumps & Blowers	25
Strainers & VFDs	26 - 28
Electronic Controls	29 - 33
Chemical Feeders	34 - 39
Chemicals	40 - 44
Heaters & Heat Pumps	45 - 52
Skimmers & Main Drains	53 - 55
Pool & Spa Lighting	56
Ladders & Rails	57 - 60
Lifeguard Chairs	61 - 68
Diving Boards & Stands	69 - 70
Starting Platforms	71 - 75
Competition & Recreation	76 - 81
Assisted Access Lifts	82 - 88
Cleaners	89 - 94
Safety Equipment	95 - 96
Pool Paint	97 - 99
Pool Covers & Reels	100 - 101

COMMERCIAL SAND FILTERS

PENTAIR TRITON C & C-3 SAND FILTERS

Triton C and C-3 Series filters are designed for high efficiency and easy maintenance in high capacity commercial pool applications. A superior internal design levels the sand bed and produces an even water flow for the most efficient filtration possible. The multidiffuser system and slotted layer design give the Triton C filter superior filtration capacity and flow for longer cycles between cleanings, which significantly reduces operating costs.

Product No.	Model No.	Description	Diameter	Media	Fittings	Max GPM
PAC-05-716	140315	TR100C	30" Dia.	Sand Filter	2" Bulkhead Unions	98
PAC-05-708	140316	TR140C	36" Dia.	Sand Filter	2" Bulkhead Unions	140
PAC-05-298	140310	TR100C-3	30" Dia.	Sand Filter	3" Flanges	98
PAC-05-299	140342	TR140C-3	36" Dia.	Sand Filter	3" Flanges	140



VALVE KITS FOR PENTAIR TRITON C & C-3 SAND FILTERS

Product No.	Model No.	Description
PAC-06-229	261055	2" Multiport Valve w/ Plumbing FPT Conn.
PAC-06-245	261050	2" Hi-Flow Valve w/ Plumbing Socket Conn.
PAC-06-3080	263080	FullFlow XF Backwash Valve 2"



PENTAIR TANDEM FILTER PIPING KITS FOR TRITON C & C-3

Product No.	Model No.	Description
Schedule 40 Kits. PVC Pipe Is Not Included.		
PAC-06-1016	146400	Triton C: 3" Two Filter Kit w/ Unions
PAC-06-1017	146402	Triton C: 4" Two Filter Kit w/ Unions
PAC-06-1018	146404	Triton C: 6" Two Filter Kit w/ Unions
PAC-06-1019	146406	Triton C: 4" Single Filter Adder Kit w/ Unions
PAC-06-1020	146408	Triton C: 6" Single Filter Adder Kit w/ Unions
PAC-05-718	147400	Triton C-3: 3" Two Filter Kit w/ Flanges
PAC-05-717	147402	Triton C-3: 4" Two Filter Kit w/ Flanges
PAC-06-1021	147404	Triton C-3: 6" Two Filter Kit w/ Flanges
PAC-06-1022	147406	Triton C-3: 4" Single Filter Adder Kit w/ Flanges
PAC-06-1023	147408	Triton C-3: 6" Single Filter Adder Kit w/ Flanges
Schedule 80 Kits. PVC Pipe Is Not Included.		
*PUR06-COM	146401	Triton C: 3" Two Filter Kit w/ Unions
*PUR06-COM	146403	Triton C: 4" Two Filter Kit w/ Unions
*PUR06-COM	146405	Triton C: 6" Two Filter Kit w/ Unions
*PUR06-COM	146407	Triton C: 4" Single Filter Adder Kit w/ Unions
*PUR06-COM	146409	Triton C: 6" Single Filter Adder Kit w/ Unions
*PUR06-COM	147401	Triton C-3: 3" Two Filter Kit w/ Flanges
*PUR06-COM	147403	Triton C-3: 4" Two Filter Kit w/ Flanges
PAC-05-719	147405	Triton C-3: 6" Two Filter Kit w/ Flanges
*PUR06-COM	147407	Triton C-3: 4" Single Filter Adder Kit w/ Flanges
*PUR06-COM	147409	Triton C-3: 6" Single Filter Adder Kit w/ Flanges





MANIFOLD KITS

PENTAIR THS SERIES MANIFOLD KITS

Product No.	Model No.	Description	Max GPM
PAC-06-905	155700	Single Tank Manifold Kit w/ Butterfly Valves	534
PAC-06-1009	155701	Single Tank 6" FP Kit w/ Diaphragm Valves	534
PAC-06-1003	155720	Dual Tank Manifold Kit w/ Butterfly Valves	837
PAC-06-1024	155721	Dual 34" Dia. 6" FP Kit w/ Diaphragm Valves	760
PAC-06-1025	155730	Dual 42" Dia. 6" FP Kit w/ Diaphragm Valves	837

PENTAIR THS SERIES MANIFOLD ADDER KIT

Product No.	Model No.	Description
PAC-06-1014	140325	6" Manifold Adder Kit for Third THS Filter In Tandem

PENTAIR THS SERIES MANIFOLD KITS (THS3461)

Product No.	Model No.	Description	Max GPM
PAC-06-1010	155702	THS3461 Single Tank Manifold Kit w/ Butterfly Valves	270
PAC-06-1011	155703	THS3461 Single Tank Manifold Kit w/ Diaphragm Valves	270
PAC-06-1012	155722	THS3461 Dual Tank Manifold Kit w/ Butterfly Valves	540
PAC-06-1013	155723	THS3461 Dual Tank Manifold Kit w/ Diaphragm Valves	540

PENTAIR THS SERIES CONTROLLERS

Product No.	Model No.	Description
Use with Diaphragm Valve		
PAC-06-900	156850	Single THS CA100 Automatic Backwash Controller
PAC-06-1026	156800	Dual THS CA100 Automatic Backwash Controller
PAC-06-1027	156400	Single THS CM200 Manual Backwash Controller
PAC-06-1028	156450	Dual THS CM200 Manual Backwash Controller
*PUR-06-COM	CS400-01	CS400 Programmable Automatic Backwash Controller for Single THS
*PUR06-COM	CS400-02	CS400 Programmable Automatic Backwash Controller for Dual THS



THS SERIES® HORIZONTAL SAND FILTER



Featured Highlights

- Five sizes to 27 sq. ft.
- Manway in front for easy access and smaller footprint
- Manway with viewport available as option
- 6 in. flanged connections, 4 in. victaulic on the THS 3461
- Optional manual, semi-automatic, and automatic backwash systems for one and two tank systems
- Two backwash controllers to choose from
- Influent manifold distribution to prevent clogging
- NSF approved from 5–20 gpm/sq. ft

The THS Filter is an NSF-approved 50 psi rated tank with flow rates up to 535 gallons per minute. The filter shell is manufactured from a lasting composite laminate design that makes winding unnecessary. Paracote®, a waterbased, environmentally-friendly coating, provides remarkable surface protection.

Product No.	Model No.	Model	Description	Effective Filtration Area (Sq. Ft.)	Flow Rate (15 GPM/ Sq. Ft.)	6 Hour Turnover Capacity (In Gallons)	Pea Gravel Required (Lbs.)	Sand Required (Lbs.)	All Sand Required (Lbs.)	Carton Wt. (Lbs.)
PAC-05-1003	143461	THS3461	34" x 61"	13.5	203	73,080	300	1250	1550	550
PAC-05-900	143484	THS3484	34" x 84"	19	285	102,600	600	1350	1950	610
PAC-05-1000	144272	THS4272	42" x 72"	19.7	295	106,200	500	2100	2600	650
PAC-05-1001	144284	THS4284	42" x 84"	23.2	348	125,280	600	2400	3000	725
PAC-05-1002	144296	THS4296	42" x 96"	26.7	400	144,000	700	2800	3500	800

PENTAIR THS SERIES ACCESSORIES

Product No.	Model No.	Description
PAC-06-1004	155800	Wedge Anchor Kit for Tank Bases
PAC-06-1005	155850	1/2" Ball Valve Adapter Kit for Manual Air Relief
PAC-051-3100	B4221KIT	Gauge Panel Kit w/ Fittings & Mounting Straps

HAYWARD HCF SERIES SAND FILTERS

The new rapid open/close tool-free lid mechanism features an industrial-grade yoke assembly and a massive 12" x 16" manway with two viewing windows to allow for visual inspection while filter is in operation. Along with non-corrosive glass filled ABS legs, these new features afford users and service personnel an unprecedented level of convenience in media loading and filter inspection. The infusion molded, gel-coated thermoset fiberglass structure is complemented with oversized, grid-array laterals to improve filtration and lengthen filter cycle time. The range has expanded to address the requirements of the renovation/replacement market with the introduction of new 34" models capable of fitting through standard 36" doors.

Product No.	Model No.	Description	Max GPM
CHT-05-1004	HCF302T	30" Gel-Coated Fiberglass Sand Filter w/ 2" Bulkhead Connections	98
CHT-05-1005	HCF342T	34" Gel-Coated Fiberglass Sand Filter w/ 2" Bulkhead Connections	126
CHT-05-1006	HCF343T	34" Gel-Coated Fiberglass Sand Filter w/ 3" Bulkhead Connections	126
CHT-05-1007	HCF343F	34" Gel-Coated Fiberglass Sand Filter w/ 3" Flanged Connections	126
CHT-05-1008	HCF362T	36" Gel-Coated Fiberglass Sand Filter w/ 2" Bulkhead Connections	143
CHT-05-1009	HCF363T	36" Gel-Coated Fiberglass Sand Filter w/ 3" Bulkhead Connections	143
CHT-05-1010	HCF363F	36" Gel-Coated Fiberglass Sand Filter w/ 3" Flanged Connections	143

Hayward HCF Series Side Mount Filter Valves

HAY-06-0712	HCV275	Commercial 2" Multiport Valve Kit, with Plumbing
HAY-06-0718	HCV375	Commercial 3" Multiport Valve, Less Plumbing
HAY-06-0719	HCV375KIT	Commercial Plumbing Kit for 3" Multiport Valve



MIAMI VERTICAL STEEL FILTERS

- Heavy Duty Carbon Steel Tank construction
- Tank heads are ¼ inch thick and up
- Tank side walls are ¼ inch thick and up
- 8–10 mils D.F.T. coal tar / primer with 5-year pro-rated warranty
- 11"x15" Man-way provides safe tank access
- 3" Media dump port and winterizing drain
- Welded legs for seismic designed installation
- NSF listed Tank design

MIAMI LEVER CONTROLS

Product No.	Model No.	Description
MIA-06-2002	3SLC	3" Single Lever Control
MIA-06-2003	4SLC	4" Single Lever Control
MIA-06-2004	6SLC	6" Single Lever Control
MIA-06-2005	8SLC	8" Single Lever Control

SINGLE TANKS WITH CAST IRON OR SCH 80 PVC FACE PIPING



Product No.	Model No.	Description	Max GPM
1 Year Tank Warranty. 10 Year Pro-Rated Warranty w/ Optional Epoxy Tank Coating.			
MIA-05-2000	SFV-42	42" Dia. Tank w/ 3" Face Pipe	192
MIA-05-2001	SFV-48	48" Dia. Tank w/ 4" Face Pipe	252
MIA-05-2002	SFV-54	54" Dia. Tank w/ 4" Face Pipe	318
MIA-05-2003	SFV-60	60" Dia. Tank w/ 4" Face Pipe	392
MIA-05-2004	SFV-66	66" Dia. Tank w/ 4" Face Pipe	355
MIA-05-2006	SFV-72	72" Dia. Tank w/ 6" Face Pipe	566
MIA-05-2007	SFV-78	78" Dia. Tank w/ 6" Face Pipe	664
MIA-05-2008	SFV-84	84" Dia. Tank w/ 6" Face Pipe	770
MIA-05-2009	SFV-90	90" Dia. Tank w/ 6" Face Pipe	884
MIA-05-2010	SFV-96-6	96" Dia. Tank w/ 6" Face Pipe	755
MIA-05-2011	SFV-96-8	96" Dia. Tank w/ 6" Face Pipe	1006
1 Year Tank Warranty. 10 Year Pro-Rated Warranty w/ Opt. Epoxy Coating. Jack Legs Incl.			
MIA-06-2000	JL-1	Optional Adjustable Jack Leg for Single SFV 42 Thru SFV 78	
MIA-06-2001	JL-2	Optional Adjustable Jack Leg for Single SFV 84 Thru SFV 96	

DUAL TANKS WITH CAST IRON OR SCH 80 PVC FACE PIPING



Product No.	Model No.	Description	Max GPM
1 Year Tank Warranty. 10 Year Pro-Rated Warranty w/ Opt. Epoxy Coating. Jack Legs Incl.			
MIA-05-2012	SFV-2-48	2 - 48" Dia. Tanks w/ 6" Face Pipe	504
MIA-05-2013	SFV-2-54	2 - 54" Dia. Tanks w/ 6" Face Pipe	636
MIA-05-2014	SFV-2-60	2 - 60" Dia. Tanks w/ 6" Face Pipe	784
MIA-05-2015	SFV-2-66	2 - 66" Dia. Tanks w/ 6" Face Pipe	948
MIA-05-2016	SFV-2-72	2 - 72" Dia. Tanks w/ 8" Face Pipe	1132
MIA-05-2017	SFV-2-78	2 - 78" Dia. Tanks w/ 8" Face Pipe	1328
MIA-05-2018	SFV-2-84	2 - 84" Dia. Tanks w/ 8" Face Pipe	1540
MIA-05-2019	SFV-2-90	2 - 90" Dia. Tanks w/ 8" Face Pipe	1591
*MIA-COM	SFV-2-96	2 - 96" Dia. Tanks w/ 8" Face Pipe	1610

WATERCO MICRON SIDE MOUNT FILTERS

Micron fibreglass filters are known throughout the industry for their impressive performance and reliability. Manufactured from the highest grade of non corrosive materials and applying the latest in fibreglass winding technology, Micron fibreglass filters are designed and built for many years of trouble free operation.

Use product number *WTU05-COM

NSF 50 Certified



Model Number	Connection Size	Filter Area	Inner Diameter	Flow Rates		Media	
	Inches	Feet²	Inches	15gpm/ft²	20gpm/ft²	Sand	Gravel
Micron Side Mount Shallow Bed Filters							
SM1050 (42")	3"	9.6	42"	144	192	1275	125
SM1200 (48")	3"	12.6	48"	189	252	2050	225
Micron Side Mount Deep Bed Filters							
SMD1050 (42")	3"	9.6	41.4"	144	192	2725	400
SMD1200 (48")	4"	12.6	47.2"	189	252	3550	310
SMD1400 (55")	4"	16.5	55.1"	248	330	4825	450
SMD1600 (63")	4"	21.6	63"	324	432	6350	425
SMD1600 (63")	6"	21.6	63"	324	432	6225	425
SMD1800 (71")	6"	27.5	70.9"	413	550	7925	1450
SMD2000 (79")	6"	34.1	78.7"	512	682	9825	1425



Features

- UV and corrosion resistant
- Hydraulically balanced lateral configurations
- Standard Working Pressure at 50 PSI
- Side Mount configuration
- 10-year tank warranty and 1-year warranty on all other components. Commercial installations are covered by a 5-year (1 full 4 pro-rata) tank warranty.



WATERCO MICRON COMMERCIAL HORIZONTAL WOUND FILTER

Micron Horizontal Filters

The Micron Horizontal Filter is a space-saving high performer; its compact horizontal design allows installation with minimum waste of space. The shape of the Micron horizontal filter is both attractive and functional. The spherical ends are designed to give uniform flow from both inlet and outlet collection assemblies. Micron Horizontal filters are available with a 1200mm/47" (MD) filter media bed. Higher pressure ratings are available on request.

Use product number *WTU05-COM

NSF 50 Certified



Part Number	Product Description	Valve Size	Bed Depth	Inner Diameter	Filter Area Sq. Ft.	Filtration Flow Rate (10 gpm/sq. ft)	Backwash Flow Rate (15 gpm/sq. ft)
2228075	42" x 75" Horizontal Filter	4.0	16	42	19.6	196	294
2228091	42" x 91" Horizontal Filter	6.0	16	42	24	240	360
22280106	42" x 106" Horizontal Filter	6.0	16	42	28.2	282	423
22280120	42" x 120" Horizontal Filter	6.0	16	42	32.2	322	483
2229075	48" x 75" Horizontal Filter	4.0	18	48	22.1	221	332
2229091	48" x 91" Horizontal Filter	6.0	18	48	27.6	276	414
22290106	48" x 106" Horizontal Filter	6.0	18	48	32.4	324	486
22290120	48" x 120" Horizontal Filter	6.0	18	48	37	370	555

Looped distribution and lateral system

Waterco's looped lateral configuration ensures optimum water filtration and balanced fluidization of the filter bed during backwashing. Its individual laterals are shortened while maintaining filter media bed coverage, reducing the friction head loss of each lateral, further improving the filter's hydraulic efficiency. Micron Horizontal's looped lateral system reduces backwash run times, saves water and produces flatter more uniform filter media bed after backwashing. Micron Horizontal's looped lateral system can be constructed to allow the introduction of air during backwashing.



HARMSCO BETTERFILTER

Harmsco Betterfilters provide sparkling clean water and save energy and space. Betterfilters are constructed of low carbon T-316 stainless steel, electro-chemically polished to deliver a ten-year, pro-rated warranty. These filters install quickly and easily and require no costly waste disposal systems. Specify epoxy coatings for salt water pools.



Product No.	Model No.	Max NSF Flow Rate	Max NSF Pool Size	No. of Cartridges	Filter Area
*HAR-COM	BF168	63 GPM	22,680 Gal.	28	168 sq.ft.
HAR-05-133	BF252	94 GPM	34,020 Gal.	42	252 sq.ft.
*HAR-COM	BF336	126 GPM	45,360 Gal.	56	336 sq.ft.
HAR-05-122	BF450	168 GPM	60,750 Gal.	75	450 sq.ft.
*HAR-COM	BF600	225 GPM	81,000 Gal.	100	600 sq.ft.
*HAR-COM	BF900FL	337 GPM	121,500 Gal.	150	900 sq.ft.
*HAR-COM	BF1200FL	450 GPM	162,000 Gal.	200	1200 sq.ft.

ASTRAL HORIZONTAL F/G FILTERS

The AstralPool range of commercial products offers global solutions that ensure user comfort, safety and ease of maintenance. AstralPool provides 40+ years experience to help carry out even the most challenging swimming pool projects. Involving AstralPool in your swimming pool project means having the widest possible range of products, permanent investment in R&D, and an extensive worldwide commercial network. Our commercial pool equipment is specifically designed for community, municipal and competition pools, as well as swimming pools for hotels, resorts, water parks and sports centers.

Horizontal Filters

Product No.	Model No.	Description
ASP-05-2020	11319	42" x 75" Filter w/ 4" Connections, 21 Sqft.
ASP-05-2021	11325	42" x 91" Filter w/ 6" Connections, 26 Sqft.
ASP-05-2022	11330	42" x 106" Filter w/ 6" Connections, 30 Sqft.
ASP-05-2023	20895	42" x 118" Filter w/ 6" Connections, 34 Sqft.
ASP-05-2024	20896	48" x 75" Filter w/ 6" Connections, 24 Sqft.
ASP-05-2025	20897	48" x 91" Filter w/ 6" Connections, 29 Sqft.
ASP-05-2026	20898	48" x 106" Filter w/ 6" Connections, 34 Sqft.
ASP-05-2027	20899	48" x 118" Filter w/ 6" Connections, 38 Sqft.



ASTRAL VERTICAL F/G FILTERS

Astral Vertical Sand Filters are available in sizes ranging from 42" Dia. (9.26 Sq. Ft.) through 93" Dia. (46.69 Sq. Ft.) The filter tanks are made of non-corrosive fiberglass and polyester resin which provides a maximum working pressure of 50 PSIG with a test pressure of 80 PSIG. Each filter is fitted with collector body laterals and diffuser made of PVC and polypropylene which allow a maximum working temperature of 122° F. All filter tank manifold components are manufactured by ASTRAL and are guaranteed to be non-corrosive and low maintenance. Tanks are lightweight and easily handled with a forklift or pallet jack.

Vertical Sand Filters


Product No.	Model No.	Description
ASP-05-2001	06683	47" Dia. - 4" Flanged Connections - 12.16 Sq. Ft.
ASP-05-2002	06681	55" Dia. - 4" Flanged Connections - 16.58 Sq. Ft.
ASP-05-2003	06632	63" Dia. - 4" Flanged Connections - 21.64 Sq. Ft.
ASP-05-2004	06684	63" Dia. - 6" Flanged Connections - 21.64 Sq. Ft.
ASP-05-2005	06633	71" Dia. - 6" Flanged Connections - 27.34 Sq. Ft.
ASP-05-2006	06634	79" Dia. - 6" Flanged Connections - 33.80 Sq. Ft.



PVC Filter Manifolds

Astral 4-Valve and 5-Valve manifolds are available for horizontal and vertical filters, single or dual and are constructed of Sch. 80 PVC. The manifolds include Astral Cepex butterfly valves, zinc-plated hardware and all PVC fittings necessary for installation. All valve manifolds are preassembled and knocked down for shipping.

Ask your sales representative for a complete listing of single or dual filter manifolds as well as manifold support kits. Special order manifolds are available for stacked horizontal filters as well as clean-water backwash and automatic backwash systems.



CRUSHED GLASS FILTER MEDIA

Product No.	Model No.	Filter Media	Size
MAY-06-9008	A999008	Activate Grade 1 - Fine	25 Lb. Bag
MAY-06-9009	A999009	Activate Grade 2 - Coarse	25 Lb. Bag
TVC-06-1000	VFG	Vitroclean Green (Western States)	25 Lb. Bag
TVC-06-1003	VFA	Vitroclean Aquatic - NSF Cert. (Easter States)	50 Lb. Bag
TVC-06-1002	VF850	#8 Pebble	50 Lb. Bag

FILTER MEDIA

Product No.	Model No.	Filter Media	Size
ZOI-06-6000	ZEOSAND	Zeo Sand	25 Lb. Bag
ZEO-06-101	ZELITE25	Zeobrite	25 Lb. Bag
ZEO-06-100	ZELITE50	Zeobrite	50 Lb. Bag
AAA-06-300	CELAPERL / PERLITE	Perlite	12 Lb. Bag
AAA-06-305	CELAPERL / PERLITE	Perlite	25 Lb. Bag
AAA-06-200	AAA-200	Filter Sand	50 Lb. Bag
AAA-06-206	AAA-206	Pea Gravel	50 Lb. Bag
AAA-06-229	AAA-229	Pea Gravel	100 Lb. Bag
AAA-06-203	AAA-203	Diatomaceous Earth	50 Lb. Bag
AAA-06-202	AAA-202	Diatomaceous Earth	25 Lb. Bag



ACCESSORIES

Product No.	Model No.	Description	Style
ABF-56-1000	10020	1-1/2" Brass Sight Glass	M.I.P.S.
HAY-25-1522	SP1074S	2" In-Line Sight Glass	ABS
NEP-56-3040	150NBSG003R1	3" Flanged PVC Sight Glass	In Line
NEP-56-3041	150NBSG004R1	4" Flanged PVC Sight Glass	In Line
*PRA56-COM	252-ISG	2 1/2" Inline Sight Glass SKT X SKT	PVC Full Union
*PRA56-COM	302-ISG	3" Inline Sight Glass SKT X SKT	PVC Full Union



DRY GAUGES

Product No.	Model No.	Description
Pressure		
AMG-60-5240	IPG6025-4L	Pressure Gauge STL 60# 2.5" DIA 1/4 NPT
AMG-60-5241	IPG6025-4LNL	Pressure Gauge STL 60# 2.5" DIA 1/4 NPT NL
AMG-60-5242	IPG3035-4LNL	Pressure Gauge STL 30# 3.5" Dia 1/4 NPT NL
AMG-60-5243	IPG3045-4L	Pressure Gauge STL 30# 4.5" Dia 1/4 NPT
AMG-60-5244	IPG3045-4LNL	Pressure Gauge STL 30# 4.5" Dia 1/4 NPT NL
AMG-60-5245	IPG6045-4L	Pressure Gauge STL 60# 4.5" Dia 1/4 NPT
AMG-60-5246	IPG6045-4LNL	Pressure Gauge STL 60# 4.5" Dia 1/4 NPT NL
Vacuum		
AMG-06-305	IPVG302-4L	Vacuum Gauge STL 30" Hg 2" DIA 1/4 NPT
AMG-60-2000	IPVG3025-4L	Vacuum Gauge STL 30" Hg 2-1/2" DIA 1/4 NPT
AMG-60-2001	IPVG3025-4LNL	Vacuum Gauge STL 30" Hg 2-1/2" DIA 1/4 NPT NL



LIQUID FILL GAUGES

Weiss

Where vibration, corrosion and pulsating conditions exist, the Weiss line of stainless steel cased liquid filled industrial pressure gauges are designed to meet the most severe applications. Ranges from Vacuum to 20,000 PSI.

LF251



LF252



Product No.	Model No.	Description	Case	Connection	Range
Weiss Industrial Liquid Fill Guages					
LWA-60-0000	LF252-VAC-4L	2.5" Vacuum Gauge	SS Liquid Fill	1/4" LM	30" HG
LWA-60-0001	LF252-V60-4L	2.5" Compound Gauge	SS Liquid Fill	1/4" LM	30-0-60 PSI
LWA-60-0002	LF252-060-4L	2.5" Pressure Gauge	SS Liquid Fill	1/4" LM	0-60 PSI
LWA-60-0003	LF251-VAC-4L	2.5" Vacuum Gauge	SS Bronze Liquid Fill	1/4" LM	30" HG
LWA-60-0004	LF251-V60-4L	2.5" Compound Gauge	SS Bronze Liquid Fill	1/4" LM	30-0-60 PSI
LWA-60-0005	LF251-060-4L	2.5" Pressure Gauge	SS Bronze Liquid Fill	1/4" LM	0-60 PSI
LWA-60-1000	LF44S-1	4" Pressure Gauge	SS Bronze Liquid Fill	1/4" LM	0-60 PSI
LWA-60-1001	LF44S-130	4" Pressure Gauge	SS Bronze Liquid Fill	1/4" LM	0-30 PSI
Guage Accessories					
LWA-60-0006	SNUB	Pressure Snubber	Brass w/ SS Filt	1/4" NPT	
LWA-60-0007	BV25	Nickel Plated Brass Ball Valve	Brass	1/4" NPT	



Harvard

Product No.	Model No.	Description	Case	Connection	Range
Harvard Economy Liquid Fill Guages					
AMG-06-315*	ILCG36025-4L	2.5" Compound Gauge	SS Case	1/4" NPT	0-60 PSI
AMG-06-306*	ILPG6025-4L	2.5" Pressure Gauge	SS Case	1/4" NPT	60 PSI
AMG-06-317*	ILVG3025-4L	2.5" Vacuum Gauge	SS Case	1/4" NPT	30" Hg

Additional sizes & ranges available

SURGE CHAMBER MODULATING VALVES

Modulating or float valves are used in surge tanks or vacuum D.E. filter tanks when the top of the tank is at an elevation above the maximum pool water level. In this type system the water level in the surge/filter tank will rise to the same level as the pool water level when the system is shut down. The walls of the tank must be slightly higher than the pool water level. If this is not the case a tight closing level control valve must be used. Modulating float valves are not tight-closing, in fact, our valves are designed to pass some flow when the ball is in the up or "closed" position, so as not to stop main drain flow entirely.



Mer-Made

Product No.	Model No.	Valve Size
Mer-Made Double Float Modulating Valves - Horizontal Open-Ended Pipe Installation Only		
MMF-56-1000	FV-D-4	4" Valve
MMF-56-1002	FV-D-6	6" Valve
MMF-56-1002	FV-D-8	8" Valve
MMF-56-1003	FV-D-10	10" Valve
MMF-56-1004	FV-D-12	12" Valve
Mer-Made Double Float Modulating Valves - Includes Extra Weighted Ball for Inline Control		
MMF-56-1005	FV-D-XWB-4	4" Valve
MMF-56-1006	FV-D-XWB-6	6" Valve
MMF-56-1007	FV-D-XWB-8	8" Valve
MMF-56-1008	FV-D-XWB-10	10" Valve
MMF-56-1009	FV-D-XWB-12	12" Valve
*MMF56-COM	FV-D-XWB-14	14" Valve
*MMF56-COM	FV-D-XWB-16	16" Valve

Neptune Benson

Product No.	Model No.	Valve Size
Neptune Benson In-Line Float Valves for Horizontal Pipes		
NEP-56-3000	DVINLINEPVC06D	6" In-Line PVC 2-Float Diversion Valve
NEP-56-3001	DVINLINEPVC08D	8" In-Line PVC 2-Float Diversion Valve
NEP-56-3002	DVINLINEPVC10D	10" In-Line PVC 2-Float Diversion Valve

Sta-Rite

Product No.	Model No.	Valve Size
Sta-Rite Valves - Vertical Pipe Installation Only		
PAC-56-1024	13600-0004	4" Valve
PAC-56-1025	13600-0006	6" Valve
STA-25-1064	13600-0008	8" Valve
PAC-56-1026	13600-0009	10" Valve
PAC-56-1027	13600-0042	12" Valve

WAFER STYLE CHECK VALVES, SPRING ASSISTED & SPACERS

Praher full pattern swing check valve are available in sizes 3" - 8" and are made from corrosion resistant PVC with EPDM O-ring seals and a 304 stainless steel springs. The K4 swing check valves are pressure rated up to 150 PSI and feature an open-close position indication (yellow optical pin), nested springs which allow field setting for 50 PSI, 90 PSI or 150 PSI opening pressures, an eyelet for valve tagging and a molded boss for optional drain plug installation. The mounting link guide holes allow easy installation between flanges and the wide molded body requires no spacer for easy swing clearance. The swing check valves mount between 150# ANSI flanges and additional flange gaskets are not required.



Swing Check Valve

Product No.	Model No.	Valve Size
Praher Swing Check Valves - PVC/EPDM High Flow Vertical or Full Horizontal No Spacer Required		
PRA-56-5200	SCV-1030	3" PVC Valve EPDM
PRA-56-5201	SCV-1040	4" PVC Valve EPDM
PRA-56-5202	SCV-1060	6" PVC Valve EPDM
PRA-56-5203	SCV-1080	8" PVC Valve EPDM
Praher Valves - SS Disk & EPDM Seat (available sizes up to 12")		
*PRA56-COM	470-100-E	10" Valve
*PRA56-COM	470-120-E	12" Valve
Praher Spacers (available sizes up to 16")		
*PRA56-COM	3-100-7	10" Spacer
*PRA56-COM	3-120-7	12" Spacer

KECKLEY VALVES

Keckley - Style DD - Wafer Double Disc Check Valve are available in sizes from 2" to 48" and are made with an Epoxy Coated Cast Iron Body, Cast Stainless Steel Disc, EPDM Seat and 316 Stainless Steel Spring and 304 Stainless Steel Hinge Pin & Stop Pin. The DD features a short face to-face dimension, the double disc design has a low cracking pressure. The independent, dual shaft design allows interchangeability of shafts. The stop shaft stabilizes the discs during high flow rates. The Style DD is used in both up-flow vertical and horizontal applications.



Keckley Style DD

Product No.	Model No.	Valve Size
Keckley - Style DD - SS Disk & EPDM Seat Wafer Double Disc Check Valves		
LWA-56-1100	3"DD1F-CI-34536	3" Cast Iron Wafer Check Valve
LWA-56-1101	4"DD1F-CI-34536	4" Cast Iron Wafer Check Valve
LWA-56-1102	5"DD1F-CI-34536	5" Cast Iron Wafer Check Valve
LWA-56-1103	6"DD1F-CI-34536	6" Cast Iron Wafer Check Valve
LWA-56-1104	8"DD1F-CI-34536	8" Cast Iron Wafer Check Valve
LWA-56-1105	10"DD1F-CI-34536	10" Cast Iron Wafer Check Valve
LWA-56-1106	12"DD1F-CI-34536	12" Cast Iron Wafer Check Valve

Additional sizes up to 48"

LASCO VALVES

The Wafer Check Valve is a non-return valve ideal for limited space installations. These valves are available for pipe sizes 2-1/2" - 6". Equipped with SS spring which can be removed if desired.



Lasco Wafer Check Valve

Product No.	Model No.	Valve Size
316 SS Spring		
*LAS-COM	V27601N	2-1/2" PVC Wafer Check Valve EPDM
*LAS-COM	V30601N	3" PVC Wafer Check Valve EPDM
*LAS-COM	V40601N	4" PVC Wafer Check Valve EPDM
*LAS-COM	V60601N	6" PVC Wafer Check Valve EPDM
*LAS-COM	V27602N	2-1/2" PVC Wafer Check Valve Viton
*LAS-COM	V30602N	3" PVC Wafer Check Valve Viton
*LAS-COM	V40602N	4" PVC Wafer Check Valve Viton
*LAS-COM	V60602N	6" PVC Wafer Check Valve Viton

WAFER STYLE GENERAL PURPOSE BUTTERFLY VALVES

These soft-seated butterfly valves are designed for a variety of general applications in the control of water, air, oil, gases, and corrosive media. They are equally effective for on-off, throttling, or isolation service requirements. Lug style valves are designed for dead-end service to the full pressure rating of the valve. Models 87 and 88 butterfly valves are especially well suited for higher velocity service and vacuum service.

Product No.	Model No.	Valve Size	Handle Type
Muessco Ductile Iron Bronze Disk EPDM			
MSS-56-1006	3.0-87-INB-6-1	3" Valve	Lever Handle
MSS-56-1007	4.0-87-INB-6-1	4" Valve	Lever Handle
MSS-56-1008	6.0-87-INB-6-1	6" Valve	Lever Handle
MSS-56-1009	8.0-87-INB-6-1	8" Valve	Lever Handle
MSS-56-1010	10.0-87-INB-6-5	10" Valve	Gear Operated
MSS-56-1011	12.0-87-INB-6-5	12" Valve	Gear Operated



HAYWARD WAFER STYLE GENERAL PURPOSE BUTTERFLY VALVES

The BYV Series Butterfly Valve from Hayward features the most advanced thermoplastic design and construction in the industry today. Available in multiple thermoplastic materials from 2" through 12", the BYV has an extremely robust body construction while lighter weight than a metal equivalent. The revolutionary hand lever design features a 72 spline interlock mechanism allowing for 19 stopping positions every 5 degrees. Additionally, the hand lever material incorporates a UV inhibitor for enhanced performance in outdoor applications. The BYV features reinforced lug holes and can be ordered with overmolded 316 stainless steel lugs for dead end service needs.

Product No.	Model No.	Valve Size	Description
BYCN Series Lever/Gear Operated - Actuators & Shaft Extensions are Available			
HIP-56-1094	BYCN1020E1LGB	2" Butterfly Valve	Lever Operated
HIP-56-1093	BYCN1025E1LGB	2.5" Butterfly Valve	Lever Operated
HIP-56-1095	BYCN1030E1LGB	3" Butterfly Valve	Lever Operated
HIP-56-1096	BYCN1040E1LGB	4" Butterfly Valve	Lever Operated
HIP-56-1092	BYCN1050E1LGB	5" Butterfly Valve	Lever Operated
HIP-56-1097	BYCN1060E1LGB	6" Butterfly Valve	Lever Operated
HIP-56-1091	BYCN1080E1LGB	8" Butterfly Valve	Lever Operated
HIP-56-1090	BYCN1020E1GGB	2" Butterfly Valve	Gear Operated
HIP-56-1089	BYCN1025E1GGB	2.5" Butterfly Valve	Gear Operated
HIP-56-1099	BYCN1030E1GGB	3" Butterfly Valve	Gear Operated
HIP-56-1120	BYCN1040E1GGB	4" Butterfly Valve	Gear Operated
HIP-56-1121	BYCN1050E1GGB	5" Butterfly Valve	Gear Operated
HIP-56-1122	BYCN1060E1GGB	6" Butterfly Valve	Gear Operated
HIP-56-1098	BYCN1080E1GGB	8" Butterfly Valve	Gear Operated



BYCN Series

Next Gen. Butterfly Valve (Gear Operated)			
HIP-56-1140	BYV11020A0EG000	2" Butterfly Valve	Gear Operated
HIP-56-1141	BYV11025A0EG000	2-1/2" Butterfly Valve	Gear Operated
HIP-56-1142	BYV11030A0EG000	3" Butterfly Valve	Gear Operated
HIP-56-1143	BYV11040A0EG000	4" Butterfly Valve	Gear Operated
HIP-56-1144	BYV11060A0EG000	6" Butterfly Valve	Gear Operated
HIP-56-1145	BYV11080A0EG000	8" Butterfly Valve	Gear Operated
HIP-56-1146	BYV11100A0EG000	10" Butterfly Valve	Gear Operated
HIP-56-1147	BYV11120A0EG000	12" Butterfly Valve	Gear Operated

Next Gen. Butterfly Valve (Lever Operated)			
HIP-56-1130	BYV11020A0EL000	2" Butterfly Valve	Lever Operated
HIP-56-1131	BYV11025A0EL000	2-1/2" Butterfly Valve	Lever Operated
HIP-56-1132	BYV11030A0EL000	3" Butterfly Valve	Lever Operated
HIP-56-1133	BYV11040A0EL000	4" Butterfly Valve	Lever Operated
HIP-56-1134	BYV11060A0EL000	6" Butterfly Valve	Lever Operated
HIP-56-1135	BYV11080A0EL000	8" Butterfly Valve	Lever Operated



Butterfly w/ Gear

LASCO GENERAL PURPOSE BUTTERFLY VALVES

Product No.	Model No.	Valve Size	Handle Type
Lasco 711N Series Lever (ABS) Operated EPDM			
LAS-56-0964	V30711N	3" Valve	ABS Lever Handle
LAS-56-0965	V40711N	4" Valve	ABS Lever Handle
LAS-56-0966	V60711N	6" Valve	ABS Lever Handle
LAS-56-0967	V80711N	8" Valve	ABS Lever Handle
Lasco 311N Series Lever (Coated Metal) Operated			
LAS-56-0903	V30311N	3" Valve	Metal Coated Lever Handle
LAS-56-0904	V40311N	4" Valve	Metal Coated Lever Handle
LAS-56-0906	V60311N	6" Valve	Metal Coated Lever Handle
LAS-56-0908	V80311N	8" Valve	Metal Coated Lever Handle
Lasco 411N Series Lever (ABS) Operated EPDM			
LAS-56-0931	V20411N	2" Valve	PP Lever Handle
LAS-56-0932	V27411N	2-1/2" Valve	PP Lever Handle
LAS-56-0933	V30411N	3" Valve	PP Lever Handle
LAS-56-0934	V40411N	4" Valve	PP Lever Handle
LAS-56-0935	V50411N	5" Valve	PP Lever Handle
LAS-56-0936	V60411N	6" Valve	PP Lever Handle
LAS-56-0937	V80411N	8" Valve	PP Lever Handle
Lasco 411NG Series Gear (Coated Metal) Operated EPDM			
LAS-56-0918	V80411NG	8" Valve	Metal Coated Gear Operated
LAS-56-0920	V100411NG	10" Valve	Metal Coated Gear Operated
LAS-56-0922	V120411NG	12" Valve	Metal Coated Gear Operated

- Corrosion resistant thermoplastic body, disc & handle.
- Compact and light weight design
- Full boot seal for durable performance (No flange gaskets required)
- ANSI B16.5 Class 150 Flange Pattern
- 7-Position Locking Polypropylene Handle with position indicator for throttling.
- Lever features a lockout hole.
- Pressure rating: 150 PSI non-shock water @ 73°F
- 100% Bubble tight seal



BUTTERFLY VALVE BOLT KITS

Product No.	Model No.	Valve Description
Galvanized		
LAS-56-3124	V30BFGK	2" - 3" Valve Size Bolt Kit
LAS-56-3125	V40BFGK	4" Valve Size Bolt Kit
LAS-56-3126	V60BFGK	6" Valve Size Bolt Kit
LAS-56-3127	V80BFGK	8" Valve Size Bolt Kit
LAS-56-3128	V100BFGK	10" Valve Size Bolt Kit
LAS-56-3129	V120BFGK	12" Valve Size Bolt Kit
Zinc Plated		
LAS-56-3130	V30BFKZ	2" - 3" Valve Size Bolt Kit
LAS-56-3131	V40BFKZ	4" Valve Size Bolt Kit
LAS-56-3132	V60BFKZ	6" Valve Size Bolt Kit
LAS-56-3133	V80BFKZ	8" Valve Size Bolt Kit
LAS-56-3134	V100BFKZ	10" Valve Size Bolt Kit
LAS-56-3135	V120BFKZ	12" Valve Size Bolt Kit
304 Stainless Steel		
LAS-56-3136	V30BFKS	2" - 3" Valve Size Bolt Kit SS
LAS-56-3137	V40BFKS	4" Valve Size Bolt Kit SS
LAS-56-3138	V60BFKS	6" Valve Size Bolt Kit SS
LAS-56-3139	V80BFKS	8" Valve Size Bolt Kit SS
LAS-56-3140	V100BFKS	10" Valve Size Bolt Kit SS
LAS-56-3141	V120BFKS	12" Valve Size Bolt Kit SS

Bolts, washers, and nuts sized to accommodate Colonial Plastic Butterfly valves and two PVC or CPVC flanges. Gaskets are not required when using Colonial Butterfly Valves.



LASCO CONTRACTOR COMBO KIT

Includes PVC butterfly valve, 2 PVC van-stone flanges, and bolt kit (zinc or 304ss). For more info, call your local sales center.



Contractor Kit



Product No.	Model No.	Valve Size	Metal Type
Red Plastic Handle (411 Industrial Series)			
LAS-56-3100	KIT20411G	2" Kit	Galvanized
LAS-56-3101	KIT20411Z	2" Kit	Zinc
LAS-56-3102	KIT20411S	2" Kit	Stainless Steel
LAS-56-3103	KIT30411G	3" Kit	Galvanized
LAS-56-3104	KIT30411Z	3" Kit	Zinc
LAS-56-3105	KIT30411S	3" Kit	Stainless Steel
LAS-56-3106	KIT40411G	4" Kit	Galvanized
LAS-56-3107	KIT40411Z	4" Kit	Zinc
LAS-56-3108	KIT40411S	4" Kit	Stainless Steel
LAS-56-3109	KIT60411G	6" Kit	Galvanized
LAS-56-3110	KIT60411Z	6" Kit	Zinc
LAS-56-3111	KIT60411S	6" Kit	Stainless Steel
LAS-56-3112	KIT80411G	8" Kit	Galvanized
LAS-56-3113	KIT80411Z	8" Kit	Zinc
LAS-56-3114	KIT80411S	8" Kit	Stainless Steel
Metal Handle (311 Series)			
LAS-56-3115	KIT30311G	3" Kit	Galvanized
LAS-56-3116	KIT30311Z	3" Kit	Zinc
LAS-56-3117	KIT30311S	3" Kit	Stainless Steel
LAS-56-3118	KIT40311G	4" Kit	Galvanized
LAS-56-3119	KIT40311Z	4" Kit	Zinc
LAS-56-3120	KIT40311S	4" Kit	Stainless Steel
LAS-56-3121	KIT60311G	6" Kit	Galvanized
LAS-56-3122	KIT60311Z	6" Kit	Zinc
LAS-56-3123	KIT60311S	6" Kit	Stainless Steel
Blue Plastic Handle (711 Commercial Series)			
LAS-56-3142	KIT30711G	3" Kit	Galvanized
LAS-56-3144	KIT30711Z	3" Kit	Zinc
LAS-56-3143	KIT30711S	3" Kit	Stainless Steel
LAS-56-3145	KIT40711G	4" Kit	Galvanized
LAS-56-3147	KIT40711Z	4" Kit	Zinc
LAS-56-3146	KIT40711S	4" Kit	Stainless Steel
LAS-56-3148	KIT60711G	6" Kit	Galvanized
LAS-56-3150	KIT60711Z	6" Kit	Zinc
LAS-56-3149	KIT60711S	6" Kit	Stainless Steel
LAS-56-3151	KIT80711G	8" Kit	Galvanized
LAS-56-3153	KIT80711Z	8" Kit	Zinc
LAS-56-3152	KIT80711S	8" Kit	Stainless Steel

LASCO COLONIAL TRUE UNION PVC BALL VALVES

Product No.	Model No.	Valve Size Description
050N Series PTFE Seat & EPDM O-Rings		
LAS-56-0940	V07050N	1/2" True Union Gray PVC Ball Valve
LAS-56-0941	V08050N	3/4" True Union Gray PVC Ball Valve
LAS-56-0942	V10050N	1" True Union Gray PVC Ball Valve
LAS-56-0943	V17050N	1-1/2" True Union Gray PVC Ball Valve
LAS-56-0944	V20050N	2" True Union Gray PVC Ball Valve
LAS-56-0948	V27050N	2-1/2" True Union Gray PVC Ball Valve
801N Series TPE Seat & EPDM O-Rings		
LAS-56-0959	V17801N	1-1/2" True Union Gray PVC Ball Valve
LAS-56-0960	V20801N	2" True Union Gray PVC Ball Valve
LAS-56-0961	V27801N	2-1/2" True Union Gray PVC Ball Valve
LAS-56-0962	V30801N	3" True Union Gray PVC Ball Valve
LAS-56-0963	V40801N	4" True Union Gray PVC Ball Valve



Lasco True Union

HAYWARD INDUSTRIAL TRUE UNION PVC BALL CHECK VALVES

Hayward TC Series 1/2" to 6" - PVC ball check valves offer true union design making these valves very easy to maintain. TC Series True Union Ball Check Valves prevent reversal of flow in piping systems and operate without the need for any adjustments or settings. Line pressure moves the solid plastic ball off the elastomer seat, opening the valve. When the inlet flow stops, back pressure moves the ball back onto the seat, stopping the flow. Because of their all plastic construction, these valves will never jam or stick as a result of rust or corrosion.



True Union PVC

Product No.	Model No.	Valve Description	Connection Type
TC Industrial Series EPDM Seals (Additional Socket Connections Available for 2-1/2" to 6")			
HIP-56-1052	TC10050STE	1/2" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1053	TC10075STE	3/4" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1054	TC10100STE	1" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1055	TC10125STE	1-1/4" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1056	TC10150STE	1-1/2" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1057	TC10200STE	2" True Union PVC Ball Check Valve	Socket/Threaded
HIP-56-1058	TC1250FE	2-1/2" True Union PVC Ball Check Valve	Flanged
HIP-56-1059	TC1300FE	3" True Union PVC Ball Check Valve	Flanged
HIP-56-1060	TC1400FE	4" True Union PVC Ball Check Valve	Flanged
HIP-56-1061	TC1600FE	6" True Union PVC Ball Check Valve	Flanged

SUPERPRO COMMERCIAL BALL VALVES

Product No.	Model No.	Valve Description	Connection Type
SPG-56-6002	25800-200-000	2" Ball Valve PVC	Socket x Socket
SPG-56-6007	25800-251-000	2-1/2" Ball Valve PVC	Socket x Socket
SPG-56-6005	25800-310-000	3" Ball Valve PVC	Socket x Socket
SPG-56-6006	25800-410-000	4" Ball Valve PVC	Socket x Socket



MER-MADE FIBERGLASS ANSI FLANGED REDUCERS

Product No.	Description	Material
Concentric Style		
*MMF10-COM	4"x2.5" Conc Flanged Reducer	Fiberglass
MMF-56-1010	4"x3" Conc Flanged Reducer	Fiberglass
MMF-56-1011	6"x3" Conc Flanged Reducer	Fiberglass
MMF-56-1012	6"x4" Conc Flanged Reducer	Fiberglass
MMF-56-1013	6"x5" Conc Flanged Reducer	Fiberglass
MMF-56-1014	8"x4" Conc Flanged Reducer	Fiberglass
MMF-56-1015	8"x5" Conc Flanged Reducer	Fiberglass
MMF-56-1016	8"x6" Conc Flanged Reducer	Fiberglass
MMF-56-1017	10"x5" Conc Flanged Reducer	Fiberglass
MMF-56-1018	10"x6" Conc Flanged Reducer	Fiberglass
MMF-56-1019	10"x8" Conc Flanged Reducer	Fiberglass
Eccentric Style		
MMF-56-1020	4"x3" Ecc Flanged Reducer	Fiberglass
MMF-56-1021	6"x3" Ecc Flanged Reducer	Fiberglass
MMF-56-1022	6"x4" Ecc Flanged Reducer	Fiberglass
MMF-56-1023	6"x5" Ecc Flanged Reducer	Fiberglass
MMF-56-1024	8"x4" Ecc Flanged Reducer	Fiberglass
MMF-56-1025	8"x5" Ecc Flanged Reducer	Fiberglass
MMF-56-1026	8"x6" Ecc Flanged Reducer	Fiberglass
MMF-56-1027	10"x5" Ecc Flanged Reducer	Fiberglass
MMF-56-1028	10"x6" Ecc Flanged Reducer	Fiberglass
MMF-56-1029	10"x8" Ecc Flanged Reducer	Fiberglass
Large Concentric/Eccentric Styles		
*MMF56-COM	12"x5" Flanged Reducer	Fiberglass
*MMF56-COM	12"x6" Flanged Reducer	Fiberglass
*MMF56-COM	12"x8" Flanged Reducer	Fiberglass
*MMF56-COM	12"x10" Flanged Reducer	Fiberglass
*MMF56-COM	14"x8" Flanged Reducer	Fiberglass
*MMF56-COM	14"x10" Flanged Reducer	Fiberglass
*MMF56-COM	16"x8" Flanged Reducer	Fiberglass
*MMF56-COM	16"x10" Flanged Reducer	Fiberglass

Concentric or eccentric reducers are used to properly reduce into and out of circulating pumps. Pump connections are usually smaller than the lines coming to and from the pump. Bushings should not be used to accomplish this reduction as they cause excessive pressure loss and water turbulence. MER-MADE reducers are made to two different overall lengths, depending on the reducer size to allow for standardization. Shorter or longer lengths can be made special order to fit a specific situation. The reducers are rated to 50 PSI pressure rating and the flanges are flat face with 150 lb ANSI drilling patterns.



COMMERCIAL POOL FITTINGS

Plumbing suppliers specialize in the production and sale of injection molded fittings for Irrigation, Plumbing, Industrial, Pool/Spa and Retail markets.

From a small backyard oasis to an Olympic Size Pool, plumbing fittings have all sizes, schedules and configurations of Pool/Spa fittings needed. Please inquire for any sizes you may require.

Model No.	Description
Tee	
401-XXX	Tee Slip, Sch 40
801-XXX	Tee Slip, Sch 80
90° Elbow	
406-XXX	Slip 90° ELL, Sch 40
806-XXX	Slip 90° ELL, Sch 80
45° Elbow	
417-XXX	Slip 45° ELL, Sch 40
817-XXX	Slip 45° ELL, Sch 80
Coupling	
429-XXX	Slip Coupling, Sch 40
829-XXX	Slip Coupling, Sch 80
Eccentric Reducer Coupling	
429-XXXFE	Eccentric Reducer Coupling, Sch 40
829-XXXFE	Eccentric Reducer Coupling, Sch 80
Reducer Coupling	
429-XXX	Reducer Coupling, Sch 40
829-XXX	Reducer Coupling, Sch 80
Female Adapter	
435-XXX	Female Adapter, Sch 40
835-XXX	Female Adapter, Sch 80
Reducer Bushing	
437-XXX	Reducer Bushing SPxS, Sch 40
837-XXX	Reducer Bushing SPxS, Sch 80
Male Adapter	
436-XXX	Male Adapter, Sch 40
836-XXX	Male Adapter, Sch 80
Cap	
447-XXX	Slip Cap, Sch 40
847-XXX	Slip Cap, Sch 80
22.5° Elbow	
465-XXX	Slip 22.5° ELL, Sch 40
865-XXX	Slip 22.5° ELL, Sch 80



COMMERCIAL POOL FITTINGS

Model No.	Description
Schedule 80 Loose Ring Flange - Socket	
854-030FT	3" SCH80 Loose Ring Flange - Socket
854-040FT	4" SCH80 Loose Ring Flange - Socket
854-050FT	5" SCH80 Loose Ring Flange - Socket
854-060FT	6" SCH80 Loose Ring Flange - Socket
854-080FT	8" SCH80 Loose Ring Flange - Socket
854-100FT	10" SCH80 Loose Ring Flange - Socket
854-120FT	12" SCH80 Loose Ring Flange - Socket
Schedule 80 Loose Ring Flange - Spigot	
856-030FT	3" SCH80 Loose Ring Flange - Spigot
856-040FT	4" SCH80 Loose Ring Flange - Spigot
856-050FT	5" SCH80 Loose Ring Flange - Spigot
856-060FT	6" SCH80 Loose Ring Flange - Spigot
856-080FT	8" SCH80 Loose Ring Flange - Spigot
856-100FT	10" SCH80 Loose Ring Flange - Spigot
856-120FT	12" SCH80 Loose Ring Flange - Spigot



COMMERCIAL PLUMBING ESSENTIALS

PVC Glues, Solvents, and Cleaners - Additional Sizes available.

Product No.	Model No.	Description
UEL-60-5040	9336S	1 Qt. Primer Clear
UEL-60-5041	9324	1 Gal. Primer Clear
IPS-60-746	13575	1 Qt. Primer Clear
IPS-60-745	13574	1 Gal. Primer Clear
IPS-60-743	13571	1 Qt. Primer Purple
IPS-60-742	13570	1 Gal. Primer Purple
UEL-60-5253	7336S	1 Qt. Cleaner Clear - All Purpose
UEL-60-5266	7324	1 Gal. Cleaner Clear - All Purpose
IPS-60-643	10201	1 Qt. Cleaner Clear - C-65
IPS-60-647	10200	1 Gal. Cleaner Clear - C-65
UEL-60-5157	2336S	1 Qt. Glue Blue - Pool-Tite
UEL-60-5156	2324	1 Gal. Glue Blue - Pool-Tite
IPS-60-1007	10852	1 Qt. Glue Blue MB LVOC - 747
IPS-60-1029	10851	1 Gal. Glue Blue MB LVOC - 747
IPS-60-727	13555	1 Qt. Glue Clear MB LVOC - 744
IPS-60-726	13554	1 Gal. Glue Clear MB LVOC - 744
IPS-56-4108	14108	SuperSwab For 4" - 8" Pipe w/ Replaceable Swab Tip & Reusable Handle. Adjustable Length
IPS-56-4112	14112	SuperSwab Replacement Swab Tips, 24 Per Pack



BLUE WHITE DIGITAL, SCH 40 SADDLE MOUNT - BATTERY OPERATED



Digi-Flo Model F-100RB is a battery operated, Digital Paddle Wheel Flow Meter designed for the Pool and Spa industry that operates on two standard AAA batteries, available for 1-1/2" to 12" pipe sizes with saddle tee fittings that mount directly on new or existing pipe.

Product No.	Model No.	Description
BLU-56-4091	RB-150S4-GPM1	1-1/2" Flow Meter
BLU-56-4092	RB-200S4-GPM1	2" Flow Meter
BLU-56-4094	RB-300S4-GPM1	3" Flow Meter
BLU-56-4095	RB-400S4-GPM1	4" Flow Meter
BLU-56-4096	RB-600S4-GPM1	6" Flow Meter
BLU-56-4097	RB-800S4-GPM1	8" Flow Meter
*BLU56-COM	RB-1000S4-GPM1	10" Flow Meter
*BLU56-COM	RB-1200S4-GPM1	12" Flow Meter

Also available for schedule 80 pipes

BLUE WHITE PITOT TUBE W/ CLAMPS - SPECIFICALLY FOR POOL & SPA APPLICATIONS

Water Ranges: 5 - 1900 GPM

F-300 = Horizontal flow

Acceptable for outdoor installations (direct sunlight okay)

Pitot Tube (impact tube) design makes it easy to install on existing pipe
Included SS clamps



Product No.	Model No.	Description
BLU-56-4047	F-30150PR	1-1/2" Flow Meter Low Flow
BLU-56-4048	F-30200PR	2" Flow Meter Low Flow
BLU-56-4035	F-30150P	1-1/2" Flow Meter
BLU-56-4036	F-30200P	2" Flow Meter
BLU-56-4037	F-30250P	2-1/2" Flow Meter
BLU-56-4038	F-30300P	3" Flow Meter
BLU-56-4039	F-30400P	4" Flow Meter
BLU-56-4046	F-30600P	6" Flow Meter
BLU-56-4049	F-30800P	8" Flow Meter

ROLA CHEM VERTICAL SERIES

Product No.	Model No.	Description
Clamp-On Vertical Pipe Flow Meters - Greatly Reduces Mineral Deposits by Allowing Higher Flow Volume		
ROL-56-5040	570341V	1-1/2" PVC Flow Meter
ROL-56-6162	570351V	2" PVC Flow Meter
ROL-56-6173	570361V	2-1/2" PVC Flow Meter
ROL-56-5150	570371V	3" PVC Flow Meter
ROL-56-6176	570381V	4" PVC Flow Meter
ROL-56-6179	570391V	6" PVC Flow Meter
*ROL-COM	570401V	8" PVC Flow Meter



H2FLOW CONTROLS

Retro-Fit kits available for existing Jandy and Hayward check valves.

Product No.	Model No.	Description	Size
FlowVis® Flow Meter - Provides a Precise, Easy-to-Read Flow Rate			
EMO-561-1001	FV-C-15	Fully Functional Check Valve w/ Flow Meter	1-1/2" PVC
EMO-561-1000	FV-C	Fully Functional Check Valve w/ Flow Meter	2" x 2-1/2" PVC
EMO-561-1002	FV-C-S	Complete Flowvis w/ Safety Flapper	2" & 2.5 PVC
EMO-561-1004	FV-3	Complete Flowvis Flow Meter w/ Tee 90-220 GPM	3" PVC TEE
EMO-561-1005	FV-4	Complete Flowvis Flow Meter w/ Tee 160-300 GPM	4" PVC TEE



SIGNET

Product No.	Model No.	Description
Flow Monitors packed with Features		
RYN-56-5000	3-5090	Sensor Powered Analog Flow Monitor
RYN-56-5002	3-5000.598	Right Angle Mounting Bracket for Monitor
RYN-56-5003	3-0000.596	Heavy Duty Wall Mount Bracket for Monitor
RYN-56-5001	3-8150-1	Battery Powered Digital Flow Monitor Field Mount
RYN-56-5016	3-8150-1P	Battery Powered Digital Flow Monitor Panel Mount
Rotor-X Paddle Wheel Sensor		
RYN-56-5004	P51530-P0	Rotor-X Paddle Wheel Sensor 0.5" - 4"
RYN-56-5005	P51530-P1	Rotor-X Paddle Wheel Sensor 5" - 8"
RYN-56-5006	P51530-P2	Rotor-X Paddle Wheel Sensor 10" & Up
9900 Smart Pro Transmitter		
RYN-56-5030	3-9900-1	Multi-Parameter Monitor Field Mount
RYN-56-4009	3-8050	Universal Mount Kit - Pipe/Tank/Wall
*RYN-COM	3-8051	Flow Sensor Integral Mount Kit - mounts directly onto the sensors for field installations.
2551 Magmeter - Insertion Style Magnetic Flow Sensor		
RYN-56-5031	3-2551-P0-11	0.5" - 4" Flow Sensor Frequency
RYN-56-5032	3-2551-P1-11	5" - 8" Flow Sensor Frequency
RYN-56-5033	3-2551-P2-11	10" - 12" Flow Sensor Frequency
Power Supply		
RYN-56-5038	7310-1024	Switching Power Supply 24v / 7.5 Watt 0.42A
Saddle Tee Fittings for Flow Sensor Installation		
RYN-56-5007	PV8T015F	1-1/2" Sch. 80 PVC Saddle Tee
RYN-56-5008	PV8S020	2" Sch. 80 PVC Saddle Tee
RYN-56-5009	PV8S025	2-1/2" Sch. 80 PVC Saddle Tee
RYN-56-5010	PV8S030	3" Sch. 80 PVC Saddle Tee
RYN-56-5011	PV8S040	4" Sch. 80 PVC Saddle Tee
RYN-56-5012	PV8S060	6" Sch. 80 PVC Saddle Tee
RYN-56-5013	PV8S080	8" Sch. 80 PVC Saddle Tee
*RYN-COM	PV8S100	10" Sch. 80 PVC Saddle Tee
RYN-56-5015	PV8S120	12" Sch. 80 PVC Saddle Tee
RYN-56-5014	IR8S100	10" Iron Saddle Tee
*RYN-COM	IR8S120	12" Iron Saddle Tee

Full Line of Signet Flow Monitors & Accessories Available



RYN-56-5000



RYN-56-5030




RYN-58-5007


PENTAIR C-SERIES BRONZE PUMPS WITH TRAP

- Large commercial pump with s/s basket
- Easy serviceability
- All-bronze construction for strength and durability
- 6 in. suction and 4 in. discharge for maximum capabilities
- Heavy-gauge stainless steel strainer basket with an open area 5 times the area of the suction port
- Closed impeller for longer motor bearing life
- Heat-resistant seal capable of operation at up to 150°
- 200-208V 1-Phase & 3-Phase Also Available

Product No.	Model No.	HP	Phase	Voltage	Description
Bronze End Suction Main Circulation Pump with Integral Hair & Lint Strainer and Stainless Steel Basket. 6" suctions x 4" discharge - flanged connections. NSF Listed as Non-Self Priming					
PUR-10-385	011651	5 HP	1	230v	Medium Head Pump
PUR-10-7917	347917	7.5 HP	1	230v	Medium Head Pump
PUR-10-355	011656	5 HP	1	230v	High Head Pump
PUR-10-200	347916	7.5 HP	1	230v	High Head Pump
PUR-10-384	011652	5 HP	3	230/460v	Medium Head Pump
PUR-10-386	011653	7.5 HP	3	230/460v	Medium Head Pump
PUR-10-419	011654	10 HP	3	230/460v	Medium Head Pump
PUR-10-1655	011655	15 HP	3	230/460v	Medium Head Pump
PUR-10-357	011657	5 HP	3	230/460v	High Head Pump
PUR-10-393	011658	7.5 HP	3	230/460v	High Head Pump
PUR-10-359	011659	10 HP	3	230/460v	High Head Pump
PUR-10-360	011660	15 HP	3	230/460v	High Head Pump
PUR-10-1661	011661	20 HP	3	230/460v	High Head Pump



PENTAIR EQ SERIES COMMERCIAL PLASTIC PUMP



Commercial Plastic pump built specifically for commercial and large residential pools. Pump features extraordinary electrical and hydraulic efficiency that pays premiums in low electrical costs, less wear and tear on critical moving parts, and quiet operation.

Product No.	Model No.	HP	Description
Built Specifically for Commercial and Large Residential Pool. 6" suctions x 4" discharge - flanged connections. NSF Listed			
PAC-10-0030	340030	5 HP	1 PH Pump w/ Strainer Pot
PAC-10-0032	340032	7-1/2 HP	1 PH Pump w/ Strainer Pot
PAC-10-0031	340031	5 HP	3 PH Pump w/ Strainer Pot
PAC-10-0033	340033	7-1/2 HP	3 PH Pump w/ Strainer Pot
PAC-10-0034	340034	10 HP	3 PH Pump w/ Strainer Pot
PAC-10-0035	340035	15 HP	3 PH Pump w/ Strainer Pot
Totally Enclosed Fan Cooled (TEFC) EQ Series Pumps			
PAC-10-0604	340604	5HP	3PH Pump EQKT500 w/ Strainer Pot
PAC-10-0605	340605	7.5HP	3PH Pump EQKT750 w/ Strainer Pot
PAC-10-0606	340606	10 HP	3PH Pump EQKT1000 w/ Strainer Pot
PAC-10-0607	340607	15 HP	3PH Pump EQKT1500 w/ Strainer Pot
Nema Rated Premium Efficiency Waterfall Pump - 1750 RPM. NSF Listed			
PAC-10-0026	340026	3 HP	1 PH Pump w/ Strainer Pot
PAC-10-0028	340028	5 HP	1 PH Pump w/ Strainer Pot
PAC-10-0027	340027	3 HP	3 PH Pump w/ Strainer Pot
PAC-10-0029	340029	5 HP	3 PH Pump w/ Strainer Pot




STA-RITE CSP / CCSP SERIES CAST IRON PUMPS


Especially designed for commercial and public swimming pools and spas, aquatic facilities, water parks and fountain applications where high performance and self-priming are required. Pump has enclosed bronze impeller and standard 6 in. x 4 in. A.N.S.I. rated flange connections.

The pump strainer (order separately) has capacity of 1,100 cubic inches. Both pump and strainer can be ordered with optional epoxy coated castings to provide additional performance and corrosion resistance.

Product No.	Model No.	HP	Phase	Voltage
Option: Also available with or without Epoxy Coatings. Strainer not Included. 6" suction x 4" discharge - flanged connections. NSF Listed				
STA-10-425	CSPHK-142	7.5 HP	1 PH	230v Pump
STA-10-411	CSPHL-143	10 HP	1 PH	230v Pump
STA-10-390	CSPHK3-142	7.5 HP	3 PH	208-230/460v
*STA10-COM	CSPH2K3-142	7.5 HP	3 PH	200v Pump
STA-10-422	CSPHL3-143	10 HP	3 PH	208-230/460v
*STA10-COM	CSPH2L3-143	10 HP	3 PH	200v Pump
STA-10-423	CSPHM3-144	15 HP	3 PH	208-230/460v
*STA10-COM	CSPH2M3-144	15 HP	3 PH	200v Pump
STA-10-424	CSPHN3-145	20 HP	3 PH	208-230/460v
STA-10-437	CSPH2N3-145	20 HP	3 PH	200v Pump
Epoxy-Coated Models				
STA-10-429	CCSPHK-142	7.5 HP	1 PH	230v Pump
*STA10-COM	CCSPHL-143	10 HP	1 PH	230v Pump
STA-10-433	CCSPHK3-142	7.5 HP	3 PH	208-230/460v
*STA10-COM	CCSPHL3-143	10 HP	3 PH	208-230/460v
STA-10-432	CCSPHM3-144	15 HP	3 PH	208-230/460v
STA-10-436	CCSPHN3-145	20 HP	3 PH	208-230/460v
Cast Iron Flanged Strainer				
STA-10-391	PKG-184	Cast Iron Flanged Strainer for CSP/CCSP Pumps		
STA-10-428	PKG-184C	Cast Iron Flanged Strainer (Epoxy Coated)		




HAYWARD HCP SERIES PUMPS



Hayward Commercial HCP self-priming pumps provide a technologically advanced alternative to traditional bronze or cast iron pumps. Their lightweight, Noryl thermoplastic housings make one-man installation easy. The all-plastic housing construction and modern TEFC motor design afford a high level of protection and reliability in the commercial pump room environment. A transparent cover lid with tool-free opening mechanism allows visual inspection of the strainer basket, simplifying maintenance. Four pumps in the Hayward Commercial Series, ranging from 5.5 to 12.5 hp, allow right-sizing for most high-flow, medium head applications.

Product No.	Model No.	HP	Phase	Voltage
Suitable for Commercial Pools. Spas and Water Features. NSF Listed				
CHT-10-1000	HCP55	5.5 HP	3 PH	230/460v Pump
CHT-10-1001	HCP75	7.5 HP	3 PH	230/460v Pump
CHT-10-1002	HCP100	10 HP	3 PH	230/460v Pump
CHT-10-1003	HCP125	12.5 HP	3 PH	230/460v Pump

SPECK MODEL 95 SERIES PUMPS




The Speck Model 95 is setting new standards with many firsts in the Industry. Look for the largest one-piece plastic casing design with integrated strainer basket, easy on/off two-piece lid, and 4" quick disconnect unions. These features combined with our unique impeller and heavy-duty mechanical seal result in a medium head pump with the "highest flow" of any one-piece plastic pump on the market today. This pump is ideally suited for high rate sand filter applications as well as water features. Speck's high quality continues in the Model 95 with positive advances to benefit the consumer and the environment. The Model 95 is available with a 5 HP, 230-volt, single phase TEFC motor or 5 and 7 HP, 208-230/460-volt three phase TEFC motors.

Product No.	Model No.	HP	Phase	Voltage
Ideally Suited for High Rate Sand Filter Applications 1-Piece Plastic Casing Design Medium Head - NSF Listed				
SPK-10-3121	95-IX	5 HP	1 PH	208-230v Pump
SPK-10-3118	95-IX	5 HP	3 PH	208-230/460v Pump
SPK-10-3120	95-X	7.5 HP	3 PH	208-230/460v Pump

ITT MARLOW 3B-SERIES CAST IRON PUMPS WITH TRAP


Self-priming cast iron pumps with threaded 4" suction and 3" discharge. Includes hair and lint strainer with stainless steel basket. 3450 RPM motors available with either 230 volt single phase or 208-230/460 volt three phase models.



Product No.	Model No.	HP	Phase	Voltage
Includes Hair & Lint Strainer with Stainless Steel Basket. 4" suction and 3" discharge - NSF Listed				
MLW-10-350	1CA034	5 HP	1 PH	230v Pump
MLW-10-300	1CA001	5 HP	3 PH	230/460v Pump
MLW-10-351	1CA027	7.5 HP	1 PH	230v Pump
MLW-10-301	1CA002	7.5 HP	3 PH	230/460v Pump

WHISPERFLO XF HIGH PERFORMANCE PUMPS


- Drop-in replacement for all WhisperFlo® pump models. Simple replacement for Challenger® pumps.
- Hydraulic isolator separates priming water from pumping water for faster priming, more turbulent-free flow and increased efficiency.
- Dual-compartment motor for simplified field wiring.
- Union connectors included for connecting directly to 2.5" or 3" plumbing.
- Diamond seals made of oxidation-resistant, selfretaining EPDM rubber for increased durability and tighter seal.



Product No.	Model No.	HP	Phases	Voltage
For Smaller Commercial Applications				
PUR-10-2018	022018	3 HP	1 PH	208-230 / 460v
PUR-10-2019	022019	5 HP	1 PH	208-230 / 460v
PUR-10-3030	022030	3 HP	3 PH	208-230 / 460v
PUR-10-2031	022031	5 HP	3 PH	208-230 / 460v

INTELLIFLO XF VARIABLE SPEED

IntelliFlo XF pump combines the superior internal geometry of the Pentair new generation XF pumps with the superior energy-savings technology of the IntelliFlo Variable Speed Pump to create the most energy-efficient, economical, powerful, quiet and dependable pump ever. Features an innovative hydraulic isolator that creates faster priming and turbulence-free flow for increased efficiency. It's TEFC design keeps the motor properly shielded from the elements.



Product No.	Model No.	HP	Phases	Voltage
IntelliFlo XF Ultra Energy Efficient Variable Speed Pump				
PUR-10-2005	022005	3 HP	Multi	230

END SUCTION PUMPS

ITT MARLOW 530SC SERIES PUMPS

Centrifugal pumps are cast iron, bronze fitted and close coupled to open drip proof, 1750 RPM, 1 & 3 Phase, 60 HZ motors. Available 1.5 to 10 HP with 230V, 1 Phase motors and 3/4 to 50 HP with 208/230-460V, 3 Phase motors. Optional TEFC motors and epoxy coatings are available. NSF approved models available.

Use Product No. *MLW-COM



AURORA 340 SERIES PUMPS

Single stage, end suction centrifugal pumps with flow rates up to 2,500 gpm. Cast iron bronze fitted construction. Bronze impellers are vacuum cast, dynamically balanced and key locked to the shaft. Available with Open Drip Proof (ODP) or Totally Enclosed Fan Cooled (TEFC) motors. NSF approved models available. For more info call your local sales center.

Use Product No. *PUR10-COM

PACO LC & LCV SERIES PUMPS

Close coupled, single stage, end suction centrifugal pump. The PACO Close Coupled design features a short shaft for minimum overhang and minimum shaft deflection. Available in sizes with flow rates up to 4,000 GPM and motors up to 125 HP. All models may be mounted vertically or horizontally, with discharge connections available in several positions. NSF approved models available.

Use Product No. *PUR10-COM



SPA BLOWERS

AMETEK ROTRON

Product No.	Model No.	Description
EGG-85-8115	DR404AL72M 037406	Blower Comm 1 HP 3PH 230/460V
EGG-85-8106	DR404AQ58M 037778	Blower Comm 1 HP 1PH 115/230V
EGG-85-8104	DR454R72M 080480	Blower Comm 1.5HP 3PH 230/460V
EGG-85-8102	DR454V58M 080485	Blower Comm 1.5HP 1PH 115/230V
EGG-85-8103	DR505AS72M 037543	Blower Comm 2HP 3PH 230/460V
EGG-85-8100	DR505AW58M 037935	Blower Comm 2HP 1PH 115/230V
EGG-56-8103	271949	Pressure Gauge
EGG-56-8100	515092	Relief Valve
EGG-851-0888	550888	Intake Muffler (Fits Series 404/454/505/513)



FUJI ELECTRIC CORP OF AMERICA

Product No.	Model No.	Description
FEC-85-1002	VFC400A-7W	Blower Comm 1 HP 3PH 200-230/460V
FEC-85-1000	VFC400P-5T	Blower Comm 1 HP 1PH 115/230V
FEC-85-1004	VFC500A-7W	Blower Comm 2.5 HP 3PH 200-230/460V
FEC-85-1003	VFC508P-2T	Blower Comm 2.5 HP 1PH 115/230V
FEC-851-1000	VFY-024A	Intake Muffler



MUELLER STEAM SPECIALTIES CAST IRON FLANGED IN-LINE STRAINERS (155M SERIES) WITH SS BASKET

Product No.	Model No.	Description
Available up to 16"		
*MSS-COM	3-155M	3" Strainer
MSS-10-0004	4-155M	4" Strainer
*MSS-COM	5-155M	5" Strainer
MSS-10-0006	6-155M	6" Strainer
MSS-10-0008	8-155M	8" Strainer
*MSS-COM	10-155M	10" Strainer
*MSS-COM	12-155M	12" Strainer

The 155M cast iron strainers are made with ANSI flanged connections and have a cast iron clamped cover design for easy strainer basket removal. Flanged sizes are available from 2" - 16". The strainer baskets are made from heavy gauge perforated stainless steel, reinforced in the larger sizes.



EATON CAST IRON FLANGED IN-LINE STRAINERS WITH SS BASKET

Is a high quality, low cost, cast iron basket strainer - perfect for cost sensitive applications. The 30R is available 1-1/2" - 3" NPT thread or 1-1/2" - 8" 125 lb. flanged designs. 1-1/2" - 3" strainers are supplied with 1/16" perforation stainless steel baskets. The 4" - 8" strainer baskets will have 1/8" perforations.



Product No.	Model No.	Description
RYN-10-1000	ST30R015	1-1/2" NPT Strainer
RYN-10-1001	ST30R020	2" NPT Strainer
RYN-10-1002	ST30R025	2-1/2" NPT Strainer
RYN-10-1003	ST30R030	3" NPT Strainer
RYN-10-1004	ST30R040	4" NPT Strainer
RYN-10-1005	ST30R060	6" NPT Strainer
RYN-10-1006	ST30R080	8" NPT Strainer

HAYWARD SIMPLEX PVC STRAINERS WITH BASKET

Product No.	Model No.	PVC Strainer Size	Connection	Perforation Size
EPDM Seals and True Union Connections. 150 PSI Pressure Rating				
HIP-10-1030	SB1100STE1-32	1"	SOCxThreaded	1/32"
HIP-10-1000	SB1150STE1-8	1-1/2"	SOCxThreaded	1/8"
HIP-10-1001	SB1200STE1-8	2"	SOCxThreaded	1/8"
HIP-10-1002	SB1250TE1-8	2-1/2"	Threaded	1/8"
HIP-10-1003	SB1250SE1-8	2-1/2"	SOC	1/8"
HIP-10-1004	SB1300TE1-8	3"	Threaded	1/8"
HIP-10-1005	SB1300SE1-8	3"	SOC	1/8"
HIP-10-1006	SB1400TE1-8	4"	Threaded	1/8"
HIP-10-1007	SB1400SE1-8	4"	SOC	1/8"
HIP-10-1008	SB1600FTE1-8	6"	Flanged	1/8"
HIP-10-1009	SB1800FTE1-8	8"	Flanged	1/8"

PVC All Plastic Simplex Basket Strainers offer easy basket cleaning with a hand-removable, spin-off cover that features two angled handles for easy access to the strainer basket. A wide range of plastic baskets in perforation sizes from 1/32" to 3/16" are available. Stainless steel perforated baskets are available from 1/2" to 1/32". Mesh stainless steel baskets also available.



MER-MADE FIBERGLASS STRAINERS (TYPE FO) WITH SS BASKET

Product No.	Model No.	Description
MMF-10-1020	4"-FO-SS	4" Flanged In-Line Strainer
MMF-10-1021	6"-FO-SS	6" Flanged In-Line Strainer
MMF-10-1022	8"-FO-SS	8" Flanged In-Line Strainer
MMF-10-1023	10"-FO-SS	10" Flanged In-Line Strainer
MMF-10-1024	12"-FO-SS	12" Flanged In-Line Strainer
MMF-10-1000	4" x 3"-FO-ER-SS	4"x3" Eccentric Reducing Strainer
*MMF10-COM	6" x 3"-FO-ER-SS	6"x3" Eccentric Reducing Strainer
MMF-10-1001	6" x 4"-FO-ER-SS	6"x4" Eccentric Reducing Strainer
MMF-10-1002	6" x 5"-FO-ER-SS	6"x5" Eccentric Reducing Strainer
MMF-10-1003	8" x 4"-FO-ER-SS	8"x4" Eccentric Reducing Strainer
MMF-10-1004	8" x 5"-FO-ER-SS	8"x5" Eccentric Reducing Strainer
MMF-10-1005	8" x 6"-FO-ER-SS	8"x6" Eccentric Reducing Strainer
*MMF10-COM	10" x 5"-FO-ER-SS	10"x5" Eccentric Reducing Strainer
MMF-10-1006	10" x 6"-FO-ER-SS	10"x6" Eccentric Reducing Strainer
MMF-10-1007	10" x 8"-FO-ER-SS	10"x8" Eccentric Reducing Strainer
MMF-10-1008	12" x 6"-FO-ER-SS	12"x6" Eccentric Reducing Strainer
MMF-10-1009	12" x 8"-FO-ER-SS	12"x8" Eccentric Reducing Strainer
MMF-10-1010	12" x 10"-FO-ER-SS	12"x10" Eccentric Reducing Strainer
*MMF10-COM	14" x 6"-FO-ER-SS	14"x6" Eccentric Reducing Strainer
*MMF10-COM	14" x 8"-FO-ER-SS	14"x8" Eccentric Reducing Strainer
*MMF10-COM	14" x 10"-FO-ER-SS	14"x10" Eccentric Reducing Strainer
*MMF10-COM	16" x 8"-FO-ER-SS	16"x8" Eccentric Reducing Strainer
*MMF10-COM	16" x 10"-FO-ER-SS	16"x10" Eccentric Reducing Strainer

Mer-Made full outlet "FO" strainers are built with a large outlet area in the basket for lower losses and increased time between cleaning. Strainer Housings are schedule fiberglass reinforced plastic construction, pressure tested to 50 PSI. Strainers are available in standard 150 Lb. ANSI flange sizes up to 20" and also available with eccentric or concentric reduced sizes to 16" for flow rates over 5000 GPM.



NEPTUNE BENSON GUARDIAN FIBERGLASS STRAINERS

Includes 1" thick transparent acrylic lid, easy opening securing assemblies, full face 1/8" thick sealing gasket, drain, auxiliary gauge connection, ss basket. Fiberglass reducer strainers and Stainless Steel straight and reducer strainers are also available.



Product No.	Model No.	Description
*NEP10-COM	1500NBFG03R1	3" Fiberglass Flanged Strainer
NEP-56-3047	1500NBFG04R1	4" Fiberglass Flanged Strainer
NEP-56-3048	1500NBFG06R1	6" Fiberglass Flanged Strainer
NEP-56-3049	1500NBFG08R1	8" Fiberglass Flanged Strainer
*NEP10-COM	1500NBFG10R1	10" Fiberglass Flanged Strainer w/ Cover Brace
*NEP10-COM	1500NBFG12R1	12" Fiberglass Flanged Strainer w/ Cover Brace
*NEP10-COM	1500NBFG14R1	14" Fiberglass Flanged Strainer w/ Cover Brace
*NEP10-COM	1500NBFG16R1	16" Fiberglass Flanged Strainer w/ Cover Brace

FLUIDTROL PROCESS TECHNOLOGIES

Aquatic Series strainers are made from composite laminate construction of corrosion resistant PVC combined with the mechanical strength of fiberglass. Also available are their stainless steel strainers which are welded from SCH 10 304 SS and have the same design and features as the fiberglass/PVC strainers. A wide variety of models and configurations are available in sizes ranging from 3" to 14" and with concentric or eccentric reducers from 4" x 3" to 14" x 12".



Product No.	Model No.	Description
Corrosion Resistant PVC combined with the Mechanical Strength of Fiberglass. Also available in Stainless Steel.		
FTP-10-0000	SWM116103031	3" SWM Flanged FRP/PVC Strainer
FTP-10-0001	SWM116104031	4" SWM Flanged FRP/PVC Strainer
FTP-10-0002	SWM116105031	5" SWM Flanged FRP/PVC Strainer
FTP-10-0003	SWM116106031	6" SWM Flanged FRP/PVC Strainer
FTP-10-0004	SWM116108031	8" SWM Flanged FRP/PVC Strainer
FTP-10-0005	SWM116110031	10" SWM Flanged FRP/PVC Strainer
FTP-10-0006	SWM116112031	12" SWM Flanged FRP/PVC Strainer
FTP-10-0007	SWM116114031	14" SWM Flanged FRP/PVC Strainer
FTP-10-0008	RSWM116104331	4"x3" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0009	RSWM116105431	5"x4" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0010	RSWM116106331	6"x3" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0011	RSWM116106431	6"x4" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0012	RSWM116106531	6"x5" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0013	RSWM116108331	8"x3" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0014	RSWM116108431	8"x4" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0015	RSWM116108531	8"x5" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0016	RSWM116108631	8"x6" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0017	RSWM116110531	10"x5" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0018	RSWM116110631	10"x6" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0019	RSWM116110831	10"x8" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0020	RSWM116112631	12"x6" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0021	RSWM116112831	12"x8" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0022	RSWM1161121031	12"x10" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0023	RSWM116114631	14"x6" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0024	RSWM116114831	14"x8" RSWM Flanged RFRP/PVC ECC Red
FTP-10-0025	RSWM1161141031	14"x10" RSWM Flanged RFRP/PVC ECC Red

VARIABLE FREQUENCY DRIVES

Pentair Acu Drive™ XS



Pentair Acu Drive™ XS offers built-in intelligence for increased performance in all aquatic pump applications. Standard features include high efficiency up to 98%, automatic energy optimization, and flow compensation of set-point. **Consult your local Sales Center for the Product Numbers for 5 HP - 20 HP controls. Larger models are available.**

Vacon VFD

Vacon VFDs come available in NEMA 4X or NEMA 12 model. Do not require a factory technician to be commissioned. Features guided Start-Up, which simplifies initial programming. Motor and Drive are protected against voltage spikes, phase imbalance and power surges. Real time clock feature. Efficiency ratings greater than 98%. Smooth motor acceleration/deceleration. Overload trip protection. **Consult your local Sales Center for the Product Numbers for 5 HP - 25 HP controls. Larger models are available.**



IPS CONTROLLERS

Product No.	Model No.	Description
ISI-45-1000	IPS-M920	Dual ORP & pH Controller w/ Remote Access On Std 16x12" Brd
*ISI-COM	IPS-M920L	Dual ORP & pH Controller w/ Remote Access On Std 24x19" Brd
ISI-45-1001	IPS-M820	Dual ORP & pH Controller On Std 16x12" Board
ISI-45-1002	IPS-M820L	Dual ORP & pH Controller On Lg 24x19" Board
ISI-45-1003	IPS-M790	ORP & pH Controller On Std 16x12" Board
ISI-45-1004	IPS-M790L	ORP & pH Controller On Lg 24x19" Board
ISI-45-1005	IPS-M770	pH Controller On Std 16x12" Board
ISI-45-1006	IPS-M770L	pH Controller On Lg 24x19" Board
ISI-451-1000	SXORP	ORP Sensor Std Platinum Tip
ISI-451-1001	SXORP-G	ORP Sensor Gold Tip For Salt Pools
ISI-451-1002	SXPH	pH Sensor



ROLA-CHEM DIGITAL ORP & PH CONTROLLER

Easy to read, sun bright LED display, Compact package (approx. 7" x 3" x 3"), Manufactured in the USA

Product No.	Model No.	Description
ROL-45-912	554000	Programmable Controller w/ Heavy Duty Sensor Probes Machined Acrylic Sensor
*ROL45-COM	MANIFOLD	Safety Flow Switch Manifold Tubing and Fittings
ROL -45-914	550135	Replacement Heavy Duty pH Sensor Probe
ROL-45-915	550136	Replacement Heavy Duty ORP Sensor Probe



ROLA-CHEM READY-TO-MOUNT CONTROLLER SYSTEMS

Product No.	Model No.	Description
Digital pH/Dual ORP System		
ROL-45-4320	554320	With (2) 38 GPD Feed Pumps
pH Liquid Acid/ORP Liquid Chlorine System		
ROL-45-920	554107	With (2) 38 GPD Feed Pumps
ROL-45-4118	554118	With (1) 38 GPD & (1) 12 GPD Feed Pumps
ROL-45-4119	554119	With (2) 1 GPD Feed Pumps - Spa
ROL-45-4120	554120	With (2) 12 GPD Feed Pumps
pH/ORP Erosion Feeder System		
ROL-45-917	554222	With (1) 12 GPD Feed Pump & 120V Solenoid Valve Kit
pH/ORP Salt Generator System		
ROL-45-918	554223	With (1) 12 GPD Feed Pump
pH Only Liquid Acid System		
ROL-45-921	554217	With (1) 38 GPD Feed Pump



CHEMTROL DIGITAL ORP/PH CONTROL SYSTEMS

The Chemtrol controller incorporates all the monitoring, control and communication functions into a single integrated command center designed around a powerful microprocessor. The integrated Main Screen display enables the operator to supervise all the process functions at a glance and to quickly respond to any changing condition. The Chemtrol controller operates like a computer with full-screen displays and direct access to all menus and submenus. The front panel keypad is used to move up and down each menu and enter or exit the submenus. All operating functions can be easily modified from the keypad, including sensor calibration, control setpoints, alarm levels and the programs for superchlorination, sequential backwashing, chemical saving and energy saving.

Product No.	Model No.	Description
SBC-45-1990	CH230	CH230 ORP Controller w/ Sensor & Safety Flow Switch
*SBC-COM	CH240	CH240 pH Controller w/ Sensor & Safety Flow Switch
SBC-45-2000	CH250	CH250 ORP/pH Controller w/ Sensor & Safety Flow Switch
SBC-45-2001	CH255	CH255 Free Chlorine PPM Controller w/ pH Sensor & PPM Sensor Flow Cell & Safety Flow Switch
*SBC-COM	CH265	CH265 Free Chlorine PPM Controller w/ pH Sensor & PPM Sensor Flow Cell. Incl: 4-20 mA PC Board & Safety Flow Switch.
SBC-451-1010	FCAPW-FS	ORP/pH Flow Cell Assembly w/ Safety Flow-Switch
*SBC-COM	PTS050	PORTABLE TESTER/SIMULATOR for ORP/pH/TDS/Temp

CHEMTROL PROGRAMMABLE CONTROL SYSTEMS

*SBC-COM	PC2100	PC2100 Programmable ORP/Ph Controller w/ Sensors, Flow-Cell Assembly & Safety Flow-Switch
SBC-45-2003	PC3000	PC3000 Programmable ORP/Ph Controller w/ Sensors, Flow-Cell Assembly & Safety Flow-Switch
*SBC-COM	PC6000	PC6000 Integrated Controller w/ ORP/Ph Sensors, Conductivity/TDS Sensor, Temp Sensor, Pressure Sensors, Water Level Sensor; Flow Sensor W/ Saddle Tee, Flow-Cell Assembly & Safety Flow-Switch
*SBC-COM	PPM010/PC	PPM010/PC Complete PPM Upgrade Package for PC2100, PC3000 and PC6000 controllers. Incl: Free Chlorine PPM Sensor, PC Board, Software, Flow-Cell, Tubing & Fittings
SBC-45-2004	PC5000	PC5000 Programmable ORP/Ph Controller w/ Free Chlorine PPM Sensor, Dual Flow-Cell Assemblies & Safety Flow-Switch
*SBC-COM	PC7000	PC7000 Integrated Controller w/ ORP/Ph Sensors, Free Chlorine PPM Sensor, Conductivity/TDS Sensor, Temp Sensor, Pressure Sensors, Water Level Sensor; Flow Sensor W/ Saddle Tee, Dual Flow-Cell Assemblies & Safety Flow-Switch
*SBC-COM	WEBSERVER	Optional Web Based, External Communication Upgrade. Replaces obsolete PC-REM. Specify Wired or Wireless Internet Connection.

REPLACEMENT SENSORS AND PPM MEMBRANE

*SBC-COM	ORP	Replacement ORP Sensor W/ 10' Cable BNC
*SBC-COM	PH	Replacement pH Sensor W/ 10' Cable BNC
*SBC-COM	PPMMEM1B	Replacement Blue Membrane Cap for Free Chlorine PPM Sensor
*SBC-COM	PPMGEL1B	Replacement PPM Membrane Gel

AQUASOL ORP/PH CONTROLLERS

Product No.	Model No.	Description
ASL-451-445	SPC	ORP & pH Control w/ Sample Flow Cell Electrodes & Fittings
ASL-451-446	WTC	ORP & pH Control w/ Dual Digital displays Sample Flow Cell Electrodes & Fittings
ASL-451-0030	M011	Safety Pressure Switch
ASL-451-0010	S010	Replacement ORP Electrode w/ 10' Cable & BNC Connector
ASL-451-0020	S020	Replacement pH Electrode w/ 10' Cable & BNC Connector



HAYWARD CONTROLLERS

CAT 1000



The CAT 1000® monitors and automatically maintains healthy pH balance, protecting the pool surface and equipment while ensuring bather comfort. CAT Controllers improve water quality and lower costs. Real time data can be viewed, reports generated and alarms received. Four models provide automated pH control, pH and ORP control, wireless, web-based control or global wireless management.

CAT 2000



The CAT 2000® constantly monitors pH and sanitizer activity (chlorine, bromine, even salt systems) and automatically implements chemical feeding in proportion to demand for picture-perfect water quality at all times.

CAT 4000



The CAT 4000® wireless, web-based water chemistry controller provides picture-perfect water quality on site and remote monitoring via PoolComm. You can view water quality data, etc. via email, mobile device, or SMS.

CAT 5000



The CAT 5000® is the world's first wireless, internet-based water quality controller employing both satellite and terrestrial communications to provide worldwide coverage. CAT Controllers improve water quality and lower costs. Real time data can be viewed, reports generated and alarms received. Four models provide automated pH control, pH and ORP control, wireless, web-based control or global wireless management.

Product No.	Model No.	Description
CHT-45-1004	CAT-1000-PH C1000	Cat 1000 Ph Controller
CHT-45-1005	CAT-2000 ORP/PH CONTROLLER	W/O Flow Cell Or Flow Switch
CHT-451-1000	AC075	Flow Cell w Rotary Flow Sensor
CHT-45-1006	CAT-4000-R25 C4000	Cat 4000 Wireless Controller
CHT-45-1008	CAT-PP2000 PP2000	Cat 2000 Professional Pkg
CHT-45-1021	CAT4000075-WIFI CAT 4000 WIFI	Transceiver Mach Flow Cell,Rfs
CHT-45-1023	CAT5000075-WiFi CAT 5000 WIFI	Transceiver Mach Flow Cell,Rfs
Accessories		
CHT-451-1001	DF010	Digital Flow Meter
CHT-451-1002	DF020-2-5 DF020	Saddle Clamp Dig Flow Meter
CHT-451-1003	DF030-3 DF030	Saddle Clamp Dig Flow Meter
CHT-451-1004	LS010	Optical Level Sensor
CHT-451-1005	LS020	Top Mount Tank Level Kit
CHT-451-1006	RA015	Remote Antenna For Cat 4000
CHT-451-1008	WL010	Water Level Control Kit
CHT-451-1009	AC015	110V Brass Body Solenoid Vlv
CHT-451-1010	AC018	110V Ss Body Solenoid Valve
Replacement CAT Controller Sensors		
CHT-451-1011	PRO15-2 PR015	Pro Series 2 Year Ph Sensor
CHT-451-1012	PRO25-2 PR025	Pro Series 2 Year Orp Sensor

HAYWARD CONTROLLERS



HCC2000

Perfect for swimming pools, spas, and water features, the HCC 2000 is a powerful yet affordable microprocessorbased pH and ORP water chemistry controller. The controller features proportional feed to ensure precise water chemistry maintenance, and operates using the Oxidation-Reduction Potential (ORP) method of water analysis to ensure rapid deactivation of such waterborne pathogens as E. coli in swimming pool water.

The HCC 2000 Complete Package provides the ultimate one stop shop experience, one unit pre-configured with everything required to make water chemistry management simple, convenient, and affordable. This package includes the HCC 2000 controller, flow cell, and flow sensor, all now pre-mounted on a PVC backboard with peristaltic feed pumps for pH and chlorine adjustment.

Product No.	Model No.	Description
HAY-30-2000	HCC2000	Water Chemistry Controller Pkg
HAY-30-2001	HCC2000-CP	Controller Pkg W/Premtd
Replacement HCC2000 Sensors		
HAY-451-0015	HCX015	HCC2000 Ph Sensor
HAY-451-0025	HCX025	HCC2000 ORP Sensor Gold

PENTAIR ACU-TROL WATER CHEMISTRY CONTROLLER

The AK110PS Pool and Spa Chemical Controller ("Controller") is a microprocessor based modular automation system capable of continuous local or remote monitoring and control of water chemistry for pool and spa applications. The Controller will maintain the pH and sanitizer levels of your water system automatically. Customized applications are possible with the addition of optional expansion modules.

Product No.	Model No.	Description
ATR-45-1020	701000110 AK110	Programable Chem Controller pH
ATR-45-1023	724000280 AK110RTC	Time Clock Kit 110V
ATR-45-1025	735000020 AK110WME	Wireless Communication Kit
ATR-45-1024	715000090 AKPT-S8	Pigtail Cable 1-Red/1-Blue 8"
ATR-45-1029	715000100 AKPT-S12	Pigtail Cable 1-Red/1-Blue 12"
ATR-45-1030	715000120 AKPT-S18	Pigtail Cable 1-Red/1-Blue 18"



PENTAIR LX8202 EMERGENCY SHUT-OFF SYSTEM

The Compool~ LX820 controller makes it easy and economical to enhance the safety of commercial spas. In the event of an emergency, pushing the mushroom-style button stops all spa equipment. This action shuts off the filter and up to two jet pumps, while sounding an alarm. Pulling the emergency button back out cancels the alarm, and returns the pumps to normal operation.

STANDARD FEATURES

- Filter Pump and Jet Pump #1 Shut-Off.
- Extra large emergency switch.
- LED status indicators
- Optional Jet Pump #2 Shut-Off.
- Low voltage operation for increased safety.
- UL Listed
- One-year limited warranty.

Product No.	Model No.	Description
COM-30-6341	LX8202	Cemergency Shut Off System
COM-301-5413	RLYLX	Jet Pump #2 Relay Kit 20 AMP DPST



EMOTRON PSP20 AUTOMATIC PUMP SHUT OFF SYSTEM

Additional sizes and Remote Horn Option also available.



Product No.	Model No.	Description
EMO-42-2025	PSP20-20-25	SVRS 208/230V 1PH/3PH 0-25 AMP
EMO-42-2050	PSP20-20-50	SVRS 208/230V 1PH/3PH 11-50 AMP
EMO-42-2065	PSP20-20-65	SVRS 208/230V 1PH/3PH 51-65 AMP
EMO-42-4010	PSP20-40-10	SVRS 480V 3PH 0-10 AMP
EMO-42-4025	PSP20-40-25	SVRS 480V 3PH 10-25 AMP
EMO-42-4050	PSP20-40-50	SVRS 480V 3PH 26-50 AMP

VAC ALERT MECHANICAL SUCTION VACUUM RELEASE DEVICE



Product No.	Model No.	Description
VAI-42-100	VA-2000-L	Valve For Self-Priming Pumps
VAI-42-101	VA-2000-S	Valve For Flooded Suction Pumps



LEVELOR ELECTRONIC WATER LEVEL MANAGEMENT SYSTEM

Levolor addresses the concern of lost water with sophisticated electronics that monitor water levels and keep the beautiful aquascape flowing. Our unique electronics compensate for waves, and our exclusive lock-out feature will not overfill the pool. With no moving parts to break or rust, Levolor ensures a reliable flow of water.

Product No.	Model No.	Description
GIP-56-1103	K1100CKA	Level Control System 110/220v w/ 50' Cable & 1" -24V Valve
GIP-56-1104	K1100CKC	Level Control System 110/220v w/ 100' Cable & 1" -24V Valve
GIP-56-1107	K2300CKC	Dual Level Control System 110/220v w/ (2) 100' Cables & (2) 1" -24V Valve
GIP-56-793	K2100CKC	Level Control System w/ Low Level Switch 110/220V w/ 100' Cable & 1" -24V Valve
GIP-56-1108	K2000CKC	Negative Edge Water Level Control System w/ Slip Sensor 1 10/220v w/ 100' Cable & 1" -24V Valve

VACLESS SVRS SYSTEM



Product No.	Model No.	Description
VSI-42-1000	SVRS-10	Vacless Sys Auto - Std
VSI-42-1001	SVRS-10ADJ	Vacless Sys Auto - Adjustable
VSI-42-1002	SVRS-20	Vacless Sys Manual - Std
VSI-42-1003	SVRS-20ADJ	Vacless Sys Manual - Adjustable
VSI-42-1004	SVRS-30	Vacless Sys Electronic - Std
VSI-42-1005	SVRS-30ADJ	Vacless Sys Electronic - Adjustable
VSI-42-1006	SVRS-11	Vacless Sys Auto - Std Offset
VSI-42-1007	SVRS-11ADJ	Vacless Sys Auto - Adjustable Offset
VSI-42-1008	SVRS-21	Vacless Sys Auto - Std Offset
VSI-42-1009	SVRS-21ADJ	Vacless Sys Auto - Adjustable Offset
VSI-42-1010	SVRS-31	Vacless Sys Electronic - Std Offset
VSI-42-1011	SVRS-31ADJ	Vacless Sys Electronic - Adjustable Offset
VSI-42-2001	SVRS-10ADJ-HD	Vacless Sys Auto - Adjustable W/Hd Spring

SALT WATER CHLORINE GENERATORS

In-line, flow through, chlorine generators for commercial pools are designed for the extreme operating cycles necessary to maintain a constant chlorine residual for public health and safety. The commercial cells are made for a greater lifespan on the Titanium plates than their residential counterparts when optimum saline levels and maintenance schedules are maintained.

When sizing a chlorine generator, the required dosage in pounds of chlorine per day must be calculated. Many health departments and the NSF recommend sizing at 3 lbs. of chlorine production per 10,000 gallons of pool water or 2 lbs. per 1,000 gallons of spa water. Secondary chlorine feed systems can and should be utilized to support the saline generators if adequate sizing for heavy bather loads is not within a facility's budget.

It is highly recommended that a chlorine and pH controller be used with all commercial saline generators. Please see the Electronic Controls section of this catalog for a wide selection of controllers or speak to your sales representative for assistance.

HAYWARD SALINE C 6.0

The Hayward C 6.0 is designed to produce a maximum, NSF Certified, 5 lbs. of chlorine per day with a single generator cell. The large diameter cell is made of clear PVC and is provided with PVC unions for ease of installation in your piping systems.

Product No.	Model No.	Description
HAY-45-3015	HCSC60	Saline C 6.0 - One-cell system - Max 5 lbs/day
HAY-45-3016	HCSJBOX-BU	Saline C 6.0 Junction Box for ORP controller interface



HAYWARD HYDRORITE UVO3 UV/OZONE ADVANCED WATER TREATMENT SYSTEM

Hayward's HydroRite UV03 will ensure that your commercial facilities stay on the cutting edge of swimmer safety by reducing waterborne illnesses due to harmful chlorineresistant microorganisms. Featuring an advanced water treatment system combining 3 powerful disinfectants, the system inactivates more than 99.9% of harmful chlorine-resistant microorganisms. Reduces irritating chloramines by 50% or more. Ideal for commercial pools, spas, spray parks and water features. HYR2CSC-UVO, NSF/ANSI Standard 50 Certified.


Product No.	Model No.	Description
HAY-45-1000	HYR2CSC-UVO	2" COMM UV/ OZONE SYS 75 GPM



PENTAIR INTELLICHLOR COMMERCIAL

2 lb. Primary cell with Primary power center can be coupled with 2 Lb. secondary units that are linked to provide greater chlorine output. Manifolds are provided for the 2 - 8 cell systems.

Product No.	Model No.	Description
PAC-45-0970	520970	One-Cell System - Max 2 lbs/day
PAC-45-0971	520971	Two-Cell System - Max 4 lbs/day
PAC-45-0972	520972	Three-Cell System - Max 6 lbs/day
PAC-45-0973	520973	Four-Cell System - Max 8 lbs/day
PAC-45-0974	520974	Five-Cell System - Max 10 lbs/day
PAC-45-0975	520975	Six-Cell System - Max 12 lbs/day
PAC-45-0976	520976	Seven-Cell System - Max 14 lbs/day
PAC-45-0977	520977	Eight-Cell System - Max 16 lbs/day



SALINE GENERATING SYSTEMS

The **SG5000 2.3 Lb. cell and power center** are the building blocks of the SGC multi-cell systems. Each SGC multi-cell systems are provided with a relay box for ORP/pH controller interface with the independent power centers. The multi-cell manifolds are provided with control and bypass valves and piping for ease of installation and maintenance.

Product No.	Model No.	Description
SGG-45-1003	SG 5000	Single cell system - maximum 2.3 lbs/day 7,500 Gallon Commercial Chlorinator
*SGG-COM	SGC-2	SGC-2 2-cell manifold system - maximum 4.6 lbs/day. 15,000 Gallon Commercial Chlorinator
SGG-45-1010	SGC-3	3-cell manifold system - maximum 6.9 lbs/day.22,500 Gallon Commercial Chlorinator
SGG-45-1011	SGC-4	SGC-4 4-cell manifold system - maximum 9.2 lbs/day. 30,000 Gallon Commercial Chlorinator
SGG-45-1012	SGC-5	SGC-5 5-cell manifold system - maximum 11.5 lbs/day. 37,500 Gallon Commercial Chlorinator
SGG-45-1013	SGC-6	SGC-6 6-cell manifold system - maximum 13.8 lbs/day. 45,000 Gallon Commercial Chlorinator

The **SGS STORM** systems incorporate the same high quality SG5000 cells with a pre-wired, single panel power center to manage up to six cells for a faster, cleaner installation requiring less wall space.

Product No.	Model No.	Description
SGG-45-1025	STORM-2	2-cell manifold system - maximum 4.6 lbs/day. 15,000 Gallon Commercial Chlorinator
SGG-45-1026	STORM-3	3-cell manifold system - maximum 6.9 lbs/day. 22,500 Gallon Commercial Chlorinator
SGG-45-1027	STORM-4	4-cell manifold system - maximum 9.2 lbs/day. 30,000 Gallon Commercial Chlorinator
SGG-45-1014	STORM-5	5-cell manifold system - maximum 11.5 lbs/day. 37,500 Gallon Commercial Chlorinator
SGG-45-1015	STORM-6	6-cell manifold system - maximum 13.8 lbs/day. 45,000 Gallon Commercial Chlorinator



CHLORKING™ (SWITCH MODE POWER - REVERSING POLARITY)

The Chlorking chlorine generators are single cell systems with NSF Certified production rates up to 25 lb. per day. The water cooled, switch mode power supplies draw lower amperage for lower electrical installation costs and the reversing polarity cells facilitate fewer maintenance issues from mineral build-up and cell bridging.

Product No.	Model No.	Description
*CRG	CHLOR-2.5	Maximum 2.5 lbs/day
*CRG	CHLOR-5.0	Maximum 5.0 lbs/day
*CRG	CHLOR-7.5	Maximum 7.5 lbs/day
*CRG	CHLOR-10	Maximum 10 lbs/day
*CRG	CHLOR-15	Maximum 15 lbs/day
*CRG	CHLOR-20	Maximum 20 lbs/day
*CRG	CHLOR-25	Maximum 25 lbs/day



G.H. STENNER CO.

Peristaltic chemical feed pumps are designed with a patented mechanical control system that allows the pump's output to be scaled from 5% to 100% with a simple turn of a dial, eliminating electronic timers. Stenner feeders are available for operation against high pressures up to 100 PSI with fixed or adjustable output. Low-pressure 25 PSI single head models offer maximum feed rates of 45 or 85 GPD and dual head models offer feed rates to 170 GPD.

Product No.	Model No.	Description
GHS-45-805	45MJL5A1STAA	Adjustable 50 GPD 25 PSI 120V 1/4"
GHS-45-809	45MJL5A3STAA	5Adjustable 50 GPD 25 PSI 120V 3/8"
GHS-45-811	45MFL5A1SUAA	Fixed 50 GPD 25 PSI 120V 1/4"
GHS-45-820	85MJL5A1STAA	Adjustable 85 GPD 25 PSI 120V 1/4"
GHS-45-827	85MFL5A1SUAA	Fixed 85 GPD 25 PSI 120V 1/4"
GHS-45-804	45MJH1A1STAA	Adjustable 3 GPD 100 PSI 120V 1/4"
GHS-45-910	85MJH2A1STAA	Adjustable 17 GPD 100 PSI 120V 1/4"



The new Stenner QuickPro Low Pressure Replacement Pump Head makes changing the pump tube even easier. The cover simply unclips from the housing then doubles as the tool used to collapse the roller assembly. The modular design of the Stenner Classic Series pumps makes replacing components quick and easy.

Product No.	Model No.	Description
GHS-45-1001	QP251-1	#1 Quickpro Pump Head-Single Head Pump
GHS-45-1003	QP252-1	#2 Quickpro Pump Head-Single Head Pump
GHS-45-1005	QP253-1	#3 Quickpro Pump Head-Single Head Pump
GHS-45-1007	QP254-1	#4 Quickpro Pump Head-Single Head Pump
GHS-45-1009	QP255-1	#5 Quickpro Pump Head-Single Head Pump



Stenner Replacement Feed Tubes with ends are interchangeable with all Stenner Feed Pumps. Tube #1 to #5 are selected based on pump output requirements. Sold in packs of 2 tubes or 5 tubes.

Product No.	Model No.	Description
GHS-451-6806	UCCP201	2Pk #1 Pump Tube
GHS-451-4004	UCCP202	2Pk #2 Pump Tube
GHS-451-6083	UCCP203	2Pk #3 Pump Tube
GHS-451-6084	UCCP204	2Pk #4 Pump Tube
GHS-451-6810	UCCP205	2Pk #5 Pump Tube
GHS-451-4085	MCCP201	5Pk #1 Pump Tube
GHS-451-4006	MCCP202	5Pk #2 Pump Tube
GHS-451-3400	MCCP203	5Pk #3 Pump Tube
GHS-451-4007	MCCP205	5Pk #5 Pump Tube
GHS-451-4106	MCCP207	5Pk #7 Pump Tube (High Pressure Pumps)



LMI

LMI - Electronic chemical feed pumps offer stroke length and frequency controls available in sizes to supply as little as 0.13 Gallons per hour to as much as 600 Gallons per Day at backpressures pressures ranging from 250 PSI low flow to 25 PSI for high flow models. The Roytronic Series-A, Roytronic Excel Series AD and B-Series feed pumps are available with Auto-Prime heads for use with off-gassing liquids such as Sodium Hypochlorite. Liquid ends are available for Slurry Feeds with Abrasive Solids as well as optional primer/Flush kits to keep the feeders operating.

Use Product No. *PUC-COM

PULSAFEEDER

Pulsafeeder's Pulsatron Brand - Series E Plus electronic feed pumps are available with adjustable stroke rate and stroke length controls in sizes ranging from 0.13 GPH to 600 GPD at pressures ranging from 300 PSI for low flow to 30 PSI for the high flow models. **Use Product No. *PFD-COM**



BLUE WHITE INDUSTRIES

FLEXFLO - High pressure peristaltic chlorinators offer extended tube life, higher pressure capability and true weather resistance for outdoor installations. The Deluxe A-100N features digital feed adjustment, with bright LED read out. Features 2- 30 GPD feed rates on the 100 PSI models; 52 - 95 GPD on the 50 PSI models.

Product No.	Model No.	Description
BLU-45-833	A1N10A-4T	4.9 GPD Flexflo 115V 100 PSI
BLU-45-830	A1N20A-4T	8.0 GPD Flexflo 115V 100 PSI
BLU-45-705	A1N10A-6T	16.0 GPD Flexflo 115V 100 PSI
BLU-45-829	A1N20A-6T	24.0 GPD Flexflo 115V 100 PSI
BLU-45-1002	A1N30A-6T	30.1 GPD Flexflo 115V 75 PSI
BLU-45-834	A1N10A-7T	52.5 GPD Flexflo 115V 50 PSI
BLU-45-708	A1N30A-7T	95.1 GPD Flexflo 115V 50 PSI

Blue White Industries FLEXFLO Replacement pump tubes with end fittings are available in Tygon, Norprene and Viton Specify 1/4", 3/8" and 7/16" diameter specific feed rates required.

Product No.	Model No.	Description
BLU-561-7686	A-002-4N	1/4" Pump Tube Assy - Norprene
BLU-561-7681	A-002-6N	3/8" Pump Tube Assy - Norprene
BLU-451-4003	A-002-7N	7/16" Pump Tube Assy - Norprene



MEC-O-MATIC

Dolphin Series - Chemical Metering Pumps feature an exclusive quick-release, twist-off, clear polycarbonate, acid-resistant head to withstand the harshest environment, a self-lubricating chemical resistant roller assembly. The Mec-O-Matic also offers durable, long lasting tubing with no tube adjustment with a rugged and dependable heavy-duty shaded pole gear motor with lifetime lubrication. Flexibility in feed rates, 0.13 gallons to 97 gallons per day. Features 15 feet of 1/4" O.D. poly tubing, auto-clean check valve injection point fitting, strainer with weights, and installation manual.

Product No.	Model No.	Description
PFD-45-330	UD10-XA-LSAU	DOLPHIN 10 13 GPD 25 PSI Max Pressure 110/120V
PFD-45-331	UD50-XA-LSAU	DOLPHIN 50 50 GPD 25 PSI Max Pressure 110/120V
PFD-45-332	UD75-XA-LSAU	DOLPHIN 75 97 GPD 25 PSI Max Pressure 110/120V
PFD-451-7659	U8800637	Norprene Tube Kit



ROLA-CHEM

Pro Series Peristaltic Pumps offer durable plastic construction that is resistant to swimming pool, spa and hot tub chemicals. Feed rates from a low of 0.10 GPD to a maximum 72 GPD provide a wide range of capabilities. Features include: A quick release cover for fast tubing access • Electronic controls for extended motor life • A three-way switch control for priming, shock feeding or stopping feed without disturbing your feed-rate setting • Self-priming pump • Includes Clear Tygon (Chlorine) and Black Norprene (Acid or Chlorine) Tubes • 30 psi rating • 18-ft. suction lift

Product No.	Model No.	Description
ROL-45-709	RC252SC	1.12 GPD 120V 30 PSI Feeder
ROL-45-901	RC25/53SC	12 GPD 120V 30 PSI Feeder
ROL-45-904	RC103SC	32 GPD 120V 30 PSI Feeder
ROL-45-2000	RC503SC	72 GPD 120V 30 PSI Feeder
ROL-451-6085	523251	8" Flex Tube W/Clamp & Ftgs - Norprene
ROL-451-6081	523114	13.5" Flex Tube W/ Clamp & Ftgs - Norprene
ROL-451-6084	523250	8" Flex Tube W/Clamp & Ftgs - Tygon
ROL-451-6082	523115	13.5" Flex Tube W/ Clamp & Ftgs - Tygon



PENTAIR BIOSHIELD™ CVP VERTICAL UV DISINFECTION STERILIZER

The BIOSHIELD™ CVP Sterilizers are vertical standing, low-pressure UV systems with flanged base, single-end, top-loading lamp and quartz sleeve to minimize floor space and maximize serviceability. Schedule 80 solvent welded PVC plastic vessels stand up to corrosive chlorine environments. Standard sizes available from 40 GPM to 555 GPM and NSF 50 Certified. 115/230 Volts.

Product Number	Model Number	Lamps / Watts	UV-C Spectrum Watts	Max Flow Rate (GPM) @40 mJ/cm2	Max Flow Rate (GPM) @60 mJ/cm2	Port Size
*PAC45-COM	522904	1/130	40	40	49	2"
*PAC45-COM	522918	2/130	80	80	90	3"
*PAC45-COM	522933	3/130	120	120	167	4"
*PAC45-COM	522921	4/130	160	160	227	4"
*PAC45-COM	522935	5/130	200	200	272	6"
*PAC45-COM	522923	6/130	240	240	365	6"
*PAC45-COM	522912	7/130	280	280	492	6"
*PAC45-COM	522913	8/130	320	320	555	6"



DELTA UV - MEDIUM PRESSURE

Delta UV provides the most advanced technology available for the eradication of these bacteria with the added benefit of Chloramine removal for improved air quality. As the World leader in ultraviolet sanitation solutions, Delta UV offers a full product line of NSF-50 certified products for your aquatic facility. **Use Product No *DUC45-COM**

Model No.	Power	Bulbs	Pipe Size	Voltage	GPM	Part No.
EM 130 EL	600W	1	3"	single	100	35-087112-600-WP
EM 130 EL	1kw	1	3"	single	170	35-087112-1000-WP
EM 300 EL	1kw	1	6"	single	300	35-087212-WP
EM 600 EL	3kw	1	6"	single	600	35-087312-WP
EM 1300	4kw	1	8"	single/3ph	1300	35-087412-WP
EM 2000	4kw	2	10"	single/3ph	2000	35-087522-WP
EM 3000	4kw	3	12"	3 phase	3000	35-087622-WP
EM 4000	4kw	4	12"	3 phase	4000	35-087722-WP



PENTAIR INTELLIZONE BY DEL OZONE

Pentair IntelliZone Commercial Ozone System is the safest, most powerful oxidizer and disinfectant for use in multiple industrial and commercial applications. Combining ozone's proven oxidation and sanitation power with traditional chlorine systems produces the clearest pool water possible.

Use Product No. *PAC45-COM

Pool Size (Gal)	Part No.	Generator	Management System	Mgt Sys Part No.
58,000 - 74,999	521659	CD-15GV	MS-042-02	521869
75,000 - 114,999	521660	CD-25GV	MS-042-02	521869
115,000 - 119,999	531660	CD-25GV	MS-200-01 *	521870
120,000 - 150,000	521661	CD-45GV	MS-200-01 *	521870

* The MS-200-01 requires the 7-CT-200 tank to be ordered separately



CLEARWATER TECH

Product No.	Model No.	Description
CTI-45-1012	APX610L	CD12-AEROUS - 8 G/H O3 Output W/ 1583 Inj, 120V Up To 35,000 Gal
*CTI-COM	APX710L	CD15NX-AEROUS - 15 G/H O3 Output W/ 1583 Inj, 120V Up To 65,000 Gal
*CTI-COM	APX810L	CD30NX-AEROUS - 30 G/H O3 Output W/ 1583 Inj, 120V Up To 135,000 Gal
CTI-45-1018	CNT80	80-Gal Contact Tank For APX610L - 1-1/4" In/Out
*CTI-COM	CNT120	120-Gal Contact Tank For APX710L & APX810L - 1-1/4" In/Out
CTI-451-502	VAS8	Auto Ozone Off-Gas Vent For Contact Tanks
*CTI-COM	OCD12	Optional Ozone Destruct-W/ H2O Trap 120V



CHEMTAINER STORAGE TANKS

Product No.	Model No.	Description
Chemtainer		
CMT-45-3000	TC2738DC	50 Gallons
CMT-45-3008	TC2837DC	65 Gallons
CMT-45-3001	TC3539DC	100 Gallons
CMT-45-3009	TC3345DC	120 Gallons
CMT-45-3002	TC3448DC	150 Gallons
CMT-45-3003	TC4152DC	200 Gallons
CMT-45-3004	TC5256DC	350 Gallons
CMT-45-3005	TC5971DC	500 Gallons
CMT-45-3006	TC7485DC	1000 Gallons
CMT-45-3007	TC2000DC	2000 Gallons
G.H. Stenner		
GHS-45-950	STS7GC	7.5 Gal Sts Poly Tank Gray
GHS-45-951	STS7NC	7.5 Gal Sts Poly Tank White
GHS-45-1000	STS15GC	15 Gal Tank Grey
GHS-45-953	STS15NC	15 Gal Sts Poly Tank White
GHS-45-954	STS30GC	30 Gal Sts Poly Tank Gray
GHS-45-955	STS30NC	30 Gal Sts Poly Tank White
Rola-Chem		
ROL-451-6116	561004	Poly Chemical Tank 5Gal T5
ROL-451-6127	561105	Poly Chemical Tank Cover 5Gal
ROL-451-6170	561015	Poly Chemical Tank 15 Gallon
ROL-451-6171	561115	Poly Chemical Tank Cov 15 Gal
ROL-451-6118	561030	Poly Chemical Tank 30Gal
ROL-451-6119	561130	Poly Chemical Tank Cover 30Gal
ROL-45-9000	561055	55 Gal Poly Chemical Tank
ROL-45-9001	561155	55 Gal Poly Chemical Tank Lid
Pulsafeeder		
PFD-06-2000	40365	PE Tank Assy w/ Cover 35Gal
PFD-06-2010	J40366	PE Tank Assy W/Cover 55Gal



AQUATIC TESTING KITS

LAMOTTE TEST KITS

Our professional water analysis kits are supplied in durable, blow-molded cases for years of dependable service. Each unit features liquid reagent systems for chlorine and pH (capable of 280+ tests each). The liquid DPD reagent system is provided to monitor chlorine, while pH is tested with a single liquid indicator. Total Alkalinity, Calcium Hardness, Acid Demand and Base Demand are analyzed with drop count titrations. Cyanuric Acid is measured by turbidity. The PRO250 PLUS outfit includes all of the above plus Copper and Iron tests.

Product No.	Model No.	Description
LAM-47-1749	1749-KIT	Test Salt/Tds/Temp/Ec Tracer
LAM-47-1767	1766-KIT	Test Ph/Salt/Tds/Temp Tracer
LAM-45-885	PM51-NJ/3368-NJ	Test Kit Manager NJ
LAM-45-976	5-0079	ORP Waterproof Pocket Tester
LAM-47-0080	5-0080	Tds Tester Pocket Low
LAM-47-7001	7001-NJ	Test Kit Pro 250-NJ
LAM-45-926	7002-NJ	Test Kit Pro 250 Plus-NJ
LAM-47-7022	7022	Test Kit Fas-Dpd Comm 7 Kit
LAM-45-930	7514-01	Chlorine Test 0.2/0.5



TAYLOR TECHNOLOGIES TEST KITS

Taylor Technologies offers an enormous variety of testing agents, supplying the consumer and pool professional alike. Easy-to-read instructions and accurate testing have made Taylor Technologies a favorite of the industry. Taylor Technologies is one of America's leading manufacturers of products for analyzing water chemistry on-site. Nearly 600 different test-kit configurations are offered, with options for wet- and dry-chemistry methods as well as microprocessor-based instruments.

Product No.	Model No.	Description
TAY-45-1147	K-2005	Test Kit Complete High
TAY-45-1124	K-2005S	Test Kit Complete High Spanish
TAY-45-1047	K-2005C	Service Complete High - 2Oz.
TAY-45-915	K-2006-6	Test Kit Comp Chlorine Fas-Dpd
TAY-45-1133	K-2006C	Test Kit Comp Chlorine Fas-Dpd
TAY-47-2007	K-2007-6	Brom & Chlor Hi Range Pool Inspector Series
TAY-47-1149	K-2009	Brom & Chlor Fas-Dpd Test Kit Pool Inspector Series Calif Reg
TAY-45-1075	K-1741C	Test Kit Professional Slide Series Complete
TAY-45-907	K-1765	0 - 3 PPM DPD Chlorine and pH Commercial Midget Series
TAY-45-1117	K-1765H	1 - 10 PPM DPD Chlorine and pH Commercial Midget Series
TAY-45-1125	K-1726	Test Kit Alkalinity 1 Drop - 10 PPM
TAY-45-940	K-1770	Test Kit Calcium Hardness 1 Drop - 10 PPM
TAY-45-1044	K-1768-2	Test Kit High Chlorine 1.5 - 10 PPM - Midget Series
TAY-45-924	K-1264	Test Kit Copper & Iron- Midget Series
TAY-45-994	K-1738	Test Kit Copper 0.2 - 3.0 PPM
TAY-45-1033	K-1716	Test Kit Iron 0 - 2.0 PPM
TAY-45-1079	K-1106	Test Kit Phosphate 0- 1000 PPB
TAY-45-1057	K-1764	Test Kit Tds 1 Drop = 50 PPM



SANITIZERS

Cal-Hypo



Product No.	Model No.	Description
AWC-50-5415	25241	Shockwave 50#
AWC-50-5420	25239	Shockwave 100#
REF-50-1200	8000008	Refresh 68%
REF-50-1202	8000207	Refresh 68%

ARCH Chemicals



Product No.	Model No.	Description
AWC-50-1500	23216	50# 3" Tab Cal-Hypo
AWC-50-1501	23218	30# "D" Tab
AWC-50-1502	23218	30# Round Tab (Florida Only)
AWC-50-3220	23220	50# A300 Round Tab Cal-Hypo

Private Label



Product No.	Model No.	Description
EZ Clor		
EZC-50-2550	12000531	50# Quick Dissolve
EZC-50-3550	12000575	50# 3" Tabs (UW)
EZC-50-1114	12000556	50# 1" Bromagen Tabs
EZC-50-1050	12000536	50# Granular Algae Out
Pool Season		
HGH-50-2650	12000141	50# Chlorinating Concentrate
HGH-50-3550	12000188	50# 3" Tabs (UW)
HGH-50-6050	12000170	50# 1" Bromine Tabs
HGH-50-9250	12000150	50# Super Algae Destroyer
Regal		
RGL-50-1450	12001579	50# Dy-Chlor li Granular
RGL-50-1350	12001575	50# 3" Tabs (UW)
RGL-50-1850	12001599	50# 1" Bromine Tabs

BULK AND SERVICE CHEMICALS

Balancers

Product No.	Model No.	Description
AAA-50-8601	AAA-8601	50# Calcium Chloride Bag
AAA-50-8603	AAA-8603	50# Soda Ash Lite Bag
AAA-50-8604	AAA-8604	50# Sodium Bicarbonate Bag
AAA-50-8642	AAA-8642	50# CYA Drum Granular Imported
CDC-50-1000	20015498	50# Sodium Bicarbonate Bag
CDC-50-1001	20015471	50# Sodium Bicarbonate Bag
HGH-50-8100	50-8100	100# Conditioner Granular



Salt

Product No.	Model No.	Description
JTP-50-0041	4035AQUAFG	40# Aquasalt
NAS-50-0003	35001	40# Pool Salt Sure Soft 63/Plt
USC-50-1040	8368	40# Food Quality Salt Aquasalt 63/Plt



POOL ACID

ACID Magic is a full strength product formulated to replace standard muriatic acid that is easier to ship, store, and handle. This revolutionary blend of proprietary ingredients offers the cleaning and pH reduction of powerful acids while providing increased usability

Acid Magic

Product No.	Model No.	Description
UCS-50-1005	USA/5G-1	5 Gal Acid Magic
UCS-50-1001	USA/128-15	15 Gal Acid Magic
UCS-50-1003	USA/128-55	55 Gal Acid Magic
UCS-50-1002	USA/BULK-275	275 Gal Magic Acid Tote

Muriatic

Product No.	Description
AAA-50-2012	4x1 Gal Muriatic Acid Cs Only
AAA-50-8602	1 Gal Muriatic Acid 4 Cs



API

API's commercial and service programs are proven to save time and money while improving the overall water quality. Regardless of the size, pools and spas managed with the RevivePRO™ EZymePRO™, PepperPRO™, EZPoolPRO™ or EZSpaPRO™ programs have been shown to experience:

- NO WAITING TO SWIM • Reduced CYA levels and chloramines • Reduced chemical and labor costs
- Reduced time poolside for retesting, rebalancing and troubleshooting

Product No.	Model No.	Description
*CHF50-COM	REVIVE PRO	5 Gal Revive Pro
*CHF50-COM	REVIVE PRO	30 Gal Revive Pro
*CHF50-COM	ENZYME PRO	5 Gal Enzyme Pro
*CHF50-COM	PEPPER PRO	40lb. Pepper Pro
*CHF50-COM	EZ POOL PRO	40lb. EZ Pool Pro
*CHF50-COM	EZ SPA PRO	25lb. EZ Spa Pro

EZPRC

NATURAL CHEMISTRY

Natural Chemistry products maintain ideal pool and spa conditions, offering a wide variety of products ranging from grime solutions to chemical dispensers.

Product No.	Model No.	Description
Pool Enzyme Products		
NAT-50-3000	20301	Prozymes Pool 1 Gal
NAT-50-3001	20305	Prozymes Pool 5 Gal
NAT-50-955	03250	Pool Perfect 5 Gal Comm Concentrate
NAT-50-956	03255	Pool Perfect 55 Gal Comm Concentrate
Phosphate Removal Products		
NAT-50-3007	20500	Phosphate Remover 1 Qt
NAT-50-3008	20501	Phosphate Remover 1 Gal
NAT-50-3006	20505	Phosphate Remover 5 Gal
NAT-50-958	05255	Phosfree 55 Gal Comm Auto Dose
Clarifier Products		
NAT-50-3009	20311	Natural Clarifier 1 Gal
NAT-50-3015	20315	Natural Clarifier 5 Gal
NAT-50-961	03565	Clear 55 Gal 4 In 1 Nat Clarifier
NAT-50-948	86401	5 Gal Clear & Perfect
NAT-50-962	03888	55 Gal Clear & Perfect
Metal & Scale Control Products		
NAT-50-979	07390	Comm 16# Stain Free Extra Strength
NAT-50-3010	20701	Stain & Scale Control 1
NAT-50-3003	20705	Stain & Scale Control 5 Gal
NAT-50-994	07555	Comm AF 55 Gal Stain & Scale Control
Pool Specialty Products		
NAT-50-965	07411	Instant 25# Quick Dissolve Stabilizer
NAT-50-3010	20701	Stain & Scale Control 1 Gal
NAT-50-3005	20715	Liquid Cover 5 Gal
NAT-50-3012	20321	Filter Cleaner 1 Gal
NAT-50-3004	20325	Filter Cleaner 5Gal
Commercial Products		
NAT-50-3014	20320	Pipe Purge 1 Gal
Pump & Parts		
NAT-50-932	86440	Automatic Dosage Dispenser
NAT-451-1000	86450	Pressure Tubes (2010 To Present)
NAT-451-1001	86448	Pressure Tubes (Before 2010)
NAT-451-1002	86451	Injection Fitting Check Valve



SEAKLEAR

SeaKlear offers a complete line of products designed, developed, and tested to solve the most complex water quality issues. Understanding the challenges of cost-effective, timely, and simple solutions to meet the various needs of stakeholders, from municipalities to private property owners, facility managers, and the public we offer the following SeaKlear selection.

Product No.	Model No.	Description
Clarifier Products		
VAN-50-0058	1010123	5 Gal Natural Clarifier
VAN-50-0302	1010302	5 Gal Rescue Klear
Algae Prevention Products		
VAN-50-0050	1020002	5 Gal Algae Prevent & Remover
VAN-50-932	1020003	55 Gal Algae Prevent & Remover
VAN-50-0077	1020009	55 Gal Drum Problem Klear
Phosphate Removal Products		
VAN-50-0053	1040102	Phosphate Remover Comm 5 Gal
VAN-50-925	1040105	Phosphate Remover Comm 1 Qt
VAN-50-0115	1040115	Remover Cr 3Kppb/10Kgal
VAN-50-0116	1040116	Remover Cr 3Kppb/10Kgal
Metal & Scale Control Products		
VAN-50-0075	1040402	5 Gal Free & Klear
VAN-50-0076	1040403	Drum Free & Klear
VAN-50-0507	1110112	55 Gal Stain Prevent & Remover
VAN-50-0506	1110113	55 Gal Metal Klear
Pool Specialty Products		
VAN-50-948	1130002	Stage 1 & 2 - Prs Kit Gallon
VAN-50-949	1130003	Stage 1 & 2 - Prs Kit 5 Gallon
VAN-50-0047	1160100	Mighty Pods Weekly Pool Care
VAN-50-0501	SKP-C-D	55 Gal Natural Clarifier
VAN-50-0503	SKZ-U-D	Phosphate Remover 9Kppb/10Kgal
VAN-50-0504	SKZ-U-D/50	55 Gal Phosphate Remover
VAN-50-944	SKZ-U-G	Phosphate Remover Comm 1 Gal



ORENDA

Orenda Technologies has been setting trends in the use of enzyme technology in the recreational water treatment business since 2010, offering solutions to pool owners, pool care professionals, water parks and resorts, and municipalities. Orenda provides quality, prevention-driven, earth-friendly solutions with the pool professional in mind while changing the way their products control chemical efficiency, stains, and scale that have exploded traditional practices,

Product No.	Model No.	Description
ORE-50-132	CV600	15 Gal Cleaner
ORE-50-137	CV600	275 Gal Cleaner
ORE-50-135	CV600	5 Gal Cleaner
ORE-50-222	CV-700A-15GAL	Catalytic Enzyme & Phos Remove
ORE-50-212	CV-700A-55GAL	Catalytic Enzyme & Phos Remove
ORE-50-2999	CV-700A-55GAL	(Refill Only) Catalytic Enzyme & Phos Remove
ORE-50-218	CV-700A-5GAL	Catalytic Enzyme & Phos Remove
ORE-50-229	PR-10000A-15GAL	Phosphate Remover Drum
ORE-50-230	PR-10000A-55GAL	Phosphate Remover Drum
ORE-50-228	PR-10000A-5GAL	Phosphate Remover Drum
ORE-50-124	SC-1000 15GAL	Scale Control & Metal Chelant
ORE-50-114	SC-1000 55GAL	Scale Control & Metal Chelant
ORE-50-119	SC-1000 5GAL	Scale Control & Metal Chelant



RAYPAK ASME COMMERCIAL HEATERS

Professional Series - Natural Gas, Brass Headers, Cupro-Nickel Heat Exchanger, Digital Thermostat, SS Burner Tray, SS Base, SS Flue Connector, Flow Switch/T&P Gauge Standard and Microprocessor Controls Diagnostic Readout & Continuously Monitors Operational Status - Propane & Hi-Alt Heaters also Available. Features Stackless Top. BTU ranges from 266,000 to 399,000.



Product No.	Model No.	Output (BTU)
RAY-15-3729	B-R268-EN-X #50	266,000
RAY-15-3731	B-R408-EN-X #50	399,000

84 Professional Series - Natural Gas, Brass Headers, Cupro-Nickel Heat Exchanger, Digital Thermostat, Automatic Bypass, Flow Switch/T&P Gauge Standard and Multiple Plumbing Connections - Propane & Hi-Alt Heaters also Available. BTU ranges from 250,000 to 399,000. Top & Rear Vent capable; Vent up to 100'



Product No.	Model No.	Output (BTU)
RAY-15-1001	B-R259A-EN-X	250,000
RAY-15-1005	B-R409A-EN-X	399,000

Raypak ASME Accessories

Product No.	Model No.	Description
RHM-151-9838	009838	R206/207 Indoor Stack Top 6"
RHM-151-9839	009839	R266/267/268 Indoor Stack Top 7"
RHM-151-9840	009840	R336/337 Indoor Stack Top 8"
RHM-151-9841	009841	R406/407/408 Indoor Stack Top 9"
*RAY-COM	010781	Power Vent IID R408 Adaptor 9"x10"
*RAY-COM	013978	R259/R409 Stack Top 6"
RHM-15-9832	009832	Power Vent D2 R206A/207A
RAY-151-0744 *	010744	Power Vent D-2 120/220V
RHM-15-9833	009833	Power Vent R336A/407A
RAY-151-0745 *	010745	Power Vent D-2 120
RAY-151-3810	013969	Flow Switch/T&P Gauge Kit

*Includes Indoor Power Vent 240V, IID Only. Power Vents are shipped loose for field installation & wiring.

RAYPAK VERSA ASME HEATERS

Natural Gas, Cast Iron Glass-Lined Headers, Digital Thermostat, Stackless Top, Unitherm Governor and Microprocessor Controls Diagnostic Readout & Continuously Monitors Operational Status - Propane & Hi-Alt Heaters also Available

With Copper Heat Exchanger

Product No.	Model No.	Output (BTU)
RAY-15-9268	C-R206A-EN-C #50	200,000
RAY-15-9269	C-R266A-EN-C #50	266,000
RAY-15-9270	C-R336A-EN-C #50	333,000
RAY-15-9271	C-R406A-EN-C #50	399,000

With Cupro-Nickel Heat Exchanger

Product No.	Model No.	Output (BTU)
RAY-15-0198	C-R206A-EN-X #50	200,000
RAY-15-0199	C-R266A-EN-X #50	266,000
RAY-15-0200	C-R336A-EN-X #50	333,000
RAY-15-0201	C-R406A-EN-X #50	399,000

LOW Nox. With Copper Heat Exchanger,

Product No.	Model No.	Output (BTU)
RAY-15-9292	C-R207A-EN-C #26	200,000
RAY-15-9293	C-R267A-EN-C #26	266,000
RAY-15-9294	C-R337A-EN-C #26	333,000
RAY-15-9295	C-R407A-EN-C #26	399,000

With Cupro-Nickel Heat Exchanger.

Product No.	Model No.	Output (BTU)
RAY-15-0227	C-R207A-EN-X #26	200,000
RAY-15-0228	C-R267A-EN-X #26	266,000
RAY-15-0229	C-R337A-EN-X #26	333,000
RAY-15-0230	C-R407A-EN-X #26	399,000

LXI ASME HEATERS

Lxi™ Low NOx (fan assisted) - Natural Gas, Bronze Headers, Cupro-Nickel Heat Exchanger, Digital Thermostat and Communicates with the Aqualink® RS - Propane Heaters also Available

Product No.	Model No.	Output (BTU)
With Cupro-Nickel Heat Exchanger		
LAR-15-830*	LXi250NS	250000
LAR-15-832*	LXi400NS	400000

Top & Rear Vent capable. All Models can be installed at High Altitudes



Hi-E2 ASME - Natural Gas, Bronze Headers, Dual Thermostat, Sealed Combustion Chamber & Automatic Power Venting (eliminates downdrafting) and PVC Venting - Propane Heaters also Available. Exceeds Low NOx Requirements; specify facility altitude when ordering

Product No.	Model No.	Output (BTU)
LAR-15-364	EHE350NC	350,000
LAR-15-363*	EHE350NS	350,000

* Saltwater



**STOCKING
EQUIPMENT
for the
COMMERCIAL
POOL MARKET**

Quoting. Submittals.
Owner's Manuals.
Friendly Terms!

Serving the Commercial Pool Market

Call Toll-Free: 866.269.6725

HAYWARD ASME HEATERS



Universal H-Series - Natural Gas, Patented Cupro-Nickel Finn Plate™ Heat Exchanger, Bronze Header w/ Patented Bypass, Electronic Temperature Lock-Out and "Forced Draft" Combustion - Propane Heaters also Available

Product No.	Model No.	Output (BTU)
HAY-15-723*	H250FDNASME	250,000
HAY-15-722*	H400FDNASME	400,000
HAY-15-745*	H500FDNASME NG	500,000
HAY-15-746	H500FDPASME LP	500,000

*Certified for Low NOx Emissions & High-Altitude Applications up to 10000'

PENTAIR ASME HEATERS

MasterTemp® - Natural Gas, Easy-to-View, Rotating Digital Display, Rustproof Composite Exterior, and Approved for Installation on Combustible Surfaces - Propane Heaters also Available. Eco-friendly and Certified for Low NOx Emissions.



Product No.	Model No.	Output (BTU)
Copper		
PUR-15-0771	460771	250,000
PUR-15-0775	460775	400,000
Cu-Ni		
PUR-15-0778*	461020	250,000
PUR-15-0779*	461021	400,000

* Natural Gas only

Pentair Indoor Accessories

Product No.	Model No.	Description
PUR-15-4292	460230	250BTU Indoor Vent Kit
PUR-15-4295	460234	400BTU Indoor Vent Kit

Max-E-Therm® - Natural Gas, LED Temperature Readout, Dual Thermostat, Lightest Heater in its class, Rustproof Exterior, and PMG Burner Technology that requires no Outdoor Draft Hood - Propane Heaters also Available. Eco-friendly and Certified for Low NOx Emissions.



Product No.	Model No.	Output (BTU)
STA-15-0767	460767	250,000
STA-15-0763	460763	400,000

Pentair Outdoor Accessories

Product No.	Model No.	Description
PUR-15-4281	460223	250BTU Outdoor Vent Kit
PUR-15-4284	460226	400BTU Outdoor Vent Kit

RAYPAK HEAT PUMPS



Professional Series - Stainless Steel Cabinet, Digital Thermostat, Titanium Heat Exchanger, Scroll Compressor, L.E.D. Operational Status Lights, and Heat/Cool. 3 Phase Heat Pump, 170,000 BTU.

Product No.	Model No.	Consumption
RAY-15-3734	013734/PS10353ti	208/230V/60 Hz
RAY-15-3735	013735/PS10354ti	460V/60 Hz

JANDY HEAT PUMPS BY ZODIAC



JE Pro Series - NEW! Jandy Pro Series JE series line of premium Heat Pumps delivers maximum energy efficiency and reliability. Working efficiently, JE Heat Pumps absorb free heat from the air and transfer it to the water, making the heating process ecological and cost effective. Dual Thermostats, Titanium Heat Exchanger, Jandy Interface and Environmentally Friendly 3 Phase, 230V/60 Hz

Product No.	Model No.	Output (BTU)
AEH-15-1034	JE2500T3	119,000
AEH-15-1038*	JE3000TR3	137,000

* Heat/Cool BTU

COATES ELECTRIC POOL/SPA HEATERS



CE Model - 240 Volt, 1 Phase. Also Available are 208V/1PH, 240V/3PH & 480V/3PH. Features include SS Tank, Manual Reset Hi-Limit Switch, Flow Switch, and Element & Flow Switch "On" Lights - Do not use for Saltwater Application

Product No.	Model No.	Output
CHC-15-499 *	12412CE	12 KW
CHC-15-517 *	12415CE	15 KW
CHC-15-497 *	12418CE	18 KW
CHC-15-498 *	12424CPH	24 KW
CHC-15-500 *	12430CPH	30 KW
CHC-15-501 *	12436PHS-3	36 KW
CHC-15-496 *	12445PHS	45 KW
CHC-15-509 *	12454PHS-4	54 KW
*CHC-COM *	12457PHS	57 KW

CE Model - 208 Volt, 3 Phase.

Product No.	Model No.	Output
CHC-15-506 *	32012CE	12 KW
CHC-15-519 *	32015CE	15 KW
CHC-15-518 *	32018CE	18 KW
CHC-15-516 *	32024CPH	24 KW
CHC-15-511 *	32030CPH	30 KW
CHC-15-515 *	32036PHS-3	36 KW
CHC-15-522 *	32045PHS	45 KW
*CHC-COM *	32054PHS-4	54 KW
CHC-15-488 *	32057PHS	57 KW

*Titanium Models are Available for Salt Water Applications

RAYPAK RAYTHERM NATURAL GAS POOL HEATERS

Indoor Natural Gas w/ H-Bypass - Heater Top Required.
Propane & Hi-Alt Heaters also Available - Propane input is 92% of stated value

Product No.	Model No.	Output (BTU)
*RAY15-COM	012412	P962 961,700
*RAY15-COM	012413	P1125 1,124,700
*RAY15-COM	012414	P1223 1,222,500
RAY15-1503	001349	P1336 1,336,500
RAY15-1504	001350	P1468 1,467,000
RAY15-1505	001351	P1631 1,630,000
RAY15-1506	001352	P1826 1,825,600



Indoor/Outdoor Natural Gas w/ Unitherm Governor - Heater Top Required. Propane & Hi-Alt Heaters also Available - Propane input is 94% of stated value

Product No.	Model No.	Output (BTU)
RAY-15-566	001395	P514 511,500
RAY-15-601	001396	P624 627,000
RAY-15-459	001397	P724 726,000
RAY-15-602	001398	P824 825,000

Indoor Natural Gas w/ Built-in Draft Hood & H-Bypass.
Propane & Hi-Alt Heaters also Available - Propane input is 92% of stated value

Product No.	Model No.	Output (BTU)
RAY15-1722	001881	P2100 2,100,000
RAY15-609	001883	P2500 2,499,000
RAY15-1724	001885	P3001 3,000,000
RAY15-1725	001887	P3500 3,500,000
RAY15-610	001889	P4001 4,000,000



Indoor Natural Gas w/ Built-in Draft Hood & Unitherm Governor. Propane & Hi-Alt Heaters also Available - Propane input is 92% of stated value

Product No.	Model No.	Output (BTU)
RAY15-1500	001346	P962 961,700
RAY15-1501	001347	P1125 1,124,700
RAY15-1502	001348	P1223 1,222,500

Outdoor Natural w/ Built-in Stackless Top & H-Bypass.
Propane & Hi-Alt Heaters also Available - Propane input is 95.5% of stated value. Features Built-In Stackless Top

Product No.	Model No.	Output (BTU)
RAY15-1522	012518	P926 926,000
*RAY15-COM	012419	P1083 1,083,000
*RAY15-COM	012420	P1178 1,178,000
RAY15-1510	001377	P1287 1,287,000
RAY15-1511	001378	P1414 1,414,000
RAY15-1512	001379	P1571 1,571,000
RAY15-1513	001380	P1758 1,758,000



Outdoor Natural w/ Built-in Stackless Top & Unitherm Governor. Propane & Hi-Alt Heaters also Available - Propane input is 95.5% of stated value.

Product No.	Model No.	Output (BTU)
RAY15-600	001374	P926 926,000
RAY15-1508	001375	P1083 1,083,000
RAY15-1509	001376	P1178 1,178,000

RAYPAK RAYTHERM® NATURAL GAS ACCESSORIES

Code Controls - Consult Authorities for all Codes

Product No.	Model No.	Description
RAY151-1800	514 - 824	P514 - 824 G-1: CSD-1
RAY151-1801	926 - 1223	P926 - 1223 G-1: CSD-1
RAY151-1802	1287 - 2500	P1287 - 2500 G-1: CSD-1
RAY151-1803	3001 - 4001	P3001 - 4001 G-1: CSD-1

Outdoor Stackless Tops

Product No.	Model No.	Description
RAY151-1506	001103	P514
RAY151-1503	001104	P624
RAY151-1504	001105	P724
RAY151-1505	001106	P824

Indoor Drafthoods

Product No.	Model No.	Description
RAY151-1267	001457	P514
RAY151-1500	001458	P624
RAY151-1501	001459	P724
RAY151-1512	001460	P824
RAY151-1513	006484	P962
RAY151-1514	006485	P1125 / 1223
RAY151-1515	006486	P1336 / 1468 / 1631
RAY151-6487	006487	P1826

RAYPAK HI-DELTA NATURAL GAS POOL HEATERS



Raypak Hi Delta Pool Heaters offer Ultra-low NOx emissions with high 85% thermal efficiency. Available for indoor or outdoor installations in sizes ranging from 300,000 BTUH input up to 2,340,000 BTUH input. The Hi Delta heaters feature Cupro-nickel tubes and bronze headers.

Ultra-Low Nox (less than 20 PPM). Outdoor Tops, Vent Adapters, Vent Termination Caps & In-Line Air Filters Sold Separately. Propane Gas Heaters also Available.

Product No.	Model No.	Output (BTU)
*RAY-COM	009350 P302B	300,000
RAY-15-318	009351 P402B	399,000
*RAY-COM	009352 P502B	500,000
*RAY-COM	009353 P652B	650,000
RAY-15-298	009354 P752B	750,000
RAY-15-299	009355 P902B	900,000
RAY-15-300	009356 P992B	990,000
RAY-15-301	009357 P1262B	1,260,000
RAY-15-302	009358 P1532B	1,530,000
RAY-15-303	009359 P1802B	1,800,000
RAY-15-304	009360 P2002B	1,999,000
RAY-15-305	008361 P2072B	2,070,000
RAY-15-306	009362 P2342B	2,340,000

Cold Water Run

Cold Water Run Ultra-Low Nox (less than 20 PPM). Outdoor Tops, Vent Adapters, Vent Termination Caps & In-Line Air Filters Sold Separately. Propane Gas Heaters also Available.

Product No.	Model No.	Output (BTU)
RAY-15-1600	011982 P502B	500,000
RAY-15-1601	011983 P652B	650,000
RAY-15-1602	011984 P752B	750,000
RAY-15-1603	011985 P902B	900,000
RAY-15-1604	011986 P992B	990,000
RAY-15-1605	011987 P1262B	1,260,000
RAY-15-1606	011988 P1532B	1,530,000
RAY-15-1607	011989 P1802B	1,800,000
RAY-15-1608	011990 P2002B	1,999,000
RAY-15-1609	011991 P2072B	2,070,000
RAY-15-1610	011992 P2342B	2,340,000



Outdoor Tops

Product No.	Model No.	Description
RAY-15-311	010793	P302B
RAY-15-319	010794	P402B / 502B
RAY-15-307	010795	P652B / 752B / 902B
RAY-15-308	010796	P992B
RAY-15-309	010797	P1262B / 1532B
RAY-15-316	010798	P1802B / 2002B / 2072B
RAY-15-317	010799	P2342B

RAYPAK XTHERM NATURAL GAS POOL HEATERS

The Raypak XTherm heater has one of the smallest installed footprints of any vertical condensing heater. The compact design makes it the perfect choice for those hard to reach retrofit projects. Raypak's XTherm is built with commercial-grade components and materials, from the steel channel base to the stainless steel flue wrapper, and secondary heat exchanger. The XTherm heaters are available in three sizes for indoor or outdoor installation: 999,000, 1,500,000 and 1,900,000 BTUH each with 97% thermal efficiency and Ultra-low emissions.



Product No.	Model No.	Description
*RAY-COM	014391	P1005A 999000 BTU Heater
*RAY-COM	014392	P1505A 1500000 BTU Heater
*RAY-COM	014393	P2005A 1999000 BTU Heater
*RAY-COM	011932	Well Assembly - Ordered separately

XTHERM Venting Options

Product No.	Model No.	Description
*RAY-COM	011894	Outdoor Vent Cap - includes an Intake
*RAY-COM	011895	Outdoor Vent Cap - includes an Intake
*RAY-COM	006644	Sidewall Vent Termination Cap - use for horizontal venting only
*RAY-COM	006646	Sidewall Vent Termination Cap - use for horizontal venting only
*RAY-COM	007005	Vent Adapter
*RAY-COM	007006	Vent Adapter
*RAY-COM	075321	PVC Venting Adapter (factory-mounted only)
RAY-151-5322	075322	PVC Venting Adapter (factory-mounted only)

XTHERM Code Controls - Consult Authorities for all Codes

Product No.	Model No.	Description
*RAY-COM	G-1	CSD-1 / GE Gap
*RAY-COM	G-8	Washington State Code Controls
*RAY-COM	G-12	California Code Controls

XTHERM Options

Product No.	Model No.	Description
*RAY-COM	004711	Motorized Damper - 1005A
*RAY-COM	004936	Motorized Damper - 1505A-2005A
*RAY-COM	012050	Condensate Neutralizer - 1005A
RAY-151-2051	012051	Condensate Neutralizer - 1505A-2005A

PENTAIR POWERMAX LOW NOX POOL HEATERS

Pentair Powermax natural gas pool heaters offer low NOx emissions and are available for indoor and outdoor installations from 500,000 - 2,000,000 BTUH input with 85% thermal efficiency. Propane Heaters also Available.

Product No.	Model No.	Output (BTU)
With Cupro-Nickel Heat Exchanger		
PUR-15-1100	PM0500NACC2BXN	500,000
PUR-15-1101	PM0750NACC2BXN	750,000
PUR-15-1102	PM1000NACC2BXN	1,000,000
PUR-15-1103	PM1250NACC2BXN	1,250,000
PUR-15-1104	PM1500NACC2BXN	1,500,000
PUR-15-1105	PM1750NACC2BXN	1,750,000
PUR-15-1106	PM2000NACC2BXN	2,000,000

Product No.	Model No.	Output (BTU)
With Cupro-Nickel Heat Exchanger		
PUR-15-1110	PM0500NACC2PXN	500,000
PUR-15-1111	PM0750NACC2PXN	750,000
PUR-15-1112	PM1000NACC2PXN	1,000,000
PUR-15-1113	PM1250NACC2PXN	1,250,000
PUR-15-1114	PM1500NACC2PXN	1,500,000
PUR-15-1115	PM1750NACC2PXN	1,750,000
PUR-15-1116	PM2000NACC2PXN	2,000,000



PENTAIR MEGATHERM NATURAL GAS POOL HEATERS

Pentair Megatherm heaters are available in indoor and outdoor models from 500,000 BTUH to 5,000,000 for operation with natural or propane (LP) gas.

Standard features include: 82% thermal efficiency, Electronic ignition (Natural Gas), Built-in draft diverter (indoor models) to simplify installation, Flow switch, Integral pump assures constant flow (Models 500 - 1825), Intergral finned copper tube heat exchanger and Electronic temperature controls for accuracy (Models 500 - 1825).

Cupro-nickel heat exchanger, bronze headers, CSD-1 and California Code Controls are available for all models.



Pentair High Performance Gas Fired INDOOR Unit - Natural Gas - Propane Heaters & Cupro-Nickel Option also Available

Product No.	Model No.	Output (BTU)
PUR-15-1000	MT0500IN09C1PC	500,000
PUR-15-1001	MT0600IN09C1PC	600,000
PUR-15-1002	MT0715IN09C1PC	715,000
PUR-15-1003	MT0850IN09C1PC	850,000
PUR-15-1004	MT0999IN09C1PC	999,000
PUR-15-1005	MT1010IN09C1PC	1,010,000
PUR-15-1006	MT1200IN09C1PC	1,200,000
PUR-15-1007	MT1430IN09C1PC	1,430,000
PUR-15-1008	MT1670IN09CBPC	1,670,000
PUR-15-1009	MT1825IN09CBPC	1,825,000
*PUR15-COM	MT2000IN18CCAC	2,000,000
*PUR15-COM	MT2450IN18CCAC	2,450,000
*PUR15-COM	MT3050IN18CCAC	3,050,000
*PUR15-COM	MT3500IN18CCAC	3,500,000
*PUR15-COM	MT4050IN18CCAC	4,050,000

Less Pump

Pentair High Performance Gas Fired OUTDOOR Unit - Natural Gas - Propane Heaters & Cupro-Nickel Option also Available

Product No.	Model No.	Output (BTU)
PUR-15-1010	MT0500EN09CBPC	500,000
PUR-15-1011	MT0600EN09CBPC	600,000
PUR-15-1012	MT0715EN09CBPC	715,000
PUR-15-1013	MT0850EN09CBPC	850,000
PUR-15-1014	MT0999EN09CBPC	999,000
PUR-15-1015	MT1010EN09CBPC	1,010,000
PUR-15-1016	MT1200EN09CBPC	1,200,000
PUR-15-1017	MT1430EN09CBPC	1,430,000
PUR-15-1018	MT1670EN09CBPC	1,670,000
PUR-15-1019	MT1825EN09CBPC	1,825,000
*PUR15-COM	MT2200EN18CCAN	2,200,000
*PUR15-COM	MT2800EN18CCAN	2,800,000
*PUR15-COM	MT3200EN18CCAN	3,200,000
*PUR15-COM	MT3600EN18CCAN	3,600,000
*PUR15-COM	MT4000EN18CCAN	4,000,000
*PUR15-COM	MT4500EN18CCAN	4,500,000

Less Pump

AQUASTAR PRODUCTS

At AquaStar, every product is held to the highest standard of quality, resulting in superior, dependable products that last; products that endure despite their continual exposure to harsh pool chemicals and intense ultraviolet light. AquaStar provides superior solutions in the most expeditious and efficient manner possible. Each AquaStar pool product is designed and manufactured solely in the USA, ensuring that only the highest quality merchandise reaches the consumer. AquaStar is dedicated to providing their customers with dependable, long-lasting, American-made products. The entire line of AquaStar pool products is designed to provide the very best look, feel and performance.

Product No.	Model No.	Description
Channel Drains		
API-25-3200	32PD101	White 32" Channel Drain W/ Pinhole Flat Grate & Propeller Sump
API-25-1327	32CDLFR101VGB	White 32" Channel Drain W/ Flat Grate W/ Mud Fram - No Sump
API-25-1341	32CDAVFR101VGB	White 32" Channel Drain W/ A/V Cover W/ Mud Fram - No Sump
API-25-3216	32CDPHFR101	White 32" Channel Drain W/ Pinhole Cover W/ Mud Frame - No Sump
API-25-3250	32CDFLP101	White 32" Channel Drain W/ Flat Grate & 3-Port Sump
API-25-3208	32CDPH101	White 32" Channl Drain W/ Pinhole Cover & 3-Port Sump
API-25-1292	32CDAV101VGB	White 32" Channl Drain W/ A/V Cover & 3-Port Sump
API-25-3224	32CDPHV101	White 32" Channel Drain W/ Pinhole Cover & 3-Port Vinyl Liner Sump
MoFlow Suction Outlet Cover & Mud Frame		
API-25-2126	9MF101	White 9" X 9" Moflow Frame & Grate - No Sump
API-25-2138	12MF101	White 12" X 12" Moflow Frame & Grate - No Sump
API-25-2144	18MF101	White 18" X 18" Moflow Frame & Grate - No Sump
API-25-2168	R12MF101	White 12" Retro Moflow Cover With Screws - No Sump
Wave Anti-Entrapment Suction Outlet Cover & Mud Frame		
API-25-1499	WAV9WR101	White 9" X 9" Wave Frame & Grate W/ Vented Riser - No Sump
API-25-1940	WAV12WR101	White 12" X 12" Wave Frame & Grate W/ Vented Riser - No Sump
API-25-1943	WAV18WR101	White 18" X 18" Wave Frame & Grate W/ Vented Riser - No Sump
API-25-1629	WAV24101VGB	White 24" X 24" Wave Frame & Grate W/ Vented Riser - No Sump
Star Frame & Grate		
API-25-5101	P9101	White 9" X 9" Star Frame & Grate - No Sump
API-25-5201	P12101	White 12" X 12" Star Frame & Grate - No Sump
API-25-5301	P18101	White 18" X 18" Star Frame & Grate - No Sump
API-25-5401	P24101	White 24" X 24" Star Frame & Grate - No Sump
Round Huckey Puck Sumpless Outlet Covers		
API-251-1106	4HP101	White 4" Hockey Puck Suction Outlet Cover W/Screws
API-251-1122	420SI101	White Sumpless 4" Bulkhead Fitting - 2" Slip Insider
API-251-1138	415SI101	White Sumpless 4" Bulkhead Fiting - 1-1/2" Slip Insider
API-251-1130	415T101	White Sumpless 4" Bulkhead Fitting - 1-1/2" Mip Thread
API-251-1066	6HP101	White 6" Hockey Puck Suction Outlet Cover W/Screws
API-251-1090	620SI101	White Sumpless 6" Bulkhead Fitting - 2" Slip Insider
API-251-1147	615SI101	White Sumpless 6" Bulkhead Fiting - 1-1/2" Slip Insider
API-251-1074	615T101	White Sumpless 6" Bulkhead Fiting - 1-1/2" Mip Thread
Miscellaneous Products		
API-25-1613	24101	White 24" X 24" Flat Frame And Grate - No Sump
API-25-1739	914101	White Retrofit 14" Sq Cover W/ 9" X 9" Adapter Frame - No Sump
API-25-1649	1216101	White Retrofit 16" Sq Cover W/ 12" X 12" Adapter Frame - No Sump
API-25-2162	R9MF101	White 9" Sq Retro Moflow Cover With Screws - No Sump
API-251-1146	BIK4	Set Of 4 Brass Inserts W/ S/S Screws For Retrofit Covers



LAWSON AQUATICS PERIMETER GUTTER GRATE

Lawson Aquatics Perpendicular perimeter gutter grate is available in widths from 4" to 20". Sold by the foot, Perpendicular grate is normally stocked through 12" in white. Wider widths and Bone or Grey colors are special order. Prefabricated corners are also available.

Product No.	Model No.	Description
LAW-55-1000	PE-04-WT	Perpendicular 4" Perimeter Grating - White
LAW-55-1023	PE-06-WT	Perpendicular 6" Perimeter Grating - White
LAW-55-1024	PE-08-WT	Perpendicular 8" Perimeter Grating - White
LAW-55-1025	PE-10-WT	Perpendicular 10" Perimeter Grating - White
LAW-55-1026	PE-12-WT	Perpendicular 12" Perimeter Grating - White
LAW-251-1000	PE-FASTSET	Fastening Set for Perpendicular Grate (1 per 100ft)

Parallel grating in straight or radial design is also available - White, Bone & Grey



ASA MANUFACTURING

Fiberglass Main Drain Sumps. Order Frames & Grates Separately

Product No.	Model No.	Description
AMI-25-1007	FPK-50-809-3	9" x 9" Sump w/ 3" PVC Side Outlet & (2) 2" Bottom Couplings
AMI-25-1008	FPK-50-812-4	12" x 12" Sump w/ 4" PVC Side Outlet & (2) 2" Bottom Couplings
AMI-25-1010	FPK-50-812-18-6	12" x 12" Sump w/ 6" PVC Side Outlet & (2) 2" Bottom Couplings
AMI-25-1000	FPK-50-818-6	18" x 18" Sump w/ 6" PVC Side Outlet & (2) 2" Bottom Couplings
AMI-25-1011	FPK-50-818-24-8	18" x 18" Sump w/ 8" PVC Side Outlet & (2) 2" Bottom Couplings



LAWSON AQUATICS

Product No.	Model No.	Description
Superflow Frame & Grates		
LAW-25-1028	MLD-FGD-0909-BK2	9"x9" Frame & Grate Domed Black 2Pk
LAW-25-1029	MLD-FGD-0909-2W	9"x9" Frame & Grate Domed White 2Pk
LAW-25-1030	MLD-FGD-1212-BK2	12"x12" Frame & Grate Domed Black 2Pk
LAW-25-1032	MLD-FGD-1818-BK2	18"x18" Frame & Grate Domed Black 2Pk
LAW-25-1033	MLD-FGD-1818-2W	18"x18" Frame & Grate Domed White 2Pk
LAW-25-1008	MLD-FG-1836-WT1	White Main Drain 18"x36" Vgb Grate
LAW-25-1009	MLD-FG-1836	Black Main Drain 18"x36" Vgb Grate
Supersumps Sump & Grates		
LAW-25-1026	MLD-SG-9VL-WT	9"x9" Sump Vinyl Liner Adapter
LAW-25-1034	MLD-SG-0909-BK2	9"x9" Sump & Grate Domed Black 2Pk
LAW-25-1035	MLD-SG-0909-WT2	9"x9" Sump & Grate Domed White 2Pk
LAW-25-1036	MLD-SG-1212-BK2	12"x12" Sump & Grate Domed Black 2Pk
LAW-25-1037	MLD-SG-1212-WT2	12"x12" Sump & Grate Domed White 2Pk
LAW-25-1038	MLD-SG-1818-BK2	18"x18" Sump & Grate Domed Black 2Pk
LAW-25-1039	MLD-SG-1818-WT2	18"x18" Sump & Grate Domed White 2Pk

Additional sizes available to 18" x 90"



STEGMEIER

Product No.	Model No.	Description
Treadmaster - 1x10 ft per Carton		
STE-55-4221	ALD-C	Treadmaster Deck Drain 10' Aluminum Clear
STE-55-3196	ALD-W	Treadmaster Commercial Deck Drain Wht
STE-55-4222	ALD-A	Treadmaster Deck Drain 10' Alluminum Almond
Flowmaster 4" Commercial (4x10 Ft Per Carton)		
STE-55-3130	FMW	Flowmaster 4" Deck Drain Wht 10' 4/cs
STE-55-3131	FMT	Flowmaster 4" Deck Drain Tan 10' 4/cs
Flowmaster 3" Commercial (4x10 Ft Per Carton)		
STE-55-3901	FM3T	Flowmaster 3 3" Deck Drain Tan 10' 4/cs
STE-55-3902	FM3W	Flowmaster 3 3" Deck Drain Wht 10' 4/cs
Flowmaster A/T - 1x10 Ft Per Carton		
STE-55-3174	FLO-AT4.5W	Flowmaster 4.5" A/T Deck Drain Wht Aluminum Cap
STE-55-2570	FLO-AT3C	Flowmaster 3" A/T Deck Drain Clear Aluminum Cap

Tees, Ells, Down Adapter, and End Adapter Plug Available For All Styles



QUAKER PLASTICS

Available in sizes of 6x6 or 4x10 per carton.

Product No.	Model No.	Description
The Water Hog 3"		
QKR-55-5031	QP-6241T	Deck Drain Tan 6'
QKR-55-5032	QP-6241W	Deck Drain White 6'
QKR-55-5035	QP-6242G	Deck Drain Grey 10'
QKR-55-5036	QP-6242T	Deck Drain Tan 10'
The Water Hog 4"		
QKE-55-5059	QP-6251T	Deck Drain Tan 6'
QKE-55-5060	QP-6251W	Deck Drain White 6'
QKE-55-5061	QP-6252T	Deck Drain Tan 10'
QKE-55-5062	QP-6252W	Deck Drain White 10'

Tees, Ells, Down Adapter, and End Adapter Plug Available For All Styles



RACING LANE & LIFE LINE ANCHORS

Product No.	Model No.	Description
Permacast Chrome Plated Brass		
PER-35-807	PI-74S	Special Rope Eye w/ Lag Shield
PER-35-811	PH-82	Cup Anchor CPB w/ Eyebolt
PER-35-816	PH-82-B	Cup Anchor CPB w/ Cross Bar
Paragon Stainless Steel		
KDI-35-0316	70316SE	4" Sq. S/S Cup Anchor w/ Triangular Eyebolt
KDI-35-762	70316SS	4" Sq. S/S Cup Anchor w/ S/S Cross Bar
Spectrum Stainless Steel		
SPM-35-1129	58316-00	4" Sq. S/S Wall Anchor W/ Removable Eyebolt



PENTAIR INTELLIBRITE 5G WHITE LED

IntelliBrite® 5g White LED pool lights provide the most energy-efficient lighting ever. They use 89% less electricity than incandescent and halogen pool lights. The most energy efficient white LED pool light on the market. Energy efficient utilizing up to 89% less energy than comparable incandescent lights. Superior lens geometry and exclusive reflector design combine to create a wider beam and more uniform light distribution. Pool lens can be rotated to 180 degrees to provide wide beam pattern (standard) or narrow beam pattern. Compatible with Pentair stainless steel and plastic niches.

Product No.	Model No.	Cord Length (ft)
5g White Pool Lights 300 Watt Equivalent, 120 Volt		
AMP-30-1101	601101	50'
AMP-30-1102	601102	100'
AMP-30-1103	601103	150'
5g White Pool Lights 300 Watt Equivalent, 12 Volt		
AMP-30-1106	601106	50'
AMP-30-1107	601107	100'
5g White Pool Lights 500 Watt Equivalent, 120 Volt		
AMP-30-1301	601301	50'
AMP-30-1302	601302	100'
AMP-30-1303	601303	150'
5g White Pool Lights 500 Watt Equivalent, 12 Volt		
AMP-30-1306	601306	50'
AMP-30-1307	601307	100'
5g White Spa Lights 12 Volt		
AMP-30-0141	640141	50'
AMP-30-0142	640142	100'
AMP-30-0143	640143	150'
5g White Spa Lights 12 Volt		
AMP-30-0151	640151	50'
AMP-30-0152	640152	100'
Pentair PVC Niches		
AMP-30-6094	79206700	Plastic Niche for Conc -Pool
AMP-30-6093	79206600	Plastic Niche for Conc -Spa

HAYWARD CRYSTAL LOGIC LIGHTS

Crystal Logic lights feature the brightest 100W spa, 300W and 500W equivalent pool LED lights. It uses up to 84% less energy than incandescent lights and lasts up to 10 times longer. UL listed to retrofit into most manufacturers' installed inches makes CrystalLogic truly universal. 12V, 2-wire, all-plastic construction with an unbreakable lens. The Crystal Logic series is safe and easy to install. Energy and maintenance savings can deliver a payback in less than two years.

Product No.	Model No.	Description
HAY-30-1015	LPLUS11030	Pool, 300W, 30'
HAY-30-1105	LPLUS11050	Pool, 300W, 50'
HAY-30-1016	LSLUS11030	Spa, 100W, 30'
HAY-30-1119	LSLUS11050	Spa, 100W, 50'
Hayward PVC Niches		
HAY-30-1021	LFGUY1000	Plastic Niche for Conc -Pool
HAY-30-1022	LGGUY1000	Plastic Niche for Conc -Spa

PENTAIR AMBERBRITE LED REPLACEMENT LAMP

AmerBrite LED lamps add the efficiency and luminous splendor of LED technology to the best-selling Amerlite light series. The convenient Edison screw base gives you a simple "plug and play" replacement for your current Amerlite incandescent bulb. Simply unscrew your inefficient high-wattage incandescent bulb and replace with the brilliance of an AmerBrite LED lamp.

Product No.	Model No.	Cord Length (ft)
AMP-30-988	602060	LED Color 12v
AMP-30-991	602065	LED Color 120v
AMP-301-2070	602070	LED White 300w 12v
AMP-301-2071	602071	LED White 400w 12v
AMP-301-2072	602072	LED White 500w 12v
AMP-301-2075	602075	LED White 300w 120v
AMP-301-2076	602076	LED White 400w 120v
AMP-301-2077	602077	LED White 500w 120v

PVC Niche



Pentair LED



Hayward LED



SR SMITH COMMERCIAL PLUS LADDERS - STANDARD & CROSS BRACED

The SR Smith Commercial Plus Ladders are made from high grade, 1.90" OD, Type 304 S/S tubing in three different wall thicknesses of .065", .109" and .145". These heavy duty ladders are available in the standard or cross braced style in three widths: 23", 30" and 36" to fit just about any pool. The Commercial Plus ladders can be supplied with heavy duty plastic treads or with stainless steel treads.



Use product number *SRS-COM or Poolcorp # SRS-35-]

Description	Width	Standard 1.9"x.065"	Standard 1.9"x.109"	Cross Brace 1.9"x.065"	Cross Brace 1.9"x.109"
SR Smith - Plastic Treads					
2-Tread Ladder	23"	10001	10002	10073	10074
3-Tread Ladder	23"	10004	10005	10076	10077
4-Tread Ladder	23"	10007	10008	10079	10080
5-Tread Ladder	23"	10010	10011	10082	10083
2-Tread Ladder	29"	10013	10014	10085	10086
3-Tread Ladder	29"	10016	10017	10088	10089
4-Tread Ladder	29"	10019	10020	10091	10092
5-Tread Ladder	29"	10022	10023	10094	10095

SR SMITH COMMERCIAL PLUS LADDERS WITH STAINLESS STEEL TREADS



Use product number *SRS-COM or Poolcorp # SRS-35-]

Description	Width	Standard 1.9"x.065"	Standard 1.9"x.109"	Cross Brace 1.9"x.065"	Cross Brace 1.9"x.109"
SR Smith - Stainless Steel Treads					
2-Tread Ladder	23"	10037	10038	10109	10110
3-Tread Ladder	23"	10040	10041	10112	10113
4-Tread Ladder	23"	10043	10044	10115	10116
5-Tread Ladder	23"	10046	10047	10118	10119
2-Tread Ladder	29"	10049	10050	10121	10122
3-Tread Ladder	29"	10052	10053	10124	10125
4-Tread Ladder	29"	10055	10056	10127	10128
5-Tread Ladder	29"	10058	10059	10130	10131

SR SMITH LADDERS

Product No.	Model No.	Description
1.90" OD x .065" Wall Ladders - Also Available In 36" Width And .109" Or .145" Wall.		
SRS-35-1279	LF-24-2A	2-Step 24" Standard SS Ladder
SRS-35-1259	LF-24-3B	3-Step 24" Standard SS Ladder
SRS-35-1057	LF-24-4C	4-Step 24" Standard SS Ladder
SRS-COM	LF-24-5D	5-Step 24" Standard SS Ladder
SRS-COM	LF-30-2A	2-Step 30" Standard SS Ladder
SRS-351-1529	LF-30-3B	3-Step 30" Standard SS Ladder
SRS-35-3300	LF-30-4C	4-Step 30" Standard SS Ladder
SRS-35-1086	LF-30-5D	5-Step 30" Standard SS Ladder
1.90" OD x .065" Wall Cross Braced Ladders - Also Available In 36" Width And .109" Or .145" Wall.		
SRS-35-1151	LFB-24-2A	2-Step 24" Cross Braced SS Ladder
SRS-35-1072	LFB-24-3B	3-Step 24" Cross Braced SS Ladder
SRS-35-3520	LFB-24-4C	4-Step 24" Cross Braced SS Ladder
SRS-COM	LFB-24-5D	5-Step 24" Cross Braced SS Ladder
SRS-35-1229	LFB-30-2A	2-Step 30" Cross Braced SS Ladder
SRS-35-1065	LFB-30-3B	3-Step 30" Cross Braced SS Ladder
SRS-35-1234	LFB-30-4C	4-Step 30" Cross Braced SS Ladder
SRS-35-3530	LFB-30-5D	5-Step 30" Cross Braced SS Ladder



SR SMITH GRAB RAILS

Sets Of 2

Product No.	Model No.	Description
Figure 4		
SRS-35-1006	F4H-100	30" x 1.90" OD x .065" Wall
SRS-35-1130	10180	30" x 1.90" OD x .109" Wall
SRS-35-1133	10181	30" x 1.90" OD x .145" Wall
SRS-35-2053	12053	Handrail 1.50" OD x .120" Wall
Commercial Ring		
SRS-35-1088	CRH-100	Rails Only .065"
SRS-35-1127	CRH-100B	Rails & Anchor .065"

Use product number *SRS-COM

Width	1.90" OD x .109" Wall	1.90" OD x .145" Wall
Pretzel		
17"	10169 *	10170
26"	10171	10172
30"	10173	10174
* Use product number SRS-35-1134		
California Pacific Pretzel		
26"	10175 *	10176
30"	10177	10178

* Use product number SRS-35-1310



SR SMITH RAILS

1.90" OD X .065" Wall Stair Handrails - Custom SS Rails Available By Special Order.

Product No.	Model No.	Description
SRS-35-1232	2HR-4-065	2-Bend 48" SS Handrail
SRS-35-732	2HR-5-065	2-Bend 60" SS Handrail
SRS-35-1241	2HR-6-065	2-Bend 72" SS Handrail
SRS-35-1239	3HR-4-065	3-Bend 48" SS Handrail
SRS-35-1055	3HR-5-065	3-Bend 60" SS Handrail
SRS-35-2730	3HR-5.5-065	3-Bend 66" SS Handrail
SRS-35-1263	3HR-6-065	3-Bend 72" SS Handrail
SRS-35-1231	3HR-6.5-065	3-Bend 78" SS Handrail
SRS-35-1238	3HR-7-065	3-Bend 84" SS Handrail
SRS-35-1240	3HR-8-065	3-Bend 96" SS Handrail



1.50" OD x .120" Wall 316L S/S Rails

Use product number *SRS-COM

Model No.	Description
12047	2-Bend 48" Stair Rail
12048	2-Bend 60" Stair Rail
12049	2-Bend 72" Stair Rail
12050	3-Bend 48" Stair Rail
12051	3-Bend 60" Stair Rail
12052	3-Bend 72" Stair Rail



SPECTRUM GRABRAILS

Set of 2



Use product number *SPM-COM

Width	1.90" OD x .109" Wall	1.90" OD x .145" Wall	1.50" OD x .120" Wall
Figure 4			
26"	37150-.065	37150-.145	37150-.120
Adjustable Figure 4			
Adjustable	35099-.065	35099-.145	35099-.120
California Pacific Pretzel Bend			
26"	35113-.065	35113-.145	35113-.120
Pretzel Bend			
17"	35117-.065	35117-.145	35117-.120
26"	35121-.065	35121-.145	35121-.120

SR SMITH EXERCISE BAR

Product No.	Model No.	Description
SRS-35-1083	EB-100A-MG	3' Exercise Bar w/ Flanges
SRS-35-1084	EB-101A-MG	4' Exercise Bar w/ Flanges
SRS-35-2726	EB-102A-MG	5' Exercise Bar w/ Flanges




SR SMITH ACCESORIES

Product No.	Model No.	Description
Packages		
SRS-351-4167	LTDF-103	Elite Tread SS Ladder Tread - No HDWE
*SRS-COM	LTDF-107	1.5" OD Elite Tread SS Ladder Tread - No HDWE
SRS-351-7317	60-702	Bolt Pack 3 Step Elite Tread
SRS-351-4181	LTDF-106	Plastic Ladder Tread - No HDWE
SRS-351-7318	60-704	Bolt Pack 3 Step Plastic Thread
Ladder Bumper		
SRS-351-1125	WRB-101A	Ladder Bumper (1.9" OD Female) Wht
SRS-351-4165	WRB-100A	Ladder Bumper (1.9" OD Male) Wht
SRS-351-1032	BRB-100EX	XPAND N Lock Ladder Bumper
Escutcheon Plate		
SRS-351-4160	EP-100A	Escutcheon Plates (1.9" OD)
SRS-351-2001	EP-100F	Escutcheon S/S Round
SRS-351-4161	EP-150	Escutcheon SS (1.5" OD)
SRS-351-2009	EP-200-MC	2 Piece Escutcheon Plate CPB
Anchor Socket		
SRS-351-4157	AS-100A	Anchor Socket Standard - Aluminum 4" Deep
SRS-351-4158	AS-100B	Anchor Socket Standard - Bronze 4" Deep
SRS-351-4159	CP-100	Achor Cover Plate SS (1.9" OD)
Spectrum Accessories		
SPM-351-1004	42696	Black Compression Anchor 1.5" OD



PERMACAST ACCESORIES

Product No.	Model No.	Description
PER-35-779	PS-4019-C	4" Aluminum Anchor Socket For 1.90" OD Tubing
PER-35-820	PS-4015-B	4" Bronze Deck Anchor For 1.50" OD Tubing
PER-35-798	PS-4019-BC	4" Bronze Deck Anchor For 1.90" OD Tubing
PER-35-768	PC-4008-BC	4" Bronze Deck Anchors Channel Set 8" O.C. For 1.90" OD Tubing
PER-35-711	PC-4020-BC	4" Bronze Deck Anchors Channel Set 20" O.C. For 1.90" OD Tubing
PER-35-710	PC-4008-AC	4" Aluminum Deck Anchors Channel Set 8" O.C. - For 1.90"OD Tubing
PER-35-712	PC-4020-AC	4" Aluminum Deck Anchors Channel Set 20" O.C. - For 1.90"OD Tubing
PER-35-736	PE-0015-S	Round SS Escutcheon Plate for 1.50" OD Tubing
PER-35-729	PE-0019-S	Round SS Escutcheon Plate for 1.90" OD Tubing



SPECTRUM LIFEGUARD STANDS

Stimson

The Stimson is a space saving lifeguard platform design that is permanently mounted, is extremely functional and rugged. The ladder assembly and column are designed at a 15 degree angle for safety and comfort. Standard features include a non-slip platform top, our exclusive seat and mounting brackets for a ring buoy and umbrella. Anchors are sold separately.



Hyalite

This unique lifeguard chair has been designed to conform to OSHA regulations. All guard rails are a specific height and forward distance from the platform. Features include a rear access ladder and non-slip platform top. Rescue tubes, umbrellas, anchors and accessories sold separately. Stainless steel lifeguard chair.



Sapphire

The Sapphire lifeguard chair is a space saving design enabling minimal setback and is ideal for rollout gutter pools. Rescue tube holder and umbrella mounting bracket included. Rescue tubes, umbrellas, anchors and accessories sold separately. Stainless steel lifeguard chair.



Discovery

This lightweight yet sturdy portable lifeguard chair enables the lifeguard to oversee any portion of the pool in seconds. Rescue tube holder and umbrella mounting bracket included. Optional Ballast Systems provide stability to portable platforms. Ballast system, rescue tubes, umbrellas and accessories sold separately.



Marshall

The Marshall moveable lifeguard chair may be used for lifeguarding, judging, coaching or instructing. This lightweight, yet sturdy, platform is easy to transport. Ballast Systems provide stability to portable platforms.



Mendota

The Mendota portable lifeguard chairs are made of recycled high-density polyethylene material with colorants and UV inhibitors.



Hilgard

The Hilgard moveable lifeguard chair accommodates the lifeguard by providing multiple entrances, which enables two guards to be on the platform at the same time. Easily transportable and versatile. Steel railing in back for safety and a split rail in front allowing for an unobstructed view. Extra wide side mount ladders are featured along with mounting brackets for a rescue buoy and umbrella.



Torrey II

The Torrey II lifeguard platform is readily moveable and enables the lifeguards a rapid exit while maintaining an excellent line of sight. It also eliminates the hazards associated with elevated platforms. Rescue tube holder and umbrella mounting bracket included. Rescue tubes, umbrellas and accessories sold separately.



Product No.	Model No.	Description
*SPM-COM	57308	5' Stimson Stand
*SPM-COM	44116	6' Stimson Stand
SPM-35-1119	20065	6' Hyalite Stand
SPM-35-1118	20085	6' Sapphire Stand
SPM-35-1120	20160	6' Discovery Stand
SPM-35-1121	20140	5' Discovery Stand
SPM-35-1122	20100	6' Marshall Stand
SPM-35-1127	42022	3' Mendota Stand
SPM-35-1128	45023	4' Mendota Stand
*SPM-COM	20121	5' Hilgard Stand
SPM-35-1124	20211	3' Torrey II Stand
SPM-35-1125	20214	3.5' Torrey II Stand
SPM-35-1126	20215	4' Torrey II Stand

SR SMITH LIFEGUARD STANDS

Portable

The PLS 204 Standard is a 6' tall lifeguard chair, allowing lifeguards to easily scan large pool areas in a short amount of time. This easily movable unit allows you the flexibility of moving your lifeguard stations as needed. The seat swivels 45-degrees for focused scanning.



Low Profile

Our Low Profile lifeguard chairs are available in 30" and 42" heights to allow for quick exits. This easily movable unit allows you the flexibility of moving your lifeguard stations as needed. The seat swivels 360-degrees for uninhibited scanning of your entire facility.



Outlook I

The 6' tall Outlook I and 5' tall Outlook II lifeguard chairs allow lifeguards to easily scan large pool areas. Outlook lifeguard chairs have an extended observation platform. The slender design of this permanent unit requires minimal deck space and the seat swivels 360-degrees for uninhibited, active scanning.



Cantilever

The Cantilever lifeguard chair is a 6' tall lifeguard chair that allows your lifeguards to easily scan large pool areas. The Cantilever has an extended observation platform for improved observation and safety. This permanent unit requires minimal deck space. The seat swivels 360-degrees for uninhibited scanning. The Cantilever lifeguard chair's steel base is coated with a primer and ready for a paint topcoat.



Outlook II

The 6' tall Outlook I and 5' tall Outlook II lifeguard chairs allow lifeguards to easily scan large pool areas. Outlook lifeguard chairs have an extended observation platform. The slender design of this permanent unit requires minimal deck space and the seat swivels 360-degrees for uninhibited, active scanning.



Guardian

The Guardian lifeguard chair is a 6' tall lifeguard chair that allows your lifeguards to easily scan large pool areas. The Guardian has an extended observation platform for improved observation and safety. This permanent unit requires minimal deck space. The seat swivels 360-degrees for uninhibited, active scanning.



Vista

The Vista lifeguard chair comes in either 6' or 8' heights that allow lifeguards to easily scan large pool areas. This easily movable unit allows you the flexibility of moving your lifeguard stations as needed. The seat swivels 360-degrees for uninhibited scanning.



Product No.	Model No.	Description
SRS-35-1128	PLS-204	Standard Portable Lifeguard Stand
SRS-35-1277	LPLS-342	Low Profile Lifeguard Stand
SRS-35-3005	US48600	Outlook I Lifeguard Stand
SRS-35-1377	US48700	Outlook II Lifeguard Stand
SRS-35-1254	UMLS-101	Guardian Lifeguard Stand
SRS-35-3000	US48500	Vista Lifeguard Stand
SRS-35-999	CAT-LG-101	Cantilever Lifeguard Stand



TAILWIND LIFEGUARD STANDS

Tailwind Furniture's Lifeguard Chairs and Complete Line of Furniture are manufactured utilizing High Density Polyethylene, HDPE, a recycled plastic in board form derived from post consumer & post industrial bottle waste, and stainless steel hardware. Tailwind's Lifeguard Chairs & Furniture will never need painting or staining and will not rot or splinter. The recycled plastic has an added UV inhibitor to resist fading. HDPE is unaffected by most corrosive substances. It will not absorb moisture, or promote bacterial growth.

LG 500



LG 505



LG 510



MLG 520



MLG 525



Tailwind Lifeguard Chairs add style to any backyard pool and make great gifts for current and former lifeguards. They are ideal for hotel pools, community pools, private clubs, lodges and water parks. Tailwind Lifeguard Chairs are even used by YMCAs and U.S. military bases.

TLG 530




TLG 535



All Lifeguard Chairs come complete with: cup and umbrella holders (umbrella holder has a 1 5/8" diameter opening). Umbrella not included. All steps and platforms have a textured surface.

Available in Green, White, Sand, and Cedar.

They even float!



EXP501



Product No.	Model No.	Description
TAF-35-1000	LG500	Lifeguard Chair w/ 30"H Seat
TAF-35-1002	LG505	Lifeguard Chair w/ 30"H Seat
TAF-35-1003	LG510	Lifeguard Chair w/ 40"H Seat
TAF-35-1005	MLG520	L/G Chair (Side Step)
*TAF-COM	MLG525	Lifeguard Chair w/ 50"H Seat
TAF-35-1004	TLG530	Tall L/G Chair (Side Step)
*TAF-COM	TLG535	Lifeguard Chair w/ 64"H Seat
TAF-35-1001	EXP501	Platform Kit For LG500 Chair

PARAGON LIFEGUARD STANDS

Paraflyte Club

The Paraflyte Ladder at Rear lifeguard chair is recommended for general use. The access ladder at rear with flared guard rails provides easy access to the platform. The horizontal rails provide protection and serve as arm rests. The lifeguard chair assembly is provided with all anchors and escutcheons.

Paraflyte Side Ladders

Paraflyte Ladder at Sides lifeguard chair has two access ladders, one at each side, that allows the lifeguard to dismount quickly and safely, from either side, when unable to plunge directly into the pool. Two guards can each stand in an elevated position for unbroken surveillance during guard change and relay of instructions. The lifeguard chair assembly is provided with all anchors and escutcheons.

Moveable Lifeguard Chair

The Paragon Moveable Lifeguard Chair is an ideal solution for a chair that is needed at different locations at different times. The moveable chair is both rugged and stable, yet can be easily moved by one person. The semi-pneumatic tires roll easily on a deck or lawn. The Moveable chair is perfect for supervision, instruction and judging. The wide ladder at the front of the Moveable chair leads directly to the platform. The Moveable Lifeguard Chair is available with a seat at four, five or six feet above the deck. This lifeguard chair is not suitable for diving.

Semi-Permanent Lifeguard Chair

The Paragon Rover Semi-Permanent lifeguard chair is designed for those pools where the lifeguard chair must be adjacent to the pool yet still be capable of being readily moved. For instance, in sunbelt states chairs might be moved to opposite sides of the pool each day to keep the sun out of the guard's eyes. The rear legs are set into sockets anchored in the deck, while the front legs with wheels allow for easy relocation. The Rover lifeguard chairs are furnished with two pairs of anchor sockets, for two locations. Additional sets may be specified.

Portable Lifeguard Chair

The Paragon Portable Lifeguard Chairs are available in 2, 3 and 4 step models. The 2 and 3 step Portable chairs are suitable for applications that do not require a full height chair. The Portable lifeguard chairs are provided with a fixed, molded plastic seat, 6 Ft., 4'-6", and 3'-10" above the deck. The 4 step model weighs a mere 70 lbs. and is light enough to be easily lifted by one person. A sloping front ladder allows access to the seat, and angled legs add stability. An optional Wheel Kit can be specified that attaches to the rear legs for additional portability. These chairs are not suitable for diving.

Lookout Lifeguard Chair

The Paragon Lookout Platform allows two lifeguards on the platform at the same time to maintain uninterrupted guard changes. The Lookout Platform is made of easy-to-maintain stainless steel. Features of the Lookout Platform include: Portable, solid stainless steel frame (1.90" x .065" tubing), 360° swivel seat, a non-skid 36" x 60" fiberglass platform, dual entrances, umbrella and rescue tube holders.

Griff's Guard Station

All of Paragon Griff's Guard Station® models feature front entry, an elevated viewing station, easy access, and non-skid surface. A wide front step provides additional station and brings the guard closer to the pool edge. Heavy duty wheels allow convenient, easy portability. Stainless steel and fiberglass construction assures long lasting and trouble-free service.



Griff's Guard Station Sun Shade

With a focus on safety Paragon Aquatics, together with Tom Griffiths, developed the NEW Griff's Guard Station® Sun Shade protecting lifeguards from harmful UV rays while increasing visual effectiveness. The Sun Shade offers a unique range of adjustability, tilting side-to-side, forward-to-back and up and down, providing increased visibility by shielding the lifeguard from the glare of the sun. A seamless upgrade to your existing Paragon Griff's Guard Station®, with no modifications necessary. Adapter kits are available for all 3 Griff's Guard Stations. An easy to install Adapter kit retrofits effortlessly in the field and requires no drilling. The Sun Shade canopy is designed for easy removal under high wind advisories. The Griff's Guard Station® Sun Shade canopy is available in a variety of colors to compliment your facility. The station seat is available in the standard turquoise, as well as, white.



Product No.	Model No.	Description
Paragon Aquatics Deck Mounted Lifeguard Chairs with Embedded Anchor System for Concrete		
*KDI35-COM	20001	Ultraflyte L/G Chair Ladder At Rear
*KDI35-COM	20002	Superflyte Lifeguard Chair Ladder At Rear
*KDI35-COM	20003	Superflyte L/G Chair Ladder At Sides
*KDI35-COM	20004	Superflyte Osha Style L/G Chair
KDI-35-735	21001	Para-flyte Club Lifeguard Chair
*KDI35-COM	20601	Standard 4-Leg L/G Chair W/O Anch & Escut
*Anchors are not included. (4) 4" X 1.90" Wedge Anchors & (4) Escutcheons are required for removable installation.		
Paragon Aquatics Wheel Around Lifeguard Chairs W/ Swivel Seat		
*KDI35-COM	20301	8' Moveable Lifeguard Chair
*KDI35-COM	20302	6' Moveable Lifeguard Chair
*KDI35-COM	20302-C	5' Moveable Lifeguard Chair
*KDI35-COM	20305	4' Moveable Lifeguard Chair
*KDI35-COM	20303	Rover Moveable 6' L/G Chair W/ 2-Sets Of Anch
Paragon Aquatics Wheel Around Lifeguard Chairs W/ Swivel Seat		
KDI-35-744	20401	6' Portable 4-Step Lifeguard Chair
KDI-35-749	20450	3'-10" Portable 2-Step Lifeguard Chair
*KDI35-COM	20460	4'6" Portable 3-Step Lifeguard Chair
*KDI35-COM	20350	Lookout 1-Step Lifeguard Chair
*KDI35-COM	20360	Lookout 2-Step Lifeguard Chair W/ Wheels
KDI-35-0365	20365	Lookout 3-Step Lifeguard Chair W/ Wheels
*KDI35-COM	20370	Lookout Platform Chair
*KDI35-COM	20380	Lookout Dual Side Mount L/G Chair W/ Wheels
*KDI35-COM	20385	Griff's Guard Station ®- Flat
*KDI35-COM	20386	Griff's Guard Station ® - Step
*KDI35-COM	20387	Griff's Guard Station ® - Full Height
*KDI35-COM	20340	Griff's Vision Guard Station ™ - 1-Step
*KDI35-COM	20341	Griff's Vision Guard Station ™ - 2-Step
*KDI35-COM	20342	Griff's Vision Guard Station ™ - 3-Step
Paragon Aquatics Optional Sun Shades For Griff's Guard Station ® And Griff's Vision		
*KDI35-COM	20395	Griff's Sun Shade Complete - Flat Model
*KDI35-COM	20396	Griff's Sun Shade Complete - Step Model
*KDI35-COM	20397	Griff's Sun Shade Complete - High Model
*KDI35-COM	20345	Griff's Sun Shade Complete - Vision Series

SR SMITH DIVE STANDS

The Econoline 1 Meter tower is a great stand for commercial pools that need a durable, mid-sized diving tower that will hold up to moderate to heavy-duty use. The Econoline tower is primed only and requires a paint topcoat.

The Steel Meter stand comes in three sizes ranging from 1/2 meter to 1 meter in height. Although ideal for commercial applications that require a strong and durable diving tower, the 1/2 meter size is also appropriate for residential pools where the diving board gets a lot of activity. The stainless steel, powder coated construction is built to last for years with minimal maintenance. Board length will be determined by size and type of pool. Handrails are required for 3/4 and 1 Meter models and are sold separately.

Product No.	Model No.	Description
SRS-35-1052	70-209-510	3/4M Steel Stand For 10' Board
SRS-35-1091	70-209-512	3/4M Steel Stand For 12' Board
SRS-35-1005	70-209-520	1M Steel Stand For 10' Board
SRS-35-1001	70-209-522	1M Steel Stand For 12' Board
SRS-351-4141	71-209-551	10' Handrails With Mounting Kit
SRS-351-4142	71-209-552	12' Handrails With Mounting Kit
SRS-35-802	E-CAT-1M-100	1M Econoline Stand For 12' Board
SRS-35-804	E-CAT-1M-101	1M Econoline Stand For 14' Board
SRS-35-1104	25-106	Handrails For E-CAT Stand w/ Mounting Kit

Order Handrails Separately



SR SMITH ALUMINUM BOARDS

Product No.	Model No.	Description
SRS-35-778	66-209-3102	10' Board w/ Mounting Kit - White
SRS-35-1044	66-209-3122	12' Board w/ Mounting Kit - White
SRS-35-779	66-209-3142	14' Board w/ Mounting Kit - White
SRS-35-780	66-209-3162	16' Board w/ Mounting Kit - White

Marine Blue Trim Also Available



SR SMITH EUREKA BOARDS

Product No.	Model No.	Description
SRS-35-1516	66-209-2442-1	14' Board w/ Mounting Kit - White
SRS-35-1517	66-209-2462-1	16' Board w/ Mounting Kit - White

Marine Blue Trim Also Available



SR SMITH SWIM-CLUB BOARDS

Product No.	Model No.	Description
SRS-35-774	66-209-220S2-1	10' Board w/ Mounting Kit - White
SRS-35-775	66-209-2222-1	12' Board w/ Mounting Kit - White
SRS-35-776	66-209-2242-1	14' Board w/ Mounting Kit - White
SRS-35-777	66-209-2262-1	16' Board w/ Mounting Kit - White

Marine Blue Trim Also Available



SR SMITH FRONTIER III BOARDS

Product No.	Model No.	Description
SRS-35-1521	66-209-610S20T	10' Board w/ Mounting Kit - White
SRS-35-807	66-209-6122	12' Board w/ Mounting Kit - White
SRS-35-808	66-209-6142	14' Board w/ Mounting Kit - White
SRS-35-809	66-209-6162	16' Board w/ Mounting Kit - White

Marine Blue Trim Also Available



SR SMITH DIVE STANDS



Deluxe towers come in 1 and 3 meter heights to accommodate 14' or 16' diving boards, allowing you to find the perfect size for your commercial diving pool. Choose from right, left, dual or heel mount models. The steel tower is primed only and ready for a paint topcoat.

Product No.	Model No.	Description
SRS-35-1066	CAT-1M-203H	1M Heel Mount for 14' or 16' Board
SRS-35-1370	CAT-1M-203D	1M Dual Side Mount for 14' or 16' Board
SRS-35-1371	CAT-1M-203L	1M Left Side Mount for 14' or 16' Board
SRS-35-1372	CAT-1M-203R	1M Right Side Mount for 14' or 16' Board
SRS-35-1196	CAT-3M-203H	3M Heel Mount for 14' or 16' Board
SRS-35-1373	CAT-3M-203D	3M Dual Side Mount for 14' or 16' Board
SRS-35-1374	CAT-3M-203L	3M Left Side Mount for 14' or 16' Board
SRS-35-1375	CAT-3M-203R	3M Right Side Mount for 14' or 16' Board


PENTAIR PARAGON AQUATICS

Sportflyte Towers

Not suitable for competition. The Economy model is designed for recreational use. Utilizes 19" steps. Fulcrum may be repositioned. Guard rails and hand rails are welded and extend to pool edge. Available with flanged or plain pedestal.

Use Product No. *KDI35-COM

Model No.	Description
13511	1M Tower For 16' Board
13512	1M Tower For 14' Board
13501	3M Tower For 16' Board
13502	3M Tower For 14' Board



Superflyte Towers

The most widely used general purpose model, suitable for competition and larger commercial or institutional pools. These towers may be installed outdoors or indoors. Available with flanged or plain pedestal. Includes geared adjustable fulcrum and rear swivel. These dive towers are only to be used in supervised facilities. Diving Boards are not included.

Use Product No. *KDI35-COM

Model No.	Description
12106	1M Tower For 14' Eureka Board
12104	1M Tower For 14' Aluminum Board
12105	1M Tower For 16' Eureka Board
12103	1M Tower For 16' Aluminum Board
12022	3M Tower For 14' Eureka Board
12020	3M Tower For 14' Aluminum Board
12021	3M Tower For 16' Eureka Board
12019	3M Tower For 16' Aluminum Board



SR SMITH

Give yourself an advantage from the start with an S.R. Smith starting platform. You can't go wrong with a line that covers everything from recreational racing to elite competition. Combine virtually any of our platforms with our high performance anchoring system and guarantee yourself a RockSolid™ advantage.



Legacy



Legacy Launch



Legacy Side Mount



Legacy II Side Mount



Varsity Deluxe



Product No.	Model No.	Description
*SRS35-COM	LAUNCH-SP-9999A	Legacy Launch w/o Anchor
*SRS35-COM	LAUNCHR-SP-9999A	Legacy Launch - Rjp w/o Anchor
*SRS35-COM	LAUNCHSM-SP-9999A	Legacy Launch Side Mount w/o Anchor
*SRS35-COM	LAUNCHLR2-SP-9999A	Legacy Launch Long Reach w/o Anchor
*SRS35-COM	4-170A	Legacy Side Handles
SRS-35-1390	CHLR1-9999-01A	RecordQuest Long Reach Platform w/ 27-107 "Rock Solid" Anchor
SRS-35-1380	LEGACY-SP-9999	Legacy Platform w/ Single Post Anchor Assy
SRS-35-1386	LSM-9999	Legacy Side Mount Platform w/ Adj SP Anchor Assy
SRS-35-1384	LGCYL1-SP-9999	Legacy Long Reach Platform w/ Adj SP Anchor Assy
SRS-35-1379	LEGACY II	Legacy II Dual Post Platform Less Anchor
SRS-35-1382	LGCY2 SIDEMNT	Legacy Side Mount DP Platform w/ 6" Deep S/S DP Anchor Assy
SRS-35-1251	27-107	"Rock Solid" SP Anchor Assy, Only
SRS-351-2710	27-105	6" Deep SS DP Anchor Assy, Only
SRS-35-690	A41796-1	Varsity 30" Platform SP Anchor
SRS-35-1078	A41795-1	Varsity Low Profile 18" Platform w/ Anchors

NEW SR SMITH VELOCITY SERIES STARTING PLATFORMS!

Engineered with injected resin transfer technology, the footboard has outstanding strength as well as a sleek, uniform, hi-tech appearance. The powder-coated, stainless steel frame is secured to the pool deck with a patented RockSolid® anchor to eliminate platform movement.

- Available with TrueTread™ or sand tread
- Colorado & Daktronics timing systems compatible
- Track start wedge (5 positions) tucks under footboard when not in use
- Patented RockSolid® anchoring system (not included)
- Retrofittable onto existing S.R.Smith Legacy frames
- Custom colors and logos available on sand treaded footboards
- Meets FINA, NCAA, NFSHSA, USMS, USAS competition pool rules and guidelines



Heights & Setbacks

Model	Setback Range*	Height Off Deck**	Footboard Dimensions
Velocity	21" to 26"	17" to 29.5"	28" x 32"
Velocity Side Mount	21" to 26"	17" to 29.5"	28" x 32"
Velocity Long Reach	30" to 40"	0" to 29.5"	28" x 32"

* Setback is to center of the anchor

** Height from deck edge to top front edge of the platform

Product No.	Model No.	Description
Velocity Starting Platform W/ Track Start*		
*SRS35-COM	VELO-TS-TA	Standard With Truetread And Track Start
*SRS35-COM	VELOSM-TS-TA	Side Mount With Truetread And Track Start
*SRS35-COM	VELOLR-TS-TA	Long Reach With Truetread And Track Start
*SRS35-COM	VELO-TS-SA	Standard With Sand Tread And Track Start
*SRS35-COM	VELOSM-TS-SA	Side Mount With Sand Tread And Track Start
*SRS35-COM	VELOLR-TS-SA	Long Reach With Sand Tread And Track Start
Velocity Starting Platform W/O Track Start*		
*SRS35-COM	VELO-TA	Standard With Truetread
*SRS35-COM	VELOSM-TA	Side Mount With Truetread
*SRS35-COM	VELOLR-TA	Long Reach With Truetread
*SRS35-COM	VELO-SA	Standard With Sand Tread
*SRS35-COM	VELOSM-SA	Side Mount With Sand Tread
*SRS35-COM	VELOLR-SA L	Ong Reach With Sand Tread

*Rock Solid Anchor Sold Separately



PENTAIR COMMERCIAL AQUATICS - PARAGON STARTING PLATFORMS

Available in a wide variety of styles for specific user requirements. The platforms are designed to conform to standards set forth by one or more of the following governing bodies: FINA; NCAA; USS; USMS; or NFSHSA. Specific deck to water level dimensions are required for the selection of all platforms.



A



B



C



D



E



F




G



H



I



J



K



L

"A" - The Paragon Standard Paraflyte and Quickset Starting Platforms are general purpose platforms suitable for most applications. Paraflyte platforms are anchored with (4) bolts to an cast bronze anchor set in the deck. Quickset platforms have a close fitting, dual wedge, stainless steel sleeve anchor in the deck. The Standard tops are 24" wide x 20" deep with a 10° tilt towards the pool and an intermediate 8" x 12" step at the rear.

"B" - The Paragon Longreach Paraflyte and Quickset Starting Platforms are designed primarily for deck level pools with wide overflow gutters. They are designed to clear a 30" wide gutter without any support being required on the slotted stones or coping. Paraflyte platforms are anchored with (4) bolts to a 304 stainless steel anchor set in the deck. Quickset platforms have a close fitting, dual wedge, stainless steel sleeve anchor in the deck. The Longreach tops are 24" wide x 20" deep with a 10° tilt towards the pool and an intermediate 8" x 12" step at the rear.

"C" - The Paragon Florida Starting Platforms are designed for pools having a wide, elevated curb around the perimeter. The platforms are intended for mounting atop the curb with a setback dimension of 18" from pool to anchor socket. The Florida is also available in the Paraflyte and Quickset styles with anchors the same as the Standard. The Florida tops are 24" wide x 20" deep with a 10° tilt towards the pool and an intermediate 8" x 12" step at the rear.

"D" - The Paragon Competitor Starting Platforms are a dual post design with a sloping stainless steel pedestal and a backstroke bar with handgrips located approximately 20" above the water level. The platform tops are 24" wide x 20" deep and are put at a 10° tilt toward the pool. The intermediate step is 19" long x 4" wide. The 6" deep dual post anchor sockets are stainless steel with a closure cap.

"E" - The Paragon Longreach (20" - 29-1/2") Competitor Starting Platforms are a dual post design made for pool with an anchor setback requirement 20" and 29½" from pool to sockets. The platform tops are 24" wide x 20" deep and are put at a 10° tilt toward the pool. The intermediate step is 19" long x 4" wide. The 6" deep dual post anchor sockets are stainless steel with a closure cap.

"F" - The Paragon Longreach (30" - 40") Competitor Starting Platforms are a dual post design made for pool with an anchor setback requirement 30" and 40" from pool to sockets. The platform tops are 24" wide x 20" deep and are put at a 10° tilt toward the pool. The two intermediate steps are 19" long x 4" wide. The 10" deep dual post anchor sockets are stainless steel with a closure cap.

"G" The Paragon Track Start Side-Step Starting Platforms are a dual post design with a sloping stainless steel pedestal and a backstroke bar with handgrips located in a range consistent with all ruling bodies. The 24" wide x 32" deep platform tops and 8" x 12" intermediate side-steps are made from UV inhibited high density polypropylene. They both have a non-skid, cross-grooved, sand texture finish. The platform tops are permanently positioned with a 10° tilt toward the pool. The 6" deep dual post anchor sockets are stainless steel with a closure cap.

"H" The Paragon Long Reach Track Start Competitor Starting Platforms are a dual post design with a sloping stainless steel pedestal and a backstroke bar with handgrips located in a range consistent with all ruling bodies. The 24" wide x 32" deep platform tops are made from UV inhibited high density poly-propylene with a non-skid, cross-grooved, sand texture finish. The platform tops are permanently positioned with a 10° tilt toward the pool. The two intermediate steps are molded 19" long x 4" wide. The 10" deep dual post anchor sockets are stainless steel with a closure cap. The Track Start Long Reach Competitor Platforms are available for anchor set-back dimensions of 36" - 40" for varying platform heights and wide gutter profiles.

"I", "J" and "K" The Paragon Varsity Series Starting Platforms are designed for low-profile heights above the deck. The Varsity Series Starting Platforms are available in the Paraflyte Standard and Quickset styles with set back dimensions of 14" or 18", the Competitor style with an 18" anchor set-back dimension and the Long Reach Standard and Quickset styles with a set-back dimension of 34-1/2". The Varsity Long Reach platforms are supplied with two intermediate steps.

Paragon Track Start Plus+™ STS Starting Platform Backplate is an adjustable side-to-side backplate for Paragon standard tops. In keeping with the modular platform design, our new backplate can be adapted to new or existing Quickset/Paraflyte (27510) and Competitor (27512) style platforms.

Standard Features - • A modular concept to enhance swimmers performance, this seamless upgrade can be added to your existing Quickset/Paraflyte or Competitor style platform. • Side-to-side adjustment allows for unimpeded rear access to above style platforms with or without step. • The adaptable frame and track are constructed of powder coated* stainless steel T304 and can be used with our without a relay judges platform (RJP). • The non-skid white* sand finish 9" x 10" UV inhibited polypropylene kick plate adjusts infinitely from side-to-side and can be easily removed for storage.

* Powder coat color options available for frame as well as for the non-skid sand finish kick plate.

ANTIWAVE



We are excited to introduce our new line of fiberglass Starting Blocks!

The **Junior 400** is designed for simplicity at the most advantageous price. This basic model is a great fit for young or beginning swimmers.

The **Super 400** is the cornerstone of our racing platform line.

The **Super 700** is the solution when a pool's design requires special accommodations. It combines a unique pedestal with the Super 400 model, providing the extra elevation required in pools with overflow gutter designs.

Each Antiwave starting block:

- Is made of top-quality materials - the base and top are of rugged hand-laid fiberglass, while the fittings are stainless steel. Dynaset® drop-in anchors are included.
- Can be supplied in pre-numbered sets at no extra cost.
- Is easy to assemble and install. We supply Assembly and Installation Instructions with each shipment.
- Comes with AntiWave's comprehensive 3-year Warranty.



SR SMITH S/S STANCHION POSTS - 1.90" O.D.

Product No.	Model No.	Description
SRS-35-0212	10163	4'6" Recall Stanchion Top Eye .065
SRS-35-1016	10164	4'6" Recall Stanchion Top Eye .109
SRS-35-0213	10165	4'6" Recall Stanchion Top Eye .145
SRS-35-0214	10166	8" Backstroke Stanchion Top Eye .065
SRS-35-0215	10167	8" Backstroke Stanchion Top Eye .109
SRS-35-0216	10168	8" Backstroke Stanchion Top Eye .145
SRS-35-0217	35-102	1.90" Sliding Ring/Collar

SR SMITH STANCHION ANCHOR

Product No.	Model No.	Description
SRS-351-4152	AS-100D	Bronze 6" Stanchion Anchor
SRS-35-0218	AS-100S-MG	6" Stainless Stanchion
SRS-351-4184	AS-106MG-S	S/S 6" Stanchion Anchor



ANTI-WAVE 4.75 INCH "FORERUNNER" RACING LANES

Fitted with Supertensioner. Many Colors Available.

Product No.	Model No.	Description
VAU-40-4000	AW0601	20 Yard (60') Assembled Lane
VAU-40-4001	AW0602	25 Yard (75') Assembled Lane
VAU-40-4003	AW0603	25 Meter (82') Assembled Lane
VAU-40-4004*	AW0604	50 Meter (164') Assembled Lane

*Also Available w/ 1 or 2 Disconnects



ANTI-WAVE 6 INCH "MAXIMUM" RACING LANES

Fitted with Supertensioner. Many Colors Available.

Product No.	Model No.	Description
*VAU-COM	AW0606	20 Yard (60') Assembled Lane
*VAU-COM	AW0607	25 Yard (75') Assembled Lane
*VAU-COM	AW0608	25 Meter (82') Assembled Lane
*VAU-COM	*AW0609	50 Meter (164') Assembled Lane



ANTI-WAVE 2.25 INCH MINI LANE DIVIDER

Product No.	Model No.	Description
*VAU-COM	AW0073C	20 Yard (60') Mini Kit Unassembled
VAU-40-4005	AW0077C	25 Yard (75') Mini Kit Unassembled
VAU-40-4006	AW0081C	25 Meter (82') Mini Kit Unassembled
*VAU-COM	AW0085C	50 Meter (164') Mini Kit Unassembled



ANTI-WAVE RACING LANE ACCESSORIES

Product No.	Model No.	Description
*VAU-COM	AW0052	Stainless Steel 1/8" Cable Per Foot
*VAU-COM	AW0059/60	Clamp Body and Cover
*VAU-COM	AW0043	Quick Link Disconnect
*VAU-COM	AW0055	Supertensioner White (Other Colors Available)
*VAU-COM	AW0045	2" Extension Hook
*VAU-COM	AW0046	3" Extension Hook
*VAU-COM	AW0047	8" Extension Hook
*VAU-COM	AW0048	14" Extension Hook
*VAU-COM	AW0049	21" Extension Hook



COMPETITOR 4" DIAMETER LANES

Product No.	Model No.	Description
RCH-40-2501	200330000	75 Ft. Lane
RCH-40-2500	200331000	25 Mt. Lane
RCH-40-2510	200332000	50 Mt. Lane
RCH-35-1001	200341000	25 Mt. Lane w/ Disconnect To 1 - 75 Ft. Lane
*RCH-COM	200342000	50 Mt. Lane w/ Disconnects To 2 - 75 Ft. Lanes
*RCH-COM	200343000	50 Mt. Lane w/ Disconnect To 1 - 75 Ft. Lane
*RCH-COM	200344000	50 Mt. Lane w/ Disconnects To 1 - 75 Ft. And 1 - 25 Mt. Lanes



COMPETITOR "GOLD MEDAL" 6" DIAMETER LANES

Available In Red, White, Blue, Green, And Yellow. Special Order Add'l Lengths And Colors.

Product No.	Model No.	Description
RCH-35-1003	200373	25 Mt. Racing Lane
RCH-35-1004	200374	50 Mt. Racing Lane
RCH-35-1006	200383	25 Mt. Racing Lane w/ Disconnect To 1 - 75 Ft. Lane
*RCH-COM	200371	60 Ft. Racing Lane
*RCH-COM	200372	75 Ft. Racing Lane
*RCH-COM	200384	50 Mt. Racing Lane w/ Disconnects To 2 - 75 Ft. Lanes
*RCH-COM	200385	50 Mt. Racing Lane w/ Disconnect To 1 - 75 Ft. Lane
*RCH-COM	200386	50 Mt. Racing Lane w/ Disconnects For 1 - 75 Ft. And 1 - 25 Mt.



COMPETITOR LANE ACCESSORIES

Product No.	Model No.	Description
*RCH-COM	200240000	8" SS Extension Hook
*RCH-COM	200241000	14" SS Extension Hook
*RCH-COM	200242000	24" SS Extension Hook
*RCH-COM	200202000	5/8" 12-Point Wrench For Take-Up Reel
RCH-35-1007	200200000	Take Up Reel With Cover And Allen Wrench
RCH-35-1008	200201000	SS Spring And Cable Lock
RCH-35-1009	200210000	3/16" SS / Vinyl Coated Cable Per Foot

COMPETITOR PACE CLOCKS

Product No.	Model No.	Description
RCH-40-2507	200302	31" Pace Clock - 110V Electric Model
*RCH-COM	200303	31" Pace Clock - 110V Electric Model w/ Stand
RCH-40-2509	200400	15" Red Individual Lane Pace Clock
*RCH-COM	200405	15" White Individual Lane Pace Clock



ANTI-WAVE WATER POLO GOALS

Conforms to all National and International Standards. Wht Powder-Coated Framework. Hand-Laid Fiberglass Side Floatation Panels. Polypropylene Mesh Net

Product No.	Model No.	Description
*VAU-COM	AW0620	"Club" Floating Goal w/ Two Floatation Panels
*VAU-COM	AW0674	"Flipfloat" Folding Goal - Same Size as Club but Folds Flat for Storage
*VAU-COM	AW0550	"Odyssey" Floating Goal w/ Three Floatation Panels




ANTI-WAVE WALL WATER POLO GOALS

Powder-Coat Aluminum or SS Framework. Polypropylene Cord Net, Knotted at Every Intersection.

Product No.	Model No.	Description
*VAU-COM	AW0616	"Universal" Wall Goal - Fully Adjustable Rear Arms Vulcanized Canvas Backing Two Deck Anchors Inc

ANTI-WAVE POLO BALLS

Product No.	Model No.	Description
*VAU-COM	AW0700	Men's Ball (Green/Yellow)
*VAU-COM	AW0710	Women's Ball (Blue/Yellow)
*VAU-COM	AW0720	Junior Ball (Red/Yellow)
*VAU-COM	AW0701	Air Pump



THE POOL SHOWER

SS Free Standing Shower w/ ADA Compliant Push Valves & 1/2" Hose Bib (No Image Shown)

Product No.	Model No.	Description
TPS-56-1000	PS-1000-ADA	Pool Shower
TPS-56-1001	PSDF-1500-ADA	Pool Shower w/ Drinking Fountain
TPS-56-1002	BS-2000-ADA	Pool Shower w/ Foot Shower

AQUAWORX INTERACTIVE WATER FEATURES

All AquaWorx interactive water feature systems, also known throughout the industry as 'IWF systems,' are made of highly-durable stainless steel that is powder-coated with a variety of different colors. We also add colorful fiberglass integral parts to our systems that have resistant UV gel coat, providing strong resistance to chlorinated water (preventing chalking), heavy rain, and UV degradation.

Use Product No. ATK-27-^



KERSPLASH CLIMBING WALLS

Kersplash pool climbing walls are made by the experts. A team of climbers and aquatics professionals have put together this top-of-the line product. Made with 100% stainless steel, Kersplash was designed to outlast in harsh indoor and outdoor aquatic settings. The stainless steel is passivated and coated with Spectra-Shield and the sturdy panels and hand holds are UV treated.

Kersplash brings together two great sports, swimming and climbing. Both climbing and swimming increase fitness levels through development of strength, coordination, cardiovascular endurance and muscle endurance. Kersplash also provides participants with positive risk taking and creative problem solving.

Sizes range between 8' x 4' to 16' x 16'.

Use Product No. *SPM27-COM

Item No.	Panel Style	Frame Heights
70535	Crystal Clear	8' Tall Frame
70536	Crystal Clear	12' Tall Frame
70537	Crystal Clear	16' Tall Frame
42637	Color	8' Tall Frame
42638	Color	12' Tall Frame
42639	Color	16' Tall Frame

Walls differ in width based on desired number of 4' sections (1 - 4)

SR SMITH BASKETBALL GOALS

RockSolid™ Commercial Basketball Goal

The Swim N' Dunk Commercial RockSolid™ Basketball Game features the patented RockSolid anchor to eliminate movement against the toughest opponents, and a rugged SealedSteel® Salt Friendly single post frame and rim to guard against corrosion. When you need your deck to be clear, the game can be easily removed from the anchor, and the optional anchor cap put in place.



- Features patented RockSolid™ anchor to eliminate movement
- SealedSteel® frame and rim
- Commercial grade, .120 wall thickness, 2.5" square 304 stainless steel frame
- Removable unit, with optional safety anchor cap that sits flush with deck
- Regulation rim, net, basketball and needle included hiping

Product No.	Model No.
SRS-90-5033	S-BASK-ERS

Commercial Salt Friendly Basketball Goal

The Swim N' Dunk Commercial Salt Friendly Dual Post Basketball Game features a SealedSteel® coated, one-piece upright frame and rim. The continuous uprights require less hardware and allow for quicker assembly, while the SealedSteel Salt Friendly coating will stand up to harsh pool environments. When you need your deck to be clear, the game can be easily removed from the anchor, and the optional anchor caps put in place.



- Continuous upright dual post frame with an 18" setback
- SealedSteel® frame and rim
- Commercial grade 1.90" OD, .065" wall thickness, 304 stainless steel frame
- If game removed, plastic anchor caps provided to keep pool deck safe
- Regulation rim, net, basketball, needle and AS-100P plastic anchors are included

Product No.	Model No.
SRS-90-5034	S-BASK-EC



S.R. SMITH VOLLEY COMM BALL

The Commercial Volleyball Game comes in three sizes: 32' net, 42' net, or 52' net. Each net has 4'6" ties on each side. When you want to store the game, simply remove it from the anchors and replace with optional anchor caps for a flush look.

- Competition quality net with 4'6" ties on each side
- 1.90" OD stainless steel uprights with a 4' installed height
- Removable posts, with anchor caps that sit flush to deck when not in use
- Competitive water volleyball, needle and AS-100P plastic anchors are included

Product No.	Model No.	Description
SRS-90-5016	VOLYC32	32' Net Comm Volleyball W/Anchors
SRS-90-5017	VOLYC42	42' NetComm Volleyball W/Anchors
SRS-90-5019	VOLYC52	52' Net Comm Volleyball W/Anchors
*SRS35-COM	30009	Optional Bronze Anchor Package

S.R. SMITH VORTEX SLIDES

This multi-market, open- or closed-flume slide is available with a ladder or a spiral staircase - you decide! The flexibility of this slide is perfect for commercial or high-end residential applications. The high-volume water delivery system gives you up to 30 gallons of water per minute. 40 GPM Max Flow, 10' 7" Height, Complies with CPSC Safety Standard (16 CFR 1207).

Product No.	Model No.	Description
SRS-35-422	695-209-23	Blue Vortex Closed-Flume Slide w/ Ladder
SRS-35-423	695-209-224	Granite Vortex Closed-Flume Slide w/ Ladder
SRS-35-426	695-209-43	Blue Vortex Closed-Flume Slide w/ Stairs
SRS-35-427	695-209-424	Granite Vortex Closed-Flume Slide w/ Stairs



KEMP POOL & SPA UMBRELLAS

The KEMP Umbrella is made of durable weather-resistant nylon with a vinyl laminate covering to protect it against the elements. When opened, the diameter of the umbrella spans 6½ ft. Comes with a 6=ft. aluminum pole that has a push button tilting device to allow the user to position the umbrella in a manner to protect the user from the sun.

Product No.	Model No.	Description
KEM-42-1060	12-002-GREEN/WHITE	6' Umbrella Green & White
KEM-42-1061	12-002-NAVY/WHITE	6' Umbrella Navy & White
KEM-42-1062	12-002-RED/WHITE	6' Umbrella Red & White
KEM-42-1063	12-002-ROYAL/WHITE	6' Umbrella Royal & White



FRANKFORD UMBRELLAS

Product No.	Model No.	Description
Market Umbrellas		
SFS-96-1018	845FM-SR-PBA	Pacblue Acrylic 7.5' Market Umbrellalla
SFS-96-1019	845FM-SR-FGA	Forestgreen Acry 7.5' Market Umbrella
SFS-96-1020	845FM-SR-NBA	Navy Acrylic 7.5' Market Umbrella
SFS-96-1021	845FM-SR-TTA	Toast Acrylic 7.5' Market Umbrella
SFS-96-1022	845FM-WG-PBA	Pacblue Acrylic 7.5' Market Umbrella
SFS-96-1023	845FM-WG-FGA	Forestgreen Acry 7.5' Market Umbrella
SFS-96-1024	845FM-WG-NBA	Navy Acrylic 7.5' Market Umbrella
SFS-96-1025	845FM-WG-TTA	Toast Acrylic 7.5' Market Umbrella
SFS-96-1026	845FM-SR-LRA	7.5' Market Umbrella Man Lift
SFS-96-1027	845FM-WG-LRA	Logored Acrylic 7.5' Market Umbrella
SFS-96-1028	854FM-SR-PBA	Pacblue Acrylic 9' Market Umbrella
SFS-96-1029	854FM-SR-FGA	Forestgreen Acry 9' Market Umbrella
SFS-96-1030	854FM-SR-NBA	Navy Acrylic 9' Market Umbrella
SFS-96-1031	854FM-SR-TTA	Toast Acrylic 9' Market Umbrella
SFS-96-1032	854FM-WG-FGA	Forestgreen Acry 9' Market Umbrell
SFS-96-1033	854FM-WG-NBA	Navy Acrylic 9' Market Umbrella
SFS-96-1034	854FM-WG-TTA	Toast Acrylic 9' Market Umbrella
SFS-96-1035	854FM-SR-LRA	Logored Acrylic 9' Market Umbrella
SFS-96-1036	854FM-WG-PBA	Pacblue Acrylic 9' Market Umbrella
SFS-96-1037	854FM-WG-LRA	Logored Acrylic 9' Market Umbrella
Lifeguard Umbrellas		
SFS-96-1003	639AT-BWV	Blue/Wht Vinyl 6.5' Lifeguard Umbrella
SFS-96-1004	639AT-FWV	Grn/Wht Vinyl 6.5' Lifeguard Umbrella
SFS-96-1005	639AT-NWV	Navy/Wht Vinyl 6.5' Lifeguard Umbrella
SFS-96-1006	639AT-RWV	Red/Wht Vinyl 6.5' Lifeguard Umbrella
SFS-96-1007	639AT-YWV	Yel/Wht Vinyl 6.5' Lifeguard Umbrella
SFS-96-1013	639AT-LB	Pacblue Acrylic 6.5' Lifeguard Umbrella
SFS-96-1014	639AT-LR	Logo Red Acrylic 6.5' Lifeguard Umbrella
Umbrella Bases		
SFS-96-1000	50C-BK	Black 50 Lb. Round Concrete Umbrella Base
SFS-96-1001	50C-WH	White 50 Lb. Round Concrete Umbrella Base
SFS-96-1002	50C-BZ	Bronze 50 Lb. Round Concrete Umbrella Base
SFS-96-1008	23-BK	70Lb Concrete Base - Black
SFS-96-1009	23-WH	70Lb Concrete Base - White
SFS-96-1010	23-BZ	70Lb Concrete Base - Bronze
SFS-96-1011	CMLK-SR	Camlock - Deck Plate W/ Stem
SFS-96-1012	BZ-SR	Bazooka In-Ground Base
SFS-96-1015	75A-SR	75Lb Aluminum Shell Base W/ Wheels
SFS-96-1016	50XB4	50Lb Concrete Filled Resin Pavers
SFS-96-1017	100A-SR	100Lb Aluminum Shell Base W/ Wheels



PENTAIR LIFTS

Pentair AquaTRAM® ADA Compliant Pool Access Lifts feature dual flip-up armrests, rechargeable battery-powered operation, adjustable lap seat belt, simple-to-operate controls and stainless steel construction with corrosion resistant, powder-coated finish.

AQUATRAM

Standard Right Facing Lift With Option For Left Facing - 400 Lb. Lifting Capacity
- Quickset Dual Wedge Anchor

Product No.	Model No.	Description
PAC-42-003	11200	AquaTRAM Lift with Anchor
PAC-42-004	11200-A	AquaTRAM Lift without Anchor
*PAC-COM	11201	AquaTRAM Lift with Anchor-Left facing
*PAC-COM	11201-A	AquaTRAM Lift without Anchor-Left facing
PAC-42-018	11202	AquaTRAM Lift Quickset Dual Wedge Anchor For Square Post Anchor



AQUATRAM 90

90 Deg. Reversible Design Can Be Installed Right Or Left Facing - 300 Lb. Lifting Capacity - Quickset Dual Wedge Anchor With Round Post Option Available for New Construction or Retro-fit To Existing Anchors with Adapter Sleeve.

Product No.	Model No.	Description
PAC-42-013	11220	AquaTRAM 90 Lift with Quickset Dual Wedge Anchor
PAC-42-016	11220-A	AquaTRAM 90 Lift without Quickset Dual Wedge Anchor
PAC-42-018	11202	AquaTRAM 90 Quickset Dual Wedge Anchor for Square Post
PAC-42-014	11221	AQUATRAM 90 Lift - Round Post With Anchor
PAC-42-015	11221-A	AQUATRAM 90 Lift - Round Post without Anchor
PAC-42-008	11226	AQUATRAM 90 Anchor For Round Post Model
PAC-42-009	11240	2-1/2" OD x 1.95" ID Anchor Adapter Sleeve - For Retro-fit
PAC-42-010	11241	2-3/8" OD x 1.95" ID Anchor Adapter Sleeve - For Retro-fit
PAC-42-011	11242	2-5/8" OD x 1.95" ID Anchor Adapter Sleeve - For Retro-fit
PAC-42-012	11222	AQUATRAM 90 Lift Cover
PAC-42-017	11224	AQUATRAM 90 Lift Transport Cart



AQUATRAM LT

Standard Right Facing Lift - 350 Lb. Lifting Capacity - Lag Bolt Anchor Jig

Product No.	Model No.	Description
PAC-42-001	11230	AquaTRAM LT Lift with Anchor Kit
PAC-42-001	11230-A	AquaTRAM LT Lift without Anchor Kit



AQUATRAM 360

360° unimpeded rotation in either direction allows access to and from the lift, even in small areas - 500 Lb. lifting Capacity. Versatile boom arm design accommodates anchor set-back distances up to 40" and clears walls up to 30" high and 10" wide.

Product No.	Model No.	Description
PAC-42-005	11250	AquaTRAM 360 Lift with Anchor
PAC-42-006	11250-A	AquaTRAM 360 Lift without Anchor
*PAC-COM	11252	AquaTRAM 360 Anchor Kit w/ Cap
*PAC-COM	11257	AquaTRAM 360 Protective Cover
*PAC-COM	11253	AquaTRAM 360 Transport Cart



SR SMITH LIFTS

AXS Lifts

The aXs lift is a perfect accessory for simple pool designs, where its low profile and attractive appearance make swimming pool access easy. The aXs is third-party tested & verified ADA compliant and has a 300 lb lifting capacity. The lift is easily removable from LiftLock stainless steel deck anchor and has a 360° rotation that ensures a safe transfer area. The LiftOperator® Intelligent Control includes a 24 Volt rechargeable battery. The powder-coated stainless steel and aluminum construction provide longevity in the aquatic environment.

Product No.	Model No.	Description
RMI-42-4613	AXS1000L	Axs Lift w/ Locking Anchor
RMI-42-4614	AXS1005L	AXS Lift w/ Armrests & Locking Anchor
RMI-42-4615	AXS1006L	AXS Lift w/ Caddy & Locking Anchor
RMI-42-4616	AXS1007L	AXS Lift w/ Armrests, Caddy & Locking Anchor
Accessories		
SRS-42-2037	170-2320	Armrest Assembly, Gray (R&L)
RMI-42-1003	500-1000	Spineboard Attachment
RMI-42-1012	900-2000	Stability Vest
SRS-42-9005	AX9005	AXS Pool Lift Cover
SRS-42-2000	400-2000-AX	AXS Caddy

MultiLift Series

The multiLift is a flanged pool lift, with left or right side mounting. It features a fully roto-molded seat with integral armrests and is third-party tested & verified ADA Compliant with a 350 lb. lifting capacity. The LiftOperator® Intelligent Control includes a 24 Volt rechargeable battery and the powder-coated stainless steel and aluminum construction provide longevity in the aquatic environment. An optional folding seat model is available.

Includes: battery, charger, battery console cover, water-resistant hand control, footrest, seat belt assembly and retrofit anchor jig.

Product No.	Model No.	Description
RMI-42-4604	575-0000	MultiLift w/ Anchor
RMI-42-4606	575-0100	MultiLift w/ Folding Seat & Anchor
RMI-42-4607	575-0105	MultiLift w/ Folding Seat, Armrests & Anchor

ML300

Similar to the multiLift, the ML300 is a flanged pool lift with a 300 Lb. lifting capacity and the LiftOperator® Intelligent Control with a 24 Volt rechargeable battery. The ML300 is made from powder-coated stainless steel and aluminum construction and is supplied with a fully roto-molded seat with integral armrests and a retrofit anchor jig.

Product No.	Model No.	Description
SRS-42-3000	575-3000	ML300 Lift w/ Anchor
SRS-42-2999	575-3000N	ML300 Lift w/o Anchor
Multilift and ML300 Accessories		
RMI-42-5200	500-5200	Multi-Lift & ML300 Cover
RMI-42-1012	900-2000	Stability Vest - For Folding Seat Only
RMI-42-1001	170-1000	Arm Rest Assembly - For Folding Seat Only
RMI-42-1013	900-1000	Seat Belt Assembly - For Folding Seat Only



PAL Series

Since its introduction in 1997, the PAL (Portable Aquatic Lift) has become the industry standard for fixed portable swimming pool access. The fixed portable, free-standing PAL is the perfect accessory for commercial and hospitality pools. Third-party tested & verified ADA compliant with a 300 lb. lifting capacity, the PAL is easy to move by one person and the 240° rotation helps ensure a safe transfer. The LiftOperator® Intelligent Control includes a 24 Volt rechargeable battery and the powder-coated stainless steel and aluminum construction provide longevity in the aquatic environment.

Product No.	Model No.	Description
RMI-42-1000	200-0000	PAL-Portable Aquatic Lift
RMI-42-1032	200-0005	PAL-Portable Aquatic Lift w/ Armrest
RMI-42-3000	280-0000	PAL-Portable Aquatic Lift - Kit Includes Cover & Spineboard Attachment

PAL2 Series

The fixed portable PAL2 pool lift features a sleek, modern design, attractive matte finish and a fully roto-molded seat with integral armrests. Both the PAL and PAL2 come standard with our Secure-It Kit which allows the lift to be fixed to the deck.

Product No.	Model No.	Description
SRS-42-3008	202-0000	PAL2 Portable Aquatic Lift
PAL & PAL2 Accessories		
SRS-42-2037	170-2320	PAL Armrest Assembly, Gray (R&L)
RMI-42-1012	900-2000	PAL Stability Vest
RMI-42-1003	500-1000	PAL & PAL2 Spineboard Attachment
RMI-42-4500	920-5000	PAL & PAL2 Cover
RMI-42-1013	900-1000	PAL & PAL2 Seat Belt Assembly

Splash!

This fixed lifting system is designed for swimming facilities seeking to provide user-friendly access to their swimming pools. The Splash is third-party tested & verified ADA compliant and has a 400 lb. lifting capacity*. The lift is easily removable from LiftLock stainless steel deck anchor and has a 344° rotation that ensures a safe transfer area. The LiftOperator® Intelligent Control includes a 24 Volt rechargeable battery. The powder-coated stainless steel and aluminum construction provide longevity in the aquatic environment. *Lifting capacity of the Extended Reach model is 300 Lbs.

Product No.	Model No.	Description
RMI-42-4000	300-0000	Splash Aquatic Lift w/ Anchor
RMI-42-1034	300-0005	Splash Aquatic Lift w/ Armrest & Anchor
RMI-42-4050	350-0000	Splash Aquatic Lift -Hi/Lo w/ Anchor
RMI-42-1036	350-0005	Splash Hi/Lo w/ Armrests & Anchor
RMI-42-4150	370-0000	Splash Extended Reach Lift w/ Anchor
RMI-42-1037	370-0005	Splash Extended Reach w/ Armrest & Anchor
RMI-42-1040	385-0000	Splash Er Hi/Lo Lift w/ Anchor
RMI-42-4250	390-0000	Splash Aquatic Lift w/ Cal Package Includes Armrests, Mast Cover & Caddy
SR Smith Splash Lift Accessories		
RMI-42-1001	170-1000	Arm Rest Assembly
RMI-42-1003	500-1000	Spineboard Attachment
RMI-42-1012	900-2000	Stability Vest
RMI-42-1013	900-1000	Seat Belt Assembly
RMI-42-4500	920-5000	Splash Cover



SR SMITH SIGNAGE

These 9" x 12" metal signs can be posted at your facility.

Product No.	Model No.	Description
RMI-42-5000	900-5000	9" x 12" Metal Sign - Pool Lift Available
SRS-42-2162	900-5100A	9" x 12" Metal Sign - No Play No Jumping



GLOBAL LIFT PRODUCTS

C-375 & C-450

Global Lift's C-375 & C-450 Commercial Series ADA compliant lifts are battery powered with lift capacities of 375 Lbs. and 450 Lbs. respectively.

Product No.	Model No.	Description
C-375		
GLO-42-0001	C375TPA	C-375 Lift w/ Tri Point Anchor
GLO-42-0002	C375RFA	C-375 Lift w/ Retro Fit Anchor
GLO-42-0003	C375DIA	C-375 Lift w/ Tri Point Drop-In Anchor
C-450		
GLO-42-0009	C450TPA	C-450 Lift w/ Tri Point Anchor
GLO-42-0010	C450RFA	C-450 Lift w/ Retro Fit Anchor
GLO-42-0011	C450DIA	C-450 Lift w/ Tri Point Drop-In Anchor
GLO-42-0033	GLCPCB	C P S Series Cover - Blue
GLO-42-0034	GLCPCT	C P S Series Cover - Tan



S-350 Superior

The S-350 Superior Series ADA compliant lifts are battery powered with lift capacities of 375 Lbs. and 450 Lbs. respectively.

Product No.	Model No.	Description
GLO-42-0032	S350SA	S-350 Lift w/ Anchor
GLO-42-0033	GLCPCB	C P S Series Cover - Blue
GLO-42-0034	GLCPCT	C P S Series Cover - Tan

R-375 & R-450R

The Rotational R-375 Series is battery powered and rotates 360-degrees. It is designed to extend up to 35 inches over a gutter. Features a 375 lb. lift capacity.

The Rotational R-450R Series rotates up to 90 degrees to the left and right and is designed to extend up to 35 inches over a gutter. Features a 350 lb. lift capacity.

Product No.	Model No.	Description
GLO-42-0025	R375RA	R-375 w/ Anchor
GLO-42-0027	R450RSL	R-450R w/ Anchor
GLO-42-0035	RGLCPCB	R-375 Series Cover - Blue
GLO-42-0036	RGLCPCT	R-375 Series Cover - Tan
GLO-42-0039	RGLPCBR	R-450R Series Cover - Blue
GLO-42-0040	RGLPCTR	R-450R Series Cover - Tan



SPECTRUM LIFT PRODUCTS



Since 1974, Spectrum has been enabling access to aquatic facilities with their fine line of assisted lifts. With several options to choose from ranging from manually-powered to battery-powered and water-powered lifts, Spectrum's wide variety of lifts will leave you with the right product for your particular situation. Spectrum lifts offer ease of transfer while maintaining an open deck area. The battery-powered lift units offer 90 lifts per battery charge and 100% stainless steel, electropolished and passivated construction. Spectrum lifts deliver optimal performance and withstand harsh aquatic environments - indoor and out.

Product No.	Model No.	Description
Battery Powered		
SPM-42-2018	57961	Freedom Lift w/ Anchor Included
SPM-42-2002	27610	Traveler XRC 24V Lift Less Anchor
SPM-35-1111	23638-00	Traveler XRC Anchor w/ Cap & Key
SPM-42-2017	26010	Aspen Lift Less Anchor
SPM-42-8510	28510-00	Aspen Lift Anchor
Water Powered		
SPM-42-2009	27550	Lolo Lift H2O-Op 400Lb Capacity W/O Anch
SPM-42-2000	27336	Gallatin Lift H2O-Op 400Lb Capacity W/O Anch
SPM-42-1030	27450	Preset Anchor for Lolo & Gallatin Lifts
Accessories		
SPM-42-2014	20400	Water Box S/S Swimlift Series



AQUA CREEK LIFTS

Ranger Lift

The Ranger Lift is an economical ADA compliant lift. The Ranger Lift features a 350 lb. lifting capacity. The lift features a sleek, low profile design similar to the Pro Pool Lift. The Ranger is ideal for use on smaller hotel and motel swimming pools. It's also a great economical choice for backyard enthusiasts who enjoy their independence. This lift is designed to be independently operated by the user, allowing full control of the lift with an easy to use push button remote. Adjustable seat height pole is now available as an option.

Product No.	Model No.	Description
ACP-42-4137	F-409RPL-AT1	Ranger Lift w/ Anchor
ACP-42-4082	F-004PLBAP	Pro Pool Lift Acc Upgrade Pk



Pro Pool Lift Series

The Pro Pool Lift is ideal for facilities with limited deck space & where the aesthetics are of the utmost importance. The Pro Pool Lift now comes standard with an adjustable seat pole. This new feature now allows you to adjust the seat from 18" up to 23" making lateral transfers from higher wheel chairs easier. This lift features all stainless steel construction with a protective powder coat finish.

Features Include: * 450 lb. weight capacity * Independently verified to ADA standards * All stainless steel construction * Durable powder coat finish * Flip-up armrests * Adjustable footrest & lap belt * Adjustable seat pole * Setback ranges from 4" - 19" * Water resistant push button remote control * Rechargeable battery with wall mount charger * Five year pro-rated electronics warranty * Five year structural warranty .

Product No.	Model No.	Description
ACP-42-4040	F-004PLB-AT1	Pro Pool Lift Battery Powered w/ Anchor
ACP-42-4082	F-004PLBAP	Pro Pool Lift Acc Upgrade Pk



Pro Pool-XR Lift

Developed from Aqua Creek's Original Pro Pool Lift, the Pro Pool-XR features an additional 10-in. of reach allowing clearance for wide gutters and spa benches. This extended reach can also clear a curb or pool wall, making this lift ideal for raised perimeter pools and spas.

Features include: * 350 lb. weight capacity * Independently verified to ADA standards * All stainless steel construction * Durable powder coat finish * Specially designed extended reach * Pull-out leg rest comes standard * Flip-up armrests * Water resistant push button remote control * Rechargeable battery with wall mount charger * Five year pro-rated electronics warranty * Five year structural warranty

Product No.	Model No.	Description
*ACP-COM	F-004PLB-XR	Pro Pool-Xr Lift- Battery Powered w/Anchor
*ACP-COM	F-920SAP	Accessory Upgrade Pack



Patriot Lift

The Patriot lift provides the mobility and maneuverability so desired by pool owners and patrons with the reliability and quality expected of an Aqua Creek pool lift. The Patriot lift is designed with a weight capacity of 450lbs for most pool configurations for water drafts up to 6" deep. The New and Improved Patriot lift is now counter-weighted using a sand ballast.

Product No.	Model No.	Description
*ACP-COM	F-12PPL-HD-AT1	Patriot Lift, Sand Ballast. (Sand not included)
*ACP-COM	F-12PPAP	Accessory Upgrade Pack





Scout 2 Pool Lift

The Scout 2 pool and spa lift is an ADA Compliant pool lift designed for in-ground anchoring. This lift is designed to be able to fit into many existing anchor systems. In addition The Scout 2 Pool Lift has 360 degree rotational ability providing versatility in accessibility solutions. The Scout 2 lift now comes standard with an adjustable seat pole. This new feature allows you to adjust the seat from 18" up to 23" making lateral transfers from higher wheel chairs easier. It can also accommodate partially raised pools and spas.

Product No.	Model No.	Description
ACP-42-3001	F-800SC2	Scout 2 Pool Lift w/ Anchor
ACP-42-4110	F-450SC	Scout Pool Lift Cover
ACP-42-4117	F-800SCAP	Scout Pool Lift Accessory Upgrade Pac
ACP-42-4112	F-808SA	Scout Anchor 1.9" X 6" Deep
*ACP-COM	F-808SA-10	Scout Anchor 1.9 X 10" Deep



Revolution Lift Series

The Revolution Lift by Aqua Creek Products, is the most versatile lift and is designed for both in-ground and above-ground pools and spas. This lift can be adapted to most pools and also accommodate heavier patrons, featuring a lift capacity of 500 lbs. The Revolution lift now comes standard with an adjustable seat pole. This new feature allows you to adjust the seat from 18" up to 23" making lateral transfers from higher wheel chairs easier. The Revolution Lift features multiple attachments to accommodate a variety of situations with ease to operator and aquatic staff.

Product No.	Model No.	Description
ACP-42-4066	F-700RL	Revolution Lift w/ Anchor

Aqua Creek Accesories

Product No.	Model No.	Description
*ACP-COM	F-428HT	Cart for Pool Pro, Ranger & Pathfinder
*ACP-COM	F-914STC	Cart for Pro Pool XR
*ACP-COM	F-714RTC	Cart for Revolution Lift
*ACP-COM	F-442PPC	Cover for Pool Pro/Ranger Lifts
*ACP-COM	F-120PPPC	Cover for Pro Pool, Pro Pool-XR, Ranger, Patriot, Pathfinder and Portable Lifts
*ACP-COM	F-705-S2	Wheelchair Picker for Revolution - 350 Lb. Capacity
*ACP-COM	F-73RSA	Spine Board Assy. for Revolution Lift - w/ Straps Maximum 350 Lb. Capacity
*ACP-COM	F-700RLAP	Accessory Upgrade Pack for Revolution

MAYTRONICS DOLPHIN C-CLASS ROBOTIC CLEANERS

DOLPHIN C3

The Dolphin C3 is a hard working commercial-grade cleaner designed to deliver performance and reliability at an affordable price. The C3 features a rapid clean cycle option, full filter indicator, remote control, and includes a 60 ft swivel cable and caddy for added portability and storage. The Dolphin C3 now has an active brush with a dual drive motor unit. 2-year bumper-to- bumper warranty. Recommended for small commercial pools.

Product No.	Model No.	Description
MAY-20-1074	99991073-C3	Dolphin C3

DOLPHIN C4

Perfect for small to mid-size commercial pools, the C4 is a robust commercial cleaner that includes valuable features while maintaining an affordable price point. The C4 comes standard with a pro remote control for manual navigation and cycle options, and features a full cartridge indicator and convenient delayed start feature. Includes caddy and 78-ft swivel cable. 2-year bumper-to-bumper warranty.

Product No.	Model No.	Description
MAY-20-1071	99991083-C4	Dolphin C4

DOLPHIN C5

The Dolphin C5 is a professional, non-compromising solution to meet the demands of commercial pool cleaning. Its dual drive motors and split brush technology provide incredible maneuverability and coverage while its digital remote gives the user pinpoint navigation and control. Choose from multiple cycle options and a delayed start feature which allows debris to settle before starting the cycle. The C5 also features a full bag indicator, 98-ft swivel cable, and a caddy for extra convenience. 2-year bumper-to-bumper warranty.

Product No.	Model No.	Description
MAY-20-1072	9999396X-C5	Dolphin C5

DOLPHIN C6 PLUS

The C6 Plus is a heavy-duty robust performer that does it all. It boasts double filtration and scrubbing power with adjustable pool parameters and choice of cycles. The C6 Plus filters an incredible 8,466 gallons per hour while it scrubs the pool surface clean. It features a wireless remote for touch guided navigation, a delayed start option and full bag indicator warning. It also includes a 131-ft swivel and caddy for portability and storage. 2-year bumper-to-bumper warranty.

Product No.	Model No.	Description
MAY-20-1073	9999356-C6P	Dolphin C-6P



AQUA PRODUCTS JETMAX CLEANERS



JETMAX JUNIOR

Cleans up to 6,000 SF per hour and filters up to 4,500 GPH. Hydro-Robotic Floor only cleaner with slope of 45-degrees or less. Includes MGA kit which converts the cleaner to manual vacuum system

*AQP-COM 75' Cable



JETMAX TURBO

Cleans up to 7,800 SF per hour and filters up to 6,600 GPH. Hydro-Robotic Floor only cleaner with slope of 45-degrees or less. Includes adjustable 1-7 hour timer and MGA kit which converts cleaner to a manual vacuum system.

AQP-20-286 100' Cable

AQUA PRODUCTS ROBOTIC CLEANERS



DURAMAX JR. T-RC

Cleans up to 6,500 SF per hour and filters up to 4,800 GPH. Cleans both floor and walls. Includes 3-directional remote control, air sensor and adjustable 1-7 hour timer with automatic shut-off. Includes Ultra Kart Jr. for safe transport and storage

AQP-20-283 100' Cable



DURAMAX RC

Cleans up to 8,790 SF per hour and filters up to 4,800 GPH. Cleans both floor and walls. Includes 4-directional remote control, air sensor and adjustable 1-7 hour timer with automatic shut-off. Includes Ultra Kart, Jr. for safe transport and storage.

AQP-20-205 100' Cable



DURAMAX BI-TURBO T-RC

Cleans up to 8,790 SF per hour and filters up to 9,600 GPH. Cleans both floor and walls. Includes 3-directional remote control, air sensor and adjustable 1-7 hour timer with automatic shut-off. Includes Ultra Kart, Jr. for safe transport

*AQP-COM 120' Cable



DURAMAX DUO

Cleans up to 13,100 SF per hour and filters up to 9,600 GPH. Cleans both floor and walls. Includes 4-directional remote control, air sensor and adjustable 1-7 hour timer with automatic shut-off. Includes Ultra Kart for safe transport and storage. 150 cable is optional

AQP-20-285 120' Cable



DURAMAX DUO JUNIOR

Cleans up to 9,750 SF per hour and filters up to 9,600 GPH. Cleans both floor and walls. Includes 4-directional remote control, air sensor and adjustable 1-7 hour timer with automatic shut-off. Includes Ultra Kart Jr., for safe transport and storage and storage. 150 cable is optional

*AQP-COM 120' Cable



AQUAMAX X1

Cleans up to 6,500 SF per hour and filters up to 4,330 GPH. Cleans both floor and walls. Includes Top access Filter Basket, 4-directional remote control, 1.0, 1.5 and 2 hour timer with automatic shut-off and AquaSmart System for the fastest most efficient cleaning. Includes standard Caddy for safe transport and storage.

AQP-20-231 75' Cable



AQUAMAX X2

Cleans up to 6,500 SF per hour and filters up to 4,330 GPH. Cleans both floor and walls. Includes 4-directional remote control, and 1.5, 2.0 and 2.5 hour cycle times with automatic shut-off and AquaSmart System for the fastest most efficient cleaning. Includes standard caddy for safe transport and storage.

AQP-20-232 100' Cable



AQUAMAX X3

Cleans up to 8,790 SF per hour and filters up to 4,330 GPH. Cleans pool floor and *walls (*with manual 4 directional remote control command). Includes air sensor and 3.0, 4.0 and 5.0 hour cycle times with automatic shut-off and AquaSmart System for the fastest most efficient cleaning. Includes steel Caddy for safe transport and storage.

AQP-20-233 100' Cable



ULTRAMAX XL

Cleans up to 9,750 SF per hour and filters up to 9,960 GPH. Cleans pool floor and *walls (*with manual 4 directional remote control command). Includes Durable Stainless steel reinforcement design air sensor and 3.0, 5.0, 7.0, and 9.0 hour cycle times with automatic shut-off and AquaSmart System for the fastest most efficient cleaning. Includes Ultra Kart for safe transport and storage.

AQP-20-230 150' Cable

POWER VAC PORTABLE VACUUM

The **Power Vac PV2100** is ideal for cleaning small commercial pools. The PV2100 vacuum has a wide 6" dia. throat which provides greater suction. The PV2100 with vacuum large piles of leaves, dirt, rocks and even coins into its large capacity filter bag. The PV2100 has a 20" wide cleaning path and is available with a 40' or 60' floating cord. There are four filter bags to choose from: coarse, heavy duty, fine mesh and micron. A DG-33 amp hour rechargeable battery will provide up to 3-hours run time. A battery case is supplied. The battery is not included.

The **Power Vac PV2500** is used for cleaning fountains and different types of water features. The unit only needs 6" of water to operate, making it extremely versatile. This vacuum is intended for use without a cart but will accommodate the mini cart for easier transportation. Supplied with a choice of 40' or 60' floating cord and a battery case. The battery is not included. The Power Vac Steering Kit is helpful when maneuvering around small pools.



Product No.	Model No.	Description
Power Vac PV2100		
PWR-60-0003	002-D-40	Vacuum W/40' Cd & Battery Case
PWR-60-0004	002-D-60	PV2100 Vacuum W/60' Cd & Battery Case
Power Vac PV2500		
PWR-60-0005	003-D-40	Vacuum W/40' Cd & Battery Case
PWR-60-0006	003-D-60	Vacuum W/60' Cd & Battery Case
PWR-401-1020	019-D-2100	Super Fine Mesh Bag For PV2100 & PV2500
PWR-401-1013	020-D-2100	Micron Bag For PV2100 & PV2500
PWR-401-1022	022-D-2100	26" Hvy Dty Mesh Bag PV2100 & PV2500
PWR-401-1014	023-D-2100	26" Screen Bag For PV2100 & PV2500
PWR-201-0031	085-D	Steering Kit

HAMMERHEAD RESORT-30TM

The popular Resort-30 is the choice of YMCA, hotel, condo, resort, military and water park pool managers nationwide. Also available is the Resort-21 with the smaller vacuum head. Standard features include: Lightweight powder coated aluminum frame - Bearingless mag wheels - Non-marking solid airless tires - Stainless steel axle hardware Large marine battery box - Weatherproof marine switch - Internally pressurized 30lb thrust motor - 60 feet of floating power cord - 30" wide vacuum head (Resort-30) - Optional 21" wide vacuum head (Resort-21) - Extra fine debris bag - Super-fine debris bag - Stainless steel pole swivel. Please note: Resort units are not compatible with the truck/trailer mount system. Battery is not included.



Product No.	Model No.	Description
HPP-20-103	Resort-30	Hammerhead 30" 60'Cd Non-Mtng
HPP-20-104	Resort-21	Hammerhead 21" 60'Cd Non-Mtng

PORTABLE VACUUM FILTERS



Cartridge Filter with Pump, Electricals, & Wheeled Cart


Product No.	Model No.	Description
Spectrum		
SPM-20-1000	10670	Wildcat 1HP 110V 100'
SPM-60-1000	10700-00	BKP Portable 1HP 110V
Ultra-Vac		
BAK-05-2000	16V1167	.75HP / 100 Sq. Ft.

Cartridge Filter with Portable Wheel Package, Only

Product No.	Model No.	Description
Harmsco		
HAR-05-110	BF105BKPSC	105 Sq. Ft.
HAR-05-111	BF155BKPSC	155 Sq. Ft.

RAINBOW PROVAC

The Rainbow ProVac® cleans a pool bottom in half the time, even with low flow suction. Available in 14", 22" and 29" widths, the ProVac's unique suction chamber concentrates vacuum velocity equally from both ends as well as front to back. Full width flex strips guide debris into the suction chamber where it is quickly removed. All wheels are adjustable to increase or decrease the vacuum velocity as desired. Includes 1-1/2 in. vac hose swivel connection. 2 in. vac hose fits directly on vac head body. All component parts are replaceable. Each ProVac® is assembled with white "short leg" strips for leaves and large debris. A Blue "long leg" strip is included for sand, silt and fine debris.



Product No.	Model No.	Description
RAI-40-3012	R201298	#241 Pro-Vac 41" For 1-1/2" Or 2" Hose
RAI-40-2077	R201296	#229 Pro-Vac 29" For 1-1/2" Or 2" Hose
RAI-40-2126	R201286	#222 Pro-Vac 22" For 1-1/2" Or 2" Hose
RAI-40-2125	R201276	#214 Pro-Vac 14" For 1-1/2" Or 2" Hose
RAI-40-2123	R201126	#250 Swivel Wheel 19" For 1-1/2" Hose
RAI-COM	R201116	#188-20 Lifeguard 19" For 1-1/2" Hose
RAI-40-3017	R201064	#201 Low Profile 14" w/ Metal Swivel Handle For 1-1/2" Hose

RAINBOW PROVAC II

The Rainbow #216 Provac II utilizes an EcoSelect™ environmentally friendly composite weight system. The convertible wheel system locks for straight cleaning patterns or pivots 360° for additional coverage. The unique suction chamber concentrates vacuum velocity for fast, thorough cleaning. Ultra smooth ball bearing wheels allow for effortless movement while the 16" flexible body hugs pool contours.



Product No.	Model No.	Description
RAI-40-0084	200084	(16") Vac Head Comm Pro Vac li #216

POOL BRUSHES



Product No.	Model No.	Description
PSL-40-0137	PS495	24" Metal Black Wall Brush
RAI-40-2209	R111342	24" Metal Black Wall Brush
RAI-40-2307	R111330	36" Metal Black Wall Brush

VACUUM HOSE



Product No.	Model No.	Description
HAV-40-0043	PA00043-HS75	2" X 75' Pro Hose
PSL-40-9951	PS584	2" X 50' Pro Hose
PSL-40-9950	PS599	1-1/2" X 50' Pro Hose w/ Swivel
PSL-40-9925	PS578	1-1/2" X 25' Pro Hose w/ Swivel

PoolStyle Commercial Maintenance Series

Custom Designed for the Pool Professional

Similar to or Better than Market Leaders



- **PSL-40-0342, PS990, Leaf Rake**
20" Wide Heavy Gauge Frame w/ Replaceable Rim
18" Deep Pocketed Replaceable HD Nylon Net
- **PSL-40-0343, PS991, 18" Metal Back Brush**
Thicker Stiffer Nylon Bristles for Added Scrubbing Power
Modified Back for Improved Water Flow
- **PSL-40-0344, PS992, 8'-16' Telescopic Pole**
Dual-Cam Pole w/ Nylon Internal Lock
Soft Outer Cam and Handle for Added Comfort
- **PSL-40-0345, PS993, 14" Flex Vac Head**
6.7 Lbs - Heaviest 14" Flex Vac Head on the Market
Metal Swivel Handle, SS Bearing Wheels, Hose Swivel Cuff
- **PSL-40-0346, PS994, 22" Flex Vac Head**
8.6 Lbs - Heaviest 22" Flex Vac Head on the Market
Metal Swivel Handle, SS Bearing Wheels, Hose Swivel Cuff



SKIMLITE POLES



Skimlite #9000 Series Telescopic Poles are made with dual lock assembly using their nylon outside lock & patented cam assembly. The tubes are made of the heaviest drawn aluminum tubing in either two piece or three piece pole combinations. The #9016 is two eight foot poles & the #9018 and #9024 are three piece poles. They all come with the larger drain holes to help make the poles lighter in use. Both lock assemblies have replaceable parts when worn & easy to replace in the field.

Skimlite Mfg. 5000 Series Telescopic Poles are made with satin-clear anodized, heavy-drawn tubing, this telescopic pole stands up to all weather conditions. The pole is fitted with a specially designed nylon lock system that has been pressed on the outside of the pole using more than a ton of pressure -- it won't come off. The pole also comes standard with 1/4" holes on one end. Lengths available: 8' to 16', 12' to 24' and 16' to 32'.

Product No.	Model No.	Description
#9000 Series		
SKM-40-2755	9016	Dual Lockpole 8-16' 2-Pc
SKM-40-2791	9018	Telepole 6-18' 3-Pc Dual Lock
SKM-40-2792	9024	Telepole 8'-24' 3-Pc Dual Lock
5000 Series		
SKM-40-2783	5008	Prof Telepole 8-16' Outer Nylon Lock
SKM-40-2786	5012	Prof Telepole 12-24' Outer Nylon Lock
SKM-40-2787	5016	Prof Telepole 16-32' Outer Nylon Lock
SKM-40-2793	5432	Heavy Duty Telepole 9-32' Outer Nylon Lock



Skimlite Mfg. DURAPRO Series leaf skimmers and rakes are made with unbreakable plated spring steel frames. This frame will not corrode, rust or break. Each skimmer or rake comes with a protective replaceable wear guard around the frame. The leaf skimmers are made in a square shape with the dimensions of 15" wide by 13 1/2" long and have a 4 1/2" handle. The pocket depths are 4" (SS4) or 8" (SS8). The heavy duty screen is made with no sewn seams. The dimensions on the leaf rakes are 20 1/2" wide by 10" long and have a 4 1/2" handle. Each pocket is made of one piece of heavy duty screen that is not sewn. Our leaf rakes are sold in the 16" fine mesh (SS16) and 16" coarse mesh (SS88) sizes. The coarse mesh screen has 1/8" openings which is made for very heavy leaf conditions. The screens drain quickly even when full of heavy leaves.

Product No.	Model No.	Description
DURAPRO Series		
SKM-40-2776	SS8	Skimmer Net Square 8" Pocket
SKM-40-2777	SS4	Skimmer Net Square 4" Pocket
SKM-40-2774	SS16	Leaf Rake 16" Pocket Fine Mesh
SKM-40-2775	SS88	Leaf Rake 16" Coarse Mesh




RAINBOW FIBERGLASS POLES

Rainbow Fiberglass Poles with E-Z Lock compression lock are manufactured to withstand abuse. Required for service pros in areas where protection from electrical shock is mandatory. UV protective coating helps prevent splintering with age. Available in 6'-12', 8'-16' and 11 1/2' - 22' telescopic lengths and also in 12' and 16' non-telescopic lengths. Available with Safety Hook.

Product No.	Model No.	Description
RAI-40-2174	R191095	Pole Straight (Fg) 12' #81
RAI-40-2045	R191104	Pole Straight (Fg) 16' #81
RAI-40-2171	R191091	Telepole 6-12' #808-12
RAI-40-2076	R191092	Telepole 8-16' #808-16
RAI-40-2040	R191101	Telepole 12-22' #808-22

IMMOBILIZERS

Product No.	Model No.	Description
Jim-Buoy		
JIM-40-2026	84	Spine Board w/ Headrest
Kemp Usa		
KEM-42-1059	10-001-RED	Head Immobilizer Red
KEM-42-1030	10-004-RED	Head/Chin Straps Pair Red
KEM-42-1036	10-020-RED	Head Immobilizer Base Red
KEM-42-1013	10-301-BLK	Spine Board Strap 1Pc W/ Plastic Buckle
KEM-42-1015	10-304-BLUE	Spine Board Strap Metal Buckle Blue 2 Pc
KEM-42-1037	10-305-ORG	Orange 3Pc Velcro Spine Board Strap
KEM-42-1072	10-993-WH	Adult Spine Board White
KEM-42-1073	10-993-YEL	Adult Spine Board Yellow
KEM-42-1065	10-996	Pediatric Spine Board Orange
Marine Rescue Products		
MRP-40-2525	2001	Spine Board
MRP-40-2532	MRP	Head Immobilizer
MRP-40-2527	50	Cam Straps



RING BUOYS

Taylor Made Products U.S. Coast Guard Approved Life Ring Buoys are available in three sizes: White 20" and 24" outside diameter and Orange 20", 24" and 30" diameter. All rings contain unicellular polyurethane foam for buoyancy. Floating polypropylene grab lines are secured inside the foam core and contain UV stabilizers to ensure sunlight resistance. Molded-in Becket design means there are no straps to wear, mildew or deteriorate.

Product No.	Model No.	Description
PSL-42-1000	PS360	20" Wht Foam Ring Buoy CGA
PSL-42-1001	PS361	24" Wht Foam Ring Buoy CGA
PSL-42-1002	PS363	20" Orange Foam Ring Buoy CGA
PSL-42-1003	PS364	20" Orange Foam Ring Buoy CGA
PSL-42-1008	PS375	Buoy Holder w/ 30' Heaving Line
PSL-42-1007	PS374	Buoy Holder w/ 60' Heaving Line

Jim-Buoy Safety Station - Life Ring Cabinet and Ring Buoy Combination for 24" and 30" Buoys. Includes unbreakable polycarbonate window with stainless steel hinge and fittings, Jim Buoy GW-24" or GW-30" life ring, 60 ft. heavy line and lemon foot anchor, all mounted inside cabinet and shipped as a single unit.

Product No.	Model No.	Description
JIM-40-2020	GW-30	30" Wht Ring Buoy CGA
JIM-40-2034	5050A	Cabinet Life Ring w/ Ring/Rope
JIM-42-1007	5050	Life Ring Cabinet for 24"
JIM-42-1009	5070	Life Ring Cabinet for 30"



ROPES & FLOATS

Product No.	Model No.	Description
RAI-40-2105	R181086	5x9 Float
SPG-42-2000	10352	Pool Rope, 3/4"
PER-35-813	PH-51H	Rope Hook Loop Type 3/4"
PER-35-725	PH-53	Rope Hook Cleat Type 3/4"



RESCUE TUBES

Product No.	Model No.	Description
Kemp Usa		
KEM-42-1043	10-201-RED	50" Rescue Tube Red
KEM-42-1046	10-202-RED	40" Rescue Tube Red
KEM-42-1024	10-401-RED	Rescue Tube Cover Red
KEM-42-1031	10-403-RED	Cut-A-Way Tube Cover Red
Marine Rescue Products		
MRP-40-2526	350	Rescue Tube 40" x 4-1/2" x 3"
MRP-40-2531	450RA	Rescue Tube 50" x 6" x 3-1/4"
MRP-40-2601	SRT-40	40" Super Rescue Tube
MRP-40-2602	SRT-50	50" Super Rescue Tube



LIFEGUARD NECESSITIES

Product No.	Model No.	Description
CPR		
KEM-42-1017	10-501	Kemp Cpr Mask White Case
KEM-42-1018	10-502	Ambu Cpr Mask
KEM-42-1027	10-507	Adult Bag Valve Mask
KEM-42-1032	10-508	Infant Bag Valve Mask
KEM-42-1033	10-509	Child/Pediatric Bag Valve Mask
KEM-42-1004	10-510	One Way Valve & Filter
KEM-42-1020	10-517	Ambu Cpr Mask In Pouch
KEM-42-1074	10-519	Cpr 7 Pack Manikins
KEM-42-1053	10-520	Lung Bags Adult/Child 100 /Bx
KEM-42-1051	10-521	Lung Bags Infant 100 Per Box
KEM-42-1021	10-523	Ambu Cpr Mask Como
First Aid		
KEM-42-1064	10-220	28" Rescue Can
KEM-42-1066	10-221	34" Rescue Can
KEM-42-1001	10-601	Mylar Blanket
KEM-42-1012	10-602	Yellow Emergency Blanket
KEM-42-1039	10-705	24 Unit First Aid Kit
KEM-42-1055	10-706	Kemp 36 Unit First Aid Kit
KEM-42-1025	10-597	Bloodbourne Kit In Case
KEM-42-1056	10-104-RED	Lg Professional Trauma Bag Red
Gaurd Accessories		
KEM-42-1003	10-424	Pea Whistle Metal
KEM-42-1026	10-425	Sports Airhorn
KEM-42-1002	10-430	Break-A-Way Lanyards



SAFETY HOOKS & POLES

Product No.	Model No.	Description
RAI-40-2132	R221026	#153 Aluminum Safety Hook
RAI-401-2000	R221030	Hardware For #153 Hook

ECO-CHOICE POOL PAINT

Premium Rubber Pool Coatings

Low VOC. Earth friendly. Single-component and self-priming. Formulated with special protective resins and pigments to assure maximum sun, water and chemical resistance. Excels in saltwater pool systems, as the natural rubber finish also provides a water-resistant membrane that protects against stain, scale and degradation of older plaster-finish pools. Ultra High-Gloss and Semi-Gloss Natural Rubber Pool Coatings are recommended for painting new or sandblasted masonry pools and older plaster-finish pools. Also for **repainting** any pools last coated with any rubber-base paint.

Product No.	Model No.	Description
Eco-Choice Ultra High Gloss Rubber Pool Coatings		
SAU-65-1101	1ECPRCW	1 Gal Rubber Ultra High Gloss Cerulean White
SAU-65-1100	5ECPRCW	5 Gal Rubber Ultra High Gloss Cerulean White
SAU-65-1060	1ECPRSW	1 Gal Rubber Ultra High Gloss Snow White
SAU-65-1061	5ECPRSW	5 Gal Rubber Ultra High Gloss Snow White
SAU-65-1065	1ECPRAB	1 Gal Rubber Ultra High Gloss Azure Blue
SAU-65-1012	5ECPRAB	5 Gal Rubber Ultra High Gloss Azure Blue
SAU-65-1067	1ECPRTB	1 Gal Rubber Ultra High Gloss Tropic Blue
SAU-65-1066	5ECPRTB	5 Gal Rubber Ultra High Gloss Tropic Blue
SAU-65-1107	1ECPRAG	1 Gal Rubber Ultra High Gloss Aqua Green
SAU-65-1106	5ECPRAG	5 Gal Rubber Ultra High Gloss Aqua Green
Eco-Choice Ultra High Gloss Rubber Pool Coatings Specialty Colors		
SAU-65-1068	1ECPRSB	1 Gal Rubber Ultra High Gloss Sapphire Blue
SAU-65-1111	5ECPRSB	5 Gal Rubber Ultra High Gloss Sapphire Blue
SAU-65-1113	1ECPRDB	1 Gal Rubber Ultra High Gloss Deep Blue
SAU-65-1112	5ECPRDB	5 Gal Rubber Ultra High Gloss Deep Blue
SAU-65-1102	1ECPRBK	1 Gal Rubber Ultra High Gloss Black
SAU-65-1108	5ECPRBK	5 Gal Rubber Ultra High Gloss Black
Eco-Choice Semi-Gloss Rubber Pool Coatings		
SAU-65-1000	1ECSGRSW	1 Gal Rubber Semi-Gloss Snow White
SAU-65-1080	5ECSGRSW	5 Gal Rubber Semi-Gloss Snow White
SAU-65-1170	1ECSGRAB	1 Gal Rubber Semi-Gloss Azure Blue
SAU-65-1081	5ECSGRAB	5 Gal Rubber Semi-Gloss Azure Blue
SAU-65-1030	1ECSGRTB	1 Gal Rubber Semi-Gloss Tropic Blue
SAU-65-1082	5ECSGRTB	5 Gal Rubber Semi-Gloss Tropic Blue
SAU-65-1129	1ESSGRAG	1 Gal Rubber Semi-Gloss Aqua Green
SAU-65-1083	5ECSGRAG	5 Gal Rubber Semi-Gloss Aqua Green
SAU-65-1050	1ECSGRBK	1 Gal Rubber Semi-Gloss Black
SAU-65-1126	5ECSGRBK	5 Gal Rubber Semi-Gloss Black



Cerulean White



Snow White



Azure Blue



Tropic Blue



Aqua Green



Sapphire Blue



Deep Blue



Black




NOTE: Colors may vary from printed hues shown here. Custom colors available on request for all paint types. Contact us for product codes and ordering procedure.

Premium Epoxy Pool Coatings

Low VOC. Earth friendly. ECO-CHOICE Premium Epoxy is an exceptionally durable, two-part epoxy coating for masonry swimming pools. With the self-priming advantage, there is no confusion or additional cost that can occur with other epoxy primer-based systems. Ultra High-Gloss Epoxy Coatings are recommended for painting new or sandblasted masonry pools, older plaster-finish pools, and fiberglass pools. Also for **repainting** pools last coated with any epoxy-base pool coating.


Product No.	Model No.	Description
Eco-Choice Ultra High Gloss Epoxy Pool Coatings		
SAU-65-1104	1ECPESW	1 Gal Epoxy Ultra High Gloss Snow White
SAU-65-1103	4ECPESW	4 Gal Epoxy Ultra High Gloss Snow White
SAU-65-1139	1ECPAB	1 Gal Epoxy Ultra High Gloss Azure Blue
SAU-65-1138	4ECPAB	4 Gal Epoxy Ultra High Gloss Azure Blue
SAU-65-1145	1ECPETB	1 Gal Epoxy Ultra High Gloss Tropic Blue
SAU-65-1144	4ECPETB	4 Gal Epoxy Ultra High Gloss Tropic Blue
SAU-65-1141	1ECPAAG	1 Gal Epoxy Ultra High Gloss Aqua Green
SAU-65-1140	4ECPAAG	4 Gal Epoxy Ultra High Gloss Aqua Green
SAU-65-1143	1ECPBKB	1 Gal Epoxy Ultra High Gloss Black
SAU-65-1142	4ECPBKB	4 Gal Epoxy Ultra High Gloss Black



Premium Vinyl Pool Coatings

Low VOC. Earth Friendly. Single-component and self-priming. Premium grade polyvinyl pool coatings are designed for recoating any pools last painted with vinyl-base paint. Provides ultimate stain, chemical and UV resistance, with unsurpassed resistance to sun tan lotions and sun screens, helping to prevent unsightly "bathtub ring" stains in the pool. Vinyl pool coatings form a durable, long lasting vinyl liner inside the pool, protecting it for many years to come.

Product No.	Model No.	Description
Eco-Choice Ultra High Gloss Vinyl Pool Coatings		
SAU-65-1070	1ECPVSW	1 Gal Vinyl High Gloss Snow White
SAU-65-1171	5ECPVSW	5 Gal Vinyl High Gloss Snow White
SAU-65-1131	1ECPVBK	1 Gal Vinyl High Gloss Black
SAU-65-1130	5ECPVBK	5 Gal Vinyl High Gloss Black
SAU-65-1133	1ECPVAB	1 Gal Vinyl High Gloss Azure Blue
SAU-65-1132	5ECPVAB	5 Gal Vinyl High Gloss Azure Blue
SAU-65-1135	1ECPVTB	1 Gal Vinyl High Gloss Tropic Blue
SAU-65-1134	5ECPVTB	5 Gal Vinyl High Gloss Tropic Blue



Test Kits

Product No.	Model No.	Description
SAU-65-0001	DSTK0001	Test Kit - Rubber Base Paint
SAU-65-0002	DSTK0002	Test Kit - Vinyl Base Paint

Diluents

Product No.	Model No.	Description
SAU-65-1017	1ECDR	1 Gal Rubber Diluent
SAU-65-1105	1ECDE	1 Gal Epoxy Diluent
SAU-65-1155	1ECDV	1 Gal Vinyl Diluent

Sealants

Product No.	Model No.	Description
SAU-65-1149	D1MPP	1 Gal Putty Patch
SAU-65-1152	DQMPP	1 Quart Putty Patch
SAU-65-1154	DTMPP	1 Cartridge 11 Oz Tube Putty Patch
SAU-65-1148	D1LPS	1 Gal Liquid Plastic




OLYMPIC PAINTS BY KELLEY TECHNICAL COATINGS

For over half a century, Kelley Technical Coatings has produced outstanding pool coatings and related products designed to make pool maintenance as easy as possible for the pool owner. Some paints have limited availability and restricted use in some areas. Contact your sales representative for additional information.

Product No.	Model No.	Description
Priming Solutions		
KEL-65-6003	214 G	1 Catalyst/ 1 Primer Poxoprime II 1Gal 4/Cs
KEL-65-6002	216 G	1 Catalyst/ 1 Primer Gunzite Epoxy Primer 1Gal 4/Cs
Paralon II Series		
KEL-65-6007	290 G	Paralon II White 1Gal 4/Cs
KEL-65-6085	290 5G	Paralon II White 5Gal
KEL-65-6008	291 G	Paralon II Blue Ice 1Gal 4/Cs
KEL-65-6086	291 5G	Paralon II Blue Ice 5Gal
KEL-65-6032	292 G	Paralon II Bikini Blue 1Gal
KEL-65-6070	292 5G	Paralon II Bikini Blue 5Gal
KEL-65-6024	297 G	Paralon II Black 1Gal 4/Cs
KEL-65-6044	297 Q	Paralon II Black 1Qt 6/Cs
Poxolon2 Series		
KEL-65-6208	2222 G	1 Catalyst/ 1 Paint Poxolon2 White 1Gal 4/Cs
KEL-65-6211	2225 G	1 Catalyst/ 1 Paint Poxolon2 Blue Ice 1Gal 4/Cs
KEL-65-6216	2228 G	1 Catalyst/ 1 Paint Poxolon2 Bikini Blue 1Gal 4/Cs
KEL-65-6213	2226 G	1 Catalyst/ 1 Paint Poxolon2 Black 1Gal 4/Cs
Zeron Series		
KEL-65-6009	390 G	1 Catalyst/ 1 Paint Zeron White 1Gal 4/Cs
KEL-65-6010	391 G	1 Catalyst/ 1 Paint Zeron Blue Ice 1Gal 4/Cs
KEL-65-6027	392 G	1 Catalyst/ 1 Paint Zeron Bikini Blue 1Gal 4/Cs
KEL-65-6082	399 G	1 Catalyst/ 1 Paint Zeron Black Paint 1Gal 4/Cs
KEL-65-6031	395 G	1 Catalyst/ 1 Paint Zeron Blue Mist 1Gal 4/Cs
KEL-65-6325	7276 G	1 Catalyst/ 1 Paint Zeron Viking Blue 1Gal
Solvent		
KEL-65-6001	1109 G	Solvent Epoxy 1Gal 6/Cs
KEL-65-6000	1108 G	Solvent Rubber Base 1Gal 6/Cs
Accessories		
KEL-65-6020	910 G	Pool Wash Compound 1Gal 4/Cs
KEL-65-6021	950 T	Permaseal Flex Pool Caulk Tube
KEL-65-6075	935 G	Type H Thermolastic Joint Filler 1Gal
KEL-65-6083	935 G	Type V Thermolastic Joint Filler 1Gal
KEL-65-6330	X934-1"	Foamlite Joint Filler
KEL-65-6022	962 G	1 Catalyst/ 1 Paint Poxofill 1Gal 4/Cs
KEL-65-6025	U100	Diving Board Repair Kit White
KEL-65-6042	X93119	Frame 9" W/ 18" Handle
KEL-65-6125	X87009	Roller 9" Synthetic Fiber 1/2"

NOTE: Colors May Vary From Printed Hues



WHITE



BLUE MIST



BLUE ICE



BIKINI BLUE



VIKING BLUE



BLACK

SPECTRUM BLANKET REELS

Spectrum Bitterroot Reel System


The Spectrum Bitterroot series deck blanket storage systems ensure proper handling and storage of Spectrum's Thermal-King blankets. They are portable, strong and are designed to support the weight of wet blankets and are made of electro-polished 304L stainless steel. Features tube configurations for blanket width from 15' to 20'. Optional storage reel/blanket cover is available. Easy to deploy and/or retrieve pool blankets. Available in three tube configurations - single, double, or triple. Employs nickel-plated pillow block reel tube bearings.



Product No.	Model No.	Description
SPM-70-1004	50120	Bitterroot Cover Reel 20Ft Single
SPM-70-1005	50150	Bitterroot Cover Reel 20Ft Double
SPM-70-1006	50180	Bitterroot Cover Reel 20Ft Triple

Spectrum Blackfoot I

A manually operated, wall mounted pool blanket storage system. Designed to conserve pool deck space and allow for ease of installation and/or retrieval of pool blankets. Manufactured of 304L stainless steel, which is electro-polished and passivated following fabrication, these are structurally designed to support wet blankets. Generally one wall mount reel is needed for each section of blanket to be stored. Crank extensions available for installations 6' above deck.



Spectrum Blackfoot II

Constructed in a similar fashion as the Blackfoot I, a simple hand held transmitter provides smooth deployment and/or retrieval for the pool blankets. The solid state electronics are contained in a water tight, NEMA 4 enclosure, thus ensuring dependable operation and long life. Units are standard, custom is available to meet your specific needs. Automatic, no crank needed! Specify operating current 115 or 230 VAC, 1 phase, 60 cycle. Note: Use of bubble covers are NOT recommended for use with the Blackfoot II.

Product No.	Model No.	Description
SPM-70-1007	50200	Blackfoot Cover Reel 20Ft Radio Control
SPM-70-1008	50220	Blackfoot Wall Mount Winder

Spectrum Thermal Swimming Pool Covers

Thermal pool covers, used on indoor and/or outdoor pools and spas save money - often paying for themselves in less than one year. Swimming pool cover panels come complete with loop ties for attaching the individual panels to a Bitterroot stainless steel portable blanket storage reel system. **Use product number *SPM70-COM.**



Model No.	Description
47129	12x12 Weave w/ Weighted Edge Thermal Blanket
47129	12x12 Weave w/ Hemmed Edge Thermal Blanket

Spectrum Swimming Spa Covers

The spa cover is superior to all other energy savings blankets that are offered for use on spas, they will out last all others. Using household scissors, you cut them to fit the spa's configuration. The spa sheet is unedged and has the same features as the pool blankets. The blankets are reversible. **Use product number *SPM70-COM.**



Model No.	Description
500019	10'x10' SPA BLANKET - No Edging (Customer cut to size)
500020	5'x15' SPA BLANKET - No Edging (Customer cut to size)

HORIZON SOLAR REEL SYSTEM

Commercial Aluminum Solar Reel System

This system provides the flexibility of a single tube or a dual tube for commercial applications. The reel systems are available in various sizes to fit any shape or size pool. The dual tube systems allow coverage on large pools. Dual bearings per frame allow for smooth solar blanket roll up. The 36" high white frames are made of structured aluminum with 4" heavy duty locking casters for mobility are able to roll over diving boards up to 19" from deck. Stainless steel hardware is provided for maintenance free use. The heavy duty aluminum tubes are designed to handle heavy loads. Single tube and dual tube models are available for blanket widths of 14', 20', 24', and a single tube model is available for blankets up to 30' wide.



Product No.	Model No.	Description
HOR-70-5000	HV-100/C14	Comm Reel - Pool Width Max 14'
HOR-70-5001	HV-200/C14	(Dual Tube) Comm Reel - Pool Width Max 30'
HOR-70-5005	HV-100/C20	Comm Reel - Pool Width Max 20'
HOR-70-5006	HV-200/C20	(Dual Tube) Comm Reel - Pool Width Max 40'
HOR-70-5010	HV-100/C24	Comm Reel - Pool Width Max 24'
HOR-70-5011	HV-200/C24	(Dual Tube) Comm Reel - Pool Width Max 48'
HOR-70-5015	HV-100/C30	(Dual Tube) Comm Reel - Pool Width Max 30'

POOLSTYLE SOLAR BLANKETS

Product No.	Model No.	Description
PSL-70-5069	2851220	12x20 Rect Solar Cover
PSL-70-5070	2851224	12x24 Rect Solar Cover
PSL-70-5071	2851428	14x28 Rect Solar Cover
PSL-70-5072	2851624	16x24 Rect Solar Cover
PSL-70-5073	2851630	16x30 Rect Solar Cover
PSL-70-5074	2851632	16x32 Rect Solar Cover
PSL-70-5076	2851636	16x36 Rect Solar Cover
PSL-70-5077	2851640	16x40 Rect Solar Cover
PSL-70-5078	2851832	18x32 Rect Solar Cover
PSL-70-5079	2851836	18x36 Rect Solar Cover
PSL-70-5080	2851840	18x40 Rect Solar Cover
PSL-70-5081	2852036	20x36 Rect Solar Cover
PSL-70-5082	2852040	20x40 Rect Solar Cover
PSL-70-5083	2852044	20x44 Rect Solar Cover
PSL-70-5084	2852440	24x40 Rect Solar Cover
PSL-70-5085	2852444	24x44 Rect Solar Cover
PSL-70-5086	2852650	26x50 Rect Solar Cover
PSL-70-5087	2852545	25x45 Rect Solar Cover
PSL-70-5088	2852550	25x50 Rect Solar Cover
PSL-70-5089	2853050	30x50 Rect Solar Cover
PSL-70-5090	2853060	30x60 Rect Solar Cover





Maintenance Equipment & Accessories



**Coast Guard Approved
Ring Bouys & Holders**



Rope Float Kits



Safety Signs

Serving the
Commercial Pool Market
Call Toll-Free: 866.269.6725






Your **One-Stop** *shop for...*

Commercial Pool Products

Quoting | Submittals | Owner's Manuals | Friendly Terms



Heaters & Accessories

Pumps & Blowers

Filtration Systems

Chemical Dosing &
Control Systems



Building Materials

Fountains &
Water Play

Plumbing



Safety & Rescue

Maintenance Equipment

Deck Equipment


Racing & Competition
Equipment

Serving the
Commercial Pool Market

Call Toll-Free: **866.269.6725**



Appendix



Commercial Motors & Pump Parts

STA-RITE - C & CC SERIES PUMPS													
"PUMP MODEL HP, PH & MOTOR FRAME"	"OEM MOTOR"	REGAL BELOIT	NIDEC	SHAFT SEAL	SHAFT SLEEVE	"VOLUME GASKET"	DIFFUSER GASKET	WEAR RING	IMPELLER SCREW	IMPELLER GASKET	IMPELLER WASHER	STAT-O-SEAL WASHER	IMP. SCRW- LOCKWAS
3HP-1PH-182JM	C218-177	P229M2	DJ3C1P18M	U109-433SS	C23-58	C20-77	XXX	C23-40	U30-72SS	C20-100	C43-45SS	C43-46	XXX
CHH & CCHH	STA-60-5154	MGT-60-5413	EMR-60-7000	STA-101-6235	STA-101-7179	STA-101-7310	XXX	STA-101-2935	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
CMH & CMH1													
3HP-3PH-145JM	C218-179BD	CP026	DJ3S1AM	U109-433SS	C23-58	C20-77	XXX	C23-40	U30-72SS	C20-100	C43-45SS	C43-46	XXX
CHH3 & CCHH3	"STA10-COM	"MGT-COM	XXX	STA-101-6235	STA-101-7179	STA-101-7310	XXX	STA-101-2935	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
CMH3 & CCMH3			XXX										
5HP-1PH-184JM	C218-180	P231M2	DJ5C1K18M	U109-433SS	C23-58	C20-77	XXX	C23-40	U30-72SS	C20-100	C43-45SS	C43-46	XXX
CHJ & CCHJ	STA-60-5157	AOS-60-4006	EMR-60-7002	STA-101-6235	STA-101-7179	STA-101-7310	XXX	STA-101-2935	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
5HP-3PH-182JM	C218-182BD	CP038	DJ5S1AM	U109-433SS	C23-58	C20-77	XXX	C23-40	U30-72SS	C20-100	C43-45SS	C43-46	XXX
CHJ3 & CCHJ3	"STA10-COM	MGT-60-0038	EMR-60-7034	STA-101-6235	STA-101-7179	STA-101-7310	XXX	STA-101-2935	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
STA-RITE - D SERIES PUMPS													
3HP-1PH-182M	C218-177	P229M2	DJ3C1P18M	U109-433SS	C23-58	C20-46	XXX	J23-5	U30-72SS	C20-100	C43-45SS	C43-46	XXX
DHH	STA-60-5154	MGT-60-5413	EMR-60-7000	STA-101-6235	STA-101-7179	STA-101-7164	XXX	STA-101-2890	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
DMH													
3HP-3PH-145JM	C218-178BD	CP026	DJ3E1DM	U109-433SS	C23-58	C20-46	XXX	J23-5	U30-72SS	C20-100	C43-45SS	C43-46	XXX
DHH3	"STA10-COM	"MGT-COM	EMR-60-7143	STA-101-6235	STA-101-7179	STA-101-7164	XXX	STA-101-2890	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
DMH3			XXX										
5HP-1PH-184JM	C218-180	P231M2	DJ5C1K18M	U109-433SS	C23-58	C20-46	XXX	C23-14	U30-72SS	C20-100	C43-45SS	C43-46	XXX
DHJ	STA-60-5157	AOS-60-4006	EMR-60-7002	STA-101-6235	STA-101-7179	STA-101-7164	XXX	STA-101-2934	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
DMJ													
5HP-3PH-182JM	C218-182BD	CP038	DJ5E1DM	U109-433SS	C23-58	C20-46	XXX	C23-14	U30-72SS	C20-100	C43-45SS	C43-46	XXX
DHJ3	"STA10-COM	MGT-60-0038	EMR-60-7111	STA-101-6235	STA-101-7179	STA-101-7164	XXX	STA-101-2934	STA-101-4844	STA-101-7528	STA-101-2812	STA-101-7523	XXX
DMJ3													
STA-RITE - CSP SERIES PUMPS													
7.5HP-1PH-213JM	S22351	P318M2	DJ7C1K21M	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHK	STA-60-5187	MGT-60-4040	EMR-60-7005	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHK													
7.5HP-3PH-184JM	S22353BD	CP045	DJ7E1DM	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHK3	"STA10-COM	MGT-60-0045	EMR-60-7112	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHK3													
7.5HP-3PH-184JM	16830-0320	CP045	DJ7E1DM	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHK2K3 200V	STA-60-5189	MGT-60-0045	EMR-60-7112	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHK2K3 200V	208-230/460		208-230/460										
10HP-1PH-215JM	62500-0101	P320M2	DJ10C1K21M	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHL	"STA10-COM	MGT-60-4041	EMR-60-7007	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHL													
10HP-3PH-213JM	S22356	E371M2	DJ10E1DM	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHL3	"STA10-COM	MGT-60-5402	EMR-60-7113	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHL3													

Commercial Motors & Pump Parts

"PUMP MODEL HP: PH & MOTOR FRAME"	"OEM/MOTOR"	REGAL BELOIT	NIDEC	SHAFT SEAL	SHAFT SLEEVE	"VOLUTE GASKET"	DIFFUSER GASKET	WEAR RING	IMPELLER SCREW	IMPELLER GASKET	IMPELLER WASHER	STAT-O-SEAL WASHER	IMP SCR- LCK WAS
STA-RITE - CSP SERIES PUMPS													
10HP-3PH-213JM	16831-0320	E371M2	DJ10ETDM	S32014	37447-0001L	S04757	XXX	16830-0120	S22566	33455-8043	38917-0203	C43-46SS	XXX
CSPHL23 200V	*STA10-COM	MGT-60-5402	EMR-60-7113	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHL2L3 200V		208-230/460											
15HP-3PH-215JM	S22357BD	E377M2	DJ15STAM	S32014	37447-0001L	S04757	XXX	16830-0120	S23566	33455-8043	38917-0203	C43-46SS	XXX
CSPHM3	*STA10-COM	MGT-60-5406	EMR-60-7042	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPHM3													
15HP-3PH-215JM	16832-0320	E377M2	DJ15ETDM	S32014	37447-0001L	S04757	XXX	16830-0120	S22566	33455-8043	38917-0203	C43-46SS	XXX
CSPH2M3 200V	STA-60-5190	MGT-60-5406	EMR-60-7114	STA-101-7569	STA-101-7520	STA-101-1524	XXX	STA-101-1479	STA-101-2904	STA-101-4022	STA-101-1208	STA-101-1520	XXX
CCSPH2M3 200V		208-230/460											
20HP-3PH-254JM	S28574BD	XXX	DJ20ETDM	S32015	37447-0002L	S04757	XXX	16830-0120	S23619	33455-8045	38917-0204	C43-46SSA	XXX
CSPHN3	*STA10-COM	XXX	EMR-60-7115	STA-101-1472	STA-101-1474	STA-101-1524	XXX	STA-101-1479	STA-101-2905	STA-101-1476	STA-101-1209	STA-101-1521	XXX
CCSPHN3			208-230/460V										
20HP-3PH-254JM	16833-0320	XXX	DJ20ETDM	S32015	37447-0002L	S04757	XXX	16830-0120	S23619	33455-8045	38917-0204	C43-46SSA	XXX
CSPH2N3 200V	STA-60-5191	XXX	EMR-60-7115	STA-101-1472	STA-101-1474	STA-101-1524	XXX	STA-101-1479	STA-101-2905	STA-101-1476	STA-101-1209	STA-101-1521	XXX
CCSPH2N3 200V													
PUREX - C SERIES PUMPS													
5HP-1PH-184TY	071364S	XXX	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK-50	*PUR10-COM	XXX	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
CH-50													
5HP-3PH-182TY	071364S	R237M2A	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK-50	*PUR10-COM	*MGT-COM	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
7.5HP-1PH-213TY	357204S	XXX	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK-75	PUR-101-7204	XXX	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
CH-75													
7.5HP-3PH-184TY	071365S	R232M2A	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK-75	PUR-101-1365	*MGT-COM	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
CHK-75													
10HP-3PH-213TY	071363S	R338M2A	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK-100	PUR-101-1363	*MGT-COM	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
CHK-100	XXX												
15HP-3PH-215TY	071361S	R339M2A	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CMK150	PUR-101-1361	*MGT-COM	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
CHK150													
20HP-3PH-254TY	071362S	XXX	XXX	071725S	XXX	071423	XXX	XXX	071037	075713	071048	XXX	XXX
CHK200	*PUR10-COM	XXX	XXX	PUR-101-4892	XXX	PUR-101-4891	XXX	XXX	PUR-101-3386	PUR-101-9943	PUR-101-3387	XXX	XXX
PENTAIR - EQ SERIES PUMPS													
3HP - 1750 RPM - 1PH	357064S	XXX	XXX	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EQW300	*PUR10-COM	XXX	XXX	PUR-101-4892	XXX	PAC-101-6780	PAC-101-4506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
184JM CUSTOM													

Commercial Motors & Pump Parts

"PUMP MODEL HP, PH & MOTOR FRAME"	"OEM MOTOR"	REGAL BELOIT	NIDEC	SHAFT SEAL	SHAFT SLEEVE	"VOLUTE GASKET"	DIFFUSER GASKET	WEAR RING	IMPELLER SCREW	IMPELLER GASKET	IMPELLER WASHER	STAT-O-SEAL WASHER	IMP. SCREW LOCKWAS
PENTAIR - EQ SERIES PUMPS													
3HP - 1750 RPM - 3PH	357067S	XXX	XXX	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EQW300	PAC-101-5299	XXX	XXX	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
182JIM CUSTOM											35-135-5118		
5HP - 1750 RPM - 1PH	350159S	XXX	XXX	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EQW500	*PUR10-COM	XXX	XXX	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
5HP - 1750 RPM - 3PH	350158S	XXX	XXX	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EQW500	*PUR10-COM	XXX	XXX	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
184JIM CUSTOM													
5HP - 3600 RPM - 1PH	357065S	XXX	EEQ500	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EO500	PAC-101-7165	XXX	EMR-60-7204	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
184JIM CUSTOM													
5HP - 3600 RPM - 3PH	357068S	XXX	EEQK500	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EOK500	PAC-101-7068	XXX	EMR-60-7200	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
182JIM CUSTOM													
7.5HP - 3600 RPM - 1PH	357066S	XXX	EEQ750	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EO750	PAC-101-7172	XXX	EMR-60-7205	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
213JIM CUSTOM													
7.5HP - 3600 RPM - 3PH	357069S	XXX	EEQK750	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EOK750	PAC-101-7169	XXX	EMR-60-7201	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
184JIM CUSTOM													
10HP - 3600 RPM - 1PH	357063S	XXX	XXX	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EO1000	*PUR05-COM	XXX	XXX	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
215JIM CUSTOM													
10HP - 3600 RPM - 3PH	357070S	XXX	EEQK1000	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EOK1000	PAC-101-7170	XXX	EMR-60-7202	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
213JIM CUSTOM													
15HP - 3600 RPM - 3PH	357071S	XXX	EEQK1500	071725S	XXX	356780	350037	XXX	071037	XXX	072184	XXX	98220600
EOK1500	PAC-101-7171	XXX	EMR-60-7203	PUR-101-4892	XXX	PAC-101-6780	PAC-101-6506	XXX	PUR-101-3386	XXX	PUR-101-1462	XXX	AMP-101-0600
215JIM CUSTOM													
MARLOW - 3B PUMPS													
5HP - 3600 RPM - 1PH	AM3675700	P231M2	DJ5C1K18M	1CA066	AM3663700	AM4703500	AM2157100	XXX	J91727	XXX	AM2625700	XXX	AM2579400
3B28EC-C2-1	MLW-101-9860	AOS-60-4006	EMR-60-7002	MLW-101-9859	MLW-101-9852	MLW-101-9853	MLW-101-9856	XXX	MLW-101-7603	XXX	NLA	XXX	NLA
184JIM													
5HP - 3600 RPM - 3PH	*MLW-COM	CP038	DJ5S1AM	1CA066	AM3663700	AM4703500	AM2157100	XXX	J91727	XXX	AM2625700	XXX	AM2579400
3B28EC-C2-3	178446	MGT-60-0038	EMR-60-7034	MLW-101-9859	MLW-101-9852	MLW-101-9853	MLW-101-9856	XXX	MLW-101-7603	XXX	NLA	XXX	NLA
182JIM													
7.5HP - 3600 RPM - 1PH	AM4885500	XXX	XXX	1CA066	AM3663700	AM4703500	AM2157100	XXX	J91727	XXX	AM2625700	XXX	AM2579400
3B32EC-C2-1	MLW-101-5500	XXX	XXX	MLW-101-9859	MLW-101-9852	MLW-101-9853	MLW-101-9856	XXX	MLW-101-7603	XXX	NLA	XXX	NLA
184JIM CUSTOM													
7.5HP - 3600 RPM - 3PH	*MLW-COM	CP045	DJ7S1AM	1CA066	AM3663700	AM4703500	AM2157100	XXX	J91727	XXX	AM2625700	XXX	AM2579400
3B32EC-C2-3	178442	MGT-60-0045	EMR-60-7036	MLW-101-9859	MLW-101-9852	MLW-101-9853	MLW-101-9856	XXX	MLW-101-7603	XXX	NLA	XXX	NLA
184JIM													

Commercial Motors & Pump Parts

[illegible]

"PUMP MODEL HP, PH & FRAME"	"OEM MOTOR"	REGAL BELOIT	NIDEC	SEAL SET	SHAFT SLEEVE	INTERNAL O-RING SET	"DIFFUSER O-RING"	IMPELLER KIT	"FLANGE O-RING"	DIFFUSER
HAYWARD HCP PUMPS										
5.5HP - 3450 RPM - 3PH	HCPX55MOTOR	XXX	XXX	HCPX6004A	XXX	HCPX 6003A	HCPX6015A	HCPX6007A	HCPX6016A	HCPX6005A
HCP55	HAY-101-8300	XXX	XXX	HAY-101-8304	XXX	"HAY101-COM	HAY-101-8306	"HAY101-COM	HAY-101-8305	"HAY101-COM
TEFC CUSTOM										
7.5HP - 3450 RPM - 3PH	HCPX75MOTOR	XXX	XXX	HCPX6004A	XXX	HCPX 6003A	HCPX6015A	HCPX6008A	HCPX6016A	HCPX6005A
HCP75	HAY-101-8301	XXX	XXX	HAY-101-8304	XXX	"HAY101-COM	HAY-101-8306	"HAY101-COM	HAY-101-8305	"HAY101-COM
TEFC CUSTOM										
10HP - 3450 RPM - 3PH	HCPX100MOTOR	XXX	XXX	HCPX6004A	XXX	HCPX 6003A	HCPX6015A	HCPX6009A	HCPX6016A	HCPX6006A
HCP100	HAY-101-8302	XXX	XXX	HAY-101-8304	XXX	"HAY101-COM	HAY-101-8306	"HAY101-COM	HAY-101-8305	"HAY101-COM
TEFC CUSTOM										
12.5HP - 3450 RPM - 3PH	HCPX125MOTOR	XXX	XXX	HCPX6004A	XXX	HCPX 6003A	HCPX6015A	HCPX6010A	HCPX6016A	HCPX6006A
HCP125	HAY-101-8303	XXX	XXX	HAY-101-8304	XXX	"HAY101-COM	HAY-101-8306	"HAY101-COM	HAY-101-8305	"HAY101-COM
TEFC CUSTOM										

[illegible]

Commercial Pump Impellers

PUMP HP & MODEL NO	IMPELLER NO.
Sta-Rite C & CC Series	
3HP HI-Head	C105-224DF
CHH/CCHH	STA-101-7364
CHH3/CCHH3	
3HP Med-Head	C105-224DG
CMH/CCMH	STA-101-1536
CMH3/CCMH3	
5HP HI-Head	C105-224DE
CHU/CCHU	STA-101-1535
CHU3/CCHU3	
Sta-Rite D series	
3HP HI-Head	C5-248
DHH	STA-101-1478
DHH3	
3HP Med-Head	C5-246
DMH	STA-101-1468
DMH3	
5HP HI-head	C5-249
DHU	STA-101-9958
DHU3	
5HP med-Head	C5-247
DMU	STA-101-1466
DMU3	
Sta-Rite CSP Series	
7.5HP	16830-0209
CSPHK/CSPHK3	STA-101-1469
CCSPHK/CCSPH3	
10HP	16830-0210
CSPHL/CSPHL3	STA-101-1471
CCSPHL/CCSPHL3	
15HP	16830-0211
CSPHM3	STA-101-1504
CCSPHM3	
20HP	16830-0212
CSPHN3	STA-101-2120
CCSPHN3	

PUMP HP & MODEL NO	IMPELLER NO.
Purex C Series	
5HP Med-Head	070228
CM-50	PUR-101-1456
CMK-50	
5HP HI-Head	073828
CH-50	PUR-101-1455
CHK-50	
7.5HP Med-Head	070227
CM-75	PUR-101-1457
CMK-75	
7.5HP HI-Head	073829
CH-75	PUR-101-1452
CHK-75	
10HP Med-Head	070226
CMK-100	PUR-101-1451
10HP HI-Head	073830
CHK-100	PUR-101-1458
15HP Med-Head	070225
CMK150	PUR-101-7704
15HP HI-Head	073831
CHK150	PUR-101-1453
20HP HI-Head	073832
CHK200	PUR-101-1454
Pentair EO Series	
3HP 1750 RPM	350027
EOW300	PAC-101-6510
5HP 1750 RPM	350070
EOW500	PAC-101-6515
5HP 3600 RPM	350030
EO500	PAC-101-6507
7.5HP 3600 RPM	350029
EO750	PAC-101-6508
10HP 3600 RPM	350028
EO1000	PAC-101-6509
15HP 3600 RPM	350027
EOK1500	PAC-101-6510

PUMP HP & MODEL NO	IMPELLER NO.
Marlow 3B Series	
5HP	AM3599102
3B28EC-C23	MLW-101-5742
7.5HP	AM4128402
3B32EC-C21	MLW-101-5745
Marlow 4SPC Series	
10HP	AM4702906
4SPC10	MLW-101-7582
15HP	AC1687
4SPC15	MLW-101-7584
20HP	AM4546206
4SPC20	MLW-101-7583
Hayward HCP Series	
5.5HP	HCP6007A
HCP55	*CHT-COM
7.5HP	HCP6008A
HCP75	*CHT-COM
10HP	HCP6009A
HCP100	*CHT-COM
12.5HP	HCP6010A
HCP125	*CHT-COM
Specck 95 Series	
5HP	2923223025
95-IX	SPK-101-3107
7.5HP	2902023008
95-X	*SPK-COM

Commercial Pump Strainer Parts

STRAINER MODEL NO	LID NO.	LID GASKET NO.	HAND KNOB NO.	BASKET NO.
For Sta-Rite C & CC Series - Sta-Rite D-Series Pumps				
PKG 51	C3-30	U9-46	C154-18D	C108-11P
	STA-101-8534	STA-101-8523	STA-101-4850	STA-101-7170
PKG 56	C3-78D	U9-46	C154-18D	C108-11P
	STA-101-7173	STA-101-8523	STA-101-4850	STA-101-7170
PKG 98	C3-105	U9-171	C154-18D	16401-0030
	STA-101-8535	STA-101-7158	STA-101-4850	STA-101-0178
PKG 99	C3-105D	U9-171	C154-18D	16401-0030
	STA-101-8525	STA-101-7158	STA-101-4850	STA-101-0178
For Sta-Rite CSP Series Pumps				
PKG 184	16401-0210	35505-0421	35404-0319	16401-0102
	STA-101-8511	STA-101-8510	STA-101-8515	STA-101-8513
PKG 184C	16401-2215	35505-0421	35404-0319	16401-0102
	*STA10-COM	STA-101-8510	STA-101-8515	STA-101-8513
For Pentair Purex C-Series Pumps				
CM/CMK/CH/CHK	075275	071433	075280	072795
	PUR-101-3472	PUR-101-3404	PUR-101-3452	PUR-101-3447
For Marlow 3B Series Pumps				
3B28 & 3B32	AM2804802	AM2821900	AM2822302	AM3589000
	MLW-101-5756	MLW-101-5749	MLW-101-5744	MLW-101-5757
For Marlow 4SPC Series Pumps				
4SPC10/15/20	AM4699702	AC1654	AM2822302	AM4699600
	*MLW-COM	*MLW-COM	MLW-101-5744	*MLW-COM
For Hayward HCP Series Pumps				
HCP5.5/7.5/10/12.5	HCP6001A	HCP6014A	HCP6000A	HCP6002A
	*CHT-COM	*CHT-COM	*CHT-COM	HAY-101-8307
STRAINER MODEL NO LID NO. LID GASKET NO. LID CLAMP RING NO. BASKET NO.				
For Pentair EO Series Pumps				
EO/EOK/EOW	356750	350166	350171	357184
	PAC-101-6750	PAC-101-6514	PAC-101-6790	PAC-101-7184
For Specck Model 95 Pumps				
95-IX & 95-X	2902016010	2902041210	2902016020	2902014300
	SPK-101-3102	SPK-101-3106	SPK-101-3103	SPK-101-3100

INDEX

A	
ACID, MURIATIC	42
AIR BLOWERS, COMMERCIAL	25
ASSISTED ACCESS	82 - 88
ANCHORS, STANCHION	75
ANCHORS, WALL	55
ANCHORS, WEDGE	60
AUTO-FILL	33
AUTOMATIC POOL CLEANERS	89, 90
B	
BALL CHECK VALVES	15
BALL VALVES	15
BASKET STRAINERS	26 - 28
BASKETBALL GOALS	79
BIOSHIELD CVP UV	38
BLOWERS	25
BOLT KITS - BUTTERFLY VALVE	13, 14
BRUSHES	92, 93
BUTTERFLY VALVES	12 - 14
C	
CALCIUM HYPOCHLORITE	41
CARTRIDGE FILTERS	6
CHECK VALVES	11, 15
CHEMICALS, POOL	40 - 44
CHEMICAL FEEDERS	34 - 39
CHEMICAL TANKS	39
CLEANERS, PVC	18
CLIMBING WALLS	79
CONCENTRIC REDUCERS	16
CPR DEVICES	96
CUP ANCHORS	55
D	
DE POWDER	8
DECK DRAIN	55
DIVING BOARDS	69, 70
DIVING STANDS	69, 70
DIVING TOWERS	70
E	
ECCENTRIC REDUCERS	16
ENZYME CHEMICALS	43
EROSION FEEDER	29
ESCUTCHEON PLATES	60
EXERCISE BARS	60
F	
FILTERS, COMMERCIAL STEEL	4
FILTERS, HORIZONTAL FIBERGLASS	3, 6, 7
FILTERS, VERTICAL FIBERGLASS	1 - 7
FIRST AID KITS	96
FITTINGS, PVC	17, 18
FLANGED REDUCERS	16
FLOATS, ROPE	95
FLOAT VALVES	10
FLOW METERS	19, 20
FRAMES & GRATES	53, 54

G	
GAUGES	8, 9
GLUE, PVC	18
GRAB RAILS	58, 59
GUTTER GRATE	54
H	
HAND RAILS	59
HANDICAP LIFTS	82 - 88
HEAD IMMOBILIZER	95
HEATERS, ELECTRIC	48
HEATERS, GAS	45 - 52
HORIZONTAL SAND FILTERS	3, 6, 7
HOSE, VACUUM	92
HYDROSTATIC RELIEF VALVES	33
I	
INLINE STRAINERS	26 - 28
INTERACTIVE WATER FEATURES	78
L	
LADDERS	57, 58
LADDER BUMPERS	60
LADDER TREADS	60
LEAF RAKES	94
LIFEHOOKS	96
LIFE RINGS (BUOYS)	95
LIFEGUARD CHAIRS	61 - 68
LIGHTS - LED	56
M	
MANIFOLD KITS	2, 7
MAIN DRAINS	54
MEDIA FOR FILTERS	8
MODULATING FLOAT VALVES	10
MULTIPOINT VALVES	1
N	
NATURAL CHEMISTRY ENZYMES	43
NICHES, LIGHT	56
O	
ORENDA COMMERCIAL CHEMICALS	44
ORP / pH / PPM CONTROLLER	29 - 32
OZONE GENERATORS	38
P	
PACE CLOCKS	77
PAINT, POOL	97 - 99
POLES	93, 94
POOL CLEANERS, ROBOTIC	89, 90
PORTABLE VACUUM FILTERS	91
PRESSURE GAUGES	8, 9
PUMPS, SELF PRIMING	21 - 24
PUMPS, END SUCTION	25
PVC CEMENT	18
PVC FITTINGS	17, 18
R	
REDUCERS	16
RACING LANES	76, 77
RING BUOYS	95

S	
SAFETY & RESCUE	95, 96
SAND FILTERS, COMMERCIAL	1 - 7
SEAKLEAR COMMERCIAL CHEMICALS	44
SHOWERS, POOL	78
SIGHT GLASS	8
SLIDES	80
SOLAR BLANKETS	101
SOLAR REELS	100, 101
SOLUTION TANKS	39
SPINEBOARD	95
STARTING PLATFORMS	71 - 75
STRAINERS, IN-LINE	26 -28
SUMPS, MAIN DRAIN	54
SVRS DEVICES	33
T	
TELESCOPIC POLES	93, 94
TEST KITS	40
THERMAL BLANKETS	100
TOWERS, DIVING	70
U	
ULTRAVIOLET SANITATION	38
UMBRELLAS	80, 81
V	
VACUUM FILTER PUMP	91
VACUUM FITTINGS	33
VACUUM GAUGES	8, 9
VACUUM HEADS	92
VACUUM HOSE	92
VALVES, BALL	15
VALVES, BUTTERFLY	12 - 14
VALVES, CHECK	11, 15
VALVES, HYDROSTATIC RELIEF	33
VALVES, SAND FILTER	1, 2, 3, 7
VALVES, ASTRAL	7
VALVES, SPRING CHECK	11
VALVES, SWING CHECK	12
VARIABLE FREQUENCY DRIVES	28
W	
WAFER BUTTERFLY VALVES	12
WAFER CHECK VALVES	11
WALL ANCHORS	55
WATER CHEMISTRY CONTROLLER	29 - 33
WATER POLO	78
WEDGE ANCHORS	60
WINTER COVERS	100, 101



Serving the **Commercial Pool Market**



Visit us online:
andersonpoolworks.com



Anderson Poolworks:
9500 SW Boeckman Road • Wilsonville, OR • 97070
(503) 625.5628

ANDERSON
POOLWORKS

CCB125440 WA ANDERP*903RH