



WORLD ASSOCIATION OF
COPEPODOLOGISTS

MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 60 – Supplement

December 2010

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	2

MONOCULUS Editor: Janet W. Reid
Trumansburg, New York, U.S.A.
E-mail: janet.w.reid@gmail.com

*Deadline for submissions to the next number of
MONOCULUS: 30 March 2011*

Material in *MONOCULUS* is reviewed only by the Editor. This newsletter is not part of the scientific literature and is not to be cited, abstracted, or reprinted as a published document. Using the illustrations or text for other purposes requires previous agreement by the Editor.

—
ISSN 1543-0731 (On-line version)
ISSN 0722-5741 (Printed version)

—
WAC Homepage
<http://www.monoculus.org>

Each number of MONOCULUS is announced on:
Crust-L crust-l@vims.edu
ALCA alca@ola.icmly.unam.mx
Planktonnet planktonnet@yahooroups.com
Copepod List copepods@yahooogs.com

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages, in addition to the journals and reprints themselves. If you note inaccuracies or omissions, please let

me know. Elena Chertoprud, Paulo Corgosinho, Danny Tang, and Lusha Tronstad graciously provided literature references and, in some cases, reprints. Other colleagues have donated reprints of articles that were listed in previous numbers, to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different. This supplement will be posted in pdf format on the WAC website.

Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid
Trumansburg, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library! Both paper copies and pdf files are welcome.

To the Monoculus-Library:
C/o Prof. Dr. Pedro Martínez Arbizu
Forschungsinstitut Senckenberg
DZMB-Forschungsinstitut Senckenberg
Monoculus-Library
Suedstrand 44
D-26382 Wilhelmshaven, Germany
E-mail: pmartinez@senckenberg.de

To the C. B. Wilson Library:
C/o Mr. T. Chad Walter
Smithsonian Institution
Museum Support Center, MRC 534
4210 Silver Hill Road
Suitland, MD 20746, U.S.A.
E-mail: WALTERC@si.edu

Recent Publications on Copepoda

Compiled by Jan Reid and Chad Walter

Older publications that were recently listed in the “World of Copepoda” bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and “gray literature”), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the “World of Copepoda” database.

2001 and before

Abdel-Meguid, M. 1998. The frequency distribution of *Lernaea cyprinacea* Linnaeus, 1761 (Copepoda: Cyclopoida) and its histopathological effect on the common carp, *Cyprinus carpio*. Egyptian Journal of Zoology 31:53-66.

Armeni-Agiavlassiti, O. 1992. Study of the biological cycle of zooplankton in certain areas. Ph.D. Thesis, National and Kapodistrian University of Athens, Athens, Greece. 242 pp. [In Greek.]

Bernát, N. 1988. Untersuchungen zur Verteilung des Zooplanktons auf einem Querprofil der Elbe bei Scheelenkuhlen unter besonderer Berücksichtigung der dominierenden Art *Eurytemora affinis* (Copepoda, Calanoida). [Studies on the distribution of zooplankton on a cross section of the Elbe at Scheel Kuhlen with special reference to the dominant species Eurytemora affinis (Copepoda, Calanoida).] Diplom-Arbeit, Carl von Ossietzky Universität Hamburg, Hamburg, Germany. 84 pp. [In German.]

Bishop-Rayle, J.E. 1988. Variation in dormancy within a Virginia population of the freshwater copepod : *Mesocyclops edax* S.A. Forbes (Crustacea: Copepoda). M.S. Thesis, George Mason University, Fairfax, Virginia, U.S.A. 104 pp.

Borok, L.A. 1988. The morphology of two feeding appendages of calanoid copepods from the benthic boundary layer. M.S. Thesis, University of California-Santa Cruz, Santa Cruz, California, U.S.A. 91 pp.

Chambers, M.R. 1988. Dissolved oxygen, temperature and zooplankton studies of Lakes Bosset, Pangua and Daviumbu. Pp. 19-30 In: Pernetta, J.C. (ed.). Potential impacts of mining on the Fly River. UNEP Regional Seas Reports and Studies No. 99. SPREP Topic Review No. 33. 119 pp.

Chen, Q.Q. & X.M. Lin. 1991. A survey of epidemiology of *Gnathostoma hispidum* and experimental studies of its larvae in animals. The Southeast Asian Journal of Tropical Medicine and Public Health 22(4):611-617.

Chorianopoulos, E. 1991. The geographic distribution and the variations in the population dynamic on the copepod *Tisbe holothuriae* Humes. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 111 pp. [In Greek.]

Dimas, S. 1988. The combined toxicity of copper, cadmium, zinc, nickel and chromium, on the copepod *Tisbe holothuriae* (Humes). Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 120 pp. [In Greek.]

Dortland, R.J. 1980. Toxicological evaluation of parathion and azinphosmethyl in freshwater model ecosystems. Ph.D. Thesis, University of Wageningen, Wageningen, The Netherlands. 112 pp.

Fernández Aráoz, N.C. 1994. Estudios sobre la biomasa de Copepoda (Crustacea), con especial énfasis en Calanoida, del Atlántico sudoccidental. [Studies on the biomass of Copepoda (Crustacea) with special emphasis on Calanoida from the southwestern Atlantic.] Tesis de Doctorado, Universidad Nacional, Facultad de Ciencias Exactas y Naturales, Mar del Plata, Argentina. 111 pp. [In Spanish.]

Fiedler, M. 1991. Die Bedeutung von Makrozoobenthos und Zooplankton der Unterelbe als Fischnahrung. The role of macrozoobenthos and zooplankton as food for fishes in the lower Elbe River. Doctoral Thesis, Institut für Meereskunde, Universität Kiel, Kiel, Germany. 230 pp. [In German.]

Foy, M.G. 1982. Acute Lethal Toxicity of Prudhoe Bay Crude Oil and Corexit 9527 to Arctic Marine Fish and Invertebrates. Environment Canada, Environmental Protection Service, Ottawa, Ontario. 62 pp. ISBN:0662120019.

Garneau, M. 1987. Reconstitution paléoécologique d'une tourbière littorale de l'estuaire du Saint-Laurent : analyse macrofossile et sporopollinique. [Paleoecological reconstruction of a coastal bog of the St. Lawrence estuary : macrofossil and spore-pollen analysis.] Géographie physique et Quaternaire 41(1):109-125. [In French; figure legends also in English.]

Georgiou, E. 1995. Comparative study of the mesozooplanktonic communities in Etang de Berre and Canal de Caronte (Marseille). Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 157 pp. [In Greek.]

Hopp, U. 1996. Auswirkungen von reinem Algenfutter auf die Reproduktionsrate und die Lebensdauer von cyclopoiden Copepoden (Crustaceen). [Effect of pure algal diets on the reproductive rate and lifespan of cyclopoid copepods (Crustacea).] Diplomarbeit, Universität Ulm, Ulm, Germany. [In German.]

Horianopoulos, E., E. Miliou, G. Verriopoulos & M. Moraitou-Apostolopoulou. 1992. Differentiation of the population productivity parameters between two geographical strains of *Tisbe holothuriae*. Rapports de la Commission Internationale de la Mer Méditerranée, Monaco 33:247.

Huggett, J.A. 1988. The effect of chlorine, heat and physical stress on entrained plankton at Koeberg Nuclear Power Station. M.Sc. Thesis (Zoology), University of Cape Town, Cape Town, South Africa. 161 pp.

- Issel, R. 1918. Biologia Marina. Forme e fenomeni della vita nel mare, illustrati dalla scogliera Mediteranea. [Marine Biology. Forms and phenomena of life in the sea, illustrated from the Mediterranean shore.] Ulrico Hoepli, Editore Libraio della Real Casa, Milano, Italy. 607 pp. [In Italian.]
- Ivanets, O.R. 1993. Aquatic invertebrates as an object protection in small reservoirs in the foothills of the Carpathians. Abstracts, National Academy International Conference "Fauna of the Eastern Carpathians: Contemporary status and protection. Uzhgorod, 1993. Pp. 270-272. [Abstract.]
- Janekarn, V. & P. Boonruang. 1993. Guide-line for measurement of phytoplankton and copepod production, and their linkage. Naeo-thang kan wat kha phonphalit plankton phut kap plankton sat (Copepod) lae khwam samphan sung kan lae kan. Thai Fisheries Gazette / Warasan Kan Pramong 46(2):111-119. [In English; abstract in Thai.]
- Kapiris, C. 1989. The quantitative and the qualitative study of mesozooplankton in the area of Psittalia in Saronikos Gulf. Dissertation in Biology, 177 pp. [In Greek.]
- Kormas, C. 1992. Micro distribution and vertical migration in a coastal lagoon. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 105 pp. [In Greek.]
- Kormas, C. & G. Verriopoulos. 1993. Vertical microdistribution of the copepod *Acartia tonsa* in eutrophic area. In: Proceedings of the 4th National Symposium on Oceanography and Fisheries. Rhodes Island (Greece) 26-29 April 1993. Pp. 469-470. [In Greek.]
- Kostrichkina, E.M., R.Y. Line & L.L. Sidrevics. 1989. Long-term zooplankton dynamics. Eutrophication of the Baltic Sea. Pp. 96-102 In: Davidan, I.N. & O.P. Savchuk (eds.). The Main Trends in Ecosystem Evolution. The State Research Institute of Oceanography, Leningrad. [In Russian.]
- Kostrichkina, E.M., A.K. Yurkovsky & M.V. Kaleis. 1990. Zooplankton dynamics associated with changes of water regime in the Baltic Sea during the recent 40 years (1949 – 1989). Pp. 87-98 In: Kotenev, B.N., V.N. Kochikov, V.V. Sapozhnikov, S.N. Rodionov & N.M. Zozulya (eds.). Plenary reports of VIII All Union conference on fisheries oceanology. Research Institute of Fisheries and Oceanography Press, Moscow. [In Russian.]
- Kouvaraki, E. 1993. The relations between phytoplankton, bacteria and zooplankton in eutrophic, mesotrophic and oligotrophic areas in the Saronikos Gulf. Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 62 pp. [In Greek.]
- Kouvaraki, E., O. Christaki, R. Gaudy & G. Verriopoulos. 1993. Relationships between phytoplankton, bacteria and mesozooplankton in eutrophic, meso- and oligotrophic area. In: Proceedings of the 4th National Symposium on Oceanography and Fisheries. Rhodes Island (Greece), 26-29 April 1993. Pp. 196-199. [In Greek.]
- Krabi, A.I. 1913. Plankton of the Baltic Sea, expedition of 1908. Pp. 1-37 In: Grimm, O.A. (Ed.). Proceedings of the Baltic Expedition, Vol. 2, St. Petersburg. [In Russian.]
- Lacaze, J.C. 1971. The utilization of a simple experimental device for study of water pollution *in situ*: comparative effects of three anti-petroleum emulsifying agents. *Tethys* 3(4):705-715.
- Lagonika, F. 1990. The effect of cobalt on the population dynamic on the copepod *Tisbe Holothuriae*, Humes. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 141 pp. [In Greek.]
- Last, J.M. 1979. The food of larval turbot *Scophthalmus maximus* L. from the west central North Sea. ICES Journal of Marine Science / Journal du Conseil 38(3):308-313.
- Lee, C.R. 1999. Feeding impact of copepods (Calanoida) in the nearshore waters of southwestern Taiwan. Master's Thesis, Institute of Marine Biology, National Taiwan Ocean University, Keelung, Taiwan. [In Chinese.]
- Lönnig, S. & I.B. Falk-Petersen. 1978. The effects of oil dispersants on marine eggs and larvae. *Astarte* 11(2):135-138.
- Lumetti, R. 1990. La metamorfosi di *Lernaea cyprinacea* L. (Copepoda, Cyclopoida): analisi ultrastrutturale dell'apparato digerente e del tegumento. [The metamorphosis of *Lernaea cyprinacea* L. (Copepoda, Cyclopoida): ultrastructural analysis of the digestive apparatus and the integument.] Ph.D. Dissertation, University of Modena, Modena, Italy. 216 pp. [In Italian.]
- Mackay, D. & P.G. Wells. 1983. Effectiveness, behavior, and toxicity of dispersants. In: Proceedings: 1983 Oil Spill Conference (Prevention, Behavior, Control, Cleanup). February 28 - March 3, 1983, San Antonio, Texas. American Petroleum Institute, Washington, D.C. Pp. 65-71.
- Mahi, C.A. 1969. The food and feeding habits of the kumu, *Parupeneus porphyreus*. M.S. Thesis, University of Hawaii, Honolulu, Hawaii, U.S.A.
- Main, B.Y. 2000. Habitat template for invertebrates on granite outcrops. *Journal of the Royal Society of Western Australia* 83:139-147.
- Mathiopoulou, G. 1989. The quantitative and the qualitative study of mesozooplankton in the area of Agios Kosmas in Saronikos Gulf. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 137 pp. [In Greek.]
- Melbye, A.G., D. Altin & T. Frost. 2001. Determination of uptake of dispersed oil in the copepod *Calanus finmarchicus*. In: Proceedings: Twenty-Fourth Arctic and Marine Oilspill Program (AMOP) Technical Seminar, Eighteenth Technical Seminar on Chemical Spills

- (TSOCS) and Third Phytoremediation/Biotechnology Solutions for Spills (PHYTO). June 12 to 14, 2001, Sheraton Grande Edmonton Hotel, Edmonton, Alberta, Canada. Environment Canada, Ottawa, Ontario. Pp. 223-235.
- Miliou, H. 1990. Effects of biotic and abiotic factors on the population dynamics of laboratory cultured copepods. Ph.D. Thesis, National and Kapodistrian University of Athens, Athens, Greece. 232 pp. [In Greek.]
- Mitas, G. 1991. Study of the mesozooplankton in a coastal area on the Saronikos Gulf. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 128 pp. [In Greek.]
- Moraitou-Apostolopoulou, M. & G. Verriopoulos. 1984. Lethal and sublethal effects of some contaminants (heavy metals, oil, dispersant oil) to marine animals. FAO/UNEP meeting on the toxicity and bioaccumulation of selected substances in marine organisms. Rovinj, Jugoslavia, 5-9 November 1984. MED POL Phase II. FAO Fisheries Report No. 334 (Supplement):95-109.
- Muraveisky, S.D. 1960. Zooplankton of the Kerzhenets River. Lakes and Rivers. Institute of Geography, Moscow. [In Russian.]
- Nakamura, E.L. & R.C. Wilson. 1970. The biology of the Marquesan sardine, *Sardinella marquesensis*. Pacific Science 24(3):359-376.
- National Research Council, Marine Board, Committee on Effectiveness of Oil Spill Dispersants. 1989. Using Oil Dispersants on the Sea. National Academy Press, Washington, D.C.
- Nikolaev, I.I. 1961. A brief quantitative characteristics of plankton of the Baltic Sea. Baltic Research Institute of Marine Fisheries and Oceanography 7:78-98. [In Russian.]
- Panetsos, F. 1991. Seasonal and special variation of the mesozooplankton in the lagoon Berre (Marseille). Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 111 pp. [In Greek.]
- Papadimitriou, P. 1989. The effect of the light quality on the copepod *Tisbe holothuria* Humes. Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 92 pp. [In Greek.]
- Payán Aguirre, J.C. 1994. Aspectos biológico-poblacionales de *Pseudodiaptomus euryhalinus* (Copepoda: Calanoidea) para su utilización en acuacultura. [Biological-population aspects of *Pseudodiaptomus euryhalinus* (Copepoda: Calanoidea) for its use in aquaculture.] Tesis de Maestría, Instituto Politecnico Nacional, Centro Interdisciplinario de Ciencias Marinas - CICIMAR, La Paz, Baja California Sur, Mexico. 63 pp. [In Spanish.]
- Pont, D., R. Chappaz, G. Brun & A. Champeau. 1989. Interactions zooplancton-poissons dans une retenue oligotrophe de mise en eau récente (Ste-Croix, Provence, France). Long-term interactions between zooplankton and fish communities in a large oligotrophic reservoir of South-East France. Revue des Sciences de l'Eau / Journal of Water Science 2(4):777-792. [In French; abstract in English.]
- Ponyi, J. 1999. A Velencei-tó meiobentosz faunájának vizsgálata 1998-ban. [Examination of the meiobenthos fauna of Lake Velence in 1998.] Hidrológiai Tájékoztató 39:26-28.
- Prapa, A. 1989. The effect of the light alternation in the population dynamic of the copepod *Tisbe holothuria* (Copepoda, Harpacticoida). Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 95 pp. [In Greek.]
- Robertson, R. 1970. Review of the predators and parasites of stony corals, with special reference to symbiotic prosobranch gastropods. Pacific Science 24(1):43-54.
- Rojekittikhun, W. & S. Pubampen. 1998. Morphological variation and abnormality of cephalic hooklets of *Gnathostoma spinigerum* hepatic stage larvae from laboratory infected mice. The Southeast Asian Journal of Tropical Medicine and Public Health 29(1):118-122.
- Romano, J.E. 1984. Observaciones sobre el zooplancton de red en la zona de acceso al Puerto de Mar del Plata. [Observations on the net zooplankton in the access zone to the Port of Mar del Plata.] Tesis de Licenciatura, Universidad Nacional, Facultad de Ciencias Exactas y Naturales, Mar del Plata, Argentina. 20 pp. [In Spanish.]
- Salemaa, H., K. Tyystjarvi-Muuronen & E. Aro. 1986. Life histories, distribution and abundance of *Mysis mixta* and *Mysis relicta* in the northern Baltic Sea. Ophelia Suppl. 4:239-247.
- Sankaran Unni, K. 1985. Comparative limnology of several reservoirs in central India. International Review of Hydrobiology 70(6):845-856.
- Saraga, C. 1994. Biometric variations of the copepod *Acartia tonsa* from different conditions in the Berre lagoon (Marseille). Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 178 pp. [In Greek.]
- Saraga, K. 1997. The osmoregulation and the variation of the distribution of copepods *Acartia clausi* and *Acartia tonsa*. Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 108 pp. [In Greek.]
- Scholten, M. & J. Kuiper. 1987. The effects of oil and chemically dispersed oil on natural phytoplankton communities. In: Proceedings: 1987 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), April 6-9, 1987, Baltimore, Maryland. American Petroleum Institute, Washington, D.C. Pp. 255-257.
- Silina, N.I. 1997. Zooplankton and its contribution in biotic circulation. Pp. 390-405. In: Davidan, I.N. & O.P. Savchuk (eds.). Ecosystem models. Estimation of current status of the Gulf of Finland. Vol. 5. St. Petersburg. [In Russian.]
- Siokou, I. 1993. Ecology of meso-zooplankton in the Saronikos Gulf. Doctoral Thesis, National and

- Kapodistrian University of Athens, Athens, Greece. 372 pp. [In Greek.]
- Sipaúba-Tavares, L.H. & F.M.S. Braga. 1999. Study on feeding habits of *Piaractus mesopotamicus* (Pacu) larval in fish ponds. Naga, The ICLARM Quarterly 22(1):24-30.
- Sipauba-Tavares, L.H. & D.S.O. Colus. 1997. Estrutura da comunidade fitoplanctonica e zooplanktonica em dois viveiros de criação semi-intensivo de peixes (Jaboticabal, São Paulo, Brasil). [Structure of the phytoplankton and zooplankton community in two ponds for semi-intensive rearing of fish (Jaboticabal, São Paulo, Brazil).] Boletim do Laboratório de Hidrobiologia 10:51-64. [In Portuguese.]
- Sitaramaiah, P. 1967. Water, nitrogen and calorific values of freshwater organisms. ICES Journal of Marine Science / Journal du Conseil 31(1):27-30.
- Skov, A. 1985. Livssyklus og tetthetsvariasjoner til zooplankton i et skogstjern, Store Finnetjenn, Gjerstad, Aust-Agder 1980-1982. [Life cycle and density variations of zooplankton in a woodland pond, Store Finnetjenn, Gjerstad, Aust-College 1980-1982.] Thesis, University of Oslo, Oslo, Norway. 131 pp. [In Norwegian.]
- Skute, R.J. 1971. Zooplankton of the River Daugava and its role in the productivity and biological evaluating of the river. Doctoral Thesis, Tartu University, Tartu, Estonia. [In Russian.]
- Skute, R.J. 1976. Regionalism of the Daugava River according to zooplankton. Ecological and Biological Investigations of Water Animals. Zvaigzne, Riga. [In Russian.]
- Skvortsov, V.V. 1975. Zooplankton of the eastern part of the Gulf of Finland in 1972. Pp. 81-85 In: Pirozhnikov, P.L. & A.N. Smirnova (eds.). Proceedings of the State Research Institute of Lake and River Fisheries, Leningrad. Vol . 93. Leningrad. [In Russian.]
- Terek, J. 1983. Príspevok k poznaniu hydrofauny niektorých jazier Zakarpatskej oblasti USSR. [Contribution to knowledge of the hydrofauna of some lakes in the Transcarpathian region of the USSR.] Zborník Pedagogickej Fakulta v Prešove. Univerzita Pavla Jozefa Šafárika v Košiciach, Prírodné Vedy, 20(1):161-167. [In Slovakian.]
- Terek, J. 1993. Zooplankton of mountain lakes near Hoverla. Fauna Східних Карпат: сучасний стан і охорона: Матеріали міжнар. конф. Ужгород, 1993. [Fauna of the Eastern Carpathians: Present State and Health. Materials of the International Conference, Uzhgorod]. Pp. 294-296. [In Russian.]
- Thomas, S. 1989. Copepod parasites of fresh water fishes. Ph.D. Thesis, Cochin University of Science and Technology, Kochi (Cochin), Kerala, India.
- Timur, M., G. Timur & G. Özkan. 1988. A study on physicochemical and hydrobiological changes in Burdur Lake and its effects in living organisms. Akdeniz University Journal of Fisheries Faculty 1:75-104.
- Trinkaus, S. 1988. Untersuchungen zur Häufigkeit und Verteilung des Mesozooplanktons im östlichen Mittelmeer im Winter 1987 unter besonderer Berücksichtigung der Copepoda Calanoida (Crustacea). [Studies on the frequency and distribution of mesozooplankton in the eastern Mediterranean Sea in the winter of 1987 with special reference to the Copepoda Calanoida (Crustacea).] Diplom-Arbeit, Carl von Ossietzky Universität Hamburg, Hamburg, Germany. 134 pp. [In German.]
- Verriopoulos, G. 1976. Comportement nutritionel d'*Acartia clausi* (Copépode Calanoïde) en relation avec la pollution du milieu. [Feeding behavior of *Acartia clausi* (Calanoid Copepod) in relation to environmental pollution.] Travail de Diplôme, Université de Genève, Geneva, Switzerland. 123 pp. [In French.]
- Verriopoulos, G. 1979. The physiology and ecology of the planktonic copepod *Acartia clausi* in relation to marine pollution. Doctoral Thesis, National and Kapodistrian University of Athens, Athens, Greece. 197 pp.
- Verriopoulos, G., S. Dimas, I. Karakasis, E. Miliou & M. Moraitou-Apostolopoulou. 1990. The toxicity of mixtures of pollutants in marine crustacea. Third Hellenic Symposium of Oceanography and Fisheries. Athens14 17/5/1990. Vol.B': 411-418. [In Greek.]
- Verriopoulos, G., P. Kerambrun & M. Thessalou-Legaki. 1992. Effects of pollution on the physiology of *Acartia clausi* and total zooplankton from Saronikos gulf. Rapports de la Commission Internationale de la Mer Méditerranée, Monaco 33:188.
- Verriopoulos, G., P. Kerambrun & M. Thessalou-Legaki. 1994. The influence of pollution on the physiology of certain zooplanktonic and benthic organisms from Saronikos gulf. UNESCO/FAO MAP Technical Reports Series No. 80:85-110.
- Verriopoulos, G., M. Moraitou-Apostolopoulou & S. Hatjinikolaou. 1985. Quantitative and qualitative annual cycle of zooplankton in Saronikos gulf. Rapports de la Commission Internationale de la Mer Méditerranée, Monaco 29:307-308.
- Wells, P.G. 1984. The toxicity of oil spill dispersants to marine organisms: a current perspective. In: Allen, T.E. (ed.). Oil Spill Chemical Dispersants: Research, Experience and Recommendations. A Symposium Sponsored by ASTM Committee F-20 on Hazardous Substances and Oil Spill Response, West Palm Beach, Florida, October 12-13, 1982. American Society for Testing and Materials, Philadelphia, Pennsylvania. Pp. 177-202.
- Wells, P.G., S. Abernathy & D. Mackay. 1984. The effectiveness of dispersants and the acute toxicity of chemically dispersed crude oils - studies with the Mackay-Steelman-Nadeau apparatus and marine

- copepods. In: Proceedings of the Seventh Annual Arctic Marine Oilspill Program Technical Seminar: June 12-14, 1984, Edmonton, Alberta. Environmental Protection Service, Environmental Emergency, Ottawa, Ontario. Pp. 47-59.
- Wlodarczyk, E. 1988. Diel feeding, threshold feeding and gut evacuation rate in the marine copepod *Acartia hudsonica* from Narragansett Bay, Rhode Island. M.S. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 76 pp.
- Kardouveli, D. 1988. Effect of sub lethal concentrations of zinc on the survival and the productivity in for successive generations on the benthic copepod *Tisbe holothuriae* (Humes). Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 120 pp. [In Greek.]
- Zaitsev, Yu.P. 1971. Marine Neustonology. (Morskaya neistonologiya). Ed.: K.A. Vinogradov. 1970. Naukova Dumka, Kiev. Translated from Russian by A. Mercado, Israel Program for Scientific Translations. Keter Press, Jerusalem, 1971. 207 pp.
- 2002**
- Alvano, L. 2002. Seasonal variations in the qualitative and quantitative composition of mesozooplankton in the Thermaikos Gulf. Ph.D. Thesis, Faculty of Sciences, Aristotle University of Thessaloniki, Thessaloniki, Greece. 116 pp. [In Greek.]
- Hopp, U. 2002. Unterschiedlicher Nahrungsbedarf von fünf verschiedenen planktischen cyclopoiden Copepodenarten: Mögliche Ursache für das unterschiedliche saisonale Auftreten? [Differing nutritional requirements of five different species of planktonic cyclopoid copepods: Possible cause of the different seasonal occurrences?] Dissertation zur Erlangung des Doktorgrades, Universität Ulm, Ulm, Germany. [In German.]
- 2003**
- Mhaisen, F.T., G.H. Al-Khateeb, A.N. Balasem, S.M.J. Al-Shaikh, M.M. Al-Jawda, N.R. Mohammad-Ali. 2003. Occurrence of some fish parasites in Al-Madaen Drainage Network, south of Baghdad. Bulletin of the Iraq Natural History Museum 10(1):39-47.
- Mikas, D. 2003. Photographic atlas for zooplankton (Copepods and Cladocera) Larvacea, Amphipods, Ostracoda). Dissertation in Biology, National and Kapodistrian University of Athens, Athens, Greece. 55 pp. [In Greek.]
- Zagal Roberts, C.J. 2003. Biología poblacional, hábitat y dieta de *Haliclystus aurícola* (Rathke, 1806) (Coelenterata, Scyphozoa, Stauromedusae) en el intermareal rocoso de Los Molinos (Provincia de Valdivia), Chile. [Population biology, habitat and diet of *Haliclystus aurícola* (Rathke, 1806) (Coelenterata, Scyphozoa, Stauromedusae) in the rocky intertidal of Los Molinos (Valdivia Province), Chile.] Tesis Licenciado en Biología Marina, Facultad de Ciencias, Universidad Austral de Chile, Valdivia, Chile. 51 pp. [In Spanish.]
- 2004**
- Anonymous. 2004. Infestation of sea trout by the salmon louse (*Lepeophtheirus salmonis*) in Ireland during spring 2004. Central Fisheries Board, Dublin.
- Brancelj, A. 2004. Biological sampling methods for epikarst water. In: Jones, W.K., D.C. Culver & J.S. Herman (eds.). Epikarst: proceedings of the symposium held, October 1 through 4, 2003, Shepherdstown, West Virginia, USA (Special Publication, 9). Charles Town, West Virginia: Karst Waters Institute, 2003. Pp. 99-103.
- El-Naggar, A.M. 2004. Some ecological aspects of *Ergasilus* sp. (Crustacea: Copepoda) from the gills of the catfish *Clarias gariepinus* inhabiting Damietta Branch of the River Nile. Journal of Union of Arab Biologists 22(A):469- 492.
- Futema Jimenez, S. 2004. Efecto de la temperatura y salinidad durante el desarrollo embrionario y de la densidad de siembra en la crianza larvaria de *Paralabrax maculofasciatus*. [Effect of temperature and salinity during embryonic development and seeding density on the larval rearing of *Paralabrax maculofasciatus*.] Tesis de Maestría en Ciencias, Centro Interdisciplinario de Ciencias Marinas - CICIMAR, La Paz, Baja California Sur, Mexico. 77 pp. [In Spanish.]
- Ramfos, A. 2004. Comparative study of the ecology of mesozooplankton in marine ecosystems of Central Greece. Ph.D. Thesis, University of Patras, Patras, Greece. 229 pp. [In Greek.]
- 2005**
- Abbasova, A., K. Bagirova, G. Campbell, J. Clark, R. Gallagher, N. Garajayeva, A. George-Ares, L. Huseynova, D. Neilson, B. Roddie & R. Tait. 2005. Evaluation of dispersants for use in the Azerbaijan region of the Caspian Sea. In: 2005 International Oil Spill Conference; Prevention, Preparedness, Response, and Restoration. May 15-19, 2005, Miami Beach Convention Center, Miami Beach, Florida. American Petroleum Institute, Washington, D.C. Pp. 247-252.
- Abu Hena, M.K. 2005. Mariculture pond ecology with emphasis on environmental quality and production of *Penaeus monodon* (Fabricius). Ekologi kanam marikultur dengan tumpuan kepada kualiti alam sekitar dan produksi *Penaeus monodon* (Fabricius). Ph.D. Thesis, Universiti Putra Malaysia, Serdang, Selangor, Malaysia. 143 pp. [In English; abstract in Malaysian.]
- Bieber, A.J. 2005. Variability in juvenile chinook foraging and growth potential in Oregon estuaries: Implications

- for habitat restoration. M.Sc. Thesis, University of Washington, Seattle, Washington, U.S.A. 105 pp.
- Brooks, K.M. 2005. Standards, protocols and guidelines used in salmon and sea lice research: considerations for modeling. The BC Pacific Salmon Forum. Nanaimo, B.C., Canada. Sea Lice Working Group Report 96.
- Hidalgo Díaz, P. 2005. Ciclos de vida y mecanismos de adaptación de copépodos pelágicos a la variabilidad oceanográfica en zonas de afloramiento del ecosistema de corrientes Humboldt. [Life cycles and adaptive mechanisms of pelagic copepods to the oceanographic variability in upwelling zones of the Humboldt Current ecosystem.] Ph.D. Thesis, Universidad de Concepción, Concepción, Chile. 48 pp. [In Spanish.]
- Krishantha Jayasinghe, R.P.P. 2005. Tidal influence on the physico-chemical parameters, temporal and spatial distribution of zooplankton in Langat River-estuarine area, Malaysia. M.Sc. Thesis, Universiti Putra Malaysia, Selangor, Malaysia.
- Scher, O. 2005. Les bassins d'eau pluviale autoroutiers en région Méditerranéenne: Fonctionnement et Biodiversité. Evaluation de l'impact de la pollution routière sur les communautés animales aquatiques. Highway stormwater detention ponds in the Mediterranean region: Functioning and Biodiversity. Evaluation of water quality and its impact on aquatic animal communities. PhD Thesis, Université d'Aix-Marseille 1, Marseilles, France. [In French; abstract in English.]
- Ternengo, S., C. Levron, F. Desidiri & B. Marchand. 2005. Parasite communities in European eels *Anguilla anguilla* (Pisces, Teleostei) from a Corsican coastal pond. Vie et Milieu, 55(1):1-6. [In English; abstract in French.]

2006

- Adobovsky, V.V., Y.I. Bogatova, V.N. Bolshakov, E. Will, L. Vorob'eva, G.P. Harkavy, L.A. Garlitskaya et al. 2006. Small Adzhalyksky (Grigorievsky) Liman. Chapter 1. Estuaries of the North-west Black Sea Coast, 1.4. Hydrological and hydro-chemical and biological especially the functioning of (1.4.2). Pp. 371-382. In: Zaitsev, P., B.G. Aleksandrov & G.G. Minicheva (eds.). Northwestern Part of the Black Sea: biology and ecology. Section III. Boundary ecosystems. Naukova Dumka. [In Russian.]
- Barros, Auriene Castro da Silva. 2006. Elaboração de chave interativa para as espécies do gênero *Thermocyclops*, Kiefer, 1927 (Copepoda: Cyclopoida). [Development of an interactive key for the species of the genus *Thermocyclops*, Kiefer, 1927 (Copepoda: Cyclopoida.)] Iniciação Científica, Instituto Nacional de Pesquisas da Amazônia, Manaus, Amazonas, Brazil. [In Portuguese.]
- Kulakova, I.I., L.A. Garlitskaya, M.V. Gelmbolt & O.A. Torgonskaya. 2006. List of meiozoobenthic species. Pp. 595-602, Attachment 16. List of aquatic organisms living in NWBS (Table I.6). In: Zaitsev, P., B.G. Aleksandrov & G.G. Minicheva (eds.). North-western Black Sea: biology and ecology. Naukova Dumka. [In Russian.]
- Garlitskaya, L.A. 2006. Diversity of harpacticoid copepods on Ukrainian shelf of the Black Sea (northwestern part). Pp. 62-64 In: Black Sea Ecosystem 2005 and Beyond: 1st Biannual Scientific Conference, 8-10 May 2006, Istanbul.
- Mykitchak, T. 2006. Zooplankton coenosis of Skole reservoirs. Scientific Principles of Biodiversity Conservation. Thematic Colloquium, The Institute of Ecology of the Carpathians, NAS. Vol. 6. League-Press, Lviv. Pp. 217-222. [In Ukrainian.]
- Nava Torales, A. 2006. Depredación selectiva de *Centropages furcatus* (Copepoda: Calanoida) en Bahía de La Paz, B.C.S., México. [Selective predation by *Centropages furcatus* (Copepoda: Calanoida) in La Paz Bay, B.C.S., Mexico.] Tesis de Maestría en Manejo de Recursos Naturales, Centro Interdisciplinario de Ciencias Marinas - CICIMAR, La Paz, Baja California Sur, Mexico. 59 pp. [In Spanish.]
- Nedelkovics, A. & K. Zsuga. 2006. Áttekintés a Tisza zooplankton-kutatásának eredményeiről (1955-2004). [Overview of the Tisza-zooplankton research results (1955-2004).] Hidrológiai Közlöny 86:54-55. [In Hungarian.]
- Sikoki, F.D., N. Zabbey & J. Edoghotu. 2006. Plankton assemblages and environmental gradients in the middle reaches of the Imo River, Niger Delta, Nigeria. Dinâmica do plankton e gradientes ambientais no trecho intermediário do rio Imo, delta do Niger, Nigéria. Caderno de Pesquisa, Série Biologia, Universidade de Santa Cruz do Sul, 18(1):99-109. [In English; abstract in Portuguese.]
- Silva, R.B.B. 2006. A problemática de *Phyllocheres Humes 1996* (Copepoda, Siphonostomatoidea, Asterocheridae): uma questão taxonômica. [The problem of *Phyllocheres Humes 1996* (Copepoda, Siphonostomatoidea, Asterocheridae): A taxonomic question.] Trabalho de Conclusão de Curso (Graduação em Ciências Biológicas) (Undergraduate Thesis), Universidade Federal da Bahia, Salvador, Bahia, Brazil. [In Portuguese.]
- Straškrabová, V., D. Cogalniceanu, J. Nedoma, L. Parpala, C. Postolache, C. Tudorancea, A. Vadineanu, C.-M. Valcu & V. Zinevici. 2006. Bacteria and pelagic food webs in pristine alpine lakes (Retezat Mountains, Romania). Transylvanian Review of Systematical and Ecological Research, special issue on "The Retezat National Park" 3:1-204. [In English; abstract in Romanian.]
- Wolfarth, Bruna Raquel. 2006. Elaboração de chave interativa para espécies do gênero *Mesocyclops* SARS, 1914 (Copepoda: Cyclopoida). [Development of an interactive key for species of the genus *Mesocyclops* SARS, 1914 (Copepoda: Cyclopoida).] Iniciação Científica, Instituto Nacional de Pesquisas da Amazônia, Manaus, Amazonas, Brazil. [In Portuguese.]

- Boros, E. 2007. Vízimadarak és fontosabb háttérváltozók szerepe fehér szikes vizek trofikus kapcsolataiban. [Waterfowl and their important role in trophic relationships in salt pans.] Ph.D. Thesis, University of Debrecen, Debrecen, Hungary. 119 pp. [In Hungarian; summary in English.]
- Freire, R.H.F. 2007. Contribuição ao conhecimento limnológico de reservatórios do semi-árido brasileiro que abastecem a região metropolitana de Fortaleza: Açudes Pacajus e Gavião (Ceará, Brasil). Contribution to limnological knowledge of brazilian semi-arid reservoir that supply Fortaleza's metropolitan region: Pacajus and Gavião dams (Ceará, Brazil). Tese de Doutorado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 243 pp. [In Portuguese; abstract in English.]
- Jawasreh, R. 2007. Zooplankton and chlorophyll a relation to other environmental pollution parameters in King Talal Dam and Gulf of Aqaba, Jordan. Master's Thesis, University of Jordan, Amman, Jordan.
- Luo, J. 2007. Dominance of seasonal fluctuations over local variability on zooplankton in the Gulf of Aqaba. M.Sc. Thesis, Stanford University, Stanford, California, U.S.A. 97 pp.
- Santos, Aldalúcia. 2007. Migração vertical de *Aspinus acicularis* (Copepoda: Diaptomidae) no lago Tupé, RDS-Tupé, Manaus-AM. [Vertical migration of *Aspinus acicularis* (Copepoda: Diaptomidae) in Tupé Lake, RDS-Tupé, Manaus-AM.] Iniciação Científica, Licenciatura em Ciencias Biológicas, Centro Universitário Luterano de Manaus, Manaus, Amazonas, Brazil. [In Portuguese.]
- Santos, R.L. 2007. O uso de praguicidas nas atividades aquícolas: destino e efeitos após aplicações em tanques experimentais e avaliação nas pisciculturas e pesqueiros na bacia do rio Mogi-Guaçu. The use of pesticides in aquaculture: fate and effects after applications in experimental ponds, and evaluation in fish farms and fee fishing enterprises of Mogi-Guaçu river catchments. Tese de Doutorado em Ciências da Engenharia Ambiental, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. 142 pp. [In Portuguese; abstract in English.]
- Vadadi-Fülop, Cs. & G. Mészáros. 2007. A Ráckevei-Soroksári Dunával kapcsolatos zooplankton és makrogerinctelen kutatások áttekintése. [Overview of research on the zooplankton and macroinvertebrates of the Ráckeve-Soroksár Danube.] Hidrológiai Közlöny 87:60-63.
- Witthöft-Mühlmann, A. 2007. The meiofauna of the Lake Constance littoral zone within the scope of the Schussen river mouth. Die Meiofauna des Bodensee-Litorals im Einflussbereich der Schussenmündung. Dissertation, Doktor der Naturwissenschaften (Dr. rer. Nat.),

Fachbereich Biologie, Universität Konstanz, Konstanz, Germany. 125 pp. [In English; abstract in German.]

- Abu-Samak, O.A. 2008. Population dynamics of the monogeneans, *Diplectanum aequans* and *D. laubieri* and the copepod, *Lernanthropus kroyeri* infesting the gills of the sea bass, *Dicentrarchus labrax* in Egypt. Journal of the Egyptian-German Society of Zoology 56D:225-245.
- Ali, M.M. 2008. An analysis of the impact of human activities on water quality and ecological responses in the Suez Irrigation Canal. Management of Environmental Quality: An International Journal 19(3):377-401.
- Anonymous. 2008. A strategy for improved pest control on Irish salmon farms. Department of Agriculture, Fisheries and Food, Dublin.
- Bjørn, P.A., B. Finstad, R. Nilsen, L. Asplin, I. Uglem, Ø. Skaala, K.K. Boxaspen & T. Øverland. 2008. Nasjonal overvåkning av lakselusinfeksjon på ville bestander av laks, sjøørret og sjørøye i forbindelse med nasjonale laksevassdrag og laksefjorder (Norwegian national surveillance of salmon lice epidemics on wild Atlantic salmon, sea trout and Arctic char in connection with Norwegian national salmon rivers and fjords). NINA (Norsk Institutt for Naturforskning) Oppdragsmelding, Trondheim 377:1-33. [In Norwegian; abstract in English.]
- Garlitskaya, L.A. 2008. Harpacticoida. Pp. 156-172 In: Vinogradov, A.K. (ed.). Ecosystem of the Grigoriev (Small Adzhalykskogo) Estuary. Astroprint, Odessa. [In Russian.]
- Garlitskaya, L.A. 2008. The diversity and especially the spread of Harpacticoida (Crustacea, Copepoda) of the western Black Sea. Pp. 79-83 In: Ecological problems of the Black Sea. Materials of the International Scientific Conference, Odessa, 30-31 October 2008. [In Russian.]
- Iqbal, Z. & R. Wootten. 2008. Seasonal variations in *Proteocephalus filicollis* (Rudolphi) eggs in a natural population of *Gasterosteus aculeatus* L. Biologia (Lahore) 54(1):83-90.
- Mabilia, R.G., S.M.G. Souza & E.R. Oberst. 2008. Efeito do banho de imersão de diflubenzuron no sêmen do jundiá *Rhamdia quelen* parasitado por *Lernaea cyprinacea*. The effects of diflubenzuron immersion bath on sperm of jundiá *Rhamdia quelen* with *Lernaea cyprinacea*. Semina: Ciências Agrárias 29(3):661-666. [In Portuguese; abstract in English.]
- Milinki, É., Cs. Fitala, G. Gere, Gy. Lakatos & S. Andrikovics. 2008. Limnological conditions of Egerszalók Reservoir and functional feeding guilds of aquatic birds. Acta Zoologica Academiae Scientiarum Hungaricae 54(Suppl. 1):61-74.
- Mykitchak, T. 2008. [Investigation of the net fauna of branch (Cladocera) and paddle-foot (Copepoda) crustaceans in Chornogory ponds.] Pozhyzhevskaya-50:

- Proceedings of the International Scientific Conference Lviv-Pozhyzhevsk, Lviv, 2008. Pp. 283-285. [In Ukrainian.]
- O'Brien, T.D., A. Lopez-Urrutia, P.H. Wiebe & S. Hay (eds.). 2008. ICES Zooplankton Status Report 2006/2007. ICES Cooperative Research Report 292: 168 pp.
- Paggi, J.C. 2008. *Diaptomus meridionalis* Kiefer 1933 junior synonym of *Notodiaptomus gibber* (Poppe 1889)?: a contribution to the problem. *Natura Neotropicalis* 37(1-2):49-53.
- Paidere, J. 2008. Zooplankton of the Daugava River – floodplain system. *Zooplanktons Daugavas upes – palieū sistēmā*. LU 66th Scientific conference, Climate Changes and Water. Works Collection, Latvia University, Riga. Pp. 83-91. [In Latvian.]
- Thielges, D.W., B. Hussell, J. Hermann, K.T. Jensen, M. Krakau, H. Taraschewski & K. Reise. 2008. Parasites in the northern Wadden Sea: a conservative ecosystem component over 4 decades. *Helgoland Marine Research* 62(1):37-47.
- 2009**
- Amaral, F.M.D., C.M.C. da Rocha, C.M.R. Farrapeira, M.S. Alves, S.L. Pinto, S.M.A. Lira, K.K.M. Lima, C.A.C. Ramos, É.C.L. dos Santos, J.R. Moura, D.A.S. Oliveira, M.M. Verçosa, A.V.O.M. de Melo, A.P.A. Oliveira & E.F. Gonçalves. 2009. Distribuição espacial de invertebrados bentônicos infralitorais. [Spatial distribution of sublittoral benthic invertebrates.] Pp. 148-156 In: Viana, D.L., F.H.V. Hazin & M.A.C. de Souza (eds.). O Arquipélago de São Pedro e São Paulo: 10 Anos de Estação Científica. SECIRM, Brasília, DF. 348 pp. [In Portuguese; abstract in English.]
- Ashe, S. & N. Greene. 2009. Salmon Farms, Sea Lice and Migrating Wild Salmonids. Salmon Watch Ireland. <http://www.salmon.ie/files/090810%20%20Supplement%20to%20SWIRL%20HD%20complaint%20about%20salmon%20farms%20and%20sea%20lice.pdf>
- Benzer, S., A. Gul & M. Yilmaz. 2009. The feeding biology of tench (*Tinca tinca* L., 1758) living in Kapulukaya Dam Lake. Kapulukaya Baraj Golu'nde Yasayan Kadife (*Tinca tinca* L., 1758)'nin Beslenme Biyolojisi. Gazi Univertesi Gazi Egitim Fakultesi Dergisi 29(3):815-832. [In Turkish.]
- Bhuiyan, A.S. & A.S.M. Musa. 2009. Occurrence of parasites in different organs of carps. *Bangladesh Journal of Zoology* 37(1):49-53.
- Bjørn, P.A., B. Finstad, R. Nilsen, I. Uglem, L. Asplin, Ø. Skaala, K.K. Boxaspen & T. Øverland. 2009. Nasjonal lakselusovervåkning 2008 på ville bestander av laks, sjøørret og sjørøye langs Norskekysten samt i forbindelse med evaluering av nasjonale laksevassdrag og laksefjorder. Norwegian national surveillance of salmon lice epidemics on wild Atlantic salmon, sea trout and Arctic char in connection with Norwegian national salmon rivers and fjords. Norsk Institutt for Naturforskning (NINA), Trondheim. NINA Rapport 447:1-52. [In Norwegian; abstract in English.]
- Cheng, Z., H.T. Li & Y.H. Wang. 2009. Infection of *Gambusia affinis* with *Bothriocephalusacheilognathus* in Laboratory. *Jishengchong Yu Yixue Kunchong Xuebao* 16(4):198-202. [In Chinese.]
- Dean, W.E., W.A. Wurtsbaugh & V. Lamarra. 2009. Climatic and limnologic setting of Bear Lake, Utah and Idaho. *Geological Society of America Special Paper* 450:1-14.
- Deksne, R., A. Skute & R. Skute. 2009. The influence of climate change on zooplankton of Daugava on the territories of Latvia and Belarus. *Klimata mainības ietekme uz Daugavas zooplanktonu Latvijas un Baltkrievijas teritorijā*. LU 67th Scientific Conference, Climate Changes and Water. Works Collection, University of Latvia. Pp. 55-62. [In Latvian.]
- Espedal, P.G. 2009. Resistens - når behandlingsmidler slutter å virke. [Resistance - when treatment methods stop working.] *Naturen* 4:209-216. [In Norwegian.]
- García Díaz, X.F., L.M. de O. Gusmão & S. Neumann-Leitão. 2009. Biodiversidade e dinâmica espaço-temporal do zooplâncton. [Biodiversity and spatio-temporal dynamics of the zooplankton.] Pp. 138-147 In: Viana, D.L., F.H.V. Hazin & M.A.C. de Souza (eds.). O Arquipélago de São Pedro e São Paulo: 10 Anos de Estação Científica. SECIRM, Brasília, DF. 348 pp. [In Portuguese; abstract in English.]
- Garlitskaya, L.A. 2009. Species composition and diversity of benthic harpacticoids in the north-western Black Sea - a comparative analysis. Pp. 301-309 In: Ecological safety of coastal and offshore areas and comprehensive utilization of resources of the shelf. Sebastopol. [In Russian.]
- Heuch, P.A. 2009. Lakselus på villfisk. [Salmon lice on wild fish.] *Naturen* 4:188-192. [In Norwegian.]
- Karleskint, G., Jr., R. Turner & J.W. Small, Jr. 2009. Introduction to Marine Biology. Brooks/Cole, Cengage Learning, Belmont. 581 pp.
- Macedo-Soares, L.C.P. de, A.S. Freire, A.G. Koettker, B.S. Menezes, D.B. Fernández & M.C. Brandão. 2009. Zooplâncton. [Zooplankton.] Pp. 128-137 In: Viana, D.L., F.H.V. Hazin & M.A.C. de Souza (eds.). O Arquipélago de São Pedro e São Paulo: 10 Anos de Estação Científica. SECIRM, Brasília, DF. 348 pp. [In Portuguese; abstract in English.]
- Mazzocchi, M.G., H.E. González, P. Vandromme, I. Borrione, M.R. d'Alcalà, M. Gauns, P. Assmy, B. Fuchs, C. Klaas, P. Martin, M. Montesor, N. Ramaiah, W. Naqvi & V. Smetacek. 2009. A non-diatom plankton bloom controlled by copepod grazing and amphipod predation: Preliminary results from the LOHAFEX iron-fertilisation experiment. *GLOBEC International Newsletter* October 2009:1-4.

- Monchenko, V.I. 2009. Morphological and functional prerequisites of parasitic trend in evolution of Ponto-Caspian Cyclopidae (Copepoda). *Vestnik Zoologii*, Supplement 23:139-148. [In Russian.]
- Mykitchak, T. 2009. [Some net-plankton crustaceans, feasibility study of Svyda reservoir.] Scientific Principles of Biodiversity Conservation: Materials Science IX. Conference of Young Scientists. Lviv, 2009. Pp. 123-125. [In Ukrainian.]
- Nilsen, F. 2009. Parasitt til besvær for næring og nature. [Parasites are trouble for food and nature.] *Naturen* 4:179-187. [In Norwegian.]
- Pankaj, P.P., R. Pratap & M.C. Varma. 2009. Monthly variations in plankton density and diversity of Holy River Ganga at Barari, Bhagalpur. *Ecoscan* 3(3-4):311-314.
- Rabassa, J., A. Coronato, S. Gordillo, M.S. Candel & M.A. Martínez. 2009. Paleoambientes litorales durante el inicio de la trasgresión marina holocena en bahía Lapataia, canal Beagle, parque nacional Tierra del Fuego. Littoral paleoenvironments during the beginning of the Holocene marine transgression in Lapataia Bay, Beagle Channel, National Park of Tierra del Fuego. *Revista de la Asociación Geológica Argentina* 65(4):648-659. [In Spanish; abstract in English.]
- Revie, C., L. Dill, B. Finstad & C.D. Todd. 2009. Salmon Aquaculture Dialogue Working Group Report on Sea Lice. Commissioned by the Salmon Aquaculture Dialogue. http://wwf.worldwildlife.org/site/PageNavigator/SalmonSOI_Form.
- Robin, R.S., M. Srinivasan & K. Chandrasekar. 2009. Distribution of zooplankton from Arabian Sea, along southern Kerala (southwest coast of India) during the cruise. *Current Research Journal of Biological Sciences* 1(3):155-159.
- Sabatini, M. 2009. El ecosistema de la plataforma patagónica austral, marzo-abril 2000. Composición, abundancia y distribución del zooplancton. The austral Patagonian shelf ecosystem, March-April 2000. Zooplankton composition, abundance and distribution. *Revista de Investigación y Desarrollo Pesquero* 19:5-21. [In Spanish; abstract in English.]
- Sandvik, A., L. Asplin & K.K. Boxaspen. 2009. Spredning av lakselus i Hardangerfjorden og andre fjorder. [The spread of salmon lice in the Hardangerfjord and other fjords.] *Naturen* 4:194-203. [In Norwegian.]
- Skorping, A. & A. Mennerat. 2009. Lakselus som modell for å forstå utvikling av virulens. [Salmon lice as a model for understanding the development of virulence.] *Naturen* 4:204-208. [In Norwegian.]
- Smith, N.A., R.E. Condrey & B.C. Reed. 2009. The feeding ecology of paddlefish in the Mermentau River, Louisiana. American Fisheries Society Symposium 66:51-62.
- Stickney, R.R. 2009. *Aquaculture. An Introductory Text*. 2nd Edition. CABI, Wallingford, UK. 304 pp. ISBN 13-978-1-84593-543-6.
- Vad, Cs.F., L. Forró & J.K. Török. 2009. Cladocera és Copepoda (Crustacea) faunisztikai vizsgálatok az ócsai Öreg-turján területén. [Studies of the fauna of Cladocera and Copepoda (Crustacea) in Öreg-turján, Ócsa.] *Acta biologica Debrecina, Supplementum oecologica hungarica* 20:231-236. [In Hungarian.]
- Williner, V. 2009. Foregut ossicles morphology and feeding of the freshwater anomuran crab *Aegla uruguayana* (Decapoda, Aeglidae). *Acta Zoologica* (Stockholm) 91:408-415.
- Wu, S.-Y. & F.-H. Mu. 2009. Meiobenthos in southern coast of Shandong Province in winter. *Oceanologia et Limnologia Sinica* 40(6):682-691. [In Chinese; abstract in English.]
- Yehiyan, A.L. 2009. The comparative analysis of the long-term researches into the species composition, abundance and biomass of zooplankton in the Naroch lakes. *Vestnik Belorusskogo Gosudarstvennogo Universiteta, Seriya 2 Khimiya Biologiya Geografiya* 3:25-28. [In Russian.]

2010

- Ajiboye, O.O., A.F. Yakubu, T.E. Adams, E.D. Olaji & N.A. Nwogu. 2010. A review of the use of copepods in marine fish larviculture. *Reviews in Fish Biology and Fisheries* 20(4):441-455.
- Alarcos, A.J. & J.A. Etchegoin. 2010. Parasite assemblages of estuarine-dependent marine fishes from Mar Chiquita coastal lagoon (Buenos Aires Province, Argentina). *Parasitology Research* 107(5):1083-1091.
- Alben, S., K. Spears, S. Garth, D. Murphy & J. Yen. 2010. Coordination of multiple appendages in drag-based swimming. *Journal of the Royal Society Interface* 7(52):1545-1557.
- Ansari, Z.A., P. Farshchi & S. Badesab. 2010. Response of meiofauna to petroleum hydrocarbon of three fuel oils. *Proceedings of the National Academy of Sciences of India, Section B* 80(2):138-143.
- Arashkevich, E.G., M.V. Flint, A.B. Nikishina, A.F. Pasternak, A.G. Timonin, J.V. Vasilieva, S.A. Mosharov & K.A. Soloviev. 2010. The role of zooplankton in the transformation of the organic matter in the Ob estuary, on the shelf, and in the deep regions of the Kara Sea. *Oceanology* 50(5):780-792. Original Russian Text © E.G. Arashkevich, M.V. Flint, A.B. Nikishina, A.F. Pasternak, A.G. Timonin, J.V. Vasilieva, S.A. Mosharov, K.A. Soloviev, 2010, published in *Okeanologiya* 50(5):823-836.
- Arribére, M.A., L.M. Campbell, A.P. Rizzo, M. Arcagni, J. Revenga & S. Ribeiro Guevara. 2010. Trace elements in plankton, benthic organisms, and forage fish of Lake Moreno, northern Patagonia, Argentina. *Water, Air, & Soil Pollution* 212(1-4):167-182.

- Atkinson, A., G. Tarling, D. Pond, G. Stowasser, K. Schmidt, S. Fielding, E. Murphy & R. Cavanagh. 2010. Discovery 2010: understanding the Scotia Sea food web. GLOBEC Newsletter 16(1):63-66.
- Avdeev, G.V. 2010. *Amplipedicola pectinatus* gen. et sp. n. (Copepoda, Harpacticoida, Tisbidae), a parasite of octopuses in the Bering Sea. Crustaceana 83(11):1363-1370.
- Bantle, M., T.M. Eikevik & J.E. Brennvall. 2010. A novel method for simultaneous and continuous determination of thermal properties during phase transition applied to *Calanus finmarchicus*. Journal of Food Science 75(6):E315-E322.
- Barange, M., J.G. Field, R.P. Harris, E.E. Hofmann, R.I. Perry & F.E. Werner (eds). 2010. Marine Ecosystems and Global Change. Oxford University Press, New York. ISBN13: 978-0-19-955802-5ISBN10: 0-19-955802-7. 464 pp.
- Basedow, S.L., K.S. Tande & L.C. Stige. 2010. Habitat selection by a marine copepod during the productive season in the Subarctic. Marine Ecology Progress Series 416:165-178.
- Batten, S.D. & P.H. Burkill. 2010. The Continuous Plankton Recorder: towards a global perspective. Journal of Plankton Research 32(12):1619-1621.
- Benoit, D., Y. Simard, J. Gagné, M. Geoffroy & L. Fortier. 2010. From polar night to midnight sun: photoperiod, seal predation, and the diel vertical migrations of polar cod (*Boreogadus saida*) under landfast ice in the Arctic Ocean. Polar Biology 33(11):1505-1520.
- Beyer, K., E. Gozlan & G.H. Copp. 2010. Social network properties within a fish assemblage invaded by non-native sunbleak *Leucaspis delineatus*. Ecological Modelling 221(17)2118-2122.
- Bhatnagar, A. & G. Singh. 2010. Assessment of culture fisheries in village ponds: a study in District Hisar, Haryana, India. International Journal of Environmental Research 4(1):57-64.
- Bjørn, P.A., B. Finstad, R. Nilsen, I. Uglem, L. Asplin, Ø. Skaala & N.A. Hvidsten. 2010. Nasjonal lakselusovervåkning 2009 på ville bestander av laks, sjøørret og sjørøye langs Norskekysten samt i forbindelse med evaluering av nasjonale laksevassdrag og laksefjorder. Norwegian national surveillance 2009 of salmon lice epidemics on wild Atlantic salmon, sea trout and Arctic charr in connection with Norwegian national salmon rivers and fjords. Norsk Institutt for Naturforskning (NINA), Trondheim. NINA Rapport 547. 50 pp. [In Norwegian; abstract in English.]
- Bláha, M. 2010. Descriptions of copepodid and adult *Acanthocyclops trajani* (Mirabdullayev & Defaye 2002) and *A. einslei* (Mirabdullayev & Defaye 2004) (Copepoda: Cyclopoida) with notes on their discrimination. Fundamental and Applied Limnology / Archiv für Hydrobiologie 177(3):223-240.
- Blanchet, S., O. Rey & G. Loot. 2010. Evidence for host variation in parasite tolerance in a wild fish population. Evolutionary Ecology 24(5):1129-1139.
- Bogevik, A.S., R.J. Henderson, H. Mundheim, R. Waagbø, D.R. Tocher & R.E. Olsen. 2010. The influence of temperature on the apparent lipid digestibility in Atlantic salmon (*Salmo salar*) fed *Calanus finmarchicus* oil at two dietary levels. Aquaculture 309(1-4):143-151.
- Borga, K., T.M. Saloranta & A. Ruus. 2010. Simulating climate change-induced alterations in bioaccumulation of organic contaminants in an arctic marine food web. Environmental Toxicology & Chemistry 29(6):1349-1357.
- Boström, C., A. Törnroos & E. Bonsdorff. 2010. Invertebrate dispersal and habitat heterogeneity: Expression of biological traits in a seagrass landscape. Journal of Experimental Marine Biology and Ecology 390(2):106-117.
- Boualleg, C., M. Seridi, N. Kaouachi, Y. Quiliquini & M. Bensouillah. 2010. Les Copépodes parasites des poissons téléostéens du littoral Est-algérien. The parasitic Copepoda of Teleostean fishes of the eastern Algerian shoreline. Bulletin de l'Institut Scientifique, Rabat, section Sciences de la Vie 32(2):65-72. [In French; abstract in English.]
- Bradford-Grieve, J.M. 2010. *Hyperbionyx athesphatos* n.sp. (Calanoida: Hyperbionychidae), a rare deep-sea form taken from the tropical North Atlantic. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2167-2172.
- Bradie, J.N., S.A. Bailey, G. van der Velde & H.J. MacIsaac. 2010. Brine-induced mortality of non-indigenous invertebrates in residual ballast water. Marine Environmental Research 70(5):395-401.
- Braicovich, P.E. & J.T. Timi. 2010. Seasonal stability in parasite assemblages of the Brazilian flathead, *Percophis brasiliensis* (Perciformes: Percophidae): predictable tools for stock identification. Folia Parasitologica 57:206-212.
- Brander, K. 2010. What came out of the Cod and Climate Change (CCC) programme? GLOBEC Newsletter 16(1):17-21.
- Brander, K. 2010. Advances in marine ecosystem research: what we have learned from GLOBEC and what we can carry forward in future climate related programmes: ICES/GLOBEC Theme Session – Berlin, September 2009. GLOBEC Newsletter 16(1):22-23.
- Brandt, P., G. Gerds, M. Boersma, K.H. Wiltshire & A. Wichels. 2010. Comparison of different DNA-extraction techniques to investigate the bacterial community of marine copepods. Helgoland Marine Research 64(4):331-342.
- Bright, M., C. Plum, L.A. Riavitz, N. Nikolov, P. Martinez Arbizu, E.E. Cordes & S. Gollner. 2010. Epizoic metazoan meiobenthos associated with tubeworm and mussel aggregations from cold seeps of the northern Gulf

- of Mexico. Deep Sea Research Part II: Topical Studies in Oceanography 57(21-23):1982-1989.
- Briski, E., S.A. Bailey, M.E. Cristescu & H.J. MacIsaac. 2010. Efficacy of 'saltwater flushing' in protecting the Great Lakes from biological invasions by invertebrate eggs in ships' ballast sediment. Freshwater Biology 55(11):2414-2424.
- Browne, R.A. & D. Lutz. 2010. Lake ecosystem effects associated with top-predator removal due to selenium toxicity. Hydrobiologia 655(1):137-148.
- Brugnano, C., A. Celona & G. Zagami. 2010. A new species of *Pseudocyclops* (Copepoda: Calanoida) from Lake Faro (Central Mediterranean Sea). Vie et Milieu 60(1):1-7.
- Bruno, M.C., B. Maiolini, M. Carollo & L. Silveri. 2010. Short time-scale impacts of hydropeaking on benthic invertebrates in an Alpine stream (Trentino, Italy). Limnologica - Ecology and Management of Inland Waters 40(4):281-290.
- Bucklin, A., B.D. Ortman, R.M. Jennings, L.M. Nigro, C.J. Sweetman, N.J. Copley, T. Sutton & P.H. Wiebe. 2010. A "Rosetta Stone" for metazoan zooplankton: DNA barcode analysis of species diversity of the Sargasso Sea (Northwest Atlantic Ocean). In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2234-2247.
- Burgos González, J.M. 2010. Chile: Experiences in controlling sea lice. Pp. 241-249 In: Advancing the Aquaculture Agenda: Workshop Proceedings. OECD Publishing. 428 pp.
- Busch, K.E.T., I.-B. Falk-Petersen, S. Peruzzi, N.A. Rist & K. Hamre. 2010. Natural zooplankton as larval feed in intensive rearing systems for juvenile production of Atlantic cod (*Gadus morhua* L.). Aquaculture Research 41(12):1727-1740.
- Cacabelos, E., A. Lourido & J.S. Troncoso. 2010. Composition and distribution of subtidal and intertidal crustacean assemblages in soft-bottoms of the Ria de Vigo (NW Spain). Scientia Marina 74(3):455-464.
- Cadrin, S.X., M. Bernreuther, A.K. Daníelsdóttir, E. Hjörleifsson, T. Johansen, L. Kerr, K. Kristinsson, S. Mariani, K. Nedreaas, C. Pampoulie, B. Planque, J. Reinert, F. Saborido-Rey, T. Sigurðsson & C. Stransky. 2010. Population structure of beaked redfish, *Sebastes mentella*: evidence of divergence associated with different habitats. ICES Journal of Marine Science / Journal du Conseil 67(8):1617-1630.
- Camus, T. & C.s. Zeng. 2010. Roles of microalgae on total egg production over female lifespan and egg incubation time, naupliar and copepodite survival, sex ratio and female life expectancy of the copepod *Bestiolina similis*. Aquaculture Research 41(11):1717-1726.
- Cantatore, D.M. & J.T. Timi. 2010. *Acanthochondria helicoleni* sp. nov. (Copepoda, Chondracanthidae) parasitic on *Helicolenus lahillei* (Scorpaeniformes, Sebastidae) from Argentinean waters. Acta Parasitologica 55(4):386-391.
- Cantón-Machín, M., G. Delgado-Miranda & T. Hernández-Fariñas. 2010. Disponibilidad alimentaria del camarón rosado (*Farfantepenaeus notialis*), en zonas de cría del golfo de Ana María, Sureste de Cuba. Food availability of pink shrimp (*Farfantepenaeus notialis*) in farming zones of the gulf of Ana María, southeast of Cuba. REDVET - Revista Electrónica de Veterinaria 11(7). <http://www.veterinaria.org/revistas/redvet/n070710/071001.pdf> [In Spanish; abstract in English.]
- Caraco, N., J.E. Bauer, J.J. Cole, S. Petsch & P. Raymond. 2010. Millennial-aged organic carbon subsidies to a modern river food web. Ecology 91:2385-2393.
- Cartes, J.E., E. Fanelli, V. Papoli & L. Zucca. 2010. Distribution and diversity of open-ocean, near-bottom macroplankton in the western Mediterranean: Analysis at different spatio-temporal scales. Deep Sea Research Part 1, 57(11):1485-1498.
- Ceballos, S. & T. Kiørboe. 2010. First evidences of sexual selection by mate choice in marine zooplankton. Oecologia 164(3):627-635.
- Ceschini, T.L., R.M. Takemoto, F.H. Yamada, L.H.A. Moreira & G.C. Pavanelli. 2010. Metazoan parasite community of *Steindachnerina brevipinna* (Curimatidae) from Southern Brazil. Helminthologia 47(3):164-169.
- Chang, W.B., H.U. Dahms & L.C. Tseng. 2010. Copepods assemblages in an embayment of Taiwan during monsoonal transitions. Zoological Studies 49(6):735-748.
- Chen, Chuan, S.-x. Long, Q.-f. Ren, J.-r. Ma, S. Wang, L. Li & Q.-h. Li. 2010. Seasonal variation of copepoda and cladocera communities in subtropic karst reservoir-Case in the Hongfeng, the Baihua and the Aha lakes. Carsologica Sinica 29(1):55-61. [In Chinese; abstract in English.]
- Chertoprud, E.S., L.A. Garlitska & A.I. Azovsky. 2010. Large-scale patterns in marine harpacticoid (Crustacea, Copepoda) diversity and distribution. Marine Biodiversity 40(4):301-315.
- Christian, J.R., C.G.J. Grant, J.D. Meade & L.D. Noble. 2010. Habitat Requirements and Life History Characteristics of Selected Marine Invertebrate Species Occurring in the Newfoundland and Labrador Region. Canadian Manuscript Report of Fisheries and Aquatic Science No. 2925: vi + 207 pp.
- Chullasorn, S. 2010. Two new species of *Paramphiascella* Lang (Copepoda: Harpacticoida: Miraciidae) from a brackish water pond in Thailand. Zootaxa 2634:1-24.
- Colin, S.P., J.H. Costello, L.J. Hansson, J. Titelman & J.O. Dabiri. 2010. Stealth predation and the predatory success of the invasive ctenophore *Mnemiopsis leidyi*. Proceedings of the National Academy of Sciences of the USA 107(40):17223-17227.
- Connan, M., P. Mayzaud, G. Duhamel, B.T. Bonnevie & Y. Cherel. 2010. Fatty acid signature analysis documents

- the diet of five myctophid fish from the Southern Ocean. *Marine Biology* 157(10):2303-2316.
- Connors, B.M., N.B. Hargreaves, S.R.M. Jones & L.M. Dill. 2010. Predation intensifies parasite exposure in a salmonid food chain. *Journal of Applied Ecology* 47(6):1365-1371.
- Connors, B.M., M. Krkošek, J. Ford & L.M. Dill. 2010. Coho salmon productivity in relation to salmon lice from infected prey and salmon farms. *Journal of Applied Ecology* 47(6):1372-1377.
- Contente, R.F. & M.F. Stefanoni. 2010. Diet of the Atlantic rainforest killifish *Rivulus santensis* (Rivulidae, Cyprinodontiformes) in southeastern Brazil. *Journal of Applied Ichthyology* 26(6):930-932.
- Cook, P.F., S.J. McBeath, I.R. Bricknell & J.E. Bron. 2010. Determining the age of individual *Lepeophtheirus salmonis* (Kroyer, 1837) copepodids by measuring stored lipid volume: proof of principle. *Journal of Microscopy (Oxford)* 240(1):83-86.
- Copeman, L.A. & B.J. Laurel. 2010. Experimental evidence of fatty acid limited growth and survival in Pacific cod larvae. *Marine Ecology Progress Series* 412:259-272.
- Corgosinho, P.H.C., P. Martínez Arbizu & E.N. Santos-Silva. 2010. Three new interstitial species of *Remaneicaris* Jakobi, 1972 (Copepoda: Harpacticoida: Parastenocarididae) from southern and southeastern Brazil. *Invertebrate Zoology* 7(1):1-28.
- Cornils, A., J. Schulz, P. Schmitt, M. Lanuru, C. Richter & S.B. Schnack-Schiel. 2010. Mesozooplankton distribution in the Spermonde Archipelago (Indonesia, Sulawesi) with special reference to the Calanoida (Copepoda). In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). *Deep Sea Research Part II: Topical Studies in Oceanography* 57(24-26):2076-2088.
- Craig, J., A.J. Jamieson, R. Hutson, A.F. Zuur & I.G. Priede. 2010. Factors influencing the abundance of deep pelagic bioluminescent zooplankton in the Mediterranean Sea. *Deep Sea Research Part I: Oceanographic Research Papers* 57(11):1474-1484.
- Cristescu, M.E., S.J. Adamowicz, J.J. Vaillant & D.G. Haffner. 2010. Ancient lakes revisited: from the ecology to the genetics of speciation. *Molecular Ecology* 19(22):4837-4851.
- Cruz-Lacierda, E.R. 2010. Parasitic diseases and pests. Chapter 2, Pp. 10-38. In: Lio-Po, G.D., C.R. Lavilla-Pitogo & Y. Inui (eds.). *Health Management in Aquaculture*. SEAFDEC Aquaculture Department, Iloilo, Philippines.
- Cunningham, E., E. McCarthy, L. Copley, D. Jackson, D. Johnson, J.P. Dalton & G. Mulcahy. 2010. Characterisation of cathepsin B-like cysteine protease of *Lepeophtheirus salmonis*. *Aquaculture* 310(1-2):38-42.
- Dahms, H.U. & J.S. Hwang. 2010. Perspectives of underwater optics in biological oceanography and plankton ecology studies. *Journal of Marine Science and Technology* 18(1):112-121.
- Deimantovica, I. 2010. First records of *Cyclops bohater Kozminski*, 1933 from Latvia's lakes with notes on its morphometry. *Acta Zoologica Lituanica* 20(3):215-224.
- Dando, P.R. 2010. Biological communities at marine shallow-water vent and seep sites. In: Kiel, S. (volume ed.). *The Vent and Seep Biota*. Landman, N.H. & D.S. Jones (series eds.). *Topics in Geobiology*, 1, Springer. Vol. 33. Pp. 333-378.
- Danovaro, R., A. Dell'Anno, A. Pusceddu, C. Gambi, I. Heiner & R.M. Kristensen. 2010. The first metazoa living in permanently anoxic conditions. *BMC Biology* 8:30. <http://www.biomedcentral.com/1741-7007/8/30>
- Degermendzhy, A.G., E.S. Zadereev, D.Y.. Rogozin, I.G. Prokopkin, Y.V. Barkhatov, A.P. Tolomeev, E.B. Khromechek, J.H. Janse, W.M. Mooij & R.D. Gulati. 2010. Vertical stratification of physical, chemical and biological components in two saline lakes Shira and Shunet (South Siberia, Russia). *Aquatic Ecology* 44(3): 619-632.
- Deksne, R., A. Skute & J. Paidere. 2010. Changes in structure of zooplankton communities in the middle Daugava (western Dvina) over the last five decades. *Acta Zoologica Lituanica* 20(3):190-208. [In English; abstract in Lithuanian.]
- Delgado, G., R. Morales, J.L. Mendez & A. Cravioto. 2010. The Re-emergence of Cholera in the Americas. Pp. 79-95 In: Ramamurthy, T. & S.K. Bhattacharya (eds.). *Infectious Disease, Epidemiological and Molecular Aspects on Cholera*. Humana Press, Springer. 299 pp. ISBN 160327264X.
- De los Ríos-Escalante, P. 2010. Freshwater ecosystems in oceanic islands of Chile: Conservation of endemic microfauna and the role of exotic species in the biological control of tropical diseases. *Ecosistemas acuáticos de islas oceánicas de Chile: Conservación de microfauna endémica y el rol de especies exóticas en el control biológico de enfermedades tropicales*. Revista Chilena de Historia Natural 83:459-460. [In English.]
- De los Ríos, P., A. Mancilla & M. Vega. 2010. Species co-occurrences based on a presence/absence null model for Copepoda and cladocerans in Patagonia and Tierra del Fuego lakes and ponds. *Biología* 65(6):1019-1027.
- De los Ríos-Escalante, P., E. Carreño, E. Hauenstein & M. Vega. 2010. An update of the distribution of *Boeckella gracilis* (Daday, 1902) (Crustacea, Copepoda) in the Araucania region (38°S), Chile, and a null model for understanding its species associations in its habitat. Actualización de la distribución de *Boeckella gracilis* (Daday, 1902) (Crustacea, Copepoda) en la región de la Araucanía (38°S), Chile, y un modelo nulo para comprender sus asociaciones específicas en su hábitat. *Latin American Journal of Aquatic Research* 38(3):507-513. [In English; abstract in Spanish.]
- Deng, D.G., R.L. Xing, R. Ma, S. Zhang, X.L. Meng & W. Yang. 2010. Seasonal variations on community structure

- of crustacean zooplankton in a small lake of an excavating coal subsidence region in Huabei City. *Hupo Kexue* 22(4):591-597. [In Chinese.]
- De Troch, M., C. Cnudde, A. Willem, T. Moens & A. Vanreusel. 2010. Bacterial colonization on fecal pellets of harpacticoid copepods and on their diatom food. *Microbial Ecology* 60(3):581-591.
- Devreker, D., S. Souissi, J.C. Molinero, D. Beyrend-Dur, F. Gomez & J. Forget-Leray. 2010. Tidal and annual variability of the population structure of *Eurytemora affinis* in the middle part of the Seine Estuary during 2005. *Estuarine, Coastal and Shelf Science* 89(4):245-255.
- Dezfuli, B.S., S. Squerzanti, S. Fabbri, G. Castaldelli & L. Giari. 2010. Cellular response in semi-intensively cultured sea bream gills to *Ergasilus sieboldi* (Copepoda) with emphasis on the distribution, histochemistry and fine structure of mucous cells. *Veterinary Parasitology* 174(3-4):359-365.
- Doi, H., T. Kobari, K. Fukumori, Y. Nishibe & S.-i. Nakano. 2010. Trophic niche breadth variability differs among three *Neocalanus* species in the subarctic Pacific Ocean. *Journal of Plankton Research* 32(12):1733-1737.
- Domingues, M.V. & T.M. Marques. 2010. *Ergasilus trygonophilus* sp. nov. (Copepoda: Ergasilidae) a branchial parasite of freshwater stingrays (Potamotrygonidae) from state of Pará, Brazil. *Zoologia* 27(5):829-833.
- Drif, K., A.G. Hirst & S. Hay. 2010. Seasonal abundance and egg production rates of *Oithona similis* and *Pseudocalanus elongatus* in the northern North Sea: a first comparison of Egg-Ratio and Incubation Methods. *Marine Ecology Progress Series* 415:159-175.
- Dubovskaya, O.P., A.A. Kotov, N.M. Korovchinsky, N.N. Smirnov & A.Yu. Sinev. 2010. Zooplankton of lakes in the spurs of the Putorana Plateau and adjacent territories (North of Krasnoyarsk Krai). *Contemporary Problems of Ecology* 3(4):401-434.
- Duggan, I. 2010. The freshwater aquarium trade as a vector for incidental invertebrate fauna. *Biological Invasions* 12(11):3757-3770.
- Duggan, I.C. & M.A. White. 2010. Consequences of human-mediated marine intrusions on the zooplankton community of a temperate coastal lagoon. *New Zealand Journal of Marine and Freshwater Research* 44(1):17-28.
- Dupuy, C., L. Rossignol, E. Geslin & P.-Y. Pascal. 2010. Predation of mudflat meio-macrofaunal metazoans by a calcareous foraminifer, *Ammonia tepida* (Cushman, 1926). *Journal of Foraminiferal Research* 40(4):305-312.
- Dzierzbicka-Glowacka, L., I.M. Źmijewska, S. Mudrak, J. Jakacki & A. Lemieszek. 2010. Population modelling of *Acartia* spp. in a water column ecosystem model for the South-Eastern Baltic Sea. *Biogeosciences* 7:2247-2259.
- Echaniz, S.A. & A.M. Vignatti. 2010. Diversity and changes in the horizontal distribution of crustaceans and rotifers in an episodic wetland of the central region of Argentina. Diversidad y cambios en la distribución horizontal de los crustáceos y rotíferos en un humedal episódico de la región central de Argentina. *Biota Neotropica* 10(3):133-141.
<http://www.biotaneotropica.org.br/v10n3/es/fullpaper?bn=02210032010+en> [In English; abstract in Spanish.]
- Edwards, M., G. Beaugrand, G.C. Hays, J.A. Koslow & A.J. Richardson. 2010. Multi-decadal oceanic ecological datasets and their application in marine policy and management. *Trends in Ecology & Evolution* 25(10):602-610.
- Estoup, A. & T. Guillemaud. 2010. Reconstructing routes of invasion using genetic data: why, how and so what? *Molecular Ecology* 19(19):4113-4130.
- Eydeler, I. & J. Spieker. 2010. Keimelimination durch Zooplankton: Wasserreinigung in Schwimm- und Badeteichen. [Germ elimination by zooplankton: water purification in swimming and bathing ponds.] *AB Archiv des Badewesens* 03/2010:1-9.
- Fantin-Cruz, I., O. Pedrollo, C.C. Bonecker, D. da Motta-Marques & S. Loverde-Oliveira. 2010. Zooplankton density prediction in a flood lake (Pantanal Brazil) using artificial neural networks. *International Review of Hydrobiology* 95(4/5):330-342.
- Fauchald, P. 2010. Predator-prey reversal: A possible mechanism for ecosystem hysteresis in the North Sea? *Ecology* 91:2191-2197.
- Fefilova, E. 2010. On the Estonian fauna of Harpacticoida (Crustacea, Copepoda). Rullikuliste (Crustacea, Copepoda, Harpacticoida) liigid ja nende levik Eesti mageveekogudes. *Estonian Journal of Ecology* 59(4):281-295. [In English; abstract in Estonian.]
- Ferrari, F.D. 2010. Morphology, development, and sequence. *Journal of Crustacean Biology* 30(4):767-769.
- Feuchtmayr, H., B. Moss, I. Harvey, R. Moran, K. Hatton, L. Connor & D. Atkinson. 2010. Differential effects of warming and nutrient loading on the timing and size of the spring zooplankton peak: an experimental approach with hypertrophic freshwater mesocosms. *Journal of Plankton Research* 32(12):1715-1725.
- Fimia Duarte, R., Z. Menéndez Díaz, R. Quiñones Ramos, J.W. Reid, E. Corona Santander & L. Sánchez Victores. 2010. En torno a la depredación experimental de larvas de mosquitos por el copépodo *Mesocyclops aspericornis* (Copepoda: cyclopoida). [On the experimental predation of mosquito larvae by the copepod *Mesocyclops aspericornis* (Copepoda: Cyclopoida).] *REDVET. Revista electrónica de Veterinaria* 11(03B). http://www.veterinaria.org/revistas/redvet/n030310B/0310B_DS14.pdf [In Spanish.]
- Flajšhans, M., D. Gela, M. Kocour, H. Buchtová, M. Rodina, M. Pšenička, V. Kašpar, V. Piačková, E. Sudová & O. Linhart. 2010. A review on the potential of triploid tench for aquaculture. In: Kamler, E., L. Gasco & J. Wolnicki (eds.). Special Issue : Biology and Culture of

- the Tench (*Tinca tinca* (L.1875). *Reviews in Fish Biology and Fisheries* 20(3):317-329.
- Flint, M.V., T.N. Semenova, E.G. Arashkevich, I.N. Sukhanova, V.I. Gagarin, V.V. Kremenetskiy, M.A. Pivovarov & K.A. Soloviev. 2010. Structure of the zooplankton communities in the region of the Ob River's estuarine frontal zone. *Oceanology* 50(5):766-779. Original Russian Text © M.V. Flint, T.N. Semenova, E.G. Arashkevich, I.N. Sukhanova, V.I. Gagarin, V.V. Kremenetskiy, M.A. Pivovarov, K.A. Soloviev, 2010, published in *Okeanologiya*, 2010, 50(5):809-822.
- Fort, J., Y. Cherel, A.M.A. Harding, C. Egevang, H. Steen, G. Kuntz, W.P. Porter & D. Grémillet. 2010. The feeding ecology of little auks raises questions about winter zooplankton stocks in North Atlantic surface waters. *Biology Letters* 6(5):682-684.
- Fort, J., Y. Cherel, A.M.A. Harding, J. Welcker, D. Jakubas, H. Steen, N.J. Karnovsky & D. Grémillet. 2010. Geographic and seasonal variability in the isotopic niche of little auks. *Marine Ecology Progress Series* 414:293-302.
- Gaardsted, F., K.S. Tande & S.L. Basedow. 2010. Measuring copepod abundance in deep-water winter habitats in the NE Norwegian Sea: intercomparison of results from laser optical plankton counter and multinet. *Fisheries Oceanography* 19(6):480-492.
- Gaardsted, F., M. Zhou, V. Pavlov, A. Morozov & K.S. Tande. 2010. Mesoscale distribution and advection of overwintering *Calanus finmarchicus* off the shelf of northern Norway. *Deep Sea Research Part I: Oceanographic Research Papers* 57(11):1465-1473.
- Ganachaud, A., A. Vega, M. Rodier, C. Dupouy, C. Maes, P. Marchesiello, G. Eldin, K. Ridgway & R. Le Borgne. 2010. Observed impact of upwelling events on water properties and biological activity off the southwest coast of New Caledonia. *Marine Pollution Bulletin* 61(7-12):449-464.
- Ganguly, S.S. & L.A. Smock. 2010. Spatial and temporal variability of invertebrate communities in vernal pools on the coastal plain of Virginia. *Journal of Freshwater Ecology* 25(3):413-420.
- Gaudes, A., J. Artigas & I. Muñoz. 2010. Species traits and resilience of meiofauna to floods and drought in a Mediterranean stream. *Marine & Freshwater Research* 61(11):1336-1347.
- Gerasimova, T.N. & P.I. Pogozhev. 2010. The role of zooplankton in phytoplankton biomass decline and water transparency regulation in a water body subject to high organic and mineral load. *Water Resources* 37(6):796-806. Original Russian Text © T.N. Gerasimova, P.I. Pogozhev, 2010. *Vodnye Resursy* 37(6):671-681.
- Gevrey, M., L. Comte, D. de Zwart, E. de Deckere & S. Lek. 2010. Modeling the chemical and toxic water status of the Scheldt basin (Belgium), using aquatic invertebrate assemblages and an advanced modeling method. *Environmental Pollution* 158(10):3209-3218.
- Gladyshev, M.I., N.N. Sushchik, O.N. Makhutova, O.P. Dubovskaya, E.S. Kravchuk, G.S. Kalachova & E.B. Khromechev. 2010. Correlations between fatty acid composition of seston and zooplankton and effects of environmental parameters in a eutrophic Siberian reservoir. *Limnologica - Ecology and Management of Inland Waters* 40(4):343-357.
- Gleason, F.H., A.V. Marano, P. Johnson & W.W. Martin. 2010. Blastocladian parasites of invertebrates. *Fungal Biology Reviews* 24(1-2):58-67.
- Goetze, E. & M.D. Ohman. 2010. Integrated molecular and morphological biogeography of the calanoid copepod family Eucalanidae. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). *Deep Sea Research Part II: Topical Studies in Oceanography* 57(24-26):2110-2129.
- Gollner, S., B. Riemer, P. Martínez Arbizu, N. Le Bris & M. Bright. 2010. Diversity of meiofauna from the 9 degrees 50' N East Pacific rise across a gradient of hydrothermal fluid emissions. *PLoS One* 5(8) Article No.: e12321.
- Gollner, S., V.N. Ivanenko, P. Martínez Arbizu & M. Bright. 2010. Advances in taxonomy, ecology, and biogeography of Dirivultidae (Copepoda) associated with chemosynthetic environments in the deep sea. *Plos One* 5(8):13 pp.
- Gonçalves, A.M.M., M. De Troch, S.C. Marques, M.A. Pardal & U.M. Azeiteiro. 2010. Spatial and temporal distribution of harpacticoid copepods in Mondego estuary. *Journal of the Marine Biological Association of the United Kingdom* 90(7):1279-1290.
- Gong, L.J., S.P. Zhang, B.X. Xiong, D.Z. Liu, J.Z. Li & J. Cao. 2010. Study on plankton of different categories of lakes in summer by means of principal component analysis, factor analysis and cluster analysis. *Acta Hydrobiologica Sinica* 34(1):43-50. [In Chinese.]
- Gorokhova, E. 2010. A single-step staining method to evaluate egg viability in zooplankton. *Limnology and Oceanography Methods* 8:414-423.
- Gregg, C.S., D.W. Foltz & J.W. Fleeger. 2010. Genetic diversity in a deep-sea harpacticoid copepod found near two oil-drilling sites in the Gulf of Mexico. *Journal of Crustacean Biology* 30(4):651-657.
- Grossart, H.-P. 2010. Ecological consequences of bacterioplankton lifestyles: changes in concepts are needed. *Environmental Microbiology Reports* 2(6):706-714.
- Gubanov, M.V., E.S. Zadereev & A.G. Degermenzhy. 2010. Chemical interactions between two dominant species in Lake Shira: *Gammarus lacustris* Sars (Crustacea: Amphipoda) and *Arctodiaptomus salinus* Daday (Crustacea: Copepoda). *Doklady Biological Sciences* 434(1):318-321.
- Gülle, I., I.I. Turna, S.S. Güçlü, P. Gülle & Z. Güçlü. 2010. Zooplankton seasonal abundance and vertical distribution of highly alkaline Lake Burdur, Turkey. *Alkali Özelliğli Burdur Gölü Zooplanktonunun Mevsimsel Bolluğu ve Dikey Dağılımı*. Turkish Journal

- of Fisheries and Aquatic Sciences 10:245-254. [In English; abstract in Turkish.]
- Gutierrez, M.F., A.M. Gagneten & J.C. Paggi. 2010. Copper and chromium alter life cycle variables and the equiproportional development of the freshwater copepod *Notodiaptomus conifer* (SARS). Water, Air, & Soil Pollution 213(1-4):275-286.
- Hafferssas, A., R. Seridji & S. Dallot. 2010. Mesozooplankton abundance and biomass related to hydrological structure along the Algerian coasts (S.W. Mediterranean Sea). Crustaceana 83(11):1281-1302.
- Han, C.-H. & S.-i. Uye. 2010. Combined effects of food supply and temperature on asexual reproduction and somatic growth of polyps of the common jellyfish *Aurelia aurita* s.l. Plankton & Benthos Research 5(3):98-105.
- Hansen, Benni Winding, H.H. Jakobsen, A.R. Andersen, T.M. Pedersen, A.M. Christensen & B. Nilsson. 2010. Swimming behavior and prey retention of the polychaete larvae *Polydora ciliata* (Johnston). Journal of Experimental Biology 213(18):3237-3246.
- Hayward, C.J., D. Ellis, D. Foote, R.J. Wilkinson, P.B.B. Crosbie, N.J. Bott & B.F. Nowak. 2010. Concurrent epizootic hyperinfections of sea lice (predominantly *Caligus chiascos*) and blood flukes (*Cardicola forsteri*) in farmed Southern Bluefin tuna. Veterinary Parasitology 173(1-2):107-115.
- Head, E.J.H. & P. Pepin. 2010. Spatial and inter-decadal variability in plankton abundance and composition in the Northwest Atlantic (1958–2006). Journal of Plankton Research 32(12):1633-1648.
- Hernandez-Trujillo, S., G.M. Esqueda-Escarcega, J.R. Hernandez-Alfonso, R. Pacheco-Chavez, & G. Aceves-Medina. 2010. Tasa de pastoreo de *Acartia clausi* Giesbrecht, 1889 en la Bahía de la Paz, Baja California Sur, Mexico. Grazing rate of *Acartia clausi* Giesbrecht, 1889 in Bahía de La Paz, Baja California Sur, Mexico. Oceanides 25(1):25-37. [In Spanish; abstract in English.]
- Hidaka, K. & K. Nakata. 2010. Interannual variations of the planktonic ecosystem in the slope water and Kuroshio south of Japan in February in the years 1990-2002. Journal of Oceanography 66(6):741-753.
- Hidalgo, P., R. Escrivano, O. Vergara, E. Jorquera, K. Donoso & P. Mendoza. 2010. Patterns of copepod diversity in the Chilean coastal upwelling system. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2089-2097.
- Hinrichsen, H.-H., M. Dickey-Collas, M. Huret, M.A. Peck & F.B. Vikebø. 2010. Evaluating the suitability of coupled biophysical models for fishery management. ICES Journal of Marine Science / Journal du Conseil 67(9):2052. [Retraction notice.]
- Hinrichsen, H.-H., R. Voss, B. Huwer & C. Clemmesen. 2010. Variability of larval Baltic sprat (*Sprattus sprattus* L.) otolith growth: a modeling approach combining spatially and temporally resolved biotic and abiotic environmental key variables. Fisheries Oceanography 19(6):463-479.
- Hirsch, S. & B. Christiansen. 2010. The trophic blockage hypothesis is not supported by the diets of fishes on Seine Seamount. Marine Ecology: An Evolutionary Perspective 31(Supplement S1):107-120.
- Hjorth, M., J.H. Hansen & L. Camus. 2010. Short-term effects of sucralose on *Calanus finmarchicus* and *Calanus glacialis* in Disko Bay, Greenland. Chemistry and Ecology 26(5):385-393.
- Ho, J.-s. & C.-L. Lin. 2010. Three more unrecorded sea lice (Copepoda, Caligidae) parasitic on marine fishes collected off Tai-dong, Taiwan. Crustaceana 83(10):1261-1277.
- Horváth, Z. & E. Boros. 2010. A magyar asztatikus szíkes tavak nyár eleji kisrákegyütteseinek (Copepoda, Cladocera) faunisztkai felmérése és mennyiségi vizsgálata. [Survey and quantitative analysis of assemblages of the small crustacean (Copepoda, Cladocera) fauna in early summer in Hungarian astatic saline lakes.] Acta Biologica Debrecina, Supplementum Oecologica Hungarica 22:153-171. [In Hungarian.]
- Howeth, J.G. & M.A. Leibold. 2010. Species dispersal rates alter diversity and ecosystem stability in pond metacommunities. Ecology 91(9):2727-2741.
- Howeth, J.G. & M.A. Leibold. 2010. Prey dispersal rate affects prey species composition and trait diversity in response to multiple predators in metacommunities. Journal of Animal Ecology 79(5):1000-1011.
- Huang, Y. 2010. Acute toxicity of crude oil and dispersant to marine copepods. Chinese Journal of Applied and Environmental Biology 16(4):566-571.
- Huq, A., C.J. Grim & R.R. Colwell. 2010. Aquatic realm and cholera. Pp. 311-340 In: Ramamurthy, T. & S.K. Bhattacharya (eds.). Infectious Disease, Epidemiological and Molecular Aspects on Cholera. Humana Press, Springer. 299 pp. ISBN 160327264X.
- Hwang, D.-S., Jin-Seon Lee, J.-S. Rhee, J.-h. Han, Y.-M. Lee, I.-C. Kim, G.S. Park, J.-h. Lee & Jae-Seong Lee. 2010. Modulation of p53 gene expression in the intertidal copepod *Tigriopus japonicus* exposed to alkylphenols. Marine Environmental Research 69(Supplement 1):S77-S80.
- Ingre-Khans, E., C. Rudén & M. Breitholtz. 2010. Chemical risks and consumer products: The toxicity of shoe soles. Ecotoxicology and Environmental Safety 73(7):1633-1640.
- Iversen, M.H., N. Nowald, H. Ploug, G.A. Jackson & G. Fischer. 2010. High resolution profiles of vertical particulate organic matter export off Cape Blanc, Mauritania: degradation processes and ballasting effects. Deep Sea Research Part I: Oceanographic Research Papers 57(6):771-784.
- Jagadeesan, L., N. Arivuselvan, G. Thirumaran, P. Anantharaman & T. Balasubramanian. 2010. Biomass

- and biochemical composition of zooplankton along the Arabian Sea, west coast of India. Advance Journal of Food Science and Technology 2(2):96-99.
- Jayabhaye, U.M. 2010. Studies on zooplankton diversity of River Kayadhu, near Hingoli City, Hingoli District, Maharashtra. Shodh, Samiksha aur Mulyankan (International Research Journal) 2(11-12):47-49.
- Jensen, L.K. & J.L. Carroll. 2010. Experimental studies of reproduction and feeding for two Arctic dwelling *Calanus* species exposed to crude oil. Aquatic Biology 10:261-271.
- Jerling, H.L., L. Vivier, D.P. Cyrus & R.K. Owen. 2010. Initial characterisation of the mesozooplankton community of the Mfolozi- Msunduzi estuarine system, KwaZulu-Natal, South Africa, during a low-flow period. African Journal of Aquatic Science 35(2):117-122.
- Jiang, W.W., Z.W. Li, L. Guo, F.H. Chen & X.L. Song. 2010. Experimental study on the effect of sediment resuspension on zooplankton community. Hupo Kexue 22(4):557-562. [In Chinese.]
- Jiang, X., D.J. Lonsdale & C.J. Gobler. 2010. Grazers and vitamins shape chain formation in a bloom-forming dinoflagellate, *Cochlodinium polykrikoides*. Oecologia 164(2):455-464.
- Johnson, Cody R., C. Luecke, S.C. Whalen & M.A. Evans. 2010. Direct and indirect effects of fish on pelagic nitrogen and phosphorus availability in oligotrophic Arctic Alaskan lakes. Canadian Journal of Fisheries and Aquatic Sciences 67(10):1635-1648.
- Jose, J.J., P. Udayakumar, V.J. Ajimon, R. Shibu, K. Narendra Babu & R.S. Baiju. 2010. Hierarchical analysis of zooplankton assemblages over semidiel pattern in the lagoon of Kavaratti Atoll, Lakshadweep Archipelago, India. Current Research Journal of Biological Sciences 2(4):294-298.
- Jung, S.W., J.S. Park, O.Y. Kwon, J.H. Kang, W.J. Shim & Y.O. Kim. 2010. Effects of crude oil on marine microbial communities in short term outdoor microcosms. Journal of Microbiology, Seoul 48(5):594-600.
- Justine, J.-L., I. Beveridge, G.A. Boxshall, R.A. Bray, F. Moravec & I.D. Whittington. 2010. An annotated list of fish parasites (Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected from Emperors and Emperor Bream (Lethrinidae) in New Caledonia further highlights parasite biodiversity estimates on coral reef fish. Zootaxa 2691:1-40.
- Kagami, M., N.R. Helmsling & E. van Donk. 2010. Parasitic chytrids could promote copepod survival by mediating material transfer from inedible diatoms. In: Sime-Ngando, T. & N. Niquil (eds.). Disregarded Microbial Diversity and Ecological Potentials in Aquatic Systems. Hydrobiologia 659(1):49-54.
- Kanagasabapathi, V. & M.K. Rajan. 2010. A preliminary survey of plankton in Irrukkangudi Reservoir, Virudhunagar District, T.N., India. Journal of Phytology 2(3):63-72.
- Kankaala, P., S. Taipale, L. Li & R.I. Jones. 2010. Diets of crustacean zooplankton, inferred from stable carbon and nitrogen isotope analyses, in lakes with varying allochthonous dissolved organic carbon content. Aquatic Ecology 44(4):781-795.
- Karnovsky, N., A. Harding, W. Walkusz, S. Kwaśniewski, I. Gosczko, J. Wiktor Jr, H. Routti, A. Bailey, L. McFadden, Z. Brown, G. Beaugrand & D. Grémillet. 2010. Foraging distributions of little auks *Alle alle* across the Greenland Sea: implications of present and future Arctic climate change. Marine Ecology Progress Series 415:283-293.
- Kearney, M., S.J. Simpson, D. Raubenheimer & B. Helmuth. 2010. Modelling the ecological niche from functional traits. Philosophical Transactions of the Royal Society B 365(1557):3469-3483.
- Kelly, D.W., L.-M. Herborg & H.J. MacIsaac. 2010. Ecosystem changes associated with *Dreissena* invasions: recent developments and emerging issues. Pp. 199-209 In: Van der Velde, G., S. Rajagopal & A.b. de Vaate (eds.). The Zebra Mussel in Europe. Backhuys, Leiden.
- Khan, M.A. 2010. Seasonal dynamics of plankton populations and phytoplankton photosynthetic activity in a highland fish pond in tropical West Africa. Lakes & Reservoirs: Research and Management 15(4):307-318.
- Kiørboe, T., A. Andersen, V.J. Langlois & H.H. Jakobsen. 2010. Unsteady motion: escape jumps in planktonic copepods, their kinematics and energetics. Journal of the Royal Society Interface 7(52):1591-1602.
- Kiørboe, T., H.s. Jiang & S.P. Colin. 2010. Danger of zooplankton feeding: the fluid signal generated by ambush-feeding copepods. Proceedings of the Royal Society B 277(1698):3229-3237.
- Kitazawa, K. & T. Oji. 2010. Particle selection by the sea lily *Metacrinus rotundus* Carpenter 1884 (Echinodermata, Crinoidea). Journal of Experimental Marine Biology and Ecology 395(1-2):80-84.
- Kline, T.C., Jr. 2010. Stable carbon and nitrogen isotope variation in the northern lampfish and *Neocalanus*, marine survival rates of pink salmon, and mesoscale eddies in the Gulf of Alaska. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. Progress in Oceanography 87(1-4):49-60.
- Kobari, T., H. Akamatsu, M. Minowa, T. Ichikawa, K. Iseki, R. Fukuda & M. Higashi. 2010. Effects of the copepod community structure on fecal pellet flux in Kagoshima bay, a deep, semi-enclosed embayment. Journal of Oceanography 66(5):673-684.
- Kodama, K., M. Oyama, J.-h. Lee, G. Kume, A. Yamaguchi, Y. Shibata, H. Shiraishi, M. Morita, M. Shimizu & T. Horiguchi. 2010. Drastic and synchronous changes in megabenthic community structure concurrent with environmental variations in a eutrophic coastal bay. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G.

- Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. Progress in Oceanography 87(1-4):157-167.
- Kreibich, T., W. Hagen & R. Saborowski. 2010. Food utilization of two pelagic crustaceans in the Greenland Sea: *Meganyctiphanes norvegica* (Euphausiacea) and *Hymenodora glacialis* (Decapoda, Caridea). Marine Ecology Progress Series 413:105-115.
- Kruse, S., W. Hagen & U. Bathmann. 2010. Feeding ecology and energetics of the Antarctic chaetognaths *Eukrohnia hamata*, *E. bathypelagica* and *E. bathyantarctica*. Marine Biology 157(10):2289-2302.
- Krysanov, E.Y., D.S. Pavlov, T.B. Demidova & Y.Y. Dgebuadze. 2010. Effect of nanoparticles on aquatic organisms. Biology Bulletin 37(4):406-412.
- Kwasniewski, S., M. Gluchowska, D. Jakubas, K. Wojczulanis-Jakubas, W. Walkusz, N. Karnovsky, K. Blachowiak-Samolyk, M. Cisek & L. Stempniewicz. 2010. The impact of different hydrographic conditions and zooplankton communities on provisioning Little Auks along the West coast of Spitsbergen. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. Progress in Oceanography 87(1-4):72-82.
- Lankov, A., H. Ojaveer, M. Simm, M. Pöllupüü & C. Möllmann. 2010. Feeding ecology of pelagic fish species in the Gulf of Riga (Baltic Sea): the importance of changes in the zooplankton community. Journal of Fish Biology 77(10):2268-2284.
- Laspoumaderes, C., B. Modenutti & E. Balseiro. 2010. Herbivory versus omnivory: linking homeostasis and elemental imbalance in copepod development. Journal of Plankton Research 32(11):1573-1582.
- Lauer, M.M. & A. Bianchini. 2010. Chronic copper toxicity in the estuarine copepod *Acartia tonsa* at different salinities. Environmental Toxicology and Chemistry 29(10):2297-2303.
- Laugaste, R., J. Haberman & K. Blank. 2010. Cool winters versus mild winters: effects on spring plankton in Lake Peipsi. Estonian Journal of Ecology 59(3):163-183.
- Lazareva, V.I. 2010. Long-term zooplankton dynamics in the Rybinsk Reservoir (1956–2005). Water Resources 37(5):684-698.
- Le Borgne, R., P. Douillet, R. Fichez & J.-P. Torréton. 2010. Hydrography and plankton temporal variabilities at different time scales in the southwest lagoon of New Caledonia: A review. Marine Pollution Bulletin 61(7-12):297-308.
- Lee, D.J. & W. Lee. 2010. A new species of the genus *Bryocamptus* (Copepoda: Harpacticoida: Canthocamptidae) from Korea. Proceedings of the Biological Society of Washington 123(3):204-219.
- Lee, Jae-Seong, J.-S. Rhee, R.-O. Kim, D.-S. Hwang, B.-S. Choi, G.S. Park, I.-C. Kim, H.G. Park & Y.-M. Lee. 2010. The copepod *Tigriopus japonicus* genomic DNA information (574 Mb) and molecular anatomy. Marine Environmental Research 69(Supplement 1):S21-23.
- Leibold, M.A., E.P. Economo & P. Peres-Neto. 2010. Metacommunity phylogenetics: separating the roles of environmental filters and historical biogeography. Ecology Letters 13(10):1290-1299.
- Leite, N.R., L.C.C. Pereira, F. Abrunhosa, M.A.B. Pires & R.M. da Costa. 2010. Occurrence of *Cymbasoma longispinosum* Bourne, 1890 (Copepoda: Monstrilloida) in the Curuçá River estuary (Amazon Littoral). Anais da Academia Brasileira de Ciências 82(3):577-583. [In English; abstract in Portuguese.]
- Leunda, P.M. 2010. Impacts of non-native fishes on Iberian freshwater ichthyofauna: current knowledge and gaps. Proceedings of the Symposium on non-native freshwater species introduction in the Iberian Peninsula, 12-13 November 2009, Pamplona, Spain. Aquatic Invasions 5(3):239-262.
- Li, Q., C.G. An, Q. Ma, L.L. Xu & Y.L. Zhao. 2010. Species composition and diversity of zooplankton in tidal creeks of the Chongming Dongtan intertidal flat. Shengwu Duoyangxing 18(1):67-75. [In Chinese.]
- Li, Y., Q.-q. Lin & B.-P. Han. 2010. Community structure of tropical copepods in the pelagic zones of three large reservoirs in South Asia. Journal of Ecological Science 29(1):22-29. [In Chinese; abstract in English.]
- Liljendahl, A., P. Tallberg & J. Horppila. 2010. Invertebrate predators and preservation time lags in zooplankton samples: effects on the estimates of prey abundance and size. Journal of Freshwater Ecology 25(4):599-606.
- Lin, T., W. Chen & L.L. Wang. 2010. Excess propagation and disinfection control of Copepod in an ozone-granular activated carbon filter in southern China. Journal of Water Supply 59(8):512-520.
- Litvinchuk, L.F. 2010. Long-term zooplankton dynamics of the Baltic Sea. GLOBEC Newsletter 16(1):9-10.
- Liu, G.-x. & D.-h. Xu. 2010. Feeding, egg production and laboratory culture of *Schmackeria poplesia* Shen (Copepoda: Calanoida). Aquaculture Research 41(12):1817-1826.
- Ljunggren, L., A. Sandström, U. Bergström, J. Mattila, A. Lappalainen, G. Johansson, G. Sundblad, M. Casini, O. Kaljuste & B.K. Eriksson. 2010. Recruitment failure of coastal predatory fish in the Baltic Sea coincident with an offshore ecosystem regime shift. ICES Journal of Marine Science /Journal du Conseil 67(8):1587-1595.
- Losos, C.J.C., J.D. Reynolds & L.M. Dill. 2010. Sex-selective predation by threespine sticklebacks on sea lice: A novel cleaning behaviour. Ethology 116(10):981-989.
- Low, E.W., E. Clews, P.A. Todd, Y.C. Tai & P.K.L. Ng. 2010. Top-down control of phytoplankton by zooplankton in tropical reservoirs in Singapore? The Raffles Bulletin of Zoology 58(2):311-322.
- Ma, Z.l., W. Li & K.s. Gao. 2010. Horizontal migration of *Acartia pacifica* Steuer (Copepoda) in response to UV-

- radiation. *Journal of Photochemistry and Photobiology B: Biology* 101(3):233-237.
- Machida, R.J. & S. Nishida. 2010. Amplified fragment length polymorphism analysis of the mesopelagic copepod *Dissita palumbii* in the equatorial western Pacific and adjacent waters: Role of marginal seas in the genetic isolation of mesopelagic animals. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2130-2134.
- Mac Nally, R., J.R. Thomson, W.J. Kimmerer, F. Feyrer, K.B. Newman, A. Sih, W.A. Bennett, L. Brown, E. Fleishman, S.D. Culberson & G. Castillo. 2010. Analysis of pelagic species decline in the upper San Francisco Estuary using multivariate autoregressive modeling (MAR). *Ecological Applications* 20:1417-1430.
- MacNeil, M.A., N.A.J. Graham, J.E. Cinner, N.K. Dulvy, P.A. Loring, S. Jennings, N.V.C. Polunin, A.T. Fisk & T.R. McClanahan. 2010. Transitional states in marine fisheries: adapting to predicted global change. *Philosophical Transactions of the Royal Society B* 365(1558):3753-3763.
- Magadza, C.H.D. 2010. Environmental state of Lake Kariba and Zambezi River Valley: Lessons learned and not learned. *Lakes & Reservoirs: Research and Management* 15(3):167-192.
- Mages, P.A. & L.M. Dill. 2010. The effect of sea lice (*Lepeophtheirus salmonis*) on juvenile pink salmon (*Oncorhynchus gorbuscha*) swimming endurance. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 67(12):2045-2051. [In English; abstract in French.]
- Mahar, M.A., Z.A. Larik, N.T. Narejo & S.I.H. Jafri. 2010. Limnological study of fishponds and Kalribaghar Lower Canal at Chilya Fish Hatchery Thatta, Sindh, Pakistan. *Pakistan Journal of Zoology* 42(4):419-430.
- Markhaseva, E.L. & K. Schulz. 2010. New benthopelagic calanoids (Crustacea: Copepoda) from deep Atlantic waters. *Proceedings of the Zoological Institute RAS* 314(1):3-23.
- Martins, M.L., T.M.P. Azevedo, L. Ghiraldelli & N. Bernardi. 2010. Can the parasitic fauna on Nile tilapias be affected by different production systems? *Anais da Academia Brasileira de Ciencias* 82(2):493-500.
- Martins, R.S., M.J. Roberts, N. Chang, P. Verley, C.L. Moloney & E.A.G. Vidal. 2010. Effect of yolk utilization on the specific gravity of chokka squid (*Loligo reynaudii*) paralarvae: implications for dispersal on the Agulhas Bank, South Africa. *CIAC SYMPOSIUM 2009: Cephalopod Life History, Populations and Environment. ICES Journal of Marine Science / Journal du Conseil* 67(7):1323-1335.
- Matsumura-Tundisi, T., E.L. Espindola, J.G. Tundisi, F. Souza-Soares & R.M. Degani. 2010. A new species of *Notodiaptomus* Kiefer (Crustacea, Copepoda, Calanoida, Diaptomidae) from Brazil. *Brazilian Journal of Biology* 70(3, Suppl):867-870.
- Matsuno, K. & A. Yamaguchi. 2010. Abundance and biomass of mesozooplankton along north-south transects (165°E and 165°W) in the summer North Pacific: an analysis with optical plankton counter. *Plankton & Benthos Research* 5(4):123-130.
- Matsuura, H., S. Nishida & J. Nishikawa. 2010. Species diversity and vertical distribution of the deep-sea copepods of the genus *Euaugaptilus* in the Sulu and Celebes Seas. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2098-2109.
- Mayor, T.Yu., N.G. Sheveleva, L.V. Sukhanova, O.A. Timoshkin & S.V. Kiril'chik. 2010. Molecular phylogenetic analysis of cyclopoids (Copepoda: Cyclopoida) from Lake Baikal and its water catchment basin. *Russian Journal of Genetics* 46(11):1373-1380. Published in Russian in *Genetika* 46(11):1556-1564.
- Mazaris, A.D., M. Moustaka-Gouni, E. Michaloudi & D.C. Bobori. 2010. Biogeographical patterns of freshwater micro- and macroorganisms: a comparison between phytoplankton, zooplankton and fish in the eastern Mediterranean. *Journal of Biogeography* 37(7):1341-1351.
- McDermott, J.J., J.D. Williams & C.B. Boyko. 2010. The unwanted guests of hermits: A global review of the diversity and natural history of hermit crab parasites. *Journal of Experimental Marine Biology and Ecology* 394(1-2):2-44.
- McElwain, A., J. Kohl, J. Bojkovic & G. Benz. 2010. Distribution of *Kroeyerina elongata* (Kroyeriidae, Siphonostomatoida, Copepoda) in the olfactory sacs of the blue shark, *Prionace glauca*. *Journal of Parasitology* 96(5):887-896.
- McLeod, D.J., G.W. Hosie, J.A. Kitchener, K.T. Takahashi & B.P.V. Hunt. 2010. Zooplankton Atlas of the Southern Ocean: The SCAR SO-CPR Survey (1991-2008). *Polar Science* 4(2):353-385.
- Mei, Z.-P., F.J. Saucier, V. Le Fouest, B. Zakardjian, S. Sennville, H.-x. Xie & M. Starr. 2010. Modeling the timing of spring phytoplankton bloom and biological production of the Gulf of St. Lawrence (Canada): Effects of colored dissolved organic matter and temperature. *Continental Shelf Research* 30(19):2027-2042.
- Melo, P., T. Silva, S. Neumann-Leitao, R. Schwamborn, L. Gusmao & F. Porto Neto. 2010. Demersal zooplankton communities from tropical habitats in the southwestern Atlantic. *Marine Biology Research* 6(6):530-541.
- Mennerat, A., F. Nilsen, D. Ebert & A. Skorping. 2010. Intensive farming: Evolutionary implications for parasites and pathogens. *Evolutionary Biology* 37(2-3):59-67.
- Meusemann, K., B.M. von Reumont, S. Simon, F. Roeding, S. Strauss, P. Kück, I. Ebersberger, M. Walzl, G. Pass, S. Breuers, V. Achter, A. von Haeseler, T. Burmester, H.

- Hadrys, J.W. Wägele & B. Misof. 2010. A phylogenomic approach to resolve the arthropod tree of life. *Molecular Biology and Evolution* 27(11):2451-2464.
- Mikheev, V.N. & A.F. Pasternak. 2010. Parasitic crustaceans influence social relations among fish. *Doklady Akademii Nauk* 432(6):842-844. [In Russian.]
- Miki, O., T. Kato & T. Kusui. 2010. Bioassay test on steelmaking slag leachate using *Vibrio fischeri* and *Tigriopus japonicus*. *Journal of Japan Society on Water Environment* 33(9):141-146.
- Miller, D.H., R.G. Kreis, W.C. Huang & X. Xia. 2010. Application of a lower food web ecosystem productivity model for investigating dynamics of the invasive species *Bythotrephes longimanus* in Lake Michigan. *Biological Invasions* 12(10):3513-3524.
- Miller, T.W., R.D. Brodeur, G. Rau & K. Omori. 2010. Prey dominance shapes trophic structure of the northern California Current pelagic food web: evidence from stable isotopes and diet analysis. *Marine Ecology Progress Series* 420:15-26.
- Miller, T.W., K. Omori, H. Hamaoka, J.-y. Shibata & O. Hidejiro. 2010. Tracing anthropogenic inputs to production in the Seto Inland Sea, Japan – A stable isotope approach. *Marine Pollution Bulletin* 60(10):1803-1809.
- Minghetti, M., R.E. Olsen & D.R. Tocher. 2010. Molecular cloning, characterization and nutritional regulation of key enzymes required for the effective utilization of marine wax esters by Atlantic salmon (*Salmo salar* L.). *Aquaculture Nutrition* 16(5):483-495.
- Minutoli, R., C. Brugnano, S. Casini, G. Mori & G. Zagami. 2010. Biomarkers employment to show no effects of toxic diatoms on copepods? *Comparative Biochemistry and Physiology, Part A, Molecular and Integrative Physiology* 157(Suppl. 1):S27.
- Mladineo, I., M. Petrić, T. Šegvić & N. Dobričić. 2010. Scarcity of parasite assemblages in the Adriatic-reared European sea bass (*Dicentrarchus labrax*) and sea bream (*Sparus aurata*). *Veterinary Parasitology* 174(1-2):131-138.
- Mohanty, A.K., G. Sahu, B. Singhsmanta, D. Mahapatra, R.C. Panigrahy, K.K. Satpathy & B.K. Sahu. 2010. Zooplankton diversity in the nearshore waters of Bay of Bengal, off Rushikulya Estuary. *The IUP Journal of Environmental Sciences* 4(2):61-85.
- Moncayo-Estrada, R., O.T. Lind & C. Escalera-Gallardo. 2010. Trophic partitioning of sympatric zooplanktivorous silverside in a tropical shallow lake: fish morphometry and diet composition. *Copeia* 2010(3):431-436.
- Morgan, D.L., D. Tang & S.C. Peverell. 2010. Critically endangered *Pristis microdon* (Elasmobranchii), as a host for the Indian parasitic copepod, *Caligus furcisetifer* Redkar, Rangnekar et Murti, 1949 (Siphonostomatoida): New records from northern Australia. *Acta Parasitologica* 55(4):419-423.
- Motta, P.J., M. Maslanka, R.E. Hueter, R.L. Davis, R. de la Parra, S.L. Mulvany, M.L. Habegger, J.A. Strother, K.R. Mara, J.M. Gardiner, J.P. Tyminski & L.D. Zeigler. 2010. Feeding anatomy, filter-feeding rate, and diet of whale sharks *Rhincodon typus* during surface ram filter feeding off the Yucatan Peninsula, Mexico. *Zoology, Jena* 113(4):199-212.
- Moulton, T.P., S.A.P. Magalhães-Fraga, E.F. Brito & F.A. Barbosa. 2010. Macroconsumers are more important than specialist macroinvertebrate shredders in leaf processing in urban forest streams of Rio de Janeiro, Brazil. *Hydrobiologia* 638(1):55-66.
- Mudie, P.J., F. Marret, A. Rochon & A.E. Aksu. 2010. Non-pollen palynomorphs in the Black Sea corridor. *Vegetation History and Archaeobotany* 19(5-6):531-544.
- Munk, P., M.M. Hansen, G.E. Maes, T.G. Nielsen, M. Castonguay, L. Riemann, H. Sparholt, T.D. Als, K. Aarestrup, N.G. Andersen & M. Bachler. 2010. Oceanic fronts in the Sargasso Sea control the early life and drift of Atlantic eels. *Proceedings of the Royal Society, B* 277(1700):3593-3599.
- Murphy, H.M., G.P. Jenkins, J.S. Hindell & R.M. Connolly. 2010. Response of fauna in seagrass to habitat edges, patch attributes and hydrodynamics. *Austral Ecology* 35(5):535-543.
- Muthupriya, P. & K. Altaff. 2010. Influence of heavy metals on the reproductive performance of the estuarine copepod, *Apocyclops royi* (Lindberg, 1940). *Asian Journal of Microbiology, Biotechnology and Environmental Sciences* 12(1):23-27.
- Mykitchak, T. 2010. Fauna of the cladoceran and copepod crustacean of the reservoir of the Shubenka River basin (the Ukrainian Carpathians). *Visnik L'viv Universytetu, Seria Biolohichna / Visnyk of Lviv University* 52:107-116. [In Ukrainian; abstracts in English and Russian.]
- Nagasawa, K., H. Katahira & K. Mizuno. 2010. New host and locality of the fish ectoparasite *Argulus japonicus* (Crustacea, Branchiura, Argulidae) in Japan, with a note on its heavy infection. *Biogeography* 12:17-20.
- Nagasawa, K., T. Mukai, K. Soda & T. Yamauchi. 2010. Heavy infection of groupers *Epinephelus* spp. with *Lernaeenicus ramosus* (Copepoda, Pennellidae) in the Sea of Japan. *Biogeography* 12:13-15.
- Näslund, J., F.J. Nascimento & J.S. Gunnarsson. 2010. Meiofauna reduces bacterial mineralization of naphthalene in marine sediment. *ISME Journal* 4(11):1421-1430.
- Naumenko, E.N. 2010. Prediction of planktivorous fish catches based on the data of the forage resources. *Inland Water Biology* 3(4):360-364. Original Russian Text © E.N. Naumenko, 2010, published in *Biologiya Vnutrennikh Vod* (4):71-75.
- Nędzarek, A. & A. Pociecha. 2010. Limnological characterization of freshwater systems of the Thomas

- Point Oasis (Admiralty Bay, King George Island, West Antarctica). *Polar Science* 4(3):457-467.
- Neuheimer, A.B., W.C. Gentleman, P. Pepin & E.J.H. Head. 2010. Explaining regional variability in copepod recruitment: Implications for a changing climate. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. *Progress in Oceanography* 87(1-4):94-105.
- Ngupula, G.W., R.K. Waya & C.N. Ezekiel. 2010. Spatial and temporal patterns in abundance and distribution of zooplankton in the Tanzanian waters of Lake Victoria. *Aquatic Ecosystem Health & Management* 13(4):451-457.
- Ni, J.J., Y.h. Yu, W.s. Feng, Q.y. Yan, G. Pan, B. Yang, X. Zhang & X.m. Li. 2010. Impacts of algal blooms removal by chitosan-modified soils on zooplankton community in Taihu Lake, China. *Journal of Environmental Sciences* 22(2):1500-1507.
- O'Brien, T.D. 2010. Things are heating up! *GLOBEC Newsletter* 16(1):14-15.
- Ohtsuka, S., T. Ko & S. Xu. 2010. A new species of *Hemicyclops* (Crustacea: Copepoda: Cyclopoida) found in plankton at the mouth of the Jiulong River, southern China. *Species Diversity* 15(1):41-50.
- Olivar, M.P., M. Emelianov, F. Villate, I. Uriarte, F. Maynou, I. Álvarez & E. Morote. 2010. The role of oceanographic conditions and plankton availability in larval fish assemblages off the Catalan coast (NW Mediterranean). *Fisheries Oceanography* 19(3):209-229.
- Olivotto, I., N.E. Tokle, V. Nozzi, L. Cossignani & O. Carnevali. 2010. Preserved copepods as a new technology for the marine ornamental fish aquaculture: A feeding study. *Aquaculture* 308(3-4):124-131.
- Omesová, M. & J. Helešic. 2010. Organic matter and fine grains as possible determinants of spatial and seasonal variability in bed sediment fauna: A case study from a Hercynian gravel stream. *Limnologica - Ecology and Management of Inland Waters* 40(4):307-314.
- Oscoz, J., P. Tomás & C. Durán. 2010. Review and new records of non-indigenous freshwater invertebrates in the Ebro River basin (Northeast Spain). In: Miranda, R. & P.M. Leunda (eds.). Proceedings of the Symposium on non-native freshwater species introduction in the Iberian Peninsula, 12-13 November 2009, Pamplona, Spain. *Aquatic Invasions* 5(3):263-284.
- Ottersen, G. 2010. A digital temperature atlas for the Norwegian Sea. *ICES Journal of Marine Science / Journal du Conseil* 67(8):1525-1537.
- Pace, M.L., D.L. Strayer, D. Fischer & H.M. Malcom. 2010. Recovery of native zooplankton associated with increased mortality of an invasive mussel. *Ecosphere* 1:art3.
- Paidere, J., D. Gruberts, A. Skute, I. Druvietis & R. Skute. 2010. Winter flood in the Daugava River and its floodplain [floodplain] lakes (Latvia) - A possible scenario in climate change context. *BALWOIS 2010 - Ohrid, Republic of Macedonia - 25, 29 May 2010. 8 pp.* http://www.balwois.com/balwois/administration/full_paper/ffp-1582.pdf
- Pala, G., A. Tellioğlu, M. Eroğlu & D. Şen. 2010. The digestive system content of *Mastacembelus mastacembelus* (Banks & Solander, 1794) inhabiting in Karakaya Dam Lake (Malatya-Turkey). *Karakaya Baraj Gölü (Malatya-Türkiye)'nde Yaşayan Mastacembelus mastacembelus* (Banks & Solander, 1794)'un Sindirim Sistemi İçeriği. *Turkish Journal of Fisheries and Aquatic Sciences* 10:229-233. [In English; abstract in Turkish.]
- Pascal, P.-Y., J.W. Fleeger, F. Galvez & K.R. Carman. 2010. The toxicological interaction between ocean acidity and metals in coastal meiobenthic copepods. *Marine Pollution Bulletin* 60(12):2201-2208.
- Patrician, M.R. & R.D. Kenney. 2010. Using the Continuous Plankton Recorder to investigate the absence of North Atlantic right whales (*Eubalaena glacialis*) from the Roseway Basin foraging ground. *Journal of Plankton Research* 32(12):1685-1695.
- Penglase, S., A. Nordgreen, T. van der Meeren, P.A. Olsvik, O. Saele, J.W. Sweetman, G. Baeverfjord, S. Helland & K. Hamre. 2010. Increasing the level of selenium in rotifers (*Brachionus plicatilis* 'Cayman') enhances the mRNA expression and activity of glutathione peroxidase in cod (*Gadus morhua* L.) larvae. *Aquaculture* 306(1-4):259-269.
- Peretyatko, A., S. Teissier, S. De Backer & L. Triest. 2010. Restoration potential of biomanipulation for eutrophic peri-urban ponds: the role of zooplankton size and submerged macrophyte cover. In: Oertli, B., R. Cereghino, A. Hull & R. Miracle (eds.). *Pond Conservation: From Science to Practice*. 3rd Conference of the European Pond Conservation Network, Valencia, Spain, 14-16 May 2008. *Developments in Hydrobiologia* 210:281-291. *Hydrobiologia* 634(1):125-135.
- Pershing, A.J., E.H.J. Head, C.H. Greene & J.W. Jossi. 2010. Pattern and scale of variability among Northwest Atlantic Shelf plankton communities. *Journal of Plankton Research* 32(12):1661-1674.
- Peterson, W.T., C.A. Morgan, J.P. Fisher & E. Casillas. 2010. Ocean distribution and habitat associations of yearling coho (*Oncorhynchus kisutch*) and Chinook (*O. tshawytscha*) salmon in the northern California Current. *Fisheries Oceanography* 19(6):508-525.
- Picheral, M., L. Guidi, L. Stemmann, D.M. Karl, G. Iddaoud & G. Gorsky. 2010. The Underwater Vision Profiler 5: An advanced instrument for high spatial resolution studies of particle size spectra and zooplankton. *Limnology & Oceanography: Methods* 8:462-473.
- Pipan, T., N. Holt & D.C. Culver. 2010. How to protect a diverse, poorly known, inaccessible fauna: identification and protection of source and sink habitats in the epikarst. *Aquatic Conservation: Marine and Freshwater Ecosystems* 20(7):748-755.

- Pociecha, A., T. Higgins & K.T. McCarthy. 2010. A preliminary study on the plankton assemblages of Lough Derg (Ireland) during a winter–spring season. Oceanological and Hydrobiological Studies 39(3):145-154.
- Price, M.H.H., A. Morton & J. D. Reynolds. 2010. Evidence of farm-induced parasite infestations on wild juvenile salmon in multiple regions of coastal British Columbia, Canada. Canadian Journal of Fisheries and Aquatic Sciences 67(12):1925-1932. [In English; abstract in French.]
- Qiu, Z.F., A.M. Doglioli, Z.Y. Hu, P. Marsaleix & F. Carlotti. 2010. The influence of hydrodynamic processes on zooplankton transport and distributions in the North Western Mediterranean: Estimates from a Lagrangian model. Ecological Modelling 221(23):2816-2827.
- Rachamim, T., N. Stambler, T. Zohary, I. Berman-Frank & G. Gal. 2010. Zooplankton contribution to the particulate N and P in Lake Kinneret, Israel, under changing water levels. Hydrobiologia 655(1):121-135.
- Raid, T., G. Kornilovs, A. Lankov, A.-M. Nisumaa, H. Shpilev & A. Järvik. 2010. Recruitment dynamics of the Gulf of Riga herring stock: density-dependent and environmental effects. ICES Journal of Marine Sciences / Journal du Conseil 67(9):1914-1920.
- Rajashekhar, M., K. Vijaykumar & Z. Paerveen. 2010. Seasonal variations of zooplankton community in freshwater reservoir Gulbarga District, Karnataka, South India. International Journal of Systems Biology 2(1):6-11.
- Ramaiah, N., V. Fernandes, J.T. Paul, R. Jyothibabu, G. Mangesh & E.A. Jayraj. 2010. Seasonal variability in biological carbon biomass standing stocks and production in the surface layers of the Bay of Bengal. Indian Journal of Marine Sciences 39(3):369-379.
- Ramdane, Z., J.P. Trilles & J.s. Ho. 2010. *Caligus uranoscopi* Vaissière, 1955 (Copepoda, Caligidae), a rare parasitic copepod from Algeria. Acta Parasitologica 55(4):379-385.
- Rautio, M. & B. Tartarotti. 2010. UV radiation and freshwater zooplankton: Damage, protection and recovery. Freshwater Reviews 3(2):105-131.
- Record, N.R., A.J. Pershing & J.W. Jossi. 2010. Biodiversity as a dynamic variable in the Gulf of Maine continuous plankton recorder transect. Journal of Plankton Research 32(12):1675-1684.
- Rezzolla, D. & T. Storai. 2010. 'Whale Shark Expedition': Observations on *Rhincodon typus* from Arta Bay, Gulf of Tadjoura, Djibouti Republic, Southern Red Sea. Cybium 34(2):195-206.
- Riemann, L., H. Alfredsson, M.M. Hansen, T.D. Als, T.G. Nielsen, P. Munk, K. Aarestrup, G.E. Maes, H. Sparholt, M.I. Petersen, M. Bachler & M. Castonguay. 2010. Qualitative assessment of the diet of European eel larvae in the Sargasso Sea resolved by DNA barcoding. Biology Letters 6(6):819-822.
- Riisgård, H.U., C. Barth-Jensen & C.V. Madsen. 2010. High abundance of the jellyfish *Aurelia aurita* excludes the invasive ctenophore *Mnemiopsis leidyi* to establish in a shallow cove (Kertinge Nor, Denmark). Aquatic Invasions 5(4):347-356.
- Roche, D.G., B. Leung, E.F. Mendoza Franco & M.E. Torchin. 2010. Higher parasite richness, abundance and impact in native versus introduced cichlid fishes. International Journal for Parasitology 40(13):1525-1530.
- Rogdakis, Y., A. Ramfos, K. Koukou, E. Dimitriou & G. Katselis. 2010. Feeding habits and trophic level of sea bass (*Dicentrarchus labrax*) in the Messolonghi-Etoliko lagoons complex (western Greece). Journal of Biological Research (Thessaloniki) 13:13-26.
- Rosa, R. & B.A. Seibel. 2010. Voyage of the argonauts in the pelagic realm: physiological and behavioural ecology of the rare paper nautilus, *Argonauta nouryi*. ICES Journal of Marine Science / Journal du Conseil 67(7):1494-1500.
- Roura, Á., Á. F. González, S. Pascual & Á. Guerra. 2010. A molecular approach to identifying the prey of cephalopod paralarvae. CIAC SYMPOSIUM 2009: Cephalopod Life History, Populations and Environment. ICES Journal of Marine Science / Journal du Conseil 67(7):1408-1412.
- Runge, J.A., A.I. Kovach, J.H. Churchill, L.A. Kerr, J.R. Morrison, R.C. Beardsley, D.L. Berlinsky, C.s. Chen, S.X. Cadrin, C.S. Davis, K.H. Ford, J.H. Grabowski, W.H. Howell, R.b. Ji, R.J. Jones, A.J. Pershing, N.R. Record, A.C. Thomas, G.D. Sherwood, S.M.L. Tallack & D.W. Townsend. 2010. Understanding climate impacts on recruitment and spatial dynamics of Atlantic cod in the Gulf of Maine: Integration of observations and modeling. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. Progress in Oceanography 87(1-4):251-263.
- Sahin, Y. & I. Akyurt. 2010. Planktonlar ve Fotobiyoreaktörler. Planktons and Photobioreactors. Karadeniz Fen Bilimleri Dergisi / The Black Sea Journal of Sciences 1(2): 83-92. [In Turkish; abstract in English.]
- Sahu, G., A.K. Mohanty, B. SinghSamanta, D. Mahapatra, R.C. Panigrahy, K.K. Satpathy & B.K. Sahu. 2010. Zooplankton diversity in the nearshore waters of Bay of Bengal, off Rushikulya Estuary. The IUP Journal of Environmental Sciences 4(2):61-85.
- Sakaguchi, S.O. & H. Ueda. 2010. A new species of *Pseudodiaptomus* (Copepoda: Calanoida) from Japan, with notes on the closely related *P. inopinus* Burckhardt, 1913 from Kyushu Island. Zootaxa 2623:52-68.
- Saksida, S.M., D. Morrison & C.W. Revie. 2010. The efficacy of emamectin benzoate against infestations of sea lice, *Lepeophtheirus salmonis*, on farmed Atlantic salmon, *Salmo salar* L., in British Columbia. Journal of Fish Diseases 33(11):913-917.
- Saravanan, R., P. Vijayanand & S. Rajagopal. 2010. Copepod nauplii-A suitable feed for the hatchlings of

- yellow tail Damsel (*Neopomacentrus nemurus*). Advances in Applied Science Research 1(1):197-204.
- Scheihing, R., P. Labarca, P. Santibañez, G. Asencio, E. Clasing & R.F. Nespolo. 2010. A quantitative survey of the aquatic invertebrate community in the “Monumento natural Salar de Surire” on the Chilean Altiplano. Journal of Natural History 44(47):2917-2928.
- Schellekens, T., A.M. de Roos & L. Persson. 2010. Ontogenetic diet shifts result in niche partitioning between two consumer species irrespective of competitive abilities. American Naturalist 176(5):625-637.
- Scher, O., K.E. McNutt & A. Thiéry. 2010. Designing a standardised sampling method for invertebrate monitoring: a pilot experiment in a motorway retention pond. Diseño de un método de muestreo estandarizado para el seguimiento de invertebrados: experimento piloto en una balsa de retención de autopista. Limnetica 29(1):121-132. [In English; abstract in Spanish.]
- Schlüter, M.H., A. Merico, M. Reginatto, M. Boersma, K.H. Wiltshire & W. Greve. 2010. Phenological shifts of three interacting zooplankton groups in relation to climate change. Global Change Biology 16(11):3144-3153.
- Schmidt, K. 2010. Food and feeding in northern krill (*Meganyctiphanes norvegica* Sars). Advances in Marine Biology 57:127-171.
- Schnack-Schiel, S.B., E. Mizdalski & A. Cornils. 2010. Copepod abundance and species composition in the Eastern subtropical/tropical Atlantic. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Species Diversity of Marine Zooplankton. Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2061-2250.
- Schweigert, J.F., J.L. Boldt, L. Flostrand & J.S. Cleary. 2010. A review of factors limiting recovery of Pacific herring stocks in Canada. ICES Journal of Marine Science / Journal du Conseil 67(9):1903-1913.
- Scoccia, F. & E. Gaino. 2010. Mesenterial filaments of the black coral *Cirrhipathes* cfr. *anguina* provide a home to developing nauplii. Symbiosis 50(3):151-156.
- Sedova, N.A. & S.S. Grigor'ev. 2010. Morphological variability of *Pleuromamma scutullata* (Copepoda, Metridinidae) from waters off Kamchatka. Zoologicheskii Zhurnal 89(6):663-674. [In Russian.]
- Selifonova, Zh.P. 2010. The role of zooplankton in the functioning of the Taganrog Gulf ecosystem in the Sea of Azov. Inland Water Biology 3(4):335-343. Original Russian Text © Zh.P. Selifonova, 2010, published in Biologiya Vnutrennikh Vod 3(4):45-53.
- Sellami, I., W. Guermazi, A. Hamza, L. Aleya & H. Ayadi. 2010. Seasonal dynamics of zooplankton community in four Mediterranean reservoirs in humid area (Beni Mtir: North of Tunisia) and semi arid area (Lakhmes, Nabhana and Sidi Saâd: Center of Tunisia). Journal of Thermal Biology 35(8):392-400.
- Semprucci, F., P. Colantoni, G. Baldelli, M. Rocchi & M. Balsamo. 2010. The distribution of meiofauna on back-reef sandy platforms in the Maldives (Indian Ocean). Marine Ecology 31(4):592-607.
- Shiganova, T. 2010. Biotic homogenization of inland seas of the Ponto-Caspian. Annual Review of Ecology, Evolution, and Systematics 41:103-125.
- Sheveleva, N.G., O.A. Timoshkin, V.N. Aleksandrov & E.P. Tereza. 2010. A new psammophilic species of the genus *Diacyclops* (Crustacea: Cyclopoida) from the littoral zone of Lake Baikal (east Siberia). Invertebrate Zoology 7(1):47-54. [In English; abstract in Russian.]
- Silva-Briano, M. & E. Suárez-Morales. 2010. Illustrated record of the freshwater copepod *Leptodiaptomus dodsoni* (Calanoida, Diaptomidae) from central Mexico with comments on the distribution of the genus. Registro ilustrado del copépodo dulceacuícola *Leptodiaptomus dodsoni* (Calanoida, Diaptomidae) del centro de México con comentarios acerca de la distribución del género. Biota Neotropica 10(2). [In English; abstract in Spanish.] <http://www.biota-neotropica.org.br/v10n2/pt/abstract?article+bn02510022010> ISSN 1676-0603.
- Smetacek, V. & S.W.A. Naqvi (eds.). 2010. The Expedition of the Research Vessel "Polarstern" to the Antarctic in 2009 (ANT-XXV/3 - LOHAFEX). Berichte zur Polar- und Meeresforschung / Reports on Polar and Marine Research 613. 114 pp. <http://epic.awi.de/Publications/Sme2010a.pdf>
- Smith, J.N., P.H. Ressler & J.D. Warren. 2010. Material properties of euphausiids and other zooplankton from the Bering Sea. The Journal of the Acoustical Society of America 128(5):2664.
- Song, S.J. & U.W. Hwang. 2010. *Parathalestris jejuensis* sp. nov. (Copepoda, Harpacticoida, Thalestridae) from macroalgal beds from Korea. Crustaceana 83(11):1337-1348.
- Speirs, D.C., E.J. Guirey, W.S.C. Gurney & M.R. Heath. 2010. A length-structured partial ecosystem model for cod in the North Sea. Fisheries Research 106(3):474-494.
- Stefanidis, K. & E. Papastergiadou. 2010. Influence of hydrophyte abundance on the spatial distribution of zooplankton in selected lakes in Greece. In: Pieterse, A., S. Hellsten, J. Newman, J. Caffrey, F. Ecke, T. Ferreira, B. Gopal, J. Haury, G. Janauer, T. Kairesalo, A. Kanninen, K. Karttunen, J. Sarvala, K. Szoszkiewicz, H. Toivonen, L. Triest, P. Uotila & N. Willby (eds.). Aquatic Invasions and Relation to Environmental Changes: Proceedings of the 12th International Symposium on Aquatic Weeds, European Weed Research Society. Hydrobiologia 656(1):55-65.
- Stegert, C., R.b. Ji & C.S. Davis. 2010. Influence of projected ocean warming on population growth potential in two North Atlantic copepod species. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. Progress In Oceanography 87(1-4):264-276.

- Stewart, T.J., O.E. Johannsson, K. Holeck, W.G. Sprules & R. O'Gorman. 2010. The Lake Ontario zooplankton community before (1987–1991) and after (2001–2005) invasion-induced ecosystem change. *Journal of Great Lakes Research* 36(4):596-605.
- Stige, L.C., G. Ottersen, P. Dalpadado, K.-S. Chan, D.Ø. Hjermann, D.L. Lajus, N.A. Yaragina & N.C. Stenseth. 2010. Direct and indirect climate forcing in a multi-species marine system. *Proceedings of the Royal Society B* 277(1699):3411-3420.
- Streletskaia, E.A. 2010. Review of the fauna of Rotatoria, Cladocera, and Copepoda of the basin of the Anadyr' River. *Contemporary Problems of Ecology* 3(4):469-480.
- Suárez-Morales, E., M.A. Gutiérrez-Aguirre & E.J. Walsh. 2010. Freshwater Copepoda (Crustacea) from the Chihuahuan Desert with comments on biogeography. *The Southwestern Naturalist* 55(4):525-531.
- Suárez-Morales, E., F. Mendoza & N. Mercado-Salas. 2010. A new *Allocyclops* (Crustacea, Copepoda, Cyclopoida) from bromeliads and records of freshwater copepods from Mexico. *Zoosystema* 32(3):393-408.
- Suárez-Morales, E., A. Paredes-Trujillo & D. González-Solis. 2010. The introduced Asian parasitic copepod *Neoergasilus japonicus* (Harada) (Cyclopoida: Ergasilidae) from endangered cichlid teleosts in Mexico. *Zoological Science* 27(11):851-855.
- Sun, X.-x., E.-k. Kim & S. Sun. 2010. Laboratory study on the ecological impact of sophorolipid used for harmful algae elimination. *Chinese Journal of Oceanology and Limnology* 28(6):1240-1247.
- Svetlichny, L., E. Hubareva, G. Belmonte, M. Isinibilir, F. Ustun, N. Yilmaz & B. Toklu-Alicli. 2010. Vulnerability of copepod eggs in salinity and temperature gradients of the Marmara and Black Seas. *Marine Ecology Progress Series* 419:109-120.
- Sweetman, A.K., J. J. Middelburg, A. M. Berle, A. F. Bernardino, C. Schander, A. W. J. Demopoulos & C. R. Smith. 2010. Impacts of exotic mangrove forests and mangrove deforestation on carbon remineralization and ecosystem functioning in marine sediments. *Biogeosciences Discussions* 7:2631-2671.
- Sydean, W.J., S.A. Thompson, J.A. Santora, M.F. Henry, K.H. Morgan & S.D. Batten. 2010. Macro-ecology of plankton-seabird associations in the North Pacific Ocean. *Journal of Plankton Research* 32(12):1697-1713.
- Syväraanta, J. & M. Rautio. 2010. Zooplankton, lipids and stable isotopes: importance of seasonal, latitudinal, and taxonomic differences. *Canadian Journal of Fisheries and Aquatic Sciences* 67(11):1721-1729.
- Szekely, C., M. Lang & K. Molnar. 2010. Role of the copepod parasite *Trachelastes maculatus* Kollar, 1836 (Lernaeopodidae) in the common bream (*Abramis brama*) mortality occurring in Lake Balaton, Hungary. *Bulletin of the European Association of Fish Pathologists* 30(5):170-176.
- Tang, D., K. Izawa, D. Uyeno & K. Nagasawa. 2010. Pseudohatschekiidae, a new family for *Pseudohatschekia branchiostegi* Yamaguti, 1939 (Crustacea: Copepoda: Siphonostomatoida) from *Branchiostegus* spp. (Teleostei: Perciformes: Malacanthidae) in Japanese waters, with descriptions of early developmental stages of *P. branchiostegi*. *Systematic Parasitology* 77(3):215-231.
- Tang, D., J.E. Kalman & J.-s. Ho. 2010. *Acanthochondria cyclopsetta* Pearse, 1952 and *A. allenii* n. sp. (Copepoda; Cyclopoida; Chondracanthidae) from flatfish hosts of the U.S.A., with comments on the taxonomic position of *A. zebriae* Ho, Kim & Kumar, 2000 and *A. bicornis* Shiino, 1955 and the validity of *Pterochondria* Ho, 1973. *Zootaxa* 2657:18-32.
- Taylor, M.D., T.J. Mullaney & I.M. Suthers. 2010. Mesoscale distribution of larval *Euphausia similis* in various water masses of the East Australian Current. *Deep Sea Research Part 1: Oceanographic Research Papers* 57(10):1295-1303.
- Timi, J.T., A.L. Lanfranchi & R. Poulin. 2010. Consequences of microhabitat selection for reproductive success in the parasitic copepod *Neobrachiella spinicephala* (Lernaeopodidae). *Parasitology* 137(11):1687-1694.
- Tokşen, E., U. Değirmenci & M. Cankurt. 2010. The effect of Trichlorfon on the control of *Lernanthropus kroyeri* (van Beneden, 1851) (Lernanthropidae) infestations in Cultured Sea Bass, *Dicentrarchus labrax* (Linnaeus, 1758). *Bulletin of the European Association of Fish Pathologists* 30(6):205-210.
- Tolomeev, A.P., N. N. Sushchik, R.D. Gulati, O.N. Makhutova, G.S. Kalacheva & T.A. Zotina. 2010. Feeding spectra of *Arctodiaptomus salinus* (Calanoida, Copepoda) using fatty acid trophic markers in seston food in two salt lakes in South Siberia (Khakasia, Russia). *Aquatic Ecology* 44(3):513-530.
- Tronstad, L.M., R.O. Hall, Jr., T.M. Koel & K.G. Gerow. 2010. Introduced lake trout produced a four-level trophic cascade in Yellowstone Lake. *Transactions of the American Fisheries Society* 139(5):1536-1550.
- Tsuda, A., K. Fukami, H. Kiyosawa, K. Suzuki, S. Takeda, J. Nishioka, M. Takahashi, K. Johnson & C.-S. Wong. 2010. Response of lower trophic organisms to nutrient input and effects on carbon budget: a mesocosm experiment. *Plankton & Benthos Research* 5(4):144-144.
- Tveiten, H., P.A. Bjørn, H.K. Johnsen, B. Finstad & R.S. McKinley. 2010. Effects of the sea louse *Lepeophtheirus salmonis* on temporal changes in cortisol, sex steroids, growth and reproductive investment in Arctic charr *Salvelinus alpinus*. *Journal of Fish Biology* 76(10):2318-2341.
- Ueda, H., M. Kuwatani & K.W. Suzuki. 2010. Tidal vertical migration of two estuarine copepods: naupliar migration and position-dependent migration. *Journal of Plankton Research* 32(11):1557-1572.

- Unal, E. & A. Bucklin. 2010. Basin-scale population genetic structure of the planktonic copepod *Calanus finmarchicus* in the North Atlantic Ocean. In: Perry, I., M. Barange, E. Hofmann, C. Moloney, G. Ottersen & Y. Sakurai (eds.). 3rd GLOBEC OSM: From ecosystem function to ecosystem prediction. *Progress In Oceanography* 87(1-4):175-185.
- Uyeno, D. & K. Nagasawa. 2010. Three new species of the family Pennellidae (Copepoda: Siphonostomatoida) from gobiid fishes (Pisces: Perciformes) in coastal waters of the Pacific Ocean. *Zootaxa* 2687:29-44.
- Valois, A., W.B. Keller & C. Ramcharan. 2010. Abiotic and biotic processes in lakes recovering from acidification: the relative roles of metal toxicity and fish predation as barriers to zooplankton re-establishment. *Freshwater Biology* 55(12):2585-2597.
- Van de Putte, A.P., G.D. Jackson, E. Pakhomov, H. Flores & F.A.M. Volckaert. 2010. Distribution of squid and fish in the pelagic zone of the Cosmonaut Sea and Prydz Bay region during the BROKE-West campaign. *Deep-Sea Research Part II: Topical Studies in Oceanography* 57(9-10):956-967.
- Vanjare, A.I., S M. Padhye & K. Pai. 2010. Zooplankton from a polluted river, Mula (India), with record of *Brachionus rubens* (Ehrenberg, 1838) epizoic on *Moina macrocopa* (Straus, 1820). *Opuscula Zoologica*, Budapest 41(1):89-92.
- Van Onsem, S., S. De Backer & L. Triest. 2010. Microhabitat-zooplankton relationship in extensive macrophyte vegetations of eutrophic clear-water ponds. In: Pieterse, A., S. Hellsten, J. Newman, J. Caffrey, F. Ecke, T. Ferreira, B. Gopal, J. Haury, G. Janauer, T. Kairesalo, A. Kanninen, K. Karttunen, J. Sarvala, K. Szoszkiewicz, H. Toivonen, L. Triest, P. Uotila & N. Willby (eds.). Aquatic Invasions and Relation to Environmental Changes: Proceedings of the 12th International Symposium on Aquatic Weeds, European Weed Research Society. *Hydrobiologia* 656(1):67-81.
- Vanschoenwinkel, B., A. Waterkeyn, M. Jocqué, L. Boven, M. Seaman & L. Brendonck. 2010. Species sorting in space and time—the impact of disturbance regime on community assembly in a temporary pool metacommunity. *Journal of the North American Benthological Society* 29(4):1267-1278.
- Varela, C. 2010. Dos nuevas especies de *Asterocheres* Boeck, 1860 (Copepoda: Siphonostomatoida) de Cuba. Two new species of *Asterocheres* Boeck, 1860 (Copepoda: Siphonostomatoida) from Cuba. *Novitates Caribaea* 3:36-43. [In Spanish; abstract in English.]
- Varela, C. 2010. Descripción de los machos de *Peltidium nichollsi* Geddes, 1968 y *Peltidium proximus* Varela, 2005 (Copepoda: Harpacticoida: Peltidiidae). Description of the males of *Peltidium nichollsi* Geddes, 1968 and *Peltidium proximus* Varela, 2005 (Copepoda: Harpacticoida: Peltidiidae). *Novitates Caribaea* 3:44-47. [In Spanish; abstract in English.]
- Varela, C. 2010. Nueva especie de *Asterocheres* e primer registro para Cuba de *A. crinoidicola* (Copepoda: Siphonostomatoida: Asterocheridae). *REVMAR: La Revista de Ciencias Marinas Costeiras* 2:53-59. [In Spanish; abstract in English.]
- Vasechkina, E.F. & V.D. Yarin. 2010. Modeling of the dynamics of age structure of the populations of free-floating copepods in the Black Sea. *Physical Oceanography* 20(1):58-74. [Translated from Morskoi Gidrofizicheskii Zhurnal, No. 1, pp. 63-80, January-February, 2010.]
- Vaughn, D. & J.D. Allen. 2010. The peril of the plankton. In: Evolutionary Paths Among Developmental Possibilities: A Symposium Marking the Contributions and Influence of Richard Strathmann. *Integrative and Comparative Biology* 50(4):552-570.
- Veiga, P., C. Besteiro & M. Rubal. 2010. The role of sediment type on the vertical distribution of meiofauna at two Galician rias (NW Iberian Peninsula). *Cahiers de Biologie Marine* 51(3):249-263.
- Veit-Köhler, G., J. Kuhnert & N. Volkenborn. 2010. The engineer in the shallows and the meiofauna. Der Ingenieur im Watt und die Meiofauna. *Natur und Museum (Frankfurt am Main)* 140(5-6):120-125. [In German.]
- Velloso, A.L. & J. Pereira Jr. 2010. Influence of ectoparasitism on the welfare of *Micropogonias furnieri*. *Aquaculture* 310(1-2):43-46.
- Ventura, M. & J. Catalan. 2010. Variability in amino acid composition of alpine crustacean zooplankton and its relationship with nitrogen-15 fractionation. *Journal of Plankton Research* 32(11):1583-1597.
- Viñas, M.D., N.R. Diovisalvi & G.D. Cepeda. 2010. Individual biovolume of some dominant copepod species in coastal waters off Buenos Aires Province, Argentine Sea. *Brazilian Journal of Oceanography* 58(2):177-181.
- Whelan, K.F. 2010. A Review of the Impacts of the Salmon Louse, *Lepeophtheirus salmonis* (Krøyer, 1837) on Wild Salmonids. *Atlantic Salmon Trust, Perth*. 27 pp. <http://www.atlanticsalmontrust.org/assets/ast-sea-lice-impacts-review.pdf>
- Whitehorn, J. & J. Farrar. 2010. Dengue. *British Medical Bulletin* 95(1):161-173.
- Wi, J.H., R. Böttger-Schnack & H.Y. Soh. 2010. Species of *Triconia* of the *conifera*-subgroup (Copepoda: Cyclopoida: Oncaeidae) from Korean waters, including a new species. *Journal of Crustacean Biology* 30(4):673-691.
- Wiebe, P.H., A. Bucklin, L. Madin, M.V. Angel, T. Sutton, F. Pagés, R.R. Hopcroft & D. Lindsay. 2010. Deep-sea sampling on CMarZ cruises in the Atlantic Ocean – an Introduction. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). *Deep Sea Research Part II: Topical Studies in Oceanography* 57(24-26):2157-2166.
- Wiebe, P.H., S.B. Schnack-Schiel & S. Nishida. 2010. Introduction to species diversity of marine

- zooplankton. In: Wiebe, P.H., S. Schnack-Schiel & S. Nishida (eds.). Species Diversity of Marine Zooplankton. Deep Sea Research Part II: Topical Studies in Oceanography 57(24-26):2061-2063.
- Willett, C.S. 2010. Potential fitness tradeoffs for thermal tolerance in the intertidal copepod *Tigriopus californicus*. Evolution 64(9):2521-2534.
- Williams, E.H., Jr. & L. Bunkley-Williams. 2010. Checklists of the parasites of dolphin, *Coryphaena hippurus*, and pompano dolphin, *C. equisellus* with new records, corrections, and comments on the literature. Reviews in Fisheries Science 18(1):73-93.
- Wilson, S.E., D.K. Steinberg, F.-L.E. Chu & J.K.B. Bishop. 2010. Feeding ecology of mesopelagic zooplankton of the subtropical and subarctic North Pacific Ocean determined with fatty acid biomarkers. Deep Sea Research Part I: Oceanographic Research Papers 57(10):1278-1294.
- Wohlrab, S., M.H. Iversen & U. John. 2010. A molecular and co-evolutionary context for grazer induced toxin production in *Alexandrium tamarensis*. PLoS One 5(11):e15039.
- Wooldridge, T.H. 2010. Characterisation of the mesozooplankton community in response to contrasting estuarine salinity gradients in the Eastern Cape, South Africa. African Journal of Aquatic Science 35(2):173-184.
- Meng, R.-h. Dai & Y.-l. Lei. 2010. Standing crop and spatial distribution of meiofauna in Yellow Sea at late stage of *Enteromorpha prolifera* bloom in 2008. Chinese Journal of Applied Ecology 21(8):2140-2147. [In Chinese; abstract in English.]
- Xiong, J., Z.C. Xie, J. Chen, J.Q. Zhang, S.W. Shu, T.L. Zhang & W. Hu. 2010. Effects of 'allfish' GH transgenic common carp (*Cyprinus carpio* L.) on benthic macroinvertebrate community structure and biodiversity in the isolation lake. Changjiang Liuyu Ziyuan Yu Huanjing 19(4):377-382. [In Chinese.]
- Xu, S.L., D.L. Wang, C.F. Su & L.L. Wang. 2010. The relationship between quantitative changes of plankton and population dynamics of *Craspedacusta* in a small pool. Acta Hydrobiologica Sinica 34(1):121-128. [In Chinese.]
- Xu, Z.-q., J.-n. Zeng, L. Shou, G.-n. Zeng & X.-g. Hu. 2010. Seasonal variation and horizontal distribution of zooplankton community in Xinghuawan Bay. Acta Ecologica Sinica 30(3):734-744. [In Chinese; abstract in English.]
- Yan, F.-G., H.-J. Wang, H.-Z. Wang, T.-L. Zhang & W. Li. 2010. Community characteristics of meiofauna in an algae-dominated shallow lake, with a discussion on the ecological role. Acta Hydrobiologica Sinica 34(3):634-638.
- Ydenberg, R.C. & W.E. Davies. 2010. Resource geometry and provisioning routines. Behavioral Ecology 21(6):1170-1178.
- Yıldız, S., M.S. Özgökçe, F. Özgökçe, I. Karaca & E. Polat. 2010. Zooplankton composition of Van Lake Coastline in Turkey. African Journal of Biotechnology 9(48):8248-8252.
- Zaleha, K. & M.F. Farah Diyana. 2010. Spatial range of meiobenthic faunal density in intertidal zone of Port Dickson, Malaysia. Journal of Sustainability Science and Management 5(1):94-105.
- Zhang, S.-y., A.-f. Liu, J.-m. Ma, Q.-h. Zhou, D. Xu, S.-p. Cheng, Q. Zhao & Z.-b. Wu. 2010. Changes in physicochemical and biological factors during regime shifts in a restoration demonstration of macrophytes in a small hypereutrophic Chinese lake. Ecological Engineering 36(12):1611-1619.
- Zhao, C.S., C.L. Sun, J. Xia, X.P. Hao, G.F. Li, K. Rebensburg & C.M. Liu. 2010. An impact assessment method of dam/sludge on instream ecosystem and its application to the Bengbu Sluice of China. Water Resources Management 24(15):4551-4565.
- Zhao, W., Y.-y. Zhao, Q.-h. Wang, M.-p. Zheng, P. Zhang & Z.-h. He. 2010. Spatial and temporal patterns of plankton assemblage structure in a high altitude saline lake, Namuka Co in northern Tibet, China. CLEAN – Soil, Air, Water 38(10):960-968.
- Zhu, N.-N., Q. Gao, W.-X. Li, Y. Song, W.-J. Yao & P. Nie. 2010. Observation on three species of *Sinergasilus* (Copepoda: Ergasilidae) by scanning electron microscopy. Acta Hydrobiologica Sinica 34(6):1190-1192. [In Chinese; title and figure legends in English.]

2011

- Barkoh, A., D.C. Begley, D.G. Smith, G.L. Kurten, L.L. Fries & J.W. Schlechte. 2011. Can solar powered circulation control *Prymnesium parvum* blooms and toxicity in fish hatchery ponds? Harmful Algae 10(2):173-180.
- Beklioglu, M., M. Meerhoff, M. Søndergaard & E. Jeppesen. 2011. Eutrophication and restoration of shallow lakes from a cold temperate to a warm Mediterranean and a (sub)tropical climate. Pp. 91-108 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). Eutrophication: Causes, Consequences and Control. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Bustos, P.A., N.D. Young, M.A. Rozas, H.M. Bohle, R.S. Ildefonso, R.N. Morrison & B.F. Nowak. 2011. Amoebic gill disease (AGD) in Atlantic salmon (*Salmo salar*) farmed in Chile. Aquaculture 310(3-4):281-288.
- Carey, M.P. & D.H. Wahl. 2011. Fish diversity as a determinant of ecosystem properties across multiple trophic levels. Oikos 120(1):84-94.
- Carotenuto, Y., A. Ianora & A. Miralto. 2011. Maternal and neonate diatom diets impair development and sex differentiation in the copepod *Temora stylifera*. Journal

- of Experimental Marine Biology and Ecology 396(2):99-107.
- Chittapun, S. 2011. Fire and recovery of resting egg bank: an experimental study in paddy fields in Pathum Thani province, Thailand. In: Walz, N., R. Adrian, J.J. Gilbert, M.T. Monaghan, G. Weithoff & H. Zimmermann-Timm (eds.). Rotifera XII: New aspects in rotifer evolution, genetics, reproduction, ecology and biogeography. Hydrobiologia 662:163-170.
- Dokulil, M.T., K. Donabaum & K. Pall. 2011. Successful restoration of a shallow lake: A case study based on bistrate theory. Pp. 285-294 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). Eutrophication: Causes, Consequences and Control. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Dorgham, M.M. 2011. Eutrophication problem in Egypt. Pp. 171-194 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). Eutrophication: Causes, Consequences and Control. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Fesenko, S., J. Fesenko, N. Sanzharova, E. Karpenko & I. Titov. 2011. Radionuclide transfer to freshwater biota species: review of Russian language studies. Journal of Environmental Radioactivity 102(1):8-25.
- Fonseca, G., P. Hutchings & F. Gallucci. 2011. Meiobenthic communities of seagrass beds (*Zostera capricorni*) and unvegetated sediments along the coast of New South Wales, Australia. Estuarine, Coastal and Shelf Science 91(1):69-77.
- Forest, A., V. Galindo, G. Darnis, S. Pineault, C. Lalande, J.-É. Tremblay & L. Fortier. 2011. Carbon biomass, elemental ratios (C:N) and stable isotopic composition ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$) of dominant calanoid copepods during the winter-to-summer transition in the Amundsen Gulf (Arctic Ocean). Journal of Plankton Research 33(1):161-178.
- Gagneten, A.M. 2011. Effects of contamination by heavy metals and eutrophication on zooplankton, and their possible effects on the trophic webs of freshwater aquatic ecosystems. Pp. 211-223 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). Eutrophication: Causes, Consequences and Control. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Garcia, Alexandra, S. Mattiucci, S. Damiano, M.N. Santos & G. Nascetti. 2011. Metazoan parasites of swordfish, *Xiphias gladius* (Pisces: Xiphiidae) from the Atlantic Ocean: implications for host stock identification. ICES Journal of Marine Science / Journal du Conseil 68(1):175-182.
- Ginter, K., K. Kangur, A. Kangur, P. Kangur & M. Haldna. 2011. Diet patterns and ontogenetic diet shift of pikeperch, *Sander lucioperca* (L.) fry in lakes Peipsi and Võrtsjärv (Estonia). In: Blenckner, T., T. Nöges, L. Tranvik, K. Pettersson & R. Naddaf (eds.). European Large Lakes II. Vulnerability of large lake ecosystems – Monitoring, management and measures. Hydrobiologia 660:79-91.
- Glynn, P.W. & I.C. Enochs. 2011. Invertebrates and their roles in coral reef ecosystems. Pp. 273-325 In: Dubinsky, Z. & N. Stambler (eds.). Coral Reefs: An Ecosystem in Transition. Springer, Dordrecht.
- Grattepanche, J.-D., E. Breton, J.-M. Brylinski, E. Lecuyer & U. Christaki. 2011. Succession of primary producers and micrograzers in a coastal ecosystem dominated by *Phaeocystis globosa* blooms. Journal of Plankton Research 33(1):37-50.
- Gusmão, L.F.M. & A.D. McKinnon. 2011. Nucleic acid indices of egg production in the tropical copepod *Acartia sinjiensis*. Journal of Experimental Marine Biology and Ecology 396(2):122-137.
- Hallanger, I.G., A. Ruus, D. Herzke, N.A. Warner, A. Evenset, E.S. Heimstad, G.W. Gabrielsen & K. Borgå. 2011. Influence of season, location, and feeding strategy on bioaccumulation of HOCs in Arctic marine zooplankton. Environmental Toxicology and Chemistry 30(1):77-87.
- Hamer, H.H., A.M. Malzahn & M. Boersma. 2011. The invasive ctenophore *Mnemiopsis leidyi*: a threat to fish recruitment in the North Sea? Journal of Plankton Research 33(1):137-144.
- Hazlett, B.A. 2011. Chemical cues and reducing the risk of predation. Pp. 355-370 In: Breithaupt, T. & M. Thiel (eds.). Chemical Communication in Crustaceans. Springer, New York. ISBN 978-0-387-77100-7.
- Hoffmann, A. & G. Gunkel. 2011. Bank filtration in the sandy littoral zone of Lake Tegel (Berlin): Structure and dynamics of the biological active filter zone and clogging processes. Limnologica - Ecology and Management of Inland Waters 41(1):10-19.
- Isinibilir, M., L. Svetlichny, E. Hubareva, I.N. Yilmaz, F. Ustun, G. Belmonte & B. Toklu-Alicli. 2011. Adaptability and vulnerability of zooplankton species in the adjacent regions of the Black and Marmara Seas. Journal of Marine Systems 84(1-2):18-27.
- Jiang, C.I., L.q. Zhu, X.q. Hu, J.y. Cheng & M.h. Xie. 2011. Reasons and control of eutrophication in new reservoirs. Pp. 325-340 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). Eutrophication: Causes, Consequences and Control. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Jónasdóttir, S.H. & M. Koski. 2011. Biological processes in the North Sea: comparison of *Calanus helgolandicus* and *Calanus finmarchicus* vertical distribution and production. Journal of Plankton Research 33(1):85-103.
- Kirby, M.F., P. Neall, J. Rooke & H. Yardley. 2011. Formulation changes in oil spill dispersants: Are they toxicologically significant? Oil Spill Science and Technology 2011:629-642.
- Koski, M., S.H. Jónasdóttir & E. Bagøien. 2011. Biological processes in the North Sea: vertical distribution and reproduction of neritic copepods in relation to

- environmental factors. *Journal of Plankton Research* 33(1):63-84.
- Marques, J.F., M.J. Santos, C.M. Teixeira, M.I. Batista & H.N. Cabral. 2011. Host-parasite relationships in flatfish (Pleuronectiformes) – the relative importance of host biology, ecology and phylogeny. *Parasitology* 138(1):107-121.
- Martinelli Filho, J.E., R.M. Lopes, I.N.G. Rivera & R.R. Colwell. 2011. *Vibrio cholerae* O1 detection in estuarine and coastal zooplankton. *Journal of Plankton Research* 33(1):51-62.
- Moloney, C.L., M.A. St John, K.L. Denman, D.M. Karl, F.W. Köster, S. Sundby & R.P. Wilson. 2011. Weaving marine food webs from end to end under global change. *Journal of Marine Systems* 84(3-4):106-116.
- Morton, A., R. Routledge, A. McConnell & M. Krkosek. 2011. Sea lice dispersion and salmon survival in relation to salmon farm activity in the Broughton Archipelago. *ICES Journal of Marine Science / Journal du Conseil* 68(1):144-156.
- Olsén, K.H. 2011. Effects of pollutants on olfactory mediated behaviors in fish and crustaceans. Pp. 507-529 In: Breithaupt, T. & M. Thiel (eds.). *Chemical Communication in Crustaceans*. Springer, New York. ISBN 978-0-387-77100-7.
- Özkundakci, D., I.C. Duggan & D.P. Hamilton. 2011. Does sediment capping have post-application effects on zooplankton and phytoplankton? In: Hamilton, D.P. & M.J. Landman (eds.). *Lake Restoration: An Experimental Ecosystem Approach for Eutrophication Control*. *Hydrobiologia* 661(1):55-64.
- Peršić, V., D. Čerba, I. Bogut & J. Horvatić. 2011. Trophic state and water quality in the Danube floodplain lake (Kopači Rit Nature Park, Croatia) in relation to hydrological connectivity. Pp. 109-130 In: Ansari, A.A., S. Singh Gill, G.R. Lanza & W. Rast (eds.). *Eutrophication: Causes, Consequences and Control*. Springer, Dordrecht. 394 pp. ISBN-10: 9048196248.
- Peterka, J. & J. Matena. 2011. Feeding behaviour determining differential capture success of evasive prey in underyearling European perch (*Perca fluviatilis* L.) and roach (*Rutilus rutilus* (L.)). *Hydrobiologia* 661(1):113-121.
- Pond, D.W. & P. Ward. 2011. Importance of diatoms for *Oithona* in Antarctic waters. *Journal of Plankton Research* 33(1):105-118.
- Reygondeau, G. & G. Beaugrand. 2011. Water column stability and *Calanus finmarchicus*. *Journal of Plankton Research* 33(1):119-136.
- Robert, R., K. Levesque, J.A. Gagné & L. Fortier. 2011. Change in prey selectivity during the larval life of Atlantic cod in the southern Gulf of St Lawrence. *Journal of Plankton Research* 33(1):195-200.
- Saito, R., A. Yamaguchi, S.-I. Saitoh, K. Kuma & I. Imai. 2011. East-west comparison of the zooplankton community in the subarctic Pacific during summers of 2003–2006. *Journal of Plankton Research* 33(1):145-160.
- Saurabh, S., B.R. Mohanty & P.K. Sahoo. 2011. Expression of immune-related genes in rohu *Labeo rohita* (Hamilton) by experimental freshwater lice *Argulus siamensis* (Wilson) infection. *Veterinary Parasitology* 175(1-2):119-128.
- Seuront, L. 2011. Behavioral fractality in marine copepods: endogenous rhythms vs. exogenous stressors. *Physica A: Statistical Mechanics and its Applications* 390(2):250-256.
- Snell, T. 2011. Contact chemoreception and its role in zooplankton mate recognition. Pp. 451-466 In: Breithaupt, T. & M. Thiel (eds.). *Chemical Communication in Crustaceans*. Springer, New York. ISBN 978-0-387-77100-7.
- Soares, M.C.S., L.M. Lobão, L.O. Vidal, N.P. Noyma, N.O. Barros, S.J. Cardoso & F. Roland. 2011. Light microscopy in aquatic ecology: Methods for plankton communities studies. *Methods in Molecular Biology* 689(2):215-227.
- Sommer, U. & A. Lewandowska. 2011. Climate change and the phytoplankton spring bloom: warming and overwintering zooplankton have similar effects on phytoplankton. *Global Change Biology* 17(1):154-162.
- Stiernström, S., K. Hemström, O. Wik, G. Carlsson, B.-E. Bengtsson & M. Breitholtz. 2011. An ecotoxicological approach for hazard identification of energy ash. *Waste Management* 31(2):342-352.
- Thiel, M. & T. Breithaupt. 2011. Chemical communication in crustaceans: Research challenges for the twenty-first century. Pp. 3-22 In: Breithaupt, T. & M. Thiel (eds.). *Chemical Communication in Crustaceans*. Springer, New York. ISBN 978-0-387-77100-7.
- Walkusz, W., J.E. Paulic, W.J. Williams, S. Kwasniewski & M.H. Papst. 2011. Distribution and diet of larval and juvenile Arctic cod (*Boreogadus saida*) in the shallow Canadian Beaufort Sea. *Journal of Marine Systems* 84(3-4):78-84.
- Wissel, B., R.N. Cooper, P.R. Leavitt & S.V. Pham. 2011. Hierarchical regulation of pelagic invertebrates in lakes of the northern Great Plains: a novel model for interdecadal effects of future climate change on lakes. *Global Change Biology* 17(1):172-185.
- Wyatt, T.D. 2011. Pheromones and behavior. Pp. 23-38 In: Breithaupt, T. & M. Thiel (eds.). *Chemical Communication in Crustaceans*. Springer, New York. ISBN 978-0-387-77100-7.
- Yen, J. & R. Lasley. 2011. Chemical communication between copepods: Finding the mate in a fluid environment. Pp. 177-197 In: Breithaupt, T. & M. Thiel (eds.). *Chemical Communication in Crustaceans*. Springer, New York. ISBN 978-0-387-77100-7.
- Xu, F., Z.F. Yang, B. Chen, Y.W. Zhao. 2011. Ecosystem health assessment of the plant-dominated Baiyangdian

Lake based on eco-exergy. Ecological Modelling 222(1):201-209.

RECENT THESES and DISSERTATIONS

- Aguilera, Victor. 2010. Variabilidad en las condiciones de alimento inducida por los afloramientos costeros y sus efectos sobre la reproducción de copépodos dominantes en la costa de Chile. [Variability in food conditions induced by coastal upwellings and its effects on the reproduction of dominant copepods on the coast of Chile.] Ph.D. Thesis, Universidad de Concepción, Concepción, Chile. [In Spanish.]
- Alfonso, Giuseppe. 2008. Composition and structure of lacustrine zooplankton of the Southern Apennines - Italy. Ph.D. Thesis, University of Salento, Lecce, Italy. [In Italian.]
- Antonelli, Laetitia. 2010. Impact de la parasitologie sur la pisciculture en Corse. Suivi des parasitoses et étude des transferts de parasites depuis la faune sauvage vers les poissons élevés en mer ouverte. [Impact of parasitology on fish farming in Corsica. Monitoring of parasitoses and study of transfers from the wild fauna to fish raised in the open sea.] Thèse du Doctorat, Université de Corse, Campus Grimaldi, Corsica, France. [In French; abstract in English.]
- Aravena Cuevas, Guillermo. 2009. Impact of climate variability on the pelagic ecosystem of two contrasting estuaries of the Basque coast (Bay of Biscay): a time series analysis. Ph.D. Thesis, Faculty of Science and Technology, University of the Basque Country / Euskal Herriko Unibertsitatea / Universidad del País Vasco, Bilbao, Spain.
- Badr, Christian E. 2010. Bioluminescence imaging in glioblastoma: monitoring of biological processes and novel therapeutics. Doctoral Thesis, Vrije Universiteit Amsterdam, Amsterdam, The Netherlands. 203 pp. [In English; abstract in Dutch.]
- Baldwin, Rebecca E.B. 2010. Using parasite community data and population genetics for assessing Pacific sardine (*Sardinops sagax*) population structure along the west coast of North America. Ph.D. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 207 pp.
- Ballón Soto, Roberto Michael. 2010. Acoustic study of macrozooplankton off Peru: biomass estimation, spatial patterns, impact of physical forcing and effect on forage fish distribution. Étude acoustique du macrozooplankton au Pérou: estimation de biomasse, distribution spatiale, impact du forçage physique, et conséquences sur la distribution des poissons fourrage. Thèse du Doctorat, Université Montpellier II, Montpellier, France. 171 pp. [In English; abstract in French.]
- Beyrend-Dur, Delphine. 2010. Les Traits d'histoire de vie de copépodes saumâtres : du milieu tempère au milieu tropical. [The life-history traits of brackish-water copepods: from the temperate to the tropical environment.] Ph.D. Thesis in Marine Biology & in Geosciences, Ecology, Paleontology and Oceanography, University of Sciences and Technologies of Lille-1, France, and National Taiwan Ocean University, Keelung, Taiwan, R.O. C. [In French.]
- Bichai, Françoise. 2010. Impact des organismes supérieurs sur la qualité microbiologique de l'eau potable. [Impact of higher organisms on the microbiological quality of drinking water.] Ph.D. Thesis, École Polytechnique de Montréal, Montréal, Québec, Canada. 281 pp. [In French and English.]
- Boualleg, C. 2010. Caractérisation des peuplements de Copépodes parasites des poissons téléostéens du littoral Est algérien. [Characterization of the populations of parasitic Copepods of teleost fishes of the Algerian east coast.] Thèse de Doctorat, Université Badji Moktar, Annaba, Algeria. 189 p. [In French.]
- Bridgeman, Sean. 2010. Spatial patterns of zooplankton and water currents near the confluence of two major fetches in Lake Opeongo, Ontario. M.Sc. Thesis, University of Toronto, Toronto, Ontario, Canada. 60 pp.
- Cabral, Camila Rodrigues. 2009. Análise da estrutura e transporte do zooplâncton no estuário do rio Caravelas (Bahia-Brasil) através do uso do Zooscan. Spatial-temporal dynamics of zooplankton in the Caravelas river estuary (Bahia, Brazil). Dissertação de Mestrado, Universidade Federal do Rio Grande do Norte, Natal, Rio Grande do Norte, Brazil. [In Portuguese; abstract in English.]
- Carassou, Laure. 2009. Les assemblages de larves de poissons dans le lagon de Nouvelle-Calédonie : structure spatio-temporelle et relations avec les facteurs abiotiques et biotiques de l'environnement. Larval fish assemblages in the lagoon of New Caledonia: spatio-temporal structure and relationships with abiotic and biotic environmental factors. Thèse de Doctorat, Ecole Pratique des Hautes Études, Perpignan, France. 290 pp. [In French and English.]
- Coleman, Kaycee. 2010. Relationships between Copepoda abundance and planktivorous reef fish behavior during different tidal patterns off Hoga Island, Indonesia. Honors Thesis, Rutgers University, New Brunswick, New Jersey, U.S.A.
- Compte Ciurana, Jordi. 2010. Food webs of Mediterranean coastal wetlands. Ph.D. Dissertation, Institut d'Ecologia Aquàtica, Universitat de Girona, Girona, Spain. 173 pp. [In English; abstracts in Castilian and Catalan.]
- Culler, Lauren E. 2008. Macroinvertebrate predators and their role in shaping freshwater communities in constructed wetlands. M.S. Thesis. University of Maryland, College Park, Maryland, U.S.A.
- Dahlgren, Kristin. 2010. Food web structures and carbon transfer efficiencies in a brackish water ecosystem. Institutionen för Ekologi, Umeå universitet, Umeå, Sweden. 25 pp.

- Drillet, Guillaume. 2010. Copepods and their resting eggs, a potential source of nauplii for aquaculture. Ph.D. Thesis, Roskilde University, and Technical University of Denmark (DTU Aqua), Roskilde, Denmark. 170 pp. [In English; abstracts in French and Danish.]
- Drira, Zaher. 2009. Contribution à la compréhension du fonctionnement du golfe de Gabès : étude des caractéristiques dynamiques et structurales des communautés phyto-zooplanctoniques en relation avec la variabilité environnementale et les caractéristiques hydrographiques. Structure and dynamics of phytoplankton and zooplankton communities coupled with hydrographic and environmental conditions in coastal and oceanic areas of the gulf of Gabes. Thèse du Doctorat, Université de Sfax, Sfax, Tunisia, and Université de Franche-Comté, Besançon, France. [In French; abstract in English.]
- Favarro, Emerson Giuliano Palácio. 2010. Efeitos da fertilização com resíduos da alface (*Lactuca sativa* L.) nas características físico-químicas e biológicas da água em viveiros de criação extensiva de tilapias (*Oreochromis niloticus* L.). [Effects of fertilization with lettuce (*Lactuca sativa* L.) residues on the physico-chemical and biological characteristics of the water in fishponds used for extensive rearing of tilapia (*Oreochromis niloticus* L.).] Tese de Doutorado em Aqüicultura, Centro de Aqüicultura da UNESP, Universidade Estadual Paulista, Jaboticabal, São Paulo, Brazil. 78 pp. [In Portuguese; abstract in English.]
- Ferrer Mazza, Dolors. 2010. Parasitisme i condició del lluç (*Merluccius merluccius*) del Golf de Lleó. [Parasitism and condition of the hake (*Merluccius merluccius*) in the Gulf of Lions.] Màster en Medi Ambient, Universitat de Girona, Girona, Spain. [In Catalan.]
- Fetahi, Tadesse. 2010. Plankton communities and ecology of tropical lakes Hayq and Awasa, Ethiopia. Plankton Gemeinschaften und Ökologie der tropischen Seen Hayq und Awasa, Äthiopien. Dissertation, Doktor der Naturwissenschaften (Dr. rer. nat.), Fakultät für Lebenswissenschaften, Universität Wien, Vienna, Austria. 98 pp. [In English; abstract in German.]
- Ganguly, Shrijeeta. 2009. Spatial and temporal variability of macroinvertebrate communities in vernal pools on the Coastal Plain of Virginia. M.S. Thesis, Virginia Commonwealth University, Richmond, Virginia, U.S.A.
- Garlitskaya, Lesia Anatol'yeva. 2010. Ecology of Harpacticoida (Crustacea, Copepoda) of the northwestern part of the Black Sea. Ph.D. Candidate's Thesis in Biological Sciences, A.O. Kovalevsky Institute of Biology of the Southern Seas, National Academy of Sciences of Ukraine, Sevastopol, Ukraine. 23 pp. [In Russian; abstract in English.]
- Gerecht, Andrea Cornelia. 2010. Lipoxygenase activity in diatoms: A new tool to study the antiproliferative effects of diatoms on copepod reproduction. Ph.D. Thesis, The Open University, London, United Kingdom.
- Gleiber, Miram Rayzel. 2010. Time series of vertical flux of zooplankton fecal pellets on the continental shelf of the Western Antarctic Peninsula. B.Sc. Honors Thesis, College of William and Mary, Williamsburg, Virginia, U.S.A. 47 pp.
- Grote, Britta. 2010. The early life strategy of Cape hakes in the Benguela upwelling system off South Africa. Dissertation, Doktor der Naturwissenschaften (Dr. rer. nat.), Marine Zoologie/Leibniz Zentrum für marine Tropenökologie, Fachbereich Biologie/Chemie, Universität Bremen, Bremen, Germany. 153 pp. [In English; abstract in German.]
- Gusmão, Luiz Felipe Mendes. 2010. Controls on development and nucleic acid indices in tropical planktonic copepods. Ph.D. Thesis, James Cook University, Townsville, Queensland, Australia. 184 pp.
- Halloran, B. Thorpe. 2010. Early life history dynamics of the fish community in the Atchafalaya River basin. Ph.D. Dissertation, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 114 pp.
- Han, Chang-Hoon. 2009. Feeding ecology of the common jellyfish *Aurelia aurita* s.l. in different life stages. Ph.D. Thesis, Hiroshima University, Hiroshima, Japan. 99 pp.
- Häubner, Norbert. 2010. Dynamics of astaxanthin, tocopherol (vitamin E) and thiamine (vitamin B1) in the Baltic Sea ecosystem: Bottom-up effects in an aquatic food web. Ph.D. Dissertation, Uppsala University, Uppsala, Sweden. Acta Universitatis Upsaliensis. Digital Comprehensive Summaries of Uppsala dissertations from the Faculty of Science and Technology 762. 47 pp.
- Hawkyard, Donald Matthew. 2010. The use of wax spray beads (WSB) for iodine enrichment of *Artemia* sp. for use as a live food for zebrafish (*Danio rerio*) larvae. Master's Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 117 pp.
- Høgå, Mia. 2010. Risky businesses – A perspective on fishers' risk in the oil versus fish dilemma in Lofoten and Vesterålen. M.S. Thesis in International Fisheries Management, University of Tromsø, Tromsø, Norway. 96 pp.
- Holmborn, Tove. 2009. Zooplankton growth and trophic linkages : Implications for fish feeding conditions in the Baltic Sea. Ph.D. Dissertation, Stockholm University, Stockholm, Sweden.
- Holzápfelová, Hana. 2010. Biota zaplaveného kamenolomu u obce Hradec u Stodu: využití lokality v terénní výuce. Biota of the flooded stone quarry near the village Hradec u Stodu: locality utilization for education in the field. M.Sc. Thesis, University of South Bohemia, Faculty of Education, České Budějovice, Czech Republic. 133 pp. [In Czech; abstract in English.]
- Jun, You-REE. 2010. Field estimates of food preference and ingestion rates of juvenile mesozooplankton using FlowCAM in the subtropical western Pacific. M.Sc. Thesis, National Taiwan University, Keelung, Taiwan, Taiwan. 84 pp.

- Republic of China. 40 pp. [In English; abstract in Chinese.]
- Kovach, Matthew James. 2010. Adaptive advantages of carotenoid pigments in alpine and subalpine copepod responses to polycyclic aromatic hydrocarbon induced phototoxicity. M.Sc. Thesis, University of North Texas, Denton, Texas, U.S.A. 45 pp.
- Kreitzer, Joshua D. 2010. Landscape-scale and macrohabitat-scale variation in growth and survival of young June sucker (*Chasmistes liorus*) in Utah Lake. M.Sc. Thesis, Brigham Young University, Provo, Utah, U.S.A. 18 pp.
- Lamounier, Saulo Israel Barros. 2009. Distribuição espacotemporal do meiobentos da praia Rasa, Búzios (Rio de Janeiro): ênfase no estudo dos tipos tróficos da nematofauna. [Spatio-temporal distribution of the meiobenthos of Rasa Beach, Búzios (Rio de Janeiro): emphasis on the study of trophic types of the nematode fauna.] Dissertação de Mestrado em Ciências do Mar, Universidade Santa Úrsula, Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese; abstract in English.]
- Mages, Paul A. 2008. The effects of sea lice on juvenile pink salmon predation susceptibility. M.Sc. Thesis, Simon Fraser University, Burnaby, British Columbia, Canada. 102 pp.
- Mahatma, Radith. 2009. Meiofauna communities of the Pacific Nodule Province: abundance, diversity and community structure. Meiofauna Gemeinschaften der Pacific Nodule Province: Abundanzen, Diversität und Gemeinschaftsstrukturen. Dissertation, Doktor der Naturwissenschaften (Dr. rer. nat.), Institut für Biologie und Umweltwissenschaften, Carl von Ossietzky Universität Oldenburg, Oldenburg, Germany. 143 pp. [In English; abstract in German.]
- Mikas, D. 2010. The grazing coefficient, the biometry and the proteins of the *Calanipeda aquaedulcis* (copepods) in different salinities. Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 57 pp. [In Greek.]
- Morales Serna, Francisco Neptalí. 2010. Ocurrencia de copépodos parásitos en el botete Diana *Sphoeroides annulatus* (Jenyns, 1842) en el sistema lagunar Santa María La Reforma, Sinaloa, México. [Occurrence of parasitic copepods in the Diana puffer fish *Sphoeroides annulatus* (Jenyns, 1842) in the Santa María La Reforma, lagoon system, Sinaloa, Mexico.] Tesis de Doctorado, Ciencias del Mar y Limnología, Unidad Académica Mazatlán, Universidad Autónoma de México, Sinaloa, Mexico. [In Spanish.]
- Narcy, Fanny. 2010. Life strategy of *Oithona similis* and role in trophic interactions in an arctic coastal ecosystem. Ph.D. Thesis, ARCTOS Ph.D. School, Norwegian Polar Institute, University of Tromsø, Tromsø, Norway.
- Parkes, Samantha Maree. 2010. Are zooplankton invasions in constructed waters facilitated by simple communities? Master of Science Thesis, University of Waikato, Hamilton, New Zealand. 104 pp.
- Protopapa, M. 2010. Composition and structure of the mesozooplanktonic epipelagic community in the Aegean Sea. Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 130 pp. [In Greek.]
- Severson, Andrea Marie. 2010. Effects of zebra mussel (*Dreissena polymorpha*) invasion on the aquatic community of a Great Plains reservoir. M.Sc. Thesis, Kansas State University, Manhattan, Kansas, U.S.A. 73 pp.
- Spilseth, Sarah Anne. 2008. Short-term competition between juvenile Chinook salmon (*Oncorhynchus tshawytscha*) and threespine stickleback (*Gasterosteus aculeatus*) in tidal channels. M.Sc. Thesis, University of Washington, Seattle, Washington, U.S.A. 110 pp.
- Syslo, John Michael. 2010. Demography of lake trout in relation to population suppression in Yellowstone Lake, Yellowstone National Park. M.Sc. Thesis, Montana State University, Bozeman, Montana, U.S.A. 104 pp.
- Tien, Rebecca Jane. 2010. Two theoretical studies investigating predator-prey interactions. Ph.D. Dissertation, Cornell University, Ithaca, New York, U.S.A. 98 pp.
- Usmar, Natalie R. 2009. Ontogeny and ecology of snapper (*Pagrus auratus*) in an estuary, the Mahurangi Harbour. Ph.D. Thesis in Marine Science, University of Auckland, Auckland, New Zealand. 173 pp.
- Uyeno, Daisuke. 2010. Taxonomic study on the copepods parasitic on tetraodontiform fishes from Japan and East Asian countries. Ph.D. Thesis, Hiroshima University, Hiroshima, Japan.
- Vadadi-Fulop, Csaba. 2010. Planktonikus rák együttesek téridőbeli dinamikája a budapesti Duna-szakaszon és a Ráckevei (Soroksári)-Dunában. [Spatio-temporal dynamics of the planktonic crustacean assemblages of the stretch of the Danube in Budapest and Ráckeve (Soroksár) Danube.] Ph.D. Thesis, University of Budapest, Budapest, Hungary. [In Hungarian.]
- Velegraki, C. 2008. The population dynamic of *Calanipeda aquaedulcis* (Kritschagin 1873) (Copepoda). Master of Oceanography, National and Kapodistrian University of Athens, Athens, Greece. 75 pp. [In Greek.]
- Vilches, Ximena. 2008. Parásitos de los puyes en tres ambientes de diferente salinidad. [Parasites of puyes (*Galaxias*) in three environments of different salinity.] Tesis (Biología Marina), Universidad de Los Lagos, Santiago, Chile. [In Spanish.]
- Wang, Xiaohui. 2009. The effects of filtering fish manipulation and floating macrophyte rafts for improving water quality on the community structure of zooplankton in tropical reservoirs: Large scale experiments. Ph.D. Thesis, Jinan University, Guangzhou, Guangdong Province, P.R. China. [In Chinese; abstract in English.]