



Photographs from the Cape Town Public Open Day (11 November 2013)



Photographs from the Saldanha Bay Public Open Day (12 November 2013)



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Project Background

In February 2012 Shell South Africa Upstream B.V. (Shell) obtained an exploration right for the Orange Basin Deep Water Licence Area in terms of the Mineral and Petroleum Resources Development Act, 2002 (No. 28 of 2002).

As part of the process of applying for the exploration right, an Environmental Management Programme (EMPr) was compiled and approved for the undertaking of seismic surveys and exploration drilling within the licence area.

Shell undertook a 3D seismic survey in an 8 000 km² portion of the licence area, which was completed in February 2013. Based on analysis of the seismic data, Shell proposes to drill one or possibly two exploration wells.


Orange Basin Deep Water Licence Area

Licence area is approximately 37 290 km² in extent.

The eastern border of the licence area is located between approximately 150 km and 300 km off the West Coast roughly between Saldanha Bay (33°S) and Kleinzee (30°S).

Water depths range from 500 m to 3 500 m.


Depiction of a typical seismic survey



Historic seismic surveys over licence area (2003 – 2013)



Orange Basin Deep Water Licence Area



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

What authorisation is required?

Mineral and Petroleum Resources Development Act, 2002:

Shell's existing approved Environmental Management Programme (EMPr) will be amended in terms of Section 102 of the Mineral and Petroleum Resources Development Act, 2002 (No. 28 of 2002). The amendment will take account of any changes in the project scope on which the current approved exploration right work programme is based.

The EMPr Addendum will be submitted to the Petroleum Agency SA (PASA) for consideration and approval by the Minister of Mineral Resources (or the delegated authority).

National Environmental Management Act, 1998:

The Environmental Impact Assessment (EIA) Regulations 2010 promulgated in terms of Chapter 5 of the National Environmental Management Act, 1998 (No. 107 of 1998) (NEMA), as amended, provide for the control of certain activities that are listed in Government Notices (GN) R544 (Listing Notice 1), R545 (Listing Notice 2) and R546 (Listing Notice 3). These activities are prohibited until written authorisation is obtained from the Department of Environmental Affairs.

The proposed drilling operation triggers Activity 18(ii) in Listing Notice 1, which relates to the "*depositing of any material of more than 5m³ into the sea*" or "*the removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 5m³ from the sea*".

Activities in Listing Notice 1 require that a Basic Assessment process is undertaken in order for the competent authority, the Department of Environmental Affairs, to consider the application for authorisation to carry out the proposed operation.

Who are the Consultants?

CCA Environmental (Pty) Ltd, in association with NMA Effective Social Strategists (Pty) Ltd, has been appointed by Shell to compile an EMPr Addendum and to undertake a Basic Assessment process.



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Project Overview

Shell is proposing to drill one or possibly two wells in the northern portion of the licence area. At this stage an area of interest has been defined for the drilling, which is 900 km² in extent with water depths ranging between 1 500 m and 2 100 m.

The final well location will be based on a number of factors, including further analysis of the 3D seismic data, the geological target and seafloor location obstacles.


For operational reasons, drilling is expected to take place in a future summer window period between November to April and would take in the order of three months to complete. Depending on the success of the first well, a second well may be drilled to establish the quantity and potential flow rate of the resource.

Drilling unit options:

Shell is currently considering two alternative drilling units, either a semi-submersible drilling vessel (rig) or a drill-ship. Both options would be held in position by dynamic positioning thrusters (no anchoring).

Drilling units have a hoisting system to raise and lower the drill pipe and tools needed to drill the well, a Blow-out Preventer (BOP) and pumping system to circulate fluids in and out of the well while drilling.

Area of interest for well drilling



Semi-submersible drilling vessel (rig)



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Drilling procedure:

Sediments just below the seafloor are often very soft and loose, and to keep the well from caving in and to carry the weight of the wellhead a large diameter conductor pipe is jetted / drilled and cemented into place up to a depth of approximately 75 m. Below the conductor pipe, a smaller pipe or surface casing is drilled and cemented into place up to a depth of approximately 1 000 m.

During these two initial drilling stages, a water-based mud (WBM) is used to maintain well pressure, cool and lubricate the drill bit and lift rock cuttings from the hole. The WBM is pumped down through the inside of the drill pipe, through holes in the drill bit, and back to the seafloor through the space between the drill string and the walls of the hole, where it is discharged with the rock cuttings.

Following the initial drilling stage, a blow-out preventer (BOP) and marine riser are run and installed on the wellhead. The riser connects the well to the drilling unit and allows the drilling fluid and rock cuttings to be continually circulated back to the drilling unit.

Drilling continues by lowering the drill string, with a smaller bit, through the riser into the surface casing and rotating the drill string and bit. This stage of drilling would be undertaken using a synthetic-based mud (SBM). Drill cuttings are separated from the drilling fluid by solids control equipment before the mud is re-circulated. The cuttings are treated to reduce their oil content to less than 6.9% of dry cuttings weight and discharged overboard. As with the initial drilling stage, casing strings are run and cemented in place with increasing depth.

When the targeted zone is reached (2 700 m and 3 000 m below the seafloor) the well is logged and tested.

Circulation of drilling fluid and mud



Lowering of the drill string and bit to the seafloor



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Well completion and abandonment:

Based on the results of the drilling, logging and possible testing of the well, a decision would be made as to whether to suspend or abandon the well.

(a) Suspended well (commercially viable):

- Well bore is plugged (cement) and tested for integrity.
- BOP is removed.
- Wellhead (3 to 4 m high) would remain on the seafloor.
- A corrosion cap is placed over the wellhead to facilitate re-entry.


(b) Abandoned well:

- Well bore is plugged (cement) and tested for integrity.
- BOP is removed.
- Wellhead (3 to 4 m high) would either remain on or be removed from the seafloor.

Drill string and wellhead guide base



Sea- and land-based support



Sea- and land-based support:

The logistics shore base would be located in either Cape Town or Saldanha Bay. This shore base would provide for the storage of materials and equipment that would be transported from/to the drilling unit by sea. The shore base would also be used for bunkering vessels.

It is proposed to transport personnel to the drilling unit by helicopter from Kleinzee. Fixed-wing flights would be used between Kleinzee and Cape Town.



Glossary

Abandoned well

A well which is officially plugged and abandoned.

Annulus

The space between the casing and the wall of the borehole.

Appraisal well

A well drilled to determine the physical extent, reserves and likely production rate of a field.

Bit

The cutting or boring element used in well drilling.

Blow-out

An uncontrolled flow of oil or gas occurring when formation pressure exceeds the pressure applied to it by the column of drilling fluid.

Blow-out preventers

High pressure wellhead valves designed to shut off the uncontrolled flow of hydrocarbons

Borehole

The hole as drilled by the drill bit.

Casing

Steel pipe cemented in the well to seal off formation fluids or keep the hole from caving in.

Cement casing

To fill the annulus between the casing and hole with cement to support the casing and prevent fluid migration between permeable zones.

Conductor pipe

A conductor pipe is a large diameter pipe that is set into the ground to provide the initial stable structural foundation for the well.

Cuttings

The fragments of rock dislodged by the bit and brought to the surface in the drilling mud.

Drill string

The column, or string, of drill pipe. Often loosely applied to both the drill pipe and drill collars.

Drilling unit

Drilling unit that is not permanently fixed to the seabed, e.g. a drill-ship or a semi-submersible drilling vessel.

Drilling fluid / mud

A mixture of clays, chemicals and water pumped down the drill pipe to lubricate and cool the drilling bit and to flush out the cuttings, as well as to strengthen the sides of the hole. Two main categories of drilling fluids are water-based muds (WBM) and synthetic-based muds (SBM).

Exploration well

A well drilled in an unproven area in order to verify the presence or absence of a hydrocarbon reservoir.

Riser

A pipe between a seabed blow-out preventer and a drilling unit.

Rotary drilling

A drilling method in which the hole is drilled by a rotating bit to which a downward force is applied.

Suspended well

A well that has been capped off temporarily.

Well log

A record of geological formation penetrated during drilling, including technical details of the operation.

Wellbore

A borehole – the hole drilled by the bit.

Wellhead

The equipment installed at the surface of the well bore.

PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Impact Assessment Focus Area

The key focus areas that have been identified, and will be addressed, include:

- Disposal of cuttings which could smother and have biochemical effects on benthic organisms.
- Temporary loss of access to fishing grounds due to exclusion zone around the drilling operation.
- Abandoned or suspended wellheads on the sea bottom may potentially snag deep trawl nets.
- Potential interference with marine traffic.
- Waste and waste water discharge to sea, which could have localised pollution effects.
- Potential hydrocarbon spills (i.e. small accidental spills from normal operations to large spills from unplanned failure events such as well blow-outs).

Specialist Studies

Studies (and specialist)	Scope
Cuttings and Oil Spill Modelling (Prestedge Retief Dresner Wijnberg (PRDW): Stephen Luger)	<ul style="list-style-type: none">• Model the transport, dispersion and bottom deposition of drill cuttings discharged during drilling operations;• Model the trajectory and fate of oil due to a small operational spill on the water surface at the drill vessel; and• Model the trajectory and fate of oil due to a large blow-out spill at the well head on the seafloor.
Marine Faunal Assessment (Pisces Environmental Services: Dr Andrea Pulfrich)	<ul style="list-style-type: none">• Describe the local marine fauna in and around the Licence Area;• Determine the primary risks to the marine and coastal environment in the unlikely event of an accidental leak or spill during well drilling;• Identify, describe and assess the significance of potential impacts of the proposed well drilling on the local marine fauna (including the benthic and pelagic environments);• Identify practicable mitigation measures to reduce any negative impacts on marine fauna.
Fisheries Assessment (CapFish SA: Dave Japp & Sarah Wilkinson)	<ul style="list-style-type: none">• Describe the fishing activities expected in and around the Licence Area;• Undertake a spatial and temporal assessment of expected fishing effort in the proposed drilling area.• Assess the risk of impact of the drilling area on the different fishing sectors;• Assess the impact of the proposed safety zones around the drilling vessel on the fishing activities in terms of estimated catch and due to the loss of fishing grounds; and• Identify practicable mitigation measures to reduce any negative impacts on the fishing industry.

Benthic communities



Marine mammals




Fishing and marine traffic



PROPOSED EXPLORATION DRILLING IN THE ORANGE BASIN DEEP WATER LICENCE AREA OFF THE WEST COAST OF SOUTH AFRICA

Impact Assessment Process



PUBLIC PARTICIPATION PROCESS

Objectives of the Public Participation Process

- Identify issues and concerns of key stakeholders and interested and affected parties (I&APs) so that they can be addressed in the impact assessment and provide opportunity for suggestions to enhance potential benefits and prevent or mitigate potential impacts;
- Provide a reasonable opportunity for I&APs to comment on the application;
- Promote transparency about the proposed project.

Stage 1: Initial Public Consultation

(30-DAY COMMENT PERIOD: 31 OCTOBER TO 2 DECEMBER 2013)

- IDENTIFY KEY STAKEHOLDERS AND I&APs
- DEVELOP BACKGROUND INFORMATION DOCUMENT (BID)
 - **BID** in English, Afrikaans and isiXhosa
 - Send to I&APs on database and to libraries and municipal offices in Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok and Port Nolloth
- DISPLAY SITE NOTICES
 - Posters at libraries/municipal offices in Saldanha, Vredenburg, Lamberts Bay, Springbok, Kleinzee and Port Nolloth
- ADVERTISE PROJECT
 - Adverts placed in *Cape Times*, *Sunday Times*, *Rapport*, *Die Burger*, *Ons Kontrei* and *Weslander* between 27 and 31 October 2013.
- CONVENE PUBLIC OPEN DAYS / PUBLIC MEETINGS
 - In the first round, open days and information-sharing meetings will be held in **CAPE TOWN** and **SALDANHA** to provide an overview of the proposed project and allow I&APs the opportunity to raise any issues or concerns. A meeting is also being held with the **NORTHERN CAPE PROVINCIAL COASTAL COMMITTEE**.

30-Day Comment Period Commenced:
Thursday 31 October to Monday 2 December 2013



PUBLIC PARTICIPATION PROCESS

Stage 2: Review of Draft Basic Assessment Report (BAR) and Environmental Management Programme (EMPr) Addendum

(40-DAY COMMENT PERIOD)

- Advertise availability of draft BAR / EMPr Addendum and open days and information-feedback meetings in same newspapers
- Translate executive summary to draft BAR and EMPr Addendum into Afrikaans and isiXhosa
- Send letter to all I&APs on availability of Draft BAR and EMPr Addendum
- Posters and copies of executive summary to be made available in Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok and Port Nolloth
- Draft BAR and EMPr Addendum to be placed in Cape Town, Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok and Port Nolloth
- Open days and information-feedback meetings in Cape Town and Saldanha (17 Feb – 3 Mar 2014)

Stage 3: Review of Final BAR

(30-DAY COMMENT PERIOD)

- Translate executive summary to final BAR into Afrikaans and isiXhosa
- Letter to all I&APs on availability of Final BAR
- Posters and copies of executive summary distributed in Saldanha, Vredenburg, Lamberts Bay, Saldanha, Springbok and Port Nolloth
- Final BAR placed in Cape Town, Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok and Port Nolloth
- Collate written submissions from I&APs on Final BAR for submission to the Department of Environmental Affairs (DEA)

Environmental Authorisation (EA)

WITHIN 12 DAYS OF ISSUE OF EA:

- Advertise EA and appeal procedure in local, provincial and national newspapers
- Written notification to I&APs of availability of Environmental Authorisation



Please contact:
Mfowabom Maphosa
NMA Effective Social Strategists (Pty) Ltd
PO BOX 32097, BRAAMFONTEIN, 2017
Tel: 011 447 9737 Fax: 086 601 0381
E-mail: mfowabom@nma.org.za

VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Agtergrond tot projek

In Februarie 2012 het Shell 'n eksplorasiereg ontvang vir die Oranjekom-diepwater-lisensiegebied kragtens die Wet op Minerale en Petroleum-hulpbronne, 2002 (No. 28 van 2002) ('MPRDA').


As deel van die aansoekproses om die eksplorasiereg, is 'n Omgewingsbestuursprogram (OBPr) vir seismiese opnames en eksplorasieboorwerk binne die lisensiegebied saamgestel.

Shell het 'n 3D- seismiese opname in 'n 8 000 km² gedeelte van die lisensiegebied onderneem, wat op 22 Februarie 2013 afgehandel is. Gebaseer op die ontleding van die seismiese data, wil Shell een of moontlik twee eksplorasieboorgate onderneem.


Oranjekom-diepwater-lisensiegebied
Lisensiegebied is ongeveer 37 290 km² groot.

Die oostelike grens van die lisensiegebied lê ongeveer 150 tot 300 km vanaf die Weskus min of meer tussen Saldanhabaai (33°S) en Kleinzee (30°S) in water wat tussen 500 en 3500 m diep is.


Uitbeelding van 'n tipiese seismiese opname



Historiese seismiese opnames van lisensiegebied (2003 – 2013)



Oranjekom-diepwater-lisensiegebied



VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Watter magtiging word verlang?

Wet op Minerale en Petroleum-hulpbronontwikkeling ('MPRDA'), 2002:

Magtiging vir Shell se bestaande, goedgekeurde Omgewingsbestuursprogram (OBPr) sal ingevolge Artikel 102 van die Wet op Minerale en Petroleum-hulpbronontwikkeling, 2002 (No. 28 van 2002), gewysig word. Die wysiging sal enige veranderinge in die projekomvang waarop die huidige, goedgekeurde eksplorasiereg-werkprogram gebaseer is, in ag neem.

Die OBPr-addendum sal by die Petroleum Agency SA (PASA) vir oorweging en goedkeuring deur die Minister van Minerale Hulpbronne (of sy aangewese volmag) ingedien word.

Wet op Nasionale Omgewingsbestuur ('NEMA'), 1998:

Die Omgewingsimpakstudie- (OIS) regulasies 2010, gepromulgeer ooreenkomstig artikel 5 van die Wet op Nasionale Omgewingsbestuur, 1998 (No. 107 van 1998) ('NEMA'), soos gewysig, bepaal hoe sekere aktiwiteite soos in Staatskennisgewing R544 (Lyskennisgewing 1), R545 (Lyskennisgewing 2) en R546 (Lyskennisgewing 3) vervat, uitgevoer moet word. Hierdie aktiwiteite kan nie voortgaan alvorens skriftelike magtiging vanaf die Departement van Omgewingsake verkry is nie.

Die voorgestelde boorbedrywighede gee aanleiding tot Aktiwiteit 18(ii) in Lyskennisgewing 1, wat gaan oor die storting van enige materiaal van meer as 5 kubieke meter in die see, of die verwydering of verskuiwing van meer as 5 kubieke meter grond, sand, skulpe, skulpklipgruis, spoelklippies of gesteentes uit die see.

Aktiwiteite in Lyskennisgewing 1 vereis dat 'n Basiese Assessering onderneem word sodat die owerheid, d.i. is die Departement van Omgewingsake (DOS), die aansoek om magtiging vir die uitvoer van die voorgestelde bedrywighede kan oorweeg.

Wie is die konsultante?

CCA Environmental (Edms.) Bpk. (CCA), in samewerking met NMA Effective Social Strategists (Edms.) Bpk. (NMA), is deur Shell aangestel om 'n OBPr-addendum saam te stel, en om 'n Basiese Assessering te onderneem.



VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Oorsig oor die Projek

Shell wil een of moontlik twee eksplorasieboorgate in die noordelike deel van die lisensiegebied boor. Op hierdie stadium is 'n voorgenome gebied vir die boorwerk omskryf van 900 km² in water wat tussen 1500 en 2 100 m diep is.

Die finale boorgatligging sal op 'n aantal faktore gebaseer word, insluitende verdere ontleding van die 3D-seismiese data, die geologiese teiken en struikelblokke op die seebodem.

As gevolg van bedryfsredes, word daar verwag dat die boorwerk in 'n toekomstige somertydperk (tussen November en April) sal plaasvind, en dat dit ongeveer drie maande sal duur om af te handel. Afhangend van die sukses van die eerste boorgat, sal 'n tweede eksplorasiegat moontlik geboor word om die gehalte en potensiële vloeikoers van die hulpbron te bepaal.

Tipe booropsies:


Shell oorweeg tans twee booropsies met alternatiewe booreenhede, 'n semi-onderwaterboorplatvorm (boortoring) of 'n boorskip. Beide opsies vereis dat die boortoring in posisie gehou word deur dinamiese posisioneringstoters (en nie ankers nie).

Boorenhede het 'n histoestel wat die boorpyp en instrumente wat benodig word om die boorgat te boor kan oplig en laat sak, 'n uitbarsting- of lekvoorkomer en pomp wat vloeistof in en uit die boorgat gedurende boorwerk sirkuleer.

Boorskip



Gebied van belang vir boorwerk



Semi-onderwaterboorplatvorm (boortoring)



Boorskip



VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Boorprosedures:

Sedimente of afsettings net onder die seebodem is dikwels baie sag en slap, en om te keer dat die boorgat inval en om die gewig van die boorgatkop te dra, word 'n geleierpyp met 'n groot deursnee in posisie geboor en gesement op 'n diepte van ongeveer 75 m in die seebodem. Onder die geleierpyp sal 'n kleiner pyp of oppervlakvoering geboor en gesement word tot op 'n diepte van nagenoeg 1 000 m in die seebodem.


Gedurende hierdie twee aanvanklike boorfases word watergebaseerde modder gebruik om boorgatdruk te handhaaf, om die boorpunt af te koel en te smeer, en om rotsgruis uit die gat te voer. Die watergebaseerde modder spuit deur openinge aan die kant van die boorpunt in die gat af deur die hol boorpunt, en terug na die seebodem deur die spasie tussen die boordraad en die wande van die gat, waar dit saam met die rotsgruis weggedoen word.

Na die aanvanklike boorfase word 'n uitbarstingvoorkomer en marine-opstaner op die boorgatkop geplaas en geïnstalleer. Die opstaner verbind die boorgat aan die booreenhed en sorg dat die boorvloeistof en boorgruis aanhoudend terug na die booreenhed gesirkuleer word.


Boorwerk vervolg deur die boordraad te laat sak, met 'n kleiner boorpunt, deur die opstaner in die oppervlakvoering waar die boordraad en boorpunt roteer. Hierdie fase van die boorwerk word met die gebruik van sinteties-gebaseerde modder uitgevoer. Boorgruis word van die boorvloeistof geskei om soliede stukke te verwijder voordat die modder hersirkuleer word. Die boorgruis word behandel om die olieinhoud daarvan na minder as 6.9% van die droë boorgruisgewig te verminder en oorboord gestort. Soos die geval was by die aanvanklike boorfase, word stukke voering in posisie geplaas en gesement soos daar dieper geboor word.

Wanneer die teikensone bereik is (2 700 m en 3 000 m onder die seebodem), word die diepte aangeteken en getoets.

Sirkulering van boorvloeistof en modder



Boordraad en boorput word tot op seebodem laat sak



VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Afhandeling en prysgeee van die boorgat:

Gebaseer op die resultate van die boorwerk, dataopnames en moontlike toetsing van die boorgat, sal daar besluit word of die boorgat permanent prysgegee word en of werk daar tydelik opgeskort word.

(a) Oorskorting van bedrywighede by boorgat wat kommersieel lewensvatbaar is:

- Cementproppe word binne-in boorgat geplaas en getoets vir integriteit.
- Die uitbarstingvoorkomer word verwyder.
- Die boorgatkop (3 tot 4 m hoog) sal op die seebodem agterbly.
- 'n Korrosiekop word oor die boorkop geplaas om hertoegang te faciliteer.

(b) Boorgate wat prysgegee word:

- Cementproppe word binne-in boorgat geplaas en getoets vir integriteit.
- Die uitbarstingvoorkomer word verwyder.
- Die boorgatkop (3 tot 4 m hoog) sal verwijder word of op die seebodem agterbly.

See- en landgebaseerde ondersteuning:


Die logistieke kusbasis sal óf in Kaapstad óf in Saldanhabaai geleë wees. Hierdie kusbasis sal voorsiening maak vir die bering van materiale en toerusting wat per see van en na die booreenhed vervoer moet word. Die kusbasis sal ook vir die bunkerskepe gebruik word.

Die voorstel is dat personeel per helikopter vanaf Kleinzee na die booreenhed vervoer word. Vastevlervliegtuie sal vir vlugte tussen Kleinzee en Kaapstad gebruik word.

Leibasis van boordraad en boorkop



See- en landgebaseerde ondersteuning:



Woordelys:

Annulus
Boordraad

Die spasie tussen die voering en die wand van die boorgat.
Die kolom, of draad, of boorpyp. Baie maal losserig aan beide kante van die boorpyp en boorperke vasegmaak.

Booreenhed
Boorgatkop
Boorgatopnames

Booreenhede wat nie permanent aan die seebodem geheg is nie, met ander woorde, 'n boorskip of 'n semi-onderwaterboorplattform.

Die holte wat deur die boorpunkt gebro word.

Die toerusting wat op die oppervlak van die boorgat geïnstalleer is.

Boorgat wat opgeskort word
Boorgat wat prysgegee word
Boorgruis

'n Boorgat waar werkzaamheid tydelik gestaak word.

'n Boorgat wat amptelik versééen en prysgegee is.

Stukkies rots wat deur die boorpunkt losgewikkeld en in die boormodder na die oppervlak gebring word.

Die instrument wat tydens boorwerk vir sny- en booraksie gebruik word.

'n Mengsel van klei, chemiese stowwe en water wat deur die boorpyp gepomp word om die boorpunte te smeer en te laat afkoel, en om die boorgruis uit te spuit, sowel as om die kante van die gat mee te verstewig.

Twee hoofkategorieë van boorvloeistof is die watergebaseerde modder en sinteties- gebaseerde modder.

Eksplorasieboorgat

'n Boorgat wat geboor word in 'n gebied wat nog nie as geskik bewys is

Geleierpyp

Opstaner

Rotasieboorwerk

Sementvoering

Uitbarsting / Ilek

Uitbarstingvoorkomers

Voering

Waarderingsboorgat

ten einde die teenwoordigheid of afwesigheid van 'n koolwaterstofreservoir te bevestig.

'n Geleierpyp is 'n pyp met 'n groot deursnee wat in die grond geplaas word om aanvanklik stabiele strukturele fondasie vir die boorgat te verskaaf.

Die pyp tussen 'n seebodemlek- of uitbarstingsvoorkomer en 'n booreenhed.

'n Boormetode waarvolgens die gat met behulp van 'n rotasieboorpunt geboor word en waarop afwaartse druk toegepas word.

Om die annulus tussen die voering en die gat met cement te vul om die voering te ondersteun en beweging van vloeistof tussen deurlatende sones te voorkom.

Die onbeheerde vloeい of olie of gas wat plaasvind wanneer formasiedruk meer is as die druk van die boorvloeistofkolom.

Hoëdrukboorkopkleppe ontwerp om die onbeheerde vloeい van koolwaterstof te stuit.

'n Staal pyp wat met cement in die boorgat geplaas word om enige rotasievloeistof weg te keer en te voorkom dat die gat insak.

'n Boorgat wat geboor word om die fisiese omvang, reserwes en moontlike produksievlek van 'n terrein te bepaal.

VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Fokusgebied: Impakassessering

Die vernaamste fokusgebiede wat geïdentifiseer is en aangespreek sal word, sluit in:

- Wegdoen van boorgruis wat seebodemorganismes kan versmoor en 'n biochemiese uitwerking daarop kan hê.
- Tydelike verlies van toegang tot visvanggebiede as gevolg van die uitsluitingsone rondom boorbedrywighede.
- Boorgatkoppe wat op die seebodem prysgegee of wat tydelik opsy gesit is, kan moontlik aan diepseevangnette vashaak.
- Potensiële versteuring van marinevervoer.
- Afval en afvalwater wat in die see gestort word, wat gelokaliseerde besoedelingsimpak kan hê.
- Potensiële koolwaterstofstortings (d.i. klein, toevallige stortings as deel van die normale bedrywighede, tot groot stortings as gevolg van onbeplande mislukkings soos 'n boorgatuitbarsting of -lek).

Spesialisstudies

Studies (en spesialistse)	Omvang
Boorgruis- en oliestorting-modellering (Prestedge Retief Dresner Wijnberg: Stephen Luger)	<ul style="list-style-type: none">• Modelleer die vervoer, verspreiding en bodemstorting van boorgruis gedurende boorwerksaamhede;• Modelleer die oliestortingsbaan en lot van olie as gevolg van 'n klein operasionele storting op die wateroppervlak by die boorvaartuig; en• Modelleer die oliestortingsbaan en lot van olie as gevolg van 'n groot storting as gevolg van uitbarsting of lek by die boorgatkop op die seebodem.
Marine Fauna-assessering (Pisces Environmental Services: Dr Andrea Pulfrich)	<ul style="list-style-type: none">• Beskryf die plaaslike marine fauna in en om die lisensiegebied;• Bepaal die primêre risiko's vir die marine en kusomgewing tydens die onwaarskynlike voorval van 'n toevallige lekkasie of storting gedurende boorwerk;• Identifiseer, beskryf en assesseer die beduidendheid van potensiële impakte van die voorgestelde boorwerk op die plaaslike marine fauna (insluitende seebodemlewe en diepseeomgewings);• Identifiseer praktiese versagtingsmaatreëls om enige negatiewe impakte op die marine fauna te verminder.
Visseryassesring (CapFish SA: Dave Japp & Sarah Wilkinson)	<ul style="list-style-type: none">• Beskryf visvangaktiwiteite wat na verwagting in en om die lisensiegebied voorkom;• Onderneem 'n tyd- en ruimtelike assessering van verwagte visvangpogings in die voorgestelde boorgebied;• Assesseer die impakrisiko van die boorwerkgebied op die verskillende visvanksektore;• Assesseer die impak van die voorgestelde veiligheidsones rondom die boorvaartuig op visvangaktiwiteite ten opsigte van die geraamde vangs en as gevolg van die verlies van visvanggebiede; en• Identifiseer praktiese versagtingsmaatreëls om enige negatiewe impakte op die visserybedryf te verminder.

Bentiese of seebodemorganismes



Marine soogdiere




Visvang- en marine verkeer



VOORGESTELDE EKSPLORASIEBOORWERK IN DIE ORANJE-KOM-DIEPWATER-LISENSIEGEBIED LANGS DIE WESKUS VAN SUID-AFRIKA

Impakassesseringsproses



OPENBARE DEELNAMEPROSES

Doelewitte van die Openbare Deelnameproses

- Om kwessies en kwellinge van die vernaamste belanghebbers en geïnteresseerde en geaffekteerde partye (B&GP's) te identifiseer sodat dit in die impakassessering aangespreek kan word, om geleentheid vir voorstelle te bied om potensiële voordele/impakte te verhoog/versag;
- Om 'n redelike geleentheid aan B&GP's te bied om kommentaar op die aansoek te lewer;
- Om deursigtigheid oor die voorgenome projek te bevorder.

Fase 1: Aanvanklike Openbare Oorlegpleging

(30-DAE-KOMMENTAARTYDPERK: 31 OKTOBER TOT 2 DESEMBER 2013)

- IDENTIFISEER VERAAMSTE BELANGHEBBERS, GEINTERESSEERDE EN GEAFFEKTEERDE PARTYE
- ONTWIKKEL DIE AGTERGRONDINLIGTSDOKUMENT (AID)
 - AID in Engels, Afrikaans en Xhosa
 - Stuur aan B&GP's op die databasis en aan biblioteke en munisipale kantore in Saldanha, Vredenburg, Lambertsbaai, Kleinzee, Springbok en Port Nolloth
- STEL TERREINKENNISGEWINGS TEN TOON
 - Plakkate by biblioteke/munisipale kantore in Saldanha, Vredenburg, Lambertsbaai, Kleinzee, Springbok en Port Nolloth
- ADVERTEER DIE PROJEK
 - Plaas advertensies in *Cape Times*, *Sunday Times*, *Rapport*, *Die Burger*, *Ons Kontrei* en *Weslander* tussen 27 en 31 Oktober 2013.
- ROEP OPENBARE OPEDAE/OPENBARE VERGADERINGS SAAM
In die eerste rondte sal ope dae en inligtingsvergaderings in **KAAPSTAD** en **SALDANHA** gehou word om 'n oorsig oor die voorgestelde projek te verskaf en om B&GP's die geleentheid te gee om enige kwessies of kwelpunte te opper. 'n Vergadering word ook beoog met die **NOORDKAAPSE PROVINSIALE KUSKOMITEE**.

30-dae-kommentaartydperk begin:
Donderdag 31 Oktober tot Maandag 2 Desember 2013



OPENBARE DEELNAMEPROSES

Fase 2: Oorsig oor Konsep- Basiese Assesseringsverslag (BAV) en Omgewingsbestuursprogram (OBPr)-addendum

(40-DAE-KOMMENTAARTYDPERK)

- Adverteer beskikbaarheid van Konsep-BAV / OBPr-addendum en ope dae en inligting-terugvoervergaderings in dieselfde koerante
- Vertaal beknopte oorsig tot Konsep-BAV- en OBPr-addendum in Afrikaans en Xhosa
- Stuur brief aan alle B&GP's oor beskikbaarheid van Konsep-BAV- en OBPr-addendum
- Plakkate en afskrifte van die beknopte oorsig moet beskikbaar gestel word in Saldanha, Vredenburg, Lambertsbaai, Kleinzee, Springbok en Port Nolloth
- Konsep-BAV- en OBPr-addendum verskyn in Kaapstad, Saldanha, Vredenburg, Lambertsbaai, Kleinzee, Springbok en Port Nolloth
- Ope dae en inligting-terugvoervergaderings in Kaapstad en Saldanha (**17 Feb – 3 Mrt 2014**)

Fase 3: Oorsig oor die Finale BAV

(30-DAE-KOMMENTAARTYDPERK)

- Vertaal beknopte oorsig tot Finale BAV in Afrikaans en Xhosa
- Brief aan alle B&GP's oor beskikbaarheid van Finale BAV
- Plakkate en afskrifte van beknopte oorsig word versprei in Saldanha, Vredenburg, Lambertsbaai, Saldanha, Springbok en Port Nolloth
- Finale BAV verskyn Kaapstad, Saldanha, Vredenburg, Lambertsbaai, Kleinzee, Springbok en Port Nolloth
- Maak geskrewe voorleggings van B&GP's oor Finale BAV bymekaar vir voorlegging aan die Departement van Omgewingsake (DOS)

Omgewingsmagtiging (OM)

BINNE 12 DAE NA UITREIKING VAN OM:

- Adverteer OM en appèlprosedure in plaaslike, provinsiale en nasionale koerante
- Skriftelike kennisgewings aan B&GP's oor beskikbaarheid van Omgewingsmagtiging



Kontak asseblief:
Mfowabo Maphosa
NMA Effective Social Strategists (Edms.) Bpk
POSBUS 32097, BRAAMFONTEIN 2017
Tel: 011 447 9737 • Faks: 086 601 0381
E-pos: mfowabom@nma.org.za

UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSXI AFRIKA

Imvelaphi yeProjekthi

NgoFebruwari 2012 uShell South Africa Upstream B.V. (Shell) ufumene ilungelo lokuhlola iNgingqi eVunyiweyo ye-Orange Basin Deep Water ngokwemimiselo yeMineral and Petroleum Resources Development Act, 2002 (No. 28 wama-2002).

Njengenxalenyenye yenkqubo yesicelo selungelo lokuhlola, kuqulunqwe yaye kwavunywa isiCwangciso sokuPhathwa kweNdalo esiNgqongileyo (EMPr) yokwenza iimvavanyo zokuhlola ubume bomhlaba elwandle nokubhola ukuhlola kwingingqi evunyiweyo.


UShell uqalise uhlolo lobume bomhlaba elwandle olungu-3D kwinxalenyenye engama-8 000 km² yengingqi evunyiweyo, hlo olo lugqitywe ngomhla wama-22 kaFebruwari 2013. Ngokusekelwe kuhlalutyo lolwazi oluqokelelwego lobume bomhlaba elwandle, uShell uceba ukubhola umthombo omnye okanye emibini.

INgingqi eVunyiweyo yeOrange Basin Deep Water

Umandla ovunyiweyo umalunga nama-37 290 km² ubukhulu.

Umda osempuma wommandla ovunyiweyo ubekeke phakathi kwe-150 km nama-300 km ukusuka kuNxweme oluseNtshona phakathi kwe-Saldanha Bay (33°S) ne-Kleinzee (30°S).


Ubunzulu bamanzi bukumgama osuka kuma-500 m ukuya kuma-3 500 m.



Iimvavanyo ezibalulekileyo zobume bomhlaba elwandle kummndla ovunyiweyo (2003 – 2013)



INgingqi eVunyiweyo yeOrange Basin Deep Water



Loluphi ugynyaziso olufunekayo?

Umthetho we-Mineral and Petroleum Resources Development Act, 2002:

INkqubo yokuPhathwa kokusiNgqongileyo (EMPr) ekhoyo ka-Shell iya kulungiswa ngokweCandelo 102 lomthetho we-Mineral and Petroleum Resources Development Act, 2002 (No. 28 wama-2002). Ulungiso luya kuthathela ingqalelo naziphi iinguqu zomda weprojekthi esekelwe kuwo imvume yangoku yelungelo lokuhlola inkqubo yomsebenzi.

IsiHlomelo se-EMPr siya kuthunyelwa kwi-Petroleum Agency SA (PASA) ukuqwala selwa nokunikwa imvume nguMphathiswa wobuTyebi beziMbiwa (okanye igunyabantu eligunyazisiweyo).

Umthetho we-National Environmental Management Act, 1998:

ImiThetho yoHlolo IweFuthe kwiNdalo esiNgqongileyo (EIA) Regulations 2010 ebhengezwe ngokweSahluko sesi-5 somthetho we-National Environmental Management Act, 1998 (No. 107 we-1998) (NEMA), njengoko ulungisiwe, ibonelela ngolawulo Iweentshukumo ezithile ezidweliswe kwiZaziso zikaRhulumente (GN) R544 (Listing Notice 1), R545 (Listing Notice 2) ne-R546 (Listing Notice 3). Ezi ntshukumo zithintelwe kude kube ugynyaziso olubhaliweyo lufunyenwe kwiSebe leMicimbi yokusiNgqongileyo.

Umsebenzi wokubhola ocetywayo uqalisa iNtshukumo (Activity) 18(ii) kwisaziso se-Listing Notice 1, enxulumene “nokubeka naziphi izinto ezingaphezulu kwe-5m³ elwandle” okanye “ukususwa okanye ukushenxiswa komhlaba, kwentlabathi, kwesanti, koonokrwece, kohlalutye loonokrwece, kohlalutye okanye amatye angaphezulu kwe-5 m³ elwandle”.

iNtshukumo kwi-Listing Notice 1 zifuna ukuba kwensiwe inkqubo yoVavanyo IwesiSeko ukuze igunyabantu elifanelekileyo, iSebe leMicimbi yokusiNgqongileyo, liqwalasele isicelo sogunyaziso lokuqhube umsebenzi ocetywayo.

Ngoobani abacebisi?

U-CCA Environmental (Pty) Ltd (CCA), ebambisene noNMA Effective Social Strategists (Pty) Ltd (NMA), uqeshwe nguShell ukuba enze isiHlomelo se-EMPr nokwenza inkqubo yoVavanyo IweSiseko.



UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSXI AFRIKA

Inkcazelō-jikelele yeProjekthi

UShell undulula ukubhola umthombo omnye okanye mhlawumbi emibini kwinxalenye yasemanla yengingqi evunyelweyo. Kwesi sigaba ingingqi yomdla ichongelwe ukubhola, engama-900 km² ubukhulu namanzi obunzulu bomgama ophakathi kwe-1 500 m nama-2 100 m.

Indawo yomthombo wokugqibela iya kusekelwa kwimiba eliqela, equka uhlalutyo olonzezelweyo lwedata ye-3D yobume bomhlaba elwandle, izithintelo zendawo yejoloji ekujoliswe kuyo nomgangatho wolwandle.


Ngezizathu zokusebenza, kulindelwe ukuba ukubhola kwenzeke kwixesha lehlobo elizayo phakathi koNovemba noEpreli yaye kuya kuthatha ithuba leenyanga ezintathu ukuba kugqitywe. Ngokuxhomekeke kwimpumelelo yomthombo wokuqala, umthombo wesibini ungabholwa ukumisela ubungakanani neqondo lokuqukuqeka elinokuba khona lecebo.

Amandla okunyula iyuniti yokubhola:

Ngokuqhube kayo uShell unakana iiyuniti ezimbini ezitshintshanayo zokubhola, nokuba yinqanawa yokubhola ephantse izike (rig) okanye inqanawa yokubhola. Zombini iindlela zonyulo zingazinzisa ngokubekwa kwezixhobo zokuntywilisa eziluncedo (kungekho ankile).

Ukanti iiyuniti zokubhola zinenkubo yokuphakamisa nokuthoba umbhobho wokubhola kune nezixhobo ezifunekayo zokubhola umthombo, isiThinteli soGqabukho-Dubulo (Blow-out Preventer) (BOP) nenqubo yokumpompa ukujikelezisa amalwelo xeshikweni kubholwa.

Ingingqi yomdla wokubhola umthombo



Inqanawa wokubhola entywiliweise kancinci



Inqanawa yokubhola



Inqanawa yokubhola



UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSİ AFRIKA

Inkqubo yokubhola:

Izibhidi ezingaphantsi nje komgangatho wolwandle zidla ngokuthamba kakhulu nokukhuleka, ngako ukuthintela umthombo ukudilekela ngaphakathi nokuthwala ubunzima bentloko yomthombo umbhobho omkhulu okhokelayo olicala lesangqa uyafakwa / ubholelwwe uze ugalelwwe isamente yokuwubamba kubunzulu obumalunga nama-75 m. ngaphantsi kombhobho okhokelayo, umbhobho omncinci okanye iqokobhe lomgangatho liyabholelwwe lize ligalelwwe ngesamente ukulugcina lise ndaweni ukuya kubunzulu obumalunga ne-1 000 m.

Ngethuba lezi zigaba zokuqala zokubhola, amanzi asekelwe kudaka (WBM) ayasetyenzisa ukugcina uxinzelelo lomthombo, lumpholile yaye kuthanjiswe intloko yebhola nokukhupha amasuntwana amatye emngxunyeni. I-WBM ipontshelwa ezantsi ngomphakathi wombhobho webhola, ukuphuma kwimingxuma yentloko yebhola, yaye ziphindele kumgangatho wolwandle ngezithuba eziphakathi komtya webhola neendonga zomgxuma, apha zikhutshwa kune namasuntwana amatye.

Ukulandela isigaba sokuqala sokubhola, kusetyenzisa isithinteli sogqabhuko-dubulo (BOP) yaye kufakwa isiphakamisi solwandle kuze kufakwe intloko yomthombo. Isiphakamisi sidibanisa umthombo kwiyunithi yebhola yaye sivumela ulwelo lokubhola namasuntwana amatye ukujikelezisa ngokuqhubekeyo ukuphinda kwiyunithi yokubhola.


Ukubhola kuyaqhubekeyo ngokuthoba umtya wokubhola, ngentloko yokubhola encinane, ukuphuma kwisiphakamisi ukuya kumgangatho weqokobhe nokujikelezisa umtya webhola nentloko. Esi sigaba sokubhola singenziwa ngokusebenzisa udaka olusekelwe kwimveliso (SBM). Amasuntwana okubhola ayahlukaniswa kulwelo lokubhola ngesixhobo sokulawula iziqina phambi kokuba udaka lujikeleziswe kwakhona. Amasuntwana ayalungiswa ukunciphisa iziqlatho zaho ze-oli ukuba ngaphantsi kwe-6.9% yobunzima bamasuntwana omileyo aze alahlelwwe ngaphandle. Ngokufanayo nakwisigaba sokuqala sokubhola, imitya yeqokobhe iyasetyenzisa ize igalelwwe isamente ukuyigcina endaweni ngobunzulu obongezelelwye.

Xa indawo okujoliswe kuyo ifikelelwwe (ama-2 700 m nama-3 000 m ngaphantsi komgangatho wolwandle umthombo uyagcwaliwa uze uvavanywe.

Ukujikeleza kolwelo lokubhola nodaka



Ukwehlisa umtya webhola nentloko ukuya kumgangatho wolwandle



UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSXI AFRIKA

Ukugqitywa nokuyekelewa komthombo:

Ngokusekelwe kwiziphumo zokubhola, ukugcwalisa nokuvavanya okunokwenzeka komthombo, kungathathwa isigqibo nokuba kumiswe okanye kuyekwe umthombo.

(a) Umthombo omisiwego (unokusebenza ngokwezorhwebo):

- Umgxuma womthombo uyavingcwa (ngesamente) yaye uvavanywe ngenjongo yokungqina intembeko.
- Iyasuswa i-BOP.
- Intloko yomthombo (ubude be-3 ukuya kwisi-4 m) iya kushiyeka kumgangatho wolwandle.
- Isiciko sokuthintela ukudleka sibekwa phezu kwentloko yomthombo ukulungiselela ukusetyenziswa kwakhona.

(b) Umthombo oyekiwego:

- Umgxuma womthombo uyavingcwa (ngesamente) yaye uvavanywe ngenjongo yokungqina intembeko.
- Iyasuswa i-BOP.
- Intloko yomthombo (ubude be-3 kuya kwisi-4 m) iya kushiyeka kumgangatho wolwandle.

Umtya webhola nesikhokelo sesiseko sentloko yomthombo



Inkxaso esekelwe kulwandle nomhlaba



Inkxaso esekelwe kulwandle nomhlaba:

Ulungiselelo lwenkxaso yesitishi/ isikhululo esiselunxwemeni lungamiswa nokuba kuseKapa okanye e-Saldanha Bay. Esi sitishi siselunxwemeni singabonelela ngolondolozo lwezinto nezixhobo ezinokuthuthwa ukusuka/ nokuya kwiyuniti eselwandle yokubhola. Isitishi esiselunxwemeni singasetyenziswa kananjalo ukumisa iinqanawa. Kundululwa ukuba amagosa athuthwe ngehelikhopta ukuya kwiyuniti yokubhola ukusuka e-Kleinzee. linkqubo zophapho ezisisigxina zingasetyenziswa phakathi kwe-Kleinzee neKapa.



Iglosari:

Umthombo oyekiwego

I-annulus

Umthombo wokuqinisekisa

Ibhola

Uggabhuko-dubulo

Izithinteli zogqabhuko-dubulo

Umngxuma wesitsala-manzi

Isiqubuthelo

Ukogquma ngesamente

Umbhobho wokuhambisa

lingceba

Umthombo ovalwe ngokusesikweni waza wayekwa.

Isithuba esipakathi kwemphobho nodonga loengxuma wesitsala-manzi. Umthombo othi ubhollowe ukuze kubonwe ubungakanani, ubuninzi kunye nokuba inganveliso ngezinga elinjini na intsimi.

Intsinjana okanye isikhoblo sokubhola esisetyenziswa xa kubholwa umthombo.

Ukumpompoza okungalawulekiyo kwe-oyle okanye igesi okuthi kwenzeke xa uxinzelo lokutsawula kwayo luba ngapezelu koxinzelo olufakwa kuyo ngentsika yowlolo lokubhola.

Izivalo zoxinzelo oluphezu zentloko yomthombo ezenzelwe ukuthintela ukumpompoza okungalawulekiyo kwehayidrokharbhon

Umngxuma owombiwa ngebhola.

Umbhobho wentsimbi owogonywe ngesamente emthonjeni ukuze kuvalewe ulwelo okanye kuthintelwe umngxuma ungdiliki.

Ukuvala isithuba esipakathi kwesigqubuthelo kunye nomngxuma

ngesamente ukuxhosa isigqubuthelo nokuthintela ulwelo lungadlulele kwiindawu ezikufutshane.

Umbhobho wokuhamisa ngumbhobho obanzi othi ufakwe emhlabeni ukuze kwenziwe isiseko esizinzelizo sokuqala sokwahelwa komthombo.

Amatyae amancinci aqhekezza yibhola nathi aphume ngaphandle nodaka olunyuka xa kubholwa.

Umtya wokubhola

Iyuniti yokubhola

Ulwelo/ udaka lokubhola

Umthombo wokungqawa

Iriser

Irotary drilling

Umthombo omisiwego

Incwadi yomthombo

Imbobo yomthombo

Intloko yomthombo

Intsika, okanye umtya, wombobho wokubhola. Lidla ngokusetyenziswa kumbhobho wokubhola okanye intsika zokubhola.

Iyuniti yokubhola ayincamathelewa ngokusigxina entseleni yowlandle, umz. inqanawa yokubhola okanye isikhishana sokubhola esitshoniswa ngokuyinxene emanzini.

Umxube wodongwe, imichiza namanzi ahanjisa ngombhobho wokubhola ukuze kuthanjiswe yaye kupholiswe intsimbi yokubhola nokukhupa iingceba zamatiye, kunye nokuqinisa umngxuma emacaleni. lindidi ezimbini eziphamibili zolwelo lokubhola ludaka olwenzive ngamanzi (WBM) kunye nodaka olwenzive ngokutwywa kwemichiza ethile (SBM).

Umthombo obholla endaweni engazange ibholwe ukuze kuqinisekiswe ubukho okanye ukungablikho kwemichiza yehayidrokharbhon.

Umbhobho opakathi kweksihoblo sokuthintela ugqabhuko-dubulo esisentseleni yowlandle kunye neyuniti yokubhola.

Indiela yokubhola umngxuma ngebhola ejikeleziswayo ngelixa icinezelwe phantsi ngamandla.

Umthombo ovaliweyo okwethutyanwa.

Irekhoi yowlazi lobume bomblaha ekululwe kuwo ngethuba kubholwa, kuquka iirkucukacha zobuchewepheshe zomebenzi.

Umngxuma wesitsala-manzi – umngxuma obholla ngentsimbi yokubhola.

Isixhobo esifaka kumphezelu wendawo ekumbiwe kuyo umthombo.

UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSİ AFRIKA

liNkalo ekuJoliswe kuzo kuVavanyo IweFuthe

liNkalo ezingundoqo ekujoliswe kuzo ezichongiwego, neziya kuthathelwa ingqalelo, ziQuka:

- Ukulahlwa kweengceba ezinokufuthanisela yaye zibe neziphumo zemichiza yempilo kwiziphili ze-benthic.
- Ilahleko yethutyana yokufikelela kwiindawo zokuloba ngenxa yendawo ebekelwa bucala engqonge umsebenzi wokubhola.
- Intloko zemithombo eyekiwego okanye emisiwego kumgangatho wolwandle zinokuba ziziphamiso kwiminatha yezikhitshana zokuloba kumanzi anzulu.
- Uphazamiseko olunokwenzeka kwizithuthi zaselwandle.
- Ukulahlwa kwenkunkuma namanzi amdaka elwandle, okunokuba nesiphumo songcoliseko kwiningqi.
- Ukuchitheka okunokwenzeka kwe-hydrocarbon (oko kukuthi. lingozi ezincinci zokuchitheka kwimisebenzi yesiqhelo ukuya kukuphalala okukhulu okudalwa ziziganeko ezingacetywanga zokusilela ezifana nogqabhucho-dubulo).

Uphononongo IweNgcali

Uphononongo (nengcali)	Umda
Umzekelo Weengceba Nokuchitheka Kweoyile (Prestedge Retief Dresner Wijnberg (PRDW): Stephen Luger)	<ul style="list-style-type: none">• Yenza umzekoko wokuthuthwa, ukuchithwa nokulahlwa emazantsi kweengceba zezinto eziqhekekayo xa kubholwa;• Yenza umzekelo obonisa ukuhamba kwe-oyile nento eyenzekayo kuyo ngenxa yokuchitheka kwayo emanzini angaphezulu kwinqanawa yokubhola;• Yenza umzekelo obonisa ukuhamba kwe-oyile nento eyenzekayo kuyo ngenxa yogqabhucho-dubulo olukhulu olunokwenzeka kwintloko yomthombo entseleni yowlandle.
Uhlolo IweziLwanyana zaselwandle (IPisces Environmental Services: uGqr Andrea Pulfrich)	<ul style="list-style-type: none">• Chaza izilwanyana zaselwandle ezihlala kule ndawo iijkeze iNGinqi Evuniwego;• Qinisekisa ngeengozi eziyintloko kokungqongileyo kwaselwandle naselunxwemeni ukuba kungenzeka kubekho izinto eziuzayo okanye zichitheke ngengozi ngethuba kubholwa umthombo;• Chonga, chaza ze uhlole ubukhulu befuthe elinokubangelwa kukubholwa komthombo okucetywayo kwizilwanyana zaselwandle kule ndawo (kuquka okungqongileyo enzulwini nakumphezelu wolwandle;• Chonga amanyathelo asebenzayo okunciphisa naliphi na ifuthe elibi kwizilwanyana zaselwandle.
Uhlolo lokuLoba (nguCapFish SA: Dave Japp & Sarah Wilkinson)	<ul style="list-style-type: none">• Chaza imisebenzi yokuloba elindelekileyo kwiNgingqi Evuniwego nakwiindawo eziijkezileyo;• Yenza uhlolo kwiindawo ezithile nolwethutyana kumzamo wokuloba okulindelekileyo kwindawo ekucetywa ukubhola kuyo.• Hlola ingozi yefuthe lendawo ekuza kubholwa kuyo kumacandelo ahlukaneyo okuloba;• Hlola ifuthe kwiindawo ezikhushelwego ezicetyisiwego eziijkeze isikhephe sokubhola kwimisebenzi yokuloba ngokweentlanzi ekuqikelewa ukuba zingabanjiswa nangenxa yokulahlekelwa ziindawo zokuloba; kunye• Nokuchonga iindlela ezisebenzayo zokunciphisa naliphi na ifuthe elibi elinokubakho kwishishini lokuloba.

Iziphili zeBenthic



limamali zaselwandle




Ukuloba nezihamblela zaselwandle



UHLOLO OLUSISISEKO LWENKQUBO YOKUBHOLA OKUCETYWAYO KWINGINGQI EVUNYELWEYO YE-ORANGE BASIN DEEP WATER KUNXWEME OLUSENTSHONA LOMZANTSXI AFRIKA

Inkqubo yokuVavanya iFuthe



INKQUBO YOKUTHATHA INXAXHEBA KOLUNTU

linjongo zeNkqubo yokuThatha iNxaxheba koLuntu

- Ukuchonga imiba neenkxalabo zabathathi-nxaxheba abangundoqo kune namaqela anomdla nachaphazelekayo (ii-I&AP) ukuze kuthethwane nabo kuvalavano lwefuthe nokubonelela ngethuba lezimvo ukuphakamisa iinzuso ezinokubakhona nokuthintela okanye ukuthethelela iimpembelelo ezinokubakhona;
- Ukubonelela ngethuba elamkelekileyo kumaQela anoMdla naChaphazelekayo (ii-I&AP) ukuveza izimvo malunga nesicelo;
- Ukukhuthaza ukwenziwa kwezinto elubala malunga neprojekthi ecetywayo.

Isigaba soku-1: Uthetha-thethwano lokuQala loLuntu

(IXESHA LEZIMVO LEENTSUKU EZINGAMA-30: UMHLA WAMA-31 OKTHOBHA UKUYA KOWE-2 DISEMBA 2013)

- **UKUCHONGA ABATHATHI-NXAXHEBA ABANGUNDOQO NEE-I&AP**
- **UKUPUHLISA UXWEBHU LOLWAZI LWEMVELAPHI (BID)**
 - I-BID ngeEnglish, iAfrikaans nesiXhosa
 - Ukuthumela kwii-I&AP ezikwi-database nakwiilayibrari neeofisi zikamasipala e-Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok nase-Port Nolloth
- **IAZISO ZOKUBONISA ISIZA**
 - Iiphowusta kwiliayibrari/ iiofisi zikamasipala e-Saldanha, Vredenburg, Lamberts Bay, Springbok, Kleinzee nase-Port Nolloth
- **UKWAZISA IPROJEKTHI**
 - Izaziso zifakwe kwi-Cape Times, Sunday Times, Rapport, Die Burger, Ons Kontrei ne-Weslander phakathi komhla wama-27 nowama-31 Okthobha 2013.
- **UKUBIZA IINTSUKU EZIVULELE ULUNTU / IINTLANGANISO ZOLUNTU**

Kumjikelo wokuqala, iintsuku ezivulekile neentlanganiso zokwabelana ngolwazi ziya kubanjewa eKAPA nase**SALDANHA** ukunikela ngenkcazel-jikelele yeprojekthi ecetywayo nokunika ii-I&AP ithuba lokuphakamisa nayiphi imiba okanye iinkxalabo. Kananjalo intlanganiso ihlalelwne **KOMITI YONXWEME LWEFPHONDO LWENTSHONA KAPA (NORTHERN CAPE PROVINCIAL COASTAL COMMITTEE)**.

Ixesha leziMvo leentsuku ezingama-30 liqalise:
Ngolwesine 31 Okthobha ukuya kuMvulo 2 Disemba 2013



INKQUBO YOKUTHATHA INXAXHEBA KOLUNTU

Isigaba sesi-2: Inkcazelō-jikelele yoYilo IweNgxelo yeSiseko yoVavanyo (BAR) nesiHlomelo seNkqubo yoLawulo lokusiNgqongileyo (EMPr)

(IXESHA LEZIMVO LEENTSUKU EZINGAMA-40)

- Ukwazisa ngokufumaneka koyilo Iwe-BAR / nesiHlomelo se-EMPr neentsuku ezivulekile kunye neentlanganiso zengxelo ngolwazi kumaphephanda afanayo
- Ukuguqula isishwankathelo sesigqeba soyilo Iwe-BAR nesiHlomelo se-EMPr ukuya kwi-Afrikaans nesiXhosa
- Incwadi ithunyelwa kuzo zonke ii-I&AP ngokufumaneka koYilo Iwe-BAR nesiHlomelo se-EMPr
- Iphowusta neekopi zesishwankathelo sesigqeba ziya kufumaneka e-Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok nase-Port Nolloth
- Uyilo Iwe-BAR nesiHlomelo se-EMPr ziya kubekwa eKapa, Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok nase-Port Nolloth
- Iintsuku ezivulekile neentlanganiso zengxelo yolwazi eKapa nase-Saldanha (**17 Feb – 3 Mar 2014**)

Isigaba sesi-3: Uhlaziyo Iwe-BAR yokuGqibela

(IXESHA LEZIMVO LEENTSUKU EZINGAMA-30)

- Guqla isishwankathelo sesigqeba se-BAR yokugqibela ukuya kwi-Afrikaans nesiXhosa
- Incwadi eya kuzo zonke ii-I&AP ngokufumaneka kwe-BAR yokuGqibela
- Iphowusta neekopi zesishwankathelo sesigqeba zisasazwa e-Saldanha, Vredenburg, Lamberts Bay, Saldanha, Springbok nase-Port Nolloth
- I-BAR yokuGqibela ibekwa eKapa, Saldanha, Vredenburg, Lamberts Bay, Kleinzee, Springbok nase-Port Nolloth
- Ukuhlanganisa izimvo ezibhaliwego eziveliswe zii-I&AP malunga ne-BAR yokuGqibela ukuze zithunyelwe kwiSebe leMicimbi yokusiNgqongileyo (DEA)

UGunyaziso lokusiNgqongileyo (EA)

KWITHUBA LEENTSUKU EZI-12 ZOKUKHUTSHWA KWE-EA:

- Ukwazisa i-EA nenkqubo yokubhena kumaphephanda engingqi, awephondo nawesizwe
- Isaziso esibhaliwego esiya kwii-I&AP sokufumaneka koGunyaziso lokusiNgqongileyo



Nceda uqhagamshelane no:-
Mfowabo Maphosa
NMA Effective Social Strategists (Pty) Ltd
PO BOX 32097, BRAAMFONTEIN, 1911
Ifowuni: 011 447 9737 Ifefki: 086 601 0381
I-imeyile: mfowabom@nma.org.za