

**Biological Resource Assessment for Honda Valley Park
City of Santa Barbara Hazardous Fuels Mitigation
Project**

**To: The City of Santa Barbara
Parks & Recreation Department**

By: SummitWest Environmental, Inc.

September 25, 2023



SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Table of Contents

Project Summary	3
1.0 Introduction	3
1.1 Project Location and Setting.....	3
Figure 1. Regional Location Map.....	4
Figure 2. Honda Valley Park Survey Area Map.....	5
1.2 Project Description.....	6
2.0 Regulatory Overview	7
2.1 Federal Regulations.....	7
Federal Endangered Species Act.....	7
Migratory Bird Treaty Act.....	8
Bald and Gold Eagle Protection Act.....	9
Clean Water Act.....	9
2.2 State and Local Regulations.....	10
California Endangered Species Act.....	10
California Fish and Game Code.....	11
Regional Water Quality Control Board for the Central Coastal Basin.....	12
California Environmental Quality Act.....	12
City of Santa Barbara General Plan.....	13
City of Santa Barbara Local Coastal Program Coastal Land Use Plan.....	14
City of Santa Barbara Urban Forest Management Plan.....	14
3.0 Methods	16
3.1 Literature Review.....	16
3.2 Reference Site Checks.....	16
3.3 Biological Reconnaissance Surveys.....	16
3.4 Focused Surveys.....	17
4.0 Results	18
4.1 Literature Review.....	18
4.2 Reference Site Checks.....	18
4.3 Biological Reconnaissance Survey.....	18
Rare Plant Species.....	19
Figure 3. Honda Valley Park Rare Plant Map.....	20
Special Status Wildlife Species and Habitat.....	20

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Figure 4. Honda Valley Park Sensitive Wildlife and Habitat Map.....	21
Vegetation Communities.....	22
Figure 5. Honda Valley Park Vegetation Community and Native Grassland Map.....	24
Invasive Plant Species.....	24
Figure 6. Honda Valley Park Invasive Plant Map.....	26
Figure 7. Honda Valley Park Invasive Plant Target Removal Map.....	27
4.4 Water Resources.....	27
Figure 8. Honda Valley Park Water Resources Map.....	28
4.5 Wildlife Movement.....	28
4.6 Habitat Conservation Plan.....	29
5.0 Impact Analysis and Avoidance and Mitigation Measures.....	30
5.1 Special Status Species.....	30
5.2 Water Resources.....	33
5.3 Wildlife Movement.....	34
5.4 Habitat Conservation Plan.....	34
6.0 References.....	35
Appendix A- Representative Photographs.....	38
Appendix B- Botanical Species Compendium.....	46
Appendix C- Wildlife Species Compendium.....	53
Appendix D- Potential to Occur Tables.....	56
Appendix E- CNDDDB Submissions.....	71

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Project Summary

SummitWest Environmental Inc. (SummitWest) completed biological surveys for rare plant species, special status wildlife species and habitats, vegetation communities and native grasslands, invasive plant species, and conducted coarse waters mapping, in support of the City of Santa Barbara's Hazardous Fuels Mitigation Project (Project). These surveys were completed across approximately 594 acres comprising seven parks; this Biological Resources Assessment (BRA), and the associated geospatial database, detail the findings for Honda Valley Park.

In Honda Valley Park, four special status plant species, one special status wildlife species, six special status wildlife species' suitable habitats, six vegetation communities (including two sensitive communities), 27 invasive plant species, and one water resource were mapped. Survey results and impact analysis and avoidance and mitigation measures are detailed below.

1.0 Introduction

The City of Santa Barbara Hazardous Fuels Mitigation Project aims to implement a comprehensive and sustainable approach to reducing hazardous fuels in the High Fire Hazard Areas of the City, in accordance with the objectives stated in the City's 2021 Community Wildfire Protection Plan (CWPP; City, 2021), and vegetation management activities in open space parks. The work area is approximately 594 total acres spread across seven open space parks: Parma Park, Honda Valley Park, Elings Park, Douglas Family Preserve, Stevens Park, Franceschi Park, and Hale Park (Figure 1). SummitWest conducted concurrent rare plant surveys, invasive plant surveys, vegetation community and native grassland mapping, and wildlife habitat assessments to identify resources that may be affected by Project activities. Coarse waters mapping was also conducted. All Project activities are contingent on compliance with various local, state, and federal legislation.

1.1 *Project Location and Setting*

Honda Valley Park is regionally located within the City of Santa Barbara on the southern coast of California. Santa Barbara is nestled between the Santa Ynez Mountains and the Pacific Ocean, resulting in a diverse topography of hills, valleys, and coastal plains (Figure 1). The Mediterranean climate of the city is characterized by mild, wet winters and warm,

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

dry summers. Frequent marine layers are present throughout the summer due to proximity to the ocean. Average temperatures are around 60°F in winter to the mid-70s°F in summer (NOAA, 1994; Western Regional Climate Center, 2023).

Figure 1. Regional Location Map



The City of Santa Barbara prioritizes sustainable development and land management, and promotes growth of natural resources as well as historic preservation. Key land uses within the city include residential, parks and open space (including Goleta Slough Natural Reserve and Shoreline), commercial, institutional, and industrial (County, 2011; County, 2021).

Honda Valley Park totals 48 acres and is located in the coastal interior zone of the High Fire Hazard Area within unincorporated Santa Barbara County, approximately 0.5-mile southwest of Highway 101 (Figure 2). The Park is bordered by Miramonte Drive to the North


SUMMIT WEST[®]

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

and La Coronilla Drive to the South. Land use of the surrounding area is residential development. Honda Valley Park is located within the United States Geological Survey (USGS) 7.5-minute Santa Barbara topographic quadrangle in Sections 21 and 28 of Township 4 North and Range 27 West, and Assessor Parcel Numbers (APNs) 035-040-028, 035-040-014, 035-040-019, and 035-040-021. Honda Valley Park is centered at approximately 34.407894 latitude and -119.712925 longitude, and elevation of the park ranges from 130 to 400 feet above mean sea level (msl) with approximately 5-10% slopes. The majority of Honda Valley Park soil is made up of Arnold loamy sand 15-30% and 30-50% slopes, which is eroded, somewhat excessively drained, and derived from Residuum weathered from very soft sandstone. Some of the Park also contains Ayar clay 50-75% slopes, which is well drained and derived from Residuum weathered from mudstone or calcareous shale (USDA, 2023).

Figure 2. Honda Valley Park Survey Area Map



SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

1.2 *Project Description*

The City of Santa Barbara Fire Department is responsible for implementing the objectives stated in the CWPP. The Fire Department and the Parks and Recreation Department have not had the resources available to closely manage and maintain the High Fire Hazard Areas and specified Vegetation Management Units (VMUs) identified in the CWPP. Therefore, the Departments jointly secured a Wildfire Resilience Grant Application offered by the California State Coastal Conservancy (Conservancy) resulting in the Hazardous Fuels Mitigation Project.

Recognized CWPP VMUs have unique hazards, include or are adjacent to resources threatened by wildfire, have the potential for extreme fire behavior, and pose various challenges for fire protection. To date, City fire crews respond to management needs on a short-term, as needed/quick response basis, without the necessary resources in place for a comprehensive response. Although the Parks and Recreation Department conducts vegetation management activities to meet defensible space requirements, a comprehensive, sustainable approach is needed.

The Hazardous Fuels Mitigation Project aims to reduce fire risk while avoiding disruption of the natural ecosystem via (1) maintaining defensible space around adjacent homes, (2) maintaining and improving the necessary fire access roads/fuel breaks to access High Fire Hazard Areas, (3) vegetation management targeted at high-fire risk invasive species removal and associated native plant restoration efforts, (4) fuel load reduction in at-risk areas, and (5) community outreach and education around fuels management. Site specific biological planning documents need to be in place before the aforementioned project work can occur.

Vegetation management methods will be implemented on a site-specific basis, including but not limited to: vegetation lifting via hand cutting, weed whipping, tree removal focused on hazardous deadwood and high-fire risk invasive species, chipping, grazing, cutting of mosaic patterns to change the fuels continuity, active restoration (planting of container plants and/or seed application), and passive restoration (promoting the natural succession and recolonization by native/fire resilient species via selective maintenance).

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

2.0 Regulatory Overview

For the objectives of this Biological Resources Assessment, special status botanical or wildlife species are those that are:

- Listed as threatened or endangered under the Federal Endangered Species Act (FESA)
- Listed as rare, threatened, endangered, or candidates for listing under the California Endangered Species Act (CESA)
- Designated as Fully Protected (FP), Species of Special Concern (SSC), or Watch List (WL) by the California Department of Fish and Wildlife (CDFW)
- Listed as Vulnerable (VU), Endangered (EN), or Critically Endangered (CR) by the International Union for the Conservation of Nature (IUCN)
- Designated as locally important by the City of Santa Barbara

Additionally, the evaluation of potential impacts on biological resources within the Project will be determined by considering the following legislation:

- FESA (USFWS, 1973)
- Migratory Bird Treaty Act (MBTA; USFWS, 1918)
- The Bald and Golden Eagle Protection Act (BGEPA; USC, 1940)
- Clean Water Act (CWA; USC, 1972)
- CESA (CDFW, 1984)
- California Fish and Game Code (CFGC; CDFW, 1984)
- Regional Water Quality Control Board (RWQCB, 2019)
- Porter-Cologne Water Quality Control Act (California Water Code, 1969)
- California Environmental Quality Act (CEQA, 1970)
- County of Santa Barbara General Plan (County, 2011)
- City of Santa Barbara Local Coastal Program Coastal Land Use Plan (City, 2019)
- City of Santa Barbara Urban Forest Management Plan (City, 2014)

2.1 Federal Regulations

Federal Endangered Species Act

The FESA (16 USC § 153 et seq.) safeguards flora and fauna that have been designated as endangered or threatened by the United States Fish and Wildlife Service (USFWS) and the

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

National Marine Fisheries Service (NMFS). According to Section 9 of the FESA, it is forbidden to engage in any activities that harm or cause “take” of endangered wildlife. “Take” encompasses actions such as to “harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, collect, or attempt to engage in such conduct” (50 Code of Federal Regulations [CFR] 17.3). Harm as listed also encompasses habitat modification. Regarding botanical species, this law regulates actions such as removing, possessing, maliciously damaging, or destroying endangered plants on federal land, as well as removing, cutting, digging up, damaging, or destroying endangered plants on non-federal land, in deliberate defiance of state law (16 U.S. Code [USC] 1538).

Federal agencies are obligated to consult with the USFWS if their activities, inclusive of providing funding or approving permits, could negatively impact any listed or proposed listed plant or wildlife species or critical habitat (Section 7 of the FESA). With discourse and provision of a biological opinion, the USFWS has the authority to grant an incidental “take” permit (ITP), sanctioning the incidental “take” of a sensitive species or its habitat as a result of an otherwise authorized activity, as long as it will not endanger the species’ continued survival. Section 10 of the ESA defines the procedure for issuing an ITP in cases where no other federal actions are required, as long as a habitat conservation plan (HCP) is established. Verification of whether the Project will affect sensitive species or their habitat depends on a thorough literature review of the Project area and/or field inspection by a qualified biologist.

No “take” of federally listed endangered or threatened species is proposed in this plan.

Migratory Bird Treaty Act

The MBTA, outlined in Section 703-711 of the 16 USC, is implemented by the USFWS. This Act administers international agreements between the United States and other countries created to safeguard migratory birds and their body parts, eggs, and nests from actions such as hunting, pursuing, capturing, killing, selling, and shipping. These actions are prohibited unless specifically allowed through regulations or obtained permits. The law currently applies to more than 1,000 species, including most native birds, and covers the destruction or removal of active nests of those species. The USFWS has the authority to grant permits for specific activities, including falconry, raptor propagation, scientific collecting, special purposes (rehabilitation, education, migratory game bird propagation,

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

and salvage), “take” of depredating birds, taxidermy, and waterfowl sale and disposal (50 CFR 13 and 50 CFR 21).

Bald and Gold Eagle Protection Act

The BGEPA, as specified in Section 668 of 16 USC, is implemented by the USFWS. The BGEPA is aimed at safeguarding both bald and golden eagles, and creates legal consequences for individuals who “take, possess, sell, purchase, barter, offer to sell, purchase or barter, transport, export or import, at any time or any manner, any bald eagle [or any golden eagle], alive or dead, or any part, nest, or egg thereof.” In the context of the BGEPA, “take” includes the activities to “pursue, shoot, shoot at, poison, wound, kill, capture, trap, collect, molest or disturb.”

Clean Water Act

The CWA (Title 33 USC Sections 1251-1376) offers direction for restoration and preservation of the “chemical, physical, and biological integrity of the nation’s waters,” which included oceans, bays, rivers, perennial and non-perennial streams, lakes, ponds, and seasonal and perennial wetlands. Section 404 of the CWA forbids the discharge of dredged or fill material into Waters of the United States (U.S.) unless a permit is administered by U.S. Army Corps of Engineers (USACE). The term “fill material” denotes any substance mainly used to replace an aquatic area with dry land or to modify the bottom elevation of a water body. The phrase “Waters of the U.S.” encompasses rivers, streams, estuaries, the territorial seas, ponds, lakes, and wetlands. Perennial and intermittent creeks are considered Waters of the U.S. if they are hydrologically connected to other navigable, jurisdictional waters.

The USACE also enforces Executive Order 11990, which is a federal policy aimed at ensuring there is no overall reduction of wetland value or acreage. In support of the CWA, the USACE strives to prevent negative impacts and mitigate unavoidable negative impacts on existing aquatic resources. Any release of dredged or fill material into wetlands and waterways that impact Waters of the U.S. necessitates a permit from the USACE prior to commencing work. Achieving the goal of no overall reduction of wetland value or acreage is accomplished through avoidance and minimization measures to the utmost extent possible, as well as through compensatory mitigation measures that will generate or amplify similar habitats.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

The USACE has the authority to grant an individual permit or a general permit. Significant effects to wetlands may necessitate obtaining an individual permit; however, projects with only minimal effects on wetlands may satisfy the criteria of one of the preexisting Nationwide Permits. Activities that necessitate a Section 404 permit require a Section 401 Water Quality Certification or waiver prior to receiving the Section 404 permit. This certification confirms compliance with state water quality standards, including beneficial uses (23 CCR § 3830, et seq), and is administered by the State Water Quality Control Board (SWQCB) and by each of nine California RWQCB.

2.2 State and Local Regulations

California Endangered Species Act

CESA closely aligns with the statutes of the FESA, but CESA also applies “take” prohibitions to species that are state candidates for listing. CESA states that “all native species of fishes, amphibians, reptiles, birds, mammals, invertebrates, and plants, and their habitats, threatened with extinction and those experiencing a significant decline which, if not halted, would lead to a threatened or endangered designation, will be protected or preserved.” Additionally, under CESA, “take” is defined as “to hunt, pursue, catch, capture, or kill, or attempt to hunt, pursue, catch, capture, or kill” an individual of a species, but this description does not include indirect impacts to species such as “harm” or “harass,” like the FESA does. CDFW is responsible for administration of CESA, and is dedicated to collaborating with individuals, agencies, and institutions to safeguard and conserve special status species and their habitats. CDFW has created lists of species categorized as California endangered, threatened, and candidate, and there is some overlap with the FESA lists.

CDFW has the authority to grant an ITP (CFGF section 2080.1), sanctioning the incidental “take” of a sensitive species as a result of an otherwise authorized activity, as long as it will not endanger the species’ continued survival. Additionally, applying for an ITP involves prerequisites such as outlining measures to minimize potential “take”, as well as detailing strategies for mitigating “take” of listed species. CESA stresses the importance of early discourse to prevent potential impacts on rare, endangered, and threatened species, and to create suitable mitigation measures to offset any loss of listed species caused by Project activities. Verification of whether the Project will affect sensitive species depends on a

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

thorough literature review of the Project area and/or field inspection by a qualified biologist.

Another type of special status species designated by the CDFW is “Species of Special Concern” (SSC), which is a classification for species that act as indicators of regional habitat alterations or have potential to become future protected species. SSC are not granted any specific legal standing, other than distinct Sections of CFGC described below. Classification as SSC is helpful for management because it allows CDFW to consider these species when making decisions regarding the development of natural landscapes.

CDFW’s California Natural Diversity Database (CNDDDB, 2023) is a resource that tracks all species of concern, referred to as “special status species” regardless of their specific protection status. CDFW regards the species on this list as requiring the highest level of conservation.

No “take” of state listed endangered or threatened species or candidate species is proposed in this plan.

California Fish and Game Code

- The Native Plant Protection Act (NPPA) (CFGC §§ 1900-1913) was established to determine which plant species qualify for state listing. Qualified species include those with a California Rare Plant Rank (CRPR) of 1A, 1B, and 2, which fulfill the requirements of sections 1901, Chapter 10 (NPPA) or sections 2062 and 2067 (CESA) of the CFGC. CDFW administers the NPPA and defines the standards that designate a species, subspecies, or variety of native plant as endangered or rare.
- Sections 1600-1616 of the CFGC regulate activities that may alter any part of “Waters of the State”, which includes the flow, bed, banks, channel, or associated riparian areas of a river, stream, or lake. Specifically, Section 1602 of the CFGC necessitates that a Notification of Lake and Streambed Alteration shall be presented to CDFW for “any activity that may substantially divert or obstruct the natural flow or substantially change the bed, channel, or bank of any river, stream, or lake.” This may include activities that will affect the edge of riparian vegetation connected to the banks. After reviewing the proposed Project activities, CDFW may submit measures for the Project to implement that are required to safeguard aquatic species and biological resources that may be impacted by the Project activities. The

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

final resulting mutual agreement between CDFW and the Project applicant is a Streambed Alteration Agreement (SAA). Frequently, Projects requiring an SAA from CDFW will also require a CWA Section 404 Permit from the USACE, and the components of both may overlap.

- The CDFW ensures the safeguarding of nongame native birds in CFGC Sections 3503, 3503.5, and 3800. Additionally, Section 3513 of the CFGC forbids the ownership or “take” of birds listed under the MBTA. Together, these Sections sanction the preservation of almost all California nongame native birds, not exclusively special status birds, as well as their nests, eggs, and parts.
- CFGC Sections 3511, 4700, 5050, and 5515 safeguard Fully Protected (FP) bird, mammal, reptile, amphibian, and fish species, and forbid any harm, possession, or “take” of any of these species. An ITP may not be obtained from CDFW for FP species, so any Project activities that could impact FP species must be entirely avoided.

Regional Water Quality Control Board for the Central Coastal Basin

The Porter-Cologne Water Quality Control Act of 1967 (California Water Code § 13000 et seq.) requires the SWQCB and the nine RWQCBs to establish water quality standards to preserve Waters of the State. These standards include defining beneficial uses, formulating descriptive and numerical water quality criteria, and outlining administrative strategies. For each RWQCB, specific water quality control plans are developed, delineating policies, objectives, and water management practices that align with the Porter-Cologne Water Quality Control Act. As mentioned in the Federal CWA section above, the RWQCB also issues Water Quality Certifications in accordance with Section 401 for all waters under federal authority. The SWQCB manages discharges and safeguards water quality of “isolated” Waters of the State through Waste Discharge Requirements (WDRs) (USC, 1972).

California Environmental Quality Act

The following guidelines derived from the Initial Study checklist within Appendix G of the CEQA Guidelines were used to determine the degree of environmental impact imposed by the Project. Based on these standards, significant impact to biological resources can be assumed if the Project would:

- have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by CDFW or USFWS;

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the CDFW or USFWS;
- have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, and coastal, etc.) through direct removal, filling, hydrological interruption, or other means;
- interfere substantially with the movement of any native resident or migratory fish or wildlife species, or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites;
- conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance; and
- conflict with the provisions of an adopted HCP, Natural Community Conservation Plan, or other approved local, regional, or state HCP.

When assessing whether there will be significant impact on a biological resource, it is crucial to consider both the resource and its role within the broader local or regional environment. A significant impact includes any impact that reduces or causes loss of a biological resource, or is inconsistent with any local, state, or federal mandates, objectives, or conservation plans. Occasionally, an impact may be locally significant due to negative modification of existing environments, but not significant per CEQA due to lack of considerable reduction or indefinite loss of that resource on a population- or region-wide basis.

City of Santa Barbara General Plan

The main purpose of the General Plan is to aid the City in becoming more sustainable, and to “enhance and preserve the City’s critical ecological resources in order to provide a high quality environment necessary to sustain the City’s ecosystem.” The General Plan helps city officials, planners, and residents make informed decisions that ensures they are “efficiently and effectively managing and protecting...natural and physical resources.” Environmental protection goals include initiatives to: create a climate change action plan; protect native trees (especially oaks); protect, maintain, and expand diverse native plant and wildlife habitats; and protect and restore creeks and riparian corridors. Specifically, biological resource policies include:

- 1.0 A set of land use suitability guidelines shall be developed for use in land planning and the environmental review process.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- 2.0 Redevelopment and renovation of the central City shall be encouraged in order to preserve existing resources.
- 3.0 Goleta Slough shall be preserved and restored as a coastal wetland ecosystem.
- 4.0 Remaining Coastal Perennial Grasslands and Southern Oak Woodlands shall be preserved, where feasible.
- 5.0 The habitats of rare and endangered species shall be preserved.
- 6.0 Intertidal and marine resources shall be maintained or enhanced.
- 7.0 Prime agricultural lands shall be conserved wherever possible and expansion of agricultural uses shall be allowed subject to maximizing compatibility with adjacent land uses and restricting effects on the environment.
- 8.0 The use of City-owned vacant properties for community gardens shall be encouraged.
- 9.0 The biotic resources of the Harbor shall be maintained, so far as possible within the framework of the Local Coastal Program (LCP) and other Harbor Restoration plans.
- 10.0 Programs shall be developed to maintain a productive urban biotic community.
- 11.0 Where Biological Resources policies conflict, the policy most protective of the natural environment shall prevail.

City of Santa Barbara Local Coastal Program Coastal Land Use Plan

The City of Santa Barbara Local Coastal Program (LCP) Coastal Land Use Plan (CLUP) describes the developmental and land use management standards within the coastal areas throughout the City of Santa Barbara. The LCP is the planning framework required by the California Coastal Act to equalize development with resource protection along the coast. The CLUP ensures responsible and sustainable land use while preserving the environment and its natural resources. Regulations for development activities and/or land uses and implementation measures that aid in protection of resources within the coastal zone are included within the CLUP.

City of Santa Barbara Urban Forest Management Plan

The main purpose of the City of Santa Barbara Urban Forest Management Plan (Plan) is to preserve, manage, and enhance urban forests throughout the City. The Plan can have the greatest influence on the approximately 20% of the urban forest that exists on City property. Together with the Parks and Recreation Department, Public Works Department,

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Community Development Department, and Fire Department, the City is able to adequately manage urban forest landscapes. Municipal codes and Objectives within the Plan describe protective and implementation measures that promote maintenance and mitigation of impact to urban forests.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

3.0 Methods

3.1 *Literature Review*

Prior to conducting fieldwork, SummitWest biologists performed a literature review of the project areas using a 6-quad search of CDFW's Biogeographic Information and Observation System (BIOS), the California Natural Diversity Database (CNDDDB; CDFW, 2023a; CDFW, 2023b), and the California Native Plant Society (CNPS) Inventory of Rare and Endangered Plants and Vegetation Alliance Manual (CNPS 2023a; CNPS 2023b). Other resources investigated include A Manual of California Vegetation, 2nd edition (Sawyer et al., 2009), Calflora (2023), Special Animals List (CDFW, 2023c), and State and Federally Listed Endangered and Threatened Animals of California (CDFW, 2023d). These searches identified special status species and vegetative communities, notable water resources, and critical wildlife habitat with potential to occur in the Survey Area. Results of this review directed the scope and details of field surveys.

3.2 *Reference Site Checks*

In preparation for field surveys, SummitWest botanist Keir Morse conducted two reference site checks to determine plant species' bloom windows, characteristics, and site-specific phenology. On April 3, 2023, Mr. Morse visited four different sites known to contain the target species (34.457648, -119.692198; 34.458679, -119.764113; 34.513800, -119.804190; 34.402906, -119.741831) to obtain visual confirmation of the species and their associated habitats, and confirm the correct time of year to begin surveying for early- to mid-season blooming species. On July 24, 2023, Mr. Morse visited four different sites known to contain the target species (34.434004, -119.553300; 34.513800, -119.804190; 34.510545, -119.772226; 34.416926, -119.883417) to obtain visual confirmation of the species and their associated habitats, and confirm the correct time of year to begin surveying for late-season blooming species.

3.3 *Biological Reconnaissance Surveys*

Biological reconnaissance surveys were completed by walking parallel and meandering transects ranging from 30 to 60 feet apart depending on terrain and visibility, to ensure comprehensive coverage of Honda Valley Park. Botanists mapped all observed invasive plant species, rare plant species, and vegetation alliances utilizing existing protocols (CNPS, 2001; USFWS, 2000; CDFW, 2018). Due to the large amount of different invasive species

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

observed, individual invasive plant points were displayed as a group rather than by species name in the invasive plants figure; species names associated with each point are available in the associated geodatabase. Ubiquitous and common invasives that have little likelihood of being controlled were generally not mapped unless there was extra time. Weed mapping focused on emergent threats and smaller stands of weeds that could possibly be controlled. Some of the weeds mapped are surrounded by larger areas of ubiquitous invasive weeds that are not mapped. Obvious ornamental plantings were not included in the plants lists and not mapped as weeds unless known to be invasive. After surveys were completed, botanists determined and mapped areas recommended for invasive plant removal. Species noted as Group 1 for removal are those that are easily controlled and, either early or not yet established infestations, or aggressive spreaders with high invasiveness. Species noted as Group 2 for removal are those that are either somewhat established or a single occurrence, and can be controlled fairly easily. The remaining invasive species that were mapped as present but not mapped as recommended for treatment are those that are either not easily controlled and well established, or would require significant effort to be treated and controlled. Wildlife biologists mapped all observed sensitive species and their suitable habitat. Water resources observed were coarsely mapped when present, but jurisdictional delineations were not completed. All mapped occurrences and representative photographs were recorded utilizing ESRI Field Maps, with each species identified to the lowest taxonomic level possible. Percent of individuals in each life stage was recorded for plant populations.

SummitWest wildlife biologists David Tafoya and Michael Schwanhausser surveyed the site on April 27 and 28, 2023, and SummitWest botanists Keir Morse, Zach Kinman, Michael Schwanhausser, and Alex Aylard surveyed the site on May 11, 2023 and August 1 and 2, 2023. Areas with limited access, dense poison oak populations, or dangerous terrain were surveyed utilizing binoculars instead of walking pedestrian transects.

3.4 Focused Surveys

SummitWest did not conduct any protocol-level follow-up surveys for sensitive species.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

4.0 Results

4.1 *Literature Review*

The comprehensive literature review revealed 71 special status wildlife and 54 special status plants with potential to occur throughout the Project or surrounding areas (Appendix D). Additionally, 237 invasive plant species were determined to have the potential to occur throughout the Project or surrounding areas. Sensitive vegetation alliances have not been previously mapped within the Project Area.

4.2 *Reference Site Checks*

During the first reference site check at four sites on April 3, 2023, five target species were observed in vegetative states, and two target species were observed in flowering states. The lead botanist determined that botany surveys should commence in mid-May to ensure the highest probability of identifying all target species. During the second reference site check at four different sites on July 24, 2023, seven target species were observed flowering, and the lead botanist determined that botany surveys for late-blooming species should begin in early August to ensure the highest probability of identifying all target species. Representative photographs can be found in Appendix A.

4.3 *Biological Reconnaissance Survey*

Federal, state, and local agencies necessitate an on-site evaluation of special status species presence or potential to occur before any Project activities may commence. Below SummitWest describes all special status and sensitive species and resources observed or with high potential to occur in the Survey Area. All determinations for potential occurrence were based on results of the literature review and results of the reconnaissance surveys, and are described in detail in Appendix D. The following categories were utilized to determine the potential for each special status species to occur in the Survey Area:

- **Present/Occurs:** Species or positive sign has been observed on-site during reconnaissance surveys
- **Likely:** Suitable habitat for the species is present on-site and the site is within the geographic range of the species, implying the species is highly likely to be present on site; and/or the species has been recorded on-site or within a two-mile (plants) or

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

five-mile (wildlife) radius within the last twenty years (CDFW 2023a, CDFW 2023b, and CNPS 2023a, CNPS 2023b)


- **Unlikely:** Site may be within geographic range of the species, but suitable habitat for the species is minimal and/or the species has not been recorded on-site within the last twenty years (CDFW 2023a, CDFW 2023b, and CNPS 2023a, CNPS 2023b)
- **Does not Occur:** Species has not been observed on-site during reconnaissance surveys and suitable habitat for the species is not present on-site. Site is outside of geographical and elevational ranges of species.

Rare Plant Species

Although 54 special status plant species were revealed in the literature review as having potential to occur within the Project (Appendix D), only four special status plant species were observed and are considered to be Present/Occurs within the Survey Area (Figure 3). Approximately 50 Plummer's Baccharis (*Baccharis plummerae* ssp. *plummerae*; CRPR 4.3; G3T3, S3), 26 Southern California black walnut (*Juglans californica*; CRPR 4.2; G3, S3, wetland status FACU), 9 Santa Barbara honeysuckle (*Lonicera subspicata* ssp. *Subspicata*; CRPR 1B.2), and 11 bitter gooseberry (*Ribes amarum* var. *Hoffmannii*; CRPR 3) individuals were observed and mapped within the Survey Area (Figure 3). Representative photographs can be found in Appendix A. A compendium of all plant species observed during reconnaissance surveys can be found in Appendix B.

It should be noted that in addition to the naturally occurring Southern California black walnut plants, many plantings of *Juglans* that are likely hybrid species and/or exhibit morphological plasticity due to extra water from irrigation were also observed. Lastly, all Santa Barbara honeysuckle and bitter gooseberry individuals observed appeared to be restoration plantings in designated areas.

Figure 3. Honda Valley Park Rare Plant Map



Special Status Wildlife Species and Habitat

Although 71 special status wildlife species were revealed in the literature review as having potential to occur within the Project (Appendix D), only one special status wildlife species, northern harrier (*Circus hudsonius*) was observed as a fly-over (Figure 4). However, due to lack of habitat for this species within the park, it is considered Does Not Occur within the survey area.

The Survey Area provides adequate habitat for nesting birds, and a mourning dove (*Zenaida macroura*) nest with one egg in a eucalyptus tree was observed during the reconnaissance survey (Figure 4).


SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Suitable habitat was also mapped for six species, which are considered likely to occur in the Survey Area (Figure 4; Appendix D): Cooper’s hawk (*Accipiter cooperii*), sharp-shinned hawk (*Accipiter striatus*), California legless lizard (*Anniella spp.*), overwintering Monarch butterfly (*Danaus plexippus plexippus* pop. 1), American peregrine falcon (*Falco peregrinus anatum*), and western red bat (*Lasiurus frantzii*). Representative photographs can be found in Appendix A. A compendium of all wildlife species observed during reconnaissance surveys can be found in Appendix C.

Figure 4. Honda Valley Park Sensitive Wildlife and Habitat Map



SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Vegetation Communities

Vegetation communities follow nomenclature of Sawyer et al. (2009), as updated by CDFW VegCAMP and the online edition hosted by CNPS (CNPS, 2023a). Six different vegetation alliances were observed within the Survey Area (Figure 5).

***Avena* spp. - *Bromus* sp. Herbaceous Semi-Natural Alliance (Wild oats and annual brome grasslands)**

The wild oats and annual brome grassland herbaceous semi-natural alliance covers approximately 6.17 acres of the Survey Area (Figure 5). The canopy is open, with greater than 80% herbaceous understory comprised of many typical grassland species including *Avena* spp., *Brachypodium distachyon*, *Briza maxima*, *Bromus* spp., and/or *Hordeum murinum* as dominant or codominant with other nonnative grasses and forbs. This alliance may include scattered shrubs and trees at low cover. Typical topography includes foothills, rangelands, and openings in woodlands. Within this alliance in the Survey Area, common species include: *Avena* spp., *Brachypodium distachyon*, *Bromus* sp., *Carduus pycnocephalus*, *Carpobrotus edulis*, *Hordeum murinum*, and *Medicago polymorpha*. Two special status species were observed: *Ribes amarum* var. *hoffmanii* and *Lonicera subspicata* ssp. *subspicata* (both planted). One restoration area is in transition to a shrubland.

***Quercus agrifolia* Woodland Alliance (Coast live oak woodland and forest)**

The coast live oak woodland and forest alliance covers approximately 23.97 acres of the Survey Area (Figure 5). The canopy is open with trees greater than 30 meters (m) tall and a sparse shrub and herbaceous layer. Typical topography includes canyon bottoms, slopes, and flats. Special status species observed within this alliance in the Survey Area were *Ribes amarum* var. *hoffmanii* (planted), *Lonicera subspicata* ssp. *subspicata* (planted), *Juglans californica* (both planted and not), and *Baccharis plummerae* ssp. *plummerae* (not planted).

***Platanus racemosa* - *Quercus agrifolia* Woodland Alliance (California sycamore - coast live oak riparian woodlands)**

The California sycamore - coast live oak riparian woodland alliance covers approximately 1.79 acres of the Survey Area (Figure 5). The canopy and shrub layer are open to intermittent, with a sparse herbaceous layer. Special status species observed were *Ribes amarum* var. *hoffmanii* (planted) and *Juglans californica* (possibly planted). This woodland alliance is a sensitive community with a status of G3S3. Status G3 represents a global rank of vulnerable and status S3 represents a state rank of vulnerable. In both cases, the alliance

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

is at moderate risk of extinction or elimination due to a restricted range, relatively few populations (often 80 or fewer), recent and widespread declines, or other factors making it vulnerable to extirpation.

***Rhus integrifolia* Shrubland Alliance (Lemonade berry scrub shrublands)**

Lemonade berry scrub shrubland alliance covers approximately 5.53 acres of the Survey Area (Figure 5). The canopy is open to continuous with an open herbaceous layer and shrubs greater than 5 m. Typical topography includes slopes and coastal bluffs. Within this alliance in the Survey Area, a special status species, *Juglans californica* (planted), was observed. This shrubland alliance is a sensitive community with a status of G3S3. Status G3 represents a global rank of vulnerable and status S3 represents a state rank of vulnerable. In both cases, the alliance is at moderate risk of extinction or elimination due to a restricted range, relatively few populations (often 80 or fewer), recent and widespread declines, or other factors making it vulnerable to extirpation.

***Eucalyptus* spp. - *Ailanthus altissima* - *Robinia pseudoacacia* Woodland Semi-Natural Alliance (Eucalyptus, tree of heaven, and black locust groves)**

Eucalyptus, tree of heaven, and black locust groves semi-natural alliance covers approximately 9.73 acres of the Survey Area (Figure 5). The canopy is open to continuous, with a sparse to intermittent shrub and herbaceous layer. *Eucalyptus* comprised approximately 35% cover at over 50 meters high, with approximately 20% herbaceous understory. This alliance is typically planted as trees, groves, and windbreaks; naturalized on uplands or bottomlands; and adjacent to stream courses, lakes, or levees. Within this alliance in the Survey Area, special status species observed were *Ribes amarum* var. *hoffmanii* (planted) and *Juglans californica* (possibly planted).

***Toxicodendron diversilobum* Shrubland Alliance (Poison oak scrub shrubland)**


Poison oak scrub shrubland alliance covers approximately 0.20 acres of the Survey Area (Figure 5). The canopy is intermittent to continuous with a variable herbaceous layer and shrubs less than 4 m. *Toxicodendron diversilobum* is the dominant species with greater than 50% cover. This alliance is typically found on the coast in low wooded areas or interior disturbed dry slopes.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Figure 5. Honda Valley Park Vegetation Community and Native Grassland Map



Invasive Plant Species

The literature review revealed 237 invasive plant species have potential to occur throughout the Project. During surveys at Honda Valley Park, 27 invasive plant species were identified and mapped (Figure 6). These species include:

- *Ageratina adenophora*- 1 point (10 individuals)
- *Asparagus asparagoides*- 2 points (2 individuals)
- *Asphodelus fistulosus*- 3 points (35 individuals)
- *Carduus pycnocephalus*- 4 polygons (1175 individuals); 10 points (355 individuals)
- *Carpobrotus chilensis*- 3 points (20 individuals)
- *Carpobrotus edulis*- 1 polygon (1000 individuals), 3 points (120 individuals)
- *Cirsium vulgare*- 2 points (4 individuals)


SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709


- *Cortaderia jubata*- 7 points (18 individuals)
- *Cortaderia selloana*- 1 point (1 individuals)
- *Cotoneaster lacteus*- 1 point (2 individuals)
- *Delairea odorata*- 4 polygons (382 individuals), 2 points (55 individuals)
- *Echium candicans*- 1 point (1 individuals)
- *Eucalyptus camaldulensis*- 2 points (23 individuals)
- *Genista monspessulana*- 1 point (50 individuals)
- *Hedera helix*- 1 point (100 individuals)
- *Hirschfeldia incana*- 1 point (15 individuals)
- *Lantana montevidensis*- 1 point (1 individuals)
- *Nicotiana glauca*- 8 points (64 individuals)
- *Olea europaea*- 7 points (16 individuals)
- *Pittosporum undulatum*- 3 points (3 individuals)
- *Polygala myrtifolia*- 1 point (1 individuals)
- *Ricinus communis*- 1 point (1 individuals)
- *Schinus molle*- 7 points (22 individuals)
- *Silybum marianum*- 6 points (71 individuals)
- *Tropaeolum majus*- 4 polygons (1845 individuals), 3 points (55 individuals)
- *Vinca major*- 2 pts (25 individuals)
- Other: *Fraxinus sp* (1 individual)

Figure 6. Honda Valley Park Invasive Plant Map



Invasive species recommended as first priority (Group 1) and second priority (Group 2) for treatment were identified and mapped (Figure 7). A comprehensive species compendium of all plants observed during reconnaissance surveys can be found in Appendix B.

Figure 7. Honda Valley Park Invasive Plant Target Removal Map



4.4 Water Resources

A single, partially cement-lined, narrow, dry, ephemeral drainage with a main channel and three connected off-shoot channels was observed within the Study Area, extending from the northwest to the southeast corners of the park (Figure 8). Ephemeral drainages are created by brief surface flows occurring during and after heavy rainfall. The flows only contain surface runoff, and generally are not affected by groundwater. This drainage is located on Santa Barbara Coastal Watershed Hydrologic Unit Code (HUC) 18060013, originates from surface runoff, generally flows northwest to southeast when experiencing surface flow, includes irrigation hoses for nearby planted trees, and exits through a culvert leading east out of the Survey Area to the Pacific Ocean (USGS 2023). The ephemeral drainage has varying depth, with vegetation toward the west characterized as having a


SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

relatively dense canopy made of mixed deciduous and evergreen trees, including oaks, eucalyptus, and ornamentals; however, other areas toward the east had a more open and lower canopy. The understory is generally low/absent with few dense shrubs/thickets, consisting mainly of grasses and herbaceous plant species. The channel is generally rocky with rich, loose soil full of organic material. Surveyors observed signs of wildlife using the ephemeral channel, including nesting birds and raccoon tracks. Representative photographs can be found in Appendix A.

Figure 8. Honda Valley Park Water Resources Map



4.5 *Wildlife Movement*

Honda Valley Park is not located within any known wildlife corridor or linkage. However, it is less than 1 mile east of Elings Park, which is considered a Core Area for habitat connectivity and restoration. Furthermore, this Core Area is adjacent to the Arroyo Burro,

SUMMITWEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

which is a creek and estuary that Santa Barbara recognizes is important to conserve to maintain habitat connectivity to the mountain areas north of the city. There is little direct evidence from SummitWest's single survey that wildlife species are using any drainages or culverts to move between Honda Valley and these adjacent wild areas.

4.6 Habitat Conservation Plan

No Habitat Conservation Plan or Natural Community Conservation Plan exists for this Project.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

5.0 Impact Analysis and Avoidance and Mitigation Measures

5.1 *Special Status Species*

Any activities involving ground disturbance of any kind and vegetation removal would have a significant negative impact on rare plant species and on the sensitive natural communities *Rhus integrifolia* Shrubland Alliance (G3S3) and *Platanus racemosa* - *Quercus agrifolia* Woodland Alliance (G3S3). Additionally, activities involving Project equipment movement and noise, ground disturbance or removal of special status wildlife habitat or Environmentally Sensitive Habitat Areas (ESHA) would have a significant negative impact on special status wildlife species. To mitigate any potential impacts, the following mitigation and avoidance measures are recommended:

1. A Project-specific Worker Environmental Awareness Prevention (WEAP) Training shall be prepared by a biologist familiar with the Project and presented to all persons working on the Project. The WEAP will inform workers on all special status wildlife and plant species that may be present in the Project Area, and explain all mitigation and avoidance measures required to prevent and/or lessen impact. Instructions will also be given on how to proceed if an accidental injury occurs to a special status wildlife species or if damage occurs to an ESHA or special status plant species. A record of all personnel who attend the training will be maintained.
2. A general pre-activity survey for all special status wildlife and plant species must be completed within 10 days of Project work commencement.
3. Use of Best Management Practices (BMPs) during any Project activity, including but not limited to:
 - a. All equipment used on site shall be properly maintained such that no leaks of oil, fuel, or residues will occur. Additionally, supplies shall be on-hand to remedy any accidental spills in both the terrestrial and marine environments.
 - b. All equipment used on site shall be properly operated to prevent extraneous dust or runoff.
 - c. Food waste and other Project related trash shall be contained in secured waste bins and regularly removed from the Project site to prevent attraction of special status species.
 - d. All Project equipment shall be thoroughly cleaned before entering and before leaving the site to prevent the spread of invasive species that may displace native wildlife or native plant species.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- e. A speed limit of 10 miles per hour (mph) shall be maintained by all vehicles and equipment to prevent direct strikes of special status species.
 - f. Only designated areas shall be utilized for staging of equipment.
 - g. The Work Area shall be delineated by the crew, and work shall not occur outside of these boundaries.
 - h. Feeding of wildlife is prohibited.
 - i. Firearms and pets are prohibited within the Project Area.
4. All Project activities shall occur within Project limits and existing roadways, and designated staging areas determined by City biologists.
 5. Any pesticides or herbicides necessary for project activities shall only be used after an exemption from the City's Integrated Pest Management (IPM) Advisory Committee is obtained.
 6. During the Nesting Bird Season (February 1-September 30):
 - a. Ideally, vegetation removal and initial ground disturbance shall occur outside of the nesting bird season.
 - b. If work must occur during the nesting bird season, a survey for nesting birds within 500 feet of the Project must be completed within 72 hours of Project activities.
 - i. All nests observed shall have a no-disturbance buffer placed at the appropriate distance for the species (300 feet for passerines and 500 feet for raptors, unless otherwise designated by the qualified biologist) until all young have fledged (are independent of the nest).
 - ii. If nests are present, a weekly spot check shall be conducted by a biological monitor to ensure avoidance and update fledge status.
 7. A daytime survey for bat roosts must be completed within 10 days of Project work.
 - a. Within the peak season (maternity season April 15-August 14), when bats are present, all potential roosting habitat shall endure exclusion or humane eviction procedures, implemented by a qualified bat biologist.
 - b. If bat roosts are confirmed to be present within the Project area:
 - i. And non-breeding or migratory bats are identified from February 15-April 14 or August 15-October 31 within a tree or structure that will be impacted by project activities, the bats shall be passively excluded by a qualified bat biologist. Generally one-way doors or exclusion materials may be implemented. All bats must be confirmed to have departed the roost prior to work commencement.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- ii. And an occupied maternity roost is identified from April 15-August 14 and/or an occupied hibernation roost is identified from November 1-February 14, a no-disturbance buffer of an appropriate distance shall be implemented by the qualified bat biologist until the site is no longer occupied or Project activities in the area are completed.
 1. If the work must be completed within the no-disturbance buffer during these dates, a biological monitor must be present for activities occurring within the buffer to ensure bats are not impacted by project activities, including noise.
8. All open-ended Project materials such as pipes shall be capped to prevent wildlife entrapment or breeding.
9. All trenches shall be covered or sloped to prevent wildlife entrapment.
10. If a special status wildlife species needs to be relocated out of the Project Area, a biologist qualified to handle and relocate that species must create and implement a relocation plan before work may continue in that area.
11. To the extent feasible, control invasive, non-native vegetation that threatens trees in riparian areas and open space parks.
12. Any landscaping shall prevent the spread of invasive species and will prioritize planting of native species.
13. For tree pruning, follow guidelines set forth in the Urban Forest Management Plan (City, 2014).
14. Adhere to Biological Resource Policies ER11 and ER12.1 in the General Plan (County, 2011), and defensible space requirements and/or vegetation management plans in the CWPP (City, 2021).
15. All Project activities shall avoid removal of mapped special status plant species.
 - a. If avoidance of removal cannot be achieved, additional measures such as seed collection and/or translocation will be required.
 - b. If removal of tree species cannot be achieved, additional measures such as compensatory planting and/or a restoration/mitigation plan will be required.
 - c. A biological monitor shall be present for any mechanical activity (i.e mowing, masticating, felling, yarding) within 50 feet of a sensitive plant species.
16. All Project activities shall avoid trees and sensitive species within mapped sensitive natural communities by at least 50 feet.
 - a. A biological monitor shall be present for any mechanical activity (i.e mowing, masticating, felling, yarding) within 50 feet of a sensitive plant species.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- b. If avoidance of direct impacts cannot be achieved, additional measures such as habitat creation, restoration, and/or enhancement activities will be required at a 4:1 ratio (area restored to area impacted) for permanent impacts or at a 1:1 ratio for temporary impacts. All mitigation sites shall be monitored for a period of no less than five years following completion.
 - i. As outlined in Coastal Act Section 30240, Policy 4.1-13, "Where mature native trees (four inches [4"] in diameter or greater at four feet six inches [4'-6"] above grade in height) are substantially impacted or removed, they should be replaced at a minimum 10:1 ratio for oak trees and a minimum 5:1 ratio for all other native trees or other trees providing habitat for sensitive species." (City, 2019).
- 17. No Project activities shall occur within restoration planting sites.
- 18. Habitat considered suitable for monarch overwintering season (generally September through March; Jepson and Black, 2015) shall be avoided by at least 50 feet during project activities.
 - a. If trees that are considered suitable overwintering habitat for monarchs are unable to be avoided during the overwintering season, a biological monitor should be present to ensure only the minimum amount necessary is pruned. If a tree must be fully removed during the overwintering season, follow the compensatory guidelines of Coastal Act Section 30240, Policy 4.1-13 listed in measure 16ai above.
- 19. Follow-up rare plant surveys by a qualified botanist are required if Project activities are not completed within 5 years of the initial surveys.

5.2 *Water Resources*

The ephemeral drainage mapped within the Survey Area may be considered Other Waters of the U.S. under the jurisdiction of USACE and RWQCB under the CWA as well as a streambed per CDFW Fish and Game Code Sections 1600-1616. Full avoidance of the drainage is recommended during all Project activities aside from removing dead and downed materials, which will not impact the banks or channel of the drainage. If the Project will impact this drainage, a Section 404 CWA permit and formal Jurisdictional Delineation for wetlands and Waters of the U.S. will be required to be submitted to the USACE. Additionally, a Streambed Alteration Agreement may be required from CDFW. If the Project requires general vegetation management within the drainage, the following measures shall be followed:

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

- A. To the extent feasible, all work near a creek shall be conducted when surface water is absent.
- B. Vegetation shall not be thinned, removed, or pruned, nor shall dead wood be removed, within 50 feet of a creek channel when flowing water is present.
- C. The only plants that can be removed from a creek bed (that is, below the line of the ordinary high water mark) are live or dead eucalyptus trees and dead native shrubs/trees that are deemed to be a fire hazard, and invasive exotics (including, but not limited to giant reed).
- D. Cut stems, tree trunks or other vegetative debris shall not be dragged across a creek bed that contains riparian vegetation, wetlands, or surface water.
- E. No trees shall be felled across a creek while there is flowing water.
- F. No eucalyptus chipping or cut stems shall be left on the creek banks or any upper stream terrace, when present.
- G. Chipped native vegetation shall not be placed on creek banks, unless a qualified biologist determines that placement of the chipping would provide needed erosion protection without an adverse impact on aquatic habitats and water quality in the creek. Native plant chippings can be spread outside the top of the bank.
- H. Entities performing vegetation management activities within a stream shall notify the California Department of Fish and Wildlife (CDFW) pursuant to Fish and Game Code Section 1600 et seq. and shall obtain a Lake and Streambed Alteration Agreement (LSAA) if determined to be necessary prior to initiating work within CDFW's jurisdiction. If not already completed, a jurisdictional delineation will be necessary to determine which areas fall under CDFW's jurisdiction.
 - a. Any activity that would alter the banks or channel (i.e. pruning, trimming, removal etc.) within 50 feet of the drainage banks or channel may not occur until a Jurisdictional Delineation determines if an LSAA is necessary.

5.3 Wildlife Movement

It is not anticipated that the Project activities will adversely impact wildlife movement; therefore, no associated mitigation or avoidance measures are suggested.

5.4 Habitat Conservation Plan

Because Project activities within Honda Valley Park will not occur within a Habitat Conservation Plan, no associated mitigation or avoidance measures are suggested.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

6.0 References

Calflora. 2023. *Information on wild California plants for conservation, education, and appreciation*. <http://www.calflora.org>. Accessed August 2023.

California Department of Fish and Wildlife (CDFW). 2023a. *Biogeographic Information and Observation System (BIOS)*. <http://www.wildlife.ca.gov/data/BIOS>. Accessed 21 December 2023.

----. 2023b. *CDFW California Natural Diversity Database, Rarefind V.5*. <https://www.wildlife.ca.gov/Data/CNDDDB/Maps-and-Data>. Accessed March 2023.

----. 2023c. *CDFW California Natural Diversity Database, Special Animals List*. <https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=109406&inline>. Accessed March 2023.

----. 2023d. *State and Federally Listed Endangered and Threatened Animals of California*.

----. 2018. *Protocols for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Sensitive Natural Communities*. .

----. 1984. *California Endangered Species Act (CESA)*. Fish and Game Code Sections 1600-1616, 1900-1913, 2050-2085, 3503, 3511, 3513, 3800, 4700, 5050, 5515.

California Environmental Quality Act (CEQA). 1970. California Public Resources Code Sections 21000–21177.

California Native Plant Society (CNPS). 2023a. *A Manual of California Vegetation, Online Edition*. <https://vegetation.cnps.org/>. Accessed August 2023.

----. 2023b. *Inventory of Rare and Endangered Plants V.9.5* <http://www.rareplants.cnps.org>. Accessed August 2023.

----. 2001. *CNPS Botanical Survey Guidelines*.

California Water Code. 1969. *Section 7 Porter-Cologne Water Quality Control Act*.

City of Santa Barbara (City). 2021. *Community Wildfire Protection Plan (CWPP)*.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

----. 2019. *Local Coastal Program Coastal Land Use Plan*.

----. 2014. *Urban Forest Management Plan*.

County of Santa Barbara (County). 2011. *Santa Barbara General Plan*.

----. 2021. *Environmental Thresholds and Guidelines Manual*.

Jepsen, S. and S.H. Black. 2015. *Understanding and conserving the western North American monarch population*. In Oberhauser, K.S. and K. Nail, editors. *Monarchs in a Changing World: Biology and Conservation of an Iconic Insect*. Ithaca: Oxford University Press.

National Oceanic Atmospheric Administration (NOAA). 1994. *Climate of Santa Barbara, NOAA technical memorandum NWS WR ; 225*, <https://repository.library.noaa.gov/view/noaa/14480>. Accessed August 2023.

Regional Water Quality Control Board (RWQCB). 2019. *Water Quality Control Plan for the Central Coastal Basin*.

Sawyer, J. O., T. Keeler-Wolf, and J.M. Evens. 2009. *A Manual of California Vegetation, Second Edition*. California Native Plant Society.

United States Code (USC). 1972. *Clean Water Act*, Title 33 Sections 1251-1376, as amended.

----. 1940. *Bald and Golden Eagle Protection Act*, Title 16 Section 668, as amended 1962.

United States Department of Agricultural (USDA). 2023. Natural Resources Conservation Service (NRCS) Web Soil Survey. *Soil Survey Area: Santa Barbara County, California*. <https://websoilsurvey.sc.egov.usda.gov/>. Accessed August 2023.

United States Fish and Wildlife Service (USFWS). 1973. *The Endangered Species Act of 1973*, as amended (16 U.S.C 1531 et seq.).

----USFWS. 2000. *Guidelines for Conducting and Reporting Botanical Inventories for Federally Listed, Proposed, and Candidate Plants*.

----.1918. *Migratory Bird Treaty Act*. Section 16 of the U.S. Code (703-711), as amended 1989.

United States Geological Survey (USGS). 2023. *National Watershed Dashboard*. <https://dashboard.waterdata.usgs.gov/>. Accessed August 2023.

SUMMITWEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Western Regional Climate Center. 2023. *Santa Barbara, California (047902)* Available at:
<http://www.wrcc.dri.edu/Climate>. Accessed August 2023.

Appendix A- Representative Photographs



Photo 1. Santa Barbara honeysuckle (*Lonicera subspicata ssp. subspicata*; CRPR 1B.2) observed during first reference site check on April 3, 2023.



Photo 2. Late-flowered mariposa-lily (*Calochortus fimbriatus*; CRPR 1B.3) observed during second reference site check on July 24, 2023.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709



Photo 3. Plummer's Baccharis (*Baccharis plummerae* ssp. *plummerae*; CRPR 4.3; G3T3, S3) observed during reconnaissance surveys on April 28, 2023.



Photo 4. Southern California black walnut (*Juglans californica*; CRPR 4.2; G3, S3,) observed during reconnaissance surveys on August 1, 2023.



Photo 5. Santa Barbara honeysuckle (*Lonicera subspicata* ssp. *subspicata*; CRPR 1B.2) observed during reconnaissance surveys on April 28, 2023.



Photo 6. Bitter gooseberry (*Ribes amarum* var. *hoffmannii*; CRPR 3) observed during reconnaissance surveys on April 26, 2023.

SUMMIT WEST[®]

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709



Photo 7. Mourning dove nest with one egg observed in eucalyptus tree during reconnaissance survey on April 28, 2023.



Photo 8. Cooper's hawk suitable habitat in Honda Valley Park observed during reconnaissance survey on August 25, 2023.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709




Photo 9. Monarch butterfly suitable habitat in Honda Valley park observed during reconnaissance survey on August 25, 2023.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709



Photo 10. *Platanus racemosa* - *Quercus agrifolia* Woodland Alliance (G3S3) observed in Honda Valley Park during reconnaissance surveys on May 11, 2023.



Photo 11. *Rhus integrifolia* Shrubland Alliance (G3S3) observed in Honda Valley Park during reconnaissance surveys on May 11, 2023.



Photo 12. Ephemeral Drainage observed in Honda Valley Park during reconnaissance surveys on April 28, 2023.



Photo 13. Ephemeral Drainage observed in Honda Valley Park during reconnaissance surveys on April 28, 2023.

Appendix B- Botanical Species Compendium

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Acer macrophyllum</i> *	Big leaf maple
<i>Acmispon glaber</i> var. <i>glaber</i> *	Deerweed
<i>Acmispon maritimus</i> *	Coastal lotus
<i>Aesculus californica</i> *	California buckeye
<i>Ageratina adenophora</i>	Sticky snakeroot
<i>Aira caryophyllea</i>	Silver hair grass
<i>Ambrosia psilostachya</i> *	Western ragweed
<i>Artemisia californica</i> *	California sagebrush
<i>Artemisia douglasiana</i> *	California mugwort
<i>Asclepias fascicularis</i> *	Narrow-leaf milkweed
<i>Asparagus asparagoides</i>	African asparagus fern
<i>Asphodelus fistulosus</i>	Onionweed
<i>Atriplex semibaccata</i>	Australian saltbush
<i>Avena barbata</i>	Slender wild oat
<i>Avena fatua</i>	Wild oat
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i> *	Coyote brush
<i>Baccharis plummerae</i> ssp. <i>plummerae</i> * ¹	Plummer's baccharis
<i>Brachypodium distachyon</i>	False brome
<i>Brassica nigra</i>	Black mustard
<i>Bromus carinatus</i> var. <i>carinatus</i> *	California brome
<i>Bromus diandrus</i>	Rippgut grass
<i>Bromus hordeaceus</i>	Soft brome
<i>Bromus madritensis</i> ssp. <i>rubens</i>	Red brome
<i>Calandrinia menziesii</i> *	Red maids
<i>Calocedrus decurrens</i> *	Bastard cedar
<i>Calystegia macrostegia</i> *	Island false bindweed
<i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i>	Italian thistle
<i>Carpobrotus chilensis</i>	Sea fig
<i>Carpobrotus edulis</i>	Iceplant
<i>Castilleja exserta</i> ssp. <i>exserta</i> *	Purple owl's clover
<i>Ceanothus spinosus</i> *	Greenbark ceanothus
<i>Centaurea melitensis</i>	Maltese star thistle or tocalote

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Chenopodium murale</i>	Nettle leaf goosefoot
<i>Cirsium vulgare</i>	Bull thistle
<i>Clarkia purpurea</i> *	Purple clarkia
<i>Clarkia unguiculata</i> *	Elegant clarkia
<i>Clematis lasiantha</i> *	Chaparral clematis
<i>Conium maculatum</i>	Poison hemlock
<i>Corethrogyne filaginifolia</i> *	Common sandaster
<i>Cornus sericea</i> *	American dogwood
<i>Cortaderia jubata</i>	Andean pampas grass
<i>Cortaderia selloana</i>	Uruguayan pampas grass
<i>Cotoneaster lacteus</i>	Milkflower cotoneaster
<i>Cotoneaster pannosus</i>	Silverleaf cotoneaster
<i>Croton setiger</i> *	Doveweed or turkey-mullein
<i>Datura wrightii</i> *	Jimsonweed
<i>Deinandra fasciculata</i> *	Clustered tarweed
<i>Delairea odorata</i>	Cape ivy
<i>Diplacus longiflorus</i> *	Sticky monkeyflower
<i>Dryopteris arguta</i> *	California wood fern
<i>Echium candicans</i>	Pride of madeira
<i>Elymus condensatus</i> *	Giant wild rye
<i>Encelia californica</i> *	Bush sunflower
<i>Epilobium canum ssp. canum</i> *	California fuchsia
<i>Erigeron bonariensis</i>	Flax-leaved horseweed
<i>Erigeron canadensis</i> *	Canada horseweed
<i>Erodium botrys</i>	Big heron bill
<i>Erodium moschatum</i>	Whitestem filaree
<i>Eschscholzia californica</i> *	California poppy
<i>Eucalyptus camaldulensis</i>	Red gum
<i>Eucalyptus sp.</i>	Eucalyptus gum tree
<i>Euphorbia peplus</i>	Petty spurge
<i>Festuca myuros</i>	Rattail sixweeks grass
<i>Festuca perennis</i>	Italian rye grass
<i>Frangula californica</i> *	California coffeeberry
<i>Frangula californica ssp. californica</i> *	California coffeeberry

SUMMIT WEST

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Fraxinus sp.</i>	Ash
<i>Galium aparine</i> *	Cleavers or goose grass
<i>Galium porrigens var. porrigens</i> *	Climbing bedstraw
<i>Gastridium phleoides</i>	Nit grass
<i>Genista monspessulana</i>	French broom
<i>Geranium dissectum</i>	Cranesbill
<i>Grindelia camporum</i> *	Common gumplant
<i>Hazardia squarrosa</i> *	Saw toothed goldenbush
<i>Hedera helix</i>	English ivy
<i>Helminthotheca echioides</i>	Bristly ox-tongue
<i>Heteromeles arbutifolia</i> *	Christmas berry
<i>Heterotheca grandiflora</i> *	Telegraph weed
<i>Hirschfeldia incana</i>	Mediterranean hoary mustard
<i>Hordeum murinum</i>	Farmer's foxtail
<i>Hypochaeris glabra</i>	Smooth cat's ear
<i>Isocoma menziesii var. vernonioides</i> *	Coastal goldenbush
<i>Juglans californica</i> * ³	Southern California black walnut
<i>Juncus bufonius</i> *	Toad rush
<i>Lactuca serriola</i>	Prickly lettuce
<i>Laennecia coulteri</i> *	Coulter's horseweed
<i>Lantana montevidensis</i>	Trailing lantana
<i>Lathyrus tingitanus</i>	Tangier pea
<i>Lobularia maritima</i>	Sweet alyssum
<i>Logfia gallica</i>	Narrowleaf cottonrose
<i>Lonicera subspicata var. subspicata</i> * ²	Santa Barbara honeysuckle
<i>Lupinus succulentus</i> *	Arroyo lupine
<i>Lysimachia arvensis</i>	Scarlet pimpernel
<i>Lythrum hyssopifolia</i>	Hyssop loosestrife
<i>Malacothamnus fasciculatus var. nuttallii</i> *	Santa Cruz Island bush mallow
<i>Malosma laurina</i> *	Laurel sumac
<i>Malva parviflora</i>	Cheeseweed mallow
<i>Malva pseudolavatera</i>	Cretan mallow
<i>Marah macrocarpa</i> *	Chilicothe

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Medicago polymorpha</i>	California burclover
<i>Melilotus albus</i>	White sweetclover
<i>Melilotus indicus</i>	Annual yellow sweetclover
<i>Nicotiana glauca</i>	Tree tobacco
<i>Nuttallanthus texanus</i> *	Blue toadflax
<i>Oenothera suffrutescens</i> *	Wild honeysuckle
<i>Olea europaea</i>	Olive
<i>Oxalis pes-caprae</i>	Bermuda buttercup
<i>Oxalis pilosa</i> *	Hairy wood sorrel
<i>Pentagramma triangularis</i> *	Gold back fern
<i>Pholistoma auritum</i> *	Blue fiesta flower
<i>Pinus sp.</i>	Pine
<i>Pittosporum undulatum</i>	Australian cheesewood
<i>Plantago erecta</i> *	California plantain
<i>Plantago lanceolata</i>	English plantain
<i>Platanus racemosa</i> *	California sycamore or Western sycamore
<i>Poa annua</i>	Annual blue grass
<i>Polygala myrtifolia</i>	Myrtle leaf milkwort
<i>Polygonum aviculare</i>	Prostrate knotweed
<i>Polypogon monspeliensis</i>	Annual beard grass
<i>Pseudognaphalium biolettii</i> *	Two-color rabbit-tobacco
<i>Pseudognaphalium californicum</i> *	Ladies' tobacco
<i>Pseudognaphalium ramosissimum</i> *	Pink cudweed
<i>Pseudognaphalium stramineum</i> *	Cottonbatting plant
<i>Quercus agrifolia</i> var. <i>agrifolia</i> *	California live oak
<i>Rafinesquia californica</i> *	California chicory
<i>Ranunculus californicus</i> var. <i>californicus</i> *	Common buttercup
<i>Raphanus sativus</i>	Cultivated radish
<i>Rhamnus crocea</i> *	Redberry buckthorn
<i>Rhus integrifolia</i> *	Lemonade berry
<i>Ribes amarum</i> var. <i>hoffmannii</i> * ⁴	Bitter gooseberry
<i>Ribes speciosum</i> *	Fuchsia flowered gooseberry
<i>Ricinus communis</i>	Castor bean
<i>Rosa californica</i> *	California wild rose

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Rubus ursinus</i> *	California blackberry
<i>Rumex acetosella</i>	Common sheep sorrel
<i>Rumex conglomeratus</i>	Clustered dock
<i>Rumex crispus</i>	Curly dock
<i>Salix lasiolepis</i> *	Arroyo willow
<i>Salsola australis</i>	Russian thistle
<i>Salvia leucophylla</i> *	San Luis purple sage
<i>Salvia mellifera</i> *	Black sage
<i>Salvia spathacea</i> *	Hummingbird sage
<i>Sambucus nigra subsp. caerulea</i> *	Blue elderberry
<i>Sanicula crassicaulis</i> *	Gamble weed
<i>Schinus molle</i>	Peruvian pepper tree
<i>Schinus terebinthifolius</i>	Brazilian pepper tree
<i>Scrophularia californica</i> *	California bee plant
<i>Sequoia sempervirens</i> *	Coast redwood
<i>Silene gallica</i>	Windmill pink
<i>Silybum marianum</i>	Blessed milkthistle
<i>Sisyrinchium bellum</i> *	Western blue eyed grass
<i>Solanum douglasii</i> *	Douglas' nightshade
<i>Solidago velutina ssp. californica</i> *	California goldenrod
<i>Sonchus asper ssp. asper</i>	Prickly sow thistle
<i>Sonchus oleraceus</i>	Common sow thistle
<i>Spergularia marina</i> *	Salt marsh sand spurry
<i>Stachys bullata</i> *	California hedge nettle
<i>Stipa lepida</i> *	Foothill needle grass
<i>Stipa pulchra</i> *	Purple needle grass
<i>Thysanocarpus laciniatus</i> *	Common lace pod
<i>Torilis arvensis</i>	Field hedge parsley
<i>Toxicodendron diversilobum</i> *	Poison oak
<i>Tropaeolum majus</i>	Garden nasturtium
<i>Umbellularia californica</i> *	Bay laurel
<i>Urospermum picroides</i>	Bristly tail seed
<i>Venegasia carpesioides</i> *	Canyon sunflower

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i> *	Vervain
<i>Vicia sativa</i>	Spring vetch
<i>Vinca major</i>	Bigleaf periwinkle Greater Periwinkle
* - native 1- CRPR 4.3 2 - CRPR 1B.2 3 - CRPR 4.2 4 - CRPR 3	

Appendix C- Wildlife Species Compendium

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Aeronautes saxatalis</i> *	white-throated swift
<i>Aphelocoma californica</i> *	California scrub-jay
<i>Baeolophus inornatus</i> *	oak titmouse
<i>Batrachoseps nigriventris</i> *	black-bellied slender salamander
<i>Buteo jamaicensis</i> *	red-tailed hawk
<i>Callipepla californica</i> *	California quail
<i>Calypte anna</i> *	Anna's hummingbird
<i>Chamaea fasciata</i> *	wrentit
<i>Circus hudsonius</i> ¹	northern harrier
<i>Colaptes auratus</i> *	northern flicker
<i>Columba livia</i>	rock pigeon
<i>Corvus brachyrhynchos</i> *	American crow
<i>Dryobates villosus</i> *	hairy woodpecker
<i>Empidonax difficilis</i> *	Pacific-slope flycatcher
<i>Haemorhous mexicanus</i> *	house finch
<i>Icterus bullockii</i> *	Bullock's oriole
<i>Junco hyemalis</i> *	dark-eyed junco
<i>Leiothlypis celata</i> *	orange-crowned warbler
<i>Lonchura punctulata</i>	scaly-breasted munia
<i>Melanerpes formicivorus</i> *	acorn woodpecker
<i>Melospiza melodia</i> *	song sparrow
<i>Melospiza crissalis</i> *	California towhee
<i>Mimus polyglottos</i> *	northern mockingbird
<i>Patagioenas fasciata</i> *	band-tailed pigeon
<i>Petrochelidon pyrrhonota</i> *	cliff swallow
<i>Pheucticus melanocephalus</i> *	black-headed grosbeak
<i>Plestiodon skiltonianus</i> *	Western skink
<i>Poliophtila caerulea</i> *	blue-gray gnatcatcher
<i>Procyon lotor</i> *	common raccoon
<i>Sceloporus occidentalis</i> *	western fence lizard

SUMMIT WEST ^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name
<i>Scolopocryptops gracilis</i> *	western fire centipede
<i>Sitta carolinensis</i> *	white-breasted nuthatch
<i>Spinus psaltria</i> *	lesser goldfinch
<i>Steatoda grossa</i> *	False Black Widow
<i>Streptopelia decaocto</i> *	Eurasian collared-dove
<i>Sturnus vulgaris</i>	European starling
<i>Sylvilagus bachmani</i> *	brush rabbit
<i>Thryomanes bewickii</i> *	Bewick's wren
<i>Toxostoma redivivum</i> *	California thrasher
<i>Troglodytes aedon</i> *	house wren
<i>Vireo huttoni</i> *	Hutton's vireo
<i>Zenaida macroura</i> *	mourning dove
* - Native	
1- CDFW Species of Special Concern	

Appendix D- Potential to Occur Tables

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Table 1. Occurrence Potential for Sensitive Status Plans within Honda Valley Park

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Abronia maritima</i>	red sand-verbena	CRPR 4.2	Coastal dunes. 0–330 feet.	Feb-Dec	Does not Occur. Suitable habitat does not occur in the Survey area.
<i>Amsinckia douglasiana</i>	Douglas' fiddleneck	CRPR 4.2	Unstable shaley sedimentary slopes in cismontane woodland, and valley and foothill grasslands. 0–6400 feet.	Mar-May	Unlikely. No plants found during surveys. Suitable habitat is borderline and minimal. Closest historic observation ~5 miles away is from >20 years ago.
<i>Anomobryum julaceum</i>	slender silver moss	CRPR 4.2	Damp rock and soil on outcrops, usually on roadcuts, in broadleaf and conifer forests. 330–3280 feet.	N/A	Unlikely. No plants found during surveys. Suitable habitat is borderline and minimal. Closest observation from ~8 miles away and 17 years ago.
<i>Arctostaphylos refugioensis</i>	Refugio manzanita	CRPR 1B.2	Sandstone outcrops in chaparral. 900–2690 feet.	Dec-Mar	Does not Occur. No plants found during surveys. Site is below the known elevation range of the species.
<i>Astragalus didymocarpus</i> var. <i>milesianus</i>	Miles' milkvetch	CRPR 1B.2	Grassy areas near coast, coastal scrub with clay soils. 65–295 feet.	Mar-Jun	Unlikely. No plants found during surveys. Suitable habitat exists on site. Closest occurrence to site ~10 miles away and from >20 years ago.
<i>Atriplex coulteri</i>	Coulter's saltbush	CRPR 1B.2	Alkaline or clay soils, open sites, scrub, coastal bluff scrub. 10–1510 feet.	Mar-Oct	Unlikely. No plants found during surveys. Suitable habitat exists on site. Only nearby occurrences document <20 years ago ~7 miles away.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Atriplex serenana</i> var. <i>davidsonii</i>	Davidson's saltscale	CRPR 1B.2	Coastal bluff scrub and coastal scrub. 35–655 feet.	Apr-Oct	Unlikely. No plants found during surveys. Suitable habitat exists on site. Closest occurrence to site ~1 mile away and from >20 years ago.
<i>Baccharis plummerae</i> ssp. <i>plummerae</i>	Plummer's baccharis	CRPR 4.3	Broadleaved upland forests, cismontane woodlands, chaparral, and coastal scrub. 15–1395 feet.	May-Oct	Present. Species mapped during surveys.
<i>Calandrinia breweri</i>	Brewer's calandrinia	CRPR 4.2	Sandy to loamy soil, disturbed sites and burns in chaparral and coastal scrub. 35–4005 feet.	Mar-Jun	Unlikely. No plants found during surveys. Suitable habitat exists. May germinate after fires. Historic observation within 3 miles >20 years old.
<i>Calochortus catalinae</i>	Catalina mariposa lily	CRPR 4.2	Heavy soils in grasslands or open coastal scrub, chaparral, and cismontane woodlands. 50–2295 feet.	Mar-Jun	Unlikely. No plants found during surveys. Suitable habitat exists on site. Nearest observation <20 years old from ~4 miles away.
<i>Calochortus fimbriatus</i>	late-flowered mariposa-lily	CRPR 1B.3	Dry, open coastal woodlands and chaparral. 900–6250 feet.	Jun-Aug	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Calochortus palmeri</i> var. <i>palmeri</i>	Palmer's mariposa-lily	CRPR 1B.2	Meadows and vernal moist places in yellow-pine forest and chaparral. 2330–7840 feet.	Apr-Jul	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Calystegia sepium</i> ssp. <i>binghamiae</i>	Santa Barbara morning-glory	CRPR 1A	Coastal marshes and riverbanks. 15–15 feet.	Aug	Does not Occur. No plants found during surveys. Marginal suitable habitat. Presumed extinct.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Centromadia parryi</i> ssp. <i>australis</i>	southern tarplant	CRPR 1B.1	Salt marshes, vernal pools, and vernal mesic coastal scrub and grasslands. 0-1575 feet.	May-Nov	Unlikely. No plants found during surveys. Suitable habitat exists on site. Nearest observation ~6 miles away and observed this year.
<i>Cercocarpus betuloides</i> var. <i>blancheae</i>	island mountain mahogany	CRPR 4.3	Chaparral. 100-1970 feet.	Feb-May	Unlikely. No plants found during surveys. Suitable habitat exists on site. Nearest observation >20 years old from ~5 miles away.
<i>Chloropyron maritimum</i> ssp. <i>maritimum</i>	salt marsh bird's-beak	FE, SE, CRPR 1B.2	Coastal salt marsh. 0-100 feet.	May-Oct	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Chorizanthe palmeri</i>	Palmer's spineflower	CRPR 4.2	Serpentine in grasslands, chaparral, and cismontane woodlands. 180-3100 feet.	Apr-Aug	Does not Occur. No plants found during surveys. No suitable habitat on site. Only a single historic observation from this area, which is presumably misidentified.
<i>Clinopodium mimuloides</i>	monkey-flower savory	CRPR 4.2	Moist places and streambanks in chaparral and woodlands. 1000-5905 feet.	Jun-Oct	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Convolvulus simulans</i>	small-flowered morning-glory	CRPR 4.2	Clay substrates in annual grassland, coastal-sage scrub, and chaparral. 100-2430 feet.	Mar-Jul	Unlikely. No plants found during surveys. Suitable habitat exists on site. Nearest observation ~12 miles away and observed >20 years ago.
<i>Cryptantha rattanii</i>	Rattan's cryptantha	CRPR 4.3	Rocky, gravelly slopes (often granitic) in grassland, coastal scrub, chaparral, and foothill woodlands. 805-3000 feet.	Apr-Jul	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Deinandra paniculata</i>	paniculate tarplant	CRPR 4.2	Grassland, open chaparral and woodlands, and disturbed areas, often in sandy soils. 80–3085 feet.	Apr-Nov	Unlikely. No plants found during surveys. Suitable habitat exists on site. Only a single observation known from the Santa Barbara area ~4 miles away and >20 years old.
<i>Delphinium umbraculorum</i>	umbrella larkspur	CRPR 1B.3	Moist oak forest and chaparral. 1310–5250 feet.	Apr-Jun	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Erigeron sanctarum</i>	saints daisy	CRPR 4.2	Sandy sites in coastal scrub and woodland. 245–1150 feet.	Mar-Jul	Unlikely. No plants found during surveys. Marginal habitat exists on site. Nearest observation ~6 miles away and observed >20 years ago.
<i>Fritillaria ojaiensis</i>	Ojai fritillary	CRPR 1B.2	Rocky slopes and river basins in chaparral, forests, and woodlands. 740–3275 feet.	Feb-May	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Galium cliftonsmithii</i>	Santa Barbara bedstraw	CRPR 4.3	Coastal canyons, dry banks, chaparral, and cismontane woodlands. 655–4005 feet.	May-Jul	Unlikely. No plants found during surveys. Marginal habitat exists on site. Nearest observation ~4 miles away and observed 5 years ago.
<i>Gilia ochroleuca ssp. lanosa</i>	Sisquoc gilia	CRPR 4.3	Sandy soils (rarely gravel) within in chaparral, oak woodlands, and openings in pinyon pine forests. 1475–4855 feet.	Mar-Aug	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Hordeum intercedens</i>	vernal barley	CRPR 3.2	Dry saline streambeds, alkaline flats, and vernal pools. 15–3280 feet.	Mar-Jun	Does not Occur. No plants found during surveys. No suitable habitat on site.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Horkelia cuneata</i> var. <i>puberula</i>	mesa horkelia	CRPR 1B.1	Dry, sandy, coastal chaparral, coastal scrub, and cismontane woodlands. 230–2660 feet.	Feb-Jul	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~1 mile away and observed > 20 years ago.
<i>Juglans californica</i>	Southern California black walnut	CRPR 4.2	Coastal scrub, chaparral, and woodlands. 165–2955 feet.	Mar-Jun	Present. Species mapped during surveys. In addition to what appear to be naturally occurring plants, there are many plantings of <i>Juglans</i> . These plantings look somewhat strange and may be hybrids and/or showing some morphological plasticity due to extra water from irrigation.
<i>Juncus acutus</i> ssp. <i>leopoldii</i>	southwestern spiny rush	CRPR 4.2	Moist saline places, salt marshes, and alkaline seeps. 10–2955 feet.	May-Jun	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Juncus luciensis</i>	Santa Lucia dwarf rush	CRPR 1B.2	Wet, sandy soils of seeps, meadows, vernal pools, streams, and roadsides. 985–6695 feet.	Apr-Jul	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Lasthenia conjugens</i>	Contra Costa goldfields	FE, CRPR 1B.1	Vernal pools and wet meadows. 0–1540 feet.	Mar-Jun	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i>	Coulter's goldfields	CRPR 1B.1	Saline places and vernal pools. 5–4005 feet.	Feb-Jun	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Layia heterotricha</i>	pale-yellow layia	CRPR 1B.1	Open clayey or sandy soil in grasslands, coastal scrub, cismontane woodlands, and pinyon and juniper woodlands. 985–5595 feet.	Mar-Jun	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Lepechinia fragrans</i>	fragrant pitcher sage	CRPR 4.2	Chaparral. 65–4300 feet.	Mar-Oct	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~8 miles away and observed 3 years ago.
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i>	ocellated Humboldt's lily	CRPR 4.2	Oak canyons, chaparral, and yellow-pine forest. 100–5905 feet.	Mar-Jul	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~4 miles away and >20 years old.
<i>Lonicera subspicata</i> var. <i>subspicata</i>	Santa Barbara honeysuckle	CRPR 1B.2	Chaparral. 35–3280 feet.	May-Aug	Present. Species mapped during surveys. All plants appear to be planted in restoration areas.
<i>Malacothrix saxatilis</i> var. <i>arachnoidea</i>	Carmel Valley malacothrix	CRPR 1B.2	Rocky, open banks, shale outcrops, and cliff faces in coastal scrub and chaparral. 80–3400 feet.	Jun-Dec	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~13 miles away and 5 years old.
<i>Malacothrix saxatilis</i> var. <i>saxatilis</i>	Cliff malacothrix	CRPR 4.2	On flats or in crevices on coastal bluff. 10–655 feet.	Mar-Dec	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Monardella hypoleuca</i> ssp. <i>hypoleuca</i>	white-veined monardella	CRPR 1B.3	Oak woodlands and chaparral. 165–5005 feet.	Jun-Aug	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~3 miles away and found this year.
<i>Mucronea californica</i>	California spineflower	CRPR 4.2	Sandy areas in dunes, chaparral, coastal scrub, grasslands, and cismontane woodlands. 0–4595 feet.	Mar-Jul	Unlikely. No plants found during surveys. Marginal habitat on site. Nearest observation ~2 miles away and >20 years old.
<i>Nasturtium gambelii</i>	Gambel's water cress	FE, ST, CRPR 1B.1	Marshes, streambanks, and lake margins. 15–1085 feet.	Apr-Oct	Unlikely. No plants found during surveys. Marginal habitat on site. Not documented near Santa Barbara since the 1800s.

SUMMIT WEST

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Pelazoneuron puberulum</i> var. <i>sonorensis</i>	Sonoran maiden fern	CRPR 2B.2	Along streams and seepage areas. 165–2000 feet.	N/A	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Phacelia hubbyi</i>	Hubby's phacelia	CRPR 4.2	Open, gravelly or rocky slopes in chaparral, coastal scrub, and grasslands. 0–3280 feet.	Apr-Jun	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~1 mile away and >20 years old.
<i>Piperia michaelii</i>	Michael's rein orchid	CRPR 4.2	Generally dry sites in coastal scrub, woodlands, and mixed-evergreen or closed-cone-pine forests. 10–3000 feet.	Apr-Aug	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest recent observation ~5 miles away and 3 years old.
<i>Pleuridium mexicanum</i>	Mexican earthmoss	CRPR 2B.1	Sandstone in chaparral. 1445–1445 feet.	N/A	Does not Occur. No plants found during surveys. Site well outside elevation range for where the species is known in CA.
<i>Quercus dumosa</i>	Nuttall's scrub oak	CRPR 1B.1	Generally sandy soils near the coast and on sandstone in chaparral and coastal-sage scrub. 50–1310 feet.	Feb-Mar	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest purported observations ~4 miles away and 5 years old. Taxonomically problematic and with hybrids.
<i>Ribes amarum</i> var. <i>hoffmannii</i>	Hoffmann's bitter gooseberry	CRPR 3	Chaparral and riparian woodlands. 15–3905 feet.	Mar-Apr	Present. Species mapped during surveys. All plants mapped appeared to be restoration plantings.
<i>Sanicula hoffmannii</i>	Hoffmann's sanicle	CRPR 4.3	Coastal scrub, coastal bluff scrub, chaparral, woodlands, and forests. 100–985 feet.	Mar-May	Unlikely. No plants found during surveys. Suitable habitat on site. Nearest observation ~3 miles away and observed this year.

SUMMIT WEST °

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ¹	Habitat	Bloom Window	Potential to Occur/Rationale
<i>Scrophularia atrata</i>	black-flowered figwort	CRPR 1B.2	Calcium- and diatom-rich soils in coastal dunes, coastal scrub, riparian scrub, chaparral, and closed-cone coniferous forests. 35–1640 feet.	Mar-Jul	Does not Occur. No plants found during surveys. No suitable habitat on site. CNNDDB notes IDs of specimens from the Santa Barbara area are questionable and need to be checked. <i>S. californica</i> found in park.
<i>Senecio astephanus</i>	San Gabriel ragwort	CRPR 4.3	Steep rocky slopes in chaparral, coastal-sage scrub, and oak woodlands. 1310–4920 feet.	May-Jul	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.
<i>Suaeda esteroa</i>	estuary seablite	CRPR 1B.2	Coastal salt marshes. 0–15 feet.	May-Oct	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Suaeda taxifolia</i>	Woolly seablite	CRPR 4.2	Coastal bluffs and margins of salt marshes. 0–165 feet.	Jan-Dec	Does not Occur. No plants found during surveys. No suitable habitat on site.
<i>Thermopsis macrophylla</i>	Santa Ynez false lupine	CRPR 1B.3	Disturbed, granitic, and sandy areas in chaparral. 1395–4595 feet.	Apr-Jun	Does not Occur. No plants found during surveys. Site well outside elevation range for the species.

¹FE- Federally Endangered; FT- Federally Threatened; SE- State Endangered; ST- State Threatened

California Rare Plant Ranking (CRPR):

1A- Presumed extinct in California and rare/extinct elsewhere

1B.1- Rare, threatened, or endangered in California and elsewhere; seriously threatened in California

1B.2- Rare, threatened, or endangered in California and elsewhere; fairly threatened in California

1B.3- Rare, threatened, or endangered in California and elsewhere; not very threatened in California

2B.1- Rare, threatened, or endangered in California, but more common elsewhere; seriously threatened in California

3.2- Need more information; fairly threatened in California

4.2- Limited distribution; fairly threatened in California

4.3- Limited distribution; not very threatened in California

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Table 2. Occurrence Potential for Sensitive Status Wildlife Species within Honda Valley Park

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
Birds			
<i>Accipiter cooperii</i>	Cooper's hawk	WL	Likely – Potentially suitable habitat of wooded area in a suburban setting, with some edge habitat. Prefers more open areas.
<i>Accipiter striatus</i>	sharp-shinned hawk	WL	Likely – relatively densely wooded habitat. More likely in winter. Breeds mostly in more coniferous habitats.
<i>Agelaius tricolor</i>	tricolored blackbird	ST, SSC	Does Not Occur – No suitable habitat present.
<i>Aimophila ruficeps canescens</i>	Southern California rufous-crowned sparrow	WL	Does Not Occur – No suitable habitat present.
<i>Ammodramus savannarum</i>	grasshopper sparrow	SSC	Does Not Occur – No suitable habitat present.
<i>Aquila chrysaetos</i>	golden eagle	FP, WL	Does Not Occur – No suitable habitat present.
<i>Artemisiospiza belli belli</i>	Bell's sparrow	WL	Does Not Occur – No suitable habitat present.
<i>Athene cunicularia</i>	burrowing owl	SSC	Does Not Occur – No suitable habitat present.
<i>Branta bernicla</i>	brant	SSC	Does Not Occur – No suitable habitat present.
<i>Buteo swainsoni</i>	Swainson's hawk	ST	Does Not Occur – No suitable habitat present.
<i>Cerorhinca monocerata</i>	rhinoceros auklet	WL	Does Not Occur – No suitable habitat present.
<i>Chaetura vauxi</i>	Vaux's swift	SSC	Unlikely – No breeding habitat, would only potentially be foraging over park as it migrates through.
<i>Charadrius nivosus nivosus</i>	western snowy plover	FT, SSC	Does Not Occur – No suitable habitat present.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
<i>Circus hudsonius</i>	northern harrier	SSC	Does Not Occur - Although this species was observed as a fly-over, no suitable habitat is present. They use grasslands, farmlands, marshes, and other open landscape habitat.
<i>Cistothorus palustris clarkae</i>	Clark's marsh wren	SSC	Does Not Occur - No suitable habitat present. Outside of known range.
<i>Contopus cooperi</i>	olive-sided flycatcher	SSC	Unlikely. Potential nesting and foraging habitat in tall trees, but typically uses more conifer forests.
<i>Coturnicops noveboracensis</i>	yellow rail	SSC	Does Not Occur - No suitable habitat present.
<i>Elanus leucurus</i>	white-tailed kite	FP	Does Not Occur - No suitable habitat present.
<i>Empidonax traillii</i>	willow flycatcher	SE	Unlikely - prefers more dense riparian vegetation.
<i>Empidonax traillii extimus</i>	southwestern willow flycatcher	FE, SE	Unlikely - prefers more dense riparian vegetation.
<i>Eremophila alpestris actia</i>	California horned lark	WL	Does Not Occur - No suitable habitat present.
<i>Falco columbarius</i>	merlin	WL	Unlikely. Prefers open areas.
<i>Falco mexicanus</i>	prairie falcon	WL	Does Not Occur - No suitable habitat present.
<i>Falco peregrinus anatum</i>	American peregrine falcon	FD, SD, FP	Likely - potentially suitable habitat, with riparian woodlands near the coast, known to occur and breed within 5 miles.
<i>Gavia immer</i>	common loon	SSC	Does Not Occur - No suitable habitat present.
<i>Gymnogyps californianus</i>	California condor	FE, SE, FP	Does Not Occur - No suitable habitat present.
<i>Icteria virens</i>	yellow-breasted chat	SSC	Does Not Occur - No suitable habitat present.
<i>Larus californicus</i>	California gull	WL	Does Not Occur - No suitable habitat present.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
<i>Laterallus jamaicensis coturniculus</i>	California black rail	ST, FP	Does Not Occur - No suitable habitat present.
<i>Nannopterum auritum</i>	double-crested cormorant	WL	Does Not Occur - No suitable habitat present.
<i>Numenius americanus</i>	long-billed curlew	WL	Does Not Occur - No suitable habitat present.
<i>Pandion haliaetus</i>	osprey	WL	Does Not Occur - No suitable habitat present.
<i>Passerculus sandwichensis beldingi</i>	Belding's savannah sparrow	SE	Does Not Occur - No suitable habitat present.
<i>Pelecanus occidentalis californicus</i>	California brown pelican	FD, SD, FP	Does Not Occur - No suitable habitat present.
<i>Plegadis chihi</i>	white-faced ibis	WL	Does Not Occur - No suitable habitat present.
<i>Rallus obsoletus levipes</i>	light-footed Ridgway's rail	FE, SE, FP	Does Not Occur - No suitable habitat present.
<i>Riparia riparia</i>	bank swallow	ST	Does Not Occur - Typically inhabits areas near bodies of water for foraging over, with large sand banks for colonial nesting.
<i>Rynchops niger</i>	black skimmer	SSC	Does Not Occur - No suitable habitat present.
<i>Sternula antillarum browni</i>	California least tern	FE, SE, FP	Does Not Occur - No suitable habitat present.
<i>Strix occidentalis occidentalis</i>	California spotted owl	SSC	Does Not Occur - No suitable habitat present.
<i>Thalasseus elegans</i>	elegant tern	WL	Does Not Occur - No suitable habitat present.
<i>Vireo bellii pusillus</i>	least Bell's vireo	FE, SE	Unlikely - prefers more dense riparian vegetation.
Amphibians			

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
<i>Anaxyrus californicus</i>	arroyo toad	FE, SSC	Does Not Occur - No suitable habitat present.
<i>Rana boylei</i> pop. 6	foothill yellow-legged frog - south coast DPS	FPE, SE	Does Not Occur - No suitable habitat present.
<i>Rana draytonii</i>	California red-legged frog	FT, SSC	Does Not Occur - No suitable habitat present.
<i>Spea hammondi</i>	western spadefoot	SSC	Does Not Occur - No suitable habitat present.
<i>Taricha torosa</i>	Coast Range newt	SSC	Unlikely - suitable habitat is limited. Prefers areas in and around larger, more permanent streams with pools.
Reptiles			
<i>Anniella pulchra</i>	Northern California legless lizard	SSC	Likely . Relatively loose soils with substantial leaf litter/debris, mixed woodlands/riparian and shrubland.
<i>Anniella</i> spp.	California legless lizard	SSC	Likely . Relatively loose soils with substantial leaf litter/debris, mixed woodlands/riparian and shrubland.
<i>Aspidoscelis tigris stejnegeri</i>	coastal whiptail	SSC	Does Not Occur - No suitable habitat present.
<i>Emys marmorata</i>	western pond turtle	SSC	Does Not Occur - No suitable habitat present.
<i>Phrynosoma blainvillii</i>	coast horned lizard	SSC	Does Not Occur - No suitable habitat present.
<i>Salvadora hexalepis virgulata</i>	coast patch-nosed snake	SSC	Unlikely - suitable habitat is limited, prefers more arid, less dense scrub.
<i>Thamnophis hammondi</i>	two-striped gartersnake	SSC	Unlikely - suitable habitat is limited. Prefers more wetland habitats and permanent riparian habitat.
<i>Thamnophis sirtalis</i> pop. 1	south coast gartersnake	SSC	Does not Occur - Restricted to marsh and upland habitats near permanent water with dense riparian habitat.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
Invertebrates			
<i>Bombus caliginosus</i>	obscure bumble bee	IUCN: VU	Does Not Occur - No suitable habitat, prefers coastal grasslands with substantial Asteracea and Fabaceae.
<i>Bombus crotchii</i>	Crotch bumble bee	SCE	Does Not Occur - No suitable habitat, prefers grasslands and scrub, with substantial Asteraceae, Fabaceae, and Lamiaceae.
<i>Bombus pensylvanicus</i>	American bumble bee	IUCN: VU	Does Not Occur - No suitable habitat, prefers grasslands with more flowering plants in Fabaceae and Asteraceae.
<i>Coelus globosus</i>	globose dune beetle	IUCN: VU	Does Not Occur - No suitable habitat present.
<i>Danaus plexippus plexippus pop. 1</i>	monarch - California overwintering population	FC	Likely. Potential overwintering habitat in eucalyptus and foraging habitat in milkweed.
<i>Haliotis kamtschatkana</i>	pinto abalone	IUCN: EN	Does Not Occur - No suitable habitat present.
Fish			
<i>Eucyclogobius newberryi</i>	tidewater goby	FE	Does Not Occur - No suitable habitat present.
<i>Oncorhynchus mykiss irideus pop. 10</i>	steelhead - southern California DPS	FE, SC	Does Not Occur - No suitable habitat present.
Mammals			
<i>Antrozous pallidus</i>	pallid bat	SSC	Does Not Occur - No suitable habitat present.
<i>Bassariscus astutus octavus</i>	southern California ringtail	FP	Unlikely - suitable habitat is limited, prefers more rocky habitats and more dense riparian habitat.

SUMMIT WEST^o

ENVIRONMENTAL, INC.

PO Box 1499, Bend OR 97709

Scientific Name	Common Name	Status ²	Potential to Occur and Rationale
<i>Corynorhinus townsendii</i>	Townsend's big-eared bat	SSC	Unlikely – Suitable habitat is limited. They use a variety of habitats but are usually found in arid desert scrub or pine forests and near caves or other roosting structures.
<i>Enhydra lutris nereis</i>	southern sea otter	FT, FP	Does Not Occur – No suitable habitat present.
<i>Eumops perotis californicus</i>	western mastiff bat	SSC	Unlikely – Suitable habitat is limited. Prefers more open areas in a variety of habitats.
<i>Lasiurus frantzii</i>	western red bat	SSC	Likely – for the wooded riparian habitat; roosts in tree foliage of broadleaf trees such as oaks, cottonwoods, etc.
<i>Neotoma lepida intermedia</i>	San Diego desert woodrat	SSC	Does Not Occur – No suitable habitat present.
<i>Nyctinomops macrotis</i>	big free-tailed bat	SSC	Does Not Occur – No suitable habitat present. Typically inhabits rocky habitats in arid landscapes.
<p>²FE- Federally Endangered; FT- Federally Threatened; FD- Federally Delisted; FC- Federally Candidate; FPE- Federally Proposed Endangered; SE- State Endangered; ST- State Threatened; SD- State Delisted; SC- State Candidate; SSC- California Department of Fish and Wildlife Species of Special Concern; WL- Watchlist; FP- Fully Protected; IUCN: VU- International Union for the Conservation of Nature Vulnerable; IUCN: EN- International Union for the Conservation of Nature Endangered</p>			

Appendix E- CNDDDB Submissions

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code KIN23F0007
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Zach Kinman

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court , Pleasanton, CA 94588

Email: Zach@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	265	34.40895	-119.71673	250290	3810849	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code KIN23F0008
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Zach Kinman

Affiliation: SummitWest Environmental

Address:

Email: Zach@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	215	34.40805	-119.71353	250582	3810741	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code KIN23F0009
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Zach Kinman

Affiliation: SummitWest Environmental

Address:

Email: Zach@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	213	34.40773	-119.71305	250625	3810704	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code KIN23F0010
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Zach Kinman

Affiliation: SummitWest Environmental

Address:

Email: Zach@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	217	34.40763	-119.71282	250646	3810692	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code KIN23F0011
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Zach Kinman

Affiliation: SummitWest Environmental

Address:

Email: Zach@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 3

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	50 %	50 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	185	34.40679	-119.70969	250930	3810592	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0015
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Lonicera subspicata* var. *subspicata*

Common name: Santa Barbara honeysuckle

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California, 2nd Edition.

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	100 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	279	34.40910	-119.71712	250254	3810866	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10m.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code	<u>MOR23F0016</u>
Quad code	<u>3411946</u>
Occ. no.	_____
EO index no.	_____
Map index no.	_____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation: This observation was of a potential hybrid.

Identification confidence: Not very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	271	34.40903	-119.71711	250255	3810858	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21	1 observed.						

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0017
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Lonicera subspicata* var. *subspicata*

Common name: Santa Barbara honeysuckle

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	100 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	277	34.40910	-119.71691	250274	3810865	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0018
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Lonicera subspicata* var. *subspicata*

Common name: Santa Barbara honeysuckle

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	100 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	278	34.40908	-119.71662	250300	3810863	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0019
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	266	34.40897	-119.71597	250360	3810849	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0020
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology: 0 % 0 % 100 %
 vegetative flowering fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	269	34.40899	-119.71573	250382	3810850	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0021
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 2

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	231	34.40798	-119.71404	250535	3810735	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0022
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Lonicera subspicata* var. *subspicata*

Common name: Santa Barbara honeysuckle

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation: Individuals observed appeared to be planted.

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 4

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	227	34.40741	-119.71259	250666	3810668	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0023
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Lonicera subspicata* var. *subspicata*

Common name: Santa Barbara honeysuckle

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 2

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	224	34.40742	-119.71220	250702	3810667	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0024
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	218	34.40716	-119.71146	250769	3810637	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0025
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 3

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	218	34.40720	-119.71130	250784	3810641	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0026
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	190	34.40702	-119.71017	250888	3810618	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0027
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum var. hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 2

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	214	34.40717	-119.71100	250812	3810637	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0028
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Ribes amarum* var. *hoffmannii*

Common name: Hoffmann's bitter gooseberry

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 2

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	0 %	0 %	100 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	199	34.40683	-119.71026	250878	3810597	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code MOR23F0029
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Keir Morse

Affiliation: SummitWest Environmental

Address:

Email: Keir@summitwestenv.com

Phone: (858) 472-2907

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	215	34.40828	-119.71052	250859	3810759	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0022
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court , Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (925) 872-7042

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	240	34.40810	-119.71262	250666	3810744	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0023
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court , Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (925) 872-7042

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	208	34.40759	-119.71230	250693	3810687	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0024
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court, Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (925) 872-7042

Other observers: Zach Kinman

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 2

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	225	34.40765	-119.71299	250630	3810695	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0025
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court, Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (805) 714-3725

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	233	34.40755	-119.71306	250623	3810684	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0026
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court , Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (925) 872-7042

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: Very confident

Species found: Yes If not found, why not?

Level of survey effort:

Total number of individuals: 1

Collection? No

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	100 %	0 %	0 %
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	222	34.40729	-119.71175	250743	3810652	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters

Mapping notes:

Location/directions comments:

Attachment(s):

CNDDDB Online Field Survey Form Report



California Natural Diversity Database
Department of Fish and Wildlife
1416 9th Street, Suite 1266
Sacramento, CA 95814
Fax: 916.324.0475
cnddb@wildlife.ca.gov
www.dfg.ca.gov/biogeodata/cnddb/



Source code SCH23F0027
Quad code 3411946
Occ. no. _____
EO index no. _____
Map index no. _____

This data has been reported to the CNDDDB, but may not have been evaluated by the CNDDDB staff

Scientific name: *Juglans californica*

Common name: southern California black walnut

Date of field work (mm-dd-yyyy): 08-01-2023

Comment about field work date(s):

OBSERVER INFORMATION

Observer: Michael W. Schwanhausser

Affiliation: SummitWest Environmental

Address: 3894 Cheshire Court, Pleasanton, CA 94588

Email: Michael@summitwestenv.com

Phone: (925) 872-7042

Other observers:

DETERMINATION

Keyed in: Baldwin, B. G. et. al. 2012. The Jepson Manual Vascular Plants of California

Compared w/ specimen at:

Compared w/ image in:

By another person:

Other:

Identification explanation:

Identification confidence: *Confident*

Species found: *Yes* If not found, why not?

Level of survey effort:

Total number of individuals: *1*

Collection? *No*

Collection number:

Museum/Herbarium:

PLANT INFORMATION

Phenology:	<u>100 %</u>	<u>0 %</u>	<u>0 %</u>
	vegetative	flowering	fruiting

SITE INFORMATION

Habitat description:

Slope:

Land owner/manager:

Aspect:

Site condition + population viability:


Immediate & surrounding land use:

Visible disturbances:

Threats:

General comments:

MAP INFORMATION



ID	County	24K Quadrangle	Elev. (ft)	Latitude NAD83	Longitude NAD83	UTM E NAD83	UTM N NAD83	UTM Zone
	Santa Barbara	Santa Barbara	184	34.40673	-119.70947	250951	3810584	11
1	Public Land Survey	Feature Comment						
	S T04N R27W 21							

The mapped feature is accurate within: 10 m

Source of mapped feature: GPS, horizontal accuracy 10 meters.

Mapping notes:

Location/directions comments:

Attachment(s):