

# Index to Volume 36

## Author Index

- ADAMSON, THOMAS A.  
see Randall and Adamson
- AKITA, G., R. NAKAMURA, J. BROCK, G. MIYAMOTO, M. FUJIMOTO, F. OISHI, D. ONIZUKA, and D. SUMIKAWA  
Epizootiologic study of mid-cycle disease of larval *Macrobrachium rosenbergii* [abstr.], 507–508
- ARNOLD, JOHN M.  
Foreword, 265  
see also Dykens, Mangum, and Arnold
- BALAZS, G. H.  
see Whittow and Balazs
- BALDWIN, JOHN  
Correlations between enzyme profiles in cephalopod muscle and swimming behavior, 349–356  
An immunochemical study of structural and evolutionary relationships among molluscan octopine dehydrogenases, 357–363
- BALDWIN, JOHN, and W. R. ENGLAND  
The properties and functions of alanopine dehydrogenase and octopine dehydrogenase from the pedal retractor muscle of Strombidae (Class Gastropoda), 381–394
- BEESON, MELVIN H.  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- BELL, JANICE L.  
Larval development and metamorphosis of the proso-branch mollusc, *Epitonium ulu*, associated with a solitary coral [abstr.], 508
- BLUM, STANLEY D.  
The impact of eel predation reconsidered: the populations of potential prey [abstr.], 509
- BOURNE, GEORGE B.  
see Redmond and Bourne
- BOYER, BARBARA CONTA, and GEORGE W. SMITH  
Sperm morphology and development in two acoel turbellarians from the Philippines, 365–380
- BROCK, J.  
see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- BURTON, PHILIP J.  
The effect of temperature and light on *Metrosideros polymorpha* seed germination, 229–240
- CAMPBELL, J. F., and D. J. HWANG  
Beach erosion at Waimea Bay, Oahu, Hawaii, 35–43
- CARLSON, B.  
see Hourigan, Carlson, Motta, Stanton, and Kelley
- CARVACHO, ALBERTO  
see Rios and Carvacho
- CHEN, DAO-GONG  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- CHOW, K. H.  
Inheritance of rugose leaf in *Desmodium*, 221–228
- CLAGUE, DAVID A., CHEN DAO-GONG, RICHARD MURNANE, MELVIN H. BEESON, MARVIN A. LANPHERE, G. BRENT DALRYMPLE, WALTER FRIESEN, and ROBIN T. HOLCOMB  
Age and petrology of the Kalaupapa Basalt, Molokai, Hawaii, 411–420
- CLAUSEN, CONRAD D.  
see Roth, Clausen, Yahiku, Clausen, and Cox
- CLAUSEN, VENUS E.  
see Roth, Clausen, Yahiku, Clausen, and Cox
- COLES, STEPHEN L.  
New habitat report for *Maldivia triunguiculata* (Borradaile) (Brachyura, Xanthidae), a facultative symbiont of *Porites lobata* Dana in Hawaii, 203–209
- COSTA-PIERCE, BARRY A.  
Applications of a new radiotracer technique for investigating prawn (*Macrobrachium rosenbergii*) ecology and digestive physiology [abstr.], 509
- COUVILLON, PATRICIA A.  
Conditioning in honeybees [abstr.], 510–511
- COX, EVELYN  
Feeding behavior of *Chaetodon unimaculatus* in Kaneohe Bay [abstr.], 511
- COX, WALTER W.  
see Roth, Clausen, Yahiku, Clausen, and Cox
- DALRYMPLE, G. BRENT  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- DEARDORFF, THOMAS L., MICHAEL M. KLIKS, MITCHEL E. ROSENFELD, ROBERT A. RYCHLINSKI, and ROBERT S. DESOWITZ  
Larval ascariid nematodes from fishes near the Hawaiian Islands, with comments on pathogenicity experiments, 187–201
- DESOWITZ, ROBERT S.  
see Deardorff, Kliks, Rosenfeld, Rychlinski, and Desowitz
- DISALVO, LOUIS H.  
see Egaña and Disalvo
- DOTY, ROBERT D.  
Annual precipitation on the island of Hawaii between 1890 and 1977, 421–425
- DYKENS, JAMES A., CHARLOTTE P. MANGUM, and JOHN M. ARNOLD  
A note on the structural organization of the cardiac myofiber in *Nautilus pompilius*, 267–271
- EGAÑA, ALFREDO CEA, and LOUIS H. DISALVO  
Mass expulsion of zooxanthellae by Easter Island corals, 61–63

- EMMETT, B.  
see Mommsen, French, Emmett, and Hochachka
- ENGLAND, W. R.  
see Baldwin and England
- FELLERS, GARY M.  
see Fellers and Fellers
- FELLERS, JOAN H., and GARY M. FELLERS  
Status and distribution of ants in the crater district of Haleakala National Park, 427-437
- FERRARIS, RONALDO P.  
Does glucose uptake in marine fish intestines occur by active transport? [abstr.], 510
- FIELDS, JEREMY H. A.  
Some catalytic and regulatory properties of pyruvate kinase from the spadix and retractor muscles of *Nautilus pompilius*, 315-324  
see also Hochachka and Fields
- FIELDS, JEREMY H. A., and P. W. HOCHACHKA  
Glucose and proline metabolism in *Nautilus*, 337-341
- FRENCH, C. J.  
see Mommsen, French, Emmett, and Hochachka
- FRIEDRICH, G.  
see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- FRIESEN, WALTER  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- FUJIMOTO, M.  
see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- GHOSH, A. K.  
see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- GLASBY, G. P., G. FRIEDRICH, T. THIJSSSEN, W. L. PLÜGER, H. KUNZENDORF, A. K. GHOSH, and G. S. ROONWAL  
Distribution, morphology, and geochemistry of manganese nodules from the *Valdivia 13/2* area, equatorial north Pacific, 241-263
- GOSLINE, JOHN M., and ROBERT E. SHADWICK  
The biomechanics of the arteries of *Nautilus*, *Nototodarus*, and *Sepia*, 283-296
- HOCHACHKA, P. W.  
see Fields and Hochachka  
see also Mommsen, French, Emmett, and Hochachka
- HOCHACHKA, P. W., and J. H. A. FIELDS  
Arginine, glutamate, and proline as substrates for oxidation and for glycogenesis in cephalopod tissues, 325-335
- HOLCOMB, ROBIN T.  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- HOURLIGAN, THOMAS F., B. CARLSON, P. MOTTA, F. G. STANTON, and C. D. KELLEY  
Feeding and spatial organization of three species of pomacanthid fishes [abstr.], 512
- HUTCHINS, J. BARRY, and JOHN E. RANDALL  
*Cantherhines longicaudus*, a new filefish from Oceania, with a review of the species of the *C. fronticinctus* complex, 175-185
- HWANG, D. J.  
see Campbell and Hwang
- JOHANSEN, K.  
see Lykkeboe and Johansen  
see also Mangum and Johansen
- KEHOE, CEDAR  
The LD-50 concentration and the effects of alcohol on the fertility of the nudibranch mollusc *Phestilla sibogae* [abstr.], 512
- KELLEY, C. D.  
see Hourigan, Carlson, Motta, Stanton, and Kelley
- KELLEY, CHRISTOPHER  
A new hypothesis to explain aspects of coloration in chaetodontid fishes [abstr.], 513
- KIRCH, PATRICK V.  
The impact of the prehistoric Polynesians on the Hawaiian ecosystem, 1-14
- KLIKS, MICHAEL M.  
see Dearnorff, Kliks, Rosenfeld, Rychlinski, and Desowitz
- KOSTERMANS, A. J. G. H.  
Note on the fossil *Garcinia laddii* Fosberg, 127
- KROPP, ROY K.  
Responses of five holothurian species to attacks by a predatory gastropod, *Tonna perdix*, 445-452
- KRUPP, DAVID A.  
Sexual reproduction in the solitary scleractinian coral, *Fungia scutaria* (Lamarck) [abstr.], 513-514
- KUITER, RUDIE H.  
see Randall and Kuitert
- KUNZENDORF, H.  
see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- LAMBERTS, AUSTIN E.  
The reef coral *Astreopora* (Anthozoa, Scleractinia, Astrocoeniidae): A revision of the taxonomy and description of a new species, 83-105
- LANPHERE, MARVIN A.  
see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- LYKKEBOE, G., and K. JOHANSEN  
A cephalopod approach to rethinking about the importance of the Bohr and Haldane effects, 305-313
- MANGUM, CHARLOTTE P.  
On the relationship between  $P_{50}$  and the mode of gas exchange in tropical crustaceans, 403-410  
see also Dykens, Mangum, and Arnold
- MANGUM, CHARLOTTE P., and K. JOHANSEN  
The influence of symbiotic dinoflagellates on respiratory processes in the giant clam *Tridacna squamosa*, 395-401
- MANGUM, CHARLOTTE P., and DAVID W. TOWLE  
The *Nautilus* siphuncle as an ion pump, 273-282
- MILLER, ALAN C.  
Effects of differential fish grazing on the community structure of an intertidal reef flat at Enewetak Atoll, Marshall Islands, 467-482

- MIYAMOTO, G.  
 see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- MOMMSEN, T. P., C. J. FRENCH, B. EMMETT, and P. W. HOCHACHKA  
 The fate of arginine and proline carbon in squid tissues, 343–348
- MOTTA, P.  
 see Hourigan, Carlson, Motta, Stanton, and Kelley
- MURNANE, RICHARD  
 see Clague, Chen, Murnane, Beeson, Lanphere, Dalrymple, Friesen, and Holcomb
- NAKAMURA, R.  
 see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- OISHI, F.  
 see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- ONIZUKA, D.  
 see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- PAGE, H. M., and S. W. WILLASON  
 Distribution patterns of terrestrial hermit crabs at Enewetak Atoll, Marshall Islands, 107–117
- PERRY, ANJANETTE  
 Magnetite in the green turtle [abstr.], 514
- PLÜGER, W. L.  
 see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- RANDALL, JOHN E.  
 see Hutchins and Randall
- RANDALL, JOHN E., and THOMAS A. ADAMSON  
 A review of the monotypic Indo-Malayan labrid fish genus *Xenojulis*, 119–126
- RANDALL, JOHN E., and RUDIE H. KUITER  
 Three new labrid fishes of the genus *Coris* from the western Pacific, 159–173
- RAYMORE, PAUL A., JR.  
 Photographic investigations on three seamounts in the Gulf of Alaska, 15–34
- REDMOND, JAMES R., and GEORGE B. BOURNE  
 Vascular resistance in the isolated gills of *Octopus macropus* and *Nautilus pompilius*, 297–303
- REES, JOHN T.  
 The hydrozoan *Cladonema* in California: A possible introduction from East Asia, 439–444
- RICHMOND, ROBERT  
 The dispersal potential of *Pocillopora damicornis* planulae, based on larval physiology and behavior [abstr.], 515
- RÍOS, RUBÉN, and ALBERTO CARVACHO  
 Caridean shrimps of the Gulf of California. I. New records, with some remarks on amphiamerican distribution, 459–465
- ROONWAL, G. S.  
 see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- ROSENFELD, MITCHEL E.  
 see Deardorff, Kliks, Rosenfeld, Rychlinski, and Desowitz
- ROSEWATER, JOSEPH  
 Review of Hawaiian Pinnidae and revalidation of *Pinna exquisita* Dall, Bartsch, and Rehder, 1938 (Bivalvia: Mytiloidea), 453–458
- ROTH, ARIEL A., CONRAD D. CLAUSEN, PAUL Y. YAHIKU, VENUS E. CLAUSEN, and WALTER W. COX  
 Some effects of light on coral growth, 65–81
- RYCHLINSKI, ROBERT A.  
 see Deardorff, Kliks, Rosenfeld, Rychlinski, and Desowitz
- ST. JOHN, HAROLD  
 Monograph of Trematolobelia (Lobeliaceae). Hawaiian Plant Studies 107, 483–506
- SHADWICK, ROBERT E.  
 see Gosline and Shadwick
- SHAKLEE, JAMES B., CLYDE S. TAMARU, and ROBIN S. WAPLES  
 Speciation and evolution of marine fishes studied by the electrophoretic analysis of proteins, 141–157
- SMITH, GEORGE W.  
 see Boyer and Smith
- STANTON, F. G.  
 see Hourigan, Carlson, Motta, Stanton, and Kelley
- STEWART, JOAN G.  
 Anchor species and epiphytes in intertidal algal turf, 45–59
- SUDEKUM, ANTHONY  
 Notes on the biology and feeding habits of *Caranx ignobilis* and *Caranx melampygus* in the north-western Hawaiian Islands [abstr.], 515
- SUMIKAWA, D.  
 see Akita, Nakamura, Brock, Miyamoto, Fujimoto, Oishi, Onizuka, and Sumikawa
- TAMARU, CLYDE S.  
 see Shaklee, Tamaru, and Waples
- THIJSSSEN, T.  
 see Glasby, Friedrich, Thijssen, Plüger, Kunzendorf, Ghosh, and Roonwal
- TOWLE, DAVID W.  
 see Mangum and Towle
- WALKER, MICHAEL M.  
 The likely site of the magnetic sense organ in yellowfin tuna (*Thunnus albacares*) and blue marlin (*Makaira nigricans*) [abstr.], 516
- WALSH, WILLIAM J.  
 Conspecific attraction in a territorial damselfish: analysis of the spatial distribution of *Stegastes fasciatus* [abstr.], 517
- WAPLES, ROBIN S.  
 see Shaklee, Tamaru, and Waples
- WELLS, JOHN W.  
 Notes on Indo-Pacific scleractinian corals. Part 9. New corals from the Galápagos Islands, 211–219
- WHITTOU, G. C., and G. H. BALAZS  
 Basking behavior of the Hawaiian green turtle (*Chelonia mydas*), 129–139
- WILLASON, S. W.  
 see Page and Willason
- YAHIKU, PAUL Y.  
 see Roth, Clausen, Yahiku, Clausen, and Cox

## Subject Index\*

- Age and petrology of the Kalaupapa Basalt, Molokai, Hawaii, 411-420
- Alanopine dehydrogenase and octopine dehydrogenase from the pedal retractor muscle of Strombidae (Class Gastropoda), properties and functions of, 381-394
- Alaska  
 photographic investigations on three seamounts in the Gulf of Alaska, 15-34
- Alaska, Gulf of  
*see* Alaska
- Alcohol on the fertility of the nudibranch mollusc *Phestilla sibogae*, LD-50 concentration and the effects of [abstr.], 512
- Algae  
 anchor species and epiphytes in intertidal algal turf, 45-59
- Algal turf, anchor species and epiphytes in intertidal, 45-59
- Alpha Helix*, Cephalopod expedition of, 267-410
- Amphiamerican distribution, caridean shrimps of the Gulf of California. I. new records, with some remarks on, 459-465
- Anchor species and epiphytes in intertidal algal turf, 45-59
- Angiospermae  
 effect of temperature and light on *Metrosideros polymorpha* seed germination, 229-240  
 Inheritance of rugose leaf in *Desmodium*, 221-228  
 Monograph of Trematolobelia (Lobeliaceae). Hawaiian Plant Studies 107, 483-506  
 note on the fossil *Garcinia laddii* Fosberg, 127
- Anthozoa  
 dispersal potential of *Pocillopora damicornis* planulae, based on larval physiology and behavior [abstr.], 515  
 feeding behavior of *Chaetodon unimaculatus* in Kaneohe Bay [abstr.], 511  
 larval development and metamorphosis of the prosobranch mollusc, *Epitonium uhu*, associated with a solitary coral [abstr.], 508  
 mass expulsion of zooxanthellae by Easter Island corals, 61-63  
 notes on Indo-Pacific scleractinian corals. part 9. new corals from the Galápagos Islands, 211-219  
 reef coral *Astreopora* (Anthozoa, Scleractinia, Astrocoeniidae): a revision of the taxonomy and description of a new species, 83-105  
 sexual reproduction in the solitary scleractinian coral, *Fungia scutaria* (Lamarck) [abstr.], 513-514  
 some effects of light on coral growth, 65-81
- Arginine, glutamate, and proline as substrates for oxidation and for glycogenesis in cephalopod tissues, 325-335
- Arginine and proline carbon in squid tissues, fate of, 343-348
- Arteries of *Nautilus*, *Nototodarus*, and *Sepia*, the biomechanics of, 283-296
- Asia  
 hydrozoan *Cladonema* in California: a possible introduction from, 439-444
- Astreopora scabra* sp. nov., 83-105
- Balanophyllia eguchii* sp. nov., 211-219
- Basking behavior of the Hawaiian green turtle (*Chelonia mydas*), 129-139
- Beach erosion at Waimea Bay, Oahu, Hawaii, 35-43
- Behavior of the Hawaiian green turtle (*Chelonia mydas*), basking, 129-139
- Biomechanics of the arteries of *Nautilus*, *Nototodarus*, and *Sepia*, 283-296
- Bivalvia  
 review of Hawaiian Pinnidae and revalidation of *Pinna exquisita* Dall, Bartsch and Rehder, 1938 (Bivalvia: Mytiloidea), 453-458
- Bohr and Haldane effects, cephalopod approach to rethinking about the importance of, 305-313
- California  
 anchor species and epiphytes in intertidal algal turf, 45-59  
 hydrozoan *Cladonema* in: a possible introduction from East Asia, 439-444
- California, Gulf of  
*see* Mexico
- Cantherhines longicaudus* sp. nov., 175-185
- Carbon in squid tissues, the fate of arginine and proline, 343-348
- Cardiac myofiber in *Nautilus pompilius*, a note on the structural organization of, 267-271
- Cephalopoda  
 Cephalopod expedition of the *Alpha Helix*, 267-410
- Coelenterata  
 hydrozoan *Cladonema* in California: a possible introduction from East Asia, 439-444
- Coloration in chaetodontid fishes, new hypothesis to explain aspects of [abstr.], 513
- Color figures  
 Monograph of Trematolobelia (Lobeliaceae). Hawaiian Plant Studies 107, 483-506 [485]  
 three new labrid fishes of the genus *Coris* from the western Pacific, 159-173 [162]
- Combined new species  
*Diospyros laddii* (Angiospermae), 127
- Community structure of an intertidal reef flat at Enewetak Atoll, Marshall Islands, effects of differential fish grazing on, 467-482
- Conditioning in honeybees [abstr.], 510-511
- Coral growth, some effects of light on, 65-81
- Coris aurilineata* sp. nov., 159-173
- Coris bulbifrons* sp. nov., 159-173
- Coris pictoides* sp. nov., 159-173
- Crustacea  
 applications of a new radiotracer technique for investigating prawn (*Macrobrachium rosenbergii*) ecology and digestive physiology [abstr.], 509  
 caridean shrimps of the Gulf of California. I. new records, with some remarks on amphiamerican dis-

\*Biological organisms are indexed under their respective classes.

- tribution, 459–465  
 distribution patterns of terrestrial hermit crabs at Enewetak Atoll, Marshall Islands, 107–117  
 Epizootiologic study of mid-cycle disease of larval *Macrobrachium rosenbergii* [abstr.], 507–508  
 new habitat report for *Maldivia triunguiculata* (Borradaile) (Brachyura, Xanthidae), a facultative symbiont of *Porites lobata* Dana in Hawaii, 203–209  
 on the relationship between  $P_{50}$  and the mode of gas exchange in tropical crustaceans, 403–410
- Dehydrogenase and octopine dehydrogenase from the pedal retractor muscle of Strombidae (Class Gastropoda), properties and functions of alanopine, 381–394  
 Dehydrogenases, an immunochemical study of structural and evolutionary relationships among molluscan octopine dehydrogenases, 357–363  
 Digestive physiology, applications of a new radiotracer technique for investigating prawn (*Macrobrachium rosenbergii*) ecology and [abstr.], 509  
*Diospyros laddii* comb. nov., 127  
 Dispersal potential of *Pocillopora damicornis* planulae, based on larval physiology and behavior [abstr.], 515  
 Distribution, morphology, and geochemistry of manganese nodules from the *Valdivia* 13/2 area, equatorial north Pacific, 241–263  
 Distribution patterns of terrestrial hermit crabs at Enewetak Atoll, Marshall Islands, 107–117
- Easter Island  
 mass expulsion of zooxanthellae by Easter Island corals, 61–63
- Echinodermata  
 responses of five holothurian species to attacks by a predatory gastropod, *Tonna perdix*, 445–452
- Ecology  
 impact of the prehistoric Polynesians on the Hawaiian ecosystem, 1–14  
 Ecology and digestive physiology, applications of a new radiotracer technique for investigating prawn (*Macrobrachium rosenbergii*) [abstr.], 509  
 Ecosystem, impact of the perhistoric Polynesians on the Hawaiian, 1–14
- Enewetak Atoll  
 see Marshall Islands
- Enzyme profiles in cephalopod muscle and swimming behavior, correlations between, 349–356
- Epiphytes in intertidal algal turf, anchor species and, 45–59
- Epizootiologic study of mid-cycle disease of larval *Macrobrachium rosenbergii* [abstr.], 507–508
- Erosion at Waimea Bay, Oahu, Hawaii, beach, 35–43
- Evolution of marine fishes studied by the electrophoretic analysis of proteins, speciation and, 141–157
- Facultative symbiont of *Porites lobata* Dana in Hawaii, new habitat report for *Maldivia triunguiculata* (Borradaile) (Brachyura, Xanthidae), 203–209
- Feeding behavior of *Chaetodon unimaculatus* in Kaneohe Bay [abstr.], 511  
 Feeding and spatial organization of three species of pomacanthid fishes [abstr.], 512
- Fertility of the nudibranch mollusc *Phestilla sibogae*, LD-50 concentration and the effects of alcohol on [abstr.], 512
- Fossil *Garcinia laddii* Fosberg, note on the, 127  
 French Frigate Shoals  
 see Hawaiian Islands
- Galápagos Islands  
 notes on Indo-Pacific scleractinian corals. part 9. new corals from the, 211–219
- Gas exchange in tropical crustaceans, on the relationship between  $P_{50}$  and the mode of, 403–410
- Gastropoda  
 Immunochemical study of structural and evolutionary relationships among molluscan octopine dehydrogenases, 357–363  
 larval development and metamorphosis of the prosobranch mollusc, *Epitonium ulu*, associated with a solitary coral [abstr.], 508  
 LD-50 concentration and the effects of alcohol on the fertility of the nudibranch mollusc *Phestilla sibogae* [abstr.], 512  
 properties and functions of alanopine dehydrogenase and octopine dehydrogenase from the pedal retractor muscle of Strombidae (Class Gastropoda), 381–394  
 responses of five holothurian species to attacks by a predatory gastropod, *Tonna perdix*, 445–452
- Geochemistry of manganese nodules from the *Valdivia* 13/2 area, equatorial north Pacific, distribution, morphology, and, 241–263  
 Germination, effect of temperature and light on *Metrosideros polymorpha* seed, 229–240
- Gills of *Octopus macropus* and *Nautilus pompilius*, vascular resistance in the isolated, 297–303
- Glucose and proline metabolism in *Nautilus*, 337–341  
 Glucose uptake in marine fish intestines, and active transport [abstr.], 510
- Glutamate, and proline as substrates for oxidation and for glycogenesis in cephalopod tissues, arginine, 325–335
- Glycogenesis in cephalopod tissues, arginine, glutamate, and proline as substrates for oxidation and for, 325–335
- Gulf of Alaska  
 see Alaska
- Gulf of California  
 see Mexico
- Habitat report for *Maldivia triunguiculata* (Borradaile) (Brachyura, Xanthidae), a facultative symbiont of *Porites lobata* Dana in Hawaii, 203–209
- Haldane effects, cephalopod approach to rethinking about the importance of the Bohr and, 305–313
- Haleakala National Park  
 see Hawaiian Islands
- Hawaii  
 see Hawaiian Islands
- Hawaiian Islands  
 basking behavior of the Hawaiian green turtle (*Chelonia mydas*), 129–139  
 beach erosion at Waimea Bay, Oahu, Hawaii, 35–43

- effect of temperature and light on *Metrosideros polymorpha* seed germination, 229–240
- feeding behavior of *Chaetodon unimaculatus* in Kaneohe Bay [abstr.], 511
- impact of the prehistoric Polynesians on the Hawaiian ecosystem, 1–14
- inheritance of rugose leaf in *Desmodium*, 221–228
- larval ascaridoid nematodes from fishes near the, with comments on pathogenicity experiments, 187–201
- larval development and metamorphosis of the prosobranch mollusc, *Epitonium ulu*, associated with a solitary coral [abstr.], 508
- monograph of *Trematolobelia* (Lobeliaceae). Hawaiian Plant Studies 107, 483–506
- new habitat report for *Maldivia triunguiculata* (Borradaile) (Brachyura, Xanthidae), a facultative symbiont of *Porites lobata* Dana in Hawaii, 203–209
- notes on the biology and feeding habits of *Caranx ignobilis* and *Caranx melampygus* in [abstr.], 515
- review of Hawaiian Pinnidae and revalidation of *Pinna exquisita* Dall, Bartsch and Rehder, 1938 (Bivalvia: Mytiloidea), 453–458
- Immunochemical study of structural and evolutionary relationships among molluscan octopine dehydrogenases, 357–363
- Indian Ocean
- review of the monotypic Indo-Malayan labrid fish genus *Xenojulis*, 119–126
- Indo-Malayan labrid fish genus *Xenojulis*, review of the monotypic, 119–126
- Indo-Pacific
- notes on Indo-Pacific scleractinian corals. part 9. new corals from the Galápagos Islands, 211–219
- Inheritance of rugose leaf in *Desmodium*, 221–228
- Insecta
- conditioning in honeybees [abstr.], 510–511
- Status and distribution of ants in the Crater District of Haleakala National Park, 427–437
- Intertidal reef flat at Enewetak Atoll, Marshall Islands, effects of differential fish grazing on the community structure of, 467–482
- Ion pump, the *Nautilus* siphuncle as an, 273–282
- Kahe Point, Oahu
- see Hawaiian Islands
- Kaneohe Bay
- see Hawaiian Islands
- Key
- to the *Cantherhines fronticinctus* complex, 176–179
- to the genus *Astreopora*, 91
- to the species of *Trematolobelia*, 484–486
- to third-stage larvae of ascaridoid nematodes parasitizing finfishes near the Hawaiian Islands, 199–200
- Larval ascaridoid nematodes from fishes near the Hawaiian Islands, with comments on pathogenicity experiments, 187–201
- Larval development and metamorphosis of the prosobranch mollusc, *Epitonium ulu*, associated with a solitary coral [abstr.], 508
- LD-50 concentration and the effects of alcohol on the fertility of the nudibranch mollusc *Phestilla sibogae* [abstr.], 512
- Light on coral growth, some effects of, 65–81
- Light on *Metrosideros polymorpha* seed germination, effect of temperature and, 229–240
- Magnetic sense organ in yellowfin tuna (*Thunnus albacares*) and blue marlin (*Makaira nigricans*) [abstr.], 516
- Magnetite in the green turtle [abstr.], 514
- Manganese nodules from the *Valdivia* 13/2 area, equatorial north Pacific, distribution, morphology, and geochemistry of, 241–263
- Marine fishes studied by the electrophoretic analysis of proteins, 141–157
- Marshall Islands
- distribution patterns of terrestrial hermit crabs at Enewetak Atoll, 107–117
- effects of differential fish grazing on the community structure of an intertidal reef flat at Enewetak Atoll, 467–482
- Metabolism in *Nautilus*, glucose and proline, 337–341
- Metamorphosis of the prosobranch mollusc, *Epitonium ulu*, associated with a solitary coral, larval development and [abstr.], 508
- Mexico
- caridean shrimps of. I. new records, with some remarks on amphiamerican distribution, 459–465
- Mid-cycle disease of larval *Macrobrachium rosenbergii*, epizootiologic study of [abstr.], 507–508
- Molokai, Hawaii
- see Hawaiian Islands
- Morphology, and geochemistry of manganese nodules from the *Valdivia* 13/2 area, equatorial north Pacific, distribution, 241–263
- Muscles of *Nautilus pompilius*, some catalytic and regulatory properties of pyruvate kinase from the spadix and retractor, 315–324
- Myofiber in *Nautilus pompilius*, a note on the structural organization of the cardiac, 267–271
- Nematoda
- larval ascaridoid nematodes from fishes near the Hawaiian Islands, with comments on pathogenicity experiments, 187–201
- New species
- Astreopora scabra* (Anthozoa), 83–105
- Balanophyllia eguchii* (Anthozoa), 211–219
- Cantherhines longicaudus* (Pisces), 175–185
- Coris aurilineata* (Pisces), 159–173
- Coris bulbifrons* (Pisces), 159–173
- Coris pictoides* (Pisces), 159–173
- Polycyathus isabela* (Anthozoa), 211–219
- Rhizopsammia wellingtoni* (Anthozoa), 211–219
- Trematolobelia auriculata*, 483–506
- Trematolobelia Forbesii*, 483–506
- Trematolobelia kohalaensis*, 483–506
- Trematolobelia lustrialis*, 483–506
- Trematolobelia Rockii*, 483–506
- Trematolobelia singularis*, 483–506
- Tabastraea faulkneri* (Anthozoa), 211–219
- Tabastraea floreana* (Anthozoa), 211–219
- Tabastraea tagusensis* (Anthozoa), 211–219

- Nodules, from the *Valdivia* 13/2 area, equatorial north Pacific, distribution, morphology, and geochemistry of manganese, 241–263
- Oahu, Hawaii  
see Hawaiian Islands
- Oceania  
*Cantherhines longicaudus*, a new filefish, from Oceania, with a review of the species of the *C. fronticinctus* complex, 175–185
- Octopine dehydrogenase from the pedal retractor muscle of Strombidae (Class Gastropoda), properties and functions of alanopine dehydrogenase and, 381–394
- Organization of the cardiac myofiber in *Nautilus pompilius*, a note on the structural, 267–271
- Oxidation and glycogenesis in cephalopod tissues, arginine, glutamate, and proline as substrates for, 325–335
- Pacific Ocean  
distribution, morphology, and geochemistry of manganese nodules from the *Valdivia* 13/2 area, equatorial north Pacific, 241–263  
three new labrid fishes of the genus *Coris* from the western Pacific, 159–173
- Pathogenicity experiments, larval ascaridoid nematodes from fishes near the Hawaiian Islands, with comments on, 187–201
- Petrology of the Kalaupapa Basalt, Molokai, Hawaii, age and, 411–420
- Philippine Islands  
Cephalopod expedition of the *Alpha Helix*, 267–410
- Photographic investigations on three seamounts in the Gulf of Alaska, 15–34
- Pisces  
*Cantherhines longicaudus*, a new filefish from Oceania, with a review of the species of the *C. fronticinctus* complex, 175–185  
conspecific attraction in a territorial damselfish: analysis of the spatial distribution of *Stegastes fasciolatus* [abstr.], 517  
does glucose uptake in marine fish intestines occur by active transport? [abstr.], 510  
effects of differential fish grazing on the community structure of an intertidal reef flat at Enewetak Atoll, Marshall Islands, 467–482  
feeding behavior of *Chaetodon unimaculatus* in Kaneohe Bay [abstr.], 511  
feeding and spatial organization of three species of pomacanthid fishes [abstr.], 512  
impact of eel predation reconsidered: the populations of potential prey [abstr.], 509  
larval ascaridoid nematodes from fishes near the Hawaiian Islands, with comments on pathogenicity experiments, 187–201  
likely site of the magnetic sense organ in yellowfin tuna (*Thunnus albacares*) and blue marlin (*Makaira nigricans*) [abstr.], 516  
new hypothesis to explain aspects of coloration in chaetodontid fishes [abstr.], 513  
notes on the biology and feeding habits of *Caranx ignobilis* and *Caranx melampygus* in the North-western Hawaiian Islands [abstr.], 515  
review of the monotypic Indo-Malayan labrid fish genus *Xenojulis*, 119–126  
speciation and evolution of marine fishes studied by the electrophoretic analysis of proteins, 141–157  
three new labrid fishes of the genus *Coris* from the Western Pacific, 159–173
- Platyhelminthes  
sperm morphology and development in two acoel turbellarians from the Philippines, 365–380
- Polycyathus isabela* sp. nov., 211–219
- Polynesians  
impact of the prehistoric Polynesians on the Hawaiian ecosystem, 1–14
- Porifera  
new habitat report for *Maldivia triunguiculata* (Borradale) (Brachyura, Xanthidae), a facultative symbiont of *Porites lobata* Dana in Hawaii, 203–209
- Precipitation on the Island of Hawaii between 1890 and 1977, annual, 421–425
- Predation reconsidered: the populations of potential prey, the impact of eel [abstr.], 509
- Prehistoric Polynesians on the Hawaiian ecosystem, impact of the, 1–14
- Proline carbon in squid tissues, the fate of arginine and, 343–348
- Proline metabolism in *Nautilus*, glucose and, 337–341
- Proline as substrates for oxidation and for glycogenesis in cephalopod tissues, arginine, glutamate, and, 325–335
- Proteins, speciation and evolution of marine fishes studied by the electrophoretic analysis of, 141–157
- Protozoa  
Influence of symbiotic dinoflagellates on respiratory processes in the giant clam *Tridacna squamosa*, 395–401
- Pyruvate kinase from the spadix and retractor muscles of *Nautilus pompilius*, some catalytic and regulatory properties of, 315–324
- Radiotracer technique for investigating prawn (*Macrobrachium rosenbergii*) ecology and digestive physiology, applications of a new [abstr.], 509
- Reptilia  
basking behavior of the Hawaiian green turtle (*Chelonia mydas*), 129–139  
magnetite in the green turtle [abstr.], 514
- Respiratory processes in the giant clam *Tridacna squamosa*, influence of symbiotic dinoflagellates on, 395–401
- Review of genus  
review of the monotypic Indo-Malayan labrid fish genus *Xenojulis*, 119–126
- Revision of genus  
reef coral *Astreopora* (Anthozoa, Scleractinia, Astrocoeniidae): a revision of the taxonomy and description of a new species, 83–105
- Rhizopsammia wellingtoni* sp. nov., 211–219
- Rugose leaf in *Desmodium*, inheritance of, 221–228
- Seamounts in the Gulf of Alaska, photographic investigations on, 15–34
- Seed germination, effect of temperature and light on

- Metrosideros polymorpha*, 229–240  
Sexual reproduction in the solitary scleractinian coral,  
*Fungia scutaria* (Lamarck) [abstr.], 513–514  
Siphuncle as an ion pump, the *Nautilus*, 273–282  
South Pacific Ocean  
  review of the monotypic Indo-Malayan labrid fish  
  genus *Xenajulis*, 119–126  
Spatial distribution of *Stegastes fasciolatus*, conspecific  
attraction in a territorial damselfish: analysis of  
[abstr.], 517  
Speciation and evolution of marine fishes studied by the  
electrophoretic analysis of proteins, 141–157  
Sperm morphology and development in two acoel turbellar-  
ians from the Philippines, 365–380  
St. Croix, U. S. Virgin Islands  
  see U. S. Virgin Islands  
Structural organization of the cardiac myofiber in  
*Nautilus pompilius*, a note on, 267–271  
Substrates for oxidation and for glycogenesis in cephalo-  
pod tissues, arginine, glutamate and proline as,  
325–335  
Swimming behavior, correlations between enzyme pro-  
files in cephalopod muscle and, 349–356  
Symbiont of *Porites lobata* Dana in Hawaii, new habitat  
report for *Maldivia triunguiculata* (Borradaile) (Bra-  
chyura, Xanthidae), a facultative, 203–209  
  
Temperature and light on *Metrosideros polymorpha* seed  
germination, effect of, 229–240  
Tester, Albert L., seventh annual memorial symposium,  
abstracts, 507–517  
  
*Trematolobelia auriculata* sp. nov., 483–506  
*Trematolobelia Forbesii* sp. nov., 483–506  
*Trematolobelia kohalaensis* sp. nov., 483–506  
*Trematolobelia lustrialis* sp. nov., 483–506  
*Trematolobelia Rockii* sp. nov., 483–506  
*Trematolobelia singularis* sp. nov., 483–506  
Tropics  
  on the relationship between  $P_{50}$  and the mode of gas  
  exchange in tropical crustaceans, 403–410  
*Tubastraea faulkneri* sp. nov., 211–219  
*Tubastraea floreana* sp. nov., 211–219  
*Tubastraea tagusensis* sp. nov., 211–219  
  
U. S. Virgin Islands  
  feeding and spatial organization of three species of  
  pomacanthid fishes [abstr.], 512  
  
*Valdivia* 13/2 area, equatorial north Pacific, distribution,  
morphology, and geochemistry of manganese nodules  
from the, 241–263  
Vascular resistance in the isolated gills of *Octopus mac-*  
*ropus* and *Nautilus pompilius*, 297–303  
Volcano, Hawaii  
  see Hawaiian Islands  
  
Waimea Bay  
  see Hawaiian Islands  
  
Zooxanthellae by Easter Island corals, mass expulsion of,  
61–63