

Index to Volume XXVI

Author Index

- ANDREWS, JAMES E., and CHARLES BAINBRIDGE:
Submarine canyons off eastern Oahu, 108-113
- BAILEY-BROCK, JULIE H.:
Deepwater tube worms (Polychaeta, Serpulidae)
from the Hawaiian Islands, 405-408
see also Vine, Bailey-Brock, and Straughan
- BAINBRIDGE, CHARLES:
see Andrews and Bainbridge
- BAKER, GLADYS E., and JOSEPH A. MEEKER:
Ecosystems, mycologists, and the geographical dis-
tribution of fungi in the central Pacific, 418-432
see also Lee and Baker
- BALDWIN, WAYNE J.:
A new genus and new species of Hawaiian gobiid
fish, 125-128
- BALL, ELDON E., JR., and JANET HAIG:
Hermit crabs from eastern New Guinea, 87-107
- BANSE, KARL:
On some species of Phyllococidae, Syllidae, Neph-
tyidae, Goniadidae, Apistobranchidae, and Spi-
onidae (Polychaeta) from the northeast Pacific
Ocean, 191-222
- BRILL, RICHARD C.:
see Langford and Brill
- BRUCE, A. J.:
A report on a small collection of pontoniid shrimps
from Fiji, with the description of a new species
of *Coralliocaris* Stimpson (Crustacea, Decapoda,
Natantia, Pontoniinae), 63-86
- CLARKE, THOMAS A.:
Collections and submarine observations of deep
benthic fishes and decapod Crustacea in Hawaii,
310-317
- DANA, THOMAS F., WILLIAM A. NEWMAN, and
EDWARD W. FAGER:
Acanthaster aggregations: interpreted as primarily
responses to natural phenomena, 355-372
- DENNIS, MICHAEL N.:
see Tamarin, Malecha, Steiner, and Dennis
- FAGER, EDWARD W.:
see Dana, Newman and Fager
- GILLETT, GEORGE W.:
Additional experimental crosses in Hawaiian *Bidens*
(Asteraceae), 415-417
- HAIG, JANET:
see Ball and Haig
- HEYLIGERS, P. C.:
Analysis of the plant geography of the semi-
deciduous scrub and forest and the eucalypt
savannah near Port Moresby, 229-241
- HUMES, ARTHUR G.:
Pseudanthessius comanbi n. sp. (Copepoda, Cyclo-
poida) associated with a crinoid at Eniwetok
Atoll, 373-380
- KENDALL, JAMES I.:
see Tester, Kendall, and Milisen
- KRAFT, G. T.:
Preliminary studies of Philippine *Eucheuma* spe-
cies. Part 1, Taxonomy and ecology of *Eucheuma*
arnoldii Weber-van Bosse, 318-334
- KRISHNAMURTHY, V.:
A revision of the species of the algal genus *Por-
phyra* occurring on the Pacific coast of North
America, 24-49
- LANGFORD, STEPHEN A., and RICHARD C. BRILL:
Giant submarine landslides on the Hawaiian
Ridge: a rebuttal, 254-258
- LARSON, HELEN K.:
see Tsuda, Larson, and Lujan
- LAWRENCE, JOHN M.:
Carbohydrate and lipid levels in the intestine of
Holothuria atra (Echinodermata, Holothuroidea),
114-116
- LEE, BENNY K. H., and GLADYS E. BAKER:
An ecological study of the soil microfungi in a
Hawaiian mangrove swamp, 1-10
Environment and the distribution of microfungi in
a Hawaiian mangrove swamp, 11-19
- LOSEY, GEORGE S.:
Predation protection in the poison-fang blenny,
Meiacanthus atrodorsalis, and its mimics, *Ecsen-
inus bicolor* and *Runula laudandus* (Blenniidae),
129-139
- LUJAN, RUFO J.:
see Tsuda, Larson, and Lujan

- MALECHA, SPENCER R.:
see Tamarin, Malecha, Steiner, and Dennis
- MATSUURA, D. T.:
see Ohata, Matsuura, Whittow, and Tinker
- MEEKER, JOSEPH A.:
see Baker and Meeker
- MEHLEN, RONALD H.:
Eutardigrada: distribution at Eniwetok Atoll, Marshall Islands, 223-225
- MILISEN, WILLIAM B.:
see Tester, Kendall, and Milisen
- NEWMAN, WILLIAM A.:
see Dana, Newman, and Fager
- OHATA, C. A., D. T. MATSUURA, G. C. WHITTOW,
and S. W. TINKER:
Diurnal rhythm of body temperature in the Hawaiian monk seal (*Monachus schauinslandi*), 117-120
- PAIN, C. F.:
Some soils and surficial deposits in the Kokoda Valley, Papua and New Guinea, 335-345
- PANKIWSKYI, KOST A.:
Geology of the Salt Lake area, Oahu, Hawaii, 242-253
- ROBERTS, P. E.:
The plankton of Perseverance Harbour, Campbell Island, New Zealand, 296-309
- RUDMAN, W. B.:
A comparative study of the genus *Philinopsis* Pease, 1860 (Aglajidae, Opisthobranchia), 381-399
On *Melanochlamys* Cheeseman, 1881, a genus of the Aglajidae (Opisthobranchia, Gastropoda), 50-62
- ST. JOHN, HAROLD:
Canavalia kauensis (Leguminosae), a new species from the island of Hawaii. Hawaiian Plant Studies 39, 409-414
Plantae Hobbyanae Kauaienses. Hawaiian Plant Studies 31, 275-295
Strongylodon secundus (Leguminosae), a Melanesian species. Pacific Plant Studies 22, 121-124
- STEINER, WILLIAM W.:
see Tamarin, Malecha, Steiner, and Dennis
- STRAUGHAN, DALE:
see Vine, Bailey-Brock, and Straughan
- TAMARIN, ROBERT H., SPENCER R. MALECHA, WILLIAM W. STEINER, and MICHAEL N. DENNIS:
Genetic events in rat populations at Eniwetok Atoll, 226-228
- TESTER, ALBERT L., JAMES I. KENDALL, and WILLIAM B. MILISEN:
Morphology of the ear of the shark genus *Carcharhinus*, with particular reference to the macula neglecta, 264-274
- TINKER, S. W.:
see Ohata, Matsuura, Whittow, and Tinker
- TSUDA, ROY T., HELEN K. LARSON, and RUFO J. LUJAN:
Algal growth on beaks of live parrotfishes, 20-23
- VINE, PETER J.:
Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain. Part 1, new species, 140-149
see also Vine, Bailey-Brock, and Straughan
- VINE, PETER J., JULIE H. BAILEY-BROCK, and DALE STRAUGHAN:
Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain. Part 2, Hawaiian spirorbinae, 150-182
- WASMER, ROBERT A.:
New records for four deep-sea shrimps from the northeastern Pacific, 259-263
- WELLS, JOHN W.:
Notes on Indo-Pacific scleractinian corals. Part 8, Scleractinian corals from Easter Island, 183-190
- WENNER, ADRIAN M.:
Incremental color change in an anomuran decapod *Hippa pacifica* Dana, 346-353
- WHITTOW, G. C.:
see Ohata, Matsuura, Whittow, and Tinker
- WIRTZ, WILLIAM O., II:
Population ecology of the Polynesian rat, *Rattus exulans*, on Kure Atoll, Hawaii, 433-465
- YOUNG, RICHARD EDWARD:
Brooding in a bathypelagic octopus, 400-404

Subject Index

Algae

- growing on beaks of live parrotfishes, 20-23
revision of the species of *Porphyra* occurring on the Pacific coast of North America, 24-49

- Antidesma crenatum* sp. nov., 275-295
Bidens, additional experimental crosses in, 415-417
Bolitaena microcotyla, brooding in, 400-404
Brania brevipharyngea new species, 191-222

- Canavalia kauensis* sp. nov., 409–414
Carcharhinus, morphology of the ear of, 264–274
Comanibius bennetti, as host crinoid of *Pseudanthessius comanibi*, 373–380
Coralliocaris pavonae sp. nov., 63–86
 Crabs, hermit, from eastern New Guinea, 87–107
 Crown-of-thorns starfish, 355–372
Cyrtandra Hobdyi sp. nov., 275–295
- Distribution
 of Eutardigrada at Eniwetok Atoll, 223–225
 of fungi in the central Pacific, 418–432
- Easter Island, scleractinian corals from, 183–190
Ecsenius bicolor, as mimic of *Meiacanthus atrodorsalis*, 129–140
 Eniwetok Atoll
 distribution of Eutardigrada at, 223–225
 genetic events in rat populations at, 226–228
Pseudanthessius comanibi associated with a crinoid at, 373–380
Euclidean arnoldii, taxonomy and ecology of, 318–334
Euphorbia haeleleana Herbst, 275–295
Exogone molesta new species, 191–222
- Fiji, report on a small collection of pontoniid shrimps from, 63–86
- Fungi
 ecological study of soil microfungi in a Hawaiian mangrove swamp, 1–10
 ecosystems, mycologists, and the geographical distribution of, in the central Pacific, 418–432
 environment and distribution of microfungi in a Hawaiian mangrove swamp, 11–19
- Hawaiian Islands
 additional experimental crosses in *Bidens*, 415–417
 brooding in a bathypelagic octopus, 400–404
Canavalia kauensis (Leguminosae), a new species from the island of Hawaii, 409–414
 collections and submarine observations of deep benthic fishes and decapod Crustacea, 310–317
 deepwater tube worms from, 405–408
 diurnal rhythm of body temperature in the Hawaiian monk seal (*Monachus schauinslandi*), 117–120
 ecological study of soil microfungi in a mangrove swamp, 1–10
 environment and distribution of microfungi in a mangrove swamp, 11–19
 geology of the Salt Lake area, Oahu, 242–253
 giant submarine landslides on the Hawaiian Ridge: a rebuttal, 254–258
 incremental color change in an anomuran decapod, *Hippa pacifica* Dana, 346–353
 new genus and new species of gobiid fish from, 125–128
 new species of plants from Kauai, 275–295
 new species of Spirorbinae from, 140–149
 population ecology of the Polynesian rat, *Rattus exulans*, on Kure Atoll, 433–465
 Spirorbinae of, 150–182
 submarine canyons off eastern Oahu, 108–113
 Hawaiian monk seal, diurnal rhythm of body temperature in, 117–120
 Hawaiian Plant Studies
 31. Plantae Hobdyanae Kauaienses, 275–295
 39. *Canavalia kauensis* (Leguminosae), a new species from the island of Hawaii, 409–414
 Hawaiian Ridge, giant submarine landslides on, 254–258
Hibiscus Roetae sp. nov., 275–295
Hippa pacifica, incremental color change in, 346–353
Holothuria atra, carbohydrate and lipid levels in the intestine of, 114–116
Janua (Dexiospira) turrita n. sp., 140–149
- Key
 to the species of *Porphyra* occurring on the Pacific coast of North America, 27–28
 to species of Spirorbinae observed in the Hawaiian chain, 150–151
- Leptoseris paschalensis* n. sp., 183–190
Lipochaeta deltoidea sp. nov., 275–295
Lipochaeta waimeaensis sp. nov., 275–295
- Meiacanthus atrodorsalis*, predation protection in, 129–139
Melanochlamys Cheeseman, discussion of, 50–62
Monachus schauinslandi, diurnal rhythm of body temperature in, 117–120
- New genera
Psilogobius (Gobiidae), 125–128
- New Guinea
 analysis of the plant geography of, near Port Moresby, 229–241
 hermit crabs from eastern, 87–107
 some soils and surficial deposits in the Kokoda Valley, 334–345
- New species
Antidesma crenatum (Euphorbiaceae), 275–295
Brania brevipharyngea (Syllidae), 191–222
Canavalia kauensis (Leguminosae), 409–414
Coralliocaris pavonae (Pontoniinae), 63–86
Cyrtandra Hobdyi (Gesneriaceae), 275–295
Exogone molesta (Syllidae), 191–222
Hibiscus Roetae (Malvaceae), 275–295
Janua (Dexiospira) turrita (Spirorbinae), 140–149
Leptoseris paschalensis (Agariciidae), 183–190
Lipochaeta deltoidea (Compositae), 275–295
Lipochaeta waimeaensis (Compositae), 275–295
Pelea glabra (Rutaceae), 275–295
Pileolaria (Duplicaria) dalestragbani (Spirorbinae), 140–149
Pileolaria (Pileolaria) semimilitaris (Spirorbinae), 140–149
Pseudanthessius comanibi (Lichomolgidae), 373–380
Psilogobius mainlandi (Gobiidae), 125–128
Sapindus Lonomea (Sapindaceae), 275–295
Schiedea membranacea (Caryophyllaceae), 275–295
Strongylodon secundus (Leguminosae), 121–124
 New Zealand, plankton of Perseverance Harbour, Campbell Island, 296–309

- Notes on Indo-Pacific Scleractinian Corals
 8. Scleractinian corals from Easter Island, 183-190
- Octopus, bathypelagic, brooding in, 400-404
- Pacific Plant Studies
 22. *Strongylodon secundus* (Leguminosae), a Melanesian species, 121-124
- Parrotfishes, algal growth on beaks of live, 20-23
- Pelea glabra* sp. nov., 275-295
- Perseverance Harbour, plankton of, 296-309
- Philinopsis* Pease, a comparative study of the genus of, 381-399
- Pileolaria (Duplicaria) dalestraughani* n. sp., 140-149
- Pileolaria (Pileolaria) semimilitaris* n. sp., 140-149
- Plant geography near Port Moresby, analysis of, 229-241
- Poison-fang blenny, predation protection in, 129-139
- Polychaeta
 deepwater tube worms from the Hawaiian Islands, 405-408
 Hawaiian Spirorbinae, 150-182
 new species of Spirorbinae of the Hawaiian chain, 140-149
 some species of, from the northeast Pacific Ocean, 191-222
- Polynesian rat, population ecology of, on Kure Atoll, 433-465
- Porphyra* occurring on the Pacific coast of North America, revision of the species of, 24-49
- Preliminary Studies of Philippine *Eucheuma* Species
 1. Taxonomy and ecology of *Eucheuma arnoldii* Weber-van Bosse, 318-334
- Pseudantibessius comanthei* n. sp., 373-380
- Psilogobius mainlandi* new genus and species, 125-128
- Rat populations, genetic events in, at Eniwetok Atoll, 226-228
- Rattus exulans*, population ecology of, on Kure Atoll, 433-465
- Runula laudandus*, as mimic of *Meiacanthus atrodorsalis*, 129-140
- Sapindus Lonomea* sp. nov., 275-295
- Schiedea membranacea* sp. nov., 275-295
- Shrimps
 new records for four species from the northeastern Pacific, 259-263
 pontoniid, from Fiji, 63-86
- Soil microfungi, ecological study of, in a Hawaiian mangrove swamp, 1-10
- Soils and surficial deposits in Kokoda Valley, Papua and New Guinea, 334-345
- Spirorbinae (Polychaeta, Serpulidae) of the Hawaiian chain
 1. New species, 150-182
 2. Hawaiian spirorbinae, 150-182
- Strongylodon secundus* sp. nov., 121-124