

Early Land Plants Today: Index of Liverworts & Hornworts 2006-2008

Matt von KONRAT^{a}, Lars SÖDERSTRÖM^b, Anders HAGBORG^a,*
Marshall R. CROSBY^c & John J. ENGEL^a

^a*Department of Botany, The Field Museum, 1400 South Lake Shore Drive,
Chicago, IL 60605-2496, U.S.A.*

^b*Department of Biology, Norwegian University of Science and Technology,
N-7491, Trondheim, Norway*

^c*Missouri Botanical Garden, P. O. Box 299, St. Louis, MO 63166-0166 U.S.A.*

(Received 19 August 2009, accepted 21 October 2009)

Abstract – A widely accessible working list of known plant species is considered the number one target of the Global Strategy for Plant Conservation. An index of published names of liverworts and hornworts between 2006 and 2008 is provided as part of a continued effort in working toward producing a preliminary world checklist of these plants. Included in the list are those names overlooked by earlier indices. The list includes over 20 higher taxa, 246 species or infraspecific valid names, and three fossils.

Liverworts / hornworts / index / nomenclature

INTRODUCTION

Recently, there has been a major internationally coordinated effort to synthesize the vast amount of nomenclatural, taxonomical and global distributional data for liverworts (*Marchantiophyta*) and hornworts (*Anthocerotophyta*) (e.g., Söderström *et al.*, 2008; von Konrat *et al.*, 2008, 2009). These endeavours are critical in providing the foundation to develop a working checklist of liverworts and hornworts worldwide. This is significant because the Convention on Biological Diversity (CBD) adopted the Global Strategy for Plant Conservation (GSPC) which set the target date of 2010 to complete a widely accessible working list of all known plant species (Lughadha, 2004). The critical need for this target to be achieved and the implications for conservation, taxonomy, and botanical science were recently outlined by Paton *et al.* (2008).

This index follows on from the resourceful indices of recent years: Index of Hepaticas (Crosby & Engel, 2006) and the series Index of Bryophytes 2001-2004 (Crosby & Magill, 2005) and Index of Bryophytes 2005 (Crosby & Magill, 2006).

* Correspondence and reprints: mvonkonrat@fieldmuseum.org

In this index we attempt to list citations for names published for liverworts and hornworts during the period January 1, 2006 through December 31, 2008. Names that were overlooked by earlier indices are also included. A bibliography contains complete citations for the places of publication of the names. Although basionyms for new combinations are listed as well as the original publication, these are not referenced in the bibliography. The format generally follows that of previous indices. The type country of a new species and infraspecies is provided. For fossils we state the geological period. The type *Taxon* is also provided for new names of higher taxa. All names, including basionyms and replaced names are arranged alphabetically. As a matter of reference autonyms are included only for the period in which the present index covers, providing a useful resource indicating publication date at which the autonym was first created. Although names that we judge to be invalidly published are included in the list, we have attempted not to include data that could be interpreted as validating them. Therefore, the invalidly published names are not accepted by the authors of this index, and they are not therefore published under the Vienna Code of Botanical Nomenclature (McNeill *et al.* 2006). As in previous indices, no disposition is provided to an accepted name or to the taxonomy.

The valid number of published names includes over 20 higher taxa, 246 species or infraspecific names, and three fossils. Noteworthy is the influence of molecular investigations with higher classification and taxonomy. In the past several years, the application of molecular phylogenetics to the unraveling of liverwort phylogeny has generated new insights into the evolutionary history of the group and revolutionized liverwort classification (Crandall-Stotler *et al.*, 2009b). This is evident with the use of molecular markers for all but one of the 24 higher taxa (above the rank of genus) described. Recently, Crandall-Stotler *et al.* (2009a, 2009b) provided a treatise summarizing historical and contemporary liverwort classification. In contrast, molecular data in conjunction with morphological characters was used for less than 15 taxa at the rank of species.

METHODS

Authorities and citation abbreviations follow the on-line version of Authors of Plant Names at the Royal Botanic Gardens, Kew Website (www.ipni.org), which is an updated version of Brummitt & Powell (1992). For nomenclatural elements we follow the Vienna Code of Botanical Nomenclature (McNeill *et al.*, 2006).

The following outlines the format for names published during the period: Name, Author(s), Citation [journal/publication, volume, page number], Year, Type country [subdivision notes in some cases].

The full reference for a name is provided in the index. At the end of each name, referral to the full citation for the journal/book article in which the name appeared is in the form: SEE Engel (2007). Entries may have an annotation in the form of a NOTE near the end. These annotations typically identify invalid or illegitimate names and may provide a brief description of the problem with the name.

The name of a *new Taxon* published during the period takes the form:

Allisoniella nigra var. *acutiloba* J.J.Engel, *Novon* 17: 313. 2007. New Zealand [Stewart Island]. SEE Engel (2007).

Its article from the Bibliography:

ENGEL J. J., 2007. — Studies of New Zealand Hepaticae. 20-38. A miscellanea of new taxa and combinations. *Novon* 17: 310-314.

A *new combination* published during the period takes the form:

Austrolejeunea conchophylla (Grolle) Pócs, *J. Hattori Bot. Lab.* 99: 186. 2006. (Basionym: *Nephelolejeunea conchophylla* Grolle, *J. Hattori Bot. Lab.* 48: 164. 1980). SEE Pócs (2006).

Its article from the Bibliography:

PÓCS T., 2006. — Contributions to the bryoflora of Australia, II. On the Australasian “Tuyamaelloideae” (Lejeuneaceae), with the description of *Austrolejeunea occidentalis*. *Journal of the Hattori botanical laboratory* 99: 185-196.

Basionyms that have been used to establish new combinations during the index period are also listed. For example,

Nephelolejeunea conchophylla Grolle, *J. Hattori Bot. Lab.* 48: 164. 1980. OTHER USE: *Austrolejeunea conchophylla* (Grolle) Pócs, 2006.

An asterisk, *, preceding an entry indicates that the name has been interpreted by us as contrary to McNeill *et al.* 2006 and applies to both invalid and illegitimate names. An annotation in the form of a NOTE indicates the problem. For example, ***Lopholejeunea nongstoinii** Ajit P.Singh *et al.*, *Phytotaxonomy* 6: 32. 2006 [2007]. NOTE: nom. inval., holotype not designated. India [Meghalaya]. SEE Singh & Nath (2007c).

A dagger, †, preceding an entry indicates a name for a fossil. For example,

† **Schizolepidella birkenmajeri** Ociepa, *Polish Polar Research* 28: 34. 2007. Jurassic. SEE Ociepa (2007).

In cases where new infraspecific taxa have been developed, we precede each entry with the species, authority, and year to provide historical context. For example,

Allisoniella nigra (Rodway) R.M.Schust., 1971 [1972].

Allisoniella nigra var. *acutiloba* J.J.Engel, *Novon* 17: 313. 2007. New Zealand [Stewart Island]. SEE Engel (2007a).

THE INDEX

Adelanthus crossii Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 404. 1885. OTHER USE: *Pseudomarsupidium crossii* (Spruce) J.J.Engel, 2007.

Adelanthus decipiens (Hook.) Mitt., 1863 [1864].

Adelanthus decipiens subsp. *aureocinctus* R.M.Schust., *Phytologia* 39: 250. 1978. OTHER USE: *Pseudomarsupidium aureocinctum* (R.M.Schust.) J.J.Engel, 2007.

Allisoniella nigra (Rodway) R.M.Schust., 1971 [1972].

Allisoniella nigra var. *acutiloba* J.J.Engel, *Novon* 17: 313. 2007. New Zealand [Stewart Island]. SEE Engel (2007a).

- Allisoniella nigra** var. **nigra**, Novon 17: 313. 2007. SEE Engel (2007a).
- Amblyolejeunea fulfordiae** Ast, Rev. Bryol. Lichénol. 17: 25. 1948. OTHER USE: *Lejeunea fulfordiae* (Ast) R.L.Zhu, 2008.
- Amphicephalozia africana** Váňa et Wigginton, J. Bryol. 30: 55. 2008. Rwanda. SEE Váňa & Wigginton (2008).
- Andrewsianthus hodgsoniae** (R.M.Schust.) R.M.Schust. ex J.J.Engel, Novon 17: 311. 2007. BASIONYM: *Cephalolobus hodgsoniae* R.M.Schust., Rev. Bryol. Lichénol. 34: 251. 1966. SEE Engel (2007a).
- Andrewsianthus scabrellus** (C.Massal.) R.M.Schust. ex J.J.Engel, Novon 17: 311. 2007. BASIONYM: *Cephalozia scarella* C.Massal., Nuovo Giorn. Bot. Ital. 17: 233. 1885. SEE Engel (2007a).
- Andrewsianthus sphenoloboides** (R.M.Schust.) R.M.Schust. ex J.J.Engel, Novon 17: 311. 2007. BASIONYM: *Cephalolobus sphenoloboides* R.M.Schust., Rev. Bryol. Lichénol. 34: 251. 1966. SEE Engel (2007a).
- Aneura coronopus** De Not. ex Steph., Hedwigia 32: 19. 1893. OTHER USE: *Lobatiriccardia coronopus* (De Not. ex Steph.) Furuki, 2006.
- ***Aneura merrillana** Steph. ex Furuki, J. Hattori Bot. Lab. 100: 94. 2006. NOTE: nom. inval. Art. 34.1(c), pro syn. (cf. *Riccardia nagasakiensis* (Steph.) S.Hatt.). SEE Furuki (2006b).
- Aneura polyclada** Mitt. ex Thurn, Timehri 5: 222. 1886. OTHER USE: *Riccardia polyclada* (Mitt. ex Thurn) Hässel, Bryologist 109: 34. 2006.
- Anthoceros coriaceus** Steph., Spec. Hepat. (Stephani) 5: 991. 1916. OTHER USE: *Phaeomegaceros coriaceus* (Steph.) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, 2007.
- Anthoceros endiviaefolius** Mont., Voy. Pôle Sud 1: 211. 1845. OTHER USE: *Nothoceros endiviaefolius* (Mont.) J.Haseg. ex J.C.Villarreal, Hässel et N.Salazar, 2007.
- Anthoceros evanidus** Steph., Spec. Hepat. (Stephani) 5: 990. 1916. OTHER USE: *Phaeoceros evanidus* (Steph.) Cargill et Fuhrer, 2008.
- Anthoceros giganteus** Lehm. et Lindenb., Nov. Stirp. Pug. 4: 25. 1832. OTHER USE: *Nothoceros giganteus* (Lehm. et Lindenb.) J.Haseg. ex J.C.Villarreal, Hässel et N.Salazar, 2007.
- Anthoceros hallii** Austin, Bull. Torrey Bot. Club 6: 26. 1875. OTHER USE: *Paraphymatoceros hallii* (Austin) Hässel, 2006.
- Anthoceros inflatus** Steph., Spec. Hepat. (Stephani) 5: 990. 1916. OTHER USE: *Phaeoceros inflatus* (Steph.) Cargill et Fuhrer, 2008.
- Anthoceros minutus** Mitt., J. Proc. Linn. Soc., Bot. 16: 195. 1877 [1878]. OTHER USE: *Paraphymatoceros minutus* (Mitt.) Hässel, 2006.
- Anthoceros phymatodes** M.Howe, Bull. Torrey Bot. Club 25: 12. 1898. OTHER USE: *Phymatoceros phymatodes* (M.Howe) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, 2007.
- Aphanolejeunea exigua** A. Evans, 1911.
- Aphanolejeunea exigua** var. **africana** Pócs, Cryptog. Bryol. Lichénol. 5: 247. 1984. OTHER USE: *Cololejeunea microscopica* var. *africana* (Pócs) Pócs et Bern.-Lück., 2008.
- Aphanolejeunea gracilis** Ast, Rev. Bryol. Lichénol. 16: 21. 1947. OTHER USE: *Cololejeunea gracilis* (Ast) Pócs, 2008.
- Aphanolejeunea sintenisii** Steph., Spec. Hepat. (Stephani) 5: 861. 1916. OTHER USE: *Cololejeunea sintenisii* (Steph.) Pócs, 2008.
- Aphanolejeunea subsphaeroidea** R.M.Schust., Phytologia 39: 431. 1978. OTHER USE: *Cololejeunea subsphaeroidea* (R.M.Schust.) Pócs, 2008.

- Arachniopsis indica*** S.C.Srivast. et P.K.Verma, *Natl. Acad. Sci. Lett.* 27: 270. 2004.
OTHER USE: *Telaranea indica* (S.C.Srivast. et P.K.Verma) A.E.D.Daniels et P.Daniel, 2007. SEE Srivastava & Verma (2006).
- Archilejeunea helenae*** Pócs et Gyarmati, *Cryptog. Bryol.* 27: 104. 2006.
Madagascar. SEE Pócs & Sass-Gyarmati (2006).
- Austrolejeunea conchophylla*** (Grolle) Pócs, *J. Hattori Bot. Lab.* 99: 186. 2006.
BASIONYM: *Nephelolejeunea conchophylla* Grolle, *J. Hattori Bot. Lab.* 48: 164. 1980. SEE Pócs (2006a).
- Austrolejeunea hamata*** (Grolle) Pócs, *J. Hattori Bot. Lab.* 99: 186. 2006.
BASIONYM: *Nephelolejeunea hamata* Grolle, *J. Hattori Bot. Lab.* 48: 167. 1980. SEE Pócs (2006a).
- Austrolejeunea occidentalis*** Pócs, *J. Hattori Bot. Lab.* 99: 187. 2006. Australia [Western Australia]. SEE Pócs (2006a).
- Austrolejeunea papillosa*** (Glenny) Pócs, *J. Hattori Bot. Lab.* 99: 186. 2006.
BASIONYM: *Nephelolejeunea papillosa* Glenny, *New Zealand J. Bot.* 34: 195. 1996. SEE Pócs (2006a).
- Austrolejeunea talinayi*** (S.W.Arnell) Pócs, *J. Hattori Bot. Lab.* 99: 187. 2006.
BASIONYM: *Harpalejeunea talinayi* S.W.Arnell, *Svensk Bot. Tidskr.* 50: 309. 1956. SEE Pócs (2006a).
- Bazzania*** sect. ***Exemptae*** J.J Engel, *J. Hattori Bot. Lab.* 99: 200. 2006. TYPE:
Bazzania exempta J.J Engel, *J. Hattori Bot. Lab.* 99: 197. 2006. SEE Engel (2006a).
- Bazzania*** sect. ***Glaucobazzania*** J.J Engel, *Novon* 17: 310. 2007. TYPE: *Bazzania tayloriana* (Mitt.) Kuntze, *Revis. Gen. Pl.* 2: 832. 1891. SEE Engel (2007a).
- Bazzania*** sect. ***Protobazzania*** J.J Engel, *J. Hattori Bot. Lab.* 99: 203. 2006. TYPE:
Bazzania involuta (Mont.) Trevis, *Mem. Reale Ist. Lombardo Sci., Ser. 3, Cl. Sci. Mat.* 4: 414. 1877. SEE Engel (2006a).
- Bazzania citharodes*** Meagher, *Nova Hedwigia* 86: 481. 2008. Australia [Queensland]. SEE Meagher (2008).
- Bazzania corbieri*** (Steph.) Meagher, *Nova Hedwigia* 86: 483. 2008. BASIONYM:
Mastigobryum corbieri Steph., *J. & Proc. Roy. Soc. New South Wales* 48: 122. 1914. SEE Meagher (2008).
- Bazzania engelii*** Glenny, *Fieldiana, Bot.*, n.s. 47: 176. 2008. New Zealand [South Island]. SEE Glenny & Bartlett (2008).
- Bazzania exempta*** J.J Engel, *J. Hattori Bot. Lab.* 99: 197. 2006. New Zealand [North Island]. SEE Engel (2006a).
- Bazzania okaritana*** Meagher et Glenny, *J. Bryol.* 29: 60. 2007. New Zealand [South Island]. SEE Meagher & Glenny (2007).
- Bazzania rimosa*** Meagher, *Nova Hedwigia* 86: 489. 2008. Papua New Guinea. SEE Meagher (2008).
- Bazzania scalaris*** Meagher, *Telopea* 11(3): 247. 2006. Papua New Guinea. SEE Meagher (2006).
- Bazzania zonulata*** Meagher, *Nova Hedwigia* 86: 491. 2008. Australia [Queensland]. SEE Meagher (2008).
- Blasiidae*** He-Nygrén, Juslén, Ahonen, Glenny et Piippo, *Cladistics* 22: 27. 2006.
BASED ON: Blasiales (R.M.Schust.) Stotler et Crand.-Stotl. TYPE: *Blasia* L., *Sp. Pl.*: 1138. 1753. SEE He-Nygrén et al. (2006).
- Blepharostomataceae*** W.Frey et M.Stech, *Nova Hedwigia* 87: 263. 2008. BASED ON: Pseudolepicoleaceae subfam. Blepharostomoideae Grolle, *J. Bryol.* 7: 205. 1972. TYPE: *Blepharostoma* (Dumort.) Dumort., *Recueil Observ. Jungerm.* 18. 1835. SEE Frey & Stech (2008).

- Calyculariaceae** He-Nygrén, Juslén, Ahonen, Glenný et Piippo, *Cladistics* 22: 27. 2006. TYPE: *Calycularia* Mitt., *J. Proc. Linn. Soc., Bot.* 5: 122. 1861. SEE He-Nygrén et al. (2006).
- Calyculariinae** He-Nygrén, Juslén, Ahonen, Glenný et Piippo, *Cladistics* 22: 27. 2006. BASED ON: Calyculariaceae He-Nygrén, Juslén, Ahonen, Glenný et Piippo, *Cladistics* 22: 27. 2006. TYPE: *Calycularia* Mitt., *J. Proc. Linn. Soc., Bot.* 5: 122. 1861. SEE He-Nygrén et al. (2006).
- Calypogeia khasiana** Ajit P.Singh et V.Nath, *Taiwania* 52: 320. 2007. TYPE: India [Meghalaya]. SEE Singh & Nath (2007a).
- Castanoclobos** J.J.Engel et Glenný, *Novon* 17: 424. 2007. TYPE: *Leiomitra julacea* Hatcher ex J.J.Engel, *Novon* 9: 26, 1999. SEE Engel & Glenný (2007).
- Castanoclobos julaceus** (Hatcher ex J.J.Engel) J.J.Engel et Glenný, *Novon* 17: 426. 2007. BASIONYM: *Leiomitra julacea* Hatcher ex J.J.Engel, *Novon* 9: 26. 1999. SEE Engel & Glenný (2007).
- Cephalojonesia incuba** Grolle et Vandenberghe, 1970.
- Cephalojonesia incuba** subsp. *incuba*, *J. Hattori Bot. Lab.* 100: 37. 2006. SEE Burghardt et al. (2006).
- Cephalojonesia incuba** subsp. *mexicana* Burghardt, Gradst. et Váňa, *J. Hattori Bot. Lab.* 100: 37. 2006. Mexico [Michoacán]. SEE Burghardt et al. (2006).
- Cephalolobus hodgsoniae** R.M.Schust., *Rev. Bryol. Lichénol.* 34: 251. 1966. OTHER USE: *Andrewsianthus hodgsoniae* (R.M.Schust.) R.M.Schust. ex J.J.Engel, 2007.
- Cephalolobus sphenoloboides** R.M.Schust., *Rev. Bryol. Lichénol.* 34: 251. 1966. OTHER USE: *Andrewsianthus sphenoloboides* (R.M.Schust.) R.M.Schust. ex J.J.Engel, 2007.
- Cephalozia** subgen. **Eocephalozia** J.J.Engel, *Novon* 17: 312. 2007. TYPE: *Cephalozia badia* (Gottsche) Steph., *Bull. Herb. Boissier*, sér. 2 8: 483. 1908 (*Spec. Hepat.* (Stephani) 3: 313. 1908). SEE Engel (2007a).
- Cephalozia austrirena** R.M.Schust. ex J.J.Engel, *Novon* 17: 312. 2007. New Zealand [South Island]. SEE Engel (2007a).
- Cephalozia pachygyna** R.M.Schust. ex J.J.Engel, *Novon* 17: 313. 2007. New Zealand [South Island]. SEE Engel (2007a).
- Cephalozia scabrella** C.Massal., *Nuovo Giorn. Bot. Ital.* 17: 233. 1885. OTHER USE: *Andrewsianthus scabrellus* (C.Massal.) R.M.Schust. ex J.J.Engel, 2007.
- Cephalozia schusteri** S.K.Singh et D.K.Singh, *Lindbergia* 32: 1. 2007. India [Himachal Pradesh]. SEE Singh & Singh (2007a).
- Cephalozia schusteriana** J.J.Engel, *Novon* 17: 313. 2007. New Zealand [South Island]. SEE Engel (2007a).
- Cephaloziella arctica** Bryhn et Douin, 1913.
- Cephaloziella arctica** var. *subantarctica* R.M.Schust., *Nova Hedwigia* 22: 197. 1972. OTHER USE: *Cephaloziella varians* var. *subantarctica* (R.M.Schust.) R.M.Schust. ex J.J.Engel, 2007.
- Cephaloziella pseudocrassigyna** R.M.Schust. ex J.J.Engel, *Novon* 17: 313. 2007. New Zealand [South Island]. SEE Engel (2007a).
- Cephaloziella spinigera** (Lindb.) Jørg., 1894.
- Cephaloziella spinigera** f. *striatula* (C.E.O.Jensen) Damsh., *Lindbergia* 28: 124. 2003. BASIONYM: *Cephalozia striatula* C.E.O.Jensen, *Rev. Bryol.* 31: 25. 1904. SEE Damsholt (2003).
- Cephaloziella varians** (Gottsche) Steph., 1905.
- Cephaloziella varians** var. *subantarctica* (R.M.Schust.) R.M.Schust. ex J.J.Engel, *Novon* 17: 314. 2007. BASIONYM: *Cephaloziella arctica* var. *subantarctica* R.M.Schust., *Nova Hedwigia* 22: 197. 1972. SEE Engel (2007a).

- Ceratolejeunea atlantica*** Alvarenga et Ilk.-Borg., *Nova Hedwigia* 86: 238. 2008.
Brazil [Alagoas]. SEE Ilkiu-Borges (2008).
- Cheilolejeunea beyrichii*** (Lindenb.) M.E.Reiner, *Nova Hedwigia* 83: 474. 2006.
BASIONYM: *Lejeunea beyrichii* Lindenb., *Syn. Hepat.* 3: 371. 1845. SEE
Reiner-Drehwald (2006).
- Cheilolejeunea compacta*** (Steph.) M.E.Reiner, *Nova Hedwigia* 83: 474. 2006.
BASIONYM: *Hygrolejeunea compacta* Steph., *Spec. Hepat.* (Stephani) 5:
532. 1914. SEE Reiner-Drehwald (2006).
- Cheilolejeunea eximia*** (Ast et Tixier) R.L.Zhu et M.L.So, *Beih. Nova Hedwigia*
121: 114. 2001. BASIONYM: *Pycnolejeunea eximia* Ast et Tixier, *Rev. Bryol.*
Lichénol. 31: 31. 1962. Vietnam. SEE Zhu & So (2001).
- Cheilolejeunea lacerata*** C.Bastos et Gradst., *J. Bryol.* 28: 133. 2006. Brazil [Bahia].
SEE Bastos & Gradstein (2006).
- Cheilolejeunea neblinensis*** Ilk.-Borg. et Gradst., *Nova Hedwigia* 87: 522. 2008.
Venezuela [Amazonas]. SEE Ilkiu-Borges & Gradstein (2008).
- Cheilolejeunea rupestris*** C.Bastos et Gradst., *J. Bryol.* 28: 136. 2006. Brazil [Bahia].
SEE Bastos & Gradstein (2006).
- Chiloscyphus* sect. *Lophocolea*** (Dumort.) Hentschel, *Pl. Syst. Evol.* 262: 129. 2006.
BASIONYM: *Jungermannia* sect. *Lophocolea* Dumort., *Syll. Jungerm.*
Europ.: 59. 1831. TYPE: *Jungermannia bidentata* L. SEE Hentschel et al.
(2006).
- Chiloscyphus anisolobus*** J.J.Engel et Glenny, *Bryologist* 111: 118. 2008. New
Zealand [South Island]. SEE Engel & Glenny (2008a).
- Chiloscyphus dissitifolius*** (Herzog) Hentschel et Heinrichs, *Taxon* 56: 1139. 2007.
BASIONYM: *Pachyglossa dissitifolia* Herzog, *Rev. Bryol. Lichénol.* 21: 259.
1952. SEE Hentschel et al. (2007a).
- Chiloscyphus fissus*** (Mitt.) Hentschel et Heinrichs, *Taxon* 56: 1139. 2007.
BASIONYM: *Herpoodium fissum* Mitt., *J. Proc. Linn. Soc., Bot. Botany*
15: 69. 1876. SEE Hentschel et al. (2007a).
- Chiloscyphus grolleanus*** (Váňa) Hentschel et Heinrichs, *Taxon* 56: 1139. 2007.
BASIONYM: *Pachyglossa grolleana* Váňa, *Cryptog. Bryol.* 26: 86. 2005. SEE
Hentschel et al. (2007a).
- Chiloscyphus inflatus*** Steph., 1907.
- Chiloscyphus inflatus* var. *fragilissimus*** N.Kitag., *Acta Phytotax. Geobot.* 30: 32.
1979. OTHER USE: *Heteroscyphus inflatus* var. *fragilissimus* (N.Kitag.)
M.J.Lai et R.L.Zhu, *Ann. Bot. Fenn.* 45: 334. 2008.
- Chiloscyphus spegazzinianus*** (C.Massal.) Hentschel et Heinrichs, *Taxon* 56: 1139.
2007. BASIONYM: *Lophocolea spegazziniana* C.Massal., *Nuovo Giorn.*
Bot. Ital. 17: 255. 1885. SEE Hentschel et al. (2007a).
- Chiloscyphus tenacifolius*** (Hook.f. et Taylor) Hentschel et Heinrichs, *Taxon* 56:
1139. 2007. BASIONYM: *Jungermannia tenacifolia* Hook.f. et Taylor,
Hooker, *Bot. Antarct. Voy. I (Fl. Antarct. I)* “1844” 1: 40. 1844. SEE
Hentschel et al. (2007a).
- Chiloscyphus yunnanensis*** C.Gao et Y.H.Wu, *Acta Bot. Yunnan.* 28: 119. 2006.
China [Yunnan]. SEE Gao & Wu (2006).
- Cololejeunea arfakiana*** Pócs et J.Eggers, *Polish Bot. J.* 51: 155. 2006. Indonesia
[New Guinea, West Irian]. SEE Pócs & Eggers (2006).
- Cololejeunea dauphini*** R.L.Zhu, *J. Bryol.* 28: 277. 2006. NOTE: nom. nov. pro
Cololejeunea tixieri M.I.Morales et G.Dauphin, *Trop. Bryol.* 14: 133. 1998,
nom. illeg. Art. 53.1, non *Cololejeunea tixieri* Onr., *Bull. Jard. Bot. Natl.*
Belgique 59: 436. 1989. SEE Zhu (2006).

- Cololejeunea diana*** Wigginton, *J. Bryol.* 28: 364. 2006. St Helena. SEE Wigginton (2006).
- Cololejeunea eustacei*** Pócs in Müller & Pócs, *J. Bryol.* 29: 83. 2007. Equatorial Guinea [Bioko Island]. SEE Müller & Pócs (2007).
- Cololejeunea gracilis*** (Ast) Pócs in Dauphin et al., *Cryptog. Bryol.* 29: 233. 2008. BASIONYM: *Aphanolejeunea gracilis* Ast, *Rev. Bryol. Lichénol.* 16: 21. 1947. SEE Dauphin et al. (2008).
- Cololejeunea gradsteinii*** M.J.Lai et R.L.Zhu, *Ann. Bot. Fenn.* 45: 334. 2008. NOTE: nom. nov. pro *Cololejeunea pusilla* Tixier, *Nat. Hist. Bull. Siam Soc.* 23: 548. 1970, nom. illeg. Art. 53.1, non *Cololejeunea pusilla* Steph., *Hedwigia* 34: 251. 1895. SEE Lai et al. (2008).
- Cololejeunea grossestylo*** Wigginton, *J. Bryol.* 28: 369. 2006. St Helena. SEE Wigginton (2006).
- Cololejeunea lichenya*** R.D.Porley, N.G.Hodgetts et M.Wigginton in Wigginton et al., *J. Bryol.* 29: 7. 2007. Malawi. SEE Wigginton et al. (2007).
- Cololejeunea metzgeriopsis*** (K.I.Goebel) Gradst., R.Wilson, Ilk.-Borg. et Heinrichs, *J. Linn. Soc., Bot.* 151: 306. 2006. BASIONYM: *Lejeunea metzgeriopsis* K.I.Goebel, *Flora* 72: 2. 1889. SEE Gradstein et al. (2006).
- Cololejeunea microscopica*** (Taylor) Schiffn., 1893.
- Cololejeunea microscopica*** var. ***africana*** (Pócs) Pócs et Bern.-Lück. In Dauphin et al., *Cryptog. Bryol.* 29: 234. 2008. BASIONYM: *Aphanolejeunea exigua* var. *africana* Pócs, *Cryptog. Bryol. Lichénol.* 5: 247. 1984. SEE Dauphin et al. (2008).
- Cololejeunea microscopica*** var. ***microscopica***, *Cryptog. Bryol.* 29: 234. 2008. SEE Dauphin et al. (2008).
- Cololejeunea panamensis*** G.Dauphin et Pócs in Dauphin et al., *Trop. Bryol.* 27: 76. 2006. Panama. SEE Dauphin et al. (2006).
- Cololejeunea planissima*** (Mitt.) Abeyw., 1959.
- Cololejeunea planissima*** var. ***chagosensis*** Pócs in Seaward et al., *J. Bryol.* 28: 14. 2006. Chagos Archipelago. SEE Seaward et al. (2006).
- Cololejeunea planissima*** var. ***planissima***, *J. Bryol.* 28: 14. 2006. SEE Seaward et al. (2006).
- Cololejeunea sanctae-helenae*** Wigginton, *J. Bryol.* 28: 366. 2006. St Helena. SEE Wigginton (2006).
- Cololejeunea sintenisii*** (Steph.) Pócs in Dauphin et al., *Cryptog. Bryol.* 29: 235. 2008. BASIONYM: *Aphanolejeunea sintenisii* Steph., *Spec. Hepat. (Stephani)* 5: 861. 1916. SEE Dauphin et al. (2008).
- Cololejeunea subsphaeroidea*** (R.M.Schust.) Pócs in Dauphin et al., *Cryptog. Bryol.* 29: 235. 2008. BASIONYM: *Aphanolejeunea subsphaeroidea* R.M.Schust., *Phytologia* 39: 431. 1978. SEE Dauphin et al. (2008).
- Cololejeunea tixeriana*** M.Dey, D.Singh et D.K.Singh, *Taiwania* 53: 258. 2008. India [Darjeeling]. SEE Dey et al. (2008a).
- Cololejeunea turbinifera*** (Spruce) León-Yáñez, Gradst. et Wegner, *Hepát. y Antoc. del Ecuador, Catál.*: 33. 2006. BASIONYM: *Lejeunea turbinifera* Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 295. 1884. SEE León-Yáñez et al. (2006a).
- Colura calderae*** Pócs, *J. Bryol.* 29: 84. 2007. Equatorial Guinea [Bioko Island]. SEE Müller & Pócs (2007).
- Colura vitiensis*** Pócs et J.Eggers, *Polish Bot. J.* 52: 88. 2007. Fiji. SEE Pócs & Eggers (2007).
- Cylindrocolea brasiliensis*** D.P.Costa, N.D.Santos et Váña, *Bryologist* 111: 2008: 667. Brazil [Rio de Janeiro]. SEE Costa et al. (2008).

- Dendrocerotidae** R.J.Duff, J.C.Villarreal, Cargill *et Renzaglia*, *Bryologist* 110: 240. 2007. TYPE: *Dendroceros* Nees, *Syn. Hep.* 4: 579. 1846. SEE Duff *et al.* (2007).
- Dinckleria fruticella** (Hook.f. *et Taylor*) J.J.Engel *et Heinrichs*, *Cryptog. Bryol.* 29: 194. 2008. BASIONYM: *Jungermannia fruticella* Hook.f. *et Taylor*, *London J. Bot.* 3: 565. 1844. SEE Engel & Heinrichs (2008).
- Dinckleria pleurata** (Hook.f. *et Taylor*) J.J.Engel *et Heinrichs*, *Cryptog. Bryol.* 29: 194. 2008. BASIONYM: *Jungermannia pleurata* Hook.f. *et Taylor*, *London J. Bot.* 3: 372. 1844. SEE Engel & Heinrichs (2008).
- Diplasiolejeunea andringitrae** Schäf.-Verw., *Cryptog. Bryol.* 27: 447. 2006. Madagascar. SEE Pócs & Schäfer-Verwimp (2006).
- Diplasiolejeunea eggersii** Pócs, *Bryologist* 109: 408. 2006. Costa Rica. SEE Pócs (2006b).
- Diplasiolejeunea ingekarolae** Schäf.-Verw., *Herzogia* 19: 239. 2006. Indonesia [Sumatra]. SEE Schäfer-Verwimp (2006).
- Diplasiolejeunea ornata** Pócs *et Schäf.-Verw.*, *Cryptog. Bryol.* 27: 440. 2006. Madagascar. SEE Pócs & Schäfer-Verwimp (2006).
- Diplasiolejeunea ranomafanae** Pócs, *Cryptog. Bryol.* 27: 444. 2006. Madagascar. SEE Pócs & Schäfer-Verwimp (2006).
- Diplophyloideae** W.Frey *et M.Stech*, *Nova Hedwigia* 87: 262. 2008. BASED ON: Diplophyllaceae Potemkin, *Ann. Bot. Fenn.* 36: 281. 1999. TYPE: *Diplophyllum* (Dumort.) Dumort., *Recueil Observ. Jungerm.* 15. 1835. Scapaniaceae. SEE Frey & Stech (2008).
- Drepanolejeunea longifolia** Ajit P.Singh, V.Nath *et A.K.Asthana*, *Bryologist* 111: 2008: 477. India [Meghalaya]. SEE Singh *et al.* (2008).
- Drepanolejeunea mawtmiana** Ajit P.Singh *et V.Nath*, *Hepat. Khasi Jaintia Hills: East. Himalayas* 251. 2007. India [Meghalaya]. SEE Singh & Nath (2007b).
- Dumortieraceae** D.G.Long, *Edinburgh J. Bot.* 63: 260. 2006. TYPE: *Dumortiera* Nees, *Nova Acta Phys. Med. Acad. Caes. Leop. Carol. Nat. Cur.* 12: 410. 1824. SEE Long (2006).
- Exormotheca bischlerae** Furuki *et Higuchi*, *Cryptog. Bryol.* 27: 98. 2006. "bischleri." China [Sichuan]. SEE Furuki & Higuchi (2006).
- Fossombronia altilamellosa** G.A.M.Scott *et D.C.Pike* ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [Victoria]. NOTE: based on *Fossombronia altilamellosa* G.A.M.Scott *et D.C.Pike*, 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).
- Fossombronia auricolor** G.A.M.Scott *et D.C.Pike* ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [South Australia]. NOTE: based on *Fossombronia auricolor* G.A.M.Scott *et D.C.Pike*, 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).
- Fossombronia lophoscypha** Hässel, *Beih. Nova Hedwigia* 131: 16. 2007. Chile [Valparaíso]. SEE Hässel de Menéndez & Villagrán (2007).
- Fossombronia magnaspora** G.A.M.Scott *et D.C.Pike* ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [Victoria]. NOTE: based on *Fossombronia magnaspora* G.A.M.Scott *et D.C.Pike*, 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).
- ***Fossombronia maritima** G.A.M.Scott *et D.C.Pike* ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [Victoria]. NOTE: based on *Fossombronia maritima* G.A.M.Scott *et D.C.Pike*, 1987, nom. inval.

Art. 37.2 (based on more than one gathering); nom. illeg. Art. 53.1, non *Fossombronia maritima* (Paton) Paton, 1994. SEE McCarthy (2003).

Fossombronia purpureospora G.A.M.Scott et D.C.Pike ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [South Australia]. NOTE: based on *Fossombronia purpureospora* G.A.M.Scott et D.C.Pike, 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).

Fossombronia rupestris G.A.M.Scott et D.C.Pike ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [South Australia]. NOTE: based on *Fossombronia rupestris* G.A.M.Scott et D.C.Pike, 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).

Fossombronia truncata G.A.M.Scott et D.C.Pike ex Cargill in P.M. McCarthy, *Fl. Australia Suppl.* 21: 114. 2003. Australia [Victoria]. NOTE: based on *Fossombronia magnaspora* G.A.M.Scott et D.C.Pike 1987, nom. inval. Art. 37.2 (based on more than one gathering). SEE McCarthy (2003).

Fossombronia valparaisiana Hässel, *Beih. Nova Hedwigia* 131: 14. 2007. Chile [Valparaíso]. SEE Hässel de Menéndez & Villagrán (2007).

Frullania dulimensis Uribe, *Cryptog. Bryol.* 27: 309. 2006. Colombia [Tolima]. SEE Uribe (2006).

Frullania pran-nathii M.Dey et D.K.Singh, *J. Jap. Bot.* 83: 281. 2008. India [Darjeeling]. SEE Dey & Singh (2008).

Frullania pseudoalstonii Tsudo et J.Haseg., *Bryol. Res.* 9: 44. 2006. Japan [Kyushu]. SEE Tsudo & Hasegawa (2006).

Frullania tamarisci (L.) Dumort., 1835.

Frullania tamarisci var. ***azorica*** J.-P.Frahm, *Trop. Bryol.* 27: 102. 2006. Portugal [Azores]. SEE Frahm (2006).

Frullania udarei V. Nath et Ajit P.Singh, *Curr. Sci.* 91: 744. 2006. India [Meghalaya]. SEE Nath & Singh (2006).

Frullania vivipara Pócs, *Fieldiana, Bot.*, n.s. 47: 151. 2008. Fiji. SEE Pócs (2008a).

Frullania wairua von Konrat et Briggins, *New Zealand J. Bot.* 43: 886. 2005. New Zealand [North Island]. SEE von Konrat (2005).

Gottschelia grollei D.G.Long et Váňa, *J. Bryol.* 29: 167. 2007. China [Yunnan]. SEE Long & Váňa (2007).

Grimaldia fragrans (Balb.) Corda ex Nees, 1838.

Grimaldia fragrans var. ***brevipes*** Kaal., *Forh. Vidensk.-Selsk. Kristiania* 1898: 3. 1898. OTHER USE: *Mannia fragrans* var. *brevipes* (Kaal.) Damsh., *Ill. Fl. Nord. Liverw. Hornw.*: 717. 2002.

Hamatostrepta Váňa et D.G.Long, *Fieldiana, Bot.*, n.s. 47: 134. 2008. TYPE: *Hamatostrepta concinna* Váňa et D.G.Long, *Fieldiana, Bot.*, n.s. 47: 134. 2008. SEE Váňa & Long (2008).

Hamatostrepta concinna Váňa et D.G.Long, *Fieldiana, Bot.*, n.s. 47: 134. 2008. Myanmar [Kachin]. SEE Váňa & Long (2008).

Haplomitriidae Stotler et Crand.-Stotl., *Taxon* 57: 290. 2008. TYPE: *Haplomitrium* Nees. SEE Stotler & Crandall-Stotler (2008).

Harpalejeunea talinayi S.W.Arnell, *Svensk Bot. Tidskr.* 50: 309. 1956. OTHER USE: *Austrolejeunea talinayi* (S.W.Arnell) Pócs, 2006.

Herbertus acanthelius Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 344. 1885. OTHER USE: *Herbertus juniperoides* subsp. *acanthelius* (Spruce) Feldberg et Heinrichs, 2006.

- Herbertus bivittatus*** Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 343. 1885.
OTHER USE: *Herbertus juniperoides* subsp. *bivittatus* (Spruce) Feldberg et Heinrichs, 2006.
- Herbertus buchii*** Juslén, *Ann. Bot. Fenn.* 43: 416. 2006. Russia [Amur]. SEE Juslén (2006).
- Herbertus juniperoides*** (Sw.) Grolle, 1961.
- Herbertus juniperoides*** subsp. *acanthelius* (Spruce) Feldberg et Heinrichs, *J. Linn. Soc., Bot.* 151: 326. 2006. BASIONYM: *Herbertus acanthelius* Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 344. 1885. SEE Feldberg & Heinrichs (2006).
- Herbertus juniperoides*** subsp. *bivittatus* (Spruce) Feldberg et Heinrichs, *J. Linn. Soc., Bot.* 151: 328. 2006. BASIONYM: *Herbertus bivittatus* Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 343. 1885. SEE Feldberg & Heinrichs (2006).
- Herbertus juniperoides*** subsp. *juniperoides*, *J. Linn. Soc., Bot.* 151: 326. 2006.
SEE Feldberg & Heinrichs (2006).
- Herbertus juniperoides*** subsp. *pensilis* (Taylor) Feldberg et Heinrichs, *J. Linn. Soc., Bot.* 151: 329. 2006. BASIONYM: *Sendtnera pensilis* Taylor, *London J. Bot.* 5: 372. 1846. SEE Feldberg & Heinrichs (2006).
- Herbertus mauritianus*** N.G.Hodgetts, *J. Bryol.* 30: 247. 2008. Mauritius. SEE Hodgetts (2008).
- Herbertus pocsii*** N.G.Hodgetts, *J. Bryol.* 30: 249. 2008. Tanzania. SEE Hodgetts (2008).
- Herbertus spicatus*** N.G.Hodgetts, *J. Bryol.* 30: 244. 2008. Tanzania. SEE Hodgetts (2008).
- Herpocladium fissum*** Mitt., *J. Proc. Linn. Soc., Bot.* 15: 69. 1876. OTHER USE: *Chiloscyphus fissus* (Mitt.) Hentschel et Heinrichs, 2007.
- Heteroscyphus inflatus*** (Steph.) S.C.Srivast. et A.Srivast., 1989 [1991].
- Heteroscyphus inflatus*** var. *fragilissimus* (N.Kitag.) M.J.Lai et R.L.Zhu, *Ann. Bot. Fenn.* 45: 334. 2008. BASIONYM: *Chiloscyphus inflatus* var. *fragilissimus* N.Kitag., *Acta Phytotax. Geobot.* 30: 32. 1979. SEE Lai et al. (2008).
- Heteroscyphus polychaetus*** (Spruce) Hentschel et Heinrichs, *Taxon* 56: 1139. 2007.
BASIONYM: *Lophocolea polychaeta* Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 436. 1885. SEE Hentschel et al. (2007a).
- Hyalolepidozia microphylla*** R.M.Schust. ex J.J.Engel, *Novon* 17: 310. 2007. New Zealand [South Island]. SEE Engel (2007a).
- Hygrolejeunea compacta*** Steph., *Spec. Hepat.* (Stephani) 5: 532. 1914. OTHER USE: *Cheilolejeunea compacta* (Steph.) M.E.Reiner, 2006.
- Hypolophozia*** (R.M.Schust.) Bakalin, *Monogr. Obrabotka Roda Lophozia*: 38. 2006. BASIONYM: *Lophozia* subgen. *Hypolophozia* R.M.Schust., *Rev. Bryol. Lichénol.* 34: 276. 1966. TYPE: *Lophozia subinflata* (R.M.Schust.) R.M.Schust., *Rev. Bryol. Lichénol.* 34: 276. 1966.
- Hypolophozia dusenii*** (Steph.) Bakalin, *Monogr. Obrabotka Roda Lophozia*: 39. 2006. BASIONYM: *Lophozia dusenii* Steph., *Bih. Kongl. Svenska Vetensk.-Akad. Handl.* 26(III, 6): 24. 1900. SEE Bakalin (2006).
- ****Isopaches pumicicola*** (Berggr.) Bakalin, *Monogr. Obrabotka Roda Lophozia*: 27. 2006. NOTE: nom. inval. Art. 33.1, basionym *Lophozia pumicicola* Berggr. not fully cited SEE Bakalin (2006).
- Isopaches pumicicola*** (Berggr.) Bakalin, *Arctoa* 17: 162, 2008. BASIONYM: *Lophozia pumicicola* Berggr. 1898. *New Zealand Hepat.*: 21. SEE Bakalin (2008a).

- Jamesoniellaceae** He-Nygrén, Juslén, Ahonen, Glenný et Piippo, *Cladistics* 22: 27. 2006. TYPE: *Jamesoniella* (Spruce) Carrington in Lees, *London Catal. Brit. Moss. Hep.* (ed. 2): 25. 1881. SEE He-Nygrén et al. (2006).
- Jamesoniellales** W.Frey et M.Stech, *Nova Hedwigia* 87: 262. 2008. TYPE: *Jamesoniella* (Spruce) Carrington in Lees, *London Catal. Brit. Moss. Hep.* (ed. 2) 25. 1881. SEE Frey & Stech (2008).
- Jubula hutchinsiae** (Hook.) Dumort., 1822.
- Jubula hutchinsiae** subsp. *australiae* Pócs et A.Cairns, *Nova Hedwigia* 86: 232. 2008. Australia [Queensland]. SEE Pócs & Cairns (2008).
- Jubulales** W.Frey et M.Stech, *Nova Hedwigia* 87: 264. 2008. TYPE: *Jubula* Dumort., *Comment. Bot.* 112. 1822. SEE Frey & Stech (2008).
- ***Jungermannia amakawana** Ajit P.Singh et V.Nath, *Hepat. Khasi Jaintia Hills: East. Himalayas* 117. 2007. India [Meghalaya]. NOTE: nom. illeg. Art. 53.1, non *Jungermannia amakawana* Grolle, *J. Jap. Bot.* 41: 230. 1966. SEE Singh & Nath (2007b).
- ***Jungermannia erectii** Ajit P.Singh et V.Nath, *Hepat. Khasi Jaintia Hills: East. Himalayas* 117. 2007. India [Meghalaya]. NOTE: nom. illeg. Art. 53.1, non *Jungermannia erecta* (Amakawa) Amakawa, *J. Hattori Bot. Lab.* 22: 13, 1960. SEE Singh & Nath (2007b).
- Jungermannia gongshanensis** C.Gao et J.Sun in Sun & Duan, *Bull. Bot. Res., Harbin* 27: 140. 2007. NOTE: nom. nov. for *Jungermannia brevicaulis* C.Gao et X.L.Bai, *Philippine Scientist* 38: 124. 2001, nom. illeg. Art. 53.1, non *Jungermannia brevicaulis* Raddi, *Jungermanniogr. Etrusca* 20. 1818. SEE Sun & Duan (2007).
- Jungermannia indrodayana** S.K.Singh et D.K.Singh, *Cryptog. Bryol.* 28: 103. 2007. India [Himachal Pradesh]. SEE Singh & Singh (2007).
- Jungermannia jenseniana** Grolle, *Österreichische Bot. Z.* 111: 190. 1964. OTHER USE: *Solenostoma jenseniana* (Grolle) Bakalin, 2003.
- Jungermannia juniperoides** Sw., *Prodr. (Swartz)*: 144. 1788. OTHER USE: *Herbertus juniperoides* subsp. *juniperoides*, 2006.
- Jungermannia mairangii** Ajit P.Singh et V.Nath, *Hepat. Khasi Jaintia Hills: East. Himalayas* 120. 2007. India [Meghalaya]. SEE Singh & Nath (2007b).
- Jungermannia multicarpa** C.Gao et J.Sun in Sun & Duan, *Bull. Bot. Res., Harbin* 27: 139. 2007. NOTE: nom. nov. pro *Jungermannia polycarpa* C.Gao et X.L.Bai, *Philippine Scientist* 38: 147. 2001; nom. illeg. Art. 53.1, non *Jungermannia polycarpa* Nees, *Fl. Bras.* 1: 350. 1833. SEE Sun & Duan (2007).
- Jungermannia nilgiriensis** A.Alam, Ad.Kumar et S.C.Srivast., *Bull. Bot. Surv. India* 49: 220. 2007. India [Tamil Nadu]. SEE Alam et al. (2007).
- Jungermannia pyriflora** Steph., 1917.
- Jungermannia pyriflora** var. *minutissima* Amakawa, *J. Hattori Bot. Lab.* 22: 61. 1960. OTHER USE: *Solenostoma pyriflorum* var. *minutissimum* (Amakawa) Bakalin, 2007.
- Jungermannia rufiflora** Colenso, *Transactions Trans. & Proc. New Zealand Inst.* 18: 237. 1886. OTHER USE: *Solenostoma rufiflorum* (Colenso) J.J.Engel, *Novon* 17: 312. 2007.
- Jungermannia tenacifolia** Hook.f. et Taylor, *Fl. Antarct.* 1: 40. 1844. OTHER USE: *Chiloscyphus tenacifolius* (Hook.f. et Taylor) Hentschel et Heinrichs, 2007.
- Jungermannia sparsofolia** C.Gao et J.Sun in Sun & Duan, *Bull. Bot. Res., Harbin* 27: 139. 2007. NOTE: nom. nov. pro *Jungermannia laxifolia* C.Gao, 2003. BLOCKING NAME: *Jungermannia laxifolia* Hook., *Brit. Jungerm. Pl.* 59. 1816. SEE Sun & Duan (2007).

Kurzia helophila R.M.Schust., 1980.

Kurzia helophila var. **flaccida** R.M.Schust. ex J.J.Engel, *Novon* 17: 310. 2007. New Zealand [South Island]. SEE Engel (2007a).

Kurzia helophila var. **helophila**, *Novon* 17: 310. 2007. SEE Engel (2007a).

Leiocolea collaris (Nees) Schljakov, 1976.

***Leiocolea collaris** var. **pumila** Dragičević et Veljić, *Pregl. mahov. Crne Gore*: 14 2006. NOTE: nom. inval. Art. 32.1(d) (no description) and Art. 36.1, apparently based on *Jungermannia muelleri* f. *pumila* Nees, 1836. SEE Dragičević & Veljić (2006).

Leiocolea holmeniana (Inoue et Steere) Konstant., *Arctoa* 9: 33. 2000. BASIONYM: *Lophozia holmeniana* Inoue et Steere, *J. Hattori Bot. Lab.* 44: 285. 1978. SEE Konstantinova (2000).

Leiocolea turbinata (Raddi) H. Buch, 1938.

***Leiocolea turbinata** var. **wilsoniana** Dragičević et Veljić, *Pregl. mahov. Crne Gore*: 4. 2006. NOTE: nom. inval. Art 32.1(d), apparently based on *Jungermannia wilsoniana* Nees, 1838. SEE Dragičević & Veljić (2006).

Leiocolea ussuriensis Bakalin, *Arctoa* 17: 103, 2008. Russian Far East [Primorsky]. SEE Bakalin (2008b).

Leiomitra julacea Hatcher ex J.J.Engel, *Novon* 9: 26. 1999. OTHER USE: *Castanoclobos julaceus* (Hatcher ex J.J.Engel) J.J.Engel et Glenny, 2007.

Leiosporocerotopsida Stotler et Crand.-Stotl., *Bryologist* 108: 19. 2005. TYPE: *Leiosporoceros Hässel*, *J. Hattori Bot. Lab.* 64: 82. 1988. SEE Stotler & Crandall-Stotler (2005).

Lejeunea beyrichii Lindenb., *Syn. Hep.* 3: 371. 1845. OTHER USE: *Cheilolejeunea beyrichii* (Lindenb.) M.E.Reiner, 2006.

Lejeunea cordifissa Taylor, *London J. Bot.* 5: 395. 1846. OTHER USE: *Lepidolejeunea cordifissa* (Taylor) M.E.Reiner, *Nova Hedwigia* 83: 478. 2006.

Lejeunea fulfordiae (Ast) R.L.Zhu, *Syst. Bot.* 33: 617. 2008. BASIONYM: *Amblyolejeunea fulfordiae* Ast, *Rev. Bryol. Lichénol.* 17: 25. 1948. SEE Zhu & Cheng (2008).

Lejeunea halei H.Rob., 1964.

Lejeunea halei var. **africana** Pócs, *J. Bryol.* 29: 89. 2007. Equatorial Guinea [Bioko Island]. SEE Müller & Pócs (2007).

Lejeunea halei var. **halei**, *J. Bryol.* 29: 89. 2007. SEE Müller & Pócs (2007).

Lejeunea juruana Gradst. et M.E.Reiner, *Syst. Bot.* 32: 488. 2007. BASIONYM: nom. nov. pro *Potamolejeunea uleana* Steph., *Spec. Hepat.* (Stephani) 5: 641. 1914. BLOCKING NAME: *Lejeunea uleana* (Steph.) Steph., *Spec. Hepat.* (Stephani) 5: 675. 1915. SEE Gradstein & Reiner-Drehwald (2007).

Lejeunea kashyapii M.Dey, D.K.Singh et D.Singh, *J. Bryol.* 30: 126. 2008. India [Sikkim]. SEE Dey et al. (2008b).

Lejeunea laiti R.L.Zhu, *J. Bryol.* 30: 173. 2008. NOTE: nom. nov. pro *Lejeunea ramulosa* (Herzog) R.M.Schust., *Beih. Nova Hedwigia* 9: 133, nom. illeg. Art. 53.1, non *Lejeunea ramulosa* Spruce, *Trans. Proc. Bot. Soc. Edinburgh* 15: 274. 1884. SEE Wang & Zhu (2008).

Lejeunea mehrana M.Dey, D.K.Singh et D.Singh, *J. Bryol.* 30: 128. 2008. India [Sikkim]. SEE Dey et al. (2008b).

Lejeunea metzgeriopsis K.I.Goebel, *Flora* 72: 2. 1889. OTHER USE: *Cololejeunea metzgeriopsis* (K.I.Goebel) Gradst., R.Wilson, Ilk.-Borg. et Heinrichs, 2006.

Lejeunea perpapillosa M.E.Reiner et K.C.Pôrto, *Nova Hedwigia* 85: 542. 2007. Brazil [Pernambuco]. SEE Reiner-Drehwald & Pôrto (2007).

- Lejeunea sanctae-helenae*** Wigginton, *J. Bryol.* 29: 12. 2007. St. Helena. SEE Wigginton (2007).
- Lejeunea sullivantii*** Gottsche, *Mexik. Leverm.*: 196. 1863. OTHER USE: *Lepidolejeunea sullivantii* (Gottsche) M.E.Reiner, 2006.
- Lejeunea talamancensis*** M.E.Reiner et Schäf.-Verw., *Nova Hedwigia* 87: 414. 2008. Costa Rica. SEE Reiner-Drehwald & Schäfer-Verwimp (2008).
- Lejeunea topoensis*** Gradst. et M.E.Reiner, *Syst. Bot.* 32: 488. 2007. Ecuador. SEE Gradstein & Reiner-Drehwald (2007).
- Lejeunea turbinifera*** Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 295. 1884. OTHER USE: *Cololejeunea turbinifera* (Spruce) León-Yáñez, Gradst. et Wegner, 2006.
- Lejeunea xiphophylla*** (Herzog) M.E.Reiner, *Nova Hedwigia* 87: 409. 2008. BASIONYM: *Taxilejeunea xiphophylla* Herzog, *Svensk Bot. Tidskr.* 46: 99. 1952. SEE Reiner-Drehwald & Schäfer-Verwimp (2008).
- Lepidolejeunea cordifissa*** (Taylor) M.E.Reiner in Reiner-Drehwald & Schäfer-Verwimp, *Nova Hedwigia* 83: 478. 2006. BASIONYM: *Lejeunea cordifissa* Taylor, *London J. Bot.* 5: 395. 1846. SEE Reiner-Drehwald & Schäfer-Verwimp (2008).
- Lepidolejeunea sullivantii*** (Gottsche) M.E.Reiner in Reiner-Drehwald & Schäfer-Verwimp, *Nova Hedwigia* 83: 479. 2006. BASIONYM: *Lejeunea sullivantii* Gottsche, *Mexik. Leverm.*: 196. 1863. SEE Reiner-Drehwald & Schäfer-Verwimp (2008).
- Lepidozia azorica*** H.Buch et Perss., *Commentat. Biol.* 8: 4. 1941. OTHER USE: *Telaranea azorica* (H.Buch et Perss.) Pócs ex Schumacker et Váňa, 2005.
- Leptolejeunea arunachalensis*** Sudipa Das et D.K.Singh, *J. Jap. Bot.* 83: 343. 2008. India [Arunachal Pradesh]. SEE Das & Singh (2008).
- Leptophyllopoideae*** J.J.Engel, *Nova Hedwigia* 85: 422. 2007. TYPE: *Leptophyllopsis* R.M.Schust., *J. Hattori Bot. Lab.* 26: 269. 1963. SEE Engel (2007b).
- Leucolejeunea* subg. *Neoleucolejeunea*** R.M.Schust., *J. Hattori Bot. Lab.* 100: 375. 2006. TYPE: *Leucolejeunea caducifolia* Gradst. et Schäf.-Verw. SEE Schuster (2006).
- Leucolejeunea* subg. *Omphalanthopsis*** (R.M.Schust.) R.M.Schust., *J. Hattori Bot. Lab.* 100: 382. 2006. TYPE: *Leucolejeunea decurrens* (Steph.) Mizut., *J. Hattori Bot. Lab.* 40: 443. 1976. SEE Schuster (2006).
- Leucolejeunea* subg. *Pseudoleucolejeunea*** R.M.Schust., *J. Hattori Bot. Lab.* 100: 376. 2006. TYPE: *Leucolejeunea suprema* Grolle et Piippo. SEE Schuster (2006).
- Lobatiriccardia coronopus*** (De Not. ex Steph.) Furuki, *J. Hattori Bot. Lab.* 100: 90. 2006. BASIONYM: *Aneura coronopus* De Not. ex Steph., 1893. SEE Furuki (2006b).
- Lobatiriccardia yunnanensis*** Furuki et D.G.Long, *J. Bryol.* 29: 162. 2007. China. SEE Furuki & Long (2007).
- Lophocolea brookwoodiana*** Paton et Sheahan, *J. Bryol.* 28: 163. 2006. United Kingdom [England]. SEE Paton & Sheahan (2006).
- ****Lophocolea gemmiparous*** A.Evans ex W.T.Doyle et Stotler, *Madroño* 53: 135. 2006. NOTE: nom. inval. Art. 32.1(d); Doyle & Stotler (2006) erroneously used the name *Lophocolea gemmiparous* A.Evans, based on *Chiloscyphus gemmiparus* A.Evans. SEE Doyle & Stotler (2006).
- Lophocolea polychaeta*** Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 436. 1885. OTHER USE: *Heteroscyphus polychaetus* (Spruce) Hentschel et Heinrichs, 2007.

- Lophocolea spegazziniana** C.Massal., *Nuovo Giorn. Bot. Ital.* 17: 255. 1885.
 OTHER USE: *Chiloscyphus spegazzinianus* (C.Massal.) Hentschel et Heinrichs, 2007.
- Lophocoleales** W.Frey et M.Stech, *Nova Hedwigia* 87: 264. 2008. TYPE:
Lophocolea (Dumort.) Dumort., *Recueil Observ. Jungerm.* 17. 1835. SEE Frey & Stech (2008).
- ***Lopholejeunea inflata** Steph. ex R.L.Zhu et Gradst., *Monogr. Syst. Bot. Missouri Bot. Gard.* 74: 86. 2005. Dominica. NOTE: nom. inval Art. 34.1(c); sub. *Lopholejeunea nigricans* (Lindenb.) Schiffn. SEE Zhu & Gradstein (2005).
- ***Lopholejeunea karstenii** Steph. ex R.L.Zhu et Gradst., *Monogr. Syst. Bot. Missouri Bot. Gard.* 74: 86. 2005. Indonesia [Java]. NOTE: nom. inval. Art. 34.1(c), sub *Lopholejeunea applanata* (Reinw., Blume et Nees) Schiffn. SEE Zhu & Gradstein (2005).
- ***Lopholejeunea nongstoinii** Ajit P.Singh et V.Nath, *Phytotaxonomy* 6: 32. 2006 [2007]. India [Meghalaya]. NOTE: nom. inval. Art. 37.3. SEE Singh & Nath (2007c).
- Lopholejeunea vojtkoana** Gyarmati, *Nova Hedwigia* 87: 480. 2008. Fiji. SEE Sasse-Gyarmati (2008).
- ***Lophozia androgyna** R.M.Schust., Beih. *Nova Hedwigia* 119: 266. 2002. Australia [Tasmania]. NOTE: nom. inval. Art. 36.1. SEE Schuster (2002).
- Lophozia dusenii** Steph., *Bihang Bih. Kongl. Svenska Vetensk.-Akad. Handl.* 26: 24. 1900. OTHER USE: *Hypolophozia dusenii* (Steph.) Bakalin, 2006.
- Lophozia monoica** (E.A.Hodgs.) J.J.Engel, *Novon* 17: 311. 2007. BASIONYM: *Metahygrobiella monoica* E.A.Hodgs., *Trans. Roy. Soc. New Zealand, Bot.* 3: 76. 1965. SEE Engel (2007a).
- Lunulariales** D.G.Long, *Edinburgh J. Bot.* 63: 259. 2006. TYPE: *Lunularia* Adans., *Fam. Pl.* (Adanson) 2: 15. 1763 SEE Long (2006).
- Makinoiinae** He-Nygrén, Juslén, Ahonen, Glenny et Piippo, *Cladistics* 22: 27. 2006. BASED ON: Makinoaceae Nakai, *Ord. Fam. Trib. Gen. Sect. nov. ed.*: 201. 1943. TYPE: *Makinoa* Miyake, *Hedwigia* 38: 202. 1899. SEE He-Nygrén et al. (2006).
- Mannia controversa** (Meyl.) D.B.Schill, *Edinburgh J. Bot.* 65: 45. 2008. BASIONYM: *Grimaldia controversa* Meyl., *Beitr. Kryptogamenfl. Schweiz* 6: 87. 1924. SEE Schill et al. (2008).
- Mannia controversa** subsp. *asiatica* D.B.Schill et D.G.Long, *Edinburgh J. Bot.* 65: 45. 2008. China [Qinghai]. SEE Schill et al. (2008).
- Mannia controversa** subsp. *controversa*, *Edinburgh J. Bot.* 65: 45. 2008. SEE Schill et al. (2008).
- Mannia fragrans** (Balb.) Frye et L.Clark, 1937.
- Mannia fragrans** var. *brevipes* (Kaal.) Damsh., *Ill. Fl. Nord. Liverw. Hornw.*: 717. 2002. BASIONYM: *Grimaldia fragrans* var. *brevipes* Kaal., *Forh. Vidensk.-Selsk. Kristiania* 1898: 3. 1898. SEE Damsholt (2002).
- Marsupella sprucei** (Limpr.) Bernet, 1888.
- Marsupella sprucei** var. *sprucei*, *Ill. Fl. Nord. Liverw. Hornw.*: 262, 2002. SEE Damsholt (2002).
- Marsupella sprucei** var. *neglecta* (Limpr.) Damsh., *Ill. Fl. Nord. Liverw. Hornw.*: 262. 2002. BASIONYM: *Sarcocyphos neglectus* Limpr., *Forh. Vidensk.-Selsk. Kristiania* 58: 180. 1880 [1881]. SEE Damsholt (2002).
- Marsupella sprucei** var. *ustulata* (Spruce) Damsh., *Ill. Fl. Nord. Liverw. Hornw.*: 262. 2002. BASIONYM: *Marsupella ustulata* Spruce, *Rev. Bryol.* 8: 100. 1881. SEE Damsholt (2002).

- Marsupella ustulata*** Spruce, *Rev. Bryol.* 8: 100. 1881. OTHER USE: *Marsupella sprucei* var. *ustulata* (Spruce) Damsh., 2002.
- Marsupidium papillosum*** J.J.Engel et Glenny, *Nova Hedwigia* 87: 289. 2008. New Zealand [South Island]. SEE Engel & Glenny (2008b).
- Marsupidium perpusillum*** (Colenso) E.A.Hodgs., 1958.
- Marsupidium perpusillum*** var. *denticulatum* J.J.Engel et Glenny, *Nova Hedwigia* 87: 284. 2008. New Zealand [South Island]. SEE Engel & Glenny (2008b).
- Marsupidium perpusillum*** var. *perpusillum*, *Nova Hedwigia* 87: 284. 2008.
- Marsupidium plagiochiloides*** J.J.Engel et Glenny, *Nova Hedwigia* 87: 284. 2008. New Zealand [South Island]. SEE Engel & Glenny (2008b).
- Mastigobryum corbieri*** Steph., *J. & Proc. Roy. Soc. New South Wales* 48: 122. 1914. OTHER USE: *Bazzania corbieri* (Steph.) Meagher, 2008.
- Mastigolejeunea auriculata*** (Wilson) Schiffn., 1893.
- Mastigolejeunea auriculata*** var. *auriculata*, *Bull. Bot. Surv. India* 49: 231. 2007. SEE Daniels & Daniel (2007).
- Mastigolejeunea auriculata*** var. *ciliata* (U.S.Awasthi et Udar) A.E.D.Daniels et P.Daniel, *Bull. Bot. Surv. India* 49: 231. 2007. BASIONYM: *Mastigolejeunea humilis* var. *ciliata* U.S.Awasthi et Udar, *Proc. Indian Acad. Sci. Pl. Sci.* 93: 487. 1984. SEE Daniels & Daniel (2007).
- Mastigolejeunea humilis*** (Gottsche) Schiffn., 1893.
- Mastigolejeunea humilis*** var. *ciliata* U.S.Awasthi et Udar, *Proc. Indian Acad. Sci. Pl. Sci.* 93: 487. 1984. OTHER USE: *Mastigolejeunea auriculata* var. *ciliata* (U.S.Awasthi et Udar) A.E.D.Daniels et P.Daniel, 2007.
- Megaceros canaliculatus*** (Pagán) A.J.Shaw et Renzaglia ex J.C.Villarreal et N.Salazar in Dauphin et al., *Trop. Bryol.* 27: 82. 2006. BASIONYM: *Dendroceros canaliculatus* Pagán, *Bryologist* 45: 111. 1942. SEE Dauphin et al. (2006).
- Meinungeria*** Frank.Müll., *Bryologist* 110: 494. 2007. TYPE: *Meinungeria mouensis* Frank.Müll. SEE Müller (2007).
- Meinungeria mouensis*** Frank.Müll., *Bryologist* 110: 494. 2007. New Caledonia. SEE Müller (2007).
- Metahygrobiella monoica*** E.A.Hodgs., *Trans. Roy. Soc. New Zealand, Bot.* 3: 76. 1965. OTHER USE: *Lophozia monoica* (E.A.Hodgs.) J.J.Engel, *Novon* 17: 311. 2007.
- † ***Metzgeriothallus sharonae*** Hernick, Landing et Bartowski, *Rev. Palaeobot. Palynol.* 148: 160. 2008. Upper Middle Devonian. SEE Hernick et al. (2008).
- Mnioloma novaezelandiae*** J.J.Engel, *Cryptog. Bryol.* 27: 111. 2006. New Zealand [South Island]. SEE Engel (2006b).
- Mnioloma stamatotonum*** M.A.M.Renner et E.A.Br., *Fieldiana, Bot.*, n.s. 47: 173. 2008. Australia [Queensland]. SEE Renner & Brown (2008).
- Moerckia japonica*** Inoue, *Bull. Natl. Sci. Mus., Tokyo, B* 11: 8. 1985. OTHER USE: *Sandeothallus japonicus* (Inoue) Crand.-Stotl. et Stotler, 2007.
- Moerckiaceae** Stotler et Crand.-Stotl., *Beih. Nova Hedwigia* 131: 54. 2007. TYPE: *Moerckia* Gottsche, *Hepaticae Europae Exsiccatae*: 121. 1860. SEE Stotler & Crandall-Stotler (2007).
- Nardia minutifolia*** Furuki, *Bryol. Res.* 9: 73. 2006. Japan [Honshu]. SEE Furuki (2006a).
- Neohodgsoniaceae** D.G.Long, *Edinburgh J. Bot.* 63: 258. 2006. TYPE: *Neohodgsonia* Persss., *Bot. Not.* 107: 39. 1954. SEE Long (2006).
- Neohodgsoniales*** D.G.Long, *Edinburgh J. Bot.* 63: 258. 2006. TYPE: *Neohodgsonia* Persss., *Bot. Not.* 107: 39. 1954. SEE Long (2006).

- Nephelolejeunea conchophylla*** Grolle, *J. Hattori Bot. Lab.* 48: 164. 1980. OTHER USE: *Austrolejeunea conchophylla* (Grolle) Pócs, 2006.
- Nephelolejeunea hamata*** Grolle, *J. Hattori Bot. Lab.* 48: 167. 1980. OTHER USE: *Austrolejeunea hamata* (Grolle) Pócs, 2006.
- Nephelolejeunea papillosa*** Glenny, *New Zealand J. Bot.* 34: 195. 1996. OTHER USE: *Austrolejeunea papillosa* (Glenny) Pócs, 2006.
- Noterocladales** W.Frey et M.Stech, *Nova Hedwigia* 87: 262. 2008. BASED ON: Pelliaceae subfam. Noterocladoideae R.M.Schust., *J. Hattori Bot. Lab.* 70: 145. 1991. TYPE: *Noteroclada* Taylor ex Hook.f. et Wilson, *London J. Bot.* 3: 166. 1844. SEE Frey & Stech (2008).
- Nothoceros canaliculatus*** (Pagán) J.C.Villarreal, Hässel et N.Salazar, *Bryologist* 110: 283. 2007. BASIONYM: *Dendroceros canaliculatus* Pagán, *Bryologist* 45: 111. 1942. SEE Villarreal et al. (2007).
- Nothoceros endiviaefolius*** (Mont.) J.Haseg. ex J.C.Villarreal, Hässel et N.Salazar, *Bryologist* 110: 283. 2007. BASIONYM: *Anthoceros endiviaefolius* Mont., *Voy. Pole Sud* 1: 211. 1845. SEE Villarreal et al. (2007).
- Nothoceros giganteus*** (Lehm. et Lindenb.) J.Haseg. ex J.C.Villarreal, Hässel et N.Salazar, *Bryologist* 110: 283. 2007. BASIONYM: *Anthoceros giganteus* Lehm. et Lindenb., *Nov. Stirp. Pug.* 4: 25. 1832. SEE Villarreal et al. (2007).
- Nothoceros superbus*** J.C.Villarreal, Hässel et N.Salazar, *Bryologist* 110: 280. 2007. Costa Rica. SEE Villarreal et al. (2007).
- Notothylatidae** R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 240. 2007. TYPE: *Notothylas* Sull. ex A.Gray, *American Journal of Science and Arts*, ser. 2, 1: 74. 1846. SEE Villarreal et al. (2007).
- † ***Notothylites*** Chitaley et Yawale, *Botanique* 9: 111-118. 1980. Eocene-Oligocene. SEE Chitaley & Yawale (1980).
- † ***Notothylites nirulai*** Chitaley et Yawale, *Botanique* 9: 111-118. 1980. Eocene-Oligocene. SEE Chitaley & Yawale (1980).
- * ***Nowellia curvifolia*** var. ***baueri*** Dragičević et Veljić, *Pregl. mahov. Crne Gore*: 19. 2006. Monte Negro. NOTE: nom. inval. Art. 32.1(d), apparently based on *Jungermannia baueri* Mart., 1817. SEE Dragičević & Veljić (2006).
- * ***Odontoschisma alpinum*** R.M.Schust., *Beih. Nova Hedwigia* 119: 83. 2002. Venezuela [Mérida]. NOTE: nom. inval., no Latin description. SEE Schuster (2002).
- Odontoschisma engelii*** Gradst. et Burghardt, *Fieldiana, Bot.*, n.s. 47: 194. 2008. Ecuador. SEE Gradstein & Burghardt (2008).
- Omphalanthus*** subg. ***Evansiolejeunea*** (Vanden Berghe) R.M.Schust., *J. Hattori Bot. Lab.* 100: 395. 2006. TYPE: *Omphalanthus roccatii* (Gola) R.M.Schust., *Beih. Nova Hedwigia* 9: 96. 1963. SEE Schuster (2006).
- Omphalanthus*** subg. ***Peltolejeunea*** (Spruce) R.M.Schust., *J. Hattori Bot. Lab.* 100: 393. 2006. TYPE: *Omphalanthus ovalis* (Lindenb. et Gottsche) Gradst., *Proc. Kon. Ned. Akad. Wetensch. C* 80: 411. 1977. SEE Schuster (2006).
- Omphalanthus baracoensis*** Mustelier, M.E.Reiner et Gradst., *J. Bryol.* 29: 95. 2007. Cuba. SEE Reiner-Drehwald et al. (2007).
- Pachyglossa dissitifolia*** Herzog, *Rev. Bryol. Lichénol.* 21: 259. 1952. OTHER USE: *Chiloscyphus dissitifolius* (Herzog et Grolle) Hentschel et Heinrichs, 2007.
- Pachyglossa grolleana*** Váňa, *Cryptog. Bryol.* 26: 86. 2005. OTHER USE: *Chiloscyphus grolleanus* (Váňa) Hentschel et Heinrichs, 2007.
- Paraphymatoceros*** Hässel, *Phytologia* 88: 208. 2006. TYPE: *Paraphymatoceros diadematus* Hässel. SEE Hässel de Menéndez (2006a).

- Paraphymatoceros coriaceus*** (Steph.) Stotler, *Fieldiana, Bot.*, n.s. 47: 233. 2008.
 BASIONYM: *Anthoceros coriaceus* Steph., *Spec. Hepat.* (Stephani) 5: 991. 1916. SEE Crandall-Stotler *et al.* (2008).
- Paraphymatoceros diadematus*** Hässel, *Phytologia* 88: 209. 2006. Chile [Valparaíso]. SEE Hässel de Menéndez (2006a).
- Paraphymatoceros fimbriatus*** (Gottsche) Stotler, *Fieldiana, Bot.*, n.s. 47: 233. 2008. BASIONYM: *Anthoceros fimbriatus* Gottsche, *Ann. Sci. Nat., Bot.*, sér. 5 1: 187. 1864. SEE Crandall-Stotler *et al.* (2008).
- Paraphymatoceros hallii*** (Austin) Hässel, *Phytologia* 88: 209. 2006. BASIONYM: *Anthoceros hallii* Austin, *Bull. Torrey Bot. Club* 6: 26. 1875. SEE Hässel de Menéndez (2006a).
- Paraphymatoceros hirticalyx*** (Steph.) Stotler, *Fieldiana, Bot.*, n.s. 47: 233. 2008.
 BASIONYM: *Aspiromitus hirticalyx* Steph., *Spec. Hepat.* (Stephani) 5: 966. 1916. SEE Crandall-Stotler *et al.* (2008).
- Paraphymatoceros minutus*** (Mitt.) Hässel, *Phytologia* 88: 210. 2006. BASIONYM: *Anthoceros minutus* Mitt., *J. Linn. Soc., Bot.* 16: 195. 1877. [1878]. NOTE: erroneously published as *Phymatoceros minutus* (cf. abstract). SEE Hässel de Menéndez (2006a).
- Paraphymatoceros skottsbergii*** (Steph.) Stotler, *Fieldiana, Bot.*, n.s. 47: 234. 2008.
 BASIONYM: *Anthoceros skottsbergii* Steph., *Kongl. Svenska Vetenskapsakad. Handl.*, n.s. 46: 90. 1911. SEE Crandall-Stotler *et al.* (2008).
- ****Pellia alpicola*** (R.M.Schust.) Damsh., *Lindbergia* 31: 98. 2007. NOTE: nom. inval. Art. 37.7, based on *Pellia endiviifolia* subsp. *alpicola* R.M.Schust., 1991, nom. inval. Art. 37.7 (no herbarium specified). SEE Damsholt (2007).
- ****Pellia endiviifolia*** subsp. ***alpicola*** R.M.Schust., *J. Hatt. Bot. Lab.* 70: 145. 1991.
 NOTE: nom. inval. Art. 37.7 (no herbarium specified). OTHER USE: *Pellia alpicola* (R.M.Schust.) Damsh., 2007.
- Pelliaceae** He-Nygrén, Juslén, Ahonen, Glenny *et al.*, *Cladistics* 22: 27. 2006.
 BASED ON: Pelliinae R.M.Schust. ex Schljakov. TYPE: *Pellia Raddi*, *Jungermanniogr. Etrusca*: 38. 1818. SEE He-Nygrén *et al.* (2006).
- Pelliidae** He-Nygrén, Juslén, Ahonen, Glenny *et al.*, *Cladistics* 22: 27. 2006.
 TYPE: *Pellia Raddi*, *Jungermanniogr. Etrusca*: 38. 1818. SEE He-Nygrén *et al.* (2006).
- Phaeoceros donnellii*** (Austin) J.Haseg. *ex* Stotler *et al.* (Crand.-Stotl.), *Bryologist* 108: 24. 2005. BASIONYM: *Anthoceros donnellii* Austin, *Bull. Torrey Bot. Club* 6: 304. 1879. SEE Stotler *et al.* (2005).
- Phaeoceros engelii*** Cargill *et al.*, *Fieldiana, Bot.*, n.s. 47: 248. 2008. Australia [Victoria]. SEE Cargill & Fuhrer (2008).
- Phaeoceros evanidus*** (Steph.) Cargill *et al.*, *Fieldiana, Bot.*, n.s. 47: 245. 2008.
 BASIONYM: *Anthoceros evanidus* Steph., *Spec. Hepat.* (Stephani) 5: 990. 1916. SEE Cargill & Fuhrer (2008).
- Phaeoceros inflatus*** (Steph.) Cargill *et al.*, *Fieldiana, Bot.*, n.s. 47: 246. 2008.
 BASIONYM: *Anthoceros inflatus* Steph., *Spec. Hepat.* (Stephani) 5: 990. 1916. SEE Cargill & Fuhrer (2008).
- Phaeoceros proskaueri*** Stotler, Crand.-Stotl. *et al.*, *Fieldiana, Bot.*, n.s. 47: 232. 2008. U.S.A. [California]. SEE Crandall-Stotler *et al.* (2008).
- Phaeolejeunea amicorum*** (Hürl.) Pócs, *Fieldiana, Bot.*, n.s. 47: 140. 2008.
 BASIONYM: *Phaeolejeunea etesseana* subsp. *amicorum* Hürl., *Bauhinia* 9: 263. 1991. SEE Pócs (2008b).
- Phaeolejeunea etesseana*** (Steph.) Mizut., 1968.

- Phaeolejeunea etesseana*** subsp. ***amicorum*** Hürl., *Bauhinia* 9: 263. 1991. OTHER USE: *Phaeolejeunea amicorum* (Hürl.) Pócs, 2008.
- Phaeomegaceros*** R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. TYPE: *Phaeomegaceros fimbriatus* (Gottsche. R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, 2007. SEE Duff *et al.* (2007).
- Phaeomegaceros coriaceus*** (Steph.) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. BASIONYM: *Anthoceros coriaceus* Steph., *Spec. Hepat.* (Stephani) 5: 991. 1916. SEE Duff *et al.* (2007).
- Phaeomegaceros fimbriatus*** (Gottsche) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. BASIONYM: *Anthoceros fimbriatus* Gottsche, *Ann. Sci. Nat., Bot. sér. 5* 1: 187. 1864. SEE Duff *et al.* (2007).
- Phaeomegaceros hirticalyx*** (Steph.) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. BASIONYM: *Aspiromitus hirticalyx* Steph., *Spec. Hepat.* (Stephani) 5: 966. 1916. SEE Duff *et al.* (2007).
- Phaeomegaceros skottsbergii*** (Steph.) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. BASIONYM: *Anthoceros skottsbergii* Steph., *Kongl. Svenska Vetenskapsakad. Handl.* 46: 90. 1911. SEE Duff *et al.* (2007).
- Phaeomegacerotoidae*** R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 241. 2007. TYPE: *Phaeomegaceros* R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 41. 2007. SEE Duff *et al.* (2007).
- Phymatoceros phymatodes*** (M.Howe) R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 240. 2007. BASIONYM: *Anthoceros phymatodes* M.Howe, *Bull. Torrey Bot. Club* 25: 12. 1898. SEE Duff *et al.* (2007).
- Phymatocerotaceae*** R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 240. 2007. TYPE: *Phymatoceros* Stotler, W.T.Doyle *et al.* Crand.-Stotl. SEE Duff *et al.* (2007).
- Phymatoceratales*** ord. R.J.Duff, J.C.Villarreal, Cargill et Renzaglia, *Bryologist* 110: 240. 2007. TYPE: *Phymatoceros* Stotler, W.T.Doyle *et al.* Crand.-Stotl. SEE Duff *et al.* (2007).
- Pictolejeunea piconii*** Pócs, *Acta Bot. Hung.* 49: 110. 2007. Venezuela [Bolívar]. SEE Pócs (2007).
- Plagiochila artsii*** Pócs, *J. Hattori Bot. Lab.* 100: 334. 2006. Réunion. SEE Pócs (2006c).
- Plagiochila gymnochalyrina*** (Lehm. *et* Lindenb.) Lindenb., 1839.
- Plagiochila gymnochalyrina*** var. ***surinamensis*** (Molk. *ex* Sande Lac.) Heinrichs *et* D.S.Rycroft, *J. Hattori Bot. Lab.* 100: 139. 2006. BASIONYM: *Plagiochila surinamensis* Molk. *ex* Sande Lac., *Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2, 5:* 103. 1856 [1857]. SEE Heinrichs *et al.* (2006).
- Plagiochila hiroshiana*** Pócs, *J. Hattori Bot. Lab.* 100: 335. 2006. Tanzania. SEE Pócs (2006c).
- Plagiochila kiaeri*** Gottsche, 1882.
- Plagiochila kiaeri*** var. ***myriocarpa*** (Pearson) Pócs, *J. E. Afr. Nat. Hist.* 96: 38. 2007. BASIONYM: *Plagiochila myriocarpa* Pearson, *Ark. Bot.* 1924. SEE Pócs & Luke (2007).
- Plagiochila meghalayensis*** K.K.Rawat *et* S.C.Srivast., *Geophytology* 35: 49. 2005. India [Meghalaya]. SEE Rawat & Srivastava (2005).
- Plagiochila myriocarpa*** Pearson, *Ark. Bot.* 1924. OTHER USE: *Plagiochila kiaeri* var. *myriocarpa* (Pearson) Pócs, 2007.
- Plagiochila norvegica*** H.H.Bлом *et* Holten, *Lindbergia* 14: 8. 1988. OTHER USE: *Plagiochila poreloides* var. *norvegica* (H.H.Bлом *et* Holten) Schumacker *et* Váňa, 2005.

- Plagiochila palangiensis*** S.C.Srivast., K.K.Rawat et P.K.Verma, *Natl. Acad. Sci. Lett.* 29: 267. 2006. India [Tamil Nadu]. SEE Srivastava *et al.* (2006).
- Plagiochila poreolloides*** (Torr. ex Nees) Lindenb., 1840.
- Plagiochila poreolloides*** var. ***norvegica*** (H.H.Bлом et Holten) Schumacker et Váňa, *Identif. keys liverw. Hornw. Europe*, 2nd ed.: 131. 2005. BASIONYM: *Plagiochila norvegica* H.H.Bлом et Holten, *Lindbergia* 14: 8. 1988. SEE Schumacker & Váňa (2005).
- Plectocolea infusca*** Mitt., *Trans. Linn. Soc. London, Bot.* 3: 196. 1891. OTHER USE: *Solenostoma infuscum* (Mitt.) Hentschel, 2007.
- Plectocolea infusca*** var. ***ovicalyx*** (Steph.) Bakalin, *Arctoa* 16: 207. 2007. BASIONYM: *Solenostoma ovicalyx* Steph., *Spec. Hepat. (Stephani)* 6: 82. 1917. SEE Bakalin (2007).
- ****Proskaueria*** Heinrichs et J.J.Engel, *Pl. Syst. Evol.* 258: 235. 2006. TYPE: *Proskaueria pleurata* (Hook.f. et Taylor) Heinrichs et J.J.Engel, *Pl. Syst. Evol.* 258: 235. 2006. SEE Heinrichs *et al.* (2006). NOTE: nom. illeg. Art. 52.1, type of *Dinckleria* Trevis 1877 included. SEE Engel & Heinrichs (2008).
- Proskaueria fruticella*** (Hook.f. et Taylor) Heinrichs et J.J.Engel, *Pl. Syst. Evol.* 258: 237. 2006. BASIONYM: *Jungermannia fruticella* Hook.f. et Taylor, *London J. Bot.* 3: 565. 1844. SEE Heinrichs *et al.* (2006). OTHER USE: *Dinckleria fruticella* (Hook.f. et Taylor) J.J.Engel et Heinrichs, Engel & Heinrichs, 2008.
- Proskaueria pleurata*** (Hook.f. et Taylor) Heinrichs et J.J.Engel, *Pl. Syst. Evol.* 258: 235. 2006. BASIONYM: *Jungermannia pleurata* Hook.f. et Taylor, *London J. Bot.* 3: 372. 1844. SEE Heinrichs *et al.* (2006). OTHER USE: *Dinckleria pleurata* (Hook.f. et Taylor) Trevis., Engel & Heinrichs, 2008.
- Pseudolepicoleales*** W.Frey et M.Stech, *Nova Hedwigia* 87: 263. 2008. TYPE: *Pseudolepicolea* Fulford et J.Taylor, *Nova Hedwigia* 1: 412. 1960. SEE Frey & Stech (2008).
- Pseudomarsupidium aureocinctum*** (R.M.Schust.) J.J.Engel, *Novon* 17: 312. 2007. BASIONYM: *Adelanthus decipiens* subsp. *aureocinctus* R.M.Schust., *Phytologia* 39: 250. 1978. SEE Engel (2007a).
- Pseudomarsupidium crossii*** (Spruce) J.J.Engel, *Novon* 17: 312. 2007. BASIONYM: *Adelanthus crossii* Spruce, *Trans. & Proc. Bot. Soc. Edinburgh* 15: 404. 1885. SEE Engel (2007a).
- Pycnolejeunea retusa*** R.M.Schust., *J. Hattori Bot. Lab.* 2006. 100: 402. Papua New Guinea. SEE Schuster (2006).
- Radula fujitae*** Furuki, *Bryol. Res.* 9: 143. 2007. Japan [Nansei-shoto]. SEE Furuki (2007).
- Radula pseudoscripta*** M.A.M.Renner, *New Zealand J. Bot.* 44: 340. 2006. New Zealand [North Island]. SEE Renner (2006).
- Riccardia magnicellularis*** Furuki, *J. Hattori Bot. Lab.* 100: 93. 2006. Philippines [Negros Island]. SEE Furuki (2006b).
- Riccardia philippinensis*** Furuki, *J. Hattori Bot. Lab.* 100: 94. 2006. Philippines [Luzon Island]. SEE Furuki (2006b).
- Riccardia polyclada*** (Mitt. ex Thurn) Hässel, *Bryologist* 109: 34. 2006. BASIONYM: *Aneura polyclada* Mitt. ex Thurn, 1886. SEE Hässel de Menéndez (2006b).
- Riccia poihaiana*** A.E.D.Daniels et P.Daniel, *Bull. Bot. Surv. India* 44: 135. 2002 [2003]. India [Tamil Nadu]. SEE Daniels & Daniel (2002).
- Riccia velimalaiana*** A.E.D.Daniels et P.Daniel, *Bull. Bot. Surv. India* 44: 139. 2002 [2003]. India [Tamil Nadu]. SEE Daniels & Daniel (2002).

- Saccogynidium irregularospinum*** C.Gao, T.Cao et M.J.Lai, *Bryologist* 104: 129. 2001. China [Xizang]. SEE Gao & Cao (2001).
- Sandeotheallus japonicus*** (Inoue) Crand.-Stotl. et Stotler in Stotler & Crandall-Stotler, *Beih. Nova Hedwigia* 131: 58. 2007. BASIONYM: *Moerckia japonica* Inoue, *Bull. Natl. Sci. Mus., Tokyo, B* 11: 8. 1985. SEE Stotler & Crandall-Stotler (2007).
- Sarcocyphos neglectus*** Limpr., *Jahresber. Schles. Ges. Vaterl. Cult.* 58: 180. 1880 [1881]. OTHER USE: *Marsupella sprucei* var. *neglecta* (Limpr.) Damsh., 2002.
- Scapania nemorea*** (L.) Grolle, 1963.
- ****Scapania nemorea*** var. *purpurascens* Dragičević et Veljić, *Pregl. mahov. Crne Gore*: 17. 2006. Monte Negro. NOTE: nom. inval. Art. 32.1(d) (no description), apparently based on *Jungermannia nemorosa* var. *purpurascens* Hook., 1812. SEE Dragičević & Veljić (2006).
- Scapania paraphyllia*** T.Cao, C.Gao, J.Sun et B.R.Zuo in Zuo et al., *Acta Phytotax. Sin.* 45: 311. 2007. China [Zhejiang]. SEE Zuo et al. (2007).
- Schiffneria yunnanensis*** C.Gao et W.Li, *Bull. Bot. Res., Harbin* 26: 390. 2006. China [Yunnan]. SEE Li et al. (2006).
- † ***Schizolepidella birkenmajeri*** Ociepa, *Polish Polar Res.* 28: 34. 2007. Jurassic. SEE Ociepa (2007).
- Sendtnera pensilis*** Taylor, *London J. Bot.* 5: 372. 1846. OTHER USE: *Herbertus juniperoides* subsp. *pensilis* (Taylor) Feldberg et Heinrichs, 2006.
- Solenostoma cryptogynum*** R.M.Schust. ex J.J Engel, *Novon* 17: 311. 2007. New Zealand [North Island]. SEE Engel (2007a).
- ****Solenostoma hasskarlianum*** (Nees) R.M.Schust., *Beih. Nova Hedwigia* 119: 378. 2002. NOTE: nom. inval. Art. 33.4 (basionym not cited), apparently based on *Alicularia hasskarliana* Nees, 1844. SEE Schuster (2002).
- ****Solenostoma hodgsoniae*** (Grolle) J.J Engel, *Novon* 17: 312. 2007. BASIONYM: *Jungermannia hodgsoniae* Grolle, *Bot. Mag.* 78: 83. 1965. NOTE: nom. illeg. Art. 52.1, incl. sp. prior., the basionym *Jungermannia hodgsoniae* Grolle was a nom. nov. for *Lethocolea grandifolia* Berggr. (non *Jungermannia grandifolia* Hook.f. et Taylor, 1844). SEE Engel (2007a).
- Solenostoma infuscum*** (Mitt.) Hentschel, *Pl. Syst. Evol.* 268: 152. 2007. “*infusca*” BASIONYM: *Plectocolea infusca* Mitt., *Trans. Linn. Soc. London, Bot.* 3: 196. 1891. SEE Hentschel et al. (2007b).
- ****Solenostoma jenseniana*** (Grolle) Bakalin, *Arctoa* 12: 89. 2003. BASIONYM: *Jungermannia jenseniana* Grolle, *Österr. Bot. Z.* 111: 190. 1964. NOTE: nom. illeg. Art. 52.1, incl. sp. prior., the basionym *Jungermannia jenseniana* Grolle was a nom. nov. for *Aplozia pusilla* C.E.O.Jensen (non *Jungermannia pusilla* L., 1753). SEE Bakalin (2003).
- ****Solenostoma obliquifolium*** (Schiffn.) R.M.Schust., *Beih. Nova Hedwigia* 119: 378. 2002. NOTE: nom. inval. Art. 36.1 (no Latin description), apparently based on *Nardia obliquifolia* Schiffn., 1898). SEE Schuster (2002).
- Solenostoma ovicalyx*** Steph., *Spec. Hepat.* (Stephani) 6: 82. 1917. OTHER USE: *Plectocolea infusca* var. *ovicalyx* (Steph.) Bakalin, 2007.
- Solenostoma pyriflorum*** Steph., 1917.
- Solenostoma pyriflorum*** var. *minutissimum* (Amakawa) Bakalin, *Arctoa* 16: 208. 2007. BASIONYM: *Jungermannia pyriflora* var. *minutissima* Amakawa, *J. Hattori Bot. Lab.* 22: 61. 1960. SEE Bakalin (2007).
- Solenostoma rufiflorum*** (Colenso) J.J Engel, *Novon* 17: 312. 2007. BASIONYM: *Jungermannia rufiflora* Colenso, *Trans. & Proc. New Zealand Inst.* 18: 237. 1886. SEE Engel (2007a).

- ****Solenostoma truncatum*** (Nees) R.M.Schust., *Beih. Nova Hedwigia* 119: 378. 2002. NOTE: nom. inval. Art. 33.4 (basionym not cited), apparently based on *Jungermannia truncata* Nees, 1830. SEE Schuster (2002).
- ****Solenostoma wattsonianum*** (Steph.) R.M.Schust., *Beih. Nova Hedwigia* 119: 378. 2002. NOTE: nom. inval. Art. 33.4 (basionym not cited), apparently based on *Jungermannia wattiana* Steph., 1917. SEE Schuster (2002).
- Sphenolobus langkyrdumii*** Ajit P.Singh et V.Nath, *Hepat. Khasi Jaintia Hills: East. Himalayas* 93. 2007. India [Meghalaya]. SEE Singh & Nath (2007b).
- Taxilejeunea xiphophylla*** Herzog, *Svensk Bot. Tidskr.* 46: 99. 1952. OTHER USE: *Lejeunea xiphophylla* (Herzog) M.E.Reiner, 2008.
- Telaranea azorica*** (H.Buch et Perss.) Pócs ex Schumacker et Váňa, *Identif. keys liverw. Hornw. Europe*, 2nd ed.: 160. 2005. BASIONYM: *Lepidozia azorica* H.Buch et Perss., *Commentat. Biol.* 8: 4. 1941. SEE Schumacker & Váňa (2005).
- Telaranea bischleriana*** Pócs, *Acta Bot. Hung.* 48: 120. 2006. Seychelles. SEE Pócs (2006d).
- Telaranea indica*** (S.C.Srivast. et P.K.Verma) A.E.D.Daniels et P.Daniel, *Bull. Bot. Surv. India* 49: 231. 2007. BASIONYM: *Arachniopsis indica* S.C.Srivast. et P.K.Verma, *Natl. Acad. Sci. Lett.* 27: 270. 2004. SEE Daniels & Daniel (2007).
- Telaranea maorensis*** Pócs, *Acta Bot. Hung.* 48: 124. 2006. Comores [Mayotte]. SEE Pócs (2006d).
- Trabacelluloideae** R.M.Schust., *Beih. Nova Hedwigia* 119: 41. 2002. BASED ON: Trabacellulaceae Fulford, *in Steyermark, Acta Bot. Venez.* 2: 85, 1967. TYPE: *Trabacellula* Fulford, *Acta Bot. Venez.* 2: 86. 1967. Cephaloziaceae. SEE Schuster (2002).
- Treubiidae** Stotler et Crand.-Stotl., *Taxon* 57: 290. 2008. TYPE: *Treubia* K.I.Goebel. SEE Stotler & Crandall-Stotler (2008).
- Trichocoleales** W.Frey et Stech, *Nova Hedwigia* 87: 263. 2008. TYPE: *Trichocolea* Dumort., *Comment. Bot.* 113. 1822. SEE Frey & Stech (2008).
- Tritomaria exsecta*** (Schmidel ex Schrad.) Schiffn. ex Loeske, 1909
- Tritomaria exsecta*** subsp. *novaezelandiae* J.J.Engel, *Bryologist* 109: 61. 2006. New Zealand [South Island]. SEE Engel (2006c).
- Trocholejeunea meghalayensis*** Ajit P.Singh et V.Nath, *J. Jap. Bot.* 83: 2. 2008. India [Meghalaya]. SEE Singh & Nath (2008).
- Tylimanthus andinopatagonicus*** M.Stech et W.Frey *in Stech et al., Nova Hedwigia* 83: 28. 2006. Chile [La Araucania]. SEE Stech et al. (2006).
- Zoopsis bicurvis*** Glenny et E.A.Br. *in Renner et al., J. Bryol.* 28: 332. 2006. New Zealand [South Island]. SEE Renner et al. (2006).
- Zoopsis matawai*** M.A.M.Renner *in Renner et al., J. Bryol.* 28: 334. 2006. New Zealand [South Island]. SEE Renner et al. (2006).

Acknowledgments. Data were compiled and edited by Anders Hagborg, Lars Söderström, and Matt von Konrat as part of the “Early Land Plants Today Project”, which was kindly supported by GBIF (Award No. 2007/41) and the NSF funded project “Bringing Schuster, Standley and Co. Into the Third Millennium: The Field Museum’s 180K Bryophyte and Lichen Conversion & Digitization Project” (Award # 0749762). We also acknowledge the useful resources TROPICOS and the Recent Literature series of *The Bryologist* compiled by William R. Buck, Bruce Allen, and Ronald A. Pursell. We also thank David Long (Royal Botanic Garden, Edinburgh) for assistance with some literature and critical feedback on the manuscript. Finally, we express our gratitude to Jörn Hentschel (Friedrich Schiller University of Jena) for his comments and suggestions on the manuscript.

REFERENCES

- ALAM A., KUMAR A. & SRIVASTAVA S.C., 2007 — *Jungermannia nilgiriensis*, a new Species from Nilgiri Hills (Western Ghats) India. *Bulletin of the botanical survey of India*. 49: 219-224.
- BAKALIN V.A., 2003 — A preliminary check-list of the hepaticas of Kamchatka Peninsula (Russian Far East). *Arctoa* 12: 83-90.
- BAKALIN V.A., 2006 — Monograficzeskaya obrabotka roda *Lophozia* (Dumort.) Dumort. s. str. Moscow, Nauka, 240 p.
- BAKALIN V.A., 2007 — New liverwort records from Sakhalin Province. 2. Southern Kuril Islands. *Arctoa* 16: 202-209.
- BAKALIN V.A., 2008a — New data on distribution and taxonomy of some species in Lophoziaeae (hepaticae). *Arctoa* 17:161-164.
- BAKALIN V.A., 2008b — On taxonomy of some hepaticas from Primorsky Territory (Russian Far East), with the list of taxa of the territory. *Arctoa* 17: 101-108.
- BASTOS C.J.P. & GRADSTEIN S.R., 2006 — Two new species of *Cheirolejeunea* (Spruce) Schiffn. (Lejeuneaceae) from Brazil: *C. lacerata* sp. nov. and *C. rupesiris* sp. nov. *Journal of bryology* 28: 133-138.
- BRUMMITT R. & POWELL K., 1992 — *Authors of plant names*. Kew, Royal Botanic Gardens, 732 p.
- BURGHARDT M., GRADSTEIN S.R. & VÁÑA J., 2006 — Discovery of the African liverwort genus *Cephalojonesia* (Cephaloziellaceae) in Mexico. *Journal of the Hattori botanical laboratory* 100: 35-39.
- CARGILL D.C. & FUHRER B.A., 2008 — Taxonomic studies of the Australian Anthocerotophyta II: The genus *Phaeoceros*. *Fieldiana: Botany*, n.s. 47: 239-253.
- CHITALEY S. & YAWALE N.R., 1980 — *Notothylites nirulai* gen. et spec. nov., a petrified sporogonium from the Deccan Intertrappean beds of Mahgaonkalan, M.P. India. *Botanique* 9: 111-118.
- COSTA D.P., SANTOS N.D. & VÁÑA J., 2008 — A new species of *Cylindrocolea* (Cephaloziellaceae) from Brazil. *The Bryologist* 111: 667-669.
- CRANDALL-STOTLER B.J., STOTLER R.E., DOYLE W.T. & FORREST L.L., 2008 — *Phaeoceros proskaueri* sp. nov., a new species of the *Phaeoceros hallii* (Austin) Prosk.-*Phaeoceros pearsonii* (M. Howe) Prosk. complex and the systematic affinities of *Paraphymatoceros* Hässel. *Fieldiana: Botany*, n.s. 47: 213-238.
- CRANDALL-STOTLER B.J., STOTLER R.E. & LONG D.G., [2008] 2009a — Morphology and classification of the Marchantiophyta. In: Goffinet B. & Shaw AJ. (eds), *Bryophyte Biology*, 2nd ed., Cambridge, Cambridge University Press, pp. 1-54.
- CRANDALL-STOTLER B.J., STOTLER R.E. & LONG D.G., 2009b — Phylogeny and classification of the Marchantiophyta. *Edinburgh journal of botany* 66: 155-198.
- CROSBY M.R. & ENGEL J.J., 2006 — *Index of Hepaticas, 1974-2000*. Japan, Nichinan, Hattori Botanical Laboratory, 368 p.
- CROSBY M.R. & MAGILL R.E., 2005 — *Index of Bryophytes 2001-2004*. <http://www.mobot.org/MOBOT/tropicos/most/lob2004.pdf> (accessed 9 May 2009).
- CROSBY M.R. & MAGILL R.E., 2006 — *Index of Bryophytes 2005*. <http://www.mobot.org/MOBOT/tropicos/most/IOB2005.pdf> (accessed 9 May 2009).
- DAMSHOLT K., 2002 — *Illustrated flora of Nordic liverworts and hornworts*. Lund, Nordic Bryological Society, 837 p.
- DAMSHOLT K., 2003 — Notes on Nordic hepaticas 6-17. *Lindbergia* 28: 120-128.
- DAMSHOLT K., 2007 — Liverworts of the Reindeer Preserve, Northwest Territories, Canada. *Lindbergia* 31: 88-100.
- DANIELS A.E.D. & DANIEL P., 2002 — Two new species of *Riccia* L. (Hepaticae: Marchantiales) from the Western Ghats of Tamil Nadu. *Bulletin of the botanical survey of India* 44: 135-140.
- DANIELS A.E.D. & DANIEL P., 2007 — Name changes in two Indian liverworts. *Bulletin of the botanical survey of India* 49: 231-232.
- DAS S. & SINGH D.K., 2008 — *Leptolejeunea arunachalensis* (Lejeuneaceae, Hepaticae) — a new species from India. *Journal of Japanese botany* 83: 343-346.
- DAUPHIN G., PÓCS T., VILLAREAL J.C. & SALAZAR-ALLEN N., 2006 — Nuevos registros de hepáticas y anthocerotófitas para Panamá. *Tropical bryology* 27: 73-85.
- DAUPHIN G., MORALES T. & MORENO E.J., 2008 — Catálogo preliminar de Lejeuneaceae (Hepaticae) de Venezuela. *Cryptogamie, Bryologie* 29: 215-265.
- DEY M. & SINGH D.K., 2008 — *Frullania pran-nathii* — a new epiphyllous Liverwort from Darjeeling, India. *Journal of Japanese botany* 83: 280-283.

- DEY M., SINGH D. & SINGH D.K., 2008a — A new species of *Cololejeunea* (Hepaticae: Lejeuneaceae) from Eastern Himalaya, India. *Taiwania* 53: 258-263.
- DEY M., SINGH D.K. & SINGH D., 2008b — Two new species of *Lejeunea* Lib. (Hepaticae: Lejeuneaceae) from Sikkim, India. *Journal of bryology* 30: 126-132.
- DOYLE W.T. & STOTLER R.E., 2006 — Contributions toward a bryoflora of California III. Keys and annotated species catalogue for liverworts and hornworts. *Madroño* 53: 89-197.
- DRAGIĆEVIĆ S. & VELJIĆ M., 2006 — *Pregled mahovina Crne Gore*. Podgorica, Prirodnojčki muzej Crne Gore, 99 p.
- DUFF R.J., VILLARREAL J.C., CARGILL D.C. & RENZAGLIA K.S., 2007 — Progress and challenges toward developing a phylogeny and classification of the hornworts. *The Bryologist* 110: 214-243.
- ENGEL J.J., 2006a — Austral Hepaticae 41. *Bazzania exempta* Engel, an interesting new species from New Zealand, belonging to a new section, *Bazzania* sect. *Exemptae* Engel. *Journal of the Hattori botanical laboratory* 99: 197-205.
- ENGEL J.J., 2006b — Austral Hepaticae. 42. The austral species of *Mnioloma* (Calypogeiaeae), together with a new species, *Mnioloma novaezelandiae* n. sp. *Cryptogamie, Bryologie* 27: 111-117.
- ENGEL J.J., 2006c — Austral Hepaticae 40. *Tritomaria* (Jungermanniaceae subfam. Lophozioideae) new to the south temperate, together with a new subspecies, *T. exsecta* subsp. *novaezelandiae* subsp. nov. *The Bryologist* 109: 60-67.
- ENGEL J.J., 2007a — Studies of New Zealand Hepaticae. 20-38. A miscellanea of new taxa and combinations. *Novon* 17: 310-314.
- ENGEL J.J., 2007b — Studies on Lophocoleaceae XVII. On *Leptophyllospis* R.M.Schust., with particular reference to *L. latus* (Mitt.) R.M.Schust., together with a new subfamily, Lophocoleaceae subfam. Leptophyllospidoideae J.J.Engel. *Nova Hedwigia* 85: 417-428.
- ENGEL J.J. & GLENNY D., 2007 — Austral Hepaticae 43. *Castanoclobos*, a New Genus of Trichocoleaceae from New Zealand. *Novon* 17: 424-428.
- ENGEL J.J. & GLENNY D., 2008a — Studies on Lophocoleaceae XVI. *Chiloscyphus anisolobus* Engel & Glenny, an interesting new species of Hepaticae from New Zealand. *The Bryologist* 111: 118-123.
- ENGEL J.J. & GLENNY D., 2008b — Austral Hepaticae 44. A revision of *Marsupidium* Mitt. for New Zealand. *Nova Hedwigia* 87: 277-313.
- ENGEL J.J. & HEINRICHS J., 2008 — Studies of New Zealand Hepaticae. 39. *Dinckleria* Trevis. an older name for *Proskaueria* Heinrichs and J.J.Engel. *Cryptogamie, Bryologie* 29: 193-194.
- FELDBERG K. & HEINRICHS J., 2006 — A taxonomic revision of *Herbertus* (Jungermanniidae: Herbertaceae) in the Neotropics based on nuclear and chloroplast DNA and morphology. *Botanical journal of the Linnean society* 151: 309-332.
- FRAHM J.-P., 2006 — *Frullania tamarisci* var. *azorica* (Jubulaceae, Marchantiopsida), a new Taxon from the Azores. *Tropical bryology* 27: 101-105.
- FREY W. & STECH M., 2008 — New suprageneric taxa of liverworts (Marchantiophyta) and mosses (Bryophyta). *Nova Hedwigia* 87: 261-267.
- FURUKI T., 2006a — A new species of *Nardia* (Jungermanniaceae, Hepaticae) from Japan. *Bryological research* 9: 73-77.
- FURUKI T., 2006b — Taxonomical studies of the family Aneuraceae (Hepaticae) based on the Philippine collections made by Dr. and Mrs. A. J. Sharp and Dr. Z.Iwatsuki. *Journal of the Hattori botanical laboratory* 100: 89-99.
- FURUKI T., 2007 — *Radula fujitae* Furuki, sp. nov. (Radulaceae, Hepaticae) from Okinawa Island, southern Japan. *Bryological research* 9: 143-146.
- FURUKI T. & HIGUCHI M., 2006 — A new species of *Exormotheca* (Exormothecaceae, Hepaticae) from China. *Cryptogamie, Bryologie* 27: 97-102.
- FURUKI T. & LONG D.G., 2007 — *Lobairiccardia yunnanensis*, sp. nov. (Metzgeriales, Aneuraceae) from Yunnan, China. *Journal of bryology* 29: 161-164.
- GAO C. & CAO T., 2001 — The genus *Saccogynidium* (Geocalycaceae, Hepaticae) in China. *The Bryologist* 104: 126-129.
- GAO Q. & WU Y.-H., 2006 — *Chiloscyphus yunnanensis* (Geocalycaceae), a new species from China. *Acta botanica yunnanica* 28: 119-120.
- GLENNY D.S. & BARTLETT R., 2008 — A new *Bazzania* species (Lepidoziaceae) from Stockton Plateau, Nelson, South Island, New Zealand. *Fieldiana: Botany*, n.s. 47: 175-180.
- GRADSTEIN S.R., WILSON R., ILKIU-BORGES A.L. & HEINRICHS J., 2006 — Phylogenetic relationships and neotenic evolution of *Metzgeriopsis* (Lejeuneaceae) based on chloroplast DNA sequences and morphology. *Botanical journal of the Linnean society* 151: 293-308.
- GRADSTEIN S.R. & REINER-DREHWALD M.E., 2007 — The status of *Neopotamolejeunea* (Lejeuneaceae) and description of a new species from Ecuador and Southern Brazil. *Systematic botany* 32: 487-492.

- GRADSTEIN S.R. & BURGHARDT M., 2008 — A new species of *Odontoschisma* (Cephaloziaceae, Marchantiophyta) from South America. *Fieldiana: Botany*, n.s. 47: 193-198.
- HÄSSEL DE MENÉNDEZ G.G., 2006a — *Paraphymatoceros* Hässel, gen. nov. (Anthocerotophyta). *Phytologia* 88: 208-211.
- HÄSSEL DE MENÉNDEZ G.G., 2006b — *Aneura polyclada*, *A. polyptera* and *A. denticulata* (Aneuraceae) from South America, overlooked names since 1886. *The Bryologist* 109: 33-37.
- HÄSSEL DE MENÉNDEZ G.G. & VILLAGRÁN C., 2007 — New species of *Fossombronia* (Hepaticophyta, Fossombroniopsida) from Chile. *Beihefte zur Nova Hedwigia* 131: 13-20.
- HEINRICHS J., LINDNER M., GROTH H., HENTSCHEL J., FELDBERG K., RENKER C., ENGEL J.J., VON KONRAT M., LONG D.G. & SCHNEIDER H., 2006 — Goodbye or welcome Gondwana?—insights into the phylogenetic biogeography of the leafy liverwort *Plagiochila* with a description of *Proskauera*, gen. nov. (Plagiochilaceae, Jungermanniales). *Plant systematics and evolution* 258: 227-250.
- HEINRICHS J., RYCROFT D.S., FELDBERG K., LINDNER M. & HARTMANN F.A., 2006 — The systematic position of *Plagiochila surinamensis* inferred from nrDNA ITS sequences, morphology and phytochemistry. *Journal of the Hattori botanical laboratory* 100: 135-142.
- HENTSCHEL J., ZÜNDORF H.J., HELLWIG F.H., SCHÄFER-VERWIMP A. & HEINRICHS J., 2006 — Taxonomic studies in *Chiloscyphus* Corda (Jungermanniales: Lophocoleaceae) based on nrITS sequences and morphology. *Plant systematics and evolution* 262: 125-137.
- HENTSCHEL J., FELDBERG K., ZÜNDORF H.-J., HELLWIG F.H., SCHNEIDER H. & HEINRICHS J., 2007a — The systematic position of *Pachyglossa* and *Clasmatocolea* (Jungermanniopsida: Lophocoleaceae) inferred from nrDNA ITS sequences and morphology. *Taxon* 56: 1136-1142.
- HENTSCHEL J., PATON J.A., SCHNEIDER H. & HEINRICHS J., 2007b — Acceptance of *Lioclrena* Nees and *Solenostoma* Mitt., the systematic position of *Eremonotus* Pearson and notes on *Jungermannia* L. s.l. (Jungermanniidae) based on chloroplast DNA sequence data. *Plant systematics and evolution* 268: 147-157.
- HE-NYGRÉN X.-L., JUSLÉN A., AHONEN I., GLENNY D. & PIIPPO S., 2006 — Illuminating the evolutionary history of liverworts (Marchantiophyta) – towards a natural classification. *Cladistics* 22: 1-31.
- HERNICK L.V., LANDING E. & BARTOWSKI K.E., 2008 — Earth's oldest liverwort – *Metzgeriothallus sharonae* sp. nov. from the Middle Devonian (Givetian) of eastern New York, USA. *Review of palaeobotany and palynology* 148: 154-162.
- HODGETTS N.G., 2008 — A morphological revision of the genus *Herbertus* S.Gray (Herbertaceae, Marchantiophyta) in Africa, including the East African islands. *Journal of bryology* 30: 239-263.
- HONG W.S., 2002 — *Leiocolea* in Western North America. *Lindbergia* 27: 97-103.
- KONSTANTINOVA N.A., 2000 — Distribution patterns of the north holarctic hepatic. *Arctoa* 9: 29-94.
- ILKIU-BORGES A.L., 2008 — On *Ceratolejeunea atlantica*, a new species of Lejeuneaceae from Brazil. *Nova Hedwigia* 86: 237-241.
- ILKIU-BORGES A.L. & GRADSTEIN S.R., 2008 — A new species of *Cheilolejeunea* (Spruce) Schiffn. (Lejeuneaceae) from Cerro de la Neblina, Venezuela. *Nova Hedwigia* 87: 521-528.
- JUSLÉN A., 2006 — Revision of Asian *Herbertus* (Herbertaceae, Marchantiophyta). *Annales botanici fennici* 43: 409-436.
- LAI M.-J., ZHU R.-L. & CHANTANAORRAPINT S., 2008 — Liverworts and hornworts of Thailand: an updated checklist and bryofloristic accounts. *Annales botanici fennici* 45: 321-341.
- LEÓN-YÁÑEZ S., GRADSTEIN S.R. & WEGNER C., 2006 — *Hepáticas* (Marchantiophyta) y *Antoceros* (Anthocerotophyta) del Ecuador, Catálogo. Quito, Publicaciones del Herbario QCA, 101 p.
- LI W., GAO C. & WU Y.-H., 2006 — Studies on the genus *Schiffneria* Steph. (Hepaticae). *Bulletin of botanical research, Harbin* 26: 389-391.
- LONG D.G., 2006 — New higher taxa of complex thalloid liverworts (Marchantiophyta – Marchantiopsida). *Edinburgh journal of botany* 63: 257-262.
- LONG D.H. & VÁÑA J., 2007 — The genus *Gottschelia* Grolle (Jungermanniopsida, Lophoziaeae) in China, with a description of *G. grollei*, sp. nov. *Journal of bryology* 29: 165-168.
- LUGHADHA E.N., 2004 — Towards a working list of all known plant species. *Philosophical transactions of the royal society of London* 359: 681-687.
- MCCARTHY P.M., 2003 — Catalogue of Australian liverworts and hornworts. *Flora of Australia supplementary series* 21: 1-137.
- MCNEILL J., BARRIE F.R., BURDET H.M., DEMOULIN V., HAWKSWORTH D.L., MARHOLD K., NICOLSON D.H., PRADO J., SILVA P.C., SKOG J.E., WIERSEMA J.H. &

- TURLAND N.J. (eds), (2006) — *International Code of Botanical Nomenclature (Vienna Code)*. Vaduz, Gantner Verlag, Ruggell [Regnum Veg. vol. 146], 568 p.
- MEAGHER D., 2006 — *Bazzania scalaris* sp. nov. (Marchantiophyta: Lepidoziaceae) from Papua New Guinea. *Telopea* 11: 246-251.
- MEAGHER D., 2008 — Studies on *Bazzania* 1. Some new and little known species from Australasia. *Nova Hedwigia* 86: 477-495.
- MEAGHER D. & GLENNY D., 2007 — A new species of *Bazzania* (Lepidoziaceae) from New Zealand. *Journal of bryology* 29: 60-63.
- MÜLLER F., 2007 — *Meinungeria mouensis* (Lepidoziaceae), a new genus and species from New Caledonia. *The Bryologist* 110: 494-499.
- MÜLLER F. & PÓCS T., 2007 — A contribution to the knowledge of epiphyllous bryophytes of Bioko Island (Equatorial Guinea), including additional remarks on non-epiphyllous species. *Journal of bryology* 29: 81-94.
- NATH V. & SINGH A.P., 2006 — *Frullania udarii* Nath et Singh—a new species from Meghalaya, India. *Current science* 91: 744-746.
- OCIEPA A.M., 2007 — Jurassic liverworts from Mount Flora, Hope Bay, Antarctic Peninsula, *Polish polar research* 28: 31-36.
- PATON J.A. & SHEAHAN M.C., 2006 — *Lophocolea brookwoodiana* (Jungermanniales: Geocalycaceae), a new species in Britain. *Journal of bryology* 28: 163-166.
- PATON A.J., BRUMMITT N.A., GOVAERTS R., HARMAN K., HINCHCLIFFE S., ALLKIN R. & LUGHADHA E.M., 2008 — A working list of all known plant species—progress and prospects towards Target 1 of the Global Strategy for Plant Conservation. *Taxon* 57: 1-10.
- PÓCS T., 2006a — Contributions to the bryoflora of Australia, II. On the Australasian “Tuyamaelloideae” (Lejeuneaceae), with the description of *Austrolejeunea occidentalis*. *Journal of the Hattori botanical laboratory* 99: 185-196.
- PÓCS T., 2006b — New or little-known epiphyllous liverwort, X. On two Neotropical *Diplasiolejeunea* species. *The Bryologist* 109: 408-414.
- PÓCS T., 2006c — East African bryophytes, XXII. Two new species, *Plagiochila artsii* and *Plagiochila hiroshiana* (Plagiochilaceae, Marchantiophyta). *Journal of the Hattori botanical laboratory* 100: 333-350.
- PÓCS T., 2006d — East African bryophytes, XXI. Two new species of *Telaranea*, sect. *Tenuifoliae* and records on *Amazoopsis* (Lepidoziaceae) from the Indian Ocean islands. *Acta botanica Hungarica* 48: 119-137.
- PÓCS T., 2007 — A sixth species of *Pictolejeunea* (Jungermanniopsida) from the Venezuelan Guyana. *Acta botanica Hungarica* 49: 109-119.
- PÓCS T., 2008a — Bryophytes from the Fiji Islands, IV. The genus *Frullania* Raddi (Jungermanniopsida), I., with description of *F. vivipara* Pócs, spec. nov. *Fieldiana: Botany*, n.s. 47: 147-158.
- PÓCS T., 2008b — Bryophytes from the Fiji Islands, III. The genus *Phaeolejeunea* Mizut. (Lejeuneaceae), with detailed description of *P. amicorum* (Hürl.) Pócs, stat. nov. *Fieldiana: Botany*, n.s. 47: 139-145.
- PÓCS T. & EGGLERS J., 2006 — New or little known epiphyllous liverworts, XIII. *Cololejeunea arfakiana* sp. nov. from West Irian (New Guinea). *Polish botanical journal* 51: 155-158.
- PÓCS T. & SASS-GYARMATI A., 2006 — New or little known epiphyllous liverworts, XII. *Archilejeunea helenae* Pócs & Gyarmati, sp. nov. *Cryptogamie, Bryologie* 27: 103-109.
- PÓCS T. & SCHÄFER-VERWIMP A., 2006 — East African Bryophytes, XXIII. Three new species of *Diplasiolejeunea* (Lejeuneaceae, Jungermanniopsida) from Madagascar. *Cryptogamie, Bryologie* 27: 439-452.
- PÓCS T. & EGGLERS J., 2007 — Bryophytes from the Fiji Islands, II. An account of the genus *Colura*, with a description of *C. vitiensis* sp. nov. *Polish botanical journal* 52: 81-92.
- PÓCS T. & LUKE Q., 2007 — East African bryophytes, XXV. Bryological records from the Chyulu range, Kenya. *Journal of East African natural history* 96: 27-46.
- PÓCS T. & CAIRNS A., 2008 — Contributions to the bryoflora of Australia, III. The genus *Jubula* Dumort., with the description of *J. hutchinsiae* Hook. subsp. nov. *australiae* (Jubulaceae, Jungermanniopsida). *Nova Hedwigia* 86: 231-236.
- RAWAT K.K. & SRIVASTAVA S.C., 2005 — *Plagiochila meghalayensis* sp. nov. from Meghalaya, India. *Geophytology* 35: 49-53.
- REINER-DREHWALD M.E., 2006 — Type studies on Neotropical Lejeuneaceae (Jungermanniopsida). *Cheilolejeunea* and *Lepidolejeunea*. *Nova Hedwigia* 83: 473-482.
- REINER-DREHWALD M.E. & PÓRTO K.C., 2007 — *Lejeunea perpapillosa* (Lejeuneaceae), a new species from north-eastern Brazil. *Nova Hedwigia* 85: 541-546.
- REINER-DREHWALD M.E., MUSTELIER MARTÍNEZ K. & GRADSTEIN S.R., 2007 — A new species of *Omphalanthus* (Lejeuneaceae) from Cuba. *Journal of bryology* 29: 95-97.

- REINER-DREHWALD M.E. & SCHÄFER-VERWIMP A., 2008 — On *Inflatolejeunea*, *Lejeunea* species with eplicate perianths and *Lejeunea talamancensis* sp. nov. from Costa Rica (Lejeuneaceae). *Nova Hedwigia* 87: 387-420.
- RENNER M.A.M., 2006 — Plants seen and unseen: *Radula pseudoscripta* sp. nov. and *Radula uvifera* (Radulaceae: Jungermanniopsida). *New Zealand journal of botany* 44: 337-348.
- RENNER M.A.M., BROWN E.A. & GLENNY D.S., 2006 — Two new *Zoopsis* species and their relationships to other zoopsisids (Jungermanniopsida: Lepidoziaceae). *Journal of bryology* 28: 331-344.
- RENNER M.A.M. & BROWN E.A., 2008 — *Mnioloma* (Calypogeiae: Jungermanniopsida) in Australasia: how many species are there? *Fieldiana: Botany*, n.s. 47: 159-174.
- SASS-GYARMATI A., 2008 — Bryophytes from the Fiji Islands, V. *Lopholejeunea vojtkoana* Gyarmati sp. nov. from Fiji Islands (Lejeuneaceae, subfam. Ptychanthoideae). *Nova Hedwigia* 87: 479-486.
- SCHÄFER-VERWIMP A., 2006 — A new species of *Diplasiolejeunea* (Lejeuneaceae, Jungermanniopsida) from Sumatra, and a key for the genus in Asia. *Herzogia* 19: 239-244.
- SCHILL D.B., LONG D.G. & KÖCKINGER H., 2008 — Taxonomy of *Mannia controversa* (Marchantiidae, Aytoniaceae) including a new subspecies from East Asia. *Edinburgh journal of botany* 65: 35-47.
- SCHUMACKER R. & VÁÑA J., 2005 — *Identification keys to the liverworts and hornworts of Europe and Macaronesia*. 2nd ed. Poznań, Sorus, 209 p.
- SCHUSTER R.M., 2002 — Austral Hepaticae. Part II. *Beihefte zur Nova Hedwigia* 119: 1-606
- SCHUSTER R.M., 2006 — Studies on Lejeuneaceae. V. *Leucolejeunea* and allies. *Journal of the Hattori botanical laboratory* 100: 361-406.
- SEWARD M., ELLIS L.T., PÓCS T. & WIGGINTON M.J., 2006 — Bryophyte flora of the Chagos Archipelago. *Journal of bryology* 28: 11-19.
- SINGH A.P. & NATH V., 2007a — A new *Calypogeia* Raddi from India. *Taiwania* 52: 320.
- SINGH A.P. & NATH V., 2007b — *Hepaticae of Khasi and Jaintia Hills: Eastern Himalayas*. Dehra Dun, India. Bishen Singh Mahendra Pal Singh, 382 p.
- SINGH A.P. & NATH V., 2007c — Studies on the genus *Lopholejeunea* (Spruce) Schiffn. from Meghalaya, India. *Phytotaxonomy* 6: 26-38.
- SINGH A.P. & NATH V., 2008 — A new species of *Trocholejeunea* (Hepaticae: Ptychanthoideae) from Meghalaya, Eastern Himalayas, India. *Journal of Japanese botany* 83: 1-6.
- SINGH A.P., NATH V. & ASTHANA A.K., 2008 — Studies on two noteworthy species of *Drepanolejeunea* (Lejeuneaceae) from Meghalaya (India). *The Bryologist* 111: 476-481.
- SINGH S.K. & SINGH D.K., 2007 — *Cephalozia schusteri* (Cephaloziae, Hepaticae) — a new species from India, with note on the Indian species of the genus. *Lindbergia* 32: 1-4.
- SINGH S.K. & SINGH D.K., 2007 — *Jungermannia indrodayana* (Jungermanniaceae, Hepaticae) — a new species from India. *Cryptogamie, Bryologie* 28: 103-108.
- SÖDERSTRÖM L., HAGBORG A., VON KONRAT M., RENNER M.A.M., 2008 — Early Land Plants Today: Liverwort checklist of checklists. *Fieldiana: Botany*, n.s. 47: 105-130.
- SRIVASTAVA S.C. & VERMA P.K., 2006 — Genus *Arachniopsis* Spruce — new to India with *A. indica* sp. nov. as new to science. *National academy science letters* 27: 269-272.
- SRIVASTAVA S.C., RAWAT K.K. & VERMA P.K., 2006 — An interesting *Plagiochila* from Kodaikanal (India). *National academy science letters* 29: 267-270.
- STECH M., OSMAN S., SIM-SIM M. & FREY W., 2006 — Molecular systematics and biogeography of the liverwort genus *Tylimanthus* (Acrobolbaceae). Studies in austral temperate rain forest bryophytes 33. *Nova Hedwigia* 83: 17-30.
- STOTLER R.E., DOYLE W.T. & CRANDALL-STOTLER B.J., 2005 — A revised classification of the Anthocerotophyta and a checklist of the Hornworts of North America, North of Mexico. *The Bryologist* 108: 16-26.
- STOTLER R.E. & CRANDALL-STOTLER B.J., 2007 — On the identity of *Moerckia hibernica* (Hook.) Gottsche (Moerckiaceae fam. nov., Marchantiophyta) *Beihefte zur Nova Hedwigia* 131: 41-59.
- STOTLER R.E. & CRANDALL-STOTLER B.J., 2008 — Correct author citations for some upper rank names of liverworts (Marchantiophyta). *Taxon* 57: 289-292.
- SUN J. & DUAN Y.-X., 2007 — The rectification of three illegal names in the genus *Jungermannia* (Hepaticae, Jungermanniaceae). *Bulletin of botanical research, Harbin* 27: 139-140.
- TSUDO S. & HASEGAWA J., 2006 — A new species of *Frullania* (Frullaniaceae, Hepaticae) found in Miyazaki, southern Japan. *Bryological research* 9: 43-46.
- URIBE-M. J., 2006 — Type studies on *Frullania* subgenus *Meteoriopsis* (Hepaticae). V. *Frullania dulimensis* sp. nov. from Colombia. *Cryptogamie, Bryologie* 27: 309-312.
- VÁÑA J. & LONG D.G., 2008 — *Hamatostrepta concinna* gen. et sp. nov. (Jungermanniopsida, Scapaniaceae), a new Asiatic leafy liverwort from the Sino-Burmese border. *Fieldiana: Botany*, n.s. 47: 133-138.

- VÁŇA J. & WIGGINTON M.J., 2008 — Taxonomic results of the BRYOTROP expedition to Zaire and Rwanda. 34. A new species of *Amphicephalozia*, *A. africana* sp. nov. *Journal of bryology* 30: 55-58.
- VILLARREAL J.C., HÄSSEL DE MENÉDEZ G. & SALAZAR-ALLEN N., 2007 — *Nothoceros superbus* (Dendrocerotaceae), a new hornwort from Costa Rica. *The Bryologist* 110: 279-285.
- VON KONRAT M. & BRAGGINS J.E., 2005 — *Frullania wairua*, a new and seemingly rare liverwort species from Northland, New Zealand. *New Zealand journal of botany* 43: 885-893.
- VON KONRAT M., RENNER M.A.M., SÖDERSTRÖM L., HAGBORG A. & MUTKE J., 2008 — Early Land Plants Today: Liverwort species diversity and the relationship with higher taxonomy and higher plants. *Fieldiana: Botany*, n.s. 47: 91-104.
- VON KONRAT M., HAGBORG A., SÖDERSTRÖM L. & RENNER M.A.M., 2009 — Early Land Plants Today: Global patterns of liverwort diversity, distribution, and floristic knowledge. In: Mohamed H., Bakar B., Boyce AN. & Lee PKY. (eds), *Bryology in Asia in the New Millennium*. Petaling Jaya, Malaysia. University of Malaya, International Association of Bryologists and Malaysian Ministry of Natural Resources, pp. 425-438.
- WANG J. & ZHU R.-L., 2008 — *Lejeunea laii* nom. nov. for *Lejeunea ramulosa* (Herzog) R. M. Schust. (Jungermanniopsida: Lejeuneaceae) from Taiwan. *Journal of bryology* 30: 173-174.
- WIGGINTON M.J., 2006 — Bryophytes of St Helena, South Atlantic Ocean. 1. Three new species of *Cololejeunea* (Jungermanniales, Lejeuneaceae), *C. dianae* sp. nov., *C. sanctae-helenae* sp. nov. and *C. grossetyla* sp. nov. *Journal of bryology* 28: 363-373.
- WIGGINTON M.J., 2007 — Bryophytes of St Helena, South Atlantic Ocean. 2. *Lejeunea sanctae-helenae* sp. nov. (Jungermanniales, Lejeuneaceae), an unusual species with a hooded lobule. *Journal of bryology* 29: 12-17.
- WIGGINTON M.J., PORLEY R.D. & HODGETTS N.G., 2007 — British Bryological Society expedition to Mulanje Mountain, Malawi. 18. *Cololejeunea lichenyae*, a new species of Lejeuneaceae (Jungermanniopsida: Lejeuneaceae) from Malawi. *Journal of bryology* 29: 7-11.
- ZHU R.-L., 2006 — *Cololejeunea dauphinii* nom. nov. for *Cololejeunea tixieri* M. Morales & G. Dauphin from Panama (Jungermanniopsida: Lejeuneaceae). *Journal of bryology* 28: 277.
- ZHU R.-L. & SO M.L., 2001 — Epiphyllous liverworts of China. *Beihefte zur Nova Hedwigia* 121: 1-418.
- ZHU R.-L. & GRADSTEIN S.R., 2005 — Monograph of *Lopholejeunea* (Spruce) Schiffn. (Lejeuneaceae, Hepaticae) in Asia. *Monographs in systematic botany from the Missouri botanical garden* 74: 1-98.
- ZHU R.-L. & CHENG X.-F., 2008 — The Status of *Amblyolejeunea* (Lejeuneaceae) from Ecuador and Guadeloupe. *Systematic botany* 33: 617-620.
- ZUO B.-R., CAO T., GAO C. & SUN J., 2007 — *Scapania paraphyllia* T. Cao, C. Gao, J. Sun & B. R. Zuo, a new species of Hepaticae (Scapaniaceae) from Zhejiang, China. *Acta phytotaxonomica sinica* 45: 311-314.