


2016
Power Tools

RYOBI[®]

DESIGNED
TO DO
MORE

ryobitools.eu



RYOBI[®]

**DESIGNED
TO DO
MORE**

ryobitools.eu



20 years of ONE+ Innovation



AN INDUSTRY BREAKTHROUGH



1996

2000

The ONE+ System launches, the 1st of its kind for DIY'ers.

MARKET LEADERS IN INNOVATION

Lithium+
18V

Lithium+
v Hybrid 18V



2012

2013

Groundbreaking Lithium+ battery technology launches. Makes your tools work better and your batteries last longer.

Hybrid technology revolutionises the way you power your tools, so you never run out of power.

A FIRST FOR THE DIY MARKET



BRUSHLESS

2015

2016

Ryobi is the first to introduce Brushless technology into the DIY market. Innovation is at Ryobi's core.

The 1st ever DIY 5.0Ah battery launches and, once again, Ryobi proves they are designed to do more.

Celebrate the 20th Anniversary of the Ryobi **ONE+** System.

An industry breakthrough that has stood the test of time, ONE+ meant a variety of different tools could all share the same battery. That hasn't changed. In fact, the ONE+ tools you bought

back then are not only compatible with the cutting edge ONE+ batteries of today, but thanks to our Lithium+ technology, they will actually work even better than ever. So, dig out that

old drill or sander, upgrade the battery and re-discover the incredible power and versatility of the Ryobi ONE+ range that now features over 40 tools for the home and garden.

Wish Ryobi a Happy Anniversary using **#20yearsONEsystem**

At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their Power tools.

Cordless Tools

18V ONE+ Power Tools	8–31
18V ONE+ Garden Tools	32–39
18V Batteries & Chargers	40–41
14V/12V/7V/4V Power Tools.....	42–45

Phone Works™

Phone Works™	46–49
--------------------	-------

Corded Tools

Drilling	50–53
Grinding.....	54–57
Sawing	58–61
Woodworking.....	62–67
Decorating	68–69

Benchtop Tools & Stands

Benchtop Tools & Stands.....	70–73
------------------------------	-------

Accessories

Accessories.....	74–82
------------------	-------



We offer a 2 year guarantee on all our products range, Excluding accessories and components subject to natural and normal wear and tear, please refer to our guarantee conditions into the user's manual for the complete conditions

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/ serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice.



Battery Fits All

POWER OVER 40 DIFFERENT TOOLS FOR THE HOME & GARDEN WITH THE SAME LITHIUM+ BATTERY!

Ryobi's unique ONE+ System consists of a range of over 40 tools for both the home and garden and what's more, they can all be powered using the same battery and charger.





+ BUY THE TOOLS YOU WANT at the time you need them...

...and avoid paying over the odds for excess batteries and chargers. With everything from drills to radios, trimmers to paint sprayers the choice is there for you to grow your family of tools however you want.



CHOOSE A KIT...

Buy any kit with tool, battery & charger included to **start your family**

OR

PICK A TOOL...

expand your family for less by buying individual bare tools, batteries or chargers.



The battery that thinks for itself.

IntelliCell™ battery technology

Uniquely manages its own power to deliver optimum performance and runtime for any ONE+ tool and application.



+ Runtime

Fuel Gauge

The simplest way to monitor your battery life and manage your workload.

+ Performance

Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.

+ Durability


High Power Cells

A first for the DIY market! Energy flows easily through the cells when required in high bursts for increased performance.


+ Power Management

Lithium+

INSTANTLY UPGRADES YOUR ONE+ TOOL.



NEW



Introducing the DIY market's first ever 5.0Ah Lithium+ battery
Offering DIY'ers the longest runtime, so now you can work for longer without the need to recharge your battery!

Get **3x**
more work done

Upgrade to the 5.0Ah battery

Drill up to 934 holes*



Drive up to 1613 screws holes*



Cut up to 100 metres*



* Drive up to 4 x 32mm screws into pine, drill up to 10 x 50mm holes through pine, cut up to 100 metres of 13 mm plywood.

* Runtime varies by tool battery and application.



40+ TOOLS POWERED BY THE LARGEST RANGE OF LITHIUM BATTERIES.

ryobitools.eu

New for 2016

BRUSHLESS

Introducing our
best **ONE+** 18V
drill ever.

40% more run-time

20% more power

with Brushless Technology



Innovative motor technology.

Ryobi's Brushless Technology uses patented electronics to control a compact but powerful motor.

These advanced electronics constantly monitor and fine tune the performance of the motor to the application, providing higher sustained torque levels to drill faster and optimised power usage for increased run-time. Precise computerised control of the motor delivers huge run-time and performance benefits.






e.TORQUE
ELECTRONIC CONTROL

Electronic Torque control allows you to limit the power of the drill to avoid driving screws too far into the work piece or stripping screw heads. This innovative control system has 10 settings in each gear, and a neat memory feature to help you find your last used setting.

Powered by **Lithium+ 18V** batteries.

Created with our best ever technology that gives you more power and longer run-time than ever before.

Up to 40% more run-time.*



276



BRUSHLESS



397



* Drilling 16mm holes into 50mm of wood with 5.0Ah battery pack. Run-time may vary on tool, battery and application.

Please see our ONE+ System range of tools on page XX for product details.

NEW



R18DDBL-0 18V Brushless Drill Driver



- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge.
- Electronic performance control delivers up to 20% more power than brushed drills
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- e-Torque control settings make it easy to drive screws flush everytime
- LED illuminates the work area
- Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort and control
- The most compact Ryobi 18V drill driver ever, measuring 192 mm in length
- Powered by Lithium+ battery technology which provides more power, longer runtime and better durability than our previous lithium batteries

Also Available as

x2	18V Brushless Drill Driver (2x2.5Ah) + Kitbox		
	Name: R18DDBL-LL25B	Product Code: 5133002439	EAN Code: 4892210135643

x2	18V Brushless Drill Driver (2x2.5Ah) + Tool bag		
	Name: R18DDBL-LL25S	Product Code: 5133002440	EAN Code: 4892210135650



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-440
No load speed gear 2 (rpm)	0-1,700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Torque settings	10
Weight without battery pack (kg)	1.7
Supplied in	Recyclable Carton
Article Number	5133002437
EAN Code	4892210135629

Standard equipment (R18DDBL-0)
1 x double-ended srewdriver bit



NEW



R18PDBL-0 18V Brushless Percussion Drill



- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge.
- Electronic performance control delivers up to 20% more power than brushed drills
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- e-Torque control settings make it easy to drive screws flush everytime
- LED illuminates the work area
- Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort and control
- The most compact Ryobi 18V percussion drill ever, measuring 201 mm in length
- Powered by Lithium+ battery technology which provides more power, longer runtime and better durability than our previous lithium batteries

Also Available as

x2	18V Brushless Percussion Drill (2x2.5Ah)		
	Name: R18PDBL-LL25S	Product Code: 5133002441	EAN Code: 4892210135667

x2	18V Brushless Percussion Drill (2x5.0Ah)		
	Name: R18PDBL-LL50S	Product Code: 5133002477	EAN Code: 4892210137708

x2	18V Brushless Percussion Drill (1x1.5Ah, 1x4.0Ah)		
	Name: R18PDBL-LL99S	Product Code: 5133002442	EAN Code: 4892210135674



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-440
No load speed gear 2 (rpm)	0-1,700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	10
Weight without battery pack (kg)	1.7
Supplied in	Recyclable Carton
Article Number	5133002438
EAN Code	4892210135636

Standard equipment (R18PDBL-0)
1 x double-ended screwdriver bit



ONE+ 18V LLCDI18022 Lithium+ 18V Cordless Percussion Drill

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- 13mm keyless chuck for greater accessory compatibility
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control



Also Available as

x1	18V Cordless Percussion Drill (1x1.3Ah)		
Name:	Product Code:	EAN Code:	
LLCDI18021L	5133001773	4892210121400	

x2	18V Cordless Percussion Drill (2x1.3Ah)		
Name:	Product Code:	EAN Code:	
LLCDI18022L	5133001949	4892210124579	



Voltage (V)	18
No. of batteries supplied	2
Charger supplied	45 min
Max. torque (Nm)	50
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	400
No load speed gear 2 (rpm)	1550
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.93
Supplied in	Tool bag
Article Number	5133001931
EAN Code	4892210124487

Standard equipment (LLCDI18022 Lithium+)
Double ended bit



NEW

ONE+ 18V R18PD-0 18V Cordless Percussion Drill

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- All Metal 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears to control max speed to match different materials and applications



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	55
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-375
No load speed gear 2 (rpm)	0-1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	2.1
Supplied in	Recyclable Carton
Article Number	5133002478
EAN Code	4892210137647

Standard equipment (R18PD-0)

Double ended bit,
Auxiliary handle and
Depth stop



Also Available as

x2	18V Percussion Drill (2x1.5Ah)		
Name:	Product Code:	EAN Code:	
R18PD-LL15S	5133002479	4892210137654	

x2	18V Percussion Drill (2x2.5Ah)		
Name:	Product Code:	EAN Code:	
R18PD-LL25S	5133002480	4892210137661	

ONE+ RCD1802M 18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility
- LED illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears to control max speed to match different materials and applications
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a positive grip

Also Available as

x2	18V Cordless Drill/Driver (2x1.5Ah)		
	Name: RCD18022L	Product Code: 5133001929	EAN Code: 4892210124463

x1	18V Cordless Drill/Driver (1x1.3Ah)		
	Name: RCD18021L	Product Code: 5133001173	EAN Code: 4892210118660

x2	18V Cordless Drill/Driver (2x2.5Ah)		
	Name: RCD18-LL25S	Product Code: 5133002214	EAN Code: 4892210128928



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	440
No load speed gear 2 (rpm)	1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.64
Supplied in	Tool bag
Article Number	5133001171
EAN Code	4892210118684

Standard equipment (RCD1802M)
1 x double-ended screwdriver bit



NEW

ONE+ R18DDP-0 18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility
- Electronic variable speed, reverse and brake for total control
- Spirit level for precise drilling
- 2 gears to control max speed to match different materials and applications
- Quick adjustment 24 torque settings for perfect screwdriving every time
- Magnetic bit holder keeps screws and accessories close to hand
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	440
No load speed gear 2 (rpm)	1,600
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.81
Supplied in	Recyclable Carton
Article Number	5133002095
EAN Code	4892210128034

Standard equipment (R18DDP-0)
1 x double-ended screwdriver bit



Also Available as

x2	18V Cordless Drill/Driver (2x1.3Ah)		
	Name: R18DDP-LL13S	Product Code: 5133002075	EAN Code: 4892210126740

x1	18V Cordless Drill/Driver (1x1.3Ah)		
	Name: R18DDP-L13S	Product Code: 5133002250	EAN Code: 4892210129345

NEW



R18IW3-0

18V Cordless 3-Speed Impact Wrench



- 18V high power motor delivers 400Nm of torque ideal for fast tightening/removing of heavy duty fasteners.
- Impact Mechanism allows for high amounts of torque with little reactionary feedback through the handle.
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas.
- 3 speed settings provide added control and versatility.
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications
- 1/2" Square drive with locking pin for easy socket fitment
- Includes 1/4" hex adapter to fit screw driver bits
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Supplied in	Recyclable Carton
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0)
1/4" hex adapter



NEW

ONE+

R18ID3-0

18V Cordless 3-Speed Impact Driver



- Impact driver ideal for fast tightening and removing of fasteners
- Powerful impact mechanism delivers up to 4x the power of a drill
- 3 power levels for wide range of applications, from fitting door hinges to driving decking screws and coach bolts
- Tri-Beam LED light illuminates the work area and eliminates shadows on bits and fasteners
- Quick load 1/4" (6.35mm) chuck
- For best performance and ergonomics we recommend using a 2.5Ah Lithium+ battery which delivers up to 237 screws per charge (4x65mm screws into C24 treated pine)



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	220
No load speed (rpm)	0-3,200
Max. torque (Nm)	220
Impact rate (ipm)	0-3,400
Weight without battery pack (kg)	1.2
Article Number	5133002613
EAN Code	4892210140708

Standard equipment (R18ID3-0)

1 x impact bit, 1 x 5/8 inch socket adaptor



ONE+ 18V SYSTEM RID1801M **18V Cordless Impact Driver**

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor delivers 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4 ") hex drive
- 3 LED lights light up your work area, so you can see what you are doing
- Robust die-cast front gear housing to protect the motor
- Variable speed, reverse and brake for total control of your tool



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	220
No load speed (rpm)	3200
Weight with battery pack (kg)	1.63
Supplied in	-
Article Number	5133001168
EAN Code	4892210118592

Standard equipment (RID1801M)
1 x impact bit, 1 x 5/8 inch socket adaptor



ONE+ 18V SYSTEM RAD1801M **18V Cordless Right Angle Drill**

- Cordless Angle Drill ideal for working in tight and awkward corners
- Keyless 10mm chuck, for simple bit changes
- Automatic spindle lock for one-handed bit change
- LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits
- Variable speed, reverse and brake for total control of your tool



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-1100
Max. drilling wood (mm)	38
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.83
Supplied in	Recyclable Carton
Article Number	5133001166
EAN Code	4892210118578

Standard equipment (RAD1801M)
1 x double-ended screwdriver bit



ONE+ 18V SYSTEM R18AG-0 **18V Cordless Angle Grinder**

- Cordless grinder with 115mm disk ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Two stage non lockable switch for enhanced user protection preventing accidental start up
- Easy to adjust tool-less wheel guard
- Spindle lock for easy accessory changing
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bore size (mm)	22
No load speed (rpm)	7500
Wheel size (mm)	115
Weight with battery pack (kg)	2.58
Supplied in	Recyclable Carton
Article Number	5133001903
EAN Code	4892210123657

Standard equipment (R18AG-0)
Auxiliary handle, Wrench, wheel guard,
1 x grinding disc





R18SDS-0

18V Cordless SDS+ Rotary Hammer Drill



- Pneumatic hammer mechanism delivers 1.3J of EPTA rated impact energy ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Chisel function ideal for applications such as light tile removal
- Non-hammer setting ideal for drilling holes in wood, metal and tiles
- Variable speed, forward and reverse for total control
- Built-in LED lights up your work area
- Gripzone+™ overmold for added comfort and control reduces fatigue during use



EPTA RATED

Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Impact rate (ipm)	0-5,000
Blow energy (J)	1.3
Max. drilling wood (mm)	16
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight with battery pack (kg)	2.08
Supplied in	Recyclable Carton
Article Number	5133002305
EAN Code	4892210130211

Standard equipment (R18SDS-0)

-



Nail that fixing job!

Cordless nailers make projects like installing moulding and overhead framing easier and quicker by eliminating the need to hammer by hand. With Ryobi's brad nailer, finish nailer and stapler, you will have every fixing job covered.



+ Don't get tied down

Enjoy the freedom of cordless. With no bulky air hose to worry about you can move freely and have unlimited range, even in places where swinging a hammer would be virtually impossible.

+ Safety first

Safe to use on ladders and scaffolding where there is no chance to get caught up in the air hose.

+ A nailer for every job

Each nailer is designed to take different sizes of nails and staples so all your home improvement and fastening jobs are covered.


+ ONE+ System

As part of the ONE+ System, you can use the same Lithium+ battery to power a range of different power and garden tools.




Your guide to choosing the right nails

Brad nails




Ideal for fixing wood without using screws or pre-drilling.

Finish nails



A brad nail won't offer sufficient depth or width to hold all types of finishing pieces.

Staples



The stapler is your furniture building gun.



R18N18G-0
18V Cordless 18G Nailer



- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Magazine capacity brads	105
Nail type (mm)	1.2
Weight with battery pack (kg)	2.93
Article Number	5133002093
EAN Code	4892210128058

Standard equipment (R18N18G-0)
500 x 32mm nails, 2 x no mark shoes, reversible belt hook

Also Available as

x1	18V Cordless 18G Nailer (1x1.5Ah)		
Name:	Product Code:	EAN Code:	
R18N18G-L15S	5133002307	4892210131485	



R18N16G-0
18V Cordless 16G Nailer



- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Magazine capacity nails	100
Nail type (mm)	1.6
Weight with battery pack (kg)	3.13
Article Number	5133002222
EAN Code	4892210128898

Standard equipment (R18N16G-0)
500 x 50mm nails, 2 x no mark shoes, reversible belt hook

Also Available as

x1	18V Cordless 16G Nailer (1x1.5Ah)		
Name:	Product Code:	EAN Code:	
R18N16G-L15S	5133002308	4892210131508	



NEW



R18S18G-0
18V Cordless 18G Stapler



- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires narrow crown staples (5.5-6.1mm) from 10 to 38mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LED's by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of staples
- Dry-fire lockout prevents the tool working without staples loaded
- Tool less jam release for easy removal of clear staples
- Low staple indicator so you can see when it is time to re-load



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Magazine capacity	100
Weight with battery pack (kg)	2.87
Article Number	5133002516
EAN Code	4892210138781

Standard equipment (R18S18G-0)
500 x 38mm staples, 2 x no mark shoes, reverseable belt hook



NEW



R18MT-0 18V Cordless Multi tool



- A versatile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details.
- 4 position articulating head for increased application versatility and comfort
- Tool less blade change
- 6 Position variable speed wheel for ultimate control across a range of applications.
- Universal accessory adaptor makes the product compatible with any brand of accessories



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Oscillation angle (°)	3.0°
Oscillation rate (opm)	10,000-20,000
Weight with battery pack (kg)	1.4
Supplied in	Recyclable Carton
Article Number	5133002466
EAN Code	4892210136534

Standard equipment (R18MT-0)
1 x Plunge cutting blade, wood / metal cutting segment blade, sanding pad and 5 sanding sheets





R18JS-0

18V Cordless Jigsaw

- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a variety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Stroke length (mm)	25
No load stroke rate (spm)	1,100 - 3,000
Max. cutting capacity wood (mm)	101
Weight with battery pack (kg)	2.53
Supplied in	Recyclable Carton
Article Number	5133002158
EAN Code	4892210128010

Standard equipment (R18JS-0)

1 x 10 TPI Wood blade, 1 x 14 TPI Scrolling blade



RRS1801M

18V Cordless Reciprocating Saw

- Ideal for rough and fast cutting for demolition tasks in materials such as wood, metal and plastic.
- Tool-less blade clamp for quick and easy blade changes
- The adjustable shoe makes it possible to use different sections of the blade prolonging the blade life



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Stroke length (mm)	22
No load speed (rpm)	3100
Max. cutting capacity wood (mm)	180
Weight with battery pack (kg)	2.33
Supplied in	Gift box, Recyclable Carton
Article Number	5133001162
EAN Code	4892210118691

Standard equipment (RRS1801M)

1 x metal blade, 1 x wood blade



ONE+ **R18CS-0**
18V Cordless Circular Saw



- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber.
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick and easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 165mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Make up to 275 cross cuts in 2x4 (52x100mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bevel capacity (°)	0-56
Blade diameter (mm)	165
Blade width (mm)	1.6
Bore size (mm)	16
Max. cutting depth 45° (mm)	36
Max. cutting depth 56 degrees (mm)	28
Max. cutting depth 90° (mm)	52
No load speed (rpm)	4,700
Weight with battery pack (kg)	2.8
Supplied in	Recyclable Carton
Article Number	5133002338
EAN Code	4892210117304

Standard equipment (R18CS-0)
1x 24 Tooth TCT blade, Side fence





RWSL1801M 18V Cordless Circular Saw

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber.
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick and easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Blade diameter (mm)	150
Bore size (mm)	10
No load speed (rpm)	0-4,700
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
Bevel capacity (°)	50
Weight with battery pack (kg)	2.93
Supplied in	Recyclable Carton
Article Number	5133001164
EAN Code	4892210118554

Standard equipment (RWSL1801M)

Hex key, 150mm TCT circular saw blade and edge guide



LTS180M 18V Cordless Tile Saw

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm 4" continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes
- GripZone™ overmould technology for improved grip and reduced vibration
- Wrench storage
- Diamond wheel included
- Water bottle included



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
No load speed (rpm)	5000
Wheel size (mm)	102
Arbor size (mm)	16
Max. cutting depth 45° (mm)	16
Max. cutting depth 90° (mm)	22
Weight with battery pack (kg)	2.6
Supplied in	-
Article Number	5133000154
EAN Code	4892210110688

Standard equipment (LTS180M)

Hex key, water bottle



EMS190DCL 18V Cordless Mitre Saw

- Cordless Mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from 0-45°
- Thin Kerf 24T carbide tipped blade for improved performance and longer runtime
- Extremely compact and lightweight for great portability
- Make up to 189 cross cuts (22x100mm) combined with the Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Blade diameter (mm)	190
Battery type	-
Mitre capacity left (°)	45
Mitre capacity right (°)	45
Bevel capacity left (°)	45
Weight with battery pack (kg)	7.43
Supplied in	Recyclable Carton
Article Number	5133000932
EAN Code	4892210116895

Standard equipment (EMS190DCL)

1 x 24 TCT blade, 1 x clamp, dust bag, wrench



NEW

ONE+

R18ROS-0

18V Cordless Random Orbital Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal.
- 2.5mm orbital sanding motion for fast and efficient stock removal.
- Random Orbital action delivers a swirl free finish.
- Built in dust extraction system ensures a clean work environment.
- Quick fit hook and loop sanding sheet attachment
- Up to 50 minutes runtime with the 5.0Ah Lithium+ battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Orbit rate [opm]	20,000
Diameter of orbit (mm)	2.5
Sanding pad size (mm)	125
Weight with battery pack (kg)	1.56
Supplied in	Recyclable Carton
Article Number	5133002471
EAN Code	4892210136855

Standard equipment (R18ROS-0)
3 sanding sheets (80, 120 and 240 grit)



NEW

ONE+

R18PS-0

18V Cordless Palm Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight spaces
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Voltage (V)	18
No. of batteries supplied	0
Orbit rate [opm]	22,000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140
Weight with battery pack (kg)	1.06
Supplied in	Recyclable Carton
Article Number	5133002443
EAN Code	4892210133700

Standard equipment (R18PS-0)
6 sanding sheets (2x60, 2x120 and 2x240 Grit)





CPL180M 18V Cordless Planer

- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0-0.4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech™ Integrated technology for maximum dust pick-up
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	–
Planing width (mm)	50
Planing depth (mm)	0.4
Rebate depth (mm)	13
No load speed (rpm)	10,000
Weight with battery pack (kg)	2.13
Supplied in	–
Article Number	5133000081
EAN Code	4892210102720

Standard equipment (CPL180M)
side fence, dust bag, wrench,
2 x reversible TCT blades



CCG1801M 18V Cordless Caulking Gun

- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	–
No load speed high (rpm)	6
No load speed low (rpm)	1
Max. output force	225
Weight with battery pack (kg)	2.13
Supplied in	–
Article Number	5133000060
EAN Code	4892210100962

Standard equipment (CCG1801M)
None



P620 18V Cordless Speed Sprayer

- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
- Suitable for use with any brand paint
- Highly versatile spray system that can be used with varnishes, wood preservatives, enamels, as well as oil-based and water-based paints
- Innovative and patented delivery system also minimizes the need for dilution
- Cordless convenience means paint projects have no limits. Spray up to 4m² per minute
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	–
Container capacity (ml)	1000
Paint coverage sprayer (m ² /min)	10
Flow rate (l/h)	20
Weight with battery pack (kg)	2.36
Supplied in	Recyclable Carton
Article Number	5133000155
EAN Code	4892210110589

Standard equipment (P620)
vertical tip, horizontal fan tip, viscosity
& measuring cup, cleaning kit



18v ONE+ SYSTEM Car Care

Keep your car looking like new with Ryobi's ONE+ cordless tools. You'll only need one battery to power them all.



Get your car sparkling on the outside.

The ONE+ Buffer will have your bodywork shining like new.

Never get left in the dark.

Whether you need to see under the bonnet of your car or you have broken down in the dark, the ONE+ Lights have you covered.



Get the pressure just right.

Ensure your tyres have the correct pressure with the ONE+ Inflator. Measure it, set it and inflate your wheels without the need to take your car to the garage.

Soundtrack to your work.

Listen to the radio or connect your phone via Bluetooth to listen to your favourite tunes whilst you work with the ONE+ Radio.



Looking like new on the inside.

Ensure your car interior is always clean and tidy with the ONE+ Handvac.



Need to change a tyre?

The ONE+ Impact Wrench makes light work of loosening and tightening nuts on your wheels. So, you can change your tyre quickly with ease whenever you want, wherever you want.



See how to keep your car looking like new by visiting our YouTube Channel:
www.youtube.com/RyobiTV

NEW



R18B-0
18V Cordless Buffer



- Ideal for applying polish and wax to maintain your car's paint finish
- Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2,500 opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces
- Up to 120 mins runtime with the 5.0Ah Lithium+ battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Diameter of orbit (mm)	12.5
Oscillation rate (opm)	2500
Size (mm)	254
Weight without battery pack (kg)	1.97
Article Number	5133002465
EAN Code	4892210135483

Standard equipment (R18B-0)
1x Elastic polishing bonnet, 1x Elastic buffing bonnet



NEW

ONE+

R18F-0 18V Cordless Fan

- Cordless fan ideal for indoor or outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility.
- 2,100 rpm for max air flow or 1,400rpm for increased runtime and quieter operation
- Up to 18 Hours runtime with RB18L50 allowing you to run all day or even overnight on one charge.



Voltage (V)	18V
No. of batteries supplied	0
Charger supplied	-
Fan speed (rpm)	2,100 / 1,400
Weight with battery pack (kg)	1.56
Article Number	5133002612
EAN Code	4892210140678

Standard equipment (R18F-0)

-



ONE+

R18I-0 18V Cordless Inflator

- Dual Function Inflator/Deflator provides high pressure inflation for tires and high volume for inflatables.
- Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation
- Connect the hose to a separate port for deflation mode - ideal for packing down air beds or other inflatables
- Convenient switch for high and low pressure selection
- All of the hoses, nozzles and adaptors needed are stored on-board for your convenience



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
High Pressure Hose [mm]	711
High Volume Hose [mm]	756
Max. pressure (bar)	10.3 bar, 150psi
Weight with battery pack (kg)	1.71
Supplied in	Recyclable Carton
Article Number	5133001834
EAN Code	4892210122780

Standard equipment (R18I-0)

High pressure hose, high volume hose, 3 x air accessories



NEW



R18R-0 18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 1 Amp USB Charger port charges many portable electronic devices including smartphones
- Integrated auxiliary input with storage location for smartphone use
- Compact size is durable and easily portable for use at home
- Low battery indicator advises when 18V ONE+™ battery will need to be recharged
- Provides over 15 Hours runtime using the RB18L40 Lithium+ battery



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	—
Speaker diameter (mm)	90mm
Speaker output (W)	3
Weight with battery pack (kg)	1.1
Article Number	5133002455
EAN Code	4892210135476

Standard equipment (R18R-0)
(2) AAA Alkaline Batteries



CHV182M 18V Cordless Hand Vac

- Motor creates strong vacuum suction to easily pick up a variety of dry materials
- Dual filter system captures debris for removal to provide maximum vacuum performance
- Easy-clean dust bowl for quick disposal with no mess
- Crevice tool with built-in slide brush for hard to reach areas
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	—
Container capacity (ml)	173
Weight with battery pack (kg)	1.39
Supplied in	Recyclable Carton
Article Number	5133000077
EAN Code	4892210106339

Standard equipment (CHV182M)
Crevice, brush attachment & washable filter





RFL180M

18V Cordless Flash Light

- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power Halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bulb type	Halogen
Weight with battery pack (kg)	0.72
Article Number	5133001636
EAN Code	4892210120182

Standard equipment (RFL180M)
None



R18ALF-0

18V Cordless Folding Area Light

- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier.
- CRI rating of 80, meaning its 80% as good as natural daylight which is ideal for all your various DIY and decorating projects.
- Extensive runtime up to 360 minutes with RB18L40



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bulb type	LED
Weight with battery pack (kg)	1.3
Article Number	5133002304
EAN Code	4892210130525

Standard equipment (R18ALF-0)
None



R18ALH-0

18V Hybrid Area Light

- Switch between cordless and corded power with the innovative Hybrid technology. Works with any Lithium+ battery or electric power with an extension cord.
- 25W lifetime LED emits up to 2,000 Lumens.
- 360° rotation of the lens and multiple hanging options add versatility.
- Compact design with integrated handle for easy transportation and storage
- Up to 240 minutes run time as a cordless light with RB18L40 or plug in an extension for AC power.



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bulb type	LED
Weight with battery pack (kg)	1.9
Article Number	5133002339
EAN Code	4892210117311

Standard equipment (R18ALH-0)
None



NEW



RLM18X33H40 18V Cordless Mower, 33cm Deck

- The Lithium+ battery offers more power, longer run times, and better durability providing premium mowing performance
- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the garden
- 5 Position, single point cutting height adjustment from 25-65mm
- Mow right to the perimeter of your garden with EasyEdge grass comb feature
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Charger supplied	2 hr
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	12
Article Number	5133002526
EAN Code	4892210137876

Standard equipment (RLM18X33H40)
Mulching plug, 35L grass bag



RLM18X40H240 36V Fusion Cordless Lawn Mower, 40cm Deck, Powered by ONE+ (2x4.0Ah)

- The performance of 36V with Ryobi Lithium Fusion™ technology. Powered by dual 18V Lithium+ 4.0Ah batteries
- The 4.0Ah Lithium+ battery offers more power, longer runtimes and better durability, giving petrol equivalent performance
- Intellicell™ monitors and balances individual cells to maximise run-times, storage life and safety
- 40cm cutting with metal blade for excellent cutting and mulching
- 5 Position, single point height adjustment from 20mm-70mm
- Mow up to edge or around flower beds with EasyEdge™ grass comb
- Quick release handles and soft bag for compact storage
- Vertebrae™ handle with multiple grip positions and adjustable height
- As part of the 18V ONE+™ system, the battery is compatible with over 40 tools for the home and garden



Voltage (V)	36
Battery pack capacity (Ah)	4.0
No. of batteries supplied	2
Decksize (cm)	40
Blade speed (rpm)	3550
Charger supplied	2 hr
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	19.2
Article Number	5133002098
EAN Code	4892210820808

Standard equipment (RLM18X40H240)
50 litre hard top grass bag, Mulching plug



The best of both worlds.

Hybrid tools never run out of power, so you can work for longer.

Have a job to do in the garden? Enjoy the freedom of cordless with a Lithium+ battery. And if your battery runs out, switch to mains electricity to keep going. Hybrid gives you the ultimate flexibility to choose between power sources so you can keep going and going and going...



Hybrid

Cordless

Electric



Did you know...?

Ryobi's Hybrid range is also part of the ONE+ System, meaning you can power over 40 different power and garden tools with the same Lithium+ battery.

+ Look out for the **Hybrid logo on our tools.**

NEW



RLM18C36H225

36V Hybrid Lawn Mower, 36cm Deck

- 36V Hybrid Corded and Cordless Lawn Mower powered by either 2x 18V Lithium+ batteries or electric power with a cable
- 36cm Cutting path designed to easily maneuver around your garden
- Mow right to the perimeter of your garden with EasyEdge™ grass comb feature
- Folding handles and collapsible grass catcher for compact and easy storage
- Up to 5 different adjustable heights for improved comfort
- Grass catcher has 45L capacity
- Vertabrae™ handle design with multiple grip positions and adjustable height for improved comfort



Voltage (V)	18
Battery pack capacity (Ah)	2.5
Charger supplied	90 min
Decksize (cm)	36
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	16.1
Article Number	5133002587
EAN Code	4892210140111

Standard equipment (RLM18C36H225)
Mulching plug, 45L grass bag

Also Available as

	36V Hybrid Lawn Mower, 36cm Deck (2x 4.0Ah)		
	Name: RLM18X36H240	Product Code: 5133002589	EAN Code: 4892210140135

	36V Hybrid Lawn Mower		
	Name: OLM1834H	Product Code: 5133002369	EAN Code: 4892210132314



RLT1830H13

18V Hybrid Grass Trimmer, 30cm Cutting Width

- Innovative 18V Hybrid power, offers the choice of seamlessly changing between corded and cordless power in the same tool
- Adjustable cutting width from 25-30cm for great versatility when grass & weed cutting
- 18V Lithium power with patented IntelliCell™ technology which individually monitors and balances each cell to maximise runtime, storage life and safety
- EasyEdge™ feature allows the user to quickly transition between edging and trimming modes
- Telescoping boom and adjustable handle provides comfort for all users
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	45 min
Cutting path width (cm)	25-30
Line feed system	
Weight with battery pack (kg)	3.2
Article Number	5133002102
EAN Code	4892210820785

Standard equipment (RLT1830H13)
1-pack auto feed spool, 8m cable

Also Available as

	18V Hybrid Grass Trimmer, 30cm Cutting Width (1x2.5Ah)		
	Name: RLT1830H25	Product Code: 5133002224	EAN Code: 4892210821638

	18V Hybrid Grass Trimmer, 30cm Cutting Width (1x1.5Ah)		
	Name: RLT1830H15	Product Code: 5133002460	EAN Code: 4892210136626



OBL1820H

18V Hybrid Blower

- Innovative 18V Hybrid power, offers the choice to seamlessly change between cordless and corded power in the same tool
- Lightweight design with ultimate cordless convenience
- High speed nozzle provides airflow speed of 250 km/h
- Excellent ergonomics and soft-grip handle for comfort
- Variable speed control: On/Off
- Sold as a bare unit without battery or charger
- Overmould for a comfortable grip
- As part of the One+™ system, the battery is compatible with over 35 tools for the home and garden



Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Airflow speed (km/h)	250
Weight with battery pack (kg)	2.1
Article Number	5133002340
EAN Code	4892210822673

Standard equipment (OBL1820H)
1 x nozzle



NEW



RBC18X20B4

18V Cordless Brush Cutter, with Bike Handle

- Powerful 18V 4Ah Lithium+ battery gives more power, longer run times and better durability than previous lithium technologies
- Intelllicell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- High-performance 18V motor provides optimum power for cutting tough grass & long weeds
- 2-in-1 with 20cm hardened steel cutting blade and interchangeable trimmer head
- Large 30cm cutting path to get your job done quickly
- Soft-grip bike handle design, with variable speed control for extended run time
- Rear mount battery and motor for better balance and weight distribution

Also Available as

	18V Cordless Brush Cutter, with Bike Handles		
	Name: OBC1820B	Product Code: 5133002619	EAN Code: 4892210141033



Voltage (V)	18
Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Charger supplied	2 hr
Cutting path with Brushcutter (cm)	20
Cutting path with Grass Trimmer (cm)	30
Line diameter (mm)	1.6
Blade speed (rpm)	8500
Weight with battery pack (kg)	4.0
Article Number	5133002528
EAN Code	4892210138279

Standard equipment (RBC18X20B4)
1 x 18V (4.0Ah) Lithium-ion battery, Tri-Arc blade, cutting head with 1.6mm line, bike handle, shoulder strap harness



RLT183113

18V Cordless Grass Trimmer, 30cm Cutting Width

- 18V Lithium power with patented IntelliCell™ technology which individually monitors and balances each cell to maximise run time, storage life and safety
- Adjustable cutting width from 25-30cm for great versatility when grass & weed cutting
- EasyEdge™ feature offers quick transition between edging and trimming modes
- Telescoping boom and adjustable handle provides comfort for all users
- Three position pivoting string head for more versatile cutting
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

Also Available as

	18V Cordless Grass Trimmer, 30cm Cutting Width		
	Name: OLT1831S	Product Code: 5133002162	EAN Code: 4892210821195

	18V Cordless Grass Trimmer (1x 1.5Ah)		
	Name: RLT183115	Product Code: 5133002459	EAN Code: 4892210136619

	18V Cordless Grass Trimmer (1x2.5Ah)		
	Name: RLT183125	Product Code: 5133002395	EAN Code: 4892210133953



Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	45 min
Cutting path width (cm)	25-30
Cutting line diameter (mm)	1.6
Line feed system	
Weight with battery pack (kg)	2.14
Article Number	5133002104
EAN Code	4892210820662

Standard equipment (RLT183113)
1-pack auto feed spool





RLT1825LI 18V Cordless Grass Trimmer, 25cm Cutting Width

- Powered by 18V Lithium batteries
- 25cm cutting path for efficient grass & weed cutting
- EasyEdge™ design for quick transition to edging mode
- Two handle design for improved user comfort
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



EASYEDGE™

DESIGNED FOR COMFORT
VERTEBRAE+

Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	3 hr
Line feed system	
Cutting path width (cm)	25cm
Cutting line diameter (mm)	1.6
Weight with battery pack (kg)	1.65
Article Number	5133001806
EAN Code	4892210818423

Standard equipment (RLT1825LI)
1-pack auto feed spool

Also Available as

18V Cordless Grass Trimmer, 25cm Cutting Width		
Name:	Product Code:	EAN Code:
OLT1825	5133001808	4892210818447

18V Cordless Grass Trimmer (2x1.3Ah)		
Name:	Product Code:	EAN Code:
RLT1825LL13	5133002168	4892210821270



RHT1855R40 18V Cordless Hedge Trimmer, 55cm Blade

- Powerful 18V 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- Intellicell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- High torque motor delivers powerful cutting performance for pruning hedges & shrubs
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades
- Capable of cutting large branches with 22mm blade gap, and sawing function
- Anti-jamming system prevents accidental blocking
- Rotating rear handle offers ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Max. cutting capacity (mm)	22
Blade speed (rpm)	2700
Blade length (cm)	55
Weight without battery pack (kg)	3.42

Standard equipment (RHT1855R40)
Blade sheath, HedgeSweep™

Also Available as

18V Cordless Hedge Trimmer 55cm Blade		
Name:	Product Code:	EAN Code:
OHT1855R	5133002161	4892210821249



RHT1851R15 18V Cordless Hedge Trimmer, 50cm Blade

- High Torque motor delivers powerful cutting performance for pruning hedges & shrubs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 18mm blade gap, and sawing function
- Anti-jamming system prevents accidental blocking
- Rotating rear handle offers ease of use in multiple positions
- HedgeSweep™ attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	60 min
Max. cutting capacity (mm)	18
Blade speed (rpm)	2700
Blade length (cm)	50
Battery type	Li-ion
Weight with battery pack (kg)	3.15
Article Number	5133002109
EAN Code	4892210820747

Standard equipment (RHT1851R15)
HedgeSweep™ attachment, blade sheath





RHT1850XLI

18V Cordless Extended Reach Hedge Trimmer, 50cm Blade

- 18V Lithium power with patented IntelliCell™ technology which individually monitors and balances each cell to maximise run time, storage life and safety
- 4-position articulating head for pruning all sizes of hedges & shrubs
- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep debris sweeper for easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	3 hr
Max. cutting capacity (mm)	16
Blade speed (rpm)	2400
Blade length (cm)	50
Weight with battery pack (kg)	3.73
Article Number	5133001626
EAN Code	4892210816924

Standard equipment (RHT1850XLI)
HedgeSweep™ blade sheath



NEW



RPT184515

18V Cordless Pole Hedge Trimmer, 45cm Blade (1x1.5Ah)

- Powerful 18V 1.5Ah Lithium+ battery gives more power, longer run times and better durability than previous lithium technologies
- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- Powerful cutting performance due to premium 18V motor for cutting hedges & branches
- 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap
- 135° articulating cutting head, with 4 positions for versatile trimming
- Removable extension shaft for full length of 2.3m, or compact storage



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	60 min
Cutting capacity	18mm
Blade length (mm)	450
Blade speed (rpm)	1500
Weight with battery pack (kg)	4.6
Article Number	5133002521
EAN Code	4892210138507

Standard equipment (RPT184515)
HedgeSweep, Blade sheath, single shoulder strap harness





RPP182015

18V Cordless Pole Pruner, 20cm Bar

- 20cm Oregon bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 15° angled cutting head for easy pruning and better control
- Automatic chain and bar lubrication for continuous cutting
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	4 hr
Chain bar length (cm)	20
Chain speed (m/s)	5
Weight with battery pack (kg)	3.9
Article Number	5133002575
EAN Code	4892210139382

Standard equipment (RPP182015)
Bar & Chain oil, Scabbard, Strap

Also Available as

18V Cordless Pole Pruner, 20cm Bar		
Name: OPP1820	Product Code: 5133001250	EAN Code: 4892210815446

18V Cordless Pole Pruner, 20cm Bar (1x1.3Ah)		
Name: RPP1820LI	Product Code: 5133001628	EAN Code: 4892210816948



OGS1821

18V Cordless Shear & Shrubber

- Compact, yet powerful, Shear & Shrubber for effective pruning of plants and bushes thanks to 18V motor
- Tool-less blades for quick changes
- Light weight for easy operation and control
- GripZone™ overmould for comfortable grip
- Powered by 1x 18V Lithium Battery with patented IntelliCell™ which individually monitors and balances each cell to maximise runtime, storage & safety
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system
- Sold as a bare unit, without battery and charger



Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Max. cutting capacity (mm)	8
Shear blade (mm)	100
Shrubber blade (mm)	200
Weight with battery pack (kg)	1.4
Article Number	5133000732
EAN Code	4892210812568

Standard equipment (OGS1821)
1 x grass cutting blade, 1 x shrubbing blade



OBL1802

18V Cordless Blower

- High speed nozzle provides airflow speed of 193km/h
- Lightweight design, with ultimate cordless convenience
- GripZone™ overmould for comfortable grip
- As part of the 18V ONE+™ system, the 18V ONE+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Airflow speed (km/h)	193
Weight with battery pack (kg)	1.6
Article Number	5133000731
EAN Code	4892210812605

Standard equipment (OBL1802)
1 x nozzle





NEW

ONE+ **RB18L50**
18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 1622 4x40mm screws with RCD1802
- Cross-cut up to 276 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133002433
EAN Code 4892210135940

ONE+ **RB18L40**
18V 4.0Ah Lithium+ Battery

- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 1322 4x40mm screws with RCD1802
- Cross-cut up to 211 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133001937
EAN Code 4892210124104

x1	18V Battery and Charger Kit (1x4.0Ah)		
	Name: RBC18L40	Product Code: 5133001912	EAN Code: 4892210124210

x2	18V Battery and Charger Kit (2x4.0Ah)		
	Name: RBC18LL40	Product Code: 5133001916	EAN Code: 4892210124234

ONE+ **RB18L25**
18V 2.5Ah Lithium+ Battery

- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 749 4x40mm screws with RCD1802
- Cross-cut up to 115 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133002237
EAN Code 4892210129062



Article Number 5133001905
EAN Code 4892210124081

ONE+ SYSTEM RB18L15 18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 528 4x40mm screws with RCD1802
- Cross-cut up to 72 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



x1	18V Battery and Charger Kit (1x1.5Ah)		
	Name: RBC18L15	Product Code: 5133001910	EAN Code: 4892210124173

ONE+ SYSTEM RB18L13 18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability
- Drive up to 426 4x40mm screws with RCD1802
- Cross-cut up to 49 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133001904
EAN Code 4892210124074

x1	18V Battery and Charger Kit (1x1.3Ah)		
	Name: RBC18L13	Product Code: 5133001908	EAN Code: 4892210124159

x2	2 x 18v (1.3Ah) Lithium-ion Batteries & Super Charger		
	Name: RBC18LL13	Product Code: 5133002000	EAN Code: 4892210125835

ONE+ SYSTEM BCL14181H 18V ONE+ Charger

- Dual chemistry charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode - Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C



Article Number 5133001127
EAN Code 4892210117991

ONE+ SYSTEM BCS618 18V ONE+ 6 Port Charger

- Multiport charger for efficient battery re-charging
- Dual chemistry charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode - Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C

Article Number 5132000042
EAN Code 4892210106346



14.4V / 12V / 7V / 4V

14V Tools	43
12V Tools	43–44
7V Tools	45
4V Tools	45



R14DDE-LL15S 14.4V Cordless Drill Driver

- Ergonomic handle for great comfort and control
- 13mm keyless chuck
- Electronic quick mode selection
- 20 electronic torque control settings for total control
- LED work light for working in dimly lit areas
- 3 stage fuel gauge displays remaining power
- Powerful motor provides up to 45Nm torque
- 2 gears with no load speed of up to 1450 rpm for faster task completion
- Lithium+ battery technology give more power, longer runtime and better durability than our previous lithium batteries
- Soft touch trigger, gear switch and battery latch for user comfort
- Super Compact measuring only 212mm in height and 186mm in length
- High drilling capacities, up to 32mm in wood



e.TORQUE
ELECTRONIC CONTROL

Voltage (V)	14.4
No. of batteries supplied	2
Charger supplied	60 min
Max. torque (Nm)	45
Chuck capacity (mm)	13
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1450
Torque settings	20 e-Torque
Weight with battery pack (kg)	1.62
Supplied in	Tool bag
Article Number	5133001900
EAN Code	4892210123626

Standard equipment (R14DDE-LL15S)
1 x double ended screwdriver bit

Also Available as

14.4V Cordless Drill Driver (2x2.5Ah)			
x2	Name:	Product Code:	EAN Code:
	R14DDE-LL25S	5133002212	4892210128904

RCD12012L 12V Cordless Drill Driver

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact - ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Electronic variable speed, reverse and break for total control
- Single sleeve chuck makes it easy to change accessories
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone+ with microtexture for a positive grip



Lithium+
12V

Voltage (V)	12
No. of batteries supplied	2
Charger supplied	60 min
Max. torque (Nm)	25
Chuck capacity (mm)	10
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.08
Supplied in	Tool bag
Article Number	5133001158
EAN Code	4892210118479

Standard equipment (RCD12012L)
1 x double ended bit

Also Available as

12V Cordless Drill/Driver (1x1.3Ah)			
x1	Name:	Product Code:	EAN Code:
	RCD12011L	5133001157	4892210118509

R12DD-L13S 12V Cordless Drill Driver

- 2 speed drill driver with light and compact design
- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- LED work light to illuminate the work piece
- fuel gauge to indicate power levels



Lithium+
12V

Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
Max. torque (Nm)	30
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-400
No load speed gear 2 (rpm)	0-1500
Max. drilling wood (mm)	25
Max. drilling steel (mm)	10
Torque settings	22
Weight with battery pack (kg)	1.02
Supplied in	Tool bag
Article Number	5133001800
EAN Code	4892210122537

Standard equipment (R12DD-L13S)
1 x double ended screwdriver bit

Also Available as

12V Cordless Drill/Driver (2x1.3Ah)			
x2	Name:	Product Code:	EAN Code:
	R12DD-LL13S	5133001802	4892210122551

R12SD-LL13S
12V Screwdriver (2 x 1.3Ah)

- 12V Lithium-Ion Drill/Driver gives you optimal performance in a compact size.
- Powerful screw driver with up to 25Nm Torque
- 22 clutch quick adjustment torque settings for perfect screwdriving every time
- LED work light for working in dimly lit areas
- Ergonomic GripZone+ with microtexture for a positive grip
- Electronic variable speed, reverse and brake for total control
- Powered by Ryobi lithium ion technology, batteries give fade free power and hold their charge for longer



Voltage (V)	12
No. of batteries supplied	2
Charger supplied	3 hr
Max. torque (Nm)	25
Chuck capacity (mm)	10
Max. drilling wood (mm)	22
Max. drilling steel (mm)	7
Torque settings	22
Weight with battery pack (kg)	1.1
Supplied in	Tool bag
Article Number	5133002323
EAN Code	4892210102744

Standard equipment (R12SD-LL13S)
1 x double ended screwdriver bit

Also Available as

12V Cordless Drill Driver			
x1	Name:	Product Code:	EAN Code:
	R12SD-L13S	5133002322	4892210101334

RRS12011L
12V Cordless Reciprocating Saw

- 2-in-1 saw with inter-changeable blade to enable the saw to be used in either reciprocating or jigsaw modes, making it ideal for a range of tasks
- Variable speed for optimum control in all applications
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Safety lock off switch to avoid accidental starting



Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
No load speed (rpm)	3200
Stroke length (mm)	13
Max. cutting capacity wood (mm)	60
Weight with battery pack (kg)	1.17
Supplied in	Tool bag
Article Number	5133001160
EAN Code	4892210118516

Standard equipment (RRS12011L)
1 x wood blade, 1 x metal blade,
1 x jigsaw blade

RMT12011L
12V Cordless Multi Tool

- A versatile and compact multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Universal accessory adaptor makes the product compatible with any brand of accessories



Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
Oscillation angle (°)	3 Degrees
Oscillation rate (opm)	20,000
Weight with battery pack (kg)	1.07
Supplied in	Tool bag
Article Number	5133001154
EAN Code	4892210118455

Standard equipment (RMT12011L)
1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

NEW

R7SD-L13G
7.2V Cordless Drill Driver

- 7.2V Lithium Ion Drill ideal for many household applications ranging from cabinetry, hanging curtains, and other do-it-yourself projects.
- Compact and lightweight design for prolonged use
- 10mm chuck fits various drilling / driving accessories
- LED light illuminates work surfaces for increased visibility
- Variable speed trigger for added control while screwdriving
- On-board fuel gauge displays remaining power



Voltage (V)	7.2
No. of batteries supplied	1
Charger supplied	6 hr
Max. torque (Nm)	10
Chuck capacity (mm)	10
Max. drilling wood (mm)	10
Max. drilling steel (mm)	5
Weight with battery pack (kg)	0.88
Supplied in	-
Article Number	5133002484
EAN Code	4892210137692

Standard equipment (R7SD-L13G)
24 screwdriver bits

CSD4030GN
4V Cordless Screwdriver

- 12 Torque settings
- LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone™ overmould technology for improved comfort with a positive grip
- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing



Voltage (V)	4
No. of batteries supplied	1
Charger supplied	10 hr
Max. torque (Nm)	5
Tool reception	1/4" Hex
Torque settings	12
Weight with battery pack (kg)	0.47
Supplied in	Kitbox
Article Number	5133000087
EAN Code	4892210104960

Standard equipment (CSD4030GN)
Grip case with 30 screwdriver bits

Also Available as

4V Cordless Screwdriver		
x1	Name: CSD4107BG	Product Code: 5133000139
	EAN Code: 4892210106377	

R4SD-L13C
4V Cordless Screwdriver

- Accessories included are ideal for flat pack furniture 1x Hex4, 1x PZ2
- Up to 5 Nm Screwdriving force
- Up to 92 Screws Per charge
- Super Bright LED Worklight to illuminate the workpiece
- Quick change hex chuck for easy bit changes



Voltage (V)	4
Charger supplied	10 hr
Max. torque (Nm)	5
No load speed gear 1 (rpm)	180
Weight with battery pack (kg)	0.4
Supplied in	Kitbox
Article Number	5133001961
EAN Code	4892210123299

Standard equipment (R4SD-L13C)
Accessories included are ideal for flat pack furniture 1xHex4, 1xPZ2

The Ryobi Phone Works App combines premium quality measuring tools with smartphone technology.


The Phone Works App brings you an easier way to create and manage your own home improvement projects. It's free of charge and IOS/Android Compatible.

Now you can capture and save details over high quality photos and video, geotag your location, add text or voice memos. Then share measurements via sms, email and social media.



ryobitools.eu/phoneworks

Download the **FREE** app available at...



Is your phone compatible?

- 1 Download and install the FREE Phone Works™ App from your smartphone.
- 2 Launch app first, then connect the Phone Works™ device to your phone.
- 3 Register and activate the device before use.



RPW-1000
Laser Distance Measurer

- Measure length, area and volume accurately to within 2mm
- Use the level indicator for precise measurements
- Full Colour Touch Screen for eliminating complexity and enhancing ease of use
- Capture images and overlay measurements to store and personalise projects and applications
- Share measurements via sms, email and social media



Max. measurement range (m)	30
Accuracy	+/- 2mm
No. of measurements recorded	Unlimited
Pythagoras function	Yes
Weight (kg)	0.07
Article Number	5133002373
EAN Code	4892210132611

Standard equipment (RPW-1000)
Phone Mount Clip, (2) AAA Batteries

RPW-1650
Laser Level & Tripod

- Use your smartphone to detect level
- Use the tripod's flexible legs to grip the tool onto various household objects
- Set customised angles with your laser level and tripod to align applications with other objects in the house
- Full Colour Touch Screen for eliminating complexity and enhancing ease of use
- Capture images and overlay measurements to store and personalise projects and applications
- Share measurements via sms, emails and social media



Max. measurement range (m)	5
Laser classification	Class 2
No. of measurements recorded	Unlimited
Tripod Mount	1/4"
Weight (kg)	0.14
Article Number	5133002470
EAN Code	4892210137425

Standard equipment (RPW-1650)
Phone Mount Clip, (1) AAA Battery, Tripod

Also Available as

2 Line Cross Laser		
Name: RPW-1600	Product Code: 5133002375	EAN Code: 4892210132628

RPW-3000
Moisture Meter

- Measure moisture content in wood, concrete and other building materials
- Select material you want to measure to identify moisture with greater accuracy
- Measure and get a green, yellow and red colour indication to better understand the measurement
- Capture images and overlay measurements to store and personalise projects and applications
- Share measurements to third parties via sms, emails and social media to resolve potential issues



Material	Softwood, Pine, Beech, Hardwood, Oak, Birch, Spruce, Drywall, Gypsum plaster, Masonry, Cement, Screed, Concrete C20, Concrete C25, Aerated Concrete
Building material moisture range	0.2-2%
Wood moisture range	6-44%
No. of measurements recorded	Unlimited
Weight (kg)	0.05
Article Number	5133002378
EAN Code	4892210132659

Standard equipment (RPW-3000)
(1) AAA battery and tether cap

RPW-2000
Infrared Thermometer

- Set minimum and maximum temperature ranges to live-track surface temperatures
- Full Colour Touch Screen for eliminating complexity and enhancing ease of use
- Share measurements to third parties via sms, emails and social media to resolve potential issues
- Share measurements via sms, email and social media



Temperature range (°C)	-30 to 350
Field of view (°)	8:1
No. of measurements recorded	Unlimited
Weight (kg)	0.08
Article Number	5133002377
EAN Code	4892210132642

Standard equipment (RPW-2000)
Phone Mount Clip, (1) AAA battery



RPW-5000

Inspection Scope

- Smartphone and inspection scope can work up to 3m away
- Use the LED light to see into out of reach places
- Full Colour Touch Screen for eliminating complexity and enhancing ease of use
- Capture images and record videos to store and personalise projects and applications
- Share measurements via sms, emails and social media



Camera head diameter (mm)	9
Levels of LED	3
Camera cable length (mm)	910
Weight (kg)	0.3
Article Number	5133002376
EAN Code	4892210132635

Standard equipment (RPW-5000)
Phone Mount Clip, (3) AA Batteries

RPW-5500

Stud Finder

- Use arrows on the screen to find the centre of the stud
- Built in marker to help mark centre of stud of the wall
- Full Colour Touch Screen for eliminating complexity and enhancing ease of use



Stud measurement	Drywall only
Range Depth (mm)	19
Weight (kg)	0.08
Article Number	5133002379
EAN Code	4892210132666

Standard equipment (RPW-5500)
(1) AAA battery

RPW-9000

Carry Case

- Secure case to store and prevent loss of Phoneworks tools.
- Weather resistant to protect against outside elements.
- Foam inserts to protect against damage.
- Extra storage for additional batteries, clips, etc.



DRILLING

Percussion Drills

51 – 52

Rotary Hammer Drills

53



RPD500-G

500W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort



Power input (W)	500
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	3,000
Percussion rate gear 1	0-50,000
Max. drilling wood (mm)	25
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Weight (kg)	1.6
Supplied in	Gift box
Article Number	5133001832
EAN Code	4892210122766

Standard equipment (RPD500-G)
360° Auxiliary handle, depth stop

RPD680-K

680W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck



Power input (W)	680
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.7
Supplied in	Kitbox
Article Number	5133002016
EAN Code	4892210125934

Standard equipment (RPD680-K)
360° Auxiliary handle, depth stop

RPD800-K

800W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
- Single sleeve (auto spindle lock) chuck
- LED



Power input (W)	800
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	34
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.8
Supplied in	Kitbox
Article Number	5133002018
EAN Code	4892210125910

Standard equipment (RPD800-K)
360° Auxiliary handle, depth stop

RPD1010-K 1010W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2-Speed
- LED



Power input (W)	1010
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/13
Max. drilling masonry (mm)	16/20
Weight (kg)	3.05
Supplied in	Kitbox
Article Number	5133002058
EAN Code	4892210126764

Standard equipment (RPD1010-K)
360° Auxiliary handle, depth stop

RPD1200-K 1200W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone™ overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2-Speed
- LED



Power input (W)	1200
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
Percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/16
Max. drilling masonry (mm)	18/22
Weight (kg)	3.15
Supplied in	Kitbox
Article Number	5133002067
EAN Code	4892210126788

Standard equipment (RPD1200-K)
360° Auxiliary handle, depth stop



NEW

RSDS680-K 680W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 2.1J EPTA of impact energy ideal for drilling holes in stone and concrete
- 680W motor produces 0-2,150 RPM and 0-5,000 BPM delivering best in class drilling performance of 22mm in concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Compact and Lightweight gives the user maximum comfort and control when drilling



Power input (W)	680
Chuck type	SDS+
No load speed (rpm)	0-2,150
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	30
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	22
Weight (kg)	2.72
Supplied in	Kitbox
Article Number	5133002444
EAN Code	4892210135308

Standard equipment (RSDS680-K)
360° Auxiliary Handle, Depth Stop, 13mm chuck adaptor for use with standard drill bits, x1 6mm drill bit

NEW

RSDS800-K 800W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 3.0J EPTA of impact energy ideal for drilling holes in stone and concrete
- 800W motor produces 0-1,450RPM and 0-5,000BPM delivering best in class drilling performance of 28mm in concrete
- Compact and Lightweight L-Shape design allows the user to get closer to the work piece and provides a better balance
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Built-in LED light ensures your work piece is always well lit and clearly visible



Power input (W)	800
Chuck type	SDS+
No load speed (rpm)	0-1,450
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	28
Weight (kg)	3.44
Supplied in	Kitbox
Article Number	5133002463
EAN Code	4892210136558


Standard equipment (RSDS800-K)
360° Auxiliary Handle, Depth Stop, x1 6mm SDS+ Drill bit



GRINDING

Angle Grinders

55 – 57



NEW

RAG600-115G

600W Corded Angle Grinder, 115mm disk

- 600W motor with a high torque gear box
- Class leading grinding speed of 13,000 RPM
- Spindle lock and adjustable 115mm guard for easy wheel and accessory changing
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevent accidental starting when plugged into power mains by defaulting to off position



Power input (W)	600
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	13,000
Weight (kg)	2.0
Supplied in	Gift box
Article Number	5133002487
EAN Code	4892210137104

Standard equipment (RAG600-115G)

Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

NEW

RAG750-115G

750W Corded Angle Grinder, 115mm Disk

- Powerful 750W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	750
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Supplied in	Gift box
Article Number	5133002489
EAN Code	4892210137128

Standard equipment (RAG750-115G)

Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

NEW

RAG800-115G

800W Corded Angle Grinder, 115mm Disk

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronic prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	800
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Supplied in	Gift box
Article Number	5133002518
EAN Code	4892210138811

Standard equipment (RAG800-115G)

Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle

NEW

RAG800-125G 800W Corded Angle Grinder, 125mm Disk

- Powerful 800W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position



Also Available as

800W 125mm Angle Grinder

Name:	Product Code:	EAN Code:
RAG800-125S	5133002493	4892210137166



Power input (W)	800
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	-
Article Number	5133002491
EAN Code	4892210137142

Standard equipment (RAG800-125G)
Grinding Wheel (x1), Wrench (x1),
Wheel Guard, Auxiliary Handle

NEW

RAG950-125S 950W Corded Angle Grinder, 125mm Disk

- Powerful 950W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	950
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Article Number	5133002495
EAN Code	4892210137180

Standard equipment (RAG950-125S)
Grinding Wheel (x1), Wrench (x1),
Wheel Guard, Auxiliary Handle

NEW

RAG1010-125SF

1010W Corded Angle Grinder, 125mm Disk

- Powerful 1010W motor with a high torque gear box
- Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 125mm wheel guard for quick and easy adjustment
- Slim profile and 2 position handle ensures maximum versatility
- New Switch Electronics prevents accidental starting when plugged into power mains by defaulting to off position
- EASYFIX nut enables tool-less accessory change



Power input (W)	1010
Disc diameter (mm)	125
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Supplied in	Tool bag
Article Number	5133002497
EAN Code	4892210137203

Standard equipment (RAG1010-125SF)

Grinding Wheel (x1), Wheel Guard, Auxiliary Handle

EAG2000RS

2000W Corded Grinder, 230mm Disk

- Full length trigger switch with overmould
- 180° multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment
- Two position Auxiliary Handle with wrench storage
- Spindle Lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	2000
Disc diameter (mm)	230
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	6,000
Weight (kg)	6.0
Supplied in	Kitbox
Article Number	5133000550
EAN Code	4892210111807

Standard equipment (EAG2000RS)

Wrench (x1), Wheel Guard (x1), Auxiliary Handle, Grinding Wheel (x1)

SAWING

Jig Saws	59
Reciprocating Saw	60
Circular Saws	60 – 61



RJS750-G 500W Corded Jigsaw

- Most visible cut line delivered by slim profile and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanisms and LINEASSIST
- Quick Lock one finger blade clamp allows user to change blade easily
- Most compact and comfortable jigsaw with ergonomic handle and detachable vacuum port



Power input (W)	500
Stroke length (mm)	19
No load speed (rpm)	0-3,000
Max. cutting capacity wood (mm)	75
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Supplied in	Recyclable Carton
Article Number	5133002215
EAN Code	4892210128317

Standard equipment (RJS750-G)
1 x Wood Blade, 1 x Hex Key,
x 1 Dust Port

RJS850-K 600W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly



Power input (W)	600
Stroke length (mm)	23
No load speed (rpm)	500-3,100
Max. cutting capacity wood (mm)	85
Max. cutting capacity steel (mm)	9
Weight (kg)	2.0
Supplied in	Kitbox
Article Number	5133002217
EAN Code	4892210128348

Standard equipment (RJS850-K)
1 x Wood Blade, 1 x Hex Key,
1 x Dust Port

RJS1050-K 680W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly
- FLUSHCUT blade allows user to cut up to the guard
- Retractable fin helps straight line accuracy



Power input (W)	680
Stroke length (mm)	23
No load speed (rpm)	500-3,100
Max. cutting capacity wood (mm)	105
Max. cutting capacity steel (mm)	12
Weight (kg)	2.2
Supplied in	Kitbox
Article Number	5133002219
EAN Code	4892210128379

Standard equipment (RJS1050-K)
x1 Wood Blade, x1 Flush Cut Blade,
x1 Dust Port

NEW

RRS1200-K 1200W Corded Reciprocating Saw

- Powerful 1200W motor produces market leading cutting performance of 0-3,000 RPM. Ideal for demolition jobs!
- 30mm stroke length utilizes more of the teeth on the blade.
- Tool-less blade clamp for quick and easy blade changes
- Adjustable shoe increases blade life
- Anti-vibration handle ensures the high power doesn't negatively impact on the users experience.
- Overmould cable clip prevents the cable getting in the way of the cutting blade.



Power input (W)	1200
Stroke length (mm)	30
No load speed (rpm)	0-3000
Max. cutting capacity wood (mm)	200
Max. cutting capacity aluminium (mm)	20
Max. cutting capacity steel (mm)	20
Weight (kg)	5.25
Supplied in	Kitbox
Article Number	5133002472
EAN Code	4892210136954

Standard equipment (RRS1200-K)
1 x 6" Wood Blade, 1 x 6" Saw Blade,
1 x Carbide Steel Cutting Aluminium,
1 x Hex Key

RWS1250-G 1250W Corded Circular Saw, 66mm Blade

- Compact, lightweight and ergonomic design for comfortable, repetitive cutting
- Adjustable base for 0°-45° bevel settings
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	1250
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Max. cutting depth 45° (mm)	50
Bevel capacity (°)	45°
No load speed (rpm)	5,000
Weight (kg)	3.7
Supplied in	Kitbox
Article Number	5133001784
EAN Code	4892210121981

Standard equipment (RWS1250-G)
1 x 20-tooth TCT blade, parallel fence,
wrench

RWS1400-K**1400W Corded Circular Saw, 66mm Blade**

- Compact, lightweight and ergonomic design for comfortable, repetitive cutting
- Adjustable base for 0° - 45° bevel settings
- Adjustable depth setting for efficient cutting
- Laser guide for improved accuracy
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	1400
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Max. cutting depth 45° (mm)	50
Bevel capacity (°)	45°
No load speed (rpm)	5,000
Weight (kg)	3.9
Supplied in	Kitbox
Article Number	5133001786
EAN Code	4892210122001

Standard equipment (RWS1400-K)
1 x 24-tooth TCT blade, parallel fence, wrench

RWS1600-K**1600W Corded Circular Saw, 66mm Blade**

- Compact, lightweight and ergonomic design for comfortable, repetitive cutting
- Adjustable base for 0°-45° bevel settings
- Adjustable depth setting for efficient cutting
- Laser guide for improved accuracy
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply
- Guide rail included for accurate straight line cuts



Power input (W)	1600
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Max. cutting depth 45° (mm)	50
Bevel capacity (°)	45°
No load speed (rpm)	5,000
Weight (kg)	3.9
Supplied in	Kitbox
Article Number	5133001788
EAN Code	4892210122032

Standard equipment (RWS1600-K)
1 x 24-tooth TCT blade, parallel fence, wrench, 1 x 2-piece saw rail

EWS1150RS**1150W Corded Circular Saw, 55mm Blade**

- Adjustable base allows cutting for 0° to 45° bevel settings
- Spindle lock for easy blade change
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply




Power input (W)	1150
Blade diameter (mm)	170
Bore size (mm)	20
Max. cutting depth 90° (mm)	55
Max. cutting depth 45° (mm)	38
Bevel capacity (°)	45°
No load speed (rpm)	5,600
Weight (kg)	4.7
Supplied in	Recyclable Carton
Article Number	5133000552
EAN Code	4892210111487

Standard equipment (EWS1150RS)
12-tooth TCT blade, parallel fence

WOODWORKING

Multi Tools	63
Router/Rotary Tool	64
Sanders	65–67
Planer	67



NEW

RMT300-SA 300W Corded Multitool with Softbag

- Most versatile power tool with 300W motor, lets you complete a variety of different jobs with the change of the accessory head
- 3.2° oscillation angle optimised for cutting speed and smooth finish
- 4 Position articulating head offers the user increased versatility of angle for applications in tight to reach areas
- Tool less blade change
- Universal accessory adaptor makes the product compatible with any brand of accessories
- Built-in LED light ensures your work piece is always well lit and clearly visible
- A must-have tool in any DIY'ers toolbox



Also available as

300W Multitool with Toolbox

Name: RMT300-TA	Product Code: 5133002434	EAN Code: 4892210136015
--------------------	-----------------------------	----------------------------



Power input (W)	300
Oscillation rate (opm)	10,000-22,000
Oscillation angle (°)	3.2°
Weight (kg)	1.41
Supplied in	Tool bag
Article Number	5133002446
EAN Code	4892210135278

Standard equipment (RMT300-SA)
 x1 9mm Sanding Pad, Sanding Paper
 60 grit x8, 80 grit x8, 120 grit x8, Plunge
 Cut Wood x2, Flush Cut Wood/Metal,
 Grout Blade x1, Scraper Blade x1,
 Depth Gage x1, Dust Port x1

RMT200-S 200W Corded Multi Tool

- A versatile multi purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- Variable speed for ultimate control across a range of applications
- GripZone™ overmould for a positive grip and improved comfort



Power input (W)	200
Oscillation rate (opm)	10,000-20,000
Oscillation angle (°)	3°
Weight (kg)	1.6
Supplied in	Tool bag
Article Number	5133001818
EAN Code	489221012629

Standard equipment (RMT200-S)
 1 x flush cutting blade, 1 x wood/metal
 blade, 1 x sanding pad, 6 x sanding
 sheets, hex key, universal accessory
 adaptor

EHT150V 150W Corded Rotary Tool with 115 Accessories

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast and easy accessory change
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	150
No load speed (rpm)	10,000-35,000
Collet capacity (mm)	3.2 mm and 1.6 mm
Weight (kg)	0.58
Supplied in	Kitbox
Article Number	5133000754
EAN Code	4892210114723

Standard equipment (EHT150V)
115 accessories including a flex shaft and bench clamp


NEW RRT1600-K 1600W Corded Router

- Powerful 1600 Watt router makes light work of your woodworking jobs and is ideal for building cabinets
- 0-55mm plunge depth with fine height adjustment for precision control and repeatable cutting with the same settings
- SOFTSTART and in-use SPEEDCONTROL gives the user maximum control when using the tool
- Transparent chip deflector clears away chips so you can always see your line of cut.
- x5 most common cutters included to give you a comprehensive start in routing



Power input (W)	1600
No load speed (rpm)	10,000 - 26,000
Collet capacity (mm)	6.8
Plunge capacity (mm)	0-55
Weight (kg)	7.6
Article Number	5133002421
EAN Code	4892210133632

Standard equipment (RRT1600-K)
1 x 6mm Straight Cutter, 1 x 6mm V-Groove Cutter, 1 x Dovetail Cutter, 1 x Round Over Cutter, 1 x Chamfer Cutter, 1 x Parallel Guide, Template Guide, Dust Port, 1 x 6mm Collet, 1 x 8mm Collet, 1 x Wrench.



EPS80RS

80W Corded Palm Sander

- Ideal for light weight applications such as fine finishing and paint preparation
- Compact 80W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection
- Livetool Indicator™ - Glows blue when plugged into the power supply



Power input (W)	80
Oscillation rate (opm)	12,000
Oscillation diameter (mm)	1.6
Sanding pad size (mm)	99 x 149
Weight (kg)	0.9
Supplied in	Tool bag
Article Number	5133000528
EAN Code	4892210111661

Standard equipment (EPS80RS)
5 x corner pads, 5 x finger pads

EMS180RV

180W Corded Multi-Pad Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
- Quick fit hook and loop sanding sheet attachment
- Livetool Indicator™ - Glows blue when plugged into the power supply



Power input (W)	180
Oscillation rate (opm)	6,000-12,000
Oscillation diameter (mm)	2
Sanding pad size (mm)	-
Weight (kg)	1.4
Supplied in	Tool bag
Article Number	5133000531
EAN Code	4892210111692

Standard equipment (EMS180RV)
5 x corner pads, 5 x third-sheet pads,
5 x finger pads

ESS200RS

200W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 200W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	200
Oscillation rate (opm)	12,000
Oscillation diameter (mm)	2
Sanding pad size (mm)	93 x 185
Weight (kg)	1.5
Supplied in	Recyclable Carton
Article Number	5133000532
EAN Code	4892210111708

Standard equipment (ESS200RS)
2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

ESS280RV

280W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Powerful 280W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	280
Oscillation rate (opm)	7,000-12,000
Diameter of orbit (mm)	2
Sanding pad size (mm)	93x185
Weight (kg)	1.7
Supplied in	Tool bag
Article Number	5133000534
EAN Code	489221011722

Standard equipment (ESS280RV)
2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

ROS300A

300W Corded Random Orbit Sander with 20 Sanding Sheets

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finishing and paint removal
- Powerful 300W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	300
Oscillation rate (opm)	14,000-24,000
Oscillation diameter (mm)	2.4
Sanding pad size (mm)	125
Weight (kg)	1.7
Supplied in	Recyclable Carton
Article Number	5133001142
EAN Code	4892210118325

Standard equipment (ROS300A)
20 x quick fix sanding sheets

EBS800V

800W Corded Belt Sander

- Ideal for heavy duty applications over large areas such as flooring or substantial stock removal
- 76mm (3") belt with a powerful 800W motor for rapid stock removal
- Variable speed (150-320 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Cyclonic action dust box for efficient dust collection
- 4 position adjustable handle for comfort and control
- Automatic tracking to keep the sanding belt centralised, saving time and ensuring a better finish
- Gripzone+™ overmold for added comfort and control
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	800
Belt speed (rpm)	150-320
Belt width (mm)	76
Sanding pad size (mm)	76 x 150
Weight (kg)	3.3
Supplied in	Kitbox
Article Number	5133001146
EAN Code	4892210118301

Standard equipment (EBS800V)
1 x 60 grit sanding sheet, 1 x 100 grit sanding sheet, 1 x 120 grit sanding sheet, 2 x G-clamps, sanding frame

EBS1310VFHG

1350W Corded Belt Sander with Frame

- 100mm (4") belt with a powerful 1350W motor great for shaping and finishing wood and other materials
- Variable speed (240-400 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Sanding frame included to help ensure consistent level sanding over larger areas
- DustTech™ for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	1350
Belt speed (rpm)	240-400
Belt width (mm)	100
Sanding belt size (mm)	610 x 100
Weight (kg)	6.4
Supplied in	Kitbox
Article Number	5133000364
EAN Code	4892210111289

Standard equipment (EBS1310VFHG)

Sanding belts, dust bag, 2 x G-clamps, sanding frame

EPN7582NHG

750W Corded Planer

- Ideal for flattening and smooth rough wood surfaces
- 3 chamfering grooves (0.5, 1, 1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	750
Planing depth (mm)	2
Planing width (mm)	82
Rebate depth (mm)	0-12
No load speed (rpm)	16,000
Weight (kg)	3.2
Supplied in	Kitbox
Article Number	5133000352
EAN Code	4892210111111

Standard equipment (EPN7582NHG)

2 x TCT blades, dust bag, side fence, wrench

Discover how to make creative DIY projects for your home and garden.

PLYWOOD END GRAIN COFFEE TABLE

RECLAIMED TIMBER PLANTER

WALL MOUNTED BIKE STORAGE

FRAMING YOUR FAVOURITE PIC

Follow step-by-step guides so you can DIY at home and impress your family and friends. We'd love to see your creations! Tag your project photos with #MyRyobi and we will share the best ones.

Visit uk.ryobitools.eu/my-ryobi for more information and follow us on Twitter & Instagram @RyobiToolsEU

DECORATING

Heat Guns

69



EHG2000

2000W Corded Heat Gun

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Removable front heat shield allows easy changes between accessories
- Two air flow settings
- Two heat settings 400°C / 600°C
- Overheat protection sensor
- Convenient hanging hook



Power input (W)	2000
Air flow (l/min)	250/500
Weight (kg)	0.7
Supplied in	Recyclable Carton
Article Number	5133001137
EAN Code	4892210118165

Standard equipment (EHG2000)
2 x nozzles

EHG2000LCD

2000W Corded Heat Gun with LCD Display

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnishes or dries wet paint
- Choose your temperature based on your application
- Includes LCD temperature indicator
- Removable front heat shield allows easy changes between accessories
- Two airflow settings
- Overheat protection sensor
- Convenient hanging hook



Power input (W)	2000
Air flow (l/min)	250/500
Weight (kg)	0.8
Supplied in	Kitbox
Article Number	5133001140
EAN Code	4892210118189

Standard equipment (EHG2000LCD)
4 x nozzles, 1 x scraper



BENCHTOP TOOLS & STANDS

Mitre Saws	71
Table Saws	72
Wet Tile Saw	73
Leg Stands	73



EMS216L

1500W Corded Mitre Saw, 216mm Blade

- Powerful 1500W motor for excellent cutting performance
- Forward sliding bars allows user to work up against the wall
- Extra wide side extensions to support large timber
- 2 LEDs for maximum visibility of cut line
- Exactline Laser Technology for guiding the user and increasing accuracy
- Ergonomic GripZone for comfortable and fast cuts
- 48T TCT blade that delivers a fine cut finish and maximum depth of cut



Dust Tech™ LASER

Power input (W)	1500
Blade diameter (mm)	216
Blade type	48-tooth TCT
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Bevel capacity left (°)	47
Bevel capacity right (°)	2
Weight (kg)	13
Supplied in	Recyclable Carton
Article Number	5133001197
EAN Code	4892210119384

Standard equipment (EMS216L)
48-tooth TCT blade, extensions,
1 x clamp, dust bag, wrench

Also Available as

1500W Corded Compound Slide Mitre Saw
with Leg Stand

Name:	Product Code:	EAN Code:
EMS216L-LSG	5133002365	4892210132062

EMS254L

2000W Corded Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity



Dust Tech™ LASER

Power input (W)	2000
Blade diameter (mm)	254
Blade type	48-tooth TCT
No load speed (rpm)	4,500
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Bevel capacity left (°)	47
Bevel capacity right (°)	2
Weight (kg)	16.2
Supplied in	Recyclable Carton
Article Number	5133001202
EAN Code	4892210119148

Standard equipment (EMS254L)
24-tooth TCT blade, extensions,
1 x clamp, dust bag, wrench

RTMS1800-G

1800W Corded Table Mitre Saw

- 1800W motor and a 48TCT blade for powerful performances
- A cast aluminum table that provides a perfectly flat cutting surface and a laser that offers guidance
- Light and compact for easy storage and transportation.
- Ergonomic handle that promises comfortable repeat cuts
- The soft start feature that delivers extra protection
- Overload protection for longer product life expectancy



Power input (W)	1,800
No load speed (rpm)	4,800
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 90° (mm)	60
Weight (kg)	26.8
Supplied in	-
Article Number	5133002152
EAN Code	4892210128225

Standard equipment (RTMS1800-G)
48-tooth TCT blade

RTS1800-G

1800W Corded Table Saw

- Powerful 1800W motor for easy cutting
- Aluminium table top and front & rear locking sides for accurate cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angles to be cut between +60° and -60°



Power input (W)	1,800
No load speed (rpm)	4,500
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 590
Weight (kg)	17.8
Supplied in	-
Article Number	5133002021
EAN Code	4892210126276

Standard equipment (RTS1800-G)
48-tooth TCT blade

Also available as

1800W Corded Table Saw with removeable stand

Name: RTS1800S-G	Product Code: 5133002221	EAN Code: 4892210128935
---------------------	-----------------------------	----------------------------

RTS1800ES-G

1800W Corded Table Saw with Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support of up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and / or bevel adjustment
- Overload protection ensures long term durability and added safety
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Removable and collapsible stand for easy storage



Power input (W)	1,800
No load speed (rpm)	4,800
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	24.3
Supplied in	-
Article Number	5133002023
EAN Code	4892210126023

Standard equipment (RTS1800ES-G)
48-tooth TCT blade, Collapsible stand

RTS1800EF-G

1800W Corded Table Saw with Wheeled Stand

- Powerful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
- Extendable side fence allows increased material support up to 480mm
- Front and rear locking side fence for accurate and precise cutting
- Dual purpose handle for quick and easy height and/ or bevel adjustment
- Overload protection ensures long term durability and added safety
- Soft start ensures the product is easy to use and protects long term durability
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Built in tool box for additional accessory storage
- Deluxe collapsible stand with wheels for easy storage and transportation



Power input (W)	1800
No load speed (rpm)	4,500
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 870
Weight (kg)	26.8
Supplied in	Recyclable Carton
Article Number	5133002025
EAN Code	4892210125996

Standard equipment (RTS1800EF-G)
48-tooth TCT blade, Deluxe collapsible stand

WS721S

500W Corded Wet Tile Saw, 178mm Blade

- Stainless steel cutting table for increased durability Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC), chicken wire, cardboard, lino flooring, carpet, denim and leather
- Mitre guide for making mitre cuts from 0 to 45 degrees
- The rip guide locks along the front and rear of the table for added stability
- Folding leg stand provides secure platform with convenient portability
- 17.8cm (17?) continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Integrated water tray for dust free cutting
- Circuit Breaker Plug for additional safety when wet cutting
- Integrated water tray for dust free cutting



Power input (W)	500
No load speed (rpm)	2,900
Blade width (mm)	178
Bore size (mm)	25.4
Max. cutting depth (mm)	32
Bevel capacity (°)	45
Weight (kg)	15.7
Supplied in	-
Article Number	5133000285
EAN Code	4892210112040

Standard equipment (WS721S)
Diamond blade, stand, mitre fence and rip fence

RLS01

Adjustable Leg Stand 294cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1380 to 2904
Loading capacity	181kg
Weight (kg)	21.9
Supplied in	-
Article Number	5133001200
EAN Code	4892210118363

Standard equipment (RLS01)
2 x saw mount bracket, 2 x work support, extension arms

RLS02

Adjustable Leg Stand 216cm

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms with work support brackets
- Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage



Dimensions (mm)	1008 to 2160
Loading capacity	181kg
Weight (kg)	15.9
Supplied in	-
Article Number	5133001817
EAN Code	4892210122582

Standard equipment (RLS02)
2 x saw mount bracket, 2 x work support, extension arms

Screwdriving Accessories



RAK10SD

10 Piece Screwdriver Set

- 9x 25 mm Screwdriving Bits & 1x 60mm Magnetic Bit Holder
- 9 x 25 mm Screwdriving Bits PH1 / PH2 / PH3 / PZ1 / PZ2 / PZ3 / SL4.5 / SL5.5 / SL6.5 & 1 x 60mm Magnetic Bit Holder



RAK10TSD

10 Piece Torx Screwdriver Set

- 9x 25mm Screwdriving Bits & 1x 60mm Magnetic Bit Holder
- 9 x 25mm Screwdriving Bits: TX 10 / 3 X 20 / 3 X 25 / 30 / 40 & 1 X 60mm Magnetic Bit Holder



RAK16FP

16 Piece 'Flat Pack Furniture' Screwdriver Set

- 16 Piece 'Flat Pack Furniture' Screwdriver Set



RAK17SD

17 Piece Screwdriver Set

- 16x 25mm Screwdriving Bits & 1x 60mm magnetic Bit Holder



RAK17SDC

17 Piece Screwdriver Kit

- 16x 25mm Colour Coded Screwdriver Bits & 1x 60mm Magnetic Bit Holder



RAK28SD

28 Piece Screwdriving Set

- Screwdriver Bits: 18x 25mm, 8x 50mm, 1x 89mm, 1x 60mm
Magnetic Bit Holder & 2x Socket Adaptors



RAK31SDI

31 Piece Impact Rated Screwdriver Kit

- Impact Rated bits are designed to endure the toughest torque applications, ideal for demanding jobs
- Composed of impact strength steel. Last x 10 times longer than regular screw driving bits
- Ideal kit for demanding screwdriving applications



RAK32TSD

32 Piece Torx Screwdriver Box

- Made up of 31 of the most commonly torx bits including 7x T20, T25 & 4 x T15
- Quick lock & release magnetic bit holder for secure grip
- Handy belt clip for each access to screwdriver bits



RAK32MSD

32 Piece Screwdriving Set

- Quick lock & release magnetic bit holder for secure grip
- Handy belt clip for each access to screwdriver bits



RAK40SD

40 Piece Screwdriving Kit

- 7x 50mm Screwdriver Bits. 2x Philips (PH1 – PH2). 2x Pozidrive (PZ1 – PZ2). 3x Torx® (TX10 – TX20), 1x 60mm Magnetic Bit Holder.



RAK59SD

59 Piece Screwdriving Set with Screwdriver

- Nut driver: 5, 5.5, 6, 8, 10mm. Ratcheting small screwdriver handle. 39x 25mm driver bits, 15x 50mm driver bits & Mag bit holder.



Drilling & Driving Accessories



RAK22QC

22 Piece Quick-Change Set

- Compact kit that includes accessories for screwdriving as well as metal, plastic and masonry drilling



RAK46MIX

46 Piece Mixed Drill / Driving Application Kit

- Handy fold out kit that includes accessories for all screwdriving tasks as well as metal, plastic and masonry drilling



RAK69MIX

69 Piece Mixed Drill / Driving Application Kit

- Handy fold out kit that includes accessories for all screwdriving tasks as well as wood, metal, plastic and masonry drilling
- Includes 3-10 mm brad point drill bits for wood applications



RAK86MIX

86 Piece Mixed Drill / Driving Application Kit

- Handy fold out kit that includes accessories for all screwdriving tasks as well as wood, metal, plastic and masonry drilling
- Includes 3-10mm brad point drill bits and 16/22mm spade bits for wood applications



RAK60DDF

60 Piece Drilling and Driving Set

- 60 pcs foldable kit with bits for all screwdriving jobs including wood, metal, plastic and masonry drilling



RAK95DDF

95 Piece drill Driving Foldable Kit

- 95 pcs foldable kit that includes accessories for all screwdriving tasks as well as wood, metal, plastic and masonry drilling
- Includes nut driver set for working with nuts, bolts and hex head fasteners



Cutting Accessories



CSB165A1

165mm Cordless Circular Saw Blade

- Tungsten carbide teeth for faster and sharper cuts
- 40 teeth give a smoother finish to the application
- Designed and optimised for Cordless: Ultra Thin Blade with 1.6mm kerf



CSB150A1

150mm Circular Saw Blade

- Fits Models: LCS180, RWSL1801



CSB190A1

190mm Circular Saw Blade

- Fits RWS1250/1400/1600, EWS1266/1366



RAK03SR

3 Piece Circ Saw Guide Rail

- Fits Models: RWS1250, RWS1400, RWS1600
- Total Length 1220mm



SB216T48A1

216mm Mitre saw Blade

- Tungsten carbide teeth for sharper and faster cuts
- 48 teeth give a smoother finish to the application
- Fits model EMS216L and other saws



SB254T48A1

254mm Mitre saw Blade

- Tungsten Carbide teeth for faster & sharper cuts
- 48 teeth give a smoother finish to the application
- Fits EMS254L, RTS1800, RTMS1800 and other saws



RAK10JSB

10 piece Mixed Jigsaw Blade Set

- Universal shank fitment make it compatible with any jigsaw
- Ideal for wood, metal and plastic applications
- Includes a variety of blades (6-24 TPI) that give a different finish to suit your application



Sanding Accessories



SPS20A 20 x Palm Sanding Sheets

- Fits Model EPS80RS



SCS10A 10 x Triangular Detail Sanding Sheets

- Fits Models: ECS1214N, CCC1801M



RO125A10 10pcs 125mm Random Orbital Sanding Discs

- Fits Model ROS300



BSS76A2 2 x 76mm Sanding Belt

- Fits Model EBS800V, EBS800, EBS9576VFHG



BSS100A2 2 x 100mm Sanding Belt

- Fits Model EBS1310VFHG



Tiling Accessories




TSB180A1 178mm Tile Saw Blade

- Fits WS721S



RAK05MT Universal 5 piece Multi-tool blades set

- 28mm Plunge Cut Blade, 20mm Bi-metal Plunge Cut Blade, Grout Removal Blade, 30G Carbide Rasp, 26mm Scrapper Blade
- Includes bag for storing blades after use



Grinding & Polishing Accessories



AGDD125A1

125mm Angle Grinding Diamond Disc

- Compatible with EAG950RB, EAG8512RHG, EAG750RB



AGDD230A1

230mm Diamond Cutting Disc

- Fits Model: EAG2000RS



RAK2BB

Buffing and Polishing Bonnet Set

- Ideal set for polishing and removing wax, cleaning and drying surfaces
- 1 x Buffing Bonnet, 1 x Polishing Bonnet



Ryobi Garden Tools

RYOBI[®]

DESIGNED
TO DO
MORE

ryobitools.eu



Have every outdoor
corner covered.

A range of garden tools for creating
immaculate-looking gardens.

From mowing and trimming to woodcutting and garden tidy-up,
you can look after your entire garden with Ryobi through every
season. Choose between cordless, electric or petrol power to
suit your needs.

Find out
more about our
garden range at:
ryobitools.eu
or pick up a Garden Tools
catalogue in-store.



RYOBI®

**DESIGNED
TO DO
MORE**

ryobitools.eu



**ONE Battery
40+ Tools
Endless Possibilities**



@RyobiToolsEU



Ryobi Technologies (UK) Limited

1st Floor Unit 3 Globeside Business Park,
Fieldhouse Lane, Marlow, Bucks, SL71HZ

Tel: +44 (0) 1628 894 400

Fax: +44 (0) 1628 894 401

Email: Sales@tti-uk.com

Web: www.ryobitools.eu



Dealer stamp:

Content of the catalogue is correct at time of going to print. Ryobi® reserve the right to change images and prices without prior notice. The use of the trademark RYOBI® is pursuant to a license granted by Ryobi® Limited.

Technical helpline: +44 (0) 800 389 0305

For your nearest local service centre please contact customer services

on: +44 (0) 1628 894 400