





Pharmaceutical Products Brochure





SEP Trade's mission is to be your Trusted Medical Trade Partner. Our team has over 20 years of combined experience in Trade, Operations and IT.

We are a UAE DED licensed company for sterilizers, disinfectants, masks, gloves, pharmaceutical products, cosmetics and other healthcare products.

With a large variety of trade products, we ensure our customers get our whole focus on what is currently in high demand.



PHARMEX SA, with a prominent course of 40 years in the field of dermatological and cosmetic products, maintains long standing partnerships, as the exclusive importer of foreign brands. It has developed product lines of high quality cosmetic care, that satisfy even the most demanding consumer, as well as Health professionals, Pharmacists and Dermatologists, who know exactly what results they desire.

The implementation of a dynamic and well staffed business model ensures the success of the company's activities. Through partnerships with multinational corporations in the medicalpharmaceutical field and with producers of global reach, PHARMEX SA drives the research and development of innovative products.

GROWART®

ALIMENTARY TRACT AND METABOLISM

Carnitine deficiency

Indications

Primary and secondary carnitine deficiency [SUPERAMIN].

Composition

Active substances: Levocarnitine

Form

Oral. Sol 1g/10ml Vial

Container

Btx10Vials



CLARIMEX®

ANTIINFECTIVES

Antibacterials

Indications

Treatment of infections caused by sensitive to clarithromycin microorganisms[KLARICID].

Composition

Active substances: Clarithromycin

Form

F.C. Tab 500mg/TAB

Container

Btx21tabs



MEROVIA®

Pharmaceutical Form: PD.I.S.SOL

Dosage: 1000 mg/VIAL

Packaging: BTX10VIALS

The advantage in antimicrobial treatment

Therapeutic indications

MEROVIA is indicated for the treatment of the following infections in adults and children over 3 months of age

• Severe pneumonia, including hospital and ventilatorassociated pneumonia.

- Broncho-pulmonary infections in cystic fibrosis
- Complicated urinary tract infections
- Complicated intra-abdominal infections
- Intra- and post-partum infections
- Complicated skin and soft tissue infections
- Acute bacterial meningitis

MEROVIA® may be used in the management of neutropenic patients with fever that is suspected to be due to a bacterial infection.



LARVIN®

ANTITHROMBOTIC AGENTS

Platelet aggregation inhibitors

Indications

Prevention of atherothromotic events in adult patients suffering from myocardial infraction, ischemic stroke, or established peripheral arterial disease [PLAVIX].

Composition

Active substances: Clopidogrel

Form

F.C. TAB 75mg/TAB



LORVATEN®

CARDIOVASCULAR

Antilipidaemics

Indications

For lowering cholesterol and trigyceride levels in the blood [LIPITOR].

Composition

Active substances: Atorvastatin

Form

F.C. Tab 20mg/TAB

F.C. Tab 40mg/TAB



VERITRAT®

CARDIOVASCULAR

Antilipidaemics

Indications

Treatment of primary hypercholesterolemia, mixed dyslipidaemia, homozygous familial hypercholesterolemia. Cardiovascular prevention in patients with atherosclerotic cardiovascular disease [ZOCOR].

Composition

Active substances: Simvastatin

Form

F.C. Tabs 40mg/TAB



PIDOLEN®

CARDIOVASCULAR

Calcium channel bloquers

Indications

Idiopathic hypertension and chronic angina [NORVASC].

Composition

Active substances: Amlodipine

Form

CAPS 5mg/CAP

CAPS 10mg/CAP



SEP Trade

FERALICE®

B03 ANTIANEMIC PREPARATIONS

B03A IRON PREPARATIONS

Indications

Treatment of anaemia due to iron deficiency. Prophylactic therapy of iron deficiency during pregnancy.

Composition

Active substances: Ferric hydroxide polymaltose complex

Form

100mg/5ml vial

Container BT x 10vials x 5ml



CIPOCAL®

DERMATOLOGICALS

Antipsoriatics

Indications

For the local treatment of the mild to moderate psoriasis bulgaris [DOVONEX].

Composition

Active substances: Calcipotriol

Form

Cream 0,005%

Ointment 0,005%

Container Tubx30G



AMPITASOL®

DERMATOLOGICALS

Antiseptics-Disinfectants

Indications

For the pre-operative disinfection of skin and hands. For the disinfection of the healthy skin in case of infectious diseases [AMPITASOL].

Composition

Active substances: Triclosan

Form

Medicinal Liquid Soap 0,4%

Container

Bottle 100ml

Bottle 1000ml





SEP Trade



BUDESODERM® Cream

DERMATOLOGICALS

Corticosteroids

Indications

Skin disorders that require potent corticosteroids: Psoriasis, Atopical eczema, Nummular eczema, Contact dermatitis, Mastocytosis, Lupus erythematosus, Parapsoriasis, Alopecia areata [PIMOFTAL].

Composition

Active substances: Budesonide

Form

Cr. Ext. us 0,025%

Container Tubx50G



BUDESODERM® Cut. Sol.

DERMATOLOGICALS

Corticosteroids

Indications

Skin disorders that require potent corticosteroids: Psoriasis, Atopical eczema, Nummular eczema, Contact dermatitis, Mastocytosis, Lupus erythematosus, Parapsoriasis, Alopecia areata [PIMOFTAL].

Composition

Active substances: Budesonide

Form Cut. Sol. 0,025%

Container

Bottlex30ML

Bottlex100ML



Eolan®

DERMATOLOGICALS

Corticosteroids

Indications

Skin disorders that require potent corticosteroids: Psoriasis, Atopical eczema, Nummular eczema, Contact dermatitis, Mastocytosis, Lupus erythematosus, Parapsoriasis, Alopecia areata [PIMOFTAL].

Composition

Active substances: Budesonide

Form Cr. Ext. us 0,025%

Container Tubx50G





PHARMECORT® Cream

DERMATOLOGICALS

Corticosteroids

Indications

For the relief of inflammatory and irritating reactions of the skin that respond to corticosteroids as psoriasis and atopic dermatitis [ELOCON].

Composition

Active substances: Mometasone Furoate

Form Cream 0,1%

Container

TUBx25G



PHARMECORT® Cut. Sol.

DERMATOLOGICALS

Corticosteroids

Indications

For the relief of inflammatory and irritating reactions of the skin that respond to corticosteroids as psoriasis and atopic dermatitis, and for the skin lesions of the scalp [ELOCON].

Composition

Active substances: Mometasone Furoate

Form Cut. Sol. 0,1%

Container

Bottlex30ML



THILODEXINE®

DERMATOLOGICALS

Corticosteroids

Indications

Skin disorders that require weak topical corticosteroids: Pruritus ani, vulvae, scroti, Seborrheic dermatitis, Atopical eczema in children [THILODEXINE].

Composition

Active substances: Dexamethasone

Form

Cream 0,1%

Cut. Sol 0,1%

Container

Tubx10G

Flx30ML





BETAFUSIN® Cream

DERMATOLOGICALS

Corticosteroids, combinations with antibiotics

Indications

For the inflammatory dermatitis, of various types, with the presence or the possibility of bacterial infection [FUSICORT].

Composition

Active substances: Fusidic acid, Betamethasone valerate

Form Cream 2%+0,1%

Container

TUB x 15G

TUB x 30G



SAOCIN-D®

DERMATOLOGICALS

Corticosteroids, combinations with antibiotics

Indications

Skin disorders that require weak topical corticosteroids: Pruritus ani, vulvae, scroti Seborrheic dermatitis Atopical eczema in children [SAOCIN-D]

Composition

Active substances: Dexamethasone, Neomycin sulphate

Form Ointment 0,1%+0,5%

Container

TUB x 20G



BOTAFEX®

DERMATOLOGICALS

Other dermatological preparations

Indications

For the topical treatment of androgenetic alopecia [REGAINE].

Composition

Active substances: Minoxidil

Form

Cut. Sol 2%

Cut. Sol 5%

Container

Fl x 60ML





DAOHAIR-S®

DERMATOLOGICALS

Other dermatological preparations

Indications

Seborrhea causing excessive sebum production, or exfoliation (dandruff), with hard and fragile hair. It also combats the itching of the scalp, caused by various dermomyces [DAOHAIR-S].

Composition

Active substances: Pyrithione zinc

Form

Medicinal Shampoo 1%

Container Fl x 120g



VAMAC®

DRUGS FOR PEPTIC ULCER AND GASTRO-OESOPHAGEAL REFLUX DISEASE

Proton pump inhibitors

Indications

Treatment of oesophageal reflux disease. Treatment of duodenal and benign gastric ulcers. Zollinger-Ellison syndrome [LOSEC].

Composition

Active substances: Omeprazole

Form GR. CAP. 20mg/CAP

Container

Btx14

Btx28







GLYCEFORT UP®

MUSCULOSKELETAL

Antiinflammatory and antirheumatic products

Indications

Treatment of osteoarthritis [DONAROT].

Composition

Active substances: Glucosamine Sulphate

Form

PD. OR. SOL 1,884 (1,5g/sachet)

Container

Btx30 sachets



ENIMON®

MUSCULOSKELETAL

Osteoporosis

Indications

Treatment of post-menopausal osteoporosis. Reduction of vertebral and hip fracture risk [FOSAMAX].

Composition

Active substances: Alendronate Sodium Trihydrate

Form

Tab 70mg/TAB

Container

Btx4



PHARMEXIN®

OPHTHALMOLOGICALS

Sympathomimetics in glaucoma therapy

Indications

Reduction of elevated intra-ocular pressure in patients with open-angle glaucoma or ocular hypertension [ALPHAGAN].

Composition

Active substances: Brimonidine tartrate

Form

Eye. Dr. Sol 0,2%

Container

Flx5ML



PHARDINOL®

OPHTHALMOLOGICALS

Antiglaucoma preparations

Indications Indicated in the treatment of elevated intraocular pressure (IOP) in patients with open-angle glaucoma or pseudoexfoliative glaucoma, when beta bloquer monotherapy is not sufficient [COSOPT].

Composition

Active substances: Dorzolamide hydrochloride, Timolol maleate

Form Eye. Dr. Sol (2+0,5%)

Container

Bt x 1vial x 5ML



THILOCOF®



OPHTHALMOLOGICALS

Antibiotics

Indications

Treatment of bacterial infections of the eye [THILOCOF].

Composition

Active substances: Azidamphenicol

Form

Eye. Dr. Sol 1%

Container

Flx7,5ML



THILODEXINE®

OPHTHALMOLOGICALS

Corticosteroids

Indications

Aseptic inflammatory conditions and autoimmune conditions of the eye which are corticosteroid responsive. Allergic conjunctivitis including seasonal conjunctivitis, scleritis, episcleritis, superficial punctuate keratitis, non infectious conjunctivitis, seborrhoeic blepharitis, keratitis from herpes viruses (under antiviral treatment) iridocyclitis and certain cases of infectious conjunctivitis and keratitis. Also in sclera disorders from wound, chemical, radiation and penetration of foreign bodies or burns. Finally to almost all the post surgical procedures on and in the eye ball [THILODEXINE].

Composition

Active substances: Dexamethasone

Form Eye. Dr. Sol 0,1%

Container Flx5ML



SAOCIN-D®

OPHTHALMOLOGICALS

Corticosteroids and antiinfectives in combination

Indications

Treatment of blepharitis (palpebritis), conjunctivitis and keratitis. Treatment after penetration of foreign bodies and after the abstraction. Allergic and non infectious irritation of the eye with the probability of infection [SAOCIN-D].

Composition

Active substances: Dexamethasone Phosphate, Neomycin

Form Eye Oint. (0,05+0,5)%

Container

Tubx5g



MENI-DROPS®

OPHTHALMOLOGICALS

Other antiallergics

Indications

Symptomatic treatment of the seasonal allergic conjunctivitis [ZADITEN].

Composition

Active substances: Ketotifen

Form

Eye. Dr. Sol 0,025%

Container

Flx5ML



UTEL®

RESPIRATORY

Antihistamines

Indications

For the relief of the symptoms related to allergic rhinitis. Also, for the relief of the symptoms of the chronic urticaria [CLARITYNE].

Composition

Active substances: Loratadine

Form

Tabs 10mg/TAB

Syrup 5mg/5ml

Container

Btx21tabs

Bottle 120ml



AXELOVERT®

RESPIRATORY

Corticosteroids-antiallergics

Indications

Treatment of adult patients and children with seasonal or perennial allergic rhinitis. Treatment of non allergic rhinitis [PULMICORT].

Composition

Active substances: Budesonide

Form

Naspr. Sus 100mcg/DOSE (200 doses)

Container

Flx10ml



RONDOVER®

RESPIRATORY

Cough supressants

Indications

Treatment of dry cough [SINECOD].

Composition

Active substances: Butamirate Citrate

Form

Syrup 7,5mg/5ml

Container

Flx200ml





SEP Trade

Your Trusted Medical Trade Partner

exclusive importer/distributor in M.E.N.A. Region for



Contact Us sales@sep-trade.com