

AL-KO

QUALITY FOR LIFE

GRASS CUTTING CATALOGUE 2013







MOWING & CARING FOR LAWNS

A beautiful garden is the best place to relax – especially if the lawn is perfectly mown and cared for. All that is required are a few skilful interventions and, of course, the right tools:

	Page
Hand Push Mowers	10 – 11
Electric Lawnmowers	12 – 17
Petrol Lawnmowers	
Comfort	20 – 23
Bio	24 – 25
Premium	26 – 33
Highline	34 – 39
Powerline	40 – 47
Easy-Mow	48 – 51
Lawn Tractors	52 – 57
Robotic Lawnmowers	58 – 61
Scythe Mowers	62 – 63



The Executive Directors of AL-KO KOBBER AG (from L-R.):
Harald, Raymond, Roland and Stefan Kober

HISTORY AND PRESENT DAY

AL-KO KOBBER AG was founded in 1931 by Alois Kober, as a small metalworking shop in the village of Großkötz near Günzburg, located in southern Germany close to the boundary between Bavaria and Swabia. Today, with a total of 50 sites and about 4,200 employees, it is one of the world's leading producers of vehicle technology, garden tools and air technology. Now in the third generation, the family firm is still run according to the principles laid down by its founder – a continuous striving for quality, innovative spirit and ingenious functions, coupled with contemporary design, convenience and reliability.

www.al-ko.com/garden

FOR GREATER ENJOYMENT IN THE GARDEN

There is no doubt that it's great when our lawnmowers can mow, collect, mulch and side-discharge. We are also very proud to have developed the first lawnrake that can also scarify. Quite apart from the new, extra-tall steel plate deck of the Highline petrol lawnmowers. But what would our innovations be without you, our customers? After all, it is only you who make our garden tools a success. And that is why we do all we can to enthuse you – so that every day you can stand in your personal paradise with a feeling of satisfaction, and say to yourself, "Perfect."

Plunge into the world of AL-KO and get to know our high-quality products – without doubt you will also find just the right implement for your requirements. Have fun browsing and discovering – and of course when you are working with your AL-KO garden tools.



Stefan Kober
Managing Director

Antonio De Filippo
Managing Director



Board of Management of AL-KO Geräte GmbH (from L-R.):
Stefan Kober and Antonio De Filippo

QUALITY FOR LIFE FROM THE VILLAGE SMITHY TO A GLOBAL COMPANY



AL-KO lawnmowers are built on a greenfield site at the Obdach plant in Austria

QUALITY FOR LIFE

AL-KO stands for lawnmowers made in Austria. Here, in tranquil Obdach in Styria, we have been producing our high-quality garden tools since 1966. With the flexibility and security of a family-run company, our goal is to meet the requirements of our trading partners and customers all of the time.

INSIDE AL-KO ENGINEERED IN GERMANY – MADE IN AUSTRIA

ALWAYS ONE STEP AHEAD

AL-KO stands for garden tools engineered in Germany. Close to Günzburg on the boundary between Bavaria and Swabia, we have been designing and developing garden tools for more than 40 years now – tools which combine innovative spirit, the highest quality and cutting-edge technology. Always on the search for the optimum, always aiming to shape the future.



From raw material to the finished product – the lawnmowers are produced step-by-step with painstaking attention to detail

WHICH MOWER FOR YOUR GARDEN?

**WITH AL-KO, YOU CAN FIND THE CORRECT MOWER FOR
YOUR REQUIREMENTS**



HOW LONG WOULD YOU LIKE TO MOW FOR?

We recommend choosing the size of your mower according to the size of your garden. The decisive factor for the mowing time is the cutting width. General rule: The larger the cutting width, the faster you get the job of mowing done. In addition, you do not need to empty the grass catcher so often, because it is usually larger on wider machines.





DO YOU NEED FUNCTIONS SUCH AS MULCH OR SIDE-DISCHARGE?

AL -KO petrol lawnmowers are the masters of their trade – including when it comes to mulching and side-discharging. This is because many models can be converted in a matter of moments, without needing tools, simply by installing the mulching insert or side discharge chute. In this regard, always look out for the **3INONE** or **4INONE** functions.




HOW DOES YOUR GARDEN GROW?

Whether it is a small garden with a small lawn, a medium-sized garden with beds and slopes or a large and complex garden – irrespective of what your garden looks like and what your expectations for convenience are, we always have the right tool for you: from the small electric mower with 32cm cutting width, to petrol lawnmowers with variable speed wheel drive, or even lawn tractors with cutting widths up to 102cm.



SMALL GARDENS

Are your garden and lawn relatively small? Then we recommend either an eco-friendly push mower, or a light and manoeuvrable walk-behind mower with an electric motor or petrol engine.



MEDIUM GARDENS

Does your garden have relatively large lawns, as well as slight slopes? Then we would advise you to choose a fairly wide machine with wheel drive for convenient and energy-saving mowing.



LARGE GARDENS

Does your garden have a large lawn, beds, trees and shrubs? Do you have slopes and occasionally long grass? In that case, a mower with wheel drive and variable speed control, or a lawn tractor is just the job for you.

DO-IT-YOURSELF GOLF GREENS

ZERO EMISSIONS WITH AL-KO CYLINDER MOWERS



MANOEUVRABLE ON THE LAWN

The single-axle design of the AL -KO cylinder mowers ensures extreme manoeuvrability, and easily compensates for undulating ground.





SPECIAL CYLINDER

The high-quality 5-blade mowing cylinder made of hardened steel ensures a perfect cut and uniform filling of the grass catcher.



SIMPLE STORAGE

Thanks to the integrated quicklock, the cylinder mower can easily be folded together to save space (only with SoftTouch 380 HM Premium).



EXACT CUTTING

Mowing a lawn with a cylinder mower means the grass blades are cut off as clean as if cut with a pair of scissors. The cutting technology plays an important role in this: the mowing cylinder and the lower blade do not come into contact, which means the mower is particularly gentle on the lawn.



FUNCTIONAL DESIGN

Light and robust new deck design and new XL wide tyres. The rubber bumper protects the deck from impact and scratches.

+ Ergonomic handlebar

+ Robust aluminium handlebar centre piece and quick lock



	Soft Touch 2.8 HM Classic	Soft Touch 38 HM Comfort	Soft Touch 380 HM Premium
Cutting width	28 cm	38 cm	38 cm
Lawns to	150 m ²	250 m ²	250 m ²
Cutting height / cutting height adjustment	14–35 mm / 4-stage	14–35 mm / 4-stage	14–35 mm / 4-stage
Mowing cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Cutting technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel ø	220 mm	220 mm	220 mm
Grass catcher capacity	23 l	35 l	35 l
Weight approx.	7.5 kg	7.9 kg	9.8 kg
Art. no	112 664	112 663	112 665
Price inc VAT*	£59.00	£79.00	£99.00

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | Light, robust deck
- | High-quality 5-blade mowing cylinder for a precise and accurate cut
- | Extremely manoeuvrable and particularly gentle on the lawn
- | Zero emissions and quiet

AFFORDABLE QUALITY

THE CLASSIC ELECTRIC MOWERS RANGE



SAFE HANDLING

The double-action switch with cable strain relief hook ensure optimal operator safety at all times.



PRECISE EDGE MOWING

Knife-sharp mowing up to the edge – thanks to the special deck geometry in which the wheels do not protrude, it is possible to mow along walls without problems.



PERFECT GRASS CATCHER

Grass catcher with aerodynamic air flow for optimum filling. With automatic fill-level indicator as well as a large opening and practical carry handle for easy emptying without leaving anything behind.



SIMPLE HEIGHT ADJUSTMENT

The Wheel & Click system makes it possible to adjust the cutting height in a matter of seconds. Simply press the red button, pull off the wheel, move the axle to the required position and push the wheel back on until it clicks.

+ Robust and manoeuvrable, Wheel & Click system



+ Larger cutting width and more power, with Wheel & Click system



	Classic 3.2 E	Classic 3.8 E
Cutting width	32 cm	38 cm
Lawns to	250 m ²	500 m ²
Cutting height / cutting height adjustment	23–62 mm / quick wheel lock, 4-stage	23–62 mm / quick wheel lock, 4-stage
Motor, Power	Electric Induction, 1,000 W	Electric Induction, 1,300 W
Mower deck	Plastic PP	Plastic PP
Grass catcher capacity	30 l	43 l
Wheel ø front/rear	125/150 mm	150/180 mm
Weight approx.	12.0 kg	14.5 kg
Art. no	112 736	112 737
Price inc VAT*	£99.00	£119.00
Replacement blade Art. no	470 206	513 631

* All prices include VAT and are correct at time of printing. E&OE.



YOUR ADVANTAGES

- | Safety switch with cable strain relief
- | XL tyres for optimal driving comfort
- | Grass catcher with integrated fill-level indicator
- | Quality induction motors for high performance and long life

DESIGN & FUNCTION

AL-KO COMFORT ELECTRIC RANGE



OPTIMUM HANDLING

The height-adjustable, ergonomically shaped handlebar allows fatigue-free working and easy operation. (40E only.)



SIMPLE TRANSPORT

The integrated carrying handle permits easy transport. In addition, the grass catcher can be removed effortlessly and the handlebar can be folded with ease. This allows the lawnmower to be stored without taking up much space.



CENTRAL HEIGHT ADJUSTMENT

The powerful spring support allows the cutting height to be set quickly and conveniently with a hand grip.





MULCH IF YOU WANT

Just mount the mulching insert without tools and work the finely chopped clippings into the lawn as a natural fertiliser (40 E model).

+ Ideal for small lawns

+ Mow, collect and mulch



	34 E Comfort	40 E Comfort
Cutting width	34 cm	40 cm
Lawns to	300 m ²	600 m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	28-68 mm / central, 6-stage	28-68 mm / central, 6-stage
Motor, Power	Electric Induction, 1,200 W	Electric Induction, 1,400 W
Mower deck	Plastic PP	Plastic PP
Grass catcher capacity	37 l	43 l
Wheel ø front/rear	150/165 mm	165/200 mm
Weight approx.	15,0 kg	19,0 kg
Art.no	112 908	112 909
Price inc VAT*	£134.00	£159.00
Replacement blade Art. no	463 800	463 915

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

I **3INONE** function:

Mow, collect and mulch

I **2INONE** function:

Mow and collect

I Light and handy

I Central height adjustment

I XL tyres for optimal driving comfort

I Fill-level indicator integrated into the catcher

ROBUST AND POWERFUL

ELECTRIC MOWER WITH STEEL DECK

PRACTICAL INDICATOR

The fill-level indicator integrated in the grass catcher indicates when the catcher must be emptied so that the discharge channel remains clear.



SIMPLE SETTING

The spoked wheels of AL -KO electric mowers not only reduce wear and tear on the lawn – they also feature quick individual wheel or axle adjustment to move the mower to the right height in a matter of moments.



STURDY STEEL DECK

Compared to plastic decks, steel decks are significantly more robust and resilient to knocks and stone impacts. Furthermore, steel plate mowers usually have larger grass catchers, wider cutting widths and are easier to clean.



FOR SAFETY AND COMFORT

The ergonomically shaped handlebar with safety switch and cable strain relief guarantees convenient, safe and fatigue-free working. The handlebar is also height-adjustable to several different settings.

**Mulch mowing,
height-adjustable
handlebar**



reddot design award
honourable mention 2011

Silver 470 E Premium

Cutting width	46 cm
Lawns to	900 m ²
Function	3INONE function
Cutting height / cutting height adjustment	30–80 mm / individual wheel/ individual axle, 7-stage
Motor, Power	Electric Induction, 1,600 W
Mower deck	Steel plate
Grass catcher capacity	65 l
Wheel ø front/rear	200/280 mm, ball bearings
Weight approx.	30 kg
Art. no	119 009
Price inc VAT*	£269.00
Replacement blade Art. no	440 125




* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **3INONE** function:
Mow, collect and mulch
- | Safety switch with cable strain relief
- | XL/XXL tyres for optimal driving comfort!
- | Grass catcher with integrated fill-level indicator

A RANGE FOR EVERYONE


AL-KO OFFER THE PERFECT PETROL LAWNMOWER FOR EVERY GARDEN




MOW



COLLECT



MULCH



SIDE DISCHARGE

MULTI-FUNCTION EXPLAINED

AL-KO have developed a range of lawnmowers that can effectively mow, collect, mulch and side discharge grass clippings.

Models with **3INONE** functions can mow, collect, and mulch as standard, whilst mowers with **4INONE** functions can also side discharge grass clippings, perfect for longer grass.

CHOOSE YOUR IDEAL RANGE



COMFORT

AFFORDABLE QUALITY

Comfort models offer proven quality German engineering at affordable prices. Featuring great value AL-KO engine or quality Briggs & Stratton engines, a mulching function and conditional 5 year deck warranty as standard.

Pages.....20 – 23



BIO

MULCHING KEEPS THE LAWN FIT

Bio models are dedicated mulching lawnmowers, for fast, environmentally friendly lawn care. With a side discharge feature for mowing longer grass, powerful AL-KO engines and a choice of push and power drive models.

Pages.....24 – 25



PREMIUM

PREMIUM AWARD WINNERS

Premium models incorporate many innovative features to make mowing quicker and easier. Powerful Briggs & Stratton engines are fitted as standard, as are time saving features such as central cutting height adjustment.


Pages.....26 – 33

STEEL OR ALUMINIUM

AL-KO Petrol lawnmowers offer a choice of both steel and aluminium cutter decks.

UltraMow Steel cutter decks are manufactured using AL-KO's unique manufacturing process, whereby the deck is pressed from a single sheet of steel. This creates a flawless, weld-free deck which unlike traditional manufacturing methods is highly resistant to corrosion. As a result, all AL-KO steel deck lawnmowers are covered by a conditional 5 year cutter deck warranty for homeowner use. The smooth finish also results in exceptional performance, whether collecting or mulching.

The high-quality ALUTECH aluminium deck combines the best stability with durability and optimum aerodynamics. What's more, it is torsionally rigid, rust-free and acoustically insulating as well as being extremely resistant to impacts from stones or unevenness.



ULTRAMOW STEEL



ALUTECH ALUMINIUM



HIGHLINE

NEW INNOVATION FOR LAWNS

Highline models feature the latest innovation in cutter deck technology, with MAX AIRFLOW ultra-deep cutter deck design. This new design improves airflow within the cutter deck by up to 42%, for optimal performance whether collecting or mulching.

Pages.....34 – 39



POWERLINE

INNOVATION IN ITS MOST BEAUTIFUL FORM

The Powerline range combines advanced materials, innovative features and the latest advancements in engine technology from Briggs & Stratton. The Powerline range includes the new flagship ALUTECH aluminium 4INONE models.

Pages.....40 – 47



EASY-MOW


AL-KO QUALITY, HONDA POWER

The Easy-Mow range features durable, robust and feature-packed machines with ULTRAMOW Steel cutter decks, powered by easy to start Honda engines. All models feature mulch capability as standard for fast, environmentally friendly lawn care.

Pages.....48 – 51

AFFORDABLE QUALITY

COMFORT PETROL LAWN MOWER RANGE



EXPERIENCE YOU CAN FEEL

Fatigue-free work and easy to use because of the ergonomically shaped handlebar and wheel drive bar. Optimum safety with the full width safety switch.



PRACTICAL FILL-LEVEL INDICATOR

Shows when the grass catcher must be emptied, so the discharge channel remains clear.



PERFECT GRASS CATCHER

Optimum aerodynamics in the air flow enables the grass catcher to be filled to the brim and achieves a perfectly cut lawn.



4INONE function

As well as mowing and collecting, all Comfort models offer additional functions thanks to the mulching insert (left), and on some models side discharge (right).

SIMPLE TO ADJUST

The convenient cutting height adjustment on the rear and front wheels means that the lawnmower can be set to the right cutting height in an instant.



IDEAL MOWER DECK

Aerodynamic deck geometry in conjunction with the offset design enables optimum filling of the grass collector and precise edge mowing.

WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.





COMFORT –POWERFUL MOWERS WITH EXCITING FUNCTIONS



42 B-A Comfort / 42 B Comfort

Cutting width	42 cm
Lawns to	800m ²
Function	3INONE function
Cutting height / cutting height adjustment	25–75 mm / individual wheel, 7-stage
Engine ccm / kW / rpm (B-A Model)	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800
Engine ccm / kW / rpm (B Model)	B&S series 450 148 / 1.9 / 2,900
Wheel drive	-
Mower deck	ULTRAMOW Steel
Grass catcher capacity	65 l
Wheel ø front/rear	180/205 mm
Weight approx.	29.2 kg / 26.0 kg
Art. no	119 381 / 119 324
Price inc VAT*	£199.00 / £229.00
Replacement blade Art. no	463 719



CHOICE OF ENGINES

Briggs & Stratton are the world's largest manufacturer of air-cooled engines. Compact and simple to operate, these engines provide dependable power and exceptional value.

Thanks to the QuickStart system, AL-KO Pro engines can be started quickly and easily. In addition, the OHV technology with overhead valves means they offer outstanding efficiency which pays off in terms of greater power and lower consumption.



+
Wheel drive

+
Wheel drive

+
Wheel drive and
4INONE function



42 BR-A Comfort / 42 BR Comfort	46 B-A Comfort / 46 B Comfort	46 BR-A Comfort / 46 BR Comfort	51 BR-A Comfort / 51 BR Comfort
42 cm	46 cm	46 cm	51 cm
1,100m ²	1,100 m ²	1,400 m ²	1,800 m ²
3INONE function	3INONE function	4INONE function (BR-A) 3INONE function (BR)	4INONE function
25–75 mm / individual wheel / central rear axle, 7-stage	25–75 mm / individual wheel, 7-stage	30–80 mm / individual wheel / central rear axle, 7-stage	30–80 mm / individual wheel / central rear axle, 7-stage
AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 160 Quick-Start 159 / 2.3 / 2,800
B&S series 450 148 / 1.9 / 2,900	B&S series 450 148 / 1.9 / 2,900	B&S series 450 148 / 1.9 / 2,900	B&S series 625 190 / 2.4 / 2,800
1-speed	-	1-speed	1-speed
ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
65 l	65 l	65 l	65 l
180/220 mm, Ball bearings	180/205 mm	200/280 mm, Ball bearings	200/280 mm, Ball bearings
32.0 kg / 29.0 kg	30.1 kg / 27.0 kg	35.9 kg / 30.0 kg	36.4 kg / 34.0 kg
119 504 / 119 284	119 382 / 119 325	119 383 / 119 309	119 384 / 119 388
£289.00 / £319.00	£219.00 / £249.00	£309.00 / £339.00	£379.00 / £449.00
463 719	440 125	440 125	440 126

* All prices include VAT and are correct at time of printing. E&OE.



YOUR ADVANTAGES

I **4INONE** function :
Mow, collect, mulch and side discharge

I **3INONE** function :
Mow, collect and mulch

I Convenient cutting height adjustment

I 65 l grass catcher with fill-level indicator

I Ergonomically shaped handlebar

I XL/XXL smooth-running wheels

I Optional: Wheel drive

MULCHING KEEPS THE LAWN FIT

**MULCHING MOWER FOR
ECOLOGICAL LAWN CARE**



FRONT-WHEEL DRIVE

The labour-saving alternative offers excellent performance above all on undulating ground. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned (BR models).

THE MULCHING PRINCIPLE

During mulch-mowing, the cut blades of grass are flung upwards within the mower deck, finely chopped by the special blade and blown back into the turf as a natural fertiliser – this returns natural nutrients to the lawn and protects it against drying out.





MULCHING OR SIDE DISCHARGE

If required, e.g. for longer grass after a holiday, or for meadows and orchards, the mulching mower can easily be converted into a side-discharge mower.



QUICK HEIGHT ADJUSTMENT

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and true-running.



+
Front-wheel drive for energy-saving mulch-mowing



	Silver 460 B-A Bio	Silver 460 BR-A Bio
Cutting width	46 cm	46 cm
Function	2INONE function	2INONE function
Lawns to	1,100 m ²	1,400 m ²
Cutting height / cutting height adjustment	30–85 mm / wheel axle, 4-stage	30–85 mm / wheel axle, 4-stage
Engine ccm / kW / rpm	AL-KO Pro 140 Quick Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick Start 140 / 2.1 / 2,800
Wheel drive	–	1-speed
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel
Wheel ø front/rear	205/205 mm	220/205 mm, Ball bearings
Weight approx.	26.4 kg	30.9 kg
Art. no	119 389	119 390
Price inc VAT*	£269.00	£369.00
Replacement blade Art. no	470 389	470 389

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **2INONE** function :
 - Mulch mowing and discharge to the side
- | Convenient cutting height adjustment
- | Ergonomically shaped handlebar
- | XL wheels are gentle on the lawn

PREMIUM AWARD WINNERS

THE PREMIUM PETROL LAWN MOWER WITH FULL SPECIFICATION



OPTIMUM WORK HEIGHT

Easily reachable controls, an ergonomic rubberised handlebar as well as multiple handlebar height adjustments facilitate practical handling. (BRV models only.)



EVERY STEP OF THE WAY

Wheel drive makes lawn mowing even less of a struggle; it is even possible to adapt to the operator's walking pace thanks to Speed Control. (BRV models only.)



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be changed conveniently using a hand grip. Central and easy with spring support.



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO mowers – simply insert the mulching insert and as you mow the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



SIDE DISCHARGE FOR LONGER GRASS

Premium can not only collect optimally, but also discharge to the side. The practical alternative, especially for meadows and orchards. (Selected models.)



PRECISE EDGE MOWING

The offset design means that Premium lawnmowers can also be used for mowing along the side of walls without problems – for a perfect result right up to the edge, without any major trimming afterwards.



PERFECT GRASS CATCHER

Grass catcher with aerodynamic air flow for optimum filling. With automatic fill-level indicator and special geometry for simple and complete emptying.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.



AL-KO PREMIUM LINE – THE VERSATILE MOWER MADE OF PREMIUM STEEL



430 B Premium	
Cutting width	42 cm
Lawns to	800 m ²
Function	3INONE function
Cutting height / cutting height adjustment	25–75 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 500 158 / 2.0 / 2,900
Wheel drive	-
Mower deck	ULTRAMOW Steel
Grass catcher capacity	70 l
Wheel ø front/rear	180/205 mm, ball bearings
Weight approx.	29.0 kg
Art. no	119 391
Price inc VAT*	£289.00
Replacement blade Art. no	463 719

ACCESSORIES



Starter kit, comprising oil, canister and engine service kit
 Art. no. 112 898 /
 EAN no. 400 371 804 4058



Engine service kit for easy oil change
 Art. no. 130 088 /
 EAN no. 400 371 800 5172



+ Wheel drive

+ Wheel drive and 4INONE function

+ Wheel drive and 4INONE function



430 BR Premium	470 B Premium	470 BR Premium	520 BR Premium
42 cm	46 cm	46 cm	51 cm
1,100 m ²	1,100 m ²	1,400 m ²	1,800 m ²
3INONE function	3INONE function	4INONE function	4INONE function
25–75 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
B&S series 500 158 / 2.0 / 2,900	B&S series 500 E 158 / 2.0 / 2,900	B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 650 E Ready Start 190 / 2.4 / 2,800
1-speed	-	1-speed	1-speed
ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
70 l	70 l	70 l	70 l
180/205 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
33.0 kg	32.0 kg	37.0 kg	38.0 kg
119 285	119 392	119 312	119 315
£339.00	£339.00	£409.00	£459.00
463 719	440 125	440 125	440 126

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch

- | Convenient cutting height adjustment
- | 70l grass catchers with fill-level indicator
- | Ergonomically shaped handlebar
- | XL/XXL smooth-running wheels
- | Optional: Wheel drive



ELECTRIC STARTING

PREMIUM FEATURES WITH EFFORTLESS KEY START



ELECTRIC KEY START

Simply turn the key to start - no pulling required. The battery is easily recharged, using the charger supplied.



ACCESSORIES

Starter kit, comprising oil, canister and engine service kit

Art. no. 112 898 /
EAN no. 400 371 804 4058



Engine service kit for easy oil change

Art. no. 130 088 /
EAN no. 400 371 800 5172



+

Electric start and wheel drive

+

Electric start and wheel drive

+

Electric start and wheel drive



	430 BRE Premium	470 BRE Premium	520 BRVE Premium
Cutting width	42 cm	46 cm	51 cm
Lawns to	1,100 m ²	1,400 m ²	1,800 m ²
Function	3INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	25-75 mm / central, 7-stage	30-80 mm / central, 7-stage	30-80 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 625 Electric Start 190 / 2.4 / 2,800	B&S series 650 E Electric Start 190 / 2.4 / 2,800	B&S series 675 EX Electric Start 190 / 2.5 / 2,800
Wheel drive	1-speed	1-speed	1-speed
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
Grass catcher capacity	70 l	70 l	70 l
Wheel ø front/rear	180/205 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
Weight approx.	37.0 kg	41.0 kg	41.4 kg
Art. no	119 515	119 314	119 516
Price inc VAT*	£469.00	£499.00	£599.00
Replacement blade Art. no	463 719	440 125	440 126

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch

- | Convenient cutting height adjustment
- | 70l grass catcher with fill-level indicator
- | Ergonomically shaped handlebar
- | XL/XXL smooth-running wheels with wheel drive
- | Electric key starting


QUIET AND ROBUST

PETROL LAWNMOWER WITH ALUMINIUM DECK



ALUMINIUM – THE FIRST CHOICE FOR DECKS

The high-quality aluminium deck combines the best stability with durability and optimum aerodynamics. What's more, it is torsionally rigid, rust-free and acoustically insulating as well as being extremely resistant to impacts from stones or unevenness.



SIDE DISCHARGE

Also a practical alternative for use in overgrown grass, thanks to the **4INONE** function. Easy to fit, without tools.



CENTRAL CUTTING HEIGHT ADJUSTMENT

The cutting height can be conveniently adjusted with just one hand motion – centrally and amazingly easily thanks to spring support and the scaled display.



OPTIMUM WORK HEIGHT

Easily reachable controls, an ergonomic rubberised handlebar as well as multiple handlebar height adjustment facilitate practical handling.

+ Wheel drive with variable speed control

+ Wheel drive with variable speed control



	480 BRV ALU Premium	530 BRV ALU Premium
Cutting width	47 cm	52 cm
Lawns to	1,500 m ²	2,000 m ²
Function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30-85 mm / central, 6-stage	30-85 mm / central, 6-stage
Engine ccm / kW / rpm	B&S series 675 Ready Start 190 / 2.3 / 2,800	B&S series 675 Ready Start 190 / 2.3 / 2,800
Wheel drive	VarioSpeed (approx. 2.5–4.5 km/h)	VarioSpeed (approx. 2.5–4.5 km/h)
Mower deck	Aluminium	Aluminium
Grass catcher capacity	70 l	70 l
Wheel ø front/rear	200/280 mm, ball bearings	200/280 mm, ball bearings
Weight approx.	45.0 kg	48.0 kg
Art. no	119 243	119 180
Price inc VAT*	£629.00	£679.00
Replacement blade Art. no	470 658	470 834

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
 - Mow, collect, mulch and side discharge
- | Extremely sturdy aluminium deck
- | Front carry handle for convenient transport
- | Central, 6-stage height adjustment
- | Wheel drive with variable speed control
- | 70 l grass catcher with fill-level indicator
- | Individually adjustable handlebar height
- | XXL smooth-running wheels

NEW INNOVATION FOR LAWNS

HIGHLINE PETROL LAWNMOWERS WITH MAXAIRFLOW TECHNOLOGY



MOWING WITHOUT THE STRUGGLE

The controls can be adjusted to the height of the operator, thereby allowing convenient mowing thanks to the exclusive handlebar concept with soft handle and EasyDrive cockpit. Wheel drive makes lawn mowing even less of a struggle; it is even possible to adapt to the operator's walking pace thanks to VarioSpeed.



EASY CONNECTING IN AND OUT

No more backaches or trapped fingers. Thanks to the EasyClick engagement with guide rail, emptying and re-attaching the compact grass catcher could not be easier.



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be conveniently adjusted with just one hand motion – centrally and incredibly easily thanks to spring support.



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL -KO Highline mowers – simply insert the mulching insert and instantly the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.





STORING AWAY IS CHILD'S PLAY

Usually, garages, garden sheds or basements are too small. This is why Highline mowers can also be stored away vertically to save space. The integrated upstanding function makes it possible.



PRECISE EDGE MOWING

The offset design means that Highline lawnmowers can also be used for mowing along the side of walls without problems – for a perfect result right up to the edge, without any major trimming afterwards.



UNDER CONTROL

The integrated front carry handle – ideal when it comes to transporting the lawnmower, storing it away, or lifting it over steps or obstacles in the garden.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.



MAXAIRFLOW TECHNOLOGY

**PERFECT AIR AND FLOW
CONDITIONS THANKS
TO THE EXTRA TALL
STEEL PLATE DECK**



FULL CATCHER, FEWER INTERRUPTIONS

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass catcher, as a result of which it is filled to the top and does not have to be emptied so often.



NO GREEN FINGERS

MaxAirflow technology means that it is even possible to mow long, damp grass without leaving clumps behind on the ground or blocking the discharge channel. This means your hands stay cleaner.



4INONE function

As well as mowing and collecting, the Highline models offer two additional functions thanks to the mulching insert (left) and side discharge (right).

IT'S A MATTER OF HEIGHT

Extra tall, extra large – that's the basis for **MaxAirflow technology**. This is because the extra tall steel plate deck and extra large discharge channel increase the airflow by 42 percent. As a result, the grass clippings are not transported at a low level into the grass catcher as in the case of most standard lawnmowers, but are instead thrown backwards in a high arc and remain at the back. This means the grass catcher is effectively filled from the back, without the discharge channel becoming blocked. Another bonus: The removable service flap for convenient mower maintenance.



MAXAIRFLOW
technology





HIGHLINE MOWERS WITH 46 CM - 51CM CUTTING WIDTH



OPTIMUM COCKPIT

Easily reached controls, the ergonomic soft grip and, thanks to **VarioSpeed**, infinitely variable wheel drive make mowing the lawn a pleasure. The handlebar can be optimally adapted to suit the operator by adjusting the handlebar height to one of several positions (only with VS models).

Highline 473 P	
Cutting width	46 cm
Lawns to	1,100 m ²
Function	3INONE function
Cutting height / cutting height adjustment	30–80 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 500 E 140 / 2.0 / 2,900
Wheel drive	–
Mower deck	Steel plate
Grass catcher capacity	70 l
Wheel ø front/rear	200/280 mm, ball bearings
Weight approx.	29.0 kg
Art. no	119 463
Price inc VAT*	£359.00
Replacement blade Art. no	440 125



ACCESSORIES

Starter kit, comprising oil, canister and engine service kit

Art. no. 112 898 /
EAN no. 400 371 804 4058



Engine service kit for easy oil change

Art. no. 130 088 /
EAN no. 400 371 800 5172



+ Wheel drive

+ Wheel drive with variable speed control

+ Wheel drive with largest cutting width

+ Wheel drive with variable speed control



Highline 473 SP	Highline 473 VS	Highline 523 SP	Highline 523 VS
46 cm	46 cm	51 cm	51 cm
1,400 m ²	1,400 m ²	1,800 m ²	1,800 m ²
4INONE function	4INONE function	4INONE function	4INONE function
30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
B&S series 550 E 140 / 2.2 / 2,900	B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 675 EX Ready Start 190 / 2.5 / 2,800
1-speed	VarioSpeed (approx. 2.5–4.5 km/h)	1-speed	VarioSpeed (approx. 2.5–4.5 km/h)
Steel plate	Steel plate	Steel plate	Steel plate
70 l	70 l	70 l	70 l
200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
33.0 kg	37.5 kg	37.0 kg	37.5 kg
119 464	119 465	119 467	119 468
£429.00	£489.00	£489.00	£549.00
440 125	440 125	440 126	440 126

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch
- | Central, 7-stage height adjustment
- | 70 l grass catcher with **EasyClick** attachment and fill-level indicator
- | Individually adjustable handlebar with soft grip (VS models)
- | Front carry handle for convenient transport
- | XXL smooth-running wheels
- | Optional: wheel drive with or without speed control

INNOVATION IN ITS MOST BEAUTIFUL FORM

POWERLINE ADVANTAGES AT A GLANCE



ROBUST QUALITY

Sturdy aluminium handlebar reinforcements guarantee perfect handling and durability.



PRACTICAL

The fill-level indicator shows when the grass catcher must be emptied before the discharge channel is blocked.



PERFECT GRASS CATCHER AND XXL WHEELS

Extra-large fabric grass catcher with fill-level indicator. Optimum filling due to aerodynamic air flow. Wide XXL rear wheels for traction that is gentle on the lawn.



MULCH IF YOU WANT

Mulch protects the lawn and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO Powerline mowers – simply insert the mulching insert and when mowing the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



IDEAL AERODYNAMICS

Outstanding cutting results and a grass catcher filled to the brim, even with wet grass, due to optimised aerodynamic air flow and extra-large discharge channel.



CENTRAL CUTTING HEIGHT ADJUSTMENT

The cutting height can be changed conveniently using a spring-assisted hand grip. Clever integration in the deck, with scaled display.



STABLE STAND

Practical positioning for cleaning work and space-saving storage (only when tank has little fuel or is empty).



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.



UNDER CONTROL

The integrated front carry handle – ideal when it comes to transporting the lawnmower, storing it away, or lifting it over steps or obstacles in the garden.



CONVENIENCE AND COMFORT COMBINED

THE POWERLINE COCKPIT



MOWING WITHOUT THE STRUGGLE

The controls can be adjusted to the height of the operator, thereby allowing convenient mowing thanks to the exclusive handlebar concept. Wheel drive makes lawn mowing even easier; it is even possible to adapt to the operator's walking pace thanks to Speed Control.



CLEAR DETAILS

You are always in full control of all of the mowers functions - the clear and concise illustrations detail exactly how to operate the machine for best performance.



4INONE function

As well as mowing and collecting, the Powerline models offer two additional functions thanks to the mulching insert (left) and side discharge (right) – ideal for use in meadows and orchards as well.



BEST QUALITY

The high-quality POWERLINE cockpit redefines the AL-KO quality standard. Handle and adjusting levers are equipped with non-slip soft-grip material.



OPTIMUM ERGONOMICS

The POWERLINE cockpit can be adjusted to various different heights to match the individual's body size.

YOUR ADVANTAGES

- | Improved operating comfort
- | Optimum ergonomics
- | Fatigue-free working
- | Reduced vibration in the handle area
- | Simple manoeuvring
- | High-quality, durable controls
- | Intuitive operation



FORM AND FUNCTION
COMBINE BEAUTIFULLY
THE UNCOMPROMISING MOWER
MADE OF PREMIUM STEEL



PERFECT GRASS CATCHER AND XXL WHEELS

Extra-large fabric grass catcher with fill-level indicator. Optimum filling due to aerodynamic air flow. Wide XXL rear wheels for traction that is gentle on the lawn.



ACCESSORIES

**Starter kit, comprising oil,
canister and engine service kit**

Art. no. 112 898 /
EAN no. 400 371 804 4058



**Engine service kit
for easy oil change**

Art. no. 130 088 /
EAN no. 400 371 800 5172



ROBUST QUALITY

Sturdy aluminium handlebar reinforcements guarantee perfect handling and durability.



MOWING WITHOUT THE STRUGGLE

The controls can be adjusted to the height of the operator, thereby allowing convenient mowing thanks to the exclusive handlebar concept. Wheel drive makes lawn mowing even easier; it is even possible to adapt to the operator's walking pace thanks to Speed Control.



The fully equipped model: Speed Control and central height adjustment



The fully equipped model: Speed Control and central height adjustment



	4700 BRV	5200 BRV
Cutting width	46 cm	51 cm
Function	4INONE function	4INONE function
Lawns to	1,400 m ²	1,800 m ²
Cutting height / cutting height adjustment	30-80 mm / central, 7-stage	30-80 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 750 EX ReadyStart 161 / 2.7 / 2,800	B&S series 750 EX ReadyStart 161 / 2.7 / 2,800
Wheel drive	Variable speed control – approx. 2.5–4.5 km/h	Variable speed control – approx. 2.5–4.5 km/h
Mower deck	Steel plate	Steel plate
Wheel ø front/rear	200/280 mm, ball bearings	200/280 mm, ball bearings
Grass catcher capacity	70 l	70 l
Weight approx.	41.3 kg	41.8 kg
Art. no	119 299	119 303
Price inc VAT*	£569.00	£599.00
Replacement blade Art. no	440 125	440 126

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
 - Mow, collect, mulch and side discharge
- | Sturdy steel plate deck
- | Central, 7-stage height adjustment
- | 70 l grass catcher with fill-level indicator
- | Individually adjustable handlebar
- | XXL smooth-running wheels
- | Front carry handle for convenient transport
- | Optional: Electric start and wheel drive with variable speed control

THE ULTIMATE MOWING MACHINE

POWERLINE LAWNMOWER WITH ALUMINIUM DECK



ALUMINIUM – THE FIRST CHOICE FOR DECKS

The high-quality aluminium deck combines the best stability with durability and optimum aerodynamics. What is more, it is torsionally rigid, rust-free and acoustically insulating as well as being extremely resistant to impacts from stones or uneven ground.

MULCH IF YOU WANT

Just mount the mulching insert without tools and work the finely chopped clippings into the lawn as a natural fertiliser.



ACCESSORIES

**Starter kit, comprising oil,
canister and engine service kit**

Art. no. 112 898 /
EAN no. 400 371 804 4058



Engine service kit

for easy oil change
Art. no. 130 088 /
EAN no. 400 371 800 5172



+

The high-quality, multi-function machine with a compact cutting width

+

The versatile tool made of aluminium. Comfortable and durable with long service life

+

The top model with blade brake clutch – grass catcher emptying without restarting the engine



reddot design award
honourable mention 2011



	4800 BRV	5300 BRV	5300 BRVC
Cutting width	47 cm	52 cm	52 cm
Lawns to	1,500 m ²	2,000 m ²	2,000 m ²
Function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30–85 mm / central, 6-stage	30–85 mm / central, 6-stage	30–85 mm / central, 6-stage
Engine	B&S series 750 ReadyStart 160 / 2.7 / 2,800	B&S series 850 ReadyStart 190 / 3.1 / 2,800	B&S series 850 ReadyStart 190 / 3.1 / 2,800
Wheel drive	Variable speed control – approx. 2.5–4.5 km/h	Variable speed control – approx. 2.5–4.5 km/h	Variable speed control – approx. 2.5–4.5 km/h
Mower deck	Aluminium	Aluminium	Aluminium
Grass catcher capacity	75 l	75 l	75 l
Wheel ø front/rear	200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
Weight approx.	47 kg	48 kg	52 kg
Art. no	119 305	119 307	119 308
Price inc VAT*	£719.00	£799.00	£889.00
Replacement blade Art. no	470 658	470 834	470 834

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | **4INONE** function :
 - | Mow, collect, mulch and side discharge
 - | Robust aluminium deck
 - | Central, 6-stage height adjustment
 - | 75 l grass catcher with fill-level indicator
 - | Individually adjustable handlebar
- | XXL smooth-running wheels
- | Front carry handle for convenient transport
- | Wheel drive with variable speed control

AL-KO QUALITY, HONDA POWER

THE HONDA POWERED PETROL LAWN MOWER WITH FULL SPECIFICATION



ERGONOMIC CONTROLS

Easily reachable colour-coded controls, and an ergonomic rubberised handlebar make operation comfortable and simple.



THE PERFECT HEIGHT

The height of the handles can be adjusted to suit the height of the operator, creating an optimal working position to prevent discomfort to the user's arms, shoulders and back.



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be changed conveniently using a hand grip. Central and easy with spring support. (selected models.)



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO Easy-Mow mowers – simply insert the mulching insert and as you mow the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



SIDE DISCHARGE FOR LONGER GRASS

Easy-Mow models with 4INONE function can not only collect optimally, but also discharge to the side. The practical alternative, especially for meadows and orchards.



EASY STORAGE

The clever design of the Easy-Mow models enables easy transport and storage - simply remove the grass box and fold the handles and the mower can be stored compactly in the upright position (fuel & oil tanks must be empty).



ALUMINIUM COMPONENTS

The 5250 HWS Easy-Mow features robust aluminium handle components for extra strength and rigidity. In addition, quick-release clasps are incorporated into the handle for instant adjustment to the perfect height.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.

POWERED by
HONDA



AL-KO EASY-MOW – THE VERSATILE MOWER POWERED BY HONDA



+ Wheel drive



	4210 H Easy-Mow	4210 HPD Easy-Mow
Cutting width	42 cm	42 cm
Lawns to	800 m ²	800 m ²
Function	3INONE function	3INONE function
Cutting height / cutting height adjustment	25–75 mm / individual wheel, 7-stage	25–75 mm / central, 7-stage
Engine ccm / kW / rpm	Honda GCV 135 135 / 2.1 / 2,900	Honda GCV 135 135 / 2.1 / 2,900
Wheel drive	-	1-speed
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel
Grass catcher capacity	65 l	65 l
Wheel ø front/rear	180/205 mm, ball bearings	180/205 mm, ball bearings
Weight approx.	28.0 kg	32.0 kg
Art. no	119 085	119 086
Price inc VAT*	£309.00	£399.00
Replacement blade Art. no	463 719	463 719



HONDA ENGINES

All AL-KO Easy-Mow models are powered by engines from Honda. Easy to start and simple to operate, these engines provide dependable power and long service life.

POWERED by
HONDA



+
Wheel drive and
4INONE function

+
Aluminium handle
components and
Variospeed wheel drive



4610 H Easy-Mow	4610 HPD Easy-Mow	5210 HPD Easy-Mow	5250 HWS Easy-Mow
46 cm	46 cm	51 cm	51 cm
1,100 m ²	1,100 m ²	1,500 m ²	2,000 m ²
3INONE function	4INONE function	4INONE function	4INONE function
30–80 mm / individual wheel / central rear axle, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Honda GCV 135 135 / 2.1 / 2,900	Honda GCV 135 135 / 2.1 / 2,900	Honda GCV 160 160 / 2.8 / 2,900	Honda GCV 160 160 / 2.8 / 2,900
-	1-speed	1-speed	VarioSpeed (approx. 2.5–4.5 km/h)
ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
70 l	70 l	70 l	70 l
200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
31.0 kg	35.0 kg	36.0 kg	40.0 kg
119 087	119 521	119 089	119 230
£359.00	£429.00	£529.00	£599.00
440 125	440 125	440 126	440 126

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

| **4INONE** function :

Mow, collect, mulch and side discharge

| **3INONE** function :

Mow, collect and mulch

| Convenient cutting height adjustment

| 65 l / 70l grass catcher with fill-level indicator

| Ergonomically shaped handlebar

| XL/XXL smooth-running wheels

| Optional: Wheel drive

TECHNOLOGY, COMFORT AND HIGH PERFORMANCE

POWERLINE EDITION & POWERLINE LAWN TRACTORS



OPTIMUM SEAT POSITION

The comfortable driver's seat can be infinitely adjusted to the height of the operator.



MAXIMUM CONVENIENCE AT THE PUSH OF A BUTTON

In all HDE tractor models, the grass catcher is emptied with great ease, automatically at the push of a button.



THE POWERLINE LAWN TRACTOR RANGE

With an extremely wide range of rear discharge lawn tractors, AL-KO offers the right mower for all requirements and applications. With tried-and-tested, tough 1 or 2-cylinder 4-stroke engines under the bonnet and cutting widths from 74 – 102 cm.


A CLEAR VIEW FOR SAFETY

All information is illuminated and presented compactly on the dashboard day and hour counters, battery charge level, fuel level and relevant safety functions (T20-102 HDE and T15-92 HDE).



VARIABLE SPEED HYDROSTATIC GEARBOX

Robust design for reliable function for many years. Precise, variable-speed control – forwards and reverse.



EQUIPPED FOR ALL CHALLENGES

AL-KO Powerline brings more light into the darkness with xenon headlights. The robust steel bumper ensures optimal protection – safety included.

OPTIMUM ERGONOMICS

Low foot rests and plenty of legroom ensure easy mounting and dismounting and a low centre of gravity with little danger of tipping. In addition, all controls can be reached conveniently from the operator's seat.

WIDER IS BETTER

The wide tyres of the AL-KO Powerline lawn tractors protect the lawn and ensure optimum traction and driving comfort.



POWERLINE EDITION LAWN TRACTORS – AFFORDABLE QUALITY

+ Compact with 1-blade cutting technology



HIGH CAPACITY GRASS CATCHER

The capacious grass catcher can be conveniently emptied from the driver's seat, and allows for extended mowing stops.

T 12-74 HD-A edition

Cutting width	74 cm (1 blade)
Function	2INONE function
Lawns to	3,000 m ²
Cutting height / cutting height adjustment	30–90 mm / central, 6-stage
Engine ccm / kW / rpm	Al-KO Pro 450 452 / 8.5 / 2,900
Number of cylinders	1-cylinder
Transmission	Hand hydrostatic
Blade brake clutch	Mechanical belt clutch
Grass catcher capacity	220 l
Grass catcher emptying	Telescopic lever
Tyre size (inch) front/rear	13x5.0-6/18x6.5-8
Dimensions (LxWxH)	261x94x112 cm
Weight approx.	198 kg
Art. no	119 517

Price inc VAT*

£1699.00



TB500 Trailer/Barrow

Load : 300 kg / Art. no. TUAT04
Price inc VAT* £179.00



TB600 Trailer/Barrow

Load : 400 kg / Art. no. TUAT05
Price inc VAT* £199.00



Lawn roller GW 100

Width : 98cm / Art. no. 130 539
Price inc VAT* £199.00



Tow Hitch

Art. no. 110 813
Price inc VAT* £39.00





+ Ideal for larger areas with 2-blade cutting technology and large grass catcher

+ With powerful and high-torque AL-KO OHV engine

+ The top model with smooth-running and powerful 2-cylinder engine

+ The top model with 2-cylinder engine and electric grass catcher emptying



T 13-82 M edition / HD edition	T 13-92 HD edition	T 14-102 HD edition	T 16-102 HD edition
82 cm (1 blade)	92 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)
2INONE function	2INONE function**	2INONE function**	2INONE function**
3,500 m ²	4,000 m ²	5,000 m ²	6,000 m ²
30–90 mm / central, 6-stage	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage
B&S PowerBuilt series 3130 344 / 6.8 / 2,900	B&S PowerBuilt series 3130 344 / 6.8 / 2,900	B&S PowerBuilt series 4145 500 / 9.4 / 2,900	B&S Intek series 7160 656 / 10.5 / 2,900
1-cylinder	1-cylinder	1-cylinder	2-cylinder
Manual / Hand hydrostatic	Hand hydrostatic	Hand hydrostatic	Hand hydrostatic
Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
220 l	300 l	300 l	300 l
Telescopic lever	Gas-strut-assisted	Gas-strut-assisted	Gas-strut-assisted
13x5.0-6/18x6.5-8	13x5.0-6/18x6.5-8	13x5.0-6/18x6.5-8	13x6.5-6/18x8.5-8
239x96x112 cm	261x100x112 cm	261x109x112 cm	261x109x112 cm
198 kg	209 kg	212 kg	215 kg
119 262 / 119 286	119 283	119 264	119 265
£1769.00 / £1879.00	£2049.00	£2249.00	£2569.00

Grass Deflector

Art. no. 110 981

Price inc VAT* £99.00

Grass Deflector (HDE models)

Art. no. 112 729

Price inc VAT* £99.00



Mulch Kit 92cm

Art. no. 118 885

Price inc VAT* £89.00

Mulch Kit 102cm

Art. no. 118 770

Price inc VAT* £89.00

YOUR ADVANTAGES

- | Powerful 1 or 2-cylinder 4-stroke engines
- | Durable and sturdy
- | Large grass catcher with convenient box emptying
- | Versatile accessories
- | Optional mulching function (92cm / 102cm models)

* All prices include VAT and are correct at time of printing. E&OE.



POWERLINE LAWN TRACTORS – THE ULTIMATE IN POWER AND PERFORMANCE

+

The 92 cm Powerline model with gas-strut-assisted grass catcher emptying



BALL BEARING MOUNTED MOWER DECK

The high-quality construction ensures low vibration, quiet operation and extremely long service life of the mower deck.

T 15-92 HD

Cutting width	92 cm (2 blades)
Function	3INONE function
Lawns to	4,000 m ²
Cutting height / cutting height adjustment	30–90 mm / central, 6-stage
Engine ccm / kW / rpm	B&S PowerBuilt series 4145 500 / 9.4 / 2,900
Number of cylinders	1-cylinder
Transmission	Foot hydrostatic
Blade brake clutch	Electromagnetic
Grass catcher capacity	300 l
Grass catcher emptying	Gas-strut-assisted
Headlights	Xenon bulbs
Tyre size (inch) front/rear	13x6.5-6/18x8.5-8
Dimensions (LxWxH)	261x100x112 cm
Weight approx.	211 kg
Art. no	118 863
Price inc VAT*	£2639.00



DURABLE AND STURDY

The extremely robust and torsion-resistant Space Frame ensures maximum stability and ideal driving characteristics even on difficult terrain.

With electric grass catcher emptying

With larger cutting width

Robust and reliable with extra power

With electric grass catcher emptying and illuminated instrument display



T 15-92 HDE	T 15-102 HD	T 18-102 HD	T 20-102 HDE
92 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)	102 cm (2 blades)
3INONE function	3INONE function	3INONE function	3INONE function
4,000 m ²	6,000 m ²	6,000 m ²	6,000 m ²
30–90 mm / central, 6-stage	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage
B&S PowerBuilt series 4145 500 / 9.4 / 2,900	B&S PowerBuilt series 4145 500 / 9.4 / 2,900	B&S Intek series 500 / 11.7 / 2,900	B&S Intek series 7200 V-Twin 656 / 13.1 / 2,900
1-cylinder	1-cylinder	1-cylinder	2-cylinder
Foot hydrostatic	Foot hydrostatic	Foot hydrostatic	Foot hydrostatic
Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
300 l	300 l	300 l	300 l
Electrical	Gas-strut-assisted	Gas-strut-assisted	Electrical
Xenon bulbs	Xenon bulbs	Xenon bulbs	Xenon bulbs
13x6.5-6/18x8.5-8	13x6.5-6/18x8.5-8	15x6.0-6/18x8.5-8	15x6.0-6/18x8.5-8
261x100x112 cm	261x100x112 cm	261x109x112 cm	261x109x112 cm
219 kg	215 kg	216 kg	233 kg
118 864	118 866	118 870	118 871
£2779.00	£2669.00	£2879.00	£3379.00

* All prices include VAT and are correct at time of printing. E&OE.

YOUR ADVANTAGES

- | Powerful 1 or 2-cylinder 4-stroke engines
- | Powerful mower decks for perfect cutting results, even on relatively long grass
- | Mulching function included on Powerline models
- | Durable and sturdy
- | Convenient equipment
- | Optimum ergonomics
- | Versatile range of accessories

THE EASY WAY TO THE PERFECT LAWN

THE FULLY AUTOMATIC ROBOLINHO[®] 3000 AUTOMATIC LAWNMOWER



AT FULL CHARGE

If its battery power declines, the Robolinho[®] automatically returns to its base station and recharges. Quick charging without memory effect as well as a long service life from the powerful battery pack, thanks to lithium-ion technology.



INTELLIGENT LAWN CARE

A regular trim keeps the lawn in perfect condition at all times. The double-blade technology provides a natural fertiliser, because the clippings are finely chopped up within the mower deck, and are blown back into the lawn. This means there is no need to dispose of the clippings either.



RETURN TO BASE AT THE PUSH OF A BUTTON:

The Home key makes it possible to interrupt mowing at any time. When the key is pressed, the automatic mower returns to its base station.



INVISIBLE BOUNDARY

The boundary cable only needs to be laid around the mowing area once, then it reliably demarcates the working area.





AUTONOMOUS WORKING

The clearly laid-out control panel makes programming of the Robolinho mere child's play. Simply enter the required times when the automatic lawnmower should operate, and leave it to work.



HIGH-GRIP TREAD

Powerful traction as standard – rubber-coated wheels provide powerful traction and a good grip on the ground – on inclines of up to 35%.



IN ALL WEATHERS

The built-in rain sensor gives you the choice: mow in the rain or take a break.



LITHIUM-ION BATTERY TECHNOLOGY

The lithium-ion battery is one of the latest generation of powerful batteries. It delivers impressive performance, is surprisingly light and extraordinarily durable. There is no spontaneous discharge, and the battery can be recharged at any time because of the absence of a memory effect. This means your Robolinho® 3000 is always ready for use.

ROBOLINHO[®] 3000

THE SIMPLY CLEVER WAY TO DO THE GARDENING



CUT TO THE RIGHT SIZE

The cutting height adjustment can be set with just one hand motion – quickly and effortlessly.





INTELLIGENT TECHNOLOGY

The printed circuit board is the heart of the Robolino[®] and the control centre for fully automatic, everyday operation. For example, it detects obstacles, avoids them automatically and always returns to the base station in good time to recharge.



A CLEAN SOLUTION

The double mulching blade system reduces debris build-up in the deck, provides a perfect cut and saves the trouble of disposing of grass clippings.



Base station & base plate

Art. no. 119 500 / EAN no. 400 371 835 1897

Carry bag

Art. no. 112 922 / EAN no. 400 371 804 4874

Replacement blade (set of 3)

Art. no. 119 459 / EAN no. 400 371 835 1453

Blade disc (w/o blades)

Art. no. 119 460 / EAN no. 400 371 835 1460

FUNCTIONAL OPERATION

The clearly laid-out and easily operated display means it is easier for you to adjust settings, and provides you with important information about the operating status.



GREEN, SAFE & SECURE

Robolinho© 3000 produces no exhaust, is very quiet and detects obstacles automatically. If Robolinho is picked up the blades stop within 2 seconds. These safety features allow children and house pets to play on the grass while Robolinho does its work in the background.

Robolinho is also protected against theft or unintended use by a PIN code system and audible alarm. The gentle mowing operation also produces minimal mowing dust and pollen disturbance, ideal for allergy sufferers.



+
Fully automatic mower
with convenient
operation

**Li-Ion
Energy**



Robolinho® 3000

Cutting width	30 cm
Lawns to	1,200 m ²
Cutting height	30-60 mm
Blade system	Plastic disc with rust-free spring blades
Rpm	3,400
Battery	Li-ion (2.9 Ah/25.2 V)
Maximum rigidity	35%
Weight approx.	8.0 kg
Art. no	119 356

Price inc VAT*

£1699.00

Extra lawn pegs (90 pcs.)

Art. no. 119 461 / EAN no. 400 371 835 1477

Extra loop wire (150 m)

Art. no. 119 462 / EAN no. 400 371 835 1484

YOUR ADVANTAGES

- | Fully automatic and reliable lawn care up to 1200 m²
- | Convenient and safe
- | Double mulching blade system
- | Intuitive operation by LC display
- | Works on inclines up to 35%

* All prices include VAT and are correct at time of printing. E&OE.

MANOEUVRABILITY FOR THE NATURAL GARDEN

SCYTHE MOWERS FOR MEADOWS AND NATURE AREAS



UNDER CONTROL

Height-adjustable and with vibration damping, the ergonomically shaped handlebar ensures optimum handling on rough ground as well as easy transport.



PERFECT GRASS DEPOSITING

The movable grass deflector means that no grass is left lying on the cover, while grass depositing is improved because of the shorter distance between the wheel and the beam.



READY FOR WINTER OPERATION

Thanks to supplementary accessories like snowplough and snow chains, the scythe mowers can also be used effectively in the winter season.



GIVING NATURE ITS SPACE

In meadows or ecological natural gardens, it is particularly important only to use machines that are up to the job – such as AL-KO scythe mowers that can cut forage grass just as well as thick, matted weeds.

ROBUST IN THE DETAILS

As well as the specially hardened ESM blades with infinitely height-adjustable outsoles, AL-KO scythe mowers are characterised by their enclosed drive system. This is less prone to contamination, thus allowing longer operating times.



	BM 870 III	BM 875 III	BM 5001-R II
Scythe attachment	87 cm	87 cm	102 cm
Lawns to	2,000 m ²	2,000 m ²	2,500 m ²
Engine ccm / kW / rpm	B&S series 450 148 / 1.9 / 3,200	B&S series 625 190 / 2.4 / 2,900	B&S series 625 190 / 2.4 / 2,900
Drive	1 forward gear (worm gear)	1 forward gear (worm gear)	Forward gear / reverse gear
Tyre size (inches)	4.0-6	4.0-6	4.0-6 wide tyres
Track width	45 cm	45 cm	55 cm
Blade drive can be disengaged	Yes	Yes	Yes
Weight approx.	50.0 kg	54.0 kg	60.0 kg
Art. no	112 871	112 872	112 870
Price inc VAT *	£699.00	£799.00	£1129.00

* All prices include VAT and are correct at time of printing. E&OE.

Universal snowplough RS 850

Art. no. 112 882

Snow chains

Art. no. 112 183

YOUR ADVANTAGES

- | Universal in application and extremely manoeuvrable
- | Movable grass deflector
- | Specially hardened ESM blades with edge protection
- | Infinitely height-adjustable outsoles

AL-KO

QUALITY FOR LIFE



AL-KO VEHICLE TECHNOLOGY



AL-KO GARDEN + HOBBY



AL-KO AIR TECHNOLOGY

THE AL-KO GROUP – YOUR STRONG PARTNER!

In Europe alone, two million customers annually decide to purchase quality products from AL-KO. With 4,200 employees at 50 sites in Europe, the USA, Africa and Australia, our products are not only attractive and exciting for customers in Europe, they now attract customers from all over the world. Proof that products made in Europe have a future – if they are consistently based on innovation and superior quality.

Look to the future with us, and as our customer and partner profit from the performance, the quality and the security offered by the AL-KO brand in its business segments: AL-KO Vehicle Technology, AL-KO Garden + Hobby, AL-KO Air Technology.

AL-KO ONLINE

Click into the online world of AL-KO – starting with the homepage www.al-ko.com/garden, that provides all the important information about the company, to the AL-KO Youtube channel with many interesting product videos, to the Facebook fan page where we always keep you up to date with news from AL-KO.

AL-KO Garden & Hobby UK

Wincanton Business Park
Wincanton
Somerset
01963 828000
info@alkogarden.co.uk
www.al-ko.com/garden



Provided by your AL-KO partner:



Visit AL-KO on facebook:
search **AL-KO Garden UK**

Subject to modifications in response to technical developments. No liability accepted for mistakes and printing errors. E & OE.