

QuickSpecs

HP StorageWorks DAT Tape Drives

Overview

HP StorageWorks DAT drives are based on the Digital Data Storage (DDS) format. In fact, DAT is the most successful tape backup technology of all time with more than 18 million DAT drives shipped since its introduction in 1989, and with a current world-wide installed base of over 6 million drives. A number of vendors manufacture DDS format DAT drives, but HP has long been the market leader in DAT technology.

This remarkable tape technology continues to flourish because of its ability to meet the needs of the Small and Medium Business (SMB) market for reliable, cost-effective backup better than any other technology available.

The HP StorageWorks family of DAT drives is the first choice for data protection for many small and medium businesses with low-end and mid-range servers and workstations. HP StorageWorks DAT drives are also frequently used for operating system backup and software loading on mission-critical servers in many large enterprises.

HP StorageWorks DAT drives are available with a range of capacities (from 40GB to 320GB) and a choice of interfaces. Customers can benefit from native USB 2.0 for plug-and-play installation: from out of the box to backup in less than 60 seconds. Other interface choices include SCSI for servers requiring SCSI connectivity and a SAS interface for the very latest server connectivity.

Each member of the HP StorageWorks DAT family offers a complete backup solution including HP's unique One-Button-Disaster-Recovery (OBDR) feature providing customers with the ability to restore their systems quickly and effortlessly with the touch of a single button. HP's unique Library and Tape Tools (L&TT) utilities provide HP StorageWorks DAT customers with a comprehensive suite of tape drive management utilities and HP's extensive testing program ensures that customers benefit from the broadest connectivity and compatibility with HP and third-party servers, operating systems and software in the industry.

Also includes HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, providing a backup application to protect a single Windows, Linux or NetWare server.

What's New

HP StorageWorks DAT 320 Tape Drive

- 320GB of compressed data on one data cartridge
- 86.4GB/hr transfer rate/completes back up in about 4 hours (assuming 2:1 data compression)
- First hardware-based encryption capable DAT tape drive
- Most power efficient HP DAT Tape Drive
- Features new front panel design
- Available in both USB and SAS interfaces

QuickSpecs


HP StorageWorks DAT Tape Drives

Overview


HP StorageWorks DAT 320 USB Tape Drive

Protecting the needs of small or medium business, the highest capacity and performance DAT drive with up to 320GB compressed data per cartridge and speeds of up to 86GB/hr (assuming 2:1 data compression). The DAT 320 is HP's first hardware-based data encryption capable DAT tape drive.

The DAT 320 with USB 2.0 interface provides plug-and-play connectivity, enabling backup speeds up to 86GB/hr (assuming 2:1 data compression) and to be initiated from straight out-of-the-box in less than 60 seconds.



DAT 320 USB Internal




DAT 320 USB External


HP StorageWorks DAT 320 SAS Tape Drive

Protecting the needs of small or medium business, the highest capacity and performance DAT drive with up to 320GB compressed data per cartridge and speeds of around 86GB/hr (assuming 2:1 data compression). DAT 320 is HP's first hardware-based data encryption capable DAT tape drive.

The HP DAT 320 SAS drive is available with a native SAS interface, for latest server connectivity, in a range of models including internal to fit servers, workstations, rack-mount kits and external enclosures.



DAT 320 SAS Internal



DAT 320 SAS External

QuickSpecs

HP StorageWorks DAT Tape Drives

Overview


HP StorageWorks DAT 160 SAS Tape Drive

Protecting the needs of small or medium business, delivering up to 160GB compressed data per cartridge and speeds of around 50GB/hr (assuming 2:1 data compression)

The HP DAT 160 SAS drive is available with a native SAS interface, for latest server connectivity, in a range of models including internal to fit servers, workstations, rack-mount kits and external enclosures.



DAT 160 SAS internal module




DAT 160 SAS External Tape Drive


HP StorageWorks DAT 160 SCSI Tape Drive

Protecting the needs of small or medium business, delivering up to 160GB compressed data per cartridge and speeds of around 50GB/hr (assuming 2:1 data compression)

The HP DAT 160 SCSI drive is available with a native SCSI interface in a range of models including internal to fit servers, workstations and rack-mount kits, external and array modules.



DAT 160 SCSI array module



DAT 160 SCSI External Tape Drive

HP StorageWorks DAT 160 USB Tape Drive

Protecting the needs of small or medium business, delivering up to 160GB compressed data per cartridge and speeds of around 50GB/hr (assuming 2:1 data compression)

The USB 2.0 interface provides plug-and-play connectivity, enabling backup to be initiated from straight out-of-the-box in less than 60 seconds.




QuickSpecs

HP StorageWorks DAT Tape Drives

Overview

DAT 160 USB Internal Tape Drive
DAT 160 USB External Tape Drive


HP StorageWorks DAT 72 SCSI Tape Drive Protect your small or medium business, remote office or workgroup with the HP StorageWorks DAT 72 SCSI Tape Drive, providing a balance of price and performance with up to 72GB of compressed data on a single cartridge at speeds of up to 23GB/hr (assuming 2:1 data compression).



DAT 72 SCSI Internal Tape Drive
DAT 72 SCSI External Tape Drive

HP StorageWorks DAT 72 USB Tape Drive Protect your small or medium business, remote office or workgroup with the HP StorageWorks DAT 72 USB Tape Drive providing a balance of price and performance with up to 72GB of compressed data on a single cartridge at speeds of up to 23GB/hr (assuming 2:1 data compression).

The USB 2.0 interface provides plug-and-play connectivity, enabling backup to be initiated from straight out-of-the-box in less than 60 seconds.



DAT 72 USB Internal Tape Drive
DAT 72 USB External Tape Drive


QuickSpecs

HP StorageWorks DAT Tape Drives


Overview

HP StorageWorks DAT 40 SCSI Tape Drive Meeting the needs of small businesses, remote office or workgroups with the HP StorageWorks DAT 40 SCSI Tape Drive providing entry-level price and performance with up to 40GB of compressed data on a single cartridge at speeds of up to 23GB/hr (assuming 2:1 data compression).

The HP DAT 40 SCSI drive is available with a native SCSI interface in a range of models including internal to fit servers, workstations and rack-mount kits, external and array modules.




DAT 40 SCSI Array Module



DAT 40 SCSI External Tape Drive

HP StorageWorks DAT 40 USB Tape Drive Meeting the needs of small businesses, remote office or workgroups with the HP StorageWorks DAT 40 USB Tape Drive providing entry-level price and performance with up to 40GB of compressed data on a single cartridge at speeds of up to 23GB/hr (assuming 2:1 data compression).

The USB 2.0 interface provides plug-and-play connectivity, enabling backup to be initiated from straight out-of-the-box in less than 60 seconds.



DAT 40 USB Internal Tape Drive
DAT 40 USB External Tape Drive

Models

DAT320 USB Tape Drive	DAT 320 USB Internal Tape Drive	AJ825A
	NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	
	DAT 320 USB External Tape Drive	AJ823A
	1U USB Rack-Mount Kit with one DAT 320 USB drive	AP835A

QuickSpecs

HP StorageWorks DAT Tape Drives

Overview

DAT 320 SAS Tape Drive	DAT 320 SAS Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	AJ830A
	DAT 320 SAS External Tape Drive	AJ828A
DAT 160 SAS Tape Drive	DAT 160 SAS Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1587A
	DAT 160 SAS External Tape Drive	Q1588A
DAT 160 SCSI Tape Drive	DAT 160 SCSI Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1573A
	DAT 160 SCSI External Tape Drive	Q1574A
	DAT 160 SCSI Array Module NOTE: DAT 160 array modules fit into the HP Tape Array 5300 (C7508B). NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1575A
DAT 160 USB Tape Drive	DAT 160 USB Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1580A
	DAT 160 USB External Tape Drive	Q1581A
	1U USB Rack-Mount Kit with one DAT 160 USB drive	AG703A
DAT 72 SCSI Tape Drive	DAT 72 SCSI Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1522B
	DAT 72 SCSI External Tape Drive	Q1523B
	DAT 72 SCSI Array Module Field-integrated NOTE: DAT 72 array modules fit into the HP Tape Array 5300 (C7508B). NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1524C
DAT 72 USB Tape Drive	DAT 72 USB Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	DW026A
	DAT 72 USB External Tape Drive	DW027A
	1U USB Rack-Mount Kit with one DAT 72 USB drive	AG594A
DAT 40 SCSI Tape Drive	DAT 40 SCSI Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	C5686C
	DAT 40 SCSI External Tape Drive	C5687D
	DAT 40 SCSI Array Module NOTE: DAT 40 array modules fit into the HP Tape Array 5300 (C7508B). NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	C7497C
DAT 40 USB Tape Drive	DAT 40 USB Internal Tape Drive NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	DW022A
	DAT 40 USB External Tape Drive	DW023A



QuickSpecs

HP StorageWorks DAT Tape Drives

Overview

Key Features

- Based on industry-standard DDS technology -- the most popular server backup technology of all time, providing customers with all the benefits of an open standard including better pricing, wider availability and faster development cycles
- Proven reliability -- HP has increased reliability specifications for HP DAT drives based on real field data. Mean-Time-Between-Failure rates (MTBF) are now more than 1 million hours at a typical duty cycle of 12%
- Low-cost of ownership - Lowest media price (in \$/GB) of any tape backup technology
- Up to 160GB native capacity on a single tape -- 320GB at 2:1 compression -- with DAT 320 tape drives
- Up to 12 MB/s* native data transfer rate -- 24 MB/s* with 2:1 compression -- with DAT 320 tape drives * Where 1KB = 1,000 Bytes
- Hardware based data encryption (DAT 320 only) helps prevent unauthorized access of tape media (lost or stolen cartridges)
- Plug and play -- USB 2.0 interface available for on all drives provides universal native plug-and-play capability and enabling customers to be ready for backup in less than 60 seconds straight out of the box
- SCSI interface available to enable SCSI system connectivity if required
- SAS interface also available for the latest server connectivity
- Flexibility of solutions through a wide choice of models - internal, external, offline hot-swap array module, and rack-mount configurations
- Small size drives and media for easy physical storage - small, 5.25-inch form-factor internal drives.
- Low ongoing maintenance -- automatic head cleaning minimizes the need for cleaning. Intelligent cleaning monitors the performance of the drive and cleans accordingly when a cleaning tape is loaded
- Dependable disaster recovery -- HP StorageWorks One-Button Disaster Recovery (OBDR) for Proliant Systems restores your entire system at the touch of a button
- Supporting tools -- HP StorageWorks Library and Tape Tools available as a download with the drive to make installation, performance tuning and trouble-shooting even easier
- Broad compatibility with a wide range of servers, operating systems, and backup software
- Includes HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, see: <http://www.hp.com/go/dataprotectorexpress/sse>.

Customer Benefits

- **Dependable:** a long track record of proven reliability
- **Easy:** supports One-Button Disaster Recovery, simply the easiest way to restore data in the event of a disaster
- **Affordable:** inexpensive media contributes to an exceptionally low cost of ownership
- **Manageable:** includes superior management capabilities that makes it easy to install, use and support
- **Low-maintenance:** automatic head cleaning system reduces the need for cleaning
- **Well-connected:** compatible with leading operating systems, backup software and servers
- **Future-proof:** the tape technology with an illustrious past also has a solid roadmap for the future
- **Complete:** comes with an easy-to-use backup solution that includes disaster recovery capabilities
- **Secure:** Hardware based data encryption (DAT 320 only) helps prevent unauthorized access of tape media (lost or stolen cartridges)



Product Highlights

DDS Technology

Within the tape market there is a wide range of tape technologies, the question for SMB customers is which one to choose. The answer is clear - DDS/DAT continues to be the unit volume leader in the tape drive market for small and medium businesses with a current installed base of over 6 million units and over 18 million DAT drives shipped since its introduction in 1989. This remarkable tape technology continues to flourish because it meets the needs of the SMB market for cost-effective, reliable backup better than any other technology available. DDS/DAT continues to be the technology of choice in the low end tape drive market with 86% worldwide unit market share in Q2 CY'09 according to IDC.

Unlike AIT, VXA, ADR, SLR, DLT and SDLT, DDS/DAT is based on an open standard format for data interchange. The influential DAT manufacturers group presides over this open standard with verification processes that ensure compliance. With multiple manufacturers developing and shipping DDS/DAT products, customers benefit from increased competition, which leads to better prices, faster development and more choice.

DDS format for DAT is a helical scan format where data is written diagonally across the width of the tape. The advantage is that, by allowing subsequent tracks to have different writing angles and to overlap, a much greater capacity can be achieved for a given length of tape because no guard bands are necessary. The data format also allows for fast location of tracks and data. To achieve this, the rotating drum is tilted at a slight angle (6°) from the vertical. The drum has four heads (two write heads and two read heads), located at 90° intervals. For each rotation of the drum, two tracks are written. The read heads verify the data that has been written (recorded) and the drive rewrites if necessary. The open format ensures interchangeability between different DDS format drives.

HP has been involved in the design and development of DAT drives since the beginning and applies these many years of experience to its current line of DAT products. Not only does an investment in DAT technology provide the security of a format with a history of outstanding reliability, the legacy of backward compatibility also provides the potential for future expansion without compromising your investment in the technology.

The target market for DAT continues to be direct-attach backup. In small and medium sized businesses cost of ownership, ease of use and a proven history (i.e. low risk) are paramount. DAT technology provides the capacity and performance needed in a tape backup solution for workstations and entry-level servers.

Specific Note on DAT 320

The DAT 320 drive employs similar technology as previous DAT products, and uses DAT 320 wide media in order to achieve higher capacities. However, it maintains 1 generation backward compatibility with 8mm DDS media used with the DAT 160. It cannot read or write data on older 4mm DDS cartridges.

Specific Note on DAT 160

The DAT 160 drive employs the same technology as previous DAT products, and uses DAT 160 wide media in order to achieve higher capacities. However, it maintains 2 generation backward compatibility and can still read and write data to DAT 72 and DAT 40 (DDS-4) cartridges. It does this by recognizing the different tapes (wider DAT 160 and the narrower DAT 72/DDS-4).

QuickSpecs

HP StorageWorks DAT Tape Drives

Product Highlights

Backwards Compatibility HP DAT tape drives are backward read-write compatible with previous generations, thus:

- DAT 320 also reads and writes DAT 160
- DAT 160 also reads and writes DAT 72 and DDS-4
- DAT 72 also reads and writes DDS-4 and DDS-3
- DAT 40 also reads and writes DDS-3 and DDS-2

Proven Reliability

HP DAT drives have proven to be exceptionally reliable. The drives have demonstrated exceptional performance with customers over many years and across different generations and this has underpinned their popularity.

The drives are designed with reliability in mind and with the security of customer's data as a priority. Hardware reliability is typically measured as MTBF (Mean Time Between Failures) associated with duty cycles which suggests the amount the drive is typically used e.g. 100% duty cycle means the drive is used for 24 hours per day. As a result of field data, the specification for HP DDS products is stated as 125,000 hours at 100% duty cycle, or 1 million hours at a more typical 12% duty cycle (drive used on average for 3 hours per day).

Unlike other manufacturers' DAT drives, this specification is not generated in the laboratory with limited numbers of prototype drives and assumptions on customer use; it is generated from real customer data for the products concerned.

Automated Head Cleaning/Intelligent cleaning

HP DDS derives benefit from an automatic head cleaning "sweeper" that can be used during the write or read recovery procedure to dislodge debris from the tape path and recording heads and drive. This feature reduces the need to use a DDS cleaning cartridge for manual cleaning.

Intelligent cleaning determines the cleaning provided by a cleaning cartridge when loaded by monitoring the drive performance when in use. If the drive is performing well, a routine maintenance clean is performed. If the drive has degraded performance the cleaning is automatically made more robust to recover the drive to optimum performance.

Interfaces

HP offers a range of interface options with our DAT Tape Drives in order to meet the varying needs of our customers. HP DAT drives are available with a choice of: the standard SCSI interface where legacy SCSI connectivity is required, USB 2.0 interface for universal plug and play connectivity and a SAS interface option for the very latest in server connectivity.

Native SAS – Serial Attached SCSI

As its name suggests, SAS delivers a new generation of technology based on a development of the classic SCSI interface. First introduced in May 2002, the SAS interface leverages the proven SCSI protocol to deliver new levels of scalability, flexibility, and cost-effectiveness for today's system connectivity, data transport, and data storage.

HP has introduced both DAT 320 and DAT 160 models with a native SAS interface that allows customers to directly connect and backup SAS configured servers and take advantage of the latest connectivity trends.

Why SAS?

For over 20 years, the parallel bus interface has been the mainstream storage interconnect for most



Product Highlights

storage systems. While technologies like parallel SCSI meet most performance requirements of today's enterprise solutions, continued demands for higher speeds, increasingly robust data integrity, smaller designs and wider standardization have cast doubt on the ability of parallel technologies to economically keep pace with increasing CPU processing power and disk drive speeds. SAS is the new evolution of SCSI technology designed to overcome the limitations of the SCSI architecture and delivers a number of benefits to enterprise systems:

New levels of performance – SAS is capable of moving data at speeds of up to 3Gigabits per second, with a clear roadmap to 12Gbs in the future. A SAS connection can support four SAS wide lanes or potentially 4 x 300MB/s per connection.

Increased availability – another benefit of SAS-based storage subsystems is the native dual port capability of each SAS drive, providing a redundant path to each drive in the event of a controller failover. In addition, since each drive is on a separate point-to-point connection, losing a drive connection only affects a single drive. Compare this to parallel SCSI in which losing a bus affects all the drives on the bus.

Greater flexibility – probably the best known benefit of SAS for external storage is its configuration flexibility. A SATA drive can be plugged into a SAS mid-plane without any modifications or changes, the controller and the software will seamlessly support a system with a mix of SATA and SAS disk drives.

Why choose a SAS interface DAT drive?

The above benefits of SAS explain why system manufacturers, including HP, are rapidly moving to SAS interfaces to connect internal peripherals. Customers purchasing a HP DAT Tape Drive with native SAS interface can benefit from:

Wide availability of SAS ports - SAS interfaces are now widely available on servers and systems. Furthermore with server I/O bus technology moving from PCI-X to PCI-Express (PCI-e), customers may find it difficult to obtain Parallel SCSI host bus adapters for the PCI-Express bus.

Investment protection - this new generation interface is supported by a robust multi-vendor roadmap and already boasts a clear future out to 12Gb/s.

Installing SAS tape drives

HP StorageWorks SAS tape drives are available as internal and external models. Both models are supplied with a special split cable that allows you to connect to an internal port (if available) on the embedded SAS controller inside the server. While connection via the split cable provides the most cost-effective way of connecting the tape drive to an HP ProLiant server, this will require a clear understanding of your server's current SAS configuration before installing.

For the most up-to-date information about recommended SAS HBAs and supported cabling configurations with your make and model of server, always refer to <http://www.hp.com/go/connect>. A full installation guide is included with the product.

Native USB

The USB (Universal Systems Bus) interface was conceived out of a need to simplify computer peripheral device connection. It has been so successful that the majority of computer systems and servers shipped today offer multiple native USB 2.0 ports.

HP is the first company to develop a native USB DDS/DAT tape drive. Where other "USB tape drives" rely

QuickSpecs

HP StorageWorks DAT Tape Drives

Product Highlights

on a USB converter, HP's USB interface is fully integrated with the drive and uses the SCSI command set within the USB payload. The benefit of this implementation is that it gives the drive full SCSI functionality and the flexibility of USB without the additional cost of a converter.

By offering native USB 2.0 DAT drives, HP aims to provide customers with a number of benefits:

- Greater usability
- Plug-and-play connectivity - the system automatically detects and configures the tape drive.
- The DAT drive is installed and ready to backup in less than 60 seconds.
- Microsoft fully supports USB devices natively in their operating systems providing robust, secure configuration and installation wizards.
- Cables are easily identifiable, easy to attach without the need for thumb-screw and robust enough to ensure reliable retention.
- Resource abundance
- Native USB ports are universally available in systems and servers
- Multiple ports ensure that port resources are widely available, reducing the conflict between devices over scarce connectors.
- Port expansion is easy, USB hubs can be installed to add additional ports supporting up to 127 devices on a system
- Low cost, reliable connectivity
- By providing native USB DDS/DAT drives there is no need for customers to purchase additional host-bus adapters
- HP's USB 2.0 implementation benefits from the built-in reliability and failure recovery inherent in the underlying SCSI protocol
- USB 2.0 has multiple levels of physical error detection and recovery which ensure reliability on a par with SCSI and Fibre-channel interfaces.
- USB 2.0 compliance certification provides thorough, ongoing reliability and quality control. A well implemented USB network should use only USB 2.0 compliant components, including USB 2.0 certified cables.
- Sustainable performance
- Assuming the use of data with a compressibility of 2 to 1, the DAT 320 USB Tape Drive can stream data at a transfer rate of 24 MB/s. Assuming the use of data which is not compressed, the USB DAT320 can stream data at a transfer rate of 12 MB/s.

Compression

DDS uses built-in hardware compression using the 'DCLZ' data compression algorithm. Data compression is host-selectable with the default that compression is turned on. Typical data compression is 2:1, but actual compression depends on the type of data being compressed and can be more or less than 2:1.

QuickSpecs

HP StorageWorks DAT Tape Drives

Product Highlights

SCSI Offline Hot-Swap Technology

NOTE: this feature is available for SCSI products. USB variants of HP DAT drives already benefit from hot-plug capability through the USB 2.0 interface.

The HP StorageWorks DAT SCSI tape drives are available as offline hot-swap models to increase your uptime. With these models, you never have to take down your system to replace a failed or non-responding tape device.

The HP StorageWorks Tape Array 5300 supports "offline hot-swap" (sometimes referred to as "warm-swap") array modules, including DAT drives. This means the drives can be removed and replaced with the power on and the SCSI cables attached to the server. Because the array's SCSI buses are not buffered, however, drive replacement should only take place while the SCSI bus is quiescent (no SCSI activity from the tape drive or any other device on the same bus).

With the HP StorageWorks DAT or array modules, the server does not need to be taken offline to install the tape drive. Simply insert the tape drive into the server's Tape Array 5300's drive bay and install or configure the backup software.

Rack-Mount Tape Options

HP DAT SCSI drives are supported on the HP StorageWorks 1U and 3U Rack-Mount Kits and the HP StorageWorks Tape Array 5300. The 3U Rack-Mount Kit and the Tape Array 5300 allow up to four internal DAT drives to be installed in 3U of rack space, while the 1U Rack-Mount Kit holds two DAT drives in 1U of space. 1U rack-mount kits use standard internal DAT USB and SCSI drives for a low-cost solution. 3U rack-mount kits use standard internal DAT SCSI drives while the Tape Array 5300 uses DAT array modules that provide offline hot-swap capabilities and redundant components for high-availability environments.

Either of these rack enclosures can be configured with separate SCSI buses (channels) for each drive or two or more drives per bus using the optional cable kits.

NOTE: Please refer to the [QuickSpecs for HP StorageWorks Rack-Mount Kits at http://h18000.www1.hp.com/products/quickspecs/10854_div/10854_div.html](http://h18000.www1.hp.com/products/quickspecs/10854_div/10854_div.html) or the [HP StorageWorks Tape Array 5300 web page at http://www.hp.com/products1/storage/products/tapebackup/tapearrays/tapearray5300/index.html](http://www.hp.com/products1/storage/products/tapebackup/tapearrays/tapearray5300/index.html) for further information.

HP StorageWorks OBDR (One-Button Disaster Recovery)

With HP One-Button Disaster Recovery, you can quickly, reliably and simply restore your entire ProLiant system just by inserting the most recent backup tape and pushing one button on the tape drive. Your HP StorageWorks DAT drive will restore your operating system, configuration, applications, drivers and data files. There's no longer a need to search for software disks and manuals. And with downtime reduced, the costs of recovery are minimized too. There's no need to make a new set of disaster recovery disks each time the network configuration is altered or a peripheral is added. Recovering from a disaster manually at a stressful time makes for an error-prone process. The sheer simplicity of HP One-Button Disaster Recovery means less human error. Backup and disaster recovery preparation -- previously two separate tasks -- become one process. OBDR is simply the best disaster recovery product for small to medium systems. For a current list of servers, workstations, and software that support OBDR, check the tape backup compatibility pages at: <http://www.hp.com/go/obdr>



QuickSpecs

HP StorageWorks DAT Tape Drives

Product Highlights

Software in the Box

The HP StorageWorks DDS/DAT tape drives include HP Data Protector Express Single Server Edition software. This easy to use backup application, based on Data Protector Express, robustly protects a single Windows, Linux or NetWare server. Also included is the Data Protector Express Bare Metal Disaster Recovery (BMDR) option which provides automated system recovery of the server following a major hardware or software failure. The fastest method to recover the server is to use the Data Protector Express BMDR option and the One Button Disaster Recovery feature of the HP StorageWorks DDS/DAT tape drives. For more information about Data Protector Express Single Server Edition please visit: <http://www.hp.com/go/dataprotectorexpress/sse>.

As well as getting the Data Protector Express Single Server Edition software as part of the HP StorageWorks DDS/DAT tape drives solution, purchasers can easily and economically upgrade to the class-leading Data Protector Express backup/recovery software. This is a special part number, only available for registered users of Data Protector Express Single Server Edition for that gives a significant discount off the regular price of Data Protector Express, to recognize the value of the in-box software.. For more information upgrading Data Protector Express Single Server Edition to Data Protector Express visit:

<http://www.hp.com/go/dataprotectorexpress/sse/upgrade>.

If the HP StorageWorks DDS/DAT tape drive is for a large environment that requires UNIX support and/or enterprise class application and feature support then HP Data Protector is the recommended backup/recovery software. For more information and evaluation software please visit

<http://www.hp.com/go/dataprotector>.

HP StorageWorks Library and Tape Tools (L&TT)

HP StorageWorks DAT drives are supported on HP's industry-leading diagnostic tool -- HP StorageWorks Library and Tape Tools (L&TT). L&TT is a single, convenient program that's a snap to install and simple to operate. L&TT's intuitive user interface eliminates the need for training and deploys in less than five minutes. This robust diagnostic tool is designed for both the experienced professional and the untrained administrator. It ensures product integrity through self-diagnostics and fast resolution to device concerns. To download and obtain additional information on L&TT go to <http://www.hp.com/support/tapetools>

HP DDS Media

HP's test program for HP DAT media is probably the most thorough and comprehensive in the industry. HP data cartridges must satisfy an exhaustive battery of additional tests that relate directly to real life situations, where real data and real businesses are at stake. Over 1 million test hours on media and drives per year ensure that HP data cartridges will always offer maximum reliability even in the most extreme conditions. HP recommends that customers always use HP branded media to ensure stress-free backup and complete peace of mind.

QuickSpecs

HP StorageWorks DAT Tape Drives

Compatibility

HP's extensive compatibility testing program assures that HP StorageWorks DAT drives work with leading servers, operating systems, and backup applications -- and not just those sold by HP. HP DAT drives work seamlessly in many environments, making them especially suitable if you have a mixed system environment. For the latest list of servers, workstations, operating systems, and backup software that support HP DAT drives, check the tape backup compatibility pages at: <http://www.hp.com/go/connect>.

HP Server and Workstation Compatibility with SAS drives

HP StorageWorks DAT SAS drives are compatible with HP ProLiant servers, Integrity Servers, and HP Workstations, as well as many third-party servers. HP StorageWorks DAT SAS drives are supported on the following classes of HP systems:

- HP ProLiant DL servers*
- HP ProLiant ML servers
- HP Integrity servers
- HP Personal Workstations

For details of which tape drive models work with which systems, including third-party systems, visit <http://www.hp.com/go/connect> for the latest hardware compatibility information.

HP Server and Workstation Compatibility with SCSI drives

HP StorageWorks DAT SCSI drives are compatible with HP ProLiant servers, HP 9000 servers, Integrity Servers, Alpha Servers and HP Workstations, as well as many third-party servers. HP StorageWorks DAT SCSI drives are supported on the following classes of HP systems:

- HP ProLiant DL servers*
- HP ProLiant ML servers
- HP Alpha Servers
- HP 9000 servers
- HP Integrity servers
- HP Personal and RISC Workstations

For details of which tape drive models work with which systems, including third-party systems, visit <http://www.hp.com/go/connect> for the latest hardware compatibility information.

HP Server Compatibility with USB drives

HP StorageWorks DAT USB drives are compatible with HP ProLiant servers and HP workstations, as well as many third-party servers. HP StorageWorks DAT USB drives are supported on the following classes of HP systems:

- HP ProLiant DL servers*
- HP ProLiant ML servers
- HP Personal Workstations

For details of which tape drive models work with which systems, including third-party systems, visit <http://www.hp.com/go/connect> for the latest hardware compatibility information.

NOTE: HP recommends that no more than one DAT USB tape drive be connected to a system at a time.

* HP ProLiant DL family G6 servers do not support internal tape devices

QuickSpecs

HP StorageWorks DAT Tape Drives

Compatibility

OS Support for SAS DAT drives	Microsoft® Windows®, Linux (various distributions) and other operating systems NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.
OS Support for SCSI DAT drives	Microsoft® Windows®, Novell NetWare, HP-UX, Linux (various distributions), HP Tru64, HP OVMS, IBM AIX, Sun Solaris, and other operating systems NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.
OS Support for USB DAT drives	Microsoft® Windows®, Linux (various distributions) NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.
<hr/>	
Backup Software Support for SAS drives	HP Data Protector Software, HP Data Protector Express Software, Symantec Backup Exec, CA BrightStor ARCserve Backup and other backup applications NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.
Backup Software Support for SCSI drives	HP Data Protector Software, HP Data Protector Express Software, Symantec Backup Exec, CA BrightStor ARCserve Backup and other backup applications NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.
Backup Software Support for USB drives	HP Data Protector Express, CA BrightStor ARCserve Backup, Symantec Backup Exec, and other backup applications NOTE: Please visit http://www.hp.com/go/connect for the latest compatibility information.

QuickSpecs

HP StorageWorks DAT Tape Drives

Service and Support, HP Care Pack, and Warranty Information

Warranty and Services Included with the HP StorageWorks DAT Products

Hewlett-Packard provides a 3-year, next-day, product exchange, limited warranty, for all StorageWorks DAT Tape Drives (excluding the StorageWorks DAT24 USB Tape Drive), plus 9x5 phone--support for the duration of the warranty.

For more information about HP's Global Limited Warranty and Technical Support, visit: ftp://ftp.compaq.com/pub/products/storageworks/warranty/EN_321708-008.pdf

HP Care Pack Information

For increased uptime, productivity and ROI -HP Care Pack packaged services for Storage

These days, you need to get the most out of your storage investment-you can't afford not to. When you buy HP storage products and solutions, it's also a good time to think about what levels of service and support you may need. To help take the worry out of deploying, designing, maintaining, and managing your environment, we've designed a portfolio of service options that are as flexible, reliable and scalable as your storage. Unlike storage-only vendors, we take a holistic approach to your entire environment, bridging storage, servers, blades, software and network infrastructures with our HP Care Pack packaged services for Storage.

Protect your business beyond the warranty

When it comes to robustness and reliability, standard warranties on today's computing equipment have matured just as the technologies have matured. Good news on some fronts-but also a source of potential problems and subsequent consequences that come from depending on standard warranties alone. Standard warranty protects against product defects and some causes of downtime- but not the business. By using a standard approach to warranty uplifts, such as HP Care Pack Services, you can reduce downtime risks and be more certain of operational consistency for both mission-critical and standard business computing. Simply put, HP Care Pack Services normalize the warranty of combined products - helping you proactively guard against unplanned downtime.

Extending warranties with HP Care Pack Services

For cost-effective upgrading or extending your standard warranty, HP Care Pack Services offer a suite of standard reactive hardware and software support services that are sold separately, or combined as with our Support Plus and Support Plus 24 services. The portfolio also provides a combination of proactive and reactive services, such as Proactive 24 Service and Critical Service. In addition, with HP Proactive Select we offer an innovative approach to service delivery that gives you the flexibility to acquire the specific proactive services you need today, then add services as your needs evolve. HP Proactive Select offers a broad set of technical or per-event type service options - including server, storage, and network, SAN device, and software, environment, installation and education services. Services that you can mix and match depending on your specific requirements, from preliminary planning and equipment delivery to installation, configuration, integration, and testing, through every level of ongoing support. Our HP Care Pack packaged services for Storage assures help when you need it most. And for many products, post-warranty HP Care Pack Services are available when your original warranty has expired.

HP Storage Services: Offering reliability, flexibility and value-just like your storage

HP Storage Services offers a full spectrum of customer care, from technology support to complex migrations to complete completely managed services. HP Factory Express provides customization, integration and deployment services for turnkey solutions. HP Education offers flexible, comprehensive training on storage networking, disk storage systems, and storage software to help your IT staff get the most out of your investments. And HP Financial solutions extend innovative financing and asset management programs to cost-effective buy, manage and eventually retire your older equipment.

HP Storage Services, the trusted business technology experts who manage your technology in action, because when technology works, business works. <http://www.hp.com/hps/storage>



Service and Support, HP Care Pack, and Warranty Information

NOTE: Care Pack Services availability may vary by product and country.

HP Care Pack Services are sold by HP and HP Authorized Service Partners:

- Services for customers purchasing from HP or an enterprise reseller are quoted using HP order configuration tools.
- Customers purchasing from a commercial reseller can find HP Care Pack Services at <http://www.hp.com/go/lookuptool>

Recommended HP Care Pack Services for optimal satisfaction with your HP product

3 years HP Support Plus 24

For a higher return on your storage investment, HP Support Plus 24 provides integrated hardware and software support services designed specifically for your technology. Available 24x7, this 3-year combined reactive support option delivers onsite hardware support and over-the-phone software support around-the-clock. Leverage the full strength of HP Technology Services - customers can trust the services professionals at HP to work collaboratively with them, putting our strategic and technical know-how to work across their entire infrastructure.

- Improve uptime with responsive hardware and software services
- Cost-effectively obtain expert multivendor support
- Enjoy consistent service coverage across geographically dispersed sites
- Update HP and selected third-party software at a predictable cost
- Take advantage of subscription savings on software updates
- Increase revenue-with access to world-class expertise without headcount implications
- Increase customer satisfaction-with no interoperability gaps

<http://h20195.www2.hp.com/V2/GetPDF.aspx/5981-6638EN.pdf>

Recommended Deployment

HP Installation Service.

For smooth startup and better business outcomes, HP Hardware Installation - this service provides initial hardware installation of your product into your technology environment (system configuration is not included). In today's new era of business technology- customers can trust the services professionals at HP to work collaboratively with them, putting our strategic and technical know-how to work across their entire infrastructure.

Service Features:

- Installation in accordance with your business's configuration requirements
- The ability to achieve more effective data management

<http://h71028.www7.hp.com/ERC/downloads/5981-9356EN.pdf>

QuickSpecs

HP StorageWorks DAT Tape Drives

Service and Support, HP Care Pack, and Warranty Information

Important Notice for Tape Drives Installed in a 1U or 3U Rack Mount Kit **NOTE:** These Care Packs do not apply to Tape Drives mounted in a 1U or 3U Rack Mount Kit. The HP Rack Mount Kit Care Pack covers all possible configurations of Tape Drives. Hence the Care Packs for 1U & 3U Rack Mount Kit covers all drives purchased with the Rack Mount Kit.

Please follow the following URL for the correct Care Pack Services and descriptions.
http://h18000.www1.hp.com/products/quickspecs/10854_div/10854_div.PDF

Important Notice for Internal Tape Drives Installed in an HP Server

NOTE: These Care Packs do not apply to Internal Tape Drives because they do not have Care Packs associated with them if they are mounted in an HP Server. Hence the Care Packs for the HP Server covers all drives purchased with the Rack Mount Kit.

Please follow the following URL for the correct Care Pack Services and descriptions,
 For Proliant use - <http://h18000.www1.hp.com/products/quickspecs/ProductBulletin.html>
 For BCS use - <http://h18000.www1.hp.com/products/quickspecs/ProductBulletin.html>

Important Notice for Tape Drive Modules Installed in an HP Tape Array

NOTE: These Care Packs do not apply to Tape Drives mounted in an HP Tape Array because they do not have Care Packs associated with them. Hence the Care Packs for the HP Tape Array covers all drives purchased with the Rack Mount Kit.

Please follow the following url for the correct Care Pack Services and descriptions.
http://h18000.www1.hp.com/products/quickspecs/11878_div/11878_div.PDF

eSupport

HP eSupport is a portfolio of technology-based services that assist you with managing your business environment - from the desktop to the data center.

Support Portal

The HP support portal provides one-stop access to the information, tools and services you need to manage the daily operations of your IT environment.

Features include:

- Access to self-solve tools (including search technical knowledge base)
- Efficient logging and tracking of support cases
- Collaboration with other business and IT professionals
- Download of patches and drivers
- Access to diagnostic tools
- Proactive notification of relevant information

Access to certain features of the support portal requires an HP service agreement. To access the support portal, visit <http://www.hp.com/support>.

QuickSpecs

HP StorageWorks DAT Tape Drives

Service and Support, HP Care Pack, and Warranty Information

Customer Technical Training

Consider education as an integral part of your strategy to get the best return on investment for your HP storage solution. HP offers a variety of training courses on storage software, networking, archiving and disk storage systems. Our classes are available in many delivery modalities from traditional instructor-led courses at one of our 80 training centers worldwide to on-site training customized to your needs or online.

www.hp.com/learn/storage

HP Services Awards

HP Services continues to be recognized for service and support excellence by customers, partners, industry organizations and publications around the world. Recent honors and award reflect our services team's dedications, technical expertise, professionalism and uncompromising commitment to customer satisfaction. For a list of all our awards, please visit

<http://h20219.www2.hp.com/services/cache/433028-0-0-225-121.htm>

Additional Services Information

For more information about HP Care Pack Services for Storage, please visit:

<http://www.hp.com/hps/storage>

If you have specific questions, contact your local HP representative. Contact information for a representative in your area can be found at "Contact HP" <http://www.hp.com>

QuickSpecs

HP StorageWorks DAT Tape Drives

Kit Contents

HP StorageWorks DAT 40 Tape Drives

Model	Description	Part Number
DAT 40 SCSI Internal	DAT 40 SCSI Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, SCSI ribbon cable, screws, HP DDS-4 data cartridge, HP DDS cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	C5686C
DAT 40 SCSI External	DAT 40 SCSI External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide, drivers, and HP Library and Tape Tools software diagnostics, HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, SCSI cable (68-pin HD to 68-pin VHD, LVD/SE Ultra2, 2.5m), LVD/SE SCSI multi-mode terminator, power cord, HP DDS-4 data cartridge, HP DDS cleaning cartridge.	C5687D
DAT 40 Array Module for Tape Array 5300	DAT 40 SCSI Array Module, installation poster, HP StorageWorks CD (containing electronic user's guide, drivers, and HP Library and Tape Tools software diagnostics, HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, HP DDS-4 data cartridge, HP DDS cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	C7497C
DAT 40 USB Internal	DAT 40 USB Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, standard USB cable, USB cable for internal ProLiant connect, USB cable for internal connect to an Intel motherboard header, screws, HP DDS-4 data cartridge, HP DDS cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	DW022A
DAT 40 USB External	DAT 40 USB External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, integral USB cable, power cord, HP DDS-4 data cartridge, HP DDS cleaning cartridge.	DW023A

QuickSpecs

HP StorageWorks DAT Tape Drives

Kit Contents

HP StorageWorks DAT 72 Tape Drives

Model	Description	Part Number
DAT 72 SCSI Internal	DAT 72 SCSI Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, SCSI ribbon cable (68-pin wide HD LVD), HP DAT 72 data cartridge, HP DDS cleaning cartridge. NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	Q1522B
DAT 72 SCSI External	DAT 72 SCSI External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, SCSI cable (68-pin Wide VHD-HD LVD), LVD/SE SCSI multi-mode terminator, power cord, HP DAT 72 data cartridge, HP DDS cleaning cartridge.	Q1523B
DAT 72 SCSI Array Module for Tape Array 5300	DAT 72 SCSI Array Module, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, HP DAT 72 data cartridge, HP DDS cleaning cartridge. NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	Q1524C
DAT 72 USB Internal	DAT 72 USB Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, standard USB cable, USB cable for internal ProLiant connect, USB cable for internal connect to an Intel motherboard header, screws, HP DAT 72 data cartridge, HP DDS cleaning cartridge. NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	DW026A
DAT 72 USB External	DAT 72 USB External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, integral USB cable, power cord, HP DAT 72 data cartridge, HP DDS cleaning cartridge.	DW027A
DAT 72 USB 1U USB Rack-Mount Kit	Single DAT 72 integrated in a 1U USB Rack-Mount enclosure with power supply and fan (up to 2 half-height tape drives supported), installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition software and its Bare Metal Disaster Recovery option, integral USB cable, power cord, rail kit, HP DAT 72 data cartridge, HP DDS cleaning cartridge. NOTE: Single drive installed in a 1U Rack-mount kit NOTE: OD1 will appear after this part number on your sales order if factory integration into a rack is indicated.	AG594A

HP StorageWorks DAT 160 Tape Drives

Model	Description	Part Number
DAT 160 SAS Internal	DAT 160 SAS Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, SAS cable (SFF-8484/SFF-8482), HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	Q1587A



QuickSpecs

HP StorageWorks DAT Tape Drives

Kit Contents

DAT 160 SAS External	DAT 160 SCSI External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, 3x/1x external split SAS cable (SFF-8484/SFF-8088), power cord, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge.	Q1588A
DAT 160 SCSI Internal	DAT 160 SCSI Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, SCSI ribbon cable (68-pin wide HD LVD), HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1573A
DAT 160 SCSI External	DAT 160 SCSI External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, SCSI cable (68-pin Wide VHD-HD LVD), LVD/SE SCSI multi-mode terminator, power cord, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge.	Q1574A
DAT 160 SCSI Array Module for Tape Array 5300	DAT 160 SCSI Array Module, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1575A
DAT 160 USB Internal	DAT 160 USB Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, standard USB cable, USB cable for internal ProLiant connect, USB cable for internal connect to an Intel motherboard header, screws, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge. NOTE: 0D1 will appear after this part number on your sales order if factory integration is indicated.	Q1580A
DAT 160 USB External	DAT 160 USB External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, integral USB cable, power cord, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge.	Q1581A
DAT 160 USB 1U USB Rack-Mount Kit	Single DAT 160 integrated in a 1U USB Rack-Mount enclosure with power supply and fan (up to 2 half-height tape drives supported), installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Server Edition software and its Bare Metal Disaster Recovery option, integral USB cable, power cord, rail kit, HP DAT 160 data cartridge, HP DAT 160 cleaning cartridge. NOTE: Single drive installed in a 1U Rack-mount kit NOTE: 0D1 will appear after this part number on your sales order if factory integration into a rack is indicated.	AG703A

QuickSpecs

HP StorageWorks DAT Tape Drives

Kit Contents

HP StorageWorks DAT 320 Tape Drives

Model	Description	Part Number
DAT 320 SAS Internal	DAT 320 SAS Internal Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, SAS cable (SFF-8484/SFF-8482), Mini SAS Cable (SFF8087), HP DAT 320 data cartridge, HP DAT 320 cleaning cartridge. NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	AJ830A
DAT 320 SAS External	DAT 320 SAS External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, 3x/1x external split SAS cable (SFF-8484/SFF-8088), 2M External Mini-SAS (SFF8088) to Mini-SAS (SFF8088) 1x SAS Cable, power cord, HP DAT 320 data cartridge, HP DAT 320 cleaning cartridge.	AJ828A
DAT 320 USB Internal	DAT 320 USB Internal Tape Drive, installation poster, HP StorageWorks CD (320 electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, standard USB cable, USB cable for internal ProLiant connect, USB cable for internal connect to an Intel motherboard header, screws, HP DAT 320 data cartridge, HP DAT 320 cleaning cartridge. NOTE: OD1 will appear after this part number on your sales order if factory integration is indicated.	AJ825A
DAT 320 USB External	DAT 320 USB External Tape Drive, installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Single Server Edition backup/recovery software CD and the HP Data Protector Express Bare Metal Disaster Recovery option, integral USB cable, power cord, HP DAT 320 data cartridge, HP DAT 320 cleaning cartridge.	AJ823A
DAT 160 USB 1U USB Rack-Mount Kit	Single DAT 320 integrated in a 1U USB Rack-Mount enclosure with power supply and fan (up to 2 half-height tape drives supported), installation poster, HP StorageWorks CD (containing electronic user's guide and drivers), HP Data Protector Express Server Edition software and its Bare Metal Disaster Recovery option, integral USB cable, power cord, rail kit, HP DAT 320 data cartridge, HP DAT 320 cleaning cartridge. NOTE: Single drive installed in a 1U Rack-mount kit NOTE: OD1 will appear after this part number on your sales order if factory integration into a rack is indicated.	AP835A

QuickSpecs

HP StorageWorks DAT Tape Drives

Options

NOTE: This is a list of related options. Some may be discontinued.

Host Bus Adapters and Controllers for ProLiant Servers

SCSI Controllers

64-Bit/133-MHz Single-Channel Ultra320 SCSI Adapter	374654-B21
HP Single channel U320 PCI-e SC11Xe Host Bus Adapter	412911-B21

NOTE: Please refer to the following web page for further information:

<http://www.hp.com/go/connect>

SAS Controllers

HP Smart Array P212/Zero Memory Controller	462828-B21
--	------------

NOTE: Recommended SAS HBA for connecting HP StorageWorks tape drives to HP ProLiant servers

HP Smart Array P212/256MB Controller	462834-B21
HP Smart Array P411/256MB Controller	462830-B21
HP Smart Array P411/512MB Battery Backed Write Cache	462832-B21
HP Smart Array P410/256MB Controller	462862-B21
HP Smart Array P410/512MB with BBWC	462864-B21
HP SC44Ge Host Bus Adapter	416096-B21
HP Smart Array P400/256MB Controller	405132-B21
HP Smart Array P400/512MB Controller	411064-B21
HP 8 Internal Port SAS HBA with RAID 0/1	347786-B21
NOTE: PCI-X interface	
HP Smart Array P800/512 BBWC Controller	381513-B21
HP Smart Array E500 Controller	435129-B21

Host Bus Adapters and Controllers for AlphaServers

32-bit to LVD Single-Channel SCSI	3X-KZPCA-AA
64-bit Dual-Channel Ultra 3 LVD SCSI Adapter	3X-KZPEA-DB

NOTE: Please refer to the following web page for further information:

<http://www.hp.com/go/connect>

Controllers for Third-Party Servers

HP Single channel U320 PCI-e SC11Xe Host Bus Adapter	412911-B21
64-Bit/133-MHz Single-Channel Ultra320 SCSI Adapter	374654-B21

NOTE: Please refer to the following web page for further information:

<http://www.hp.com/go/connect>

HP SC44Ge Host Bus Adapter	416096-B21
----------------------------	------------

NOTE: Recommended SAS HBA for connecting HP StorageWorks tape drives

QuickSpecs

HP StorageWorks DAT Tape Drives

Options

Media	HP DDS-2 Data Cartridge, 8GB	C5707A
	HP DDS-3 Data Cartridge, 24GB	C5708A
	HP DDS-4 Data Cartridge, 40GB	C5718A
	HP DAT 72 Data Cartridge, 72GB	C8010A
	HP DAT 160 Data Cartridge, 160GB	C8011A
	HP DAT 320 Data Cartridge, 320GB	Q2032A
	HP DDS Cleaning Cartridge	C5709A
	HP DAT 320 Cleaning Cartridge	Q2039A
	HP DAT160 Cleaning Cartridge	C8015A

Rack-Mount Options	IU SAS Rack-Mount KIT	AE459A
	NOTE: 1U SAS Rack-Mount Kit holds up to two internal DAT SAS drives (and other SAS tape technologies).	
	NOTE: Please refer to the following web page for further information: http://h18006.www1.hp.com/storage/tapestorage/rackmount.html	
	3U SAS Rack-Mount KIT	AG576A
	NOTE: 3U SAS Rack-Mount Kit holds up to four internal DAT SAS drives (and other SAS tape technologies).	
	NOTE: Please refer to the following web page for further information: http://h18006.www1.hp.com/storage/tapestorage/rackmount.html	
	1U SCSI Rack-Mount Kit	A7445B
	NOTE: 1U SCSI Rack-Mount Kit holds up to two internal DAT SCSI drives (and other SCSI tape technologies).	
	NOTE: Please refer to the following web page for further information: http://h18006.www1.hp.com/products/storageworks/1urackmount/index.html	
	1U USB Rack-Mount Kit	A8007A
NOTE: 1U USB Rack-Mount Kit holds up to two internal DAT USB drives		
NOTE: Please refer to the following web page for further information: http://h18006.www1.hp.com/products/storageworks/1urackmount/index.html		
1U USB Cable Option Kit	396114-B21	
NOTE: This cable kit can be purchased to convert a 1U SCSI rack-mount kit to a USB interface to support the DAT USB drives. It includes 1 - 5 meter USB cable, 1- plastic grommet, 1- metallic panel, and documentation. All pieces are pre-assembled for easy implementation.		
3U SCSI Rack-Mount Kit	274338-B22	
NOTE: 3U Rack-Mount Kit holds up to four internal SCSI DAT drives (and other SCSI tape technologies).		
NOTE: Please refer to the following web page for further information: http://h18006.www1.hp.com/products/storageworks/3urackmount/index.html		
Tape Array 5300	C7508B	
NOTE: Tape Array 5300 holds up to four offline hot-swap DAT array modules (and other tape technologies).		
NOTE: Please refer to the following web page for further information: http://www.hp.com/products1/storage/products/tapebackup/tapearrays/tapearray5300/index.html		



QuickSpecs

HP StorageWorks DAT Tape Drives

Options

SCSI Cable Kits	External SCSI Cable, 68-pin HD/68-pin VHDCI, 12ft/3.66m	341177-B21
	SCSI Cable LVD, HVD or SE (Multimd) HDTS68 connector 0.5m	C2978B
	External SCSI Cable, 68-pin HD/68-Pin HD, 16.4ft/5m	C2911C
	SCSI Cable LVD, HVD or SE (Multimd) HDTS68 connector 2.5m	C2924C
	SCSI Cable LVD, HVD or SE (Multimd) HDTS68 connector 5m	C7521A
	SCSI Cable LVD, HVD or SE (Multimd) HDTS68 connector 10m	C7522A
	SCSI Cable LVD, HVD or SE (Multimd) VHDS68/HDTS68 1m	C2361B
	SCSI Cable LVD, HVD or SE (Multimd) VHDS68/HDTS68 2.5m	C2362B
	SCSI Cable LVD, HVD or SE (Multimd) VHDS68/HDTS68 5m	C2365B
SCSI Cable LVD, HVD or SE (Multimd) VHDS68/HDTS6810m	C2363B	
SAS Cable Kits	HP StorageWorks Mini-SAS Cable for DAT Internal Tape Drive NOTE: Use this cable to connect HP StorageWorks DAT internal tape drives to Mini-SAS (SFF8087) ports.	AP747A
	2M External Infiniband (SFF8470) to Mini-SAS (SFF8088) 1x SAS Cable NOTE: Use this cable to connect HP StorageWorks SAS external tape devices to HP SAS controllers with Infiniband (SFF8470) connectors.	AE466A
	4M External Infiniband (SFF8470) to Mini-SAS (SFF8088) 1x SAS Cable NOTE: Use this cable to connect HP StorageWorks SAS external tape devices to HP SAS controllers with Infiniband (SFF8470) connectors.	AE468A
	2M External Mini-SAS (SFF8088) to Mini-SAS (SFF8088) 1x SAS Cable NOTE: Use this cable to connect HP StorageWorks SAS external tape devices to HP SAS controllers with external Mini-SAS (SFF8088) connectors.	AE470A
	4M External Mini-SAS (SFF8088) to Mini-SAS (SFF8088) 1x SAS Cable NOTE: Use this cable to connect HP StorageWorks SAS external tape devices to HP SAS controllers with external Mini-SAS (SFF8088) connectors.	AE465A
	4M External Mini-SAS (SFF8088) to SAS 4i (SFF8484) 3x/1x Split SAS Cable NOTE: This split cable connects internally to SAS Hard Drive Cage (3x) and externally to the tape device (1x) with other connector attaching to HP SAS controllers with SAS 4i (SFF8484) connectors. The 1x cable occupies additional PCI slot on the server.	AE464A
	4M External Mini-SAS (SFF8088) to Internal Mini-SAS (SFF8087) 3x/1x Split SAS Cable NOTE: This split cable connects internally to SAS Hard Drive Cage (3x) and externally to the tape device (1x) with other connector attaching to the Smart Array P400i controller inside a DL360 G5 or DL365 G5 server. The 1x cable occupies additional PCI slot on the server.	AG452A

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Dimensions	DAT 40	DAT 72	DAT 160	DAT 320
Form Factor	Half-height, 5¼ inches (internal and array module)	Half-height, 5¼ inches (internal and array module)	Half-height, 5¼ inches (internal and array module)	Half-height, 5¼ inches
Physical (HxWxD) SAS Internal	n/a	n/a	1.6 x 5.7 x 7.2 in (4.0 x 14.5 x 18.3 cm)	1.6 x 5.7 x 8.12 in (4.1 x 14.6 x 20.6 cm)
Physical (HxWxD) SCSI Internal	1.6 x 5.7 x 6.1 in (4.0 x 14.5 x 15.5 cm)	1.6 x 5.7 x 6.1 in (4.0 x 14.5 x 15.5 cm)	1.6 x 5.7 x 7 in (4.0 x 14.5 x 17.7 cm)	n/a
Physical (HxWxD) USB Internal	1.6 x 5.7 x 6.1 in (4.0 x 14.5 x 15.5 cm)	1.6 x 5.7 x 6.1 in (4.0 x 14.5 x 15.5 cm)	1.6 x 5.7 x 7.2 in (4.0 x 14.5 x 18.3 cm)	1.6 x 5.7 x 8.12 in (4.1 x 14.6 x 20.6 cm)
Physical (HxWxD) SCSI/USB External	2.2 x 7.1 x 8.7 in (5.7 x 18.1 x 22.2 cm)	2.2 x 7.1 x 8.7 in (5.7 x 18.1 x 22.2 cm)	2.6 x 7.1 x 9.3 in (6.7 x 18.1 x 23.6 cm)	n/a 3.1 x 8.7 x 11.8 in (7.8 x 22.0 x 29.9 cm)
Physical (HxWxD) SAS External	n/a	n/a	2.6 x 7.1 x 9.3 in (6.7 x 18.1 x 23.6 cm)	3.1 x 8.7 x 11.8 in (7.8 x 22.8 x 29.9 cm)
Physical (HxWxD) Array Module	1.6 x 6.3 x 11.2 in (4.0 x 16.0 x 28.5 cm)	1.6 x 6.3 x 11.2 in (4.0 x 16.0 x 28.5 cm)	1.6 x 6.3 x 11.2 in (4.0 x 16.0 x 28.5 cm)	n/a
Shipping (HxWxD) SAS Internal	n/a	n/a	6.3 x 9.25 x 9.05 in (16.0 x 23.5 x 23.0 cm)	7.9 x 9.52 x 11.41 in (20 x 24.2 x 29.0 cm)
Shipping (HxWxD) SCSI Internal	9.5 x 9.25 x 9.5 in (24.0 x 23.5 x 24.0 cm)	9.5 x 9.25 x 9.5 in (24.0 x 23.5 x 24.0 cm)	6.3 x 9.25 x 9.05 in (16.0 x 23.5 x 23.0 cm)	n/a
Shipping (HxWxD) USB Internal	9.5 x 9.25 x 9.5 in (24.0 x 23.5 x 24.0 cm)	9.5 x 9.25 x 9.5 in (24.0 x 23.5 x 24.0 cm)	6.3 x 9.25 x 9.05 in (16.0 x 23.5 x 23.0 cm)	7.9 x 9.52 x 11.41 in (20 x 24.2 x 29.0 cm)
Shipping (HxWxD) SAS External	n/a	n/a	8.85 x 12.6 x 11.02 in (22.5 x 32.0 x 28.0 cm)	9.5 x 12.52 x 15.63 in (24.1 x 31.8 x 39.7 cm)
Shipping (HxWxD) SCSI External	11.8 x 11.02 x 12.6 in (30.0 x 28.0 x 32.0 cm)	11.8 x 11.02 x 12.6 in (30.0 x 28.0 x 32.0 cm)	8.85 x 12.6 x 11.02 in (22.5 x 32.0 x 28.0 cm)	n/a
Shipping (HxWxD) USB External	11.8 x 11.02 x 12.6 in (30.0 x 28.0 x 32.0 cm)	11.8 x 11.02 x 12.6 in (30.0 x 28.0 x 32.0 cm)	8.85 x 12.6 x 11.02 in (22.5 x 32.0 x 28.0 cm)	9.5 x 12.52 x 15.63 in (24.1 x 31.8 x 39.7 cm)



QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Shipping (HxWxD) Array Module	11.4 x 17.7 x 12.2 in (29.0 x 45.0 x 31.0 cm)	11.4 x 17.7 x 12.2 in (29.0 x 45.0 x 31.0 cm)	10.6 x 17.3 x 11.8 in (27.0 x 44.0 x 30.0 cm)	n/a
----------------------------------	--	--	--	-----

Weight	DAT 40	DAT 72	DAT 160	DAT 320
Out of box SAS Internal	n/a	n/a	2.7 lb (1.2 kg)	2.55 lb (1.1 kg)
Out of box SCSI/USB Internal	2.1 lb (.95 kg)	2.1 lb (.95 kg)	2.1 lb (.95 kg)	2.7 lb (1.2 kg)
Out of box SAS External	n/a	n/a	5 lb (2.25 kg)	7.4 lb (3.3 kg)
Out of box SCSI/ USB External	4.2 lb (1.90 kg)	4.2 lb (1.90 kg)	4.2 lb (1.90 kg)	7.5 lb (3.4 kg)
Out of box Array Module	3.2 lb (1.45 kg)	3.1 lb (1.40 kg)	3.1 lb (1.40 kg)	n/a
Shipping USB/SCSI Internal	3.2 lb (1.44 kg)	3.2 lb (1.44 kg)	3.2 lb (1.44 kg)	4.45 lb (2.0 kg)
Shipping SAS Internal	n/a	n/a	3.2 lb (1.44 kg)	4.60 lb (3.3 kg)
Shipping USB/SCSI External	6.4 lb (2.9 kg)	6.4 lb (2.9 kg)	6.4 lb (2.9 kg)	9.80 lb (4.4 kg)
Shipping SAS External	n/a	n/a	6.4 lb (2.9 kg)	9.70 lb (4.3 kg)
Shipping Array Module	7.9 lb (3.6 kg)	7.9 lb (3.6 kg)	7.9 lb (3.6 kg)	n/a

Capacity	DAT 40	DAT 72	DAT 160	DAT 320
Native	20 GB	36 GB	80GB	160GB
Compressed (assumes 2:1 data compression)	40 GB	72GB	160GB	320GB
Buffer Size	8 MB	8 MB	16 MB	64MB

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Performance	DAT 40	DAT 72	DAT 160	DAT 320
Sustained Transfer Rate (native) Where 1KB = 1,000 Bytes	3.2 MB/s*	3.2 MB/s*	6.9 MB/s*	12 MB/s*
Sustained Transfer Rate (with 2:1 data compression) Where 1KB = 1,000 Bytes	6.4 MB/s*	6.4 MB/s*	13.8 MB/s*	24 MB/s*
Burst Transfer Rate (SAS interface) Where 1KB = 1,000 Bytes	n/a	n/a	3 Gb/s	3 Gb/s
Burst Transfer Rate (SCSI interface) Where 1KB = 1,000 Bytes	6.4 MB/s (asynchronous) 160 MB/s (synchronous)	6.4 MB/s (asynchronous) 160 MB/s (synchronous)	6.9 MB/s (asynchronous) 160 MB/s (synchronous)	n/a
Burst Transfer Rate (USB interface) Where 1KB = 1,000 Bytes	40 MB/s	40 MB/s	40 MB/s	40 MB/s
Data Access Time	50 s	68 s	50 s	50 s
Average Load Time	15 s	15 s	35 s	45 s
Average Unload Time	15 s	15 s	35 s	50 s
Rewind Time	110 s (end to end)	120 s (end to end)	92 s (end to end)	120 s (end to end)
<hr/>				
Reliability	DAT 40	DAT 72	DAT 160	DAT 320
MTBF	125,000 hours at 100% duty cycle	125,000 hours at 100% duty cycle	125,000 hours at 100% duty cycle	125,000 hours at 100% duty cycle
Uncorrected Error Rate	1x10 ⁻¹⁷ bits read	1x10 ⁻¹⁷ bits read	1x10 ⁻¹⁷ bits read	1x10 ⁻¹⁷ bits read
<hr/>				
Media	DAT 40	DAT 72	DAT 160	DAT 320
Recommended media	DDS-4 (155m)	DAT 72 (170m)	DAT 160 (150m, wide tape)	DAT 320 (150m, wide tape)
Backward read-write compatibility	DDS-3 (125m) DDS-2 (120m)	DDS-4 (155m) DDS-3 (125m)	DAT 72 (170m) DDS-4 (155m)	DAT 160 (150m, wide tape)

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Tape Format	DAT 40	DAT 72	DAT 160	DAT 320
Recording Method	4 mm helical scan	4 mm helical scan	8 mm helical scan	8 mm helical scan
Recording Format	DDS-4, DDS-3, and DDS-2 (ANSI/ISO/ECMA)	DAT 72, DDS-4, DDS-3 (ANSI/ISO/ECMA)	DAT 160, DAT 72, DDS-4	DAT 320, and DAT 160
Data Compression	Lempel-Ziv (DCLZ)	Lempel-Ziv (DCLZ)	Lempel-Ziv (DCLZ)	Lempel-Ziv (DCLZ)
Error Detection/Correction	Reed-Solomon	Reed-Solomon	Reed-Solomon	Reed-Solomon
Data Encoding Method	Partial Response Maximum Likelihood (PRML)	Partial Response Maximum Likelihood (PRML)	Partial Response Maximum Likelihood (PRML)	Partial Response Maximum Likelihood (PRML) for DAT 160 media LDPC for DAT 320 media

Interface	DAT 40	DAT 72	DAT 160	DAT 320
SAS Interface	n/a	n/a	SAS 1.1	SAS 1.1
SAS Connector	n/a	n/a	SAS Internal: mini-SAS SFF8482 SAS External: mini-SAS SFF8088	SAS Internal: mini-SAS SFF8482 SAS External: mini-SAS SFF8088
SCSI Interface	SCSI-3 Ultra 160 LVD	SCSI-3 Ultra 160 LVD	SCSI-3 Ultra 160 LVD	N/A
SCSI Connector	Internal: 68-pin wide HD LVD External: 68-pin wide HDLVD, thumbscrew Hot-plug: 80-pin SCA-2 (SCSI and power) Array module: 80-pin EBBI	Internal: 68-pin wide HD LVD External: 68-pin wide LVDS, thumbscrew Hot-plug: 80-pin SCA-2 (SCSI and power) Array module: 80-pin EBBI	Internal: 68-pin wide HD LVD External: 68-pin wide LVDS, thumbscrew Array module: 80-pin EBBI	N/A
USB Interface	USB 2.0	USB 2.0	USB 2.0	USB 2.0
USB Connector	USB standard series B receptacle	USB standard series B receptacle	USB standard series B receptacle	USB standard series B receptacle
Termination - is only required for the SCSI product	No terminator is required for internal model (assumes use of terminated cable). External model requires termination with multimode terminator (included with product). SCSI Array module requires termination with multimode terminator (ordered separately - p/n C2364A).			

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Power Specifications	DAT 40	DAT 72	DAT 160	DAT 320
Power Requirements (SCSI-2 internal, hot-plug, and array module)	+5V ± 5% (100mV Max ripple) @0.6A +12V ± 10% (150mV Max ripple) @1.2A	+5V ± 5% (100mV Max ripple) @0.6A +12V ± 10% (150mV Max ripple) @1.2A	n/a	n/a
Power Requirements (USB, SCSI-3 internal and SAS and array module)	+5V ± 5% (100mV Max ripple) @0.8A +12V ± 10% (150mV Max ripple) @0.3A	+5V ± 5% (100mV Max ripple) @0.8A +12V ± 10% (150mV Max ripple) @0.3A	+5V ± 5% (100mV Max ripple) @1.1A +12V ± 10% (150mV Max ripple) @0.4A	+5V ± 5% (100mV Max ripple) @0.78A +12V ± 10% (150mV Max ripple) @0.3A
Power Requirements (external)	100 to 240 VAC, 50-60 Hz, auto-ranging	100 to 240 VAC, 50-60 Hz, auto-ranging	100 to 240 VAC, 50-60 Hz, auto-ranging	100 to 240 VAC, 50-60 Hz, auto-ranging
Power consumption (SAS) (average)	n/a	n/a	10.3 Watts	6.1 Watts
Power consumption (SCSI) (average)	7.3 Watts	7.1 Watts	10.3 Watts	n/a
Power consumption (USB) (average)	7.3 Watts	7.1 Watts	10.3 Watts	6.1 Watts

Environmental Specifications (all models)	Relative Humidity	Storage	5% to 95%
		Operating	
	Temperature Range	Storage	-40° to 158° F/(-40° to 70° C)
		Operating	41° to 104° F/(5° to 40° C)

Standards Compliance cCSAus Certification to C22.2, No. 60950, TÜV EN60950 (IEC 60950), FCC and CE Declaration of Conformity, C-TICK Approved (AS/NZS CISPR22), VCCI Approved, RRL Approved, BSMI Approved, GOSH Approved

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

DAT 72 and DAT 40 drive LED Indicators (with 2 LED indicators)	Tape LED	Clean LED	Meaning
Tape Ready Signal	On steady	Off	The data cartridge is loaded and the drive is ready.
Tape Loading Signal	Flashing slowly	Off	The cartridge is loading or unloading, or power-on self-test is in progress
Tape Activity Signal	Flashing rapidly	Off	The cartridge is loaded, activity is occurring.
Media Caution Signal	Off or flashing	Flashing slowly	If the media caution signal is displayed: <ul style="list-style-type: none"> • The drive has detected that cleaning is required to maintain good performance. • Wait for the current operation to finish and clean the drive with an appropriate cleaning media, ensuring it has not expired. • Continue to use the drive as before. If the signal repeats, consider changing the data media for new media when convenient. • Regular cleaning (every 24 hours of tape pulling or weekly) can prevent this signal being shown.
Error Condition Signal	Off	On steady	HP DAT drives perform a comprehensive self-test during power-up. If a hard error causes the self-test to fail, the clean light changes to steady amber. Run HP Library & Tape Tools to help diagnose the problem.
OBDR Signal	Both flashing slowly in an alternating pattern		The tape drive is in disaster recovery mode, restoring the operating system.

DAT 160 drive LED Indicators (with 4 LED indicators)	Ready LED	Clean LED	Tape LED	Drive LED	Meaning
Tape Ready Signal	On steady	Off	Off	Off	The data cartridge is loaded and the drive is ready.
Tape Loading Signal	Flashing slowly	Off	Off	Off	The cartridge is loading or unloading, or power-on self-test is in progress
Tape Activity Signal	Flashing rapidly	Off	Off	Off	The cartridge is loaded, activity is occurring.
Cleaning Advisory Signal	Off or flashing	Flashing slowly	Off	Off	If the cleaning advisory signal is displayed: <ul style="list-style-type: none"> • The drive has detected that cleaning is required to maintain good performance. • Wait for the current operation to finish and clean the drive with an



QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

Media Caution Signal	Off or flashing	Off	Flashing slowly	Off	<p>If the media caution signal is displayed:</p> <ul style="list-style-type: none"> • appropriate cleaning media, ensuring it has not expired. • Continue to use the drive as before. If the signal repeats, consider changing the data media for new media when convenient. • Regular cleaning (every 24 hours of tape pulling or weekly) can prevent this signal being shown. • The drive has detected that the data media being used is likely to be nearing the end of its life, damaged or degraded. • It is recommended that once the current operation is complete, the drive is cleaned with appropriate media and the data media changed. • If required, the data from the media flagged as suspect should be transferred to a new media cartridge.
Drive Caution Signal	Off or flashing	Off	Off	Flashing slowly	<p>If the drive caution signal is displayed:</p> <ul style="list-style-type: none"> • The drive has detected that the performance of the drive has become degraded. • There is an unusual state which is only triggered when there have been issues with multiple data media and the drive has been cleaned regularly. • If this occurs, please use Library and Tape Tools to perform further diagnosis or contact HP support for further advice.
Error Condition Signal	Off	<p>On steady HP DAT drives perform a comprehensive self-test during power-up. If a hard error causes the self-test to fail, the clean light changes to steady amber. Run HP Library & Tape Tools to help diagnose the problem.</p>			
OBDR Signal	<p>Pulsing (2 flashes followed by a pause)</p>				<p>The tape drive is in disaster recovery mode, restoring the operating system.</p>

QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

DAT 320 drive LED Indicators		Ready LED	Clean LED	Tape LED	Drive LED	Meaning
(Note that the additional Encryption LED is described in the DAT320 Owners Guide)	Tape Ready Signal	On steady	Off	Off	Off	The data cartridge is loaded and the drive is ready.
	Tape Loading Signal	Flashing slowly	Off	Off	Off	The cartridge is loading or unloading, or power-on self-test is in progress
	Tape Activity Signal	Flashing rapidly	Off	Off	Off	The cartridge is loaded, activity is occurring.
	Cleaning Advisory Signal	Off or flashing	Flashing slowly	Off	Off	If the cleaning advisory signal is displayed: <ul style="list-style-type: none"> • The drive has detected that cleaning is required to maintain good performance. • Wait for the current operation to finish and clean the drive with an appropriate cleaning media, ensuring it has not expired. • Continue to use the drive as before. If the signal repeats, consider changing the data media for new media when convenient. • Regular cleaning (every 24 hours of tape pulling or weekly) can prevent this signal being shown.
	Media Caution Signal	Off or flashing	Off	Flashing slowly	Off	If the media caution signal is displayed: <ul style="list-style-type: none"> • The drive has detected that the data media being used is likely to be nearing the end of its life, damaged or degraded. • It is recommended that once the current operation is complete, the drive is cleaned with appropriate media and the data media changed. • If required, the data from the media flagged as suspect should be transferred to a new media cartridge.
	Drive Caution Signal	Off or flashing	Off	Off	Flashing slowly	If the drive caution signal is displayed: <ul style="list-style-type: none"> • The drive has detected that the performance of the drive has become degraded. • The is an unusual state which is only triggered when there have been issues with multiple data



QuickSpecs

HP StorageWorks DAT Tape Drives

Technical Specifications

<p>Error Condition Signal</p>	<p>Off</p>	<p>On steady HP DAT drives perform a comprehensive self-test during power-up. If a hard error causes the self-test to fail, the clean light changes to steady amber. Run HP Library & Tape Tools to help diagnose the problem.</p>
<p>OBDR Signal</p>	<p>Pulsing (2 flashes followed by a pause)</p>	<p>The tape drive is in disaster recovery mode, restoring the operating system.</p>

- media and the drive has been cleaned regularly.
- If this occurs, please use Library and Tape Tools to perform further diagnosis or contact HP support for further advice.

© Copyright 2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

Microsoft and Windows are US registered trademarks of Microsoft Corporation. Intel is a US registered trademark of Intel Corporation. Unix is a registered trademark of The Open Group.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For tape drives and media, 1 GB = 1 billion bytes. Actual formatted capacity is less.