August 2018







### Recording Studios



From Abbey Road to Skywalker Sound, professionals all over the world trust Bowers & Wilkins to deliver music the way the artist intended.

### 50 Years of Excellence



Bowers & Wilkins is a global leader in sound with over 50 years experience in making the very best audio equipment in the world.

### Automotive



Bowers & Wilkins creates premium audio systems for some of the world's most prestigious car brands like BMW, Maserati, McLaren and Volvo.

### High Performance Solutions for any Application



Bowers & Wilkins' nearly invisible Custom Installation speakers are made by the same team as their world renowned in-room models and offer the same level of performance.

# Prestige Edition

## **Nautilus**







Silver, Black, Midnight Blue Nautilus can be special ordered in any color



### **Nautilus**

Retail Price

\$60,000.00 PAIR

Finish

Custom

Description

A design classic and flagship product, Nautilus is traditionally available in Silver, Black or Midnight Blue. Special order only.

# 800 Series Prestige Edition



Santos Rosewood



### **802 Prestige Edition**

Retail Price

\$12,500.00 EACH

Finish

Santos Rosewood

Description

Luxurious Santos Rosewood veneer. Limited edition with numbered plate.

Available August 2018.

Dimensions (HWD)

47.7" x 15.4" x 23"



## 805 Prestige Edition

\$3,500.00 EACH

Santos Rosewood

Luxurious Santos Rosewood veneer. Limited edition with numbered plate.

Available August 2018.

16.7" x 9.4" x 13.6"

## 800 Series Diamond





Gloss Black, Rosenut, Satin White



### 800 D3

Retail Price

\$15,000.00 EACH

Finish

Gloss Black Rosenut Satin White

Description

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond dome tweeter, 1 x 6" Continuum cone FST™ midrange, 2 x 10" Aerofoil cone bass units. Power handling 1000W.

Dimensions (HWD)

47.9" x 16.3" x 24.1"



### 802 D3

\$11,000.00 EACH

Gloss Black Rosenut Satin White

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond dome tweeter, 1 x 6" Continuum cone FST™ midrange, 2 x 8" Aerofoil cone bass units. Power handling 500W.

47.7" x 15.4" x 23"

Note: Available in Prestige Edition.



### 803 D3

\$8,500.00 EACH

Gloss Black Rosenut Satin White

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST™ midrange, 2 x 7" Aerofoil cone bass units. Power handling 500W.

45.7" x 13.1" x 19.6"



### 804 D3

Retail Price

\$4,500.00 EACH

Finish

Gloss Black Rosenut Satin White

Description

3-way floorstanding optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST $^{\text{TM}}$  midrange, 2 x 6.5" Aerofoil cone bass units. Power handling 200W.

Dimensions (HWD)

40.1" x 9.4" x 13.6"



### 805 D3

\$3,000.00 EACH

Gloss Black Rosenut Satin White

2-way bookshelf optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 6.5" Continuum cone bass midrange. Power handling 120W.

16.7" x 9.4" x 13.6"

Note: Available in Prestige Edition.



### FS-805 D3 Stand

\$500.00 EACH

Black Silver

Floor stand for 805 D3.

23.4" x 10" x 14.5"

## 800 Series Diamond





### **HTM1 D3**

Retail Price \$6,000,00 EACH Finish Gloss Black

Rosenut Satin White

Description 3-way optimized matrix vented-box

system. 1 x 1" diamond tweeter, 1 x 6" Continuum cone FST™ midrange, 2 x 8" Aerofoil cone bass units. Power handling 500W.

Dimensions (HWD) 13" x 33.5" x 13.5"

> Note: Floorstand not included. See HTM Stand



### **HTM2 D3**

\$4,000,00 EACH

Gloss Black Rosenut Satin White

3-way optimized matrix vented-box system. 1 x 1" diamond tweeter, 1 x 5" Continuum cone FST™ midrange, 2 x 6.5" Aerofoil cone bass units. Power handling 200W.

11.9" x 28.4" x 12.8"

Note: Floorstand not included.

See HTM Stand



### FS-HTM D3 Stand

\$600.00 EACH

Black Silver

> Floor stand for HTM1 D3 or HTM2 D3 center channels.

11.1" x 27.1" x 14.6"

## **DB Series Subwoofers**



Finish





Gloss Black, Rosenut, Satin White



### DB<sub>1</sub>D

\$4,500,00 EACH Retail Price

> Gloss Black Rosenut Satin White

Description Active balanced-drive closed-box subwoofer

system. 2000W Class D Hypex amplifier, 2 x 12" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

Dimensions (HWD) 18.1" x 16.9" x 16.1"



### DB<sub>2</sub>D

\$3.500.00 EACH

Gloss Black Rosenut Satin White

Active balanced-drive closed-box subwoofer system. 1000W Class D Hypex amplifier, 2 x 10" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

16.9" x 14.8" x 14.2"



### DB3D

\$2,500,00 EACH

Gloss Black Rosenut Satin White

Active balanced-drive closed-box subwoofer system. 1000W Class D Hypex amplifier, 2 x 8" Aerofoil cone drive units in a balanced configuration, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

14.1" x 12.6" x 11.8"







### DB4S

\$1,600,00 EACH

Gloss Black Rosenut Satin White

Active closed-box subwoofer system. 1000W Class D Hypex amplifier, 1 x 10" Aerofoil cone drive units, Digital preamplifier with Dynamic EQ, App-based set-up and BT-LE control.

14.8" x 14.1" x 14.5"

## 700 Series







Gloss Black, Rosenut, Satin White



702 S2

Retail Price

\$2,250,00 EACH

Finish

Gloss Black Rosenut Satin White

Description

3-way system, 1" Decoupled Carbon

Dome<sup>TM</sup> solid body tweeter on top, 6" Continuum<sup>TM</sup> cone FST<sup>TM</sup> midrange, decoupled,  $3 \times 6.5$ " Aerofoil Profile bass units. Power handling 300W.

Dimensions (HWD)

42.8" x 7.9" x 14.3"

Includes tweeter, grille and terminals, plinth in the height only



703 S2

\$1,750.00 EACH

Gloss Black Rosenut Satin White

3-way system, 1" Decoupled Carbon Dome tweeter, 6" Continuum cone FST midrange, decoupled, 2 x 6.5" Aerofoil Profile bass units. Power handling 200W.

39" x 7.9" x 12.6"

Includes grille and terminals but not plinth



704 S2

\$1,250.00 EACH

Gloss Black Rosenut Satin White

3-way system, 1" Decoupled Carbon Dome tweeter, 5" Continuum cone FST midrange, decoupled, 2 x 5" Aerofoil Profile bass units. Power handling 150W.

36.4" x 6.5" x 10.9"

Includes grille and terminals but not plinth



705 S2

Retail Price

\$1,250.00 EACH

Finish

Gloss Black Rosenut Satin White

Description

2-way system, 1" Decoupled Carbon Dome solid-body tweeter on top, 6.5" Continuum bass / midrange. Power handling 120W.

Dimensions (HWD)

16" x 7.8" x 12.2"

Includes grille and terminals



706 S2

\$900.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 6.5" Continuum bass / midrange. Power handling 120W.

13.4" x 7.8" x 11.9"

Includes grille and terminals



707 S2

\$600.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 5" Continuum bass / midrange. Power handling 100W.

11" x 6.5" x 10.9"

Includes grille and terminals

# 700 Series (continued)





### HTM71 S2

Retail Price \$1,350.00 EACH

Finish Gloss Black Rosenut

Satin White

Description 3-way system, 1" Decoupled Carbon

Dome tweeter, 4" Continuum FST midrange, decoupled, 2 x 6.5" Aerofoil Profile bass drive units.

Power handling 200W.

Dimensions (HWD) 8.6" x 23.2" x 11.9"

Includes grille and terminals



### HTM72 S2

\$800.00 EACH

Gloss Black Rosenut Satin White

2-way system, 1" Decoupled Carbon Dome tweeter, 2 x 5" Continuum bass/midrange. Power handling 120W.

6.6" x 18.9" x 10.8"
Includes grille and terminals



### FS-700 S2

Retail Price \$250.00 EACH

Finish Black

Silver

**Description** Speaker stand for 700 Series

bookshelf models. Integrated cable management. Sand-fill mass loading option. Updated design

from original FS-CM S2.

Dimensions (HWD) 24.2" x 11.4" x 11.7"

## 600 Series





Black

White



603

Retail Price

\$900.00 EACH

Finish

Black White

Description

3-way vented box system, 1" Decoupled Double Dome aluminium tweeter, 6" Continuum cone  $\mathsf{FST^m}$  midrange,

6.5" Paper / Kevlar bass cones Flowport™. Power handling 200W.

Dimensions (HWD)

38.8" x 7.5" x 13.4"

Not including plinth/feet



606

\$400.00 EACH

Black White

2-way vented box system, 1" Decoupled Double Dome aluminium tweeter, 6.5" Continuum cone bass / midrange, Flowport. Power handling 120W.

13.5" x 7.5" x 12.8"

Including grille and terminals



607

\$300.00 EACH

Black White

2-way vented box system, 1" Decoupled Double Dome aluminium tweeter, 5" Continuum cone bass / midrange, Flowport. Power handling 120W.

11.8" x 6.5" x 9.1"

Including grille and terminals



STAV24

Retail Price

\$75.00 EACH

Finish

Black

Description

Universal 24" metal black spiked

stand for use with 606 and 607.

Dimensions (HWD)

24" x 9.5" x 11.75"

# 600 Series (continued)





### HTM6

Retail Price \$599.00 EACH

Finish Black White

Description 2-way vented box system, 1" Decoupled

> Double Dome aluminium tweeter, 5" Continuum cone bass / midrange, Flowport. Power handling 120W.

Dimensions (HWD) 6.3" x 18.9" x 11.0"

Including grille and terminals



### ASW610XP

Retail Price \$1200.00 EACH

Finish Black

White

Description Active closed-box subwoofer,

1 x 10" Paper/Kevlar® cone bass driver,

500 watt Class D amplifier.

Dimensions (HWD) 12.8" x 12.8" x 14.7"

Including grille and controls, not including feet



### **ASW610**

\$650.00 EACH

Black White

Active, closed-box subwoofer, 1 x 10" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

12.2" x 12.2" x 14.8"

Including grille and controls, not including feet



### **ASW608**

\$500.00 EACH

Black White

Active, closed-box subwoofer, 1 x 8" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

10.2" x 10.2" x 13"

Including grille and controls, not including feet



# Mini Theater PV1D



### M-1

Retail Price \$250.00 EACH
Finish Matte Black
Matte White

Description 2-way vented monitor. 4" woven glass

fiber cone bass / midrange. 1" tweeter. Swivel mounting bracket. Power

handling 100W.

Dimensions (HWD) 9.8" x 4.5" x 6.4"

Height w/ horizontal mount: 5.4375"



### M-1 Stand

\$150.00 EACH Matte Black Matte White

Matte White or Matte Black stand for

M-1.

37.7" x 9.9" x 9.9"



### **ASW608**

\$500.00 EACH Black Ash Matte White

Active, closed-box subwoofer, 1 x 8" paper/Kevlar® cone bass driver, 200 watt Class D amplifier.

10.2" x 10.2" x 13" (w/ grille/controls)



## PV1D

Retail Price \$1,699.00 EACH Finish Matte Black

Matte White

**Description** Active closed-box subwoofer. Pressure

Vessel™ enclosure. 2 x 8" bass, 400W amplifier, 5 presets. DSP, RS232, trigger preset switching. Stereo Line In (2x RCA Phono) Speaker Level In (5m

cable supplied)

Dimensions (HWD) 13.5" x 10.6" x 14.1"

## **Mini Theater Systems**

### MT-60D

M-1 x 5 and PV1D (sold separately)

MT-60D Retail: \$2,949



### MT-50

M-1 x 5 and ASW608 (sold separately)

MT-50 Retail: \$1,750



**Note:** This information is displayed to clarify MT-60D and MT-50 which are popular systems shown in the product brochure and on the website. Models are priced and sold separately.

## AM-1 Architectural Monitor





### AM-1

\$300.00 EACH Retail Price

Finish Black

White

Description

2-way weatherproof indoor/outdoor system with Auxillary Bass Radiator. 1 x 1" aluminum dome tweeter.  $1 \times 5$ " glassfibre cone bass/midrange.

Power handling 100W.

Dimensions (HWD)

12.25" x 7" x 8.25" (includes wall bracket)





### **AM-1 Architectural Monitor**

AM-1 has been carefully designed to be easy to install, and its elegant cast aluminium wall bracket incorporates an ingenious one-plug mounting system. Combine this with minimal wall projection and a design that allows the speaker to be angled through 220 degrees, and you have a discreet, versatile monitor that can provide you with pristine sound almost anywhere.



# Wireless Music Systems Headphones



### Zeppelin Wireless



Retail Price (ea) Finish \$699.99 Black White

Description

Wireless music system w/

AirPlay, Bluetooth aptX, and Spotify Connect. 2 x 1" Double dome tweeters. 2 x 3.5" FST

midrange. 6.5" subwoofer.

Dimensions (HWD)

7.4" x 25.9" x 7.2"



**T7 Wireless** 



\$349.99

Black Gold

Bluetooth wireless speaker. aptX audio coding technology. DSP. Lithium Ion rechargeable battery provides 18 hours of playing time.

4.5" x 8.3" x 2.25"



T7 case

\$29.99

Black

Micro Matrix patterned, nylon, portable speaker

case.

8" x 4.5" x 2"



### P9 Signature

Retail Price (ea)

\$899.99 Brown

Description

Finish

50th Anniversary, wired luxurious over ear headphone with noise isolation.



PX



\$399.99

Space Grey Soft Gold

Wireless headphone with adaptive noise cancellation and Mobile App. Responds naturally to listener. Bluetooth aptX HD streaming, 22 hour battery life.



P5 Wireless



\$299.99

Black

Wireless on-ear headphone with Bluetooth aptX streaming and noise isolation. 17 hour battery life.







P5 Series 2

Retail Price (ea) Finish \$179.99 Black

Description

Wired classic on-ear headphone with noise isolation.



P3 Series 2

\$149.99 Black

Wired light weight on-ear headphone with premium leather finish and noise isolation.



C5 Series 2

\$149.99 Gloss Black

Gloss Black

Wired in-ear headphone with secure loop design, tangle-free cable, noise isolation.

## Custom Theater 800 Series





CT8 LR\*

\$15,000.00 EACH Retail Price

Black

Description

Finish

3-way closed-box system. 1 x 1.25" metal dome Nautilus tweeter. 1 x 6" Kevlar® FST midrange, 2 x 10" Rohacell® bass. Power handling

1000W.

Includes CT8 XO MkII; biamplification is required.

Dimensions (HWD)

43.3" x 12.8" x 21.65"



\$11,000 EACH

Black

3-way monopole/2-way dipole selectable closed-box system. 1 x 1.25" metal dome Nautilus tweeter. 6 x 4" mid/high, 1 x 6" Kevlar® FST midrange, 2 x 10" Rohacell® bass. Power handling 1000W.

Includes CT8 XO MkII; biamplification is required.

43.3" x 12.8" x 9.85"



CT8 CC\*

\$15,000.00 EACH

Black

3-way closed-box system. 1 x 1.25" metal dome tweeter.\* 1 x 6" Kevlar® FST midrange. 2 x 10" Rohacell® bass. Power handling 1000W.

Includes CT8 XO MkII; biamplification is required.

12.8" x 43.3" x 21.65"



CT8 XO MKII

### \*Note for CT8 LR, CT8 DS, CT8 CC:

- CT8 XO Mkll must be used.
- Pairing with CT8 SW is mandatory.
- · Biamplification is required (with minimum wattage requirements).

## Retail Price

Finish

Description

CT8LR, CT8DS and CT8CC Aluminum

Active bass management controller included with CT8LR, CT8CC, and

CT8DS.

1.75" x 19" x 14" Dimensions (HWD)



CT8 SW

\$3,500.00 EACH

Black

Closed-box subwoofer. 1 x 15" Rohacell® bass. Power handling 1000W.

18.7" x 18.7" x 18.7"



CT8.2 LCRS

Retail Price \$6,000.00 EACH

Finish Black

Description

3-way custom install home theatre LCRS. 8" Paper/Kevlar® cone bass, 6" woven Kevlar® FST midrange, 1.25" aluminium dome tweeter. Power handling 500W.

Dimensions (HWD) 39.4" x 12.8" x 11.8"



CT8.4 LCRS

\$4,000.00 EACH

Black

3-way custom install home theatre LCRS. Value engineered version of the CT8 LR with passive crossover, 8" Rohacell® bass unit, 6" blue KEVLAR® FST midrange, 1.25" aluminium dome tweeter. Power handling 200W.

24.8" x 12.8" x 7.3"

## Custom Theater 700 Series





### CT7.3 LCRS

Retail Price \$1,500.00 EACH

Finish Black

**Description** 3-way custom install home theatre

LCRS, 2 x 8" fibre cone bass, 6" blue Kevlar® FST midrange, 1" soft dome tweeter. Power handling 200W.

Dimensions (HWD) 14.2" x 23.9" x 10.5"



### CT7.4 LCRS

\$1,000.00 EACH

Black

2-way custom install home theatre LCRS, 2 x 6" blue Kevlar® bass/ midrange driver, 1" soft dome tweeter. Power handling 150W.

13.5" x 17.5" x 10.5"



### CT7.5 LCRS

\$600.00 EACH

Black

2-way custom install home theatre LCRS, 7" blue Kevlar® bass/midrange driver, 1" soft dome tweeter. Power handling 120W.

12" x 17.5" x 10.5"



### CTSW15

Retail Price \$1,350.00 EACH

Finish Black

Description Passive, closed-box subwoofer

with optional rack-mount amplifier. Designed to fit in home theater cabinetry. 1 x 15" paper/Kevlar® cone bass driver. Power handling

1000W.

Dimensions (HWD) 21.7" x 21.7" x 10.3"



### CTSW12

\$1,000.00 EACH

Black

Passive, closed-box subwoofer with optional rack- mount amplifier. Designed to fit in home theater cabinetry. 1 x 12" paper/Kevlar® cone bass driver. Power handling 1000W.

18.3" x 15.6" x 10.3"

### CTSW10

\$750.00 EACH

Black

Passive, closed-box subwoofer with optional rack- mount amplifier. Designed to fit in home theater cabinetry. 1 x 10" paper/Kevlar® cone bass driver. Power handling 1000W.

14.2" x 13.4" x 10.3"



### **SA1000**

Retail Price \$1,500.00 EACH

Finish Black

**Description** 1000W Class D subwoofer amplifier for

use with CTSW15, CTSW12, CTSW10,

2U rack-mountable.

Dimensions (HWD)

3.9" x 16.9" x 12.7"





For detailed dimensions, DWG files and other details please visit: www.bwgroupsupport.com



Model + Back Box System Retail

**CWM8.3 D + BBW83** \$4,500 (1 SPEAKER w/ 1 Back Box)



**CWM8.5 D + BBW85** \$2,500 (1 SPEAKER w/ 1 Back Box)



CCM8.5 D + BBC85 \$3,000 (1 SPEAKER w/ 1 Back Box)

Depth of Enclosure	3.4" (90mm)	3.4" (90mm)	7" (177mm)
Cut-Out Size	34" x 9.4" (862mm x 238mm)	15.5" x 9.09" (395mm x 231mm)	13" x 13" (331mm x 331mm)
Frame Size	34.6" x 10" (880mm x 254mm)	16.2" x 9.72" (411m x 247mm)	13.8" x 13.8" (351mm x 351mm)
Power Handling	200W	120W	120W
Description	3-way in-wall system. 1" Diamond Dome tweeter w/ Nautilus tube, 5" Continuum FST midrange driver, 7" Aerofoil Bass drivers, Aluminium mini baffle can be turned through 90 degrees. Flowport.	2-way in-wall system. 1" Diamond Dome tweeter w/ Nautilus tube, 7" Continuum bass/midrange driver w/ anti-resonance plug. Flowport.	2-way in ceiling system. 1" Diamond Dome tweeter w/ Nautilus tube, 7" Continuum bass/midrange driver w/ anti-resonance plug. Rotatable aluminum mini-baffle allows toe-in. Flowport.
Suggested Retail	\$3,700.00 EACH	\$1,900.00 EACH	\$2,400.00 EACH
Model	CWM8.3 D	CWM8.5 D	CCM8.5 D

Mandatory Back Box	BBW83	BBW85	BBC85
Suggested Retail	\$800 EACH	\$600 EACH	\$600 EACH

## CI 700 Series

For detailed dimensions, DWG files and other details please visit: www.bwgroupsupport.com



Model CCM7.3

Suggested Retail \$1,500.00 EACH

Description 3-way in-ceiling system, 1" Nautilus tube loaded soft dome tweeter, 4"

Blue Kevlar cone FST midrange, 2 x 5"

Paper/Kevlar cone bass drivers

Power Handling 25 – 200W

Frame Size H: 14" (355mm) W: 14" (355mm)

Cut-Out Size H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

Depth Behind Surface (.5" minimum wall)

Pre-Mount Kit PMK 7C
Suggested Retail \$35.00 EACH



**CCM7.4** 

\$1,000.00 EACH

2-way in-ceiling system, 1"Nautilus Tube loaded soft dome tweeter, 2 x 5" Blue Kevlar cone bass/midrange

25 - 150W

H: 14" (355mm) W: 14" (355mm)

H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

**PMK 7C** \$35.00 EACH



**CCM7.5** 

\$750.00 EACH

2-way in-ceiling system, 1" Nautilus Tube loaded soft dome tweeter, 6" Blue Kevlar cone bass/midrange

25 - 150W

H: 14" (355mm) W: 14" (355mm)

H: 13.1" (332mm) W: 13.1" (332mm)

7.2" (182.8mm)

PMK 7C

\$35.00 EACH



Model CWM7.3

Suggested Retail \$1,500.00 EACH

Description 3-way in-wall system, 1" Nautilus

Tube loaded soft dome tweeter, 4" Blue Kevlar cone FST midrange, 2 x 6" paper Kevlar cone bass drivers

Power Handling 25 – 200W

Frame Size H 29" (736mm) W 11" (276mm)

Cut-Out Size 28" (711mm) W 9.9" (251mm)

Depth Behind Surface (.5" minimum wall)

urface 3.6" (90mm)

Pre-Mount Kit PM

PMK 7.3W

Suggested Retail \$35.00 EACH



CWM7.4

\$800.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded soft dome tweeter, 6" Blue Kevlar cone bass/midrange

25 - 150W

H 16.5" (415mm) W 10" (251mm)

H 15.4" (390mm) W 8.9" (226mm)

3.6" (90mm)

**PMK 7.4W** 

\$35.00 EACH



**CWM7.5** 

\$600.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded soft dome tweeter, 5" Blue Kevlar cone bass/midrange

25 - 150W

H 14" (356mm) W 8.5" (212mm)

H 13" (331mm) W 7.4" (187mm)

3.6" (90mm)

**PMK 7.5W** 

\$35.00 EACH



## Cinema 7 Series Marine Series

For detailed dimensions, DWG files and other details please visit: www.bwgroupsupport.com



Model **CCM Cinema 7** 

\$700.00 EACH Suggested Retail

Description 2-way in-ceiling system, 1" Nautilus swirl loaded aluminium dome tweeter,

4.5" (114.3mm)

\$25.00 EACH

7" Blue Kevlar cone bass/midrange

25 - 150W Power Handling Frame Size 11.4" (290mm) Cut-Out Size 9.8" (249mm)

Depth Behind Surface (.5" minimum wall)

Suggested Retail

**Pre-Mount Kit PMK C8\*** 

**Backbox BB 6C** 

Suggested Retail \$100.00 EACH

**Square Grille Option** GR68SQ

**CWM Cinema 7** 

\$850.00 EACH

21/2-way in-wall system, 1" Nautilus Tube loaded aluminium dome tweeter, 4" Blue Kevlar cone bass/midrange,

4" paper cone bass

25 - 150W

Width: 6.8" (175mm) Length: 24.6" (625mm) Width: 5.8" (147mm) Length: 23.5" (597mm)

3.1" (78.7mm)

PMK CWMC7

\$35.00 EACH

**BB LCR7** 

\$200.00 EACH



Model

Marine 6 Suggested Retail \$325.00 EACH

Description Marine speaker, 2-way system,

1" soft dome tweeter, 6" polypropylene

cone bass/midrange

Power Handling 20W - 80W 9.6" (243mm) Frame Size Cut-Out Size 8" (202mm) Depth Behind Surface (.5" minimum wall) 3.5" (88mm)

**Pre-Mount Kit PMK C6\*** \$25.00 EACH Suggested Retail

Marine 8

\$425.00 EACH

Marine speaker, 2-way system, 1" soft dome tweeter, 8" polypropylene

cone bass/midrange

20W - 80W 11.5" (292mm) 10" (253mm) 3.7" (93mm)

**PMK C8\*** \$25.00 EACH





Square Grilles: Master Cartons (6 pairs)

Square Grille for 66 models

1 single square grille to fit 66

Square Grille: Singles

Square Grille for 68 models

Description

Square Grilles for 66 models

Master carton of square grilles to fit 66 models. Includes 6 pairs.

Master carton of square grilles to fit 68 models. Includes 6 pairs.

\$450.00 6 PAIRS

Square Grilles for 68 models

\$33.48 EACH

models. Parts order.

1 single square grille to fit 68 models. Parts order.

\$33.48 EACH

Retail Price

Model

\$450.00 6 PAIRS

**CCM 682** 

\$600.00 EACH Suggested Retail

Description 2-way in-ceiling system, 1" Nautilus swirl loaded aluminum dome tweeter, 8" Blue Kevlar cone bass/midrange. Features a

larger magnet and voice coil than CCMC83.

Power Handling 25 - 150W Frame Diameter 11.4" (290mm) **Cut-Out Diameter** 9.9" (251mm) Depth Behind Surface 4.8" 122mm (.5" minimum wall)

**PMK C8\*** Pre-Mount Kit Suggested Retail \$25.00 EACH

Backbox BB 6C \$100.00 Suggested Retail

**CCM 683** 

\$425.00 EACH

2-way in-ceiling system, 1" Nautilus Swirl loaded aluminum dome tweeter, 8" Blue Kevlar cone bass/midrange

25 -130W 11.4" (290mm) 9.9" (251mm) 4.8" 122mm

**PMK C8\*** \$25.00 EACH

**BB 6C** \$100.00 **CCM 684** 

\$300.00 EACH

Glassfibre cone bass/midrange

11.4" (290mm) 9.9" (251mm)

**PMK C8\*** \$25.00 EACH

BB 6C

\$100.00 EACH

Model **CCM 662** Suggested Retail \$500.00 EACH

Description 2-way in-ceiling system, 1" Nautilus swirl loaded aluminum dome tweeter, 6" Blue Kevlar cone bass/ midrange. Features a larger magnet and voice coil than CCM663.

Power Handling 25 - 150W Frame Diameter 9.5" (240mm) **Cut-Out Diameter** 8" (202mm)

Depth Behind Surface (.5" minimum wall)

**Pre-Mount Kit** Suggested Retail PMK C6\* \$25.00 EACH

4.8" 122mm

BB 6C **Backbox** 

Suggested Retail \$100.00 EACH

**CCM 663** \$350.00 EACH

2-way in-ceiling system, 1" Nautilus swirl loaded aluminum dome tweeter, 6" Blue Kevlar cone bass/midrange

25 -130W

9.5" (240mm) 8" (202mm) 4.8" 122mm

PMK C6\* \$25.00 EACH

BB 6C

\$100.00 EACH

**CCM 663RD** 

\$400.00 EACH

Reduced depth version

of CCM 663.

25W - 100W 9.5" (240mm) 8" (202mm) 3.62" (92mm)

PMK C6\* \$25.00 EACH

BR 6C or shallower BB 6W

\$100.00 EACH

2-way in-ceiling system, 1" soft dome tweeter, 8" Black

25 -130W

4.8" 122mm



**CCM 664** 

\$275.00 EACH

2-way in-ceiling system, 1" soft dome tweeter, 6" Black Glassfiber cone

bass/midrange 25 -130W 9.5" (240mm)

PMK C6\* \$25.00 EACH

8" (202mm)

4.8" 122mm

BB 6C

\$100.00 EACH





Model **CCM 665** 

Suggested Retail \$200.00 EACH

Description 2-way in-ceiling system, 1" soft dome tweeter, 6" Black

Glassfiber cone bass/

midrange

Power Handling 25 -130W Frame Diameter 9.5" (240mm) **Cut-Out Diameter** 8" (202mm)

Depth Behind Surface (.5" minimum wall)

4.8" (122mm)

**Pre-Mount Kit** PMK C6\* Suggested Retail \$25.00 EACH

BB 6C **Backbox** 

Suggested Retail \$100.00 EACH

**CCM 663SR** 

\$500.00 EACH

2-way dual channel in-ceiling system, 1" soft dome tweeter, 6" Blue Kevlar cone bass/

midrange

25 - 80W (per channel)

9.5" (240mm) 8" (202mm) 4.8" (122mm

**PMK C6\*** 

\$25.00 EACH

BB 6C

\$100.00 EACH



**CCM 664SR** 

\$350.00 EACH

2-way dual channel in ceiling system, 1" soft dome tweeter, 6" Black Glassfiber cone bass/

midrange

25 - 80W (per channel)

9.5" (240mm) 8" (202mm) 4.8" (122mm)

**PMK C6\*** 

\$25.00 EACH

BB 6C

\$100.00 EACH



\$250.00 EACH

Single driver in-ceiling system, 3"paper cone

full-range

10 - 60W (per channel)

5.7" (146.5mm) 4.5" (114.3mm)

3.4" (86.3mm)

PMK C3

\$25.00 EACH

Integrated Backbox

CCM 632 fits in the BB6C for "fire-rated applications"

Square and round grilles included







Description dome tweeter, 6" Blue Kevlar

cone bass/midrange

Power Handling 25 - 150W Frame Height Frame Width 8.7" (221mm) Cut-Out Height 10.9" (279mm) Cut-Out Width 7.2" (183mm) Depth Behind Surface 3.3" (84mm)

minimum wall) Pre-Mount Kit

Suggested Retail

Model

Suggested Retail

Suggested Retail

**Backbox** 

**CWM 663** 

\$375.00 EACH

2-way in-wall system, 1" Nautilus tube loaded aluminum

12.4" (315mm)

PMK W6\* \$25.00 EACH

**BB 6W** 

\$100.00 EACH

**CWM 664** 

\$275.00 EACH

2-way in-wall system, 1" soft dome tweeter, 6" Black Glassfibre cone bass/midrange

25 - 130W 12.4" (315mm) 8.7" (221mm) 10.9" (279mm) 7.2" (183mm) 3.3" (84mm)

PMK W6\* \$25.00 EACH

**BB 6W** 

\$100.00 EACH

**CWM 652** 

\$275.00 EACH

2-way in-wall system, 1" Nautilus Tube loaded aluminum dome tweeter, 5" Blue Kevlar cone bass/midrange

25 - 100W 10.9" (264mm) 7.5" (191mm) 8.9" (228mm) 6.0" (153mm) 3.3" (84mm)

PMK W5\* \$25.00 EACH

BB 6W

\$100.00 EACH







For detailed dimensions, DWG files and other details please visit: www.bwgroupsupport.com

### CI 60 System (sold separately)

CCM 632 x 8

ISW 3

SA250 Mk2

RKB-850

CI 60 System Retail: \$5,599



### CI 50 System (sold separately)

CCM 632 x 6

ISW 3

SA250 Mk2

RMB-1506

CI 50 System Retail: \$4,499



**Note:** This information is displayed to clarify Cl 60 and Cl 50 Systems. RKB-D850 and RMB-1506 amplifiers are from Rotel. Learn more at rotel.com. Models are priced and sold separately.

## CI 300 Series

For detailed dimensions, DWG files and other details please visit: www.bwgroupsupport.com

Model	CCM 382	
Suggested Retail	\$200.00 EACH	
Description	2-way in-ceiling system 1" soft dome tweeter 8" polypropylene cone b	
Danier Handline	0014/	

	8" polypropylene cone bass/midrange
Power Handling	80W
Frame Diameter	11.4" (290mm)
Cut-Out Diameter	9.8" (249mm)
Depth Behind Surface (.5" minimum wall)	3" (77mm)

PMK C8	
\$25.00 EACH	
BB 6C	



\$150.00 EACH 2-way in-ceiling system 1" soft dome tweeter

**CCM 362** 

6" polypropylene cone bass/midrange

80W	
9.5" (240mm)	
7.9" (200mm)	
2.7" (69mm)	

PMK C6 \$25.00 EACH BB 6C

\$100.00 EACH



**CWM 362** \$200.00 EACH

80W

2-way in-wall system 1" soft dome tweeter 6" polypropylene cone bass/ midrange

Height: 12.4" (315mm) Width: 8.7" (221mm) Height: 10.9" (275mm) Width: 7.2" (181mm) 2.5" (64mm)

PMK W6 \$25.00 EACH **BB 6W** 

\$100.00 EACH



Model ISW<sub>3</sub> Suggested Retail \$1,000.00 EACH In-floor/wall/ceiling/millwork Description subwoofer 2 x 6.5" paper/Kevlar® cone bass drivers **Dimensions** Width: 13" (330mm) Length: 18.5" (470mm)

Depth: 9.25" (235mm)

Cut-Out Size

Electronics SA250 MK2 (mandatory)

**Back Box** N/A Suggested Retail



ISW4 now available in a thin-bezel design!

ISW 4

\$800.00 EACH

In wall subwoofer system requires external rack-mount amplifier, 2 x 8" paper/Kevlar® cone bass drivers

Height: 20.6" (524mm) Width: 11.6" (294mm)

Depth Behind Surface (.5" wall): 3.4" (86mm)

H 19.1" (485mm) x W 10" (255mm)

SA250 MK2 (mandatory)

ISW4BB \$200.00

Note: ISW4BB is mandatory with ISW4



### **SA250 Mk2**

\$1,000.00 EACH

250W Class D amplifier for use with ISW3 and ISW4. 2U rack-mountable. Black Finish.

Height: 3.9" (100mm) Width: 16.9" (430mm) Depth: 12.7" (322mm)

N/A

Mandatory for ISW3 and ISW4

N/A

Note: SA250 Mk2 offers separate EQ positions for ISW-3 and ISW-4; has the ability to drive two ISW-3 or ISW-4; and mono summing input.



## Links

bowers-wilkins.com

bwgroupusa.com

bwgroupsupport.com



facebook.com/BowersWilkins



@bowerswilkins



youtube.com/bowerswilkins



bowerswilkins