

DATASHEET

FUJITSU ESPRIMO MOBILE U9215 NOTEBOOK

SMALL SIZE, BIG BUSINESS

ESPRIMO MOBILE U9215

You are frequently "on the road"? Travelling from city to city, from one meeting to the next? Then the ESPRIMO Mobile U series is exactly the right travel companion for you. The small, lightweight ESPRIMO Mobile U9215 notebook with its 30.7 cm (12.1-inch) WXGA display is based on state-of-the-art Intel® Centrino® 2 processor technology. It is the perfect combination: small in size, long battery life and unlimited connectivity.

MAXIMUM SECURITY FOR HARDWARE AND SOFTWARE

Integrated fingerprint sensor, iAMT and SmartCard Leser, optional TPM and SmartCase Logon+

■ Protect your system against theft, unauthorized access and stolen data

A SMALL NOTEBOOK TO MEET BIG CHALLENGES

Compact notebook containing all the state-of-the-art components

■ 30.7 cm (12.1-inch) WXGA display Intel® Centrino® 2 with vProTM processor technology

UNLIMITED MOBILITY

High performance and unrestricted connectivity enables constant data access and maximum productivity.

■ 3G/UMTS, WLAN, Bluetooth, optional integrated ConfCam

EXTREME RELIABILITY

Stable housing and innovative functions, built to meet the highest requirements.

ShockSensor, spill-proof keyboard, robust magnesium cover and housing

GREAT FLEXIBILITY

The family concept offers standardized accessory components for the ESPRIMO Mobile U, M, D, X series.

 Standardized port replicator, power supply unit and modular bay for optical drive, second battery, second hard disk or ExpressCard



































COMPONENTS

PROCESSOR	Intel® Core™2 Duo processor T9600 (2.8 GHz, 6 MB, 1066 MHz)
	Intel® Core™2 Duo processor P8800 (2.66 GHz, 3 MB, 1066 MHz)
	Intel® Core™2 Duo processor P8700 (2.53 GHz, 3 MB, 1066 MHz)
	Intel® Celeron® processor 585 (2.16 GHz, 1 MB, 667 MHz)
MEMORY MODULES	1 GB (1 module(s) 1 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM
	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM
Supported capacity RAM (max.)	4 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	8 GB - with future memory modules.
HARD DISK DRIVES (INTERNAL)	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.
	320 GB, 5400 rpm, FDE-4, 2.5-inch S.M.A.R.T.
	160 GB, 7200 rpm, SATA, 2.5-inch S.M.A.R.T.
	160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software
WLAN (OPTIONAL)	Atheros Minicard b/g 802.11 b/g
	Intel® Wireless WiFi Link 5300 AGN 11/13ch
WIRELESS TECHNOLOGIES	
Antennas	3 Dual band WLAN antennas, 2 UMTS antennas
WLAN notes	Import and usage according to country-specific regulations.
UMTS/HSUPA (OPTIONAL)	Option UMTS GTM 382 (downlink 7.2 Mbit/s, uplink 2.0 Mbit/s)
BLUETOOTH (OPTIONAL)	Bluetooth 2.1
DISPLAY	
Base unit name	ESPRIMO Mobile U9215
Display	30.7 cm (12.1-inch); TFT; (WXGA); anti-glare display; 1280 x 800 pixel
MODULAR BAY OPTIONS	2nd battery
	2nd hard disk drive
	DVD Super Multi
	Weight saver
Base unit	ESPRIMO Mobile U9215
GENERAL SYSTEM INFORMATION	
Chipset	Intel® GM45, ICH 9-ME
BIOS features	BIOS based on Phoenix TrustedCore Notebook
GRAPHICS	
Max. resolution external display	1920 x 1200 / true color / 60 Hz
Graphics brand name	Mobile Intel® GMA 4500M HD
Graphics features	DualView (Windows® XP & Windows® Vista)
INTERFACES	
Memory card slots	1
ExpressCard slots	Optional in bay module
SIM card slot	1
Modem (RJ-11)	Optional
USB 2.0 total	3 (2x USB 2.0, 1x eSATA & USB port)
VGA	1

Page 2 / 6

INTERFACES	
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1
WIRED COMMUNICATION	
Modem type	Optional: 56 K V.92 modem MDC1.5
LAN	Built-in 10/100/1000 MBit/s Intel® 82567 LM
KEYBOARD AND POINTING DEVICES	
RETBUARD AND POINTING DEVICES	Chill registant kowboard
	Spill-resistant keyboard Number of keyboard keys: 86, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	Touchpad with two mouse buttons Application buttons
INPUT DEVICES (OPTIONAL)	Optional: TouchStick
	optional, rodonotion
MULTIMEDIA	
Audio type	On board
Audio codec	Realtek ALC262
Audio features	Stereo speakers, Internal microphone (array)
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera
POWER SUPPLY	
AC adapter	20 V / 90 W (4.5 A)
Rated voltage range	100 - 240 V (AC Input)
Rated frequency range	50 - 60 Hz
1st battery	Li-lon battery 6-cell, 5200 mAh, 57 Wh
2nd battery (optional)	Optional: Li-lon battery 6-cell, 3800 mAh, 40 Wh
Battery features	Dynamic charge supported (rapid charge)
Benchmark	Mobile Mark 2005
Runtime 1st battery	up to 6 h (Mobile Mark 2005 reader workload)
Runtime 1st + 2nd battery	up to 10 h (Mobile Mark 2005 reader workload)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.
POWER CONSUMPTION	
Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=352ccb3c-4605-4674-83ff-de94bdd12301
DIMENSIONS / WEIGHT / ENVIRONMENT	
Dimensions (W x D x H)	300 x 229 x 36.5 mm
Weight	1.95 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)
	20 00 % (mining)
OPERATING SYSTEM	
Operating system optional preinstalled	Microsoft® Windows® 7 Professional 32-bit
	Microsoft® Windows Vista® Business 32-bit Microsoft® Windows Vista® Home Basic 32-bit
	TwinLoad Microsoft® Windows® XP Professional (DVD)
Operating system compatible	Microsoft® Windows® XP Professional
Operating system notes	Driver support for Microsoft® Windows® XP
opolaning opolonin notes	Sitter support for inforcement the first of the support of the sup

Page 3 / 6 http://ts.fujitsu.com/mobile

ADDITIONAL SOFTWARE	
Additional software (preinstalled)	Adobe Acrobat Reader
	Camera
	EasyGuide online user documentation
	Nero Essentials (burning software)
	Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Drivers & Utilities DVD (DUDVD)
	Toshiba Bluetooth Stack (only with Windows Vista® or Windows® XP operating systems)
	Mobile Software Suite:
	Application Button Utility
	Wireless Selector Utility
	ShockSensor Utility
	Fan Control Utility
	Power Saving Utility
Additional software (optional)	Windows Vista® recovery media
	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
	DVD playback software
	DVD playback software
MANAGEABILITY	Dealth-deta Driver reconstruct
Manageability features	DeskUpdate Driver management DeskView Migrate (optional)
	DeskView Control (optional)
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management
Deskview leatures	Detailed system inventory management and reports
	BIOS Management
	Remote power management
	System notifications
	Security Remote Control
	DeskView Helpdesk Integration
	WoL (Wake on LAN)
Supported standards	PXE
	BootP (made4you)
	WMI
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
SECURITY	
Physical security	Kensington Lock support
System security	Optional: Trusted platform module (TPM 1.2) Symantec Norton Internet Security (90 day test version)
User security	Hard disk password
·	User and supervisor BIOS password
	Separate SmartCard slot
	Integrated Fingerprint Sensor
	SystemLock 2 BIOS SmartCard Security
COMPLIANCE	
Germany	GS
Europe	CE
	CE!
	Nordic Swan
USA/Canada	FCC Class B (depending on wireless configuration)
	UL
Olahai	CUL Particition of harmonic substances
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronical equipment) ENERGY STAR® 5.0
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
PORTREPLICATOR INTERFACES (OPTI	IONAL)
DC-in	1
···	•

PORTREPLICATOR INTERFACES (OPTIONAL)		
Power on switch	1	
Audio: headphone	1	
Audio: microphone	1	
USB 2.0 total	4	
VGA	1	
DVI	1, DVI-D single link, maximal resolution 1920 x 1200 pixel (WUXGA)	
Serial (RS-232)	1	
Mouse / Keyboard (PS/2)	1	
Ethernet (RJ-45)	1	
Parallel	1	
Kensington Lock support	2	
eSATA	1	
RECOMMENDED ACCESSORIES		
AC Adapter	S26391-F740-L100	
1st battery	S26391-F746-L500	
2nd battery	S26391-F746-L100	
Memory (2GB)	S26391-F736-L200	
2nd hard disk	S26391-F727-L300	
	\$26391-F728-L300	
DVD super Multi	\$26391-F725-L200	
Port replicator	S26391-F740-L500	
Port replicator / AC adapter / cable kit	S26391-F740-L2001 (EU cable) S26391-F740-L3002 (UK cable)	
Recommended cases	S26391-F119-L50	
	S26391-F119-L73	
WARRANTY		
Standard Warranty	1 year	
Service level MAINTENANCE AND SUPPORT SERVICE	Collect & Return Service / Bring-In Service (depending on country)	
Recommended Service	3 years, On-site Service	
Spare Parts availability	5 years	
Service Weblink	htttp://ts.fujitsu.com/Supportservice	

Page 5 / 6 http://ts.fujitsu.com/mobile

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu ESPRIMO Mobile U9215, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructureas-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu ESPRIMO Mobile U9215, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms of use.html

Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2010-01-25 CE-EN