

Fujitsu recommends Windows 8 Pro.

# Data Sheet

## Fujitsu LIFEBOOK S761

### Notebook

#### Boundless Mobility on the Road

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S761. This 1.6 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime and Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

#### Slim mobility

Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to use.

- Lightweight notebook starting from only 1.6 kg, long battery runtime, extra-thin modular bay for a second battery, an optical drive or world's first bay projector from Fujitsu, optional embedded 3G/UMTS

#### Latest performance

The latest Intel® technology ensures high performance and mobile productivity.

- Up to 2nd generation Intel® Core™i7 processors, Intel® QM67 chipset, Intel® vPro™ technology as option

#### Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn't disturb pointing operation.

- Anti-glare display, 16:9 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, optional port replicator
- Anytime USB Charge to charge phones/media devices even when the system is turned off

#### Reliable companion

Secure and effective working even for the most demanding of users in all situations.

- Spill-resistant keyboard, ShockSensor, optional magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

#### Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software



# Components

|                                      |  |
|--------------------------------------|--|
| <b>Processor</b>                     | Intel® Core™ i7-2640M processor (2.8 GHz, 4 MB)<br>Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)<br>Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *<br>Intel® Core™ i3-2350M processor (2.3 GHz, 3 MB) *<br>Intel® Core™ i5-2540M processor (2.60 GHz, 3 MB)<br>Intel® Celeron® processor B810 (1.6 GHz, 2 MB)<br>*Processor only for retail, SMB, education and government<br>Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes<br>Intel® Core™ i7 processor |
| <b>Operating systems</b>             |  |
| <b>Operating system</b>              | Windows® 7 Professional 64-bit<br>Windows® 7 Home Premium 64-bit<br>Windows® 7 Home Basic (EM) 64-bit  |
| <b>Operating system compatible</b>   | Windows® XP 32-bit<br>Windows Vista® Business 32-bit   |
| <b>Operating system notes</b>        | Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via <a href="http://support.ts.fujitsu.com">http://support.ts.fujitsu.com</a>   |
| <b>Memory modules</b>                | 2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM<br>4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM   |
| <b>Base unit memory</b>              | <b>LIFEBOOK S761 vPro, 13.3-inch HD</b> <b>LIFEBOOK S761, 13.3-inch HD (for projects only)</b>   |
| <b>Supported capacity RAM (max.)</b> | 8 GB   |
| <b>Memory slots total</b>            | 2  |
| <b>Memory slot type</b>              | DIMM (DDR3)  |
| <b>Hard disk drives (internal)</b>   | SSD SATA III, 128 GB, 2.5-inch<br>SSD SATA, 128 GB, 2.5-inch<br>SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.<br>SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.<br>SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.<br>SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)<br>SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.<br>SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.<br>FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.  |
| <b>Hard disk notes</b>               | ShockSensor for HDD shock protection<br>One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.<br>Accessible capacity may vary, also depending on used software.<br>Up to 18 GB of HDD space is reserved for system recovery<br>Internal HDD interface: S-ATA III (6GBit/s)  |
| <b>WLAN (optional)</b>               | Atheros Minicard b/g/n<br>Intel® Centrino® 6205 802.11 a/b/g/n   |
| <b>Wireless technologies</b>         |  |
| <b>Antennas</b>                      | 2 Dual band WLAN antennas, 2 UMTS antennas (optional), 1 Bluetooth antenna   |
| <b>WLAN notes</b>                    | Import and usage according to country-specific regulations.  |
| <b>WiDi support</b>                  | Yes (with Intel W-LAN)   |
| <b>3G/4G (optional)</b>              | Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)   |
| <b>Bluetooth (optional)</b>          | Bluetooth 3.0  |

|  |   |   |
|--|---|---|
| <b>Display</b>                                 | 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m  |   |
|  | 33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m   |   |
| <b>Modular bay options</b>                     | 2nd battery<br>Bay Projector<br>DVD Super Multi<br>Weight saver   |   |
| <b>Base unit</b>                               | LIFEBOOK S761 vPro, 13.3-inch HD  | LIFEBOOK S761, 13.3-inch HD (for projects only) |
| <b>General system information</b>              |   |   |
| <b>Chipset</b>                                 | Intel® QM67   | Intel® HM65                                     |
| <b>Chipset notes</b>                           | supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN 6205 & TPM module   |   |
| <b>BIOS features</b>                           | BIOS based on Phoenix SecureCore  |   |
| <b>Graphics</b>                                |   |   |
| <b>TFT resolution (HDMI)</b>                   | up to 1920 x 1080   |   |
| <b>TFT resolution (VGA)</b>                    | up to 1920 x 1200   |   |
| <b>TFT resolution (DVI on Port Replicator)</b> | up to 1920 x 1200   |   |
| <b>Max. resolution external display</b>        | 1920 x 1200 / true color / 60 Hz  |   |
| <b>Graphics brand name</b>                     | Intel® HD Graphics or HD Graphics 3000 (depending on CPU)   |   |
| <b>Graphics features</b>                       | DualView  |   |
| <b>Graphics notes</b>                          | Shared memory depending on main memory size and operating system  |   |
| <b>Interfaces</b>                              |   |   |
| <b>Memory card slots</b>                       | 1 (SD)  | 1 (SD)  |
| <b>ExpressCard slots</b>                       | 1 (34mm and 54mm supported)   | 1 (34mm and 54mm supported)                     |
| <b>SIM card slot</b>                           | 1 (usable only with 3G/UMTS)  | 1 (usable only with 3G/UMTS)                    |
| <b>Modem (RJ-11)</b>                           | 1 (optional)  | 1 (optional)                                    |
| <b>USB 3.0 total</b>                           | 1   |   |
| <b>USB 2.0 total</b>                           | 2 (1 with Anytime USB Charge functionality)   | 3 (1 with Anytime USB Charge functionality)     |
| <b>VGA</b>                                     | 1   |   |
| <b>HDMI</b>                                    | 1   |   |
| <b>Ethernet (RJ-45)</b>                        | 1   |   |
| <b>DC-in</b>                                   | 1   |   |
| <b>Audio: line-in / microphone</b>             | 1   |   |
| <b>Audio: line-out / headphone</b>             | 1   |   |
| <b>Internal microphones</b>                    | 1 (digital)   | 1 (digital)                                     |
| <b>Docking connector for Port Replicator</b>   | 1   |   |
| <b>Kensington Lock support</b>                 | 1   |   |
| <b>Wired communication</b>                     |   |   |
| <b>Modem type</b>                              | Optional: 56 K V.92 modem   |   |
| <b>LAN</b>                                     | Built-in 10/100/1000 MBit/s Intel® 82579 LM   | Built-in 10/100/1000 MBit/s Intel® 82579 V      |
| <b>Keyboard and pointing devices</b>           |   |   |
|  | Spill-resistant keyboard or optional anti-bacterial spill-resistant keyboard<br>Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm<br>Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel<br>Optional: Fingerprint sensor<br>Application buttons |   |
| <b>Multimedia</b>                              |   |   |
| <b>Audio type</b>                              | On board  |   |
| <b>Audio codec</b>                             | Realtek ALC269  |   |
| <b>Audio features</b>                          | Stereo speakers, 1x built-in microphone   |   |
| <b>Camera</b>                                  | Optional: Built-in webcam, 1.3 megapixel  |   |

**Power supply**

|                                  |   |
|----------------------------------|---|
| <b>AC Adapter</b>                | 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology<br>19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter<br>19 V / 120 W (6.32 A), 110 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter  |
| <b>1st battery options</b>       | Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh<br>Li-Ion battery 6-cell, 6200 mAh, 67 Wh  |
| <b>2nd battery (optional)</b>    | Li-Ion battery 3-cell, 2500 mAh, 27 Wh  |
| <b>Runtime 1st battery</b>       | Up to 11:30 h   |
| <b>Runtime 1st + 2nd battery</b> | Up to 16:30 h   |
| <b>Battery notes</b>             | Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.<br>Rapid charge with 5,800 mAh batteries |

**Power consumption**

|                                   |   |
|-----------------------------------|---|
| <b>Power consumption note</b>     | See white paper Energy Consumption  |
| <b>Link to Energy White Paper</b> | <a href="http://docs.ts.fujitsu.com/dl.aspx?id=1e990b41-cd6c-41c8-9995-3094b6654025">http://docs.ts.fujitsu.com/dl.aspx?id=1e990b41-cd6c-41c8-9995-3094b6654025</a> |

**Dimensions / Weight / Environmental**

|                                      |  |
|--------------------------------------|--|
| <b>Dimensions (W x D x H)</b>        | 321 x 228 x 27.1-35.5 mm (depending on display) mm                     |
| <b>Weight</b>                        | 1.6-1.8 kg (depending on display)                                      |
| <b>Weight notes</b>                  | Incl. weight saver. Weight may vary depending on actual configuration. |
| <b>Operating ambient temperature</b> | 5 - 35°C   |
| <b>Operating relative humidity</b>   | 20 - 85 % (running)  |

**Additional Software**

|   |  |
|---|--|
| <b>Additional software (preinstalled)</b> | Adobe® Reader®<br>Application Panel<br>Display Manager<br>ShockSensor Utility<br>Power Saving Utility<br>Plugfree Network<br>EasyGuide online user documentation<br>Nero Essentials S (burning software)<br>Norton Internet Security (incl. Firewall) 60 days version<br>Fujitsu Recovery (Hard Disk Based Recovery)<br>Don't forget Office. |
| <b>Additional software (optional)</b>     | Drivers & Utilities DVD (DUDVD)<br>UMTS connection manager (optional with UMTS)  |

**Manageability**

|                                 |  |                              |
|---------------------------------|--|------------------------------|
| <b>Manageability technology</b> | DeskUpdate Driver management<br>iAMT 7.0<br>Intel® vPro™ technology  | DeskUpdate Driver management |
| <b>Manageability software</b>   | DeskView 10.x client management including:   |                              |
| <b>DeskView components</b>      | On/Offline remote client management<br>Detailed system inventory management and reports<br>BIOS Management<br>Remote power management<br>System notifications<br>Security Remote Control<br>DeskView Helpdesk Integration<br>WoL (Wake on LAN) |                              |
| <b>Supported standards</b>      | WMI<br>PXE<br>BootP (made4you)   |                              |
| <b>Manageability link</b>       | <a href="http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html">http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html</a>  |                              |

| <b>Security</b>        |   |
|------------------------|---|
| System protection      | Kensington Lock support   |
| Audit proof protection | Advanced Theft Protection (Intel® Anti Theft & Computrace®)<br>Optional: Trusted platform module (TPM 1.2)<br>Norton Internet Security (incl. Firewall) 60 days version                     |
| Access protection      | Optional: Integrated fingerprint sensor including OmniPass software<br>Optional: Access protection via external SmartCard reader<br>Hard disk password<br>User and supervisor BIOS password |

| <b>Compliance</b> |  |
|-------------------|--|
| Germany           | GS   |
| Europe            | CE!<br>Nordic Swan   |
| Global            | RoHS (Restriction of hazardous substances)<br>WEEE (Waste electrical and electronic equipment)<br>Microsoft Operating Systems (HCT / HCL entry / WHQL)<br>WiFi certified Wireless LAN modules<br>ENERGY STAR® 5.0<br>Compliant with ISO 9241-307 (Pixel fault class II)<br>EPEAT® Gold (dedicated regions) with magnesium display lid<br>EPEAT® Silver (dedicated regions) with compound display lid |
| Compliance link   | <a href="https://sp.ts.fujitsu.com/sites/certificates/">https://sp.ts.fujitsu.com/sites/certificates/</a>  |

**Port Replicator interfaces (optional)**

|                         |   |
|-------------------------|---|
|                         | Portreplicator                                  |
| DC-in                   | 1 (19V)   |
| Power on switch         | 1   |
| Audio: headphone        | 1   |
| USB 2.0 total           | 4   |
| VGA                     | 1 (up to 1920 x 1200)                           |
| DVI                     | 1 (up to 1920 x 1200)                           |
| Serial (RS-232)         | 1   |
| Ethernet (RJ-45)        | 1 (10/100/1000)                                 |
| Parallel                | 1   |
| Kensington Lock support | 1 (Port rep only)                               |
| eSATA                   | 1   |
| Notes                   | Port replicator supporting 0-Watt functionality |

**Warranty**






|                   |  |
|-------------------|--|
| Standard Warranty | 2 years  |
| Service level     | Collect & Return Service / Bring-in Service (depending on country specific requirements) |

**Maintenance and Support Services - the perfect extension**

|                          |   |
|--------------------------|---|
| Recommended Service      | 5x9, Response Time: Next Business Day   |
| Spare Parts availability | 5 years   |
| Service Weblink          | <a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a> |



# Recommended Accessories

|  |   |   |  |
|--|---|---|--|
| <p><b>LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)</b></p> |    | <p>The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals.</p>                       | <p>Order Code:<br/>S26391-F655-L100</p>  |
| <p><b>Port Replicator for LIFEBOOK S762, S792</b></p>            |    | <p>Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.</p>  | <p>Order Code:<br/>S26391-F655-L300</p>  |
| <p><b>Second Battery for Modular Bay</b></p>                     |    | <p>Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.</p>                           | <p>Order Code:<br/>S26391-F954-L500</p>  |
| <p><b>Microsaver® DS Ultra thin</b></p>                          |   | <p>The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.</p> | <p>Order Code:<br/>S26361-F1650-L900</p> |
| <p><b>Prestige Case Midi 16</b></p>                              |  | <p>The Prestige Case Midi 16 protects notebooks with up to 16-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. It features nylon mesh pockets so you can see your modular bay accessories. The back half of the bag has a divided file compartment.</p>  | <p>Order Code:<br/>S26391-F1191-L60</p>  |
| <p><b>Fujitsu Bay Projector</b></p>                              |  | <p>The Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.</p>  | <p>Order Code:<br/>S26391-F954-L600</p>  |

# More information

## Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK S761, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

## Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

## Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

## Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu LIFEBOOK S761, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/mobile](http://www.fujitsu.com/fts/mobile)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

FUJITSU Technology Solutions  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2012-10-29 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions