

DATASHEET

FUJITSU KEYBOARD KBPC SX USB

INPUT DEVICE

STANDARD KEYBOARD FOR BUSINESS USERS

The new Fujitsu standard keyboard KBPC SX USB leads the way to the future regarding typing convenience and reliability. It offers the latest technologies and an innovative design.

With combined USB and PS/2 technology, it is well prepared for every modern interface.

Ergonomically optimised keys with a rough surface and a clear defined pressure point convey a pleasant and secure typing feeling at all times.

The standard keyboard KBPC SX USB convinces every user due to the flat, space-saving design as well as the excellent price-performance ratio and therefore presents the optimum solution for standard PC applications.

USABILITY

- Connects to every PC with standard USB and PS/2 interface (package includes 2 m USB cable)
- Space-saving design for your workplace

ERGONOMICS

- Stress-free and effective use through high contrast keys, ergonomic key design and a soft pressure point

TAILOR-MADE

- Customize your keyboard with a specific logo
- Specific keycap inscriptions for your specific designs

RELIABILITY




- High quality and function stability thanks to in-house development and manufacturing
- Short reaction and transportation time
- Warranty, service and spare part supply according to your needs

MODERN PRODUCTION TECHNOLOGY

- Abrasion-proof keys by using laser-printing technology for the keycaps
- Fully automated production line
- The highest quality coupled with the best price/performance ratio, guaranteed

ENVIRONMENTALLY FRIENDLY DEVELOPMENT

- Recycling friendly through easy separation into recyclable components
- Minimized size and weight in combination with minimized use of raw materials.



KEYBOARD KBPC SX USB

TECHNICAL SPECIFICATIONS

Technology	Chip on board
Special features	Customized laser inscription possible EURO symbol Cables available in various lengths

KEYBOARD

Height Adjustment	6° and 12°
Keyboard Type	104/105-key keyboard
Keys additional	3 additional Windows keys
Power consumption keyboard	max. 50 mA at 5 V

DIMENSIONS / WEIGHT / ENVIRONMENTAL

Dimensions (W x D x H)	473 x 175 x 40 mm
Height Adjustment	6° and 12°
Cable length	2 m
Weight	750 g
Operating ambient temperature	15 - 32°C

COMPLIANCE

Germany	TÜV GS
Europe	CE certification according to EC Directive 89/336/EEC
USA/Canada	FCC Class B
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

SYSTEM REQUIREMENTS

Required interface	USB or PS/2
Software support (Operating system)	Microsoft® Windows® 7 Microsoft® Windows Vista® Microsoft® Windows® XP Microsoft® Windows® 2000

ORDER INFORMATION

S26381-K398-L1** (**: Country specific variation)
Optional PS/2 cable T26139-Y2370-V701

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu Keyboard KBPC SX USB, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu Keyboard KBPC SX USB, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/keyboards>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2010-03-22 CE-EN