
Bolbometopon muricatum

Green humphead parrotfish, bumphead parrotfish



Adults greenish-grey with 1 distinctive hump on forehead. Juveniles brown to green with 2 five vertical rows of small white spots.

Max length: 120 cm TL

AS	CK	FJ	FM	GU	KI
	MP	NC		NU	PF
		PW	SB		ТО
TV	VU	WF	WS		

Calotomus carolinus

Carolines parrotfish, stareye parrotfish



Initial phase

Terminal phase with green to brownish-red, with 1 numerous orange-pink bars radiating out from eyes. Initial phase mottled brown with \bigcirc pale patches on back.

Max length: 50 cm TL


AS	CK	FJ	FM	GU	KI
МН	MP	NC		NU	PF
	PN	PW	SB		ТО
TV		WF	WS		

Cetoscarus ocellatus

Terminal phase green with 1 numerous small orange-pink spots and lines on head and forebody, and short orange-pink bars on scales towards rear half of body. Orange-pink horizontal stripe extending from upper lip to anal fin, with no spots below this line. Initial phase with purplish- to reddish-brown head with 🔁 golden irises in eyes, 🕒 pale yellow band on back, and 🕒 greenish-grey to bluish-grey scale markings on sides and bellv.

Max length: 80 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG		PW	SB	TK	ТО
TV	VU	WF	WS		



This species was previously referred to as Cetoscarus bicolor across its distribution, however recent genetic analysis has split this into two distinct species: C. bicolor in the Red Sea and C. ocellatus in the Indo-Pacific region.


Chlorurus bleekeri

UUP

Terminal phase green with pink to lavender scales and 🔁 large, green-edged yellow patch on cheeks. Initial phase dark brown, usually with 3-4 pale vertical bars on back extending to sides (faint in this image).


Max length: 49 cm TL

AS	СК	FJ	FM	GU	KI
МН		NC			
PG		PW	SB		ТО
	VU	WF	WS		



Initial phase

Pacific slopehead parrotfish, tan-faced parrotfish



Terminal phase and initial phase green with (1) tan to light pink markings on upper head and (2) light pink vertical bar on each scale. Terminal phase with steep forehead profile and elongate caudal fin lobes.

Max length: 50 cm TL


AS	CK	FJ	FM	GU	KI
МН	MP	NC		NU	PF
PG	PN	PW	SB	TK	ТО
TV			WS		

PWT

Initial phase

Chlorurus japanensis

Palecheek parrotfish, Japanese parrotfish





Scaridae / Parrotfish

Terminal phase light greenish-yellow with a broad purple band from forehead to belly and a vertical pink bar on each scale, shortening to spots near caudal fin. Three blue-green bands extending behind eyes, and two in front of eyes. Initial phase brown with

(1) reddish-orange caudal fin with

a narrow black margin.

Max length: 30 cm TL


AS	CK	FJ	FM	GU	
		NC			
PG		PW	SB		ТО
	VU		WS		

Steephead parrotfish

Terminal phase and initial phase green to bluish-green with 10 distinctive steep bulbous forehead. Dark bluish-purple head above irregular green band on cheeks. Red variation with yellow fins sometimes observed. Juveniles dark brown to black with € 3-4 pale yellow stripes on head and body.

Max length: 70 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG	PN	PW	SB	TK	ТО
TV	VU	WF	WS		



Chlorurus spilurus

PWT

Terminal phase green with (1) pale yellow cheeks, [2] lavender scale margins, and 3 a pale caudal fin base with square-cut caudal fin. Initial phase light reddish-brown with (1) 3-4 rows of white spots on rear body, often with [5] large dark spot at base of caudal fin.

Max length: 40 cm TL


AS	CK	FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG	PN	PW	SB	TK	ТО
	VU	WF	WS		

Pacific bullethead parrotfish Terminal phase Initial phase

This species was previously referred to as Chlorurus sordidus across its distribution, however recent genetic and morphological data have split this into two distinct species: C. sordidus in the Red Sea and Indian Ocean and C. spilurus in the Pacific.

Juvenile phase

Pacific longnose parrotfish



Terminal phase pale blue-green with (1) light pink scale margins. Initial phase pale yellowish-grey with 🔁 yellow caudal fin.


Max length: 60 cm TL

nitial phase photo: Brad Moore, SPC

AS	CK	FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG		PW	SB	TK	ТО
TV	VU	WF	WS		

Leptoscarus vaigiensis


Marbled parrotfish, seagrass parrotfish



Olive-green to greenish-brown. 1 Terminal phase has numerous small blue spots on head, body, anal and caudal fins, and often with 🔁 a white horizontal stripe on body. Initial phase similar but with 2 2-3 horizontal rows of widely spaced spots and numerous smaller dots on body.

Max length: 35 cm TL

AS	CK	FJ	FM	GU	
	MP	NC			PF
PG	PN	PW	SB		ТО




Scarus altipinnis

USX

Terminal phase green with ① pink scale margins, ② dark green bands around mouth, and ③ distinctive short filamentous extension at middle of dorsal fin (this is the only parrotfish that has this feature). Initial phase red-brown with darker edged scales, ③ dark green bands around mouth, ⑤ distinctive filamentous extension at middle of dorsal fin and often with a few small white spots on body.

Max length: 60 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC		NU	PF
PG		PW	SB	TK	ТО
TV	VU	WF	WS		



Scaridae / Parrotfish


Scarus chameleon (

USX

Terminal phase blue-green with lavender scale margins and a broad area of orangish-pink behind pectoral fin. Narrow green band around mouth and a dark green band linking eyes across top of head. Initial phase olive-brown, often with sharply contrasting white belly.


Max length: 31 cm TL


	CK	FJ			
		NC		NU	
PG		PW	SB		ТО
TV	VU	WF			



USX **Scarus dimidiatus**

Yellowbarred parrotfish





Terminal phase with solid green head above and behind eyes, and green-edged yellow bar on gill covers extending from eyes towards pectoral fins. Rear of body green with large lavender-pink margins on scales. Initial phase yellowish-grey with grey head and 3-4 dark vertical bars on back.

Max length: 40 cm TL

AS		FJ	FM	GU	
МН	MP	NC			
		PW	SB		ТО
TV	VU	WF	WS		

USX Scarus flavipectoralis

Scaridae / Parrotfish



Terminal phase



Terminal phase with light brown head and forebody and darker blue-green rear. ① Green band from snout to rear of gill covers. Large individuals often have a yellow patch at base of caudal fin. Initial phase pale yellow to reddish-grey with ② faint white stripes on abdomen and ③ bright yellow pectoral fins.

Max length: 40 cm TL

		FM		
МН	NC	NR	NU	
PG	PW	SB		ТО

Forsten's parrotfish, bluepatch parrotfish

Terminal phase green with (1) pink scale margins and 🔁 wide green band around mouth. Initial phase reddish-brown to reddish-grey upper body, paler on belly, with a dark horizontal band extending from eyes to base of caudal fin. 🖰 Iridescent blue-green patch inside band just behind pectoral fins.



Max length: 55 cm TL

AS	CK	FJ	FM	GU	
МН	MP	NC	NR	NU	PF
	PN	PW	SB	TK	ТО
TV	VU	WF			



Scarus frenatus

Bridled parrotfish


Terminal phase shades of green with orange-pink scale markings and (1) distinctive pale green rear body and caudal fin base. 🔁 Pink upper lip. Initial phase brownishyellow to reddish-grey with numerous horizontal dark stripes on body (sometimes broken into diamond-shaped markings).



Max length: 47 cm TL


AS	CK	FJ	FM	GU	KI
МН	MP	NC		NU	PF
PG	PN	PW	SB	TK	ТО
TV	VU	WF	WS		

Terminal phase



Scarus ghobban

Blue-barred parrotfish




Terminal phase light brown with blue-green scale markings and 1 two blue bands on chin. Often a pale orangish-pink area above and behind pectoral fins. Initial phase yellowish-brown with 2 4-5 irregularly shaped vertical blue bars on back and sides. 🔁 Blue bars around mouth and eyes.

Max length: 75 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC		NU	PF
PG	PN	PW	SB		ТО
TV	VU	WF	WS		

Scarus globiceps



Initial phase

Terminal phase green with 1 pink scale margins, 2 broken lavender lines on upper head, and 2-3 pinkish-violet stripes on belly. Initial phase greyish-brown with three thin white horizontal stripes on belly.


Max length: 45 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC			PF
		PW	SB		ТО
	VU	WF	WS		

Scarus longipinnis

Terminal phase brownish-orange to purple with 1 green horizontal band extending from eyes to pectoral fins and three blue-green horizontal stripes on belly. Distinctive high rounded dorsal fin. Initial phase brownish-orange, often with 🔁 dark brown bars on


sides of body and 🕒 a large black



Max length: 40 cm TL

area on caudal fin.

CK			
	NC		PF
PN			ТО
	WF		




Scarus niger

Dusky parrotfish, swarthy parrotfish


UVN

Terminal phase dark green with dark reddish-brown to purple scale margins and (1) a yellow to green spot or streak behind eyes (often appears as a small yellow spot on margin of gill covers). 🔁 Green bands around lips and another green band on chin that often continues up to eyes. 2 Pectoral fins purplish-red. Initial phase with red head and fins (except caudal fin) and (1) wavy black and white horizontal stripes on body.




Max length: 40 cm TL

AS		FJ	FM	GU	
МН		NC	NR		PF
PG		PW	SB		ТО
TV	VU	WF	WS		



Scarus oviceps

Dark capped parrotfish





Terminal phase blue-green with narrow pink scale margins and darker head and forebody (forming a 'cap'). 3 Distinctive light green and dark green portions on pectoral fins. Initial phase light grey with shades of yellow and (1) distinctive dark grey 'cap' on upper head and forebody.

Max length: 35 cm TL

AS		FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG		PW	SB		ТО
TV	VU	WF	WS		

Scarus prasiognathos

Singapore parrotfish, greenthroat parrotfish





Initial phase individuals appear similar to those of Scarus altipinnis but lack filamentous spine in mid-dorsal fin (present in S. altipinnis).

Terminal phase dark green with greenish-yellow upper head. Distinctive green chin, cheeks and throat and broad green band across snout. Initial phase reddishbrown with 63 scattered white spots on body.

Max length: 70 cm TL

		FM	
PG	PW	SB	

Scarus psittacus

UVD

Common parrotfish, palenose parrotfish

Terminal phase green at rear of body, becoming progressively pinker towards head. ① Lavender snout and ② pink scale margins. ② Green band on edge of lips, joining at corner of mouth and continuing below eyes. ② Two additional green bands extending behind eyes. Initial phase reddishbrown with pale snout.



Max length: 30 cm TL

AS	CK	FJ	FM	GU	KI
МН	MP	NC	NR		PF
PG		PW	SB	TK	ТО
TV	VU	WF	WS		



Scaridae / Parrotfish

Scarus quoyi USX

Quoy's parrotfish

Terminal phase (shown) green to pinkish-green or grey with ① green 'moustache' and cheeks, and ② lime green patch at upper base of caudal fin. Initial phase with grey back and reddish-brown lower body. Four wide brown bars spaced by narrow yellow bars on midbody and base of caudal fin.




Max length: 40 cm TL

	NC		
PG PN	PW	SB	
TV VU	WF		

USX Scarus rivulatus

Rivulated parrotfish, surf parrotfish



Terminal phase green to bluegreen with ① distinctive orange patch on gill covers, ② numerous wavy green lines on head. ② Bright green pectoral fins. Initial phase grey to grey-brown with ② two pale horizontal stripes on body.

Max length: 40 cm TL

AS		FJ	FM	GU	
		NC			
PG		PW	SB		ТО
	VU	WF			

UVE

Scarus rubroviolaceus

Ember parrotfish, redlip parrotfish



Scaridae / Parrotfish

Terminal phase shades of green with ① bulbous forehead, ② a green to blue band above pink margin on upper lip, and ② double bands on chin. Initial phase red to reddish-brown with ② dark markings on scales.



AS		FJ	FM	GU	KI
МН	MP	NC	NR	NU	PF
PG		PW	SB	TK	ТО
TV	VU	WF	WS		



Scarus schlegeli

USX


Yellowband parrotfish

Terminal phase dark green to bluish-purple with lighter forehead and 1 short yellow vertical bar on back (becoming paler toward belly). Initial phase greyish-brown with 2 5–6 white vertical bars on body.



Max length: 40 cm TL

AS	CK	FJ	FM	GU	
МН	MP	NC		NU	PF
PG	PN	PW	SB	TK	ТО
TV	VU	WF	WS		



Scaridae / Parrotfish

Scarus spinus

IIEX

Greensnout parrotfish

Terminal phase blue-green with distinctive rounded green snout and yellow patch on cheeks and gill covers. Initial phase brown to dark brown with four faint pale vertical bars on body (may appear as rows of vertical spots).



Max length: 30 cm TL

AS		FJ	FM	KI
МН		NC	NR	
		PW	SB	ТО
TV	VU	WF	WS	





Scarus tricolor

Tricolour parrotfish



Terminal phase shades of yellowgreen to green with lavender scale bases and (1) distinctive elongated caudal fin lobes. Initial phase with dark grey head and rows of brown, yellow, green, blue and light red on sides (faded in this image) with 2 yellowish-orange anal fin and ed caudal fin.




Max length: 40 cm TL

AS				KI
МН	MP		NR	PF
		PW	SB	ТО
TV	VU		WS	

Scarus xanthopleura

Red parrotfish



irregular dark green patch on lower cheek and chin. Initial phase 63 bright red to reddish-grey with 3-4 pale vertical bars on sides.

Terminal phase green with 1 pink scale margins and a large,



AS	CK	FJ	FM	GU	KI
МН	MP			NU	
		PW	SB		
TV					

