


LIJ

Alectis ciliaris

Carangidae / Jacks

African pompano



Silvery-blue upper body, tending to silver on lower body. **1** Steep forehead profile. **2** First few dorsal and anal fin rays of juveniles (shown) extremely long and filamentous.

Max length: 130 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

TUM

Atule mate

Carangidae / Jacks

Yellowtail scad



Silvery bluish-green upper body, tending to silver on lower body. **1** Prominent black spot on upper margin of gill covers. **2** Often with numerous dusky bars on sides. **3** Caudal fin yellow, dorsal and **4** pectoral fins translucent with tints of yellow.

Max length: 28 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

NGJ

Carangoides bajad

Carangidae / Jacks

Orangespotted trevally



Silvery to yellowish-orange with **1** numerous small orange spots on sides. **2** Fins usually yellowish-orange.

Max length: 55 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Silvery with **1** black spot on upper margin of gill covers.

Max length: 70 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



Silvery, usually with **1** 5–7 black vertical bars on sides. **2** Dark margin on caudal fin.

Max length: 60 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



Silvery with **1** numerous small brassy spots, occasionally with faint dark bars on sides. Large adults have 3–4 black blotches on sides (not present in this image).

Max length: 120 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



NGT *Carangoides orthogrammus*

Carangidae / Jacks

Island trevally



Silvery with **1** yellow spots or blotches on sides. Sometimes with faint bars on sides of body. **2** Fins with blue tints.


Max length: 70 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

GSP *Carangoides plagiotaenia*

Carangidae / Jacks

Barcheck trevally



Silvery with a prominent **1** black line on gill covers.


Max length: 45 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

NXI *Caranx ignobilis*

Carangidae / Jacks

Giant trevally



Dusky or silvery-grey upper body tending to silver on lower body. **1** Numerous black spots on sides. Large adults have a **2** steep forehead. **3** Small black area at upper base of pectoral fins.


Max length: 160 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Dark olive-grey to nearly black upper body, tending to silvery-grey on lower body. **1** Small black spot at upper margin of gill covers. **2** Scutes and **3** second dorsal, anal and caudal fins dark.

Max length: 80 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |




Bluefin trevally

Silvery to bluish-green with **1** numerous blue and black spots on upper two-thirds of body. **2** Bright blue dorsal, anal and caudal fins.

Max length: 100 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |




Brassy trevally

Silvery with bronze to greenish-blue tints and **1** dark spots on sides. **2** White spot behind upper margin of gill covers. **3** Lower lobe of caudal fin yellow with white margin.

Max length: 80 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



CXS *Caranx sexfasciatus*

Carangidae / Jacks

Bigeye trevally



Silvery with ① small dark spot on gill covers and ② white tips on lobes of second dorsal and anal fins.

Max length: 85 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

NXT *Caranx tille*

Carangidae / Jacks

Tille trevally



Silvery elongated body with ① steep forehead and snout. ② Black spot on upper margin of gill covers.

Max length: 70 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

MSD *Decapterus macarellus*

Carangidae / Jacks

Mackerel scad



Silvery with ① small black spot on upper margin of gill covers at level of eyes. ② Jaw does not extend past eyes.

Max length: 35 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Olive-blue upper body shading to greenish-white lower body.

1 Two light blue horizontal stripes on sides from head to caudal fin, often with yellowish-olive stripe in between.

Max length: 120 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



Adults (shown) silvery-grey with 1 faint bars and 2 scattered black blotches on head and body. Juveniles yellow with similar, although more pronounced, marking pattern.

Max length: 120 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



Elongated silvery body with a 1 double row of dark round blotches on sides.

Max length: 70 cm FL


| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



OBJ *Scomberoides tol*

Carangidae / Jacks

Needlescaled queenfish



Elongated body; bluish-silver upper body becoming silver or white on lower body. **1** Five to eight vertically oblong or oval black spots on, or just above lateral line. **2** Soft rays of posterior portion of dorsal and anal fins form semi-detached finlets. **3** Black tips on soft dorsal and caudal fins.

Max length: 50 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Photo: CSIRO Australian National Fish Collection

LRO *Selar boops*

Carangidae / Jacks

Oxeye scad



Silvery with large eyes and **1** yellow horizontal stripe extending from head to caudal fin. **2** Black spot often present on upper margin of gill covers. Scutes prominent from mid-body to caudal fin.

Max length: 25 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Photo: CSIRO Australian National Fish Collection

Similar to *Selar crumenophthalmus* but scutes extend further along body (scutes are restricted to rear third of body in *S. crumenophthalmus*).

BIS *Selar crumenophthalmus*

Carangidae / Jacks

Bigeye scad



Silvery with a large eye and **1** yellow horizontal stripe extending from head to base of caudal fin. **2** Scutes prominent on rear third of lateral line.

Max length: 30 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Similar to *Selar boops* but scutes restricted to rear third of body (scutes in *S. boops* extend from caudal fin forward to mid-body).


Greater amberjack

Silvery olive-grey upper body shading to silvery on lower body with **1** dark yellowish-brown band from lip through eye to origin of dorsal fin. Occasionally with an **2** amber stripe from gill cover to caudal fin.

Max length: 160 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

Photo: CSIRO Australian National Fish Collection




Similar to *Seriola rivoliana* (not shown) but with much lower second dorsal fin (second dorsal fin of *S. rivoliana* is 4–5 times the height of first dorsal fin).

Small spotted dart

Bluish-silver upper body shading to silver on lower body, with **1** 1–5 prominent black spots on sides. **2** Anterior lobes of second dorsal and anal fins elongated.

Max length: 50 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |



Snubnose dart

Bluish-silver upper body to silvery or golden lower body. **1** Steep forehead and snout. **2** Front of snout and lips golden. **3** Fins yellow to yellowish-grey. No spots on sides.

Max length: 70 cm FL

| | | | | | |
|----|----|----|----|----|----|
| AS | CK | FJ | FM | GU | KI |
| MH | MP | NC | NR | NU | PF |
| PG | PN | PW | SB | TK | TO |
| TV | VU | WF | WS | | |

