

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California
By David L. Magney**

Scientific Name	Common Name	Wetland		
		Growth Habit	Indicator Status	Family
<i>Achillea millefolium</i>	Common White Yarrow	PH	FACU	Asteraceae
<i>Achyrachaena mollis</i>	Blow Wives	AH	FAC*	Asteraceae
<i>Adiantum jordanii</i>	Maidenhair Fern	PF	.	Pteridiaceae
<i>Aesculus californica</i>	Horse Chestnut	T	.	Hippocastinaceae
<i>Aira caryophyllea</i> *	Silver Hairgrass	AG	.	Poaceae
<i>Alisma lanceolatum</i> *	Water-plantain	PH	OBL	Alismaceae
<i>Allium peninsulare</i>	Peninsular Onion	PG	.	Alliaceae
<i>Alnus rhombifolia</i>	White Alder	T	FACW	Betulaceae
<i>Ambrosia psilostachya</i>	Western Ragweed	BH	FAC	Asteraceae
<i>Amsinckia menziesii</i> var. <i>menziesii</i>	Rancher's Fire	AH	.	Boraginaceae
<i>Anagallis arvensis</i> *	Scarlet Pimpernel	AH	FAC	Primulaceae
<i>Andropogon virginicus</i> var. <i>virginicus</i>	Broomsedge Bluestem	PG	FAC	Poaceae
<i>Anthemis cotula</i> *	Mayweed	AH	FACU	Asteraceae
<i>Aphanes occidentalis</i>	Dew-cup	AH	.	Rosaceae
<i>Arceuthobium campylopodum</i>	Western Dwarf Mistletoe	PH	.	Viscaceae
<i>Arctostaphylos viscida</i>	Whiteleaf Manzanita	S	.	Ericaceae
<i>Aristolochia californica</i>	California Pipevine	PV	.	Aristolochiaceae
<i>Artemisia douglasiana</i>	Mugwort	PH	FACW	Asteraceae
<i>Asclepias cordifolia</i>	Purple Milkweed	PH	.	Ascepiadaceae
<i>Asclepias eriocarpa</i>	Woolly Milkweed	PH	.	Ascepiadaceae
<i>Asclepias fascicularis</i>	Narrow-leaved Milkweed	PH	FAC	Ascepiadaceae
<i>Aspidotis californica</i>	California Lace Fern	PF	.	Pteridiaceae
<i>Aster chilensis</i> var. <i>chilensis</i>	Common California Aster	PH	FAC	Asteraceae
<i>Athysanus pusillus</i>	Dwarf Athysanus	AH	.	Brassicaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	(FACU)	Asteraceae
<i>Baccharis salicifolia</i>	Mulefat	S	FACW	Asteraceae
<i>Bidens frondosa</i>	Stick Tight, Devil's Beggars-tick	AH	FACW	Asteraceae
<i>Brickellia californica</i>	California Brickellbush	S	FACU	Asteraceae
<i>Brodiaea elegans</i>	Elegant Brodiaea	PG	.	Amaryllidaceae
<i>Bromus hordeaceus</i> *	Soft Chess	AG	FACU-	Poaceae
<i>Bromus japonicus</i> *	Hairy Chess	AG	.	Poaceae
<i>Bromus sterilis</i> *	Poverty or Sterile Brome	AG	.	Poaceae
<i>Calandrinia ciliata</i>	Redmaids	AH	FACU*	Portulacaceae
<i>Callitriche heterophylla</i> var. <i>bolanderi</i>	Bolander's Water-starwort	PF	OBL	Callitrichaceae
<i>Calochortus albus</i>	Fairy Lantern	PG	.	Liliaceae
<i>Calochortus luteus</i> var. <i>luteus</i>	Yellow Mariposa Lily	PG	.	Liliaceae
<i>Calyptridium umbellatum</i>	Pussypaws	AH	.	Portulacaceae
<i>Capsella bursa-pastoris</i> var. <i>bursa-pastoris</i> *	Shepherd's Purse	AH	FAC-	Brassicaceae
<i>Cardamine oligosperma</i>	Few-seeded Bitter-cress	AH	FACW	Brassicaceae
<i>Carduus pycnocephalus</i> *	Italian Thistle	AH	.	Asteraceae
<i>Carex densa</i>	Dense Sedge	PH	OBL	Cyperaceae
<i>Carex praegracilis</i>	Clustered Field Sedge	PH	FACW-	Cyperaceae
<i>Carex senta</i>	Rough Sedge	PH	OBL	Cyperaceae
<i>Castilleja attenuata</i>	Valley Tassels	AH	.	Orobanchaceae
<i>Ceanothus cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	.	Asteraceae
<i>Centaurium muehlenbergii</i>	June Centaury	AH	FACW	Gentianaceae
<i>Centaurium venustum</i>	Beautiful Centaury	AH	.	Gentianaceae
<i>Cephalanthus occidentalis</i> var. <i>californicus</i>	Buttonbush	S	OBL	Rubiaceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California
By David L. Magney**

Scientific Name	Common Name	Wetland		Family
		Growth Habit	Indicator Status	
<i>Cerastium glomeratum</i> *	Mouse-ear Chickweed	AH	FACU	Caryophyllaceae
<i>Cercis occidentalis</i>	Western Redbud	S/T	.	Fabaceae
<i>Chamaesyce ocellata</i>	Littleeye Spurge	AH	.	Euphorbiaceae
<i>Chamaesyce serpyllifolia</i>	Thymeleaf Spurge	AH	.	Euphorbiaceae
<i>Chamomilla suaveolens</i>	Pineapple Weed	AH	FACU	Asteraceae
<i>Chenopodium ambrosioides</i> *	Mexican Tea	PH	FAC	Chenopodiaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Common Soap Lily	PH	.	Liliaceae
<i>Clarkia gracilis</i>	Farewell-to-Spring	AH	.	Onagraceae
<i>Clarkia purpurea</i> var. <i>purpurea</i>	Winecup Clarkia	AH	.	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	.	Portulacaceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC	Portulacaceae
<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	Chinese Houses	AH	.	Veronicaceae
<i>Collomia heterophylla</i>	Vari-leaf Collomia	AH	.	Polemoniaceae
<i>Collomia linearis</i>	Tiny Trumpet	AH	.	Polemoniaceae
<i>Conyza canadensis</i>	Common Horseweed	AH	FAC	Asteraceae
<i>Crassula connata</i> var. <i>erectoides</i>	Sand Pygmy-stonecrop	AH	FAC	Crassulaceae
<i>Crassula tillaea</i>	Water Pygmy-weed	AH	NI*	Crassulaceae
<i>Cryptantha</i> sp.	Forget-Me-Not	AH	.	Boraginaceae
<i>Cynosurus echinatus</i> *	Dogtail	AG	.	Poaceae
<i>Cyperus eragrostis</i>	Umbrella-sedge	PH	FACW	Cyperaceae
<i>Cyperus esculentus</i> *	Yellow Nutgrass, Chufa	PH	FACW	Cyperaceae
<i>Cyperus niger</i> var. <i>papitatus</i>	Black Flatsedge	PH	FACW+	Cyperaceae
<i>Cyperus strigosus</i>	False Flatsedge	PH	FACW	Cyperaceae
<i>Delphinium variegatum</i> ssp. <i>variegatum</i>	Royal Larkspur	PH	.	Ranunculaceae
<i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i>	Tufted Hair-grass	PG	FACW	Poaceae
<i>Deschampsia danthanoides</i>	Annual Hairgrass	AG	FACW	Poaceae
<i>Deschampsia elongata</i>	Slender Hairgrass	PG	FACW	Poaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks, Northern Saitas	PG	.	Amaryllidaceae
<i>Dichelostemma volubile</i>	Twining Brodiaea	PG	.	Amaryllidaceae
<i>Dodecatheon hendersonii</i> ssp. <i>hendersonii</i>	Henderson's Shooting Star	PH	.	Primulaceae
<i>Dudleya cymosa</i>	Canyon Live-forever	PH	.	Crassulaceae
<i>Echinochloa crusgalli</i> *	Barnyard Grass	PG	FACW	Poaceae
<i>Eleocharis pachycarpa</i>	Black-sand Spikerush	PH	OBL	Cyperaceae
<i>Elodea canadensis</i>	Broad Water-weed	PH	OBL	Hydrocharitaceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	.	Onagraceae
<i>Epilobium densiflorum</i>	Dense-flowered Spike-primrose	AH	OBL	Onagraceae
<i>Epilobium torreyi</i>	Brook Spike-primrose	AH	FACW	Onagraceae
<i>Epipactis gigantea</i>	Stream Orchid	PH	OBL	Orchidaceae
<i>Equisetum laevigatum</i>	Smooth Scouring-rush	PF	FACW	Equisetaceae
<i>Erigeron foliosus</i> var. <i>hartwegii</i>	Hartweg's Slender Fleabane	PH	.	Asteraceae
<i>Erigeron philadelphicus</i>	Philadelphia Fleabane	BH	FAC	Asteraceae
<i>Eriogonum vimineum</i>	Wicker Buckwheat	AH	.	Polygonaceae
<i>Eriogonum wrightii</i> ssp. <i>trachygonum</i>	Wright's Buckwheat	S	.	Polygonaceae
<i>Eriophyllum lanatum</i> var. <i>achillaeoides</i>	Woolly Golden Yarrow	PH	.	Asteraceae
<i>Erodium botrys</i> *	Long-beaked Filaree	AH	.	Geraniaceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	.	Geraniaceae
<i>Erodium moschatum</i> *	Whitestem Filaree	AH	.	Geraniaceae
<i>Erucastrum</i> [<i>Hirschfeldia</i>] <i>incanum</i> *	Summer Mustard	PH	.	Brassicaceae
<i>Eryngium vaseyi</i> var. <i>vaseyi</i>	Vasey's Coyote-thistle	PH	FACW	Apiaceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California
By David L. Magney**

Scientific Name	Common Name	Wetland		Family
		Growth Habit	Indicator Status	
<i>Eschscholzia caespitosa</i>	Tufted Poppy	BH	.	Papaveraceae
<i>Eschscholzia lobbii</i>	Lobb's Poppy	AH	.	Papaveraceae
<i>Euphorbia crenulata</i>	Beetle Spurge	AH	.	Euphorbiaceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	OBL	Asteraceae
<i>Ficus carica</i> *	Edible Fig	S	?	Moraceae
<i>Filago californica</i> [<i>Logfia californica</i>]	California Cottonrose	AH	.	Asteraceae
<i>Fraxinus latifolia</i>	Oregon Ash	S	FACW	Oleaceae
<i>Galium aparine</i>	Catchweed Bedstraw, Goosegrass	AH	FACU	Rubiaceae
<i>Galium mollugo</i> *	False Baby's Breath	AH	.	Rubiaceae
<i>Galium parisiense</i> var. <i>leiocarpus</i> *	Wall Bedstraw	AH	FACU	Rubiaceae
<i>Galium porrigens</i> var. <i>porrigens</i>	Ovalleaf Climbing Bedstraw	S	.	Rubiaceae
<i>Geranium dissectum</i> *	Dissected Geranium	AH	.	Geraniaceae
<i>Geranium molle</i> *	Annual Cranesbill	AH	.	Geraniaceae
<i>Gilia achilleafolia</i> ssp. <i>multicaulis</i>	Many-stemmed Gilia	AH	.	Polemoniaceae
<i>Gilia capitata</i> ssp. <i>capitata</i>	Blue Field Gilia	AH	.	Polemoniaceae
<i>Gilia tricolor</i>	Bird's Eye Gilia	AH	.	Polemoniaceae
<i>Gnaphalium palustre</i>	Western Marsh Cudweed	BH	FACW	Asteraceae
<i>Grateola ebracteata</i>	Bractless Hedge-hyssop	AH	OBL	Veronicaceae
<i>Grindelia hirsutula</i> var. ?	Hairy Gumweed	PH	.	Asteraceae
<i>Helenium puberulum</i>	Rosilla, Sneezeweed	PH	FACW	Asteraceae
<i>Helianthus annuus</i>	Western Sunflower	AH	FAC-	Asteraceae
<i>Hemizonia fitchii</i>	Fitch's Tarplant	AH	.	Asteraceae
<i>Hesperocnide tenella</i>	Western Nettle	AH	.	Urticaceae
<i>Heteromeles</i> [<i>arbutifolia</i>] <i>salicifolia</i>	Toyon	S	.	Rosaceae
<i>Holozonia filipes</i>	Holozonia	PH	FACU	Asteraceae
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i>	California Barley	PG	FACU	Poaceae
<i>Hypericum anagaloides</i>	Tinker's Penny	PH	OBL	Hypericaceae
<i>Hypericum concinnum</i>	Goldwire	PH	.	Hypericaceae
<i>Isoetes nuttallii</i>	Nuttall's Quillwort	PF	OBL	Isoetaceae
<i>Juncus acuminatus</i>	Sharp-fruited or Tapertip Rush	PG	OBL	Juncaceae
<i>Juncus acutus</i> ssp. <i>leopoldii</i>	Spiny Rush	PG	FACW	Juncaceae
<i>Juncus balticus</i> ssp. <i>mexicanus</i>	Mexican Rush	PG	FACW	Juncaceae
<i>Juncus effusus</i> ?	Pacific Rush	PG	OBL	Juncaceae
<i>Juncus oxymetris</i>	Iris-leaved or Pointed Rush	PG	FACW	Juncaceae
<i>Keckiella breviflora</i> var. <i>glabrisepala</i>	Stubflower Penstemon	S	.	Veronicaceae
<i>Kickxia elatine</i>	Arrowleaf Fluellin	AH	NI*	Veronicaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	FAC	Asteraceae
<i>Lagophylla glandulosa</i>	Sticky Hareleaf	AH	.	Asteraceae
<i>Lagophylla ramosissima</i>	Common Hareleaf	AH	.	Asteraceae
<i>Lamium amplexicaule</i> *	Henbit	AH	.	Lamiaceae
<i>Lasthenia fremontii</i>	Fremont Goldfields	AH	OBL	Asteraceae
<i>Lathyrus sulphureus</i> var. <i>sulphureus</i>	Sulphur Pea	PV	.	Fabaceae
<i>Leersia oryzoides</i>	Rice Cutgrass	PG	OBL	Poaceae
<i>Lepidium nitidum</i> var. <i>nitidum</i>	Common Peppergrass	AH	.	Brassicaceae
<i>Lepidium oblongum</i>	Oblong Peppergrass	AH	.	Brassicaceae
<i>Lepidium strictum</i>	Narrow Peppergrass	AH	.	Brassicaceae
<i>Leptosiphon bicolor</i>	Bicolored Linanthus	AH	.	Polemoniaceae
<i>Lilaea scilloides</i>	Flowering Quillwort	AH	OBL	Juncaginaceae
<i>Limosella acaulis</i>	Tufted Mudwort	AH	OBL	Veronicaceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California**

By David L. Magney

Scientific Name	Common Name	Wetland		
		Growth Habit	Indicator Status	Family
<i>Linanthus bicolor</i> ssp. <i>bicolor</i>	Baby Stars, Bicolored Linanthus	AH	.	Polemoniaceae
<i>Lithophragma bolanderi</i>	Bolander's Woodland Star	PH	.	Saxifragaceae
<i>Logfia gallica</i>	Woolly Filago	AH	.	Asteraceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	FAC*	Poaceae
<i>Lolium temulentum</i> *	Darnel	AG	.	Poaceae
<i>Lomatium triternatum</i>	Nineleaf Fennel	PH	.	Apiaceae
<i>Lomatium utriculatum</i>	Common Lomatium	PH	.	Apiaceae
<i>Lonicera hispidula</i> var. <i>vacillans</i> ?	California Honeysuckle	S	.	Caprifoliaceae
<i>Lotus humistratus</i>	Short-podded Lotus	AH	.	Fabaceae
<i>Lotus micranthus</i>	Tiny Lotus	AH	.	Fabaceae
Lupinus bicolor	Bicolored Lupine	AH	.	Fabaceae
<i>Lupinus microcarpus</i> var. <i>densiflorus</i>	Gully Lupine	AH	.	Fabaceae
<i>Lupinus nanus</i>	Sky Lupine	AH	.	Fabaceae
Luzula comosa	Pacific Woodrush	PG	.	Juncaceae
<i>Lycopus americanus</i>	American Bugleweed	PH	OBL	Lamiaceae
<i>Madia elegans</i> ssp. <i>densifolia</i>	Dense Common Tarplant	AH	.	Asteraceae
<i>Madia subspicata</i>	Slender Tarplant	AH	.	Asteraceae
<i>Marah fabaceus</i>	Man-root	PV	.	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	FAC	Lamiaceae
<i>Marsilea vestita</i>	Hairy Pepperwort	PF	OBL	Marsileaceae
<i>Medicago polymorpha</i> *	Bur-clover	AH	(FACU-)	Fabaceae
<i>Mentha arvensis</i>	Field Mint	PH	FACW	Lamiaceae
<i>Mentha piperita</i> X *	Peppermint	PH	OBL	Lamiaceae
<i>Micropus californicus</i>	Slender Cottonweed	AH	(FAC)	Asteraceae
<i>Mimulus guttatus</i>	Common Streamside Monkeyflower	A/PH	OBL	Phrymaceae
<i>Montia fontana</i>	Water Chickweed	AH	OBL	Portulacaceae
<i>Morus alba</i> +	White Mulberry	T	.	Moraceae
Muhlenbergia asperifolia	Scratchgrass	PG	FACW	Poaceae
<i>Muhlenbergia rigens</i>	Deergrass	PG	FACW	Poaceae
<i>Myosotis discolor</i>	Yellow and Blue Forget-Me-Not	PH	NI*	Boraginaceae
<i>Nassella pulchra</i> ?	Purple Needlegrass	PG	.	Poaceae
Navarretia pubescens	Downy Navarretia	AH	.	Polemoniaceae
<i>Nemophila heterophylla</i>	Canyon Nemophila	AH	.	Boraginaceae
<i>Nemophila pedunculata</i>	Meadow Baby Blue-eyes	AH	FAC+	Boraginaceae
<i>Odontostomum hartwegii</i>	Hartweg's Odontostomum	PH	.	Liliaceae
<i>Oenothera elata</i> ssp. <i>hookeri</i> ?	Hooker Evening Primrose	BH	FACW	Onagraceae
Oxalis laxa *	Lax Wood-sorrel	AH	.	Oxalidaceae
<i>Pectocarya pusilla</i>	Tiny Pectocarya	AH	.	Boraginaceae
<i>Pellaea andromedaefolia</i> var. <i>andromedaefolia</i>	Coffee Fern	PF	.	Pteridaceae
<i>Pellaea mucronata</i>	Birdsfoot Cliffbrake	PF	.	Pteridaceae
<i>Pentagramma triangularis</i> var. <i>triangularis</i>	Goldenback Fern	PF	.	Pteridaceae
<i>Perideridia kelloggii</i>	Squaw Root	PH	.	Apiaceae
Petrorhagia dubia *	Hairy-pink	AH	.	Caryophyllaceae
<i>Phacelia cicutaria</i> ssp. <i>cicutaria</i>	Caterpillar Phacelia	AH	.	Boraginaceae
<i>Phlox</i> [<i>Microsteris</i>] <i>gracilis</i>	Slender Phlox	AH	FACU*	Polemoniaceae
<i>Phoradendron villosum</i>	Oak or Hairy Mistletoe	PH	.	Viscaceae
<i>Phyla nodiflora</i>	Common Frog-fruit	PH	FACW	Verbenaceae
<i>Picris echioides</i> *	Bristly Ox-tongue	PH	FAC*	Asteraceae
<i>Pinus ponderosa</i> ssp. <i>ponderosa</i>	Western Ponderosa Pine	T	.	Pinaceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California**

By David L. Magney

Scientific Name	Common Name	Wetland		
		Growth Habit	Indicator Status	Family
<i>Pinus sabiniana</i>	Digger or Gray Pine	T	.	Pinaceae
<i>Plagiobothrys bracteatus</i>	Bracted Popcornflower	AH	OBL	Boraginaceae
<i>Plagiobothrys canescens</i>	Valley Popcornflower	AH	.	Boraginaceae
<i>Plagiobothrys fulvus</i>	Common Popcornflower	AH	.	Boraginaceae
<i>Plagiobothrys nothofulvus</i>	Rusty Popcornflower	AH	FAC	Boraginaceae
<i>Plantago coronopus</i> *	Cutleaf Plantain	AH	FAC	Plantaginaceae
<i>Plantago erecta</i> ssp. <i>erecta</i>	California Plantain	AH	.	Plantaginaceae
<i>Plantago lanceolata</i> *	Narrowleaf Plantain	PH	FAC-	Plantaginaceae
<i>Platystemon californicus</i>	Cream Cups	AH	.	Papaveraceae
<i>Plectritis ciliosa</i>	Long-spurred Plectritis	AH	.	Valerianaceae
<i>Poa annua</i>	Annual Bluegrass	AG	FACW-	Poaceae
<i>Poa pratensis</i> ssp. <i>pratensis</i> *	Kentucky Bluegrass	PG	FACW	Poaceae
<i>Pogogyne serpylloides</i>	Thyme-like Mesamint	AH	FACW*	Lamiaceae
<i>Polygonum punctatum</i> var. <i>punctatum</i>	Dotted Water Smartweed	AH	OBL	Polygonaceae
<i>Populus fremontii</i>	Fremont Cottonwood	T	FACW	Salicaceae
<i>Quercus douglasii</i>	Blue Oak	T	.	Fagaceae
<i>Quercus lobata</i>	Valley Oak	T	FAC*	Fagaceae
<i>Quercus wislizenii</i> var. <i>frutescens</i>	Shrubby Interior Live Oak	S	.	Fagaceae
<i>Quercus wislizenii</i> var. <i>wislizenii</i>	Interior Live Oak	T	.	Fagaceae
<i>Ranunculus aquatilis</i>	White Water Crowfoot	PH	OBL	Ranunculaceae
<i>Ranunculus californicus</i>	California Buttercup	AH	FAC	Ranunculaceae
<i>Ranunculus muricatus</i> *	Spinyfruit Buttercup	AH	FACW+	Ranunculaceae
<i>Ranunculus occidentalis</i>	Western Buttercup	PH	FACW	Ranunculaceae
<i>Ranunculus repens</i> var. <i>repens</i> *	Creeping Buttercup	PH	FACW	Ranunculaceae
<i>Rhamnus californica</i> ssp. <i>californica</i>	California Coffeeberry	S	.	Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	.	Rhamnaceae
<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	.	Rhamnaceae
<i>Rorippa nasturium-aquaticum</i>	Water-cress	PH	OBL	Brassicaceae
<i>Rorippa palustris</i> var. <i>occidentalis</i> *	Bog Yellow-cress	AH	OBL	Brassicaceae
<i>Rubus discolor</i> *	Himalaya Blackberry	PV	FAC	Rosaceae
<i>Rumex crispus</i> *	Curly Dock	PH	FACW-	Polygonaceae
<i>Rumex salicifolius</i> var. <i>salicifolius</i> ?	Willow Dock	PH	OBL	Polygonaceae
<i>Sagina apetala</i> *	Dwarf Pearlwort	AH	FAC	Caryophyllaceae
<i>Salix gooddingii</i>	Black Willow	T	OBL	Salicaceae
<i>Salix laevigata</i>	Red Willow	T	FACW	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	FACW	Salicaceae
<i>Salix lucida</i> var. <i>lasiandra</i>	Yellow or Pacific Willow	T	OBL	Salicaceae
<i>Salix melanopsis</i>	Dusky Willow	S	FACW	Salicaceae
<i>Salix sessilifolia</i>	Sandbar Willow	S	FACW	Salicaceae
<i>Sanicula bipinnata</i>	Poison Sanicle	PH	.	Apiaceae
<i>Sanicula bipinnatifida</i>	Purple Sanicle	PH	.	Apiaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Sanicle or Snakeroot	PH	.	Apiaceae
<i>Saxifraga californica</i>	California Saxifrage	PH	NI	Saxifragaceae
<i>Scandix pecten-veneris</i> *	Venus' Needle	AH	.	Apiaceae
<i>Schizachyrium scoparium</i>	Little Bluestem	PG	(FACU)	Poaceae
<i>Scirpus acutus</i> var. <i>occidentalis</i>	Viscid Tule	PH	OBL	Cyperaceae
<i>Scleranthus annuus</i> ssp. <i>annuus</i> *	German Knotgrass	AG	FACU	Poaceae
<i>Scribneria bolanderi</i>	Common Scribneria Grass	AG	.	Poaceae
<i>Scrophularia californica</i> var. <i>californica</i>	California Figwort	PH	FAC	Scrophulariaceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California
By David L. Magney**

Scientific Name	Common Name	Wetland		
		Habit	Status	Family
<i>Selaginella hansenii</i>	Hansen's Clubmoss	PF	.	Selaginellaceae
<i>Senecio vulgaris</i> *	Common Groundsel	AH	NI*	Asteraceae
<i>Setaria pumila</i> *	Yellow Bristlegrass	AG	FAC	Poaceae
<i>Sherardia arvensis</i> *	Blue Fieldmadder	AH	.	Rubiaceae
<i>Sidalcea hartwegii</i>	Hartweg's Mallow	PH	.	Malvaceae
<i>Silene gallica</i> *	Windmill Pink	AH	.	Caryophyllaceae
<i>Silybum marianum</i> *	Milk Thistle	AH	.	Asteraceae
<i>Sisymbrium officinale</i> *	Hedge Mustard	AH	.	Brassicaceae
<i>Sisyrinchium bellum</i>	Blue-eyed Grass	PG	.	Iridaceae
<i>Soliva sessilis</i>	Lawn Burweed	AH	FAC	Asteraceae
<i>Spergula arvensis</i> var. <i>arvensis</i> *	Corn Sandspurry	AH	.	Caryophyllaceae
<i>Spergularia rubra</i>	Purple Sandspurry	AH	FAC-	Caryophyllaceae
<i>Stellaria media</i> *	Common Chickweed	AH	FACU	Caryophyllaceae
<i>Streptanthus tortuosus</i> var. <i>orbiculatus</i>	Roundleaf Mountain Jewelflower	AH	.	Brassicaceae
<i>Taeniatherum caput-medusae</i> *	Medusa Head	PG	.	Poaceae
<i>Tamarix</i> sp. *	Salt Cedar, Tamarisk	T/S	FAC	Tamaricaceae
<i>Taraxacum vulgare</i> *	Common Dandelion	AH	FACU	Asteraceae
<i>Thysanocarpus curvipes</i> var. <i>curvipes</i>	Sand Fringepod	AH	.	Brassicaceae
<i>Thysanocarpus curvipes</i> X <i>radicans</i>	Sand Fringepod hybrid	AH	.	Brassicaceae
<i>Torilis arvensis</i> ssp. <i>heterophylla</i>	Spreading Hedge-parsley	AH	.	Apiaceae
<i>Torilis nodosa</i> *	Rattlesnake Weed	AH	.	Apiaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	S/V	.	Anacardiaceae
<i>Trichostema lanceolatum</i>	Vinegar Weed	AH	.	Lamiaceae
<i>Trientalis borealis</i> ssp. <i>latifolia</i>	Western Starflower	AH	FAC	Primulaceae
<i>Trifolium depauperatum</i> var. ?	Dwarf Sack Clover	AH	FAC-	Fabaceae
<i>Trifolium dubium</i> *	Shamrock, Yellow Hop Clover	PH	FACU*	Fabaceae
<i>Trifolium glomeratum</i> *	Pink Clover	AH	.	Fabaceae
<i>Trifolium oliganthum</i>	Fewflower Clover	AH	.	Fabaceae
<i>Trifolium pratense</i> *	Red Clover	BH	FACU+	Fabaceae
<i>Trifolium subterraneum</i> *	Subterranean Clover	PH	.	Fabaceae
<i>Trifolium variegatum</i>	Whitetip Clover	AH	FACW-	Fabaceae
<i>Triphysaria eriantha</i> ssp. <i>eriantha</i>	Butter-and-Eggs, Johnny-tuck	AH	.	Orobanchaceae
<i>Trisetum spicatum</i>	Spike False-oats	PG	FAC+	Poaceae
<i>Triteleia hyacinthina</i>	White Brodiaea	PG	FACW*	Amaryllidaceae
<i>Triteleia ixioides</i>	Golden Brodiaea, Pretty Face	PG	.	Amaryllidaceae
<i>Triteleia laxa</i>	Ithuriel's Spear, Grass Nuts	PG	.	Amaryllidaceae
<i>Tunica prolifera</i> *	Childing Pink	AH	.	Caryophyllaceae
<i>Typha domingensis</i>	Narrowleaf Cattail	PG	OBL	Typhaceae
<i>Valerianella locusta</i> *	Corn Salad	AH	(FACU)	Valerinaceae
<i>Verbascum blattaria</i> *	Moth Mullein	BH	FACW	Scrophulariaceae
<i>Verbascum thapsus</i> *	Woolly Mullein	BH	(FAC)	Scrophulariaceae
<i>Verbena bonariensis</i> *	Argentine Verbena	PH	FACW	Verbenaceae
<i>Vicia americana</i> ssp. <i>americana</i> ?	American Vetch	AH	NI	Fabaceae
<i>Vicia sativa</i> ssp. <i>sativa</i> *	Common Vetch	AH	FACU	Fabaceae
<i>Vicia villosa</i> ssp. <i>varia</i> *	Winter Vetch	AH	.	Fabaceae
<i>Vitis californica</i>	California Wild Grape	PV	FACW	Vitaceae
<i>Vulpia bromoides</i> *	Slender Fescue	AG	FACU*	Poaceae
<i>Xanthium strumarium</i> ssp. <i>canadense</i>	Cocklebur	AH	FAC+	Asteraceae

This checklist © by David L. Magney 2008.

This document may be reproduced with permission for educational purposes only,

with full authorship credit given.

**Checklist of the Vascular Plants of Spenceville Wildlife Area,
Nevada and Yuba Counties, California
By David L. Magney**

Scientific Name	Common Name	Wetland		Family
		Growth	Indicator	
		Habit	Status	

Notes: Scientific nomenclature follows Hickman (1993) and Flora of North America Flora Committee (1993-2007).

Bold typeface indicates taxa supported by voucher specimen(s) deposited in a public California herbarium.

An * indicates non-native taxa that have become naturalized or persist without cultivation.

An + indicates ornamental or agricultural plant species that are actively cultivated.

Common names follow Abrams and Ferris (1960), Hickman (1993), Niehaus and Ripper (1976), and DeGarmo (1980). Checklist is based on Gordon True's 1973 "The Ferns and Seed Plants of Nevada County, California", my 20 March 1993 and 19 February, 23 March, 8 April, and 25 May 2008 field observations, the Friends of Spenceville's checklist, and a search of the online database, Consortium of California Herbaria.

Growth habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

AV = annual vine.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Reed 1988):

OBL = obligate wetland species, occurs almost always in wetlands (>99% probability).

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

* = a tentative assignment to that indicator status by Reed (1988).

A period "." indicates that no wetland indicator status has been given in Reed (1988).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney based on extensive field observations.