

# **GROUND ZERO<sup>®</sup>**

## **GERMAN ENGINEERING**

### **PRICE LIST**

#### **GROUND ZERO AUDIO**

#### **VALID FROM 2017/May 1st**

**VERS. 2017.05.01**

Con la pubblicazione del presente listino, tutti i listini precedenti non sono piu validi.

Ci riserviamo il diritto di correggere eventuali errori e omissioni senza preavviso.

Tutti i prezzi sono da intendersi in euro. Il prezzo pubblico e' da considerarsi IVAto.

I prezzi Rivenditore **non** sono inclusivi di IVA.

---

I prezzi di colore rosso non sono ulteriormente scontabili sulle vendite online

---

**Ground Zero GmbH - Erlenweg 25 - 85658 Egming - GERMANY**

**Phone : +49 8095 873 83 0 - Fax : +49 8095 873 83 10**

**Web : [www.ground-zero-audio.com](http://www.ground-zero-audio.com) - Email : [info@ground-zero-audio.com](mailto:info@ground-zero-audio.com)**

**Trade register: Amtsgericht München HRB 128584 - VAT ID Number: 172284786**

---


**-confidential-**


Any unauthorized copying, disclosure or distribution of the material in this e-mail is strictly forbidden and may be liable to prosecution!






## CONTENTS

<b>1. AMPLIFIERS</b>	<b>PAGE</b>
1.1 REFERENCE	3
1.2 PLUTONIUM	3
1.3 NUCLEAR	4
1.4 URANIUM	4
1.5 HYDROGEN	5
1.6 RADIOACTIVE	6
1.7 TITANIUM	7
1.8 IRIDIUM	8
1.9 COMPETITION	9
<b>2. SOUND UPGRADE</b>	<b>PAGE</b>
2.1 SOUND UPGRADE	10
<b>3. SUBWOOFERBOXES</b>	<b>PAGE</b>
3.1 URANIUM	12
3.2 RADIOACTIVE	12
3.5 IRIDIUM	12
<b>4. SUBWOOFER</b>	<b>PAGE</b>
4.1 PLUTONIUM	14
4.2 NUCLEAR	15
4.3 URANIUM	15
4.4 HYDROGEN	16
4.5 RADIOACTIVE	18
4.7 IRIDIUM	20
<b>5. SPEAKERS</b>	<b>PAGE</b>
5.1 REFERENCE	21
5.2 PLUTONIUM	22
5.3 NUCLEAR	23
5.4 URANIUM	23
5.5 COMPETITION	24
5.6 RADIOACTIVE	27
5.7 TITANIUM	29
5.8 IRIDIUM	30
<b>6. MULTIMEDIA</b>	<b>PAGE</b>
6.1 MULTIMEDIA	32
<b>7. ACCESSORIES</b>	<b>PAGE</b>
7.1 CAPACITORS	32
7.2 CABLE KITS	32
7.3 CABLE SPOOLS	33
7.4 DAMPING	36
7.5 SPEAKER ACCESSORIES	36
7.6 PORTS & GRILLS	37
7.7 POWER ACCESSORIES	39
7.8 BASS REMOTE	41

	Product	EAN	Description	Public
<b>1. AMPLIFIER</b>				
<b>1.1 REFERENCE</b>				
	<b>GZPA Reference 2XS</b>	4037072007893	2 channel High End SQ Class AB amplifier 2 x 200WRMS @ 4 ohm 2 x 380WRMS @ 2 ohm	<b>EUR 1.499,00</b>
	<b>GZPA Reference 4XS</b>	4037072007909	4 channel High End SQ Class AB amplifier 4 x 120WRMS @ 4 ohm 4 x 220WRMS @ 2 ohm	<b>EUR 1.499,00</b>
	<b>GZPA Reference 2SYM</b>	4037072014877	2 channel High End SQ Class AB amplifier Symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	<b>EUR 2.599,00</b>
	<b>GZPA Reference 4SYM</b>	4037072014884	4 channel High End SQ Class AB amplifier Symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	<b>EUR 2.599,00</b>
	<b>GZPA Reference 2 PURE</b>	4037072014624	2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	<b>EUR 3.499,00</b>
	<b>GZPA Reference 4 PURE</b>	4037072014631	4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	<b>EUR 3.499,00</b>
<b>1.2 PLUTONIUM</b>				
	<b>GZPA 1.4K-HCX</b>	4037072014600	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1200 / 2400 / 4000 WRMS	<b>EUR 749,00</b>
	<b>GZPA 1.6K-HCX</b>	4037072014617	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1700 / 3200 / 5800 WRMS	<b>EUR 1.399,00</b>
	<b>GZPA 1.8K-HCX</b>	4037072014945	1 Channel Class D Monoamp Output power 4/2/1 Ohm 2600 / 4800 / 8400 WRMS	<b>EUR 2.699,00</b>

	Product	EAN	Description	Public
	<b>GZPA 1.10K-HCX</b>	4037072014952	1 Channel Class D Monoamp Output power 4/2/1 Ohm 3200 / 5900 / 10500 WRMS	<b>EUR 3.599,00</b>

	Product	EAN	Description	Public
<b>1.3 NUCLEAR</b>				
	<b>GZNA 1.2550DXII</b>	4037072013993	1 Channel Class D Monoamp Output power @ 4/2/1 Ohm 850 / 1500 / 2400 WRMS	<b>EUR 649,00</b>
	<b>GZNA 2850XII</b>	4037072014006	2 Channel Class AB amplifier 2 x 450WRMS @ 4 ohm 2 x 850WRMS @ 2 ohm 2 x 1300WRMS @ 1 ohm	<b>EUR 649,00</b>
	<b>GZNA 4330XII</b>	4037072014013	4 Channel Class AB amplifier 4 x 200WRMS @ 4 ohm 4 x 350WRMS @ 2 ohm 4 x 550WRMS @ 1 ohm	<b>EUR 649,00</b>
<b>1.4 URANIUM</b>				
	<b>GZUA 2.250SQ</b>	4037072010435	2 Channel SQ Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	<b>EUR 599,00</b>
	<b>GZUA 2.250SQ-PLUS</b>	4037072016857	2 Channel SQ-Plus Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	<b>EUR 599,00</b>
	<b>GZUA 4.150SQ-PLUS</b>	4037072016864	4 Channel SQ-Plus Class AB amplifier 4x 110WRMS @ 4 ohm 4 x 190WRMS @ 2 ohm	<b>EUR 599,00</b>
	<b>GZUA 6.200SQ-PLUS</b>	4037072016871	6 Channel SQ-Plus Class AB amplifier 4 x 110WRMS & 2x 160WRMS @ 4 ohm 4 x 160WRMS & 2x 280WRMS @ 2 ohm	<b>EUR 999,00</b>







	Product	EAN	Description	Public
<b>1.5 HYDROGEN</b>				
	<b>GZHA 1.1850DXII</b>	4037072013764	1 Channel Class D Monoamp Output power 4/2/1 Ohm 700 / 1200 / 1850 WRMS	<b>EUR 479,00</b>
	<b>GZHA 2400XII</b>	4037072013832	2 Channel Class AB amplifier 2 x 270WRMS @ 4 ohm 2 x 480WRMS @ 2 ohm 2 x 750WRMS @ 1 ohm	<b>EUR 399,00</b>
	<b>GZHA 4200XII</b>	4037072013740	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 200WRMS @ 2 ohm	<b>EUR 379,00</b>
	<b>GZHA MINI ONE</b>	4037072016086	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	<b>EUR 199,00</b>
	<b>GZHA MINI TWO</b>	4037072016093	2 Channel Class AB amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	<b>EUR 199,00</b>
	<b>GZHA MINI FOUR</b>	4037072016109	4 Channel Class AB amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 249,00</b>

	Product	EAN	Description	Public
<b>1.6 RADIOACTIVE</b>				
	<b>GZRA 1.2500DX</b>	4037072016307	1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1400 / 2200 WRMS	<b>EUR 549,00</b>
	<b>GZRA 1.1650D</b>	4037072015133	1 Channel Class D Monoamp Output power 4/2/1 Ohm 650 / 1250 / 1800 WRMS	<b>EUR 399,00</b>
	<b>GZRA 2255X</b>	4037072016529	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	<b>EUR 199,00</b>
	<b>GZRA 4230X</b>	4037072016291	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	<b>EUR 299,00</b>
	<b>GZRA MICRO ONE</b>	4037072014341	1 Channel Micro Class D Monoamp Output power 4/2 Ohm 220 / 350 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 249,00</b>
	<b>GZRA MICRO FOUR</b>	4037072014358	4 Channel Micro Class AB amplifier 4 x 60WRMS @ 4 ohm 4 x 100WRMS @ 2 ohm Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 249,00</b>



	Product	EAN	Description	Public
<b>1.7 TITANIUM</b>				
	<b>GZTA 1.800DX-II</b>	4037072016147	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	<b>EUR 229,00</b>
	<b>GZTA 1.1200DX-II</b>	4037072016048	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 800 / 1300 WRMS	<b>EUR 299,00</b>
	<b>GZTA 2155X-II</b>	4037072016376	2 Channel Class AB amplifier 2 x 100WRMS @ 4 ohm 2 x 150WRMS @ 2 ohm	<b>EUR 149,00</b>
	<b>GZTA 4125X-II</b>	4037072016352	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 239,00</b>
	<b>GZTA 1.800DXII-24V</b>	4037072016161	24 Volt 1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	<b>EUR 299,00</b>
	<b>GZTA 4125XII-24V</b>	4037072016178	24 Volt 4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 249,00</b>
	<b>GZTA 5120X-II</b>	4037072016062	5 Channel Class AB amplifier 4 x 50WRMS & 1 x 180WRMS @ 4 ohm 4 x 70WRMS & 1 x 260WRMS @ 2 ohm	<b>EUR 299,00</b>





	Product	EAN	Description	Public
<b>1.8 IRIDIUM</b>				
	<b>GZIA 1.1000DX-II</b>	4037072015911	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 650 / 1000 WRMS	<b>EUR 199,00</b>
	<b>GZIA 1.1450DX-II</b>	4037072015973	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 750 / 1250 WRMS	<b>EUR 289,00</b>
	<b>GZIA 1.600HPX-II</b>	4037072015935	1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 600 WRMS	<b>EUR 169,00</b>
	<b>GZIA 2080HPX-II</b>	4037072015669	2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 80WRMS @ 2 ohm	<b>EUR 89,00</b>
	<b>GZIA 2130HPX-II</b>	4037072015959	2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 130WRMS @ 2 ohm	<b>EUR 129,00</b>
	<b>GZIA 2235HPX-II</b>	4037072015683	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 235WRMS @ 2 ohm	<b>EUR 159,00</b>
	<b>GZIA 4115HPX-II</b>	4037072015706	4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 115WRMS @ 2 ohm	<b>EUR 179,00</b>


	Product	EAN	Description	Public
<b>1.9 COMPETITION</b>				
	<b>GZCA 1.2K-SPL</b>	4037072016888	1 Channel Class D Monoamp Output power 2/1 Ohm 675 / 1350 WRMS	<b>EUR 329,00</b>
	<b>GZCA 3.0K-SPL</b>	4037072016895	1 Channel Class D Monoamp Output power 2/1 Ohm 1800 / 3400 WRMS	<b>EUR 549,00</b>
	<b>GZCA 5.0K-SPL</b>	4037072016901	1 Channel Class D Monoamp Output power 2/1 Ohm 2800 / 5600 WRMS	<b>EUR 879,00</b>
	<b>GZCA 8.0K-SPL</b>	4037072016918	1 Channel Class D Monoamp Output power 2/1 Ohm 4480 / 8960 WRMS	<b>EUR 999,00</b>
	<b>GZCA 12K-SPL</b>	4037072016925	1 Channel Class D Monoamp Output power 2/1 Ohm 9000 / 13700 WRMS	<b>EUR 1.499,00</b>
	<b>GZCA 35K-SPL</b>	4037072016932	1 Channel Class D Competition Monoamp Output power 1 Ohm 35000 WRMS (12.6 V)	<b>EUR 3.999,00</b>






	Product	EAN	Description	Public
<b>2. SOUND UPGRADE</b>				
<b>2.1</b>				
	<b>GZDSP 6-8X</b>	4037072015393	<b>Digital Sound Processor 6 in / 8 out</b> High- / and low-level inputs / DC-Auto-On at high-level-in TOSLINK input (optical 12 ~ 96 kHz) / 3.5 mm jack stereo AUX-Input 6 x 31 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 20000 Hz 2 x 11 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 200 Hz Time delay correction 0 ~ 15 ms / 0 ~ 510 cm Adjustable Butterworth HPF / LPF / BPF with 6 – 48 dB slope Phase shift each channel 0 / 180° 10 presets individually programmable	<b>EUR 349,00</b>
	<b>GZDSP Remote</b>	4037072015553	<b>Remote control for GZDSP 6-8X</b> Master volume control Sub-out volume control Input mode selection Preset selection	<b>EUR 65,00</b>
	<b>GZCS 4.60ISO</b>	4037072010251	<b>High efficient plug and play analog amplifier</b> 4 x 70 W @ 4 ohm 4 x 90 W @ 2 ohm 3-channel mode 4 x 70 and 1 x 180W @ 4 ohm	<b>EUR 279,00</b>
	<b>GZCS ISO-Quadlock</b>	4037072014266	<b>ISO-QUADLOCK Adapter</b> for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013	<b>EUR 45,00</b>
	<b>GZCS ISO-Quadlock II</b>	4037072015768	<b>ISO-QUADLOCK II Adapter</b> for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on	<b>EUR 49,00</b>
	<b>GZTB 20ACT</b>	4037072015720	<b>20 cm / 8" flat active subwoofer</b> Stron plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	<b>EUR 199,00</b>
	<b>GZUB 600XACTII</b>	4037072015744	<b>16 cm / 6" flat active subwoofer</b> Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	<b>EUR 249,00</b>
	<b>GZUB 800XACTII</b>	4037072013894	<b>20 cm / 8" flat active subwoofer</b> Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 120 WRMS / 180 WMAX with bass remote and High-Level input with auto-on 6,8 cm / 0.268" height	<b>EUR 279,00</b>
	<b>GZUB 1000XACTII</b>	4037072013900	<b>25 cm flat active subwoofer</b> Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 150 WRMS / 210 WMAX with bass remote and High-Level input with auto-on 7,8 cm / 0.307" height	<b>EUR 349,00</b>

	Product	EAN	Description	Public
	<b>GZCS 10SUB</b>	4037072016604	<p>25 cm passive spare wheel subwoofer</p> <p>Efficient downfire technology</p> <p>High power 2x 2 Ohm 10" subwoofer</p> <p>Reinforced paper cone</p> <p>Power handling 300 Watt</p> <p>62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)</p>	<b>EUR 179,00</b>
	<b>GZCS 10SUB-ACT</b>	4037072016611	<p>25 cm active spare wheel subwoofer</p> <p>Efficient downfire technology</p> <p>High power 2x 2 Ohm 10" subwoofer</p> <p>Reinforced paper cone</p> <p>150 WRMS / 300 WMAX amplifier</p> <p>62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)</p>	<b>EUR 299,00</b>

	Product	EAN	Description	Public
	<b>GZBR 200BMW</b>	4037072007282	BMW Mounting bracket for 20cm woofer Made for GZMW 200NEO; 2pcs. in set	<b>EUR 39,00</b>
	<b>GZCS 200BMW-SW</b>	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	<b>EUR 329,00</b>
	<b>GZCS 100BMW-A</b>	4037072016758	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-B</b>	4037072016765	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-C</b>	4037072016772	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-D</b>	4037072016789	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100MINI-A</b>	4037072016796	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>



	Product	EAN	Description	Public
<b>3. SUBWOOFERBOXES</b>				
<b>3.1 URANIUM</b>				
	<b>GZUB 30SQ</b>	4037072010732	Sealed SQ box incl. GZUW 12SQX 1 x 30 cm / 12", 600 WRMS 2x2 ohm Handmade in Europe, 25 mm MDF Stable and lightweight paper cone, Audiophile POLYCOT spider	<b>EUR 339,00</b>
<b>3.2 RADIOACTIVE</b>				
	<b>GZRB 3000XSPL</b>	4037072014402	SPL bass tunnel box incl. GZRW 30XSPL-D2 1 x 30 cm / 12", 1500W SPL Power, 2x2 ohm Front bass tunnel enclosure with 65 Liter / 2.295 cu.ft	<b>EUR 379,00</b>
<b>3.3 IRIDIUM</b>				
	<b>GZIB 80PT</b>	4037072014099	Bass tunnel tube - 20 cm / 8" woofer 1 x 20 cm / 8", 150 WRMS, 4 ohm Bass tunnel tube enclosure with 17 liter / 0.6 cu.ft	<b>EUR 99,00</b>
	<b>GZIB 165BR</b>	4037072016567	Front bass tunnel box - 16,5 cm / 6.5" woofer 100 WRMS, 2x 2 Ohm Front bass tunnel enclosure with 11 liter / 0.388 cu.ft	<b>EUR 85,00</b>
	<b>GZIB 200BR</b>	4037072014426	Front bass tunnel box - 20 cm / 8" woofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	<b>EUR 99,00</b>
	<b>GZIB 300BR</b>	4037072011210	Front basstunnel box - 30 cm / 12" Woofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	<b>EUR 149,00</b>
	<b>GZIB 2.300BR</b>	4037072011197	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	<b>EUR 279,00</b>
	<b>GZIB 3000SPL</b>	4037072014709	Bass tunnel SPL box incl. GZIW 12SPL 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	<b>EUR 219,00</b>

	Product	EAN	Description	Public
	<b>GZIB 2.3000SPL</b>	4037072015089	SPL bass tunnel box incl. 2 x GZIW 12SPL 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	<b>EUR 449,00</b>





	Product	EAN	Description	Public
	<b>GZIB 165BR-ACT</b>	4037072016574	Active front bass tunnel box - 16,5 cm / 6.5" Build in high power amp 80 WRMS / 150 WMAX High-level input with auto-on	<b>EUR 199,00</b>
	<b>GZIB 200BR-ACT</b>	4037072014433	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	<b>EUR 219,00</b>
	<b>GZIB 300BR-ACT</b>	4037072014457	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	<b>EUR 259,00</b>
	<b>GZ BASS KIT 12.300</b>	4037072016031	Bass Kit incl. GZBA 2.300 amp 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	<b>EUR 229,00</b>
	<b>GZ BASS KIT 12.300 incl. Cable</b>	4037072016437	Bass Kit incl. GZBA 2.300 amp & GZPK 10XLC 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm <sup>2</sup> / 8 AWG wiring kit	<b>EUR 254,00</b>



	Product	EAN	Description	Public
<b>4. SUBWOOFER</b>				
<b>4.1 PLUTONIUM</b>				
	<b>THE GERMANATOR</b>	4037072016963	33" ÜBERWOOFER by Ground Zero More Details coming soon...	<b>EUR 5.995,00</b>
	<b>GZPW 12SPL EXTREME</b>	Not fixed yet	30 cm / 12" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Handmade in Europe Carbon sandwich cone, 4x spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	<b>EUR 1.699,00</b>
	<b>GZPW 15SPL EXTREME</b>	4037072003581	38 cm / 15" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 46,7 Hz, Qts 0.31, SPL 92 dB	<b>EUR 2.499,00</b>
	<b>GZPW 18SPL EXTREME</b>	4037072003598	46 cm / 18" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 45.1 Hz, Qts 0.31, SPL 92 dB	<b>EUR 2.899,00</b>
	<b>GZPW 10SPL</b>	4037072007916	25 cm / 10" Subwoofer, 6500 W SPL Power 2 x 1.6 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 51.7 Hz, Qts 0.40, SPL 89.7dB	<b>EUR 899,00</b>
	<b>GZPW 12SPL</b>	4037072000108	30 cm / 12" Subwoofer, 6500 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.9 Hz, Qts 0.40, SPL 92.2dB	<b>EUR 1.199,00</b>
	<b>GZPW 15SPL</b>	4037072001952	38 cm / 15" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.1 Hz, Qts 0.23, SPL 92.8 dB	<b>EUR 1.899,00</b>
	<b>GZPW 18SPL</b>	4037072002065	46 cm / 18" Subwoofer, 10000 W SPL power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 34.0 Hz, Qts 0.26, SPL 95.1 dB	<b>EUR 2.099,00</b>
	<b>GZPW 21SPL</b>	4037072016970	54 cm / 21" Subwoofer, 10000 W SPL power 2 x 1 ohm, 130 mm / 5" flat wire voice coil Fibre reinforced paper cone, progressive multilayer spider Massive aluminium cast basket, high-roll sandwich surround 10 mm² / 7 AWG connection cable Fs 34.5 Hz, Qts 0.55, SPL 92 dB, x <sub>max</sub> 50 mm / 2"	<b>EUR 1.399,00</b>





	Product	EAN	Description	Public
	<b>GZPW 15Limited</b>	4037072013856	38 cm / 15" Subwoofer, 5000 WRMS Limited to 333pcs 2 x 1 ohm, 100 mm / 4" CCA voice coil, Reinforced paper cone, 4x spider Fs 35.6 Hz, Qts 0.39, SPL 95 dB	<b>EUR 899,00</b>
	<b>GZPW 15Xmax</b>	4037072017403	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 33.3 Hz, Qts 0.44	<b>EUR 1.199,00</b>

	Product	EAN	Description	Public
<b>4.2 NUCLEAR</b>				
	<b>GZNW 12XSPL</b>	4037072013863	30 cm / 12" Subwoofer, 4500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, 4x spider Fs 38.1 Hz, Qts 0.41, SPL 92 dB	<b>EUR 499,00</b>
	<b>GZNW 15XSPL</b>	4037072013870	38 cm / 15" Subwoofer, 5500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, 5x spider Fs 39 Hz, Qts 0.57, SPL 94 dB	<b>EUR 599,00</b>
	<b>GZNW 12Xmax</b>	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	<b>EUR 699,00</b>
	<b>GZNW 15Xmax</b>	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	<b>EUR 899,00</b>
<b>4.3 URANIUM</b>				
	<b>GZUW 8SQ</b>	4037072010466	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 44.5 Hz, Qts 0.46, SPL 86 dB	<b>EUR 179,00</b>
	<b>GZUW 10SQX</b>	4037072012767	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 46.7 Hz, Qts 0.62, SPL 86 dB	<b>EUR 199,00</b>
	<b>GZUW 12SQX</b>	4037072008609	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 33.8 Hz, Qts 0.63, SPL 88 dB	<b>EUR 249,00</b>

	Product	EAN	Description	Public
<b>4.4 HYDROGEN</b>				
	<b>GZHW 30SPL</b>	4037072017434	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44	<b>EUR 339,00</b>
	<b>GZHW 38SPL</b>	4037072017441	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52	<b>EUR 449,00</b>
	<b>GZHW 8XSPL-D1</b>	4037072016208	20 cm / 8" Subwoofer, 1500 W SPL Power 2 x 1 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, massive triple magnet, double spider Fs 42.5 Hz, Qts 0.473, SPL 80 dB	<b>EUR 199,00</b>
	<b>GZHW 10XSPL-D1</b>	4037072015324	25 cm / 10" Subwoofer, 2500 W SPL Power 2 x 1 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, massive triple magnet, double spider Fs 40.7 Hz, Qts 0.412, SPL 85 dB	<b>EUR 249,00</b>
	<b>GZHW 18XSPL-D1</b>	4037072015348	46 cm / 18" Subwoofer, 4000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Reinforced Paper Cone, massive triple magnet, double spider Fs 34.3 Hz, Qts 0.381, SPL 92 dB	<b>EUR 499,00</b>

	Product	EAN	Description	Public
	<b>GZHW 20X</b>	4037072001815	20 cm / 8" Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 36 Hz, Qts 0.35, SPL 82 dB	<b>EUR 219,00</b>
	<b>GZHW 25X</b>	4037072001822	25 cm / 10" Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 27.1 Hz, Qts 0.37, SPL 84 dB	<b>EUR 249,00</b>
	<b>GZHW 30X</b>	4037072001839	30 cm / 12" Subwoofer, 800 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Aluminum cone, high x-max Connex spider Fs 23.5 Hz, Qts 0.33, SPL 86 dB	<b>EUR 299,00</b>
	<b>GZUP 10</b>	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	<b>EUR 99,00</b>
	<b>GZUP 12</b>	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	<b>EUR 119,00</b>

	Product	EAN	Description	Public
<b>4.5 RADIOACTIVE</b>				
	<b>GZRW 25XSPL-D1</b>	4037072013665	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 1 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 40.3 Hz, Qts 0.47, SPL 86 db	<b>EUR 189,00</b>
	<b>GZRW 25XSPL-D2</b>	4037072013672	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.8 Hz, Qts 0.643, SPL 85 db	<b>EUR 189,00</b>
	<b>GZRW 30XSPL-D1</b>	4037072013689	30 cm / 12" Subwoofer, 1500 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 39.2 Hz, Qts 0.554, SPL 86 db	<b>EUR 199,00</b>
	<b>GZRW 30XSPL-D2</b>	4037072013696	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 36.1 Hz, Qts 0.591, SPL 86 db	<b>EUR 199,00</b>
	<b>GZRW 38XSPL-D2</b>	4037072015119	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 33.5 Hz, Qts 0.62, SPL 88 db	<b>EUR 279,00</b>
	<b>GZRW 8FL</b>	4037072015379	20 cm / 8" neodymium flat woofer, 150 WRMS 2 Ohm, 36 mm / 1.42" round wire copper voice coil High-strength extremely flat IMPP cone Resonance free steel basket Fs 45.3 Hz, Qts 0.938, SPL 85 dB Mounting depth 55 mm / 2.17"	<b>EUR 149,00</b>
	<b>GZRW 10D2</b>	4037072012408	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34 Hz, Qts 0.61, SPL 83.2 dB	<b>EUR 139,00</b>
	<b>GZRW 10D4</b>	4037072012415	25 cm / 10" Subwoofer, 600 WRMS 2 x 4 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34.6 Hz, Qts 0.63, SPL 83.1 dB	<b>EUR 139,00</b>


	Product	EAN	Description	Public
	<b>GZRW 12D2</b>	4037072012422	30 cm / 12" Subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 28.4 Hz, Qts 0.43, SPL 85.7 dB	<b>EUR 169,00</b>
	<b>GZRW 12D4</b>	4037072012439	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 30.2 Hz, Qts 0.48, SPL 85.8 dB	<b>EUR 169,00</b>
	<b>GZRW 15D2</b>	4037072013931	38 cm / 15" Subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 23.58 Hz, Qts 0.439, SPL 88 dB	<b>EUR 229,00</b>
	<b>GZRW 15D4</b>	4037072013955	38 cm / 15" Subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 24.7 Hz, Qts 0.46, SPL 88 dB	<b>EUR 229,00</b>

	Product	EAN	Description	Public
<b>4.6 IRIDIUM</b>				
	<b>GZIW 165X</b>	4037072016581	16.5 cm / 6.5" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, IMPP-cone, high-roll rubber surround, push terminals Fs 43 Hz, Qts 0.36, SPL 85.5 dB	<b>EUR 49,00</b>
	<b>GZIW 200X</b>	4037072010756	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 38.4 Hz, Qts 0.48, SPL 87 dB	<b>EUR 69,00</b>
	<b>GZIW 250X</b>	4037072006315	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 30.1 Hz, Qts 0.44, SPL 86 dB	<b>EUR 89,00</b>
	<b>GZIW 300X</b>	4037072006087	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 34.9 Hz, Qts 0.69, SPL 87 dB	<b>EUR 119,00</b>
	<b>GZIW 10SPL</b>	4037072016215	25 cm / 10" Subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 40.8 Hz, Qts 0.62, SPL 84 dB	<b>EUR 129,00</b>
	<b>GZIW 12SPL</b>	4037072014419	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB	<b>EUR 139,00</b>
	<b>GZIW 12SPL PINK EDITION</b>	4037072015867	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Pink colored basket, stitch and GZ logo	<b>EUR 139,00</b>
	<b>GZIW 15SPL</b>	4037072016222	38 cm / 15" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 39,9 Hz, Qts 0.54, SPL 91 dB	<b>EUR 219,00</b>





	Product	EAN	Description	Public
<b>5. SPEAKERS</b>				
<b>5.1 REFERENCE</b>				
	<b>GZPM Reference 80</b>	4037072013788	8 cm / 3.15" High End SQ midrange Handmade in Europe and selected in pairs 4 ohm, 80 / 120 W, 150 Hz - 6 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 1.299,00</b>
	<b>GZMW Reference 180</b>	4037072014242	18 cm / 7.09" High End SQ kick- / midwoofer Handmade in Europe and selected in pairs 4 ohm, 100 / 150 W, 40 Hz - 3.5 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 1.798,00</b>
	<b>GZPW Reference 250</b>	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 1.499,00</b>
	<b>GZPT Reference 28</b>	4037072007695	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminum housing 2-Layer hand-coated silkdome Linearised dual-neodymium motor <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 1.099,00</b>
	<b>GZPT Reference 28 B</b>	4037072010459	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber Black anodized CNC machined aluminum housing 2-Layer hand-coated silkdome Linearised dual-neodymium motor <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 1.099,00</b>
	<b>GZSP 28-TW</b>	4037072014891	Machined aluminum tweeter housing For GZPT 28SX / GZPT Reference 28 / GZPT Reference 28B Including swiveling mounting accessories	<b>EUR 249,00</b>
	<b>GZSP 80-MID</b>	4037072014907	Machined aluminum tweeter housing For GZNM 80SQ / GZPM 80SQX 320 ml net volume Including two different swiveling mounting accessories	<b>EUR 599,00</b>



	Product	EAN	Description	Public
<b>5.2 PLUTONIUM</b>				
	<b>GZPT 28SX</b>	4037072008791	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome <i>Delivered in Made in Germany Wooden-Box</i>	<b>EUR 599,00</b>
	<b>GZPT 28SX CHROME EDITION</b>	4037072016642	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Chrome coated CNC machined aluminum housing 2-Layer coated silkdome <i>Delivered in Made in Germany Wooden-Box</i>	<b>EUR 599,00</b>
	<b>GZPM 80SQX</b>	4037072012491	8 cm / 3.15" High End SQ midrange Made in Germany 4 Ohm, 70 / 110 W, 150 Hz - 4 kHz, Mounting depth 34 mm / 1.34" Magnesium cone, Neodymium magnet <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 379,00</b>
	<b>GZPK 16SQ</b>	4037072012750	16,5 cm / 6.5" High End SQ kick- / midwoofer Made in Germany 4 Ohm, 130 / 210 W, 30 Hz - 3 KHz, Alu-ceramic cone, linearised ferrit motor <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 499,00</b>
	<b>GZPX 165SQ</b>	4037072012941	High End 2 way crossover 1set passive crossover for GZPK 16SQ & GZPT 28SX Mundorf capacitors, MOX resistors <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 349,00</b>
	<b>GZPX 16.3SQ</b>	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZPK 16SQ & GZPT 28SX & GZPM 80SQX Mundorf capacitors, MOX resistors, Bi-Amping <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 449,00</b>
	<b>GZPC 165SQ</b>	4037072012736	16,5 cm / 6.5" High End SQ 2 way compo Made in Germany 4 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPT 28SX / GZPX 165SQ packed together in one wooden-box.	<b>EUR 1.399,00</b>
	<b>GZPC 16.3SQ</b>	4037072012927	16,5 cm / 6.5" High End SQ 3 way compo Made in Germany 3 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPM 80SQX / GZPT 28SX / GZPX 16.3SQ packed together in one wooden-box.	<b>EUR 1.499,00</b>
	<b>GZPC 165SQ-ACT</b>	4037072012910	16,5 cm/6.5" High End SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPT 28SX packed together in one wooden-box.	<b>EUR 1.099,00</b>

	Product	EAN	Description	Public
	<p><b>GZPC 16.3SQ-ACT</b></p>	<p>4037072012934</p>	<p>16,5 cm/6.5" High End SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPM 80SQX, GZPT 28SX packed together in one wooden-box.</p>	<p><b>EUR 1.499,00</b></p>

	Product	EAN	Description	Public
<b>5.3 NUCLEAR</b>				
	<b>GZNC 1650SQ</b>	4037072014587	16,5 cm / 6.5" SQ 2 way compo system Made in Germany 4 ohm, 150 / 250 W, 40 Hz - 26 kHz Coated paper cone, linearised ferrit motor 25 mm / 1" SQ Silkdome tweeter Black anodized CNC machined aluminum housing	<b>EUR 799,00</b>
	<b>GZNK 165SQ</b>	4037072014280	16,5 cm / 6.5" SQ kick- / midwoofer Made in Germany 4 ohm, 130 / 200 W, 40 Hz - 3 kHz Coated paper cone, linearised ferrit motor	<b>EUR 329,00</b>
	<b>GZNM 80SQ</b>	4037072012446	8 cm / 3.15" SQ midrange Made in Germany 4 ohm, 60 / 100 W, 150 Hz - 5 KHz Mounting depth 34 mm / 1.34" Coated paper cone, linearised neodymium motor	<b>EUR 259,00</b>
	<b>GZNT 25SQ</b>	4037072014273	25 mm / 1" SQ silkdome tweeter Made in Germany 4 ohm, 80 / 130 W, Fs 750 Hz, coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome	<b>EUR 379,00</b>
	<b>GZPX 16.3SQ</b>	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZNK 165SQ & GZNM 80SQ & GZNT 25SQ Mundorf capacitors, MOX resistors, Bi-Amping <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 449,00</b>
<b>5.4 URANIUM</b>				
	<b>GZUC 650SQ-II</b>	4037072015591	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 130 / 210 W, 40 Hz - 24 KHz WFWC® "Wooden Fiber Woven Compound" cone 25 mm / 1" Silkdome tweeter with coupled chamber	<b>EUR 299,00</b>
	<b>GZUC 650SQX</b>	4037072015232	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 220 W, 40 Hz - 25 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Airflow optimized aluminum cast basket 25 mm / 1" Silkdome tweeter with coupled chamber and machined aluminum housing	<b>EUR 379,00</b>
	<b>GZUK 65SQX</b>	4037072015256	16,5 cm / 6.5" SQ kick- / midwoofer 4 ohm, 120 / 200 W, 40 Hz - 4 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Pushterminal, Airflow optimized aluminum cast basket	<b>EUR 199,00</b>
	<b>GZHT 25SQ</b>	4037072010763	25 mm / 1" SQ silkdome tweeter 4 ohm, 70 / 110 W, Fs 850 Hz, coupled chamber	<b>EUR 89,00</b>

	Product	EAN	Description	Public
	<b>GZUT 25SQX</b>	4037072014914	25 mm / 1" SQ silkdome tweeter 4 ohm, 70 / 120 W, Fs 750 Hz, damped coupled chamber	<b>EUR 119,00</b>
	<b>GZUF 60SQ</b>	4037072012880	6 cm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket	<b>EUR 179,00</b>



	Product	EAN	Description	Public
<b>5.5 COMPETITION PRO</b>				
	<b>GZCM 6.5N-PRO</b>	4037072017274	165 mm / 6.5" competition pro midrange 4 ohm, 200 / 400 W, SPL 96 dB, 150 Hz - 12 KHz 38 mm / 1.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket <i>price per piece</i>	<b>EUR 179,00</b>
	<b>GZCM 8.0N-PRO</b>	4037072017298	200 mm / 8" competition pro midrange 4 ohm, 300 / 500 W, SPL 98 dB, 130 Hz - 10 KHz 63 mm / 2.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket <i>price per piece</i>	<b>EUR 249,00</b>
	<b>GZCT 19N-PRO S</b>	4037072017502	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - silver <i>price per piece</i>	<b>EUR 149,00</b>
	<b>GZCT 19N-PRO B</b>	4037072017519	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - black <i>price per piece</i>	<b>EUR 149,00</b>
<b>5.5 COMPETITION</b>				
	<b>GZCW 12-50</b>	4037072012637	30 cm / 12" competition woofer 4 ohm, 300 / 600 W, SPL 96 dB, 50 Hz - 3 KHz 2-layer 50 mm / 2" copper round wire voice coil Fiber reinforced paper cone, steel basket <i>price per piece</i>	<b>EUR 119,00</b>
	<b>GZCW 12-75SPL</b>	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket <i>price per piece</i>	<b>EUR 229,00</b>
	<b>GZCM 6-4PPX</b>	4037072014488	16,5cm / 6,5" competition midrange 4 ohm, 150 / 400 W, SPL 95 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug <i>price per piece</i>	<b>EUR 89,00</b>
	<b>GZCM 6-4FX</b>	Not fixed yet	16,5cm / 6,5" flat competition midrange 4 ohm, 100 / 250 W, SPL 94 dB, 160 Hz - 5 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket <i>price per piece</i>	<b>EUR 59,00</b>
	<b>GZCM 8-4FX</b>	4037072012231	20 cm / 8" flat competition midrange 4 ohm, 100 / 400 W, SPL 94 dB, 150 Hz - 4 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket <i>price per piece</i>	<b>EUR 79,00</b>

	Product	EAN	Description	Public
	<b>GZCM 8-4PPX</b>	4037072012248	<p>20 cm / 8" competition midrange                      4 ohm, 200 / 500 W, SPL 96 dB, 150 Hz - 10 KHz                      50 mm / 2" copper-clad aluminum round wire voice coil                      Fiber reinforced paper cone                      Aluminum cast basket and phaseplug  <i>price per piece</i></p>	<b>EUR 99,00</b>
	<b>GZCM 10-4FX</b>	4037072012255	<p>25 cm / 10" flat competition midrange                      4 ohm, 200 / 500 W, SPL 96 dB, 120 Hz - 5 KHz                      50 mm / 2" copper-clad aluminum round wire voice coil                      Fiber reinforced paper cone                      Extra flat steel basket  <i>price per piece</i></p>	<b>EUR 109,00</b>



	Product	EAN	Description	Public
	<b>GZCM 10-4PPX</b>	4037072012262	25 cm / 10" competition midrange 4 ohm, 300 / 600 W, SPL 96 dB, 120 Hz - 5 KHz 75 mm / 3" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug <i>price per piece</i>	<b>EUR 169,00</b>
	<b>GZCF 8-4Coax-SPL</b>	4037072008111	20 cm / 8" 2 way competition coax speaker Handmade in Europe 4 ohm, 200 / 400 W, SPL 92 dB, 90 Hz -26 KHz 38 mm / 1.5" high power voice coil, coated paper cone 32 mm / 1.26" silkdome tweeter without X-over <i>price per piece</i>	<b>EUR 269,00</b>
	<b>GZCX 8-4Coax-SPL</b>	4037072008470	2 way crossover For GZCF 8-4Coax-SPL <i>price per piece</i>	<b>EUR 25,00</b>
	<b>GZCF 7104XSPL</b>	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included <i>price per pair</i>	<b>EUR 149,00</b>
	<b>GZCF 165COAX</b>	4037072014501	16,5 cm 6,5" competition 2 way coax speaker 4 ohm, 125 / 300 W, SPL 100 dB, 180 Hz - 25 KHz 40 mm / 1.57" copper-clad aluminum round wire voice coil 35 mm / 1.38" PEN dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket Including 6 dB crossover <i>price per piece</i>	<b>EUR 139,00</b>
	<b>GZCF 200COAX</b>	4037072012279	20 cm / 8" competition 2 way coax speaker 4 ohm, 200 / 400 W, SPL 100 dB, 150 Hz - 25 KHz 50 mm / 2" copper-clad aluminum round wire voice coil 44.5 mm / 1.75" Titanium dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket including 6 dB crossover <i>price per piece</i>	<b>EUR 149,00</b>
	<b>GZCK 165SPL</b>	4037072015218	16,5 cm / 6.5" competition kick- / midwoofer 4 ohm, 100 / 250 W, SPL 93 dB, 50 Hz - 4 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround <i>price per piece</i>	<b>EUR 59,00</b>
	<b>GZCK 200SPL</b>	4037072015492	20 cm / 8" competition kick- / midwoofer 4 ohm, 150 / 300 W, SPL 93 dB, 50 Hz - 6 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround <i>price per piece</i>	<b>EUR 79,00</b>
	<b>GZCK 250SPL</b>	4037072017250	25 cm / 10" competition kick- / midwoofer 4 ohm, 200 / 400 W, SPL 95 dB, 40 Hz - 6 KHz, 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround <i>price per piece</i>	<b>EUR 109,00</b>





	Product	EAN	Description	Public
	<b>GZCT 25SQL</b>	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink <i>price per piece</i>	<b>EUR 55,00</b>
	<b>GZCT 0500X</b>	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 69,00</b>
	<b>GZCT 2000X</b>	4037072012187	79 x 79 mm / 3.1 x 3.1" High power compression tweeter 4 ohm, 30 / 100 W, SPL 100 dB, 3- 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 34,00</b>
	<b>GZCT 2200X</b>	4037072012194	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1,8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 84,00</b>
	<b>GZCT 3500X-B</b>	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 25,00</b>
	<b>GZCT 3500X-S</b>	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 25,00</b>
	<b>GZCT 1000X</b>	4037072017236	100 x 75 mm / 4" x 3" Compression tweeter 4 ohm, 30 / 100 W, SPL 105 dB, 5 - 20 KHz 25 mm / 1" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 39,00</b>
	<b>GZCT 4000X</b>	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 69,00</b>
	<b>GZCT 5000SPL</b>	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 109,00</b>

	Product	EAN	Description	Public
	<b>GZCT 5000SPL-B</b>	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) <i>price per piece</i>	<b>EUR 109,00</b>
	<b>GZCX 130/160</b>	4037072003390	2 way crossover To combine all GZCM with any GZCT	<b>EUR 89,00</b>

	Product	EAN	Description	Public
<b>5.6 RADIOACTIVE</b>				
	<b>GZRC 10XII</b>	4037072012088	<p>10 cm / 4" 2 way compo system            4 ohm, 80 / 120 W, 60 Hz - 20 KHz            Woven glassfiber cone, Resonance free GZ steel basket            High power copper voice coil, Rubber surround            25 mm / 1" silkdome tweeter            12 dB lowpass / 18 dB highpass crossover with variable tweeter level and crossover frequency</p>	<b>EUR 149,00</b>
	<b>GZRC 100NEO-IV</b>	4037072016987	<p>10 cm / 4" HQ flat 2 way compo system            3 ohm, 80 / 120 W, 80 Hz - 26 KHz            High efficient inside neodymium magnet            Coated paper cone, rubber surround            25 mm / 1" Titanium dome tweeter            Easy to install in-line crossovers            Mounting depth 31 mm / 1.22"            Including surface-mounted housing GZTH 25B</p>	<b>EUR 199,00</b>
	<b>GZRC 130AL-IV</b>	4037072016703	<p>13 cm / 5.25" HQ 2 way compo system            3 ohm, 100 / 160 W, 60 Hz - 26 KHz            Aluminum cone, rubber surround, Nomex spider            Copper cap for impedance linearizing, high efficient voice coil            25 mm / 1" Titanium dome tweeter            Easy to install in-line crossovers            Including surface-mounted housing GZTH 25B</p>	<b>EUR 185,00</b>
	<b>GZRC 165AL-IV</b>	4037072016444	<p>16,5 cm / 6.5" HQ 2 way compo system            3 ohm, 120 / 190 W, 35 Hz - 26 KHz            Aluminum cone, rubber surround, Nomex spider            Copper cap for impedance linearizing, high efficient voice coil            25 mm / 1" Titanium dome tweeter            Easy to install in-line crossovers            Including surface-mounted housing GZTH 25B</p>	<b>EUR 199,00</b>
	<b>GZRC 165NEO-IV</b>	4037072017311	<p>16,5 cm / 6.5" HQ flat 2 way compo system            3 ohm, 110 / 170 W, 50 Hz - 26 KHz            High efficient inside neodymium magnet            Coated paper cone, rubber surround            25 mm / 1" Titanium dome tweeter            Easy to install in-line crossovers            Mounting depth 48 mm / 1.89"            Including surface-mounted housing GZTH 25B</p>	<b>EUR 299,00</b>
	<b>GZTH 25B</b>	4037072016482	<p>High quality surface-mounted housing - 1 pair            Plastic injection housing with black rubber-touch surface finish            Suitable for: GZRT 25T, GZUT 25SQ*, GZNT 25SQ*, GZRC165AL*, GZRC AL-IV series**, GZRC NEO-IV**            *diameter may vary - individual installation possible            **GZTH 25B already included in delivery</p>	<b>EUR 14,00</b>
	<b>GZTH 25W</b>	4037072017007	<p>High quality surface-mounted housing - 1 pair            Plastic injection housing with white surface finish            Suitable for: GZRT 25T, GZUT 25SQ*, GZNT 25SQ*            *diameter may vary - individual installation possible            GZTH 25W included in delivery of GZRC 165AL-White Edition</p>	<b>EUR 14,00</b>
	<b>GZRC 165AL-WHITE</b>	4037072016666	<p>16,5 cm / 6.5" HQ 2 way compo system  <b>"WHITE EDITION"</b>            3 ohm, 120 / 190 W, 35 Hz - 26 KHz            High efficient voice coil            Aluminum cone, rubber surround, Nomex spider            Copper cap for impedance linearizing            25 mm / 1" aluminum dome tweeter, machined aluminum housing            Including surface-mounted housing GZTH 25W</p>	<b>EUR 249,00</b>
	<b>GZRC 6857X</b>	4037072003079	<p>13 x 18 cm / 5 x 7" 2 way compo system            4 ohm, 120 / 180 W, 50 Hz - 20 KHz            Coated paper cone, Resonance free steel basket            Crossover with variable tweeter level and crossover frequency            25 mm / 1" silkdome tweeter            Special size for Ford/ Mazda</p>	<b>EUR 149,00</b>

	Product	EAN	Description	Public
	<b>GZRC 165AL</b>	4037072015805	<p>16,5 cm / 6.5" HQ 2 way compo system            3 ohm, 120 / 190 W, 35 Hz - 26 KHz            High efficient voice coil            Aluminum cone, rubber surround, Nomex spider            Copper cap for impedance linearizing            25 mm / 1" Titanium dome tweeter</p>	<b>EUR 229,00</b>
	<b>GZRC 200NEO-IV</b>	4037072016468	<p>20 cm / 8" HQ flat 2 way compo system            3 ohm, 120 / 190 W, 35 Hz - 26 KHz            High efficient inside neodymium magnet            Coated paper cone, rubber surround            25 mm / 1" Titanium dome tweeter            Easy to install in-line crossovers            Mounting depth 57 mm / 2.24"            Including surface-mounted housing GZTH 25B</p>	<b>EUR 349,00</b>

	Product	EAN	Description	Public
	<b>GZRK 16AL</b>	4037072015782	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	<b>EUR 89,00</b>
	<b>GZRT 25T</b>	4037072015881	25 mm / 1" titanium dome tweeter 3 ohm, 70 / 100 W, 3 - 26 KHz With slant housing, accessories and highpass filter (3,3µF capacitor)	<b>EUR 99,00</b>
	<b>GZMW 165X-NEO</b>	4037072017335	16,5 cm / 6.5" extra flat kick- / midwoofer (pair) 3 ohm, 90 / 140 W, 50 Hz - 4 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	<b>EUR 179,00</b>
	<b>GZMW 200X-NEO</b>	4037072015614	20 cm / 8" extra flat kick- / midwoofer (piece) 3 ohm, 100 / 160 W, 35 Hz - 3.5 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	<b>EUR 99,00</b>
	<b>GZHT 25X</b>	4037072008562	25 mm / 1" silk dome tweeter 4 ohm, 60 / 100 W, 3 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	<b>EUR 55,00</b>
	<b>GZRX 2 Way Kick</b>	4037072003994	2 way & kick crossover Universal Kickwoofer-Crossover, to add any Kickwoofer to an existing Speakersystem. Highpass-Filter 90 / 150 Hz Lowpass-Filter 200 / 250 Hz	<b>EUR 109,00</b>
	<b>GZRF 40AL</b>	4037072016253	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	<b>EUR 75,00</b>
	<b>GZRF 52AL</b>	4037072016277	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	<b>EUR 85,00</b>
	<b>GZRF 65AL</b>	4037072015843	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection MTK capacitor	<b>EUR 99,00</b>

	Product	EAN	Description	Public
	<b>GZRF 69AL</b>	4037072015829	<p>15 x 23 cm / 6" x 9" HQ 3 way coax speaker            3 ohm, 130 / 200 W, 40 Hz - 25 KHz            High efficient voice coil            Aluminum cone, rubber surround, Nomex spider            13 mm / 0.51" PEI tweeter with overload protection            50 mm / 2" PEI midrange with overload protection</p>	<b>EUR 129,00</b>
	<b>GZRM 165X</b>	4037072016413	<p>16,5 cm / 6.5" Marine 2 way coax speaker            4 ohm, 70 / 120 W, 60 Hz - 25 KHz            Water repellent and salt water resistant            Perfect for use at outer decks of yachts or in humid areas            White IMPP cone            13 mm / 0.51" PEI tweeter</p>	<b>EUR 79,00</b>


	Product	EAN	Description	Public
<b>5.7 TITANIUM</b>				
	<b>GZTC 130TX</b>	4037072012590	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 25 mm / 1" Silkdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 129,00</b>
	<b>GZTC 165TX</b>	4037072008760	16,5 cm / 6.5" 2 way compo system 4 ohm, 110 / 160 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 25 mm / 1" Silkdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 139,00</b>
	<b>GZTF 8.7TX</b>	4037072007657	8,7 cm / 3.5" 2 way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 39,00</b>
	<b>GZTF 12TX</b>	4037072016505	12 cm / 4.65" car specific 2 way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	<b>EUR 54,00</b>
	<b>GZTF 16TX</b>	4037072006988	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket Rotatable 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 79,00</b>
	<b>GZTF 46TX</b>	4037072007640	10 x 15 cm / 4" x 6" 2 way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	<b>EUR 59,00</b>
	<b>GZTF 69TX</b>	4037072007541	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz Coated paper cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	<b>EUR 109,00</b>




	Product	EAN	Description	Public
<b>5.8 IRIDIUM</b>				
	<b>GZIC 13X</b>	4037072014969	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 74,00</b>
	<b>GZIC 16X</b>	4037072014983	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 79,00</b>
	<b>GZIC 400FX</b>	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB cable-crossover incl. tweeter protection	<b>EUR 139,00</b>
	<b>GZIC 525FX</b>	4037072016680	13 cm / 5.25" flat 2 way compo system extra flat only 36 mm / 1.42" muntngdpth 4 ohm, 80 / 120 W, 60 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB in-line crossover incl. tweeter protection	<b>EUR 139,00</b>
	<b>GZIC 650FX</b>	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB cable-crossover incl. tweeter protection	<b>EUR 159,00</b>
	<b>GZHT 19X</b>	4037072008555	19 mm / 0.79" silkdome tweeter 4 ohm, 40 / 70 W, 3.5 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	<b>EUR 39,00</b>
	<b>GZIF 40X</b>	4037072015003	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 39,00</b>
	<b>GZIF 52X</b>	4037072015010	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 49,00</b>
	<b>GZIF 65X</b>	4037072015027	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 55,00</b>





# GROUND ZERO®

GERMAN ENGINEERING



	Product	EAN	Description	Public
	<b>GZIF 69X</b>	4037072015034	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	<b>EUR 79,00</b>







	Product	EAN	Description	Public
	<b>GZIF 4001FX</b>	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 59,00</b>
	<b>GZIF 5201FX</b>	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 69,00</b>
	<b>GZIF 6501FX</b>	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 79,00</b>

	Product	EAN	Description	Public
<b>6. MULTIMEDIA</b>				
<b>6.1</b>				
	<b>GZHP 40-OE</b>	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button ( Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	<b>EUR 59,00</b>
	<b>GZHP 9-IE</b>	4037072013535	In-ear headphone 98 db, 32 ohm, 18 Hz - 22 KHz High quality 9 mm / 0.354" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	<b>EUR 34,00</b>
<b>7. ACCESSORIES</b>				
<b>7.1 CAPACITORS</b>				
	<b>GZTC 1.0FX</b>	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	<b>EUR 99,00</b>
<b>7.2 CABLE KITS</b>				
	<b>GZCC 5.1XLC</b>	4037072008951	5 m / 16.4 ft RCA cable single shield, same as in GZPK 10XLC	<b>EUR 7,00</b>
	<b>GZCC 5.3X</b>	4037072008944	5 m / 16.4 ft RCA cable triple shield, same as in GZPK10X/20X	<b>EUR 11,00</b>
	<b>GZCC 0.57X-TP</b>	4037072010770	PI sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	<b>EUR 17,00</b>
	<b>GZCC 1.14X-TP</b>	4037072010787	PI sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	<b>EUR 20,00</b>
	<b>GZCC 3.14X-TP</b>	4037072010794	PI sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	<b>EUR 25,00</b>

	Product	EAN	Description	Public
	<b>GZCC 5.49X-TP</b>	4037072010800	PI sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	<b>EUR 30,00</b>
	<b>GZCY 30X</b>	4037072008937	Y adapter 1 female in - 2 male out	<b>EUR 3,00</b>


	Product	EAN	Description	Public
	<b>GZPK 10XLC</b>	4037072008968	<b>10 mm<sup>2</sup> cable kit</b> 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA single shield 60 A AGU Fuseholder, div. accessories	<b>EUR 25,00</b>
	<b>GZPK 10X</b>	4037072008975	<b>10 mm<sup>2</sup> cable kit</b> 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	<b>EUR 29,00</b>
	<b>GZPK 20X</b>	4037072008982	<b>20 mm<sup>2</sup> Cable kit</b> 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	<b>EUR 45,00</b>
	<b>GZPK 35X</b>	4037072008999	<b>35 mm<sup>2</sup> cable kit</b> 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. Accessories	<b>EUR 75,00</b>
	<b>GZPK 50X</b>	4037072009002	<b>50 mm<sup>2</sup> cable kit</b> 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	<b>EUR 99,00</b>
<b>7.3 CABLE SPOOLS</b>				
	<b>GZPC 10R</b>	4037072009262	<b>Red 10 mm<sup>2</sup> Power cable spool</b> 50m / 164ft 0.5039400in spool Positive 10 mm <sup>2</sup> , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	<b>EUR 100,00</b>
	<b>GZPC 10B</b>	4037072009279	<b>Black 10 mm<sup>2</sup> power cable spool</b> 50m / 164ft 0.5039400in spool Negative 10 mm <sup>2</sup> , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	<b>EUR 100,00</b>
	<b>GZPC 20R</b>	4037072009286	<b>Red 20 mm<sup>2</sup> power cable spool</b> 50m / 164ft 0.5039400in spool Positive 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 20B</b>	4037072009293	<b>Black 20 mm<sup>2</sup> power cable spool</b> 50m / 164ft 0.5039400in spool Negative 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	<b>EUR 200,00</b>

	Product	EAN	Description	Public
	<b>GZPC 35R</b>	4037072009309	Red 35 mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Positive 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	<b>EUR 210,00</b>
	<b>GZPC 35B</b>	4037072009316	Black 35 mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	<b>EUR 210,00</b>








	Product	EAN	Description	Public
	<b>GZPC 50R</b>	4037072009323	Red 50 mm <sup>2</sup> power cable spool 20m / 65ft 7.401576in spool Positive 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 50B</b>	4037072009330	Black 50 mm <sup>2</sup> power cable spool 20m / 65ft 7.401576in spool Negative 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 20B - OFC</b>	4037072013337	Black 20mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 20mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 330,00</b>
	<b>GZPC 35B - OFC</b>	4037072013351	Black 35mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 35mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 570,00</b>
	<b>GZPC 35Y - OFC</b>	4037072013344	Yellow 35mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Positive 35mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 570,00</b>
	<b>GZPC 50B - OFC</b>	4037072013375	Black 50mm <sup>2</sup> power cable spool 15m / 49ft 2.551182in spool Negative 50mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 405,00</b>

	Product	EAN	Description	Public
	<b>GZSC 2-0.75</b>	4037072009347	0.75 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*42/0.15CCA - OD 2.4+2.4mm / 0.094"+0.094"	<b>EUR 85,00</b>
	<b>GZSC 2-1.50</b>	4037072009354	1.50 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*85/0.15CCA - OD 3+3mm / 0.118"+0.118"	<b>EUR 135,00</b>
	<b>GZSC 2-2.50</b>	4037072009361	2.50 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*7*20/0.15CCA - OD4.2+4.2mm / 0.165"+0.165"	<b>EUR 240,00</b>
	<b>GZSC 2-4.00</b>	4037072009378	4.00 mm <sup>2</sup> speaker cable spool 100m spool / 328ft 1.007880in Frosted black; 2*7*32/0.15CCA - OD 5+5mm / 0.197"+0.197"	<b>EUR 185,00</b>
	<b>GZSC REF 1.5S-OFC</b>	4037072009996	1.5 mm <sup>2</sup> REFERENCE speaker cable spool 48m spool / 157ft 5.763782in Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 240,00</b>
	<b>GZSC REF 2.5S-OFC</b>	4037072010008	2.5 mm <sup>2</sup> REFERENCE speaker cable spool 39m spool / 127ft 11.43307in Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 312,00</b>
	<b>GZSC REF 4.0S-OFC</b>	4037072010015	4.0 mm <sup>2</sup> REFERENCE speaker cable spool 30m / 98ft 5.102364in spool Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 390,00</b>
	<b>GZCC REF 157RH</b>	4037072012828	High End REFERENCE RCA cable Rhodium connectors, carbon shell High End OCC wire High purity OFC braiding and silver soldering 1,57 m / 61.81"	<b>EUR 199,00</b>
	<b>GZCC REF 314RH</b>	4037072012835	High End Reference RCA cable Rhodium connectors, carbon shell, High End OCC wire, High purity OFC braiding and silver soldering, 3,14 m / 123.62"	<b>EUR 249,00</b>





	Product	EAN	Description	Public
	<b>GZCC REF 549RH</b>	4037072012842	<b>High End REFERENCE RCA cable</b> Rhodium connectors, carbon shell, High End OCC wire, High purity OFC braiding and silver soldering, 5,49 m / 216.14"	<b>EUR 299,00</b>

	Product	EAN	Description	Public
<b>7.4 DAMPING</b>				
	<b>GZDR 1000</b>	4037072008524	Heavy duty wooden roller for damping material	<b>EUR 19,00</b>
	<b>GZDM 1900MC-GOLD</b>	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m <sup>2</sup>	<b>EUR 99,00</b>
	<b>GZDM 1900ML-GOLD</b>	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m <sup>2</sup>	<b>EUR 139,00</b>
	<b>GZDM 3750AB-SILVER</b>	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft <sup>2</sup>	<b>EUR 99,00</b>
	<b>GZDM 3750AB-GOLD</b>	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft <sup>2</sup>	<b>EUR 119,00</b>
	<b>GZDM DOORKIT</b>	4037072016659	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) 8 mm polyethylene foam 4 boxes = 1 master carton	<b>EUR 79,00</b>
	<b>GZDF 300-G</b>	4037072008722	Sound absorbing foam 10mm / 0.4" 3 sheets , each 50 x 100 cm = total 1.5m <sup>2</sup> / 16.14587ft <sup>2</sup> 6 boxes = 1 master carton	<b>EUR 59,00</b>
<b>7.5 SPEAKER ACCESSORIES</b>				
	<b>GZ PROtect</b>	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-soffits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	<b>EUR 29,00</b>



	Product	EAN	Description	Public
<b>7.6 PORTS &amp; GRILLS</b>				
	<b>GZAP 80A</b>	4037072006155	Ground Zero Aeroport with 30cm / 12" tube in anthracite	<b>EUR 24,00</b>
	<b>GZAP 80B</b>	4037072006162	Ground Zero Aeroport with 30cm / 12" tube in black	<b>EUR 24,00</b>
	<b>GZAP 80Y</b>	4037072006148	Ground Zero Aeroport with 30cm / 12" tube in yellow	<b>EUR 24,00</b>
	<b>GZMG 38/15</b>	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	<b>EUR 29,00</b>
	<b>GZMG 165/6.5</b>	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	<b>EUR 99,00</b>
	<b>GZBRK 290</b>	4037072006940	8mm bracket for high excursion subwoofers length 290 mm, height 50 mm	<b>EUR 8,00</b>
	<b>GZBRK 425</b>	4037072007336	8 mm bracket for high excursion subwoofers length 425 mm, height 50 mm	<b>EUR 10,00</b>

	Product	EAN	Description	Public
	<b>GZTG 200T</b>	4037072000566	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 12,00</b>
	<b>GZTG 250T</b>	4037072002126	25 cm / 10" protection grill for 25 cm / 10" woofers	<b>EUR 14,00</b>
	<b>GZTG 300T</b>	4037072001693	30 cm / 12" protection grill for 30 cm / 12" woofers	<b>EUR 16,00</b>
	<b>GZTG 380T</b>	4037072002133	38 cm / 15" protection grill for 38 cm / 15" woofers	<b>EUR 29,00</b>
	<b>GZCG 20SC</b>	4037072008494	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 15,00</b>
	<b>GZRW 8FL Grill</b>	4037072015638	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 8,00</b>

	Product	EAN	Description	Public
<b>7.7 POWER ACCESSORIES</b>				
	<b>GZEQ 4.7X</b>	4037072003154	4-band equalizer & pre-amplifier Adjustable boost frequencies Pre amplifier with adjustable input sensitivity Individual left and right sensitivity / Front and Rear fader Selectable active crossover: LPF: 50 - 250 Hz (SUB) 2x Stereo RCA input (1x Main / 1x Aux) 7 Volt RMS pre-out	<b>EUR 119,00</b>
	<b>GZCV 2.0HL</b>	4037072011326	High-low level converter 1:1 converter	<b>EUR 55,00</b>
	<b>GZFU 40A/2 MANL</b>	4037072011562	Mini ANL fuse 40 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 60A/2 MANL</b>	4037072011579	Mini ANL fuse 60 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 80A/2 MANL</b>	4037072011241	Mini ANL fuse 80 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 100A/2 MANL</b>	4037072011258	Mini ANL fuse 100 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 150A/2 MANL</b>	4037072011265	Mini ANL fuse 150 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 200A/2 MANL</b>	4037072011272	Mini ANL fuse 200 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 100A/1 ANL</b>	4037072011289	ANL fuse 100 A 1 Pc in blister	<b>EUR 6,00</b>



	Product	EAN	Description	Public
	<b>GZFU 150A/1 ANL</b>	4037072011296	ANL fuse 150 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 200A/1 ANL</b>	4037072011302	ANL fuse 200 A 1 Pc in blister	<b>EUR 6,00</b>

	Product	EAN	Description	Public
	<b>GZFU 300A/1 ANL</b>	4037072011319	ANL fuse 300 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 400A/1 ANL - SPL</b>	4037072011586	ANL fuse 400 A 1 Pc in blister	<b>EUR 6,00</b>
 10 Pcs.	<b>GZFU 40A/10 MANL</b>	4037072011722	Mini ANL fuse 40 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 60A/10MANL</b>	4037072011739	Mini ANL fuse 60 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 80A/10MANL</b>	4037072011746	Mini ANL fuse 80 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 100A/10MANL</b>	4037072011753	Mini ANL fuse 100 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 150A/10MANL</b>	4037072011760	Mini ANL fuse 150 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 200A/10MANL</b>	4037072011777	Mini ANL fuse 200 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 100A/10ANL</b>	4037072011784	ANL fuse 100 A 10 Pcs in poly bag	<b>EUR 23,00</b>

	Product	EAN	Description	Public
 <p>10 Pcs.</p>	<b>GZFU 150A/10ANL</b>	4037072011791	ANL fuse 150 A 10 Pcs in poly bag	<b>EUR 23,00</b>
 <p>10 Pcs.</p>	<b>GZFU 200A/10ANL</b>	4037072011807	ANL fuse 200 A 10 Pcs in poly bag	<b>EUR 23,00</b>



	Product	EAN	Description	Public
 10 Pcs.	<b>GZFU 300A/10ANL</b>	4037072011814	ANL fuse 300 A 10 Pcs in poly bag	<b>EUR 23,00</b>
 10 Pcs.	<b>GZFU 400A/10ANL</b>	4037072011821	ANL fuse 400 A 10 Pcs in poly bag	<b>EUR 27,00</b>
	<b>GZFH 1.50/1.50 ANL/MANL</b>	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>
	<b>GZFH 1.50/2.20 ANL/MANL</b>	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 2 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>
	<b>GZFH 1.20/1.20 MANL</b>	4037072010831	MANL fuse holder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 19,00</b>
	<b>GZFH 1.20 IL-MANL</b>	4037072011548	MANL in-line fuse holder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 7,00</b>
	<b>GZFH 3.50/4.20 ANL/MANL</b>	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm <sup>2</sup> / 4 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 75,00</b>
	<b>GZBT 2.50 MANL-POS</b>	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm <sup>2</sup> / 0 AWG Direct (2 x 50 mm <sup>2</sup> / 0 AWG Fused with MANL)	<b>EUR 39,00</b>
	<b>GZBT 2.50 NEG</b>	4037072010862	Battery terminal (-) Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>

	Product	EAN	Description	Public
	<b>GZDB 3.50/4.20</b>	4037072010879	Distribution block Input 3 x 50 mm <sup>2</sup> / 0 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>
<b>7.8 BASS REMOTE</b>				
	<b>GZTA Bassremote</b>	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	<b>EUR 25,00</b>