













	Product	EAN	Description	PUBBLICO
<b>1. AMPLIFIER</b>				
<b>1.1 REFERENCE</b>				
	<b>GZPA Reference 2Tube</b>	4037072008852	2 channel Pure SQ amplifier with Tube pre amp 2 x 150 WRMS @ 4 ohm, 2 x 250 WRMS@ 2ohm, 2 x 400 WRMS @ 1ohm	<b>EUR 2.099,00</b>
	<b>GZPA Reference 2</b>	4037072004373	2 channel Pure SQ amplifier 2 x 420WRMS @ 4 ohm, 2 x 750WRMS @ 2 ohm, 2x 1150WRMS @ 1ohm	<b>EUR 2.099,00</b>
	<b>GZPA Reference 4</b>	4037072003611	4 channel Pure SQ amplifier dual 2 channel 4 x 150WRMS @ 4 ohm, 4 x 270WRMS @ 2 ohm, 4 x 425WRMS @ 1ohm	<b>EUR 2.099,00</b>
	<b>GZPA Reference 2XS</b>	4037072007893	2 channel Pure SQ amplifier 2 x 200WRMS @ 4 ohm, 2 x 380WRMS @ 2 ohm,	<b>EUR 1.499,00</b>
	<b>GZPA Reference 4XS</b>	4037072007909	4 channel Pure SQ amplifier dual 2 channel 4 x 120WRMS @ 4 ohm, 4 x 220WRMS @ 2 ohm	<b>EUR 1.499,00</b>
	<b>GZPA Reference 2 PURE</b>	4037072014624	2 Channel Pure SQ Amp High End Pure Sound Quality Amplifier Output power 4/2/1 Ohm 2x420/750/1150 WRMS	<b>EUR 3.799,00</b>
	<b>GZPA Reference 4 PURE</b>	4037072014631	4 Channel Pure SQ Amp High End Pure Sound Quality Amplifier Output power 4/2/1 Ohm 4x150/270/425 WRMS	<b>EUR 3.799,00</b>

1.2 PLUTONIUM				
	<b>GZPA 1.4K-HCX</b>	4037072014600	1 Channel Monoamp Class D Output power 4/2/1 Ohm 1200/2400/4000 WRMS	<b>EUR 899,00</b>
	<b>GZPA 1.8K-HC</b>	4037072008821	Monoamp Output power @ 4/2/1 Ohm 2600/4800/8400 WRMS, linkable into 1 x 18600 max. WRMS at 2 ohm	<b>EUR 3.199,00</b>
	<b>GZPA 1.10K-HC</b>	4037072008845	Monoamp Output power @ 4/2/1 Ohm 3200/5900/10500 WRMS, linkable into 1 x 23000 max. WRMS @ 2 ohm	<b>EUR 4.299,00</b>
1.3 NUCLEAR				
	<b>GZNA 1.2550DXII</b>	4037072013993	Monoamp Output power @ 4/2/1 Ohm 850/1500/2400 WRMS	<b>EUR 779,00</b>
	<b>GZNA 2850XII</b>	4037072014006	2 Channel amplifier 2 x 450WRMS @ 4 ohm, 2 x 850WRMS @ 2 ohm, 2 x 1300WRMS @ 1 ohm	<b>EUR 779,00</b>
	<b>GZNA 4330XII</b>	4037072014013	4 Channel amplifier 4 x 200WRMS @ 4 ohm, 4 x 350WRMS @ 2 ohm, 4 x 550WRMS @ 1 ohm	<b>EUR 749,00</b>

1.4 URANIUM				
	<b>GZUA 2.250SQ</b>	4037072010435	2 Channel SQ amplifier 2 x 180WRMS @ 4 ohm, 2 x 320WRMS @ 2 ohm, 2 x 500WRMS, @ 1 ohm	<b>EUR 779,00</b>
	<b>GZUA 4.150SQ</b>	4037072010442	4 Channel SQ amplifier 4 x 110WRMS @ 4 ohm, 4 x 190WRMS @ 2 ohm	<b>EUR 779,00</b>
1.5 HYDROGEN				
	<b>GZHA 1.1850DXII</b>	4037072013764	Monoamp 1 x 700WRMS @ 4 ohm, 1x 1200WRMS @ 2 ohm, 1x 1850WRMS @ 1 ohm	<b>EUR 549,00</b>
	<b>GZHA 2400XII</b>	4037072013832	2 Channel amplifier 2 x 270WRMS @ 4 ohm, 2 x 480WRMS @ 2 ohm, 2 x 750WRMS @ 1 ohm	<b>EUR 499,00</b>
	<b>GZHA 4200XII</b>	4037072013740	4 Channel amplifier 4 x 140WRMS @ 4 ohm, 4 x 200WRMS @ 2 ohm	<b>EUR 429,00</b>
1.6 RADIOACTIVE				
	<b>GZRA 1.2500D</b>	4037072014662	1 Channel Monoamp Class D Output power 4/2/1 Ohm 750/1400/2200 WRMS	<b>EUR 629,00</b>
	<b>GZRA 4230</b>	4037072014679	4 Channel Amplifier Class A/B Output power 4/2 Ohm 4x140/230 WRMS	<b>EUR 329,00</b>
	<b>GZRA MICRO ONE</b>	4037072014341	1 Channel Monoamp Class D Output power 4/2 Ohm 1x220/350 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 279,00</b>
	<b>GZRA MICRO FOUR</b>	4037072014358	4 Channel Amplifier Class A/B Output power 4/2 Ohm 4x60/100 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 279,00</b>

1.7 TITANIUM				
	<b>GZTA 1.800DX</b>	4037072006759	Monoamp Output power 4/2/1 Ohm 350/550/850 WRMS	<b>EUR 279,00</b>
	<b>GZTA 1.1200DX-B</b>	4037072013498	Monoamp Output power 4/2/1 Ohm 400/800/1300 WRMS	<b>EUR 339,00</b>
	<b>GZTA 1.1650DX-EXTREME</b>	4037072013436	Monoamp Output power 4/2/1 Ohm 650/1250/1800 WRMS	<b>EUR 439,00</b>
	<b>GZTA 2155X</b>	4037072006773	2 Channel amplifier 2 x 100WRMS @ 4 ohm, 2 x 150WRMS @ 2 ohm 300 WRMS @ 4 ohm (bridged)	1 x <b>EUR 159,00</b>
	<b>GZTA 2255X</b>	4037072006797	2 Channel amplifier 2 x 150WRMS @ 4 ohm, 2 x 250WRMS @ 2 ohm 1 x 500WRMS @ 4 ohm, ( bridged)	<b>EUR 199,00</b>
	<b>GZTA 4125X-B</b>	4037072013603	4 Channel amplifier 4 x 90WRMS @ 4 ohm, 4 x 130WRMS @ 2 ohm 2 x 260WRMS @ 4 ohm, ( bridged)	<b>EUR 239,00</b>
	<b>GZTA 1.800DX-24V</b>	4037072013474	24V Monoamp Output power 4/2/1 Ohm 350/550/850 WRMS 24V	<b>EUR 299,00</b>
	<b>GZTA 4125X-24V</b>	4037072013450	24V 4 Channel amplifier 4 x 90WRMS @ 4 ohm, 4 x 130WRMS @ 2 ohm, 2 x 260WRMS @ 4 ohm, ( bridged) 24 V	<b>EUR 249,00</b>
	<b>GZTA 5120X-B</b>	4037072013627	5 Channel amplifier 4 x 50 & 1 x180WRMS @ 4 Ohm 4 x 70 & 1 x260WRMS @ 2 Ohm 2 x 130WRMS @ 4 ohm (bridged)	<b>EUR 299,00</b>

1.8 IRIDIUM				
	<b>GZIA 1.600HPX</b>	4037072010275	Monoamp Output power 4/2/1 Ohm 230/400/600 WRMS	<b>EUR 229,00</b>
	<b>GZIA 2080HPX</b>	4037072009781	2 Channel amplifier 2 x 60WRMS @ 4 ohm, 2 x 80WRMS @ 2 ohm, 1x 160WRMS @ 4 ohm (bridged)	<b>EUR 99,00</b>
	<b>GZIA 2130HPX</b>	4037072008500	2 Channel amplifier 2 x 85WRMS @ 4 ohm, 2 x 130WRMS @ 2 ohm 1 x 260WRMS @ 4 ohm, (bridged)	<b>EUR 149,00</b>
	<b>GZIA 2235HPX</b>	4037072007992	2 Channel amplifier 2 x 150WRMS @ 4 ohm, 2 x 235WRMS @ 2 ohm 1 x 470WRMS @ 4 ohm, (bridged)	<b>EUR 169,00</b>
	<b>GZIA 4115HPX</b>	4037072008012	4 Channel amplifier 4 x 70WRMS @ 4 ohm, 4 x 115WRMS @ 2 ohm 2 x 230WRMS @ 4 ohm, (bridged)	<b>EUR 179,00</b>

2. SOUND UPGRADE				
2.1				
	<b>GZCS 6-8DSP</b>	4037072012613	Digital Sound Processor 6 Individual Input, 8 RCA Output, Up to 1/2/3/4/5/6 channel input summing, Low or high level input applicable, All settings in real-time, Convenient 1-Page GUI, 10-band parametric equalizer, Phase shift, Adjustable input sensitivity, External controller for 4 presets and main volume controls,...	<b>EUR 699,00</b>
	<b>GZCS 4.60ISO</b>	4037072010251	High efficient plug and play analog amplifier output Power 4 x 70 W @ 4ohm, 4 x 90 W @ 2ohm, 3-channel mode 4 x 70 and 1 x 180W @ 4 ohm	<b>EUR 279,00</b>
	<b>GZCS ISO-Quadlock</b>	4037072014266	ISO-QUADLOCK Adapter for ISO-AMP GZCS 4.60ISO	<b>EUR 35,00</b>
	<b>GZTB 200XACTII</b>	4037072010695	20 cm flat 7,6cm active subwoofer 60-200Hz with build in amp 80WRMS (140 watt max.) with bass remote and Auto on	<b>EUR 229,00</b>
	<b>GZUB 800XACTII</b>	4037072013894	20 cm flat 6,8cm active subwoofer 50-100Hz with build in amp 120WRMS (180 watt max.) with bass remote and Auto on	<b>EUR 299,00</b>
	<b>GZUB 1000XACTII</b>	4037072013900	25 cm flat 7,8cm active subwoofer 50-100Hz with build in amp 150WRMS (210 watt max.) with bass remote and Auto on	<b>EUR 399,00</b>
	<b>GZBR 200BMW</b>	4037072007282	BMW Mounting bracket for 20cm woofer specially for GZMW 200NEO; 2pcs. in set	<b>EUR 39,00</b>

3. SUBWOOFERBOXES				
<b>3.1 NUCLEAR</b>				
	<b>GZNB 38XBT</b>	4037072003543	Bassreflex box with GZNW 15X 2500WRMS 2x2 ohm75 liter, plexiglass front with white LED, protection bars	<b>EUR 1.199,00</b>
	<b>GZNB 3800SXT</b>	4037072000696	SUPER XXL bandpassbox with GZNW 15X 2500WRMS 2x2 ohm 31 L and 177 L; Basstunnel; plexiglas and blue neon light	<b>EUR 1.899,00</b>
<b>3.2 URANIUM</b>				
	<b>GZUB 20SQ</b>	4037072010718	Closed box with GZUW 8SQ Handmade in Europe, stable and lightwight paper cone, audiophile POLYCOT spider, 300 WRMS 2x2 ohm	<b>EUR 269,00</b>
	<b>GZUB 25SQ</b>	4037072010725	Closed box with GZUW 10SQX Handmade in Europe, stable and lightwight paper cone, audiophile POLYCOT spider, 450 WRMS 2x2 ohm	<b>EUR 299,00</b>
	<b>GZUB 30SQ</b>	4037072010732	Closed box with GZUW 12SQX Handmade in Europe, stable and lightwight paper cone, audiophile POLYCOT spider, 600 WRMS 2x2 ohm	<b>EUR 339,00</b>
<b>3.3 HYDROGEN</b>				
	<b>GZHB 20XBT</b>	4037072003413	Bassreflex box with GZHW 20X Bassreflex tunnel enclosure with 17 liter, 22mm MDF, plexiglasfront with white LED 400 WRMS 2x2 ohm	<b>EUR 319,00</b>
	<b>GZHB 30XBT</b>	4037072003437	Bassreflex box with GZHW 30X Bassreflex tunnel enclosure with 45 liter, 22mm MDF, plexiglas front with white LED 800 WRMS 2x2 ohm	<b>EUR 449,00</b>

3.4 RADIOACTIVE				
	<b>GZRB 2.300SPL</b>	4037072009774	Bandpass box SPL Subwoofer 2 x 30cm 2000 watt, plexiglass with white illumination, 2 x 20 and 2 x 30 liter 4x4 ohm	<b>EUR 649,00</b>
	<b>GZRB 3000FL</b>	4037072012729	Sealed box with GZRW 12FL 1 x 30cm 450 WRMS, 2x2 ohm stable IMPP cone, EXTRA FLAT (12 cm / 4.72") 20 liter	<b>EUR 279,00</b>
	<b>GZRB 3000XSPL</b>	4037072014402	30cm / 12" SPL Subwoofer box 1500W SPL Power 2x2 Ohm	<b>not fixed yet</b>
3.5 TITANIUM				
	<b>GZTB 2500BP</b>	4037072013979	Bandpass box 300 WRMS, 2x2 ohm, 25cm Woofer, plexiglass with white illumination, 12 and 22 liter	<b>EUR 229,00</b>
	<b>GZTB 3000BP</b>	4037072013986	Bandpass box 400 WRMS, 2x2 ohm, 30cm Woofer plexiglass with white illumination, 20 and 33 liter	<b>EUR 249,00</b>



3.6 IRIDIUM				
	<b>GZIB 80PT</b>	4037072014099	Bassreflex Tube 150 WRMS, 4 ohm, 20cm Woofer	<b>EUR 109,00</b>
	<b>GZIB 80XBT</b>	4037072007619	Basstunnel box with GZIW 200X vented box - bass tunnel 150WRMS, 15L with protection bars 4 ohm	<b>EUR 89,00</b>
	<b>GZIB 100XBT</b>	4037072007626	Basstunnel box with GZIW 250X vented box - bass tunnel 250WRMS, 26L with protection bars 4 ohm	<b>EUR 129,00</b>
	<b>GZIB 120XBT</b>	4037072007633	Basstunnel box with GZIW 300X vented box - bass tunnel 350WRMS, 42L with protection bars 4 ohm	<b>EUR 179,00</b>
	<b>GZIB 200BR</b>	4037072014426	Subwoofer box with 20 cm woofer front bass tunnel 150WRMS with protection bars, IMPP cone	<b>EUR 109,00</b>
	<b>GZIB 250BR</b>	4037072014440	Subwoofer box with 25 cm woofer front bass tunnel 250 WRMS with protection bars, IMPP cone	<b>EUR 139,00</b>
	<b>GZIB 300BR</b>	4037072011210	Subwoofer box with 30 cm woofer front bass tunnel 350 WRMS, 37L with protection bars, cone 4 ohm	IMPP <b>EUR 149,00</b>
	<b>GZIB 2.300BR</b>	4037072011197	Subwoofer box with 2 x 30 cm woofer front bass tunnel 700 WRMS, 70L with protection bars, cone 2x2 ohm	IMPP <b>EUR 279,00</b>
	<b>GZIB 3000SPL</b>	4037072014709	Subwoofer box with 30 cm woofer front bass tunnel 1000 W SPL POWER 2x2 Ohm	<b>EUR 219,00</b>

	<b>GZIB 80XACT</b>	4037072009743	20cm active vented box Bass tunnel 100WRMS (max power 200 W) with GZIW 200X, 15L with protection bars and Auto on 4 ohm	<b>EUR 189,00</b>
	<b>GZIB 120XACT</b>	4037072008920	30cm active vented box Bass tunnel 150WRMS (max power 300 W) with GZIW 300X, 42L with protection bars and Auto on 4 ohm	<b>EUR 239,00</b>
	<b>GZIB 200BR-ACT</b>	4037072014433	20 cm active vented box 100 WRMS (max power 200W) High Power Voicecoil / IMPP Membran / High Level Auto On	<b>EUR 219,00</b>
	<b>GZIB 300BR-ACT</b>	4037072014457	30cm 12" active vented box 150 WRMS (max power 300 W) High Power Voicecoil / IMPP Membran / High Level Auto On	<b>EUR 259,00</b>
<b>4. SUBWOOFER</b>				
<b>4.1 PLUTONIUM</b>				
	<b>GZPW 15XQ</b>	4037072000962	38 cm / 15" Subwoofer, 5000 WRMS 4 x 1.0 ohm 4" voicecoil, alu cone, triple spider, Xmax 50mm, Fs 32 Hz, Qts 0.27, SPL 91.5dB	<b>EUR 1.599,00</b>
Picture coming soon	<b>GZPW 12SPL EXTREME</b>	Not fixed yet	30 cm / 12" Subwoofer, 10000 W SPL Power 3" 2 x 1.0 ohm voicecoil, quad spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	<b>not fixed yet</b>
	<b>GZPW 15SPL EXTREME</b>	4037072003581	38 cm / 15" EXTREME SPL Subwoofer, 15.000 W SPL Power 4" 2 x 1.0 ohm voicecoil, five spider and unbreakable carbon cone	<b>EUR 2.499,00</b>
	<b>GZPW 18SPL EXTREME</b>	4037072003598	46 cm / 18" EXTREME SPL Subwoofer, 15.000 W SPL Power 4" 2 x 1.0 ohm voicecoil, five spider and unbreakable carbon cone	<b>EUR 2.899,00</b>

	<b>GZPW 10SPL</b>	4037072007916	25 cm / 10" Subwoofer, 6500 W SPL Power 3" 2 x 1.6 ohm voicecoil, quad spider, Fs 51.7 Hz, Qts 0.40, SPL 89.7dB	<b>EUR 899,00</b>
	<b>GZPW 12SPL</b>	4037072000108	30 cm / 12" Subwoofer, 6500 W SPL Power 3" 2 x 1.0 ohm voicecoil, quad spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	<b>EUR 1.199,00</b>
	<b>GZPW 15SPL</b>	4037072001952	38 cm / 15" Subwoofer, 10.000 W SPL Power 4" 2 x 1.0 ohm voicecoil, quad spider, Fs 39,1 Hz, Qts 0.23, SPL 92.8 dB	<b>EUR 1.899,00</b>
	<b>GZPW 18SPL</b>	4037072002065	46 cm / 18" Subwoofer, 10.000 W SPL power 4" 2 x 1.0 ohm voicecoil, quad spider, Fs 34,0 Hz, Qts 0.26, SPL 95.1 dB	<b>EUR 2.099,00</b>
	<b>GZPW 15 Limited</b>	4037072013856	38 cm / 15" Subwoofer 5000 WRMS 2x1 Ohm Reinforced Paper Cone / 100 mm / 4" CCA Flat Wire Voice Coil High-Roll Sandwich Surround / Progressive quad Spider FS 35,6Hz, Qts 0.39, SPL 95,0dB	<b>EUR 1.099,00</b>
<b>4.2 NUCLEAR</b>				
	<b>GZNW 12XSPL</b>	4037072013863	30 cm / 12" Subwoofer, 4500 W SPL Power 2x1 Ohm / Klippel® optimized / Reinforced paper cone 3" CCA round wire voice coil / High-Roll sandwich surround Progressive 5x multilayer spider FS 38,1Hz, Qts 0.41, SPL 92,0dB	<b>EUR 579,00</b>
	<b>GZNW 15XSPL</b>	4037072013870	38 cm / 15" Subwoofer, 5500 W SPL Power 2x1 Ohm / Klippel® optimized / Reinforced paper cone 3" CCA round wire voice coil / High-Roll sandwich surround Progressive 5x multilayer spider FS 39Hz, Qts 0.57, SPL 94,0dB	<b>EUR 749,00</b>
	<b>GZNW 18XSPL</b>	4037072013887	46cm / 18" Subwoofer 6500 W SPL Power 2x1 Ohm / Klippel® optimized / Reinforced paper cone 3" CCA round wire voice coil / High-Roll sandwich surround Progressive 5x multilayer spider FS 31,3Hz, Qts 0.57, SPL 96.0dB	<b>EUR 849,00</b>
	<b>GZNW 6.5</b>	4037072003574	16, cm / 6.5" Subwoofer, 250 WRMS Mini sub woofer, 2x2 ohm voicecoil, triple spider, Xmax 18mm, Fs 48.2Hz, Qts 0,37, SPL 84dB	<b>EUR 219,00</b>
	<b>GZNW 12XII</b>	Not fixed yet	30 cm / 12" Subwoofer 2000WRMS 2x2 Ohm	<b>EUR 579,00</b>




**GZNW 15XII**

Not fixed yet

38cm 15" Subwoofer  
2500 WRMS 2x2 Ohm

**EUR 649,00**

4.3 URANIUM				
	<b>GZUW 8SQ</b>	4037072010466	20 cm / 8" Subwoofer, 300 WRMS 2 inch 2 x 2 ohm voicecoil, special compound kevlar cone, Fs 44.5Hz, Qts 0.46, SPL 86.0dB	<b>EUR 149,00</b>
	<b>GZUW 10SQX</b>	4037072012767	25 cm / 10" Subwoofer, 450 WRMS 2 inch 2 x 2 ohm voicecoil, special compound kevlar cone, Fs 46.7Hz, Qts 0.62, SPL 86.0dB	<b>EUR 179,00</b>
	<b>GZUW 12SQX</b>	4037072008609	30 cm / 12" Subwoofer, 600 WRMS 2 inch 2 x 2 ohm voicecoil, special compound kevlar cone, FS 33.8Hz, Qts 0.63, SPL 88.0dB	<b>EUR 199,00</b>
4.4 HYDROGEN				
	<b>GZHW 12SPL</b>	4037072007923	30 cm / 12" Subwoofer, 2500 W SPL Power 3" 2 x 2 ohm black alu voicecoil, reinforced papercone, Xmax 40mm, Fs 42,8Hz, 87dB	<b>EUR 499,00</b>
	<b>GZHW 20X</b>	4037072001815	20 cm / 8" Subwoofer, 400 WRMS 2" 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone, Xmax 20mm, Fs 36Hz, SPL 82dB	<b>EUR 219,00</b>
	<b>GZHW 25X</b>	4037072001822	25 cm / 10" Subwoofer, 600 WRMS 2" 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone, Xmax 20mm, Fs 25.1Hz, SPL 84dB	<b>EUR 249,00</b>
	<b>GZHW 30X</b>	4037072001839	30 cm / 12" Subwoofer, 800 WRMS 2.5" 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone, Xmax 22mm, Fs 23.5Hz, SPL 86dB	<b>EUR 299,00</b>
	<b>GZHW 38X</b>	4037072001846	38 cm / 15" Subwoofer, 1000 WRMS 2.5" 2 x 2 ohm teflon alu voicecoil, VOXR surround, alucone, Xmax 22mm, Fs 22.6Hz, SPL 88dB	<b>EUR 349,00</b>
	<b>GZUP 10</b>	4037072000818	25 cm / 10" Passive Radiator for use with GZHW 25X / GZUW 10X	<b>EUR 99,00</b>

	<b>GZUP 12</b>	4037072000825	30 cm / 12" Passive Radiator for use with GZHW 30X / GZUW 12X	<b>EUR 119,00</b>
--	----------------	---------------	--	-------------------

4.5 RADIOACTIVE				
Picture coming soon	<b>GZRW 25XSPL-D1</b>	4037072013665	25 cm / 10" SPL Subwoofer, 1200 W SPL Power 2.5" 2 x 1 ohm Copper voicecoil, Reinforced Paper Cone Xmax 22mm, Fs 40.3Hz SPL 86 db	<b>EUR 199,00</b>
Picture coming soon	<b>GZRW 25XSPL-D2</b>	4037072013672	25 cm / 10" SPL Subwoofer, 1200 W SPL Power 2.5" 2 x 2 ohm Copper voicecoil, Reinforced Paper Cone Xmax 22mm, Fs 44.8Hz SPL 85 db	<b>EUR 199,00</b>
	<b>GZRW 30XSPL-D1</b>	4037072013689	30 cm / 12" SPL Subwoofer, 1500 W SPL Power 3" 2 x 1 ohm Copper voicecoil, Reinforced Paper Cone Xmax 25mm, Fs 39.2Hz SPL 86 db	<b>EUR 229,00</b>
	<b>GZRW 30XSPL-D2</b>	4037072013696	30 cm / 12" SPL Subwoofer, 1500 W SPL Power 3" 2 x 2 ohm Copper voicecoil, Reinforced Paper Cone Xmax 25mm, Fs 36.1Hz SPL 86 db	<b>EUR 229,00</b>
Picture coming soon	<b>GZRW 38XSPL-D2</b>	Not fixed yet	38 cm 15" Subwoofer 1800 W SPL POWER 2x2 Ohm	<b>EUR 279,00</b>
	<b>GZRW 46SPL</b>	4037072010749	46 cm / 18" SPL Subwoofer, 2000 W Competition Power 3" 2 x 2 ohm voicecoil, woven in leads, Xmax 22mm, Fs 30,3Hz SPL 94.0dB Castbasket,	<b>EUR 449,00</b>
	<b>GZRW 12FL</b>	4037072007022	30 cm / 12" FLAT Subwoofer, 450 WRMS 2" 2 x 2ohm voicecoil, woven in leads, Xmax 15mm, Fs 25.3 Hz SPL 85.0dB	<b>EUR 229,00</b>

	<b>GZRW 10D2</b>	4037072012408	25 cm / 10" Subwoofer, 600 WRMS 2.5" 2 x 2 ohm copper voicecoil, reinforced paper cone, high-roll sandwich surround, Xmax 22mm, Fs 34 Hz SPL 86.0dB	<b>EUR 169,00</b>
	<b>GZRW 10D4</b>	4037072012415	25 cm / 10" Subwoofer, 600 WRMS 2.5" 2 x 4 ohm copper voicecoil, reinforced paper cone, high-roll sandwich surround, Xmax 22mm, Fs 34,1 Hz SPL 86.0dB	<b>EUR 169,00</b>
	<b>GZRW 12D2</b>	4037072012422	30 cm / 12" Subwoofer, 800 WRMS 3" 2 x 2ohm copper voicecoil, reinforced paper cone, high-roll sandwich surround, Xmax 45mm, Fs 28,4 Hz SPL 87.0dB	<b>EUR 189,00</b>
	<b>GZRW 12D4</b>	4037072012439	30 cm / 12" Subwoofer, 800 WRMS 3" 2 x 4ohm copper voicecoil, reinforced paper cone, high-roll sandwich surround, Xmax 45mm, Fs 30,2 Hz SPL 87.0dB	<b>EUR 189,00</b>
Picture coming soon	<b>GZRW 15D2</b>	4037072013931	38 cm / 15" Subwoofer, 1000 W SPL Power 2x2 Ohm / Klippel® optimized / Reinforced paper cone 3" Copper voice coil / High-Roll sandwich surround Progressiv, Polycot spider , FS 23,58Hz, Qts 0.44, SPL 88,0dB	<b>EUR 229,00</b>
Picture coming soon	<b>GZRW 15D4</b>	4037072013955	38 cm / 15" Subwoofer, 1000 W SPL Power 2x4 Ohm / Klippel® optimized / Reinforced paper cone 3" Copper voice coil / High-Roll sandwich surround Progressive, Polycot spider, FS 24,7Hz, Qts 0.46, SPL 88,0dB	<b>EUR 229,00</b>
<b>4.6 TITANIUM</b>				
	<b>GZTW 25TX</b>	4037072006902	25 cm / 10" Subwoofer, 300 WRMS 2" 2 x 2 ohm voice coil, PP-cone, Xmax 14mm, FS 38,3 Hz, SPL 86.0 dB	<b>EUR 119,00</b>
	<b>GZTW 30TX</b>	4037072006926	30 cm / 12" Subwoofer, 400 WRMS 2" 2 x 2ohm voice coil, PP-cone, Xmax 14mm, FS 33,7 Hz, SPL 87.0 dB	<b>EUR 139,00</b>
	<b>GZTW 38TX</b>	4037072008227	38 cm / 15" Subwoofer, 500 WRMS 2.5" 2 x 2 ohm voice coil, PP-cone, Xmax 14mm, FS 23.1 Hz, SPL 89.0 dB	<b>EUR 159,00</b>



4.7 IRIDIUM				
	<b>GZIW 200X</b>	4037072010756	20 cm / 8" Subwoofer, 150 WRMS 1,5" 4ohm voice coil, PP-cone, Xmax 12mm, FS 38.4 Hz, SPL 87dB	<b>EUR 69,00</b>
	<b>GZIW 250X</b>	4037072006315	25 cm / 10" Subwoofer, 250 WRMS 2" 4ohm voice coil, PP-cone, Xmax 14mm, FS 30.1 Hz, SPL 86 dB	<b>EUR 99,00</b>
	<b>GZIW 300X</b>	4037072006087	30 cm / 12" Subwoofer, 350 WRMS 2" 4ohm voice coil, PP-cone, Xmax 14mm, FS 34,9 Hz, SPL 87 dB	<b>EUR 119,00</b>
	<b>GZIW 12SPL</b>	4037072014419	30 cm / 12" SPL Subwoofer, 1000 W Competition Power 2x2 Ohm Fs 36,9 Hz Qts 0,67 SPL 86dB	<b>EUR 159,00</b>
5. SPEAKERS				
5.1 REFERENCE				
	<b>GZPM Reference 80</b>	4037072013788	8 cm / 3.15" Midwoofer 80 / 120 W With coated paper cone and linearised motor / Handmade machined aluminium basket Handmade in Europe and selected in pairs	<b>EUR 1.299,00</b>
	<b>GZMW Reference 180</b>	4037072014242	18 cm / 7.09" Midwoofer 100 / 150WRMS With coated, pressed paper cone and linearised motor. Handmade in Europe and selected in pairs	<b>EUR 1.798,00</b>
	<b>GZPW Reference 250</b>	4037072013405	25 cm / 10" Woofer, 500 WRMS 2x2 Ohm With coated highly pressed paper dustcap; light-weight rubber surround, three layer sandwich cone, high temperature stable glassfiber VC former, double-layer BIMAX spider, linearised high efficient motor with double ferrit magnet, Handmade in Germany	<b>EUR 1.499,00</b>
	<b>GZPT Reference 28</b>	4037072007695	28 mm / 1.1" Silk dome tweeter, 100 / 150 W With adopted volume, chrome, Handmade and selected in pairs in Germany	<b>EUR 1.099,00</b>
	<b>GZPT Reference 28 B</b>	4037072010459	28 mm / 1.1" Silk dome tweeter, 100 / 150 W With adopted volume, black anodized, Handmade and selected in pairs in Germany	<b>EUR 1.099,00</b>

5.2 PLUTONIUM				
	<b>GZPT 28SX</b>	4037072008791	28 mm / 1.1" Silk dome tweeter 100 WRMS / 150 WMAX 2000 Hz - 30 KHz with adopted volume, black Made in Germany	<b>EUR 599,00</b>
	<b>GZPM 80SQX</b>	4037072012491	8 cm / 3.15" Midrange, 70 / 110 W 150 - 4000 Hz, Mounting depth 34 mm, 25 mm / 1" Copper voice coil on aluminium former, Made in Germany	<b>EUR 379,00</b>
	<b>GZPK 16SQ</b>	4037072012750	16,5 cm / 6.5" SQ Kickwoofer, 130 / 210 W SPL 90 dB, Fs 45.3 Hz, 30 Hz - 3 KHz, With alu-ceramic cone and linearised ferrit motor, optimized with Klippel system, Made in Germany	<b>EUR 499,00</b>
	<b>GZPX 165SQ</b>	4037072012941	2 Way passive crossover for GZPK 16SQ & GZPT 28SX	<b>EUR 349,00</b>
	<b>GZPX 16.3SQ</b>	4037072012958	3 Way passive crossover for GZPK 16SQ & GZPT 28SX & GZPM 80SQX	<b>EUR 449,00</b>
	<b>GZPC 165SQ</b>	4037072012736	16,5 cm / 6.5" Compo system, (GZPK 16SQ / GZPT 28SX) With alu-ceramic cone and linearised ferrit motor, optimized with Klippel system, 28 mm / 1.1" silk dome tweeter, High End crossover with Mundorf Mcaps, Made in Germany	<b>EUR 1.399,00</b>
	<b>GZPC 16.3SQ</b>	4037072012927	16,5 cm / 6.5" 3 Way Compo, (GZPK 16SQ / GZPM 80SQX / GZPT 28SX) Woofer with alu-ceramic cone and linearised ferrit motor, optimized with Klippel system, 28 mm / 1.1" silk dome tweeter, Bi-Ampable High End crossover, Made in Germany	<b>EUR 1.799,00</b>
	<b>GZPC 165SQ-ACT</b>	4037072012910	Active 16,5 cm / 6.5" 2 Way Compo Consists of: GZPK 16SQ, GZPT 28SX Made in Germany	<b>EUR 1.099,00</b>
	<b>GZPC 16.3SQ-ACT</b>	4037072012934	Active 16,5 cm / 6.5" 3 Way Compo Consists of: GZPK 16SQ, GZPM 80SQX, GZPT 28SX Made in Germany	<b>EUR 1.499,00</b>

5.3 NUCLEAR				
	<b>GZNC 1650SQ-LTD</b>	4037072014297	16,5 cm / 6.5" SQ Compo system, 1,5" aluminium Voice Coil, SPL 91 dB, 150 WRMS / 250 WMAX Made in Germany	<b>EUR 999,00</b>
	<b>GZNC 1650SQ</b>	4037072014587	16,5 cm / 6,5" SQ Compo System 150WRMS / 250 WMAX Made in Germany	<b>EUR 999,00</b>
	<b>GZNK 165SQ</b>	4037072014280	16,5 cm / 6.5" SQ Kickwoofer,130/200 W SPL 90 dB,4000Hz - 3KHz, FS 55,2 Hz Made in Germany	<b>EUR 329,00</b>
	<b>GZNM 80SQ</b>	4037072012446	8 cm / 3.15" Midrange, 60 / 100 W 150 - 5000 Hz, SPL 88 dB, 25 mm / 1" Copper voice coil on aluminium former, Made in Germany	<b>EUR 259,00</b>
	<b>GZNT 25SQ</b>	4037072014273	25 mm / 1" SQ Silk dome tweeter, 80 / 130 W 2000Hz- 28KHz SPL 90 dB Made in Germany	<b>EUR 379,00</b>
5.4 URANIUM				
	<b>GZUC 650SQ</b>	4037072010367	16,5 cm / 6.5" SQ Compo system, 130/210 W SPL 91 dB, 40 Hz - 22 KHz, With Wood/Fibreglass cone, cast basket, silk dome tweeter	<b>EUR 329,00</b>
	<b>GZUK 65SQ</b>	4037072010350	16,5 cm / 6.5" SQ Kickwoofer, 110 / 190 W SPL 90 dB, 40 Hz - 4 KHz, With Wood/Fibreglasscone, cast basket	<b>EUR 169,00</b>
	<b>GZHT 25SQ</b>	4037072010763	25 mm / 1" SQ Silk dome tweeter, 70 / 110 W 1000 Hz- 22 KHz,With adopted volume and accessories	<b>EUR 89,00</b>
	<b>GZUF 60SQ</b>	4037072012880	6 cm / 2.36" SQ Midrange / Fullrange, 50/80W SPL 83 dB, 300 - 20 KHz, Black aluminum cone, copper cap/ Neodym magnet, 25 mm / 1" copper voice coil, resonance free fiber composite basket	<b>EUR 179,00</b>



5.5 HYDROGEN				
	<b>GZHC 65C</b>	4037072010374	16,5 cm / 6.5" Compo system, 120 / 200 W SPL 90 dB, 40 Hz - 20 KHz, Castbasket, Wood/Glassfibre cone, 25mm Silkdome Tweeter	<b>EUR 249,00</b>
	<b>GZHF 652C</b>	4037072012965	16,5 cm / 6.5" Coax speaker, 100/160W SPL 90 dB, 50 Hz - 20 KHz, With WFWC cone, resonance free cast basket, 25 mm / 1" silkdome tweeter	<b>EUR 179,00</b>
5.6 COMPETITION				
	<b>GZCW 6-4Y</b>	4037072002287	16,5 cm / 6.5" Midwoofer, 100 / 200 W With Phaseplug; 38mm VC with Ferrite magnet, 65-7000 HZ, 200 W @ 4 ohm, SPL 92 dB, including grill, price per piece	<b>EUR 89,00</b>
	<b>GZCW 12-50</b>	4037072012637	30 cm / 12" Midwoofer, 300 / 600 W Fiber reinforced paper cone, steel basket, 2-layer 50 mm / 2" copper round wire voice coil, 50 - 3000Hz, SPL 96 dB, price per piece	<b>EUR 109,00</b>
	<b>GZCW 12-75SPL</b>	4037072012644	30 cm / 12" Midwoofer, 400 / 800 W Fiber reinforced paper cone, high roll w-surround, steel basket, 2-layer 75 mm / 3" copper round wire voice coil, 40 Hz - 1 KHz, SPL 96 dB, price per piece	<b>EUR 219,00</b>
	<b>GZCM 6-4PPX</b>	4037072014488	16,5cm / 6,5" Midrange 150 / 400 W Fiber reinforced paper cone, aluminum cast basket and phaseplug, 50 mm / 2" copper-clad aluminum round wire voice coil price per piece	<b>EUR 109,00</b>
	<b>GZCM 8-4FX</b>	4037072012231	20 cm / 8" Midrange, flat 100 / 400 W Fiber reinforced paper cone, aluminum cast basket and phaseplug, 50 mm / 1,5" copper-clad aluminum round wire voice coil, 150 Hz - 4 KHz, SPL 94 dB, price per piece	<b>EUR 89,00</b>
	<b>GZCM 8-4PPX</b>	4037072012248	20 cm / 8" Midrange, 200 / 500 W Fiber reinforced paper cone, aluminum cast basket and phaseplug, 50 mm / 2" copper-clad aluminum round wire voice coil, 150 Hz - 10 KHz, SPL 96 dB, price per piece	<b>EUR 129,00</b>

	<b>GZCM 10-4FX</b>	4037072012255	25 cm / 10" Midrange, flat 200 / 500 W Fiber reinforced paper cone, aluminum cast basket and phaseplug, 75 mm / 2" copper-clad aluminum round wire voice coil, 120 Hz - 5 KHz, SPL 96 dB, price per piece	<b>EUR 109,00</b>
	<b>GZCM 10-4PPX</b>	4037072012262	25 cm / 10" Midrange, 300 / 600 W Fiber reinforced paper cone, aluminum cast basket and phaseplug, 75 mm / 3" copper-clad aluminum round wire voice coil, 120 Hz - 5 KHz, SPL 96 dB, price per piece	<b>EUR 199,00</b>
	<b>GZCF 8-4Coax-SPL</b>	4037072008111	20 cm / 8" 2-Way Coax speaker, 200 / 400 W 50mm VC with Ferrite magnet and copper ring, 90 Hz -26 KHz, 4 ohm, SPL 92 dB, without X-over, price per piece	<b>EUR 269,00</b>
	<b>GZCX 8-4Coax-SPL</b>	4037072008470	Crossover For GZCF 8-4Coax-SPL	<b>EUR 25,00</b>
	<b>GZCF 7104SPL</b>	4037072007732	180 x 250 cm / 7" x 10" 4 - Way Coax Speaker, 150 / 250 W 35 Hz - 20 KHz, SPL 92 dB, 15 x 23 cm / 6" x 9" mounting bracket, IMPP cone, Ferrofluid-cooled PEI midrange with 6 dB crossover, price per piece	<b>EUR 139,00</b>
	<b>GZCF 8-4SPL</b>	4037072008104	20 cm / 8" SPL Midwoofer, 300 / 600 W 50mm VC with Ferrite magnet and copperring, 100-15000 Hz, 600 W @ 4 ohm, SPL 92 dB, price per piece	<b>EUR 199,00</b>
	<b>GZCF 165COAX</b>	4037072014501	16,5 cm 6,5" Coax Speaker 125 / 300 W Fiber reinforced paper cone, aluminum cast basket Copper-clad aluminium round wire voice coils price per piece	<b>EUR 169,00</b>
	<b>GZCF 200COAX</b>	4037072012279	20 cm / 8" 2-Way Coax speaker, 200 / 400 W 50mm CCAW VC, fiber reinforced paper cone, lightweight foam surround, titanium dome, round ABS plastic horn, incl. 6 dB crossover, midrang 150 Hz - 3 KHz, tweeter 3000 Hz - 25 KHz, 4 ohm, SPL 98 dB, price per piece	<b>EUR 189,00</b>
	<b>GZCT 0500X</b>	4037072012163	43 mm / 1.69" High Power Compression Tweeter, 30 / 100 W Aluminium dome, cast baffle, plastic bullet, 25 mm / 1" copper-clad aluminium flat wire voice coil, 102 dB, 4 ohm, 4000 - 25000 Hz, price per piece	<b>EUR 69,00</b>
	<b>GZCT 1800X</b>	4037072012170	86,4 x 86,4 mm / 3.4 x 3.4" High Power Compression Tweeter, 30 / 100 W Aluminium dome, plastic baffle, plastic bullet, 25 mm / 1" copper-clad aluminium flat wire voice coil, Ferrofluid cooling, 102 dB, 4 ohm, 5000 - 20000 Hz, price per piece	<b>EUR 59,00</b>


	<b>GZCT 2000X</b>	4037072012187	79 x 79 mm / 3.1 x 3.1" High Power Compression Tweeter, 30 / 100 W Aluminium dome, alu cast baffle, aluminum bullet, 25 mm / 1" copper-clad aluminium round wire voice coil, 100 dB, 4 ohm, 3000 - 25000 Hz, price per piece	<b>EUR 34,00</b>
	<b>GZCT 2200X</b>	4037072012194	102 x 102 mm / 4,02 x 4,02" High Power Compression Tweeter, 40 / 120 W Aluminium dome, alu cast baffle, aluminum bullet, 25 mm / 1,5" copper-clad aluminium flat wire voice coil, 105 dB, 4 ohm, 4000 - 25000 Hz, price per piece	<b>EUR 84,00</b>
	<b>GZCT 3500X-B</b>	4037072012200	98 mm / 3.86" High Power Compression Tweeter, 30 / 100 W Aluminium dome, alu cast baffle, aluminum bullet, 25 mm / 1" copper-clad aluminium round wire voice coil, 99 dB, 4 ohm, 3000 - 25000 Hz, price per piece	<b>EUR 25,00</b>
	<b>GZCT 3500X-S</b>	4037072012217	98 mm / 3.86" High Power Compression Tweeter, 30 / 100 W Aluminium dome, alu cast baffle, aluminum bullet, 25 mm / 1" copper-clad aluminium round wire voice coil, 99 dB, 4 ohm, 3000 - 25000 Hz, price per piece	<b>EUR 25,00</b>
	<b>GZCT 4000X</b>	4037072012224	160 x 120 mm / 6.3" x 4.7" High Power Compression Tweeter 50 / 140 W Aluminium dome, alu cast baffle, aluminum bullet, 44,5 mm / 1.75" copper-clad aluminium round wire VC, wide range 90° x 60° dispersion, 103 dB, 4 ohm, 2500 - 20000Hz, price per piece	<b>EUR 69,00</b>
	<b>GZCT 5000SPL</b>	4037072012675	200 x 150 mm / 8" x 5.9" High Power Compression Tweeter 70 / 180 W Elliptical tractrix horn, titanium dome, ABS plastic baffle, 44,5 mm / 1.75" copper clad aluminium round wire voice coil, wide range 90° x 60° dispersion, 108 dB, 4 ohm, 1500 - 20000Hz, price per piece	<b>EUR 109,00</b>
	<b>GZCT 5000SPL-B</b>	4037072014129	200 x 150 mm / 8" x 5.9" High Power Compression Tweeter 70 / 180 W Elliptical tractrix horn, titanium dome, ABS plastic baffle, 44,5 mm / 1.75" copper clad aluminium round wire voice coil, wide range 90° x 60° dispersion, 108 dB, 4 ohm, 1500 - 20000Hz, price per piece	<b>EUR 109,00</b>
	<b>GZCX 130/160</b>	4037072003390	2- Way crossover for perfect combination GZCW 5-4 or GZCW 6-4Y with GZCT 2500	<b>EUR 89,00</b>



5.7 RADIOACTIVE				
	<b>GZRC 10XII</b>	4037072012088	10 cm / 4" Compo system, 80 / 120 W <span style="float: right;">SPL 90 dB</span> 60 Hz - 20 KHz, High quality component system with glassfiber cone Resonance free steel basket / High power copper voice coil Rubber surround / 25 mm silkdome tweeter 12 dB lowpass / 18 dB highpass crossover with variable tweeter level and crossover frequency Extremely flat GZRC...FXII models	<b>EUR 179,00</b>
	<b>GZRC 100FXII</b>	4037072012095	10 cm / 4" Compo system, 70 / 110 W SPL 89 dB, 70 Hz - 20 KHz, 12dB crossover, Silk dome Tweeter, extra flat only 30 mm / 1.18"	<b>EUR 179,00</b>
	<b>GZRC 130FXII</b>	4037072012699	13 cm / 5.25" Compo system, 90 / 140 W <span style="float: right;">SPL 90 dB</span> 60 Hz - 20 KHz, High quality component system with glassfiber cone Resonance free steel basket / High power copper voice coil Rubber surround / 25 mm silkdome tweeter 12 dB lowpass / 18 dB highpass crossover with variable tweeter level and crossover frequency Extremely flat GZRC...FXII models	<b>EUR 189,00</b>
	<b>GZRC 13XII</b>	4037072010121	13 cm / 5.25" Compo system, 100 / 150W SPL 90 dB, 50 Hz - 20 KHz, 12dB crossover, Silk dome Tweeter extra flat only 38 mm / 1.54"	<b>EUR 179,00</b>
	<b>GZRC 16XII</b>	4037072010138	16,5 cm / 6.5" Compo system, 120 / 180 W SPL 91 dB, 40 Hz - 20 KHz, High quality component system with glassfiber cone Resonance free steel basket / High power copper voice coil Rubber surround / 25 mm silkdome tweeter 12 dB lowpass / 18 dB highpass crossover with variable tweeter level and crossover frequency Extremely flat GZRC...FXII models	<b>EUR 199,00</b>
	<b>GZRC 165FXII</b>	4037072010145	16,5 cm / 6.5" Compo system, 110 / 160 W SPL 90 dB, 50 Hz - 20 KHz, 12dB crossover, Superdome Tweeter, extra flat only 44 mm / 1.73"	<b>EUR 199,00</b>
	<b>GZRC 6857X</b>	4037072003079	13x18 cm / 5 x 7" Compo system, 120 / 180 W 12dB crossover, Superdome Tweeter	<b>EUR 149,00</b>
	<b>GZMW 200NEO</b>	4037072003765	20 cm / 8" Neodym flatwoofer, 100 / 150W SPL 88 dB, Extrem flat - only 57 mm / 2.2", including grill Package is 1 pc only	<b>EUR 159,00</b>
	<b>GZHT 25X</b>	4037072008562	25 mm / 1" Silk dome tweeter, 60 / 100 W SPL 91 dB, 3000 Hz - 20 KHz, With accessories and 3,3µF capacitor	<b>EUR 55,00</b>
	<b>GZRX 2 Way Kick</b>	4037072003994	2-Way & Kick-Crossover Special x-over for GZMW 200NEO to make any 3-way system	<b>EUR 109,00</b>






	<b>GZRF 42XII</b>	4037072007756	10 cm / 4" 2- Way Coax Speaker, 60/100W SPL 90 dB, 80 Hz - 22 KHz, With superdome PEI tweeter, conex spider	<b>EUR 69,00</b>
	<b>GZRF 52XII</b>	4037072007770	13 cm / 5.25" 2- Way Coax Speaker, 70/110W SPL 91 dB, 70 Hz - 22 KHz, With superdome PEI tweeter, conex spider	<b>EUR 79,00</b>
	<b>GZRF 65XII</b>	4037072007794	16,5 cm / 6.5" 2- Way Coax Speaker, 90/130W SPL 91,5 dB, 60 Hz - 22 KHz, With superdome PEI tweeter, conex spider	<b>EUR 89,00</b>
	<b>GZRF 13FXII</b>	4037072007831	13 cm / 5.25" 2- Way Coax Speaker, 60/100W SPL 90 dB, 80 Hz - 22KHz, With superdome PEI tweeter, conex spider, extra flat - only 37 mm / 1.46"	<b>EUR 79,00</b>
	<b>GZRF 16FXII</b>	4037072007855	16,5 cm / 6.5" 2 Way Coax Speaker, 80/110W SPL 91 dB, 65 Hz - 22 KHz, With superdome PEI tweeter, conex spider, extra flat - only 44 mm / 1.73"	<b>EUR 89,00</b>
	<b>GZRF 69XII</b>	4037072007817	15 x 23 cm / 6 x 9" 3- Way Triax Speaker, 120/190W SPL 92 dB, 40 Hz - 22 KHz, With polyimide mid-range and superdome tweeter, conex spider	<b>EUR 129,00</b>
	<b>GZRF 5768X</b>	4037072001402	13 x 18 cm / 5 x 7" 2- Way Coax combination speaker, 80 / 130 W SPL 90,5 dB, With superdome tweeter, conex spider	<b>EUR 89,00</b>
	<b>GZRF 6900P</b>	4037072002454	15 x 23 cm / 6" x 9" Power 3- Way Triax Speaker, 250/400 W SPL 92,7 dB, With polyimide mid-range and superdome tweeter, 2" voicecoil, conex spider	<b>EUR 189,00</b>
	<b>GZRK 165XII</b>	4037072012101	16,5 cm / 6.5" Kickwoofer, 100 / 160 W SPL 90 dB, 40 Hz - 4 KHz, With glasfiber cone, resonance free steel basket, rubber surround	<b>EUR 99,00</b>
	<b>GZRM 130</b>	4037072008418	13 cm / 5.25" 2-Way Coax Speaker, 60/100W SPL 90,5 dB, 70 Hz - 20 KHz, White "Marine" version, waterproof, superdome tweeter, conex spider	<b>EUR 69,00</b>








	<b>GZRM 165</b>	4037072000832	16,5 cm / 6.5" 2-Way Coax Speaker, 70/120W SPL 91 dB, 60 Hz - 20 KHz, White "Marine" version, waterproof, superdome tweeter, conex spider	<b>EUR 79,00</b>
--	-----------------	---------------	--	------------------











5.8 TITANIUM				
	<b>GZTC 130TX</b>	4037072012590	13 cm / 5,25" 2- Way Compo System, 90 / 140 W SPL 90 dB, 60 Hz - 20 KHz, 6/12dB crossover, 25 mm Silk dome Tweeter, special grill	<b>EUR 129,00</b>
	<b>GZTC 165TX</b>	4037072008760	16,5 cm / 6.5" 2- Way Compo System, 110 / 160 W SPL 91 dB, 50 Hz - 20 KHz, 6/12dB crossover, 25 mm Silk dome Tweeter, special grill	<b>EUR 139,00</b>
	<b>GZTF 10TX</b>	4037072006667	10 cm / 4" 2- Way Coax Speaker, 60/100W SPL 89 dB, 90 Hz - 20 KHz, With superdome tweeter, special grill	<b>EUR 54,00</b>
	<b>GZTF 13TX</b>	4037072006681	13 cm / 5.25" 2- Way Coax Speaker, 70/110W SPL 90 dB, 80 Hz - 20 KHz, With turnable superdome tweeter, special grill	<b>EUR 64,00</b>
	<b>GZTF 16TX</b>	4037072006988	16,5 cm / 6.5" 2- Way Coax Speaker, 80/120W SPL 91 dB, 70 Hz - 20 KHz, With turnable superdome tweeter, special grill	<b>EUR 79,00</b>
	<b>GZTF 46TX</b>	4037072007640	10 x 15 cm / 4" x 6" 2- Way Coax Speaker, 70 / 110 W SPL 89 dB, 80 Hz - 20 KHz, With superdome tweeter, special grill	<b>EUR 59,00</b>
	<b>GZTF 69TX</b>	4037072007541	15 x 23 cm / 6" x 9" 3- Way Triax Speaker, 120 / 180 W SPL 92 dB, 40 Hz - 20 KHz, With polymide mid-range and superdome tweeter, special grill	<b>EUR 109,00</b>
	<b>GZTF 250TX</b>	4037072010237	25 cm / 10" Triax Speaker, 120/300W SPL 92 dB, 40 Hz - 25 KHz, High power 30 mm / 1.18" copper VC on aluminum former, Ferrofluid cooler 55 mm / 2.17" PEI midrange and 13 mm / 0.51" PEI tweeter, special grill	<b>EUR 169,00</b>

5.9 IRIDIUM				
	<b>GZIC 525X</b>	4037072004328	13 cm / 5.25" 2- Way Compo System, 90 / 140 W SPL 90 dB, 60 Hz - 20 KHz, 6dB cable crossover, 19 mm Silk dome Tweeter, special grill	<b>EUR 89,00</b>
	<b>GZIC 650X</b>	4037072004342	16,5 cm / 6.5" 2- Way Compo System, 100 / 150 W SPL 91 dB, 50 Hz - 20 KHz, 6dB cable crossover, 19mm Silk dome Tweeter, special grill	<b>EUR 99,00</b>
	<b>GZHT 19X</b>	4037072008555	19 mm / 0.79" Silk dome tweeter, 40 / 70 W SPL 90 dB, 3500 Hz - 20 KHz, (from GZIC 650X) with accessories and 3,3µF capacitor	<b>EUR 39,00</b>
	<b>GZIF 4003X</b>	4037072003789	10 cm / 4" 2- Way Coax Speaker, 60 / 100 W SPL 89 dB , 100 Hz - 20 KHz, With superdome tweeter, special grill	<b>EUR 45,00</b>
	<b>GZIF 5203X</b>	4037072003802	13 cm / 5.25" 2- way Coax Speaker, 70/110W SPL 90 dB , 80 Hz - 20 KHz, With superdome tweeter, special grill	<b>EUR 55,00</b>
	<b>GZIF 6503X</b>	4037072003826	16,5 cm / 6.5" 2- Way Coax Speaker, 80 / 120 W SPL 91 dB , 70 Hz - 20 KHz, with superdome tweeter, special grill	<b>EUR 65,00</b>
	<b>GZIF 6904X</b>	4037072003840	15 x 23 cm / 6" x 9" 4- Way Coax Speaker, 120 / 180 W SPL 92 dB , 40 Hz - 20 KHz, With polymide mid-range and superdome tweeter, special grill	<b>EUR 89,00</b>

<b>6. MULTIMEDIA</b>				
<b>6.1</b>				
	<b>GZHP 40-OE</b>	4037072013528	On Ear Headphone 100 db / Microphone / Control Button ( Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m	<b>EUR 59,00</b>
	<b>GZHP 9-IE</b>	4037072013535	In Ear Headphone 98 db / Microphone / Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m	<b>EUR 34,00</b>
<b>7. ACCESSORIES</b>				
<b>7.1 CAPACITORS</b>				
	<b>GZTC 1.0FX</b>	4037072008166	1.0 Farad Power Cap 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	<b>EUR 99,00</b>
	<b>GZHC 2.0F</b>	4037072008173	2.0 Farad Power Cap 16 Volt surge, resistance <0,0020 ohm, +/- 10%, incl. plexiglas brackets, white LED display	<b>EUR 149,00</b>
	<b>GZPC 12.0FX</b>	4037072007350	12 Farad Power cap Amp style, 16/20 Volt; +/- 10%, black rubber/brushed alu finish, 2 x 35/50 mm <sup>2</sup> , pos./neg. distribution block, white volt display and white LED	<b>EUR 269,00</b>


7.2 CABLE KITS				
	<b>GZCC 5.1XLC</b>	4037072008951	5 m / 16.4 ft RCA cable single shield, same as in GZPK 10XLC	<b>EUR 7,00</b>
	<b>GZCC 5.3X</b>	4037072008944	5 m / 16.4 ft RCA cable triple shield, same as in GZPK10X/20X	<b>EUR 11,00</b>
	<b>GZCC 0.57X-TP</b>	4037072010770	PI Sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	<b>EUR 17,00</b>
	<b>GZCC 1.14X-TP</b>	4037072010787	PI Sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	<b>EUR 20,00</b>
	<b>GZCC 3.14X-TP</b>	4037072010794	PI Sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	<b>EUR 25,00</b>
	<b>GZCC 5.49X-TP</b>	4037072010800	PI Sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	<b>EUR 30,00</b>
	<b>GZCY 30X</b>	4037072008937	Y Adapter 1 female in - 2 male out	<b>EUR 3,00</b>

	<p><b>GZPK 10XLC</b></p>	<p>4037072008968</p>	<p>10 mm<sup>2</sup> Cable kit 5,2 m Powercable red, 0,8 m Powercable black, 5m RCA single shield, 60 A AGU Fuseholder, div. accessories</p>	<p><b>EUR 25,00</b></p>
	<p><b>GZPK 10X</b></p>	<p>4037072008975</p>	<p>10 mm<sup>2</sup> Cable kit 5,2 m Powercable red, 0,8 m Powercable black, 5 m RCA triple shield, 60 A MANL Fuse, div. Accessories</p>	<p><b>EUR 29,00</b></p>
	<p><b>GZPK 20X</b></p>	<p>4037072008982</p>	<p>20 mm<sup>2</sup> Cable kit 5,2 m Powercable red, 0,8 m Powercable black, 5 m RCA triple shield with remote, 80 A MANL Fuse, div. Accessories</p>	<p><b>EUR 45,00</b></p>
	<p><b>GZPK 35X</b></p>	<p>4037072008999</p>	<p>35 mm<sup>2</sup> Cable kit 5 m RCA cable triple shielded with remote, 5,2 m powercable red, 0,8 m Ground wire black, 200 A ANL Fuseholder, div. Accessories</p>	<p><b>EUR 75,00</b></p>
	<p><b>GZPK 50X</b></p>	<p>4037072009002</p>	<p>50 mm<sup>2</sup> Cable kit 5 m RCA cable triple shielded with remote, 5,2 m powercable red, 0,8 m Ground wire black, 300 A ANL Fuseholder, div. Accessories</p>	<p><b>EUR 99,00</b></p>









7.3 CABLE SPOOLS				
	<b>GZPC 10R</b>	4037072009262	Red 10 mm <sup>2</sup> Power cable spool 50m spool, positive 10 mm <sup>2</sup> , 7*81/0.15 CCA - OD 6.7mm	<b>EUR 100,00</b>
	<b>GZPC 10B</b>	4037072009279	Black 10 mm <sup>2</sup> Power cable spool 50m spool, negative 10 mm <sup>2</sup> , 7*81/0.15 CCA - OD 6.7mm	<b>EUR 100,00</b>
	<b>GZPC 20R</b>	4037072009286	Red 20 mm <sup>2</sup> Power cable spool 50m spool, positive 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm	<b>EUR 200,00</b>
	<b>GZPC 20B</b>	4037072009293	Black 20 mm <sup>2</sup> Power cable spool 50m spool, negative 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm	<b>EUR 200,00</b>
	<b>GZPC 35R</b>	4037072009309	Red 35 mm <sup>2</sup> Power cable spool 30m spool, positive 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm	<b>EUR 210,00</b>
	<b>GZPC 35B</b>	4037072009316	Black 35 mm <sup>2</sup> Power cable spool 30m spool, negative 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm	<b>EUR 210,00</b>
	<b>GZPC 50R</b>	4037072009323	Red 50 mm <sup>2</sup> Power cable spool 20m spool, positive 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm	<b>EUR 200,00</b>
	<b>GZPC 50B</b>	4037072009330	Black 50 mm <sup>2</sup> Power cable spool 20m spool, negative 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm	<b>EUR 200,00</b>
	<b>GZPC 20B OFC</b>	4037072013337	Black 20mm <sup>2</sup> Power cable spool spool negative 20mm <sup>2</sup> OFC	30m <b>EUR 330,00</b>
	<b>GZPC 20Y OFC</b>	4037072013320	Yellow 20mm <sup>2</sup> Power cable spool 30m spool positive 20mm <sup>2</sup> OFC	<b>EUR 330,00</b>









	<b>GZPC 35B OFC</b>	4037072013351	Black 35mm <sup>2</sup> Power cable spool 30m spool negative 35mm <sup>2</sup> OFC	<b>EUR 570,00</b>
--	---------------------	---------------	---	-------------------



















	<b>GZPC 35Y OFC</b>	4037072013344	Yellow 35mm <sup>2</sup> Power cable spool 30m spool positive 35mm <sup>2</sup> OFC	<b>EUR 570,00</b>
	<b>GZPC 50B OFC</b>	4037072013375	Black 50mm <sup>2</sup> Power cable spool 15m spool negative 50mm <sup>2</sup> OFC	<b>EUR 405,00</b>
	<b>GZPC 50Y OFC</b>	4037072013368	Yellow 50mm <sup>2</sup> Power cable spool 15m spool positive 50mm <sup>2</sup> OFC	<b>EUR 405,00</b>
	<b>GZSC 2-0.75</b>	4037072009347	0.75 mm <sup>2</sup> Speaker cable spool 200m spool, frosted black; 2*42/0.15CCA - OD 2.4+2.4mm	<b>EUR 85,00</b>
	<b>GZSC 2-1.50</b>	4037072009354	1.50 mm <sup>2</sup> Speaker cable spool 200m spool, frosted black; 2*85/0.15CCA - OD 3+3mm	<b>EUR 135,00</b>
	<b>GZSC 2-2.50</b>	4037072009361	2.50 mm <sup>2</sup> Speaker cable spool 200m spool, frosted black; 2*7*20/0.15CCA - OD4.2+4.2mm	<b>EUR 240,00</b>
	<b>GZSC 2-4.00</b>	4037072009378	4.00 mm <sup>2</sup> Speaker cable spool 100m spool, frosted black; 2*7*32/0.15CCA - OD5+5mm	<b>EUR 185,00</b>
	<b>GZSC REF 1.5S-OFC</b>	4037072009996	1.5 mm <sup>2</sup> Speaker cable spool Pure OFC (99,9997%), with 50% silver plated wires, 48m spool	<b>EUR 240,00</b>
	<b>GZSC REF 2.5S-OFC</b>	4037072010008	2.5 mm <sup>2</sup> Speaker cable spool Pure OFC (99,9997%), with 50% silver plated wires, 39m spool	<b>EUR 312,00</b>
	<b>GZSC REF 4.0S-OFC</b>	4037072010015	4.0 mm <sup>2</sup> Speaker cable spool Pure OFC (99,9997%), with 50% silver plated wires, 30m spool	<b>EUR 390,00</b>

	<b>GZCC REF 157RH</b>	4037072012828	High End RCA cable Rhodium connectors, carbon shell, High End OCC wire, high purity OFC braiding and silver soldering, 1,57 m / 61.81"	<b>EUR 199,00</b>
	<b>GZCC REF 314RH</b>	4037072012835	High End RCA cable Rhodium connectors, carbon shell, High End OCC wire, high purity OFC braiding and silver soldering, 3,14 m / 123.62"	<b>EUR 249,00</b>
	<b>GZCC REF 549RH</b>	4037072012842	High End RCA cable Rhodium connectors, carbon shell, High End OCC wire, high purity OFC braiding and silver soldering, 5,49 m / 216.14"	<b>EUR 299,00</b>
<b>7.4 DAMPING</b>				
	<b>GZDR 1000</b>	4037072008524	Heavy duty wooden roller for damping material	<b>EUR 19,00</b>
	<b>GZDF 300-G</b>	4037072008722	Biplast foam 10mm 3 sheets = 50 x 100cm = 1.5m <sup>2</sup> ; 6 Box = 1 Mastercarton	<b>EUR 59,00</b>
	<b>GZDM 2500-G</b>	4037072008654	Alubutyl dampingmat Gold 2.2mm 25 tiles = 26.5 x 37.5cm = 2.5m <sup>2</sup> ; 5 Box = 1 Mastercarton; 1 x Palette = 10 Mastercarton	<b>EUR 89,00</b>
	<b>GZDM 1850-ML</b>	4037072012521	Multi layer dampingmat 4.5mm 20 tiles = 23 x 40 x 4,5cm = 1,84m <sup>2</sup> ; 2 Box = 1 Mastercarton	<b>EUR 99,00</b>
	<b>GZDM 3700-AB</b>	4037072012514	Alubutyl dampingmat 1.6mm 40 tiles = 23 x 40 x 1,6cm = 3.68m <sup>2</sup> ; 2 Box = 1 Mastercarton	<b>EUR 129,00</b>
	<b>GZDF 1600-SA</b>	4037072012538	Viscous polyurethane foam mat 15 mm 8 sheets = 40 x 50 x 1,5 cm = 1.6m <sup>2</sup> ; 4 Box = 1 Mastercarton	<b>EUR 69,00</b>

7.5 PORTS & GRILLS				
	<b>GZAP 80A</b>	4037072006155	Ground Zero Aeroport with 30cm tube in dark silver	<b>EUR 19,00</b>
	<b>GZAP 80B</b>	4037072006162	Ground Zero Aeroport with 30cm tube in black	<b>EUR 19,00</b>
	<b>GZAP 80Y</b>	4037072006148	Ground Zero Aeroport with 30cm tube in yellow	<b>EUR 19,00</b>
	<b>GZMG 20/8</b>	4037072004106	New wave design metal bracket from our subwoofer boxes for 20 cm / 8" woofers	<b>EUR 17,00</b>
	<b>GZMG 25/10</b>	4037072004120	New wave design metal bracket from our subwoofer boxes for 25 cm / 10" woofers	<b>EUR 19,00</b>
	<b>GZMG 30/12</b>	4037072004144	New wave design metal bracket from our subwoofer boxes for 30 cm / 12" woofers	<b>EUR 23,00</b>
	<b>GZMG 38/15</b>	4037072004168	New wave design metal bracket from our subwoofer boxes for 38 cm / 15" woofers	<b>EUR 29,00</b>
	<b>GZMG 165/6.5</b>	4037072004182	Design grill for GZNW 6.5 and all our 16.5cm speaker	<b>EUR 99,00</b>

	<b>GZBRK 290</b>	4037072006940	8mm bracket for our high excursion subwoofer length 290mm, height 50mm	<b>EUR 8,00</b>
	<b>GZBRK 340</b>	4037072006964	8mm bracket for our high excursion subwoofer length 340mm, height 50mm	<b>EUR 9,00</b>
	<b>GZBRK 425</b>	4037072007336	8mm bracket for our high excursion subwoofer length 425mm, height 50mm	<b>EUR 10,00</b>
	<b>GZTG 200T</b>	4037072000566	20 cm Protection grill for 20 cm / 8" woofers	<b>EUR 12,00</b>
	<b>GZTG 250T</b>	4037072002126	25 cm Protection grill for 25 cm / 10" woofers	<b>EUR 14,00</b>
	<b>GZTG 300T</b>	4037072001693	30 cm Protection grill for 30 cm / 12" woofers	<b>EUR 16,00</b>
	<b>GZTG 380T</b>	4037072002133	38 cm Protection grill for 38 cm / 15" woofers	<b>EUR 29,00</b>
	<b>GZCG 20SC</b>	4037072008494	20 cm Protection grill for 20 cm / 8" woofers	<b>EUR 15,00</b>






7.6 POWER ACCESSORIES				
	<b>GZCV 2.0HL</b>	4037072011326	High-Low converter 1:1 converter	<b>EUR 55,00</b>
	<b>GZFU 40A/2 MANL</b>	4037072011562	Mini ANL Fuse 40 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 60A/2 MANL</b>	4037072011579	Mini ANL Fuse 60 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 80A/2 MANL</b>	4037072011241	Mini ANL Fuse 80 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 100A/2 MANL</b>	4037072011258	Mini ANL Fuse 100 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 150A/2 MANL</b>	4037072011265	Mini ANL Fuse 150 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 200A/2 MANL</b>	4037072011272	Mini ANL Fuse 200 A 2 Pcs in blister	<b>EUR 5,00</b>

	<b>GZFU 100A/1 ANL</b>	4037072011289	ANL Fuse 100 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 150A/1 ANL</b>	4037072011296	ANL Fuse 150 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 200A/1 ANL</b>	4037072011302	ANL Fuse 200 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 300A/1 ANL</b>	4037072011319	ANL Fuse 300 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 400A/1 ANL - SPL</b>	4037072011586	ANL Fuse 400 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 40A/10 MANL</b>	4037072011722	Mini ANL Fuse 40 A 10 Pcs in poly bag	<b>EUR 11,00</b>
	<b>GZFU 60A/10MANL</b>	4037072011739	Mini ANL Fuse 60 A 10 Pcs in poly bag	<b>EUR 11,00</b>
	<b>GZFU 80A/10MANL</b>	4037072011746	Mini ANL Fuse 80 A 10 Pcs in poly bag	<b>EUR 11,00</b>
	<b>GZFU 100A/10MANL</b>	4037072011753	Mini ANL Fuse 100 A 10 Pcs in poly bag	<b>EUR 11,00</b>
	<b>GZFU 150A/10MANL</b>	4037072011760	Mini ANL Fuse 150 A 10 Pcs in poly bag	<b>EUR 11,00</b>

	<b>GZFU 200A/10MANL</b>	4037072011777	Mini ANL Fuse 200 A 10 Pcs in poly bag	<b>EUR 11,00</b>
---	-------------------------	---------------	---	------------------

	<b>GZFU 100A/10ANL</b>	4037072011784	ANL Fuse 100 A 10 Pcs in poly bag	<b>EUR 23,00</b>
	<b>GZFU 150A/10ANL</b>	4037072011791	ANL Fuse 150 A 10 Pcs in poly bag	<b>EUR 23,00</b>
	<b>GZFU 200A/10ANL</b>	4037072011807	ANL Fuse 200 A 10 Pcs in poly bag	<b>EUR 23,00</b>
	<b>GZFU 300A/10ANL</b>	4037072011814	ANL Fuse 300 A 10 Pcs in poly bag	<b>EUR 23,00</b>
	<b>GZFU 400A/10ANL</b>	4037072011821	ANL Fuse 400 A 10 Pcs in poly bag	<b>EUR 27,00</b>
	<b>GZFH 1.50/1.50 ANL/MANL</b>	4037072010817	ANL / MANL Fuseholder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>
	<b>GZFH 1.50/2.20 ANL/MANL</b>	4037072010824	ANL / MANL Fuseholder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 2 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>
	<b>GZFH 1.20/1.20 MANL</b>	4037072010831	MANL Fuseholder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 19,00</b>
	<b>GZFH 1.20 IL-MANL</b>	4037072011548	MANL Inline Fuseholder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 7,00</b>



	<b>GZFH 3.50/4.20 ANL/MANL</b>	4037072010848	ANL / MANL Fuseholder Input 3 x 50 mm <sup>2</sup> / 4 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 75,00</b>
	<b>GZBT 2.50 MANL-POS</b>	4037072010855	Battery Terminal (+) with MANL fuse, Output 2 x 50 mm <sup>2</sup> / 0 AWG Direct (2 x 50 mm <sup>2</sup> / 0 AWG Fused with MANL)	<b>EUR 39,00</b>
	<b>GZBT 2.50 NEG</b>	4037072010862	Battery Terminal (-) Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>
	<b>GZDB 3.50/4.20</b>	4037072010879	Distribution Block Input 3 x 50 mm <sup>2</sup> / 0 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>
<b>7.7 BASS REMOTE</b>				
	<b>GZTA Bassremote</b>	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	<b>EUR 25,00</b>