











	Prodotto	EAN	Descrizione	Pubblico
<b>1. HOME AUDIO</b>				
<b>1.1 REFERENCE</b>				
	<b>THE REFERENCE</b>	4037072018127	<p>2-way D'Appolito technology creating realistic sound stage and ambience</p> <p>High end drivers and crossovers "Made in Germany"</p> <p>Klippel® optimized 18 cm / 7" mid woofers with coated paper cone</p> <p>28 mm / 1.1" tweeter with 2-layer hand coated silk dome</p> <p>18 dB/oct Mundorf® crossover with high end Mcaps® and baked wire treatment Mcoils®</p> <p>Low resonance tear-drop shaped bass-reflex enclosure with multi-layer high gloss painting</p> <p>High efficient down firing technology extending the low frequency response</p>	<b>EUR 7.500,00</b>
<b>2. AMPLIFIER</b>				
<b>2.1 REFERENCE</b>				
	<b>GZPA Reference 2XS</b>	4037072007893	<p>2 channel High End SQ Class AB amplifier</p> <p>2 x 200WRMS @ 4 ohm</p> <p>2 x 380WRMS @ 2 ohm</p>	<b>EUR 1.499,00</b>
	<b>GZPA Reference 4XS</b>	4037072007909	<p>4 channel High End SQ Class AB amplifier</p> <p>4 x 120WRMS @ 4 ohm</p> <p>4 x 220WRMS @ 2 ohm</p>	<b>EUR 1.499,00</b>
	<b>GZPA Reference 2SYM</b>	4037072014877	<p>2 channel High End SQ Class AB amplifier</p> <p>Symmetrical dual mono</p> <p>2 x 420 WRMS @ 4 ohm</p> <p>2 x 750 WRMS @ 2 ohm</p> <p>2 x 1150 WRMS @ 1 ohm</p>	<b>EUR 2.599,00</b>
	<b>GZPA Reference 4SYM</b>	4037072014884	<p>4 channel High End SQ Class AB amplifier</p> <p>Symmetrical dual 2 channel</p> <p>4 x 150 WRMS @ 4 ohm</p> <p>4 x 270 WRMS @ 2 ohm</p> <p>4 x 425 WRMS @ 1 ohm</p>	<b>EUR 2.599,00</b>
	<b>GZPA Reference 2 PURE</b>	4037072014624	<p>2 Channel PURE High End SQ Class AB Amp</p> <p>Direct signal symmetrical dual mono</p> <p>2 x 420 WRMS @ 4 ohm</p> <p>2 x 750 WRMS @ 2 ohm</p> <p>2 x 1150 WRMS @ 1 ohm</p>	<b>EUR 3.499,00</b>
	<b>GZPA Reference 4 PURE</b>	4037072014631	<p>4 Channel PURE High End SQ Class AB Amp</p> <p>Direct signal symmetrical dual 2 channel</p> <p>4 x 150 WRMS @ 4 ohm</p> <p>4 x 270 WRMS @ 2 ohm</p> <p>4 x 425 WRMS @ 1 ohm</p>	<b>EUR 3.499,00</b>




## 2.2 PLUTONIUM

	<b>GZPA 1.4K-HCX</b>	4037072014600	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1200 / 2400 / 4000 WRMS	<b>EUR 749,00</b>
	<b>GZPA 1.6K-HCX</b>	4037072014617	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1700 / 3200 / 5800 WRMS	<b>EUR 1.399,00</b>
	<b>GZPA 1.10K-HCX</b>	4037072014952	1 Channel Class D Monoamp Output power 4/2/1 Ohm 3200 / 5900 / 10500 WRMS	<b>EUR 2.699,00</b>







## 2.3 NUCLEAR

	<b>GZNA 1.2550DXII</b>	4037072013993	1 Channel Class D Monoamp Output power @ 4/2/1 Ohm 850 / 1500 / 2400 WRMS	<b>EUR 649,00</b>
	<b>GZNA 2850XII</b>	4037072014006	2 Channel Class AB amplifier 2 x 450WRMS @ 4 ohm 2 x 850WRMS @ 2 ohm 2 x 1300WRMS @ 1 ohm	<b>EUR 649,00</b>
	<b>GZNA 4330XII</b>	4037072014013	4 Channel Class AB amplifier 4 x 200WRMS @ 4 ohm 4 x 350WRMS @ 2 ohm 4 x 550WRMS @ 1 ohm	<b>EUR 649,00</b>

## 2.4 URANIUM

	<b>GZUA 2.250SQ-PLUS</b>	4037072016857	2 Channel SQ-Plus Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	<b>EUR 599,00</b>
	<b>GZUA 4.150SQ-PLUS</b>	4037072016864	4 Channel SQ-Plus Class AB amplifier 4x 110WRMS @ 4 ohm 4 x 190WRMS @ 2 ohm	<b>EUR 599,00</b>
	<b>GZUA 6.200SQ-PLUS</b>	4037072016871	6 Channel SQ-Plus Class AB amplifier 4 x 110WRMS & 2x 160WRMS @ 4 ohm 4 x 160WRMS & 2x 280WRMS @ 2 ohm	<b>EUR 999,00</b>

**2.5 HYDROGEN**

	<b>GZHA 1.1850DXII</b>	4037072013764	1 Channel Class D Monoamp Output power 4/2/1 Ohm 700 / 1200 / 1850 WRMS	<b>EUR 479,00</b>
	<b>GZHA 2400XII</b>	4037072013832	2 Channel Class AB amplifier 2 x 270WRMS @ 4 ohm 2 x 480WRMS @ 2 ohm 2 x 750WRMS @ 1 ohm	<b>EUR 399,00</b>
	<b>GZHA 4200XII</b>	4037072013740	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 200WRMS @ 2 ohm	<b>EUR 379,00</b>
	<b>GZHA MINI ONE</b>	4037072016086	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	<b>EUR 199,00</b>
	<b>GZHA MINI TWO</b>	4037072016093	2 Channel Class AB amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	<b>EUR 199,00</b>
	<b>GZHA MINI FOUR</b>	4037072016109	4 Channel Class AB amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 249,00</b>



**2.6 RADIOACTIVE**

	<b>GZRA 1.1650DX</b>	4037072016314	1 Channel Class D Monoamp Output power 4/2/1 Ohm 650 / 1250 / 1800 WRMS	<b>EUR 399,00</b>
	<b>GZRA 1.2500DX</b>	4037072016307	1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1400 / 2200 WRMS	<b>EUR 549,00</b>
	<b>GZRA 2255X</b>	4037072016529	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	<b>EUR 199,00</b>
	<b>GZRA 4230X</b>	4037072016291	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	<b>EUR 299,00</b>
	<b>GZRA MICRO ONE</b>	4037072014341	1 Channel Micro Class D Monoamp Output power 4/2 Ohm 220 / 350 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 249,00</b>
	<b>GZRA MICRO FOUR</b>	4037072014358	4 Channel Micro Class AB amplifier 4 x 60WRMS @ 4 ohm 4 x 100WRMS @ 2 ohm Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	<b>EUR 249,00</b>







**2.7 TITANIUM**

	<b>GZTA 1.800DX-II</b>	4037072016147	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	<b>EUR 229,00</b>
	<b>GZTA 1.1200DX-II</b>	4037072016048	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 800 / 1300 WRMS	<b>EUR 299,00</b>
	<b>GZTA 2155X-II</b>	4037072016376	2 Channel Class AB amplifier 2 x 100WRMS @ 4 ohm 2 x 150WRMS @ 2 ohm	<b>EUR 149,00</b>
	<b>GZTA 4125X-II</b>	4037072016352	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 239,00</b>
	<b>GZTA 1.800DXII-24V</b>	4037072016161	24 Volt 1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	<b>EUR 299,00</b>
	<b>GZTA 4125XII-24V</b>	4037072016178	24 Volt 4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	<b>EUR 249,00</b>
	<b>GZTA 5120X-II</b>	4037072016062	5 Channel Class AB amplifier 4 x 50WRMS & 1 x 180WRMS @ 4 ohm 4 x 70WRMS & 1 x 260WRMS @ 2 ohm	<b>EUR 299,00</b>

**2.8 IRIDIUM**

	<b>GZIA 1.600HPX-II</b>	4037072015935	1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 600 WRMS	<b>EUR 169,00</b>
	<b>GZIA 1.1000DX-II</b>	4037072015911	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 650 / 1000 WRMS	<b>EUR 199,00</b>
	<b>GZIA 1.1450DX-II</b>	4037072015973	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 750 / 1250 WRMS	<b>EUR 289,00</b>
	<b>GZIA 2080HPX-II</b>	4037072015669	2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 80WRMS @ 2 ohm	<b>EUR 99,00</b>
	<b>GZIA 2130HPX-II</b>	4037072015959	2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 130WRMS @ 2 ohm	<b>EUR 129,00</b>
	<b>GZIA 2235HPX-II</b>	4037072015683	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 235WRMS @ 2 ohm	<b>EUR 159,00</b>
	<b>GZIA 4115HPX-II</b>	4037072015706	4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 115WRMS @ 2 ohm	<b>EUR 179,00</b>

**2.9 COMPETITION**

	<b>GZCA 1.2K-SPL</b>	4037072016888	1 Channel Class D Monoamp Output power 2/1 Ohm 675 / 1350 WRMS	<b>EUR 329,00</b>
	<b>GZCA 3.0K-SPL</b>	4037072016895	1 Channel Class D Monoamp Output power 2/1 Ohm 1800 / 3400 WRMS	<b>EUR 549,00</b>
	<b>GZCA 5.0K-SPL</b>	4037072016901	1 Channel Class D Monoamp Output power 2/1 Ohm 2800 / 5600 WRMS	<b>EUR 879,00</b>
	<b>GZCA 8.0K-SPL</b>	4037072016918	1 Channel Class D Monoamp Output power 2/1 Ohm 4480 / 8960 WRMS	<b>EUR 999,00</b>
	<b>GZCA 12K-SPL</b>	4037072016925	1 Channel Class D Monoamp Output power 2/1 Ohm 9000 / 13700 WRMS	<b>EUR 1.499,00</b>
	<b>GZCA 35K-SPL</b>	4037072016932	1 Channel Class D Competition Monoamp Output power 1 Ohm 35000 WRMS (12.6 V)	<b>EUR 3.999,00</b>

3. SOUND UPGRADE				
3.1				
	<b>GZDSP 6-8X</b>	4037072015393	<p>Digital Sound Processor 6 in / 8 out  High- / and low-level inputs / DC-Auto-On at high-level-in  TOSLINK input (optical 12 ~ 96 kHz) / 3.5 mm jack stereo AUX-Input  6 x 31 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 20000 Hz  2 x 11 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 200 Hz  Time delay correction 0 ~ 15 ms / 0 ~ 510 cm  Adjustable Butterworth HPF / LPF / BPF with 6 - 48 dB slope  Phase shift each channel 0 / 180°  10 presets individually programmable</p>	<b>EUR 349,00</b>
	<b>GZDSP 4.80AMP</b>	4037072017878	<p>4-Channel amplifier  with integrated signal processor (DSP)  High efficient 2 Ohm stable class D amplifier  6-channel line input (RCA) and high-level input (with auto-on function)  4-channel line output (RCA)  Plug for optional wireless music streaming interface (GZDSP BT-Box)  TOSLINK input (sampling rate up to 24-bit/96 kHz)  AUX input (3.5 mm socket)  Integrated DSP (GZDSP 6-8X)  4x 80 / 130 Watts RMS @ 4 / 2 Ohm load  Optional remote control (GZDSP Remote / GZDSP Touch-Remote)</p>	<b>EUR 499,00</b>
	<b>GZDSP Remote</b>	4037072015553	<p>Remote control for GZDSP 6-8X  Master volume control  Sub-out volume control  Input mode selection  Preset selection</p>	<b>EUR 65,00</b>
	<b>GZCS 4.60ISO</b>	4037072010251	<p>High efficient plug and play analog amplifier  4 x 70 W @ 4 ohm  4 x 90 W @ 2 ohm  3-channel mode 4 x 70 and 1 x 180W @ 4 ohm</p>	<b>EUR 279,00</b>
	<b>GZDSP 4.60ISO</b>	4037072017731	<p>4-Channel upgrade amplifier (ISO)  with integrated signal processor (DSP)  High efficient 2 Ohm stable class D amplifier  High-level input (with auto-on function)  2-channel line output (RCA)  Plug for optional wireless music streaming interface (GZDSP BT-Box)  TOSLINK input (sampling rate up to 24-bit/96 kHz)  AUX input (3.5 mm socket)  1 m / 3.28 ft cable harness included  Integrated DSP (GZDSP 6-8X)  4x 40 / 60 Watts RMS @ 4 / 2 Ohm load  Optional remote control (GZDSP Remote / GZDSP Touch-Remote)</p>	<b>EUR 449,00</b>
	<b>GZCS ISO-Quadlock</b>	4037072014266	<p>ISO-QUADLOCK Adapter  for ISO connected plug and play amplifiers  High quality copper cable  for VW / Audi / BMW / Mercedes etc.  until 2013</p>	<b>EUR 45,00</b>
	<b>GZCS ISO-Quadlock II</b>	4037072015768	<p>ISO-QUADLOCK II Adapter  for ISO connected plug and play amplifiers  High quality copper cable  for VW / Audi / BMW / Mercedes etc.  from 2013 on</p>	<b>EUR 49,00</b>







	<b>GZTB 20ACT</b>	4037072015720	20 cm / 8" flat active subwoofer Stron plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	<b>EUR 199,00</b>
	<b>GZUB 600XACTII</b>	4037072015744	16 cm / 6" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	<b>EUR 249,00</b>
	<b>GZUB 800XACTII</b>	4037072013894	20 cm / 8" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 120 WRMS / 180 WMAX with bass remote and High-Level input with auto-on 6,8 cm / 0.268" height	<b>EUR 279,00</b>
	<b>GZUB 1000XACTII</b>	4037072013900	25 cm flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 150 WRMS / 210 WMAX with bass remote and High-Level input with auto-on 7,8 cm / 0.307" height	<b>EUR 349,00</b>
	<b>GZCS 10SUB</b>	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	<b>EUR 179,00</b>
	<b>GZCS 10SUB-ACT</b>	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	<b>EUR 299,00</b>

	<b>GZBR 200BMW</b>	4037072007282	BMW Mounting bracket for 20cm woofer Made for GZMW 200NEO; 2pcs. in set	<b>EUR 39,00</b>
	<b>GZCS 200BMW-SW</b>	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	<b>EUR 329,00</b>
	<b>GZCS 100BMW-A</b>	4037072016758	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-B</b>	4037072016765	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-C</b>	4037072016772	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100BMW-D</b>	4037072016789	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 100MINI-A</b>	4037072016796	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	<b>EUR 279,00</b>
	<b>GZCS 8.7CX</b>	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	<b>EUR 39,00</b>
	<b>GZCS 46CX</b>	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	<b>EUR 59,00</b>
	<b>GZCS 12CX</b>	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	<b>EUR 54,00</b>

4. SUBWOOFERBOXES				
<b>4.1 URANIUM</b>				
	<b>GZUB 30SQ</b>	4037072010732	Sealed SQ box incl. GZUW 12SQX 1 x 30 cm / 12", 600 WRMS 2x2 ohm Handmade in Europe, 25 mm MDF Stable and lightweight paper cone, Audiophile POLYCOT spider	<b>EUR 339,00</b>
<b>4.2 RADIOACTIVE</b>				
	<b>GZRB 3000XSPL</b>	4037072014402	SPL bass tunnel box incl. GZRW 30XSPL-D2 1 x 30 cm / 12", 1500W SPL Power, 2x2 ohm Front bass tunnel enclosure with 65 Liter / 2.295 cu.ft	<b>EUR 379,00</b>
<b>4.3 IRIDIUM</b>				
	<b>GZIB 200XBR</b>	4037072017830	Front bass tunnel box - 20 cm / 8" woofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	<b>EUR 119,00</b>
	<b>GZIB 300XBR</b>	4037072017854	Front basstunnel box - 30 cm / 12" Woofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	<b>EUR 165,00</b>
	<b>GZIB 2.300BR</b>	4037072011197	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	<b>EUR 279,00</b>
	<b>GZIB 3000SPL</b>	4037072014709	Bass tunnel SPL box incl. GZIW 12SPL 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	<b>EUR 219,00</b>
	<b>GZIB 2.3000SPL</b>	4037072015089	SPL bass tunnel box incl. 2 x GZIW 12SPL 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	<b>EUR 449,00</b>

	<b>GZIB 165BR-ACT</b>	4037072016574	Active front bass tunnel box - 16,5 cm / 6.5" Build in high power amp 80 WRMS / 150 WMAX High-level input with auto-on	<b>EUR 199,00</b>
	<b>GZIB 200XBR-ACT</b>	4037072017847	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	<b>EUR 249,00</b>
	<b>GZIB 300XBR-ACT</b>	4037072017861	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	<b>EUR 279,00</b>
	<b>GZ BASS KIT 12.300</b>	4037072016031	Bass Kit incl. GZBA 2.300 amp 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	<b>EUR 229,00</b>
	<b>GZ BASS KIT 12.300 incl. Cable</b>	4037072016437	Bass Kit incl. GZBA 2.300 amp & GZPK 10XLC 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm <sup>2</sup> / 8 AWG wiring kit	<b>EUR 254,00</b>

5. SUBWOOFER				
5.1 PLUTONIUM				
	<b>THE GERMANATOR</b>	4037072016963	33" ÜBERWOOFER by Ground Zero More Details coming soon...	<b>EUR 5.995,00</b>
	<b>GZPW 12SPL EXTREME</b>	Not fixed yet	30 cm / 12" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Handmade in Europe Carbon sandwich cone, 4x spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	<b>EUR 1.699,00</b>
	<b>GZPW 15SPL EXTREME</b>	4037072003581	38 cm / 15" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 46,7 Hz, Qts 0.31, SPL 92 dB	<b>EUR 2.499,00</b>
	<b>GZPW 18SPL EXTREME</b>	4037072003598	46 cm / 18" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 45.1 Hz, Qts 0.31, SPL 92 dB	<b>EUR 2.899,00</b>
	<b>GZPW 10SPL</b>	4037072007916	25 cm / 10" Subwoofer, 6500 W SPL Power 2 x 1.6 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 51.7 Hz, Qts 0.40, SPL 89.7dB	<b>EUR 899,00</b>
	<b>GZPW 12SPL</b>	4037072000108	30 cm / 12" Subwoofer, 6500 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.9 Hz, Qts 0.40, SPL 92.2dB	<b>EUR 1.199,00</b>
	<b>GZPW 15SPL</b>	4037072001952	38 cm / 15" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.1 Hz, Qts 0.23, SPL 92.8 dB	<b>EUR 1.899,00</b>
	<b>GZPW 18SPL</b>	4037072002065	46 cm / 18" Subwoofer, 10000 W SPL power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 34.0 Hz, Qts 0.26, SPL 95.1 dB	<b>EUR 2.099,00</b>
	<b>GZPW 21SPL</b>	4037072016970	54 cm / 21" Subwoofer, 10000 W SPL power 2 x 1 ohm, 130 mm / 5" flat wire voice coil Fibre reinforced paper cone, progressive multilayer spider Massive aluminium cast basket, high-roll sandwich surround 10 mm² / 7 AWG connection cable Fs 34.5 Hz, Qts 0.55, SPL 92 dB, xmax 50 mm / 2"	<b>EUR 1.399,00</b>
	<b>GZPW 15 LIMITED</b>	4037072016970		





**GZPW 15Xmax**

4037072017403




38 cm / 15" Subwoofer, 6000 WRMS  
2 x 1 ohm, 100 mm / 4" CCA US-made voice coil,  
Massive aluminum cone, 4x Nomex spider  
Fs 33.3 Hz, Qts 0.44

**EUR 1.199,00**




**5.2 NUCLEAR**

	<b>GZNW 12Xmax</b>	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	<b>EUR 699,00</b>
	<b>GZNW 15Xmax</b>	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	<b>EUR 899,00</b>






**5.3 URANIUM**

	<b>GZUW 8SQ</b>	4037072010466	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 44.5 Hz, Qts 0.46, SPL 86 dB	<b>EUR 179,00</b>
	<b>GZUW 10SQX</b>	4037072012767	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 46.7 Hz, Qts 0.62, SPL 86 dB	<b>EUR 199,00</b>
	<b>GZUW 12SQX</b>	4037072008609	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 33.8 Hz, Qts 0.63, SPL 88 dB	<b>EUR 249,00</b>

**5.4 HYDROGEN**

	<b>GZHW 30SPL</b>	4037072017434	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44	<b>EUR 339,00</b>
<p style="color: red;">Pic coming soon</p>	<b>GZHW 30SPL GOLD</b>	4037072017434	Gold Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability	<b>EUR 349,00</b>
	<b>GZHW 38SPL</b>	4037072017441	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52	<b>EUR 449,00</b>
	<b>GZHW 18XSPL-D1</b>	4037072015348	46 cm / 18" Subwoofer, 4000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Reinforced Paper Cone, massive triple magnet, double spider Fs 34.3 Hz, Qts 0.381, SPL 92 dB	<b>EUR 499,00</b>




	<b>GZHW 20X</b>	4037072001815	20 cm / 8" Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 36 Hz, Qts 0.35, SPL 82 dB	<b>EUR 219,00</b>
	<b>GZHW 25X</b>	4037072001822	25 cm / 10" Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 27.1 Hz, Qts 0.37, SPL 84 dB	<b>EUR 249,00</b>
	<b>GZHW 30X</b>	4037072001839	30 cm / 12" Subwoofer, 800 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Aluminum cone, high x-max Connex spider Fs 23.5 Hz, Qts 0.33, SPL 86 dB	<b>EUR 299,00</b>
	<b>GZUP 10</b>	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	<b>EUR 99,00</b>
	<b>GZUP 12</b>	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	<b>EUR 119,00</b>

**5.5 RADIOACTIVE**

	<b>GZRW 30XSPL-D2</b>	4037072013696	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 36.1 Hz, Qts 0.591, SPL 86 db	<b>EUR 199,00</b>
	<b>GZRW 38XSPL-D2</b>	4037072015119	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 33.5 Hz, Qts 0.62, SPL 88 db	<b>EUR 279,00</b>
	<b>GZRW 8FL</b>	4037072015379	20 cm / 8" neodymium flat woofer, 150 WRMS 2 Ohm, 36 mm / 1.42" round wire copper voice coil High-strength extremely flat IMPP cone Resonance free steel basket Fs 45.3 Hz, Qts 0.938, SPL 85 dB Mounting depth 55 mm / 2.17"	<b>EUR 149,00</b>
	<b>GZRW 10D2</b>	4037072012408	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34 Hz, Qts 0.61, SPL 83.2 dB	<b>EUR 139,00</b>
	<b>GZRW 10D4</b>	4037072012415	25 cm / 10" Subwoofer, 600 WRMS 2 x 4 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34.6 Hz, Qts 0.63, SPL 83.1 dB	<b>EUR 139,00</b>
	<b>GZRW 15D2</b>	4037072013931	38 cm / 15" Subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 23.58 Hz, Qts 0.439, SPL 88 dB	<b>EUR 229,00</b>









**5.6 TITANIUM**

**5.7 IRIDIUM**

	<b>GZIW 165X-II</b>	4037072017755	16.5 cm / 6.5" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, IMPP-cone, high-roll rubber surround, push terminals Fs 41.5 Hz, Qts 0.45, SPL 85.5 dB	<b>EUR 49,00</b>
	<b>GZIW 200X-II</b>	4037072017762	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 39.9 Hz, Qts 0.52, SPL 87 dB	<b>EUR 69,00</b>
	<b>GZIW 250X-II</b>	4037072017779	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 32.7 Hz, Qts 0.49, SPL 87 dB	<b>EUR 89,00</b>
	<b>GZIW 300X</b>	4037072006087	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 34.9 Hz, Qts 0.69, SPL 87 dB	<b>EUR 119,00</b>
	<b>GZIW 10SPL</b>	4037072016215	25 cm / 10" Subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 40.8 Hz, Qts 0.62, SPL 84 dB	<b>EUR 129,00</b>
	<b>GZIW 12SPL</b>	4037072014419	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB	<b>EUR 139,00</b>
	<b>GZIW 12SPL PINK EDITION</b>	4037072015867	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Pink colored basket, stitch and GZ logo	<b>EUR 139,00</b>
	<b>GZIW 15SPL</b>	4037072016222	38 cm / 15" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 39,9 Hz, Qts 0.54, SPL 91 dB	<b>EUR 229,00</b>

6. SPEAKERS				
6.1 REFERENCE				
	<b>GZPM Reference 80</b>	4037072013788	8 cm / 3.15" High End SQ midrange Handmade in Europe and selected in pairs 4 ohm, 80 / 120 W, 150 Hz - 6 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	<b>EUR 1.299,00</b>
	<b>GZMW Reference 180</b>	4037072014242	18 cm / 7.09" High End SQ kick- / midwoofer Handmade in Europe and selected in pairs 4 ohm, 100 / 150 W, 40 Hz - 3.5 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	<b>EUR 1.798,00</b>
	<b>GZPW Reference 250</b>	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet Delivered in Made in Germany wooden-box	<b>EUR 1.499,00</b>
	<b>GZPT Reference 28</b>	4037072007695	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminum housing 2-Layer hand-coated silkdome Linearised dual-neodymium motor Delivered in Made in Germany wooden-box	<b>EUR 1.099,00</b>
	<b>GZPT Reference 28 GOLD</b>	4037072007695	GZPT 28 Reference Limited 24 K plated Gold Edition Handmade in Germany by Michael Feld	<b>n/a</b>
	<b>GZSP 28-TW</b>	4037072014891	Machined aluminum tweeter housing For GZPT 28SX / GZPT Reference 28 / GZPT Reference 28B Including swiveling mounting accessories	<b>EUR 249,00</b>
	<b>GZSP 80-MID</b>	4037072014907	Machined aluminum tweeter housing For GZNM 80SQ / GZPM 80SQX 320 ml net volume Including two different swiveling mounting accessories	<b>EUR 599,00</b>

**6.2 PLUTONIUM**

	<b>GZPT 28SX</b>	4037072008791	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	<b>EUR 599,00</b>
	<b>GZPT 28SX CHROME EDITION</b>	4037072016642	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Chrome coated CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	<b>EUR 599,00</b>
	<b>GZPM 80SQX</b>	4037072012491	8 cm / 3.15" High End SQ midrange Made in Germany 4 Ohm, 70 / 110 W, 150 Hz - 4 kHz, Mounting depth 34 mm / 1.34" Magnesium cone, Neodymium magnet Delivered in Made in Germany wooden-box	<b>EUR 379,00</b>
	<b>GZPK 16SQ</b>	4037072012750	16,5 cm / 6.5" High End SQ kick- / midwoofer Made in Germany 4 Ohm, 130 / 210 W, 30 Hz - 3 KHz, Alu-ceramic cone, linearised ferrit motor Delivered in Made in Germany wooden-box	<b>EUR 499,00</b>
	<b>GZPX 165SQ</b>	4037072012941	High End 2 way crossover 1set passive crossover for GZPK 16SQ & GZPT 28SX Mundorf capacitors, MOX resistors <i>Delivered in Made in Germany wooden-box</i>	<b>EUR 349,00</b>
	<b>GZPX 16.3SQ</b>	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZPK 16SQ & GZPT 28SX & GZPM 80SQX Mundorf capacitors, MOX resistors, Bi-Amping Delivered in Made in Germany wooden-box	<b>EUR 449,00</b>
	<b>GZPC 165SQ</b>	4037072012736	16,5 cm / 6.5" High End SQ 2 way compo Made in Germany 4 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPT 28SX / GZPX 165SQ packed together in one wooden-box.	<b>EUR 1.399,00</b>
	<b>GZPC 16.3SQ</b>	4037072012927	16,5 cm / 6.5" High End SQ 3 way compo Made in Germany 3 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPM 80SQX / GZPT 28SX / GZPX 16.3SQ packed together in one wooden-box.	<b>EUR 1.499,00</b>
	<b>GZPC 165SQ-ACT</b>	4037072012910	16,5 cm/6.5" High End SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPT 28SX packed together in one wooden-box.	<b>EUR 1.099,00</b>
	<b>GZPC 16.3SQ-ACT</b>	4037072012934	16,5 cm/6.5" High End SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPM 80SQX, GZPT 28SX packed together in one wooden-box.	<b>EUR 1.249,00</b>

6.3 NUCLEAR				
	<b>GZNC 1650SQ</b>	4037072014587	16,5 cm / 6.5" SQ 2 way compo system Made in Germany 4 ohm, 150 / 250 W, 40 Hz - 26 kHz Coated paper cone, linearised ferrit motor 25 mm / 1" SQ Silkdome tweeter Black anodized CNC machined aluminum housing	<b>EUR 799,00</b>
	<b>GZNK 165SQ</b>	4037072014280	16,5 cm / 6.5" SQ kick- / midwoofer Made in Germany 4 ohm, 130 / 200 W, 40 Hz - 3 kHz Coated paper cone, linearised ferrit motor	<b>EUR 329,00</b>
	<b>GZNM 80SQ</b>	4037072012446	8 cm / 3.15" SQ midrange Made in Germany 4 ohm, 60 / 100 W, 150 Hz - 5 KHz Mounting depth 34 mm / 1.34" Coated paper cone, linearised neodymium motor	<b>EUR 259,00</b>
	<b>GZNT 25SQ</b>	4037072014273	25 mm / 1" SQ silkdome tweeter Made in Germany 4 ohm, 80 / 130 W, Fs 750 Hz, coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome	<b>EUR 379,00</b>
	<b>GZPX 16.3SQ</b>	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZNK 165SQ & GZNM 80SQ & GZNT 25SQ Mundorf capacitors, MOX resistors, Bi-Amping Delivered in Made in Germany wooden-box	<b>EUR 449,00</b>
6.4 URANIUM				
	<b>GZUC 65.3SQX</b>	4037072018103	Semi-active 3-way compo speaker system includes GZUC 650SQX and GZUF 60SQX	<b>EUR 549,00</b>
	<b>GZUC 650SQ-II</b>	4037072015591	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 130 / 210 W, 40 Hz - 24 KHz WFWC® "Wooden Fiber Woven Compound" cone 25 mm / 1" Silkdome tweeter with coupled chamber	<b>EUR 299,00</b>
	<b>GZUC 650SQX</b>	4037072015232	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 220 W, 40 Hz - 25 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Airflow optimized aluminum cast basket 25 mm / 1" Silkdome tweeter with coupled chamber and machined aluminum housing	<b>EUR 379,00</b>
	<b>GZUK 65SQX</b>	4037072015256	16,5 cm / 6.5" SQ kick- / midwoofer 4 ohm, 120 / 200 W, 40 Hz - 4 KHz WFWC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Pushterminal, Airflow optimized aluminum cast basket	<b>EUR 199,00</b>
	<b>GZUT 25SQX</b>	4037072014914	25 mm / 1" SQ silkdome tweeter 4 ohm, 70 / 120 W, Fs 750 Hz, damped coupled chamber	<b>EUR 119,00</b>



**GZUF 60SQX**

4037072017687

6 cm / 2.36" SQ mid- / fullrange  
4 ohm, 50 / 80W, 300 - 20 KHz  
Black anodized aluminum cone  
Neodymium magnet, copper cap  
Resonance free fiber composite basket

**EUR 179,00**



6.5 COMPETITION PRO				
	<b>GZCM 6.5N-PRO</b>	4037072017274	165 mm / 6.5" competition pro midrange 4 ohm, 200 / 400 W, SPL 96 dB, 150 Hz - 12 KHz 38 mm / 1.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	<b>EUR 129,00</b>
	<b>GZCM 8.0N-PRO</b>	4037072017298	200 mm / 8" competition pro midrange 4 ohm, 300 / 500 W, SPL 98 dB, 130 Hz - 10 KHz 63 mm / 2.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	<b>EUR 189,00</b>
	<b>GZCT 19N-PRO S</b>	4037072017502	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - silver price per piece	<b>EUR 119,00</b>
	<b>GZCT 19N-PRO B</b>	4037072017519	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - black price per piece	<b>EUR 119,00</b>
	<b>GZCW 12.1200-PRO</b>	4037072017724	High power midwoofer 4 Ohm, 800 / 1200 W, SPL 96 dB, 60 - 2800 Hz 100 mm / 4" 2-layer copper round wire "inside/outside" voice coil Fiber reinforced paper cone Aluminum cast basket price per piece	<b>EUR 399,00</b>
6.5 COMPETITION				
	<b>GZCW 12-50</b>	4037072012637	30 cm / 12" competition woofer 4 ohm, 300 / 600 W, SPL 96 dB, 50 Hz - 3 KHz 2-layer 50 mm / 2" copper round wire voice coil Fiber reinforced paper cone, steel basket price per piece	<b>EUR 109,00</b>
	<b>GZCW 12-75SPL</b>	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket price per piece	<b>EUR 219,00</b>
	<b>GZCM 6-4FX</b>	4037072015355	16,5cm / 6,5" flat competition midrange 4 ohm, 100 / 250 W, SPL 94 dB, 160 Hz - 5 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	<b>EUR 59,00</b>
	<b>GZCM 6-4PPX</b>	4037072014488	16,5cm / 6,5" competition midrange 4 ohm, 150 / 400 W, SPL 95 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	<b>EUR 89,00</b>
	<b>GZCM 8-4FX</b>	4037072012231	20 cm / 8" flat competition midrange 4 ohm, 100 / 400 W, SPL 94 dB, 150 Hz - 4 KHz 38 mm / 1,5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	<b>EUR 79,00</b>





**GZCM 8-4PPX**

4037072012248

20 cm / 8" competition midrange  
4 ohm, 200 / 500 W, SPL 96 dB, 150 Hz - 10 KHz  
50 mm / 2" copper-clad aluminum round wire voice coil  
Fiber reinforced paper cone  
Aluminum cast basket and phaseplug  
price per piece

**EUR 109,00**

	<b>GZCM 10-4FX</b>	4037072012255	25 cm / 10" flat competition midrange 4 ohm, 200 / 500 W, SPL 96 dB, 120 Hz - 5 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	<b>EUR 109,00</b>
	<b>GZCM 10-4PPX</b>	4037072012262	25 cm / 10" competition midrange 4 ohm, 300 / 600 W, SPL 96 dB, 120 Hz - 5 KHz 75 mm / 3" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	<b>EUR 169,00</b>
	<b>GZCF 7104XSPL</b>	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	<b>EUR 149,00</b>
	<b>GZCF 165COAX</b>	4037072014501	16,5 cm 6,5" competition 2 way coax speaker 4 ohm, 125 / 300 W, SPL 100 dB, 180 Hz - 25 KHz 40 mm / 1.57" copper-clad aluminum round wire voice coil 35 mm / 1.38" PEN dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket Including 6 dB crossover price per piece	<b>EUR 139,00</b>
	<b>GZCF 200COAX</b>	4037072012279	20 cm / 8" competition 2 way coax speaker 4 ohm, 200 / 400 W, SPL 100 dB, 150 Hz - 25 KHz 50 mm / 2" copper-clad aluminum round wire voice coil 44.5 mm / 1.75" Titanium dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket including 6 dB crossover price per piece	<b>EUR 149,00</b>
	<b>GZCK 165SPL</b>	4037072015218	16,5 cm / 6.5" competition kick- / midwoofer 4 ohm, 100 / 250 W, SPL 93 dB, 50 Hz - 4 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	<b>EUR 59,00</b>
	<b>GZCK 200SPL</b>	4037072015492	20 cm / 8" competition kick- / midwoofer 4 ohm, 150 / 300 W, SPL 93 dB, 50 Hz - 6 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	<b>EUR 79,00</b>
	<b>GZCK 250SPL</b>	4037072017250	25 cm / 10" competition kick- / midwoofer 4 ohm, 200 / 400 W, SPL 95 dB, 40 Hz - 6 KHz, 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	<b>EUR 109,00</b>

	<b>GZCT 25SQL</b>	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink price per piece	<b>EUR 49,00</b>
	<b>GZCT 0500X</b>	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 69,00</b>
	<b>GZCT 2000X</b>	4037072012187	79 x 79 mm / 3.1 x 3.1" High power compression tweeter 4 ohm, 30 / 100 W, SPL 100 dB, 3- 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 34,00</b>
	<b>GZCT 2200X</b>	4037072012194	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1,8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 84,00</b>
	<b>GZCT 3500X-B</b>	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 25,00</b>
	<b>GZCT 3500X-S</b>	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 25,00</b>
	<b>GZCT 1000X</b>	4037072017236	100 x 75 mm / 4" x 3" Compression tweeter 4 ohm, 30 / 100 W, SPL 105 dB, 5 - 20 KHz 25 mm / 1" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 39,00</b>
	<b>GZCT 4000X</b>	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 69,00</b>
	<b>GZCT 5000SPL</b>	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 109,00</b>
	<b>GZCT 5000SPL-B</b>	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	<b>EUR 109,00</b>

**6.6 RADIOACTIVE**

	<b>GZRC 100NEO-IV</b>	4037072016987	<p>10 cm / 4" HQ flat 2 way compo system                      3 ohm, 80 / 120 W, 80 Hz - 26 KHz                      High efficient inside neodymium magnet                      Coated paper cone, rubber surround                      25 mm / 1" Titanium dome tweeter                      Easy to install in-line crossovers                      Mounting depth 31 mm / 1.22"                      Including surface-mounted housing GZTH 25B</p>	<b>EUR 199,00</b>
	<b>GZRC 130AL-IV</b>	4037072016703	<p>13 cm / 5.25" HQ 2 way compo system                      3 ohm, 100 / 160 W, 60 Hz - 26 KHz                      Aluminum cone, rubber surround, Nomex spider                      Copper cap for impedance linearizing, high efficient voice coil                      25 mm / 1" Titanium dome tweeter                      Easy to install in-line crossovers                      Including surface-mounted housing GZTH 25B</p>	<b>EUR 185,00</b>
	<b>GZRC 165AL-IV</b>	4037072016444	<p>16,5 cm / 6.5" HQ 2 way compo system                      3 ohm, 120 / 190 W, 35 Hz - 26 KHz                      Aluminum cone, rubber surround, Nomex spider                      Copper cap for impedance linearizing, high efficient voice coil                      25 mm / 1" Titanium dome tweeter                      Easy to install in-line crossovers                      Including surface-mounted housing GZTH 25B</p>	<b>EUR 199,00</b>
	<b>GZRC 165NEO-IV</b>	4037072017311	<p>16,5 cm / 6.5" HQ flat 2 way compo system                      3 ohm, 110 / 170 W, 50 Hz - 26 KHz                      High efficient inside neodymium magnet                      Coated paper cone, rubber surround                      25 mm / 1" Titanium dome tweeter                      Easy to install in-line crossovers                      Mounting depth 48 mm / 1.89"                      Including surface-mounted housing GZTH 25B</p>	<b>EUR 299,00</b>
	<b>GZTH 25B</b>	4037072016482	<p>High quality surface-mounted housing - 1 pair                      Plastic injection housing with black rubber-touch surface finish                      Suitable for: GZRT 25T, GZUT 25SQ*, GZNT 25SQ*, GZRC165AL*,                      GZRC AL-IV series**, GZRC NEO-IV**                      *diameter may vary - individual installation possible                      **GZTH 25B already included in delivery</p>	<b>EUR 14,00</b>
	<b>GZTH 25W</b>	4037072017007	<p>High quality surface-mounted housing - 1 pair                      Plastic injection housing with white surface finish                      Suitable for: GZRT 25T, GZUT 25SQ*, GZNT 25SQ*                      *diameter may vary - individual installation possible                      GZTH 25W included in delivery of GZRC 165AL-White Edition</p>	<b>EUR 14,00</b>
	<b>GZRC 165AL-WHITE</b>	4037072016666	<p>16,5 cm / 6.5" HQ 2 way compo system                      "WHITE EDITION"                      3 ohm, 120 / 190 W, 35 Hz - 26 KHz                      High efficient voice coil                      Aluminum cone, rubber surround, Nomex spider                      Copper cap for impedance linearizing                      25 mm / 1" aluminum dome tweeter, machined aluminum housing                      Including surface-mounted housing GZTH 25W</p>	<b>EUR 249,00</b>
	<b>GZRC 6857X</b>	4037072003079	<p>13 x 18 cm / 5 x 7" 2 way compo system                      4 ohm, 120 / 180 W, 50 Hz - 20 KHz                      Coated paper cone, Resonance free steel basket                      Crossover with variable tweeter level and crossover frequency 25                      mm / 1" silkdome tweeter                      Special size for Ford/ Mazda</p>	<b>EUR 149,00</b>
	<b>GZRC 200NEO-IV</b>	4037072016468	<p>20 cm / 8" HQ flat 2 way compo system                      3 ohm, 120 / 190 W, 35 Hz - 26 KHz                      High efficient inside neodymium magnet                      Coated paper cone, rubber surround                      25 mm / 1" Titanium dome tweeter                      Easy to install in-line crossovers                      Mounting depth 57 mm / 2.24"                      Including surface-mounted housing GZTH 25B</p>	<b>EUR 349,00</b>

	<b>GZRK 16AL</b>	4037072015782	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	<b>EUR 89,00</b>
	<b>GZRT 25T</b>	4037072015881	25 mm / 1" titanium dome tweeter 3 ohm, 70 / 100 W, 3 - 26 KHz With slant housing, accessories and highpass filter (3,3µF capacitor)	<b>EUR 99,00</b>
	<b>GZMW 165X-NEO</b>	4037072017335	16,5 cm / 6.5" extra flat kick- /midwoofer (pair) 3 ohm, 90 / 140 W, 50 Hz - 4 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	<b>EUR 179,00</b>
	<b>GZMW 200X-NEO</b>	4037072015614	20 cm / 8" extra flat kick- / midwoofer (piece) 3 ohm, 100 / 160 W, 35 Hz - 3.5 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	<b>EUR 99,00</b>
	<b>GZHT 25X</b>	4037072008562	25 mm / 1" silk dome tweeter 4 ohm, 60 / 100 W, 3 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	<b>EUR 55,00</b>
	<b>GZRX 2 Way Kick</b>	4037072003994	2 way & kick crossover Universal Kickwoofer-Crossover, to add any Kickwoofer to an existing Speakersystem. Highpass-Filter 90 / 150 Hz Lowpass-Filter 200 / 250 Hz	<b>EUR 109,00</b>
	<b>GZRF 40AL</b>	4037072016253	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	<b>EUR 75,00</b>
	<b>GZRF 52AL</b>	4037072016277	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	<b>EUR 85,00</b>
	<b>GZRF 65AL</b>	4037072015843	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection MTK capacitor	<b>EUR 99,00</b>
	<b>GZRF 69AL</b>	4037072015829	15 x 23 cm / 6" x 9" HQ 3 way coax speaker 3 ohm, 130 / 200 W, 40 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection 50 mm / 2" PEI midrange with overload protection	<b>EUR 129,00</b>



**GZRM 165X**

4037072016413

16,5 cm / 6.5" Marine 2 way coax speaker  
4 ohm, 70 / 120 W, 60 Hz - 25 KHz  
Water repellent and salt water resistant  
Perfect for use at outer decks of yachts or in humid areas  
White IMPP cone  
13 mm / 0.51" PEI tweeter

**EUR 79,00**








6.7 TITANIUM				
	<b>GZTC 165TX</b>	4037072008760	16,5 cm / 6.5" 2 way compo system 4 ohm, 110 / 160 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 25 mm / 1" Silk dome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 139,00</b>
	<b>GZTF 69TX</b>	4037072007541	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz Coated paper cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	<b>EUR 109,00</b>
6.8 IRIDIUM				
	<b>GZIC 13X</b>	4037072014969	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 74,00</b>
	<b>GZIC 16X</b>	4037072014983	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	<b>EUR 79,00</b>
	<b>GZIC 400FX</b>	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	<b>EUR 139,00</b>
	<b>GZIC 525FX</b>	4037072016680	13 cm / 5.25" flat 2 way compo system extra flat only 36 mm / 1.42" mounting depth 4 ohm, 80 / 120 W, 60 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB in-line crossover incl. tweeter protection	<b>EUR 139,00</b>
	<b>GZIC 650FX</b>	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	<b>EUR 159,00</b>
	<b>GZHT 19X</b>	4037072008555	19 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3.5 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	<b>EUR 39,00</b>













	<b>GZIF 40X</b>	4037072015003	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 39,00</b>
	<b>GZIF 52X</b>	4037072015010	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 48,00</b>
	<b>GZIF 65X</b>	4037072015027	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 55,00</b>
	<b>GZIF 69X</b>	4037072015034	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	<b>EUR 79,00</b>
	<b>GZIF 4001FX</b>	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 59,00</b>
	<b>GZIF 5201FX</b>	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 69,00</b>
	<b>GZIF 6501FX</b>	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	<b>EUR 79,00</b>



7. MULTIMEDIA				
7.1				
	<b>GZHP 40-OE</b>	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button ( Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	<b>EUR 59,00</b>
	<b>GZHP 9-IE</b>	4037072013535	In-ear headphone 98 db, 32 ohm, 18 Hz - 22 KHz High quality 9 mm / 0.354" Neodymium speaker, Microphone Control Button ( Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	<b>EUR 34,00</b>
8. ACCESSORIES				
8.1 SPEAKER TEST SYSTEM				
	<b>GZ STS</b>	4037072017373	Audio measurement software Speaker installation test, failure indicator Speaker enclosure measurement, air leak indicator Enclosure tuning identifier Speaker parameter measurement Compact USB interface with molded test leads Compatible with Win XP, Vista, 7, 8 and 10	<b>EUR 149,00</b>
8.2 CAPACITORS				
	<b>GZTC 1.0FX</b>	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	<b>EUR 99,00</b>
8.3 CABLE KITS				
	<b>GZCC 5.1XLC</b>	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	<b>EUR 7,00</b>
	<b>GZCC 5.3X</b>	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	<b>EUR 11,00</b>
	<b>GZCC 0.57X-TP</b>	4037072010770	PI sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	<b>EUR 17,00</b>
	<b>GZCC 1.14X-TP</b>	4037072010787	PI sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	<b>EUR 20,00</b>
	<b>GZCC 3.14X-TP</b>	4037072010794	PI sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	<b>EUR 25,00</b>

	<b>GZCC 5.49X-TP</b>	4037072010800	PI sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	<b>EUR 30,00</b>
	<b>GZCY 30X</b>	4037072008937	Y adapter 1 female in - 2 male out	<b>EUR 3,00</b>
	<b>GZPK 10XLC</b>	4037072008968	10 mm <sup>2</sup> cable kit 5.2 m / 17 ft power cable red 0.8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1.5 m / 4.9 ft speaker cable 60 A AGU fuseholder, various accessories	<b>EUR 25,00</b>
	<b>GZPK 10X</b>	4037072008975	10 mm <sup>2</sup> cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	<b>EUR 29,00</b>
	<b>GZPK 20X</b>	4037072008982	20 mm <sup>2</sup> Cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	<b>EUR 45,00</b>
	<b>GZPK 35X</b>	4037072008999	35 mm <sup>2</sup> cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. Accessories	<b>EUR 75,00</b>
	<b>GZPK 50X</b>	4037072009002	50 mm <sup>2</sup> cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	<b>EUR 99,00</b>

**8.4 CABLE SPOOLS**

	<b>GZPC 10R</b>	4037072009262	Red 10 mm <sup>2</sup> Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm <sup>2</sup> , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	<b>EUR 100,00</b>
	<b>GZPC 10B</b>	4037072009279	Black 10 mm <sup>2</sup> power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm <sup>2</sup> ; 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	<b>EUR 100,00</b>
	<b>GZPC 20R</b>	4037072009286	Red 20 mm <sup>2</sup> power cable spool 50m / 164ft 0.5039400in spool Positive 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 20B</b>	4037072009293	Black 20 mm <sup>2</sup> power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm <sup>2</sup> ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 35R</b>	4037072009309	Red 35 mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Positive 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	<b>EUR 210,00</b>
	<b>GZPC 35B</b>	4037072009316	Black 35 mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 35 mm <sup>2</sup> ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	<b>EUR 210,00</b>
	<b>GZPC 50R</b>	4037072009323	Red 50 mm <sup>2</sup> power cable spool 20m / 65ft 7.401576in spool Positive 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 50B</b>	4037072009330	Black 50 mm <sup>2</sup> power cable spool 20m / 65ft 7.401576in spool Negative 50 mm <sup>2</sup> ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	<b>EUR 200,00</b>
	<b>GZPC 20B - OFC</b>	4037072013337	Black 20mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 20mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 330,00</b>
	<b>GZPC 35B - OFC</b>	4037072013351	Black 35mm <sup>2</sup> power cable spool 30m / 98ft 5.102364in spool Negative 35mm <sup>2</sup> OFC - pure copper High flexibility	<b>EUR 570,00</b>








**GZPC 35Y - OFC**

4037072013344

Yellow 35mm<sup>2</sup> power cable spool  
30m / 98ft 5.102364in spool  
Positive 35mm<sup>2</sup> OFC - pure copper  
High flexibility

**EUR 570,00**

	<b>GZSC 2-0.75</b>	4037072009347	0.75 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*42/0.15CCA - OD 2.4+2.4mm / 0.094"+0.094"	<b>EUR 85,00</b>
	<b>GZSC 2-1.50</b>	4037072009354	1.50 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*85/0.15CCA - OD 3+3mm / 0.118"+0.118"	<b>EUR 135,00</b>
	<b>GZSC 2-2.50</b>	4037072009361	2.50 mm <sup>2</sup> speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*7*20/0.15CCA - OD4.2+4.2mm / 0.165"+0.165"	<b>EUR 240,00</b>
	<b>GZSC 2-4.00</b>	4037072009378	4.00 mm <sup>2</sup> speaker cable spool 100m spool / 328ft 1.007880in Frosted black; 2*7*32/0.15CCA - OD 5+5mm / 0.197"+0.197"	<b>EUR 185,00</b>








	<b>GZSC REF 1.5S-OFC</b>	4037072009996	1.5 mm <sup>2</sup> REFERENCE speaker cable spool 48m spool / 157ft 5.763782in Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 240,00</b>
	<b>GZSC REF 2.5S-OFC</b>	4037072010008	2.5 mm <sup>2</sup> REFERENCE speaker cable spool 39m spool / 127ft 11.43307in Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 312,00</b>
	<b>GZSC REF 4.0S-OFC</b>	4037072010015	4.0 mm <sup>2</sup> REFERENCE speaker cable spool 30m / 98ft 5.102364in spool Pure OFC (99,9997%), with 50% silver plated wires	<b>EUR 390,00</b>
	<b>GZCC REF 157RH</b>	4037072012828	High End REFERENCE RCA cable Rhodium connectors, carbon shell High End OCC wire High purity OFC braiding and silver soldering 1,57 m / 61.81"	<b>EUR 199,00</b>
	<b>GZCC REF 314RH</b>	4037072012835	High End Reference RCA cable Rhodium connectors, carbon shell, High End OCC wire, High purity OFC braiding and silver soldering, 3,14 m / 123.62"	<b>EUR 249,00</b>

## 8.5 DAMPING

	<b>GZDR 1000</b>	4037072008524	Heavy duty wooden roller for damping material	<b>EUR 19,00</b>
	<b>GZDM 1900MC-GOLD</b>	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m <sup>2</sup>	<b>EUR 99,00</b>
	<b>GZDM 1900ML-GOLD</b>	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m <sup>2</sup>	<b>EUR 139,00</b>
	<b>GZDM 3750AB-SILVER</b>	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft <sup>2</sup>	<b>EUR 99,00</b>
	<b>GZDM 3750AB-GOLD</b>	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft <sup>2</sup>	<b>EUR 119,00</b>
	<b>GZDM DOORKIT</b>	4037072016659	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) 8 mm polyethylene foam 4 boxes = 1 master carton	<b>EUR 79,00</b>
	<b>GZDF 1500SA</b>	4037072017021	High efficient viscous-elastic damping material Self-adhesiv formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m <sup>2</sup> / 16.15 ft <sup>2</sup> 4 boxes = 1 master carton	<b>EUR 99,00</b>
	<b>GZDF 400SI</b>	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating poethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m <sup>2</sup> / 40.36 ft <sup>2</sup> 5 boxes = 1 master carton	<b>EUR 79,00</b>

## 8.6 SPEAKER ACCESSORIES











**8.7 PORTS & GRILLS**

	<b>GZAP 80A</b>	4037072006155	Ground Zero Aeroport with 30cm / 12" tube in anthracite	<b>EUR 24,00</b>
	<b>GZAP 80B</b>	4037072006162	Ground Zero Aeroport with 30cm / 12" tube in black	<b>EUR 24,00</b>
	<b>GZAP 80Y</b>	4037072006148	Ground Zero Aeroport with 30cm / 12" tube in yellow	<b>EUR 24,00</b>
	<b>GZMG 38/15</b>	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	<b>EUR 29,00</b>
	<b>GZMG 165/6.5</b>	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	<b>EUR 99,00</b>
	<b>GZBRK 290</b>	4037072006940	8mm bracket for high excursion subwoofers length 290 mm, height 50 mm	<b>EUR 8,00</b>
	<b>GZBRK 425</b>	4037072007336	8 mm bracket for high excursion subwoofers length 425 mm, height 50 mm	<b>EUR 10,00</b>



	<b>GZTG 200T</b>	4037072000566	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 12,00</b>
	<b>GZTG 250T</b>	4037072002126	25 cm / 10" protection grill for 25 cm / 10" woofers	<b>EUR 14,00</b>
	<b>GZTG 300T</b>	4037072001693	30 cm / 12" protection grill for 30 cm / 12" woofers	<b>EUR 16,00</b>
	<b>GZTG 380T</b>	4037072002133	38 cm / 15" protection grill for 38 cm / 15" woofers	<b>EUR 29,00</b>
	<b>GZCG 20SC</b>	4037072008494	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 15,00</b>
	<b>GZRW 8FL Grill</b>	4037072015638	20 cm / 8" protection grill for 20 cm / 8" woofers	<b>EUR 8,00</b>

**8.8 POWER ACCESSORIES**

	<b>GZEQ 4.7X</b>	4037072003154	4-band equalizer & pre-amplifier Adjustable boost frequencies Pre amplifier with adjustable input sensitivity Individual left and right sensitivity / Front and Rear fader Selectable active crossover: LPF: 50 - 250 Hz (SUB) 2x Stereo RCA input (1x Main / 1x Aux) 7 Volt RMS pre-out	<b>EUR 119,00</b>
	<b>GZCV 2.0HL</b>	4037072011326	High-low level converter 1:1 converter	<b>EUR 55,00</b>
	<b>GZFU 40A/2 MANL</b>	4037072011562	Mini ANL fuse 40 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 60A/2 MANL</b>	4037072011579	Mini ANL fuse 60 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 80A/2 MANL</b>	4037072011241	Mini ANL fuse 80 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 100A/2 MANL</b>	4037072011258	Mini ANL fuse 100 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 150A/2 MANL</b>	4037072011265	Mini ANL fuse 150 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 200A/2 MANL</b>	4037072011272	Mini ANL fuse 200 A 2 Pcs in blister	<b>EUR 5,00</b>
	<b>GZFU 100A/1 ANL</b>	4037072011289	ANL fuse 100 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 150A/1 ANL</b>	4037072011296	ANL fuse 150 A 1 Pc in blister	<b>EUR 6,00</b>














**GZFU 200A/1 ANL**

4037072011302

ANL fuse 200 A  
1 Pc in blister

**EUR 6,00**

	<b>GZFU 300A/1 ANL</b>	4037072011319	ANL fuse 300 A 1 Pc in blister	<b>EUR 6,00</b>
	<b>GZFU 400A/1 ANL - SPL</b>	4037072011586	ANL fuse 400 A 1 Pc in blister	<b>EUR 6,00</b>
 10 Pcs.	<b>GZFU 40A/10 MANL</b>	4037072011722	Mini ANL fuse 40 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 60A/10MANL</b>	4037072011739	Mini ANL fuse 60 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 80A/10MANL</b>	4037072011746	Mini ANL fuse 80 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 100A/10MANL</b>	4037072011753	Mini ANL fuse 100 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 150A/10MANL</b>	4037072011760	Mini ANL fuse 150 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 200A/10MANL</b>	4037072011777	Mini ANL fuse 200 A 10 Pcs in poly bag	<b>EUR 11,00</b>
 10 Pcs.	<b>GZFU 100A/10ANL</b>	4037072011784	ANL fuse 100 A 10 Pcs in poly bag	<b>EUR 23,00</b>
 10 Pcs.	<b>GZFU 150A/10ANL</b>	4037072011791	ANL fuse 150 A 10 Pcs in poly bag	<b>EUR 23,00</b>

 <p>10 Pcs.</p>	<b>GZFU 200A/10ANL</b>	4037072011807	ANL fuse 200 A 10 Pcs in poly bag	<b>EUR 23,00</b>
---	------------------------	---------------	--------------------------------------	------------------

 10 Pcs.	<b>GZFU 300A/10ANL</b>	4037072011814	ANL fuse 300 A 10 Pcs in poly bag	<b>EUR 23,00</b>
 10 Pcs.	<b>GZFU 400A/10ANL</b>	4037072011821	ANL fuse 400 A 10 Pcs in poly bag	<b>EUR 27,00</b>
	<b>GZFH 1.50/1.50 ANL/MANL</b>	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>
	<b>GZFH 1.50/2.20 ANL/MANL</b>	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm <sup>2</sup> / 0 AWG - Output 2 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>
	<b>GZFH 1.20/1.20 MANL</b>	4037072010831	MANL fuse holder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 19,00</b>
	<b>GZFH 1.20 IL-MANL</b>	4037072011548	MANL in-line fuse holder Input 1 x 20 mm <sup>2</sup> / 4 AWG - Output 1 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 7,00</b>
	<b>GZFH 3.50/4.20 ANL/MANL</b>	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm <sup>2</sup> / 4 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 75,00</b>
	<b>GZBT 2.50 MANL-POS</b>	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm <sup>2</sup> / 0 AWG Direct (2 x 50 mm <sup>2</sup> / 0 AWG Fused with MANL)	<b>EUR 39,00</b>
	<b>GZBT 2.50 NEG</b>	4037072010862	Battery terminal (-) Output 1 x 50 mm <sup>2</sup> / 0 AWG	<b>EUR 35,00</b>
	<b>GZDB 3.50/4.20</b>	4037072010879	Distribution block Input 3 x 50 mm <sup>2</sup> / 0 AWG - Output 4 x 20 mm <sup>2</sup> / 4 AWG	<b>EUR 39,00</b>

**8.9 BASS REMOTE**



**GZTA Bassremote**

4037072008388

Bass remote  
for GZIA /GZTA/GZHA/GZNA amps

**EUR 25,00**