

# INDEX

## Fishery Bulletin Vol. 74, No. 1-4, 1976

|  |   |
|--|---|
| <p>ABLE, K. W., and J. A. MUSICK, "Life history, ecology, and behavior of <i>Liparis inquilinus</i> (Pisces: Cyclopteridae) associated with the sea scallop, <i>Placopecten magellanicus</i>". . . . .</p> <p>"Abundance of macrocrustaceans in a natural marsh and a marsh altered by dredging, bulkheading, and filling," by Lee Trent, Edward J. Pullen, and Raphael Proctor . . . .</p> <p>ACKER, WILLIAM C.—see LORD et al.</p> <p>"(An) acoustic method for the high-seas assessment of migrating salmon," by Gary Lord, William C. Acker, Allan C. Hartt, and Brian J. Rothschild . . . . .</p> <p>Actinaria</p> <p style="padding-left: 20px;">continental shelf and slope, U.S. east coast</p> <p style="padding-left: 40px;"><i>Actinauge verrilli</i> . . . . .</p> <p style="padding-left: 40px;"><i>Actinostola callosa</i> . . . . .</p> <p style="padding-left: 40px;"><i>Amphianthus nitidus</i> . . . . .</p> <p style="padding-left: 40px;"><i>Antholoba perdix</i> . . . . .</p> <p style="padding-left: 40px;"><i>Bolocera tuediae</i> . . . . .</p> <p style="padding-left: 40px;"><i>Edwardsia sulcata</i> . . . . .</p> <p style="padding-left: 40px;"><i>Halcampa duodecimcirrata</i> . . . . .</p> <p style="padding-left: 40px;"><i>Haliplanella luciae</i> . . . . .</p> <p style="padding-left: 40px;"><i>Haloclava producta</i> . . . . .</p> <p style="padding-left: 40px;"><i>Hormathia nodosa</i> . . . . .</p> <p style="padding-left: 40px;"><i>Hormathia nodosa</i>(?) . . . . .</p> <p style="padding-left: 40px;"><i>Metridium senile fimbriatum</i> . . . . .</p> <p style="padding-left: 40px;"><i>Paranthus rapiformis</i> . . . . .</p> <p style="padding-left: 40px;"><i>Peachia parasitica</i> . . . . .</p> <p style="padding-left: 40px;"><i>Phelliactis americana</i> . . . . .</p> <p style="padding-left: 40px;"><i>Sagartiogeton verrilli</i> . . . . .</p> <p style="padding-left: 40px;"><i>Stephanauge nexilis</i> . . . . .</p> <p style="padding-left: 40px;"><i>Stephanauge</i>(?) <i>spongicola</i> . . . . .</p> <p style="padding-left: 40px;"><i>Stomphia coccinea</i> . . . . .</p> <p style="padding-left: 40px;"><i>Tealia crassicornis</i> . . . . .</p> <p>"Age and growth of the nehu, <i>Stolephorus purpureus</i> (Pisces: Engraulidae), from the Hawaiian Islands as indicated by daily growth increments of sagittae," by Paul Struhsaker and James H. Uchiyama . . . . .</p> <p>Age determination</p> <p style="padding-left: 20px;">butterflyfish, tropical reef</p> <p style="padding-left: 40px;">otoliths, daily growth rings . . . . .</p> <p style="padding-left: 20px;">larval and adult fishes</p> <p style="padding-left: 40px;">daily growth increments in otoliths . . . . .</p> <p style="padding-left: 20px;">nehu, Hawaiian Islands</p> <p style="padding-left: 40px;">daily growth increments of sagittae . . . . .</p> <p>"Age determination of a tropical reef butterflyfish utilizing daily growth rings of otoliths," by Stephen Ralston . . . . .</p> <p>AHLSTROM, ELBERT H.—see BUTLER and AHLSTROM</p> <p>Alaska, southeastern</p> <p style="padding-left: 20px;">Sashin Creek</p> <p style="padding-left: 40px;">salmon, coho, life history . . . . .</p> | <p>409</p> <p>195</p> <p>104</p> <p>872</p> <p>865</p> <p>873</p> <p>869</p> <p>863</p> <p>860</p> <p>862</p> <p>870</p> <p>863</p> <p>871</p> <p>872</p> <p>870</p> <p>868</p> <p>863</p> <p>872</p> <p>870</p> <p>875</p> <p>875</p> <p>868</p> <p>865</p> <p>9</p> <p>990</p> <p>1</p> <p>9</p> <p>990</p> <p>897</p> <p>897</p> |
| <p>Albacore—see Tuna, albacore</p> <p><i>Alopias superciliosus</i>—see Shark, bigeye thresher</p> <p><i>Alosa sapidissima</i>—see Shad, American</p> <p>ALVAREZ, JOSE, CHRIS O. ANDREW, and FRED J. PROCHASKA, "Dual structural equilibrium in the Florida shrimp processing industry" . . . . .</p> <p>"Analysis of returns of tagged Gulf menhaden," by Paul J. Pristas, Eldon J. Levi, and Robert L. Dryfoos . . . . .</p> <p>Anchovy, northern</p> <p style="padding-left: 20px;"><sup>14</sup>C-benzene</p> <p style="padding-left: 40px;">uptake, distribution, and depuration . . . . .</p> <p style="padding-left: 20px;">California Current</p> <p style="padding-left: 40px;">larvae, food and feeding . . . . .</p> <p style="padding-left: 20px;">fishery, development, and example application of simulation model . . . . .</p> <p style="padding-left: 20px;">growth of laboratory-reared in Southern California</p> <p style="padding-left: 40px;">comparisons . . . . .</p> <p style="padding-left: 40px;">growth curve . . . . .</p> <p style="padding-left: 40px;">hatching to juvenile . . . . .</p> <p style="padding-left: 40px;">juvenile to adult . . . . .</p> <p style="padding-left: 40px;">weight-length relation . . . . .</p> <p style="padding-left: 20px;">larvae, culture and growth</p> <p style="padding-left: 40px;">laboratory cultured foods . . . . .</p> <p style="padding-left: 40px;">survival at metamorphosis . . . . .</p> <p style="padding-left: 20px;">swim bladder inflation, diel changes</p> <p style="padding-left: 40px;">adaptive advantages . . . . .</p> <p style="padding-left: 40px;">diel rhythm . . . . .</p> <p style="padding-left: 40px;">larval length . . . . .</p> <p style="padding-left: 40px;">mechanism . . . . .</p> <p style="padding-left: 40px;">relation between sinking speed, swim bladder volume, and larval length . . . . .</p> <p style="padding-left: 40px;">vertical migration . . . . .</p> <p style="padding-left: 20px;">thermal tolerance and resistance</p> <p style="padding-left: 40px;">development and growth . . . . .</p> <p style="padding-left: 40px;">embryos and larvae . . . . .</p> <p style="padding-left: 40px;">juveniles and adults . . . . .</p> <p>ANDREW, CHRIS O.—see ALVAREZ et al.</p> <p><i>Anoplopoma fimbria</i>—see Sablefish</p> <p>Apalachicola Bay, Florida</p> <p style="padding-left: 20px;">epibenthic fish and invertebrate populations</p> <p style="padding-left: 40px;">long-term fluctuations . . . . .</p> <p>"(The) application of systematic sampling to a study of infauna variation in a soft substrate environment," by Stephen Scherba, Jr. and Vincent F. Gallucci . . . . .</p> <p>ARTHUR DAVID K., "Food and feeding of larvae of three fishes occurring in the California Current, <i>Sardinops sagax</i>, <i>Engraulis mordax</i>, and <i>Trachurus symmetricus</i>". . . . .</p> <p>"Aspects of the reproductive biology of the weakfish,</p>  | <p>879</p> <p>112</p> <p>545</p> <p>517</p> <p>118</p> <p>277</p> <p>274</p> <p>272</p> <p>273</p> <p>276</p> <p>81</p> <p>85</p> <p>854</p> <p>849</p> <p>850</p> <p>852</p> <p>850</p> <p>853</p> <p>440</p> <p>435</p> <p>434</p> <p></p> <p></p> <p>311</p> <p>937</p> <p>517</p>   |

|  |     |   |     |
|--|-----|---|-----|
| <i>Cynoscion regalis</i> (Sciaenidae), in North Carolina," by John V. Merriner . . . . .   | 18  | <i>Brevoortia patronus</i> —see Menhaden, Gulf  |     |
| Atlantic, North  |     | <i>Brevoortia tyrannus</i> —see Menhaden, Atlantic  |     |
| calanoid copepods  |     | BREWER, GARY D., "Thermal tolerance and resistance and resistance of the northern anchovy, <i>Engraulis mordax</i> " . . . . .  | 433 |
| caloric values of some . . . . .   | 218 | BRINTON, EDWARD, "Population biology of <i>Euphausia pacifica</i> off southern California" . . . . .  | 733 |
| Atlantic, western North  |     | Bristol Bay, Alaska   |     |
| bigeye thresher shark, observations on . . . . .   | 221 | salmon, sockeye   |     |
| fishing effort estimation from aerial search data . . . . .  | 503 | foods of juvenile in inshore coastal waters, 1966-67. . . . .   | 458 |
| Atlantic Ocean   |     | BROTHERS, EDWARD B., CHRISTOPHER P. MATH- EWS, AND REUBEN LASKER, "Daily growth in- crements in otoliths from larval and adult fishes" . . . . .  | 1   |
| seatrouts  |     | BROWN, JOHN C.—see HEWITT et al.  |     |
| protein taxonomy . . . . .   | 599 | BRUSHER, HAROLD A., and LARRY H. OGREN, "Distribution, abundance, and size of penaeid shrimps in the St. Andrew Bay system, Florida" . . . . .  | 158 |
| Auke Creek, Alaska   |     | Buoy, acoustic  |     |
| salmon, pink   |     | used for high-seas assessment of migrating salmon . . . . .   | 104 |
| production of fry and adults from gravel incubators and natural spawning . . . . .   | 961 | BUTLER, JOHN L., and ELBERT H. AHLSTROM, "Review of the deep-sea fish genus <i>Scopelengys</i> (Neoscopelidae) with a description of a new species <i>Scopelengys clarkei</i> , from the central Pacific" . . . . . | 142 |
| BAILEY, JACK E., JEROME J. PELLA, and SIDNEY G. TAYLOR, "Production of fry and adults of the 1972 brood of pink salmon, <i>Oncorhynchus gorbuscha</i> , from gravel incubators and natural spawning at Auke Creek, Alaska" . . . . . | 961 | Butterflyfish, millet-seed  |     |
| Barnacles, goose   |     | age determination using daily growth rings of otoliths . . . . .  | 990 |
| La Jolla, California   |     | CAILLOUET, CHARLES W.—see LANSFORD et al.   |     |
| on beached flotsam . . . . .   | 212 | California, southern  |     |
| Bass, striped  |     | DDT and metabolites in sediments off . . . . .  | 27  |
| <sup>13</sup> C-benzene  |     | <i>Euphausia pacifica</i>   |     |
| uptake, distribution, and depuration . . . . .   | 545 | population biology . . . . .  | 733 |
| benzene effects of   |     | California Current  |     |
| caloric content . . . . .  | 694 | sonar mapping   |     |
| fat content . . . . .  | 694 | development and use for pelagic stock assessment . . . . .  | 281 |
| growth . . . . .   | 694 | California Current, central region  |     |
| <i>Bathynectes superbus</i>  |     | zooplankton and euphausiid populations  |     |
| epizoites associated with . . . . .  | 225 | density, vertical range, and diel movement. . . . .   | 925 |
| BELL, JONATHAN—see HANSON and BELL   |     | <i>Callinectes sapidus</i> —see Crab, blue  |     |
| BENVILLE, PETE, JR.—see KORN et al.  |     | "Caloric values of some North Atlantic calanoid copepods," by Geoffrey C. Laurence . . . . .  | 218 |
| Benzene  |     | <i>Cancer irroratus</i> —see Crab, rock   |     |
| bass, striped  |     | <i>Cancer magister</i> —see Crab, Dungeness   |     |
| effects on growth, fat content, and caloric content . . . . .  | 694 | CARLSON, H. RICHARD, "Foods of juvenile sockeye salmon, <i>Oncorhynchus nerka</i> , in the inshore coastal waters of Bristol Bay, Alaska, 1966-67" . . . . .  | 458 |
| "Biology of five species of searobins (Pisces, Triglidae) from the northeastern Gulf of Mexico," by Thomas C. Lewis and Ralph W. Yerger . . . . .  | 93  | CARR, WILLIAM E. S., and THOMAS B. CHANEY, "Harness for attachment of an ultrasonic transmitter to the red drum, <i>Sciaenops ocellata</i> " . . . . .  | 998 |
| BISSON, PETER A., and GERALD E. DAVIS, "Production of juvenile chinook salmon, <i>Oncorhynchus tshawytscha</i> , in a heated model stream" . . . . .   | 763 | CASEY, JOHN G.—see STILLWELL and CASEY  |     |
| Bivalve variation  |     | Ceriantharia  |     |
| application of systematic sampling to study of, in soft substrate environment . . . . .  | 944 | continental shelf and slope, U.S. east coast  |     |
| BLACKBURN, MAURICE, and WALTER NELLEN, "Distribution and ecology of pelagic fishes studied from eggs and larvae in an upwelling area off Spanish Sahara" . . . . .   | 885 |   |     |
| BOND, CARL E.—see CRONE and BOND   |     |   |     |
| BRAY, RICHARD N.—see EBELING and BRAY  |     |   |     |
| BREDER, CHARLES M., JR., "Fish schools as operational structures" . . . . .  | 471 |   |     |

|   |     |   |     |
|---|-----|---|-----|
| <i>Ceriantheopsis americanus</i> .....  | 858 | Crab  |     |
| <i>Cerianthus borealis</i> .....  | 857 | North American fisheries regulations and their rationales   |     |
| " <i>Ceriantharia</i> , <i>Zoanthidea</i> , <i>Corallimorpharia</i> , and <i>Actinaria</i> from the continental shelf and slope off the eastern coast of the United States," by Bernt Widersten ..... | 857 | procedures for changing laws and regulations .....  | 630 |
| <i>Chaetodon miliaris</i> —see Butterflyfish, millet-seed   |     |   |     |
| CHANEY, THOMAS B.—see CARR and CHANEY   |     |   |     |
| CHENG, LANNA, and RALPH A. LEWIN, "Goose barnacles ( <i>Cirripedia</i> : <i>Thoracica</i> ) on flotsam beached at La Jolla, California" .....   | 212 | Crab, blue east coast   |     |
| Chesapeake Bight galatheid crustaceans occurrence of two in .....   | 462 | fishery regulations and their rationales .....  | 628 |
| CHESSE, JAMES R.—see HOBSON and CHESSE  |     | West Bay, Texas abundance in natural and altered marshes .....  | 195 |
| CHITTENDEN, MARK E., JR., "Present and historical spawning grounds and nurseries of American shad, <i>Alosa sapidissima</i> , in the Delaware River" .....  | 343 | Crab, Dungeness eggs  |     |
| ....., "Weight loss, mortality, feeding, and duration of residence of adult American shad, <i>Alosa sapidissima</i> , in fresh water" .....   | 151 | mortalities and epibiotic fouling of, from wild populations .....   | 201 |
| <i>Citharichthys sordidus</i> —see Sanddab, Pacific   |     | larval dynamics off central Oregon coast, 1970-71   |     |
| CLARKE, THOMAS A., and PATRICIA J. WAGNER, "Vertical distribution and other aspects of the ecology of certain mesopelagic fishes taken near Hawaii" .....   | 635 | abundance .....   | 357 |
| <i>Clupea harengus pallasi</i> —see Herring, Pacific  |     | climate .....   | 357 |
| COE, JAMES M.—see PERRIN et al.   |     | distribution .....  | 357 |
| COLLINS, JEFF, "Oil and grease: A proposed analytical method for fishery waste effluents" .....   | 681 | gut-fullness analysis .....   | 364 |
| ....., and RICHARD D. TENNY, "Fishery waste effluents: A method to determine relationships between chemical oxygen demand and residue" .....  | 725 | hydrographic features .....   | 353 |
| "Comparison of the most successful and least successful west coast albacore troll fishermen," by Donald F. Keene and William G. Percy .....   | 973 | population analyses, larval .....   | 359 |
| "Contribution of the net plankton and nannoplankton to the standing stocks and primary productivity in Monterey Bay, California during the upwelling season," by David L. Garrison .....              | 183 | sampling variability .....  | 356 |
| Copepods, calanoid North Atlantic Ocean caloric values of some .....  | 218 | west coast fishery regulations and their rationales .....   | 626 |
| Corallimorpharia continental shelf and slope, U.S. east coast   |     | Crab, fiddler mercury, cadmium, and lead salts regeneration and ecdysis, effects on .....                     | 464 |
| <i>Corynactis delawarei</i> .....   | 858 | Crab, king Alaska fishery regulations and their rationales .....  | 624 |
| <i>Cottus aleuticus</i> populations of sympatric in four adjacent salmon-producing coastal streams on Vancouver Island .....  | 131 | Crab, rock size composition and growth of young in Maine growth .....   | 952 |
| <i>Cottus asper</i> populations of sympatric in four adjacent salmon-producing coastal streams on Vancouver Island .....  | 131 | sex ratio .....   | 951 |
|   |     | size composition and seasonal distribution .....  | 949 |
|   |     | Crab, snow Alaska fishery regulations and their rationales .....  | 625 |
|   |     | eastern Canada fishery regulations and their rationales .....   | 627 |
|   |     | electrophoretic evidence of hybrid .....  | 693 |
|   |     | Crab, stone Florida fishery regulations and their rationales .....  | 630 |
|   |     | Crab fisheries regulations and their rationales   |     |
|   |     | Alaska king .....   | 624 |
|   |     | Alaska snow .....   | 625 |
|   |     | blue, east coast .....  | 628 |
|   |     | Canada, eastern snow .....  | 627 |
|   |     | Dungeness, west coast .....   | 626 |
|   |     | Florida stone .....   | 630 |
|   |     | CRADDOCK, DONOVAN R., "Effects of increased water temperature on <i>Daphnia pulex</i> " .....                 | 403 |
|   |     | <i>Crassostrea gigas</i> —see Oyster, Pacific   |     |
|   |     | CRAWFORD, L., and M. J. KRETSCH, "Effects of cooking in air or in nitrogen on the development of fishy flavor |     |

|  |     |   |     |
|--|-----|---|-----|
| in the breast meat of turkeys fed tuna oil with and without $\alpha$ -tocopherol supplement or injection".....   | 89  | Diatoms<br>freshwater and estuarine, benthic<br>menhaden, Atlantic, grazing by adult .....  | 689 |
| Croaker, white<br>seasonal spawning cycle .....  | 983 | "Diel changes in swim bladder inflation of the larvae of the northern anchovy, <i>Engraulis mordax</i> ," by John R. Hunter and Carol Sanchez.....  | 847 |
| CRONE, RICHARD A., and CARL E. BOND, "Life history of coho salmon, <i>Oncorhynchus kisutch</i> , in Sashin Creek, southeastern Alaska" .....                   | 897 | "Distribution, abundance, and size of penaeid shrimps in the St. Andrew Bay system, Florida," by Harold A. Brusher and Larry H. Ogren .....   | 158 |
| Crustaceans<br>restraining living planktonic .....   | 220 | "Distribution and ecology of pelagic fishes studied from eggs and larvae in an upwelling area off Spanish Sahara," by Maurice Blackburn and Walter Nellen .....   | 885 |
| "Culture and growth of northern anchovy, <i>Engraulis mordax</i> , larvae," by John R. Hunter .....  | 81  | "Distribution, food, and feeding of the threespine stickleback, <i>Gasterosteus aculeatus</i> , in Great Central Lake, Vancouver Island, with comments on competition for food with juvenile sockeye salmon, <i>Oncorhynchus nerka</i> ," by J. I. Manzer ..... | 647 |
| <i>Cynoscion macdonaldi</i> —see Totoaba   |     | DOTSON, RONALD C., "Minimum swimming speed of albacore, <i>Thunnus alalunga</i> ".....  | 955 |
| <i>Cynoscion regalis</i> —see Weakfish   |     | Drum, red<br>ultrasonic transmitter, harness for attachment of ...  | 998 |
| DDD<br>in sediments off southern California.....   | 27  | DRYFOOS, ROBERT L.—see PRISTAS et al.   |     |
| DDE<br>in sediments off southern California.....   | 27  | "Dual structural equilibrium in the Florida shrimp processing industry," by Jose Alvarez, Chris O. Andrew, and Fred J. Prochaska .....  | 879 |
| DDT<br>and metabolites in sediments off southern California.....   | 27  | EBELING, ALFRED W., and RICHARD N. BRAY, "Day versus night activity of reef fishes in a kelp forest off Santa Barbara, California".....   | 703 |
| "DDT and its metabolites in the sediments off southern California," by John S. MacGregor .....   | 27  | "Ecology of Hawaiian sergestid shrimps (Penaeidea: Sergestidae)," by John F. Walters .....  | 799 |
| "Daily growth increments in otoliths from larval and adult fishes," by Edward B. Brothers, Christopher P. Mathews, and Reuben Lasker .....                     | 1   | "Economic and financial analysis of increasing costs in the Gulf shrimp fleet," by Wade L. Griffin, Newton J. Wardlaw, and John P. Nichols .....  | 301 |
| <i>Daphnia pulex</i><br>water temperature, effects of increased<br>discharges of heated water.....   | 405 | EDGAR, ROBERT K., and JAMES G. HOFF, "Grazing of freshwater and estuarine, benthic diatoms by adult Atlantic menhaden, <i>Brevoortia tyrannus</i> " .....   | 689 |
| water passing through cooling systems .....  | 406 | "Effects of benzene on growth, fat content, and caloric content of striped bass, <i>Morone saxatilis</i> ," by Sid Korn, Jeannette W. Struhsaker, and Pete Benville, Jr.....  | 694 |
| DAVIS, GERALD E.—see BISSON and DAVIS  |     | "Effects of cooking in air or in nitrogen on the development of fishy flavor in the breast meat of turkeys fed tuna oil with and without $\alpha$ -tocopherol supplement or injection," by L. Crawford and M. J. Kretsch .....                                  | 89  |
| "Day versus night activity of reef fishes in a kelp forest off Santa Barbara, California," by Alfred W. Ebeling and Richard N. Bray.....                       | 703 | "Effects of increased water temperature on <i>Daphnia pulex</i> ," by Donovan R. Craddock .....   | 403 |
| Decision theory<br>salmon fishery<br>data acquisition and management .....   | 837 | "Effects of mercury, cadmium, and lead salts on regeneration and ecdysis in the fiddler crab, <i>Uca pugilator</i> ," by Judith S. Weis .....   | 464 |
| "Decision theory applied to the simulated data acquisition and management of a salmon fishery," by Gary E. Lord .....  | 837 | "Effects of temperature and salinity on the survival of winter flounder embryos," by Carolyn A. Rogers .....  | 52  |
| Delaware River<br>shad, American<br>present and historical spawning grounds and nurseries .....  | 343 | Effluents — see Fishery waste effluents   |     |
| "Description of zoeae of coonstripe shrimp, <i>Pandalus hypsinotus</i> , reared in the laboratory," by Evan Haynes .....                                       | 323 |   |     |
| "Development and example application of a simulation model of the northern anchovy fishery," by Michael F. Tillman and Donald Stadelman .....                  | 118 |   |     |
| "Development and use of sonar mapping for pelagic stock assessment in the California Current area," by Roger P. Hewitt, Paul E. Smith, and John C. Brown ..... | 281 |   |     |

|  |     |  |  |
|--|-----|--|--|
| Eggs, fish—see Fish eggs   |     |  |  |
| "Electrophoretic evidence of hybrid snow crab, <i>Chionoecetes bairdi</i> × <i>opilio</i> ," by Allyn G. Johnson . . . . .   | 693 |  |  |
| "(An) energetics model for the exploited yellowfin tuna, <i>Thunnus albacares</i> , population in the eastern Pacific Ocean," by Gary D. Sharp and Robert C. Francis . . . . .     | 36  |  |  |
| <i>Engraulis mordax</i> —see Anchovy, northern   |     |  |  |
| <i>Eopsetta jordani</i> —see Sole, petrale   |     |  |  |
| "(An) epibenthic sampler used to study the ontogeny of vertical migration of <i>Pandalus jordani</i> (Decapoda, Caridea)," by Peter C. Rothlisberg and William G. Pearcy . . . . . | 994 |  |  |
| Epizootes  |     |  |  |
| associated with <i>Bathynectes superbus</i> . . . . .  | 225 |  |  |
| "Epizootes associated with <i>Bathynectes superbus</i> (Decapoda: Portunidae)," by Elizabeth G. Lewis . . . . .  | 225 |  |  |
| "Estimates of rates of tag shedding by North Pacific albacore, <i>Thunnus alalunga</i> ," by R. Michael Laurs, William H. Lenarz, and Robert N. Nishimoto . . . . .                | 675 |  |  |
| "Estimation of fishing effort in the western North Atlantic from aerial search data," by M. L. Parrack . . . . .   | 503 |  |  |
| <i>Euphausia pacifica</i>  |     |  |  |
| population biology off southern California   |     |  |  |
| annual biomass . . . . .   | 752 |  |  |
| growth . . . . .   | 745 |  |  |
| recruitment efficiency and spatial aggregation of eggs . . . . .   | 743 |  |  |
| sex ratio . . . . .  | 755 |  |  |
| southern California eddy . . . . .   | 736 |  |  |
| spawning and recruitment . . . . .   | 738 |  |  |
| survivorship . . . . .   | 749 |  |  |
| temperature relationships of spawners and larvae . . . . .   | 744 |  |  |
| Euphausiids  |     |  |  |
| California Current, central region   |     |  |  |
| density, vertical range, and diel movement . . . . .   | 925 |  |  |
| <i>Euthynnus lineatus</i> —see Skipjack, black   |     |  |  |
| "Feeding behavior, food consumption, growth, and respiration of the squid <i>Loligo opalescens</i> raised in the laboratory," by Ann C. Hurley . . . . .                           | 176 |  |  |
| "Fertilization method quantifying gamete concentrations and maximizing larvae production in <i>Crassostrea gigas</i> ," by William H. Staeger and Howard F. Horton . . . . .       | 698 |  |  |
| "First record of the melon-headed whale, <i>Peponocephala electra</i> , in the eastern Pacific, with a summary of world distribution," by William F. Perrin . . . . .              | 457 |  |  |
| Fish, adult  |     |  |  |
| daily growth increments in otoliths . . . . .  | 1   |  |  |
| Fish, epibenthic   |     |  |  |
| long-term fluctuations of populations in Apalachicola Bay, Florida   |     |  |  |
| distribution . . . . .   | 313 |  |  |
| physicochemical parameters . . . . .   | 313 |  |  |
| seasonal fluctuations of dominant species . . . . .  | 314 |  |  |
| Fish, mesopelagic  |     |  |  |
| vertical distribution and other aspects of ecology near Hawaii   |     |  |  |
| avoidance . . . . .  | 643 |  |  |
| migration . . . . .  | 641 |  |  |
| sex ratio . . . . .  | 643 |  |  |
| sexual dimorphism . . . . .  | 643 |  |  |
| Fish, pelagic  |     |  |  |
| eggs and larvae, distribution and ecology off Spanish Sahara   |     |  |  |
| anchovy eggs, spatial and temporal distributions . . . . .   | 893 |  |  |
| identification and enumeration . . . . .   | 888 |  |  |
| sardine eggs, spatial and temporal distributions . . . . .   | 893 |  |  |
| spatial distribution . . . . .   | 891 |  |  |
| temperature and chlorophyll <i>a</i> . . . . .   | 888 |  |  |
| zooplankton . . . . .  | 886 |  |  |
| Fish, trophic interactions   |     |  |  |
| activity patterns of planktivorous fishes . . . . .  | 580 |  |  |
| collecting fishes . . . . .  | 570 |  |  |
| collecting zooplankters . . . . .  | 569 |  |  |
| fishes studied . . . . .   | 568 |  |  |
| zooplankter activity patterns . . . . .  | 571 |  |  |
| zooplankter volumes . . . . .  | 571 |  |  |
| Fish catches   |     |  |  |
| gill nets  |     |  |  |
| relation to frontal periods . . . . .  | 449 |  |  |
| Fish eggs  |     |  |  |
| Spanish Sahara   |     |  |  |
| distribution and ecology of pelagic in an upwelling area off . . . . .   | 885 |  |  |
| Fish fauna   |     |  |  |
| associated with offshore platforms in northeastern Gulf of Mexico  |     |  |  |
| comparison of two platforms . . . . .  | 395 |  |  |
| faunal composition . . . . .   | 389 |  |  |
| habitat occupation and activity patterns . . . . .   | 396 |  |  |
| winter-summer contrast . . . . .   | 395 |  |  |
| Fish larvae  |     |  |  |
| anchovy, northern  |     |  |  |
| diel changes in swim bladder inflation . . . . .   | 847 |  |  |
| California Current   |     |  |  |
| anchovy, northern . . . . .  | 517 |  |  |
| mackerel, jack . . . . .   | 517 |  |  |
| sardine, Pacific . . . . .   | 517 |  |  |
| daily growth increments in otoliths . . . . .  | 1   |  |  |
| herring, Pacific   |     |  |  |
| predator-prey relationship between, and <i>Hyperoche medusarum</i> . . . . .   | 669 |  |  |
| northern anchovy, culture and growth . . . . .   | 81  |  |  |
| Spanish Sahara   |     |  |  |
| distribution and ecology of pelagic in an upwelling area off . . . . .   | 885 |  |  |
| Fish schools   |     |  |  |
| as operational structures  |     |  |  |
| geometrical models . . . . .   | 472 |  |  |
| locomotor problems . . . . .   | 491 |  |  |
| movements . . . . .  | 482 |  |  |
| shape . . . . .  | 482 |  |  |
| size . . . . .   | 482 |  |  |
| spacing . . . . .  | 476 |  |  |

|   |     |   |     |
|---|-----|---|-----|
| traffic problems .....  | 486 | <i>xanthurus</i> ," by Martin A. Kjelson and George N. Johnson  | 423 |
| turning problems .....  | 484 |   |     |
| "Fish schools as operational structures," by Charles M. Breder, Jr. ....  | 471 | GADBOIS, D. F., E. M. RAVESI, and R. C. LUND-STROM, "Occurrence of volatile N-nitrosamines in Japanese salmon roe" .....  | 683 |
| FISHER, WILLIAM S., and DANIEL E. WICKHAM, "Mortalities and epibiotic fouling of eggs from wild populations of the Dungeness crab, <i>Cancer magister</i> " ..  | 201 | GALLUCCI, VINCENT F.—see SCHERBA and GALLUCCI   |     |
| Fishery waste effluents   |     | GARRISON, DAVID L., "Contribution of the net plankton and nannoplankton to the standing stocks and primary productivity in Monterey Bay, California during the upwelling season" .....  | 183 |
| chemical oxygen demand and residue  |     | <i>Gasterosteus aculeatus</i> —see Stickleback, threespine  |     |
| method to determine relationships between .....   | 725 | GAUGLITZ, ERICH J., JR.—see HALL et al.   |     |
| oil and grease  |     | <i>Genyonemus lineatus</i> —see Croaker, white  |     |
| proposed analytical method .....  | 681 | <i>Glyptocephalus zachirus</i> —see Sole, rex   |     |
| "Fishery waste effluents: A method to determine relationships between chemical oxygen demand and residue," by Jeff Collins and Richard D. Tenny .....   | 725 | GOLDBERG, STEPHEN R., "Seasonal spawning cycles of the sciaenid fishes <i>Genyonemus lineatus</i> and <i>Seriphys politus</i> " .....   | 983 |
| Fishes, reef  |     | "Goose barnacles (Cirripedia: Thoracica) on flotsam beached at La Jolla, California," by Lanna Cheng and Ralph A. Lewin .....   | 212 |
| Santa Barbara, California   |     | "Grazing of freshwater and estuarine, benthic diatoms by adult Atlantic menhaden, <i>Brevoortia tyrannus</i> ," by Robert K. Edgar and James G. Hoff .....                              | 689 |
| day versus night activity in a kelp forest .....  | 703 | Great Central Lake, Vancouver Island  |     |
| Fishing effort estimation   |     | threespine stickleback  |     |
| Atlantic, western north   |     | distribution, food, and feeding .....   | 647 |
| aerial search data .....  | 503 | food, with juvenile sockeye salmon, competition for   | 647 |
| FLANAGAN, CHRISTINE A., and JOHN R. HENDRICKSON, "Observations on the commercial fishery and reproductive biology of the totoaba, <i>Cynoscion macdonaldi</i> , in the northern Gulf of California" ..... | 531 | GRIFFIN, WADE L., NEWTON J. WARDLAW, and JOHN P. NICHOLS, "Economic and financial analysis of increasing costs in the Gulf shrimp fleet" .....  | 301 |
| Flatfish  |     | Growth  |     |
| Oregon, continental shelf   |     | daily increments in otoliths  |     |
| food of five species of cooccurring .....   | 984 | larval and adult fishes .....   | 1   |
| Florida   |     | daily increments of sagittae  |     |
| shrimp processing industry  |     | nehu, Hawaiian Islands .....  | 9   |
| dual structural equilibrium .....   | 880 | "Growth and reproduction of the spotted porpoise, <i>Stenella attenuata</i> , in the offshore eastern tropical Pacific," by William F. Perrin, James M. Coe, and James R. Zweifel ..... | 229 |
| Flounder, winter  |     | Growth model  |     |
| embryos, effects of temperature and salinity on survival  |     | fish, prehatch and posthatch .....  | 609 |
| embryonic development .....   | 56  | "Growth of laboratory-reared northern anchovy, <i>Engraulis mordax</i> , from southern California," by Gary T. Sakagawa and Makoto Kimura .....   | 271 |
| incubation time and duration of hatching interval ..  | 55  | Gulf of California, northern  |     |
| influence on total and viable hatch .....   | 53  | totoaba   |     |
| "Food and feeding of larvae of three fishes occurring in the California Current, <i>Sardinops sagax</i> , <i>Engraulis mordax</i> , and <i>Trachurus symmetricus</i> ," by David K. Arthur .....          | 517 | commercial fishery and reproductive biology .....   | 531 |
| "Food of five species of cooccurring flatfishes on Oregon's continental shelf," by Michael Kravitz .....  | 984 | Gulf of Mexico  |     |
| "Foods of juvenile sockeye salmon, <i>Oncorhynchus nerka</i> , in the inshore coastal waters of Bristol Bay, Alaska, 1966-67," by H. Richard Carlson .....  | 458 | seatrouts   |     |
| FRANCIS, ROBERT C.—see SHARP and FRANCIS  |     | protein taxonomy .....  | 599 |
| Frontal periods   |     | shrimp fleet  |     |
| relation of fish catches in gill nets to .....  | 449 | increasing costs, economic and financial analysis of  | 301 |
| FUIMAN, LEE A., "Notes on the early development of the sea raven, <i>Hemitripterus americanus</i> " .....   | 467 |   |     |
| "Further observations of the feeding ecology of post-larval pinfish, <i>Lagodon rhomboides</i> , and spot, <i>Leiostomus</i>  |     |   |     |

|   |     |  |     |
|---|-----|--|-----|
| Gulf of Mexico, northeastern fish fauna   |     | Herring, Pacific predator-prey relationship between larvae and <i>Hyperoche medusarum</i> .....  | 669 |
| observations on, associated with offshore platforms   | 387 |  |     |
| searobins   |     | HEWITT, ROGER P., PAUL E. SMITH, and JOHN C. BROWN, "Development and use of sonar mapping for pelagic stock assessment in the California Current area"                                     | 281 |
| biology of five species. ....   | 93  |  |     |
| Gulf of Mexico, northern Gulf menhaden  |     | <i>Hippoglossus stenolepis</i> —see Halibut, Pacific   |     |
| analysis of returns of tagged .....   | 112 | HIRSCH, NINA—see KORN et al.   |     |
| HAEFNER, PAUL A., JR.—see LAIRD et al.  |     | HOBSON, EDMUND S., and JAMES R. CHESSE, "Tropic interactions among fishes and zooplankters near shore at Santa Catalina Island, California" .....  | 567 |
| Halibut, Pacific  |     | HODGINS, HAROLD O.—see HARRELL et al.  |     |
| Pacific Ocean, northeast  |     | HOFF, JAMES G.—see EDGAR and HOFF  |     |
| mercury content .....   | 783 | <i>Homarus americanus</i> —see Lobster, American   |     |
| HALL, ALICE S., FUAD M. TEENY, and ERICH J. GAUGLITZ, JR., "Mercury in fish and shellfish of the northeast Pacific. II. Sablefish, <i>Anoplopoma fimbria</i> " ..                                 | 791 | HORTON, HOWARD F.—see STAEGER and HORTON   |     |
| _____, _____, LAURA G. LEWIS, WILLIAM H. HARDMAN, and ERICH J. GAUGLITZ, JR., "Mercury in fish and shellfish of the northeast Pacific. I. Pacific halibut, <i>Hippoglossus stenolepis</i> " ..... | 783 | HUNTER, JOHN R., "Culture and growth of northern anchovy, <i>Engraulis mordax</i> , larvae" .....  | 81  |
| HANSON, CHARLES H., and JONATHAN BELL, "Subtidal and intertidal marine fouling on artificial substrata in northern Puget Sound, Washington" .....   | 377 | _____, and CAROL SANCHEZ, "Diel changes in swim bladder inflation of the larvae of the northern anchovy, <i>Engraulis mordax</i> " .....   | 847 |
| HARDMAN, WILLIAM H.—see HALL et al.   |     | HURLEY, ANN C., "Feeding behavior, food consumption, growth, and respiration of the squid <i>Loligo opalescens</i> raised in the laboratory" .....   | 176 |
| "Harness for attachment of an ultrasonic transmitter to the red drum, <i>Sciaenops ocellata</i> ," by William E. Carr and Thomas B. Chaney .....  | 998 | <i>Hyperoche medusarum</i>   |     |
| HARRELL, LEE W., ANTHONY J. NOVOTNY, MICHAEL H. SCHIEWE, and HAROLD O. HODGINS, "Isolation and description of two vibrios pathogenic to Pacific salmon in Puget Sound, Washington" .....          | 447 | Pacific herring larvae   |     |
| HART, ALLAN C.—see LORD ET AL.  |     | predator-prey relationship between .....   | 669 |
| HASTINGS, ROBERT W., LARRY H. OGREN, and MICHAEL T. MABRY, "Observations on the fish fauna associated with offshore platforms in the northeastern Gulf of Mexico" .....                           | 387 | "Incidence of cull lobsters, <i>Homarus americanus</i> , in commercial and research catches off the Maine coast," by Jay S. Krouse .....   | 719 |
| HAURY, LOREN R., "Method for restraining living planktonic crustaceans" .....   | 220 | Infauna variation  |     |
| Hawaii  |     | soft substrate environment   |     |
| mesopelagic fishes taken near   |     | application of systematic sampling to study of ....  | 937 |
| vertical distribution and other aspects of ecology ..   | 635 | Invertebrates, epibenthic  |     |
| sergestid shrimps, ecology of .....   | 799 | long-term fluctuations of populations in Apalachicola Bay, Florida   |     |
| Hawaiian Islands  |     | distribution .....   | 313 |
| black skipjack, second record .....   | 207 | dominant species, seasonal fluctuations of .....   | 314 |
| nehu  |     | physicochemical parameters .....   | 313 |
| age and growth as indicated by daily growth increments of sagittae .....  | 9   | "Isolation and description of two vibrios pathogenic to Pacific salmon in Puget Sound, Washington," by Lee W. Harrell, Anthony J. Novotny, Michael H. Schiewe, and Harold O. Hodgins ..... | 447 |
| HAYNES, EVAN, "Description of zoeae of coonstripe shrimp, <i>Pandalus hypsinotus</i> , reared in the laboratory"  | 323 | Japan  |     |
| <i>Hemitripterus americanus</i> —see Sea raven  |     | salmon roe   |     |
| HENDRICKSON, JOHN R.—see FLANAGAN and HENDRICKSON   |     | N-nitrosamines, occurrence of volatile .....   | 683 |
|   |     | JOHNSON, ALLYN G., "Electrophoretic evidence of hybrid snow crab, <i>Chionoecetes bairdi</i> × <i>opilio</i> " .....   | 693 |
|   |     | JOHNSON, GEORGE N.—see KJELSON and JOHNSON   |     |
|   |     | <i>Katsuwonus pelamis</i> —see Tuna, skipjack  |     |

|  |     |  |     |
|--|-----|--|-----|
| KEENE, DONALD F., and WILLIAM G. PEARCY, "Comparison of the most successful west coast albacore troll fishermen" . . . . .   | 973 | North Atlantic calanoid copepods" . . . . .  | 218 |
| Kelp<br>Santa Barbara, California<br>reef fishes, day versus night activity . . . . .  | 703 | LAURS, R. MICHAEL, WILLIAM H. LENARZ, and ROBERT N. NISHIMOTO, "Estimates of rates of tag shedding by North Pacific albacore, <i>Thunnus alalunga</i> " . . . . .  | 675 |
| KIMURA, MAKOTO—see SAKAGAWA and KIMURA   |     | <i>Leiostomus xanthurus</i> —see Spot  |     |
| KJELSON, MARTIN A., and GEORGE N. JOHNSON, "Further observations of the feeding ecology of postlarval pinfish, <i>Lagodon rhomboides</i> , and spot, <i>Leiostomus xanthurus</i> " . . . . .                               | 423 | LENARZ, WILLIAM H.—see LAURS et al.  |     |
| KOBYLINSKI, GERARD J.—see LIVINGSTON et al.  |     | <i>Lepidopsetta bilineata</i> —see Sole, rock  |     |
| KORN, SID, NINA HIRSCH, and JEANNETTE W. STRUHSAKER, "Uptake, distribution, and depuration of <sup>14</sup> C-benzene in northern anchovy, <i>Engraulis mordax</i> , and striped bass, <i>Morone saxatilis</i> " . . . . . | 545 | LEVI, ELDON J.—see PRISTAS et al.  |     |
| _____, JEANNETTE W. STRUHSAKER, and PETE BENVILLE, JR., "Effects of benzene on growth, fat content, and caloric content of striped bass, <i>Morone saxatilis</i> " . . . . .   | 545 | LEWIN, RALPH A.—see CHENG and LEWIN  |     |
| KRAVITZ, MICHAEL J., "Food of five species of cooccurring flatfish on Oregon's continental shelf" . . . . .  | 984 | LEWIS, ELIZABETH G., "Epizoites associated with <i>Bathynectes superbus</i> (Decapoda: Portunidae)" . . . . .  | 225 |
| KRETSCH, M. J.—see CRAWFORD and KRETSCH  |     | ____—see LAIRD et al.  |     |
| KROUSE, JAY S., "Incidence of cull lobsters, <i>Homarus americanus</i> , in commercial and research catches off the Maine coast" . . . . .   | 719 | LEWIS, FRANK G., III—see LIVINGSTON et al.   |     |
| _____, "Size composition and growth of young rock crab, <i>Cancer irroratus</i> , on a rocky beach in Maine" . . . . .   | 949 | LEWIS, LAURA G.—see HALL et al.  |     |
| La Jolla, California<br>goose barnacles on flotsam beached at . . . . .  | 212 | LEWIS, THOMAS C., and RALPH W. YERGER, "Biology of five species of searobins (Pisces, Triglidae) from the northeastern Gulf of Mexico" . . . . .   | 93  |
| <i>Lagodon rhomboides</i> —see Pinfish   |     | "Life history, ecology, and behavior of <i>Liparis inquilinus</i> (Pisces: Cyclopteridae) associated with the sea scallop, <i>Placopecten magellanicus</i> ," by K. W. Able and J. A. Musick . . . . .     | 409 |
| LAIRD, CHAE E., ELIZABETH G. LEWIS, and PAUL A. HAEFNER, JR.   |     | "Life history of coho salmon, <i>Oncorhynchus kisutch</i> , in Sashin Creek, southeastern Alaska," by Richard A. Crone and Carl E. Bond . . . . .  | 897 |
| "Occurrence of two galatheid crustaceans, <i>Munida forceps</i> and <i>Munidopsis bermudezi</i> , in the Chesapeake Bight of the western North Atlantic Ocean" . . . . .   | 462 | <i>Liparis inquilinus</i><br>life history, ecology, and behavior of, associated with sea scallop<br>abundance, geographic variation . . . . .  | 418 |
| LANSFORD, LAWRENCE M., CHARLES W. CAILLOUET, and KENNETH T. MARVIN, "Phosphoglucomutase polymorphism in two penaeid shrimps, <i>Penaeus brasiliensis</i> and <i>Penaeus aztecus subtilis</i> " . . . . .                   | 453 | behavior of . . . . .  | 414 |
| Larvae<br>crab, Dungeness<br>larval dynamics off central Oregon coast, 1970-71 . . . . .   | 353 | diel rhythm in fish-scallop association . . . . .  | 416 |
| Larvae, fish—see Fish larvae   |     | feeding . . . . .  | 414 |
| "Larval dynamics of the Dungeness crab, <i>Cancer magister</i> , off the central Oregon coast, 1970-71," by R. Gregory Lough . . . . .   | 353 | juveniles . . . . .  | 412 |
| LASKER, REUBEN—see BROTHERS et al.   |     | larvae . . . . .   | 412 |
| ____—see ZWEIFEL and LASKER  |     | resting . . . . .  | 413 |
| LAURENCE, GEOFFREY C., "Caloric values of some   |     | spawning behavior . . . . .  | 412 |
|  |     | LIVINGSTON, ROBERT J., GERARD J. KOBYLINSKI, FRANK G. LEWIS, III, and PETER F. SHERIDAN, "Long-term fluctuations of epibenthic fish and invertebrate populations in Apalachicola Bay, Florida" . . . . .   | 311 |
|  |     | Lobster, American<br>culls off Main coast, incidence of<br>fishing intensity, effect on . . . . .  | 721 |
|  |     | seasonal and size variation in . . . . .   | 719 |
|  |     | value loss of catch due to . . . . .   | 723 |
|  |     | <i>Loligo opalescens</i><br>raised in laboratory<br>feeding behavior, food consumption, growth, and respiration . . . . .  | 176 |
|  |     | "Long-term fluctuations of epibenthic fish and invertebrate populations in Apalachicola Bay, Florida," by Robert J. Livingston, Gerard J. Kobylinski, Frank G. Lewis, III, and Peter F. Sheridan . . . . . | 311 |



|   |     |   |     |
|---|-----|---|-----|
| LORD, GARY E., "Decision theory applied to the simulated data acquisition and management of a salmon fishery" .....   | 837 | Marlin, striped<br>Pacific, central North<br>von Bertalanffy growth curves .....  | 553 |
| _____, WILLIAM C. ACKER, ALLAN C. HARTT,<br>and BRIAN J. ROTHSCHILD, "An acoustic method for<br>the high-seas assessment of migrating salmon" .....   | 104 | MARVIN, KENNETH T.—see LANSFORD et al.  |     |
| LOUGH, R. GREGORY, "Larval dynamics of the<br>Dungeness crab, <i>Cancer magister</i> , off the central Oregon<br>coast, 1970-71" .....  | 353 | MASON, J.C., "Some features of coho salmon, <i>Oncorhynchus kisutch</i> , fry emerging from simulated redds and concurrent changes in photobehavior" .....  | 167 |
| LUNDSTROM, R. C.—see GADBOIS et al.   |     | _____, and S. MACHIDORI, "Populations of sympatric sculpins, <i>Cottus aleuticus</i> and <i>Cottus asper</i> , in four adjacent salmon-producing coastal streams on Vancouver Island, B.C." .....                   | 131 |
| MABRY, MICHAEL T.—see HASTINGS et al.   |     | MATHEWS, CHRISTOPHER P.—see BROTHERS et al.   |     |
| MacGREGOR, JOHN S., "DDT and its metabolites in the sediments off southern California" .....  | 27  | MATSUMOTO, WALTER M., "Second record of black skipjack, <i>Euthynnus lineatus</i> , from the Hawaiian Islands" .....  | 207 |
| MACHIDORI, S.—see MASON and MACHIDORI   |     | MAY, NELSON, LEE TRENT, AND PAUL J. PRISTAS, "Relation of fish catches in gill nets to frontal periods" .....   | 449 |
| Mackerel, jack<br>California Current<br>larvae, food and feeding .....  | 517 | Menhaden, Atlantic<br>grazing of freshwater and estuarine, benthic diatoms by adults .....  | 689 |
| McMAHON, ROBERT S.—see ZIMMERMAN and McMAHON  |     | Menhaden, Gulf<br>analysis of returns of tagged<br>autumn releases and recoveries .....   | 116 |
| Macrocrustaceans<br>abundance in natural and altered marshes<br>catch between areas, comparison of .....  | 197 | fishing areas .....   | 112 |
| day and night catches, comparison of .....  | 196 | recovering tags, methods of .....   | 113 |
| dissolved oxygen, catch related to .....  | 197 | tagging, methods of .....   | 112 |
| Macrozooplankton<br>standing stocks off Oregon, seasonal and inshore-offshore variations .....  | 70  | spring releases and recoveries .....  | 114 |
| Maine<br>crab, rock<br>size composition and growth of young .....   | 949 | Menidia menidia—see Silverside, Atlantic  |     |
| lobsters, cull<br>commercial and research catches .....   | 719 | "Mercury in fish and shellfish of the northeast Pacific. I. Pacific halibut, <i>Hippoglossus stenolepis</i> ," by Alice S. Hall, Faud M. Teeny, Laura G. Lewis, William H. Hardman, and Erich J. Gauglitz, Jr. .... | 783 |
| <i>Makaira nigricans</i> —see Marlin, blue  |     | "Mercury in fish and shellfish of the northeast Pacific. II. Sablefish, <i>Anoplopoma fimbria</i> ," by Alice S. Hall, Faud M. Teeny, and Erich J. Gauglitz, Jr. ....   | 791 |
| MANOOCH, CHARLES S., III, "Reproductive cycle, fecundity, and sex ratios of the red porgy, <i>Pagrus pagrus</i> (Pisces: Sparidae), in North Carolina" .....  | 775 | MERRINER, JOHN V., "Aspects of the reproductive biology of the weakfish, <i>Cynoscion regalis</i> (Sciaenidae), in North Carolina" .....  | 18  |
| MANZER, J. I., "Distribution, food, and feeding of the threespine stickleback, <i>Gasterosteus aculeatus</i> , in Great Central Lake, Vancouver Island, with comments on competition for food with juvenile sockeye salmon, <i>Oncorhynchus nerka</i> " ..... | 647 | "Method for restraining living planktonic crustaceans," by Loren R. Haury .....   | 220 |
| Marine fouling<br>subtidal and intertidal, on artificial substrata in Puget Sound, Washington<br>fouling colonization of construction materials .....   | 379 | Micronekton<br>standing stocks off Oregon, seasonal and inshore-offshore variations .....   | 70  |
| fouling organisms, seasonal distribution .....  | 381 | MILLER, R. J., "North American crab fisheries: Regulations and their rationales" .....  | 623 |
| fouling organisms, vertical distribution in subtidal zone .....   | 382 | "Minimum swimming speed of albacore, <i>Thunnus alalunga</i> ," by Ronald C. Dotson .....   | 955 |
| physicochemical environment .....   | 378 | Monterey Bay, California<br>net plankton and nanoplankton<br>standing stocks and primary productivity during upwelling season, contribution to .....  | 183 |
| Marlin, blue<br>Pacific, central North<br>von Bertalanffy growth curves .....   | 553 | <i>Morone saxatilis</i> —see Bass, striped  |     |

|  |     |   |     |
|--|-----|---|-----|
| "Mortalities and epibiotic fouling of eggs from wild populations of the Dungeness crab, <i>Cancer magister</i> ," by William S. Fisher and Daniel E. Wickham .....   | 201 | platforms in the northeastern Gulf of Mexico," by Robert W. Hastings, Larry H. Ogren, and Michael T. Mabry ...  | 387 |
| <i>Munida forceps</i>  |     | "Occurrence of two galatheid crustaceans, <i>Munida forceps</i> , and <i>Munidopsis bermudezi</i> , in the Chesapeake Bight of the western North Atlantic Ocean," by Chae E. Laird, Elizabeth G. Lewis, and Paul A. Haefner, Jr. .... | 462 |
| Chesapeake Bight occurrence in .....   | 462 |   |     |
| <i>Munidopsis bermudezi</i>  |     | "Occurrence of volatile N-nitrosamines in Japanese salmon roe," by D. F. Gadbois, E. M. Ravesi, and R. C. Lundstrom .....   | 683 |
| Chesapeake Bight occurrence in .....   | 462 |   |     |
| MUSICK, J.A.—see ABLE and MUSICK   |     | OGREN, LARRY H.—see BRUSHER and OGREN   |     |
| N-nitrosamines   |     | —————see HASTINGS et al.  |     |
| volatile, occurrence of salmon roe, Japanese .....   | 683 | Oil and grease  |     |
| Nannoplankton  |     | fishery waste effluents   |     |
| Monterey Bay, California   |     | proposed analytical method .....  | 681 |
| standing stocks and primary productivity during upwelling season, contribution to .....  | 183 | "Oil and grease: A proposed analytical method for fishery waste effluents," by Jeff Collins .....   | 681 |
| Nehu   |     | <i>Oncorhynchus gorbusha</i> —see Salmon, pink  |     |
| age and growth, Hawaiian Islands   |     | <i>Oncorhynchus kisutch</i> —see Salmon, coho   |     |
| geographical comparison of growth rates .....  | 16  | <i>Oncorhynchus nerka</i> —see Salmon, sockeye  |     |
| indicated by daily growth increments of sagittae ..  | 9   | <i>Oncorhynchus tshawytscha</i> —see Salmon, chinook  |     |
| NELLEN, WALTER—see BLACKBURN and NELLEN  |     | "Optical malformations induced by insecticides in embryos of the Atlantic silverside, <i>Menidia menidia</i> ," by Judith S. Weis and Peddrick Weis .....   | 208 |
| <i>Nematobrachion</i> sp.  |     | Oregon  |     |
| California Current, central region   |     | crab, Dungeness   |     |
| density, vertical range, and diel movement. ....   | 932 | larval dynamics off central coast, 1970-71 .....  | 353 |
| <i>Nematoscelis</i> sp.  |     | micronekton and macrozooplankton  |     |
| California Current, central region   |     | season and inshore-offshore variations in standing stocks .....   | 70  |
| density, vertical range, and diel movement. ....   | 932 | Otoliths  |     |
| Nets, gill   |     | daily growth increments, larval and adult fishes .....  | 1   |
| fish catches   |     | Oyster, Pacific   |     |
| relation to frontal periods .....  | 449 | fertilization method quantifying gamete concentrations and maximizing larvae production .....   | 698 |
| NICHOLS, JOHN P.—see GRIFFIN et al.  |     | Pacific, central North  |     |
| NISHIMOTO, ROBERT N.—see LAURS et al.  |     | blue marlin   |     |
| "North American crab fisheries: Regulations and their rationales," by R. J. Miller .....   | 623 | von Bertalanffy growth curves .....   | 553 |
| North Carolina   |     | <i>Scopelogys clarkei</i> , description of new species .....  | 142 |
| porgy, red   |     | striped marlin  |     |
| reproductive cycle, fecundity, and sex ratios .....  | 775 | von Bertalanffy growth curves .....   | 553 |
| weakfish, reproductive biology .....   | 18  | Pacific, eastern  |     |
| "Notes on the early development of the sea raven, <i>Hemitripterus americanus</i> ," by Lee A. Fuiman .....  | 467 | whale, melon-headed   |     |
| NOVOTNY, ANTHONY J.—see HARRELL et al.   |     | first record in, with summary of world distribution   | 457 |
| Observations on the bigeye thresher shark, <i>Alopias superciliosus</i> , in the western North Atlantic," by Charles E. Stillwell and John G. Casey .....  | 221 | yellowfin tuna  |     |
| "Observations on the commercial fishery and reproductive biology of the totoaba, <i>Cynoscion macdonaldi</i> , in the northern Gulf of California," by Christine A. Flanagan and John R. Hendrickson ..... | 531 | energetics model for an exploited population .....  | 36  |
| "Observations on the fish fauna associated with offshore   |     | Pacific, eastern tropical   |     |
|  |     | porpoise, spotted   |     |
|  |     | growth and reproduction .....   | 229 |
|  |     | Pacific, North  |     |
|  |     | albacore  |     |
|  |     | tag shedding, estimates of rates .....  | 675 |

|   |  |     |
|---|--|-----|
| Pacific, northeast  | food preferences, size related . . . . .                         | 428 |
| halibut, Pacific  | midday feeding, temporal variation . . . . .                     | 424 |
| mercury content . . . . .   |  | 783 |
| sablefish   | <i>Placopecten magellanicus</i> —see Scallop, sea                |     |
| mercury content . . . . .   |  | 791 |
| <i>Pagrus pagrus</i> —see Porgy, red                              | Plankton, net  |     |
| <i>Pandalus hypsinotus</i> —Shrimp, coonstripe                    | Monterey Bay, California   |     |
|   | contribution to standing stocks and primary                      |     |
|   | productivity during upwelling season . . . . .                   | 183 |
| <i>Pandalus jordani</i>   | Polychaete variation   |     |
| sampler, epibenthic, used to study ontogeny of vertical           | application of systematic sampling to study of, in soft          |     |
| migration . . . . .   | substrate environment. . . . .                                   | 942 |
| 994   |  |     |
| "Paralytic shellfish poisoning in Tenakee, southeastern           |  |     |
| Alaska: A possible cause," by Steven T. Zimmerman and             |  |     |
| Robert S. McMahon . . . . .                                       | "Population biology of <i>Euphausia pacifica</i> off southern    |     |
| 679   | California," by Edward Brinton . . . . .                         | 733 |
| <i>Parophrys vetulus</i> —see Sole, English                       | "Populations of sympatric sculpins, <i>Cottus aleuticus</i> and  |     |
| PARRACK, M. L., "Estimation of fishing effort in the              | <i>Cottus asper</i> , in four adjacent salmon-producing coastal  |     |
| western North Atlantic from aerial search data" . . . . .         | streams on Vancouver Island, B.C.," by J. C. Mason and S.        |     |
| 503   | Machidori . . . . .  | 131 |
| PEARCY, WILLIAM G., "Seasonal and inshore-offshore                |  |     |
| variations in the standing stocks of micronekton and              |  |     |
| macrozooplankton off Oregon." . . . .                             | Porgy, red   |     |
| 70  | North Carolina   |     |
| —see KEENE and PEARCY   | fecundity. . . . .   | 775 |
|   | reproductive cycle . . . . .                                     | 775 |
|   | sex ratios. . . . .  | 775 |
| —see ROTH LISBERG and PEARCY                                      | Porpoise, spotted  |     |
| PELLA, JEROME J.—see BAILEY et al.                                | growth and reproduction in eastern tropical Pacific              |     |
| <i>Penaeus aztecus</i> —see Shrimp, brown                         | color pattern. . . . .   | 242 |
| <i>Penaeus aztecus subtilis</i>                                   | gestation period . . . . .                                       | 234 |
| phosphoglucomutase polymorphism in . . . . .                      | growth, fetal . . . . .  | 234 |
| 453   | growth, postnatal . . . . .                                      | 236 |
| <i>Penaeus brasiliensis</i>                                       | Japanese population, comparison with . . . . .                   | 266 |
| phosphoglucomutase polymorphism in . . . . .                      | length at birth . . . . .  | 234 |
| 453   | length-weight relationships . . . . .                            | 242 |
| <i>Penaeus duorarum</i> —see Shrimp, pink                         | production, gross annual . . . . .                               | 265 |
| <i>Penaeus setiferus</i> —see Shrimp, white                       | reproduction, female . . . . .                                   | 248 |
| <i>Peponocephala electra</i> —see Whale, melon-headed             | reproduction, male . . . . .                                     | 243 |
| PERRIN, WILLIAM F., "First record of the melon-                   | reproduction, seasonality . . . . .                              | 243 |
| headed whale, <i>Peponocephala electra</i> , in the eastern       | schooling in relation to reproduction . . . . .                  | 265 |
| Pacific, with a summary of world distribution" . . . . .          | sex ratios. . . . .  | 264 |
| 457   | Porpoises  |     |
| —, JAMES M. COE, and JAMES R. ZWEIFEL,                            | underwater paint marking . . . . .                               | 287 |
| "Growth and reproduction of the spotted porpoise,                 |  |     |
| <i>Stenella attenuata</i> , in the offshore eastern tropical      | "Predator-prey relationship between Pacific herring,             |     |
| Pacific" . . . . .  | <i>Clupea harengus pallasi</i> , larvae and a predatory hyperiid |     |
| 229   | amphipod, <i>Hyperoche medusarum</i> ," by Hein von Wes-         |     |
| <i>Petalidium suspiciosum</i>                                     | ternhagen and Harold Rosenthal . . . . .                         | 669 |
| ecology of Hawaiian . . . . .                                     | "Prehatch and posthatch growth of fishes—a general               |     |
| 824   | model," by James R. Zweifel and Reuben Lasker . . . . .          | 609 |
| "Phosphoglucomutase polymorphism in two penaeid                   | "Present and historical spawning grounds and nurseries           |     |
| shrimps, <i>Penaeus brasiliensis</i> and <i>Penaeus aztecus</i>   | of American shad, <i>Alosa sapidissima</i> , in the Delaware     |     |
| <i>subtilis</i> ," by Lawrence M. Lansford, Charles W. Caillouet, | River," by Mark E. Chittenden, Jr. . . . .                       | 343 |
| and Kenneth T. Marvin . . . . .                                   | PRISTAS, PAUL J.—see MAY et al.                                  |     |
| 453   | —, ELDON J. LEVI, and ROBERT L.                                  |     |
| Pinfish   | DRYFOOS, "Analysis of returns of tagged Gulf men-                |     |
| feeding ecology, observations of postlarval                       | haden" . . . . .   | 112 |
| current speed and feeding intensity . . . . .                     | PROCHASKA, FRED J.—see ALVAREZ et al.                            |     |
| daily rations . . . . .   | PROCTOR, RAPHAEL—see TRENT et al.                                |     |
| evacuation rates . . . . .  |  |     |
| feeding periodicity . . . . .                                     |  |     |
| 424   |  |     |
| 425   |  |     |
| 424   |  |     |
| 425   |  |     |

|  |     |   |     |
|--|-----|---|-----|
| "Production of fry and adults of the 1972 brood of pink salmon, <i>Oncorhynchus gorbuscha</i> , from gravel incubators and natural spawning at Auke Creek, Alaska," by Jack E. Bailey, Jerome J. Pella, and Sidney G. Taylor . . . . . | 961 | Sagittae<br>in nehu, daily growth increments<br>age and growth . . . . .  | 9   |
| "Production of juvenile chinook salmon, <i>Oncorhynchus tshawytscha</i> , in a heated model stream," by Peter A. Bisson and Gerald E. Davis. . . . .   | 763 | Sahara, Spanish<br>pelagic fish eggs and larvae<br>distribution and ecology in an upwelling area off . .  | 885 |
| "Protein taxonomy of the Gulf of Mexico and Atlantic Ocean seatrouts, genus <i>Cynoscion</i> ," by Michael P. Weinstein and Ralph W. Yerger . . . . .  | 599 | St. Andrew Bay, Florida<br>penaeid shrimp, distribution, abundance, and size . . .  | 158 |
| <i>Pseudopleuronectes americanus</i> —see Flounder, winter Puget Sound, Washington<br>marine fouling<br>subtidal and intertidal, on artificial substrata . . . .   | 377 | SAKAGAWA, GARY T., and MAKOTO KIMURA,<br>"Growth of laboratory-reared northern anchovy, <i>Engraulis mordax</i> , from southern California" . . . . . | 271 |
| Pacific salmon<br>isolation and description of two vibrios pathogenic to   | 447 | Salinity<br>survival, effects on<br>winter flounder embryos . . . . .   | 52  |
| PULLEN, EDWARD J.—see TRENT et al.   |     | Salmon<br>migrating, high-seas assessment of<br>acoustic buoy . . . . .   | 104 |
| Queenfish<br>seasonal spawning cycle . . . . .   | 983 | receiver-decoder system . . . . .   | 104 |
| RALSTON, STEPHEN, "Age determination of a tropical reef butterflyfish utilizing daily growth rings of otoliths"  | 990 | Salmon, chinook<br>production of juvenile in a heated model stream<br>associated flora . . . . .  | 765 |
| RAVESI, E. M.—see GADBOIS et al.   |     | benthos and drift . . . . .   | 765 |
| "Reevaluation of fishing effort and apparent abundance in the Hawaiian fishery for skipjack tuna, <i>Katsuwonus pelamis</i> , 1948-70," by Richard N. Uchida . . . . .   | 59  | disease . . . . .   | 769 |
| "Relation of fish catches in gill nets to frontal periods," by Nelson May, Lee Trent, and Paul J. Pristas . . . . .  | 449 | food availability . . . . .   | 769 |
| "Reproductive cycle, fecundity, and sex ratios of the red porgy, <i>Pagrus pagrus</i> (Pisces: Sparidae), in North Carolina," by Charles S. Manooch III . . . . .  | 775 | periphyton biomass and sedimentation . . . . .  | 771 |
| "Review of the deep-sea fish genus <i>Scopelogys</i> (Neoscopelidae) with a description of a new species, <i>Scopelogys clarkei</i> , from the central Pacific," by John L. Butler and Elbert H. Ahlstrom . . . . .                    | 142 | physical characteristics of stream . . . . .  | 763 |
| ROGERS, CAROLYN A., "Effects of temperature and salinity on the survival of winter flounder embryos" . . .   | 52  | temperature, direct effects on growth . . . . .   | 768 |
| ROSENTHAL, HARALD—see WESTERNHAGEN and ROSENTHAL   |     | temperature regulation . . . . .  | 764 |
| ROTHLISBERG, PETER C., and WILLIAM G. PEARCY, "An epibenthic sampler used to study the ontogeny of vertical migration of <i>Pandalus jordani</i> (Decapoda, Caridea)" . . . . .  | 994 | temporal changes in production . . . . .  | 767 |
| ROTHSCHILD, BRIAN J.—see LORD et al.   |     | Salmon, coho<br>fry, some features of emerging from simulated redds and concurrent changes in photobehavior . . . . .                                 | 167 |
| Sablefish<br>mercury in, from northeast Pacific<br>age . . . . .   | 795 | life history in Sashin Creek, Alaska<br>age determination . . . . .   | 904 |
| geographical location . . . . .  | 792 | escapement size . . . . .   | 899 |
| sex . . . . .  | 796 | fecundity . . . . .   | 905 |
| size . . . . .   | 793 | fry, emigration and salinity tolerance . . . . .  | 908 |
| utilization . . . . .  | 796 | fry and smolts, numbers . . . . .   | 907 |
|  |     | growth and age characteristics . . . . .  | 911 |
|  |     | interspecific competition . . . . .   | 903 |
|  |     | juveniles, age of in stream . . . . .   | 910 |
|  |     | juveniles, entering estuary . . . . .   | 907 |
|  |     | juveniles, survival of . . . . .  | 914 |
|  |     | redd life . . . . .   | 902 |
|  |     | retained eggs . . . . .   | 905 |
|  |     | spawners, distribution and density . . . . .  | 903 |
|  |     | survival and instantaneous mortality rates . . . . .  | 917 |
|  |     | survival from potential egg deposition to emergence   | 913 |
|  |     | Salmon, Pacific<br>Puget Sound, Washington<br>isolation and description of two vibrios pathogenic to  | 447 |
|  |     | Salmon, pink<br>production of fry and adults from gravel incubators and natural spawning in Alaska<br>adults, recovery of marked . . . . .            | 965 |
|  |     | adults, size of returning . . . . .   | 968 |
|  |     | adults, timing of return . . . . .  | 969 |
|  |     | egg collection and eyeing . . . . .   | 962 |

|   |     |  |     |
|---|-----|--|-----|
| fry counting and processing . . . . .                           | 963 | SCHIEWE, MICHAEL H.—see HARRELL et al.                               |     |
| fry size and developmental index . . . . .                      | 967 | <i>Sciaenops ocellata</i> —see Drum, red                             |     |
| natural spawning . . . . .                                      | 962 | <i>Scopelengys</i>   |     |
| oxygen levels . . . . .   | 963 | review of genus and description of a new species from                |     |
| raising eyed eggs to fry stage . . . . .                        | 962 | central North Pacific . . . . .                                      | 142 |
| survival from egg to fry . . . . .                              | 966 | <i>Scopelengys clarkei</i>   |     |
| survival from egg to returning adult . . . . .                  | 967 | new species from the central North Pacific . . . . .                 | 142 |
| survival from fry to returning adult . . . . .                  | 966 | Sculpins   |     |
| survival from marking effects . . . . .                         | 967 | populations of sympatric on Vancouver Island                         |     |
| time of emergence and seaward migration . . . . .               | 968 | age determination . . . . .  | 133 |
| water filter and purifier . . . . .                             | 962 | age structure . . . . .  | 136 |
| water temperatures . . . . .                                    | 963 | annual growth, mortality, and length-weight                          |     |
| Salmon, sockeye   |     | relations . . . . .  | 138 |
| Bristol Bay, Alaska, 1966-67                                    |     | biomass distribution . . . . .                                       | 137 |
| foods of juvenile in inshore coastal waters . . . . .           | 458 | distribution and relative abundance . . . . .                        | 133 |
| Great Central Lake, Vancouver Island                            |     | general life history . . . . .                                       | 133 |
| competition for food with the threespine stickleback            | 647 | population estimates . . . . .                                       | 132 |
| Salmon, fishery   |     | population sampling . . . . .  | 132 |
| decision theory applied to simulated data acquisition           |     | Sea raven  |     |
| and management . . . . .  | 837 | early development, notes on . . . . .                                | 467 |
| Salmon roe  |     | Searobins  |     |
| Japanese  |     | biology of five species from northeastern Gulf of                    |     |
| N-nitrosamines, occurrence of volatile . . . . .                | 683 | Mexico   |     |
| Sampling, stratified systematic                                 |     | bottom type . . . . .  | 100 |
| infauna variation in soft substrate environment                 |     | capture, time of . . . . .   | 100 |
| bivalves . . . . .  | 944 | depth distribution . . . . .   | 99  |
| polychaetes . . . . .   | 942 | food habits . . . . .  | 102 |
| procedures, field . . . . .                                     | 939 | geographic distribution . . . . .                                    | 99  |
| procedures, statistical . . . . .                               | 939 | sexual maturity . . . . .  | 101 |
| sediment . . . . .  | 941 | size-depth relationship . . . . .                                    | 100 |
| Santa Barbara, California                                       |     | spawning season . . . . .  | 101 |
| reef fishes   |     | water temperature . . . . .  | 100 |
| day versus night activity in a kelp forest . . . . .            | 703 | "Seasonal and inshore-offshore variations in the standing            |     |
| Santa Catalina Island   |     | stocks of micronekton and macrozooplankton off Oregon,"              |     |
| trophic interactions among fishes and zooplankters . . . . .    | 567 | by William G. Pearcy . . . . .                                       | 70  |
| SANCHEZ, CAROL—see HUNTER and SANCHEZ                           |     | "Seasonal spawning cycles of the sciaenid fishes <i>Gen-</i>         |     |
| Sandab, Pacific   |     | <i>yonemus lineatus</i> and <i>Seriphus politus</i> ," by Stephen R. |     |
| Oregon, continental shelf                                       |     | Goldberg . . . . .   | 983 |
| food of . . . . .   | 984 | Seatrouts  |     |
| Sardine, Pacific  |     | protein taxonomy   |     |
| California Current  |     | Atlantic Ocean . . . . .   | 599 |
| larvae, food and feeding . . . . .                              | 517 | Gulf of Mexico . . . . .   | 599 |
| <i>Sardinops sagax</i> —see Sardine, Pacific                    |     | "Second record of black skipjack, <i>Euthynnus lineatus</i> ,        |     |
| Sashin Creek, Alaska  |     | from the Hawaiian Islands," by Walter M. Matsumoto . . . . .         | 207 |
| salmon, coho  |     | <i>Sergestes armatus</i>   |     |
| life history . . . . .  | 897 | ecology of Hawaiian . . . . .  | 810 |
| Scallop, sea  |     | <i>Sergestes atlanticus</i>  |     |
| life history, ecology, and behavior of <i>Liparis inquilin-</i> |     | ecology of Hawaiian . . . . .  | 805 |
| <i>us</i> associated with . . . . .                             | 409 | <i>Sergestes consobrinus</i>   |     |
| SCHERBA, STEPHEN, JR., and VINCENT F. GAL-                      |     | ecology of Hawaiian . . . . .  | 813 |
| LUCCI, "The application of systematic sampling to a             |     | <i>Sergestes cornutus</i>  |     |
| study of infauna variation in a soft substrate environ-         |     | ecology of Hawaiian . . . . .  | 808 |
| ment" . . . . .   | 937 | <i>Sergestes erectus</i>   |     |
| SCHEVILL, WILLIAM E.—see WATKINS and                            |     | ecology of Hawaiian . . . . .  | 809 |
| SCHEVILL  |     |  |     |

|   |     |  |     |
|---|-----|--|-----|
| <i>Sergestes orientalis</i><br>ecology of Hawaiian .....  | 811 | Shrimp<br><i>Pandalus jordani</i><br>sampler, epibenthic, used to study ontogeny of<br>vertical migration .....              | 994 |
| <i>Sergestes pectinatus</i><br>ecology of Hawaiian .....  | 815 | Shrimp, brown<br>West Bay, Texas<br>abundance in natural and altered marshes .....   | 195 |
| <i>Sergestes sargassi</i><br>ecology of Hawaiian .....  | 813 | Shrimp, coonstripe<br>zoeae<br>description of, reared in laboratory .....  | 323 |
| <i>Sergestes tanillus</i><br>ecology of Hawaiian .....  | 812 | Shrimp, grass<br>West Bay, Texas<br>abundance in natural and altered marshes .....   | 195 |
| <i>Sergestes vigilax</i><br>ecology of Hawaiian .....   | 811 | Shrimp, penaeid<br>St. Andrew Bay system, Florida, distribution, abun-<br>dance, and size .....                              | 158 |
| <i>Sergia bigemnea</i><br>ecology of Hawaiian .....   | 819 | Shrimp, pink<br>West Bay, Texas<br>abundance in natural and altered marshes .....  | 195 |
| <i>Sergia bisulcata</i><br>ecology of Hawaiian .....  | 822 | Shrimp, white<br>West Bay, Texas<br>abundance in natural and altered marshes .....   | 195 |
| <i>Sergia fulgens</i><br>ecology of Hawaiian .....  | 816 | Shrimp fleet<br>Gulf of Mexico<br>economic and financial analysis of increasing costs.                                       | 302 |
| <i>Sergia gardineri</i><br>ecology of Hawaiian .....  | 818 | Shrimp processing<br>dual structural equilibrium in Florida industry<br>characteristics .....                                | 881 |
| <i>Sergia inequalis</i><br>ecology of Hawaiian .....  | 821 | entry and exit patterns, 1959-71 .....   | 880 |
| <i>Sergia laminata</i><br>ecology of Hawaiian .....   | 824 | forecasting firm distribution and predicting struc-<br>tural equilibrium .....   | 882 |
| <i>Sergia maxima</i><br>ecology of Hawaiian .....   | 823 | Shrimps<br>ecology of Hawaiian sergestid<br>color pattern and daytime vertical distribution: role<br>of countershading ..... | 825 |
| <i>Sergia scintillans</i><br>ecology of Hawaiian .....  | 817 | contamination problem in analysis of vertical dis-<br>tribution data .....   | 803 |
| <i>Sergia tenuiremis</i><br>ecology of Hawaiian .....   | 823 | feeding chronology and diet .....  | 829 |
| <i>Seriphus politus</i> —see Queenfish  |     | feeding study .....  | 803 |
| Shad, American<br>spawning grounds and nurseries, Delaware River<br>adults, areas contributing to successful production of<br>behavior, spawning period .....               | 349 | interspecific relations .....  | 831 |
| spawning period .....   | 344 | nighttime vertical distribution and migration .....  | 827 |
| weight loss, mortality, feeding, and duration of res-<br>idence in fresh water  |     | <i>Petalidium suspiciosum</i> .....  | 824 |
| feeding behavior .....  | 153 | reproduction and growth .....  | 831 |
| gonad weight-length relationships prior to spawning   | 152 | sampling area .....  | 799 |
| somatic weight-length relationships prior to spawn-<br>ing .....  | 152 | <i>Sergestes armatus</i> .....   | 810 |
| total and fork length conversion .....  | 152 | <i>Sergestes atlanticus</i> .....  | 805 |
| total weight-length relationships prior to spawning   | 152 | <i>Sergestes consorbrinus</i> .....  | 813 |
| upstream mortality .....  | 153 | <i>Sergestes cornutus</i> .....  | 808 |
| Shark, bigeye thresher<br>western North Atlantic, observations on .....   | 221 | <i>Sergestes erectus</i> .....   | 809 |
| SHARP, GARY D., and ROBERT C. FRANCIS, "An<br>energetics model for the exploited yellowfin tuna, <i>Thun-<br/>nus albacares</i> , population in the eastern Pacific Ocean". | 36  | <i>Sergestes orientalis</i> .....  | 811 |
| Shellfish poisoning, paralytic<br>Tenakee, southeastern Alaska<br>possible cause .....  | 679 | <i>Sergestes pectinatus</i> .....  | 815 |
| SHERIDAN, PETER F.—see LIVINGSTON et al.  |     | <i>Sergestes sargassi</i> .....  | 813 |
|   |     | <i>Sergestes tantillus</i> .....   | 812 |
|   |     | <i>Sergestes vigilax</i> .....   | 811 |
|   |     | <i>Sergia bigemnea</i> .....   | 819 |
|   |     | <i>Sergia bisulcata</i> .....  | 822 |
|   |     | <i>Sergia fulgens</i> .....  | 816 |
|   |     | <i>Sergia gardineri</i> .....  | 818 |
|   |     | <i>Sergia inequalis</i> .....  | 821 |

|   |     |  |     |
|---|-----|--|-----|
| <i>Sergia laminata</i> .....  | 824 | STADELMAN, DONALD—see TILLMAN and STADELMAN  |     |
| <i>Sergia maxima</i> .....  | 823 |  |     |
| <i>Sergia scintillans</i> .....   | 817 |  |     |
| <i>Sergia tenuiremis</i> .....  | 823 | STAEGER, WILLIAM H., and HOWARD F. HORTON, "Fertilization method quantifying gamete concentrations and maximizing larvae production in <i>Crassostrea gigas</i> " .....  | 698 |
| vertical distribution .....   | 800 |  |     |
| Silverside, Atlantic  |     |  |     |
| embryos, optical malformations induced by insecticides .....  | 208 | <i>Stenella attenuata</i> —see Porpoise, spotted   |     |
| "Size composition and growth of young rock crab, <i>Cancer irroratus</i> , on a rocky beach in Maine," by Jay S. Krouse   | 949 | Stickleback, threespine  |     |
| SKILLMAN, ROBERT A., and MARIAN Y. Y. YONG, "Von Bertalanffy growth curves for striped marlin, <i>Tetrapturus audax</i> , and blue marlin, <i>Makaira nigricans</i> , in the central North Pacific Ocean" ..... | 553 | Great Central Lake, Vancouver Island   |     |
| Skipjack, black   |     | competition for food with juvenile sockeye salmon .  | 647 |
| Hawaiian Islands, second record .....   | 207 | distribution, food, and feeding .....  | 647 |
| SMITH, PAUL E.—see HEWITT et al.  |     | STILLWELL, CHARLES E., and JOHN G. CASEY, "Observations on the bigeye thresher shark, <i>Alopias superciliosus</i> , in the western North Atlantic" .....  | 221 |
| Sole, English   |     | <i>Stolephorus purpureus</i> —see Nehu   |     |
| Oregon, continental shelf   |     | STRUHSAKER, JEANNETTE W.—see KORN et al.   |     |
| food of .....   | 984 | STRUHSAKER, PAUL, and JAMES H. UCHIYAMA, "Age and growth of the nehu, <i>Stolephorus purpureus</i> (Pisces: Engraulidae), from the Hawaiian Islands as indicated by daily growth increments of sagittae" ..... | 9   |
| Sole, petrale   |     | <i>Stylocheiron</i> sp.  |     |
| Oregon, continental shelf   |     | California Current, central region   |     |
| food of .....   | 984 | density, vertical range, and diel movement. ....   | 932 |
| Sole, rex   |     | "Subtidal and intertidal marine fouling on artificial substrata in northern Puget Sound, Washington," by Charles H. Hanson and Jonathan Bell .....   | 377 |
| Oregon, continental shelf   |     | Swim bladder   |     |
| food of .....   | 984 | anchovy, northern  |     |
| Sole, rock  |     | diel changes in inflation .....  | 847 |
| Oregon, continental shelf   |     | Swimming speed   |     |
| food of .....   | 984 | minimum  |     |
| "Some features of coho salmon, <i>Oncorhynchus kisutch</i> , fry emerging from simulated redds and concurrent changes in photobehavior," by J. C. Mason .....   | 167 | tuna, albacore. ....   | 955 |
| Sonar mapping   |     | TAYLOR, SIDNEY G.—see BAILEY et al.  |     |
| development and use for pelagic stock assessment in California current area   |     | TEENY, FUAD M.—see HALL et al.   |     |
| automated hydrocooustic data acquisition and processing system .....  | 292 | Temperature  |     |
| automated sonar survey .....  | 294 | effects on survival  |     |
| bottom topography .....   | 289 | winter flounder embryos .....  | 52  |
| diurnal and seasonal effects .....  | 285 | Tenakee, Alaska  |     |
| experiment, charter boat .....  | 291 | shellfish poisoning, paralytic   |     |
| experiment, fish trap .....   | 290 | possible cause .....   | 679 |
| target size .....   | 283 | TENNY, RICHARD D.—see COLLINS and TENNY  |     |
| target strength .....   | 285 | <i>Tessarabrachion</i> sp.   |     |
| Spot  |     | California Current, central region   |     |
| feeding ecology, observations of postlarval   |     | density, vertical range, and diel movement. ....   | 929 |
| current speed and feeding intensity .....   | 424 | <i>Tetrapturus audax</i> —see Marlin, striped  |     |
| daily ratios .....  | 425 | "Thermal tolerance and resistance of the northern anchovy, <i>Engraulis mordax</i> ," by Gary D. Brewer. ....  | 433 |
| evacuation rates .....  | 424 | <i>Thunnus alalunga</i> —see Tuna, albacore  |     |
| feeding periodicity .....   | 425 | <i>Thunnus albacares</i> —see Tuna, yellowfin  |     |
| size related food preferences .....   | 428 |  |     |
| temporal variation in midday feeding .....  | 424 |  |     |
| Squid   |     |  |     |
| laboratory-reared   |     |  |     |
| feeding behavior, food consumption, growth, and respiration .....   | 176 |  |     |

|  |     |   |     |
|--|-----|---|-----|
| <i>Thysanoessa</i> sp.   |     | sources of variability in fishing power among vessels   | 60  |
| California Current, central region   |     | standardization of catch per day fished   | 66  |
| density, vertical range, and diel movement   | 929 | vessels, classes of   | 61  |
| <i>Thysanopoda</i> sp.   |     | Tuna, yellowfin   |     |
| California Current, central region   |     | energetics model for an exploited population  |     |
| density, vertical range, and diel movement   | 929 | food as a population regulator  | 46  |
|  |     | population dynamics   | 37  |
| TILLMAN, MICHAEL F., and DONALD STADELMAN, "Development and example application of a simulation model of the northern anchovy fishery"                     | 118 | spawning survival versus population biomass   | 47  |
|  |     | total drag determination  | 41  |
|  |     | velocity determination  | 41  |
| Totoaba  |     | Turkey  |     |
| commercial fishery and reproductive biology in northern Gulf of California   |     | fed tuna oil with and without <i>a</i> -tocopherol supplement or injection  |     |
| breeding migration   | 534 | effects of cooking in air or nitrogen on development of fishy flavor in breast meat   | 89  |
| decline of fishery   | 538 |   |     |
| diet   | 537 |   |     |
| distribution   | 537 |   |     |
| habitat  | 537 |   |     |
| history of fishery   | 532 |   |     |
| spawning concentration   | 535 |   |     |
| <i>Trachurus symmetricus</i> —see Mackerel, jack   |     | <i>Uca pugilator</i> —see Crab, fiddler   |     |
| Transmitter, ultrasonic  |     | UCHIDA, RICHARD N., "Reevaluation of fishing effort and apparent abundance in the Hawaiian fishery for skipjack tuna, <i>Katsuwonus pelamis</i> , 1948-70"  | 59  |
| harness for attachment of  |     | UCHIYAMA, JAMES H.—see STRUHSAKER and UCHIYAMA  |     |
| red drum   | 998 | "Underwater paint marking of porpoises," by William A. Watkins and William E. Schevill  | 687 |
| TRENT, LEE—see MAY et al.  |     |   |     |
| _____, EDWARD J. PULLEN, and RAPHAEL PROCTOR, "Abundance of macrocrustaceans in a natural marsh and a marsh altered by dredging, bulkheading, and filling" | 195 | United States   |     |
|  |     | continental shelf and slope, eastern coast  |     |
| "Trophic interactions among fishes and zooplankters near shore at Santa Catalina Island, California," by Edmund S. Hobson and James R. Chess               | 567 | Ceriantharia, Zoanthidea, Corallimorpharia, and Actiniaria  | 857 |
|  |     |   |     |
| Tuna, albacore   |     | "Uptake, distribution, and depuration of <sup>14</sup> C-benzene in northern anchovy, <i>Engraulis mordax</i> , and striped bass, <i>Morone saxatilis</i> ," by Sid Korn, Nina Hirsch, and Jeanette W. Struhsaker | 545 |
| Pacific, North   |     |   |     |
| tag shedding, estimates of rates   | 675 |   |     |
| swimming speed, minimum  |     | Vancouver Island, British Columbia  |     |
| comparison among four scombrids  | 958 | <i>Cottus aleuticus</i> and <i>Cottus asper</i>   |     |
| density variations   | 956 | populations of sympatric in four adjacent salmon-producing coastal streams  | 131 |
| determining  | 957 |   |     |
| estimates, field   | 959 | "Vertical distribution and diel migration of euphausiids in the central region of the California Current," by Marsh J. Youngbluth   | 925 |
| west coast   |     |   |     |
| troll fishermen, comparison of the most successful and least successful  | 973 | "Vertical distribution and other aspects of the ecology of certain mesopelagic fishes taken near Hawaii," by Thomas A. Clarke and Patricia J. Wagner  | 635 |
| Tuna, skipjack   |     | Vibrios   |     |
| reevaluation of fishing effort and apparent abundance in Hawaiian fishery, 1948-70   |     | Puget Sound, Washington   |     |
| catch reports  | 60  | isolation and description of two, pathogenic to Pacific salmon  | 447 |
| comparison of catch per effective trip and catch per day fished  | 62  |   |     |
| differences in catch per effective trip between vessel classes, between areas, and among years   | 64  | "Von Bertalanffy growth curves for striped marlin, <i>Tetrapturus audax</i> , and blue marlin, <i>Makaira nigricans</i> , in the central North Pacific Ocean," by Robert A. Skillman and Marian Y. Y. Yong        | 553 |
| fishing areas  | 61  |   |     |
| interrelation of total catch, fishing intensity, and apparent abundance  | 67  |   |     |
| measures of apparent abundance and fishing intensity   | 66  | WAGNER, PATRICIA J.—see CLARKE and WAGNER   |     |
| relation between catch per day fished and catch per effective trip   | 64  | WALTERS, JOHN F., "Ecology of Hawaiian sergestid shrimps (Penaeidea: Sergestidae)"  | 799 |
| reporting of zero-catch trips  | 60  |   |     |



|   |     |     |  |
|---|-----|-----|--|
| WARDLAW, NEWTON J.—see GRIFFIN et al.   |     |     |  |
| WATKINS, WILLIAM A., and WILLIAM E. SCHEVILL, "Underwater paint marking of porpoises"   | 687 |     |  |
| Weakfish  |     |     |  |
| reproductive biology in North Carolina  | 18  |     |  |
| "Weight loss, mortality, feeding, and duration of residence of adult American shad, <i>Alosa sapidissima</i> , in fresh water;" by Mark E. Chittenden, Jr.  | 151 |     |  |
| WEINSTEIN, MICHAEL P., and RALPH W. YERGER, "Protein taxonomy of the Gulf of Mexico and Atlantic Ocean seatrouts, genus <i>Cynoscion</i> "  | 599 |     |  |
| WEIS, JUDITH S., "Effects of mercury, cadmium, and lead salts on regeneration and ecdysis in the fiddler crab, <i>Uca pugilator</i> "   | 464 |     |  |
| _____, and PEDDRICK WEIS, "Optical malformations induced by insecticides in embryos of the Atlantic silverside, <i>Menidia menidia</i> "  | 208 |     |  |
| WEIS, PEDDRICK—see WEIS and WEIS  |     |     |  |
| West Bay, Texas   |     |     |  |
| macrocrustaceans, abundance in a natural marsh and a marsh altered by dredging, bulkheading, and filling  | 195 |     |  |
| WESTERNHAGEN, HEIN VON, and HARALD ROSENTHAL, "Predator-prey relationship between Pacific herring, <i>Clupea harengus pallasii</i> , larvae and a predatory hyperiid amphipod, <i>Hyperoche medusarum</i> " | 669 |     |  |
| Whale, melon-headed   |     |     |  |
| Pacific, eastern  |     |     |  |
| first record in, with summary of world distribution   | 457 |     |  |
| WICKHAM, DANIEL E.—see FISHER and WICKHAM   |     |     |  |
| WIDERSTEN, BERNT, "Ceriantharia, Zoanthidea, Corallimorpharia, and Actiniaria from the continental shelf and slope off the eastern coast of the United States"  |     | 857 |  |
| YERGER, RALPH W.—see LEWIS and YERGER   |     |     |  |
| ____—see WEINSTEIN and YERGER   |     |     |  |
| YONG, MARIAN Y. Y.—see SKILLMAN and YONG  |     |     |  |
| YOUNGBLUTH, MARSH J., "Vertical distribution and diel migration of euphausiids in the central region of the California Current"   |     | 925 |  |
| ZIMMERMAN, STEVEN T., and ROBERT S. McMAHON, "Paralytic shellfish poisoning in Tenakee, southeastern Alaska: A possible cause"  |     | 679 |  |
| Zoanthidea  |     |     |  |
| continental shelf and slope, U.S. east coast  |     |     |  |
| <i>Epizoanthus incrustatus</i>  |     | 858 |  |
| Zooplankers   |     |     |  |
| Santa Catalina Island   |     |     |  |
| trophic interactions with fishes  |     | 567 |  |
| Zooplankton   |     |     |  |
| California Current, central region  |     |     |  |
| density, vertical range, and diel movement  |     | 925 |  |
| ZWEIFEL, JAMES R.—see PERRIN et al.   |     |     |  |
| _____, and REUBEN LASKER, "Prehatch and posthatch growth of fishes—a general model"   |     | 609 |  |