

Annual Review of Pteridological Research - 2005

Literature Citations

[All Citations](#)

1. Acosta, S., M. L. Arreguín, L. D. Quiroz & R. Fernández. 2005. Ecological and floristic analysis of the Pteridoflora of the Valley of Mexico. P. 597. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
2. Agoramoorthy, G. & M. J. Hsu. 2005. Borneo's proboscis monkey – a study of its diet of mineral and phytochemical concentrations. Current Science (Bangalore) 89: 454–457. [Acrostichum aureum]
3. Aguraiuja, R. 2005. Hawaiian endemic fern lineage Diellia (Aspleniaceae): distribution, population structure and ecology. P. 111. In Dissertationes Biologicae Universitatis Tartuensis 112. Tartu University Press, Tartu Estonia.
4. Al Agely, A., L. Q. Ma & D. M. Silvia. 2005. Mycorrhizae increase arsenic uptake by the hyperaccumulator Chinese brake fern (*Pteris vittata* L.). Journal of Environmental Quality 34: 2181–2186.
5. Albertoni, E. F., C. Palma-Silva & C. C. Veiga. 2005. Structure of the community of macroinvertebrates associated with the aquatic macrophytes *Nymphaoides indica* and *Azolla filiculoides* in two subtropical lakes (Rio Grande, RS, Brazil). Acta Biologica Leopoldensia 27: 137–145. [Portuguese]
6. Albornoz, P. L. & M. A. Hernandez. 2005. Anatomy and mycorrhiza in *Pellaea ternifolia* (Cav.) Link (Pteridaceae). Bol. Soc. Argent. Bot. 40 (Supl.): 193. [Abstract; Spanish]
7. Almendros, G., M. C. Zancada, F. J. Gonzalez-Vila, M. A. Lesiak & C. Alvarez-Ramis. 2005. Molecular features of fossil organic matter in remains of the Lower Cretaceous fern *Weichselia reticulata* from Przenosza basement (Poland). Organic Geochemistry 36: 1108–1115.
8. Alonso-Amelot, M. E. & A. Oliveros-Bastidas. 2005. Kinetics of the natural evolution of hydrogen cyanide in plants in neotropical *Pteridium arachnoideum* and its ecological significance. Journal of Chemical Ecology 31: 315–331.
9. Alvarez-Fuentes, O. & C. Sanchez. 2005. A new species and a new combination of *Thelypteris*, subgenus *Amauropelta*, section *Amauropelta* from Cuba. American Fern Journal 95: 30–42.
10. Alvarez-Fuentes, O. & C. Sanchez. 2005. On the lectotypification of *Thelypteris scalpturoides*. American Fern Journal 95: 43–44.
11. Alves, R. J. V. & L. S. G. Martins. 2005. Recovering narrow endemic plant populations on Trindade Island, Brazil. P. 159. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; *Pityrogramma calomelanos*]
12. Amatangelo, K. & P. Vitousek. 2005. Effects of phylogeny and nutrient ability on Hawaiian fern stoichiometry. In Abstracts (<http://abstracts.co.allenpress.com/pweb/esa2005/>). ESA 2005 Annual Meeting, Montreal Canada. [Abstract]
13. Ambrozic-Dolinsek, J., M. Camloh & J. Zel. 2005. Jasmonic acid and wounding promotes apospory in fern leaf culture. P. 313. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; *Platycerium bifurcatum*]
14. Ambwani, K. & D. Dutta. 2005. Seed-like structure in dinosaurian coprolite of Lameta Formation (Upper cretaceous) at Pisdura, Maharashtra, India. Current Science (Bangalore) 88: 352–354.
15. Amemiya, K. & K. Yoneda. 2005. Characteristics and dormancy of non-harsh tasting line of Japanese bracken (*Pteridium aquilinum* Kuhn). Environment Control in Biology 43: 253–257.

16. Andrade-Cetto, A. & M. Heinrich. 2005. Mexican plants with hypoglycaemic effect used in the treatment of diabetes. *Journal of Ethnopharmacology* 99: 325–348. [Equisetum myriochaetum]
17. Anonymous. 2005. Excursion to north east Skane. *Botaniska Notiser* 138: 39–41. [Swedish; Isoetes lacustris, Diphasiastrum complanatum ssp. complanatum]
18. Anonymous. 2005. Flora Hunters Meeting 2005. *Botaniska Notiser* 138: 47–48. [Swedish; Equisetum, Asplenium, Polystichum, Gymnocarpium]
19. Archangelsky, A. & M. Llorens. 2005. Palynology of the Kachaike Formation, Lower Cretaceous of the Austral Basin, Santa Cruz province. II. Spores. *Ameghiniana* 42: 311–328. [Spanish]
20. Archer, R. C. 2005. Propagation of ferns by division with special emphasis on *Athyrium niponicum* 'Pictum'. *Hardy Fern Foundation Quarterly* 15 (1): 6–10.
21. Archer, R. C. 2005. Recommendations from north central Kentucky, USA. *Hardy Fern Foundation Quarterly* 15 (2): 22–28, 56.
22. Arora, A. & S. Saxena. 2005. Cultivation of *Azolla microphylla* biomass on secondary-treated Delhi municipal effluents. *Biomass & Bioenergy* 29: 60–64.
23. Artabe, A. E., D. G. Gauza, L. A. Spalletti, A. Zuniga & E. M. Morel. 2005. The paleoflora of Cerro La Brea (Early Jurassic), Mendoza province, Argentina. *Ameghiniana* 42: 429–442. [Spanish]
24. Atanassova, J. 2005. Late holocene vegetation changes in the Northern Pirin Mountains (southwestern Bulgaria). Palynological data from Lake Suho Breznishko and Lake Okadensko. *Geologica Carpathica* 56: 447–453. [Pteridium]
25. Athayde Filho, F. d. P. & A. A. Agostinho. 2005. Pteridoflora of two "veredas" in the municipality of Campinapolis, Mato Grosso, Brazil. *Pesquisas Botanica* 56: 145–159. [Portuguese]
26. Atkin, S. L., S. Barrier, S. T. Beckett, T. Brown, G. Mackenzie & L. Madden. 2005. Towards the use of sporopollenin in drug delivery: Efficient encapsulation of oligonucleotides. Pp. 307–311. In M. Hocek (Ed.). *Chemistry of Nucleic Acid Components, Symposium on Chemistry Nucleic Acid Components*, Spindleruv Mlyn, Czech Republic, September 03 –09, Collection Symposium Series Volume 7. Acad. Sci. Czech Republic, Inst. Organic Chem. & Biochemistry, Prague, Czech Republic. [Lycopodium clavatum]
27. Baghi, M., A. Mazooji & F. Fallahian. 2005. Introducing new species of genus *Dryopteris* along with morphology, sporology and anatomical studies and proposition of its determination key and distribution map in Iran. P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
28. Bai, J., H. Ouyang, W. Deng, Y. Zhu, X. Zhang & Q. Wang. 2005. Spatial distribution characteristics of organic matter and total nitrogen of marsh soils in river marginal wetlands. *Geoderma* 124: 181–192. [Isoetes]
29. Baier, E., M. Schmidt, H. Thiel & H. W. Bennert. 2005. Zur situation von Brauns Schildfarn (*Polystichum braunii*) auf dem Meibner – 1st die Rettung des einzigen hessischen Vorkommens noch möglich? *Jahrbuch Naturschutz in Hessen* 9: 61–66. [German]
30. Balachandar, D., K. Kumar, K. Arulmozhiselvan & S. Kannaiyan. 2005. Influence of combined nitrogen on nitrogen transfer efficiency of immobilized cyanobacteria to rice seedlings. *Indian Journal of Microbiology* 45: 257–260. [Azolla filiculoides]
31. Ballesteros, D., E. Estrelles & A. M. Ibars. 2005. New data concerning pteriphytic spore conservation in germplasm banks. Pp. 1–6. In *Planta Europa IV Proceedings*, Valencia (http://www.nerium.net/plantaeuropa/Download/Proceedings/Ballesteros_daniel.pdf.)

32. Ballesteros, D., J. Gorgues & A. M. Ibars. 2005. High temperature and accelerated aging effects on spores of different ferns. P. 576. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
33. Balounova, Z., J. Rajchard & J. Michal. 2005. The contribution of surrounding vegetation of Ryzonvi Creek near Svojse in the National Park Sumava. Collection of Scientific Papers Faculty of Agriculture in Ceske Budejovice Series for Crop Sciences 22: 33–41. [Czech]
34. Banaticla, M. C. N. & I. E. Buot, Jr. 2005. Altitudinal zonation of pteridophytes on Mt. Banahaw de Lucban, Luzon Island, Philippines. *Plant Ecology* 180: 135–151.
35. Banerjee, M. 2005. Autochthonous deposition of Indian coal beds with palaeobotanical evidences of in situ plants from Saharjuri Basin, Jharkhand. *Current Science (Bangalore)* 88: 1487–1490.
36. Banerjee, M., S. Mitra & S. Dutta. 2005. First record of late palaeozoic Euramerian calamitalean foliage shoot *Annularia Sternberg* in the late Early Permian (Barakar Formation) *Glossopteris* floral assemblage of Peninsular Indian Lower Gondwana. *Current Science (Bangalore)* 88: 1040–1042.
37. Banks, S. C., G. R. Finlayson, S. J. Lawson, D. B. Lindenmayer, D. Paetkau, S. J. Ward & A. C. Taylor. 2005. The effects of habitat fragmentation due to forestry plantation establishment on the demography and genetic variation of a marsupial carnivore, *Antechinus agilis*. *Biological Conservation* 122: 581–597. [*Blechnum nudum*, *Polystichum proliferum*, *Pteridium esculentum*]
38. Bao, W. M., P. S. Wang, C. Aur, X. Ji & J. G. Cao. 2005. Diversity of Pteridophytes in China. P. 382. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
39. Bao, W. M., J. G. Cao & X. C. Ji. 2005. Diversity of pteridophytes in China Volumes 1 and 2 (Video teaching material with commentary in both Chinese and English). Higher Education Press, Higher Electronic Video Press, Beijing PR China.
40. Bao, W. M., Q. He, Q. X. Wang, G. W. Tian & J. G. Cao. 2005. Ultrastructure of oogenesis in *Dryopteris crassirhizoma* Nakai. *Journal of Integrative Plant Biology* 47: 201–213.
41. Barcelona, J. F. 2005. Noteworthy fern discoveries in the Philippines at the turn of the 21st century. *Fern Gazette* 17: 139–146. [*Aglaomorpha cornucopia*, *Antrophyum williamsii*, *Ctenitis humilis*, *Cyrtomium*, *Dennstaedtia macgregori*]
42. Barker, M. S. 2005. Asymmetrical reproductive isolation and polyploid species establishment in homosporous ferns. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract; *Ceratopteris richardii*]
43. Barker, M. S., S. W. Shaw, R. J. Hickey, J. E. Rawlins & J. W. Fetzer, Jr. 2005. Lepidopteran soral crypsis on Caribbean ferns. *Biotropica* 37: 314–316.
44. Beaman, J. H. 2005. Mount Kinabalu: Hotspot of plant diversity in Borneo. *Kongelige Danske Videnskabernes Selskab Biologiske Skrifter* 55: 103–127.
45. Bellemare, J., G. Motzkin & D. R. Foster. 2005. Rich mesic forests: Edaphic and physiographic drivers of community variation in western Massachusetts. *Rhodora* 107: 239–283. [*Polystichum acrostichoides*]
46. Bellingham, P. J., E. V. J. Tanner & J. R. Healey. 2005. Hurricane disturbance accelerates invasion by the alien tree *Pittosporum undulatum* in Jamaican montane rain forests. *Journal of Vegetation Science* 16: 675–684. [*Cyathea*]
47. Ben Hameda, A., S. Elosta & J. Havel. 2005. Optimization of the capillary zone electrophoresis method for

- Huperzine A determination using experimental design and artificial neural networks. *Journal of Chromatography A* 1084: 7–12. [Huperzia serrata]
48. Benavides, A., A. Duque, J. Duivenvoorden, A. Vasco & R. Callejas. 2005. A first quantitative census of vascular epiphytes in rain forests of Colombian Amazonia. *Biodiversity and Conservation* 14: 739–758.
49. Beniston, R. G. & M. S. Campo. 2005. HPV-18 transformed cells fail to arrest in G1 in response to quercetin treatment. *Virus Research* 109: 203–209. [Pteridium aquilinum]
50. Bennert, W., M. Lubienski, S. Koerner & M. Steinberg. 2005. Triploidy in Equisetum subgenus Hippochaete (Equisetaceae, Pteridophyta). *Annals of Botany (London)* 95: 807–815.
51. Bercu, R. 2005. Contributions to the anatomy of Asplenium ruta-muraria. *Studia Botanica Hungarica* 36: 13–20.
52. Berry, C. M. 2005. 'Hyenia' vogtii Hoeg from the Middle Devonian of Spitsbergen – Its morphology and systematic position. *Review of Palaeobotany & Palynology* 135: 109–116.
53. Bezrukova, E. V., L. V. Dan'ko, V. A. Snytko, P. P. Letunova, L. A. Orlova, S. B. Kuz'min, K. E. Vershinin, A. A. Abzaeva, A. P. Sizykh & O. M. Khlystov. 2005. New data on the vegetation change of the Lake Baikal western shore in the middle–late holocene. *Doklady Akademii Nauk* 401: 100–104. [Russian]
54. Bhattacharya, M. K. & A. Chakravorty. 2005. Observations on the pteridophytes of West Kameng District, Arunachal Pradesh, Eastern Himalaya. *Indian Fern Journal* 22: 183–188.
55. Bhuskute, S. M., V. I. Kahalkar & B. K. Mendhe. 2005. Occurrence of Psilotum nudum (L.) P. Beauv. from Gondia District of Maharashtra State, India. *Indian Fern Journal* 22: 189–190.
56. Bickford, D. & A. H. Wynn. 2005. Ramphotyphlops multilineatus (Striped blind snake). *Herpetological Review* 36: 327. [Asplenium]
57. Birkenmajer, K. & E. Zastawniak. 2005. A new late Palaeogene macroflora from Bellsund, Spitsbergen. *Acta Palaeobot.*, Krakow 45: 145–163.
58. Bishay, F. & R. H. Kadlec. 2005. Wetland treatment at Musselwhite mine, Ontario, Canada. Pp. 176–198. In J. Vymazal (Ed.). *Natural and Constructed Wetlands: Nutrients, Metals and Management*, 5th Workshop on Nutrient Cycling and Retention in Natural and Constructed Wetland, Borova Lada, Czech Republic, September 24–27, 2003. Backhuys Publishers, Leiden, Netherlands. [Equisetum]
59. Bissoondial, T. Y. 2005. Unraveling the molecular photobiology of the emerging model fern, Ceratopteris richardii. City University of New York, New York, New York USA. 236 pp. [Dissertation]
60. Biswas, M., S. Parveen, H. Shimozawa & N. Nakagoshi. 2005. Effects of Azolla species on weed emergence in a rice paddy ecosystem. *Weed Biology & Management* 5: 176–183.
61. Bjurulf, P. 2005. Broad-leaved marsh orchids in Oland? *Svensk Botanisk Tidskrift* 99: 133. [Swedish; Thelypteris palustris]
62. Bokeria, M. R. 2005. Spore morphology of the Caucasus fern species. P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
63. Bonde, S. D. & N. K. P. Kumaran. 2005. Taxonomic realignment of the fossil polypodiaceous rhizome Thayeriorhizomoxylon chandrae ("chandraii") Patil and Datar from the Deccan Intertrappean beds of India. *Taxon* 54: 117–119. [Acrostichum intertrappeum]
64. Boudrie, M. & G. Cremers. 2005. A new variety of Lindsaea lancea (Pteridophyta, Dennstaedtiaceae) from the plateau of the Guianas. *Adansonia* 27: 9–16. [French]

65. Boudrie, M., B. Descoings & J. P. Mandin. 2005. Les pteridophytes du département de l'Ardeche (France). *Bot. Soc. Bot. France* 31: 17–73. [French]
66. Boudrie, M. & J. Galtier. 2005. Les Ptéridophytes du département de la Loire. *Bull. Bot. Centre–Oest*, n. s. 36: 3–46.
67. Bourbonnais–Spear, N., P. Sanchez Vindas, L. Poveda, J. T. Amazon, R. Awad, P. Maquin & V. Cal. 2005. Plant use by the Q'eqchi' Maya of Belize in ethnopsychiatry and neurological pathology. *Economic Botany* 59: 326–336.
68. Boyce, C. K. 2005. The fossil record of leaf developmental and physiological evolution. P. 165. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
69. Boyce, C. K. 2005. Patterns of segregation and convergence in the evolution of fern and seed plant leaf morphologies. *Paleobiology* 31: 117–140.
70. Brandstadt, K. F. 2005. Inspired by nature: an exploration of biocatalyzed siloxane bond formation and cleavage. *Current Opinion in Biotechnology* 16: 393–397. [*Equisetum telmateia*]
71. Bremer, P. 2005. The spontaneous establishment of *Matteucia struthiopteris* (L.) Tod. in the Netherlands. *Gorteria* 31: 122–125. [Dutch]
72. Brodribb, T. J., N. M. Holbrook, M. A. Zwieniecki & B. Palma. 2005. Leaf hydraulic capacity in ferns, conifers and angiosperms: impacts on photosynthetic maxima. *New Phytologist* 165: 839–846. [*Selaginella pallescens*]
73. Bruijnzeel, L. A. 2005. Tropical montane cloud forest: a unique hydrological case. Pp. 462–483. In M. Bonell & L. A. Bruijnzeel (Eds.). *Forests, Water and People in the Humid Tropics: Past, Present and Future Hydrological Research for Integrated Land and Water Management*. Cambridge University Press, New York NY USA.
74. Brussa, C. A. & I. Grela. 2005. Taxonomic revision of pteridophyta in Uruguay. *Bol. Soc. Argent. Bot.* 40 (Supl.): 193. [Abstract; Spanish]
75. Buchanan, G., J. Pearce-Higgins, M. Grant, D. Robertson & T. Waterhouse. 2005. Characterization of moorland vegetation and the prediction of bird abundance using remote sensing. *Journal of Biogeography* 32: 697–707. [*Pteridium aquilinum*]
76. Budantsev, A. Y. & V. V. Roshchina. 2005. Testing of alkaloids anticholinesterase activity. *Rastitel'nye Resursy* 41: 131–138. [*Equisetum arvense*]
77. Budke, J. M., R. J. Hickey & K. D. Heafner. 2005. Analysis of morphological and anatomical characteristics of *Isoetes* using *I. tennesseensis*. *Brittonia* 57: 167–182.
78. Buiten, N. 2005. Zwartsteel (*Asplenium adiantum-nigrum* L.) op een noordhelling in de duinen bij Velsen. *Gorteria* 31: 48–51. [Dutch]
79. Burns, K. C. & J. Dawson. 2005. Patterns in the diversity and distribution of epiphytes and vines in a New Zealand forest. *Austral Ecology* 30: 891–899. [*Asplenium flaccidum*, *A. polyodon*, *Blechnum filiforme*, *Microsorum pustulatum*, *Pyrrosia eleagnifolia*]
80. Butler, R. J. 2005. The 'fabrosaurid' ornithischian dinosaurs of the Upper Elliot Formation (Lower Jurassic) of South Africa and Lesotho. *Zoological Journal of the Linnean Society* 145: 175–218.
81. Caille, N., F. J. Zhao & S. P. McGrath. 2005. Comparison of root absorption, translocation and tolerance of arsenic in the hyperaccumulator *Pteris vittata* and the nonhyperaccumulator *P. tremula*. *New Phytologist* 165: 755–761.
82. Calie, P. J. 2005. A mutant hunt using C-Fern (*Ceratopteris richardii*). *American Biology Teacher* 67: 295–299.

83. Canals, D., J. Irurre-Santilari & J. Casas. 2005. The first cytochrome P450 in ferns. *FEBS Journal* 272: 4817–4825. [*Polypodium vulgare*]
84. Cantrill, I. J. & N. S. Nagalingum. 2005. Ferns from the Cretaceous of Alexander Island, Antarctica: implications for Cretaceous phytogeography of the Southern Hemisphere. *Review of Palaeobotany & Palynology* 137: 83–103.
85. Cao, J. G., Q. He, Q. X. Wang, G. W. Tian & W. M. Bao. 2005. Spermatocyte and spermatozoid ultra-structures of *Dryopteris crassirhizoma*. *Xibei Zhiwu Xuebao* 25: 761–769. [Chinese]
86. Capon, S. J. 2005. Flood variability and spatial variation in plant community composition and structure on a large arid floodplain. *Journal of Arid Environments* 60: 283–302. [Marsileaceae]
87. Carmona, M. D., R. Llorach, C. Obon & D. Rivera. 2005. "Zahraa", a Unani multicomponent herbal tea widely consumed in Syria: Components of drug mixtures and alleged medicinal properties. *Journal of Ethnopharmacology* 102: 344–350. [Equisetaceae]
88. Carrapiro, F. & A. L. Pereira. 2005. How evolved is the Azolla–Anabaena symbiotic system? P. 132. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
89. Carson, W. P., J. A. Banta, A. A. Royo & C. Kirschbaum. 2005. Plant communities growing on boulders in the Allegheny National Forest: Evidence for boulders as refugia from deer and as a bioassay of overbrowsing. *Natural Areas Journal* 25: 10–18. [*Dryopteris carthusiana*, *Thelypteris noveboracensis*]
90. Cha-Cha, R., A. Romano & F. Fernandes. 2005. In vitro spore germination of *Polystichum drepanum*, a threatened fern from Madeira Island. *Journal of Horticultural Science & Biotechnology* 80: 741–745.
91. Chakraborty, R. & P. K. Verma. 2005. Identification and evaluation of antibacterial phytochemicals of fishbone fern (*Nephrolepis cordifolia*), 12th European Congress on Biotechnology (ECB 12), Copenhagen, Denmark; August 21 – 24. *Journal of Biotechnology* 118(Suppl. 1): S74–S75. [Abstract]
92. Chambers, T. C., P. J. Edwards & R. J. Johns. 2005. *Blechnum puniceum* (Pterophyta: Blechnaceae), a new species from Papua, Indonesia. *Contributions to the Flora of Mount Jaya, XVI. Kew Bulletin* 60: 597–601.
93. Chang, P., J. Y. Kim & K. W. Kim. 2005. Concentrations of arsenic and heavy metals in vegetation at two abandoned mine tailings in South Korea. *Environmental Geochemistry & Health* 27: 109–119. [*Pteridium aquilinum*]
94. Chauhan, N., H. Padalia, M. C. Porwal & P. S. Roy. 2005. Report of *Ophioderma pendula* (L.) Presl: A rare and interesting fern from Great Nicobar Island and its littoral habitat characterization. *Indian Fern Journal* 22: 146–151.
95. Chen, J. J., C. Y. Duh & J. F. Chen. 2005. New cytotoxic biflavonoids from *Selaginella delicatula*. *Planta Medica* 71: 659–665.
96. Chen, J. M., X. Liu, J. Y. Wang, G. W. Robert & Q. F. Wang. 2005. Genetic variation within the endangered quillwort *Isoetes hypsophila* (Isoetaceae) in China as evidenced by ISSR analysis. *Aquatic Botany* 82: 89–98.
97. Chen, K., G. W. Plumb, R. N. Bennett & Y. Bao. 2005. Antioxidant activities of extracts from five anti-viral medicinal plants. *Journal of Ethnopharmacology* 96: 201–205. [*Selaginella labordei*]
98. Chen, S. S. 2005. Study of vessel elements in *Pteris vittata*. *Wuhan Zhiwuxue Yanjiu* 23: 196–198. [Chinese]
99. Chepstow-Lusty, A., M. B. Bush, M. R. Frogley, P. A. Baker, S. C. Fritz & J. Aronson. 2005. Vegetation and climate change on the Bolivian Altiplano between 108,000 and 18,000 yr ago. *Quaternary Research (Orlando)* 63: 90–98.
100. Chernous, O. P. 2005. Floral findings on the territory of Shostka geobotanical district (Sumy region). *Ukrayins'kyi*

- Botanichnyi Zhurnal 62: 360–364. [Ukrainian; *Botrychium multifidum*, *Lycopodium annotinum*]
101. Chettri, D. R., M. Choudhuri, A. K. Mukherjee & J. Adhikari. 2005. L-myo-inositol-1-phosphate synthase: partial purification and characterisation from *Gleichenia glauca*. *Biologia Plantarum* (Prague) 49: 59–63.
102. Chinnery, L. E. 2005. More humans means more plant species in the Eastern Caribbean. P. 629. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
103. Chiou, W. L., C. E. Martin, T. C. Lin, C. C. Hsu, S. H. Lin & K. C. Lin. 2005. Ecophysiological differences between sterile and fertile fronds of the subtropical epiphytic fern *Pyrrosia lingua* (Polypodiaceae) in Taiwan. *American Fern Journal* 95: 131–140.
104. Choudhury, M. D. & P. S. Das. 2005. Ecology and distribution pattern of *Dipteris wallichii* (R. Br.) Moore in southern Assam, NE India. *Indian Fern Journal* 22: 124–127.
105. Christenhusz, M. J. M., K. M. Pryer, J. Metzgar & H. Tuomisto. 2005. Molecular phylogeny of *Danaea* Sm. (Marattiaceae). P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
106. Christenhusz, M. J. M. & H. Tuomisto. 2005. Some notes on the taxonomy, biogeography and ecology of *Danaea* (Marattiaceae). *Fern Gazette* 17: 217–222.
107. Cleary, D. F. R., M. J. Gennner, T. J. B. Boyle, T. Setyawati, C. D. Angraeti & S. B. J. Menken. 2005. Associations of bird species richness and community composition with local and landscape-scale environmental factors in Borneo. *Landscape Ecology* 20: 989–1001.
108. Clerc, P. & M. J. Price. 2005. Cryptogamy at the Conservatory and Botanical Garden of Geneva. *Saussurea* 35: 53–72.
109. Clifford, H. T. & M. E. Dettmann. 2005. First record from Australia of the Cretaceous fern genus *Tempskya* and the description of a new species, *T. judithae*. *Review of Palaeobotany & Palynology* 134: 71–84.
110. Cobb, B., E. Farnsworth & C. Lowe. 2005. Peterson Field Guide to the ferns of northeastern and central North America, Second Edition. Houghton Mifflin Company, Boston MA USA. 417 pp.
111. Collinson, M. E. 2005. Neogene ferns: often neglected but not forgotten. P. 133. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
112. Coomes, D. A., R. B. Allen, W. A. Bentley, L. E. Burrows, C. D. Canham, L. Fagan, D. M. Forsyth, A. Gaxiola-Alcantar, R. L. Parfitt, W. A. Ruscoe, D. A. Wardle, D. J. Wilson & E. F. Wright. 2005. The hare, the tortoise and the crocodile: the ecology of angiosperm dominance, conifer persistence and fern filtering. *Journal of Ecology* 93: 918–935.
113. Correia, H., A. Gonzalez-Paramas, M. T. Amaral, C. Santos-Buelga & M. T. Batista. 2005. Characterisation of polyphenols by HPLC-PAD-ESI/MS and antioxidant activity in *Equisetum telmateia*. *Phytochemical Analysis* 16: 380–387.
114. Costa, F. R. C., W. E. Magnusson & R. C. Luizao. 2005. Mesoscale distribution patterns of Amazonian understorey herbs in relation to topography, soil and watersheds. *Journal of Ecology* 93: 863–878.
115. Costa, M. A. S. & J. Prado. 2005. Flora da Reserva Ducke, Amazonas, Brasil. *Pteridophyta-Metaxyaceae*. *Rodriguésia* 56: 72–73. [Portuguese]
116. Costa, M. A. S. & J. Prado. 2005. Flora da Reserva Ducke, Amazonas, Brasil. *Pteridophyta-Ophioglossaceae*. *Rodriguésia* 56: 74–75. [Portuguese]
117. Craggs, H. J. 2005. Late Cretaceous climate signal of the Northern Pekulney Range Flora of northeastern Russia.

Palaeogeography Palaeoclimatology Palaeoecology 217: 25–46.

118. Crawley, M. J. 2005. The flora of Berkshire: including those parts of modern Oxfordshire that lie to the south of the river Thames; with accounts of charophytes, ferns, flowering plants, bryophytes, lichens and non-lichenized fungi. Brambleby Books, Harpenden UK. 1375 pp.
119. Cressler, W. L. III & H. W. Pfefferkorn. 2005. A late Devonian isoetalean lycopsid, *Otzinachsonia beerboweri*, gen. et sp. nov., from north-central Pennsylvania USA. American Journal of Botany 92: 1131–1140.
120. Cruz, G. D., A. P. F. R. L. Bracarense, L. Yamasaki & D. E. A. Cortez. 2005. Macroscopic and microscopic changes in rats fed on a bracken fern diet (*Pteridium aquilinum* var. *arachnoideum*) from different regions of Paraná State, Brazil. Arquivo Brasileiro de Medicina Veterinaria e Zootecnia 57: 409–411. [Portuguese]
121. Curran, O. 2005. An assessment of metal accumulation and tolerance in herbaceous woodlot plants adjacent to a nickel refinery in southern Ontario. University of Toronto, Toronto Canada. 84 pp. [M. S. Thesis]
122. Cvejic, J., N. Simin, N. Mimica-Dukic & B. Bozin. 2005. Comparative TLC and HPLC analysis of phenolic compounds in *Equisetum palustre* extracts: 9th European ISSX Meeting, Nice, FRANCE; June 12–17. Drug Metabolism Reviews 37(Suppl. 1): 32. [Abstract]
123. Czaja, A. D., A. B. Kudryavtsev & G. D. Cody. 2005. Raman spectroscopic analysis of the thermal alteration of petrified organic matter. Astrobiology 5: 283. [Dennstaedtia cicutaria, Dennstaedtiopsis aerenchymata] 124. D'Rozario, A., S. Bera & R. Mukhopadhyay. 2005. Internal morphology of aphlebiae-like structures in *Dennstaedtia scabra* (Wall. ex Hook.) Moore from Sikkim, India. Phytomorphology 55: 185–190.
125. Da Silva Dos Santos, A., M. De Araujo Carvalho, T. Macedo Dos Santos & A. Goncalves De Freitas. 2005. Characterization of the quaternary mountain flora based on palynological studies of the Foz do Amazonas Basin, Brazil. Arquivos do Museu Nacional Rio de Janeiro 63: 425–436. [Portuguese]
126. Dai, S. J., Q. X. Wang & W. M. Bao. 2005. Spore morphology of pteridophytes from China V. Aspleniaceae. Acta Phytotax. Sin. 43: 246–261. [Chinese]
127. Dai, S. J., Q. X. Wang, W. M. Bao, X. C. Zhang & D. W. Zhang. 2005. Spore morphology of pteridophytes from China IV. Thelypteridaceae 2. Acta Phytotax. Sin. 43: 233–245. [Chinese]
128. Dai, X. L., Q. X. Wang, J. Yu & R. L. Zhu. 2005. Spore morphology of Pteridophytes from China. VI. Pteridaceae. Acta Botanica Yunnanica 27: 489–500. [Chinese]
129. Dai, Y., P. P. H. But, L. M. Chu & Y. P. Chan. 2005. Inhibitory effects of *Selaginella tamariscina* on immediate allergic reactions. American Journal of Chinese Medicine 33: 957–966.
130. Das, S. 2005. Taxonomic revision and conservation strategies of unipinnate species of the fern genus *Asplenium* L. in India. Indian Fern Journal 22: 43–80.
131. Das, S. 2005. Indian species of *Asplenium* L. with simple fronds. Indian Fern Journal 22: 160–167.
132. Daus, B., R. Wennrich, P. Morgenstern, H. Weib, H. E. Leonhardt Pelmieri, H. A. Nalini, L. V. Leonel, R. P. Guedes Monteiro & R. M. Moreira. 2005. Arsenic speciation in plant samples from the Iron Quadrangle, Minas Gerais, Brazil. Microchimica Acta 151: 175–180. [*Pteris vittata*, *Pityrogramma calomelanos*]
133. Daviero-Gomez, V., H. Kerp & H. Hass. 2005. *Nothia aphylla*: The issue of clonal development in early land plants. International Journal of Plant Sciences 166: 319–326.
134. Davis, C. C., K. J. Wurdack & W. R. Anderson. 2005. Gene transfer from a parasitic flowering plant to a fern. Proceedings of the Royal Society B. Biological Sciences 272: 2237–2242. [Botrychium]

135. Davvamani, S. N., J. Gowrishankar, G. Anhuganapathi, K. Srinivasan, D. Natarajan, G. Perumal, C. Mohanasundari & K. Moorthy. 2005. Studies on antimicrobial activities of certain medicinal ferns against selected dermatophytes. *Indian Fern Journal* 22: 191–195. [Dicranopteris linearis, Nephrolepis cordifolia, Trigonospora caudipinna]
136. de Boer, H. J., A. Kool, A. Broberg, W. R. Mziray, I. Hedberg & J. J. Levenfors. 2005. Anti-fungal and anti-bacterial activity of some herbal remedies from Tanzania. *Journal of Ethnopharmacology* 96: 461–469. [Marattia fraxinea]
137. de la Fuente, H., R. Tejedor, A. Garcia-Lopez, M. Mittelbrunn, J. L. Alonso-Lebrero, F. Sanchez-Madrid, A. Garcia-Diez, J. P. Pivel, P. F. Penas & S. Gonzalez. 2005. Polypodium leucotomos induces protection of UV-induced apoptosis in human skin cells. *Journal of Investigative Dermatology* 124: A120. [Abstract]
138. de la Sota, E. R. 2005. The pteridophytic diversity in the cloud montane forests from Salta, NW Argentina. *Fern Gazette* 17: 138.
139. de la Sota, E. R. 2005. Blechnum xpampasicum (Blechnaceae–Pteridophyta), a new nothotaxon for Cono Sur and its gametophytic characteristics. *Kurtziana* 31: 87–97. [Spanish] 140. de Lange, P. J., R. O. Gardner, W. R. Sykes, G. M. Crowcroft, E. K. Cameron, F. Stalker, M. L. Christian & J. E. Braggins. 2005. Vascular flora of Norfolk Island: some additions and taxonomic notes. *New Zealand Journal of Botany* 43: 563–596. [Nephrolepis flexuosa]
141. de Soto, L., L. G. Quintanilla & M. Méndez. 2005. Factors influencing sexual expression in the fern *Woodwardia radicans*. P. 459. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
142. Decombeix, A. L., B. Meyer-Berthaud, N. Rowe & J. Galtier. 2005. Diversity of large woody lignophytes preceding the extinction of Archeopteris: new data from the middle Tournaisian of Thuringia (Germany). *Review of Palaeobotany & Palynology* 137: 69–82.
143. Deil, U. 2005. A review on habitats, plant traits and vegetation of ephemeral wetlands – a global perspective. *Phytocoenologia* 35: 533–705. [Marsilea, Ophioglossum, Isoetes]
144. Delasco Chitty, F. & R. Lopez. 2005. Schizaeaceae of Cojedes State, Venezuela. *Acta Botanica Venezuelica* 28: 145–153. [Spanish]
145. Demo, M., M. de las M. Oliva, M. L. Lopez, M. P. Zunino & J. A. Zygaldo. 2005. Antimicrobial activity of essential oils obtained from aromatic plants of Argentina. *Pharmaceutical Biology* 43: 129–134. [Anemia tomentosa]
146. Denk, T., Z. Kvacek & F. Grimsson. 2005. The Miocene floras of Iceland and their significance for late Caenozoic North Atlantic biogeography. *Botanical Journal of the Linnean Society* 149: 369–417.
147. Derzhavina, N. M. 2005. Adaptation of ferns to epiphytic mode of life: a case study of *Platycerium wilhelminae* and *Asplenium nidus*. *Byull. Glavn. Bot. Sada (Moscow)* 189: 208–225. [Russian]
148. Desilets, P. & G. Houle. 2005. Effects of resource availability and heterogeneity on the slope of the species-area curve along a floodplain-upland gradient. *Journal of Vegetation Science* 16: 487–496. [Onoclea sensibilis]
149. Dhankher, O. P. 2005. Arsenic metabolism in plants: an inside story. *New Phytologist* 168: 503–505. [Pteris vittata]
150. Dhingra, A. & K. M. Folta. 2005. ASAP: Amplification, sequencing & annotation of plastomes. *BMC Genomics* 6: 176. [Equisetum]
151. Dienst, M. & I. Strang. 2005. The Strandschmiel Society – an endemic plant society of the Lake Constance–Littoral. *Neujahrsblatt Herausgegeben von der Naturforschenden Gesellschaft in Zuerich*: 191–195. [German;

Equisetum variegatum]

152. Diez, J. B., L. M. Sender, U. Villanueva-Amadoz, J. Ferrer & C. Rubio. 2005. New data regarding *Weichselia reticulata*: Soral clusters and the spore developmental process. *Review of Palaeobotany & Palynology* 135: 99–107.
153. DiMichele, W. A., J. H. A. van Konijnenburg-van Cittert, C. V. Looy & D. Chaney. 2005. Equisetites from the Early Permian of North-Central Texas. *The Nonmarine Permian Bull.* 30: 56–59.
154. Dixit, R. D. 2005. A new species of *Microgonium* Presl (Hymenophyllaceae) from Great Nicobar Island, India. *Indian Fern Journal* 22: 180–182.
155. Dixit, R. D. 2005. Diversity of pteridophytes in Chhattisgarh and their conservation. *Journal of Economic & Taxonomic Botany* 29: 251–265.
156. Doi, M., N. Ono & K. I. Shimazaki. 2005. Light-dependent stomatal opening in fern, *Adiantum capillus-veneris*. *Plant & Cell Physiology* 46(Suppl. S): S176. [Abstract]
157. Dong, R., E. Formentin, C. Losseso, F. Carimi, P. Benedetti, M. Terzi & F. Lo Schiavo. 2005. Molecular cloning and characterization of a phytochelatin synthase gene, PvPCS1, from *Pteris vittata* L. *Journal of Industrial Microbiology & Biotechnology* 32: 527–533.
158. Dong, S., Z. C. Chen & X. C. Zhang. 2005. Fern flora of Mt. Wutongshan, Shenzhen, China. *Journal of Tropical and Subtropical Botany* 13: 358–362.
159. Dong, S. Y. & X. C. Zhang. 2005. A taxonomic revision of the fern genus *Bolbitis* (Bolbitidaceae) from China. *Acta Phytotax. Sin.* 43: 97–115.
160. Dong, S. Y. & X. C. Zhang. 2005. *Tetraphyllum hainanense*, a new species from Hainan Island, China. *Novon* 15: 104–108.
161. Dong, Y. H., R. W. Gituru, J. M. Chen & Q. F. Wang. 2005. Effect of habitat modification on the distribution of the endangered aquatic fern *Ceratopteris thalictroides* (Parkeriaceae) in China. *Journal of Freshwater Ecology* 20: 689–693.
162. Donnelly, T. W. 2005. Growing ferns in a cold climate. *Hardy Fern Foundation Quarterly* 15 (2): 10–14, 43.
163. Donoso, P. J. & R. D. Nyland. 2005. Seedling density according to structure, dominance and understory cover in old-growth forest stands of the evergreen forest type in the coastal range of Chile. *Revista Chilena de Historia Natural* 78: 51–63. [*Lophosoria quadripinnata*]
164. Dorland, E., M. A. C. Hart, M. L. Vermeer & R. Bobbink. 2005. Assessing the success of wet heath restoration by combined sod cutting and liming. *Applied Vegetation Science* 8: 209–218. [*Lycopodiella inundata*]
165. dos Santos, J. G., Jr., M. M. Blanco, F. H. M. do Monte, M. Russi, V. M. do N. B. Lanzotti, L. K. de A. Leal & G. M. Cunha. 2005. Sedative and anticonvulsant effects of hydroalcoholic extract of *Equisetum arvense*. *Fitoterapia* 76: 508–513.
166. dos Santos, J. G., Jr., F. H. M. do Monte, M. M. Blanco, V. M. do N. B. Lanzotti, F. D. Maia & L. K. de A. Leal. 2005. Cognitive enhancement in aged rats after chronic administration of *Equisetum arvense* L. with demonstrated antioxidant properties in vitro. *Pharmacology Biochemistry & Behavior* 81: 593–600.
167. Druart, P. & M. M. Duckert-Henriod. 2005. Floristic Neuchatel notes VII. *Bulletin de la Societe Neuchateloise des Sciences Naturelles* 128: 91–104. [French]
168. Du, W., Z. Li, B. Zou & S. Peng. 2005. *Pteris multifida* Poir., a new arsenic hyperaccumulator: characteristics and potential. *International Journal of Environment and Pollution* 23: 388–396.

169. Duan, G. L., Y. G. Zhu, Y. P. Tong, C. Cai & R. Kneer. 2005. Characterization of arsenate reductase in the extract of roots and fronds of Chinese brake fern, an arsenic hyperaccumulator. *Plant Physiology* (Rockville) 138: 461–469. [*Pteris vittata*]
170. Dubuisson, J., S. Hennequin, M. Selosse & I. Dajoz. 2005. Plant diversity, anthropisation and invasives in tropical rainforests: use of the filmy fern (Hymenophyllaceae) community as a bio-indicator in La Réunion island. P. 582. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
171. Duckett, J. G. & R. Ligrone. 2005. A comparative cytological analysis of fungal endophytes in the sporophyte rhizomes and vascularized gametophytes of *Tmesipteris* and *Psilotum*. *Canadian Journal of Botany* 83: 1443–1456.
172. Dulamsuren, C., B. Solongo & M. Muhlenberg. 2005. Comments on the Red Data Book of endangered plant species of Mongolia. *Mongolian Journal of Biological Sciences* 3: 43–48. [*Lycopodium complanatum*]
173. Dumont, B., P.-C. Renaud, N. Morellet, C. Mallet, F. Anglard & H. Verheyden-Tixier. 2005. Seasonal variations of Red Deer selectivity on a mixed forest edge. *Animal Research* 54: 369–381. [*Pteridium aquilinum*]
174. Dunkel, F. 2005. The species of the *Ranunculus auricomus* complex in South Tyrol, Italy – characters, distribution and vulnerability. *Gredleriana* 5: 85–101. [German; *Woodsia ilvensis*]
175. Duque, A. J., J. F. Duivenvoorden, J. Cavelier, M. Sanchez, C. Polania & A. Leon. 2005. Ferns and Melastomataceae as indicators of vascular plant composition in rain forests of Colombian Amazonia. *Plant Ecology* 178: 1–13.
176. Dyer, A. F. 2005. Britain's native tree ferns – being those that live on trees rather than as trees. *Pteridologist* 4: 124–127.
177. Ebihara, A., H. Ishikawa, S. Matsumoto, K. Iwatsuki & M. Ito. 2005. Reticulate evolution of *Vandenboschia radicans* complex (Hymenophyllaceae) in Japan with special reference to its hybrid-dominant tendency. P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
178. Ebihara, A., H. Ishikawa, S. Matsumoto, S. J. Lin, K. Iwatsuki, M. Takamiya, Y. Watano & M. Ito. 2005. Nuclear DNA, chloroplast DNA, and ploidy analysis clarified biological complexity of the *Vandenboschia radicans* complex (Hymenophyllaceae) in Japan and adjacent areas. *American Journal of Botany* 92: 1535–1547.
179. Edwards, P. 2005. Flora of Tropical East Africa. Cyatheaceae. Royal Botanic Gardens, Kew for the East African Governments, Kew UK. 15 pp.
180. Ejaz, A., S. A. Tahira & F. Bareen. 2005. Reduction in chromium content of tannery effluents by using some selected hydrophytes. *International Journal of Biology & Biotechnology* 2: 741–744. [*Marsilea minuta*, *Salvinia natans*]
181. Elless, M. P., C. Y. Poynton, C. A. Willms, M. P. Doyle, A. C. Lopez, D. A. Sokkary, B. W. Ferguson & M. J. Blaylock. 2005. Pilot-scale demonstration of phytofiltration for treatment of arsenic in New Mexico drinking water. *Water Research* 39: 3863–3872. [*Pteris*]
182. Elliott, M. L. & M. B. Rayamajhi. 2005. First report of *Biopolaris sacchari* causing leaf spot on *Lygodium japonicum* and *L. microphyllum* in Florida. *Plant Disease* 89: 1244.
183. Embrick, L. L., K. M. Porter, A. Pendergrass & D. J. Butcher. 2005. Characterization of lead and arsenic contamination at Barber Orchard, Haywood County, NC. *Microchemical Journal* 81: 117–121. [*Pteris vittata*]
184. Erftemeijer, P. L. A. & O. Hamerlynck. 2005. Die-back of the mangrove *Heritiera littoralis* Dryand., in the Rufiji Delta (Tanzania) following El Nino floods. *Journal of Coastal Research* Sp. Iss. 42: 228–235.

185. Escapa, I. & R. Cuneo. 2005. A new equisetalean plant from the early Permian of Patagonia, Argentina. *Review of Palaeobotany & Palynology* 137: 1–14.
186. Euler, A., K. Fujiwara & R. Saraiva. 2005. Species richness, community structure and other characteristics of a tropical rainforest in the Southwestern Amazon, Acre, Brazil. *Hikobia* 14: 273–291.
187. Evans, L. N. & K. A. Handasyde. 2005. Risk sensitive foraging: An experimental study of a solitary marsupial. *Australian Mammalogy* 27: 231–234. [Pteridium esculentum]
188. Everitt, J. H., D. Flores, C. Yang & M. R. Davis. 2005. Assessing biological control damage of giant salvinia with field reflectance measurements and aerial photography. *Journal of Aquatic Plant Management* 43: 76–80. [Salvinia molesta]
189. Fang, F., S. L. Guo, P. Li & W. G. Lu. 2005. Content determination of assemble alkaloids of huperzine in Huperziaceae and dedentred correspondence analysis based on their UV spectra. *Wuhan Zhiwuxue Yanjiu* 23: 606–609. [Chinese]
190. Faust, M. A. 2005. Case studies among select taxonomic groups. Pp. 93–137. In G. A. Krupnick & W. J. Kress (Eds.). *Plant Conservation: A Natural History Approach*. University of Chicago Press, Chicago IL USA.
191. Fayiga, A., L. Q. Ma, J. Santos, B. Rathinasabapathi, B. Stamps & R. C. Littell. 2005. Effects of arsenic species and concentrations on arsenic accumulation by different fern species in a hydroponic system. *International Journal of Phytoremediation* 7: 231–240. [Pteris vittata, P. cretica, Nephrolepis exaltata]
192. Fayiga, A. O. 2005. Phytoremediation of arsenic-contaminated soil and groundwater. University of Florida, Gainesville Florida USA. 135 pp. [Dissertation; Pteris vittata]
193. Fayiga, A. O. & L. Q. Ma. 2005. Arsenic uptake by two hyperaccumulator ferns from four arsenic contaminated soils. *Water Air & Soil Pollution* 168: 71–89. [Pteris vittata, P. cretica]
194. Feng, W. S., X. W. Cao, H. X. Kuang & X. K. Zheng. 2005. Isolation and structure identification of a new flavanone from Dryopteris sublaeta. *Chinese Journal of Natural Medicines* 3: 336–339.
195. Feng, W. S., X. W. Cao, H. X. Kuang & X. K. Zheng. 2005. A new stilbene glycoside from Dryopteris sublaeta. *Yaoxue Xuebao* 40: 1131–1134.
196. Feng, W. S., X. W. Cao, X. K. Zheng & H. X. Kuang. 2005. A new flavanone from Dryopteris sublaeta. *Yaoxue Xuebao* 40: 443–446.
197. Ferrazzo, M., M. L. Lorscheitter & P. G. Windisch. 2005. Fern spore bank on the superficial soil layer in a marsh area at Capao da Canoa, RS. *Acta Biologica Leopoldensia* 27: 73–79. [Portuguese]
198. Ferrer-Castan, D. & O. R. Vetaas. 2005. Pteridophyte richness, climate and topography in the Iberian Peninsula: comparing spatial and nonspatial models of richness patterns. *Global Ecology & Biogeography* 14: 155–165.
199. Figueiredo, J. B. & A. Salino. 2005. Pteridophytes from four "Reservas particulares do Patrimonio Natural" (RPPNs) in the South of the metropolitan region of Belo Horizonte, Minas Gerais, Brazil. *Lundiana* 6: 83–94. [Portuguese; Adiantopsis perfascicidata]
200. Flinn, K. M. 2005. Selfing abilities of three fern species may contribute to differential colonization success in post-agricultural forests. In *Abstracts of Botany 2005*. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract; Polystichum acrostichoides, Dryopteris carthusiana, D. intermedia]
201. Foster, R. D. & P. R. Wetzel. 2005. Invading monotypic stands of Phalaris arundinacea: A test of fire, herbicide, and woody and herbaceous native plant groups. *Restoration Ecology* 13: 318–324. [Thelypteris palustris]

202. Franz, I. & J. L. Schmitt. 2005. *Blechnum brasiliense* Desv. (Pteridophyta, Blechnaceae): Population structure and development of the sporophytic phase. *Pesquisas Botanica* 56: 173–183. [Portuguese]
203. Fraser-Jenkins, C. R. 2003. Plant Cuttings. Internet Magazine of the Natural History Museum: 9.
204. Fraser-Jenkins, C. R. 2004. The first botanical collection of ferns in Nepal, Hamilton, Gardner and Wallich Lost herbaria, a lost botanist, lost letters and lost books, somewhat rediscovered. Bishen Singh Mahendra Pal Singh, Dehra Dun. 83 pp.
205. Freeman, T. P., J. A. Goolsby, S. K. Ozman & D. R. Nelson. 2005. An ultrastructural study of the relationship between the mite *Floracarus perrepae* Knihinicki & Boczek (Acariformes: Eriophyidae) and the fern *Lygodium microphyllum* (Lygodiaceae). *Australian Journal of Entomology* 44: 57–61.
206. Freitas, C. A. A. & J. Prado. 2005. Lista anotada das pteridófitas de florestas inundáveis do alto Rio Negro, Município de Santa Isabel do Rio Negro, AM, Brasil. *Acta Botanica Brasilica* 19: 399–406. [Portuguese]
207. Freitas, C. A. A. & J. Prado. 2005. Flora da Reserva Ducke, Amazonas, Brasil. *Pteridophyta–Dryopteridaceae. Rodriguésia* 56: 49–52. [Portuguese]
208. Freitas Coelho, F., F. Santos Lopes & C. F. Sperber. 2005. Persistence strategy of *Salvinia auriculata* Aublet in temporary ponds of Southern Pantanal, Brazil. *Aquatic Botany* 81: 343–352.
209. Fumbarov, T., E. Tel-Or, Z. Adam & P. B. Goldsborough. 2005. Characterization and expression of a metallothionein gene in the aquatic fern *Azolla filiculoides* under heavy metal stress [electronic resource]. *Planta* 223: 69–76.
210. Funk, J. 2005. *Hedychium gardnerianum* invasion into Hawaiian montane rainforest: interactions among litter quality, decomposition rate, and soil nitrogen availability. *Biogeochemistry* 76: 441–451.
211. Gallardo, A., R. Parama & F. Covelo. 2005. Soil ammonium vs. nitrate spatial pattern in six plant communities: Simulated effect on plant populations. *Plant & Soil* 277: 207–219. [Pteridium]
212. Ganguly, G., R. Banerjee & R. Mukhopadhyay. 2005. A new record of *Dryopteris redactopinnata* Basu et Panigr. from Meghalaya state, India. *Phytomorphology* 55: 303–305.
213. Ganguly, G., J. B. Bhandari & R. Mukhopadhyay. 2005. Morpho-anatomical observations on some Indian species of *Loxogramme* (Bl.) Presl. *Geophytology* 35: 19–24.
214. Ganguly, G. & R. Mukhopadhyay. 2005. A new record of *Hypolepis alpina* (Bl.) Hook. From Sikkim. *Indian Fern Journal* 22: 118–120.
215. Ganguly, G. & R. Mukhopadhyay. 2005. In vitro study on gametophyte development of *Hypolepis alpina* (Bl.) Hook. *Phytomorphology* 55: 179–184.
216. Ganjegunte, G. K., L. M. Condron, P. W. Clinton & M. R. Davis. 2005. Effects of mixing radiata pine needles and understory litters on decomposition and nutrients release. *Biology & Fertility of Soils* 41: 310–319. [Pteridium aquilinum]
217. Gao, H., B. D. Liu & X. C. Zhang. 2005. Classification and nomenclature changes of the Chinese Vittariaceae. *Bull. Bot. Res. (China)* 25: 30–33. [Chinese]
218. Garcia Lahera, J. & C. Sánchez Villaverde. 2005. Study of pteridophyte communities present in humid mountain forests of central Cuba. P. 620. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]

219. Garcia-Villacorta, R. 2005. Linking floristic patterns to edaphic gradients and remote sensing in Peruvian Amazonia. University of Missouri – Saint Louis, Saint Louis Missouri USA. 82 pp. [M. S. Thesis]
220. Gawenda-Kempczynska, D. 2005. Valuable features of springs in the Gorzno-Lidzbark Landscape Park and their conservation. Ecological Questions 6: 39–51. [Polypodium vulgare, Huperzia selago]
221. Gaxiola, A. & D. A. Coomes. 2005. Understorey tree-ferns: Filters or indirect facilitators for the establishment of canopy species in a New Zealand conifer-broadleaved forest. P. 572. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
222. Gayathri, V., V. V. Asha & A. Subramoniam. 2005. Preliminary studies on the immunomodulatory and antioxidant properties of Selaginella species. Indian Journal of Pharmacology 37: 381–385.
223. Gayo, E., L. F. Hinojosa & C. Villagran. 2005. On the persistence of Tropical Paleofloras in central Chile during the Early Eocene. Review of Palaeobotany & Palynology 137: 41–50.
224. Geiger, J. M. O. & T. A. Ranker. 2005. Diversification of Hawaiian Ferns. P. 102. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
225. Geiger, J. M. O. & T. A. Ranker. 2005. Molecular phylogenetics and historical biogeography of Hawaiian Dryopteris (Dryopteridaceae). Molecular Phylogenetics & Evolution 34: 392–407.
226. Gensel, P. G. & A. E. Kasper. 2005. A new species of the Devonian lycopod genus, Leclercqia, from the Emsian of New Brunswick, Canada. Review of Palaeobotany & Palynology 137: 105–123.
227. Gillman, L. N. & J. Ogden. 2005. Microsite heterogeneity in litterfall risk to seedlings. Austral Ecology 30: 497–504. [Cyathea dealbata, Dicksonia]
228. Giudice, G. E., M. L. Luna, C. Carrion & E. R. de la Sota. 2005. Revision del genero Salpichlaena J. Sm. (Blechnaceae, Pteridophyta). Bol. Soc. Argent. Bot. 40 (Supl.): 193–194. [Abstract; Spanish]
229. Glasspool, I. J. & A. C. Scott. 2005. An early Carboniferous (Mississippian), Tournaisian, megaspore assemblage from Three Mile Plains, Nova Scotia, Canada. Review of Palaeobotany & Palynology 134: 219–236.
230. Gnaedinger, S. & R. Herbst. 2005. Triassic pteridophylla from the Norte Chico in Chile. 1. The genus Taeniopteris Brongniart. Ameghiniana 42: 220. [Spanish]
231. Godefroid, S., S. Rucquoij & N. Koedam. 2005. To what extent do forest herbs recover after clearcutting in beech forest? Forest Ecology & Management 210: 39–53. [Dryopteris dilatata]
232. Gogoi, N. K. & M. S. Ali. 2005. Integrated management of sheath blight of winter rice involving Trichoderma harzianum, few soil amendments and captan. Crop Research (Hisar) 30: 423–427. [Azolla pinnata] 233. Golub, N. P. 2005. Anthropogenous transformation of the hydrophilous flora of Prydniprovs'ka highland: Tendencies and forecast of changes. Ukrayins'kyi Botanichnyi Zhurnal 62: 678–686. [Ukrainian; Salvinia natans]
234. González-Adame, G. & M. E. Siqueiros-Delgado. 2005. The pteridophytes of the state of Aguascalientes, México. P. 354. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
235. Goolsby, J. A., R. W. A. Jesudasan, H. Jourdan, B. Muthuraj, A. S. Bourne & R. W. Pemberton. 2005. Continental comparisons of the interaction between climate and the herbivorous mite, Floracarus perrepae (Acari : Eriophyidae). Florida Entomologist 88: 129–134. [Lygodium microphyllum]
236. Goolsby, J. A., R. Zonneveld, J. R. Makinson & R. W. Pemberton. 2005. Host-range and cold temperature tolerance of Floracarus perrepae Knihinicki & Boczek (Acari: Eriophyidae), a potential biological-control agent of

- Lygodium microphyllum (Pteridophyta: Lygodiaceae). Australian Journal of Entomology 44: 321–330.
237. Gopal, B. 2005. Does inland aquatic biodiversity have a future in Asian developing countries? Hydrobiologia 542: 69–75. [Salvinia molesta]
238. Goswami, H. K. 2005. Origin of new chromosomes in the genome of Isoetes pantii. Bionature 25: 1–9.
239. Goswami, H. K. 2005. Intragenomic importance of B chromosomes. Bionature 25: 11–20. [Isoetes]
240. Goswami, H. K. 2005. Importance and functions of ligule and labium. Bionature 25: 37–39. [Isoetes tennesseensis, I. pantii, I. sampatkumarini, I. weberi]
241. Gottlieb, J. E. 2005. Ferns in Pittsburgh gardens. Hardy Fern Foundation Quarterly 15 (2): 44–56.
242. Gottlieb, J. E. 2005. Further reflections on apogamy and alternation of generations - Part I. Hardy Fern Foundation Quarterly 15 (3): 29–33.
243. Gottlieb, J. E. 2005. Further reflections on apogamy and alternation of generations – Part II. Hardy Fern Foundation Quarterly 15 (4): 44–47.
244. Gou, G. Q. & P. S. Wang. 2005. Materials of pteridophytes from Guizhou, China. Acta Botanica Yunnanica 27: 144–146.
245. Gou, G. Q. & P. S. Wang. 2005. Selaginella xishuiensis, a new species of Selaginellaceae from Guizhou, China. Acta Phytotax. Sin. 43: 71–72. [Chinese]
246. Gray, A., T. Pelembé & S. Stroud. 2005. The conservation of the endemic vascular flora of Ascension Island and threats from alien species. Oryx 39: 449–453. [Anogramma ascensionis, Asplenium ascensionis, Dryopteris ascensionis, Marattia purpurascens, Pteris adscensionis, Xiphopteris ascensionensis]
247. Greeney, H. F. 2005. The nest and eggs of the Yellow-whiskered Bush-Tanager (Chlorospingus parvirostris) in eastern Ecuador. Ornithologia Neotropical 16: 437–438. [Cyatheaceae]
248. Groth-Malonek, M., D. Pruchner, F. Grewe & V. Knoop. 2005. Ancestors of trans-splicing mitochondrial introns support serial sister group relationships of hornworts and mosses with vascular plants. Molecular Biology & Evolution 22: 117–125. [Asplenium nidus]
249. Gu, Y. H. & Q. Q. Wu. 2005. HPLC method for the determination of huperzine A in Huperzia serrata. Zhongguo Yaolixue Tongbao 21: 1017–1018. [Chinese] 250. Guarerra, P. M., G. Salerno & G. Caneva. 2005. Folk phytotherapeutic plants from Maratea area (Basilicata, Italy). Journal of Ethnopharmacology 99: 367–378. [Pteridium aquilinum]
251. Guha Ghosh, P., R. Mukhopadhyay & K. Gupta. 2005. Antifungal activity of the crude extracts and extracted phenols from gametophytes and sporophytes of two species of Adiantum. Taiwania 50: 272–283.
252. Guiles, C. W. 2005. A la recherche de fougères à Paris. Hardy Fern Foundation Quarterly 15 (3): 22–24.
253. Guo, X. S., B. Li & J. C. Li. 2005. Preliminary study on the characteristics of pteridophyte flora in the Loess Plateau. Xibei Zhiwu Xuebao 25: 1446–1451.
254. Gureyeva, I. I. 2005. Demographic structure of fern populations in South Siberia. P. 500. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
255. Gureyeva, I. I. & C. N. Page. 2005. Towards the problem of bracken taxonomy in Siberia. Taxonomy notes of the Krylov Herbarium of Tomsk State University 95: 18–26. [Russian, Latin, English; Pteridium]

256. Hadiuzzaman, S. & M. Khondker. 2005. *Salvinia molesta* Mitch. (Salviniaceae) – A free floating fern–allies new to Bangladesh. *Bangladesh Journal of Botany* 34: 37–39.
257. Hagemann, W. 2005. The options of plant organisms for the development of new types or typogenesis in plants. *Revista de la Academia Colombiana de Ciencias Exactas Físicas y Naturales* 24: 25–42.
258. Haghghi, S., A. Mazooji & F. Fallahian. 2005. The study of morphology, sporology and anatomy of the species of the genus: *Athyrium*, along with introducing the new species: *A. distentifolium* in Iran. P. 385. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
259. Hajek, M., P. Hajkova & I. Apostolova. 2005. Notes on the Bulgarian wetland flora, including new national and regional records. *Phytologia Balcanica* 11: 173–184. [Equisetum xmoorei]
260. Halamski, A. T. 2005. Contribution to the knowledge of the flora of the Lyon area. *Bulletin Mensuel de la Societe Linneenne de Lyon* 74: 148–149. [French; Equisetum ramosissimum, E. telmateia]
261. Halarewicz, A. 2005. New records of *Macrosiphum ptericolens* Patch 1919 on the bracken fern, *Pteridium aquilinum* (L.) Kuhn., from South-West Poland. *Polskie Pismo Entomologiczne* 74: 15–18.
262. Hale, C. M., L. E. Frelich, P. B. Reich & J. Pastor. 2005. Effects of european earthworm invasion on soil characteristics in northern hardwood forests of Minnesota, USA. *Ecosystems* 8: 911–927. [Athyrium filix-femina]
263. Halley, R. 2005. Hardy ferns in southern California. *Hardy Fern Foundation Quarterly* 15 (2): 4.
264. Hameed, C. A. & P. V. Madhusoodanan. 2005. *Trichomanes vamona*, a new filmy fern species (Hymenophyllaceae, Pteridophyta) from India. *Nord. J. Bot.* 23: 437–439.
265. Harmer, R., R. Boswell & M. Robertson. 2005. Survival and growth of tree seedlings in relation to changes in the ground flora during natural regeneration of an oak shelterwood. *Forestry (Oxford)* 78: 21–37. [Pteridium aquilinum]
266. Harrington, G. J., E. R. Clechenko & D. Clay Kelly. 2005. Palynology and organic–carbon isotope ratios across a terrestrial Palaeocene/Eocene boundary section in the Williston Basin, North Dakota, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology* 226: 214–232.
267. Harrison, C. J., S. B. Corley, E. C. Moylan, D. L. Alexander, R. W. Scotland & J. A. Langdale. 2005. Independent recruitment of a conserved developmental mechanism during leaf evolution. *Nature (London)* 434: 509–514.
268. Hasebe, M. & M. Ito. 2005. Evolution of floral homeotic genes in green plants. P. 44. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
269. Haufler, C. H. 2005. From genetics to phylogenetics: shifting continents and paradigms in the evolution of seed-free vascular plants. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
270. He, S. G., D. Joyce & M. Z. Wang. 2005. Characterization of polyamine oxidase from the aquatic nitrogen-fixing fern *Azolla imbricata*. *Plant Science (Oxford)* 169: 185–190.
271. He, T. P., L. E. Mo & N. C. Liang. 2005. Effect of 5F from *Pteris semipinnata* L. on invasion and metastasis of highly metastatic ovarian carcinoma HO–8910PM cells in vitro. *Zhongguo Yaolixue Tongbao* 21: 540–544.
272. Heafner, K. D. & R. D. Bray. 2005. Taxonomic reassessment of North American granite outcrop Isoetes species with emphasis on vegetative morphology and *I. piedmontana* (Pfeiffer) Reed sensu lato. *Castanea* 70: 204–221.
273. Heartsill-Scalley, T. 2005. Characterization of riparian zone vegetation and litter production in tropical, montane rainforest along an environmental gradient. Utah State University, Logan Utah USA. 114 pp. [Dissertation]

274. Heggland, A. 2005. New findings of lanceleaf grapefern *Botrychium lanceolatum* in Tinn, Telemark. *Blyttia* 63: 213–215.
275. Hejnowicz, Z. 2005. Unusual metaxylem tracheids in petioles of Amorphophallus (Araceae) giant leaves. *Annals of Botany (London)* 96: 407–412. [Equisetum]
276. Hemp, A. 2005. The impact of fire on diversity, structure and composition of Mt. Kilimanjaro's vegetation. Pp. 51–68. In E. Spehn, M. Liberman & C. Körner (Eds.). *Land use change and mountain biodiversity*. CRC Press, Boca Raton FL USA.
277. Hennequin, S., K. M. Pryer, E. Schuettpelz & J. Dubuisson. 2005. Fast and slow filmy ferns: molecular rate heterogeneity a chloroplast-wide phenomenon in the Hymenophyllaceae. P. 101. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; Trichomanes, Hymenophyllum]
278. Herbst, R., A. Troncoso & J. Muñoz. 2005. The Triassic taphofloras from the Lake District, Xth Region, Chile. *Ameghiniana* 42: 377–394.
279. Hernandez, M., P. L. Albornoz, M. E. Guantay & O. Varela. 2005. Leaf morphology and anatomy of *Argyrochosma nivea* (Poir.) Windham var. *nivea* (Pteridaceae) in an altitudinal gradient in the Northwestern Argentina. *Lilloa* 42: 37–46. [Spanish]
280. Herngreen, G. F. W., J. H. A. van Konijnenburg-van Cittert & H. W. Oosterink. 2005. New geological data (Middle Triassic, Rhaetian–Liassic and Oligocene) of the Winterswijk quarry, the eastern Netherlands. *Neth. J. Of Geology/Geologie en Mijnbouw* 84: 409–413.
281. Herngreen, G. F. W., J. H. A. van Konijnenburg-van Cittert, H. W. Oosterink & R. W. J. M. van der Ham. 2005. Nieuwe geologische, palynologische en paleobotanische gegevens (Muschelkalk, Rhaetien– Lias en Oligoceen) uit de steengroeven van Winterswijk. *Grondboor en Hamer* 59: 84–97. [Dutch]
282. Hilger, H. H., N. Kapuskar & W. Frey. 2005. The gametophyte–sporophyte junction in *Selaginella martensii* Spring (Selaginellales, Lycopodiophyta). *Phyton (Horn)* 45: 1–8.
283. Ho, Y. S. 2005. Effect of pH on lead removal from water using tree fern as the sorbent. *Bioresource Technology* 96: 1292–1296.
284. Ho, Y. S., T. H. Chiang & Y. M. Hsueh. 2005. Removal of basic dye from aqueous solution using tree fern as a biosorbent. *Process Biochemistry* 40: 119–124.
285. Hodoshima, H., K. Shoji, F. Gotoh, H. Shimada & T. Yoshihara. 2005. Iron deficiency response genes induced by cadmium – Difference of expression pattern between tobacco and *Athyrium yokoscense*. *Plant & Cell Physiology* 46 (Suppl. S): S247. [Abstract]
286. Hodson, M. J. 2005. Phylogenetic variation in the silicon composition of plants. *Annals of Botany (London)* 96: 1027–1046.
287. Hofmann, C. C. & R. Zetter. 2005. Reconstruction of different wetland plant habitats of the Pannonian basin system (Neogene, Eastern Austria). *Palaios* 20: 266–279.
288. Hoiland, K. 2005. Red and green plants. *Blyttia* 63: 206–213. [Norwegian; *Botrychium lunaria*]
289. Holeksa, J. & M. Zywiec. 2005. Spatial pattern of a pioneer tree seedling bank in old-growth European subalpine spruce forest. *Ekologia* 24: 263–276. [*Athyrium distentifolium*]
290. Holmes, K. L., P. C. Goebel, D. M. Hix, C. E. Dygert & M. E. Semko-Duncan. 2005. Ground-flora composition and structure of floodplain and upland landforms of an old-growth headwater forest in north-central Ohio. *Journal of*

the Torrey Botanical Society 132: 62–71. [Dryopteris carthusiana]

291. Holmes, W. B. K. & H. M. Anderson. 2005. The middle triassic megafossil flora of the Basin Creek formation, nymboida coal measures, New South Wales, Australia. Part 4. Umkomasiaceae. Dicroidium and affiliated fructificatione. Proceedings of the Linnean Society of New South Wales 126: 1–37.
292. Holmes, W. B. K. & H. M. Anderson. 2005. The middle triassic megafossil flora of the basin creek formation, nymboida coal measures, New South Wales, Australia. Part 5. The genera Lepidopteris, Kurtziana, Rochipteris and Walkomiopteris. Proceedings of the Linnean Society of New South Wales 126: 39–79.
293. Holmes, W. C., A. E. Rushing & J. R. Singhurst. 2005. Taxonomy and identification of Isoetes (Isoetaceae) in Texas based on megaspore features. Lundellia 8: 1–6.
294. Horn, K. 2005. Flachbaerlapp–Arten (*Diphasiastrum* spp.) Im Lindenhardter Forst suedlich Bayreuth. Pp. 134–140; Hemhofen. In W. Nezadal (Ed.). Flora und Vegetation im oestlichen Franken. Exkursionsfuehrer zur 55. Jahrestagung der Floristisch–soziologischen Arbeitsgemeinschaft vom 24. bis 27. Juni 2005 in Erlangen. – Veroeffentlichungen des Berufsverbandes der Oekologen Bayerns 9. [German; *Diphasiastrum complanatum*, *D. tristachyum*, *D. zeilleri*]
295. Horn, K. & W. Diewald. 2005. Weitere Nachweise bemerkenswerter Farnpflanzen (Pteridophyta) im Nationalpark Bayerischer Wald und angrenzenden Gebieten (2. Beitrag). Hoppea 66: 233–242. [*Asplenium viride*, *Botrychium multifidum*, *Cryptogramma crispa*, *Diphasiastrum alpinum*, *D. complanatum*, *D. issleri*, *D. tristachyum*, *D. zeilleri*, *Dryopteris expansa*, *Lycopodiella inundata*, *Polystichum lonchitis*]
296. Horn, K., P. Sackwitz & T. Wilhalm. 2005. Distribution of rare Moonwort species (*Botrychium* spp., Ophioglossaceae, Pteridophyta) in South Tyrol and in the adjacent Trentino (Italy). Gredleriana 5: 59–83. [German]
297. Horn, K., P. Sackwitz & T. Wilhalm. 2005. Die Verbreitung seltener Mondrauten (*Botrychium* spp., Ophioglossaceae, Pteridophyta) in Suedtirol und dem angrenzenden Trentino (Italien). Gredleriana 5: 59–83; Bozen. [German; *Botrychium lanceolatum*, *B. matricariifolium*, *B. multifidum*, *B. simplex*, *B. virginianum*]
298. Horn, K. & R. Zintl. 2005. Flora und Vegetation auf Serpentinit am Peterleinstein bei Kupferberg (Oberfranken). Pp. 126–133; Hemhofen. In W. Nezadal (Ed.). Flora und Vegetation im oestlichen Franken. Exkursionsfuehrer zur 55. Jahrestagung der Floristisch–soziologischen Arbeitsgemeinschaft vom 24. bis 27. Juni 2005 in Erlangen. – Veroeffentlichungen des Berufsverbandes der Oekologen Bayerns 9. [German; *Asplenium adulterinum* subsp. *adulterinum*, *A. cuneifolium*, *A. xposcharskyanum*, *A. trichomanes* subsp. *trichomanes*, *A. viride*, *Dryopteris carthusiana*, *D. filix-mas*, *Polypodium vulgare*]
299. Horrocks, J. R. 2005. *Polystichum stenophyllum*. Hardy Fern Foundation Quarterly 15 (1): 5, 10.
300. Horrocks, J. R. 2005. *Dryopteris caucasica*. Hardy Fern Foundation Quarterly 15 (3): 19, 25.
301. Horrocks, J. R. 2005. *Polystichum psedu-makinoi*. Hardy Fern Foundation Quarterly 15 (4): 55–56.
302. Horrocks, J. R. 2005. Fern cultivation in northern Utah. Hardy Fern Foundation Quarterly 15 (2): 15–21, 43.
303. Horrocks, M. & I. Barber. 2005. Microfossils of introduced starch cultigens from an early wetland ditch in New Zealand. Archaeology in Oceania 40: 106–114.
304. Horrocks, M., S. L. Nichol, D. M. D'Costa, P. Shane & C. Prior. 2005. Palaeoenvironment and human impact in modifying vegetation at Mt St John, Auckland Isthmus, New Zealand. New Zealand Journal of Botany 43: 211–221.
305. Hoshizaki, B. J. 2005. *Pteris fauriei*, an introduction from Japan. Fiddlehead Forum 32: 26–27.
306. Hoshizaki, B. J. & D. G. Yansura. 2005. Cooper's tree fern and the Norfolk Island tree fern (*Cyathea cooperi* (F. V.

- M,ell.) Domin and C. brownii Domin). Fiddlehead Forum 32: 17–20.
307. Hovenkamp, P. H. & F. Miyamoto. 2005. A conspectus of the native and naturalized species of Nephrolepis (Nephrolepidaceae) in the world. Blumea 50: 279–322.
308. Hu, H. B. & X. D. Zheng. 2005. Chemical constituents of Pteris multifida. Xibei Zhiwu Xuebao 25: 781–785. [Chinese]
309. Hu, L., B. Yan, Q. Liu & J. Zhu. 2005. Interspecific association between understory species in a southern highland plantation. Yingyong Shengtai Xuebao 16: 2019–2024. [Dryopteris atrata, Adiantum flabellulatum, Woodwardia japonica]
310. Huegin, G. 2005. The high-lying flora (pteridophytes and seed plants) of the Black Forest or the Vosges region – Critical observations on the relict issue and indigent of "glacial plants". Berichte der Bayerischen Botanischen Gesellschaft zur Erforschung der Heimischen Flora 75: 109–168.
311. Hunt, H., J. Vogel, C. Duraes, S. Russell, M. Grundmann, F. Rumsey, I. Pinter, M. Gibby, J. Barrett & H. Schneider. 2005. Phylogeography of European Asplenium (Pteridophyta). P. 116. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
312. Hussner, A. & R. Loesch. 2005. Alien aquatic plants in a thermally abnormal river and their assembly to neophyte-dominated macrophyte stands (River Erft, Northrhine-Westphalia). Limnologica 35: 18–30. [Azolla filiculoides]
313. Hutchinson, G. & T. C. G. Rich. 2005. Vascular Plants. In Biodiversity Wales. Species of conservation or special interest to Wales. National Museums & Galleries of Wales, Cardiff. [Lycopodiella inundata, Pilularia globulifera, Trichomanes speciosum, Woodsia ilvensis]
314. Imperato, F. 2005. A new flavonoid from the fern Dryopteris villarii. P. 12. In Integrative plant biochemistry as we approach 2010. PSNA Annual Meeting, La Jolla CA USA. [Abstract]
315. Inoue, H., M. Takemoto, H. Kamachi, M. Noguchi & K. Nakayama. 2005. UV-Tolerance of Escherichia coli expressed the 22-kDa protein in chloroplasts from spores of the fern Osmunda japonica. Plant & Cell Physiology 46(Suppl. S): S185. [Abstract]
316. Isaac, B., C. M. Morton, J. Kartesz & J. Isaac. 2005. Additions to and noteworthy records for the Vascular Flora of Pennsylvania. Castanea 70: 70–73. [Lycopodiella alopecuroides x L. inundata]
317. Iwata, T., D. Nozaki, S. Tokutomi & H. Kandori. 2005. Comparative investigation of the LOV1 and LOV2 domains in Adiantum phytochrome3. Biochemistry 44: 7427–7434.
318. Jago, L. C. F. & W. E. Boyd. 2005. How a wet tropical rainforest copes with repeated volcanic destruction. Quaternary Research (Orlando) 64: 399–406.
319. Janssen, T., H. P. Kreier & H. Schneider. 2005. Origin and diversification of African ferns with special emphasis on polygrammoid ferns. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
320. Janssen, T. & H. Schneider. 2005. Exploring the evolution of humus collecting leaves in drynarioid ferns (Polypodiaceae, Polypodiidae) based on phylogenetic evidence. Plant Systematics & Evolution 252: 175–197. [Aglaomorpha, Drynaria]
321. Jeong, J. C., J. W. Lee, C. H. Yoon, Y. C. Lee, K. H. Chung, M. G. Kim & C. H. Kim. 2005. Stimulative effects of Drynariae Rhizoma extracts on the proliferation and differentiation of osteoblastic MC3T3-E1 cells. Journal of Ethnopharmacology 96: 489–495. [Drynaria fortunei]

322. Jeong, J. C., B. T. Leea, C. H. Yoon, H. M. Kim & C. H. Kim. 2005. Effects of *Drynariae* rhizoma on the proliferation of human bone cells and the immunomodulatory activity. *Pharmacological Research* 51: 125–136. [Drynaria]
323. Jiménez, A., L. G. Quintanilla, S. Pajarón & E. Pangua. 2005. Antheridiogen effects in the allotetraploid *Dryopteris corleyi* and its parent species. P. 610. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
324. Jin, Z., M. Higuchi, T. Ishii, K. Iiyama, Y. Matsumoto, T. Tange & T. Akiyama. 2005. Proof of the presence of guaiacyl-syringyl lignin in *Selaginella tamariscina*. *Journal of Wood Science* 51: 424–426.
325. Jones, J. I. 2005. Fronds through the tufa. *Rock Garden Quarterly* 64: 276–282.
326. Jones, M., D. Borcard, P. Legendre & H. Tuomisto. 2005. Spatial structuring of a rain forest fern community at multiple scales: the role of environmental variation. In Abstracts (<http://abstracts.co.allenpress.com/pweb/esa2005/>). ESA 2005 Annual Meeting, Montreal Canada. [Abstract]
327. Jorgensen, P. M., M. J. Macia, A. Fuentes, S. G. Beck, M. Kessler, N. Paniagua, C. Seidel, A. Maldonado, A. Araujo-Murakami, L. Cayola, T. Consiglio, T. J. Killeen, F. Cabrera, D. de la Q. Bascope, T. Miranda, F. Canqui & V. Cardona-Pena. 2005. Lista anotada de las plantas vasculares registradas en la region de Madidi. *Ecología en Bolivia* 40: 70–169.
328. Kaasch, M. & J. Kaasch. 2005. Nova Acta Leopoldina Volume 92: Meeting on From Plant Taxonomy to Evolutionary Biology, Reichelsheim, Germany; June 10 –12, 2004. Deutsche Akad Naturforscher Leopold, Halle, Germany.
329. Kale, M. V. & A. B. Upadhye. 2005. Study of proteins in the dimorphic leaves of three ferns of western ghats, South India. *Indian Fern Journal* 22: 89–91. [Drynaria quercifolia, Ceratopteris thalictroides, Bolbitis appendiculata]
330. Kamachi, H., I. Komori, H. Tamura, Y. Sawa, I. Karahara, Y. Honma, N. Wada, T. Kawabata, K. Matsuda, S. Ikeno, M. Noguchi & H. Inoue. 2005. Lead tolerance and accumulation in the gametophytes of the fern *Athyrium yokoscense*. *Journal of Plant Research* 118: 137–145.
331. Kang, B., Z. Shi, Y. Wen, D. Cai, L. Lu, H. Liang & C. Feng. 2005. Understory vegetation composition and main woody population niche of artificial masson pine forest in south subtropical area. *Yingyong Shengtai Xuebao* 16: 1786–1790. [Chinese; *Adiantum edgeworthii*, *A. flabellulatum*, *Blechnum orientale*, *Dicranopteris dichotoma*, *Pteris semipinnata*,]
332. Kaplan, D., M. Azeb, Y. Akkara, G. Granot, A. Nejidat & Y. M. Heimer. 2005. The presence of the symbiont in the *Azolla*-*Anabaena* symbiosis is essential for the ability of the fern to utilize combined nitrogen. 14th International Nitrogen Fixation Congress, Beijing, PR China; October 27 –November 01, 2004. In Y. P. Wang, M. Lin, Z. X. Tian, C. Elmerich & W. E. Newton (Eds.). *Current Plant Science and Biotechnology in Agriculture* 326, Vol. 41. [Abstract]
333. Kar, R. K., A. Sahni, K. Ambwani & D. Dutta. 2005. Fossil flora (Costatheca and Spennatites) from the Upper Maastrichtian Deccan Intertrappean Beds of India. *Geologica Carpathica* 56: 149–154.
334. Karst, J., B. Gilbert & M. J. Lechowicz. 2005. Fern community assembly: The roles of chance and the environment at local and intermediate scales. *Ecology (Washington D C)* 86: 2473–2486.
335. Katakawa, K., M. Kitajima, N. Aimi, H. Seki, K. Yamaguchi, K. Furihata, T. Harayama & H. Takayama. 2005. Structure elucidation and synthesis of lycoposerramine-B, a novel oxime-containing *Lycopodium* alkaloid from *L. serratum* Thunb. *Journal of Organic Chemistry* 70: 658–663.
336. Kato, M. 2005. Classification, molecular phylogeny, divergence time, and morphological evolution of

- pteridophytes with notes on heterospory and monophyletic and paraphyletic groups. *Acta Phytotaxonomica et Geobotanica* 56: 111–126.
337. Kato, M. & H. Akiyama. 2005. Interpolation hypothesis for the origin of vegetative sporophyte of land plants. *Taxon* 54: 443–450.
338. Kawai-Toyooka, H., T. Kanegae & M. Wada. 2005. Involvement of kinase activity in *Adiantum* phytochrome3 signaling. *Plant & Cell Physiology* 46(Suppl. S): S167. [Abstract]
339. Kazmierczak, A. 2005. The effects of methionine and cobalt ions on sex expression and development of *Anemia phyllitidis* gametophytes. *Acta Physiologiae Plantarum* 27: 447–454.
340. Kendall, J. 2005. Ferns that thrive in the South Carolina Piedmont: a preliminary report. *Hardy Fern Foundation Quarterly* 15 (2): 36–42.
341. Kennar, P. D. 2005. Growing ferns in the Pacific Northwest. *Hardy Fern Foundation Quarterly* 15 (2): 5–9.
342. Kennedy, L. M., S. P. Horn & K. H. Orvis. 2005. Modern pollen spectra from the highlands of the Cordillera Central, Dominican Republic. *Review of Palaeobotany & Palynology* 137: 51–68.
343. Kertulis, G. M., J. D. Winefordner, Y. Cai, R. Chen, L. Q. Ma & G. E. MacDonald. 2005. Arsenic speciation and transport in *Pteris vittata* L. and the effects on phosphorus in xylem sap. *Environmental and Experimental Botany* 54: 239–247.
344. Kertulis-Tartar, G. M. 2005. Arsenic hyperaccumulation by *Pteris vittata* L. and its potential for phytoremediation of arsenic-contaminated soils. University of Florida, Gainesville Florida USA. 171 pp. [Dissertation]
345. Kessler, M. & A. R. Smith. 2005. Seven new species, 13 new combinations, and one new name of Polypodiaceae from Bolivia. *Candollea* 60: 271–288.
346. Kessler, M., A. R. Smith & M. Sundue. 2005. Three new Andean species of *Hymenophyllum* (Hymenophyllaceae-Pteridophyta). *Blumea* 50: 555–559.
347. Kessler, M., A. R. Smith & M. Sundue. 2005. Notes on the genus *Polystichum* (Dryopteridaceae) in Bolivia, with descriptions of ten new species. *Brittonia* 57: 205–227.
348. Khare, P. B., M. Bajpayee & M. Srivastava. 2005. Ecology and diversity of pteridophytic flora of Sonebhadra district (Uttar Pradesh). *J. Econ. Taxon. Bot.* 29: 41–45.
349. Khare, P. B., S. K. Behera, R. Srivastava & S. P. Shukla. 2005. Studies on reproductive biology of a threatened tree fern, *Cyathea spinulosa* Wall. ex Hook. *Current Science* (Bangalore) 89: 173–177.
350. Kholia, B. S. & N. Punetha. 2005. Useful Pteridophytes of Kumaon (Central Himalaya, India). *Indian Fern Journal* 22: 1–6.
351. Kholia, B. S. & N. Punetha. 2005. Notes on distribution and conservation of the rare *Selaginella pulvinata* (Hook. et Grev.) Maxim. in India. *Indian Journal of Forestry* 28: 289–291.
352. Khosravi, M., R. Rakhshaee & M. T. Ganji. 2005. Pre-treatment process of *Azolla filiculoides* to remove Pb(II), Cd(II), Ni(II) and Zn(II) from aqueous solution in the batch and fixed-bed reactors. *Journal of Hazardous Materials* 127: 228–237.
353. Khrapko, O. V. 2005. Climatic rhythms impact on the Far-Eastern pteridoflora formation. Pp. 11–16. In Rhythms and catastrophes impact on vegetation of the Russian Far East. Proceedings of International Conference (Vladivostok, 12–16 October). BGI FEB RAS, Vladivostok.

354. Khrapko, O. V. & I. A. Kreshenok. 2005. Biological rhythms of the Far-Eastern ferns. Pp. 278–281. In Rhythms and catastrophes impact on vegetation of the Russian Far East. Proceedings of International Conference (Vladivostok, 12–16 October). BGI FEB RAS, Vladivostok.
355. Khullar, S. R., M. P. Sharma & J. Chadha. 2005. A re-appraisal of the ferns of Mussoorie and Dehra Dun, Uttranchal. Indian Fern Journal 22: 14–42.
356. Kim, I. S., C. H. Jin, S. J. Kim & Y. H. Jung. 2005. Concise synthesis of (–)-lentiginosine via regioselective and stereoselective introduction of amino group using chlorosulfonyl isocyanate, 229th National Meeting of the American–Chemical–Society, San Diego, CA, USA; March 13 –17. Abstracts of Papers American Chemical Society 229(Part 2): U555. [Abstract; *Arachniodes standishii*]
357. Kimura, M. 2005. Populations, community composition and biomass of aquatic organisms in the floodwater of rice fields and effects of field management. Soil Science & Plant Nutrition 51: 159–181. [Azolla]
358. Kingston, N. & C. Hayes. 2005. The ecology and conservation of the gametophyte generation of the Killarney fern (*Trichomanes speciosum* Willd.) in Ireland. Biology & Environment 105B: 71–79.
359. Kloetzli, F. 2005. A centre of diversity – Rugeller reed. Neujahrsblatt Herausgegeben von der Naturforschenden Gesellschaft in Zuerich: 438–443. [German; *Dryopteris cristata*]
360. Kloucek, P., Z. Polesny, B. Svobodova, E. Vlkova & L. Kokoska. 2005. Antibacterial screening of some Peruvian medicinal plants used in Calleria District. Journal of Ethnopharmacology 99: 309–312. [*Equisetum giganteum*]
361. Kluge, J. & M. Kessler. 2005. Inventory of pteridophytes along an elevational transect in Braulio Carrillo National Park, Biological Station La Selva and Cerro de la Muerte, Costa Rica. Bremesia 63–64: 11–34.
362. Knoop, V. 2005. Mitochondrial insights for land plant phylogeny and a comparative case study in ferns. Pp. 47–60. In M. Kaasch & J. Kaasch (Eds.). Nova Acta Leopoldina Volume 92: Meeting on From Plant Taxonomy to Evolutionary Biology, Reichelsheim, Germany; June 10 –12, 2004. Deutsche Akad Naturforscher Leopold, Halle, Germany.
363. Ko, W. H., S. S. Ko & M. Chen. 2005. Origin and control of fern weeds in orchid production in greenhouses in Hawaii. Crop Protection 24: 487–490. [*Nephrolepis exaltata*]
364. Kolomiyets, N. E., L. K. Mikhaleva & V. V. Sheikin. 2005. Hepatoprotective properties of common horsetail (*Equisetum arvense*). Farmatsiya (Moscow) 4: 38–40. [Russian]
365. Konno, H., T. Nakato, S. Nakashima & K. Katoh. 2005. Lygodium japonicum fern accumulates copper in the cell wall pectin. Journal of Experimental Botany 56: 1923–1931.
366. Kopytko, Y. F., T. D. Dargayeva & T. A. Sokolskaya. 2005. Testing the homeopathic tincture of common club-moss (*Lycopodium clavatum* L.). Farmatsiya (Moscow) 2: 32–34. [Russian]
367. Korall, P., K. M. Pryer, J. Metzgar, H. Schneider & D. S. Conant. 2005. Tree fern phylogeny revealed by the simultaneous analysis of 8kbp of plastid DNA sequence data. P. 382. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
368. Korpelainen, H., J.de Britto, J. Doublet & S. Pravin. 2005. Four tropical, closely related fern species belonging to the genus *Adiantum* L. are genetically distinct as revealed by ISSR fingerprinting. Genetica (Dordrecht) 125: 283–291.
369. Koshkarova, V. L. & A. D. Koshkarov. 2005. Paleoecology and dynamics of forest ecosystems in central Evenkia during the past 2400 years. Ekologiya (Moscow) 1: 3–10. [Russian]

370. Koyama, K., H. Morita, Y. Hirasawa, M. Yoshinaga, T. Hoshino, Y. Obara, N. Nakahata & J. Kobayashi. 2005. Lannnotinidines A–G, new alkaloids from two species of *Lycopodium*. *Tetrahedron* 61: 3681–3690. 371. Kraemer, U. 2005. Phytoremediation: novel approaches to cleaning up polluted soils. *Current Opinion in Biotechnology* 16: 133–141.
372. Krahulec, F. 2005. Respectable member of the Czech Botanical Society Frantisek Prochazka (30.3.1939–26.9.2004). *Preslia* (Prague) 77: 327–329. [Diphasiastrum]
373. Kranabetter, J. M., A. Banner & A. De Groot. 2005. An assessment of phosphorus limitations to soil nitrogen availability across forest ecosystems of north coastal British Columbia. *Canadian Journal of Forest Research* 35: 530–540.
374. Krings, M., S. D. Klavins, W. A. DiMichele, H. Kerp & T. N. Taylor. 2005. Epidermal anatomy of *Glenopteris splendens* Sellards nov. emend., an enigmatic seed plant from the Lower Permian of Kansas (U.S.A.). *Review of Palaeobotany & Palynology* 136: 159–180.
375. Krippel, Y. 2005. Pteridophyte diversity in Luxembourg. *Fern Gazette* 17: 216.
376. Krippel, Y. 2005. The Hymenophyllaceae (Pteridophyta) in Luxembourg: past, present and future. Pp. 209–214. In C. Reis & Y. Krippel (Eds.). *Sandstone landscapes in Europe – past, present and future. Proceedings of the 2nd International Conference on Sandstone Landscapes*. Vianden (Luxembourg) 25–28.05.2005. Trav. Scientif. Mus. Hist. Nat. Lux. 44, Ferrantia.
377. Kroemer, T., M. Kessler, S. R. Gradstein & A. Acebey. 2005. Diversity patterns of vascular epiphytes along an elevational gradient in the Andes. *Journal of Biogeography* 32: 1799–1809.
378. Kubitzki, K. 2005. Major evolutionary advances in the history of green land plants. *Acta Phytotaxonomica et Geobotanica* 56: 1–10.
379. Kumar, P. & R. B. Srivastava. 2005. Biomass productivity of *Ceratopteris thalictroides* (L.) Brongn. *Indian Fern Journal* 22: 177–179.
380. Kumar, P. S., S. Ramani & S. P. Singh. 2005. Natural suppression of the aquatic weed, *Salvinia molesta* D. S. Mitchell, by two previously unreported fungal pathogens. *Journal of Aquatic Plant Management* 43: 105–107.
381. Kupferschmid, A. D. & H. Bugmann. 2005. Predicting decay and ground vegetation development in *Picea abies* snag stands. *Plant Ecology* 179: 247–268.
382. Kurisu, G., D. Nishiyama, M. Kusunoki, S. Fujikawa, M. Katoh, G. T. Hanke, T. Hase & K. Teshima. 2005. A structural basis of *Equisetum arvense* ferredoxin isoform II producing an alternative electron transfer with ferredoxin–NADP+ reductase. *Journal of Biological Chemistry* 280: 2275–2281.
383. Kustatscher, E. & J. H. A. van Konijnenburg–van Cittert. 2005. The Ladinian Flora (Middle Triassic) of the Dolomites: palaeoenvironmental reconstructions and palaeoclimatic considerations. *Geo. Alp.* 2: 31–51.
384. Labiak, P. H. & J. Prado. 2005. The species of *Melpomene* and *Microlycopodium* (Grammitidaceae – Pteridophyta) in Brazil. *Boletim de Botanica da Universidade de Sao Paulo* 23: 51–69. [Portuguese]
385. Labiak, P. H. & J. Prado. 2005. The species of the genus *Lellingeria* A. R. Sm. & R. C. Moran (Grammitidaceae – Pteridophyta) from Brazil. *Revista Brasil. Bot.* 28: 1–22. [Portuguese]
386. Lai, Y., Q. Wang, W. Yan, L. Yang & B. Huang. 2005. Preliminary study of the enrichment and fractionation of REEs in a newly discovered REE hyperaccumulator *Pronephrium simplex* by SEC–ICP–MS and MALDI–TOF/ESI–MS. *Journal of Analytical Atomic Spectrometry* 20: 751–753.

387. Lamb, J. 2005. Seeing red: the use of Congo Red dye to identify cooked and damaged starch grains in archaeological residues. *Journal of Archaeological Science* 32: 1433–1440. [Blechnum indicum]
388. Lane, H. R., P. L. Brenckle & J. F. Baesemann. 2005. The type section of the Osagean Series (Mississippian Subsystem), west-central Missouri, U. S. A. *Bulletins of American Paleontology* 369: 183–197.
389. Lara, A. A. 2005. Propagation of Netted Adder's Tongue in water. *Fiddlehead Forum* 32: 1–2. [Ophioglossum reticulatum]
390. Latorre, A. V. P., M. J. Cano, B. Cabezudo & J. Guerra. 2005. Phytocoenological behaviour, distribution and conservation of *Trichomanes speciosum* Willd. (Pteridophyta) in the south of the Iberian Peninsula. *Cryptogamie Bryologie* 26: 249–261.
391. Lavalle, M. del C. 2005. Paraphyses, sinangia and receptacles in neotropical species of *Marattia* (Marattiaceae – Pteridophyta). *Bol. Soc. Argent. Bot.* 40 (Supl.): 194. [Abstract; Spanish]
392. Lavalle, M. del C., C. Gardella Sambeth & A. Plos. 2005. Foliar architecture and other vegetative characters in neotropical species of the genus *Blechnum* L. (Blechnaceae – Pteridophyta). *Bol. Soc. Argent. Bot.* 40 (Supl.): 193. [Abstract; Spanish]
393. Lavalle, M. del C. 2005. Foliar architecture and other characters of the sporophyte in species of *Marattia* Sw. (Marattiaceae – Pteridophyta). *Acta Bot. Malacitana* 30: 11–30. [Spanish]
394. Lechowicz, M. J., B. Gilbert & J. Karst. 2005. Roles of chance and adaptation in the assembly of fern communities. P. 57. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
395. Lee, S. & C. Park. 2005. Morphological and chromosomal variation of the *Dryopteris varia* complex (Drypteridaceae) in Korea. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
396. Legere, A., F. C. Stevenson, D. L. Benoit & N. Samson. 2005. Seedbank–plant relationships for 19 weed taxa in spring barley–red clover cropping systems. *Weed Science* 53: 640–650. [*Equisetum arvense*]
397. Lehnert, M. 2005. Reconsideration of *Alsophila odonelliana* (Cyatheaceae), an Andean tree fern. *Brittonia* 57: 228–236.
398. Lehnert, M., M. Kessler & H. Schneider. 2005. The influence of soil evolution on pteridophyte diversification. P. 382. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
399. Leitch, I. J., D. E. Soltis, P. S. Soltis & M. D. Bennett. 2005. Evolution of DNA amounts across land plants (embryophyta). *Annals of Botany (London)* 95: 207–217.
400. Leon, B., H. Beltran & P. Fine. 2005. On the genus Schizaea in Peru. *Revista Peruana De Biología* 12: 97–102. [Spanish]
401. Lewis, O. T., A. M. Lord & P. Baker. 2005. New and overlooked herbivores of Bracken (*Pteridium aquilinum* (L.) Kuhn), including the Vapourer *Orygia antiqua* (L.) (Lep.: Lymantriidae). *Entomologist's Record & Journal of Variation* 117: 47–48.
402. Li, C., S. Lubinski & Q. Yang. 2005. When and where *Polystichum* s.l. originated? Evidences from molecular data. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
403. Li, X. N., H. H. Sun, G. F. Zhang, J. X. Bi, G. H. Ma, R. Y. Ma & Z. G. Su. 2005. A cyanopropyl reversed phase chromatography enables resolution of huperzine A and B on analytical and preparative scales. *Journal*

of Separation Science 28: 2363–2369. [Huperzia serrata]

404. Li, Y. Q., P. He, H. P. Deng, Y. A. Xiao & Q. L. Dou. 2005. A preliminary study of the pteridophyte flora in Chongqing. Bull. Bot. Res. (China) 25: 230–235. [Chinese]
405. Li, Z. J. & B. C. Tan. 2005. A review of the species diversity of Selaginella in the Fujian Province of China. Acta Phytotax. Sin. 43: 50–59.
406. Libertin, M., J. Bek & J. Daskova. 2005. Two new species of Kladnostrobus nov gen. and their spores from the Pennsylvanian of the Kladno–Rakovnik Basin (Bolsovian, Czech Republic). Geobios (Paris) 38: 467–476.
407. Lin, A. S., C. C. Liaw, Y. C. Wu, F. R. Chang & C. C. Wu. 2005. New cytotoxic flavonoids from Thelypteris torresiana. Planta medica 71: 867–870.
408. Lin, B. L., L. I. Zaharia, S. R. Abrams, H. J. Wang & J. S. Wang. 2005. Abscisic acid regulation in heterophyllly of Marsilea quadrifolia L.: effects of R–(–) and S–(+) isomers. Journal of Experimental Botany 56: 2935–2948.
409. Lin, H. T., S. W. Chen, C. J. Shen & S. S. Wong. 2005. Phytoremediation of heavy metal-contaminated soil with local plants. Plant Protection Bulletin (Taichung) 47: 241–250. [Chinese; Nephrolepis auriculata]
410. Liu, D., Y. Li, L. Chu, G. Wang & L. Wang. 2005. Study of the tolerance of Hippochaete ramosissimum to Cu stress. Science in China Series C Life Sciences 48(Suppl. 1): 150–155.
411. Liu, H., Q. F. Wang & W. C. Taylor. 2005. Isoetes orientalis (Isoetaceae), a new hexaploid quillwort from China. Novon 15: 164–167.
412. Liu, J. X. & X. F. Yan. 2005. Observations on spore morphology of four species of Selaginellaceae from Xizang (Tibet). Chinese Bull. Bot. 22: 44–49. [Chinese]
413. Liu, X., J. Y. Wang & Q. F. Wang. 2005. Current status and conservation strategies for Isoetes in China: a case study for the conservation of threatened aquatic plants. Oryx 39: 335–338.
414. Liu, Y., Y. L. Wu, Y. F. Deng & L. C. Liang. 2005. Effect of 5 F isolated from Pteris semipinnata L. on tubulin polymerization in vitro. Zhongguo Yaolixue Tongbao 21: 447–449. [Chinese]
415. Liu, Y., Y. G. Zhu, B. D. Chen, P. Christie & X. L. Li. 2005. Influence of the arbuscular mycorrhizal fungus Glomus mosseae on uptake of arsenate by the As hyperaccumulator fern Pteris vittata L. Mycorrhiza 15: 187–192.
416. Liu, Z., E. K. W. Ng, N. C. Liang, Y. F. Deng, B. C. S. Leung & G. G. Chen. 2005. Cell death induced by Pteris semipinnata L. is associated with p53 and oxidant stress in gastric cancer cells. FEBS Letters 579: 1477–1487.
417. Liu, Z. M., G. G. Chen, A. C. Vlantis, N.–C. Liang, Y. F. Deng & C. A. van Hasselt. 2005. Cell death induced by ent–11 alpha–hydroxy–15–oxo–kaur–16–en–19–oic–acid in anaplastic thyroid carcinoma cells is via a mitochondrial–mediated pathway. Apoptosis 10: 1345–1356. [Pteris semipinnata]
418. Locky, D. A., S. E. Bayley & D. H. Vitt. 2005. The vegetational ecology of black spruce swamps, fens, and bogs in southern boreal Manitoba, Canada. Wetlands 25: 564–582. [Equisetum arvense, E. fluviatile]
419. Long, J. 2005. The amazing horsetail. Hardy Fern Foundation Quarterly 15 (1): 11–12. [Equisetum hyemale]
420. Long, M., D. Qiu, F. Li, F. Johnson & B. Luft. 2005. Flavonoid of Drynaria fortunei protects against acute renal failure. Phytotherapy Research 19: 422–427.
421. Looy, C. V., M. E. Collinson, J. H. A. Van Konijnenburg–Van Cittert, H. Visscher & A. P. R. Brain. 2005. The ultrastructure and botanical affinity of end–Permian spore tetrads. International Journal of Plant Sciences 166: 875–887.

422. Loriot, S., S. Magnanou & E. Deslandes. 2005. *Trichomanes speciosum* Willd. (Pteridophyta, Hymenophyllaceae) in North-Western France: from knowledge to conservation. P. 576. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
423. Lorscheitter, M. L., A. R. Ashraf, P. G. Windisch & V. Mosbrugger. 2005. Pteridophyte spores of Rio Grande do Sul flora, Brazil – Part V. *Palaeontographica Abteilung B Palaeophytologie* 270: 1–180.
424. Lu, J. M., D. Z. Li, L. M. Gao, X. Cheng & D. Wu. 2005. Paraphyly of *Cyrtomium* (Dryopteridaceae): evidence from rbcL and trnL–F sequence data. *Journal of Plant Research* 118: 129–135.
425. Lu, S. G. 2005. The pteridophytic diversity in Yunnan, China. P. 366. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
426. Lu, S. G. 2005. The genus *Arachniodes* Bl. (Dryopteridaceae) in Yunnan, China. *Wuhan Zhiwuxue Yanjiu* 23: 239–246. [Chinese]
427. Lu, S. G. & C. X. Li. 2005. A new combination of the genus *Gymnosphaera* (Cyatheaceae) in China. *Acta Botanica Yunnanica* 27: 39–41. [Chinese]
428. Lu, S. G. & T. Y. A. Yang. 2005. The checklist of Taiwanese pteridophytes following Ching's system. *Taiwania* 50: 137–165.
429. Luongo, T. & L. Q. Ma. 2005. Characteristics of arsenic accumulation by *Pteris* and non-*Pteris* ferns. *Plant & Soil* 277: 117–126.
430. Lupia, R. A., H. Schneider, N. Nagalingum, M. Nowak & K. Pryer. 2005. Diversification of heterosporous ferns: Kovach and Batten revisited. P. 101. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
431. Ma, X., C. Tan, D. Zhu & D. R. Gang. 2005. Is there a better source of huperzine A than *Huperzia serrata*? Huperzine A content of Huperziaceae species in China. *Journal of Agricultural & Food Chemistry* 53: 1393–1398, 1387.
432. Maas, P. J. M. & L. Y. T. Westra. 2005. Neotropical Plant Families, 3rd Edition: A Concise Guide to Families of Vascular Plants in the Neotropics. Koeltz Scientific Books, Koenigstein, Germany. 268 pp.
433. Macphail, M. & M. Casey. 2005. Bridging a biogeographic 'gap': microfossil evidence for the quillwort *Isoetes* on the Cumberland Plain west of Sydney during the early Colonial period. *Cunninghamia* 9: 295–305.
434. Madotz Ekiza, N. 2005. Estudio botanico de 5 parcelas de la red Europea para el seguimiento intesivo y continuo de los ecosistemas forestales. Universidad de Navarra, Navarra Spain. 576 pp. [Spanish; Dissertation]
435. Maejima, K., E. Uheda & N. Shiomi. 2005. Localization GS isoforms and ammonia assimilation in the *Azolla*–*Anabaena* association. *Plant & Cell Physiology* 46(Suppl. S): S121. [Abstract; *Azolla filiculoides*]
436. Makgomol, K. & E. Sheffield. 2005. Development of gametophytes from gemmae of Killarney fern (*Trichomanes speciosum* Willd., Hymenophyllaceae, Pteridophyta). *Fern Gazette* 17: 163–177.
437. Malmsten, A. 2005. Herbarium material and growth studies. *Svensk Botanisk Tidskrift* 99: 273–278. [Swedish; *Huperzia selago*]
438. Manickam, V. S., A. Benniamin & V. Irudayaraj. 2005. Antibacterial activity of leaf glands of *Christella parasitica* (L.) Lev. *Indian Fern Journal* 22: 87–88.
439. Marckovic, S., V. Hrsak, T. Nikolic, M. Plazibat & S. D. Jelaska. 2005. The ferns (Pteridophyta) of Medvednica

Nature Park, Croatia. Periodicum Biologorum 107: 81–87.

440. Marcon, A. B., I. C. L. Barros & M. Guerra. 2005. Variation in chromosome numbers, CMA bands and 45S rDNA sites in species of *Selaginella* (Pteridophyta). Annals of Botany (London) 95: 271–276.
441. Maren, I. E. 2005. Bracken – how to fight it in the cultural landscape. Blyttia 63: 147–155. [Norwegian; *Pteridium aquilinum*]
442. Maria, A., J. P. Girault, Z. Saatov, J. Harmatha, L. Dinan & R. Lafont. 2005. Ecdysteroid glycosides: Identification, chromatographic properties, and biological significance. Journal of Chromatographic Science 43: 149–157. [Blechnum minus, *Pteridium aquilinum*]
443. Marinho de Assis, A., R. Tadeu de Faria, L. A. Colombo & F. R. Portela de Carvalho. 2005. Use of coconut based substrates in *Dendrobium nobile* Lindl. (Orchidaceae) culture. Acta Scientiarum Agronomy 27: 255–260. [Portuguese; *Dicksonia sellowiana*]
444. Martin, S. L., R. Davis, P. Protti, T. C. Lin, S. H. Lin & C. E. Martin. 2005. The occurrence of crassulacean acid metabolism in epiphytic ferns, with an emphasis on the Vittariaceae. International Journal of Plant Sciences 166: 623–630.
445. Martin-Closas, C. & J. Galtier. 2005. Plant taphonomy and paleoecology of Late Pennsylvanian intramontane wetlands in the Graissessac–Lodeve basin (Languedoc, France). Palaios 20: 249–265.
446. Martinez, G. J. 2005. Collection and commercialization of medicinal herbs in the District of Santa Maria, Province of Cordoba, Argentina. Acta Farmaceutica Bonaerense 24: 575–584. [Spanish; *Equisetum giganteum*]
447. Martinez, M. A., V. M. Garcia & M. E. Quattrocchio. 2005. Palynofacial analysis of the Challaco Formation, Middle Jurassic of the Neuquen Basin, Argentina. Revista Espanola De Micropaleontologia 37: 241–258. [French]
448. Martinez, O. G. & E. R. de la Sota. 2005. Lomariopsidaceae Alston. Aportes Bot. Salta Ser. Flora 7: [Spanish]
449. Martinez, O. G. & E. R. de la Sota. 2005. Diversidad pteridofitica del Parque Nacional Baritú (Salta, Argentina). Bol. Soc. Argent. Bot. 40 (Supl.): 132. [Spanish]
450. Martinez, O. G. & E. R. De la Sota. 2005. On the presence and distribution of *Pteris brasiliensis* (Pteridaceae–Pteridophyta) in Argentina. Hickenia 3: 239–242. [Spanish]
451. Mascorro-Gallardo, J. O., N. Avonce & G. Iturriaga. 2005. Biotechnology of trehalose in plants. Revista Chapingo Serie Horticultura 11: 193–202. [Spanish; *Selaginella*]
452. Masuyama, S. & Y. Watano. 2005. Cryptic species in the fern *Ceratopteris thalictroides* (L.) Brongn. (Parkeriaceae). II. Cytological characteristics of three cryptic species. APG Acta Phytotaxonomica et Geobotanica 56: 231–240.
453. Matsuda, Y., F. Murahashi, M. Kimoto, K. I. Nakanishi & S. I. Ito. 2005. Arbuscular mycorrhizas on *Athyrium yokoscense* and *A. niponicum* grown at a lead-contaminated site. Mycoscience 46: 261–264.
454. Mazooji, A. & F. Fallahian. 2005. A new checklist of north Iran ferns. P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
455. Mazooji, A., F. Fallahian & T. Nejad Sattari. 2005. The study of morphology, sporology and anatomy of different species of the genus *Polystichum* along with introducing the new species *P. setiferum* in Iran. P. 383. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
456. Mbati, G. & P. Neuenschwander. 2005. Biological control of three floating water weeds, *Eichhornia crassipes*, *Pistia stratiotes*, and *Salvinia molesta* in the Republic of Congo. BioControl (Dordrecht) 50: 635–645.

457. McCulloh, K. A. & J. S. Sperry. 2005. The evaluation of Murray's law in *Psilotum nudum* (Psilotaceae), an analogue of ancestral vascular plants. *American Journal of Botany* 92: 985–989.
458. McEwan, R. W., C. L. Riccardi, R. N. Muller & R. D. Paratley. 2005. The vascular flora of an old-growth mixed mesophytic forest in southeastern Kentucky. *Journal of the Torrey Botanical Society* 132: 618–627.
459. McGlone, M. S., J. M. Wilmshurst & H. M. Leach. 2005. An ecological and historical review of bracken (*Pteridium esculentum*) in New Zealand, and its cultural significance. *New Zealand Journal of Ecology* 29: 165–184.
460. McHaffie, H. S. 2005. *Athyrium distentifolium* Tausch ex Opiz (A-alpestre (Hoppe) Rylands ex T. Moore–non–Clairv.) including *A. distentifolium* var. *flexile* (Newman) Jermy. *Journal of Ecology* 93: 839–851.
461. McHaffie, H. S. 2005. Re-introduction of the rare fern – oblong woodsia – at four sites in the UK. *Re-introduction News* 26: 49–50. [Woodsia ilvensis]
462. McLoughlin, S., K. Larsson & S. Lindstrom. 2005. Permian plant macrofossils from Fossilryggen, Vestfjella, Dronning Maud Land. *Antarctic Science* 17: 73–86.
463. Mehltreter, K. & J. G. García-Franco. 2005. Phenological study of the tree fern *Alsophila firma* (Baker) D.S.Conant in a Mexican montane forest. P. 175. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
464. Mehltreter, K., J. G. Garcia-Franco & A. Flores-Palacios. 2005. Host preferences of low-trunk vascular epiphytes in a cloud forest of Veracruz, Mexico. *Journal of Tropical Ecology* 21: 651–660.
465. Mei, X. M., S. C. Zhu, S. X. Xu, L. X. Ye & B. Y. Ding. 2005. A study on the fern flora in Fengyangshan Nature Reserve in Zhejiang Province. *Bull. Bot. Res. (China)* 25: 99–105. [Chinese]
466. Meier, W. & W. Freiburg. 2005. Aspects of the flora and vegetation of the Cerro Platillon (Juan German Roscio) National Monument, Guarico State, Venezuela. *Acta Botanica Venezuelica* 28: 39–62. [Cheilanthes marginata, Huperzia hartwegiana]
467. Mendez, J. 2005. Dihydrocinnamic acids in *Pteridium aquilinum*. *Food Chemistry* 93: 251–252.
468. Mendoza Mociño, S., L. Pacheco, M. B. Jarquin Pacheco & A. Sánchez Morales. 2005. Anatomy of Thirty Species of *Diplazium* (Woodsiaceae). P. 385. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
469. Menezes, N. L. 2005. Rhizophore in Angiosperms. P. 307. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; Selaginella]
470. Metzgar, J., K. M. Pryer & H. Schneider. 2005. Azolla: phylogenetic history, divergence times, and character evolution. P. 339. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
471. Meza Torres, E. I., E. R. de la Sota & M. S. Ferrucci. 2005. Adiciones a la flora pteridofitica del NE Argentina. *Bol. Soc. Argent. Bot.* 40 (Supl.): 194–195. [Abstract; Spanish]
472. Meza Torres, E. I., E. R. de la Sota & M. S. Ferrucci. 2005. Flora pteridofitica del Parque Nacional Mburucuya. *Bol. Soc. Argent. Bot.* 40 (Supl.): 195. [Abstract; Spanish]
473. Mishra, S., S. Mishra & D. R. Misra. 2005. Moth larvae feeding on *Pyrrosia adnascens* (SW. Ching) and their faecal pellets. *Bionature* 25: 109–117.
474. Mogie, M., N. F. Britton & J. A. Stewart-Cox. 2005. Asexuality, polyploidy and the male function. P. 153. In

Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]

475. Molina, J. A. 2005. The vegetation of temporary ponds with Isoetes in the Iberian Peninsula. *Phytocoenologia* 35: 219–230.
476. Moore, T. R., J. A. Trofymow, M. Siltanen, C. Prescott & CIDET Working Grp. 2005. Patterns of decomposition and carbon, nitrogen, and phosphorus dynamics of litter in upland forest and peatland sites in central Canada. *Canadian Journal of Forest Research* 35: 133–142. [*Pteridium aquilinum*]
477. Moraes, M. G., M. G. Santos, A. A. Q. Oliveira & M. R. C. Ribeiro. 2005. Leaf structure and soluble carbohydrate composition of pteridophytes from rock outcrops of Rio Janeiro State, Brazil. P. 537. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; *Anemia tomentosa* var. *anthriscifolia*, *A. villosa*]
478. Moran, R. 2005. Helpful and harmful ferns. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract; *Azolla*, *Lygodium microphyllum*, *Salvinia molesta*, *Pteridium*]
479. Moran, R. C. 2005. Pteridofitas. Pp. 32–72. In P. Slenar, J. L. Luteyn, C. Ulloa Ulloa, P. M. Jorgensen & M. O. Dillon (Eds.). *Flora generica de los paramos, guia ilustrada de las plantas vasculares*. Mem. New York Botanical Garden Vol. 92, Bronx NY USA.
480. Moran, R. C. & A. R. Smith. 2005. Blechnum obtusum (Blechnaceae), a new species from western Venezuela. *Brittonia* 57: 237–239.
481. Morbelli, M. A. & G. E. Giudice. 2005. Spore wall ultrastructure in Aspleniaceae (Pteridophyta) from North–West Argentina. *Review of Palaeobotany & Palynology* 135: 131–143.
482. Morita, H., K. Ishiuchi, A. Haganuma, T. Hoshino, Y. Obara, N. Nakahata & J. Kobayashi. 2005. Complanadine B, obscurumines A and B, new alkaloids from two species of *Lycopodium*. *Tetrahedron* 61: 1955–1960.
483. Mraz, P. 2005. Chromosome number and DNA ploidy level reports from Central Europe – 1. *Biologia* (Bratislava) 60: 99–103. [*Asplenium cuneifolium*]
484. Msaky, E. S., D. Livingstone & O. K. Davis. 2005. Paleolimnological investigations of anthropogenic environmental change in Lake Tanganyika: V. Palynological evidence for deforestation and increased erosion. *Journal of Paleolimnology* 34: 73–83.
485. Muccifora, S. & P. Gori. 2005. Ultrastructure of mature spermatozoids in the fern *Asplenium onopteris* L. *Micron* 36: 539–544.
486. Mueller, J. V. & U. Deil. 2005. The ephemeral vegetation of seasonal and semipermanent ponds in tropical West Africa. *Phytocoenologia* 35: 327–388. [*Ophioglossaceae*]
487. Mukherjee, S. & S. Kumar. 2005. Adsorptive uptake of arsenic(V) from water by aquatic fern *Salvinia natans*. *Journal of Water Supply Research & Technology – AQUA* 54: 47–53.
488. Mulieri, P. R., J. P. Torretta & N. Schweigmann. 2005. Host plant selection of two *Mansonia* Blanchard species (Diptera: Culicidae) in a heterogeneous habitat of Buenos Aires City, Argentina. *Journal of Vector Ecology* 30: 201–205. [*Salvinia*]
489. Murakami, A. N. 2005. Possible long distance dispersal of ferns between Madagascar and Southeast Asia. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
490. Murakami, K., H. Maenaka & Y. Morimoto. 2005. Factors influencing species diversity of ferns and fern allies in

fragmented forest patches in the Kyoto city area. *Landscape & Urban Planning* 70: 221–229.

491. Murdock, A. G. 2005. Molecular evolution and phylogeny of marattioid ferns, an ancient lineage of land plants. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
492. Murphy, R. J. & F. J. Rumsey. 2005. *Cystopteris diaphana* (Bory) Blasdell (Woodsiaceae) – an overlooked native new to the British Isles? *Watsonia* 25: 255–263.
493. Nagai, T., T. Myoda & T. Nagashima. 2005. Antioxidative activities of water extract and ethanol extract from field horsetail (tsukushi) *Equisetum arvense* L. *Food Chemistry* 91: 389–394.
494. Nagalingum, N., K. M. Pryer, H. Schneider, M. D. Nowak, D. Hearn & R. Lupia. 2005. Dating the Marsileaceae: evolutionary and biogeographical implications. P. 201. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
495. Nagamoto, M., A. Ebihara, K. Iwatsuki & S. Lin. 2005. A systematic study of the fern genus *Polystichum* (Dryopteridaceae) in Japan. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
496. Nagarajan, V. K. 2005. Transport and metabolism of arsenicals in arsenic hyperaccumulating ferns. Southern Illinois University at Carbondale, Carbondale Illinois USA. 138 pp. [M. S. Thesis; *Pteris vittata*] 497. Nagaraju, V. & S. K. Manl. 2005. Rapid in vitro propagation of orchid *Zygopetalum intermedium*. *Journal of Plant Biochemistry & Biotechnology* 14: 27–32.
498. Nakato, N. & M. Kato. 2005. Cytogeography of the *Adiantum pedatum* complex (Pteridaceae, subfamily Adiantoideae). *APG Acta Phytotaxonomica et Geobotanica* 56: 85–96.
499. Nakazato, T. 2005. Genetic map–based analysis of genome structure in *Ceratopteris richardii*. Indiana University, Bloomington Indiana USA. 166 pp. [Dissertation]
500. Nascimento, S., A. K. Scomazzon, L. P. Moutinho, V. B. Lemos & N. S. Matsuda. 2005. Conodont biostratigraphy of the lower Itaituba formation (Atokan, Pennsylvanian), Amazonas Basin, Brazil. *Revista Brasileira de Paleontologia* 8: 193–202.
501. Nester–Hudson, J. 2005. Chemical analysis of gibberellin–like compounds from gametophyte culture media extract of *Anemia mexicana*. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
502. Nielsen, S. E., C. J. Johnson, D. C. Heard & M. S. Boyce. 2005. Can models of presence–absence be used to scale abundance? – Two case studies considering extremes in life history. *Ecography* 28: 197–208. [*Pteridium aquilinum*]
503. Nilsson, B., A. Svensson & C. Wigermo. 2005. Coral–necklace, *Illecebrum verticillatum* in Blekinge. *Botaniska Notiser* 138: 1–3. [Swedish; *Lycopodiella inundata*]
504. Nishida, H., K. B. Pigg & J. F. Rigby. 2005. Fossil motile sperm of 250 million years BP in ovule of extinct Gondwanan gymnosperm, *Glossopteris*. *Cytologia* (Tokyo) 70: II.
505. Nishiyama, T., K. Sakakibara, T. Fujita & M. Hasebe. 2005. Evolution of shoot development in land plants. P. 165. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; *Ceratopteris richardii*]
506. Notov, A. A., N. R. Markelova & L. V. Kolosova. 2005. The second finding of *Asplenium viride* in middle Russia. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii* 110(Part 2): 66–67.

507. Nowak, A. 2005. Sozophytes and the sozofloristic value as criteria of ecosystem evaluations. *Ecological Questions* 6: 9–18. [Asplenium trichomanes]
508. Nowak, M. D. & R. Lupia. 2005. Reinvestigation of *Ariadnaesporites varius* Hall and Peake, 1968 emend. Hall, 1975. *Review of Palaeobotany & Palynology* 135: 41–59.
509. Nuorteva, P., S. L. Nuorteva, A. Soltanpour & E. Tulisalo. 2005. Areal differences in metal pollution in indicator plant samples from southern parts of Finland, Poland and British Columbia. *Polish Botanical Studies* 19: 35–42. [Pteridium aquilinum]
510. Nuraliev, M. S. & A. S. Beer. 2005. New data of early leaf development of *Ophioglossum vulgatum* L. (Ophioglossaceae). P. 382. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
511. Odland, A. 2005. Oligotrophic and mesotrophic vegetation in southern Scandinavian mountains. Gradients in species and community distribution extracted by numerical analyses of earlier published vegetation descriptions. *Phytocoenologia* 35: 985–1018.
512. Often, A. 2005. Vanilla Orchid *Nigritella nigra* in autumn–summer seasons in Gammeldalen, Tynset: from — to the farthest rarity. *Blyttia* 63: 193–194. [Norwegian; *Equisetum palustre*]
513. Often, A., A. Bruserud & O. Stabbertorp. 2005. Species difficult to record in mid–summer. *Blyttia* 63: 12–23. [Norwegian; *Isoetes lacustris*]
514. Ogden, J. C., S. M. Davis, K. J. Jacobs, T. Barnes & H. E. Fling. 2005. The use of conceptual ecological models to guide ecosystem restoration in South Florida. *Wetlands* 25: 795–809. [Lygodium microphyllum]
515. Okon-Levy, N., B. Rubin & E. Tel-Or. 2005. The response of nitrogen biofertilizer *Azolla* to herbicides. *Symbiosis* 38: 175–185.
516. Olguin, E. J., T. Perez-Perez & A. Perez-Orozco. 2005. Surface adsorption, intracellular accumulation and compartmentalization of Pb(II) in batch-operated lagoons with *Salvinia minima* as affected by environmental conditions, EDTA and nutrients. *Journal of Industrial Microbiology & Biotechnology* 32: 577–586.
517. Olsson, P. A., K. B. Nielsen & P. F. Schweiger. 2005. Mycorrhizal colonisation in aquatic plants in southern Sweden. *Svensk Botanisk Tidskrift* 99: 303–308. [Swedish; *Isoetes lacustris*]
518. Ouyang, Y. 2005. Phytoextraction: Simulating uptake and translocation of arsenic in a soil–plant system. *International Journal of Phytoremediation* 7: 3–17.
519. Owens, C. S., R. M. Smart, D. R. Honnold & G. O. Dick. 2005. Effects of pH on growth of *Salvinia molesta* Mitchell. *Journal of Aquatic Plant Management* 43: 34–38.
520. Ozman, S. K. & J. A. Goolsby. 2005. Biology and phenology of the eriophyid mite, *Floracarus perrepae*, on its native host in Australia, Old World climbing fern, *Lygodium microphyllum*. *Experimental & Applied Acarology* 35: 197–213.
521. Pacheco, L., A. Sánchez Morales, M. B. Jarquin Pacheco & S. Mendoza Mociño. 2005. Palinology of twenty five species of the genus *Diplazium* (Woodsiaceae). P. 385. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
522. Paciencia, M. L. B. & J. Prado. 2005. Spatial distribution of pteridophyte assembly in a fragmented landscape of Atlantic Forest on southern Bahia, Brazil. *Hoehnea* 32: 103–117. [Portuguese]
523. Paciencia, M. L. B. & J. Prado. 2005. Effects of forest fragmentation on pteridophyte diversity in a tropical rain

- forest in Brazil. *Plant Ecology* 180: 87–104.
524. Padmalatha, C., D. V. S. Rajakumari, C. Jeyapaul & A. J. A. Ranjitsingh. 2005. Growth promoting effect of ferns on *Bombyx mori* L. *Indian Journal of Sericulture* 44: 218–220. [Dicranopteris linearis, Pityrogramma calomelanos]
525. Padmesh, T. V. N., K. Vijayaraghavan, G. Sekaran & M. Velan. 2005. Batch and column studies on biosorption of acid dyes on fresh water macro alga *Azolla filiculoides*. *Journal of Hazardous Materials* 125: 121–129.
526. Page, C. 2005. Why record ferns? *Pteridologist* 4 (4): 120–123.
527. Page, C. N. 2005. A second species of the fern genus *Cyrtomium* naturally established in west Cornwall. *Botanical Society of the British Isles News* 98: 39–41.
528. Page, C. N. 2005. Re-appearance of the rare intergeneric hybrid fern x*Asplenophyllitis jacksonii* Alston (Aspleniaceae) in the flora of Cornwall. *Watsonia* 25: 331–338.
529. Pajaron, S., L. G. Quintanilla & E. Pangua. 2005. Isozymic contribution to the systematics of the *Asplenium seelosii* group. *Systematic Botany* 30: 52–59.
530. Pakeman, R. J., J. L. Small, M. G. Le Duc & R. H. Marrs. 2005. Recovery of moorland vegetation after aerial spraying of Bracken (*Pteridium aquilinum* (L.) Kuhn) with Asulam. *Restoration Ecology* 13: 718–724.
531. Palata-Kabudi, J. C., R. Kisasa, O. Poso & V. Pwema. 2005. Food diet of the giant mole rat, *Cryptomys mechowi*, on the Bateke plateau, Democratic Republic of the Congo. *Mammalia* 69: 445–450. [*Pteridium aquilinum*]
532. Palmer, D. D. 2005. *Pneumatopteris pendens* (Thelypteridaceae), a new Hawaii endemic species of *Pneumatopteris* from Hawaii. *American Fern Journal* 95: 80–83.
533. Panchenko, S. M. & O. P. Chornous. 2005. Age and vitality structure of the *Diphasiastrum complanatum* s.l. Populations in the Desniansko-Starogutsky National Natural Park. *Ukrayins'kyi Botanichnyi Zhurnal* 62: 698–706. [Ukrainian]
534. Pande, H. C. 2005. Pteridophytic flora of central Himalayas: rare and endangered elements and their conservation. P. 486. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
535. Pande, H. C., P. Joshi & P. C. Pande. 2005. *Diplazium longifolium* Moore and *Dryopteris woodsiisora* Hayata: Two new records from eastern part of Garhwal Himalaya. *Indian Fern Journal* 22: 115–117.
536. Pande, H. C., P. Joshi & P. C. Pande. 2005. Systematics of the genus *Cyrtomium* Presl. (Pteridophyta–Dryopteridaceae) from Uttarakhand (north–west Himalaya). *Indian Journal of Forestry* 28: 451–456.
537. Pangtey, Y. P. S. 2005. A note on *Metathelypteris gracilescens* (Blume) Ching (Thelypteridaceae: Pteridophyta) in the west Himalaya. *Indian Journal of Forestry* 28: 317–318.
538. Pangtey, Y. P. S. 2005. A note on the collection of *Pteris puberula* Ching (Pteridaceae: Pteridophyta) in the north–western Himalaya from Kumaon Hills. *Journal of the Bombay Natural History Society* 102: 260.
539. Panteris, E. & B. Galatis. 2005. The morphogenesis of lobed plant cells in the mesophyll and epidermis: organization and distinct roles of cortical microtubules and actin filaments. *New Phytologist* 167: 721–731. [Adiantum capillus–veneris]
540. Pareek, P., M. K. Tripathi, D. K. Meena & B. L. Yadav. 2005. Germination of fern spores under variable temperature and red light. *Bionature* 25: 143–146. [Ceratopteris thalictroides, *Pteris vittata*, *Tectaria codonata*]
541. Pareek, P., M. K. Tripathi & B. L. Yadav. 2005. Cytological studies on *Ceratopteris thalictroides* (L.) Brongn. from

Rajasthan, Western India. Indian Fern Journal 22: 112–114.

542. Pareek, P., M. K. Tripathi & B. L. Yadav. 2005. Effect of hyperthermia on cell membrane permeability of some fern taxa of Rajasthan. Indian Fern Journal 22: 121–123.
543. Parent, G. H. 2005. New data concerning the Mountain Flora of Greece. Systematics & Geography of Plants 75: 195–238. [French; *Dryopteris affinis* ssp. *affinis*]
544. Park, A., M. J. Justiniano & T. S. Fredericksen. 2005. Natural regeneration and environmental relationships of tree species in logging gaps in a Bolivian tropical forest. Forest Ecology & Management 217: 147–157. 545. Park, C., T. Yahara & M. Takamiya. 2005. An AFLP analysis for relationships of a putative hybrid species *Diplazium yakumontanum* and related species (Woodsiaceae). P. 495. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
546. Park, C. H. & M. Kato. 2005. Molecular evidence for multiple origins of the apomictic triploid fern *Cornopteris christenseniana* (Woodsiaceae). Fern Gazette 17: 243.
547. Parnikoza, I. Y. & A. O. Cukanova. 2005. Condition of the *Botrychium multifidum* (SG Gmel.) Rupr. cenopopulations in the Kiev territory. Ukrayins'kyi Botanichnyi Zhurnal 62: 289–295. [Ukrainian]
548. Parris, B. S. 2005. Flora of Tropical East Africa. Blechnaceae. Royal Botanic Gardens, Kew for the East African Governments, Kew UK. 8 pp.
549. Parris, B. S. 2005. Flora of Tropical East Africa. Grammitidaceae. Royal Botanic Gardens, Kew for the East African Governments, Kew UK. 23 pp.
550. Parris, B. S. 2005. Grammitidaceae (Pteridophyta) of Mount Jaya, New Guinea and other montane Malesian localities. Fern Gazette 17: 183–203.
551. Patra, B. & S. Bera. 2005. Feeding habit of a chrysomelid beetle on ferns. Indian Fern Journal 22: 92–99. [*Ampelopteris exaltata*, *A. prolifera*, *Adiantum philippense*, *Christella dentata*, *Drynaria propinqua*, *Pyrrosia adnascens*, *Phymatosorus scolopendria*]
552. Pattemore, G. A. & J. F. Rigby. 2005. Fructifications and foliage from the Mesozoic of southeast Queensland. Memoirs of the Queensland Museum 50: 329–345.
553. Peng, Y., S. Zhang, T. Yu, F. Yang, Y. Gao & G. R. Shi. 2005. High-resolution terrestrial Pennian–Triassic eventostratigraphic boundary in western Guizhou and eastern Yunnan, southwestern China. Palaeogeography Palaeoclimatology Palaeoecology 215: 285–295.
554. Percudani, R., B. Montanini & S. Ottonello. 2005. The anti-HIV cyanovirin-N domain is evolutionarily conserved and occurs as a protein module in eukaryotes. Proteins Structure Function & Bioinformatics 60: 670–678. [*Ceratopteris richardii*]
555. Perez-Garcia, B. & A. Mendoza. 2005. Comparative studies of the gametophytes of five new world species of Tectaria (Tectariaceae). American Fern Journal 95: 141–152.
556. Perez-Garcia, F. J., A. Lahora, J. A. Garrido, F. Martinez-Hernandez, J. M. Medina-Cazorla, A. J. Mendoza & J. F. Mota. 2005. Contribution to the knowledge about Andalusian flora: new sites for the provinces of Granada and Almeria. Acta Botanica Malacitana 30: 223–227. [Spanish; *Isoetes histrix*]
557. Perrie, L. & P. Brownsey. 2005. The age of New Zealand's ferns. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
558. Perrie, L. R. & P. J. Brownsey. 2005. Insights into the biogeography and polyploid evolution of new Zealand

- Asplenium from chloroplast DNA sequence data. American Fern Journal 95: 1–21.
559. Perrie, L. R. & P. J. Brownsey. 2005. Genetic variation is not concordant with morphological variation in the fern *Asplenium hookerianum* sensu lato (Aspleniaceae). American Journal of Botany 92: 1559–1564.
560. Perrie, L. R. & P. J. Brownsey. 2005. New Zealand Asplenium (Aspleniaceae: Pteridophyta) revisited – DNA sequencing and AFLP fingerprinting. Fern Gazette 17: 235–242. 561. Perrie, L. R., L. D. Shepherd & P. J. Brownsey. 2005. *Asplenium xlucrosum* nothosp. nov.: a sterile hybrid widely and erroneously cultivated as "Asplenium bulbiferum". Plant Systematics & Evolution 250: 243–257.
562. Phillips, T. L. & J. Galtier. 2005. Evolutionary and ecological perspectives of Late Paleozoic ferns Part I. Zygopteridales. Review of Palaeobotany & Palynology 135: 165–203.
563. Pichi Sermolli, R. E. G. & M. P. Bizzarri. 2005. A revision of Raddi's pteridological collection from Brazil (1817–1818). Webbia 60: 1–393.
564. Pierce, S., A. Vianelli & B. Cerabolini. 2005. From ancient genes to modern communities: the cellular stress response and the evolution of plant strategies. Functional Ecology 19: 763–776. [Ceratopteris richardii]
565. Pigg, K. B. & M. L. DeVore. 2005. Late Paleocene floras of North Dakota, USA: New sites and new insights. P. 98. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
566. Pignatti, E. & S. Pignatti. 2005. Ephemeral wetland vegetation of Western Australia. Phytocoenologia 35: 201–218. [Marsilea]
567. Pokorny, M. L., R. L. Sheley, C. A. Zabinski, R. E. Engel, T. J. Svejcar & J. J. Borkowski. 2005. Plant functional group diversity as a mechanism for invasion resistance. Restoration Ecology 13: 448–459. [Lycopidae]
568. Poli, D. B. 2005. The role of auxin on the evolution of embryo development and axis formation in land plants. University of Maryland, College Park, College Park Maryland USA. 214 pp. [Dissertation; Marsilia vestita]
569. Poulsen, A. D., D. Hafashimana, G. Eilu, I. B. Liengola, C. E. N. Ewango & T. B. Hart. 2005. Composition and species richness of forest plants along the Albertine Rift, Africa. Kongelige Danske Videnskabernes Selskab Biologiske Skrifter 55: 129–143.
570. Prada, C. & C. H. Rolleri. 2005. A new species of Isoetes (Isoetaceae) from Turkey, with a study of microphyll intercellular pectic protuberances and their potential taxonomic value. Botanical Journal of the Linnean Society 147: 213–228.
571. Prado, J. 2005. Pteridaceae. Pp. 181–213. In T. B. Cavalcanti & A. E. Ramos (Eds.). Flora do Distrito Federal, Brasil. Embrapa Recursos Genéticos e Biotecnologia. V. 4. [Portuguese]
572. Prado, J. 2005. A new species and hybrid of Adiantum (Pteridaceae) from South America. Kew Bulletin 60: 117–121.
573. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta – chave para as famílias. Rodriguésia 56: 27–28. [Portuguese]
574. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Aspleniaceae. Rodriguésia 56: 29–32. [Portuguese]
575. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Blechnaceae. Rodriguésia 56: 33–34. [Portuguese]
576. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Davalliaceae. Rodriguésia 56: 38–42. [Portuguese]

577. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Dennstaedtiaceae. *Rodriguésia* 56: 43–48. [Portuguese]
578. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Gleicheniaceae. *Rodriguésia* 56: 53–55. [Portuguese]
579. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Grammitidaceae. *Rodriguésia* 56: 56–58. [Portuguese]
580. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Lomariopsidaceae. *Rodriguésia* 56: 59–66. [Portuguese]
581. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Marattiaceae. *Rodriguésia* 56: 69–71. [Portuguese]
582. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Polypodiaceae. *Rodriguésia* 56: 76–84. [Portuguese]
583. Prado, J. 2005. Flora da Reserva Ducke, Amazônia, Brasil. Pteridophyta–Pteridaceae. *Rodriguésia* 56: 85–92. [Portuguese]
584. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Schizaeaceae. *Rodriguésia* 56: 93–97. [Portuguese]
585. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Tectariaceae. *Rodriguésia* 56: 103–104. [Portuguese]
586. Prado, J. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Thelypteridaceae. *Rodriguésia* 56: 105–107. [Portuguese]
587. Prado, J. 2005. Pteridaceae da Reserva Ecológica de Macaé de Cima, Nova Friburgo, Rio de Janeiro. *Rodriguésia* 56: 179–184. [Portuguese]
588. Prado, J. & C. A. A. Freitas. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Cyatheaceae. *Rodriguésia* 56: 35–37. [Portuguese]
589. Prado, J. & C. A. A. Freitas. 2005. Flora da Reserva Ducke, Amazônia, Brasil. Pteridophyta–Selaginellaceae. *Rodriguésia* 56: 98–102. [Portuguese]
590. Prado, J. & P. H. Labiak. 2005. Flora da Reserva Ducke, Amazonas, Brasil. Pteridophyta–Vittariaceae. *Rodriguésia* 56: 108–113. [Portuguese]
591. Prado, J. & M. A. Sundue. 2005. Typification and identity of *Adiantum tetragonum* (Pteridaceae). *American Fern Journal* 95: 89–93.
592. Prashar, I. B., S. Sharma & S. P. Khullar. 2005. Mycorrhizal associates of some ferns from Kangra district (Himachal Pradesh). *Indian Fern Journal* 22: 81–86.
593. Prietzel, J. & K. O. Kaiser. 2005. De-eutrophication of a nitrogen-saturated Scots pine forest by prescribed litter-raking. *Journal of Plant Nutrition & Soil Science* 168: 461–471. [*Diphasiastrum complanatum*]
594. Pryce, R. D. & G. Hutchinson (Eds.). 2005. Welsh Plant Records 2003–2004 comp. R. G. Ellis. Botanical Society of the British Isles Welsh Bulletin 75.
595. Pryce, R. D. & G. Hutchinson (Eds.). 2005. Welsh Plant Records 2002–2003 comp. R. G. Ellis. Botanical Society of the British Isles Welsh Bulletin 75.

596. Pryer, K. M. & E. Schuettpelz. 2005. Evolutionary history of ferns: Ancient origins and recent radiations. P. 148. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
597. Psenicka, J., J. Bek & R. Rossler. 2005. Two new species of Sonapteris gen. nov. (Botryopteridaceae) based on compressions from the Upper Carboniferous (Bolsovian–Westphalian D) of the Pilsen Basin, Bohemian Massif. *Review of Palaeobotany & Palynology* 136: 111–142.
598. Psenicka, J., E. L. Zodrow, M. Mastalerz & J. Bek. 2005. Functional groups of fossil marattaleans: chemotaxonomic implications for Pennsylvanian tree ferns and pteridophylls. *International Journal of Coal Geology* 61: 259–280.
599. Pykala, J. & R. K. Heikkinen. 2005. Complementarity-based algorithms for selecting sites to preserve grassland plant species. *Agriculture Ecosystems & Environment* 106: 41–48. [Botrychium matricariifolium]
600. Quintanilla, L. G., E. Pangua, J. Amigo & S. Pajaron. 2005. Comparative study of the sympatric ferns Culcita macrocarpa and Woodwardia radicans: Sexual phenotype. *Flora (Jena)* 200: 187–194.
601. Radley, J. D. 2005. Derived fossils in the southern English Wealden (non-marine early Cretaceous): a review. *Cretaceous Research* 26: 657–664.
602. Raghavan, V. 2005. Developmental biology of fern gametophytes. Cambridge University Press, Cambridge MA USA. 361 pp.
603. Rai, A. K., R. M. Sharma & J. P. Tamang. 2005. Food value of common edible wild plants of Sikkim. *Journal of Hill Research* 18: 99–103. [Diplazium esculentum]
604. Rai, H. & S. W. Graham. 2005. Inference of higher-order relationships of extant ferns and relatives using plastid genome data. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
605. Rajaniemi, S., E. Tomppo, K. Ruokolainen & H. Tuomisto. 2005. Estimating and mapping pteridophyte and Melastomataceae species richness in western Amazonian rainforests. *International Journal of Remote Sensing* 26: 475–493.
606. Ramirez-Arriaga, E., E. Martinez-Hernandez & M. B. Pramparo. 2005. Palynomorph assemblages of the Cuayuca Formation (Paleogene), Puebla, southern Mexico. Part 1: trilete spores, monolete spores and gymnosperm pollen. *Ameghiniana* 42: 567–578.
607. Ramirez-Hernandez, M., C. Marras & J. A. Martinez-Escribano. 2005. Infliximab-induced vitiligo. *Dermatology (Basel)* 210: 79–80. [Polypodium leucotomos]
608. Ranker, T. A., J. M. O. Geiger, J. M. Ramp & S. T. Klimas. 2005. Molecular biogeography and origins of the Hawaiian fern flora. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
609. Ranker, T. A., P. G. Trapp, A. R. Smith, R. C. Moran & B. S. Parris. 2005. New records of lycophytes and ferns from Moorea, French Polynesia. *American Fern Journal* 95: 126–127.
610. Rascio, N. & N. La Rocca. 2005. Resurrection plants: The puzzle of surviving extreme vegetative desiccation. *Critical Reviews in Plant Sciences* 24: 209–225.
611. Rasmussen, L. H., H. C. Bruun Hansen & D. Lauren. 2005. Sorption, degradation and mobility of ptaquiloside, a carcinogenic Bracken (*Pteridium* sp.) constituent, in the soil environment. *Chemosphere* 58: 823–835.
612. Rawat, V. K., T. R. Sahu & R. D. Dixit. 2005. A preliminary account of the pteridophytes from Mehao Wildlife

Sanctuary, Arunachal Pradesh, India. *Journal of Economic & Taxonomic Botany* 29: 738–742.

613. Rayamajhi, M. B., R. W. Pemberton, T. K. Van & P. D. Pratt. 2005. First report of infection of *Lygodium microphyllum* by *Puccinia lygodii*, a potential biocontrol agent of an invasive fern in Florida. *Plant Disease* 89: 110.
614. Reese, C. A. & K. B. Liu. 2005. A modern pollen rain study from the central Andes region of South America. *Journal of Biogeography* 32: 709–718.
615. Regaldo, J. C., Jr., N. T. Hiep, P. K. Loc, L. Averyanov & D. K. Harder. 2005. New insights into the diversity of the Flora of Vietnam. *Kongelige Danske Videnskabernes Selskab Biologiske Skrifter* 55: 189–197. [Caobangia]
616. Reichling, L. 2005. Die Farmpflanzen (Pteridophyta) des Mullerthalgebietes. Pp. 193–211. In Y. Krippel (Ed.). *Die Kleine Luxenburger Schweiz – Geheimnisvolle Felsenlandschaft im Wandel der Zeit*. Societe des naturalistes luxembourgeois. Musee national d'histoire naturelle, Administration des eaux & forets, Luxembourg. [German]
617. Rene de Roland, L. A., J. Rabearivony, G. Razafimanjato, H. Robenarimangason & R. Thorstrom. 2005. Breeding biology and diet of banded kestrels *Falco zoniventris* on Masoala Peninsula, Madagascar. *Ostrich* 76: 32–36. [Asplenium nidus]
618. Retallack, G. J., A. H. Jahren, N. D. Sheldon, R. Chakrabarti, C. A. Metzger & R. M. H. Smith. 2005. The Permian–Triassic boundary in Antarctica. *Antarctic Science* 17: 241–258.
619. Reudink, M. W., J. P. Snyder, B. Xu, A. Cunkelman & R. A. Balsamo. 2005. A comparison of physiological and morphological properties of deciduous and wintergreen ferns in southeastern Pennsylvania. *American Fern Journal* 95: 45–56. [Dryopteris intermedia, Onoclea sensibilis, Polypodium virginianum, Polystichum acrostichoides]
620. Ricardi–Branco, F., O. Rosler & O. Odreman. 2005. The euroamerican flora of carache (Late Carboniferous–Early Permian) Carache county, northeastern of Venezuela. *Plantula* 3: 153–167. [Spanish]
621. Richardson, S. J., D. A. Peltzer, R. B. Allen & M. S. McGlone. 2005. Resorption proficiency along a chronosequence: responses among communities and within species. *Ecology (Washington D C)* 86: 20–25.
622. Ridout, M. S., X. M. Xu, K. R. Tobutt & R. G. Palmer. 2005. Single-locus gametophytic incompatibility in autotetraploids. *Journal of Heredity* 96: 430–433.
623. Roberts, N. R., P. J. Dalton & G. J. Jordan. 2005. Epiphytic ferns and bryophytes of Tasmanian tree-ferns: A comparison of diversity and composition between two host species. *Austral Ecology* 30: 146–154.
624. Rojas Alvarado, A. F. 2005. The *Campyloneurum angustifolium* (Sw.) Fee (Polypodiaceae) complex in Costa Rica. *Lankesteriana* 5: 41–48. [Spanish]
625. Rojas Alvarado, A. F. 2005. Una nueva especie de *Blechnum* L. (Blechnaceae) en el Neotropico. *Lankesteriana* 5: 49–52. [Spanish]
626. Rojas Alvarado, A. F. 2005. Novedades en *Huperzia Bernh.* (Lycopodiaceae) de Costa Rica. *Lankesteriana* 5: 109–113. [Spanish]
627. Rollinger, J. M., J. Ewelt, C. Seger, S. Sturm, E. P. Ellmerer & H. Stuppner. 2005. New insights into the acetylcholinesterase inhibitory activity of *Lycopodium clavatum*. *Planta Medica* 71: 1040–1043.
628. Romanov, P. A., M. A. Romanova & J. Jernstedt. 2005. Ontogenetic transition from protostele to dictyostele in *Ceratopteris richardii*: Cell fate mapping reveals correlations with shoot growth. P. 288. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
629. Romanova, M. & J. Jernstedt. 2005. Morphogenetic events in the *Ceratopteris richardii* (Parkeriaceae: Pteridophyta) shoot apex. *Fern Gazette* 17: 204.

630. Romanova, M. A., O. V. Yakovleva, N. K. Kotyeva, G. M. Borisovskaya & J. Jernstedt. 2005. Fern shoot apical meristems (SAMs): structure, morphogenic activity and evolutionary homologies. P. 165. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract; *Ceratopteris richardii*]
631. Romero, M. I. & C. Real. 2005. A morphometric study of three closely related taxa in the European *Isoetes velata* complex. *Botanical Journal of the Linnean Society* 148: 459–464.
632. Romo, J. T. 2005. Emergence and establishment of *Agropyron desertorum* (Fisch.) (Crested Wheatgrass) seedlings in a sandhills prairie of central Saskatchewan. *Natural Areas Journal* 25: 26–35. [*Selaginella densa*]
633. Roovers, P., B. Bossuyt, H. Gulinck & M. Hermy. 2005. Vegetation recovery on closed paths in temperate deciduous forests. *Journal of Environmental Management* 74: 273–281. [*Dryopteris filix-mas*]
634. Roshchina, V. V. 2005. Contractile proteins in chemical signal transduction in plant microspores. *Biology Bulletin* 32: 229–233. [*Equisetum arvense*]
635. Rothwell, G. W. 2005. Do we need more characters or more taxa to resolve the overall pattern of land plant phylogeny? P. 165. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
636. Rothwell, G. W. & S. Lev-Yadun. 2005. Evidence of polar auxin flow in 375 million-year-old fossil wood. *American Journal of Botany* 92: 903–906.
637. Rothwell, G. W. & K. Nixon. 2005. The overall pattern of fern phylogeny: a review and reevaluation. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
638. Rouhan, G., K. Abdul-Salim, T. J. Motley, J. T. Mickel, F. Rakotondrainibe, J. Dubuisson & R. C. Moran. 2005. Phylogeny of the fern genus *Elaphoglossum* (Elaphoglossaceae) and its implications for biogeography. P. 31. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
639. Rowntree, J. K. & E. Sheffield. 2005. Effects of Asulam spraying on non-target ferns. *Canadian Journal of Botany* 83: 1622–1629. [*Pteridium aquilinum*]
640. Royo, A. A. & W. P. Carson. 2005. The herb community of a tropical forest in central Panama: dynamics and impact of mammalian herbivores. *Oecologia* 145: 66–75. [*Adiantum lucidum*]
641. Royo de Sedas, A. A. 2005. Mammal-plant dynamics in forests: interactions and implications for understory plant diversity. University of Pittsburgh, Pittsburgh Pennsylvania USA. 148 pp. [Dissertation; *Dennstaedtia punctilobula*]
642. Ru, L. Y., H. Z. Chun & L. X. Yong. 2005. As-hyperaccumulation of *Pteris vittata* L. as influenced by as concentrations in soils of contaminated fields. *Huanjing Kexue* 26: 181–186. [Chinese]
643. Rumsey, F. J., J. A. Barrett, M. Gibby, S. J. Russell & J. C. Vogel. 2005. Reproductive strategies and population structure in the endangered pteridophyte *Trichomanes speciosum* (Hymenophyllaceae: Pteridophyta). *Fern Gazette* 17: 205–215.
644. Safford, H. D., J. H. Viers & S. P. Harrison. 2005. Serpentine endemism in the California flora: a database of serpentine affinity. *Madrono* 52: 222–257.
645. Sah, N. K., S. N. P. Singh, S. Sahdev, S. Banerji, V. Jha, Z. Khan & S. E. Hasnain. 2005. Indian herb 'Sanjeevani' (*Selaginella bryopteris*), can promote growth and protect against heat shock and apoptotic activities of ultraviolet and oxidative stress. *Journal of Biosciences (Bangalore)* 30: 499–505.

646. Saha, D., S. Dasgupta & A. Saha. 2005. Antifungal activity of some plant extracts against fungal pathogens of tea (*Camellia sinensis*). *Pharmaceutical Biology* 43: 87–91. [Dryopteris filix-mas]
647. Saier, M. H., Jr. 2005. Beneficial bacteria and bioremediation. *Journal of Molecular Microbiology & Biotechnology* 9: 63–64. [Azolla]
648. Saini, D. C. 2005. Pteridophytic flora of Anuppur district in Madhya Pradesh. *Journal of Economic & Taxonomic Botany* 29: 713–732.
649. Salanon, R. & J. F. Gaudioli. 2005. Floristic cartography of the hydrographic network of the conglomerates of right bank of the low valley of Var, Marine Alps. *Bulletin de la Societe Linneenne de Provence* 56: 49–134. [French; *Cyrtomium fortunei*, *Pteris cretica*]
650. Salanon, R., J. F. Gaudioli, S. S. Samant, H. C. Joshi, S. C. Arya & S. Pant. 2005. Diversity, distribution and conservation of Pteridophytes in Nanda Devi Biosphere Reserve, West Himalaya. *Indian Fern Journal* 22: 100–111.
651. Salatino, M. L. F., J. Prado & A. Salatino. 2005. Phylogenetic relationships in Pteridaceae inferred from chloroplast rbcL nucleotide sequences. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
652. Saldana, A. & E. Gianoli. 2005. Natural selection on ecophysiological traits of *Blechnum chilense* (Klf.) Mett. (Pteridophyta) in gaps and understories in a temperate forest. *Bol. Soc. Argent. Bot.* 40 (Supl.): 193. [Abstract]
653. Saldana, A., E. Gianoli & C. H. Lusk. 2005. Ecophysiological responses to light availability in three *Blechnum* species (Pteridophyta, Blechnaceae) of different ecological breadth. *Oecologia* 145: 251–257.
654. Salgado, E. 2005. Taxonomic and nomenclatural notes on Philippine ferns II: Three new names in *Asplenium*. *Edinburgh Journal of Botany* 61: 185–195.
655. Salmi, M. L. 2005. Expression profile analysis of early development and gravity response of germinating *Ceratopteris richardii* spores. The University of Texas at Austin, Austin Texas USA. 129 pp. [Dissertation]
656. Salmi, M. L., T. J. Bushart, S. C. Stout & S. J. Roux. 2005. Profile and analysis of gene expression changes during early development in germinating spores of *Ceratopteris richardii*. *Plant Physiology* (Rockville) 138: 1734–1745.
657. Sanchez, C. & M. G. Caluff. 2005. Novelties in *Thelypteris* subg. *Amauropelta* (Thelypteridaceae, Pteridophyta) for Cuba. New taxa and new records. *Willdenowia* 35: 159–165.
658. Sanders, H. L., G. W. Rothwell & S. Wyatt. 2005. Applying mutant analysis to the interpretation of the fossil record: A new perspective on leaf evolution. P. 308. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
659. Sant, S. & H. Michaud. 2005. Contribution to the knowledge of Alpes-Maritimes and Var departments Pteridophyta (France). *Biocosme Mesogeen* 21: 1–14. [French]
660. Santo, D. E. & P. Arsenio. 2005. Influence of land use on the composition of plant communities from seasonal pond ecosystems in the Guadiana Valley Natural Park (Portugal). *Phytocoenologia* 35: 267–281. [Isoetes]
661. Santos, M. G. & D. S. D. Araujo. 2005. Pteridophytes of the sandy coastal plains of Rio de Janeiro state, Brazil: species richness, distribution and conservation. P. 601. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
662. Sardon, D., I. de la Fuente, E. Calonge, M. D. Perez-Alenza, M. Castano, S. Dunner & L. Pena. 2005. H-ras immunohistochemical expression and molecular analysis of urinary bladder lesions in grazing adult cattle exposed to bracken fern. *Journal of Comparative Pathology* 132: 195–201. [Pteridium]

663. Sarika, M., P. Dimopoulos & A. Yannitsaros. 2005. Contribution to the knowledge of the wetland flora and vegetation of Amvrakikos Gulf, W Greece. *Willdenowia* 35: 69–85. [*Salvinia natans*]
664. Sathapattayanon, A. & T. Boonkerd. 2005. Pteridophyte diversity along a gradient of disturbance within and near abandoned opencast mines in Thong Pha Phum District, Kanchanaburi Province, Thailand. *Fern Gazette* 17: 179.
665. Sato, K., P. B. Crowley & C. Dennison. 2005. Transient homodimer interactions studied using the electron self-exchange reaction. *Journal of Biological Chemistry* 280: 19281–19288. [*Dryopteris crassirhizoma*]
666. Sato, Y., T. Iwata, S. Tokutomi & H. Kandori. 2005. State of the LOV2 domain in *Adiantum* phytochrome3. *Journal of the American Chemical Society* 127: 1088–1089.
667. Schaefer, H. 2005. Endemic vascular plants of the Azores: an updated list. *Hoppea* 66: 275–283.
668. Schmidt, B., L. H. Rasmussen, G. W. Svendsen, F. Ingerslev & H. C. Bruun Hansen. 2005. Genotoxic activity and inhibition of soil respiration by ptaquiloside, a bracken fern carcinogen. *Environmental Toxicology & Chemistry* 24: 7. [*Pteridium aquilinum*]
669. Schmitt, J. L., J. C. Budke & P. G. Windisch. 2005. Floral and ecological aspects of epiphytic pteridophytes in the caudexes of *Dicksonia sellowiana* Hook. (Pteridophyta, Dicksoniaceae), Sao Francisco de Paula, RS, Brazil. *Pesquisas Botanica* 56: 161–172. [Portuguese]
670. Schneider, H. 2005. Aspects of fern radiations. P. 101. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
671. Schneider, H., T. A. Ranker, S. J. Russell, R. Cranfill, J. M. O. Geiger, R. Aguraiuja, K. R. Wood, M. Grundmann, K. Kloberdanz & J. C. Vogel. 2005. Origin of the endemic fern genus *Diellia* coincides with the renewal of Hawaiian terrestrial life in the Miocene. *Proceedings of the Royal Society Biological Sciences Series B* 272: 455–460.
672. Schor-Fumbarov, T., P. B. Goldsbrough, Z. Adam & E. Tel-Or. 2005. Characterization and expression of a metallothionein gene in the aquatic fern *Azolla filiculoides* under heavy metal stress. *Planta (Berlin)* 223: 69–76.
673. Schroeder, H. K., H. E. Andersen & K. Kiehl. 2005. Rejecting the mean: Estimating the response of fen plant species to environmental factors by non-linear quantile regression. *Journal of Vegetation Science* 16: 373–382. [*Equisetum fluviatile*]
674. Schuettpelz, E. 2005. The diversification of epiphytic ferns: evidence for a radiation on angiosperms. P. 102. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
675. Sciarretta, K. L., E. P. Arbuckle, C. H. Haufler & C. R. Werth. 2005. Patterns of genetic variation in southern appalachian populations of *Athyrium filix-femina* var. *asplenioides* (Dryopteridaceae). *International Journal of Plant Sciences* 166: 761–780.
676. Segev, A., T. Weissbrod & B. Lang. 2005. Ar-40/Ar-39 dating of the Aptian-Albian igneous rocks in Makhtesh Ramon (Negev, Israel) and its stratigraphic implications. *Cretaceous Research* 26: 633–656.
677. Selvaraj, P., A. J. de Britto & K. Sahayaraj. 2005. Phytoecdysone of *Pteridium aquilinum* (L.) Kuhn (Dennstaedtiaceae) and its pesticidal property on two major pests. *Archives of Phytopathology & Plant Protection* 38: 99–105.
678. Sender, L. M., J. B. Diez, J. Ferrer, D. Pons & C. Rubio. 2005. Preliminary data on a new Albian flora from the Valle del Rio Martin, Teruel, Spain. *Cretaceous Research* 26: 898–905.
679. Senna, R. M. 2005. A new species of *Rumohra* Raddi (Dryopteridaceae–Pteridophyta) from Rio Grande do Sul, Brazil. *Iheringia Serie Botanica* 60: 253–258.

680. Seth, M. K. & S. Kumar. 2005. Tracheary elements in pteridophytes of Bilaspur (Himachal Pradesh). Part I: Length, breadth and length/breadth ratio of tracheids. Indian Fern Journal 22: 128–136.
681. Seth, M. K. & S. Kumar. 2005. Tracheary elements in pteridophytes of Bilaspur (Himachal Pradesh). Part II: Length, breadth and length/breadth ratio of vessels. Indian Fern Journal 22: 137–145.
682. Shadangi, D. K. & V. Nath. 2005. Impact of seasons on ground flora under plantation and natural forest in Amarkantak. Indian Forester 131: 240–250. [*Ophioglossum reticulatum*, *Adiantum*]
683. Sharma, B. D. 2005. Anatomy of Isoetes – Description and interpretations. Bionature 25: 21–35.
684. Sharma, K. P., K. Sharma, S. Kumar, S. Sharma, R. Grover, P. Soni, S. M. Bhardwaj, R. K. Chaturvedi & S. Sharma. 2005. Response of selected aquatic macrophytes towards textile dye wastewaters. Indian Journal of Biotechnology 4: 538–545. [*Azolla pinnata*]
685. Sharma, O. P. 2005. Pteridophytic flora of Bundi district, southeastern Rajasthan. Zoos Print Journal 20: 1836–1837.
686. Sharpe, J. M. 2005. Temporal variation in sporophyte fertility in *Dryopteris intermedia* and *Polystichum acrostichoides* (Dryopteridaceae: Pteridophyta). Fern Gazette 17: 223–234. 687. Shaw, S., M. S. Barker, R. J. Hickey & J. E. Rawlins. 2005. Natural history of the Puerto Rican soral cryptic lepidoptera. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract; *Blechnum occidentale*, *Microgramma heterophylla*, *Phlebodium aureum*]
688. Shaw, S. W. & R. J. Hickey. 2005. Comparative morphology of the glossopodia of three North American Isoetes ligules. American Fern Journal 95: 94–114.
689. Sher, H., Z. D. Khan, A. U. Khan & F. Hussain. 2005. In-situ protection management and conservation study of some medicinal plants. Acta Botanica Yunnanica 27: 27–36. [*Adiantum capillus-veneris*]
690. Shi, H. W., H. D. Huang, M. X. Jiang & X. Jin. 2005. Community characteristics and conservation strategies of *Adiantum reniforme* var. *sinense*, an endemic species in the Three-Gorge Reservoir Region. Wuhan Zhiwuxue Yanjiu 23: 262–266. [Chinese]
691. Shi, S., Q. Guo, M. Cheng & G. Liang. 2005. Fractal properties of the spatial pattern of *Alsophila spinulosa* population in Mopangou, Fuling. Shengtaixue Zazhi 24: 581–584. [Chinese]
692. Shiao, S. F. & S. Wu. 2005. A new fern-feeding species of Agromyzidae (Diptera) from Taiwan. Transactions of the American Entomological Society 131: 355–363. [*Angiopteris*]
693. Shilo, N. A., A. V. Lozhkin, P. M. Anderson, L. N. Vazhenina, T. V. Matrosova & A. N. Kotov. 2005. New radiocarbon and paleobotanical data concerning the development of glacial lakes in Chukotka. Doklady Akademii Nauk 404: 687–689.
694. Shokeen, P., K. Ray, M. Bala & V. Tandon. 2005. Preliminary studies on activity of *Ocimum sanctum*, *Drynaria quercifolia*, and *Annona squamosa* against *Neisseria gonorrhoeae*. Sexually Transmitted Diseases 32: 106–111.
695. Shukla, P. K., G. K. Srivastava, S. K. Shukla & P. K. Rajagopal. 2005. Two new species of the genus *Isoetes* L. (Isoetaceae–Lycopsida) from India. Taxon 54: 109–116.
696. Shukla, S. P. & P. B. Khare. 2005. In-vitro callusing of the leaf primordium explant of *Pteris vittata* L. Indian Fern Journal 22: 152–156.
697. Silva-Matos, D. M., G. D. F. M. Fonseca & L. Silva-Lima. 2005. Differences on post-fire regeneration of the pioneer trees *Cecropia glazioui* and *Trema micrantha* in a lowland Brazilian Atlantic Forest. Revista de Biología

Tropical 53: 1–4. [Pteridium aquilinum]

698. Singh, L. N., R. K. K. Singh, A. H. Singh & Z. Chhangte. 2005. Efficacy of urea in integration with Azolla and vermicompost in rainfed rice (*Oryza sativa*) production and their residual effect on soil properties. Indian Journal of Agricultural Sciences 75: 44–45.
699. Singh, S. & R. D. Dixit. 2005. Fern-allies of Central India. Journal of Economic & Taxonomic Botany 29: 403–413.
700. Singh, S. & G. Panigrahi. 2005. Ferns and fern-allies of Arunachal Pradesh. Bishen Singh Mahendra Pal Singh, Dehra Dun India. 881 pp.
701. Singh, Y. N. & T. Singh. 2005. Rare and endangered species of Stag-Horn Fern (*Platycerium alcicorne* Desv.) from Manipur, NE India. Indian Fern Journal 22: 7–13. [*Platycerium wallichii*]
702. Small, R. L., E. B. Lickey, J. Shaw & W. D. Hauk. 2005. Amplification of noncoding chloroplast DNA for phylogenetic studies in lycophytes and moniliophytes with a comparative example of relative phylogenetic utility from Ophioglossaceae. Molecular Phylogenetics & Evolution 36: 509–522. 703. Smith, A. R. 2005. Floristics in the 21st century: Balancing user-needs and phylogenetic information. Fern Gazette 17: 105–137.
704. Smith, A. R., B. Leon, H. Tuomisto, H. van der Werff, R. C. Moran, M. Lehnert & M. Kessler. 2005. New records of pteridophytes for the flora of Peru. SIDA Contributions to Botany 21: 2321–2342.
705. Smith, D. N., R. Roseff, L. Bevan, A. G. Brown, S. Butler, G. Hughes & A. Monckton. 2005. Archaeological and environmental investigations of a Lateglacial and Holocene river sedimentary sequence on the River Soar at Croft, Leicestershire, UK. Holocene 15: 353–377.
706. Smith, D. R. 2005. Two new fern-feeding sawflies of the genus *Aneugmenus* Hartig (Hymenoptera: Tenthredinidae) from South America. Proceedings of the Entomological Society of Washington 107: 273–278. [Pteridium aquilinum]
707. Sole de Porta, N. & M. T. Murillo Pulido. 2005. Palinobotanical study of spores of some species of pteridophyta from Colombia. Revista de la Academia Colombiana de Ciencias Exactas Físicas y Naturales 29: 183–218. [Spanish]
708. Solis, M. A., U. Chatrukul, A. Winotai, S. Rimbut, A. Thagong, J. H. Goolsby, S. H. Yen, R. Pemberton & T. Wright. 2005. *Siamusotima aranea*, a new stem-boring musotimine (Lepidoptera: Crambidae) from Thailand feeding on *Lygodium flexuosum* (Schizaeaceae). Annals of the Entomological Society of America 98: 887–895.
709. Solis, M. A., D. R. Davis & K. Nishida. 2005. Life history and systematics of *Albusambia elaphoglossumae* (Lepidoptera : Crambidae): A new genus and species of musotimine with leaf-mining biology from Costa Rica. Revista de Biología Tropical 53: 487–501. [*Elaphoglossum conspersum*]
710. Somvanshi, R. & V. K. Sharma. 2005. Proliferative urocystica and adenoma in a guinea-pig. Journal of Comparative Pathology 133: 277–280. [*Christella dentata*]
711. Songtham, W., B. Ratanasthien, M. Watanasak, D. C. Mildenhall, S. Singharajwarapan & W. Kandharosa. 2005. Tertiary basin evolution in northern Thailand: A palynological point of view. Natural History Bulletin of the Siam Society 53: 17–32.
712. Sood, A., A. S. Ahluwalia & S. Dua. 2005. Indicators of phosphorus deficiency in *Azolla pinnata* (Salviniales, Pteridophyta). Acta Botanica Hungarica 47: 197–205.
713. Soria, A. & B. Meyer-Berthaud. 2005. Reconstructing the Late Devonian cladoxylopsid *Pietzschia schulleri* from new specimens from southeastern Morocco. International Journal of Plant Sciences 166: 857–874.

714. Sperry, J. S., U. G. Hacke & J. K. Wheeler. 2005. Comparative analysis of end wall resistivity in xylem conduits. *Plant, Cell & Environment* 28: 456–465.
715. Sridokchan, W., S. Markich & P. Visoottiviseth. 2005. Arsenic tolerance, accumulation and elemental distribution in twelve ferns: A screening study. *Australasian Journal of Ecotoxicology* 11: 101–110.
716. Srivastava, A. & R. C. Khare. 2005. Structure and organization of the vascular system in the rhizome of *Goniophlebium* and *Polypodium*. *Indian Fern Journal* 22: 168–176.
717. Srivastava, G. K. 2005. Systematics, biogeography and diversification of Indian quillworts (*Isoetes* L.). *Jour. Indian Bot. Soc.* 84: 1–11.
718. Srivastava, M., L. Q. Ma & J. A. Cotruvo. 2005. Uptake and distribution of selenium in different fern species. *International Journal of Phytoremediation* 7: 33–42.
719. Srivastava, M., L. Q. Ma, N. Singh & S. Singh. 2005. Antioxidant responses of hyper-accumulator and sensitive fern species to arsenic. *Journal of Experimental Botany* 56: 1335–1342.
720. Stepanek, J., J. Chrtek Jr., J. Hadinec, J. Kirschner, J. K. Kroupal, O. Sida, B. Skocdopolova, J. Suda, K. Sutory & P. Triskova. 2005. Digital databasing of type collections from Czech herbaria. Pp. 353–354. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
721. Sterling, P. H. & R. J. Heckford. 2005. Moss as a pabulum for *Hepialus hecta* (Linnaeus, 1758) (Lep.: Hepialidae). *Entomologist's Record & Journal of Variation*. 117: 47. [Pteridium aquilinum]
722. Stighall, K. 2005. New Swedish locality for *Botrychium simplex*. *Svensk Botanisk Tidskrift* 99: 17–20. [Swedish]
723. Stilts, C. E. & R. H. Fisher. 2005. Synthesis and evaluation of plant auxins: A collaborative laboratory experiment organic and biochemistry students. *Abstracts of Papers American Chemical Society* 229(Part 1): U355. [Abstract; Ceratopteris richardii]
724. Stoffels, R. J., K. R. Clarke & G. P. Closs. 2005. Spatial scale and benthic community organisation in the littoral zones of large oligotrophic lakes: potential for cross-scale interactions. *Freshwater Biology* 50: 1131–1145. [Isoetes]
725. Streitz, H. 2005. The fern and vascular plants of Wiesbaden and the Rheingau-Taunus region – Distribution and endangerment at the beginning of the 21st Century – With 1016 pattern distribution cards. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft* 562: 1–402. [German]
726. Stuart, T. 2005. Apogamy matters. *Fiddlehead Forum* 32: 4–5.
727. Stuart, T. 2005. The creeping rhizome that wasn't. *Fiddlehead Forum* 32: 21–22. [Phegopteris decursive-pinnata]
728. Stuart, T. 2005. Apogamous ferns. *Hardy Fern Foundation Quarterly* 15 (3): 34–35.
729. Su, Y., F. X. Han, B. B. M. Sridhar & D. L. Monts. 2005. Phytotoxicity and phytoaccumulation of trivalent and hexavalent chromium in brake fern. *Environmental Toxicology & Chemistry* 24: 2019–2026. [Pteris vittata]
730. Su, Y. J., T. Wang, B. Zheng, Y. Jiang, G. P. Chen, P. Y. Ouyang & Y. F. Sun. 2005. Genetic differentiation of relictual populations of *Alsophila spinulosa* in southern China inferred from cpDNA *trnL*–F noncoding sequences. *Molecular Phylogenetics & Evolution* 34: 323–333.
731. Su, Y. J., T. Wang, B. Zheng, Y. Jiang, P. Y. Ouyang & G. P. Chen. 2005. Genetic variation and phylogeographical patterns in *Alsophila podophylla* from southern China based on cpDNA *atpB*–*rbcL* sequence data. *American Fern Journal* 95: 68–79.
732. Suetsugu, N., F. Mittmann, G. Wagner, J. Hughes & M. Wada. 2005. A chimeric photoreceptor gene,

NEOCHROME, has arisen twice during plant evolution. Proceedings of the National Academy of Sciences of the United States of America 102: 13705–13709. [Adiantum]

733. Sumberova, K., V. Horakova & Z. Lososova. 2005. Vegetation dynamics on exposed pond bottoms in the Ceskobudejovicka basin (Czech Republic). *Phytocoenologia* 35: 421–448. [Equisetum palustre]
734. Sun, B. Y., C. H. Kim, Y. Kim, C. W. Park, M. H. Kim & C. S. Kim. 2005. Molecular phylogeny of the Ophioglossaceae inferred from rbcL sequences with special emphasis on the genus Mankyua. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
735. Sun, T. X., D. Edwards & C. S. Li. 2005. The stomatal apparatus of *Lycopodium japonicum* and its bearing on the stomata of the Devonian lycophyte *Drepanophycus spinaeformis*. *Botanical Journal of the Linnean Society* 149: 209–216.
736. Sundue, M. A. & J. Prado. 2005. *Adiantum diphylum*, a rare and endemic species of Bahia State, Brazil, and its close relatives. *Brittonia* 57: 123–128.
737. Suzuki, C. C. L. F., M. T. Paulilo & A. M. Randi. 2005. Substrate and irradiance affect the early growth of the endangered tropical tree fern *Dicksonia sellowiana* Hook. (Dicksoniaceae). *American Fern Journal* 95: 115–125.
738. Suzuki, T., I. Watanabe & T. Shiraiwa. 2005. Allozyme types of water fern *Azolla japonica* and its relatives (Azollaceae) growing in Japan. *APG Acta Phytotaxonomica et Geobotanica* 56: 71–83.
739. Svennning, M. M., T. Eriksson & U. Rasmussen. 2005. Phylogeny of symbiotic cyanobacteria within the genus *Nostoc* based on 16S rDNA sequence analyses. *Archives of Microbiology* 183: 19–26. [Azolla filiculoides]
740. Swenson, U. & K. Martinsson. 2005. Restoring pastureland by pulling bracken. *Svensk Botanisk Tidskrift* 99: 339–346. [Swedish; *Pteridium aquilinum*]
741. Szuri, S. P., K. Guanira, L. Q. Ma, M. Allen, L. Moos & Y. Cai. 2005. Arsenic accumulation by Chinese brake fern in amended coal fly ash. *Abstracts of Papers American Chemical Society* 229(Part 1): U841–U84. [Abstract; *Pteris vittata*]
742. Szypula, W., A. Pietrosiuk, P. Suchocki, O. Olszowska, M. Furmanowa & O. Kazimierska. 2005. Somatic embryogenesis and in vitro culture of *Huperzia selago* shoots as a potential source of huperzine A. *Plant Science (Oxford)* 168: 1443–1452.
743. Takahashi, K., T. Seino & T. Kohyama. 2005. Plastic changes of leaf mass per area and leaf nitrogen content in response to canopy openings in saplings of eight deciduous broad-leaved tree species. *Ecological Research* 20: 17–23. [*Dryopteris crassirhizoma*]
744. Takeuchi, W. 2005. Floristic notes from a Holocene successional environment in Papua. *Harvard Papers in Botany* 10: 95–116.
745. Tani, T. & G. Kudo. 2005. Overwintering leaves of a forest-floor fern, *Dryopteris crassirhizoma* (Dryopteridaceae): A small contribution to the resource storage and photosynthetic carbon gain. *Annals of Botany (London)* 95: 263–270.
746. Tatarnikov, D. V. 2005. Mechanisms providing for species coexistence in the herb-dwarf shrub layer of a southern taiga birch forest. *Russian Journal of Ecology* 36: 371–376. [*Dryopteris spinulosa*, *Gymnocarpium dryopteris*]
747. Taylor, E. L. 2005. Permian-Triassic vegetation in Antarctica: Floral turnover in relation to changes in paleolatitude and paleoclimate. P. 114. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]

748. Taylor, T. N. & M. Krings. 2005. Fossil microorganisms and land plants: Associations and interactions. *Symbiosis* 40: 119–135.
749. Tejero-Diez, J. D. 2005. Revision taxonomica del complejo. *Polypodium plesiosorum* Kunze (Polypodiaceae, Polypodiophyta). Universidad Autonoma Metropolitana, Iztapalapa Mexico. [Dissertation]
750. Tejero-Diez, J. D., L. Pacheco & T. Terrazas Salgado. 2005. Phylogenetic relationships of the neotropical species of *Polypodium* (Polypodiaceae) based on morphology evidence. P. 384. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
751. Then, A., K. Szentmihalyi, A. Gere, S. Jasztrab & E. Szoke. 2005. Antioxidant properties of *Myrtilli folium*, *Phaseoli fructus sine semnibus* and drug mixture extracts. *Acta Alimentaria* 34: 169–176. [Equisetum arvense]
752. Thessler, S., K. Ruokolainen, H. Tuomisto & E. Tomppo. 2005. Mapping gradual landscape-scale floristic changes in Amazonian primary rain forests by combining ordination and remote sensing. *Global Ecology & Biogeography* 14: 315–325.
753. Thevenard, F., G. Barale, G. Guignard, V. Daviero-Gomez, B. Gomez, M. Philippe & N. Labert. 2005. Reappraisal of the ill-defined Liassic pteridosperm *Dichopteris* using an ultrastructural approach. *Botanical Journal of the Linnean Society* 149: 313–332.
754. Thompson, R. L. & J. R. Skeese III. 2005. Vascular flora of Golden and Silver Falls State Natural Area in the Oregon Coast Range, Coos County, Oregon. *Madrono* 52: 215–221. [Polystichum munitum]
755. Thomson, J. A., A. C. Chikuni & C. S. McMaster. 2005. The taxonomic status and relationships of bracken ferns (Pteridium: Dennstaedtiaceae) from sub-Saharan Africa. *Botanical Journal of the Linnean Society* 148: 311–321.
756. Tipping, P. W. & T. D. Center. 2005. Influence of plant size and species on preference of *Cyrtobagous salviniae* adults from two populations. *Biological Control* 32: 263–268. [Salvinia minima, S. molesta]
757. Tipping, P. W. & T. D. Center. 2005. Population dynamics of *Cyrtobagous salviniae* on common salvinia in South Florida. *Journal of Aquatic Plant Management* 43: 47–50. [Salvinia minima]
758. Tomaselli, M., A. Petraglia & G. Rossi. 2005. Contribution to the environmental ecology of *Cryptogramma crispa* (L.) R. Br. ex Hooker in the Alps. *Flora (Jena)* 200: 175–186.
759. Tomescu, A. M. F. & G. W. Rothwell. 2005. Reiteration – the fern perspective. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
760. Tongbin, C., H. Zechun, H. Yuying & L. Mei. 2005. Distributions of arsenic and essential elements in pinna of arsenic hyperaccumulator *Pteris vittata* L. *Science in China Series C Life Sciences* 48: 18–24.
761. Torres, V., J. Vandenberghe & H. Hooghiemstra. 2005. An environmental reconstruction of the sediment infill of the Bogota basin (Colombia) during the last 3 million years from abiotic and biotic proxies. *Palaeogeography Palaeoclimatology Palaeoecology* 226: 127–148.
762. Tripathi, M. K., D. K. Meena, P. Pareek & B. L. Yadav. 2005. *Isoetes* L. in Rajasthan – Study of effect of hyperthermia on cell membrane permeability. *Indian Fern Journal* 22: 157–159.
763. Truswell, E. M., P. G. Quilty, A. McMinn, M. K. MacPhail & G. E. Wheller. 2005. Late Miocene vegetation and palaeoenvironments of the Drygalski Formation, Heard Island, Indian Ocean: evidence from palynology. *Antarctic Science* 17: 427–442. 764. Tsai, M. C., J. W. Liao, S. H. Tseng, C. H. Chuan, S. S. Wu, S. H. Yang, S. C. Wang & J. S. Hwang. 2005. Safety evaluation of processed agricultural foods. *Plant Protection Bulletin (Taichung)* 47: 403–418. [Asplenium australasicum]

765. Tsutsumi, C. & M. Kato. 2005. Molecular phylogenetic study on Davalliaceae. *Fern Gazette* 17: 147–162.
766. Tu, C. & L. Q. Ma. 2005. Effects of arsenic on concentration and distribution of nutrients in the fronds of the arsenic hyperaccumulator *Pteris vittata* L. *Environmental Pollution* 135: 333–340.
767. Tulp, M. & L. Bohlin. 2005. Rediscovery of known natural compounds: Nuisance or goldmine? *Bioorganic & Medicinal Chemistry* 13: 5274–5282. [*Lycopodium clavatum*]
768. Tuma, I., K. Fiala & P. Holub. 2005. Biomass formation, nutrient uptake and release in fern stands *Athyrium distentifolium* on deforested areas affected by pollution: comparison with grass stands. P. 578. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
769. Tuomisto, H. & K. Ruokolainen. 2005. Environmental heterogeneity and the diversity of pteridophytes and Melastomataceae in western Amazonia. *Kongelige Danske Videnskabernes Selskab Biologiske Skrifter* 55: 37–56.
770. Turnau, K., T. Anielska & A. Jurkiewicz. 2005. Mycothallic/mycorrhizal symbiosis of chlorophyllous gametophytes and sporophytes of a fern, *Pellaea viridis* (Forsk.) Prantl (Pellaeaceae, Pteridales). *Mycorrhiza* 15: 121–128.
771. Turner, N. A., W. C. Taylor, S. Masi & M. E. Stupen. 2005. Confirming Dioecy in *Isoetes butleri*. *American Fern Journal* 95: 85–87.
772. Tzvelev, N. N. 2005. The genus *Pteridium* (Hypolepidaceae) in the Eastern Europe and the Northern Asia. *Botanicheskii Zhurnal* (St. Petersburg) 90: 891–896.
773. Upadhyay, R. K. & S. K. Panda. 2005. Salt tolerance of two aquatic macrophytes, *Pistia stratiotes* and *Salvinia molesta*. *Biologia Plantarum* (Prague) 49: 157–159.
774. Vaiphasa, C., S. Ongsomwang, T. Vaiphasa & A. K. Skidmore. 2005. Tropical mangrove species discrimination using hyperspectral data: A laboratory study. *Estuarine Coastal & Shelf Science* 65: 371–379. [*Acrostichum aureum*]
775. Vajda, V. 2005. Short-term collapse of vegetation at the Cretaceous–Paleogene boundary in New Zealand – cause for extinction of polar dinosaurs? P. 114. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
776. van Bruggen, H. W. E. 2005. Der Name *Azolla cristata* Kaulf. ist prioritatsberechtigt. *Aqua Planta* 30: 65. [German]
777. van Hove, C. & H. Rosenthal. 2005. Azolla research. Comments on a paper entitled 'Use of a natural aquatic fern, *Azolla microphylla*, as a main component in food for the omnivorous–phytoplanktonophagous tilapia, *Oreochromis niloticus* L.' (*J. Appl. Ichthyol.* 2004: 20, 517–520). *Journal of Applied Ichthyology* 21: 535–536.
778. Van Itterbeeck, J., V. S. Markevich & V. Codrea. 2005. Palynostratigraphy of the Maastrichtian dinosaur and mammal sites of the Raul Mare and Barbat Valleys (Hateg Basin, Romania). *Geologica Carpathica* 56: 137–147.
779. Vanhoorne, R. 2005. Pollen assemblages, plant communities and biostratigraphy of the lower pleistocene campine clay in Belgium. *Geologica Belgica* 8: 15–36. 780. Vasheka, O. V. 2005. Higher spore-bearing plants collection in outdoors in the O.V. Fomin Botanical Garden. P. 382. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
781. Vasheka, O. V. 2005. Hardy North American ferns in O. V. Fomin Botanical Garden higher spore-bearing plants collection. Pp. 117–118. In Urgent problems of investigation and conservation phytodiversity. Proceeding of Conference of Young Botanists 6–9 September, Uman, Ukraine. [Ukrainian]
782. Vega, J. A., C. Fernandez & T. Fonturbel. 2005. Throughfall, runoff and soil erosion after prescribed burning in

- gorse shrubland in Galicia (NW Spain). *Land Degradation & Development* 16: 37–51. [*Pteridium aquilinum*]
783. Velazquez Montes, E. 2005. Flora de Guerrero. No. 24. Dicksoniaceae, Osmundaceae and Plagiogyriaceae. Facultad de Ciencias, UNAM., Mexico City. 18 pp. [Spanish]
784. Velez, M. I., H. Hooghiemstra & S. Metcalfe. 2005. Fossil and modern diatom assemblages from the Savanna lake El Pinal, Colombia: An environmental reconstruction. *Diatom Research* 20: 387–407. [Isoetes]
785. Verdcourt, B. 2005. Flora of Tropical East Africa. Isoetaceae. Royal Botanic Gardens, Kew for the East African Governments, Kew UK. 8 pp.
786. Verdcourt, B. 2005. Flora of Tropical East Africa. Lycopodiaceae. Royal Botanic Gardens, Kew, Kew UK. 19 pp.
787. Verdcourt, B. 2005. Flora of Tropical East Africa. Selaginellaceae. Royal Botanic Gardens, Kew for the East African Governments, Kew. 24 pp.
788. Verma, S. C. 2005. Compartmentalization of the fern genome and the gene block hypothesis revisited. *Bionature* 25: 41–55.
789. Viegas, C. J., V. d. S. Bolzani, E. J. Barreiro & C. A. M. Fraga. 2005. New anti-Alzheimer drugs from biodiversity: The role of the natural acetylcholinesterase inhibitors. *Mini-Reviews in Medicinal Chemistry* 5: 915–926. [Lycopodium]
790. Villar de Seoane, L. 2005. *Equisetites pusillus* sp nov. from the Aptian of Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales Nueva Serie* 7: 43–49.
791. Vogel, J. C., H. Hunt, C. Duraes, S. Russell, M. Grundmann, F. Rumsey, I. Pinter, M. Gibby, J. A. Barrett & H. Schneider. 2005. Exploring the radiation of asplenoid ferns using phylogenetic and population genetic approaches. P. 102. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
792. Volodina, S. I., I. F. Chadin, V. A. Martynenko & V. V. Volodin. 2005. Productivity and 20-hydroxyecdysone accumulation in *Silene tatarica* (Caryophyllaceae) above-ground part in natural populations (European North-East of Russia). *Rastitel'nye Resursy* 41: 64–69. [Equisetum arvense]
793. Wagner, F., D. L. Dilcher & H. Visscher. 2005. Stomatal frequency responses in hardwood–swamp vegetation from Florida during a 60-year continuous CO₂ increase. *American Journal of Botany* 92: 690–695. [Osmunda regalis]
794. Walker, L. R. 2005. Restoring soil and expression processes. Pp. 192–196. In S. Mansourian, D. Vallauri & N. Dudley (Eds.). *Forest Restoration in Landscapes: Beyond Planting Trees*. Springer, New York NY USA.
795. Walters, C., L. M. Hill & L. J. Wheeler. 2005. Dying while dry: Kinetics and mechanisms of deterioration in desiccated organisms. *Integrative & Comparative Biology* 45: 751–758. [Selaginella lepidophylla]
796. Wang, C. B., X. J. He, Y. H. Ma & D. Y. Meng. 2005. Floristic analysis of pteridophytes in Wawushan National Forest Park. *Xibei Zhiwu Xuebao* 25: 138–143. [Chinese]
797. Wang, D. M., S. G. Hao & Q. Wang. 2005. *Rotafolia songziensis* gen. et comb. nov., a sphenopsid from the Late Devonian of Hubei, China. *Botanical Journal of the Linnean Society* 148: 21–37.
798. Wang, F. G., D. M. Liu, Y. H. Yan, Y. S. Ye & F. W. Xing. 2005. Newly-recorded ferns in Guangdong Province. *Xibei Zhiwu Xuebao* 25: 2307–2309. [Chinese]
799. Wang, G., L. Wang, Z. Li, J. Ding & D. Liu. 2005. Characteristics of accumulation and content of heavy metals of weeds. *Shengtaixue Zazhi* 24: 639–643. [Pteris multifida]

800. Wang, J. Y., R. Wahiti Gituru & Q. F. Wang. 2005. Ecology and conservation of *Isoetes sinensis* in China. *Journal of Natural History* 39: 4069–4079.
801. Wang, L. F., H. B. Ji, K. Z. Bai, L. B. Li & T. Y. Kuang. 2005. Photosynthetic characterization of the plant *Dicranopteris dichotoma* Bernh. in a rare earth elements mine. *Journal of Integrative Plant Biology* 47: 1092–1100.
802. Wang, Q., B. Y. Geng & D. L. Dilcher. 2005. New perspective on the architecture of the Late Devonian arborescent lycopsid *Leptophloem rhombicum* (Leptoliaceae). *American Journal of Botany* 92: 83–91.
803. Wang, R. & X. C. Tang. 2005. Neuroprotective effects of huperzine A – A natural cholinesterase inhibitor for the treatment of Alzheimer's disease. *NeuroSignals* 14: 71–82. [Huperzia serrata]
804. Wang, W., J. Ma, J. Li & Z. Wang. 2005. Winter food habits of wild boars in Tonghe, Heilongjiang Province. *Acta Theriologica Sinica* 25: 407–409. [Chinese; Equisetum hyemale]
805. Wang, X. X. & Z. J. Jia. 2005. Chemical constituents of *Equisetum ramosissimum*. *Xibei Zhiwu Xuebao* 25: 2524–2528. [Chinese]
806. Wang, Y., Z. Cao & F. Thevenard. 2005. Additional data on *Todites* (Osmundaceae) from the Lower Jurassic – with special references to the paleogeographical and stratigraphical distributions in China. *Geobios (Paris)* 38: 823–841.
807. Wang, Y., V. Mosbrugger & H. Zhang. 2005. Early to Middle Jurassic vegetation and climatic events in the Qaidam Basin, northwest China. *Palaeogeography Palaeoclimatology Palaeoecology* 224: 200–216.
808. Wang, Y. & H. H. Xu. 2005. *Sublepidodendron grabaui* comb. nov., a lycopsid from the Upper Devonian of China. *Botanical Journal of the Linnean Society* 149: 299–311.
809. Watkins, J., M. Mack & S. Mulkey. 2005. Comparative functional ecology of terrestrial and epiphytic gametophytes of tropical ferns. In Abstracts (<http://abstracts.co.allenpress.com/pweb/esa2005/>). ESA 2005 Annual Meeting, Montreal Canada. [Abstract]
810. Watkins, J. E., Jr. 2005. Stress physiology of fern gametophytes: consequences for distribution and abundance. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
811. Watkins, J. E., Jr. & D. R. Farrar. 2005. Origin and taxonomic affinities of *Thelypteris* (subgen. *Stegnogramma*) *burksiorum* (Thelypteridaceae). *Brittonia* 57: 183–201.
812. Wavern, I. M. van, F. Hasibuan, M. Suyoko, P. L. do Boer, D. Chaney, K. Ueno, M. Booi, E. A. P. Iskandar, C. King, J. M. de Leeuw & J. H. A. van Konijnenburg-van Cittert. 2005. Taphonomy, palaeobotany and sedimentology of the Mengkarang Formation (Early Permian, Jambi, Sumatra, Indonesia). *The Nonmarine Permian Bull.* 30: 333–341.
813. Weber, R. 2005. *Equisetites aequocaliginosus* sp nov., a tall horsetail from the Late Triassic Santa Clara Formation, Sonora, Mexico. *Revue de Paleobiologie* 24: 331–364. [German]
814. Wei, Z., F. Hong, M. Yin, H. Li, F. Hu, G. Zhao & J. W. Wong. 2005. Structural differences between light and heavy rare earth element binding chlorophylls in naturally grown fern *Dicranopteris linearis*. *Biological Trace Element Research* 106: 279–297.
815. Wei, Z., F. Hong, M. Yin, H. Li, F. Hu, G. Zhao & J. Woonchung Wong. 2005. Subcellular and molecular localization of rare earth elements and structural characterization of yttrium bound chlorophyll a in naturally grown fern *Dicranopteris dichotoma*. *Microchemical Journal* 80: 1–8.

816. Weng, J. K., M. Tanurdzic & C. Chapple. 2005. Functional analysis and comparative genomics of expressed sequence tags from the lycophyte *Selaginella moellendorffii*. *BMC Genomics* 6: 6.
817. Wenzue, L., C. Tongbin, C. Yang & L. Mei. 2005. Role of trichome of *Pteris vittata* L. in arsenic hyperaccumulation. *Science in China Series C Life Sciences* 48: 148–154.
818. Werner, F. A., J. Homeier & S. R. Gradstein. 2005. Diversity of vascular epiphytes on isolated remnant trees in the Montane forest belt of southern Ecuador. *Ecotropica (Bonn)* 11: 21–40.
819. White, D. A. 2005. Architectural mutation and leaf form, for the palmate series. *Journal of Theoretical Biology* 235: 289–301. [Lygodium palmatum]
820. White, H. S., S. Schachter, D. Lee, X. Ji & D. Eisenberg. 2005. Anticonvulsant activity of Huperzine A, an alkaloid extract of Chinese club moss (*Huperzia serrata*). Joint Annual Meeting of the American Epilepsy Society/American Clinical Neurophysiology Society, Washington, DC, USA; December 02 –06. *Epilepsia* 46(Suppl. 8): 220. [Abstract]
821. Whittier, D. P., J. C. Pintaud & J. E. Braggins. 2005. The gametophyte of *Lycopodium deuterodensum* – Type II or I. *American Fern Journal* 95: 22–29.
822. Whittier, D. P. & K. S. Renzaglia. 2005. The young gametophyte of *Lycopodiella lateralis* and the role of the intermediate shaft in development of *Lycopodiella* gametophytes. *American Fern Journal* 95: 153–159.
823. Widgren, A. 2005. Gravel pit becomes nature reserve for its botanical qualities. *Svensk Botanisk Tidskrift* 99: 265–268. [Swedish; *Lycopodiella inundata*]
824. Wikstrom, N. & K. M. Pryer. 2005. Incongruence between primary sequence data and the distribution of a mitochondrial *atp1* group II intron among ferns and horsetails. *Molecular Phylogenetics & Evolution* 36: 484–493.
825. Wilbur, R. L. & M. K. Whitson. 2005. The identity of Riddell's seven validly published but over-looked pteridophytic binomials. *American Fern Journal* 95: 160–169. [*Adiantum capillus-veneris*, *A. capillus-veneris* var. *protrusum*, *Cheilanthes alabamensis*, *Dryopteris ludoviciana*, *D. kunthii*, *Lycopodium corallinum*, *Pellaea ovata*, *Selaginella riddellii*, *S. corallina*, *Thelypteris hispidula*, *T. hispidula* var. *versicolor*]
826. Wilcox, C. A., Y. M. Chun & Y. D. Choi. 2005. Redevelopment of black oak (*Quercus velutina* Lam.) savanna in an abandoned sand mine in Indiana Dunes National Seashore USA. *American Midland Naturalist* 154: 11–27. [*Equisetum arvense*]
827. Wild, M. & D. Gagnon. 2005. Does lack of available suitable habitat explain the patchy distributions of rare calcicolous fern species? *Ecography* 28: 191–196. [*Asplenium ruta-muraria*, *Pellaea atropurpurea*, *Woodsia obtusa*]
828. Wild, M., D. Gagnon & A. Bouchard. 2005. Are North American pteridophytes rarer than they should be? In Abstracts (<http://abstracts.co.allenpress.com/pweb/esa2005/>). ESA 2005 Annual Meeting, Montreal Canada. [Abstract]
829. Williams-Linera, G., R. Hernandez-Gomez & M. Palacios-Rios. 2005. Fern richness, tree species surrogacy, and fragment complementarity in a Mexican tropical montane cloud forest. *Biodiversity and Conservation* 14: 119–133.
830. Willis, T. & J. Nester-Hudson. 2005. Characterization of a *Theleypteris* hybrid from Walker County Texas. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
831. Wilmshurst, J. M. 2005. Corroded pollen and spores as indicators of changing lake sediment sources and catchment disturbance. *Journal of Paleolimnology* 34: 503–517. [*Pteridium*, *Dicksonia*, *Cyathea*]

832. Wilmshurst, J. M. & M. S. McGlone. 2005. Origin of pollen and spores in surface lake sediments: Comparison of modern palyynomorph assemblages in moss cushions, surface soils and surface lake sediments. *Review of Palaeobotany & Palyontology* 136: 1–15. [Pteridium esculentum, Cyathea, Dicksonia]
833. Wilson, K. A. 2005. Pteridophyta: Aspleniaceae, the spleenwort family; Athyriaceae; Azollaceae, the mosquito fern family; Blechnaceae; Cyatheaceae, the tree fern family; Davalliaceae; Dennstaedtiaceae; Dicksoniaceae; Dryopteridaceae, the shield fern or wood fern family; Equisetaceae, the horsetail family; Marattiaceae, the marrattia family; Marsileaceae, the water-clover family; Polypodiaceae, the polypody family; Psilotaceae, the whisk fern family; Pteridaceae; Salviniaceae, the floating fern family; Selaginellaceae, the spike-moss family. Pp. 27–53. In G. Staples & D. Herbst (Eds.). *A Tropical Garden Flora. Plants Cultivated in the Hawaiian Islands and Other Tropical Places*. Bishop Museum Press, Honolulu HI USA.
834. Windham, M. D. & G. Yatskievych. 2005. A novel hybrid Polypodium (Polypodiaceae) from Arizona. *American Fern Journal* 95: 57–67.
835. Winkler, M., K. Huelber, K. Mehlreter, J. G. Franco & P. Hietz. 2005. Herbivory in epiphytic bromeliads, orchids and ferns in a Mexican montane forest. *Journal of Tropical Ecology* 21: 147–154.
836. Winther, J. L. & W. E. Friedman. 2005. Evolution of arbuscular mycorrhizal symbioses in early lineages of land plants. P. 165. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
837. Winther, J. L. & W. E. Friedman. 2005. Evolution of arbuscular mycorrhizal symbioses in early lineages of land plants. In Abstracts of Botany 2005. Botanical Society of America (www.2005.botanyconference.org), Austin Texas. [Abstract]
838. Wojtas, M., T. Bienkowski, M. Zelman-Femiak, S. Tateyama, H. Sagami, T. Chojnacki, W. Danikiewicz & E. Swiezewska. 2005. Dolichols of the fern Matteucia struthiopteris. *Acta Biochimica Polonica* 52: 255–259.
839. Wolczanska, A. 2005. The Ramularia species in Poland (Monographiae Botanicae, 95). Polish Botanical Society, Warszawa Poland. 153 pp. [Polish]
840. Woldstad Hanssen, E. 2005. Flora conservation projects in 2004. *Blyttia* 63: 4–6. [Norwegian; Gymnocarpium continentale]
841. Wolf, P. G., K. G. Karol, D. F. Mandoli, J. Kuehl, K. Arumuganathan, M. W. Ellis, B. D. Mishler, D. G. Kelch, R. G. Olmstead & J. L. Boore. 2005. The first complete chloroplast genome sequence of a lycophyte, *Huperzia lucidula* (Lycopodiaceae). *Gene* (Amsterdam) 350: 117–128.
842. Woo, E. R., J. Y. Lee, I. J. Cho, S. G. Kim & K. W. Kang. 2005. Amentoflavone inhibits the induction of nitric oxide synthase by inhibiting NF- κ B activation in macrophages. *Pharmacological Research* 51: 539–546. [Selaginella tamariscina]
843. Woodhead, M., J. Russell, J. Squirrell, P. M. Hollingsworth, K. Mackenzie, M. Gibby & W. Powell. 2005. Comparative analysis of population genetic structure in *Athyrium distentifolium* (Pteridophyta) using AFLPs and SSRs from anonymous and transcribed gene regions. *Molecular Ecology* 14: 1681–1695.
844. Woodhouse, S. P., J. E. G. Good, A. A. Lovett, R. J. Fuller & P. M. Dolman. 2005. Effects of land-use and agricultural management on birds of marginal farmland: a case study in the Llyn peninsula, Wales. *Agriculture Ecosystems & Environment* 107: 331–340. [Pteridium aquilinum]
845. Woodmansee, S. W. & J. L. Sadle. 2005. New Occurrences of *Schizaea pennula* Sw. in Florida. *American Fern Journal* 95: 84–85.
846. Work, D. M. & C. E. Mason. 2005. Mississippian (early Osagean) Cave Run Lake ammonoid fauna, Borden

- formation, northeastern Kentucky. *Journal of Paleontology* 79: 719–725.
847. Wrobel, D. 2005. Niszczanie stanowisk skrzpu olbrzymiego *Equisetum telmateia* Ehrh. W dolinie Wisły. *Chronmy Przyrody Ojczysta* 61: 101–102. [Polish]
848. Wu, M. H., C. Y. Weng, L. Wang & T. W. Lian. 2005. Immunomodulatory mechanism of the aqueous extract of sword brake fern (*Pteris ensiformis* Burm.). *Journal of Ethnopharmacology* 98: 73–81.
849. Wu, P. L., A. G. Damu, T. S. Wu, Y. L. Hsu & C. W. Yao. 2005. Constituents of *Vittaria anguste–elongata* and their biological activities. *Journal of Natural Products* 68: 1180–1184.
850. Wu, S. G., P. K. Loc & J. Y. Xiang. 2005. A new genus and two new species of ferns from Vietnam. *Novon* 15: 245–249. [*Cyrtomium elongatum*, *Cyrtomium wulingense*, *Kontumia heterophylla*]
851. Wu, S. G., J. Y. Xiang & P. K. Loc. 2005. Some new records of ferns from Vietnam (1). *Acta Botanica Yunnanica* 27: 249–252. [Chinese; *Christensenia assamica*, *Arthropteris repens*, *Cyrtomium hemionitis*, *Cyrtogonelum sichouensis*, *Dryopteris conjugata*, *Lepisorus sinensis*]
852. Wu, X. A. & Y. M. Zhao. 2005. Isolation and identification of chemical compounds from *Drynaria fortunei*. *Zhongguo Zhongyao Zazhi* 30: 443–444.
853. Wu, Y., M. You, X. S. Wang & Y. W. Wang. 2005. Primary study on effect factors for gametophyte development of *Drynaria fortunei*. *Wuhan Zhiwuxue Yanjiu* 23: 461–463. [Chinese]
854. Xu, Q. H., Z. J. Yang, X. L. Yang, Y. C. Li, Z. H. Zheng & R. J. Wang. 2005. Vegetation in the Luanhe River Basin and surrounding areas. *Zhiwu Shengtai Xuebao* 29: 444–456. [Chinese; *Selaginella sinensis*]
855. Xu, X. H., B. Q. Ruan, S. H. Jiang & D. Y. Zhu. 2005. Megastigmanes and flavonoid glycosides of *Equisetum debile*. *Chinese Journal of Natural Medicines* 3: 93–96.
856. Xu, Y., L. Shi, B. D. Liu, Y. Liu & D. Li. 2005. Observation on the gametophyte development of *Phymatosorus hainanensis* (Polypodiaceae). *Bull. Bot. Res. (China)* 25: 34–38. [Chinese]
857. Xue, J., S. Hao, D. Wang & Z. Liu. 2005. A new lycopsid from the Upper Devonian of Hubei Province, China. *International Journal of Plant Sciences* 166: 519–531.
858. Yamauchi, D., K. Sutoh, H. Kanegae, T. Horiguchi, K. Matsuoka, H. Fukuda & M. Wada. 2005. Analysis of expressed sequence tags in prothallia of *Adiantum capillus–veneris*. *Journal of Plant Research* 118: 223–227.
859. Yang, L., M. Y. Wang, Y. Y. Zhao & Y. Y. Tu. 2005. Chemical constituents of the rhizome of *Matteuccia struthiopteris*. *Yaoxue Xuebao* 40: 252–254. [Chinese]
860. Yang, P., D. Manguchei & C. Takekuma. 2005. Impact of *Lemna minor* Linnaeus (1753) and *Azolla filiculoides* Lamarck (1783) on mosquito breeding in Kauai taro fields. *Pan-Pacific Entomologist* 81: 159–163.
861. Yang, S. Z. & C. H. Lee. 2005. Study of the vegetation ecology of the eastern side of Hsinkangshan in the coastal range of eastern Taiwan. *Taiwan Journal of Forest Science* 20: 341–353.
862. Yatabe, Y., N. Murakami & K. Iwatsuki. 2005. Claytosmunda; a new subgenus of *Osmunda* (Osmundaceae). *Acta Phytotaxonomica et Geobotanica* 56: 127–128. [*Osmunda claytoniana*]
863. Yesilyurt, J. C. 2005. Phylogenetic studies in the genus *Doryopteris* J. Sm. (Cheilanthoideae–Pteridaceae). P. 385. In Abstracts (www.ibc2005.ac.at). XVII International Botanical Congress 17–23 July, Vienna Austria. [Abstract]
864. Yesilyurt, J. C. 2005. The fern genus *Doryopteris* (Cheilanthoideae–Pteridaceae) in the Hawaiian Islands. *Kew Bulletin* 60: 547–558.

865. Yesou, P., F. Bernard, J. Marquis & J. Nisser. 2005. Breeding biology of Common Tern *Sterna hirundo* on Beniguet Island, Atlantic coast of France. *Alauda* 73: 107–118. [French; *Pteridium aquilinum*]
866. Yin, M. H., D. G. Kang, D. H. Choi, T. O. Kwon & H. S. Lee. 2005. Screening of vasorelaxant activity of some medicinal plants used in Oriental medicines. *Journal of Ethnopharmacology* 99: 113–117. [*Selaginella tamariscina*]
867. Yoshihara, T., K. Tsunokawa, Y. Miyano, Y. Arashima, H. Hodoshima, K. Shoji, H. Shimada & F. Goto. 2005. Induction of callus from a metal hypertolerant fern, *Athyrium yokoscense*, and evaluation of its cadmium tolerance and accumulation capacity. *Plant Cell Reports* 23: 579–585.
868. Yu, L. Q., K. S. Qu, Y. J. Zhou, D. Li, X. C. Liu, C. X. Zhang & Y. F. Peng. 2005. Effect of transgenic rice with glufosinate-resistance on weed populations in paddy field. *Zhongguo Shuidao Kexue* 19: 68–73. [Chinese; *Marsilea quadrifolia*]
869. Yudin, M. M., A. S. Tretjakova & M. S. Knjasev. 2005. Floristic records in the "Pripyshminskiye Bory" National Park (the Middle–East Urals). *Botanicheskii Zhurnal* (St. Petersburg) 90: 759–763. [*Diphasiastrum xzeileri*]
870. Zanetta, A. G. 2005. A new finding of *Polypodium cambricum* L. (Pteridophyta Polypodiaceae) in Piedmont. *Museo Regionale di Scienze Naturali Bollettino* (Turin) 23: 245–253. [Italian]
871. Zeng, H. Y. & B. Y. Ding. 2005. New records of Dryopteridaceae in Hunnan Province from China. *Bull. Bot. Res. (China)* 25: 14–17.
872. Zenkteler, E. & A. Bagniewska-Zadworna. 2005. Ultrastructural changes in rhizome parenchyma of *Polypodium vulgare* during dehydration with or without abscisic acid pretreatment. *Biologia Plantarum* (Prague) 49: 209–214.
873. Zenkteler, E. K. & H. Kwasna. 2005. Fungistatic activity of internal secreting hairs of *Dryopteris* rhizomes. *Fern Gazette* 17: 178.
874. Zhang, G. M., X. C. Zhang & Z. D. Chen. 2005. Phylogeny of cryptogrammoid ferns and related taxa based on *rbcL* sequences. *Nord. J. Bot.* 23: 485–493.
875. Zhang, J. X. & H. B. Zhi. 2005. Fern flora in Dashanfeng Mountain of Zhejiang Province. *Xibei Zhiwu Xuebao* 25: 2289–2294. [Chinese]
876. Zhang, K. M., L. Shi & X. C. Zhang. 2005. Observation on the gametophyte development of *Dryopteris subtriangularis*. *Wuhan Zhiwuxue Yanjiu* 23: 276–279. [Chinese]
877. Zhang, Q., Z. Yang & K. Chen et al. 2005. Investigation on anti-coxackievirus B3 effect of several medicinal plant extracts in vitro. *Wuhan Daxue Xuebao (Yixue Ban)* 26: 157–160. [Chinese; *Selaginella labordei*]
878. Zhang, X. C., C. H. Kim, B. D. Liu, M. O. Moon & B. Y. Sun. 2005. New materials of the Hymenophyllaceae from Hainan Island, China. *Korean J. Pl. Tax.* 35: 187–192.
879. Zhang, X. C., C. H. Kim, M. O. Moon & B. Y. Sun. 2005. *Polystichum* (Dryopteridaceae) of Hainan Island, China. *Korean J. Pl. Tax.* 35: 1–6.
880. Zhang, X. C., Q. P. Xiang & H. R. Nooteboom. 2005. A new species of *Selaginella* from Hainan Island, China, with a key to the Hainan species. *Botanical Journal of the Linnean Society* 148: 323–327.
881. Zhang, X. Y. & Y. W. Fan. 2005. RAPD analysis of the genetic diversity in *Athyrium*, *Gymnocarpium* and *Cystopteris* of Athyriaceae from Heilongjiang Province. *Bull. Bot. Res. (China)* 25: 186–191. [Chinese]
882. Zielke, M., B. Solheim, S. Spjelkavik & R. A. Olsen. 2005. Nitrogen fixation in the high arctic: Role of vegetation and environmental conditions. *Arctic Antarctic and Alpine Research* 37: 372–378. [*Equisetum arvense*]

883. Zimmer, B. 2005. Report of the Committee for Pteridophyta: 15. *Taxon* 54: 831–832.
884. Zodrow, E. L., J. Psenicka & J. Bek. 2005. A reassessment of the taxonomy of *Oligocarpia bellii* (Late Pennsylvanian, Sydney Coalfield, Nova Scotia, Canada). *Palaeontographica Abteilung B Palaeophytologie* 272: 51–65.
885. Zotz, G. 2005. Vascular epiphytes in the temperate zones – a review. *Plant Ecology* 176: 173–183.