

List

Scientific name	status	Common Name	Description
<i>Leptecophylla oxycedrus</i>		coast pinkberry	shrub to 3m; leaves to 25mm, pale under, sharp pointed; flowers white, tubular; fruit red or pink
<i>Phyllocladus aspleniifolius</i>	e	celerytop pine	conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red
<i>Acacia dealbata</i>		silver wattle	tree with grey green feathery leaves; golden flowers
<i>Acacia melanoxylon</i>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<i>Acacia mucronata</i>		caterpillar wattle	shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes
<i>Acacia myrtifolia</i>		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
<i>Acacia verticillata</i>		prickly moses	shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in spikes.
<i>Acaena novae-zelandiae</i>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<i>Actites megalocarpus</i>		dune thistle	perennial herb to 60cm; leaves in basal rosette; leaves to 15cm, lobed, prickly; yellow daisy flowers
<i>Allocasuarina zephyrea</i>	e	western sheoak	shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm
<i>Alyxia buxifolia</i>		seabox	shrub to 2.5m; leaves tough, dark green, glossy, to 3.5cm; flowers white, 5 petals; fruit orange to red
<i>Amperea xiphoclada</i>		broom spurge	almost leafless with angles stems, forms clumps resembling grass tussock
<i>Anopterus glandulosus</i>	e	tasmanian laurel	shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petaled, bell shaped, white/pink
<i>Aotus ericoides</i>		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
<i>Apium prostratum</i>		creeping sea-celery	perennial herb; stems ridged; leaves to 6cm, deeply divided; flowers in dense heads, white, small
<i>Argentipallium dealbatum</i>		white everlasting	herb to 25cm; leaves elliptic, dark green above, white hairy under; flower buds red, flowers single, white, papery

List

<i>Aristotelia peduncularis</i>	e	heartberry	straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped, petals three-toothed; fruit heart shaped, white, red or black
<i>Atherosperma moschatu</i>		sassafras	tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petaled. Male and female flowers on same or separate trees
<i>Banksia marginata</i>		silver banksia	tree with typical banksia cones or yellow flower spikes
<i>Bauera rubioides</i>		wiry bauera	sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink
<i>Beyeria lechenaultii</i>		pale turpentine-bush	shrub to 2m; leaves rounded, hairy below; cream m & f flowers on separate plants;
<i>Billardiera macrantha</i>		forest appleberry	vine clammers over other plants; leaves lance-like to 5cm; flowers tubular, yellow/green; fruit blue/purple
<i>Billardiera ovalis</i>	e	seaspray appleberry	coastal creeper; leaves to 14mm, thick, pale green; flowers tubular; cream/yellow; fruit red
<i>Bossiaea cordigera</i>		wiry bossia	shrub to 40cm; leaves small, heart-shaped; pea flowers yellow with red centre & outside
<i>Bossiaea prostrata</i>		creeping bossia	wiry prostrate stems; yellow & crimson pea flowers
<i>Carpobrotus rossii</i>		native pigface	herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres
<i>Cassinia aculeata</i>		dolly bush	shrub to 3 m; large clusters of small white flowers
<i>Cassytha glabella</i>		slender dodderlaurel	slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks
<i>Cassytha pubescens</i>		downy dodderlaurel	parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes
<i>Cenarrhenes nitida</i>	e	native plum	shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes
<i>Centella cordifolia</i>		swampwort	prostrate marsh herb; leaves almost circular; flowers small, pink in clusters on short stalks
<i>Chrysocephalum apicala</i>		common everlasting	perennial herb to 50cm; stem & leaves densely hairy; golden daisy flowers in clusters
<i>Coprosma quadrifida</i>		native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
<i>Coronidium scorpioides</i>		curling everlasting	herb with single golden daisy flower heads on long stems
<i>Correa lawrenceana</i>	e	mountain correa	shrub/small tree to 3m; leaves to 7cm, leathery, shiny above v. hairy under; flowers cream/green, tubular
<i>Dichondra repens</i>		kidneyweed	creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers
<i>Disphyma crassifolium</i>		roundleaf pigface	spreading perennial herb; leaves succulent, round in x-section; large, pink/purple, white centres
<i>Drosera pygmaea</i>		dwarf sundew	tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower

List

<i>Epacris impressa</i>		common heath	shrub; white, red or pink tubular flowers with dimples at base
<i>Eryngium vesiculosum</i>		prickfoot	perennial prostrate herb; leaves very prickly; small white/blue flowers in heads,
<i>Eucalyptus obliqua</i>		stringybark	tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;
<i>Euchiton japonicus</i>		common cottonleaf	perennial herb to 40cm; stems white, cottony hairy; leaves hairy under; daisy flowers in terminal groups
<i>Eucryphia lucida</i>	e	leatherwood	tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens
<i>Euryomyrtus ramosissima</i>		rosy heathmyrtle	shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals
<i>Gaultheria hispida</i>		copperleaf snowberry	shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy
<i>Geranium solanderi</i>		southern cranesbill	perennial herb; leaves round, deeply divided; flowers pink, usually paired
<i>Goodenia ovata</i>		hop native-primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
<i>Goodenia radicans</i>		shiny swamp mat	creeping herb, rooting at leaf nodes and with 5 petal white, fan flowers
<i>Hibbertia procumbens</i>		spreading guineaflower	prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous
<i>Leptorhynchos squamatus</i>		scaly buttons	herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;
<i>Leptospermum glaucescens</i>	e	smoky teatree	upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery
<i>Leptospermum laevigatum</i>		coast teatree	shrub/tree to 8m; leaves grey green, to 30mm, blunt; flowers white/pale pink, to 2cm diam, 5 petals; fruit small woody capsules with 6-11 slits
<i>Leptospermum lanigerum</i>		woolly teatree	shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base
<i>Leptospermum nitidum</i>	e	shiny teatree	shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits
<i>Leptospermum riparium</i>	e	river teatree	shrub to 4m; narrow, rolled margins, to 25mm; flowers, white, single; capsule 5 slits, convex top
<i>Leptospermum scoparium</i>		common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<i>Leucophyta brownii</i>		cushionbush	compact shrub to 1.5m; leaves stem-clasping, to 5mm; flowers white/yellow globular heads
<i>Leucopogon australis</i>		spike beardheath	shrub to 2m; leaves lance-shaped to 4cm; flowers white, tubular, bearded inside

List

<i>Leucopogon collinus</i>	white beardheath	shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches
<i>Leucopogon parviflorus</i>	coast beardheath	shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside
<i>Lobelia anceps</i>	angled lobelia	perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped
<i>Lobelia gibbosa</i>	tall lobelia	herb, erect, to 30cm; leaves narrow, withering; flowers blue/purple, two lipped
<i>Lobelia pedunculata</i>	matted lobelia	prostrate, ground-covering perennial herb; leaves small, round; flowers white or blue, split tube
<i>Lomatia tinctoria</i>	e guitarplant	shrub; divided leaves very variable in form; white flowers
<i>Lotus australis</i>	australian trefoil	shrub to 60cm; leaves with 5 leaflets; pink/white pea flowers
<i>Melaleuca ericifolia</i>	coast paperbark	tree; white papery bark, profuse white flowers in summer
<i>Melaleuca gibbosa</i>	slender honeymyrtle	shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink bottle brushes to 3cm long
<i>Melaleuca squamea</i>	swamp honeymyrtle	shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in terminal globular heads
<i>Melaleuca squarrosa</i>	scented paperbark	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<i>Monotoca glauca</i>	goldey wood	shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups
<i>Muehlenbeckia gunnii</i>	forest lignum	woody twining climber to 10m high; leaves arrow-shaped, to 7cm long; flowers to 9mm diam, in groups of 2-6
<i>Nematolepis squamea</i>	satinwood	shrub/tree to 4 m; leaves to 8 cm, green upper surface, silvery below; flowers white/cream, 5 petals with prominent stamens.
<i>Nothofagus cunninghami</i>	myrtle beech	tree to 50m; leaves roundish, new growth red; flowers inconspicuous
<i>Olearia lepidophylla</i>	clubmoss daisybush	spreading shrub to 1.5m tall; tiny leaves green above, white/hairy under; white/pink daisy flowers with 4-7 "petals"
<i>Ozothamnus ferrugineus</i>	tree everlastingbush	shrub to 5m; leaves crowded variable, 2-7cm; small white daisy flowers in compact terminal heads
<i>Ozothamnus turbinatus</i>	coast everlastingbush	shrub to 3m; leaves narrow, linear, grooved, lower surface yellowish, densely hairy; flowers, white in dense terminal clusters
<i>Parsonsia brownii</i>	twining silkpod	vigorous climbing vine; leaves to 10cm, lighter green under; flowers small, yellow/orange, in clusters
<i>Pelargonium australe</i>	southern storksbill	herb growing in rock crevices; leaves kidney-shaped; flowers pink/white
<i>Persoonia juniperina</i>	prickly geebung	shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers

List

<i>Philotheca virgata</i>	twiggy waxflower	shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals
<i>Phyllanthus gunnii</i>	shrubby spurge	shrub to 3m; new stems red; leaves round; flowers small, white/green, 5 petals, in clusters
<i>Pimelea drupacea</i>	cherry riceflower	shrub to 3m;
<i>Pomaderris aspera</i>	hazel dogwood	shrub/tree to 15m; small branches densely rusty hairy; leaves to 12cm; rusty hairy under; flowers cream in bunches (panicles)
<i>Pultenaea juniperina</i>	prickly beauty	shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches
<i>Pultenaea pedunculata</i>	matted bushpea	shrub; prostrate; golden pea flowers on stalks
<i>Rhagodia candolleana</i>	coastal saltbush	scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.
<i>Samolus repens</i>	creeping brookweed	herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals
<i>Senecio linearifolius</i>	common fireweed	perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters
<i>Sprengelia incarnata</i>	pink swampheath	erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters
<i>Spyridium vexilliferum</i>	r helicopter bush	shrub to 1m; tiny flowers surrounded by three white bracts
<i>Stylidium graminifolium</i>	narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<i>Styphelia adscendens</i>	golden heath	prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy; flowers tubular, yellow/green, hairy inside
<i>Styphelia ericoides</i>	pink beardheath	erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside
<i>Tasmannia lanceolata</i>	mountain pepper	tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black
<i>Trochocarpa gunnii</i>	e fragrant purpleberry	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<i>Viola hederacea</i>	ivy leaf violet	herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks
<i>Wahlenbergia gracilis</i>	sprawling bluebell	perennial, slender herb to 50cm; leaves narrow; flowers bell-shaped, blue, white centres
<i>Wahlenbergia littorcola</i>	bluebell	perennial herb to 50cm high; leaves linear to 50mm long; flowers bell-shaped, blue
<i>Wahlenbergia multicaulis</i>	bushy bluebell	
<i>Zieria arborescens</i>	stinkwood	shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.
<i>Blechnum nudum</i>	fishbone waterfern	fronds light green divided only once, fertile fronds different
<i>Blechnum wattsii</i>	hard waterfern	fronds dark green, divided only once, fertile fronds different

List

<i>Dicksonia antarctica</i>	soft treefern	Tall fern, trunks to several metres tall
<i>Microsorium pustulatum</i>	kangaroo fern	growing on trunks of other plants or rocks
<i>Polystichum proliferum</i>	mother shieldfern	note bulbils (new FERN) on fronds
<i>Pteridium esculentum</i>	bracken	common fern to 2.5m tall; leathery much divided frond
<i>Baloskion tetraphyllum</i>	southern cordrush	rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters
<i>Cryptostylis subulata</i>	large tongue-orchid	leaves in small groups lanceolate dark green to yellow-green flowers 3-20 reddish brown scape to 80cm
<i>Dianella revoluta</i>	flax lily	strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow
<i>Dianella tasmanica</i>	forest flaxlily	perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry
<i>Dipodium roseum</i>	rosy hyacinth-orchid	leafless red/brown stem to 80 cm; numerous showy pink flowers
<i>Eriochilus cucullatus</i>	autumn-orchid	to 30 cm tall pink flower like a parson's bands
<i>Ficinia nodosa</i>	knobby clubsedge	densely tufted rush-like sedge to 90cm; flowers/fruit in compact grey/brown globular head
<i>Gahnia grandis</i>	cutting grass	tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m
<i>Juncus pauciflorus</i>	looseflower rush	clumped rush to 1m; flowering stems cylindrical, compressible; flowers in loose clusters near ends of stems.
<i>Libertia pulchella</i>	pretty grassflag	perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters
<i>Lomandra longifolia</i>	sagg	tussock of strap-like leaves with notched ends; flowers in spiny clusters
<i>Sarcochilus australis</i>	gunns tree-orchid	small orchid growing on shrubs/trees; leaves narrow to 8cm; flowers green/white in pendulous racemes



PLANT LIST

Tarkine circuit; Murrawah, Arthur River Village, Couta Rocks, Kununna,

Julius Forest, Tayetea Bridge

Created

11-Jun-13

Updated

10/05/2023

By

APST N-Group, Dick Burns, R Skabo

[Goto List](#)



BC [*Leptecophylla oxycedrus*](#)

coast pinkberry

shrub to 3m; leaves to 25mm, pale under, sharp pointed;
flowers white, tubular; fruit red or pink



GJ [*Phyllocladus aspleniifolius*](#)

celerytop pine

conifer tree to 20m; "leaves" diamond shaped, thick, often
lobed; female flowers fleshy in groups attached to "leaves",
white & red



GJ [*Acacia dealbata*](#)

silver wattle

tree with grey green feathery leaves; golden flowers



GJ *Acacia melanoxylon*

blackwood
tree to 30m; leaves with parallel veins; round flower heads



RW *Acacia mucronata*

caterpillar wattle
shrub/tree to 10m; leaves leathery, narrow, to 15cm; flowers cream/yellow in spikes



GJ *Acacia myrtifolia*

redstem wattle
shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads



GJ *Acacia verticillata*

prickly Moses
shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in spikes.



RS *Acaena novae-zelandiae*

common Buzzy
herb; leaves divided; balls of flower/seeds with hooks



GJ [*Actites megalocarpus*](#)

dune thistle

perennial herb to 60cm; leaves in basal rosette; leaves to 15cm, lobed, prickly; yellow daisy flowers



GJ [*Allocasuarina zephyrea*](#)

western sheoak

shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm



GJ [*Alyxia buxifolia*](#)

seabox

shrub to 2.5m; leaves tough, dark green, glossy, to 3.5cm; flowers white, 5 petals; fruit orange to red



GJ [*Amperea xiphioclada*](#)

broom spurge

almost leafless with angles stems, forms clumps resembling grass tussock



GJ [*Anopterus glandulosus*](#)

tasmanian laurel

shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petaled, bell shaped, white/pink



GJ [*Aotus ericoides*](#)

golden pea
shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat



GJ [*Apium prostratum*](#)

creeping sea-celery
perennial herb; stems ridged; leaves to 6cm, deeply divided; flowers in dense heads, white, small



GJ [*Argentipallium dealbatum*](#)

white everlasting
herb to 25cm; leaves elliptic, dark green above, white hairy under; flower buds red, flowers single, white, papery



GJ [*Aristotelia peduncularis*](#)

heartberry
straggling shrub to 1.5m; leaves to 70mm, lance-shaped, edges serrated; flowers white, bell-shaped, petals three-toothed; fruit heart shaped, white, red or black



GJ [*Atherosperma moschatum*](#)

sassafras
tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petaled. Male and female flowers on same or separate trees



GJ [*Banksia marginata*](#)

silver banksia
tree with typical banksia cones or yellow flower spikes



GJ [*Bauera rubioides*](#)

wiry bauera
sprawling wiry shrub; leaves opposite, each with three leaflets;
flowers white to pink



GJ [*Beyeria lechenaultii*](#)

pale turpentine-bush
shrub to 2m; leaves rounded, hairy below; cream m & f flowers
on separate plants;



GJ [*Billardiera macrantha*](#)

forest appleberry
vine clammers over other plants; leaves lance-like to 5cm;
flowers tubular, yellow/green; fruit blue/purple



GJ [*Billardiera ovalis*](#)

seaspray appleberry
coastal creeper; leaves to 14mm, thick, pale green; flowers
tubular; cream/yellow; fruit red



GJ [*Bossiaea cordigera*](#)

wiry bossia
shrub to 40cm; leaves small, heart-shaped; pea flowers yellow with red centre & outside



GJ [*Bossiaea prostrata*](#)

creeping bossia
wiry prostrate stems; yellow & crimson pea flowers



GJ [*Carpobrotus rossii*](#)

native pigface
herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres



GJ [*Cassinia aculeata*](#)

dolly bush
shrub to 3 m; large clusters of small white flowers



GJ [*Cassytha glabella*](#)

slender dodderlaurel
slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks



GJ [*Cassytha pubescens*](#)

downy dodderlaurel
parasitic twiner; appears leafless; flowers small, white,
crowded in groups/spikes



GJ [*Cenarrhenes nitida*](#)

native plum
shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers
small, white in spikes



GJ [*Centella cordifolia*](#)

swampwort
prostrate marsh herb; leaves almost circular; flowers small,
pink in clusters on short stalks



GJ [*Chrysocephalum apiculatum*](#)

common everlasting
perennial herb to 50cm; stem & leaves densely hairy; golden
daisy flowers in clusters



GJ [*Coprosma quadrifida*](#)

native currant
erect shrub to 4m; leaves to 10mm; flowers, male & female on
separate plants, 4 white petals; fruit shiny red/orange



RS *Coronidium scorpioides*

curling everlasting
herb with single golden daisy flower heads on long stems



GJ *Correa lawrenceana*

mountain correa
shrub/small tree to 3m; leaves to 7cm, leathery, shiny above v.
hairy under; flowers cream/green, tubular



GJ *Dichondra repens*

kidneyweed
creeping herb, forming patches; kidney shaped leaves; tiny
green/white flowers



GJ *Disphyma crassifolium*

roundleaf pigface
spreading perennial herb; leaves succulent, round in x-
section; large, pink/purple, white centres



GJ *Drosera pygmaea*

dwarf sundew
tiny carnivorous herb; leaves round, fringed with hairs, in basal
rosette; tiny single white flower



GJ *Epacris impressa*

common heath
shrub; white, red or pink tubular flowers with dimples at base



GJ *Eryngium vesiculosum*

prickfoot
perennial prostrate herb; leaves very prickly; small white/blue flowers in heads,



GJ *Eucalyptus obliqua*

stringybark
tree to 90m; trunk & branches covered in soft, ridged bark;
leaves very unsymmetrical;



GM *Euchiton japonicus*

common cottonleaf
perennial herb to 40cm; stems white, cottony hairy; leaves hairy under; daisy flowers in terminal groups



GJ *Eucryphia lucida*

leatherwood
tree to 12m; leaves green above whitish below, ends blunt;
flowers with 4 rounded white petals & numerous reddish stamens



GJ *Euryomyrtus ramosissima*

rosy heathmyrtle
shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam,
5 white/pink petals



RS *Gaultheria hispida*

copperleaf snowberry
shrub to 1m; leaves dark green, edges serrated; flowers urn
shaped, white/pink; fruit white, fleshy




GJ *Geranium solanderi*

southern cranesbill
perennial herb; leaves round, deeply divided; flowers pink,
usually paired



GJ *Goodenia ovata*

hop native-primrose
shrub to 2m; leaves bright green, to 6cm, edges toothed;
flowers yellow with petals in two groups



GJ *Goodenia radicans*

shiny swamp mat
creeping herb, rooting at leaf nodes and with 5 petal white, fan
flowers



RS [*Hibbertia procumbens*](#)

spreading guineaflower
prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous



GJ [*Leptorhynchos squamatus*](#)

scaly buttons
herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;



GJ [*Leptospermum glaucescens*](#)

smoky teatree
upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



GJ [*Leptospermum laevigatum*](#)

coast teatree
shrub/tree to 8m; leaves grey green, to 30mm, blunt; flowers white/pale pink, to 2cm diam, 5 petals; fruit small woody capsules with 6-11 slits



RS [*Leptospermum lanigerum*](#)

woolly teatree
shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



GJ [Leptospermum nitidum](#)

shiny teatree
shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits



GJ [Leptospermum riparium](#)

river teatree
shrub to 4m; narrow, rolled margins, to 25mm; flowers, white, single; capsule 5 slits, convex top



GJ [Leptospermum scoparium](#)

common teatree
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



GJ [Leucophyta brownii](#)

cushionbush
compact shrub to 1.5m; leaves stem-clasping, to 5mm; flowers white/yellow globular heads



GJ [Leucopogon australis](#)

spike beardheath
shrub to 2m; leaves lance-shaped to 4cm; flowers white, tubular, bearded inside



BC [*Leucopogon collinus*](#)

white beardheath
shrub to 50cm; leaves with edges turned down; flowers tiny,
tubular, bearded inside, in clusters at ends of branches



GJ [*Leucopogon parviflorus*](#)

coast beardheath
shrub to 3m; leaves to 3cm, blunt pointed, margins rolled
down; flowers white, tubular, bearded inside



GJ [*Lobelia anceps*](#)

angled lobelia
perennial herb, prostrate, scrambling; stem with flattened
ridges; flowers small, blue, two-lipped



BC [*Lobelia gibbosa*](#)

tall lobelia
herb, erect, to 30cm; leaves narrow, withering; flowers
blue/purple, two lipped



GJ [*Lobelia pedunculata*](#)

matted lobelia
prostrate, ground-covering perennial herb; leaves small, round;
flowers white or blue, split tube



GJ [*Lomatia tinctoria*](#)

guitarplant
shrub; divided leaves very variable in form; white flowers



GJ [*Lotus australis*](#)

australian trefoil
shrub to 60cm; leaves with 5 leaflets; pink/white pea flowers



GJ [*Melaleuca ericifolia*](#)

coast paperbark
tree; white papery bark, profuse white flowers in summer



GJ [*Melaleuca gibbosa*](#)

slender honeymyrtle
shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink
bottle brushes to 3cm long



GJ [*Melaleuca squamea*](#)

swamp honeymyrtle
shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in
terminal globular heads



GJ [Melaleuca squarrosa](#)

scented paperbark
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers
yellow/cream in terminal bottle brushes



RW [Monotoca glauca](#)

goldey wood
shrub to 3m; leaves to 10mm, sharp points; flowers white, 5
petalled, in small groups



[Muehlenbeckia gunnii](#)

forest lignum
woody twining climber to 10m high; leaves arrow-shaped, to
7cm long; flowers to 9mm diam, in groups of 2-6



GJ [Nematolepis squamea](#)

satinwood
shrub/tree to 4 m; leaves to 8 cm, green upper surface, silvery
below; flowers white/cream, 5 petals with prominent stamens.



RS [Nothofagus cunninghamii](#)

myrtle beech
tree to 50m; leaves roundish, new growth red; flowers
inconspicuous



GJ [*Olearia lepidophylla*](#)

clubmoss daisybush
spreading shrub to 1.5m tall; tiny leaves green above,
white/hairy under; white/pink daisy flowers with 4-7 "petals"



RW [*Ozothamnus ferrugineus*](#)

tree everlastingbush
shrub to 5m; leaves crowded variable, 2-7cm; small white
daisy flowers in compact terminal heads



GJ [*Ozothamnus turbinatus*](#)

coast everlastingbush
shrub to 3m; leaves narrow, linear, grooved, lower surface
yellowish, densely hairy; flowers, white in dense terminal
clusters



GJ [*Parsonsia brownii*](#)

twining silkpod
vigorous climbing vine; leaves to 10cm, lighter green under;
flowers small, yellow/orange, in clusters



GJ [*Pelargonium australe*](#)

southern storksbill
herb growing in rock crevices; leaves kidney-shaped; flowers
pink/white



GJ [*Persoonia juniperina*](#)

prickly geebung
shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers



GJ [*Philotheca virgata*](#)

twiggy waxflower
shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals



GJ [*Phyllanthus gunnii*](#)

shrubby spurge
shrub to 3m; new stems red; leaves round; flowers small, white/green, 5 petals, in clusters



BC [*Pimelea drupacea*](#)

cherry riceflower
shrub to 3m;



GJ [*Pomaderris aspera*](#)

hazel dogwood
shrub/tree to 15m; small branches densely rusty hairy; leaves to 12cm; rusty hairy under; flowers cream in bunches (panicles)




RW [*Pultenaea juniperina*](#)

prickly beauty
shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



RW [*Pultenaea pedunculata*](#)

matted bushpea
shrub; prostrate; golden pea flowers on stalks



GJ [*Rhagodia candolleana*](#)

coastal saltbush
scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.



RW [*Samolus repens*](#)

creeping brookweed
herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals



GJ [*Senecio linearifolius*](#)

common fireweed
perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters



GJ *Sprengelia incarnata*

pink swampheath
erect shrub to 2m; leaves hard, pointed, sheathing stem;
flowers pink/white, in terminal clusters



GJ *Spyridium vexilliferum*

helicopter bush
shrub to 1m; tiny flowers surrounded by three white bracts



BC *Stylidium graminifolium*

narrowleaf triggerplant
herb to 50cm; leaves narrow, strap-like; flowers pink, four-
petalled, in spikes



GJ *Styphelia adscendens*

golden heath
prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy;
flowers tubular, yellow/green, hairy inside



GJ *Styphelia ericoides*

pink beardheath
erect woody shrub to 1m; leaves to 13mm, edges turned
down; flowers numerous along branches, white, tubular, hairy
inside



RS *Tasmannia lanceolata*

mountain pepper
tree to 5m; leaves lance-shaped on red stems; flowers yellow;
fruit red turning black



RW *Trochocarpa gunnii*

fragrant purpleberry
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers
yellow/cream in terminal bottle brushes



GJ *Viola hederacea*

ivy-leaf violet
herb; perennial, spreading; kidney shaped leaves; violet
flowers on stalks



RW *Wahlenbergia gracilis*

spawling bluebell
perennial, slender herb to 50cm; leaves narrow; flowers bell-
shaped, blue, white centres

Wahlenbergia littoricola

bluebell
perennial herb to 50cm high; leaves linear to 50mm long;
flowers bell-shaped, blue



GJ *Wahlenbergia multicaulis*

bushy bluebell



GJ *Zieria arborescens*

stinkwood

shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.



GJ *Blechnum nudum*

fishbone waterfern

fronds light green divided only once, fertile fronds different



GJ *Blechnum wattsii*

hard waterfern

fronds dark green, divided only once, fertile fronds different



GJ *Dicksonia antarctica*

soft treefern

Tall fern, trunks to several metres tall



GJ *Microsorium pustulatum*

kangaroo fern
growing on trunks of other plants or rocks



GJ *Polystichum proliferum*

mother shieldfern
note bulbils (new FERN) on fronds



GJ *Pteridium esculentum*

bracken
common fern to 2.5m tall; leathery much divided frond



GJ *Baloskion tetraphyllum*

southern cordrush
rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters



JC *Cryptostylis subulata*

large tongue-orchid
leaves in small groups lanceolate dark green to yellow-green
flowers 3-20 reddish brown scape to 80cm



GJ *Dianella revoluta*

flax lily
strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow



BC *Dianella tasmanica*

forest flaxlily
perennial to 1.5m; leaves long, narrow, margins serrated;
flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry




GJ *Dipodium roseum*

rosy hyacinth-orchid
leafless red/brown stem to 80 cm; numerous showy pink flowers



GJ *Eriochilus cucullatus*

autumn-orchid
to 30 cm tall pink flower like a parson's bands



GJ *Ficinia nodosa*

knobby clubsedge
densely tufted rush-like sedge to 90cm; flowers/fruit in compact grey/brown globular head



GJ [Gahnia grandis](#)

cutting grass
tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m

[Juncus pauciflorus](#)

looseflower rush
clumped rush to 1m; flowering stems cylindrical, compressible; flowers in loose clusters near ends of stems.



GJ [Libertia pulchella](#)

pretty grassflag
perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petaled, in small clusters



GJ [Lomandra longifolia](#)

sagg
tussock of strap-like leaves with notched ends; flowers in spiny clusters

[Sarcochilus australis](#)

gunns tree-orchid
small orchid growing on shrubs/trees; leaves narrow to 8cm; flowers green/white in pendulous racemes