

List



**PLANT LIST**

**APST Inc. Tasman Peninsula Species List**

Created 19-Jun-13  
 Updated 25-May-23  
 By Margaret Allan, Dick Burns, Christine Howells, Roy Skabo

[Goto Photos](#)

Scientific name	status	Common Name	Description
<a href="#">Acacia dealbata</a>		silver wattle	tree with grey green feathery leaves; golden flowers
<a href="#">Acacia genistifolia</a>		spreading wattle	shrub; golden flowers in spheres; stiff dagger-like leaves
<a href="#">Acacia melanoxylon</a>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<a href="#">Acacia myrtifolia</a>		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
<a href="#">Acacia riceana</a>	e	arching wattle	shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp point; flowers yellow in spikes.
<a href="#">Acacia suaveolens</a>		sweet wattle	shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 12mm long; flowers in cylindrical yellow spikes
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 12mm long; flowers in cylindrical yellow spikes
<a href="#">Acaena novae-zelandiae</a>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<a href="#">Acianthus caudatus</a>		mayfly orchid	tiny brown orchid; heart shaped leaf pressed to the ground
<a href="#">Acianthus pusillus</a>		small mosquito-orchid	
<a href="#">Allocasuarina monilifera</a>	e	necklace sheoak	shrub to 4m; leaves like tiny teeth around joints in neele-like branchlets; fruit, cylindrical cones with pointed ends
<a href="#">Amperea xiphoclada</a>		broom spurge	almost leafless with angles stems, forms clumps resembling grass tussock
<a href="#">Anopterus glandulosus</a>	e	tasmanian laurel	shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petalled, bell shaped, white/pink
<a href="#">Aotus ericoides</a>		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
<a href="#">Aristolelia peduncularis</a>	e	heartberry	straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped, petals three-toothed; fruit heart shaped, white, red or black

## List

<a href="#"><i>Asplenium flabellifolium</i></a>		necklace fern	
<a href="#"><i>Asplenium obtusatum</i></a>			
<a href="#"><i>Atherosperma moschatu</i></a>		sassafras	<i>tree to 25 m; leaves to 8 cm, dark above, white under, scented when crushed; male and female flowers on same or separate trees.</i>
<a href="#"><i>Banksia marginata</i></a>		silver banksia	<i>tree with typical banksia cones or yellow flower spikes</i>
<a href="#"><i>Bauera rubioides</i></a>		wiry bauera	<i>sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink</i>
<a href="#"><i>Bedfordia linearis</i></a>	e	slender blanketleaf	<i>shrub/tree to 3 m; linear leaves with rolled edges, green above, hairy below; flowers yellow 1-2 together in leaf axils towards end of stem.</i>
<a href="#"><i>Bedfordia salicina</i></a>	e	tasmanian blanketleaf	<i>shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups</i>
<a href="#"><i>Beyeria viscosa</i></a>		pinkwood	<i>small tree; inconspicuous flower; female plants have 3-lobed fruit</i>
<a href="#"><i>Blechnum nudum</i></a>		fishbone waterfern	<i>fronds light green divided only once, fertile fronds different</i>
<a href="#"><i>Blechnum wattsi</i></a>		hard waterfern	<i>fronds dark green, divided only once, fertile fronds different</i>
<a href="#"><i>Boronia parviflora</i></a>		swamp boronia	<i>prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4 pointed petals.</i>
<a href="#"><i>Boronia pilosa</i></a>		hairy boronia	<i>scented woody shrub to 1 m; leaves slightly hairy and divided into 3-7 leaflets; flowers 4 white/pink petals.</i>
<a href="#"><i>Bossiaea cinerea</i></a>		showy bossia	<i>shrub with gold/brown pea flowers</i>
<a href="#"><i>Bossiaea prostrata</i></a>		creeping bossia	<i>wiry prostrate stems; yellow &amp; crimson pea flowers</i>
<a href="#"><i>Bulbine bulbosa</i></a>		golden bulbine-lily	<i>herb; soft hollow leaves tufted at base; spike of 6-petalled yellow flowers, has a tuber</i>
<a href="#"><i>Bursaria spinosa</i></a>		prickly box	<i>small tree; distinctive "purses" (seed cases); white starry flowers</i>
<a href="#"><i>Cakile edentula</i></a>	i	american searocket	<i>annual herb to 60 cm growing on beaches; leaves 3-6 cm long; flowers with 4 white/pink/mauve petals.</i>
<a href="#"><i>Caladenia echidnachila</i></a>		fawn spider-orchid	
<a href="#"><i>Callitris rhomboidea</i></a>		oyster bay pine	<i>Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of similar size</i>
<a href="#"><i>Calytrix tetragona</i></a>		common fringemyrtle	<i>shrub; star-like white flowers</i>
<a href="#"><i>Carpobrotus rossii</i></a>		native pigface	<i>herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres</i>
<a href="#"><i>Cassinia aculeata</i></a>		dolly bush	<i>shrub to 3 m; large clusters of small white flowers</i>
<a href="#"><i>Cassytha pubescens</i></a>		downy dodderlaurel	<i>parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes</i>
<a href="#"><i>Chiloglottis gunnii</i></a>	e	tall bird-orchid	<i>herb; two opposite leaves pressed to ground; single maroon flower</i>

## List

<a href="#">Clematis aristata</a>		mountain clematis	<i>climber; leaves multi-lobed; large white star-like flowers</i>
<a href="#">Coprosma hirtella</a>		coffeeberry	<i>shrub to 2m; leaves dark green, leathery to 6cm long, pointed tip; fruit red/black, fleshy</i>
<a href="#">Coprosma quadrifida</a>		native currant	<i>erect shrub to 4m; leaves to 10mm; flowers, male &amp; female on separate plants, 4 white petals; fruit shiny red/orange</i>
<a href="#">Coronidium scorpioides</a>		curling everlasting	<i>herb with single golden daisy flower heads on long stems</i>
<a href="#">Correa alba</a>		white correa	<i>coastal shrub/tree to 3 m; leaves green/grey, oval to round, hairy, to 4 cm; flowers white, starry, with curved petals and prominent stamens.</i>
<a href="#">Correa alba</a>			
<a href="#">Correa lawrenceana</a>	e	mountain correa	<i>shrub/small tree to 3m; leaves to 7cm, leathery, shiny above v. hairy under; flowers cream/green, tubular</i>
<a href="#">Correa reflexa</a>		common correa	<i>shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.</i>
<a href="#">Cyathodes platystoma</a>	e	tall cheeseberry	<i>shrub to 3 m; leaves to 6 cm; flowers white, tubular in terminal clusters.</i>
<a href="#">Daviesia ulicifolia</a>		yellow spiky bitterpea	<i>prickly woody shrub to 2 m; leaves spiky to 3 cm; yellow pea flowers with reddish markings.</i>
<a href="#">Dianella revoluta</a>		flax lily	<i>strap-like leaves; blue &amp; yellow flowers; blue berries, stamen tips yellow</i>
<a href="#">Dianella tasmanica</a>		forest flaxlily	<i>perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry</i>
<a href="#">Dichondra repens</a>		kidneyweed	<i>creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers</i>
<a href="#">Dicksonia antarctica</a>		soft treefern	<i>Tall fern, trunks to several metres tall</i>
<a href="#">Dillwynia glaberrima</a>		smooth parrotpea	<i>slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers</i>
<a href="#">Diplarrena moraea</a>		white flag-iris	<i>strap-like leaves; white flowers</i>
<a href="#">Drosera auriculata</a>		tall sundew	<i>herb; fine stem; leaves fringed with glistening hairs</i>
<a href="#">Drymophila cyanocarpa</a>		turquoise berry	
<a href="#">Epacris impressa</a>		common heath	<i>shrub; white, red or pink tubular flowers with dimples at base</i>
<a href="#">Epacris lanuginosa</a>		swamp heath	<i>erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters</i>
<a href="#">Epacris marginata</a>	e	rigid heath	<i>erect much branched shrub to 90 cm; leaves sharply pointed, to 12 mm with distinct margin; flowers white with stamens above throat, crowded towards ends of branches, scented.</i>
<a href="#">Epacris myrtifolia</a>		cliff heath	<i>bushy hairy shrub to 1 m; leaves ovate, thick; flowers white with stamens at throat, crowded towards end of stems.</i>
<a href="#">Eucalyptus amygdalina</a>	e	black peppermint	<i>tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+</i>

## List

<a href="#"><i>Eucalyptus delegatensis</i></a>	e	gumtopped stringybark	<i>tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.</i>
<a href="#"><i>Eucalyptus obliqua</i></a>		stringybark	<i>tree to 90m; trunk &amp; branches covered in soft, ridged bark; leaves very unsymmetrical;</i>
<a href="#"><i>Eucalyptus tenuiramis</i></a>		silver peppermint	<i>tree to 25 m with smooth bark; leaves blue/green; buds 7-15+</i>
<a href="#"><i>Eucalyptus viminalis</i></a>			
<a href="#"><i>Euphrasia amphisysepala</i></a>	e	shiny cliff-eyebright	
<a href="#"><i>Euphrasia phragmostoma</i></a>	e	hairy cliff-eyebright	
<a href="#"><i>Euphrasia semipicta</i></a>	e	peninsula eyebright	<i>herb to 35 cm; leaves to 1 cm, toothed, thick; flowers mauve/pink/white, lobed lower lip with purple streaks.</i>
<a href="#"><i>Euryomyrtus ramosissima</i></a>		rosy heathmyrtle	<i>shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals</i>
<a href="#"><i>Exocarpos cupressiformis</i></a>		common native-cherry	<i>tree; conifer-like foliage; edible orange coloured fruit</i>
<a href="#"><i>Exocarpos syrticola</i></a>		coast native-cherry	
<a href="#"><i>Gahnia grandis</i></a>		cutting grass	<i>tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m</i>
<a href="#"><i>Gaultheria hispida</i></a>		copperleaf snowberry	<i>shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy</i>
<a href="#"><i>Glossodia major</i></a>		waxlip orchid	<i>herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve flowers</i>
<a href="#"><i>Gompholobium huegelii</i></a>		common wedgepea	<i>herb; pea flower yellow inside and blackish outside</i>
<a href="#"><i>Gonocarpus teucrioides</i></a>		forest raspwort	<i>perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.</i>
<a href="#"><i>Goodenia lanata</i></a>		trailing native-primrose	<i>prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem</i>
<a href="#"><i>Goodenia ovata</i></a>		hop native-primrose	<i>shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups</i>
<a href="#"><i>Hackelia suaveolens</i></a>		sweet houndstongue	<i>perennial herb to 60 cm; leaves basal, glossy with indented veins; flowers with 5 petals, scented.</i>
<a href="#"><i>Hakea epiglottis</i></a>	e	beaked needlebush	<i>shrub to 3 m; leaves cylindrical with upward curve and sharp point; flowers cream/yellow; fruit 'S' shaped.</i>
<a href="#"><i>Hakea lissosperma</i></a>		mountain needlebush	<i>small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface</i>
<a href="#"><i>Hakea teretifolia</i></a>		dagger needlebush	<i>shrub to 4 m; leaves cylindrical, sharp, at right angles to stem; flowers white, furry; fruit long with sharp warts at base.</i>

## List

<a href="#"><i>Hibbertia procumbens</i></a>	spreading guineaflower	<i>prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous</i>
<a href="#"><i>Hibbertia riparia</i></a>	erect guineaflower	<i>shrub; narrow leaves; golden 5-petalled flowers</i>
<a href="#"><i>Hydrocotyle hirta</i></a>	hairy pennywort	<i>mat-forming herb with hairy stems; leaves to 25 mm, rounded to kidney shaped with lobed edges; flowers in tight clusters on stem opposite the leaves.</i>
<a href="#"><i>Hymenophyllum flabellatu</i></a>	shiny filmyfern	
<a href="#"><i>Kennedia prostrata</i></a>	running postman	<i>herb; prostrate &amp; sprawling; leaves with 3 leaflets; crimson pea flower</i>
<a href="#"><i>Lagenophora stipitata</i></a>	blue bottledaisy	<i>rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem</i>
<a href="#"><i>Leptecophylla oxycedrus</i></a>	coast pinkberry	<i>shrub to 3m; leaves to 25mm, pale under, sharp pointed; flowers white, tubular; fruit red or pink</i>
<a href="#"><i>Leptecophylla oxycedrus</i></a>		
<a href="#"><i>Leptomeria drupacea</i></a>	erect currantbush	<i>Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.</i>
<a href="#"><i>Leptospermum glaucescēe</i></a>	smoky teatree	<i>upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery</i>
<a href="#"><i>Leptospermum grandiflor</i></a>	autumn teatree	<i>large shrub to 5 m; leaves grey/green; flowers large white about 3 cm across.</i>
<a href="#"><i>Leptospermum lanigerur</i></a>	woolly teatree	<i>shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base</i>
<a href="#"><i>Leptospermum scopariur</i></a>	common teatree	<i>shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody</i>
<a href="#"><i>Leucopogon collinus</i></a>	white beardheath	<i>shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches</i>
<a href="#"><i>Leucopogon parviflorus</i></a>	coast beardheath	<i>shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside</i>
<a href="#"><i>Lomandra longifolia</i></a>	sagg	<i>tussock of strap-like leaves with notched ends; flowers in spiny clusters</i>
<a href="#"><i>Lomatia tinctoria</i></a>	e guitarplant	<i>shrub; divided leaves very variable in form; white flowers</i>
<a href="#"><i>Lyperanthus suaveolens</i></a>	brown beaks	<i>leaf solitary linear-lanceolate dark green on outer surface greyish to whitish inside flowers 2-8 scented yellowish brown brown or dark reddish brown scape to 45cm</i>
<a href="#"><i>Melaleuca gibbosa</i></a>	slender honeymyrtle	<i>shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink bottle brushes to 3cm long</i>
<a href="#"><i>Melaleuca pallida</i></a>	yellow bottlebrush	<i>shrub/tree to 5 m; leaves blue/green; flowers yellow bottlebrush to 8 cm long.</i>
<a href="#"><i>Melaleuca squamea</i></a>	swamp honeymyrtle	<i>shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in termianl globular heads</i>

## List

<a href="#"><i>Melaleuca squarrosa</i></a>		scented paperbark	<i>shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes</i>
<a href="#"><i>Monotoca elliptica</i></a>		tree broomheath	<i>Shrub to 5m; leaves slight-convex, oblong to 25mm, dark green above white below; flowers white tubular in clusters towards branch ends</i>
<a href="#"><i>Monotoca glauca</i></a>		goldey wood	<i>shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups</i>
<a href="#"><i>Montia australasica</i></a>		white purslane	<i>prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white</i>
<a href="#"><i>Myoporum insulare</i></a>		common boobialla	<i>coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5 white petals with magenta spots.</i>
<a href="#"><i>Notelaea ligustrina</i></a>		native olive	<i>small tree; leaves lance-shaped to 5cm; small green to purple fruit</i>
<a href="#"><i>Nothofagus cunninghami</i></a>		myrtle beech	<i>tree to 50m; leaves roundish, new growth red; flowers inconspicuous</i>
<a href="#"><i>Olearia argophylla</i></a>		musk daisybush	<i>shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.</i>
<a href="#"><i>Olearia ciliata</i></a>		fringed daisybush	<i>shrub to 40 cm; narrow leaves; solitary white to mauve flowers on long stem</i>
<a href="#"><i>Olearia floribunda</i></a>		flowery daisybush	<i>shrub to 2 m; small stemless leaves; daisy flowers in leaf axils towards end of stem, usually white with 3-7 ray florets.</i>
<a href="#"><i>Olearia lirata</i></a>		forest daisybush	<i>shrub to 5m; numerous white daisy flowers at ends of branches</i>
<a href="#"><i>Olearia persoonioides</i></a>	e	geebung daisybush	<i>shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem</i>
<a href="#"><i>Olearia phlogopappa</i></a>		dusty daisybush	<i>shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.</i>
<a href="#"><i>Olearia ramulosa</i></a>		twiggy daisybush	<i>shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.</i>
<a href="#"><i>Ozothamnus antennaria</i></a>	e	sticky everlastingbush	<i>shrub to 1.5m; leaves lance-shaped, pale/waxy below, sticky, flowers clustered at ends of branches</i>
<a href="#"><i>Ozothamnus ferrugineus</i></a>		tree everlastingbush	<i>shrub to 5m; leaves crowded variable, 2-7cm; small white daisy flowers in compact terminal heads</i>
<a href="#"><i>Ozothamnus reflexus</i></a>	e	columnar everlasting daisybush	<i>shrub to 2 m; linear leaves to 15 mm; white flowers in terminal clusters</i>
<a href="#"><i>Ozothamnus reticulatus</i></a>	e	veined everlastingbush	<i>open shrub to 3 m; leaves linear to 6 cm with depressed vein; small white daisy flowers in dense heads to 6 cm across.</i>
<a href="#"><i>Parsonsia brownii</i></a>		twining silkpod	<i>vigorous climbing vine; leaves to 10cm, lighter green under; flowers small, yellow/orange, in clusters</i>
<a href="#"><i>Patersonia fragilis</i></a>		short purpleflag	<i>densely tufted herb; leaves narrow, flat, to 40cm long; flowers purple, 3-petaled, on stems shorter than the leaves</i>
<a href="#"><i>Pelargonium australe</i></a>		southern storksbill	<i>herb growing in rock crevices; leaves kidney-shaped; flowers pink/white</i>

List

<a href="#"><i>Pentachondra involucre</i></a>	forest frillyheath	<i>shrub to 40cm; leaves elliptical to 2cm; flowers white, petals hairy inside, clustered in small groups at ends of branches</i>
<a href="#"><i>Pimelea drupacea</i></a>	cherry riceflower	<i>shrub to 3m;</i>
<a href="#"><i>Pimelea humilis</i></a>	dwarf riceflower	<i>dwarf shrub to 20cm tall; white flowers grouped in terminal heads</i>
<a href="#"><i>Pimelea linifolia</i></a>	slender riceflower	
<a href="#"><i>Pimelea nivea</i></a>	e bushmans bootlace	<i>shrub to 2m; leaves round, dark green, shiny above, white &amp; hairy below; flowers tubular, in spherical heads</i>
<a href="#"><i>Plantago triantha</i></a>	saltspray plantain	<i>rosette herb; leaves thick to 4 cm long with 1-2 pairs blunt teeth</i>
<a href="#"><i>Platylobium triangulare</i></a>	arrow flatpea	<i>scrambling shrub; leaves triangular with sharp tips; flowers orange/yellow pea with bracts that don't conceal the stem.</i>
<a href="#"><i>Polystichum proliferum</i></a>	mother shieldfern	<i>note bulbils (new FERN) on fronds</i>
<a href="#"><i>Pomaderris apetala</i></a>		<i>shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.</i>
<a href="#"><i>Pomaderris elliptica</i></a>	yellow dogwood	<i>shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.</i>
<a href="#"><i>Poranthera microphylla</i></a>	small poranthera	<i>small annual herb; leaves sparse, less than 1 cm; flower heads surrounded by leafy bracts</i>
<a href="#"><i>Pteridium esculentum</i></a>	bracken	<i>common fern to 2.5m tall; leathery much divided frond</i>
<a href="#"><i>Pterostylis melagramma</i></a> *	blackstripe greenhood	
<a href="#"><i>Pterostylis nutans</i></a>	nodding greenhood	<i>orchid with single green nodding flower on stem to 30cm</i>
<a href="#"><i>Pterostylis pedunculata</i></a>	maroonhood	<i>orchid with single green flower with maroon "nose" on stem to 25cm</i>
<a href="#"><i>Pterostylis straminea</i></a>	bearded greenhood	<i>rosette encircles base of stem leaves 8-20 narrowly lanceolate to elliptical light green with darker reticulate veins margins often wavy flower single dark translucent green and white with darker reticulate markings shiny scape to 35cm</i>
<a href="#"><i>Pultenaea daphnoides</i></a>	heartleaf bushpea	<i>woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.</i>
<a href="#"><i>Pultenaea gunnii</i></a>	golden bushpea	<i>small shrub to 50 cm; leaf shape variable to 1 cm; orange/yellow pea flowers in terminal heads</i>
<a href="#"><i>Pultenaea juniperina</i></a>	prickly beauty	<i>shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches</i>
<a href="#"><i>Rhagodia candolleana</i></a>	coastal saltbush	<i>scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.</i>
<a href="#"><i>Rhytidosporum procumbens</i></a>	starry appleberry	<i>dwarf shrub to 10 cm; leaves crowded, stalkless, dark green; flowers starry with 5 white petals</i>

## List

<i>Richea dracophylla</i>	e	pineapple candleheath	<i>shrub to 5 m; leaves long and tapering, the base sheathing the stem; flowers creamy white spikes to 25 cm, bracts fall as flowers mature.</i>
<a href="#"><i>Sarcocornia quinqueflora</i></a>		beaded glasswort	<i>succulent herb to 15 cm; leaves fused around stem; flowers hidden.</i>
<a href="#"><i>Senecio linearifolius</i></a>		common fireweed	<i>perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters</i>
<a href="#"><i>Sphaerolobium minus</i></a>		eastern globepea	<i>leafless wiry herb to 75 cm; yellow pea flowers crowded at upper end of stems.</i>
<a href="#"><i>Sprengelia incarnata</i></a>		pink swampheath	<i>erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters</i>
<a href="#"><i>Spyridium gunnii</i></a>		forest dustymiller	<i>shrub to 4 m; leaves leathery to 3 cm; flowers clustered, tiny and surrounded by 3-4 whitish floral leaves.</i>
<a href="#"><i>Spyridium obovatum</i></a>		smooth dustymiller	<i>shrub/tree 1-15 m; leaves obovate to 2 cm; flowers small in compact heads with single floral leaf.</i>
<a href="#"><i>Stackhousia monogyna</i></a>		forest candles	<i>herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems.</i>
<a href="#"><i>Stylidium armeria</i></a>		coastal triggerplant	<i>robust herb; leaves to 25 cm in basal rosette; flowers pink/magenta in spike to 50 cm or more.</i>
<a href="#"><i>Stylidium graminifolium</i></a>		narrowleaf triggerplant	<i>herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes</i>
<a href="#"><i>Styphelia ericoides</i></a>		pink beardheath	<i>erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside</i>
<a href="#"><i>Styphelia humifusa</i></a>		native cranberry	<i>ground cover; prickly leaves; red tube flowers in winter</i>
<a href="#"><i>Tasmannia lanceolata</i></a>		mountain pepper	<i>tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black</i>
<a href="#"><i>Tetragonia implexicoma</i></a>		bower spinach	<i>sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.</i>
<a href="#"><i>Tetratheca pilosa</i></a>		hairy pinkbells	<i>shrub to 60 cm tall; pink flowers pendulous on stalks</i>
<a href="#"><i>Thelymitra ixioides</i></a>		spotted sun-orchid	
<a href="#"><i>Thismia rodwayi</i></a>		fairy lanterns	
<a href="#"><i>Veronica formosa</i></a>		common speedwell bush	<i>shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4 petals usually pale blue/mauve, clustered.</i>
<a href="#"><i>Veronica gracilis</i></a>		slender speedwell	<i>herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled</i>
<a href="#"><i>Viola hederacea</i></a>		ivyleaf violet	<i>herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks</i>
<a href="#"><i>Xyris operculata</i></a>	e	tall yelloweye	
<a href="#"><i>Zieria arborescens</i></a>		stinkwood	<i>shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.</i>





## PLANT LIST

### APST Inc. Tasman Peninsula Species List

Created 19-Jun-13  
Updated 25-May-23  
By Margaret Allan, Dick Burns, Christine Howells, Roy Skabo

[Goto List](#)



GJ [\*Acacia dealbata\*](#)

silver wattle  
tree with grey green feathery leaves; golden flowers



GJ [\*Acacia genistifolia\*](#)

spreading wattle  
shrub; golden flowers in spheres; stiff dagger-like leaves



GJ [\*Acacia melanoxylon\*](#)

blackwood  
tree to 30m; leaves with parallel veins; round flower heads



GJ [Acacia myrtifolia](#)

redstem wattle

shrub to 2m; stems red; leaves to 5cm, leathery, single vein;  
flowers cream in spherical heads



GJ [Acacia riceana](#)

arching wattle

shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp  
point; flowers yellow in spikes.



GJ [Acacia suaveolens](#)

sweet wattle

shrub to 2 m; phyllodes blue/green to 15 cm; flowers round,  
cream, in axils, sweet scented.



GJ [Acacia verticillata](#)

prickly moses

shrub 50cm to 6m high; leaves in whorls, narrow pungent  
pointed, to 2cm long; flowers in cylindrical yellow spikes

[Acacia verticillata](#)

subsp. ruscifolia

prickly moses


shrub 50cm to 6m high; leaves in whorls, narrow pungent  
pointed, to 12mm long; flowers in cylindrical yellow spikes



GJ [Acacia verticillata](#)  
subsp. verticillata  
prickly moses  
shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 12mm long; flowers in cylindrical yellow spikes



RS [Acaena novae-zelandiae](#)  
common buzzy  
herb; leaves divided; balls of flower/seeds with hooks



JC [Acianthus caudatus](#)  
mayfly orchid  
tiny brown orchid; heart shaped leaf pressed to the ground



GJ [Acianthus pusillus](#)  
small mosquito-orchid



GJ [Allocasuarina monilifera](#)  
necklace sheoak  
shrub to 4m; leaves like tiny teeth around joints in neele-like branchlets; fruit, cylindrical cones with pointed ends



GJ [\*Amperea xiphoclada\*](#)

broom spurge  
almost leafless with angles stems, forms clumps resembling  
grass tussock



GJ [\*Anopterus glandulosus\*](#)

tasmanian laurel  
shrub/small tree to 4m; leaves glossy, to 17cm; flowers in  
clusters, 6-petalled, bell shaped, white/pink



GJ [\*Aotus ericoides\*](#)

golden pea  
shrub to 1.5m; leaves narrow to 12mm long, margins  
downrolled; yellow pea flower with red throat



GJ [\*Aristotelia peduncularis\*](#)

heartberry  
straggling shrub to 1.5m; leaves to 70mm, lance-shaped,  
edges serrated; flowers white, bell-shaped, petals three-  
toothed; fruit heart shaped, white, red or black



GJ [\*Asplenium flabellifolium\*](#)

necklace fern



GJ [\*Asplenium obtusatum\*](#)  
subsp. norihlandicum



GJ [\*Atherosperma moschatum\*](#)  
subsp. moschatum  
sassafras  
tree to 25 m; leaves to 8 cm, dark above, white under, scented when crushed; male and female flowers on same or separate trees.



GJ [\*Banksia marginata\*](#)  
silver banksia  
tree with typical banksia cones or yellow flower spikes



GJ [\*Bauera rubioides\*](#)  
wiry bauera  
sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink



GJ [\*Bedfordia linearis\*](#)  
subsp. oblongifolia var. curvifolia  
slender blanketleaf  
shrub/tree to 3 m; linear leaves with rolled edges, green above, hairy below; flowers yellow 1-2 together in leaf axils towards end of stem.



GJ [\*Bedfordia salicina\*](#)

tasmanian blanketleaf  
shrub/tree to 5m; leaves dark green above silver hairy below;  
yellow daisy flowers in groups



GJ [\*Beyeria viscosa\*](#)

pinkwood  
small tree; inconspicuous flower; female plants have 3-lobed  
fruit



GJ [\*Blechnum nudum\*](#)

fishbone waterfern  
fronds light green divided only once, fertile fronds different



GJ [\*Blechnum wattsii\*](#)

hard waterfern  
fronds dark green, divided only once, fertile fronds different



GJ [\*Boronia parviflora\*](#)

swamp boronia  
prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4  
pointed petals.



BC *Boronia pilosa*

subsp. tasmaniensis

hairy boronia

scented woody shrub to 1 m; leaves slightly hairy and divided into 3-7 leaflets; flowers 4 white/pink petals.



GJ *Bossiaea cinerea*

showy bossia

shrub with gold/brown pea flowers



GJ *Bossiaea prostrata*

creeping bossia

wiry prostrate stems; yellow & crimson pea flowers



GJ *Bulbine bulbosa*

golden bulbine-lily

herb; soft hollow leaves tufted at base; spike of 6-petalled yellow flowers, has a tuber



GJ *Bursaria spinosa*

prickly box

small tree; distinctive "purses" (seed cases); white starry flowers



GJ [\*Cakile edentula\*](#)

american searocket  
annual herb to 60 cm growing on beaches; leaves 3-6 cm long;  
flowers with 4 white/pink/mauve petals.



JC [\*Caladenia echidnachila\*](#)

fawn spider-orchid



GJ [\*Callitris rhomboidea\*](#)

oyster bay pine  
Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear  
shaped female cones 2cm, with 6 pointed scales of similar size



BC [\*Calytrix tetragona\*](#)

common fringemyrtle  
shrub; star-like white flowers



GJ [\*Carpobrotus rossii\*](#)

native pigface  
herb, prostrate, spreading; leaves fleshy, triangular x-section;  
flowers large, pink/purple, white centres






GJ [\*Cassinia aculeata\*](#)

dolly bush  
shrub to 3 m; large clusters of small white flowers




GJ [\*Cassytha pubescens\*](#)

downy dodderlaurel  
parasitic twiner; appears leafless; flowers small, white,  
crowded in groups/spikes



GJ [\*Chiloglottis gunnii\*](#)

tall bird-orchid  
herb; two opposite leaves pressed to ground; single maroon  
flower




GJ [\*Clematis aristata\*](#)

mountain clematis  
climber; leaves multi-lobed; large white star-like flowers



GJ [\*Coprosma hirtella\*](#)

coffeeberry  
shrub to 2m; leaves dark green, leathery to 6cm long, pointed  
tip; fruit red/black, fleshy



GJ *Coprosma quadrifida*

native currant  
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS *Coronidium scorpioides*

curling everlasting  
herb with single golden daisy flower heads on long stems



AS *Correa alba*

var. alba  
white correa  
coastal shrub/tree to 3 m; leaves green/grey, oval to round, hairy, to 4 cm; flowers white, starry, with curved petals and prominent stamens.

*Correa alba*  
var. rotundifolia



GJ *Correa lawrenceana*

mountain correa  
shrub/small tree to 3m; leaves to 7cm, leathery, shiny above v. hairy under; flowers cream/green, tubular



GJ *Correa reflexa*

var. reflexa

common correa

shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.



GJ *Cyathodes platystoma*

tall cheeseberry

shrub to 3 m; leaves to 6 cm; flowers white, tubular in terminal clusters.



RW *Daviesia ulicifolia*

yellow spiky bitterpea

prickly woody shrub to 2 m; leaves spiky to 3 cm; yellow pea flowers with reddish markings.



GJ *Dianella revoluta*

flax lily


strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow



BC *Dianella tasmanica*

forest flaxlily

perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ *Dichondra repens*

kidneyweed  
creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers



GJ *Dicksonia antarctica*

soft treefern  
Tall fern, trunks to several metres tall



GJ *Dillwynia glaberrima*

smooth parrotpea  
slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers



GJ *Diplarrena moraea*

white flag-iris  
strap-like leaves; white flowers



GJ *Drosera auriculata*

tall sundew  
herb; fine stem; leaves fringed with glistening hairs



GJ [\*Drymophila cyanocarpa\*](#)

turquoise berry



GJ [\*Epacris impressa\*](#)

common heath

shrub; white, red or pink tubular flowers with dimples at base



GJ [\*Epacris lanuginosa\*](#)

swamp heath

erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters



GJ [\*Epacris marginata\*](#)

rigid heath

erect much branched shrub to 90 cm; leaves sharply pointed, to 12 mm with distinct margin; flowers white with stamens above throat, crowded towards ends of branches, scented.



GJ [\*Epacris myrtifolia\*](#)

cliff heath

bushy hairy shrub to 1 m; leaves ovate, thick; flowers white with stamens at throat, crowded towards end of stems.



GJ [\*Eucalyptus amygdalina\*](#)

black peppermint  
tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ [\*Eucalyptus delegatensis\*](#)

subsp. tasmaniensis  
gumtopped stringybark  
tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.



GJ [\*Eucalyptus obliqua\*](#)

stringybark  
tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;



RW [\*Eucalyptus tenuiramis\*](#)

silver peppermint  
tree to 25 m with smooth bark; leaves blue/green; buds 7-15+



GJ [\*Eucalyptus viminalis\*](#)

subsp. viminalis



GJ *Euphrasia amphisepala*

shiny cliff-eyebright



GJ *Euphrasia phragmostoma*

hairy cliff-eyebright



GJ *Euphrasia semipicta*

peninsula eyebright  
herb to 35 cm; leaves to 1 cm, toothed, thick; flowers  
mauve/pink/white, lobed lower lip with purple streaks.



GJ *Euryomyrtus ramosissima*

rosy heathmyrtle  
shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam,  
5 white/pink petals



GJ *Exocarpos cupressiformis*

common native-cherry  
tree; conifer-like foliage; edible orange coloured fruit



GJ *Exocarpos syrticola*

coast native-cherry



GJ *Gahnia grandis*

cutting grass

tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m



RS *Gaultheria hispida*

copperleaf snowberry

shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy



GJ *Glossodia major*

waxlip orchid

herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve flowers



BC *Gompholobium huegelii*

common wedgepea

herb; pea flower yellow inside and blackish outside





GW *Gonocarpus teucrioides*

forest raspwort  
perennial herb to 60 cm; leaves oval and rough to touch;  
flowers on leafy spikes with petals often fallen.



RS *Goodenia lanata*

trailing native-primrose  
prostrate herb; leaves to 7cm, dark green above lighter below;  
flowers golden, asymmetric on long stem



GJ *Goodenia ovata*

hop native-primrose  
shrub to 2m; leaves bright green, to 6cm, edges toothed;  
flowers yellow with petals in two groups



GJ *Hackelia suaveolens*

sweet houndstongue  
perennial herb to 60 cm; leaves basal, glossy with indented  
veins; flowers with 5 petals, scented.



GJ *Hakea epiglottis*

subsp. epiglottis  
beaked needlebush  
shrub to 3 m; leaves cylindrical with upward curve and sharp  
point; flowers cream/yellow; fruit 'S' shaped.



GJ *Hakea lissosperma*

mountain needlebush

small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface



GJ *Hakea teretifolia*

subsp. hirsute

dagger needlebush

shrub to 4 m; leaves cylindrical, sharp, at right angles to stem; flowers white, furry; fruit long with sharp warts at base.



RS *Hibbertia procumbens*

spreading guineaflower

prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous



BC *Hibbertia riparia*

erect guineaflower

shrub; narrow leaves; golden 5-petalled flowers



GJ *Hydrocotyle hirta*

hairy pennywort

mat-forming herb with hairy stems; leaves to 25 mm, rounded to kidney shaped with lobed edges; flowers in tight clusters on stem opposite the leaves.



GJ [\*Hymenophyllum flabellatum\*](#)

shiny filmyfern



GJ [\*Kennedia prostrata\*](#)

running postman

herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower



RS [\*Lagenophora stipitata\*](#)

blue bottledaisy

rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem



BC [\*Leptecophylla oxycedrus\*](#)

coast pinkberry

shrub to 3m; leaves to 25mm, pale under, sharp pointed; flowers white, tubular; fruit red or pink



RW [\*Leptecophylla oxycedrus\*](#)



GJ [\*Leptomeria drupacea\*](#)

erect currantbush

Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.



GJ [\*Leptospermum glaucescens\*](#)

smoky teatree

upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



GJ [\*Leptospermum grandiflorum\*](#)

autumn teatree

large shrub to 5 m; leaves grey/green; flowers large white about 3 cm across.



RS [\*Leptospermum lanigerum\*](#)

woolly teatree

shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



GJ [\*Leptospermum scoparium\*](#)

common teatree

shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



BC [\*Leucopogon collinus\*](#)

white beardheath  
shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches



GJ [\*Leucopogon parviflorus\*](#)

coast beardheath  
shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside



GJ [\*Lomandra longifolia\*](#)

sagg  
tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ [\*Lomatia tinctoria\*](#)

guitarplant  
shrub; divided leaves very variable in form; white flowers



JC [\*Lyperanthus suaveolens\*](#)

brown beaks  
leaf solitary linear-lanceolate dark green on outer surface greyish to whitish inside flowers 2-8 scented yellowish brown brown or dark reddish brown scape to 45cm



GJ [Melaleuca gibbosa](#)

slender honeymyrtle  
shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink  
bottle brushes to 3cm long



GJ [Melaleuca pallida](#)

yellow bottlebrush  
shrub/tree to 5 m; leaves blue/green; flowers yellow  
bottlebrush to 8 cm long.




GJ [Melaleuca squamea](#)

swamp honeymyrtle  
shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in  
terminal globular heads



GJ [Melaleuca squarrosa](#)

scented paperbark  
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers  
yellow/cream in terminal bottle brushes



GJ [Monotoca elliptica](#)

tree broomheath  
Shrub to 5m; leaves slight-convex, oblong to 25mm, dark  
green above white below; flowers white tubular in clusters  
towards branch ends



RW [\*Monotoca glauca\*](#)

goldey wood  
shrub to 3m; leaves to 10mm, sharp points; flowers white, 5  
petalled, in small groups



RS [\*Montia australasica\*](#)

white purslane  
prostrate fleshy herb; leaves narrow, to 9 cm long; flowers  
white



GJ [\*Myoporum insulare\*](#)

common boobialla  
coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5  
white petals with magenta spots.



GJ [\*Notelaea ligustrina\*](#)

native olive  
small tree; leaves lance-shaped to 5cm; small green to purple  
fruit



RS [\*Nothofagus cunninghamii\*](#)

myrtle beech  
tree to 50m; leaves roundish, new growth red; flowers  
inconspicuous



GJ [\*Olearia argophylla\*](#)

musk daisybush  
shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.



GJ [\*Olearia ciliata\*](#)

fringed daisybush  
shrub to 40 cm; narrow leaves; solitary white to mauve flowers on long stem



GJ [\*Olearia floribunda\*](#)

flowery daisybush  
shrub to 2 m; small stemless leaves; daisy flowers in leaf axils towards end of stem, usually white with 3-7 ray florets.



GJ [\*Olearia lirata\*](#)


forest daisybush  
shrub to 5m; numerous white daisy flowers at ends of branches



RS [\*Olearia persoonioides\*](#)

geebung daisybush  
shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem





GJ [\*Olearia phlogopappa\*](#)

dusty daisybush  
shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



GJ [\*Olearia ramulosa\*](#)

twiggy daisybush  
shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.



GJ [\*Ozothamnus antennaria\*](#)

sticky everlastingbush  
shrub to 1.5m; leaves lance-shaped, pale/waxy below, sticky, flowers clustered at ends of branches



RW [\*Ozothamnus ferrugineus\*](#)

tree everlastingbush  
shrub to 5m; leaves crowded variable, 2-7cm; small white daisy flowers in compact terminal heads



GJ [\*Ozothamnus reflexus\*](#)

columnar everlasting daisybush  
shrub to 2 m; linear leaves to 15 mm; white flowers in terminal clusters



GJ [\*Ozothamnus reticulatus\*](#)

veined everlastingbush  
open shrub to 3 m; leaves linear to 6 cm with depressed vein;  
small white daisy flowers in dense heads to 6 cm across.



GJ [\*Parsonsia brownii\*](#)

twining silkpod  
vigorous climbing vine; leaves to 10cm, lighter green under;  
flowers small, yellow/orange, in clusters



GJ [\*Patersonia fragilis\*](#)

short purpleflag  
densely tufted herb; leaves narrow, flat, to 40cm long; flowers  
purple, 3-petaled, on stems shorter than the leaves



GJ [\*Pelargonium australe\*](#)

southern storksbill  
herb growing in rock crevices; leaves kidney-shaped; flowers  
pink/white



GJ [\*Pentachondra involucreta\*](#)

forest frillyheath  
shrub to 40cm; leaves elliptical to 2cm; flowers white, petals  
hairy inside, clustered in small groups at ends of branches



BC *Pimelea drupacea*

cherry riceflower  
shrub to 3m;



GJ *Pimelea humilis*

dwarf riceflower  
dwarf shrub to 20cm tall; white flowers grouped in terminal  
heads



GJ *Pimelea linifolia*

slender riceflower



RW *Pimelea nivea*

bushmans bootlace  
shrub to 2m; leaves round, dark green, shiny above, white &  
hairy below; flowers tubular, in spherical heads



RW *Plantago triantha*

saltspray plantain  
rosette herb; leaves thick to 4 cm long with 1-2 pairs blunt  
teeth



GJ *Platylobium triangulare*

arrow flatpea  
scrambling shrub; leaves triangular with sharp tips; flowers orange/yellow pea with bracts that don't conceal the stem.



GJ *Polystichum proliferum*

mother shieldfern  
note bulbils (new FERN) on fronds



GJ *Pomaderris apetala*  
subsp. *apetala*

shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ *Pomaderris elliptica*

yellow dogwood  
shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.



GJ *Poranthera microphylla*

small poranthera  
small annual herb; leaves sparse, less than 1 cm; flower heads surrounded by leafy bracts



GJ [\*Pteridium esculentum\*](#)  
subsp. *esculentum*  
bracken  
common fern to 2.5m tall; leathery much divided frond



GJ [\*Pterostylis melagramma\*](#)  
blackstripe greenhood



GJ [\*Pterostylis nutans\*](#)  
nodding greenhood  
orchid with single green nodding flower on stem to 30cm



GJ [\*Pterostylis pedunculata\*](#)  
maroonhood  
orchid with single green flower with maroon "nose" on stem to 25cm




JC [\*Pterostylis straminea\*](#)  
bearded greenhood  
rosette encircles base of stem leaves 8-20 narrowly lanceolate to elliptical light green with darker reticulate veins margins often wavy flower single dark translucent green and white with darker reticulate markings shiny scape to 35cm



GJ *Pultenaea daphnoides*

heartleaf bushpea

woody shrub to 2.5 m; leaves wedge-shaped with sharp point at end of central vein; golden pea flowers in terminal heads.



GJ *Pultenaea gunnii*

golden bushpea


small shrub to 50 cm; leaf shape variable to 1 cm; orange/yellow pea flowers in terminal heads



RW *Pultenaea juniperina*

prickly beauty

shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



GJ *Rhagodia candolleana*

subsp. candolleana

coastal saltbush

scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.



RW *Rhytidosporum procumbens*

starry appleberry

dwarf shrub to 10 cm; leaves crowded, stalkless, dark green; flowers starry with 5 white petals



BC *Richea dracophylla*

pineapple candleheath  
shrub to 5 m; leaves long and tapering, the base sheathing the stem; flowers creamy white spikes to 25 cm, bracts fall as flowers mature.



GJ *Sarcocornia quinqueflora*

beaded glasswort  
succulent herb to 15 cm; leaves fused around stem; flowers hidden.



GJ *Senecio linearifolius*

common fireweed  
perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters



GJ *Sphaerolobium minus*

eastern globepea  
leafless wiry herb to 75 cm; yellow pea flowers crowded at upper end of stems.



GJ *Sprengelia incarnata*

pink swampheath  
erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters



GJ *Spyridium gunnii*

forest dustymiller  
shrub to 4 m; leaves leathery to 3 cm; flowers clustered, tiny and surrounded by 3-4 whitish floral leaves.



GJ *Spyridium obovatum*

var. obovatum  
smooth dustymiller  
shrub/tree 1-15 m; leaves obovate to 2 cm; flowers small in compact heads with single floral leaf.



GJ *Stackhousia monogyna*

forest candles  
herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems.



RW *Stylidium armeria*

coastal triggerplant  
robust herb; leaves to 25 cm in basal rosette; flowers pink/magenta in spike to 50 cm or more.



BC *Stylidium graminifolium*

narrowleaf triggerplant  
herb to 50cm; leaves narrow, strap-like; flowers pink, four-petaled, in spikes





GJ *Styphelia ericoides*

pink beardheath  
erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside




GJ *Styphelia humifusa*

native cranberry  
ground cover; prickly leaves; red tube flowers in winter




RS *Tasmannia lanceolata*

mountain pepper  
tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ *Tetragonia implexicoma*

bower spinach  
sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.



GJ *Tetralthea pilosa*

hairy pinkbells  
shrub to 60 cm tall; pink flowers pendulous on stalks



GJ *Thelymitra ixioides*

spotted sun-orchid



GJ *Thismia rodwayi*

fairy lanterns



AS *Veronica formosa*

common speedwell bush  
shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4  
petals usually pale blue/mauve, clustered.



GJ *Veronica gracilis*

slender speedwell  
herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers  
blue, four petalled



GJ *Viola hederacea*

ivyleaf violet  
herb; perennial, spreading; kidney shaped leaves; violet  
flowers on stalks



BC *Xyris operculata*

tall yelloweye



GJ *Zieria arborescens*

subsp. arborescens

stinkwood

shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.