



Interface modules Profinet			
Interface modules		order number	
IM154-3 PN HF		6ES7154-3AB00-0AB0	
Connection modules		order number	Connection modules
CM IM PN M12, 7/8" S		6ES7194-4AK00-0AA0	CM IM PN M12 M12-L S
			

Interfaces		order number	Interfaces		order number
X02 PROFINET P1 R M12 (socket)			X02 PROFINET P1 R M12 (socket)		
Non-assembled connectors			Non-assembled connectors		
PROFINET M12 connector d-coded with FastConnect system, 180°			PROFINET M12 connector d-coded with FastConnect system, 180°		
* 1 per pack		6GK1901-0DB10-6AA0	* 1 per pack		6GK1901-0DB10-6AA0
* 8 per pack		6GK1901-0DB10-6AA8	* 8 per pack		6GK1901-0DB10-6AA8
PROFINET M12 connector, d- coded with FastConnect system, 180°			PROFINET M12 connector, d- coded with FastConnect system, 180°		
* 1per pack		6GK1901-0DB20-6AA0	* 1per pack		6GK1901-0DB20-6AA0
* 8per pack		6GK1901-0DB20-6AA8	* 8per pack		6GK1901-0DB20-6AA8
PROFINET M12 connector angled, d-coded		3RK1902-2DA00	PROFINET M12 connector angled, d-coded		3RK1902-2DA00
Non-assembled cables			Non-assembled cables		
PROFINET FC cable			PROFINET FC cable		
* FC TP Standard Cable		6XV1 840-2AH10	* FC TP Standard Cable		6XV1 840-2AH10
* FC TP Trailing Cable		6XV1 840-3AH10	* FC TP Trailing Cable		6XV1 840-3AH10
* FC TP Trailing Cable GP		6XV1 870-2D	* FC TP Trailing Cable GP		6XV1 870-2D
* FC TP Marine Cable		6XV1 840-4AH10	* FC TP Marine Cable		6XV1 840-4AH10
* FC TP Torsion Cable		6XV1 870-2F	* FC TP Torsion Cable		6XV1 870-2F
* FC TP Flexible Cable GP		6XV1870-2B	* FC TP Flexible Cable GP		6XV1870-2B
* FC TP FRNC Cable		6XV1871-2F	* FC TP FRNC Cable		6XV1871-2F
* FC TP Food Cable		6XV1871-2L	* FC TP Food Cable		6XV1871-2L
* FC TP Festoon Cable GP		6XV1871-2S	* FC TP Festoon Cable GP		6XV1871-2S



Pre-assembled cables			Pre-assembled cables		
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30	PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30
	0.5 m	6XV1 870-8AE50		0.5 m	6XV1 870-8AE50
	1.0 m	6XV1 870-8AH10		1.0 m	6XV1 870-8AH10
	1.5 m	6XV1 870-8AH15		1.5 m	6XV1 870-8AH15
	2.0 m	6XV1 870-8AH20		2.0 m	6XV1 870-8AH20
	3.0 m	6XV1 870-8AH30		3.0 m	6XV1 870-8AH30
	5.0 m	6XV1 870-8AH50		5.0 m	6XV1 870-8AH50
	10.0 m	6XV1 870-8AN10		10.0 m	6XV1 870-8AN10
	15.0 m	6XV1 870-8AN15		15.0 m	6XV1 870-8AN15
	20 m	6XV1 870-8AN20		20 m	6XV1 870-8AN20
	30 m	6XV1 870-8AN30		30 m	6XV1 870-8AN30
	40 m	6XV1 870-8AN40		40 m	6XV1 870-8AN40
	50 m	6XV1 870-8AN50		50 m	6XV1 870-8AN50
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30	PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30
	0,5 m	6XV1 870-8GE50		0,5 m	6XV1 870-8GE50
	1,0 m	6XV1 870-8GH10		1,0 m	6XV1 870-8GH10
	1,5 m	6XV1 870-8GH15		1,5 m	6XV1 870-8GH15
	2,0 m	6XV1 870-8GH20		2,0 m	6XV1 870-8GH20
	3,0 m	6XV1 870-8GH30		3,0 m	6XV1 870-8GH30
	5,0 m	6XV1 870-8GH50		5,0 m	6XV1 870-8GH50
	10,0 m	6XV1 870-8GN10		10,0 m	6XV1 870-8GN10
15,0 m	6XV1 870-8GN15	15,0 m	6XV1 870-8GN15		
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connectors angled (pin), other end open cable	3,0 m	3RK1902-2HB30	PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connectors angled (pin), other end open cable	3,0 m	3RK1902-2HB30
	5,0 m	3RK1902-2HB50		5,0 m	3RK1902-2HB50
	10,0 m	3RK1902-2HC10		10,0 m	3RK1902-2HC10
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20	PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20
	3,0 m	6XV1 871-5TH30		3,0 m	6XV1 871-5TH30
	5,0 m	6XV1 871-5TH50		5,0 m	6XV1 871-5TH50
	10,0 m	6XV1 871-5TN10		10,0 m	6XV1 871-5TN10
	15,0 m	6XV1 871-5TN15		15,0 m	6XV1 871-5TN15
M12 cover caps		3RX9 802-0AA00	M12 cover caps		3RX9 802-0AA00

X02 PROFINET P2 R M12 (socket)		X02 PROFINET P2 R M12 (socket)	
Non-assembled connectors		Non-assembled connectors	
PROFINET M12 connector d-coded with FastConnect system, 180°		PROFINET M12 connector d-coded with FastConnect system, 180°	
* 1 per pack	6GK1901-0DB10-6AA0	* 1 per pack	6GK1901-0DB10-6AA0
* 8 per pack	6GK1901-0DB10-6AA8	* 8 per pack	6GK1901-0DB10-6AA8
PROFINET M12 connector, d- coded with FastConnect system, 180°		PROFINET M12 connector, d- coded with FastConnect system, 180°	
* 1per pack	6GK1901-0DB20-6AA0	* 1per pack	6GK1901-0DB20-6AA0
* 8per pack	6GK1901-0DB20-6AA8	* 8per pack	6GK1901-0DB20-6AA8
PROFINET M12 connector angled, d-coded	3RK1902-2DA00	PROFINET M12 connector angled, d-coded	3RK1902-2DA00
Non-assembled cables		Non-assembled cables	
PROFINET FC cable		PROFINET FC cable	
* FC TP Standard Cable	6XV1 840-2AH10	* FC TP Standard Cable	6XV1 840-2AH10
* FC TP Trailing Cable	6XV1 840-3AH10	* FC TP Trailing Cable	6XV1 840-3AH10
* FC TP Trailing Cable GP	6XV1 870-2D	* FC TP Trailing Cable GP	6XV1 870-2D
* FC TP Marine Cable	6XV1 840-4AH10	* FC TP Marine Cable	6XV1 840-4AH10
* FC TP Torsion Cable	6XV1 870-2F	* FC TP Torsion Cable	6XV1 870-2F
* FC TP Flexible Cable GP	6XV1870-2B	* FC TP Flexible Cable GP	6XV1870-2B
* FC TP FRNC Cable	6XV1871-2F	* FC TP FRNC Cable	6XV1871-2F
* FC TP Food Cable	6XV1871-2L	* FC TP Food Cable	6XV1871-2L
* FC TP Festoon Cable GP	6XV1871-2S	* FC TP Festoon Cable GP	6XV1871-2S

Pre-assembled cables			Pre-assembled cables		
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30	PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30
	0.5 m	6XV1 870-8AE50		0.5 m	6XV1 870-8AE50
	1.0 m	6XV1 870-8AH10		1.0 m	6XV1 870-8AH10
	1.5 m	6XV1 870-8AH15		1.5 m	6XV1 870-8AH15
	2.0 m	6XV1 870-8AH20		2.0 m	6XV1 870-8AH20
	3.0 m	6XV1 870-8AH30		3.0 m	6XV1 870-8AH30
	5.0 m	6XV1 870-8AH50		5.0 m	6XV1 870-8AH50
	10.0 m	6XV1 870-8AN10		10.0 m	6XV1 870-8AN10
	15.0 m	6XV1 870-8AN15		15.0 m	6XV1 870-8AN15
	20 m	6XV1 870-8AN20		20 m	6XV1 870-8AN20
	30 m	6XV1 870-8AN30		30 m	6XV1 870-8AN30
	40 m	6XV1 870-8AN40		40 m	6XV1 870-8AN40
	50 m	6XV1 870-8AN50		50 m	6XV1 870-8AN50
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30	PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30
	0,5 m	6XV1 870-8GE50		0,5 m	6XV1 870-8GE50
	1,0 m	6XV1 870-8GH10		1,0 m	6XV1 870-8GH10
	1,5 m	6XV1 870-8GH15		1,5 m	6XV1 870-8GH15
	2,0 m	6XV1 870-8GH20		2,0 m	6XV1 870-8GH20
	3,0 m	6XV1 870-8GH30		3,0 m	6XV1 870-8GH30
	5,0 m	6XV1 870-8GH50		5,0 m	6XV1 870-8GH50
	10,0 m	6XV1 870-8GN10		10,0 m	6XV1 870-8GN10
15,0 m	6XV1 870-8GN15	15,0 m	6XV1 870-8GN15		
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connectors angled (pin), other end open cable	3,0 m	3RK1902-2HB30	PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connectors angled (pin), other end open cable	3,0 m	3RK1902-2HB30
	5,0 m	3RK1902-2HB50		5,0 m	3RK1902-2HB50
	10,0 m	3RK1902-2HC10		10,0 m	3RK1902-2HC10
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20	PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20
	3,0 m	6XV1 871-5TH30		3,0 m	6XV1 871-5TH30
	5,0 m	6XV1 871-5TH50		5,0 m	6XV1 871-5TH50
	10,0 m	6XV1 871-5TN10		10,0 m	6XV1 871-5TN10
	15,0 m	6XV1 871-5TN15		15,0 m	6XV1 871-5TN15
M12 cover caps		3RX9 802-0AA00	M12 cover caps		3RX9 802-0AA00


X03 DC 24V 7/8" (pin)			X03 DC 24V M12-L (pin, 4-pin)		
Non-assembled connectors			Non-assembled connectors		
7/8" plug-in connector 180° with socket insert		6GK1 905-0FB00	Power M12 Cable Connector PRO (L-coded), socket		6GK1906-0EB00
7/8" plug-in connector angled with socket insert		3RK1902-3DA00	Non-assembled cables		
Non-assembled cables			Energy Cable, 4-pin, power line, braid, 4x 1,5 mm ²		6XV1801-2B
Energy Cable, trailable, 5 x 1.5 mm ²		6XV1 830-8AH10	Pre-assembled cables		
Pre-assembled cables			Power Connecting Cable M12-180/M12-180 for power supply of the ET 200, pre-assembled cable with M12 plug and M12 socket, L-coded, 4-pin	0,5 m	6XV1801-6DE50
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , both ends with 7/8" connectors 180° (one end socket, one end pin)	0,3m	6XV1 822-5BE30		1,0 m	6XV1801-6DH10
	0,5m	6XV1 822-5BE50		1,5 m	6XV1801-6DH15
	1,0m	6XV1 822-5BH10		2,0 m	6XV1801-6DH20
	1,5 m	6XV1 822-5BH15		3,0 m	6XV1801-6DH30
	2.0 m	6XV1 822-5BH20		5,0 m	6XV1801-6DH50
	3.0 m	6XV1 822-5BH30		10,0 m	6XV1801-6DN10
	5.0 m	6XV1 822-5BH50		15,0 m	6XV1801-6DN15
	10.0 m	6XV1 822-5BN10			
	15.0 m	6XV1 822-5BN15	Power Connecting Cable M12-90/M12-90 for power supply of the ET 200, pre-assembled cable with M12 plug and M12 socket, L-coded, 4-pin	0,5 m	6XV1801-6GE50
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , pre-assembled at both ends with 7/8" connectors angled (one end socket, one end pin)	1.5 m	6XV1 822-5BH15-0SB0		1,0 m	6XV1801-6GH10
	2.0 m	6XV1 822-5BH20-0SB0		1,5 m	6XV1801-6GH15
	3.0 m	3RK1902-3NB30		2,0 m	6XV1801-6GH20
	5.0 m	3RK1902-3NB50		3,0 m	6XV1801-6GH30
	10.0 m	3RK1902-3NC10		5,0 m	6XV1801-6GH50
	15.0 m	6XV1 822-5BN15-0SB0		10,0 m	6XV1801-6GN10
			15,0 m	6XV1801-6GN15	
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , one end with 7/8" connector angled (one end socket, one end open cable)	3,0 m	3RK1902-3GB30	X04 DC 24V M12-L (socket, 4-pin)		
	5,0 m	3RK1902-3GB50	Non-assembled connectors		
	10,0 m	3RK1902-3GC10	Power M12 Plug PRO (L-coded), pin		6GK1906-0EA00
			Non-assembled cables		
			Energy Cable, 4-pin, power line,		6XV1801-2B

X04 DC 24V 7/8" (socket)			braid, 4x 1,5 mm2		
Non-assembled connectors			Pre-assembled cables		
7/8" connector 180° with pin insert		6GK1 905-0FA00	Power Connecting Cable M12-180/M12-180 for power supply of the ET 200, pre-assembled cable with M12 plug and M12 socket, L-coded, 4-pin	0,5 m	6XV1801-6DE50
7/8" connector angled with pin insert		3RK1902-3BA00		1,0 m	6XV1801-6DH10
Non-assembled cables				1,5 m	6XV1801-6DH15
Energy Cable, trailable, 5 x 1.5 mm2		6XV1 830-8AH10		2,0 m	6XV1801-6DH20
Pre-assembled cables				3,0 m	6XV1801-6DH30
				5,0 m	6XV1801-6DH50
				10,0 m	6XV1801-6DN10
			15,0 m	6XV1801-6DN15	
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm2, both ends with 7/8" connectors 180° (one end socket, one end pin)	0,3m	6XV1 822-5BE30	Power Connecting Cable M12-90/M12-90 for power supply of the ET 200, pre-assembled cable with M12 plug and M12 socket, L-coded, 4-pin	0,5 m	6XV1801-6GE50
	0,5m	6XV1 822-5BE50		1,0 m	6XV1801-6GH10
	1,0m	6XV1 822-5BH10		1,5 m	6XV1801-6GH15
	1.5 m	6XV1 822-5BH15		2,0 m	6XV1801-6GH20
	2.0 m	6XV1 822-5BH20		3,0 m	6XV1801-6GH30
	3.0 m	6XV1 822-5BH30		5,0 m	6XV1801-6GH50
	5.0 m	6XV1 822-5BH50		10,0 m	6XV1801-6GN10
	10.0 m	6XV1 822-5BN10		15,0 m	6XV1801-6GN15
	15.0 m	6XV1 822-5BN15	miscellaneous		
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm2, pre-assembled at both ends with 7/8" connectors angled (one end socket, one end pin)	1.5 m	6XV1 822-5BH15-0SB0	M12 cover caps		3RX9 802-0AA00
	2.0 m	6XV1 822-5BH20-0SB0	M12 cover caps		3RK1901-1KA00
	3.0 m	3RK1902-3NB30			
	5.0 m	3RK1902-3NB50			
	10.0 m	3RK1902-3NC10			
7/8" cover caps		6ES7 194-3JA00-0AA0			

Interface modules		order number			order number
IM154-4 PN HF		6ES7154-4AB10-0AB0			
Connection modules		order number	Connection modules		order number
CM IM PN M12, 7/8"		6ES7194-4AJ00-0AB0	CM IM PN PP Cu		6ES7194-4AF00-0AA0
 <ul style="list-style-type: none"> X02 P1 LAN M12 socket X02 P2 LAN M12 socket X03 24V DC 7/8" pin X04 24V DC 7/8" socket 			 <ul style="list-style-type: none"> X03 24V DC PP socket X04 24V DC PP socket X02 P1 LAN PP RJ45 X02 P2 LAN PP RJ45 		
Interfaces		order number	Interfaces		order number
X02 P1 LAN M12 (socket)			X02 P1 LAN PP (RJ45)		
Non-assembled connectors			Non-assembled connectors		
PROFINET M12 connector d-coded with FastConnect system, 180°			Push-pull connection plugs for RJ45		6GK1901-1BB10-6AA0
* 1 per pack		6GK1901-0DB10-6AA0	Push-pull connection plugs for RJ45, fast connect		6GK1901-1BB20-6AA0
* 8 per pack		6GK1901-0DB10-6AA8	Push-pull connection plugs for RJ45, fast connect, metal		6GK1901-1BB21-6AA0
PROFINET M12 connector, d-coded with FastConnect system, 180°			Push-Pull coupler for RJ45		6GK1901-0BP10-6AA0
* 1per pack		6GK1901-0DB20-6AA0	Pre-assembled cables		
* 8per pack		6GK1901-0DB20-6AA8	Push-pull cover caps (RJ45)		6ES7194-4JD50-0AA0

PROFINET M12 connector angled, d-coded		3RK1902-2DA00	X02 P2 LAN PP (RJ45)		
Non-assembled cables			Non-assembled connectors		
PROFINET FC cable			Push-pull connection plugs for RJ45		6GK1901-1BB10-6AA0
* FC TP Standard Cable		6XV1 840-2AH10	Push-pull connection plugs for RJ45, fast connect		6GK1901-1BB20-6AA0
* FC TP Trailing Cable		6XV1 840-3AH10	Push-pull connection plugs for RJ45, fast connect, metal		6GK1901-1BB21-6AA0
* FC TP Trailing Cable GP		6XV1 870-2D	Push-Pull coupler for RJ45		6GK1901-0BP10-6AA0
* FC TP Marine Cable		6XV1 840-4AH10	Pre-assembled cables		
* FC TP Torsion Cable		6XV1 870-2F	Push-pull connecting cables for RJ45, pre-assembled at one end with push-pull-RJ45, other end RJ45		6GT2 891-1HN10
* FC TP Flexible Cable GP		6XV1870-2B			
* FC TP FRNC Cable		6XV1871-2F			
* FC TP Food Cable		6XV1871-2L			
* FC TP Festoon Cable GP		6XV1871-2S	Push-pull cover caps (RJ45)		6ES7194-4JD50-0AA0
Pre-assembled cables					
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30	X03 DC 24V PP (socket)		
	0.5 m	6XV1 870-8AE50	Non-assembled connectors		
	1.0 m	6XV1 870-8AH10	Push-pull connection plugs for 1L+/ 2L+		6GK1907-0AB10-6AA0
	1.5 m	6XV1 870-8AH15			
	2.0 m	6XV1 870-8AH20	Pre-assembled cables		
	3.0 m	6XV1 870-8AH30	Push-pull connecting cables for 1L+/ 2L+, pre-assembled		(on request)
	5.0 m	6XV1 870-8AH50			
	10.0 m	6XV1 870-8AN10			
	15.0 m	6XV1 870-8AN15	X04 DC 24V PP (socket)		
	20 m	6XV1 870-8AN20	Non-assembled connectors		
	30 m	6XV1 870-8AN30	Push-pull connection plugs for 1L+/ 2L+		6GK1907-0AB10-6AA0
	40 m	6XV1 870-8AN40			
	50 m	6XV1 870-8AN50	Pre-assembled cables		
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30	Push-pull connecting cables for 1L+/ 2L+, pre-assembled		(on request)
	0,5 m	6XV1 870-8GE50			
	1,0 m	6XV1 870-8GH10	Push-pull cover caps		6ES7194-4JA50-0AA0
	1,5 m	6XV1 870-8GH15			
	2,0 m	6XV1 870-8GH20			

	3,0 m	6XV1 870-8GH30			
	5,0 m	6XV1 870-8GH50			
	10,0 m	6XV1 870-8GN10			
	15,0 m	6XV1 870-8GN15			
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connectors angled (pin), other end open cable	3,0 m	3RK1902-2HB30			
	5,0 m	3RK1902-2HB50			
	10,0 m	3RK1902-2HC10			
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20			
	3,0 m	6XV1 871-5TH30			
	5,0 m	6XV1 871-5TH50	Connection modules		order number
	10,0 m	6XV1 871-5TN10			
	15,0 m	6XV1 871-5TN15	CM IM PN PP FO		6ES7194-4AG00-0AA0
M12 cover caps		3RX9 802-0AA00			
X02 P2 LAN M12 (socket)					
Non-assembled connectors					
PROFINET M12 connector d-coded with FastConnect system, 180°					
* 1 per pack		6GK1901-0DB10-6AA0			
* 8 per pack		6GK1901-0DB10-6AA8			
PROFINET M12 connector, d-coded with FastConnect system, 180°					
* 1 per pack		6GK1901-0DB20-6AA0			
* 8 per pack		6GK1901-0DB20-6AA8	Interfaces		order number
PROFINET M12 connector angled, d-coded		3RK1902-2DA00			
Non-assembled cables			X02 P1 LAN PP (SC RJ)		
PROFINET FC cable			Non-assembled connectors		
* FC TP Standard Cable		6XV1 840-2AH10	Push-pull connector for SC RJ		6GK1900-0MB00-6AA0
* FC TP Trailing Cable		6XV1 840-3AH10	Pre-assembled cables		
			Push-pull connecting cables for		(on request)



			SC RJ, pre-assembled	
* FC TP Trailing Cable GP		6XV1 870-2D	Push-pull cover caps (RJ45)	6ES7194-4JD50-0AA0
			Non-assembled cables	
* FC TP Marine Cable		6XV1 840-4AH10	POF Standard Cable GP	6XV1874-2A
* FC TP Torsion Cable		6XV1 870-2F	POF Trailing Cable	6XV1874-2B
* FC TP Flexible Cable GP		6XV1870-2B		
* FC TP FRNC Cable		6XV1871-2F	X02 P2 LAN PP (SC RJ)	
* FC TP Food Cable		6XV1871-2L	Non-assembled connectors	
* FC TP Festoon Cable GP		6XV1871-2S	Push-pull connector for SC RJ	6GK1900-0MB00-6AA0
Pre-assembled cables			Pre-assembled cables	
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors 180° (pin)	0.3 m	6XV1 870-8AE30	Push-pull connecting cables for SC RJ, pre-assembled	(on request)
	0.5 m	6XV1 870-8AE50		
	1.0 m	6XV1 870-8AH10	Push-pull cover caps (RJ45)	6ES7194-4JD50-0AA0
	1.5 m	6XV1 870-8AH15	Non-assembled cables	
	2.0 m	6XV1 870-8AH20	POF Standard Cable GP	6XV1874-2A
	3.0 m	6XV1 870-8AH30	POF Trailing Cable	6XV1874-2B
	5.0 m	6XV1 870-8AH50		
	10.0 m	6XV1 870-8AN10	X03 DC 24V PP (socket)	
	15.0 m	6XV1 870-8AN15	Non-assembled connectors	
	20 m	6XV1 870-8AN20	Push-pull connection plugs for 1L+/ 2L+	6GK1907-0AB10-6AA0
	30 m	6XV1 870-8AN30		
	40 m	6XV1 870-8AN40	Pre-assembled cables	
50 m	6XV1 870-8AN50	Push-pull connecting cables for 1L+/ 2L+, pre-assembled	(on request)	
PROFINET M12 trailable connecting cable, pre-assembled at both ends with M12 connectors angled (pin)	0,3 m	6XV1 870-8GE30		
	0,5 m	6XV1 870-8GE50		
	1,0 m	6XV1 870-8GH10	X04 DC 24V PP (socket)	
	1,5 m	6XV1 870-8GH15	Non-assembled connectors	
	2,0 m	6XV1 870-8GH20	Push-pull connection plugs for 1L+/ 2L+	6GK1907-0AB10-6AA0
	3,0 m	6XV1 870-8GH30		
	5,0 m	6XV1 870-8GH50	Pre-assembled cables	
	10,0 m	6XV1 870-8GN10	Push-pull connecting cables for 1L+/ 2L+, pre-assembled	(on request)
15,0 m	6XV1 870-8GN15			
PROFINET M12 trailable connecting cable, pre-assembled	3,0 m	3RK1902-2HB30	Push-pull cover caps	6ES7194-4JA50-0AA0
	5,0 m	3RK1902-2HB50		

at one end with M12 connectors angled (pin), other end open cable	10,0 m	3RK1902-2HC10
PROFINET M12 trailable connecting cable, pre-assembled at one end with M12 connector 180° (pin), other end with RJ45 plug 145°	2,0 m	6XV1 871-5TH20
	3,0 m	6XV1 871-5TH30
	5,0 m	6XV1 871-5TH50
	10,0 m	6XV1 871-5TN10
	15,0 m	6XV1 871-5TN15
M12 cover caps		3RX9 802-0AA00
X03 DC 24V 7/8" (pin)		
Non-assembled connectors		
7/8" plug-in connector 180° with socket insert		6GK1 905-0FB00
7/8" plug-in connector angled with socket insert		3RK1902-3DA00
Non-assembled cables		
Energy Cable, trailable, 5 x 1.5 mm ²		6XV1 830-8AH10
Pre-assembled cables		
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , both ends with 7/8" connectors 180° (one end socket, one end pin)	0,3m	6XV1 822-5BE30
	0,5m	6XV1 822-5BE50
	1,0m	6XV1 822-5BH10
	1.5 m	6XV1 822-5BH15
	2.0 m	6XV1 822-5BH20
	3.0 m	6XV1 822-5BH30
	5.0 m	6XV1 822-5BH50
	10.0 m	6XV1 822-5BN10
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , pre-assembled at both ends with 7/8" connectors angled (one end socket, one end	1.5 m	6XV1 822-5BH15-0SB0
	2.0 m	6XV1 822-5BH20-0SB0
	3.0 m	3RK1902-3NB30
	5.0 m	3RK1902-3NB50
	10.0 m	3RK1902-3NC10

pin)	15.0 m	6XV1 822-5BN15-0SB0
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , one end with 7/8" connector angled (one end socket, one end open cable)	3,0 m	3RK1902-3GB30
	5,0 m	3RK1902-3GB50
	10,0 m	3RK1902-3GC10
X04 DC 24V 7/8" (socket)		
Non-assembled connectors		
7/8" connector 180° with pin insert		6GK1 905-0FA00
7/8" connector angled with pin insert		3RK1902-3BA00
Non-assembled cables		
Energy Cable, trailable, 5 x 1.5 mm ²		6XV1 830-8AH10
Pre-assembled cables		
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , both ends with 7/8" connectors 180° (one end socket, one end pin)	0,3m	6XV1 822-5BE30
	0,5m	6XV1 822-5BE50
	1,0m	6XV1 822-5BH10
	1.5 m	6XV1 822-5BH15
	2.0 m	6XV1 822-5BH20
	3.0 m	6XV1 822-5BH30
	5.0 m	6XV1 822-5BH50
	10.0 m	6XV1 822-5BN10
	15.0 m	6XV1 822-5BN15
7/8" connecting cable for supplying trailable energy cable, 5 x 1.5 mm ² , pre-assembled at both ends with 7/8" connectors angled (one end socket, one end pin)	1.5 m	6XV1 822-5BH15-0SB0
	2.0 m	6XV1 822-5BH20-0SB0
	3.0 m	3RK1902-3NB30
	5.0 m	3RK1902-3NB50
	10.0 m	3RK1902-3NC10
	15.0 m	6XV1 822-5BN15-0SB0
7/8" cover caps		6ES7 194-3JA00-0AA0