

ADDITIONS AND CORRECTIONS TO THE LICHEN FLORA OF TAIWAN

JEN-RONG WANG-YANG⁽¹⁾ and MING-JOU LAI⁽²⁾

The following list presents additions and amendments to our checklist published in 1973. Recent publications on some pertinent groups of the lichens has stabilized specific names and solved numerous problems of synonymy both nomenclaturally and taxonomically, and we have not hesitated to adopt many of their opinions.

The present authors are greatly indebted to Dr. D. L. Hawksworth of Commonwealth Mycological Institute, Kew, England, and Dr. Syo Kurokawa of Department of Botany, National Science Museum, Tokyo, Japan for their corrections on the genus *Alectoria* and some species of *Anaptychia* respectively.

***Alectoria* Ach.**

americana Mot. (*A. jubata* Ach. var. *Iarestris* Auct. non Ach.)
confusa Awas. (*A. acanthodes* Auct. non Hue)

***Anaptychia* Körb.**

angustiloba (Müll. Arg.) Kurok.
boryi (Féc) Mass. (= *A. neoleucomelaena* Kurok.; = *A. neoleucomelaena* Kurok. var. *squarrosa* (Vain.) Kurok.; = *A. neoleucomelaena* Kurok. form. *squarrosa* (Vain.) Kurok.)
dendritica (Pers.) Vain. var. *dendritica*
diademata (Tay.) Kurok. form. *brachyloba* (Müll. Arg.) Kurok.
diademata (Tay.) Kurok. form. *condensata* (Kurok.) Kurok. (= *A. esorediata* (Vain.) DR. et Lyngé form. *condensata* Kurok.)
hypocaesia Yas.
hypochraea Vain. (= *A. podocarpa* (Bél.) Mass. var. *hypochraea* (Vain.) Sato)
incana (Stirt.) Zahlbr.
leucomelaena (L.) Mass. (= *A. ophioglossa* (Tayl.) Kurok.)
obscurata (Nyl.) Kurok. (= *A. heterochroa* Vain.).
pacifica Kurok.
pandurata Kurok.
spinulosa Kurok.
subascendens Asah.
tentaculata (Zahlbr.) Kurok. (= *Physcia tentaculata* Zahlbr.)

***Baeomyces* Pers.**

fungoides (Sw.) Ach. (= *B. roseus* (Hampe) Pers.)
sanguineus Asah.

***Bombyliospora* De Not.**
japonica Zahlbr.

***Cetraria* W. Culb. et C. Culb.**

brauniana (Müll. Arg.) W. Culb. et C. Culb.
cetrariooides (Del.) W. Culb. et C. Culb. (= *Parmelia cetrariooides* Del.)

(1) 福王貞容, Associate Professor of Botany, National Taiwan University.

(2) 賴明洲, Department of Botany, National Taiwan University.

chicitea (W. Culb.) W. Culb. et C. Culb.

isidiata (Asah.) W. Culb. et C. Culb. (=*Cetraria sanguinea* Schaeer. ex Moritz. form. *isidiata* Asah. ex Sato)

japonica (Zahlbr.) W. Culb. et C. Culb.

nuda (Hue) W. Culb. et C. Culb. (=*Cetraria collata* (Nyl.) Müll. Arg. form. *nuda* (Hue) Zahlbr.)

olivetorum (Nyl.) W. Culb. et C. Culb.

pseudolivetorum (Asah.) W. Culb. et C. Culb.

Cladina Nyl.

aggregata (Sw.) Nyl. (=*Cladonia aggregata* (Sw.) Ach.)

Cladonia Wigg.

arbuscula (Wallr.) Rabh. subsp. *beringiana* Ahti (*C. sylvatica* Auct. non (L.) Hoffm.)

ceratophyllina (Nyl.) Vain.

tenuiformis Ahti

Coccotrema Müll. Arg.

cucurbitula (Mont.) Müll. Arg. (=*Perforaria cucurbitula* (Mont.) Müll. Arg.)

Dictyonema (Ag.) Zahlbr.

sericeum (Sw.) Berk. (=*D. thelephora* Zahlbr.)

Graphina Müll. Arg.

cleistoblephara (Nyl.) Zahlbr. (=*G. subpublicaris* Zahlbr.)

Gymnoderma Nyl.

insulare Yoshim. et Sharp ("*G. coccocarpum* Nyl." sensu Wang & Lai in *Taiwania* 18(1): 91. 1973)

Haematomma Mass.

puniceum (Sm. ex Ach.) Mass. subsp. *pacificum* Asah. ("*H. puniceum*" sensu Wang & Lai in *Taiwania* 18(1): 91. 1973)

Hypogymnia Nyl.

enteromorpha (Ach.) Nyl. form. *inactiva* (Asah.) Kurok.

hypotrypella (Asah.) Rass. (=*Parmelia hypotrypella* Asah.)

physodes (L.) Nyl. (=*Parmelia physodes* (L.) Ach.)

pseudophysodes (Asah.) Kurok. (=*Parmelia pseudophysodes* Asah.)

vittata (Ach.) Gas. (=*Parmelia vittata* Ach.)

Hypotrachyna (Vain.) Hale

endochlora (Leight.) Hale (=*Parmelia endochlora* Leight.)

formosana (Zahlbr.) Hale (=*Parmelia formosana* Zahlbr.)

koyaensis (Asah.) Hale (=*Parmelia koyaensis* Asah.)

laevigata (Smith) Hale subsp. *extremi-orientalis* (Asah.) J. R. Wang & M. J. Lai, comb. nov. (Basionym:

Parmelia laevigata (Smith) Ach. subsp. *extremi-orientalis* Asah.)

sinuosa (Smith) Hale (=*Parmelia sinuosa* (Smith) Ach.)

Icmadophila Trev.

ericetorum (L.) Zahlbr.

Leptogium (Dicks.) Nyl.

azureum (Sw.) Mont.

menziesii Mont.

Lobaria (Schreb.) Hoffm.

meridionalis Vain. var. *subplana* (Asah.) Yoshim. (=*L. pulmonaria* (L.) Hoffm. var. *meridionalis* (Vain.) Zahlbr. form. *subplana* Asah.)

orientalis (Asah.) Yoshim. (=*L. gyrophorica* Yoshim.)

Megalospora Mey. et Fut.*nippensis* Asah. (*M. sulphurata* Auct. non Mey. et Fut.)**Menegazzia** Nyl.*asahinae* (Yas.) Sant. (=*Parmelia asahinae* Yas.)**Ochrolechia** Mass.*trochophora* (Vain.) Oshio**Pannaria** Del.*microphylla* (Sw.) Mass. (=*Parmeliella microphylla* (Sw.) Müll. Arg.)**Parmelia***adaugescens* Nyl.*adducta* Nyl. (=*P. manilensis* Kurok.; =*P. spectabilis* Asah.)*clavulifera* Räs. (*P. cetrata* Auct. non Ach.)*fertilis* Müll. Arg. (=*P. subdivaricata* Asah.)*mellissii* Dodge (=*P. arnoldii* Auct. non Du Rietz)*squarrosa* Hale (*P. saxatilis* Auct. non (L.) Ach.)*subcrinita* Nyl. (=*P. subtinctoria* Zahlbr.)**Peltigera** Willd.*leucophlebia* (Nyl.) Gyel. form. *variolosa* (Mass.) Gyel. (=*P. aphthosa* (L.) Willd. var. *variolosa* (Mass.) Thamson)*subincusa* (Gyel.) Inum. (=*P. dolichorrhiza* Nyl. form. *subincusa* Gyel.)**Platismatia** W. Culb. et C. Culb.*erosa* W. Culb. et C. Culb. (=*Cetraria formosana* Zahlbr. var. *isidiata* Zahlbr.)**Pilophorus** Th. Fr.*hallii* (Tuck.) Vain. (=*P. japonicum* Zahlbr.)**Ramalina** Ach.*sinensis* Jatta (*R. asahinana* Zahlbr.)**Relicina** (Hale et Kurok.) Hale*abstrusa* (Vain.) Hale (=*Parmelia abstrusa* Vain.)*malesiana* (Hale) Hale (=*Parmelia malesiana* Hale)*planiuscula* (Kurok.) Hale (=*Parmelia planiuscula* Kurok.)*subabstrusa* (Gyel.) Hale (*Parmelia subabstrusa* Gyel.)*sydneyensis* (Gyel.) Hale (=*Parmelia sydneyensis* Gyel.)**Umbilicaria** Hoffm.*asiae-orientalis* (Asah.) Sato (=*Lasallia asiae-orientalis* Asah.)*mayebarae* Sato (=*Lasallia mayebarae* (Sato) Asah.)*pennsylvanica* Hoffm.**Usnea** P. Br. ex Adans.*aciculifera* Vain.*pangiana* Stirt. subsp. *hondoensis* (Asah.) Asah.**LITERATURE CITED**

WANG-YANG, J. R. & M. J. LAI, 1973. A checklist of the lichens of Taiwan. -Taiwania 18(1): 83-104.