


Advantages of the new 2020 catalogue

- Find products quicker and more easily
- Product features instantly visible



Learn more inside!

PICTOGRAMS



New product

.

New colour

LOCKS



Double locking

Dual locking of the shackle in the lock body



Pocket size

Lock in small format



XL size

Lock in large format



Lighted key

Lighted key included



Manual locking

Active locking with a key required



Automatic locking

No active locking with a key required



Robust webbing

High-tech mesh, durable and hydrophobic



Combo

Combination code is factory set



Individual code

Combination code can be freely selected



Rechargeable

Rechargeable battery



Battery

Including battery



Bordo 6-bars

Folding lock with 6 bars The classic



Bordo 8-bars

Folding lock with 8 bars offers even more flexibility due to greater length



SmartX

Innovative locking system, controlled via smartphone



XPlus

Picking-resistant disc cylinder "XPIus"



Plus

Picking-resistant disc cylinder "Plus"



Keyed alike

Multiple locks can be operated with a single key



Magnetic bracket

Innovative bracket with magnetic function



Lightweight

Lightweight lock, ideal for sports use



Alarm

Lock with 100 dB alarm function



0EM

Locks are delivered without sales packaging so they can be mounted more quickly. Ideal for use in workshops

DISCOVER THE NEW 2020 CATALOGUE!

We're happy that you're holding the new 2020 ABUS catalogue in your hands. The purpose of this catalogue is not only to inform you of our product innovations, but also to present our new catalogue concept:

An easy-to-understand organisation with quick access to each chapter as well as a list of all product novelties at the start of each chapter make it easy for you to find our new products.

Clear product icons instead of long texts make it a breeze to compare products, and our new technology pages keep you informed about our unique technologies.

Another new feature: The icons at the side provide you with an overview of all of the specifications of our products. Just fold out the additional page of the cover and you've got all the relevant information at your fingertips at any time.

We hope you enjoy daily use of this catalogue and that it offers you a better basis for your work.

Your mobile security team



BICYCLE CATALOGUE 2020 CONTENTS

ABU5
Security Tech Germany

CURRENT HIGHLIGHT PRODUCTS	Page	4
LOCKS		
U-Shackle locks	Page	8
Folding locks	Page	24
Chain locks	Page	42
Steel-O-Flex locks	Page	76
Coil cable- and cable locks	Page	86
Frame locks and battery locks	Page	110
Component security	Page	126
Special security	Page	134
Brackets and Bags	Page	156
Sales displays and POS	Page	170
Services	Page	182
INDEX	Page	194





COOL HEAD DURING TOP PERFORMANCE

Whether ventilation or aero, weight or AirPort safety, the AirBreaker offers top features with the highest ABUS standard.

ActiCage Lite

Thanks to ActiCage lite -an integrated structural reinforcement- the AirBreaker provides maximum protection with minimal weight.

Floating Padding

Floating padding to improve comfort.

FlowStraps

Aerodynamic, flutter-free and skinfriendly, thanks to specially developed webbing.

AirPort is a true aero miracle: special temple channels let you safely and aerodynamically store your glasses in the helmet's rear.

Zoom-Ace

The Zoom Ace system guarantees a perfect fit, precisely adjustable with a grippy wheel.

Ponytail


The specially shaped slot within the adjustment system offers sufficient space for long hair or a ponytail.



MADE FOR EXTREMES

The name speaks for itself. AirBreaker – a road helmet made for perfect ventilation and aero-dynamics. The AirBreaker makes no difference whether you are fascinated by high mountains, long distances or high speeds.

Outstanding ventilation, best aero data and a weight you barely feel makes the AirBreaker your top model in every race. Keeping a cool head for all high performances.



Hanka Kupfernagel - World Champion Individual TimeTrial 2007



D. ISTANCE
Best ventilation for endless distances.



A. LTITUDE More ventilation on the way to the top.



S. PEED Lowest drag at top speed.



H. EAT Ideal head climate in extreme heat.




THE WORLD CHAMPION'S HELMET

Only road helmets of ABUS wear the rainbow design. Evidence to their perfection. With the AirBreaker, Alejandro Valverde became the best rider in the world. And like the world champion, all riders of the Movistar Team trust in the AirBreaker as their performance helmet. In the most important races in the world, the AirBreaker meets the requirements of the professionals.

A HELMET BY PROFESSIONALS FOR PROFESSIONALS

With the aero helmet GameChanger, ABUS caused a revolution. Its contemporary design and innovative technologies build the platform for the AirBreaker. In extensive development work together with the pro riders of the Movistar Team and a constant testing in the wind tunnel, the AirBreaker has been optimized for the best ventilation and aero performances.



HANDS FREE

Your smartphone turns into a key. A keycard connects the corresponding ABUS app (iOS or Android) to the lock.

When users approach their bicycle with their smartphone, the smartphone unlocks the lock. To open it, just pull the shackle out of the body of the lock. Locking works exactly the other way around: push the shackle in, activate the alarm, walk off, be secure!





BLUETOOTH®


The 770A SmartX™ is the first ABUS U-lock with a Bluetooth® receiver.
The lock receives its signals from the smartphone over this encrypted channel, which is just as secure as the lock itself and more individualized than any key.





SMARTX APP

Each 770A SmartX™ can be used by multiple persons. The decision whether a person is granted limited-time or permanent access is up to the administrator. For the cargo bicycle behind the house or the children's trailer at the nursery—this is how families lock in the twenty-first century!



ALARM

The 770A SmartX™ provides added security with its integrated alarm function. The 3D Position Detection detects slightest movements and triggers a deterrent alarm. If slightly touched, the lock issues only a short warning sound. But if the sensors detect a theft attempt, the alarm sound increases its volume to a deafening 100 decibels.

AUF EINEN BLICK



Hands free: locking and unlocking via smartphone



Lock with 100 dB alarm function



Rechargeable battery



Dual locking of the shackle in the lock body

U-SHACKLE LOCKS



PRODUCT NOVELTIES





GRANIT™ Extreme 59



Security Level





XPIus™

Technical Data

- 16 mm square parabolic shackle
- $\boldsymbol{\cdot}$ Double-locking mechanism securing the shackle in the lock body
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS XPlus cylinder for exceptionally high protection against manipulation attempts such as picking
- Two keys are included in the scope of delivery, one of which is an LED to the leave.
- $\boldsymbol{\cdot}$ Manual cover to protect the keyhole from dirt and corrosion
- ABUS Code Card for additional and replacement keys

Technology
















Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
59/180HB245	58606 4	245	111	16	2600		1
59/180HB260	58607 1	260	111	16	2700		1



Ref. No.	EAN 4003318				Weight	Carrier	Box Qty
	4003310	mm	mm	mm	g		ŲĽ
770A/160HB230 blue SmartX	84520 8	230	108	13	2000	USKF	2
770A/160HB230 blue + USKF SmartX	84521 5	230	108	13	2150	USKF	2
770A/160HB230 black SmartX	82361 9	230	108	13	2000	USKF	2
770A/160HB230 black + USKF SmartX	82359 6	230	108	13	2150	USKF	2
770A/160HB300 black SmartX	82362 6	300	108	13	2200	USKF	2
770A/160HB300 black + USKF SmartX	82360 2	300	108	13	2350	USKF	2

770A SmartX™

Versions



blue

Security Level



Features





Technology









Test Seals












1) applied for

Technical Data

- 13 mm hardened square shaft parabolic shackle
- SmartX™ locking system with Bluetooth high-quality, keyless locking offers user-friendly operation
- Alarm function with at least 100 dB for 15 seconds followed by automatic
- 3D Position Detection detects vibrations and the smallest movement in all three dimensions and triggers the alarm
- ${\boldsymbol{\cdot}}$ Smart alarm the lock only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces nearby
- USB-C port
- App connection
- ${\boldsymbol{\cdot}}$ Location storage of the bike's last parking location
- ABUS power cell technology offers the highest level of protection against impacts and attempts to break open the lock
- The shackle, the housing and the locking mechanism's load-bearing parts are manufactured from specially hardened steel



Ref. No.	EAN 4003318	<u> </u>	[4+]	1	Weight g	Carrier	Box Qty
		mm	mm	mm			4-3
540/160HB230	11161 7	230	108	13	1500		6
540/160HB300	11179 2	300	108	13	1700		6
540/160HB230+EaZy KF	11183 9	230	108	13	1600	EaZy KF	4
540/160HB300+EaZy KF	11185 3	300	108	13	1800	EaZy KF	4
540/160HB230+USH540	11186 0	230	108	13	1650	USH 540	5
540/160HB300+USH540	11188 4	300	108	13	1850	USH 540	5
J40/100110J00+0311J40	11100 4	300	100	13	1030	0311 340	,

GRANIT XPlus™ 540



Security Level



Features



XPIus™



EaZy KF



USH 540

Technology











Test Seals















Technical Data

- 13 mm hardened square shaft parabolic shackle
- · ABUS power cell technology offers the highest level of protection against impacts and attempts to break open the lock $% \left(1\right) =\left(1\right) \left(1\right) \left($
- The shackle, housing and the structural parts of the locking mechanism are made of specially hardened steel
- ABUS XPlus cylinder for the highest level of protection against tampering,
- Automatic keyhole cover to protect against dirt and corrosion

^{* 540/160}HB230+EaZy KF

GRANIT™ Plus 640

Security Level



Features



Plus



TextKF Mini



Versions



HB150 black



HB230 black

Technical Data

- Hardened 12 mm round shackle
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- Priority given to the use of weight-optimised special alloys and light-weight materials
- ABUS Plus cylinder including automatic cover for maximum protection against attempts at manipulation, e.g. picking

Technology













Test Seals











1) Only for SE-version (Art.-No. 72509)

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
640/135HB150 red	39704 2	150	83	12	800		6
640/135HB150 black	39702 8	150	83	12	800		6
640/135HB230+TexKF black	39703 5	230	83	12	1060	TexKF	6

GRANIT™ Plus 470



Security Level



Features







USH 460/470/32

Technical Data

- Hardened 12 mm parabolic shackle
- ABUS Power Cell technology provides outstanding protection against attempts to remove the lock by hitting or pulling
- The shackle, the body and the load-bearing parts of the locking mechanism are manufactured from specially hardened steel
- Automatic cover to protect the keyhole from contamination and corrosion

Technology























Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
470/150HB230+EaZy KF	11189 1	230	109	12	1240	EaZy KF	4
470/150HB300+EaZy KF	11194 5	300	109	12	1300	EaZy KF	4
470/150HB230+USH470	11249 2	230	109	12	1260	USH 470	6
470/150HB300+USH470	11251 5	300	109	12	1320	USH 470	5

Ultimate 420

Security Level



Features





Versions



420/170HB230

Technical Data

- Hardened 13 mm round bracket
- The shackle, housing and supporting parts of the locking mechanism are made of specially hardened steel
- Special, modern design of the lock body sheathing enables optimum
- High-quality locking cylinder for high protection against manipulation, e.g. picking

Technology












Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
420/150HB140+USH+10/120 Ultimate	81969 8	140	80	13	1240	USH	6
420/150HB140+USH Ultimate	81689 5	140	80	13	900	USH	6
420/170HB230+USH Ultimate	39631 1	230	100	13	1100	USH	6
420/170HB300+USH Ultimate	39632 8	300	100	13	1300	USH	6
420/170HB230+USH+10/120 Ultimate	39633 5	230	80	13	1440	USH	6

GRANIT™ 460



Security Level



Features





USH 460/470/32

Technical Data

- Hardened 12 mm parabolic shackle
- The shackle, the lock body and the structural parts of the locking mechanism are manufactured using specially hardened steel
- ABUS Extra Class cylinder with coded reversible key

Technology











Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
460/150HB230+USH460	11253 9	230	109	12	1000	USH 460	6
460/150HB300+USH460	11255 3	300	109	12	1250	USH 460	6

440 Alarm

Security Level



Features





Technical Data

- Hardened 12 mm round shackle
- The shackle, the body and the load-bearing parts of the locking mechanism are manufactured using specially hardened steel
- Special, modern design of the lock body casing allows for optimum handling
- High-quality locking cylinder for high protection against manipulation, e.g. picking
- Alarm at a volume of at least 100 dB for 15 seconds, followed by automatic reactivation
- 3D Position Detection detects vibrations and the smallest of movements in all three dimensions and triggers an alarm
- CR2 batteries included

Technology









Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
440A/150HB160 USH Alarm	82605 4	160	85	12	1100	USH	4
440A/170HB230 USH Alarm	82606 1	230	108	12	1500	USH	4

Ultra 410

Versions



410/150HB140




410/150HB140 +10/120



410/150HB180



410/150HB180 + 10/120



Security Level



Features



Technical Data

- Hardened 12 mm round shackle
- The shackle, body and the structural parts of the locking mechanism are made of specially hardened steel
- The special, modern design of the lock body casing allows for optimum handling
- High-quality locking cylinder for a high level of protection against tampering, e.g. picking

Technology











Ref. No.	EAN 4003318				Weight	Carrier	Box Qty	
	4005510	mm	mm	mm	g		ų.,	
410/170HB230 SH34 Ultra	34591 3	230	110	12	1000	SH34	6	
410/170HB230 SH34 Ultra + Cobra 10/120	34590 6	230	110	12	1000 + 340	SH34	6	
410/170HB300 SH34 Ultra	34592 0	300	110	12	1100	SH34	6	
410/150HB140 SH34	34594 4	140	80	12	755	SH 34	6	
410/150HB140 SH34 +Cobra 10/120	34596 8	140	80	12	755 + 340	SH 34	6	
410/150HB180 SH34	34595 1	180	80	12	780	SH 34	6	
410/150HB180 SH34 +Cobra 10/120	34597 5	180	80	12	835 + 340	SH 34	6	



Ultra 410 Combo

Security Level



Features





Versions



black

Technical Data

- 12 mm, hardened steel round shackle
- The shackle, the case as well as supporting elements of the locking are made of specially hardened steel
- Ergonomic shape allows best handling
- Two component moulded digits guarantee life-long visibility
- · Individually settable code

Technology











Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
410/170HB230 SH34 Ultra Combo GN	86740 8	230	170	12	1150	SH 34	4
410/170HB230 SH34 Ultra Combo BK	87787 2	230	170	12	1150	SH 34	4

Facilo 32

Versions



32/150HB230+USH32 + 10/140



Security Level



Features





USH 460/470/32

Technical Data

- Hardened 12 mm round shackle
- ABUS top-quality locking cylinder
- 10 mm high-quality steel cable with two loop ends
- PVC casing to prevent damage to paintwork

Technology










Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Carrier	Box Qty
32/150HB300+USH32	37887 4	300	109	12	1160	USH 32	6
32/150HB230+USH32 + Cobra 10/140	47700 3	230	109	12	1440 + 390	USH 32 10 mm /	6
						140 cm	
32/150HB230+USH32	37492 0	230	109	12	950	USH 32	6

FOLDING LOCKS



PRODUCT NOVELTIES





Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6500/85 black SH	78068 4	85	1760	SH 6500/85	6
6500/85 TwinSet SH	82639 9	85	1760 each	SH 6500/85	1
6500/110 black SH	78067 7	110	2160	SH 6500/110	6
Bracket SH 6500/85	78071 4		152	replacement bracket	6
Bracket SH 6500/110	78072 1		172	replacement bracket	6

BORDO GRANIT XPIus™ 6500

Versions



TwinSet



RIG







Features



XPlus™



ST 6500/8



Technology


































- 5.5 mm bars with extra-soft two-component casing to prevent damage to paintwork
- Colour-coordinated soft-touch silicone cover for the lock body
- ABUS Link Protection Shield for a high level of protection against hinge sawing
- The bars, the body and the load-bearing parts of the locking mechanism are manufactured from specially hardened steel
- ABUS XPlus cylinder for extremely high protection against manipulation, e.g. picking



* 6500/110 black SH







Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6000A/90 black SH	77838 4	90	1420	SH 6000/90	4
6000A/90 white SH	78090 5	90	1420	SH 6000/90	4
6000A/120 black SH	82533 0	120	1780	SH 6000/120	3
Bracket SH 6000/90	72900 3		115	replacement bracket	1
Bracket SH 6000/120	78074 5		132	replacement bracket	1

BORDO™ Alarm 6000A

Versions



6000A/90 black



6000A/90 white



Security Level



Features



Plus



Technology











Test Seals










1) Only for UK-version (Art.-No. 78304 and 78305)

Technical Data

6000A/120

- 5 mm bars with extra-soft two-component casing to prevent damage to
- The bars and body are made of specially hardened steel
- Alarm at a volume of at least 100 dB for 20 seconds, followed by automatic
- 3D Position Detection detects vibrations and the smallest of movements in all three dimensions and triggers an alarm
- $\boldsymbol{\cdot}$ Smart alarm the lock only emits a small warning beep in the event of minor and brief vibrations, e.g. if a football bounces nearby
- Acoustic signals provide information on battery level and activity status
- Bars are linked with special rivets
- ${\boldsymbol \cdot}$ ABUS Plus cylinder for maximum protection against attempted manipulation, e.g. picking









Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6010/90 BORDO CENTIUM	20154 7	90	1120	SH6010	1
Bracket BORDO CENTIUM	20155 4		180		6
VK-Display BORDO CENTIUM	70232 7			incl. 4 locks	

BORDO CENTIUM™ 6010



Security Level



Features



Plus



Technology











Test Seals





Technical Data

- 5 mm thick bars, synthetic coating to prevent damage to paintwork
- Stainless-steel body with manually operated keyhole cover to protect against dirt
- The bars are made of specially hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for a high level of protection against tampering, e.g. picking

BORDO™ Big 6000

Security Level



Features



Plus





Versions



red



white

Technical Data

- 5 mm thick bars, extra-soft two-component coating to prevent damage to
- ${f \cdot}$ The bars and body are made of specially hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for a high level of protection against tampering, e.g. picking

Technology















Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6000/120 black SH	78073 8	120	1420	SH 6000/120	3
6000/120 red SH	81513 3	120	1420	ST 6000/120 RD	3
6000/120 white SH	81514 0	120	1420	ST 6000/120	3
Bracket SH 6000/120	78074 5		132	replacement bracket	1

BORDO™ 6000

Versions









Security Level



Features



Plus



Technical Data

- $\, \bullet \,$ 5 mm bars with extra-soft two-component casing to prevent damage to paintwork
- The bars and body are made of specially hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for a high level of protection against tampering, e.g. picking

Technology









Test Seals









1) only for GB-version 6000/90 black (56930 2)

Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6000/90 black SH	72983 6	90	1200	SH 6000/90	6
6000/90 red SH	72984 3	90	1200	SH 6000/90	6
6000/90 white SH	72985 0	90	1200	SH 6000/90	6
6000/90 TwinSet SH	72986 7	90 each	1200 each	SH 6000/90	2
Bracket SH 6000/90	72900 3		115	replacement bracket	1

BORDO™ 6015 / 6405 + Bosch

Security Level



Features



Plus



Technical Data

- 5 mm steel bars, with extra soft 2-components coating to prevent damage to the bicycle's paintwork
- The bars, the case, the links as well as supporting elements of the locking system are made of special hardened steel
- Bars are linked with special rivets
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology











6405

Test Seals













1) Only for Bordo 6405

Ref. No.	EAN 4003318	Çm cm	Weight g	Carrier	Box Qty
6015/90 BK SH BLO BOS DT2 PLUS	78779 9	90	1200 + 120	SH 6000/90	4
6405/85 BK SH BLO BOS DT2 PLUS	78718 8	85	1720 + 120	SH 6500/85	4
6405/85 BK SH BLO BOS RT2 PLUS	78719 5	85	1720 + 90	SH 6500/85	4

BORDO Combo™ 6100

Versions



white



red



Security Level



Features



lombo adjust



Technical Data

- $\, \bullet \,$ 5 mm bars with extra-soft two-component casing to prevent damage to paintwork
- The bars and body are made of specially hardened steel
- Bars are linked with special rivets
- Two-component digit cylinder ensures long-lasting legibility
- Individually configurable code

Technology











Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6100/90 white SH	72992 8	90	1160	SH 6000/90	6
6100/90 black SH	72990 4	90	1160	SH 6000/90	6
6100/90 red SH	72991 1	90	1160	SH 6000/90	6
Bracket SH 6000/90	72900 3		115	replacement bracket	1



uGrip BORDO™ 5700

Security Level



Features





H 5700/80



SH 5700/100



5700/100



Versions



lime



Diue



rec





core green



core purple

Technical Data

- 5 mm steel bars
- Colour-matching lock body
- Bars are linked with special rivets
- High-quality automatic cylinder
- The convenient transport mode" (CTM) provides an immediate use of the lock









Test Seals



Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
5700/80 black SH	84425 6	80	830	SH 5700	6
5700/80 lime SH	84427 0	80	830	SH 5700	6
5700/80 blue SH	84426 3	80	830	SH 5700	6
5700/80 red SH	84428 7	80	830	SH 5700	6
5700/80 core blue SH	84429 4	80	830	SH 5700	6
5700/80 core green SH	84430 0	80	830	SH 5700	6
5700/80 core purple SH	84431 7	80	830	SH 5700	6
5700/100 black SH	86743 9	100	1050	SH 5700	6
5700/100 lime SH	86745 3	100	1050	SH 5700	6
5700/100 blue SH	86744 6	100	1050	SH 5700	6
5700/100 red SH	86746 0	100	1050	SH 5700	6
Bracket SH 5700/80	84433 1		100	replacement bracket	1
Bracket SH 5700/100	86748 4		110	replacement bracket	1

Folding locks

uGrip BORDO™ 5700 Combo

NEW X

Versions













Security Level



Features



ombo adjust



Technical Data

- 5 mm steel bars
- Colour-matching lock body
- Bars are linked with special rivets
- Two component moulded digits guarantee life-long visibility
- · Individually settable code







Ref. No.	EAN 4003318	Çm	Weight g	Carrier	Box Qty
5700C/80 black SH	87791 0	80	830	SH 5700	6
5700C/80 lime SH	87793 0	80	830	SH 5700	6
5700C/80 blue SH	87792 6	80	830	SH 5700	6
5700C/80 red SH	87794 0	80	830	SH 5700	6
5700C/80 core blue SH	87795 7	80	830	SH 5700	6
5700C/80 core green SH	87796 0	80	830	SH 5700	6
5700C/80 core purple SH	87797 0	80	830	SH 5700	6
Bracket SH 5700C/80	86747 7		100		3

BORDO™ Lite 6055

Security Level



Features







Versions



black (60)



red (60)



black (85)



red (85)

Technical Data

- Special steel design, with colour-coordinated plastic casing to prevent damage to paintwork
- The bars and housing are manufactured using particularly lightweight materials and steel alloys
- Bars connected with special rivets
- High-quality automatic cylinder
- The BORDO™ Lite Mini is small enough to slip into the pocket of any cycling jersey









Ref. No.	EAN 4003318	cm	Weight g	Carrier	Box Qty
6055/60 black	78060 8	60	400	bracket optional	6
6055/60 red	78061 5	60	400	bracket optional	6
6055/60 MOVISTAR TEAM	78062 2	60	400	bracket optional	6
6055/85 black SH	78063 9	85	500	SH 6055	6
6055/85 red SH	78064 6	85	500	SH 6055	6
Bracket SH 6055	78066 0		60	replacement bracket	6

BORDO Combo™ Lite 6150



Security Level



Features



ombo adjust



Technical Data

- Special steel design, with colour-coordinated plastic casing to prevent damage to paintwork
- The bars and housing are manufactured using particularly lightweight materials and steel alloys
- Bars connected with special rivets
- Two-component number reels guarantee long-term readability of the digits
- Individually configurable code

Technology











Ref. No.	EAN 4003318	€ cm	Weight g	Carrier	Box Qty
6150/85 black	51799 0	85	520	ST 6050/85	6
Bracket ST 6050/85	52909 2		105	replacement bag	1

CHAIN LOCKS



PRODUCT NOVELTIES



IVY TEX SERIES

The locks of the new IvyTex lock series are the perfect products for intensive daily use. The long-lasting, highly flexible high-tech mesh is weather-resistant and hydrophobic. That means that liquids like water or oil aren't absorbed by the fabric. Convince yourself of the many advantages and test the locks of the IvyTex series. The following products are available in our catalogue:





IVY CHAIN 9210



88694 2	2	9210/85	black	85 cm	Page 49
886911	2	9210/110	black	110 cm	Page 49
88692 8	1	9210/140	black	140 cm	Page 49
88693 5	1	9210/170	black	170 cm	Page 49

IVEN CHAIN 8210



55152 9	2	8210/85	black	85 cm	Page 54
55153 6	2	8210/110	black	110 cm	Page 54
88288 3	2	8210/140	black	140 cm	Page 54

6210



86739 2	6	6210/75	black	75 cm	Page 60
86738 5	6	6210/110	black	110 cm	Page 60





IVERA CHAIN 7210 COLOR



87777 3	2	7210/85	sparkling orange	85 cm	Page 55
87778 0	2	7210/85	racing yellow	85 cm	Page 55
87779 7	2	7210/85	diving blue	85 cm	Page 55
87780 3	2	7210/85	crossing grey	85 cm	Page 55
87783 4	2	7210/110	sparkling orange	110 cm	Page 55
87782 7	2	7210/110	racing yellow	110 cm	Page 55
87784 1	2	7210/110	diving blue	110 cm	Page 55
87781 N	2	7210/110	crossing gray	110 cm	Dago 55









IVERA CHAIN 7210



55141 3	2	7210/85	black	85 cm	Page 56
55142.0	2	7210/110	hlack	110 cm	Dago 56



Ref. No.	EAN 4003318	⊕	<u>•0000</u>	Weight g	Carrier	Box Qty
		mm	cm			
1060/85 black	28678 0	10	85	2100		2
1060/110 black	28623 0	10	110	2650		2
1060/140 black	28624 7	10	140	3260		2
1060/170 black	28625 4	10	170	3750		2

GRANIT CityChain XPlus™ 1060



Security Level



Features



XPIus™

Technology











Test Seals



















Technical Data

- 10 mm hexagonal chain with textile sleeve to protect against damage to the paintwork
- ${\boldsymbol \cdot}$ ABUS Power Cell technology offers the highest level of protection against impacts and attempts to break open the lock
- ABUS Power Link technology enables the chain to be connected directly to the Power Cell
- · Interwoven coating of the lock body to protect against brutal methods of
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- · ABUS XPlus cylinder for the highest level of protection against tampering, e.g. picking
- Cover to protect the keyhole from contamination

1) Class C



Ref. No.	EAN 4003318	**	€0000	Weight	Carrier	Box Qty
		mm	cm			
9210/85 black	88691 1	10	85	2440		2
9210/110 black	88692 8	10	110	3000		2
9210/140 black	88693 5	10	140	3650		1
9210/170 black	88694 2	10	170	4400		1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 l	1

IVY Chain 9210



Technology





Test Seals










Technical Data

- 10 mm square chain with new functional, durable and highly flexible synthetic fibre sleeve prevents damage to paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Ergonomically-shaped lock body
- Comes with a user-friendly reversible key



Ref. No.	EAN 4003318	⊕ † mm	•••••	Weight g	Carrier	Box Qty
1010/85 black	33559 4	9	85	1850		2
1010/110 black	12042 8	9	110	2200		2
1010/140 black	12527 0	9	140	2650		2
1010/170 black	12528 7	9	170	3200		2
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				Transportation bag: 1.8 l	1

hain locks

CityChain™ 1010



Security Level



Features



Plus

Technology









Test Seals

















Technical Data

- 9 mm hexagonal chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Automatic cover for the keyhole against dirt and corrosion

1) Class B

* 1010/110 black

Steel-O-Chain™ 9809

Security Level



Features



Plus



Technical Data

- 9 mm thick square chain with textile sleeve that prevents damage to
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Automatic cover for the keyhole against dirt and corrosion
- ABUS Plus cylinder for high protection against manipulations, e.g. picking

Technology









Ref. No.	EAN 4003318	⊕ mm	<u>•∞∞∞</u> cm	Weight g	Carrier	Box Qty
			CIII			
9809/85 black	78079 0	9	85	2100		2
9809/110 black	78080 6	9	110	2600		2
9809/140 black	78081 3	9	140	3100		2
9809/170 black	78082 0	9	170	3700		2

Steel-O-Chain™ 9808



Security Level



Features



Plus

Technical Data

- 8 mm thick square chain
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Automatic keyhole cover to prevent corrosion and the ingress of dirt
- ABUS Plus cylinder for high protection against manipulation attempts, e.g., picking

Technology

















Ref. No.	EAN 4003318		<u>•0000</u>	Weight g	Carrier	Box Qty
	4003310	mm	cm	8		4-3
9808/85 black	78075 2	8	85	1750		2
9808/110 black	78076 9	8	110	2550		2
9808/140 black	78077 6	8	140	2800		2
9808/170 black	88507 5	8	170	3210		2

IVEN Chain 8210

Security Level



Features





Technical Data

- 8 mm square chain with a functional, durable and highly flexible IvyTex synthetic fibre sleeve prevents damage to paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel
- Lock body with Softcase Technology for easier handling and prevention of damage to paintwork

Technology

















Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
8210/85 black	55152 9	8	85	1800		2
8210/110 black	55153 6	8	110	2200		2
8210/140 black	88288 3	8	140	3185		2
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

Chain locks

IVERA Chain 7210 color







sparkling orange



diving blue





Security Level



Features





Technical Data

- 7 mm square chain with functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The sleeve offers very high protection against abrasion and does not absorb any liquids e.g. water or oil
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel





Ref. No.	EAN	Φ	€0000	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
7210/85 sparkling orange	87777 3	7	85	1280		2
7210/85 racing yellow	87778 0	7	85	1280		2
7210/85 diving blue	87779 7	7	85	1280		2
7210/85 crossing grey	87780 3	7	85	1280		2
7210/110 sparkling orange	87783 4	7	110	1680		2
7210/110 racing yellow	87782 7	7	110	1680		2
7210/110 diving blue	87784 1	7	110	1680		2
7210/110 crossing grey	87781 0	7	110	1680		2

IVERA Chain 7210

Security Level



Features







Technical Data

- 7 mm square chain with a functional, durable and highly flexible lvyTex synthetic fibre sleeve prevents damage to paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel

Technology







Ref. No.	EAN 4003318	⊕ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
7210/85	55141 3	7	85	1300		2
7210/110	55142 0	7	110	1500		2
Ivera RBU bracket	58497 8			125	for 7200, 7210, 7220 Ivera	1
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

Steel-O-Chain™ 8807



Technical Data

- 7 mm thick square chain with textile sleeve that prevents damage to paintwork
- The chain, the lock body and supporting elements of the locking mechanism are made of specially hardened steel

Technology







Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
8807K/85 black	71195 4	7	85	1600	ST 2250	2
8807K/110 black	82519 4	7	110	1900	ST 2250	2
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

Tresor 1385



Technical Data

- 7 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of specially hardened steel
- Two component moulded digits guarantee life-long visibility
- Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- Individually settable code

Technology



* Security Level 6

Ref. No.	EAN 4003318	∳ mm	<u>•∞∞</u>	Weight g	Carrier	Box Qty
Tresor 1385/85 black	48566 4	7	85	1050		2
Tresor 1385/85 aqua	48567 1	7	85	1050		2
Tresor 1385/85 coral	48568 8	7	85	1050		2
Tresor 1385/85 brown	48569 5	7	85	1050		2
Tresor 1385/110 black	48628 9	7	110	1350		2
Tresor 1385/75 black*	51133 2	6	75	750		6
Tresor 1385/75 Neon green*	71263 0	6	75	750		6
Tresor 1385/75 Neon blue*	71262 3	6	75	750		6
Tresor 1385/75 Neon orange*	71264 7	6	75	750		6
Tresor 1385/75 Neon pink*	71265 4	6	75	750		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

Tresor 1385 Color







blue mask



grey lightning



cherry heart



Security Level



Features



Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain is made of specially hardened steel
- Two component moulded digits guarantee life-long visibility
- $\boldsymbol{\cdot}$ Special touch protection for higher security against unauthorized access to the code through manipulation of the mechanism
- · Individually settable code



Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
Tresor 1385/75 grey star	88010 0	6	75	750		6
Tresor 1385/75 blue mask	88011 7	6	75	750		6
Tresor 1385/75 grey lightning	88012 4	6	75	750		6
Tresor 1385/75 cherry heart	88013 1	6	75	750		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 l	1



6210

Security Level



Features





Technical Data

- 6 mm square chain with functional, long-life and highly-flexible mesh sleeve to prevent damage to the bicycle's paintwork
- The sleeve offers very high protection against abrasion and does not absorb any liquids e.g. water or oil
- The chain, the case as well as supporting elements of the locking mechanism are made of special hardened steel





Ref. No.	EAN 4003318	⊕ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
6210/75 black	86739 2	6	75	850		6
6210/110 black	86738 5	6	110	950		6

Expedition-Chain 70/45/6 KS



Security Level



Features



Technical Data

- ${\boldsymbol{\cdot}}$ 6 mm square chain with textile sleeve to protect against damage to the paintwork
- The chain is made of specially hardened steel
- $\boldsymbol{\cdot}$ Extra protection against corrosion on the lock and the cylinder
- ABUS quality locking cylinder

Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
70/45/6KS85 black	27950 8	6	85	880		6
70/45/6KS110 black	28679 7	6	110	1090		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 I	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

Catena 6806

Security Level



Features





Versions



Technical Data

- 6 mm thick square chain with textile sleeve that prevents damage to paintwork
- The chain is made of specially hardened steel

Technology





Ref. No.	EAN 4003318	Φ	<u>•0000</u>	Weight g	Carrier	Box Qty
		mm	cm			
6806K/75 black	82510 1	6	75	850	ST 2250	6
6806K/75 aqua	82516 3	6	75	850	ST 2250	6
6806K/75 brown	82518 7	6	75	850	ST 2250	6
6806K/75 coral	82517 0	6	75	850	ST 2250	6
6806K/110 black	82511 8	6	110	950	ST 2250	6
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1
Alarmbox+6806K/75 black	82363 3					4

Catena 6806 Color







grey star



blue mask





Security Level



Features



Technical Data

- 6 mm square chain with fabric sleeve to prevent damage to the bicycle's
- The chain as well as case are made of special hardened steel

Technology





Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u>	Weight g	Carrier	Box Qty
6806/75 grey star	87773 5	6	75	850		6
6806/75 blue mask	87774 2	6	75	850		6
6806/75 grey lightning	87775 9	6	75	850		6
6806/75 cherry heart	87776 6	6	75	850		6

Catena 6806 Neon

Security Level





Versions





orange

Technical Data

- 6 mm square chain with textile sleeve to protect against damage to the paintwork
- The chain and the housing are made of specially hardened steel

Technology





Ref. No.	EAN 4003318	∯ mm	<u>•∞∞∞</u> cm	Weight g	Carrier	Box Qty
6806K/75 Neon blue	82513 2	6	75	850	ST 2250	6
6806K/75 Neon green	82514 9	6	75	850	ST 2250	6
6806K/75 Neon orange	82515 6	6	75	850	ST 2250	6
6806K/75 Neon pink	82512 5	6	75	850	ST 2250	6
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 I	1

uGrip™ Chain 585

Versions





Security Level



Features



Technical Data

- 5 mm square chain with a modern design
- Innovative, elastomer sleeve with soft-touch properties provides protection against damage to paintwork
- The chain is made of special steel



Ref. No.	EAN 4003318	₩	<u>•0000</u>	Weight	Carrier	Box Qty
	4003318	mm	cm	g		ŲĽ
585/75 black	58458 9	5	75	550		6
585/75 lime	58459 6	5	75	550		6
585/100 black	58463 3	5	100	685		6
585/100 lime	58464 0	5	100	685		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1

Steel-O-Chain™ 5805K

Security Level



Features







Technical Data

- 5 mm square chain with textile sleeve to protect against damage to the paintwork
- The chain is made of specially hardened steel



Ref. No.	EAN 4003318	Φ	0000	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
5805K/75 blue	72490 9	5	75	590		6
5805K/75 red	72489 3	5	75	590		6
5805K/75 lime	72491 6	5	75	590		6
5805K/75 pink	72492 3	5	75	590		6
5805K/75 black	71205 0	5	75	590		6
5805K/110 black	72493 0	5	110	780		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 l	1

Steel-O-Chain™ 5805C

Versions



blue



ed



lime



pink



Security Level



Features



Combo adjus

Technical Data

- 5 mm thick square chain with textile sleeve that prevents damage to paintwork
- The chain is made of special steel
- Two-component number reels guarantee long-term readability of the digits
- The number code can be set individually



Ref. No.	EAN 4003318	Φ	<u>00000</u>	Weight	Carrier	Box Qty
	4005510	mm	cm	g		Ąty
5805C/75 blue	72494 7	5	75	500		6
5805C/75 red	72495 4	5	75	500		6
5805C/75 lime	72496 1	5	75	500		6
5805C/75 pink	72497 8	5	75	500		6
5805C/75 black	71206 7	5	75	500		6
5805C/110 black	72498 5	5	110	720		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 I	1
ST 2200	08470 6				transportation bag: 1.2 l	1
ST 2250	08469 0				transportation bag: 1.8 l	1

Steel-O-Chain™ 4804K


Security Level



Features







Technical Data

- 4 mm thick square chain with textile sleeve that prevents damage to paintwork
- The chain is made of specially hardened steel



Ref. No.	EAN 4003318	Φ	<u>00000</u>	Weight	Carrier	Box
	4003318	mm	cm	g		Qty
4804K/75 blue	72484 8	4	75	380		6
4804K/75 red	72485 5	4	75	380		6
4804K/75 lime	72486 2	4	75	380		6
4804K/75 pink	72487 9	4	75	380		6
4804K/75 black	72483 1	4	75	380		6
4804K/110 black	72488 6	4	110	520		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 I	1

Steel-O-Chain™ 4804C SYMBOLS





Technical Data

- 4 mm square chain with fabric sleeve to prevent damage to the bicycle's paintwork
- The chain is made of special hardened steel
- Playful easy use for children due to symbols instead of digits
- · Individually settable code



Ref. No.	EAN 4003318	∯ mm	•0000 CM	Weight g	Carrier	Box Qty
4804C/75 blue SYMBOLS	86809 2	4	75	360		6
4804C/75 pink SYMBOLS	86810 8	4	75	360		6
4804C/75 red SYMBOLS	87499 4	4	75	360		6
4804C/75 lime SYMBOLS	87498 7	4	75	360		6

Steel-O-Chain™ 4804C

Security Level



Features



Combo adjust



Technical Data

- 4 mm thick square chain with textile sleeve that prevents damage to paintwork
- The chain is made of special hardened steel
- Individually settable code



Ref. No.	EAN 4003318	Φ	€0000	Weight	Carrier	Box
	4003316	mm	cm	g		Qty
4804C/75 blue	71616 4	4	75	360		6
4804C/75 red	72468 8	4	75	360		6
4804C/75 lime	72480 0	4	75	360		6
4804C/75 pink	72481 7	4	75	360		6
4804C/75 black	71617 1	4	75	360		6
4804C/110 black	72482 4	4	110	480		6
ST 2012 Chain Bag	58496 1			188	transportation bag: 0.6 l	1
ST 2200	08470 6				transportation bag: 1.2 I	1

1500 Web



Technical Data

- 4 mm round chain with textile sleeve to protect against damage to the paintwork
- The chain is made of special steel



ef. No.	EAN 4003318	₩	<u>•0000</u>	Weight	Carrier	Box Qty
	4003510	mm	cm	g		ŲĽ
1500/60 web black	56345 4	4	60	230		12
1500/60 web lime	56344 7	4	60	230		12
1500/60 web orange	56920 3	4	60	230		12
1500/60 web red	56343 0	4	60	230		12
1500/60 web white	56921 0	4	60	230		12
1500/60 web coral	57895 3	4	60	230		12
1500/60 web color	57658 4	4	60	230		12
1500/110 web black	56346 1	4	110	360		12
1500/110 web color	57659 1	4	110	360		12

1200 Web

Security Level





Versions





orange





white



Technical Data

- 4 mm thick rounded chain with textile sleeve to prevent damage to paintwork
- The chain is made of specially hardened steel



Ref. No.	EAN 4003318	⊕ mm	• <u>••••</u>	Weight g	Carrier	Box Qty
1200/60 web black	56341 6	4	60	200		12
1200/60 web lime	56340 9	4	60	200		12
1200/60 web orange	56922 7	4	60	200		12
1200/60 web red	56339 3	4	60	200		12
1200/60 web white	56924 1	4	60	200		12
1200/60 web coral	57893 9	4	60	200		12
1200/60 web color	57656 0	4	60	200		12
1200/110 web black	56342 3	4	110	330		12
1200/110 web color	57657 7	4	110	330		12

My first ABUS 1510 Security Department



Technical Data

- 4 mm thick square chain with textile sleeve that prevents damage to
- Very easy handling due to automatic cylinders closing on both sides
- Two reversible keys and lanyard

Ref. No.	EAN 4003318		<u>00000</u>	Weight g	Carrier	Box Qty
		mm	cm	ь		4-5
1510/60 Security Department	78098 1	4	60	280		6

My first ABUS 1510 Fire Department



Technical Data

- 4 mm thick square chain with textile sleeve that prevents damage to
- Very easy handling due to automatic cylinders closing on both sides
- Two reversible keys and lanyard

Ref. No.	EAN 4003318		<u>00000</u>	Weight	Carrier	Box Oty
		mm	cm	8		4-3
1510/60 Firefighter	78099 8	4	60	280		6



STEEL-O-FLEX™ LOCKS





Steel-0-Flex™ 950

Security Level



Features



Plus



Double Protection



UGH 02



Technical Data

- 25 mm thick, overlapping steel shells protect the internal steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- $\boldsymbol{\cdot}$ ABUS Plus cylinder for high protection against manipulations, e.g. picking
- Manually operated cover for the keyhole against dirt and corrosion

Technology









Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
950/100	25715 5	25	100	1540		2
UGH 02	26624 9			80	for 950, 970, 1025, 1050, 8200, 8220, 7200, 7220	1

IVEN Steel-O-Flex™ 8200



Technical Data

- $\,\cdot\,$ 25 mm thick, overlapping steel shells protect the internal steel cable
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Ergonomic lock body with softcase technology to prevent damage to the bicycle's paintwork

Technology







Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
8200/85	55148 2	25	85	1340		6
8200/110	55149 9	25	110	1580		2
UGH 02	26624 9			80	for 950, 970, 1025, 1050, 8200, 8220, 7200,	1
					7220	

IVERA Steel-O-Flex™ 7200

Security Level



Features





Double Protection



IVERA RBU



Technical Data

- 22 mm thick, overlapping steel shells protect the internal steel cable
- New, functional, durable and highly flexible synthetic sleeve prevents damage to paintwork
- The steel shells, the housing and the structural parts of the locking mechanism are manufactured using specially hardened steel

Technology







Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
7200/85	55137 6	22	85	700		6
7200/110	55138 3	22	110	860		6
7200/85 + RBU	55139 0	22	85	840	RBU	6
7200/110 + RBU	55140 6	22	110	860	RBU	6
Ivera RBU bracket	58497 8			125	for 7200, 7210, 7220 IVERA	1

Centuro 860



Security Level



Features





Double Protection



QuickSnap RBU



QuickSnap

Technical Data

- 20 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- The steel shells, the case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology









Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
860/85 QS RBU	31493 3	20	85	825	QuickSnap RBU	6
860/110 QS RBU	31494 0	20	110	980	QuickSnap RBU	6
860/85 QS	31528 2	20	85	840	QuickSnap	6
860/110	31496 4	20	110	980		6
860/85	31495 7	20	85	780		6

PHANTOM™ 8960

Security Level



Features





Double Protection



Features



TexKF



KF



TexFL



FL

Technical Data

- 17 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- The shells, body and the structural parts of the locking mechanism are made of specially hardened steel
- ullet ABUS Extra Classe (EC) automatic cylinder with coded reversible key

Technology









Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm			
8960/85 TexFL	39680 9	17	85	720	TexFL	6
8960/110 TexFL	39683 0	17	110	920	TexFL	6
8960/85 FL	39681 6	17	85	700	FL	6
8960/110 FL	39682 3	17	110	900	FL	6
8960/85 Twinset TexFL	39809 4	17	85	720 each	TexFL	6
8960/110 TexKF	79043 0	17	110	910	TexKF	6
8960/85 TexKF	79045 4	17	85	710	TexKF	6
8960/110 KF	78596 2	17	110	900	KF	6
8960/85 KF	78595 5	17	85	700	KF	6
8960/85 Twinset TexKF	79046 1	17	85	710 each	TexKF	6

Steel-O-Flex™ Raydo Pro 1460



Technical Data

- 20 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- ${f \cdot}$ The steel sleeves are manufactured using specially hardened steel
- Individually configurable code
- Press'n Shine function LED-lit number reel for easy handling in the dark

Technology





Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1460/85 TexKF	59217 1	20	85	780	TexKF	6
1460/85 KF	59216 4	20	85	780	KF	6

Steel-O-Flex™ Tresor 1360

Security Level



Features



Combo adjust



Double Protection



Technical Data

- 20 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Two-component number reels ensure long-term readability of the digits
- Special touch protection for increased security against unauthorised access to the code through manipulation of the mechanism
- Dark-touch function facilitates use in the dark thanks to special imprinting
- Individually configurable code

Technology





Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
		mm	cm			7-5
1360/85 black	42935 4	20	85	680		6
1360/110 black	42934 7	20	110	880		6



Features









Technical Data

- 15 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Double Hotelion Sell						
Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
6615K/85/15 black	13410 4	15	85	540		6
6615K/85/15 black SCMU	13408 1	15	85	540	SCMU	6
6615K/85/15 black SCLL	86174 1	15	85	540	SCLL	6
6615K/120/15 black	13412 8	15	120	720		6
6615K/120/15 black SCMU	13409 8	15	120	700	SCMU	6
6615K/120/15 black SCLL	86172 7	15	120	720	SCLL	6

Tresorflex 6615C

Security Level



Features



Double Protection



SCMU





Technical Data

- 15 mm thick, overlapping steel shells protect the internal steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Two-component number reels ensure long-term readability of the digits
- Special touch protection for increased security against unauthorised access to the code through manipulation of the mechanism
- Dark-touch function facilitates use in the dark thanks to special imprinting
- Individually configurable code



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
6615C/85/15 black	13659 7	15	85	560		6
6615C/85/15 black SCMU	13657 3	15	85	705	SCMU	6
6615C/85/15 black SCLL	86173 4	15	85	560	SCLL	6
6615C/120/15 black	13780 8	15	120	720		6
6615C/120/15 black SCMU	13658 0	15	120	875	SCMU	6
6615C/120/15 black SCLL	86171 0	15	120	720	SCLL	6

COIL CABLE- & CABLE LOCKS







Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
8950/180 KF	39685 4	12	180	645	KF	6
8950/180 TexKF	39684 7	12	180	655	TexKF	6
8950/180 TexFL	39802 5	15	180	665	TexFL	6

TexFL

PHANTOM™ 8950



Technology





Technical Data

- 12 or 15 mm thick, high-quality and super flexible spiral cable
- Plastic coating in matte black look to prevent damage to the bicycle's
- ABUS Extra Classe (EC) automatic cylinder with coded reversible key

Winner 885

Security Level



Features







Technical Data

- 9.5 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork



Ref. No.	EAN 4003318	Q		Weight g	Carrier	Box Qty
		mm	cm			1-5
885/185 black KF	10374 2	9,5	185	600	KF	6

Raydo Pro 1450



Technical Data

- 12 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Individually configurable code
- $\boldsymbol{\cdot}$ Press'n Shine function LED-lit number reel for easy handling in the dark





Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1450/185 black TexKF	59214 0	12	185	718	TexKF	6
1450/185 black KF	59213 3	12	185	684	KF	6

Booster 6512K

Security Level



Features





SCMU



Technical Data

- 12 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
6512K/180/12 black	13400 5	12	180	540		6
6512K/180/12 black SCMU	13399 2	12	180	540	SCMU	6
6512K/180/12 black SCLL	86170 3	12	180	540	SCLL	6

Tresor 6512C

Security Level



Features



Combo adjust



SCMU

 SCLL



Technical Data

- 12 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork
- 2-component number reels guarantee long-term readability of the digits
- · Individually configurable code



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
6512C/180/12 black	13415 9	12	180	550		6
6512C/180/12 black SCMU	13414 2	12	180	715	SCMU	6
6512C/180/12 black SCLL	86169 7	12	180	715	SCLL	6



Features





SCMU



Technical Data

- 10 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
5510K/180/10 black	14260 4	10	180	475		6
5510K/180/10 black SCMU	14245 1	10	180	520	SCMU	6
5510K/180/10 black SCLL	86168 0	10	180	475	SCLL	6

Numero 5510C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 10 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function facilitates use in the dark thanks to special imprinting
- Two-component number reels ensure long-term readability of the digits
- · Individually configurable code



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
5510C/180/10 black	16524 5	10	180	460		6
5510C/180/10 black SCMU	16523 8	10	180	500	SCMU	6
5510C/180/10 black SCLL	86167 3	10	180	460	SCLL	6

Primo 5510 Color

Security Level



Features





 SCMU



Technical Data

- 10 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology





Ref. No.	EAN 4003318	Q mm	© cm	Weight g	Carrier	Box Qty
5510K/180/10 pink SCMU	15856 8	10	180	520	SCMU	6
5510K/180/10 red SCMU	14473 8	10	180	520	SCMU	6
5510K/180/10 blue SCMU	14297 0	10	180	520	SCMU	6
5510K/180/10 lime SCMU	16482 8	10	180	520	SCMU	6

Numero 5510 Color

Security Level



Features



Combo adjust



SCMU



Technical Data

- 10 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function facilitates use in the dark thanks to special embossing
- Two-component number reels ensure long-term readability of the digits
- The number code can be set individually







	pink	blue			lime		
Ref. No.		EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
5510C/180/10 pink SCMU		16560 3	10	180	500	SCMU	6
5510C/180/10 red SCMU		16526 9	10	180	500	SCMU	6
5510C/180/10 blue SCMU		16525 2	10	180	500	SCMU	6
5510C/180/10 lime SCMU		16562 7	10	180	500	SCMU	6







SCMU



Technical Data

- 8 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology





green



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
4508K/150/8 black	20016 8	8	150	280		12
4508K/150/8 black SCMU	20015 1	8	150	305	SCMU	12
4508K/150/8 color 3 per colour	20017 5	8	150	280		12

Star 4508C

Security Level



Features



Combo adjust



SCMU



pink

Technical Data

- 8 mm thick, high-quality and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function facilitates use in the dark thanks to special imprinting
- · Individually configurable code










Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
4508C/150/8 black	20019 9	8	150	260		12
4508C/150/8 black SCMU	20018 2	8	150	385	SCMU	12
4508C/150/8 color 3 per colour	20078 6	8	150	260		12

1950

Security Level





Technical Data

- 7.5 mm thick and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology









Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
1950/180 black	07356 4	7,5	120	280		12
1950/120 black	07355 7	7,5	120	260		12
1950/120 colour 4 per colour	05384 9	7,5	120	260		12

1950 Kids





Features





Technical Data

- 7.5 mm thick and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork







Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
		mm	cm	8		4-5
1950/120 Kids 3 per colour	43160 9	7,5	120	260		12





Technical Data

- 7 mm thick and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
1150/120 black	08550 5	7	120	178		12

1150 Kids

Security Level





Technical Data

- 7 mm thick and super flexible spiral cable
- Plastic coating to prevent damage to the bicycle's paintwork









Ref. No.	B. cc	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1150/120 Kids 3 per colour		43158 6	7	120	178		12

IVEN Cable 8220

Security Level



Features





UGH 02



Technical Data

- 22 mm thick, high-quality steel cable
- New, functional, durable and highly flexible Ivy synthetic-fibre coating to prevent damage to the paintwork
- The body and structural parts of the locking mechanism are manufactured using specially hardened steel
- Lock body with Softcase Technology for easier handling and prevention of damage to paintwork

Technology





Testsiegel



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
8220/85 black	55157 4	22	85	1120		2
UGH 02	26624 9			80	for 950, 970, 1025, 1050, 8200, 8220, 7200,	1
					7220	

IVERA Cable 7220



Security Level



Features





Technical Data

- 20 mm thick, high-quality steel cable
- New, functional, durable and highly flexible Ivy synthetic-fibre coating to prevent damage to the paintwork
- The body and structural parts of the locking mechanism are manufactured using specially hardened steel

Technology





Testsiegel



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
7220/85 black	55145 1	20	85	660		6
Ivera RBU bracket	58497 8			125	for 7200, 7210, 7220 IVERA	1

Catama 870

Security Level



Features





QuickSnap



Technical Data

- 20 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- The body and structural parts of the locking mechanism are manufactured using specially hardened steel



Ref. No.	EAN 4003318	Q		Weight	Carrier	Box Qty
	100001.0	mm	cm	8		4-3
870/85 black QuickSnap	31499 5	20	85	680	QuickSnap	6

oil cable- & able locks

PHANTOM™ 8940



Security Level



Features







TexKF



TexFL

Technical Data

- 15 or 17 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- ABUS Extra Classe automatic cylinder with coded reversible key





Ref. No.	EAN 4003318	<i>€</i> mm	© cm	Weight g	Carrier	Box Qty
8940/85 KF	39687 8	15	85	480	KF	6
8940/85 TexKF	39686 1	15	85	490	TexKF	6
8940/85 TexFL	39808 7	17	85	500	TexFL	6

Racer 6415K

Security Level



Features





SCMU



Technical Data

- 15 mm thick, high-quality super flexible steel coil cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
6415K/85/15 black	13406 7	15	85	420		6
6415K/85/15 black SCMU	13402 9	15	85	460	SCMU	6
6415K/85/15 black SCLL	86653 1	15	85	420	SCLL	6
6415K/120/15 black	13407 4	15	120	500		6
6415K/120/15 black SCMU	13405 0	15	120	540	SCMU	6

Tresor 6415C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 15 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function enables use in the dark, thanks to special number embossing
- Two-component number reels ensure long-term readability of the digits
- The number code can be set individually



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
6415C/85/15 black	13418 0	15	85	440		6
6415C/85/15 black SCMU	13416 6	15	85	480	SCMU	6
6415C/85/15 black SCLL	86654 8	15	85	440	SCLL	6
6415C/120/15 black	13420 3	15	120	520		6
6415C/120/15 black SCMU	13417 3	15	120	560	SCMU	6



Features





SCMU



Technical Data

- 12 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
5412K/85/12 black	16510 8	12	85	320		6
5412K/85/12 black SCMU	16509 2	12	85	360	SCMU	6
5412K/85/12 black SCLL	86166 6	12	85	320	SCLL	6

Numerino 5412C

Security Level



Features



Combo adjust



SCMU



Technical Data

- 12 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function enables use in the dark, thanks to special number embossing
- Two-component number reels ensure long-term readability of the digits
- The number code can be set individually



Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
5412C/85/12 black	16564 1	12	85	300		6
5412C/85/12 black SCMU	16563 4	12	85	340	SCMU	6
5412C/85/12 black SCLL	86165 9	12	85	300	SCLL	6

Primo 5412 Color

Security Level

Features



Technical Data

- 12 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology





	i c u	Diuc	Diuc		IIIIIC			
Ref. No.		EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty	
5412K/85/12 pink		16513 9	12	85	320		6	
5412K/85/12 red		16512 2	12	85	320		6	
5412K/85/12 blue		16511 5	12	85	320		6	
5412K/85/12 lime		16517 7	12	85	320		6	

Numerino 5412 Color



Features



Combo adjust



Technical Data

- 12 mm thick, high-quality steel cable
- Plastic coating to prevent damage to the bicycle's paintwork
- Dark-touch function enables use in the dark, thanks to special number embossing
- Two-component number reels ensure long-term readability of the digits
- The number code can be set individually







	PIIIK	reu		Diu	2		
Ref. No.		EAN 03318	4	O V cm	Veight g	Carrier	Box Qty
5412C/85/12 pink	20	013 7	12	85	300		6
5412C/85/12 red	20	012 0	12	85	300		6
5412C/85/12 blue	16	569 6	12	85	300		6
5412C/85/12 lime	20	014 4	12	85	300		6

uGrip™ Cable 560



Technical Data

- 8 mm thick steel cable
- Innovative, soft-touch elastomer coating to prevent damage to the naintwork



Ref. No.	EAN 4003318	Q		Weight g	Carrier	Box Qty
	4003510	mm	cm	ь		4-3
560/65 lime	58476 3	8	65	300		6
560/65 red	58471 8	8	65	300		6
560/65 blue	58472 5	8	65	300		6
560/65 pink	58473 2	8	65	300		6
560/65 grey	58474 9	8	65	300		6
560/65 white	58475 6	8	65	300		6
560/65 black	58470 1	8	65	300		6



Features





Versions



red

Technical Data

- 8 mm thick steel cable
- Plastic coating to prevent damage to the bicycle's paintwork



Ref. No.	EAN 4003318	Q		Weight g	Carrier	Box Qty
		mm	cm			
650/65 black	28921 7	8	65	280		12
650/65 color 4 per colour	03619 4	8	65	280		12

Security Level Technical Data • 6 mm thick steel cable • Plastic coating to prevent damage to the bicycle's paintwork Features Technology blue EAN 4003318 Box Qty Ref. No. Weight Carrier $\mathbf{m}\mathbf{m}$ cm 1900/55 black 12818 9 140 6 12 55

02180 0

6


55

1900/55 color 4 per colour

1900 Kids

12

140



1100

Security Level





Technical Data

- 6 mm thick steel cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology





Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
1100/55 black	12817 2	6	55	120		12
1100/55 color 4 per colour	02556 3	6	55	120		12

silver

1100 Kids







orange



- 6 mm thick steel cable
- Plastic coating to prevent damage to the bicycle's paintwork

Technology





Ref. No.	EAN 4003318	<i>⋒</i>	cm	Weight g	Carrier	Box Qty
1100/55 Kids 3 per colour	43157 9	6	55	120		12

green

My first ABUS 1505

blue



Features



- 4 mm thick steel cable, extra soft braided, prevents the cable from springing back when opened
- Playfully easy handling for children with an automatic cylinder which closes on both sides
- Child-friendly ergonomics of the key and lock body
- Specially suited children's design in three colour options
- Two keys with a colourful keyring are included in the scope of delivery

Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
1505/55 blue	43302 3	4	55	200		12
1505/55 green	43300 9	4	55	200		12
1505/55 pink	43301 6	4	55	200		12

FRAME LOCKS AND BATTERY LOCKS



s and

PRODUCT NOVELTIES




SERVICE PRICELIST

Battery locks	Ref. No.	EAN 4003318	Frame lock <i>l</i> battery lock Set	Ref. No.	EAN 4003318
BMZ			Bosch		
0	BLO BMZ IT1 Plus	76925 2		5950 NR BK lose BLO BOS DT2 Plus	82988 8
Bosch			- D	5950 NR BK lose BLO BOS IT2.1 Plus	82989 5
9	BLO BOS DT2 T82	06074 8	- 0	5950 NR BK lose BLO BOS RT2 Plus	82990 1
200	BLO BOS DT2 T82 KeyType3 (asymetric)	72901 0	_ ^	5950 R BK lose BLO BOS DT2 Plus	82992 5
	BLO BOS DT2 Plus	33261 6		5950 R BK lose BLO BOS IT2.1 Plus	82993 2
	BLO BOS IT2.1 T82	71203 6		BLO BOS IIZ. I Plus	
U TO	BLO BOS IT2.1 Plus	71204 3	— <u>O</u> **	5950 R BK lose BLO BOS RT2 Plus	82994 9
	BLO BOS RT2 T82		$ \bigcirc$ \diamondsuit	5850 NR BK 0E BLO BOS DT2 T82	04093 1
- 41	4	06075 5		5850 R BK 0E BL0 BOS DT2 T82	04091 7
0	BLO BOS RT2 Plus	33262 3		5850 NR BK 0E BLO BOS IT2.1 T82	83196 6
Continental					
5	BLO CON DT T82	78059 2		5850 NR BK 0E BLO BOS RT2 T82	04092 4
	BLO CON IT1 Plus	77161 3		5850 R BK 0E BLO BOS RT2 T82	04090 0
Panasonic				5850 NR BK 0E BLO BOS DT2 + RT2 T82	76485 1
of the	BLO PAN DT1 T82	58776 4		5750L NR BK lose BLO BOS DT2 Plus	82984 0
	BLO PAN IT1 Plus	70743 8		5750L NR BK lose BLO BOS IT2.1 Plus	82985 7
Shimano				5750L R BK lose	02006 1
0	BLO SHI DT1 T82	37196 7		BLO BOS DT2 Plus	82986 4
0	BLO SHI IT1 T82	76539 1		5750L R BK lose BLO BOS IT2.1 Plus	82987 1
0	BLO SHI RT1 T82	36668 0		5650 NR BK 0E BLO BOS DT2 T82	04080 1
ZEG				5650 R BK 0E BLO BOS DT2 T82	03972 0
	BLO ZEG IT1 T82	70496 3		5650 NR BK 0E BLO BOS RT2 T82	04079 5
OF THE	BLO ZEG IT2 Plus	79119 2		5650 R BK 0E BLO BOS RT2 T82	03849 5

Frame lock / battery lock Set	Ref. No.	EAN 4003318	Frame lock / battery lock Set	Ref. No.	EAN 4003318
	5650L NR BK 0E BLO BOS DT2 T82	04084 9		5650 NR BK 0E BLO SHI RT1 T82	03848 8
	5650L R BK 0E BLO BOS DT2 T82	04082 5		5650 R BK 0E BLO SHI RT1 T82	03841 9
	5650L R BK 0E BLO BOS RT2 T82	04081 8		5650L NR BK 0E BLO SHI DT1 T82	71632 4
	5650L NR BK 0E BLO BOS DT2 + DT2 T82	76804 0		5650L NR BK 0E BLO SHI RT1 T82	03928 7
03	5650L R BK 0E BL0 B0S DT2 + DT2 T82	76803 3		5650L R BK 0E BLO SHI RT1 T82	03878 5
0	5650L NR BK 0E BLO BOS DT2 + RT2 T82	76802 6		4960 NR BK 0E BLO SHI DT1 T82	36770 0
0	4960 NR BK 0E BLO BOS DT2 T82	39637 3		4960 NR BK 0E BLO SHI RT1 T82	36769 4
D	4960 NR BK 0E BL0 B0S IT2.1 T82	83178 2	0		
04	4960 NR BK 0E BLO BOS RT2 T82	39636 6	Om		
	•		Frame lock /	Ref. No.	FΔN
O 4	4850 LH NR BK 0E BLO BOS RT2 T82	09598 6	Frame lock / battery lock Set Bosch	Ref. No.	EAN 4003318
04 04 04		09598 6	battery lock	Ref. No. 6405/85 BK lose SH BLO BOS DT2 Plus*	
Panasonic		09598 6	battery lock Set Bosch	6405/85 BK lose SH	4003318
Panasonic		09598 6	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH	4003318 78716 4
Panasonic Offi	BLO BOS RT2 T82		battery lock Set Bosch	6405/85 BK lose SH BLO BOS DTZ Plus* , 6405/85 BK lose SH BLO BOS IT2.1 Plus*	78716 4 83002 0
Panasonic Shimano	BLO BOS RT2 T82	04089 4	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus*	4003318 78716 4 83002 0 78717 1
	5850 NR BK 0E BLO PAN T82	04089 4	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus*	78716 4 83002 0 78717 1
	5850 NR BK 0E BLO PAN T82 5850 R BK 0E BLO SHI DT1 T82 5850 R BK 0E BLO SHI RT1 T82	04089 4 04595 0 03932 4	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus*	78716 4 83002 0 78717 1 83024 2
	5850 NR BK 0E BLO PAN T82 5850 R BK 0E BLO SHI DT1 T82 5850 R BK 0E BLO SHI RT1 T82	04089 4 04595 0 03932 4 71642 3	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus* 6015/90 BK lose SH BLO BOS IT2.1 Plus*	78716 4 83002 0 78717 1 83024 2 83001 3
	5850 NR BK OE BLO PAN T82 5850 R BK OE BLO SHI DT1 T82 5850 R BK OE BLO SHI RT1 T82	04089 4 04595 0 03932 4	battery lock Set Bosch	6405/85 BK lose SH BLO BOS DT2 Plus* 6405/85 BK lose SH BLO BOS IT2.1 Plus* 6405/85 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS DT2 Plus* 6015/90 BK lose SH BLO BOS IT2.1 Plus* 6015/90 BK lose SH BLO BOS RT2 Plus* 6015/90 BK lose SH BLO BOS RT2 Plus*	78716 4 83002 0 78717 1 83024 2 83001 3 83026 6

^{*} These products will be delivered without individual packaging



Ref. No.	EAN 4003318	mm	₩ mm	mm	Weight g	Carrier	Box Qty
5950 R black	77251 1	8,5	59	107	660		6
5950 R black OE	77253 5	8,5	59	107	680		15
5950 NR black 0E	77252 8	8,5	59	107	680		15
5950 NR black	77062 3	8,5	59	107	680		6
5950 NR black + 6KS/85 + ST5950	79230 4	8,5	59	107	680	ST 5950 incl.	1
5950 NR BK+ 6KS/100 + ST 5950	80786 2				1600	ST 5950 incl.	
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565, 52	6

PRO SHIELD™ Plus 5950

Versions



5950 + 6KS/85 + ST5950



Security Level

Technology







Test Seals











Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock
- ABUS Plus cylinder for high protection against manipulation attempts, e.g.
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

SHIELD™ Plus 5750L

Security Level



Features





۲Р



Clutching Strap LH



Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock housing
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out
- ABUS Plus cylinder for high protection against manipulation attempts, e.g. lock picking

Technology





Test Seals









Ref. No.	EAN 4003318	(i) mm	⊕ mm	mm	Weight g	Carrier	Box Qty
5750L NR BK 0E	79736 1	8,5	78	109	570		6
5750L R BK 0E	79737 8	8,5	78	109	570		6

4750X / XL





Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Extreme large aperture for extra wide tires
- $\boldsymbol{\cdot}$ Closing mechanism for easy attachment of accessory to the lock body
- The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder

Technology





Test Seals









1) applied for

Ref. No.	EAN 4003318	(i) mm	₩ mm	mm	Weight g	Carrier	Box Qty
4750 X NR BK 0E	86734 7	8,5	68	120	850		12
4750 X R BK 0E	86735 4	8,5	68	120	850		12
4750 XL NR BK 0E	86736 1	8,5	89	120	850		12
4750 XL R BK 0E	86737 8	8,5	89	120	850		12

4650X / XL

Security Level



Technical Data

- 8.5 mm steel shackle
- The case, the shackle as well as supporting elements of the locking mechanism are made of special hardened steel
- Extreme large aperture for extra wide tires
- $\boldsymbol{\cdot}$ Closing mechanism for easy attachment of accessory to the lock body
- The R (key retaining) version holds the key when the lock is open, the NR (non key retaining) version allows taking the key out of the cylinder

Technology



Test Seals









1) applied for

Ref. No.	EAN 4003318	₩ mm	₩ mm	mm	Weight g	Carrier	Box Qty
4650 X NR BK OE	86730 0	8,5	72	123	750		12
4650 XL NR BK 0E	86732 3	8,5	93	123	750		12
4650 XL R BK 0E	86733 0	8,5	93	123	750		12
4650 X R BK 0E	86731 6	8,5	72	123	750		12

PRO SHIELD™ 5850



Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock housing
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

Technology



Test Seals









1) only for R-versions

Ref. No.	EAN 4003318	mm	₩ mm	(I) mm	Weight g	Carrier	Box Qty
5850 R black	39697 7	8,5	59	107	660		6
5850 R black 0E	39698 4	8,5	59	107	680		16
5850 NR black	39699 1	8,5	59	107	680		6
5850 NR black OE	39700 4	8,5	59	107	680		16
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565,	6
						52	

119

SHIELD™ 5650

Security Level



Features





۲Н



Clutching Strap LH



Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock housing
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

Technology



Test Seals









Ref. No.	EAN 4003318	mm	₩ mm	mm	Weight g	Carrier	Box Qty
5650 R black 0E	39696 0	8,5	59	109	590		20
5650 R black	39695 3	8,5	59	109	590		6
5650 NR black OE	05184 5	8,5	59	109	600		20
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565, 52	6
5850/5650/4960 Chain 6KS/85 +	11271 3	6			880		6
ST5850							

SHIELD™ 5650L



Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock housing
- Extra large wheel travel (enlarged to standard version 5650)
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

Technology





Test Seals









Ref. No.	EAN 4003318	(i) mm	⊕ mm	mm	Weight g	Carrier	Box Qty
5650L R black 0E	39701 1	8,5	78	109	580		20
5650L NR black 0E	05185 2	8,5	78	109	580		20
5850/5650/4960 Chain 6KS/85 +	11271 3	6			880		6
ST5850							
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565, 52	6

SHIELD™ 565

Security Level



Features





۲Р



Clutching Strap LH



Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

Technology



Test Seals









Ref. No.	EAN 4003318	Ѿ mm	₩ mm	mm	Weight g	Carrier	Box Qty
565 R black	39691 5	8,5	59	109	600		6
565 R black OE	39692 2	8,5	59	109	600		20
565 NR black	39693 9	8,5	59	109	600		6
565 NR black OE	39694 6	8,5	59	109	600		20
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565, 52	6

Security Level



Features









Technical Data

- 8.5 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- Accessories can easily be fitted to the locking mechanism on the lock housing

Technology







4960 NR black + 6KS/85 & ST5850

Clutching Strap LH

Ref. No.	EAN 4003318	(in the second s	₩ mm	mm	Weight g	OK3/65 & 513850	Box Qty
4960 NR black	11260 7	8,5	59	109	520	LH	6
4960 NR black OE	11270 6	8,5	59	109	520	LH	18
4960 NR black + 6KS/85 & ST5850	112638	8,5	59	109	520	LH	3
Bracket SH	37552 1						6
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750, 5650, 565, 52	6
4960 NR BK OE BLO BOS DT2 T82	39637 3						

TECTIC™ 496

Security Level



Features





Clutching Strap LH adaptor



56240 2

Technical Data

• 8.5 mm thick locking shackle

for 5950, 5850, 5750, 5650, 565, 52

- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel
- In the R version, the key remains in the cylinder when the lock is opened; in the NR version, it can be pulled out

Technology





Ref. No.	EAN 4003318	(mm	mm	mm	Weight g	Carrier	Box Qty
496 NR black	11258 4	8,5	59	110	450	LH	6
496 NR black OE	11269 0	8,5	59	110	450	LH	24
496 R black OE	19457 3	8,5	59	110	450	LH	24
Bracket SH	37552 1						6

6

ADAPTOR CHAIN

Versions



Adaptor Chain + 5950



ST 5950



Technical Data

- 6 and 8 mm thick, square chain made of hardened steel
- Separate locking of the shackle is not necessary

Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
ACH 6KS/85 BK	11267 6	6	85	760		6
ACH 6KS/100 BK	18618 9	6	100	860		6
ACH 6KS/130 BK	01777 3	6	130	1140		6
ACH 8KS/85 BK	80782 4	8	85	1190		6
ACH 8KS/100 BK	80783 1	8	100	1400		6
ACH 6KS 85 BK + ST5950	82064 9	6	85	760	bag incl.	6
ACH 6KS 100 BK + ST5950	80785 5	6	100	1130	bag incl.	6
ACH 8KS 85 BK + ST5950	80784 8	8	85	1270	bag incl.	6

ADAPTOR CABLE



- 12 mm thick, high-quality steel cable
- Opens up a lot of opportunities for locking the bicycle on to a fixed object
- Suitable for use with frame locks 4960, 5850, 5650, 5750 and 5950

Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
ACL 12/100 BK	18243 3	12		416		6



Technical Data

- 8 mm thick locking shackle
- The shackle, the case as well as supporting elements of the locking mechanism are made of special hardened steel

Technology




Ref. No.	EAN 4003318	© mm	₩ mm	mm	Weight g	Carrier	Box Qty
52 LH R OE	55471 1	8	65	105	400	LH	28
52 LH NR OE	55323 3	8	65	105	400	LH	28
Clutching Strap LH adaptor	56240 2					for 5950, 5850, 5750,	6
						5650, 565, 52	

COMPONENT SECURITY








Ref. No.	EAN 4003318	Diameter mm	Height mm	Version	Weight g	Box Qty
NutFix M5 silver 2x Axle 100/135	72725 2	22	22,6	128/163	31	2
NutFix M5 violet 2x Axle 100/135	72726 9	22	22,6	128/163	31	2
NutFix M5 blue 2x Axle 100/135	72727 6	22	22,6	128/163	31	2
NutFix M5 red 2x Axle 100/135	72728 3	22	22,6	128/163	31	2
NutFix M5 black 2x Axle 100/135	72729 0	22	22,6	128/163	31	2
NutFix M5 orange 2x Axle 100/135	72730 6	22	22,6	128/163	31	2
NutFix M5 black Axle 100	76486 8	22	22,6	128	31	2
NutFix M5 black Axle 135	76492 9	22	22,6	163	31	2
NutFix M5 blue Axle 100	76487 5	22	22,6	128	31	2
NutFix M5 blue Axle 135	76493 6	22	22,6	163	31	2
NutFix M5 orange Axle 100	76488 2	22	22,6	128	31	2
NutFix M5 orange Axle 135	76494 3	22	22,6	163	31	2
NutFix M5 red Axle 100	76489 9	22	22,6	128	31	2
NutFix M5 red Axle 135	76495 0	22	22,6	163	31	2
NutFix M5 silver Axle 100	76490 5	22	22,6	128	31	2
NutFix M5 silver Axle 135	76496 7	22	22,6	163	31	2
NutFix M5 violet Axle 100	76491 2	22	22,6	128	31	2
NutFix M5 violet Axle 135	76497 4	22	22,6	163	31	2

NutFix™ Achsen-Set



orange

- Prevents wheel theft due to patented gravity technology
- Proven technology for a high level of picking protection
- ${\bf \cdot}\,$ Easy mounting with a standard wrench SW 8
- The anodised surfaces of the caps, available in a range of colours, provide long-term protection against corrosion
- Nuts manufactured from high-quality stainless steel



Ref. No.	EAN 4003318	Diameter mm	Height mm	Weight g	Box Qty
NutFix M9 silver	72681 1	26,5	25	80	2
NutFix M9 violet	72684 2	26,5	25	80	2
NutFix M9 blue	72685 9	26,5	25	80	2
NutFix M9 red	72686 6	26,5	25	80	2
NutFix M9 black	72687 3	26,5	25	80	2
NutFix M9 orange	72688 0	26,5	25	80	2
NutFix M10 silver	72689 7	26,5	25	71	2
NutFix M10 violet	72690 3	26,5	25	71	2
NutFix M10 blue	72691 0	26,5	25	71	2
NutFix M10 red	72692 7	26,5	25	71	2
NutFix M10 black	72693 4	26,5	25	71	2
NutFix M10 orange	72694 1	26,5	25	71	2
NutFix 3/8" silver	72695 8	26,5	25	49	2
NutFix 3/8" violet	72696 5	26,5	25	49	2
NutFix 3/8" blue	72697 2	26,5	25	49	2
NutFix 3/8" red	72698 9	26,5	25	49	2
NutFix 3/8" black	72699 6	26,5	25	49	2
NutFix 3/8" orange	72700 9	26,5	25	49	2

NutFix™

Versions



silver



violet



red




black



orange



- $\boldsymbol{\cdot}$ Secure locking thanks to innovative gravitation technology
- $\boldsymbol{\cdot}$ Proven technology for a high level of picking protection
- Can be installed using a standard SW 15 open-end spanner
- The anodised surfaces of the caps, available in a range of colours, provide long-term protection against corrosion
- Nuts manufactured from high-quality stainless steel



Ref. No.	EAN 4003318	Diameter mm	Height mm	Version	Weight g	Box Qty
NutFix M5 silver SPC 28,6 BK	72701 6	22	22,6	Ø 28,6 mm	31	2
NutFix M5 violet SPC 28,6 BK	72702 3	22	22,6	Ø 28,6 mm	31	2
NutFix M5 blue SPC 28,6 BK	72703 0	22	22,6	Ø 28,6 mm	31	2
NutFix M5 red SPC 28,6 BK	72704 7	22	22,6	Ø 28,6 mm	31	2
NutFix M5 black SPC 28,6 BK	72705 4	22	22,6	Ø 28,6 mm	31	2
NutFix M5 orange SPC 28,6 BK	72706 1	22	22,6	Ø 28,6 mm	31	2
NutFix M5 silver SPC 30,0 BK	72707 8	22	22,6	Ø 30,0 mm	31	2
NutFix M5 violet SPC 30,0 BK	72708 5	22	22,6	Ø 30,0 mm	72	2
NutFix M5 blue SPC 30,0 BK	72709 2	22	22,6	Ø 30,0 mm	31	2
NutFix M5 red SPC 30,0 BK	72712 2	22	22,6	Ø 30,0 mm	31	2
NutFix M5 black SPC 30,0 BK	72710 8	22	22,6	Ø 30,0 mm	31	2
NutFix M5 orange SPC 30,0 BK	72711 5	22	22,6	Ø 30,0 mm	31	2
NutFix M5 silver SPC 31,8 BK	72713 9	22	22,6	Ø 31,8 mm	31	2
NutFix M5 violet SPC 31,8 BK	72714 6	22	22,6	Ø 31,8 mm	31	2
NutFix M5 blue SPC 31,8 BK	72715 3	22	22,6	Ø 31,8 mm	31	2
NutFix M5 red SPC 31,8 BK	72716 0	22	22,6	Ø 31,8 mm	31	2
NutFix M5 black SPC 31,8 BK	72717 7	22	22,6	Ø 31,8 mm	31	2
NutFix M5 orange SPC 31,8 BK	72718 4	22	22,6	Ø 31,8 mm	31	2
NutFix M5 silver SPC 34,9 BK	72719 1	22	22,6	Ø 34,9 mm	31	2
NutFix M5 violet SPC 34,9 BK	72720 7	22	22,6	Ø 34,9 mm	31	2
NutFix M5 blue SPC 34,9 BK	72721 4	22	22,6	Ø 34,9 mm	31	2
NutFix M5 red SPC 34,9 BK	72722 1	22	22,6	Ø 34,9 mm	31	2
NutFix M5 black SPC 34,9 BK	72723 8	22	22,6	Ø 34,9 mm	67	2
NutFix M5 orange SPC 34,9 BK	72724 5	22	22,6	Ø 34,9 mm	31	2

NutFix™ SPC

Versions violet

black

orange

- Prevents saddle theft due to patented gravity technology
- Proven technology for a high level of picking protection
- Easy mounting with a standard wrench SW 8
- The anodised surfaces of the caps, available in a range of colours, provide long-term protection against corrosion
- Nuts manufactured from high-quality stainless steel

SPECIAL SECURITY



PRODUCT NOVELTIES



Alarmbox

Versions



Alarmbox Blue











- Alarm function with min. 100 dB for 15 seconds, thereafter automatic
- \cdot 3D position detection senses impacts and small movements in all dimensions and triggers alarm
- $\boldsymbol{\cdot}$ Intelligent alarm after short or small movements e.g. from a football etc. the lock gives a short warning signal
- Incl. CR2 battery
- Secure mounting on the bike





Ref. No.	EAN 4003318		Weight g	Carrier	Box Qty
Alarmbox blue	82364 0		370	mounting material incl.	4
Alarmbox black	88689 0		370	mounting material incl.	4
Alarmbox+6806K/75 black	82363 3				4

Special security

Universal 875



Security Level



Features



- 9.5 mm thick, high quality and very flexible coil cable
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318	<i>Q</i> mm	cm	Weight g	Carrier	Box Qty
875/500 black	04311 6	9,5	500	1200		3
875/350 black	04309 3	9,5	350	900		3

Multiloop 210

Security Level



Features





- 10 mm thick premium steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Integrated adapter in the body for a conversion from one loop to a double-loop cable

Ref. No.	EAN 4003318			Weight g	Carrier	Box Qty
		mm	cm	ь		4-5
210/185 black	52524 7	10	185	680		6

Security Level





Technical Data

- 8 mm strong premium steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Integrated adapter in the body for a conversion from one loop to a double-loop cable
- · Individually settable code

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	Cm	Weight g	Carrier	Box Qty
215/185 black	58477 0	8	185	500		6

Combiloop 205

Security Level





Technical Data

- 5 mm thick steel cable
- Synthetic coating to prevent damage to the bicycle's paintwork
- Automatic locking at insertion of the locking bolt
- · Individually settable code

Technology



Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
205/200 black	52523 0	5	200	180		12

Combiflex™





Technical Data

- Automatically rolling up cable
- Individually settable code
- $\boldsymbol{\cdot}$ Case in attractive mobile phone format

Technology







Ref. No.	EAN 4003318	mm	(m)	Weight g	Box Qty
2503/120	72501 2	2,5	120	89	3
2502/85	72500 5	2	85	80	3
2501/65	72499 2	1,6	65	54	3



Technical Data

- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318	<i>Q</i> mm	© cm	Weight g	Carrier	Box Qty
Cobra 5/75 black	37106 6	5	75	75		24
Cobra 8/200 black	25718 6	8	200	280		24
Cobra 8/250 black	27390 2	8	250	395		16
Cobra 10/140 black	37107 3	10	140	310		30
Cobra 10/200 black	11167 9	10	200	400		28
Cobra 10/220 black	37108 0	10	220	420		24
Cobra 10/300 black	59930 9	10	300	560		21
Cobra 10/500 black	20780 8	10	500	850		15
Cobra 10/1000 black	20781 5	10	1000	1580		9
Cobra 12/120 black	25719 3	12	120	380		15
Cobra 12/180 black	27391 9	12	180	490		15

1850



- High quality steel cable with two loop ends
- Synthetic coating to prevent damage to the bicycle's paintwork

Ref. No.	EAN 4003318			Weight	Carrier	Box Qty
		mm	cm	Ü		(3
1850/185	12752 6	8	185	280		18



Special security

KeyGarage™ 787 BIG

Technology











Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the code
- For wall fixing indoors and in protected outdoor areas
- Storage of a complete bunch of key now possible because of larger space and removable hook

Technical Data

- Very large solid metal housing and extra large storage compartment
- ullet Locking cover made from zinc die-cast
- Individually resettable code (4-digit)
- Protective cover with sliding mechanism
- For wall mouting with screws
- Easily removable clip-in hooks guarantee consumer's comfort

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
KeyGarage 787 BIG	08492 8	83,5	62	120	850	1

Technology





KeyGarage™ 787 BIG LED

Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the
- For wall fixing indoors and in protected outdoor areas

- Very large solid metal housing and extra large storage compartment
- Locking cover made from zinc die-cast
- Easily removable clip-in hooks guarantee consumer's comfort
- Flat inner mechanism makes a larger storage
 space possible
- Individually resettable code (4-digit)
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism

Ref. No.	EAN 4003318	mm	mm	mm	Weight g	Box Qty
787 BIG LED B/wall mounting KeyGarage	83856 9	84	62	120	880	1

KeyGarage™ 787

Technology









Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

Technical Data

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- For wall mouting with screws
- Can hold up to 20 keys or 14 code cards
- Outer dimensions of housing: 84 x 119 x 42
- Easily removable clip-in hooks guarantee consumer's comfort

Ref. No.	EAN 4003318	mm	+∏+ mm	mm	Weight g	Box Qty
787 KeyGarage B	46331 0	80	45	120	662	1

KeyGarage™ 787 LED

Technology





Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the code
- For wall mounting indoors and in protected outdoor areas

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- For wall mounting with screws
- Can hold up to 20 keys or 14 code cards
- Easily removable clip-in hooks guarantee consumer's comfort
- Outer dimensions of housing: 84 x 119 x 42

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
787 LED B/wall mounting KeyGarage	83854 5	84	44	180	740	1

Technology











TR	T.

Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- · Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the
- · Fixing with shackle, e.g. on a door knob of gates and doors

Technical Data

- Solid metal housing
- Locking cover made of zinc die-cast
- 4-digit individually settable code
- Protective cover with sliding mechanism
- Fixing with shackle, e.g. on a door knob of gates and doors
- Outer dimensions of housing: 84 x 119 x 44
- Housing and shackle plastic coated (protects door from scratching)

Ref. No.	EAN 4003318	mm	*∏* mm	mm	Weight g	Box Qty
797 KeyGarage B	46330 3	85	45	180	770	1
Adapter für 797 KeyGarage	56321 8				125	1

Technology





KeyGarage™ 797 LED

Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons
- Defining access by setting and passing on the
- · Fixing with shackle, e.g. on a door knob of gates and doors

- Solid metal housing
- · Locking cover made of zinc die-cast
- 4-digit individually settable code
- · Illuminated dials for a better legibility in dark conditions
- LEDs light up ca. 30 seconds
- Customary coin cell battery (CR2032) can be easily replaced, durability of battery when used 1x per day approximately 2 years
- Protective cover with sliding mechanism
- · Fixing with shackle, e.g. on a door knob of
- Housing and shackle plastic coated (protects door from scratching)

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
797 LED B/with shackle KeyGarage	83855 2	84	44	120	843	1
Adapter für 797 KeyGarage	56321 8				125	1

KeyGarage™ 767

Technology











Operation and use

- Ideal protected storage of keys and other valuables for authorised persons
- Quick and easy access for frequently changing groups of persons (craftsmen, service, holiday guests, apartment buildings, car rentals)
- Defining access by setting and passing on the
- For wall fixing indoors and in protected outdoor areas

Technical Data

- Solid metal housing
- Locking cover made from zinc die-cast
- Code up to 10 digits individually resettable (the sequence of the code is irrelevant)
- Code needs to be entered in order to close the locking cover
- Plastic cover to protect against dust, dirt, etc.
- For wall fixing with screws
- Holds up to 17 cards or 20 keys
- Outer dimensions of housing: 84 x 119 x 47

Ref. No.	EAN 4003318	mm	→ mm	mm	Weight g	Box Qty
767 KeyGarage PB2 B <i>I</i>	53507 9	80	120	45	648	1

GRANIT™ WBA 100

Security Level







Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 100 can be fixed to the ground or the wall. When combined with an ABUS lock, it offers the highest level of security

Technical Data

- 16 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories









Test Seals













13	**************************************

Ref. No.	EAN 4003318			-			Weight g	Box Qty
		mm	mm	mm	mm	mm		
WBA 100 GRANIT	27161 8	160	165	16	65	77	1880	1

Security Level





Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 75 can be attached to the floor or the wall with the supplied mounting accessories.
 When combined with an ABUS lock, it offers the highest level of security

Technical Data

- 14 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories

Test Seals













Ref. No.	EAN 4003318	†	↔ mm	mm	(‡) mm	mm	Weight g	Box Qty
WBA 75 GRANIT B/SB	78606 8	135	98	14	65	66	850	1

WBA 60

Security Level





Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WBA 60 can be mounted either on the floor or on the wall using the mounting accessories supplied. In combination with an ABUS lock it offers the highest security

Technical Data

- 10 mm thick shackle made of hardened special steel for maximum resistance
- Incl. mounting accessories



Test Seals



1) applied for

Ref. No.	EAN 4003318	(†) mm	↔ mm	mm	mm	mm	Weight g	Box Qty	
WBA 60 B/SB	82211 7	118	80	10	52	55	450	1	



Operation and use

- The anchor can be used to secure two-wheeled vehicles in garages, cellars and houses
- The WA 50 is designed for wall installation. In combination with an ABUS lock, it offers a high level of security

- Strong wall anchor made of hardened steel
- · Incl. mounting material



Ref. No.	EAN 4003318	0 0	0 0		lacksquare	Weight	Box Qty
		mm	mm	mm	mm	8	4-3
WA 50	04294 2	110	80	38	38	786	1

145

Versions





Operation and use

- 145/20 and 145/30: To secure valuables/goods of lesser value or at a low risk of theft
- 145/40: To secure valuables/goods of medium value or at an average risk of theft
- E.g. to secure luggage, lockers in schools and sports centres, cash boxes, jewel cases, cupboards, tool boxes, switchboards, etc.

- Solid aluminium lock body with anodized coating corrosion resistant
- Spring loaded shackle for a better setting of the opening code
- 145/20 and 145/30: Individually resettable 3-digit code
- 145/40: Individually resettable 4-digit code
- · Handy operation without key, low weight
- High value of recognition by intensive colours

Ref. No.	EAN 4003318					*		Weight g	Box Qty
44.5(20 14. D)(D5)(14.	1.6552.0	mm	mm	mm	mm	mm	mm	25	
145/20 gelb B/DFNLI	46552 9	22,5	9	22	3	13,5	52,5	25	6
145/20 orange B/DFNLI	46550 5	22,5	9	22	3	13,5	52,5	25	6
145/20 rot B/DFNLI	46549 9	22,5	9	22	3	13,5	52,5	25	6
145/20 lila B/DFNLI	46553 6	22,5	9	22	3	13,5	52,5	25	6
145/20 blau B/DFNLI	46548 2	22,5	9	22	3	13,5	52,5	25	6
145/20 grün B/DFNLI	46551 2	22,5	9	22	3	13,5	52,5	25	6
145/20 silber B/DFNLI	46554 3	22,5	9	22	3	13,5	52,5	25	6
145/20 titanium B/DFNLI	46556 7	22,5	9	22	3	13,5	52,5	25	6
145/30 gelb B/DFNLI	46561 1	31,5	14	26	5	15,5	65	55	6
145/30 orange B/DFNLI	46559 8	31,5	14	26	5	15,5	65	55	6
145/30 rot B/DFNLI	46558 1	31,5	14	26	5	15,5	65	55	6
145/30 lila B/DFNLI	46562 8	31,5	14	26	5	15,5	65	55	6
145/30 blau B/DFNLI	46557 4	31,5	14	26	5	15,5	65	55	6
145/30 grün B/DFNLI	46560 4	31,5	14	26	5	15,5	65	55	6
145/30 silber B/DFNLI	46563 5	31,5	14	26	5	15,5	65	55	6
145/30 titanium B/DFNLI	46565 9	31,5	14	26	5	15,5	65	55	6
145/30 schwarz B/DFNLI	34610 1	31,5	14	26	5	15,5	65	55	6
145/40 gelb B/DFNLI	49534 2	41,5	21,5	26	6	17,5	77	110	6
145/40 orange B/DFNLI	49526 7	41,5	21,5	26	6	17,5	77	110	6
145/40 rot B/DFNLI	48830 6	41,5	21,5	26	6	17,5	77	110	6
145/40 blau B/DFNLI	49522 9	41,5	21,5	26	6	17,5	77	110	6
145/40 grün B/DFNLI	49530 4	41,5	21,5	26	6	17,5	77	110	6
145/40 silber B/DFNLI	49542 7	41,5	21,5	26	6	17,5	77	110	6
145/40 titanium B/DFNLI	49550 2	41,5	21,5	26	6	17,5	77	110	6

64 TITALIUM™

Versions





Operation and use

- 20 + 25 mm: to secure bags, suitcases, jewel cases, tool boxes, etc.
- From 30 mm: to secure valuables/goods of medium value or at a an average risk of theft

- Solid lock body made from TITALIUM™ special aluminium
- 20 + 25 mm hardened steel shackle
- As from 30 mm: Hardened steel shackle with NANO PROTECT™ coating
- Paracentric keyway for increased protection against manipulation
- As from 30 mm: double bolted shackle
- · Chrome-plated cylinder plug
- Tulip-shaped key head

Ref. No.	EAN 4003318	mm	mm	mm	mm	→ The mm	mm	Weight g	Box Qty
64TI/20 B/DFNLI	56384 3	20	9,5	11,5	3,5	10,5	34	21	6
64TI/25 B/DFNLI	56386 7	24,5	13	13,5	4	12	42	31	6
64TI/30 B/DFNLI	56387 4	30	16	17	5	13	50	53	12
64TI/35 B/DFNLI	56390 4	35	19	20	5,5	14	54	67	6
64TI/40 B/DFNLI	56391 1	40	22	23	6	15	62	87	6
64TI/30HB60 B/DFNLI	56388 1	30	16	60	5	13	93	65	6
64TI/40HB40 B/DFNLI	56392 8	40	22	40	6	15	79	96	3
64TI/50 B/DFNLI	56399 7	50	28	29	8	17	77	159	6
64TI/40HB63 B/DFNLI	56393 5	40	22	63	6	15	102	107	3
64TI/50HB80 B/DFNLI	56400 0	50	28	80	8	17	128	199	6
64TI/45 B/DFNLI	56398 0	45	25	24	7	15	68	109	6
64TI/60 B/DFNLI	56401 7	60	34	35	10	19	91	236	4

Versions





Operation and use

- Security for items/goods of medium value or where there is an average risk of theft
- For securing chains, doors, gates, cupboards, lockers, tool boxes, cellar windows, sheds, switch boxes, etc.

Technical Data

- Solid lock body made from brass
- Shackle made from hardened steel with plastic sleeve
- Sealed lock body with special protective cap and drainage channels to protect the locking mechanism from water and dirt
- Shock-absorbing plastic casing protects sensitive surfaces
- · Double bolted

Ref. No.	EAN 4003318	mm	mm	mm	mm	mm	mm	Weight g	Box Qty
70/45 B/DFNLI	32130 6	49	20	24	8	28	68	164	6
70/45HB63 B/DFNLI	32131 3	49	21	63	8	28	112	210	6
70IB/45 B/DFNLI	32132 0	49	20	24	8	28	68	193	6
70IB/45HB63 B/DFNLI	35834 0	49	20	63	8	28	112	210	6
701B/50 B/DFNLI	42733 6	55	23,5	26,5	9	31	76	217	6

70AL

Versions





Operation and use

- To secure valuable/goods of medium value or at an average risk of theft
- Ideal to secure objects in various areas of application

- Solid aluminium body
- Encapsulated lock body with special cover and drainage channels to protect the locking mechanism from water and dirt
- Tough vinyl jacket protects sensitive surfaces
- Shackle made from hardened steel with vinyl jacket
- Inner components made from rustfree material
- Double bolted
- Precision pin cylinder
- Paracentric keyway for increased protection against manipulation
- Self-locking by pushing down the shackle, no key needed

Ref. No.	EAN 4003318	mm	mm	mm	mm	→ mm	mm	Weight g	Box Qty
70AL/45 silber B/DFNLI	50260 6	49	20	24	8	28	73	165	4
70AL/45 orange B/DFNLI	50044 2	49	20	24	8	28	73	165	4
70AL/45 grün B/DFNLI	50256 9	49	20	24	8	28	73	165	4
70AL/45 gelb B/DFNLI	50264 4	49	20	24	8	28	73	165	4
70AL/45 Color B/DFNLI	51233 9	49	20	24	8	28	73	165	4

Versions





Operation and use

• To secure valuables/goods of medium value or at an average risk of theft

Technical Data

- Laminated steel with ETERNA™ coating on each laminate for extreme corrosion resistance
- Laminates individually treated for top corrosion protection
- Rivets concentrated in the outer laminates to protect the rivet heads from being chipped off
- Hardened shackle, double bolted, as of 40 mm made from special alloy
- Precision pin tumbler cylinder
- Self-locking: Locking without key by pushing down the shackle
- Made in Germany

Ref. No.	EAN 4003318	mm	mm	mm	mm	*☐* mm	mm	Weight g	Box Qty
41/40 B/EFSPP	35066 5	44	18	20	7	26	60	214	6
41/45 B/EFSPP	35068 9	49	20	23	8	28	67	280	6
41/50 B/EFSPP	35069 6	53	23	25	9	29	75	363	6
41/40HB50 B/EFSPP	35067 2	44	18	50	7	26	87	230	6

Diskus® 24IB



Operation and use

- For the protection of larger assets and objects with a high risk of theft
- Ideal for severe weather conditions (e.g., in sea and port areas, for securing vehicles and boats in outdoor use)
- For securing trucks, doors, gates, barns, cellars, cupboards, etc.

- Lock body, inner parts and shackle made solely from stainless steel for extreme resistance to corrosion
- Cylinder cover maximum protection against dirt and water spray (60 mm and 70 mm only)
- Nickel-plated cylinder for enhanced weather protection
- Original Diskus® design: 360° protection
- Diskus® Deep-Welding Technology the best in break-in protection
- · Precision pin cylinder
- Key retaining: locking only with the key (key cannot be removed while the lock remains open)
- · Made in Germany

Ref. No.	EAN 4003318	mm	mm	mm	mm	→☐+ mm	mm	Weight g	Box Qty
24IB/50 B/DFNLI	321238	51	13	8	6,5	25,5	50	143	6
24IB/60 B/DFNLI	35042 9	60	17	13	8	26	60	220	6
241B/70 B/DFNLI	32124 5	70	20	17	10	31	70	320	6



Operation and use

- To secure valuables/goods of great value or at a very high risk of theft
- To secure e.g. warehouses, industrial sites, factory gates, containers and lorries
- Ideally used with ABUS Diskus® Hasp 140: virtually impossible to attack shackle

Technical Data

- Stainless steel outside and inside
- Additional protection against sawing
- Shackle made from high quality stainless steel
- ABUS-Plus disc cylinder: highest protection against manipulation, extremely high number of key differs
- Cylinder cover maximum protection against dirt and water spray
- Sophisticated Diskus® welded seam for highest break resistance
- Original Diskus® design: 360° protection

Ref. No.	EAN 4003318	m m	mm	mm	mm	→ mm	mm	Weight g	Box Qty
20/70	08854 4	70	20	17	10	30	70	337	1
20/80	08798 1	80	25	18	11	35	81	469	3
20/70 B/DFNLI	35023 8	70	20	17	10	30	70	337	6
20/80 B/DFNLI	35024 5	80	25	18	11	35	81	469	3

78



Operation and use

- To secure valuables/goods of lesser value or at a low risk of theft
- Handy operation without key, e.g. lockers, cupboards, etc. in schools, companies, etc.

- Shackle made from hardened steel
- 78KC: Master key opens more than 2 000 individual combinations (master key function by cylinder on the back of the lock)
- High protection against manipulation
- KTL-coating (black) for better corrosion protection

Ref. No.	EAN 4003318	mm	mm	m m	mm	→ mm	mm	Weight g	Box Qty	
78/50 B/DFNLI	33655 3	48	21	21.5	7	33	75	154	6	

147TSA

Technology






Operation and use

- To secure valuables/goods of lower value or at a low risk of theft
- Suitable e.g. to secure luggage
- Ideal for journeys to the USA: the luggage can be opened/relocked by the US security authorities without damaging the lock

- Lock body made from plastic
- Shackle diameter 3 mm
- Individually resettable 3-digit code
- Visible red indicator at shackle: lock was opened by TSA. To reset red indicator open lock and turn shackle by 360°
- To reset red indicator open lock and turn shackle by 360°

Ref. No.	EAN 4003318					*		Weight	Box Oty
		mm	mm	mm	mm	mm	mm	•	1-5
147TSA/30 B	53093 7	33	13	20	3	14	60	28	12



BRACKETS AND BAGS



USKF





Operation and use

- Transport of U-shackle locks
- Mounting on round frames with a diameter of 28 36 mm
- Plastic bracket with rubber inlays for best mounting
- Comfortable one-hand-operation
- Easy and quick mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket USKF	86143 7				

EaZy KF™







Operation and use

- Transport of U-shackle locks
- Mounting on round frames with a diameter of 28 36 mm
- Screws in two lengths included
- Plastic bracket for mounting with rubber inlays for best hold
- Index marks on the bracket to simplify subsequent mountings
- Comfortable one-hand-operation
- Very quick mounting
- · Patented design

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
EaZy KF	45342 7		95	for 64/ 61/ 54/ 51/ 47/ 540/	1
				470/ 460/ 770A	
Shackle Clamp 11mm	45344 1	Ø 11 mm	22	for 61/ 64 EaZy KF	1
Shackle Clamp 12mm	45347 2	Ø 12 mm		for 460/ 470	1
Shackle Clamp 13mm	45343 4	Ø 13 mm	26	for 51/ 501	1
Shackle Clamp 13mm	45346 5	Ø 13 mm	28	for 540/ 770A	1

USH 540 / 470 / 460 / 420 / 410 / 440A Tex





Operation and use

- Transport of U-shackle locks
- Mounting on round frames with a diameter of 15 35 mm
- Plastic bracket for mounting
- Mounting within the frame or at the side possible

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
USH 540	18576 2		150	for 540	1
USH 460/470/32	18578 6		120	for 460 / 470 / 32	1
USH 420	18573 1		144	for 420	1
USH 410	22351 8		46	for 410	1
USH 440 Tex	87553 3		96	for 440A	1







Operation and use

- Transport of U-shackle locks
- Mounting on the side of the rack
- Plastic bracket for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
GH50	00904 4		196	for 64, 51, 47, 46, 470, 460, 32	1

UGH 02





Operation and use

- Transport of Steel-O-Flex and other locks
- Mounting on the rack stays with a diameter of 5 16.5 mm
- Universal solution for all common racks
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
UGH 02	26624 9		80	for 950, 970, 1025, 1050, 8200, 8220, 7200, 7220	1

Shackle Clamp







Operation and use

 Accessory for the transport in a TUBUS LOCC U-shackle lock carrier, TexKF Twin or RBKF Twin

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Shackle Clamp 11mm	25580 9	Ø 11 mm	22	for 64/180	1
Shackle Clamp 12mm	25604 2	Ø 12 mm	21	for 46, 47, 460, 470, 640	1
Shackle Clamp 13mm	27348 3	Ø 13 mm	30	for 540, 770A	1

Bracket SH 6500 BORDO XPlus™



Operation and use

- Easy transport for BORDO™ 6500, 6500 BIG and 6510
- Simple and toolless mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6500/85	78071 4		152	replacement bracket	6
Bracket SH 6500/110	78072 1		172	replacement bracket	6

Bracket SH 6000 BORDO™





Operation and use

- Easy transport for Bordo 6000, 6015 and 6100
- Simple and toolless mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6000/90	72900 3		115	replacement bracket	1

Bracket SH 6000 BORDO™ Big



Operation and use

- Easy transport for BORDO™ 6000 BIG
- Simple and toolless mounting due to practical clutching straps
- ullet The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6000/120	78074 5		132	replacement bracket	1

Bracket SH 6055 BORDO™ Lite



Operation and use

- Easy transport for BORDO™ 6055 Lite
- Simple and toolless mounting due to practical clutching straps
- The lock can be easily removed forwards
- Perfect for small framed bikes

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 6055	78066 0		60	replacement bracket	6

Bracket SH 6010 BORDO CENTIUM™





Operation and use

- Flexible mounting with non-slip velcro straps
- Mounting on nearly every part of the frame possible, the lock can be easily removed sideways
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket BORDO CENTIUM	20155 4		180		6

Bracket SH 5700 uGrip BORDO + SH 5700C/80



Ref. No.	EAN Versio 4003318	n Weight Carrier g	Box Qty
Bracket SH 5700 uGrip BORDO	84433 1	107	3
Bracket SH 5700C/80	86747 7	107	3

Bracket SH 5700 uGrip BORDO BIG



Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket SH 5700/100	86748 4		123		3

Bag BORDO XPlus™



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
ST 6500/85 black	55325 7		165	replacement bag	1

Bag ST 6000 BORDO™



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 6000/90 black	54297 8		125	replacement bag	1
Bracket ST 6000+6100/75 black	54294 7		110	replacement bag	1

Bag ST 6000 BORDO™ Big



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN Ver 4003318	rsion Weight g	Carrier	Box Qty
Bracket ST 6000/120 black	55327 1	160	replacement bag	1

Bag ST 5700 uGrip BORDO™



Operation and use

- Transport bag with latching mechanism and comfortable one-hand-operation
- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 5700 uGrip BORDO	11284 3		103	replacement bag	1

Bag BORDO™ 6050/6150



Operation and use

- Flexible mounting with non-slip velcro straps or screws for the bottle holder device
- ${\boldsymbol{\cdot}}$ Easy transport thanks to practical holder

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket ST 6050/85	52909 2		105	replacement bag	1

IVERA RBU



Operation and use

- Transport of chain, cable and Steel-o-flex locks of the Ivera series
- For mounting on round and non-round frame profiles with a diameter of 15 45 mm or for practical mounting on the seat clamp
- Easy mounting with a metal sleeve or LL bracket

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket IVERA RBU	58497 8		125	for 7200, 7210, 7220 IVERA	1

Chain Bag ST 2012





Operation and use

- Bag designed for the protected transport of lock-chain-combinations
- Flexible mounting with non-slip velcro straps or screws at the bottle
- 2 mm strong Neoprene to keep the content cool or warm
- Strengthened inner-plate for easy mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
ST 2012 Chain Bag	58496 1		188	transportation bag 0,6 Liter	1

ST 5850/5650/4960



Ref. No.	EAN Version 4003318	Weight g	Carrier	Box Qty
ST 5850/5650/4960	48647 0	100	transportation bag 160 mm / 250 mm /	1
			FO	





Operation and use

- Transport of cable, coil cable and Steel-O-Flex locks
- Mounting on all common seat post bolts (diameter 5-8 mm)
- Easy mounting

Ref. No.	EAN 4003318	Version	Weight Carrier g	Box Qty
Bracket SCLL 4C/5C	87981 4			
Bracket SCLL 4K/5K	87982 1			
Bracket SCLL 6C	87983 8			
Bracket SCLL 6K	87984 5			

Fidlock bracket





Operation and use

- Exclusively for the transport of the Phantom 8960, 8950 and 8940
- For the effortless magnetic mounting on and handy removal from the
- Mounting on round and non-round frame profiles with a diameter of 21 80 mm
- Flexible textile sleeve for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket FL	39729 5				1

Fidlock bracket TexFL





Operation and use

- Exclusively for the transport of the Phantom 8960, 8950 and 8940
- For the effortless magnetic mounting on and handy removal from the bracket
- Mounting on round and non-round frame profiles with a diameter of 21 -80 mm
- Flexible textile sleeve for mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Bracket TexFL	39730 1		77		1

TexKF Mini





Operation and use

- Transport mostly cable, coil cable and Steel-O-Flex locks
- Mounting on round and non-round frame profiles with a diameter of 21 80 mm
- Flexible textile sleeve for mounting
- Mounting within the frame or at the side possible
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
TexKF Mini	23265 7		70	for 640, 1460, 8950, 1450, 8940	1

QuickSnap RBU





Operation and use

- Transport of cable and Steel-O-Flex locks
- Mounting on round and non-round frame profiles with a diameter of 15
 45 mm
- Flexible metal sleeve for mounting
- Mounting within the frame or at the side possible
- Simple and time saving mounting

Ref. No.	EAN 4003318	Version Weig	ight g	Carrier	Box Qty
QuickSnap RBU	31487 2	4(٠0	for 860, 870	6

QuickSnap





Operation and use

- Transport of cable and Steel-O-Flex locks
- Mounting on all common seat post bolts (diameter 5 8 mm)
- Simple mounting

Ref. No.	EAN 4003318	Version W	eight Carrier g	Box Qty
QuickSnap	31488 9		for 860, 870	1







Operation and use

- Transport of cable, coil cable and Steel-O-Flex locks
- Mounting on all common seat post bolts (diameter 5 8 mm)
- Simple mounting

Ref. No.	EAN Versi 4003318	ion Weight g	Carrier	Box Qty
KF	12433 4	41,5	for 896, 895, 894, 885, 875, 1350, 1355, 1340, 1440, 1450,	6
			1460	

Snap Cage



Operation and use

- Transport of Steel-0-Flex, cable- and coil cable locks
- Enables transporting the lock on the seat post, on the frame and on the rack stays
- With a diameter of 15 55 mm
- Simple mounting without tools

Ref. No.	EAN 4003318	Version Weight	Carrier	Box Qty
Snap Cage MU 6K	20079 3	38	for 6415K, 6512K, 6615K	1
Snap Cage MU 4K/5K	20080 9	37	for 4508, 5510K, 5412K	1
Snap Cage MU 4C/5C	20111 0	40	for 4508C, 5412C, 5510C	1
Snap Cage MU 6C	20113 4	41	for 6415C, 6512C, 6615C	1

URB (universal frame bracket)





Operation and use

- \bullet Accessory for transporting locks with the LL carrier
- Enables transporting the lock on the seat post or on the frame (diameter 25 35 mm)

Ref. No.	EAN 4003318	Version	Weight Carrier g	Box Qty
URB	23312 8	Ø 25 - 35 mm		12

Clutching Strap LH adaptor





Operation and use

 $\boldsymbol{\cdot}$ Mounting of frame locks to the bike frame

Ref. No.	EAN 4003318	Version	Weight g	Carrier	Box Qty
Clutching Strap LH adaptor	56240 2			for 5950, 5850, 5750, 5650, 565, 52	6

ORYDE ST 2250





Operation and use

• Frame bag for every day and leisure use

Technical data

- 1.8 litres stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Very ample main compartment

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2250	08469 0	1,8	235	195	50	Velco Straps	1

ORYDE ST 2200





Operation and use

· Frame bag for every day and leisure use

Technical data

- 1.2 litres stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Very ample main compartment

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2200	08470 6	1,2	255	100	50	Velco Straps	1

ORYDE ST 2085





Operation and use

· Saddle bag for every day, sport and leisure use

Technical data

- 0.7 litre stowing capacity
- Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Particularly simple to fill due to ABUS Easy Flap System
- Includes rain cover with reflective logo

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2085 KF	08479 9	0.7	75	70	145	KLICKfix®	6

ORYDE ST 2100






Operation and use

• Saddle bag for every day, sport and leisure use

- 1.2 litre stowing capacity
- \bullet Water-repellent and robust materials 420D and Scotch Rip 58
- Stable shape
- Reflective applications
- Practical interior design with key hook
- Expandable pullout to increase stowing capacity

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 2100 KF	08472 0	1.2	80	95	150	KLICKfix®	6



• Saddle bag for sport use

Technical data

- 0.25 litre (size S)
- 0.4 litre (size M)
- Water-repellent and robust material
- Very narrow shape for a perfect fit under a narrow saddle
- Reflective applications
- Includes rain cover with reflective logo

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 8130 M	39642 7	0,4	75	80	145	Velco Straps	1
ST 8130 S	39641 0	0,25	75	80	145	Velco Straps	1

BASICO ST 5200



Operation and use • Frame bag for every day and leisure use

Technical data

- 1.2 litres stowing capacity
- Water repellent and robust material
- Practical interior design
- Very ample main compartment
- Reflective applications

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 5200	08482 9	1,2	255	110	65	Velco Straps	1

ST 5950 2.0





Operation and use

• Saddle bag for every day, sport and leisure use

- 0.6 litre stowing capacity
- Water repellent and robust material
- Stable shape

Ref. No.	EAN 4003318	Capacity I	Width mm	Height mm	Depth mm	Version	Box Qty
ST 5950 2.0	87510 6	0,6	160	85	90	Velco Straps	1

SALES DISPLAYS AND POS





Shop Gondel












Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
220/100 basic structure	18480 2	220 / 50 / 100 cm		1
220/100 Side Add-On pic. 1	18481 9	220 / 50 / 100 cm		1
220/50 Side Add-0n pic. 2	18482 6	220 / 50 / 50 cm		1
220/100 Set for two sided hanging pic. 3	18485 7	220 / 50 / 100 cm		1
220/50 Set for two sided hanging pic. 4	18486 4	220 / 50 / 50 cm		1
220/100 lock kit	18489 5	for 100 cm	30 hooks	1
220/50 lock kit	18490 1	for 50 cm	20 hooks	1
220/100 lock kit Slatwall	71739 0	220 / 50 / 100 cm	30 hooks	1
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + crossbar 100 cm	1
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + crossbar 50 cm	1

Shop Gondel





Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Shop Display Bicycle	18483 3	140 / 50 / 100 cm	22 detachable hooks	1
Side Add-On pic. 1	18484 0	140 / 50 / 100 cm	22 detachable hooks	1
Set for two-sided hanging pic. 3	18487 1	140 / 50 / 100 cm	22 detachable hooks	1
Heavy Duty Set	18496 3	100 cm	5 heavy duty hooks + crossbar 100 cm	1
Heavy Duty Set	18497 0	50 cm	3 heavy duty hooks + crossbar 50 cm	1

Display Schlösser 3-seitig



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Dieplay locks 3-sidad	78/1/10 1	100 / 90 / 90 cm	Stand along - without products	1

Display Schlösser 2-seitig



Ref. No.	EAN 4003318		Version	Box Qty
Display locks 2-sided	701.1.0 1.	100 / 70 / 70 cm	Stand alone - without products	1

Display MD10



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Sales Display MD 10	52934 4	210 / 70 / 40 cm	26 Hooks	1

Display Modular II S



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Dienlay Modular II C	40600.7	105 / 50 / 50 cm	Stand along - without products	1

Demo-Display BORDO™ Alarm



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Display BORDO Alarm	79770 5	31 / 25 / 21 cm		1

Demo-Pillar BORDO™ Alarm



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Pillar BORDO Alarm	79773 6	96 / 42 / 42 cm		1

Demo-Display SmartX



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Display 7704 SmartX D	83477 6	42 / 36 / 20		

Demo-Display GRANIT XPlus™ 540



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Demo-Display GRANIT XPlus 540	19148 0	20 / 41 / 21 cm		1



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
VK PS88 Spray 50ml GB	31942 6	15 / 21 / 29 cm	24 x 50 ml	1
VK PS88 GB	00226 7	30 / 18 / 30 cm	8 x 50 ml	1
VK PS88 DK / GB	82931 4	14 / 18 / 31 cm	12 x 125 ml	1
PS88 EN	35421 2		50 ml aerosol can	1

Security Station



Ref. No.	EAN 4003318	Dimensions	Version	Box Qty
Security Station	43821 9	132 x 70 x 131 cm	Without pictured bicycles	1



KEYED ALIKE

MULTIPLE LOCKS -A SINGLE KEY


We are frequently asked whether you can use a single key to open multiple ABUS locks. No problem!

Our keyed alike service makes it possible and easy. Many ABUS locks can be ordered keyed alike. That means that two or more locks can be fabricated with identical keys.

For example, both the padlock in your basement and your bicycle and motorcycle locks can all be operated with just a single key.

Keyed alike locks offer convenience for families, couples, friends, companies, rental companies, etc.

ADVANTAGE: More space on your key ring, and always a full overview.



KEYED ALIKE ABUS LOCKS

Cranit Pulse 540		U-SHACKLE LOCKS	Granit Extreme 59	Granit XPlus 540	Granit XPlus 54	Granit Plus 640	Granit Futura 64	Granit Strato 61	uGrip Plus 501	Granit Plus 51	Granit Plus 470	Varedo 47	FOLDABLE LOCKS	Bordo 6000 A / BIG	Bordo Black Edition 6510	Bordo 6405	Bordo Granit XPlus 6500	Bordo 6010 Centium	Bordo 6000/6015	Bordo 6050	LOCK-CHAIN-COMBINATIONS	Granit CityChain XPlus 1060	CityChain 1010	Steel-O-Chain 9808	Steel-0-Chain 9809	STEEL- O- FLEX LOCKS	Granit Steel-0-Flex XPlus 1025	Granit Steel-0-Flex 1000	Phantom 8960
Granit XPlus 540	U-SHACKLE LOCKS																												
Granit Plus 640	Granit Extreme 59		Х																										
Granit Plus 640	Granit XPlus 540			Х	Х										Х		X					Х					Х		
Granit Future 64 X X X X X X X X X	Granit XPlus 54			Х	Х										Х		Х					Х					Х		
Granit Strato 61	Granit Plus 640					Х	Х	Х	Х	Х	Χ	Χ		Х		Х		Х	Х				Χ	Х	Х			Х	
Ugrip Plus 501	Granit Futura 64					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Χ	Х	Х			Х	
Granit Plus 51	Granit Strato 61					Х	Х	Х	Х	Χ	Χ	Χ		Х		Χ		Х	Х				Χ	Х	Х			Χ	
Granit Plus 470	uGrip Plus 501					Х	Х	Х	Χ	Х	Χ	Х		Х		Х		Х	Х				Χ	Х	Х			Х	
Varedo 47	Granit Plus 51					Χ	Х	Х	Х	Χ	Χ	Χ		Х		Χ		Х	Х				Χ	Х	Χ			Х	
## FOLDABLE LOCKS Bordo 6000 A / BIG	Granit Plus 470					Χ	Χ	Х	Х	Χ	Χ	Χ		Χ		Χ		Χ	Χ				Χ	Χ	Χ			Х	
Bordo 6000 A / BIG	Varedo 47					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Χ	Х	Х			Х	
Bordo Black Edition 6510	FOLDABLE LOCKS																												
Bordo 6405	Bordo 6000 A / BIG					Х	Χ	Х	Χ	Х	Χ	Χ		Х		Х		Χ	Х				Χ	Х	Х			Х	
Bordo Granit XPlus 6500	Bordo Black Edition 6510			Χ	Х										Х		Х					Х					Χ		
Bordo 6010 Centium	Bordo 6405					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				χ	Х	Х			Х	
Bordo 6000/6015	Bordo Granit XPIus 6500			Х	Х										Х		Х					Х					Х		
Bordo 6050 X X X X X X X X X	Bordo 6010 Centium					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				χ	Х	Х			Х	
LOCK-CHAIN-COMBINATIONS Granit CityChain XPlus 1060 X	Bordo 6000/6015					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Х	Х	Х			Х	
Granit CityChain XPlus 1060 X<	Bordo 6050																			Х									
CityChain 1010 X	LOCK-CHAIN-COMBINATIONS																												
Steel-0-Chain 9808 X	Granit CityChain XPlus 1060			Χ	Χ										Х		Χ					Χ					Χ		
Steel-0-Chain 9809 X	CityChain 1010					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Х	Х	Х			Х	
STEEL- 0- FLEX LOCKS Granit Steel-0-Flex XPlus 1025 X	Steel-0-Chain 9808					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Х	Х	Х			Х	
Granit Steel-0-Flex XPlus 1025 X <th< td=""><td>Steel-0-Chain 9809</td><td></td><td></td><td></td><td></td><td>Х</td><td>Х</td><td>Х</td><td>Х</td><td>Х</td><td>Х</td><td>Х</td><td></td><td>Х</td><td></td><td>Х</td><td></td><td>Х</td><td>Х</td><td></td><td></td><td></td><td>Х</td><td>Х</td><td>Х</td><td></td><td></td><td>Х</td><td></td></th<>	Steel-0-Chain 9809					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Х	Х	Х			Х	
Granit Steel-0-Flex 1000 X X X X X X X X X X X X X X X X X	STEEL- O- FLEX LOCKS																												
	Granit Steel-0-Flex XPlus 1025			Х	Χ										Х		Х					Х					Х		
Phantom 8960 X	Granit Steel-0-Flex 1000					Х	Х	Х	Х	Х	Х	Х		Х		Х		Х	Х				Х	Х	Х			Х	
	Phantom 8960																												χ

Subject to mistakes and technical changes 183

YOURPLUS™ - THE PLUS IN CONVENIENCE FOR THE SINGLE-KEY SOLUTION!

Made in Germany

More informations at abus.com/yourplus



With YourPlus™, you can convince your customers with more convenience and added value — and you'll have an excellent additional business! The YourPlus™ concept includes a whole range of services related to locks with the ABUS Plus cylinder. We provide the added value program for your customer that only ABUS can provide in this form.



+ OEM-SERVICE

The ABUS Plus cylinder is already part of many OEM products. And additional keyed alike locks can also be produced. That's additional convenience for your customers.

+ A LOCK FOR EVERY KEY

Need another lock that can be opened with an existing key? No problem!
We can build a new lock around the key. That makes it possible to create completely keyed alike systems – for example a rental bike fleet.

+ EASY FOR THE E-BIKE

To completely secure an e-bike, you often need one key for the battery lock, another for the frame lock and then a third to lock the bike to a fixed object. That's a thing of the past! With YourPlus™, It's possible to use multiple locks with just a single key.

+ FOR EVERY NEED

Products from different lock categories offer the right security for every need: U-Shackle locks, folding locks, frame locks, chain locks, padlocks. Combinations of different locks from any category can be produced keyed alike.

+ SECURE AND SIMPLE

The ABUS Plus cylinder – Made in Germany. This proven disc cylinder offers top security and additional protection against picking.

+ PLUS CODE CARD

The code card delivererd with every YourPlus™ lock "saves" your key identification, so that even years after purchasing your lock you can order new keys or keyed alike locks.

VARIETY OF APPLICATIONS

YourPlus™ offers convenience for a variety of different applications. Keyed alike locks for families, couples, friends, companies, rental businesses,etc.

+ VISIBLE AT THE FIRST GLANCE

All products labeled with the YourPlus™ logo on the packaging can be ordered and produced keyed alike – in any quantity.



PLUS CYLINDER

The Plus cylinder – Made in Germany – is among the top cylinders in our product line.

The popular disk cylinder offers top security and additional protection from picking. Its easy operation makes opening and locking a pleasure.



KEYED ALIKE INDEX YOURPLUS™

U-SHACKLE LOCKS



640/135HB150 BK GL	81460 0
640/135HB150 BK/RD GL	81459 4
640/135HB230 BK GL TexKF	81461 7
470/150HB230 + EaZy KF GL	81462 4
470/150HB230 + USH GL	81463 1
470/150HB300 + EaZy KF GL	81464 8
470/150HB300 + USH GL	81465 5

FOLDING LOCKS



6405/110 BK SH GL	83172 0
6405/85 BK SH GL	78220 6
6000A/120 BK SH	82533 0
6000A/90 BK SH GL	80940 8
6000A/90 WH SH GL	81466 2
6000/90 BK SH GL	72987 4
6000/90 WH SH GL	73177 8
6000/90 RD SH GL	76907 8
6000/120 BK SH GL	81380 1
6000/120 RD SH	81513 3
6000/120 WH SH	81514 0
6010/90 GL	72164 9

CHAIN LOCKS



9808/85 GL	81467 9
9808/110 GL	81468 6
9808/140 GL	81469 3
9809/85 GL	81471 6
9809/110 GL	81472 3
9809/140 GL	81473 0
9809/170 GL	81474 7

FRAME LOCKS



5950 NR BK GL	79846 7
5950 R BK GL	877667
5750L R BK GL	81476 1
5750L NR BK GL	81477 8

PADLOCKS



20/80 GL	08800 1
20/70 GL	08856 8

BATTERY LOCKS



BLO BMZ IT1 PLUS GL	87767 4
BLO BOS DT2 PLUS GL	81479 2
BLO BOS IT2.1 PLUS GL	83447 9
BLO BOS RT2 PLUS GL	73289 8
BLO CON IT1 PLUS GL	78028 8
BLO PAN IT1 PLUS GL	81484 6
BLO YAM DT1 PLUS GL	85628 0

KEY SERVICE

The ABUS key service allows you to order new keys for existing locks.

Just select the required blank, enter the desired coding and the key will be delivered within no time.

If no key number is available, please send us the remaining pattern key. We'll produce a replica of the key.



	Cylinder type	EAN-No.:	Item no
	XPlus (lighted key)	4003318357565	35756 5
	XPlus	4003318246579	24657 9
	Plus (lighted key)	4003318357572	35757 2
-	Plus	4003318062278	06227 8
	8N	4003318816635	81663 5
	6N	4003318709777	70977 7
	T82	4003318561139	56113 9
	T83	4003318844867	84486 7
	F 82	4003318815263	81526 3
	P82	4003318827044	82704 4
	E6	4003318822452	82245 2
	KC 54	4003318815270	81527 0
	ML54	4003318815287	81528 7

	Cylinder type	EAN-No.:	Item no
-	NW52 schwarz	4003318546938	54693 8
	NW72 rot	4003318547539	54753 9
	PL1	4003318818684	81868 4
	RH 5	4003318100130	10013 0
	RH EC	4003318267666	26766 6
-	U72	4003318815294	81529 4
	U73	4003318815300	81530 0
	U74	4003318815317	81531 7
	V61	4003318815324	81532 4
-	V62	4003318815348	81534 8
	V63	4003318815331	81533 1
-	V64	4003318815355	81535 5
	V65	4003318815362	81536 2
	WD51	4003318398179	39817 9
-	272	4003318815379	81537 9
-	273	4003318815386	81538 6
-	274	4003318815393	81539 3
SCHLÜSER, SACHES	ABUS - Voucher for Plus or XPlus	4003318043185	04318 5
STREET, STREET	ABUS - Voucher for ABUS other	4003318290015	29001 5

THE ABUS LEVEL SYSTEM

LEVEL: 1 - 4

These locks provides basic protection against theft and best suited for areas of low risk. Often intended for use on children's bikes, as a secondary locking option or as an accessory lock such as a helmets or bags.



LEVEL: 5 - 9

Locks in this security level offer an extra level of security and are most appropriate for areas of medium to low theft risk and for use on good to entry level adult bikes. Also recommened as secondary locking options in areas of high-theft risk when used with a higher rated lock for added security.



LEVEL: 10 - 15

These locks offers the maximum protection and are intended for use with higher-end bicycles, bikes locked in urban areas and for use in areas of high-theft risk. Fifteen is the maximum bicycle security and is represented by a completely red dial.



ALARM

More and more ABUS locks are equipped with an alarm of approx. 100 dB to rout out bicycle thieves effectively. The addition "Alarm" on the level system shows that a lock has this feature.





WITH ALARM

FOR EXAMPLE:



Raydo Pro 1450 PAGE 91



Booster 6512K PAGE 92



52 **PAGE 125**



Universal 875 **PAGE 137**

FOR EXAMPLE:



GRANIT™ 460 PAGE 19



BORDO Combo™ 6100 PAGE 37



IVERA Chain 7210 PAGE 56



Steel-0-Flex™ 950 **PAGE 78**



PHANTOM™ 8950 PAGE 89

FOR EXAMPLE:



GRANIT XPlus™ 540

PAGE 15



BORDO GRANIT XPIus™ 6500

PAGE 27



GRANIT CityChain XPlus™ 1060 PAGE 47



IVEN Chain 8210

PAGE 54

FOR EXAMPLE:



770A SmartX™

PAGE 13



440 Alarm

PAGE 20



BORDO™ Alarm 6000A

PAGE 31

ABUS - MADE IN GERMANY

When August Bremicker and his sons founded ABUS in 1924, they had a lot of experience with craftsmanship – and a clear vision: They wanted to create products that protected human life and property.

It was a far-sighted corporate guideline – paired with an expectation for quality right from the start.

It was the start of a continuous success story. The ABUS brand became a synonym for security.



HIGH-QUALITY MATERIALS

To be able to offer consistently high quality and security, we use high-quality materials at every price level.

Complex hardening processes guarantee the best attack resistance in our materials. Our internal quality management processes all materials before and during the production process and ensures that every product has the high quality you expect.

THE KEY TO SUCCESS

At ABUS, we produce and build many of our machines ourselves and all the tools we use in the production of our security products in-house. That bundles knowhow, guarantees jobs, and strengthens identification. Our own engineering and toolmaking department concentrates exclusively on the development of bicycle and motorcycle locks. This ensures that we meet the tough requirements you place on your bicycle or motorcycle lock every day.

ENSURING CONTINUITY

In our own ABUS test laboratory, we routinely carry out tests and attacks on our products to ensure that we offer consistently high quality.

Among others we make sure our locks are resistent to:

- Ice spray attacks and freezing conditions thanks to a -40°C chamber
- Twisting, pulling, hammering and sawing attacks with help of our manual or mechanical tests
- Rust by simulating highly corrosive weather conditions





APPROVALS

ABUS locks are tested and approved by independent, neutral testing institutions in a number of European countries. The following seals of approval confirm the outstanding security of ABUS cycle locks:





Svenska Stöldskyddsföreningen Stockholm, Sweden



Norges Forsikringsforbund Oslo, Norway



Dansk Varefakta Naevn Copenhagen, Danmark



Finanssiala Helsinki, Finland



ART ANWB, RAI, TASS Helmond, The Netherlands



THATCHAM VEHICLE SECURITY

Great Britain



Sold Secure Northants, Great Britain



Test Seal OSIMZ Moscow, Russia



Test Seal VdS Cologne, Germany



ABUS Seal for Ice Spray Test Volmarstein, Germany



Rate Award of the "Stiftung Warentest" Berlin, Germany











Your Plus"

In the bicycle market, the factors of success are added value, differentiation, flexibility, availability, fast service and high capacity. Suppliers that work with bicycle manufacturers have to meet the corresponding requirements. ABUS does meet them.

As a globally experienced specialist in mobile security, we offer you the best possible support and a high level of reliability. For years, ABUS has been a synonym for security, and has earned a leading position in the bicycle accessory market.

Quality "Made in Germany" and "Just in time" deliveries: concentrating on these core competences has made us an important partner for many bicycle manufacturers worldwide. We are also a strong partner on the OEM market, offering a wide selection of frame locks, integrated security solutions, and many individual products. Among others, we offer keyed alike locks and battery cylinders for e-bikes.

Allow us to take advantage of mutual synergy and implement it to our shared success!

Our OEM team looks forward to hearing from you at: oem@abus.de

We hope to continue our good cooperation with leading bicycle manufacturers!




ABUS OEM





CUSTOM SECURITY

Custom security solutions are not just a trend, but also a very convinient way for cyclists to secure their beloved bicycles. Take advantage of our more than 90 years of experience, and set yourself apart from the masses with a customized security solution.



INDEX

Locks	Page
20 Diskus® 24IB Diskus®	153
32 Facilo	23
41	152
52	125
59 GRANIT™ Extreme 64 TITALIUM™	11
70	151
70AL	151
70IB	151
70/45/6 KS Expedition-Chain	61
78 145	153
147TSA	154
205 Combiloop	139
210 Multiloop	138
215 Multicombiloop	139
410 Ultra 410 Ultra Combo	21
420 Ultimate	18
440 Alarm	20
460 GRANI™	19
470 GRANIT™ Plus	17
496 TECTIC™ 540 GRANIT XPIus™	123
560 uGrip™ Cable	105
565 SHIELD™	122
585 uGrip™ Chain	65
640 GRANIT™ Plus 650	16
767 KeyGarage™	106
770A SmartX™	12-13
787 KeyGarage™	144
787 KeyGarage™ LED	144
787 KeyGarage™ BIG	143
787 KeyGarage™ BIG LED 797 KeyGarage™	145
797 KeyGarage™ LED	145
860 Centuro	81
870 Catama	100
875 Universal 885 Winner	137
950 Steel-0-Flex™	78
1010 CityChain™	50-51
1060 GRANIT CityChain XPlus™	46-47
1100	108
1100 Kids 1150	108
1150 Kids	97
1200 Web	72
1360 Steel-0-Flex™ Tresor	84
1385 Tresor	58
1385 Tresor Color 1385 Tresor Neon	59
1450 Raydo Pro	91
1460 Steel-O-Flex™ Raydo Pro	83
1500 Web	71
1505 My first ABUS	109
1510 My first ABUS Fire Department 1510 My first ABUS Security Department	74
1850	141
1900	107
1900 Kids	107
1950	96
1950 Kids 2501 Combiflex™	140
2502 Combiflex™	140
2503 Combiflex™	140
4508C Star	95
4508K Star	95
4650X 4650XL	118
TOJUNE	117

4750XL	117
4804C Steel-0-Chain™	70
4804C Steel-0-Chain™ SYMBOLS	69
4804K Steel-0-Chain™	68
4960 PRO TECTIC™	123
5412 Numerino Color	104
5412 Primo Color	104
5412C Numerino	103
5412K Primo	103
5510 Numero Color	94
5510 Primo Color 5510C Numero	94
5510K Primo	93
5650 SHIELD™	120
5650L SHIELD™	121
5700 BORDO™ uGrip	38
5700 BORDO™ uGrip Combo	39
5750L SHIELD™ Plus	116
5805C Steel-O-Chain™	67
5805K Steel-0-Chain™	66
5850 PRO SHIELD™	119
5950 PRO SHIELD™ Plus	114-115
6000 BORDO	35
6000 BORDO™ Big	34
6000A BORDO™ Alarm	30-31
6010 BORDO CENTIUM™	32-33
6015 BORDO™ Bosch	36
6055 BORDO™ Lite	40
6100 B0RD0 Combo™	37
6150 B0RD0 Combo™ Lite	41
6210 6405 BORDO ™ Bosch	60
6415C Tresor	102
6415K Racer	102
6500 BORDO GRANIT XPIus™	26-27
6512C Tresor	92
6512K Booster	92
6615C Tresorflex	85
6615K Microflex	85
6806 Catena	62
6806 Catena Color	63
6806 Catena Neon	64
7200 IVERA Steel-0-Flex™	80
7210 IVERA Chain	56
7210 IVERA Chain color	55
7220 IVERA Cable	99
8200 IVEN Steel-0-Flex™	79
8210 IVEN Chain	54
8220 IVEN Cable	98
8807 Steel-O-Chain™	57
8940 PHANTOM™	101
8950 PHANTOM™	88-89
8960 PHANTOM™	82
9210 IVY Chain	48-49
9808 Steel-O-Chain™	53
9809 Steel-0-Chain™	52
Adaptor 797 KeyGarage	145
ADAPTOR CABLE ADAPTOR CHAIN	124
AFS625	142
Alarmbox	136
Cobra™	141
Sales displays & POS	172-180
NutFix™	130-131
NutFix™ axle set	128-129
NutFix™ SPC	132-133
PS88	180
WA 50	148
WBA 60	147
WBA GRANIT™ 100	146
WBA GRANIT™ 75	147

Product Brackets and bags	Page
Shackle clamp	159
EaZy KF™	158
FL	165
GH 50	159
IVERA RBU	164
KF	167
Clutching Strap LH adaptor	167
QuickSnap	166
QuickSnap RBU	166
SCLL	165
SH 5700 uGrip BORDO™	161
SH 5700 uGrip BORDO™ BIG	162
SH 5700C/80	161
SH 6000 BORDO™	160
SH 6000 BORDO™ Big	160
SH 6010 BORDO CENTIUM™	161
SH 6055 BORDO™ Lite	161
SH 6500 BORDO XPIus™	160
Snap Cage	167
ST 2012 Chain Bag	164
ST 2085	168
ST 2100	168
ST 2200	168
ST 2250	168
ST 5200	169
ST 5700 uGrip BORDO™	163
ST 5850/5650/4960	164
ST 5950 2.0	169
ST 6000 BORDO™	162
ST 6000 BORDO™ BIG	163
ST 6050/6150	163
ST 6500 BORDO Xplus™	162
ST 8130	169
TexFL	165
TexKF Mini	166
UGH 02	159
URB	167
USH 540/470/460/420/410/440A Tex	158
USKF	158



ABUS I August Bremicker Söhne KG **abus.com**

Altenhofer Weg 25 58300 Wetter Germany mobilesecurity@abus.de +49 2335 - 634 0

