

The 100th ISIJ Meeting Programme

Paper Presentation

—IRONMAKING—

October 18, 1980

- 1 Modified method of graphical analysis for unreacted-core model. Takeaki Murayama *et al.* S 601
- 2 Reduction kinetics of pulverized iron ore in consideration of the resistance due to mass balance under high pressure hydrogen. Sogo Sayama *et al.* S 602
- 3 Effect of foreign oxide on the reduction behaviors of magnetite pellet produced from magnetite ore. Mamoru Yamada *et al.* S 603
- 4 Step-wise reduction of magnetite dissolved foreign oxides. Yoshiaki Iguchi *et al.* S 604
- 5 Kinetic analysis of hydrogen reduction of hematite pellets with various porosities and slags on the basis of multi-stage diffusional models. Masaaki Naitō *et al.* S 605
- 6 Change of pore structure in iron oxide containing foreign oxide with or without pre-heating during reduction with hydrogen. Yoshikazu Suzuki *et al.* S 606
- 7 Kinetic studies on the reduction process of fixed beds of hamersley pellets with hydrogen. Hiroshi Kamiya *et al.* S 607
- 8 Carburization behaviour of reduced iron ore in softening and melting. Fumitaka Tsukihashi *et al.* S 608
- 9 Direct observation of reduction of iron ores and melting processes—experiments in a scanning microscope with possibility of high temperature and gas-treatment. H.-W. Gudenu S 609
- 10 Influences of reduction temperature and porosity on the swelling behaviour of pure hematite pellets during reduction. Satoshi Yamauchi *et al.* S 610
- 11 Sintering of reduced iron layer in reduction process. Jiro Shimizu *et al.* S 611
- 12 The composition and structure of chromite during reduction with carbon. Hiroshi G. Katayama *et al.* S 612
- 13 Extraordinary corrosion of runner material at slag-metal interface—IV. Jouki Yoshitomi *et al.* S 613
- 14 Measuring method for lining erosion of blast furnace—I. Nobuyuki Nagai *et al.* S 614
- 15 Measuring method for lining erosion of blast furnace—II. Masami Konishi *et al.* S 615
- 16 Measuring method for lining erosion of blast furnace—III. Yoshio Kawate *et al.* S 616
- 17 Mechanical behavior of refractories for blast furnace at elevated temperature. Manabu Miyamoto *et al.* S 617
- 18 Thermal strain measurements of refractories with high temperature gages. Kunihiro Hironaka *et al.* S 618
- 19 Improvement of thermal spalling resistance of bricks by heat treatment. Makoto Iiyama *et al.* S 619
- 20 Estimation of thermal stress induced in fireclay brick heated from one end. Fuminori Hikami *et al.* S 620
- 21 On the behaviour of thermal expansion and shrinkage of external combustion stove lining model. Kiyoshi Ookawa *et al.* S 621
- 22 Alteration of the wall head bricks in the coke oven. Yuuji Narita *et al.* S 622
- 23 Development of casting materials for blast furnace runners. Masaaki Nishi *et al.* S 623
- 24 On the combustion control of ignition-furnace at Kashima No. 3 sinter plant, Sumitomo Metal Industries, Ltd. Tadatsugu Toko *et al.* S 624
- 25 Decrease of fuel consumption at ignition furnace of sintering plant. Kenji Kitamura *et al.* S 625
- 26 On the waste heat recovery system of Kashima No. 3 sinter plant, Sumitomo Metal Industries, Ltd. Kazuo Masuda *et al.* S 626
- 27 Improvement of efficiency of E-P in sintering plant. Hiroshi Nagumo *et al.* S 627
- 28 Reducing the consumption of sintering heat energy. Yasunori Hegi *et al.* S 628

- 29 Operation of hot water/flash steam turbine generator in Wakamatsu sintering plant,
Nippon Steel Corp. Minoru Iwata *et al.* S 629
- 30 Reduction of heat consumption of hot stove of Kashima No. 3 Blast Furnace,
Sumitomo Metal Industries, Ltd. Satoru Oohara *et al.* S 630
- 31 Heat exchangers for waste gas energy from hot stove at Oita Nos. 1 and 2 Blast Furnaces,
Nippon Steel Corp. Masatoshi Uchida *et al.* S 631
- 32 On the construction & operation of top pressure recovery turbine at Oita Nos. 1 and 2 Blast
Furnaces, Nippon Steel Corp. Hiroki Takeshita *et al.* S 632

October 19, 1980

- 33 Motion of particle in the moving bed. Yoshikazu Kuwano *et al.* S 633
- 34 Experimental analysis on the two-dimensional solid flow in the blast furnace.
Hiroji Sato *et al.* S 634
- 35 Descending of burden and stress distribution in the blast furnace. Masakata Shimizu *et al.* S 635
- 36 Analysis of flow and distribution of granular materials.
(Study on burden distribution in a blast furnace—I). Takao Hamada *et al.* S 636
- 37 Effect of the radial distribution of gas velocity on the top contour of burden.
Shinji Takane *et al.* S 637
- 38 Method to minimize size segregation of sinter in ore bins of blast furnaces.
Tsutomu Fujita *et al.* S 638
- 39 Moving behaviour of coke and gas distribution in the lower part of blast furnace.
Masakata Shimizu *et al.* S 639
- 40 Gas and solid flow around a raceway of blast furnace. Mamoru Kuwabara *et al.* S 640
- 41 Fluid mechanical study on raceway in blast furnace. Tsutomu Tanaka *et al.* S 641
- 42 The development of a device for detecting the movement of burdens in the blast furnace.
Isao Ogata *et al.* S 642
- 43 On the development of the interactive data screening system for blast furnace.
Seiichirou Tani *et al.* S 643
- 44 Dynamic analysis for blast furnace operation and search for new process of blast furnace
operation. Akitoshi Shigemi *et al.* S 644
- 45 Physical property of heavy oil and solid fuel mixture.
(Study of injection of COM in the blast furnace—I). Fukuo Aratani *et al.* S 645
- 46 Problems of pipe transportation with injection of COM to blast furnace.
(Study of injection of COM to blast furnace—II). Masatoshi Ichimiya *et al.* S 646
- 47 Analysis of oilless blast furnace operation. Atsushi Sakai *et al.* S 647
- 48 On the oilless operation of Oita No. 1 Blast Furnace, Nippon Steel Corp.
Yoshihiro Inoue *et al.* S 648
- 49 An opinion concerned with the furnace reaction of all-coke-operated B.F.
Kazuyoshi Shimano *et al.* S 649
- 50 Analysis of low oil rate operation by a mathematical model of blast furnace.
Aiichiro Sakamoto *et al.* S 650
- 51 The high iron production of Nakayama No. 2 B.F. of Nakayama Steel Works Ltd.
Yoshimi Kozuma *et al.* S 651
- 52 The operation of Mizushima No. 2 Blast Furnace, Kawasaki Steel Corp., with high
agglomerated ore ratio. Akira Kani *et al.* S 652
- 53 Low fuel rate operation of large blast furnace with bell-less top. Kazuo Okumura *et al.* S 653
- 54 Control of the softening zone by the burden stock line descending operation.
Mitsuo Yagi *et al.* S 654
- 55 Mantle monitoring system at Kokura No. 2 B.F., Sumitomo Metal Industries, Ltd.
Moritaka Onishi *et al.* S 655
- 56 Determination of gaseous elements in blast furnace slags. Yasutaka Iguchi *et al.* S 656
- 57 Behaviour of nitrogen in blast furnace type slag. Seiji Sato *et al.* S 657
- 58 Foaming reaction of blast furnace slag at the solidification. Hidenobu Kondou *et al.* S 658
- 59 On the formation of alkali-iron-sulfide in blast furnace slags. Takahisa Koshida *et al.* S 659

- 60 Preliminary experiment of granulation of molten slag.
 (Granulation and heat recovery of molten slag—I). Tsutomu Fujita *et al.* S 660
- 61 Manufacturing equipment of blast furnace slag sand and its operation.
 Terumi Hiroshige *et al.* S 661
- 62 Fundamental study on heat recovery of BF slag and production of high quality ballast.
 (Development of a new method for utilizing blast furnace slag—I). Norio Obama *et al.* S 662
- 63 Development of a boiler with slag casting from the bottom.
 (Development of a new method for utilizing blast furnace slag—II). Norio Obama *et al.* S 663
- 64 Development of slag flow meter. (Study on slag flow measurement—I). Kazuo Sano *et al.* S 664
- 65 On the reduction of MnO from basic slags by carbon-saturated iron containing silicon.
 Seiji Saruhashi *et al.* S 665
- 66 The effect of reduction degree on the liquid forming process in the system
 $MgO-Al_2O_3-SiO_2-CaO-FeO_x$. Tsutomu Ikeda *et al.* S 666
- 67 The effect of reduction degree on the softening properties in the system
 $MgO-Al_2O_3-SiO_2-CaO-FeO_x$. Katsuhiko Inoue *et al.* S 667
- 68 Thermodynamics of Ti^{3+} , Ti^{4+} in molten slags. Kimihisa Ito *et al.* S 668
- 69 Thermal conductivity of molten slags measured by hot wire method. Shinji Ishikuro *et al.* S 669
- 70 Study of low SiO_2 sinter by means of addition of the fine-grained silica stone.
 (The investigation of the sintering mechanism—II). Masami Wajima *et al.* S 670
- 71 The production of the low SiO_2 sinter at Muroran No. 6 Sinter Machine, Nippon Steel Corp.
 (The investigation of the sintering mechanism—III). Yōzōh Hosotani *et al.* S 671
- 72 Recent improvement in sintering plant, Nakayama Steel Works, Ltd. Kiyoshi Beppu *et al.* S 672
- 73 The sintering test of Mizushima No. 2 DL, Kawasaki Steel Corp. Masayosi Okuyama *et al.* S 673
- 74 Evaluation method of moist particulate raw mixture for sintering. Seiki Nagano *et al.* S 674
- 75 Effects of several factors on productivity of sinter. Katsuhiro Takemoto *et al.* S 675
- 76 On the study of reduction degradation index (RDI) of sinter be added calcium chloride.
 Kunihiro Yoshioka *et al.* S 676
- 77 On the qualities of $CaCl_2$ sinter produced in actual sinter plant. Kunihiro Yoshioka *et al.* S 677
- 78 The effect of heating conditions for the relation between magnetic susceptibility and mineral phase—Application to pelletized ore—. Takao Kawai *et al.* S 678
- 79 Effects of the grain distributions of coarser ores on the pellets.
 (Study on mixing of coarse iron ore with the pellet feed—IV). Takeshi Sugiyama *et al.* S 679
- 80 Application of sinter feed to pellet feed.
 (Study on mixing of coarse iron ore with the pellet feed—V). Masayuki Mizuguchi *et al.* S 680

October 20, 1980

- 81 Development of a burden profile meter for a blast furnace. Yuichirou Asano *et al.* S 681
- 82 A device for measuring temperature distribution in blast furnace. Nobuo Tsuchiya *et al.* S 682
- 83 Detection of conditions in blast furnace by a device for measuring temperature distribution.
 Nobuo Tsuchiya *et al.* S 683
- 84 Analysis of the measurement results of the blast furnace conditions by using a feeding type vertical probe. (Measurement of cohesive zone in the blast furnace—II). Kazumasa Wakimoto *et al.* S 684
- 85 Analysis of blast furnace operation by mathematical model based on data obtained with upper and lower shaft probes. Kazuyoshi Yamaguchi *et al.* S 685
- 86 On the installation of shaft-mini-sonde and analysis of its operational data.
 Atsushi Kawasaki *et al.* S 686
- 87 Investigation of the Dead Mann by the tuyere probe. Takeshi Furukawa *et al.* S 687
- 88 Investigation of the pressure drop at the tuyere of blast furnace. Kenichi Asai *et al.* S 688
- 89 A direct measurement of oxygen partial pressure in the testing blast furnace.
 Kei Kobayashi *et al.* S 689
- 90 Reaction of coke with H_2O and degradation due to it. Tonshik Chang *et al.* S 690
- 91 Change of furnace performance with the use of formed coke. (The using-test of formed coke in the experimental blast furnace—I). Yoshikazu Kuwano *et al.* S 691

- 92 On the degradation-behavior of formed coke in the experimental blast furnace.
(The using-test of formed coke in the experimental blast furnace-II). Kichiya Suzuki *et al.* S 692
- 93 Relationship between skip coke and tuyere coke properties. Shinya Okamoto *et al.* S 693
- 94 Studies on the properties of tuyere coke. (Behaviour of coke in the blast furnace-IV).
Mamoru Yanagiuchi *et al.* S 694
- 95 Study on coke qualities at high temperature. Susumu Ōta *et al.* S 695
- 96 Degradation of sinter in the shaft of blast furnace. Yuji Iwanaga *et al.* S 696
- 97 The effect of Al_2O_3 on the property of sintered ore. Kazuhiro Yamamoto *et al.* S 697
- 98 Analysis on size degradation of self-fluxing sinter during the reduction.
Nobuhiko Takamatsu *et al.* S 698
- 99 Fundamental study on the softening properties of sintered ore. Yuji Iwanaga *et al.* S 699
- 100 The softening and melting behavior of sinter. (The effect of the high temperature property
of blast furnace burdens-I). Kenji Noshima *et al.* S 700
- 101 The effect of Al_2O_3 on the softening behavior of sinter under load. (The effect of the high
temperature property of blast furnace burdens-II). Kazuhiro Yamamoto *et al.* S 701
- 102 Effect of MgO to melting temperature and amount of primary slag in basic sinter.
K. Kreibich *et al.* S 702
- 103 Improvement of high temperature reduction and softening properties of pellets made from
HIGASHI-ANZAN iron ore. Terunobu Doi *et al.* S 703
- 104 The behavior and formation of acid pellet-slag in reduction-pressing.
Koutarou Ishimura *et al.* S 704
- 105 Reduction reaction during softening-melting reduction test of blast furnace burdens at high
temperature. Akira Sasaki *et al.* S 705
- 106 Effect of elevated temperature property of ore on the formation of cohesive zone. (Experimental
study on cohesive zone in blast furnace with hot model-II). Toshiyuki Irita *et al.* S 706
- 107 Catalizing properties of several Chinese iron ores to decompose NO_x in waste gas.
Ying-Pei Chin *et al.* S 707
- 108 Consideration on the CO and NO formation around the coke specimen during combustion.
(Combustion behavior of coke particle in the sintered layer-II). Yukihiro Hida *et al.* S 708
- 109 Automatic remote control system of stackers & reclaimers. Yukio Sato *et al.* S 709
- 110 On-line simulator for raw material yard operation scheduling and control.
Kazuhiro Takeyasu *et al.* S 710
- 111 Screening efficiency property of screen. (Size control of iron ores in sizing plant-II).
Shoji Nitta *et al.* S 711
- 112 An investigation about weathering of coking coal. Kōichi Yoshimura *et al.* S 712
- 113 Effects of inertinite and heat treatment temperature on reactivity of cokes.
Mamoru Kamishita *et al.* S 713
- 114 Correlation of gasification reactivities of cokes with their optical anisotropies and physical
properties. Kouji Sakata *et al.* S 714
- 115 The influence of carbonizing condition on coke strength after reaction by CO_2 .
Hiroshi Haraguchi *et al.* S 715
- 116 Chemical characterization of SRC and improvement of caking property by SRC.
(Application of SRC for making blast furnace coke-II). Toshio Koike *et al.* S 716
- 117 Coking test of SRC at commercial oven. (Application of SRC for making blast furnace
coke-III). Katsuhiko Shiraishi *et al.* S 717
- 118 Optimum operational condition of CDQ. Ikuo Komaki *et al.* S 718
- 119 Studies on two dimensional model of coke oven. (Study of combustion and heat transfer-II).
Nobuo Suzuki *et al.* S 719
- 120 Experimental studies for reduction of iron oxide pellets with $\text{H}_2-\text{CO}-\text{N}_2$ mixture by using
laboratory scale moving bed reactor at high pressures. Reijiyo Takahashi *et al.* S 720
- 121 Effect of the reactor geometry on the countercurrent reduction with a single-stage fluidized
rotary bed. Kazuhiko Kobayashi *et al.* S 721
- 122 Simulation of high top pressure shaft furnace for direct reduction process.
(Research and development on NSC-DR process-VI). Toru Wakabayashi *et al.* S 722

- 123 Analysis of experimental results of a shaft furnace simulator and its mathematical simulation model. (Study on reducing gas conditions by a shaft furnace simulator—III).
Kunihiro Kondo *et al.* S 723
- 124 Desulfurization method of carbon contained pellet. Kazumasa Katou *et al.* S 724
- 125 Improvement of yield and unit consumption in reduced pellets. Teiichi Yamada *et al.* S 725

—STEELMAKING—**October 18, 1980**

- 126 Improvement of deposphorization ratio of pig iron by Na_2CO_3 refining method.
Arata Tanaka *et al.* S 726
- 127 Dephosphorization and desulfurization of molten pig iron by injection of CaO-based fluxes.
Shigeta Hara *et al.* S 727
- 128 Dephosphorization of molten pig iron and molten steel with CaO flux. Akihide Hikosaka *et al.* ... S 728
- 129 Desulfurization and deposphorization of pig iron with CaO-base slag.
Kazusige Umezawa *et al.* S 729
- 130 Development of pretreatments of hot metal using Q-BOP. (Development of pretreatments of hot metal with lime base fluxes—I). Hajime Bada *et al.* S 730
- 131 Analytical investigation of pretreatments of hot metal using Q-BOP. (Development of pretreatments of hot metal with lime base fluxes—II). Hitoshi Morishita *et al.* S 731
- 132 Mechanism of deposphorization of hot metal in the Q-BOP. (Development of pretreatments of hot metal with lime base fluxes—III). Shuji Takeuchi *et al.* S 732
- 133 Refining of ultra-low-phosphorus steel using pretreatment of hot metal. (Development of pretreatment of hot metal with lime base fluxes—IV). Sumio Yamada *et al.* S 733
- 134 Application of $\text{MgO}-\text{C}$ brick for torpedo car. (Refractory of torpedo car for the desulfurization by lime based mixture—I). Toshio Nakamura *et al.* S 734
- 135 Analytical investigation of temperature loss of hot metal and torpedo car refractory.
(Refractory of torpedo car for the desulfurization by lime based mixture—II).
Masuto Shimizu *et al.* S 735
- 136 Remodeling of continuous casting machine for high carbon steel rod. Yoshiaki Aoki *et al.* S 736
- 137 Continuous casting of stainless steel in Yawata Works, Nippon Steel Corp.
Tutomu Terada *et al.* S 737
- 138 Continuous casting of 9% nickel steel. Akira Kawaharada *et al.* S 738
- 139 Quality of continuous cast SUS 303 blooms and wire rods. Shogo Matumura *et al.* S 739
- 140 Continuous casting bloom machine for seamless tublar products.
(Nippon Kokan K.K. large cross sectional bloom caster—I). Toshio Tamaki *et al.* S 740
- 141 Operation of continuous casting bloom for seamless tublar products.
(Nippon Kokan K.K. large cross sectional bloom caster—II). Toshio Tamaki *et al.* S 741
- 142 Quality of continuous casting bloom for seamless tublar products.
(Nippon Kokan K.K. large cross sectional bloom caster—III). Yasutoshi Sasajima *et al.* S 742
- 143 Surface cracks of continuously cast bloom of Si-Mn spring steel.
(The study on the surface cracks of continuously cast steel—I). Hiroyuki Yasunaka *et al.* S 743
- 144 Production of metal rod by horizontal continuous casting process.
(Development of horizontal continuous caster—I). Jun Miyazaki *et al.* S 744
- 145 Withdrawal of unsolidified billet by pinch roll in horizontal continuous casting.
(Development of horizontal continuous casting—III). Ken Nakai *et al.* S 745
- 146 Construction and operation of horizontal continuous casting pilot plant.
(Development of horizontal continuous casting—IV). Yoshiharu Fukushima *et al.* S 746
- 147 Redistribution of alloying elements during $\text{Fe}-\text{Fe}_3\text{C}$ eutectic growth.
Ken-ichi Kamegawa *et al.* S 747
- 148 Measurement of equilibrium distribution coefficient for stainless steels. Makoto Suzuki *et al.* S 748
- 149 Growth of CO macroblowholes during unidirectional solidification of iron.
Masashi Hashiura *et al.* S 749
- 150 Partition of carbon between solid and liquid in Fe-C binary system. Toshihiro Tanaka *et al.* S 750
- 151 An experiment on the formation of sedimentary crystals in a steel ingot by use of an organic material. Kenji Murakami *et al.* S 751
- 152 Origin of equiaxed crystals in steel ingot during electromagnetic stirring.
Tetsuichi Motegi *et al.* S 752
- 153 Effects of the cooling rate and the alloying elements of Mo and Si on the effective permeability and permeability of carbon steels by the seepage into the cylindrical hole.

Masayuki Kudo <i>et al.</i>	S 753
154 Model on deformation behavior of a liquid droplet impinging onto hot metal surface. Kazuo Araki <i>et al.</i>	S 754
155 On the morphology of steel solidification structures formed in the continuous casting mould. S. Kohl <i>et al.</i>	S 756
156 The surface cracks of high tensile continuously casting slabs. Morio Kawasaki <i>et al.</i>	S 757
157 On the surface defects of Ti-B steel produced by continuous casting. Yūichi Satō <i>et al.</i>	S 758
158 Melting process of mold powders for continuous casting at high withdrawal rate. Toshikazu Sakuraya <i>et al.</i>	S 759
159 The effect of $2\text{CaO}\cdot\text{SiO}_2$ saturation on the lime dissolution rate in LD converter. Hidetaka Hayashi <i>et al.</i>	S 760
160 Development of dephosphorizing technology by using Ca-ferrite flux in BOF. (Development of slag minimum refining process—VI). Hisashi Masuo <i>et al.</i>	S 761
161 Manufacture of low-nitrogen high-carbon steels. Toshinori Takahashi <i>et al.</i>	S 762
162 Conditions of preventing nitrogen pick up of molten steel. Hiroyuki Katayama <i>et al.</i>	S 763
163 Development of technology recovering low temperature waste heat by turbine at oxygen converter gas recovery plant. Kenzou Fukumoto <i>et al.</i>	S 764
164 Total automatic control system of LD operation of steelmaking plant III in Yawata Works of Nippon Steel Corp. Hiroyuki Aoki <i>et al.</i>	S 765
165 Function and evaluation of accuracy of calculation model for LD converter process. Takeshi Takawa <i>et al.</i>	S 766
166 A new approach to the analysis of the BOF reaction with the amount of oxygen accumulated in slag. (Integrated automatic and optimum control system for BOF using informations driven from exhaust gases—I). Michitaka Kanemoto <i>et al.</i>	S 767
167 A control method of phosphorus and manganese in molten steel at end-point of blowing with the amount of oxygen accumulated in BOF slag. (Integrated automatic and optimum control system for BOF informations driven from exhaust gases—II). Katsuyuki Isogami <i>et al.</i>	S 768
168 Static control model and end-point control model with the amount of oxygen accumulated in BOF slag. (Integrated automatic and optimum control system for BOF using informations driven from exhaust gases—III). Toru Yoshida <i>et al.</i>	S 769
169 Influence of iron oxides in slags and temperature on the erosion of the magnesia–carbon bricks. Kōichi Furumi <i>et al.</i>	S 770
170 LD converter lining with magnesia–carbon brick. Akira Harita <i>et al.</i>	S 771
171 Viscosity measurement of molten iron. Akihiko Yanagitani <i>et al.</i>	S 772
172 Temperature-dependency of interdiffusion in molten Fe–C alloys. Shoji Takai <i>et al.</i>	S 773
173 Measurement of interdiffusion coefficient of the system $\text{FeO}-\text{MgO}$. Nobuhiro Sata <i>et al.</i>	S 774
174 Interfacial tension between liquid iron and slag. Tetsunari Kurashige <i>et al.</i>	S 775
175 The surface tension of molten Fe–Si alloy and wettability of solid oxide. Kiyoshi Nogi <i>et al.</i>	S 776
176 Measurements of thermal diffusion coefficient of molten iron and slag. Yoshio Ukyo <i>et al.</i>	S 777
177 Production of stainless steel clad plate by “Enclosing–Casting Method”. (Research on the production of composite material—I). Tomoo Takenouchi <i>et al.</i>	S 778
178 The effects of pouring tubes properties on gas defects in slabs cast by pressure casting process. Masakazu Yoshida <i>et al.</i>	S 779
179 On the results of pressure casting for stainless steel slabs. Takahisa Hasegawa <i>et al.</i>	S 780
180 Solidification of horizontally cast slab ingots. Toru Kitagawa <i>et al.</i>	S 781
181 Influence of hot top condition on soundness of big ingots. (Improving internal qualities of big ingot—IV). Mitsuo Tomonaga <i>et al.</i>	S 782
182 The effect of mold form on surface-defect of ingot. (The research about decrease of surface-defect of H-steel—III). Shouji Nagao <i>et al.</i>	S 783

October 19, 1980

183 Desiliconization by 30-t LD converter on LD-AOD process. Kōei Nakabayashi <i>et al.</i>	S 784
184 Measurement of the oscillation of molten steel in the ladle at jet-mixing refining. Fumihiko Ichikawa <i>et al.</i>	S 785

- 185 The behavior of nitrogen in EF-LF-CC process. Shusaku Nozaki *et al.* S 786
- 186 Manufacturing technique of ultra-low P, S, H steel by LD-LRF-vacuum casting process. Toshio Kato *et al.* S 787
- 187 Technique of manufacturing clean steel by using the synthetic flux. Masayasu Kimura *et al.* S 788
- 188 Development of electro-magnetic-stirrer in bloom continuous casting.
(The technique of electro-magnetic stirring of C.C. bloom-II). Seiichi Kojima *et al.* S 789
- 189 Development of electro magnetic stirring equipment in mold.
(The technique of electro-magnetic stirring of C.C. bloom-III). Kenta Yoshii *et al.* S 790
- 190 The improvement of the internal quality of C.C. bloom by electro-magnetic stirring in the mold.
(The technique of electro-magnetic stirring of C.C. bloom-IV). Takasuke Mori *et al.* S 791
- 191 Effect of magnetic stirring in mold on steel quality just below the surface.
(The technique of electro-magnetic stirring of C.C. bloom-V). Yasuhiko Ohta *et al.* S 792
- 192 The variation of the shell profile by electro-magnetic stirring in the mold of C.C. bloom.
(The technique of electro-magnetic stirring of C.C. bloom-VI). Kenzo Ayata *et al.* S 793
- 193 Effect of magnetic stirring in latter stage of solidification on internal quality.
(The technique of electro-magnetic stirring of C.C. bloom-VII). Yasuo Suzuki *et al.* S 794
- 194 Contribution magnetic stirring technique.
(The technique of electro-magnetic stirring of C.C. bloom-VIII). Isamu Wakasugi *et al.* S 795
- 195 Suppression of CO blowhole formation with flow of molten steel. Eiichi Takeuchi *et al.* S 796
- 196 Suppression of CO blowhole in slab with flow of molten steel in the mold. Hiromu Fujii *et al.* ... S 797
- 197 Refining of solidification structures by non-immersion type ultrasonic vibration method.
Hisataka Tomura *et al.* S 798
- 198 Improvement of inner quality of C.C. bloom by electromagnetic stirring. Yasunori Kato *et al.* ... S 799
- 199 On the application of electromagnetic stirrer to continuous casting. Hideaki Mizukami *et al.* S 800
- 200 The influencing factors of electromagnetic stirring on the generation of equiaxed zone.
Sumio Kobayashi *et al.* S 801
- 201 On the quality improvements of continuously cast products through electromagnetic stirring at
mold and secondary cooling zone. Shigeru Takagawa *et al.* S 802
- 202 Characteristics of the embrittlement at elevated temperature in the boron treated steels.
Hirowo G. Suzuki *et al.* S 803
- 203 Analysis of deformation characteristics in steel at elevated temperature range.
Jun Imamura *et al.* S 804
- 204 Characteristics of the embrittlement near the melting temperature of steels.
Hirowo G. Suzuki *et al.* S 805
- 205 On the internal cracks caused by the bending test of small ingot. (Mechanism of the occur-
rence of internal cracks in continuously cast bloom-III). Jun Miyazaki *et al.* S 806
- 206 The influence of primary and secondary cooling on the initiation and propagation of facial
longitudinal cracks of the continuously cast slab. (Studies on the decreasing of facial defects
of the continuously cast slab-VI). Hideki Yamauchi *et al.* S 807
- 207 An experiment on the crack formation with artificially grooved mould.
(A study of the formation mechanism of longitudinal mid-face cracks of CC slab-I).
Akira Tsuneoka *et al.* S 808
- 208 An analysis of the crack formation with the artificially grooved mould.
(A study of the formation mechanism of longitudinal mid-face cracks of CC slab-II).
Hideyuki Misumi *et al.* S 809
- 209 Effect of near solidus temperature brittleness of carbon steels on crack formation.
Hidenari Kitaoka *et al.* S 810
- 210 Behavior of frictional force between mold and slab in conti-casting and its effect on surface
defect of slabs. Rinzō Tachibana *et al.* S 811
- 211 Comparison of rimming steel made by Q-BOP and LD. Kōichi Komamura *et al.* S 812
- 212 Ladle seal nozzle equipped with slag flow-out detector. Kazuaki Miyahara *et al.* S 813
- 213 Application of autopour to bottom pouring ingot making. Hiroyuki Matuyama *et al.* S 814
- 214 Inter-granular cracking of 9%Ni cast steel. Koh-ichi Kohshiro *et al.* S 815
- 215 Prevention of grain boundary oxidation appeared on the surface of Ni steel castings.

Koh-ichi Kohshiro <i>et al.</i>	S 816
216 Installation of No. 2 RH reactor at Oita Works, Nippon Steel Corp. (Steel making with massive RH treatment—I). Takafumi Matsuzaki <i>et al.</i>	S 817
217 Patterned BOF operation with massive RH treatment. (Steelmaking with massive RH treatment—II). Tatsuro Kuwabara <i>et al.</i>	S 818
218 Metallurgical consideration in slag—metal reaction on patterned BOF operation. (Steelmaking with massive RH treatment—III). Shigeki Kashio <i>et al.</i>	S 819
219 Statistical analysis of bubble dispersion in the liquid phase. Noboru Tomimoto <i>et al.</i>	S 820
220 Mixing time in the gas stirred refining vessels. Shigeo Asai <i>et al.</i>	S 821
221 Characteristic of submerged gas jet and development of the new type bottom blowing tuyer—I. Takeo Aoki <i>et al.</i>	S 822
222 On the metallurgical characteristics of circulating lance process (LD-CL process) at 250 t LD converter in Keihin Works, Nippon Kokan K.K. Yoshihiko Kawai <i>et al.</i>	S 823
223 Equipments of circulating lance in Ohgishima 250 LD converter, Nippon Kokan K.K., and its operational results. (Development of LD-CL process—VI). Takeharu Toyoda <i>et al.</i>	S 824
224 Factors influencing the formation of iron oxide in the Q-BOP at the low carbon range. Yoshiei Kato <i>et al.</i>	S 825
225 Mixing characteristics of top and bottom blowing converter by water modelling. (Development of top and bottom blowing converter—I). Hideo Matsui <i>et al.</i>	S 826
226 Effects of 200-t top and bottom blowing converter. (Development of top and bottom blowing converter—II). Shūzō Ito <i>et al.</i>	S 827
227 Production of high carbon steel by top and bottom blowing converter. (Development of top and bottom blowing converter—III). Shūzō Ito <i>et al.</i>	S 828
228 Applied technique of top and bottom blowing converter. (Development of top and bottom blowing converter—IV). Hideo Matsui <i>et al.</i>	S 829
229 Research for top-bottom oxygen blowing method at experimental 30-t LD converter. (Development of top and bottom blowing converter—V). Masahiko Ogami <i>et al.</i>	S 830
230 Development of gas bubbling nozzle for stirring of molten steel. Hiroyuki Kaito <i>et al.</i>	S 831
231 Improvement of VOD process by use of KTG. Hiroyuki Kaito <i>et al.</i>	S 832
232 Production of 30Cr-2Mo steel extra low in carbon by VOD equipped with single hole bottom tuyers for extensive Ar stirring. Yukio Oguchi <i>et al.</i>	S 833
233 Nitrogen desorption reaction in AOD process and top and bottom blowing process. (Study of extra-low nitrogen stainless steel refining—I). Kaoru Shinme <i>et al.</i>	S 834
234 Nitrogen desorption reaction in VOD process. (Study of extra-low nitrogen stainless steel refining—II). Kaoru Shinme <i>et al.</i>	S 835
235 Production of extremely low carbon and nitrogen stainless steel in VOD process. Mitsuyuki Morishige <i>et al.</i>	S 836
236 150 t VOD-equipment and its operation in Yawata Works of Nippon Steel Corp. Hideo Matsuzaki <i>et al.</i>	S 837
237 Analysis of decarburization reaction in AOD by mathematical model. (Verification of mathematical model by operation data—I). Takeya Tohge	S 838
238 Producing of clean steel by BOP-VAD process. Kazuya Iemura <i>et al.</i>	S 839
239 A trial of producing large ingot for heavy plate by "Electro-slag-hottopping". Tadanobu Komai <i>et al.</i>	S 840
240 Investigation of the forging ingot made by EST method. Kouji Morinaka <i>et al.</i>	S 841
241 Manufacturing of the turbine rotor forging from EST ingot. Kouji Morinaka <i>et al.</i>	S 842
242 Production of large SUS 321 ingot by ESR. (Research on the production of Ti and Al containing steel by ESR—II). Tamio Fujiwara <i>et al.</i>	S 843

October 20, 1980

243 Development of hot surface inspection equipments by induction heating technique. Masaru Fukuyama <i>et al.</i>	S 844
244 Utilization of hot surface inspection equipments by induction heating technique. Noboru Kouno <i>et al.</i>	S 845

245	Development in detective method of continuous casting slabs' innerflaw by online ultrasonic inspector. Tomoharu Shimokasa <i>et al.</i>	S 846
246	Improvement of eddy current CC mold level sensor. (Development on the level sensor in the mold of continuous casting by eddy current method—III). Kazuo Sano <i>et al.</i>	S 847
247	Improvement of internal quality of CC slabs based on measurement during casting. Osamu Ito <i>et al.</i>	S 848
248	New device for roll alignment measuring of slab caster. Shun-ichi Kuramoto <i>et al.</i>	S 849
249	The detector for roll-rotation of continuous casting machine. Eiichi Tanno <i>et al.</i>	S 850
250	Development of measurement technique of lubricating performance in CC mould. Yukio Nakamori <i>et al.</i>	S 851
251	Development of on-line deburring equipment of slab CC machine at Ohgishima Works, Nippon Kokan K.K. Yasutsugu Ogura <i>et al.</i>	S 852
252	The influence of operating conditions on mold heat flux in high speed continuous casting mold. (A study of continuously cast slabs in high speed casting—I). Mikio Suzuki <i>et al.</i>	S 853
253	Various factors on the life of CC narrow side mold. (A study of continuously cast slabs in high speed casting—II). Takashi Mori <i>et al.</i>	S 854
254	Improvements in deformation of continuous casting mold plate. Akira Imamura <i>et al.</i>	S 855
255	Interaction between solidifying shell and mould wall in continuous casting. Susumu Tsujita <i>et al.</i>	S 856
256	Hot charge of continuously cast slab for plate. Tomiyasu Echigo <i>et al.</i>	S 857
257	Manufacture of round bars for structural use by direct rolling of continuously cast billets. Yoji Hatsuse <i>et al.</i>	S 858
258	Influence of hydrogen content and center segregation of CC slab on UT defect of HSLA steel plate. Kenji Murata <i>et al.</i>	S 859
259	Results of application test of CC core wire feeding process by CC machine. (Alloying method into core part by feeding wire—III). Naotaka Noda <i>et al.</i>	S 860
260	Effect of cleanliness of steel on the non-metallic inclusions in the continuously cast slab. (Study on minimizing technique and the behaviour of non-metallic inclusions in the continuously cast slab—I). Ryoji Tsujino <i>et al.</i>	S 861
261	Behaviour of non-metallic inclusion in a molten steel during flux injection. (Study on minimizing technique and the behaviour of non-metallic inclusions in the continuously cast slab—II). Ryoji Tsujino <i>et al.</i>	S 862
262	Slab caster operation and quality improvement by use of the oversized tundish. Motoki Yoshida <i>et al.</i>	S 863
263	Removal of non-metallic inclusions in the large tundish. Jun-ichi Wakita <i>et al.</i>	S 864
264	A behavior of inclusion and tundish and mold slag composition in continuous casting process. Katsuhiko Murakami <i>et al.</i>	S 865
265	Model experiments for non-metallic inclusions removal from molten iron in a CC-tundish. Jun Tanaka <i>et al.</i>	S 866
266	Prevention of tundish-nozzle clogging at low carbon Al-killed steel casting. Shōichi Hiwasa <i>et al.</i>	S 867
267	An investigation of the blockage of immersion nozzle during slab continuous casting. Toshiyuki Kaneko <i>et al.</i>	S 868
268	An investigation of the formation of large pin-holes or inclusions at the sub surface of CC slab. Shigenori Tanaka <i>et al.</i>	S 869
269	Improvement of the surface condition of cold-rolled sheet made of continuously-cast low carbon Al-killed steel. Yoshihiro Matsuda <i>et al.</i>	S 870
270	Study of the blowhole formation of high C-Cr-Mo steel. Tomohiro Ogata <i>et al.</i>	S 871
271	Diffusion of centerline segregation in continuous cast bloom by re-heating. Katsuhiko Yamada <i>et al.</i>	S 872
272	Residual stress of continuously cast slabs and the influence on deformation of slab slitting. Kazuo Kanamaru <i>et al.</i>	S 873
273	Improvement of segregation in rimming steel ingot. (Solidification in upset ingot—I). Mikio Mugita <i>et al.</i>	S 874

274 Improvement of segregation in rimming steel ingot. (Solidification in upset ingot-II). Masahiro Tsuru <i>et al.</i>	S 875
275 Development of automatical capping detector for capped steel ingot. Akio Shinkai <i>et al.</i>	S 876
276 Decrease of slab surface defects in rimming steel by the control of dissolved oxygen in molten steel. Mikio Mugita <i>et al.</i>	S 877
277 Construction and operation of top and bottom blowing converter. (Development of top and bottom blowing converter-I). Hideo Take <i>et al.</i>	S 878
278 Metallurgical characteristics of top and bottom blowing converter. (Development of top and bottom blowing converter-II). Takuma Shibayama <i>et al.</i>	S 879
279 Effect of lime powder injection on top and bottom blowing converter. (Development of top and bottom blowing converter-III). Hirosuke Yamada <i>et al.</i>	S 880
280 Studies on the bath motion and the stirring in the top and bottom blowing converter. (Development of top and bottom blowing converter-IV). Yoshiie Kato <i>et al.</i>	S 881
281 Critical conditions of blowing through in bottom gas blowing in cold model test. (Development of new LD with oxygen bottom blowing (LD-OB)-IV). Mitsuo Higuchi <i>et al.</i>	S 882
282 Influence of the intensity of bath agitation on the oxygen potential in slag and steel bath. (Development of new LD with oxygen bottom blowing (LD-OB)-V). Kazuo Okohira <i>et al.</i>	S 883
283 Decarburization behavior of Fe-C melt. Tokuzo Nisugi <i>et al.</i>	S 884
284 Development of microwave drying method for ladle linings. Tsunemi Ochiai <i>et al.</i>	S 885
285 Thermal calculations of ladle lining—I. Tatsuhito Takahashi <i>et al.</i>	S 886
286 Porous plug for bottom bubbling in ladle. Hiromitu Yamanaka <i>et al.</i>	S 887
287 Infiltration of molten $\text{FeO}-\text{SiO}_2$ and $\text{FeO}-\text{SiO}_2-\text{CaO}$ slags into alumina refractory. Hidenori Tsuchida <i>et al.</i>	S 888
288 The study on the powder injection. Yoshiyasu Shirota <i>et al.</i>	S 889
289 Determination of the Al_2O_3 absorption capacity of premelt flux for deoxidation of steel. (Research for flux of steel refining-II). Norio Hirokawa <i>et al.</i>	S 890
290 Behaviour of powder injected into liquid by horizontal nozzle. Kanehiro Ogawa <i>et al.</i>	S 891
291 Influence of top blowing gas jet on the behaviour of powder injected into liquid. Kanehiro Ogawa <i>et al.</i>	S 892
292 Dephosphorization of molten chromium-containing pig iron by lithium carbonate. Takashi Yamauchi <i>et al.</i>	S 893
293 Dephosphorization of molten high chromium steel by calcium at low temperatures. Kazuo Kitamura <i>et al.</i>	S 894
294 Solubility of nitrogen in liquid Cr and Cr-Fe alloys. Fujio Ishii <i>et al.</i>	S 895
295 Activities of sulphur and oxygen in liquid iron. Shoji Hayashi <i>et al.</i>	S 896
296 Effect of oxygen on the activity of sulphur and effect of sulphur on the activity of oxygen in liquid iron. Shoji Hayashi <i>et al.</i>	S 897
297 Mass spectrometric study of the activity in liquid Fe-Sn, Fe-Sn-Cu alloys. Masamichi Yamamoto <i>et al.</i>	S 898
298 Vapor pressure of phosphorus in liquid Fe-P alloys. Shinji Fujino <i>et al.</i>	S 899
299 Activity measurement of iron oxide in $\text{CaO}-\text{CaCl}_2-\text{Fe}_t\text{O}$ melts. (Activity measurement of iron oxide in molten slags by electrochemical method-II). Toshiaki Arato <i>et al.</i>	S 900
300 Activity measurement of iron oxide in $\text{Na}_2\text{O}-\text{SiO}_2-\text{Fe}_t\text{O}$ melts. (Activity measurement of iron oxide in molten slags by electrochemical method-III). Toshiaki Arato <i>et al.</i>	S 901
301 Thermodynamics of $\text{Fe}_t\text{O}-\text{SiO}_2-\text{P}_2\text{O}_5$ slags in equilibrium with solid iron at 1 400°C. Akihide Hikosaka <i>et al.</i>	S 902
302 Thermodynamics of $\text{Fe}_t\text{O}-\text{P}_2\text{O}_5-\text{CaO}$ and $\text{Fe}_t\text{O}-\text{P}_2\text{O}_5-\text{MgO}$ slags in equilibrium with solid iron at 1 400°C. Retsu Nagabayashi <i>et al.</i>	S 903
303 Thermodynamics of the $\text{Na}_2\text{O}-\text{Na}_2\text{CO}_3-\text{SiO}_2-\text{FeO}-\text{Fe}_t\text{O}_3$ slag. Nobuo Sano	S 904
304 The measuring method of electron conductivity parameter of solid electrolyte. Mamoru Inoue <i>et al.</i>	S 905
305 The polarization of reference electrode due to the internal current in solid electrolyte. Mamoru Inoue <i>et al.</i>	S 906

- 306 Determination of sulfur in liquid carbon-saturated iron by the Emf method.
Akira Egami *et al.* S 907
- 307 The composition changes of foaming slag during the reduction of iron oxide-containing slag by molten iron. Atsushi Nishiwaki *et al.* S 908
- 308 Rate of reduction of MnO from molten slag by carbon in liquid iron. Kaichirō Ishidō *et al.* S 909
- 309 The fundamental study on the pretreatment of hot metal containing niobium.
Zhang Bai Ting *et al.* S 910
- 310 Effect of addition of Na_2CO_3 on dephosphorization by $\text{Na}_2\text{O}\cdot\text{SiO}_2$ slag. (Dephosphorization of liquid iron by $\text{Na}_2\text{O}\cdot\text{SiO}_2\cdot\text{Fe}_2\text{O}_3$ slag-II). Kyoji Kunisada *et al.* S 911
- 311 Simultaneous dephosphorization, desulphurization and deoxidation of liquid iron by sodium fluoride containing fluxes. Toshisada Mori *et al.* S 912
- 312 Gaseous desulphurization from metallurgical slags. Akira Morooka *et al.* S 913
- 313 Smelting reduction of chromium ore by plasma jet furnace. Kyojiro Kaneko *et al.* S 914
- 314 Desiliconization of ferronickel in ladle. Sanshiro Kimura *et al.* S 915
- 315 The operation of a electric furnace which are controlled of electrode head position.
Masao Morimoto *et al.* S 916
- 316 Manufacture of LD slag block by carbonation. Tatsuo Koyama *et al.* S 917
- 317 Stabilization of steelmaking slags. Yoshikazu Nagao *et al.* S 918
- 318 Crushing characteristics of slag ore. (Stabilization of LD converter slags by field aging-IV).
Takeo Nagashima *et al.* S 919
- 319 Mineralogical stability of BOF slag aggregates in roadbases. Tsuneo Enokido *et al.* S 920
- 320 Effect of field aging on swelling characteristics of LD slags. Aribumi Niida *et al.* S 921
- 321 The utilization of steel making slags for the production of sulphate slag cement.
Akitoshi Ishimitsu S 922
- 322 Degassing and desulphurization during the vacuum treatment in ladle refining.
(Study on ladle refining technics-I). Kazuo Kitamura *et al.* S 923
- 323 Improvement of DH treatment capacity. Kōichi Ebato *et al.* S 924
- 324 Improvement of DH-refractories at steelmaking plant III in Yawata Works at Nippon Steel Corp.
Nobuhiro Hyakutake *et al.* S 925

FABRICATION**October 18, 1980**

- 325 Effect of different-speed rolling on rolling force and power. Hiromi Matsumoto *et al.* S 926
 326 Study on deformation resistance and rolling force in cold tandem mill. Jitsuo Kitazawa *et al.* ... S 927
 327 DDC-AGC system at 6 stand-tandem cold mill in Chiba Works, Kawasaki Steel Corp.
 (Improvement of the accuracy of steel strip thickness in cold rolling—III).
 Takuya Araki *et al.* S 928
 328 Analysis of rolling characteristics and control law. (Development of gauge control method
 in thread and tail-out stages—I). Terumi Taniguchi *et al.* S 929
 329 Gauge control method and results on test. (Development of gauge control method in thread
 and tail-out stages—II). Akira Sakamoto *et al.* S 930
 330 The effect of stray light on spectral emissivity measurement. Takao Yamaguchi *et al.* S 931
 331 Damping effect caused by air in the air cushion system for stable tracking of strip.
 (The study on the support of strip on air cushions—II). Yasuo Shimokawa *et al.* S 932
 332 The measurement of strip vibration in galvanizing-line. (The study on the support of strip on
 air cushions—III). Yasuo Shimokawa *et al.* S 933
 333 High-performance ultrasonic testing equipment for cold rolled flat products.
 Hajime Nagasaki *et al.* S 934
 334 UST defects of ERW pipe. Toshiaki Komiya *et al.* S 935
 335 Automatic ultrasonic testing equipment for weld of offshore structures.
 Shigeaki Matsumoto *et al.* S 936
 336 Determination of lubrication behaviors in cold sheet rolling by means of a laser beam.
 Akira Azushima *et al.* S 937
 337 Effect of belly caliber for edging on rolling slab into wide flange beam.
 (Development of new beam blank rolling method—III). Shinzo Saito *et al.* S 938
 338 Model experiment by plasticine. (Research on the high reduction rolling method of H-section
 steel applying the pushing force—I). Minoru Kawaharada *et al.* S 939
 339 Roll-zero-adjustment in universal section rolling. Hiroshi Higashinaka *et al.* S 940
 340 Rolling of special π shapes. Jiro Kimura *et al.* S 941
 341 Forming technology for the joints of sheet pilings with guide roller. Hironori Miura *et al.* S 942
 342 Computer-AIDED roll design. Haruo Kozono *et al.* S 943
 343 Data acquisition and control system for a universal section rolling process.
 Hidehiko Nagatomi *et al.* S 944
 344 More economical method in rail universal rolling. Haruo Kozono *et al.* S 945
 345 Profile measurement of rolled steel products and screw threads by coordinate measuring
 machines. Haruo Kozono *et al.* S 946
 346 Conditioning machine for brushing the end face of sheet pilings. Shigeru Nakaji *et al.* S 947
 347 Analysis of bending effect for cold flange rolling of H-Shapes. Akira Hamaguchi *et al.* S 948
 348 The feature of the 3-roll planetary mill. Kōshiro Aoyagi *et al.* S 949

October 19, 1980

- 349 Computer control system of billet furnace. Tadashi Makino *et al.* S 950
 350 A study of the optimum air stoichiometry for the furnace efficiency. Masahiro Abe *et al.* S 951
 351 Outline of new heat treating furnace for tubing pipe. Toshihisa Taue *et al.* S 952
 352 Investigation of the hydraulic distribution in Bach annealing furnace.
 (Optimum operation of Bach annealing furnace—I). Norihisa Shiraishi *et al.* S 953
 353 Prediction of heating of coils in Bach annealing furnace. (Optimum operation of Bach
 annealing furnace—II). Singo Fujii *et al.* S 954
 354 The cooling of hot steel sheet with a water laminar flow—II. Akinori Otomo *et al.* S 955
 355 Effect of water spraying conditions on scale removal of hot steel plate.
 Masakazu Nakao *et al.* S 956
 356 The production of high strength steel sheet by continuous annealing process.
 (Production of high strength steel sheet by modified galvanizing line—I). Akio Nagai *et al.* S 957

- 357 The surface properties and phosphate coating of cold-rolled steel sheet after oxidation and reduction annealing. (Production of high strength steel sheet by modified galvanizing line-II). Shun-ichi Nishikida *et al.* S 958
- 358 Experimental melting diffusion for hard facing steel plate of mainly Fe-Si-C alloys. Satoru Ishibashi *et al.* S 959
- 359 Insoluble electrodes for electrolytic tinning plating. Katusi Saito *et al.* S 960
- 360 Development of roll coating process of one side galvanized steel. Tatsuya Kanamaru *et al.* S 961
- 361 The development of high speed one side electro galvanizing process. Seijun Higuchi *et al.* S 962
- 362 Distribution of flow velocity from various type of nozzle in a plating tank. (Basic study on high speed electric galvanizing process-III). Yutaka Ohkubo *et al.* S 963

October 20, 1980

- 363 Optimum pass schedule and application of it to plate mill. (Investigation for the plate shape in plate rolling-II). Takasi Ariizumi *et al.* S 964
- 364 An on-line cross-profile measuring system of hot-rolled strip. Takashi Mikuriya *et al.* S 965
- 365 Automatic width control in hot strip mill. Yutaka Takemoto *et al.* S 966
- 366 Relationship between rolling load and deterioration of work roll in hot strip roughing mills. Akira Ohnuki *et al.* S 967
- 367 Study of optimal width reduction ratio to minimize the top necking of hot strip. Kazutoshi Kakita *et al.* S 968
- 368 New type of hydraulic wrapper roll in hot strip down coiler. Kazutoshi Kakita *et al.* S 969
- 369 Comparison of several methods for crop-length-control. (Improvement of yield-ratio in hot strip rolling-I), Hideki Tokita *et al.* S 970
- 370 Hot strip's crop shape measuring system. Tatsuo Kitakado *et al.* S 971
- 371 Effect of bending roll on winding quality of heavy gage hot rolled coils. Toshihiro Konishi *et al.* S 972
- 372 Formation mechanism of non-flatness during cooling of hot strip. (Analysis of thermal stress in steel material-I). Hiroshi Yoshida *et al.* S 973
- 373 Cooling of running steel plate by the spray cooling method. Hiroshi Ohtsubo *et al.* S 974
- 374 Cutting of high temperature steel sheet by CO₂ laser. Hiroshi Matsuno *et al.* S 975
- 375 On empirical equation of springback of stainless steel sheet. Mitsuo Watanabe *et al.* S 976
- 376 Influence of structure on cold upsetting deformability of pearlite. Kenji Aihara *et al.* S 977
- 377 Fracture behavior of some structural steels under hydrostatic tension and their fracture-behavior maps. Sakae Saito *et al.* S 978
- 378 Automatic milling equipment for square billets. (Development of a full automatic conditioning system-II). Shigeru Yuuki *et al.* S 979
- 379 An investigation of a method to improve the slabbing yield. Masato Mukai *et al.* S 980
- 380 Strength examination for manipulator of slabbing mill. Hisanao Nakahara *et al.* S 981
- 381 A new slab rolling method of ferritic stainless steel ingot. Minoru Matsuzaki *et al.* S 982
- 382 Deformation behavior of both ends in slab rolling. Minoru Matsuzaki *et al.* S 983
- 383 Eddy current inspection for hot ingot slabs. (Studies on the surface defect of hot slab-VI). Takahide Sakamoto *et al.* S 984
- 384 Eddy current inspection for hot continuous cast slabs. (Studies on the surface defect of hot slab-VII). Tatsuo Hiroshima *et al.* S 985
- 385 Fundamental method of slitting slabs with rolls. (Lengthwise slitting of continuously casted slabs with rolls-I). Kazumi Yasuda *et al.* S 986
- 386 Characteristics of slitting hot slabs with rolls. (Lengthwise slitting of continuously casted hot slabs with rolls-I). Shinichi Gima *et al.* S 987
- 387 Limit analysis of closing behaviours of internal porosity in plate rolling. Manabu Kiuchi *et al.* S 988
- 388 Effect of slab inner temperature distributions on improving loose structure by new slabbing method. Syunji Saito *et al.* S 989
- 389 Effect of rolling conditions on the annihilation of center-porosities in large ingots. Hiroaki Shiraishi *et al.* S 990
- 390 Effect of forming ratio on mechanical properties for steel forgings.

- Reevaluation of forming ratio—. Shigeo Mori *et al.* S 991
- 391 High-speed hot-deformation simulator for continuous rolling. Hiroshi Yada *et al.* S 992
- 392 Deformation behavior in flat compression test on hot-deformation simulator. Nobuhiko Matsuzu *et al.* S 993
- 393 Estimation of hot-workability of continuously cast strand of high carbon steel. Yoshihiro Hashimoto *et al.* S 994
- 394 Surface cracking of medium carbon steel billet. Masao Toyama *et al.* S 995
- 395 Effect of aluminum on hot workability in low-alloy steel. Akihiko Ikegaya *et al.* S 996
- 396 Guide shoe load in cross rolling mill. Seishiro Yoshiwara *et al.* S 997
- 397 Plastic deformation analysis of the tail in cross rolling. (Plastic deformation analysis in cross rolling—I). Seishiro Yoshiwara *et al.* S 998
- 398 Mechanisms of elimination of eccentricity in elongator rolling. (Plastic deformation analysis in cross rolling—II). Seishiro Yoshiwara *et al.* S 999
- 399 Outline of computer control system. (Automatic rolling system for seamless pipe making by process computer—I). Yoshio Taguchi *et al.* S 1000
- 400 Automatic rolling in piercing and elongating mills. (Automatic rolling system for seamless pipe making by process computer—II). Toshio Imae *et al.* S 1001
- 401 Automatic rolling in plug mill. (Automatic rolling system for seamless pipe making by process computer—III). Hideo Abe *et al.* S 1002
- 402 Automatic rolling in reeling mill. (Automatic rolling system for seamless pipe making by process computer—IV). Kazuyuki Sakurada *et al.* S 1003
- 403 Automatic rolling in sizing mill. (Automatic rolling system for seamless pipe making by process computer—V). Toshikazu Masuda *et al.* S 1004
- 404 Reduction of the polygonization in tube rolling. Nobuaki Hiraoka *et al.* S 1005
- 405 On the effect of axial tension loading on the collapse strength of oil-well casing. Tohru Okazawa *et al.* S 1006
- 406 Theoretical analysis of the collapse of steel pipe. (Study of pipe straightening—IV). Munekatsu Furugen *et al.* S 1007
- 407 A study on forming behavior of 160 mm diameter thick-walled U.O. pipes. (Development of new method of stepped O-pressing for U.O. pipes—II). Wataru Mizutani *et al.* S 1008
- 408 Studies on deformation behavior of sheet in 26 inch cage forming ERW pipe mill—I. Eiichi Yokoyama *et al.* S 1009
- 409 Heat control system in 2" ERW mill. Shuzo Watanabe *et al.* S 1010
- 410 Manufacturing and mechanical characteristics of the newly developed steel pipe with checked projections. Teruo Otani *et al.* S 1011

PROPERTIES**October 18, 1980**

- 411 Zn-Al alloy coated steel sheet. Kazuhiro Tano *et al.*S 1012
- 412 Wettability of steels containing silicon by molten zinc. Yusuke Hirose *et al.*S 1013
- 413 The properties of galvannealed steel sheet. (Corrosion behavior and workability). Masaki Abe *et al.*S 1014
- 414 Alloying properties of P-Al killed high strength galvanizing steel. (Research and development of high strength steel sheet for automobiles—VI). Motohiro Nakayama *et al.*S 1015
- 415 The development of corrosion resistant Pb-Sn alloy coated steel strip. Seijun Higuchi *et al.*S 1016
- 416 The behavior of water and anions in the hydrated hydroxide film of tin free steel. Satoshi Doi *et al.*S 1017
- 417 Characteristics and the evaluation of adhesive-bonded surface of tin free steel (TFS). Shigeyoshi Maeda *et al.*S 1018
- 418 D & I formability by P compound film formed at high temperature. (Studies on the materials for D & I can—I). Hirohumi Nakano *et al.*S 1019
- 419 Formability of film and corrosion resistance in surface treatment steel sheets. Takahisa Yoshihara *et al.*S 1020
- 420 Characteristics of phosphate coatings and corrosion resistance of paint on cold-rolled-steel sheet. Masaaki Yamasita *et al.*S 1021
- 421 The bubble structure of porcelain enamel. Hideo Kuguminato *et al.*S 1022
- 422 Wear Resistance of organic materials for internal coating of slurry pipelines. Takao Kurisu *et al.*S 1023
- 423 Variation in ΔK -th-value for fatigue crack growth with metallurgical structures. Koichi Tanaka *et al.*S 1024
- 424 Fracture-mechanism-maps on fatigue crack growth for steels. Koichi Tanaka *et al.*S 1025
- 425 Low-cycle fatigue property for machine-structural Mn steel. Koichi Tanaka *et al.*S 1026
- 426 Fracture mechanics maps on fatigue crack propagation of 18Ni (200) maraging steel. Masae Sumita *et al.*S 1027
- 427 Strain measurement around a fatigue crack by means of laser. Akira Azushima *et al.*S 1028
- 428 Effect of specimen geometry on the variability in fatigue crack growth rate. (Comparison of CDCB specimen with CT specimen). Hirokazu Tsuji *et al.*S 1029
- 429 Initial fatigue behavior of 304 steel. Natsuki Namura *et al.*S 1030
- 430 Mechanical properties through the thickness Direction of 100 mm thick JIS SM4B steel plate. Kozo Matsumoto *et al.*S 1031
- 431 The effects of stress ratios on fatigue crack propagation of 100 kgf/mm² grade high yield strength steels in sea water. Masae Sumita *et al.*S 1032
- 432 Fatigue crack propagation behavior of sintered irons made from various powder particle sizes. Takashi Hiromatsu *et al.*S 1033
- 433 Low cycle fatigue behaviour of austenitic stainless steel at cryogenic temperature. Toshinori Nakamura *et al.*S 1034
- 434 Fatigue crack propagation behaviour of 13Cr-Ni stainless cast steel. Mitsuo Yamashita *et al.*S 1035
- 435 Metallurgical effects of Ti in controlled rolled plate. Kazuaki Matsumoto *et al.*S 1036
- 436 Strain induced precipitation of Nb in HSLA steel. Yoshikazu MatsumuraS 1037
- 437 Effect of composition and processing variables on grain refining of Nb-contained low-carbon steel by controlled rolling. Ben-Rong Sun *et al.*S 1038
- 438 Recrystallization and precipitation during the high temperature deformation of C-Mn-Nb steels. Yasuhiro Maehara *et al.*S 1039
- 439 Effects of controlled rolling and controlled cooling conditions on mechanical properties of low C-Nb steel. Ken-iti Amano *et al.*S 1040
- 440 Effects of alloying elements on high temperature deformation behaviours in ferrite and austenite. (Study of hot deformation behaviour in steel—V). Tomoyoshi Okita *et al.*S 1041
- 441 Effects of accelerated cooling after controlled rolling on strength and toughness. (Strength and toughness of hot-rolled bainitic ferrite steel for line pipe—III).

441	Hidenori Shirasawa <i>et al.</i>	S 1042
442	Production of control-rolled wide hot coils for high strength line pipes. Fumihiro Onishi <i>et al.</i>	S 1043
443	Effect of thickness to ductile absorbed energy in DWTT. Koichi Kitao <i>et al.</i>	S 1044
444	A model of unstable ductile fracture in gas pipeline. Hiroshi Mimura <i>et al.</i>	S 1045
445	Evaluation of pipe properties for propagating shear fracture by West-Jefferson type test. Yoshihiro Kataoka <i>et al.</i>	S 1046
446	Development of fittings for X70 line pipe for arctic service. Masaaki Nakamura <i>et al.</i>	S 1047
447	Determination of lead and tellurium with spectrochemical analysis. Hiroshi Fushida <i>et al.</i>	S 1048
448	Effect of graphite on emission spectrometric analysis of pig iron with L.V.S. Takashi Sugihara <i>et al.</i>	S 1049
449	On the improvement of SN ratio by the application of space resolution in G.P. LASER spectrochemical analysis. Tsuyoshi Ozaki <i>et al.</i>	S 1050
450	Quantitative analysis of oxide layer formed on steel surface by IMMA. Jun-ichiro Murayama <i>et al.</i>	S 1051
451	Correction method in X-ray fluorescent analysis of iron ores by glass bead technique. Tadahiro Abe	S 1052
452	Determination of minor elements in iron and steel by fluorescent X-ray analysis. Masanao Narita <i>et al.</i>	S 1053
453	Examination of analytical precision by ion chromatography. Yoshihisa Kōno <i>et al.</i>	S 1054
454	Determination of F^- , SO_4^{2-} in plating bath of chromium by ion-chromatography. Shirō Ariga <i>et al.</i>	S 1055
455	Improvement of the analytical method by the use of silver reductor in the determination of total iron in iron ores. Hirofumi Kurayasu <i>et al.</i>	S 1056
456	A consideration on the method of standardization of oxygen analyzer for steel. Yoshiro Takizawa <i>et al.</i>	S 1057
457	Investigation on the soil analysis for underground corrosion test. Shigeru Kiya <i>et al.</i>	S 1058
458	Analytical study on pickling bath of hot-rolled strip. Takashi Ochiai <i>et al.</i>	S 1059
459	Properties of low carbon and low nitrogen steel having notch ductile weld HAZ and rolled in $(\alpha + \gamma)$ temperature range. Ken Kanaya <i>et al.</i>	S 1060
460	Crack opening displacement of heavy section C-Mn-V steel. (Study on heavy section steels for cryogenic service—I). Takashi Fukuda <i>et al.</i>	S 1061
461	Mechanical properties of intercritical controlled rolled steel for low temperature service. Yasuo Sogo <i>et al.</i>	S 1062
462	Usability of intercritical controlled steel for low temperature service. Katsuo Kaku <i>et al.</i>	S 1063
463	Effects of some hot rolling and cooling conditions on low temperature toughness of 5.5Ni steel. Koji Shibata <i>et al.</i>	S 1064
464	On the pine cone-like fracture surface of temper embrittled 5.5%Ni steel. Masato Murakami <i>et al.</i>	S 1065
465	Development of normalized 9% nickel shape steel. Nobuo Fukushige <i>et al.</i>	S 1066
466	The effects of direct quenching on the reverted austenite and on the mechanical properties in 9Ni steel. Katsuhiro Itayama <i>et al.</i>	S 1067
467	Intergranular embrittlement of carbon-free 11Ni-1Mo-Mn steels. Kotobu Nagai <i>et al.</i>	S 1068
468	Effect of impurity elements, cleanliness and rolling conditions on hot shortness of Invar steel in welding. Kiyohiko Nohara <i>et al.</i>	S 1069
469	Effect of Nb and C on strength and thermal expansion of Fe-Ni-Nb-C alloys. Shin-ichiro Yahagi <i>et al.</i>	S 1070
470	Strengthening and toughening of 13%Cr cast steel by heat treatment at $(\alpha + \gamma)$ range. Hiroshi Tachibana <i>et al.</i>	S 1071
471	Effects of chemical composition and heat treatment on the toughness of 13Cr-3.8Ni cast steel. Yoshitaka Iwabuchi <i>et al.</i>	S 1072
472	Effects of Ti/(C+N) ratio on the stress corrosion cracking of 13Cr-Ti ferritic stainless steels in high temperature water. Masao Kanda <i>et al.</i>	S 1073
473	Relation between hot-workability and microstructure in 13% chromium stainless steel.	

Takeshi Aizawa <i>et al.</i>	S 1074
474 Recrystallization of an 18-8 austenitic stainless steel during and after hot rolling.	
Yoshihiro Saito <i>et al.</i>	S 1075
475 Tensile properties of a ($\alpha + \gamma$) two phase stainless steel at low temperature.	
Kenzō Fukaura <i>et al.</i>	S 1076
476 The effect of nitrogen on the plastic deformation in 18Cr-9Ni stainless steel at -162°C.	
Kouji Mukai <i>et al.</i>	S 1077
477 Serrated flow observed in metastable austenitic stainless steel during tensile test.	
Hiroshi Hiramatsu <i>et al.</i>	S 1078
478 Charpy U-notched impact value of the PH stainless steel containing Si after hardening treatment.	
Kazuo Ichii <i>et al.</i>	S 1079
479 Effect of nickel content on the low temperature toughness of 12% Cr steel.	
Yasuhiro Kimura <i>et al.</i>	S 1080
480 Development of weldable martensitic stainless steel for structural use.	
Keiichi Yoshioka <i>et al.</i>	S 1081
481 Transformation characteristics of ferritic stainless steel measured by electrical resistivity.	
Isamu Yamauchi <i>et al.</i>	S 1082
482 The effect of various elements on the hot workability in high manganese non-magnetic steels.	
Takemitsu Honjō <i>et al.</i>	S 1083
483 Strengthening of high Mn steels by cold working and aging.	
Yoshihide Fuchino <i>et al.</i>	S 1084
484 The relation between strength and ductility in high manganese austenitic steels.	
Yohji Kohsaka <i>et al.</i>	S 1085
485 Influence of various alloying elements on the mechanical properties of 25Mn-5Cr-1Ni austenitic steels.	
Hirofumi Yoshimura <i>et al.</i>	S 1086
486 Effect of nickel, chromium, and manganese on cryogenic properties on high manganese steels.	
Masasi Wasada <i>et al.</i>	S 1087
487 Effect of chemical composition on low temperature mechanical properties of high manganese austenitic steel. (Study on high manganese non-magnetic steel for cryogenic application—I).	
Ritsu Miura <i>et al.</i>	S 1088
488 Physical and mechanical properties of 32% Mn-7% Cr austenitic steel for cryogenic application. (Study on high manganese non-magnetic steel for cryogenic application—II).	
Kunio Teshirogi <i>et al.</i>	S 1089
489 On the low temperature toughness of the high Mn austenitic steel.	
Yoshiro Matsumoto <i>et al.</i>	S 1090
490 Properties of joints for high manganese non-magnetic deformed bars.	
Sumitaka Shiode <i>et al.</i>	S 1091
491 On the correlation between machinability and mechanical characteristic value of high Mn steel.	
Kazuo Sakai <i>et al.</i>	S 1092
492 Effect of heat treatments and environmental conditions on the stress corrosion resistance of high manganese non-magnetic steels.	
Hideaki Miyuki <i>et al.</i>	S 1093
493 Effect of alloying elements on the stress corrosion resistance of high manganese non-magnetic steels.	
Hideaki Miyuki <i>et al.</i>	S 1094
494 Effect of long-term ageing on high temperature properties of electric resistance welded seam of STBA22 (1Cr-0.5Mo) ERW tube.	
Takanori Nakazawa <i>et al.</i>	S 1095
495 Safety factor and predicted 100 000~300 000 h rupture strength for carbon and molybdenum steels.	
Shin Yokoi <i>et al.</i>	S 1096
496 Application of stepwise regression for stress-rupture strength of carbon and molybdenum steels.	
Akimitsu Miyazaki <i>et al.</i>	S 1097
497 Influence of alloying elements on creep embrittlement.	
Katsukuni Hashimoto <i>et al.</i>	S 1098
498 High-cycle fatigue strength of an SCM435 steel at elevated temperatures.	
Kenji Kanazawa <i>et al.</i>	S 1099
499 The change of strength and microstructure of CrMoV steel during long time heating.	
Masayuki Yamada <i>et al.</i>	S 1100
500 Larson-Miller and Orr-Sherby-Dorn parameter in ferritic heat-resisting steel.	
Kentaro Asakura <i>et al.</i>	S 1101
501 Creep rupture strength and toughness of 10Cr-2Mo heat-resisting steel.	

Kentaro Asakura <i>et al.</i>	S 1102
502 Effect of cooling rate on the high temperature properties and microstructure of 12%Cr steel. Ik-min Park <i>et al.</i>	S 1103
503 Effect of tungsten addition on elevated-temperature strength in martensitic 12%Cr heat resisting steel. Hiroshi Teranishi <i>et al.</i>	S 1104
504 Effect of C and N on the toughness and precipitation behavior of 10Ni-18Cr-2.5Si heat-resisting stainless steel. Natsuo Yukawa <i>et al.</i>	S 1105
505 Zig-zag grain boundaries and high-temperature low-cycle fatigue strength in an austenitic heat resisting steel. Yasushi Horiuchi <i>et al.</i>	S 1106

October 19, 1980

506 On the descaling properties of steel wire rods. Tuneo Kuwahata <i>et al.</i>	S 1107
507 Effect of sulphur on flattening and forming characteristics of high carbon steel wire rods. Iwao Nakazawa <i>et al.</i>	S 1108
508 Properties of high carbon wire rods improved by electro-magnetic stirring. Toshio Fujita <i>et al.</i>	S 1109
509 Influence of texture on the torsional deformation behavior of drawn pearlitic carbon steel wires. Yutaka Kanetsuki <i>et al.</i>	S 1110
510 Textures of drawn low- and high-carbon steel. Rikuo Ogawa <i>et al.</i>	S 1111
511 On the relation between drawing texture and mechanical properties for austenitic stainless steel wire. Naotsugu Inakazu <i>et al.</i>	S 1112
512 The effect of Cr and Zr on cold-forgeability of aluminum-killed steel wire rod. Takeshi Shiozaki <i>et al.</i>	S 1113
513 Influence of Si, Mn, Ni and Cr on stress relaxation property of low alloy steels. Kenji Aihara	S 1114
514 Development of grade X80 line pipe heat treated by induction coil for the arctic use. Chiaki Shiga <i>et al.</i>	S 1115
515 The comparison of strength and toughness between rapid heat treatment and conventional heat treatment. Yasufumi Fujishiro <i>et al.</i>	S 1116
516 The effect of thickness/diameter ratio on changes of yield strength of line pipe. Tamotsu Hashimoto <i>et al.</i>	S 1117
517 Effect of specimen thickness on fracture properties of steels for line pipe. Hidenori Shirasawa <i>et al.</i>	S 1118
518 Effect of bending and welding on ultrasonic flaw size. Yasuo Takahashi <i>et al.</i>	S 1119
519 Effect of second phase on the Lankford value of dual-phase steel sheet. Yoshihiro Hosoya <i>et al.</i>	S 1120
520 Study on bake-hardenability of cold rolled high strength steel sheet. Masayuki Miyahara <i>et al.</i>	S 1121
521 High strength cold rolled sheet steel with bake hardenability by box-annealing. Yoshiro Sakamoto <i>et al.</i>	S 1122
522 Development of high strength cold rolled sheet steel with ultra-deep drawability by addition of P to extra-low carbon-niobium steel. Susumu Satoh <i>et al.</i>	S 1123
523 Effect of P and C on the recrystallization texture of cold rolled steel sheets. Motoyuki Konishi <i>et al.</i>	S 1124
524 Effect of cooling rate on strengthening of continuous annealed cold-rolled steel sheet. (Research and development of high strength steel sheet for automobiles—I). Nobuyuki Takahashi <i>et al.</i>	S 1125
525 Effect of end point of 1st cooling of continuous annealing on mechanical properties of cold rolled high strength steel sheet. (Research and development of high strength steel sheet for automobiles—II). Osamu Akisue <i>et al.</i>	S 1126
526 Production of high strength cold-rolled steel sheet of extra-deep drawing quality. (Research and development of high strength steel sheet for automobiles—III). Yoshikuni Furuno <i>et al.</i>	S 1127
527 Spot weldability of high strength sheet steels. (Research and development of high strength steel sheet for automobiles—IV). Arinobu Yamada <i>et al.</i>	S 1128
528 Relation between property of oxide film and phosphatability on cold rolled steel sheet. (Research and development of high strength steel sheet for automobiles—V). Shigeyoshi Maeda <i>et al.</i>	S 1129

529	Influence of surface roughness on phosphate coating and paintability of cold rolled steel sheet. Yoshikazu Takada <i>et al.</i>	S 1130
530	Development of a hot-rolled steel sheet for enameling. Teruo Kurokawa <i>et al.</i>	S 1131
531	Properties of continuously cast Al-killed porcelain enameling cold rolled steel sheets containing boron and nitrogen. Ken'ichiro Suemune <i>et al.</i>	S 1132
532	Grain refining and superplastic behavior in a commercial bearing steel. Motohiro Okade <i>et al.</i>	S 1133
533	The effect of cold working and high temperature treatment of high carbon-chromium bearing steel on its rolling contact fatigue life. Kimio Ohnishi <i>et al.</i>	S 1134
534	Effect of non-metallic inclusions on the rolling fatigue life of 1% C-Cr bearing steel. Kotaro Yamamoto <i>et al.</i>	S 1135
535	Study on the eutectic carbides in high-carbon chromium steels. Mitsuru Aiba <i>et al.</i>	S 1136
536	The rolling contact fatigue of deep-cascarburized SNC21 steel roller. (The effects of temperature of lubricating oil-II). Takemi Yamada <i>et al.</i>	S 1137
537	The effect of alloying elements on the strength and toughness of hot work tool steels. Kunio Namiki <i>et al.</i>	S 1138
538	Effect of replacement of vanadium by niobium in higher molybdenum type high speed tool steels. Hideki Nakamura <i>et al.</i>	S 1139
539	The effect of Mo on properties of austenitic hot work die steels. Yuichi Seki <i>et al.</i>	S 1140
540	Effect of heat-treatment on mechanical properties of precipitation hardening hot work tool steel. Toshio Okuno	S 1141
541	Crossed-cylinder wear testing machine for high hardness steels. Hiroshi Gotoh <i>et al.</i>	S 1142
542	Development of a high carbon steel rolls for hot rolling with superior resistance to fatigue crack propagation. Hiroshi Toyoda <i>et al.</i>	S 1143
543	Performance of improved adamite roll with superior resistance to fracture. Makoto Saito <i>et al.</i>	S 1144
544	Effect of carbides on the wear resistance of cold work roll materials. Takahiro Takashima <i>et al.</i>	S 1145
545	Fractographic study of fracture toughness in spheroidal graphite cast iron. Zenjiro Yajima <i>et al.</i>	S 1146
546	On the method of rolling contact fatigue test in rail. Junichiro Takehara <i>et al.</i>	S 1147
547	A stress analysis in the bolted rail-joints. Chikayuki Urashima <i>et al.</i>	S 1148
548	Fatigue strength of the rails. (Study on fatigue properties of rails—I). Chikayuki Urashima <i>et al.</i>	S 1149
549	A study on fatigue crack propagation of rails. (Study on fatigue properties of rails—II). Shin-ichi Nishida <i>et al.</i>	S 1150
550	The effect of intergranular ductile rupture on ductility in pearlitic rail steels. Hideaki Kageyama <i>et al.</i>	S 1151
551	An observation on the crack propagating behaviour in the rolling contact fatigue of wheel steel. Takehiko Kigawa <i>et al.</i>	S 1152
552	Wear resistance of steels for railroad wheel. (High carbon wheel steels—I). Kazuo Toyama <i>et al.</i>	S 1153
553	The effect of variable loading on fatigue crack initiation of induction-hardened press-fitted axles. Ken-ichi Tanaka <i>et al.</i>	S 1154
554	High temperature fatigue properties of rolled solid wheel materials. Katsuyuki Tokimasa <i>et al.</i>	S 1155
555	The effect of hot rolling texture of grain oriented silicon steel on the secondary recrystallization. Ujihiro Nishiike <i>et al.</i>	S 1156
556	The size changes of MnS and AlN particles during the secondary recrystallization. (Behavior of secondary recrystallization in the grain-oriented silicon-steel with high permeability—III). Kenzo Iwayama <i>et al.</i>	S 1157
557	Temperature dependence of magnetic properties in silicon steel. Toshihiko Tanaka <i>et al.</i>	S 1158
558	Thickness dependence of core loss on grain oriented silicon steel. Shigeki Yamada <i>et al.</i>	S 1159
559	Effect of composition and curing condition on tensile coating. Osamu Tanaka <i>et al.</i>	S 1160
560	Evaluating method of ridging in SUS 430 stainless steel sheet. Tadashi Nakayama <i>et al.</i>	S 1161

- 561 Influence of hot grooved rolling to ridging tendency of continuously cast SUS 430 stainless steel.
Masaji Kumazawa *et al.* S 1162
- 562 Effect of depletion zone on the oxidation resistance of chromium steels. Hideaki Ito *et al.* S 1163
- 563 Investigation on BA oxide film formation of type 430 stainless steel. Riichi Todoroki *et al.* S 1164
- 564 Effects of titanium content on the intergranular corrosion of 18Cr-Ti ferritic stainless steels.
Haruo Tomari *et al.* S 1165
- 565 17Cr-ferritic stainless steel with good resistance to rusting.
(Development of low C-17Cr-Nb-Cu stainless steel sheets—I). Yoshio Tarutani *et al.* S 1166
- 566 Development of ferritic stainless steel with extra clean surface and good drawability.
(Development of low C-17Cr-Nb-Cu stainless steel sheets—II). Masao Koike *et al.* S 1167
- 567 Effects of alloy elements on the weldability of low C-17Cr-Nb-Cu stainless steel thin sheets.
(Development of low C-17Cr-Nb-Cu stainless steel sheets—III). Hisashi Kondo *et al.* S 1168
- 568 Effect of heat treatment on the toughness of 19Cr-2Mo ferritic stainless steels.
Masashi Kōso *et al.* S 1169
- 569 Study on manufacturing technology of heavy stainless steel. (Manufacturing technology and material properties of 304 and 347 stainless steel disk forgings—I). Ikuo Safoh *et al.* S 1170
- 570 Effect of alloying elements on mechanical properties of high-nitrogen austenitic stainless steel.
Hiroyuki Uchida *et al.* S 1171
- 571 Influence of sliding conditions on the antigalling property of austenite stainless steels.
Yosinobu Honkura *et al.* S 1172
- 572 Influence of Mn/S ratio on properties of S-free machining stainless steel.
(Study on sulphide in stainless steel—II). Toyoyuki Sakae *et al.* S 1173
- 573 Properties of low Mn-S-free machining stainless steel with high corrosion resistance.
(Study on sulphide in stainless steel—III). Toyoyuki Sakae *et al.* S 1174
- 574 The effect of heating rate on austenite grain size of steel—II.
—Behavior of aluminum nitride—. Hidenori Hiromatsu *et al.* S 1175
- 575 Grain growth in dual-phase steel. Takemori Takayama *et al.* S 1176
- 576 Precipitation behavior of BN in austenite matrix. Shuichi Funaki *et al.* S 1177
- 577 Growth of alloy carbide particles in austenite. Myeong Yong Wey *et al.* S 1178
- 578 Isothermal and continuous cooling transformation kinetics of bainite. Kazunari Horiuchi *et al.* S 1179
- 579 Isothermal transformation kinetics of ferrite and pearlite in hypo-eutectoid-steel, and prediction of transformation behaviors during continuous cooling. Nobuo Nishioka *et al.* S 1180
- 580 The influence of Nb and V on proeutectoid ferrite reaction in low-carbon high strength steels.
Hiroshi Kobayashi *et al.* S 1181
- 581 The effect of Al and N contents. (The effect of Al and N on the hardenability of low alloy steels—I). Hiromasa Kobayashi *et al.* S 1182
- 582 On the behaviour of transformation. (The effect of Al and N on the hardenability of low alloy steels—II). Hiromasa Kobayashi *et al.* S 1183
- 583 Strengthening and toughening by thermomechanical treatments of purified medium-carbon martensitic steels. Kazunori Ishihara *et al.* S 1184
- 584 Effect of alloying elements on the short-period-carburization. Tetsuo Soshiroda *et al.* S 1185
- 585 On a carbide forming mechanism in gas carburizing. Kozo Nakamura *et al.* S 1186
- 586 Effect of alloying elements on the hardenability in carbonitrided cases. Katsunori Takada *et al.* S 1187
- 587 Structure of annealing scale of medium carbon chromium steel. Tokuo Egawa *et al.* S 1188
- 588 The strengthening effect of Ti, Nb and Zn addition on the creep rupture strength of high Ni austenitic stainless steel. Takahiro Kanero S 1189
- 589 Evaluation of creep characteristics of austenitic stainless steel by slow constant extension rate test at high temperatures. Takanori Nakazawa *et al.* S 1190
- 590 The effect of P and B on the high temperature creep rupture ductility of 18Cr-10Ni steel.
Takashi Matsuo *et al.* S 1191
- 591 Creep fracture mechanism maps for type 304 stainless steel. Norio Shin-ya *et al.* S 1192
- 592 The effect of Nb and Ta on the high temperature creep properties of carbon free 25Cr-35Ni steels. Tetsuya Kisanuki *et al.* S 1193
- 593 The solid solution strengthening effect of Cr, Mo and W on the substructure of carbon free

25Cr-35Ni steels. Tooru Inazumi <i>et al.</i>	S 1194
594 Temperature dependence of the solid solution strengthening effect of Cr, Mo and W on the high temperature creep of carbon free 25Cr-35Ni steels. Yoshihiro Kondo <i>et al.</i>	S 1195
595 Ability to fit and extrapolation of stress-rupture data by standard TTP methods for stainless steels. Yoshio Monma <i>et al.</i>	S 1196
596 Creep and creep rupture properties of type 308 weld metals. Masayoshi Yamazaki <i>et al.</i>	S 1197
597 A study on abrasive wear of stainless steels, heat resistant alloys and cast steels at elevated temperature using a rotating-type wear testing machine. Norio Fukasako <i>et al.</i>	S 1198
598 Effect of solution heat treatment on remaining creep life of pre-crept alloy 800. Kohichi Asakawa <i>et al.</i>	S 1199
599 Effect of specimen sizes on creep rupture strength of centrifugal cast HK40. Tsutomu Yoshida <i>et al.</i>	S 1200
600 On the carburization resistance of heat resistant steels for chemical industries. (A discussion about relation between the carburization resistance and surface oxide film.) Yoshiatsu Sawaragi <i>et al.</i>	S 1201
601 Effect of alloying elements on the aging behavior of a precipitation-strengthened Fe-base superalloy. Kenkichi Matsunaga <i>et al.</i>	S 1202

October 20, 1980

602 Manufacture of ASTM A543BC1 1 shell plate for multi-layer type pressure vessel. Takeshi Kohriyama <i>et al.</i>	S 1203
603 Temper embrittlement of forged low Si SA508Cl 4 steel. Hidefumi Tani <i>et al.</i>	S 1204
604 Effect of aluminum on toughness of Mn-Ni-Mo steels for nuclear reactor pressure vessel. Noriaki Koshizuka <i>et al.</i>	S 1205
605 Trial manufacture of stud bolts and nuts for nuclear reactor pressure vessel. Tomofumi Nomura <i>et al.</i>	S 1206
606 Analysis of impact fracture behavior of A533B steel for nuclear reactor pressure vessel by instrumented Charpy test. Hitoshi Matsubara <i>et al.</i>	S 1207
607 Correlation between NDTT and FATT, K_{Ia} for the nuclear pressure vessel steels. (Evaluation of drop weight test by fracture mechanics-II). Yasuhiko Tanaka <i>et al.</i>	S 1208
608 Behavior of neutron irradiation embrittlement of heavy section Mn-Mo-Ni steels for a LWR pressure vessel. Tsuneo Kodaira <i>et al.</i>	S 1209
609 Effect of Si and P on the temper embrittlement in $2\frac{1}{4}$ Cr-1Mo steel. Makoto Yamada	S 1210
610 Relation between K_{IH} of the temper embrittled Cr-Mo steel and the fracture mode. (A study of hydrogen embrittlement of temper embrittled Cr-Mo steel-II). Tohoru Nomura <i>et al.</i>	S 1211
611 Temper embrittlement and hydrogen embrittlement of Cr-Mo steel. Jun Furusawa <i>et al.</i>	S 1212
612 Hydrogen induced cracking at interface between stainless steel overlay weld metal and base metal in pressure vessel. Kiyoshi Asami <i>et al.</i>	S 1213
613 Improvement of mechanical properties in $2\frac{1}{4}$ Cr-Mo steels by Al-B treatment. Masaaki Ishikawa <i>et al.</i>	S 1214
614 Effects of Al, Si and austenite grain size on elevated temperature strength of $2\frac{1}{4}$ Cr-1Mo steel. Shinji Sato <i>et al.</i>	S 1215
615 Effect of silicon and aluminum on creep rupture strength of $2\frac{1}{4}$ Cr-1Mo and 3Cr-1Mo steels. Masayosi Kohno <i>et al.</i>	S 1216
616 A quantitative study of the strength of quenched and tempered line pipe steels. Tadakatsu Maruyama <i>et al.</i>	S 1217
617 Properties of high strength type oil country tubular goods (V150 grade). Norio Ishikawa <i>et al.</i>	S 1218
618 Mechanical properties and microstructures of boron treated Cr-Mo steels-III. Terutaka Tsumura <i>et al.</i>	S 1219
619 On API buttress threaded and coupled joint strength. Kazushi Maruyama <i>et al.</i>	S 1220
620 Anisotropy in the toughness of seamless pipe and the effect of inclusion shape control. Kiyoshi Ishimoto <i>et al.</i>	S 1221

621	An examination of steam distribution linepipe and fittings for oil sands projects. Kiyoshi Ishimoto <i>et al.</i>	S 1222
622	Internal performance pressure of casing tubes with inner surface flaw. Masao Ogasawara <i>et al.</i>	S 1223
623	Development of 80 kg/mm ² high strength UOE pipes produced by induction heating for Jack-up type drilling rig. Kazuyoshi Ume <i>et al.</i>	S 1224
624	Strain rate dependence of tensile properties in 280 kgf/mm ² grade maraging steel. Yoshikuni Kawabe <i>et al.</i>	S 1225
625	The effect of Ti content on the strength, ductility and microstructures of maraging steels. Hiroyuki Morimoto <i>et al.</i>	S 1226
626	On the relation between precipitation hardening and toughness of the ultra high strength maraging steels. Yasutaka Okada <i>et al.</i>	S 1227
627	Effect of Si, Cu and Nb on the microstructures and mechanical properties of 10.5Cr-6.5Ni steel. (Study on the high strength steel with improved corrosion resistance—I). Hidekatsu Kuki	S 1228
628	Effect of Cr and Ni on the microstructure and mechanical properties of 10.5Cr-6.5Ni steel. (Study on the high strength steel with improved corrosion resistance—II). Hidekatsu Kuki	S 1229
629	Effects of cold deformation and aging temperature on the strength and microstructure of MP35N alloy. Hitoshi Nakamura <i>et al.</i>	S 1230
630	Effect of controlled cooling on the mechanical properties of Mn-Cr as-rolled dual-phase high strength steel sheets. Takafusa Iwai <i>et al.</i>	S 1231
631	Effect of microstructure on the tensile properties of dual phase steel sheets. Tsuguaki Ōki <i>et al.</i>	S 1232
632	On continuously-annealed dual-phase steels with high strength and high ductility. (HSLA having low yield ratio—IV). Noriaki Nagao <i>et al.</i>	S 1233
633	On as-rolled DP steel obtained by rapid cooling with high strength and excellent ductility. (HSLA having low yield ratio—V). Kazutoshi Kunishige <i>et al.</i>	S 1234
634	Dual phase hot-rolled steel with good formability. Takeshi Okuyama <i>et al.</i>	S 1235
635	Effects of reheating and rolling conditions on the mechanical properties of as hot-rolled, Si-Mn dual phase steel. (Research and development of high strength steel sheet for automobiles—VII). Yoshio Hashimoto <i>et al.</i>	S 1236
636	Manufacturing condition of Si-Cr as hot-rolled dual phase high strength steel. (Research and development of high strength steel sheet for automobiles—VIII). Kunio Watanabe <i>et al.</i>	S 1237
637	Effect of finishing conditions of edge of bend specimen on the result of bend test of high strength hot-rolled steel sheets. Shigeki Wakabayashi <i>et al.</i>	S 1238
638	Precipitation behaviour of boron nitride during hot rolling. (Production of B-added cold-rolled steel sheet—III). Hiroshi Hayakawa <i>et al.</i>	S 1239
639	Effect of dissolved carbon on the texture of low-carbon steel sheet. Jean-Jacques Lavigne <i>et al.</i>	S 1240
640	Effect of manganese concentration in θ -phase on its rate of dissolution into the ferrite matrix. Takeshi Suzuki <i>et al.</i>	S 1241
641	Development of low carbon-niobium sheet steel with ultra-deep drawability. Osamu Hashimoto <i>et al.</i>	S 1242
642	Effect of hot rolling conditions on deep drawability of extra-low carbon-niobium cold-rolled sheet steel. Susumu Satoh <i>et al.</i>	S 1243
643	Production and quality characteristic of ultra-deep drawing quality, Nb added extreme-low carbon Al-killed cold-rolled steel sheet. Koichi Hirase <i>et al.</i>	S 1244
644	Influence of rolling temperature on recrystallization textures in aluminium-killed steel. Kōsaku Ushioda <i>et al.</i>	S 1245
645	Abnormal grain growth in aluminium-killed steel with low aluminium content. Kazumasa Yamazaki <i>et al.</i>	S 1246
646	Effect of boron on $\tilde{\gamma}$ -value of continuous annealed Al-killed steel sheet. (Production of B-added cold-rolled steel sheet—IV). Yoshikuni Furuno <i>et al.</i>	S 1247
647	Ageing and anisotropic behaviour of low C sheet steel in the region of low Al content.	

Norio Katsuyama <i>et al.</i>	S 1248
648 Weld hot-cracking of 1.5~5%Ni high strength steels. Susumu Horibe <i>et al.</i>	S 1249
649 Effect of P and S on hot crack susceptibility in weld metals of fully austenitic stainless steels. Keizi Ōsaki <i>et al.</i>	S 1250
650 Cooling time and chemical compositions <i>vs.</i> thermal factor and hardness being main factors for cold cracking. Toshio Terasaki <i>et al.</i>	S 1251
651 The effect of extremely low content of sulfur and boron on stress relief cracking. (Study on Ca-treated steel—IV). Yoshihiro Okamura <i>et al.</i>	S 1252
652 Effect of Sb on the grain boundary fracture phenomena in heat resistant low alloy steels. (Fundamental research of reheat crackings in steels—V). Yoshikuni Nakao <i>et al.</i>	S 1253
653 Relation between stress relieving brittle and AE characteristic in low alloy steel. Yasushi Fukuzawa <i>et al.</i>	S 1254
654 Effect of microstructure and prior austenite grain size on COD value in heat cycle simulated specimens. (COD value of heat-affected zone of Al-killed steel—I). Tetsujiro Takeda <i>et al.</i>	S 1255
655 Effect of duplicated heat cycle and strain on COD value in heat cycle simulated specimens. (COD value of heat-affected zone of Al-killed steel—II). Tetsujiro Takeda <i>et al.</i>	S 1256
656 Effect of micro alloy element on toughness of synthetic heat affected zone. Kiyoshi Tajima <i>et al.</i>	S 1257
657 Effect of ladle lining materials on the shape of Mn-S inclusions of [P]—[S] free cutting low C steel. Jiro Koarai <i>et al.</i>	S 1258
658 Characteristics of low carbon resulphurized free-cutting steel of semi-killed type manufactured by bloom C.C. machine. Masayuki Takeuchi <i>et al.</i>	S 1259
659 Influence of sulfide shape control on cold forgeability and machinability. Shozo Abeyama <i>et al.</i>	S 1260
660 Effect of S, Cu and Sn on machinability of SUS 304L sintered stainless steels. Tatsuo Hisada <i>et al.</i>	S 1261
661 Influence of ultra-low sulphur and low oxygen on the machinability of low carbon–boron steel. Sigeyuki Akase <i>et al.</i>	S 1262
662 Effect of low sulfur content on machinability of SCM420H steel. Hideharu Fukunaga <i>et al.</i>	S 1263
663 Machinability of steels mixed with martensite. Shigeo Yamamoto <i>et al.</i>	S 1264
664 Spheroidization treatment in auscutting. Yasuo Fujioka <i>et al.</i>	S 1265
665 On the notch toughness of boron-treated high strength structural steels. Fukukazu Nakasato <i>et al.</i>	S 1266
666 Austenite grain coarsening of carburizing steel in relation to pre-heat treatment. Yoshihiko Kamada <i>et al.</i>	S 1267
667 On the grain growth characteristics of boron-treated case-hardening steels—I. —The influence of chemical compositions and pre-heat treatment—. Susumu Kanbara <i>et al.</i>	S 1268
668 Role of alloying elements on carburized layer of case hardening steel. Takayuki Ikeda <i>et al.</i>	S 1269
669 Effects of Al and Nb on mechanical properties in normalized steel plates. (Study on improvement in toughness of normalized high tensile strength steel—II). Kazuyuki Matsui <i>et al.</i>	S 1270
670 Effects of microstructure on hardening characteristics of vanadium-containing microalloyed carbon steels. Hisao Maeda <i>et al.</i>	S 1271
671 Effect of thermomechanical treatment on the hardening characteristic of high strength micro-alloyed steel. Yoshiharu Tanaka <i>et al.</i>	S 1272
672 Thermodynamic prediction of isothermal phase boundaries $\gamma/(\gamma+\alpha)$ for low alloy steels. Tatsuo Fukuzumi <i>et al.</i>	S 1273
673 Influence of hot grooved rolling on mechanical properties of continuously cast hot-rolled steels. Masaji Kumazawa <i>et al.</i>	S 1274
674 The embrittlement of ferrite matrix graphitic steel containing phosphorus. Tsutomu Takeuchi <i>et al.</i>	S 1275
675 A consideration on the manufacturing process of non-heat-treated hot-forged nuts. Toyofumi Hasegawa <i>et al.</i>	S 1276
676 A consideration on the mechanical properties of non-heat-treated bolts.	

Takeshi Nakahara <i>et al.</i>	S 1277
677 On the decarburization of Si-Cr spring wire rod. Wataru Murata <i>et al.</i>	S 1278
678 Effect of cooling condition on decarburization of Si-Mn spring steel. Saburo Ootani <i>et al.</i>	S 1279
679 Deformability of high strength spring wires. Hiroshi Sasaki <i>et al.</i>	S 1280
680 The effect of Ti, Si and Cu on the age-hardening of 15Cr-7Ni steels. (Development of precipitation hardenable martensitic stainless steel for spring materials—I). Sadao Hirotsu <i>et al.</i>	S 1281
681 The effect of Ti, Si and Cu on the toughness after aging treatment of 15Cr-7Ni steels. (Development of precipitation hardenable martensitic stainless steel for spring materials—II). Masahiro Nishimura <i>et al.</i>	S 1282
682 Low alloy steels in hydrogen sulfide environment. Yuichi Yoshino	S 1283
683 A few cracking phenomena in shell type 3-point bent method. (A study of the sulfide stress corrosion cracking test—I). Kazuo Yamamoto <i>et al.</i>	S 1284
684 The resistance to HIC of rolled steels under wet hydrogen sulfide environment with low pH value. Youzi Yamaguchi <i>et al.</i>	S 1285
685 Effect of microstructure on corrosion of steels in a wet sour environment. Eiji Sato <i>et al.</i>	S 1286
686 The mechanism of the formation of stress corrosion cracking in sour gas pipe line steel. Hirosuke Inagaki <i>et al.</i>	S 1287
687 Influence of alloying elements on hydrogen absorption behavior in line pipe steel under wet H ₂ S environment. Teruo Kaneko <i>et al.</i>	S 1288
688 Relationship between the hydrogen absorption and hydrogen induced cracking of line pipe steel in H ₂ S solution. Koziro Kitahata <i>et al.</i>	S 1289
689 Formation of hydrogen induced cracking in seamless line pipe and its preventive measure. Toshio Nakazawa <i>et al.</i>	S 1290
690 The effect of transformation phases on the mechanical properties and sulfide stress cracking of Fe-Mn-Cr alloys. Ryo Atagi <i>et al.</i>	S 1291
691 A statistical analysis on underground corrosion of buried pipe. Masaharu Honda <i>et al.</i>	S 1292
692 Effects of alloying elements on sweet corrosion resistance. Takao Kurisu <i>et al.</i>	S 1293
693 On the sour-resistance-characteristics of OCTG. Takaki Sato <i>et al.</i>	S 1294
694 Quantitative estimation of initiation characteristics for the hydrogen induced cracking. Tetuo Takeda <i>et al.</i>	S 1295
695 Evaluation of the susceptibility of high strength bolts to delayed fracture by field exposure tests. Shinsaku Matsuyama <i>et al.</i>	S 1296
696 Morphology of stress corrosion cracking of a mild steel in liquid ammonia and effects of heat treatment. Yoshiichi Ishizawa <i>et al.</i>	S 1297
697 Sulfide corrosion crack propagation of 60 kg/mm ² grade high strength steel and 9%Ni steel. Masaki Uekado <i>et al.</i>	S 1298
698 On the growth of stress corrosion cracking in high strength 4340 steel. Zenjiro Yajima <i>et al.</i>	S 1299
699 The study on effect of Mo, Cu, N and Si to corrosion resistance. (The study of molybdenum saving type austenitic stainless steel—I). Ken-ichirou Yamamoto <i>et al.</i>	S 1300
700 On the properties of molybdenum saving type stainless steels. (The study of molybdenum saving type austenitic stainless steel—II). Seizo Masuda <i>et al.</i>	S 1301
701 Properties of high nitrogen SUS304L and SUS316L plate—I. —Corrosion resistance—. Hiroyuki Ogawa <i>et al.</i>	S 1302
702 Properties of high nitrogen SUS304L and SUS316L plate—II. —Mechanical properties—. Takashi Okazaki <i>et al.</i>	S 1303
703 Effect of annealing of hot rolled plate on the formation of recrystallization textures in cold- rolled sheets of SUS304. (Cold-rolling and annealing texture in 18Cr-8Ni stainless steel—I). Masayuki Okamoto <i>et al.</i>	S 1304
704 The mechanism of the development of cold-rolling and annealing texture in 18Cr-8Ni stainless steel. (Cold-rolling and annealing texture in 18Cr-8Ni stainless steel—II). Hidehiko Sumitomo <i>et al.</i>	S 1305
705 The elimination of hot rolled strip annealing practice from processing of SUS304 cold-rolled strip. Masayuki Hino <i>et al.</i>	S 1306

- 706 Performance of SUS304 hot rolled strip pickled by sulfuric acid containing ferric sulfate.
Masayuki Hino *et al.*S 1307
- 707 On the improvement of surface quality of molybdenum bearing austenitic stainless steel.
Tsuyoshi Azuma *et al.*S 1308
- 708 Effect of Cu on localized corrosion of austenitic stainless steels. Hidetugu Oohashi *et al.*S 1309
- 709 Improvement of resistance to IGSCC of commercial austenitic stainless steel using
mechanical-heat treatment. Kiyoshi Kiuchi *et al.*S 1310
- 710 Effect of γ -grain size on stress corrosion cracking of duplex stainless steel.
Kikuo Takizawa *et al.*S 1311
- 711 Effect of additional elements on pitting corrosion resistance of two-phase stainless steels.
Takaaki Matsuda *et al.*S 1312
- 712 High temperature and long term creep-rupture properties of Inconel 617 alloy in air.
Takashi Arai *et al.*S 1313
- 713 Effect of grain size on creep rupture properties of a nickel-base superalloy in air and in hot
corrosive environment. Masayuki Yoshioka *et al.*S 1314
- 714 An approach to quantitative expression of the creep rupture life. (A proposed method of
estimating the creep rupture life of nickel-base precipitation hardened superalloys from
chemical composition—I). Junzo Fujioka *et al.*S 1315
- 715 Equations for predicting the creep rupture life and their application to engineering alloys.
(A proposed method of estimating the creep rupture life of nickel-base precipitation hardened
super-alloys from chemical composition—II). Takuya Miyashita *et al.*S 1316
- 716 Alien phase in nickel-base superalloys. (Nickel-base superalloys by alloy design—V).
Hiroshi Harada *et al.*S 1317
- 717 Structure and high temperature strength of Ni-high Cr-low W alloys. Takashi Motoda *et al.*S 1318
- 718 Relation between the precipitating behavior of α_2 phase and the high temperature creep
properties of Ni-20Cr-20W alloy. Keiichi Ōmura *et al.*S 1319
- 719 Iso-carbon activity sections in the Ni-Cr-W-C phase diagram. (Phase equilibrium in the
Ni-Cr-W-C system—III). Masanori Kajihara *et al.*S 1320
- 720 Phase diagram in the Ni-Cr-W system: Experimental determination.
(Phase equilibrium in the Ni-Cr-W system—III). Yoshikuni Kadoya *et al.*S 1321
- 721 Effects of additions of rare earth elements and silicon on the high temperature oxidation
behavior of Fe-5Cr and Fe-5Ni alloys. Yoshikazu NakamuraS 1322
- 722 Effect of moisture on cyclic oxidation in air of stainless steels. Masaru Kisaichi *et al.*S 1323
- 723 Effect of mechanical surface finishing on oxidation behavior of Hastelloy X in simulated HTR
He environment. Manabu Tamura *et al.*S 1324
- 724 Decarburization and carburization of Inconel 617 in impure helium. Yoshikazu Sakai *et al.*S 1325
- 725 Creep rupture properties of Inconel 617 in vacuum. Fujio Abe *et al.*S 1326

Symposium***—IRONMAKING—****October 18, 1980 13:00~17:00**

Theme I. Theoretical Limit of Fuel Ratio in Blast Furnace Process (Chairman Motohiko Iizuka)

- | | | |
|---|---|-------|
| 1 | Theoretical limitation of fuel ratio in large blast furnace operation. Shinziro Wakuri <i>et al.</i> | A 121 |
| 2 | Iron ore property and ore preparation technique for low fuel ratio operation of blast furnace. Takao Yamada | A 125 |
| 3 | Limit of fuel ratio in the oilless operation of blast furnace. Shigeru Mizuno <i>et al.</i> | A 129 |
| 4 | Limit of fuel ratio in the direct reduction processes. Tanekazu Soma | A 133 |

—STEELMAKING—**October 19, 1980 9:30~14:30**

Theme II. The Pretreatment of Hot Metal (Chairman Ryuichi Nakagawa; Vice-chairman Hiroshi Horiguchi)

- | | | |
|---|---|-------|
| 5 | Review of fundamental aspects in the pretreatment technology of hot metal. Masayasu Ohtani <i>et al.</i> | A 137 |
| 6 | New steelmaking process with use of Na_2CO_3 —Mass and heat analysis—. Kenzo Yamada <i>et al.</i> | A 141 |
| 7 | On the pretreatment of pig iron by soda ash. Katsukiyo Marukawa <i>et al.</i> | A 145 |
| 8 | Continuous refining of pig iron with soda ash. Satomi Yamamoto <i>et al.</i> | A 149 |
| 9 | Effects of the powder injection on the continuous steelmaking process. Akira Fukuzawa | A 153 |

—FABRICATION—**October 19, 1980 9:30~14:30**Theme III. Rolling Technique of Obtaining a High Yield on Plate Mills
(Chairman Takashi Kusakabe)

- | | | |
|----|---|-------|
| 10 | Control of plan view pattern by MAS method in plate rolling. Kazuya Tsubota <i>et al.</i> | A 157 |
| 11 | Control of plan view pattern by inclining rolls in plate rolling. Hideki Watanabe <i>et al.</i> | A 161 |
| 12 | Rolling technique of obtaining a high yield using edger on plate mills. Shun Sasaji <i>et al.</i> | A 165 |
| 13 | Profile and shape control in plate rolling. Sadakazu Masuda <i>et al.</i> | A 169 |
| 14 | Instrument of detecting a plate shape and system for analyzing optimum slab gauge. Sadao Kubota <i>et al.</i> | A 173 |
| 15 | A study on a control of plate crown. Yoshio Oh-ike <i>et al.</i> | A 177 |
| 16 | Width gate control of plate mill. Tamao Yokoi <i>et al.</i> | A 181 |

—PROPERTIES—**October 18, 1980 13:00~17:00**

Theme IV. High Strength Cold-rolled Steel Sheets (Chairman Nobuo Ohashi)

- | | | |
|----|---|-------|
| 17 | Automotive application of high-strength cold-rolled steel sheets. Shoji Asakura | A 185 |
| 18 | Application of high strength steel sheets for automobile body panels. Masao Shiokawa | A 189 |
| 19 | Process factors for cold-rolled dual-phase sheet steels. Takashi Furukawa <i>et al.</i> | A 193 |
| 20 | Relationships between the microstructures and the deformation behaviour, fixability in press | |

* The preprints of symposium were published in *Tetsu-to-Hagané*, (Journal of The Iron and Steel Institute of Japan), 66 (1980), No. 8, A-121 to A-245, in Japanese.

forming and toughness of dual-phase steel sheets. Masatoshi Sudo <i>et al.</i>	A 197
21 Properties of new cold-rolled dual-phase steel sheets for outer panels of automobile. Akihiko Nishimoto <i>et al.</i>	A 201
22 Metallurgical factors affecting the formability of high strength cold-rolled steel sheets. Toshio Irie <i>et al.</i>	A 205
23 Production of high strength steel sheets for automobile panels by box annealing. Atsuki Okamoto <i>et al.</i>	A 209

October 19, 1980 9:30~14:30

Theme V. The Method of Evaluating the Susceptibility to Stress Corrosion Cracking
(Chairman Shiro Haruyama)

24 Applicability of the methods to evaluate the SCC susceptibility of stainless steels in high temperature water. Shigeo Hattori <i>et al.</i>	A 213
25 Test methods for evaluation of stress corrosion cracking resistance of stainless steels to high temperature and pressure water. Hiroo Nagano <i>et al.</i>	A 217
26 Effect of pH, applied potential and chemical composition on the TGSCC in chloride solution and the IGSCC in pure water of austenitic stainless steel at high temperature. Haruo Tomari <i>et al.</i>	A 221
27 Stress corrosion cracking of austenitic stainless steels in concentrated chloride solutions under a SERT method. Michinori Takano <i>et al.</i>	A 225
28 Evaluation of the stress corrosion cracking susceptibility of austenitic stainless steels by various SCC tests. Kazuo Yamanaka <i>et al.</i>	A 229
29 Stress corrosion cracking susceptibility of stainless steel welded-specimens in sodium chloride solution. Makoto Masuo <i>et al.</i>	A 233
30 On the stress corrosion cracking susceptibility of SUS 304 stainless steel. Shigetomo Nunomura <i>et al.</i>	A 237
31 Evaluation of SCC by AE. Teruo Kishi <i>et al.</i>	A 241