



MC40 Technical Accessory Guide

NOTE: MC40
discontinued 12/2018
- see PMB 10023










NOTE: This document is only for general reference. Solution Builder and related PMBs should be used for product availability, pricing, and final solution selection.


* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles/Charging





Part Number	Picture	Description	Notes	Required Items
CRDMC40XX-1000R		Single Slot Charge Only Cradle	<ul style="list-style-type: none"> Provides charging only, no communications Does NOT charge spare batteries Includes cradle insert/shim that can be removed when charging an MC40 with the rubber boot attached. NOTE: USB cable can't be connected to PC for cradle charging. USB Power Supply (PWRS-124306-01R or similar) is required. 	<ul style="list-style-type: none"> Micro USB cable (25-MCXUSB-01R) and USB Power Supply (PWR-WUA5V6W0WW / PWRS-124306-01R)
CRDMC40XX-1000HC		Single Slot Charge Only Cradle - Health Care color	<ul style="list-style-type: none"> Provides charging only, no communications Does NOT charge spare batteries Includes cradle insert/shim that can be removed when charging an MC40 with the rubber boot attached. NOTE: USB cable can't be connected to PC for cradle charging. USB Power Supply (PWRS-124306-01R or similar) is required. 	<ul style="list-style-type: none"> Micro USB cable (25-MCXUSB-01R) and USB Power Supply (PWR-WUA5V6W0WW / PWRS-124306-01R)
CRDUNIV-40-5000R		Universal Cradle with 5 MC40 Cups	<ul style="list-style-type: none"> Includes Universal Cradle (CRDUNIV-XX-5000R) and five MC40 Charging Cups (CUPMC40xx-1000R) 	<ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01 OR PWRS-14000-148C) AC Line Cord (23844-00-00R)
CRDUNIV-40-5000HC		Universal Cradle with 5 MC40 Cups - Health Care color	<ul style="list-style-type: none"> Includes Universal Cradle and five MC40 Charging Cups - all in Health Care white color 	<ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01 OR PWRS-14000-148C) AC Line Cord (23844-00-00R)
CRDUNIV-XX-5000R		Universal Cradle	<ul style="list-style-type: none"> Provides more flexible charging options. Supports up to five of any combination of the following cradle cups: <ul style="list-style-type: none"> Charging Cup (CUPMC40XX-1000R) Four Slot Battery Charger Cup (CUPUNIBTRY-1000R) Blank Slot Cover (CUPUNICVR-5000R) NOTE: If mounting a 4-Slot Battery Charger (SACMC40XX-4000R), a separate Power Supply is required. The Universal Cradle will not power a 4-Slot Battery Charger. 	<ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01 OR PWRS-14000-148C) AC Line Cord (23844-00-00R) Up to five cradle cups
CUPMC40XX-1000R		Charging Cup for Universal Cradle	<ul style="list-style-type: none"> Includes cradle insert/shim that can be removed when charging an MC40 with the rubber boot attached. 	<ul style="list-style-type: none"> Universal Cradle (CRDUNIV-XX-5000R)

<p>CUPUNIBTRY-1000R</p>		<p>Four Slot Battery Charger Cup for Universal Cradle</p>	<ul style="list-style-type: none"> ▶Allows Four Slot Battery Charger (SACMC40XX-4000R) to be mounted to the Universal Cradle (CRDUNIV-XX-5000R). This allows four MC40 units to be charged along with four spare batteries. ▶A separate power supply is required for the 4-Slot Battery Charger. The charger and Universal Cradle can't share the same power supply. 	<ul style="list-style-type: none"> ▶4-Slot Battery Charger (SACMC40XX-4000R) ▶Power Supply (PWR-BGA12V50W0WWW and CBL-DC-388A1-01 OR PWRS-14000-148C) ▶AC Line Cord (23844-00-00R)
<p>CUPUNIBTRY-1000HC</p>		<p>Four Slot Healthcare Battery Charger Cup for Universal Cradle</p>	<ul style="list-style-type: none"> ▶Allows Four Slot Healthcare Battery Charger (SACMC40XX-4000HC) to be mounted to the Universal Cradle (CRDUNIV-XX-5000R). This allows four MC40 units to be charged along with four spare batteries. ▶A separate power supply is required for the 4-Slot Battery Charger. The charger and Universal Cradle can't share the same power supply. ▶NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	<ul style="list-style-type: none"> ▶4-Slot Healthcare Battery Charger (SACMC40XX-4000HC) ▶Power Supply (PWR-BGA12V50W0WWW and CBL-DC-388A1-01 OR PWRS-14000-148C) ▶AC Line Cord (23844-00-00R)
<p>CUPUNICVR-5000R</p>		<p>Blank Slot Covers for Universal Cradle</p>	<ul style="list-style-type: none"> ▶Used to plug slots in Universal Cradle if all 5 slots are not needed. ▶Includes 5 Covers 	
<p>PSP5MC40-01 (3rd party) *</p> <p>http://www.portsmith.com</p>		<p>Portsmith 5-Slot Charge-Only Dock</p>	<ul style="list-style-type: none"> ▶Charges five devices per module from a single power supply. ▶Durable rugged ABS cradle materials ▶Precision alignment of the handheld into the cradle ▶One handed insertion and removable ▶Safe and regulated power at each cup - 5VDC 2A delivered to each slot ▶Powder-coated steel chassis ▶Better space efficiency compared to five individual charging docks ▶Dimensions: 23" wide, 5" deep, 7" tall ▶Includes power supply and line cord for use in North America. 	
<p>PSP4MC40-02 (3rd party) *</p> <p>http://www.portsmith.com</p>		<p>Portsmith 4-Slot Charge-Only Dock - for Rack Mounting</p>	<ul style="list-style-type: none"> ▶Charges four devices per rack module from a single power supply. ▶Durable rugged ABS cradle materials ▶Precision alignment of the handheld into the cradle ▶One handed insertion and removable ▶Safe and regulated power at each cup - 5VDC 2A delivered to each slot ▶Powder-coated steel chassis ▶Mounts in any industry standard server or wall mount rack ▶6U or 10.5 inches tall ▶Includes power supply and line cord for use in North America. 	

<p>SACMC40XX-4000R</p>		<p>4-Slot Battery Charger</p>	<ul style="list-style-type: none"> •Charges spare batteries only •Rack mountable using Universal Cradle/4-Slot Battery Charger Mounting Bracket (KT-UNIVLBRKT-01R) •Can be used standalone, one charger can be installed on the Universal Cradle (CRDUNIV-XX-5000R) to allow four MC40 units and four spare batteries to be charged simultaneously, or up to five chargers can be installed on the Universal Cradle/4-Slot Battery Charger Mounting Bracket (KT-UNIVLBRKT-01R). 	<p><u>To power single Charger</u></p> <ul style="list-style-type: none"> •Power Supply (PWR-BGA12V50W0WWW and CBL-DC-388A1-01 <p>OR</p> <ul style="list-style-type: none"> PWRS-14000-148C) •AC Line Cord (23844-00-00R) <p><u>To power two Chargers</u></p> <ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WWW), DC Cord (CBL-DC-388A1-01) , Two-Way Power Cable (25-122026-02R), and AC Line Cord (23844-00-00R) <p>OR</p> <ul style="list-style-type: none"> Power Supply (PWRS-14000-148C), Two-Way Power Cable (25-122026-02R), and AC Line Cord (23844-00-00R) <p><u>To power up to four Chargers</u></p> <ul style="list-style-type: none"> Power Supply (PWR-BGA12V108W0WWW), Four-Way Power Cable (CBL-DC-380A1-01), and AC Line Cord (23844-00-00R)
<p>SACMC40XX-4000HC</p>		<p>4-Slot Battery Charger - Health Care color</p>	<ul style="list-style-type: none"> •Charges spare batteries only •Rack mountable using Universal Cradle/4-Slot Battery Charger Mounting Bracket (KT-UNIVLBRKT-01R) •Can be used standalone, one charger can be installed on the Universal Cradle (CRDUNIV-XX-5000R) to allow four MC40 units and four spare batteries to be charged simultaneously, or up to five chargers can be installed on the Universal Cradle/4-Slot Battery Charger Mounting Bracket (KT-UNIVLBRKT-01R). 	<p><u>To power single Charger</u></p> <ul style="list-style-type: none"> •Power Supply (PWR-BGA12V50W0WWW and CBL-DC-388A1-01 <p>OR</p> <ul style="list-style-type: none"> PWRS-14000-148C) •AC Line Cord (23844-00-00R) <p><u>To power two Chargers</u></p> <ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WWW), DC Cord (CBL-DC-388A1-01) , Two-Way Power Cable (25-122026-02R), and AC Line Cord (23844-00-00R) <p>OR</p> <ul style="list-style-type: none"> Power Supply (PWRS-14000-148C), Two-Way Power Cable (25-122026-02R), and AC Line Cord (23844-00-00R) <p><u>To power up to four Chargers</u></p> <ul style="list-style-type: none"> Power Supply (PWR-BGA12V108W0WWW), Four-Way Power Cable (CBL-DC-380A1-01), and AC Line Cord (23844-00-00R)







ProClip (3rd party) * http://www.proclipusa.com/category/zebra		ProClip/Brodit Vehicle Cradles See Zebra's ProClip accessory overview video at: http://www.zebra.com/us/en/infrastructure/transportation/25-124330-01R	<ul style="list-style-type: none"> ▶Active holders are available with a cigarette lighter cable for connection to the vehicle's 12 Volt socket and for fixed installation for connection inside the dashboard. ▶Also available in passive version (no charging). ▶The holders are equipped with a tilt swivel ▶Attach onto the ProClip Mounting Platform. 	
---	---	---	---	--






Communication Cables

Part Number	Picture	Description	Notes	Required Items
25-MCXUSB-01R		Micro USB Cable	<ul style="list-style-type: none"> ▶Used to communicate with MC40 via the USB port on the bottom of the device. Also supports charging from PC when directly connected to MC40. ▶Also used to power Single Slot Charge-Only Cradle (CRDMC40xx-1000R) ▶NOTE: Other micro USB cables (i.e. 25-124330-01R) may not fit on the USB port on the bottom of the MC40. 	
25-128458-01R		Heavy duty USB Charge/Sync cable	<ul style="list-style-type: none"> ▶Used to power Single Slot Battery Charger (SACMC40XX-1000R) ▶Micro USB B to USB A connector ▶Heavy duty USB cable needed to charge at 1.2A ▶28 gauge wire for fast charge 	
PSA1uB1E-E (3rd party) * http://www.portsmith.com		Portsmith Rugged Micro-B USB to Ethernet Adapter	<ul style="list-style-type: none"> ▶10/100 Mbps Ethernet with RJ45 Connection ▶USB Port Micro-B wired OTG Host ▶100mA power draw ▶Connects directly to USB port on bottom of MC40 ▶Requires MC40 Jelly Bean Rev B or later OS. No additional drivers required 	
3rd party * http://www.cyberguys.com/product-details/?productid=33062		USB micro-A to USB A Female adapter	<ul style="list-style-type: none"> ▶Allows the MC40 to act as a USB host to connect to devices like USB flash drives/memory sticks, mice, etc. ▶Connects directly to MC40 	

Soft Goods - Cases/Holsters


Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------

<p>SG-MC40-HSTRPC1-02</p>		<p>Hand Strap</p>	<ul style="list-style-type: none"> ►Provides extra security when holding the MC40 ►Strap is attached to the MC40 using screws in the battery compartment. ►Only compatible with "Rev C" MC40 configurations with SE4710 scan engine due to housing changes: MC40N0-SLK3R01, MC40N0-SLK3RM1, MC40N0-HLK3R01,MC40N0-HLK3R01F ►Strap is about 12mm longer than Finger Strap (SG-MC40STRAP-01R) for allowing more room for the entire hand to be inserted in the strap. ►Screw holes modified vs. SG-MC40-HSTRPC1-01 	
<p>SG-MC40STRAP-01R (single) SG-MC40STRAP-10R (10-pack)</p>		<p>Finger Strap</p>	<ul style="list-style-type: none"> ►Provides extra security when holding the MC40 ►Strap is attached to the MC40 using screws in the battery compartment. ►Only compatible with "Rev A" or "Rev B" MC40 configurations (without SE4710 scan engine) due to housing differences 	
<p>AC1549DW:MC40 (3rd party) *</p> <p>http://www.ultimacase.com</p>		<p>Adjustable Hand Strap</p>	<ul style="list-style-type: none"> ►Provides extra security when holding the MC40 ►Strap is adjustable to allow for comfortable fit ►Strap is attached to the MC40 using a screw in the battery compartment. 	
<p>SG-MC40-RBOOT-01R (single) SG-MC40-RBOOT-10R (10-pack)</p>		<p>Rubber Protective Boot</p>		
<p>SG-MC40-MBOOT-01R (single) SG-MC40-MBOOT-10R (10-pack)</p>		<p>Rubber Protective Boot for MSR equipped devices</p>		
<p>SG-MC40-RHLST-01</p>		<p>Rigid Holster</p>	<ul style="list-style-type: none"> ►MC40 mounts face-in ►Includes rotating clip ►Can be worn left or right ►Cut outs for speaker and mic ►NOT compatible with devices with Rubber Boot installed 	

<p>SG-MC40HLSTR-03R</p>		<p>Belt Mounted Soft Hip Holster</p>	<p>Added features vs. SG-MC40HLSTR-02R: - Change of spring clip pin & pivot material from plastic to stainless steel in order to provide a more rugged clip. - Increase size and change location of sound port cut out on the rear face of the holster pocket.</p>	
<p>11-08062-02R</p>		<p>Belt for holster</p>	<ul style="list-style-type: none"> ▶Belt is 2 inches wide ▶Extends to 48 inches ▶Has improved buckle and softer belt material 	
<p>V6198DW (3rd party) *</p> <p>http://www.ultimacase.com</p>		<p>Belt Extender</p>	<ul style="list-style-type: none"> ▶Used to extend the holster belt (11-08062-02R) an additional 10 inches 	
<p>AC1755DWSP (3rd party) *</p> <p>http://www.ultimacase.com</p>		<p>Holster for MC40 with Snap-On Trigger Handle</p> 	<ul style="list-style-type: none"> ▶Holsters MC40 units using Trigger Handle (3PTY-TIS-234009TG) ▶Made with durable easy care Ballistic nylon ▶Belt loop designed for left or right handed users ▶Exterior pocket holds spare battery ▶Drain hole in case of inclement weather 	
<p>AB1375DW (3rd party) *</p> <p>http://www.ultimacase.com</p>		<p>Case with Hand Strap</p>	<ul style="list-style-type: none"> ▶Two elastic hand straps on back of case allow for easy, secure use of device. ▶Full access to touch screen ▶Made with durable easy care ballistic nylon. 	





<p>TM-CMC40 (3rd party) *</p> <p>http://www.taylormadecases.com</p>		Case with Hand Strap	<ul style="list-style-type: none"> Two elastic hand straps on back of case allow for easy, secure use of device. Full access to touch screen Includes D ring for attaching other straps/accessories 	
<p>SG-MC40-LWRIST-01 (long straps)</p> <p>SG-MC40-SWRIST-01 (short straps)</p>		Wrist Mount	<ul style="list-style-type: none"> Allows MC40 to be worn as a wearable device. Adjustable wriststraps for wearing on wrist. Long strap configuration includes 13.5" and 15" length straps. Short strap configuration includes 8.5" and 10.5" length straps. NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	
<p>AB1347DW (3rd party) *</p> <p>http://www.ultimacase.com</p>		Wrist Mount Holster	<ul style="list-style-type: none"> Allows MC40 to be worn as a wearable device. Adjustable wriststraps for wearing on wrist. Faceprotect design protects screen from dirt and moisture. Non skid pads on wrist straps to prevent slipping while worn on wrist. Made with durable easy care Ballistic nylon. 	
<p>TM-WS-MC40 (3rd party) *</p> <p>http://www.taylormadecases.com</p>		Wrist Mount Holster	<ul style="list-style-type: none"> Allows MC40 to be worn as a wearable device. Full access to touch screen Includes D ring for attaching other straps/accessories 	




Misc





Part Number	Picture	Description	Notes	Required Items
<p>Additional Screen Protectors (3rd party) *</p> <p>http://www.nushield.com</p>		Additional Screen Protectors	<ul style="list-style-type: none"> NuShield AG™ - works well indoors under bright lights to minimize glare. NuShield AM™ - antimicrobial film is an antiglare film designed for hospitals, public kiosks, restaurants and POS terminals where transmission of disease is a primary concern. NuShield DayVue™ - antireflective film is the best choice for displays that are being used outdoors. 	
<p>Submit a Custom Products Request at http://cpr.zebra.lan (Zebra internal site)</p>		Custom Colors or Custom Labeling	<ul style="list-style-type: none"> Housing color can be customized Custom labeling on the top front and rear of device can also be designed. 	



Headset/Audio Accessories

Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------




<p>HDST-25MM-PTVP-01</p>		<p>PTT and VoIP Headset (for Jelly Bean and newer OS versions)</p>	<ul style="list-style-type: none"> ▶For Push-To-Talk (PTT) <u>and</u> VoIP telephony ▶<u>Only</u> supported on MC40 devices with Jelly Bean (v4.1.1) OS and later. Will <u>not</u> work on older OS version. ▶2.5 mm jack ▶Rotating earpiece allows for right or left ear configuration ▶Built-in cord wrap ▶mono with microphone ▶includes clip for attaching PTT button to clothing 	
<p>SL+1W-MC40 (3rd party) *</p> <p>https://workforceaudio.com</p>		<p>Workforce Audio SnapLock PTT Adapter Cable</p>	<ul style="list-style-type: none"> ▶For Push-To-Talk (PTT) applications ▶2.5 mm jack ▶Adapter cable provide SnapLock connector which accepts a variety of Workforce Audio's earpieces. ▶includes clip for attaching PTT button to clothing 	<p>Requires purchase of earpiece for connecting to cable.</p>
<p>HS2100-OTH</p>		<p>HS2100 Rugged Wired Headset (Over the Head headband)</p>	<ul style="list-style-type: none"> ▶Built to handle the everyday inevitable drops ▶Dustproof, sprayproof and waterproof ▶Ready for the freezer and outdoor subzero temperatures ▶Feather-light for extraordinary comfort ▶Noise cancellation for a superior voice experience in the noisiest environments ▶Detachable swivel boom minimizes costs. ▶Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations. ▶User-replaceable pads and windscreens maximize comfort and hygiene 	<ul style="list-style-type: none"> ▶Quick Disconnect Headset cable (CBL-HS2100-QDC1-02) ▶Headset Adapter Cable (25-124387-02R)
<p>HS2100-BTN-L</p>		<p>HS2100 Rugged Wired Headset (Behind the Neck Left headband)</p>	<ul style="list-style-type: none"> ▶Built to handle the everyday inevitable drops ▶Dustproof, sprayproof and waterproof ▶Ready for the freezer and outdoor subzero temperatures ▶Feather-light for extraordinary comfort ▶Noise cancellation for a superior voice experience in the noisiest environments ▶Detachable swivel boom minimizes costs. ▶Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations. ▶User-replaceable pads and windscreens maximize comfort and hygiene 	<ul style="list-style-type: none"> ▶Quick Disconnect Headset cable (CBL-HS2100-QDC1-02) ▶Headset Adapter Cable (25-124387-02R)















<p>VR12 (3rd party) *</p> <p>http://www.blueparrott.com</p>		<p>BlueParrott BlueParrott VR12 Wired Noise Cancelling Headset</p>	<ul style="list-style-type: none"> ▶Audio accuracy for voice picking and other speech recognition applications. ▶High quality durability stands up to all-day, every-day use. ▶Lightweight design is easy and comfortable to wear all day. ▶Compatible with most major wearable computers and devices used in voice-picking environments. ▶G type (GN Netcom) Quick Disconnect. ▶Convertible design gives choice of over-the-head and behind-the-neck wearing styles 	<p>Headset Adapter Cable (25-124387-02R)</p>
<p>various Bluetooth models B550-XT B350-XT C400-XT C300-XT (3rd party) *</p> <p>http://www.blueparrott.com</p>		<p>BlueParrott Bluetooth Headsets</p>	<ul style="list-style-type: none"> ▶Various Bluetooth models available with options that include: <ul style="list-style-type: none"> - Blocking out 96% of background noise - Over 24 hours of talk time - NFC Tap to Pair capable - Bluetooth wireless range capable up to 300 ft. - Convertible wearing options: over the head, behind the neck. <p>See BlueParrot site for model specific options.</p>	
<p>APTT1 (3rd party) *</p> <p>https://www.aina-wireless.com/</p>		<p>Aina Push-To-Talk (PTT) Bluetooth Voice Responder Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> ▶Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ▶Includes clip for attaching device to clothing for lapel speaker/mic usage. ▶Features several buttons which the application developers can assign to different functions. ▶Users can remotely control functions such as push-to-talk, phone calls, channel switching and emergency alerts. ▶Device is ruggedized, MIL-STD 810G and IP67. ▶Long lasting battery designed for 24 hour approx battery life. Can be recharged via micro-USB port. ▶Includes 3.5mm headset jack allowing headphones to be connected for keeping conversations more private. ▶Can be easily paired to mobile computer using NFC tap-to-pair. 	




<p>H3-B-1 (3rd party) *</p> <p>https://www.dellking.com</p>		<p>Wandfu H3 Push-To-Talk (PTT) Bluetooth Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> ▶Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ▶Includes clip for attaching device to clothing for lapel speaker/mic usage. ▶Includes 3.5mm headset jack allowing headphones to be connected for keeping conversations more private. 	
<p>BTR-155 (3rd party) *</p> <p>K551011 (Zebra orderable SKU) ▶Discontinued 3/2019, now order from Savox</p> <p>https://www.savoxaccessories.com</p>		<p>Savox BTR-155 Bluetooth Remote Speaker/Mic (RSM)</p>	<ul style="list-style-type: none"> ▶Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ▶Includes clip for attaching device to clothing for lapel speaker/mic usage. ▶Rugged wireless speaker microphone, IP55. ▶Allows cable-free movement ▶Familiar speaker microphone functions; PTT and volume buttons ▶Includes 2.5mm headset jack allowing headphones to be connected for keeping conversations more private. ▶LED status indication ▶High speaker volume ▶Includes: <ul style="list-style-type: none"> - Savox RSM - Modular Wired earpiece - Wall Charger - USB Cable - Quick Start Guide - Carrying Strap 	
<p>BTH-101 (3rd party) *</p> <p>https://www.savoxaccessories.com</p>		<p>Savox Push-To-Talk (PTT) Bluetooth Headset</p>	<ul style="list-style-type: none"> ▶Bluetooth headset designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ▶Also operates as standard Bluetooth headset for taking phone calls. ▶Device is lightweight and ruggedized, IP55. 	
<p>CBL-HS2100-QDC1-02</p>		<p>HS2100 Quick Disconnect Cable</p>	<ul style="list-style-type: none"> ▶For use when connecting HS2100 to devices using standard Quick Disconnect jack. ▶Cable length is approximately 33" (84 cm). ▶Has improved quick disconnect connector and strain relief vs. CBL-HS2100-QDC1-01. 	

25-124387-02R		RCH50/RCH51 Headset Adapter Cable	<ul style="list-style-type: none"> Connects RCH50/RCH51 headset to devices with standard 3-pole 2.5mm barrel jack connector. Updated cable minimizes cross talk and intermittency issues. 	
Additional Screen Protectors (3rd party) * http://www.nushield.com		Additional Screen Protectors	<ul style="list-style-type: none"> NuShield AG™ - works well indoors under bright lights to minimize glare. NuShield AM™ - antimicrobial film is an antiglare film designed for hospitals, public kiosks, restaurants and POS terminals where transmission of disease is a primary concern. NuShield DayVue™ - antireflective film is the best choice for displays that are being used outdoors. 	
Submit a Custom Products Request at http://cpr.zebra.lan (Zebra internal site)		Custom Colors or Custom Labeling	<ul style="list-style-type: none"> Housing color can be customized Custom labeling on the top front and rear of device can also be designed. 	

Power Cords/Power Supplies

Part Number	Picture	Description	Notes	Required Items
PSP4U (3rd party)* http://www.portsmith.com		Spider Cable 4-Port USB Charger	<ul style="list-style-type: none"> Can connect directly to up to MC40 USB port or can connect to Single Slot Charge Cradles (CRDMC40XX-1000R) USB Micro-B connectors Regulated Power - built in power conditioning, and regulation, the PSP4U will ensure that your USB devices are provided clean power. In the case where a device creates a fault, the PSP4U will prevent over current draw and will indicate a fault with a red LED. Fast Charging for All - provides 1.2A per leg, not distributed across all four. This means all your devices will charge faster, and will every time, regardless of how devices are plugged into the PSP4U. Consolidated Power - maximizes charging utility per wall outlet as well as valuable desktop space. Includes Power Supply and Line Cord 	
PWR-WUA5V6W0WW		USB Power Supply	<ul style="list-style-type: none"> Used to power Single Slot Cradle Includes four international plugs for use in US, UK, EU, and AU. Additional plugs can be purchased separately for other countries. 5.2V, 1.2A, 6W output Provides US DOE Level VI compliance for power efficiency 	Micro USB Cable (25-MCXUSB-01R)
CN-000803-01		<u>Spare/Replacement</u> USB Power Supply AC Clip for Australia (AUS)	<ul style="list-style-type: none"> This AC Clip is normally included with PWR-WUA5V6W0WW 2 pin Australia plug 	USB Power Supply (PWR-WUA5V6W0WW)

CN-000803-02		USB Power Supply AC Clip for Argentina (ARG)		USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-03		USB Power Supply AC Clip for Korea (KOR)		USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-04		<u>Spare/Replacement</u> USB Power Supply AC Clip for US (US)	<ul style="list-style-type: none"> ►This AC Clip is normally included with PWR-WUA5V6W0WW ►2 pin US plug 	USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-05		<u>Spare/Replacement</u> USB Power Supply AC Clip for Europe (EU)	<ul style="list-style-type: none"> ►This AC Clip is normally included with PWR-WUA5V6W0WW 	USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-06		<u>Spare/Replacement</u> USB Power Supply AC Clip for UK (UK)	<ul style="list-style-type: none"> ►This AC Clip is normally included with PWR-WUA5V6W0WW 	USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-07		USB Power Supply AC Clip for China (CHN)	<ul style="list-style-type: none"> ►straight pins China plug 	USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-08		USB Power Supply AC Clip for Brazil (BRA)	<ul style="list-style-type: none"> ►2 pin Brazil plug 	USB Power Supply (PWR-WUA5V6W0WW)
CN-000803-09		USB Power Supply AC Clip for India (IND)		USB Power Supply (PWR-WUA5V6W0WW)
CBL-DC-388A1-01		DC Power Cord	<ul style="list-style-type: none"> ►Used along with Power Supply PWR-BGA12V50W0WW to power 4-Slot Battery charger and 5-Slot Charge Only Cradle. ►Cable length is 1.8 meters 	
25-122026-02R		2-Way Power Cable	<ul style="list-style-type: none"> ►Used to power two Four Slot Battery Chargers (SACMC40XX-4000R) from one power supply (PWR-BGA12V50W0WW / PWRS-14000-148C). ►Has a longer barrel jack and retention feature to ensure a good connection to the cradle. 	
PWR-BGA12V50W0WW		Power Supply	<ul style="list-style-type: none"> ►Used to power 4-Slot Battery charger and 5-Slot Charge Only Cradle. ►100-240 VAC, 12V, 4.16A, 50W ►Provides US DOE Level VI compliance for power efficiency. ►Replaces PWRS-14000-148C 	DC Line Cord (CBL-DC-388A1-01) and AC Line Cord (23844-00-00R)
KIT-PWR-12V50W		Power Supply Kit	<ul style="list-style-type: none"> ►Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01) 	AC Line Cord (23844-00-00R)
CBL-DC-380A1-01		4-Way Power Cable	<ul style="list-style-type: none"> ►Used with Power Supply PWR-BGA12V108W0WW to power up to four 4-Slot Battery Chargers (SACMC40XX-4000R). 	
PWR-BGA12V108W0WW		Power Supply	<ul style="list-style-type: none"> ►Used to power up to four 4-Slot Battery Chargers (SACMC40XX-4000R) ►100-240 VAC, 12V, 9A, 108W ►Provides US DOE Level VI compliance for power efficiency. ►Replaces PWRS-14000-241R 	4-Way Power Cable (CBL-DC-380A1-01)

23844-00-00R		AC Line Cord	Used to power Four Slot and Single Slot Cradles	
Batteries				
Part Number	Picture	Description	Notes	Required Items
BTRY-MC40EAB0E-01R (single) BTRY-MC40EAB0E-10R (10-pack)		Spare Battery (2680 mAh)		
BTRY-MC40EAB0E-03H (single)		Spare Battery for Health Care MC40 (2680 mAh)	<ul style="list-style-type: none"> ►Disinfectant Ready ►Healthcare color ►NOTE: Healthcare batteries must be used on Healthcare MC40 units. Standard batteries will not fit correctly on MC40 Healthcare units. 	