


# Power, versatility and seamless integration.

Working smarter, faster and more productively. The challenges you've set for your team are the goals the TASKalfa 6053ci and TASKalfa 6003i Series are ready to help you achieve. Printing in vivid color or monochrome, rely on impactful images and graphics, crisp type and the finishing options your business is counting on for a professional look. Set yourself up for success, no matter what the day brings.



**TASKalfa 6053ci / 6003i Series** 

**Up to 60 / 55 Pages per Minute**

**Professional Finishing Options**

**HyPAS-enabled for Solutions & Apps**

**KYOCERA Net Manager Ready**

# The TASKalfa 6053ci / 6003i Series Options

**DP-7130**  
DSDP w/ MultiFeed Detection  
270 Sheet

**DP-7110**  
DSDP 270 Sheet

**DP-7100**  
RADF 140 Sheet

**DP-7120<sup>1</sup>**  
RADF 50 Sheet

Platen Cover Type (E)

**Keyboard Holder 10**

**AK-7100<sup>2</sup>**  
Attachment Kit

**JS-7100<sup>3</sup>**  
Job Separator

**DF-7100**  
Internal Finisher  
500 Sheet / 50 Staple

**DT-730 (B)**  
Original Hard Copy Holder

**NK-7130**  
Numeric Keypad

**DF-7120**  
1,000 Sheet Finisher  
50 Staple

**DF-7110**  
4,000 Sheet Finisher  
65 Staple / 65 Manual Staple

**DF-7130<sup>4</sup>**  
4,000 Sheet Finisher  
100 Staple / 100 Manual Staple

**PF-7120**  
3,000 Sheet Side Deck (Letter)

**MT-730 (B)**  
7 Bin Mailbox

**BF-730**  
Booklet / Tri-fold Unit

**BF-9100**  
Booklet / Tri-fold Unit

**PF-7100**  
2 x 500 Sheet Tray (Ledger)

**PF-7110**  
2 x 1,500 Sheet Tray (Letter)

**Copier Cabinet Stand**

**Stapler Option**  
 SH-10 for DF-7100 / DF-7120 / BF-730 / BF-9100  
 SH-12 for DF-7110  
 SH-14 for DF-7130

**Hole Punch Option**  
 PH-7100 for DF-7100  
 PH-7A for DF-7120 / DF-7110 / DF-7130

**New and only available for the TASKalfa 6053ci & TASKalfa 6003i Series**

<sup>1</sup> The DP-7120 is only available for the TASKalfa 3253ci & TASKalfa 2553ci  
<sup>2</sup> The AK-7100 is new with this Series; and is not backward compatible  
<sup>3</sup> The JS-7100 is pre-installed on the TASKalfa 2553ci  
<sup>4</sup> The DF-7130 is not available for the TASKalfa 3253ci & TASKalfa 2553ci



# General Specifications



## TASKalfa 6053ci

### Pages Per Minute:

Black — Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

Color — Letter: 55 ppm, Legal: 33 ppm, Ledger: 27 ppm, 12" x 18": 27 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Color  
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 3.31 kWh/week;  
220V: 3.08 kWh/week

**Weight:** 209.4 lbs

**Maximum Monthly Duty Cycle:** 250,000 Pages per Month

## TASKalfa 5053ci

### Pages Per Minute:

Color and Black — Letter: 50 ppm, Legal: 30 ppm, Ledger: 25 ppm, 12" x 18": 25 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.7 Seconds or Less Black, 4.8 Seconds or Less Color  
Print: 4.3 Seconds or Less Black, 5.4 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 2.75 kWh/week;  
220V: 2.46 kWh/week

**Weight:** 209.4 lbs

**Maximum Monthly Duty Cycle:** 225,000 Pages per Month

## TASKalfa 4053ci

### Pages Per Minute:

Color and Black — Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Color  
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 2.04 kWh/week;  
220V: 1.90 kWh/week

**Weight:** 209.4 lbs

**Maximum Monthly Duty Cycle:** 200,000 Pages per Month

## TASKalfa 3553ci

### Pages Per Minute:

Color and Black — Letter: 35 ppm, Legal: 21 ppm, Ledger: 17 ppm, 12" x 18": 17 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Color  
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 1.85 kWh/week;  
220V: 1.86 kWh/week

**Weight:** 209.4 lbs

**Maximum Monthly Duty Cycle:** 175,000 Pages per Month

## TASKalfa 3253ci

### Pages Per Minute:

Color and Black — Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)

**Warm Up Time:** 18 Seconds or Less (Power On)

### First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color  
Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 1.53 kWh/week;  
220V: 1.46 kWh/week

**Weight:** 198.4 lbs

**Maximum Monthly Duty Cycle:** 125,000 Pages per Month

## TASKalfa 2553ci

### Pages Per Minute:

Color and Black — Letter: 25 ppm, Legal: 15 ppm, Ledger: 12 ppm, 12" x 18": 12 ppm (print only)

**Warm Up Time:** 18 Seconds or Less (Power On)

### First Page Out:

Copy: 6.4 Seconds or Less Black, 8.5 Seconds or Less Color  
Print: 7.0 Seconds or Less Black, 9.2 Seconds or Less Color

### Typical Electricity Consumption (TEC):

120V: 1.09 kWh/week;  
220V: 1.06 kWh/week

**Weight:** 198.4 lbs

**Maximum Monthly Duty Cycle:** 100,000 Pages per Month

## TASKalfa 6003i

### Pages Per Minute:

Black — Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.4 Seconds or Less Black  
Print: 3.8 Seconds or Less Black

### Typical Electricity Consumption (TEC):

120V: 3.25 kWh/week;  
220V: 3.02 kWh/week

**Weight:** 183 lbs

**Maximum Monthly Duty Cycle:** 250,000 Pages per Month

## TASKalfa 5003i

### Pages Per Minute:

Black — Letter: 50 ppm, Legal: 30 ppm, Ledger: 25 ppm, 12" x 18": 25 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 3.7 Seconds or Less Black  
Print: 4.3 Seconds or Less Black

### Typical Electricity Consumption (TEC):

120V: 2.67 kWh/week;  
220V: 2.37 kWh/week

**Weight:** 183 lbs

**Maximum Monthly Duty Cycle:** 225,000 Pages per Month

## TASKalfa 4003i

### Pages Per Minute:

Black — Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

### First Page Out:

Copy: 4.5 Seconds or Less Black  
Print: 5.1 Seconds or Less Black

### Typical Electricity Consumption (TEC):

120V: 1.96 kWh/week;  
220V: 1.84 kWh/week

**Weight:** 183 lbs

**Maximum Monthly Duty Cycle:** 175,000 Pages per Month

## Common Specifications

### Basic Specifications

**Configuration:** Multifunctional System — Print/Scan/Copy/Optional Fax

**Display:** 10.1" Color Touch Screen Control Panel

**Resolution:** Up to 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4GB RAM / 8GB SSD / 320GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement (5.5" x 8.5") to 12" x 18", 17 lb Bond - 142 lb Index (64 — 256gsm)

**Standard Output Tray:** Statement — 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

**Job Separator Output Tray:** Statement — 12" x 18" / 100 sheets

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Dimensions:** 23.7" W x 26.2" D x 31.1" H

### Security Specifications

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, Data Security Kit (E) (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

### Print Specifications

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.2GHz; Freescale QorIQ T1024 (Dual Core) / 1.0GHz for the 3253ci & 2553ci

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: 7/8.1/10/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare

3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface) (communication distance 328.1 feet)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

### Paper Supply

**Standard Paper Sources:** Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray [(PF-7120) Requires PF-7100 or PF-7110]

**Paper Capacity:** Standard: 1,150 Sheets; Maximum: 7,150 Sheets

### Paper Size:

Tray 1 — 5.5" x 8.5" — 8.5" x 14" (Statement to Legal);

Tray 2 — 5.5" x 8.5" — 12" x 18", Custom Size;

PF-7100: 5.5" x 8.5" — 12" x 18";

PF-7110, PF-7120: 8.5" x 11";

MPT: 5.5" x 8.5" — 12" x 18" (Multiple Sheets);

Up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 14 lb Bond — 166 lb Index (52 — 300gsm)

**Input Materials:** Standard/Optional Trays: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Letterhead, Envelope, Custom

MPT: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Transparency (OHP film), Coated, Index Tab, Label, Letterhead, Envelope, Custom



The TASKalfa 6053ci / 6003i Series goes well beyond printing, offering a portfolio of business applications for enhanced capabilities. These include scan distribution to back-end applications and document management systems, along with print management to control devices, user policies and output costs.

## Additional Specifications

### Scan Specifications

**Scan Type:** Color and Black & White Scanner  
**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi  
**File Formats:** TIFF, JPEG, XPS, OpenXPS, PDF (MMR, /IPG Compression / High Compression PDF)  
**PDF Extension:** Searchable PDF (OCR) Option; MS Office File (Option)  
**Scan Speeds (B&W/Color, @300 dpi):**  
**DP-7120<sup>1</sup>:** Simplex: 48 ipm / Duplex: 15 ipm  
**DP-7100:** Simplex: 80 ipm / Duplex: 48 ipm  
**DP-7110:** Simplex: 100 ipm / Duplex: 180 ipm; Simplex: 80 ipm / Duplex: 160 ipm for the 3253ci & 2553ci  
**DP-7130 (with Multi-Feed Detection):** Simplex: 120 ipm / Duplex: 220 ipm; Simplex: 100 ipm / Duplex: 180 ipm for the 3253ci & 2553ci  
**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0  
**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Color Removal, Border Erase, Preview  
**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"  
**Drivers:** TWAIN/WIA Driver

### Copy Specifications

**Copy Resolution:** 600 x 600 dpi  
**Image Mode:** Text, Photo, Text/Photo, Graphic/Map  
**Continuous Copy:** 1 – 9999 / Auto Reset to 1  
**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Color Removal, Preview, ID Card Copy  
**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy  
**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness  
**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments  
**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

### Optional Fax Specifications

**Fax Type:** Fax System 12  
**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG  
**Transmission Speed / Modem Speed:** Less than 3 seconds / 33.6 Kbps  
**Fax Memory:** Standard 170 MB  
**Driver:** Network Fax Driver  
**Fax Functions:** Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feeder

### Optional Document Processors<sup>2</sup>

**Type / Capacity:**  
**DP-7120<sup>1</sup>:** Reversing Automatic Document Processor / 50 Sheets  
**DP-7100:** Reversing Automatic Document Processor / 140 Sheets  
**DP-7110:** Dual Scan Document Processor / 270 Sheets  
**DP-7130:** Dual Scan Document Processor / 270 Sheets  
**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"  
**Acceptable Weights:**  
**DP-7120<sup>1</sup>:** Simplex: 13 lb Bond - 90 lb Index (45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)  
**DP-7100:** Simplex: 13 lb Bond - 90 lb Index (35 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)  
**DP-7110 & DP-7130:** Simplex: 13 lb Bond - 120 lb Index (35 – 220gsm); Duplex: 16 lb - 120 lb Index (50 – 220gsm)

### Output & Finishing Options<sup>3</sup>

#### 500 Sheet Internal Finisher DF-7100

**Stack / Staple Capacity:** 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])  
**Paper Size:** 5.5" x 8.5" – 12" x 18"  
**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Edge Staple Position:** 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples  
**Optional Punch:** PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Dimensions:** 19.60" W x 20.98" D x 6.73" H

#### 1,000 Sheet Finisher DF-7120<sup>4</sup>

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])  
**Paper Size:** 5.5" x 8.5" – 12" x 18"  
**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind  
**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Dimensions:** 21.57" W x 24.35" D x 41.34" H

### 4,000 Sheet Finisher DF-7110<sup>4</sup> & DF-7130<sup>4,5</sup>

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets; DF-7110 Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm]) DF-7130 Sub Tray (B): 200 Sheets / 100 Sheets (up to 21 lb Bond [80gsm])  
**Paper Size:** 5.5" x 8.5" – 12" x 18"  
**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind  
**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)  
**Dimensions:**  
**DF-7110:** 23.9" W x 26.3" D x 41.8" H;  
**DF-7130:** 29.5" W x 26.2" D x 43.7" H  
**Optional Booklet Folder / Tri-fold Unit:**  
**DF-7110: BF-730** Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold Booklet Staple: 16 lb – 24 lb Bond (60 – 90gsm) 20 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet  
**DF-7130: BF-9100** Booklet Folder supports 8.5" x 11", 8.5" x 14", 12" x 18"; Fold Booklet Staple: 16 lb – 24 lb Bond (60 – 90gsm) 20 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold Booklet No Staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 3 sheets; 29 lb Bond to 110 lb Cover (106 – 256gsm) 1 sheet; Tri-fold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 3 sheets

### Additional Options

Bridge Unit Attachment Kit (AK-7110), Banner Guide 10, Internet Fax Kit (A), IC Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-730 [B]), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, EFI Fiery Printing System 15 (Only available for the following models: 6053ci/5053ci/4053ci/3553ci/3253ci), Numeric Keypad (NK-7130), Job Separator (JS-7100) - Standard on the 2553ci.

<sup>1</sup> Only available for the TASKalfa 3253ci & TASKalfa 2553ci

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7110)

<sup>5</sup> Not available on the TASKalfa 3253ci & TASKalfa 2553ci



Specifications and design are subject to change without notice. For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com). TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.  
 Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
 ©2019 KYOCERA Document Solutions America, Inc.  
 v041119

## KYOCERA Document Solutions Partner