

Nationaal Natuurhistorisch Museum Naturalis, Leiden

National Museum of Natural History Naturalis, Leiden

This CD-ROM contains material from the Leiden museum not widely published in hardcopy form. It is made available in digital form through this CD-ROM, and readable through the Adobe Acrobat Reader.

CD-ROM Terms and Conditions of Use

1. License

(a) The National Museum of Natural History Naturalis (short: Naturalis) grants the customer a non-exclusive non-transferable license to use this CD-ROM either (i) on a single computer for use by one or more people at different times or (ii) by a single user on one or more computers (provided the CD-ROM is used only on one computer at one time and is always the same user).

(b) The customer must not: (i) copy or authorize the copying of the CD-ROM, except that Library customers may make one copy for archiving purposes only; (ii) translate the CD-ROM, (iii) reverse-engineer, disassemble or decompile the CD-ROM, (iv) transfer, sell assign, or otherwise convey any portion of the CD-ROM, or (v) operate the CD-ROM from a network or mainframe system.

(c) The customer may use the CD-ROM for educational and research purposes as follows: material contained on a single screen may be printed out and used within a fair use/fair dealing context; images may be downloaded for bona fide teaching purposes but may not be further distributed in any form or made available for sale. An archive copy of the product may be made where libraries have this facility, on condition that the copy is for archiving purposes only and is not used or circulated within or beyond the library where the copy is made.

2. Copyright

All material contained within the CD-ROM is protected by copyright. All rights are reserved except those expressly licensed.

3. Limited warranty

To the extent permitted by applicable law, Naturalis accepts no liability for consequential loss or damage of any kind resulting from the use of the CD-ROM or from errors or faults contained in it. Naturalis's liability shall extend only to replacing a product that is defective.

4. Correspondence with the publisher

The Publisher
Nationaal Natuurhistorisch Museum Naturalis
Postbus 9517
NL-2300 RA Leiden
The Netherlands

v 2003-06-10

NNM Technical Bulletin

H. Ghahari, D.S. Yu & K. van Achterberg

Bibliography of the family Braconidae
(Hymenoptera: Ichneumonoidea)
(1964-2003)

January 2006

CIP-gegevens Koninklijke Bibliotheek, Den Haag

H. Ghahari, D.S. Yu & K. van Achterberg

Bibliography of the family Braconidae

(Hymenoptera: Ichneumonoidea)

(1964-2003)

(NNM Technical Bulletin 8; ISSN 1387-0211)

Subject headings: Insecta; Hymenoptera; Braconidae; bibliography.

The NNM Technical Bulletin may be obtained from the librarian:

Nationaal Natuurhistorisch Museum,

P.O. Box 9517,

2300 RA Leiden,

The Netherlands.

© Reproduction authorized for non-commercial purposes,
providing that acknowledgement is given.

Bibliography of the family Braconidae (Hymenoptera: Ichneumonoidea) (1964-2003)

Hassan Ghahari, Dicky S. Yu & Kees van Achterberg

Ghahari, H., Yu, D.S. & Achterberg, K. van. Bibliography of the family (Hymenoptera: Ichneumonoidea) (1964-2003). *NNM Technical Bulletin*, 8: 1-293, figs 1-2; Leiden, January 2006.

H. Ghahari, Department of Agriculture, Shahr-e-Rey Islamic Azad University, P.O. Box 18735/334, Tehran, Iran (e-mail: h_ghahhari@yahoo.com).

D.S. Yu, Taxapad, P.O. Box 48205, Bentall Centre, Vancouver, B.C., V7X 1N8 Canada (e-mail: www.taxapad.com).

K. van Achterberg, Department of Entomology, Nationaal Natuurhistorisch Museum, Postbus 9517, 2300 RA Leiden, Netherlands (e-mail: achterberg@naturalis.nnm.nl).

Key words: Insecta; Hymenoptera; Braconidae; bibliography.

A bibliography of the family Braconidae/Hymenoptera: Ichneumonidae is given for the period 1964-2003. It is an addition to Shenefelt's bibliography (1965), which covers the period 1785-1963. In total 10,436 references are listed.

Contents

Preface	3
Biological characteristics	3
Discussion of phylogenetic relationships	4
Classification	4
Identification guides	5
Bibliography of Braconidae	5
World bibliography of Braconidae	6

Preface

The Braconidae constitute one of the most species-rich families of insects. Although tropical faunas are still relatively poorly understood at the species level, the third author by experience agrees with a rough minimum estimate of 120,000 species worldwide as an extrapolation from the current described number of 17,532 species (up to early 2005; data from TAXAPAD catalogue on Ichneumonoidea) in over 1,000 genera. Among extant groups, the sister group of the Braconidae is the Ichneumonidae, an equally sized group (Sharkey & Wahl, 1992; Quicke et al. 1999). The family appears to date from early Cretaceous (assuming *Eobracon* is properly assigned to family - Rasnitsyn, 1983; Whitfield, 2002), diversifying extensively in the mid to late Cretaceous and early Tertiary, when flowering plants and their associated holometabolous herbivores, the main hosts for braconid parasitoids, radiated (Basibuyuk et al., 1999; Quicke et al., 1999; Belshaw et al., 2000; Whitfield, 2002). The species richness of the family is matched by a morphological diversity virtually unrivalled among the Hymenoptera. They range in size from approximately 1 mm in length to 3-4 cm (not counting the ovipositor, which can be up to 10 times as long as the body).

Some of the groups are parts of extensive Müllerian mimicry complexes (Quicke, 1986), and exhibit striking colour patterns (some of which are recurrent within regions), while others are among the most inconspicuous of Hymenoptera. The braconids display a bewildering array of wing venation patterns and body forms to stymie the beginning student. Female external genitalia (ovipositor) vary considerably intraspecifically and are widely used for species discrimination.

Biological characteristics

Nearly all braconids are primary parasitoids of other insects, especially upon the larval stages of Coleoptera, Diptera, and Lepidoptera but also including some hemimetabolous insects (aphids, Heteroptera, Embiidina). As parasitoids they almost invariably kill their hosts, although a few only cause their hosts to become sterile and less active. Both external and internal parasitoids are common in the family, and the latter forms often display elaborate physiological adaptations for enhancement of larval survival within host insects, including the use of endosymbiotic (poly-DNA) viruses for compromising host immune defenses (Stoltz & Vinson, 1979; Stoltz, 1986; Whitfield, 1990; Beckage, 1993; Stoltz & Whitfield, 1992; Whitfield, 2002; Whitfield & Asgari, 2003). Early larval development in braconids has



Fig. 1. *Coeloides filiformis* Ratzeburg (Braconidae: Braconinae).

also yielded surprises, such as the discovery of relatively closely related genera that differ in such important aspects as syncytial versus holoblastic cleavage, normally characterizing major animal phyla (Grbic & Strand, 1998; Grbic, 2000)! Parasitism of adult insects (especially of Hemiptera and Coleoptera) is also known, and members of three subfamilies (Mesostoinae, Rhyssalinae and Doryctinae) form galls on plants (Infante et al., 1995; Austin & Dangerfield, 1998). Several excellent general reviews of braconid biology are available (Matthews, 1974; Shaw & Huddleston, 1991; Shaw, 1995; Wharton, 1993).

Discussion of phylogenetic relationships

Early attempts to explore the phylogeny of the major groups of Braconidae (e.g., Tobias, 1967; van Achterberg, 1984) were largely intuitive. Quicke & van Achterberg (1990) made the first large-scale effort to estimate braconid phylogeny using a large data set of morphological characters, and computer-assisted parsimony analysis. Although aspects of this study have been in dispute (Wharton et al., 1992; van Achterberg & Quicke, 1992), it has stimulated a number of further attempts at resolving the phylogeny of subset groups of the Braconidae, using morphology as well as molecular data (e.g. Belshaw & Quicke, 1997; Whitfield, 1997; Belshaw et al., 1998; Dangerfield et al., 1999; Dowton et al., 1998; Dowton, 1999; Mardulyn & Whitfield, 1999; Quicke & Belshaw, 1999; Quicke et al., 1999; Belshaw et al., 2000; Kambhampati et al., 2000; Sanchis et al., 2000; Belshaw et al., 2001; Dowton et al., 2002; Whitfield et al., 2002; Chen et al., 2003). The results from these recent studies should be used as a provisional backbone for the ongoing morphological and molecular phylogenetic studies.

Classification

The higher classification of the Braconidae has been a matter of much dispute. Approximately 40 subfamilies are generally recognized, several of them newly discovered within the last 15 years (Mason, 1983; Quicke, 1987; Whitfield

& Mason, 1994). Several subfamilies (e.g., Aphidiinae, Alysiinae, Apozyginae) have at one time or another been recognized as separate families. In general there is agreement on the basic subfamily or tribal groupings, with the exception of the "hormiine" and "exothecine" groups of genera (Whitfield, 1992; Quicke, 1993; Wharton, 1993), but disagreement on the ranking or inclusiveness of some groups, since the phylogenies of the subfamilies are not yet robust. There is a perception that the number of recognized subfamilies has become inflated, while the tribal rank has been underutilized. An attempt has been made to address this problem (Wharton, 2001), but requires further phylogenetic testing.

Identification guides

Keys to the world subfamilies and general introductions to the literature are available in van Achterberg (1993) and Sharkey (1993). A new manual to the genera of the New World has been produced (Wharton et al., 1997 - Spanish version 1998), including individual subfamily chapters contributed by a number of the world's braconid specialists. Interactive versions of the keys in this manual are available online; van Achterberg (1997) has published the CD-ROM Braconidae: An illustrated key to all subfamilies.

Bibliography of Braconidae

The publication of Roy Shenefelt's catalogue (Shenefelt, R.D., 1965. A contribution towards knowledge of the world literature regarding Braconidae (Hymenoptera: Braconidae). Beiträge zur Entomologie 15: 243-500) was a milestone in the bibliographical knowledge of the family Braconidae. Over 8,000 titles and references to the literature on Braconidae between 1758 till 1963 were included. The first author attempted to make an up-date; this was augmented by additional references present in the TAXAPAD database made by the second author. It resulted in a list of 10,431 titles concerning Braconidae for the period 1964-2003. Peculiar is the rapid growth of the amount of papers in the period covered by this bibliography. It quadrupled from about 100 papers per year in the sixties to about 400 papers in the nineties (fig. 2).

This list is published on CD-ROM to make it accessible to all workers on Braconidae, also those who can not afford to buy the strongly recommended interactive TAXAPAD world catalogue on Ichneumonidea (Yu, D.S., van Achterberg, K. (Braconidae) & Horstmann, K. (Ichneumonidae), 2005. Ichneumonidea. Taxapad Biological Taxonomical Interactive CD-ROM), which appeared this year. The bibliography on Braconidae published here is useful also when the interactive catalogue is available because it makes the titles available in another format and can be searched for taxa and authors in another way. The authors hope that this bibliography will facilitate and probably augment the research on Braconidae.




Fig. 2. Publications on Braconidae 1964-2003.

World Bibliography of Braconidae

- Aalbersberg, Y.K., Westhuizen, M.C. van der & Hewitt, P.H. 1988.** Natural enemies and their impact on *Diuraphis noxia* (Mordvilko) (Hemiptera: Aphididae) populations. *Bulletin of Entomological Research* 78: 111-120.
- Aalbersberg, Y.K., Westhuizen, M.C. van der & Hewitt, P.H. 1989.** Japanese radish as a reservoir for the natural enemies of the Russian wheat aphid *Diuraphis noxia* (Hemiptera: Aphididae). *Phytophylactica* 21: 241-245.
- Aalbersberg, Y.K., Walters, M.C. & Rensburg, N.J. van 1984.** The status and potential of biological control studies on *Diuraphis noxia* (Aphididae). South Africa Department of Agricultural Technical Services Technical Communication No. 191 1984: 44-46.
- Abate, T. 1991.** The bean fly, *Ophiomyia phaseoli* (Tryon) (Dipt.: Agromyzidae), and its parasitoids in Ethiopia. *Journal of Applied Entomology* 111(3): 278-285.
- Abbas, M.S.T. & Abou-Zeid, N.A. 1983.** Biological studies on *Bracon instabilis* (Hymenoptera: Braconidae), a larval parasite of *Phthorimaea operculella* (Lepidoptera: Gelechiidae) in Egypt. *Zeitschrift für angewandte Entomologie* 96(1): 32-36.
- Abbas, M.S.T. & El Dakroury, M.S.I. 1983.** Zur Morphologie und Entwicklung von *Bracon instabilis* Marsh. (Hym.: Braconidae), eines Parasiten der Kartoffelmotte, *Phthorimaea operculella* Zell., (Lep.: Gelechiidae) in Ägypten. *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 56(7): 133-134.
- Abbas, M.S.T. 1982.** *Bracon brevicornis* Wesm., a larval parasite of the pink bollworm *Pectinophora gossypiella* Saunders. *Agricultural Research Review* (Cairo) 58(1) 1982: 233-238.
- Abbas, M.S.T. 1989.** Studies on *Apanteles litae* var. *operculellae*, a parasite of the diamond-back moth, *Plutella xylostella* in Egypt. *Mitteilungen aus dem Zoologischen Museum in Berlin* 65(1) 1989: 157-160.
- Abbas, M.S.T. 1987.** Interactions between host, egg and larval parasitoids and nuclear polyhedrosis virus. *Bulletin of the Entomological Society of Egypt, Economic Series*, publ. 1990, 16: 133-141.
- Abbas, M.S.T., Abu Zeid, N.A. & Megahed, M.M. 1993.** On the natural enemies of the potato tuber moth *Phthorimaea operculella* in Egypt. *Egyptian Journal of Agricultural Research* 71(4): 943-950.
- Abbas, M.S.T. & El Deeb, Y.A.A. 1993.** On the natural enemies of the major pests infesting cotton in Egypt. *Egyptian Journal of Agricultural Research*, publ. 1996, 71(1): 131-138.
- Abbas, M.S.T. & Hubeis, M.M.A. 1999.** Natural enemies of major insect pests in Salalah, Sultanate of Oman. *Egyptian Journal of Agricultural Research* 77(4): 1485-1492.
- Abbasipour, A. 2001.** Report of endoparasitoid wasp, *Metorus gyrator* (Thunberg) (Hym.: Braconidae) on rice armyworm, *Mythimna unipuncta* (Howarth) from Iran. *Journal of Entomological Society of Iran* 20(2): 101-102.
- Abbasipour, H. 2002.** The role of parasitoids on natural control of some dominant species of grass-feeding Noctuidae in north east of England. *Applied Entomology and Phytopathology* 69(2): 85-96.
- Abbott, B.D. & Grosch, D.S. 1984.** Developmental anomalies in *Habrobracon hebetor* exposed to volatilized agents. *Annals of the Entomological Society of America* 77(5): 597-603.
- Abbott, B.D. 1987.** Disruption of antennal morphogenesis in *Bracon hebetor* by exposure to Triethylamine. *Archives of Insect Biochemistry and Physiology* 4(2): 129-138.
- Abbott, B.D. & Grosch, D.S. 1987.** Antennal bud development in *Bracon hebetor* (Hymenoptera: Braconidae) examined by light and electron microscopy during the third and fourth instars. *Annals of the Entomological Society of America* 80(3): 353-360.
- Abbott, I. 1993.** Review of the ecology and control of the introduced bark beetle *Ips grandicollis* (Eichhoff) (Coleoptera: Scolytidae) in Western Australia, 1952-1990. *Calm Science* 1(1): 35-46.
- Abdallahi, E., Adan, A. & Vinuela, E. 2000.** Toxicity of pyriproxyfen and fipronil on *Opius concolor* Szepligeti (Hymenoptera: Braconidae) and *Ceratitis capitata* (Wiedemann) (Diptera: Tephritidae). *Boletín de Sanidad Vegetal, Plagas* 26 (4): 503-511.
- Abdel Rahman, A.M., Zohdy, N., El Moursy, A.A., Kares, E.A. & El Mandarawy, M.B.R. 2000.** Qualitative differential haemocyte counts in healthy and parasitized larvae of *Spodoptera littoralis* (Boisd.) after insecticide treatments. *Egyptian Journal of Agricultural Research* 78(4): 1549-1568.
- Abdel Rahman, H.A., Shaumar, N.F., Soliman, Z.A. & El Agoze, M.M. 1977.** Survey and taxonomy of parasites and predators of stored grain and grain products insects. *Bulletin de la Société Entomologique d'Égypte* 61: 53-74.
- Abdel Rahman, M.A.A., Nasser, M.A.K. & Ali, A.M. 2000.** Incidence of hymenopterous parasitoids attacking cereal aphids in wheat fields in Upper Egypt. *Assiut Journal of Agricultural Sciences* 31(2): 317-328.
- Abd El Wahab, H.A., El Adl, F.E. Gabre, A.M. & Abd El Ghaffar, F.M. 1998.** Studies on the beet-fly *Pegomyia [Pegomyia] mixta* Vill (Diptera: Agromyzidae) and its parasite *Opius nitidulator* (Nees) (Hymenoptera Braconidae). *Journal of the Egyptian German Society of Zoology* 27(E): 43-56.
- Abdinbekova, A.A. 1965.** New species and forms of insects (fam. Ichneumonidae and Braconidae) from Kuba-Khachmask zone in Azerbaidjan. (in Russian). *Doklady Akademii Nauk Azerbaidzhanskoi SSR* 21(4): 61-64.
- Abdinbekova, A.A. 1967.** New species of braconids (Braconidae, Hymenoptera) from the fauna of Azerbaidzhan. (in Russian). *Doklady Akademii Nauk Azerbaidzhanskoi SSR* 23(10): 50-53.
- Abdinbekova, A.A. 1969.** Braconid wasps (Hymenoptera, Braconidae) of Great Caucasus (within Azerbaidzhan). (in Russian). *Izvestiya Akademii Nauk Azerbaidzhanskoi SSR. Ser. Biol. Nauk* 6: 81-91.
- Abdinbekova, A.A. 1969.** Braconids (Hymenoptera: Braconidae) of the lesser Caucasus in Azerbaidzan. *Izvestiya Akademii Nauk Azerbaidzhanskoi SSR. Ser. Biol. Nauk* 5: 69-76.
- Abdinbekova, A.A. 1969.** New braconid wasps (Hymenoptera: Braconidae) in the fauna of Azerbaidjan. (in Russian). *Doklady Akademii Nauk Azerbaidzhanskoi SSR* 25(6): 72-77.
- Abdinbekova, A.A. 1969.** On the knowledge about braconids (Hymenoptera, Braconidae) in the Lenkoran zone of Azerbaidjan. *Doklady Akademii Nauk Azerbaidzhanskoi SSR* 25(9): 59-66.
- Abdinbekova, A.A. 1970.** New species of Braconidae (Hymenoptera) from the fauna of the USSR. *Zoologicheskii Zhurnal* 49: 1880-1883.
- Abdinbekova, A.A. 1971.** Braconids of the genus *Chelonus* Jurine (Hymenoptera, Braconidae) of Azerbaidzhan. *Entomologicheskoye Obozreniye* 50(2): 392-403. [Entomological Review 50: 221-228].
- Abdinbekova, A.A. 1975.** Braconids (Hymenoptera, Braconidae) of Azerbaidjan. (in Russian). *Akad. Nauk Azerbaid. SSR, Inst. Zool. ELM. Baku* 323 pp.
- Abdinbekova, A.A., Guseinova, E.A. & Akhmedov, B.A. 1997.** Experimental analysis of interspecific larval competition in two parasite species - *Apanteles kazak* Tel. (Hymenoptera:

- Braconidae) and *Hyposoter didymator* Thun. (Hymenoptera: Ichneumonidae). Izvestiya Akademii Nauk Azerbaidzhana Seriya Biologicheskikh Nauk 1993(4-6): 97-100.
- Abdinbekova, A.A., Guseinova, E.A. & Akhmedov, B.A. 1997.** Peculiarities in the distribution of eggs of the females of *Habrobracon hebetor* Say (Hymenoptera: Braconidae) in relation to host density levels in laboratory conditions. Izvestiya Akademii Nauk Azerbaidzhana Seriya Biologicheskikh Nauk 1993(4-6): 77-80.
- Abdinbekova, A.A., Guseinova, E.A., Akhmedov, B.A., Abdinbajova, A.A., Husejnova, E.A. & Ahmadov, B.A. 1993.** Specific aspects of the distribution of ova by *Bracon hebetor* females in relation to the number of hosts [*Helicoverpa armigera*], under laboratory conditions. Izvestiya Akademii Nauk Azerbaidzhanskoi SSR, Biologicheskie Nauki, publ. 1997, 4-6: 77-80.
- Abdinbekova, A.A. & Kerimova, I.G. 1997.** Functional response of *Rogas rossicus* Kok. (Hymenoptera: Braconidae). Izvestiya Akademii Nauk Azerbaidzhana Seriya Biologicheskikh Nauk 1995(1-6): 19-22.
- Abdinbekova, A.A. & Kerimova, I.G. 1998.** Some bioecological peculiarities of *Rogas rossicus* Kok. (Hymenoptera: Braconidae). Izvestiya Akademii Nauk Azerbaidzhana Seriya Biologicheskikh Nauk 1997(1-6): 39-43.
- Abdul Mannan, M. & Iwahashi, O. 1999.** Seasonal changes in infestation level of sugarcane by the pink borer, *Sesamia inferens* (Lepidoptera: Noctuidae), in relation to a parasitoid, *Cotesia flavipes* (Hymenoptera: Braconidae), on Okinawa Island. Applied Entomology and Zoology 34(4): 429-434.
- Abdul, Q. 2000.** Comparison of some fitness parameters of two aphid parasitoids *Diaeretiella rapae* (M'Intosh) and *Aphidius colemani* (Viereck) (Braconidae: Hymenoptera). Pakistan Journal of Agricultural Research 16(2): 157-162.
- Abdurahiman, U.C. & Chandrasekharan, K. 1993.** Some aspects of the reproductive behaviour of *Eurytoma braconidis* Ferriere (Hymenoptera: Eurytomidae), a hyperparasitoid of *Opisina arenosella* Walker. Journal of Ecobiology 5(1): 59-61.
- Abebe, M. 1999.** Method of rearing larvae and some aspects of the biology and control of Cocoa stem borer *Eulophonotus myrmeleon* (Felder). Dix-huitième Colloque Scientifique International sur le Café, Helsinki, Finland, 2-8 aout 1999. 517-519.
- Abidi, A.Z., Kumar, A. & Tripathi, C.P.M. 1988.** Impact of males on the sex ratio of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt. (Homoptera: Aphididae). Bulletin of the Institute of Zoology, Academia Sinica, Taiwan 27(3): 205-209.
- Abidi, A.Z., Kumar, A. & Tripathi, C.P.M. 1989.** Impact of male on the longevity, fecundity and oviposition frequency, developmental period and the sex ratio on the offspring of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt. (Homoptera: Aphididae) Zeitschrift für angewandte Zoologie 76(3): 333-347.
- Abidi, A.Z., Kumar, A. & Tripathi, C.P.M. 1989.** Impact of males on the numerical response of *Diaeretiella rapae* (M'Intosh) (Hym.: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt. (Hem.: Aphididae). Mitteilungen aus dem Zoologischen Museum in Berlin 65(1): 161-169.
- Abidi, A.Z., Kumar, A. & Tripathi, C.P.M. 1987.** Impact of male on functional response of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphididae), a parasitoid of *Lipaphis erysimi* Kalt. (Homoptera: Aphididae). Journal of Applied Entomology 103: 304-312.
- Abidi, A.Z., Kumar, A. & Tripathi, C.P.M. 1988.** Impact of males on the sex ratio of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae) a parasitoid of *Lipaphis erysimi* Kalt. (Hemiptera: Aphididae). Bulletin of the Institute of Zoology Academia Sinica (Taipei) 27(3): 205-209.
- Ables, J.R. & Shepard, M. 1974.** Hymenopterous parasitoids associated with poultry manure. Environmental Entomology 3(5): 884-886.
- Ables, J.R. & Vinson, S.B. 1982.** Regulation of host larval development by the egg-larval endoparasitoid *Chelonus insularis*. Entomophaga 26(4): 453-458.
- Ables, J.R., Jones, S.L. House, V.S. & Bull, D.L. 1980.** Effect of diflubenzuron on entomophagous arthropods associated with cotton. Southwestern Entomologist Supplement No. 1: 31-35.
- Ables, J.R., Vinson, S.B. & Ellis, J.S. 1981.** Host discrimination by *Chelonus insularis* (Hym.: Braconidae), *Telenomus heliothidis* (Hym.: Scelionidae), and *Trichogramma pretiosum* (Hym.: Trichogrammatidae). Entomophaga 26(2): 149-156.
- Abo El-Ghar, G.E.S. & El-Sayed, A.M. 1989.** Impact of two synthetic pyrethroids and methomyl on management of the cabbage aphid, *Brevicoryne brassicae* (L.) and its associated parasitoid, *Diaeretiella rapae* (M'Intosh). Pesticide Science 25(1): 35-41.
- Abo El-Ghar, G.E.S. & El-Sayed, A.M. 1992.** Long-term effects of insecticides on *Diaeretiella rapae* (M'Intosh), a parasite of the cabbage aphid. Pesticide Science 36: 109-114.
- Abou Elhagag, G.H. & Abdel Hafez, N.A. 1998.** Cereal aphids (Homoptera: Aphididae): factors affecting their populations on wheat in upper Egypt. Assiut Journal of Agricultural Sciences 29(3): 241-252.
- Abou Fakhir, E.M. & Kowar, N.S. 1998.** Complex of endoparasitoids of aphids (Homoptera: Aphididae) on vegetables and other plants. Entomologicheskoe Obozrenie 77(4): 753-763.
- Abraham, C.C. & Mathew, K.P. 1980.** Regulation of progeny production and sex-ratio in *Bracon brevicornis* Wesm. Bulletin of Entomology 19(1-2) (1978): 179-184.
- Abraham, R. & Carstensen, B. 1982.** Die Schilfgallen von *Lipara*-Arten (Diptera: Chloropidae) und ihre Bewohner im Schilf der Haseldorfer Marsch bei Hamburg. Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum Hamburg 7 No. 116: 269-277.
- Abraham, R. & Haack, A. 1985.** Die Insekten aus den Gallen von *Pontania* s. l. spp. (Hymenoptera: Tenthredinidae) auf den Weiden in der Haseldorfer Marsch an der Unterelbe. Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum Hamburg 8 No. 125: 119-130.
- Abrol, D.P. 1988.** Pollination studies in almond (*Prunus amygdalus* L.). Current Science (Bangalore) 57(7): 397-398.
- Abu, J.F. & Ellis, C.R. 1976.** Biology of *Microctonus aethioides*, a parasite of the alfalfa weevil, *Hypera postica*, in Ontario. Environmental Entomology 5(6): 1040-1042.
- Abu, J.F. & Ellis, C.R. 1977.** Toxicity of five insecticides to the alfalfa weevil, *Hypera postica*, (Col.: Curculionidae), and its parasites, *Bathyplectes curculionis* and *Microctonus aethioides*. Environmental Entomology 6(3): 385-389.
- Achtelig, M. 1974.** Beschreibung des Männchens von *Meteorus pachypus* (Braconidae, Hymenoptera); ein unbekannter Parasit von *Raphidia xanthostigma* Schummel (Raphidioptera). Nachrichtenblatt der Bayerischen Entomologen 23(1): 1-5.
- Achterberg, C. van 1973.** A study about the Arthropoda caught by *Drosera* species. Entomologische Berichten, Amsterdam 33: 137-140.
- Achterberg, C. van 1974.** The braconid types of Szépligeti in the Leiden Museum. Entomologische Berichten, Amsterdam 34: 79-80.
- Achterberg, C. van 1974.** A redescription of *Idiasta theodori* (van Vollenhoven, 1878) (Hymenoptera, Braconidae). Zoologische Mededelingen, Leiden 48(4): 23-27.
- Achterberg, C. van 1974.** Some Braconidae (Hymenoptera) new to Norway. Norsk Entomologisk Tidsskrift 21(1): 110.
- Achterberg, C. van 1974.** The features of the petiolar segment in

- some Braconidae (Hym.). Entomologische Berichten, Amsterdam 34: 213-214.
- Achterberg, C. van 1975.** A new genus, *Mesostoa* gen. nov., from W. Australia, belonging to a new subfamily (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 35: 158-160.
- Achterberg, C. van 1975.** A new species of *Chasmodon* Haliday (Hymenoptera: Braconidae: Alysiinae). Zoologische Mededelingen, Leiden 49(7): 73-79.
- Achterberg, C. van 1975.** About the identity of *Biosteres* (*Biosteres*) *impressus* (Wesmael) (Braconidae: Opiinae). Entomologische Berichten, Amsterdam 35: 175-176.
- Achterberg, C. van 1975.** Een merkwaardige vondst in Voorne's duinen (Hymenoptera: Braconidae). [A noteworthy [insect] discovery in the dunes of Voorne (Hymenoptera: Braconidae).] Entomologische Berichten, Amsterdam 35: 15-16.
- Achterberg, C. van 1976.** A new species of *Tanycarpa* Foerster from England (Hymenoptera: Braconidae, Alysiinae). Entomologische Berichten, Amsterdam 36: 12-15.
- Achterberg, C. van 1976.** A revision of the tribus Blacini (Hymenoptera: Braconidae). Tijdschrift voor Entomologie 118(7): 159-322.
- Achterberg, C. van 1976.** A preliminary key to the subfamilies of the Braconidae (Hymenoptera). Tijdschrift voor Entomologie 119(3): 33-78.
- Achterberg, C. van 1976.** Revisionary notes on the genus *Coloneura* Foerster with description of a new subgenus, *Coloneurella*, from the Netherlands (Hym.: Braconidae: Alysiinae). Entomologische Berichten, Amsterdam 36: 186-192.
- Achterberg, C. van 1977.** A new Holarctic genus, *Spathicopsis* gen. nov., belonging to the Euphorinae, Centistini (Hymenoptera: Braconidae). Entomologische Berichten 37: 27-31.
- Achterberg, C. van 1977.** *Opius* (*Phlebosema*) *hydrellivorus* spec. nov., a parasite from *Hydrellia* in rice in Guyana (Hym.: Braconidae: Opiinae). Entomologische Berichten, Amsterdam 37: 121-124.
- Achterberg, C. van 1977.** The function of swarming in *Blacus* species (Hymenoptera: Braconidae: Helconinae). Entomologische Berichten, Amsterdam 37: 151-152.
- Achterberg, C. van 1979.** A revision of the Amicrocentrinae, a new subfamily (Hymenoptera: Braconidae), with the description of the final larval instar *Amicrocentrum curvinoervis* by J.R.T. Short. Tijdschrift voor Entomologie 122: 1-28.
- Achterberg, C. van 1979.** A revision of the new subfamily Xiphozelinae (Hymenoptera: Braconidae). Tijdschrift voor Entomologie 122: 29-46.
- Achterberg, C. van 1979.** A revision of the subfamily Zelinae auct. (Hymenoptera: Braconidae). Tijdschrift voor Entomologie 122: 241-479.
- Achterberg, C. van 1979.** Note on the homonymy of *Macrocentrus brevicaudis* Abdinbekova (Hymenoptera, Braconidae, Macrocentrinae). Entomologische Berichten, Amsterdam 39: 175.
- Achterberg, C. van 1980.** Notes on some species of Braconidae (Hymenoptera) described by Hedwig from Iran & Afghanistan. Entomologische Berichten, Amsterdam 40: 25-31.
- Achterberg, C. van 1980.** The Cameron types of Braconidae in the Netherlands (Hymenoptera, Ichneumonoidea). Bulletin Zoologisch Museum Universiteit van Amsterdam 7(21): 209-214.
- Achterberg, C. van 1980.** Three new Palaeartic genera of Braconidae (Hymenoptera). Entomologische Berichten, Amsterdam 40: 72-80.
- Achterberg, C. van 1981.** The position of the genus *Rhammura* Enderlein among the Braconidae (Hymenoptera). Entomologische Berichten, Amsterdam 41: 88-91.
- Achterberg, C. van & Bin, F. 1981.** Notes on two species of *Dinotrema* Foerster (Hym.: Braconidae, Alysiinae) with observations on the hymenopterous parasite-complex of *Spiniphora dorsalis* Becker (Dipt.: Phoridae) in dead *Helix* spp. (Mollusca). Entomologische Berichten, Amsterdam 41: 104-112.
- Achterberg, C. van & Zaykov, A.N. 1981.** A new species of *Phaenocarpa* from Bulgaria (Hymenoptera, Braconidae, Alysiinae). Entomologische Berichten, Amsterdam 41: 120-122.
- Achterberg, C. van 1982.** A new genus of the Rogadinae-Lysitermini from Kazakhstan (Hym.: Braconidae). Entomologische Berichten, Amsterdam 42: 125-128.
- Achterberg, C. van 1982.** Familietabel van de Hymenoptera in noordwest-Europa. Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging 152: 1-27.
- Achterberg, C. van 1982.** Notes on some type-species described by Fabricius of the subfamilies Braconinae, Rogadinae, Microgastrinae and Agathidinae (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 42: 133-139.
- Achterberg, C. van 1982.** Revisionary notes on *Chelonus* Jurine and *Anomala* von Block (Hymenoptera, Braconidae, Cheloninae). Entomologische Berichten, Amsterdam 42: 185-190.
- Achterberg, C. van 1982.** The fossil species of the subfamily Blacinae described by C.T. Brues (Hym.: Braconidae). Entomologische Berichten, Amsterdam 42: 91-96.
- Achterberg, C. van 1982.** Two species of *Macrocentrus* Curtis unknown from Austria (Hymenoptera, Braconidae). Entomologische Berichten, Amsterdam 42: 56-61.
- Achterberg, C. van 1983.** A new species of *Rhynchosteres* Fischer from Zaïre (Hymenoptera, Braconidae). Zoologische Mededelingen, Leiden 57(9): 91-95.
- Achterberg, C. van 1983.** A revision of the genus *Hylcalosia* Fischer (Hymenoptera: Braconidae, Alysiinae). Zoologische Mededelingen, Leiden 57(8): 81-90.
- Achterberg, C. van 1983.** A revision of the new tribe Brulleiini (Hymenoptera: Braconidae). Contributions of the American Entomological Institute 20: 281-306.
- Achterberg, C. van 1983.** Revisionary notes on the genera *Dapsilarthra* auct. and *Mesocrina* Foerster (Hymenoptera: Braconidae: Alysiinae). Tijdschrift voor Entomologie 126: 1-24.
- Achterberg, C. van 1983.** Revisionary notes on the Palaeartic genera and species of the tribe Exothecini Foerster (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 57(26): 339-355.
- Achterberg, C. van 1983.** Revisionary notes on the subfamily Gnatodontinae, with description of eleven new species (Hymenoptera: Braconidae). Tijdschrift voor Entomologie 126: 25-57.
- Achterberg, C. van 1983.** Six new genera of Braconinae from the Afrotropical Region (Hymenoptera, Braconidae). Tijdschrift voor Entomologie 126: 175-202.
- Achterberg, C. van 1983.** Three new Palaeartic genera of Braconinae (Hymenoptera, Braconidae). Entomologica Scandinavica 14: 69-76.
- Achterberg, C. van & Haeselbarth, E. 1983.** Revisionary notes on the European species of *Macrocentrus* Curtis sensu stricto (Hymenoptera, Braconidae). Entomofauna 4: 37-59.
- Achterberg, C. van & Ortega, G. 1983.** A new species of *Orthostigma* Ratzeburg from Tenerife (Insecta: Hymenoptera, Braconidae). Vieraea 12: 121-127.
- Achterberg, C. van 1984.** Addition to the revision of the genus *Zele* Curtis (Hymenoptera: Braconidae). Entomologische Berichten (Amsterdam) 44(7): 110-112.
- Achterberg, C. van 1984.** *Dapsilarthra* Foerster, 1862 (Insecta: Hymenoptera): proposed conservation under the plenary powers. Z.N.(S.) 2312. Bulletin of Zoological Nomenclature 41(1): 53-55.
- Achterberg, C. van 1984.** Essay on the phylogeny of the Braconidae (Hymenoptera: Ichneumonoidea). Entomologisk Tidsskrift 105: 41-58.
- Achterberg, C. van 1984.** Revision of the genera of Braconini with first and second metasomal tergites immovable joined

- (Hymenoptera, Braconidae, Braconinae). Tijdschrift voor Entomologie 127: 137-164.
- Achterberg, C. van 1985.** I. *Kerorgilus* gen. nov., a new genus of the Orgilinae (Hym., Braconidae) from the Palaearctic region. Zoologische Mededelingen, Leiden 59(15): 163-167.
- Achterberg, C. van 1985.** II. *Pigeria* gen. nov., a new Palaearctic genus of Braconinae (Hymenoptera, Braconidae). Zoologische Mededelingen, Leiden 59(15): 168-174.
- Achterberg, C. van 1985.** III. *Psilolobus* gen. nov. from Sarawak (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 59(15): 174-178.
- Achterberg, C. van 1985.** IV. The *Aleiodes dispar*-group of the Palaearctic region (Hymenoptera: Braconidae: Rogadinae). Zoologische Mededelingen, Leiden 59(15): 178-187.
- Achterberg, C. van 1985.** The types of Braconidae described by Friedrich Boie (Hymenoptera: Ichneumonoidea). Entomologische Berichten, Amsterdam 45(5): 65-66.
- Achterberg, C. van 1985.** V. The systematic position of the genera *Ecnomios* Mason and *Pselaphanus* Szépligeti (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 59(27): 341-348.
- Achterberg, C. van 1985.** VI. The genera and subgenera of Centistini, with the description of two new taxa from the Nearctic Region (Hymenoptera: Braconidae: Euphorinae). Zoologische Mededelingen, Leiden 59(27): 348-362.
- Achterberg, C. van 1986.** The Holarctic genus *Anisocyrta* Foerster (Hymenoptera: Braconidae: Alysiniinae). Zoologische Mededelingen, Leiden 60(20): 285-297.
- Achterberg, C. van 1986.** The oviposition behaviour of parasitic Hymenoptera with very long ovipositors (Ichneumonidae: Braconidae). Entomologische Berichten, Amsterdam 46(8): 113-115.
- Achterberg, C. van 1987.** Case 2336. *Chelonus* Panzer, 1806 (Insecta: Hymenoptera) and *Anomala* Samouelle, 1819 (Insecta: Coleoptera): proposed conservation. Bulletin of Zoological Nomenclature 44(3): 172-173.
- Achterberg, C. van 1987.** *Coeloides* Wesmael, 1838 (Insecta, Hymenoptera); proposed designation of *Coeloides scolyticida* Wesmael, 1838, as type species. Bulletin of Zoological Nomenclature 44: 103-104.
- Achterberg, C. van 1987.** *Disophrys* Foerster, 1862 (Insecta: Hymenoptera): proposed designation of *Agathis caesa* Klug, 1835 as type species. Bulletin of Zoological Nomenclature 44(2): 105.
- Achterberg, C. van 1987.** Revision of the European Helconini (Hymenoptera: Braconidae: Helconinae). Zoologische Mededelingen, Leiden 61: 263-285.
- Achterberg, C. van 1987.** Revisionary notes on the subfamily Orgilinae (Hymenoptera: Braconidae). Zoologische Verhandlungen, Leiden 242: 1-111.
- Achterberg, C. van & Belokobylskij, S.A. 1987.** Revisionary notes on the Macrocentrinae from the Far East USSR (Hymenoptera, Braconidae). Zoologische Mededelingen, Leiden 61: 243-262.
- Achterberg, C. van & Roques, A. 1987.** Redescription of *Phaenocarpa seitneri* Fahringer and notes on its biology (Hymenoptera: Braconidae: Alysiniinae). Zoologische Mededelingen, Leiden 61(4): 53-59.
- Achterberg, C. van & Sigwalt, B. 1987.** Three new genera of Braconinae from the Afrotropical region (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 61(31): 443-458.
- Achterberg, C. van 1988.** A new species of the genus *Gnamptodon* from Italy (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 48(10): 159-161.
- Achterberg, C. van 1988.** *Bracon lineifer* spec. nov., a peculiar new species from the Netherlands (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 49(12): 191-194.
- Achterberg, C. van 1988.** Parallelisms in the Braconidae (Hymenoptera) with special reference to the biology. Advances in Parasitic Hymenoptera Research. pp. 85-115.
- Achterberg, C. van 1988.** Revision of the subfamily Blacine Foerster (Hymenoptera, Braconidae). Zoologische Verhandlungen, Leiden 249: 1-324.
- Achterberg, C. van 1988.** The genera of the *Aspilota*-group and some descriptions of fungicolous Alysini from the Netherlands (Hymenoptera: Braconidae: Alysiniinae). Zoologische Verhandlungen, Leiden 247: 1-88.
- Achterberg, C. van 1988.** Three new genera of the subfamily Agathidinae (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 62(4): 43-58.
- Achterberg, C. van 1989.** Four new genera of Braconinae and Rogadinae from Oriental region (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 63(9): 79-95.
- Achterberg, C. van 1989.** Notes on the *Odontoscopus varistigma*-group (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 63(5): 43-52.
- Achterberg, C. van 1989.** *Pheloura* gen. nov., a Neotropical genus with an extremely long pseudo-ovipositor (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 49: 105-108.
- Achterberg, C. van 1989.** Revision of the subtribe Monoctonina Mackauer sensu stricto (Hymenoptera: Braconidae: Aphidiiinae). Zoologische Mededelingen, Leiden 63: 1-22.
- Achterberg, C. van 1990.** Illustrated key to the subfamilies of the Holarctic Braconidae (Hymenoptera: Ichneumonoidea). Zoologische Mededelingen, Leiden 64(1): 1-20.
- Achterberg, C. van 1990.** *Pronkia*, a new genus of the Meteorideinae (Hymenoptera: Braconidae) from New Zealand. Zoologische Mededelingen, Leiden 64(13): 169-175.
- Achterberg, C. van 1990.** Revision of the genera *Foersteria* Szépligeti and *Polydegmon* Foerster (Hymenoptera: Braconidae) with the description of a new genus. Zoologische Verhandlungen, Leiden 257: 1-32.
- Achterberg, C. van 1990.** Revision of the subtribe Mesocoelina Viereck (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 64(4): 31-57.
- Achterberg, C. van 1990.** Revision of the subtribe Pseudohelconina nov. (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 63(22): 283-308.
- Achterberg, C. van 1990.** Revision of the western Palaearctic Phanerotomini (Hymenoptera: Braconidae). Zoologische Verhandlungen, Leiden 255: 1-106.
- Achterberg, C. van, Hemminga, M.A. & Soelen, J. van 1990.** New host record of *Bracon intercessor* Nees f. *megasomides* Strand (Hymenoptera: Braconidae) a parasite of *Agapanthia villosoviridescens* DeGeer (Coleoptera: Cerambycidae) in salt marshes. Zoologische Mededelingen, Leiden 64(1-6): 25-29.
- Achterberg, C. van & Maetô, K. 1990.** Two new and aberrant species of Braconidae (Hymenoptera) from Japan. Zoologische Mededelingen, Leiden 64(5): 59-70.
- Achterberg, C. van & O'Connor, J.P. 1990.** Revision of the Palaearctic genus *Trachyusa* Ruthe (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 64: 107-112.
- Achterberg, C. van & Quicke, D.L.J. 1990.** *Afrocampsis*, a new genus belonging to the Sigalphinae (Hymenoptera: Braconidae) from the Afrotropical region. Zoologische Mededelingen, Leiden 64(11): 155-160.
- Achterberg, C. van & Quicke, D.L.J. 1990.** A new genus of the tribe Pambolini from Australia (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 64(14): 177-181.
- Achterberg, C. van & Quicke, D.L.J. 1991.** A new genus of Braconinae with depressed ovipositor-tip from the Oriental region (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 65(1-14): 199-202.
- Achterberg, C. van 1991.** Comments on the proposed designation of *Agathis longicauda* Boheman, 1853 as the type species of

- Vipio* Latreille, 1804 (Insecta: Hymenoptera). Bulletin of Zoological Nomenclature 48(3) 1991: 248-250.
- Achterberg, C. van 1991.** Revision of the genera of the Afro-tropical and W. Palaearctic Rogadinae Foerster (Hymenoptera: Braconidae). Zoologische Verhandelingen, Leiden 273: 1-102.
- Achterberg, C. van 1991.** Revision of the genus *Trispinaria* Quicke (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 65(12): 181-198.
- Achterberg, C. van 1991.** The taxonomic position of the genus *Argamania* Papp (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 65(14): 203-207.
- Achterberg, C. van 1992.** *Bentonia* gen. nov. (Hymenoptera: Braconidae: Orgilinae) from Brazil. Zoologische Mededelingen, Leiden 66(22): 339-344.
- Achterberg, C. van 1992.** *Centistoides* gen. nov. (Hymenoptera: Braconidae: Euphorinae) from Suriname. Zoologische Mededelingen, Leiden 66(23): 345-348.
- Achterberg, C. van 1992.** Four new genera of the subfamily Braconinae (Hymenoptera: Braconidae) from the Indo-Australian region. Zoologische Mededelingen, Leiden 66(27): 381-397.
- Achterberg, C. van 1992.** *Heterospilus zaykovi* nom. nov. for *Heterospilus longicaudatus* Zaykov, 1980, nec Nettleton, 1938 (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 66(10): 197.
- Achterberg, C. van 1992.** Revision of the European species of the genus *Pygostolus* Haliday (Hymenoptera: Braconidae: Euphorinae), with a key to the Holarctic species. Zoologische Mededelingen, Leiden 66(24): 349-358.
- Achterberg, C. van 1992.** Revision of the genera of the subfamily Microtypinae (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 66(26): 369-380.
- Achterberg, C. van 1992.** Revision of the genus *Histeromerus* Wesmael (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 66(9): 189-196.
- Achterberg, C. van 1992.** Revisionary notes on the subfamily Homolobinae (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 66(25): 359-368.
- Achterberg, C. van & Austin, A.D. 1992.** Revision of the genera of the subfamily Sigalphinae (Hymenoptera: Braconidae), including a revision of the Australian species. Zoologische Verhandelingen, Leiden 280: 1-44.
- Achterberg, C. van & Quicke, D.L.J. 1992.** *Declotila*, a new genus of Orgilinae (Hymenoptera: Braconidae) without occipital carina from the Australian region. Zoologische Mededelingen, Leiden 66(20): 317-321.
- Achterberg, C. van & Quicke, D.L.J. 1992.** Phylogeny of the subfamilies of the family Braconidae: a reassessment assessed. Cladistics 8(3): 237-264.
- Achterberg, C. van 1993.** A new species of the genus *Shelfordia* Cameron (Hymenoptera: Braconidae) with very long ovipositor, from NE India. Zoologische Mededelingen, Leiden 67(27): 365-373.
- Achterberg, C. van 1993.** Illustrated key to the subfamilies of the Braconidae (Hymenoptera: Ichneumonoidea). Zoologische Verhandelingen, Leiden 283: 1-189.
- Achterberg, C. van 1993.** Revision of the genus *Tropobracon* Cameron (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 67(4): 49-62.
- Achterberg, C. van 1993.** Revision of the subfamily Macrocentrinae Foerster (Hymenoptera: Braconidae) from the Palaearctic region. Zoologische Verhandelingen, Leiden 286: 1-110.
- Achterberg, C. van & Argaman, Q. 1993.** *Kollasmosoma* gen. nov. and a key to the genera of the subfamily Neoneurinae (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 67(5): 63-74.
- Achterberg, C. van & O'Toole, C. 1993.** Annotated catalogue of the types of Braconidae (Hymenoptera) in the Oxford University Museum. Zoologische Verhandelingen, Leiden 287: 1-48.
- Achterberg, C. van 1994.** *Fischeralysia* gen. n. from Nigeria (Insecta: Hymenoptera: Braconidae: Alysiinae). Annalen des Naturhistorischen Museums in Wien 96B: 137-141.
- Achterberg, C. van 1994.** Generic revision of the subfamily Ceno-coeliinae Szépligeti (Hymenoptera: Braconidae). Zoologische Verhandelingen, Leiden 292: 1-52.
- Achterberg, C. van 1994.** The Palaearctic species of the genus *Chrysopophthorus* Goidanich (Hymenoptera: Braconidae: Euphorinae). Zoologische Mededelingen, Leiden 68(25): 301-307.
- Achterberg, C. van 1994.** Two new genera of the tribe Orgilini Ashmead (Hymenoptera: Braconidae: Orgilinae). Zoologische Mededelingen, Leiden 68(16): 173-190.
- Achterberg, C. van 1995.** Generic revision of the subfamily Betylobraconinae (Hymenoptera: Braconidae) and other groups with modified fore tarsus. Zoologische Verhandelingen, Leiden 298: 1-242.
- Achterberg, C. van 1995.** *Glyptoblacus* gen. nov. (Hymenoptera: Braconidae: Blacinae) from Honduras. Zoologische Mededelingen, Leiden 69(23): 303-306.
- Achterberg, C. van 1995.** New combinations of names for Palaearctic Braconidae (Hymenoptera). Zoologische Mededelingen, Leiden 69(12): 131-138.
- Achterberg, C. van 1995.** New taxa of the subfamilies Betylobraconinae, Cenocoeliinae, Ecnomiinae, Homolobinae, and Sigalphinae (Hymenoptera: Braconidae) from East Indonesia. Zoologische Mededelingen, Leiden 69(24): 307-328.
- Achterberg, C. van & Pentead-Dias, A.M. 1995.** Six new species of the *Aleiodes dispar* group (Hymenoptera: Braconidae: Rogadinae). Zoologische Mededelingen, Leiden 69(1): 1-18.
- Achterberg, C. van & Polaszek, A. 1996.** The parasites of cereal stem borers (Lepidoptera: Cossidae, Crambidae, Noctuidae, Pyralidae) in Africa, belonging to the family Braconidae (Hymenoptera: Ichneumonoidea). Zoologische Verhandelingen, Leiden 304: 1-123.
- Achterberg, C. van & Chen, X.X. 1996.** *Canalirogas*, a new genus of the subfamily Rogadinae Foerster (Hymenoptera: Braconidae) from the Indo-Australian region. Zoologische Mededelingen, Leiden 70(3): 63-92.
- Achterberg, C. van & Steiner, H. 1996.** A new genus of Tetratermini (Hymenoptera: Braconidae: Lysitermini) parasitic on grasshoppers (Gryllacrididae). Zoologische Mededelingen, Leiden 70(17): 249-259.
- Achterberg, C. van 1997.** Braconidae. An illustrated key to all subfamilies. Biodiversity Center of ETI. World Biodiversity Database CD-ROM series, Amsterdam.
- Achterberg, C. van 1997.** Revision of the Haliday collection of Braconidae (Hymenoptera). Zoologische Verhandelingen, Leiden 314: 1-115.
- Achterberg, C. van 1997.** Subfamily Aphidiinae. Betylobraconinae. Cenocoeliinae. Masoninae. Microtypinae. Orgilinae. In: Wharton, R.A., Marsh, P.M., Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1. 439 pp. pp. 118-131, 136-139, 185-192, 317-320, 367-370, 397-402.
- Achterberg, C. van & Altenhofer, E. 1997.** *Xyeloblacus* gen. nov. (Hymenoptera: Braconidae: Blacinae) parasitoid of Xyelinae (Xyelidae: Hymenoptera). Zoologische Mededelingen, Leiden 71(25): 291-298.
- Achterberg, C. van & Kojima, J. 1997.** Insect faunas in coppice forests in northern Kantoh, central Japan. (II) Braconids and vespids collected by malaise trapping (Insecta: Hymenoptera). Publication of the Itako Hydrobiological Station 9: 41-44.

- Achterberg, C. van & Narendran, T.C. 1997. Notes on the types and type depositories of Braconidae (Insecta: Hymenoptera) described by T.C. Narendran and students. Zoologische Mededelingen, Leiden 71(16): 177-179.
- Achterberg, C. van, Pentead-Dias, A.M. & Quicke, D.L.J. 1997. *Pseudoyelicones* (Hymenoptera: Braconidae: Rogadinae), a new genus from Brazil and Costa Rica. Zoologische Mededelingen, Leiden 71(1): 1-8.
- Achterberg, C. van & Salvo, A. 1997. Reared Opiinae (Hymenoptera: Braconidae) from Argentina. Zoologische Mededelingen, Leiden 71(18): 189-214.
- Achterberg, C. van & Walker, A.K. 1998. 17 Braconidae. In: Polaszek, A. African Cereal Stem Borers. Economic importance, taxonomy, natural enemies and control. CAB International. pp. 137-185, 448-483.
- Achterberg, C. van 1998. *Bobekoides* gen. nov. (Hymenoptera: Braconidae: Alysiniinae) from South Africa. Zoologische Mededelingen, Leiden 72(9): 105-111.
- Achterberg, C. van 1998. *Phaenocarpa helophilae* spec. nov. (Hymenoptera: Braconidae), a gregarious parasitoid of *Heliophilus* larvae (Diptera: Syrphidae), with notes on related species. Zoologische Mededelingen, Leiden 72(2): 15-27.
- Achterberg, C. van 1998. *Vervoortihelcon*, a new genus of the subfamily Helconinae Foerster (Hymenoptera: Braconidae) from Chile. Zoologische Verhandlungen, Leiden 323: 401-405.
- Achterberg, C. van 1999. The Palaearctic species of the genus *Dia-chasmimorpha* Viereck (Hymenoptera: Braconidae: Opiinae). Zoologische Mededelingen, Leiden 73(1): 1-10.
- Achterberg, C. van 2000. *Carinichremylus* gen. nov. (Hymenoptera: Braconidae: Pambolinae) from Peru. Zoologische Mededelingen, Leiden 73(15): 251-254.
- Achterberg, C. van 2000. Review of the Afrotropical species of the tribe Lysitermini Tobias (Hymenoptera: Braconidae: Lysiterminiinae). Zoologische Mededelingen, Leiden 73(14): 239-249.
- Achterberg, C. van 2000. The European species of the *Eubazus aliochinoi*-group (Hymenoptera: Braconidae: Helconinae: Brachistini). Zoologische Mededelingen, Leiden 74(20): 339-357.
- Achterberg, C. van & Kenis, M. 2000. The Holarctic species of the subgenus *Allodorus* Foerster s.s. of the genus *Eubazus* Nees (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 73(29): 427-455.
- Achterberg, C. van & Guerrero, E.R. 2000. A new species of the genus *Blacus* Nees (Hymenoptera: Braconidae: Blacinae) from the Canary Islands. Zoologische Mededelingen, Leiden 73(32): 487-490.
- Achterberg, C. van & Quicke, D.J.L. 2000. The Palaetropical species of the tribe Cosmophorini Čapek (Hymenoptera: Braconidae: Euphorinae) with descriptions of twenty-two new species. Zoologische Mededelingen, Leiden 74(19): 283-338.
- Achterberg, C. van, Kenis, M. & Sileshi, G. 2000. *Perilitus (Microctonus) larvicida* spec. nov. (Hymenoptera: Braconidae: Euphorinae) from Zambia. Zoologische Mededelingen, Leiden 74(3): 57-62.
- Achterberg, C. van & Shaw, S.R. 2000. Two new species of the genus *Centistina* Enderlein (Hymenoptera: Braconidae: Euphorinae) from Costa Rica. Zoologische Mededelingen, Leiden 74(4): 63-73.
- Achterberg, C. van & Weiblen, G.D. 2000. *Ficobracon brusi* gen. nov. & spec. nov. (Hymenoptera: Braconidae), a parasitoid reared from figs in Papua New Guinea. Zoologische Mededelingen, Leiden 74(2): 51-55.
- Achterberg, C. van & Shaw, S.R. 2001. *Tainiterma*, a new genus of the subfamily Euphorinae (Hymenoptera: Braconidae) from Vietnam and China. Zoologische Mededelingen, Leiden 75(3): 69-78.
- Achterberg, C. van & Rezbanyai-Reser, L. 2001. Zur Insektenfauna der Umgebung von Lauerz, Kanton Schwyz. 1. Sägel (455 m) und Schuttwald (480 m). IV Hymenopter 1: Braconidae (Brackwespen). Entomologische Berichte Luzern 45: 109-122.
- Achterberg, C. van & Falcó, J.V. 2001. *Cuniculobracon verdui* gen. nov. & spec. nov. and a new species of *Polemochartus* Schulz (Hymenoptera: Braconidae) from Spain, with a note on *Erenita* Kasparyan (Hymenoptera: Ichneumonidae). Zoologische Mededelingen, Leiden 75(8): 137-146.
- Achterberg, C. van 2001. *Macrocentrus sylvestrellae* spec. nov. (Hymenoptera: Braconidae: Macrocentrinae), a parasitoid of *Dioryctria sylvestrella* (Ratzeburg) (Lepidoptera: Pyralidae). Zoologische Mededelingen, Leiden 75(4): 79-88.
- Achterberg, C. van 2001. The first known fossil Masoninae (Hymenoptera: Braconidae) from Miocene Dominican amber. Zoologische Mededelingen, Leiden 75(21): 393-396.
- Achterberg, C. van 2001. Two new species of Braconidae (Hymenoptera: Euphorinae, Braconinae) from Switzerland and the Netherlands. Zoologische Mededelingen, Leiden 75(22): 397-404.
- Achterberg, C. van & Chen, X.X. 2002. Revision of the *Euagathis* species (Hymenoptera: Braconidae: Agathidinae) from China and the northern Vietnam. Zoologische Mededelingen, Leiden 76 (19): 309-346.
- Achterberg, C. van & Marsh, P.M. 2002. Revision of the genus *Psenobolus* Reinhard (Hymenoptera: Braconidae: Doryctinae). Zoologische Mededelingen, Leiden 76(1): 1-25.
- Achterberg, C. van & Mehrnejad, M.R. 2002. The braconid parasitoids (Hymenoptera: Braconidae) of *Kermania pistaciella* Amsel (Lepidoptera: Tineidae: Hieroxestinae) in Iran. Zoologische Mededelingen, Leiden 76(2): 27-39.
- Achterberg, C. van 2002. *Apanteles (Choeras) gielisi* spec. nov. (Hymenoptera: Braconidae: Microgastrinae) from the Netherlands and the first report of Trichoptera as host of Braconidae. Zoologische Mededelingen, Leiden 76(5): 53-60.
- Achterberg, C. van 2002. Revision of the genus *Canalicephalus* Gibson and the recognition of the Acampsohelconinae (Hymenoptera: Braconidae) as extant. Zoologische Mededelingen, Leiden 76(20): 347-370.
- Achterberg, C. van 2002. *Sigalphus meridionalis* spec. nov. (Hymenoptera: Braconidae: Sigalphinae) from France. Zoologische Mededelingen, Leiden 76(4): 45-52.
- Achterberg, C. van 2002. Western Palaearctic genera of the subfamily Microgastrinae: A re-appraisal of the generic and tribal division (Hymenoptera: Braconidae): 19-35. In: Melika, G. & Thuróczy, C. [eds]. 'Parasitic wasps: Evolution, systematics, biodiversity and biological control.
- Achterberg, C. van 2003. The European species of the subgenus *Aliolus* Say of the genus *Eubazus* Nees and of the genus *Dicyrtaspis* van Achterberg (Hymenoptera: Braconidae: Brachistinae). Zoologische Mededelingen, Leiden 77(17): 301-320.
- Achterberg, C. van 2003. The West Palaearctic species of the genera *Gildoria* Hedqvist and *Platyspathius* Viereck, with keys to the species (Hymenoptera: Braconidae: Doryctinae). Zoologische Mededelingen, Leiden 77(15): 267-290.
- Achterberg, C. van & Guerrero, E.R. 2003. Two new species of the genus *Peristenus* Foerster (Hymenoptera: Braconidae: Euphorinae) from the Canary Islands. Zoologische Mededelingen, Leiden 77(3): 79-86.
- Achterberg, C. van & Haeselbarth, E. 2003. Revision of the genus *Syntretus* Foerster (Hymenoptera: Braconidae: Euphorinae) from Europe. Zoologische Mededelingen, Leiden 77(2): 9-78.
- Achterberg, C. van & Koponen, M. 2003. *Phaenocarpa unguilosetosa* spec. nov. from Finland and *Elasmosoma depressum* spec. nov. from Estonia (Hymenoptera: Braconidae: Alysiniinae: Alysiniini,

- Euphorinae: Neoneurini). Zoologische Mededelingen, Leiden 77(16): 291-299.
- Achterberg, C. van 2003.** A new genus of Braconinae (Hymenoptera: Braconidae) from Namibia. *Cimbebasia* 18: 11-18, figs 1-58.
- Achterberg, C. van 2004.** *Euagathis tobiasi* sp. n. (Hymenoptera: Braconidae, Agathidinae) from Sulawesi. Proceedings of the Russian Entomological Society, St. Petersburg 75(1): 102-105, figs 1-8.
- Achterberg, C. van 2004.** Revision of the *Euagathis* species (Hymenoptera: Braconidae: Agathidinae) from Wallacea and Papua. Zoologische Mededelingen, Leiden 78: 1-76, figs 1-256.
- Achterberg, C. van 2004.** Fauna Europaea: Braconidae (online checklist of European species excluding Caucasus). Fauna Europaea version 1.1, <http://www.faunaeur.org>.
- Achterberg, C. van 2004.** New Indo-Australian subgenera and species of the genera *Xynobius* Foerster and *Ademoneuron* Fischer (Hymenoptera: Braconidae: Opiinae). Zoologische Mededelingen, Leiden 78: 313-329, figs 1-64.
- Achterberg, C. van 2004.** *Bitomoides* gen. nov. (Hymenoptera: Braconidae: Opiinae) from Europe. Zoologische Mededelingen, Leiden 78: 331-335, figs 1-13.
- Achterberg, C. van, Berndt, L., Brockerhoff, E. & Berry, J., 2004.** A new species of the genus *Aleiodes* Wesmael from New Zealand (Hymenoptera: Braconidae: Rogadinae). Zoologische Mededelingen, Leiden 78: 301-311, figs 1-40.
- Achterberg, C. van & Berry, J., 2004.** *Neptihormius* gen. nov. (Hymenoptera: Braconidae: Hormiinae), a parasitoid of Nepticulidae (Lepidoptera) from New Zealand. Zoologische Mededelingen, Leiden 78: 291-299, figs 1-44.
- Achterberg, C. van & Braet, Y. 2004.** Two new species of *Pambolus* Haliday (Hymenoptera: Braconidae: Pambolinae) from Argentina. Zoologische Mededelingen, Leiden 78: 337-344, figs 1-12.
- Achterberg, C. van & Chen, X.X., 2004.** Six new genera of Braconidae (Hymenoptera) from China. Zoologische Mededelingen, Leiden 78: 77-100, figs 1-81.
- Achterberg, C. van & Noyes, J. 2004.** [eds]. Fauna Europaea: Hymenoptera. Fauna Europaea version 1.1, <http://www.faunaeur.org>.
- Achterberg, C. van & Raychaudhuri, D. 2004.** Revision of the *Euagathis* species (Hymenoptera: Braconidae: Agathidinae) from the Indian subcontinent: 249-282, figs 1-84. In: Rajmohana, Sudheer, K., Kumar Girish, P., & Santhosh S. [eds]. Perspectives on biosystematics and biodiversity. T.C. Narendran Commemoration Volume, Kerala: 1-666.
- Ackerman, J.K. & Shenefelt, R.D. 1973.** Organisms, especially insects, associated with wood rotting higher fungi (Basidiomycetes) in Wisconsin forests. Wisconsin Academy of Sciences, Arts and Letters 61: 187-197.
- Acosta, N.M. & Cave, R.D. 1994.** Survey of parasitoids attacking *Liriomyza* spp. (Diptera: Agromyzidae) in southern Honduras. *Revista de Biología Tropical* 42(1-2): 203-218.
- Acosta, S. & Galan, M. 1999.** Effects of superparasitism of *Cotesia flavipes* Cam. (Hymenoptera: Braconidae) on *Diatraea saccharalis* (Fab.) (Lepidoptera: Crambidae). *Revista de Protección Vegetal* 14(1): 55-58.
- Adachi, I. 1998.** Hymenopterous parasitoids of the peach leafminer, *Lyonetia clerkella* (Linnaeus) (Lepidoptera: Lyonetiidae). *Applied Entomology and Zoology* 33(2): 299-304.
- Adamo, S.A. 1998.** Feeding suppression in the tobacco hornworm, *Manduca sexta*: costs and benefits to the parasitic wasp *Cotesia congregata*. *Canadian Journal of Zoology* 76(9): 1634-1640.
- Adamo, S.A., Linn, C.E. & Beckage, N.E. 1997.** Correlation between changes in host behaviour and octopamine levels in the tobacco hornworm *Manduca sexta* parasitized by the gregarious braconid parasitoid wasp *Cotesia congregata*. *Journal of Experimental Biology* 200(1): 117-127.
- Adamo, S.A. & Shoemaker, K.L. 2000.** Effects of parasitism on the octopamine content of the central nervous system of *Manduca sexta*: a possible mechanism underlying host behavioral change. *Canadian Journal of Zoology* 78(9): 1580-1587.
- Adams, C.H. & Cross, W.H. 1967.** Insecticide resistance in *Bracon mellitor*, a parasite of the boll weevil. *Journal of Economic Entomology* 60(4): 1016-1020.
- Adams, C.H., Cross, W.H. & Mitchell, H.C. 1969.** Biology of *Bracon mellitor*, a parasite of the boll weevil. *Journal of Economic Entomology* 62(4): 889-896.
- Adashkevich, B.P. & Atamirzaev, Kh.Kh. 1984.** Residual toxicity of pesticides for *Habrobracon hebetor*, parasite of *Chloridea armigera*. *Khim Sel'sk Khoz. Moskva: "Khimia"* 6: 41-42.
- Adashkevich, B.P. & Saidova, Zkh. 1985.** [Preservation of *Habrobracon*] *Zashchita Rastenii* (Moscow) 1985(7): 26.
- Adashkevich, B.P. 1989.** The status of *Bracon hebetor* Say. *Zashchita Rastenii Moskva* 3: 28.
- Adashkevich, B.P., Saidova, E. & Takanaev, A.A. 1986.** Migration of *Habrobracon*. *Zashchita Rastenii* 7: 35-36.
- Adashkevich, B.P. & Atamirzaev, Kh.Kh. 1986.** Which host is the better? *Zashchita Rastenii* 5: 27.
- Adashkevich, B.P. & Rashidov, M.I. 1986.** Biological control of the cotton bollworm on vegetable crops. *Zashchita Rastenii* 6: 51-52.
- Adashkevich, B.P. & Saidova, E.Kh. 1987.** Features of the development of *Habrobracon hebetor* (Hymenoptera: Braconidae) during rearing in the laboratory. *Zoologicheskii Zhurnal* 66(10): 1509-1515.
- Aderkas, P. von & Peterson, B.V. 1987.** *Chirosia betuleti*, new record (Ringdahl) (Diptera: Anthomyiidae), a gall-former on the ostrich fern, *Matteuccia struthiopteris*, with notes on other insect-fern associates. Proceedings of the Entomological Society of Washington 89(3): 532-547.
- Adhikary, S., Pandit, S. & Roy, S. 1996.** A new hymenopteran parasite, *Apanteles angaleti* Muesebeck of the larva of tasar silk worm *Antheraea mylitta* Drury. *Environment and Ecology* 14 (1): 240-241.
- Adisu, B., Starý, P., Freier, B. & Buttner, C. 2002.** *Aphidius colemani* Vier. (Hymenoptera: Braconidae, Aphidiinae) detected in cereal fields in Germany. *Anzeiger für Schädlingskunde* 75(4): 89-94.
- Adler, P.H. & Kim, K.C. 1985.** Morphological and morphometric analyses of European and Moroccan biotypes of *Microctonus aethiopoies* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 78: 279-283.
- Aeschlimann, J.P. 1989.** On the importance of assessing the quality of beneficial organisms mass-produced for use in biological control programmes against noxious plants and animals. *Boletín Sanidad Vegetal, Fuera de Serie* 17: 377-382.
- Aeschlimann, J.P. & Vitou, J. 1985.** Aphids (Homoptera: Aphididae) and their natural enemies occurring on *Sonchus* spp. in the Mediterranean region. *Acta Oecologica Oecologia Applicata* 6: 69-76.
- Aeschlimann, J.P. 1980.** The *Sitona* (Col.: Curculionidae) species occurring on *Medicago* and their natural enemies in the Mediterranean region. *Entomophaga* 25: 139-153.
- Aeschlimann, J.P. 1983.** Notes on the variability of *Microctonus aethiopoies* Loan (Hymenoptera: Braconidae: Euphorinae). *Contributions of the American Entomological Institute* 20: 329-335.
- Aeschlimann, J.P. 1983.** Sources of importation, establishment and spread in Australia, of *Microctonus aethiopoies* Loan (Hymenoptera: Braconidae), a parasitoid of *Sitona discoideus* (Coleoptera: Curculionidae). *Journal of the Australian Entomological Society* 22(4): 325-331.
- Aeschlimann, J.P. 1990.** The species of Ichneumonidae (Hymenoptera) occurring in fields of *Medicago* spp. in the Mediterranean

- region. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 63(3-4): 291-297.
- Aeschlimann, J.P. 1995.** Lessons from post-release investigations in classical biological control: the case of *Microctonus aethiopoidea* Loan (Hym.: Braconidae) introduced into Australia and New Zealand for the biological control of *Sitona discoideus* Gyllenhal (Col.: Curculionidae). Plant and Microbial Biotechnology Research Series 4: 75-83.
- Agarwala, B.K. & Raychaudhuri, D.N. 1981.** Observations on the population trends of rose aphids and their hymenopteran parasites in Kalipong, West Bengal (India). Entomon 6: 211-214.
- Agarwala, B.K. 1983.** Host range of *Trioxys indicus* Subba Rao & Sharma in India. (Hymenoptera: Aphidiidae) Akitu 49: 1-5.
- Agarwala, B.K. 1983.** Parasites and predators of rose infesting aphids (Homoptera: Sphididae) in India. Entomon 8: 35-39.
- Agarwala, B.K., Ghosh, D. Das, S.K. Poddar, S.C. & Raychaudhuri, D.N. 1981.** Parasites and predators of aphids (Homoptera: Aphididae) from India-5. New records of two aphidiid parasites, nine arachnid and one dipteran predators from India. Entomon 6(3): 233-238.
- Agarwala, B.K., Raychaudhuri, D. & Raychaudhuri, D.N. 1981.** A conspectus of aphidiid (Hymenoptera: Aphidiidae) parasites of aphids (Homoptera: Aphididae) in India. Akitu 39: 1-16.
- Agarwala, B.K., Saha, S. & Sampa D. 1983.** New host records of some parasites and (predators of aphids Homoptera: Aphididae) from India. Entomon 8(4): 391-392.
- Agarwala, B.K., Saha, S. & Ghosh, A.K. 1984.** Studies on *Cerato-vacuna silvestrii* (Takahashi) (Homoptera: Aphididae) and its predator *Anisolemmia dilatata* (Fab.) on *Bambusa arundinacea*. Records of the Zoological Survey of India 81(3-4) 1984: 23-42.
- Agarwala, B.K., Saha, J.L. & Mahapatra, S.K. 1985.** *Trioxys peniculatus* (Hym.: Aphidiidae), a new parasitoid of *Ceraphis schouteniae* V.d.G. in India. Entomon 10(2) 1985: 103-105.
- Agarwal, M.L. & Kapoor, V.C. 1986.** New records of some hymenopterous parasites of fruit flies (Diptera: Tephritidae) from India. Bulletin of Entomology New Delhi, publ. 1989, 27(2): 193.
- Agarwala, B.K., Saha, J.L. & Mahapatra, S.K. 1987.** Three new species of parasitoids (Hymenoptera: Aphidiidae) from India. Entomon 12(4): 329-333.
- Agarwala, B.K. & Gupta, V.K. 1988.** Host association and distribution of *Trioxys indicus* - a potential biocontrol agent of pest aphids (Hymenoptera: Aphidiidae). Advances in parasitic Hymenoptera research: Proceedings of the II. Conference on the Taxonomy and Biology of Parasitic Hymenoptera, recd. 1993, 399-408.
- Agarwala, B.K. 1989.** Biological notes on pine-infesting aphid, *Cinara atrotibialis* (Homoptera: Aphididae). Entomon 14(3-4): 257-259.
- Agarwala, B.K. & Singh, R. 1992.** Biology, ecology and control efficiency of the aphid parasitoid *Trioxys indicus*: a review and bibliography. Biological Agriculture and Horticulture 8(4): 271-298.
- Agelopoulos, N.G., Dicke, M. & Posthumus, M.A. 1995.** Role of volatile infochemicals emitted by feces of larvae in host-searching behavior of parasitoid *Cotesia rubecula* (Hymenoptera: Braconidae): a behavioral and chemical study. Journal of Chemical Ecology 21(11): 1789-1811.
- Agelopoulos, N.G. & Keller, M.A. 1994.** Plant-natural enemy association in the tritrophic system *Cotesia rubecula*-*Pieris rapae*-Brassicaceae (Cruciferae): II. Preference of *C. rubecula* for landing and searching. Journal of Chemical Ecology 20(7): 1735-1748.
- Agelopoulos, N.G. & Keller, M.A. 1994.** Plant-natural enemy association in the tritrophic system, *Cotesia rubecula*-*Pieris rapae*-Brassicaceae (Cruciferae): I. sources of infochemicals. Journal of Chemical Ecology 20(7): 1725-1734.
- Agelopoulos, N.G. & Keller, M.A. 1994.** Plant-natural enemy association in tritrophic system, *Cotesia rubecula*-*Pieris rapae*-Brassicaceae (Cruciferae). 3: Collection and identification of plant and frass volatiles. Journal of Chemical Ecology 20(8): 1955-1967.
- Agostinelli, E., Poletti, M. & Sama, A. 1993.** Integrated defence on chrysanthemums grown for cutting. Colture Protette 22(4): 53-56.
- Agra Gothama, A.A., Sikorowski, P.P. & McLaughlin, M.R. 1998.** Replication of nonoccluded baculovirus associated with the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae) in *Heliothis virescens* (Lepidoptera: Noctuidae). Biological Control 12(2): 103-110.
- Aguayo, M.I. & Villaneueva, F.R. 1985.** Susceptibility of *Meteorus hyphantriae* Riley to methyl parathion. Southwestern Entomologist 10(2): 107-109.
- Agudelo Silva, F. 1980.** Parasitism of *Erinnyis ello* eggs (Lepidoptera: Sphingidae) by *Telenomus sphingis* (Hymenoptera: Scelio-nidae) in the Dominican Republic. Environmental Entomology 9(2) 1980: 233-235.
- Aguiar-Menezes, E.L. & Menezes, E.B. 1997.** Natural occurrence of parasitoids of *Anastrepha* spp. Schiner, 1868 (Diptera: Tephritidae) in different host plants, in Itaguaí (RJ), Brazil. Biological Control 8(1): 1-6.
- Aguiar-Menezes, E.L. & Menezes, E.B. 2001.** Seasonal parasitism and population fluctuation of Opiinae (Hymenoptera: Braconidae), *Anastrepha* fruit fly parasitoids (Diptera: Tephritidae) in Seropedica, RJ, Brazil. Neotropical Entomology 30(4): 613-623.
- Aguiar-Menezes, E.L., Menezes, E.B., Silva, P.S. Bittar, A.C. & Cassino, P.C.R. 2001.** Native Hymenopteran parasitoids associated with *Anastrepha* spp. (Diptera: Tephritidae) in Seropedica City, Rio de Janeiro, Brazil. Florida Entomologist 84(4): 706-711.
- Aguiar-Menezes, E.L. & Menezes, E.B. 2002.** Effect of time of permanence of host fruits in the field on natural parasitism of *Anastrepha* spp. (Diptera: Tephritidae). Neotropical Entomology 31(4): 589-595.
- Aguiar-Menezes, E.L., Menezes, E.B. & Loiacono, M.S. 2003.** First record of *Coptera haywardi* Loiacono (Hymenoptera: Diapriidae) as a parasitoid of fruit-infesting Tephritidae (Diptera) in Brazil Neotropical Entomology 32(2): 355-358.
- Aguilera, P.A. & Pacheco, V.C. 1995.** Determination of predators of the hazelnut aphid, *Myzocallis coryli* (Goeze) (Homoptera: Aphididae) in the IX region of Chile. Determinacion de depredadores del pulgon del avellano europeo, *Myzocallis coryli* (Goeze) (Homoptera: Aphididae) en la IX Region de Chile. Revista Chilena de Entomologia 22: 17-19.
- Aguirre-Segura, A. & Tizado-Morales, E.J. 1993.** Some catches of aphid parasitoids belonging to the subfamily Aphidiinae (Hymenoptera: Braconidae) in the southeast of Spain. Boletín de la Asociación Española de Entomología 17(2): 353-354.
- Ahern, R.G. & Brewer, M.J. 2002.** Effect of different wheat production systems on the presence of two parasitoids (Hymenoptera: Aphelinidae, Braconidae) of the Russian wheat aphid in the North American Great Plains. Agriculture, Ecosystems and Environment 92(2-3): 201-210.
- Ahmad, S. & Forgash, A.J. 1976.** Toxicity of carbaryl to gypsy moth larvae parasitized by *Apanteles melanoscelus*. Environmental Entomology 5: 1183-1186.
- Ahmad, S., O'Neill, J.R. Mague, D.L. & Nowalk, R.K. 1978.** Toxicity of *Bacillus thuringiensis* to gypsy moth larvae parasitized by *Apanteles melanoscelus*. Environmental Entomology 7: 73-76.

- Ahmad, Z. & Shuja-Uddin, 2001. A new species of the genus *Blacus* Nees (Blacinae: Braconidae: Hymenoptera) from India. *Shashpa* 8(1): 15-18.
- Ahmad, Z. & Shuja-Uddin, 2001. A new species of the genus *Homolobus* Foerster (Homolobinae: Braconidae: Hymenoptera) from India. *Shashpa* 8(2): 99-101.
- Ahmad, M. Ahmad, M.J. & Mishra, R.K. 1997. Indigenous micro-hymenopteran parasitoid species associated with poplar defoliator, *Clostera cupreata* (Lepidoptera: Notodontidae). *Annals of Forestry* 5(1): 26-34.
- Ahmad, M.E. & Singh, R. 1992. New host associations of chalcidoid hyperparasitoids. *Journal of Advanced Zoology* 13(1-2): 66-67.
- Ahmad, M.E. & Singh, R. 1994. Seasonal abundance of aphids, *Rhopalosiphum* spp. and their parasitoids on plants of economic importance from northeastern Uttar Pradesh. *Journal of Advanced Zoology* 15(2): 116-119.
- Ahmad, M. & Hodgson, C.J. 1998. The searching efficiency of *Aphidius colemani* Viereck after visiting insecticide treated plants at different time intervals. *Entomon* 23(3): 185-189.
- Ahmad, R. & Muzaffar, N. 1976. A note on the biology of *Bracon gelechiae* (Hym.: Braconidae) and augmentation of this parasite against *Pectinophora gossypiella* (Lep.: Gelechiidae). *Entomophaga* 21(3): 235-238.
- Ahmad, R.N., Muzaffar, N. & Ali, Q. 1983. Biological control of the wax moths *Achroia grisella* (F.) and *Galleria melonella* (L.) (Lep.: Galleridae) by augmentation of the parasite *Apanteles gallariae* Wilk. (Hym. Braconidae) in Pakistan. *Apiacta. Int Tech Mag Apic Econ Inf. Bucharest* 18(1): 15-20.
- Ahmad, M. 1993. Searching behaviour of the aphid parasitoid *Aphidius matricariae* Haliday (Hymenoptera: Aphidiidae). *Bulletin of Entomology New Delhi* 34(1-2): 121-123.
- Ahmad, M. 1994. Study of the foraging behaviour of *Aphidius matricariae* Haliday (Hymenoptera: Aphidiidae). *Mysore Journal of Agricultural Sciences* 28(2): 127-131.
- Ahmad, M.D.E. & Singh, R. 1995. First record of the aphid parasitoid *Archaphidius greenideae* Starý & Schlinger (Hymenoptera: Aphidiidae) from India. *Entomon* 20(1): 63.
- Ahmad, M.E. & Singh, R. 1997. Records of aphids and their food plants, parasitoids and hyperparasitoids from North Bihar. *Journal of Advanced Zoology* 18(1): 54-61.
- Ahmed, M.E. & Singh, R. 1996. Trophic relations of aphid hyperparasitoids in northeastern Uttar Pradesh. *Entomon* 21(1): 37-42.
- Ahmed, M.S.H., Al Maliky, S.K. Al Taweel, A.A. Jabo, N.F. & Al Hakkak, Z.S. 1985. Effects of 3 temperature regimes on rearing and biological activities of *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Stored Products Research* 21(2): 65-68.
- Ahmed, S., Khan, M.R., Ahmed, M. & Ghaffar, A. 1989. Natural enemies of paddy leaf-roller (*Cnaphalocrocis medinalis* Gn.). *Journal of Agricultural Research Lahore* 27(1): 71-76.
- Ai, H.M., Zhao, S.X. & Chen, D.S. 2000. Effects of insecticides on tea caterpillar and its natural enemies. *Journal of Fujian Agricultural University* 29(1): 60-64.
- Ai, H.M. & Zhao, S.X. 1999. Niches of tea caterpillar (*Euproctis pseudoconspersa*) and its natural enemies. *Journal of Fujian Agricultural University* 28(3): 325-329.
- Ajayakumar, C., Nalinakumari, T. & Radhakrishnan, B. 2002. Occurrence and distribution of natural enemies in rice ecosystem of Thiruvananthapuram District. *Insect Environment* 7(4): 152-153.
- Ajayi, O., Tabo, R. & Ali, D. 1996. Incidence of stem borers on post-rainy-season transplanted sorghum in Cameroon, Nigeria, and Chad in 1995/96. *International Sorghum and Millets Newsletter* 37: 58-59.
- Ajayi, O., Uvah, I.I., Fussell, L.K. & Weder, J. 1989. Review of research on millet entomology in Nigeria: 1977-1987. *Proceedings of the Regional Pearl Millet Improvement Workshop, IAR, Samaru, Nigeria, 15-19 August 1988* 21-30.
- Akhatov, A.K. 1992. The greenhouse aphid and its parasite *Aphidius*. *Zashchita Rastenii Moskva* 9: 45-46.
- Akinlosotu, T.A. 1978. Some aspects of the host finding behaviour of the female *Diaeretiella rapae* M'Intosh (Hymenoptera, Aphidiidae). *Nigerian Journal of Entomology* 1: 11-18.
- Akinlosotu, T.A. 1978. The inter-relationship of the cabbage aphid parasite, *Diaeretiella rapae* M'Intosh (Hymenoptera: Aphidiidae) and the entomophagous predators of the aphid. *Nigerian Journal of Entomology* 1: 5-9.
- Akino, T. & Yamaoka, R. 1998. Chemical mimicry in the root aphid parasitoid *Paralipsis eikoe* Yasumatsu (Hymenoptera: Aphidiidae) of the aphid-attending ant *Lasius sakagamii* Yamauchi & Hayashida (Hymenoptera: Formicidae). *Chemoecology* 8(4): 153-161.
- Aktaeva, Sh. 1983. Features of the biology of certain entomophages of fruit moths in south-east Kazakhstan. Nurmuratov, T.N. [ed.]. [Biological methods of protection of agricultural cultivations in Kazakhstan.] 'Vaskhnil', Alma Ata. 1983: 1-135. Chapter pagination: 50-53.
- Al Abassi, S., Birkett, M.A., Pettersson, J., Pickett, J.A., Wadhams, L.J. & Woodcock, C.M. 2001. Response of the ladybird parasitoid *Dinocampus coccinellae* to toxic alkaloids from the seven-spot ladybird, *Coccinella septempunctata*. *Journal of Chemical Ecology* 27(1): 33-43.
- Al Dobai, S., Praslicka, J. & Mistina, T. 1999. Parasitoids and hyperparasitoids of cereal aphids (Homoptera, Aphididae) on winter wheat in Slovakia. *Biologia Bratislava* 54(5): 573-580.
- Al Dobai, S. & Praslicka, J. 1999. Effectiveness of aphid parasitoids (Hymenoptera: Aphidiidae) on winter wheat in two agricultural systems. *Plant Protection Science* 35(4): 131-135.
- Al Doghairi, M.A. & Cranshaw, W.S. 1999. Surveys on visitation of flowering landscape plants by common biological control agents in Colorado. *Journal of the Kansas Entomological Society* 72(2): 190-196.
- Al Fazaury, A.A.M., Hegazi, E.M., Karam, H.H. & Abo-Abd-Allah, L.M. 1993. Differential susceptibility of parasitized and unparasitized larvae of *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae) to its nuclear polyhedrosis virus. *Insect Science and its Application* 14(3): 361-365.
- Al Hassan, M.S., Gu, D.J. & Pang, X.F. 1999. Effects of host plants on population dynamics of *Lipaphis erysimi* (Kalt.) in the field. *Entomologia Sinica* 6(4): 353-361.
- Al Izzi, M.A.J., Al Maliky, S.K. & Jabbo, N.F. 1989. Thermal unit accumulation for development of overwintering populations of *Apanteles* sp. group *ultor*. *Journal of Applied Entomology* 108(3): 245-249.
- Al Izzi, M.A.J., Al Maliky, S.K. & Khalaf, M.Z. 1992. Low temperature for predicting induction and termination of diapause in *Apanteles angaleti* (Muesebeck) (Hymenoptera: Braconidae). *Annales de la Societ  Entomologique de France* 28(4): 385-389.
- Al Jassany, R.F. & Al Adil, K.M. 1986. Positive effect of weeds on the natural enemies of black bean aphid *Aphis fabae* on broad bean. *Journal of Biological Sciences Research* 17(3): 30-37.
- Al Maliky, S.K. & Al Izzi, M.A.J. 1986. Parasites of *Ectomyelois ceratoniae* (Zeller) with biological studies on *Apanteles* sp. group *ultor* in Iraq. *Entomophaga* 31(3): 313-319.
- Al Maliky, S.K. & Al Izzi, M.A.J. 1990. *Apanteles angaleti* (Muesebeck), (Hymenoptera: Braconidae). A new record species in Iraq. *Bulletin of the Iraq Natural History Museum* 8(3): 193-194.
- Al Maliky, S.K., Al Izzi, M.A.J. & Jabbo, N.F. 1988. Effects of temperature and photoperiod on the development and ovi-

- position of *Apanteles* sp. group *ultor* (Hym.: Braconidae), a larval parasite of the carob moth *Ectomylois ceratoniae* (Lep.: Pyralidae). *Entomophaga* 33(2): 193-200.
- Al Maliky, S.K. & Al Izzi, M.A.J. 1990.** The progeny production of a hymenopterous parasitoid, *Apanteles* sp. group *ultor*, as affected by temperature. *Entomophaga* 35(2): 217-222.
- Alphen, J.J.M. van & Janssen, A.R.M. 1982.** Host selection by *Asobara tabida* (Braconidae: Alysiinae) a larval parasitoid of fruit inhabiting *Drosophila* species. *Netherlands Journal of Zoology* 32: 194-214.
- Alphen, J.J.M. van & Drijver, R.A.B. 1982.** Host selection by *Asobara tabida* Nees (Braconidae: Alysiinae) a larval parasitoid of fruit inhabiting *Drosophila* species. *Netherlands Journal of Zoology* 32: 215-231.
- Alphen, J.J.M. van & Nell, H.W. 1982.** Superparasitism and host discrimination by *Asobara tabida* Nees (Braconidae: Alysiinae), a larval parasitoid of *Drosophilidae*. *Netherlands Journal of Zoology* 32: 232-260.
- Alphen, J.J.M. van & Galis, F. 1983.** Patch time allocation and parasitization efficiency of *Asobara tabida*, a larval parasitoid of *Drosophila*. *Journal of Animal Ecology* 52: 937-952.
- Alphen, J.J.M. van & Thunnissen, I. 1983.** Host selection and sex allocation by *Pachycrepoides vindemiae* Rondani (Pteromalidae) as a facultative hyperparasitoid of *Asobara tabida* Nees (Braconidae: Alysiinae) and *Leptopilina heterotoma* (Cynipoidea: Eucolidae). *Netherlands Journal of Zoology* 33: 497-514.
- Alphen, J.J.M. van, Visser, M.E. & Nell, H.W. 1992.** Adaptive superparasitism and patch time allocation in solitary parasitoids: searching in groups vs sequential patch visits. *Functional Ecology* 6(5): 528-535.
- Al Rubeae, J.K., Abid, M.K. & Mahmoud, M. 1988.** Ecological studies on the mealy plum aphid *Hyalopterous pruni* (Geofroy) and its natural enemies in Iraq. *Bulletin of the Iraq Natural History Museum (University of Baghdad)* 8(1): 49-59.
- Al Saffar, Z.Y. & Aldrich, J.C. 1997.** Factors influencing the survival of *Pontania proxima* that attack crack willow *Salix fragilis*. *Biology and Environment: Proceedings of the Royal Irish Academy, Section B* 97(3): 219-223.
- Alam, M.M. 1980.** Biological and ecological factors affecting populations of sugarcane moth-borer, *Diatraea saccharalis* (Lep.: Pyralidae) Barbados, W.I. *Entomophaga* 25(4) 1980: 401-414.
- Alam, M.M., Bennett, F.D. & Carl, K.P. 1971.** Biological control of *Diatraea saccharalis* (F.) in Barbados by *Apanteles flavipes* Cam. and *Lixophaga diatraeae* T.T. *Entomophaga* 16(2): 151-158.
- Alam, M.M., Beg, M.N. & Ghani, M.A. 1972.** Introduction of *Apanteles* spp. against graminaceous borers into Pakistan. *Commonwealth Institute of Biological Control Technical Bulletin* 15: 1-10.
- Alam, M.Z., Yearian, W.C. & Young, S.Y. 1988.** Mortality of soybean looper, *Pseudoplusia includens* (Walker) (Lepidoptera: Noctuidae) following field application of *Pseudoplusia* nuclear polyhedrosis virus to soybean. *Bangladesh Journal of Agriculture* 13(3): 181-187.
- Alaoglu, O. 1994.** Parasitoid and predator fauna of *Cryptomyzus ribis* (L.) (Homoptera: Aphididae) a pest of red currants, *Ribes aureum* L. in Erzurum. *Turkiye III. Biyolojik Mucadele Kongresi Bildirileeri*, 25-28 Ocak 1994, Ege Universitesi Ziraat Fakultesi, Bitki Koruma Bolumu, Izmir 49-58.
- Alauzet, C. 1982.** Biocoenose de *Pissodes notatus* F. ravageur des pins maritimes de forêt de Bouconne (Haute-Garonne: France). *Nouvelle Revue d'Entomologie* 12(1): 81-89.
- Alauzet, C. 1987.** Bioecologie de *Eubazus semirugosus*, *Coeloides abdominalis* et *C. sordidator* (Hym.: Braconidae) parasites de *Pissodes notatus* (Col.: Curculionidae) dans le sud de la France. *Entomophaga* 32(1): 39-47.
- Alauzet, C. 1990.** Population dynamics of the pine pest *Pissodes notatus* F. (Col.: Curculionidae). 2. The role of parasitism. *Entomophaga* 35(1): 119-126.
- Alberola, T.M., Aptosoglou, S., Arsenakis, M., Bel, Y., Delrio, G., Ellar, D.J., Ferre, J., Granero, E., Guttman, D.M., Koliais, S., Martinez-Sebastian, M.J., Prota, R., Rubino, S., Satta, A., Scarpellini, G., Sivropoulou, A. & Vasara, E. 1999.** Insecticidal activity of strains of *Bacillus thuringiensis* on larvae and adults of *Bactrocera oleae* Gmelin (Dipt.: Tephritidae). *Journal of Invertebrate Pathology* 74(2): 127-136.
- Albert, R. 1992.** Application of beneficials on vegetable and ornamental plants under glass in Baden-Württemberg in the year 1991. *Gesunde Pflanzen* 44(6): 198-204.
- Albert, R. 1995.** Biological control of the cotton aphid on cucumbers. *Gartenbau Magazin* 4(4): 32-34.
- Albert, R. & Schneller, H. 1991.** Biological pest control in ornamental plants II. Thrips, spider mite, white-skin mite and aphid control under glass. *Gartnerbörse und Gartenwelt* 91(1): 16-21.
- Albert, R. & Schneller, H. 1991.** Biological pest control on ornamental plants I. Experiences with *Trialeurodes vaporariorum* and *Bemisia tabaci*. *Gartnerbörse und Gartenwelt* 91(1): 10-15.
- Albert, R. & Lenteren, J.C. van 1999.** Integrated pest management in *Dendranthema indicum*. IOBCWPRS Working Group "Integrated Control in Glasshouses". Proceedings of the meeting at Brest, France, 25-29 May 1999. *Bulletin OILB SROP* 22(1): 1-4.
- Alborn, H.T., Lewis, W.J. & Tumlinson, J.H. 1995.** Host-specific recognition kairomone for the parasitoid *Microplitis croceipes* (Cresson). *Journal of Chemical Ecology* 21(11): 1697-1708.
- Alborn, H.T., Turlings, T.C.J., Jones, T.H., Stenhagen, G., Loughrin, J.H. & Tumlinson, J.H. 1997.** An elicitor of plant volatiles from beet armyworm oral secretion. *Science Washington* 276(5314): 945-949.
- Albrecht, A. & Bistrom, O. 1985.** Two new Braconidae for eastern Fennoscandia. *Notulae Entomologicae* 65(4): 165.
- Albrecht, U., Wyler, T., Pfister-Wilhelm, R., Gruber, A., Stettler, P., Heiniger, P., Kurt, E., Schumperli, D. & Lanzrein, B. 1994.** Polydnavirus of the parasitic wasp *Chelonus inanitus* (Braconidae): characterization, genome organization and time point of replication. *Journal of General Virology* 75(12): 3353-3363.
- Alexander, K.N.A. 2002.** *Dorcotoma dresdensis* Herbst (Col.: Anobiidae) and its parasite *Diospilus ephippium* (Nees) (Hym.: Braconidae) reared from *Phellinus pomaceus*. *British Journal of Entomology and Natural History* 15(3-4): 135.
- Alexeev, J.I. 1971.** New species of Braconids (Hymenoptera: Braconidae) from Turkmenia. *Entomologicheskoye Obozreniye* 50(2): 404-415. [Entomological Review 50: 229-235.]
- Alexeev, Y.I. 1977.** New species of the genus *Microplitis* Foerst. (Hymenoptera: Braconidae). *Zoologicheskii Zhurnal* 56(19): 1417-1419.
- Alfaro, R.I., Hulme, M.A. & Harris, J.W.E. 1985.** Insects associated with the Sitka spruce weevil, *Pissodes strobi* (Col.: Curculionidae) on Sitka spruce, *Picea sitchensis* in British Columbia, Canada. *Entomophaga* 30(4): 415-418.
- Alfaro, R.I., Kiss, G. & Fraser, R.G. 1994.** The white pine weevil: biology, damage and management. Proceedings of a symposium held January 19-21, 1994 in Richmond, British Columbia. FRDA Report Victoria, B.C. 226: ix + 311 pp.
- Alford, D.V. 1968.** The biology and immature stages of *Syntretus splendidus* (Marshall) (Hymenoptera: Braconidae), a parasite of adult bumblebees. *Transactions of the Royal Entomological Society of London* 120: 375-393.
- Alford, D.V. 1973.** *Syntretus splendidus* attacking *Bombus pascuorum* in Hampshire. *Bee World* 54: 176.
- Alhag, E.A., Al Rokaibah, A.A. & Zaitoon, A.A. 1996.** Natural enemies of cereal aphids in sprinkler-irrigated wheat in central

- Saudi Arabia. Bulletin of Faculty of Agriculture, University of Cairo 47(4): 649-663.
- Ali, A.A., Aziz, F.M. & Ahmed, A.M. 1987.** Influence of lethal high temperature with vacuum on *Bracon hebetor* Say, a parasitoid of the fig moth *Ephesia cautella* Walk. Date Palm Journal 5(2): 172-187.
- Ali, M.I. 1992.** Incidence of natural mortality agents of the tobacco caterpillar, *Spodoptera litura* (F.). Bangladesh Journal of Zoology 20(2): 363-365.
- Ali, M.I., Islam, A. & Kabir, S.M.H. 1995.** Biological control of insect and mite pests in important agricultural crops of Bangladesh: a review. Journal of the Asiatic Society of Bangladesh Science 21(2): 149-208.
- Ali, M.I. & Karim, M.A. 1995.** Host range, abundance and natural enemies of diamondback moth in Bangladesh. Bangladesh Journal of Entomology 5(1-2): 25-32.
- Aliev, A.A. 1980.** Scolobatinae (Hymenoptera: Ichneumonidae) of Azerbaijan. (in Russian with Azerbaijani summary). Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk 1980(6): 71-75.
- Aliev, S.V. 1984.** Biological bases for controlling harmful moths in agroecosystems of the Azerbaijan SSR (USSR). Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk 6: 46-54.
- Aliev, A.A. 1988.** Ichneumon wasps (Hymenoptera) from the Lenkoran lowland and Talysh Mountains, Azerbaijan SSR, USSR. Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk 1988(1): 50-56.
- Alimukhamedov, S.N., Asanov, K., Bauer, V.R., Yunusov, M. & Tuzhilin, V.P. 1989.** Equipment for *Bracon* production. Zashchita Rastenii Moskva 11: 26.
- AliNiasee, M.T. 1985.** Opiine parasitoids (Hymenoptera: Braconidae) of *Rhagoletis pomonella* and *R. zephyria* (Diptera: Tephritidae) in the Willamette Valley, Oregon. Canadian Entomologist 117: 163-166.
- Allemand, R., Pompanon, F., Fleury, F., Fouillet, P. & Bouletreau, M. 1994.** Behavioural circadian rhythms measured in real-time by automatic image analysis: applications in parasitoid insects. Physiological Entomology 19(1): 1-8.
- Allen, A.A. 1982.** Observations on the ectoparasitic stage of two *Homolobus* spp. (Hym.: Braconidae). Proceedings and Transactions of the British Entomological and Natural History Society 15(1-2): 11.
- Allen, D.C., Knight, F.B., Foltz, J.L. & Mattson, W.J. 1969.** Influence of parasites on two populations of *Choristoneura pinus* (Lepidoptera: Tortricidae), in Michigan. Annals of the Entomological Society of America 62: 1469-1475.
- Allen, G.R. 1990.** Influence of host behavior and host size on the success of oviposition of *Cotesia urabae* and *Dolichogenidea eucalypti* (Hymenoptera: Braconidae). Journal of Insect Behavior 3(6): 733-749.
- Allen, G.R. 1990.** The phenologies of *Cotesia urabae*, *Dolichogenidea eucalypti* (Hymenoptera: Braconidae) and their host *Uraba lugens* (Lepidoptera: Noctuidae) in the Adelaide region. Australian Journal of Zoology 38(4): 347-362.
- Allen, G.R. 1990.** *Uraba lugens* Walker (Lepidoptera: Noctuidae): larval survival and parasitoid biology in the field in South Australia. Journal of the Australian Entomological Society 29(4): 301-312.
- Allen, G.R. & Keller, M.A. 1991.** *Uraba lugens* (Lepidoptera: Noctuidae) and its parasitoids (Hymenoptera: Braconidae): temperature, host size, and development. Environmental Entomology 20(2): 458-469.
- Allen, W.R., Trimble, R.M. & Vickers, P.M. 1992.** ELISA used without host trituration to detect larvae of *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) parasitized by *Pholetesor ornigis* (Hymenoptera: Braconidae). Environmental Entomology 21(1): 50-56.
- Alleyne, M., Chappell, M.A., Gelman, D.B. & Beckage, N.E. 1997.** Effects of parasitism by the braconid wasp *Cotesia congregata* on metabolic rate in host larvae of the tobacco hornworm, *Manduca sexta*. Journal of Insect Physiology 43(2): 143-154.
- Alleyne, M. & Beckage, N.E. 1997.** Parasitism-induced effects on host growth and metabolic efficiency in tobacco hornworm larvae parasitized by *Cotesia congregata*. Journal of Insect Physiology 43(4): 407-424.
- Alleyne, M. & Wiedenmann, R.N. 2001.** Encapsulation and hemocyte numbers in three lepidopteran stemborers parasitized by *Cotesia flavipes*-complex endoparasitoids. Entomologia Experimentalis et Applicata 100(3): 279-293.
- Alleyne, M., Chappell, M.A., Gelman, D.B. & Beckage, N.E. 1997.** Effects of parasitism by the braconid wasp *Cotesia congregata* on metabolic rate in host larvae of the tobacco hornworm, *Manduca sexta*. Journal of Insect Physiology 43(2): 143-154.
- Alleyne, M., Wiedenmann, R.N. & Diaz, R.R. 2001.** Quantification and development of teratocytes in novel-association host-parasitoid combinations. Journal of Insect Physiology 47(12): 1419-1427.
- Alleyne, M. & Wiedenmann, R.N. 2001.** Suitability of lepidopteran stemborers for parasitization by novel-association endoparasitoids. BioControl 46(1): 1-23.
- Alleyne, M. & Wiedenmann, R.N. 2002.** Effect of time in culture on the suitability of two novel-association pyralid hosts for *Cotesia sesamiae* (Hymenoptera: Braconidae) development. Biological Control 25(2): 116-122.
- Allotey, J. & Kumar, R. 1996.** Reproductive strategy of the parasitic wasp *Bracon hebetor* (Say) (Hymenoptera: Braconidae) on the rice moth *Corcyra cephalonica* (Staint.). Papua New Guinea Journal of Agriculture Forestry and Fisheries 39(1): 19-21.
- Allsopp, P.G. & Suasa-Ard, W. 2000.** *Chilo tumidicostalis* (Hampson) (Lepidoptera: Pyralidae) and its natural enemies in Thailand. Sugarcane pest management in the New Millennium. 4th Sugarcane Entomology Workshop International Society of Sugar Cane Technologists, Khon Kaen, Thailand, 7-10 February 2000. 10-16.
- Altahtawy, M.M., El-Sawaf, S.M. & Shalaby, F.F. 1972.** Studies on morphology and development of the immature stages of *Microplitis rufiventris* Kokujev (Hym.: Braconidae). Zeitschrift für angewandte Entomologie 71: 134-140.
- Altahtawy, M.M., Hammad, S.M. & Hegazi, E.M. 1976.** Studies on the dependence of *Microplitis rufiventris* Kok. (Hym.: Braconidae) parasitizing *Spodoptera littoralis* (Boisd.) on own food as well as food of its host. Zeitschrift für angewandte Entomologie 81: 3-13.
- Altena, K. & van Schelt, J. 1997.** Growing tomatoes without insecticides. Proceedings of the 8th meeting of experimental and applied entomologists held in Utrecht on 13 December 1996. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 8: 151-157.
- Althoff, D.M. & Thompson, J.N. 1999.** Comparative geographic structures of two parasitoid-host interactions. Evolution 53(3): 818-825.
- Althoff, D.M. & Thompson, J.N. 2001.** Geographic structure in the searching behaviour of a specialist parasitoid: combining molecular and behavioural approaches. Journal of Evolutionary Biology 14(3): 406-417.
- Althoff, D.M. 2003.** Does parasitoid attack strategy influence host specificity? A test with New World braconids. Ecological Entomology 28(4): 500-502.
- Aluja, M., Guillen, J., Liedo, P., Cabrera, M., Rios, E., Celedonio, H., Mota, D. & Rosa, G. de la 1990.** Fruit infesting tephritids (Dipt.: Tephritidae) and associated parasitoids in Chiapas, Mexico. Entomophaga 35(1): 39-48.

- Aluja, M., Herrera, E., Lopez, M. & Sivinski, J. 2000.** First host plant and parasitoid record for *Anastrepha spatulata* Stone (Diptera: Tephritidae). Proceedings of the Entomological Society of Washington 102(4): 1072-1073.
- Aluja, M., Lopez, M. & Sivinski, J. 1998.** Ecological evidence for diapause in four native and one exotic species of larval-pupal fruit fly (Diptera: Tephritidae) parasitoids in tropical environments. Annals of the Entomological Society of America 91(6): 821-833.
- Aluja, M. & Birke, A. 1993.** Habitat use by adults of *Anastrepha obliqua* (Diptera: Tephritidae) in a mixed mango and tropical plum orchard. Annals of the Entomological Society of America 86(6): 799-812.
- Alvarado-Rodriguez, B. 1987.** Parasites and disease associated with larvae of beet armyworm *Spodoptera exigua* (Lepidoptera: Noctuidae), infesting processing tomatoes in Sinaloa, Mexico. Florida Entomologist 70(4): 444-449.
- Alvarado-Rodriguez, B. 1988.** Larval parasites of tomato pinworm (Lepidoptera: Gelechiidae) in Sinaloa, Mexico. Florida Entomologist 71(1): 84-86.
- Alverson, D.R. & Allen, R.K. 1992.** Bionomics of the crapemyrtle aphid (Homoptera: Aphididae). Journal of Entomological Science 27(4): 445-457.
- Alvi, S.M. & Momoi, S. 1994.** Environmental regulation and geographical adaptation of diapause in *Cotesia plutellae* (Hymenoptera: Braconidae), a parasitoid of the diamondback moth larvae. Applied Entomology and Zoology 29(1): 89-95.
- Amanturdiyev, K. 1989.** Pests and diseases of alchor. Uzbekiston Biologija Zhurnali 1: 51-53.
- Amin, A.H. 2002.** Natural enemies of pomegranate aphid, *Aphis punicae* Passerini (Homoptera: Aphididae) at El-Beida Region, Libya. Arab Journal of Plant Protection 20(2): 150-153.
- Amy, R.L. 1964.** Ultraviolet sensitivity in the *Habrobracon* embryo. Journal of Experimental Zoology 155: 43-56.
- Amy, R.L. 1975.** Mitochondrial and other ultrastructural changes in the developing *Habrobracon* embryo. Journal of Embryology and Experimental Morphology 34: 179-190.
- Anciso, J.R. & Quick, T.C. 1990.** Parasitoids of the diamondback moth, *Plutella xylostella* (L.) in the lower Rio Grande Valley, Texas. Journal of the Rio Grande Valley Horticultural Society 43: 89-90.
- Anderson, J. 1983.** Ladybirds and parasites. Circular of the Entomological Society of New South Wales No. 336: 28.
- Anderson, J.F., Hoy, M.A. & Weseloh, R.M. 1977.** Field cage assessment of the potential for establishment of *Rogas indiscretus* against the gypsy moth. Environmental Entomology 6: 375-380.
- Andreadis, T.G. 1980.** Nosema pyrausta infection in *Macrocentrus grandii*, a braconid parasite of the European corn borer, *Ostrinia nubilalis*. Journal of Invertebrate Pathology 35: 229-233.
- Andreadis, T.G. 1980.** Studying microbial and insect enemies of the European corn borer in Connecticut. Frontiers of Plant Science 33(1): 2-4.
- Andreadis, T.G. 1982.** Current status of imported and native parasites of the European corn borer (Lepidoptera: Pyralidae) in Connecticut. Journal of Economic Entomology 75(4): 626-629.
- Andreadis, T.G. 1982.** Impact of *Nosema purausta* on field populations of *Macrocentrus grandii*, an introduced parasite of the European corn borer, *Ostrinia nubilalis*. Journal of Invertebrate Pathology 39(3): 298-302.
- Andrei-Ruiz, M.C. & Villemant, C. 1999.** Biodiversity of the Ichneumonidea (Hymenoptera) in the green oak forest of Fango (Corsica). Integrated protection of *Quercus* spp. forests. Proceedings of the meeting held at Rabat-Sale, Morocco, 26-29 October, 1998. Bulletin OILB SROP 22(3): 151-156.
- Angalet, G.W. 1964.** *Bracon greeni* (Hymenoptera: Braconidae), a potential parasite of the boll weevil. Indian Journal of Entomology 26: 447-452.
- Angalet, G.W. & Coles, L.W. 1966.** The establishment of *Aphidius smithi* in the eastern United States. Journal of Economic Entomology 59(3): 769-770.
- Angalet, G.W. 1970.** Population, parasites, and damage of the spotted alfalfa aphid in New Jersey, Delaware, and the eastern shore of Maryland. Journal of Economic Entomology 63(1): 313-315.
- Angalet, G.W. & Fuester, R.W. 1977.** The *Aphidius* parasites of the pea aphid *Acyrtosiphum pisum* in the eastern half of the United States. Annals of the Entomological Society of America 70(1): 87-96.
- Angalet, G.W. & Stevens, N.A. 1977.** The natural enemies of *Brachycolus asparagi* in New Jersey and Delaware. Environmental Entomology 6(1): 97-100.
- Angerilli, N.D.P. 1980.** Two species of Lepidoptera associated with semi-aquatic Umbelliferae, and their parasites, in British Columbia. Journal of the Entomological Society of British Columbia 77: 24.
- Anjum, S., Poswal, M.A. & Mahwood, R., 2002.** Host range of Pakistan strain of *Lysiphlebus ambiguus* (Haliday) (Hymenoptera: Braconidae) as determined in the laboratory. Journal of Plant Sciences 1(4): 407-409.
- Anjum, Q. & Malik, K.F. 1978.** A new species of the genus *Apanteles* (Hymenoptera: Braconidae) parasite of the pink bollworm *Pectinophora gossypiella*, from Pakistan. Pakistan Journal of Zoology 10(2): 273-277.
- Ankasah, D., Hassan, K., Muhammad, A., Widayanto, H.A., Wirasto, H.B., Yully, I. & Berg, H. van den 1995.** Soybean stem fly, *Melanagromyza sojae* (Diptera: Agromyzidae), on Sumatra: seasonal incidence and the role of parasitism. International Journal of Pest Management 41(3): 127-133.
- Ankersmit, G.W. 1983.** Aphidiids as parasites of the cereal aphids *Sitobion avenae* and *Metopolophium dirhodum*. In: Cavalloro, R. "Aphid Antagonists." A.A. Balkema Press, Rotterdam pp. 42-49.
- Ankersmit, G.W., Acreman, T.M. & Dijkman, H. 1981.** Parasitism of colour forms in *Sitobion avenae*. Entomologia Experimentalis et Applicata 29(3): 362-363.
- Ankersmit, G.W., Bell, C., Dijkman, H., Mace, N., Rietstra, S., Schröder, J. & Visser, C.C. de 1986.** Incidence of parasitism by *Aphidius rhopalosiphii* in colour forms of the aphid *Sitobion avenae*. Entomologia Experimentalis et Applicata 40: 223-229.
- Annamalai, S., Ito, Y. & Saito, T. 1988.** Population fluctuations of the diamondback moth *Plutella xylostella* (L.) on cabbages in *Bacillus thuringiensis* sprayed and non-sprayed plots and factors affecting within-generation survival of immatures. Researches on Population Ecology 30(2): 329-342.
- Annecke, D.P., Moran, V.C. & Watmough, R. 1992.** Potato tuber moth: biological control of economic benefit. Plant Protection News 29: 8.
- Anonymous. 1985.** Division of Plant Protection Chemicals Research in Berlin-Dahlem. Jahresbericht 1985, Biologische Bundesanstalt für Land und Forstwirtschaft in Berlin und Braunschweig 85-88.
- Anonymous. 1985.** *Liriomyza* spp. (Agromyzidae). Leaf mining flies 2 pp.
- Anonymous. 1985.** *Sesamia calamistis* Hampson. Noctuidae. 'Pink' borer 2 pp.
- Anonymous. 1986.** *Chilo sacchariphagus* Bojer. Pyralidae. Spotted sugarcane borer 2 pp.
- Anonymous. 1987.** *Acigona ignefusalis* (Hampson). Pyralidae. Millet and sorghum borer 2 pp.
- Anonymous. 1987.** Biological control of diamondback moth in farmer's fields. Progress Report, 1985. 31-33.
- Anonymous. 1987.** Entomology. South Africa Sugar Experiment Station. Annual Report 1986-87. 55-57.

- Anonymous.** 1987. Pests. Annual report 1986, Mauritius Sugar Industry Research Institute 43-44.
- Anonymous.** 1987. Pests. Report, Mauritius Sugar Industry Research Institute. publ. 1988, 39-40.
- Anonymous.** 1987. Potato. Pests. Annual report 1986, Mauritius Sugar Industry Research Institute 62-63.
- Anonymous.** 1991. Demonstration of IPM of diamondback moth on farmers' fields in the lowlands. Progress Report Asian Vegetable Research and Development Center 21-25.
- Anonymous.** 1991. Effect of insecticides on the parasitism of diamondback moth by two larval parasites. Progress Report Asian Vegetable Research and Development Center 26-29.
- Anonymous.** 1991. Report for quarter ended March 1991. Sugar Industry Research Institute; Mandeville; Jamaica. 46 pp.
- Anonymous.** 1991. Study of parasitism of diamondback moth by larval parasites in various seasons in Taiwan. Progress Report Asian Vegetable Research and Development Center 25-26.
- Anonymous.** 1991. Report for the quarter ended June 1991. Mandeville; Jamaica. 54 pp.
- Anonymous.** 1992. Control of berry moth, (*Prophantis smaragdina*) (Butler) in coffee. Kenya Coffee 57(673): 1427-1428.
- Anonymous.** 1994. Biomethod in the fields of Stavropol'. Zashchita Rastenii Moskva 10: 20.
- Antolin, M.F., Bosio, C.F., Cotton, J., Sweeney, W., Strand, M.R. & Black, W.C.I.V.** 1996. Intensive linkage mapping in a wasp (*Bracon hebetor*) and a mosquito (*Aedes aegypti*) with single-strand conformation polymorphism analysis of random amplified polymorphic DNA markers. Genetics 143(4): 1727-1738.
- Antolin, M.F., Ode, P.J. & Strand, M.R.** 1995. Variable sex ratios and ovicide in an outbreeding parasitic wasp. Animal Behaviour 49(3): 589-600.
- Antolin, M.F. & Strand, M.R.** 1992. Mating system of *Bracon hebetor* (Hymenoptera: Braconidae). Ecological Entomology 17(1): 1-7.
- Antolin, M.F., Ode, P.J., Heimpel, G.E., O'hara, R.B. & Strand, M.R.** 2003. Population structure, mating system, and sex-determining allele diversity of the parasitoid wasp *Habrobracon hebetor*. Heredity 91(4): 373-381.
- Aoki, S. & Kurosu, U.** 1989. Can root generations of *Pemphigus* (Homoptera: Aphidoidea) grow in the poplar gall? Japanese Journal of Entomology 57(1): 205-209.
- Appert, J.** 1973. Entomofaune parasitaire des foreurs des graminées a Madagascar. Entomophaga 18(1): 77-94.
- Aquino, I.S., Ramalho, F.S., Payton, M.R. & Eikenbary, R.D.** 2000. Waxfilm (Pat. pend.): an alternative film for rearing parasitoids of *Anthonomus grandis* (Col.: Curculionidae). Journal of Applied Entomology 124(9-10): 387-390.
- Arakaki, N. & Ganaha, Y.** 1986. Emergence pattern and mating behavior of *Apanteles flavipes* (Cameron) (Hymenoptera: Braconidae). Applied Entomology and Zoology 21: 382-388.
- Arakawa, T. & Kitano, H.** 1989. A possible reason for the decrease of the number of teratocytes in the body cavities of *Pieris rapae crucivora* Boisduval (Lepidoptera: Pieridae) parasitized by *Apanteles glomeratus* L. (Hymenoptera: Braconidae). Applied Entomology and Zoology 24(2): 229-231.
- Arakaki, N. & Kinjo, K.** 1998. Notes on the parasitoid fauna of the serpentine leafminer *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae) in Okinawa, southern Japan. Applied Entomology and Zoology 33(4): 577-581.
- Arakaki, N. & Kinjo, K.** 1998. Notes on the parasitoid fauna of the serpentine leafminer *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae) in Okinawa, southern Japan. Applied Entomology and Zoology 33(4): 577-581.
- Arambourg, Y.** 1968. *Chelonus eleaphilus* (Hym.: Braconidae), parasite de *Prays oleae* (Lep.: Hyponomeutidae). Elevage, caractéristiques morphologiques et biologiques. Annales de la Société Entomologique de France 4(2): 385-411.
- Arambourg, Y. & Onillon, J.** 1970. Rearing of *Opius longicaudatus taiensis* (Hymenoptera: Braconidae), a parasite of Trypetidae. Annales de Zoologie Ecologie Animale 2: 663-665.
- Arambourg, Y.** 1970. Technique d'élevage et essais expérimentaux de lachers de *Chelonus eleaphilus* Silv. Parasite de *Prays oleae* Bern. Inst. Nac. Rech. Agron. Publ. 70-73: 57-61.
- Araujo, E.L., Zucchi, R.A. & Canal, D.N.A.** 1996. Characterization and occurrence of *Anastrepha zenildae* Zucchi (Diptera: Tephritidae) and its parasitoids (Hymenoptera: Braconidae) from a new host plant, in the State of Rio Grande do Norte, Brazil. Anais da Sociedade Entomologica do Brasil 25(1): 147-150.
- Araujo, J. & Gouveia, M.A. de** 1987. Study on the action of hymenopterous aphid parasitoids in a wheat field in the region of Evora (Hymenoptera, Homoptera: Aphidoidea). Boletim da Sociedade Portuguesa de Entomologia 3-21(91): 1-6.
- Araujo, L.H.A., Braga-Sobrinho, R., Porfirio, Almeida, R. de & Mesquita, C.K. de** 1993. Biological control of the boll weevil. Pesquisa Agropecuaria Brasileira 28(2): 257-261.
- Araujo, L.H.A., Braga-Sobrinho, R. & Queiroz, M.F. de** 1999. Biological aspects of a parasitoid of the cotton boll weevil. Scientia Agricola 56(4): 765-768.
- Araujo, L.H.A., Dias, J.M. & Almeida, R.P. de** 1997. Life expectancy table of adults for *Bracon* sp. (Hymenoptera: Braconidae) parasitoid of the cotton boll weevil. Scientia Agricola 54(3): 247-250.
- Araujo, L.H.A. & Moraes, A.C.S.** 1998. Parasitism of cotton aphid by *Lysiphlebus testaceipes* Cresson (Hymenoptera: Aphidiidae) in the greenhouse. Pesquisa em Andamento Embrapa Algodao 92: 3 pp.
- Arbab, A. & McNiell, M.** 2001. New report of *Microctonus aethiopooides* (Hym.: Braconidae) in Iran. Journal of Entomological Society of Iran 21(1): 111-112.
- Arce-Gomez, S. & Rumiatto, M.** 1989. Evaluation of the biological control of *Schizaphis graminum* (Rondani, 1852) by exotic introduced parasites. Documentos, Unidade de Execucao de Pesquisa de Ambito Estadual de Dourados, EMBRAPA, Brazil 39: 163-164.
- Arce-Gomez, S. & Rumiatto, M.** 1989. Rearing and liberation of natural enemies for the control of aphids. Documentos, Unidade de Execucao de Pesquisa de Ambito Estadual de Dourados, EMBRAPA, Brazil 39: 165-166.
- Arce de Hamity, M.G. & Neder de Román, E.** 1981. Nota sobre el hiperparasitismo de *Mesochorus discitergus* (Say, 1836) (Hymenoptera: Ichneumonidae). Neotropica 27(78): 161-163.
- Archer, T.L., Cate, R.H., Eikenbary, R.D. & Starks, K.J.** 1974. Parasitoids collected from greenbugs and corn leaf aphids in Oklahoma in 1972. Annals of the Entomological Society of America 67(1): 11-14.
- Archer, T.L., Murray, C.L., Eikenbary, R.D. & Burton, R.L.** 1974. Cold storage of *Lysiphlebus testaceipes* adults. Environmental Entomology 3: 557-558.
- Archer, T.L., Murray, C.L., Eikenbary, R.D., Starks, K.J. & Morrison, R.D.** 1973. Cold storage of *Lysiphlebus testaceipes* mummies. Environmental Entomology 2: 1104-1108.
- Areekul, B. & Quicke, D.L.J.** 2002. A new species of *Yelicones* Cameron (Hymenoptera: Braconidae) from Thailand. Pan Pacific Entomologist 78(1): 17-22.
- Arefin, V.S. & Ivliev, L.A.** 1984. Parasites of Lepidoptera-pests of the soybean in Primorye region. Arefin, V.S. [ed.]. [The fauna and ecology of invertebrates of the Far East (pests and entomophages). Collected scientific papers.] Akademiya Nauk Sssr, Vladivostok 1984: 1-103. Chapter pagination: 13-21.
- Arefin, V.S.** 1984. Population dynamics of the pine-tree beetle in pine groves damaged by the Siberian pine moth. Kononenko, V.S., Kupyanskaya, A.N., Ler, P.A. and Kulieva, T.G. [eds]. [Fauna and ecology of insects of southern Far East.] Acad. Sci.

- Ussr, Far East Scientific Centre, Vladivostok 1984: 1-150. Chapter pagination: 7-16.
- Argaman, Q. & Achterberg, C. van 1993.** *Kollasmosoma* gen. nov. and a key to the genera of the subfamily Neoneurinae (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 67(1-26): 63-74.
- Argov, Y. & Rossler, Y. 1993.** Biological control of the Mediterranean black scale, *Saissetia oleae* (Hom.: Coccidae) in Israel. Entomophaga 38(1): 89-100.
- Arida, G.S. & Shepard, B.M. 1990.** Parasitism and predation of rice leaffolders, *Marasmia patnalis* (Bradley) and *Cnaphalocrocis medinalis* (Guenée) (Lepidoptera: Pyralidae) in Laguna Province, Philippines. Journal of Agricultural Entomology 7(2): 113-118.
- Arita, Y., Xu, Z.G. & Liu, Y.Q. 1994.** Descriptions of immature stages of *Sesia siningensis* (Hsu) (Lepidoptera: Sesiidae). Transactions of the Shikoku Entomological Society 20(3-4): 117-123.
- Arita, Y., Xu, Z.G. & Liu, Y.Q. 1994.** Descriptions of immature stages of *Sesia siningensis* (Hsu) (Lepidoptera: Sesiidae). Transactions of the Shikoku Entomological Society 20(3-4): 117-123.
- Armstrong, S.M., Barratt, B.I.P. & Evans, A.A. 1996.** Circadian pattern of oviposition in the parasitoids *Microtonus aethiopioides* Loan and *M. hyperodae* Loan (Hymenoptera: Braconidae), in relation to host activity. Proceedings of the New Zealand Plant Protection Conference 49: 280-284.
- Arouca, R.G., Penteado-Dias, A.M. & Achterberg, C. van 2004.** A new species of *Phaenocarpa* Foerster (Hymenoptera, Braconidae: Alysiniinae) from Brazil. Zoologische Mededelingen, Leiden 78: 123-130, figs 1-13.
- Arretz, V.P., Lamborot, Ch.L. & Guerrero, S.M.A. 1985.** Evaluation of parasitism on the immature stages of the green bean hopper, *Rachiplusia nu* in alfalfa fields. Revista Chilena de Entomologia 12: 209-216.
- Arretz, P., Lamborot, L., Guerrero, M.A. & Araya, J.E. 1994.** Parasitism of eggs and larva of *Rachiplusia nu* (Guenée) (Lepidoptera: Noctuidae) on cultivated beans in the Metropolitan Region, Chile. Boletín de Sanidad Vegetal, Plagas 20(4): 909-917.
- Arthur, A.P., Stainer, J.E.R. & Turnbull, A.L. 1964.** The interaction between *Orgilus obscurator* (Nees) (Hymenoptera: Braconidae) and *Temelucha interruptor* (Grav.) (Hymenoptera: Ichneumonidae), parasites of the pine shoot moth, *Rhyacionia bouliana* (Schiff.) (Lepidoptera: Olethreutidae). Canadian Entomologist 96: 1030-1034.
- Arthur, A.P. & Mason, P.G. 1986.** Life history and immature stages of the parasitoid *Microplitis mediator* (Hymenoptera: Braconidae), reared on the bertha armyworm *Mamestra configurata* (Lepidoptera: Noctuidae). Canadian Entomologist 118(5): 487-491.
- Arzone, A., Navone, P. & Santoro, R. 1983.** Reports on hymenopterous parasites of *Phyllonorycter blancardella* (F.) (Lepidoptera: Gracillariidae) in Piedmont. Proceedings of the XIIIth Italian National Congress of Entomology. pp. 229-236.
- Ascerno, M.E. 1975.** Effects of the insect growth regulator Altozar on the parasitoid, *Microtonus aethiops*, and its host *Hypera postica*. Journal of the New York Entomological Society 83: 135.
- Ascerno, M.E., Smilowitz, Z. & Hower, A.A. 1980.** Effects of the insect growth regulator hydroprene on diapausing *Microtonus aethiopioides*, a parasite of the alfalfa weevil. Environmental Entomology 9: 262-264.
- Ascerno, M.E., Hower, A.A. & Smilowitz, Z. 1983.** Effects of the insect growth regulator hydroprene on nondiapausing *Microtonus aethiopioides* (Hymenoptera: Braconidae), a parasite of the alfalfa weevil (Coleoptera: Curculionidae). Environmental Entomology 12: 158-160.
- Asgari, S. & Schmidt, O. 1994.** Passive protection of eggs from the parasitoid, *Cotesia rubecula*, in the host, *Pieris rapae*. Journal of Insect Physiology 40(9): 789-795.
- Asgari, S. & Schmidt, O. 1994.** Polydnviruses produced in the calyx glands of *Cotesia rubecula* (Marshall) (Hymenoptera: Braconidae). Journal of Entomological Society of Iran 14: 13-16.
- Asgari, S., Hellers, M. & Schmidt, O. 1996.** Host haemocyte inactivation by an insect parasitoid: transient expression of a polydnvirus gene. Journal of General Virology 77(10): 2653-2662.
- Asgari, S., Schmidt, O. & Theopold, U. 1997.** A polydnvirus encoded protein of an endoparasitoid wasp is an immune suppressor. Journal of General Virology 78: 3061-3070.
- Asgari, S., Theopold, U., Wellby, C. & Schmidt, O. 1998.** A protein with protective properties against the cellular defense reactions in insects. Proceedings of the National Academy of Sciences of the United States of America 95(7): 3690-3695.
- Asgari, S. & Schmidt, O. 2002.** A coiled-coil region of an insect immune suppressor protein is involved in binding and uptake by hemocytes. Insect Biochemistry and Molecular Biology 32(5): 497-504.
- Asgari, S., Zareie, R., Zhang, G. & Schmidt, O. 2003.** Isolation and characterization of a novel venom protein from an endoparasitoid, *Cotesia rubecula* (Hym.: Braconidae). Archives of Insect Biochemistry and Physiology 53(2): 92-100.
- Asgari, S., Zhang, G., Zareie, R. & Schmidt, O. 2003.** A serine proteinase homolog venom protein from an endoparasitoid wasp inhibits melanization of the host hemolymph. Insect Biochemistry and Molecular Biology 33(10): 1017-1024.
- Ashley, T.R., Greany, P.D. & Chambers, D.L. 1977.** Adult emergence in *Biosteres (Opisus) longicaudatus* and *Anastrepha suspensa* in relation to temperature and moisture concentration of the pupation medium. Florida Entomologist 59(1976): 391-396.
- Ashley, T.R. & Chambers, D.L. 1979.** Effects of parasite density and host availability on progeny production by *Biosteres (Opisus) longicaudatus* (Hymenoptera: Braconidae), a parasite of *Anastrepha suspensa* (Diptera: Tephritidae). Entomophaga 24: 363-369.
- Ashley, T.R. 1979.** Classification and distribution of fall armyworm parasites. Florida Entomologist 62(2): 114-123.
- Ashley, T.R., Mitchell, E.R., Leppla, N.C. & Grissell, E.E. 1980.** Parasites attacking fall armyworm larvae *Spodoptera frugiperda* in late planted field corn. Florida Entomologist 63(1): 136-142.
- Ashley, T.R., Barfield, C.S., Waddill, V.H. & Mitchell, E.R. 1983.** Parasitization of fall armyworm larvae on volunteer corn, bermuda grass and paragrass. Florida Entomologist 66(2): 267-271.
- Ashley, T.R. 1986.** Geographical distributions and parasitization levels for parasitoids of the fall armyworm, *Spodoptera frugiperda*. Florida Entomologist 69(3): 516-524.
- Ashley, T.R., Mitchell, E.R. & Waddill, V. 1986.** Control biológico del gusano cogollero, en Florida, USA. Ceiba 26(1): 177-185.
- Ashmole, N.P., Nelson, J.M., Shaw, M.R. & Garside, A. 1983.** Insects and spiders on snowfields in the Cairngorms, Scotland. Journal of Natural History 17: 599-613.
- Ashmole, N.P. & Ashmole, Myrtle J. 1988.** Insect dispersal on Tenerife, Canary Islands: High altitude fallout and seaward drift. Arctic and Alpine Research 20: 1-12.
- Ashmole, N.P., Oromi, P., Ashmole, M.J. & Martin, J.L. 1996.** The invertebrate fauna of early successional volcanic habitats in the Azores. Boletim do Museu Municipal do Funchal 48(264): n5-39.
- Ashouri, A., Michaud, D. & Cloutier, C. 2001.** Recombinant and classically selected factors of potato plant resistance to the Colorado potato beetle, *Leptinotarsa decemlineata*, variously affect the potato aphid parasitoid *Aphidius nigripes*. BioControl 46: 401-418.
- Ashraf, M., Fatima, B. & Hussain, T. 1997.** Effects of constant temperatures on the immature development and adult life of *Cotesia (Apanteles) flavipes* (Cameron) (Hymenoptera: Braconidae).

- Proceedings of Pakistan Congress of Zoology 17, 1997: 295-298.
- Askan, H. & Brodeur, J. 1999.** Susceptibility of larval stages of the aphid parasitoid *Aphidius nigripes* to the entomopathogenic fungus *Verticillium lecanii*. *Journal of Invertebrate Pathology* 73(1): 129-132.
- Askari, A., Mertins, J.W. & Coppel, H.C. 1977.** Developmental biology and immature stages of *Meteorus pulchricornis* in the laboratory. *Annals of the Entomological Society of America* 70: 655-659.
- Askari, A. & Coppel, H.C. 1978.** Observations on courtship and mating behavior of *Meteorus pulchricornis*, a gypsy moth parasitoid. *Annals of the Entomological Society of America* 71: 364-366.
- Askari, A. & Alishah, A. 1979.** Courtship behavior and evidence for a sex pheromone in *Diaretiella rapae* (Hymenoptera: Braconidae), the cabbage aphid primary parasitoid. *Annals of the Entomological Society of America* 72: 749-750.
- Askary, H. & Brodeur, J. 1999.** Susceptibility of larval stages of the aphid parasitoid *Aphidius nigripes* to the entomopathogenic fungus *Verticillium lecanii*. *Journal of Invertebrate Pathology* 73(1): 129-132.
- Askew, R.R. & Shaw, M.R. 1979.** Mortality factors affecting the leaf-mining stages of *Phyllonorycter* (Lepidoptera: Gracillariidae) on oak and birch. 2. Biology of the parasite species. *Zoological Journal of the Linnean Society* 67: 51-64.
- Askew, R.R. & Shaw, M.R. 1986.** Parasitoid communities: their size, structure and development. In: Waage, J. & Greathead D. [eds] "Insect Parasitoids." Academic Press, London. pp. 225-264.
- Askew, R.R. & Blasco-Zumeta, J. 1997.** Parasitic Hymenoptera inhabiting seeds of *Ephedra nebrodensis* in Spain, with descriptions of a phytophagous pteromalid and four other new species of Chalcidoidea. *Journal of Natural History* 31(6): 965-982.
- Askew, R.R. & Blasco-Zumeta, J. 1998.** Insects associated with galls of a new species of Eurytomidae (Hymenoptera: Chalcidoidea) on *Ephedra nebrodensis* in Spain. *Journal of Natural History* 32(6): 805-821.
- Askew, R.R. & Shaw, M.R. 2001.** *Brachymeria tibialis* (Walker, 1834) (Hymenoptera: Chalcididae), a parasitoid of *Zygaena Fabricius, 1777*, and other Lepidoptera. *Entomologist's Gazette* 52: 263-268.
- Asokan, R. & Mohan, K.S. 1996.** Safety of sporeless mutant of *Bacillus thuringiensis* Berliner subsp. *kurstaki* to *Cotesia plutellae* Kurdj., a larval parasitoid of *Plutella xylostella* (L.). *Pest Management in Horticultural Ecosystems* 2(1): 45-48.
- Astafurova, Y.V. 1998.** *Coelinus (Chaenon & Lepton)*. In: Ler, P.A. 'Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3.' Dal'nauka, Vladivostok 706 pp. pp. 304-307.
- Astudillo, M.A.M., Vargas, G.H.A. & Jimenez, V.J. 1993.** Evaluation of a method for mass rearing *Bracon kirkpatricki* Wilkinson (Hymenoptera: Braconidae). *Revista Colombiana de Entomologia* 19(4): 159-166.
- Asylova, R.N. 1982.** Colonization by *Lysiphlebus fritzmuelleri* Mack. in greenhouses. Lukin, V.A. [ed.]. [Protection of fruit and vegetables.] "Vaskhnil", Alma Ata 1982: 1-158. Chapter pagination: 60-62.
- Atak, U. & Atak, E.D. 1984.** Investigations on the biology, ecology and control by microbial remedies of the large cabbage white butterfly (*Pieris brassicae* L.). *Bitki Koruma Bülteni* 24(4): 173-199.
- Atakan, E. & Ozgur, A.F. 1996.** The fluctuation of *Aphis craccivora* Koch, *Aphis gossypii* Glover (Homoptera: Aphididae) populations and their natural enemies in early season in cotton fields. *Turkiye Entomoloji Dergisi* 20(3): 187-197.
- Athanassov, A., Charmillot, P.J., Jeanneret, P. & Renard, D. 1997.** The larval and pupal parasitoids of the codling moth *Cydia pomonella* L. *Revue Suisse de Viticulture, d'Arboriculture et d'Horticulture* 29(2): 99-106.
- Athanassov, A.Z., Jeanneret, P., Charmillot, P.J. & Renard, D. 1998.** Parasitoids of codling moth and other leafrollers (Lepidoptera: Tortricidae) in apple orchards and forests in south-west Switzerland. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 71(1-2): 153-162.
- Atanasov, A.I. 1996.** A new for the ectoparasitic fauna species on the caterpillars of the codling moth (*Laspeyresia pomonella* L.)-*Rhyssalus pomonellae* sp. nov. (Hymenoptera: Braconidae). *Acta Entomologica Bulgarica* 2(1): 5-11.
- Atanassova, P. 1995.** Some biological and behavioural characteristics of *Lysiphlebus fabarum* Marshall (Hymenoptera: Aphidiidae). *Godishnik na Sofiiskiia Universitet "Sv. Kliment Okhridski" Biologicheski Fakultet Kniga. 1 Zoologiya* 86-87: 117-121.
- Atanassova, P.V. 1997.** Checklist of the subfamily Aphidiinae (Hymenoptera: Braconidae) from Bulgaria. *Zoologische Mededelingen, Leiden* 71(24): 287-290.
- Atanassova, P., Brookes, C.P., Loxdale, H.D. & Powell, W. 1998.** Electrophoretic study of five aphid parasitoid species of the genus *Aphidius* (Hymenoptera: Braconidae), including evidence for reproductively isolated sympatric populations and a cryptic species. *Bulletin of Entomological Research* 88(1): 3-13.
- Atanassova, P. 2000.** Effect of plant diversity on the host-searching behavior of parasitoid *Aphidius ervi* (Hymenoptera: Braconidae) *Godishnik na Sofiiskiia Universitet "Sv. Kliment Okhridski" Biologicheski Fakultet Kniga. 1 Zoologiya* 92: 115-120.
- Aterrado, E.D. & Abad, R.G. 1986.** Biological studies on the white slug caterpillar, *Parasa* sp. (Lepidoptera: Limacodidae) infesting coconut plantations in northern Mindanao. *Philippine Journal of Coconut Studies* 11(2) 1986: 1-8.
- Athanassios, C.G., Buchelos, C.T., Kavallieratos, N.G. & Barbetaki, A.E. 2002.** Evaluation of the mating disruption method for the control of the pink bollworm *Pectinophora gossypiella* (Saund.) (Lepidoptera: Gelechiidae) and comparison of this method with insecticidal treatments. *IOBC-WPRS Bulletin* 25(9): 39-50.
- Atkinson, T.H., Foltz, J.L. & Connor, M.D. 1988.** Bionomics of *Pissodes nemorensis* Germar (Coleoptera: Curculionidae) in northern Florida (USA). *Annals of the Entomological Society of America* 81(2): 255-261.
- Attia, A.A., El Heneidy, A.H. & El Kady, E.A. 1986.** Studies on the aphid, *Aphis craccivora*, Koch. (Homoptera: Aphididae) in Egypt. *Bulletin de la Societe Entomologique d'Egypte*. publ. 1987, 66: 319-324.
- Attique, M.R., Mohyuddin, A.I., Inayatullah, C., Goraya, A.A. & Mushtaque, M. 1980.** The present status of biological control of *Chilo partellus* (Swinh.) (Lep.: Pyralidae) by *Apanteles flavipes* (Cam.) (Hym.: Braconidae) in Pakistan. *Proceedings of First Pakistan Congress of Zoology B*: 301-305.
- Atwal, A.S., Chaudhary, J.P. & Ramzan, M. 1971.** Mortality factors in the natural population of cabbage-aphid, *Lipaphis erysimi* (Kalt.) (Aphididae: Homoptera), in relation to parasites, predators and weather conditions. *Indian Journal of Agricultural Sciences* 41(5): 507-510.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1995.** Development of *Cotesia marginiventris* in Bt exposed *Heliothis virescens* larvae. *Proceedings Beltwide Cotton Conferences, San Antonio, TX, USA, January 4-7, 1995: Vol 2: 853-855.*
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1995.** Development of *Cotesia marginiventris* in *Bacillus thuringiensis*-exposed *Heliothis virescens* larvae. *Proceedings of the 1995 Cotton Research Meeting, held at Mississippi County Community College, Blytheville, 9 February 1995. Special Report Agricultural*

- Experiment Station, Division of Agriculture, University of Arkansas 172: 152.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1996.** Interactions of *Cotesia marginiventris* parasitization and field applied *Bacillus thuringiensis*, Thiodicarb, and their combination on tobacco budworm mortality and parasitoid emergence. Proceedings Beltwide Cotton Conferences, Nashville, TN, USA, January 9-12, 1996: Vol 2: 905-908.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1997.** Impact of Bt and thiodicarb alone and in combination on tobacco budworm, mortality and emergence of the parasitoid *Microplitis croceipes*. Proceedings Beltwide Cotton Conferences 2: 1305-1310.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1997.** Development of *Cotesia marginiventris* (Hymenoptera: Braconidae) in tobacco budworm (Lepidoptera: Noctuidae) larvae treated with *Bacillus thuringiensis* and thiodicarb. Journal of Economic Entomology 90(3): 751-756.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1998.** Mortality of tobacco budworm larvae (Lepidoptera: Noctuidae) and emergence of *Cotesia marginiventris* (Hymenoptera: Braconidae) exposed to *Bacillus thuringiensis* and thiodicarb alone and in combination. Journal of Entomological Science 33(2): 136-141.
- Atwood, D.W., Kring, T.J. & Young, S.Y. 1999.** *Microplitis croceipes* (Hymenoptera: Braconidae) development in tobacco budworm (Lepidoptera: Noctuidae) larvae treated with *Bacillus thuringiensis* and thiodicarb. Journal of Entomological Science 34(2): 249-259.
- Atwood, D.W., Young, S.Y. & Kring, T.J. 1999.** Mortality of tobacco budworm larvae (Lepidoptera: Noctuidae) and emergence of *Cotesia marginiventris* (Hymenoptera: Braconidae) exposed to *Bacillus thuringiensis* and thiodicarb alone and in combination. Journal of Entomological Science 34(2): 136-141.
- Aud, A.M., Bueno, V.H.P., Kato, C.M. & Gamarra, D.C. 1997.** Occurrence and population fluctuation of predators and parasitoids of *Brachycaudus (Appelia) schwartzi* (Borner) (Homoptera: Aphididae) on peach trees, in Jacui, MG. Anais da Sociedade Entomologica do Brasil 26(2): 257-263.
- Aubert, J.F. 1964.** Révision des travaux concernant les Ichneumonides de France et 4^e supplément au catalogue de Gaulle (85 espèces nouvelles pour la faune française). Bulletin de la Société Linnéenne de Lyon 33: 57-65, 81-84.
- Aubert, J.F. 1965.** Les Ichneumonides du rivage méditerranéen français (8^e série, Région Cotière entre La Ciotat et Saint-Tropez). Vie et Milieu 16: 549-573.
- Aubert, J.F. 1966.** In: Liste d'identification No. 6 (présentée par le service d'identification des Entomophages). Entomophaga 11(1): 115-134.
- Aubert, J.F. 1966.** In: Liste d'identification No. 7 (Présentée par le Service d'Identification des Entomophages). Entomophaga 11(1): 135-151.
- Aubert, J.F. 1968.** Fixation des types, lectotypes et paratypes dans les collections d'Ichneumonides, et première liste de types perdus ou conservés. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 41: 175-201.
- Aubert, J.F. 1969.** Deuxième travail sur les Ichneumonides de Corse (Hymenoptera). Veröffentlichungen der Zoologischen Staatssammlung (München) 13: 27-70.
- Aubert, J.F. 1969.** Les Ichneumonides du rivage méditerranéen français (10^e série: Alpes-Maritimes) (Hym.). Bulletin de la Société Entomologique de France 74: 37-47.
- Aubert, J.F. 1969.** Les Ichneumonides ouest-paléarctiques et leurs hotes 1. Pimplinae, Xoridinae, Acaenitinae. Laboratoire d'Evolution des Etres Organisés, Paris 302 pp.
- Aubert, J.F. 1978.** Les Ichneumonides ouest-paléarctiques et leurs hotes 2. Banchinae et Suppl. aux Pimplinae. Laboratoire d'Evolution des Etres Organisés, Paris & EDIFAT-OPIDA, Echauffour 318 pp.
- Aubert, J.F. 2000.** The West Palaearctic ichneumonids and their hosts. 3. Scolobatinae (= Ctenopelmatinae) and supplements to preceding volumes. Les ichneumonides ouest-paléarctiques et leurs hotes. 3. Scolobatinae (= Ctenopelmatinae) et suppl. aux volumes precedents. Litterae Zoologicae 5: 1-310.
- Austin, A.D. 1987.** Braconidae. A review of the Braconidae (Hymenoptera) that parasitize Limacodidae in south-east Asia, particularly those associated with coconut and oil palm. In: Cook, M.J.W., Godfray H.C.J. & Holloway J.D. [eds]. "Slug and Nettle Caterpillars: the Biology, Taxonomy and Control of the Limacodidae of Economic Importance on Palms in South-east Asia" pp. 139-164.
- Austin, A.D. & Allen, G.R. 1989.** Parasitoids of *Uraba lugens* Walker (Lepidoptera: Noctuidae) in South Australia, with description of two new species of Braconidae Transactions of the Royal Society of South Australia 113(3-4): 169-184.
- Austin, A.D. & Dangerfield, P.C. 1989.** The taxonomy of New World microgastrine braconids (Hymenoptera) parasitic on *Diatraea* spp. (Lepidoptera: Pyralidae). Bulletin of Entomological Research 79(1): 131-144.
- Austin, A.D. & Faulds, W. 1989.** Two new Australian species of *Bracon* F. (Hymenoptera: Braconidae) parasitic on *Phylactophaga* spp. (Hymenoptera: Pergidae). Journal of the Australian Entomological Society 28(3): 207-213.
- Austin, A.D. 1989.** Revision of the genus *Buluka* de Saeger (Hymenoptera: Braconidae: Microgastrinae). Systematic Entomology 14(2): 149-163.
- Austin, A.D. 1990.** Revision of the enigmatic Australasian genus *Miropotes* Nixon (Hymenoptera: Braconidae: Microgastrinae), with comments on the phylogenetic importance of the female ovipositor system. Systematic Entomology 15: 43-68.
- Austin, A.D. & Burnyoczky, V. 1990.** Catalogue of invertebrate type specimens held in the collections of the Waite Agricultural Research Institute and the South Australian Department of Agriculture. Transactions of the Royal Society of South Australia 114(1): 47-53.
- Austin, A.D. & Wharton, R.A. 1992.** New records of subfamilies, tribes and genera of Braconidae (Insecta: Hymenoptera) from Australia, with description of seven new species. Transactions of the Royal Society of South Australia Incorporated 116(2): 41-63.
- Austin, A.D. & Dangerfield, P.C. 1992.** Synopsis of Australasian Microgastrinae (Hymenoptera: Braconidae), with a key to genera and description of new taxa. Invertebrate Taxonomy 6(1): 1-76.
- Austin, A.D., Dangerfield, P.C. & Adams, M. 1993.** Differentiation of the Australian species in the genus *Microplitis* Foerster (Hymenoptera: Braconidae) and the *Microplitis demolitor* complex, using comparative morphological and electrophoretic data. In: Corey, S.A., Dall, D.J. & Milne, W.M. [eds]. "Pest control & sustainable agriculture". CSIRO, Melbourne, 1993: i-xiii, 1-514. Chapter pagination: 219-222.
- Austin, A.D., Wharton, R.A. & Dangerfield, P.C. 1993.** Revision of the endemic Australian subfamily Trachypetinae Schulz s. l. (including Cercobarconinae Tobias) (Hymenoptera: Braconidae). Systematic Entomology 18(2): 97-119.
- Austin, A.D. & Dangerfield, P.C. 1993.** Systematics of Australian and New Guinean *Microplitis* Foerster and *Snellenius* Westwood (Hymenoptera: Braconidae: Microgastrinae), with a review of their biology and host relationships. Invertebrate Taxonomy 7(5): 1097-1166.
- Austin, A.D., White, T.C.R., Maelzer, D.A. & Taylor, D.G. 1993.** Biology of *Etiella behrii* Zeller (Lepidoptera: Pyralidae): a pest of seed lucerne in South Australia. Transactions of the Royal Society of South Australia Incorporated 117(1-2): 67-76.

- Austin, A.D., Quicke, D.L.J. & Marsh, P.M. 1994.** The hymenopterous parasitoids of eucalypt longicorn beetles, *Phoracantha* spp. (Coleoptera: Cerambycidae) in Australia. *Bulletin of Entomological Research* 84(2): 145-174.
- Austin, A.D. & Dangerfield, P.C. 1997.** A new species of *Jarra* Marsh and Austin (Hymenoptera: Braconidae) with comments on other parasitoids associated with the eucalypt longicorn *Phoracantha semipunctata* (F.) (Coleoptera: Cerambycidae). *Australian Journal of Entomology* 36(4): 327-331.
- Austin, A.D. & Dangerfield, P.C. 1998.** Biology of *Mesostoa kerri* (Insecta: Hymenoptera: Braconidae: Mesostoinae), an endemic Australian wasp that causes stem galls on *Banksia marginata*. Special issue. Selected papers from the Proteaceae Symposium, Melbourne, Australia, 1996. *Australian Journal of Botany* 46(3-4): 559-569.
- Austin, A.D. & Dowton, M. 1998.** Molecular and morphological phylogenies-inferred the life styles and host relationships of parasitoids. Sixth Australasian Applied Entomological Research Conference 437-443.
- Autrique, A., Starý, P. & Ntahimpera, L. 1989.** Biological control of pest aphids by hymenopterous parasitoids in Burundi. *FAO Plant Protection Bulletin* 37: 71-74.
- Avci, U. & Özbek, H. 1990.** Lepidopterous cabbage pests and their parasitoids in Erzurum. *Proceedings of the Second Turkish National Congress of Biological Control* 319-330.
- Avci, U. & Özbek, H. 1991.** Natural enemies of the cabbage aphid, *Brevicoryne brassicae* (L.) (Homoptera, Aphididae) in Erzurum. *Türkiye Entomoloji Dergisi* 15(1) 1991: 37-41.
- Avilla, J. & Albajes, R. 1983.** Preliminary studies on mutual interference in *Opius concolor* Szépl. (Hymenoptera: Braconidae). *Zeitschrift für angewandte Entomologie* 96: 27-32.
- Avilla, J. & Albajes, R. 1984.** The influence of female age and host size on the sex ratio of the parasitoid *Opius concolor*. *Entomologia Experimentalis et Applicata* 35: 43-47.
- Avinent, L. & Jiménez, R. 1987.** Opiinae from the collection of the Zoology Department in the University of Valencia: I. Madrid, Palencia and Segovia (Spain). *Boletín de la Asociación Española de Entomología* 11: 121-134.
- Avinent, L., Falcó, J.V. & Jiménez, R. 1988.** Opiinae (Hym.: Braconidae) of the entomological collection of the Zoology Department of the University of Valencia, (and II): Santander, Tarragona, Teruel and Valencia. *Boletín de la Asociación Española de Entomología* 12: 209-213.
- Awadallah, K.T., Tawfik, M.F.S. & Abdella, M.M.H. 1984.** Intraspecific competition in the population dynamics of *Bracon hebetor* (Hymenoptera: Braconidae). *Anzeiger für Schädlingskunde Pflanzenschutz Umweltschutz* 57(5): 91-93.
- Awadallah, K.T., Tawfik, M.F.S. & Abdella, M.M.H. 1985.** Population studies on flour insect pests and their natural enemies at four localities of Egypt. *Bulletin de la Société Entomologique d'Égypte* 64: 95-110.
- Awadallah, K.T., Zaki, F.N. & Gesraha, M.A. 1995.** Interaction between *Apanteles ruficrus* Hal. and *Meteorus rubens* Nees on larvae on *Agrotis ipsilon* (Hufn.). *Journal of Applied Entomology* 119(9): 625-626.
- Awchar, S.L., Satpute, U.S., Sarnaik, D.N. & Sarode, D.B. 1995.** Effect of certain chemical and botanical insecticides on some beneficial insects associated with mustard. *Journal of Biological Control* 9(1): 13-15.
- Ayala, J. 1991.** *Heliethis subflexus*: a new host of *Cardiochiles nigriceps* in Cuba. *Proteccion de Plantas* 1(3-4): 91-93.
- Ayala, S.J.L., Rodriguez, T., Borges, S.M. & Grillo, R.H. 1991.** Hymenopteran larval parasites of *Spodoptera exigua* (Hübner) in Guira de Melena, Habana province. *Centro Agrícola* 18(3): 89-91.
- Ayal, Y. 1987.** The foraging strategy of *Diaeretiella rapae* I. The concept of the elementary unit of foraging. *Journal of Animal Ecology* 56: 1057-1068.
- Ayal, Y. & Green, R.F. 1993.** Optimal egg distribution among host patches for parasitoids subject to attack by hyperparasitoids. *American Naturalist* 141(1): 120-138.
- Aydogdu, M. & Beyarslan, A. 2002.** *Chelonus* Jurine (Hymenoptera: Braconidae: Cheloninae) species of the Marmara region. *Turkish Journal of Zoology* 26(1): 1-13.
- Ayquipa, A.G., Cueva, C.M.A. & Sirlopu, R.J. 1979.** Introduction of *Apanteles flavipes* (Cameron) (Hym. Braconidae) for biological control of sugarcane borer *Diatraea saccharalis* F. (Lep.: Crambidae) in Peru. *Entomol. News* 17: 8.
- Azab, A.K., Tawfik, M.F.S. & Nagui, A. 1968.** Studies on the biology of *Macrobracon kirkpatricki* Wilk., in Egypt. *Bulletin de la Société Entomologique d'Égypte* 52: 251-271.
- Azerefegne, F. 1999.** The sweet potato butterfly *Acraea acerata* in Ethiopia. Ecology and economic importance. *Acta Universitatis Agriculturae Sueciae Agraria* 195: 62 pp.
- Azevedo, C.O., Kawada, R., Tavares, M.T. & Perioto, N.W. 2002.** Survey of the hymenopterous parasitoids (Insecta: Hymenoptera) from the Parque Estadual da Fonte Grande, Vitoria, ES, Brazil. *Revista Brasileira de Entomologia* 46(2): 133-137.
- Ba-Angood, S.A. & Stewart, R.K. 1980.** Effect of granular and foliar insecticides on cereal aphids (Hemiptera) and their natural enemies on field barley in southwest Quebec. *Canadian Entomologist* 112: 1309-1313.
- Babidorich, M.M. & Sharov, A.A. 1986.** Coherence of seasonal cycles of the codling moth *Laspeyresia pomonella* L. (Lepidoptera: Tortricidae) and its parasites in Moldavia. *Entomologicheskoye Obozreniye* 65(3): 470-478. [Entomological Review 66: 96-105].
- Babushkina, N.G. 1996.** Natural regulators of beet leaf-miner fly numbers. *Zashchita Rastenii Moskva* 1: 14-15.
- Bach, C.E. & Tabashnik, B.E. 1990.** Effects of nonhost plant neighbors on population densities and parasitism rates of the diamondback moth (Lepidoptera: Plutellidae). *Environmental Entomology* 19(4): 987-994.
- Badawy, A. 1967.** Dura stem borers and their parasites in the Sudan. *Bulletin de la Société Entomologique d'Égypte* 51: 233-241.
- Badilla, F.F., Solis, A.I. & Alfaro, D. 1991.** Biological control of the sugarcane stem borer *Diatraea* spp. (Lepidoptera: Pyralidae) in Costa Rica. *Manejo Integrado de Plagas* 20-21: 39-44.
- Badilla, Fernandez F. 2002.** A successful biological control program of insect pests in sugar cane in Costa Rica. *Manejo Integrado de Plagas y Agroecología* 64: 77-87.
- Badmin, J. 1991.** Biology of *Helleborus foetidus* L. and the aphid *Macrosiphum hellebori* Theobald & Walton. *Transactions of the Kent Field Club* 11(2): 81-92.
- Baez, M., Koponen, M., Gracia, A. & Martin, E. 2001.** Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres). Hymenoptera. *Gobierno de Canarias*.
- Bagnoli, B., Lucchi, A. & Lozzia, C. 2001.** Bionomics of *Cryptoblabes gnidiella* (Milliere) (Pyralidae: Phycitinae) in Tuscan vineyards. *Proceedings of the IOBC WPRS Working Group "Integrated Control in Viticulture"* at Ponte de Lima, Portugal, 2-7 March 2001. *Bulletin OILB SROP* 24(7): 79-83.
- Bahana, J. & Karuhize, G. 1986.** The role of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Braconidae) in the population control of the cabbage aphid, *Brevicoryne brassicae* L. (Homoptera: Aphididae) in Kenya. *Insect Science and its Application* 7(5): 605-609.
- Bai, B. 1991.** Conspecific superparasitism in two parasitoid wasps, *Aphidius ervi* Haliday and *Aphelinus asychis* Walker: reproductive strategies influence host discrimination. *Canadian Entomologist* 123(6): 1229-1237.
- Bai, B. & Mackauer, M. 1991.** Recognition of heterospecific parasitism: competition between aphidiid (*Aphidius ervi*) and aphelinid (*Aphelinus asychis*) parasitoids of aphids (Hymenoptera:

- Aphidiidae: Aphelinidae). *Journal of Insect Behavior* 4(3): 333-345.
- Bai, B. & Mackauer, M. 1992.** Influence of superparasitism on development rate and adult size in a solitary parasitoid wasp, *Aphidius ervi*. *Functional Ecology* 6(3): 302-307.
- Bai, B. 1991.** Conspecific superparasitism in two parasitoid wasps, *Aphidius ervi* Haliday and *Aphelinus asychis* Walker: reproductive strategies influence host discrimination. *Canadian Entomologist* 123(6) (November/December): 1229-1237.
- Bai, M.G. & Marimadaiah, B. 2000.** A new record of *Apanteles agilis* Ashmead (Hymenoptera: Braconidae), from the leaf-roller pest of mulberry, *Diaphania pulverulentalis* (Hampson) from India. *Entomon* 25(2): 147-150.
- Bai, M.G. & Marimadaiah, B. 2002.** Seasonal occurrence of the mulberry leaf-roller, *Diaphania pulverulentalis* (Hampson) and its parasitoids. *Entomon* 27(1): 51-56.
- Bai, S.F., Chen, X.X., Cheng, J.A., Fu, W.J. & He, J.H. 2002.** Development and ultrastructure of *Cotesia plutellae* (Kurdjumov) teratocytes. *Journal of Zhejiang University Agriculture and Life Sciences* 28(6): 635-640.
- Bai, S.F., Chen, X.X., Cheng J., Fu Wen, J. & He, J.H. 2003.** Characterization of *Cotesia plutellae* polydnavirus and its physiological effects on the diamondback moth, *Plutella xylostella* larvae. *Acta Entomologica Sinica* 46(4): 401-408.
- Bailey, P. 1980.** An attempt to control oriental fruit moth, *Cydia molesta* Busck. by mass releases of *Macrocentrus ancylivorus* Rohwer (Hymenoptera: Braconidae). *Journal of the Australian Entomological Society* 18(3) (1979): 211-212.
- Baird, M.B. & Clark, A.M. 1971.** X-ray induced life-shortening mutations in *Habrobracon*: A genetic approach to senescence and duration of life. *Exp. Gerontol.* 6: 1-8.
- Baixeras Almela, J. & Michelena Saval, J.M. 1983.** Aparición del *Lysiphlebus (Phlebus) testaceipes* Cresson, 1880 (Hym.: Aphidiidae) en España. *Actas do Congresso Iberico de Entomologia*. León. pp. 69-73.
- Baixeras Almela, J. & Oltra Moscardo, T. 1983.** *Hypomicrogaster semele* Nixon 1965, nueva especie para Europa (Hym.: Braconidae). *Actas do Congresso Iberico de Entomologia* 1(1): 81-84.
- Baixeras Almela, J., Garcia Barros Saura, E. & Gonzalez Funes, P. 1983.** *Meteorus abscessus* Thomson, 1895 (Hym.: Braconidae) primera cita para Espana. *Actas do Congresso Iberico de Entomologia* 1(1): 65-68.
- Baixeras Almela, M.J. & Moscardo, T.O. 1983.** [Data on the biology of *Clepsis unicolorana* Duponchel, 1835 (Lep.: Tortricidae) and its parasite *Microgaster tibialis* Nees von Esenbeck, 1834 (Hym.: Braconidae).] *Actas Del I Congreso Iberico De Entomologia*, Leon. pp. 75-79.
- Baker, J.E. 1995.** Stability of malathion resistance in two hymenopterous parasitoids. *Journal of Economic Entomology* 88(2): 232-236.
- Baker, J.E. & Throne, J.E. 1995.** Insecticide resistance in beneficial insects associated with stored grain in the southeastern United States. *Resistant Pest Management* 7(2): 17.
- Baker, J.E., Weaver, D.K., Throne, J.E. & Zettler, J.L. 1995.** Resistance to protectant insecticides in two field strains of the stored-product insect parasitoid *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 88(3): 512-519.
- Baker, J.E. & Fabrick, J.A. 2000.** Host hemolymph proteins and protein digestion in larval *Habrobracon hebetor* (Hymenoptera: Braconidae). *Insect Biochemistry and Molecular Biology* 30(10): 937-946.
- Baker, J.E. & Fabrick, J.A. 2002.** Unusual responses of Indian meal moth larvae (Lepidoptera: Pyralidae) to envenomation and parasitization by a braconid ectoparasitoid. *Journal of Entomological Science* 37(4): 370-374.
- Baker, P.S., Khan, A., Mohyuddin, A.I. & Waage, J.K. 1992.** Overview of biological control of Lepidoptera in the Caribbean. *Florida Entomologist* 75(4): 477-483.
- Baker, D.A., Loxdale, H.D. & Edwards, O.R. 2003.** Genetic variation and founder effects in the parasitoid wasp, *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Braconidae: Aphidiidae), affecting its potential as a biological control agent. *Molecular Ecology* 12(12): 3303-3311.
- Baker, J.E. & Arbogast, R.T. 1995.** Malathion resistance in field strains of the warehouse pirate bug (Heteroptera: Anthracoridae) and a prey species *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Journal of Economic Entomology* 88(2): 241-245.
- Bakker, K., Alphen, J.J.M. van, Batenburg, F.H.D. van, Hoeven, N. van der, Nell, H.W., Strien-van Liempt, W.T.F.H. van & Turlings, T.C.J. 1985.** The function of host discrimination and superparasitization in parasitoids. *Oecologia (Berlin)* 67(4): 572-576.
- Baksha, M.W. 2000.** Biology, ecology and management of kadam defoliator, *Arthroschista hilaralis* Walker (Pyralidae: Lepidoptera) in Bangladesh. *Bangladesh Journal of Forest Science* 29(2): 133-136.
- Balakrishnan, M.M., Vinodkumar, P.K. & Govindarajan, T.S. 1986.** Role of natural enemies in the suppression of the leaf miner *Tropicomyia* sp. (Diptera: Agromyzidae) on coffee. *Journal of Coffee Research* 16(3-4): 89-93.
- Balakrishnan, M.M., Sreedharan, K. & Bhat, P.K. 1993.** Record of *Lemyra* sp. (Lepidoptera: Arctiidae) and its natural enemies on coffee. *Journal of Coffee Research* 23(2): 117-119.
- Balasubramanya, R.H., Shaikh, A.J., Paralikal, K.M. & Sundaram, V. 1990.** Spoilage of cotton stalks during storage and suggestions for its prevention. *Journal of the Indian Society for Cotton Improvement* 15(1): 34-39.
- Balazs, K., Jenser, G. & Polesny, F. 1999.** The effect of an IPM program on parasitoid populations of leaf miners. IOBC WPRS Working Group "Integrated Plant Protection in Orchards". Workshop on arthropod pest problems in pome fruit production at Einsiedeln, Switzerland, November 30 December 3, 1997. *Bulletin OILB SROP* 22(7): 13-20.
- Balazs, K. & Thuróczy, C. 2000.** Parasitism on *Cameraria ohridella* Deschka et Dimic depending on diversity of the environment. *Novenyvedelem* 36(6): 281-287.
- Balazs, K. & Thuróczy, C. 2000.** Über den Parasitoidkomplex von *Cameraria ohridella* Deschka & Dimic 1986 (Lepidoptera: Lithocolletidae). *Entomologica Basiliensia* 22: 269-277.
- Balazy, S. & Michalski, J. 1977.** A supplement to the morphology and biology of *Coeloides rossicus* (Kokujev, 1902) (Hym.: Braconidae) with a description of the male. *Polskie Pismo Entomologiczne* 47: 195-201.
- Balazy, S. & Michalski, J. 1983.** Notes on the biology and morphology of *Coeloides rossicus* (Kok.) (Hymenoptera: Braconidae). *Bulletin de la Societé des Amis des Sciences et des Lettres de Poznan Serie D Sciences Biologiques*. Poznan: Panstwowe Wydawn. Naukowe 23: 147-151.
- Balduf, W.V. 1966.** Life of *Acrobasis rubrifasciella* (Lepidoptera: Phycitidae), its main parasite, *Agathis calcarata* (Hymenoptera: Braconidae), and three hyperparasites (Chalcidoidea). *Annals of the Entomological Society of America* 59(6): 1038-1046.
- Balduf, W.V. 1969.** Observations on the parasites (Hymenoptera: Diptera) of *Trichotaphe levisella* Fyles (Gelechiidae, Lepidoptera), with notes on the host. *Ohio Journal of Science* 69: 36-52.
- Balevski, N. 1984.** Use of parasite *Habrobracon hebetor* Say for biological control. *Rastitelna Zashchita Plant Prot. Sofiia: Central Council of the National Agroindustrial Union and the Agricultural Academy* 32 (6): 28-29.
- Balevski, N.A. & Tobias, V.I. 1980.** Three new species of the genus *Apanteles* Foerst. (Hymenoptera: Braconidae) from south-

- western Bulgaria. Entomologicheskoye Obozreniye 59: 363-367. [Entomological Review 59(2): 107-111].
- Balevski, N.A. 1980.** New species of *Apanteles* Foerst. (Hymenoptera: Braconidae) from Bulgaria. Entomologicheskoye Obozreniye 59(2): 350-362. [Entomological Review 59: 93-106].
- Balevski, N.A. 1989.** Species composition and hosts of family Braconidae (Hymenoptera) in Bulgaria. Acta Zoologica Bulgarica 38: 24-45.
- Balevski, N., Gencheva, E., Georgieva, R. & Ivanov, V. 1995.** Effect of some heavy metals on development and reproduction of the ectoparasitoid, *Bracon (Habrobracon) hebetor* Say (Hymenoptera: Braconidae) and its laboratory hosts, *Galleria mellonella* L. and *Mamestra oleracea* L. Acta Entomologica Bulgarica 1(2) 1995: 74-80.
- Balevski, N. 1995.** Influence of the additional feeding on life span and fecundity of *Bracon (Habrobracon) hebetor* Say, (Hymenoptera: Braconidae). Acta Entomologica Bulgarica 1(1): 65-69.
- Balevski, N.A. 1996.** Method for mass-rearing of the ectoparasitoid-*Bracon (Habrobracon) hebetor* Say (Hymenoptera: Braconidae). Acta Entomologica Bulgarica 2(1): 55-59.
- Balevski, N. & Georgiev, G. 1998.** New braconid parasitoids (Braconidae, Hymenoptera) on forest lepidopteran phytophages (Lepidoptera) in Bulgaria. Acta Entomologica Bulgarica 4(1): 72-75.
- Balevski, N. & Tomov, R. 1998.** Contribution to establish new leaf-miner hosts (Lepidoptera), damaging fruit trees, of braconid parasitoids (Braconidae, Hymenoptera) in Bulgaria. Acta Entomologica Bulgarica 4(1): 5-9.
- Balevski, N. 1998.** Some new species of the Braconid parasitoid fauna of Bulgaria (Hymenoptera: Braconidae) isolated from different new Lepidopterous insect hosts. Acta Entomologica Bulgarica 4(2-4): 11-16.
- Balevski, N.A. 1998.** Catalogue of the Braconid parasitoids (Hymenoptera: Braconidae) isolated from various phytophagous insect hosts in Bulgaria: 1-126. Sofia-Moscow.
- Balevski, N. & Draganova, S. 2000.** Influence of mycosis caused by *Beauveria bassiana* (Bals.) Vuill. to *Galleria mellonella* L. (Lepidoptera: Pyralidae) upon ectoparasitoid *Habrobracon hebetor* Say (Hymenoptera: Braconidae). Acta Entomologica Bulgarica 6(1-2): 52-56.
- Balgopal, M.M., Dover, B.A., Goodman, W.G. & Strand, M.R. 1996.** Parasitism by *Microplitis demolitor* induces alterations in the juvenile hormone titers and juvenile hormone esterase activity of its host, *Pseudoplusia includens*. Journal of Insect Physiology 42(4): 337-345.
- Balkhoven, J. & Zuidam, K. van 2002.** Biological control of hennep aphid is possible, but expensive. Fruittel Den Haag 92(12): 10-11.
- Ball, J.C. & Dahlsten, D.L. 1973.** Hymenopterous parasites of *Ips paraconfusus* (Coleoptera: Scolytidae) larvae and their contribution to mortality. I. Influence of host tree and tree diameter on parasitization. Canadian Entomologist 105: 1453-1464.
- Ballal, C.R., Singh, S.P., Kumar, P. & Jalali, S.K. 1988.** A time-temperature schedule for terminating diapause in prepupae of *Cotesia kazak*. Current Science 57(13): 741-743.
- Ballal, C.R., Singh, S.P., Jalali, S.K. & Kumar, P. 1989.** Cold tolerance of cocoons of *Allorhogas pyralophagus* (Hym.: Braconidae). Entomophaga 34(4): 463-468.
- Ballal, C.R. & Kumar, P. 1989.** Performance specifications of an introduced parasitoid, *Allorhogas pyralophagus* (Marsh) on different laboratory hosts. Entomon 14(12): 63-66.
- Ballal, C.R. & Kumar, P. 1991.** Differential response of *Allorhogas pyralophagus* (Hymenoptera: Braconidae) to various pesticides. Indian Journal of Agricultural Sciences 61(1): 78-79.
- Ballal, C.R. & Kumar, P. 1991.** Response of *Chelonus blackburni* (Hym.: Braconidae) to different ages and densities of potato tuber moth eggs. Entomophaga 36(4): 513-518.
- Ballal, C.R. & Kumar, P. 1993.** Host-parasitoid interaction between *Chilo partellus* (Swinhoe) and *Allorhogas pyralophagus* Marsh. Journal of Biological Control 7(2): 72-74.
- Ballal, C.R. & Ramani, S. 2000.** Cocoon production by host-deprived parasitoid. Insect Environment 6(1): 7-8.
- Baltazar, C.R. 1966.** A catalog of Philippine Hymenoptera (with a bibliography, 1758-1963). Pacific Insects Monograph 8: 1-488.
- Baltazar, C.R. 1972.** Reclassification of some Indo-Australian and African Braconinae and Rogadinae (Braconidae, Hymenoptera). Philippine Journal of Science 98(1969): 259-277.
- Balu, A., Madhavan Pillai, S.R., Sasidharan, K.R., Deeparaj, B. & Sunitha, B. 1995.** Natural enemies of babul (*Acacia nilotica* (L.) Willd. ex Del, ssp. *indica* (Bth.) Brenan) defoliators, *Selepa celtis* (Moore) and *Tephрина pulinda* (Walker). In: Ananthkrishnan¹, T.N. [ed.]. "Biological control of social forest and plantation crops insects." Oxford & Ibh Publishing Co. Pvt. Ltd., New Delhi, Bombay & Calcutta 225 pp. Chapter pagination: 43-53.
- Banerjee, T.C. 1977.** Distribution, abundance, and activity of field population of *Opius incisi* Silv. in relation to environmental temperature. Oriental Insects 11(2) (June): 251-261.
- Banerjee, T.C. 1980.** Dynamics of field population of *Opius incisi* Silv. (Braconidae, Hymenoptera) in relation to rainfall. Proceedings All India Symposium on Environmental Biology 1977: 156-161.
- Banerji, D.K. & David, H. 1982.** Record of some Hymenopterous parasites of the sugarcane leaf roller, *Neomarasmia suspicalis* Wkr. Entomon 7(3): 334-335.
- Banerjee, T.C. 1989.** Nocturnal periodicity of natural population of a braconid fly, *Opius incisi*: size and distribution pattern. Indian Journal of Entomology, publ. 1990, 51(4): 440-449.
- Bano, M. 2001.** A new species of the genus *Rogas* Nees von Esenbeck (Hymenoptera: Braconidae) from India. Shashpa 8(1): 19-22.
- Banpot N., Kosol C., Wiwat S. & Sawai B. 1982.** Sugarcane insect pest management. Research Reports Kasetsart University 1982 (2525) [undated? 1982]: 53-54.
- Bapuram M. 1987.** Studies on natural enemies of stem borer, *Chilo partellus* (Swinhoe) on forage sorghum and biology of some potential parasitoids. Thesis Abstracts Haryana Agricultural University 13(4): 300-301.
- Bar, D., Gerling, D. & Rossler, Y. 1979.** Bionomics of the principal natural enemies attacking *Heliothis armigera* in cotton fields in Israel. Environmental Entomology 8(3): 468-474.
- Barannik, A.P. & Mirzashaekhov, R.C. 1981.** An effective parasite of aphids-*Lysiphlebus ambiguus* Halid (Hymenoptera: Aphidiidae). Cherepanov, A.I. [ed.]. [Fauna and ecology of arthropods of Siberia. (Proceedings of the 5th Conference of Siberian Entomologists).] Nauka, Novosibirsk 1981: 1-317. Chapter pagination: 127-129.
- Barannik, A.P. 1986.** On the fauna of aphidiids (Hymenoptera: Aphidiidae) of the Kemerovsk region. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 68: 78-79.
- Baranowski, R.M. & Swanson, R.W. 1970.** Introduction of *Parachasma (Opius) cerus* (Hymenoptera: Braconidae) into Florida as a parasite of *Anastrepha suspensa* (Diptera: Tephritidae). Florida Entomologist 53: 161-162.
- Baranowski, R.M. & Swanson, R.W. 1972.** The utilization of *Parachasma cereum* (Hymenoptera: Braconidae) as means of suppressing *Anastrepha suspensa* (Diptera: Tephritidae) populations. Proceedings of the Tall Timbers Conference on ecological animal control by habitat management 1971: 249-252.
- Baranowski, R.M. 1974.** Release of *Opius longicaudatus* against *Anastrepha suspensa* in Florida. Fruit Fly News 3: 17.
- Baranowski, R., Glenn, H. & Sivinski, J. 1993.** Biological control

- of the Caribbean fruit fly (Diptera: Tephritidae). A conference on *Anastrepha suspensa* held in 1991. Florida Entomologist 76(2): 245-251.
- Barbalho, S.M. & Penteado-Dias, A.M. 1997.** Venom apparatus morphology of cyclostome Braconidae (Hymenoptera). Revista Brasileira de Zoologia 14(1): 65-71.
- Barbalho, S.M. & Penteado-Dias, A.M. 1998.** Taxonomic notes on Evaniodini (Hymenoptera: Braconidae), with redescription of *Evaniodes spathiiformis* and description of a new species. Entomological News 109(4): 269-273.
- Barbalho, S.M., Penteado-Dias, A.M. & Marsh, P.M. 1999.** Descriptions of new genera from Brazil in the tribes Heterospilini and Spathiini with similar wing venation (Hymenoptera: Braconidae: Doryctinae). Journal of Hymenoptera Research 8(2): 139-153.
- Barbalho, S.M. & Penteado-Dias, A.M. 2000.** *Platydyoryctes*, a new Doryctinae genus from Brazil (Hymenoptera: Braconidae). Entomological News 111(1): 25-31.
- Barbalho, S.M. & Penteado-Dias, A.M. 2000.** Two new species of the genus *Whitfieldiellus* (Hymenoptera: Braconidae) from Brazil. Entomological News 111(5): 328-331.
- Barbalho, S.M. & Penteado-Dias, A.M. 2002.** A new genus and species of Doryctinae (Hymenoptera: Braconidae) with fused first and second metasomal terga. Entomological News 113(3): 179-182.
- Barbalho, S.M., Scatolini, D. & Penteado-Dias, A.M. 2004.** Redefinition of genus *Tarasco* Marsh (Hymenoptera: Braconidae: Doryctinae) and description of two new Brazilian species. Zootaxa 411: 1-6.
- Barbarossa, I.T., Muroi, P., Dardani, M., Casula, P. & Angioy, A.M. 1998.** New insight into the antennal chemosensory function of *Opius concolor* (Hymenoptera: Braconidae). Italian Journal of Zoology 65(4): 367-370.
- Barbosa, P., Capinera, J.L. & Harrington, E.A. 1975.** The gypsy moth parasitoid complex in western Massachusetts: A study of parasitoids in areas of high and low density. Environmental Entomology 4(5): 842-846.
- Barbosa, P., Saunders, J.A., Kemper, J., Trumbule, R., Olechno, J. & Martinat, P. 1986.** Plant allelochemicals and insect parasitoids: Effects of nicotine on *Cotesia congregata* (Say) (Hymenoptera: Braconidae) and *Hyposoter annulipes* (Cresson) (Hymenoptera: Ichneumonidae). Journal of Chemical Ecology 12(6): 1319-1328.
- Barbosa, P., Kemper, J., Gross, P. & Martinat, P. 1990.** Influence of dietary nicotine and colony source of *Manduca sexta* (Lepidoptera: Sphingidae) on its suitability as a host of *Cotesia congregata* (Hymenoptera: Braconidae). Entomophaga 35(2): 223-231.
- Barbosa, P., Gross, P. & Kemper, J. 1991.** Influence of plant allelochemicals on the tobacco hornworm and its parasitoid *Cotesia congregata*. Ecology 72(5): 1567-1575.
- Barczak, T. 1988.** Parasitoids of the black bean aphid *Aphis fabae* complex in the Bydgoszcz district, Poland. In: Niemczyk, E., Dixon, A.F.G. [eds] "Ecology and effectiveness aphidophaga." SPB Academic Publishing, The Hague. pp. 105-109.
- Barczak, T. 1990.** The role of *Aphidius matricariae* Hal. and *Lysiphlebus cardui* (Marsh.) (Hym.: Aphidiidae) as parasitoids of *Aphis fabae*-complex (Hom.: Aphididae) in Poland. Journal of Applied Entomology 109(2): 205-209.
- Barczak, T. 1991.** Parasitoids of the black bean aphid complex-*Aphis fabae* (Homoptera: Aphididae) in Poland. II. Parasitoid communities on beet-*Beta vulgaris* L. Polskie Pismo Entomologiczne 62(1): 107-115.
- Barczak, T. 1991.** Parasitoids of the black bean aphid complex-*Aphis fabae* (Homoptera: Aphididae) in Poland. I. Communities of parasitoids on the spindle tree-*Euonymus europaeus* L. Polskie Pismo Entomologiczne 62(1): 97-106.
- Barczak, T. 1993.** The parasitoid guilds of aphids from the genus *Uroleucon* (Hymenoptera: Parasitica; Homoptera: Aphididae). Polskie Pismo Entomologiczne 62(1-4): 3-8.
- Barczak, T. 1994.** The parasitoid guild of *Tuberculooides annulatus* (Htg.) (Homoptera: Phyllaphididae) on leaves of the brown oak, *Quercus robur* L. Polskie Pismo Entomologiczne 63(1 & 2): 157-168.
- Barczak, T. & Gulewicz, K. 1998.** Evaluation of the effect of lupin-nicotine preparation on black bean aphid (*Aphis fabae* Scop.) and its parasitoids (Hymenoptera: Parasitica). Polskie Pismo Entomologiczne 67(1-2): 155-163.
- Barczak, T., Bennewicz, J., Kaczorowski, G. & Debek-Jankowska, A. 1999.** Parasitic Hymenoptera associated with aphids (Homoptera: Aphidoidea) in midfield thickets. Wiadomosci Entomologiczne 18(1): 33-39.
- Barfield, C.S., Bottrell, D.G. & Smith, J.W. Jr. 1977.** Influence of temperature on oviposition and adult longevity of *Bracon mellitor* reared on boll weevils. Environmental Entomology 6: 133-137.
- Barfield, C.S., Sharpe, P.J.H. & Bottrell, D.G. 1977.** A temperature-driven developmental model for the parasite *Bracon mellitor* (Hymenoptera: Braconidae). Canadian Entomologist 109: 1503-1514.
- Baringbing, W.A. 1986.** Biological control of the coconut moth, *Batrachedra arenosella*, by *Chelonus* parasites in Indonesia. Proceedings of the Hawaiian Entomological Society 27: 41-44.
- Barker, G.M. & Goh, H.H. 1993.** Interactions between the parasitoid *Microctonus hyperodae* and the pathogen *Beauveria bassiana* in the Argentine stem weevil, *Listronotus bonariensis*. In: Corey, S.A., Dall, D.J. & Milne, W.M. [eds]. Pest control & sustainable agriculture. CSIRO, Melbourne 1993: i-xiii, 1-514. Chapter pagination: 272-274.
- Barker, G.M. & Addison, P.J. 1996.** Influence of clavicipitaceous endophyte infection in ryegrass on development of the parasitoid *Microctonus hyperodae* Loan (Hymenoptera: Braconidae) in *Listronotus bonariensis* (Kuschel) (Coleoptera: Curculionidae). Biological Control 7(3): 281-287.
- Barker, G.M. & Addison, P.J. 1997.** Clavicipitaceous endophytic infection in ryegrass influences attack rate of the parasitoid *Microctonus hyperodae* (Hymenoptera: Braconidae, Euphorinae) in *Listronotus bonariensis* (Coleoptera: Curculionidae). Environmental Entomology 26(2): 416-420.
- Barlin, M.R. & Vinson, S.B. 1981.** The multiporous plate sensillum and its potential use in Braconid systematics (Hymenoptera: Braconidae). Canadian Entomologist 113(10): 931-938.
- Barlow, N.D. & Dixon, A.F.G. 1980.** Simulation of lime aphid population dynamics. Centre for Agricultural Publishing and Documentation. Wageningen, The Netherlands. 164 pp.
- Barlow, N.D. & Goldson, S.L. 1990.** Modelling the impact of biological control agents. Proceedings of the Forty Third New Zealand Weed and Pest Control Conference 282-283.
- Barlow, N.D. & Goldson, S.L. 1993.** A modelling analysis of the successful biological control of *Sitona discoideus* (Coleoptera: Curculionidae) by *Microctonus aethiopoidea* (Hymenoptera: Braconidae) in New Zealand. Journal of Applied Ecology 30(1): 165-179.
- Barlow, N.D., Goldson, S.L., McNeill, M.R. & Proffitt, J.R. 1993.** Measurement of the attack behaviour of *Microctonus hyperodae* as a classical biological agent of Argentine stem weevil *Listronotus bonariensis*. Proc. Austral. Conf. Grassl. Invertebr. Ecol. 1993: 326-330.
- Barlow, N.D., Goldson, S.L. & McNeill, M.R. 1994.** A prospective model for the phenology of *Microctonus hyperodae* (Hymenoptera: Braconidae), a potential biological control agent of Argentine stem weevil in New Zealand. Biocontrol Science and Technology 4(3): 375-386.

- Barpete, R.D. & Shinde, C.B. 1991.** Seasonal occurrence of *Apanteles flavipes* (Cameron) on borer larvae in Madhya Pradesh. *Sorghum Newsletter* 32: 53.
- Barras, D.J., Wiygul, G. & Vinson, S.B. 1969.** Amino acids in the haemolymph of the tobacco budworm, *Heliothis virescens* Fab. as affected by its habitual parasite *Cardiochiles nigriceps* Viereck. *Comparative Biochemistry and Physiology* 31: 707-714.
- Barras, D.J., Joiner, R.L. & Vinson, S.B. 1970.** Neutral lipid composition of the tobacco budworm, *Heliothis virescens* (Fab.), as affected by its habitual parasite, *Cardiochiles nigriceps* Viereck. *Comparative Biochemistry and Physiology* 36: 775-783.
- Barras, K.G., Kiser, R.L., Lewis, W.J. & Jones, R.L. 1982.** Effects of the parasitoid, *Microplitis croceipes*, on the haemolymph proteins of the corn earworm, *Heliothis zea*. *Comparative Biochemistry and Physiology B*. 43: 941-947.
- Barratt, B.I.P., Evans, A.A. & Johnstone, P.D. 1996.** Effect of the ratios of *Listronotus bonariensis* and *Sitona discoideus* (Coleoptera: Curculionidae) to their respective parasitoids *Microctonus hyperodae* and *M. aethioides* (Hymenoptera: Braconidae), on parasitism, host oviposition and feeding in the laboratory. *Bulletin of Entomological Research* 86(2): 101-108.
- Barratt, B.I.P., Evans, A.A. & Ferguson, C.M. 1997.** Potential for biocontrol of *Sitona lepidus* Gyllenhal by *Microctonus* spp. *Proceedings of the New Zealand Plant Protection Conference* 50: 37-40.
- Barratt, B.I.P., Evans, A.A., Ferguson, C.M., Barker, G.M., McNeill, M.R. & Phillips, C.B. 1997.** Laboratory nontarget host range of the introduced parasitoids *Microctonus aethioides* and *M. hyperodae* (Hymenoptera: Braconidae) compared with field parasitism in New Zealand. *Environmental Entomology* 26(3): 694-702.
- Barratt, B.I.P., Evans, A.A., Ferguson, C.M., McNeill, M.R., Profitt, J.R. & Barker, G.M. 1998.** Curculionidae (Insecta: Coleoptera) of New Zealand agricultural grassland and lucerne as potential non-target hosts of the parasitoids *Microctonus aethioides* Loan and *Microctonus hyperodae* Loan (Hymenoptera: Braconidae). *New Zealand Journal of Zoology* 25(1): 47-63.
- Barratt, B.I.P., Evans, A.A., Stoltz, D.B., Vinson, S.B. & Easingwood, R. 1999.** Virus-like particles in the ovaries of *Microctonus aethioides* Loan (Hymenoptera: Braconidae), a parasitoid of adult weevils (Coleoptera: Curculionidae). *Journal of Invertebrate Pathology* 73(2): 182-188.
- Barratt, B.I.P., Ferguson, C.M., Goldson, S.L., Phillips, C.M. & Hannah, D.J. 2000.** Predicting the risk from biological control agent introductions: a New Zealand approach. In: Follett, P.A.; Duan, J.J. [eds]. *Nontarget effects of biological control*. Kluwer Academic Publishers. Boston, Dordrecht & London. 316 pp. Chapter pagination: 59-75.
- Barratt, B.I.P., Ferguson, C.M., Evans, A.A., McNeill, M.R. & Addison, P.J. 2000.** Phenology of native weevils (Coleoptera: Curculionidae) in New Zealand pastures and parasitism by the introduced braconid, *Microctonus aethioides* Loan (Hymenoptera: Braconidae). *New Zealand Journal of Zoology* 27(2): 93-110.
- Barratt, B.I.P. & Johnstone, P.D. 2001.** Factors affecting parasitism by *Microctonus aethioides* (Hymenoptera: Braconidae) and parasitoid development in natural and novel host species. *Bulletin of Entomological Research* 91(4): 245-253.
- Barratt, B.I.P. & Sutherland, M. 2001.** Development of teratocytes associated with *Microctonus aethioides* Loan (Hymenoptera: Braconidae) in natural and novel host species. *Journal of Insect Physiology* 47(3): 257-262.
- Barrett, B.A. 1994.** Within-tree distribution of *Phyllonorycter blancardella* (F.) and *P. crataegella* (Clemens) (Lepidoptera: Gracillariidae) and associated levels of parasitism in commercial apple orchards. *Biological Control* 4(1): 74-79.
- Barrion, A.T., Bandong, J.P., Lumaban, M.D., Pantua, P.C., Apostol, R.A. & Litsinger, J.A. 1979.** Natural enemies of the rice leaf folder *Cnaphalocrosis medinalis* in the Philippines. *International Rice Research Newsletter* 4(2): 18.
- Barrion, A.T., Bandong, J.P., Apostol, R.F., Litsinger, J.A. & Cruz, C.G. de la 1987.** Natural enemies of the bean pod borer *Maruca testulalis* in the Philippines. *Tropical Grain Legume Bulletin* 34: 21-22.
- Barron, J.R. & Bisdee, H.E. 1984.** Hymenopterous parasites with Lepidopterous and sawfly hosts on *Lonicera* (Honeysuckle) in the Ottawa area. *Canadian Entomologist* 116(10): 1345-1356.
- Barry, R.M. 1970.** Insect parasites of the green cloverworm in Missouri. *Journal of Economic Entomology* 63(6): 1963-1965.
- Barter, G.W. 1965.** Survival and development of the bronze poplar borer *Agrilus liragus* Barter & Brown (Coleoptera: Buprestidae). *Canadian Entomologist* 97: 1063-1068.
- Bartninkaite, I., Tyakoryute, B., Bartninkaite, I. & Tekoriute, B. 1994.** Investigation of the factors determining interrelations between the cabbage butterfly and its parasite *Apanteles glomeratus* and entomopathogenic microorganisms. *Ekologija* 2: 31-37.
- Bartninkaite, I. & Tekoriute, B. 1994.** Influence of the physiological state of nettle moth on its trophic relations. *Acta Entomologica Lituanica* 12: 80-88.
- Bartninkaite, I. 1998.** Dynamics of the hemolymph structure of the nettle moth in various biotopes and its influence on the trophic relations of the insect. *Acta Zoologica Lituanica* 8(3): 49-59.
- Barwal, R.N., Yein, B.R., Roy, S. & Thakur, N.S.A. 1994.** Rice pests: their status and management in the north-eastern region of India. *Indian Journal of Hill Farming* 7(2): 183-191.
- Bashford, R. 1991.** Wood-boring Coleoptera and associated insects reared from *Acacia dealbata* Link in Tasmania. *Australian Entomological Magazine* 18(3): 103-109.
- Bashir, M.O. & Venkatraman, T.V. 1968.** Insect parasite complex of berseem armyworm *Spodoptera exigua* (Huber) (Lepidoptera, Noctuidae). *Entomophaga* 13: 151-158.
- Basibuyuk, H.H. & Quicke, D.L.J. 1994.** Evolution of antennal cleaner structure in the Hymenoptera (Insecta). *Norwegian Journal of Agricultural Science. Suppl.* 16: 199-206.
- Basibuyuk, H.H. & Quicke, D.L.J. 1995.** Morphology of the antenna cleaner structure in the Hymenoptera with particular reference to non-aculeate families (Insecta). *Zoologica Scripta* 24: 157-177.
- Basibuyuk, H.H. & Quicke, D.L.J. 1997.** Hamuli in the Hymenoptera (Insecta) and their phylogenetic implications. *Journal of Natural History* 31: 1563-1585.
- Basibuyuk, H.H. & Quicke, D.L.J. 1999.** Grooming behaviours in the Hymenoptera (Insecta): potential phylogenetic significance. *Zoological Journal of the Linnean Society* 125(3): 349-382.
- Basibuyuk, H.H. & Quicke, D.L.J. 1999.** Gross morphology of multiporous plate sensilla in the Hymenoptera (Insecta). *Symposium issue: Phylogeny of the Hymenoptera. Zoologica Scripta* 28(1-2): 51-67.
- Basibuyuk, H.H., Rasnitsyn, A.P., Achterberg, C. van, Fitton, M.G. & Quicke, D.L.J. 1999.** A new, putatively primitive Cretaceous fossil braconid subfamily from New Jersey amber (Hymenoptera, Braconidae). *Zoologica Scripta* 28(1-2): 211-214.
- Basibuyuk, H.H., Quicke, D.L.J., Rasnitsyn, A.P. & Fitton, M.G. 2000.** Morphology and sensilla of the orbicula, a sclerite between the tarsal claws, in the Hymenoptera. *Annals of the Entomological Society of America* 93(3): 625-636.
- Basit, A., Bhattacharyya, B. & Saikia, K. 2000.** Parasitoids of rice hispa in Assam. *Insect Environment* 5(4): 159.
- Basset, Y. 1991.** The taxonomic composition of the arthropod fauna associated with an Australian rainforest tree. *Australian Journal of Zoology* 39(2): 171-190.

- Basson, N.C.J., Broodryk, S.W. & Hamburg, H. van 1992. Integrated pest management of cotton pests: a compromise between biological and chemical control. *Plant Protection News* 29: 6-7.
- Battaglia, D., Pennacchio, F., Marincola, G. & Tranfaglia, A. 1993. Cornicle secretion of *Acyrtosiphon pisum* (Homoptera: Aphididae) as a contact kairomone for the parasitoid *Aphidius ervi* (Hymenoptera: Braconidae). *European Journal of Entomology* 90(4): 423-428.
- Battaglia, D., Pennacchio, F., Romano, A. & Tranfaglia, A. 1994. Oviposition behaviour of the parasitoid *Aphidius ervi* Haliday on its natural host *Acyrtosiphon pisum* (Harris). *Atti del Congresso Nazionale Italiano di Entomologia* 17: 631-634.
- Battaglia, D., Pennacchio, F., Romano, A. & Tranfaglia, A. 1995. The role of physical cues in the regulation of host recognition and acceptance behavior of *Aphidius ervi* Haliday (Hymenoptera: Braconidae). *Journal of Insect Behavior* 8(6): 739-750.
- Battaglia, D., Poppy, G., Powell, W., Romano, A., Tranfaglia, A. & Pennacchio, F. 2000. Physical and chemical cues influencing the oviposition behaviour of *Aphidius ervi*. *Entomologia Experimentalis et Applicata* 94(3): 219-227.
- Battaglia, D., Isidoro, N., Romani, R., Bin, F. & Pennacchio, F. 2002. Mating behaviour of *Aphidius ervi* (Hymenoptera: Braconidae): the role of antennae. *European Journal of Entomology* 99(4): 451-456.
- Battu, G.S. & Ramakrishnan, N. 1989. Comparative role of various mortality factors in the natural control of *Spilosoma obliqua* (Walker) in northern India. *Journal of Entomological Research (New Delhi)* 13(1-2): 38-42.
- Battu, G.S. & Ramakrishnan, N. 1989. Comparative role of various mortality factors in the natural control of *Spilosoma obliqua* (Walker) in northern India. *Journal of Entomological Research* 13(1-2): 38-42.
- Battu, G.S., Arora, R. & Bath, D.S. 1997. Inocuity of the nucleopolyhedrosis towards *Apanteles glomeratus* (Linnaeus) attacking *Pieris brassicae* (Linnaeus) around Ludhiana. *Indian Journal of Ecology* 24(1): 90-93.
- Bauer, E., Trenczek, T. & Dorn, S. 1998. Instar-dependent hemocyte changes in *Pieris brassicae* after parasitization by *Cotesia glomerata*. *Entomologia Experimentalis et Applicata* 88(1): 49-58.
- Baumgarten, H.T. & Fiedler, K. 1998. Parasitoids of lycaenid butterfly caterpillars: different patterns in resource use and their impact on the hosts' symbiosis with ants. *Zoologischer Anzeiger* 236(2-3): 167-180.
- Baur, H. 2001. The Hymenoptera (Chalcidoidea: Ichneumonidea, Platygastroidea) described by Vittorio Delucchi: an annotated catalogue. *Journal of Natural History* 35(1): 55-125.
- Baur, M.E. & Yeargan, K.V. 1994. Behavioral interactions between the hyperparasitoid *Mesochorus discitergus* (Hymenoptera: Ichneumonidae) and four species of Noctuid caterpillars: evasive tactics and capture efficiency. *Journal of Entomological Science* 29(3): 420-427.
- Baur, M.E. & Yeargan, K.V. 1994. Developmental stages and kairomones from the primary parasitoid *Cotesia marginiventris* (Hymenoptera: Braconidae) affect the response of the hyperparasitoid *Mesochorus discitergus* (Hymenoptera: Ichneumonidae) to parasitized caterpillars. *Annals of the Entomological Society of America* 87(6): 954-961.
- Baur, M.E. & Yeargan, K.V. 1995. Host selection and larval interactions among three primary parasitoids of *Plathyphenia scabra* (Lep.: Noctuidae). *Entomophaga* 40(3-4): 357-366.
- Baur, M.E., Yeargan, K.V. & Cornelius, P.L. 1996. Allocation of searching time within the soybean canopy by parasitoids attacking the green cloverworm. *Journal of Insect Behavior* 9(2): 223-235.
- Baur, M.E. & Yeargan, K.V. 1996. Movement and response to semiochemicals by parasitoids of *Plathyphenia scabra* (Lepidoptera: Noctuidae). *Journal of the Kansas Entomological Society* 69(2): 122-132.
- Baur, M.E. & Boethel, D.J. 2003. Effect of Bt-cotton expressing Cry1A(c) on the survival and fecundity of two hymenopteran parasitoids (Braconidae, Encyrtidae) in the laboratory. *Biological Control* 26(3): 325-332.
- Bautista, R.C. & Harris, E.J. 1996. Effect of fruit substrates on parasitization of tephritid fruit flies (Diptera) by the parasitoid *Biosteres arisanus* (Hymenoptera: Braconidae). *Environmental Entomology* 25(2): 470-475.
- Bautista, R.C. & Harris, E.J. 1997. Effect of insectary rearing on host preference and oviposition behavior of the fruit fly parasitoid *Diachasmimorpha longicaudata*. *Entomologia Experimentalis et Applicata* 83(2): 213-218.
- Bautista, R.C. & Harris, E.J. 1997. Effects of multiparasitism on the parasitization behavior and progeny development of oriental fruit fly parasitoids (Hymenoptera: Braconidae). *Journal of Economic Entomology* 90(3): 757-764.
- Bautista, R.C., Harris, E.J. & Lawrence, P.O. 1998. Biology and rearing of the fruit fly parasitoid *Biosteres arisanus*: clues to insectary propagation. *Entomologia Experimentalis et Applicata* 89(1): 79-85.
- Bautista, R.C., Mochizuki, N., Spencer, J.P., Harris, E.J. & Ichimura, D.M. 1999. Mass-rearing of the tephritid fruit fly parasitoid *Fopius arisanus* (Hymenoptera: Braconidae). *Biological Control* 15(2): 137-144.
- Bautista, R.C., Mochizuki, N., Spencer, J.P., Harris, E.J. & Ichimura, D.M. 2000. Effects of depth of oviposition dish and age of rearing host on efficiency of mass production of the tephritid fruit fly parasitoid *Psytalia fletcheri*. *BioControl* 45(4): 389-399.
- Bautista, R.C., Harris, E.J. & Vargas, R.I. 2001. The fruit fly parasitoid *Fopius arisanus*: reproductive attributes of pre-released females and the use of added sugar as a potential food supplement in the field. *Entomologia Experimentalis et Applicata* 101(3): 247-255.
- Bavec, M. & Zadavec, D. 1999. Integrated vegetable production - new way of vegetable production in Slovenia. *Zbornik predavanj in referatov 4. Slovenskega Posvetovanja o Varstvu Rastlin v Portorozu od 3. do 4. Marca 1999*. 505-512.
- Bayer, K., Molck, G., Petersen, G. & Wyss, U. 2001. Characteristics of the female sex pheromone of the aphid parasitoid *Aphidius uzbekistanicus* and its significance in mate finding. *Vorträge der Entomologentagung in Dusseldorf vom 26. bis 31. März 2001*. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 13(1-6): 393-397.
- Baylac, M., Villemant, C. & Simbolotti, P. 2003. Combining geometric morphometrics with pattern recognition for the investigation of species complexes. *Biological Journal of the Linnean Society* 80 (1): 89-98.
- Bayoun, I.M., Plapp, F.W. Jr., Gilstrap, F.E. & Michels, G.J. Jr. 1995. Toxicity of selected insecticides to *Diuraphis noxia* (Homoptera: Aphididae) and its natural enemies. *Journal of Economic Entomology* 88(5): 1177-1185.
- Bayoun, I.M., Gilstrap, F.E. & Youm, O. 1995. Assessment of the effectiveness of natural enemies of the millet head miner. *International Sorghum and Millets Newsletter* 36: 55-56.
- Bayram, S., Ulgenturk, S. & Toros, S. 1998. Research on the insects causing galls on dog rose (*Rosa* spp.) and their parasitoids in Ankara province. *Turkiye Entomoloji Dergisi* 22(4): 259-268.
- Bazinet, N.L. & Sears, M.K. 1979. Factors affecting the mortality of leafminers *Argyresthia thuiella* and *Pulicaria thuiella* (Lepidoptera: Yponomeutidae and Gelechiidae) on eastern white cedar, in Ontario. *Canadian Entomologist* 111: 1299-1306.

- Bazzocchi, G.G. & Burgio, G. 2000.** Functional response of *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Braconidae) against *Aphis gossypii* Glover (Homoptera: Aphididae) at two constant temperatures. *Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna* 54: 13-21.
- Beach, R.M. & Todd, J.W. 1985.** Parasitoids and pathogens of the soybean looper, *Pseudoplusia includens* (Walker), in south Georgia soybean. *Journal of Entomological Science* 20(3): 318-323.
- Beard, R.L. 1970.** Production and use of venom by *Bracon brevicornis* (Wesm.). *Toxicion* 8: 121.
- Beard, R.L. 1970.** Production and use of venom by *Bracon brevicornis* (Wesm.). In: de Vries, A. & Kockva, E. [eds] 'Toxins of Animal and Plant Origin.' Vol. 1: 181-190.
- Beard, R.L. 1972.** Effectiveness of paralyzing venom and its relation to host discrimination by Braconid wasps. *Annals of the Entomological Society of America* 65(1): 90-93.
- Beard, R.L. 1978.** Venoms of Braconidae. In: Bettini, S. [ed.] 'Arthropod Venoms.' *Handbuch der Experimentellen Pharmakologie* 48: 773-800.
- Beardsley, J.W. 1985.** *Apanteles galleriae* Wilkinson. *Proceedings of the Hawaiian Entomological Society* 25: 8.
- Beaver, R.A. 1965.** Two braconids and a pteromalid (Hymenoptera) new to Britain. *Entomologist* 98: 238-240.
- Beaver, R.A. 1967.** Hymenoptera associated with elm bark beetles in Watham Wood, Berks. *Transactions of the Society for British Entomology* 17: 141-150.
- Beccari, F. & Gerini, V. 1983.** *Catalogo della collezione entomologica.* Istituto Agronomico per l'Oltremare. Firenze 109 pp.
- Beckage, N.E. & Riddiford, L.M. 1978.** Developmental interactions between the tobacco hornworm, *Manduca sexta*, and its braconid parasite, *Apanteles congregatus*. *Entomologia Experimentalis et Applicata* 23: 139-151.
- Beckage, N.E. 1980.** Physiology of developmental interaction between the tobacco hornworm *Manduca sexta* and its endoparasite *Apanteles congregatus*. *Dissertation Abstracts International B Sciences and Engineering* 41(6) 1980: 2082-2083.
- Beckage, N.E. 1982.** Incomplete host developmental arrest induced by parasitism of *Manduca sexta* larvae by *Apanteles smerinthi*. *Annals of the Entomological Society of America* 75(1): 24-27.
- Beckage, N.E. & Riddiford, L.M. 1982.** Effects of methoprene and juvenile hormone on larval ecdysis, emergence, and metamorphosis of the endoparasitic wasp, *Apanteles congregatus*. *Journal of Insect Physiology* 28: 329-334.
- Beckage, N.E. & Riddiford, L.M. 1982.** Effects of parasitism by *Apanteles congregatus* on the endocrine physiology of the tobacco hornworm *Manduca sexta*. *General and Comparative Endocrinology* 47: 308-322.
- Beckage, N.E. & Riddiford, L.M. 1983.** Growth and development of the endoparasitic wasp *Apanteles congregatus*: dependence on host nutritional status and parasite load. *Physiological Entomology* 8: 231-241.
- Beckage, N.E. & Riddiford, L.M. 1983.** Lepidopteran anti-juvenile hormones: effects on development of *Apanteles congregatus* in *Manduca sexta*. *Journal of Insect Physiology* 29: 633-638.
- Beckage, N.E. 1984.** Physiological effects of parasitism by *Apanteles congregatus* and *Hyposoter exiguae* in the tobacco hornworm, *Manduca sexta*. *International Congress of Entomology Proceedings* 17: 203.
- Beckage, N.E. & Templeton, T.J. 1986.** Physiological-effects of parasitism by *Apanteles congregatus* in terminal-stage tobacco hornworm larvae. *Journal of Insect Physiology* 32(4): 299-314.
- Beckage, N.E., Templeton, T.J., Nielsen, B.D., Cook, D.I. & Stoltz, D.B. 1987.** Parasitism-induced hemolymph polypeptides in *Manduca sexta* (L.) larvae parasitized by the braconid wasp *Cotesia congregata* (Say). *Insect Biochemistry* 17(3): 439-455.
- Beckage, N.E., Metcalf, J.S., Nielsen, B.D. & Nesbit, D.J. 1988.** Disruptive effects of azadirachtin on development of *Cotesia congregata* in host tobacco hornworm larvae. *Archives of Insect Biochemistry and Physiology* 9(1): 47-65.
- Beckage, N.E., Nesbit, D.J., Nielsen, B.D., Spence, K.D. & Barman, M.A.E. 1989.** Alteration of hemolymph polypeptides in *Manduca sexta* larvae parasitized by *Cotesia congregata*: a two-dimensional electrophoretic analysis and comparison with major bacteria-induced proteins. *Archives of Insect Biochemistry and Physiology* 10(1): 29-45.
- Beckage, N.E. 1990.** Induction of host endocrine and hemolymph protein alterations in tobacco hornworm larvae parasitized by *Cotesia congregata*. *Advances in Invertebrate Reproduction* 5: 149-155.
- Beckage, N.E., Metcalf, J.S., Nesbit, D.J., Schleiffer, K.W., Zetland, S.R. & Buron, I. de 1990.** Host hemolymph monophenoloxidase activity in parasitized *Manduca sexta* larvae and evidence for inhibition by wasp polydnavirus. *Insect Biochemistry* 20(3): 285-294.
- Beckage, N.E. & Buron, I. de 1992.** Characterization of a polydnavirus (PDV) and virus-like filamentous particle (VLFP) in the braconid wasp *Cotesia congregata* (Hymenoptera: Braconidae). *Journal of Invertebrate Pathology* 59(3): 315-327.
- Beckage, N.E. & Buron, I. de 1993.** Lack of prothoracic gland degeneration in developmentally arrested host larvae of *Manduca sexta* parasitized by the braconid wasp *Cotesia congregata*. *Journal of Invertebrate Pathology* 61(1): 103-106.
- Beckage, N.E. & Kanost, M.R. 1993.** Effects of parasitism by the braconid wasp *Cotesia congregata* on host hemolymph proteins of the tobacco hornworm, *Manduca sexta*. *Insect Biochemistry and Molecular Biology* 23(5): 643-653.
- Beckage, N.E., Tan, F.F., Schleifer, K.W., Lane, R.D. & Cherubin, L.L. 1994.** Characterization and biological effects of *Cotesia congregata* polydnavirus on host larvae of the tobacco hornworm, *Manduca sexta*. *Archives of Insect Biochemistry and Physiology* 26(2-3): 165-195.
- Beckage, N.E. & Buron, I. de 1994.** Extraembryonic membranes of the endoparasitic wasp *Cotesia congregata*: presence of a separate amnion and serosa. *Journal of Parasitology* 80(3): 389-396.
- Beckage, N.E., Tan, F.F., Schleifer, K.W., Lane, R.D. & Cherubin, L.L. 1994.** Characterization and biological effects of *Cotesia congregata* polydnavirus on host larvae of the tobacco hornworm, *Manduca sexta*. *Archives of Insect Biochemistry and Physiology* 26(2-3): 165-195.
- Beckage, N.E., Zitnan, D. & Sehna, F. 1994.** Endocrine and neuroendocrine mechanisms of arrested host development in parasitized insects: lessons from the tobacco hornworm? In: Borkovec, A.B. & Loeb, M.J. [eds]. *Insect neurochemistry and neurophysiology*. 1993. CRC Press, Boca Raton, Ann Arbor etc. 1994: 22 pp, 1-391. Chapter pagination: 123-126.
- Beckage, N.E. 1997.** The parasitic wasp's secret weapon. *Scientific American* 277(5): 82-87.
- Beckage, N.E. 1998.** An in vivo encapsulation assay using abiotic implants. In: Wiesner, A., Dunphy, G.B., Marmaras, V.J., Morishima, I., Sugumaran, M. & Yamakawa, M. [eds]. *Techniques in insect immunology*. Sos Publications, Fair Haven 1998: i-x, 1-304, I-VI. Chapter pagination: 1-10.
- Beckage, N.E. 1998.** Modulation of immune responses to parasitoids by polydnaviruses. *Parasitology* 116 (Supplement): 57-64.
- Beckage, N.E. 1998.** Parasitoids and polydnaviruses. *Bioscience* 48(4): 305-311.
- Beckage, N.E. & Gelman, D.B. 2001.** Parasitism of *Manduca sexta* by *Cotesia congregata* a multitude of disruptive endocrine effects. In: Edwards, J.P., Weaver, R.J. [eds]. 'Endocrine interactions of insect parasites and pathogens.' Bios, Oxford. 314 pp. Chapter pagination: 59-81.

- Beckage, N.E. & Tan, F.F. 2002. Development of the braconid wasp *Cotesia congregata* in a semi-permissive noctuid host, *Trichoplusia ni*. Journal of Invertebrate Pathology 81(1): 49-52.
- Beckage, N.E., Foreman, R.C., Palmatier, C.M. & Tan, F.F. 2002. Inhibition of the larval ecdysis and emergence behavior of the parasitoid *Cotesia congregata* by methoprene. Journal of Insect Physiology 48(7): 725-732.
- Beckage, N.E., Hongskula, M., Vickerman, D. & Tan, F.F. 2003. Development of the solitary braconid endoparasitoid *Cotesia marginiventris* in the sphingid host, *Manduca sexta*. Journal of Invertebrate Pathology 83(3): 253-256.
- Beddington, J.R. 1975. Mutual interference between parasites or predators and its effect on searching efficiency. Journal of Animal Ecology 44: 331-340.
- Beddington, J.R., Free, C.A. & Lawton, J.H. 1978. Characteristics of successful natural enemies in models of biological control of insect pests. Nature 273: 513-519.
- Bednarek, A., Goszczynski, W. & Enkegaard, E. 2002. The costs of biological pest control in protected tomato crops. Proceedings of the joint IOBC WPRS Working Group "Integrated Control in Protected Crops, Temperate Climate" and IOBC NRS "Greenhouse, Nursery & Ornamental Landscape IPM Working Group" at Victoria (British Columbia), Canada, 6-9 May 2002. Bulletin OILB SROP 25(1): 5-8.
- Beegle, C.C., Carey, J.R. & Best, R.L. (1991). Biology of *Microplitis kewleyi* (Hymenoptera: Braconidae): a parasite of *Agrotis ipsilon* (Lepidoptera: Noctuidae) larvae. Biocontrol Science and Technology 1(3): 157-168.
- Beg, M.N. & Inayatullah, C. 1980. Studies on *Apanteles flavipes* a parasite of graminaceous borers. Pakistan Journal of Agriculture 1(1): 50-53.
- Beggs, J.R. & Harris, R.J. 2000. Can the wasp parasitoid *Sphecohypha vesparum* significantly reduce the density of *Vespula* wasps? New Zealand Journal of Zoology 27(1): 73-74.
- Belda, J.E., Rodriguez, M.P., Manzanares, C., Urrutia, T., Sanchez, A., Rapallo, S., Alcazar, M.D. & Garcia, M. del 1999. Parasitoids of leafminers in horticultural crops: application to crops under plastic in Almeria. Agricultura, Revista Agropecuaria 68(809): 1014-1016.
- Beliveau, C., Laforge, M., Cusson, M. & Bellemare, G. 2000. Expression of a *Tranosema rostrale* polydnavirus gene in the spruce budworm, *Choristoneura fumiferana*. Journal of General Virology 81: 1871-1880.
- Bell, H.A., Marris, G.C., Bell, J. & Edwards, J.P. 2000. The biology of *Meteorus gyrator* (Hymenoptera: Braconidae), a solitary endoparasitoid of the tomato moth, *Lacanobia oleracea* (Lepidoptera: Noctuidae). Bulletin of Entomological Research 90(4): 299-308.
- Bell, H.A., Smethurst, F., Marris, G.C. & Edwards, J.P. 2000. *Meteorus gyrator*: a potential biocontrol agent against glasshouse noctuid pests? The BCPC Conference: Pests and diseases, Volume 1. Proceedings of an international conference held at the Brighton Hilton Metropole Hotel, Brighton, UK, 13-16 November 2000 291-296.
- Bell, H.A., Marris, G.C., Smethurst, F. & Edwards, J.P. 2003. The effect of host stage and temperature on selected developmental parameters of the solitary endoparasitoid *Meteorus gyrator* (Thun.) (Hym.: Braconidae). Journal of Applied Entomology 127(6): 332-339.
- Bell, J.V., King, E.G. & Hamalle, R.J. 1974. Interactions between bollworms, a braconid parasite and the bacterium *Serratia marcescens*. Annals of the Entomological Society of America 67(4): 712-714.
- Bell, M.R. & McGovern, W.L. 1975. Susceptibility of the ectoparasite, *Bracon mellitor*, to infection by Microsporidan pathogens in its host, *Anthonomus grandis*. Journal of Invertebrate Pathology 25: 133-134.
- Belle, E., Beckage, N.E., Rousselet, J., Poirie, M., Lemeunier, F. & Drezen, J.M. 2002. Visualization of polydnavirus sequences in a parasitoid wasp chromosome. Journal of Virology 76(11): 5793-5796.
- Bellinghen, C. van, Langer, A. & Stilmant, D. 1996. Activity, location and diapause of parasitoids of cereal aphids during winter in Belgium. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 61(3b): 911-916.
- Bellostas, J.J., Olivella, E., Verdu, M.J., Sarasua, M.J. & Avilla, J. 1998. Parasitoid fauna of *Phyllonorycter* spp. in apple plantations in Lleida. Boletín de Sanidad Vegetal, Plagas 24(2): 313-320.
- Bellotti, A.C., Arias, V.B. & Guzman, O.L. 1992. Biological control of the cassava hornworm *Erinnyis ello* (Lepidoptera: Sphingidae). Florida Entomologist 75(4): 506-515.
- Bellows, T.S. Jr., Driesche, R.G. van & Elkinton, J.S. 1989. Extensions to Southwood and Jepson's graphical method of estimating numbers entering a stage for calculating mortality due to parasitism. Researches on Population Ecology 31(2): 169-184.
- Belmont, R.A. & Habeck, D.H. 1983. Parasitoids of *Dioryctria* spp. (Pyralidae: Lepidoptera) coneworms in slash pine seed production areas in north Florida. Florida Entomologist 66(4): 399-407.
- Belokobylskij, S.A. 1980. The genus *Hormius* (Hymenoptera: Braconidae) in the south of the Soviet Far East. (in Russian). Entomologicheskoye Obozreniye 59: 368-371. [Entomological Review 59(2): 112-114].
- Belokobylskij, S.A. 1981. New and little known Braconidae (Hymenoptera) species from the south of Far East. In: Ler, P.A., Kupyanskaya, A.N., Lelej, A.S., Fedikova, V.S. [eds]. [Hymenoptera of the Far East.] Akademiya Nauk SSSR, Vladivostok 134 pp. pp. 41-47.
- Belokobylskij, S.A. 1982. Braconids of the genera *Exontsira* gen. n., *Ontsira* Cameron and *Hypodoryctes* Kokujev (Hymenoptera: Braconidae) of the Asiatic part of the USSR. Entomologicheskoye Obozreniye 61: 600-613. [Entomological Review 127-142].
- Belokobylskij, S.A. 1983. Contribution to the knowledge of genera *Heterospilus* Hal. and *Dendrosotinus* Tel. (Hymenoptera: Braconidae) of the USSR. (in Russian). Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 65: 168-186.
- Belokobylskij, S.A. 1984. Braconid wasps of the genus *Doryctes* Hal. (Hymenoptera: Braconidae) of the Asian part of USSR: 94-100. (in Russian). In: Ler, P.A. [ed.]. 'Insects of the Far East. Collected scientific papers.' Akademiya Nauk SSSR, Vladivostok.
- Belokobylskij, S.A. 1984. On the division of the tribe Exothecini s.l. (Hymenoptera: Braconidae) in two with the description of a new genus and subgenus. (in Russian with English summary). Zoologicheskii Zhurnal 63: 1019-1026.
- Belokobylskij, S.A. 1985. *Aridelus alveolatus* sp. nov. (Hymenoptera: Braconidae) from Bruyatia. (in Russian). Zoologicheskii Zhurnal 64: 1103-1105.
- Belokobylskij, S.A. 1985. New species of Braconidae (Hymenoptera) from the Asiatic part of USSR and Mongolia. (In Russian with English summary). Entomologicheskoye Obozreniye 64(2): 388-394. [Entomological Review 64(4): 57-64].
- Belokobylskij, S.A. 1986. A new genus of the tribe Pambolini from Australia (Hymenoptera: Braconidae: Rogadinae). Entomologische Berichten, Amsterdam 46: 86-88.
- Belokobylskij, S.A. 1986. A new braconid species of the supertribe Exothecidii (Hymenoptera: Braconidae) from south of the USSR Far East: 58-69. (in Russian). In: Ler, P.A. [ed.]. 'Systematika i Ekologiya nasekomykh Dalinego Vostoka. [Systematics and ecology of insects from the Far East.]' Akademiya Nauk SSSR, Vladivostok 155 pp.

- Belokobylskij, S.A. 1986.** A new genus of braconids from supertribe Exothecidii (Hymenoptera: Braconidae). *Entomologicheskoye Obozreniye* 65: 780-783. [Entomological Review 66(3): 116-120].
- Belokobylskij, S.A. 1986.** A review of the Palaearctic species of the genera *Pambolus* Hal. and *Dimerus* Ruthe (Hymenoptera: Braconidae). (in Russian). *Trudy Zoologicheskogo Instituta*. Leningrad 159: 18-37.
- Belokobylskij, S.A. 1986.** Five new species of braconids (Hymenoptera: Braconidae) from the Asiatic part of the USSR: 28-40. (in Russian). In: Ler, P.A., Belokobylskij, S.A., Storozheva, N.A. [eds]. 'Hymenoptera of Eastern Siberia and the Far East. Collected Works.' Academy of Sciences USSR, Far East Science Centre, Vladivostok. 152 pp.
- Belokobylskij, S.A. 1986.** *Phanerotomella* Szépligeti, 1900 - New for the fauna of Far East USSR, Insecta-Braconidae-Cheloniinae (Hym. I. Braconidae): 41-48. (in Russian). In: Ler, P.A., Belokobylskij, S.A., Storozheva, N.A. [eds]. [Hymenoptera of Eastern Siberia and the Far East. Collected works.] Acad. Sci. USSR., Far East Science Centre, Vladivostok. 152 pp.
- Belokobylskij, S.A. & Tobias, V.I. 1986.** Doryctinae. pp. 21-72. In: Medvedev G.S. [ed.] 'Opredelitel Nasekomykh Evrospeiskoi Tsasti SSSR 3, Peredpiontdatokrylye 4. Opr. Faune SSSR.' 145: 1-501.
- Belokobylskij, S.A. 1987.** New braconid *Meteorus* spp. from the (Soviet) Far East (Hymenoptera: Braconidae) with pale antennal segments. *Vestnik Zoologii* 6: 27-34.
- Belokobylskij, S.A. 1987.** A new genus in the subfamily Cardiochilinae (Hym.: Braconidae) from the Soviet Far East. (in Russian with English summary). *Zoologicheskii Zhurnal* 66(2): 302-304.
- Belokobylskij, S.A. 1987.** Contribution to the knowledge of the parasitic wasps of the genus *Streblocera* Westwood of the Far East (Hymenoptera: Braconidae). (in Russian) *Entomologicheskoye Obozreniye* 66(1): 159-174. [Entomological Review 67(1): 1-17].
- Belokobylskij, S.A. 1987.** On the status of the genus *Dolopsidea* Hincks (Hymenoptera: Braconidae, Doryctinae): 73-78. In: Storozheva, N.A., Kusakin, O.G. [eds]. *Novye dannye po sistematike nasekomykh dalnego vostoka*. [New data on insect systematics from the Soviet Far East.] Acad. Sci. USSR, Vladivostok 1987: 1-144.
- Belokobylskij, S.A. 1987.** Palaearctic species of braconids of the subfamily Doryctinae (Hymenoptera, Braconidae), described by Dr. C. Watanabe, from Japan: 79-87. In: Storozheva, N.A., Kusakin, O.G. [eds] 'Novye dannye po sistematike nasekomykh Dal'nego Vostoka [New data on taxonomy of insects from the Far East]' 144 pp.
- Belokobylskij, S.A. 1987.** Structure of the male genitalia of the braconid subfamily Doryctinae (Hymenoptera: Braconidae), their evolution and meaning for classification. (in Russian) *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 69: 209-219.
- Belokobylskij, S.A. 1987.** The subfamily Gnaptodontinae (Hymenoptera: Braconidae) from the Far East of the USSR: 78-84. In: Kapustina, O.G. [ed.] 'Taksonomiya nasekomykh Sibiri i Dal'nego Vostoka [Taxonomy of insects from Siberia and Far East.]' 132 pp.
- Belokobylskij, S.A. & Vu, Q.C. 1988.** Discovery of the genus *Rhysipolis* Förster (Hymenoptera: Braconidae) in the Indomalayan Region and description of a new species from Vietnam. *Entomologicheskoye Obozreniye* 67(1): 162-165. [Entomological Review 67(4): 132-135].
- Belokobylskij, S.A. 1988.** Far Eastern (Russian SSR, USSR) braconid species of the genus *Rogas* (Hymenoptera, Braconidae) with pale antennal segments. *Vestnik Zoologii* 3: 3-11.
- Belokobylskij, S.A. 1988.** Three new species of braconid wasps of the subfamily Doryctinae (Hymenoptera: Braconidae) from Primorye Territory (USSR). (in Russian) *Zoologicheskii Zhurnal* 67(4): 625-630.
- Belokobylskij, S.A. 1988.** Two new species of *Rhaconotus* Ruthe (Hymenoptera: Braconidae) from southeast Asia. (in Russian) *Trudy Zoologicheskogo Instituta*. Leningrad 178: 98-103.
- Belokobylskij, S.A. 1988.** Two new species of the genus *Cedria* (Hymenoptera: Braconidae) from Australia. (in Russian with English summary) *Zoologicheskii Zhurnal* 67: 1583-1586.
- Belokobylskij, S.A. 1988.** Braconids of the supertribe Exothecidii (Hymenoptera: Braconidae: Doryctinae) of Taiwan. (in Russian) *Trudy Zoologicheskii Institut Akademii Nauk SSSR* 175: 3-37.
- Belokobylskij, S.A. 1988.** The subfamily Adeliinae (Hymenoptera: Braconidae) in the Soviet Far East. (in Russian) *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva, Akademiya Nauk SSSR* 70: 144-152.
- Belokobylskij, S.A. 1989.** A new and little known taxa of braconids of this subfamily Helconinae (Hymenoptera: Braconidae) from the Far East of the USSR. (in Russian). *Trudy Zoologicheskogo Instituta*. Leningrad 188: 23-38.
- Belokobylskij, S.A. 1989.** A new genus of subfamily Doryctinae (Hymenoptera: Braconidae) from Taiwan. (in Russian) *Zoologicheskii Zhurnal* 68(10): 145-148.
- Belokobylskij, S.A. 1989.** Braconids of the tribe Hormiini (Hymenoptera: Braconidae) from Australia. (in Russian) *Entomologicheskoye Obozreniye* 68: 376-392. [Entomological Review 69(2): 89-108].
- Belokobylskij, S.A. 1989.** East Palaearctic braconid species of the genera *Dirrhope* and *Mirax* (Hym.: Braconidae: Maracinae). (in Russian with English summary). *Vestnik Zoologii* 4: 34-46.
- Belokobylskij, S.A. 1989.** Palearctic species of braconids of the genus *Spathius* Nees: Of the group of species *S. labdacus*, *S. urios*, and *S. leucippus* (Hymenoptera, Braconidae, Doryctinae). (in Russian). *Trudy Zoologicheskogo Instituta*. Leningrad 188: 39-57.
- Belokobylskij, S.A. 1989.** Revision of the Palaearctic species of the genus *Braunsia* Kriechbaumer (Hymenoptera: Braconidae: Agathidinae). (in Russian). *Trudy Zoologicheskogo Instituta*. Leningrad 188: 58-72.
- Belokobylskij, S.A. 1990.** Palearctic species of *Parahormius* (Hymenoptera: Braconidae). *Zoologicheskii Zhurnal* (8): 59-65. [Entomological Review 70(1): 89-95].
- Belokobylskij, S.A. 1990.** Review of braconid wasps of the genus *Rhaconotus* Ruthe (Hymenoptera: Braconidae) of the Palearctic Region. *Entomologicheskoye Obozreniye* 69(1): 144-163. [Entomological Review 70(2): 47-67].
- Belokobylskij, S.A. 1990.** The tribe Rhaconotini (Hymenoptera: Braconidae: Doryctinae): a new genus of braconids from Vietnam. *Trudy Zoologicheskogo Instituta* 209, 1990: 141-144.
- Belokobylskij, S.A. 1990.** A contribution to the systematics of the braconid genus *Diospilus* (Hymenoptera: Braconidae). (in Russian with English summary). *Novosti faunistiki i sistematiki*. *Sbornik nauchnykh trudov*. [Novelties of Faunistics and Systematics] (Kiev) 111-119.
- Belokobylskij, S.A. 1990.** *Bracon buprestivorus* as a parasite of the *Anthaxia Igcockii* Odenb. in Armenia. *Doklady Akademii Nauk Armyanskoi Ssr* 90(3): 135-138.
- Belokobylskij, S.A. 1990.** Material of the braconid subtribe Exothecidii (Hymenoptera: Braconidae, Doryctinae) in Vietnam. (in Russian) *Trudy Zoologicheskogo Instituta*. Leningrad 209: 115-140.
- Belokobylskij, S.A. 1990.** A contribution to the braconid fauna (Hymenoptera) of the Far East. *Vestnik Zoologii* 6: 32-39.
- Belokobylskij, S.A. 1990.** Review of braconids of the genus *Rhaconotus* Ruthe (Hymenoptera: Braconidae) of the Palaearctic. *Entomologicheskoye Obozreniye* 69(1): 144-163.

- Belokobylskij, S.A. 1991.** A new genus of the braconid tribe Rhyssipolini (Hymenoptera: Braconidae) from Australia. (in Russian) *Entomologicheskoye Obozreniye* 70: 642-645. [Entomological Review 83-86].
- Belokobylskij, S.A. 1992.** Finding of the genus *Hylcalosia* (Hymenoptera: Braconidae: Alysiinae) of the USSR and descriptions of two new species from the south of the Far East. (in Russian) *Zoologicheskii Zhurnal* 71(5): 143-149. [Entomological Review 71(9): 142-147].
- Belokobylskij, S.A. 1992.** Braconid wasps of the tribe Pambolini (Hymenoptera: Braconidae) of Australia. (in Russian with English summary). *Entomologicheskoye Obozreniye* 71(1): 179-198. [Entomological Review 72(2): 46-65].
- Belokobylskij, S.A. 1992.** On the classification and phylogeny of the braconid wasps subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae) Part 1. On the classification. *Entomologicheskoye Obozreniye* 71(4): 900-927. [Entomological Review 72(6): 109-137].
- Belokobylskij, S.A. 1992.** *Wesmaelia* and *Syrphizus* species (Hymenoptera: Braconidae, Euphorinae) in the Far East. (in Russian) *Vestnik Zoologii* 3: 8-16.
- Belokobylskij, S.A. 1992.** Notes on the taxonomy of the Doryctinae with description of a new genus and three new species from the Oriental Region (Hymenoptera: Braconidae). *Zoosystematica Rossica* 1: 89-96.
- Belokobylskij, S.A. 1992.** Revision of the genus *Centistes* Haliday (Hymenoptera: Braconidae: Euphorinae) of the USSR Far East and neighbouring territories. *Zoologische Mededelingen, Leiden* 66(1-15): 199-237.
- Belokobylskij, S.A. 1993.** Contribution to the taxonomy of Braconidae (Hymenoptera) of the Russian Far East. *Russian Entomological Journal* 2(3-4): 87-103.
- Belokobylskij, S.A. 1993.** East Asiatic species of the genus *Neurocrassus* (Hymenoptera: Braconidae). *Zoosystematica Rossica* 2(1): 161-172.
- Belokobylskij, S.A. 1993.** New taxonomic data on the Braconid fauna (Hymenoptera: Braconidae) of Vietnam. *Russian Entomological Journal* 2: 37-67.
- Belokobylskij, S.A. 1993.** On the classification and phylogeny of the braconid wasps subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). Part 2. On the phylogeny. (in Russian) *Entomologicheskoye Obozreniye* 72(4): 891-914. [Entomological Review 73(8): 1-27].
- Belokobylskij, S.A. 1993.** On the classification and phylogeny of the braconid wasps subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). Part 1. On the classification, 2. (in Russian) *Entomologicheskoye Obozreniye* 72(1): 143-164, 255. [Entomological Review 74(4): 26-48].
- Belokobylskij, S.A. 1993.** The braconids of the genus *Leiophron* (*Leiophron*) Nees (Hymenoptera: Braconidae: Euphorinae) of the fauna of the Russian Far East. (in Russian). *Trudy Zoologicheskogo Instituta, Leningrad* 251: 61-100.
- Belokobylskij, S.A. 1993.** Three new braconid species (Hymenoptera: Braconidae) from the southern part of the Russian Far East. (in Russian with English summary). *Zoologicheskii Zhurnal* 72(12): 63-70. [Entomological Review 73(3): 159-166].
- Belokobylskij, S.A. 1994.** A new tribe of the subfamily Doryctinae from Papua New Guinea (Hymenoptera: Braconidae). *Zoosystematica Rossica* 3(1): 141-145.
- Belokobylskij, S.A. 1994.** New Oriental species of the genus *Ipodoryctes* (Hymenoptera: Braconidae: Doryctinae). *Zoosystematica Rossica* 3(1): 129-140.
- Belokobylskij, S.A. 1994.** The species of the genus *Heterospilus* Haliday, 1836 (Hymenoptera: Braconidae) from Vietnam. *Tropical Zoology* 7(1): 11-23.
- Belokobylskij, S.A. 1994.** To the knowledge of the braconid fauna of the Russian Far East (Hymenoptera: Braconidae): new species of the subfamily Brachistinae. *Russian Entomological Journal* 3(1-2): 81-108.
- Belokobylskij, S.A. 1994.** A review of parasitic wasps of the subfamilies Doryctinae and Exothecinae (Hymenoptera, Braconidae) of the Far East (Eastern Siberia and neighbouring territories): 5-77. In: Kotenko, A.G. [ed.]. *Hymenopteran insects of Siberia and Far East: Memoirs of the Daurian Nature Reserve*, no. 3. Institut zoologii NAN Ukrainy. Kiev 1994: 1-147.
- Belokobylskij, S.A. 1994.** Addition to the revision of braconid genus *Rhaconotus* Ruthe (Hymenoptera: Braconidae: Doryctinae) of the Palaearctic. *Entomologicheskoye Obozreniye* 73(2): 340-351, 494. [Entomological Review 74(4): 59-70].
- Belokobylskij, S.A. 1994.** Contribution to the fauna of the Indo-Malayan braconid wasps of the tribe Exothecini, Pambolini and Pentatermini (Hymenoptera: Braconidae). (in Russian). *Trudy Zoologicheskogo Instituta* 245(1992): 125-173.
- Belokobylskij, S.A. 1995.** A new genus and ten species of the subfamily Euphorinae (Hymenoptera: Braconidae) from the Russian Far East. *Zoosystematica Rossica* 3(2): 293-312.
- Belokobylskij, S.A. 1995.** New and rare species of the genus *Blacus* (Hymenoptera: Braconidae) from the Russian Far East. *European Journal of Entomology* 92(2): 449-467.
- Belokobylskij, S.A. 1995.** The Vietnam species of the genus *Hormius* Nees, 1818, with a key to the Oriental species (Hymenoptera: Braconidae). *Entomofauna* 16(8): 189-214.
- Belokobylskij, S.A. 1995.** Two new genera and two new subgenera of the subfamilies Exothecinae and Doryctinae from the Old World (Hymenoptera: Braconidae). *Zoologische Mededelingen, Leiden* 69(1-14): 37-52.
- Belokobylskij, S.A. 1995.** Über Braconiden (Hymenoptera) aus dem Deutschen Entomologischen Institut. *Beiträge zur Entomologie* 45(1): 175-180.
- Belokobylskij, S.A. 1995.** Principal evolutionary transformations of morphological structures in the subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae). (in Russian) *Entomologicheskoye Obozreniye* 74(1): 153-176, 267. [Entomological Review 75(3): 56-81].
- Belokobylskij, S.A. 1995.** Revision of the Palaearctic species of the genus *Climocentrus* (Hymenoptera: Braconidae). *Journal of Natural History* 29(3): 803-836.
- Belokobylskij, S.A. 1996.** A new Palaearctic genus of the subfamily Ichneutinae (Hymenoptera: Braconidae). *Zoosystematica Rossica* 4(1995): 307-310.
- Belokobylskij, S.A. 1996.** A contribution to the knowledge of the Doryctinae of Taiwan (Hymenoptera: Braconidae). *Zoosystematica Rossica* 5(1): 153-191.
- Belokobylskij, S.A. 1996.** A new species of *Grandia* Goidanich, 1936 from Uzbekistan (Hymenoptera: Braconidae: Alysiinae). *Zoosystematica Rossica* 5(1): 192.
- Belokobylskij, S.A. 1996.** Contribution to the knowledge of braconid fauna of the subfamily Rogadinae (Hymenoptera: Braconidae) of Russian Far East and Eastern Siberia. Part 1. *Far Eastern Entomologist* 27-28: 1-12.
- Belokobylskij, S.A. 1996.** Contribution to the knowledge of braconid fauna of the subfamily Rogadinae (Hymenoptera: Braconidae) of Russian Far East and Eastern Siberia. Part 2. *Far Eastern Entomologist* 27-28: 13-36.
- Belokobylskij, S.A. 1996.** New and rare species of the subfamily Euphorinae (Hymenoptera: Braconidae) from the Russian Far East. *Zoologische Mededelingen, Leiden* 70(20): 275-296.
- Belokobylskij, S.A. 1996.** Nine new species of Braconidae (Hymenoptera) from the Russian Far East. *Journal of Natural History* 30(11): 1661-1681.

- Belokobylskij, S.A. & Taeger, A. 1996.** The species of the genus *Orgilus* Haliday from the Russian Far East. (Hymenoptera: Braconidae). Contributions to the knowledge of East Palaearctic insects (3). Beiträge zur Entomologie 46(1): 137-158.
- Belokobylskij, S.A. & Lobodenko, Yu S. 1997.** Brief review of Palaearctic species of the genus *Diospilus* (Hymenoptera: Braconidae) with description of four new species. (in Russian) Zoologicheskii Zhurnal 76(8): 915-924. [Entomological Review 77(7): 888-897].
- Belokobylskij, S.A. & Tobias, V.I. 1997.** On the braconid wasps of the subfamily Alysiinae (Hymenoptera: Braconidae) from Kuril Islands. Far Eastern Entomologist 47: 1-17.
- Belokobylskij, S.A. & Taeger, A. 1998.** Two new species of *Orgilus* Haliday from the Russian Far East (Hymenoptera: Braconidae). Contributions to the knowledge of east Palaearctic insects (9). Beiträge zur Entomologie 48(2): 517-523.
- Belokobylskij, S.A. & Jervis, M.A. 1998.** Descriptions of two new species of the genus *Agathis* Latreille (Hymenoptera: Braconidae: Agathidinae) from Spain, with a record of mating by one species on flowers. Journal of Natural History 32(8): 1217-1225.
- Belokobylskij, S.A. & Ku, D.S. 1998.** Notes on the Korean species of the genus *Streblocera* (Insecta: Hymenoptera: Braconidae) with description of a new species and a key to Korean species. Korean Journal of Systematic Zoology 14(4): 319-325.
- Belokobylskij, S.A. & Ku, D.S. 1998.** New species and rare genera of the family Braconidae from Korea. Journal of Asia Pacific Entomology 1(2): 131-145.
- Belokobylskij, A., Ku, D.S. & Park, J.S. 1998.** Korean species of the genus *Ascogaster* Wesmael (Hymenoptera: Braconidae: Cheloninae). Korean Journal of Entomology 28(1): 7-30.
- Belokobylskij, S.A. 1998.** 1. Rhyssalinae, 2. Doryctinae, 3. Histeromerinae, 4. Exothecinae, 7. Gnampodontinae, 9. Alysiinae (Alysiini), 10. Helconinae, 11. Cenocoeliinae, 12. Brachistinae, 14. Meteorideinae, 16. Xiphozelinae, 17. Homolobinae, 18. Charmontinae, 19. Orgilinae, 20. Ecnomiinae, 21. Sigalphinae, 23. Ichneutinae, 25. Cardiochilinae, 27. Dirrhopinae, 28. Miracinae, 29. Adeliinae: 41-162, 163-298, 411-520, 531-558. (in Russian) In: Ler, P.A. [ed.] Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3. Dal'nauka, Vladivostok, 706 pp.
- Belokobylskij, S.A. 1998.** Three new genera of the Braconidae (Hymenoptera) from East Asia. Far Eastern Entomologist 54: 1-14.
- Belokobylskij, S.A. 1998.** On braconid wasps of the genus *Ontsira* Cameron (Hymenoptera, Braconidae) of East Asia. Entomologicheskoe Obozrenie 77(2): 462-479, 526. [Entomological Review 78(5): 556-564].
- Belokobylskij, S.A. 1999.** New genera of the subfamilies Rhyssalinae, Exothecinae and Gnampodontinae from the Old World (Hymenoptera: Braconidae). Zoosystematica Rossica 8(1): 155-169.
- Belokobylskij, S.A. 1999.** New taxa of the braconid subfamily Exothecinae (Hymenoptera: Braconidae) from tropical and subtropical regions of the Old World. Entomologicheskoe Obozrenie 78(3): 674-693.
- Belokobylskij, S.A. & Quicke, D.L.J. 1999.** A new genus and two new species of brachypterous Lysiterminae (Braconidae). Journal of Hymenoptera Research 8(1): 120-125.
- Belokobylskij, S.A. 2000.** A new genus and subgenus of the subfamily Euphorinae (Hymenoptera: Braconidae) from East Asia. Zoologische Mededelingen, Leiden 73(12-33): 255-267.
- Belokobylskij, S.A. 2000.** Braconidae. In: Ler, P.A. [ed.] Key to the insects of Russian Far East. Vol. IV. Neuropteroidea, Mecoptera, Hymenoptera. Pt 4. Opredelitel nasekomykh Dal'nego Vostoka Rossii. T. IV. Setchatokryloobraznye, skorpionnitsy, pereponchatokrylye. Ch. 4. Dal'nauka, Vladivostok, 651 pp.
- Belokobylskij, S.A. 2000.** New species of the subfamily Euphorinae (Hymenoptera: Braconidae) from east Palaearctic. Part 1. Far Eastern Entomologist 87: 1-28.
- Belokobylskij, S.A. 2000.** New species of the subfamily Euphorinae (Hymenoptera: Braconidae) from east Palaearctic. Part 2. Far Eastern Entomologist 88: 29-60.
- Belokobylskij, S.A. 2000.** New species of the subfamily Euphorinae (Hymenoptera: Braconidae) from east Palaearctic. Part 3. Far Eastern Entomologist 89: 61-88.
- Belokobylskij, S.A. 2000.** New species of the subfamily Euphorinae (Hymenoptera: Braconidae) from east Palaearctic. Part 4. Far Eastern Entomologist 90: 89-124.
- Belokobylskij, S.A. 2000.** New taxa of braconids of the subfamily Exothecinae (Hymenoptera: Braconidae) from the tropics and subtropics of the Old World. Entomologicheskoe Obozrenie 79(1): 180-203.
- Belokobylskij, S.A. 2000.** On the Asian species of the genus *Streblocera* Westwood, 1833 (Hymenoptera: Braconidae: Euphorinae), with a key to the eastern Palaearctic species. Entomologische Zeitschrift 110(9): 278-285.
- Belokobylskij, S.A. 2000.** On the Asian species of the genus *Streblocera* Westwood, 1833 (Hymenoptera: Braconidae: Euphorinae) with a key to the eastern Palaearctic species (continuation). Entomologische Zeitschrift 110(10): 290-297.
- Belokobylskij, S.A. 2000.** Two new Oriental-Australian genera of Doryctinae (Hymenoptera: Braconidae) with immovably fused first three metasomal tergites. Russian Entomological Journal 9(4): 345-351.
- Belokobylskij, S.A. & Quicke, D.L.J. 2000.** Seven new genera of the subfamily Doryctinae (Hymenoptera: Braconidae) from the Old World. Journal of Hymenoptera Research 9(1): 111-141.
- Belokobylskij, S.A. 2001.** On the genus *Pentatermus* Hedqvist (Hymenoptera: Braconidae). Zoosystematica Rossica 10(2): 387-396.
- Belokobylskij, S.A. 2001.** First record of the genus *Centistina* Enderlein, 1912 from the Palaearctic region (Hymenoptera: Braconidae: Euphorinae) Zoosystematica Rossica 10(1): 166.
- Belokobylskij, S.A. 2001.** New species of the genera *Rhaconotus* Ruthe, *Ipodoryctes* Granger and *Athaconotus* Blkb. from the Oriental region (Hymenoptera: Braconidae: Doryctinae). Zoosystematica Rossica 10(1): 101-162.
- Belokobylskij, S.A. 2001.** New taxa of the braconid subfamilies Doryctinae and Exothecinae (Hymenoptera: Braconidae) from west Palearctic. Entomologicheskoe Obozrenie 80(2): 451-471, 543. [Entomological Review 81(7): 749-766].
- Belokobylskij, S.A. & Konishi, K. 2001.** New genera of Doryctinae (Hymenoptera, Braconidae) from Japan. Entomological Science 4(2): 129-138.
- Belokobylskij, S.A. & Ku, D.S. 2001.** A new species of the genus *Platyspathius* Viereck (Hymenoptera, Braconidae, Doryctinae) from Korea. Insecta Koreana 18(1): 37-41.
- Belokobylskij, S.A. & Ku, D.S. 2001.** New species of the genus *Hartemita* Cameron (Hymenoptera: Braconidae: Cardiochilinae) from Korea and Japan Journal of Asia Pacific Entomology 4(1): 27-30.
- Belokobylskij, S.A. & Taeger, A. 2001.** Braconidae: 103-115. In: Dathe, H.H., Taeger, A., Blank, S.M. [eds] "Verzeichnis der Hautflügler Deutschlands (Entomofauna Germanica 4)". Entomologische Nachrichten und Berichte (Dresden), Bieheft 7. 178 pp.
- Belokobylskij, S.A. 2002.** East Palaearctic species of the braconid wasp genus *Synaldis* Förster (Hymenoptera: Braconidae: Alysiinae). Species without mesoscutal pit. (in Russian). Entomologicheskoe Obozrenie 81(2): 394-416. [Entomological Review 82(4): 404-423].
- Belokobylskij, S.A. 2002.** The genus *Halycaea* Cameron (Hyme-

- noptera: Braconidae: Doryctinae) in the Oriental region. Zoologische Mededelingen, Leiden 76(1-16): 61-77.
- Belokobylskij, S.A. 2002.** Two new Oriental genera of *Doryctinae* (Hymenoptera: Braconidae) from termite nests. Journal of Natural History 36(8): 953-962.
- Belokobylskij, S.A. & Chen, X.X. 2002.** Two new species of *Aivalykus* (Hymenoptera: Braconidae: Doryctinae) from China and Indonesia, with a key to species. European Journal of Entomology 99(1): 73-78.
- Belokobylskij, S.A. & Tobias, V.I. 2002.** New subgenus of the genus *Dinotrema* Foerster (Hymenoptera: Braconidae: Alysiinae) from East Palaearctic with description of a new species. Far Eastern Entomologist 120: 1-7.
- Belokobylskij, S.A., Taeger, A., Achterberg, C. van, Haeselbarth, & Riedel, M. 2003.** Checklist of the Braconidae (Hymenoptera) of Germany. Beiträge zur Entomologie 53: 341-436.
- Belokobylskij, S.A. 2003.** The species of the genus *Spathius* Nees, 1818 (Hymenoptera: Braconidae: Doryctinae) not included in the monograph by Nixon (1943). Annales Zoologici (Warsaw) 53(3): 347-488.
- Belokobylskij, S.A., Iqbal, M. & Austin, A.D. 2003.** First record of the subfamily Dirrhopinae (Hymenoptera: Braconidae) from the Australian region, with a discussion of relationships and biology. Australian Journal of Entomology 42(3): 260-265.
- Belova, N.V., Baranchikov, Y.N. & Roques, A. 1998.** New observation of cone flies attacking cones of *Picea obovata* and *Larix sibirica* in central Siberia. Journal of Forestry Research 9(4): 256-260.
- Belshaw, R. & Quicke, D.L.J. 1997.** A molecular phylogeny of the Aphidiinae (Hymenoptera: Braconidae). Molecular Phylogenetics and Evolution 7(3): 281-293.
- Belshaw, R., Fitton, M., Herniou, E., Gimeno, C. & Quicke, D.L.J. 1998.** A phylogenetic reconstruction of the Ichneumonoidea (Hymenoptera) based on the D2 variable region of 28S ribosomal RNA. Systematic Entomology 23(2): 109-123.
- Belshaw, R., Quicke, D.L.J., Völkl, W. & Godfray, H.C.J. 1999.** Molecular markers indicate rare sex in a predominantly asexual parasitoid wasp. Evolution 53(4): 1189-1199.
- Belshaw, R., Downton, M., Quicke, D.L.J. & Austin, A.D. 2000.** Estimating ancestral geographical distributions: a Gondwanan origin for aphid parasitoids? Proceedings of the Royal Society of London. Series B, Biological Sciences 267(1442): 491-496.
- Belshaw, R., Lopez-Vaamonde, V., Degerli, N. & Quicke, D.L.J. 2001.** Paraphyletic taxa and taxonomic chaining: evaluating the classification of braconine wasps (Hymenoptera: Braconidae) using 28S D2-3 rDNA sequences and morphological characters. Biological Journal of the Linnean Society 73(4): 411-424.
- Belshaw, R. & Quicke, D.L.J. 2002.** Robustness of ancestral state estimates: evolution of life history strategy in ichneumonoid parasitoids. Systematic Biology 51(3): 450-477.
- Belshaw, R. & Quicke, D.L.J. 2003.** The cytogenetics of thelytoky in a predominantly asexual parasitoid wasp with covert sex. Genome 46(1): 170-173.
- Belshaw, R., Grafen, A. & Quicke, D.L.J. 2003.** Inferring life history from ovipositor morphology in parasitoid wasps using phylogenetic regression and discriminant analysis. Zoological Journal of the Linnean Society 139(2): 213-228.
- Belshaw, R. & Quicke, D.L.J. 2003.** The cytogenetics of thelytoky in a predominantly asexual parasitoid wasp with covert sex. Genome 46(1): 170-173.
- Benfatto, D. 1984-1985.** Observations on the chemical control of citrus pests: use of pheromone traps to monitor *Archips rosanus* L. and *Prays citri* Mill. Annali dell'Istituto Sperimentale per l'Agrumicoltura, publ. 1988, 17-18: 213-238.
- Bennett, F.D. 1995.** Parasites of the pepper flower-bud moth (Lepidoptera: Gelechiidae) in Florida. Florida Entomologist 78(3): 546-549.
- Ben Hamouda, M.H. & Ben Salah, H. 1984.** Incidence parasitaire d'*Opius concolor* (Spz) (Hymenoptera: Braconidae) sur un hôte de remplacement *Ceratitidis capitata* Wied (Diptera, Trypetidae). Archives de l'Institut Pasteur de Tunis 61(2-3): 153-164.
- Ben Salah, H., Cheikh, M. & Ben Hamouda, M.H. 1989.** Serodiagnostic of the host-parasite relationships of some fruit flies (Diptera: Tephritidae) and *Opius concolor* Sz. (Hymenoptera: Braconidae). Fruit flies of economic importance. 87: 295-310. In: Cavalloro R. [ed.] Proceedings of the CEC/IOBC International Symposium, Rome 7-10, April 1987, Rotterdam.
- Benassi, V., Coustau, C. & Carton, Y. 2000.** Insect immunity: a genetic factor (hrtp) is essential for antibacterial peptide expression in *Drosophila* after infection by parasitoid wasps. Archives of Insect Biochemistry and Physiology 43(2): 64-71.
- Benassi, V., Frey, F. & Carton, Y. 1998.** A new specific gene for wasp cellular immune resistance in *Drosophila*. Heredity 80(3): 347-352.
- Benedek, P. 1969.** Causes of the collapse of a *Dendrolimus pini* outbreak. A zoocenological study. Acta Phytopathologica Academiae Scientiarum Hungaricae 4(4): 305-311.
- Bennett, F.D. 1965.** Tests with parasites of Asian graminaceous moth borers on *Diatraea* and allied genera in Trinidad. Commonwealth Institute of Biological Control Technical Bulletin 5: 101-116.
- Bennett, F.D. 1971.** Current status of biological control of the small moth borers of sugar cane *Diatraea* spp. (Lep.: Pyralidae). Entomophaga 16(1): 111-124.
- Bennett, F.D., Yaseen, M., Beg, M.N. & Sommeijer, M.J. 1977.** *Anastrepha* spp.-Investigations on their natural enemies and establishment of *Biosteres longicaudatus* in Trinidad, West Indies. Commonwealth Institute of Biological Control Technical Bulletin 18: 1-12.
- Bennett, F.D. 1985.** First records of hymenopterous parasites of aphids from Trinidad, West Indies. Florida Entomologist 68(1): 227-228.
- Bennison, J., Maulden, K., Wardell, G. & Lenteren, J.C. van 1999.** Integrated control of the South American leaf miner *Liriomyza huidobrensis* on UK glasshouse lettuce and Chinese leafy salad crops. IOBC WPRS Working Group "Integrated Control in Glasshouses". Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP 22(1): 9-12.
- Bennison, J.A. 1992.** Biological control of aphids on cucumbers use of open rearing systems or 'banker plants' to aid establishment of *Aphidius matricariae* and *Aphidoletes aphidimyza*. Mededelingen van de Faculteit Landbouwwetenschappen, Universiteit Gent 57(2b): 457-466.
- Bennison, J.A. & Corless, S.P. 1992.** Biological control of aphids on cucumbers: Further development of open rearing units or 'banker plants' to aid establishment of aphid natural enemies. Bulletin OILB SROP 16(2): 5-8.
- Bennison, J.A., Sampson, C., Vautier, A., Challinor, P.F. & Lenteren, J.C. van 1996.** Development of IPM on protected aubergine. Proceedings of the meeting Integrated control in glasshouses, held in Vienna, Austria, 20-25 May 1996. Bulletin OILB SROP 19(1): 7-10.
- Benrey, B. & Denno, R.F. 1997.** The slow-growth-high-mortality hypothesis: a test using the cabbage butterfly. Ecology 78(4): 987-999.
- Benrey, B., Denno, R.F. & Kaiser, L. 1997.** The influence of plant species on attraction and host acceptance in *Cotesia glomerata* (Hymenoptera: Braconidae). Journal of Insect Behavior 10(5): 619-630.
- Benrey, B., Callejas, A., Rios, L., Oyama, K. & Denno, R.F. 1998.** The effects of domestication of *Brassica* and *Phaseolus* on the interaction between phytophagous insects and parasitoids. Biological Control 11(2): 130-140.

- Benson, J., Pasquale, A., Elkinton, J. & Driesche, R. van 2003.** Assessment of risk posed by introduced braconid wasps to *Pieris virginiensis*, a native woodland butterfly in New England. *Biological Control* 26(1): 83-93.
- Benson, J., Driesche, R.G. van, Pasquale, A. & Elkinton, J. 2003.** Introduced braconid parasitoids and range reduction of a native butterfly in New England. *Biological Control* 28(2): 197-213.
- Benson, J.F. 1973.** Intraspecific competition in the population dynamics of *Bracon hebetor* Say (Hymenoptera: Braconidae). *Journal of Animal Ecology* 42: 105-124.
- Benson, J.F. 1974.** Population dynamics of *Bracon hebetor* Say (Hymenoptera: Braconidae) and *Ephestia cautella* (Walker) (Lepidoptera: Phycitidae) in a laboratory ecosystem. *Journal of Animal Ecology* 43: 71-86.
- Bento, A., Ilideo, J., Campos, M. & Torres, L. 1998.** Parasitism associated with the olive moth *Prays oleae* Bern. in Tras-os-Montes (north east Portugal). *Boletim de Sanidad Vegetal Plagas*. 24 (Adenda al No. 4): 949-954.
- Bentz, J.A. & Barbosa, P. 1990.** Effects of dietary nicotine (0.1%) and parasitism by *Cotesia congregata* on the growth and food consumption and utilization of the tobacco hornworm, *Manduca sexta*. *Entomologia Experimentalis et Applicata* 57(1): 1-8.
- Bentz, J.A. & Barbosa, P. 1992.** Effects of dietary nicotine and partial starvation of tobacco hornworm, *Manduca sexta*, on the survival and development of the parasitoid *Cotesia congregata*. *Entomologia Experimentalis et Applicata* 65(3): 241-245.
- Benzing, A., Kleespies, R.G. & Ponce, F. 2000.** Natural mortality of noctuid larvae (Lepidoptera) in the Ecuadorian Andes: a first approximation. *Revista Colombiana de Entomologia* 26(1-2): 57-60.
- Berest, Z.L. 1980.** Entomophagous insects controlling the numbers of cereal leaf aphids in wheat fields of the right bank steppe zone of the Ukrainian SSR. (in Russian). *Vestnik Zoologii* 1980(5): 84-87.
- Berest, Z.L. 1980.** Parasites and predators of the aphids *Brachycolus noxius* and *Schizaphis graminum* in crops of barley and wheat in the Nikolaev and Odessa regions. (in Russian). *Vestnik Zoologii* 1980(2): 80-81.
- Berest, Z.L. 1985.** Parasites of cereal leaf aphids in the steppe zone of the Ukraine. (in Russian with English summary). *Zoologicheskii Zhurnal* 64: 772-776.
- Berest, Z.L. 1987.** The trophic relations of grass aphid entomophages. (in Russian). *Vestnik Zoologii* 1: 45-48.
- Berg, H. van den, Nyambo, B.T. & Waage, J.K. 1990.** Parasitism of *Helicoverpa armigera* (Lepidoptera: Noctuidae) in Tanzania: Analysis of parasitoid-crop association. *Environmental Entomology* 19(4): 1141-1145.
- Berg, H. van den, Ankasah, D., Hassan, K., Muhammad, A., Widayanto, H.A., Wirasto, H.B. & Yully, I. 1995.** Soybean stem fly, *Melanagromyza sojae* (Diptera: Agromyzidae), on Sumatra: seasonal incidence and the role of parasitism. *International Journal of Pest Management* 41(3): 127-133.
- Berg, M.A. van den 1993.** Biological control of the yellow pecan aphid. *Inligtingsbulletin Instituut vir Tropiese en Subtropiese Gewasse* 250: 22-23.
- Bergamesco, P., Pennacchio, F., Scaramozzino, P.L. & Tremblay, E. 1995.** Hymenoptera Braconidae. Checklist della Specie della Fauna Italiana. Fasc. 95: 2-29.
- Bergstrom, C. 1999.** *Ceranthia lichtwardtiana* (Vill.) (Dipt.: Tachinidae) and *Apanteles pilicornis* Thoms. (Hym.: Braconidae) two parasitoids of *Geina didactyla* (L.) (Lep.: Pterophoridae). *Studia Dipterologica* 6(1): 219-232.
- Bergvinson, D.J. & Borden, J.H. 1991.** Glyphosate-induced changes in the attack success and development of the mountain pine beetle and impact of its natural enemies. *Entomologia Experimentalis et Applicata* 60(2): 203-212.
- Berisford, C.W. & Franklin, R.T. 1969.** Attack sequence of *Ips grandicollis* (Coleoptera: Scolytidae) and some associated hymenopterous parasites. *Journal of the Georgia Entomological Society* 4: 93-96.
- Berisford, C.W., Kulman, H.M. & Pienkowski, R.L. 1970.** Notes on the biologies of hymenopterous parasites of *Ips* spp. bark beetles in Virginia. *Canadian Entomologist* 102: 484-490.
- Berisford, C.W., Kulman, H.M., Pienkowski, R.L. & Heikkinen, H.J. 1971.** Factors affecting distribution and abundance of hymenopterous parasites of *Ips* spp. bark beetles in Virginia (Coleoptera: Scolytidae). *Canadian Entomologist* 103: 235-239.
- Berisford, C.W. & Franklin, R.T. 1972.** Tree host influence on some parasites of *Ips* spp. bark beetles (Coleoptera: Scolytidae) on four species of southern pines. *Journal of the Georgia Entomological Society* 7(2): 110-115.
- Berisford, C.W. 1974.** Hymenopterous parasitoids of the eastern juniper bark beetle, *Phloeosinus dentatus* (Coleoptera: Scolytidae). *Canadian Entomologist* 106: 869-872.
- Bernal, J. & Gonzalez, D. 1993.** Temperature requirements of four parasites of the Russian wheat aphid *Diuraphis noxia*. *Entomologia Experimentalis et Applicata* 69(2): 173-182.
- Bernal, J.S., Bellows, T.S. Jr. & Gonzalez, D. 1994.** Functional response of *Diaeretiella rapae* (M'Intosh) (Hym.: Aphidiidae) to *Diuraphis noxia* (Mordwilko) (Hom.: Aphididae) hosts. *Journal of Applied Entomology* 118(3): 300-309.
- Bernal, J. & Gonzalez, D. 1995.** Thermal requirements of *Diaeretiella rapae* (M'Intosh) on Russian wheat aphid (*Diuraphis noxia* Mordwilko, Hom.: Aphididae) hosts. *Journal of Applied Entomology* 119(4): 273-277.
- Bernal, J. & Gonzalez, D. 1997.** Reproduction of *Diaeretiella rapae* on Russian wheat aphid hosts at different temperatures. *Entomologia Experimentalis et Applicata* 82(2): 159-166.
- Bernal, J.S., Gonzalez, D. & Di Mariano, E.D. 2001.** Overwintering potential in California of two Russian wheat aphid parasitoids (Hymenoptera: Aphelinidae et Aphidiidae) imported from central Asia. *Pan Pacific Entomologist* 77(1): 28-36.
- Bernal, J.S., Gillogly, P.O. & Griset, J. 2001.** Family planning in a stemborer parasitoid: sex ratio, brood size and size-fitness relationships in *Paraliorhogas pyralophagus* (Hymenoptera: Braconidae), and implications for biological control. *Bulletin of Entomological Research* 91: 255-264.
- Bernal, J.S., Griset, J.G. & Gillogly, P.O. 2002.** Impacts of developing on Bt maize-intoxicated hosts on fitness parameters of a stem borer parasitoid. *Journal of Entomological Science* 37(1): 27-40.
- Bernal Ruiz, C.R., Vera Graziano, J., Atkinson, T.H. & Prado Beltran, E. 1984.** Biología, hábitos y longevidad de *Aphidius smithi* Sharma & Subba Rao, parasitoides de *Acyrtosiphon pisum* (Harris). *Agrociencia* No. 57: 145-162.
- Berndt, L.A., Wratten, S.D. & Hassan, P.G. 2002.** Effects of buckwheat flowers on leafroller (Lepidoptera: Tortricidae) parasitoids in a New Zealand vineyard. *Agricultural and Forest Entomology* 4(1): 39-45.
- Berry, J.A. 1991.** Hymenoptera primary types in the New Zealand Arthropod Collection. *New Zealand Journal of Zoology* 18(3): 323-341.
- Berry, J.A. 1997.** *Meteorus pulchricornis* (Wesmeal) (Hymenoptera: Braconidae: Euphorinae), a new record for New Zealand. *New Zealand Entomologist* 20: 45-48.
- Berry, J.A. 1997.** The nomenclature of the microgastrine braconid genus *Apanteles* (s.l.) (Hymenoptera: Braconidae) in New Zealand. *New Zealand Entomologist* 20(0): 49-50.
- Berry, R.E. 1969.** Effects of temperature and light on dispersal of the pea aphid, *Acyrtosiphon pisum*, and a braconid parasite, *Aphidius pisivorus*, in the field. *Annals of the Entomological Society of America* 62(5): 1185-1189.

- Berryman, A.A. 1964.** Identification of insect inclusions in X-rays of ponderosa pine bark infested by western pine beetle, *Dendroctonus brevicornis* LeConte. Canadian Entomologist 96: 883-888.
- Berta de Fernandez, C.D. 1987.** The genus *Zacremnops* Sharkey and Wharton new record (Hymenoptera: Braconidae: Agathidinae) in Argentina and Bolivia. Acta Zoologica Lilloana 39(1): 89-93.
- Berta de Fernandez, C.D. 1988.** Two new species of *Cremnops* Foerster new record (Hymenoptera: Braconidae: Agathidinae) of Argentina and Bolivia. Acta Zoologica Lilloana 39(1): 13-16.
- Berta de Fernandez, C.D. 1998.** The genus *Cremnops* Foerster, 1862 (Braconidae: Agathidinae) in the Neotropical region. Contribucion al conocimiento del genero *Cremnops* Foerster, 1862 (Braconidae: Agathidinae) en la region Neotropical. Acta Zoologica Lilloana 44(1): 231-288.
- Berta, D.C. 2000.** Contribucion sobre las especies neotropicales del genero *Earinus* Wesmæl (Hymenoptera: Braconidae: Agathidinae). Boletín de la Asociacion Espanola de Entomologia 24(1-2): 229-241.
- Berta, D.C. & Colomo, M.V. 2000.** Three Argentine species of *Bracon* F. (Hymenoptera: Braconidae) parasitize larvae of the tomato moth, *Tuta absoluta* (Lepidoptera: Gelechiidae). Insecta Mundi 14(4): 211-219.
- Berta, D.C., Colomo, M.V. & Ovruski, N.E. 2002.** Interrelations between aphid colonies in tomato and their parasitoid Hymenoptera in Tucuman (Argentina). Boletín de Sanidad Vegetal, Plagas 28(1): 67-77.
- Berté, S.B. & Wallace, I.D. 1987.** Larvae of *Coniosternum minuta* (Malloch) and *C. obscura* Fallen (Dipt.: Scathophagidae) feeding on eggs of Trichoptera in Canada and Ireland. Entomologist's Monthly Magazine 123: 181-184.
- Berti-Filho, E. & Costa, V.A. 1995.** *Perilitus coccinellae* (Schränk, 1802) (Hymenoptera: Braconidae: Euphorinae), a parasitoid of *Coleomegilla maculata* (DeGeer) (Coleoptera: Coccinellidae). Revista de Agricultura Piracicaba 70(1): 80.
- Bess, H.A. 1964.** Populations of the leaf-miner *Leucoptera meyricki* Ghesa. and its parasite in sprayed and unsprayed coffee in Kenya. Bulletin of Entomological Research 55: 59-82.
- Bess, H.A. 1972.** Lepidopterous stem borers in different rice growing areas. Mushi 46: 65-80.
- Bess, H.A. & Haramoto, F.H. 1972.** Biological control of pamakani, *Eupatorium adenophorum*, in Hawaii by a tephrid gall fly, *Procecidochares utilis*. 3. Status of the weed, fly and parasites of the fly in 1966-1971 versus 1950-1957. Proceedings of the Hawaiian Entomological Society 21: 165-178.
- Best, R.G. & Grosch, D.S. 1986.** Effects of the tumor promoter 12-O-tetradecanoyl-phorbol-13-acetate on the wasp, *Bracon hebetor*. Archives of Insect Biochemistry and Physiology 3(6): 529-538.
- Betbeder-Matibet, M. & Malinger, P. 1967.** Un succes de la lutte biologique: controle de *Proceras sacchariphagus* Boj., borer ponctue de la canne a sucre a Madagascar par un parasite introduit, *Apanteles flavipes* Cam. Agronomia Tropical 22: 1196-1220.
- Betbeder-Matibet, M. 1990.** Rearing of some species of the genus *Chilo* and of some of their parasites for biological control of borers of the Gramineae in Africa. Insect science and its Application 11(4-5): 617-623.
- Betz, E. & Schwedtfeger, F. 1970.** Lepidopteren-Parasiten aus zwei nordwestdeutschen Eichenwäldern. Entomophaga 15(4): 347-351.
- Beukeboom, L.W., Ellers, J. & Alphen, J.J.M. van 2000.** Absence of single-locus complementary sex determination in the braconid wasps *Asobara tabida* and *Alysia manducator*. Heredity 84(1): 29-36.
- Beyarslan, A. 1986.** Investigations of the *Bracon* spp. of the Mediterranean regions of Turkey (Hymenoptera: Braconidae: Braconinae): 1. Doga Biyoloji Serisi 10(1): 39-52.
- Beyarslan, A. 1986.** Untersuchungen über die im Mediterra-nischen Gebiet der Türkei festgestellten *Bracon* Fabricius-Arten (Hymenoptera: Braconidae: Braconinae) II.] (in Turkish with German summary) VIII Ulusal Biyoloji Kongresi 387-402.
- Beyarslan, A. 1987.** Eine neue Art *Ceratobracon adaniensis* n. sp. (Hymenoptera: Braconidae: Braconinae) aus der Türkei. Tuerkiye Entomoloji Dergisi 11(2): 111-115.
- Beyarslan, A. 1987.** Systematic investigations on the fauna of Braconinae (Hymenoptera: Braconidae) in the region of Thrace. Türkiye I. Entomoloji Kongresi Bildirileri, 13-16 Ekim 1987, Ege Universitesi, Bornova, Izmir 595-610.
- Beyarslan, A. 1987.** Untersuchungen über Fauna von Braconinae (Hymenoptera: Braconinae) im Thrakien Gebiet. Türkiye I. Entomoloji Kongresi 595-604.
- Beyarslan, A. 1988.** Untersuchungen über Fauna von Microgasterinae (Hymenoptera: Braconidae) im Mediterranischen Gebiet der Türkei. IX. Ulusal Biyoloji Kongresi 235-246.
- Beyarslan, A. & Fischer, M. 1987.** Key for identification of the Palaearctic *Bracon* species of the subgenus *Glabrobracon* Tobias (Hymenoptera: Braconidae: Braconinae). Annalen des Naturhistorischen Museums in Wien, Serie B für Botanik und Zoologie, publ. 1990, 91: 137-145.
- Beyarslan, A. 1988.** Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 39(3/4)(1987): 71-76.
- Beyarslan, A. & Inanç, F. 1990.** Taxonomy of the Microgasterinae (Hymenoptera: Braconidae). Proceedings of the Second Turkish National Congress of Biological Control 233-249.
- Beyarslan, A. 1991.** Die Arten der Tribus Vipionini Telenga aus der Türkei (Hymenoptera: Braconidae: Braconinae). Linzer Biologische Beiträge 23(2): 495-519.
- Beyarslan, A. 1992.** *Isomecus lalapaensis* sp. nov. und *Vipiomorpha fischeri* sp. nov., zwei neue Arten der Tribus Vipionini (Hymenoptera: Braconidae: Braconinae). Entomofauna 13(15): 253-259.
- Beyarslan, A. & Inanç, F. 1992.** Alysiniinae (Hymenoptera: Braconidae) new to the Turkish fauna. Proceedings of the Second Turkish National Congress of Entomology 661-670.
- Beyarslan, A. & Inanç, F. 1992.** Taxonomic investigations on the species of Cheloninae (Hymenoptera: Braconidae). X. Ulusal Biyoloji Kongresi 141-151.
- Beyarslan, A. & Inanç, F. 1992.** Turkish Opiinae (Hymenoptera: Braconidae). XI. Ulusal Biyoloji Kongresi 61-68.
- Beyarslan, A. & Inanç, F. 1994.** Taxonomic review of the braconine (Hymenoptera: Braconidae) fauna of the Marmara region I. Türkiye III. Biyolojik Mucadele Kongresi Bildirilerleri, 25-28 Ocak 1994, Ege Universitesi Ziraat Fakultesi, Bitki Koruma Bolumu, Izmir 67-82.
- Beyarslan, A. 1995.** Für die fauna der Turkei neu festgestellte Arten der Gattung *Microchelonus* Szepliget 1908 (Hymenoptera: Braconidae: Cheloninae). Entomofauna 16(6): 121-133.
- Beyarslan, A. 1996.** Die *Orgilus*-Arten der Türkei (Hymenoptera: Braconidae: Orgilinae). Entomofauna 17(22): 353-358.
- Beyarslan, A. 1996.** Vier neue Arten der Tribus Braconini aus der Türkei (Hymenoptera: Braconidae: Braconinae). Entomofauna 17(21): 345-352.
- Beyarslan, A. 1999.** Liste der Braconinae-Arten der Mittelmeer- und Marmara-Region der Turkei (Hymenoptera: Braconidae) Entomofauna 20(5): 93-118.
- Beyarslan, A. & Inanç, F. 2001.** Ein neuer Beitrag zur Kenntnis der türkischen Dacusini Foerster, 1862 (Hymenoptera: Braconidae: Alysinae). Linzer Biologische Beiträge 33(1): 263-268.
- Beyarslan, A. 2002.** Four new species of the genus *Bracon* (Hymenoptera: Braconidae: Braconinae) from Turkey. Biologia Bratislava 57(2): 139-146.

- Beyarslan, A. 2002.** Five new species of Braconinae from Turkey (Hymenoptera: Braconidae). *Entomofauna* 23(16): 189-200.
- Beyarslan, A., Inanç, F., Çetin, O. & Aydogdu, M. 2002.** Braconiden von den türkischen Inseln Imbros und Tenedos (Hymenoptera: Braconidae: Agathidinae, Braconinae, Cheloninae, Microgastriinae). *Entomofauna* 23(15): 173-188.
- Bezemer, T.M., Jones, T.H. & Knight, K.J. 1998.** Long-term effects of elevated CO₂ and temperature on populations of the peach potato aphid *Myzus persicae* and its parasitoid *Aphidius matricariae*. *Oecologia* 116(1-2): 128-135.
- Bhagat, K.C. & Masoodi, M.A. 1988.** Natural enemies of mealy plum aphid, *Hyalopteris arundinis* Fabricius (Aphididae: Homoptera) in Kashmir. *Journal of Advanced Zoology* 9(2): 145-147.
- Bhagat, K.C., Masoodi, M.A. & Koul, V.K. 1988.** Some observations on the incidence of arthropod natural enemies of *Aphis pomi* DeGeer (Homoptera: Aphididae) occurring in apple orchard ecosystem. *Journal of Aphidology* 2(1-2): 80-89.
- Bhagat, K.C. 2000.** Natural parasitism of wheat aphid *Macrosiphum (Sitobion) avenae* Fab. by *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Braconidae). *Insect Environment* 6(1): 9.
- Bhagat, R. 1981.** *Areopraon lepellyi* (Hymenoptera: Aphidiidae) - a new record for India. *Geobios (Jodhpur)* 8(4): 177-178.
- Bhagat, R.C. 1981.** A new species of *Monoctonus* (Hymenoptera: Aphidiidae) from Kashmir, India. *Current Science* 50(24): 1087-1088.
- Bhagat, R.C. 1981.** Some new aphid parasitoids (Hymenoptera: Aphidiidae) from Kashmir, India. *Oriental Insects* 15(2): 195-200.
- Bhagat, R.C. 1982.** New aphid parasitoids (Hymenoptera: Aphidiidae) from Kashmir, India. *Oriental Insects* 16(1): 113-117.
- Bhagat, R.C. 1982.** On two new aphid parasitoids of genus *Trioxys* (Aphidiidae: Hymenoptera) from Kashmir, India. *Entomon* 7(3): 321-324.
- Bhagat, R.C. 1984.** New records and hosts of aphid parasitoids (Hymenoptera: Aphidiidae) from Kashmir, India. *Journal of the Bombay Natural History Society* 81: 93-98.
- Bhagat, R.C., Ramzan, A. & Farhan, N. 1991.** New records of scale insects (Homoptera: Coccoidea) and host-plants from Kashmir Valley, India. *Entomon* 16(1): 91-94.
- Bhagat, R.C. & Ahmad, M.N. 1995.** Aphidiid parasitoids (Hymenoptera) of aphids (Homoptera) of Jammu-new records, host range and biological notes. *Journal of Aphidology* 5(1-2) (March 1991): 90-96.
- Bhatnagar, P., Verma, S.K. & Lakra, R.K. 1997.** A note on some parasitoids of *Euproctis fraterna* (Moore). *Bulletin of Entomology New Delhi* 38(1-2): 82-83.
- Bhatnagar, V.S. 1988.** New records of *Cardiochiles* (Braconidae: Hymenoptera) on *Heliothis armigera* (Hb.) and *Raghuva albipunctella* de Joannis in the Sahel. *Current Science* 57(16): 904-905.
- Bhat, S. & Gupta, V.K. 1977.** The subfamily Agathidinae (Hymenoptera: Braconidae). *Ichneumonologia Orientalis* 6. *Oriental Insects Monograph* 6: 1-353.
- Bhat, S. 1978.** Indo-Philippine species of *Disophrys* Foerster (Hymenoptera: Braconidae). *Journal of the Bombay Natural History Society* 76(3): 447-456.
- Bhat, S. 1979.** Indian species of *Idiasta* Foerster (Hymenoptera: Braconidae: Alysiniinae). *Oriental Insects* 12(4)(1978): 473-479.
- Bhat, S. 1979.** Oriental species of *Cremnops* Foerster (Hymenoptera: Braconidae). *Entomon* 4(1): 27-39.
- Bhat, S. 1979.** Studies on the genus *Aspilota* Foerster (Hymenoptera: Braconidae). *Oriental Insects* 13(3-4): 365-381.
- Bhat, S. 1979.** The genus *Phaenocarpa* Foerster (Hymenoptera: Braconidae: Alysiniinae). *Oriental Insects* 13(1-2): 1-27.
- Bhat, S. 1979.** Three new species of *Dapsilartha* Foerster (Hymenoptera: Braconidae: Alysiniinae). *Reichenbachia* 17(37): 319-324.
- Bhat, S. 1980.** A new genus of Alysini (Hymenoptera: Braconidae: Alysiniinae). *Entomon* 5(2): 157-159.
- Bhat, S. 1980.** Two new species of *Cratospila* Foerster (Hymenoptera: Braconidae: Alysiniinae). *Reichenbachia* 18(8): 67-71.
- Bhatnagar, V.S. 1987.** Conservation and encouragement of natural enemies of insect pests in dryland subsistence farming: Problems, progress and prospects in the Sahelian zone. *Insect Science and its Application* 8(4-6): 791-795.
- Bhatnagar, V.S., Fytizas, E. & Beye, A. 1991.** Preliminary results of impact of some traditional agronomic practices and drought on economically important soil fauna in pearl millet fields in the Sahelian zone. In: Veeresh, G.K., Rajagopal, D. & Viraktamath, C.A. [eds]. "Advances in management and conservation of soil fauna." Oxford & Ibh Publishing Co. Pvt. Ltd., New Delhi. 925 pp. Chapter pagination: 321-328.
- Bhatt, N. & Singh, R. 1989.** Bionomics of an aphidiid parasitoid, *Trioxys indicus* 30. Effect of host plants on reproductive and developmental factors. *Biological Agriculture & Horticulture* 6: 149-157.
- Bhatt, N. & Singh, R. 1991.** Bionomics of an aphidiid parasitoid, *Trioxys indicus* Subba Rao & Sharma 32. Effect of food plants on the functional response area of discovery and sex ratio of F1 offspring at varying densities of its host *Aphis gossypii* Glover. *Journal of Applied Entomology* 111: 263-269.
- Bhatt, N. & Singh, R. 1991.** Bionomics of an aphidiid parasitoid, *Trioxys indicus* Subba Rao & Sharma 33. Impact of food plants on the behaviour and sex allocation by the female parasitoid at varying densities. *Biological Agriculture & Horticulture* 7: 247-259.
- Bhatt, N. & Singh, R. 1991.** Bionomics of an aphidiid parasitoid, *Trioxys indicus* Subba Rao and Sharma. 35. Influence of food plants on the life table statistics of the parasitoid through its host *Aphis gossypii* Glover. *Insect Science and its Application* 12(4): 385-389.
- Bhatt, N. & Singh, R. 1991.** Bionomics of an aphidiid parasitoid, *Trioxys indicus* Subba Rao & Sharma 36. Impact of male on the fecundity and sex allocation of the parasitoid through its host *Aphis gossypii* on some cucurbit food plants. *Zeitschrift für angewandte Entomologie* 78: 3-10.
- Bhatt, N. & Singh, R. 1991.** Impact of male parasitoid *Trioxys indicus* Subba Rao & Sharma on the reproductive strategy of female on different food plants. *Indian Journal of Ecology* 18(1): 36-40.
- Bhattacharya, A., Mishra, Y.D., Naqvi, A.H. & Sen, A.K. 1995.** Attraction of some insects associated with lac towards various coloured lights. *Journal of Insect Science* 8(2): 205-206.
- Bhoje, P.M. & Sathe, T.V. 2002.** On a new species of *Dolichogenidea* Viereck (Hymenoptera: Braconidae) from India. *Uttar Pradesh Journal of Zoology* 22(1): 81-83.
- Bhoje, P.M. & Sathe, T.V. 2002.** A new species of *Dolichogenidea* Viereck (Hymenoptera: Braconidae) from India. *Journal of Nature Conservation* 14(1): 63-66.
- Bhushan, V.S. & Azam, K.M. 1990.** Toxicity of synthetic pyrethroids to larval parasites of coconut black headed caterpillar, *Opisina arenosella*. *Indian Coconut Journal Cochin* 20(9): 10-12.
- Bi, Z.B. & Ji, Z.D. 1993.** Bionomics of *Aphidius gifuensis* Ashmead [a parasitoid of *Myzus persicae*]. 1. Development stages and morphology at the larval stage. *Journal of Hebei Agricultural University* 16(2): 1-6.
- Bi, Z.B. & Ji, Z.D. 1994.** A biological study of *Aphidius gifuensis* Ashmead II. Biology of the adult and overwintering. *Journal of Hebei Agricultural University* 17(2): 38-44.
- Bi, Z.B. & Ji, Z.D. 1996.** Bionomics of *Aphidius gifuensis* IV. Fecundity, intrinsic rate of increase, functional response and its effect on population suppression of green peach aphid. *Journal of Hebei Agricultural University* 19(3): 1-6.
- Biache, G. & Injac, M. 1988.** Effect of treatment of a cabbage crop with a nuclear polyhedrosis virus, associated with a synthetic pyrethroid, on the pests *Mamestra brassicae* and *Plutella xy-*

- lostella* and their parasitoids *Chrysopa carnea* and *Apanteles glomeratus*. Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent 53(3a): 987-995.
- Bianchi, F.A. 1983.** *Meteorus laphygmae* Viereck. Proceedings of the Hawaiian Entomological Society 24(2-3) (1980-1981): 169.
- Bicego, C.H.P., Florcovski, J.L. & Calafiori, M.H. 1995.** Biology of *Tyloderma brassicae* C. Lima, 1938 (Coleoptera: Curculionidae) and its natural enemies on cabbage (*Brassica oleracea* L. var. *acephala* D. C.). Ecosystema 20: 119-123.
- Biddinger, D.J., Felland, C.M. & Hull, L.A. 1994.** Parasitism of tufted apple bud moth (Lepidoptera: Tortricidae) in conventional insecticide and pheromone-treated Pennsylvania apple orchards. Environmental Entomology 23(6): 1568-1579.
- Bidlack, D.S., Grant, J.F. & Pless, C.D. 1991.** Seasonal incidence of larvae of the tobacco budworm and corn earworm, and their parasitoids, on tobacco in eastern Tennessee. Journal of Agricultural Entomology 8(3): 155-162.
- Biere, A., Elzinga, J.A., Honders, S.C. & Harvey, J.A. 2002.** A plant pathogen reduces the enemy-free space of an insect herbivore on a shared host plant. Proceedings of the Royal Society of London. Series B, Biological Sciences 269(1506): 2197-2204.
- Biever, K.D. 1992.** Distribution and occurrence of *Cotesia rubecula* (Hymenoptera: Braconidae), a parasite of *Artogeia rapae* in Washington and Oregon. Journal of Economic Entomology 85(3): 739-742.
- Biever, K.D., Chauvin, R.L., Reed, G.L. & Wilson, R.C. 1992.** Seasonal occurrence and abundance of lepidopterous pests and associated parasitoids on collards in the northwestern United States. Journal of Entomological Science 27(1): 5-18.
- Biggs, A.R. & Hagley, E.A.C. 1988.** Effects of two sterol-inhibiting fungicides on populations of pest and beneficial arthropods on apple. Agriculture Ecosystems & Environment 20(4): 235-244.
- Bigler, F. & Delucchi, V. 1981.** Wichtigste Mortalitätsfaktoren während der praepupalen Entwicklung der Olivenfliege, *Dacus oleae* Gmel. (Dipt.: Tephritidae) auf oleastern und kultivierten Oliven in Westkreta, Griechenland. Zeitschrift für angewandte Entomologie 92: 343-363.
- Bigler, F., Neuenschwander, P., Delucchi, V. & Michelakis, S. 1986.** Natural enemies of preimaginal stages of *Dacus oleae* Gmel. (Dipt.: Tephritidae) in Western Crete. II. Impact on olive fly populations. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri", Italy 43: 79-96.
- Bijaya Devi, P., Chitra Devi, L., Varatharajan, R. & Singh, T.K. 1996.** On the density and composition of natural enemies of cabbage infesting aphids from Manipur. Journal of Advanced Zoology 17(2): 74-78.
- Bilapate, G.G. 1985.** Studies on overlapping generations of *Earias vittella* in pesticide-free cotton field. Journal of Maharashtra Agricultural Universities 10(2): 147-150.
- Bilewicz-Pawinska, T. 1968.** Laboratory culture of Euphorinae-parasites of *Lygus* sp. Ekologia Polska. Ser. B. 14(3): 231-236.
- Bilewicz-Pawinska, T. 1969.** Natural limitation of *Lygus rugulipennis* Popp. by a group of *Leiothron pallipes* Curtis on the rye crop fields. Ekologia Polska. Ser. A. 17(4): 811-825.
- Bilewicz-Pawinska, T. 1971.** Natural reduction of some *Stenodema* Lap. (Het.: Miridae) by parasitic *Leiothron* Nees (Hym., Braconidae). (in Polish with English summary) Polskie Pismo Entomologiczne 41(1): 183-193.
- Bilewicz-Pawinska, T. 1974.** Emergence and longevity of two species of *Peristenus* Foerster (Braconidae) under laboratory conditions. Ekologia Polska 22(1): 213-222.
- Bilewicz-Pawinska, T. 1974.** Observations of introduction of *Peristenus rubricollis* Thomson under laboratory conditions. Bulletin de l'Académie Polonaise des Sciences 22: 681-684.
- Bilewicz-Pawinska, T. & Pankanin, M. 1974.** Larvae of *Peristenus* Foerster (Hym.: Braconidae), parasites of *Lygus rugulipennis* Popp. (Heteroptera: Miridae). (in Polish with English summary) Polskie Pismo Entomologiczne 44: 759-764.
- Bilewicz-Pawinska, T. 1976.** Distribution of the insect parasites *Peristenus* Förster and *Mesochorus* Gravenhorst in Poland. Bulletin de l'Académie Polonaise des Sciences (Biol.) 23(1975): 823-827.
- Bilewicz-Pawinska, T. 1977.** Parasitism of *Adelphocoris lineolatus* Goeze and *Lygus regulipennis* Popp. (Heteroptera) by Braconids and their occurrence on alfalfa. Ekologia Polska 25(3): 539-550.
- Bilewicz-Pawinska, T. 1977.** Occurrence and role of the parasitic genus *Peristenus* Foerster (Hym., Braconidae) on the rye crop fields. (in Polish with English summary) Polskie Pismo Entomologiczne 47: 123-135.
- Bilewicz-Pawinska, T. 1978.** Ecological properties of *Peristenus digoneutis* and *Peristenus stygicus* (Hymenoptera: Braconidae) parasitoids of *Lygus* bugs (Heteroptera: Miridae). Bulletin de l'Académie Polonaise des Sciences 26: 441-446.
- Bilewicz-Pawinska, T. 1982.** Plant bugs (Heteroptera: Miridae) and their parasitoids (Hymenoptera: Braconidae) on cereal crops. Polish Ecological Studies 8(1-2): 119-191.
- Bilewicz-Pawinska, T. 1988.** Communities of cereal mirids (Heteroptera) and their parasitoids (Hymenoptera: Braconidae) on rye crops adjacent to different habitats. Polish Ecological Studies 13(2): 175-194.
- Bilewicz-Pawinska, T. & Varis, A.-L. 1990.** Response of parasitoids of the genus *Peristenus* Förster (Hymenoptera: Braconidae) to temperature changes during the diapause. Entomologica Fennica 1(3): 189-190.
- Bilewicz-Pawinska, T. 1994.** Abundance and parasitism of noxious species of bugs and leafhoppers (Hemiptera) on potatoes differently located in suburban landscape. Ekologia Polska 40(2) (1992): 239-264.
- Biliotti, E. & Daumal, J. 1969.** Biologie de *Phanerotoma flavitestacea* Fischer. Mise au point d'un élevage permanent en vue de la lutte biologique contre *Ectomyeloides ceratoniae* Zell. Annales de Zoologie Ecologie Animale 1: 379-394.
- Billqvist, A. & Ekbom, B. 2001.** Effects of host plant species on the interaction between the parasitic wasp *Diospilus capito* and pollen beetles (*Meligethes* spp.). Agricultural and Forest Entomology 3(2): 147-152.
- Billqvist, A. & Ekbom, B. 2001.** The influence of host plant species on parasitism of pollen beetles (*Meligethes* spp.) by *Phradis morionellus*. Entomologia Experimentalis et Applicata 98(1): 41-47.
- Bin Ismail, A. & Long, G.E. 1982.** Interactions among parasites of the larch casebearer (Lepidoptera: Coleophoridae) in northern Idaho. Environmental Entomology 11(6): 1242-1247.
- Binazzi, A. & Pennacchio, F. 2003.** On the biology and ecology of *Stomaphis acquerinoi* Bnz. from Tuscany (I) (Aphididae Lachninae). Redia 85(2002): 205-212.
- Bindra, O.S. & Chand, N. 1973.** Studies on the life-history of *Apanteles flavipes* (Cameron) and trial with it for controlling the Gurdaspur borer of sugarcane, *Bissetia steniella* (Hampson) in the Punjab. Indian Sug. 23: 1-5.
- Binrov, H. 1973.** On knowledge of the natural enemies (Hymenoptera and Diptera) of some injurious Noctuids. (In Slovakian). Biologické Proce. Edia Sekcie Biologických a Lekirkych Vied, Slovenskej Akadémie Vied. Bratislava 19(7): 79 pp.
- Birkett, M.A., Campbell, C.A.M., Chamberlain, K., Guerrieri, E., Hick, A.J., Martin, J.L., Matthes, M., Napier, J.A., Pettersson, J., Pickett, J.A., Poppy, G.M., Pow, E.M., Pye, B.J., Smart, L.E., Wadhams, G.H., Wadhams, L.J. & Woodcock, C.M. 2000.** New roles for cis-jasmone as an insect semiochemical and in plant defense. Proceedings of the National Academy of Sciences of the United States of America 97(16): 9329-9334.
- Bisabri-Ershadi, B. & Ehler, L.E. 1981.** Natural biological control of western yellow-striped armyworm *Spodoptera praefica* (Grote), in hay alfalfa in northern California. Hilgardia 49(5): 1-23.

- Bisabri-Ershadi, B. 1982.** Natural biological control of western yellow-striped armyworm, *Spodoptera praefica* (Grote), on hay alfalfa in northern California. Dissertation Abstracts International B Sciences and Engineering 42(8): 3109.
- Bischof, C. 1994.** Veränderung der Lipid- und Proteinkonzentration der Hämolymphe von *Lymantria dispar* (Lymantridae, Lepidoptera) nach Schwermetallbelastung und Parasitierung durch die Brackwespe *Glyptapanteles liparidis*. Anzeiger der Österreichischen Akademie Der Wissenschaften Mathematisch-naturwissenschaftliche Klasse 130 (1993): 53-58.
- Bischof, C. 1995.** Effects of heavy metal stress on carbohydrate and lipid concentrations in the haemolymph and total body tissue of parasitized *Lymantria dispar* L. larvae (Lepidoptera). Comparative Biochemistry and Physiology. C. Pharmacology, Toxicology and Endocrinology 112(1): 87-92.
- Bischof, C. 1995.** Heavy metal concentrations of the endoparasitoid *Glyptapanteles liparidis* Bouche (Hymenoptera) in contaminated *Lymantria dispar* L. larvae (Lepidoptera). Bulletin of Environmental Contamination and Toxicology 55(4): 533-538.
- Bischof, C. 1996.** Effects of heavy metal stress on free amino acids in the haemolymph and proteins in haemolymph and total body tissue of *Lymantria dispar* larvae parasitized by *Glyptapanteles liparidis*. Entomologia Experimentalis et Applicata 79(1): 61-68.
- Bischof, C. & Ortel, J. 1996.** The effects of parasitism by *Glyptapanteles liparidis* (Braconidae, Hymenoptera) on the hemolymph and total body composition of gypsy moth larvae (*Lymantria dispar*, Lymantriidae, Lepidoptera). Parasitology Research 82(8): 687-692.
- Bishop, A.L. & McKenzie, H.J. 1991.** Key mortality factors of *Meropteryx divulsana* (Walker) (Lepidoptera: Tortricidae) larvae in the Hunter Valley. General and Applied Entomology 23: 59-64.
- Bishop, D.M. 1998.** Parasitic Hymenoptera reared from dung-breeding Diptera in New Zealand. New Zealand Entomologist 21: 99-106.
- Bishop, D.M., Heath, A.C.G. & Haack, N.A. 1996.** Distribution, prevalence and host associations of Hymenoptera parasitic on *Calliphoridae* occurring in flystrike in New Zealand. Medical and Veterinary Entomology 10(4): 365-370.
- Bishop, S.D., Smith, R.F., Vincent, C., Goulet, H., Huber, J., Gibson, G., Sharkey, M. & Borden, J.H. 2001.** Hymenoptera parasites associated with *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) in Nova Scotia and Quebec. Phytoprotection 82(2): 65-71.
- Biswas, G.C., Kabir, S.M.H. & Das, G.P. 2001.** Insect pests of sesame, *Sesamum indicum* Linn. in Bangladesh, their succession and natural enemies. Indian Journal of Entomology 63(2): 117-124.
- Biswas, S. & Singh, R. 1995.** Frequency of constrained sex allocation in field population of aphid parasitoids (Aphidiidae: Hymenoptera). Journal of Advanced Zoology 16(1): 16-20.
- Biswas, S. & Singh, R. 1997.** Offspring sex ratio of a cereal aphid parasitoid, *Lysiphlebus delhiensis* (Subba Rao & Sharma) in response to maternal crowding. Insect Science and its Application 16(3-4) (July-December 1995): 287-291.
- Biswas, S., Singh, R. & Narayan Rao, S. 1997.** Effect of temperature on the life-table of parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hymenoptera: Braconidae) on corn aphid *Melanaphis sacchari* (Hemiptera: Aphididae) feeding on two corn varieties. Journal of Aphidology 9(1-2)(1995): 42-49.
- Biswas, S. & Singh, R. 1998.** Interrelationship between host density, temperature, offspring, sex ratio and intrinsic rate of natural increase of the aphid parasitoid *Lysiphlebia mirzai* reared on resistant and susceptible food plant cultivars (Hymenoptera: Braconidae: Aphidiinae). Entomologia Generalis 22(3-4): 239-249.
- Bitaw, A.A. & Bin-Saad, A.A. 1988.** Natural enemies of date palm pests in Jamahiriya. Arab and Near East Plant Protection Newsletter 7: 26.
- Bjureke, K. 1999.** Relations between 'sun flower' and 'sun flower' band-fly. Insekt Nytt 24(2-3): 29-33.
- Blaakmeer, A., Geervliet, J.B.F., Posthumus, M.A., Loon, J.J.A. van, Beek, T.A. van & Groot, A. de 1994.** Comparative headspace analysis of cabbage plants damaged by two species of *Pieris* caterpillars: consequences for in-flight host location by *Cotesia* parasitoids. Entomologia Experimentalis et Applicata 73(2): 175-182.
- Black, W.C.I.V., DuTeau, N.M., Puterka, G.J., Nechols, J.R. & Pettorini, J.M. 1992.** Use of the random amplified polymorphic DNA polymerase chain reaction (RAPD-PCR) to detect DNA polymorphisms in aphids (Homoptera: Aphididae). Bulletin of Entomological Research 82(2): 151-159.
- Blackith, R.E. 1967.** A hymenopterous primary parasite of morabine grasshoppers. Australian Journal of Zoology 15: 93-102.
- Blackith, R.E. 1973.** A parasite of ladybirds in Ireland. Irish Naturalists' Journal 17: 420-421.
- Blackith, R.E. & Blackith, R. 1978.** A new host for *Perilitus coccinellae* (Hymenoptera: Braconidae). Irish Naturalists' Journal 19(5): 164-165.
- Blackith, R.E. & Blackith, R. 1986.** *Pygostolus sticticus* Fab. (Hymenoptera: Braconidae) parasitises on *Otiorhynchus singularis* (L.) (Coleoptera: Curculionidae) in an Irish pine forest. Irish Naturalists' Journal 22: 69-71.
- Blais, J.R. 1965.** Parasites studies in two residual spruce budworm (*Choristoneura fumiferana* (Clem.)) outbreaks in Quebec. Canadian Entomologist 97: 129-136.
- Blais, J.R. 1975.** Situation actuelle de la lutte biologique contre la tordeuse des bourgeons de l'épinette. Forêt Conservation. Québec 41(5): 14-17.
- Blanchard, E.E. 1964.** Un nuevo Microgastrino Argentino (Hym.: Braconidae). Revista de la Sociedad Entomologica Argentina 26(1963): 41-42.
- Blanchard, E.E. 1965.** Un nuevo parasito de Pterophoridae Argentino (Hym.: Braconidae). Revista de la Sociedad Entomologica Argentina 27(1964): 117-118.
- Blatutiak, A., Krecek, J. & Ruzicka, Z. 1973.** Evaluacion de la selectividad ecologica de tres insecticidas en *Lysiphlebus testaceipes* (Cresson), a parasito del afido de maíz *Rhopalosiphum maidis* (Fitch). Poeyana 113: 1-18.
- Blanco-Metzler, H., Vargas, C., Hauxwell, C., Floyd, R.B. & Hauxwell, C. 2001.** Indigenous parasitoids and exotic introductions for the control of *Hypsipyla grandella* (Zeller) (Lepidoptera: Pyralidae) in Latin America. *Hypsipyla* shoot borers in Meliaceae. Proceedings of an International Workshop held at Kandy, Sri Lanka, 20-23 August 1996. 140-145.
- Blickenstaff, C.C., Huggans, J.L. & Schroder, R.W. 1972.** Biology and ecology of the alfalfa weevil, *Hypera postica* in Maryland and New Jersey. 1961 to 1967. Annals of the Entomological Society of America 65(2): 336-349.
- Blommers, L., Helsen, H. & Vaal, F. 1988.** The autumn leaf-roller: Phenology, damage and parasitoids in a Dutch apple orchard. Netherlands Journal of Plant Pathology 94(2): 95-103.
- Blommers, L.H.M., Vaal, F.W.N.M. & Helsen, H.H.M. 1997.** Life history, seasonal adaptations and monitoring of common green capsid *Lygocoris pabulinus* (L.) (Hem.: Miridae). Journal of Applied Entomology 121(7): 389-398.
- Blossey, B. 1993.** Herbivory below ground and biological weed control: life history of a root-boring weevil on purple loosestrife. Oecologia (Heidelberg) 94(3): 380-387.
- Blumberg, D. & Ferkovich, S.M. 1994.** Development and encapsulation of the endoparasitoid, *Microplitis croceipes* (Hym.: Braconidae), in six candidate host species (Lep.). Entomophaga 39 (3-4): 293-302.

- Blumberg, D., Navon, A., Keren, S., Goldenberg, S. & Ferkovich, S.M. 1997.** Interactions among *Helicoverpa armigera* (Lepidoptera: Noctuidae), its larval endoparasitoid *Microplitis croceipes* (Hymenoptera: Braconidae), and *Bacillus thuringiensis*. *Journal of Economic Entomology* 90(5): 1181-1186.
- Blume, R.R. 1970.** Insects associated with bovine droppings in Kerr and Bexar Counties, Texas. *Journal of Economic Entomology* 63: 1023-1024.
- Blume, R.R. 1972.** Additional insects associated with bovine droppings in Kerr and Bexar Counties, Texas. *Journal of Economic Entomology* 65(2): 621.
- Blume, R.R. 1986.** Parasites of Diptera associated with bovine droppings on a pasture in east central Texas. *Southwestern Entomologist* 11(3): 215-222.
- Blume, R.R. 1987.** Bionomics of some species of the genus *Spalangia* Latreille. *Southwestern Entomologist* 12(3) 1987: 191-195.
- Blumel, S. 1988.** Investigations on insecticide resistance of *Phorodon humuli* in Austria. *Bulletin SROP* 11(5): 3-9.
- Blumel, S. 1992.** Greenhouse trials to control *Trialeurodes vaporariorum* (Westwood) on *Gerbera* with the parasitic wasp *Encarsia formosa*. *Journal of Applied Entomology* 113(1): 1-7.
- Blumenthal, E.M., Fusco, R.A. & Reardon, R.C. 1979.** Augmentative release of two established parasite species to suppress populations of the gypsy moth. *Journal of Economic Entomology* 72(2): 281-288.
- Bocchino, F. & Sullivan, D.J. 1981.** Effects of venoms from two hyperparasitoids, *Asaphes lucens* and *Dendrocerus carpenteri* (Hymenoptera: Pteromalidae and Megaspilidae), on larvae of *Aphidius smithi* (Hymenoptera: Aphidiidae). *Canadian Entomologist* 113(10): 887-889.
- Boenisch, A., Petersen, G. & Wyss, U. 1997.** Influence of the hyperparasitoid *Dendrocerus carpenteri* on the reproduction of the grain aphid *Sitobion avenae*. *Ecological Entomology* 22(1): 1-6.
- Bogahawatte, C.N.L. 1993.** Glasshouse and field studies of diamondback moth *Plutella xylostella* (Lepidoptera: Yponomeutidae) on host plant resistance in Brassica and biological control. Reading University, Department of Pure and Applied Zoology, Reading 1993: 1-198.
- Bogahawatte, C.N.L. & Emden, H.F. van 1996.** The influence of the host plant of diamond-back moth (*Plutella xylostella*) on the plant preferences of its parasitoid *Cotesia plutellae* in Sri Lanka. *Physiological Entomology* 21(2): 93-96.
- Bogenschütz, H. 1964.** Untersuchungen über Parasiten des Eichenwicklers *Tortrix viridana* L. I. Artenspektrum, Präsenz und Dominanz (eine Auswertung der Litteratur). *Entomophaga* 9: 281-292.
- Boica, A.L. Jr., Lara, F.M. & Bellodi, M.P. 1997.** Influence of stem of sugarcane varieties the development of *Diatraea saccharalis* (Fabr.) and its parasitism by *Cotesia flavipes* (Com.). Influencia de variedades de cana-de-acucar, incorporadas em dieta artificial, no desenvolvimento de *Diatraea saccharalis* (Fabr.) e no seu parasitismo por *Cotesia flavipes* (Cam.). *Anais da Sociedade Entomologica do Brasil* 26(3): 537-542.
- Boire, S., Gilstrap, F.E. & Teetes, G.L. 1998.** Impact of natural enemies on abundance of millet head miner (Lepidoptera: Noctuidae) in Niger. *International Sorghum and Millets Newsletter* 39: 144-145.
- Boiteau, G. 1983.** The arthropod community of potato fields in New Brunswick, 1979-1981. *Canadian Entomologist* 115: 847-853.
- Bokor, P. & Cagan, L. 1999.** Phenology, basic biology and parasitism of *Microgaster tibialis* (Hymenoptera: Braconidae), a parasitoid of the European corn borer, *Ostrinia nubilalis*, in Central Europe. *Biologia Bratislava* 54(5): 567-572.
- Boldaruev, V.O. 1981.** Rehabilitation of specialist parasites against *Dendrolimus sibiricus*: 136-139. In: Cherepanov, A.I. [ed.]. Fauna and ecology of arthropods of Siberia. *Proceedings of the 5th Conference of Siberian Entomologists*. Nauka, Novosibirsk 1981: 1-317.
- Boling, J.C. & Pitre, H.N. 1970.** Life history of *Apanteles marginiventris* with descriptions of immature stages. *Journal of the Kansas Entomological Society* 43: 465-470.
- Boling, J.C. & Pitre, H.N. 1971.** Hostal plant preference for oviposition by *Trichoplusia ni* and efficiency of *Apanteles marginiventris* as a population regulator of *T. ni* in field-cage tests. *Journal of Economic Entomology* 64(2): 411-412.
- Boll, R., Geria, A., Marconi, A., Migliore, O., Salles, M. & Fauvergue, X. 2001.** Against aphids on greenhouse cucumber crops. Banker-plants for biological control? *Phytoma* 536: 40-44.
- Boll, R., Geria, A.M., Marconi, A., Migliore, O. & Salles, M. 2001.** Banker plants against aphids in cucumbers. *PHM Revue Horticole* 426: 37-42.
- Bolter, C.J. & Laing, J.E. 1984.** Competition between *Diadegma insulare* (Hymenoptera: Ichneumonidae) and *Microplitis plutellae* (Hymenoptera: Braconidae) for larvae of the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae). *Proceedings of the Entomological Society of Ontario* 114(1983): 1-10.
- Boness, M. & Starý, P. 1988.** Aphid parasitoids in river flood debris (Hymenoptera: Aphidiidae). *Entomologia Generalis* 13(3-4): 251-254.
- Bonfanti Almeida, J.C., Chaud Netto, J. & Gobbi, N. 1993.** Effective parasitism by *Cotesia glomerata* (L. 1758) (Hymenoptera: Braconidae) on larvae of *Ascia monuste orseis* (Godart, 1818) (Lepidoptera: Pieridae) and relative viability of the parasitoid wasp in field conditions. *Revista Brasileira de Biologia* 53(1): 43-45.
- Bonhof, M.J., Kiros, F.G., Dibogo, N. & Huis, A. van 2001.** Farmers' perceptions of importance, control methods and natural enemies of maize stemborers at the Kenya coast. *Insect Science and its Application* 21(1): 33-42.
- Bonhof, M.J., Overholt, W.A., Polaszek, A. & Huis, A. van 1997.** Natural enemies of cereal stemborers in East Africa: a review. *Insect Science and its Application* 17(1): 19-35.
- Bonnemaison, L. 1970.** Action de *Diaeretiella rapae* sur le développement et la morphologie de *Brevicoryne brassicae* L. *Bulletin de la Société Entomologique de France* 6: 167-191.
- Bonsall, M.B., Hassell, M.P. & Asefa, G. 2002.** Ecological trade-offs, resource partitioning, and coexistence in a host-parasitoid assemblage. *Ecology* (Washington D.C.) 83(4): 925-934.
- Borah, B.K. & Saharia, D. 1989.** Field evaluation of certain insecticides on rice leaf-folder *Cnaphalocrocis medinalis* Guenée and its parasitoid *Aulosaphes* sp. *Journal of Research Assam Agricultural University* 10(1, 2): 70-71.
- Borah, B.K. & Saharia, D. 1989.** Impact of parasitoids in suppressing rice leaf-folder, *Cnaphalocrocis medinalis* Guenée. *Journal of Research Assam Agricultural University* 10(1-2): 19-24.
- Borah, B.K. & Arya, M.P.S. 1995.** Natural parasitization of sugarcane plassey borer (*Chilo tumidicostalis* Hmps. n.) by braconid larval parasitoid in Assam. *Annals of Agricultural Research* 16(3): 362-363.
- Borah, B.K. & Sarma, K.K. 1995.** Seasonal incidence of plassey borer, *Chilo tumidicostalis* Hmps. n. in ratoon sugarcane. *Plant Health* 1: 29-33.
- Borah, B.K. & Dutta, S.K. 2001.** Natural enemies of legume pod borer, *Maruca testulalis* Geyer in Jorhat, Assam. *Insect Environment* 7(3): 113-114.
- Bordat, D., Coly, E.V., Dalle, M., Renand, M. & Letourmy, P. 1992.** Influence of temperature on the parasitic and imaginal activity of *Opius dissitus* Muesebeck (Hymenoptera: Braconidae), a parasitoid of leaf mining flies [*Liriomyza trifolii*]. *Agronomie Tropicale* 46(3): 211-216.
- Bordat, D., Coly, E.V. & Letourmy, P. 1995.** Influence of temperature on *Opius dissitus* (Hym.: Braconidae), a parasitoid of *Liriomyza trifolii* (Dipt.: Agromyzidae). *Entomophaga* 40(1): 119-124.

- Bordat, D., Coly, E.V. & Roux-Olivera, C. 1995.** Morphometric, biological and behavioural differences between *Hemiptarsenus varicornis* (Hym.: Eulophidae) and *Opius dissitus* (Hym.: Braconidae) parasitoids of *Liriomyza trifolii* (Dipt.: Agromyzidae). *Journal of Applied Entomology* 119(6): 423-427.
- Bordat, D., Goudegnon, A.E. & Bouix, G. 1994.** Relationships between *Apanteles flavipes* (Hym.: Braconidae) and *Nosema bordati* (Microspora: Nosematidae) parasites of *Chilo partellus* (Lep.: Pyralidae). *Entomophaga* 39(1): 21-32.
- Bordera, S. & Tormos, J. 1986.** Un Bracnido y tres Ichneumonidos teratológicos (Hym.: Ichneumonoidea). *Boletín de la Asociación Española de Entomología* 10: 335-338.
- Bordera, S. & Selfa, J. 1993.** Data on the *Acrolytina* fauna of the Iberian Peninsula (Hymenoptera: Ichneumonidae). *Nouvelle Revue d'Entomologie* 10(3): 281-288.
- Borge, M.N.R. & Basedow, T. 1997.** A survey on the occurrence and flight periods of fruit fly species (Diptera: Tephritidae) in a fruit growing area in southwest Nicaragua, 1994/95. *Bulletin of Entomological Research* 87(4): 405-412.
- Borgemeister, C., Haardt, H. & Hiller, C. 1991.** Fluctuations in relative numbers of *Aphidius* species (Hymenoptera: Aphidiidae) associated with cereal aphids: 23-28. In: Polgar, L., Chambers, R.J., Dixon, A.F.G. & Hodek, I. [eds]. *Behaviour and impact of Aphidophaga*. Proceedings of the 4th meeting of the IOBC W.G. 'Ecology of Aphidophaga'. SPB Academic Publishing, The Hague 1991: 1-350.
- Borgemeister, C. & Poehling, H.M. 1988.** Investigations on the influence of reduced insecticide treatments on the population dynamics of cereal aphids and on the incidence of their primary parasitoids. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 6(1-3): 174-181.
- Borgemeister, C. & Poehling, H.M. 1988.** Seasonal abundance and species composition of cereal aphid primary and secondary parasitoids. *Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent* 53(3a): 1055-1062.
- Borgemeister, C. & Poehling, H.M. 1990.** Impact of primary and hyperparasitoids on the population dynamics of cereal aphids—results of a two-year study in the Hanover area. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 7(4-6): 555-562.
- Borgemeister, C. 1992.** Primary and hyperparasitoids of cereal aphids: interactions and interference from insecticides. *Agrarökologie* 3: 18 pp.
- Borgemeister, C., Poehling, H.M., Dinter, A. & Höller, C. 1993.** Effects of insecticides on life history parameters of the aphid parasitoid *Aphidius rhopalosiphii* (Hym.: Aphidiidae). *Entomophaga* 38(2): 245-255.
- Borstel, R.C. von, Smith, R.H., Grosch, D.S., Whiting, A.R., Baird, M.B., Buchanan, P.D., Cain, K.T., Carpenter, R.A., Clark, A.M., Hoffman, A.C., Jones, M.S., Kondo, S., Lane, M.J., Mizianty, T.J., Pardue, M.L., Reel, J.W., Smith, D.B., Steen, J.A., Tindall, J.T. & Valcovic, L.R. 1968.** Mutational response of *Habrobracon* in the Biosatellite II experiment. *BioScience* 18(6): 598-601.
- Bosque, J.L., Figueras, M. & Izquierdo, J. 1996.** Parasitism of Plusiinae (Lepidoptera: Noctuidae) on tomato. *Boletín de Sanidad Vegetal, Plagas* 22(4): 683-692.
- Boscán de M., N. & Godoy, F. 1996.** New parasitoids from *Anastrepha* and *Ceratitis* fruit flies in Venezuela. *Nuevos parasitoides de moscas de las frutas de los generos Anastrepha y Ceratitis en Venezuela*. *Agronomía Tropical (Maracay)* 46(4): 465-471.
- Bosch, R. van den, Schlinger, E.I., Dietrick, E.J., Hall, J.C. & Puttler, B. 1964.** Studies on succession, distribution, and phenology of imported parasites of *Therioaphis trifolii* (Monell) in southern California. *Ecology* 45(3): 602-621.
- Bosch, R. van den, Schlinger, E.I., Lagace, C.F. & Hall, J.C. 1966.** Parasitization of *Acyrrhosiphon pisum* by *Aphius smithi*, a density dependent process in nature (Homoptera: Aphididae) (Hymenoptera: Aphidiidae). *Ecology* 47: 1049-1055.
- Bosch, R. van den, Lagace, C.F. & Stern, V.M. 1967.** The interrelationship of the aphid, *Acyrrhosiphon pisum*, and its parasite *Aphidius smithi*, in a stable environment. *Ecology* 48(6): 993-1000.
- Bosch, R. van den, Frazer, B.D., Davis, C.S., Messenger, P.S. & Hom, R. 1970.** *Trioxys pallidus* an effective walnut aphid parasite from Iran. *California Agriculture* 24(11): 8-10.
- Bosch, R. van den, Hom, R., Matteson, P., Frazer, B.D., Messenger, P.S. & Davis, C.S. 1979.** Biological control of the walnut aphid in California: Impact of the parasite, *Trioxys pallidus*. *Hilgardia* 47(1): 1-13.
- Bosque-Perez, N.A., Ubeku, J.A. & Polaszek, A. 1994.** Survey for parasites of *Sesamia calamistis* (Lep.: Noctuidae) and *Eldana saccharina* (Lep.: Pyralidae) in southwestern Nigeria. *Entomophaga* 39(3-4): 367-376.
- Bosque-Perez, N.A., Johnson, J.B., Schotzko, D.J. & Unger, L. 2002.** Species diversity, abundance, and phenology of aphid natural enemies on spring wheats resistant and susceptible to Russian wheat aphid. *BioControl* 47(6): 667-684.
- Botelho, P.S.M. 1980.** *Apanteles flavipes* performance in the central south region of Brazil. *Entomology Newsletter* No. 8: 5.
- Botelho, P.S.M., Macedo, N. & Mendes, A.C. 1980.** Aspects of the population dynamics of *Apanteles flavipes* (Cameron) and support capacity of the host *Diatraea saccharalis* (Fabr.). *Proceedings of the International Society of Sugar Cane Technologists* 17(2): 1736-1745.
- Botelho, A.C.B., Cure, J.R. & Vilela, E.F. 1994.** Abundance and species richness of insects (herbivores, predators and parasitoids) in an organic horticultural agroecosystem. *Anais da Sociedade Entomológica do Brasil* 23(1): 87-98.
- Botelho, P.S.M., Parra, J.R.P., Chagas-Das Neto, J.F. & Oliveira, C.P.B. 1999.** Association of the egg parasitoid *Trichogramma galloi* Zucchi (Hymenoptera: Trichogrammatidae) with the larval parasitoid *Cotesia flavipes* (Cam.) (Hymenoptera: Braconidae) to control the sugarcane borer *Diatraea saccharalis* (Fabr.) (Lepidoptera: Crambidae). *Anais da Sociedade Entomológica do Brasil* 28(3): 491-496.
- Botto, E.N., Gonzalez, D., Bellows, T. & Gupta, V.K. 1988.** Effect of temperature on some biological parameters of two populations of *Aphidius ervi* Haliday (Hymenoptera: Aphididae). *Advances in parasitic Hymenoptera research: Proceedings of the II Conference on the Taxonomy and Biology of Parasitic Hymenoptera*, recd. 1993: 367-377.
- Botto, E.N., Monetti, N.C. & Salvo, A.R. de 1991.** Introduction, colonization and establishment of *Lysiphlebus testaceipes* (Hymenoptera: Aphidiidae), in Argentina. *Entomophaga* 36(2): 323-324.
- Botto, E.N., Monetti, N.C., Ortega, J. & Duchetti, A. 1995.** Natural enemies of cereal aphids and their potential impact against the Russian Wheat Aphid (Homoptera: Aphididae) in Argentina. *Vedalia* 2: 39-40.
- Botto, E.N. & Lanteri, A.A. 1999.** Biological pest control under protected environments. *Proceedings of the IV Argentine Congress of Entomology, Mar del Plata, Argentina, 8-12 March 1998*. *Revista de la Sociedad Entomológica Argentina* 58(1-2): 58-64.
- Bottrell, D.G. 1969.** Notes on parasites attacking the yellow-striped armyworm in Oklahoma. *Annals of the Entomological Society of America* 62(1): 250-252.
- Bottrell, D.G., Young, J.H., Price, R.G. & Adams, R.H. 1968.** Parasites reared from *Heliothis* spp. in Oklahoma in 1965 and 1966. *Annals of the Entomological Society of America* 61(5): 1053-1055.
- Bouček, Z. 1986.** Platygasteridae or Platygastriidae, Miscogasterinae or Miscogastrinae? *Chalcid Forum* No. 6 1986: 6.

- Bouček, Z. 1988.** Australian Chalcidoidea (Hymenoptera). A bio-systematic revision of genera of fourteen families, with a re-classification of species. C.A.B. International, Oxon, United Kingdom 832 pp.
- Bouček, Z. & Delvare, G. 1992.** The identities of species described or classified under *Chalcis* by J.C. Fabricius. Memoirs of the American Entomological Institute (Gainesville) No. 53. 466 pp.
- Bouchard, Y. & Cloutier, C. 1984.** Honeydew as a source of host-searching kairomones for the aphid parasitoid *Aphidius nigripes* (Hymenoptera: Aphididae). Canadian Journal of Zoology 62: 1513-1520.
- Bouchard, Y. & Cloutier, C. 1985.** Role of olfaction in host finding by aphid parasitoid *Aphidius nigripes* (Hymenoptera: Aphididae). Journal of Chemical Ecology 11: 801-808.
- Bourchier, R.S. & Nealis, V.G. 1992.** Patterns of hyperparasitism of *Cotesia melanoscela* (Hymenoptera: Braconidae) in southern Ontario. Environmental Entomology 21(4): 907-912.
- Bourchier, R.S. & Smith, S.M. 1998.** Interactions between large-scale inundative releases of *Trichogramma minutum* (Hymenoptera: Trichogrammatidae) and naturally occurring spruce budworm (Lepidoptera: Tortricidae) parasitoids. Environmental Entomology 27(5): 1273-1279.
- Bourel, B., Martin-Bouyer, L., Hedouin, V., Cailliez, J.C., Derout, D. & Gosset, D. 1999.** Necrophilous insect succession on rabbit carrion in sand dune habitats in northern France. Journal of Medical Entomology 36(4): 420-425.
- Bousfield, W.E. & Lood, R.C. 1973.** Parasites of the larch casebearer in Montana, Idaho, and Washington. Environmental Entomology 2(2): 212-213.
- Boush, G.M. & Baerwald, R.J. 1967.** Courtship behavior and evidence for a sex pheromone in the apple maggot parasite, *Opius alloeus* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 60: 865-866.
- Bowie, M.H., Gurr, G.M., Hossain, Z., Baggen, L.R. & Frampton, C.M. 1999.** Effects of distance from field edge on aphidophagous insects in a wheat crop and observations on trap design and placement. International Journal of Pest Management 45(1): 69-73.
- Boyd, M.L. & Lentz, G.L. 1994.** Seasonal incidence of aphids and the aphid parasitoid *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae) on rapeseed in Tennessee. Environmental Entomology 23(2): 349-353.
- Bradburne, R.P. & Mithen, R. 2000.** Glucosinolate genetics and the attraction of the aphid parasitoid *Diaeretiella rapae* to Brassica. Proceedings of the Royal Society of London. Series B, Biological Sciences 266(1438): 89-95.
- Bradley, J. 1988.** A study of the mortality factors in the *Apanteles glomeratus*-*Pieris* spp. system. British Reports, Translations and Theses 88(6): 23.
- Braet, Y. 1995.** Occurrence of *Cremnops desertor* (L.) 1758 (Hymenoptera: Braconidae: Agathidinae) in Belgium: preliminary results. Bulletin and Annales de la Société Royale Belge d'Entomologie 131(2): 169-173.
- Braet, Y. 1997.** Notes about exotic Braconidae (Hymenoptera) in Belgian collections. Bulletin and Annales de la Société Royale Belge d'Entomologie 133(3): 337-343.
- Braet, Y. 1997.** Occurrences of Sigalphinae (Hymenoptera: Braconidae) in Belgium. Bulletin and Annales de la Société Royale Belge d'Entomologie 133(2): 223-227.
- Braet, Y. 1997.** Nouvelles occurrences de *Cremnops desertor* (L., 1758) (Hymenoptera: Braconidae) en Belgique. Bulletin & Annales de la Société Royale Belge d'Entomologie 133(2): 221.
- Braet, Y. & Fretey, J. 1997.** Species of Braconidae (Hymenoptera) collected in French Guiana with descriptions of two new species. Bulletin & Annales de la Société Royale Belge d'Entomologie 133(3): 363-374.
- Braet, Y. 1998.** The Orgilinae (Hymenoptera: Braconidae) in the Ethiopian and Malagasy area. Bulletin & Annales de la Société Royale Belge d'Entomologie 133(4), (Octobre-Décembre, 1997): 457-467.
- Braet, Y. & Tignon, M. 1998.** Revisionary notes on *Bentonia* van Achterberg, 1992 (Hymenoptera: Braconidae: Orgilinae) with description of two new species. Zoologische Mededelingen, Leiden 72(1-10): 51-58.
- Braet, Y. 1999.** Description of new Braconidae (Hymenoptera) from Papua New Guinea. Belgian Journal of Entomology 1(1): 3-20.
- Braet, Y. 1999.** Descriptions of new Braconinae (Hymenoptera Braconidae). Belgian Journal of Entomology 1(2): 325-333.
- Braet, Y. 1999.** Description of new *Calcaribracon* Quicke, 1986 (Hymenoptera: Braconidae: Braconinae) from Papua New Guinea. Bulletin de la Société Royale Belge d'Entomologie 135(7-12): 206-208.
- Braet, Y., Cerda, J.A. & Fretey, J. 2000.** Notes sur quelques insectes récoltés au piège Malaise en Guyane française. Notes fauniques de Gembloux 38: 3-20.
- Braet, Y., Chen, X.X. & Achterberg, C. van 2000.** Notes on the tribe Mimagathidini Enderlein, with the description of a new genus (Hymenoptera: Braconidae: Orgilinae). Zoologische Mededelingen, Leiden 73(12-33): 465-486.
- Braet, Y. 2001.** Cladistic revision of the genus *Trotricus* Brulle, 1846 (Hymenoptera: Braconidae) including descriptions of eleven new taxa and new records for other African Braconids. Belgian Journal of Entomology 3(1): 143-180.
- Braet, Y. 2001.** Description of two new Neotropical species of tribe Mimagathidini Enderlein, 1905 (Hymenoptera: Braconidae: Orgilinae). Lambillionea 101(4) (Tome 2): 645-650.
- Braet, Y. & Achterberg, C. van 2001.** Notes on the genera *Exasticolus* van Achterberg (Homolobinae) and *Orgilus* Haliday (Orgilinae) (Hymenoptera: Braconidae), with the description of three new species from French Guiana. Zoologische Mededelingen, Leiden 75(1-15): 89-102.
- Braet, Y. & Achterberg, C. van 2001.** New species of the genera *Foenomorpha* Szépligeti (Cenocoeliinae) and *Chelonus* Panzer (Cheloninae) (Hymenoptera: Braconidae), from French Guiana, and Brazil. Zoologische Mededelingen, Leiden 75(6): 103-118.
- Braet, Y. & Achterberg, C. van 2001.** New taxa of the subfamily Doryctinae Foerster (Hymenoptera: Braconidae) from French Guiana and Brazil. Zoologische Mededelingen, Leiden 75(7): 119-136.
- Braet, Y. 2002.** Contribution to the knowledge of Agathidinae (Hymenoptera Braconidae) from French Guiana with description of two new species of *Earinus* Wesmael, 1837. Belgian Journal of Entomology 4(1): 41-51.
- Braet, Y. & Achterberg, C. van 2003.** *Doryctorgilus* gen. nov. and the new taxa, with a study of the internal microsculpture of the ovipositor in the subfamily Orgilinae Ashmead (Hymenoptera: Braconidae). Zoologische Mededelingen, Leiden 77(6): 127-152.
- Braet, Y. & Achterberg, C. van 2003.** New species of *Pambolus* Haliday and *Phaenocarpa* Foerster (Hymenoptera: Braconidae: Pambolinae, Alysiniinae) from French Guiana, Suriname and Panama. Zoologische Mededelingen, Leiden 77(7): 153-179.
- Braet, Y., Barbalho, S.M. & Achterberg, C. van 2003.** Description of four new genera and nine new species of Doryctinae (Hymenoptera: Braconidae) from French Guiana. Zoologische Mededelingen, Leiden 77(5): 93-125.
- Braga, S.M.P., Dias, M.M. & Penteado-Dias, A.M. 2001.** Bionomic aspects of *Eois tegularia* (Guenée) and *Eois glauculata* (Walker) (Lepidoptera: Geometridae: Larentiinae) and their parasitoids. Revista Brasileira de Zoologia 18(3): 837-840.

- Braga, S.M.P., Barbalho, S.M. & Penteado-Dias, A.M. 2002. *Glauca* gen. nov. (Hymenoptera: Braconidae: Doryctinae) from Brazil. Zoologische Mededelingen, Leiden 76(1-16): 79-82.
- Bragg, D.E. 1994. Notes on parasitoids of *Platyptilia carduidactyla* (Riley) (Lepidoptera: Pterophoridae) in transition zone south-eastern Washington. Pan Pacific Entomologist 70(4): 322-323.
- Braimah, H. & Emden, H.F. van 1994. The role of the plant in host acceptance by the parasitoid *Aphidius rhopalosiphii* (Hymenoptera: Braconidae). Bulletin of Entomological Research 84(3): 303-306.
- Brajcul, E. & Trottin-Caudal, Y. 1998. Integrated control of protected cucumber culture: developing new strategies. Infos Paris 147: 29-33.
- Brajkovič, M.M. 1986. Comparative-morphological study on the ovipositor of some species of *Bracon* F. genus (Braconidae: Hymenoptera) and its importance for the taxonomy of this genus. Glasnik Prirodnjackog Muzeja i Beogradu Seriya B Bioloske Nauke No. 41 1986: 115-121.
- Brajkovič, M.M. 1987. New species of genus *Orgilus* Haliday (Braconidae: Hymenoptera) in Yugoslavia. Acta Biologica Jugoslavica Serija G Biosystematica 13(2): 145-149.
- Brajkovič, M.M. 1989. Parazitske ose (Braconidae, Hymenoptera). Naučna knjiga, Beograd: 1-75+99.
- Brajkovič, M.M. 1989. Knowledge of the Braconidae (Hymenoptera) fauna in Yugoslavia. (in Serbian with English summary) Glasnik Prirodnjackog Muzeja I Beogradu Seriya B Bioloske Nauke B43/44 (1988): 127-138.
- Brajkovič, M.M. 1991. Osnova za faunu afidiida (Aphidiidae; Hymenoptera) Jugoslavije. Glasnik Prirodnjackog muzeja u Beogradu, B 46: 157-162.
- Brajkovič, M.M. & Tomanovič, Ž. 1991. A contribution to the braconid fauna (Braconidae: Hymenoptera) of Yugoslavia. Proceedings of the Fourth European Congress of Entomology and the XIII. Internationale Symposium fur die Entomofaunistik Mitteleuropas, Vol.2: 424-428.
- Brajkovič, M., Krunić, M. & Tomanovič, Ž. 1992. Prilog poznavanju faune brakonida (Braconidae, Hymenoptera) Jugoslavije (I). Glasnik Prirodnjackog muzeja u Beogradu, B 47: 187-191.
- Brajkovič, M., Krunić, M., & Tomanovič, Ž. 1994. Zoogeographic characteristics of braconid fauna (Braconidae: Hymenoptera) of Yugoslavia. Bios, 2: 223-224.
- Brajkovič, M., Tomanovič, Ž., Krunić, M. & Petrović, O. 1995. Prvi prilog poznavanju diverzitetu faune brakonida (Braconidae: Hymenoptera) Istošne Srbije. Zbornik radova Naša ekološka istina, Bor 1995: 333-336.
- Brajkovič, M., Krunić, M., Tomanovič, Ž., Stanisavljević, L. & Miloradović, Z. 1996. Nove vrste parazitskih osa (Braconidae: Hymenoptera) za faunu Istošne Srbije. Zbornik radova "Naša ekološka istina", 209-212.
- Brajkovič, M., Krunić, M., Tomanovič, Ž., Žikić, V. & Stanisavljević L. 1997. Some characteristics of the mouth parts of aphidiids (Aphidiidae, Hymenoptera) and their importance in taxonomy. Proceedings of first Biological meeting of Balkan countries. 15-18 May, Thessaloniki: 50-52.
- Brajkovič, M., Tomanovič, Ž., Krunić, M. & Stanisavljević L. 1997. Braconid (Braconidae: Hymenoptera) fauna in alfalfa fields of Yugoslavia. Proceedings of first Biological meeting of Balkan countries. 15-18 May, Thessaloniki: 53-55.
- Brajkovič, M., Krunić, M. & Tomanovič, Ž. (1995)1998. Some evolution aspects of labial palps in Braconidae (Hymenoptera). Bull. Mus.Hist. Nat. Belgrade, B49-50: 220-228.
- Brajkovič, M., Krunić, M. & Tomanovič, Z. 1999. Some evolutionary aspects of labial palps in Braconidae (Hymenoptera). Glasnik Prirodnjackog Muzeja I Beogradu Seriya B Bioloske Nauke 49-50, (1995-1998): 219-228.
- Brajkovič, M., Krunić, M., Tomanovič, Ž. & Stanisavljević, L.J. 1999. Morphological adaptations of the ovipositor of braconid wasps (Braconidae: Hymenoptera) associated to biological characteristics of their hosts. Acta Entomologica Serbica 4(1-2): 107-125.
- Brajkovič, M., Krunić, M., Tomanovič, Ž., Stanisavljević, L. & Miloradović, Z. 1999. The Braconidae (Hymenoptera) of Mt. Durmitor in Yugoslavia. Contributions to the Zoogeography and Ecology of the Eastern Mediterranean Region, Vol. 1: 277-282.
- Braman, S.K. & Yeargan, K.V. 1990. Phenology and abundance of *Nabis americoferus*, *N. roseipennis*, and *N. rufusculus* (Hemiptera: Nabidae) and their parasitoids in alfalfa and soybean. Journal of Economic Entomology 83(3): 823-830.
- Braman, S.K. & Yeargan, K.V. 1991. Reproductive strategies of primary parasitoids of the green cloverworm (Lepidoptera: Noctuidae). Environmental Entomology 20(1): 349-353.
- Braman, S.K. & Pendley, A.F. 1993. Phenology and parasitism of *Phytomyza ilicicola* (Diptera: Agromyzidae) in Georgia. Journal of Entomological Science 28(1): 82-84.
- Branco, M.C. & Medeiros, M.A. 2001. Impact of insecticides on Diamondback Moth parasitoids on cabbage in the Federal District of Brazil. Pesquisa Agropecuaria Brasileira 36(1): 7-13.
- Brar, K.S. & Shenhmar, M. 1996. Evaluation of parasitoids for the management of *Chilo infuscatellus* (Snellen) and *Scirpophaga excerptalis* (Fabricius) on sugarcane in Punjab. Indian Sugar 46(2): 121-123.
- Braun, L., Erlandson, M., Baldwin, D., Soroka, J., Mason, P., Footitt, R. & Hegedus, D. 2001. Seasonal occurrence, species composition, and parasitism of *Lygus* spp. in alfalfa, canola, and mustard. Canadian Entomologist 133(4): 565-577.
- Braune, H.J. 1985. The development of an integrated pest management system in Samoa. Giessener Beiträge zur Entwicklungsforschung, I Symposien 12: 167-182.
- Braza, R.D. 1993. *Apanteles* sp.: new potential parasitoid of yellow butterfly larvae. Nitrogen Fixing Tree Research Report 11: 40-42.
- Brenière, J., Bordat, D., Vercambre, B., Hamza, H. & Renand, M. 1985. Biological control of the maize borer *Chilo partellus* (Lepidoptera) in Ngazidja (Comoro Islands, France). Agronomie Tropicale Riz et Riziculture et Cultures Vivrieres Tropicales 40(2): 157-166.
- Brewer, F.A., Glick, B. & Vinson, S.B. 1972. Immunological investigations of the factors responsible for the resistance of *Heliothis zea* and susceptibility of *Heliothis virescens* to the parasitoid *Cardiophiles nigriceps*. Comparative Biochemistry and Physiology 43: 781-786.
- Brewer, F.A., Glick, B. & Vinson, S.B. 1973. A comparative study of selected tissues from the parasitoid, *Cardiophiles nigriceps*, its susceptible host, *Heliothis virescens*, and a resistant host *Heliothis zea* by polyacrylamide gel electrophoresis. Comparative Biochemistry and Physiology 46B: 567-574.
- Brewer, F.D. & King, E.G. 1981. Food consumption and utilization by sugarcane borers parasitized by *Apanteles flavipes*. Journal of the Georgia Entomological Society 16: 185-192.
- Brewer, M.J., Mornhinweg, D.W. & Huzurbazar, S. 1998. Compatibility of insect management strategies: *Diuraphis noxia* abundance on susceptible and resistant barley in the presence of parasitoids. BioControl 43(4): 479-491.
- Brewer, M.J., Struttman, J.M. & Mornhinweg, D.W. 1998. *Aphelinus albipodus* (Hymenoptera: Aphelinidae) and *Diaeretiella rapae* (Hymenoptera: Braconidae) parasitism on *Diuraphis noxia* (Homoptera: Aphididae) infesting barley plants differing in plant resistance to aphids. Biological Control 11(3): 255-261.

- Brewer, M.J., Nelson, D.J., Ahern, R.G., Donahue, J.D. & Prokrym, D.R. 2001.** Recovery and range expansion of parasitoids (Hymenoptera: Aphelinidae and Braconidae) released for biological control of *Diuraphis noxia* (Homoptera: Aphididae) in Wyoming. *Environmental Entomology* 30(3): 578-588.
- Brewer, M.J. 2004.** Biological control of cereal aphids in North America and mediating effects of host plant and habitat manipulations. *Annual Review of Entomology* 49: 219-242.
- Bribosia, E., Stilmant, D. & Hance, T. 1995.** Competition between three sympatric parasitoids of *Sitobion avenae* (Homoptera: Aphididae): *Aphidius ervi*, *Aphidius rhopalosiphii* and *Praon volucre* (Hymenoptera: Aphidiidae). *Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent* 60(3a): 625-629.
- Bribosia, E., Bylemans, D., Migon, M. & Impe, G. van 1998.** On the suitability of substitution hosts for the parasitoid *Trioxys angelicae* (Haliday) (Hymenoptera: Aphidiidae) in apple orchards IPM. Proceedings: 50th international symposium on crop protection, Gent, Belgium, 5 May 1998, Part II. *Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent* 63(2b): 423-431.
- Bribosia, E., Champagne, R. & Bylemans, D. 1999.** The useful organisms in our orchards: the parasitoids of larvae. *Fruittelt nieuws* 12(22): 24-25.
- Bribosia, E., Champagne, R. & Bylemans, D. 1999.** Useful organisms in our orchards: the parasitoids of the woolly apple aphid and the aphids. *Fruittelt nieuws* 12(21): 8-10.
- Briceño, G.R.A. 1999.** Preliminary records and key for genus identifications of the subfamily Agathidinae (Hymenoptera: Braconidae) of Venezuela. [Registro preliminar y clave de identificación de los generos de la subfamilia Agathidinae (Hymenoptera: Braconidae) de Venezuela, *Boletín de Entomología Venezolana* 14(1): 15-25.
- Briceño, G.R.A. & Sharkey, M.J. 2000.** *Bassus macadamiae* sp. n. (Hymenoptera: Braconidae: Agathidinae), parasitoid of *Ecdytophaga torticornis* and *E. aurantium* (Lepidoptera: Tortricidae) in Macadamia nut crops in Central and South America. *Journal of Hymenoptera Research* 9(1): 99-103.
- Briceño, G.R.A. 2003.** Taxonomic revision of the genus *Sesioctonus* Viereck (Hymenoptera: Braconidae: Agathidinae). *Journal of Hymenoptera Research* 12(2): 238-271.
- Briese, D.T. 1981.** The incidence of parasitism and disease in field populations of the potato moth *Phthorimaea operculella* (Zeller) in Australia. *Journal of the Australian Entomological Society* 20: 319-326.
- Bright, D.E. 1996.** Notes on native parasitoids and predators of the larger pine shoot beetle, *Tomicus piniperda* (Linnaeus) in the Niagara region of Canada (Coleoptera: Scolytidae). Proceedings of the Entomological Society of Ontario 127: 57-62.
- Brink, T. & Steyn, W.P. 1993.** A pest outbreak of orange dog. *Inligtingsbulletin Instituut vir Tropiese en Subtropiese Gewasse* 249: 5-6.
- Brnetic, D. 1980.** Mass rearing in laboratory of aphid parasite *Opius concolor* Szépl. (Hymenoptera: Opiinae). *Agronomski Glasnik* 42(6): 737-750.
- Brnetic, D. & Perko, S. 1983.** The possibility of the control of cherry fruit fly (*Rhagoletis cerasi*-Diptera, Trypetidae) by means of parasite *Opius concolor* Szépl. (Hymenoptera: Opiinae). *Agronomski Glasnik* 45(1): 75-78.
- Brnetic, D., Pelicarić, V., Kacic, S. & Katalinic, M. 1993.** Investigation of the better utilization of the reproductive potential of female *Opius concolor* Szépl. (Hymenoptera: Braconidae: Opiinae). *Fragmenta Phytomedica et Herbologica* 21(1): 75-81.
- Broad, G.R. & Quicke, D.L.J. 2000.** The adaptive significance of host location by vibrational sounding in parasitoid wasps. *Proceedings of the Royal Society of London* 267: 2403-2409.
- Broadbent, A.B. & Pree, D.J. 1984.** Effects of diflubenzuron and BAY SIR 8514 on beneficial insects associated with peach. *Environmental Entomology* 13: 133-136.
- Broadbent, A.B., Goulet, H., Whistlecraft, J.W., Lachance, S. & Mason, P.G. 1999.** First Canadian record of three parasitoid species (Hymenoptera: Braconidae: Euphorinae) of the tarnished plant bug, *Lygus lineolaris* (Hemiptera: Miridae). *Proceedings of the Entomological Society of Ontario* 130: 109-111.
- Broadley, R.H. 1986.** Parasitism of *Mythimna convecta* (Walker) (Lepidoptera: Noctuidae) larvae in south east Queensland. *Journal of the Australian Entomological Society* 25(1): 61-62.
- Brobyn, P.J., Clark, S.J. & Wilding, N. 1988.** The effect of fungus infection of *Metopolophium dirhodum* (Hom.: Aphididae) on the oviposition behaviour of the aphid parasitoid *Aphidius rhopalosiphii* (Hym.: Aphidiidae). *Entomophaga* 33(3): 333-338.
- Brochetto-Braga, M.R., Palma, M.S., Ribeiro, J.C. & Gobbi, N. 1995.** The effect of a polydnavirus of *Apanteles galleriae* on the hemolymph proteins of host *Galleria mellonella*. *Journal of Venomous Animals and Toxins* 1(2): 79-86.
- Brockerhoff, E.G. & Kenis, M. 1996.** Parasitoids associated with *Cydia strobilella* (L.) (Lepidoptera: Tortricidae) in Europe, and considerations for their use for biological control in North America. *Biological Control* 6(2): 202-214.
- Brodeur, J. & McNeil, J.N. 1989.** Biotic and abiotic factors involved in diapause induction of the parasitoid, *Aphidius nigripes* (Hymenoptera: Aphidiidae). *Journal of Insect Physiology* 35(12): 959-974.
- Brodeur, J. & McNeil, J.N. 1989.** Seasonal microhabitat selection by an endoparasitoid through adaptive modification of host behaviour. *Science Washington* 244(4901): 226-228.
- Brodeur, J. & McNeil, J.N. 1990.** Overwintering microhabitat selection by an endoparasitoid (Hymenoptera: Aphidiidae): Induced phototactic and thigmokinetic responses in dying hosts. *Journal of Insect Behavior* 3(6): 751-763.
- Brodeur, J. & McNeil, J.N. 1991.** The effect of host plant architecture on the distribution and survival of *Aphidius nigripes* (Hymenoptera: Aphidiidae). *Redia* 74(3): 251-258.
- Brodeur, J. 1992.** Caterpillars are more than a nutrient reservoir for parasitic wasps. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society* 3: 57-61.
- Brodeur, J. & Geervliet, J.B.F. 1992.** Host species affecting the performance of the larval parasitoids *Cotesia glomerata* and *Cotesia rubecula* (Hymenoptera: Braconidae). 1. Preference for host developmental stage of *Pieris* (Lepidoptera: Pieridae). *Mededelingen van de Faculteit Landbouwwetenschappen Universiteit Gent* 57(2b): 543-545.
- Brodeur, J. & McNeil, J.N. 1992.** Host behaviour modification by the endoparasitoid *Aphidius nigripes*: a strategy to reduce hyperparasitism. *Ecological Entomology* 17(2): 97-104.
- Brodeur, J. & McNeil, J.N. 1994.** Life history of the aphid hyperparasitoid *Asaphes vulgaris* Walker (Pteromalidae): possible consequences on the efficacy of the primary parasitoid *Aphidius nigripes* Ashmead (Aphidiidae). *Canadian Entomologist* 126(6): 1493-1497.
- Brodeur, J. & McNeil, J.N. 1994.** Seasonal ecology of *Aphidius nigripes* (Hymenoptera: Aphidiidae), a parasitoid of *Macrosiphum euphorbiae* (Homoptera: Aphididae). *Environmental Entomology* 23(2): 292-298.
- Brodeur, J. & Vet, L.E.M. 1994.** Usurpation of host behaviour by a parasitic wasp. *Animal Behaviour* 48(1): 187-192.
- Brodeur, J. & Vet, L.E.M. 1995.** Relationships between parasitoid host range and host defence: comparative study of egg encapsulation in two related parasitoid species. *Physiological Entomology* 20(1): 7-12.

- Brodeur, J., Geervliet, J.B.F. & Vet, L.E.M. 1996. The role of host species, age and defensive behaviour on ovipositional decisions in a solitary specialist and gregarious generalist parasitoid (*Cotesia* species). *Entomologia Experimentalis et Applicata* 81(2): 125-132.
- Brodeur, J., Geervliet, J.B.F. & Vet, L.E.M. 1998. Effects of *Pieris* host species on life history parameters in a solitary specialist and gregarious generalist parasitoid (*Cotesia* species). *Entomologia Experimentalis et Applicata* 86: 145-152.
- Brodeur, J. & Rosenheim, J.A. 2000. Intraguild interactions in aphid parasitoids. *Entomologia Experimentalis et Applicata* 97: 93-108.
- Broglio-Micheletti, S.M.F. & Berti-Filho, E. 2000. Parasitoids of *Cerconota anonella* (Sep. 1830) (Lep.: Oecophoridae) in soursop (*Annona muricata* L.). *Scientia Agricola* 57(3): 565-566.
- Broodryk, S.W. 1969. The biology of *Chelonus* (*Microchelonus*) *curvimaaculatus* Cameron (Hymenoptera: Braconidae). *Journal of the Entomological Society of South Africa* 32: 169-189.
- Broodryk, S.W. 1969. The biology of *Orgilus parvus* Turner (Hymenoptera: Braconidae). *Journal of the Entomological Society of South Africa* 32: 243-257.
- Brower, J.H. & Press, J.W. 1990. Interaction of *Bracon hebetor* (Hymenoptera: Braconidae) and *Trichogramma pretiosum* (Hymenoptera: Trichogrammatidae) in suppressing stored-product moth populations in small inshell peanut storages. *Journal of Economic Entomology* 83(3): 1096-1101.
- Brown, J.J., Ahl, J. & Reed Larsen, D. 1988. Endocrine communication between a host and its endoparasitoid in relationship to dormancy. *Prace Naukowe Instytutu Chemii Organicznej i Fizycznej Politechniki Wrocławskiej Seria Monografie No. 33*: 443-447.
- Brown, J.J., Reed-Larsen, D.A. & Ahl, J. 1990. Physiological relationship between a diapausing endoparasitoid (*Ascogaster quadridentata*) and its dormant host (*Cydia pomonella*). *Archives of Insect Biochemistry and Physiology* 13: 229-238.
- Brown, J.J. & Reed-Larsen, D. 1991. Ecdysteroids and insect host/parasitoid interactions. *Biological Control* 1(2): 136-143.
- Brown, E.J., Cave, F.E. & Hoy, M.A. 1992. Mode of inheritance of azinphos-methyl resistance in a laboratory-selected strain of *Trioxys pallidus*. *Entomologia Experimentalis et Applicata* 63(3): 229-236.
- Brown, J.J. & Kainoh, Y. 1992. Host castration by *Ascogaster* spp. (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 85(1): 67-71.
- Brown, J.J., Kiuchi, M., Kainoh, Y. & Takeda, S. 1993. In vitro release of ecdysteroids by an endoparasitoid, *Ascogaster reticulatus* Watanabe. *Journal of Insect Physiology* 39(3): 229-234.
- Brown, J.J. 1994. Effects of a nonsteroidal ecdysone agonist, tebufenozide, on host/parasitoid interactions. *Archives of Insect Biochemistry and Physiology* 26(2-3): 235-248.
- Brown, J.J. & Friedlander, M. 1995. Influence of parasitism on spermatogenesis in the codling moth, *Cydia pomonella* L. *Journal of Insect Physiology* 41(11): 957-963.
- Brown, J.J. 1996. The compatibility of tebufenozide with a laboratory lepidopteran host/hymenopteran parasitoid population. *Biological Control* 6(1): 96-104.
- Brown, J.R., Phillips, J.R. & Yearian, W.C. 1989. Transmission of *Heliothis* NPV by *Microplitis croceipes* (Cresson) in *Heliothis virescens* (F.). *Southwestern Entomologist* 14(2): 139-146.
- Brown, J.R., Phillips, J.R. & Chew, V. 1990. The photoperiod counter of *Microplitis croceipes*. *Southwestern Entomologist* 15(4): 459-462.
- Brown, J.R. & Phillips, J.R. 1990. Diapause in *Microplitis croceipes* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 83(6): 1125-1129.
- Brown, J.R. & Phillips, J.R. 1990. *Microplitis croceipes* (Hymenoptera: Braconidae) diapause response to insectary conditions. *Florida Entomologist* 73(3): 508-509.
- Brown, J.R. & Phillips, J.R. 1991. Survival of *Microplitis croceipes* in *Heliothis* NPV-infected *Heliothis virescens* larvae. *Southwestern Entomologist* 16(1): 25-29.
- Brown, J.R. & Phillips, J.R. 1991. Thermoperiod effects on diapause induction in *Microplitis croceipes* (Cresson) (Hymenoptera: Braconidae). *Environmental Entomology* 20(5): 1444-1446.
- Brown, J.W. 1990. Urban biology of *Leptotes marina* (Reakirt) (Lycaenidae). *Journal of the Lepidopterists' Society* 44(3): 200-201.
- Brown, R.A., Jepson, P.C. & Sotherton, N.W. 1992. Interpretation of pesticide effects on beneficial arthropods. *Aspects of Applied Biology* 31: vi + 208 pp.
- Browning, H.W. & Oatman, E.R. 1984. Intra- and interspecific relationships among some parasites of *Trichoplusia ni* (Lepidoptera: Noctuidae). *Environmental Entomology* 13(2): 551-556.
- Browning, H.W. & Oatman, E.R. 1985. Reproductive biology of *Microplitis brassicae* (Hymenoptera: Braconidae), parasite of the cabbage looper, *Trichoplusia ni* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 78: 369-372.
- Bruce, T.J., Martin, J.L., Pye, B.J., Smart, L.E. & Wadhams, L.J. 2002. Semiochemicals for the control of cereal pests. The BCPC Conference: Pests and diseases, Volumes 1 and 2. Proceedings of an international conference held at the Brighton Hilton Metro-pole Hotel, Brighton, UK, 18-21 November 2002. 685-690.
- Bruck, D.J. & Lewis, L.C. 1998. Influence of adjacent cornfield habitat, trap location, and trap height on capture numbers of predators and a parasitoid of the European corn borer (Lepidoptera: Pyralidae) in central Iowa. *Environmental Entomology* 27(6): 1557-1562.
- Bruck, D.J. & Lewis, L.C. 1999. *Ostrinia nubilalis* (Lepidoptera: Pyralidae) larval parasitism and infection with entomopathogens in cornfields with different border vegetation. *Journal of Agricultural and Urban Entomology* 16(4): 255-272.
- Brudea, V. & Mateias, M.C. 1998. Aspects of the morphology and bioecology of the pea bruchid (*Bruchus pisorum* L.). *Probleme de Protectia Plantelor* 26(2): 173-179.
- Brunck, F. & Mallet, B. 1993. Problems relating to pests of mahogany in Cote d'Ivoire. *Bois et Forets des Tropiques* 237: 9-29.
- Bryan, D.E., Jackson, C.G. & Patana, R. 1969. Laboratory studies of *Microplitis croceipes*, a braconid parasite of *Heliothis* spp. *Journal of Economic Entomology* 62(5): 1141-1144.
- Bryan, D.E., Jackson, C.G., Patana, R. & Neeman, E.G. 1971. Field cage and laboratory studies with *Bracon kirkpatricki*, a parasite of the pink bollworm. *Journal of Economic Entomology* 64(5): 1236-1241.
- Bryan, D.E., Fye, R.E., Jackson, C.G. & Patana, R. 1973. Release of *Bracon kirkpatricki* (Wilk.) and *Chelonus blackburni* Cameron for pink bollworm control in Arizona. United States Department of Agriculture. Prod. Res. Rep. No. 150.
- Bryan, D.E., Fye, R.E., Jackson, C.G. & Patana, R. 1973. Releases of parasites for suppression of pink bollworms in Arizona. United States Department of Agriculture. Agricultural Research Service ARS-W-7. 8pp.
- Buchi, R. 1991. Monitoring of parasitoids in oilseed rape pests during 1989 in Switzerland. *Bulletin SROP* 14(6): 54-60.
- Buckingham, G.R. 1968. Pygidial glands in male *Opius* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 61(1): 233-234.
- Buckingham, G.R. & Sharkey, M.J. 1988. Abdominal exocrine glands in Braconidae (Hymenoptera). *Advances in Parasitic Hymenoptera Research* 199-242.
- Buckingham, G.R. 1989. *Lemnaphila scotlandae* (Diptera: Ephydriidae) and three of its parasites discovered in Florida. *Florida Entomologist* 72(1): 219-221.

- Budenberg, W.J.** 1990. Honeydew as a contact kairomone for aphid parasitoids. *Entomologia Experimentalis et Applicata* 55(2): 139-148.
- Budenberg, W.J. & Powell, W.** 1988. Honeydew as a kairomone for aphid parasitoids and hyperparasitoids. Brighton Crop Protection Conference. Pests and Diseases 1988. Vol 3: 1149-1154.
- Budenberg, W.J., Powell, W. & Clark, S.J.** 1992. The influence of aphids and honeydew on the leaving rate of searching aphid parasitoids from wheat plants. *Entomologia Experimentalis et Applicata* 63(3): 259-264.
- Bueno, B.H.P., Gutierrez, A.P. & Ruggie, P.** 1993. Parasitism by *Aphidius ervi* (Hym.: Aphidiidae): preference for pea aphid and blue alfalfa aphid (Hom.: Aphididae) and competition with *A. smithi*. *Entomophaga* 38(2): 273-284.
- Bueno, V.H.P. & Souza, B.M. de** 1992. Ethology and lifespan of *Diaeretiella rapae* M'Intosh, 1855 (Hymenoptera: Aphidiidae). *Revista de Agricultura Piracicaba* 67(1): 49-54.
- Bueno, V.H.P. & Souza, B.M. de** 1993. Occurrence and diversity of predatory insects and parasitoids in spring greens (*Brassica oleracea* var. *acephala*) in Lavras, MG, Brazil. *Anais da Sociedade Entomologica do Brasil* 22(1): 5-18.
- Bugg, R.L. & Wilson, L.T.** 1989. *Anmmi visnaga* (L.) Lamarck (Apiceae): associated beneficial insects and implications for biological control, with emphasis on the bell-pepper agroecosystem. *Biological Agriculture and Horticulture* 6(3): 241-268.
- Buhler, A., Hanzlik, T.N. & Hammock, B.D.** 1985. Effects of parasitization of *Trichoplusia ni* by *Chelonus* sp. *Physiological Entomology* 10: 383-394.
- Bujadoux, C. & Caruana, M.L.** 1994. Tristeza survey in the West Indies. *Fruits Paris* 49(5-6): 410-414.
- Bull, D.L., King, E.G. & Powell, J.E.** 1989. Effects and fate of selected insecticides after application to *Microplitis croceipes*. *Southwestern Entomologist* 12: 59-70.
- Bull, D.L., Pryor, N.W. & King, E.G. Jr.** 1987. Pharmacodynamics of different insecticides in *Microplitis croceipes* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 80(4): 739-746.
- Bullock, R.C.** 1984. Encoparasitic braconid (Hymenoptera: Braconidae) attacks little leaf notcher, *Artipus floridanus* Horn (Coleoptera: Curculionidae), in Florida. *Florida Entomologist* 67(4): 571-572.
- Bultman, Thomas L., Mcneill, M.R. & Goldson, S.L.** 2003. Isolate-dependent impacts of fungal endophytes in a multitrophic interaction. *Oikos* 102(3): 491-496.
- Bunger, I., Liebig, H.P. & Zebitz, Claus P.W.** 1997. Erfahrungen mit der 'Offenen Zucht' von Blattlausantagonisten bei der Bekämpfung von *Aphis gossypii* Glover. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 11(1-6): 327-330.
- Bunger, I., Liebig, H.P. & Zebitz, C.P.W.** 1999. Infestation of greenhouse cucumber caused by several species of aphids and their biological control. *Gesunde Pflanzen* 51(3): 75-80.
- Burbutis, P.P. & Stewart, J.A.** 1979. Blacklight trap collecting of parasitic Hymenoptera. *Entomological News* 90(1): 17-22.
- Burbutis, P.P., Erwin, N. & Ertle, L.R.** 1981. Reintroduction and establishment of *Lydella thompsoni* and notes on other parasites of the European corn borer in Delaware. *Environmental Entomology* 10(5): 779-781.
- Burd, J.D., Elliott, N.C. & Reed, D.K.** 1996. Effects of the aphicides 'gaucho' and CGA-215944 on feeding behavior and tritrophic interactions of Russian wheat aphids. *Southwestern Entomologist* 21(2): 145-152.
- Burd, J.D., Elliott, N.C., Greenstone, M.H. & Zuh, Y.C.** 2000. Specific ribosomal DNA marker for early polymerase chain reaction detection of *Aphelinus hordei* (Hymenoptera: Aphelinidae) and *Aphidius colemani* (Hymenoptera: Aphidiidae) from *Diuraphis noxia* (Homoptera: Aphididae). *Annals of the Entomological Society of America* 93(3): 486-491.
- Burd, J.D., Shufran, K.A., Elliott, N.C., French, B.W. & Prokrym, D.A.** 2001. Recovery of imported hymenopterous parasitoids released to control Russian wheat aphids in Colorado. *Southwestern Entomologist* 26(1): 23-31.
- Burgemeestre, A.J.** 1974. *Gymnetron antirrhini*, een snuitkever op het Vlasleeuwebekje. *Natura* 97-99.
- Burgess, E.P.J.** 1987. Population dynamics of *Mythimna separata* and its parasitoid, *Cotesia ruficrus*, on maize in New Zealand. *New Zealand Journal of Agricultural Research* 30(2): 203-208.
- Burgess, L.P. & Wingo, C.W.** 1968. The host and present status of *Alysiia ridibunda* Say in Missouri. *Proceedings of the Entomological Society of Washington* 70(3): 204-208.
- Burgio, G., Ferrari, R. & Nicoli, G.** 1997. Biological and integrated control of *Aphis gossypii* Glover (Hom.: Aphididae) in protected cucumber and melon. *Bollettino dell'Istituto di Entomologia "Guido Grandi" della Università degli Studi di Bologna* 51: 171-178.
- Burks, B.D.** 1979. Agaoninae. Pteromalidae. Eurytomidae. Chalcidae. Leucospidiade. Eucharitidae. Eupelmidae. Eulophidae. Mymaridae. Trichogrammatidae. Cynipoidea: 748-749, 768-889, 967-1107. In: Krombein, K.V., Hurd, P.D. Jr., Smith, D.R. & Burks, B.D. [eds] "Catalog of Hymenoptera in America North of Mexico", 3 pts.
- Burleigh, J.G.** 1971. Parasites reared from the soybean looper in Louisiana 1968-1969. *Journal of Economic Entomology* 64(6): 1550-1551.
- Burns, R.E., Diaz, J.D. & Hiller, T.C.** 1996. Inundative release of the parasitoid *Diachasmimorpha longicaudata* for the control of the Caribbean fruit fly, *Anastrepha suspensa*: 377-381. In: McPherson, B.A., Steck, G.J. [eds]. "Fruit fly pests a world assessment of their biology and management", Delray Beach, Florida.
- Burnip, G.M. & Suckling, D.M.** 2001. Leafroller larval and adult phenology at two Canterbury, New Zealand, organic apple orchards. *New Zealand Journal of Crop and Horticultural Science* 29(1): 15-22.
- Buron, I. de & Beckage, N.E.** 1992. Characterization of a polydnavirus (PDV) and virus-like filamentous particle (VLFP) in the braconid wasp *Cotesia congregata* (Hymenoptera: Braconidae). *Journal of Invertebrate Pathology* 59(3): 315-327.
- Buron, I. de & Beckage, N.E.** 1997. Developmental changes in teratocytes of the braconid wasp *Cotesia congregata* in larvae of the tobacco hornworm, *Manduca sexta*. *Journal of Insect Physiology* 43(10): 915-930.
- Burrell, R.W.** 1967. Parasites of the armyworm in Louisiana. *Journal of Economic Entomology* 60(1): 111-114.
- Burton, L.D. & Starks, K.J.** 1977. Control of a primary parasite of the greenbug with a secondary parasite in greenhouse screening for plant resistance. *Journal of Economic Entomology* 70(2): 219-220.
- Burton, R.P. & Turner, E.C. Jr.** 1968. Laboratory propagation of *Muscidifurax raptor* on face fly pupae. *Journal of Economic Entomology* 61(5): 1380-1383.
- Burton, R.P. & Turner, E.C. Jr.** 1970. Mortality in field populations of face fly larvae and pupae. *Journal of Economic Entomology* 63(5): 1592-1594.
- Bushing, R.W. & Bright, D.E.** 1965. New records of hymenopterous parasites from California Scolytidae (Coleoptera). *Canadian Entomologist* 97: 199-204.
- Bushing, R.W.** 1965. A synoptic list of the parasites of Scolytidae (Coleoptera) in North America north of Mexico. *Canadian Entomologist* 97(5): 449-492.
- Butani, P.G. & Kapadia, M.N.** 1996. Natural enemies of cotton bollworms in Saurashtra region of Gujarat. *Gujarat Agricultural University Research Journal* 22(1): 131-133.

- Butler, G.D. Jr. 1966.** Development of the beet armyworm and its parasite *Chelonus texanus* in relation to temperature. *Journal of Economic Entomology* 59(6): 1324-1327.
- Butler, G.D. & Wardecker, A.L. 1974.** Development of *Peristenus stygicus*, a parasite of *Lygus hesperus*, in relation to temperature. *Journal of Economic Entomology* 67(1): 132-133.
- Butler, G.D. Jr., Hamilton, A.G. & Lopez, J.D. Jr. 1983.** *Cardiochiles nigricipes* (Hym.: Braconidae): Development time and fecundity in relation to temperature. *Annals of the Entomological Society of America* 76: 536-538.
- Butler, J.F., Escher, R.L. & Hogsette, J.A. 1981.** Natural parasite levels in house flies, stable flies, and horn flies in Florida: 61-79. In: Patterson, R.S. [ed.]. "Status of biological control of filth flies." Proceedings of a workshop, February 4-5, 1981, Gainesville.
- Butler, L. 1993.** Parasitoids associated with the macrolepidoptera community at Cooper's Rock State Forest, West Virginia: a baseline study. *Proceedings of the Entomological Society of Washington* 95(3): 504-510.
- Caballero, P., Vargas-Osuna, E., Aldebis, H.K. & Santiago-Alvarez, C. 1990.** Parasitoids associated to natural populations of *Spodoptera littoralis* Boisduval and *S. exigua* Hb. (Lepidoptera: Noctuidae). *Boletín de Sanidad Vegetal, Plagas* 16(1): 91-96.
- Caballero, P., Vargas-Osuna, E. & Santiago-Alvarez, C. 1989.** Presence of cutworms on various crops in Andalucía and Extremadura and their associated parasitoids and pathogens. *Boletín de Sanidad Vegetal, Plagas* 15(1): 3-7.
- Caballero, P., Vargas-Osuna, E. & Santiago-Alvarez, C. 1990.** Development of *Apanteles telengai* (Hym.: Braconidae) and *Campoplex annulata* (Hym.: Ichneumonidae) in granulosis virus (GV) infected *Agrotis segetum* (Lep.: Noctuidae) larvae. *Journal of Applied Entomology* 110(4): 358-364.
- Caballero, P., Vargas-Osuna, E. & Santiago-Alvarez, C. 1991.** Parasitization of granulosis-virus infected and noninfected *Agrotis segetum* larvae and the virus transmission by three hymenopteran parasitoids. *Entomologia Experimentalis et Applicata* 58(1): 55-60.
- Caballero, P., Vargas-Osuna, E. & Santiago-Alvarez, C. 1992.** Biology of *Meteorus rubens* (Hymenoptera: Braconidae) a primary parasitoid of *Agrotis ipsilon* (Lepidoptera: Noctuidae). *Entomophaga* 37(2): 301-309.
- Caballero, P., Vargas-Osuna, E. & Santiago Alvarez, C. 1991.** Epizootics caused by a nuclear polyhedrosis virus (NPV) in populations of *Spodoptera exigua* in southern Spain. *Bulletin SROP* 14(7) 1991: 166.
- Caballero, P., Alamo, S., Vargas-Osuna, E., Santiago-Alvarez, C. & Lipa, J.J. 1993.** Biology of *Cotesia* (= *Apanteles*) *telengai* (Hymenoptera: Braconidae) on its natural host *Agrotis segetum* (Lepidoptera: Noctuidae). *Biocontrol Science and Technology* 3(4): 481-489.
- Cabello, T., Jaimez, R. & Pascual, F. 1994.** Spatial and temporal distribution of *Liriomyza* spp. and their parasitoids on horticultural crops in greenhouses of Southern Spain (Diptera: Agromyzidae). *Boletín de Sanidad Vegetal, Plagas* 20(2): 445-455.
- Cabrera Walsh, G., Athanas, M.M., Salles, L.A.B. & Schroder, R. F.W. 2003.** Distribution, host range, and climatic constraints on *Centistes gasseni* (Hymenoptera: Braconidae), a South American parasitoid of cucumber beetles, *Diabrotica* spp. (Coleoptera: Chrysomelidae). *Bulletin of Entomological Research* 93(6): 561-567.
- Cabrera, B.J., Marsh, P.M., Lewis, V.R. & Seybold, S.J. 2002.** A new species of *Heterospilus* (Hymenoptera: Braconidae) associated with the deathwatch beetle, *Hemicolus gibbicollis* (LeConte) (Coleoptera: Anobiidae). *Pan Pacific Entomologist* 78(1): 7-16.
- Cacador, A. 1976.** Observacao do comportamento da fema de *Opius cereus* a postura de ovos em laboratorio. *Ciencia e Cultura*. S. Paulo 28: 443 (suppl.).
- Cadogan, B.L., Nealis, V.G. & Frankenhuyzen, K. van 1995.** Control of spruce budworm (Lepidoptera: Tortricidae) with *Bacillus thuringiensis* applications timed to conserve a larval parasitoid. *Crop Protection* 14(1): 31-36.
- Calkins, C.O. & Sutter, G.R. 1976.** *Apanteles militaris* and its host *Pseudaletia unipuncta*: biology and rearing. *Environmental Entomology* 5(1): 147-150.
- Callan, E.M. 1974.** Changing status of the parasites of potato tuber moth, *Phthorimaea operculella* (Lepidoptera: Gelechiidae) in Australia. *Entomophaga* 19(1): 97-101.
- Cals-Usciati, J. 1969.** Influence de l'état physiologique de l'hôte *Ceratitis capitata* Weid. (Diptera) sur le développement du parasite *Opius concolor* Szépl. (Hymenoptera). *Compte Rendus Hebdomadaires des Séances de l'Academie des Sciences*. D269: 342-344.
- Cals-Usciati, J. 1975.** Répercussion de la modification du cycle normal de *Ceratitis capitata* Wied. (Diptère: Trypetidae) par irradiation et injection d'ecdysone sur le développement de son parasite *Opius concolor* Szépl. (Hyménoptère: Braconidae). *Compte Rendus Hebdomadaires des Séances de l'Academie des Sciences*. Paris D281: 275-278.
- Cals-Usciati, J. 1982.** Alimentary strategies and the mechanisms of attack of host's tissues, *Ceratitis capitata* (Diptera: Trypetidae) by the parasitoid wasp *Opius concolor* (Hymenoptera: Braconidae). *Comptes Rendus de l'Academie des Sciences Serie Iii Sciences de la Vie* 294 (8): 379-381, 383-384.
- Cals-Usciati, J. 1983.** Successive life conditions and alimentary strategy in the larval instars of *Opius concolor*, an endoparasitoid entomophagous insect (Hymenoptera: Braconidae). *Bulletin de la Société Zoologique de France*. Paris: La Société 108 (3): 415-422.
- Cals-Usciati, J. 1988.** Epidermic compartments, relationships between *Ceratitis capitata*, host and *Opius concolor*, parasitoid. *Colloques de l'INRA* 48: 123-124.
- Caltagirone, L.E., Shea, K.P. & Finney, G.L. 1964.** Parasites to aid control of navel orangeworm (*Paramyelois transitella*). *California Agriculture* 18(1): 10-12.
- Caltagirone, L.E. 1965.** A new *Phanerotoma* from California. *Pan-Pacific Entomologist* 41: 17-20.
- Caltagirone, L.E. 1967.** A new *Phanerotoma* parasitic on *Laspeyresia toreuta* (Grote) (Hymenoptera: Braconidae and Lepidoptera: Olethreutidae). *Pan-Pacific Entomologist* 43(2): 126-129.
- Calvert, D.J. & Bosch, R. van den 1972.** Behaviour and biology of *Monoctonus paulensis* (Hymenoptera: Braconidae), a parasite of dactynotinae aphids. *Annals of the Entomological Society of America* 65(4): 773-779.
- Calvert, D.J. & Bosch, R. van den 1972.** Host range and specificity of *Monoctonus paulensis* (Hymenoptera: Braconidae) a parasite of certain dactynotinae aphids. *Annals of the Entomological Society of America* 65(2): 422-432.
- Calvert, D.J. 1973.** Experimental host preferences of *Monoctonus paulensis* (Hymenoptera: Braconidae) including a hypothetical scheme of host selection. *Annals of the Entomological Society of America* 66(1): 28-33.
- Calvitti, M., Antonelli, M., Moretti, R. & Bautista, R.C. 2002.** Oviposition response and development of the egg-pupal parasitoid *Fopius arisanus* on *Bactrocera oleae*, a tephritid fruit fly pest of olive in the Mediterranean basin. *Entomologia Experimentalis et Applicata* 102(1): 65-73.
- Calvo, R. 1994.** Observations on the natural history of the larvae of *Hylesia continua alinda* Druce (Saturniidae: Hemileucinae) in Coronado, Costa Rica. *Proceedings 4th World Buffalo Congress, Sao Paulo, Brazil, 27-30 June, 1994: Vol 3: 131-135.*

- Camara, M.D. & Lei, G.C. 1999.** Behaviour of a specialist parasitoid, *Cotesia melitaearum*: from individual behaviour to meta-population processes. *Ecological Entomology* 24(1): 59-72.
- Cameron, P.J., Thomas, W.P. & Hill, R.L. 1980.** Introduction of lucerne aphid parasites and a preliminary evaluation of the natural enemies of *Acyrtosiphon* spp. (Hemiptera: Aphididae) in New Zealand. *Proceedings of the Australasian Conference on Grassland Invertebrate Ecology 2* (1978): 219-223.
- Cameron, P.J., Walker, G.P. & Allan, D.J. 1981.** Establishment and dispersal of the introduced parasite *Aphidius eadyi* (Hymenoptera: Aphidiidae) in the North Island of New Zealand and its initial effects on pea aphid. *New Zealand Journal of Zoology* 8: 105-112.
- Cameron, P.J., Powell, W. & Loxdale, H.D. 1984.** Reservoirs for *Aphidius ervi* Haliday (Hymenoptera: Aphidiidae), a polyphagous parasitoid of cereal aphids (Hemiptera: Aphididae). *Bulletin of Entomological Research* 74: 647-656.
- Cameron, P.J. & Valentine, E.W. 1985.** Evaluation of *Cotesia kazak* (Hymenoptera: Braconidae), a parasite of larval *Heliothis armigera conferta* (Lepidoptera: Noctuidae) in New Zealand. *New Zealand Journal of Agricultural Research* 28(4): 545-554.
- Cameron, P.J. & Walker, G.P. 1989.** Release and establishment of *Aphidius* spp. (Hymenoptera: Aphidiidae), parasitoids of pea aphid and blue green aphid in New Zealand. *New Zealand Journal of Agricultural Research* 32(2): 281-290.
- Cameron, P.J., Walker, G.P., Keller, M.A. & Popay, A.J. 1995.** Introduction of *Cotesia rubecula*, a parasitoid of white butterfly. *Proceedings of the Forty Eighth New Zealand Plant Protection Conference*, Angus Inn, Hastings, New Zealand, August 8-10, 1995. 345-347.
- Cameron, P.J. & Walker, G.P. 1997.** Host specificity of *Cotesia rubecula* and *Cotesia plutellae*, parasitoids of white butterfly and diamondback moth. *Proceedings of the New Zealand Plant Protection Conference* 50: 236-241.
- Cameron, P.J. & Walker, G.P. 2002.** Field evaluation of *Cotesia rubecula* (Hymenoptera: Braconidae), an introduced parasitoid of *Pieris rapae* (Lepidoptera: Pieridae) in New Zealand. *Environmental Entomology* 31(2): 367-374.
- Campadelli, G. & Scaramozzino, P.L. 1994.** Hymenopterous parasitoids of xylophagous insects in Romagna. *Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna* 48: 115-121.
- Campadelli, G. 1996.** Natural enemies of *Zeuzera pyrina* (Lepidoptera: Cossidae). *Informatore Fitopatologico* 46(9): 13-16.
- Campadelli, G. 1996.** Some parasitoids of *Zeuzera pyrina* L. (Lep.: Cossidae) in Emilia-Romagna. *Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna* 50: 127-131.
- Campadelli, G. 1998.** Some parasitoids of *Xiphydria longicollis* in the San Vitale pine forest (Ravenna). *Informatore Fitopatologico* 48(11): 3-6.
- Campbell, A. & Mackauer, M. 1973.** Some climatic effects on the spread and abundance of two parasites of the pea aphid in British Columbia (Hymenoptera: Aphidiidae-Homoptera: Aphididae). *Zeitschrift für angewandte Entomologie* 74: 47-55.
- Campbell, A., Frazer, B.D., Gilbert, N., Gutierrez, A.P. & Mackauer, M. 1974.** Temperature requirements of some aphids and their parasites. *Journal of Applied Ecology* 11: 431-438.
- Campbell, A. & Mackauer, M. 1975.** The effect of parasitism by *Aphidius smithi* (Hymenoptera: Aphidiidae) on reproduction and population growth of the pea aphid (Homoptera: Aphididae). *Canadian Entomologist* 107: 919-926.
- Campbell, A. & Mackauer, M. 1975.** Thermal constants for development of the pea aphid (Homoptera: Aphididae) and some of its parasites. *Canadian Entomologist* 107(4): 419-423.
- Campbell, C.L. & Pike, K.S. 1985.** Life history and biology of *Pyrausta orphisalis* (Lepidoptera: Pyralidae) on mint in Washington (USA). *Pan Pacific Entomologist* 61(1): 42-47.
- Campbell, P.J., Brown, K.C., Harrison, E.G., Bakker, F., Barrett, K.L., Candolfi, M.P., Canz, V., Dinter, A., Lewis, G., Mead-Briggs, M., Miles, M., Neumann, P., Romijn, K., Schmuck, R., Shires, S., Ufer, A. & Waltersdorfer, A. 2000.** A hazard quotient approach for assessing the risk to non-target arthropods from plant protection products under 91/414/EEC: hazard quotient trigger value proposal and validation. *Anzeiger für Schädlingskunde* 73(5): 117-124.
- Campbell, R.K., Reed, D.K., Burd, J.D. & Eikenbary, R.D. 1992.** Russian wheat aphid and drought stresser in wheat: tritrophic interactions with *Diaeretiella rapae* and plant resistance. *Series Entomologica (Dordrecht)* 49: 297-298.
- Campos Farinha, A.E. de C. & Chaud Netto, J. 1998.** Reproductive biology of *Cotesia flavipes* (Cam.). 2. Effect of multiple matings on the number of layings, offspring and sex ratio of parasitoids that emerge from *Diatraea saccharalis* (F.). *Biologia reprodutiva de Cotesia flavipes* (Cam.). 2. Efeito de multiphas copulas sobre o numero de posturas, razao sexual e larvas que emergem do hospedeiro *Diatraea saccharalis* (F.). *Arquivos do Instituto Biologico Sao Paulo* 65(2): 57-61.
- Campos Farinha, A.E. de C. & Chaud Netto, J. 1998.** Reproductive biology of *Cotesia flavipes* (Cam.). 3. Mutual interference: females mated to one and two males.] *Biologia reprodutiva de Cotesia flavipes* (Cam.). 3. Interferencia mutua: femeas fecundadas por um e dois machos. *Arquivos do Instituto Biologico Sao Paulo* 65(2): 119-121.
- Canal Daza, N.A., Zucchi, R.A., da Silva, N.M. & Leonel, F.L. Jr. 1994.** Reconocimiento de las especies de parasitoides (Hym.: Braconidae) de moscas de las frutas (Dip.: Tephritidae) en dos municipios del Estado de Amazonas, Brasil. *Boletín del Museo de Entomología de la Universidad del Valle* 2: 1-17.
- Campos, M. & Lozano, C. 1994.** Observations on the reproductive biology of two parasites of *Hylesinus varius* and *Phloeotribus scarabaeoides* (Col.: Scolytidae): *Cheiropachus quadrum* (Hym.: Pteromalidae) and *Dendrosoter protuberans* (Hym.: Braconidae). *Entomophaga* 39(1): 51-59.
- Canal, N.A.D., Zucchi, R.A., Silva, N.M. & Silveira-Neto, S. 1995.** Faunistic analysis of parasitoids (Hymenoptera: Braconidae) of *Anastrepha* spp. (Diptera: Tephritidae) in Manaus and Iranduba, State of Amazonas, Brazil. *Acta Amazonica* 25(3-4): 235-246.
- Canale, A. 1998.** Effect of parasitoid/host ratio on superparasitism of *Ceratitidis capitata* (Wiedemann) larvae (Diptera: Tephritidae) by *Opius concolor* Szepliget (Hymenoptera: Braconidae). *Effetto del rapporto parassitoide-ospite sul superparasitismo di larve di Ceratitidis capitata* (Wiedemann) (Diptera: Tephritidae) da parte di *Opius concolor* Szepliget (Hymenoptera: Braconidae). *Frustrula Entomologica* 21: 137-148.
- Canale, A. & Raspi, A. 2000.** Host location and oviposition behaviour in *Opius concolor* (Hymenoptera: Braconidae). *Entomological Problems* 31(1): 25-32.
- Canard, M., Liaropoulos, C. & Laudeho, Y. 1979.** Developpement d'*Opius concolor* (Hym.: Braconidae) pendant la phase hypogée de *Dacus oleae* (Dipt.: Trypetidae). *Annales de Zoologie Ecologie Animale* 11: 13-18.
- Canas, L.A. & O'Neil, R.J. 1998.** Applications of sugar solutions to maize, and the impact of natural enemies on fall armyworm. *International Journal of Pest Management* 44(2): 59-64.
- Cancino, J., Ruiz, L., Gomez, Y. & Toledo, J. 2002.** Irradiation of *Anastrepha ludens* (Loew) (Diptera: Tephritidae) larvae to inhibit the emergence of flies in the mass rearing of the parasitoid *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae). *Folia Entomologica Mexicana* 41(2): 195-208.

- Candolfi, M.P., Bakker, F., Canez, V., Miles, M., Neumann, C., Pilling, E., Primiani, M., Romijn, K., Schmuck, R., Storck-Weyhermuller, S., Ufer, A. & Waltersdorfer, A. 1999. Sensitivity of non-target arthropods to plant protection products: could *Typhlodromus pyri* and *Aphidius* spp. be used as indicator species? *Chemosphere* 39(8): 1357-1370.
- Čapek, M. 1965. The classification of Braconidae in relation to host specificity. Proceedings of the 12th International Congress of Entomology, London 98-99.
- Čapek, M. 1969. An attempt at a natural classification of the family Braconidae based on various unconventional characters (Hymenoptera). Proceedings of the Entomological Society of Washington 71(3): 304-312.
- Čapek, M., Kristek, J. & Oehlke, J. 1969. Zur Problematik der Insektenparasiten des Fichtennestwicklers *Epinotia tedella* (Cl.). *Sbornik Vysoke Skoly Zemedelske v Brne* 38: 271-283.
- Čapek, M. 1970. A new classification of the Braconidae (Hymenoptera) based on the cephalic structure of the final instar larva and biological evidence. *Canadian Entomologist* 102: 846-875.
- Čapek, M. 1971. The classification of Braconidae (Hymenoptera) from the viewpoint of their biology. Proceedings of XIII International Congress of Entomology. Moscow 2-9 August, 1968. 1: 120-121.
- Čapek, M. 1972. Verzeichnis der aus Schädlinginsekten erzeugten Parasiten. Teil V.-Die Brackwespen (Braconidae: Hymenoptera). (In Slovenian) *Entomologicke Problemy* 10: 125-140.
- Čapek, M. 1973. Key to the final instar larvae of the Braconidae (Hymenoptera). *Acta Instituti Forestalis Zvolensis* 259-268.
- Čapek, M. & Davidova-Vilimova, J. 1978. On the life history of *Aridelus egregius* (Hymenoptera: Braconidae) a parasite of European *Coptosma* (Heteroptera: Plataspidae). *Acta Entomologica Bohemoslovaca* 75: 243-254.
- Čapek, M. & Čapecki, Z. 1979. A new genus and species of Euphorinae (Braconidae, Hymenoptera) from southern Poland. *Polskie Pismo Entomologiczne* 49: 215-221.
- Čapek, M., Hladil, J. & Sedivý, J. 1982. Verzeichnis der aus verschiedenen Insekten erzeugten parasitischen Hymenopteren. Teil VI. *Ent. Probl. Bratislava* 17: 325-371.
- Čapek, M. 1983. Relationships and taxonomic placement of the genus *Blacus* (Hymenoptera: Braconidae). Contributions of the American Entomological Institute 20: 119-124.
- Čapek, M. 1983. The parasites of the European pine shoot moth *Rhyacionia buoliana* D. et S. (Lepidoptera) in Slovakia. *Acta Instituti Forestalis Zvolensis* 6: 51-62.
- Čapek, M. & Patocka, J. 1984. Wirtsbeziehungen der Forstschädlinge zu den Holzarten. Internationales Symposium ueber Entomofaunistik in Mitteleuropa 10: 158-159.
- Čapek, M. 1988. The Braconidae (Hymenoptera) as parasitoids of the gypsy moth, *Lymantria dispar* L. (Lepidoptera). *Acta Instituti Forestalis Zvolensis* 7: 77-91.
- Čapek, M. 1989. The identity of *Apanteles dioryctriae* Wilk. and *A. murinanae* Čap. & Zwolf. (Hym.: Braconidae). *Lesnictvi* 35(11): 995-1001.
- Čapek, M. & Lukáš, J. 1989. Apocrita Parasitica, Ichneumoidea, Braconidae. *Acta Faunistica Entomologica Musei Nationalis Pragae* 19: 27-44.
- Čapek, M. & Zwölfer, H. 1990. Braconids (Hymenoptera: Braconidae) associated with insects inhabiting thistles (Asteraceae: Cynaroideae). *Acta Entomologica Bohemoslovaca* 87(4): 262-277.
- Čapek, M. & Achterberg, C. van 1992. A revision of the genus *Microtypus* Ratzeburg (Hymenoptera: Braconidae). *Zoologische Mededelingen, Leiden* 66(16-40): 323-338.
- Čapek, M. 1992. New and interesting braconid species (Hymenoptera: Braconidae: Doryctinae) from east Mediterranean region. *Biologia (Bratislava)* 47(2): 135-141.
- Čapek, M. 1995. Die Bedeutung der Larvaltaxonomie und Angaben über die Bionomie als Grundlage für die Systematik höherer Taxone der Insekten am Beispiel der Familie der Brackwespen (Braconidae: Hymenoptera). *Entomofauna Carpathica* 7(3): 98-101.
- Čapek, M. 1995. Terrestrial invertebrates of the Palava Biosphere Reserve of UNESCO, 2. Hymenoptera: Ichneumoidea 1. (Braconidae). *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis Biologia* 93: 251-254.
- Čapek, M. & Stary, P. 1995. *Microctonus lipari* sp. nov., a new parasitoid of adult *Liparus* weevils in the Czech Republic (Hymenoptera: Braconidae). *Entomofauna* 16(4): 21-25.
- Čapek, M. & Hofmann, C. 1997. The Braconidae (Hymenoptera) in the collections of the Musée cantonal de Zoologie, Lausanne. *Litterae Zoologicae (Lausanne)* 2: 25-163.
- Čapek, M., Kulfan, J., Suslik, V., Zach, P. & Kristin, A. 1997. Lepidoptera as hosts of braconids (Braconidae: Hymenoptera). Conference on Insects and Environment, Zvolen, Slovakia, 5-6 September 1995. *Biologia Bratislava* 52(2): 327-329.
- Caporale, F. 1970. A contribution to the study of *Pyrausta (Parasitochroa) sticticalis* L. (Lep.: Pyralidae). (in Italian with English summary) *Bollettino dell'Istituto di Entomologia della Università degli Studi di Bologna* 29: 207-240.
- Cappuccino, N. 1992. Adjacent trophic-level effects on spatial density dependence in a herbivore-predator-parasitoid system. *Ecological Entomology* 17(2): 105-108.
- Cappuccino, N., Lavertu, D., Bergeron, Y. & Régniere, J. 1998. Spruce budworm impact, abundance and parasitism rate in a patchy landscape. *Oecologia (Heidelberg)* 114(2): 236-242.
- Cappuccino, N., Houle, M.-J. & Stein, J. 1999. The influence of understory nectar resources on parasitism of the spruce budworm *Choristoneura fumiferana* in the field. *Agricultural and Forest Entomology* 1(1): 33-36.
- Caprio, M.A., Hoy, M.A. & Tabashnik, B.E. 1991. Model for implementing a genetically improved strain of a parasitoid. *American Entomologist* 37(4): 232-239.
- Carballo, M., Leon, G.R. & Ramirez, A. 1990. Biological control of *Liriomyza* sp. (Diptera: Agromyzidae) in horticultural crops of Costa Rica. *Manejo Integrado de Plagas* 16: 4-11.
- Carballo, M.V. 1998. Seasonal abundance and damage of *Anastrepha striata* in guava genotypes. *Manejo Integrado de Plagas* 50: 66-72.
- Cardona, C. & Oatman, E.R. 1971. Biology of *Apanteles dignus*, a primary parasite of the tomato pinworm. *Annals of the Entomological Society of America* 64(5): 996-1007.
- Cardona, C. & Oatman, E.R. 1975. Biology and physical ecology of *Apanteles subandinus* Blanchard (Hymenoptera: Braconidae), with notes on temperature responses of *Apanteles scutellaris* Muesebeck and its host, the potato tuberworm. *Hilgardia* 43(1): 1-51.
- Cardoza, Y.J., Teal, P.E.A. & Tumlinson, J.H. 2003. Effect of peanut plant fungal infection on oviposition preference by *Spodoptera exigua* and on host-searching behavior by *Cotesia marginiventris*. *Environmental Entomology* 32(5): 970-976.
- Carew, W.P. & Sullivan, D.J. 1993. Interspecific parasitism between two aphid hyperparasitoids, *Dendrocerus carpenteri* (Hymenoptera: Megaspilidae) and *Asaphes lucens* (Hymenoptera: Pteromalidae). *Annals of the Entomological Society of America* 86(6): 794-798.
- Carey, J.R., Wong, T.T.Y. & Ramadan, M.M. 1988. Demographic framework for parasitoid mass rearing: case study of *Biosteres tryoni*, a larval parasitoid of tephritid fruit flies. *Theoretical Population Biology* 34(3): 279-296.
- Carignan, S., Boivin, G. & Stewart, R.K. 1995. Developmental biology and morphology of *Peristenus digoneutis* Loan (Hymenoptera: Braconidae: Euphorinae). *Biological Control* 5(4): 553-560.

- Carl, K.P. & Nicholas, J. 1988.** The effect of host crowding on the sex ratio of *Apanteles kazak* Telenga (Hymenoptera: Braconidae) in laboratory rearing. *Colloques de l'INRA* 48: 107-108.
- Carl, K.P. 1968.** *Thymelicus lineola* (Lepidoptera: Hesperidae) and its parasites in Europe. *Canadian Entomologist* 100(8): 785-801.
- Carlson, R.W. 1979.** Family Ichneumonidae: 315-740. In: Krombein, K.V., Hurd Jr. P.D., Smith D.R. & Burks B.D. "Catalog of Hymenoptera in America north of Mexico.", Washington, 3 pts.
- Carnevale, A.B., Bueno, V.H.P. & Sampaio, M.V. 2003.** Parasitism and development of *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphidiidae) on *Aphis gossypii* Glover and *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Neotropical Entomology* 32(2): 293-297.
- Carpenter, J.E., Hidrayani, & Sheehan, W. 1996.** Compatibility of F1 sterility and a parasitoid, *Cotesia marginiventris* (Hymenoptera: Braconidae), for managing *Spodoptera exigua* (Lepidoptera: Noctuidae): acceptability and suitability of hosts. *Florida Entomologist* 79(3): 289-295.
- Carpenter, J.E. & Jewett, D.K. 2003.** Influence of herbivore-damaged corn and cotton in the field recruitment of Braconid parasitoids from feral populations. *Florida Entomologist* 86(3): 233-238.
- Carroll, D.P. & Hoyt, S.C. 1986.** Hosts and habitats of parasitoids (Hymenoptera: Aphidiidae) implicated in biological control of apple aphid (Homoptera: Aphididae). *Environmental Entomology* 15(6): 1171-1178.
- Carruthers, R.I., Whitfield, G.H. & Hynes, D.L. 1985.** Pesticide-induced mortality of natural enemies of the onion maggot, *Delia antiqua* (Dipt.: Anthomyiidae). *Entomophaga* 30: 151-161.
- Carter, N.J. & Laing, J.E. 1997.** *Cotesia rubecula* (Marshall) (Hymenoptera: Braconidae) recovered three years after release in southern Ontario. *Proceedings of the Entomological Society of Ontario* 128: 113-115.
- Carton, Y. & Nappi, A.J. 1997.** *Drosophila* cellular immunity against parasitoids. *Parasitology Today* 13(6) 144: 218-227.
- Cartwright, B., Eikenbary, R.D. & Angalet, G.W. 1982.** Parasitism by *Perilitus coccinellae* (Hym.: Braconidae) of indigenous Coccinellid hosts and the introduced *Coccinella septempunctata* (Col.: Coccinellidae), with notes on winter mortality. *Entomophaga* 27(3): 237-244.
- Carvalho, S.L. de, Fernandes, W.D., Patel, P.N. & Habib, M.E.M. 2000.** Response of *Bracon vulgaris* Ashmead (Hymenoptera: Braconidae) to macerates of different cotton plant tissues, exposed in two ways as cues for parasitism. *Respostas comparativas de Bracon vulgaris* Ashmead (Hymenoptera: Braconidae) a diferentes macerados de plantas de algodao, em dois modos de exposicao. *Revista de Agricultura (Piracicaba)* 75(1): 41-53.
- Carvalho, S.L. de, Fernandes, W.D., Habib, M.E.M. & Patel, P.N. 2002.** Preference of *Bracon vulgaris* and adequacy of some hosts under laboratory conditions. *Revista de Agricultura (Piracicaba)* 77(1): 39-56.
- Carver, M. & Starý, P. 1974.** A preliminary review of the Aphidiidae (Hymenoptera: Ichneumonoidea) of Australia and New Zealand. *Journal of the Australian Entomological Society* 13: 235-240.
- Carver, M. 1984.** The potential host ranges in Australia of some imported aphid parasites (Hym.: Ichneumonoidea: Aphididae). *Entomophaga* 29(4): 351-359.
- Carver, M. & Woolcock, L.T. 1986.** The introduction into Australia of biological control agents of *Hyperomyzus lactucae* (L.) (Homoptera: Aphididae). *Journal of the Australian Entomological Society* 25(1): 65-69.
- Carver, M. & Sullivan, D.J. 1988.** Encapsulative defense reactions of aphids (Hemiptera: Aphididae) to insect parasitoids (Hymenoptera: Aphidiidae and Aphelinidae) (minireview): 299-303. In: Niemczyk, E. & Dixon, A.F.G. [eds]. Ecology and effectiveness of aphidophaga. *Proceedings of an International Symposium, held at Teresin, Poland, August. 31-September 5, 1987.* The Hague. 1988: 1-341.
- Carver, M. 1989.** Biological control of aphids: 141-165. In: Minks, A.K., Harrewijn, P. [eds]. "Aphids, their biology, natural enemies and control.", Amsterdam.
- Carver, M. 1992.** Alloxystinae (Hymenoptera: Cynipoidea: Charipidae) in Australia. *Invertebrate Taxonomy* 6(3): 769-785.
- Carver, M., Hart, P.J. & Wellings, P.W. 1993.** Aphids (Hemiptera: Aphididae) and associated biota from The Kingdom of Tonga, with respect to biological control. *Pan Pacific Entomologist* 69(3): 250-260.
- Carver, M. 1999.** *Uroleucon sonchi* (Linnaeus) (Hemiptera: Aphididae) in Australia. *Australian Journal of Entomology* 38(4): 314-317.
- Carver, M. & Franzmann, B. 2001.** *Lysiphlebus* Förster (Hymenoptera: Braconidae: Aphidiinae) in Australia. *Australian Journal of Entomology* 40(2): 198-201.
- Casas, J. & Baumgartner, J. 1990.** Liste des parasitoides de *Phyllonorycter blancardella* (F.) (Lepidoptera: Gracillariidae) en Suisse. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 63(3-4): 299-302.
- Casas, J. & Meyhfer, R. 1994.** Methoden zur kontinuierlichen Laborzucht von Apfelminiermotten des Artenkomplexes *Phyllonorycter blancardella* Fabr. (Lep.: Gracillariidae) und seiner Parasitoiden. *Journal of Applied Entomology* 117(5): 530-532.
- Cassidy, J.D. & King, R.C. 1972.** Ovarian development in *Habrobracon juglandis* (Ashmead) (Hymenoptera: Braconidae): I. The origin and differentiation of the oocyte nurse cell complex. *Biological Bulletin* 143: 483-505.
- Cassidy, J.D. & Grosch, D.S. 1973.** Quantitative effects of purine analogue ingestion on reproduction of *Habrobracon juglandis*. *Journal of Economic Entomology* 66: 319-324.
- Castaña, P., Loxdale, H.D. & Nowak, K. 1983.** Electrophoretic study of enzymes from cereal aphid populations. II. Use of electrophoresis for identifying aphidiid parasitoids (Hymenoptera) of *Sitobion avenae* (F.) (Hemiptera: Aphididae). *Bulletin of Entomological Research* 73: 659-665.
- Castaner, M. & Garrido, A. 1995.** Contact toxicity and persistence of various insecticides to three insects used in biological control: *Cryptolaemus montrouzieri*, *Lysiphlebus testaceipes* and *Encarsia formosa*. *Investigacion Agraria, Produccion y Proteccion Vegetales* 10(1): 139-147.
- Castellari, P.L. 1984.** The oblique-banded leaf-roller *Choristoneura lafauriana*, new record (Lepidoptera: Tortricidae) recently found on soybean (*Glycine max*) in the Emilia-Romagna region (Italy). *Bollettino Dell'Istituto Di Entomologia Della Universita Degli Studi Di Bologna* 38: 117-134.
- Castellari, P.L. 1990.** Research on the ethology and ecology of *Pandemis heparana* Denis & Schiff. (Lep.: Tortricidae), in the province of Bolzano. *Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Universita degli Studi di Bologna* 44: 75-88.
- Castilho, H.J., Botelho, P.S.M., Macedo, N. & Araujo J.R. de 1989.** Evaluation of *Allorhogas pyralophagus* (Marsh, 1984) (Hymenoptera: Braconidae) as an ectoparasitoid of the sugarcane borer *Diatraea saccharalis* (Fabricius, 1794) (Lepidoptera: Pyralidae). *Anais da Sociedade Entomologica do Brasil* 18(1): 75-89.
- Castieiras, A. & Hernandez, L.R. 1980.** Nuevos hospederos de *Spilochalcis hirtifemora* (Ashmead) (Hymenoptera: Chalcididae) para Cuba. *Poeyana* 209: 1-9.
- Cate, J.R. 1987.** A method of rearing parasitoids of boll weevil without the host plant. *Southwestern Entomologist* 12(3): 211-215.
- Catling, H.D. & Islam, Z. 1995.** Studies on the ecology of the yellow stem borer, *Scirpophaga incertulas* (Walker) (Pyralidae), in deep-water rice in Bangladesh. *Crop Protection* 14(1): 57-67.

- Cave, R.D. 1992.** Inventory of parasitic organisms of the striped grass looper, *Mocis latipes* (Lepidoptera: Noctuidae), in Honduras. Florida Entomologist 75(4): 592-598.
- Cave, R.D. 1993.** Parasitoides larvales y pupales de *Spodoptera frugiperda* (Smith) (Lepidoptera: Noctuidae) en Centro América con una clava para las especies encontradas en Honduras. Ceiba 34: 35-56.
- Cave, R.D. 1995.** Manual para el reconocimiento de Parasitoides de Plagas Agrícolas en América Central: 1-202. Tegucigalpa.
- Cavender, G.L. & Goeden, R.D. 1982.** Life history of *Trupanea bisetosa* (Diptera: Tephritidae) on wild sunflower in southern California. Annals of the Entomological Society of America 75(4): 400-406.
- Ceballos, G. 1965.** Novedades en Himenopteros de Espana y comentarios sobre algunas especies. Graellsia 21: 17-23.
- Ceballos, M. & Hernandez, M. 1995.** Parasitic guild of *Diaphania hyalinata* (L.) (Lepidoptera: Pyralidae) in a squash crop (*Cucurbita moschata*). Revista de Proteccion Vegetal 10(1): 29-33.
- Cecilia, N.M. & Luna, M.G. 1996.** Parasitism, survivorship, sex ratio and developmental time of *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae), parasitizing *Rachiplusia nu* (Guenée) (Lepidoptera: Noctuidae) larvae in soybean crops in Argentina. Parasitismo, supervivencia, proporcion de sexos y tiempo de desarrollo de *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae), cuando parasita a *Rachiplusia nu* (Guenée) (Lepidoptera: Noctuidae) en cultivos de soja de la Republica Argentina. Acta Entomologica Chilena 20: 23-28.
- Cecilio, A. 1994.** Faunistic evolution after the introduction of *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphidiidae) in Portugal and its interest for the limitation of aphid pests. Boletín de Sanidad Vegetal, Plagas 20(2): 471-476.
- Cecilio, A. 1995.** Especies de afidiídeos novas para Portugal continental (Hymenoptera: Aphidiidae) (2). In: Alonso Zarazaga, M.A., Compte Sart, A., Garcia-barros Saura, E., Gurra Sanz, P., Izquierdo Moya, I., Lopez Munguira, M., Lucianez-sanchez, M.j., Llorente del Moral, V., Martin Albaladejo, C. & Martin Ca. 1995: 1-502. Chapter pagination: 217-219.
- Cecilio, A. 1996.** Additions to the 1st list of aphidiids of Portugal (Hymenoptera: Aphidiidae). Agronomia Lusitana 45(1-3): 185-202.
- Celary, W., Czechowski, W., Czechowska, W., Dylewska, M., Garbarczyk, H., Huflejt, T., Malcher, M., Palaczyk, A. & Wisniowski, B. 1997.** Hymenoptera: 7-159. In: Razowski, J. [ed.]. "Wykaz zwierząt Polski. Tom. 5: czesc 32/24: Hymenoptera-postlowie. Checklist of animals of Poland. Vol. 5: part 32/24 Hymenoptera-postscript." Wydawnictwa Instytutu Systematyki i Ewolucji Zwierząt PAN, Krakow. 1997: 1-260.
- Cermeli, M. 1989.** Aphids that affect potato in Venezuela. FONAIAP Divulga 7(32): 33-35.
- Cervone, T.H., Wissinger, W.L., Mettus, R.V. & Petters, R.M. 1988.** Sterility in adult *Bracon hebetor* (Hymenoptera: Braconidae) induced by 5-fluorouracil. Journal of Economic Entomology 81(1): 102-105.
- Ceryngier, P., Kindlmann, P., Havelka, J., Dostalkova, I., Brunnhofer, V. & Hodek, I. 1992.** Effect of food, parasitization, photoperiod and temperature on gonads and sexual activity of males of *Coccinella septempunctata* (Coleoptera: Coccinellidae) in autumn. Acta Entomologica Bohemoslovaca 89(2): 97-106.
- Ceryngier, P. 2000.** Overwintering of *Coccinella septempunctata* (Coleoptera: Coccinellidae) at different altitudes in the Karkonosze Mts, SW Poland. European Journal of Entomology 97(3): 323-328.
- Çetin, O. & Beyarslan, A. 2001.** The Agathidinae (Hymenoptera: Braconidae) fauna of the Marmara region. Turkish Journal of Zoology 25(3): 257-268.
- Cha, A., Ves, T.H.A., Diaz, B.F.A., Bricen, T. & O'gr, A. 1993.** Introduction to Venezuela and biology of *Cotesia plutellae* Kurdj. (Hymenoptera: Braconidae), parasitoid of *Plutella xylostella* L. (Lepidoptera: Plutellidae). Manejo Integrado de Plagas 29: 24-27.
- Chacko, M.J. 1964.** Effect of superparasitism in *Bracon gelechiae* Ashmead. Proceedings of the Indian Academy of Sciences B60: 12-25.
- Chadwick, C.E. & Nikitin, M.I. 1976.** Records of parasitism in the families Ichneumonidae, Braconidae and Aulacidae. Journal of the Entomological Society of Australia. (N.S.W.) 9: 28-38.
- Chai, X.M., He, Z.H., Jiang, P., Wu, Z.D., Pan, C.R., Hu, R.D. & Ruan, Z.M. 2000.** Studies on natural enemies of *Dendrolimus punctatus* in Zhejiang Province. Journal of Zhejiang Forestry Science and Technology 20(4): 1-56, 61.
- Chakrabarti, S. & Chakrabarti, S. 1995.** Parasitic behaviour of two aphidiid parasitoids on *Macrosiphum (Sitobion) miscanthi* in Western Himalaya, India. Journal of Aphidology 8(1-2) (March 1994): 110-115.
- Chalikwar, M.R. & Rao, S. 1982.** A new Indian species of the genus *Apanteles* Förster (Hymenoptera: Braconidae). Indian Science Congress Association Proceedings 69(3): 126.
- Chalikwar, M.R., Rao, S.N. & Nikam, P.K. 1985.** Two new species of *Cotesia* from India (Hymenoptera: Braconidae). Oriental Insects 18 (1984): 17-23.
- Chamberlin, J.R. & Kok, L.T. 1986.** Cabbage Lepidopterous pests and their parasites in southwestern Virginia. Journal of Economic Entomology 79: 629-632.
- Chambers, G.C. & Kouskolekas, C.A. 1985.** Population trends and principal parasitoids of the vegetable leafminer, *Liriomyza sativae* on tomatoes in Alabama. Journal of Entomological Science 20(4): 454-459.
- Chambers, R.J., Sunderland, K.D., Stacey, D.L. & Wyatt, I.J. 1986.** Control of cereal aphids in winter wheat by natural enemies: aphid-specific predators, parasitoids and pathogenic fungi. Annals of Applied Biology 108: 219-231.
- Chanda, S. & Chakravorty, S. 2000.** Morphogenetic derangements in the reproductive system of *Bracon hebetor*, a beneficial parasitoid, bred on juvenoid treated host (*Corcyra cephalonica*) larvae. Indian Journal of Experimental Biology 38(7): 700-704.
- Chanda, S. & Chakravorty, S. 2001.** Developmental derangements and mortality of *Bracon hebetor* reared on juvenoid treated larvae of *Corcyra cephalonica*. Proceedings of the Zoological Society (Calcutta) 54(1): 56-60.
- Chanda, S. & Chakravorty, S. 2001.** Host-mediated juvenoids affect development and metamorphosis of endoparasitic wasp, *Chelonus blackburni* (Hymenoptera: Braconidae) and consequent morphogenetic derangements in its reproductive system. Indian Journal of Experimental Biology 39(2): 143-147.
- Chanda, S., Panda, R.N. & Chakravorty, S. 2002.** Hormonal implication in *Bracon*-venom-induced paralysation of the host larva of *Corcyra cephalonica* (Lepidoptera: Pyralidae). Indian Journal of Experimental Biology 40(8): 918-923.
- Chandel, R.S., Kashyap, N.P. & Mehta, P.K. 1998.** Biology of *Pieris brassicae* (Linn.) in dry temperate zone of Himachal Pradesh. Journal of Insect Science 11(1): 71-73.
- Chandish, Ballal, R., Singh, S.P., Jalali, S.K. & Kumar, P. 1989.** Parasitising efficiency of *Chelonus blackburni* Cam. and *Copidosoma koehleri* Blanch. singly and in combination against the potato tuber moth. Journal of Biological Control 3(1): 4-6.
- Chandler, L.D. 1984.** Parasites of *Liriomyza sativae* Blanchard on bell pepper in south Texas. Journal of the Georgia Entomological Society 19(2): 199-203.
- Chandler, L.D., Gilstrap, F.E. & Browning, H.W. 1988.** Evaluation of the within-field mortality of *Liriomyza trifolii* (Diptera: Agromyzidae) on bell pepper. Journal of Economic Entomology 81(4): 1089-1096.

- Chandler, L.D. & Gilstrap, F.E. 1989.** Dispersion patterns of parasitized *Liriomyza trifolii* larvae in bell peppers. *Southwestern Entomologist* 14(1): 1-8.
- Chandra, S. & Kushwaha, K.S. 1987.** Impact of environmental resistance on aphid complex of cruciferous crops under the agroclimatic conditions of Udaipur II. Biotic components. *Indian Journal of Entomology* 49(1): 86-113.
- Chandramohan, N. & Chelliah, S. 1984.** Parasite complex of yellow stem borer (YSB). *International Rice Research Newsletter* 9(6): 21.
- Chandramohan, N. & Chelliah, S. 1990.** Natural enemies of rice yellow stem borer, *Scirpophaga incertulas* (W.) and its relationship with weather elements. *Journal of Biological Control* 4(2): 89-92.
- Chandramohan, N. & Manoharan, T. 1990.** Insecticidal control of jasmine bud worm *Hendecasis duplifascialis* (Hmspsn). *South Indian Horticulture* 38(5): 293-294.
- Chandramohan, N., Babu, T. & Nanjan, K. 1992.** *Acleris extensana* (Meyrick) a new tortricid pest of rose in Nilgiris. *South Indian Horticulture* 40(5): 304.
- Chandramohan, N. 1994.** Seasonal incidence of diamondback moth *Plutella xylostella* L. and its parasitoids in Nilgiris. *Journal of Biological Control* 8(2): 77-80.
- Chang, Y.D., Lee, J.Y. & Youn, Y.N. 1994.** Primary parasitoids and hyperparasitoids of the soyabean aphid, *Aphis glycines* (Homoptera: Aphididae). *Korean Journal of Applied Entomology* 33(2): 51-55.
- Chang, L.C. 1974.** Studies on the toxicity of insecticides to a parasite (*Apanteles plutellae*) of the diamond back moth. *Journal of Taiwan Agric. Res.* 23(2): 143-148.
- Chao, H.F. 1964.** Descriptions of four new species of braconid wasps of the genus *Streblocera* Westwood (Hymenoptera). (in Chinese with English summary). *Acta Zootaxonomica Sinica* 1(1): 153-162.
- Chao, H.F. & Chen, C.H. 1965.** On a new species of *Spathiini* from Fukien, China. (in Chinese with English summary). *Acta Zootaxonomica Sinica* 2: 106-108.
- Chao, H.F. 1974.** Descriptions of two new species of *Aridelus Marshalli* from China with synonymic notes on an exotic species (Hymenoptera: Braconidae: Euphorinae). *Acta Entomologica Sinica* 17(4): 455-457.
- Chao, H.F. 1977.** A study on Chinese braconid wasps of the tribe Spathiini (Hymenoptera: Braconidae: Doryctinae). (in Chinese with English summary). *Acta Entomologica Sinica* 20(2): 205-216.
- Chao, H.F. 1978.** A study on Chinese braconid wasps of the tribe Spathiini (Hymenoptera: Braconidae: Doryctinae). *Acta Entomologica Sinica* 21(2): 173-184.
- Chao, H.F. 1988.** A brief account of the study of parasitic Hymenoptera in China. *Advances in Parasitic Hymenoptera Research* 1988: 265-272.
- Chao, H.F. 1993.** Two new species and synonyms of a known species of *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae) from Fujian province, China. *Wuyi Science Journal* 10: 61-69.
- Chao, H.Y. 1988.** Studies on the parasitoids of *Mamestra brassicae* in Tonghua Area. (in Chinese). *Chinese Journal of Biological Control* 4(2): 90.
- Chari, M.S., Rao, R.S.N., Sreedhar, U. & Mushini, S.N. 1994.** A study of interaction of the polyphagous pest, *Spodoptera litura* F. and its natural enemies with different host plants in the tobacco ecosystem in Andhra Pradesh. *Insect & Environment* 5: 17-24.
- Chari, M.S., Sreedhar, U., Rao, R.S.N. & Reddy, S.A.N. 1996.** Studies on compatibility of botanical and microbial insecticides to the natural enemies of *Spodoptera litura* F. *Tobacco Research* 22(1): 32-35.
- Chari, M.S., Sreedhar, U. & Rao, R.S.N. 1997.** Differential response of *Apanteles africanus* Cameron (Braconidae) and *Telenomus remus* Nixon (Scelionidae) to various pesticides on tobacco. *Journal of Insect Science* 10(2): 181-183.
- Charles, J.G., Walker, J.T.S. & White, V. 1996.** Leafroller phenology and parasitism in Hawkes Bay, New Zealand, canefruit gardens. *New Zealand Journal of Crop and Horticultural Science* 24(2): 123-131.
- Charlet, L.D. 1983.** Insect stem fauna of native sunflower species in western North Dakota. *Environmental Entomology* 12: 1286-1288.
- Charlet, L.D. 1983.** Parasitoids of stem weevil, *Cylindrocopturus adspersus* (Coleoptera: Curculionidae), in sunflower: incidence and parasitization rates in the northern Great Plains. *Environmental Entomology* 12: 888-890.
- Charlet, L.D. 1989.** Overwintering survival of the sunflower stem weevil (Coleoptera: Curculionidae) and two of its parasitoids in the Northern Great Plains. *Journal of Economic Entomology* 82(1): 130-133.
- Charlet, L.D., Brewer, G.J. & Beregovoy, V.H. 1992.** Insect fauna of the heads and stems of native sunflowers (Asterales: Asteraceae) in eastern North Dakota. *Environmental Entomology* 21(3): 493-500.
- Charlet, L.D. 1994.** Seasonal abundance and impact of the sunflower stem weevil parasitoid, *Nealiolus curculionis* (Hymenoptera: Braconidae), in the Northern Great Plains. *Biological Control* 4(1): 26-31.
- Charlet, L.D. & Seiler, G.J. 1994.** Sunflower seed weevils (Coleoptera: Curculionidae) and their parasitoids from native sunflowers (*Helianthus*) in the Northern Great Plains. *Annals of the Entomological Society of America* 87(6): 831-835.
- Charlet, L.D. 2001.** Biology and seasonal abundance of parasitoids of the banded sunflower moth (Lepidoptera: Tortricidae) in sunflower. *Biological Control* 20(2): 113-121.
- Charlet, L.D. 2002.** Parasitization of the red sunflower seed weevil (Coleoptera: Curculionidae) by its larval parasitoid *Triaspis aequoris* (Hymenoptera: Braconidae) in cultivated sunflower. *Environmental Entomology* 31(5): 844-851.
- Charlet, L.D., Armstrong, J.S. & Hein, G.L. 2002.** Sunflower stem weevil and its larval parasitoids in the Central and Northern Plains of the USA. *BioControl* 47(5): 513-523.
- Charnov, E.L., Los-den Hartogh, R.L., Jones, W.T. & Assem, J. van den 1981.** Sex ratio evolution in a variable environment. *Nature* (London) 289 No. 5793: 27-33.
- Charyulu, B.S.S., Pandey, M.C., Chaudhary, R.N. & Sharma, V.K. 1994.** Parasitization on *Mythimna separata* larvae by *Cotesia ruficrus*. *Indian Journal of Entomology* 56(2): 189-191.
- Chau, A. & Mackauer, M. 1997.** Dropping of pea aphids from feeding site: a consequence of parasitism by the wasp, *Monoctonus paulensis*. *Entomologia Experimentalis et Applicata* 83(3): 247-252.
- Chau, A. & Mackauer, M. 1999.** Self-superparasitism in the solitary parasitoid *Monoctonus paulensis* (Hymenoptera: Braconidae, Aphidiinae): proximate mechanisms. *Canadian Entomologist* 131(6): 769-777.
- Chau, A. & Mackauer, M. 2000.** Host-instar selection in the aphid parasitoid *Monoctonus paulensis* (Hymenoptera: Braconidae: Aphidiinae): a preference for small pea aphids. *European Journal of Entomology* 97(3): 347-353.
- Chau, A. & Mackauer, M. 2001.** Preference of the aphid parasitoid *Monoctonus paulensis* (Hymenoptera: Braconidae: Aphidiinae) for different aphid species: female choice and offspring survival. *Biological Control* 20(1): 30-38.
- Chau, A. & Mackauer, M. 2001.** Host-instar selection in the aphid parasitoid *Monoctonus paulensis* (Hymenoptera: Braconidae: Aphidiinae): Assessing costs and benefits. *Canadian Entomologist* 133(4): 549-564.

- Chaudhary, J.P. & Kapil, R.P. 1977.** Record of a new host plant of *Hymenia recurvalis* (F.) and its parasites. *Indian Journal of Entomology* 37: 314.
- Chaudhary, R.N. & Sharma, V.K. 1987.** Parasitization in diapausing larvae of *Chilo partellus* (Swinhoe) by *Apanteles flavipes* (Cameron). *Indian Journal of Ecology* 14(1): 155-157.
- Chaudhry, M.M.K. 1990.** Present status of Oriental and Mediterranean fruit flies and their parasites at three locations on Oahu, Hawaii. *Proceedings of the Hawaiian Entomological Society* 29(1989): 155-163.
- Chaud-Netto, J. & Campos-Farinha, A.E. de 1998.** Reproductive biology of *Cotesia flavipes* (Cam). II. Effect of multiple matings on the number of layings, offspring and sex ratio of parasitoids that emerge from *Diatraea saccharalis* (F.). *Arquivos do Instituto Biologico Sao Paulo* 65(2): 57-61.
- Chaud-Netto, J. & Campos-Farinha, A.E. de 1998.** Reproductive biology of *Cotesia flavipes* (Cam.). III. Mutual interference: females mated to one and two males. *Arquivos do Instituto Biologico Sao Paulo* 65(2): 119-121.
- Chaud-Netto, J., Gobbi, N. & Campos-Farinha, A.E. de 2000.** Reproductive biology of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae). IV. Discrimination between parasitized and unparasitized larvae of *Diatraea saccharalis* Fabricius (Lepidoptera: Pyralidae), developmental time and sex ratio of the parasitoids. *Arquivos do Instituto Biologico Sao Paulo* 67(2): 229-234.
- Chaud-Netto, J. & Campos-Farinha, A.E. de 2000.** Reproductive biology of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae) V. Evaluation of the number of egg layings, offspring production and sex ratio of the parasitoid according to host size (*Diatraea saccharalis* Fabricius) (Lepidoptera: Pyralidae). *Arquivos do Instituto Biologico Sao Paulo* 67(2): 249-252.
- Chauvin, G., El Agoze, M., Hamon, M. & Huignard, J. 1988.** Ultra-structure des spermatozoïdes des mâles haploïdes et diploïdes de *Diadromus pulchellus* Wesmael (Hymenoptera: Ichneumonidae). *International Journal of Insect Morphology and Embryology* 7: 359-366.
- Cheesman, O.D. 1996.** Life histories of *Cochylis roseana* and *Endothenia gentianaana* (Lepidoptera: Tortricidae) on wild teasel. *Entomologist* 115(2): 65-80.
- Chelliah, J. & Jones, D. 1990.** Biochemical and immunological studies of proteins from polydnavirus *Chelonus* sp. near *curvimaclatus*. *Journal of General Virology* 71(10): 2353-2359.
- Chen, C.H. 1982.** Hymenoptera: Aphidiidae. [Insects of Xizang]. Xizang Kunchong. Volume. 2. Science Press. Peking. 1982: i-ix, 1-508. Chapter pagination: 353-354.
- Chen, C.M., Hu, S.H., Hu, J.S., Wan, F.H. & Xiao, T.G. 1983.** Studies on *Apanteles cypris* Nixon, a larval endoparasite of *Cnaphalocrocis medinalis* Guenée. *Acta Entomologica Sinica* 26(4): 387-396.
- Chen, H.C., Lou, Y.G. & Cheng, J. 2002.** Research and application of *Apanteles chilonis*, a parasitoid of rice striped stemborer *Chilo suppressalis*. *Chinese Journal of Biological Control* 18(2): 90-93.
- Chen, H.C., Lou, Y.G. & Cheng, J.A. 2002.** Selection responses of *Cotesia chilonis*, a larval parasitoid of the rice striped-stem-borer *Chilo suppressalis*, to volatile compounds from its host and host-plants. *Acta Entomologica Sinica* 45(5): 617-622.
- Chen, H.C., Lou, Y.G. & Cheng, J. 2003.** Effect of volatiles from herbivores and herbivore-damaged rice plants on the behavioral selection of parasitoid (*Cotesia ruficrus* Haliday). Zhejiang University Scientific Publication. (Agriculture & Life Sciences) 29(1) General serial No. 116: 18-23.
- Chen, H.L. & Huang, S.S. 1993.** A study on *Striglina bifida* Chu et Wang. *Entomological Knowledge* 30(6): 339-341.
- Chen, J.H. 1980.** Description of a new species of the genus *Lysiphlebia* Stary and Schlinger (Hym.: Aphidiidae). (in Chinese with English summary) *Entomotaxonomia* 2(2): 141-144.
- Chen, J.H. 1980.** Description of a new species of the genus *Lipolexis* Förster (Hymenoptera: Aphidiidae). (in Chinese with English summary) *Entomotaxonomia* 2(3): 169-172.
- Chen, J.H. 1981.** *Lipolexis wuyiensis* n. sp. (Hym.: Aphidiidae). *Journal of Fujian Agricultural University* 10(1): 33-38.
- Chen, J.H. 1986.** *Foveophedrus*, a new genus with four new species (Hymenoptera: Aphidiidae). *Journal of Fujian Agricultural College* 15: 91-100.
- Chen, J.H., Chen, D.R., Li, F. & Zhang, Y.Z. 1989.** Toxicity of five common insecticides on the aphid parasitoid, *Aphidius gifuensis* (Hym.: Aphidiidae). *Chinese Journal of Biological Control* 5(3): 107-109.
- Chen, J.H., Gonzalez, D. & Luhman, J. 1990.** A new species of *Aphidius* (Hymenoptera) attacking the pea aphid, *Acyrtosiphon pisum*. *Entomophaga* 35(4): 509-514.
- Chen, J. & Wu, Z. 1994.** The Alysini of China: (Hymenoptera: Braconidae: Alysinae). (in Chinese) China Agricultural Press, Fuzhou, China 218 pp.
- Chen, J., Huang, J.C. & Wu, Z.S. 1994.** Notes on two new species and six new records of the genus *Ascogaster* Wesmael from China (Hymenoptera: Braconidae: Cheloninae). (in Chinese) *Journal of Fujian Agricultural University* 23(1): 51-57.
- Chen, J., Wu, Z. & Huang, J. 1995.** A new species of *Ascogaster* Wesmael from Jilin (Hymenoptera: Braconidae). *Entomologia Sinica* 2(2): 122-124.
- Chen, J.H., Yang, J.Q., Wu, Z.S., Zou, M.Q. & Chen, Y.Z. 1995.** One new species and one new record of genus *Euaagathis* Szepliget from China (Hymenoptera: Braconidae: Agathidinae). (in Chinese with English summary). *Journal of Fujian Agricultural University* 24(1): 28-31.
- Chen, J.H., Shi, Q.X. & Yang, J.Q. 1999.** A new species of *Praon* from China. *Journal of Fujian Agricultural University* 28(2): 167-170.
- Chen, J.H. & Yang, J.Q. 1999.** A new species of the genus *Earinus* Wesmael from China (Hymenoptera: Braconidae). *Acta Entomologica Sinica* 42(4): 418-421.
- Chen, J.H. & Wu, Z.S. 2000.** Systematic studies on Meteorinae of China (Hymenoptera: Braconidae). *Fujian Science and Technology Publishing House, Fujian* 230 pp.
- Chen, J.H., Wu, Z.S. & Yang, J.Q. 2000.** A new species of *Acanthormius* Ashmead (Hymenoptera: Braconidae) from China *Entomological Journal of East China* 9(2): 9-12.
- Chen, J.H. & Shi, Q.X. 2001.** Systematic studies on Aphidiidae of China (Hymenoptera: Aphidiidae). *Fujian Science and Technology Publishing House, Fujian* 273 pp.
- Chen, J.H., Wu, Z.S. & Chen, Q.J. 2001.** One new species of the genus *Mirax* Haliday from China (Hymenoptera: Braconidae). *Acta Zootaxonomica Sinica* 26(4): 548-550.
- Chen, J.H., Song, D.B. & Yang, J.Q. 2002.** A new species of *Apanteles* Förster (Hymenoptera: Braconidae) from China. *Entomotaxonomia* 24(3): 206-208.
- Chen, J. & Ji, Q. 2003.** Systematic studies on Cheloninae of China (Hymenoptera: Braconidae). (in Chinese with English summary). *Fujian Scientific Publishers. Fuchow, China* 328 pp.
- Chen, J.L., Horne, P.A., Jackson, W.R., Lichti, G. & Park, D. 1994.** Volatility control for foliage-applied chlorpyrifos by using controlled release emulsions. *Journal of Controlled Release* 29(1-2): 83-95.
- Chen, K. & Hopper, K.R. 1997.** *Diuraphis noxia* (Homoptera: Aphidiidae) population dynamics and impact of natural enemies in the Montpellier region of southern France. *Environmental Entomology* 26(4): 866-875.
- Chen, Q.J., Zhang, G.S., Guan, B.B., Zhang, Y.Z. & Chen, J.H. 2003.** Studies on biology and ecology of *Microplitis prodeniae* (Viereck). *Acta Agriculturae Universitatis Jiangxiensis* 25(2): 199-203.

- Chen, S.L., Tong, W.G. & Li, Y.G. 1994. Studies on the bionomics and control of *Hyposidra aquilaria* Walker (Lepidoptera: Geometridae). Forest Research 7(1): 101-105.
- Chen, W.S., Tu, C.C. & Chang, F.I. 1988. Ecological studies on the new insect pests of asparagus. Asparagus Research Newsletter 6(1): 107-111, 24.
- Chen, W.S. & Chang, F.I. 1988. Ecological studies on the new insect pests of asparagus and their control. Taiwan Asparagus Research 1986-1987: 255-262.
- Chen, X.X., He, J.H. & Ma, Y. 1990. New records of five species of the genus *Zelex* Curtis from China (Hymenoptera: Braconidae). Wuyi Science Journal 7(7) (1987): 94-96.
- Chen, X.X. 1991. A new species of the genus *Homolobus* Foerster from China, with a checklist of the Chinese species (Hymenoptera: Braconidae). Entomologische Berichten, Amsterdam 51(4): 47-49.
- Chen, X.X. & He, J.H. 1991. Seven new species of the genus *Aleiodes* Wesmael with pale antennal segments from China (Hymenoptera: Braconidae: Rogadinae). (in Chinese with English summary) Entomotaxonomia 13(1): 29-38.
- Chen, X.X., He, J.H. & Ma, Y. 1991. The genus *Homolobus* Foerster of China (Hymenoptera: Braconidae). Acta Agriculturae Universitatis Zhejiangensis 17(2): 192-196.
- Chen, X.X. & He, J.H. 1992. New records of *Aleiodes* Wesmael from China (Hymenoptera: Braconidae: Rogadinae). (in Chinese) Acta Zootaxonomica Sinica 17(1): 125.
- Chen, X.X. & He, J.H. 1992. The genus *Acamptopsis* Wesmael from China (Hymenoptera: Braconidae: Sigalphinae). Entomotaxonomia 14(3): 217-221.
- Chen, X.X., He, J.H. & Ma, Y. 1992. New records of *Aleiodes* Wesmael from China 2 (Hymenoptera: Braconidae: Rogadinae). (in Chinese with English summary). Acta Zootaxonomica Sinica 17(4): 495-496.
- Chen, X., He, J. & Achterberg, C. van 1993. A revision of the subtribe Brulleiina Van Achterberg (Hymenoptera: Braconidae: Helconinae) from China. Zoologische Mededelingen, Leiden 67(27-43): 375-395.
- Chen, X.X., He, J.H. & Ma, Y. 1994. Five new species of the genus *Fornicia* Brullé (Hymenoptera: Braconidae: Microgastrinae) from China. (in Chinese with English summary). Entomotaxonomia 16(2): 127-134.
- Chen, X.X., He, J.H. & Ma, Y. 1995. Hymenoptera: Braconidae: 558-564. In: Wu, H. [ed.]. "Insects of Baishanzu Mountain, eastern China". China Forestry Publishing House, Beijing. 586 pp.
- Chen, X.X., He, J.H. & Ma, Y. 1995. Hymenoptera: Braconidae: 256-262. In: Zhu, T. [ed.]. "Insects and macrofungi of Gutianshan, Zhejiang". Zhejiang Science and Technology Publishing House, Hangzhou. 318 pp.
- Chen, X.X. & He, J.H. 1996. Four new species of the genus *Aulosphe* Muesebeck (Hymenoptera: Braconidae: Lysiterminae) from China. Entomotaxonomia 18(3): 223-229.
- Chen, X.X., He, J.H. & Ma, Y. 1996. The genus *Charmon* Haliday (Hymenoptera: Braconidae: Charmontinae) from China. (in Chinese with English summary) Entomotaxonomia 18(1): 59-64.
- Chen, X.X. & He, J.H. 1997. Revision of the subfamily Rogadinae (Hymenoptera: Braconidae) from China. Zoologische Verhandlungen, Leiden 308: 1-187.
- Chen, X.X. & Achterberg, C. van 1997. Revision of the subfamily Euphorinae (excluding the tribe Meteorini Cresson) (Hymenoptera: Braconidae) from China. Zoologische Verhandlungen, Leiden 313: 1-74.
- Chen, X.X. & Achterberg, C. van 1997. *Tuberidelus* gen. nov. (Hymenoptera: Braconidae: Euphorinae) from Thailand. Zoologische Mededelingen, Leiden 71(3): 25-29.
- Chen, X.X. & He, J.H. 1997. Revision of the subfamily Rogadinae (Hymenoptera: Braconidae) from China. Zoologische Verhandlungen, Leiden 308: 3-187.
- Chen, X.X. & Achterberg, C. van 1997. Revision of the subfamily Euphorinae (excluding the tribe Meteorini Cresson) (Hymenoptera: Braconidae) from China. Zoologische Verhandlungen 313: 217 pp.
- Chen, X.X., He, J.H. & Ma, Y. 1997. Hymenoptera: Braconidae: 1647-1668. In: Yang, X.K. [ed.]. 'Insects of the Three Gorge Reservoir area of Yangtze River'. Chongqing Publishing Company. Chongqing. China 1848 pp.
- Chen, X.X., He, J.H. & Ma, Y. 1997. Two new species of the subfamily Miracinae (Hym.: Braconidae) from China. Wuyi Science Journal 13: 63-69.
- Chen, X.X., He, J.H. & Ma, Y. 1998. Revision of the genus *Hartemita* Cameron (Hymenoptera: Braconidae: Cardiochilinae) from China. Entomotaxonomia 20(3): 208-218.
- Chen, X.X., He, J.H. & Ma, Y. 1999. Hymenoptera: Braconidae. (in Chinese with English summary) In: Shen, X. & Deng, G. 'The Fauna and Taxonomy of Insects in Henan' 3: 142-143. China Agricultural Sciencetech Press. Beijing.
- Chen, X.X., He, J.H., Ma, Y., Austin, A.D. & Dowton, M. 2000. The family Braconidae in China (Hymenoptera). Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control: 328-338.
- Chen, X.X., He, J.H., Ma, Y. & Achterberg, C. van 2000. An outline of the taxonomic studies of the subfamily Euphorinae (excluding the genus *Meteorus* Haliday) (Hymenoptera: Braconidae) from China, with a checklist of the Chinese species. Entomotaxonomia 22(1): 65-70.
- Chen, X.X., He, J.H. & Ma, Y. 2000. The subgenus *Asiastreblocera* Belokobylskij of the genus *Streblocera* Westwood from China: (Hymenoptera: Braconidae: Euphorinae). Acta Zootaxonomica Sinica 25(4): 442-445.
- Chen, X.X., He, J.H. & Ma, Y. 2001. The genus *Leiophron* Nees (Hymenoptera: Braconidae: Euphorinae) from China with descriptions of two new species. Entomotaxonomia 23(1): 61-66.
- Chen, X.X., He, J.H. & Ma, Y. 2001. The genus *Syntretus* Foerster (Hymenoptera: Braconidae) from China with description of a new species. Entomologia Sinica 8(1): 13-18.
- Chen, X.X., Belokobylskij, S.A., He, J.H. & Ma, Y. 2001. The genus *Asiacentistes* Belokobylskij (Hymenoptera: Braconidae) from China. Oriental Insects 35: 167-170.
- Chen, X.X., He, J.H. & Achterberg, C. van 2001. A new species of the genus *Cryptoxilos* Viereck (Hymenoptera: Braconidae: Euphorinae) from China. Entomologica Fennica 12: 108-111.
- Chen, X.X. & Whitfield, J.B. 2002. New species of the rare genus *Katytermus* (Hymenoptera: Braconidae) in China. Entomological News 113(4): 239-242.
- Chen, X.X., Whitfield, J.B. & He, J.H. 2002. Discovery of the genus *Microtypus* Ratzeburg (Hymenoptera: Braconidae) in China, with records of three species. Journal of the Kansas Entomological Society 75(4): 333-334.
- Chen, X.X., Whitfield, J.B. & He, J.H. 2002. The discovery of the genus *Gnamptodon* Haliday (Hymenoptera: Braconidae) in China, with description of one new species. Pan-Pacific Entomologist 78(3): 184-187.
- Chen, X.X., Lang, F., Xu, Z., He, J.H. & Ma, Y. 2003. The occurrence of leafminers and their parasitoids on vegetables and weeds in Hangzhou area, Southeast China. BioControl 46(5): 515-527.
- Chen, X.X. & Whitfield, J.B. 2003. The discovery of the genus *Ecnomios* Mason (Hymenoptera: Braconidae) in China, with description of a new species. Proceedings of the Entomological Society of Washington 105(2): 348-351.

- Chen, X.X., Piao, M.H. & He, J.H. 2003. A molecular phylogeny of the subfamily Rogadinae (Hymenoptera: Braconidae) based on the D2 variable region of 28S ribosomal RNA. *Acta Entomologica Sinica* 46(2): 209-217.
- Chen, X.X., Belokobylskij, S.A., Achterberg, C. van & Whitfield, J.B., 2004. *Cornutorogas*, a new genus with four new species of the subfamily Rogadinae (Hymenoptera: Braconidae) from the Oriental region. *Journal of Natural History* 38: 2211-2223, figs 1-31.
- Chen, Y., Giles, Kristopher L. & Greenstone, M.H. 2002. Molecular evidence for a species complex in the genus *Aphelinus* (Hymenoptera: Aphelinidae), with additional data on aphidine phylogeny (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 95(1): 29-34.
- Chen, Y.H. & Allen, W.W. 1986. Effects of insecticides on emergence, survival, longevity, and fecundity of the parasitoid *Diaretiella rapae* (Hymenoptera: Aphidiidae) from mummified *Myzus persicae* (Homoptera: Aphididae). *Journal of Economic Entomology* 79(6): 1599-1602.
- Chen, Y.M., Fu, D.C., Zhu, C.P., Jin, Z.S. & Guo, G.H. 1994. Rate of parasitization of the first generation *Ostrinia furnacalis* with a suggestion on its prediction in Jiangsu. *Chinese Journal of Biological Control* 10(3): 97-99.
- Chen, Y.M., Fu, D.C. & Zhu, C.P. 1994. The influences of temperature and rainfall to larval parasites of *Ostrinia furnacalis*. *Natural Enemies of Insects* 16(1): 8-9.
- Chen, Y.M., Wang, F.L. & Diang, Z.K. 1999. Investigation on parasitic enemies of *Ostrinia furnacalis* larvae. *Plant Protection* 25(4): 45-46.
- Chen, Y.T., Ou, W.M. & Chen, P.S. 1998. Infestation of *Liriomyza sativae* and the investigation on natural control. *Guangdong Agricultural Sciences* 2: 33-35.
- Chen, Y.P. & Gundersen Rindal, D.E. 2003. Morphological and genomic characterization of the polydnavirus associated with the parasitoid wasp *Glyptapanteles indiensis* (Hymenoptera: Braconidae). *Journal of General Virology* 84(8): 2051-2060.
- Chen, Y.P., Taylor, P.B., Shapiro, M. & Gundersen Rindal, D.E. 2003. Quantitative expression analysis of a *Glyptapanteles indiensis* polydnavirus protein tyrosine phosphatase gene in its natural lepidopteran host, *Lymantria dispar*. *Insect Molecular Biology* 12(3): 271-280.
- Chen, Y.H. & Welter, S.C. 2003. Confused by domestication: incongruent behavioral responses of the sunflower moth, *Homoeosoma electellum* (Lepidoptera: Pyralidae) and its parasitoid, *Dolichogenidea homoeosomae* (Hymenoptera: Braconidae), towards wild and domesticated sunflowers. *Biological Control* 28(2): 180-190.
- Cheng, C.C., Yao, A.L., Lee, L.W.Y. & Chang, J.C. 1992. Olfactory responses of *Diachasmimorpha longicaudatus* and *Opius incisi* to animal plant host related volatile sources. *Bulletin of the Institute of Zoology, Academia Sinica* 31(2): 131-135.
- Cheng, H.H. 1977. Insect parasites of the darksided cutworm, *Euxoa messoria* (Lepidoptera: Noctuidae), in Ontario. *Canadian Entomologist* 109: 137-142.
- Cheng, H.H. 1981. Additional Hymenopterous parasites newly recorded from the darksided cutworm, *Euxoa messoria* (Lepidoptera: Noctuidae), in Ontario. *Canadian Entomologist* 113(8): 773-774.
- Cheng, H.H. & Hanlon, J.J. 1990. A note on the use of microbial insecticides for the control of tomato hornworms on flue-cured tobacco. *Phytoprotection* 71(2): 101-103.
- Cheng, J., Jiang, M.X., Zhu, Z.R., Zhu, J.L., Zhu, M.L., Liao, X.G. & Wang, Z.J. 1999. Study on parasitism of rice striped stem borer, *Chilo suppressalis*, in different habitats. *Chinese Journal of Biological Control* 15(4): 145-149.
- Cheng, W.Y., Chang, C.H. & Wang, Z.T. 1987. Occurrence of *Cotesia flavipes* Cameron (Hym.: Braconidae) in autumn sugar-cane fields. Report of the Taiwan Sugar Research Institute 117: 31-41.
- Cheng, W.Y., Chen, S.M. & Wang, Z.T. 1999. Survey of larval and pupal parasitoids of cane borers in spring cane. Report of the Taiwan Sugar Research Institute 164: 1-14.
- Cheng, Z. 1984. Studies on the biology of *Apanteles cypris* Nixon, a braconid parasitoid of rice leaf folder. *Natural Enemies of Insects* 6(2): 71-80.
- Chenot, A.B. & Raffa, K.F. 1998. Effects of parasitoid strain and host instar on the interaction of *Bacillus thuringiensis* subsp. *kurstaki* with the gypsy moth (Lepidoptera: Lymantriidae) larval parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae). *Environmental Entomology* 27(1): 137-147.
- Chenot, A.B. & Raffa, K.F. 1998. Heritability estimates of development time and size characters in the gypsy moth (Lepidoptera: Lymantriidae) parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae). *Environmental Entomology* 27(2): 415-418.
- Chernoguz, D.G. 1984. An ontogenetic aspect of parasitism of the ichneumon flies of the subfamily Alysiinae (Hymenoptera: Braconidae): 1. Relations of *Alysia manducator* and *Calliphora vicina* (Diptera, Calliphoridae). *Entomologicheskoe Obozrenie* 63(4): 658-671. [Entomological Review 64(2): 1-15].
- Chernoguz, D.G. 1986. Die Wirkung der Metamorphoseblockierung der Fliegen infolge Parasitierung durch *Alysia manducator* Panz. (Hymenoptera: Braconidae). (in Russian) *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 68: 114-119.
- Chernoguz, D.G., Reznik, S.I.A. & Zinoveva, K.B. 1987. Role of age and physiological state of the blowfly *Calliphora vicina* when parasitized by the braconid *Alysia manducator*. *Zoologicheskii Zhurnal* 66(4): 533-542.
- Chernoguz, D.G. & Reznik, S.Y. 1987. Ethological and physiological components of host specificity in the braconid *Alysia manducator* Panzer (Hymenoptera: Braconidae). *Entomologicheskoye Obozreniye* 66: 499-510. [Entomological Review 67(2): 35-48].
- Chernoguz, D.G. & Vagina, N.P. 1987. An experimental detection of development stage of parasitoid, *Alysia manducator* causing pupation of its host. *Zoologicheskii Zhurnal* 66(8): 1209-1213.
- Cherry, E.T. & Pless, C.D. 1971. Effect of carbofuran and disulfoton on parasitism of tobacco budworms and hornworms on burley tobacco. *Journal of Economic Entomology* 64(1): 187-190.
- Chesnut, T.L. & Cross, W.H. 1971. Arthropod parasites of the boll weevil, *Anthonomus grandis*: 2. Comparisons of their importance in the United States over a period of thirty-eight years. *Annals of the Entomological Society of America* 64(3): 549-557.
- Chevin, H. 1991. Contribution a la biologie des *Timarcha* (Col.: Chrysomelidae). *Entomologiste (Paris)* 47(4): 181-188.
- Chianese, R. 1985. *Cotesia melanoscelus*: 395-400. In: Singh, P. & Moore, R.F. [eds]. Handbook of insect rearing. Volume 1. Amsterdam, Oxford etc.: i-viii, 1-488.
- Chiang, F.M. & Sun, C.N. 1991. Detoxifying enzymes and susceptibility to several insecticides of *Apanteles plutellae* (Hymenoptera: Braconidae) and *Diadegma semiclausum* (Hymenoptera: Ichneumonidae), parasitoids of diamondback moth (Lepidoptera: Plutellidae) larvae. *Environmental Entomology* 20(6): 1687-1690.
- Chiarini, F. & Conte, L. 1999. Biological control of *Aphis gossypii* on melons grown in tunnels. *Informatore Agrario* 55(50): 49-52.
- Chien, C.C., Chou, L.Y. & Chiu, S.C. 1984. Biology and natural enemies of *Hedylepta indicata* in Taiwan. (in Chinese with English summary). *Journal of Agricultural Research of China* 33(2): 181-189.
- Chien, C.C. & Ku, S.C. 1998. The occurrence of *Liriomyza trifolii* (Diptera: Agromyzidae) and its parasitoids on fields of *Gerbera jamesonii*. *Chinese Journal of Entomology* 18(3): 187-197.

- Chien, C.C. & Ku, S.C. 2001.** Instar preference of five species of parasitoids of *Liriomyza trifolii* (Hymenoptera: Eulophidae, Braconidae). *Formosan Entomologist* 21(2): 89-97.
- Chikh-Khami, Z. 1995.** Parasitization of black bean aphid populations *Aphis fabae* Scop. (Aphididae: Homoptera) on their winter host plant. *Arab Journal of Plant Protection* 13(1): 5-9.
- Chilcutt, C.F. & Tabashnik, B.E. 1997.** Host-mediated competition between the pathogen *Bacillus thuringiensis* and the parasitoid *Cotesia plutellae* of the diamondback moth (Lepidoptera: Plutellidae). *Environmental Entomology* 26(1): 38-45.
- Chilcutt, C.F. & Tabashnik, B.E. 1997.** Independent and combined effects of *Bacillus thuringiensis* and the parasitoid *Cotesia plutellae* (Hymenoptera: Braconidae) on susceptible and resistant diamondback moth (Lepidoptera: Plutellidae). *Journal of Economic Entomology* 90(2): 397-403.
- Chilcutt, C.F. & Tabashnik, B.E. 1999.** Effects of *Bacillus thuringiensis* on adults of *Cotesia plutellae* (Hymenoptera: Braconidae), a parasitoid of the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae). *Biocontrol Science and Technology* 9(3): 435-440.
- Chilcutt, C.F. & Tabashnik, B.E. 1999.** Simulation of integration of *Bacillus thuringiensis* and the parasitoid *Cotesia plutellae* (Hymenoptera: Braconidae) for control of susceptible and resistant diamondback moth (Lepidoptera: Plutellidae). *Environmental Entomology* 28(3): 505-512.
- Chilima, C.Z. 1995.** Cypress aphid control: first African release of *Pauesia juniperorum*. FRIM Newsletter Forestry Research Institute of Malawi 74: 2.
- Chinajariyawong, A., Clarke, A.R., Jirasurat, M., Kritsaneepiboon, S., Lahey, H.A., Vijaysegaran, S. & Walter, G.H. 2000.** Survey of opiine parasitoids of fruit flies (Diptera: Tephritidae) in Thailand and Malaysia. *Raffles Bulletin of Zoology* 48(1): 71-101.
- Chinwada, P., Omwega, C.O. & Overholt, W.A. 2001.** Stemborer research in Zimbabwe: prospects for the establishment of *Cotesia flavipes* Cameron. *Insect Science and its Application* 21(4): 327-334.
- Chinwada, P. & Overholt, W.A. 2001.** Natural enemies of maize stemborers on the highveld of Zimbabwe. *African Entomology* 9(1): 67-75.
- Chinwada, P., Overholt, W.A., Omwega, C.O. & Mueke, J.M. 2003.** Geographic differences in host acceptance and suitability of two *Cotesia sesamiae* populations in Zimbabwe. *Biological Control* 28(3): 354-359.
- Chiri, A.A. 1980.** Behavioral studies of four hymenopterous parasites of *Pectinophora gossypiella* in relation to host-seeking kairomones. *Dissertation Abstracts International B Sciences and Engineering* 41(3) 1980: 810.
- Chiri, A.A. & Legner, E.F. 1982.** Host-searching kairomones alter behavior of *Chelonus* sp. nr. *curvimaaculatus*, a hymenopterous parasite of the pink bollworm, *Pectinophora gossypiella* (Saunders). *Environmental Entomology* 11: 452-455.
- Chiri, A.A. & Legner, E.F. 1983.** Field applications of host-searching kairomones to enhance parasitization of the pink bollworm (Lepidoptera: Gelechiidae). *Journal of Economic Entomology* 76: 254-255.
- Chiri, A.A. & Legner, E.F. 1986.** Response of three *Chelonus* (Hymenoptera: Braconidae) species to kairomones in scales of six Lepidoptera. *Canadian Entomologist* 118(4): 329-333.
- Chiriac, I. 1993.** Parasites of the genus *Pauesia* Quilis (Hymenoptera: Aphidiidae) with descriptions of two new species. *Buletinul Academiei de Stiinte a Republicii Moldova. Stiinte Biologice si Chimice* 331(1-6): 40-44.
- Chiriac, I. & Poiras, A. 1995.** Notes on parasites of *Sitona* weevils (Coleoptera: Curculionidae) in the Republic of Moldova. *Buletinul Academiei de Stiinte a Republicii Moldova Stiinte Biologice Si Chimice* 2 275: 38-45, 88.
- Chiriac, I. 1996.** Description of new species from genus *Praon* Haliday, 1833 (Hymenoptera: Aphidiidae) from Moldova. *Buletinul Academiei de Stiinte a Republicii Moldova Stiinte Biologice si Chimice* 5, 278 (1995): 50-52, 79.
- Chishti, M.J.K. & Quicke, D.L.J. 1993.** A new species and new combination in the genus *Bicarinibracon* Quicke & Walker (Hym.: Braconidae: Braconinae) with a revised key to species. *Entomologist's Monthly Magazine* 129(1552-55): 231-236.
- Chishti, M.J.K. & Quicke, D.L.J. 1994.** Revision of the Indo-Australian parasitic wasp genus *Macrobracon* with the description of two new species (Hymenoptera: Braconidae). *Zoological Journal of the Linnean Society* 111(3): 265-296.
- Chishti, M.J.K. & Quicke, D.L.J. 1995.** A new genus and phylogenetic analysis of the Bathyaulacini and Glyptomorphini (Hymenoptera: Braconidae: Braconinae). *Systematic Entomology* 20(2): 73-84.
- Chishti, M.J.K. & Quicke, D.L.J. 1996.** A revision of the Indo-Australian species of *Stenobracon* (Hymenoptera: Braconidae) parasitoids of lepidopterous stem borers of graminaceous crops. *Bulletin of Entomological Research* 86(3): 227-245.
- Chittihunsa, T. & Sikorowski, P.P. 1995.** Effects of nonoccluded baculovirus (Baculoviridae) infection on *Microplitis croceipes* (Hymenoptera: Braconidae). *Environmental Entomology* 24(6): 1708-1712.
- Chittihunsa, T. & Sikorowski, P.P. 1995.** Occurrence of nonoccluded baculovirus (Baculoviridae) in *Microplitis croceipes* (Hymenoptera: Braconidae). *Biological Control* 5(4): 622-628.
- Chittihunsa, T. & Sikorowski, P.P. 1996.** Transmission of *Microplitis croceipes* (Hymenoptera: Braconidae) nonoccluded baculovirus (Baculoviridae: Subgroup C). *Environmental Entomology* 25(1): 192-197.
- Chiu, S.C., Chien, C.C., Chou, K.C., Chang, L.C. & Chiu, S.C. 1974.** Mass production and field liberation of a larval parasite (*Apanteles plutellae*) of the diamondback moth. *J. Taiwan Agricultural Research* 23: 48-59.
- Cho, H.C., Kim, T.H. & Paik, J.C. 1992.** Hymenopterous parasitoids of the onion maggot, *Delia antiqua* (Meigen) (Anthomyiidae: Diptera) in Korea. *Korean Journal of Entomology* 22(3): 209-214.
- Chorney, R.J. & Mackauer, M. 1979.** The larval instars of *Aphidius smithi* (Hymenoptera: Aphidiidae). *Canadian Entomologist* 111: 631-634.
- Chou, L.Y., Yang, P.S. & Ho, J.Z. 1994.** [List of parasitoids of Taiwanese butterflies.] (in Chinese with English summary) *Plant Protection Bulletin (Taichung)* 36(4): 327-331.
- Chou, L.Y. 1977.** [A braconid parasitoid of *Spodoptera litura* - *Snel-lenius manilae*.] (in Chinese with English summary) *National Science Council Monthly* 5(1): 24-30.
- Chou, L.Y. 1979.** Notes on *Apanteles* (Hymenoptera: Braconidae) of Taiwan (I). *Journal of Agricultural Research of China* 28(4): 299-310.
- Chou, L.Y. 1980.** New records of two braconids (Hymenoptera: Braconidae) from Taiwan. *Bulletin of the Society of Entomology* 15: 233-236.
- Chou, L.Y. 1981.** A preliminary list of Braconidae (Hymenoptera) of Taiwan. *Journal of Agricultural Research. China* 30(1): 71-88.
- Chou, L.Y., 1981.** The genera of Aphidiidae (Hymenoptera: Ichneumonoidea) in Taiwan. *Journal of Agricultural Research of China* 30: 308-323.
- Chou, L.Y. 1984.** [The phylogeny of Aphidiidae (Hymenoptera) of Taiwan.] (in Chinese) *Journal of Agricultural Research of China* 33: 437-446.
- Chou, L.Y. 1985.** A new species of *Buluka* (Hymenoptera: Braconidae) from Taiwan. *Chinese Journal of Entomology* 5: 85-88.
- Chou, L.Y. 1985.** A new species of Neoneurinae (Hymenoptera: Braconidae) from Taiwan. *Journal of Agricultural Research* 34(4): 477-480.

- Chou, L.Y.** 1986. A new species of *Chrysopophthorus* from Taiwan (Hymenoptera: Braconidae). Chinese Journal of Entomology 6: 159-161.
- Chou, L.Y. & Tang, L.C.** 1986. [The discovery of *Cotesia glomerata* in Taiwan (Hymenoptera: Braconidae).] (in Chinese with English summary) Bulletin of the Society of Entomology, National Chung Hsing University 19: 27-30.
- Chou, L.Y.** 1987. The genus *Aridelus* of Taiwan (Hymenoptera: Braconidae: Euphorinae). Taiwan Agricultural Research Institute. Special publications 22: 19-39.
- Chou, L.Y. & Sharkey, M.J.** 1989. The Braconidae (Hymenoptera) of Taiwan. I. Agathidinae. Journal of the Taiwan Museum 42(1): 147-223.
- Chou, L.Y.** 1990. The Braconidae (Hymenoptera) of Taiwan. II. The genus *Streblocera* (Euphorinae). Journal of Taiwan Museum 43(2): 89-148.
- Chou, L.Y. & Lee, P.P.** 1991. The Braconidae (Hymenoptera) of Taiwan. III. Cenocoeliinae. Chinese Journal of Entomology 11(1): 49-57.
- Chou, L.Y. & Chou, K.C.** 1991. The Braconidae (Hymenoptera) of Taiwan IV. Histeromerinae. Journal of Agricultural Research of China 40(4): 472-474.
- Chou, L.Y. & Chou, K.C.** 1993. A new species of *Trioxys* (Hymenoptera: Braconidae) from Taiwan. Chinese Journal of Entomology 13(4): 375-378.
- Chou, L.Y. & Chou, K.C.** 1993. The genus *Zelex* of Taiwan (Hymenoptera: Braconidae). Journal of Agricultural Research of China 42(4): 446-448.
- Chou, L.Y.** 1995. The Braconidae (Hymenoptera) of Taiwan. V. Cardiochilinae and Orgilinae. Journal of Agricultural Research of China 44(2): 174-220.
- Chou, L.Y. & Hsu, T.C.** 1995. The Braconidae (Hymenoptera) of Taiwan. VI. Charmontinae, Homolobinae and Xiphozelinae. Journal of Agricultural Research of China 44(3): 357-378.
- Chou, L.Y. & Hsu, T.C.** 1996. The Braconidae (Hymenoptera) of Taiwan: VII. Subtribe Triaspingina. Journal of Agricultural Research of China 45(4): 436-497.
- Chou, L.Y. & Hsu, T.C.** 1998. The Braconidae (Hymenoptera) of Taiwan VIII. Brulleiini, Diospilini and Helconini. Journal of Agricultural Research of China 47(3): 283-314.
- Chou, L.Y.** 1999. New records of six braconids (Hymenoptera: Braconidae) from Taiwan. Journal of Agricultural Research of China 48(1): 64-66.
- Choudhury, R., Prasad, T. & Raj, B.T.** 1983. Field evaluation of some exotic parasitoids of potato tuber moth, *Phthorimaea operculella* (Zell). Indian Journal of Entomology 45(4): 504-506.
- Chow, A. & Mackauer, M.** 1991. Patterns of host selection by four species of aphidiid (Hymenoptera) parasitoids: influence of host switching. Ecological Entomology 16(4): 403-410.
- Chow, A. & Mackauer, M.** 1992. The influence of prior ovipositional experience on host selection in four species of aphidiid wasps (Hymenoptera: Aphidiidae). Journal of Insect Behavior 5(1): 99-108.
- Chow, A. & Mackauer, M.** 1996. Sequential allocation of offspring sexes in the hyperparasitoid wasp, *Dendrocerus carpenteri*. Animal Behaviour 51(4): 859-870.
- Chow, A. & Mackauer, M.** 1999. Altered dispersal behaviour in parasitised aphids: parasitoid-mediated or pathology? Ecological Entomology 24(3): 276-283.
- Chow, A. & Mackauer, M.** 1999. Host handling and specificity of the hyperparasitoid wasp, *Dendrocerus carpenteri* (Curtis) (Hym.: Megaspilidae): importance of host age and species. Journal of Applied Entomology 123(2): 83-91.
- Chow, A. & Mackauer, M.** 1999. Marking the package or its contents: host discrimination and acceptance in the ectoparasitoid *Dendrocerus carpenteri* (Hymenoptera: Megaspilidae). Canadian Entomologist 131(4): 495-505.
- Chow, A.** 2000. Influence of host distribution on foraging behaviour in the hyperparasitoid wasp, *Dendrocerus carpenteri*. Entomologia Experimentalis et Applicata 97(1): 57-66.
- Chow, F.J.** 1982. Biology and behavior of *Praon pequodorum* Viereck (Hymenoptera: Aphidiidae), a parasitoid of the pea aphid. Dissertation Abstracts International B Sciences and Engineering 43(3): 620-621.
- Chow, F.J. & Mackauer, M.** 1984. Inter- and intraspecific larval competition in *Aphidius smithi* and *Praon pequodorum* (Hymenoptera: Aphidiidae). Canadian Entomologist 116: 1097-1107.
- Chow, F.J. & Sullivan, D.J.** 1984. Developmental stages of *Praon pequodorum* Viereck (Hymenoptera: Aphidiidae), a pea aphid parasitoid. Annals of the Entomological Society of America 77(3): 319-322.
- Chow, F.J. & Mackauer, M.** 1985. Multiple parasitism of the pea aphid: Stage of development of parasite determines survival of *Aphidius smithi* and *Praon pequodorum* (Hymenoptera: Aphidiidae). Canadian Entomologist 117: 133-134.
- Chow, F.J. & Mackauer, M.** 1986. Host discrimination and larval competition in the aphid parasite *Ephedrus californicus*. Entomologia Experimentalis et Applicata 41: 243-254.
- Christiansen-Weniger, P.** 1991. Some aspects of host selection by two aphid hyperparasitoids: *Asaphes vulgaris* Wlk. and *Asaphes suspensus* (Nees) (Hymenoptera: Pteromalidae). Bulletin SROP 14(4): 94-101.
- Christiansen-Weniger, P.** 1994. Studies on semiochemicals affecting the host acceptance behaviour of *Asaphes vulgaris* Wlk. (Hymenoptera: Pteromalidae). Norwegian Journal of Agricultural Sciences SUPP16: 277-282.
- Christiansen-Weniger, P. & Hardie, J.** 1997. Development of the aphid parasitoid, *Aphidius ervi*, in asexual and sexual females of the pea aphid, *Acyrtosiphon pisum*, and the blackberry-cereal aphid, *Sitobion fragariae*. Entomophaga 42(1-2): 165-172.
- Christiansen-Weniger, P. & Hardie, J.** 1998. Wing development in parasitized male and female *Sitobion fragariae*. Physiological Entomology 23(3): 208-213.
- Christiansen-Weniger, P., Powell, G. & Hardie, J.** 1998. Plant virus and parasitoid interactions in a shared insect vector/host. Entomologia Experimentalis et Applicata 86(2): 205-213.
- Christiansen-Weniger, P. & Hardie, J.** 1999. Environmental and physiological factors for diapause induction and termination in the aphid parasitoid, *Aphidius ervi* (Hymenoptera: Aphidiidae). Journal of Insect Physiology 45(4): 357-364.
- Christiansen-Weniger, P. & Hardie, J.** 2000. The influence of parasitism on wing development in male and female pea aphids. Journal of Insect Physiology 46(6): 861-867.
- Christie, I.C.** 1988. Parasites and predators of burnet moths. Glasgow Naturalist 21(4): 491-492.
- Christopher, M.S.M. & Mathavan, S.** 1983. Effect of parasitism on food utilization in *Catopsilia crocale* (Lepidoptera: Pieridae): 198-203. In: Goel, S.C. [ed.]. Insect ecology and resource management. Sanatan Dharm College. Muzaffarnagar, India 1983: x-xvi, 1-296.
- Christopher, M.S.M. & Mathavan, S.** 1993. Role of a hymenopteran parasite and a bacterium in the regulation of a lepidopteran pest in tropical ecosystem. Insect Science and its Application 14(4): 477-482.
- Chu, J.T., He, J.H., Wang, J. & Chen, J.** 1978. Braconidae: 49-65. In: Atlas of Natural Enemies of Economic Insects. Beijing. 300 pp.
- Chua, T.H. & Ooi, P.A.** 1986. Evaluation of three parasites in the biological control of diamondback moth in the Cameron Highlands, Malaysia: 173-184. In: Talekar, N.S. & Griggs, T.D. [eds.]. Diamondback moth management. Proceedings of the first international workshop. Tainan, Taiwan. 11-15 March 1985. Asian Vegetable Research & Development Center. Shanhu, Taiwan 1986: i-xi, 1-471.

- Chua, T.H. 1979.** A comparative study of the searching efficiency of a parasite and a hyperparasite. *Researches on Population Ecology* (Kyoto) 20: 179-187.
- Chua, T.H., Gonzalez, D. & Bellows, T. 1990.** Searching efficiency and multiparasitism in *Aphidius smithi* and *A. ervi* (Hym., Aphidiidae), parasites of pea aphid, *Acyrtosiphon pisum* (Hom., Aphidiidae). *Journal of Applied Entomology* 110(1): 101-106.
- Chua, T.H. 1991.** Effect of spatial distribution of *Bactrocera* larvae (species Malaysian A) on the parasitism rate by *Biosteres vandenboschi* Fullaway (Hymenoptera: Braconidae). *Malaysian Applied Biology* 20(1): 117-119.
- Chua, T.H. 1993.** Pattern of parasitism in the carambola fruit fly, *Bactrocera* sp. (Malaysian A) (Dipt.: Tephritidae) by *Biosteres vandenboschi* (Fullaway) (Hym.: Braconidae). *Journal of Applied Entomology* 115(3): 287-291.
- Chua, T.H. & Khoo, S.G. 1995.** Variations in carambola infestation rates by *Bactrocera carambolae* Drew and Hancock (Diptera: Tephritidae) with fruit availability in a carambola orchard. *Researches on Population Ecology* 37(2): 151-157.
- Chukhrii, M., Voloschuk, L. & Popushoi, I. 1994.** Application of vectors for viral infection among pests. *Bulletin OILB SROP* 17(3): 25-26.
- Chundurwar, R.D. 1977.** Density-dependent response of potato tuber moth parasite, *Orgilus parvus* Turner (Hym.: Braconidae). *Journal of Maharashtra Agricultural Universities* 2: 248-252.
- Chyzik, R., Dobrinin, S. & Antignus, Y. 2003.** Effect of a UV deficient environment on the biology and flight activity of *Myzus persicae* and its hymenopterous parasite *Aphidius matricariae*. *Phytoparasitica* 31(5): 467-477.
- Ciampolini, M., Regalin, R., Guarnone, A. & Farnesi, I. 2001.** Wide-spread and severe attacks by flea beetles (*Phyllotreta* spp.) on *Eruca sativa*. *Informatore Agrario* 57(48): 87-91.
- Cichocka, E., Goszczynski, W. & Wojtowska, M. 1989.** Biological basis of aphid control on sweet pepper in greenhouses. *Biuletyn Warzywniczy* 1: 156-161.
- Cierniewska, B. 1973.** Parasites of aphids occurring in the orchards of *Poznan environs* (Hymenoptera: Aphidiidae). *Polskie Pismo Entomologiczne* 43: 837-839.
- Ciftci, K., Ozkan, A. & Turkyilmaz, N. 1995.** Research on possibilities of biological control of apple pests in Antalya province. *Bitki Koruma Bulteni* 35(1-2): 45-61.
- Ciochia, V. & Varvara, M. 1971.** Contributions a l'étude des *Trachysphryoides* (Hym.: Ichn.) de la Roumanie. (in Romanian with French summary) *Comunicari Stiintifice. Universitatea "Al. I. Cuza", Iasi. Institutul Pedagogic* 319-324.
- Ciochia, V. 1979.** Contributii la studiul *Trachysphryoides* (Hym.: Ichn.) din Republica Socialista Romania. *Muzeul Judetean Brasov. Culegere de Studii si Cercetari. Zool.* 12(3): 231-454.
- Cirelli, K.R.N., Braga, S.M.P. & Penteado-Dias, A.M. 2002.** New species of *Pseudognaptodon* Fischer (Hymenoptera: Braconidae: Gnamptodontinae) from Brazil. *Zoologische Mededelingen, Leiden* 76(1-16): 89-95.
- Cirelli, K.R.N. & Penteado-Dias, A.M. 2003.** Analysis of the Braconidae (Hymenoptera: Ichneumonoidea) fauna richness in natural remnants of the Area de Protecao Ambiental (APA) of Descalvado, SP. *Revista Brasileira de Entomologia* 47(1): 89-98.
- Cirelli, K.R.N. & Penteado-Dias, A.M. 2003.** Phenology of the Braconidae (Hymenoptera: Ichneumonoidea) at Area de Protecao Ambiental of Descalvado, Sao Paulo State. *Revista Brasileira de Entomologia* 47(1): 99-105.
- Civelek, H.S., Yoldas, Z. & Weintraub, P. 2002.** The parasitoid complex of *Liriomyza huidobrensis* in cucumber greenhouses in Izmir Province, Western Turkey. *Phytoparasitica* 30(3): 285-287.
- Cividanes, F.J. 2002.** Impact of natural enemies and meteorological factors on a population of *Brevicoryne brassicae* (L.) (Homoptera: Aphididae) in kale. *Neotropical Entomology* 31(2): 249-255.
- Cividanes, F.J. & Barbosa, J.C. 2001.** Effects of no-tillage and soybean-corn intercropping on natural enemies and pests. *Pesquisa Agropecuaria Brasileira* 36(2): 235-241.
- Claassens, A.J.M. 1998.** A new parasitoid and host-plant of the larvae of *Pieris brassicae* (L) (Lepidoptera: Pieridae) in the Western Cape, South Africa. *Metamorphosis* 9(4): 184-186.
- Claassens, A.J.M. 1991.** Parasitoids of the garden acraea, *Acraea horta* (Linnaeus, 1794) (Lepidoptera: Acraeinae). *Metamorphosis* 2(4): 24-28.
- Claflin, S.H. & Allen, D.C. 1981.** Biology of *Ancylis discigerana* (Lepidoptera: Tortricidae). *Canadian Entomologist* 113: 265-270.
- Clancy, D.W. & Pierce, H.D. 1966.** Natural enemies of some *Lygus* bugs. *Journal of Economic Entomology* 59(4): 853-858.
- Clancy, D.W. 1967.** Discovery of the pea aphid parasite, *Aphidius smithi*, in central Mexico. *Journal of Economic Entomology* 60(6): 1743.
- Clancy, D.W. 1968.** Distribution and parasitization of some *Lygus* spp. in western United States and central Mexico. *Journal of Economic Entomology* 61(2): 443-445.
- Clancy, D.W. 1969.** Parasitization of cabbage and alfalfa loopers in southern California. *Journal of Economic Entomology* 62(5): 1078-1083.
- Clancy, K.M. & Price, P.W. 1986.** Temporal variations in three-trophic-level interactions among willows, sawflies, and parasites. *Ecology* (Washington D.C.) 67(6): 1601-1607.
- Clancy, K.M., Price, P.W. & Craig, T.P. 1986.** Life history and natural enemies of an undescribed sawfly near *Pontania pacifica* (Hymenoptera: Tenthredinidae) that forms leaf galls on arroyo willow, *Salix lasiolepis*. *Annals of the Entomological Society of America* 79(6): 884-892.
- Clancy, K.M. & Price, P.W. 1987.** Rapid herbivore growth enhances enemy attack: sublethal plant defenses remain a paradox. *Ecology* (Washington D.C.) 68(3): 733-737.
- Clancy, K.M. & Price, P.W. 1989.** Effect of plant resistance, competition, and enemies on a leaf-galling sawfly (Hymenoptera: Tenthredinidae). *Environmental Entomology* 18(2): 284-290.
- Clark, A.M. & Osmun, D.E. 1967.** Adult life span in *Habrobracon serinopae* after X-irradiation during early development. *Nature* (London) 214: 717-718.
- Clark, A.M. & Smith, R.E. 1967.** Egg production and adult life span in two species of *Bracon* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 60(5): 903-905.
- Clark, A.M. & Smith, R.E. 1967.** Urate accumulation and adult life span in two species of *Habrobracon*. *Exp. Gerontol* 2: 217-226.
- Clark, A.M. & Smith, R.E. 1968.** The modification of adult life span in *Bracon hebetor* by irradiation in nitrogen. *Annals of the Entomological Society of America* 61(2): 541-542.
- Clark, A.M., Gould, A.B. & Potts, M.F. 1968.** Mosaicism in *Habrobracon juglandis* associated with ebony locus. *Genetics* 58: 415-422.
- Clark, A.M., Gould, A.B. & Graham, S.F. 1971.** Patterns of development among mosaics in *Habrobracon juglandis*. *Developmental Biology* 25: 133-148.
- Clark, A.M. & Gould, A.B. 1972.** Evidence for post-cleavage fertilization among mosaics in *Habrobracon juglandis*. *Genetics* 72: 63-68.
- Clark, A.M., Petters, R.M. & Bryant, P.J. 1973.** Patterns of genetic mosaicism in the antennae and legs of *Habrobracon juglandis*. *Developmental Biology* 32: 432-445.
- Clark, A.M. & Egen, R.C. 1975.** Behaviour of gynandromorphs of the wasp *Habrobracon juglandis*. *Developmental Biology* 45: 251-259.
- Clark, J.A.J. 1965.** Six new species of the S. American genus *Leurininon* Muesebeck (Hym.: Braconidae: Hormiini). *Annals and Magazine of Natural History* (13)8: 645-660.

- Clark, T.L., Foster, J.E., Witkowski, J.F., Siegfried, B.D. & Spencer, T.A. 1997. Parasitoids recovered from European corn borer, *Ostrinia nubilalis* Hübner, (Lepidoptera: Pyralidae) larvae in Nebraska. *Journal of the Kansas Entomological Society* 70(4): 365-367.
- Clark, T.L., Witkowski, J.F. & Foster, J.E. 2001. Parasitism rates in European corn borer (Lepidoptera: Crambidae) larvae collected from six maize hybrids. *Journal of Entomological Science* 36(4): 342-351.
- Clarke, A.R. 1996. Parasitoids associated with a Tasmanian population of *Nyctemera amica* (White) (Lepidoptera: Arctiidae). *Australian Entomologist* 23(1): 17-20.
- Clausen, C.P., Clancy, D.W. & Chock, Q.C. 1965. Biological control of the Oriental fruit fly (*Dacus dorsalis* Hendel) and other fruit flies in Hawaii. United States Department of Agriculture. Technical Bulletin No. 1322. 102 pp.
- Cline, L.D., Flaherty, B.R. & Press, J.W. 1983. Response of selected parasitoids and predators of stored-product insects to white-light or blacklight traps. *Journal of Economic Entomology* 76(2): 298-301.
- Cline, L.D., Press, J.W. & Flaherty, B.R. 1984. Preventing the spread of the almond moth (Lepidoptera: Pyralidae) from infested food debris to adjacent uninfested packages, using the parasite *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 77(2): 331-333.
- Cline, L.D. 1989. Effect of host availability and light conditions on light trap catches of *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 82(2): 430-432.
- Cline, L.D. & Press, J.W. 1990. Reduction in almond moth (Lepidoptera: Pyralidae) infestations using commercial packaging of foods in combination with the parasitic wasp, *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 83(3): 1110-1113.
- Cloutier, C. & Mackauer, M. 1979. The effect of parasitism by *Aphidius smithi* (Hymenoptera: Aphidiidae) on the food budget of the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphidiidae). *Canadian Journal of Zoology* 57: 1605-1611.
- Cloutier, C. & Mackauer, M. 1980. The effect of superparasitism by *Aphidius smithi* (Hymenoptera: Aphidiidae) on the food budget of the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphidiidae). *Canadian Journal of Zoology* 58: 241-244.
- Cloutier, C., McNeil, J.N. & Régnière, J. 1981. Fecundity, longevity, and sex ratio of *Aphidius nigripes* (Hymenoptera: Aphidiidae) parasitizing different stages of its host, *Macrosiphum euphorbiae* (Homoptera: Aphididae). *Canadian Entomologist* 113: 193-198.
- Cloutier, C.F. 1984. Host density effects on the behaviour of the aphid parasitoid *Aphidius nigripes*. *International Congress of Entomology Proceedings* 17: 778.
- Cloutier, C. 1984. The effect of host density on egg distribution by the solitary parasitoid *Aphidius nigripes* (Hymenopter: Aphidiidae). *Canadian Entomologist* 116: 805-811.
- Cloutier, C., Dohse, L.A. & Bauduin, F. 1984. Host discrimination in the aphid parasitoid *Aphidius nigripes*. *Canadian Journal of Zoology* 62: 1367-1372.
- Cloutier, C. 1986. Amino acid utilization in the aphid *Acyrtosiphon pisum* infested by the parasitoid *Aphidius smithi*. *Journal of Insect Physiology* 32: 263-267.
- Cloutier, C. & Bauduin, F. 1989. Searching behavior of the aphid parasitoid *Aphidius nigripes* (Hymenoptera: Aphidiidae) foraging on potato plants. *Environmental Entomology* 19(2): 222-228.
- Cloutier, C., Levesque, C.A., Eaves, D.M. & Mackauer, M. 1991. Maternal adjustment of sex ratio in response to host size in the aphid parasitoid *Ephedrus californicus*. *Canadian Journal of Zoology* 69(6): 1489-1495.
- Cloutier, C., Duperron, J., Tertuliano, M. & McNeil, J.N. 2000. Host instar, body size and fitness in the koinobiotic parasitoid *Aphidius nigripes*. *Entomologia Experimentalis et Applicata* 97(1): 29-40.
- Cloutier, C., Michaud, D. & Brodeur, J. 2002. Integration of insect-resistant transgenic plants, predators and parasitoids, and microbial agents for the control of potato pest insects. *Proceedings of the VIII International Colloquium on Invertebrate Pathology and Microbial Control, incorporating the VI International Conference on Bacillus thuringiensis and the 35th Annual Meeting of the Society for Invertebrate Pathology, Foz do Iguassu, Brazil, 18-23 August, 2002. Documentos Embrapa Soja* 184: 275.
- Cloutier, C. & Douglas, A.E. 2003. Impact of a parasitoid on the bacterial symbiosis of its aphid host. *Entomologia Experimentalis et Applicata* 109(1): 13-19.
- Cobb, C.H., Grant, J.E. & Shepard, M. 1985. Effect of parasitism by *Microplitis demolitor* (Hymenoptera: Braconidae) on foliage consumption by *Heliothis zea* (Lepidoptera: Noctuidae) larvae. *Florida Entomologist* 68: 490-493.
- Cochereau, P. 1970. Fruit flies and their parasites in the Indo-Australian Pacific region and particularly in New Caledonia. *Cahiers ORSTOM Serie Biologie* 12: 15-50.
- Cochereau, P. 1991. Installation en Guadeloupe de *Cotesia flavipes* Cameron (Hymenoptera: Braconidae), un parasite larvaire du foreur de la canne a sucre *Diatraea saccharalis* L. (Lepidoptera: Crambidae). *Colloques de l'INRA (Institut National de la Recherche Agronomique)* 58: 443-450.
- Cohen, A.C. & Debolt, J.W. 1984. Fatty acid and amino acid composition of teratocytes from *Lygus hesperus* (Miridae: Hemiptera: Heteroptera) parasitized by 2 species of parasites, *Leiophron uniformis* (Braconidae: Hymenoptera) and *Peristenus stygicus* (Braconidae: Hymenoptera). *Comparative Biochemistry and Physiology B Comparative Biochemistry* 79(3): 335-338.
- Cohen, M.B. & Mackauer, M. 1986. Lupine aphid, *Macrosiphum albifrons* (Homoptera: Aphididae): Distribution and Hymenopterous parasites in British Columbia. *Environmental Entomology* 15: 719-722.
- Cohen, M.B. & Mackauer, M. 1987. Intrinsic rate of increase and temperature coefficients of the aphid parasite *Ephedrus californicus* Baker (Hymenoptera: Aphidiidae). *Canadian Entomologist* 119: 231-237.
- Cojocaru, I. 1997. The efficiency of the species *Apanteles bicolor* Nees (Hymenoptera: Braconidae) on the pest *Phyllonorycter corylifoliella* Hb (Lepidoptera: Lithocolletidae) from the east of Romania. *Analele Stiintifice ale Universitatii 'Al I Cuza' din Iasi. Serie Noua Sectiunea I Biologie Animala* 41-43: 55-58.
- Cojocaru, I. 2001. Parasitoid Hymenoptera (Hymenoptera: Braconidae, Chalcidoidea) in *Phyllonorycter blancardella* F. (Lepidoptera: Gracilariidae) pest collected from Turturesti (Neamt County). *Analele Stiintifice ale Universitatii 'Al I Cuza' din Iasi, Serie Noua Sectiunea I Biologie Animala* 47: 17-18.
- Cojocaru, I. 2000. Parasitoid insects (Hymenoptera: Diptera) of the species *Euproctis chrysorrhoea* L. (Lepidoptera: Lymantriidae) from North Moldavia. *Analele Stiintifice ale Universitatii 'Al I Cuza' din Iasi Sectiunea Biologie Animala* 46: 25-33.
- Cole, L.R. 1970. Observations on the finding of mates by male *Phaeogenes invisor* and *Apanteles medicaginis* (Hym.: Ichneumonoidea). *Animal Behaviour* 18: 184-189.
- Cole, P. 1992. Parasitoids for the control of *Helicoverpa* in eastern Australia. *Victorian Ent.* 22(5): 118-120.
- Cole, T.J., Ram, M.S., Dowell, F.E., Omwega, C.O., Overholt, W.A. & Ramaswamy, S.B. 2003. Near-infrared spectroscopic method to identify *Cotesia flavipes* and *Cotesia sesamiae* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 96(6): 865-869.

- Cole, T.J., Beckage, N.E., Tan, F.F., Srinivasan, A. & Ramaswamy, S.B. 2002. Parasitoid-host endocrine relations: self-reliance or co-optation? *Insect Biochemistry and Molecular Biology* 32(12): 1673-1679.
- Coleman, R.A., Barker, A.M., Fenner, M. & King, F.C. 1997. Relative effect of different host feeding site on long-range host location and electroantennogram response in the parasitoid *Cotesia glomerata* (Hym.: Braconidae). *Journal of Applied Entomology* 121(9-10): 487-494.
- Coleman, R.A., Barker, A.M. & Fenner, M. 1999. Parasitism of the herbivore *Pieris brassicae* L. (Lep.: Pieridae) by *Cotesia glomerata* L. (Hym.: Braconidae) does not benefit the host plant by reduction of herbivory. *Journal of Applied Entomology* 123(3): 171-177.
- Colfer, R.G. & Rosenheim, J.A. 1995. Intraguild predation by coccinellid beetles on an aphid parasitoid, *Lysiphlebus testaceipes*. *Proceedings Beltwide Cotton Conferences, San Antonio, TX, USA, January 4-7, 1995: Vol 2: 1033-1036.*
- Colfer, R.G. & Rosenheim, J.A. 2001. Predation on immature parasitoids and its impact on aphid suppression. *Oecologia* (Berlin) 126(2): 292-304.
- Coll, M. & Bottrell, D.G. 1991. Microhabitat and resource selection of the European corn borer (Lepidoptera: Pyralidae) and its natural enemies in Maryland field corn. *Environmental Entomology* 20(2): 526-533.
- Coll, M. & Bottrell, D.G. 1992. Mortality of European corn borer larvae by natural enemies in different corn microhabitats. *Biological Control* 2(2): 95-103.
- Coll, M., Gavish, S. & Dori, I. 2000. Population biology of the potato tuber moth, *Phthorimaea operculella* (Lepidoptera: Gelechiidae), in two potato cropping systems in Israel. *Bulletin of Entomological Research* 90(4): 309-315.
- Collins, M.D. 1984. Coexistence in aphid parasites. *Dissertation Abstracts International C European Abstracts* 45(2) 1984: 371-372.
- Collins, M.D. & Dixon, A.F.G. 1986. The effect of egg depletion on the foraging behaviour of an aphid parasitoid. *Journal of Applied Entomology* 102(4): 342-352.
- Collins, D.W. 1996. The separation of *Liriomyza huidobrensis* (Diptera: Agromyzidae) from related indigenous and non-indigenous species encountered in the United Kingdom using cellulose acetate electrophoresis. *Annals of Applied Biology* 128(3): 387-398.
- Colombera, S., Alma, A., Arzone, A. & Lozzia, C. 2001. Comparison between the parasitoids of *Lobesia botrana* and *Eupoecilia ambiguella* in conventional and integrated vineyards. *Proceedings of the IOBC WPRS Working Group "Integrated Control in Viticulture" at Ponte de Lima, Portugal, 2-7 March 2001. Bulletin OILB SROP* 24(7): 91-96.
- Colombo, M. & Eordegh, F.R. 1995. *Dioryctria sylvestrella* Rtz. (Lep.: Pyralidae) in nursery of *Pinus cembra*. *Informatore Fitopatologico* 45(11): 38-40.
- Colomo, M.V. & Valverde, L. 2002. Description of the egg and larval stages of *Chelonus insularis* (Hym.: Braconidae) parasitoid of *Spodoptera frugiperda* (Lep.: Noctuidae). *Acta Zoologica Lilloana* 46(1): 109-121.
- Colomo, M.V., Berta, D.C., Chocobar, M. & Josefina, 2002. The complex of parasitoid hymenopterous which attack the "tomato moth" *Tuta absoluta* (Lepidoptera: Gelechiidae) in Argentina. *Acta Zoologica Lilloana* 46(1): 81-92.
- Combs, R.L. Jr. & Hoelscher, C.E. 1969. Hymenopterous pupal parasitoids found associated with the horn fly (*Haematobia irritans*: Diptera, Muscidae) in north-east Mississippi. *Journal of Economic Entomology* 62(5): 1234-1235.
- Con, Q.V. & Long, K.D. 1989. Development and behavior of pre-imaginal stages of some internal parasites *Apanteles* (Hymenoptera, Braconidae) in larvae of lepidopterous rice pests. *Tap Chi Sinh Hoc* 11(4): 10-14.
- Condit, B.P. & Cate, J.R. 1982. Determination of host range in relation to systematics for *Peristenus stygicus* (Hymenoptera: Braconidae), a parasitoid of Miridae. *Entomophaga* 27(2): 203-210.
- Conlong, D.E. 1990. A study of pest-parasitoid relationships in natural habitats: an aid towards the biological control of *Eldana saccharina* (Lepidoptera: Pyralidae) in sugarcane. *Proceedings of the Annual Congress South African Sugar Technologists' Association* 64: 111-115.
- Conlong, D.E. 1997. Biological control of *Eldana saccharina* Walker in South African sugarcane: Constraints identified from 15 years of research. *Insect Science and its Application* 17(1): 69-78.
- Conlong, D.E. & Mugalula, A. 2001. *Eldana saccharina* (Lep.: Pyralidae) and its parasitoids at Kinyara Sugar Works, Uganda. *Proceedings of the 75th Annual Congress of the South African Sugar Technologists' Association, Durban, South Africa, 31 July-3 August 2001. Proceedings of the Annual Congress South African Sugar Technologists' Association* 75: 183-185.
- Connell, W.A. 1980. New distribution record for *Microctonus nitidulidis* Loan (Hymenoptera: Braconidae). *Entomological News* 91(2): 54.
- Constantineanu, I., Constantineanu, R.M. & Tomescu, R.P. 1990. Observatii asupra parazitoizilor primari ai defoliatorului *Lymantria dispar* L. in paduri de cvercinee din Oltenia. *Lucrurile simpozionului "Entomofagii si rolul lor in pastrarea echilibrului natural."* Universitatea Al. I. Cuza. Iasi 1989: 41-47.
- Constantineanu, M.I. 1965. Berichtigungen zur Josef Sedivy's Arbeit: Neue und interessante Ichneumoniden aus Rumänien. *Analele Stiintifice ale Universitatii "Al. I. Cuza" din Iasi. Sect. II a. 11: 379-383.*
- Constantineanu, M.I. 1965. Familia Ichneumonidae, subfamiliile Phaeogeninae si Alomyinae. (In Rumanian) *Fauna Republicii Populare Romane* 9(5): 1-508.
- Constantineanu, M.I. & Varvara, M. 1969. Ichneumonides (Hym.) nouveaux dans la faune de la R.S. România. *Analele Stiintifice ale Universitatii "Al. I. Cuza" din Iasi. Sect. II a. 15(2): 309-312.*
- Constantineanu, M.I. & Varvara, M. 1969. Contributions à la connaissance des Ichneumonides parasites dans les insectes nuisibles au prunier du district de Iassy. *Comunicari Stiintifice. Universitatea "Al. I. Cusa". Iasi. Institutul Pedagogic* 2: 259-269.
- Constantineanu, M.I. & Constantineanu, R.M. 1970. Contributii la studiul Neteliinelor si Mesoleiinelor (Tryphonoidae D.T., Hym.: Ichn.) din zona viitorului lac de acumulare de la Portile de "Fier" (Romania) (Nota V). *Institutul Pedagogic Galati 'Lucrari Stiintifice'* 4: 159-180.
- Constantineanu, M.I. & Mustata, G. 1972. Ichneumonides nouveaux (Hym.: Ichneum.) dans la faune de la Roumanie. *Revue Roumaine de Biologie (Serie de Zoologie)* 17(2): 87-95.
- Constantineanu, M.I. & Mustata, G. 1973. Ichneumonidae (Hym.: Ichneum.) obtinute prin culturi din insecte daunatoare legumelor din Moldova. *Studii si Comunicari Stiintele Naturii. Muzeul Judetean Suceava* 3: 325-352.
- Constantineanu, M.I., Constantineanu, R.M. & Jonaitis, V.P. 1975. Fauna of Ichneumonids (Hymenoptera: Ichneumonidae, Tryphonoidae) in the Lithuanian SSR. (in Russian with English & Lithuanian summaries) *Trudy Akademii Nauk Litovskoi SSR (C)* 69: 65-71.
- Constantineanu, M.I. & Mustata, G. 1982. Insecta. Hymenoptera: Family Ichneumonidae, subfamily Mesochorinae. (in Romanian) *Fauna Republicii Socialiste Romania* 9(10): 1-105.
- Conte, L. 1998. New prospects for the biological control of *Aphis gossypii* on protected crops. *Informatore Fitopatologico* 48(1-2): 25-30.

- Conte, L. 1998.** The technique of 'banker plants' for the biological control of *Aphis gossypii* on cucumber. *Informatore Agrario* 54(36): 71-75.
- Conte, L., Zancanaro, A. & Chiarini, F. 1999.** Biological control of *Aphis gossypii* Glover in greenhouse cucumbers using "banker plants" as open rearing units of beneficials: two years of trials. *Culture Protette* 28(7): 63-67.
- Cook, S.P., Webb, R.E. & White, G.B. 1995.** Estimates of gypsy moth (Lepidoptera: Lymantriidae) mortality at two sample heights following application of gypsy moth nuclear polyhedrosis virus. *Journal of Entomological Science* 30(4): 507-510.
- Cooke, L. 1993.** Flightless wasp a step ahead in biocontrol. *Agricultural Research Washington* 41(6): 17.
- Cook, J.M. 1993.** Inbred lines as reservoirs of sex alleles in parasitoid rearing programs. *Environmental Entomology* 22(6): 1213-1216.
- Cook, J.M., Rivero, Lynch.A.P. & Godfray, H.C.J. 1994.** Sex ratio and foundress number in the parasitoid wasp *Bracon hebetor*. *Animal Behaviour* 47(3): 687-696.
- Cooke, P. 1995.** *Perilitus coccinellae* (Schr.) (Hymenoptera: Braconidae). *Proceedings of the Coventry and District Natural History and Scientific Society* 6(9): 365.
- Coombs, M. & Khan, S.A. 1997.** New host/parasitoid records for Australian Pentatomidae, Tachinidae and Braconidae. *Australian Entomologist* 24(2): 61-64.
- Coombs, M. & Khan, S.A. 1998.** Population levels and natural enemies of *Plautia affinis* Dallas (Hemiptera: Pentatomidae) on raspberry, *Rubus idaeus* L., in south-eastern Queensland. *Australian Journal of Entomology* 37(2): 125-129.
- Coop, L., Knight, A. & Fisher, G. 1989.** Parasitism of orange tortrix on caneberry, *Rubus* spp. in Western Oregon and Washington. *Journal of the Entomological Society of British Columbia* 86: 63-65.
- Coop, L.B. & Berry, R.E. 1986.** Reduction in variegated cutworm (Lepidoptera: Noctuidae) injury to peppermint by larval parasitoids. *Journal of Economic Entomology* 79(5): 1244-1248.
- Copley, K.J. & Grant, J.F. 1998.** Statewide distribution of parasitoids of the alfalfa weevil in Tennessee. *Journal of Agricultural Entomology* 15(1): 43-51.
- Cordo, H.A., DeLoach, C.J., Ferrer, R. & Briano, J. 1995.** Bionomics of *Carmenta haemastica* (Ureta) (Lepidoptera: Sesiidae) which attacks snakeweeds (*Gutierrezia* spp.) in Argentina. *Biological Control* 5(1): 11-24.
- Cornelius, M.L., Duan, J.J. & Messing, R.H. 1999.** Visual stimuli and the response of female oriental fruit flies (Diptera: Tephritidae) to fruit-mimicking traps. *Journal of Economic Entomology* 92(1): 121-129.
- Corrigan, J.E. 1983.** *Cotesia (Apanteles) rubecula* (Hymenoptera: Braconidae) recovered in Ottawa, Ontario ten years after its release. *Proceedings of the Entomological Society of Ontario* 113(1982): 71.
- Cortes, M.L., Cardona, C. & Trujillo, F. 1990.** Effectivity of three insecticides for the control of the bean tentiform leaf miner *Phyllonorycter* sp. (Lepidoptera: Gracillariidae) in Narino. *Revista Colombiana de Entomologia* 16(1): 12-15.
- Cortesero, A.M., Moraes, C.M. de, Stapel, J.O., Tumlinson, J.H. & Lewis, W.J. 1997.** Comparisons and contrasts in host-foraging strategies of two larval parasitoids with different degrees of host specificity. *Journal of Chemical Ecology* 23(6): 1589-1606.
- Cortesero, A.M., Stapel, J.O., Lewis, W.J. & Moraes, C.M. de 1999.** Intrinsic and extrinsic competitive interactions between two larval parasitoids of *Heliothis virescens*. *Ecological Entomology* 24(4): 402-410.
- Cortez, M.H. & Trujillo, A.J. 1994.** Incidence of the fall armyworm and its natural enemies in three maize agrosystems. *Turrialba* 44(1): 1-9.
- Cortez-Madrigal, H. 1998.** Impact of weeds on the biocontrol of *Spodoptera frugiperda* (Lep.: Noctuidae) in corn. *Revista Chapingo, Serie Ingenieria Agropecuaria* 1(1): 19-23.
- Coshan, P.F. 1974.** The biology of *Coleophora serratella* (L.) (Lepidoptera: Coleophoridae). *Transactions of the Royal Entomological Society of London* 126(2): 169-188.
- Cossentine, J.E. & Lewis, L.C. 1986.** Studies on *Bonnetia comta* (Dipt.: Tachinidae) parasitizing *Agrotis ipsilon* (Lep.: Noctuidae) larvae. *Entomophaga* 31(4): 323-330.
- Cossentine, J.E. & Lewis, L.C. 1987.** Development of *Macrocentrus grandii* Goidanich within microsporidian-infected *Ostrinia nubilalis* (Hübner) host larvae. *Canadian Journal of Zoology* 65: 2532-2535.
- Cossentine, J.E. & Jensen, L.B. 1995.** *Orthosia hibisci* Guenée (Lepidoptera: Noctuidae): indigenous parasitoids and the impact of *Earinus limitarus* (Say) (Hymenoptera: Ichneumonidae) on its host feeding activity. *Canadian Entomologist* 127(4): 473-477.
- Costa, A. 1988.** Nota sobre os afidiídeos (Hymenoptera: Aphidiidae) de Portugal. *Agronomia Lusitana* 43(1-4): 151-160.
- Costa, A. & Starý, P. 1988.** *Lysiphlebus testaceipes*, an introduced aphid parasitoid in Portugal (Hym.: Aphidiidae). *Entomophaga* 33(4): 403-412.
- Costa, E.C., Link, E. & Pedrosa-Macedo, J.H. 1992.** Efficiency and periods of activity of natural enemies of *Oncideres impluviata* (Col: Cerambycidae). *Ciencia Florestal* 2(1): 49-58.
- Costello, M. & Altieri, M.A. 1995.** Abundance, growth rate and parasitism of *Brevicoryne brassicae* and *Myzus persicae* (Homoptera: Aphididae) on broccoli grown in living mulches. *Agriculture, Ecosystems and Environment* 52(2-3): 187-196.
- Coto, T.D. & Saunders, J.L. 1993.** Parasitoids of eggs and pupae of *Milghitea melanoleuca* Hampson (Lepidoptera: Pyralidae), miner of capsules of *Bixa orellana* L. *Manejo Integrado de Plagas* 26: 21-22.
- Couchman, J.R. & King, P.E. 1977.** Morphology of the larval stages of *Diaeretiella rapae*. *International Journal of Insect Morphology and Embryology* 6(3/4): 127-136.
- Couchman, J.R. & King, P.E. 1979.** Effect of the parasitoid *Diaeretiella rapae* on the feeding rate of its host *Brevicoryne brassicae*. *Entomologia Experimentalis et Applicata* 25(1): 9-15.
- Coulson, J.R. 1992.** Releases of beneficial organisms in the United States and Territories-1982. *United States Department of Agriculture Miscellaneous Publication* 1505. 529 pp.
- Coulson, J.R. 1994.** Releases of beneficial organisms in the United States and Territories-1983. *United States Department of Agriculture. Agricultural Research Service. ARS-131.* 113 pp.
- Courtois, J.M. 1994.** *Pholetesor maritimus* Wilkn., espece de la faune de France (Hymenoptera: Braconidae: Microgastrinae). *Bulletin des Academie & Societé Lorraines des Sciences* 33(2): 97.
- Coutinot, D. & Hoelmer, K. 1999.** Parasitoids of *Lygus* spp. in Europe and their potential for biological control of *Lygus* spp. in North America. *Proceedings of the Fifth International Conference on Pests in Agriculture, Part 3, Montpellier, France, 7-9 December 1999.* 641-648.
- Couty, A., Down, R.E., Gatehouse, A.M.R., Kaiser, L., Pham-delegue, M. & Poppy, G.M. 2001.** Effects of artificial diet containing GNA and GNA-expressing potatoes on the development of the aphid parasitoid *Aphidius ervi* Haliday (Hymenoptera: Aphidiidae). *Journal of Insect Physiology* 47(12): 1357-1366.
- Cox, M.L. 1994.** The Hymenoptera and Diptera parasitoids of Chrysomelidae: 419-467. In: Jolivet P.H., Cox M.L. & Petitpierre E. [eds]. "Novel Aspects of the Biology of Chrysomelidae." Dordrecht, The Netherlands, 582 pp.
- Craig, T.P., Araujo, L.M., Itami, J.K. & Fernandes, G.W. 1991.** Development of the insect community centered on a leaf-bud gall formed by a weevil (Coleoptera: Curculionidae) on *Xylopia aromatica* (Annonaceae). *Revista Brasileira de Entomologia* 35(2): 311-317.

- Cranshaw, W.S. 1982.** Integrated control of insect contaminants of processed peas. Dissertation Abstracts International B Sciences and Engineering 42(12): 4673.
- Crisostomo, H.R. 1999.** Parasitism levels of *Orgilus obscurator*: distinct trend. Chilean Forestry News 209: 12-13.
- Cribb, P.W. 1980.** A parasitic wasp and the white admiral. Bulletin of the Amateur Entomologists' Society 39(326): 39-40.
- Croft, B.A. & Brown, A.W.A. 1975.** Responses of arthropod natural enemies to insecticides. Annual Review of Entomology 20: 285-335.
- Croft, B.A. & Mullin, C.A. 1984.** Comparison of detoxification enzyme systems in *Argyrotaenia citrana* (Lepidoptera: Tortricidae) and the ectoparasite, *Oncophanes americanus* (Hymenoptera: Braconidae). Environmental Entomology 13: 1330-1335.
- Croft, P. & Copland, M. 1993.** Size and fecundity in *Dacnusa sibirica* Telenga. Bulletin OILB SROP 16(8): 53-56.
- Croft, P. & Copland, M.J.W. 1994.** Larval morphology and development of the parasitoid *Dacnusa sibirica* (Hym.: Braconidae) in the leafminer host *Chromatomyia syngenesiae*. Entomophaga 39(1): 85-93.
- Croft, P. & Copland, M.J.W. 1994.** The influence of humidity on emergence in *Dacnusa sibirica* Telenga (Hymenoptera: Braconidae). Biocontrol Science and Technology 4(3): 347-351.
- Croft, P. & Copland, M.J.W. 1995.** The effect of host instar on the size and sex ratio of the endoparasitoid *Dacnusa sibirica*. Entomologia Experimentalis et Applicata 74(2): 121-124.
- Crosby, D.F. 1994.** Further parasite associations for some Australian butterflies (Lepidoptera). Australian Entomologist 21(3): 81-88.
- Cross, W.H. & Mitchell, H.C. 1969.** Distribution and importance of *Heterolaccus grandis* as a parasite of the boll weevil. Annals of the Entomological Society of America 62(1): 235-236.
- Cross, W.H., McGovern, W.L. & Mitchell, H.C. 1969.** Biology of *Bracon kirkpatricki* and field releases of the parasite for control of the boll weevil. Journal of Economic Entomology 62(2): 448-454.
- Cross, W.H. & Chesnut, T.L. 1971.** Arthropod parasites of the boll weevil, *Anthonomus grandis*: 1. An annotated list. Annals of the Entomological Society of America 64(2): 516-527.
- Cross, W.H. 1973.** Biology, control, and eradication of the boll weevil. Annual Review of Entomology 18: 17-46.
- Cross, W.H., McGovern, W.L. & Cross, E.A. 1975.** Insect hosts of the parasitic mites called *Pyemotes ventricosus* (Newport). Journal of the Georgia Entomological Society 10(1): 1-8.
- Cruickshank, S. & Ahmad, F. 1973.** Biological control of potato tuber moth, *Phthorimaea operculella* (Zell.) (Lep.: Gelechiidae) in Zambia. Commonwealth Institute of Biological Control Technical Bulletin 16: 147-162.
- Crutwell, R.E. 1974.** The bagworms (Lep.: Psychidae) of Trinidad and their natural enemies. Commonwealth Institute of Biological Control Technical Bulletin 17: 127-159.
- Cruz, I., Figueiredo, M.L.C., Valicente, F.H. & Oliveira, A.C. 1997.** Application rate trials with a nuclear polyhedrosis virus to control *Spodoptera frugiperda* (Smith) on maize. Anais da Sociedade Entomologica do Brasil 26(1): 145-152.
- Cruz, A.M.R. de, Cardona, C.J. & Cruz, J.L. de 1989.** Life cycle, habits and natural enemies of the bean leafminer *Liriomyza sativae* Blanchard (Diptera: Agromyzidae). Ciclo de vida, hábitos y enemigos naturales de *Liriomyza sativae* Blanchard (Diptera: Agromyzidae), minador del frijol. Acta Agronomica, Universidad Nacional de Colombia 39(3,4): 133-141.
- Cruz, S. de la, Pollack, M. & Quispe, A. 1993.** Parasitismo de *Apanteles flavipes* sobre larvas de *Diatraea saccharalis* en campos de Casa Grande. Revista Peruana de Entomologia 34 (Diciembre 1991): 95-97.
- Cruz, Y.P. 1986.** The defender role of the precocious larvae of *Copidosomopsis tanytmemus* Caltagirone (Encyrtidae, Hymenoptera). Journal of Experimental Zoology 237(3): 309-318.
- Csoka, G., Lesko, K. & Ambrus, A. 1989.** Biology and damage of *Dendrolimus pini* L. (Lepidoptera: Lasiocampidae) in Hungary. Novenyvedelem 25(2): 61-65.
- Cuda, J.P. & Burke, H.R. 1983.** *Trichobaris bridwelli*, new host for *Bracon mellitor*. Southwestern Entomologist 8: 65-66.
- Cuellar Orozco, R., Vera Graziano, J., Bravo Mojica, H. & Atkinson, T.H. 1986.** Efecto de la resistencia de la alfalfa en la sobrevivencia y reproduccion de *Acyrtosiphon pisum* (Harris) (Homoptera: Aphididae) y del parasitoide *Aphidius smithi* Sharma y Subba Rao (Hymenoptera: Aphidiidae). Agrobiencia No. 63: 35-44.
- Cueva C. M., Ayquipa, A.G. & Mescua, B.V. 1980.** Estudios sobre *Apanteles flavipes* (Cameron), introducido para controlar *Diatraea saccharalis*. Revista Peruana de Entomologia 23(1): 73-76.
- Cugala, D. & Omwega, C.O. 2001.** Cereal stemborer distribution and abundance, and introduction and establishment of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) in Mozambique. Insect Science and its Application 21(4): 281-287.
- Cugala, D., Overholt, W.A., Santos, L. & Giga, D. 2001.** Release of *Cotesia flavipes* Cameron for biological control of cereal stemborers in two ecological zones in Mozambique. Insect Science and its Application 21(4): 303-310.
- Cugala, D. & Omwega, C.O. 2001.** Cereal stemborer distribution and abundance, and introduction and establishment of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) in Mozambique. Insect Science and its Application 21(4): 281-287.
- Cui, J.J. & Xia, J.Y. 1998.** Effects of early seasonal strain of Bt transgenic cotton on population dynamics of main pests and their natural enemies. Acta Gossypii Sinica 10(5): 255-262.
- Culin, J.D. & Dubose, W.P. III. 1987.** Insecticide interference with *Microplitis demolitor* (Hymenoptera: Braconidae) parasitization of *Heliothis zea* (Lepidoptera: Noctuidae). Journal of Economic Entomology 80(6): 1188-1191.
- Cullen, J.M. & Hopkins, D.C. 1982.** Rearing, release and recovery of *Microctonus aethiopoies* Loan (Hymenoptera: Braconidae) imported for the control of *Sitona discoideus* Gyllenhal (Coleoptera: Curculionidae) in south eastern Australia. Journal of the Australian Entomological Society 21: 279-284.
- Culliney, T.W., Pimentel, D., Namuco, O.S. & Capwell, B.A. 1986.** New observations of predation by plant bugs (Hemiptera: Miridae). Canadian Entomologist 118(7): 729-730.
- Cumagay, M.M., Campos, A.E.C., Gobbi, N. & Chaud-Netto, J. 1992.** Reproductive biology of *Cotesia flavipes* (Cameron, 1891) (Hymenoptera: Braconidae). I. Inbreeding effect on reproductivity of females mated to a single male. Anais da Sociedade Entomologica do Brasil 21(3): 297-305.
- Cumber, R.A., Allan, D.J. & Helmore, L. 1977.** Introduction and successful establishment in New Zealand of Further strains of *Apanteles ruficrus* Haliday (Hymenoptera: Braconidae) to combat *Pseudaletia (Mythimna) separata* (Walk.) (Lepidoptera: Noctuidae). New Zealand Journal of Agricultural Research 20: 255-258.
- Cure, J.R. & Cantor, F. 1998.** Possibilities of the action of *Dacnusa sibirica* (Telenga) (Hymenoptera: Braconidae) as part of biological control programme of *Liriomyza hudobrensis* Blanchard (Diptera: Agromyzidae) when releasing *Diglyphus begini* (Hymenoptera: Eulophidae) on *Gypsophila paniculata* Ashmead. Entomologo 25(84): 2-3.
- Da Carvalho, R.S. 2001.** First evidence in Brazil of diapause in parasitoids of fruit flies (Diptera: Tephritidae) in a tropical environment. Comunicado Tecnico Embrapa Cerrados 72: 1-4.
- Daane, K.M., Dahlsten, D.L. & Dreistadt, S.H. 1990.** Effects of Mediterranean fruit fly malathion bait spray on the longevity and oviposition of parasitoids of linden and tuliptree aphids (Homoptera: Aphididae). Environmental Entomology 19(4): 1130-1134.

- Daane, K.M., Yokota, G.Y., Gill, R.F., Caltagirone, L.E., Hagen, K.S., Gonzalez, D., Starý, P. & Chaney, W.E. 1992. Imported parasite may help control European asparagus aphid. *California Agriculture* 46(6): 12-14.
- Daane, K.M., Yokota, G.Y. & Dlott, J.W. 1993. Dormant-season sprays affect the mortality of peach twig borer (Lepidoptera: Gelechiidae) and its parasitoids. *Journal of Economic Entomology* 86(6): 1679-1685.
- Dahlman, D.L. & Herald, F. 1971. Effect of parasite, *Apanteles congregatus*, on respiration of tobacco horn-worm, *Manduca sexta* larva. *Comparative Biochemistry and Physiology* 40A: 871-880.
- Dahlman, D.L. & Vinson, S.B. 1975. Trehalose and glucose levels in the hemolymph of *Heliothis virescens* parasitized by *Microplitis croceipes* or *Cardiochiles nigriceps*. *Comparative Biochemistry and Physiology* 52B: 465-468.
- Dahlman, D.L. & Vinson, S.B. 1980. Glycogen content in *Heliothis virescens* parasitized by *Microplitis croceipes*. *Comparative Biochemistry and Physiology* 66A: 625-630.
- Dahlman, D.L. & Greene, J.R. Jr. 1981. Larval hemolymph protein patterns in tobacco hornworms parasitized by *Apanteles congregatus*. *Annals of the Entomological Society of America* 77: 130-133.
- Dahlman, D.L. & Webb, B.A. 1984. *Heliothis-Microplitis* interactions at the metabolic and endocrine levels. *International Congress of Entomology Proceedings* 17: 199.
- Dahlman, D.L., Coar, D.L., Koller, C.N. & Neary, T.J. 1990. Contributing factors to reduced ecdysteroid titers in *Heliothis virescens* parasitized by *Microplitis croceipes*. *Archives of Insect Biochemistry and Physiology* 13(1-2): 29-39.
- Dahlman, D.L. 1991. Teratocytes and host/parasitoid interactions. *Biological Control* 1(2): 118-126.
- Dahlman, D.L., Dong, K. & Zhang, D.Q. 1996. Down-regulation of juvenile hormone esterase and arylphorin production in *Heliothis virescens* larvae parasitized by *Microplitis croceipes*. *Archives of Insect Biochemistry and Physiology* 32(2): 237-248.
- Dahlman, D.L., Jarlfors, U.E. & Zhang, D.Q. 1997. Effects of *Microplitis croceipes* teratocytes on host haemolymph protein content and fat body proliferation. *Journal of Insect Physiology* 43(6): 577-585.
- Dahlman, D.L., Rana, R.L., Schepers, E.J., Schepers, T., Diluna, F.A. & Webb, B.A. 2003. A teratocyte gene from a parasitic wasp that is associated with inhibition of insect growth and development inhibits host protein synthesis. *Insect Molecular Biology* 12(5): 527-534.
- Dahlsten, D.L., Cameron, E.A. & Copper, W.A. 1970. Distribution and parasitization of cocoons of the Douglas-fir tussock moth, *Hemerocampa pseudotsuga* (Lepidoptera: Lymantriidae), in an isolated infestation. *Canadian Entomologist* 102(2): 175-181.
- Dahlsten, D.L. & Stephen, F.M. 1974. Natural enemies and insect associates of the mountain pine beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), in the sugar pine. *Canadian Entomologist* 106: 1211-1217.
- Dahlsten, D.L., Luck, R.F., Schlinger, E.I., Wenz, J.M. & Copper, W.A. 1977. Parasitoids and predators of the douglas-fir tussock moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae), in low to moderate populations in central California. *Canadian Entomologist* 109: 727-746.
- Dahlsten, D.L., Hajek, A.E. & Wilson, M. 1990. Host specificity of two shade tree aphid parasitoids. *Pan Pacific Entomologist* 66(4): 322-323.
- Dahlsten, D.L., Zuparko, R.L., Hajek, A.E., Rowney, D.L. & Dreistadt, S.H. 1999. Long-term sampling of *Eucallipterus tiliiae* (Homoptera: Drepanosiphidae) and associated natural enemies in a northern California site. *Environmental Entomology* 28(5): 845-850.
- Dai, X. 1992. Advances in the biological control of tea insect pests in China. (in Chinese) *Chinese Journal of Biological Control* 8(1): 41-43.
- Dai, X.H. & Yang, Y.P. 1993. Bionomics of the beet army worm *Spodoptera exigua* and its control. *Plant Protection* 19(2): 20-21.
- Dai, X. 1995. Preliminary study on the ecological niches of the black citrus aphid and its natural enemies. *Journal of Tea Science* 15(1): 79-80.
- Daiber, C.C. 1971. Cabbage aphid in South Africa, their parasites, predators and disease. *Phytophylactica* 3: 137-146.
- Daigle, C.J., Boethel, D.J. & Fuxa, J.R. 1988. Parasitoids and pathogens of green cloverworm (Lepidoptera: Noctuidae) on an uncultivated spring host (vetch, *Vicia* spp.) and a cultivated summer host (soybean, *Glycine max*). *Environmental Entomology* 17(1): 90-96.
- Daigle, C.J., Boethel, D.J. & Fuxa, J.R. 1990. Parasitoids and pathogens of soybean looper and velvetbean caterpillar (Lepidoptera: Noctuidae) in soybeans in Louisiana. *Environmental Entomology* 19(3): 746-752.
- Dalebroux, M.A. & Kojima, K. 1967. An analysis of radiation induced variation on body weight of *Habrobracon juglandis*. *Genetics* 55: 315-328.
- D'Amico, V., Elkinton, J.S., Podgwaite, J.D., Slavicek, J.M., McManus, M.L. & Burand, J.P. 1999. A field release of genetically engineered gypsy moth (*Lymantria dispar* L.) nuclear polyhedrosis virus (LDNPV). *Journal of Invertebrate Pathology* 73(3): 260-268.
- Damon, A. 2000. A review of the biology and control of the coffee berry borer, *Hypothenemus hampei* (Coleoptera: Scolytidae). *Bulletin of Entomological Research* 90(6): 453-465.
- Danfa, A. & Valk, H.C.H.G. van der 1999. Laboratory testing of *Metarhizium* spp. and *Beauveria bassiana* on Sahelian non-target arthropods. *Biocontrol Science and Technology* 9(2): 187-198.
- Dang, T.D. & Ha, Q.H. 1999. Some morphological and biological peculiarities of *Microplitis prodeniae* Rao et Chandry (Hym.: Braconidae) an internal parasitoid of the cutworm (*Spodoptera litura*) on soybean. *Malaysian Applied Biology* 28(1-2): 59-61.
- Dang, T.D. & Vu, Q.C. 1999. Composition of parasitic insects of soybean cutworm and eco-biological characteristics of *Microplitis prodeniae* Rao et Chandry (Hym.: Braconidae) parasitic on *Spodoptera litura* F. (Lep.: Noctuidae) in Hanoi and surrounding areas in Vietnam. *Malaysian Applied Biology* 28(1-2): 63-67.
- Dang, X.D. & Jin, B.X. 1982. Records of parasitic wasps of forest pests from Shaanxi province. (in Chinese with English summary). *Entomotaxonomia* 4(1-2): 139-142.
- Dang, X.D. & Wang, H.Z. 2002. Eleven new species of Encyrtidae (Hymenoptera) from Shaanxi Province, China. *Entomotaxonomia* 24(4): 289-300.
- Dang, X.D. & Yang, Z.Q. 1989. A new species of the genus *Coeloides* from Shaanxi, China. *Entomotaxonomia* 11(1-2): 115-116.
- Dangerfield, P.C. & Austin, A.D. 1990. Revision of the Oriental genus *Hartemita* Cameron (Hymenoptera: Braconidae: Cardiochilinae). *Journal of Natural History* 24: 137-158.
- Dangerfield, P.C. & Austin, A.D. 1995. Revision of the Australasian species of Cardiochilinae (Hymenoptera: Braconidae). *Invertebrate Taxonomy* 9(3): 387-445.
- Dangerfield, P.C., Whitfield, J.B., Sharkey, M.J., Janzen, D.H. & Mercado, I. 1996. *Hansonia*, a new genus of cardiochiline Braconidae (Hymenoptera) from Costa Rica, with notes on its biology. *Proceedings of the Entomological Society of Washington* 98(3): 592-596.
- Dangerfield, P.C., Austin, A.D. & Whitfield, J.B. 1999. Systematics of the world genera of Cardiochilinae (Hymenoptera: Braconidae). *Invertebrate Taxonomy* 13(6): 917-976.

- Danielsson, R. & Carter, C. 1992. *Cinara smolandiae* sp. n. from *Juniperus communis* in Sweden and a key to the species of the subgenus *Cupressobium* Börner (Homoptera: Aphidoidea: Lachnidae). *Entomologica Scandinavica* 23(4): 475-479.
- Danks, H.V., Rabb, R.L. & Southern, P.S. 1979. Biology of insect parasites of *Heliothis* larvae in North Carolina. *Journal of the Georgia Entomological Society* 14(1): 36-64.
- Danyk, T.P. & Mackauer, M. 1993. Discrimination between self- and conspecific-parasitized hosts in the aphid parasitoid *Praon pequodorum* Viereck (Hymenoptera: Aphidiidae). *Canadian Entomologist* 125(5): 957-964.
- Danyk, T.P. & Mackauer, M. 1996. An extraserosal envelope in eggs of *Praon pequodorum* (Hymenoptera: Aphidiidae), a parasitoid of pea aphid. *Biological Control* 7(1): 67-70.
- Darling, D.C. & Sharkey, M.J. 1990. Chapter 7. Order Hymenoptera. In: *Insects from the Santana Formation, Lower Cretaceous, of Brazil*. *Bulletin of the American Museum of Natural History* 195: 123-153.
- Darvas, B., Szarukan, I., Kaminszky, M.E. & Dulinafka, G. 1988. Occurrence of *Chromatomyia horticola* Goureaux (Dipt.: Agromyzidae) in sunflower. *Novenyvedelem* 24(9): 399-404.
- Darwish, E.T.E. 1992. Bionomics of the mealy peach aphid *Hyalopteris amygdali* (Blanch.) on peach trees in Menoufia, Egypt. *Acta Phytopathologica et Entomologica Hungarica* 27(1-4) (Pars I): 205-210.
- Darwish, E.T.E., Hedaya, H.K., Abo-Shaasha, A.A. & El Santil, F.S. 1994. Aphids attacking fruit trees and associated natural enemies in Egypt. *Alexandria Journal of Agricultural Research* 39(2): 231-252.
- Darwish, E., El Shazly, M.M. & El Sherif, H.A. 2000. The choice of probing sites by *Bracon hebetor* Say. (Hymenoptera: Braconidae), foraging for *Ephesthia kuehniella* Zell. (Lepidoptera: Pyralidae) *Journal of Union of Arab Biologists Cairo A Zoology* 13: 351-366.
- Darwish, E., El Shazly, M. & El Sherif, H. 2003. The choice of probing sites by *Bracon hebetor* Say (Hymenoptera: Braconidae) foraging for *Ephesthia kuehniella* Zeller (Lepidoptera: Pyralidae). *Journal of Stored Products Research* 39(3): 265-276.
- Das, A.K., Chowdhury, A., Somchoudhury, A.K., Roy, P., Samanta, A., Reddy, P.P., Kumar, N.K.K. & Verghese, A. 1998. Studies on the insecticidal residues in/on okra (*Abelmoschus esculentus* (L.) Moench) and their effects on a few parasitoids. *Advances in IPM for horticultural crops. Proceedings of the First National Symposium on Pest Management in Horticultural Crops: environmental implications and thrusts, Bangalore, India, 15-17 October 1997*. 257-265.
- Das, B.C. & Chakrabarti, S. 1986. Mating and oviposition of *Kashmiria aphidis* (Aphidiidae: Hymenoptera): 103-117. In: Kurl, S.P. [ed.]. *Proceedings of the Second National Symposium on Recent Trends in Aphidological Studies*. Modinagar 201/204, India 1986: 1-331.
- Das, B.C. & Chakrabarti, S. 1988. Immature stages of *Kashmiria aphidis* (Hymenoptera: Aphidiidae). *Acta Entomologica Bohemoslovaca* 85(1): 16-20.
- Das, B.C. & Chakrabarti, S. 1988. Seasonal occurrence of *Aphidius matricariae* Haliday (Aphidiidae: Hymenoptera) in Garhwal range of north west Himalaya. *Indian Journal of Entomology*, publ. 1989, 50(3): 388-389.
- Das, B.C. & Chakrabarti, S. 1988. Sex ratio of *Kashmiria aphidis* Starý & Bhagat (Hymenoptera: Aphidiidae) in the field. *Annals of Entomology* 6(2): 63-66.
- Das, B.C. & Chakrabarti, S. 1989. Aphidiid parasitoids (Hymenoptera: Aphidiidae) of graminaceous aphids in Garhwal, Western Himalaya. *Oriental Insects* 23: 365-372.
- Das, B.C. & Chakrabarti, S. 1989. *Praon himalayensis*, a new walnut aphid parasitoid (Hymenoptera: Aphidiidae) in Garhwal range of western Himalayas. *Entomon* 14(3-4): 345-347.
- Das, B.C. & Chakrabarti, S. 1989. Two new aphid parasitoids (Hymenoptera: Aphidiidae) from Garhwal range of western Himalaya, India. *Entomon* 14(3-4): 339-343.
- Das, B.C. & Chakrabarti, S. 1990. New and little known aphidiid parasitoids (Hymenoptera: Aphidiidae) of gall forming aphids in western Himalaya, with notes on their seasonal history. *Oriental Insects* 24: 399-414.
- Das, B.C. & Chakrabarti, S. 1990. Role of environmental factors on the abundance of an aphidiid parasitoid *Aphidius matricariae* Haliday (Hymenoptera: Aphidiidae) in Garhwal Range of western Himalaya: 277-281. In: Manna, G.K. & Jana, B.B. [eds]. "Impacts of environment on animals and aquaculture". University of Kalyani, Kalyani. i-xxxiii, 1-333.
- Das, B.C. & Chakrabarti, S. 1991. Aphidiid (Hymenoptera: Aphidiidae) fauna of Garhwal, Western Himalaya. *Journal of the Bombay Natural History Society* 88(3): 409-413.
- Das, B.C. & Chakrabarti, S. 1991. Two new *Cristicaudus* (Hymenoptera: Aphidiidae) as parasites of aphids in Garhwal Range of western Himalaya, India. *Entomon* 16(4): 305-309.
- Das, B.C. & Chakrabarti, S. 1992. Aphidiid (Hymenoptera: Aphidiidae) fauna of Garhwal, western Himalaya. *Journal of the Bombay Natural History Society* 88(3)(1991): 409-413.
- Das, S.C. & Kakoty, N.N. 1992. Biological studies on tea aphid, *Toxoptera aurantii* Boyer and its natural enemy complex. *Two and a Bud* 39(1): 29-33.
- Das, S.K. & Raychaudhuri, D. 1983. Parasitoids and predators of aphids (Homoptera: Aphididae) from India-6. New records of seven arachnids, one dipteran and one neuropteran predators from Himachal Pradesh, India. *Entomon* 8(1): 27-34.
- Dasch, C.E. 1971. Ichneumon-flies of America north of Mexico: 6. Subfamily Mesochorinae. *Memoirs of the American Entomological Institute*. No. 16: 1-376.
- Dasrat, B., Rajkumar, A., Richards, Haynes C., Quashie, Williams C. & Eastwood, D. 1997. Evaluation of *Allorhogas pyralophagus* Marsh (Hymenoptera: Braconidae) for the biological control of *Diatraea* spp. (Lepidoptera: Pyralidae) in sugar-cane in Guyana. *Crop Protection* 16(8): 723-726.
- Daumal, J., Jourdheuil, P. & Marro, J.P. 1973. Acclimatation sur la côte méditerranéenne française de *Phanerotoma flavitesticata* Fischer (Hym.: Braconidae) parasite d'*Ectomyelois ceratoniae* Zell. (Lep.: Pyralidae). *Annales de Zoologie Ecologie Animale* 5: 593-608.
- Davault, L. & Ducharme, R. 1966. Life history and habits of the green spruce leaf miner, *Epinotia nana* (Treitschke) (Lepidoptera: Tortricidae). *Canadian Entomologist* 98: 693-699.
- David, P.M.M., Hanifa, A.M. & Natarajan, S. 1990. Biology and control of blossom midge *Contarinia* sp. (Diptera: Cecidomyiidae) on *Jasminum sambac* in Tamil Nadu. *Entomon* 15(3-4): 193-196.
- Davidova V.J. & Stys, P. 1982. Bionomics of European *Coptosoma* species (Heteroptera: Plataspidae). *Acta Universitatis Carolinae Biologica* 1980(5-6) 1982: 463-484.
- Davies, D.H. & Vinson, S.B. 1986. Passive evasion by eggs of braconid parasitoid, *Cardiochiles nigriceps*, of encapsulation in vitro by haemocytes of host *Heliothis virescens*. Possible role for fibrous layer in immunity. *Journal of Insect Physiology* 32: 1003-1010.
- Davies, D.H., Bughardt, R.L. & Vinson, S.B. 1987. Oogenesis of *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae): Histology and development of the chorion with special reference to the fibrous layer. *International Journal of Insect Morphology and Embryology* 15: 363-374.
- Davis, A.J., Varley, M.E., Baker, R.H.A. & Hardy, I.C.W. 1996. Parasitoids of *Drosophila* in the British Isles. *Entomologist* 115(1): 1-13.
- Davis, C.J. 1970. Recent introductions for biological control in Hawaii XV. *Proceedings of the Hawaiian Entomological Society* 20: 521-525.

- Davis, C.J. 1971. Recent introductions for biological control in Hawaii XVI. Proceedings of the Hawaiian Entomological Society 21: 59-62.
- Davis, D.R. 1994. Neotropical Microlepidoptera XXV. New leaf-mining moths from Chile, with remarks on the history and composition of Phyllocnistinae (Lepidoptera: Gracillariidae). Tropical Lepidoptera 5(1): 65-75.
- Davis, D.R. 1996. Neotropical Tineidae, VI: *Prosetomorpha falcata*, a new genus and species of Setomorphinae (Lepidoptera: Tineoidea) from Colombia associated with curculionid galleries in stems of *Solanum*. Proceedings of the Entomological Society of Washington 98(2): 173-187.
- Dawah, H.A. & Rothfritz, H. 1996. Generic-level identification of final instar larvae of Eurytomidae and their parasitoids associated with grasses (Poaceae) in N.W. Europe (Hymenoptera: Braconidae, Eulophidae, Eupelmidae, Eurytomidae, Ichneumonidae, Pteromalidae). Journal of Natural History 30(10): 1517-1526.
- Dawale, R.K., Bhosale, Y.A. & Sathe, T.V. 1993. A new species of the genus *Cotesia* Cameron (Hymenoptera: Braconidae) from India. Bioved 4(2): 263-266.
- Day, K.R. & Watt, A.D. 1989. Population studies of the beech leaf mining weevil (*Rhynchaenus fagi*) in Ireland and Scotland. Ecological Entomology 14(1): 23-30.
- Day, M.C. & Fitton, M.G. 1978. Re-curation of the Linnaean Hymenoptera (Insecta), with a reassessment of the taxonomic importance of the collection. Biological Journal of the Linnean Society 10: 181-198.
- Day, W.H., Coles, L.W., Stewart, J.A. & Fuester, R.W. 1971. Distribution of *Microctonus aethiops* and *M. colesi*, parasites of the alfalfa weevil, in the eastern United States. Journal of Economic Entomology 64(1): 190-193.
- Day, W.H. & Saunders, L.B. 1990. Abundance of the garden flea-hopper (Hymenoptera: Miridae) on alfalfa and parasitism by *Leio-phron uniformis* (Gahan) (Hymenoptera: Braconidae). Journal of Economic Entomology 83(1): 101-106.
- Day, W.H., Hedlund, R.C., Saunders, L.B. & Coutinot, D. 1990. Establishment of *Peristenus digoneutis* (Hymenoptera: Braconidae), a parasite of the tarnished plant bug (Hemiptera: Miridae), in the United States. Environmental Entomology 19(5): 1528-1533.
- Day, W.H., Marsh, P.M., Fuester, R.W., Hoyer, H. & Dysart, R.J. 1992. Biology, initial effect, and description of a new species of *Peristenus* (Hymenoptera: Braconidae), a parasite of the alfalfa plant bug (Hemiptera: Miridae), recently established in the United States. Annals of the Entomological Society of America 85(4): 482-488.
- Day, W.H. 1996. Evaluation of biological control of the tarnished plant bug (Hemiptera: Miridae) in alfalfa by the introduced parasite *Peristenus digoneutis* (Hymenoptera: Braconidae). Environmental Entomology 25(2): 512-518.
- Day, W.H., Tropp, J.M., Eaton, A.T., Romig, R.F., Chianese, R.J. & Driesche, R.G. van 1998. Geographic distributions of *Peristenus conradi* and *P. digoneutis* (Hymenoptera: Braconidae), parasites of the alfalfa plant bug and the tarnished plant bug (Hemiptera: Miridae) in the northeastern United States. Journal of the New York Entomological Society 106(2-3): 69-75.
- Day, W.H. 1999. Host preferences of introduced and native parasites (Hymenoptera: Braconidae) of phytophagous plant bugs (Hemiptera: Miridae) in alfalfa-grass fields in the northeastern USA. BioControl 44(3): 249-261.
- Day, W.H., Baird, C.R. & Shaw, S.R. 1999. New, native species of *Peristenus* (Hymenoptera: Braconidae) parasitizing *Lygus hesperus* (Hemiptera: Miridae) in Idaho: biology, importance, and description. Annals of the Entomological Society of America 92(3): 370-375.
- Day, W.H., Tilton, K.J., Romig, R.F., Eaton, A.T. & Murray, K.D. 2000. Recent range expansions of *Peristenus digoneutis* (Hymenoptera: Braconidae), a parasite of the tarnished plant bug (Hemiptera: Miridae), and high temperatures limiting its geographic distribution in North America. Journal of the New York Entomological Society 108(3-4): 326-331.
- Day, W.H. 2002. Biology, host preferences, and abundance of *Mesochorus curvulus* (Hymenoptera: Ichneumonidae), a hyperparasite of *Peristenus* spp. (Hymenoptera: Braconidae) parasitizing plant bugs (Miridae: Hemiptera) in alfalfa-grass forage crops. Annals of the Entomological Society of America 95(2): 218-222.
- Daza-Bustamante, P., Fuentes-Contreras, E., Rodriguez, L.C., Figueroa, C.C. & Niemeyer, H.M. 2002. Behavioural differences between *Aphidius ervi* populations from two tritrophic systems are due to phenotypic plasticity. Entomologia Experimentalis et Applicata 104(2-3): 321-328.
- Daza-Bustamante, P., Fuentes-Contreras, E. & Niemeyer, H.M. 2003. Acceptance and suitability of *Acyrtosiphon pisum* and *Sitobion avenae* as hosts of the aphid parasitoid *Aphidius ervi* (Hymenoptera: Braconidae). European Journal of Entomology 100(1): 49-53.
- Dean, G.J. 1974. Effects of parasites and predators on the cereal aphids *Metopolophium dirhodum* (Wlk.) and *Macrosiphum avenae* (F.) (Hem.: Aphididae). Bulletin of Entomological Research 63: 411-422.
- Dean, G.J. 1975. The natural enemies of cereal aphids. Annals of Applied Biology 80: 130-2.
- Dean, G.J., Jones, M.G. & Powell, W. 1981. The relative abundance of Hymenopterous parasites attacking *Metopolophium dirhodum* (Walker) and *Sitobion avenae* (F.) (Hemiptera: Aphididae) on cereals during 1973-1979 in southern England. Bulletin of Entomological Research 71: 307-315.
- Deans, A.R., Whitfield, J.B. & Janzen, D.H. 2003. Taxonomy and natural history of the Microgastrinae genus *Alphomelon* Mason (Hymenoptera: Braconidae). Journal of Hymenoptera Research 12(1): 1-41.
- Debaraj, Y., Maurya, K.R. & Singh, N.I. 1998. New record of *Apanteles angaleti* Muesebeck (Hymenoptera: Braconidae) on oak tasar silkworm, *Antheraea proylei* J. Journal of Advanced Zoology 19(1): 62.
- Debolt, J.W. 1981. Laboratory biology and rearing of *Leio-phron uniformis* (Gahan) (Hymenoptera: Braconidae), a parasite of *Lygus* spp. (Hemiptera: Miridae). Annals of the Entomological Society of America 74(3): 334-337.
- Debolt, J.W. & Cohen, A.C. 1984. Composition of teratocytes from *Lygus hesperus* nymphs parasitized by *Leio-phron uniformis*. Southwestern Entomologist 9(1): 69-72.
- Debolt, J.W. 1989. Encapsulation of *Leio-phron uniformis* by *Lygus lineolaris* and its relationship to host acceptance behavior. Entomologia Experimentalis et Applicata 50(1): 87-95.
- Debolt, J.W. 1989. Host preference and acceptance by *Leio-phron uniformis* (Hymenoptera: Braconidae): effects of rearing on alternate *Lygus* (Heteroptera: Miridae) species. Annals of the Entomological Society of America 82(3): 399-402.
- Debolt, J.W. 1991. Behavioral avoidance of encapsulation by *Leio-phron uniformis* (Hymenoptera: Braconidae), a parasitoid of *Lygus* spp. (Hemiptera: Miridae): relationship between host age, encapsulating ability, and host acceptance. Annals of the Entomological Society of America 84(4): 444-446.
- DeBoo, R.E., Sippell, W.L. & Wong, H.R. 1971. The eastern pine-shoot borer, *Eucosma gloriola* (Lepidoptera: Tortricidae), in North America. Canadian Entomologist 103: 1473-1486.
- Debouzie, D. & Mazih, A. 1999. Argan (Sapotaceae) trees as reservoirs for Mediterranean fruit fly (Diptera: Tephritidae) in Morocco. Environmental Entomology 28(1): 53-60.

- Decelle, J. 1976.** La faune terrestre de l'île de Sainte-Hélène. Troisième Partie 2. Insectes (suite et fin) 15. Hymenoptera 2. Superfam. Ichneumonoidea. Annales du Musée Royal de l'Afrique Centrale. (Ser. 8 Sci. Zool.) 215: 162-166.
- Decker, U.M., Powell, W. & Clark, S.J. 1993.** Sex pheromones in the cereal aphid parasitoids *Praon volucre* and *Aphidius rhopalosiphii*. Entomologia Experimentalis et Applicata 69(1): 33-39.
- Dedeine, F., Vavre, F., Fleury, F., Loppin, B., Hochberg, M.E. & Bouletreau, M. 2001.** Removing symbiotic *Wolbachia* bacteria specifically inhibits oogenesis in a parasitic wasp. Proceedings of the National Academy of Sciences of the United States of America 98(11): 6247-6252.
- Dedryver, C.A., Creach, V., Rabasse, J.M. & Nenon, J.P. 1991.** Spring activity assessment of parasitoids in western France by experimental exposure of cereal aphids on trap plants in a wheat field. Bulletin SROP 14(4): 82-93.
- Del Bene, G. 1989.** Natural enemies of *Liriomyza trifolii* (Burgess), *Chromatomyia horticola* (Goureau) and *Chromatomyia syngenesiae* Hardy (Diptera: Agromyzidae) in Tuscany. Redia 72(2): 529-544.
- Del Bene, G. 1990.** Use of *Diglyphus isaea* (Wlk.) (Hym.: Eulophidae) for the control of *Liriomyza trifolii* (Burgess), *Chromatomyia horticola* (Goureau) and *Chromatomyia syngenesiae* Hardy (Dipt.: Agromyzidae) in greenhouses of chrysanthemum and gerbera. Redia 73(1): 63-78.
- Delanoue, P. & Pralavorio, R. 1977.** Comparison of water requirement of *Ceratitis capitata* (Diptera: Tephritidae) and its internal parasite *Opius concolor* Szépl. (Hymenoptera: Braconidae) during the pupal parasite of the host. Revue de Zoologie Agricole et de Pathologie Végétale 76: 1-6.
- Deleu, R. & Mahaut, T. 1998.** Predictive models of pirimicarb toxicity on three beneficial arthropods. Proceedings: 50th international symposium on crop protection, Gent, Belgium, 5 May 1998, Part II. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent 63(2b): 593-596.
- Delfin-Gonzalez, H. & Leon-Burgos, F.A. 1997.** Genera of Braconidae (Hymenoptera) in Yucatan. Some factors for increasing the species richness. Acta Zoologica Mexicana 70: 65-77.
- Delfin, G.H. & Wharton, R.A. 2000.** Historical review of the genera *Aleiodes* and *Rogas* in Mexico, with a redescription of *Aleiodes cameronii* (Hymenoptera: Braconidae). Pan Pacific Entomologist 76(1): 58-70.
- Delfin-Gonzalez, H. & Burgos-Ruiz, D. 2000.** The braconids (Hymenoptera: Braconidae) as a group parameter of biodiversity in the tropical deciduous forests: a discussion on possible uses. Acta Zoologica Mexicana 79: 43-56.
- Delfin, G.H., Chay-Hernandez, D., Gonzalez-Moreno, A., Hernandez-Puch, L. & Suarez-Castillejos, C. 2002.** New records of Braconidae (Hymenoptera) subfamilies and genera from Mexico and the state of Yucatan. Transactions of the American Entomological Society 128(1): 99-108.
- Delfin-Gonzalez, H. & Wharton, R.A. 2002.** Distribution of species and species-groups of *Aleiodes* (Hymenoptera: Braconidae) in Mexico. Folia Entomologica Mexicana 41(2): 215-227.
- Delisle, J. 1992.** Monitoring seasonal male flight activity of *Choristoneura rosaceana* (Lepidoptera: Tortricidae) in eastern Canada using virgin females and several different pheromone blends. Environmental Entomology 21(5): 1007-1012.
- DeLoach, C.J. & Miyatake, Y. 1966.** Seasonal abundance and degree of parasitism of the Asiatic rice borer, *Chilo suppressalis* (Lepidoptera: Pyralidae), in Fukuoka Prefecture, Japan. Mushi 39(3): 31-46.
- Deloach, C.J., Cordo, H.A., Ferrer, R. & Runnacles, J. 1980.** *Acigona infusella*, a potential biological control agent for waterhyacinth observations in Argentina (with descriptions of two new species of *Apanteles* by L. de Santis). Annals of the Entomological Society of America 73(2): 138-146.
- Delorme, R. 1975.** Toxicity for *Diaeretiella rapae* (Hymenoptera Aphididae) and for its host *Myzus persicae* of twelve pesticides used in sprays. Phytiairie-Phytopharmacie 24: 265-278.
- Delorme, R. 1976.** Evaluation en laboratoire de la toxicité pour *Diaeretiella rapae* (Hym.: Aphidiidae) des pesticides utilisés en traitement des parties aériennes des plantes. Entomophaga 21(1): 19-29.
- Delrio, G. & Luciano, P. 1985.** I parassiti ed i predatori di *Euproctis chrysorrhoea* L. in Sardegna (Nota preliminare) (1). Atti del Congresso Nazionale Italiano di Entomologia 14 1985: 825-832.
- Delrio, G. 1995.** Integrated control of olive pests. Informatore Fitopatologico 45(12): 9-15.
- Delucchi, V., Renfer, A. & Aeschlimann, J.P. 1974.** Contribution à la connaissance des lépidoptères associés au mélèze en haute altitude et de leurs parasitoïdes. Recherches Agronomiques Suisse 13(1/2): 435-451.
- Delucchi, V. 1982.** Parasitoids and hyperparasitoids of *Zeiraphera diniana* (Lep., Tortricidae) and their role in population control in outbreak areas. Entomophaga 27(1): 77-92.
- DeLury, N.C., Gries, G., Gries, R., Judd, G.J.R. & Brown, J.J. 1999.** Sex pheromone of *Ascogaster quadridentata*, a parasitoid of *Cydia pomonella*. Journal of Chemical Ecology 25(10): 2229-2245.
- DeLury, N.C., Gries, R., Gries, G., Judd, G.J.R. & Khaskin, G. 1999.** Moth scale-derived kairomones used by egg-larval parasitoid *Ascogaster quadridentata* to locate eggs of its host, *Cydia pomonella*. Journal of Chemical Ecology 25(11): 2419-2431.
- Delvare, G. & Genty, P. 1992.** The significance of attractive plants for beneficial fauna in the palm plantations of tropical America. Oleagineux Paris 47(10): 551-559.
- Delvare, G. & Kirk, A. 1999.** Potential of parasitic hymenoptera for the biocontrol of *Plutella xylostella* (L.) (Lep.: Yponomeutidae): a review from past experience and recent exploration. Proceedings of the Fifth International Conference on Pests in Agriculture, Part 3, Montpellier, France, 7-9 December 1999. 655-663.
- Dely-Draskovits, A., Papp, J., Thuróczy, C., Bochli, G. & Vsrhelyi, T. 1993.** Über die in *Lipara*-Gallen (Diptera: Chloropidae) lebenden Hymenopteren in der Schweiz. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 66: 35-40.
- Deng, Y.X. & Tsai, J.H. 1998.** Development of *Lysiphlebia japonica* (Hymenoptera: Aphidiidae), a parasitoid of *Toxoptera citricida* (Homoptera: Aphidiidae) at five temperatures. Florida Entomologist 81(3): 415-423.
- Dennill, G.B. & Pretorius, W.L. 1995.** The status of diamondback moth, *Plutella xylostella* (Linnaeus) (Lepidoptera: Plutellidae), and its parasitoids on cabbages in South Africa. African Entomology 3(1): 65-71.
- Deonier, D.L. & Regensburg, J.T. 1978.** Biology and immature stages of *Parydra quadrituberculata* (Diptera: Ephydriidae). Annals of the Entomological Society of America 71(3): 341-353.
- Des Vignes, W.G. 1983.** Laboratory competition studies between *Allorhogas* sp. n., *Cotesia (Apanteles) flavipes* (Cam.) and *Lixophaga diatraea* (Tns.)-exotic parasites which are reared for the biological control of *Diatraea* spp. on sugarcane in Trinidad. Entomology Newsletter No. 14: 7-8.
- Des Vignes, W.G. 1983.** Laboratory hosts for rearing *Allorhogas* n. sp. a potential biocontrol agent of *Diatraea* spp. on sugarcane in Trinidad. Entomology Newsletter No. 15: 13.
- Des Vignes, W.G. 1987.** Aspects of the biological control of *Diatraea* spp. on sugarcane in Trinidad. Entomology Newsletter No. 18: 4-5.
- Des Vignes, W.G. 1991.** The use and availability of *Trachylepidia fructicassella* Ragworth (Lepidoptera: Pyralidae) as a laboratory host for rearing parasitoids for the biological control of *Diatraea* spp. (Lepidoptera: Pyralidae) on sugar cane in Trini-

- dad. Proceedings of the 24th West Indies Sugar Technologists' Conference, Kingston, 8-12 April 1991. 74-79.
- Des Vignes, W.G. 1996.** The economics of biological control of *Diatraea* spp. (Lepidoptera: Pyralidae) on sugarcane in Trinidad. Proceedings of the West Indies Sugar Technologists 25th Conference, 18-21 April, 1994 Belize. 174-183.
- Deshpande, B.V. & Odak, S.C. 1971.** A note on *Apanteles paludicola* Braconidae, Hymenoptera, a parasite of *Exelastis atomosa*. Journal of the Bombay Natural History Society 68: 484-485.
- Desneux, N., Noel, B., Kaiser, L., Vogt, H. & Heimbach, U. 2000.** Sublethal effect of a pyrethroid on orientation behaviour of the parasitic wasp *Aphidius ervi* (Hymenoptera: Aphidiidae) in response to odour from oilseed rape infested by the aphid *Myzus persicae*. Working group "Pesticides and beneficial organisms", Versailles, France, 27-29 October 1999. Bulletin OILB SROP 23(9): 55-64.
- Dessart, P. & Gårdenfors, U. 1985.** *Dendrocerus paradoxus* n. sp. et *D. ulmicola* n. sp. (Hym. Ceraphronoidea: Megaspilidae), deux nouveaux hyperparasites paléarctiques de pucerons. Bulletin & Annales de la Société Royale Belge d'Entomologie 121(4-6) 1985: 197-211.
- Devasahayam, S. & Abdulla Koya, K.M. 1993.** Seasonal incidence of hymenopterous parasitoids of top shoot borer, *Cydia hemidoxa* Meyrick (Lepidoptera: Tortricidae) on black pepper. Journal of Entomological Research (New Delhi) 17(3): 205-207.
- Devi, H.S. & Singh, T.K. 2002.** Larval population trend of *Pieris brassicae* Linn. (Lepidoptera: Pieridae) and its associated natural enemies on *Brassica pekinensis* (Hübner). Uttar Pradesh Journal of Zoology 22(2): 191-196.
- Devi, M. & Raj, D. 1996.** Extent of parasitization of *Chilo partellus* (Swinhoe) on maize by *Apanteles* sp. in mid hill zone of Himachal Pradesh (India). Journal of Entomological Research 20(2): 171-172.
- Devi, P.B., Singh, T.K. & Singh, H.J. 1999.** Studies on the natural enemy complex of the green peach aphid, *Myzus persicae* (Sulzer) on knol-khol, *Brassica oleracea gongylodes*. Annals of Plant Protection Sciences 7(1): 37-40.
- Dey, D. & Farooqi, S.I. 1999.** Biosystematic studies on the hymenopterous parasitoids associated with *Helicoverpa armigera* (Hubn.) from India-1 (family: Braconidae). Shashpa 6(2): 105-113.
- Dey, D. 1998.** New records of four braconid (Hymenoptera: Braconidae) genera from India. Shashpa 5(1): 103-104.
- Deyrup, M. 1977.** Notes on habitats and parasitoids of some Cerambycidae of western Washington. Coleopterists Bulletin 31(2): 181-182.
- Deyrup, M. 1978.** Notes on the biology of *Pissodes fasciatus* Leconte and its insect associates (Coleoptera: Curculionidae). Pan-Pacific Entomologist 54(2): 103-106.
- Deyrup, M.A. 1979.** A new species of *Spathius* Nees from Washington (Hymenoptera: Braconidae). Entomological News 90(1): 60-62.
- Deyrup, M. 1981.** A new species of *Cryptoxilos* (Hymenoptera: Braconidae) attacking adult *Lymantria decipens* LeConte (Coleoptera: Scolytidae). Entomological News 92(5): 177-180.
- Deyrup, M. 1984.** A maple wood wasp, *Xiphydria maculata*, and its enemies (Hymenoptera: Xiphydriidae). Great Lakes Entomologist 17(1): 17-28.
- Dhaliwal, G.S., Gill, R.S., Dilawari, V.K., Dhaliwal, G.S., Arora, R., Randhawa, N.S. & Dhawan, A.K. 1998.** Management of insect pest complex of cabbage with neem based insecticides. Ecological agriculture and sustainable development: Vol 2: Proceedings of International Conference on Ecological Agriculture: Towards Sustainable Development, Chandigarh, India, 15-17 November 1997. 306-314.
- Dhamdhare, S.V., Rawat, R.R. & Singh, O.P. 1986.** A note on the incidence of 'Palas' gall weevil, *Pachyonyx quadridens* Chev. and its natural enemies in Madhya Pradesh, India. Bulletin of Entomology New Delhi, publ. 1989, 27(2): 186-188.
- Dhara Jothi, B. & Tandon, P.L. 1993.** Biology and feeding behaviour of ber (*Zizyphus mauritiana* Lamark) fruit borer, *Meridarchis scyroides* Meyrick. Journal of Entomological Research (New Delhi) 17(1): 49-51.
- Dharmadhikari, P.R. & Ramaseshiah, G. 1970.** Recent records of aphidiids (Hymenoptera: Aphidiidae) in India. Commonwealth Institute of Biological Control Technical Bulletin 13: 83-89.
- Dharmadhikari, P.R., Ramaseshiah, G. & Achan, P.D. 1985.** Survey of *Lymantria obfuscata* and its natural enemies in India. Entomophaga 30(4): 399-408.
- Dhiman, S.C. & Kumar, V. 1983.** Host preference of *Aphidius rapae* (Curtis) (Hymenoptera, Braconidae). In: Goel, S.C. [ed.] "Insect Ecology and Resource Management." pp.138-141.
- Dhiman, S.C. & Kumar, V. 1986.** Biological control of mustard aphid, *Lipaphis erysimi* (Kalt.) by using the parasitoid *Aphidius (Diaeretiella) rapae* (Curtis). I. Influence of parasitism on aphids. Proc. Sym. Pest. Resid. Pollutn 1986: 219-222.
- Dhiman, S.C. & Kumar, V. 1986.** First record of two hyperparasites of *Lipaphis erysimi* (Kalt.) (Homoptera-Aphidiidae) parasitizing *Aphidius rapae* (Curtis) (Hymenoptera-Aphidiinae). Journal of the Bombay Natural History Society 82(3) (1985): 681-682.
- Dhiman, S.C. & Kumar, V. 1986.** Role of *Aphidius (Diaeretiella) rapae* (Curtis) (Hymenoptera: Aphidiidae) in controlling the population of mustard aphid, *Lipaphis erysimi* (Kalt.) (Homoptera: Aphidiidae): 177-181. In: Kurl, S.P. [ed.]. Proceedings of the Second National Symposium on Recent Trends in Aphidological Studies. Modinagar 201/204, India 1986: 1-331.
- Dhiman, S.C. & Kumar, V. 1986.** Studies on the oviposition site of *Diaeretiella rapae*, a parasitoid of *Lipaphis erysimi* (Kalt.). Entomon 11(4): 247-250.
- Dhiman, S.C. & Kumar, V. 1987.** Studies on the host selection and discrimination behaviour of *Diaeretiella rapae* (M'Intosh), a parasitoid of *Lipaphis erysimi* (Kalt.). Entomon 12(1): 63-67.
- Dhiman, S.C., Kumar, V. & Sharma, A. 1987.** Courtship, mating and oviposition behaviour of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a primary parasitoid of *Lipaphis erysimi* (Kalt.) (Homoptera: Aphidiidae). Journal of Aphidology 1(1-2): 35-41.
- Dhiman, S.C. & Kumar, V. 1991 (1989).** Influence of temperature and relative humidity on *Diaeretiella rapae* (M'Intosh), a parasitoid of mustard aphid, *Lipaphis erysimi* (Kaltenbach). Journal of Aphidology 3(1-2): 58-63.
- Dhouibi, M.H. 1992.** Effect of Bactospeine XLV on the date pyralid *Ectomyelois ceratoniae* Zeller (Lepidoptera: Pyralidae). Mededelingen van de Faculteit Landbouwwetenschappen, Universiteit Gent 57(2b): 505-514.
- Dhouibi, M.H. & Jemmazi, A. 1993.** Lutte biologique contre la pyrale des caroubes *Ectomyelois ceratoniae* (Lepidoptera: Pyralidae) par *Habrobracon hebetor* (Hymenoptera: Braconidae) en vergers de grenadier. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 58(2a): 427-436.
- Dhouibi, M.H. & Jemmazi, A. 1996.** Warehouse biological control of the pyralid date pest *Ectomyelois ceratoniae*. Fruits Paris 51(1): 39-46.
- Diaconu, A. & Lozan, A. 2000.** Ectoparasitoid braconids (Hym.: Braconidae) of certain species of leafrollers (Lep.: Tortricidae) of fruit trees. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 73(1-2): 5-11.
- Diaconu, A., Pisica, C., Andriescu, I. & Lozan, A. 2000.** The complex of parasitoids of the feeding larvae of *Cydia pomonella* L. (Lep.: Tortricidae). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 73(1-2): 13-22.
- Dias, M.M. 1991.** Immature stages of *Proctitheronia principalis* (Walker, 1855), compared with those of some species of the

- genus *Citheronia* Hübner, (1819) (Lepidoptera: Saturniidae). *Revista Brasileira de Entomologia* 35(2): 269-282.
- Diaz, N.B., Gallardo, F.E. & Walsh, G.C. 1996.** *Paraganaspis egeria*, a new genus and species of Eucolidae (Hymenoptera: Cynipoidea). *Annals of the Entomological Society of America* 89(4): 497-500.
- Dicke, M. & Minkenbergh, O.P.J.M. 1991.** Role of volatile infochemicals in foraging behavior of the leafminer parasitoid *Dacnusa sibirica* (Diptera: Agromyzidae). *Journal of Insect Behavior* 4(4): 489-500.
- Dicke, M. 1992.** Infochemicals that mediate plant-carnivore communication systematically induced by herbivory. *Series Entomologica* (Dordrecht) 49: 355-356.
- Dicke, M. & Poেকে, R.M.P. van 2002.** Induced parasitoid attraction by *Arabidopsis thaliana*: involvement of the octadecanoid and the salicylic acid pathway. *Journal of Experimental Botany* 53(375): 1793-1799.
- Didonet, J., Panato, A.P., Peluzio, J.M. & Dos Santos, G.R. 1999.** Insect fauna associated to acerola plant (*Malpighia* spp.) in Gurupi, Tocantins State. *Revista Brasileira de Fruticultura* 21(2): 212-215.
- Digilio, M.C. & Pennacchio, F. 1989.** Quantitative analysis of some biological parameters characterising an Italian population of *Aphidius ervi* Haliday (Hymenoptera: Braconidae, Aphidiinae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 46: 59-74.
- Digilio, M.C. & Pennacchio, F. 1992.** A quantitative analysis of pre-mating and post-mating isolation mechanisms between *Aphidius ervi* Haliday and *Aphidius microlophii* Pennacchio & Tremblay. *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 49: 117-125.
- Digilio, M.C., Pennacchio, F. & Tremblay, E. 1994.** In vitro rearing of the endophagous parasitoid *Aphidius ervi* Haliday. *Atti del Congresso Nazionale Italiano di Entomologia* 17: 709-710.
- Digilio, M.C. 1999.** In vitro rearing of the aphid parasitoid *Aphidius ervi* Haliday (Hymenoptera: Braconidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 55: 151-161.
- Digilio, M.C., Isidoro, N., Tremblay, E. & Pennacchio, F. 2000.** Host castration by *Aphidius ervi* venom proteins. *Journal of Insect Physiology* 46(6): 1041-1050.
- Digilio, M.C., Pennacchio, F., Tremblay, E., Bradleigh-Vinson, S. & Lanzrein, B. 1998.** Host regulation effects of ovary fluid and venom of *Aphidius ervi* (Hymenoptera: Braconidae). Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 779-784.
- Dilawari, V.K., Mahal, M.S. & Bains, S.S. 1981.** Role of a braconid parasite and a viral disease in the population decline of armyworm, *Mythimna separata* Walker (Noctuidae: Lepidoptera) during an outbreak. *Indian Journal of Ecology* 8: 65-73.
- Dillard, C.R., Ferkovich, S.M. & Gupta, P. 1996.** Potential of an unnatural host, *Galleria mellonella* (Lepidoptera: Galleriidae), in rearing the corn earworm endoparasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 89(1): 103-108.
- Diller, E.H. 1990.** Die von Spix und Martius 1817-1820 in Brasilien gesammelten und von J.A.M. Perty 1833 bearbeiteten Hymenopteren in der Zoologischen Staatssammlung München. *Spixiana* 13(1): 61-81.
- Dimova, M. 1987.** The parasitic entomofauna of *Anarsia lineatella* Zell. (Gelechiidae) and *Grapholitha molesta* Busck. (Tortricidae, Lepidoptera) and its importance in reducing the density of these pests. *Pochvoznanie, Agrokhimiya i Rastitelna Zashchita* 22(6): 87-92.
- Din, D.C., Qui, H.G., He, L.F. & Shen, B.J. 1987.** Studies on the host-searching kairomones of *Macrocentrus linearis* (Hymenoptera: Braconidae), a parasitoid of the Asian corn borer *Ostrinia furnacalis* (Lepidoptera: Pyralidae). *Contributions from Shanghai Institute of Entomology* (1986) 6: 29-34.
- Ding, D., Swedenborg, P.D. & Jones, R.L. 1989.** Plant odor preferences and learning in *Macrocentrus grandii* (Hymenoptera: Braconidae), a larval parasitoid of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae). *Journal of the Kansas Entomological Society* 62(2): 164-176.
- Ding, D.C., Fang, Z.J., He, J.L., Qiu, Z.L., Shen, B.J. & Du, J.W. 1992.** Application of host-searching kairomones in managing *Macrocentrus linearis* (Ness) (Hymenoptera: Braconidae). *Acta Entomologica Sinica* 35(1): 66-71.
- Ding, D.C., Qiu, H.G., He, L.F. & Shen, B.J. 1986.** Studies on the host-searching kairomones of *Macrocentrus linearis* (Hymenoptera: Braconidae), a parasitoid of the Asian corn borer, *Ostrinia furnacalis* (Lepidoptera: Pyralidae). *Contributions from Shanghai Institute of Entomology* 6: 29-34.
- Ding, D.C., Swedenborg, P.D. & Jones, R.L. 1989.** Chemical stimuli in host-seeking behavior of *Macrocentrus grandii* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 82(2): 232-236.
- Dinter, A., Wiles, J.A., Vogt, H. & Heimbach, U. 2000.** Safety of the new DuPont insecticide "Indoxacarb" to beneficial arthropods: an overview. Working group "Pesticides and beneficial organisms", Versailles, France, 27-29 October 1999. *Bulletin OILB SROP* 23(9): 149-156.
- Disney, R.H.L. 1982.** A scuttle fly (Diptera: Phoridae) that appears to be a parasitoid of a snail (Stylommatophora: Zonitidae) and is itself parasitised by a braconid (Hymenoptera). *Entomologist's Record and Journal of Variation* 94: 151-154.
- Dittrick, L.E. & Chiang, H.C. 1971.** Developmental characteristic of *Macrocentrus grandii* as influenced by temperature and instar of its host, the European corn borer. *Journal of Insect Physiology* 28: 47-72.
- Dittrick, L.E. & Chiang, H.C. 1982.** Developmental characteristics of *Macrocentrus grandii* as influenced by temperature and instar of its host, the European corn borer. *Journal of Insect Physiology* 28(1): 47-52.
- Divakar, B.J. & Pawar, A.D. 1979.** Field recovery of *Chelonus blackburni* and *Bracon hebetor* from potato tuber moth. *Indian Journal of Plant Protection* 7: 214.
- Divakar, B.J. & Pawar, A.D. 1987.** Biocontrol of tomato fruit borer, *Heliothis armigera* Hb. in Karnataka, India. *Indian Journal of Plant Protection* 15: 57-62.
- Dix, M.E. & Franklin, R.T. 1983.** Behavior of four braconid parasites and one pteromalid parasite of the southern pine beetle. *Journal of the Georgia Entomological Society* 18: 125-138.
- Dix, M.E., Hodges, L., Brandle, J.R., Wright, R.J. & Harrell, M.O. 1997.** Effects of shelterbelts on the aerial distribution of insect pests in muskmelon. *Journal of Sustainable Agriculture* 9(2-3): 5-24.
- Dmoch, J., Lewis, W.J., Martin, P.B. & Nordlund, D.A. 1985.** Role of the host-produced stimuli and learning in host selection behavior of *Cotesia (Apanteles) marginiventris* (Cresson). *Journal of Chemical Ecology* 11: 453-463.
- Doak, P. 2000.** The effects of plant dispersion and prey density on parasitism rates in a naturally patchy habitat. *Oecologia* 122(4): 556-567.
- Dobelin, H., Kleeberg, H. & Zebitz, C.P.W. 1997.** Aphid control on cut anemones with Neem-Azal T/S taking into account its effect on beneficials. Practice oriented results on use and production of neem-ingredients and pheromones. *Proceedings 5th Workshop Wetzlar, Germany, 22-25 January 1996*. 115-121.
- Dobrokhotoy, S.A. 2002.** Biomethod in the Leningrad region. *Zashchita i Karantin Rastenii* 6: 24-25.
- Docavo, A.I. 1965.** Nuevas aportaciones al conocimiento de los Dacusini de España (Hym.: Braconidae). *Graellsia* 21: 25-39.

- Docavo, A.I. 1967.** Sobre la delimitacion de los géneros *Gyrocampa* y *Chorebus* y su separacion de *Dacnusa* (Hymenoptera, Braconidae). Boletín de la Real Sociedad Espanola de Historia Natural 65: 383-386.
- Docavo, I.A. 1968.** Mi vida entomologica, VIII. Aportaciones a la fauna Espanola de Braconidos. A. Univ. Valencia 41: 41-91.
- Docavo, I., Jiménez, R. & Tormos, J. 1985.** Aportacions al coneixement dels Alysini (Hymenoptera: Braconidae: Alysinae) d'Espanya. 1. Butlletí de la Institució Catalana d'Història Natural 52 (Sec. Zool. 6): 161-167.
- Docavo, I., Saiz, J. & Tormos, J. 1986.** Contribution to the knowledge of the Dacnusiini of Spain (I) (Hym.: Braconidae: Alysinae). Boletín de la Asociación Espanola de Entomología 10: 107-112.
- Docavo, I., Jiménez, R. & Tormos, J. 1987.** New data on *Chaenus* Haliday, 1839, *Dacnusa* Haliday, 1833, *Synelix* Foerster, 1862 and *Protodacnusa* Griffiths, 1964 in the Iberian Peninsula (Spain, Portugal) (Hymenoptera: Braconidae, Alysinae). Boletín de la Real Sociedad Espanola de Historia Natural. Sección Biológica 83(1-4): 73-78.
- Docavo, I., Jiménez, R., Tormos, J. & Verdu, M.J. 1987.** Braconidae and Chalcidoidea (Hymenoptera, Apocrita, Terebrantia) parasites of Agromyzidae (Diptera, Cyclorrhapha) in Valencia (Spain). Investigación Agraria Producción Y Protección Vegetales 2(2): 195-209.
- Docavo, I. & Tormos, J. 1988.** Further developments in the study of Spanish Dacnusiini (II) (Hymenoptera, Braconidae). Boletín de la Asociación Espanola de Entomología 12: 161-163.
- Docavo, I., Tormos, J., Asis, J.D. & Gayubo, S.F. 1992.** Dacnusiini (Hymenoptera, Braconidae, Alysinae) en la provincia de Valencia (España). Miscellanea Zoológica (Barcelona) 16: 105-111.
- Docavo, I. & Tormos, J. 1997.** A new species of *Dacnusa* (Hymenoptera: Braconidae) from Spain. Entomological News 108(5): 382-388.
- Docavo, I. & Tormos, J. 1998.** Two new species of *Chorebus* (Hymenoptera: Braconidae) from Spain. Entomological News 109(5): 318-324.
- Docavo, I., Fischer, M. & Tormos, J. 2001.** New species of *Chorebus* (Hymenoptera: Braconidae) from the Iberian peninsula. Entomological News 112(4): 232-240.
- Docavo, I., Tormos, J. & Fischer, M. 2002.** Three new species of *Chorebus* from Spain (Hymenoptera: Braconidae: Alysinae). Florida Entomologist 85(1): 208-215.
- Dodia, D.A., Patel, I.S., Patel, S.N. & Patel, N.G. 1990.** Record of powder post beetle, *Dinoderus minutus* Fabricius, as a pest of stored rice in Gujarat state. Gujarat Agricultural University Research Journal 16(1): 49.
- Doetzer, A.K. & Foerster, L.A. 1998.** Effect of parasitism by *Glyptapanteles muesebecki* (Blanchard) on food consumption and utilization by *Pseudaletia sequax* Franclemont. Anais da Sociedade Entomologica do Brasil 27(2): 255-264.
- Doetzer, A.K. & Foerster, L.A. 1999.** Effect of different instars of *Pseudaletia sequax* (Lepidoptera: Noctuidae) on the parasitism by *Glyptapanteles muesebecki* (Hymenoptera: Braconidae). Revista Brasileira de Entomologia 43(1-2): 69-72.
- Doganlar, M. & Beirne, B.P. 1978.** Fruit tree leafrollers (Lepidoptera) and parasites (Hymenoptera) introduced in the Vancouver district, British Columbia. Journal of the Entomological Society of British Columbia 75: 23-24.
- Doganlar, M. & Beirne, B.P. 1980.** Parasites of *Phyllonorycter elmaella* (Lepidoptera: Gracilariidae) on apple in the Vancouver district, British Columbia. Canadian Entomologist 112(3): 314.
- Doganlar, M. & Beirne, B.P. 1981.** The apple-and-thorn-skeletonizer, *Eutromula pariana* (Lep., Choreutidae), and its parasites in SW British Columbia. Journal of the Entomological Society of British Columbia 78: 51-52.
- Doganlar, M. 1982.** Hymenopterous parasites of some lepidopterous pests in eastern Anatolia. Türkiye Bitki Koruma Derg 6: 197-205.
- Doganlar, M. & Diken, T. 1985.** *Gypsonoma minutana* (Lepidoptera, Olethreutidae) and its natural enemies in eastern Anatolia. Türkiye Bitki Koruma Derg 9: 199-206.
- Doganlar, M. 1987.** Investigations on leafrollers and other Lepidoptera feeding in a similar manner on apple and pear trees, together with their parasitoids, in Erzurum and its neighbourhood. Doga, Turk Tarim ve Ormancilik Dergisi 11(1): 86-93.
- Dogra, I., Devi, N. & Raj, D. 2003.** Parasitization of mustard aphid, *Lipaphis erysimi* Kalt. by *Diaeretiella rapae* M'Intosh in mid hill zone of Himachal Pradesh (India). Journal of Entomological Research (New Delhi) 27(2): 145-149.
- Dolezal, P., Zeleny, J., Knizek, M., Forster, B. & Grodzki, W. 2001.** Bark beetles (Scolytidae, Col.) and their insect bioregulators in mountain spruce stands. Methodology of forest insect and disease survey in Central Europe. Proceedings of the Fourth Workshop of the IUFRO Working Party 7.03.10, Prague, Czech Republic, 17-20 September 2001. Journal of Forest Science 47(2): 73-76.
- Dolgin, M.M. 1990.** Biology of *Pissodes validirostris* in the Komi ASSR. Lesnoe Khozyaistvo 8: 59-60.
- Dolphin, K. & Quicke, D.L.J. 2001.** Estimating the global species richness of an incompletely described taxon: An example using parasitoid wasps (Hymenoptera: Braconidae). Biological Journal of the Linnean Society 73(3): 279-286.
- Dolphin, R.E., Mouzin, T.E. & Cleveland, M.L. 1972.** Insects associated with peach wood in eastern United States. Canadian Entomologist 104: 1593-1607.
- Domagala, T. & Serafinska, I. 1990.** Toxicity of pesticides for *Aphidius matricariae* Hal. (Hymenoptera, Aphidiidae). Materialy Sesji Naukowej Ior (Instytut Ochrony Roslin) 30(2) 1990: 291-293.
- Dominguez, O., Ramirez, R., Liscano, O., Vilchez, M. & Urdaneta, R. 1999.** Parasitoids of defoliating Lepidoptera of plantain (*Musa AAB*, cv. Harton) in the southern region of the lake Maracaibo basin, Venezuela. Revista de la Facultad de Agronomía, Universidad del Zulia. 16(1): 95-101.
- Dominick, C.B. 1964.** Parasitism of the tobacco flea beetle in tobacco fields sprayed with Endrin. Journal of Economic Entomology 57(6): 1004-1005.
- Donaldson, J.S. 1989.** Revision of the braconid genus *Physaraia* Shenefelt (Hymenoptera, Ichneumonoidea). Systematic Entomology 14: 15-39.
- Donaldson, J.S. 1991.** Three new species of Microgastrinae (Hymenoptera: Braconidae) from South Africa with notes on *Glyptapanteles acraeae* (Wilkinson). Journal of the Entomological Society of Southern Africa 54(1): 29-37.
- Dong, D. & Wang, Y. 1985.** A preliminary report of aphid parasites on the crops of Yunnan, China. (in Chinese with English summary) Natural Enemies of Insects 7(3): 172-180.
- Dong, D.Z. 1988.** Notes on two new species of Aphidiidae (Hymenoptera) from Yunnan Province. (in Chinese with English summary) Entomotaxonomia 10(1-2): 23-26.
- Dong, D. & Wang, Y. 1993.** Hymenoptera: Aphidiidae: 661-667. In: Huang, F. [ed.]. "Insects of Wuling Mountains area, southwestern China." Science Press, Beijing. 777 pp.
- Dong, D. & Wang, Y. 1996.** Four new species of Aphidiidae from Yunnan, China (Hymenoptera). Acta Entomologica Sinica 39(2): 196-202.
- Dong, Ke., Dahlman, D.L., Dong, K. & Zhang, D.Q. 1996.** Down-regulation of juvenile hormone esterase and arylphorin production in *Heliothis virescens* larvae parasitized by *Microplitis croceipes*. Archives of Insect Biochemistry and Physiology 32(2): 237-248.

- Dong, W.X. & Zhang, Z.N. 2000.** Progress in the study on foraging behavior of *Microplitis* wasps. *Entomologia Sinica* 7(3): 278-288.
- Dong, W.X., Zhang, Z.N., Fang, Y.L., Zhang, F. & Kan, W. 2000.** Response of parasitoid *Microplitis mediator* to plant volatiles in an olfactometer. *Entomologia Sinica* 7(4): 344-350.
- Donovan, B.J. 2000.** Correction of errors in two recent wasp-related papers from Landcare Research Ltd. *New Zealand Journal of Zoology* 27(1): 71-73.
- Dorn, S. & Hern, A. 1999.** Herbivore-induced volatiles in the apple orchard ecosystem. *IOBC WPRS Bulletin* 22(9): 67-72.
- Dorn, S., Schumacher, P., Abivardi, C., Meyhofer, R. & Brown, M.W. 1999.** Global and regional pest insects and their antagonists in orchards: spatial dynamics. Special issue. Ecosystem approaches to managing insect pests of fruit. Papers presented at the XX International Congress of Entomology Symposium and related poster papers, 25-31 August 1996, Florence, Italy. *Agriculture, Ecosystems and Environment* 73(2): 111-118.
- Dou, S.-Y. 1982.** Influences of temperature on body colour of *Bracon isomera* (Cushman) and *Bracon nigrorufum* (Cushman). *Natural Enemies of Insects* 4(3): 18-20.
- Douloumpaka, S. & Emden, H.F. van 2003.** A maternal influence on the conditioning to plant cues of *Aphidius colemani* Viereck, parasitizing the aphid *Myzus persicae* Sulzer. *Physiological Entomology* 28(2): 108-113.
- Dover, B.A., Menon, A., Brown, R.C. & Strand, M.R. 1995.** Suppression of juvenile hormone esterase in *Heliothis virescens* by *Microplitis demolitor* calyx fluid. *Journal of Insect Physiology* 41(9): 809-817.
- Dowd, P.F. & Kok, L.T. 1982.** Parasitism of *Rhinocyllus conicus* in Virginia. *Environmental Entomology* 11(1): 71-77.
- Dowton, M. & Austin, A.D. 1994.** Molecular phylogeny of the insect order Hymenoptera: apocritan relationships. *Proceedings of the National Academy of Sciences of the United States of America* 91(21): 9911-9915.
- Dowton, M. & Austin, A.D. 1995.** Increased genetic diversity in mitochondrial genes is correlated with the evolution of parasitism in the Hymenoptera. *Journal of Molecular Evolution* 41: 958-965.
- Dowton, M. & Austin, A.D. 1997.** The evolution of strand-specific composition bias. A case study in the Hymenopteran mitochondrial 16S rRNA gene. *Molecular Biology and Evolution* 14(1): 109-112.
- Dowton, M. & Austin, A.D. 1998.** Phylogenetic relationships among the microgastroid wasps (Hymenoptera: Braconidae): combined analysis of 16S and 28S rDNA genes and morphological data. *Molecular Phylogenetics and Evolution* 10(3): 354-366.
- Dowton, M., Austin, A.D. & Antolin, M.F. 1998.** Evolutionary relationships among the Braconidae (Hymenoptera: Ichneumonoidea) inferred from partial 16S rDNA gene sequences. *Insect Molecular Biology* 7(2): 129-150.
- Dowton, M. 1999.** Relationships among the cyclostome braconid (Hymenoptera: Braconidae) subfamilies inferred from a mitochondrial tRNA gene rearrangement. *Molecular Phylogenetics and Evolution* 11(2): 283-287.
- Dowton, M. & Austin, A.D. 1999.** Evolutionary dynamics of a mitochondrial rearrangement "hot spot" in the Hymenoptera. *Molecular Biology and Evolution* 16(2): 298-309.
- Dowton, M. & Austin, A.D. 2001.** Simultaneous analysis of 16S, 28S, COI and morphology in the Hymenoptera: Apocrita-evolutionary transitions among parasitic wasps. *Biological Journal of the Linnean Society* 74(1): 87-111.
- Dowton, M., Belshaw, R., Austin, A.D. & Quicke, D.L.J. 2002.** Simultaneous molecular and morphological analysis of Braconid relationships (Insecta: Hymenoptera: Braconidae) indicates independent mt-tRNA gene inversions within a single wasp family. *Journal of Molecular Evolution* 54(2): 210-226.
- Draganova, S. & Balevski, N. 2000.** Mycosis in larvae of *Galleria mellonella* L. (Lepidoptera: Pyralidae) parasitized by *Habrobracon hebetor* Say (Hymenoptera: Braconidae). *Acta Entomologica Bulgarica* 6(1-2): 29-33.
- Drake, E.F. 1966.** Comparisons between the external morphology of the larvae of *Apanteles chilonis* (Munakata) and *A. flavipes* (Cameron) (Hymenoptera, Braconidae). *Mushi* 40(3): 29-37.
- Dransfield, R.D. 1979.** Aspects of host-parasitoid interactions of two aphid parasitoids, *Aphidius urticae* (Haliday) and *Aphidius uzbeckistanicus* (Luzhetski) (Hymenoptera, Aphidiidae). *Ecological Entomology* 4: 307-316.
- Drea, J.J. 1968.** A new species of *Microctonus* (Hymenoptera: Braconidae) parasitizing the alfalfa weevil. *Entomological News* 79: 97-102.
- Drea, J.J. 1968.** Castration of male alfalfa weevils by *Microctonus* spp. *Journal of Economic Entomology* 61(5): 1291-1295.
- Drea, J.J., Dysart, R.J., Coles, L.W. & Loan, C.C. 1972.** *Microctonus stelleri* (Hymenoptera: Braconidae: Euphorinae), a new parasite of the alfalfa weevil introduced into the United States. *Canadian Entomologist* 104: 1445-1456.
- Drea, J.J. Jr., Dureseau, L. & Rivet, E. 1973.** Biology of *Peristenus stygicus* from Turkey, a potential natural enemy of lygus bugs in North America. *Environmental Entomology* 2(2): 278-280.
- Drea, J.J., Jeandel, D. & Gruber, F. 1982.** Parasites of agromyzid leafminers (Diptera: Agromyzidae) on alfalfa in Europe. *Annals of the Entomological Society of America* 75(3): 297-310.
- Drea, J.J. Jr & Hendrickson, R.E. Jr. 1986.** Analysis of a successful classical biological control project: The alfalfa blotch leafminer (Diptera: Agromyzidae) in the northeastern United States. *Environmental Entomology* 15(3): 448-455.
- Dreissen, G. & Hemerik, L. 1991.** Aggregative responses of parasitoids and parasitism in populations of *Drosophila* breeding in fungi. *Oikos* 61(1): 96-107.
- Drenth, D. 1969.** Some aspects of the collection and the action of the venom of *Microbracon hebetor* Say. *Acta Physiol. Pharmac. Néerl.* 15: 100-101.
- Drenth, D. 1974.** Susceptibility of different insects to an extract of the venom gland of the wasp *Microbracon hebetor* (Say). *Toxicol.* 12: 189-192.
- Dreyer, W. 1984.** Zur Biologie wichtiger Weissdorninsekten und ihrer Parasiten. *Zeitschrift für angewandte Entomologie* 97(3): 286-298.
- Dreyer, W. & Kirsch, N. 1987.** Der Insektenkomplex des Mädesüss (*Filipendula ulmaria* L.). *Zoologischer Anzeiger* 218: 49-64.
- Driesche, R.G. van & Taub, G. 1983.** Impact of parasitoids on *Phyllonorycter* leafminers infesting apple in Massachusetts, U.S.A. *Protection Ecology* 5(4): 303-317.
- Driesche, R.G. van & Bellows, T.S. Jr. 1988.** Host and parasitoid recruitment for quantifying losses from parasitism, with reference to *Pieris rapae* and *Cotesia glomerata*. *Ecological Entomology* 13(2): 215-222.
- Driesche, R.G. van & Gyrisco, G.G. 1979.** Field studies of *Microctonus aethiopoulos*, a parasite of the adult alfalfa weevil, *Hypera postica*, in New York. *Environmental Entomology* 8(2): 238-244.
- Driesche, R.G. van 1988.** Field levels of encapsulation and superparasitism for *Cotesia glomerata* (L.) (Hymenoptera: Braconidae) in *Pieris rapae* (L.) (Lepidoptera: Pieridae). *Journal of the Kansas Entomological Society* 61(3): 328-331.
- Driesche, R.G. van 1988.** Field measurement of population recruitments of *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae), a parasitoid of *Pieris rapae* (L.) (Lepidoptera: Pieridae), and factors influencing adult parasitoid foraging success in kale. *Bulletin of Entomological Research* 78: 199-208.

- Driesche, R.G. van 1988.** Survivorship patterns of larvae of *Pieris rapae* (L.) (Lepidoptera: Pieridae) in Massachusetts kale, with special reference to mortality due to *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae). *Bulletin of Entomological Research* 78(3): 397-405.
- Driesche, R.G. van & Nunn, C. 2002.** Establishment of a Chinese strain of *Cotesia rubecula* (Hymenoptera: Braconidae) in the northeastern United States. *Florida Entomologist* 85(2): 386-388.
- Driesche, R.G. van, Nunn, C. & Pasquale, A. 2003.** Life history pattern, host plants, and habitat as determinants of population survival of *Pieris napi oleracea* interacting with an introduced braconid parasitoid. *Biological Control* 29(2) (2004 February): 278-287.
- Driesche, R.G. van, Nunn, C., Kreke, N., Goldstein, B. & Benson, J. 2003.** Laboratory and field host preferences of introduced *Cotesia* spp. parasitoids (Hymenoptera: Braconidae) between native and invasive *Pieris* butterflies. *Biological Control* 28(2): 214-221.
- Drooz, A.T., Carothers, W. & Ghent, J.H. 1984.** *Anacantodes pergracilis*, a hardly known defoliator of bald cypress. *Journal of the Elisha Mitchell Scientific Society* 97(1981): 218.
- Drost, Y.C., Lewis, W.J., Zanen, P.O. & Keller, M.A. 1986.** Beneficial arthropod behavior mediated by airborne semiochemicals. I. Flight behavior and influence of preflight handling of *Microplitis croceipes* (Cresson). *Journal of Chemical Ecology* 12: 1247-1262.
- Drost, Y.C., Lewis, W.J. & Tumlinson, J.H. 1988.** Beneficial arthropod behavior mediated by airborne semiochemicals. V. Influence of rearing method, host plant, and adult experience on host-searching behavior of *Microplitis croceipes* (Cresson), a larval parasitoid of *Heliothis*. *Journal of Chemical Ecology* 14(7): 1607-1616.
- Drumtra, D.E.W. & Stephen, F.M. 1999.** Incidence of wildflower visitation by hymenopterous parasitoids of southern pine beetle, *Dendroctonus frontalis* Zimmermann. *Journal of Entomological Science* 34(4): 484-488.
- Du, Y.J., Poppy, G.M. & Powell, W. 1996.** Relative importance of semiochemicals from first and second trophic levels in host foraging behavior of *Aphidius ervi*. *Journal of Chemical Ecology* 22(9): 1591-1605.
- Du, Y.J., Poppy, G.M., Powell, W. & Wadhams, L.J. 1997.** Chemically mediated associative learning in the host foraging behavior of the aphid parasitoid *Aphidius ervi* (Hymenoptera: Braconidae). *Journal of Insect Behavior* 10(4): 509-522.
- Du, Y.J., Poppy, G.M., Powell, W., Pickett, J.A., Wadhams, L.J. & Woodcock, C.M. 1998.** Identification of semiochemicals released during aphid feeding that attract parasitoid *Aphidius ervi*. *Journal of Chemical Ecology* 24(8): 1355-1368.
- Du, Y.Z. & Ren, S.X. 1989.** Spatial distribution pattern of *Apanteles glomeratus* (L.) and its application. *Natural Enemies of Insects* 11(3): 130-135.
- Duale, A.H. & Nwanze, K.F. 1999.** Incidence and distribution in sorghum of the spotted stem borer *Chilo partellus* and associated natural enemies in farmers' fields in Andhra Pradesh and Maharashtra states. *International Journal of Pest Management* 45(1): 3-7.
- Duan, J.J. & Messing, R.H. 1996.** Response of two opiine fruit fly parasitoids (Hymenoptera: Braconidae) to the lantana gall fly (Diptera: Tephritidae). *Environmental Entomology* 25(6): 1428-1437.
- Duan, J.J., Purcell, M.F. & Messing, R.H. 1996.** Parasitoids of nontarget tephritid flies in Hawaii: Implications for biological control of fruit fly pests. *Entomophaga* 41(2): 245-256.
- Duan, J.J., Joshi, K., Messing, R.H. & Ahmad, M. 1997.** Evaluation of the impact of the fruit fly parasitoid *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) on a nontarget tephritid, *Eutreta xanthochaeta* (Diptera: Tephritidae). *Biological Control* 8(1): 58-64.
- Duan, J.J. & Messing, R.H. 1997.** Effect of two opiine parasitoids (Hymenoptera: Braconidae) introduced for fruit fly control on a native Hawaiian tephritid, *Trupanea dubautiae* (Diptera: Tephritidae). *Biological Control* 8(3): 177-184.
- Duan, J.J., Purcell, M.F. & Messing, R.H. 1997.** Ovipositional responses of three opiine fruit fly parasitoids (Hymenoptera: Braconidae) to gall-forming tephritids (Diptera: Tephritidae). *Biological Control* 9(2): 81-88.
- Duan, J.J., Messing, R.H. & Purcell, M.F. 1998.** Association of the opiine parasitoid *Diachasmimorpha tryoni* (Hymenoptera: Braconidae) with the lantana gall fly (Diptera: Tephritidae) on Kauai. *Environmental Entomology* 27(2): 419-426.
- Duan, J.J. & Messing, R.H. 1999.** Effects of origin and experience on patterns of host acceptance by the opiine parasitoid *Diachasmimorpha tryoni*. *Ecological Entomology* 24(3): 284-291.
- Duan, J.J. & Messing, R.H. 2000.** Effect of *Diachasmimorpha tryoni* on two non-target flowerhead-feeding tephritids. *BioControl* 45(1): 113-125.
- Duan, J.J. & Messing, R.H. 2000.** Effects of host substrate and vibration cues on ovipositor-probing behavior in two larval parasitoids [*Diachasmimorpha tryoni* and *Biosteres longicaudata*] of tephritid fruit flies [*Ceratitidis capitata*]. *Journal of Insect Behavior* 13(2): 175-186.
- Duan, J.J. & Messing, R.H. 2000.** Host specificity tests of *Diachasmimorpha kraussii* (Hymenoptera: Braconidae), a newly introduced opiine fruit fly parasitoid with four nontarget tephritids in Hawaii. *Biological Control* 19(1): 28-34.
- Duan, J.J., Messing, R.H. & Dukas, R. 2000.** Host selection of *Diachasmimorpha tryoni* (Hymenoptera: Braconidae): comparative response to fruit-infesting and gall-forming tephritid flies. *Environmental Entomology* 29(4): 838-845.
- Dubois, N.R., Reardon, R.C. & Kolodny-Hirsch, D.M. 1988.** Field efficacy of the NRD-12 strain of *Bacillus thuringiensis* against gypsy moth (Lepidoptera: Lymantriidae). *Journal of Economic Entomology* 81(6): 1672-1677.
- Dudarenko, G.P. 1974.** Formation of the abdominal carapace in Braconids (Hymenoptera, Braconidae) and some aspects of the classification of the family. *Entomologicheskoye Obozreniye* 53(1): 114-129. [*Entomological Review* 53: 80-90.].
- Dukas, R. & Duan, J.J. 2000.** Potential fitness consequences of associative learning in a parasitoid wasp *Behavioral Ecology* 11(5): 536-543.
- Dumbre, R.B. & Hower, A.A. Jr. 1976.** Relative toxicities of insecticides to the alfalfa weevil parasite *Microctonus aethioides* and the influence of parasitism of host susceptibility. *Environmental Entomology* 5: 311-315.
- Dumbre, R.B. & Hower, A.A. Jr. 1976.** Sublethal effects of insecticides on the alfalfa weevil parasite *Microctonus aethioides*. *Environmental Entomology* 5: 683-687.
- Dumbre, R.B. & Hower, A.A. Jr. 1977.** Contact mortality of the alfalfa weevil parasite *Microctonus aethioides* from insecticide residues on alfalfa. *Environmental Entomology* 6: 893-894.
- Dunbar, J.P. & Johnson, A.W. 1975.** *Bacillus thuringiensis*: effects on the survival of a tobacco budworm parasitoid and predator in the laboratory. *Environmental Entomology* 4(2): 352-354.
- Duodu, Y.A. & Antoh, F.F. 1984.** Effects of parasitism by *Apanteles sagax* on growth, food consumption, and food utilization in *Sylepta derogata* larvae. *Entomophaga* 29: 63-71.
- Durdvey, S.K. 1987.** Contribution to the study of natural enemies of the codling moth *Laspeyresia pomonella* L. (Lepidoptera: Tortricidae) in the Prikopetdag zone. *Izvestiya Akademii Nauk Turkmenskoi SSR. Seriya Biologicheskikh Nauk* 2: 22-26.

- Durdyav, S.K. 1988.** Braconids parasitizing the mulberry geometrid. *Zashchita Rastenii* 11: 29.
- Durdyev, S.K. 1990.** First raising of *Pseudohormius turkmenus* Tobias et Alexeev (Hymenoptera, Braconidae) from *Bucculatrix crataegi* (Lepidoptera, Bucculatricidae) in orchards of the south Turkmenistan. *Izvestiya Akademii Nauk Turkmenskoi Ssr Seriya Biologicheskikh Nauk* 1990(2): 75-77.
- Dureseau, L., Rivet, E. & Drea, J.J. 1972.** *Ephedrus plagiator*, a parasite of the greenbug in France. *Journal of Economic Entomology* 65(2): 604-605.
- Duriat, A.S. 1999.** Non-chemical control of pests and diseases of hot pepper. *Indonesian Agricultural Research and Development Journal* 21(2): 21-26.
- Durrant, K. 1989.** Horsey Mere and dunes. *Norfolk Natterjack* No. 26: 5.
- Dushay, M.S. & Beckage, N.E. 1993.** Dose-dependent separation of *Cotesia congregata*-associated polydnavirus effects on *Manduca sexta* larval development and immunity. *Journal of Insect Physiology* 39(12): 1029-1040.
- Dutton, A., Mattiacci, L. & Dorn, S. 2000.** Learning used as a strategy for host stage location in an endophytic host-parasitoid system. *Entomologia Experimentalis et Applicata* 94(2): 123-132.
- Dutton, A., Mattiacci, L. & Dorn, S. 2000.** Plant-derived semiochemicals as contact host location stimuli for a parasitoid of leafminers. *Journal of Chemical Ecology* 26(10): 2259-2273.
- Dutton, A., Mattiacci, L., Amado, R. & Dorn, S. 2002.** A novel function of the triterpene squalene in a tritrophic system. *Journal of Chemical Ecology* 28(1): 103-116.
- Dye, P.M. 1977.** A study of *Phytomyza ranunculi* (Schrank) (Dipt., Agromyzidae) and its insect parasites. *Entomologist's Monthly Magazine* 112: 155-168.
- Eady, R.D. & Clark, A.J. 1964.** A revision of the genus *Macrocentrus* Curtis (Hym., Braconidae) in Europe, with descriptions of four new species. *Entomologist's Gazette* 15(3): 97-127.
- Eady, R.D. 1969.** A new diagnostic character in *Aphidius* (Hymenoptera: Braconidae) of special significance in species on pea aphid. *Proceedings of the Royal Entomological Society of London. (B)* 38(11-12): 165-173.
- Eady, R.D. 1974.** The present state of nomenclature of wing venation in the Braconidae (Hymenoptera), its origins and comparison with related groups. *Journal of Entomology. (B)* 43: 63-72.
- Earl, S.L. & Graham, H.M. 1984.** Interactions between *Chelonus insularis* Cresson and *Telenomus remus* Nixon, parasitoids of *Spodoptera exigua* (Hübner). *Southwestern Entomologist* 9(3): 326-333.
- Eastop, V.F. 1966.** The mouthparts of some common genera of Aphidiinae (Hymenoptera: Braconidae). *Proceedings of the Royal Entomological Society of London (A)* 41(1-3): 42-44.
- Easwaramoorthy, S., David, H., Shanmugasundaram, M., Santhakshmi, G. & Kumar, R. 1992.** Laboratory and field evaluation of *Allorhogas pyralophagus* for the control of lepidopterous borers infesting sugarcane in tropical India. *Entomophaga* 37(4): 613-619.
- Easwaramoorthy, S., Srikanth, J., Shanmugasundaram, M. & Kumar, R. 1998.** Field evaluation of *Cotesia flavipes* against inter-node borer *Chilo sacchariphagus indicus* of sugarcane. *Sugar Cane* 2: 18-21.
- Eben, A., Benrey, B., Sivinski, J. & Aluja, M. 2000.** Host species and host plant effects on preference and performance of *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae). *Environmental Entomology* 29(1): 87-94.
- Ebenebe, A.A., Berg, J. van den & Linde, T.C. van der 2001.** The incidence of *Dorylus helvolus* (Linnaeus) (Hymenoptera: Formicidae) and parasitoids (Hymenoptera: Braconidae) as mortality factors of *Busseola fusca* Fuller (Lepidoptera: Noctuidae) and *Chilo partellus* (Swinhoe) (Lepidoptera: Crambidae) in Lesotho. *African Entomology* 9(1): 77-84.
- Eck, R. 1990.** Bionomic notes on some parasitic Hymenoptera associated with bark beetles, especially with *Ips typographus* (Insecta, Hymenoptera: Braconidae, Chalcidoidea). *Faunistische Abhandlungen (Dresden)* 17(10-17): 115-126.
- Eck, R. 1990.** The parasitic Hymenoptera associated with *Ips typographus* in the period of progradation: Spectrum of species and mortality rates by parasites in some forests of the former GDR (East Germany) (Insecta, Hymenoptera: Braconidae, Chalcidoidea). *Entomologische Abhandlungen (Dresden)* 53(8-12): 151-178.
- Edson, K.M. & Vinson, S.B. 1976.** The function of the anal vesicle in respiration and excretion in the braconid wasp, *Microplitis croceipes*. *Journal of Insect Physiology* 22: 1037-1043.
- Edson, K.M., Norton, W.N. & Vinson, S.B. 1977.** The ultrastructure of the anal vesicle of the parasitoid, *Microplitis croceipes* (Hymenoptera: Braconidae). *International Journal of Insect Morphology and Embryology* 154: 243-257.
- Edson, K.M. & Vinson, S.B. 1977.** Nutrient absorption by the anal vesicle of the braconid, *Microplitis croceipes*. *Journal of Insect Physiology* 23: 5-8.
- Edson, K.M. & Vinson, S.B. 1979.** A comparative morphology of the venom apparatus of female Braconids (Hymenoptera: Braconidae). *Canadian Entomologist* 111: 1013-1024.
- Edson, K.M., Barlin, M.R. & Vinson, S.B. 1982.** Venom apparatus in Braconidae: Comparative ultrastructure of reservoirs and gland filaments. *Toxicon* 20: 553-562.
- Edwards, D.R. & Wangberg, J.K. 1985.** Life history of *Synalocha gutierreziae* Powell (Lepidoptera: Tortricidae) on snakeweed (Asteraceae: *Gutierrezia* spp.). *Pan-Pacific Entomologist* 61(4): 358-365.
- Edwards, J.S. & Sernka, T.J. 1969.** On the action of *Bracon* venom. *Toxicon* 6: 303-305.
- Edwards, O.R. & Hoy, M.A. 1993.** Polymorphism in two parasitoids detected using random amplified polymorphic DNA polymerase chain reaction. *Biological Control* 3(4): 243-257.
- Edwards, O.R. & Hoy, M.A. 1995.** Monitoring laboratory and field biotypes of the walnut aphid parasite, *Trioxys pallidus*, in population cages using RAPD-PCR. *Biocontrol Science and Technology* 5(3): 313-327.
- Edwards, O.R. & Hoy, M.A. 1995.** Random amplified polymorphic DNA markers to monitor laboratory-selected, pesticide-resistant *Trioxys pallidus* (Hymenoptera: Aphidiidae) after release into three California walnut orchards. *Environmental Entomology* 24(3): 487-496.
- Edwards, O.R. & Hopper, K.R. 1999.** Using superparasitism by a stem borer parasitoid to infer a host refuge. *Ecological Entomology* 24(1): 7-12.
- Efetov, K.A. & Tarmann, G.M. 1999.** Forester moths. The genera *Theresimima* Strand, 1917, *Rhagades* Wallengren, 1863, *Jordanita* Verity, 1946, and *Adscita* Retzius, 1783 (Lepidoptera: Zygaeniidae, Procridae). *Apollo Books, Stenstrup* 1999: 1-192.
- Eger, J.E., Sterling, W.L. & Hartstack, A.W. Jr. 1982.** Population dynamics of *Heliothis* spp. on *Castilleja indivisa*, an unreported host plant, and *Lupinus texensis* in Texas. *Environmental Entomology* 11(2): 327-333.
- Eguileor, M. de, Grimaldi, A., Tettamanti, G., Valvassori, R., Leonardi, M.G., Giordana, B., Tremblay, E., Digilio, M.C. & Pennacchio, F. 2001.** Larval anatomy and structure of absorbing epithelia in the aphid parasitoid *Aphidius ervi* Haliday (Hymenoptera: Braconidae). *Arthropod Structure & Development* 30(1): 27-37.
- Ehler, L.E., Eveleens, K.G. & Bosch, R. van den 1973.** An evaluation of some natural enemies of cabbage looper on cotton in California. *Environmental Entomology* 2(6): 1009-1015.

- Ehler, L.E. & Bosch, R. van den 1974. An analysis of the natural biological control of *Trichoplusia ni* (Lepidoptera: Noctuidae) on cotton in California. Canadian Entomologist 106: 1067-1073.
- Ehler, L.E. 1977. Natural enemies of cabbage looper on cotton in the San Joaquin Valley. Hilgardia 45(3): 73-106.
- Ehler, L.E. 1977. Parasitization of cabbage looper in California cotton. Environmental Entomology 6(6): 783-784.
- Ehsan Ul Haq, & Emden, H.F. van 2003. Effect of host population density on the growth and development of *Metopolophium dirhodum* and *Aphidius rhopalosiphii*. Pakistan Journal of Zoology 35(1): 35-37.
- Eichhorn, O. & Pschorn-Walcher, H. 1973. The parasites of the birch leaf-mining sawfly (*Fenusa pusilla* (Lep.), Hym.: Tenthredinidae) in central Europe. Commonwealth Institute of Biological Control Technical Bulletin 16: 79-104.
- Eichhorn, O. 1996. Experimental studies upon the parasitoid complex of the gypsy moth (*Lymantria dispar* L.) (Lep.: Lymantriidae) in lower host populations in eastern Austria. Journal of Applied Entomology 120(4): 205-212.
- Eijs, I.E.M., Ellers, J. & Duinen, G.J. van 1998. Feeding strategies in drosophilid parasitoids: the impact of natural food resources on energy reserves in females. Ecological Entomology 23(2): 133-138.
- Eikenbary, R.D. & Fox, R.C. 1965. The parasites of the Nantucket pine tip moth in South Carolina. South Carolina Agricultural Experimental Station. Technical Bulletin 1017. 9 pp.
- Eisenbach, J. 1996. Three-trophic-level interactions in cattail hybrid zones. Oecologia 105(2): 258-265.
- Eitam, A., Holler, T., Sivinski, J. & Aluja, M. 2003. Use of host fruit chemical cues for laboratory rearing of *Doryctobracon areolatus* (Hymenoptera: Braconidae), a parasitoid of *Anastrepha* spp. (Diptera: Tephritidae). Florida Entomologist 86(2): 211-216.
- Eitmontene, G., Vasil'ev, S. & Perepelitsa, L. 1993. Express method for estimating the number of greenhouse pests by mathematical statistical analysis and modelling (in the case of *Myzodes persicae* Sulz. on sweet pepper). Acta Entomologica Lituanica 11: 77-98.
- Ekbom, B. 1990. Flea beetles (*Phyllotreta* spp.) in spring oilseed rape in Sweden. Bulletin SROP 13(4): 57-61.
- Ekbom, B.S. & Pickering, J. 1990. Pathogenic fungal dynamics in a fall population of the blackmargined aphid (*Monellia caryella*). Entomologia Experimentalis et Applicata 57(1): 29-37.
- El Abjar, Z.E. & Bashir, M.O. 1989. A new strain of *Trioxys complanatus* parasitizing the spotted alfalfa aphid in the Sudan. Tropical Pest Management 35(3): 335-336.
- El Akad, A.S. 2000. Parasitoid-host interaction: functional, behavioral and reproductive responses of the parasitoid *Bracon* (*Habrobracon*) *hebetor* and the hosts *Cadra furcutella*, *Oryzaephilus surinamensis* and *Tribolium castaneum*. Journal of the Egyptian German Society of Zoology 33(E): 49-64.
- El Defrawi, G.M., Emam, A.K., Marzouk, I.A. & Rizkalla, L. 2000. Population dynamics and seasonal distribution of *Aphis craccivora* Koch and associated natural enemies in relation to virus disease incidence in faba bean fields. Egyptian Journal of Agricultural Research 78(2): 627-641.
- El Desoky, G.E., El Maasarawy, S.A.S. & El Sheikh, M.A.K. 1995. Effects of parasitism by *Meteorus gyrator* Thun., on some biochemical aspects in *Mythimna loreyi* (Dup.) larvae. Bulletin of Faculty of Agriculture, University of Cairo 46(2): 311-322.
- El Ghar, G.E.S.A., El Sayed, A.E.G.M. & Abo, El Ghar, G.E.S. 1989. Impact of two synthetic pyrethroids and methomyl on management of the cabbage aphid, *Brevicoryne brassicae* (L.) and its associated parasitoid, *Diaeretiella rapae* (M'Intosh). Pesticide Science 25(1): 35-41.
- El Hag, E.T.A. & El Meleigi, M.A. 1991. Bionomics of the wheat leafminer, *Agromyza* sp. (Diptera: Agromyzidae) in Central Saudi Arabia. Crop Protection 10(1): 70-73.
- El Hakim, A.M. & El Sayed, S. 1985. Studies on the infestation of olive fruits with the olive fruit fly, *Dacus oleae* in Egypt (Tephritidae: Diptera). Bulletin de la Société Entomologique d'Egypte 64: 221-226.
- El Heneidy, A.H., Klausnitzer, B. & Richter, K. 1987. Contribution to the knowledge of the parasitoids (Hymenoptera) of *Aphis fabae cirsiacanthoides* Scop. in the Leipzig area. Entomologische Nachrichten und Berichte 31(2): 67-70.
- El Heneidy, A.H. & Hassanein, F.A. 1987. Survey of the parasitoids of the greasy cutworm, *Agrotis ipsilon* Rott. (Lepidoptera, Noctuidae), in Egypt. Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz 60(8): 155-157.
- El Heneidy, A.H. & Attia, A.A. 1988-1989. Evaluation of the role of parasitoids and predators associated with aphids in wheat fields, Egypt. Bulletin of the Entomological Society of Egypt, Economic Series, publ. 1991, 17: 137-147.
- El Heneidy, A.H. & Quicke, D.L.J. 1991. The Indo-Australian species of the braconine wasp genus *Zaglyptogastra* Ashmead. Journal of Natural History 25: 183-201.
- El Heneidy, A.H. & Hassanein, F.A. 1992. *Meteorus gyrator* Thunberg and *M. rubens* Nees. (Hymenoptera: Braconidae) new recorded parasitoids on certain Lepidopterous pests in Egypt. Egyptian Journal of Agricultural Research 70(3): 797-802.
- El Heneidy, A.H., Omar, A.H., El Sherif, H. & El Khawas, M.A. 2001. Survey and seasonal abundance of the parasitoids of the olive fruit fly, *Bacterocera* (*Dacus*) *oleae* Gmel. (Diptera: Trypetidae) in Egypt. Arab Journal of Plant Protection 19(2): 80-85.
- El Khawass, K.A.M.H. & Steenis, M.J. van 1995. Life history of *Aphis gossypii* on cucumber: influence of temperature, host plant and parasitism. Entomologia Experimentalis et Applicata 76(2): 121-131.
- El Khawass, K.A.M.H. & Steenis, M.J. van 1995. Behaviour of *Aphidius colemani* searching for *Aphis gossypii*: functional response and reaction to previously searched aphid colonies. Biocontrol Science and Technology 5(3): 339-347.
- El Khawass, K.A.M.H., Hemerik, L., Steenis, M.J. van & Lenteren, J.C. van 1996. Time allocation of the parasitoid *Aphidius colemani* (Hymenoptera: Aphidiidae) foraging for *Aphis gossypii* (Hymenoptera: Aphidae) on cucumber leaves. Journal of Insect Behavior 9(2): 283-295.
- El Khawass, K.A.M.H., Steenis, M.J. van & Lenteren, J.C. van 1996. Different parasitoid introduction schemes determine the success of biological control of *Aphis gossypii* with the parasitoid *Aphidius colemani*. Proceedings of the meeting Integrated control in glasshouses, held in Vienna, Austria, 20-25 May 1996. Bulletin OILB SROP 19(1): 159-162.
- El Maasarawy, S.A.S., El Sheikh, M.A.K. & Ibrahim, S.M. 1993. Haemocytosis changes in maize worm, *Mythimna* (= *Leucania*) *loreyi* (Dup.) parasitized by the braconid wasp *Meteorus gyrator* Thun. Bulletin of the Entomological Society of Egypt 71: 19-31.
- El Maghraby, M.M.A., Hegab, A. & Yousif-Khalil, S.I. 1988. Interactions between *Bacillus thuringiensis* Berl., *Beauveria bassiana* (Bals.) Vuill. and the host/parasitoid system *Spodoptera littoralis* (Boisd.)/*Microplitis rufiventris* Kok. Journal of Applied Entomology 106(4): 417-421.
- El Mandarawy, M.B.R. 1997. Effects of insect diapause and parasitization of a braconid, *Bracon brevicornis* Wesm. on the haemolymph of its host *Sesamia cretica* Led. Journal of the Egyptian Society of Parasitology 27(3): 805-815.
- El Mandarawy, M.B.R., Samae, S.A.A. & El Naggar, M.A.Z. 2000. Efficacy of *Bacillus thuringiensis* alone or in combination with chemical insecticides on *Sesamia cretica* Led. and its associated natural enemies in maize field Egyptian Journal of Zoology 35: 135-149.

- El-Minshawy, A.M. 1971. Preliminary notes on the biology of *Meteorus leviiventris* Wsm., an internal larval parasite of *Agrotis ipsilon* Rott. Bulletin de la Société Entomologique d'Égypte 54: 361-364.
- El-Minshawy, A.M. & Hegazi, E.M. 1980. Effect of temperature and host age on the progeny production and sex ratio of *Microplitis rufiventris* Kok. (Hym., Braconidae). Zeitschrift für angewandte Entomologie 90: 52-57.
- El Moursy, A.A., Kares, E.A., Zohdy, N., Abdel-Rahman, A.M. & El Mandarawy, M.B.R. 2000. Effect of *Bacillus thuringiensis* Berliner, a chemical insecticide and its mixtures against the unparasitized and parasitized *Spodoptera littoralis* (Boisd.) larvae. Egyptian Journal of Agricultural Research 78(4): 1587-1601.
- El-Sawaf, B.M. & Zohdy, N.Z.M. 1976. Host-parasite relationship. 2. Cholinesterase activity of the larvae of the rice moth *Corcyra cephalonica* parasitized by *Bracon hebetor*. Entomophaga 21: 99-101.
- El Sayed, A.M. & El Ghar, G.E.S.A. 1989. Selective toxicity of organophosphorus insecticides to the cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae), and its parasitoid, *Diaeretiella rapae* (Hymenoptera: Aphidiidae). Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz 96(3): 281-288.
- El Serafy, H.A. 1999. Population density of cereal aphids parasitoids and their role in suppressing cereal aphids on wheat plantations at Mansoura district. Archives of Phytopathology and Plant Protection 32(3): 257-264.
- El Serwy, S.A. 1993. Preliminary field observations on the infestation, mine density, larval and pupal parasitism of *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae). Bulletin of the Entomological Society of Egypt 71: 75-81.
- El Serwy, S.A. 1999. Studies on the diapause of the blotch leaf-miner of wheat, *Agromyza nigripes* (Meigen) and its braconid parasitoid, *Dacnusa nipponica* Takada in Egypt. Egyptian Journal of Agricultural Research 77(4): 1519-1529.
- El Sheikh, M.A.K., Ibrahim, S.M., & El Maasarawy, S.A.S. 1993. Food consumption and utilization in larvae of *Mythimna* (= *Leucania*) *loreyi* (Dup.) parasitized by *Meteorus gyrator* Thun. Bulletin of the Entomological Society of Egypt 71: 173-184.
- El Sherif, S.I., Zaki, F.N., El Hinady, A.H. & Saleh, M.E. 1987. Biocontrol studies on maize borers in Egypt. 1. The parasitism of *Bracon brevicornis* Wesm. (Braconidae: Hymenoptera) on the hibernating larvae of *Ostrinia nubilalis* Hbn. (Pyraustidae: Lepidoptera). Bulletin of Faculty of Agriculture Cairo University 38(2): 543-550.
- El Sufy, R. & Fuhrer, E. 1981. Parasitäre Veränderungen der Wirtskutikula bei *Pieris brassicae* und *Cydia pomonella* durch Entomophage Endoparasiten. Entomologia Experimentalis et Applicata 30(2): 134-139.
- El Sufy, R. & Fuhrer, E. 1981. Wechselbeziehungen zwischen *Pieris brassicae* L. (Lep., Pieridae), *Apanteles glomeratus* L. (Hym, Braconidae) und dem Pilz *Beauveria bassiana* (Bals.) Vuill. Zeitschrift für angewandte Entomologie 92(4) 1981: 321-329.
- El Sufy, R., El Rahman, I.A. & Shenishen, Z. 1984. Biology of the parasite *Bracon hebetor* on hibernating larvae of the European corn borer, *Ostrinia nubilalis*. International Congress of Entomology Proceedings 17: 786.
- El Sufy, R. & Fuhrer, E. 1985. Wechselbeziehungen zwischen *Cydia pomonella* L. (Lep., Tortricidae), *Ascogaster quadridentatus* Wesm. (Hym., Braconidae) und dem Pilz *Beauveria bassiana* (Bals.) Vuill. Zeitschrift für angewandte Entomologie 99(5): 504-511.
- Elbadry, E. 1965. Some gamma radiation effects on host-parasitoid relationships. Annals of the Entomological Society of America 58(2): 209-212.
- Eletherianos, I., Rose, J., Douloumpaka, S., Pettersson, J. & Emden, H.F. van 2002. Aphid parasitoids detect that an alien plant was present nearby during their development. Physiological Entomology 27(3): 199-205.
- Elgueta, M., Rojas, F., Martin-Piera, F., Morrone, J.J. & Melic, A. 2000. Chilean Hymenoptera. Hacia un Proyecto CYTED para el Inventario y Estimación de la Diversidad Entomológica en Iberoamérica: PrIBES 2000. Trabajos del 1er Taller Iberoamericano de Entomología Sistemática, Villa de Leyva, Colombia, 28 de junio a 5 de julio de 1999 245-251.
- Eliasson, C. 1991. Studies on the beech web butterfly, *Euphydryas maturna* (Lepidoptera: Nymphalidae), occurrence and biology in Vastmanland. Entomologisk Tidskrift 112(4): 113-124.
- Eliopoulos, P.A., Athanasiou, C.G., Buchelos, C.H., Adler, C., Navarro, S., Scholler, M. & Stengard-Hansen, L. 2002. Occurrence of hymenopterous parasitoids of stored product pests in Greece. Proceedings of the IOBC WPRS Working Group "Integrated Protection in Stored Products", Lisbon, Portugal, 3-5 September, 2001. Bulletin OILB SROP 25(3): 127-139.
- Elizen, G.W., O'Brien, P.J. & Powell, J.E. 1989. Toxic and behavioral effects of selected insecticides on the *Heliothis* parasitoid *Microplitis croceipes*. Entomophaga 34(1): 87-94.
- Eller, F.J., Boucias, D.G. & Tumlinson, J.H. 1988. Interactions between *Microplitis croceipes* (Hymenoptera: Braconidae) and a nuclear polyhedrosis virus of *Heliothis zea* (Lepidoptera: Noctuidae). Environmental Entomology 17(6): 977-982.
- Eller, F.J., Tumlinson, J.H. & Lewis, W.J. 1988. Beneficial arthropod behavior mediated by airborne semiochemicals II. Olfactometric studies of host-location by the parasitoid *Microplitis croceipes* (Cresson) (Hymenoptera: Braconidae). Journal of Chemical Ecology 14(2): 425-434.
- Eller, F.J., Tumlinson, J.H. & Lewis, W.J. 1988. Beneficial arthropod behavior mediated by airborne semiochemicals source of volatiles mediating the host-location flight behavior *Microplitis croceipes* (Cresson) (Hymenoptera: Braconidae), a parasitoid of *Heliothis zea* (Boddie) (Lepidoptera: Noctuidae). Environmental Entomology 17(4): 745-753.
- Eller, F.J., Heath, R.R. & Ferkovich, S.M. 1990. Factors affecting oviposition by the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae) in an artificial substrate. Journal of Economic Entomology 83(2): 398-404.
- Eller, F.J., Tumlinson, J.H. & Lewis, W.J. 1990. Intraspecific competition in *Microplitis croceipes* (Hymenoptera: Braconidae), a parasitoid of *Heliothis* species (Lepidoptera: Noctuidae). Annals of the Entomological Society of America 83(3): 504-508.
- Eller, F.J., Tumlinson, J.H. & Lewis, W.J. 1992. Effect of host diet and preflight experience on the flight responses of *Microplitis croceipes* (Cresson). Physiological Entomology 17(3): 235-240.
- Ellers, J. 1996. Fat and eggs: an alternative method to measure the trade-off between survival and reproduction in insect parasitoids. Netherlands Journal of Zoology 46(3-4): 227-235.
- Ellers, J. & Alphen, J.J.M. van 1997. Life history evolution in *Asobara tabida*: plasticity in allocations of fat reserves to survival and reproduction. Journal of Evolutionary Biology 10(5): 771-785.
- Ellers, J., Alphen, J.J.M. van & Sevenster, J.G. 1998. A field study of size-fitness relationships in the parasitoid *Asobara tabida*. Journal of Animal Ecology 67(2): 318-324.
- Ellers, J., Driessen, G. & Sevenster, J.G. 2000. The shape of the trade-off function between egg production and life span in the parasitoid *Asobara tabida*. Netherlands Journal of Zoology 50(1): 29-36.
- Ellers, J., Bax, M. & Alphen, J.J.M. van 2001. Seasonal changes in female size and its relation to reproduction in the parasitoid *Asobara tabida*. Oikos 92(2): 309-314.
- Ellers, J. & Alphen, J.J.M. van 2002. A trade-off between diapause duration and fitness in female parasitoids. Ecological Entomology 27(3): 279-284.

- Ellington, J.J., Carrillo, T.D., LaRock, D., Richman, D.B., Lewis, B.E. & El Salam, A.H.A. 1995. Biological control of pecan insects in New Mexico. *HortTechnology* 5(3): 230-233.
- Elliott, N.C. 1986. Studies of the parasites of the jack pine budworm: life history studies, hyperparasitism, and the application of time series analysis to the study of adult activity patterns. *Dissertation Abstracts International B Sciences and Engineering* 46(7) 1986: 2185.
- Elliott, N.C., Simmons, G.A. & Chilcote, C. 1986. Parasitism of early instar jack pine budworm (Lepidoptera: Tortricidae) by *Apanteles* spp. (Hymenoptera: Braconidae) and *Glypta fumiferanae* (Hymenoptera: Ichneumonidae). *Great Lakes Entomologist* 19(2): 67-72.
- Elliott, N.C., Simmons, G.A. & Drapek, R.J. 1986. Adult emergence and activity patterns of parasites of early instar jack pine budworm (Lepidoptera: Tortricidae). *Environmental Entomology* 15(2): 409-416.
- Elliott, N.C., Simmons, G.A. & Haynes, D.L. 1986. Mortality of pupae of jack pine budworm (Lepidoptera: Tortricidae) parasites and density dependence of hyperparasitism. *Environmental Entomology* 15(3): 662-668.
- Elliott, N.C., Reed, D.K., Nechols, J.R., Kieckhefer, R.W., Kindler, S.D., Flanders, R.V., French, B.W. & Arnold, D.C. 1992. Evaluating Russian wheat aphid parasitoids for establishment potential in the Great Plains. *Great Plains Agricultural Council Publication* 142: 160-163.
- Elliott, N.C., French, B.W., Burd, J.D., Kindler, S.D. & Reed, D.K. 1994. Parasitism, adult emergence, sex ratio, and size of *Aphidius colemani* (Hymenoptera: Aphidiidae) on several aphid species. *Great Lakes Entomologist* 27(3): 137-142.
- Elliott, N.C., French, B.W., Reed, D.K., Burd, J.D. & Kindler, S.D. 1994. Host species effects on parasitization by a Syrian population of *Diaeretiella rapae* M'Intosh (Hymenoptera: Aphidiidae). *Canadian Entomologist* 126(6): 1515-1517.
- Elliott, N.C., Reed, D.K., French, B.W. & Kindler, S.D. 1994. Aphid host effects on the biology of *Diaeretiella rapae*. *Southwestern Entomologist* 19(3): 279-284.
- Elliott, N.C., Burd, J.D., Armstrong, J.S., Walker, C.B., Reed, D.K. & Peairs, F.B. 1995. Release and recovery of imported parasitoids of the Russian wheat aphid in eastern Colorado. *Southwestern Entomologist* 20(2): 125-129.
- Elliott, N.C., Burd, J.D., Kindler, S.D. & Lee, J.H. 1995. Temperature effects on development of three cereal aphid parasitoids (Hymenoptera: Aphididae). *Great Lakes Entomologist* 28(3-4): 199-204.
- Elliott, N.C., Webster, J.A. & Kindler, S.D. 1999. Developmental response of *Lysiphlebus testaceipes* to temperature. *Southwestern Entomologist* 24(1): 1-4.
- Ellis, H.A. 1996. Observations on *Microplitis ocellatae*, Bouche (Braconidae: Microgastrinae), a gregarious endoparasitoid of the poplar hawkmoth caterpillar, *Laothoe populi* Linn. *Bulletin of the Amateur Entomologists' Society* 55(408): 199-202.
- Ellis, H.A. 1996. Observations on the copper underwing, *Amphipyra* sp. (Lepidoptera: Noctuidae) and the parasitoid *Microplitis ruricola* Lyle (Hymenoptera: Braconidae). *Vasculum* 81(2): 16-21.
- Ellis, H.A. 1998. The parasitoid *Glyptapanteles triangulator* (Braconidae: Microgastrinae) and the two pseudohyperparasitoids, *Lysibia nanus* and *Gelis agilis* (Ichneumonidae: Cryptinae) associated with the larva of the grass emerald moth, *Pseudoterpna pruinata atropunctaria* (Lepidoptera: Geometridae). *Bulletin of the Amateur Entomologists' Society* 57(421): 228-233.
- Ellis, H.A. 1999. The parasitoid *Aleiodes alternator* Nees (Braconidae: Rogadinae) and the pseudohyperparasitoid *Gelis areator* Panzer (Ichneumonidae: Cryptinae) associated with the larva of the vapourer moth *Orygia antiqua* L. (Lepidoptera: Lymantriidae). *Bulletin of the Amateur Entomologists' Society* 58(423): 43-46.
- Elmali, M. & Toros, S. 1994. Studies on the natural enemies of aphids damaging wheat plants in Konya province. *Turkiye III. Biyolojik Mucadele Kongresi Bildirileeri*, 25-28 Ocak 1994, Ege Universitesi Ziraat Fakultesi, Bitki Koruma Bolumu, Izmir 13-28.
- Elmali, M. 1997. *Sipha (Rungisia) elegans* in Konya Province of Turkey. *Annales Anpp.* 3(3): 903-910.
- Elsner, E.A. & Kriegel, R.D. 1989. Distribution and seasonal phenology of blueberry aphids (*Illinoia pepperi* (Macg.)) in Michigan. *Acta Horticulturae* 241: 330-332.
- Elst, I.F.A.M., Vernede, R. & Pak, G.A. 1991. Response of the parasitoid wasp *Cotesia glomerata* to odour cues from the host-habitat complex. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society* 2: 109-114.
- Elzen, G.W., O'Brien, P.J., Snodgrass, G.L. & Powell, J.E. 1987. Susceptibility of the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae) to field rates of selected cotton insecticides. *Entomophaga* 32(5): 545-550.
- Elzen, G.W., Williams, H.J., Vinson, S.B. & Powell, J.E. 1987. Comparative flight behavior of parasitoids *Camponotus sonorensis* and *Microplitis croceipes*. *Entomologia Experimentalis et Applicata* 45(2): 175-180.
- Elzen, G.W. & Powell, J.E. 1989. Mate finding and mating behaviour of *Microplitis croceipes*. *Southwestern Entomologist* 12: 49-52.
- Elzen, G.W., O'Brien, P.J. & Powell, J.E. 1989. Toxic and behavioral effects of selected insecticides on the *Heliothis* parasitoid *Microplitis croceipes*. *Entomophaga* 34: 87-94.
- Elzinga, J.A., Harvey, J.A. & Biere, A. 2003. The effects of host weight at parasitism on fitness correlates of the gregarious koinobiont parasitoid *Microplitis tristis* and consequences for food consumption by its host, *Hadena bicurvis*. *Entomologia Experimentalis et Applicata* 108(2): 95-106.
- Emana, G., Overholt, W.A., Kairu, E., MacOpiyo, L. & Zhou, G. 2002. Predicting the distribution of *Chilo partellus* (Swinhoe) and its parasitoid *Cotesia flavipes* Cameron in Ethiopia using correlation, step-wise regression and geographic information systems. *Insect Science and its Application* 22(2): 123-129.
- Emden, H.F. van, Sponagl, B., Wagner, E., Baker, T., Ganguly, S. & Douloupaka, S. 1996. Hopkins' 'host selection principle', another nail in its coffin. *Physiological Entomology* 21(4): 325-328.
- Emden, H. van 1997. A recipe for pest management exemplified by the cereal aphid *Metopolophium dirhodum*. *International conference on pests in agriculture*, 6-8 January 1997, at le Corum, Montpellier, France. Vol 3: 1131-1135.
- Emden, H.F. van & Kifle, A.T. 2002. Performance of the parasitoid *Aphidius colemani* when reared on *Myzus persicae* on a fully defined artificial diet. *BioControl* 47 (6): 607-616.
- Emden, H.F. van, Eletherianos, I., Rose, J., Douloupaka, S. & Pettersson, J. 2002. Aphid parasitoids detect that an alien plant was present nearby during their development. *Physiological Entomology* 27(3): 199-205.
- Emelyanov, I.M. & Goncharenko, G.G. 1991. Enzyme-linked assay determination of the parasitic pine lappet caterpillars *Dendrolimus pini* L. *Doklady, Biological Sciences* 316(1-6): 43-46.
- Engroff, B.W. & Watson, T.F. 1975. Influence of temperature on adult biology and population growth of *Bracon kirkpatricki*. *Annals of the Entomological Society of America* 68(6): 1121-1125.
- Enkegaard, A., Reitzel, J. & Bigler, F. 1991. A simple method for quality control of *Aphidoletes aphidimyza*, *Aphidius matricariae* and *Encarsia formosa*. *Fifth Workshop of the IOBC Global Working Group on Quality Control of Mass Reared Arthropods*, 102-110.

- Enkegaard, A., Brodsgaard, H.F. & Enkegaard, E. 2002.** "Resistance" towards biological control. Proceedings of the joint IOBC WPRS Working Group "Integrated Control in Protected Crops, Temperate Climate" and IOBC NRS "Greenhouse, Nursery, & Ornamental Landscape IPM Working Group" at Victoria (British Columbia), Canada, 6-9 May 2002. Bulletin OILB SROP 25(1): 65-68.
- Ent, L.J. van der & Shaw, S.R. 1998.** Species richness of Costa Rican Cenocoelini (Hymenoptera: Braconidae): a latitudinal and altitudinal search for anomalous diversity. *Journal of Hymenoptera Research* 7(1): 15-24.
- Ent, L.J. van der & Shaw, S.R. 1999.** A new species of *Capitonius* (Hymenoptera: Braconidae) from Costa Rica with rearing records. *Pan-Pacific Entomologist* 75(2): 112-120.
- Eqbal Ahmad, M. & Singh, R. 1994.** *Aphis gossypii* Glover on different food plants and its association with parasitoids and hyperparasitoids in northeastern Uttar Pradesh. *Annals of Entomology (Dehra Dun)* 12(1): 63-67.
- Eqbal Ahmad, M. & Singh, R. 1995.** Survey of parasitoids of aphids in northeastern Uttar Pradesh for possible use in biological control. *Annals of Entomology (Dehra Dun)* 13(2): 87-96.
- Eqbal Ahmad, M.D. & Singh, R. 1995.** First record of the aphix [aphid] parasitoid *Archaphidius greenideae* Starý & Schlinger (Hymenoptera: Aphidiidae) from India. *Entomon* 20(1): 63.
- Eqbal Ahmad, M. & Singh, R. 1996.** Records of aphid parasitoids from the north Bihar and associations with their hosts and food plants. *Journal of Advanced Zoology* 17(1): 26-33.
- Eqbal Ahmad, M. & Singh, R. 1997.** Tritrophic interaction of *Myzus persicae* (Sulzer) in northeastern Uttar Pradesh. *Journal of Aphidology* 6-7(1-2)(March, 1992-1993): 29-34.
- Eqbal Ahmad, M.D. & Singh, R. 1997.** Records of Macrosiphini of northeastern Uttar Pradesh and its relationship with food plants and natural enemies. *Journal of Aphidology* 9(1-2)(1995): 80-86.
- Erkin, E. & Kalaci, Z. 1987.** An investigation of the laboratory breeding of *Aphidius ervi* Haliday and *Aphidius eadyi* Starý, Gonzales and Hall (Hymenoptera: Aphidiidae). *Turkiye I. Entomoloji Kongresi Bildirileri*, 13-16 Ekim 1987, Ege Universitesi, Bornova, Izmir 543-552.
- Erlandson, M., Braun, L., Baldwin, D., Soroka, J., Ashfaq, M. & Hegedus, D. 2003.** Molecular markers for *Peristenus* spp. (Hymenoptera: Braconidae) parasitoids associated with *Lygus* spp. (Hemiptera: Miridae). *Canadian Entomologist* 135(1): 71-83.
- Ermolaev, V.P., Kandybina, M.N. & Tobias, V.I. 1980.** *Paeonia* pest *Macrotrypeta ortalidina* Ports. (Diptera: Tephritidae) and its parasite *Opius (Biosteres) paeoniae* Tobias, sp. n. *Entomologicheskoye Obozreniye* 59: 895-903. [Entomological Review 59(4): 143-150.].
- Eroglu, M. 1990.** Investigations on relations between *Meteorus versicolor* (Wesm.) (Hym.: Braconidae) and *Euproctis chrysorrhoea* (L.) (Lep.: Lymantriidae). Proceedings of the Second Turkish National Congress of Biological Control, 73-81.
- Escribano, A., Williams, T., Goulson, D., Cave, R.D. & Caballero, P. 2000.** Parasitoid-pathogen-pest interactions of *Chelonus insularis*, *Campoletis sonorensis*, and a nucleopolyhedrovirus in *Spodoptera frugiperda* larvae. *Biological Control* 19(3): 265-273.
- Escribano, A., Williams, T., Goulson, D., Cave, R.D., Chapman, J.W. & Caballero, P. 2001.** Consequences of interspecific competition on the virulence and genetic composition of a nucleopolyhedrovirus in *Spodoptera frugiperda* larvae parasitized by *Chelonus insularis*. *Biocontrol Science and Technology* 11(5): 649-662.
- Esenin, A.V. 1999.** Heavy metals in the trophic chain of xylobionts on the territory of the east Ural trail of radioactivity: 304-307. In: Krivolutskii, D.A. [ed.]. Bioindication of radioactive pollution. [Bioindikatsiya radioaktivnykh zagryaznenii.] Nauka, Moskva 1999: 1-384.
- Es-kafi, F.M. 1990.** Parasitism of fruit flies *Ceratitis capitata* and *Anastrepha* spp. (Diptera: Tephritidae) in Guatemala. *Entomophaga* 35(3): 355-362.
- Eslin, P. & Prevost, G. 1996.** Variation in *Drosophila* concentration of haemocytes associated with different ability to encapsulate *Asobara tabida* larval parasitoid. *Journal of Insect Physiology* 42(6): 549-555.
- Eslin, P., Giordanengo, P., Fourdrain, Y. & Prevost, G. 1996.** Avoidance of encapsulation in the absence of VLP by a braconid parasitoid of *Drosophila* larvae: an ultrastructural study. *Canadian Journal of Zoology* 74(12): 2193-2198.
- Eslin, P., Prevost, G., Pennacchio, F., Bradleigh-Vinson, S. & Lanzrein, B. 1998.** Hemocyte load and immune resistance to *Asobara tabida* are correlated in species of the *Drosophila melanogaster* subgroup. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 807-816.
- Eslin, P. & Prevost, G. 2000.** Racing against host's immunity defenses: a likely strategy for passive evasion of encapsulation in *Asobara tabida* parasitoids. *Journal of Insect Physiology* 46(8): 1161-1167.
- Espelie, K.E. & Brown, J.J. 1990.** Cuticular hydrocarbons of species which interact on four trophic levels: apple, *Malus pumila* Mill., codling moth, *Cydia pomonella* L., a hymenopteran parasitoid, *Ascogaster quadridentata* Wesmael, and a hyperparasite, *Perilampus fulvicornis* Ashmead. *Comparative Biochemistry and Physiology B Comparative Biochemistry* 95(1) 1990: 131-136.
- Evans, A.A., Barratt, B.I.P. & Chapman, R.B. 1997.** Feeding by *Sitona discoideus* after exposure to the parasitoid *Microctonus aethiopoidea*. Proceedings of the New Zealand Plant Protection Conference 50: 47-50.
- Evans, A.A., Barratt, B.I.P. & Emberson, R.M. 1997.** Field cage and laboratory parasitism of *Nicaeana cervina* by *Microctonus aethiopoidea*. Proceedings of the New Zealand Plant Protection Conference 50: 223-226.
- Evans, H.E. 1987.** Order Hymenoptera: 597-710. In: Stehr, F.W. [ed.]. Immature insects. Dubuque, Iowa 1987: i-xiv, 1-754.
- Evans, R. 1988.** A common bracket fungus and its inhabitants. Norfolk Natterjack No. 21 1988: 4.
- Evans, R. 1988.** Fruit flies from fungi. Norfolk Natterjack No. 21: 3.
- Eveleigh, E.S., Pollock, S.J., Goulet, H. & Huber, J. 2003.** Identification of cocoons of *Apanteles* and *Dolichogenidea* (Hymenoptera: Braconidae) species attacking *Choristoneura fumiferana* (Lepidoptera: Tortricidae) and associated Microlepidoptera. *Canadian Entomologist* 135: 677-684.
- Evenhuis, H.H. 1964.** The interrelations between apple aphids and their parasites and hyperparasites. *Entomophaga* 9(3): 227-231.
- Evenhuis, H.H. 1968.** The natural control of the apple-grass aphid, *Rhopalosiphum insertum*, with remarks on the control of apple aphids in the Netherlands in general. *Netherlands Journal of Plant Pathology* 74: 106-117.
- Evenhuis, H.H. 1969.** Two *Ascogaster* species (Hymenoptera, Braconidae) parasites of leafrollers (Lepidoptera, Tortricidae) in apple orchards, with different host selection. *Entomologische Berichten, Amsterdam* 29: 159-160.
- Evenhuis, H.H. & Vlug, H.J. 1973.** Over twee *Apanteles*-soorten (Hymenoptera, Braconidae) als parasieten van bladrollers (Lepidoptera, Tortricidae) van appel. *Entomologische Berichten, Amsterdam* 33: 86-90.
- Evenhuis, H.H. & Vlug, H.J. 1983.** The Hymenopterous parasites of leaf-feeding apple Tortricids (Lepidoptera, Tortricidae) in the Netherlands. *Tijdschrift voor Entomologie* 126(6): 109-135.
- Fabre, J.P. & Rabasse, J.M. 1987.** Introduction dans le Sud-Est de la France d'un parasite *Pauesia cedrobii* (Hym.: Aphidiidae) du

- pucceron *Cedrobium laportei* (Hom. Lachnidae) du cèdre de l'Atlas *Cedrus atlantica*. Entomophaga 32: 127-141.
- Fabre, J.P. 1989.** Rearing of *Pauesia cedrobii* (Hym.: Aphidiidae), a parasitoid of the Atlas cedar aphid: *Cedrobium laportei* (Hom.: Lachnidae). Entomophaga 34(3): 381-389.
- Fabritius, K. 1983.** Larval and pupal parasitoids of *Musca domestica* L. (Diptera: Muscidae). (in Romanian with English summary) Studii si Cercetari de Biologie Seria Zoologie 35(2): 82-88.
- Fabritius, K. 1990.** Entomophages parasitizing larvae and pupae of synanthropic flies. (in Romanian with English summary) In: Anon. "[Papers from the symposium on entomophages and their role in preserving the natural balances.]" University Al. I. Cuza, Iasi 156 pp. 23-30.
- Fabritius, K. & Klunker, R. 1991.** Merkblätter über angewandte Parasitenkunde und Schädlingsbekämpfung. Merkblatt Nr. 32. Die Larven- und Puparienparasitoiden von synanthropen Fliegen in Europa. Angewandte Parasitologie 32(1)(Supplement): 1-24.
- Faccoli, M. 2000.** Bio-ecology of bark beetles *Ips typographus* (L.) and species recently affecting the Italian forests. Part II. Natural factors limiting the spruce bark beetle *Ips typographus* with special attention to its parasitoids. Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna 54: 35-54.
- Faccoli, M. 2001.** Breeding tests of *Coeloides bostrychorum* Giraud (Hymenoptera: Braconidae), a larval parasitoid of *Ips typographus* (L.) (Coleoptera: Scolytidae). Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" 57: 135-143.
- Faccoli, M. 2001.** *Tomicobia seitneri*, *Ropalophorus clavicornis* and *Coeloides bostrychorum*: three hymenopterous parasitoids of *Ips typographus* new to Italy (Hymenoptera: Pteromalidae, Braconidae, Coleoptera: Scolytidae). Bollettino della Società Entomologica Italiana 133(3): 237-246.
- Faccoli, M. 2002.** Winter mortality in sub-corticolous populations of *Ips typographus* (Coleoptera: Scolytidae) and its parasitoids in the south-eastern Alps. Anzeiger für Schädlingskunde 75(3): 62-68.
- Faccoli, M. & Henry, C.J. 2003.** Host location by chemical stimuli in *Bracon hyllobii* (Ratzeburg) (Hymenoptera: Braconidae), a larval parasitoid of *Hyllobius abietis* (L.) (Coleoptera: Curculionidae). Annales de la Société Entomologique de France 39(3): 247-256.
- Facknath, S., Singh, R.P. & Saxena, R.C. 1999.** Application of neem extract and intercropping for the control of cabbage pests in Mauritius. *Azadirachta indica* A. Juss: 165-175.
- Fadamiro, H.Y. & Heimpel, G.E. 2001.** Effects of partial sugar deprivation on lifespan and carbohydrate mobilization in the parasitoid *Macrocentrus grandii* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 94(6): 909-916.
- Falabella, P., Tremblay, E. & Pennacchio, F. 2000.** Host regulation by the aphid parasitoid *Aphidius ervi*: the role of teratocytes. Entomologia Experimentalis et Applicata 97(1): 1-9.
- Falabella, P., Varricchio, P., Gigliotti, S., Tranfaglia, A., Pennacchio, F. & Malva, C. 2003.** *Toxoneuron nigriceps* polydnavirus encodes a putative aspartyl protease highly expressed in parasitized host larvae. Insect Molecular Biology 12(1): 9-17.
- Falcó, J.V. & Jiménez, R. 1988.** New data on the Doryctinae (Hym.: Braconidae) of the province of Valencia. Boletín de la Asociación Española de Entomología 12: 45-50.
- Falcó, J.V., Luna, F. & Jiménez, R. 1990.** Parasitical complex of *Lymantria dispar* L. in the Sierra Espadá, Castellón (Lepidoptera: Lymantriidae). Boletín de la Asociación Española de Entomología 14: 261-267.
- Falcó, J.V., Moreno, J. & Jiménez, R. 1993.** Data on Iberian Ciclostomines: I. Braconinae (Hymenoptera: Braconidae). Boletín de la Asociación Española de Entomología 17(1): 71-90.
- Falcó, J.V., Moreno, J. & Jiménez, R. 1993.** Data on Spanish Ciclostomi: II. Doryctinae (Hymenoptera: Braconidae). Boletín de la Asociación Española de Entomología 17(2): 65-75.
- Falcó, J.V., Moreno, J. & Jiménez, R. 1996.** New data about the Exothecinae, Hormiinae, Pambolinae and Rhyssalinae of Spain (Hymenoptera, Braconidae). Bulletin de la Société Entomologique de France 101(4): 351-355.
- Falcó, J.V., Moreno, J. & Jiménez, R. 1997.** Some data about the Spanish Ciclostomi: 3. Rogadinae s. str. (Hymenoptera: Braconidae). Boletín de la Asociación Española de Entomología 21(1-2): 55-64.
- Falcó, J.V. & Quicke, D.L.J. 1997.** The genus *Curriea* in Europe and the Canary Islands (Hymenoptera: Braconidae: Braconinae). European Journal of Entomology 94(4): 547-552.
- Falcó, J.V., Perez, M., Santiago, S., Hermoso de Mendoza, A. & Beitia, F. 2003.** Rearing methods of two braconid parasitoids used in the biological control of *Ceratitis capitata*. IOBC WPRS Bulletin 26(6): 99-102.
- Falloon, T. & Hogarth, D.M. 2001.** Evaluation of the biological control program against sugar cane stalk borer, *Diatraea saccharalis* F., after two decades of field establishment of *Cotesia flavipes* (Cameron) in Jamaica. International Society of Sugar Cane Technologists. Proceedings of the XXIV Congress, Brisbane, Australia, 17-21 September 2001. Vol 2: 366-369.
- Falloon, T. 1988.** Stalk borer damage levels as a measure of the impact of the biological control programme against *Diatraea saccharalis* (F.) in Jamaica. Journal of the Jamaican Association of Sugar Technologists 39: 35-38.
- Fan, S.H. & Ho, K.K. 1971.** A preliminary study on the life history, rearing method of *Apanteles plutellae* and the effects of different insecticides to it. Plant Protection Bulletin. Chung-hua Chih Wu Pao Hu Hseuh Hui 13: 156-161.
- Faradzheva, S.A. & Gumbatov, O.M. 1995.** The braconid wasp *Habrobracon hebetor*: its rearing and application. Zashchita Rastenii (Moscow) 3: 16-17.
- Farghaly, H.T. & Ragab, Z.A. 1984.** Relationship between relative humidity and adult biology of *Bracon hebetor* Say. Bulletin de la Société Entomologique d'Égypte 0(65): 131-136.
- Farghaly, H.T. & Ragab, Z.A. 1993.** Effect of low-temperature storage on pupae of *Bracon hebetor* Say. (Hymenoptera: Braconidae). Bulletin of Faculty of Agriculture, University of Cairo 44(3): 697-706.
- Farias, A.M.I. de & Hopper, K.R. 1997.** Responses of female *Aphelinus asychis* (Hymenoptera: Aphelinidae) and *Aphidius matricariae* (Hymenoptera: Aphidiidae) to host and plant-host odors. Environmental Entomology 26(4): 989-994.
- Farias, A.M.I. de & Hopper, K.R. 1999.** Oviposition behavior of *Aphelinus asychis* (Hymenoptera: Aphelinidae) and *Aphidius matricariae* (Hymenoptera: Aphidiidae) and defense behavior of their host *Diuraphis noxia* (Homoptera: Aphididae). Environmental Entomology 28(5): 858-862.
- Farid, A., Johnson, J.B., Shafii, B. & Quisenberry, S.S. 1998.** Trophic studies of Russian wheat aphid, a parasitoid, and resistant and susceptible wheat over three parasitoid generations. Biological Control 12(1): 1-6.
- Farid, A., Quisenberry, S.S., Johnson, J.B. & Shafii, B. 1998.** Impact of wheat resistance on Russian wheat aphid and a parasitoid. Journal of Economic Entomology 91(1): 334-339.
- Farkas, R., Wache, S. & Jones, D. 1999.** Uncoupling of sequential heteromorphic developmental programs. Archives of Insect Biochemistry and Physiology 40(1): 1-16.
- Farooqi, S.I. & Dey, D. 1999.** Biosystematic studies on the hymenopterous parasitoids associated with *Helicoverpa armigera* (Hübner) from India-I (Family: Braconidae). Shashpa 6(2): 105-113.
- Farrar, N. & Chou, L.Y. 2000.** Introduction of *Fopius carpomyiae* (Silvestri, 1916) (Braconidae: Opiinae), as a parasitoid of ber

- fruitfly larvae *Carpomya vesuviana* Costa (Tephritidae), in Iran. Applied Entomology and Phytopathology 67(1-2): 100, 27-28.
- Farrar, R.R. Jr., Barbour, J.D. & Kennedy, G.G. 1994.** Field evaluation of insect resistance in a wild tomato and its effects on insect parasitoids. Entomologia Experimentalis et Applicata 71(3): 211-226.
- Farrell, J.A. & Stufkens, M.W. 1988.** Abundance of the rose-grain aphid *Metopolophium dirhodum*, on barley in Canterbury, New Zealand, 1984-87. New Zealand Journal of Zoology 15(4) 1988: 499-505.
- Farrell, J.A. & Stufkens, M.W. 1990.** The impact of *Aphidius rhopalosiphii* (Hymenoptera: Aphidiidae) on populations of the rose grain aphid (*Metopolophium dirhodum*) (Hemiptera: Aphididae) on cereals in Canterbury, New Zealand. Bulletin of Entomological Research 80(4): 377-383.
- Fathpour, H. & Dahlman, D.L. 1995.** Polydnavirus of *Microplitis croceipes* prolongs the larval period and changes hemolymph protein content of the host, *Heliothis virescens*. Archives of Insect Biochemistry and Physiology 28(1): 33-48.
- Faulds, W. 1990.** Introduction into New Zealand of *Bracon phylacteophagus*, a biocontrol agent of *Phylacteophaga froggatti*, eucalyptus leaf-mining sawfly. New Zealand Journal of Forestry Science 20(1): 54-64.
- Faulds, W. 1990.** Offspring sex ratios of *Bracon phylacteophagus* as influenced by host size and maternal age. New Zealand Journal of Forestry Science 20(3): 290-294.
- Faulds, W. 1991.** Spread of *Bracon phylacteophagus*, a biocontrol agent of *Phylacteophaga froggatti*, and impact on host. New Zealand Journal of Forestry Science, publ. 1992, 21(2-3): 185-193.
- Feder, J.L. 1995.** The effects of parasitoids on sympatric host races of *Rhagoletis pomonella* (Diptera: Tephritidae). Ecology 76(3): 801-813.
- Federici, B.A. 1991.** Viewing polydnaviruses as gene vectors of endoparasitic Hymenoptera. Redia 74(3): 387-392.
- Federici, B. A. & Bigot, Y. 2003.** Origin and evolution of polydnaviruses by symbiogenesis of insect DNA viruses in endoparasitic wasps. Journal of Insect Physiology 49(5): 419-432.
- Fei, H.X., Zhang, X.X. & Wei, Y.B. 1992.** Population fluctuation and its simulation model of *Apanteles cypris* (Hym.: Braconidae). Chinese Journal of Biological Control 8(1): 46-47.
- Felkl, G., Brodsgaard, H.F., Hansen, L.M. & Lovei, G.L. 2001.** Developing a test system for evaluating environmental risks of transgenic plants: the parasitoid module. 18th Danish Plant Protection Conference. IV. Abstracts from poster session. DJF Rapport, Markbrug 42: 75-76.
- Fellowes, M.D.E. & Kraaijeveld, A.R. 1998.** Coping with multiple enemies—the evolution of resistance and host-parasitoid community structure. Ecology Letters 1(1): 8-10.
- Fellowes, M.D.E., Masnatta, P., Kraaijeveld, A.R. & Godfray, H.C.J. 1998.** Pupal parasitoid attack influences the relative fitness of *Drosophila* that have encapsulated larval parasitoids. Ecological Entomology 23(3): 281-284.
- Fellowes, M.D.E., Kraaijeveld, A.R. & Godfray, H.C.J. 1999.** Association between feeding rate and parasitoid resistance in *Drosophila melanogaster*. Evolution 53(4): 1302-1305.
- Fellowes, M.D.E., Kraaijeveld, A.R. & Godfray, H.C.J. 1999.** Cross-resistance following artificial selection for increased defense against parasitoids in *Drosophila melanogaster*. Evolution 53(3): 966-972.
- Fellowes, M.D.E., Kraaijeveld, A.R. & Godfray, H.C.J. 1999.** The relative fitness of *Drosophila melanogaster* (Diptera: Drosophilidae) that have successfully defended themselves against the parasitoid *Asobara tabida* (Hymenoptera: Braconidae). Journal of Evolutionary Biology 12(1): 123-128.
- Fellowes, M. & Hutcheson, K. 2001.** Flies in the face of adversity. Biologist (London) 48(2): 75-78.
- Felton, G.W. & Dahlman, D.L. 1984.** Nontarget effect of a fungicide: toxicity of maneb to the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). Journal of Economic Entomology 77(4): 847-850.
- Feltwell, J.S.E. 1982.** Observations on Lepidoptera in the Cevennes, Easter 1981. Entomologist's Record and Journal of Variation 94(7-8): 134-138.
- Feng, C., Dai, H. & Fu, W. 2002.** The activity and tissue specificity of antioxidant enzymes in larvae of *Ostrinia furnacalis* (Guenée) parasitized by *Macrocentrus cingulum* Brischke. Nanjing Non-gye Daxue Xuebao 25(3): 31-35.
- Feng, H.T. & Wang, T.C. 1984.** Selectivity of insecticide to *Plutella xylostella* (L.) and *Apanteles plutellae* Kurd. Plant Protection Bulletin 26: 275-284.
- Feng, J.G., Shi, G.S., Tao, X., Zhang, Y. & Jiang, S.Y. 1987.** Biology of *Macrocentrus linearis* (Nees) and its use against Asian corn borer, *Ostrinia furnacalis*. (in Chinese with English summary) Chinese Journal of Biological Control 3(3): 102-105.
- Feng, J.H., Yan, G.Z., Yao, D.F., Li, G.W. & Zhao, Z.L. 1999.** Studies on insect natural enemy diversity of gypsy moth and their role in natural control of the pest (Lepidoptera: Lymantriidae) in the Beijing area. Scientia Silvae Sinicae 35(2): 50-56.
- Feng, M.G., Johnson, J.B. & Halbert, S.E. 1991.** Natural control of cereal aphids (Homoptera: Aphididae) by entomopathogenic fungi (Zygomycetes: Entomophthorales) and parasitoids (Hymenoptera: Braconidae and Encyrtidae) on irrigated spring wheat in southwestern Idaho. Environmental Entomology 20(6): 1699-1710.
- Feng, M.G. & Nowierski, R.M. 1992.** Spatial patterns and sampling plans for cereal aphids (Hom.: Aphididae) killed by entomophthorean fungi and hymenopterous parasitoids in spring wheat. Entomophaga 37(2): 265-275.
- Feng, M.G., Johnson, J.B. & Halbert, S.E. 1992.** Parasitoids (Hymenoptera: Aphidiidae and Aphelinidae) and their effect on aphid (Homoptera: Aphididae) populations in irrigated grain in southwestern Idaho. Environmental Entomology 21(6): 1433-1440.
- Feng, M.G., Johnson, J.B., Nowierski, R.M. & Halbert, S.E. 1992.** Population trends and biological aspects of cereal aphids (Homoptera: Aphididae), and their natural mortality factors on winter wheat in southwestern Idaho. Pan Pacific Entomologist 68(4): 248-260.
- Feng, M.G., Nowierski, R.M. & Zeng, Z. 1993.** Populations of *Sitobion avenae* and *Aphidius ervi* on spring wheat in the northwestern United States. Spatial distribution and sequential sampling plans based on numerical and binomial counts. Entomologia Experimentalis et Applicata 67(2): 109-117.
- Ferguson, C.M., Roberts, G.M., Barratt, B.I.P., Evans, A.A. & Popay, A.J. 1994.** The distribution of the parasitoid *Microctonus aethiopoides* Loan (Hymenoptera: Braconidae) in southern South Island *Sitona discoideus* Gyllenhal (Coleoptera: Curculionidae) populations. Proceedings of the Forty Seventh New Zealand Plant Protection Conference, Waitangi Hotel, New Zealand, 9-11 August 1994. 261-265.
- Ferguson, C.M., Evans, A.A., Barratt, B.I.P. & Phillips, C.B. 1997.** Establishment and dispersal of *Microctonus hyperodae* Loan (Hymenoptera: Braconidae) in Otago and Southland. Proceedings of the New Zealand Plant Protection Conference, 50: 41-46.
- Ferguson, K.I. & Stiling, P. 1996.** Non-additive effects of multiple natural enemies on aphid populations. Oecologia 108(2): 375-379.
- Ferkovich, S.M. & Dillard, C.R. 1986.** A study of uptake of radio-labeled host proteins and protein synthesis during development of eggs of the endoparasitoid, *Microplitis croceipes* (Cresson) (Braconidae). Insect Biochemistry 16: 337-345.
- Ferkovich, S.M. & Dillard, C.R. 1990.** Effects of female wasp accessory secretions, host fat body, and host hemolymph on

- protein synthesis and egg viability in *Microplitis croceipes* (Braconidae). Archives of Insect Biochemistry and Physiology 14(2): 111-120.
- Ferkovich, S.M., Dillard, C. & Oberlander, H. 1991.** Stimulation of embryonic development in *Microplitis croceipes* (Braconidae) in cell culture media preconditioned with a fat body cell line derived from a nonpermissive host, gypsy moth, *Lymantria dispar*. Archives of Insect Biochemistry and Physiology 18(3): 169-175.
- Ferkovich, S.M., Greany, P.D. & Dillard, C.R. 1983.** Changes in haemolymph proteins of the fall armyworm, *Spodoptera frugiperda* (J.E. Smith), associated with parasitism by the braconid parasitoid *Cotesia marginiventris* (Cresson). Journal of Insect Physiology 29(12): 933-942.
- Ferkovich, S.M., Oberlander, H., Dillard, C. & Leach, E. 1994.** Embryonic development of an endoparasitoid, *Microplitis croceipes* (Hymenoptera: Braconidae) in cell line-conditioned media. Phytopathology 84(9): 279-282.
- Ferkovich, S.M. & Blumberg, D. 1995.** Acceptance of six atypical host species for oviposition by *Microplitis croceipes* (Hymenoptera: Braconidae). Israel Journal of Entomology 29: 123-131.
- Fernandes, A.M.V., Farias, A.M.I., Faria, C.A. de & Tavares, M.T. 2000.** *Aphelinus gossypii* Timberlake (Hymenoptera: Aphelinidae) attacking *Aphis gossypii* Glover (Homoptera: Aphididae) on cotton plants in Brazil. Anais da Sociedade Entomologica do Brasil 29(4): 831-834.
- Fernandes, O.A., Wright, R.J., Baumgarten, K.H. & Mayo, Z.B. 1997.** Use of rubidium to label *Lysiphlebus testaceipes* (Hymenoptera: Braconidae), a parasitoid of greenbugs (Homoptera: Aphididae), for dispersal studies. Environmental Entomology 26(5): 1167-1172.
- Fernandes, O.A., Wright, R.J. & Mayo, Z.B. 1998.** Parasitism of greenbugs (Homoptera: Aphididae) by *Lysiphlebus testaceipes* (Hymenoptera: Braconidae) in grain sorghum: implications for augmentative biological control. Journal of Economic Entomology 91(6): 1315-1319.
- Fernandes, W.D., Patel, P.N., Habib, M.E.M. & Carvalho, S.L. de 2000.** Response of *Bracon vulgaris* Ashmead (Hymenoptera: Braconidae) to macerates of different cotton plant tissues, exposed in two ways as cues for parasitism. Revista de Agricultura Piracicaba 75(1): 41-53.
- Fernandes, W.D., Habib, M.E.M., Patel, P.N. & Carvalho, S.L. de 2002.** Preference of *Bracon vulgaris* and adequacy of some hosts under laboratory conditions. Revista de Agricultura Piracicaba 77(1): 39-56.
- Fernandez, B.R.I. & Teran, B.J.B. 1990.** Biology of *Meteorus laphygmae*. Revista de la Facultad de Agronomia, Universidad Central de Venezuela 16(3-4): 199-206.
- Fernandez, B.R.I. & Teran, B.J.B. 1990.** Biology of *Meteorus laphygmae* Viereck (Hymenoptera: Braconidae). Part I: egg, larval and pupal stages. Revista de la Facultad de Agronomia, Universidad Central de Venezuela 16(3-4): 177-198.
- Fernandez, P.F.B. 2000.** The employment of biological and non-chemical alternatives for insect pest control in sugarcane crops in Costa Rica. International Sugar Journal 102(1221): 482-490.
- Ferran, A. & Daumal, J. 1973.** Consequences sur les larves d'*Anagasta kuhniella* Zeller (Lep.: Phycitidae) de l'élimination précoce par le froid de son endoparasite *Phanerotoma flavitestacea* Fischer (Hym.: Braconidae). Comptes Rendus de l'Académie des Sciences. Paris. (D)277: 869-872.
- Ferran, A. & Laforge, J.P. 1974.** Influence de la suppression de la phase sarcophage dans l'alimentation larvaire de *Phanerotoma flavitestacea* Fischer (Hym.: Braconidae) sur la morphologie et le potentiel de reproduction des adultes. Annales de Zoologie Ecologie Animale 6(4): 497-503.
- Ferran, A. & Laforge, J.P. 1974.** Mise en évidence d'une action toxique des sécrétions ovariennes des femelles d'un insecte entomophage, *Phanerotoma flavitestacea* Fischer (Hym. Braconidae) sur les larves de son hôte, *Anagasta kuehniella* Zeller (Lep.: Phycitidae). Comptes Rendus de l'Académie des Sciences 279D: 1341-1344.
- Ferrari, J., Muller, C.B., Kraaijeveld, A.R. & Godfray, H.C.J. 2001.** Clonal variation and covariation in aphid resistance to parasitoids and a pathogen. Evolution 55(9): 1805-1814.
- Ferrari, R. & Burgio, G. 1994.** Aphid parasitoids. Informatore Fitopatologico 44(1): 25-30.
- Ferrari, R. & Burgio, G. 1996.** Primary and secondary parasitoids of *Aphis gossypii* Glover on primary and secondary hosts (*Hibiscus syriacus* L. and *Citrullus lanatus* Thunb.), in Bologna and Ferrara provinces (Italy). Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna 50: 57-71.
- Ferrari, R. & Nicoli, G. 1994.** Life cycle and natural enemies of *Aphis gossypii* Glover: first observations. Informatore Fitopatologico 44(5): 59-62.
- Ferrari, R. 1987.** Research and experiments with a new active insecticide compound. Redia 70: 151-164.
- Ferrer, F. & Guedez, E. 1990.** Production costs of the Amazonian fly *Metagonistylum minense* Townsend (Diptera: Tachinidae) and *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) in Venezuela. Cana de Azúcar 8(2): 59-73.
- Ferrer, F. 2001.** Biological control of agricultural insect pests in Venezuela, advances, achievements, and future perspectives. Biocontrol News and Information 22(3): 67-74.
- Ferronato, E.M. & Becker, M. 1984.** Abundance and complex of parasitoids of *Plutella xylostella* (Lepidoptera: Plutellidae) in *Brassica oleracea* var. *acephala*. Anais da Sociedade Entomologica do Brasil 13(2): 261-278.
- Fiedler, K., Krug, E. & Proksch, P. 1993.** Complete elimination of hostplant quinolizidine alkaloids by larvae of a polyphagous lycaenid butterfly, *Callophrys rubi*. Oecologia 94(3): 441-445.
- Fiedler, K., Seufert, P., Pierce, N.E., Pearson, J.G. & Baumgarten, H.T. 1992.** Exploitation of lycaenid-ant mutualisms by braconid parasitoids. Journal of Research on the Lepidoptera 31(3-4): 153-168.
- Field, S.A. & Keller, M.A. 1993.** Alternative mating tactics and female mimicry as post-copulatory mate-guarding behaviour in the parasitic wasp *Cotesia rubecula*. Animal Behaviour 46(6): 1183-1189.
- Field, S.A. & Keller, M.A. 1993.** Courtship and intersexual signaling in the parasitic wasp *Cotesia rubecula* (Hymenoptera: Braconidae). Journal of Insect Behavior 6(6): 737-750.
- Field, S.A. & Keller, M.A. 1994.** Localization of the female sex pheromone gland in *Cotesia rubecula* Marshall (Hymenoptera: Braconidae). Journal of Hymenoptera Research 3: 151-156.
- Figg, D.E., Hall, R.D. & Thomas, G.D. 1982.** Bucrophilous pasture flies and associated insect parasites in central Missouri. Journal of the Kansas Entomological Society 55(3): 476.
- Figg, D.E., Hall, R.D. & Thomas, G.D. 1983.** Host range and eclosion success of the parasite *Aphaereta pallipes* (Hymenoptera: Braconidae) among dung-breeding Diptera in central Missouri. Environmental Entomology 12: 993-995.
- Figg, D.E., Hall, R.D. & Thomas, G.D. 1983.** Insect parasites associated with Diptera developing in bovine dung pats on central Missouri pastures. Environmental Entomology 12(3): 961-966.
- Figueiredo, D. & Araujo, J. 1985.** Variacao da taxa de parasitismo de *Pieris brassicae* L. (Lepidoptera, Pieridae) no sul de Portugal. Actas do Congresso Iberico de Entomologia 2(4) 1985: 297-306. [1987, Evaluation of parasitism in *Pieris brassicae* (Lepidoptera: Pieridae) in southern Portugal.] Boletim da Sociedade Portuguesa de Entomologia. suppl. 1: 297-306.

- Figueiredo, D. & Araujo, J. 1987.** Cabbage (*Brassica oleracea* L.) entomofauna. Boletim da Sociedade Portuguesa de Entomologia 3-12(82): 1-14.
- Figueiredo, E., Mexia, A., Albajes, R. & Sekeroglu, E. 2000.** Parasitoid complex associated with Lepidoptera on horticultural protected crops in the Oeste region of Portugal. IOBC WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate". Proceedings of the meeting, Antalya, Turkey, 24-28 April 2000. Bulletin OILB SROP 23(1): 205-208.
- Figueiredo, R.A. de & Queiroz, J.M. de 1993.** Herbivory on an ornamental fig by a neotropical moth. Journal of the Elisha Mitchell Scientific Society 109(4): 197-199.
- Figuroa de la Rosa, J.I. & Romero Napoles, J. 2002.** *Ctenocolum janzeni* Kingsolver & Whitehead (Coleoptera: Bruchidae) new host for *Urosigalphus (Bruchiurosigalphus) mimosestes* Gibson (Hymenoptera: Braconidae) in Sierra de Huautla reserve, Morelos, Mexico. Acta Zoologica Mexicana Nueva Serie 85: 189-190.
- Filippenkova, V.V. 1971.** Parasites of trunk pest of pine in forests of Middle Volga. Entomologicheskoye Obozreniye 50: 763-769. [Entomological Review 433-437].
- Fimiani, P. 1982.** Aspetti biologici del *Dacus oleae* (Gmel.) in Campania. Frustula Entomologica 4 (1981): 93-97.
- Findlay, J.B.R. 1975.** Biological and cultural control of the potato tuber moth in table potatoes. Proceedings of the First Congress of the Entomological Society of Southern Africa 1974. pp. 147-150.
- Fink, U. & Völkl, W. 1995.** The effect of abiotic factors on foraging and oviposition success of the aphid parasitoid, *Aphidius rosae*. Oecologia 103(3): 371-378.
- Finlayson, T. 1964.** The final-instar larva of *Bracon nuperus* Cress. (Hymenoptera: Braconidae). Canadian Entomologist 96(11): 1470-1471.
- Finlayson, T. 1967.** Taxonomy of final-instar larvae of the Hymenopterous and Dipterous parasites of *Acrobasis* spp. (Lepidoptera: Phycitidae) in the Ottawa region. Canadian Entomologist 99: 1233-1271.
- Finlayson, T. 1969.** Final-instar larvae of two Hymenopterous parasites of a wood-boring beetle, *Tetropium velutinum* Le Conte (Col., Cerambycidae). Journal of the Entomological Society of British Columbia 66: 62-65.
- Finlayson, T. & Hagen, K.S. 1979.** Final-instar larvae of parasitic Hymenoptera. Simon Fraser University. Pest Management Papers No. 10. 1-111.
- Finlayson, T. 1990.** The systematics and taxonomy of final-instar larvae of the family Aphidiidae (Hymenoptera). Memoirs of the Entomological Society of Canada 152: 74 pp.
- Fischer, H.Z. & Patel, P.N. 1993.** Population fluctuation and behaviour of butterflies (Lepidoptera: Lasiocampidae) and their parasitoids (Hymenoptera and Diptera) on avocado (*Persea americana*). Revista de Biología Tropical, publ. 1994, 41(3A): 515-519.
- Fischer, M. 1964.** Über Opiinae (Hymenoptera: Braconidae) der westlichen Palearktis. Annalen des Naturhistorischen Museums in Wien 67: 409-433.
- Fischer, M. 1964.** Die Opiinae der nearktischen Region (Hymenoptera: Braconidae). I. Teil. Polskie Pismo Entomologiczne 34: 197-530.
- Fischer, M. 1964.** Die Opiinae Dänemarks (Hym.: Braconidae). Entomologische Meddelelser 32: 236-260.
- Fischer, M. 1964.** Gezüchtete Opiinae aus dem Zoologischen Museum der Humboldt-Universität zu Berlin (Hym., Braconidae). Zeitschrift für angewandte Entomologie 55: 55-70.
- Fischer, M. 1964.** Neue *Opius*-Arten aus Costa Rica. Acta Zoologica Academiae Scientiarum Hungaricae 10: 85-100.
- Fischer, M. 1964.** Neue *Opius*-Arten aus der äthiopischen Region (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 16(1-3): 83-94.
- Fischer, M. 1964.** Revision der neotropischen Opiinae (Hymenoptera, Braconinae). Reichenbachia 3: 1-67.
- Fischer, M. 1964.** Zwei neue gezüchtete Braconiden (Hymenoptera). Entomophaga 9(1): 39-44.
- Fischer, M. 1965.** Eine neue *Apanteles*-Art aus dem Burgenland. Nachrichtenblatt der Bayerischen Entomologen 14: 121-123.
- Fischer, M. 1965.** Ber neotropische Opiinae (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 68: 407-441.
- Fischer, M. 1965.** Die Opiinae der Nearktischen Region (Hymenoptera: Braconidae). II. Teil. Polskie Pismo Entomologiczne 35: 3-212.
- Fischer, M. 1965.** Neue neotropische *Opius*-Arten (Hymenoptera: Braconidae). Reichenbachia 4: 271-313.
- Fischer, M. 1965.** Neue *Opius*-Arten aus der Ethiopischen Region (Hymenoptera: Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 17(1-2): 1-4.
- Fischer, M. 1965.** Neue *Opius*-Arten aus Peru. Mitteilungen Münchener Entomologischen Gesellschaft 55: 214-243.
- Fischer, M. 1965.** Zwei neue Opiinen-Gattungen aus dem Kongo. 1. Beitrag über die Opiinae des Musée Royal de l'Afrique Centrale (Hymenoptera: Braconidae). Revue de Zoologie et de Botanique Africaines 71(3-4): 309-323.
- Fischer, M. 1966.** *Aspilodemon*, ein neues Opiinen-Genus aus Brasilien (Hymenoptera: Braconidae). Entomophaga 11: 161-176.
- Fischer, M. 1966.** Über gezüchtete Braconiden aus Europa (Hymenoptera). Zeitschrift für angewandte Entomologie 58: 323-339.
- Fischer, M. 1966.** Die nearktischen *Aphaereta*-Arten (Hymenoptera, Braconidae). Reichenbachia 6: 155-173.
- Fischer, M. 1966.** Einige *Opius*-Arten aus dem neotropischen Gebiet (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 36: 315-342.
- Fischer, M. 1966.** Gezüchtete Braconiden aus Niederösterreich und aus dem Burgenland (Hymenoptera). Zeitschrift für angewandte Zoologie 53: 385-402.
- Fischer, M. 1966.** Neue neotropische *Opius*-Arten aus dem U.S. National Museum, Washington. (Hymenoptera, Braconidae). Beiträge zur Entomologie 16(1/2): 84-150.
- Fischer, M. 1966.** *Opius breviscapus* Thomson im Burgenland. Nachrichtenblatt der Bayerischen Entomologen 15: 7-10.
- Fischer, M. 1966.** Revision der Indo-Australischen Opiinae (Hymenoptera: Braconidae): 1-165. Den Haag.
- Fischer, M. 1966.** Studien über Alysiniinae (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 69: 177-205.
- Fischer, M. 1966.** Studien über Braconiden (Hymenoptera). Zeitschrift für angewandte Zoologie 53: 215-235.
- Fischer, M. 1966.** Zwei neue Alysiniinen-Gattungen aus Nordamerika (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 69: 207-212.
- Fischer, M. 1966.** Zwei neue aus Buprestiden gezüchtete Braconidaen (Hymenoptera). Entomophaga 11(4): 341-346.
- Fischer, M. 1967.** Über gezüchtete Opiinae aus Europa (Hymenoptera, Braconidae). Zeitschrift für angewandte Entomologie 60(3): 318-350.
- Fischer, M. 1967.** Die amerikanischen Arten der Gattungen *Euopius*, *Gnaptodon* und *Pseudognaptodon* (Hymenoptera: Braconidae). Beiträge zur Entomologie 17(5/8): 959-976.
- Fischer, M. 1967.** Die nearktischen Arten der Gattung *Synaldis* Foerster (Hymenoptera, Braconidae, Alysiniinae). Polskie Pismo Entomologiczne 37: 431-478.

- Fischer, M. 1967.** Redeskriptionen von einigen Opiinen (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 19(2/3): 59-69.
- Fischer, M. 1967.** Revision der burgenländischen Arten der Gattungen *Synaldis*, *Aphaereta* und *Alysiia* (Hymenoptera: Braconidae: Alysiinae). Wissenschaftliche Arbeiten aus dem Burgenland, Eisenstadt 38: 92-135.
- Fischer, M. 1967.** Seltene Alysiinae aus verschiedenen Erdteilen. Annalen des Naturhistorischen Museums in Wien 70: 109-138.
- Fischer, M. 1967.** Zusammenfassung der neotropischen Opiinae mit Ausschluss der Gattung *Opius* Wesm. (Hymenoptera: Braconidae). Beiträge zur Neotropischen Fauna 5: 1-21.
- Fischer, M. 1968.** 141. Opiinae. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Hymenoptera: Braconidae). Reichenbachia 11: 97-114.
- Fischer, M. 1968.** Über das Genus *Opius* Wesmael: Die neotropischen Arten der *pallipes*-Gruppe. Zeitschrift für angewandte Entomologie 62: 345-363.
- Fischer, M. 1968.** Über das Genus *Opius* Wesmael: Die neotropischen Arten der *pallipes*-Gruppe (Hymenoptera, Braconidae, Opiinae). Teil II. Zeitschrift für angewandte Entomologie 62: 466-478.
- Fischer, M. 1968.** Über gezüchtete Raupenwespen (Hymenoptera: Braconidae). Pflanzenschutz Berichte 37(7/8/9): 97-140.
- Fischer, M. 1968.** Beschreibungen neotropischer Opiinae (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 72: 53-76.
- Fischer, M. 1968.** Die neotropischen *Opius*-Arten der Sektion C (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 38: 33-139.
- Fischer, M. 1968.** Die äthiopischen *Opius*-Arten der Sektion A (2. Beitrag über die Opiinae des Musée Royal de l'Afrique Centrale) (Hymenoptera: Braconidae: Opiinae). Acta Zoologica Cracoviensia 13(7): 149-212.
- Fischer, M. 1968.** Eine neue *Phanerotoma*-Art aus Syrien (Hymenoptera: Braconidae). Entomophaga 13: 331-334.
- Fischer, M. 1968.** Genus *Opius* Wesmael: Die neotropischen Arten der *diastatae*-Gruppe (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 72: 77-101.
- Fischer, M. 1968.** Genus *Opius* Wesmael: Neue Revision der neotropischen Arten der *crassiceps*-Gruppe. Zeitschrift für angewandte Zoologie 55: 461-488.
- Fischer, M. 1968.** *Kephalosema*, ein neues Hormiinen-Genus aus Chile (Hymenoptera: Braconidae). Polskie Pismo Entomologiczne 38: 791-805.
- Fischer, M. 1968.** *Sternaulopiis* in Deutschland (Hymenoptera: Braconidae: Opiinae). Annalen des Naturhistorischen Museums in Wien 72: 103-106.
- Fischer, M. & Parshad, B. 1968.** A new reared braconid-fly (Hymenoptera) from India. Polskie Pismo Entomologiczne 38(4): 807-810.
- Fischer, M. 1969.** Über die von Dr. J.T. Nowakowski aus Agromyzidae und Ephydriidae gezüchteten Opiinae (Hymenoptera: Braconidae). Polskie Pismo Entomologiczne 39: 369-380.
- Fischer, M. 1969.** Die nearktischen Arten der *Aspilota columbiana*-Gruppe und der *Aspilota smithi*-Gruppe. Redia 51: 187-209.
- Fischer, M. 1969.** Die nearktischen *Aspilota*-Arten der *petiolata*-Gruppe (Hymenoptera, Braconidae, Alysiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 27: 55-78.
- Fischer, M. 1969.** Die nearktischen *Aspilota*-Arten der Sektion B (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 71(3): 361-368.
- Fischer, M. 1969.** Die *turneri*-Gruppe in der neotropischen Region. Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien 108/109: 59-74.
- Fischer, M. 1969.** Die von Dr. H. Buhr gezüchteten Opiinae (Hymenoptera: Braconidae). Zeitschrift für angewandte Zoologie 56: 65-88.
- Fischer, M. 1969.** Notes on reared Opiinae. Proceedings of the Irish Academy 67(B): 217-231.
- Fischer, M. 1969.** Opiinae aus dem Tiroler Hochgebirge. Bericht des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck 57: 39-58.
- Fischer, M. 1969.** Revision der nearktischen *Aspilota* Arten der *signifrons*-Gruppe (Hymenoptera: Braconidae: Alysiinae). Sitzungsberichte der Österreichischen Akademie der Wissenschaften Mathematisch. Kl. I(178): 243-259.
- Fischer, M. 1969.** Zur Kenntnis der Gattung *Euopius* Fischer (Hym.: Braconidae, Opiinae). Entomophaga 14: 129-147.
- Fischer, M. 1969.** Zur Kenntnis der neotropischen Opiinen-Fauna (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 73: 221-269.
- Fischer, M. 1969.** Zusammenfassung der neotropischen Arten der *pendulus*-Gruppe des Genus *Opius* Wesm. (Hymenoptera, Braconidae). Zeitschrift für angewandte Entomologie 64: 162-179.
- Fischer, M. 1970.** Über die Alysiini des Tiroler Hochgebirges (Hymenoptera, Braconidae). Bericht des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck 58: 323-342.
- Fischer, M. 1970.** Die Alysiini der Steiermark (Hymenoptera, Braconidae). Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 34: 1-44.
- Fischer, M. 1970.** Die *Meteorus*-Arten des Burgenlandes. Wissenschaftliche Arbeiten aus den Burgenland 44: 254-300.
- Fischer, M. 1970.** Die nearktischen Opiinae aus der Sammlung der Cornell University, Department of Entomology and limnology, in Ithaca, New York (Hymenoptera, Braconidae). Anzeiger der Österreichischen Akademie der Wissenschaften, mathematisch-naturwissenschaftliche Klasse 107: 12-32.
- Fischer, M. 1970.** Die Opiinae der University of Minnesota, Department of Entomology, in St. Paul, U.S.A. (Hymenoptera, Braconidae). Acta Zoologica Cracoviensia 15: 299-313.
- Fischer, M. 1970.** Eine neue *Spathius*-Art aus dem Iran (Hym. Braconidae). Annales de la Société Entomologique de France 6(3): 705-708.
- Fischer, M. 1970.** Nearktischen Opiinae aus der Sammlung Townes (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 40: 763-827.
- Fischer, M. 1970.** Probleme der Systematik bei den Opiinae (Hym.: Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 22(3): 81-88.
- Fischer, M. 1970.** Redeskription von drei *Meteorus*-Arten aus der Sammlung C. Wesmael in Brüssel (Hymenoptera, Braconidae). Nachrichtenblatt der Bayerischen Entomologen 18: 50-56.
- Fischer, M. 1970.** Zur Kenntnis der europäischen *Phaenocarpa*-Arten mit besonderer Berücksichtigung der Fauna Niederösterreichs (Hymenoptera, Braconidae, Alysiinae). Zeitschrift für angewandte Zoologie 57: 409-498.
- Fischer, M. 1971.** Über die äthiopischen Arten der Gattungen *Opius* Wesmael, *Biosteres* Foerster und *Gnaptodon* Haliday aus den Sammlungen Haeselbarth (München) und dem British Museum (London) (Hymenoptera, Braconidae, Opiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 29: 120-148.
- Fischer, M. 1971.** Über nordamerikanische Arten der Gattungen *Orthostigma* Ratzeburg und *Aspilota* Foerster (Hymenoptera: Braconidae: Alysiinae). Acta Entomologica Musei Nationalis Pragae 38(1969): 81-114.
- Fischer, M. 1971.** Die Opiinae der Noona Dan Expedition nach Philippinen und Bismarck-Inseln und Redeskription von *Opius dissitus* aus Hawaii (Insecta, Hymenoptera, Braconidae). Steenstrupia (Copenhagen) 2(2): 1-25.

- Fischer, M. 1971.** Index to entomophagus insects. Hym. Braconidae. World Opiinae: 1-189. Paris.
- Fischer, M. 1971.** Opiinae aus der Mongolei, gesammelt von Dr. Z. Kaszab in den Jahren 1966-1968. Sitzungsberichte der Österreichischen Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse 179: 33-76.
- Fischer, M. 1971.** Opiinae aus New-Guinea und von den Bismarck-Inseln (Hymenoptera: Braconidae). Pacific Insects 13(3-4): 487-515.
- Fischer, M. 1971.** Revision der nearktischen *Aspilota*-Arten der Sektion D. und Ergänzungen zu anderen Arten-gruppen. Annalen des Naturhistorischen Museums in Wien 74 (November 1970): 91-127.
- Fischer, M. 1971.** Untersuchungen über die europäischen Alysiini mit besonderer Berücksichtigung der Fauna Niederösterreichs (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 41: 19-160.
- Fischer, M. 1971.** Vier wenig bekannte paläarktische Alysiinen (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 23(2): 49-56.
- Fischer, M. 1971.** Zwei gezogene *Doryctes*-Arten aus Kärnten (Hymenoptera, Braconidae). Entomophaga 16(1): 101-109.
- Fischer, M. 1971.** Zwei von Uganda nach Hawaii importierte *Opius*-Arten (Hymenoptera, Braconidae). Anzeiger für Schädlingskunde und Pflanzenschutz 44: 10-12.
- Fischer, M. 1972.** Ber die afrikanischen Arten der Untergattung *Gastrosema* Fischer (Hymenoptera, Braconidae, Genus *Opius* Wesmael) (5. Beitrag über die Opiinae des Musée Royal de l'Afrique Centrale in Tervuren). Revue de Zoologie et de Botanique Africaines 86(3-4): 337-358.
- Fischer, M. 1972.** Über die äthiopischen *Opius*-Arten der Sektionen C und D. Redia 53: 1-66.
- Fischer, M. 1972.** Übersicht über die afrikanischen Arten der Untergattung *Tolbia*, *Phlebosema*, *Thoracosema*, *Pleurosema* und *Lissosema* (Hymenoptera, Braconidae, Genus *Opius* Wesmael) (6. Beitrag zur Kenntnis der Opiinae des Musée Royal de l'Afrique Centrale in Tervuren). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 30: 28-54.
- Fischer, M. 1972.** Die äthiopischen *Opius*-Arten der Sektion A, aufgeteilt auf die Untergattungen. Annalen des Naturhistorischen Museums in Wien 75 (October 1971): 387-433.
- Fischer, M. 1972.** Eine neue *Habrobracon*-Art aus dem Iran (Hymenoptera, Braconidae). Entomophaga 17(1): 89-91.
- Fischer, M. 1972.** Erste Gliederung der paläarktischen *Aspilota*-Arten (Hymenoptera, Braconidae, Alysiinae). Polskie Pismo Entomologiczne 42: 323-459.
- Fischer, M. 1972.** Neue Afrikanische *Opius*-Arten der Untergattung *Psytthalia* Walker aus dem Musée Royal de l'Afrique Centrale in Tervuren und aus der Sammlung Townes in American Entomological Institute in Ann Arbor (Hymenoptera, Braconidae, Opiinae) (Gleichzeitig 4. Beitrag über die Opiinae des Musée Royal de l'Afrique Centrale in Tervuren). Redia 53: 251-279.
- Fischer, M. 1972.** Hymenoptera Braconidae (Opiinae I). (Paläarktische Region) Das Tierreich 91 (1973): 1-620.
- Fischer, M. 1973.** Alysiini aus dem Land Salzburg, gesammelt von Herrn Dr. Paul Peter Babyi (Hym., Braconidae). Annali del Museo Civico di Storia Naturale Giacomo Doria 79: 235-270.
- Fischer, M. 1973.** *Aspilota*-wespen aus der weiteren Umgebung von Admont (Hym., Braconidae, Alysiinae). Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 2: 137-167.
- Fischer, M. 1973.** Über die afrikanischen Opiinae der Sammlung Townes im American Entomological Institute in Ann Arbor, Michigan (Hymenoptera, Braconidae, Opiinae). Polskie Pismo Entomologiczne 43: 241-271.
- Fischer, M. 1973.** Einige Proben aus den ötztales Alpen als Beispiel für die Formenvielfalt bei der Gattung *Aspilota* Foerster (Hym., Braconidae, Alysiinae). Bericht des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck 60: 95-129.
- Fischer, M. 1973.** Neue *Aspilota*-Arten aus der Steiermark (Hymenoptera, Braconidae, Alysiinae). Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien 113: 103-120.
- Fischer, M. 1973.** Redeskriptionen von Alysiinen (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 77: 245-261.
- Fischer, M. 1974.** Redeskription von *Phaenocarpa cubiceps* (Bischoff) aus Java (Hymenoptera, Braconidae, Alysiinae). Mitteilungen aus dem Zoologischen Museum in Berlin 50(1): 143-147.
- Fischer, M. 1974.** *Aspilota*-Wespen aus Niederösterreich, insbesondere solche der *signifrons*-Gruppe (Hymenoptera, Braconidae, Alysiinae). Frustula Entomologica 12(4): 1-27.
- Fischer, M. 1974.** Die nearktischen *Phaenocarpa*-Arten. Revision der Gruppe B. (Hymenoptera, Braconidae, Alysiinae). Polskie Pismo Entomologiczne 44: 103-230.
- Fischer, M. 1974.** Eine neue *Opius*-Art aus Spanien (Hymenoptera, Braconidae, Opiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 24(1972): 113-115.
- Fischer, M. 1974.** Einige neue *Aspilota*-Arten aus Niederösterreich (Hymenoptera: Braconidae, Alysiinae). Folia Entomologica Hungarica 27: 59-71.
- Fischer, M. 1974.** Neue Revision der äthiopischen Arten des Subgenus *Stomosema* Fischer (Hymenoptera, Braconidae, Genus *Opius* Wesmael) (Gleichzeitig 3. Beitrag über die Opiinae des Musée Royal de l'Afrique Centrale in Tervuren). Annalen des Naturhistorischen Museums in Wien 78: 219-236.
- Fischer, M. 1974.** Opiinae aus dem Ötztal (Österreich). Beiträge zur Entomologie 24: 73-86.
- Fischer, M. 1974.** Studien an Alysiinen-Typen (Hymenoptera, Braconidae, Alysiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 25: 47-51.
- Fischer, M. 1975.** Alysiinen-Wespen aus der Umgebung von Hüttenberg in Kärnten (Hymenoptera, Braconidae, Alysiinae). Carinthia 2: 303-342.
- Fischer, M. 1975.** Alysiinen-Wespen aus der weiteren Umgebung von Admont: Ausbeute 1970 (Ins., Hymenoptera, Braconidae). Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 4: 155-168.
- Fischer, M. 1975.** *Aspilota*-Arten, gezogen aus Phoridaen (Hymenoptera, Braconidae, Alysiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 31(1974): 253-267.
- Fischer, M. 1975.** Die nearktischen *Phaenocarpa*-Arten. Revision der Gruppe A. (Hymenoptera, Braconidae, Alysiinae). Polskie Pismo Entomologiczne 45: 279-356.
- Fischer, M. 1975.** Drei orientalische Opiinen (Hymenoptera: Braconidae) aus der Sammlung Townes. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 27(1-2): 47-52.
- Fischer, M. 1975.** *Opius dureseai* n. sp. (Hym., Braconidae, Opiinae) gezogen aus *Agromyza frontella* Rondani (Dipt., Agromyzidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 27(1-2): 53-55.
- Fischer, M. 1975.** Taxonomische Untersuchungen an neotropischen Alysiini besonders solchen aus dem British Museum (Nat. Hist.) in London (Hymenoptera, Braconidae, Alysiinae). Studia Entomologica 18: 127-152.
- Fischer, M. 1975.** Untersuchungen über die Opiinae des Ötztals (Tirol) (Hymenoptera: Braconidae). Folia Entomologica Hungarica 27(1974 Suppl.): 383-388.
- Fischer, M. 1975.** Wiederbeschreibungen von zwei exotischen Alysiinen-Wespen (Hymenoptera, Braconidae, Alysiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 26: 98-102.
- Fischer, M. 1976.** Über zwei exotische Alysiinen-Wespen aus dem *Aspilota*-Komplex (Hymenoptera, Braconidae, Alysiinae). Zeit-

- schrift der Arbeitsgemeinschaft Österreichischer Entomologen 27(3/4): 115-119.)
- Fischer, M. 1976.** Durchsicht der Gattung *Synelix* Foerster (Hymenoptera, Braconidae, Alysiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 33: 3-13.
- Fischer, M. 1976.** Eine neue Alysiinen-Gattung und drei neue *Aspilota*-Arten aus dem pazifischen Raum sowie Bestimmungsschlüssel zu den Gattungen der Alysiini (Hymenoptera, Braconidae, Alysiinae). Annalen des Naturhistorischen Museums in Wien 79(December 1975): 223-236.
- Fischer, M. 1976.** Erste Nachweise von *Aspilota*-Wespen in Burgenland (Hymenoptera, Braconidae, Alysiinae). Annalen des Naturhistorischen Museums in Wien 80: 343-410.
- Fischer, M. 1976.** Genauere Wiederbeschreibungen dreier Alysiinen aus Madagaskar (Hymenoptera, Braconidae, Alysiinae). Bulletin du Museum National d'Histoire Naturelle, Paris 254: 285-291.
- Fischer, M. 1977.** Die Opiinen und Alysiinen einer Ausbeute aus Osttirol (Insecta, Hymenoptera, Braconidae). Ber. Nat.-Med. Ver. Innsbruck 64: 147-154.
- Fischer, M. 1977.** Hymenoptera Braconidae (Opiinae II). (Amerika) Das Tierreich 96: 1-1001.
- Fischer, M. 1977.** Opiinae aus Kärnten, gesammelt im Jahre 1973 in der Umgebung von Hüttenberg (Hymenoptera, Braconidae). Carinthia II 167(87): 351-366.
- Fischer, M. 1977.** Opiinen-Wespen aus dem hand Salzburg, gesammelt von Herrn. Dr. Paul Peter Babiy (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 47(1): 43-57.
- Fischer, M. 1978.** Taxonomische Einzelheiten über drei Braconiden (Hymenoptera). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 29(3/4): 107-112
- Fischer, M. 1978.** Über drei *Opius*-Arten aus Kamerun (Hymenoptera, Braconidae, Opiinae). Nouvelle Revue d'Entomologie 8(1): 83-86.
- Fischer, M. 1978.** Übersicht über die neotropischen Arten der Untergattung *Opius* Wesmael s. str. mit Beschreibung von acht neuen Spezies und weitere Angaben über amerikanische Opiinen (Hymenoptera, Braconidae). Bollettino Istituto de Entomologia Agraria Osservatorio Fitopatologia Palermo 10: 137-168.
- Fischer, M. 1978.** Die Madenwespen (Opiinae und Alysiini) der Fischbacher Alpen aus den Ausbeuten 1973 und 1974. Mitteilungen der Abteilung für Zoologie am Landesmuseum Joanneum 7(1): 45-66.
- Fischer, M. 1978.** Fünf neue Raupenwespen (Hymenoptera, Braconidae). Frustula Entomologica 1: 147-160.
- Fischer, M. 1978.** Neue Alysiinen von Neu Guinea, Neu Britannien und den Philippinen (Hymenoptera, Braconidae, Alysiinae). Annalen des Naturhistorischen Museums in Wien 81: 479-497.
- Fischer, M. 1978.** Neue Opiinae (Hymenoptera, Braconidae) von der australischen Region, besonders aus Tasmanien. Polskie Pismo Entomologiczne 48: 371-412.
- Fischer, M. 1979.** Neotropischen Opiinae: Neue Arten der Gattungen *Euopius* Fischer und *Opius* Wesmael (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 82: 479-516.
- Fischer, M. 1979.** Zur Kenntnis der Artenvielfalt bei den Opiinen-Wespen in der neotropischen Region (Hymenoptera, Braconidae, Opiinae). Polskie Pismo Entomologiczne 49: 227-297.
- Fischer, M. 1979.** Über zwei Arten der Gattung *Schauinslandia* Ashmead (Hymenoptera, Braconidae, Helconinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 31(1/2): 49-53.
- Fischer, M. 1980.** Über das Genus *Liodyctes* Szépligeti (Hymenoptera, Braconidae, Doryctinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 32(1/2): 57-64.
- Fischer, M. 1980.** Neue Forschungsergebnisse in der Taxonomie neotropischer Opiinae (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 50: 215-269.
- Fischer, M. 1980.** *Opius mudigerensis* n. sp., eine neue Braconide aus Indien (Hymenoptera, Braconidae, Opiinae). Steenstrupia 6(12): 173-176.
- Fischer, M. 1980.** Taxonomische Untersuchungen über Doryctinae aus der *Odontobracon*-Verwandtschaft (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 83: 547-572.
- Fischer, M. 1980.** Zur Synonymie von Opiinae, eine Neubeschreibung, Redeskriptionen und Ergänzungen von Beschreibungen (Hymenoptera: Braconidae). Bollettino Istituto de Entomologia Agraria Osservatorio Fitopatologia Palermo 10: 227-250.
- Fischer, M. 1980.** Zur Taxonomie der Gattung *Hybodorcytes* Szépligeti und *Megaloproctus* Schulz (Hymenoptera, Braconidae, Doryctinae). Sitzungsberichte der Österreichischen Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse 189(1-3): 1-28.
- Fischer, M. 1981.** Eine neue Synonymie bei den Opiinae (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 32(3-4) (1980): 136.
- Fischer, M. 1981.** *Mononeuron*, ein neues Doryctinen-Genus aus Brasilien (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 33(1/2): 47-51.
- Fischer, M. 1981.** Opiinae aus Polen, gesammelt im Juli 1979 (Hymenoptera, Braconidae). Sitzungsberichte der Österreichischen Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse 190: 33-43.
- Fischer, M. 1981.** Opiinen aus den Österreichischen Alpenländern und angrenzenden Gebieten, gesammelt von Herrn Dr. E. Haeselbarth (München) (Insecta: Hym., Braconidae). Berichte des Naturwissenschaftlich Medizinischen Vereins in Innsbruck 67(1980): 185-212.
- Fischer, M. 1981.** Revisionen zur Taxonomie der Doryctinen-Gattungen *Osmophila* Szepligeti, *Monarea* Szépligeti und *Hypodoryctes* Kokoujev (Hymenoptera, Braconidae). Annales Historico Naturales Musei Nationalis Hungarici 73: 239-251.
- Fischer, M. 1981.** Untersuchungen an Stephaniscini aus dem Britischen Museum in London und dem Naturwissenschaftlichen Museum in Budapest (Hymenoptera, Braconidae, Doryctinae). Oesterreichische Akademie der Wissenschaften Mathematisch Naturwissenschaftliche Klasse Sitzungsberichte Abteilung I 190(6-7): 121-160.
- Fischer, M. 1981.** Versuch einer systematischen Gliederung der Doryctinae, insbesondere der Doryctini, und Redeskriptionen nach Material aus dem Naturwissenschaftlichen Museum in Budapest (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 51: 41-99.
- Fischer, M. 1982.** Das Genus *Acanthodoryctes* Turner (Hymenoptera: Braconidae, Doryctinae). Entomologica Scandinavica 13: 366-370.
- Fischer, M. 1982.** Die paläarktische Arten der Subgenera *Misophthora* Foerster und *Agnopius* n. des *Opius* Wesmael sowie über andere Opiinae (Hymenoptera, Braconidae, Opiinae). Folia Entomologica Hungarica 43: 21-37.
- Fischer, M. 1982.** Redeskription von *Gildoria* Hedqvist (Hymenoptera, Braconidae, Doryctinae). Zeitschrift der Arbeitsgemeinschaft Oesterreichischer Entomologen 34(1-2): 61-64.
- Fischer, M. 1982.** Teil 16j. Hymenoptera, Fam. Braconidae: Opiinae. Catalogus Faunae Austriae. Verlag der Österreichischen Akademie der Wissenschaften 1981: 1-36.
- Fischer, M. 1982.** Untersuchungen an Typenmaterial von Doryctinae aus dem Britischen Museum in London (Hymenoptera, Braconidae). Polskie Pismo Entomologiczne 52: 231-273.

- Fischer, M. 1983.** Descriptions of some new African species of *Opius* from the Townes collection (Hymenoptera: Braconidae: Opiinae). Contributions of the American Entomological Institute 20: 221-236.
- Fischer, M. 1983.** Ein neuer *Indiopus* von Kreta (Hymenoptera, Braconidae, Opiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 35(1-2): 1-2.
- Fischer, M. 1983.** Illustrierte Redeskriptionen von Arten aus den Gattungen *Zombrus* Marshall, *Nervellius* Roman und *Liodoryctes* Szépligeti (Hymenoptera, Braconidae, Doryctinae). Polskie Pismo Entomologiczne 53(3): 311-361.
- Fischer, M. 1983.** Illustrierte Redeskriptionen von Opiinen aus der UdSSR und neue Bestimmungsschlüssel zu den paläarktischen Arten des Subgenus *Utetes* Foerster (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 85(B): 13-37.
- Fischer, M. 1983.** Neubeschreibungen von neotropischen Opiinae aus den Gattungen *Desmiostoma*, *Braconastrepha* und *Opius* (Hymenoptera, Braconidae). Entomologische Abhandlungen. Staatliches Museum für Tierkunde. Dresden 47(1): 65-94.
- Fischer, M. 1983.** Neue Opiinae der Gattung *Biosteres* Foerster, *Aspilodemon* Fischer und *Opius* Wesmael aus der neotropischen Region (Hymenoptera, Braconidae). Österreichische Akademie der Wissenschaften Mathematisch Naturwissenschaftliche Klasse Sitzungsberichte Abteilung I 192(1-4) 1983: 59-93.
- Fischer, M. 1983.** Taxonomische Untersuchung der Gattungen *Harpagolaccus* Enderlein, *Rhaconotinus* Hedqvist und *Doryctosoma* Picard und ihre Einordnung in das System der Doryctini (Hymenoptera, Braconidae, Doryctinae). Verhandlungen der Zoologisch Botanischen Gesellschaft in Wien 121: 83-94.
- Fischer, M. & Zaykov, A. 1983.** Über Alysiniinae aus Bulgarien (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 34(3/4): 73-80.
- Fischer, M. 1984.** Aufteilung des Formenkreises um das Subgenus *Cryptonastes* Foerster des Genus *Opius* Wesmael sowie Ergänzungen zum Subgenus *Tolbia* Cameron. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 36(1/2): 33-40.
- Fischer, M. 1984.** Deskriptionen und Redeskriptionen von Opiinen (Hymenoptera, Braconidae) aus der paläarktischen Region. Annalen des Naturhistorischen Museums in Wien 86: 85-131.
- Fischer, M. 1985.** Eine neue *Aspilota*-Art aus Bayern. Entomofauna 6(8): 233-238.
- Fischer, M. 1986.** Neue Bestimmungsschlüssel für paläarktische Opiinae, neue Subgenera, Redeskriptionen und eine neue Art (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 88/89: 607-662.
- Fischer, M. 1986.** Taxonomische Stellung von *Opius graciellae* Santis und Redeskription (Hymenoptera, Braconidae, Opiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 38(1-2): 46-48.
- Fischer, M. 1986.** Details on the taxonomy of exotic Alysiniinae of the genera *Aphaereta* Foerster, *Asobara* Foerster, *Coelalysia* Cameron and *Phaenocarpa* Foerster (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien, B Botanik und Zoologie 90: 93-130.
- Fischer, M. 1987.** Hymenoptera Braconidae (Opiinae III) - äthiopische, orientalische, australische und ozeanische Region. Das Tierreich 104: 1-734.
- Fischer, M. 1987.** Zusammenfassung des Subgenus *Tolbia* Cameron mit Beschreibung einer neuen Art von den Philippinen. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 39(1/2): 27-32.
- Fischer, M. 1988.** Beschreibungen von Opiinen-Wespen; besonders aus Neu Guinea (Hymenoptera, Braconidae, Opiinae). Linzer Biologische Beiträge 20(2): 847-917.
- Fischer, M. 1988.** Einzelheiten zur taxonomic exotischer Alysiniinae der Gattungen *Aphaereta* Foerster, *Asobara* Foerster, *Coelalysia* Cameron und *Phaenocarpa* Foerster (Hymenoptera, Braconidae). Annalen des Naturhistorischen Museums in Wien 90: 93-130 (15321).
- Fischer, M. 1988.** Neues von der australischen Opiinen-Fauna (Hymenoptera, Braconidae, Opiinae). Stapfia, Linz 17: 239-272.
- Fischer, M. 1989.** Ein neuer Beitrag zur Kenntnis der paläarktischen Opiinae (Hymenoptera, Braconidae). Sitzungsberichte der Österreichischen Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse 197: 75-118.
- Fischer, M. 1990.** Opiinae aus Neu Guinea (Hymenoptera, Braconidae). Linzer Biologische Beiträge 22: 29-58.
- Fischer, M. 1990.** Paläarktische Opiinae (Hymenoptera, Braconidae): Neue Arten und neue Funde aus dem Ungarischen Naturwissenschaftlichen Museum in Budapest. Annales Historico-Naturales Musei Nationalis Hungarici 81(1989): 205-238.
- Fischer, M. 1990.** Westpaläarktische *Phaenocarpa*-Arten: vorläufiger Bestimmungsschlüssel, Deskriptionen und Redeskriptionen (Hymenoptera, Braconidae, Alysiniinae). Annalen des Naturhistorischen Museums in Wien 91: 105-135.
- Fischer, M. 1990.** [Two new southeast Asian Opiinae from the collections in Honolulu (Hawaii, USA) and Budapest (Hungary) (Hymenoptera, Braconidae).] Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 42(3-4): 105-109.
- Fischer, M. 1991.** Redescriptions and descriptions as new of Opiinae of the Old World (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien. Serie B für Botanik und Zoologie 92: 139-203.
- Fischer, M. 1991.** Integration einiger Gattungen der Alysiniini in ein diagnostisches System (Hymenoptera, Braconidae, Alysiniinae). Linzer Biologische Beiträge 23(1): 3-35.
- Fischer, M. 1991.** Wiederbeschreibungen und Neubeschreibungen von Opiinae aus der Alten Welt (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 92(B): 139-203.
- Fischer, M. 1992.** Ergänzungen zur Taxonomie der Opiinae mit Neubeschreibungen (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 44(1/2): 42-48.
- Fischer, M. 1992.** Neue *Opius*-Arten aus der Türkei (Hymenoptera, Braconidae, Opiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 44(3-4): 79-86.
- Fischer, M. 1993.** Eine neue Studie über Buckelfliegen-Kieferwespen: *Synaldis* Foerster und *Dinotrema* Foerster (Hymenoptera, Braconidae, Alysiniinae). Linzer Biologische Beiträge 25(2): 565-592.
- Fischer, M. 1993.** Einige *Phaenocarpa*-Wespen aus der Alten Welt: Redeskriptionen und Stellung in einem vergleichenden System (Hymenoptera, Braconidae, Alysiniinae). Linzer Biologische Beiträge 25(2): 511-563.
- Fischer, M. 1993.** Neubeschreibungen und Wiederbeschreibungen von Kieferwespen (Hym., Braconidae, Alysiniinae: Tribus Alysiniini) der Alten Welt. Linzer Biologische Beiträge 25(2): 593-647.
- Fischer, M. 1993.** Zur Formenvielfalt der Kieferwespen der Alten Welt: Über die Gattungen *Synaldis* Foerster, *Trisynaldis* Fischer und *Kritscherysia* Fischer gen. nov. (Hymenoptera, Braconidae, Alysiniinae). Annalen des Naturhistorischen Museums in Wien 94/95B: 451-490.
- Fischer, M. 1994.** Beitrag zur Kenntnis der Kieferwespen der Welt (Hymenoptera, Braconidae, Alysiniinae: Alysiniini). Linzer Biologische Beiträge 26(2): 763-806.
- Fischer, M. 1994.** Das Genus *Bitomus* Szépligeti (Hymenoptera, Braconidae, Opiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 46(1-2): 21-29.

- Fischer, M. 1994.** Überarbeitung von indischen Arten der *Aspilota*-Gruppe. (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 26(1): 195-247.
- Fischer, M. 1994.** Untersuchungen über Dacnusiini der Alten Welt (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 26(1): 249-288.
- Fischer, M. 1995.** Einige Neubeschreibungen und Wiederbeschreibungen von Opiinae. (Insecta, Hymenoptera, Braconidae). Spixiana 18(1): 83-103.
- Fischer, M. 1995.** Korrekturen und Ergänzungen zur Taxonomie altweltlicher Opiinae und Neufassung eines Bestimmungsschlüssels für die palaarktischen Arten des Subgenus *Opiothorax* Fischer, 1972 des Genus *Opius* Wesmael, 1835 (Hymenoptera, Braconidae). Entomofauna 16(9): 217-242.
- Fischer, M. 1995.** Über die altweltlichen *Orthostigma*-Arten und Ergänzungen zur *Aspilota*-Gattungsgruppe (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 27(2): 669-752.
- Fischer, M. 1996.** Beitrag zur Kenntnis der Arten der *Aspilota*-Gattungsgruppe in Spanien (Hymenoptera, Braconidae, Alysiinae, Alysiini). Linzer Biologische Beiträge 28(2): 659-673.
- Fischer, M. 1996.** Beschreibungen und Wiederbeschreibungen von einigen europäischen und kanarischen Opiinae (Hymenoptera: Braconidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 48(1-2): 49-62
- Fischer, M. 1996.** Opiinen-Wespen der Alten Welt aus der Sammlung in Leiden, München, Paris, Wien und Honolulu (Hymenoptera, Braconidae). Linzer Biologische Beiträge 28(2): 675-730.
- Fischer, M. 1997.** Die palaarktischen Opiinae (Madenwespen) der Zoologischen Staatssammlung München (Hymenoptera, Braconidae). Entomofauna 18(14): 137-194.
- Fischer, M. 1997.** Redeskription von *Opius* (*Gastrosema*) *waterloti* Granger und *Opius* (*Gastrosema*) *hedqvisti* Fischer sowie Bestimmungsschlüssel für die Arten der Untergattung *Gastrosema* Fischer der äthiopischen, orientalischen und australischen Region (Hymenoptera, Braconidae, Opiinae, *Opius* Wesmael). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 49(3-4): 121-127.
- Fischer, M. 1997.** Taxonomische Untersuchungen über Kieferwespen (Insecta: Hymenoptera: Braconidae: Alysiinae) der Alten Welt. Annalen des Naturhistorischen Museums in Wien Serie B Botanik und Zoologie 99B: 97-143.
- Fischer, M. 1998.** Kieferwespen: über neue und alte Taxa der Alysiini und Dacnusiini (Hymenoptera, Braconidae, Alysiinae) Stapfia 55: 481-505.
- Fischer, M. 1998.** Neue taxonomische Untersuchungen über Madenwespen der Alten Welt mit besonderer Berücksichtigung der Gattungen *Eurytenes* Foerster, *Aulonotus* Ashmead, *Biosteres* Foerster und der Untergattung *Gastrosema* Fischer (Hymenoptera, Braconidae: Opiinae). Linzer Biologische Beiträge 30(1): 21-51.
- Fischer, M. & Koponen, M. 1999.** A survey of Opiinae (Hymenoptera: Braconidae) of Finland, part 1. Entomologica Fennica 10(2): 65-93.
- Fischer, M. & Koponen, M. 1999.** A survey of Opiinae (Hymenoptera: Braconidae) of Finland, part 2. Entomologica Fennica 10(3): 129-160.
- Fischer, M. 1999.** Einiges über Kieferwespen (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 31(1): 5-56.
- Fischer, M. 1999.** Zur Evolution und zum System der *Opius*-verwandten Gattungen der Unterfamilie Opiinae mit einer erweiterten Aufteilung dieses Gattungs-Komplexes (Hymenoptera, Braconidae, Opiinae). Linzer Biologische Beiträge 31(1): 277-336.
- Fischer, M. 2000.** Gemischte taxonomische Untersuchungen über Madenwespen der Alten Welt (Hymenoptera, Braconidae, Opiinae). Linzer Biologische Beiträge 32(1): 85-132
- Fischer, M. 2001.** Genauere Studien an jüngst beschriebenen Dacnusiini aus dem Fernen Osten Russlands und weiteren Formen aus der Paläarktis (mit einem Anhang über Alysiini) (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 33(1): 35-82.
- Fischer, M. 2001.** Mitteilungen über neue und schon bekannte *Opius* Wesmael-Arten der Alten Welt (Hymenoptera, Braconidae, Opiinae). Linzer Biologische Beiträge 33(1): 5-33.
- Fischer, M. 2001.** Sieben neue Opiinae (Insecta: Hymenoptera: Braconidae) in der Sammlung des Naturhistorischen Museums Wien. Annalen des Naturhistorischen Museums in Wien Serie B Botanik und Zoologie 103B: 303-325.
- Fischer, M. 2002.** Übersicht über die Gattungen der *Aspilota*-Genusgruppe mit Neubeschreibung von *Grandilota* nov. gen. sowie Redeskription von *Regetus* Papp (Hymenoptera, Braconidae, Alysiinae) Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 54(3-4): 99-108.
- Fischer, M., Tormos, J., Pardo, X. & Jiménez, R. 2002.** New Dacnusiini from the Iberian Peninsula and the Canary Islands (Hymenoptera, Braconidae, Alysiinae). Revue suisse de Zoologie 109(4): 715-723.
- Fischer, M. 2003.** Südafrikanische Arten der Gattung *Asobara* Foerster (Hymenoptera, Braconidae, Alysiinae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 55(3-4): 73-84.
- Fischer, M. 2003.** Ein Beitrag zur Kenntnis der Gattungen *Synaldis* Foerster und *Adelphenaldis* Fischer, gen. nov. (Hymenoptera, Braconidae, Alysiinae). Linzer Biologische Beiträge 35(1): 19-74.
- Fischer, S. & Leger, A. 1997.** Use of banker plants for biological control of aphids on cucumber in greenhouses. Revue Suisse de Viticulture, d'Arboriculture et d'Horticulture 29(2): 119-126.
- Fisher, P.A., Laing, J.E. & Pree, D.J. 1991.** Toxicity of permethrin, azinphosmethyl, and methomyl to *Pholetesor ornigis* (Weed) and *Pholetesor pedias* Nixon (Hymenoptera: Braconidae), parasites of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Fabr.) (Lepidoptera: Gracillariidae). Canadian Entomologist 123(6): 1175-1182.
- Fitzpatrick, S.M., Troubridge, J.T. & Maurice, C. 1994.** Parasitoids of blackheaded fireworm (*Rhopobota naevana* Hbn.) larvae on cranberries, and larval escape behaviour. Journal of the Entomological Society of British Columbia 91: 73-74.
- Fiume, F. & Petralia, S. 1992.** Snap bean (*Phaseolus vulgaris* L.) in winter-spring cultivation: influence of some protective tunnels on biological and productive parameters. Colture Protette 21(3): 75-79.
- Flanders, K.L., Radcliffe, E.B. & Krueger, C.A. 1994.** Natural enemies of alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), in Minnesota. Great Lakes Entomologist 27(1): 7-18.
- Flanders, K.L. & Radcliffe, E.B. 2000.** Phenology of the alfalfa weevil (Coleoptera: Curculionidae) and its associated parasitoids in Minnesota. Journal of Entomological Science 35(3): 227-238.
- Fleming, J.A.G.W. 1991.** The integration of polydnavirus genomes in parasitoid genomes: implications for biocontrol and genetic analyses of parasitoid wasps. Biological Control 1(2): 127-135.
- Fleming, J.A.G.W. 1992.** Polydnaviruses: mutualists and pathogens. Annual Review of Entomology 37: 401-425.
- Fleury, F., PompAnon, F., Mimouni, F., Chassain, C., Fouillet, P., Allemand, R. & Bouletreau, M. 1991.** Daily rhythmicity of locomotor activity in adult hymenopter parasitoids. Redia 74(3): 287-293.
- Floate, K., Khan, B. & Gibson, G. 1999.** Hymenopterous parasitoids of filth fly (Diptera: Muscidae) pupae in cattle feedlots. Canadian Entomologist 131(3): 347-362.
- Fodale, A.S., Mule, R. & Tucci, A. 1990.** Bioethological observations on *Margaronia unionalis* Hb. in Sicily and trials on its control. Annali dell'Istituto Sperimentale per l'Olivicoltura, (1988) 10: 31-44.

- Fodale, A.S. & Mule, R. 1990. Bioethological observations on *Palpita unionalis* Hb. in Sicily and trials of defence. *Acta Horticulturae* 286: 351-353.
- Foerster, L.A., Doetzer, A.K. & Avanci, M.R.F. 1999. Reproductive capacity and longevity of *Glyptapanteles muesebecki* (Blanchard) (Hymenoptera: Braconidae) parasitizing larvae of *Pseudaletia sequax* Franclemont (Lepidoptera: Noctuidae). *Anais da Sociedade Entomologica do Brasil* 28(3): 485-490.
- Foerster, L.A., Doetzer, A.K. & Avanci, M.R.F. 1999. Effect of temperature on the development and progeny production of *Glyptapanteles muesebecki* (Blanchard) (Hymenoptera: Braconidae) parasitizing larvae of *Pseudaletia sequax* Franclemont (Lepidoptera: Noctuidae). *Anais da Sociedade Entomologica do Brasil* 28(2): 243-249.
- Foerster, L.A. & Doetzer, A.K. 2003. Biology of *Microplitis mediator* Haliday (Hymenoptera: Braconidae) parasitizing the wheat armyworm *Mythimna (Pseudaletia) sequax* Franclemont (Lepidoptera: Noctuidae). *Neotropical Entomology* 32(1): 81-84.
- Folegatti, M.E.G., Alves, S.B., Botelho, P.S.M. & Machado-Botelho, P.S. 1990. Pathogenicity of the fungus *Metarhizium anisopliae* (Metsch.) Sorok to pupae and adults of *Apanteles flavipes* (Cam.). *Pesquisa Agropecuaria Brasileira* 25(2): 247-251.
- Fontanari, M., Sacco, M. & Girolami, V. 1993. Influence of ants on aphids and their predators in orchards. *Informatore Fitopatologico* 43(4): 47-55.
- Ford, R.L.E. 1971. The life cycle of *Perilitus coccinellae* Schrank (Hym., Braconidae). *Entomologist's Gazette* 22(1): 2.
- Forra, M.R., Fernandes, J.E. & Boelpaep, M.O.C. de 1992. Aphid pests of vegetable crops and aphidophagous insects caught in a suction trap in the Algarve, Portugal. *Bulletin OILB SROP* 15(4): 16-27.
- Forster, R., Martin, S., Vogt, H., Vinuela, E. & Jacas, J. 2001. Non-target arthropod testing-the current German interim procedure based on proposals made at the ESCORT 2 workshop. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at Castello de la Plana, Spain, 18-20 October, 2000. *Bulletin OILB SROP* 24(4): 1-6.
- Forti, D. & Loriatti, C. 1997. The effect of tebufenozide on the beneficial arthropod fauna. *Informatore Fitopatologico* 47(5): 19-23.
- Fortier, J.C. & Shaw, S.R. 1999. Cladistics of the *Aleiodes* lineage of the subfamily Rogadinae (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 8(2): 204-237.
- Fortier, J.C. 2000. Description of a new gregarious species of *Aleiodes* Wesmael (Hymenoptera: Braconidae: Rogadinae). *Journal of Hymenoptera Research* 9(2): 288-291.
- Foster, M.A. & Ruesink, W.G. 1984. Influence of flowering weeds associated with reduced tillage in corn on a black cutworm (Lepidoptera: Noctuidae) parasitoid, *Meteorus rubens* (Nees von Esenbeck). *Environmental Entomology* 13(3): 664-668.
- Foster, M.A. & Ruesink, W.G. 1986. Impact of common chickweed, *Stellaria media*, upon parasitism of *Agrotis ipsilon* (Lepidoptera: Noctuidae) by *Meteorus rubens* (Nees von Esenbeck). *Journal of the Kansas Entomological Society* 59(2): 343-349.
- Foster, M.A. & Ruesink, W.G. 1986. Modeling black cutworm-parasitoid-weed interactions in reduced tillage corn. *Agriculture Ecosystems & Environment* 16(1): 13-28.
- Foster, S.P., Kift, N.B., Baverstock, J., Sime, S., Reynolds, K., Jones, J.E., Thompson, R. & Tatchell, G.M. 2003. Association of MACE-based insecticide resistance in *Myzus persicae* with reproductive rate, response to alarm pheromone and vulnerability to attack by *Aphidius colemani*. *Pest Management Science* 59(11): 1169-1178.
- Fox, P.M., Pass, B.C. & Thurston, R. 1967. Laboratory studies on the rearing of *Aphidius smithi* (Hymenoptera: Braconidae) and its parasitism of *Acyrtosiphon pisum* (Homoptera: Aphididae). *Annals of the Entomological Society of America* 60: 1083-1087.
- Fox, P.M., Thurston, R. & Pass, B.C. 1967. Notes on *Myzus persicae* (Homoptera: Aphididae) as a host for *Aphidius smithi* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 60(3): 708-709.
- Frampton, E.R., Kerse, G.W. & Goldson, S.L. 1987. The effect of diflubenzuron on *Sitona* weevil and its parasitoid, *Microctonus aethioides*. *Proceedings of the New Zealand Weed and Pest Control Conference*, 216-218.
- Frana, J.E. & O'Neil, R.J. 1993. Parasitism of late instar larvae of the cattail caterpillar, *Simyra henrici* (Grote) (Lepidoptera: Noctuidae) in Indiana. *Journal of the Kansas Entomological Society* 66(4): 399-404.
- Franca, F.H. & Medeiros, M.A. de 1998. Impact of insecticide mixtures on cabbage production and parasitoids of diamondback moth. *Horticultura Brasileira* 16(2): 132-135.
- Francardi, V. & Covassi, M. 1994. On the bio-ecology of *Epinotia nigricana* (Herrich-Schaeffer) in fir woods of central Italy (Lepidoptera: Tortricidae). *Redia* 77(1): 55-67.
- Frances, V.L. & Jiménez, R. 1989. Dacnusiini (Hymenoptera, Braconidae Alysiniinae), parasites of mining flies (Diptera, Agromyzidae). *Miscellanea Zoologica* 13: 97-104.
- Frances, V.L. & Jiménez, R. 1989. New fauna and data on the Spanish Alysini (Hymenoptera: Braconidae). *Boletín de la Asociación Española de Entomología* 13: 201-212.
- Frances, V.L. & Jiménez, R. 1990. Descripción de la hembra de *Aspilota insolita* (Tobias, 1962) (Hymenoptera, Braconidae). *Nouvelle Revue d'Entomologie* 6(4) (1989): 383-385.
- Frank, J.H. & McCoy, E.D. 1993. The introduction of insects into Florida. *Florida Entomologist* 76: 1-53.
- Frankenhuyzen, A. van 1983. Zur Lebensweise und Bekämpfung der Apfelblattfaltenminiermotte, *Phyllonorycter blancardella* F. (Lep., Gracilariidae). *Anzeiger für Schädlingskunde Pflanzenschutz Umweltschutz* 56(8): 149-153.
- Frankie, G.W. & Koehler, C.S. 1971. Studies on the biology and seasonal history of the Cypress bark moth, *Laspeyresia cupressana* (Lepidoptera: Olethreutidae). *Canadian Entomologist* 103: 947-961.
- Franklin, R.T. 1969. Hymenopterous parasites of the southern pine beetle in Georgia. *Journal of the Georgia Entomological Society* 4(3): 119-122.
- Franzmann, B.A. 1980. Parasitism of *Phthorimaea operculella* (Lepidoptera, Gelechiidae) larvae in Queensland, Australia. *Entomophaga* 25(4): 369-372.
- Franzmann, B.A. & Rossiter, P.D. 1981. Toxicity of insecticides to *Trioxys complanatus* Quilis (Hymenoptera: Braconidae) in lucern. *Journal of the Australian Entomological Society* 20: 313-315.
- Franzmann, B.A., Turner, J.W. & Rynne, K.P. 1990. Release and establishment of exotic parasites (Hymenoptera) of lucerne aphids (Hemiptera: Aphididae) in Queensland. *General and Applied Entomology* 22: 67-71.
- Franzmann, B.A., Monsour, C.J., Teakle, R.E. & Murray, D.A.H. 1996. A small-plot trial on the management of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) on sorghum with nuclear polyhedrosis virus and larval parasitoids. *Proceedings of the Third Australian Sorghum Conference*, Tamworth, 20-22 February 1996. AIAS Occasional Publication 93: 353-357.
- Fraval, A. 1994. Biological control of forest pests. *Bulletin Technique Office National des Forêts* 26: 1-7.
- Frazer, B.D. & Bosch, R. van den 1973. Biological control of the walnut aphid in California: The interrelationships of the aphid and its parasite. *Environmental Entomology* 2(4): 561-568.
- Freeman, B.L. & Berisford, C.W. 1979. Abundance and parasitic habits of some parasitoids of.

- Freese, A. & Gunther, W. 1991.** *Olibrus aeneus* Fab. (Col., Phalacridae), a species associated with *Tripleurospermum perforatum* (Merat) Wagenitz and other Anthemideae (Asteraceae) and its potential for biological control. *Journal of Applied Entomology* 111(5): 499-505.
- French, B.W., Elliott, N.C., Kindler, S.D. & Arnold, D.C. 2001.** Seasonal occurrence of aphids and natural enemies in wheat and associated crops. *Southwestern Entomologist* 26(1): 49-55.
- Frenzel, M., Soldaat, L.L. & Auge, H. 2001.** Successful colonisation of a new host by a specialised phytophagous insect: does escape from enemies play a role? *Vorträge der Entomologentagung in Düsseldorf vom 26. bis 31. März 2001. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 13(1-6): 57-60.
- Freuler, J., Fischer, S., Ancay, A., Mittaz, C. & Terrettaz, C. 2001.** Comparative efficacy of some insecticides against cabbage aphid. *Revue Suisse de Viticulture, Arboriculture et Horticulture* 33(2): 89-97.
- Frick, T.B. & Tallamy, D.W. 1996.** Density and diversity of nontarget insects killed by suburban electric insect traps. *Entomological News* 107(2): 77-82.
- Friedlander, T.P., Wharton, R.A. & Steck, G.J. 1985.** New records of Agromyzidae and their braconid parasitoids from Texas (USA). *Southwestern Entomologist* 10(4): 257-263.
- Frouzan, M., Sahragard, A. & Amirmaafi, M. 2003.** Study on the biology of *Habrobracon hebetor* Say (Hym.: Braconidae) under laboratory condition. *Journal of Entomological Society of Iran* 22(2): 63-76.
- Fuchs, T.W., Huffman, E.R. & Smith, J.W. Jr. 1979.** Introduction and establishment of *Apanteles flavipes* (Hym.: Braconidae) on *Diatraea saccharalis* (Lep.: Pyralidae) in Texas. *Entomophaga* 24: 109-114.
- Fuentes-Contreras, E. & Niemeyer, H.M. 1998.** DIMBOA glucoside, a wheat chemical defense, affects host acceptance and suitability of *Sitobion avenae* to the cereal aphid parasitoid *Aphidius rhopalosiphii*. *Journal of Chemical Ecology* 24(2): 371-381.
- Fuentes-Contreras, E., Pell, J.K. & Niemeyer, H.M. 1998.** Influence of plant resistance at the third trophic level: interactions between parasitoids and entomopathogenic fungi of cereal aphids. *Oecologia* 117(3): 426-432.
- Fuentes-Contreras, E. & Niemeyer, H.M. 2000.** Effect of wheat resistance, the parasitoid *Aphidius rhopalosiphii*, and the entomopathogenic fungus *Pandora neoaphidis*, on population dynamics of the cereal aphid *Sitobion avenae*. *Entomologia Experimentalis et Applicata* 97(1): 109-114.
- Fuentes-Contreras, E. & Niemeyer, H.M. 2002.** Direct and indirect effects of wheat cultivars with different levels of resistance on parasitoids and entomopathogenic fungi of cereal aphids. *Ecoscience* 9(1): 37-43.
- Fuentes-Contreras, J.E., Powell, W., Wadhams, L.J., Pickett, J.A. & Niemeyer, H.M. 1996.** Influence of wheat and oat cultivars on the development of the cereal aphid parasitoid *Aphidius rhopalosiphii* and the generalist aphid parasitoid *Ephedrus plagiator*. *Annals of Applied Biology* 129(2): 181-187.
- Fuentes-Granados, R.G., Giles, K.L., Elliott, N.C. & Porter, D.R. 2001.** Assessment of greenbug-resistant wheat germplasm on *Lysiphlebus testaceipes* Cresson (Hymenoptera: Aphidiidae) oviposition and development in greenbug over two generations. *Southwestern Entomologist* 26(3): 187-194.
- Fuester, R.W. 1970.** Separation of first-stage larvae of two species of *Microctonus* (Hymenoptera: Braconidae) which attack the alfalfa weevil. *Annals of the Entomological Society of America* 63(6): 1777-1778.
- Fuester, R.W., Taylor, P.B. & Groce, J.C. Jr. 1987.** Reproductive response of *Glyptapanteles flavicoxis* (Hymenoptera: Braconidae) to various densities and instars of the gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantriidae). *Annals of the Entomological Society of America* 80(6): 750-757.
- Fuester, R.W., Gruber, F., Drea, J.J. Jr. & Hoyer, H. 1988.** Parasites of *Lymantria dispar* (Lep.: Lymantriidae) in France and their relation to a biological control program. *Acta Oecologica, Oecologia Applicata* 9(4): 385-402.
- Fuester, R.W., Taylor, P.B., Peng, H. & Swan, K. 1993.** Laboratory biology of a uniparental strain of *Meteorus pulchricornis* (Hymenoptera: Braconidae), an exotic larval parasite of the gypsy moth (Lepidoptera: Lymantriidae). *Annals of the Entomological Society of America* 86(3): 298-304.
- Fuester, R.W., Swan, K.S., Dunning, K., Taylor, P.B. & Ramessiah, G. 2003.** Male-biased sex ratios in *Glyptapanteles flavicoxis* (Hymenoptera: Braconidae), a parasitoid of the gypsy moth (Lepidoptera: Lymantriidae). *Annals of the Entomological Society of America* 96(4): 553-559.
- Führer, E. 1972.** Abnorme Glykogenspeicherung in Larven von *Pieris brassicae* (Lepidoptera: Pieridae) als Folge des Parasitismus von *Apanteles glomeratus*. *Zeitschrift für angewandte Entomologie* 70: 370-374.
- Führer, E. 1976.** Parasitäre Steuerung des Futterbedarfs von Kohlweisslingsraupen durch *Apanteles glomeratus* L. *Zeitschrift für angewandte Entomologie* 82: 228.
- Führer, E. & Keja, T.D. 1976.** Physiologische Wechselbeziehungen zwischen *Pieris brassicae* und dem endoparasiten *Apanteles glomeratus*, der Einfluss der Parasitierung auf Wachstum und Körpergewicht des Wirtes. *Entomologia Experimentalis et Applicata* 19: 287-300.
- Führer, E. & El-Sufy, R. 1979.** Production of fungistatic metabolites by teratocytes of *Apanteles glomeratus* L. (Hym., Braconidae). *Zeitschrift für Parasitenkunde* 59: 21-25.
- Führer, E. 1980.** Physiologische Wechselbeziehungen zwischen *Pieris brassicae* und dem Endoparasiten *Apanteles glomeratus* 2. Der Einfluss der Parasitierung auf die Ernährung des Wirtes. *Entomologia Experimentalis et Applicata* 27(2) 1980: 179-187.
- Führer, E. 1985.** Zum Einfluss von *Apanteles glomeratus* L. (Hym., Braconidae) auf die Ernährung der Wirtsraupe *Pieris brassicae* L. (Lep., Pieridae). *Zoologische Jahrbücher Abteilung für Systematik Oekologie und Geographie der Tiere* 112(1): 11-33.
- Fujii, J.K. 1981.** *Bracon hebetor* (Say). *Proceedings of the Hawaiian Entomological Society* 23(3) (1978): 330.
- Fujii, K. & Wai, K.M. 1990.** Sex-ratio determination in three wasp species ectoparasitic on bean weevil larvae. *Series Entomologica* 46: 331-340.
- Fujii, K. 1999.** Overview of S. Utida's research. *Researches on Population Ecology (Kyoto)* 41(1), 1999: 11-13.
- Fujiwara, C., Takabayashi, J. & Yano, S. 2000.** Effects of host-plant species on parasitization rates of *Mythimna separata* (Lepidoptera: Noctuidae) by a parasitoid, *Cotesia kariyai* (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 35(1): 131-136.
- Fujiwara, C., Takabayashi, J. & Yano, S. 2000.** Oviposition experience on a host-infested plant affects flight and antennal searching behavior of *Cotesia kariyai* toward the host-plant complex. *Entomologia Experimentalis et Applicata* 97(3): 251-256.
- Fukui, M. & Takada, H. 1988.** Fecundity, oviposition period and longevity of *Diaeretiella rapae* (M'Intosh) and *Aphidius gifuensis* Ashmead (Hymenoptera: Aphidiidae), two parasitoids of *Myzus persicae* (Sulzer) (Homoptera: Aphididae). *Japanese Journal of Applied Entomology and Zoology* 32(4): 331-333.
- Fukuizumi, Y. 1971.** Rearing of *Apanteles liparidis*. *For. Prot.* 20: 230-232.
- Fukuizumi, Y. 1973.** Relationships between parasitism of *Apanteles liparidis* and its host's reaction. *For. Prot.* 22: 203-206.

- Fukushima, J., Kuwahara, Y., Yamada, A. & Suzuki, T. 1990.** New non-cyclic homo-diterpene from the sting glands of *Bracon hebetor* Say (Hymenoptera: Braconidae). *Agricultural and Biological Chemistry* 54(3): 809-810.
- Fukushima, J.I., Kuwahara, Y. & Suzuki, T. 1989.** Isolation and identification of a kairomone responsible for the stinging behavior of *Bracon hebetor* Say (Hymenoptera: Braconidae) from frass of the almond moth *Cadra cautella* Walker. *Agricultural and Biological Chemistry* 53(11): 3057-3059.
- Fukushima, J., Kainoh, Y., Honda, H. & Takabayashi, J. 2001.** Learning of host-infested plant volatiles in the larval parasitoid *Cotesia kariyai*. *Entomologia Experimentalis et Applicata* 99(3): 341-346.
- Fukushima, J., Kainoh, Y., Honda, H. & Takabayashi, J. 2002.** Learning of herbivore-induced and nonspecific plant volatiles by a parasitoid, *Cotesia kariyai*. *Journal of Chemical Ecology* 28(3): 579-586.
- Fulmek, L. 1968.** Parasiten der Insektengallen Europas. Beiträge zur Entomologie 18(7/8): 719-952.
- Funasaki, G.Y., Lai, P.Y., Nakahara, L.M., Beardsley, J.W. & Ota, A.K. 1988.** A review of biological control introductions in Hawaii: 1890 to 1985. *Proceedings of the Hawaiian Entomological Society* 28: 105-160.
- Funderburk, J.E., Boucias, D.G., Herzog, D.C., Sprenkel, R.K. & Lynch, R.E. 1984.** Parasitoids and pathogens of larval lesser cornstalk borers (Lepidoptera: Pyralidae) in northern Florida. *Environmental Entomology* 13(5): 1319-1323.
- Fürlong, M.J. & Wright, D.J. 1993.** Effect of the acylurea insect regulator teflubenzuron on the endo-larval stages of the Hymenopteran parasitoids *Cotesia plutellae* and *Diadegma semiclausum* in a susceptible and an acylurea-resistant strain of *Plutella xylostella*. *Pesticide Science* 39(4): 305-312.
- Fürlong, M.J. & Wright, D.J. 1993.** Effect of the acylurea insect growth regulator teflubenzuron on the endo-larval stages of the hymenopteran parasitoids *Cotesia plutellae* and *Diadegma semiclausum* in a susceptible and an acylurea-resistant strain of *Plutella xylostella*. *Pesticide Science* 39(4): 305-312.
- Fürlong, M.J., Verkerk, R.H.J. & Wright, D.J. 1994.** Differential effects of the acylurea insect growth regulator teflubenzuron on the adults of two endolarval parasitoids of *Plutella xylostella*, *Cotesia plutellae* and *Diadegma semiclausum*. *Pesticide Science* 41(4): 359-364.
- Fürlong, M.J. & Pell, J.K. 1996.** Interactions between the fungal entomopathogen *Zoopththora radicans* Brefeld (Entomophthorales) and two hymenopteran parasitoids attacking the diamondback moth, *Plutella xylostella* L. *Journal of Invertebrate Pathology* 68(1): 15-21.
- Fürlong, M.J. & Pell, J.K. 2000.** Conflicts between a fungal entomopathogen, *Zoopththora radicans*, and two larval parasitoids of the diamondback moth. *Journal of Invertebrate Pathology* 76(2): 85-94.
- Füruta, K. & Mao, H. 1986.** Population dynamics of the maple aphid, *Periphyllus californiensis* Shinji, and its parasitoid, *Aphidius areolatus* Ashmead, in spring. *Japanese Journal of Applied Entomology and Zoology* 30(2): 123-128.
- Füruta, K. 1982.** Natural control of *Lymantria dispar* L. (Lep., Lymantriidae) population of low density levels in Hokkaido (Japan). *Zeitschrift für angewandte Entomologie* 93(5) 1982: 513-522.
- Fusco, R.A. & Hower, A.A. Jr. 1973.** Host influence on the laboratory production of the parasitoid, *Microctonus aethiops* (Nees). *Environmental Entomology* 2: 971-975.
- Fye, R.E. & Jackson, C.G. 1973.** Overwintering of *Chelonus blackburni* in Arizona. *Journal of Economic Entomology* 66(3): 807-808.
- Gaal, S. 1995.** Redescription of the holotype male of *Dacnusa lonicerella* Griffiths, [1967] 1966 (Hymenoptera). *Redia* 78(1): 137-140.
- Gaal, S. 1995.** Wiederbeschreibung des Holotypus von *Dacnusa delphinii* Griffiths 1967 (Hymenoptera: Braconidae: Alysiinae: Dacnusiini). *Entomologische Zeitschrift* 105(11): 225-228.
- Gaal, S. 1996.** Redescription of the holotype of *Dacnusa groschkeana* Griffiths, 1968 (Hymenoptera: Braconidae, Alysiinae, Dacnusiini). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 69(3-4): 479-482.
- Gaal, S. 1996.** Wiederbeschreibung von *Dacnusa laeta* (Nixon, 1954) (Hymenoptera: Braconidae, Alysiinae, Dacnusiini). *Beiträge zur Entomologie* 46(1): 133-136.
- Gabrys, B., Gadomski, H., Sobota, G., Halarewicz-Pacan, A., Paul, V.H., Kohn, K., Thomas, J. & Dapprich, P.D. 1998.** Reduction of the cabbage aphid, *Brevicoryne brassicae* (L.), population by *Diaeretiella rapae* (M'Intosh) on oilseed rape, white mustard, and Brassica vegetables. *Integrated Control in Oilseed Crops. Proceedings of a meeting held at Poznan, Poland, 10-12, April 1997. Bulletin OILB SROP* 21(5): 197-203.
- Gabrys, B.J., Gadomski, H.J., Klukowski, Z., Pickett, J.A., Sobota, G.T., Wadhams, L.J. & Woodcock, C.M. 1997.** Sex pheromone of cabbage aphid *Brevicoryne brassicae*: identification and field trapping of male aphids and parasitoids. *Journal of Chemical Ecology* 23(7): 1881-1890.
- Gagné, R.S. & Barrett, B.A. 1994.** Seasonal occurrence and density of *Phyllonorycter* spp. (Lepidoptera: Gracillariidae) and major parasitoids in Missouri apple orchards. *Environmental Entomology* 23(1): 198-207.
- Gagnepain, C. & Rasplus, J.Y. 1989.** *Caryedon serratus* and its parasitoids in the savanna around Lamto, Ivory Coast. *Entomophaga* 34(4): 559-567.
- Gaikwad, B.B. & Bilapate, G.G. 1989.** Field life-tables and key mortality factors of *Achaea janata* Linn. on castor. *Proceedings of the Indian Academy of Sciences Animal Sciences* 98(5): 331-339.
- Gaikwad, B.B. & Bilapate, G.G. 1992.** Parasitization of *Achaea janata* and estimation of losses on castor. *Journal of Maharashtra Agricultural Universities* 17(2): 195-196.
- Gaines, D.N. & Kok, L.T. 1995.** *Cotesia orobenae* (Hymenoptera: Braconidae), a gregarious endoparasitoid of *Evergestis rimosalis* (Lepidoptera: Pyralidae), and hyperparasitoids in Virginia Brassica crops. *Biological Control* 5(4): 573-580.
- Gaines, D.N. & Kok, L.T. 1999.** Impact of hyperparasitoids on *Cotesia glomerata* in southwestern Virginia. *Biological Control* 14(1): 19-28.
- Gal, T. & Bürges, G. 1987.** Zur Verbreitung und Lebensweise der Eichelmotte (*Laspeyresia splendana* Hbn., Lep., Tortricidae) in Ungarn. 2. Bionomie und natürliche Feinde. *Journal of Applied Entomology* 103(4): 363-368.
- Galichet, P.F. 1972.** Elevage d'*Apanteles flavipes* Cam. (Hym., Braconidae) au laboratoire sur deux espèces du genre *Diatraea* Guild. (Lep., Pyralidae). *Annales de Zoologie Ecologie Animale* 4: 255-259.
- Galichet, P.F. 1979.** Hibernation d'*Apanteles chilonis* (Hym.: Braconidae) sous le climat Méditerranéen. *Entomophaga* 24(2): 119-130.
- Galis, F. & Alphen, J.J.M. van 1981.** Patch time allocation and search intensity of *Asobara tabida* Nees (Braconidae), a larval parasitoid of *Drosophila*. *Netherlands Journal of Zoology* 31: 596-611.
- Gallardo-Covas, F. 1988.** Distribution of the coffee leaf miner, *Leucoptera coffeella*, and its parasitoids in the canopy of coffee, *Coffea arabica* in Puerto Rico. *Journal of Agriculture of the University of Puerto-Rico* 72(1): 141-146.
- Gallardo-Covas, F. 1988.** Faunal survey of the coffee leaf miner, *Leucoptera coffeella*, parasitoids in Puerto Rico. *Journal of Agriculture of the University of Puerto-Rico* 72(2): 255-263.

- Gallardo-Covas, F. 1992.** Augmentation of *Mirax insularis* Muesebeck. Alternative for population control of the coffee leaf miner, *Leucoptera coffeella* Guérin-Méneville, in Puerto Rico. Journal of Agriculture of the University of Puerto-Rico 76(2): 43-54.
- Gallego, C.E. & Abad, R.G. 1985.** Incidence, biology and control of the greater coconut spike moth *Tirathaba rufivena* Walker (Lepidoptera, Pyralidae). Philippine Journal of Coconut Stud 10(2): 9-13.
- Galli, J.C. & Rampazzo, E.F. 2000.** Parasitoids emerged from pupae of fruit flies obtained in guava orchard in Monte Alto, region of Sao Paulo State, Brazil. Revista de Agricultura Piracicaba 75(1): 109-117.
- Galloway, K.S. & Grant, B. 1989.** Reverse sex-ratio adjustment in an apparently outbreeding wasp, *Bracon hebetor*. Evolution 43(2): 465-468.
- Gamal, E.S., El Ghar, A., El Ghany, A. & El Sayed, M. 1992.** Long-term effects of insecticides on *Diaeretiella rapae* (M'Intosh), a parasite of the cabbage aphid. Pesticide Science 36(2): 109-114.
- Gamayunova, S.G. 1988.** Bio-ecological features of the parasites of the green oak-roller *Tortrix viridana*. Lesovodstvo i Agrolsomeselioratsiya 76: 51-53.
- Gambino, P. & Sullivan, D.J. 1982.** Phenology of emergence of the spotted tentiform leafminer, *Phyllonorycter crataegella* (Lepidoptera: Gracillariidae) and its parasitoids in New York. Journal of the New York Entomological Society 90: 229-236.
- Gan, M., Miao, X.X. & Ding, D.C. 2002.** Effects of some factors on parasitism of *Aphis craccivora* by the aphid parasitoid *Lysiphlebus japonicus*. Chinese Journal of Biological Control 18(3): 141-143.
- Gan, M., Miao, X.X. & Ding, D.C. 2003.** Interactions between the parasitoid *Lysiphlebus japonicus* Ashmead and its host *Aphis craccivora* Koch: host-stage selection and its effect on development. Acta Entomologica Sinica 46(5): 598-604.
- Gan, M., Miao, X.X. & Ding, D. 2003.** Biochemical and metabolic alterations in *Aphis craccivora* Koch parasitized by *Lysiphlebus japonicus* Ashmead. Acta Phytotaxonomica Sinica 30(3): 255-260.
- Gan, M., Xia, Miao X., Zhu, X.X. & De, C.D. 2003.** Developmental stages of *Lysiphlebus japonicus* Ashmead (Hymenoptera: Aphididae), a bean aphid parasitoid. Journal of Entomological Science 38(4): 519-524.
- Ganehiarachchi, G.A.S.M. 1997.** Aspects of the biology of *Diaphania indica* (Lepidoptera: Pyralidae). Journal of the National Science Council of Sri Lanka 25(4): 203-209.
- Ganeshan, S., Rajabalee, A. & Soma, A. 1997.** Notes on the parasitoids of *Helicoverpa armigera* Hübner (Lepidoptera: Noctuidae) on Mauritius. African Entomology 5(1): 164-167.
- Ganiev, I.G., Ushchekov, A.T., Muzafarov, I.Sh., Kalinin, Yu. G., & Emel'yanov, L.A. 1993.** The potato leaf miner and its parasites in greenhouses of Tatarstan. Zashchita Rastenii Moskva 7: 12-13.
- Gannota, E. 1993.** Five species of *Chorebus* (Hymenoptera: Braconidae, Alysiinae, Dacnusiini) new to Finland. Entomologica Fennica 4(1): 13.
- Gannota, E. & Tobias, V. 1994.** *Dacnusa bakurianensis* sp. n. (Hymenoptera, Braconidae) from Caucasus. Entomologica Fennica 5(1): 7-9.
- Gannota, E. 1996.** A new species of *Coelinidea* (Hymenoptera, Braconidae) from Myanmar. Entomologica Fennica 7(1): 7-8.
- Gantner, M. 2001.** A natural regulation of leafrollers (Lepidoptera: Tortricidae) occurring on hazel shrubs in Lublin Region. Progress in Plant Protection 41(2): 661-664.
- Gantner, M. 2003.** Lepidoptera of hazel plants in Poland (Part II). The natural regulation of Lepidoptera species in different habitats. Electronic Journal of Polish Agricultural Universities 6(2): Unpaginated.
- Gao, J.F. 1988.** Methods of mass propagating *Diaeretiella rapae* (Hym.: Braconidae) in Tonghua area [of China]. Chinese Journal of Biological Control 4(3): 141.
- Gao, J.F. 1990.** Survey for the natural enemies of soybean aphids in Tonghua. Chinese Journal of Biological Control 6(2): 90.
- Gao, J.F. & Yu, K. 1991.** An experiment on protecting the overwintering aphid parasitoid, *Lysiphlebia japonica* (Hym.: Aphididae). Chinese Journal of Biological Control 7(4): 188-189.
- Gao, J.F. 1994.** Biological characteristics and control effect of *Lysiphlebia japonica* (Hym.: Braconidae) on *Aphis glycines* (Hom.: Aphididae). (in Chinese) Chinese Journal of Biological Control 10(2): 91-92.
- Gaona Garcia, G., Ruiz Cancino, E. & Pena Martinez, R. 2000.** Aphids (Homoptera: Aphididae) and their natural enemies in the orange, *Citrus sinensis* (L.), in the central zone of Tamaulipas, Mexico. Los pulgones (Homoptera: Aphididae) y sus enemigos naturales en la naranja, *Citrus sinensis* (L.), en la zona centro de Tamaulipas, Mexico Acta Zoologica Mexicana Nueva Serie 81: 1-12.
- Gaouar, N. & Debouzie, D. 1991.** Olive fruit fly, *Dacus oleae* Gmel. (Diptera: Tephritidae) damage in Tlemcen region, Algeria. Journal of Applied Entomology 112(3): 288-297.
- Garcia Barros, E. 1986.** Descripción de las fases preimaginales y biología de *Paidia murina* (Hb., 1822) (Lepidoptera, Arctiidae). Graellsia 42: 175-187.
- Garcia Campos, W. de & Cure, J.R. 1993.** Larvae, their damage and associated parasitoids in *Eucalyptus cloeziana* reforestations in the Vale do Rio Doce (MG). Revista Brasileira de Entomologia 37(1): 1-13.
- Garcia, V. & Tavares, J. 1980.** Notas ecológicas sobre a 'lagarta das pastagens' (*Mythimna unipunctata* Haworth) na ilha do Pico (Acores). Arquipelago Ciências da Natureza No. 1: 127-133.
- Garcia, V. & Tavares, J. 1980.** *Mythimna unipunctata* Haworth (Lepidoptera, Noctuidae) e o seu parasita larvar *Apanteles militaris* Walsh (Hymenoptera, Braconidae) em S Miquel (Acores). Arquipelago Ciências da Natureza No. 1: 135-141.
- Gardner, S.M., Ward, S.A. & Dixon, A.F.G. 1984.** Limitation of superparasitism by *Aphidius rhopalosiphii*: a consequence of aphid defensive behaviour. Ecological Entomology 9: 149-155.
- Gardner, S.M. 1985.** The ecology and behaviour of *Aphidius rhopalosiphii*. Dissertation Abstracts International C European Abstracts 46(3): 660.
- Gardner, S.M. & Dixon, A.F.G. 1985.** Plant structure and the foraging success of *Aphidius rhopalosiphii* (Hymenoptera: Aphididae). Ecological Entomology 10(2): 171-179.
- Gargiullo, P.M. & Berisford, C.W. 1981.** Effects of host density and bark thickness on the densities of parasites of the southern pine beetle. Environmental Entomology 10(3): 392-399.
- Gargiullo, P.M. & Berisford, C.W. 1983.** Life tables for the Nantucket pine tip moth, *Rhyacionia frustrana* (Comstock), and the pitch pine tip moth, *Rhyacionia rigidana* (Fernald) (Lepidoptera: Tortricidae). Environmental Entomology 12: 1391-1402.
- Gargiullo, G., Malva, C., Pennacchio, F. & Tremblay, E. 1988.** Structure of *Aphidius* Nees (Hymenoptera: Braconidae) rDNA: a molecular tool in biosystematic research. Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri', Italy 45: 202-219.
- Garrido, A., Tormos, J. & Beitia, F. 1992.** Explanatory notes on agromyzids (Dipt.) injurious to chickpea and their parasitoids (Hym.: Braconidae, Eulophidae). Annales de la Société Entomologique de France 28(1): 111-112.
- Garry, C.E. & Wingo, C.W. 1971.** Factors affecting parasitism of the face fly by *Aphaereta pallipes* in laboratory studies. Journal of Economic Entomology 64(1): 104-107.
- Gassmann, A. & Tosevski, I. 1995.** Biology and host specificity of *Chamaesphex hungarica* and *Ch. astatiformis* (Lep.: Sesiidae) two

- candidates for the biological control of leafy spurge, *Euphorbia esula* (Euphorbiaceae) in North America. *Entomophaga* 39(2) (1994): 237-245.
- Gate, I.M., McNeill, S. & Ashmore, M.R.** 1995. Effects of air pollution on the searching behaviour of an insect parasitoid. *Water, Air, and Soil Pollution* 85(3): 1425-1430.
- Gates, M.W., Heraty, J.M., Schauff, M.E., Wagner, D.L., Whitfield, J.B. & Wahl, D.B.** 2002. Survey of the parasitic hymenoptera on leafminers in California. *Journal of Hymenoptera Research* 11(2): 213-270.
- Gauld, I.D.** 1970. Some records of Ichneumonoidea (Hym.) collected at light during autumn 1969 in Perthshire and southern Invernesshire, including a species new to Britain. *Entomologist's Gazette* 21: 282-284.
- Gauld, I.D. & Huddleston, T.** 1976. The nocturnal Ichneumonoidea of the British Isles, including a key to genera. *Entomologist's Gazette* 27: 35-49.
- Gauld, I.D. & Mitchell, P.A.** 1977. Nocturnal Ichneumonidae of the British Isles: the genus *Alexeter* Förster. *Entomologist's Gazette* 28(1): 51-55.
- Gauld, I.D.** 1988. Evolutionary patterns of host utilization by ichneumonid parasitoids (Hymenoptera: Ichneumonidae and Braconidae). *Biological Journal of the Linnean Society* 35(4): 351-377.
- Gauld, I.D. & Shaw, S.R.** 1995. The ichneumonoid families. Introduction: 390-431. In: Hanson, P.E. & Gauld, I.D. [eds]. "The Hymenoptera of Costa Rica." Oxford, New York & Tokyo: 1-893.
- Gautam, R.D.** 1986. Suitability of diapaused larvae of spotted stem borer, (*Chilo partellus* (Swinhoe)) (Crambidae: Lepidoptera) for laboratory rearing of *Apanteles flavipes* (Cameron) (Braconidae: Hymenoptera). *Sorghum Newsletter* 29: 66-69.
- Geervliet, J.B.F. & Brodeur, J.** 1992. Host species affecting the performance of the larval parasitoids *Cotesia glomerata* and *C. rubecula* (Hymenoptera: Braconidae) II. Comparative suitability of three *Pieris* species (Lepidoptera: Pieridae). *Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent* 57(2b): 547-550.
- Geervliet, J.B.F., Aaken, R. van, Savelkoul, C., Smitte, S.M., Brodeur, J., Vet, L.E.M. & Dicke, M.** 1993. Comparative approach to infochemical use by parasitoids for the case of *Cotesia glomerata* and *Cotesia rubecula*. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society* 4: 33-38.
- Geervliet, J.B.F., Ariens, S.J.A., Vet, L.E.M. & Dicke, M.** 1994. Learned odour preferences in the parasitoid *Cotesia glomerata*. *Norwegian Journal of Agricultural Sciences SUPP* 16: 261-267.
- Geervliet, J.B.F., Jong, K.J., Vet, L.E.M., Dicke, M. & Jong, K.J. de** 1994. The use of infochemicals from the first and second trophic level by the specialist larval endoparasitoid *Cotesia rubecula*. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society, recd.* 1996, 5: 173-179.
- Geervliet, J.B.F., Vet, L.E.M. & Dicke, M.** 1994. Volatiles from damaged plants as major cues in long-range host-searching by the specialist parasitoid *Cotesia rubecula*. *Entomologia Experimentalis et Applicata* 73(3): 289-297.
- Geervliet, J.B.F., Vet, L.E.M. & Dicke, M.** 1996. Innate responses of the parasitoids *Cotesia glomerata* and *C. rubecula* (Hymenoptera: Braconidae) to volatiles from different plant-herbivore complexes. *Journal of Insect Behavior* 9(4): 525-538.
- Geervliet, J.B.F., Posthumus, M.A., Vet, L.E.M. & Dicke, M.** 1997. Comparative analysis of headspace volatiles from different caterpillar-infested or uninfested food plants of *Pieris* species. *Journal of Chemical Ecology* 23(12): 2935-2954.
- Geervliet, J.B.F., Vreugdenhil, A.I., Dicke, M. & Vet, L.E.M.** 1998. Learning to discriminate between infochemicals from different plant-host complexes by the parasitoids *Cotesia glomerata* and *C. rubecula*. *Entomologia Experimentalis et Applicata* 86: 241-252.
- Geervliet, J.B.F., Ariens, S., Dicke, M. & Vet, L.E.M.** 1998. Long-distance assessment of patch profitability through volatile infochemicals by the parasitoids *Cotesia glomerata* and *C. rubecula* (Hymenoptera: Braconidae). *Biological Control* 11(2): 113-121.
- Geervliet, J.B.F., Verdel, M.S.W., Snellen, H., Schaub, J., Dicke, M. & Vet, L.E.M.** 2000. Coexistence and niche segregation by field populations of the parasitoids *Cotesia glomerata* and *C. rubecula* in the Netherlands: predicting field performance from laboratory data. *Oecologia* 124(1): 55-63.
- Geetha Bai, M., Marimadaiah, B., Narayanaswamy, K.C. & Rajagopal, D.** 1997. An outbreak of leaf-roller pest, *Diaphania* (= *Margaronia*) *pulverulentalis* (Hampson) on mulberry in Karnataka. *Geobios New Reports* 16(2): 73-79.
- Gelman, D.B. & Beckage, N.E.** 1995. Low molecular weight ecdysiotropins in proctodea of fifth instars of the tobacco hornworm, *Manduca sexta* (Lepidoptera: Sphingidae), and hosts parasitized by the braconid wasp *Cotesia congregata* (Hymenoptera: Braconidae). XIth Ecdysone Workshop, Ceske Budejovice, Czech Republic, 29th June-2nd July 1994. *European Journal of Entomology* 92(1): 123-129.
- Gelman, D.B., Reed, D.A., Beckage, N.E., Pennacchio, F., Bradleigh-Vinson, S. & Lanzrein, B.** 1998. Manipulation of fifth-instar host (*Manduca sexta*) ecdysteroid levels by the parasitoid wasp *Cotesia congregata*. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 833-843.
- Gelman, D.B., Kelly, T.J., Reed, D.A. & Beckage, N.E.** 1999. Synthesis/release of ecdysteroids by *Cotesia congregata*, a parasitoid wasp of the tobacco hornworm, *Manduca sexta*. *Archives of Insect Biochemistry and Physiology* 40(1): 17-29.
- Genduso, P.** 1969. Morfologia dell'addome e dell'apparato riproduttore femminile dell'*Opius concolor siculus* Mon. *Boll. Ist Ent. Agr. Oss. Fitopath. Palermo* 7: 235-255.
- Genduso, P.** 1981. Attuali conoscenze sulla lotta biologica contro la mosca delle olive a mezzo di entomofagi. *If (Informatore Fitopatologico)* Nos. 1-2: 57-59.
- Genise, J.F.** 1992. The Brèthes types of Hymenoptera in the Museo Argentino de Ciencias Naturales. *Ichnews* 13: 7-8.
- Genung, W.G., Woodruff, R.E. & Grissell, E.E.** 1980. *Languria erythrocephalus*: host plants, immature stages, parasites, and habits (Coleoptera: Languriidae). *Florida Entomologist* 63(2): 206-210.
- Geoghegan, I.E., Majerus, T.M.O. & Majerus, M.E.N.** 1998. A record of a rare male of the parthenogenetic parasitoid *Dinocampus coccinellae* (Schränk) (Hym.: Braconidae). *Entomologist's Record and Journal of Variation* 110(7-8): 171-172.
- Geoghegan, I.E., Majerus, T.M.O. & Majerus, M.E.N.** 1998. Differential parasitisation of adult and pre-imaginal *Coccinella septempunctata* (Coleoptera: Coccinellidae) by *Dinocampus coccinellae* (Hymenoptera: Braconidae). *European Journal of Entomology* 95(4): 571-579.
- Geoghegan, I.E., Thomas, W.P. & Majerus, M.E.N.** 1997. Notes on the coccinellid parasitoid *Dinocampus coccinellae* (Schränk) (Hymenoptera: Braconidae) in Scotland. *Entomologist* 116(3-4): 179-184.
- Geoghegan, I.E., Chudek, J.A., Mackay, R.L., Lowe, C., Moritz, S., McNicol, R.J., Birch, A.N.E., Hunter, G. & Majerus, M.E.N.** 2000. Study of anatomical changes in *Coccinella septempunctata* (Coleoptera: Coccinellidae) induced by diet and by infection with the larva of *Dinocampus coccinellae* (Hymenoptera: Braconidae) using magnetic resonance microimaging. *Proceedings of the 7th International Symposium on Ecology of Aphido-*

- phaga. Global working group of I.O.B.C. Bromont near Montreal, Quebec, Canada, 31 August-4 September, 1999 [edited by Vincent, C., Coderre, D., Hodek, I.]. *European Journal of Entomology* 97(4): 457-461.
- Georgiev, G.T. & Tsankov, G. 1995.** New species of parasitoid insects on larvae of the poplar clearwing (*Paranthrene tabaniformis*) in Bulgaria. *Nauka za Gorata* 32(2): 51-58.
- Georgiev, G. & Samuelian, S. 1999.** Species composition, structure and impact of larval parasitoids of poplar twig borer, *Gypsonoma aceriana* (Dup.) (Lepidoptera: Tortricidae), on poplar ornamental trees in Sofia. *Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz* 72(1): 1-4.
- Georgiev, G. 2000.** Studies on larval parasitoids of *Paranthrene tabaniformis* (Rott.) (Lepidoptera: Sesiidae) on urban poplars (*Populus* spp.) in Sofia, Bulgaria. *Annals of Forest Science* 57(2): 181-186.
- Georgiev, G. 2001.** Notes on the biology and ecology of the parasitoids of the poplar clearwing moth, *Paranthrene tabaniformis* (Rott.) (Lep.: Sesiidae) in Bulgaria. I. *Apanteles evonymellae* (Bouché, 1834) (Hym.: Braconidae). *Journal of Applied Entomology* 125(3): 141-145.
- Georgiev, G. 2001.** Parasitoids of *Saperda populnea* (L.) (Coleoptera: Cerambycidae) on aspen (*Populus tremula* L.) in Bulgaria. *Anzeiger für Schädlingskunde* 74(6): 155-158.
- Georgiev, G.T. & Boyadzhiev, P. 2002.** New parasitoids of *Paraphytomyza populi* (Kltb.) (Diptera: Agromyzidae) in Bulgaria. *Anzeiger für Schädlingskunde* 75(3): 69-71.
- Georgiev, G. & Delkov, A. 2003.** Bioecological characteristics of *Bassus tumidulus* (Nees) (Hym.: Braconidae), a parasitoid of the poplar twig borer, *Gypsonoma aceriana* (Dup.) (Lep.: Tortricidae) in Bulgaria. *Journal of Applied Entomology* 127(2): 99-102.
- Gerasimova, N.G. & Polyakova, N.P. 1988.** The influence of viruses, bacteria and parasitoids on the vital activity of insect pests. *Izvestiya Akademii Nauk Turkmenskoi SSR. Seriya Biologicheskikh Nauk* 1: 47-51.
- Geraud-Pouey, F., Chirinos, D.T. & Rivero, G. 1997.** Population dynamics and damage caused by Gelechiidae leaf miners of tomatoes in the north western region of Zulia State, Venezuela. *Boletín de Entomología Venezolana* 12(1): 43-50.
- Gerdin, S. 1984.** The biology of a newly discovered *Perilitus* sp. (Hymenoptera, Braconidae), a parasitoid of adults of the large pine weevil, *Hyllobius abietis* (Coleoptera, Curculionidae). *Entomologisk Tidskrift* 105(112): 25-30.
- Gerdin, S. & Hedqvist, K.J. 1985.** *Perilitus areolaris* sp. n. (Hymenoptera: Braconidae), an imago-parasitoid of the large pine weevil, *Hyllobius abietis* (Linnaeus), and its reproductive behaviour. *Entomologica Scandinavica* 15(1984): 363-369.
- Gerding, M. & Figueroa, A. 1982.** Establecimiento en la VII y VIII Region de *Aphidius ervi*, *Aphidius rhopalosiphii* y *Aphidius uzbekistanicus*, parasitoide de los pulgones de trigo. *IPA Quilamapu, Chile* 13: 13-14.
- Gerding, M. & Figueroa, A. 1989.** Progeny reduction of *Sitobion avenae* Fab (Homoptera: Aphididae) by *Aphidius ervi* (Hymenoptera: Aphididae). *Agricultura Tecnica Santiago* 49(1): 50-53.
- Gerding, M., Zuniga, E., Quiroz, C., Norambuena, H. & Vargas, R. 1989.** Relative abundance of parasitoids of *Sitobion avenae* (F) and *Metopolophium dirhodum* (WLK) (Homoptera: Aphididae) in different areas of Chile. *Agricultura Tecnica Santiago* 49(2): 104-114.
- Gerling, D. 1969.** The parasites of *Spodoptera littoralis* Bois. (Lep., Noctuidae) eggs and larvae in Israel. *Israel Journal of Entomology* 4: 73-81.
- Gerling, D. 1971.** Occurrence, abundance and efficiency of some local parasitoids attacking *Spodoptera littoralis* (Lepidoptera: Noctuidae) in selected cotton fields in Israel. *Annals of the Entomological Society of America* 64(2): 492-499.
- Gerling, D. & Rotary, N. 1973.** Hypersensitivity, resulting from host-unsuitability, as exemplified by two parasite species attacking *Spodoptera littoralis* (Lepidoptera: Noctuidae). *Entomophaga* 18(4): 391-396.
- Gerling, D. & Rotary, N. 1974.** Structure and function of the seminal vesicles and the spermatheca in *Bracon hebetor* Say (Hymenoptera: Braconidae). *International Journal of Insect Morphology and Embryology* 3: 159-162.
- Getu, E., Overholt, W.A. & Kairu, E. 2001.** Distribution and species composition of stemborers and their natural enemies in maize and sorghum in Ethiopia. *Insect Science and its Application* 21(4): 353-359.
- Getu, E., Overholt, W.A., Kairu, E. & Omwega, C.O. 2003.** Evidence of the establishment of *Cotesia flavipes* (Hymenoptera: Braconidae), a parasitoid of cereal stemborers, and its host range expansion in Ethiopia. *Bulletin of Entomological Research* 93(2): 125-129.
- Gherasim, V.F. 1986.** [New data on the morphology of the ovipositor of *Aphaereta minuta* Nees (Braconidae), parasite of the flies attacking fruits and vegetables.] *Buletinul de Protectia Plantelor* 2: 13.
- Gherasim, V.F. 1986.** New data on the morphology of the ovipositor of *Aphaereta minuta* Nees (Braconidae), a parasitoid of flies attacking fruits and vegetables. *Buletinul de Protectia Plantelor*, publ. 1989, 2: 13-17.
- Ghorpade, K.D. 1977.** On *Perilitus coccinellae* (Schrank) (Hymenoptera: Braconidae), an endoparasite of adult Coccinellidae (Coleoptera), in Karnataka. *Mysore Journal of Agricultural Sciences* 11: 55-59.
- Ghorpade, K.D. 1979.** Further notes on *Perilitus coccinellae* (Hymenoptera: Braconidae) in India. *Current Research-University of Agricultural Sciences (Bangalore)* 8(7): 112-113.
- Ghosh, A.K. & Agarwala, B.K. 1982.** A catalogue of aphidiid (Hymenoptera: Aphidiidae) parasites of aphids (Homoptera) of India. *Journal of the Bombay Natural History Society* 79(1): 125-134.
- Ghosh, S.M. & Abdurahiman, U.C. 1984.** Bioethology of *Meteoriidea hutsoni* (Nixon) (Hymenoptera: Braconidae), a parasite of *Opisina arenosella* Walker, the black headed caterpillar pest of coconut. *Entomon* 9(1): 31-34.
- Ghosh, S.M. & Abdurahiman, U.C. 1985.** Bioethology and evaluation of comparative efficiency of *Apanteles taragamae*, a larval parasitoid of the coconut caterpillar, *Opisina arenosella*. *Philippine Journal of Coconut Studies* 10(2): 4-8.
- Ghosh, S.M. & Abdurahiman, U.C. 1985.** Record of two new hyperparasites of *Apanteles taragamae* Vier. (Braconidae: Hymenoptera), a larval parasite of the black-headed caterpillar pest of coconut. *Current Science (Bangalore)* 54(6) 1985: 295-296.
- Ghosh, S.M. & Abdurahiman, U.C. 1986.** Two new records of hyperparasites on *Opisina arenosella* Walker, the caterpillar pest of coconut. *Entomon* 11(1): 75-76.
- Ghosh, S.M. & Abdurahiman, U.C. 1988.** Biology of reproduction of *Apanteles taragamae* Wilkinson (Hym.: Braconidae) a larval parasitoid of *Opisina arenosella* Walker, the caterpillar pest of coconut. *Entomon* 13(2): 147-155.
- Ghosh, S.M. & Abdurahiman, U.C. 1988.** On the biology of *Pediobius imbreus* (Hymenoptera: Eulophidae), a hyperparasite of *Opisina arenosella*, the black-headed caterpillar of coconut. *COCOS* 6: 27-30.
- Ghosh, S.M. & Abdurahiman, U.C. 1993.** Variations in the developmental period during adverse conditions in *Apanteles taragamae* Wilkinson (Braconidae: Hymenoptera). *Annals of Entomology (Dehra Dun)* 11(2): 27-31.
- Ghosh, S.M., Chandrasekharan, K. & Abdurahiman, U.C. 1993.** The bionomics of *Pediobius imbreus* (Hymenoptera) and its impact on the biological control of the coconut caterpillar. *Journal of Ecobiology* 5(3): 161-166.

- Ghosh, S.M. 1995.** Biological studies on *Glyptapanteles obliquae* (Wilkinson) (Hymenoptera: Braconidae), a potent parasitoid of *Pericallia ricini* Fabr. Journal of Entomological Research 19(4): 345-350.
- Ghosh, S.M. & Abdurahiman, U.C. 1996.** Role of kairomones in host selection by *Apanteles taragamae* Wilkinson, a larval parasitoid of *Opisina arenosella* Walker. Entomon 21(3-4): 259-262.
- Ghosh, S.M. 1998.** Biology of *Cotesia glomeratus* (Linnaeus) (Hymenoptera: Braconidae) a new larval endoparasitoid of *Pericallia ricini* Fabricius (Lepidoptera: Arctiidae). Entomon 23(2): 117-122.
- Giakwad, B.B. & Bilapate, G.G. 1989.** Field life-tables and key mortality factors of *Achaea janata* Linn. on castor. Proceedings of the Indian Academy of Sciences, Animal Sciences 98(5): 331-339.
- Giang, H.T.T., Tung, N.V., Takasu, K. & Ogata, K. 2001.** Development and host-stage selection by a Vietnamese strain of the larval parasitoid *Cotesia plutellae* Kurdjumov (Hymenoptera: Braconidae). Bulletin of the Institute of Tropical Agriculture Kyushu University 24: 11-18.
- Gibogini, B., Alma, A. & Arzone, A. 1996.** Bio-ethological research on the Hymenoptera of the biocenosis of *Phyllonorycter robiniiellus* (Clemens) (Lepidoptera: Gracillariidae). Bollettino di Zoologia Agraria e di Bachicoltura 28(1): 13-22.
- Gibson, L.P. 1972.** Revision of the genus *Urosigalphus* of the United States and Canada (Hymenoptera: Braconidae). Miscellaneous Publications of the Entomological Society of America 8: 85-134.
- Gibson, L.P. 1972.** *Urosigalphus* of Mexico and Central America (Hymenoptera: Braconidae). Miscellaneous Publications of the Entomological Society of America 8: 135-157.
- Gibson, L.P. 1974.** South American *Urosigalphus* (Hymenoptera: Braconidae). Miscellaneous Publications of the Entomological Society of America 9(4): 203-226.
- Gibson, L.P. 1977.** A new genus of Blacinae (Hymenoptera: Braconidae). Pacific Insects 17(2-3): 241-245.
- Gibson, L.P. 1982.** New species of *Urosigalphus* (Hymenoptera: Braconidae) from Mexico. Proceedings of the Entomological Society of Washington 84(1): 97-101.
- Gibson, L.P. 1982.** New species of *Urosigalphus* (Hymenoptera: Braconidae) from South America. Proceedings of the Entomological Society of Washington 84(1): 167-176.
- Giessen, V.A. van, Lewis, W.J., Vet, L.E.M., Wäckers, F.L. & Giessen, W.A. van 1993.** The influence of host site experience on subsequent flight behaviour in *Microplitis croceipes* (Cresson) (Hymenoptera: Braconidae). Biological Control 3(1): 75-79.
- Gifford, J.R. & Mann, G.A. 1967.** Biology, rearing, and a trial release of *Apanteles flavipes* in the Florida Everglades to control the sugarcane borer. Journal of Economic Entomology 60(1): 44-47.
- Gilbert, N. & Gutierrez, A.P. 1973.** A plant-aphid-parasite relationship. Journal of Animal Ecology 42: 323-340.
- Gilchrist, G.W. 1996.** A quantitative genetic analysis of thermal sensitivity in the locomotor performance curve of *Aphidius ervi*. Evolution 50(4): 1560-1572.
- Giles, K.L., Jones, D.B., Royer, T.A., Elliott, Norman C. & Kindler, S.D. 2003.** Development of a sampling plan in winter wheat that estimates cereal aphid parasitism levels and predicts population suppression. Journal of Economic Entomology 96(3): 975-982.
- Giller, P.S., Ryan, B., Kennedy, T. & Connery, J. 1995.** Aphid-parasitoid interactions in a winter cereal crop: field trials involving insecticide application. Journal of Applied Entomology 119(3): 233-239.
- Gillespie, D.R., McGregor, R.R., Opit, G. & Lenteren, J.C. van 1999.** Evaluation of *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae) for biological control of *Trichoplusia ni* (Hübner) (Lepidoptera: Noctuidae) in greenhouse vegetable crops in British Columbia. IOBC WPRS Working Group "Integrated Control in Glasshouses". Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP 22(1): 89-92.
- Gilstrap, F.E., Kring, T.J. & Brooks, G.W. 1984.** Parasitism of aphids (Homoptera: Aphididae) associated with Texas sorghum. Environmental Entomology 13(6): 1613-1617.
- Gilstrap, F.E. & McKinnon, L.K. 1988.** Response of native parasites to Russian wheat aphid. Progress Report Texas Agricultural Experiment Station PR-4558: 1-5.
- Gimeno, C., Belshaw, R. & Quicke, D.L.J. 1997.** Phylogenetic relationships of the Alysiniinae/Opiinae (Hymenoptera: Braconidae) and the utility of cytochrome b, 16S and 28S D2 rRNA. Insect Molecular Biology 6(3): 273-284.
- Giordana, B., Milani, A., Grimaldi, A., Farneti, R., Casartelli, M., Ambrosecchio, M.R., Digilio, M.C., Leonardi, M.G., Eguileor, M. de & Pennacchio, F. 2003.** Absorption of sugars and amino acids by the epidermis of *Aphidius ervi* larvae. Journal of Insect Physiology 49(12): 1115-1124.
- Giri, M.K., Pass, B.C., Yeargan, K.V. & Parr, J.C. 1982.** Behavior, net reproduction, longevity, and mummy-stage survival of *Aphidius matricariae* (Hym. Aphidiidae). Entomophaga 27(2): 147-153.
- Giri, M.K., Pass, B.C. & Yeargan, K.V. 1983.** The effect of temperature on the rate of development of *Aphidius matricariae* Haliday (Hymenoptera: Aphidiidae). Transactions of the Kentucky Academy of Science 44: 145-147.
- Giunchi, P. & Giovanni, G. de 1987.** Life cycle and symbionts of *Gypsonoma minutana* Hübner (Lepidoptera: Tortricidae) developing on poplar in Emilia-Romagna. Bollettino dell'Istituto di Entomologia 'Guido Grandi' della Università degli Studi di Bologna 41: 195-207.
- Gladstone, S.H. 1991.** Parasitoids of *Spodoptera frugiperda* Smith (Lepidoptera: Noctuidae) in maize sown in the dry season in Nicaragua. CEIBA 32(2): 201-206.
- Glas, P.C.G. & Vet, L.E.M. 1983.** Host-habitat location and host location by *Diachasma alloeum* Muesebeck (Hym. Braconidae) a parasitoid of *Rhagoletis pomonella* Walsh (Dipt. Tephritidae). Netherlands Journal of Zoology 33: 41-54.
- Glatz, R., Schmidt, O. & Asgari, S. 2003.** Characterization of a novel protein with homology to C-type lectins expressed by the *Cotesia rubecula* bracovirus in larvae of the lepidopteran host, *Pieris rapae*. Journal of Biological Chemistry 278(22): 19743-19750.
- Glavendekic, M.M. 2000.** Studies on *Altica quercetorum* Foud. (Coleopt.: Chrysomelidae) during an outbreak 1992-1995 in Serbia. Anzeiger für Schädlingkunde 73(5): 127-128.
- Glen, D.M. 1977.** Ecology of the parasites of a predatory bug, *Blepharidopterus angulatus* (Fall.). Ecological Entomology 2(1): 47-55.
- Gliniski, Z. & Jarosz, J. 1996.** Role of polydnavirus in the immunosuppression in insects. Medycyna Weterynaryjna 52(8): 502-505.
- Glinwood, R.T., Du, Y.J. & Powell, W. 1999.** Responses to aphid sex pheromones by the pea aphid parasitoids *Aphidius ervi* and *Aphidius eadyi*. Entomologia Experimentalis et Applicata 92(2): 227-232.
- Glinwood, R.T., Du, Y.J., Smiley, D.W.M. & Powell, W. 1999.** Comparative responses of parasitoids to synthetic and plant-extracted nepetalactone component of aphid sex pheromones. Journal of Chemical Ecology 25(7): 1481-1488.
- Glinwood, R.T., Powell, W. & Tripathi, C.P.M. 1998.** Increased parasitization of aphids on trap plants alongside vials releasing synthetic aphid sex pheromone and effective range of the pheromone. Biocontrol Science and Technology 8(4): 607-614.

- Glowacki, J. 1966.** Notes on the secondary parasites among the Ichneumon-flies (Hymenoptera, Ichneumonidae) in the fauna of Poland. *Polskie Pismo Entomologiczne* 36: 377-382.
- Glowacki, J. & Karpinski, J.J. 1967.** Aneks 3. Neue Gattung - *Similarinus* gen. nov. und Art - *S. ilinskyi* sp. nov. (Hymenoptera, Braconidae) Parasit der Raupen des Lorchenzapfenwicklers (*Laspeyresia ibeeliana* Kapr., Lepidoptera, Tortricidae). *Ministerstwo Lesnictwa i Przemyslu Drzewnego. Instytut Badawczy Lesnictwa* 315: 103-104.
- Gobbi, N. & Cunha, M.C.A. 1983.** Preliminary observations of the relationship between *Ascia monuste orseis* (Godart, 1818) (Lepidoptera: Pieridae) caterpillars and its parasite *Apanteles ayerzai* (Brèthes, 1920) (Hymenoptera: Braconidae). *Naturalia (Sao Paulo)* 8: 193-196.
- Gobbi, N., Jannini, A.E., Tauk, S.M., Fowler, H.G. & Da Silva, O.A. 1989.** Effect of parasitism of *Cotesia glomerata* (Linnaeus, 1758) (Hymenoptera: Braconidae) on food consumption of larvae of *Ascia monuste orseis* (Godart, 1818) (Lepidoptera: Pieridae). *Anais da Sociedade Entomologica do Brasil* 18(1): 169-175.
- Gobbi, N., Cunha, M.C.A., Zucchi, R. & Fowler, H.G. 1990.** Oviposition pattern by *Cotesia ayerzai* (Hym.: Braconidae) on *Ascia monuste* (Lep.: Pieridae) under laboratory conditions. *Entomophaga* 35(2): 195-202.
- Gobbi, N., Chaud-Netto, J., Diniz-Filho, J.A.F., Tornisielo, S.M.T., Nazareth, S.L. & Almeida, L.C. de 1993.** Study of the relationship between *Cotesia flavipes* (Cameron, 1891) and *Diatraea saccharalis* (Fabricius, 1794). I. Effect of parasitism on the food consumption of 4th-instar larvae. *Naturalia Sao Paulo* 18: 201-206.
- Gobbi, N., Chaud-Netto, J., Diniz-Filho, J.A.F., Tornisielo, S.M.T., Nazareth, S.L. & Almeida, L.C. de 1994.** Study of the relationship between *Cotesia flavipes* (Cameron) and *Diatraea saccharalis* (Fabricius). II. Effect of parasitism on consumption by 5th instar larvae. *Anais da Sociedade Entomologica do Brasil* 23(1): 45-49.
- Godfray, H.C.J. 1984.** Intraspecific variation in the leaf-miner parasite *Exotela cyclogaster* Förster (Hymenoptera: Braconidae). *Proceedings and Transactions of the British Entomological and Natural History Society* 17(1/2): 47-50.
- Godfray, H.C.J. & McGavin, G.C. 1985.** *Colastes pubicornis* (Thomson) (Hym., Braconidae, Exothecini) new to Britain, with a first host record. *Entomologist's Monthly Magazine* 121: 109-110.
- Godfray, H.C.J. 1986.** Four species of *Opius* (Hym., Braconidae) new to Britain. *Entomologist's Monthly Magazine* 122: 127.
- Godfray, H.C.J. 1988.** *Biosteres spinaciae* (Thomson) (Hym.: Braconidae: Opiinae), new to Britain. *Entomologist's Monthly Magazine* 124(1492-95): 251-252.
- Godfray, H.C.J. 1994.** Parasitoids: Behavioral and Evolutionary Ecology. Princeton, N.J.: 1-473.
- Godfray, H.C.J., Agassiz, D.J.L., Nash, D.R. & Lawton, J.H. 1995.** The recruitment of parasitoid species to two invading herbivores. *Journal of Animal Ecology* 64(3): 393-402.
- Godfrey, G.L. & Root, R.B. 1968.** Emergence of parasites associated with the cabbage aphid during a chemical-control program. *Journal of Economic Entomology* 61(6): 1762-1763.
- Godin, C. & Boivin, G. 1998.** Lepidopterous pests of *Brassica* crops and their parasitoids in southwestern Quebec. *Environmental Entomology* 27(5): 1157-1165.
- Godin, C. & Boivin, G. 1998.** Occurrence of *Cotesia rubecula* (Hymenoptera: Braconidae) in Quebec, 30 years after its introduction in North America. *Canadian Entomologist* 130(5): 733-734.
- Godinho, M., Mexia, A., Albajes, R. & Sekeroglu, E. 2000.** Leaf-miners (*Liriomyza* sp.) importance in greenhouses in the Oeste region of Portugal and its natural parasitoids as control agents in IPM programs. IOBC WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate". *Proceedings of the meeting, Antalya, Turkey, 24-28 April 2000. Bulletin OILB SROP* 23(1): 157-161.
- Godoy, F.J. & Martinez, N.B. de 1999.** *Dorytobracon toxotrypanae*, Muesebeck (Hymenoptera: Braconidae: Opiinae) parasite of fruit fly *Toxotrypana curvicauda* Gerst. *Agronomia Tropical Maracay* 49(4): 527-531.
- Goeden, R.D. 2000.** Life history and description of immature stages of *Neasplota aenigma* Friedberg and Mathis (Diptera: Tephritidae) on *Erigeron divergens* Torrey and Gray (Asteraceae) in southern California. *Proceedings of the Entomological Society of Washington* 102(2): 384-397.
- Goel, S.C. & Kumar, S. 1994.** Record of a new larval parasitoid associated with *Antigastra catalaunalis* (Dup.) (Lepidoptera: Pyralidae). *Journal of the Bombay Natural History Society* 91(2): 331.
- Goel, S.C. & Kumar, S. 1997.** Life table studies of *Antigastra catalaunalis* on sesamum. *Indian Journal of Entomology* 59(3): 239-244.
- Goff, A.M. 1983.** Host selection by the aphid parasite, *Aphidius ervi* Haliday. *Dissertation Abstracts International B Sciences and Engineering* 43(10) 1983: 3127.
- Goff, A.M. & Nault, L.R. 1984.** Response of the pea aphid parasite *Aphidius ervi* Haliday (Hymenoptera: Aphidiidae) to transmitted light. *Environmental Entomology* 13: 595-598.
- Goh, H.G. & Lenteren, J.C. van 1999.** Control of watermelon insect pests by the use of multiple natural enemies. IOBC WPRS Working Group "Integrated Control in Glasshouses". *Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP* 22(1): 93-95.
- Gohole, L.S., Overholt, W.A., Khan, Z.R., Pickett, J.A. & Vet, L. E.M. 2003.** Effects of molasses grass, *Melinis minutiflora* volatiles on the foraging behavior of the cereal stemborer parasitoid, *Cotesia sesamiae*. *Journal of Chemical Ecology* 29(3): 731-745.
- Gokhman, V.E. & Quicke, D.L.J. 1995.** The last twenty years of parasitic Hymenoptera karyology: an update and phylogenetic implications. *Journal of Hymenoptera Research* 4: 41-63.
- Gokhman, V.E. & Kolesnichenko, K.A. 1996.** New data on karyology of the Ichneumonidea (Hymenoptera). (in Russian with English summary): 25-27. In: Gokhman, V.E. & Kuznetsova, V.G. [eds]. *Kariosistematika bespozvonochnykh zhivotnykh*. 3. *Sbornik nauchnykh rabot [Karyosystematics of the invertebrate animals. 3. Volume of scientific papers]*. *Botanicheskii sad Moskovskogo universiteta, Moskva*: 1-88.
- Gokhman, V.E. & Kolesnichenko, K.A. 1998.** Chromosomes of parasitic wasps from Alysiniinae subfamily (Hymenoptera, Braconidae). *Zoologicheskii Zhurnal* 77(10): 1197-1199. [*Entomological Review* 78(7): 901-903.].
- Gokhman, V.E. & Kolesnichenko, K.A. 1998.** Karyotype of *Chelonus inanitus* (L.) (Hymenoptera: Braconidae). *Entomologicheskoe Obozrenie* 77(3): 663-666.
- Gokhman, V.E. & Westendorff, M. 2003.** Chromosomes of *Aphidius ervi* Haliday, 1834: (Hymenoptera: Braconidae). *Beiträge zur Entomologie* 53(1): 161-165.
- Gokulpure, R.S. 1971.** Records of Braconids and Ichneumonids from central India. *Indian Journal of Entomology* 32(1970): 383-385.
- Gokulpure, R.S. 1972.** Note on the hosts and parasites of *Phytomyza atricornis* Meigen (Diptera: Agromyzidae). *Indian Journal of Agricultural Sciences* 42(7): 638-640.
- Gokulpure, R.S., Mehra, B.P., Sen, P. & Lal, J. 1980.** On some insects associated with lac in India. *Journal of the Bombay Natural History Society* 76(1) (1979): 185-188.

- Goldblatt, J.W. & Fell, R.D. 1984. Parasites and parasitization rates in bumble bee queens, *Bombus* spp. (Hymenoptera: Apidae), in southwestern Virginia (USA). *Environmental Entomology* 13(6): 1661-1665.
- Goldson, S.L. & Proffitt, J.R. 1986. The seasonal behaviour of the parasite *Microctonus aethiopoidea* and its effects on *Sitona* weevil. *Proceedings of the New Zealand Plant Protection Conference* 39: 122-125.
- Goldson, S.L. & Proffitt, J.R. 1990. The effect of storage on the ability of Argentine stem weevil to sustain development of the parasitoid *Microctonus hyperodae*. *Proceedings of the Forty Third New Zealand Weed and Pest Control Conference* 339-342.
- Goldson, S.L., McNeill, M.R., Stufkens, M.W., Proffitt, J.R., Pottinger, R.P. & Farrell, J.A. 1990. Importation and quarantine of *Microctonus hyperodae*, a South American parasitoid of Argentine stem weevil. *Proceedings of the Forty Third New Zealand Weed and Pest Control Conference* 334-338.
- Goldson, S.L., McNeill, M.R. & Proffitt, J.R. 1990. A method for comprehensive viral and bacterial disinfection of imported Curculionidae. *New Zealand Entomologist* 13: 84-87.
- Goldson, S.L., Proffitt, J.R. & McNeill, M.R. 1990. Seasonal biology and ecology in New Zealand of *Microctonus aethiopoidea* (Hymenoptera: Braconidae), a parasitoid of *Sitona* spp. (Coleoptera: Curculionidae), with special emphasis on atypical behaviour. *Journal of Applied Ecology* 27(2): 703-722.
- Goldson, S.L. & Proffitt, J.R. 1991. Use of an electric blanket for winter field collection of Argentine stem weevil, *Listronotus bonariensis* (Kuschel) (Coleoptera: Curculionidae). *New Zealand Entomologist* 14: 44-47.
- Goldson, S.L., McNeill, M.R., Phillips, C.B. & Proffitt, J.R. 1992. Host specificity testing and suitability of the parasitoid *Microctonus hyperodae* (Hym.: Braconidae: Euphorinae) as a biological control agent of *Listronotus bonariensis* (Col.: Curculionidae) in New Zealand. *Entomophaga* 37(3): 483-498.
- Goldson, S.L., McNeill, M.R. & Popay, A.J. 1992. Variation in the critical photoperiod for diapause induction in *Microctonus hyperodae*, a parasitoid of Argentine stem weevil. *Proceedings of the Forty Fifth New Zealand Plant Protection Conference*, Wellington, New Zealand, 11-13 August 1992. 205-209.
- Goldson, S.L., McNeill, M.R., Proffitt, J.R., Baird, D.B. & Popay, A.J. 1992. The effect of cool storage on the survival of the Argentine stem weevil parasitoid, *Microctonus hyperodae* Loan. *Proceedings of the Forty Fifth New Zealand Plant Protection Conference*, Wellington, New Zealand, 11-13 August 1992. 210-214.
- Goldson, S.L., McNeill, M.R., Proffitt, J.R., Barker, G.M., Addison, P.J., Barratt, B.I.P. & Ferguson, C.M. 1993. Systematic mass rearing and release of *Microctonus hyperodae* (Hym.: Braconidae: Euphorinae), a parasitoid of the Argentine stem weevil *Listronotus bonariensis* (Col.: Curculionidae) and records of its establishment in New Zealand. *Entomophaga* 38(4): 527-536.
- Goldson, S.L., McNeill, M.R. & Proffitt, J.R. 1993. Effect of host condition and photoperiod on the development of *Microctonus hyperodae* Loan, a parasitoid of the Argentine stem weevil (*Listronotus bonariensis* (Kuschel)). *New Zealand Journal of Zoology* 20(2): 89-94.
- Goldson, S.L., Proffitt, J.R. & Barlow, N.D. 1993. *Sitona discoidea* (Gyllenhal) and its parasitoid *Microctonus aethiopoidea* Loan: a case study in successful biological control: 236-239. In: Corey, S.A., Dall, D.J. & Milne, W.M. [eds]. *Pest control & sustainable agriculture*. CSIRO, Melbourne. i-xiii, 1-514.
- Goldson, S.L., Proffitt, J.R. & McNeill, M.R. 1993. The effect of photoperiod on the diapause behaviour of the *Listronotus bonariensis* (Kuschel) parasitoid *Microctonus hyperodae* Loan. *Proceedings of the 6th Australasian Conference on Grassland Invertebrate Ecology*. pp. 363-368.
- Goldson, S.L., McNeill, M.R. & Popay, A.J. 1994. A preliminary investigation into the longevity and fecundity of *Microctonus hyperodae*, a parasitoid of Argentine stem weevil. *Proceedings of the Forty Seventh New Zealand Plant Protection Conference*, Waitangi Hotel, New Zealand, 9-11 August, 1994: 215-219.
- Goldson, S.L., Barker, G.M., Barratt, B.I.P. & Barlow, N.D. 1994. Progress in the biological control of Argentine stem weevil and comment on its potential. *Proceedings of the New Zealand Grassland Association* 56: 39-42.
- Goldson, S.L., Barker, G.M., Barratt, B.I.P. & Popay, A.J. 1994. The establishment of an Argentine stem weevil parasitoid at its release sites. *Proceedings of the Forty Seventh New Zealand Plant Protection Conference*, Waitangi Hotel, New Zealand, 9-11 August, 1994. 274-276.
- Goldson, S.L., Phillips, C.B. & Barlow, N.D. 1994. The value of parasitoids in biological control. *New Zealand Journal of Zoology* 21(1): 91-96.
- Goldson, S.L., McNeill, M.R., Proffitt, J.R. & Hower, A.A. 1995. An investigation into the reproductive characteristics of *Microctonus hyperodae* (Hym.: Braconidae), a parasitoid of *Listronotus bonariensis* (Col.: Curculionidae). *Entomophaga* 40(3-4): 413-426.
- Goldson, S.L., Barker, G.M. & Lomas, J. 1995. Update on Argentine stem weevil biological control. *Proceedings 47th Ruakura Dairy Farmers' Conference held at Ruakura, New Zealand, 13 June 1995*. 42-46.
- Goldson, S.L., Phillips, C.B., McNeill, M.R. & Barlow, N.D. 1997. The potential of parasitoid strains in biological control: observations to date on *Microctonus* spp. intraspecific variation in New Zealand. *Agriculture, Ecosystems and Environment* 64(2): 115-124.
- Goldson, S.L., Proffitt, J.R. & Baird, D.B. 1998. Establishment and phenology of the parasitoid *Microctonus hyperodae* (Hymenoptera: Braconidae) in New Zealand. *Environmental Entomology* 27(6): 1386-1392.
- Goldson, S.L., Proffitt, J.R. & Baird, D.B. 1998. The bionomics of *Listronotus bonariensis* (Coleoptera: Curculionidae) in Canterbury, New Zealand. *Bulletin of Entomological Research* 88(4): 415-423.
- Goldson, S.L., Proffitt, J.R. & Baird, D.B. 1999. *Listronotus bonariensis* (Coleoptera: Curculionidae) flight in Canterbury, New Zealand. *Bulletin of Entomological Research* 89(5): 423-431.
- Goldson, S.L., Proffitt, J.R., McNeill, M.R. & Baird, D.B. 1999. Linear patterns of dispersal and build up of the introduced parasitoid *Microctonus hyperodae* (Hymenoptera: Braconidae) in Canterbury, New Zealand. *Bulletin of Entomological Research* 89(4): 347-353.
- Goldson, S.L., Proffitt, J.R., Fletcher, L.R. & Baird, D.B. 2000. Multitrophic interaction between the ryegrass *Lolium perenne*, its endophyte *Neotyphodium lolii*, the weevil pest *Listronotus bonariensis*, and its parasitoid *Microctonus hyperodae*. *New Zealand Journal of Agricultural Research* 43(2): 227-233.
- Goldson, S.L., Phillips, C.B., McNeill, M.R., Proffitt, J.R., Cane, R.P. & Zydenbos, S.M. 2001. Importation to New Zealand quarantine of a candidate biological control agent of clover root weevil. *New Zealand Plant Protection*, 54, 2001. *Proceedings of a conference*, Quality Hotel, Palmerston North, New Zealand, 14-16 August 2001: 147-151.
- Goldson, S.L., McNeill, M.R. & Proffitt, J.R. 2003. Negative effects of strain hybridisation on the biocontrol agent *Microctonus aethiopoidea*. *New Zealand Plant Protection* 56: 138-142.
- Gomes-Silva, J., Uramoto, K. & Malvas, A. 1998. First report of *Ceratitidis capitata* (Diptera: Tephritidae) in the eastern Amazon, Para, Brazil. *Florida Entomologist* 81(4): 574-577.

- Gomez, C. & Klasmer, P. 1997. Life cycle of a microlepidopteran attacking fruits and seeds of *Austrocedrus chilensis* (D. Don) Fl. et Bout. Bosque, publ. 1999, 18(1): 31-37.
- Gomez, S.P., Lawrence, P.O. & Shi, X.Z. 1999. A 24 kDa parasitism-specific protein from the Caribbean fruit fly, *Anastrepha suspensa*: cDNA and deduced amino acid sequence. *Insect Biochemistry and Molecular Biology* 29(9): 749-755.
- Gomez-Sousa, J., Maidique-Pereira, E. & Martinez-Barrera J.R. 1994. Incidence of *Leucania* spp. (Lepidoptera: Noctuidae) in sugarcane growing areas of the north coast of Sancti Spiritus, Cuba. *Control measures. Centro Agrícola* 21(1): 26-30.
- Goncalves, G., Rita, de C.R., Santa, C., Lenira, V.C., Carvalho, V.L. de, Foureaux, L.V., Kato, C.M. & Campelo, M.G. 2001. Effect of the age of *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae) females on the *Schizaphis graminum* (Rondani) (Homoptera: Aphididae) parasitism. Efeito da idade de femeas de *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae) no parasitismo de *Schizaphis graminum* (Rondani) (Homoptera: Aphidiidae). *Revista Ceres* 48(276): 277-283.
- Gong, H., Qin, Q.L., Wang, F.H. & Gong, H. 1999. Actions on teratocytes in coordinating the relationship between a parasitoid and its host - an overview. *Acta Entomologica Sinica* 42(4): 431-438.
- Gong, J. & Wang, Z.D. 1988. Biology of *Apanteles hanshouensis* a larval parasitoid of reed stem borer, *Sesamia* sp. (in Chinese) *Chinese Journal of Biological Control* 4(2): 91-92.
- Gong, X.W. 1984. Biology of the braconid wasp *Bracon nigrorufum* (Cushman) and its use in the cotton fields. *Natural Enemies of Insects* 6(1): 57-61.
- Gong, X.W. & Meng, G.L. 1984. [Discussions on the classification of *Bracon nigrorufum* (Cushman) and *Bracon isomera* (Cushman).] *Journal of Hubei Agricultural College* 1: 60-63.
- Gong, X.W., Meng, G.L., Jiang, D.R., Huang, T.B., He, D. & Zhao, P.Z. 1998. Relationships between *Bracon nigrorufum* (Cushman) and its hosts. *Entomological Knowledge* 35(2): 94-97.
- Gonzales, W.L., Fuentes-Contreras, E. & Niemeyer, H.M. 1999. Semiochemicals associated to spacing behaviour of the bird cherry-oat aphid *Rhopalosiphum padi* L. (Hem.: Aphididae) do not affect the olfactometric behaviour of the cereal aphid parasitoid *Aphidius rhopalosiphii* De Stephani-Perez (Hym.: Braconidae). *Journal of Applied Entomology* 123(7): 413-415.
- Gonzales, W.L., Gianoli, E. & Niemeyer, H.M. 2001. Plant quality vs. risk of parasitism: within-plant distribution and performance of the corn leaf aphid, *Rhopalosiphum maidis*. *Agricultural and Forest Entomology* 3(1): 29-33.
- Gonzalez, D., Miyazaki, M., White, W., Takada, H., Dickson, R. & Hall, H. 1979. Geographical distribution of *Acyrtosiphon kondoi* Shinji (Homoptera: Aphididae) and some of its parasites and hyperparasites in Japan. *Kontyu* 47(1): 1-7.
- Gonzalez, D., White, W., Hall, J. & Dickson, R.C. 1978. Geographical distribution of Aphidiidae (Hym.) imported to California for biological control of *Acyrtosiphon kondoi* and *Acyrtosiphon pisum* (Hom.: Aphididae). *Entomophaga* 23(3): 239-248.
- Gonzalez, D., Summers, C.G. & Qualset, C.O. 1992. Russian wheat aphid: natural enemies, resistant wheat offer potential control. *California Agriculture* 46(1): 32-34.
- Gonzalez, M., Jacas, J.A., Jiménez, A. & Vinuela, E. 1996. Optimization of *Opius concolor* mass rearing by temperature manipulation. *Boletín de Sanidad Vegetal Plagas* 22(1): 107-114.
- Gonzalez, M., Bahena, F. & Vinuela, E. 1998. A semi-field method to test side-effects of pesticides on the parasitoid *Opius concolor* Szépligeti. *Boletín de Sanidad Vegetal, Plagas* 24(4): 661-668.
- Gonzalez, M., Bahena, F. & Vinuela, E. 1998. Effects of several IGR's on the parasitoid *Opius concolor* Szépligeti via parasitization of treated hosts. *Boletín de Sanidad Vegetal, Plagas* 24(1): 193-199.
- Gonzalez, P. & Michelena, J.M. 1987. Relaciones parasitoide-pulgón (Hym. Aphidiidae, Hom. Aphididae) en la provincia de Alicante. *Boletín de la Asociación Española de Entomología* 11: 249-258.
- Gonzalez-Hernandez, A. & Tejada, L.O. 1979. [Fluctuation in the *Anastrepha ludens* population and in its natural enemies in its wild host *Sargentia greggi*.] *Folia Entomologica Mexicana* 41: 49-60.
- Good, J.A. & Ashe, P. 1990. Records of four species of false powder-post beetle (Coleoptera: Bostrichidae) imported into Ireland. *Irish Naturalists' Journal* 23(8): 326-327.
- Gopalakrishnan, C. & Mohan, K.S. 2002. Erynia neoaphids and *Diaeretiella rapae*: major mortality factors of the cabbage aphid *Brevicoryne brassicae* L. *Insect Environment* 7(4): 161-162.
- Gopinath, V.K. 1994. First record of *Apanteles obliquae* Wilkinson (Hymenoptera: Braconidae) on *Tros aristolochiae* (Fabricius) (Lepidoptera: Papilionidae). *Bulletin of Entomology New Delhi* 35(1-2): 154-155.
- Gorbatovskii, V.V., Rasintyna, N.M., Gordeichuk, A.I., Aliev, A.A. & Ivanov, E.V. 1988. Mass rearing of *Bracon*. *Zashchita Rastenii Moskva* 6: 27.
- Gorder, N.K.N. & Mertins, J.W. 1984. Life history of the parsnip webworm, *Depressaria pastinacella* (Lepidoptera: Oecophoridae), in central Iowa (USA). *Annals of the Entomological Society of America* 77(5): 568-573.
- Gordon, R., Ellington, J., Faubion, G.F. & Graham, H. 1987. A survey of the insect parasitoids from alfalfa and associated weeds in New Mexico. *Southwestern Entomologist* 12(4): 335-350.
- Gorny, S. 1979. Parasitic Hymenoptera on black alder, *Alnus glutinosa* (L.) Gaertn., near Ostroda, Poland. (in Polish with English summary) *Polskie Pismo Entomologiczne* 49(2): 305-369.
- Gorokhov, A.V. & Belokobylskij, S.A. 1992. New findings on the systematics and faunistics of the insects of Vietnam. *Trudy Zoologicheskogo Instituta, Rossiiskaya Akademiya Nauk* 245: 1-179.
- Gorokhov, A.V. 1990. News of systematics and faunistics of Vietnam insects. Part 1. *Trudy Zoologicheskii Institut, Akademii Nauk SSSR* 209: 146 pp.
- Gorska D.E. 2003. Occurrence of *Choreutis pariana* (Clerck) (Lepidoptera, Choreutidae) and its parasitoids in apple orchards in Lublin. *Electronic Journal of Polish Agricultural Universities* 6(2): Unpaginated.
- Gosling, D.C.L. 1978. Observations on the biology of the oak twig pruner *Elaphidionoides parallelus* (Coleoptera: Cerambycidae) in Michigan. *Great Lakes Entomologist* 11(1): 1-10.
- Goszczynski, W., Cichocka, E. & Pruszyński, S. 1995. Aphids and their natural enemies on black currant. Proceedings of the XXXV Scientific Meeting of the Institute of Plant Protection. Part II-posters. *Materiały Sesji Instytutu Ochrony Roslin* 35(2): 119-121.
- Gothama, A.A.A., Sikorowski, P.P. & McLaughlin, M.R. 1998. Replication of nonoccluded baculovirus associated with the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae) in *Heliothis virescens* (Lepidoptera: Noctuidae). *Biological Control* 12(2): 103-110.
- Gothilf, S. 1969. A contribution to the biology of *Phanerotoma flavitesticata* Fi., a parasite of *Ectomyelois ceratoniae* (Zell.). *Israel Journal of Entomology* 4: 55-71.
- Gothilf, S. 1969. Natural enemies of the carob moth *Ectomyelois ceratoniae* (Zeller). *Entomophaga* 14(2): 195-202.
- Gothilf, S. 1984. Biology of *Spectrobates ceratoniae* on almonds in Israel. *Phytoparasitica* 12(2): 77-87.
- Goto, C., Tsutsui, H. & Hayakawa, H. 1986. Parasites of some noctuid larvae in Hokkaido. II. Parasitic wasps. *Japanese Journal of Applied Entomology and Zoology* 30: 205-207.

- Goto, J. & Maetô, K. 2000. Discovery of *Aphaereta debilitata* Morley (Hymenoptera: Braconidae) in Japan as a parasitoid of *Scatella stagnalis* (Fallen) (Diptera: Ephydriidae), and occurrence of their unidentified fungal disease. *Hana Abu* 10: 47-49.
- Goudegnon, A.E., Kirk, A.A. & Bordat, D. 1999. Status of *Plutella xylostella* (L.) and *Cotesia plutellae* (Kurdjumov) in Benin. Proceedings of the Fifth International Conference on Pests in Agriculture, Part 3, Montpellier, France, 7-9 December 1999: 679-687.
- Goudegnon, A.E., Kirk, A.A., Schiffers, B. & Bordat, D. 2000. Comparative effects of deltamethrin and neem kernel solution treatments on diamondback moth and *Cotesia plutellae* (Hym.: Braconidae) parasitoid populations in the Cotonou peri-urban area in Benin. *Journal of Applied Entomology* 124(3-4): 141-144.
- Gouinguene, S., Alborn, H. & Turlings, T.C.J. 2003. Induction of volatile emissions in maize by different larval instars of *Spodoptera littoralis*. *Journal of Chemical Ecology* 29(1): 145-162.
- Gould, J.R. & Elkinton, J.S. 1990. Temperature-dependent growth of *Cotesia melanoscela* (Hymenoptera: Braconidae), a parasitoid of the gypsy moth (Lepidoptera: Lymantriidae). *Environmental Entomology* 19(4): 859-865.
- Gould, J.R., Elkinton, J.S. & Driesche, R.G. van 1992. Suitability of approaches for measuring parasitoid impact on *Lymantria dispar* (Lepidoptera: Lymantriidae) populations. *Environmental Entomology* 21(5): 1035-1045.
- Govindan, R. & Thontadarya, T.S. 1981. Studies on the parasitoids of the field bean pod borer *Adisura atkinsoni* (Lepidoptera: Noctuidae). *Mysore Journal of Agricultural Sciences* 15(3): 421-423.
- Gowling, G.R. 1988. Interaction of partial plant resistance and biological control. *Aspects of Applied Biology* 17(2): 253.
- Gowling, G.R. & Emden, H.F. van 1994. Falling aphids enhance impact of biological control by parasitoids on partially aphid-resistant plant varieties. *Annals of Applied Biology* 125(2): 233-242.
- Goyer, R.A. & Schenk, J.A. 1969. Parasitism of the cone moth *Eucosma rescissoriana* (Lepidoptera: Olethreutidae) in northern Idaho. *Canadian Entomologist* 101: 1063-1069.
- Goyer, R.A. & Schenk, J.A. 1970. Notes on the biology and habits of insect parasites associated with *Eucosma rescissoriana* (Lepidoptera: Olethreutidae) in northern Idaho. *Canadian Entomologist* 102: 1546-1553.
- Goyer, R.A. & Finger, C.K. 1980. Relative abundance and seasonal distribution of the major hymenopterous parasites of the southern pine beetle, *Dendroctonus frontalis* Zimmermann on loblolly pine. *Environmental Entomology* 9(1): 97-100.
- Grabeweger, G. & Lethmayer, C. 1999. Occurrence and phenology of parasitic Chalcidoidea on the horse chestnut leafminer, *Cameraria ohridella* Deschka & Dimic (Lep., Gracillariidae). *Journal of Applied Entomology* 123(5): 257-260.
- Grafton-Cardwell, E.E. & Vail, H.D. 1980. Selected factors influencing the number of eggs laid during each ovipositional attack by *Meteorus leviiventris* (Hymenoptera: Braconidae). Proceedings of the Indiana Academy of Science 89: 218-224.
- Grafton-Cardwell, E.E. 1982. Ovipositional response of *Meteorus leviiventris* (Hymenoptera: Braconidae) to various densities of *Agrotis ipsilon* (Lepidoptera: Noctuidae). *Environmental Entomology* 11: 1026-1028.
- Graham, A.R. 1965. A preliminary list of natural enemies of Canadian agricultural pests. Canada Department of Agriculture. Research Institute. Belleville. Information Bulletin No. 4 179 pp.
- Graham, H.M. & Debolt, J.W. 1986. Reproductive isolation between colonies of *Lygus lineolaris*. *Southwestern Entomologist* 11(2): 125-130.
- Graham, H.M., Jackson, C.G. & Debolt, J.W. 1986. *Lygus* spp. (Hemiptera: Miridae) and their parasites in agricultural areas of southern Arizona. *Environmental Entomology* 15(1): 132-142.
- Graham, M.W.R. de Vere 1986. Rediscovery of *Phanerotoma maculata* (Wollaston) (Insecta, Braconidae) in the high-altitude Zone of Madeira. *Bocagiana* 103: 1-4.
- Graham, M.W.R. de Vere 1986. Madeira insects: Braconidae and Aphidiidae (Hymenoptera), with descriptions of 8 new species. *Boletim do Museu Municipal do Funchal* 38(175): 70-96.
- Graham, M.W.R. de Vere 1988. Madeira insects: Additions to the list of parasitic Hymenoptera, with some comments on problems of conservation. *Boletim do Museu Municipal do Funchal* 40(198): 75-92.
- Graham, M.W.R. de Vere 1988. The remains of Nees von Esenbeck's collection of Hymenoptera in the University Museum, Oxford. *Entomologist's Monthly Magazine* 124: 19-35.
- Graham, M.W.R. de Vere 1992. Hymenoptera collections of Boyer de Fonscolombe, with an account of his work and a description of the natural features of his estate. *Journal of Natural History* 26(5): 1089-1111.
- Grandgirard, J., Poinso, D., Krespi, L., Nenon, J.P. & Cortesero, A.M. 2002. Costs of secondary parasitism in the facultative hyperparasitoid *Pachycrepoideus dubius*: does host size matter? *Entomologia Experimentalis et Applicata* 103(3): 239-248.
- Grandi-Hoffman, G. de, Diehl, J., Li, D., Flexner, L., Jackson, G., Jones, W. & Debolt, J. 1994. Biocontrol-Parasite: parasitoid-host and crop loss assessment simulation model. *Environmental Entomology* 23(5): 1045-1060.
- Granett, J. & Weseloh, R.M. 1975. Dimilin toxicity to the gypsy moth larval parasitoid, *Apanteles melanoscelus*. *Journal of Economic Entomology* 68(5): 577-580.
- Granett, J., Weseloh, R.M. & Dunbar, D.M. 1975. Dimilin toxicity to *Apanteles melanoscelus* (Ratzeburg) (Hymenoptera: Braconidae) and effects on field populations. *Journal of the New York Entomological Society* 83: 242-243.
- Granett, J., Weseloh, R.M. & Helgert, E. 1975. Activity of juvenile hormone analogues on hymenopterous parasitoids of the gypsy moth. *Entomologia Experimentalis et Applicata* 18: 377-383.
- Granett, J., Dunbar, D.M. & Weseloh, R.M. 1976. Gypsy moth control with Dimilin sprays timed to minimize effects on the parasite *Apanteles melanoscelus*. *Journal of Economic Entomology* 69(3): 403-404.
- Granges, A. & Leger, A. 1995. Seven years of experiments on biological-integrated control on tomatoes and cucumbers under glass at the Fougères Centre at Conthey. *Revue Suisse de Viticulture, d'Arboriculture et d'Horticulture* 27(3): 189-191.
- Granges, A. & Leger, A. 1998. Biological control in glasshouses against tomato and cucumber pests. Evaluation of studies and observations over 10 years at Centre des Fougères. *Revue Suisse de Viticulture, d'Arboriculture et d'Horticulture* 30(1): 65-71.
- Grant, J.F. 1984. Biological characteristics and biological control potential of three species of parasitoids of the soybean looper, *Pseudoplusia includens* (Walker) (Lepidoptera: Noctuidae). *Dissertation Abstracts International B Sciences and Engineering* 45(1) 1984: 58.
- Grant, J.F. & Shepard, M. 1984. Laboratory biology of *Meteorus autographae* (Hymenoptera: Braconidae), an indigenous parasitoid of soybean looper (Lepidoptera: Noctuidae) larvae. *Environmental Entomology* 13: 838-842.
- Grant, J.F. & Shepard, M. 1986. Seasonal incidence of *Meteorus autographae* on soybean looper larvae on soybean in South Carolina, and the influence of host density on parasitization. *Journal of Entomological Science* 21(4): 338-345.
- Grassi, A., Zini, M., Forno, F., Witzgall, P., Mazomenos, B. & Konstantopoulou, M. 2002. Mating disruption field trials to

- control the currant clearwing moth, *Synanthedon tipuliformis* Clerck: a three-year study. IOBC WPRS Working Group 'Use of Pheromones and Other Semiochemicals in Integrated Control'. Pheromones and other biological techniques for insect control in orchards and vineyards. Proceedings of the working group meeting, Samos, Greece, September 25-29, 2000. Bulletin OILB SROP 25(9): 69-76.
- Grasswitz, T.R. & Paine, T.D. 1992.** Kairomonal effect of an aphid cornicle secretion on *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphididae). *Journal of Insect Behavior* 5(4): 447-457.
- Grasswitz, T.R. & Paine, T.D. 1993.** Effect of experience on in-flight orientation to host-associated cues in the generalist parasitoid *Lysiphlebus testaceipes*. *Entomologia Experimentalis et Applicata* 68(3): 219-229.
- Grasswitz, T.R. & Paine, T.D. 1993.** Influence of physiological state and experience on the responsiveness of *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphidiidae) to aphid honeydew and to host plants. *Journal of Insect Behavior* 6(4): 511-528.
- Grasswitz, T.R. & Reese, B.D. 1998.** Biology and host selection behaviour of the aphid hyperparasitoid *Alloxysta victrix* in association with the primary parasitoid *Aphidius colemani* and the host aphid *Myzus persicae*. *BioControl* 43(3): 261-271.
- Grasswitz, T.R. 1998.** Contact kairomones mediating the foraging behavior of the aphid hyperparasitoid *Alloxysta victrix* (Westwood) (Hymenoptera: Charipidae). *Journal of Insect Behavior* 11(4): 539-548.
- Grasswitz, T.R. 1998.** Effect of adult experience on the host-location behavior of the aphid parasitoid *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae). *Biological Control* 12(3): 177-181.
- Gratton, C. & Welter, S.C. 2001.** Parasitism of natural populations of *Liriomyza helianthi* Spencer and *Calycomyza platyptera* (Thomson) (Diptera: Agromyzidae). *Biological Control* 22(1): 81-97.
- Gravena, S. & Almeida, J.C.V. de 1982.** Inimigos naturais de *Oiketicus kirbyi* Lands Guilding, 1827 e *Oiketicus geyeri* Berg, 1877 no agroecossistema citricola. *Cientifica (Sao Paulo)* 10(1) 1982: 99-104.
- Gray, T. & Shepherd, R. 1993.** Hymenopterous parasites of the blackheaded bubworm, *Acleris gloverana* on Vancouver Island, British Columbia. *Journal of the Entomological Society of British Columbia* 90: 11-13.
- Grbic, M. 1987.** A study of the biology and control of *Adoxophyes reticulana* Hbn., a new pest of plantation orchards in Vojvodina Province. *Zbornik Matitse Srpske za Prirodne Nauke* 73: 15-23.
- Grbic, M. & Strand, M.R. 1991.** Intersexual variation in the precocious larvae of the polyembryonic wasp *Copidosoma floridanum*. *Colloques de l'INRA* 56: 25-28.
- Grbic, M. & Strand, M.R. 1998.** Shifts in the life history of parasitic wasps correlate with pronounced alterations in early development. *Proceedings of the National Academy of Sciences of the United States of America* 95(3): 1097-1101.
- Greany, P.D. & Oatman, E.R. 1972.** Analysis of host discrimination in the parasite *Orgilus lepidus* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 65(2): 377-383.
- Greany, P.D. & Oatman, E.R. 1972.** Demonstration of host discrimination in the parasite *Orgilus lepidus* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 65(2): 375-376.
- Greany, P.D. & Oatman, E.R. 1972.** Oviposition by an isolated parasite abdomen. *Annals of the Entomological Society of America* 65(4): 991-992.
- Greany, P.D., Ashley, T.R., Baranowski, R.M. & Chambers, D.L. 1976.** Rearing and life history studies on *Biosteres (Opus) longicaudatus* (Hym.: Braconidae). *Entomophaga* 21(2): 207-215.
- Greany, P.D., Allen, G.E., Webb, J.C., Sharp, J.L. & Chambers, D.L. 1977.** Stress-induced septicemia as an impediment to laboratory rearing of the fruit fly parasitoid *Biosteres (Opus) longicaudatus* (Hymenoptera: Braconidae) and the caribbean fruit fly *Anastrepha suspensa* (Diptera: Tephritidae). *Journal of Invertebrate Pathology* 29: 153-161.
- Greany, P.D., Hawke, S.D., Carlysle, T.C. & Anthony, D.W. 1977.** Sense organs in the ovipositor of *Biosteres longicaudatus*, a parasite of the Caribbean fruit fly *Anastrepha suspensa*. *Annals of the Entomological Society of America* 70: 319-321.
- Greany, P.D., Tumlinson, J.H., Chambers, D.L. & Boush, G.M. 1977.** Chemically mediated host finding by *Biosteres (Opus) longicaudatus*, a parasitoid of tephritid fruit fly larvae. *Journal of Chemical Ecology* 3(2): 189-195.
- Greany, P.D., Vinson, S.B. & Lewis, W.J. 1984.** Insect parasitoids: Finding new opportunities for biological control. *Bioscience* 34: 690-696.
- Greany, P. 1984.** In vitro culture of insect endoparasites. *International Congress of Entomology Proceedings* 17: 200.
- Greany, P.D. 1986.** In vitro culture of hymenopterous larval endoparasitoids. *Journal of Insect Physiology* 32(4): 409-419.
- Greany, P.D., Ferkovich, S.M. & Clark, W.R. 1989.** Progress towards development of an artificial diet and an in vitro rearing system for *Microplitis croceipes*. *Southwestern Entomologist* 12: 89-94.
- Greathead, D.J. 1969.** A study in East Africa of the bean flies (Dipt., Agromyzidae) affecting *Phaseolus vulgaris* and of their natural enemies, with the description of a new species of *Melanagromyza* Hend. *Bulletin of Entomological Research* 59(3): 541-561.
- Greathead, D.J. 1972.** Notes on coffee fruit flies and their parasites at Kawanda, Uganda. *Commonwealth Institute of Biological Control Technical Bulletin* 15: 11-18.
- Greathead, D.J. 1975.** Biological control of the beanfly, *Ophiomyia phaseoli* (Dipt.: Agromyzidae), by *Opus* spp. (Hym.: Braconidae) in the Hawaiian islands. *Entomophaga* 20(3): 313-316.
- Greathead, D.J. 1989.** Biological control as an introduction phenomenon: a preliminary examination of programmes against Homoptera. *Entomologist* 108(1 & 2): 28-37.
- Greathead, D.J. 1990.** Utilization of natural enemies of *Chilo* spp. for management in Africa. *Insect Science and its Application* 11(4-5): 749-755.
- Greeff, J.M. 1996.** Alternative mating strategies, partial sibmating and split sex ratios in haplodiploid species. *Journal of Evolutionary Biology* 9(6): 855-869.
- Green, D.M., Kraaijeveld, A.R. & Godfray, H.C.J. 2000.** Evolutionary interactions between *Drosophila melanogaster* and its parasitoid *Asobara tabida*. *Heredity* 85(5): 450-458.
- Green, R.F. & Ayal, Y. 1998.** A simple Markov model for the assessment of host patch quality by foraging parasitoids. *Oecologia* 116(4): 456-466.
- Greenbaum, H.N. 1974.** Extended distribution for *Ichneutidea proteroptoides* (Hymenoptera: Braconidae). *Florida Entomologist* 57(2): 154.
- Greenbaum, H.N. 1975.** A new *Doryctinus* Roman from Florida (Hymenoptera: Braconidae). *Florida Entomologist* 58(3): 213-215.
- Greenland, J. & Berg, D.M.A. van den 1996.** A second parasitoid of the yellow pecan aphid released. *Inligtingsbulletin Instituut vir Tropiese en Subtropiese Gewasse* 288: 3-4.
- Greenstone, M.H. & Edwards, M.J. 1998.** DNA hybridization probe for endoparasitism by *Microplitis croceipes* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 91(4): 415-420.
- Griffiths, G.C.D. 1964.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) I. General questions of taxonomy, biology and evolution. *Beiträge zur Entomologie* 14(7-8): 823-914.

- Griffiths, G.C.D. 1967.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) II. The parasites of *Agromyza* Fallén. *Beiträge zur Entomologie* 16(5/6)(1966): 551-605.
- Griffiths, G.C.D. 1967.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) III. The parasites of *Paraphytomyza* Enderlein, *Phytomyza* Hendel, and *Phytomyza* Fallén. *Beiträge zur Entomologie* 16(7/8)(1966): 775-951.
- Griffiths, G.C.D. 1967.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) IV. The parasites of *Hexomyza* Enderlein, *Melanagromyza* Hendel, *Ophiomyia* Braschnikov and *Napomyza* Westwood. *Beiträge zur Entomologie* 17(5/8): 653-696.
- Griffiths, G.C.D. 1968.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) V. The parasites of *Liriomyza* Mik and certain small genera of Phytomyzinae. *Beiträge zur Entomologie* 18(1/2): 5-62.
- Griffiths, G.C.D. 1968.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera) VI. The parasites of *Cerodontha* Rondani s.l. *Beiträge zur Entomologie* 18(1/2): 63-152.
- Griffiths, G.C.D. 1984.** The Alysiinae (Hym. Braconidae) parasites of the Agromyzidae (Diptera). VII. Supplement. *Beiträge zur Entomologie* 34: 343-362.
- Griffiths, G.C.D., Wharton, R. & Achterberg, C. van 1985.** Comments on the proposed conservation of *Dapsilarthra* Foerster, 1862. *Z.N.(S.)2312. Bulletin of Zoological Nomenclature* 42(2): 101-103.
- Grijpma, P. & Grijpma, P. 1988.** Parasitoids, parasitism percentages and pathogens of the antler moth, *Cerapteryx graminis* (L.) (Lep.: Noctuidae). Rapport Rijksinstituut voor Onderzoek in de Bos en Landschapsbouw 'De Dorschkamp', Wageningen 516: 51-61.
- Grijpma, P. & Achterberg, C. van 1991.** Host and host location of *Atoreuteus striatus* Foerster (Hymenoptera: Braconidae: Opiinae). *Entomologische Berichten* 51(6): 79-81.
- Grikienis, R. 1989.** Modelling of an ecosystem of insects with respect to superparasitism. *Matematicheskie Modeli v Biologii i Meditsine* No. 3: 42-57.
- Grillo Ravelo, H. & Castello Rossell, G. 1987.** Bionomy of *Bracon hebetor* Say (Hymenoptera: Braconidae), parasite of the artificial larvae of *Galleria mellonella* Lin. (Lepidoptera, Pyralidae). *Centro Agricola* 14(1): 22-30.
- Grimble, D.G., Knight, F.B. & Nord, J.C. 1971.** Associated insects reared from galls of *Saperda inornata* (Coleoptera: Cerambycidae) on trembling aspen in Michigan. *Michigan Entomologist* 4(2): 53-57.
- Grimble, D.G. 1975.** Releases of *Apanteles melanoscelus* for gypsy moth suppression. *Appl. For. Res. Note* 15: 1-6.
- Grimble, D.G. & Palm, C.E. 1976.** Mortality in the overwintering generations of *Apanteles melanoscelus*. *Applied Forestry Research Institute. Note* 21. 4 pp. (State University of New York).
- Grimm, C., Schmidli, H., Bakker, F., Brown, K., Campbell, P., Candolfi, M., Chapman, P., Harrison, E.G., Mead-Briggs, M., Schmuck, R. & Ufer, A. 2001.** Use of standard toxicity tests with *Typhlodromus pyri* and *Aphidius rhopalosiphii* to establish a dose-response relationship. *Anzeiger für Schädlingskunde* 74(3): 72-84.
- Grimm, C., Candolfi, M.P. & Fisch, R. 2002.** A comparison of rate-response toxicity tests with *Aphidius rhopalosiphii* (Hymenoptera: Aphidiidae) using glass, leaves and whole plants as substrate. *Chemosphere* 48(6): 581-589.
- Grimm, C., Reber, B., Gray, A., Candolfi, M.P., Vogt, H. & Heimbach, U. 2002.** Adaptation of standard regulatory non-target arthropod test methods for testing of plant protection products with special modes of action. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at San Michele All'Adige, Trento, Italy, 3-6 October, 2001. *Bulletin OILB SROP* 25(11): 7-17.
- Grinberg, P.S. & Wallner, W.E. 1991.** Long-term laboratory evaluation of *Rogas lymantriae*: a braconid endoparasite of the gypsy moth, *Lymantria dispar*. *Entomophaga* 36(2): 205-212.
- Grinko, N.N., Tarasenko, V.S. & Strizhak, T.V. 1996.** An ecologically safe system. *Zashchita Rastenii Moskva* 1: 42-43.
- Groeger, U. 1993.** Investigations on the regulation of cereal aphid populations under the influence of the structure of agroecosystems. *Agrarokologie* 6: 169 pp, 8 pp.
- Gromysz-Kalkowska, K. & Grochowska, M. 1992.** Respiration rates of some developmental stages of *Polemochartus liparae* (Gir.) (Hymenoptera) and its host *Lipara similis* Schin. (Diptera). *Comparative Biochemistry and Physiology. A, Comparative Physiology* 102(3): 473-476.
- Grönblom, T. 1964.** Einige aus Schmetterlingszuchten hervorgegangene Schlupfwespen (Hym., Ichneumonoidea). *Annales Entomologici Fennici* 30: 104-111.
- Groot, P. de 1998.** Life history and habits of the white pine cone borer, *Eucosma tocullionana* (Lepidoptera: Tortricidae). *Canadian Entomologist* 130(1): 79-90.
- Grosch, D.S. 1965.** Distribution and effective half-life of cobalt-58 in *Habrobracon*. *Nature (London)* 208: 906-907.
- Grosch, D.S. & Valcovic, L.R. 1964.** Topical application of apholate to male braconids. *Bulletin of the Entomological Society of America* 10: 163.
- Grosch, D.S., Lin, J.C.H. & Smith, R.H. 1965.** The distribution of nickel 63 in *Habrobracon*. *Radiation Research* 25: 194.
- Grosch, D.S. & Valcovic, L.R. 1967.** Chlorinated hydrocarbon insecticides are not mutagenic in *Bracon hebetor* tests. *Journal of Economic Entomology* 60(4): 1177-1179.
- Grosch, D.S. 1970.** Egg production and embryo lethality for *Habrobracon* from Biosatellite II and associated postflight vibration experiments. *Mutation Research* 9: 91-108.
- Grosch, D.S. 1970.** Reproductive performance of a braconid after heptachlor poisoning. *Journal of Economic Entomology* 63(4): 1348-1349.
- Grosch, D.S. & Hoffman, A.C. 1973.** The vulnerability of specific cells in the oogenetic sequence of *Bracon hebetor* to some degradation products of carbamate pesticides. *Environmental Entomology* 2(6): 1029-1032.
- Grosch, D.S. 1975.** Reproductive performance of *Bracon hebetor* after sublethal doses of carbaryl. *Journal of Economic Entomology* 68(5): 659-662.
- Grosch, D.S., Kratsas, R.G. & Petters, R.M. 1977.** Variation in *Habrobracon juglandis* ovariole number. I. Ovariole number increase induced by extended cold shock of four-instar larvae. *Journal of Embryol. Exp. Morphol.* 40: 245-251.
- Grosch, D.S. 1981.** Alterations in the reproductive performance of *Habrobracon* females following combined treatments with ethylurea and sodium nitrate or nitrite. *Mutat. Res.* 88: 179-189.
- Grosch, D.S. & Segreti, W.O. 1983.** The pattern of damage to the oogenetic series of cells after a single feeding of cis-diamminedichloroplatinum to *Habrobracon* females. *Mutat. Res.* 117: 153-162.
- Gross, H.R. & Pair, S.D. 1986.** The fall armyworm: status and expectations of biological control with parasitoids and predators. *Florida Entomologist* 69(3): 502-512.
- Gross, H.R. Jr., Lewis, W.J., Jones, R.L. & Nordlund, D.A. 1975.** Kairomones and their use for management of entomophagous insects: III. Stimulation of *Trichogramma achaeae*, *T. pretiosum*, and *Microplitis croceipes* with host-stimuli at time of release to improve their efficiency. *Journal of Chemical Ecology* 1: 431-438.
- Grossniklaus-Bürgin, C., Connat, J.L. & Lanzrein, B. 1989.** Ecdysone metabolism in the host-parasitoid-system *Trichoplusia ni/Chelonus* sp. *Archives of Insect Biochemistry and Physiology* 11(2): 79-82.

- Grossniklaus-Bürgin, C. & Lanzrein, B. 1990. Endocrine interrelationship between the parasitoid *Chelonus* sp. and its host *Tri-choplusia ni*. Archives of Insect Biochemistry and Physiology 14: 201-216.
- Grossniklaus-Burgin, C., Wyler, T., Pfister-Wilhelm, R. & Lanzrein, B. 1994. Biology and morphology of the parasitoid *Chelonus inanitus* (Braconidae, Hymenoptera) and effects on the development of its host *Spodoptera littoralis* (Noctuidae, Lepidoptera). Invertebrate Reproduction and Development 25(2): 143-158.
- Grossniklaus-Burgin, C., Pfister-Wilhelm, R., Meyer, V., Treibl-mayr, K. & Lanzrein, B. 1998. Physiological and endocrine changes associated with polydnavirus/venom in the parasitoid-host system *Chelonus inanitus*-*Spodoptera littoralis*. Journal of Insect Physiology 44(3-4): 305-321.
- Gruber, A., Stettler, P., Heiniger, P., Schumperli, D. & Lanzrein, B. 1996. Polydnavirus DNA of the braconid wasp *Chelonus inanitus* is integrated in the wasp's genome and excised only in later pupal and adult stages of the female. Journal of General Virology 77(11): 2873-2879.
- Gruber, F., Poprawski, T.J. & Rey, E. 1991. Survey for natural enemies of *Diuraphis noxia* (Mordvilko) in Eurasia. Bulletin SROP 14(4): 102-109.
- Gruber, P.F., Poprawski, T.J. & Coutinot, D. 1994. Hymenopterous parasites and hyperparasites of *Schizaphis graminum* (Rondani) (Hom.: Aphididae) on sorghum, in the Drome, France. Journal of Applied Entomology 117(5): 477-490.
- Gruhl, K. 1967. *Blacus*-Tanze. Ergebnisse und Studien (Braconidae, Hymenoptera). Mitteilungen der Deutschen Entomologischen Gesellschaft 26(1): 13-14, 49-50.
- Grundy, T.P. 1989. An economic evaluation of biological control of rose-grain aphid in New Zealand. Research Report Agribusiness and Economics Research Unit, Lincoln College 200: 28 pp.
- Grundy, T.P. 1990. A cost-benefit analysis of biological control of rose-grain aphid in New Zealand. Proceedings of the Forty Third New Zealand Weed and Pest Control Conference 163-165.
- Gu, D., Sam, Al Hassan M. & Pang, X. 1999. Effects of host plants on population dynamics of *Lipaphis erysimi* (Kalt.) in the field. Entomologia Sinica 6(4): 353-361.
- Gu, D.J. & Waage, J.K. 1990. The effect of insecticides on the distribution of foraging parasitoids, *Diaeretiella rapae* (Hym.: Braconidae) on plants. Entomophaga 35(1): 49-56.
- Gu, D.J. 1988. Effects of pirimicarb sprays on the foraging behaviour and abundance of the aphid parasitoid *Diaeretiella rapae* M'Intosh. Natural Enemies of Insects 10(1): 1-5.
- Gu, D.J., Yu, M.E., Hou, R.H. & Li, Z.H. 1991. The effects of sublethal doses of insecticides on the foraging behaviour of parasitoid, *Diaeretiella rapae* (Hym., Braconidae). Acta Ecologica Sinica 11(4): 324-330.
- Gu, H. & Dorn, S. 2000. Genetic variation in behavioral response to herbivore-infested plants in the parasitic wasp, *Cotesia glomerata* (L.) (Hymenoptera: Braconidae). Journal of Insect Behavior 13(1): 141-156.
- Gu, H. & Dorn, S. 2001. How do wind velocity and light intensity influence host-location success in *Cotesia glomerata* (Hym.: Braconidae)? Journal of Applied Entomology 125(3): 115-120.
- Gu, H. & Dorn, S. 2003. Mating system and sex allocation in the gregarious parasitoid *Cotesia glomerata*. Animal Behaviour 66(2): 259-264.
- Gu, H., Wang, Q. & Dorn, S. 2003. Superparasitism in *Cotesia glomerata*: response of hosts and consequences for parasitoids. Ecological Entomology 28(4): 422-431.
- Gu, H.N., Wockers, F., Steindl, P., Günther, D. & Dorn, S. 2001. Different approaches to labelling parasitoids using strontium. Entomologia Experimentalis et Applicata 99(2): 173-181.
- Gu, X.S., Zhao, Q.H. & Bai, Y.C. 1997. A new species of the genus *Trioxys* Haliday from Shanxi (Hymenoptera: Aphidiidae). (in Chinese with English summary) Acta Entomologica Sinica 40(2): 207-209.
- Gubbaiah, T.G.D. & Revanna, H.P. 1989. Studies on the natural parasitization of the coconut black headed caterpillar in Visvesvaraya Canal Tract. Current Research, University of Agricultural Sciences, Bangalore 18(1): 3-4.
- Gubbaiah, K. 1984. *Cryptoblabes guidiella*, a fern-feeding caterpillar, and its parasites. International Rice Research Newsletter 9(6): 20-21.
- Guclu, C. & Özbek, H. 2002. The subfamily Agathidinae (Hymenoptera: Braconidae) of Erzurum Province. Journal of the Entomological Research Society 4(2): 7-19.
- Gucuk, M. & Yoldas, Z. 2000. Investigations on some biological features of *Aphidius colemani* Viereck (Hymenoptera: Braconidae), the parasitoid of *Aphis gossypii* Glover (Homoptera: Aphididae). Turkiye Entomoloji Dergisi 24(2): 143-152.
- Guddewar, M.B., Shukla, A. & Saini, M.L. 1992. Relative toxicity of synthetic pyrethroids to adults of *Bracon hebetor* Say (Braconidae: Hymenoptera). Plant Protection Bulletin Faridabad 44(1-2): 16-17.
- Gudrat, K., Dotless, I. & Akhmed, A.A. 1999. Responses of *Meteorus versicolor* Wesm. (Hymenoptera: Braconidae) to the population density of *Tephрина arenacearia* Den. et Schiff. (Lepidoptera: Geometridae). Turkish Journal of Zoology 23(4): 349-353.
- Guelton, O., Mahaut, T., Deleu, R., Schiffers, B., Palm, R. & Clautriaux, J.J. 1998. Effects of some environmental and biological factors on the assessment of the sensitivity of *Aphidius rhopalosiphii* de Stefani-Perez to phosalon. Parasitica, publ. 1999, 54(2-3): 103-111.
- Guelton, O., Mahaut, T., Deleu, R., Schiffers, B., Palm, R. & Clautriaux, J.J. 1999. Influence of some experimental factors on the evaluation of the sensitivity of *Aphidius rhopalosiphii* de Stefani-Perez to phosalone. Proceedings, 51st international symposium on crop protection, Gent, Belgium, 4 May 1999. Part I. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent 64(3a): 41-47.
- Guenaoui, Y. & Chaabane, A.A. 1991. The aphids of protected market garden crops. A serious problem in Algeria. Bulletin SROP 14(5): 111-115.
- Guenaoui, Y. 1991. Role of temperature on the host suitability of *Aphis gossypii* Glover (Hom.: Aphididae) for the parasitoid *Aphidius colemani* Viereck (Hym.: Aphididae). Redia 74(3): 163-165.
- Guenaoui, Y., Mahiout, R., Boualem, M. & Kerachi, R. 1994. Research on biological means of control of *Aphis gossypii* Glover (Hom.: Aphididae) in protected cultures. Preliminary evaluation of the parasitic action of a thelytokous strain of *Lysiphlebus fabarum* Marshall (Hym.: Aphidiidae) of Algerian origin on its host *A. gossypii*. IOBC-WPRS Bulletin 17(5): 165-169.
- Guerra, A.A. & Robacker, K.M. 1991. Potential larval diet devoid of hemolymph for in vitro rearing of *Bracon mellitor*. Proceedings Beltwide Cotton Conferences 1991(2): 723.
- Guerra, A.A. 1992. In vitro rearing of *Bracon mellitor* and *Catolaccus grandis* with different insect hemolymph-based diets. Southwestern Entomologist 17(2): 123-126.
- Guerra, A.A., Robacker, K.M. & Martinez, S. 1992. Free amino acid and protein patterns in boll weevil larvae after parasitoidism by *Bracon mellitor*. Proceedings Beltwide Cotton Conferences 1992(2): 836-838.
- Guerra, A.A., Robacker, K.M. & Martinez, S. 1993. In vitro rearing of *Bracon mellitor* and *Catolaccus grandis* with artificial diets devoid of insect components. Entomologia Experimentalis et Applicata 68(3): 303-307.

- Guerra, A.A., Robacker, K.M. & Martinez, S. 1993.** Free amino acid and protein titers in *Anthonomus grandis* larvae venomized by *Bracon mellitor*. *Entomophaga* 38(4): 519-525.
- Guerra, M., Fuentes-Contreras, E. & Niemeyer, H.M. 1998.** Differences in behavioral responses of *Sitobion avenae* (Hemiptera: Aphididae) to volatile compounds, following parasitism by *Aphidius ervi* (Hymenoptera: Braconidae). *Ecoscience* 5(3): 334-337.
- Guerrero, E.R. & Koponen, M. 2000.** Contribution to the braconid fauna of the Canary Islands (Hymenoptera, Braconidae). Contribucion a la fauna braconologica de las islas Canarias (Hymenoptera, Braconidae). *Vieraea* 28: 99-117.
- Guerrieri, E., Pennacchio, F. & Tremblay, E. 1993.** Flight behaviour of the aphid parasitoid *Aphidius ervi* (Hymenoptera: Braconidae) in response to plant and host volatiles. *European Journal of Entomology* 90(4): 415-421.
- Guerrieri, E., Pennacchio, F. & Tremblay, E. 1994.** Effect of oviposition on flight behaviour of *Aphidius ervi* Haliday (Hymenoptera: Braconidae). *Atti del Congresso Nazionale Italiano di Entomologia* 17: 629-630.
- Guerrieri, E., Pennacchio, F. & Tremblay, E. 1997.** Effect of adult experience on in-flight orientation to plant and plant-host complex volatiles in *Aphidius ervi* Haliday (Hymenoptera, Braconidae). *Biological Control* 10(3): 159-165.
- Guerrieri, E., Poppy, G.M., Powell, W., Tremblay, E. & Pennacchio, F. 1999.** Induction and systemic release of herbivore-induced plant volatiles mediating in-flight orientation of *Aphidius ervi*. *Journal of Chemical Ecology* 25(6): 1247-1261.
- Guerrieri, E., Poppy, G.M., Powell, W., Rao, R. & Pennacchio, F. 2002.** Plant-to-plant communication mediating in-flight orientation of *Aphidius ervi*. *Journal of Chemical Ecology* 28(9): 1703-1715.
- Guertin, D.S., Ode, P.J., Strand, M.R. & Antolin, M.F. 1996.** Host-searching and mating in an outbreeding parasitoid wasp. *Ecological Entomology* 21(1): 27-33.
- Guillot, E.S. & Vinson, S.B. 1972.** The role of the calyx and poison gland of *Cardiochiles nigriceps* in the host parasitoid relationship. *Journal of Insect Physiology* 18: 1315-1321.
- Guillot, F.S. & Vinson, S.B. 1973.** Effect of parasitism by *Cardiochiles nigriceps* on food consumption and utilization by *Heliothis virescens*. *Journal of Insect Physiology* 19: 2073-2082.
- Guillot, F.S., Joiner, R.L. & Vinson, S.B. 1974.** Host discrimination: isolation of hydrocarbons from Dufour's gland of a braconid parasitoid. *Annals of the Entomological Society of America* 67(4): 720-721.
- Guimaraes, F.R., Vargas-Osuna, E., Maracaja, P.B. & Santiago-Alvarez, C. 1995.** Presence of *Spodoptera exigua* Hb. (Lep.: Noctuidae) and its associated biotic agents in Cordoba province. *Boletín de Sanidad Vegetal, Plagas* 21(4): 641-646.
- Guimaraes, J.A., Zucchi, R.A., Diaz, N.B., Uchoa, M.A.F. & Souza-Filho, M.F. de 1999.** Species of *Eucoilinae* (Hymenoptera: Cynipoidea: Figitidae) parasitoids of frugivorous larvae (Diptera: Tephritidae and Lonchaeidae) in Brazil. *Anais da Sociedade Entomologica do Brasil* 28(2): 263-273.
- Gul, M. & Gulel, A. 1995.** Biology of parasitoid *Bracon hebetor* (Say) (Hymenoptera: Braconidae) and the effect of host larva size on fecundity and sex-ratio. *Turkish Journal of Zoology* 19(3): 231-235.
- Gul, M. & Gulel, A. 1995.** Effect of superparasitism in the parasitoid *Bracon hebetor* (Say) (Hymenoptera: Braconidae) on fecundity and sex-ratio. *Turkish Journal of Zoology* 19(3): 237-240.
- Gulamov, M.I. 1982.** On the simulation model of the 'host-parasite' type. *Izvestiya Akademii Nauk Kazakhskoi Ssr Seriya Biologicheskaya* 1982(6) 1982: 836-842.
- Guler, Y. & Cagatay, N. 2001.** Systematical studies on the genus *Bracon* (*Glabrobracon*) (Hymenoptera: Braconidae: Braconinae) in Ankara province. *Turkish Journal of Zoology* 25(3): 275-286.
- Gultekin, L. & Guclu, S. 1997.** Bioecology of *Bembecia scopigera* (Scopoli) (Lep.: Sesiidae) pest of sainfoin in Erzurum. *Bitki Koruma Bulteni* 37(3-4), Temmuz-Aralik 1997: 101-110.
- Gumovskaya, G.N. 1988.** Natural enemies of coccinellids. *Zashchita Rastenii Moskva* 8: 36-37.
- Gunasena, G.H. & Harris, M.K. 1988.** Parasites of hickory shuckworm and pecan nut casebearer with five new host-parasite records. *Southwestern Entomologist* 13(2): 107-111.
- Gunathilagaraj, K. & Babu, P.C.S. 1987.** *Amsacta albistriga* Wlk. on groundnut and other crops. *FAO Plant Protection Bulletin* 35(2): 63-64.
- Gundersen-Rindal, D. & Dougherty, E.M. 2000.** Evidence for integration of *Glyptapanteles indiensis* polydnavirus DNA into the chromosome of *Lymantria dispar* in vitro. *Virus Research* 66(1): 27-37.
- Guo, P.L., Zhang, D.L. & Zhang, X.P. 1993.** Observation on the biological characters of *Sidemia depravata* (Butler). *Entomological Knowledge* 30(2): 103-106.
- Guo, S.P. & Yang, Z.X. 1995.** Observation on control role of parasitic natural enemy against *Cnaphalocrocis medinalis*. *Plant Protection* 21(5): 21-23.
- Guo, Y. & Heong, K.L. 1993.** Parasitisation of two braconid larval parasitoids of *Cnaphalocrocis medinalis* (Guenée) (Lepidoptera: Pyralidae). *Journal of Plant Protection in the Tropics* 10(2): iii, 83-90.
- Guo, Y.J., Heong, K.L. & Basilio, R.P. 1991.** Life history of two braconid parasitoids of rice leaffolder (LF) in the laboratory. *International Rice Research Newsletter* 16(2): 22-23.
- Guo, Y.J. & Heong, K.L. 1992.** An evaluation of the suppressive effect of larval parasitization on populations of rice leaffolders. *Chinese Journal of Biological Control* 8(1): 1-5.
- Guppy, J.C. 1967.** Insect parasites of the armyworm, *Pseudaletia unipuncta* (Lepidoptera: Noctuidae), with notes on species observed in Ontario. *Canadian Entomologist* 99: 94-106.
- Guppy, J.C. & Miller, C.D.F. 1970.** Identification of cocoons and last-instar larval remains of some Hymenopterous parasitoids of the armyworm, *Pseudaletia unipunctata* in eastern Ontario. *Canadian Entomologist* 102: 1320-1337.
- Guppy, J.C. & Meloche, F. 1987.** Life history and description of the immature stages of *Dacnusa dryas* (Nixon) (Hymenoptera: Braconidae), a European parasite of the alfalfa blotch leafminer (Diptera: Agromyzidae) in eastern Canada. *Canadian Entomologist* 119: 281-285.
- Guppy, J.C., Meloche, F. & Harcourt, D.G. 1988.** Seasonal development, behaviour, and host synchrony of *Dacnusa dryas* (Nixon) (Hymenoptera: Braconidae) parasitizing the alfalfa blotch leafminer, *Agromyza frontella* (Rondani) (Diptera: Agromyzidae). *Canadian Entomologist* 120(2): 145-152.
- Guppy, J.C. & Meloche, F. 1989.** Note on *Cyrtogaster vulgaris* Walker (Hymenoptera: Pteromalidae), a secondary parasite of the alfalfa blotch leafminer (Diptera: Agromyzidae), with descriptions of the immature stages. *Canadian Entomologist* 121(11): 929-932.
- Gupta, M. & Pawar, A.D. 1992.** Biological wealth in rice ecosystem. *Plant Protection Bulletin Faridabad* 44(3): 6-15.
- Gupta, P., Dillard, C.R. & Ferkovich, S.M. 1996.** Potential of an unnatural host, *Galleria mellonella* (Lepidoptera: Galleriidae), in rearing the corn earworm endoparasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 89(1): 103-108.
- Gupta, P., Sloan, A., Dillard, C.R. & Ferkovich, S.M. 1996.** Parasitism of a factitious host, *Galleria mellonella* (Lepidoptera: Pyralidae) by an endoparasitoid: oviposition and emergence of *Microplitis croceipes* (Hymenoptera: Braconidae). *Florida Entomologist* 79(2): 221-229.
- Gupta, P., Ferkovich, S.M., Pennacchio, F., Bradleigh-Vinson, S. & Lanzrein, B. 1998.** Interaction of calyx fluid and venom from

- Microplitis croceipes* (Braconidae) on developmental disruption of the natural host, *Helicoverpa zea*, and two atypical hosts, *Galleria mellonella* and *Spodoptera exigua*. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 713-719.
- Gupta, S.C., Yazdani, S.S., Hameed, S.F. & Agarwal, M.L. 1994.** Seasonal prevalence of larval and pupal parasitoids of sugarcane top borer, *Scirpophaga excerptalis* in North Bihar (India). *Journal of Entomological Research* 18(1): 83-87.
- Gupta, V.K. 1964.** *Agathis festiva* Muesebeck, a new Braconid parasite of the Lac predator *Holcocera pulverea*, in India (Insecta, Hymenoptera, Braconidae). *Current Science* 33: 220.
- Gupta, V.K. & Bhat, S. 1972.** On the oriental species of *Zelomorpha* Ashmead (Hymenoptera: Braconidae). *Oriental Insects* 6(4): 449-457.
- Gupta, V.K. & Bhat, S. 1974.** The oriental species of *Earinus* and *Camptothlipsis* (Hymenoptera: Braconidae). *Oriental Insects* 8(2): 219-232.
- Gupta, V.K. & Sharma, V. 1976.** Studies on *Wroughtonia* (Hymenoptera: Braconidae: Helconinae). *Oriental Insects* 10(3): 353-362.
- Gupta, V.K. 1987.** The Ichneumonidae of the Indo-Australian area (Hymenoptera). *Memoirs of the American Entomological Institute*. No.41 (Part 1): 1-597.
- Gupta, V.K. 1987.** The Ichneumonidae of the Indo-Australian area (Hymenoptera). *Memoirs of the American Entomological Institute*. No.41 (Part 2): 598-1210.
- Gurasashvili, M.L. 1983.** Parasitic wasps of the genus *Phaenocarpa* Foerster, 1862 (Hymenoptera, Braconidae, Alysiinae) of the western Caucasus. *Entomologicheskoye Obozreniye* 62: 780-788. [*Entomological Review* 62(4): 109-118.].
- Gurasashvili, M.L. 1984.** Braconid flies of the genus *Alysia* (Hymenoptera) of the West Caucasus (USSR). *Entomologicheskoye Obozreniye* 63(1): 146-151. [*Entomological Review* 63 (1): 132-138.].
- Guryanova, T.M. 1969.** The role of parasites in decrease of numbers of *Pissodes piceae* (Curculionidae). (in Russian with English summary) *Zoologicheskii Zhurnal* 48: 550-558.
- Gut, L.J. & Brunner, J.F. 1988.** Parasitoids of *Rhagoletis pomonella* (Diptera: Tephritidae) in southwest Washington. Gupta, V.K. [ed.]. *Advances in parasitic Hymenoptera research*. Proceedings of the 2nd Conference on the Taxonomy and Biology of Parasitic Hymenoptera held at the University of Florida, Gainesville, Florida, November 19-21: 469-474.
- Gut, L.J. & Brunner, J.E. 1994.** Parasitism of the apple maggot, *Rhagoletis pomonella*, infesting hawthorns in Washington. *Entomophaga* 39(1): 41-49.
- Gutierrez, A.P. & Bosch, R. van den 1970.** Studies on host selection and specificity of the aphid hyperparasite *Charips victrix* (Hymenoptera: Cynipidae). 1. Review of hyperparasitism and the field ecology of *Charips victrix*. *Annals of the Entomological Society of America* 63(5): 1345-1354.
- Gutierrez, A.P. 1970.** Studies on host selection and specificity of the aphid hyperparasite *Charips victrix* (Hymenoptera: Cynipidae). 5. Host selection. *Annals of the Entomological Society of America* 63(6): 1495-1498.
- Gutierrez, A.P., Hagen, K.S., Ellis, C.K., Mackauer, M. Ehler, L.E. & Roland, J. 1990.** Evaluating the impact of natural enemies: a multitrophic perspective. *Critical issues in biological control* 81-109.
- Gutowski, J.M. & Hilszczanski, J. 1997.** *Phymatodes* (*Reitteroderus*) *pusillus* (Fabricius, 1787) (Coleoptera: Cerambycidae) in Poland. *Wiadomosci Entomologiczne* 16(1): 11-19.
- Guzo, D. & Stoltz, D.B. 1985.** Obligatory multiparasitism in the tussock moth, *Orgyia leucostigma*. *Parasitology* 90: 1-10.
- Guzo, D. & Stoltz, D.B. 1987.** Observations on cellular immunity and parasitism in the tussock moth. *Journal of Insect Physiology* 33: 19-31.
- Gyawali, B.K. 1989.** The insect complex in the blackgram agro-ecosystem at Khumaltar in Kathmandu Valley, Nepal. *Quarterly Newsletter Asia and Pacific Plant Protection Commission* 32(3): 18-22.
- Gårdenfors, U. 1983.** Re-description, distribution and host range of *Calaphidius* Mackauer (Hymenoptera: Braconidae, Aphidiinae). *Entomologica Scandinavica* 14(1): 77-80.
- Gårdenfors, U. 1984.** Studies on systematics and biology of Aphidiinae (Hymenoptera, Braconidae). *Entomologisk Tidskrift* 105(112): 6-8.
- Gårdenfors, U. 1986.** Taxonomic and biological revision of Palearctic *Ephedrus* Haliday. *Entomologica Scandinavica*. Supplement No. 27: 1-95.
- Gårdenfors, U. 1986.** Taxonomic and biological revisions of *Calaphidius* Mackauer and the Palearctic *Ephedrus* Haliday (Hymenoptera: Braconidae, Aphidiinae). *Dissertation Abstracts International C European Abstracts* 47(4): 872.
- Gårdenfors, U. 1990.** *Trioxys apterus* sp. n. from Ecuador, a new wingless species of Aphidiinae (Hymenoptera: Braconidae). *Entomologica Scandinavica* 21: 67-69.
- Habibpour, B., Kamali, K., Meidani, J., Adler, C. Navarro, S. Scholler, M. & Stengard-Hansen, L. 2002.** Insects and mites associated with stored products and their arthropod parasites and predators in Khuzestan province (Iran). *Proceedings of the IOBC WPRS Working Group "Integrated Protection in Stored Products"*, Lisbon, Portugal, 3-5 September, 2001. *Bulletin OILB SROP* 25(3): 89-91.
- Haeselbarth, E. 1967.** Zur Kenntnis der palaearktischen Arten der Gattung *Coeloides* Wesmäl (Hymenoptera, Braconidae). *Mitteilungen Münchener Entomologischen Gesellschaft* 57: 20-53.
- Haeselbarth, E. 1970.** Ber die Braconiden *Heterogamus dispar* (Curtis) und *H. excavatus* Telenga (Hymenoptera). *Mitteilungen Münchener Entomologischen Gesellschaft* 59(1969): 174-179.
- Haeselbarth, E. 1971.** Notizen zur Gattung *Pygostolus* Haliday (Hymenoptera, Braconidae). *Opuscula Zoologica*. München 112: 1-8.
- Haeselbarth, E. 1973.** Bemerkungen zu den Typen von *Coeloides filiformis* f. *niger* Hedwig und *Blacus pallens* Hedwig. *Stuttgarter Beiträge zur Naturkunde*. Serie A. 262: 1-2.
- Haeselbarth, E. 1973.** Die *Blacus*-Arten Europas und Zentral-Asiens (Hymenoptera, Braconidae). *Veröffentlichungen der Zoologischen Staatssammlung (München)* 16: 69-170.
- Haeselbarth, E. 1973.** Ergebnisse der zoologischen Forschungen von Dr Z. Kaszab in der Mongolei, no. 333. *Braconidae IV* (Hymenoptera). *Folia Entomologica Hungarica*. (ser. nov.) 26 (Supplement): 75-81.
- Haeselbarth, E. 1974.** Zehn neue *Blacus*-Arten aus Südafrika (Hymenoptera, Braconidae). *Mitteilungen Münchener Entomologischen Gesellschaft* 64: 62-80.
- Haeselbarth, E. 1975.** Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institute, 90. Beitrag, Hym.: Braconidae 1. *Beiträge zur Entomologie* 25: 49-51.
- Haeselbarth, E. 1975.** Faunistische und taxonomische Notizen zu europäischen *Blacus*-Arten (Hymenoptera, Braconidae). *Nachrichtenblatt der Bayerischen Entomologen* 24: 28-31.
- Haeselbarth, E. 1976.** *Blacus achterbergi* nom. nov. (Hym., Braconidae). *Entomologische Berichten*, Amsterdam 36: 144.
- Haeselbarth, E. 1978.** Notizen zur Gattung *Macrocentrus* Curtis (Hymenoptera: Braconidae). II. Zur Trennung von *M. bicolor* Curtis, *M. thoracicus* (Nees) und einiger verwandter Arten. *Nachrichtenblatt der Bayerischen Entomologen* 27: 25-32.
- Haeselbarth, E. 1979.** Notizen zur Gattung *Macrocentrus* Curtis. I. Zur Identität der von Ratzeburg 1844 und 1848 beschriebenen Arten (Hymenoptera: Braconidae). *Beiträge zur Entomologie* 29: 193-194.

- Haeselbarth, E. & Achterberg, C. van 1981.** *Macrocentrus rossemi* sp. n., eine neue Art der *thoracicus*-Gruppe (Hymenoptera, Braconidae). Entomologische Berichten, Amsterdam 41: 157-160.
- Haeselbarth, E. & Loan, C. 1983.** *Townesilitus*, a new genus for a species group in *Microctonus* (Hymenoptera: Braconidae, Euphorinae). Contributions of the American Entomological Institute 20: 384-387.
- Haeselbarth, E. 1983.** Determination list of entomophagous insects 9. WPRS Bulletin.
- Haeselbarth, E. 1985.** Determination list of entomophagous insects. 10. International Union of Biological Sciences. International Organization for Biological Control of noxious animals and plants. WPRS Bulletin: 1-61.
- Haeselbarth, E. 1985.** Zur Identität von *Dacnusa cerealis* Curtis, 1860 (Hymenoptera, Braconidae). Nachrichtenblatt der Bayerischen Entomologen 34(4): 143-144.
- Haeselbarth, E. 1988.** Zur Braconiden Gattung *Townesilitus* Haeselbarth & Loan, 1983. Entomofauna 9(23): 429-460.
- Haeselbarth, E. 1989.** Determination list of entomophagous insects. 11. International Union of Biological Sciences. International Organization for Biological Control of noxious animals and plants. WPRS Bulletin: 1-63.
- Haeselbarth, E. 1992.** *Blacus (Ganychorus) madli*, sp. n., eine neue Braconide aus der Türkei. (Insecta, Hymenoptera, Braconidae). Nachrichtenblatt der Bayerischen Entomologen 41(3): 95-98.
- Haeselbarth, E. 1994.** *Macrocentrus maximiliani* sp. n., eine neue Braconide aus den Alpen (Insecta: Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien Serie B Botanik und Zoologie 96B: 149-152.
- Haeselbarth, E. 1996.** *Rilipertus* gen. nov., eine neue Gattung der Euphorinae (Hymenoptera, Braconidae). Entomofauna 17(26): 397-412.
- Haeselbarth, E. 1998.** Zur Braconiden-Gattung *Perilitus* Nees, 1818. 1. Beitrag: Die *Perilitus falciger*-Gruppe (Hymenoptera, Braconidae). Entomofauna 19(11): 197-208.
- Haeselbarth, E. 1999.** Zur Braconiden-Gattung *Perilitus* Nees, 1818. 2. Beitrag: Die Arten mit ausgebildetem ersten Cubitus-Abschnitt (Insecta, Hymenoptera, Braconidae). Mitteilungen Muenchener Entomologischen Gesellschaft 89: 11-46.
- Hafez, M., Tawfik, M.F.S. & Ibrahim, A.A. 1980.** The immature stages of *Chelonus inanitus* (L.) a parasite of the cotton leafworm, *Spodoptera littoralis* (Boisd.), in Egypt. Deutsche Entomologische Zeitschrift 27(1-3): 29-38.
- Hafez, M., Tawfik, M.F.S. & Ibrahim, A.A. 1981.** On the bionomics of *Chelonus inanitus* (L.), an egg-larval parasite of the cotton leaf-worm, *Spodoptera littoralis* (Boisd.), in Egypt. Bulletin de la Société Entomologique d'Égypte No. 61: 179-193.
- Hafez, M., Tawfik, M.F.S. & Ibrahim, A.A. 1981.** Pattern and behaviour of oviposition of the braconid parasite *Chelonus inanitus* (L.) in Egypt. Bulletin de la Société Entomologique d'Égypte No. 61: 195-204.
- Hafez, M., Salama, H.S., Aboul-Ela, R., Zaki, F.N. & Ragaei, M. 1997.** *Bacillus thuringiensis* affecting the larval parasite *Meteorus laeiventris* Wesm. (Hym., Braconidae) associated with *Agrotis ypsilon* (Rott.) (Lep., Noctuidae) larvae. Journal of Applied Entomology 121(9-10): 535-538.
- Hagazi, E.M., El-Minshawy, A.M. & Shaaban, M.A. 1984.** The relation of parasite density of *Microplitis rufiventris* (Hymenoptera, Braconidae) to superparasitism and fate of its eggs. Zeitschrift für angewandte Entomologie 97(4): 414-418.
- Hagen, K.S. & Bosch, R. van den 1968.** Impact of pathogens, parasites, and predators on aphids. Annual Review of Entomology 13: 325-384.
- Hagley, E.A.C., Pree, D.J., Simpson, C.M. & Hikichi, A. 1981.** Toxicity of insecticides to parasites of the spotted tentiform leafminer (Lepidoptera: Gracillariidae). Canadian Entomologist 113: 899-906.
- Hagley, E.A.C. 1985.** Parasites recovered from the overwintering generation of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) in pest-management apple orchards in southern Ontario. Canadian Entomologist 117(3): 371-374.
- Hagley, E.A.C. & Barber, D. 1986.** Preference of *Pholetesor ornigis* (Hym.: Braconidae) for the sap-feeding larvae of its host, the spotted tentiform leaf-miner, *Phyllonorycter blancardella* (Lep.: Gracillariidae). Entomophaga 31: 393-395.
- Hagley, E.A.C. & Barber, D.R. 1991.** Foliage-feeding Lepidoptera and their parasites recovered from unmanaged apple orchards in southern Ontario. Proceedings of the Entomological Society of Ontario 122: 1-7.
- Hagley, E.A.C. & Barber, D.R. 1991.** Mortality, fecundity and longevity of parasitoids of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lep.: Gracillariidae) at constant temperatures in the laboratory. Entomophaga 36(3): 409-415.
- Hagley, E.A.C. & Barber, D.R. 1992.** Effect of food sources on the longevity and fecundity of *Pholetesor ornigis* (Weed) (Hymenoptera: Braconidae). Canadian Entomologist 124(2): 341-346.
- Hagstrum, D.W. & Smittle, B.J. 1977.** Host-finding ability of *Bracon hebetor* and its influence upon adult parasite survival and fecundity. Environmental Entomology 6: 437-439.
- Hagstrum, D.W. & Smittle, B.J. 1978.** Host utilization by *Bracon hebetor*. Environmental Entomology 7: 596-600.
- Hagstrum, D.W. 1983.** Self-provisioning with paralyzed hosts and age, density, and concealment of hosts as factors influencing parasitization of *Ephesia cautella* (Walker) (Lepidoptera: Pyralidae) by *Bracon hebetor* Say (Hymenoptera: Braconidae). Environmental Entomology 12(6): 1727-1732.
- Hagvar, E.B. & Hofsvang, T. 1986.** Parasitism by *Ephedrus cerasicola* (Hym.: Aphidiidae) developing in different stages of *Myzus persicae* (Hom.: Aphididae). Entomophaga 31: 337-346.
- Hagvar, E.B. & Hofsvang, T. 1988.** Interspecific competition between the aphid parasitoids *Aphidius colemani* Viereck and *Ephedrus cerasicola* Starý (Hym.: Aphidiidae). Journal of Applied Entomology 106(1): 62-71.
- Hagvar, E.B. & Hofsvang, T. 1988.** The aphid parasitoid *Ephedrus cerasicola* Starý: the process leading to successful parasitism, response to host density, and its possible use in aphid control. Agricultural University of Norway: 1-52.
- Hagvar, E.B. 1988.** Multiparasitism of the green peach aphid, *Myzus persicae*: competition in the egg stage between *Aphidius matricariae* and *Ephedrus cerasicola*. Entomologia Experimentalis et Applicata 47(3): 275-282.
- Hagvar, E.B. & Hofsvang, T. 1989.** Effect of honeydew and hosts on plant colonization by the aphid parasitoid *Ephedrus cerasicola*. Entomophaga 34(4): 495-501.
- Hagvar, E.B. & Hofsvang, T. 1990.** Fecundity and intrinsic rate of increase of the aphid parasitoid *Ephedrus cerasicola* Starý (Hym.: Aphidiidae). Journal of Applied Entomology 109(3): 262-267.
- Hagvar, E.B. & Hofsvang, T. 1990.** The aphid parasitoid *Ephedrus cerasicola*, a possible candidate for biological control in glass-houses? SROP/WPRS Bulletin XIII(5): 87-90.
- Hagvar, E.B. 1991.** Host selection steps in the parasitoid *Ephedrus cerasicola* (Aphidiidae) with *Myzus persicae* (Aphididae) as host: 35-40. In: Polgar, L., Chambers, R.J., Dixon, A.F.G. & Hodek, I. [eds]. "Behaviour and impact of Aphidophaga". Proceedings of the 4th meeting of the IOBC W.G. Ecology of Aphidophaga¹. SPB Academic Publishing, The Hague 1991: 1-350.
- Hagvar, E.B. & Hofsvang, T. 1991.** Aphid parasitoids (Hymenoptera: Aphidiidae): biology, host selection and use in biological control. Biocontrol News and Information 12(1): 13-42.

- Hagvar, E.B. & Hofsvang, T. 1991.** Effect of honeydew on the searching behaviour of the aphid parasitoid *Ephedrus cerasicola* (Hymenoptera: Aphidiidae). *Redia* 74(3): 259-264.
- Hagvar, E.B. & Hofsvang, T. 1994.** Colonization behaviour and parasitization by *Ephedrus cerasicola* (Hym.: Aphidiidae) in choice studies with two species of plants and aphids. *Journal of Applied Entomology* 118(1): 23-30.
- Haig, D. 1998.** Mother's boy or daddy's girl? Sex determination in Hymenoptera. *Trends in Ecology and Evolution* 13(10): 380-381.
- Haile, A. & Megenasa, T. 1987.** Survey of aphids on barley in parts of Shewa, Welo and Tigrai, Ethiopia. *Ethiopian Journal of Agricultural Sciences* 9(1): 39-53.
- Hailemichael, Y., Schulthess, F., Smith, J.W. & Overholt, W.A. 1997.** Suitability of West African gramineous stemborers for the development of *Cotesia* species. Management of tropical gramineous stemborers, Nairobi, Kenya, 14-16 May 1996. *Insect Science and its Application* 17(1): 89-95.
- Hain, F.P. & Wallner, W.E. 1973.** The life history, biology, and parasites of the pine candle moth, *Exoteleia nepheos* (Lepidoptera: Gelechiidae), on Scotch pine in Michigan. *Canadian Entomologist* 105: 157-164.
- Hainze, J.H. & Benjamin, D.M. 1985.** Partial life tables for the red pine shoot moth, *Dioryctria resinosella* (Lepidoptera: Pyralidae), in Wisconsin red-pine plantations. *Environmental Entomology* 14(5): 545-551.
- Hajek, A.E. & Dahlsten, D.L. 1981.** First California record for *Dendrosoter protuberans* (Nees) (Hymenoptera: Braconidae). *Pan-Pacific Entomologist* 57: 504-505.
- Hajek, A.E. & Dahlsten, D.L. 1985.** Insect and mite associates of *Scolytus multistriatus* (Coleoptera: Scolytidae) in California. *Canadian Entomologist* 117: 409-421.
- Hajek, A.E. 1986.** New North American records of European parasitoids (Hymenoptera) of the linden aphid *Eucallipterus tiliiae* L. (Aphidoidea: Drepanosiphidae). *Journal of the New York Entomological Society* 94(3): 443-446.
- Halbert, S.E., Johnson, J.B., Graves, P.L., Marsh, P.M. & Nelson, D. 1996.** *Aphidius uzbekistanicus* (Hymenoptera: Aphidiidae) established in Idaho. *Pan Pacific Entomologist* 72(1): 13-16.
- Halfhill, J.E. & Featherston, P.E. 1967.** Propagation of braconid parasites of the pea aphid. *Journal of Economic Entomology* 60(6): 1756.
- Halfhill, J.E., Featherston, P.E. & Dickie, A.G. 1972.** History of the *Praon* and *Aphidius* parasites of the pea aphid in the Pacific Northwest. *Environmental Entomology* 1(4): 402-405.
- Halfhill, J.E. & Featherston, P.E. 1973.** Inundative releases of *Aphidius smithi* against *Acyrtosiphon pisum*. *Environmental Entomology* 2(3): 469-472.
- Halfhill, J.E. 1982.** Host plant and temperature as related to survival and reproduction of an alfalfa aphid, *Macrosiphum creelii* Davis. *Environmental Entomology* 11(5): 1100-1103.
- Halfpapp, K.H. 1989.** Rice leaf miner *Hydrellia griseola* in Australia. *International Rice Research Newsletter* 14(6): 32.
- Halima-Kamel, M.B.B. & Hamouda, M.H.B. 1993.** Aphids from protected crops and their enemies in Tunisia. *Tropicicultura* 11(2): 50-53.
- Hallman, G. 1980.** Huéspedes y enemigos naturales de *Heliothis* spp., en la region aldononera del Departamento del Tolima, Colombia. *Turrialba* 30(3): 272-279.
- Halme, J. 1977.** Aphidiidae (Hymenoptera) of Finland. I. Historical review and records of eight new species. *Notulae Entomologicae* 57(4): 109-114.
- Halme, J. 1986.** Aphidiidae (Hymenoptera) of Finland. II. *Pseudopausia prunicola* gen. n., sp. n., a new parasitoid of *Rhopalosiphum padi* (L.) (Homoptera: Aphididae). *Annales Entomologici Fennici* 52: 20-27.
- Halme, J. 1992.** *Ephedrus* (*Ephedrus*) *koponeni* sp. n. from Finland (Hymenoptera, Braconidae, Aphidiinae). *Entomologica Fennica* 3(2): 113-116.
- Halperin, J. 1986.** Braconidae (Hymenoptera) associated with forest and ornamental trees and shrubs in Israel. *Phytoparasitica* 14(2): 119-135.
- Halperin, J. 1992.** Occurrence of *Oligomerus ptilinoides* in Israel. *Phytoparasitica* 20(1): 51-52.
- Halstead, J.A. 1989.** Hymenoptera associated with a California population of the Russian thistle biological control agent *Coleophora klimeschiella* Toll (Lepidoptera: Coleophoridae). *Proceedings of the Entomological Society of Washington* 91(4): 635-636.
- Hamel, D.R. 1977.** The effects of *Bacillus thuringiensis* on parasitoids of the western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), and the spruce coneworm, *Dioryctria reniculelloides* (Lepidoptera: Pyralidae), in Montana. *Canadian Entomologist* 109(11): 1409-1415.
- Hamilton, G.C., Kirkland, R.L. & Peries, I.D.R. 1982.** Population ecology of *Schizaphis graminum* (Rondani) (Homoptera: Aphididae) on grain sorghum in central Missouri. *Environmental Entomology* 11(3) 1982: 618-628.
- Hamilton, J.T. & Attia, F. 1976.** The susceptibility of the parasite *Apanteles glomeratus* (L.) (Hym.: Braconidae) to insecticides. *Journal of the Entomological Society of Australia* 9: 24-25.
- Hamilton, J.T. 1979.** Seasonal abundance of *Pieris rapae* (L.), *Plutella xylostella* (L.) and their disease and parasites. *General and Applied Entomology* 11: 59-66.
- Hamilton, P.A. 1974.** The biology of *Monoctonus pseudoplatani*, *Trioxys cirsii* and *Dyscritulus planiceps*, with notes on their effectiveness as parasites of the sycamore aphid, *Drepanosiphum platanoides*. *Annales de la Société Entomologique de France*. N.S. 10: 821-840.
- Hamm, J.J., Nordlund, D.A. & Mullinix, B.G. 1983.** Interaction of the microsporidium *Vairimorpha* sp. with *Microplitis croceipes* (Cresson) and *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae), two parasitoids of *Heliothis zea* (Boddie) (Lepidoptera: Noctuidae). *Environmental Entomology* 12(5): 1547-1550.
- Hamm, J.J., Nordlund, D.A. & Marti, O.G. 1985.** Effects of a non-occluded virus of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) on the development of a parasitoid, *Cotesia marginiventris* (Hymenoptera: Braconidae). *Environmental Entomology* 14: 258-261.
- Hamm, J.J., Styer, E.L. & Lewis, W.J. 1988.** A baculovirus pathogenic to the parasitoid *Microplitis croceipes* (Hymenoptera, Braconidae). *Journal of Invertebrate Pathology* 52: 189-191.
- Hamm, J.J., Styer, E.L. & Lewis, W.J. 1990.** Comparative virogenesis of filamentous virus and polydnavirus in the female reproductive tract of *Cotesia marginiventris* (Hymenoptera: Braconidae). *Journal of Invertebrate Pathology* 55(3): 357-374.
- Hamm, J.J., Styer, E.L. & Lewis, W.J. 1992.** Three viruses found in the braconid parasitoid *Microplitis croceipes* and their implications in biological control programs. *Biological Control* 2(4): 329-336.
- Hamm, J.J., Styer, E.L. & Steiner, W.W. 1994.** Reovirus-like particle in the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Journal of Invertebrate Pathology* 63(3): 304-306.
- Hamm, J.J., Chandler, L.D. & Sumner, H.R. 1994.** Field tests with a fluorescent brightener to enhance infectivity of fall armyworm (Lepidoptera: Noctuidae) nuclear polyhedrosis virus. *Symposium on Armyworms*. *Florida Entomologist* 77(4): 425-437.
- Hammad, S.M., El-Minshawy, A.M. & Salama, A. 1965.** Studies on *Microplitis rufiventris* Kok. (Hym., Braconidae). *Bulletin de la Société Entomologique d'Egypte* 49: 215-219.

- Hammond, R.B. 1983.** Parasites of the green cloverworm (Lepidoptera: Noctuidae) on soybeans in Ohio. *Environmental Entomology* 12(1): 171-173.
- Han, B.Y. & Chen, Z.M. 1999.** Selectivity of *Aphidius* sp. to various odour sources. *Journal of Tea Science* 19(1): 29-34.
- Han, B.Y. 2001.** Attractive activity to natural enemies and component analysis of the rinses from tea aphid body surface. *Acta Entomologica Sinica* 44(4): 541-547.
- Han, B.Y. & Chen, Z.M. 2002.** Behavioral and electrophysiological responses of natural enemies to synomones from tea shoots and kairomones from tea aphids, *Toxoptera aurantii*. *Journal of Chemical Ecology* 28(11): 2203-2219.
- Han, B.Y. & Chen, Z.M. 2002.** Composition of the volatiles from intact and tea aphid-damaged tea shoots and their allurements to several natural enemies of the tea aphid. *Journal of Applied Entomology* 126(9): 497-500.
- Han, S.S., Lee, M.H., Lim, C.Y., Yun, T.Y., Kim, J.H., Paik, J.C. & Ryoo, M.I. 1996.** Cabbage worm, *Artogeia rapae*, immunodeficiency syndrome caused by virus-like particles in the parasitoid wasp. *Korean Journal of Entomology* 26(3): 279-287.
- Han, Z.Q. 1983.** Bionomics of *Aphidius avenae* Haliday. (in Chinese) *Entomological Knowledge* 20(5): 209-211.
- Hance, T. 1995.** Relationships between aphid phenology and predator and parasitoid abundances in maize fields. *Acta Jutlandica Natural Science Series* 9: 113-123.
- Handel, U., Kenis, M. & Wegensteiner, R. 2001.** Investigations on the occurrence of pathogens and parasites in populations of hibernating spruce bark beetles (Col.: Scolytidae). *Vorträge der Entomologentagung in Dusseldorf vom 26. bis. 31. März 2001. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 13(1-6): 423-428.
- Hang, S.B. & Lin, G.N. 1989.** Biological characteristics of *Apanteles chilonis* (Hym.: Braconidae), a parasite of *Chilo* sp. (Lep.: Pyralidae). *Chinese Journal of Biological Control* 5(1): 16-19.
- Hang, S.B. & Lu, Z.Q. 1991.** Physiological and biochemical changes in the hemolymph of *Chilo suppressalis* larvae parasitized by *Apanteles chilonis*. *Acta Entomologica Sinica* 34(4): 427-432.
- Hang, S.B. 1993.** A method of reproducing *Apanteles chilonis* [Hym.: Braconidae] with *Chilo suppressalis* [Lep.: Pyralidae] larvae reared with rice seedlings. *Chinese Journal of Biological Control* 9(2): 93.
- Hang, S.B. 1993.** Studies on the rearing method of *Apanteles chilonis* in laboratory. (in Chinese with English summary) *Entomological Journal of East China* 2(2): 42-47.
- Hang, S.B., Dai, Z.Y., Shen, G.Q. & Ju, Y.M. 1994.** A rearing technique of *Apanteles chilonis* in the laboratory. *Acta Entomologica Sinica* 37(4): 504-505.
- Hang, S.Q. 1992.** A newly-found *Apanteles* sp. parasitizing the larvae of *Bleptina* sp. *Plant Protection* 18(1): 21.
- Hanks, L.M., Millar, J.G., Paine, T.D., Paine, E.O. & Wang, Q. 2001.** Patterns of host utilization by two parasitoids (Hymenoptera: Braconidae) of the eucalyptus longhorned borer (Coleoptera: Cerambycidae). *Biological Control* 21(2): 152-159.
- Hansen, J.D. 1981.** Radiographic detection of pupal parasites of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae). *Journal of the Entomological Society of British Columbia* 78: 34-38.
- Hanski, I. & Lei, G.C. 1998.** Spatial dynamics of two competing specialist parasitoids in a host metapopulation. *Journal of Animal Ecology* 67(3): 422-433.
- Hanski, I. & Nouhuys, S. van 1999.** Host diet affects extinctions and colonizations in a parasitoid metapopulation. *Journal of Animal Ecology* 68(6): 1248-1258.
- Hanski, I. & Nouhuys, S. van 2000.** Apparent competition between parasitoids mediated by a shared hyperparasitoid. *Ecology Letters* 3(2): 82-84.
- Hanski, I. & Nouhuys, S. van 2002.** Colonization rates and distances of a host butterfly and two specific parasitoids in a fragmented landscape. *Journal of Animal Ecology* 71(4): 639-650.
- Hanson, P. 1991.** Parasitoids associated with coffee in Costa Rica. *Manejo Integrado de Plagas* 20-21: 8-10.
- Hanula, J.L. & Berisford, C.W. 1984.** Seasonal flight activity of the smaller European elm bark beetle, *Scolytus multistriatus* (Coleoptera: Scolytidae), and associates in Georgia (USA). *Canadian Entomologist* 116(9): 1251-1258.
- Haramoto, F. & Bess, H.A. 1970.** Recent studies on the abundance of the oriental and Mediterranean fruit flies and the status of their parasites. *Proceedings of the Hawaiian Entomological Society* 20(3): 551-566.
- Harbison, J.L., Legaspi, J.C., Fabritius, S.L., Saldana, R.R., Legaspi, B.C.Jr. & Enkegaard, A. 2001.** Effects of age and host number on reproductive biology of *Allorhogas pyralophagus* (Hymenoptera: Braconidae) attacking the Mexican rice borer (Lepidoptera: Pyralidae). *Environmental Entomology* 30(1): 129-135.
- Harbo, J.R. & Kraft, K.J. 1969.** A study of *Phanerotoma toreuta* a parasite of the pine cone moth *Laspeyresia toreuta*. *Annals of the Entomological Society of America* 62(1): 214-220.
- Harcourt, D.G. 1966.** Major factors in survival of the immature stages of *Pieris rapae* (L.). *Canadian Entomologist* 98: 653-662.
- Harcourt, D.G., Ellis, C.R. & Guppy, J.C. 1979.** Distribution of *Microctonus aethiopoidea*, a parasitoid of the alfalfa weevil (Coleoptera: Curculionidae) in Ontario. *Proceedings of the Entomological Society of Ontario* 110: 35-39.
- Harcourt, D.G. & Guppy, J.C. 1981.** Distribution of *Microctonus colesi* (Hymenoptera: Braconidae), a new parasite of the alfalfa weevil in Ontario. *Proceedings of the Entomological Society of Ontario* 112: 33-37.
- Harcourt, D.G., Guppy, J.C. & Ellis, C.R. 1987.** Establishment and spread of *Dacnusa dryas* (Hymenoptera: Braconidae), an exotic parasite of the alfalfa blotch leafminer in Ontario. *Proceedings of the Entomological Society of Ontario* 117(1986): 29-33.
- Harcourt, D.G., Guppy, J.C. & Meloche, F. 1988.** Population dynamics of the alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), in eastern Ontario: Impact of the exotic parasite *Dacnusa dryas* (Hymenoptera: Braconidae). *Environmental Entomology* 17(2): 337-343.
- Hardee, D.D., O'Brien, P.J., Elzen, G.W. & Snodgrass, G.L. 1990.** Emergence and survival of the parasitoid *Lysiphlebus testaceipes* from *Aphis gossypii* exposed to aphicides. *Southwestern Entomologist* 15(2): 211-216.
- Hardie, J., Nottingham, S.F., Powell, W. & Wadhams, L.J. 1991.** Synthetic aphid sex pheromone lures female parasitoids. *Entomologia Experimentalis et Applicata* 61(1): 97-99.
- Hardie, J., Hick, A.J., Höller, C., Mann, J., Merritt, L., Nottingham, S.F., Powell, W., Wadhams, L.J., Witthinrich, J. & Wright, A.F. 1994.** The responses of *Praon* spp. parasitoids to aphid sex pheromone components in the field. *Entomologia Experimentalis et Applicata* 71(2): 95-99.
- Hardie, J. & Christiansen, W.P. 2001.** The influence of parasitoids on wing formation in aphids: possible interactions with the endocrine system?: 177-186. Edwards, J.P., Weaver, R.J. [eds]. 'Endocrine interactions of insect parasites and pathogens.' Bios, Oxford: 1-314.
- Hardin, B. 1991.** Natural enemies gang up on corn pests. *Agricultural Research Washington* 39(8): 18-20.
- Harding, J.A. 1965.** Parasitism of the leaf miner *Liriomyza munda* in the winter garden area of Texas. *Journal of Economic Entomology* 58(3): 442-443.
- Harding, J.A. 1976.** *Heliothis* spp.: parasitism and parasites plus host plants and parasites of the beet armyworm, diamondback moth and two tortricids in the Lower Rio Grande Valley of Texas. *Environmental Entomology* 5(4): 669-671.

- Harding, J.A. 1976.** Seasonal occurrence, hosts, parasitism and parasites of cabbage and soybean loopers in the lower Rio Grande Valley. *Environmental Entomology* 5(4): 672-674.
- Hardy, I.C.W. & Godfray, H.C.J. 1990.** Estimating the frequency of constrained sex allocation in field populations of Hymenoptera. *Behaviour* 114(1-4): 137-147.
- Hardy, I.C.W. & Blackburn, T.M. 1991.** Brood guarding in a bethylid wasp. *Ecological Entomology* 16(1): 55-62.
- Hardy, I.C.W. & Johnson, M.W. 2002.** Papers from the Antonie van Leeuwenhoek Symposium (7th European Workshop on Insect Parasitoids), Haarlem, The Netherlands, 1-6 October, 2002. *Biological Control* 25(3): 215-248.
- Haris, S.M. & Ahmad, Z. 2002.** Braconinae enemies of insect pests of rice in India (Hymenoptera: Braconidae). *Bionotes* 4(4): 103.
- Harizanova, V. 1996.** Two parasitoids of the larvae of *Ino ampelophaga* Bayle, 1824 (Lepidoptera: Zygaenidae) a pest of grapes in Bulgaria. *Acta Entomologica Bulgarica* 2(2): 76-78.
- Harizanova, V. & Ekbom, B. 1997.** An evaluation of the parasitoid, *Aphidius colemani* Viereck (Hymenoptera: Braconidae) and the predator *Aphidoletes aphidimyza* Rondani (Diptera: Cecidomyiidae) for biological control of *Aphis gossypii* Glover (Homoptera: Aphididae) on cucumber. *Journal of Entomological Science* 32(1): 17-24.
- Harmon, B.L. & McCaffrey, J.P. 1997.** Parasitism of adult *Ceutorhynchus assimilis* (Coleoptera: Curculionidae) by *Microctonus melanopus* (Hymenoptera: Braconidae) in northern Idaho and eastern Washington. *Journal of Agricultural Entomology* 14(1): 55-59.
- Harper, A.M. 1976.** The pea aphid parasite *Aphidius smithi* (Hymenoptera: Braconidae), found in Alberta. *Canadian Entomologist* 108: 1296.
- Harrell, M.O., Jones, J.A. & Brohman, M.A. 1996.** Life histories and parasitoids of *Dioryctria* borers (Lepidoptera: Pyralidae) of pines in Nebraska. *Journal of the Kansas Entomological Society* 69(4): 279-284.
- Harrington, S.A., Hutchinson, P., Dutch, M.E., Lawrence, P.J. & Michael, P.J. 1993.** An efficient method of mass rearing two introduced parasitoids of noctuids (Lepidoptera: Noctuidae). *Journal of the Australian Entomological Society* 32(1): 79-80.
- Harris, E.J. & Okamoto, R.Y. 1983.** Description and evaluation of a simple method for the collection of the parasite *Biosteres oophilus* (Hym.: Braconidae). *Entomophaga* 28: 241-243.
- Harris, E.J., Okamoto, R.Y., Lee, C.Y.L. & Nishida, L.T. 1991.** Suitability of *Dacus dorsalis* and *Ceratitidis capitata* (Diptera: Tephritidae) as hosts of the parasitoid, *Biosteres arisanus* (Hymenoptera: Braconidae). *Entomophaga* 36(3): 425-430.
- Harris, E.J. & Okamoto, R.Y. 1991.** A method for rearing *Biosteres arisanus* (Hymenoptera: Braconidae) in the laboratory. *Journal of Economic Entomology* 84(2): 417-422.
- Harris, E.J. & Bautista, R.C. 1994.** Fruit trap: a detection and collection tool for opiine parasitoids (Hym.: Braconidae) of the oriental fruit fly, *Bactrocera dorsalis* (Dipt.: Tephritidae). *Entomophaga* 39(3-4): 341-349.
- Harris, E.J. & Bautista, R.C. 1996.** Effects of fruit fly host, fruit species, and host egg to female parasitoid ratio on the laboratory rearing of *Biosteres arisanus*. *Entomologia Experimentalis et Applicata* 79(2): 187-194.
- Harris, E.J., Bautista, R.C., Spencer, J.P. & Tan, K.H. 2000.** Utilisation of the egg-larval parasitoid, *Fopius (Biosteres) arisanus*, for augmentative biological control of tephritid fruit flies. Area wide control of fruit flies and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998. 725-732.
- Harris, E.J. & Bautista, R.C. 2001.** Implications of host mortality on the economics of *Fopius arisanus* (Hymenoptera: Braconidae) mass rearing. *BioControl* 46(3): 275-287.
- Harris, J., Ochieng, S.A., Baker, T.C., Park, K.C. & Zhu, J.W. 2001.** Electroantennogram responses of a parasitic wasp, *Microplitis croceipes*, to host-related volatile and anthropogenic compounds. *Physiological Entomology* 26(1): 69-77.
- Harris, R.A. 1979.** A glossary of surface sculpturing. Occasional Papers in Entomology of the California Department of Food and Agriculture. No. 28: 1-31.
- Harris, R.L. & Summerlin, J.W. 1984.** Parasites of horn fly in east central Texas. *Southwestern Entomologist* 9(2): 169-173.
- Harrison, W.W., Herbert, D.A. & Hardee, D.D. 1993.** Effect of parasitoid and host age on oviposition and emergence of *Microplitis croceipes* (Hymenoptera: Braconidae) an endoparasitoid of *Helicoverpa zea* (Lepidoptera: Noctuidae). *Journal of Entomological Science* 28(4): 343-349.
- Harten, A. van 1991.** The influence of parasitoids on the mortality of pests in horticultural crops in the Cape Verde Islands. *Journal of Applied Entomology* 111(5): 521-525.
- Harvey, J.A., Jervis, M.A., Gols, R., Vet, L.E.M. & Jiang, N.Q. 1999.** Development of the parasitoid, *Cotesia rubecula* (Hymenoptera: Braconidae) in *Pieris rapae* and *Pieris brassicae* (Lepidoptera: Pieridae): evidence for host regulation. *Journal of Insect Physiology* 45(2): 173-182.
- Harvey, J.A., Kadash, K. & Strand, M.R. 2000.** Differences in larval feeding behaviour correlate with altered developmental strategies in two parasitic wasps: implications for the size-fitness hypothesis. *Oikos* 88(3): 621-629.
- Harvey, J.A. 2000.** Dynamic effects of parasitism by an endoparasitoid wasp on the development of two host species: implications for host quality and parasitoid fitness. *Ecological Entomology* 25(3): 267-278.
- Harvey, J.A. & Strand, M.R. 2002.** The developmental strategies of endoparasitoid wasps vary with host feeding ecology. *Ecology* (Washington D.C.) 83(9): 2439-2451.
- Harvey, J.A. & Strand, M.R. 2003.** Sexual size and development time dimorphism in a parasitoid wasp: an exception to the rule? *European Journal of Entomology* 100(4): 485-492.
- Harvey, J.A., Gols, R. & Dam, N.M. van 2003.** Interactions over four trophic levels: foodplant quality affects development of a hyperparasitoid as mediated through a herbivore and its primary parasitoid. *Journal of Animal Ecology* 72(3): 520-531.
- Harwood, S.H. & Beckage, N.E. 1994.** Purification and characterization of an early-expressed polydnavirus-induced protein from the hemolymph of *Manduca sexta* larvae parasitized by *Cotesia congregata*. *Insect Biochemistry and Molecular Biology* 24(7): 685-698.
- Harwood, S.H., Grosovsky, A.J., Cowles, E.A., Davis, J.W. & Beckage, N.E. 1994.** An abundantly expressed hemolymph glycoprotein isolated from newly parasitized *Manduca sexta* larvae is a polydnavirus gene product. *Virology* 205(2): 381-392.
- Harwood, S.H., McElfresh, J.S., Nguyen, A., Conlan, C.A. & Beckage, N.E. 1998.** Production of early expressed parasitism-specific proteins in alternate sphingid hosts of the braconid wasp *Cotesia congregata*. *Journal of Invertebrate Pathology* 71(3): 271-279.
- Harzer, W. 1990.** Preliminary findings on the control of the fruit peel tortricid with Insegar. *Obstbau Bonn* 15(4): 146-150.
- Has, A., Dortbudak, N., Caliskaner, S., Erdogan, P. & Aydemir, M. 1995.** Investigations on the distribution, infestation rates, population densities, damage, biological and ecological factors for the control of potato tuber moth, *Phthorimaea operculella* (Zeller), and its control in the central Anatolia region. *Zirai Mucadele Arastirma Yilligi* 30: 17-18.

- Haseeb, M., Kobori, Y., Amano, H. & Nemoto, H. 2001. Population density of *Plutella xylostella* (Lepidoptera: Plutellidae) and its parasitoid *Cotesia plutellae* (Hymenoptera: Braconidae) on two varieties of cabbage in an urban environment. *Applied Entomology and Zoology* 36(3): 353-360.
- Haseeb, M. & Amano, H. 2002. Effects of contact, oral and persistent toxicity of selected pesticides on *Cotesia plutellae* (Hym., Braconidae), a potential parasitoid of *Plutella xylostella* (Lep., Plutellidae). *Journal of Applied Entomology* 126(1): 8-13.
- Haseeb, M., Liu, T.-X. & Jones, W.A. 2004. Effects of selected insecticides on *Cotesia plutellae*, endoparasitoid of *Plutella xylostella*. *BioControl* 49(1): 33-46.
- Hashimoto, K. & Kitano, H. 1971. Studies on the number of 'giant cells' in the body cavity of *Pieris rapae crucivora* attacked by *Apanteles glomeratus*. *Zoological Magazine (Tokyo)* 80: 323-329.
- Hashimoto, K.I. 1981. Studies on hibernation in the white cabbage butterfly larval parasitoid, *Apanteles glomeratus* L. *Kontyu* 49(1): 205-211.
- Hassan, B., Mohamed, C., Mohamed, A. & Brun, J. 2001. The date moth in the area of Tafilalet in the southeast of Morocco. *Fruits Paris* 56(3): 189-196.
- Hassan, E. & Graham-Smith, S. 1995. Toxicity of endosulfan, esfenvalerate and *Bacillus thuringiensis* on adult *Microplitis demolitor* Wilkinson and *Trichogrammatoidea bactrae* Nagaraja. Die Toxizität von Endosulfan, Esfenvalerate und *Bacillus thuringiensis* auf die Adulten von *Microplitis demolitor* Wilkinson und *Trichogrammatoidea bactrae* Nagaraja. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 102(4): 422-428.
- Hassan, S.T. 1976. The area of discovery of *Apanteles glomeratus* (Hym., Braconidae), *Pteromalus puparum* (Pteromalidae) and *Brachymeria ragina* (Chalcididae). *Entomologia Experimentalis et Applicata* 20: 199-205.
- Hassan, S.T.S. 1980. Some aspects of biology and biocontrol dynamics of *Pieris rapae* L. (Lepidoptera: Pieridae), and its parasites: *Apanteles glomeratus* L. (Hymenoptera: Braconidae), *Pteromalus puparum* L. (Hymenoptera: Pteromalidae) and *Brachymeria ragina* Girault (Hymenoptera: Chalcididae). *Journal of the Australian Institute of Agricultural Science* 46(4): 241-242.
- Hassanein, F.A. & El-Heneidy, A.H. 1984. On the parasitism of the cotton leafworm *Spodoptera littoralis* (Boisd.) on cabbage in Egypt. *Bulletin of the Entomological Society of Egypt. Economic Series* 14: 257-262.
- Hassanein, F.A. & El Heneidy, A.H. 1991. Comparative study of the parasitism by *Microplitis rufiventris* Kok. (Hymenoptera: Braconidae) and *Peribaea orbata* Wied. (Diptera: Tachinidae) on main lepidopterous pests in vegetable crop fields in Egypt. *Bulletin of the Entomological Society of Egypt, Economic Series*, publ. 1991, 17 (1988-1989): 127-135.
- Hassell, M.P., Lessells, C.M. & McGavin, G.C. 1985. Inverse density dependent parasitism in a patchy environment: a laboratory system. *Ecological Entomology* 10(4): 393-402.
- Hastings, F.L., Hain, F.P. & Odell, T.M. 2002. A survey of parasitoids and other organisms affecting gypsy moth (Lepidoptera: *Lymantria dispar* L.) along the leading edge of its southward movement. *Journal of Entomological Science* 37(2): 207-209.
- Hauser, E. 1994. Ecology of the parasitoids of *Taleporia tubulosa* (Hymenoptera: Ichneumonoidea/Lepidoptera: Psychidae). *Entomologia Generalis* 18(3-4): 227-234.
- Havill, N.P. & Raffa, K.F. 2000. Compound effects of induced plant responses on insect herbivores and parasitoids: implications for tritrophic interactions. *Ecological Entomology* 25(2): 171-179.
- Havill, N.P. & Raffa, K.F. 2002. Effects of gypsy moth (Lepidoptera: Lymantriidae) laboratory strain and crowding on emergence of the parasitoid *Cotesia melanoscelus* (Hymenoptera: Braconidae). *Entomological News* 113(3): 197-202.
- Havill, N.P. & Raffa, K.F. 2002. Effects of gypsy moth (Lepidoptera: Lymantriidae) laboratory strain and crowding on emergence of the parasitoid *Cotesia melanoscelus* (Hymenoptera: Braconidae). *Entomological News* 113(3): 197-202.
- Hawke, S.D., Farley, R.D. & Greany, P.D. 1973. The fine structure of sense organs in the ovipositor of the parasitic wasp, *Orgilus lepidus* Muesebeck. *Tissue & Cell* 5: 171-184.
- Hawkins, B.A. & Smith, J.W. Jr. 1986. *Rhaconotus roslinensis* (Hymenoptera: Braconidae), a candidate for biological control of stalkboring sugarcane pests (Lepidoptera: Pyralidae): development, life tables, and intraspecific competition. *Annals of the Entomological Society of America* 79(6): 905-911.
- Hawkins, B.A., Browning, H.W. & Smith, J.W. Jr. 1987. Field evaluation of *Allorhogas pyralophagus* (Hym.: Braconidae), imported into Texas for biological control of the stalk borer *Eoreuma loftini* (Lepidoptera: Pyralidae) in sugarcane. *Entomophaga* 32: 483-491.
- Hawlitzky, N. 1970. Etude expérimentale des relations hôtes-parasites chez les insectes. I. Caractères respiratoires et pondéraux des chenilles d'*Anagasta kuehniella* Zell. (Lep. Pyralidae) saines ou parasitées par *Phanerotoma flavitestacea* Fisch. (Hym. Braconidae). *Annales de Zoologie Ecologie Animale* 2: 579-593.
- Hawlitzky, N. 1972. Mode de pénétration d'un parasite ovo-lavaire *Phanerotoma flavitestacea* Fisch. (Hym. Braconidae) dans son hôte embryonnaire *Anagasta kuehniella* Zell. (Lep. Pyralidae). *Entomophaga* 17: 375-389.
- Hawlitzky, N. & Boulay, C. 1974. Identification of the diets of the larva of an entomophagous insect *Phanerotoma flavitestacea* (Hym.: Braconidae).] (in French with English summary) *Entomophaga* 19(4): 395-408.
- Hawlitzky, N. & Mainguet, A.M. 1976. Analyse quantitative des lipides, des substances azotées et du glycogène chez la larve d'un insecte parasite ovo-larvaire *Phanerotoma flavitestacea* (Hymenoptera, Braconidae). *Entomologia Experimentalis et Applicata* 20: 43-55.
- Hawlitzky, N. 1979. Devenir de l'oeuf et comportement de la larve de *Phanerotoma flavitestacea* (Hym.: Braconidae) lorsque la femelle pond dans les oeufs d'*Anagasta kuehniella* (Lep.: Pyralidae) ayant atteint des stades développement variés. *Entomophaga* 24(3): 237-245.
- Hawlitzky, N. & Chevin, S. 1979. Etude expérimentale des relations hôte-parasite chez les insectes-II. Action d'un parasite ovo-larvaire, *Phanerotoma flavitestacea* Fisch. (Hym. Braconidae) sur quelques caractères biologiques et anatomiques de son hôte, *Anagasta kuehniella* Zell. (Lep. Pyralidae). *Archives de Zoologie Experimentale et Generale* 120(3): 337-352.
- Hawlitzky, N. 1980. Role respectif de deux régimes alimentaires successifs de la larve sur divers caractères imaginaux, chez un insecte parasite ovo-larvaire, *Phanerotoma flavitestacea* Fisch. (Hym., Braconidae). *Zeitschrift für angewandte Entomologie* 90(5): 482-493.
- Hawlitzky, N. & Mainguet, A.M. 1980. Analyse quantitative des lipides, des substances azotées et du glycogène chez la nymphe et l'imago d'un insecte parasite ovo-larvaire, *Phanerotoma flavitestacea* (Hym.: Braconidae). *Entomophaga* 25(1): 73-82.
- Hawlitzky, N. & Boulay, C. 1980. Localisation et évolution des réserves lipidiques et protéiques chez la larve d'un parasite entomophage *Phanerotoma flavitestacea* Fischer (Hymenoptere, Braconidae). *Archives de Zoologie Experimentale et Generale* 121(2): 137-158.
- Hawlitzky, N., Mainguet, A.M. & Berre, J.R. 1980. Analyse quantitative des lipides, des substances azotées et du glycogène chez la larve de *Phanerotoma flavitestacea* (Hym.: Braconidae) lorsque la phase sarcophage est supprimée, ainsi que chez la nymphe et l'imago qui en sont issus. *Entomophaga* 25(3) 1980: 283-299.

- Hawltzky, N.** 1984. Host-parasite interactions in *Anagasta kuehniella*. International Congress of Entomology Proceedings 17: 201.
- Hawltzky, N. & Boulay, C.** 1986. Effects of the egg-larval parasite *Phanerotoma flavitestacea* Fisch. (Hymenoptera, Braconidae) on the dry weight and chemical composition of its host *Anagasta kuehniella* Zell. (Lepidoptera, Pyralidae). Journal of Insect Physiology 32(4): 269-274.
- Hayakawa, D.L., Grafius, E. & Stehr, F.W.** 1990. Effect of temperature on longevity, reproduction, and development of the asparagus aphid (Homoptera: Aphididae) and the parasitoid, *Diaeretiella rapae* (Hymenoptera: Braconidae). Environmental Entomology 19(4): 890-897.
- Hayakawa, Y.** 1990. Juvenile hormone esterase activity repressive factor in the plasma of parasitized insect larvae. Journal of Biological Chemistry 265(19): 10813-10816.
- Hayakawa, Y.** 1991. Structure of a growth-blocking peptide present in parasitized insect hemolymph. Journal of Biological Chemistry 266(13): 7982-7984.
- Hayakawa, Y.** 1992. A putative new juvenile peptide hormone in lepidopteran insects. Biochemical and Biophysical Research Communications 185(3): 1141-1147.
- Hayakawa, Y. & Yasuhara, Y.** 1993. Growth-blocking peptide or polydnavirus effects on the last instar larvae of some insect species. Insect Biochemistry and Molecular Biology 23(2): 225-231.
- Hayakawa, Y.** 1994. Cellular immunosuppressive protein in the plasma of parasitized insect larvae. Journal of Biological Chemistry 269(20): 14536-14540.
- Hayakawa, Y., Yazaki, K., Yamanaka, A. & Tanaka, T.** 1994. Expression of polydnavirus genes from the parasitoid wasp *Cotesia kariyai* in two noctuid hosts. Insect Molecular Biology 3(2): 97-103.
- Hayakawa, Y.** 1995. Growth-blocking peptide: an insect biogenic peptide that prevents the onset of metamorphosis. Journal of Insect Physiology 41(1): 1-6.
- Hayakawa, Y., Ohnishi, A., Yamanaka, A., Izumi, S. & Tomino, S.** 1995. Molecular cloning and characterization of cDNA for insect biogenic peptide, growth-blocking peptide. FEBS Letters 376(3): 185-189.
- Hayakawa, Y.** 1997. The endocrinology of host-parasite interaction: novel insights into the control of insect development: 163-167. In: Kawashima, S. & Kikuyama, S. [eds]. "Advances in comparative endocrinology." Proceedings of the 13th International Congress of Comparative Endocrinology, Yokohama (Japan), November 16-21, 1997. Tome 1. Bologna: 1-947 pp.
- Hayakawa, Y. & Noguchi, H.** 1998. Growth-blocking peptide expressed in the insect nervous system: cloning and functional characterization. European Journal of Biochemistry 253(3): 810-816.
- Hayakawa, Y., Ohnishi, A., Endo, Y., Pennacchio, F., Vinson, S.B. & Lanzrein, B.** 1998. Mechanism of parasitism-induced elevation of haemolymph growth-blocking peptide levels in host insect larvae (*Pseudaletia separata*). Parasitoid-host interactions at the physiological and molecular level. Journal of Insect Physiology 44(9): 859-866.
- Hayakawa, Y., Ohnishi, A., Mizoguchi, A. & Yamashika, C.** 2000. Distribution of growth-blocking peptide in the insect central nervous tissue. Cell and Tissue Research 300(3): 459-464.
- Hayes, C.G. & Turner, E.C. Jr.** 1971. Field and laboratory evaluation of parasitism of the face fly in Virginia. Journal of Economic Entomology 64(2): 443-446.
- Hays, D.B. & Vinson, S.B.** 1971. Acceptance of *Heliothis virescens* (F.) (Lepidoptera, Noctuidae) as host by the parasite *Cardiochiles nigriceps* Viereck (Hymenoptera, Braconidae). Animal Behaviour 19: 344-352.
- He, J.H.** 1980. Description of a new species of *Aridelus* Marshall from Jilin, China (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) Journal of Zhejiang Agricultural University 6(2): 85-87.
- He, J.H.** 1982. Four common species of *Meteorus* in China. (in Chinese) Entomological Knowledge 19(4): 31-34.
- He, J.H.** 1983. A new record of *Philoplitis* Nixon from China (Hymenoptera: Braconidae). (in Chinese) Acta Agriculturae Universitatis Zhejiangensis 9(2): 169-170.
- He, J.H.** 1984. Six new species records of the Braconidae (Hymenoptera) to China. (in Chinese with English summary) Acta Agriculturae Universitatis Zhejiangensis 10(2): 199-205.
- He, J.H.** 1985. Description of a new species of *Distilirella* Achterberg (Hymenoptera: Braconidae). (in Chinese) Acta Agriculturae Universitatis Zhejiangensis 11(3): 327-329.
- He, J.H. & Chen, X.X.** 1988. Eight species of *Aleioides* Wesmael parasitic on rice and wheat insect pests from China. (in Chinese with English summary) Acta Agriculturae Universitatis Zhejiangensis 14(4): 353-363.
- He, J.H., Chen, X.X. & Ma, Y.** 1989. The braconid (Hymenoptera) parasites of *Adoxophyes orana* Fischer von Röslerstamm (Lepidoptera: Tortricidae) from China. Acta Agriculturae Universitatis Zhejiangensis 15(4): 437-439.
- He, J.H. & Chen, X.X.** 1990. Study on ten species of *Aleioides* Wesmael parasitic on forest pest insects in China. Acta Zootaxonomica Sinica 15(2): 201-208.
- He, J.H., Chen, X.X., Zhou, Z.H. & Liu, Z.B.** 1990. Two new records of Braconidae (Hymenoptera) parasitic on rice insects pests from China. Acta Agriculturae Universitatis Zhejiangensis 16(2): 217.
- He, J.H., Chen, X.X., Lou, X.M. & You, L.S.** 1992. Braconidae: 1250-1267. In: Peng, J.W., Liu, Y.Q. [eds] "Iconography of Forest Insects in Hunan, China". Changsha: 1-1473.
- He, J.H. & Chen, X.X.** 1993. Descriptions of two new species of the genus *Sigalphus* Latreille from China (Hymenoptera: Braconidae: Sigalphinae). Acta Entomologica Sinica 36(1): 90-93.
- He, J.H. & Lou, X.M.** 1993. Description of a new species of *Macrocentrus* Curtis parasitic on *Cnaphalocrocis medinalis* Guenée (Hymenoptera: Braconidae: Macrocentrinae). (in Chinese with English summary) Entomological Journal of East China 2(2): 12-16.
- He, J.H., Chen, X.X. & Achterberg, C. van** 1994. *Siniphanerotomella* gen. nov., a new genus of the subfamily Cheloninae (Hymenoptera: Braconidae) from China. Zoologische Mededelingen, Leiden 68(17): 191-195.
- He, J.H., Chen, X.X. & Ma, Y.** 1994. Revision of the *Sigalphus* species from China with descriptions of two new species (Hymenoptera: Braconidae: Sigalphinae). Journal of Zhejiang Agricultural University 20: 441-448.
- He, J. & Achterberg, C. van** 1994. A revision of the genus *Aulacocentrum* Brues (Hymenoptera: Braconidae: Macrocentrinae) from China. Zoologische Mededelingen, Leiden 68(15-25): 159-171.
- He, J.** 1994. Two new species of *Chelonus* from Shaanxi province (Hymenoptera: Braconidae). Journal of Shaanxi Normal University Natural Science Edition 22(1) Sum No. 53: 56-58.
- He, J.H. & Chen, X.X.** 1995. The genus *Pentatermus* Hedqvist (Hymenoptera: Braconidae: Lysiterminae) of China. (in Chinese with English summary) Entomotaxonomia 17(3): 225-227.
- He, J.H. & Chen, X.X.** 1996. On the genus *Rattana* van Achterberg (Hymenoptera: Braconidae: Cenocoeliinae) from China with description of a new species. (in Chinese with English summary) Entomotaxonomia 18(3): 219-222.
- He, J.H., Chen, X.X. & Ma, Y.** 1996. Hymenoptera: Ichneumonidae. Economic Insect Fauna of China. Beijing, China: 1-697.
- He, J.H., Chen, X.X. & Ma, Y.** 1996. New records of *Macrocentrus* Curtis (Hymenoptera: Braconidae: Macrocentrinae) from China. Entomotaxonomia 18(1): 77-78.

- He, J.H., Lou, X.M. & Ma, Y. 1996. The genus *Rectizele* (Hymenoptera: Braconidae) of China. Journal of Zhejiang Agricultural University 22(1): 33-36.
- He, J.H., Chen, X.X. & Achterberg, C. van 1997. Five new species of the subfamily Ichneutinae (Hymenoptera: Braconidae) from China and Europe. Zoologische Mededelingen, Leiden 71(2): 9-23.
- He, J.H., Chen, X.X. & Achterberg, C. van 1997. One new genus of the subfamily Neoneurinae (Hym.: Braconidae) from China. Wuyi Science Journal 13: 70-75.
- He, J.H., Chen, X.X. & Achterberg, C. van 1997. *Scabrichelonus*, a new subgenus of *Chelonus* Panzer (Hymenoptera: Braconidae: Cheloninae) from China. Zoologische Mededelingen, Leiden 71(7): 53-56.
- He, J.H., Wang, A.J., Liu, H.G. & Su, J.Z. 1998. *Aspidocolpus erythrogaster* Tobias, a new recorded genus and species of Braconidae (Hymenoptera) from China. (in Chinese with English summary) Journal of Xinjiang Agricultural University 21(2): 153-154.
- He, J.H., Chen, X.X. & Ma, Y. 2000. Hymenoptera Braconidae. Fauna Sinica. Insecta Vol. 18. Beijing, China: 1-757.
- He, J.H., Chen, X.X. & Ma, Y. 2001. A new species of the genus *Phanerotomella* Szépligeti (Hymenoptera: Braconidae: Cheloninae) from Xizang, China. (in Chinese with English summary) Entomotaxonomia 23(1): 47-50.
- He, J.H., Chen, X.X., Achterberg, C. van & Ma, Y. 2001. Newly recorded species of the subfamily Agathidinae from China (Hymenoptera: Braconidae).] (in Chinese) Acta Zootaxonomica Sinica 26(3): 373.
- He, J.P. 2001. Two new species of genus *Chelonus* Jurine (Hymenoptera: Braconidae: Cheloninae). Journal of Shaanxi Normal University Natural Science Edition 29(2) Sum No. 88: 74-76.
- He, J.P. 2003. Two new species and a new record of genus *Chelonus* (Hymenoptera: Braconidae). Journal of Shaanxi Normal University Natural Science Edition. 31(3) Sum No. 97: 102-106.
- He, X.Z., Wang, Q. & Teulon, D.A.J. 2003. Effect of parasitism by *Aphidius eadyi* (Hymenoptera: Aphidiidae) on reproduction of pea aphid, *Acyrtosiphon pisum* (Hemiptera: Aphididae). New Zealand Plant Protection 56: 185-189.
- He, Y.H., Chen, S.C., Chen, H.S., Wu, J.W., Yan, J.J., Xu, C.H. & Yao, D.F. 1988. A survey of the natural enemies of Chinese pine caterpillar (*Dendrolimus tabulaeformis* Tsai et Liu) in Beijing area. (in Chinese with English summary) Chinese Journal of Biological Control 4(1): 21-24.
- Hedqvist, K.J. 1965. Braconidae from the Cape Verde Islands. Commentationes Biologicae (Helsinki) 28: 1-28.
- Hedqvist, K.J. 1967. Notes on *Ecphtylus* Först. and description of two new species (Ichneumonoidea, Braconidae, Doryctinae). Entomologisk Tidskrift 88(1-2): 66-71.
- Hedqvist, K.J. 1967. Notes on Helconini (Ichneumonoidea, Braconidae, Helconinae). Part I. Entomologisk Tidskrift 88: 133-143.
- Hedqvist, K.J. 1972. Notes on the parasites of green leaf miner (*Epinotia nanana* Treitschke) (Hym., Ichneumonidae and Braconidae). Entomologisk Tidskrift 93(1-3): 60-64.
- Hedqvist, K.J. 1972. Two new species of *Aspilota* Först. (Hym., Ichneumonoidea, Braconidae, Alysiinae). Entomologisk Tidskrift 93(4): 216-219.
- Hedqvist, K.J. 1973. A new species of the genus *Bracon* F. from North Sweden (Hym. Ichneumonoidea, Braconidae). Entomologisk Tidskrift 94: 89-90.
- Hedqvist, K.J. 1973. Two new species of Alysiinae Först. from north Sweden (Hym., Ichneumonoidea, Braconidae). Entomologisk Tidskrift 94: 91-93.
- Hedqvist, K.J. 1974. A new *Eurytoma* species from *Pissodes validirostris* Gyll. and notes on some other species reared from the same host (Hym., Chalcidoidea, Eurytomidae and Ichneumonoidea, Ichneumonidae and Braconidae). Annales Entomologici Fennici 40(1): 28-30.
- Hedqvist, K.J. 1974. A new species of *Blacus* Nees collected in nests of *Bombus lapponicus* F. in North Sweden (Hym., Ichneumonoidea, Braconidae). Entomologisk Tidskrift 95: 184-185.
- Hedqvist, K.J. 1974. Contribution to the knowledge of the family Braconidae from Canary Islands. (Hymenoptera, Ichneumonoidea). 1. A new genus and species of subfamily Doryctinae. Vieraea 3(1-2)(1973): 29-32.
- Hedqvist, K.J. 1976. *Mithotymia aptera* n. gen. n. sp., a wingless Ichneumonid from south Sweden (Hymenoptera: Ichneumonidae). Entomologica Scandinavica 7: 314-315.
- Hedqvist, K.J. 1976. New species of *Spathius* Nees, 1818 and a key to the species of Europe and Canary Islands (Hym. Ichneumonoidea, Braconidae). Eos 51(1975): 51-63.
- Hedqvist, K.J. & Togashi, I. 1979. A new species of *Wroughtonia* Cameron from Japan (Hymenoptera: Braconidae). Transactions of the Shikoku Entomological Society 14(3-4): 95-97.
- Hedqvist, K.J. 1998. Bark beetle enemies in Sweden 2. Braconidae (Hymenoptera). Entomologica Scandinavica Supplement 52: 1-87.
- Hedqvist, K.J. 2004. New genus and species of Braconidae, Elasmidae and Mymaridae (Ichneumonoidea and Chalcidoidea) from Sri Lanka: 233-240. In: Rajmohan, K., Sudheer, K., Girish Kumar, P. & Santhosh, S. [eds] "Perspectives on Biosystematics and Biodiversity." Calicut, India: 1-666.
- Hegazi, E.M., Hammad, S.M., Altahtawy, M. & El-Sawaf, S.K. 1973. Parasites of the larval stage of the cotton leaf-worm *Spodoptera littoralis* (Boisd.) (Noctuidae, Lepidoptera) in Alexandria region. Zeitschrift für angewandte Entomologie 74: 332-336.
- Hegazi, E.M., Altahtawy, M.M., Hammad, S.M. & El-Sawaf, S.K. 1974. Notes on the biology of *Chelonus inanitus* (L.) (Hymen., Braconidae). Zeitschrift für angewandte Entomologie 75: 291-294.
- Hegazi, E.M., Hammad, S.M. & El-Minshawy, A.M. 1977. Field and laboratory observations on the parasitoids of *Spodoptera littoralis* (Boisd.) (Lep.: Noctuidae) in Alexandria. Zeitschrift für angewandte Entomologie 84: 316-321.
- Hegazi, E.M., El-Minshawy, A.M. & Hammad, S.M. 1978. Effect of parasitism on digestion and development of *Spodoptera littoralis* (Boisd.) larvae. Zeitschrift für angewandte Entomologie 86(1): 80-85.
- Hegazi, E.M., El-Minshawy, A.M. & Shaaban, M.A. 1979. The relation of parasite density of *Microplitis rufiventris* Kok. (Hym., Braconidae) to superparasitism and fate of its eggs. Zeitschrift für angewandte Entomologie 97: 414-418.
- Hegazi, E.M. & El-Minshawy, A.M. 1979. Laboratory technique for mass rearing of *Microplitis rufiventris* Kok. (Braconidae: Hymenoptera) an internal parasite of the cotton leafworm, *Spodoptera littoralis* (Boisd.) (Noctuidae: Lepidoptera). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 36: 205-210.
- Hegazi, E.M., Abdel Fattah, M.I. & Kolaib, M.O. 1980. Laboratory studies on supernumerary parasitism by *Chelonus inanitus* (L.) and *Microplitis rufiventris* Kok. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 37: 65-71.
- Hegazi, E.M. & El-Minshawy, A.M. 1981. Effect of adult nutrition of *Microplitis rufiventris* Kok. on its longevity and fecundity. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 38: 95-100.
- Hegazi, E.M., Rawash, I.A., El-Gayar, F.H. & Kares, E.A. 1982. Effect of parasitism by *Microplitis rufiventris* Kok. on the susceptibility of *Spodoptera littoralis* (Boisd.) larvae to insecticides. Acta Phytopathologica Acad. Sci. Hungaricae 17: 115-121.
- Hegazi, E.M., El Gayar, F.H., Rawash, I.A. & Kares, E.A. 1982. Oral and residual toxicities of some insecticides to the adults

- and full-grown larvae of two parasites of the cotton leafworm *Spodoptera littoralis* (Boisd.). *Acta Phytopathologica Academiae Scientiarum Hungaricae* 17(3-4): 301-309.
- Hegazi, E.M., El Minshawy, A.M. & Shaaban, M.A. 1984. The relation of parasite density of *Microplitis rufiventris* Kok. (Hym., Braconidae) to superparasitism and the fate of its eggs. *Zeitschrift für angewandte Entomologie* 97(4): 414-418.
- Hegazi, E.M. & Shaaban, M.A. 1984. Competition and the superparasitism of *Spodoptera littoralis* (Boisd.) larvae by *Microplitis rufiventris* Kok. *Journal of Agricultural Science* 103(1): 181-187.
- Hegazi, E.M. 1984. On the photoperiod and refine production of *Microplitis rufiventris* Kok. (Hym., Braconidae). *International Congress of Entomology Proceedings* 17: 785.
- Hegazi, E.M. 1984. On the thermal effects on the parasite *Microplitis rufiventris* Kok. and its host *Spodoptera littoralis* (Bois.). *International Congress of Entomology Proceedings* 17: 787.
- Hegazi, E.M. & Führer, E. 1985. Instars of *Microplitis rufiventris* (Hymenoptera: Braconidae) and their relative developmental speed under different photoperiods. *Entomophaga* 30(3): 231-244.
- Hegazi, E.M. 1986. On the photoperiod and refine production of *Microplitis rufiventris* Kok. (Hymenoptera, Braconidae). *Zeitschrift für angewandte Entomologie* 102(3): 232-236.
- Hegazi, E.M., Schopf, A., Fuhrer, E. & Fouad, S.H. 1988. Developmental synchrony between *Spodoptera littoralis* (Boisd.) and its parasite *Microplitis rufiventris* Kok. *Journal of Insect Physiology* 34(8): 773-778.
- Hegazi, E.M., Shaaban, M.A. & El Singaby, N.R. 1990. Discrimination between parasitized and healthy hosts by *Microplitis rufiventris* Kok. *Journal of Plant Protection in the Tropics* 7(3): 183-190.
- Hegazi, E.M., Shaaban, M.A. & El Singaby, N.R. 1991. Development of *Microplitis rufiventris* (Hymenoptera: Braconidae) in superparasitized *Spodoptera littoralis* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 84(6): 571-574.
- Hegazi, E.M., El Singaby, N., El Minshawy, A.M. & Khafagi, W.E. 1997. Effect of temperature on *Microplitis rufiventris* Kok. teratocytes via *Spodoptera littoralis* (Boisd.) larvae. *Alexandria Journal of Agricultural Research* 42(3): 85-92.
- Hegazi, E.M., El Singaby, N.R. & Khafagi, W.E. 1998. Effects of precocenes (I and II) and juvenile hormone I on *Spodoptera littoralis* (Boisd.) (Lep.: Noctuidae) larvae parasitized by *Microplitis rufiventris* Kok. (Hym.: Braconidae). *Journal of Applied Entomology* 122(8): 453-456.
- Hegazi, E.M., Khafagi, W.E. & El Aziz, G.M.A. 1998. Effect of lefenuron, a chitin synthesis inhibitor, on encapsulation response of *Spodoptera littoralis* larvae to surplus *Microplitis rufiventris* larvae. *Insect Science and its Application* 18(4): 357-363.
- Hegazi, E.M., El Shazli, A. & El Aziz, G.M.A. 1998. Effect of superparasitism of *Microplitis rufiventris* parasitoid on the total and differential haemocyte counts of its host, *Spodoptera littoralis*. *Alexandria Journal of Agricultural Research* 43(2): 89-102.
- Hegazi, E.M., Khafagi, W.E., El Minshawy, A.M. & El Singaby, N. 1998. Teratocytes of *Microplitis rufiventris* in superparasitized host larvae. *Archives of Phytopathology and Plant Protection* 32(1): 59-70.
- Hegazi, E.M., El Minshawy, A., Khafagi, W.E. & El Singaby, N. 1999. Studies on the mature teratocytes in the body cavity of *Spodoptera littoralis* (Boisd.) attacked by *Microplitis rufiventris* Kok. *Archives of Phytopathology and Plant Protection* 32(6): 531-541.
- Hegazi, E.M., El Minshawy, A.M., Khafagi, W.E. & El Singaby, N. 1999. Development of the parasitoid *Microplitis rufiventris* reared in hosts treated with lefenuron, a chitin synthesis inhibitor. *Insect Science and its Application* 19(2-3): 199-206.
- Hegazi, E.M. & Khafagi, W.E. 1999. Effect of mating status and age of *Microplitis rufiventris* (Hym.: Braconidae) females on the growth pattern and number of their teratocytes. *Journal of Applied Entomology* 123(7): 417-422.
- Hegazi, E.M. & Khafagi, W.E. 1999. Effect of mating status and age of *Microplitis rufiventris* (Hym., Braconidae) females on the growth pattern and number of their teratocytes. *Journal of Applied Entomology* 123: 417-422.
- Hegazi, E.M. & Khafagi, W.E. 1999. Precocene II and possible function of *Microplitis rufiventris* Kok. (Hym.: Braconidae) teratocytes. *Archives of Phytopathology and Plant Protection* 32(1): 49-58.
- Hegazi, E.M. & Khafagi, W.E. 2000. Possible bases of pseudoparasitism in *Spodoptera littoralis* larvae stung by *Microplitis rufiventris*. *Journal of Insect Physiology* 46(9): 1267-1274.
- Hegazi, E.M., El Shazli, A.Y., Hafez, M.B. & Abd El Aziz, G.M. 2000. Influence of precocene II on the estimated changes within the haemocyte population of parasitized *Spodoptera littoralis* larvae by *Microplitis rufiventris*. *Archives of Phytopathology and Plant Protection* 33(4): 351-360.
- Hegazi, E.M. & Khafagi, W.E. 2001. Growth patterns of *Microplitis rufiventris* (Hym.: Braconidae) teratocytes in *Spodoptera littoralis* (Lep.: Noctuidae) larvae treated with a chitin synthesis inhibitor. *Journal of Applied Entomology* 125(1-2): 79-84.
- Hegde, N.S., Thontadarya, T.S. & Rao, K.J. 1987. Effect of pyrethroids on the activity of *Rogas aligarhensis* Qadri (Hym.: Braconidae), a larval parasite of the cotton spotted bollworm, *Earias vittella* (Fabricius). *Mysore Journal of Agricultural Sciences* 21(3): 305-308.
- Heidenthal, G., Nelson, W. & Clark, L. 1972. Fecundity and longevity of F1 females of *Habrobracon* from sperm X-rayed with 3000r. *Genetics* 71: 349-365.
- Heimpel, G.E. 1997. Extraordinary sex ratios for extraordinary reasons. *Trends in Ecology & Evolution* 12(8): 298-299.
- Heimpel, G.E., Antolin, M.F., Franqui, R.A. & Strand, M.R. 1997. Reproductive isolation and genetic variation between two "strains" of *Bracon hebetor* (Hymenoptera: Braconidae). *Biological Control* 9(3): 149-156.
- Heimpel, G.E., Antolin, M.F. & Strand, M.R. 1999. Diversity of sex-determining alleles in *Bracon hebetor*. *Heredity* 82(3): 282-291.
- Heimpel, G.E. & Meloche, F. 2001. Biological control of alfalfa blotch leafminer (Diptera: Agromyzidae) in Ontario: status and ecology of parasitoids (Hymenoptera: Braconidae, Eulophidae) 20 years after introduction. *Great Lakes Entomologist* 34(1): 17-26.
- Heineck-Leonel, M.A. & Salles, L.A.B. 1997. Incidence of parasitoids and pathogens in adults of *Diabrotica speciosa* (Germ.) (Coleoptera: Chrysomelidae) in Pelotas, RS. *Anais da Sociedade Entomologica do Brasil* 26(1): 81-85.
- Heinrichs, E.A. & Thompson, H.E. 1968. Parasites, predators, and other arthropods associated with *Choristoneura houstonana* (Lepidoptera: Tortricidae) in *Juniperus* species in Kansas. *Canadian Entomologist* 100: 33-39.
- Heinz, K.M. 1998. Dispersal and dispersion of aphids (Homoptera: Aphididae) and selected natural enemies in spatially subdivided greenhouse environments. *Environmental Entomology* 27(4): 1029-1038.
- Heinz, K.M., Thompson, S.P., Krauter, P.C. & Lenteren, J.C. van 1999. Development of biological control methods for use in Southwestern U.S. greenhouses and nurseries. IOBC WPRS Working Group "Integrated Control in Glasshouses". Proceedings of the meeting at Brest, France, 25-29 May, 1999. *Bulletin OILB SROP* 22(1): 101-104.
- Hekal, A.M. 1986. Percentage of parasitism and sex ratio in different parasites of the diapausing larvae of *Pectinophora gossypiella* Saund. *Annals of Agricultural Science, Moshtohor* 24(4): 2213-2221.
- Hekal, A.M. 1987. Certain biological aspects of *Bracon brevicornis* Wesm, as affected with absence of diapausing larvae of *Pec-*

- tinophora gossypiella* Saund. Annals of Agricultural Science, Ain Shams University 32(1): 759-765.
- Hekal, A.M., Salem, A.A. & Younes, M.W.F. 1987.** Effect of different temperatures on certain biological aspects of *Bracon brevicornis* Wesm. Annals of Agricultural Science, Ain Shams University 32(1): 743-757.
- Hellén, W. 1966.** Verzeichnis der in den Jahren 1961-1965 für die Fauna Finnlands neu hinzugekommenen Insektenarten. Notulae Entomologicae 46: 65-86.
- Hellén, W. 1971.** Verzeichnis der in den Jahren 1966-1970 für Fauna Finnlands neu hinzugekommenen Insektenarten. Notulae Entomologicae 51: 73-91.
- Hellén, W. 1974.** Fir Finnlands fauna nya *Blacus*-arter (Hymenoptera: Braconidae). Notulae Entomologicae 54: 16.
- Hellén, W. 1977.** Fir Finnlands fauna nya *Apanteles*-arter (Hymenoptera, Braconidae). Notulae Entomologicae 57: 9-10.
- Hellqvist, S. 1990.** Parasitoids on larvae of *Euhyponomeutoides albithoracellus* (Lepidoptera Yponomeutidae), in northern Sweden. Entomologisk Tidskrift 111(3): 95-97.
- Helyer, N.L., Gill, G. & Spreadbury, D. 1992.** Evaluation of pesticides for side-effects on the leafminer parasites *Dacnusa sibirica* and *Diglyphus isaea*. Tests of Agrochemicals and Cultivars 13: 138-139.
- Hemerik, L., Hoeven, N. van der & Alphen, J.J.M. van 2002.** Egg distributions and the information a solitary parasitoid has and uses for its oviposition decisions. Acta Biotheoretica 50(3): 167-188.
- Hemerik, L. & Hoeven, N. van der 2003.** Egg distributions of solitary parasitoids revisited. Entomologia Experimentalis et Applicata 107(1): 81-86.
- Hemminga, M.A., Achterberg, C. van & Soelen, J. van 1990.** New host record of *Bracon intercessor* Nees f. *megasomides* Strand (Hymenoptera: Braconidae), a parasite of *Agapanthia villosoviridescens* DeGeer (Coleoptera: Cerambycidae) in salt marshes. Zoologische Mededelingen, Leiden 64(1-6): 25-29.
- Hemp, C. & Dettner, K. 2001.** Compilation of canthariphilous insects. Beiträge zur Entomologie 51(1): 231-245.
- Hemptinne, J.L. 1988.** Ecological requirements for hibernating *Propylea quatuordecimpunctata* (L.) and *Coccinella septempunctata* (Col.: Coccinellidae). Entomophaga 33(4): 505-515.
- Hendrick, R.D. & Stern, V.M. 1970.** Biological studies of three parasites of *Nabis americoferus* (Hemiptera: Nabidae) in southern California. Annals of the Entomological Society of America 63(2): 382-391.
- Hendrickson, R.M. Jr. 1978.** Establishment of *Dacnusa dryas* (Nixon) (Hymenoptera: Braconidae) and *Chrysocharis punctifacies* Delucchi (Hymenoptera: Eulophidae), parasites of *Agromyza frontella* (Rondani) (Diptera: Agromyzidae) in Delaware. Journal of the New York Entomological Society 86(4): 295.
- Hendrickson, R.M. Jr. & Barth, S.E. 1979.** Effectiveness of native parasites against *Agromyza frontella* (Rondani) (Diptera: Agromyzidae), an introduced pest of alfalfa. Journal of the New York Entomological Society 87(1): 85-90.
- Hendrickson, R.M. Jr. & Barth, S.E. 1979.** Introduced parasites of *Agromyza frontella* (Rondani) in the USA. Journal of the New York Entomological Society 87: 167-174.
- Hendrickson, R.M. Jr. 1980.** Field studies and parasites of *Liriomyza trifoliarum* (Diptera: Agromyzidae) in northeastern USA. Journal of the New York Entomological Society 87(4) (1979): 299-303.
- Hendrickson, R.M. Jr. & Plummer, J.A. 1983.** Biological control of alfalfa blotch leafminer (Diptera: Agromyzidae) in Delaware. Journal of Economic Entomology 76(4): 757-761.
- Hendrikse, A. 1980.** A method for mass rearing two braconid parasites (*Dacnusa sibirica* Telenga and *Opius pallipes* Wesmael) of the tomato leafminer (*Liriomyza bryoniae* Kalt.). Mededelingen van de Faculteit Landbouwwetenschappen Universiteit Gent 45: 563-571.
- Hendrikse, A., Zucchi, R., Lenteren, J.C. van & Woets, J. 1980.** *Dacnusa sibirica* Telenga and *Opius pallipes* Wesmael (Hym.: Braconidae) in the control of the tomato leafminer *Liriomyza bryoniae* Kalt. IOBC-WPRS Bulletin 3(3): 83-98.
- Hendry, L.B., Greany, P.D. & Gill, R.J. 1973.** Kairomone mediated host finding behavior in the parasitic wasp *Orgilus lepidus*. Entomologia Experimentalis et Applicata 16: 471-477.
- Henkelman, D.H. 1979.** A study of weight variation in *Aphidius smithi* (Hymenoptera: Aphidiidae) a parasite of the pea aphid, *Acyrthosiphon pisum* (Homoptera: Aphididae). M. Sc. Thesis. Simon Fraser University.
- Henneberry, T.J., Vail, P.V., Pearson, A.C. & Sevacherian, V. 1991.** Biological control agents of noctuid larvae (Lepidoptera: Noctuidae) in the Imperial Valley of California. Southwestern Entomologist 16(1): 81-89.
- Henneman, M.L., Engel, M.S. & Alexander, B.A. 1996.** Host location by the parasitic wasp *Biosteres juglandis* (Hymenoptera: Braconidae) under field and greenhouse conditions. Proceedings of the Eickwort Memorial Symposium, Cornell University, April 21-23, 1995. Journal of the Kansas Entomological Society 69(4): 76-84.
- Henneman, M.L. 1998.** Maximization of host encounters by parasitoids foraging in the field: females can use a simple rule. Oecologia 116(4): 467-474.
- Henneman, M.L., Dyreson, E.G., Takabayashi, J. & Raguso, R.A. 2002.** Response to walnut olfactory and visual cues by the parasitic wasp *Diachasmimorpha juglandis*. Journal of Chemical Ecology 28(11): 2221-2244.
- Henry, C.J. & Day, K.R. 2001.** Egg allocation by *Bracon hylobii* Ratz., the principal parasitoid of the large pine weevil (*Hylobius abietis* L.), and implications for host suppression. Agricultural and Forest Entomology 3(1): 11-18.
- Henter, H.J. & Via, S. 1995.** The potential for coevolution in a host-parasitoid system. I. Genetic variation within an aphid population in susceptibility to a parasitic wasp. Evolution 49(3): 427-438.
- Henter, H.J. 1995.** The potential for coevolution in a host-parasitoid system. II. Genetic variation within a population of wasps in the ability to parasitize an aphid host. Evolution 49(3): 439-445.
- Hentz, M.G., Naranjo, S.E., Ellsworth, P.C. & Martin, J. 1994.** Biology, rearing and potential of *Chelonus* an egg-larval parasitoid of pink bollworm. Proceedings Beltwide Cotton Conferences 2: 1244-1245.
- Hentz, M., Ellsworth, P. & Naranjo, S. 1997.** Biology and morphology of *Chelonus* sp. nr. *curvimaaculatus* (Hymenoptera: Braconidae) as a parasitoid of *Pectinophora gossypiella* (Lepidoptera: Gelechiidae). Annals of the Entomological Society of America 90(5): 631-639.
- Hentz, M.G., Ellsworth, P.C., Naranjo, S.E. & Watson, T.F. 1998.** Development, longevity, and fecundity of *Chelonus* sp. nr. *curvimaaculatus* (Hymenoptera: Braconidae), an egg-larval parasitoid of pink bollworm (Lepidoptera: Gelechiidae). Environmental Entomology 27(2): 443-449.
- Heong, K.L., Guo, Y. & Lazaro, A.A. 1991.** Comparing parasitoid-host responses in laboratory experiments. International Rice Research Newsletter 16(5): 23-24.
- Heong, K.L., Domingo, I.T. & Zhang, R.J. 1996.** Relationship between temperature and functional response in *Cardiochiles philippensis* (Hymenoptera: Braconidae), a larval parasitoid of *Cnaphalocrocis medinalis* (Lepidoptera: Pyralidae). Environmental Entomology 25(6): 1321-1324.
- Heong, K.L., Rabbinge, R., Kraker, J. de, Huis, A. van & Lenteren, J.C. van 1999.** Population dynamics of rice leafhoppers (Lepidoptera: Pyralidae) and their natural enemies in irrigated rice in the Philippines. Bulletin of Entomological Research 89(5): 411-421.

- Herard, F., Keller, M.A. & Lewis, W.J. 1988.** Rearing *Microplitis demolitor* Wilkinson (Hymenoptera: Braconidae) in the laboratory for use in studies of semiochemical mediated searching behavior. *Journal of Entomological Science* 23(2): 105-112.
- Herard, F., Keller, M.A., Lewis, W.J. & Tumlinson, J.H. 1988.** Beneficial arthropod behavior mediated by airborne semiochemicals. III. Influence of age and experience on flight chamber responses of *Microplitis demolitor* Wilkinson. *Journal of Chemical Ecology* 14(7): 1583-1596.
- Herard, F., Keller, M.A., Lewis, W.J. & Tumlinson, J.H. 1988.** Beneficial arthropod behaviour mediated by airborne semiochemicals. IV. Influence of host diet on host-oriented flight chamber responses of *Microplitis demolitor* Wilkinson. *Journal of Chemical Ecology* 14(7): 1597-1606.
- Herard, F., Mercadier, G. & Abai, M. 1979.** Situation de *Lymantria dispar* (Lep.: Lymantriidae) et son complexe parasitaire en Iran, en 1976. *Entomophaga* 24(4): 371-384.
- Herard, F. & Mercadier, G. 1996.** Natural enemies of *Tomicus piniperda* and *Ips acuminatus* (Col.: Scolytidae) on *Pinus sylvestris* near Orleans, France: temporal occurrence and relative abundance, and notes on eight predatory species. *Entomophaga* 41(2): 183-210.
- Heraty, J.M., Woolley, J.B. & Darling, D.C. 1994.** Phylogenetic implications of the mesofurca and mesopostnotum in Hymenoptera. *Journal of Hymenoptera Research* 3: 241-277.
- Herbert, C. & Cloutier, C. 1990.** Host instar as a determinant of preference and suitability for two parasitoids attacking late instars of the spruce budworm (Lepidoptera: Tortricidae). *Annals of the Entomological Society of America* 83(4): 734-741.
- Herbert, D.A. Jr., Zehnder, G.W., Speese, J. & Powell, J.E. 1993.** Parasitization and timing of diapause in Virginia *Microplitis croceipes* (Hymenoptera: Braconidae): implications for biocontrol of *Helicoverpa zea* (Lepidoptera: Noctuidae) in soybean. *Environmental Entomology* 22(3): 693-698.
- Herbert, H.J. & McRae, K.B. 1983.** Effect of temperature on the emergence of overwintering *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) and its parasite *Apanteles ornigis* (Hymenoptera: Braconidae) in Nova Scotia. *Canadian Entomologist* 115(9): 1203-1208.
- Herman, H.R. & Morrison, G. 1980.** Ovipositor and associated glands of *Microplitis croceipes* (Braconidae). *Journal of the Georgia Entomological Society* 15: 479-485.
- Herman, T.J.B. & Chapman, R.B. 1990.** Activity of RH7988 against aphids and their natural enemies. *Proceedings of the Forty Third New Zealand Weed and Pest Control Conference* 35-38.
- Herman, T.J.B. & Davidson, M.M. 2000.** Introduction and establishment of *Microplitis croceipes*, a larval parasitoid of *Heliothis*, in North Island pine forests. *Proceedings of the New Zealand Plant Protection Conference* 53: 328-333.
- Hernandez, M.R. de, Penaranda, I.A. de & Ulloa, C.P. de 1986.** Biology of the passionfruit flower bud fly *Dasiops inedulis* (Diptera: Lonchaeidae) in the Cauca Valley. *Revista Colombiana de Entomologia* 12(1): 16-22.
- Hernandez-Ortiz, V., Perez-Alonso, R. & Wharton, R.A. 1994.** Native parasitoids associated with the genus *Anastrepha* (Dipt.: Tephritidae) in Los Tuxtlas, Veracruz, Mexico. *Entomophaga* 39(2): 171-178.
- Herpai, S. 1989.** Biology and possibilities of use of *Aphidoletes aphidimyza* and *Aphidius matricariae* in glasshouses. *Novenyvedelem* 25(5): 216.
- Herpai, S. 1991.** Reproductive biology of *Aphidoletes aphidimyza* (Dipt.: Cecidomyiidae) and *Aphidius matricariae* (Hym.: Aphidiidae) and the possibility of using them simultaneously in glasshouses to control aphids: 91-94. In: Polgar, L., Chambers, R.J., Dixon, A.F.G. & Hodek, I. [eds]. "Behaviour and impact of Aphidophaga". *Proceedings of the 4th meeting of the IOBC W.G. 'Ecology of Aphidophaga'*. The Hague: 1-350.
- Herrera G, J. 1987.** Biología de *Cynthia carye* (Hübner), 1812, especie criptica de *C. annabella* Field, 1971 (Lepidoptera: Nymphalidae). *Acta Entomologica Chilena* 14: 65-116.
- Hess, R., Poinar, G.O. Jr. & Caltagirone, L.E. 1979.** DNA-containing particle in the calyx of *Phanerotoma flavitestacea*. *Journal of Invertebrate Pathology* 33: 129-132.
- Hetz, M. & Johnson, C.D. 1988.** Hymenopterous parasites of some bruchid beetles of North and Central America. *Journal of Stored Products Research* 24(3): 131-143.
- Heyerdahl, R.H. & Dutcher, J.D. 1985.** Hymenopterous parasitoids of pecan leafminers. *Journal of Entomological Science* 20(4): 411-421.
- Heynen, C. 1985.** Studies on the effect of diflubenzuron (Dimilin) on the host-parasite system *Spodoptera littoralis* Boisid. (Lep.: Noctuidae) *Microplitis rufiventris* Kok. (Hym., Braconidae). *Zeitschrift für angewandte Entomologie* 100: 113-132.
- Hicks, B.J. & Watt, A.D. 2000.** Fungal disease and parasitism in *Panolis flammea* during 1998: evidence of change in the diversity and impact of the natural enemies of a forest pest. *Forestry (Eynsham)* 73(1): 31-36.
- Hidalgo, J.E. & Carballo, V.M. 1991.** Influence of weeds on the natural control agents of *Liriomyza huidobrensis* (Blanchard), (Diptera: Agromyzidae). *Manejo Integrado de Plagas* 20-21: 49-54.
- Hidoh, O., Kawashima, T., Fukami, J.I. & Kainoh, Y. 1992.** EAG responses of parasitoids, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae), to the female sex pheromone. *Applied Entomology and Zoology* 27(4): 587-589.
- Hight, S.C., Eikenbary, R.D., Miller, R.J. & Starks, K.J. 1972.** The greenbug and *Lysiphlebus testaceipes*. *Environmental Entomology* 1(2): 205-209.
- Hiiesaar, K. 1982.** The effect of analogues of juvenile hormones on host-parasite relationships between the cabbage white butterfly and the parasite *Apanteles glomeratus* L.: 39-41. In: Arnastauskene, T.V., Babyanskas, M.A., Bizyulyavichyus, S.K. et al [eds]. *Urgent problems of parasitology in the Baltic Republics (9th Scientific-coordination Conference on the Problems of Parasitology in the Baltic Republics)*. 1-2 July 1982. Acad. Sci. Lithuania, Inst. of Zoology and Parasitology. Vilnius 1982: 1-256.
- Hilburn, D.J., Marsh, P.M. & Schauff, M.E. 1990.** Hymenoptera of Bermuda. *Florida Entomologist* 73(1): 162-164.
- Hildebrands, A., Thieme, T. & Vidal, S. 1997.** Einfluss verschiedener Taxone des *Aphis fabae*-Komplexes auf die Wirtsakzeptanz durch *Lysiphlebus testaceipes* Cresson und *Lysiphlebus fabarum* Marshall (Hymenoptera: Aphidiidae). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 11(1-6): 391-394.
- Hildebrands, A., Thieme, T., Vidal, S., Austin, A.D. & Dowton, M. 2000.** Which factors govern the host preference of aphid parasitoids when offered host races of an aphid species? Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. *Hymenoptera: evolution, biodiversity and biological control* 359-370.
- Hildenbagen, R., Forster, R. & Hommes, M. 1992.** Auftreten und Bedeutung von *Brevicoryne brassicae* L. und ihrer natürlichen Gegenspieler an Weiskohl in der Bundesrepublik Deutschland. *Mitteilungen aus der Biologischen Bundesanstalt für Land- und Forstwirtschaft Berlin-Dahlem* 283: 184.
- Hilje, L. & Valverde, B. 1993.** Effect of methamidophos on a pest (*Scrobipalopsis solaniwoora*) and a parasitoid (*Diaeretiella* sp.) present in a potato crop. *Manejo Integrado de Plagas* 30: 19-20.
- Hill, A. & Sands, D.P.A. 1982.** The Broome connection: parasitoids of pink bollworm in north Western Australia. *Entomological Society of Queensland News Bulletin* 9(9): 108-110.

- Hill, M.F. & Caswell, H. 2001. The effects of habitat destruction in finite landscapes: a chain-binomial metapopulation model. *Oikos* 93(2): 321-331.
- Hill, M.G. & Atkins, A.W. 1983. Incidence of the armyworm, *Mythimna separata* Walker (Noctuidae: Lepidoptera), and its introduced parasite, *Apanteles ruficrus* Halliday (Braconidae: Hymenoptera), in maize. *New Zealand Journal of Agricultural Research* 26(1): 135-138.
- Hill, M.G. 1986. Effects of *Cotesia ruficrus* (Braconidae: Hymenoptera) parasitism and rearing density on *Mythimna separata* (Noctuidae: Lepidoptera) food consumption, and implications for biological control. *New Zealand Journal of Agricultural Research* 29(2): 281-288.
- Hill, M.G., Cameron, P.J., Dugdale, J.S., Allan, D.J. & Walker, G.P. 1987. Biology of *Thysanoplusia orichalcea* (Lepidoptera: Noctuidae) in New Zealand. *New Zealand Entomologist* 10: 44-50.
- Hill, M.G. 1988. Analysis of the biological control of *Mythimna separata* (Lepidoptera: Noctuidae) by *Apanteles ruficrus* (Braconidae: Hymenoptera) in New Zealand. *Journal of Applied Ecology* 25: 197-208.
- Hill, S.L. & Hoy, M.A. 2003. Interactions between the red imported fire ant *Solenopsis invicta* and the parasitoid *Lipolexis scutellaris* potentially affect classical biological control of the aphid *Toxoptera citricida*. *Biological Control* 27(1): 11-19.
- Hilpert, H. 1989. Zur Hautflüglerfauna eines südbadischen Eichen-Hainbuchenmischwaldes. *Spixiana* 12(1): 57-90.
- Hincal, P., Yasarakinci, N. & Hepdurgun, B. 1996. The studies on the determining of the parasitism ratio of larvae-pupae parasitoid, *Opius monilicornis* Fischer (Hym.: Braconidae) of *Liriomyza cicerina* (Rond.) in Aegean Region. *Bitki Koruma Bulteni* 36(1-2): 17-23.
- Hincapie, C.M.C., Saavedra, H.M.E. & Trochez, P.A.L. 1993. Life cycle, behaviour and natural enemies of *Liriomyza huidobrensis* (Blanchard) on bulb onion (*Allium cepa* L.). *Revista Colombiana de Entomologia* 19(2): 51-57.
- Hintze-Podufal, C. & Druschke, A. 1988. Untersuchungen zur Besiedlungsdichte und Parasitierung des kleinen bunten Eschenbastkäfers *Leperisimus varius* (F.). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 61(3-4): 241-245.
- Hirashima, Y., Abe, M., Tadauchi, O., Konishi, K. & Maetô, K. 1989. The hymenopterous parasitoids of the diamondback moth, *Plutella xylostella* (Lepidoptera: Yponomeutidae) in Japan. *Esakia* 28: 63-73.
- Hirashima, Y., Nohara, K. & Miura, T. 1990. Studies on the biological control of the diamondback moth, *Plutella xylostella* (Linnaeus). 1. Insect natural enemies and their utilization. *Science Bulletin of the Faculty of Agriculture, Kyushu University* 44(3): 65-70.
- Hirose, Y. & Vinson, S.B. 1988. Protandry in the parasitoid *Cardiochiles nigriceps*, as related to its mating system. *Ecological Research* 3(3): 218-226.
- Hiss, R.H., Norris, D.E., Dietrich, C.H., Whitcomb, R.F., West, D.E., Bosio, C.F., Kambhampati, S., Piesman, J., Antolin, M.F. & Black, W.C.I.V. 1994. Molecular taxonomy using single-strand conformation polymorphism (SSCP) analysis of mitochondrial ribosomal DNA genes. *Insect Molecular Biology* 3(3): 171-182.
- Ho Thi, T.G., Nguyen, V.T., Takasu, K. & Ogata, K. 2001. Development and host-stage selection by a Vietnamese strain of the larval parasitoid *Cotesia plutellae* Kurdjumov (Hymenoptera: Braconidae). *Bulletin of the Institute of Tropical Agriculture, Kyushu University* 24: 11-18.
- Hoang, A. 2001. Immune response to parasitism reduces resistance of *Drosophila melanogaster* to desiccation and starvation. *Evolution* 55(11): 2353-2358.
- Hoang, A. 2002. Physiological consequences of immune response by *Drosophila melanogaster* (Diptera: Drosophilidae) against the parasitoid *Asobara tabida* (Hymenoptera: Braconidae). *Journal of Evolutionary Biology* 15(4): 537-543.
- Hoballah, M.E.F. & Turlings, T.C.J. 2001. Experimental evidence that plants under caterpillar attack may benefit from attracting parasitoids. *Evolutionary Ecology Research* 3(5): 553-565.
- Hoballah, M.E.F., Tamo, C. & Turlings, T.C.J. 2002. Differential attractiveness of induced odors emitted by eight maize varieties for the parasitoid *Cotesia marginiventris*: is quality or quantity important? *Journal of Chemical Ecology* 28(5): 951-968.
- Hoballah, M.E.F., Turlings, T.J.C., Schmitt, A. & Mauch-Mani, B. 2002. Benefits and costs of induced volatile production in maize plants. *Proceedings of the IOBC WPRS study group on Induced Resistance in Plants against Insects and Diseases*, Wageningen, The Netherlands, 26-28 April, 2001. *Bulletin OILB SROP* 25(6): 95-98.
- Hoch, G. & Schopf, A. 1995. Der Parasitoidenkomplex des Schwamm-spinners *Lymantria dispar* L. (Lep., Lymantriidae) in Populationen hoher, mittlerer und niedriger Dichte im Burgenland. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 10(1-6): 195-198.
- Hoch, G., Gschwantner, T., Schopf, A. & Villemant, C. 1999. The gypsy moth and its natural enemies at different population densities in the oak forests of Eastern Austria. *Integrated protection of Quercus spp. forests*. *Proceedings of the meeting held at Rabat-Sale, Morocco, 26-29 October, 1998*. *Bulletin OILB SROP* 22(3): 121-128.
- Hoch, G., Schopf, A. & Maddox, J.V. 2000. Interactions between an entomopathogenic microsporidium and the endoparasitoid *Glyptapanteles liparidis* within their host, the gypsy moth larva. *Journal of Invertebrate Pathology* 75(1): 59-68.
- Hoch, G., Zubrik, M., Novotny, J. & Schopf, A. 2001. The natural enemy complex of the gypsy moth, *Lymantria dispar* (Lep.: Lymantriidae) in different phases of its population dynamics in eastern Austria and Slovakia - a comparative study. *Journal of Applied Entomology* 125(5): 217-227.
- Hoch, G. & Schopf, A. 2001. Effects of *Glyptapanteles liparidis* (Hym.: Braconidae) parasitism, polydnavirus, and venom on development of microsporidia-infected and uninfected *Lymantria dispar* (Lep.: Lymantriidae) larvae. *Journal of Invertebrate Pathology* 77(1): 37-43.
- Hoch, G., Schafellner, C., Henn, M.W., Maddox, J.V. & Schopf, A. 2001. Changes in host suitability of *Lymantria dispar* larvae for the endoparasitic development of the braconid *Glyptapanteles liparidis* by a microsporidian infection. *Vorträge der Entomologentagung in Düsseldorf vom 26. bis 31. März 2001*. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 13(1-6): 437-440.
- Hoch, G., Schafellner, C., Henn, M.W. & Schopf, A. 2002. Alterations in carbohydrate and fatty acid levels of *Lymantria dispar* larvae caused by a microsporidian infection and potential adverse effects on a co-occurring endoparasitoid, *Glyptapanteles liparidis*. *Archives of Insect Biochemistry and Physiology* 50(3): 109-120.
- Hochberg, M.E. 1991. Intra-host interactions between a braconid endoparasitoid, *Apanteles glomeratus*, and a baculovirus for larvae of *Pieris brassicae*. *Journal of Animal Ecology* 60(1): 51-63.
- Hochberg, M.E. 1991. Extra-host interactions between a braconid endoparasitoid, *Apanteles glomeratus*, and a baculovirus for larvae of *Pieris brassicae*. *Journal of Animal Ecology* 60(1): 65-77.
- Hochberg, M.E. & Ives, A.R. [eds]. 2000. *Parasitoid Population Biology*. Princeton, N.J.: 1-366.
- Hochuli, A., Pfister-Wilhelm, R. & Lanzrein, B. 1999. Analysis of endoparasitoid-released proteins and their effects on host development in the system *Chelonus inanitus* (Braconidae)-*Spodoptera littoralis* (Noctuidae). *Journal of Insect Physiology* 45(9): 823-833.

- Hochuli, A. & Lanzrein, B. 2001.** Characterization of a 212 kD protein, released into the host by the larva of the endoparasitoid *Chelonius inanitus* (Hymenoptera: Braconidae). *Journal of Insect Physiology* 47(11): 1313-1319.
- Hocking, B. 1970.** Insect associations with the swollen thorn acacias. *Transactions of the Royal Entomological Society of London* 122(7): 211-255.
- Hodek, I., Ipert, G. & Rolley, F. 1978.** Activation of hibernating *Coccinella septempunctata* (Coleoptera) and *Perilitus coccinellae* (Hymenoptera) and the photoperiodic response after diapause. *Entomologia Experimentalis et Applicata* 21: 275-286.
- Hodgson, C.J. & Ahmad, M. 1997.** Life table of *Aphidius colemani* Viereck, a parasitoid of *Aphis fabae* Scopoli at different temperature regimes. *Bangladesh Journal of Entomology* 7(1-2): 7-12.
- Hodgson, C.J. & Ahmad, M. 1998.** The searching efficiency of *Aphidius colemani* Viereck after visiting insecticide treated plants at different time intervals. *Entomon* 23(3): 185-189.
- Hoek, G. van der 1971.** The larval instars of *Aphidius pulcher* Baker (Hymenoptera: Aphidiidae). *Proceedings of the Entomological Society of Ontario* 101: 55-59.
- Hoferer, S., Wockers, F. & Dorn, S. 2000.** Measuring CO₂ respiration rates in the parasitoid *Cotesia glomerata*. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 12(1-6): 555-558.
- Hoffman, A.C. & Grosch, D.S. 1971.** The effects of ethyl methane sulfonate on the fertility of *Bracon* (*Habrobracon*) females. 1. The influences of route of entry and physiological state. *Pestic. Biochem. Physiol* 1: 319-326.
- Hoffman, A.C. 1972.** A characterization of repair mechanisms operating subsequent to genetic damage induced by ethyl methane-sulfonate and gamma radiation in *Bracon hebetor*. *Mutat. Res.* 16: 175-188.
- Hoffman, G.D. & Raffa, K.F. 1993.** *Microctonus pachylobii* (Hymenoptera: Braconidae): new host record from *Hylobius radialis* (Coleoptera: Curculionidae), and additional notes on its biology. *Great Lakes Entomologist* 26(1): 55-59.
- Hoffmann, C.B., Newman, G.G. & Foerster, L.A. 1979.** Seasonal incidence of diseases and parasites in natural populations of *Anticarsia gemmatalis* Hübner, 1818 and *Plusia* spp. on soybean. (in Portuguese) *Anais da Sociedade Entomologica do Brasil* 8(1): 115-124.
- Hoffmann, E. & Schuphan, I. 1986.** Ökochemisches Verhalten und ökotoxikologische Wirkung von Lindan, Parathion, Monolinuron und Hexachlorbenzol nach chronischer Aufnahme im schaedlings-nuetzlingspaar grosser Kohlweissling (*Pieris brassicae* L.) und Kohlweisslings-Brackwespe (*Apanteles glomeratus* L.). *Journal of Applied Entomology* 102(2): 154-164.
- Hoffmeister, T. 1992.** Factors determining the structure and diversity of parasitoid complexes in tephritid fruit flies. *Oecologia* 89(2): 288-297.
- Hofmann, I. 1992.** Parasitische Wespe programmiert Verhalten der Wirtslaus. *Naturwissenschaftliche Rundschau* 45(9): 361.
- Hofsvang, T. & Hogvar, E.B. 1975.** Duration of development and longevity in *Aphidius ervi* and *Aphidius platensis* (Hym.: Aphidiidae) two parasites of *Myzus persicae* (Hom.: Aphididae). *Entomophaga* 20(1): 11-22.
- Hofsvang, T. & Hogvar, E.B. 1975.** Fecundity and oviposition period of *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae) parasitising *Myzus persicae* Sulzer (Homoptera: Aphididae) on paprika. *Norwegian Journal of Entomology* 22: 113-116.
- Hofsvang, T. & Hogvar, E.B. 1977.** Cold storage tolerance and supercooling points of mummies of *Ephedrus cerasicola* Starý and *Aphidius colemani* Viereck (Hym., Aphidiidae). *Norwegian Journal of Entomology* 24: 1-6.
- Hofsvang, T. & Hogvar, E.B. 1977.** Effect of parasitism by *Ephedrus cerasicola* Starý on *Myzus persicae* (Sulzer), studied in small glass-houses during 1976 and 1977. *Norwegian Journal of Entomology* 25: 90-91.
- Hofsvang, T. & Hogvar, E.B. 1978.** Effect of parasitism by *Ephedrus cerasicola* Starý on *Myzus persicae* (Sulzer) in small glass-houses. *Zeitschrift für angewandte Entomologie* 85: 1-15.
- Hofsvang, T. & Hogvar, E.B. 1978.** Larval morphology and development of *Aphidius colemani* Viereck and *Ephedrus cerasicola* Starý (Hym. Aphidiidae). *Norwegian Journal of Entomology* 25: 1-8.
- Hofsvang, T. & Hogvar, E.B. 1979.** Different introduction methods of *Ephedrus cerasicola* Starý to control *Myzus persicae* (Sulzer) in small paprika greenhouses. *Zeitschrift für angewandte Entomologie* 88: 16-23.
- Hofsvang, T. & Hogvar, E.B. 1980.** Use of mummies of *Ephedrus cerasicola* Starý to control *Myzus persicae* (Sulzer) in small greenhouses. *Zeitschrift für angewandte Entomologie* 90: 220-226.
- Hofsvang, T. & Hogvar, E.B. 1982.** Comparison between the parasitoid *Ephedrus cerasicola* Starý and the predator *Aphidoletes aphidimyza* (Rondani) in the control of *Myzus persicae* (Sulzer). *Zeitschrift für angewandte Entomologie* 94: 412-419.
- Hofsvang, T. & Hogvar, E.B. 1983.** Functional responses to prey density of *Ephedrus cerasicola* (Hym.: Aphidiidae), an aphidiid parasitoid of *Myzus persicae* (Hom.: Aphididae). *Entomophaga* 28: 317-324.
- Hofsvang, T. & Hogvar, E.B. 1983.** Primary parasitoids (Hym., Aphidiidae) and hyperparasitoids on aphids from Norway. *Fauna Norvegica* B30: 60-62.
- Hofsvang, T. & Hogvar, E.B. 1983.** Superparasitism and host discrimination by *Ephedrus cerasicola* (Hym.: Aphidiidae), an Aphidiid parasitoid of *Myzus persicae* (Hom.: Aphidiidae). *Entomophaga* 28: 379-386.
- Hofsvang, T. 1985.** The aphid parasitoid *Ephedrus cerasicola*, biology and release experiments in glasshouses. *Växtskyddsnotiser* 49(5): 102-106.
- Hofsvang, T. & Hogvar, E.B. 1986.** Oviposition behaviour of *Ephedrus cerasicola* (Hym.: Aphidiidae) parasitizing different instars of its aphid host. *Entomophaga* 31: 261-267.
- Hofsvang, T. 1988.** Mechanisms of host discrimination and intraspecific competition in the aphid parasitoid *Ephedrus cerasicola*. *Entomologia Experimentalis et Applicata* 48(3): 233-239.
- Hofsvang, T. 1991.** Fecundity of aphid parasitoids in the family Aphidiidae (Hymenoptera). (A review): 41-44. In: Polgar, L., Chambers, R.J., Dixon, A.F.G. & Hodek, I. [eds]. "Behaviour and impact of Aphidophaga". *Proceedings of the 4th meeting of the IOBC W.G. 'Ecology of Aphidophaga'*. The Hague 1991: 1-350.
- Hogervorst, P.A.M., Romeis, J. & Wockers, F. L. 2003.** Suitability of honeydew from potato infesting aphids as food for *Aphidius ervi*. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society (N.E.V.)* 14: 87-90.
- Hogg, D.B. & Nordheim, E.V. 1983.** Age-specific survivorship analysis of *Heliothis* spp. populations on cotton. *Researches on Population Ecology* 25(2): 280-297.
- Hohmann, C.L. & Meneguim, A.M. 1993.** Preliminary observations on the occurrence of avocado borer, *Stenoma catenifer* Wals in the state of Parana. *Anais da Sociedade Entomologica do Brasil* 22(2): 417-419.
- Hokkanen, H., Husberg, G.B. & Soderblom, M. 1988.** Natural enemy conservation for the integrated control of the rape blossom beetle, *Meligethes aeneus* F. *Annales Agriculturae Fennica* 27(4): 281-194.
- Hokkanen, H.M.T. 1989.** Biological and agrotechnical control of the rape blossom beetle *Meligethes aeneus* (Coleoptera: Nitidulidae). *Acta Entomologica Fennica* 53: 25-29.

- Holland, J.M., Thomas, S.R. & Courts, S. 1994. *Phacelia tanacetifolia* flower strips as a component of integrated farming. Field margins: integrating agriculture and conservation. Proceedings of a symposium held at the University of Warwick, Coventry, 18-20 April 1994 [Boatman, N. [ed.]]: 215-220.
- Holland, J.M., Winder, L. & Perry, J.N. 2000. The impact of dimethoate on the spatial distribution of beneficial arthropods in winter wheat. *Annals of Applied Biology* 136(2): 93-105.
- Höller, C. & Braume, H.J. 1988. The use of isoelectric focusing to assess percentage Hymenopterous parasitism in aphid populations. *Entomologia Experimentalis et Applicata* 47: 105-114.
- Höller, C. 1990. Overwintering and hymenopterous parasitism in autumn of the cereal aphid *Sitobion avenae* (F.) in northern FR Germany. *Journal of Applied Entomology* 109(1): 21-28.
- Höller, C., Williams, H.J. & Vinson, S.B. 1991. Evidence for a two-component external marking pheromone system in an aphid hyperparasitoid. *Journal of Chemical Ecology* 17(6): 1021-1035.
- Höller, C. 1991. Evidence for the existence of a species closely related to the cereal aphid parasitoid *Aphidius rhopalosiphii* de Stefani-Perez based on host ranges, morphological characters, isoelectric focusing banding patterns, cross-breeding experiments and sex pheromone specificities (Hymenoptera: Braconidae: Aphidiinae). *Systematic Entomology* 16(1): 15-28.
- Höller, C. & Hormann, R. 1993. Patch marking in the aphid hyperparasitoid, *Dendrocerus carpenteri*: the information contained in patch marks. *Oecologia* 94(1): 128-134.
- Höller, C., Barga, H., Vinson, S.B. & Braume, H.J. 1993. Sources of the marking pheromones used for host discrimination in the hyperparasitoid *Dendrocerus carpenteri*. *Journal of Insect Physiology* 39(8): 649-656.
- Höller, C., Borgemeister, C., Haardt, H. & Powell, W. 1993. The relationship between primary parasitoids and hyperparasitoids of cereal aphids: an analysis of field data. *Journal of Animal Ecology* 62(1): 12-21.
- Höller, C., Barga, H., Vinson, S.B. & Witt, D. 1994. Evidence for the external use of juvenile hormone for host marking and regulation in a parasitic wasp, *Dendrocerus carpenteri*. *Journal of Insect Physiology* 40(4): 317-322.
- Höller, C., Micha, S.G., Schulz, S., Francke, W. & Pickett, J.A. 1994. Enemy-induced dispersal in a parasitic wasp. *Experientia* 50(2): 182-185.
- Holloway, A.K., Heimpel, G.E., Strand, M.R. & Antolin, M.F. 1999. Survival of diploid males in *Bracon* sp. near *hebetor* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 92(1): 110-116.
- Holloway, A.K., Strand, M.R., Black, W.C.I.V. & Antolin, M.F. 2000. Linkage analysis of sex determination in *Bracon* sp. near *hebetor* (Hymenoptera: Braconidae). *Genetics* 154(1): 205-212.
- Holloway, W.J., Bickley, W.E. & Neal, J.W. 1973. Rearing and release of *Microctonus aethiops*, a parasite of the alfalfa weevil in Maryland. *Journal of Economic Entomology* 66: 164-166.
- Holmes, N.D. 1982. Population dynamics of the wheat stem sawfly, *Cephus cinctus* (Hymenoptera: Cephidae), in wheat. *Canadian Entomologist* 114: 775-788.
- Holst, N. & Ruggie, P. 1997. A physiologically based model of pest-natural enemy interactions. Third International Symposium on population dynamics of plant-inhabiting mites held in Gilleleje, Denmark, on 26-29 June 1995. *Experimental and Applied Acarology* 21(6-7): 325-341.
- Holthuis, L.B., Achterberg, C. van & Whitfield, J.B. 1987. Comments on the proposed conservation of *Apanteles* (currently *Pholetesor*) *ornigis* Weed, 1887 (Insecta, Hymenoptera). *Bulletin of Zoological Nomenclature* 44(1): 46.
- Holz, F. & Wetzel, T. 1989. A catalogue of case studies as an aid to field-related decisions on specific control of the cereal aphid (*Macrosiphum avenae* (Fabr.)). *Nachrichtenblatt für den Pflanzenschutz in der DDR* 43(2-3): 58-60.
- Honda, T., & Kainoh, Y. 1998. Age-related fecundity and learning ability of the egg-larval parasitoid *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Biological Control* 13(3): 177-181.
- Honda, T., Kainoh, Y. & Honda, H. 1998. Enhancement of learned response to plant chemicals by the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 33(2): 271-276.
- Honda, T., Kainoh, Y. & Honda, H. 1999. The persistence of a learned response in the egg-larval parasitoid *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Entomological Science* 2(3): 335-340.
- Honda, T., Kainoh, Y. & Honda, H. 1999. The persistence of a learned response in the egg-larval parasitoid *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Entomological Science* 2(3): 335-340.
- Hondo, M. 1992. Mortality of post-overwintered larvae of the Mulberry tiger moth, *Thanatartia imparilis* (Butler) (Lepidoptera: Arctiidae) caused by parasitoids and pathogens. *Applied Entomology and Zoology* 27(4): 595-598.
- Hondo, T., Okada, R., Tanaka, H., Shibao, M. & Sugimoto, T. 1999. Dispersion of an introduced parasitoid, *Dacnusa sibirica* Telenga for controlling *Liriomyza trifolii* (Burgess). *Proceedings of the Kansai Plant Protection Society* 41: 57-58.
- Hong, Y.C., Yang, T.C., Wang, S.T., Wang, S.E., Li, Y.K., Sun, M.R., Sun, H.C. & Tu, N.C. 1974. Stratigraphy and palaeontology of Fushun coal-field, Liaoning Province. *Acta Geologica Sinica* 1974(2): 113-150.
- Hood-Henderson, D.E. & Forbes, A.R. 1988. Behavioural responses of a primary parasitoid *Praon pequodorum* Vireck (Hymenoptera: Aphidiidae) and a secondary parasitoid *Dendrocerus carpenteri* Kieffer (Hymenoptera: Megaspilidae) to aphid honeydew. *Proceedings of the XVIII International Congress of Entomology*. Vancouver. p.373.
- Hoogendoorn, G.M., Dols, E.A.F.H.M., Korsten, P., Alphen, J.J.M. van & Keller, M.A. 2001. Variation in longevity between populations of *Asobara persimilis* (Hymenoptera: Braconidae) and *Ganaspis* sp. (Hymenoptera: Figitidae) along a climate gradient. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society (N.E.V.)* 12: 31-35.
- Hoogendoorn, M., Heimpel, G.E., Hardy, I.C.W. & Johnson, M.W. 2002. Indirect interactions between an introduced and a native ladybird beetle species mediated by a shared parasitoid. *Papers from the Antonie van Leeuwenhoek Symposium (7th European Workshop on Insect Parasitoids)*, Haarlem, The Netherlands, 1-6 October, 2002. *Biological Control* 25(3): 224-230.
- Hope, J.H. III & Pless, C.D. 1979. Biology of *Euzophera ostricolorella* on yellow-poplar in Tennessee. *Annals of the Entomological Society of America* 72(1): 1-4.
- Hopkins, D. 1982. Establishment and spread of the *Sitona* weevil parasite *Microctonus aethiopoidea* in South Australia. *Proceedings of the Australasian Conference on Grassland Invertebrate Ecology* 3 (1981): 177-182.
- Hopkins, M.J.G. 1984. The parasitoid complex associated with stem boring *Apion* (Col.: Curculionidae) feeding on *Rumex* species (Polygonaceae). *Entomologist's Monthly Magazine* 120: 187-192.
- Hopkins, T.L., Starkey, S.R. & Beckage, N.E. 1998. Tyrosine and catecholamine levels in the hemolymph of tobacco hornworm larvae, *Manduca sexta*, parasitized by the braconid wasp, *Cotesia congregata*, and in the developing parasitoids. *Archives of Insect Biochemistry and Physiology* 38(4): 193-201.

- Hopper, K.R. & King, E.G. 1984.** Feeding and movement on cotton of *Heliothis* spp. (Lepidoptera: Noctuidae) parasitized by *Microplitis croceipes* (Hymenoptera: Braconidae). *Environmental Entomology* 13: 1654-1660.
- Hopper, K.R. & King, E.G. 1984.** Preference of *Microplitis croceipes* (Hymenoptera: Braconidae) for instars and species of *Heliothis* (Lepidoptera: Noctuidae). *Environmental Entomology* 13: 1145-1150.
- Hopper, K.R. & King, E.G. 1986.** Linear functional response of *Microplitis croceipes* (Hymenoptera: Braconidae) to variation in *Heliothis* spp. (Lepidoptera: Noctuidae) density in the field. *Environmental Entomology* 15(3): 476-480.
- Hopper, K.R. 1986.** Preference, acceptance, and fitness components of *Microplitis croceipes* (Hymenoptera: Braconidae) attacking various instars of *Heliothis virescens* (Lepidoptera: Noctuidae). *Environmental Entomology* 15(2): 274-280.
- Hopper, K.R. 1989.** Conservation and augmentation of *Microplitis croceipes* for controlling *Heliothis* spp. *Southwestern Entomologist* 12: 95-115.
- Hopper, K.R. & Woolson, E.A. 1991.** Labeling a parasitic wasp, *Microplitis croceipes* (Hymenoptera: Braconidae), with trace elements for mark-recapture studies. *Annals of the Entomological Society of America* 84(3): 255-262.
- Hopper, K.R., Powell, J.E. & King, E.G. 1991.** Spatial density dependence in parasitism of *Heliothis virescens* (Lepidoptera: Noctuidae) by *Microplitis croceipes* (Hymenoptera: Braconidae) in the field. *Environmental Entomology* 20(1): 292-302.
- Hopper, K.R., Aidara, S., Agret, S., Cabal, J., Coutinot, D., Dabire, R., Lesieux, C., Kirk, G., Reichert, S., Tronchetti, F. & Vidal, J. 1995.** Natural enemy impact on the abundance of *Diuraphis noxia* (Homoptera: Aphididae) in wheat in southern France. *Environmental Entomology* 24(2): 402-408.
- Hopper, K.R. & Farias, A.M.I. de 1997.** Responses of female *Aphelinus asychis* (Hymenoptera: Aphelinidae) and *Aphidius matricariae* (Hymenoptera: Aphididae) to host and plant-host odors. *Environmental Entomology* 26(4): 989-994.
- Hopper, K.R. & Farias, A.M.I. de 1999.** Oviposition behavior of *Aphelinus asychis* (Hymenoptera: Aphelinidae) and *Aphidius matricariae* (Hymenoptera: Aphididae) and defense behavior of their host *Diuraphis noxia* (Homoptera: Aphididae). *Environmental Entomology* 28(5): 858-862.
- Horikoshi, M., Takabayashi, J., Yano, S., Yamaoka, R., Ohsaki, N. & Sato, Y. 1997.** *Cotesia glomerata* female wasps use fatty acids from plant-herbivore complex in host searching. *Journal of Chemical Ecology* 23(6): 1505-1515.
- Horn, D.J. 1983.** Selective mortality of parasitoids and predators of *Myzus persicae* on collards treated with malathion, carbaryl, or *Bacillus thuringiensis*. *Entomologia Experimentalis et Applicata* 34: 208-211.
- Horn, D.J. 1984.** Vegetational complexity and parasitism of green peach aphids (*Myzus persicae* (Sulzer) (Homoptera: Aphididae)) on collards. *Journal of the New York Entomological Society* 92(1): 19-26.
- Horn, D.J. 1987.** Vegetational background and parasitism of larval diamond-back moth on collards. *Entomologia Experimentalis et Applicata* 43(3): 300-303.
- Horn, D.J. 1988.** Parasitism of cabbage aphid and green peach aphid (Homoptera: Aphididae) on collards in relation to weed management. *Environmental Entomology* 17(2): 354-358.
- Horn, D.J. 1988.** Secondary parasitism and population dynamics of green peach and cabbage aphids (*Myzus persicae*, *Brevicoryne brassicae*): 305-309. In: Niemczyk, E, Dixon, A.F.G. [eds]. *Ecology and effectiveness of aphidophaga*. Proceedings of an International Symposium, held at Teresin, Poland, August. 31-September 5, 1987. The Hague 1988: 1-341.
- Horn, D.J. 1989.** Secondary parasitism and population dynamics of aphid parasitoids (Hymenoptera: Aphidiidae). *Journal of the Kansas Entomological Society* 62(2): 203-210.
- Horne, P.A. 1990.** The influence of introduced parasitoids on the potato moth, *Phthorimaea operculella* (Lepidoptera: Gelechiidae) in Victoria, Australia. *Bulletin of Entomological Research* 80(2): 159-163.
- Horstmann, K. 1970.** Die Ichneumoniden (Hymenoptera) von des Nordseeküste Schleswig-Holsteins. *Faunistisch Zoologische Mitteilungen* 3: 299-307.
- Horstmann, K. 1970.** Zoologische Untersuchungen über die Ichneumoniden (Hymenoptera) der Nordseeküste Schleswig-Holsteins. *Oecologia* 4: 29-73.
- Horstmann, K. 1971.** Revision der europäischen Tersilochinen 1 (Hymenoptera, Ichneumonidae). *Veröffentlichungen der Zoologischen Staatssammlung (München)* 15: 47-138.
- Horstmann, K. 1971.** Untersuchungen über die Parasiten der an Eichen lebenden Tortriciden während einer Massenvermehrung des Gruenen Eichenwicklers (*Tortrix viridana* L.). *Waldhygiene* 8: 226-242.
- Horstmann, K. 1972.** Type revision of the species of Cryptinae and Campopleginae described by J.B. Bridgman (Hymenoptera: Ichneumonidae). *Entomologist* 105: 217-228.
- Horstmann, K. 1975.** Ber eine von Schmiedeknecht zusammengestellte Vergleichssammlung im Naturwissenschaftlichen Museum Coburg (Hymenoptera). *Nachrichtenblatt der Bayerischen Entomologen* 24(2): 25-28.
- Horstmann, K. 1979.** Typenrevision der von Gravenhorst beschriebenen oder gedeuteten *Hemiteles*-Arten (Hymenoptera, Ichneumonidae). *Polskie Pismo Entomologiczne* 49: 151-166.
- Horstmann, K. 1980.** Revision der europäischen Arten der Gattung *Aclastus* Förster. *Polskie Pismo Entomologiczne* 50: 133-158.
- Horstmann, K. 1983.** Die westpaläarktischen Arten der Gattung *Chirotica* Förster, 1869 (Hymenoptera Ichneumonidae). *Entomofauna* 4(1): 1-33.
- Horstmann, K. 1984.** Untersuchungen zum Massenwechsel des Eichenwicklers, *Tortrix viridana* L. (Lepidoptera, Tortricidae), in Unterfranken. *Zeitschrift für angewandte Entomologie* 98: 73-95.
- Horstmann, K. 1986.** Die westpaläarktischen Arten der Gattung *Gelis* Thunberg, 1827, mit macropteren oder brachypteren Weibchen (Hymenoptera, Ichneumonidae). *Entomofauna* 7(30): 389-424.
- Horstmann, K. 1992.** Revisionen einiger von Linnaeus, Gmelin, Fabricius, Gravenhorst und Förster beschriebener Arten der Ichneumonidae (Hymenoptera, Ichneumonidae). *Mitteilungen Münchener Entomologischen Gesellschaft* 82: 21-33.
- Horstmann, K. 1993.** Revision der brachypteren Weibchen der westpaläarktischen Cryptinae (Hymenoptera, Ichneumonidae). *Entomofauna* 14(7): 85-148.
- Horstmann, K. 1993.** Revision der von Ferdinand Rudow beschriebenen Ichneumonidae I. (Hymenoptera). *Beiträge zur Entomologie* 43(1): 3-38.
- Horstmann, K. 1997.** Revision von Schlupfwespen-Arten (Hymenoptera: Ichneumonidae, Braconidae, Eulophidae, Torymidae). *Mitteilungen Münchener Entomologischen Gesellschaft* 87: 109-119.
- Horstmann, K. 1998.** Revisionen von Schlupfwespen-Arten II (Hymenoptera: Ichneumonidae, Braconidae). *Mitteilungen Münchener Entomologischen Gesellschaft* 88: 3-12.
- Horstmann, K. 1999.** Zur Interpretation der von Thunberg in der Gattung *Ichneumon* Linnaeus beschriebenen oder benannten Arten (Hymenoptera). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen*. 51: 65-74.
- Horstmann, K., Floren, A. & Linsenmair, K.E. 1999.** High species richness of Ichneumonidae (Hymenoptera) from the canopy of a Malaysian rain forest. *Ecotropica* 5: 1-12.

- Horstmann, K.** 2001. Ichneumonidae: 69-103. In: Dathe, H.H., Taeger, A., Blank, S.M. [eds] "Verzeichnis der Hautflügler Deutschlands (Entomofauna Germanica 4)". Entomologische Nachrichten und Berichte (Dresden), Beiheft 7. 178 pp.
- Horstmann, K.** 2001. Revision der von Johann Christian Fabricius beschriebenen Ichneumonidae (Hymenoptera). Beiträge zur Entomologie 51(1): 7-50.
- Horton, D.L., Teague, T.G., Phillips, J.R. & Yearian, W.C.** 1986. Fungicide interference with parasitization of *Heliothis zea* by *Microplitis croceipes*. Journal of Agricultural Entomology 3: 186-191.
- Horvath, Z.** 1987. Role played by *Oberia erythrocephala* Schrank (Col.: Cerambycidae) in restricting the individual number in stands of cypress spurge (*Euphorbia cyparissias* L.). Novenyvedelem 23(12): 545-549.
- Horvath, Z. & Bujaki, G.** 1992. *Habrobracon hebetor* Say (Hym.: Braconidae) as the most important parasitoid of the sunflower pyralid moth (*Homoeosoma nebulellum* Hb.) in Hungary. Novenyvedelem 28(5-6): 196-200.
- Horvath, Z.** 1993. Biological control methods and breeding for resistance against the sunflower moth (*Homoeosoma nebulellum* Hb.). Novenyvedelem 29(6): 259-263.
- Hostetler, B.B. & Brewer, J.W.** 1976. Survival of *Dendrosoter protuberans*, a parasitoid of *Scolytus multistriatus*, in Colorado. Annals of the Entomological Society of America 69: 85-88.
- Hostounsky, Z.** 1970. *Nosema mesnili* (Paill.), a microsporidian of the cabbage worm, *Pieris brassicae* (L.), in the parasites *Apanteles glomeratus* (L.), *Hyposoter ebeninus* (Grav.) and *Pimpla instigator* (F.). Acta Entomologica Bohemoslovaca 67: 1-5.
- Hotchkin, P.G. & Kaya, H.K.** 1983. Interactions between two baculoviruses and several insect parasites. Canadian Entomologist 115: 841-846.
- Hotchkin, P.G. & Kaya, H.K.** 1983. Pathological response of the parasitoid, *Glyptapanteles militaris*, to nuclear polyhedrosis virus-infected armyworm hosts. Journal of Invertebrate Pathology 42: 51-61.
- Hotchkin, P.G. & Kaya, H.K.** 1985. Isolation of an agent affecting with development of an internal parasitoid. Archives of Insect Biochemistry and Physiology 2(4): 375-384.
- Hotta, M., Okuda, T. & Tanaka, T.** 2001. *Cotesia kariyai* teratocytes: growth and development. Journal of Insect Physiology 47(1): 31-41.
- Hou, M.L., Wan, F.H. & Wang, F.L.** 2002. Population dynamics of *Helicoverpa assulta* and *Myzus persicae* and their natural enemies in tobacco fields of Shandong Province. Chinese Journal of Biological Control 18(2): 54-57.
- Hou, Z. & Yan, F.** 1995. Electroantennogram responses of *Lysiphlebia japonica* Ashmead (Hymenoptera, Aphidiidae) to some cotton plant volatiles and cotton aphid pheromones. Entomologia Sinica 2(3): 253-264.
- Hou, Z.Y., Yan, F.S. & Chen, X.** 1996. Olfactory responses of *Lysiphlebia japonica* to volatile chemicals and fresh leaves of the host plants of cotton aphids in olfactometer. Entomologia Sinica 3(1): 49-57.
- Hou, Z.Y., Chen, X., Zhang, Y., Guo, B.Q. & Yan, F.S.** 1997. EAG and orientation tests on the parasitoid *Lysiphlebia japonica* (Hym., Aphidiidae) to volatile chemicals extracted from host plants of cotton aphid *Aphis gossypii* (Hom., Aphidae). Journal of Applied Entomology 121(9-10): 495-500.
- Hougardy, E. & Gregoire, J.C.** 2000. Spruce stands provide natural food sources to adult hymenopteran parasitoids of bark beetles. Entomologia Experimentalis et Applicata 96(3): 253-263.
- Hougardy, E. & Gregoire, J.C.** 2003. Cleptoparasitism increases the host finding ability of a polyphagous parasitoid species, *Rhopalicus tutela* (Hymenoptera: Pteromalidae). Behavioral Ecology and Sociobiology 55(2): 184-189.
- Hougardy, E., Pernet, P., Warnau, M., Delisle, J. & Gregoire, J.C.** 2003. Marking bark beetle parasitoids within the host plant with rubidium for dispersal studies. Entomologia Experimentalis et Applicata 108(2): 107-114.
- Houser, E.C. & Wingo, C.W.** 1967. *Aphaereta pallipes* as a parasite of the face fly in Missouri with notes on laboratory culture and biology. Journal of Economic Entomology 60(3): 731-733.
- Houser, E.C. & Wingo, C.W.** 1967. Laboratory culture and biology of *Orthellia caesarion* with notes on determining larval instars. Journal of Economic Entomology 60(5): 1355-1358.
- Howard, F.W. & Solis, M.A.** 1989. Distribution, life history, and host plant relationships of mahogany webworm, *Macalla thyrissalis* (Lepidoptera: Pyralidae). Florida Entomologist 72(3): 469-479.
- Howard, R.W., Baker, J.E. & Morgan, E.D.** 2003. Novel diterpenoids and hydrocarbons in the Dufour gland of the ectoparasitoid *Habrobracon hebetor* (Say) (Hymenoptera: Braconidae). Archives of Insect Biochemistry and Physiology 54(3): 95-109.
- Howard, R.W. & Baker, J.E.** 2003. Cuticular hydrocarbons and wax esters of the ectoparasitoid *Habrobracon hebetor*: Ontogenetic, reproductive, and nutritional effects. Archives of Insect Biochemistry and Physiology 53: 1-18.
- Hower, A.A. & Davis, G.A.** 1984. Selectivity of insecticides that kill the potato leafhopper (Homoptera: Cicadellidae) and alfalfa weevil (Coleoptera: Curculionidae) and protect the parasite *Microctonus aethiopoulos* Loan (Hymenoptera: Braconidae). Journal of Economic Entomology 77(6): 1601-1607.
- Hoy, H.L. & Dahlman, D.L.** 2002. Extended in vitro culture of *Microplitis croceipes* teratocytes and secretion of TSP14 protein. Journal of Insect Physiology 48(4): 401-409.
- Hoy, J.B. & Dahlsten, D.L.** 1984. Effects of malathion and Staley's bait on the behavior and survival of parasitic Hymenoptera. Environmental Entomology 13(6): 1483-1486.
- Hoy, M.A.** 1975. Forest and laboratory evaluations of hybridized *Apanteles melanoscela* (Hym.: Braconidae), a parasitoid of *Porthetria dispar* (Lep.: Lymantriidae). Entomophaga 20(3): 261-268.
- Hoy, M.A.** 1975. Hybridization of strains of the gypsy moth parasitoid, *Apanteles melanoscelus*, and its influence upon diapause. Annals of the Entomological Society of America 68: 261-264.
- Hoy, M.A.** 1976. Establishment of gypsy moth parasitoids in North America: an evaluation of possible reasons for establishment or non-establishment. In: Anderson, J.F. & Kaya, H.H. [eds] "Perspectives in forest entomology." New York: 215-232.
- Hoy, M.A. & Marsh, P.M.** 1979. Breeding tests support synonymy of *Apanteles melanoscelus* and *Apanteles solitarius* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 81(1): 75-81.
- Hoy, M.A. & Cave, F.E.** 1988. Guthion-resistant strain of walnut aphid parasite. California Agriculture 42(4): 4-5.
- Hoy, M.A. & Cave, F.E.** 1989. Parasite tolerates other pesticides. California Agriculture 43(5): 24-26.
- Hoy, M.A. & Cave, F.E.** 1989. Toxicity of pesticides used on walnuts to a wild and azinphosmethyl-resistant strain of *Trioxys pallidus* (Hymenoptera: Aphidiidae). Journal of Economic Entomology 82(6): 1585-1592.
- Hoy, M.A., Cave, F.E., Beede, R.H., Grant, J., Krueger, W.H., Olson, W.H., Spollen, K.M., Barnett, W.W. & Hendricks, L.C.** 1989. Guthion-resistant walnut aphid parasite. Release, dispersal, and recovery in orchards California Agriculture 43(5): 21-23.
- Hoy, M.A., Cave, F.E., Beede, R.H., Grant, J., Krueger, W.H., Olson, W.H., Spollen, K.M., Barnett, W.W. & Hendricks, L.C.** 1990. Release, dispersal, and recovery of a laboratory-selected strain of the walnut aphid parasite *Trioxys pallidus* (Hymenoptera: Aphidiidae) resistant to azinphosmethyl. Journal of Economic Entomology 83(1): 89-96.

- Hoy, M.A. & Cave, F.E. 1991. Genetic improvement of a parasitoid: response of *Trioxys pallidus* to laboratory selection with azinphosmethyl. *Biocontrol Science and Technology* 1(1): 31-41.
- Hoy, M.A., Cave, F.E. & Caprio, M.A. 1991. Guthion-resistant parasite ready for implementation in walnuts. *California Agriculture* 45(5): 29-31.
- Hozak, A. 1970. The pea aphid, *Acyrtosiphon pisum* (Harris) and its parasites on alfalfa in Czechoslovakia (Hym., Aphidiidae, Hom., Aphidoidea). *Acta Universitatis Carolinae, Biologica* 1968: 371-415.
- Hsaio, T.H. 1996. Studies of interactions between alfalfa weevil strains, *Wolbachia* endosymbionts and parasitoids. *Systematics Association Special Volume* 53: 51-71.
- Hu, C., Yu, B.L. & Wei, D.Z. 1981. The first record of *Apanteles rubecula* from China. (in Chinese) *Acta Entomologica Sinica* 24(3): 343.
- Hu, C. & Barbosa, P. 1986. Potential host range expansion by the hyperparasitoid *Gelis* sp.: utilization of *Glyptapanteles flavicoxis* (Hymenoptera: Braconidae) by a parasitoid of *Cotesia melanoscela*. *Journal of Entomological Science* 21(4): 346-348.
- Hu, C., Barbosa, P. & Martinat, P. 1986. Influence of rearing conditions on the survival and reproduction of *Glyptapanteles flavicoxis* (Marsh). *Journal of Applied Entomology* 101(5): 525-531.
- Hu, C., Barbosa, P. & Martinat, P.J. 1986. Influence of age of female *Glyptapanteles flavicoxis* (Marsh) (Hymenoptera: Braconidae) and its periodicity of oviposition activity on levels of parasitism and reproductive output. *Annals of the Entomological Society of America* 79(2): 280-282.
- Hu, C., Barbosa, P. & Martinat, P.J. 1986. Reproductive biology and related hostparasitoid interactions between the gypsy moth, *Lymantria dispar* and *Glyptapanteles flavicoxis*, a gregarious endoparasitoid. *Annals of Applied Biology* 109: 485-490.
- Hu, C., Ye, G.Y. & Wang, X.M. 1992. Investigation on the parasitoids of wild mulberry silkworms. *Acta Phytophylacica Sinica* 19(4): 337-344.
- Hu, C., Ye, G.Y., Zhu, J.Q. & Shang, J.N. 1993. Analysis of tea geometrid (*Ectropis obliqua* Prout) parasite communities and their dynamics. *Journal of Tea Science* 13(2): 87-91.
- Hu, C., Lu, Z.X., Yang, Z.F. & Hu, C. 1995. Preliminary study on the relationship among *Macrocentrus linearis*, *Ostrinia furnacalis* and spring maize. *Chinese Journal of Applied Ecology* 6(1): 67-70.
- Hu, G.Y., Mitchell, E.R., Sieglaff, D.H. & Okine, J.S. 1998. Field production of two species of parasitoids of the diamondback moth (Lepidoptera: Plutellidae). *Florida Entomologist* 81(4): 526-534.
- Hu, J., Dai, H.G. & Fu, W.J. 2003. Construction of cDNA library of *Macrocentrus cingulum* Brischke. Nanjing Agricultural University Publication 26(3): 52-55.
- Hu, J., Zhu, X.X. & Fu, W.J. 2003. Passive evasion of encapsulation in *Macrocentrus cingulum* Brischke (Hymenoptera: Braconidae), a polyembryonic parasitoid of *Ostrinia furnacalis* Guenée (Lepidoptera: Pyralidae). *Journal of Insect Physiology* 49(4): 367-375.
- Hu, J.S. & Chen, C.M. 1987. A study on the host-searching kairomone of *Apanteles cypris* Nixon. (in Chinese with English summary) *Acta Entomologica Sinica* 30(1): 31-40.
- Hu, X.Q. & Wu, S.X. 1987. Observations on the control effect of parasitic natural enemies on *Cnaphalocrocis medinalis*. *Natural Enemies of Insects* 9(4): 187-189, 198.
- Hua, L. & Shen, B.C. 1992. A preliminary study on the peach fruit-borer (*Carposina niponensis*) infesting wild jujube. *Plant Protection* 18(2): 15-17.
- Huang, C.C., Chang, K.S. & Chu, Y.I. 1994. Damage and population fluctuation of the litchi fruit borer, *Conopomorpha sinensis* Bradley, in Chia-Nan district, Taiwan. *Plant Protection Bulletin Taipei* 36(2): 85-95.
- Huang, C.C., Peng, W.K. & Talekar, N.S. 2003. Parasitoids and other natural enemies of *Maruca vitrata* feeding on *Sesbania cannabina* in Taiwan. *BioControl* 48(4): 407-416.
- Huang, J.C., Chen, J.H. & Wu, Z.S. 1994. Notes on a new species and a new record of genus *Leptodrepana* Shaw (Hymenoptera: Braconidae) from China. *Entomological Journal of East China* 3(2): 5-7.
- Huang, X.F. 1990. A study on the biology of *Bracon hebetor*. *Natural Enemies of Insects* 12(2): 85-90.
- Huang, Y.L. & Wu, R.X. 1986. Biology of *Macrocentrus linearis*. *Natural Enemies of Insects* 8(1): 35-40.
- Huang, Y.Q., Zhang, X.J., Wei, H., Hu, Q.Y. & Zhan, Z.X. 2000. Studies on the *Dichrocrocis punctiferalis* Guenée and its enemies. *Acta Agriculturae Universitatis Jiangxiensis* 22(4): 523-525.
- Huber, J.T., Eveleigh, E., Pollock, S. & McCarthy, P. 1996. The chalcidoid parasitoids and hyperparasitoids (Hymenoptera: Chalcidoidea) of *Choristoneura* species (Lepidoptera: Tortricidae) in America north of Mexico. *Canadian Entomologist* 128(6): 1167-1220.
- Hübner, G. & Völkl, W. 1996. Behavioral strategies of aphid hyperparasitoids to escape aggression by honeydew-collecting ants. *Journal of Insect Behavior* 9(1): 143-157.
- Hübner, G. 2001. Within-patch search flights by *Pachyneuron aphidis* (Hym.: Pteromalidae): a potential strategy to compensate reduced foraging speed by foot. *Journal of Applied Entomology* 125(6): 309-312.
- Huddleston, T. 1976. A revision of *Elasmosoma* Ruthe (Hymenoptera: Braconidae) with two new species from Mongolia. *Annales Historico-Naturales Musei Nationalis Hungarici* 68: 215-225.
- Huddleston, T. & Short, J.R.T. 1978. A new genus of Euphorinae (Hymenoptera: Braconidae) from Australia with a description of the final instar larva of one species. *Journal of the Australian Entomological Society* 17: 317-321.
- Huddleston, T. 1980. A revision of the western Palaearctic species of the genus *Meteorus* (Hymenoptera: Braconidae). *Bulletin of the British Museum (Natural History), Entomology series* 41(1): 1-58.
- Huddleston, T. 1983. *Meteorus* (Hymenoptera: Braconidae) of Australia and New Guinea. *Systematic Entomology* 8: 393-420.
- Huddleston, T. 1984. The Palaearctic species of *Ascogaster* (Hymenoptera: Braconidae). *Bulletin of the British Museum (Natural History), Entomology series* 49(5): 341-392.
- Huddleston, T. 1986. The braconid genus *Meteorus* in New Zealand (Insecta: Hymenoptera). *Journal of Natural History* 20: 255-265.
- Huddleston, T. & Gauld, I.D. 1988. Parasitic wasps (Ichneumonoi-dea) in British light-traps. *Entomologist* 107: 134-154.
- Huddleston, T. & Walker, A.K. 1988. *Cardiochiles* (Hymenoptera: Braconidae), a parasitoid of lepidopterous larvae, in the Sahel of Africa, with a review of the biology and host relationships of the genus. *Bulletin of Entomological Research* 78(3): 435-461.
- Huddleston, T. & Walker, A.K. 1994. A revision of the *Chelonus scrobiculatus* species-group of Cheloninae (Insecta: Hymenoptera: Braconidae). *Annalen des Naturhistorischen Museums in Wien* 96B: 153-168.
- Hufbauer, R.A. & Via, S. 1999. Evolution of an aphid-parasitoid interaction: variation in resistance to parasitism among aphid populations specialized on different plants. *Evolution* 53(5): 1435-1445.
- Hufbauer, R.A., Bogdanowicz, S.M., Perez, L. & Harrison, R.G. 2001. Isolation and characterization of microsatellites in *Aphidius ervi* (Hymenoptera: Braconidae) and their applicability to related species. *Molecular Ecology Notes* 1(3): 197-199.
- Hufbauer, R.A. 2001. Pea aphid-parasitoid interactions: Have parasitoids adapted to differential resistance? *Ecology (Washington D.C.)* 82(3): 717-725.

- Hufbauer, R.A. 2002.** Evidence for nonadaptive evolution in parasitoid virulence following a biological control introduction. *Ecological Applications* 12(1): 66-78.
- Hufbauer, R.A. 2002.** Aphid population dynamics: does resistance to parasitism influence population size? *Ecological Entomology* 27(1): 25-32.
- Hufbauer, R.A., Bogdanowicz, S.M. & Harrison, R.G. 2004.** The population genetics of a biological control introduction: Mitochondrial DNA and microsatellite variation in native and introduced populations of *Aphidius ervi*, a parasitoid wasp. *Molecular Ecology* 13(2): 337-348.
- Huflejt, T. 1997.** Hymenoptera, Braconidae: 7-159. In: Razowski, J. [ed.]. "Wykaz zwierząt Polski. Tom. 5: czesc 32/24: Hymenoptera - poslowie. Checklist of animals of Poland. Vol. 5: part 32/24 Hymenoptera - postscript." Wydawnictwa Instytutu Systematyki i Ewolucji Zwierząt PAN, Krakow: 1-260.
- Hughes, K. & Sokolowski, M.B. 1996.** Natural selection in the laboratory for a change in resistance by *Drosophila melanogaster* to the parasitoid wasp *Asobara tabida*. *Journal of Insect Behavior* 9(3): 477-491.
- Hughes, R.D., Woolcock, L.T. & Ferrar, P. 1974.** The selection of natural enemies for the biological control of the Australian bushfly. *Journal of Applied Ecology* 11: 483-488.
- Hughes, R.D. & Woolcock, L.T. 1976.** *Aphaereta aotea* sp. n. (Hymenoptera: Braconidae), an alysiine parasite of dung breeding flies. *Journal of the Australian Entomological Society* 15: 191-196.
- Hughes, R.D. & Woolcock, L.T. 1978.** Initial assessment of an introduced polyphagous alysiine parasitoid which attacks the Australian bushfly. *Journal of Applied Ecology* 15: 145-154.
- Hughes, R.D., Morton, R. & Roberts, J.A. 1982.** Assessment of the parasitization of aphids. *Proceedings of the Australasian Conference on Grassland Invertebrate Ecology* 3 (1981): 183-189.
- Hughes, R.D., Woolcock, L.T., Roberts, J.A. & Hughes, M.A. 1987.** Biological control of the spotted alfalfa aphid, *Therioaphis trifolii* F. *maculata*, on lucerne crops in Australia, by the introduced parasitic Hymenoptera *Trioxys complanatus*. *Journal of Applied Ecology* 24: 515-537.
- Hughes, R.D., Woolcock, L.T. & Hughes, M.A. 1992.** Laboratory evaluation of parasitic Hymenoptera used in attempts to biologically control aphid pests of crops in Australia. *Entomologia Experimentalis et Applicata* 63(2): 177-185.
- Huiza, I.R. de & Ortiz P, M. 1980.** Algunos Aphidiinae (Hymenopt.: Braconidae) parasitoides de afidos (Homopt.: Aphidae) en el Peru. *Revista Peruana de Entomologia* 23(1): 129-132.
- Hull, L.A., Biddinger, D.J. & Felland, C.M. 1992.** Tufted apple bud moth parasitoid diversity, relative effectiveness and temporal distribution in conventional and pheromone disruption apple orchards in Pennsylvania. *Pennsylvania Fruit News* 73(2): 19-23.
- Hulme, M.A., Dawson, A.F. & Harris, J.W.E. 1986.** Exploiting cold-hardiness to separate *Pissodes strobi* (Peck) (Coleoptera: Curculionidae) from associated insects in leaders of *Picea sitchensis* (Bong.) Carr. *Canadian Entomologist* 118(11): 1115-1122.
- Hulme, M.A. 1994.** The potential of *Allodorus crassigaster* for the biological control of *Pissodes strobi*. *FRDA Report* 226: 294-300.
- Hunter, A.F. & Elkinton, J.S. 2000.** Effects of synchrony with host plant on populations of a spring-feeding lepidopteran. *Ecology* (Washington D.C.) 81(5): 1248-1261.
- Hurni, B. & Stadler, E. 1993.** The parasitic wasp *Aphelinus abdominalis* against aphids in tomatoes. *Gemüse München* 29(3): 196-198.
- Hurtrel, B. & Quilici, S. 1997.** Influence of temperature on the preimaginal development of *Psytalia fletcheri* Silvestri (Hymenoptera: Braconidae), parasitoid of *Bactrocera cucurbitae* Coquillett (Diptera: Tephritidae). Influence de la temperature sur le developpement preimaginal de *Psytalia fletcheri* Silvestri (Hymenoptera: Braconidae), parasitoide de *Bactrocera cucurbitae* Coquillett (Diptera: Tephritidae). *IOBC WPRS Bulletin* 20(8): 7-13.
- Hurtrel, B., Quilici, S., Nenon, J.P. & Gourdon, F. 1999.** The oviposition activity of two fruit fly (Diptera: Tephritidae) parasitoid species, *Psytalia fletcheri* (Silvestri) and *Diachasmimorpha tryoni* (Cameron) (Braconidae: Opiinae). Actes de la IV Conference Internationale Francophone d'Entomologie, Saint-Malo, France, 5-9 juillet 1998. *Annales de la Societe Entomologique de France* 35: 443-446.
- Hurtrel, B., Quilici, S., Nenon, J.P. & LeLannic, J. 2001.** Preimaginal developmental biology of *Diachasmimorpha tryoni* (Cameron), a parasitoid of the mediterranean fruit fly. *Insect Science and its Application* 21(1): 81-88.
- Husberg, G.B. & Hokkanen, H.M.T. 2001.** Effects of *Metarhizium anisopliae* on the pollen beetle *Meligethes aeneus* and its parasitoids *Phradis morionellus* and *Diospilus capito*. *BioControl* 46(3): 261-273.
- Hussain, M., Askari, A. & Asadi, G. 1976.** A study of *Bracon lefroyi* (Hymenoptera: Braconidae) from Iran. *Entomological News* 87(9-10): 299-302.
- Hutchison, W.D., Butler, G.D. Jr. & Martin, J.M. 1986.** Temperature-dependent development, mortality, and longevity of *Microplitis rufiventris* (Hymenoptera: Braconidae), a parasitoid of the beet armyworm (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 79(1): 262-265.
- Hwang, J.S. & Hsieh, F.K. 1989.** The bionomics of the cocoa pod borer, *Conopomorpha cramerella* (Snellen), in Taiwan. *Plant Protection Bulletin Taipei* 31(4): 387-395.
- Hyden, N. 1990.** Baptria tibiale and *Eupithecia actaeata* (Lep.: Geometridae) in NW Europe-distribution, biology, oviposition and preferred habitats. *Entomologisk Tidskrift* 111(1-2): 1-15.
- Högvar, E.B. & Hofsvang, T. 1987.** Foraging by the aphid parasitoid *Ephedrus cerasicola* for patchily distributed hosts. *Entomologia Experimentalis et Applicata* 44: 81-88.
- Ibrahim, A.A. 1986.** Host preference and biological studies of *Microplitis rufiventris* Kok., a parasite of *Spodoptera littoralis* (Boisd.) in Egypt. *Bulletin de la Societe Entomologique d'Egypte*, publ. 1987, 66: 51-56.
- Ibrahim, A.A., Fayad, Y.H., Kares, E.A. & Shalaby, F.F. 1987.** Biological and ecological studies on the parasite *Zele nigricornis* Walk. (Hymenoptera: Braconidae). *Bulletin de la Societe Entomologique d'Egypte*, (1986) 66: 13-25.
- Ibrahim, A.G., Palacio, I.P. & Rohani, I. 1993.** The life-cycle of *Bioosteres arisanus*, with reference to adult reproductive capacity on eggs of Oriental fruit-fly. *Malaysian Applied Biology* 21(2) (December, 1992): 63-69.
- Ibrahim, A.G., Palacio, I.P. & Rohani, I. 1994.** Biology of *Diachasmimorpha longicaudata*, a parasitoid of carambola fruit fly (Diptera: Tephritidae). *Pertanika Journal of Tropical Agricultural Science* 17(2): 139-143.
- Ibrahim, A.M.A. & Afifi, A.I. 1991.** Seasonal fluctuation of English grain aphid *Sitobion avenae* (Fab.) (Hom.: Aphididae) on wheat and its primary parasitoids and hyperparasitoids in Giza Governorate, Egypt. *Bulletin of Faculty of Agriculture, University of Cairo* 42(1): 167-182.
- Ide, S. & Lanfranco, D. 2001.** Longevity of *Orgilus obscurator* Nees. (Hymenoptera: Braconidae) under the influence of different food sources. *Revista Chilena de Historia Natural* 74(2): 469-475.
- Idinger, J. 1995.** Ground photoeclector evaluation of Diptera and parasitoid Hymenoptera in unfertilized, mineral nitrogen and compost fertilized grain fields. *Mitteilungen der Deutschen Gesellschaft für Allgemeine und angewandte Entomologie* 10(1-6): 553-556.

- Idris, A.B., Hasmawati, Z., Nor Zaneedarwarty, N. & Nur Azura, A. 2003.** Diversity, abundance and species similarity of braconid wasps in logged and fragmented forests. *Malaysian Applied Biology* 31(2)(December 2002): 71-77.
- Igbinoso, I.B. 1988.** Parasites of the immature stages of *Latoia viridissima* Holland (Lep.: Limacodidae), a pest of palms in Nigeria. *Journal of Applied Entomology* 106(5): 527-530.
- Ikawa, L.T. & Okabe, H. 1988.** Computer vision system for enumerating the eggs of a parasitic wasp, *Apanteles glomeratus*. *Japanese Journal of Applied Entomology and Zoology* 32(1): 6-12.
- Ikawa, T. 1980.** Host discrimination of the parasitic wasp *Apanteles glomeratus* L. (Hymenoptera: Braconidae). *International Congress of Entomology Proceedings* 16: 227.
- Ikawa, T. & Suzuki, Y. 1982.** Ovipositional experience of the gregarious parasitoid, *Apanteles glomeratus* (Hymenoptera: Braconidae), influencing her discrimination of the host larvae, *Pieris rapae crucivora*. *Applied Entomology and Zoology* 17: 119-126.
- Ikawa, T. & Okabe, H. 1984.** Two methods for estimating the number of eggs laid in a host by the gregarious endoparasitoid, *Apanteles glomeratus* (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 19: 389-390.
- Ikawa, T. & Okabe, H. 1985.** Regulation of egg number per host to maximize the reproductive success in the gregarious parasitoid, *Apanteles glomeratus* L. (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 20: 331-339.
- Ikawa, T., Shimada, M., Matsuda, H. & Okabe, H. 1993.** Sex allocation in parasitic wasps: local mate competition, dispersal before mating and host quality variation. *Journal of Evolutionary Biology* 6(1): 79-94.
- Ikincisoy, Y., Kornosor, S. & Sertkaya, E. 1994.** Investigation of the natural enemies of *Acantholeucania loreyi* Duponchel (Lepidoptera: Noctuidae) larvae in Cukurova region. *Turkiye III. Biyolojik Mucadele Kongresi Bildirileeri*, 25-28 Ocak 1994, Ege Üniversitesi Ziraat Fakültesi, Bitki Koruma Bölümü, İzmir 555-564.
- Iline, I.I., Phillips, C.B., Goldson, S.L. & Chapman, H.M. 2002.** Allozyme variation between South American geographic populations of *Microctonus hyperodae*. *New Zealand Plant Protection* 55: 267-271.
- Iline, I.I., Phillips, C.B., Goldson, S.L., Chapman, H.M. & Zydenbos, S.M. 2002.** Allozyme variation between South American geographic populations of *Microctonus hyperodae*. *New Zealand Plant Protection Volume 55, 2002. Proceedings of a conference, Centra Hotel, Rotorua, New Zealand, 13-15 August 2002.* 267-271.
- Iline, I.I. & Phillips, C.B. 2003.** Allozyme variation between European and New Zealand populations of *Microctonus aethiopoidea*. *New Zealand Plant Protection* 56: 133-137.
- Ilovai, Z. & Lenteren, J.C. van 1997.** Development of a method for testing adult-fly capacity of *Aphidius colemani* Vierck (Hymenoptera: Braconidae). *IOBC-WPRS Bulletin* 20(4): 207-214.
- Imamura, K. & Yamazaki, S. 1975.** Studies on the parasite, *Apanteles chilonis* Munakata, on rice stem borer, *Chilo suppressalis* Walker. III. Emerging habits. (in Japanese) *Proc. Ass. Pl. Prot. Hokuriku* 23: 68-72.
- Inanç, F. & Beyarslan, A. 1990.** Microgasterinae (Hymenoptera, Braconidae) species determined in Istranca mountains II. *Proceedings of the 2nd International Biological Control Congress* 124-132.
- Inanç, F. & Beyarslan, A. 1990.** Species of *Apanteles* Foerster (Hymenoptera: Braconidae: Microgasterinae) of the Istranca Mountains. *Doga, Turk Zooloji Dergisi* 14(3): 281-300.
- Inanç, F. 1992.** *Microgaster gracilis* sp. nov. aus der Türkei (Hymenoptera, Braconidae, Microgasterinae). *Entomofauna* 13(32): 537-541.
- Inanç, F. & Beyarslan, A. 1994.** New records Cardiochilinae (Hymenoptera, Braconidae) fauna of Turkey. (in Turkish with English summary) XII Ulusal Biyoloji Kongresi 243-247.
- Inanç, F. & Beyarslan, A. 1997.** Microgasterinae (Hymenoptera: Braconidae) species collected from some provinces of Gaziantep and Sanliurfa. *Turkiye Entomoloji Dergisi* 21(3), Eylül, 1997: 213-223.
- Inanç, F. 1997.** The Microgasterinae (Hymenoptera: Braconidae) fauna of the Thrace region of Turkey. *Turkish Journal of Zoology* 21(2): 135-165.
- Inanç, F. & Beyarslan, A. 2001.** A study on Microgasterinae (Hymenoptera: Braconidae) species in Gokceada and Bozcaada. *Turkish Journal of Zoology* 25(3): 287-296.
- Inanç, F. & Beyarslan, A. 2001.** Die Microgasterinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae). *Entomofauna* 22(11): 221-244.
- Inanç, F. & Beyarslan, A. 2001.** New records of Microgasterinae (Hymenoptera: Braconidae) for Turkish Thrace in Turkey. *Trakya Bolgesinden Turkiye Microgasterinae (Hymenoptera: Braconidae) faunasi icin yeni kayitlar.* *Turkiye Entomoloji Dergisi* 25(3), Eylül 2001: 205-216.
- Inanç, F. 2002.** A new species of *Microplitis* (Hymenoptera: Braconidae: Microgasterinae) from Turkey. *Biologia Bratislava* 57(5): 563-566.
- Inanç, F. 2002.** *Cotesia pappi* sp. n. (Hymenoptera, Braconidae: Microgasterinae) from Turkey. *Acta Zoologica Academiae Scientiarum Hungaricae* 48(2): 157-160.
- Inanç, F. 2002.** Untersuchungen über Cardiochilinae-Fauna der Türkei. (Hymenoptera, Braconidae). *Entomofauna* 23(10): 121-124.
- Inayatullah, C. 1983.** Host selection by *Apanteles flavipes* (Cameron) (Hymenoptera: Braconidae): influence of host and host plant. *Journal of Economic Entomology* 76: 1086-1087.
- Inayatullah, C. 1986.** Development and survival of *Apanteles flavipes* (Cam.) on *Chilo partellus* (Swinh.) larvae reared on an artificial diet. *Journal of Agricultural Research Lahore* 24(3): 211-214.
- Inayatullah, C. 1987.** Development and survival of *Apanteles flavipes* (Cam.) (Hymenoptera, Braconidae) on *Chilo partellus* (Swinh.) (Lepidoptera, Pyralidae) larvae reared on gram-flour diet. *Insect Science and its Application* 8(1): 95-97.
- Inayatullah, M. & Karimullah, 1996.** A preliminary key to the subfamilies of Braconidae (Hymenoptera) of the NWFP, Pakistan. *Sarhad Journal of Agriculture* 12(6): 667-677.
- Inayatullah, M., Shaw, S.R. & Quicke, D.L.J. 1998.** The genus *Vipio* Latreille (Hymenoptera: Braconidae) of America north of Mexico. *Journal of Natural History* 32(1): 117-148.
- Inayatullah, M. 2002.** The genera of the subfamily Euphorinae collected in NWFP-Pakistan. *Sarhad Journal of Agriculture* 18(2): 225-230.
- Infante, F., Hanson, P. & Wharton, R. 1995.** Phytophagy in the genus *Monitoriella* (Hymenoptera: Braconidae) with description of new species. *Annals of the Entomological Society of America* 88(4): 406-415.
- Ingawale, D.M. & Sathe, T.V. 1994.** Biology and biometry of *Apanteles jayanagarensis* Bhatnagar (Hymenoptera: Braconidae), a larval parasitoid of *Spilosoma obliqua* (Wlk). *Journal of Animal Morphology and Physiology* 41(1): 13-17.
- Inglesfield, C. 1989.** A long-term field study to investigate the effects of alpha-cypermethrin on predatory and parasitic arthropods. *Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent* 54(3a): 895-904.
- Inglis, G.D., Lawrence, A.M. & Davis, F.M. 2000.** Pathogens associated with southwestern corn borers and southern corn stalk borers (Lepidoptera: Crambidae). *Journal of Economic Entomology* 93(6): 1619-1626.

- Ingram, W.R. 1981. The parasitoids of *Spodoptera littoralis* (Lep.: Noctuidae) and their role in population control in Cyprus. Entomophaga 26: 23-37.
- Ingram, W.R. 1983. Biological control of graminaceous stemborers and pod-borers. Insect Science and its Application 4: 205-209.
- Injac, M. & Mihailovic, L. 1985. Occurrence of the moth *Autographa gamma* L. (Lepidoptera: Noctuidae) in Vojvodina in 1984 and larval parasitization. Glasnik Zastite Bilja 8(5): 174-176.
- International Commission on Zoological Nomenclature. 1987. Opinion 1424. *Gnamptodon* Haliday, 1833 (Insecta, Hymenoptera): *Bracon pumilio* Nees, 1834 designated as type species. Bulletin of Zoological Nomenclature 44(1): 55-56.
- International Commission on Zoological Nomenclature. 1988. Opinion 1480. *Apanteles ornigis* Weed, 1887 (currently *Pholetesor ornigis*, Insecta, Hymenoptera): specific name conserved. Bulletin of Zoological Nomenclature 45(1): 80-81.
- International Commission on Zoological Nomenclature. 1988. Opinion 1497. *Opius* Wesmael, 1835 (Insecta, Hymenoptera): *Opius pallipes* Wesmael, 1835 designated as type species. Bulletin of Zoological Nomenclature 45(2): 175-176.
- International Commission on Zoological Nomenclature. 1988. Opinion 1510. *Microgaster* Latreille, 1804 (Insecta, Hymenoptera): *Microgaster australis* Thomson, 1895 designated as the type species. Bulletin of Zoological Nomenclature 45: 239-240.
- International Commission on Zoological Nomenclature. 1989. Opinion 1530. *Coeloides* Wesmael, 1838 (Insecta, Hymenoptera): *Coeloides scolyticida* Wesmael, 1838 designated as the type species. Bulletin of Zoological Nomenclature 46(1): 74-75.
- International Commission on Zoological Nomenclature. 1989. Opinion 1531. *Disophrys* Foerster, 1862 (Insecta, Hymenoptera): *Agathis caesa* Klug, 1835 designated as the type species. Bulletin of Zoological Nomenclature 46(1): 76.
- International Commission on Zoological Nomenclature. 1989. Opinion 1546. *Chelonus* Panzer, 1806 (Insecta, Hymenoptera) and *Anomala* Samouelle, 1819 (Insecta, Coleoptera): names conserved. Bulletin of Zoological Nomenclature 46(2): 149-150.
- International Commission on Zoological Nomenclature. 1994. Opinion 1758. *Vipio* Latreille, 1804 (Insecta, Hymenoptera): *Agathis longicauda* Boheman, 1853 designated as the type species. Bulletin of Zoological Nomenclature 51(1): 76-78.
- Ioan, M.I., Mirica, A.I. & Timotei, P.S. 1987. Record of two species of aphid pests of grapevine. Buletinul de Protectia Plantelor 2-3: 15-17.
- Ionaitis, V.P. 1988. Some regularities of the dynamics of the density of a population of insects in a territory during the development of outbreaks of mass reproduction. Entomologicheskoe Obozrenie 67(1): 21-30.
- Ionaitis, V.P. 1991. Records and descriptions of insect species new and rare for Lithuania, 1991. Institute of Ecology, Lithuanian Entomological Society, Vilnius, Lithuania, 70 pp.
- Iperti, G. 1964. Les parasites des coccinellis aphidiphages dans les alpes-maritimes et les basses-alpes. Entomophaga 9(2): 153-180.
- Iperti, G. 1987. Insetti utili: i coccinellidi. If (Informatore Fitopatologico) 37(2): 21-27.
- Ippolito, R. & Parenzan, P. 1982. Nota sulla svernamento di *Lysiphlebus testaceipes* Cr. (Hymenoptera: Ichneumonboidea). Entomologica, Bari 17: 181-188.
- Iqbal S. 1980. Population dynamics and integrated control of *Crocidolomia binotalis* Zeller (Lepidoptera: Pyralidae). Thesis Abstracts Haryana Agricultural University 6(1): 30-31.
- Iqbal, M., Ismail, F. & Wright, D.J. 1996. Loss of residual activity of abamectin on foliage against adult hymenopteran parasitoids. Entomophaga 41(1): 117-124.
- Iqbal, M & Austin, A.D. 2002. New species of the Australian endemic wasp genus *Notosigalphus* van Achterberg and Austin (Hymenoptera: Braconidae) from Flinders Island, Tasmania. Australian Journal of Entomology 41(2): 149-154.
- Iraira, S., Rebolledo, R. & Aguilera, P.A. 2000. Biological aspects of the Mediterranean flour moth *Anagasta kuehniella* (Zeller) (Lepidoptera: Pyralidae) reared on pollen. Revista Chilena de Entomologia 27: 79-84.
- Ireson, J.E. & Mcquillan, P.B. 1984. Observations on the biology and behavior of *Homoeosoma farinaria* (Lepidoptera: Pyralidae) on *Senecio jacobaea* in Tasmania (Australia). Journal of the Australian Entomological Society 23(4): 285-292.
- Irvin, L.C., Eikenbary, R.D., Campbell, R.K., Faro, W.S. & Dillwith, J.W. 1992. Identification of cereal aphid parasitoids by epicuticular lipid analysis. Series Entomologica (Dordrecht) 49: 349-350.
- Irvin, N.A., Wratten, S.D., Chapman, R.B., Frampton, C.M. & O'Callaghan, M. 1999. Effects of floral resources on fitness of the leafroller parasitoid (*Dolichogenidea tasmanica*) in apples. Proceedings of the Fifty Second New Zealand Plant Protection Conference, Auckland Airport Centra, Auckland, New Zealand, 10-12 August, 1999. 84-88.
- Irvin, N.A., Wratten, S.D., Frampton, C.M., Austin, A.D. & Dowton, M. 2000. Understorey management for the enhancement of the leafroller parasitoid *Dolichogenidea tasmanica* (Cameron) in orchards at Canterbury, New Zealand. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 396-403.
- Irwin, A.G. 1985. *Phytomyza thyssellini* Hendel (Diptera: Agromyzidae), a leaf-mining fly new to Britain. Entomologist's Gazette 36(2): 103.
- Isart, J., Chichon, F.M. & Valle, M.A.N. 1983. Quelques observations sur la biologie et le comportement de la 'Noctuelle de l'Artichaut', *Hydraecia xanthenes* (Germar) (Lep. Noctuidae). Bulletin de la Société Entomologique de France 88: 333-337.
- Isenhour, D.J. 1988. Interactions between two Hymenopterous parasitoids of the fall armyworm (Lepidoptera: Noctuidae). Environmental Entomology 17(3): 616-620.
- Ishii, M., Sato, Y. & Tagawa, J. 2000. Diapause in the braconid wasp, *Cotesia glomerata* (L.) II. Factors inducing and terminating diapause. Seasonal adaptation in insects and mites: molecular, biological, physiological and ecological aspects, opening the new horizon. Proceedings of the International Japanese Czech New Year Seminar of Entomology, 8-10 January, Kochi, Japan. Entomological Science 3(1): 201-206.
- Ishikawa, H. 1989. Biochemical and molecular aspects of endosymbiosis in insects. International Review of Cytology 116: 1-45.
- Ishitsuka, T., Watanabe, Y. & Ohsawa, S. 1999. Parasitoids of the diamondback moth *Plutella xylostella* (L.) collected from broccoli fields in Fukushima Prefecture [Japan]. Annual Report of the Society of Plant Protection of North Japan 50: 190-192.
- Islam, W., Ahmed, K.M. & Malek, M.A.M. 1985. Hymenopterous parasites on insect pests of two stored pulses. Bangladesh Journal of Zoology 13(2): 81-85.
- Islam, Z. & Rabbi, M.F. 1998. Parasitism of rice hispa, *Diuraphis armigera* (Olivier) grubs in Bangladesh. Bangladesh Journal of Entomology 8(1-2): 127-129.
- Ismail, I.I. & Swailem, S.M. 1976. On the biology of the bollworm *Heliothis armigera* (Hübner) (Lepidoptera: Noctuidae). Bulletin de la Société Entomologique d'Egypte 59(1975): 207-216.
- Issa, S., & Marciano, R. 1994. Population dynamics of *Liriomyza sativae* and its parasites on tomato. Turrialba 44(1): 24-30.
- Issi, I.V. & Maslennikova, V.A. 1964. Effects of microsporidiosis on the diapause and survival of the parasite *Apanteles glomeratus* L. (Hymenoptera, Braconidae) and *Pieris brassicae* L. (Lepidoptera, Pieridae). Entomologicheskoye Obozreniye 43: 112-117. [Entomological Review 43: 56-58.]

- Issi, I.V. & Maslennikova, V.A. 1966. The role of the parasite *Apanteles glomeratus* L. (Hymenoptera: Braconidae) in transmission of *Nosema polyvora* Bluck (Protozoa, Microsporidia). *Entomologicheskoye Obozreniye*. [Entomological Review 45: 275-277].
- Ivanochko, M. 1971. An evaluation of some of the factors that may contribute to proliferation of braconid parasites. *Proceedings of the Entomological Society of Ontario* 102: 109-115.
- Ivanov, E.V. 1980. Braconids of the tribe Dacnusiini (Hymenoptera, Braconidae), of the Lenkoran lowland and Talysh Mountains. *Entomologicheskoye Obozreniye* 59(3) 1980: 631-633. [Entomological Review 109-111].
- Ivashov, A.V. & Podmarkov, M.Y. 1998. A contribution of parasitoids into reduction of green oak leaf-rolling moth *Tortrix viridana* larval population in mountain Crimea. *Vestnik Zoologii* 32(4): 94-96.
- Ives, A.R. 1995. Spatial heterogeneity and host-parasitoid population dynamics: do we need to study behavior? *Oikos* 74(3): 366-376.
- Ives, A.R. & Settle, W.H. 1996. The failure of a parasitoid to persist with a superabundant host: the importance of the numerical response. *Oikos* 75(2): 269-278.
- Ives, A.R., Gross, K.J. & Vincent, A.A. 2000. Periodic mortality events in predator-prey systems *Ecology* (Washington D.C.) 81(12): 3330-3340.
- Ives, A.R., Schooler, S.S., Jagar, V.J., Knuteson, S.E., Grbic, M. & Settle, W.H. 1999. Variability and parasitoid foraging efficiency: a case study of pea aphids and *Aphidius ervi*. *American Naturalist* 154(6): 652-673.
- Iwao, K. & Ohsaki, N. 1996. Inter- and intraspecific interactions among larvae of specialist and generalist parasitoids. *Researches on Population Ecology* 38(2): 265-273.
- Iwao, K., Nakamura, S. & Ohsaki, N. 2001. Plant-based host preference and larval competition of the tachinid parasitoid *Epicampocera succincta*. *Population Ecology* 43(2): 149-155.
- Izhevskiy, S.S. 1985. Review of the parasites of potato tuber moth *Phthorimaea operculella* (Lepidoptera: Gelechiidae). *Entomologicheskoye Obozreniye* 64(5): 516-524. [Entomological Review 64(3): 148-160].
- Izhevskiy, S.S. & Mironova, M.K. 1993. Two new promising entomophages of the American white butterfly. *Zashchita Rastenii Moskva* 6: 36-37.
- Izquierdo, J.I., Solans, P. & Vitalle, J. 1994. Parasitoids and predators of *Helicoverpa armigera* (Hübner) on table tomato crops. *Boletín de Sanidad Vegetal, Plagas* 20(2): 521-530.
- Jacas, J., Gonzalez, M. & Vinuela, E. 1995. Influence of the application method on the toxicity of the moulting accelerating compound tebufenozide on adults of the parasitic wasp *Opius concolor* Szépl. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent 60(3b): 935-939.
- Jacas, J., Vinuela, E. & Sanchez, E. 1990. Attraction of *Opius concolor* to monochromatic light. *Acta Horticulturae* 286: 367-370.
- Jacas, J., Vinuela, E., Adan, A., Budia, F., Del Estal, P. & Marco, V. 1992. Secondary effects of some pesticides used in Spanish olive groves on adults of *Opius concolor* Szépl. (Hym.: Braconidae), a parasitoid of the olive fly, *Bactrocera oleae* (Gmel.) (Dip.: Tephritidae). *Boletín de Sanidad Vegetal, Plagas* 18(2): 315-321.
- Jacas, J., Vinuela, E., Budia, F., Marco, V. & Del Estal, P. 1992. Laboratory evaluation of selected pesticides against *Opius concolor* Szépl. (Hymenoptera: Braconidae). *Tests of Agrochemicals and Cultivars* 13: 140-141.
- Jacas, J.A. & Vinuela, E. 1994. Analysis of a laboratory method to test the effects of pesticides on adult females of *Opius concolor* (Hym.: Braconidae), a parasitoid of the olive fruit fly, *Bactrocera oleae* (Dip.: Tephritidae). *Biocontrol- Science and Technology* 4(2): 147-154.
- Jacas, J.A. & Vinuela, E. 1994. Normalization of the method to study the secondary effects of insecticides on *Opius concolor* Szépl. (Hym.: Braconidae). *Boletín de Sanidad Vegetal, Plagas* 20(2): 409-417.
- Jacas, J.A. & Vinuela, E. 1994. Side-effects of pesticides on *Opius concolor* Szépl. (Hymenoptera: Braconidae), a parasitoid of the olive fly. *Bulletin OILB SROP* 17(10): 143-146.
- Jacas, J.A., Budia, F., Rodriguez Cerezo, E. & Vinuela, E. 1997. Virus-like particles in the poison gland of the parasitic wasp *Opius concolor*. *Annals of Applied Biology* 130(3): 587-592.
- Jackson, C.G., Delph, J.S. & Neeman, E.G. 1978. Development, longevity and fecundity of *Chelonus blackburni* (Hymenoptera: Braconidae) as a parasite of *Pectinophora gossypiella* (Lepidoptera: Gelechiidae). *Entomophaga* 23(1): 35-42.
- Jackson, C.G., Neeman, E.G. & Patana, R. 1979. Parasitization of 6 Lepidopteran cotton pests by *Chelonus blackburni* (Hym.: Braconidae). *Entomophaga* 24(1): 99-105.
- Jackson, C.G. & Patana, R. 1980. Effect of temperature on the development and survival of the immature stages of *Bracon platynotae*, a native parasite of *Pectinophora gossypiella* (Lepidoptera: Gelechiidae). *Southwestern Entomologist* 5(1): 65-68.
- Jackson, C.G. & Butler, G.D. Jr. 1984. Development time of three species of *Bracon* (Hymenoptera: Braconidae) on the pink bollworm (Lepidoptera: Gelechiidae) in relation to temperature. *Annals of the Entomological Society of America* 77: 539-542.
- Jackson, C.G. & Debolt, J.W. 1990. Labelling of *Leiothron uniformis*, a parasitoid of *Lygus* spp., with rubidium. *Southwestern Entomologist* 15(3): 239-243.
- Jackson, C.G., Chan, H.T.Jr., Taniguchi, M.H., Churchill, D.B. & Bilsland, D.M. 1996. Pneumatic air separation for the sorting of parasitized and unparasitized fruit fly (Diptera: Tephritidae) puparia. *Journal of Economic Entomology* 89(2): 353-358.
- Jackson, C.G., Debolt, J.W. & Jones, W.A. 1998. Use of barriers to limit movement of parasitoids of *Lygus* spp. *Southwestern Entomologist* 23(4): 309-315.
- Jackson, D.M., Tingle, F.C. & Mitchell, E.R. 1984. Survey of *Heliothis* spp. larvae found on Florida beggarweed and postharvest tobacco in Florida. *Florida Entomologist* 67(1) 1984: 130-141.
- Jackson, D.M. & Kester, K.M. 1996. Effects of diet on longevity and fecundity of the spined stilt bug, *Jalysus wickhami*. *Entomologia Experimentalis et Applicata* 80(2): 421-425.
- Jackson, D.M., Nottingham, S.F., Schlotzhauer, W.S., Horvat, R.J., Sisson, V.A., Stephenson, M.G., Foard, T. & McPherson, R.M. 1996. Abundance of *Cardiochiles nigriceps* (Hymenoptera: Braconidae) on *Nicotiana species* (Solanaceae). *Environmental Entomology* 25(5): 1248-1255.
- Jackson, D.M. & Sisson, V.A. 1998. Potential of *Nicotiana kawakamii* (Solanaceae) as a trap crop for protecting flue-cured tobacco from damage by *Heliothis virescens* (Lepidoptera: Noctuidae) larvae. *Journal of Economic Entomology* 91(3): 759-766.
- Jackson, H.B., Coles, L.W., Wood, E.A.Jr. & Eikenbary, R.D. 1970. Parasites reared from the greenbug and corn leaf aphid in Oklahoma in 1968 and 1969. *Journal of Economic Entomology* 63(3): 733-736.
- Jackson, H.B., Rogers, C.E., Eikenbary, R.D., Starks, K.J. & McNew, R.W. 1974. Biology of *Ephedrus plagiator* on different aphid hosts and at various temperatures. *Environmental Entomology* 3: 618-620.
- Jackson, T.A. & McNeill, M.R. 1998. Premature death in parasitized *Listronotus bonariensis* adults can be caused by bacteria transmitted by the parasitoid *Microctonus hyperodae*. *Biocontrol Science and Technology* 8(3): 389-396.
- Jacob, S., Abraham, C.C. & Joy, P.J. 1981. Regulation of fecundity, progeny production and female-male composition of *Bracon brevicornis* Wesmael (Hymenoptera: Braconidae). *Agricultural Research Journal of Kerala* 18(2) (1980): 191-199.

- Jacobson, N.L. 1991.** Parasitoid and larval food plant records for three Peruvian moths (Arctiidae, Saturniidae). *Journal of the Lepidopterists' Society* 45(2): 173-175.
- Jacobson, R.J. & Croft, P. 1998.** Strategies for the control of *Aphis gossypii* Glover (Hom.: Aphididae) with *Aphidius colemani* Viereck (Hym.: Braconidae) in protected cucumbers. *Biocontrol Science and Technology* 8(3): 377-387.
- Jadhav, A.D. & Sathe, T.V. 1999.** Effect of host age on parasitism in *Apanteles bellipae* Rohw., a parasitoid of *Bombyx mori* Linn. *Geobios (Jodhpur)* 26(2-3): 103-106.
- Jadhav, A.D. & Sathe, T.V. 2001.** Host parasitoid plant interactions in a model, *Antheraea mylitta*-*Apanteles angaleti*. *Rivista di Parasitologia* 17(3)(Dicembre 2000): 365-373.
- Jadhav, D.B. & Khaire, V.M. 1987.** Persistent toxicity of insecticides and microbial preparations to the exotic egg-larval parasite, *Chelonus blackburni* Cameron. *Current Research Reporter* 3(2): 59-64.
- Jadhav, P.R. & Bilapate, G.G. 1984.** Role of key mortality factors in overlapping generations of *Earias vittella* in insecticide-treated cotton field. *Proceedings of the Indian Academy of Sciences Animal Sciences* 93(5): 485-490.
- Jagsch, A. 1973.** Populationsdynamik und Parsitenkomplex der Lorchenminiermotte, *Coleophora laricella* Hbn., im natürlichen Verbreitungsgebiet der europäischen Looche, *Latrrix decidua* Mill. *Zeitschrift für angewandte Entomologie* 73(1): 1-42.
- Jaiswal, A.K., Sharma, K.K. & Agarwal, S.C. 1999.** A modified and upgraded device of insect-separation for managing the insect pests of lac. *National Academy Science Letters* 22(5-6): 106-110.
- Jakaitis, B. 1979.** The biology of the seven main species of the pine and spruce bark beetles in the Lithuanian SSR. *Acta Entomologica Lituania* 4: 141-150.
- Jakaitis, B., Milisauskas, Z. & Jakimavičius, A. 1978.** [Braconids of forest biocenoses of the Lithuanian SSR.] *Trudy Akademii Nauk Litovskoi SSR* 2(82): 65-73.
- Jakhmola, S.S. 1983.** Natural enemies of Til leafroller and capsule-borer *Antigastra catalaunalis* (Dup.). *Bulletin of Entomology* 24(2): 147-148.
- Jakimavičius, A.B. 1968.** A new genus and species of Braconidae (Hymenoptera) from Lithuania. *Entomologicheskoye Obozreniye* 47(4): 904. [Entomological Review 47(4): 551-552.].
- Jakimavičius, A.B. 1969.** On the fauna wasps-braconids (Hymenoptera, Braconidae, Braconinae) in the Lithuanian SSR. *Trudy Akademii Nauk Litovskoi SSR*. B2(49): 77-88.
- Jakimavičius, A.B. 1972.** New species of the genus *Apanteles* (Hymenoptera, Braconidae). *Zoologicheskii Zhurnal* 51: 306-308.
- Jakimavičius, A.B. 1972.** Two new species of wasps-braconids (Hymenoptera, Braconidae) from Lithuania. *Trudy Akademii Nauk Litovskoi SSR*. B1(57): 51-55.
- Jakimavičius, A.B. 1973.** Two new species of Braconidae (Hymenoptera) from northern Lithuania. (in Russian) *Trudy Akademii Nauk Litovskoi SSR*. B3: 47-53.
- Jakimavičius, A.B. 1973.** Wasps-braconids (Hymenoptera, Braconidae) in the Lithuanian SSR. (in Russian with English summary) *Acta Entomologica Lituania* 2: 5-22.
- Jakimavičius, A.B. 1974.** Species of braconids new for the fauna of the Lithuanian SSR (Hym., Braconidae). *Trudy Akademii Nauk Litovskoi SSR*. B2(66): 93-102.
- Jakimavičius, A.B. 1975.** Composition and zoogeographical distribution of braconids (Hym., Braconidae) of the Lithuanian SSR and their relation with hosts. 1. Quantitative structure of subfamilies and genera. *Trudy Akademii Nauk Litovskoi SSR*. B1(69): 73-81.
- Jakimavičius, A.B. 1976.** Composition and zoogeographical distribution of braconids (Hymenoptera, Braconidae) of the Lithuanian SSR and their relation with hosts. 3. Ectoparasite and some endoparasite hosts. *Trudy Akademii Nauk Litovskoi SSR*. B2(74): 87-99.
- Jakimavičius, A.B. 1977.** Composition and zoogeographical distribution of braconids (Hym., Braconidae) of the Lithuanian SSR and their relation with hosts. 4. Hosts of endoparasite braconids.] *Trudy Akademii Nauk Litovskoi SSR*. B1(77): 67-75.
- Jakimavičius, A.B. 1977.** New species of subfamily Opiinae (Hymenoptera, Braconidae). (in Russian) In: Skarlato, O.A. 'New and little known species of insects of the European part of USSR.' 113 pp. pp. 85-88.
- Jakimavičius, A.B. 1979.** Braconids (Hym., Braconidae) of the forest biocenoses in the Kaliningrad Region of the RSFSR. (in Russian with English summary) *Acta Entomologica Lituania* 4: 95-98.
- Jakimavičius, A.B. 1979.** New species of Braconidae (Hymenoptera) of genus *Opius* Wesm. *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 61: 140-141.
- Jakimavičius, A. & Ryliskiene, M. 1979.** [Data about 29 species of braconids, taken in 1971-1976 from the leaf cutting pests in the orchards in the Lithuanian SSR.] *Trudy Akademii Nauk Litovskoi SSR* 2(86): 65-74.
- Jakimavičius, A. 1979.** Braconids (Hymenoptera, Braconidae) attracted by the light of a quartz lamp in the Lithuanian SSR.] *Acta Entomologica Lituania* 4: 179-185.
- Jakimavičius, A. 1983.** 59 braconid species of the Opiinae subfamily, new to the Lithuanian SSR found in 1904-1980. *Novye i Redkie Dlya Litovskoi SSR Vidy Nasekomykh Soobshcheniya i Opisaniya* 1983: 9-24.
- Jakimavičius, A. & Ivinskis, P. 1983.** Parasites braconids of Lepidoptera reared for the first time in Lithuania in 1976-1980. *Acta Entomologica Lituania* 6: 76-85.
- Jakimavičius, A.B. 1986.** A new species of braconids (Hymenoptera, Opiinae) from the Altai. (in Russian with English summary) *Zoologicheskii Zhurnal* 65(10): 1580-1582.
- Jakimavičius, A.B. & Ionaitis, V.P. 1988.** Study of parasitic insects of the family Braconidae (Hymenoptera) of the Lithuanian SSR. *Novye i redkie dlya Litovskoi SSR vidy nasekomykh. Soobshcheniya i opisaniya* 1988: 82-89.
- Jakimavičius, A.B. & Tsinitis, R.Y. 1988.** Species composition of braconids of the Latvian SSR and some data on their hosts and distribution by biocoenoses. *Trudy Akademii Nauk Litovskoi SSR*, B. 2: 88-100.
- Jakimavičius, A.B. 1988.** Braconidae (Hymenoptera) of the largest protected territories in the Lithuanian SSR. *Acta Entomologica Lituania* 9: 79-88.
- Jakimavičius, A. & Kotenko, A. 1990.** The species of the genus *Apanteles* Först. (Hymenoptera, Braconidae) rare to the USSR and its new host from Lithuania. *Novye i Redkie Dlya Litovskoi SSR Vidy Nasekomykh Soobshcheniya i Opisaniya* 1990: 62-65.
- Jakimavičius, A. 1991.** 23 braconid species (Hymenoptera: Braconidae) new for the Lithuanian fauna found in 1969-1990. *Novye i Redkie Dlya Litovskoi SSR Vidy Nasekomykh, Soobshcheniya i opisaniya* 1991: 42-47.
- Jalali, S.K., Singh, S.P. & Ballal, C.R. 1987.** Role of host plants of *Spodoptera litura* (Fabricius) on the degree of parasitism by *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae). *Indian Journal of Agricultural Sciences* 57(9): 676-678.
- Jalali, S.K., Singh, S.P. & Ballal, C.R. 1987.** Studies on host age preference and biology of exotic parasite *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae). *Entomon* 12: 59-62.
- Jalali, S.K. Singh, S.P. & Ballal, C.R. 1988.** Effect of parasitism by *Cotesia marginiventris* on consumption and utilization of artificial diet by larvae of *Spodoptera litura* (Lepidoptera: Noctuidae). *Indian Journal of Agricultural Sciences* 58: 529-532.
- Jalali, S.K., Singh, S.P., Ballal, C.R. & Kumar, P. 1988.** Competitive interaction between *Cotesia kazak* and *Hyposoter didymator*, exotic parasitoids of *Heliothis armigera*. *Entomologia Experimentalis et Applicata* 46(3): 221-225.

- Jalali, S.K., Singh, S.P., Kumar, P. & Ballal, C.R. 1988. Influence of the food plants on the degree of parasitism of larvae of *Heliothis armigera* by *Cotesia kazak*. Entomophaga 33: 65-71.
- Jalali, S.K., Singh, S.P., Ballal, C.R. & Kumar, P. 1990. Response of *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae) to low temperature in relation to its biotic potential. Entomon 15(3-4): 217-220.
- Jalali, S.K. & Singh, S.P. 2001. Life table studies on the natural enemies of *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae). Journal of Biological Control 15(2): 113-117.
- Jalali, S.K. & Singh, S.P. 2002. Seasonal activity of stem borers and their natural enemies on fodder maize. Entomon 27(2): 137-146.
- Jalaluddin, M. & Mohanasundaram, M. 1989. Residual toxicity of four insecticides recommended for control of coconut coccids on the parasitoid fauna of *Opisina arenosella* Wlk. Entomon 14(3-4): 199-202.
- James, D.G. 1993. Biology of *Anastatus biproruli* (Hym.: Eupelmidae) a parasitoid of *Biprorulus bibax* (Hem.: Pentatomidae). Entomophaga 38(2): 155-161.
- Jan, S., Nurullahoglu, Z.U. & Emden, H.F. van 1996. What sex is your mummy? (Homoptera: Aphididae). Entomologist 115(3-4): 185-190.
- Jang, E.B., Messing, R.H., Klungness, L.M. & Carvalho, L.A. 2000. Flight tunnel responses of *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae) to olfactory and visual stimuli. Journal of Insect Behavior 13(4): 525-538.
- Jankowska, B. & Filipowicz, A. 1995. Occurrence of the cabbage aphid and its natural enemies on different types of cabbage. Materiały ogólnopolskiej konferencji naukowej Nauka Praktyce Ogrodniczej z okazji XXV-lecia Wydziału Ogrodniczego Akademii Rolniczej w Lublinie 367-370.
- Jansen, J.P. 1996. Side effects of insecticides on *Aphidius rhopalosiphii* (Hym.: Aphidiidae) in laboratory. Entomophaga 41(1): 37-43.
- Jansen, J.P. 1999. Effects of wheat foliar fungicides on the aphid endoparasitoid *Aphidius rhopalosiphii* de Stefani-Perez (Hym.: Aphidiidae) on glass plates and on plants. Journal of Applied Entomology 123(4): 217-223.
- Jansen, J.P. 1999. Selectivity of plant protection products used in wheat in summer on the major cereal aphid natural enemies. Proceedings, 51st international symposium on crop protection, Gent, Belgium, 4 May 1999. Part I. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent 64(3a): 25-40.
- Jansen, J.P., Vogt, H. & Heimbach, U. 2000. Side-effects of pesticides on adults of *Aphidius rhopalosiphii* de Stefani-Perez (Hymenoptera: Aphidiidae) in the laboratory: results of the 8th Joint Pesticide Testing Programme. Working group "Pesticides and beneficial organisms", Versailles, France, 27-29 October 1999. Bulletin OILB SROP 23(9): 65-72.
- Jansen, J.P., Vogt, H. & Heimbach, U. 2000. Toxicity of fungicides to adults of *Aphidius rhopalosiphii* de Stefani-Perez (Hymenoptera: Aphidiidae) in laboratory tests with field treated wheat. Working group "Pesticides and beneficial organisms", Versailles, France, 27-29 October 1999. Bulletin OILB SROP 23(9): 73-80.
- Jansen, J.P., Vogt, H., Vinuela, E. & Jacas, J. 2001. Toxicity of insecticides used in wheat to adults of *Aphidius rhopalosiphii* de Stefani-Perez (Hymenoptera: Aphidiidae) with field treated plants. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at Castello de la Plana, Spain, 18-20 October, 2000. Bulletin OILB SROP 24(4): 17-24.
- Janssen, A., Roodbol, N., Bakker, K. & Alphen, J.J.M. van 1988. A functional analysis of microhabitat preference of *Drosophila* parasitoids. Colloques de l'INRA 48: 57-58.
- Janssen, A., Driessen, G., Haan, M. de & Roodbol, N. 1988. The impact of parasitoids on natural populations of temperate woodland *Drosophila*. Netherlands Journal of Zoology 38(1): 61-73.
- Janssen, A. 1989. Optimal host selection by *Drosophila* parasitoids in the field. Functional Ecology 3(4): 469-479.
- Jansson, J., Ekbohm, B. & Lenteren, J.C. van 1999. Biological control of aphids in ornamentals: importance of plant quality. IOBC WPRS Working Group "Integrated Control in Greenhouses". Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP 22(1): 121-123.
- Jansson, J. 2003. The influence of plant fertilisation regime on plant-aphid parasitoid interactions. Acta Universitatis Agriculturae Sueciae Agraria 415: 1-29.
- Janzen, D.H., Sharkey, M.J. & Burns, J.M. 1998. Parasitization biology of a new species of Braconidae (Hymenoptera) feeding on larvae of Costa Rican dry forest skippers (Lepidoptera: Hesperidae: Pyrginae). Tropical Lepidoptera 9: Supplement 2, 33-41.
- Janzen, D.H., Walker, A.K., Whitfield, J.B., Delvare, G. & Gauld, I.D. 2003. Host-specific and hyperparasitoids of three new Costa Rican species of *Microplitis* Foerster (Hymenoptera: Braconidae: Microgastrinae), parasitoids of sphingid caterpillars. Journal of Hymenoptera Research 12(1): 42-76.
- Janzon, L.A. 1975. Eine neue Art der Gattung *Blacus* Nees aus Schweden (Hym., Ichneumonoidea, Braconidae). Entomologisk Tidskrift 96: 137-138.
- Janzon, L.A. 1980. Descriptions of *Tephritis neesii* Meigen (Diptera: Tephritidae) and its parasitoids (Hymenoptera: Ichneumonoidea, Chalcidoidea) in flower-heads of *Leucanthemum vulgare* Lamarck (Asteraceae) in Sweden. Entomologica Scandinavica 11(1): 113-126.
- Jaques, R.P. & Stultz, H.T. 1966. The influence of a virus disease and parasites on *Spilonota ocellana* in apple orchards. Canadian Entomologist 98: 1035-1045.
- Jardak, T., Moalla, M., Ksantini, M., Vitagliano, C. & Martelli, G.P. 2002. Mortality factors affecting populations dynamics of the scolytid *Hylesinus oleiperda* Fabr. (Coleoptera: Scolytidae). Proceedings of the 4th International Symposium on Olive Growing, Valenzano, Italy, 25-30 September, 2000. Vol 2: Acta Horticulturae 586: 823-826.
- Jarosík, V. & Lapchin, L. 2001. An experimental investigation of patterns of parasitism at three spatial scales in an aphid-parasitoid system (Hymenoptera: Aphidiidae). European Journal of Entomology 98(3): 295-299.
- Jarosík, V., Holý, I., Lapchin, L. & Havelka, J. 2003. Sex ratio in the aphid parasitoid *Aphidius colemani* (Hymenoptera: Braconidae) in relation to host size. Bulletin of Entomological Research 93(3): 255-258.
- Jarry, I. & Tremblay, E. 1989. Cold storage of *Lysiphlebus fabarum* (Marsh.) mummies (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 46: 199-206.
- Jaskiewicz, B. 2003. The occurrence of aphids and their natural enemies on *Juniper* shrubs in the area of Lublin. Electronic Journal of Polish Agricultural Universities. Series Horticulture 6(1).
- Jayanth, K.P. & Nagarkatti, S. 1985. Low temperature storage of adults of *Bracon brevicornis* Wesmael (Hymenoptera: Braconidae). Entomon 10(1): 39-41.
- Jayanth, K.P. & Nagarkatti, S. 1985. Mass rearing technique for a Mexican parasite, *Allorhogas* sp. (Hymenoptera: Braconidae) introduced for trials against graminaceous borers in India. Entomon 10(1): 43-46.
- Jayanthi, P.D.K. & Padmavathamma, K. 1996. Cross infectivity and safety of nuclear polyhedrosis virus, *Bacillus thuringiensis* subsp. *kurstaki* Berliner and *Beauveria bassiana* (Balsamo) Vuille to pests of groundnut (*Arachis hypogaea* Linn.) and their natural enemies. Journal of Entomological Research 20(3): 211-215.

- Jayaraj, S. 1989. Studies on the integrated management of coconut black-headed caterpillar, *Opisina arenosella* in Tamil Nadu. Journal of Plantation Crops 16: 171.
- Jembere, B., Ngi-Song, A.J. & Overholt, W. 2003. Olfactory responses of *Cotesia flavipes* (Hymenoptera: Braconidae) to target and non-target Lepidoptera and their host plants. Biological Control 28(3): 360-367.
- Jensen, G.L. & Koehler, C.S. 1970. Seasonal and distributional abundance and parasites of leafminers of alfalfa in California. Journal of Economic Entomology 63(5): 1623-1628.
- Jensen, M.K., Kester, K.M., Kankare, M. & Brown, B.L. 2002. Characterization of microsatellite loci in the parasitoid, *Cotesia congregata* (Say) (Hymenoptera: Braconidae). Molecular Ecology Notes 2(3): 346-348.
- Jensen, P.B. & Pewlong, S. 1998. The families of hymenopterous parasitoids active in tropical rainfed paddies. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 71: 21-26.
- Jerath, M.L. 1968. Parasites of sugarcane stem borers in Nigeria. Journal of Economic Entomology 61: 435-436.
- Jervis, M.A. & Kidd, N.A.C. 1986. Host-feeding strategies in hymenopteran parasitoids. Biological Reviews 61(4): 395-434.
- Jervis, M.A., Kidd, N.A.C., Fitton, M.G., Huddleston, T. & Dawah, H.A. 1993. Flower-visiting by hymenopteran parasitoids. Journal of Natural History 27: 67-105.
- Jervis, M.A., Kidd, N.A.C. & Almey, H.E. 1994. Post-reproductive life in the parasitoid *Bracon hebetor* (Say) (Hym.: Braconidae). Journal of Applied Entomology 117(1): 72-77.
- Jessup, A.J. & Walsh, C.J. 1998. Sex-ratios of non-diapausal and diapausal laboratory-reared *Diachasmimorpha tryoni* (Cameron) (Hymenoptera: Braconidae) - a larval parasitoid of *Bactrocera tryoni* (Froggatt) (Diptera: Tephritidae). General and Applied Entomology 28: 77-80.
- Jesudasan, R.W.A. & David, B.V. 1988. Record of parasitoids of *Asphondylia riveae* Mani (Cecidomyiidae: Diptera). Journal of the Bombay Natural History Society 85(3): 645.
- Jesus-Reyes, E., Guillermo-Santiago, M., Porfirio-Hernandez, M. & Tan, K.H. 2000. The Mexican Fruit Fly Eradication Programme. Area wide control of fruit flies and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998. 377-380.
- Jhansi, K. & Babu, P.C.S. 2002. Life table studies of *Bracon hebetor* (Say) on *Corcyra cephalonica* (Stainton) and *Maruca testulalis* (Geyer) under laboratory conditions. Journal of Applied Zoological Researches 13(1): 22-24.
- Jhansi, K. & Babu, P.C.S. 2002. Ovipositional studies of *Bracon hebetor* Say, on two host insects under laboratory conditions. Madras Agricultural Journal 89(4-6): 211-214.
- Ji, Q.E. & Chen, J.H. 2002. Note on a new species of *Phanerotoma* Wesmael (Hymenoptera: Braconidae). Journal of Fujian Agricultural and Forestry University 31(2): 185-187.
- Ji, Q.E. & Chen, Jia-Hua. 2002. A new species of the genus *Ascogaster* Wesmael from China (Hymenoptera: Braconidae: Cheloniinae). Entomological Journal of East China 11(2): 6-9.
- Ji, Q.E., Chen, J.H. & Yang, J.Q. 2003. A new species of *Siniphanerotomella* from China (Hymenoptera: Braconidae: Cheloniinae: Phanerotomini). (in Chinese with English summary) Entomological Journal of East China 12(1): 1-4.
- Ji, Z.D. & Zhang, W.Y. 1992. A study on *Parapraon* Starý, 1983 and descriptions of two new species (Hymenoptera: Aphidiidae). Acta Entomologica Sinica 35(1): 99-104.
- Jiang, G. 1987. Preliminary studies on the biological characteristics, mass rearing and utilization of *Macrocentrus linearis* Nees. Natural Enemies of Insects 9(1): 1-5.
- Jiang, G.F. 1992. Parasitic behavior of *Macrocentrus linearis* (Nees). Entomological Journal of East China 1(2): 77-78.
- Jiang, L.H., Wang, D. & Liu, S.S. 2001. Effects of host plant on the oviposition preference of *Plutella xylostella* (L.) and host-selection behavior of *Cotesia plutellae* (Kurdjmov). Journal of Zhejiang University Agriculture and Life Sciences 27(3): 273-276.
- Jiang, M.X., Zhu, Z.R., Zhu, M.L. & Cheng, J. 2000. Wasps parasitizing overwintering larvae of striped stem borer (Lepidoptera: Pyralidae). Natural Enemies of Insects 22(1): 33-37.
- Jiménez P.R. 1983. Opiinae de la provincia de Teruel (Hym., Braconidae). Boletín de la Asociación Española de Entomología 7: 189-196.
- Jiménez P.R. 1983. Opiinae de la provincia de Valencia (Hymenoptera, Braconidae). Boletín de la Asociación Española de Entomología 6(2) (1982): 277-283.
- Jiménez P.R. 1983. *Opius (Opiothorax) longiradialis* nov. sp. from Spain (Hymenoptera, Braconidae). Nouvelle Revue d'Entomologie 13: 239-241.
- Jiménez P.R. 1983. Primera cita para España de *Desmiostoma parvulum* (Wesmael, 1835) (Hym. Braconidae). Boletín de la Asociación Española de Entomología 6(2) (1982): 394.
- Jiménez P.R. 1983. Two new species of the genus *Opius* (Wesm.) from Spain. Nouvelle Revue d'Entomologie 13(3): 323-325.
- Jiménez, A. 1986. Entomophagous species-progress report. Fruit Flies of Economic Importance 84: 27-30.
- Jiménez, R. & Tormos, J. 1987. *Dacnusa docavoi*, new species from Spain (Hymenoptera, Braconidae). Nouvelle Revue d'Entomologie 4(1): 89-92.
- Jiménez, R. & Tormos, J. 1988. Two new species of the genus *Chorebus* (Haliday) from Spain (Hymenoptera, Braconidae). Nouvelle Revue d'Entomologie 5(3): 287-290.
- Jiménez, R. & Tormos, J. 1990. Les especies Espanyoles pertanyents al grup de generes *Coelinius* (Hymenoptera: Braconidae: Alysiinae: Dacusini). Butlletí de la Institució Catalana d'Història Natural 58 (Sec. Zool. 8): 61-63.
- Jiménez, A., Castillo, E. & Lorite, P. 1990. Survival of *Opius concolor* Szép. (Hymenoptera: Braconidae) parasitoid of *Dacus oleae* Gmelin. in olive crops in Jaen. Boletín de Sanidad Vegetal, Plagas 16(1): 97-103.
- Jiménez, A. & Castillo, E. 1992. *Biosteres longicaudatus* (Ashmead), a parasitoid of fruitflies. Rearing and possibilities for use in biological control. Boletín de Sanidad Vegetal, Plagas 18(1): 139-148.
- Jiménez, A., Beitia, F., Castillo, E. & Esteban, J. 1994. Estimate of production of *Opius concolor* Szépligeti by mass rearing, from a prefixed sample size. Investigación Agraria, Producción y Protección Vegetales 2: 105-110.
- Jiménez, A., Castillo, E., Beitia, F.J. & Esteban, J.R. 1998. Parasitism estimation of *Opius concolor* Szépligeti on *Bactrocera* (= *Dacus*) *oleae* (Gmelin) in laboratory conditions. Boletín de Sanidad Vegetal Plagas 24(Adenda al No. 4): 889-896.
- Jiménez, R., Falcó, J.V. & Frances, V.L. 1992. *Diachasma hispanicum* (Fischer), a new parasitoid of *Pegomya cunicularis* (Rondani) on *Beta vulgaris* L. (Hymenoptera: Braconidae). Bulletin de la Société Entomologique de France 97(3): 303-307.
- Jiménez, R., Falcó, J.V., Gimeno, C., Luna, F., Moreno, J., Selfa, J. & Serrano, C. 1992. Biological control of *Chilo suppressalis* Walker (Lep.: Pyralidae) I. Study of the parasitoid complex in rice fields in Valencia. Boletín de Sanidad Vegetal, Plagas 18(1): 201-212.
- Jiménez, R., Falcó, J.V., Luna, F., Moreno, J. & Selfa, J. 1993. Estudio de insectos potencialmente causantes de plagas y sus parásitos asociados en la provincia de Albacete. Separates de Al-Basit Revista de Estudios Albacetenenses 19(32): 101-168.
- Jiménez R.P., Gimeno M.C., Moreno M.J. & Falcó Gari, J.V. 1996. Comparative morphology of the venom apparatus in some subfamilies of braconid wasps (Hymenoptera: Braconidae).

- Boletín de la Asociación Española de Entomología 20(1-2): 149-159.
- Jiménez, R., Falcó, J.V., Moreno, J. & Oltra, M.T. 1996.** [Approximation of the braconids studied (Hymenoptera, Ichneumonidae) from the "Parque Natural de las Sierras de Cazorla, Segura y Las Villas".] Aproximación al estudio de los braconidos (Hymenoptera, Ichneumonidae) del Parque Natural de las Sierras de Cazorla, Segura y Las Villas. Boletín de la Asociación Española de Entomología 20(3-4): 9-17.
- Jiménez, R., Falcó, J.V. & Moreno, J. 1997.** Comparative morphology of venom apparatus in *Cosmophorus cembrae* Ruschka (Hymenoptera, Braconidae). Descripción del aparato del veneno de *Cosmophorus cembrae* Ruschka (Hymenoptera, Braconidae). Bulletin de la Société Entomologique de France 102(4): 385-389.
- Jiménez, R., Falcó, J.V. & Moreno, J. 1997.** Reproductive system and associated structures of *Triaspis thoracicus* (Curtis) (Hymenoptera, Braconidae). Bulletin de la Société Entomologique de France 102(1): 59-66.
- Jiron, L.F. & Mexzon, R.G. 1989.** Parasitoid hymenopterans of Costa Rica: geographical distribution of the species associated with fruit flies (Diptera: Tephritidae). Entomophaga 34(1): 53-60.
- Johanowicz, D.L. & Mitchell, E.R. 2000.** Effects of sweet alyssum flowers on the longevity of the parasitoid wasps *Cotesia marginiventris* (Hymenoptera: Braconidae) and *Diadegma insulare* (Hymenoptera: Ichneumonidae). Florida Entomologist 83(1): 41-47.
- Johanowicz, D.L., Smith, H.A., Sourakov, A. & Mitchell, E.R. 2002.** Lambsquarters in a maize agroecosystem: a potential refuge for natural enemies of fall armyworm (Lepidoptera: Noctuidae) larvae. Journal of Entomological Science 37(2): 203-206.
- Johansen, N.S. 1997.** Mortality of eggs, larvae and pupae and larval dispersal of the cabbage moth, *Mamestra brassicae*, in white cabbage in south-eastern Norway. Entomologia Experimentalis et Applicata 83(3): 347-360.
- Johansson, S. 1964.** A new *Meteorus* species from Sweden (Hym.: Braconidae). Opuscula Entomologica 29(3): 251-253.
- Johner, A., Stettler, P., Gruber, A. & Lanzrein, B. 1999.** Presence of polydnavirus transcripts in an egg-larval parasitoid and its lepidopterous host. Journal of General Virology 80(7): 1847-1854.
- Johnson, A.W. & Manley, D.G. 1983.** Parasitism of tobacco budworm on tobacco in South Carolina. Journal of the Georgia Entomological Society 18(1): 1-6.
- Johnson, B. 1965.** Premature breakdown of the prothoracic glands in parasitized aphids. Nature (London) 206(4987): 958-959.
- Johnson, D.W., Harrington, R., Taylor, M.S. & Burgess, A.J. 1998.** The influence of aphid natural enemies on the spread of barley yellow dwarf virus. Integrated control in cereal crops. Meeting held at Lleida, Spain, 13-14 March, 1997. Bulletin OILB SROP 21(8): 63-68.
- Johnson, E.F., Laing, J.E. & Trottier, R. 1976.** The seasonal occurrence of *Lithocolletis blancardella* (Gracillariidae), and its major natural enemies in Ontario apple orchards. Proceedings of the Entomological Society of Ontario 107: 31-46.
- Johnson, E.F., Trottier, R. & Laing, J.E. 1979.** Degree-day relationships to the development of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) and its parasite *Apanteles ornigis* (Hymenoptera: Braconidae). Canadian Entomologist 111: 1177-1184.
- Johnson, J.A., Valero, K.A., Hannel, M.M. & Gill, R.F. 2000.** Seasonal occurrence of postharvest dried fruit insects and their parasitoids in a culled fig warehouse. Journal of Economic Entomology 93(4): 1380-1390.
- Johnson, J.B. 1985.** *Aleiodes* sp. (Hymenoptera: Braconidae) reared from an anomalous host, an adult of the *Eremohrysa punctinervis* species group (Neuroptera: Chrysopidae). Pan-Pacific Entomologist 61(1): 24-25.
- Johnson, J.W., Eikenbary, R.D. & Holbert, D. 1979.** Parasites of the greenbug and other graminaceous aphids: Identity based on larval meconia and features of the empty aphid mummy. Annals of the Entomological Society of America 72(6): 759-766.
- Johnson, J.W. 1987.** A revision of the species of *Praon* Haliday in North America north of Mexico (Hymenoptera: Aphididae). Canadian Entomologist 119: 999-1025.
- Johnson, M.T. & Gould, F. 1992.** Interaction of genetically engineered host plant resistance and natural enemies of *Heliothis virescens* (Lepidoptera: Noctuidae) in tobacco. Environmental Entomology 21(3): 586-597.
- Johnson, M.T. 1997.** Interaction of resistant plants and wasp parasitoids of tobacco budworm (Lepidoptera: Noctuidae). Environmental Entomology 26(2): 207-214.
- Johnson, M.W. & Hara, A.H. 1987.** Influence of host crop on parasitoids (Hymenoptera) of *Liriomyza* spp. (Diptera: Agromyzidae). Environmental Entomology 16: 339-344.
- Johnson, M.W., Mitchell, W.C., Robin, M.R., Cushing, N.L. & Rethwisch, M.D. 1988.** Parasitization of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) in Hawaii. Proceedings of the Hawaiian Entomological Society 28: 197-203.
- Johnson, N.F. 1988.** Midcoxal articulations and the phylogeny of the order Hymenoptera. Annals of the Entomological Society of America 81(6): 870-881.
- Johnson, S.J. & Smith, J.W. Jr. 1980.** Biology of *Orgilus elasmopalpi* (Hym.: Braconidae) with *Elasmopalpus lignosellus* (Lep.: Pyralidae) as host. Annals of the Entomological Society of America 73(5): 572-575.
- Johri, R., Pandey, U.K., Pandey, N.D., & Johri, P.K. 1992.** Influence of host plants on the parasitization of grubs of mustard sawfly, *Athalia proxima* Klug, by *Apanteles glomeratus* Linnaeus. Bulletin of Entomology New Delhi 33(1-2): 155-157.
- Jonaitis, V.P. 1988.** Some regularities of the dynamics of insect population density within a territory during mass propagation outbreaks. Entomologicheskoe Obozrenie 67(1): 21-29. [Entomological Review 67(4): 68-77].
- Jonaitis, V. 1991.** Insect species new and rare for Lithuania. Records and descriptions of 1991. Nove I Redkie Dlya Litovskoi SSR Vidy Nasekomykh, Soobshcheniya i opisaniya 1991: 1-70.
- Jones, D., Jones, G. & Hammock, B.D. 1981.** Developmental and behavioural responses of larval *Trichoplusia ni* to parasitization by an imported braconid *Chelonus* sp. Physiological Entomology 6: 387-394.
- Jones, D., Barlow, J.S. & Thompson, S.N. 1982.** *Exeristes*, *Itopectis*, *Aphaereta*, *Brachymeria*, and *Hyposoter* species: in vitro glyceride synthesis and regulation of fatty acid composition. Experimental Parasitology 54(3): 340-351.
- Jones, D. 1985.** Endocrine interactions between host (Lepidoptera) and parasite (Cheloninae: Hymenoptera): Is the host or the parasite in control? Annals of the Entomological Society of America 78(2): 141-148.
- Jones, D. 1985.** The endocrine basis for developmentally stationary prepupae in larvae of *Trichoplusia ni* pseudoparasitized by *Chelonus insularis*. Journal of Comparative Physiology 155: 235-240.
- Jones, D. 1986.** *Chelonus* sp.: Suppression of host ecdysteroids and developmentally stationary pseudoparasitized prepupae. Experimental Parasitology 61(1): 10-17.
- Jones, D., Sreekrishna, S., Iwaya, M., Yang, J.N. & Eberely, M. 1986.** Comparison of viral ultrastructure and DNA banding patterns from the reproductive tracts of eastern and Western Hemisphere *Chelonus* spp. (Braconidae: Hymenoptera). Journal of Invertebrate Pathology 47(1): 105-115.
- Jones, D., Jones, G., Rudnicka, M. & Click, A. 1986.** Precocious expression of the final larval instar developmental pattern in

- larvae of *Trichoplusia ni* pseudoparasitized by *Chelonus* spp. Comparative Biochemistry and Physiology 83B: 339-346.
- Jones, D., Jones, G., Rudnicka, M., Click, A., Reck-Malleczewen, V. & Iwaya, M. 1986.** Pseudoparasitism of host *Trichoplusia ni* by *Chelonus* spp. as a new model system for parasite regulation of host physiology. Journal of Insect Physiology 32(4): 315-328.
- Jones, D. 1987.** Material from adult female *Chelonus* sp. directs expression of altered developmental program of host Lepidoptera. Journal of Insect Physiology 33: 129-134.
- Jones, D. 1989.** Protein expression during parasite redirection of host (*Trichoplusia ni*) biochemistry. Insect Biochemistry 19(5): 445-455.
- Jones, D., Soldevila, A., Chelliah, J., Taylor, T. & O'Neill, A. 1990.** *Chelonus* wasps and *Trichoplusia ni* hosts: a study in the molecular struggle between a parasite and its host. Proceedings and abstracts, Vth International Colloquium on Invertebrate Pathology and Microbial Control, Adelaide, Australia, 20-24 August 1990 200-204.
- Jones, D. & Leluk, J. 1990.** Venom proteins of the endoparasitic wasp *Chelonus* near *curvumaculatus*: characterization of the major components. Archives of Insect Biochemistry and Physiology 6: 387-394.
- Jones, D., Taylor, T., Farkas, R., Cheliah, J. & Haene, B. 1990.** Intercession of parasitic wasps (Cheloniinae) in host development and biochemical pathways. Advances in Invertebrate Reproduction 5: 157-162.
- Jones, D. & Wozniak, M. 1991.** Regulatory mediators in the venom of *Chelonus* sp.: their biosynthesis and subsequent processing in homologous and heterologous systems. Biochemical And Biophysical Research Communications 178(1): 213-220.
- Jones, D., Gelman, D. & Loeb, M. 1992.** Hemolymph concentrations of host ecdysteroids are strongly suppressed in precocious prepupae of *Trichoplusia ni* parasitized and pseudoparasitized by *Chelonus* near *curvumaculatus*. Archives of Insect Biochemistry and Physiology 21(2): 155-165.
- Jones, D., Sawicki, G. & Wozniak, M. 1992.** Sequence, structure, and expression of a wasp venom protein with a negatively charged signal peptide and a novel repeating internal structure. Journal of Biological Chemistry 267(21): 14871-14878.
- Jones, D., Krishnan, A., Sarkari, N. & Wozniak, M. 1994.** Isomeric and quaternary properties of homogenous 33 kDa protein from the venom of *Chelonus* near *curvumaculatus*. Archives of Insect Biochemistry and Physiology 26(2-3): 83-95.
- Jones, D., Turner, H. & Chhokar, V. 1996.** Altered hexamerin regulation in prepupal *Trichoplusia ni* pseudoparasitized by *Chelonus* sp. near *curvumaculatus*. VI International Conference on Juvenile Hormones, 10-15 September 1995, Massachusetts, USA. Archives of Insect Biochemistry and Physiology 32(3-4): 537-548.
- Jones, D., Wache, S. & Chhokar, V. 1996.** Toxins produced by arthropod parasites: salivary gland proteins of human body lice and venom proteins of chelonine wasps. Toxicon 34(11-12): 1421-1429.
- Jones, D. 1997.** Biochemical interaction between chelonine wasps and their lepidopteran hosts: after a decade of research-the parasite is in control. Insect Biochemistry and Molecular Biology 26(10)(December 1996): 981-996.
- Jones, D. & Wache, S. 1998.** Preultimate 4th/5th instar *Trichoplusia ni* naturally-injected with venom/calyx fluid from *Chelonus curvumaculatus* precociously metamorphose, rather than obey the metamorphic size threshold that would normally compel molting to a 5th/6th instar. Journal of Insect Physiology 44(9): 755-765.
- Jones, D., Wache, S., Pennacchio, F., Bradleigh-Vinson, S. & Lanzrein, B. 1998.** Preultimate 4th/5th instar *Trichoplusia ni* naturally-injected with venom/calyx fluid from *Chelonus curvumaculatus* precociously metamorphose, rather than obey the metamorphic size threshold that would normally compel molting to a 5th/6th instar. Parasitoid-host interactions at the physiological and molecular level. Journal of Insect Physiology 44(9): 755-765.
- Jones, D.B., Giles, K.L., Berberet, R.C., Royer, T.A., Elliott, N.C. & Payton, M.E. 2003.** Functional responses of an introduced parasitoid and an indigenous parasitoid on greenbug at four temperatures. Environmental Entomology 32(3): 425-432.
- Jones, G., Hanzlik, T., Hammock, B.D., Schooley, D.A., Miller, C.A., Tsai, L.W. & Baker, F.C. 1990.** The juvenile hormone titre during the penultimate and ultimate larval stadia of *Trichoplusia ni*. Journal of Insect Physiology 36(2): 77-83.
- Jones, J.M. & Stephen, F.M. 1994.** Effect of temperature on development of hymenopterous parasitoids of *Dendroctonus frontalis* (Coleoptera: Scolytidae). Environmental Entomology 23(2): 457-463.
- Jones, K.D., Bradley, J.R. Jr. & Duyn, J.W. van 1995.** Effects of selected insecticides on European corn borer, *Ostrinia nubilalis* (Hübner), larval parasitism in North Carolina cotton fields. Proceedings Beltwide Cotton Conferences, San Antonio, TX, USA, January 4-7, 1995: Vol 2: 847-850.
- Jones, M.G. 1972.** Cereal aphids, their parasites and predators caught in cages over oat and winter wheat crops. Annals of Applied Biology 72: 13-25.
- Jones, M.G. & Dean, G.J. 1975.** Observations on cereal aphids and their natural enemies in 1972. Entomologist's Monthly Magazine 111: 69-77.
- Jones, M.G. 1980.** Observations on primary and secondary parasites of cereal parasites of cereal aphids. Entomologist's Monthly Magazine 115: 61-71.
- Jones, R.E. 1987.** Ants, parasitoids, and the cabbage butterfly *Pieris rapae*. Journal of Animal Ecology 56(3): 739-749.
- Jones, R.L. & Lewis, W.J. 1971.** Physiology of the host-parasite relationship between *Heliothis zea* and *Microplitis croceipes*. Journal of Insect Physiology 17: 921-927.
- Jones, R.L. 1989.** Semiochemicals mediating *Microplitis croceipes* habitat, host and mate finding behaviour. Southwestern Entomologist 12: 53-57.
- Jones, R.L. 1996.** Semiochemicals in host and mate finding behavior of *Macrocentrus grandii* Goidanich (Hymenoptera: Braconidae). Symposium: Insect behavioural ecology '95. Florida Entomologist 79(2): 104-108.
- Jones, T.H., Bezemer, T.M., Knight, K.J., Newington, J.E. & Thompson, L.J. 1998.** The effect of elevated atmospheric carbon dioxide on aphids and Collembola: an Ecotron experiment. Brighton Crop Protection Conference: Pests & Diseases 1998: Vol 3: Proceedings of an International Conference, Brighton, UK, 16-19 November 1998: 973-978.
- Jones, W.T. 1982.** Sex ratio and host size in a parasitoid wasp. Behavioral Ecology and Sociobiology 10: 207-210.
- Jordano, D., Haeger, J.F. & Gonzalez, J.R. 1989.** The life-history of *Tomares ballus* (Fabricius, 1787) (Lepidoptera: Lycaenidae): phenology and host plant use in southern Spain. Journal of Research on the Lepidoptera 28(1-2): 112-122.
- Joshi, F.I. & Sharma, J.C. 1974.** New record of a braconid, *Apanteles plutellae* Kurdj. parasitising the larvae of *Plutella xylostella* L. and *Trichoplusia ni* Hb. in Rajasthan. Indian Journal of Entomology 36: 160.
- Joshi, R.C. 1982.** Natural enemies on different pests of agricultural importance in and around Hyderabad. Science and Culture 48(11): 385-388.
- Joshi, B.D. & Tandon, P.L. 1993.** Biology and feeding behaviour of ber (*Zizyphus mauritiana* Lamark) fruit borer, *Meridarchis scyroides* Meyrick Journal of Entomological Research 17(1): 49-51.

- Joyce, A.L., Millar, J.G., Paine, T.D. & Hanks, L.M. 2002. The effect of host size on the sex ratio of *Syngaster lepidus*, a parasitoid of *Eucalyptus* longhorned borers (*Phoracantha* spp.). *Biological Control* 24(3): 207-213.
- Judd, W.W. 1970. Insects associated with flowering wild carrot, *Daucus carota* L., in southern Ontario. *Proceedings of the Entomological Society of Ontario* 100: 176-181.
- Jugovits, T. 1987. Entwicklung von *Microplitis tuberculifera* (Wesmael) (Hymenoptera: Braconidae), ein Parasitoid von *Mamestra brassicae* (Lepidoptera: Noctuidae). *Pflanzenschutzberichte* 48(1): 24-32.
- Juhala, C. 1967. Notes on parasitic Hymenoptera associated with a gelechiid moth, *Metzneria lappella*, in the common burdock, and description of a new species of *Agathis* (Braconidae). *Annals of the Entomological Society of America* 60(1): 95-97.
- Juliano, S.A. & Borowicz, V.A. 1987. Parasitism of a frugivorous fly, *Rhagoletis cornivora*, by the wasp *Opius richmondi*: Relationships to fruit and host density. *Canadian Journal of Zoology* 65(6): 1326-1330.
- Junnikkala, E. 1985. Testis development in *Pieris brassicae* parasitized by *Apanteles glomeratus*. *Entomologia Experimentalis et Applicata* 37(3): 283-288.
- Jyothi, K.N., Prasuna, A.L., Sighamony, S., Kumari, B.K., Prasad, A.R. & Yadav, J.S. 2002. Electroantennogram responses of *Apanteles obliquae* (Hym.: Braconidae) to various infochemicals. *Journal of Applied Entomology* 126(4): 175-181.
- Kaas, J.P., Elzen, G.W. & Ramaswamy, S.B. 1990. Learning in *Microplitis croceipes* Cresson (Hym.: Braconidae). *Journal of Applied Entomology* 109(3): 268-273.
- Kaas, J.P., Elzen, G.W. & Ramaswamy, S.B. 1992. Flight responses in a wind tunnel of the parasitoid *Microplitis croceipes* to three spring and three summer host plants of *Heliothis* spp. *Entomologia Experimentalis et Applicata* 63(3): 207-212.
- Kaas, J.P., Ramaswamy, S.B. & Elzen, G.W. 1993. Behavioral time budget and periodicity exhibited by *Microplitis croceipes* in field cages with *Heliothis virescens* on spring host plants. *Entomophaga* 38(2): 143-154.
- Kabaria, B., Goyal, S.N., Jose, V.T. & Shah, A.H. 1988. New parasitoids recorded on leaf webber (*Cydia critica* Meyrick) of pigeonpea in Gujarat, India. *International Pigeonpea Newsletter* 7: 34.
- Kabashinskaite, A.J. & Jakimavičius, A. 1973. The pests of fruit trees in the Lithuanian SSR and their parasites. *Acta Entomologica Lituanica* 2: 75-90.
- Kabissa, J.C.B., Kayumbo, H.Y. & Yarro, J.G. 1996. Seasonal abundance of chrysopids (Neuroptera: Chrysopidae) preying on *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) and *Aphis gossypii* (Glover) (Homoptera: Aphididae) on cotton in eastern Tanzania. *Crop Protection* 15(1): 5-8.
- Kadamshoev, M. 1996. Cutworm moths as pests of *Calendula*. *Zashchita Rastenii Moskva* 1: 32-33.
- Kadamshoev, M. 2002. Noctuidae moths: pests of marigolds. *Zashchita i Karantin Rastenii* 8: 36.
- Kadash, K., Harvey, J.A. & Strand, M.R. 2003. Cross-protection experiments with parasitoids in the genus *Microplitis* (Hymenoptera: Braconidae) suggest a high level of specificity in their associated bracoviruses. *Journal of Insect Physiology* 49(5): 473-482.
- Kadlubowski, W. & Piekarska, H. 1984. Contribution to the knowledge of the fauna of Ichneumonoidea (Hymenoptera: Parasitica), occurring in apple orchards in the Poznan region. *Roczniki Nauk Rolniczych, E Ochrona Roslin* 14(1-2): 47-71.
- Kadlubowski, W. & Wilkaniec, B. 1982. The role of parasitoids in regulating the abundance of populations of the apple leaf miner *Phyllonorycter blancardella* (F.) (Lepidoptera: Gracillariidae) in orchards near Poznan. *Roczniki Nauk Rolniczych, E Ochrona Roslin*, publ. 1986, 12(1-2): 109-120.
- Kadono-Okuda, K., Sakurai, H., Takeda, S. & Okuda, T. 1995. Synchronous growth of a parasitoid, *Perilitus coccinellae*, and teratocytes with the development of the host, *Coccinella septempunctata*. *Entomologia Experimentalis et Applicata* 75(2): 145-149.
- Kadono-Okuda, K., Weyda, F. & Okuda, T. 1998. *Dinocampus* (= *Perilitus*) *coccinellae* teratocyte-specific polypeptide: its accumulative property, localization and characterization. *Journal of Insect Physiology* 44(11): 1073-1080.
- Kahn, D.M. & Cornell, H.V. 1989. Leafminers, early leaf abscission, and parasitoids: a tritrophic interaction. *Ecology* 70(5): 1219-1226.
- Kahn, M.A.A., Vinson, S.B. & Mitlin, N. 1976. Effect of the parasitoid, *Cardiochiles nigriceps*, on the nitrogen excretion of its host, *Heliothis virescens*. *Journal of Insect Physiology* 22: 51-56.
- Kahrer, A. 1992. Further new problem pests in vegetable crops under glass. *Pflanzenschutz Wien* 1c: 4-5.
- Kainoh, Y. & Tamaki, Y. 1982. Searching behaviour and oviposition of the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 17: 194-206.
- Kainoh, Y., Hiyori, T. & Tamaki, Y. 1982. Kairomone of the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 17: 102-110.
- Kainoh, Y. 1986. Mating behavior of *Ascogaster reticulatus* (Hymenoptera: Braconidae), an egg larval parasitoid of the smaller tea tortrix moth, *Adoxophyes* sp. (Lepidoptera: Tortricidae) I. Diel patterns of emergence and mating, and some conditions for mating. *Applied Entomology and Zoology* 21(1): 1-7.
- Kainoh, Y. 1987. Host-finding and oviposition of the parasitoid, *Ascogaster reticulatus* Watanabe. *Shokubutsu Boeki* 41(9): 437-441.
- Kainoh, Y. 1988. Some factors influencing sex ratio in *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 23(1): 35-40.
- Kainoh, Y. & Tatsuki, S. 1988. Host egg kairomones essential for egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). 1. Internal and external kairomones. *Journal of Chemical Ecology* 14(6): 1475-1484.
- Kainoh, Y., Tatsuki, S., Sugie, H. & Tamaki, Y. 1989. Host egg kairomones essential for egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae) II. Identification of internal kairomone. *Journal of Chemical Ecology* 15(4): 1219-1229.
- Kainoh, Y., Tatsuki, S. & Kusano, T. 1990. Host moth scales, a cue for host location for *Ascogaster reticulata* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 25(1): 17-25.
- Kainoh, Y., Nemoto, T., Shimizu, K., Tatsuki, S., Kusano, T. & Kuwahara, Y. 1991. Mating behavior of *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae), an egg-larval parasitoid of the smaller tea tortrix, *Adoxophyes* sp. (Lepidoptera: Tortricidae) III. Identification of a sex pheromone. *Applied Entomology and Zoology* 26(4): 543-549.
- Kainoh, Y. & Oishi, Y. 1993. Source of sex pheromone of the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 19(5): 963-969.
- Kainoh, Y. & Brown, J.J. 1994. Amino acids as oviposition stimulants for the egg-larval parasitoid, *Chelonus* sp. near *curvumaculatus* (Hymenoptera: Braconidae). *Biological Control* 4(1): 22-25.
- Kainoh, Y. 1997. Learning of plant's contact chemicals by the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 32(2): 416-418.

- Kairo, M.T.K. & Murphy, S.T. 1999.** Host age choice for oviposition in *Pauesia juniperorum* (Hymenoptera: Braconidae: Aphidiinae) and its effect on the parasitoid's biology and host population growth. *Biocontrol Science and Technology* 9(4): 475-486.
- Kairo, M.T.K. & Poswal, M.A. 1995.** The brown peach aphid, *Pterochloroides persicae* (Lachninae: Aphididae): prospects for IPM with particular emphasis on classical biological control. *Biocontrol News and Information* 16(3): 41N-47N.
- Kaiser, L. & Carde, R.T. 1991.** Plasticity in in-flight orientation to plant and host odours in the specialist parasitoid *Cotesia rubecula*. *Redia* 74(3): 265-271.
- Kaiser, L. & Carde, R.T. 1992.** In-flight orientation to volatiles from the plant-host complex in *Cotesia rubecula* (Hym.: Braconidae): increased sensitivity through olfactory experience. *Physiological Entomology* 17(1): 62-67.
- Kaiser, L., Willis, M.A. & Carde, R.T. 1991.** Analysis of oriented flights in *Cotesia rubecula*. *Redia* 74(3): 303-304.
- Kaiser, L., Willis, M.A. & Carde, R.T. 1994.** Flight manoeuvres used by a parasitic wasp to locate host-infested plant. *Entomologia Experimentalis et Applicata* 70(3): 285-294.
- Kaitaniemi, P. & Ruohomaki, K. 1999.** Effects of autumn temperature and oviposition date on timing of larval development and risk of parasitism in a spring folivore. *Oikos* 84(3): 435-442.
- Kajita, H. & Drake, E.F. 1969.** Biology of *Apanteles chilonis* and *A. flavipes* parasites of *Chilo suppressalis*. *Mushi* 42: 163-179.
- Kajita, H. 1973.** Rearing of *Apanteles chilonis* Munakata on the rice stemborer, *Chilo suppressalis* Walker, bred on a semi-synthetic diet. *Japanese Journal of Applied Entomology and Zoology* 17: 5-9.
- Kajita, H. 1973.** Threshold temperature for the development of *Apanteles chilonis* Munakata and *Apanteles flavipes* (Cameron) (Hymenoptera: Braconidae). *Japanese Journal of Applied Entomology and Zoology* 17: 39-40.
- Kakakhel, S.A., Ahad, K., Amjad, M. & Hassan, S.A. 1998.** The side-effects of pesticides on *Diaeretiella rapae*, a parasitoid of the turnip aphid (*Lipaphis erysimi*). *Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz* 71(3): 61-63.
- Kakar, K.L. & Dogra, G.S. 1989.** Some natural enemies of lepidopterous pests in Himachal Pradesh. *Agricultural Science Digest Karnal* 9(2): 74-76.
- Kakar, K.L. & Sharma, J.P. 1991.** Role of natural enemies on the mortality of cabbage butterfly, *Pieris brassicae* (L.) in cauliflower seed crop. *Indian Journal of Plant Protection* 19(2): 210-212.
- Kalita, D.N. & Borah, D.C. 1993.** Parasitoids and predators of jute pests in certain localities of Central Brahmaputra Valley zone of Assam. *Journal of the Agricultural Science Society of North East India* 6: 19-23.
- Kalootsky, A.L. 1992.** The nightshade miner and its parasite *Opius*. *Zashchita Rastenii* (Moscow) 1992(4): 52-53.
- Kalra, V.K. 1989.** Natural parasitism of sesame leaf webber and pod borer, *Antigastra catalaunalis* Duponchel. *Indian Journal of Plant Protection* 17(1): 9-11.
- Kalra, V.K., Ram, H., Yadava, T.P. & Singh, H. 1989.** *Scopula albiflava* Warren (Geometridae, Lepidoptera) damaging groundnut crop in Haryana. *Haryana Agricultural University Journal of Research* 19(1): 74-75.
- Kalule, T. & Wright, D.J. 2002.** Effect of cabbage cultivars with varying levels of resistance to aphids on the performance of the parasitoid, *Aphidius colemani* (Hymenoptera: Braconidae). *Bulletin of Entomological Research* 92(1): 53-60.
- Kalule, T. & Wright, D.J. 2002.** Tritrophic interactions between cabbage cultivars with different resistance and fertilizer levels, cruciferous aphids and parasitoids under field conditions. *Bulletin of Entomological Research* 92(1): 61-70.
- Kalutskii, A.L. 1992.** *Liriomyza bryoniae* and its parasite *Opius*. *Zashchita Rastenii Moskva* 4: 52-53.
- Kamano, Y., Shimizu, K., Kainoh, Y. & Tatsuki, S. 1989.** Mating behavior of *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae), an egg-larval parasitoid of the smaller tea tortrix, *Adoxophyes* sp. (Lepidoptera: Tortricidae). II. Behavioural sequence and a role of sex pheromone. *Applied Entomology and Zoology* 24(4): 372-378.
- Kamarudin, N.H., Walker, A.K., Wahid, M.B., LaSalle, J. & Polaszek, A. 1996.** Hymenopterous parasitoids associated with the bagworms *Metisa plana* and *Mahasena corbetti* (Lepidoptera: Psychidae) on oil palms in Peninsular Malaysia. *Bulletin of Entomological Research* 86(4): 423-439.
- Kamath, S.P. & Hugar, P.S. 2001.** Studies on the parasitoids of safflower caterpillar, *Perigoea capensis* Guén. *Karnataka Journal of Agricultural Sciences* 14(1): 157-159.
- Kambhampati, S., Mackauer, M. & Panno, J.P. 1987.** Evaluation of egg frequency distributions in the pea-aphid parasite *Aphidius smithii* (Hymenoptera: Aphidiidae) by pattern analysis. *Annals of the Entomological Society of America* 80(1): 1-8.
- Kambhampati, S. & Mackauer, M. 1988.** Intra- and interspecific morphological variation in some *Aphidius* species (Hymenoptera: Aphidiidae) parasitic on the pea aphid in North America. *Annals of the Entomological Society of America* 81(6): 1011-1016.
- Kambhampati, S. & Mackauer, M. 1989.** Multivariate assessment of inter- and intraspecific variation in performance criteria of several pea aphid parasites (Hymenoptera: Aphidiidae). *Annals of the Entomological Society of America* 82(3): 314-324.
- Kambhampati, S. & Smith, P.T. 1995.** PCR primers for the amplification of four insect mitochondrial gene fragments. *Insect Molecular Biology* 4(4): 233-236.
- Kambhampati, S., Völkl, W. & Mackauer, M. 2000.** Phylogenetic relationships among genera of Aphidiinae (Hymenoptera: Braconidae) based on DNA sequence of the mitochondrial 16S rRNA gene. *Systematic Entomology* 25: 437-445.
- Kamijo, K. 1973.** The parasite complex of *Choristoneura diversana* Huebner injurious to todo-fir, *Abies sachalinensis* Masters. (in Japanese with English summary) *Japanese Journal of Applied Entomology and Zoology* 17(2): 77-83.
- Kamin-Belsky, N., Wool, D., Brower, J.H., Donahaye, E. & Navarro, S. 1987.** Unplanned factors affecting population size in laboratory populations of the almond moth *Ephesia cautella* (Walker). *Proceedings of the Fourth International Working Conference on Stored-Product Protection, Tel Aviv, Israel, 21-26 September 1986.* 463-469.
- Kamran, M.A. & Raros, E.S. 1969.** Insect parasites in the natural control of species of rice stem-borers on Luzon Island, Philippines. *Annals of the Entomological Society of America* 62: 797-801.
- Kandalkar, H.G., Atale, S.B., Men, U.B. & Morey, K.J. 1998.** Record of two larval parasitoids of the skipper *Pelopidas mathias* (Fab.) on sorghum. *Insect Environment* 4(1): 19.
- Kandalkar, H.G., Atale, S.B., Men, U.B. & Morey, K.J. 1998.** Record of hymenopterous larval parasites of skipper, *Pelopidas mathias* Fb. on sorghum. *PKV Research Journal* 22(2): 213-214.
- Kandoria, J.L., Amarjit, L. & Singh, L. 1996.** New record of a parasitoid, *Cotesia plutellae* (Kurdj.) of *Plutella xylostella* (L.) from Punjab. *Journal of Insect Science* 9(1): 80.
- Kandoria, J.L., Lal, A. & Singh, L. 1996.** Mortality of *Plutella xylostella* (L.) by natural enemies in the Punjab. *Journal of Insect Science* 9(1): 69-70.
- Kaneko, J., Sugawara, N. & Endou, T. 1992.** Influence of parasitism by *Aphidius gifuensis* Ashmead (Hymenoptera: Aphidiidae) on the reproductive ability of the peach-potato aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae). *Japanese Journal of Applied Entomology and Zoology* 36(2): 137-139.

- Kaneko, J.** 1993. Parasitic wasps of the silver Y moth, *Autographa gamma* (L.) (Noctuidae: Plusiinae) and the Asiatic common looper, *A. nigrisigna* (Walker) in Hokkaido, Japan. Japanese Journal of Applied Entomology and Zoology 37(1): 22-24.
- Kaneko, S.** 2002. Aphid-attending ants increase the number of emerging adults of the aphid's primary parasitoid and hyperparasitoids by repelling intraguild predators. Entomological Science 5(2): 131-146.
- Kaneko, S.** 2003. Different impacts of two species of aphid-attending ants with different aggressiveness on the number of emerging adults of the aphid's primary parasitoid and hyperparasitoids. Ecological Research 18(2): 199-212.
- Kaneko, S.** 2003. Impacts of two ants, *Lasius niger* and *Pristomyrmex pungens* (Hymenoptera: Formicidae), attending the brown citrus aphid, *Toxoptera citricidus* (Homoptera: Aphididae), on the parasitism of the aphid by the primary parasitoid, *Lysiphlebus japonicus* (Hymenoptera: Aphididae), and its larval survival. Japanese Journal of Applied Entomology and Zoology 38(3): 347-358.
- Kanuck, M.J. & Sullivan, D.J.** 1992. Ovipositional behavior and larval development of *Aphidencyrthus aphidivorus* (Hymenoptera: Encyrtidae), an aphid hyperparasitoid. Journal of the New York Entomological Society 100(3): 527-532.
- Kao, S.S. & Tzeng, C.C.** 1992. Toxicity of insecticides to *Cotesia plutellae*, a parasitoid of diamondback moth: 287-295. In: Talekar, N.S. [ed.] "Diamondback moth and other crucifer pests". Proceedings of the Second International Workshop, Tainan, Taiwan: 1-603 pp.
- Kapadia, M.N. & Koshiya, D.J.** 2000. Biology and natural enemies of *Plutella xylostella* (L.) on its new host food plant Gujarat Agricultural University Research Journal 24(2)(January 1999): 106-107.
- Kapatos, E., Fletcher, B.S., Pappas, S. & Laudeho, Y.** 1977. The release of *Opius concolor* and *O. concolor* var. *siculus* (Hym.: Braconidae) against the spring generation of *Dacus oleae* (Dipt.: Trypetidae) on Corfu. Entomophaga 22: 265-270.
- Kares, E.A.** 1994. Effect of parasitism by *Zelee nigricornis* (Walk.) on the larval haemolymph of *Spodoptera littoralis* (Boisd.). Annals of Agricultural Science, Moshtohor 32(4): 2139-2147.
- Karimpour, Y., Fathipour, Y., Talebi, A.A. & Moharrampour, S.** 2001. Report of two endoparasitoid wasps, *Cotesia ofella* (Nixon) and *C. vanessae* (Reinhard) (Hym.: Braconidae) on larvae of *Simara dentinosa* Freyer (Lep.: Noctuidae) from Iran. Journal of Entomological Society of Iran 21(2): 105-106.
- Karltopf, M. & Nilsson, C.** 1981. Pollen beetles in spring rape in central Sweden. Växtskyddsnotiser 45(4): 146-154.
- Karnavar, G.K.** 1983. Studies on the population control of *Pieris brassicae* L. by *Apanteles glomeratus* L. Insect Science and its Application 4: 397-399.
- Karnavar, G.K.** 1984. Studies on the influence on the parasitoid *Apanteles glomeratus* on the metabolite levels of the host *Pieris brassicae*. Insect Science and its Application 5(2): 99-100.
- Karnowski, W. & Labanowski, G.** 1998. *Cacyreus marshalli* - a potential pest of *Pelargonium* in Poland. Ochrona Roslin 42(10): 12-13.
- Karowe, D.N. & Schoonhoven, L.M.** 1992. Interactions among three trophic levels: the influence of host plant on performance of *Pieris brassicae* and its parasitoid, *Cotesia glomerata*. Entomologia Experimentalis et Applicata 62(3): 241-251.
- Karpinski, J.J.** 1967. In Zapfen der polnischen (*Larix polonica* Rac.) und der europäischen Lärche (*L. decidua* Mill.) sich entwickelnde oder winternde Insekten und Spinnen. Aneks 2. Verbreitung und Wirte der in der Arbeit besprochenen Ichneumonidae. Ministerstwo Lesnictwa i Przemysłu Drzewnego. Instytut Badawczy Lesnictwa 315: 81-96,102.
- Karthikeyan, K., Rangarajan, A.V. & Muthuswami, M.** 1997. New records of natural enemies on insect pests of neem tree, *Azadirachta indica* A. Juss. Journal of Biological Control, publ. 1998, 11(1-2): 81-83.
- Kaschke, A.H.** 1980. On the biology and morphology of the egg-larval parasite, *Chelonus blackburni* Cam. (Hym., Braconidae). International Congress of Entomology Proceedings 16: 358.
- Kashima, T. & Matsui, M.** 1998. Effects of the elimination of ultraviolet rays on major pests of tomato and their parasitoids. Proceedings of the Kanto Tosan Plant Protection Society 45: 185-189.
- Kasi Viswanathan, P.R.** 1972. New record of *Aphidius transcaspicus* (Telenga) (Braconidae: Hymenoptera) as a parasite of *Rhopalosiphum maidis* (Fitch). Indian Journal of Entomology 34: 74.
- Kasparyan, D.R.** 1987. The peculiarities of the parasite fauna of Hymenoptera Symphyta. Entomologicheskoye Obozreniye 66(3): 521-528. [Entomological Review 67(2)(1988): 57-65.].
- Kasparyan, D.R.** 1988. On the phylogeny of the Ichneumonoidea. Ichnews 11: 10.
- Katagall, R.D.** 1996. Incidence of defoliators in the teak plantation. Insect Environment 2(1): 20.
- Katayama, R.W., Cobb, C.H. & Burleigh, J.G.** 1987. Susceptibility of adult *Microplitis croceipes* (Hymenoptera: Braconidae) to insecticides used for *Heliothis* spp. (Lepidoptera: Noctuidae) control. Florida Entomologist 70: 530-532.
- Katiyar, K.N. & Sharma, V.** 1987. Seasonal mortality of *Prolatus aciculata* Sharma, a larval parasitoid of *Sinoxylon anale*, due to hyperparasitoids. Transactions of Indian Society of Desert Technology 12(1): 27-28.
- Katiyar, K.N. & Sharma, V.** 1987. Comparative studies on Indian and Philippine strains of *Apanteles obliqua* Walker, a parasitoid of *Diacresia obliqua*. Transactions of Indian Society of Desert Technology 12(1): 23-25.
- Katiyar, K.N. & Sharma, V.** 1987. Influence of bark thickness on the host preference of hymenopterous parasites of bark beetles. Transactions of Indian Society of Desert Technology 12(2): 121-122.
- Katiyar, K.N. & Sharma, V.** 1987. Some biological observations on *Euremeros mangifera* Sharma, Hymenoptera: Braconidae: Alysiinae. Transactions of Indian Society of Desert Technology 12(2): 117-120.
- Katiyar, K.P., Camacho, J., Geraud, F. & Matheus, R.** 1995. Hymenopterous parasitoids of fruit flies (Diptera: Tephritidae) in western Venezuela. Revista de la Facultad de Agronomía, Universidad del Zulia 12(3): 303-312.
- Katiyar, K.P., Camacho-Molina, J., & Matheus, R.** 1997. First report of a host plant for *Anastrepha sylvicola* Knab (Diptera: Tephritidae). Boletín de Entomología Venezolana 12(1): 59-61.
- Katiyar, R.L., Manjunath, D., Datta, R.K. & Kumar, V.** 2001. Occurrence, biology and field efficacy of *Meteorus dichomeridis* (Wilkinson) (Hymenoptera: Braconidae) - a larval endoparasitoid of the Bihar hairy caterpillar, *Spilosoma obliqua* (Walker) (Lepidoptera: Arctiidae). Russian Entomological Journal 10(1): 67-74.
- Kato, M.** 1985. Life history and mortality pattern of the honey-suckle leaf-miner, *Phytomyza lonicerae* Robineau-Desboidy (Diptera, Agromyzidae). Kontyu 53: 604-515.
- Kato, M.** 1994. Structure, organization, and response of a species-rich parasitoid community to host leafminer population dynamics. Oecologia (Heidelberg) 97(1): 17-25.
- Kato, M.** 1996. Effects of parasitoid community structure upon the population dynamics of the honeysuckle leafminer, *Chromatomyia suikazurae* (Diptera: Agromyzidae). Researches on Population Ecology (Kyoto) 38(1): 27-40.
- Kato, T.** 1970. Efficiency of *Lysiphlebus japonicus* Ashmead (Hym., Aphididae) in control of the citrus aphid, *Toxoptera citricidus* Kirkaldy infesting citrus young shoots in summer. (in Japanese) Odokon-Chugoku 12: 1-6.

- Katole, S.R., Nimbalkar, S.A., Yadgirwar, P.V., Kadu, N.R. & Kolhe, A.V. 1998.** Note on parasitization of *Diaeretiella rapae* M'Intosh on mustard aphids, *Lipaphis erysimi* Kalt. PKV Research Journal 22(2): 214-216.
- Katovich, S.A. & Kulman, H.M. 1991.** Eastern pine seedworm. *Cydia toreuta* (Lepidoptera: Tortricidae) in red pine cones in Wisconsin. Great Lakes Entomologist 24(3): 145-152.
- Kaul, B.K. & Kumar, S. 1997.** Natural enemies of rice stem borers in Kangra valley of Himachal Pradesh. Journal of Biological Control, publ. 1998, 11(1-2): 69-71.
- Kavallieratos, N.G., Lykouressis, D.P., Papadopoulos, G. & Vrachas, A. 1997.** Spatial and temporal parasitoid composition in populations of *Myzus nicotiana* Blackman in Greece. Boletín de la Asociación Española de Entomología 21: 127-128.
- Kavallieratos, N. & Lykouressis, D. 1999.** Parasitoids (Hymenoptera: Braconidae) emerged from aphids (Homoptera: Aphidoidea) on citrus and their frequency in Greece. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" 55: 93-104.
- Kavallieratos, N. & Lykouressis, D. 1999.** Redescription of *Aphidius transcaspicus* Telenga and its distinction from *Aphidius colemani* Viereck (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" 55: 105-112.
- Kavallieratos, N.G. & Lykouressis, D.P. 2000.** Two new species of *Praon* Haliday (Hymenoptera: Aphidiidae) from Greece. Entomologia Hellenica 13: 5-12.
- Kavallieratos, N.G. & Tomanovič, Ž. 2001.** Some rare and endemic aphid parasitoid species (Hymenoptera: Braconidae: Aphidiinae) from the Balkan Peninsula. Acta Entomologica Serbica 6(1/2): 121-129.
- Kavallieratos, N.G., Lykouressis, D.P., Sarlis, G.P., Stathas, G.J., Sanchis-Segovia, A. & Athanassiou, C.G. 2001.** The Aphidiinae (Hymenoptera: Ichneumonoidea: Braconidae) of Greece. Phytoparasitica 29(4): 306-340.
- Kavallieratos, N.G., Stathas, G.J., Athanassiou, C.G. & Papadoulis, G.T. 2002.** *Dittrichia viscosa* and *Rubus ulmifolius* as reservoirs of aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) and the role of certain coccinellid species. Phytoparasitica 30(3): 231-242.
- Kavallieratos, N.G., Athanassiou, C.G., Stathas, G.J. & Tomanovič, Ž. 2002.** Aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) on citrus: seasonal abundance, association with the species of host plant, and sampling indices. Phytoparasitica 30(4): 365-377.
- Kavallieratos, N.G., Athanassiou, C.G. & Tomanovič, Ž. 2003.** A new species and a key to Greek *Praon* Haliday (Hymenoptera, Braconidae, Aphidiinae). Deutsche Entomologische Zeitschrift 50(1): 13-22.
- Kavitha, Z., Savithri, P. & Vijayaragavan, C. 2002.** Potential braconid parasitoid on ber white hairy caterpillar. Insect Environment 7(4): 167.
- Kawaguchi, M. & Tanaka, T. 1999.** Biological characteristics of a larval endoparasitoid, *Cotesia plutellae* (Hymenoptera: Braconidae): host stage preference, subsequent sex ratio of progeny and mate location of males. Applied Entomology and Zoology 34(2): 213-221.
- Kawaguchi, M. & Tanaka, T. 1999.** Time and location of larval emergence of the endoparasitoid *Cotesia kariyai* (Hymenoptera: Braconidae) from the lepidopteran host *Pseudaletia separata* (Lepidoptera: Noctuidae). Annals of the Entomological Society of America 92(1): 101-107.
- Kawakami, T. & Kainoh, Y. 1985.** Host discrimination and competition in the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae). Applied Entomology and Zoology 20(3): 362-364.
- Kawakami, T. 1985.** Development of the immature stages of *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae), an egg-larval parasitoid of the smaller tea tortrix moth, *Adoxophyes* sp. (Lepidoptera: Tortricidae). Applied Entomology and Zoology 20: 380-386.
- Kawakami, T. & Kainoh, Y. 1986.** Host specificity of the egg-larval parasitoid, *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae) among five tortricid and one noctuid species. Applied Entomology and Zoology 21(1): 8-14.
- Kawasoe, K., Kusigemati, K., Murata, M. & Tanaka, A. 1992.** [Seasonal prevalence of natural enemies of the diamondback moth, *Plutella xylostella* L. in Kagoshima Prefecture.] (in Japanese) Proceedings of the Association for Plant Protection of Kyushu 38: 122-126.
- Kay, M. 1990.** Success with biological control of the eucalyptus tortoise beetle, *Paropsis charybdis*. What's New in Forest Research 184: 4 pp.
- Kaya, H.K. & Nishida, T. 1968.** Superparasitism by *Opius oophilus*, a parasite of the Oriental fruit fly. Hawaii Agricultural Experiment Station. Technical Bulletin. No. 73.
- Kaya, H.K. 1970.** Toxic factor produced by a granulosis virus in armyworm larvae: effect on *Apanteles militaris*. Science 168: 251-253.
- Kaya, H.K. & Tanada, Y. 1971.** Properties of a viral factor toxic to the parasitoid, *Apanteles militaris*. Journal of Insect Physiology 17: 2125-2138.
- Kaya, H.K. & Tanada, Y. 1972.** Pathology caused by a viral toxin in the parasitoid *Apanteles militaris*. Journal of Invertebrate Pathology 19: 262-272.
- Kaya, H.K. & Tanada, Y. 1972.** Response of *Apanteles militaris* to a toxin produced in a granulosis-virus-infected host. Journal of Invertebrate Pathology 19: 1-17.
- Kaya, H.K. & Tanada, Y. 1973.** Hemolymph factor in armyworm larvae infected with a nuclear-polyhedrosis virus toxic to *Apanteles militaris*. Journal of Invertebrate Pathology 21: 211-214.
- Kaya, H.K. & Hotchkin, P.G. 1981.** The nematode *Neoaplectana carpocapsae* Weiser and its effect on selected Ichneumonid and Braconid parasites. Environmental Entomology 10(4): 474-478.
- Kazmierczak, T. 1991.** Ichneumonidae (Hymenoptera) of the surroundings of Gastein in the Alps. Part II. Acta Zoologica Cracoviensis 34(1): 65-98.
- Kazmierczak, T. 1993.** Ichneumonidae (Hymenoptera) of selected regions of southern Poland. Acta Zoologica Cracoviensis 36(1): 77-120.
- Ke, L.D., Li, Z.Q., Xu, L.X. & Zheng, Q.F. 1988.** Host plant preference and seasonal fluctuation of *Diaphania indica* Saunders. Acta Entomologica Sinica 31(4): 379-386.
- Ke, L.S., Moore, D. & Waage, J.K. 1991.** Selection for fenitrothion resistance in *Apanteles plutellae* Kurdj. (Hym.: Braconidae). Journal of Applied Entomology 112(1): 107-110.
- Kean, J.M. & Barlow, N.D. 2000.** Long-term assessment of the biological control of *Sitona discoideus* by *Microctonus aethiopoulos* and test of a model. Biocontrol Science and Technology 10(3): 215-221.
- Kean, J.M. & Barlow, N.D. 2001.** A spatial model for the successful biological control of *Sitona discoideus* by *Microctonus aethiopoulos*. Journal of Applied Ecology 38(1): 162-169.
- Keeratikasikorn, M. & Hooper, G.H.S. 1981.** The comparative toxicity of some insecticides to the potato tuber moth *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidae) and two of its parasites *Orgilus lepidus* Muesebeck and *Copidosoma desantisii* Annecke and Mynhardt. Journal of the Australian Entomological Society 20(4): 309-311.
- Keever, D.W., Arbogast, R.T. & Mullen, M.A. 1985.** Population trends and distributions of *Bracon hebetor* Say (Hymenoptera: Braconidae) and lepidopteran pests in commercially stored peanuts. Environmental Entomology 14: 722-725.

- Keever, D.W., Mullen, M.A., Press, J.W. & Arbogast, R.T. 1986.** Augmentation of natural enemies for suppressing two major insect pests in stored farmers stock peanuts. *Environmental Entomology* 15(3): 767-770.
- Kegley, S. 2000.** Douglas-fir beetle population assessment: Idaho Panhandle National Forests. Forest Health Protection Report Northern Region, USDA Forest Service 00-4: 6 pp.
- Keller, E.C. Jr. 1970.** Xanthine dehydrogenase activity in parental and F1 *Drosophila* and *Habrobracon* under conditions of hypogravity. *BioScience* 20: 1045-1049.
- Keller, M.A. 1990.** Responses of the parasitoid *Cotesia rubecula* to its host *Pieris rapae* in a flight tunnel. *Entomologia Experimentalis et Applicata* 57(3): 243-250.
- Keller, M.A. & Horne, P.A. 1993.** Sources of host-location cues for the parasitic wasp *Orgilus lepidus* (Braconidae). *Australian Journal of Zoology* 41(4): 335-341.
- Keller, M.A., Tenhumberg, B., Austin, A.D. & Downton, M. 2000.** New insights into the foraging behaviour of parasitic wasps. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 247-257.
- Kelly, P. 1987.** Records of some paropsine parasites. *Victorian Entomologist* 17(6): 110.
- Kelly, T.J., Gelman, D.B., Reed, D.A. & Beckage, N.E. 1998.** Effects of parasitization by *Cotesia congregata* on the brain-prothoracic gland axis of its host, *Manduca sexta*. *Journal of Insect Physiology* 44(3-4): 323-332.
- Kelm, M. 1988.** The effectiveness of *Diaeretiella rapae* (M'Intosh) in the control of the cabbage aphid *Brevicoryne brassicae* L. on oilseed rape in Great Britain: 249-252. In: Niemczyk, E, Dixon, A.F.G. [eds]. Ecology and effectiveness of aphidophaga. Proceedings of an International Symposium, held at Teresin, Poland, August. 31-September 5, 1987. Hague: 1-341.
- Kenis, M. & Mills, N.J. 1994.** Parasitoids of European species of the genus *Pissodes* (Col.: Curculionidae) and their potential for the biological control of *Pissodes strobi* (Peck) in Canada. *Biological Control* 4(1): 14-21.
- Kenis, M. 1994.** Variations in diapause among populations of *Eubazus semirugosus* (Nees) (Hym.: Braconidae), a parasitoid of *Pissodes* spp. (Col.: Curculionidae). *Norwegian Journal of Agricultural Sciences SUPP16*: 77-82.
- Kenis, M. 1996.** Factors affecting sex ratio in rearing of *Coeloides sordidator* (Hym.: Braconidae). *Entomophaga* 41(2): 217-224.
- Kenis, M., Hulme, M.A. & Mills, N.J. 1996.** Comparative developmental biology of populations of three European and one North American *Eubazus* spp. (Hymenoptera: Braconidae), parasitoids of *Pissodes* spp. weevils (Coleoptera: Curculionidae). *Bulletin of Entomological Research* 86(2): 143-153.
- Kenis, M. 1997.** Biology of *Coeloides sordidator* (Hymenoptera: Braconidae), a possible candidate for introduction against *Pissodes strobi* (Coleoptera: Curculionidae) in North America. *Biocontrol Science and Technology* 7(1): 153-164.
- Kenis, M. & Mills, N.J. 1998.** Evidence for the occurrence of sibling species in *Eubazus* spp. (Hymenoptera: Braconidae), parasitoids of *Pissodes* spp. weevils (Coleoptera: Curculionidae). *Bulletin of Entomological Research* 88(2): 149-163.
- Kenis, M. & Achterberg, C. van 2000.** The Holarctic species of the subgenus *Allodoros* Foerster s.s. of the genus *Eubazus* Nees (Hymenoptera: Braconidae). *Zoologische Mededelingen, Leiden* 73(12-33): 427-455.
- Kenis, M., Sileshi, G. & Achterberg, C. van 2000.** *Perilitus (Microctonus) larvicida* spec. nov. (Hymenoptera: Braconidae: Euphorinae) from Zambia. *Zoologische Mededelingen, Leiden* 74(1): 57-62.
- Kenis, M., Sileshi, G. & Bridge, J. 2001.** Parasitism of the leaf-beetle *Mesoplatys ochroptera* Stal (Coleoptera: Chrysomelidae) in Eastern Zambia. *Biocontrol Science and Technology* 11(5): 611-622.
- Kennedy, B.H. 1970.** *Dendrosoter protuberans* (Hymenoptera: Braconidae) an introduced larval parasite *Scolytus multistriatus*. *Annals of the Entomological Society of America* 63(2): 351-358.
- Kennedy, B.H. & Galford, J.R. 1972.** Development of *Dendrosoter protuberans* (Hymenoptera: Braconidae) on larvae of the smaller European elm bark beetle being reared on an artificial medium. *Annals of the Entomological Society of America* 65: 757-759.
- Kennedy, B.H. 1979.** The effect of multilure on parasites of the European elm bark beetle, *Scolytus multistriatus*. *Bulletin of the Entomological Society of America* 25(1): 116-118.
- Kennedy, B.H. 1981.** Oviposition by *Dendrosoter protuberans* (Hymenoptera: Braconidae) on larvae of *Scolytus multistriatus* (Coleoptera: Scolytidae) occupied by larvae of *Entedon leucogramma* (Hymenoptera: Eulophidae). *Great Lakes Entomologist* 14: 109-112.
- Kennedy, B.H. 1984.** Effect of multilure and its components on parasites of *Scolytus multistriatus* (Coleoptera: Scolytidae). *Journal of Chemical Ecology* 10: 373-385.
- Kennedy, F.J.S., Rajamanickam, K. & Raveendran, T.S. 1990.** Effect of intercropping on insect pests of groundnut and their natural enemies. *Journal of Biological Control* 4(1): 63-64.
- Kerimova, I.G. 1998.** The behavioural abilities of *Meteorus versicolor* Wesm. and *Rogas rossicus* Kok. (Hymenoptera: Braconidae) parasitoids of *Tephрина arenacearia* Den. et Schiff. (Lepidoptera: Geometridae). *Turkish Journal of Zoology* 22(3): 231-236.
- Kerimova, I.G. 2000.** On the biology and ecology of *Tephрина arenacearia* Den. et Schiff. (Lepidoptera: Geometridae) in Azerbaijan. *Polskie Pismo Entomologiczne* 69(3): 363-368.
- Kerns, D.L. & Gaylor, M.J. 1991.** Insecticide resistance in field populations of cotton aphids and relative susceptibility of its parasitoid *Lysiphlebus testaceipes*. *Proceedings Beltwide Cotton Conferences* 1991(2): 682-685.
- Kerns, D.L. & Gaylor, M.J. 1993.** Biotic control of cotton aphids (Homoptera: Aphididae) in cotton influenced by two insecticides. *Journal of Economic Entomology* 86(6): 1824-1834.
- Kerns, D.L. & Gaylor, M.J. 1993.** Induction of cotton aphids outbreaks by insecticides in cotton. *Crop Protection* 12(5): 387-393.
- Kessler, H. & Balsbaugh, E.U. 1972.** Parasites and predators of the face fly in east-central South Dakota. *Journal of Economic Entomology* 65(6): 1636-1638.
- Kester, K.M. & Barbosa, P. 1991.** Behavioural and ecological constraints imposed by plants on insect parasitoids: implications for biological control. *Biological Control* 1(2): 94-106.
- Kester, K.M. & Barbosa, P. 1991.** Postemergence learning in the insect parasitoid, *Cotesia congregata* (Say) (Hymenoptera: Braconidae). *Journal of Insect Behavior* 4(6): 727-742.
- Kester, K.M. & Barbosa, P. 1992.** Effects of postemergence experience on searching and landing responses of the insect parasitoid, *Cotesia congregata* (Say) (Hymenoptera: Braconidae), to plants. *Journal of Insect Behavior* 5(3): 301-320.
- Kester, K.M. & Barbosa, P. 1994.** Behavioural responses to host foodplants of two populations of the insect parasitoid *Cotesia congregata* (Say). *Oecologia* 99(1-2): 151-157.
- Kester, K.M. & Jackson, D.M. 1996.** When good bugs go bad: intraguild predation by *Jalylus wickhami* on the parasitoid, *Cotesia congregata*. *Entomologia Experimentalis et Applicata* 81(3): 271-276.
- Kester, K.M., Peterson, S.C., Hanson, F., Jackson, D.M. & Severson, R.F. 2002.** The roles of nicotine and natural enemies in determining larval feeding site distributions of *Manduca sexta* L. and *Manduca quinquemaculata* (Haworth) on tobacco. *Chemoecology* 12(1): 1-10.

- Kettner, F.W. 1968.** Die Schlupfwespen (Ichneumonidae) Nordwestdeutschlands (II. Teil). Verhandlungen des Vereins für naturwissenschaftliche Heimatforschung zu Hamburg 37: 51-90.
- Kettner, F.W. 1970.** Die Schlupfwespen (Ichneumonidae) Nordwestdeutschlands (III. Teil). Verhandlungen des Vereins für naturwissenschaftliche Heimatforschung zu Hamburg 38: 43-65.
- Kfir, R. 1981.** Fertility of the polyembryonic parasite *Copidosoma koehleri*, effect of humidities on life length and relative abundance as compared with that of *Apanteles subandinus* in potato tuber moth. Annals of Applied Biology 99: 225-230.
- Kfir, R. 1988.** Hibernation by the lepidopteran stalk borers, *Busseola fusca* and *Chilo partellus* on grain sorghum. Entomologia Experimentalis et Applicata 48(1): 31-36.
- Kfir, R. 1990.** Parasites of the spotted stalk borer, *Chilo partellus* (Lepidoptera: Pyralidae) in South Africa. Entomophaga 35(3): 403-410.
- Kfir, R. 1991.** Selecting parasites for biological control of lepidopterous stalk borers in summer grain crops in South Africa. Redia 74(3): 231-236.
- Kfir, R. & Kirsten, F. 1991.** Seasonal abundance of *Cinara cronartii* (Homoptera: Aphididae) and the effect of an introduced parasite, *Pauesia* sp. (Hymenoptera: Aphidiidae). Journal of Economic Entomology 84(1): 76-82.
- Kfir, R. 1992.** Seasonal abundance of the stem borer, *Chilo partellus* (Lepidoptera: Pyralidae) and its parasites on summer grain crops. Journal of Economic Entomology 85(2): 518-529.
- Kfir, R. & Bell, R.A. 1993.** Intra-seasonal changes in populations of the African stem borer *Busseola fusca* (Fuller) (Lepidoptera: Noctuidae) and its parasitoids in Natal, South Africa. Revue de Zoologie Africaine 107(6): 543-553.
- Kfir, R. 1994.** Attempts at biological control of the stem borer *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in South Africa. African Entomology 2(1): 67-68.
- Kfir, R. 1995.** Parasitoids of the African stem borer, *Busseola fusca* (Lepidoptera: Noctuidae), in South Africa. Bulletin of Entomological Research 85(3): 369-377.
- Kfir, R. & Walters, H.S. 1996.** Transovarial transmission of a microsporidian pathogen in hymenopterous parasitoids of the stem borer *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae). African Entomology 4(2): 287-290.
- Kfir, R. 1997.** Natural control of the cereal stem borers *Busseola fusca* and *Chilo partellus* in South Africa. Insect Science and its Application 17(1): 61-67.
- Kfir, R. 1998.** Origin of the diamondback moth (Lepidoptera: Plutellidae). Annals of the Entomological Society of America 91(2): 164-167.
- Kfir, R. 1998.** Parasitoids of *Plutella xylostella* (Lep.: Plutellidae) in South Africa: an annotated list. Entomophaga 42(4) 1997(1998): 517-523.
- Kfir, R. 2000.** Seasonal occurrence, parasitoids and pathogens of the African stem borer, *Busseola fusca* (Fuller) (Lepidoptera: Noctuidae), on cereal crops in South Africa. African Entomology 8(1): 1-14.
- Kfir, R. 2001.** Prospects for biological control of *Chilo partellus* in grain crops in South Africa. Insect Science and its Application 21(4): 275-280.
- Kfir, R. 2002.** Increase in cereal stem borer populations through partial elimination of natural enemies. Entomologia Experimentalis et Applicata 104(2-3): 299-306.
- Kfir, R., Rensburg, N.J. van & Kirsten, F. 2003.** Biological control of the black pine aphid, *Cinara cronartii* (Homoptera: Aphididae), in South Africa. African Entomology 11(1): 117-121.
- Khafagi, R.M. 1998.** Effect of different diets on fecundity, longevity and sex ratio of *Microbracon* (*Habrobracon*) *beneficentor* Vier. (Hymenoptera: Braconidae). Sudan Journal of Agricultural Research 1(1): 69-72.
- Khafagi, W.E. & Hegazi, E.M. 1998.** General morphology of the reproductive and digestive systems of adult *Microplitis rufiventris* Kok. (Hymenoptera: Braconidae). Alexandria Journal of Agricultural Research 43(1): 57-66.
- Khafagi, W.E. & Hegazi, E.M. 1999.** Reproductive performance and longevity of *Microplitis rufiventris* Kok. females reared on chitin synthesis inhibitors-treated honey. Archives of Phytopathology and Plant Protection 32(2): 131-139.
- Khafagi, W.E., Hegazi, E.M. & Showail, S. 1999.** Prediction studies on number of teratocytes and eggs of *Microplitis rufiventris* Kok. (Hym.: Braconidae) parasitoid in superparasitized host larvae. Journal of Applied Entomology 123(1): 37-40.
- Khafagi, W.E. 2000.** Reproductive potential of the parasitic wasp *Microplitis rufiventris* Kok. reared in hosts treated with the growth regulator precocene II. Anzeiger für Schädlingskunde 73(2): 55-57.
- Khafagi, W.E. & Hegazi, E.M. 2000.** Reproductive potential of the parasitic wasp *Microplitis rufiventris* (Braconidae, Hymenoptera) reared in hosts treated with chitin synthesis inhibitors. Annals of the Entomological Society of America 93(3): 519-524.
- Khafagi, W.E. & Hegazi, E.M. 2001.** Effects of juvenile hormones and precocenes on the immune response of *Spodoptera littoralis* larvae to supernumerary larvae of the solitary parasitoid, *Microplitis rufiventris* Kok. Journal of Insect Physiology 47(11): 1249-1259.
- Khafagi, W.E. & Hegazi, E.M. 2001.** Reproductive potential of the parasitic wasp *Microplitis rufiventris* Kok. (Hym.: Braconidae), reared in hosts treated with chitin synthesis inhibitors. Anzeiger für Schädlingskunde 74(4): 97-100.
- Khamraev, A.Sh. & Sharafutdinov, Sh.A. 1989.** Ways of increasing the effectiveness of the biological method of cotton pest control. Zashchita Rastenii Moskva 1: 28-29.
- Khamraev, A.Sh. 1990.** Resources for improving the protection of cotton against pests. Zashchita Rastenii Moskva 3: 10-12.
- Khan, S.M. & Oezer, M. 1988.** Biology of *Microplitis mediator* (Hym.: Braconidae) a gregarious endoparasite of *Agrotis segetum* (Lep.: Noctuidae). Entomophaga 33(2): 211-217.
- Khan, S.M. 1999.** Effectiveness of *Microplitis mediator* (Hym.: Braconidae) against its hosts *Agrotis segetum* and *A. ipsilon* (Lepidoptera: Noctuidae). Pakistan Journal of Biological Sciences. 2(2): 344-346.
- Khandwe, N., Gujrati, J.P. & Singh, O.P. 1994.** Seasonal incidence, nature of damage and biology of leaf webber, *Cydia* (*Pammene*) *critica* Meyr. on pigeonpea in Madhya Pradesh. Journal of Insect Science 7(2): 216-217.
- Khashimova, M.A., Lamm, G., Orestova, I.I. & Pleshivtseva, V.I. 1986.** Biochemical composition of *Habrobracon* - a parasite of scarce bordered straw moth. Uzbekskii Biologicheskii Zhurnal 1986(6): 3-5.
- Khiiesaar, K.R. 1985.** The action of juvenoids on *Apanteles glomeratus* L. through its host organism *Pieris brassicae* L.: 128-133. In: Kuuzik, A., Metspalu, L., Khiiesaar, K. [eds]. [Methods and results of studying the physiological condition of insects.] Academy of Sciences of Estonia, Tartu, 1985: 1-140.
- Khloptseva, R.I. 1991.** The use of entomophages in biological pest control in the USSR. Biocontrol News and Information 12(3): 243-246.
- Khoo, C.C.H. & Lawrence, P.O. 2002.** Hagen's glands of the parasitic wasp *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae): ultrastructure and the detection of entomopoxvirus and parasitism-specific proteins. Arthropod Structure and Development 31(2): 121-130.
- Khoualdia, O., R'Houma, A., Marro, J.P. & Brun, J. 1996.** Release of *Phanerotoma ocuralis* Kohl to combat the carob moth *Ectomyelois ceratoniae* Zeller on dates in an experimental plot at Tozeur in Tunisia. Fruits Paris 51(2): 129-132.

- Khuat, D.L. & Vu, Q.C. 1989.** Some ecological and biological characteristics of the endoparasite *Apanteles ruficrus* Haliday (Hymenoptera, Braconidae). Tap Chi Sinh Hoc 11(2): 31-34.
- Khukhrui, O.V. 1976.** The effect of insecticides on *Aphidius ervi* Hold. a parasite of the pea aphid (*Acyrtosiphon pisum* Harr.). Zakhist Roslin 20: 25-27.
- Kienzle, J., Zebitz, C.P.W., Brass, S. & Athanassov, A. 1997.** Abundance of different tortricid species and their parasitoid antagonists in ecological apple orchards in Southern Germany. Entomological research in organic agriculture. Selected papers from the European Workshop, Austrian Federal Ministry of Science and Research, Vienna, Austria, 14-16 March, 1995. Biological Agriculture and Horticulture 15(1-4): 211-221.
- Kierych, E. 1975.** Data towards knowledge of the Aphidiidae of Poland. (in Polish) Fragmenta Faunistica (Warsaw) 20(15): 233-246.
- Kierych, E. 1980.** Data towards knowledge of the Aphidiidae of Poland II. (in Polish) Fragmenta Faunistica (Warsaw) 25(15): 283-292.
- Kifle, A.T. & Emden, H.F. van 2002.** Performance of the parasitoid *Aphidius colemani* when reared on *Myzus persicae* on a fully defined artificial diet. BioControl 47(6): 607-616.
- Kikuchi, Y., Arakawa, H. & Miya, M. 1998.** Biological control of the pest, tetranychid mites and aphids, by imported natural enemies, *Phytoseiulus persimilis* Athias-Henriot and *Aphidius colemani* Viereck on greenhouse pears. Proceedings of the Kanto Tosan Plant Protection Society 45: 227-230.
- Kilic, N. & Alaoglu, O. 1996.** Biology and parasitoids of the satin moth *Leucoma salicis* (L.) (Lepidoptera, Lymantriidae) a pest of poplar trees in Erzurum Province (Turkey). Turkiye Entomoloji Dergisi 20(4): 269-279.
- Kim, C.W. 1970.** Family 12. Braconidae Kirby (1837). Illustr. Encycl. Fauna & Flora of Korea. 11. Insecta III: 215-241., 737-742.
- Kim, D.S., Lee, J.H., Jeon, H.Y., Yiem, M.S. & Kim, K.Y. 1995.** Community structure of phytophagous arthropods and their natural enemies at different weed management systems in apple orchards. Korean Journal of Applied Entomology 34(3): 256-265.
- Kim, H.S., Kim, S.H. & Choi, K.M. 1980.** Studies on bionomics and control of cutworms. Korean Journal of Plant Protection 19(4): 244-250.
- Kim, N.K., Na, J.H. & Ryoo, M.I. 2000.** Effect of temperature on the development of *Bracon hebetor* (Hymenoptera: Braconidae) parasitizing Indianmeal moth (Lepidoptera: Pyralidae). Korean Journal of Applied Entomology 39(4): 275-279.
- Kim, Y.H. & Kim, J.H. 2003.** Biological control of aphids on cucumber in plastic green houses using banker plants. Korean Journal of Applied Entomology 42(1): 81-84.
- Kimani, S.W. & Overholt, W.A. 1995.** Biosystematics of the *Cotesia flavipes* complex (Hymenoptera: Braconidae): interspecific hybridization, sex pheromone and mating behaviour studies. Bulletin of Entomological Research 85(3): 379-386.
- Kimani-Njogu, S.W. & Overholt, W.A. 1997.** Biosystematics of the *Cotesia flavipes* species complex (Hymenoptera: Braconidae), parasitoids of the grassy stem borers. Management of tropical grassy stem borers, Nairobi, Kenya, 14-16 May 1996. Insect Science and its Application 17(1): 119-130.
- Kimani-Njogu, S.W., Overholt, W.A., Woolley, J. & Walker, A. 1997.** Biosystematics of the *Cotesia flavipes* species complex (Hymenoptera: Braconidae): morphometrics of selected allopatric populations. Bulletin of Entomological Research 87(1): 61-66.
- Kimani-Njogu, S.W., Overholt, W.A., Woolley, J.B. & Omwega, C.O. 1998.** Electrophoretic and phylogenetic analyses of selected allopatric populations of the *Cotesia flavipes* complex (Hymenoptera: Braconidae), parasitoids of cereal stem borers. Biochemical Systematics and Ecology 26(3): 285-296.
- Kimani-Njogu, S.W., Trostle, M.K., Wharton, R.A., Woolley, J.B. & Raspi, A. 2001.** Biosystematics of the *Psytalia concolor* species complex (Hymenoptera: Braconidae: Opiinae): the identity of populations attacking *Ceratitidis capitata* (Diptera: Tephritidae) in coffee in Kenya. Biological Control 20(2): 167-174.
- Kimani-Njogu, S.W. & Wharton, R.A. 2002.** Two new species of Opiinae (Hymenoptera: Braconidae) attacking fruit-infesting Tephritidae (Diptera) in western Kenya. Proceedings of the Entomological Society of Washington 104(1): 79-90.
- Kimsanboev, Kh.Kh., Nurmukhamedov, D.N., & Irisbaev, B.B. 2003.** Mulberry Pyralidae in Uzbekistan. Zashchita i Karantin Rastenii 1: 33.
- Kindlmann, P., Ruzicka, Z. & Stary, P. 1988.** A model of aphid-parasite-predator interactions: 183-186. In: Niemczyk, E., Dixon, A.F.G. [eds]. Ecology and effectiveness of aphidophaga. Proceedings of an International Symposium, held at Teresin, Poland, August. 31-September 5, 1987. The Hague 1988: 1-341.
- Kindlmann, P. & Ruzicka, Z. 1992.** Possible consequences of a specific interaction between predators and parasites of aphids. Ecological Modelling 61(3-4): 253-265.
- King, B.H. 1993.** Sex ratio manipulation by parasitoid wasps: 418-441. In: Wrensch D.L. & Ebbert, M. [eds]. Evolution and Diversity of Sex Ratio in Insects and Mites. New York, London.
- King, E.G. & Bell, J.V. 1978.** Interactions between a braconid, *Microplitis croceipes*, and a fungus, *Nomuraea rileyi*, in laboratory-reared bollworm larvae. Journal of Invertebrate Pathology 31: 337-340.
- King, E.G., Powell, J.E. & Coleman, R.J. 1985.** A high incidence of parasitism of *Heliothis* spp. (Lep.: Noctuidae) larvae in cotton in southeastern Arkansas. Entomophaga 30(4): 419-426.
- King, E.G. & Coleman, R.J. 1989.** Potential for biological control of *Heliothis* species. Annual Review of Entomology 34: 53-75.
- King, E.G. & Powell, J.E. 1989.** Biological control of *Heliothis* spp. emphasizing the present and potential role of *Microplitis croceipes*. Southwestern Entomologist 12: 1-9.
- King, E.G. & Jackson, R.D. 1990.** Proceedings of the workshop on biological control of *Heliothis*: increasing the effectiveness of natural enemies, 11-15 November 1985, New Delhi, India. London, UK.: i-xii + 1-550.
- King, G. 1997.** *Homolobus truncator* Say (Braconidae: Homolobinae) parasitoid of *Rhodometra sacraria* Linné (Geometridae: Sterrhinae) in the Algarve, Portugal. Boletim de la Sea 18: 66.
- King, P.E., Ratcliffe, N.A. & Copland, M.J.W. 1969.** The structure of the egg membranes in *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae). Proceedings of the Royal Entomological Society of London (A)44(10-12): 137-142.
- King, R.C. & Cassidy, J.D. 1973.** Ovarian development in *Habrobracon juglandis* Ashmead. II. Observations on growth and differentiation of component cells of egg chamber and their bearing upon interpretation of radiosensitivity data from *Habrobracon* and *Drosophila*. International Journal of Insect Morphology and Embryology 2: 117-136.
- Kingan, T.G., Zitnan, D., Jaffe, H. & Beckage, N.E. 1997.** Identification of neuropeptides in the midgut of parasitized insects: FLRFamides as candidate paracrines. Molecular and Cellular Endocrinology 133(1): 19-32.
- Kingsley, P.C., Bryan, M.D., Day, W.H., Burger, T.L., Dysart, R.J. & Schwalbe, C.P. 1993.** Alfalfa weevil (Coleoptera: Curculionidae) biological control: spreading the benefits. Environmental Entomology 22(6): 1234-1250.
- Kiran, E. 1994.** Studies on cereal aphids and their natural enemies in Southeast Anatolia. Turkiye III. Biyolojik Mucadele Kongresi Bildirileeri, 25-28 Ocak 1994, Ege Universitesi Ziraat Fakultesi, Bitki Koruma Bolumu, Izmir. 29-36.

- Kirby, S.G. & Fairhurst, C.P. 1983.** The ecology of elm bark beetles in northern Britain. Great Britain Forestry Commission Bulletin No. 60: 29-39.
- Kireichuk, A.G. 1989.** Problems of systematics and evolution of insects. Trudy Zoologicheskii Institut, Akademii Nauk SSSR 202: 225 pp.
- Kiritani, K. 1988.** What has happened to the rice borers during the past 40 years in Japan? JARQ Japan Agricultural Research Quarterly 21(4): 264-268.
- Kiriya, I.G. 1977.** The species of *Ephedrus* (Hymenoptera, Aphidiidae) of the USSR. (in Russian) Izvestiya Akademii Nauk Moldavian SSR. Ser. Biol. Chim.N. 5: 48-64.
- Kiriya, I.G. 1979.** *Lysiphlebus ussuriensis* Kiriya sp. n. (Hymenoptera, Aphidiidae) parasite of aphids from Primorye region. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 61: 141-143.
- Kiriya, I.G., Shyiko, E.S. & Vinokourov, N.B. 1989.** Preliminary experiments of laboratory rearing of some aphidophages introduced from North Korea: 161-162. In: Skarlato, O.A. [ed.]. Introduktsiya i primeneniye poleznykh chlenistonogikh v zashchite rastenii: trudy simpoziuma (5-9 sentyabrya 1988 g. g. Batumi, SSSR). [Introduction and use of beneficial arthropods for plant protection. Transactions of the symposium of 5-9 September, 1988, Batumi, USSR.] Zoologicheskii institut AN SSSR, Leningrad 1989: 1-195.
- Kirkland, R.L. 1979.** A new species of *Praon* (Hymenoptera: Aphidiidae) imported from Pakistan. Journal of the Kansas Entomological Society 52(2): 309-312.
- Kirkland, R.L. 1982.** Biology of *Iphiaulax kimballi* (Hym.: Braconidae), a parasite of *Diatraea grandiosella* (Lep.: Pyralidae). Entomophaga 27: 129-134.
- Kirsten, F. & Kfir, R. 1991.** Rate of development, host instar preference and progeny distribution by *Pauesia* sp. (Hymenoptera: Aphidiidae), a parasitoid of *Cinara cronartii* Tissot & Pepper (Homoptera: Aphididae). Journal of the Entomological Society of Southern Africa 54(1): 75-80.
- Kiruba, J. & Karnavar, G.K. 1993.** Studies on the influence of a braconid parasitoid, *Phanerotoma hendecasisella* (Cameron) on its host *Ephesia cautella* (Walker). Indian Journal of Comparative Animal Physiology 11(1): 60-62.
- Kishore, P. 1986.** Studies on natural enemies of the spotted stem borer (*Chilo partellus* (Swinhoe)). Sorghum Newsletter 29: 65-66.
- Kishore, P. 2000.** Eco-friendly viable options for formulating management strategy for insect pests of sorghum and pearl millet. Journal of Entomological Research 24(1): 63-72.
- Kistler, R.A. 1985.** Host-age structure and parasitism in a laboratory system of two hymenopterous parasitoids and larvae of *Zabrotes subfasciatus* (Coleoptera: Bruchidae). Environmental Entomology 14: 507-511.
- Kistner, D.H., Jacobson, H.R. & Elliott, D.E. 2000.** Some interesting Braconidae that live with termites and their behavior (Hymenoptera, Isoptera: Termitidae: Nasutitermitinae). Sociobiology 36(1): 257-264.
- Kitano, H. 1965.** Studies on the origin of giant cells in the body of *Pieris rapae crucivora* attacked by *Apanteles glomeratus*. L. II. Determination of their origin and speculation on their biological significance. Zoological Magazine (Tokyo) 74: 192-197.
- Kitano, H. 1969.** On the total hemocyte counts of the larva of the common cabbage butterfly, *Pieris rapae crucivora* Boisduval with reference to the parasitization of *Apanteles glomeratus* L. Kontyu 37: 320-326.
- Kitano, H. 1974.** Effects of the parasitization of a braconid, *Apanteles*, on the blood of its host, *Pieris*. Journal of Insect Physiology 20: 315-327.
- Kitano, H. 1975.** Studies on the courtship behavior of *Apanteles glomeratus* L. 2. Role of the male wing during courtship and the releases of mounting and copulatory behavior in the males. Kontyu 43: 513-521.
- Kitano, H. 1976.** Studies on the courtship behavior of *Apanteles glomeratus* L. 3. On the behavior of males and females after their emergence from cocoons. (in Japanese with English summary) Physio. Ecol. Japan 17: 383-393.
- Kitano, H. & Natatsuji, N. 1978.** Resistance of *Apanteles* eggs to the haemocytic encapsulation by their habitual host *Pieris*. Journal of Insect Physiology 24: 261-271.
- Kitano, H. 1982.** *Apanteles* venom as means of resistance to the cellular defense reactions of its host, *Pieris rapae crucivora*: 157-160. In: Akai, H., King, R.C. & Morohosh, S. [eds]. The ultrastructure and functioning of insect cells. The Society for insect cells, Japan, Tokyo 1982: i-xii, 1-195.
- Kitano, H. 1982.** Effect of the venom of the gregarious parasitoid, *Apanteles glomeratus*, on its hemocytic encapsulation by the host, *Pieris*. Journal of Invertebrate Pathology 40: 61-67.
- Kitano, H. 1984.** Role of *Apanteles glomeratus* venom during parasitism. International Congress of Entomology Proceedings 17: 206.
- Kitano, H. 1986.** The role of *Apanteles glomeratus* venom in the defensive response of its host, *Pieris rapae crucivora*. Journal of Insect Physiology 32: 369-375.
- Kitano, H., Wago, H. & Arakawa, T. 1990.** Possible role of teratocytes of the gregarious parasitoid, *Cotesia* (= *Apanteles*) *glomerata*, in the suppression of phenoloxidase activity in the larval host, *Pieris rapae crucivora*. Archives of Insect Biochemistry and Physiology 13: 177-185.
- Kitachi, Y. & Nogami, T. 1984.** Hymenopterous parasites of the cabbage moth, *Plutella xylostella* L., observed in cabbage fields of Oita Prefecture. Proceedings of the Association for Plant Protection of Kyushu 30: 124-125.
- Kitt, J.T. & Keller, M.A. 1998.** Host selection by *Aphidius rosae* Haliday (Hym., Braconidae) with respect to assessment of host specificity in biological control. Journal of Applied Entomology 122(1): 57-63.
- Kitthawee, S., Julsilikul, D., Sharpe, R.G. & Baimai, V. 1999.** Protein polymorphism in natural populations of *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) in Thailand. Genetica 105(2): 125-131.
- Kitthawee, S., Singhapong, S. & Baimai, V. 1999.** Metaphase chromosomes of parasitic wasp, *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) in Thailand. Cytologia 64(1): 111-115.
- Kitthawee, S. 2000.** Seasonal occurrence of *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae), a parasitoid of *Bactrocera correcta* (Bezzi) (Diptera: Tephritidae) in a guava orchard in central Thailand. Science Asia 26(2): 87-92.
- Kiyota, H. & Mori, K. 1994.** Synthesis of (2S,4R,5S)-2,4,6-trimethyl-5-heptanolide, a sex pheromone component for *Macrocentrus grandii*. Bioscience, Biotechnology and Biochemistry 58(6): 1120-1122.
- Klapal, H., Adler, C., Navarro, S., Scholler, M. & Stengard-Hansen, L. 2002.** Control of the Mediterranean flour moth (*Ephesia kuehniella* [Zeller]) in an automated pig-fattening enterprise. Proceedings of the IOBC WPRS Working Group "Integrated Protection in Stored Products", Lisbon, Portugal, 3-5 September, 2001. Bulletin OILB SROP 25(3): 241.
- Klemetti, T. & Wahlberg, N. 1997.** The ecology and population structure of the marsh fritillary (*Euphydryas aurinia*) in Finland. Baptria (Helsinki) 22(2): 87-93.
- Clunker, R. & Fabritius, K. 1992.** Bibliographie über Pupaarium-parasitoiden synanthroper Fliegen. Beiträge zur Entomologie 42(2): 331-429.
- Knight, A.L. & Croft, B.A. 1987.** Immature developmental requirements and factors influencing spring emergence of *Argyrotaenia citrana* (Lepidoptera: Tortricidae) on caneberries, *Rubus* spp.,

- in the Pacific Northwest. *Journal of Economic Entomology* 80(4): 799-805.
- Knight, A.L. & Croft, B.A. 1989.** Host discrimination by the gregarious parasitoid *Oncophanes americanus* (Hymenoptera: Braconidae). *Pan Pacific Entomologist* 65(2): 146-150.
- Knight, G.A., Lavigne, R.J. & Pogue, M.G. 1991.** The parasitoid complex of forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae), in eastern Wyoming shelterbelts. *Great Lakes Entomologist* 24(4): 255-261.
- Knutson, L. & Abercrombie, J. 1977.** Biology of *Antichaeta melanosoma* (Diptera: Sciomyzidae), with notes on parasitoid Braconidae and Ichneumonidae (Hymenoptera). *Proceedings of the Entomological Society of Washington* 79: 111-125.
- Kobakhidze, D.N., Kharazishvili, K.V., Tvaradze, M.S. & Kraveishvili, I.K. 1973.** The fauna of natural enemies of *Dendroctonus micans* in Soviet Georgia. (in Russian) *Entomologicheskoye Obozreniye* 52: 47-49. [*Entomological Review* 52: 30-32.].
- Kobayashi, A. & Shimada, M. 2000.** Field sex ratio of a braconid parasitoid wasp, *Heterospilus prosopidis* (Hymenoptera: Braconidae), in the Southwestern United States: concordance with host-quality model. *Annals of the Entomological Society of America* 93(4): 819-824.
- Kobayashi, A., Tanaka, Y. & Shimada, M. 2003.** Genetic variation of sex allocation in the parasitoid wasp *Heterospilus prosopidis*. *Evolution* 57(11): 2659-2664.
- Kodomari, S. 1987.** Use of granulosis viruses for the control of two tea tortricid moths. *Extension Bulletin, ASPAC Food and Fertilizer Technology Center for the Asian and Pacific Region, Taiwan* 257: 22-23.
- Koike, M. 1985.** Investigation of *Pelecystoma solitarium* Watanabe. *New Entomologist* 34: 1-36.
- Koike, M. 1998.** Distribution and percentage parasitism of the parasitic wasp *Pelecystoma solitarium* Watanabe (Braconidae). *New Entomologist* 47(1-2): 4-7.
- Kojima, T. 1997.** Seasonal occurrence of the larval and pupal parasitoids of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) in Fukui Prefecture and the growth period of *Cotesia plutellae* (Hymenoptera: Braconidae). (in Japanese) *Proceedings of the Association of Plant Protection, Hokuriku* 45: 17-21.
- Kok, L.T. & McAvoy, T.J. 1989.** Fall broccoli pests and their parasites in Virginia. *Journal of Entomological Science* 24(2): 258-265.
- Kok, L.T., Lasota, J.A., McAvoy, T.J. & Dybas, R.A. 1996.** Residual foliar toxicity of 4''-epi-methylamino-4''-deoxyvermectin B1 hydrochloride (MK-243) and selected commercial insecticides to adult hymenopterous parasites, *Pteromalus puparum* (Hymenoptera: Pteromalidae) and *Cotesia orobena* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 89(1): 63-67.
- Kok, L.T. & Acosta-Martinez, J.A. 2001.** Development of *Cotesia orobena* Forbes (Hymenoptera: Braconidae) in its host, *Evergestis rimosalis* (Guenée) (Lepidoptera: Pyralidae). *Journal of Entomological Science* 36(1): 9-16.
- Kok, L.T. & Acosta-Martinez, J.A. 2001.** Differential susceptibility of *Cotesia orobena*, a parasitoid of the cross-striped cabbage-worm, to commonly used insecticides in Cruciferae. *BioControl* 46: 419-426.
- Kolaib, M.O., Hegazy, E.M. & Abd El Fattah, M.I. 1980.** Parasitoids of the Egyptian cotton leafworm in Menoufia Governorate, Egypt. *Zeitschrift für angewandte Entomologie* 89(2): 193-198.
- Kolaib, M.O. 1987.** Biology of *Zele chlorophthalma* (Nees). *Indian Journal of Agricultural Sciences* 57(7): 491-493.
- Kolaib, M.O., El Fattah, M.I.A. & Hegazy, E.M. 1987.** Biology of *Chelonus inanitus* Linn. *Indian Journal of Agricultural Sciences* 57(5) 1987: 365-368.
- Kolarov, J.A. 1997.** A preliminary catalogue of the Bulgarian Aphidiinae (Hymenoptera, Braconidae). *Acta Entomologica Bulgarica* 3-4: 20-23.
- Kolk, A. 1982.** Comparative analysis of selected parasite/host systems in *Rhyacionia buoliana* and *Exoteleia dodecella*. *Prace instytutu badawczego lesnictwa, Poland* 594: 95-160.
- Kolodny-Hirsch, D.M. 1988.** Influence of some environmental factors on the laboratory production of *Cotesia melanoscela* (Braconidae: Hymenoptera): A larval parasitoid of *Lymantria dispar*. *Environmental Entomology* 17(1): 127-131.
- Kolodny-Hirsch, D.M., Reardon, R.C., Thorpe, K.W. & Raupp, M.J. 1988.** Evaluating the impact of sequential releases of *Cotesia melanoscela* (Hymenoptera: Braconidae) on *Lymantria dispar* (Lepidoptera: Lymantriidae). *Environmental Entomology* 17(2): 403-408.
- Kolomiets, N.G. 1986.** Ichneumonids and tachinid flies-parasites of pests of forest in western Siberia. *Sibirskii Biologicheskii Zhurnal* 1: 50-53.
- Komarova, G.F. 1984.** *Numonia pyrivorella*. *Zashchita Rastenii (Moscow)* 1984(7): 36.
- Komonen, A. 1997.** The parasitoid complexes attacking Finnish populations of two threatened butterflies, *Euphydryas maturna* and *E. aurinia*. *Baptria (Helsinki)* 22(3): 105-109.
- Komonen, A. 1998.** Host species use in parasitoids of Melitaeini butterflies in southern France. *Baptria (Helsinki)* 23(4): 194-200.
- König, R. 1967.** Ein Beitrag zur Kenntnis einiger Braconidenarten in Schleswig-Holstein (Hym., Braconidae, Blacinae). *Faunistisch Ökologische Mitteilungen* 3: 112-121.
- König, R. 1967.** Eine bemerkenswerte Flügeladerung bei einem Männchen von *Dacnusa pubescens* (Curtis) (Hymenoptera: Braconidae, Alysiinae). *Faunistisch Ökologische Mitteilungen* 3: 122-123.
- König, R. 1968.** Eine interessante Aderbildung bei *Aphaereta tenuicornis* Nixon (Hymenoptera, Braconidae, Alysiinae). *Faunistisch Ökologische Mitteilungen* 3: 241-242.
- König, R. 1972.** Zur Systematik, Faunistik, Phänologie und Ökologie mitteleuropäischer Braconiden (Hymenoptera) (1). *Faunistisch Ökologische Mitteilungen* 4: 85-106.
- Königsmann, E. 1964.** Braconidae aus den Resten der Ratzeburg-Sammlung (Hymenoptera). *Beiträge zur Entomologie Berlin* 14: 631-661.
- Königsmann, E. 1969.** Beitrag zur Revision der Gattung *Orthostigma* (Hymenoptera, Braconidae). *Deutsche Entomologische Zeitschrift* 16(I/III): 1-53.
- Königsmann, E. 1972.** Zur Kenntnis verschiedener Gattungen der Alysiinae nebst Beschreibung der neuen Gattung *Paraorthostigma* (Hymenoptera, Braconidae). *Deutsche Entomologische Zeitschrift* 19(I/III): 21-30.
- Königsmann, E. 1978.** Das phylogenetische System der Hymenoptera. Teil 3: "Terebrantes" (Unterordnung Apocrita). *Deutsche Entomologische Zeitschrift* 25(I/III): 1-55.
- Konishi, K. 1998.** An illustrated key to the hymenopterous parasitoids of *Liriomyza trifolii* in Japan. (in Japanese) *Miscellaneous Publications of the National Institute of Agro-Environmental Science* 22: 27-76.
- Konishi, K. & Maetô, K. 2000.** Ichneumonoidea, Evanioidea, Trigonalioidea and Iballiidae (Hymenoptera) from the Imperial Palace, Tokyo. *Mem. Natn. Sci. Mus.* 36: 307-323.
- Konishi, K. & Yamamoto, E. 2000.** A list of the Ichneumonidae from Odamiyama and its adjacent area. *Nature of Odamiyama II*. pp. 735-754.
- Konnorova, E. 1987.** Parasitic complex of *Leucoptera coffeella* (Guer.) in different areas. *Centro Agricola* 14(4): 81-87.
- Koomen, P., Nieuwerkerken, E.J. van & Krieken, J. 1995.** Zoologische diversiteit in Nederland: 49-136, figs 1-34, tables 1-15. In: *Nieuwerkerken, E.J. van & Loon, A.J. van [eds]. Biodiversiteit in Nederland: 1-208. Leiden.*

- Kopelke, J.P. 1986.** The taxonomy and biology of new *Pontania* spp. of the *dolichura* group (Insecta, Hymenoptera, Tenthredinidae). *Senckenbergiana Biologica* 67(1-3): 51-72.
- Kopelke, J.P. 1987.** The importance of parasitic inquilines as part of the enemy complex of gallmaking *Pontania* spp. (Hymenoptera: Tenthredinidae: Nematinae). *Zoologische Jahrbücher Abteilung für Systematik, Ökologie und Geographie der Tiere* 114(4): 487-508.
- Kopelke, J.P. 1994.** Der Schmarotzerkomplex (Brutparasiten und Parasitoide) der gallenbildenden *Pontania*-Arten (Insecta: Hymenoptera: Tenthredinidae). *Senckenbergiana Biologica* 73(1-2): 83-133.
- Kopelke, J.P. 2001.** Die Artengruppen von *Euura mucronata* und *E. laeta* in Europa (Insecta: Hymenoptera: Tenthredinidae: Nematinae). *Senckenbergiana Biologica* 81(1-2): 191-225.
- Koponen, M. & Vikberg, V. 1984.** *Calaphidius elegans* found in Finland (Hymenoptera, Braconidae: Aphidinae). *Notulae Entomologicae* 64(2): 83.
- Koponen, M. & Vikberg, V. 1984.** Parasitic wasps (Hymenoptera Parasitica) of Inari Lapland, excluding Ichneumonidae. *Kevo Notes* 7: 101-113.
- Koponen, M. 1989.** Lists of the insect types in the Zoological Museum, University of Helsinki 13. Hymenoptera: Braconidae, excluding types of the taxa described by Wolter Hellén. *Acta Entomologica Fennica* 55: 27-31.
- Koponen, M. & Tobias, V.I. 1989.** Lists of the insect types in the Zoological Museum, University of Helsinki (Finland): 12. Hymenoptera: Braconidae described by Wolter Hellén. *Acta Entomologica Fennica* 55: 23-25.
- Koponen, M. 1991.** Contributions to the knowledge of the Braconidae of Finland (Hymenoptera). *Entomologia Fennica* 2(4): 193-209.
- Koponen, M. 1992.** Contributions to the knowledge of the Braconidae of Finland (Hymenoptera). *Entomologia Fennica* 2: 193-208.
- Koponen, M. & Halme, J. 1993.** New finds of *Ephedrus* and *Toxares* species (Hymenoptera: Braconidae: Aphidiinae) from Finland. *Entomologia Fennica* 4(1): 31-36.
- Koponen, M. 1999.** Two species of *Trachyusa* Ruthe, 1854 (Hymenoptera: Braconidae, Alysiinae) in Finland. *Entomologia Fennica* 10: 199-200.
- Koponen, M. 2000.** Five alysiine species new to Finland (Hymenoptera: Braconidae, Alysiinae). *Entomologia Fennica* 11: 239-243.
- Korczynski, I. 1984.** New data on the occurrence of *Perilitus rutilus* Nees (Hymenoptera: Braconidae) in Poland, as a parasite of *Hylobius abietis* L. (Coleoptera: Curculionidae). *Polskie Pismo Entomologiczne* 54 (2): 403-406.
- Kornilov, V.G. & Ivanova, G.P. 1991.** Integration of insecticides and entomophages in a system of protection of greenhouse crops against pests. *Ekologicheskie osnovy primeneniya insektoakaritsidov* 65-69.
- Koslinska, M. & Miczulski, B. 1984.** Parasitic insects reared from larvae and pupae of *Acleris comariana* (Zell.) and *Ancylis comptana* (Frol.) (Lepidoptera, Tortricidae). *Polskie Pismo Entomologiczne* 53: 615-622.
- Kosovskij, A.V., Sadykov, A.A., Khamraev, A., Zufarova, R.A. & Salikhov, S.I. 1986.** [Extraction and characteristics of neurotoxin from *Habrobracon hebetor* (Say). venom.] *Doklady Akademii Nauk Uzbekskoi Ssr.* 1986(8) 1986: 46-47.
- Kossou, D.K., Gbehounou, G., Ahanchede, A., Ahohundo, B., Bouraima, Y. & Huis, A. van 2001.** Indigenous cowpea production and protection practices in Benin. *Insect Science and its Application* 21(2): 123-132.
- Kotani, M. 1980.** A checklist of Braconidae (Hymenoptera) of Shikoku. *Transactions of the Shikoku Entomological Society* 15(1-2): 31-40.
- Kotenko, A.G. 1976.** Braconid parasites (Hymenoptera, Braconidae) that are entomophages of *Ocneria dispar* L. in the southern Ukraine. *Entomologicheskoye Obozreniye* 55: 151-158. [Entomological Review 55(1): 109-113.]
- Kotenko, A.G. 1981.** A new species of the *Apanteles* Foerster genus of the *merula* group (Hymenoptera, Braconidae) from the Black Sea Reservation. *Vestnik Zoologii* 1981(2): 26-30.
- Kotenko, A.G. 1986.** *Apanteles* (Hymenoptera: Braconidae) from Ukraine. *Vestnik Zoologii* 1986(5): 87.
- Kotenko, A.G. 1986.** New and little-known species of the genus *Apanteles* (Hymenoptera, Braconidae) from the USSR. *Vestnik Zoologii* 3: 19-25.
- Kotenko, A.G. 1987.** Some species of the *laevigatus*-group of *Apanteles* Förster (Hymenoptera, Braconidae) new for science or for the fauna of the USSR from the Ukraine and Caucasus. [Fauna and Biocenotics Relations of the Ukrainian Insects.] *Kiev* 48-52.
- Kotenko, A.G. 1988.** Rare species of the genus *Apanteles* (Hymenoptera, Braconidae) of the USSR fauna. *Vestnik Zoologii* 1988(2): 33.
- Kotenko, A.G. 1989.** Entomophagi zelenoj dubovoj listovertki i neparnogo tselkoprijada jugo-zapada tsasti SSSR: 1-200, figs 1-39. *Kiev*.
- Kotenko, A.G. 1990.** Braconiden-Parasiten des Amerikanischen Weissen Schmetterlings (*Hyphantria cunea* Drury) im südwesteuropäischen Teil der USSR. In: Tolkanitz V.I. et al. 'Entomophage des Amerikanischen Weissen Schmetterlings (*Hyphantria cunea* Drury) in südwesteuropäischen Teil der USSR.' *Kiev*: 19-27.
- Kotenko, A.G. 1992.** A contribution to the fauna of Braconidae (Hymenoptera) of Dauria.]: 94-107. In: Amirkhanov, A.M. [ed.]. *Insects of Dauria and adjacent territories. Izdatelstvo Tsentralnoi Nauchno issledovatel'skoi laboratorii okhotnicheskogo khozyaistva i zapovednikov. Moskva* 1992: 1-141.
- Kotenko, A.G. 1992.** New braconid fauna for the Ukraine. *Vestnik Zoologii* 1992(3): 87.
- Kotenko, A.G. 1993.** A new species of the genus *Hygroplitis* (Hymenoptera, Braconidae) from Sakhalin. *Vestnik Zoologii* 3, 'Mai-Iyun' 1993: 31-34.
- Kotenko, A.G. 1994.** On the braconid-fauna (Hymenoptera, Braconidae) of the Dahuria. *Report* 2: 79-89. In: Kotenko, A.G. [ed.]. *Hymenopteran insects of Siberia and Far East: memoirs of the Daurian Nature Reserve, no. 3. Institut zoologii NAN Ukrainy. Kiev* 1994: 1-147.
- Kotlyarova, L.A. 1986.** Preservation of the beneficial fauna in rice crops. *Zashchita Rastenii* 6: 31.
- Kouame, K.L. & Mackauer, M. 1992.** Influence of aphid size, age and behaviour on host choice by the parasitoid wasp *Ephedrus californicus*: a test of host-size models. *Oecologia* 88(2): 197-203.
- Kovacs, E. & McLean, J.A. 1990.** Emergence of terminal weevils (Coleoptera: Curculionidae) and their parasitoids from lodge-pole pine in the interior of British Columbia, Canada. *Journal of the Entomological Society of British Columbia* 87: 75-79.
- Kovacs, T. 1999.** New *Pauesia* Quilis, 1931 species for the Hungarian fauna (Hymenoptera: Aphidiidae). *Folia Historico-Naturalia Musei Matraensis* 23 1998-1999: 261-265.
- Kovacs, T. & Kovacs, T. 2000.** New localities of *Protaphidius wissmannii* (Ratzeburg, 1848) in Hungary (Hymenoptera: Aphidiidae). *Folia Historico Naturalia Musei Matraensis* 24: 183-186.
- Kovacs, T. 2001.** Aphidiidae species new for the Hungarian fauna (Hymenoptera). *Folia Entomologica Hungarica* 62: 378-381.
- Kovalenkov, V.G. & Kozlova, N.V. 1988.** Natural enemies and pest abundance. *Zashchita Rastenii Moskva* 8: 10-12.

- Kovalenkov, V.G. & Tyurina, N.M. 1988. A cassette for capturing *Bracon* in the field. *Zashchita Rastenii Moskva* 7: 37-38.
- Kovalenkov, V.G. 1989. Foundation of biological protection of cotton. *Zashchita Rastenii Moskva* 2: 13-15.
- Kovalenkov, V.G. & Tyurina, N.M. 1992. *Bracon*: two ecotypes and tactics of their application. *Zashchita Rastenii Moskva* 6: 16-17.
- Kovalenkov, V.G. & Tyurina, N.M. 1994. Selectivity of pesticides for *Bracon* and *Elasmus*. *Zashchita Rastenii Moskva* 7: 9-10.
- Kovalenkov, V.G. & Tyurina, N.M. 1995. [Local entomophages are better at surviving.] *Zashchita Rastenii (Moscow)* 3: 17-18.
- Kovalenkov, V.G. 2002. A biometod for conditions of arthropod resistance to insecticides. *Zashchita i Karantin Rastenii* 5: 18-19.
- Kraaijeveld, A.R. & Alphen, J.J.M. van 1993. Successful invasion of North America by two Palearctic *Drosophila* species (Diptera: Drosophilidae): a matter of immunity to local parasitoids? *Netherlands Journal of Zoology* 43(3-4): 235-241.
- Kraaijeveld, A.R. & Alphen, J.J.M. van 1994. Geographical variation in resistance of the parasitoid *Asobara tabida* against encapsulation by *Drosophila melanogaster* larvae: the mechanism explored. *Physiological Entomology* 19(1): 9-14.
- Kraaijeveld, A.R. & Wel, N.N. van der 1994. Geographic variation in reproductive success of the parasitoid *Asobara tabida* in larvae of several *Drosophila* species. *Ecological Entomology* 19(3): 221-229.
- Kraaijeveld, A.R. 1994. Local adaptations in a parasitoid-host system: a coevolutionary arms race? Thesis Rijksuniversiteit Leiden, Leiden: 1-189.
- Kraaijeveld, A.R., Voet, S. & Alphen, J.J.M. van 1994. Geographical variation in habitat choice and host suitability in the parasitoid *Asobara rufescens*. *Entomologia Experimentalis et Applicata* 72(2): 109-114.
- Kraaijeveld, A.R., Nowee, B. & Najem, R.W. 1995. Adaptive variation in host-selection behaviour of *Asobara tabida*, a parasitoid of *Drosophila* larvae. *Functional Ecology* 9(1): 113-118.
- Kraaijeveld, A.R. & Alphen, J.J.M. van 1995. Foraging behavior and encapsulation ability of *Drosophila melanogaster* larvae: correlated polymorphisms? (Diptera: Drosophilidae). *Journal of Insect Behavior* 8(3): 305-314.
- Kraaijeveld, A.R. & Alphen, J.J.M. van 1995. Geographical variation in encapsulation ability of *Drosophila melanogaster* larvae and evidence for parasitoid-specific components. *Evolutionary Ecology* 9(1): 10-17.
- Kraaijeveld, A.R. & Alphen, J.J.M. van 1995. Variation in diapause and sex ratio in the parasitoid *Asobara tabida*. *Entomologia Experimentalis et Applicata* 74(3): 259-265.
- Kraaijeveld, A.R. & Godfray, H.C.J. 1997. Trade-off between parasitoid resistance and larval competitive ability in *Drosophila melanogaster*. *Nature London* 389(6648): 278-280.
- Kraaijeveld, A.R., Emmett, D.A. & Godfray, H.C.J. 1997. Absence of direct sexual selection for parasitoid encapsulation in *Drosophila melanogaster*. *Journal of Evolutionary Biology* 10(3): 337-342.
- Kraaijeveld, A.R. & Godfray, H.C.J. 1999. Geographic patterns in the evolution of resistance and virulence in *Drosophila* and its parasitoids. *American Naturalist* 153: suppl. 61-74.
- Kraaijeveld, A.R. 1999. Kleptoparasitism as an explanation for paradoxical oviposition decisions of the parasitoid *Asobara tabida*. *Journal of Evolutionary Biology* 12(1): 129-133.
- Kraaijeveld, A.R., Adriaanse, I.C.T. & Bergh, B. van den 1999. Parasitoid size as a function of host sex: potential for different sex allocation strategies. *Entomologia Experimentalis et Applicata* 92(3): 289-294.
- Kraaijeveld, A.R. & Godfray, H.C.J. 2001. Is there local adaptation in *Drosophila*-parasitoid interactions? *Evolutionary Ecology Research* 3(1): 107-116.
- Kraaijeveld, A.R., Hutcheson, K.A., Limentani, E.C. & Godfray, H.C.J. 2001. Costs of counterdefenses to host resistance in a parasitoid of *Drosophila*. *Evolution* 55(9): 1815-1821.
- Kraaijeveld, A.R., Limentani, E.C. & Godfray, H.C.J. 2001. Basis of the trade-off between parasitoid resistance and larval competitive ability in *Drosophila melanogaster*. *Proceedings of the Royal Society of London, Series B, Biological Sciences* 268(1464): 259-261.
- Kramarz, P. & Stark, J.D. 2003. Population level effects of cadmium and the insecticide imidacloprid to the parasitoid, *Aphidius ervi* after exposure through its host, the pea aphid, *Acyrtosiphon pisum* (Harris). *Biological Control* 27(3): 310-314.
- Kraszpulis, P. & Davis, R. 1988. Interactions of a parasite, *Bracon hebetor* (Hymenoptera: Braconidae), and a predator, *Xylocoris flavipes* (Hemiptera: Anthocoridae), with populations of *Tribolium castaneum* and *Plodia interpunctella*. *American Midland Naturalist* 119(1): 71-76.
- Kratsas, R.G. & Grosch, D.S. 1974. Contrasts in cell type sensitivity to alanosine demonstrated by altered patterns of *Bracon hebetor* oviposition, hatchability, and egg morphology. *Journal of Economic Entomology* 67: 577-583.
- Krause, S.C., Fuester, R.W. & Burbutis, P.P. 1990. Competitive interactions between *Cotesia melanoscelus* and *Glyptapanteles flavicoxis* (Hymenoptera: Braconidae): implications for biological control of gypsy moth (Lepidoptera: Lymantriidae). *Environmental Entomology* 19(5): 1543-1546.
- Krause, S.C., Hardin, M.R., Fuester, R.W. & Burbutis, P.P. 1991. *Glyptapanteles flavicoxis* (Hymenoptera: Braconidae) dispersal in relation to parasitism of gypsy moth (Lepidoptera: Lymantriidae). *Journal of Economic Entomology* 84(3): 954-961.
- Krell, P.J. & Stoltz, D.B. 1979. Unusual baculovirus of the parasitoid wasp *Apanteles melanoscelus*: isolation and preliminary characterization. *Journal of Virology* 29: 1118-1130.
- Krespi, L., Rabasse, J.M., Nénon, J.P. & Dedryver, C.A. 1986. Influence of the density of *Aphidius uzbekistanicus* on the development of its progeny in *Sitobion avenae*. *Series Entomologica (Dordrecht)* 35: 247-253.
- Krespi, L., Rabasse, J.M. & Ibrahim, A.A. 1987. Possibilités de survie estivale et hivernale d'*Aphidius uzbekistanicus* Luz. *Bulletin SROP* 10(1): 46-53.
- Krespi, L., Rabasse, J.M., Dedryver, C.A. & Nenon, J.P. 1991. Effect of three insecticides on the life cycle of *Aphidius uzbekistanicus* Luz. (Hym.: Aphidiidae). *Journal of Applied Entomology* 111(2): 113-119.
- Krespi, L., Dedryver, C.A., Rabasse, J.M. & Nenon, J.P. 1994. A morphometric comparison of aphid mummies containing diapausing vs. non-diapausing larvae of *Aphidius rhopalosiphii* (Hymenoptera: Braconidae: Aphidiinae). *Bulletin of Entomological Research* 84(1): 45-50.
- Krespi, L., Dedryver, C.A., Creach, V., Rabasse, J.M., Nenon, J.P. & Le Ralec, A. 1997. Variability in the development of cereal aphid parasitoids and hyperparasitoids in oceanic regions as a response to climate and abundance of hosts. *Environmental Entomology* 26(3): 545-551.
- Kring, T.J. & Gilstrap, F.E. 1983. Within-field distribution of greenbug (Homoptera: Aphididae) and its parasitoids in Texas winter wheat. *Journal of Economic Entomology* 76(1): 57-62.
- Kring, T.J. & Gilstrap, F.E. 1984. Efficacy of the natural enemies of grain sorghum aphids (Homoptera: Aphididae). *Journal of the Kansas Entomological Society* 57(3): 460-467.
- Kring, T.J. & Kring, J.B. 1988. Aphid fecundity, reproductive longevity, and parasitoid development in the *Schizaphis graminum* (Rondani) (Homoptera: Aphididae) - *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Braconidae) system. *Canadian Entomologist* 120(12): 1079-1083.

- Krishnamoorthy, A. & Mani, M. 1985.** Investigations on *Telenomus remus* Nixon and *Apanteles marginiventris* Cresson against *Spodoptera litura* (Fabricius) on cabbage. *Entomol* 10: 277-280.
- Krishnamoorthy, A. 1987.** Influence of different larval instars of *Papilio demoleus* L. on the development, oviposition and sex-ratio of the parasite *Apanteles papilionis* Viereck. *Journal of Biological Control* 1(2): 75-79.
- Krishnamoorthy, A. & Singh, S.P. 1988.** Observational studies on the occurrence of parasitoids of *Papilio* spp. in citrus. *Indian Journal of Plant Protection* 16(1): 79-81.
- Krishnan, A., Nair, P.N. & Jones, D. 1994.** Isolation, cloning, and characterization of new chitinase stored in active form in chitin-lined venom reservoir. *Journal of Biological Chemistry* 269(33): 20971-20976.
- Krishnaswamy, S. & Chacko, M.J. 1990.** *Hydrellia* spp. (Diptera: Ephydriidae) attacking *Hydrilla verticillata* in south India. *Entomophaga* 35(2): 211-216.
- Kristensen, C.O. 1994.** Investigations on the natural mortality of eggs and larvae of the large white *Pieris brassicae* (L.) (Lep.: Pieridae). *Journal of Applied Entomology* 117(1): 92-98.
- Kristoffersen, A.B., Lingjaerde, O.C., Stenseth, N.C. & Shimada, M. 2001.** Non-parametric modelling of non-linear density dependence: a three-species host-parasitoid system. *Journal of Animal Ecology* 70(5): 808-819.
- Krivoshaina, M.G. & Nikulina, O.N. 1991.** A complex of insects developing in *Phragmites australis* (Cav.) Trin ex Steud. *Biologicheskie Nauki* (Moscow) 5: 49-56.
- Krober, T. & Carl, K. 1991.** Cereal aphids and their natural enemies in Europe - a literature review. *Biocontrol News and Information* 12(4): 357-371.
- Krombein, K.V. 1967.** A.W. Stelfox collection of Irish Hymenoptera donated to Smithsonian Institution. *Irish Naturalists' Journal* 15: 298-299.
- Krombein, K.V. & Marsh, P.M. 1988.** Obituary: Carl Frederick William Muesebeck 1894-1987 - Honorary President, Entomological Society of Washington, 1971-1987. *Proceedings of the Entomological Society of Washington* 90(4): 513-523.
- Kromer, F. 1984.** Untersuchungen über das Wirts- und Partnerfinderverhalten und deren Auslöserreize bei der Braconide *Ascogaster quadridentatus* Wesm. *Dissertation Abstracts International C European Abstracts* 45(3) 1984: 718.
- Kromer, F. 1986.** Das Kairomon des Apfelwicklers *Laspeyresia pomonella* L. (Lepidoptera) und seine Bedeutung für das Wirtfinderverhalten der Braconide *Ascogaster quadridentatus* (Wesmael) (Hymenoptera). *Zoologischer Anzeiger* 216(5/6): 271-278.
- Kroschel, J. & Koch, W. 1994.** Studies on the population dynamics of the potato tuber moth (*Phthorimaea operculella* Zell. (Lep.: Gelechiidae)) in the Republic of Yemen. *Journal of Applied Entomology* 118(4-5): 327-341.
- Kroschel, J. 1995.** Integrated pest management in potato production in the Republic of Yemen with special reference to the integrated biological control of the potato tuber moth (*Phthorimaea operculella* Zeller). *Tropical Agriculture* (Weikersheim) 8: 1-232.
- Krotova, I.G. 1993.** Hymenopteran parasitoids and their role in reducing the abundance of grain aphids in the west Siberian forest-steppe of the Ob' region. *Zoologicheskii Zhurnal* 72(12): 51-57.
- Kruess, A. & Tschamtko, T. 1994.** Habitat fragmentation, species loss, and biological control. *Science* Washington 264(5165): 1581-1584.
- Kruger, K. & Mills, N.J. 1990.** Observations on the biology of three parasitoids of the spruce bark beetle, *Ips typographus* (Col.: Scolytidae): *Coeloides bostrychorum*, *Dendrosoter middendorffii* (Hym.: Braconidae) and *Rhopalicus tutela* (Hym.: Pteromalidae). *Journal of Applied Entomology* 110(3): 281-291.
- Kruse, J.J. & Raffa, K.F. 1997.** Effects of selected midwestern larval host plants on performance by two strains of the gypsy moth (Lepidoptera: Lymantriidae) parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae). *Environmental Entomology* 26(5): 1155-1166.
- Kruse, J.J. & Raffa, K.F. 1999.** Effect of food plant switching by a herbivore on its parasitoid: *Cotesia melanoscela* development in *Lymantria dispar* exposed to reciprocal dietary crosses. *Ecological Entomology* 24(1): 37-45.
- Ku, D.S. & Park, J.S. 1997.** A taxonomic study of the genus *Aulacocentrum* Brues (Hymenoptera: Braconidae: Macrocentrinae) from Korea. *Korean Journal of Systematic Zoology* 13(3): 211-220.
- Ku, D.S. 1997.** A taxonomic study of the genus *Streblocera* Westwood from Korea (Hymenoptera: Braconidae, Euphorinae). *Insecta Koreana* 14: 65-80.
- Ku, D.S., Belokobylskij, S.A. & Park, J.S. 1998.** Korean species of the genus *Ascogaster* Wesmael (Hymenoptera: Braconidae: Cheloniinae). *Korean Journal of Entomology* 28(1) Serial Number 74: 7-30.
- Ku, D.S., Han, M.J. & Ahn, S.B. 1998.** Two newly recorded species of the genus *Dacnusa* Haliday (Hymenoptera: Braconidae: Alysiinae) parasitic on agromyzid flies in Korea. *Korean Journal of Applied Entomology* 37(2): 109-115.
- Kuchlein, J.H. & Frankenhuysen, A. van 1994.** The colonization by *Bucculatrix thoracella* (Lepidoptera: Bucculatricidae) of north-west Europe with special attention to the Netherlands. *Entomologische Berichten, Amsterdam* 54(8): 145-153.
- Kudo, S.I. 1996.** Ineffective maternal care of a subsocial bug against a nymphal parasitoid: a possible consequence of specialization to predators. *Ethology* 102(3): 227-235.
- Kudon, L.H. & Berisford, C.W. 1980.** Influence of brood host on host preferences of bark beetle parasites. *Nature* (London) 283: 288-290.
- Kudon, L.H. & Berisford, C.W. 1981.** An olfactometer for bark beetle parasites. *Journal of Chemical Ecology* 7(2): 359-366.
- Kudon, L.H. & Berisford, C.W. 1981.** Identification of host origin of parasites of bark beetles (Coleoptera: Scolytidae) by fatty acid composition. *Canadian Entomologist* 113: 205-212.
- Kugler, J. 1966.** A list of parasites of Lepidoptera from Israel. *Israel Journal of Entomology* 1: 75-88.
- Kuhar, T.P., Youngman, R.R. & Laub, C.A. 2000.** Alfalfa weevil (Coleoptera: Curculionidae) population dynamics and mortality factors in Virginia *Environmental Entomology* 29(6): 1295-1304.
- Kuhar, T.P., Youngman, R.R. & Laub, C.A. 2001.** Alfalfa weevil (Coleoptera: Curculionidae) phenology with its host crop and parasitoids in Virginia *Journal of Entomological Science* 36(4): 352-365.
- Kuhlmann, U., Mason, P.G. & Greathead, D.J. 1998.** Assessment of potential risks for introducing European *Peristenus* species as biological control agents of native *Lygus* species in North America: a cooperative approach. *Biocontrol News and Information* 19(3): 83-90.
- Kuhner, C., Klingauf, F. & Hassan, S.A. 1985.** Development of laboratory and semi field methods to test the side effects of pesticides on *Diaeretiella rapae* (Hym.: Aphidiidae). *Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent* 50(2b): 531-538.
- Kula, E., Bouček, Z., Čapek, M., Sedivý, J. & Vaca, D. 1994.** A complex of parasitoids of the case-bearer *Coleophora serratella* L. at its local mass outbreak in northern Bohemia. *Lesnictvi* (Prague) 40(4): 155-167.
- Kula, E. 1995.** The case bearer and its parasitoids: 171-177. In: Malinowski, H. & Tsankov, G. [eds]. "Biological and integrated forest protection." *Proceedings of the international symposium.*

- 3rd meeting of EPS/IOBC September 12-16, 1994, Sekocin, Poland. Forest Research Institute, Warsaw: 1-288.
- Kula, E. & Zabecka, J. 1996.** Harmfulness of the pine resin gall moth (*Retinia resinella* L.). *Lesnictvi* (Prague) 42(9): 385-392.
- Kula, R.R. 2003.** Morphological variation in *Opius* Wesmael (Hymenoptera: Braconidae) with an emphasis on Nearctic species in the subgenus *Gastrosema* Fischer. *Journal of Hymenoptera Research* 12(2): 278-302.
- Kulkarni, A.V. & Patel, I.S. 2000.** Note on the safety of some insecticides to *Diaeretiella rapae* M'Intosh, a hymenopterous parasitoid of mustard aphid. *Pest Management and Economic Zoology* 8(2): 189-191.
- Kulman, H.M. 1965.** Natural control of the eastern tent caterpillar and notes on its status as a forest pest. *Journal of Economic Entomology* 58(1): 66-70.
- Kumar, A., Tripathi, C.P.M., Singh, R. & Pandey, R.K. 1983.** Bionomics of *Trioxys* (*Binodoxys*) *indicus*, an aphidiid parasitoid of *Aphis craccivora*. 17. Effect of host plants on the activities of the parasitoid. *Zeitschrift für angewandte Entomologie* 96: 304-307.
- Kumar, A. 1984.** Incidence of pupal parasitism on *Chromatomyia horticola* (Gour.) (Diptera: Agromyzidae) in some parts of Uttar Pradesh. *Annals of Entomology (Dehra Dun)* 2(2) 1984: 37-44.
- Kumar, A. & Tripathi, C.P.M. 1985.** Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* Subba Rao and Sharma (Hymenoptera: Aphidiidae): Effect of host plants on the area of discovery of the parasitoid. *Canadian Journal of Zoology* 63: 192-195.
- Kumar, A. & Tripathi, C.P.M. 1987.** Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* Subba Rao & Sharma (Hymenoptera: Aphidiidae) and *Aphis craccivora* Koch (Hemiptera: Aphididae): effect of host plants on the sex ratio of the parasitoid. *Entomol* 12(2) 1987: 95-99.
- Kumar, A., Abidi, A.Z. & Tripathi, C.P.M. 1987.** Impact of males on the area of discovery of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt. (Hemiptera: Aphididae). *Zeitschrift für angewandte Zoologie* 74(4): 453-465.
- Kumar, A. & Tripathi, C.P.M. 1988.** Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* Subba Rao & Sharma (Hymenoptera: Aphidiidae) and *Aphis craccivora* Koch (Hemiptera: Aphididae). V. Allomones and kairomones involved in the parasitoid-host-plant interaction. *Mitteilungen aus dem Zoologischen Museum in Berlin* 64(2): 331-337.
- Kumar, A., Shankar, S., Pandey, P., Sinha, T.B. & Tripathi, C.P.M. 1988.** Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* (Hymenoptera: Aphidiidae) and *Aphis craccivora* (Hemiptera: Aphididae). VI. Impact of males on the number of progeny of the parasitoid reared on certain host plants. *Entomophaga* 33(1): 17-23.
- Kumar, A., Shanker, S., Pandey, K.P., Abidi, A.Z. & Tripathi, C.P.M. 1988.** Parasitoid-host relationship between *Trioxys* (*Binodoxys*) *indicus* Subba Rao & Sharma (Hym. Aphidiidae) and *Aphis craccivora* Koch (Hom.: Aphididae). 7. Impact of males on the searching efficiency of the parasitoid reared on certain host plants. *Journal of Applied Entomology* 105(5): 476-482.
- Kumar, A., Tripathi, C.P., Kumar, A. 1989.** Variations in the incidence of parasitism of *Chromatomyia horticola* (Gour.) (Diptera: Agromyzidae) during the different parts of the year. *Entomol* 14(12): 67-70.
- Kumar, A., Kapoor, V.C. & Mahal, M.S. 1989.** Pupal population of aphidophagous syrphids and their hyperparasitism on *Brassica juncea* Coss. *Journal of Insect Science* 2(2): 114-118.
- Kumar, A. 1990.** Records of some new hymenopteran parasites of *Chromatomyia horticola* (Gour.) (Diptera: Agromyzidae) from Agra. *Entomol* 15(1-2): 135-136.
- Kumar, N. & Yadav, R.P. 1987.** A new record of parasitism of *Meterous* nr. *arctiicida* Viereck (Hymenoptera: Braconidae) on *Spilosoma* (= *Diacrisia*) *obliqua* Walker. *Current Science, India* 56(21): 1122-1123.
- Kumar, P., Singh, S.P., Jalali, S.K. & Ballal, C.R. 1987.** Laboratory studies on *Apanteles kazak* Telenga (Braconidae: Hymenoptera) an exotic parasitoid of *Heliothis armigera* (Hübner) (Noctuidae: Lepidoptera) in India. *Indian Journal of Plant Protection* 15: 198-201.
- Kumar, P. & Ballal, C.R. 1990.** Influence of laboratory hosts on the biological attributes of *Chelonus blackburni* (Hym.: Braconidae). *Entomophaga* 35(3): 329-333.
- Kumar, P. & Jalali, S.K. 1993.** A hygienic and efficient method of *Corcyra* moth and egg collection. *International Journal of Pest Management* 39(1): 103-105.
- Kumar, P. & Kumar, S. 2001.** Foolproof cage for rearing *Corcyra cephalonica*. *Indian Journal of Entomology* 63(3): 322-324.
- Kumar, S. & Goel, S.C. 1994.** Studies on the life history of a pyralid, *Antigastra catalaunalis* (Duponchel) in western Uttar Pradesh. *Bulletin of Entomology New Delhi* 35(1-2): 123-128.
- Kumar, V. & Dhiman, S.C. 1986.** Superparasitism and hyperparasitism in *Lipaphis erysimi* (Kalt.): 61-64. In: Kurl, S.P. [ed.]. *Proceedings of the Second National Symposium on Recent Trends in Aphidological Studies*. S.P. Kurl, Aphid Research Laboratory, Department of Zoology, M.M. Postgraduate College, Modinagar 201/204, India 1986: 1-331.
- Kundu, G.C., Sharma, V.K., Anand, R.A. & Rai, S. 1965.** New records of *Diaeretiella rapae* (Curtis) as a parasite of mustard aphid *Lipaphis erysimi* (Kalt.) (Hemiptera: Aphididae). *Indian Journal of Entomology* 27: 487-498.
- Kuniata, L.S. & Sweet, C.P.M. 1994.** Management of *Sesamia griseescens* Walker (Lep.: Noctuidae), a sugar-cane borer in Papua New Guinea. *Crop Protection* 13(7): 488-493.
- Kunimi, Y., Mizutani, N., Wada, S. & Nakai, M. 1999.** Granulovirus-infected larvae of *Pseudaletia separata* (Lepidoptera: Noctuidae) produce factor(s) toxic to an endoparasitoid, *Cotesia kariyai* (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 34(2): 241-250.
- Kunkel, J.G., Grossniklaus-Buergin, C., Karpells, S.T. & Lanzrein, B. 1990.** Arylphorin of *Trichoplusia ni*: characterization and parasite-induced precocious increase in titer. *Archives of Insect Biochemistry and Physiology* 13(1-2): 117-125.
- Kunnalaca, S. & Mueller, A.J. 1979.** A laboratory study of *Apanteles marginiventris*, a parasite of the green cloverworm. *Environmental Entomology* 8: 365-368.
- Kuo, M.H. 1995.** Development of green peach aphid parasitoid *Aphidius gifuensis* Ashmead and hyperparasitoid *Pachyneuron aphidis* (Bouché) at various temperatures. *Plant Protection Bulletin (Taichung)* 37(4): 393-401.
- Kuo, M.H. 1995.** The courtship, mating and oviposition behavior of *Aphidius gifuensis* Ashmead. *Plant Protection Bulletin (Taichung)* 37(4): 433-438.
- Kuo-Sell, H.L. & Eggers, G. 1987.** Evaluation of the effect of parasitoids on the population dynamics of cereal aphids by comparing the rates of mummification and parasitism in winter wheat. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 94(2): 178-189.
- Kuo-Sell, H.L., Wilhelms, A. & Holthusen, C. 1988.** The host-parasitoid relationship between cereal aphids and *Ephedrus plagiator* (Nees) (Hymenoptera: Aphidiidae). *Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent* 53(3a): 1045-1053.
- Kuo-Sell, H.L., Holthusen, C., Quentin, M., Wieduwilt, A. & Wilhelms, A. 1989.** Interactions between cereal aphids (Homoptera: Aphididae) and parasitoids (Hymenoptera: Aphidiidae)

- and their importance for aphid control in winter wheat. Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent 54(3a): 883-893.
- Kurbanov, G.G. & Kuliev, G.A. 1984.** *Ephestia kuehniella* Zell., the main host of *Habrobracon hebetor* Say at mass rearing. Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk. Baku 4: 49-53.
- Kurhade, S.M. & Nikam, P.K. 1993.** On two new species of *Chelonus* Panzer (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 90(3): 474-478.
- Kurhade, S.M. & Nikam, P.K. 1994.** A new species of genus *Chelonus* Panzer (Hymenoptera: Braconidae) from India. Entomol 19(3 & 4): 145-147.
- Kurhade, S.M. & Nikam, P.K. 1994.** On a new species of *Zelomorpha* Ashmead (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 91(1): 120-123.
- Kurhade, S.M. & Nikam, P.K. 1995.** On a new species of *Spathius* Nees (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 91(3) (December 1994): 441-443.
- Kurhade, S.M. & Nikam, P.K. 1997.** A new species of the genus *Apanteles* Foerster (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 94(1): 124-126.
- Kurhade, S.M. & Nikam, P.K. 1998.** A new species of *Biosteres* Foerster from India (Insecta: Hymenoptera: Braconidae). Journal of the Bombay Natural History Society 95(1): 92-95.
- Kurhade, S.M. & Nikam, P.K. 1998.** A new species of *Iphiaulax* Foerster (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 95(3): 465-468.
- Kurhade, S.M. & Nikam, P.K. 1998.** A new species of *Macrocentrus* Curtis (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 95(2): 307-309.
- Kurhade, S.M. & Nikam, P.K. 1998.** Report on a new species of genus *Cotesia* (Cameron) from India (Hymenoptera: Braconidae). Journal of Animal Morphology and Physiology 45(1-2): 145-146.
- Kurhade, S.M. & Nikam, P.K. 2001.** A new species of the genus *Opius* Wesmael (Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 98(2): 242-245.
- Kurhade, S.M. & Nikam, P.K. 2001.** On a new species of *Heterogamus* Wesmael (Insecta: Hymenoptera: Braconidae) from India. Journal of the Bombay Natural History Society 98(1): 84-86.
- Kurhade, V.P. & Pokharkar, D.S. 1997.** Biological control of potato tuber moth, *Phthorimaea operculella* (Zeller) on potato. Journal of Maharashtra Agricultural Universities, publ. 1998, 22(2): 187-189.
- Kusano, M. & Kitano, H. 1974.** Studies on the ability of *Apanteles glomeratus* L. to discriminate parasitoid host larvae, *Pieris rapae crucivora*, from intact ones. Kontyu 42: 358-364.
- Kusigemati, K. & Hashimoto, S. 1993.** Description of a new braconid (Hymenoptera) parasitic on the cerambycid beetle *Anoplophora malasiaca* (Thomson) (Coleoptera) in Japan. Japanese Journal of Entomology 61(2): 187-190.
- Kusigemati, K. 1983.** A new braconid-parasite of *Scopula epiorrhoe* Prout (Hymenoptera). Memoirs of the Faculty of Agriculture, Kagoshima University 19(28): 115-117.
- Kuwahara, S. 2000.** Synthesis of some insect semiochemicals. Journal of Pesticide Science 25(4): 451-455.
- Kuznetsov, V.N. & Semyanov, V.P. 1983.** Ecological-faunistic review of coccinellids (Coleoptera, Coccinellidae) of Sakhalin Island: 3-15. In: Bodrova, Y.D., Soboleva, R.G. & Meshcheryakov, A.A. [eds]. [Systematics and ecological faunistic review of the various orders of Insecta of the Far East.] Acad. Sci. Ussr. Far East Science Centre, Vladivostok: 1-154.
- Kuznetsov, V.N. 1987.** Parasites of coccinellids (Coleoptera, Coccinellidae) in the Soviet Far East: 17-22. In: Ler, P.A. & Storozheva, N.A. [eds]. [New data on the systematics of insects of the Far East.] Acad. Sci. Ussr, Far East Branch, Biology & Soil Institute, Vladivostok 1987: 1-144.
- Kuznetsova, Y.I. & Kozhechkin, O.A. 1986.** The formation of an entomophage complex. Zashchita Rastenii 6: 40-41.
- Kyei-Poku, G.K. & Kunimi, Y. 1996.** Effect of parasitization by *Cotesia kariyai* (Hymenoptera: Braconidae) on susceptibility of *Pseudaletia separata* (Lepidoptera: Noctuidae) larvae to an entomopoxvirus. Applied Entomology and Zoology 31(2): 243-246.
- Kyei-Poku, G.K. & Kunimi, Y. 1997.** Effect of entomopoxvirus infection of *Pseudaletia separata* larvae on the oviposition behavior of *Cotesia kariyai*. Entomologia Experimentalis et Applicata 83(1): 93-97.
- Kyei-Poku, G.K. & Kunimi, Y. 1998.** Nondevelopment of *Cotesia kariyai* (Hymenoptera: Braconidae) in entomopoxvirus-infected larvae of *Pseudaletia separata* (Lepidoptera: Noctuidae). Biological Control 11(3): 209-216.
- Kyei-Poku, G.K., Nakai, M. & Kunimi, Y. 1999.** The effects of timing and dose of entomopoxvirus infection in *Pseudaletia separata* (Lepidoptera: Noctuidae) larvae on the development of *Cotesia kariyai* (Hymenoptera: Braconidae). Applied Entomology and Zoology 34(4): 517-523.
- Labanowski, G.S. 1981.** Pathogens and parasites recovered from the hibernating larvae of the codling moth *Laspeyresia pomonella* (L.) (Lepidoptera, Tortricidae). Polskie Pismo Entomologiczne 51(1): 163-170.
- Lacatusu, M. & Brudea, V. 1980.** Biology of the parasite *Pygostolus falcatus* Nees (Hymenoptera-Braconidae). Analele Universitatii Bucuresti Biologie 29 1980: 47-50.
- Lacatusu, M. & Voicu, M. 1984.** Parasitic braconids of *Margaritia sticticalis*. Travaux du Museum d'Histoire Naturelle 'Grigore Antipa' 25(0): 187-190.
- Lacatusu, M. & Filipescu, C. 1989.** Insecta. Hymenoptera: Braconidae-general section. Subfamilies Cardiochilinae, Microgasterinae, Acaeliinae and Miracinae. Fauna Republicii Socialiste Romania 9(11): 1-318.
- LaChance, L.E. & Leverich, A.P. 1968.** Chemosterilant studies on *Bracon* (Hymenoptera: Braconidae) sperm. I. Sperm inactivation and dominant lethal mutations. Annals of the Entomological Society of America 61(1): 164-173.
- LaChance, L.E. & Leverich, A.P. 1969.** Chemosterilant studies on *Bracon* sperm. II. Studies of selected compounds for induction of dominant lethal mutations or sperm inactivation. Annals of the Entomological Society of America 62(4): 790-796.
- Lachance, S., Broadbent, A.B. & Sears, M.K. 2001.** In-host compatibility and in-host competition of exotic and native parasitoids of the tarnished plant bug (Heteroptera: Miridae). Environmental Entomology 30(6): 1158-1163.
- Lagos, N.A., Fuentes-Contreras, E., Bozinovic, F. & Niemeyer, H.M. 2001.** Behavioural thermoregulation in *Acyrtosiphon pisum* (Homoptera: Aphididae): the effect of parasitism by *Aphidius ervi* (Hymenoptera: Braconidae). Journal of Thermal Biology 26(2): 133-137.
- Lagowska, B. & Winiarska, W. 1982.** Parasitic Hymenoptera reared from the larvae of the apple weevil, *Anthonomus pomorum* L., collected in the Lublin region. Roczniki Nauk Rolniczych, E Ochrona Roslin, publ. 1986, 12(1-2): 121-126.
- Lahmar, M. & Zeouienne, M. 1990.** Bio-ecological data and importance of damage of chickpea leaf miner (*Liriomyza cicerina* Rond.) in Morocco. Al-Awamia 72: 108-118.
- Lai, P.Y., Funasaki, G.Y. & Higa, S.Y. 1982.** Introductions for biological control in Hawaii: 1979 and 1980. Proceedings of the Hawaiian Entomological Society 24(1) (1979): 109-113.
- Lai, P.Y. & Funasaki, G.Y. 1986.** Introductions for biological control in Hawaii: 1983 and 1984. Proceedings of the Hawaiian Entomological Society 26: 89-91.

- Lai, Y.Q. & Wang, S.H. 1988. Observations on some general characteristics of the reproduction of *Bracon greeni* Ashmead (Braconidae, Hymenoptera). *Scientia Silvae Sinicae* 24(1): 89-93.
- Laigo, F.M. & Tamashiro, M. 1966. Virus and insect parasite interaction in the lawn armyworm, *Spodoptera mauritia acronyctoides* (Guenée). *Proceedings of the Hawaiian Entomological Society* 19: 233-237.
- Laigo, F.M. & Tamashiro, M. 1967. Interaction between a microsporidian pathogen of the lawn-armyworm and the hymenopterous parasite *Apanteles marginiventris*. *Journal of Invertebrate Pathology* 9: 546-554.
- Laing, D.R. & Caltagirone, L.E. 1969. Biology of *Habrobracon lineatellae* (Hymenoptera: Braconidae). *Canadian Entomologist* 101: 135-142.
- Laing, J.E. & Heraty, J.M. 1981. Establishment in Canada of the parasite *Apanteles pedias* Nixon on the spotted tentiform leaf-miner, *Phyllonorycter blancardella* (Fabr.). *Environmental Entomology* 10(6): 933-935.
- Laing, J.E. & Levin, D.B. 1982. A review of the biology and a bibliography of *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae). *Biocontrol News and Information* 3(1): 7-23.
- Laing, J.E., Heraty, J.M. & Corrigan, J.E. 1986. Leaf burial by the earthworm, *Lumbricus terrestris* (Oligochaeta: Lumbricidae), as a major factor in the population dynamics of *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) and its parasites. *Environmental Entomology* 15(2): 321-326.
- Laing, J.E. & Corrigan, J.E. 1987. Intrinsic competition between the gregarious parasite, *Cotesia glomeratus* and the solitary parasite, *Cotesia rubecula* (Hymenoptera: Braconidae) for their host, *Artogeia rapae* (Lepidoptera: Pieridae). *Entomophaga* 32: 493-501.
- Laing, J.E. & Heraty, J.M. 1987. Overwintering of *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) and its parasites, *Pholetesor ornigis* and *Pholetesor pedius* (Hymenoptera: Braconidae) in southwestern Ontario. *Environmental Entomology* 16(5): 1157-1162.
- Lalasingi, M.S. 1988. Bionomics loss estimation and control of the pod borer, *Maruca testulalis* (Geyer) (Lepidoptera: Pyralidae) on cowpea (*Vigna unguiculata* (L.) Walp). *Mysore Journal of Agricultural Sciences* 22: 187-188.
- Lale, N.E.S. & Igwebuike, J.U. 2002. Field infestation of *Faidherbia (Acacia) albida* (Del.) A. Chew. pods by stored product Coleoptera in the Nigerian savanna and effect of infestation on nutrient quality. *Journal of Arid Environments* 51(1): 103-112.
- Lamp, W.O., Liewehr, D., Fuentes, C. & Dively, G.P. 1994. First report of the blue alfalfa aphid (Homoptera: Aphididae) in Maryland: natural enemies and biotype. *Journal of the Kansas Entomological Society* 67(1): 129-132.
- Lamparter, B. 1992. Introduction of beneficial organisms in greenhouse cucumbers-problem cotton aphid (*Aphis gossypii*) - a report from Insel Reichenau. *Gesunde Pflanzen* 44(7): 229-232.
- Lampe, K.H. 1984. The structure and dynamics of the parasite complex of the rushfeeding moth *Coleophora alticolella* Zeller (Lep.: Coleophoridae) in central Europe. *Zoologische Jahrbücher Abteilung für Systematik, Ökologie und Geographie der Tiere* 111(4): 449-492.
- Landi, S. & Del Bene, G. 1999. Observations on the citrus leafminer *Phyllocnistis citrella* Stainton (Lepidoptera: Gracillariidae) in Florentine historic gardens. *Advances in Horticultural Science* 13(1): 12-19.
- Landi, S. 1993. Biological control of *Liriomyza trifolii* (Burg.) on chrysanthemum. *Colture Protette* 22(1): 43-46.
- Landis, D.A. & Haas, M.J. 1992. Influence of landscape structure on abundance and within field distribution of European corn borer (Lepidoptera: Pyralidae) larval parasitoids in Michigan. *Environmental Entomology* 21(2): 409-416.
- Lanfranco, D.M., Buchner, J.F., Aguilar, A.M. & Horcos, R.A. 1991. Native parasitoids in control of the pine shoot moth *Rhyacionia buoliana*: progress in identifying the complex and its development strategies. *Bosque* 12(1): 69-74.
- Lanfranco, D.M., Aguilar, A.M., Horcos, R.A. & Buchner, J.F. 1994. Native parasitoids in the control of pine shoot moth (*Rhyacionia buoliana*): a functional complex? *Bosque* 15(1): 15-26.
- Lange, R. & Bronskill, J.F. 1964. Reactions of *Musca domestica* L. to parasitism by *Aphaereta pallipes* (Say) with special reference to host diet and parasitoid toxin. *Zeitschrift für Parasitenkunde* 25: 193-210.
- Lange, R. 1964. Der Einfluss der Nahrung von *Musca domestica* L. auf die Mortalität des Endoparasiten *Aphaereta pallipes* (Say) (Hym., Braconidae). *Zeitschrift für angewandte Entomologie* 54(1/2): 213-218.
- Langer, A., Franck, B. & Hance, T. 1998. Egg laying behaviour of cereal aphid parasitoids at low temperatures. Integrated control in cereal crops. Meeting held at Lleida, Spain, 13-14 March, 1997. *Bulletin OILB SROP* 21(8): 141-144.
- Langer, A. & Hance, T. 2000. Overwintering strategies and cold hardiness of two aphid parasitoid species (Hymenoptera: Braconidae: Aphidiinae). *Journal of Insect Physiology* 46(5): 671-676.
- Langer, V. 2001. The potential of leys and short rotation coppice hedges as reservoirs for parasitoids of cereal aphids in organic agriculture. *Agriculture, Ecosystems and Environment* 87(1): 81-92.
- Langhof, M., Gathmann, A. & Poehling, H.M. 2003. Field study on the effects of insecticide drift on non-target arthropods: residual toxicity, effect on populations and recolonisation processes. *IOBC WPRS Bulletin* 26(5): 73-82.
- Langhof, M., Gathmann, A., Poehling, H.M. & Meyhofer, R. 2003. Impact of insecticide drift on aphids and their parasitoids: residual toxicity, persistence and recolonisation. *Agriculture, Ecosystems and Environment* 94(3): 265-274.
- Langor, D., Hu, C.X., Li, C.D., Wang, Z.Y., Yue, S.K., Liu, K.Y. & Han, S.I. 2000. Study on the parasitoids of *Pissodes nitidus* Roel. *Journal of Forestry Research* 11(3): 213-214.
- Langor, D.W. & Raske, A.G. 1988. Mortality factors and life tables of the eastern larch beetle, *Dendroctonus simplex* (Coleoptera: Scolytidae), in Newfoundland. *Environmental Entomology* 17(6): 959-963.
- Langor, D.W. 1991. Arthropods and nematodes co-occurring with the eastern larch beetle, *Dendroctonus simplex* (Col.: Scolytidae), in Newfoundland. *Entomophaga* 36(2): 303-313.
- Langor, D.W. & Williams, D.J.M. 1998. Life cycle and mortality of *Pissodes terminalis* (Coleoptera: Curculionidae) in lodgepole pine. *Canadian Entomologist* 130(4): 387-397.
- Lankin, G., Araya, J.E. & Lamborot, L. 1997. Effects of fenvalerate and metamidophos on *Diaeretiella rapae* (M'Intosh), parasitoid of *Brevicoryne brassicae* (L.)]. *Boletín de Sanidad Vegetal Plagas* 23(3): 457-471.
- Lankin, G., Lamborot, L. & Araya, J.E. 1997. Method of rearing *Diaeretiella rapae* (M'Intosh), parasitoid of *Brevicoryne brassicae* (L.). *Boletín de Sanidad Vegetal Plagas* 23(1): 57-61.
- Lanzrein, B. & Hammock, B. 1995. Degradation of juvenile hormone III in vitro by non-parasitized and parasitized *Spodoptera exigua* (Noctuidae) and by the endoparasitoid *Chelonus inanitus* (Braconidae). *Journal of Insect Physiology* 41(11): 993-1000.
- Lanzrein, B., Pfister W.R. & Niederhausern, F. von 2001. Effects of an egg-larval parasitoid and its polydnavirus on development and the endocrine system of the host: 95-109. Edwards, J.P. & Weaver, R.J. [eds]. 'Endocrine interactions of insect parasites and pathogens.' Oxford: 1-314.
- Lapa, A.M. & Tkachev, V.M. 1992. Ecological aspects of an integrated pest management system in orchards. *Acta Phytopathologica et Entomologica Hungarica* 27(1-4): 401-403.

- Lapchin, L. 1991. Spatial heterogeneity and density dependence in wheat aphids and their natural enemies. *Redia* 74(3): 223-230.
- Lapchin, L., Boll, R., Rochat, J., Geria, A.M. & Franco, E. 1997. Projection pursuit nonparametric regression used for predicting insect densities from visual abundance classes. *Environmental Entomology* 26(4): 736-744.
- Lara, F.M., Foss, M.R.D.A., Boica, A.L. Jr. & Trigo, J.G. 1997. Resistance of sorghum genotypes to the sorghum midge *Contarinia sorghicola* (Coq.) and sugarcane borer *Diatraea saccharalis* (Fabr.) and influence on parasitoids. *Anais da Sociedade Entomologica do Brasil* 26(2): 327-333.
- Larios, G.B., Sivinski, J., Hiller, T. & Aluja, M. 2002. The effects of chilling on the fecundity and life span of mass-reared parasitoids (Hymenoptera: Braconidae) of the Mediterranean fruit fly, *Ceratitix capitata* (Wiedemann) (Diptera: Tephritidae). *Biocontrol Science and Technology* 12(2): 205-215.
- Larsen, A.K. 2000. The use of biological control in glasshouse crop-status and future perspectives. 17th Danish Plant Protection Conference, Horticulture. DJF Rapport, Havebrug 12: 21-25.
- Larson, L.L. 1976. The selective toxicity of *Orthene*. *Diss. Abstr. Int. B.* 36(12 Pt. 1): 5959, 1976.
- Larsson, R. 1979. Transmission of *Nosema mensili* (Paillot) (Microsporidia, Nosematidae), a microsporidian parasite of *Pieris brassicae* L. (Lepidoptera, Pieridae) and its parasite *Apanteles glomeratus* L. (Hymenoptera, Braconidae). *Zoologischer Anzeiger* 203(3/4): 151-157.
- Lashomb, J.H., Steinhauer, A.L. & Dively, G. 1980. Comparison of parasitism and infestation of nantucket pine tip moth in different aged stands of loblolly pine. *Environmental Entomology* 9(8): 397-402.
- Laster, M.L. 1995. *Probotocidea louisianica*: an unreported host of *Heliothis virescens* (Lepidoptera: Noctuidae). *Journal of Entomological Science* 30(4): 429-433.
- Latha, K., Balasubramanian, G., Sundarababu, P.C. & Gopalan, M. 1994. Field evaluation of insecticides alone and in combination against leafhoppers and their effect on natural enemies in rice. *Pest Management and Economic Zoology* 2(2): 105-109.
- Latha, N.A., Babu, T.R., Saxena, R., Sriramulu, M. & Reddy, D. D.R. 1998. Evaluation of the effects of insecticides on the egg larval parasitoid *Chelonus blackburni* Cameron (Hymenoptera: Braconidae). *International Pest Control* 40(6): 202-203.
- Latteur, G. & Rassel, A. 1979. *Aphidius frumentarius* n. sp. Latteur (Hymenoptera, Aphidiidae), parasite de divers pucerons de cereales (Homoptera, Aphididae) en Belgique. *Bulletin et Annales de la Société Entomologique de Belgique* 115: 311-322.
- Lattin, J.D. & Stanton, N.L. 1999. Host records of Braconidae (Hymenoptera) occurring in Miridae (Hemiptera: Heteroptera) found on lodgepole pine (*Pinus contorta*) and associated conifers. *Pan Pacific Entomologist* 75(1): 23-31.
- Laub, C.A. & Luna, J.M. 1992. Winter cover crop suppression practices and natural enemies of armyworm (Lepidoptera: Noctuidae) in no-till corn. *Environmental Entomology* 21(1): 41-49.
- Laubscher, J.M. & Wechmar, M.B. von 1993. Assessment of aphid lethal paralysis virus as an apparent population growth-limiting factor in grain aphids in the presence of other natural enemies. *Biocontrol Science and Technology* 3(4): 455-466.
- Laurenne, N.M., Belshaw, R., Broad, G. & Quicke, D.L.J. 2000. Molecular confirmation of host records for ichneumonoid parasitoids of wood-boring beetle larvae. *Journal of Hymenoptera Research* 9(2): 241-245.
- Lavchieva-Nacheva, G. & Atanasova, P. 1998. Influence of buprofezin on the survival of the pea aphid *Acyrtosiphon pisum* Harris (Homoptera, Aphididae) and its parasitoid *Aphidius ervi* Hal. (Hymenoptera, Aphidiidae). *Acta Zoologica Bulgarica* 50(2-3): 115-119.
- Lavine, M.D. & Beckage, N.E. 1995. Polydnarivuses: potent mediators of host insect immune dysfunction. *Parasitology Today* 11(10): 368-378.
- Lavine, M.D. & Beckage, N.E. 1996. Temporal pattern of parasitism-induced immunosuppression in *Manduca sexta* larvae parasitized by *Cotesia congregata*. *Journal of Insect Physiology* 42(1): 41-51.
- Lawrence, P.O., Baranowski, R.M. & Greany, P.D. 1976. Effect of host age on development of *Biosteres* (= *Opius*) *longicaudatus*, a parasitoid of the Caribbean fruit fly *Anastrepha suspensa*. *Florida Entomologist* 59: 33-39.
- Lawrence, P.O., Greany, P.D., Nation, J.L. & Baranowski, R.M. 1978. Oviposition behavior of *Biosteres longicaudatus*, a parasite of the Caribbean fruit fly, *Anastrepha suspensa*. *Annals of the Entomological Society of America* 71: 253-256.
- Lawrence, P.O., Greany, P.D., Nation, J.L. & Oberlander, H. 1978. Influence of hydroperene on Caribbean fruit fly suitability for parasite development. *Florida Entomologist* 61(2): 93-99.
- Lawrence, P.O. 1981. Developmental and reproductive biologies of the parasitic wasp, *Biosteres longicaudatus*, reared on hosts treated with a chitin synthesis inhibitor. *Insect Science and its Application* 1: 403-406.
- Lawrence, P.O. 1981. Host vibration: A cue to host location by the parasitoid *Biosteres longicaudatus*. *Oecologia* 48: 249-251.
- Lawrence, P.O. 1981. Interference competition and optimal host selection in the parasitic wasp *Biosteres longicaudatus*. *Annals of the Entomological Society of America* 74: 540-544.
- Lawrence, P.O. 1982. *Biosteres longicaudatus*: Developmental dependence on host (*Anastrepha suspensa*) physiology. *Experimental Parasitology* 53: 396-405.
- Lawrence, P.O. & Hagedorn, H.H. 1986. Relationship between the ecdysteroid titres of a host and those of its parasite. *Insect Biochemistry* 16(1): 163-167.
- Lawrence, P.O. & Gupta, V.K. 1988. In vivo and in vitro development of first instars of the parasitic wasp, *Biosteres longicaudatus* (Hymenoptera: Braconidae). *Advances in Parasitic Hymenoptera research: Proceedings of the II Conference on the Taxonomy and Biology of Parasitic Hymenoptera*: 351-365.
- Lawrence, P.O. 1986. The role of 20-hydroxyecdysone in the moulting of *Biosteres longicaudatus*, a parasite of the Caribbean fruit fly, *Anastrepha suspensa*. *Journal of Insect Physiology* 32: 329-337.
- Lawrence, P.O. 1988. Ecdysteroid titres and integument changes in superparasitized puparia of *Anastrepha suspensa* (Diptera: Tephritidae). *Journal of Insect Physiology* 34(7): 603-608.
- Lawrence, P.O. 1988. In vitro and in vivo development of first instars of the parasitic wasp, *Biosteres longicaudatus* (Hymenoptera: Braconidae). In: Gupta, V. (ed) 'Advances in Parasitic Hymenopteran Research'. Leiden, New York: 351-366.
- Lawrence, P.O. 1988. Intraspecific competition among first instars of the parasitic wasp *Biosteres longicaudatus*. *Oecologia* 74(4): 607-611.
- Lawrence, P.O. 1988. Superparasitism of the Caribbean fruit fly, *Anastrepha suspensa* (Diptera: Tephritidae), by *Biosteres longicaudatus* (Hymenoptera: Braconidae): implications for host regulation. *Annals of the Entomological Society of America* 81: 233-239.
- Lawrence, P.O. 1989. Reproductive physiology of the parasitic wasp, *Biosteres longicaudatus* (Hymenoptera: Braconidae). Regulation of insect reproduction: 153-170. Proceedings of a symposium held in Zinkovy, September. 1987. Czechoslovak Academy of Science. Prague: 1-539.
- Lawrence, P.O. & Akin, D. 1990. Virus-like particles from the poison glands of the parasitic wasp *Biosteres longicaudatus* (Hymenoptera: Braconidae). *Canadian Journal of Zoology* 68(3): 539-546.

- Lawrence, P.O. 1990. Replication of an insect parasite-transmitted entomopoxvirus in hemocytes of a tephritid fruit fly host. Proceedings and abstracts, Vth International Colloquium on Invertebrate Pathology and Microbial Control, Adelaide, Australia, 20-24 August 1990: 205.
- Lawrence, P.O. 1990. Serosal cells of *Biosteres longicaudatus* (Hym.: Braconidae): Ultrastructure and release of polypeptides. Archives of Insect Biochemistry and Physiology 13: 199-216.
- Lawrence, P.O., Baker, F.C., Tsai, L.W., Miller, C.A., Schooley, D.A. & Geddes, L.G. 1990. JH III levels in larvae and pharate pupae of *Anastrepha suspensa* (Diptera: Tephritidae) and in larvae of the parasitic wasp *Biosteres longicaudatus* (Hymenoptera: Braconidae). Archives of Insect Biochemistry and Physiology 13(1-2): 53-62.
- Lawrence, P.O., Harris, E.J., Bautista, R.C. & Tan, K.H. 2000. Development and reproductive biology of the egg-pupal parasite, *Fopius arisanus* in *Anastrepha suspensa*, a new tephritid host. Area wide control of fruit flies and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998. 739-748.
- Lawson, S.A., Fūruta, K. & Katagiri, K. 1996. The effect of host tree on the natural enemy complex of *Ips typographus japonicus* Nijima (Col., Scolytidae) in Hokkaido, Japan. Journal of Applied Entomology 120(2): 77-86.
- Lawton, F.D. 1981. An introduction to the Mesochorinae (Hymenoptera, Ichneumonidae). Proceedings and Transactions of the British Entomological and Natural History Society 14(3-4): 93-97.
- Lazzari, S.N. & Lazzari, F.A. 1985. Occurrence of *Pseudaletia sequax* (Lepidoptera, Noctuidae) and its natural enemies on barley (*Hordeum* spp.), in Parana (Brazil). Anais da Sociedade Entomologica do Brasil 14(1): 59-66.
- Lazzari, S.N. 1985. Natural enemies of barley (*Hordeum* sp.) aphids (Homoptera, Aphididae) in Parana (Brazil). Anais da Sociedade Entomologica do Brasil 14(1): 5-16.
- Le, N.T., Asgari, S., Amaya, K., Tan, F.F. & Beckage, N.E. 2003. Persistence and expression of *Cotesia congregata* polydnavirus in host larvae of the tobacco hornworm, *Manduca sexta*. Journal of Insect Physiology 49(5): 533-543.
- Leathers, J.W. & Sharkey, M.J. 2003. Taxonomy and life history of Costa Rican *Alabagrus* (Hymenoptera: Braconidae), with a key to world species. Contributions in Science (Los Angeles) 497: 1-78.
- Lee, H.J. & Chippendale, G.M. 1985. Development of *Iphiaulax kimballi* (Hymenoptera: Braconidae), an ectoparasite of the southwestern corn borer, *Diatraea grandiosella* (Lepidoptera: Pyralidae). Journal of the Kansas Entomological Society 58: 509-516.
- Lee, H.S., Wen, H.C. & Lu, F.M. 1990. The occurrence of *Liriomyza bryoniae* (Kaltenbach) (Diptera: Agromyzidae) in Taiwan. Chinese Journal of Entomology 10(2): 133-142.
- Lee, H.S. 1990. Insecticides for the control of *Liriomyza bryoniae* (Kalt.) and the parasites survival on head mustard. Chinese Journal of Entomology 10(2): 183-189.
- Lee, H.S. 1990. Differences in injury of *Liriomyza bryoniae* (Kalt.) on crops and the influence of host plants on the parasitoids. Chinese Journal of Entomology 10(4): 409-418.
- Lee, J.H., Reed, D.K., Lee, H.P. & Carlson, R.W. 1987. The parasite complex of gypsy moth (*Lymantria dispar* L.) at Mt. Chonggye. Korean Journal of Entomology 17(4): 245-246.
- Lee, J.H. & Lee, H.P. 1996. Parasites and phenology of *Lymantria mathura* Moore (Lymantriidae, Lepidoptera) in Kyonggi Province, Korea. Korean Journal of Entomology 26(4): 393-401.
- Lee, J.H., Lee, Hai P., Schaefer, P.W., Fuester, R.W., Park, J.D., Lee, B.Y. & Shin, C.H. 2002. Gypsy moth parasitoid complex at Mt. Halla National Park, Cheju Island, Korea. Entomological News 113(2): 103-112.
- Lee, J.W. & Suh, K.I. 1991. A systematic study of the Ichneumonidae (Hymenoptera) from Korea XIII. Genus *Mesochorus* (Mesochorinae). Entomological Research Bulletin (Korea) 17: 11-32.
- Lee, W.Y., Chang, H.C. & Chen, L.Y. 1996. A larval parasitoid wasp *Diachasmimorpha longicaudatus* of the oriental fruit fly in Taiwan. Chinese Journal of Entomology 16(1): 41-49.
- Leerdam, M.B. van, Smith, J.W. Jr. & Fuchs, T.W. 1985. Frass-mediated, host finding behavior of *Cotesia flavipes*, a braconid parasite of *Diatraea saccharalis* (Lepidoptera: Pyralidae). Annals of the Entomological Society of America 78(5): 647-650.
- Legaspi, J.C., Legaspi, B.C. Jr., King, E.C. & Saldana, R.R. 1997. Mexican rice borer, *Eoreuma loftini* (Lepidoptera: Pyralidae) in the Lower Rio Grande Valley of Texas: its history and control. Subtropical Plant Science 49: 53-64.
- Legaspi, J.C., Legaspi, B.C. Jr. & Saldana, R.R. 1999. Laboratory and field evaluations of biorational insecticides against the Mexican rice borer (Lepidoptera: Pyralidae) and a parasitoid (Hymenoptera: Braconidae). Journal of Economic Entomology 92(4): 804-810.
- Legaspi, J.C., Legaspi, B.C. Jr., Lauziere, I., Smith, J.W. Jr., Rodriguez, Del Bosque, L.A., Jones, W.A. and Saldana, R.R. 2000. Incidence of Mexican rice borer (Lepidoptera: Pyralidae) and Jalisco fly parasite (Diptera: Tachinidae) in Mexico. Southwestern Entomologist 25(1): 21-30.
- Legner, E.F. & McCoy, C.W. 1966. The housefly, *Musca domestica* Linnaeus, as an exotic species in the western hemisphere incites biological control studies. Canadian Entomologist 98(3): 243-248.
- Legner, E.F. 1966. Parasites of the house fly and other filth-breeding Diptera in southern California. Journal of Economic Entomology 59(4): 999-1001.
- Legner, E.F. & Thompson, S.N. 1977. Effects of the parental host on host selection, reproductive potential, survival and fecundity of the egg-larval parasitoid, *Chelonus* sp. near *curvumaculatus*, reared on *Pectinophora gossypiella* and *Phthorimaea operculella*. Entomophaga 22: 75-84.
- Legner, E.F. & Medved, R.A. 1979. Influence of parasitic Hymenoptera on the regulation of pink bollworm, *Pectinophora gossypiella*, on cotton in the lower Colorado Desert. Environmental Entomology 8: 922-930.
- Legner, E.F. & Medved, R.A. 1981. Pink bollworm, *Pectinophora gossypiella* (Diptera: Gelechiidae), suppression with gossypure, a pyrethroid, and parasite releases. Canadian Entomologist 113(4): 355-357.
- Legner, E.F. & Goeden, R.D. 1987. Larval parasitism of *Rhagoletis completa* (Diptera: Tephritidae) on *Juglans microcarpa* (Juglandaceae) in western Texas and southeastern New Mexico. Proceedings of the Entomological Society of Washington 89(4): 739-743.
- Legrand, M.A., Levie, A. & Hance, T. 2001. Clarification of a technique for control of cereal aphids using microhymenopteran parasitoids. Mise au point d'une technique de lutte contre les pucerons des cereales a l'aide de Microhymenopteres parasitoides, 72 pp.
- Lehmhus, J., Hommes, M. & Vidal, S. 1995. Different effects of intercropping on the population dynamics of herbivores and their natural enemies in white cabbage. Mitteilungen der Deutschen Gesellschaft für Allgemeine und angewandte Entomologie 10(1-6): 265-268.
- Lei, C.L., Zong, L.B., Zhong, C.Z., Shu, C.Y. & Liu, T.Y. 1994. Studies on the host-searching kairomone of *Ephedrus plagiator* (Ness). Acta Phytomycol Sinica 21(3): 238, 248.

- Lei, G.C. & Hanski, I. 1997. Metapopulation structure of *Cotesia melitaeorum*, a specialist parasitoid of the butterfly *Melitaea cinxia*. *Oikos* 78(1): 91-100.
- Lei, G.C., Vikberg, V., Nieminen, M. & Kuussaari, M. 1997. The parasitoid complex attacking Finnish populations of the Glanville fritillary *Melitaea cinxia* (Lep.: Nymphalidae), an endangered butterfly. *Journal of Natural History* 31(4): 635-648.
- Lei, G.C. & Hanski, I. 1998. Spatial dynamics of two competing specialist parasitoids in a host metapopulation. *Journal of Animal Ecology* 67(3): 422-433.
- Lei, G.C. & Camara, M.D. 1999. Behaviour of a specialist parasitoid, *Cotesia melitaeorum*: from individual behaviour to metapopulation processes. *Ecological Entomology* 24(1): 59-72.
- Leibenguth, F. 1967. Regulation of tryptophan metabolism in the parasitic wasp *Habrobracon juglandis*. *Experientia* 23: 1069-1071.
- Leibenguth, F. 1970. Concerning non-darkening of mutant *Habrobracon* (*Bracon hebetor*) eyes as a consequence of a new chromagen-reducing mechanism in insect larvae. *Experientia* 26: 59-660.
- Leibenguth, F. 1971. Zur Pleiotropie des wh- und el-Locus bei *Habrobracon juglandis*. *Zeitschrift für Naturforschung (B)* 26: 53-60.
- Leluk, J. & Jones, D. 1989. *Chelonus* sp. near *curvimaaculatus* venom proteins: analysis of their potential role and processing during development of host *Trichoplusia ni*. *Archives of Insect Biochemistry and Physiology* 10(1): 1-12.
- Leluk, J., Schmidt, J. & Jones, D. 1989. Comparative studies on the protein composition of hymenopteran venom reservoirs. *Toxicon Oxford* 27(1): 105-114.
- Lema, K.M. & Poe, S.L. 1978. Age specific mortality of *Liriomyza sativae* due to *Chrysonotomyia formosa* and parasitization by *Opius dimidiatus* and *Chrysonotomyia formosa*. *Environmental Entomology* 8(5): 935-937.
- Lenfant, C. & Fallen, G. 1995. Integrated control strategy on sheltered melons in the south of France. *Phytoma* 472: 37-40.
- Lenteren, J.C. van 1992. Quality control for natural enemies used in greenhouses. *Bulletin OILB SROP* 16(2): 89-92.
- Lenteren, J.C. van & Bueno, V.H.P. 2003. Augmentative biological control of arthropods in Latin America. *BioControl* 48: 123-139.
- Lentz, G.L. & Pedigo, L.P. 1974. Life history phenomena of *Rogas nolphanae* and *Winthemia sinuata*, parasites of the green cloverworm. *Annals of the Entomological Society of America* 67(4): 678-680.
- Lentz, G.L. & Pedigo, L.P. 1975. Population ecology of parasites of the green cloverworm in Iowa. *Journal of Economic Entomology* 68(3): 301-304.
- Leon, M.G.A. & Erazo, G.A.L. 1993. Life cycle and behaviour of *Bracon kirkpatricki* (Wilkinson) (Hymenoptera: Braconidae). *Revista Colombiana de Entomologia* 19(4): 113-118.
- Leonard, D.E. & Simmons, G.A. 1974. The effects of Zectran on the parasitoids of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae). *Canadian Entomologist* 106(5): 545-554.
- Leonard, D.E., Bierl, B.A. & Berosa, M. 1975. Gypsy moth (Lepidoptera: Lymantridae) kairomones influencing behavior of parasitoids *Brachymeria intermedia* (Hymenoptera: Chalcidae) and *Apanteles melanoscelus* (Hymenoptera: Braconidae). *Environmental Entomology* 4(6): 929-930.
- Leonel, F.L. Jr., Zucchi, R.A. & Wharton, R.A. 1995. Distribution and tephritid hosts (Diptera) of braconid parasitoids (Hymenoptera) in Brazil. *International Journal of Pest Management* 41(4): 208-213.
- Leonel, F.L. Jr., Zucchi, R.A. & Canal, D.N.A. 1996. Parasitism of fruit flies (Diptera: Tephritidae) by braconids (Hymenoptera) in two counties of the state of Sao Paulo. *Anais da Sociedade Entomologica do Brasil* 25(2): 199-206.
- Lesko, K. 1988. Some observations on larvae of *Lymantria dispar* L. drifting in the wind. *Novenyvedelem* 24(7): 302-304.
- Lester, P.J. & Holtzer, T.O. 2002. Patch and prey utilization behaviors by *Aphelinus albipodus* and *Diaeretiella rapae* (Hymenoptera: Aphelinidae and Aphidiidae) on Russian wheat aphid (Homoptera: Aphididae). *Biological Control* 24(2): 183-191.
- Letendre, M., Guibord, M.O., Harcourt, D.G. & Guppy, J.C. 1991. Note on the distribution and importance of *Dacnusa dryas*, a parasite introduced in Quebec against the alfalfa blotch leafminer, *Agromyza frontella*. *Phytoprotection* 72(1): 33-35.
- Letourneau, D.K. 1994. Bean fly, management practices, and biological control in Malawian subsistence agriculture. *Agriculture, Ecosystems and Environment* 50(2): 103-111.
- Letourneau, D.K. 1995. Associational susceptibility: effects of cropping pattern and fertilizer on Malawian bean fly levels. *Ecological Applications* 5(3): 823-829.
- Leuprecht, B. 1991. A new dangerous pest. The leafmining fly *Liriomyza huidobrensis*. *Gemüse München* 27(7): 362-365.
- Leuprecht, B. 1992. Biological control of *Liriomyza huidobrensis* in vegetable crops in the greenhouse. *Gesunde Pflanzen* 44(7): 222-229.
- Leuprecht, B. 1992. Biological control of the leafminer *Liriomyza huidobrensis*. *Gemüse München* 28(3): 150-153.
- Leuprecht, B. 1992. *Liriomyza huidobrensis*, a new, dangerous leafminer. *Gesunde Pflanzen* 44(2): 51-58.
- Leuprecht, B. 1993. Studies on the chemical and biological control of a dangerous leafminer in greenhouse vegetables. *Gesunde Pflanzen* 45(3): 89-93.
- Levie, A., Marques, N., Dogot, P. & Hance, T. 1999. Control capacities of *Aphidius rhopalosiphii* (Hymenoptera: Aphidiinae) on cereal aphids in field cages: preliminary results. *Proceedings, 51st international symposium on crop protection, Gent, Belgium, 4 May 1999. Part I. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent* 64(3a): 17-24.
- Levie, A., Dogot, P. & Hance, T. 2000. Release of *Aphidius rhopalosiphii* (Hymenoptera: Aphidiinae) for cereal aphid control: field cage experiments. *Proceedings of the 7th International Symposium on Ecology of Aphidophaga. Global working group of I.O.B.C. Bromont near Montreal, Quebec, Canada, 31 August-4 September, 1999* [edited by Vincent, C., Coderre, D. & Hodek, I.]. *European Journal of Entomology* 97(4): 527-531.
- Levin, D.B., Laing, J.E. & Jaques, R.P. 1979. Transmission of granulosis virus by *Apanteles glomeratus* to its host *Pieris rapae*. *Journal of Invertebrate Pathology* 34: 317-318.
- Levin, D.B., Laing, J.E. & Jaques, R.P. 1981. Interactions between *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae) and granulosis virus in *Pieris rapae* (L.) (Lepidoptera: Pieridae). *Environmental Entomology* 10: 65-68.
- Levin, D.B., Laing, J.E., Jaques, R.P. & Corrigan, J.E. 1983. Transmission of the granulosis virus of *Pieris rapae* (Lepidoptera: Pieridae) by the parasitoid *Apanteles glomeratus* (Hymenoptera: Braconidae). *Environmental Entomology* 12: 166-170.
- Levine, L. & Sullivan, D.J. 1983. Intraspecific tertiary parasitoidism in *Asaphes lucens* (Hymenoptera: Pteromalidae), an aphid hyperparasitoid. *Canadian Entomologist* 115(12): 1653-1658.
- Lewis, C.N. & Whitfield, J.B. 1999. Braconid wasp (Hymenoptera: Braconidae) diversity in forest plots under different silvicultural methods. *Environmental Entomology* 28(6): 986-997.
- Lewis, J.W. & Nordlund, D.A. 1980. Employment of parasitoids and predators for fall armyworm control. *Florida Entomologist* 63: 433-438.
- Lewis, L.C. 1982. Present status of introduced parasitoids of the European corn borer *Ostrinia nubilalis* (Hübner), in Iowa. *Iowa State Journal of Research* 56(4): 429-436.

- Lewis, W.J. & Brazzel, J.R. 1966. Biological relationships between *Cardiochiles nigriceps* and the *Heliothis complex*. Journal of Economic Entomology 59(4): 820-823.
- Lewis, W.J., Brazzel, J.R. & Vinson, S.B. 1967. *Heliothis subflexa*, a host for *Cardiochiles nigriceps*. Journal of Economic Entomology 60: 615-616.
- Lewis, W.J. & Brazzel, J.R. 1968. A three-year study of parasites of the bollworm and the tobacco budworm in Mississippi. Journal of Economic Entomology 61(3): 673-676.
- Lewis, W.J. & Vinson, S.B. 1968. Egg and larval development of *Cardiochiles nigriceps*. Annals of the Entomological Society of America 61: 561-565.
- Lewis, W.J. & Vinson, S.B. 1968. Immunological relationships between the parasite *Cardiochiles nigriceps* Viereck and certain *Heliothis* species. Journal of Insect Physiology 14: 613-626.
- Lewis, W.J. 1970. Life history and anatomy of *Microplitis croceipes* (Hymenoptera: Braconidae), a parasite of *Heliothis* spp. (Lepidoptera: Noctuidae). Annals of the Entomological Society of America 63(1): 67-70.
- Lewis, W.J. 1970. Study of species and instars of larval *Heliothis* parasitized by *Microplitis croceipes*. Journal of Economic Entomology 63(2): 363-365.
- Lewis, W.J. & Burton, R.L. 1970. Rearing *Microplitis croceipes* in the laboratory with *Heliothis zea* as hosts. Journal of Economic Entomology 63(2): 656-658.
- Lewis, W.J. & Vinson, S.B. 1971. Suitability of certain *Heliothis* (Lepidoptera: Noctuidae) as hosts for the parasite *Cardiochiles nigriceps*. Annals of the Entomological Society of America 64(4): 970-972.
- Lewis, W.J. & Snow, J.W. 1971. Fecundity, sex ratios, and egg distribution by *Microplitis croceipes*, a parasite of *Heliothis*. Journal of Economic Entomology 64(1): 6-8.
- Lewis, W.J. & Jones, R.L. 1971. Substance that stimulates host-seeking by *Microplitis croceipes*, a parasite of *Heliothis* species. Annals of the Entomological Society of America 64: 471-473.
- Lewis, W.J., Snow, J.W. & Jones, R.L. 1971. A pheromone trap for studying populations of *Cardiochiles nigriceps*, a parasite of *Heliothis virescens*. Journal of Economic Entomology 71(6): 1417-1421.
- Lewis, W.J., Sparks, A.N., Jones, R.L. & Barras, D.J. 1972. Efficiency of *Cardiochiles nigriceps* as a parasite of *Heliothis virescens* on cotton. Environmental Entomology 1(4): 468-471.
- Lewis, W.J., Jones, R.L., Gross, H.R. Jr. & Nordlund, D.A. 1976. The role of kairomones and other behavioral chemicals in host finding by parasitic insects. Behavioral Biology 16: 267-289.
- Lewis, W.J. & Tumlinson, J.H. 1988. Associative learning: mechanisms and role in foraging behaviour of *Microplitis croceipes*. Colloques de l'INRA 48: 61-62.
- Lewis, W.J. & Tumlinson, J.H. 1988. Host detection by chemically mediated associative learning in a parasitic wasp. Nature (London) 331 No. 6153: 257-259.
- Lewis, W.J. 1988. A baculovirus pathogenic to the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). Journal of Invertebrate Pathology 52(1): 189-191.
- Lewis, W.J., Sonnet, P.E. & Nordlund, D.A. 1988. Responses of braconid parasitoids *Microplitis croceipes* (Cresson) and *M. demolitor* Wilkinson to stereoisomers of the kairomone 13-methylhentriacontane. Journal of Chemical Ecology 13: 883-888.
- Lewis, W.J. & Gross, H.R. 1989. Comparative studies on field performance of *Heliothis* larval parasitoids *Microplitis croceipes* and *Cardiochiles nigriceps* at varying densities and under selected host plant conditions. Florida Entomologist 72(1): 6-14.
- Lewis, W.J. & Takasu, K. 1990. Use of learned odours by a parasitic wasp in accordance with host and food needs. Nature London 348(6302): 635-636.
- Lewis, W.J. & Martin, W.R. Jr. 1991. Semiochemicals for use with parasitoids: status and future. Journal of Chemical Ecology 16(11): 3067-3089.
- Lewis, W.J., Tumlinson, J.H. & Krasnoff, S. 1991. Chemically mediated associative learning: an important function in the foraging behaviour of *Microplitis croceipes* (Cresson). Journal of Chemical Ecology 17(7): 1309-1325.
- Lewis, W.J. & Sheehan, W. 1997. Parasitoid foraging from a multitrophic perspective: significance for biological control: 271-281. In: Andow, D.A., Ragsdale, D.W. & Nyvall, R.F. [eds]. Ecological interactions and biological control. Boulder, Colorado & Oxford, England: i-xiv, 1-334.
- Lewis, W.J., Stapel, J.O., Cortesero, A.M. & Takasu, K. 1998. Understanding how parasitoids balance food and host needs: importance to biological control. Biological Control 11: 175-183.
- Lewis, W.J., Pare, P.W., Alborn, H.T., Tumlinson, J.H. & Moraes, C.M. de 1998. Herbivore-infested plants selectively attract parasitoids. Nature London 393(6685): 570-573.
- Lewis, W.J. & Moraes, C.M. de 1999. Analyses of two parasitoids with convergent foraging strategies. Journal of Insect Behavior 12(5): 571-583.
- Leyva Vazquez, J.L., Bravo Mojica, H. & Carillo Sanchez, J.L. 1984. Efecto del parasitismo simple y multiple sobre la mortalidad de *Anastrepha ludens* (Loew). Agrociencia No. 57: 49-63.
- Leyva-Vazquez, J.L., Martinez-Martinez, L. & Valdez-Carrasco, J. 1988. Mechanisms of detection of hosts utilized by *Diachasmimorpha* (= *Biosteres*) *longicaudatus* (Ashmead) (Hymenoptera: Braconidae) and structure of the receptor organs. Folia Entomologica Mexicana 76: 165-176.
- Leyva, J.L., Browning, H.W. & Gilstrap, F.E. 1991. Effect of host fruit species, size, and color on parasitization of *Anastrepha ludens* (Diptera: Tephritidae) by *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae). Environmental Entomology 20(5): 1469-1474.
- Li, A.Q. & Xue, F.S. 2002. The effects of temperature and photoperiod on diapause maintenance and termination in both *Pegomyia bicolor* and its parasitic braconid wasp (*Biostes* sp.). Acta Agriculturae Universitatis Jiangxiensis 24(4): 436-440.
- Li, C.S. 1990. Status and control of *Chilo* spp., their distribution, host range and economic importance in Oceania. Insect Science and its Application 11(4-5): 535-539.
- Li, F., Achterberg, C. van & He, J.H. 2000. New species of the family Trozidae (Homoptera: Psylloidea) from China, and the first record of Psylloidea as host of Braconidae (Hymenoptera). Zoologische Mededelingen, Leiden 74(21): 359-366.
- Li, H.H. 1990. Study of the developmental zero and effective accumulated temperature of *Kytorrhinus immixtus* Motschulsky and its natural enemies. Insect Knowledge 27(1): 22-24.
- Li, H.Y. & Ye, M.C. 1996. A preliminary study of *Apanteles kariyai*. Natural Enemies of Insects 18(4): 167-169.
- Li, K., Wang, S. & Meng, G. 1988. Rearing *Bracon greeni* Ash. (Hymen.: Braconidae) with *Galleria mellonella* (Lep.: Galleriidae). Natural Enemies of Insects 10(2): 95-96.
- Li, L. & Xie, Z. 1988. Observation on the biology of *Bracon hebetor* Say. Natural Enemies of Insects 10(2): 106-109.
- Li, L.Y. 1992. In vitro rearing of parasitoids of insect pests in China. Korean Journal of Applied Entomology 31(3): 241-246.
- Li, Q.F. & Wen, Q. 1988. Observations on the relationship between aphids and braconids on early spring hosts and cotton. Insect Knowledge 25(5): 274-277.
- Li, R.K. 1998. Toxicity of RH-5849 against imported cabbage worm and *Apanteles glomeratus* (L.) (Hymenoptera: Braconidae). Natural Enemies of Insects 20(2): 90-93.
- Li, S., Falabella, P., Giannantonio, S., Fanti, P., Battaglia, D., Digilio, M.C., Völkl, W., Sloggett, J.J., Weisser, W. & Pennac-

- chio, F. 2002. Pea aphid clonal resistance to the endophagous parasitoid *Aphidius ervi*. *Journal of Insect Physiology* 48(10): 971-980.
- Li, S., Falabella, P., Kuriachan, I., Vinson, S.B., Borst, D.W., Malva, C. & Pennacchio, F. 2003. Juvenile hormone synthesis, metabolism, and resulting haemolymph titre in *Heliothis virescens* larvae parasitized by *Toxoneuron nigriceps*. *Journal of Insect Physiology* 49(11): 1021-1030.
- Li, S.Y., Clements, D.R. & Harmsen, R. 1992. Effect of low-rate pyrethroid applications on the spotted tentiform leafminer (Lepidoptera: Gracillariidae) and its parasitoids in an apple orchard. *Journal of Economic Entomology* 85(1): 192-201.
- Li, S.Y., Henderson, D.E. & Feng, R. 1993. Larval parasitoid of the zebra caterpillar, *Melanchnra picta* (Harris) (Lepidoptera: Noctuidae) on blueberry in British Columbia. *Canadian Entomologist* 125(2): 405-406.
- Li, S.Y., Fitzpatrick, S.M., Troubridge, J.T., Sharkey, M.J., Barron, J.R. & O'Hara, J.E. 1999. Parasitoids reared from the oblique-banded leafroller (Lepidoptera: Tortricidae) infesting raspberries. *Canadian Entomologist* 131(3): 399-404.
- Li, W., Zhang, B., Yu, M. & Qi, Z. 1991. A survey on *Aphidius* parasitoids on barley in Linqing, Shandong Province. *Chinese Journal of Biological Control* 7(3): 139.
- Li, X.P. 1989. A survey of natural enemies of rice pests in Qianyang. (in Chinese) *Chinese Journal of Biological Control* 5(2): 91.
- Li, X.R., Hu, C. & Xin, Y.F. 1999. Artificial induction of *Aphidius gifuensis* diapause. *Journal of Zhejiang University Agriculture and Life Science* 25(4): 435-438.
- Li, Y. & Steiner, W.W.M. 1992. Genetic characterization of a black abdomen mutant in *Microplitis croceipes* (Hymenoptera: Braconidae). *Journal of Heredity* 83(6): 448-451.
- Li, Y. & Steiner, W.W.M. 1995. A wing color mutant (cw) in the parasitic wasp, *Microplitis croceipes* (Hymenoptera: Braconidae). *Journal of Heredity* 86(2): 158-163.
- Li, Y.H., Wen, S.Y., Xie, Z.N., Xie, Y.Q. & Li, L. 1992. Isolation and purification of host-searching kairomone of *Bracon greeni* (Hymen.: Braconidae). *Natural Enemies of Insects* 14(1): 30-32.
- Li, Y.S., Dickens, J.C. & Steiner, W.W.M. 1992. Antennal olfactory responsiveness of *Microplitis croceipes* (Hymenoptera: Braconidae) to cotton plant volatiles. *Journal of Chemical Ecology* 18(10): 1761-1773.
- Li, Y.X. & Liu, S.S. 2001. The effect of host age on biological characteristics of *Cotesia plutellae*. *Journal of Zhejiang University Agriculture and Life Sciences* 27(1): 11-14.
- Li, Y.X., Liu, Y.Q. & Liu, S.S. 2001. Effect of superparasitism on bionomics of *Cotesia plutellae*. *Chinese Journal of Biological Control* 17(4): 151-154.
- Li, Y.X. & Liu, S.S. 2002. Effects of host insecticide resistance on parasitism capacity of *Cotesia plutellae*. *Chinese Journal of Biological Control* 18(3): 120-123.
- Li, Y.X., Liu, S.S. & Liu, Y.Q. 2002. Effects of host insecticide resistance on the biological characteristics of *Cotesia plutellae*. *Acta Entomologica Sinica* 45(4): 459-464.
- Li, Y.X., Liu, S.S. & Liu, Y.Q. 2002. Lethal and sublethal effects of fenvalerate residue on adults of *Cotesia plutellae*. *Acta Phytomythologica Sinica* 29(4): 325-330.
- Li, Y.X., Liu, S.S. & Tang, Z.H. 2002. The effect of host insecticide resistance on the development of resistance to fenvalerate in *Cotesia plutellae* (Hymenoptera: Braconidae). *Acta Entomologica Sinica* 45(5): 597-602.
- Li, Y.X., Liu, S.S., Yu, J.P., Lou, Q.P. & Tang, Z.H. 2002. Lethal and sublethal effects of fenvalerate applied to host larvae on the parasitoid *Cotesia plutellae*. *Acta Phytomythologica Sinica* 29(3): 217-222.
- Li, Z.H. 1982. Studies on the bionomics of *Zombrus sjostedti* (Fahring-er). *Entomological Knowledge* 19(3): 28-30.
- Liang, H.B., Zhang, R.Z., Zhang, G.X., Wei, Z.M., Wen, Y.L. & Wang, G.P. 1997. Population dynamics of *Diuraphis noxia* Mordv. and impacts of natural enemies. *Acta Phytomythologica Sinica* 24(3): 193-198.
- Liang, H.B., Zhang, R.Z., Zhang, G.X., Wen, Y.L. & Wang, G.P. 1998. Infestation levels of *Diuraphis noxia* Mordvilko response to precipitation and irrigation. *Acta Entomologica Sinica* 41(4): 382-388.
- Liaropoulos, C., Louskas, C., Canard, M. & Laudeho, Y. 1977. Lâchers d'*Opius concolor* (Hym.: Braconidae) dans des populations de printemps de *Dacus oleae* (Dipt.: Trypetidae). *Entomophaga* 22(3): 259-264.
- Liebhold, A.M. & Elkinton, J.S. 1989. Elevated parasitism in artificially augmented populations of *Lymantria dispar* (Lepidoptera: Lymantriidae). *Environmental Entomology* 18(6): 986-995.
- Liepert, C. & Dettner, K. 1993. Recognition of aphid parasitoids by honeydew-collecting ants: the role of cuticular lipids in a chemical mimicry system. *Journal of Chemical Ecology* 19(10): 2143-2153.
- Liepert, C. & Dettner, K. 1996. Role of cuticular hydrocarbons of aphid parasitoids in their relationship to aphid-attending ants. *Journal of Chemical Ecology* 22(4): 695-707.
- Light, A.M., Petters, R.M. & Loucas, B.D. 1986. Antennapedia, a homoeotic mutation of *Bracon hebetor*. *Journal of Heredity* 77(1): 58-60.
- Lih, S.G. & Su, T.H. 1985. Effects of oils on the transmission of watermelon mosaic virus by *Myzus persicae* Sulz. *Bulletin of the Society of Entomology National Chung Hsing University* 18: 55-64.
- Lill, J.T. 1999. Structure and dynamics of a parasitoid community attacking larvae of *Psilocorsis quercicella* (Lepidoptera: Oecophoridae). *Environmental Entomology* 28(6): 1114-1123.
- Lill, J.T., Marquis, R.J. & Ricklefs, R.E. 2002. Host plants influence parasitism of forest caterpillars. *Nature (London)* 417(6885): 170-173.
- Lilley, R., Hardie, J. & Wadhams, L.J. 1994. Field manipulation of *Praon* populations using semiochemicals. *Norwegian Journal of Agricultural Sciences, SUPP* 16: 221-226.
- Lilley, R., Hardie, J., Powell, W. & Wadhams, L.J. 1994. The aphid sex pheromone: a novel host location cue for the parasitoid *Praon volucre*. *Proceedings Brighton Crop Protection Conference, Pests and Diseases, 1994, Vol 3: 1157-1162.*
- Lim, G.S. & Ko, W.W. 1975. *Apanteles plutellae* Kurdj., a newly recorded parasite of *Plutella xylostella* (L.) in Malaysia. *MARDI Research Bulletin* 3: 94-95.
- Lim, G.S. 1986. The effects of parasitoids on *Plutella xylostella* (L.) in the Cameron Highlands: 163-172. In: Hussein, M.Y. & Ibrahim, A.G. [eds]. *Biological control in the tropics. Proceedings of the 'First Regional Symposium on Biological Control' held at Universiti Pertanian Malaysia, Serdang from 4-6 September, 1985. Penerbit Universiti Pertanian Malaysia, Serdang 1986: i-xviii, 1-516.*
- Lim, K.P. & Stewart, R.K. 1976. Laboratory studies on *Peristenus pallipes* and *P. pseudopallipes* (Hymenoptera: Braconidae) parasitoids of the tarnished plant bug, *Lygus lineolaris* (Hemiptera: Miridae). *Canadian Entomologist* 108: 815-822.
- Lim, K.P. & Stewart, R.K. 1976. Parasitism of the tarnished plant bug, *Lygus lineolaris* (Hemiptera: Miridae), by *Peristenus pallipes* and *P. pseudopallipes* (Hymenoptera: Braconidae). *Canadian Entomologist* 108: 601-608.
- Lin, F.C. & Wang, C.L. 1992. The occurrence of parasitoids of *Liriomyza trifolii* (Burgess) in Taiwan. *Chinese Journal of Entomology* 12(4): 247-257.
- Lin, J.C.H. & Grosch, D.S. 1982. The genetic and physiological diversification of two species of braconids, *Habrobracon jug-*

- landis* Ashmead and *H. serinopae* Ramkr. Biological Bulletin of the National Taiwan Normal University 17: 1-5.
- Lin, L.A. & Ives, A.R. 2003.** The effect of parasitoid host-size preference on host population growth rates: an example of *Aphidius colemani* and *Aphis glycines*. Ecological Entomology 28(5): 542-550.
- Lin, T.C. 1990.** The abundance and diversity of hymenopterans in Ulu Kinchin, Pahang, Malaysia. Malayan Nature Journal 43(4): 278-281.
- Lin, W.C., Guo, S.J. & Song, H.M. 1998.** Population fluctuation of *Apanteles glomeratus* and toxicity of insecticides. Natural Enemies of Insects 20(4): 150-155.
- Linares, B. & Gil, G.Y. 1992.** Presence of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae), parasitoid of sugarcane borers *Diatraea* spp. (Lepidoptera: Pyralidae) in Venezuela. Boletín de Entomología Venezolana 7(1): 81-83.
- Lindblad, M. 1999.** Density and mortality of overwintering *Oscinella frit* and other oscinellids in Swedish grassland. International Journal of Pest Management 45(1): 23-28.
- Linden, A. van der 1986.** Addition of the exotic leaf miner parasites *Chrysocharis parksi* and *Opius dimidiatus* to the native Dutch parasite complex on tomato. Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 51/3a: 1009-1015.
- Linden, A. van der 1988.** Searching capacity and seasonal dependency of parasites of *Liriomyza bryoniae* Kalt. and *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae). Mededelingen van de Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 53(3a): 955-960.
- Linden, A. van der 1988.** Searching capacity and seasonal dependency of parasites of *Liriomyza bryoniae* Kalt. and *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae). Mededelingen van de Faculteit Landbouwwetenschappen, Rijksuniversiteit Gent 53(3a): 955-960.
- Linden, A. van der & Achterberg, C. van 1989.** Recognition of eggs and larvae of the parasitoids of *Liriomyza* spp. (Diptera: Agromyzidae; Hymenoptera: Braconidae and Eulophidae). Entomologische Berichten (Amsterdam) 49(9): 138-140.
- Linden, A. van der 1990.** Survival of the leafminer parasitoids *Chrysocharis oscinidis* Ashmead and *Opius pallipes* Wesmael after cold storage of host pupae. Mededelingen van de Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 55(2a): 355-360.
- Linden, A. van der 1991.** Biological control of the leafminer *Liriomyza huidobrensis* (Blanchard) in Dutch glasshouse tomatoes. Mededelingen van de Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 56(2a): 265-271.
- Linden, A. van der 1992.** *Phytomyza caulinaris* Hering, an alternative host for the development of an open rearing system for parasitoids of *Liriomyza* species. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society (N.E.V.) 3: 31-39.
- Linden, A. van der 1992.** Development of an IPM program in leafy and tuberous crops with *Liriomyza huidobrensis* as a key pest. Bulletin OILB SROP 16(2): 93-95.
- Linden, A. van der 1994.** Can biological control of *Liriomyza* spp. in glasshouse crops be improved? Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen 59(2a): 297-303.
- Linden, A. van der & Enkegaard, E. 2002.** State of integrated crop protection in Dutch nursery stock and future prospects. Proceedings of the joint IOBC WPRS Working Group "Integrated Control in Protected Crops, Temperate Climate" and IOBC-NRS "Greenhouse, Nursery, & Ornamental Landscape IPM Working Group" at Victoria (British Columbia), Canada, 6-9 May 2002. Bulletin OILB SROP 25(1): 269-272.
- Lindquist, O.H. & Bowser, R.L. 1966.** A biological study of the leaf miner, *Chrysopeleia ostryaella* Chambers (Lepidoptera: Cosmopterigidae), on ironwood in Ontario. Canadian Entomologist 98: 252-258.
- Lindquist, O.H. & MacLeod, L.S. 1967.** A biological study of *Epilotia solandriana* (Lepidoptera: Olethreutidae), a leaf roller on birch in Ontario. Canadian Entomologist 99: 1110-1114.
- Lingappa, S.S., Starks, K.J. & Eikenbary, R.D. 1972.** Insecticidal effect on *Lysiphlebus testaceipes*, a parasite of the greenbug, at three developmental stages. Environmental Entomology 1: 520-521.
- Lingren, P.D., Wolfenbarger, D.A., Nosky, J.B. & Diaz, M. Jr. 1972.** Response of *Campoplexis perdistinctus* and *Apanteles marginiventris* to insecticides. Journal of Economic Entomology 65(5): 1295-1299.
- Linit, M.J. & Stephen, F.M. 1983.** Parasite and predator component of within-tree southern pine beetle (Coleoptera: Scolytidae) mortality. Canadian Entomologist 115: 679-688.
- Link, D. & Knies, G. 1973.** Aspects of the bionomics of cutworms that occur in Santa Maria, RS. (in Portuguese) Anais da Sociedade Entomologica do Brasil 2(1): 66-73.
- Link, D. & Pedrolo, S.S. 1987.** Aspectos biológicos de *Agrotis ipsilon* (Hufnagel, 1767) em Santa Maria-RS. Revista do Centro de Ciências Rurais 17(4): 309-317.
- Link, D., Costa, E.C. & Correa-Costa, E. 1988.** Biological aspects of wheat armyworms. Revista do Centro de Ciências Rurais, Universidade Federal de Santa Maria 18(2): 99-105.
- Link, D. & Costa, E.C. 1989.** Effectiveness of light traps for the control of the cucurbit borer *Diaphania* spp. (Lepidoptera: Pyralidae) in Santa Maria, RS. Revista do Centro de Ciências Rurais 19(4): 311-315.
- Linz, B. 1992.** Hymenopteren als Parasitoides des Rapsglanzkäfers (*Meligethes* spp., Nitidulidae) und des Kohlschotenrüsslers (*Ceutorhynchus assimilis*, Curculionidae) auf Raps und Rüben. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 8(1-3) (1991): 90-92.
- Liotta, G., Lo Pinto, M., Manzella, S. & Salerno, G. 1994.** Biological control of *Bactrocera* (= *Dacus*) *oleae* (Gmelin) (Diptera: Tephritidae) with *Opius concolor* Szepiugi (Hymenoptera: Braconidae). 3. Superparasitism and host discrimination on *Ceratitis capitata* Wiedemann (Diptera: Tephritidae). Atti del Congresso Nazionale Italiano di Entomologia 17: 621-624.
- Liotta, G., Maniglia, G. & Manzella, S. 1994.** Biological control of *Bactrocera* (= *Dacus*) *oleae* (Gmelin) (Diptera: Tephritidae) with *Opius concolor* Szepiugi (Hymenoptera: Braconidae). 4. Effects of protein hydrolysate on the parasitoid. Atti del Congresso Nazionale Italiano di Entomologia 17, 1994: 625-628.
- Lipa, J.J. & Semyanov, V.P. 1967.** Parasites of ladybirds (Coleoptera: Coccinellidae) in Leningrad Province. Entomologicheskoye Obozreniye 46(1): 75-80. [Entomological Review 46: 43-45].
- Lipa, J.J., Santiago-Alvarez, C., Papp, J., Aldebis, H.K., Vargas-Osuna, E. & Caballero, P. 1993.** *Ocnogyna baetica* (Rambur) (Lepidoptera: Arctiidae) as winter host for *Cotesia plutellae* (Kurdjumov) and *Glyptapanteles compressiventris* (Muesebeck) (Hymenoptera: Braconidae) in Spain. Annales de la Société Entomologique de France 29(4): 435-437.
- Lipa, J.J., Santiago-Alvarez, C., Vargas-Osuna, E., Aldebis, H.K., Caballero, P. & Hernandez-Crespo, P. 1993.** Microorganisms, nematodes and parasitoids of *Ocnogyna baetica* (Rambur) (Lep.: Arctiidae) in southern Spain with potential for use in biological control. Biocontrol Science and Technology 3(3): 347-353.
- Lipkow, E. 1965.** Braconiden als Schmarotzer von Staphyliniden. Entomophaga 10(4): 377-381.
- Liquido, N.J. 1991.** Effect of ripeness and location of papaya fruits on the parasitization rates of oriental fruit fly and melon fly

- (Diptera: Tephritidae) by braconid (Hymenoptera) parasitoids. *Environmental Entomology* 20(6): 1732-1736.
- Liquido, N.J. 1992.** Effect of fruit screening method on estimating number of *Oriental fruit flies*, *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae), in host fruit. *Proceedings of the Hawaiian Entomological Society* 31: 171-176.
- Liquido, N.J., Harris, E.J. & Dekker, L.A. 1994.** Ecology of *Bactrocera latifrons* (Diptera: Tephritidae) populations: host plants, natural enemies, distribution, and abundance. *Annals of the Entomological Society of America* 87(1): 71-84.
- Litsinger, J.A., Chantaraprappa, N., Barrion, A.T. & Bandong, J.P. 1994.** Natural enemies of the rice caseworm *Nymphula depunctalis* (Guenée) (Lepidoptera: Pyralidae). *Insect Science and its Application* 15(3): 261-268.
- Litt, R. 1997.** Observations de quelques insectes parasites des vannes (Lepidoptera/Rhopalocera). *Revue Vervioise d'Histoire Naturelle* 1997: 33-36.
- Littlefield, J.L. 1991.** Parasitism of *Rhinocyllus conicus* Froelich (Coleoptera: Curculionidae) in Wyoming. *Canadian Entomologist* 123(5): 929-932.
- Littlewood, S.C. 1983.** The timing of emergence of parasitic Hymenoptera of *Pieris rapae* (L.) and *Pieris brassicae* (L.). *Entomologist's Record and Journal of Variation* 95(5-6): 104-106.
- Littlewood, S.C. 1988.** Notes on the overwintering *Apanteles-Tetrastichus-Lysibia* complex (Hymenoptera, Parasitica), parasitoids of the large white butterfly. *Journal of Natural History* 22(4): 883-895.
- Liu, A.Z. & Li, S.G. 1999.** Preliminary studies on parasitizing action of *Aphidius avenae* and *A. gifuensis* on *Macrosiphum avenae*. *Natural Enemies of Insects* 21(2) 61-64.
- Liu, A.Z., Li, S.J., Wu, Y.Q., Li, S.G. & Bai, H.J. 2001.** Effect of insecticides with different characteristics on natural enemies in wheat field. *Acta Agriculturae Boreali Sinica* 16(4): 100-103.
- Liu, C.L., You, L.S., Luo, Q.H., Ruan, Y., Huang, A.P. & Guo, C. 2003.** Random amplified polymorphic DNA of the similar braconid wasps in cotton field and paddy field from China (Hymenoptera: Braconidae).] (in Chinese with English summary) *Acta Zootaxonomica Sinica* 28(4): 568-572.
- Liu, C.S. 1968.** The genus *Ephedrus* Haliday of Taiwan (Hymenoptera: Aphidiidae). *Journal of Taiwan Agricultural Research* 17(1): 35-48.
- Liu, C.S. 1975.** Aphid parasites and their propagation in Taiwan. (in Chinese) *Journal of Agricultural Research of China* 24(3-4): 62-84.
- Liu, C.S. 1977.** Genus *Aphidius* (Aphidiidae, Hym.) of California. Taiwan Agricultural Research Institute. Special Bulletin No. 11. 118 pp.
- Liu, D.J. 1985.** Method for prediction of emergence period of *Macrocentrus linearis* (Hymen.: Braconidae). *Natural Enemies of Insects* 7(2): 95-99.
- Liu, D.J., Song, J.Y. & Yang, M. 1985.** Studies on the distribution pattern and technology of the parasite (*Macrocentrus linearis* (Nees)) of corn borer in the corn field. (in Chinese) *Kunchong Zhishi* 22(5): 230-232.
- Liu, D.J., Yuan, Q.C., Gong, D.Y. & Yao, R.X. 1991.** Forecast method of occurrence of *Macrocentrus linearis* (Nees) and its protection and utilization. *Acta Agriculturae Shanghai* 7(3): 65-70.
- Liu, H.P. & Yan, J.J. 1991.** The rearing and propagating techniques of *Apanteles liparidis* (Bouché). *Entomological Knowledge* 28(3): 162-163.
- Liu, H.P. & Yan, J.J. 1993.** A study on the bionomics of *Glyptapanteles liparidis*. *Forest Research* 6(1): 58-64.
- Liu, L.R. & You, L.S. 1988.** A new species of the genus *Apanteles* Foerster from the Hengduan Mountains, China (Hymenoptera: Braconidae). *Acta Entomologica Sinica* 31(3): 318-320.
- Liu, S.S. & Carver, M. 1982.** The effect of temperature on the adult integumental coloration of *Aphidius smithi*. *Entomologia Experimentalis et Applicata* 32: 54-60.
- Liu, S.S. & Hughes, R.D. 1984.** Effect of host age at parasitization by *Aphidius sonchi* on the development, survival, and reproduction of the sowthistle aphid, *Hyperomyzus lactucae*. *Entomologia Experimentalis et Applicata* 36: 239-246.
- Liu, S.S. & Hughes, R.D. 1984.** The relationships between temperature and rate of development in two geographic stocks of *Aphidius sonchi* in the laboratory. *Entomologia Experimentalis et Applicata* 36: 231-238.
- Liu, S.S. & Carver, M. 1985.** Studies on the biology of *Aphidius sonchi* Marshall (Hymenoptera: Aphidiidae), a parasite of the sowthistle aphid, *Hyperomyzus lactucae* (L.) (Hemiptera: Aphididae). *Bulletin of Entomological Research* 75: 199-208.
- Liu, S.S. 1985.** Aspects of the numerical and functional response of the aphid parasite, *Aphidius sonchi*, in the laboratory. *Entomologia Experimentalis et Applicata* 37: 247-256.
- Liu, S.S. 1985.** Development, adult size and fecundity of *Aphidius sonchi* reared in two instars of its aphid host, *Hyperomyzus lactucae*. *Entomologia Experimentalis et Applicata* 37: 41-48.
- Liu, S.S. & Morton, R. 1986.** Distribution of superparasitization in the aphid parasite *Aphidius sonchi*. *Entomologia Experimentalis et Applicata* 40: 141-145.
- Liu, S.S. 1988.** Studies on the biological and ecological characteristics of *Aphidius sonchi* Marshall (Hymenoptera: Aphidiidae), a parasite of the sowthistle [*Sonchus palustris*] aphid, *Hyperomyzus lactucae* (L.). *Natural Enemies of Insects* 10(1): 44-47.
- Liu, S.S. 1989.** A review of studies on aphidiids [braconids]: impact on aphid populations. *Chinese Journal of Biological Control* 5(4): 173-177.
- Liu, S.S. 1989.** The effect of temperature and host instars on the development rates of *Diaeretiella rapae*. *Natural Enemies of Insects* 11(4): 169-174.
- Liu, S.S. 1990.** The relationship between the age at parasitization and parasite impact in *Myzus persicae*. *Acta Entomologica Sinica* 33(4): 430-436.
- Liu, S.S., Xu, Z.H. & Li, Z.J. 1990.** A preliminary investigation of the parasites of aphids on cruciferous vegetables in Hangzhou. *Chinese Journal of Biological Control* 6(1): 5-8.
- Liu, S.S. 1991.** A computer simulation study of the host instar preference of aphidiids for oviposition and the impact on aphid populations. *Acta Ecologica Sinica* 11(3): 214-218.
- Liu, S.S., Li, Y.X. & Tang, Z.H. 2003.** Host resistance to an insecticide favors selection of resistance in the parasitoid, *Cotesia plutellae* (Hymenoptera: Braconidae). *Biological Control* 28(1): 137-143.
- Liu, S.S., Morton, R. & Hughes, R.D. 1984.** Oviposition preferences of a Hymenopterous parasite for certain instars of its aphid host. *Entomologia Experimentalis et Applicata* 35: 249-254.
- Liu, S.S., Wang, X.G., Guo, S.J., He, J.H. & Shi, Z.H. 2000.** Seasonal abundance of the parasitoid complex associated with the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae) in Hangzhou, China. *Bulletin of Entomological Research* 90(3): 221-231.
- Liu, S.S., Wang, X.G., Shi, Z.H. & Guo, S.J. 2000.** Biology of *Oomyzus sokolowskii* and effect of temperature on its population parameters. *Acta Entomologica Sinica* 43(2): 159-167.
- Liu, S.S. & Jiang, L.H. 2003.** Differential parasitism of *Plutella xylostella* (Lepidoptera: Plutellidae) larvae by the parasitoid *Cotesia plutellae* (Hymenoptera: Braconidae) on two host plant species. *Bulletin of Entomological Research* 93(1): 65-72.
- Liu, Y., Hu, C., Ni, H. & Sun, J. 2001.** Effects of volatiles from different trophic level on foraging behavior of *Aphidius avenae*. *Yingyong Shengtai Xuebao* 12(4): 581-584.

- Liu, Y., Ni, H., Sun, J. & Hu, C. 2001. The effects of wheat varieties resistant to aphids on the population of *Sitobion avenae* (Fabricius) and parasitization as well as development of its parasitic wasp *Aphidius avenae* Haliday. *Acta Phytophylacica Sinica* 28(3): 203-206.
- Liu, Y.H. & Tsai, J.H. 2002. Effect of temperature on development, survivorship, and fecundity of *Lysiphlebia mirzai* (Hymenoptera: Aphidiidae), a parasitoid of *Toxoptera citricida* (Homoptera: Aphididae). *Environmental Entomology* 31(2): 418-424.
- Liu, Z.C., Ye, G.Y., Hu, C. & Datta, S.K. 2003. Impact of transgenic indica rice with a fused gene of cry1Ab /cry1Ac on the rice paddy arthropod community. *Acta Entomologica Sinica* 46(4): 454-465.
- Llenderal-Cazares, C., Nieto-Hernandez, R. & Felix-Ramirez, N. 2000. Reproductive potential of *Orgilus* sp. (Hymenoptera: Braconidae) a parasitoid of *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidae). *Agrociencia* 34(1): 75-82.
- Llewellyn, R. 1991. The commercial use of predators in biological control. *Plant Protection Quarterly* 6(4): 186-187.
- Lloyd, D.C. 1972. Some South American parasites of the potato tuber moth *Phthorimaea operculella* (Zeller) and remarks on those in other continents. *Commonwealth Institute of Biological Control Technical Bulletin* 15: 35-49.
- Lo Verde, G. & Massa, B. 2000. The holly leafminer *Phytomyza ilicis* Curtis (Diptera: Agromyzidae) and its parasitoids in Sicily. *Phytophaga Palermo* 10: 43-51.
- Lo Verde, G., Sinacori, A. & Lo Valvo, F. 1994. Dati su *Teia dubia* (Tauscher) (Insecta: Lepidoptera: Lymantriidae) e sui suoi parasitoidi in Sicilia (Hymenoptera). *Naturalista Siciliano* 18(3-4): 265-271.
- Lo Verde, G., Sinacori, A. & Lo Valvo, F. 1994. Two new species for Italy, *Agrothereutes tunetanus* Haber (Hymenoptera: Ichneumonidae) and *Cotesia judaica* (Papp) (Hymenoptera: Braconidae), and one for Sicily, *Pediobius bruchicida* (Rondani) (Hymenoptera: Chalcidoidea), parasitoids of *Teia dubia* (Tauscher) (Lepidoptera: Lymantriidae). *Atti del Congresso Nazionale Italiano di Entomologia* 17: 241-242.
- Loan, C.C. 1964. Observations on the biology of *Centistes excrucians* Haliday. *Proceedings of the Entomological Society of Ontario* 94: 56-61.
- Loan, C.C. 1965. Life cycle and development of *Leiphron pallipes* Curtis (Hymenoptera: Braconidae, Euphorinae) in five mirid hosts in the Belleville district. *Proceedings of the Entomological Society of Ontario* 95: 115-121.
- Loan, C.C. 1965. Status of *Pygostolus falcatus* as a parasite of *Sitona* spp. following releases in Manitoba and Ontario. *Journal of Economic Entomology* 58: 798-799.
- Loan, C.C. 1966. A new species of *Leiphron* Nees (Hymenoptera: Braconidae, Euphorinae) with observations of its biology and that of its host *Plagiognathus* sp. (Heteroptera: Miridae). *Ohio Journal of Science* 66: 89-94.
- Loan, C.C. 1967. Studies on the taxonomy and biology of the Euphorinae (Hymenoptera: Braconidae). I. Four new Canadian species of *Microctonus*. *Annals of the Entomological Society of America* 60(1): 230-235.
- Loan, C.C. 1967. Studies on the taxonomy and biology of the Euphorinae (Hymenoptera: Braconidae). II. Host relations of six *Microctonus* species. *Annals of the Entomological Society of America* 60(1): 236-240.
- Loan, C.C. 1967. Studies on the taxonomy and biology of the Euphorinae (Hymenoptera: Braconidae). III. A new Canadian genus and species parasitic on Tingidae (Heteroptera). *Annals of the Entomological Society of America* 60(1): 240-244.
- Loan, C.C. 1969. A summary of species of *Microctonus* north of Mexico with five new species (Hymenoptera: Braconidae: Euphorinae). *Proceedings of the Entomological Society of Washington* 71(3): 404-416.
- Loan, C.C., Klein, M. & Coppel, H.C. 1969. *Microctonus glyptosceli* new species (Hymenoptera: Braconidae: Euphorinae) a parasite of *Glyptoscelis pubescens* (Fab.) in Wisconsin. *Proceedings of the Entomological Society of Washington* 71(2): 230-233.
- Loan, C.C. 1970. *Euphoriana* Gahan: a redefinition with new name combinations and a new Canadian species (Hymenoptera: Braconidae: Euphorinae). *Proceedings of the Entomological Society of Washington* 72(4): 437-442.
- Loan, C.C. 1970. Two new parasites of the tarnished plant bug in Ontario: *Leiphron pseudopallipes* and *Euphoriana lygivora* (Hymenoptera: Braconidae, Euphorinae). *Proceedings of the Entomological Society of Ontario* 100: 188-195.
- Loan, C.C. & New, T.R. 1971. An account of the North American species of *Euphoriella* Ashmead with descriptions of seven new species (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Ontario* 102: 92-108.
- Loan, C.C., Gerber, G.H. & Reid, D.G. 1971. Biosystematics of the Tingid parasite *Holdawayella* in Ontario (Hymenoptera: Braconidae). *Canadian Entomologist* 103: 1273-1284.
- Loan, C.C. 1972. Parasitism of adult *Notoxus anchora* Henz. (Coleoptera: Anthicidae) by *Syrphidius agilis* (Cresson) (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Ontario* 103: 76.
- Loan, C.C. & Thompson, L.S. 1972. *Pygostolus falcatus* found in Prince Edward Island (Hymenoptera: Braconidae, Blacinae). *Canadian Entomologist* 104(5): 779-780.
- Loan, C.C. & Bilewicz-Pawinska, T. 1973. Systematics and biology of four Polish species of *Peristenus* Foerster (Hymenoptera: Braconidae, Euphorinae). *Environmental Entomology* 2(2): 271-278.
- Loan, C.C. & Matthews, R.W. 1973. *Cosmophorus capeki* n. sp. from New York (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 75(2): 205-208.
- Loan, C.C. & Lloyd, D.C. 1974. Description and field biology of *Microctonus hyperodae* n. sp. (Hymenoptera: Braconidae, Eulophidae) a parasite of *Hyperodes bonariensis* in South America (Coleoptera: Curculionidae). *Entomophaga* 19(1): 7-12.
- Loan, C.C. 1974. European species of *Leiphron* Nees and *Peristenus* Foerster (Hymenoptera: Braconidae, Euphorinae). *Transactions of the Royal Entomological Society of London* 126: 207-238.
- Loan, C.C. 1974. *Microctonus apiophaga*, new species, (Hymenoptera: Braconidae, Euphorinae) a parasite of adult *Apion* weevils in Britain (Coleoptera: Curculionidae). *Proceedings of the Entomological Society of Washington* 76(2): 186-189.
- Loan, C.C. 1974. The North American species of *Leiphron* Nees, 1818 and *Peristenus* Foerster, 1862 (Hymenoptera: Braconidae) including the descriptions of 31 new species. *Naturaliste Canadien* 101: 821-860.
- Loan, C.C. 1975. A review of Haliday species of *Microctonus* (Hym.: Braconidae, Euphorinae). *Entomophaga* 20(1): 31-41.
- Loan, C.C. 1976. *Peristenus malatus* (Hymenoptera: Braconidae, Euphorinae) a new species, parasitic on *Blepharidopterus angulatus* (Fallén) (Heteroptera: Miridae) in Britain. *Naturaliste Canadien* 103(5): 437-440.
- Loan, C.C. & Craig, C.H. 1976. Euphorine parasitism of *Lygus* spp. in alfalfa in western Canada (Hymenoptera: Braconidae, Heteroptera: Miridae). *Naturaliste Canadien* 103(6): 497-500.
- Loan, C.C. & Holliday, N.J. 1979. Euphorinae parasitic on ground beetles with descriptions of three new species of *Microctonus* Wesmael (Hymenoptera: Braconidae, and Coleoptera: Carabidae). *Naturaliste Canadien* 106: 393-397.
- Loan, C.C. 1979. Three new species of *Peristenus* Foerster from Canada and western Europe (Hymenoptera: Braconidae, Euphorinae). *Naturaliste Canadien* 106: 387-391.
- Loan, C.C. 1980. *Leiphron maculipennis* (Hymenoptera: Braconidae, Euphorinae) a parasite of *Diaphnocoris chlorionis* (Heter-

- optera: Miridae) in eastern Ontario. *Naturaliste Canadien (Quebec)* 107(1): 49-50.
- Loan, C.C. 1980.** Plant bug hosts (Heteroptera: Miridae) of some Euphorine parasites (Hymenoptera: Braconidae) near Belleville, Ontario, Canada. *Naturaliste Canadien* 107: 87-93.
- Loan, C.C. 1983.** Host and generic relations of the Euphorini (Hymenoptera: Braconidae). *Contributions of the American Entomological Institute* 20: 388-397.
- Loan, C.C. & Shaw, S.R. 1987.** Euphorine parasites of *Lygus* and *Adelphocoris* (Hymenoptera: Braconidae and Heteroptera: Miridae): 69-75. In: Hedlund R.C. & Graham H.M. [eds] "Economic importance and biological control of *Lygus* and *Adelphocoris* in North America." USDA. ARS. ARS-64: 1-95.
- Lobodenko, Y.S. 1999.** A new species of the genus *Diospilus* Haliday from Belarus (Hymenoptera, Braconidae: Helconinae). *Zoosystematica Rossica* 8(1): 153-154.
- Lobodenko, Y.S. 2000.** Two new species of the genus *Meteorus* Haliday, 1835 (Hymenoptera: Braconidae: Euphorinae) from Russian Far East and Belarus. *Far Eastern Entomologist* 91: 6-9.
- Loeck, A.E., Md'Rosenthal, A., Gusmao, L.G. & Grellmann, E.O. 1992.** Occurrence of parasitoids in larvae of *Grapholita molesta* (Busck, 1916) in Pelotas, RS. *Anais da Sociedade Entomologica do Brasil* 21(3): 431-436.
- Loerch, C.R. & Cameron, A. 1983.** Natural enemies of immature stages of the bronze birch borer, *Agrilus anxius* (Coleoptera: Buprestidae), in Pennsylvania. *Environmental Entomology* 12: 1798-1801.
- Loganathan, M., Babu, P.C.S. & Balasubramanian, G. 2001.** Safety of Spiceturin(R) (*Bacillus thuringiensis* var. *galleriae*) to the larval parasitoid, *Cotesia plutellae* Kurdj. of *Plutella xylostella* L. on cauliflower. *Journal of Experimental Zoology, India* 4(1): 133-137.
- Logarzo, G., Gandolfo, D. & Cordo, H. 2002.** Biology of *Apagomerella versicolor* (Boheman) (Coleoptera: Cerambycidae) in Argentina, a candidate for biological control of cocklebur (*Xanthium* spp.). *Biological Control* 25(1): 22-29.
- Loke, W.H. 1981.** The host-finding behavior of *Apanteles marginiventris* (Cresson) in response to kairomones produced by its host, the fall armyworm, *Spodoptera frugiperda* (J.E. Smith). *Dissertation Abstracts International B Sciences and Engineering* 42(6) 1981: 2219-2220.
- Loke, W.H., Ashley, T.R. & Sailer, R.I. 1983.** Influence of fall armyworm, *Spodoptera frugiperda* (Lepidoptera: Noctuidae), larvae and corn plant damage on host finding in *Apanteles marginiventris* (Cresson) (Hymenoptera: Braconidae). *Environmental Entomology* 12: 911-915.
- Loke, W.H. & Ashley, T.R. 1984.** Behavioral and biological responses of *Cotesia marginiventris* to kairomones of the Fall armyworm, *Spodoptera frugiperda*. *Journal of Chemical Ecology* 10: 521-529.
- Loke, W.H. & Ashley, T.R. 1984.** Potential uses of kairomones for behavioral manipulation of *Cotesia marginiventris* (Cresson). *Journal of Chemical Ecology* 10: 1377-1384.
- Loke, W.H. & Ashley, T.R. 1984.** Sources of fall armyworm *Spodoptera frugiperda* (Lepidoptera: Noctuidae), kairomones eliciting host-finding behavior in *Cotesia* (= *Apanteles*) *marginiventris* (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 10(7): 1019-1027.
- Loke, W.H. Lim, G.S. Syed, A.R. Abdul Aziz, A.M. Rani, M.Y. Jusoh, M.M. Cheah, U.B. & Fauziah, I. 1992.** Management of diamondback moth in Malaysia: development, implementation and impact: 529-539. In: Talekar, N.S. [ed.]. *Diamondback moth and other crucifer pests: Proceedings of the second international workshop, Tainan, Taiwan, 10-14 December 1990.* Asian Vegetable Research and Development Center, Taipei 1-603.
- Loke, W.H., Heng, C.K., Basirun, N., Mardi, A.R., Ooi, P.A.C., Lim, G.S. & Teng, P.S. 1992.** Non-target effects of neem (*Azadirachta indica* A. Juss) on *Apanteles plutellae* Kurdj., cabbage, sawi and padi. *Proceedings of the 3rd International Conference on Plant Protection in the Tropics* 2: 108-110.
- Loke, W.H., Tan, K.H., Vijaysegaran, S., Kadir, A.A.S.A. & Barlow, H.S. 1992.** Semiochemicals and related compounds in insect pest management Malaysian experiences. *Pest management and the environment in 2000* 111-126.
- Long, K.D. & Achterberg, C. van 2003.** Two new species of the genus *Wilkinsonellus* Mason (Hymenoptera: Braconidae: Microgasterinae) from northern Vietnam. *Zoologische Mededelingen, Leiden* 77(10): 221-227.
- Long, R.F., Corbett, A., Lamb, C., Reberg-Horton, C., Chandler, J. & Stimmann, M. 1998.** Beneficial insects move from flowering plants to nearby crops. *California Agriculture* 52(5): 23-26.
- Longley, M. 1994.** The effect of deltamethrin on the response of *Aphidius rhopalosiphii* (Hym.: Aphidiidae) to honeydew in a filter paper bioassay. *Bulletin OILB SROP* 17(4): 48-56.
- Longley, M. & Jepson, P.C. 1996.** Effects of honeydew and insecticide residues on the distribution of foraging aphid parasitoids under glasshouse and field conditions. *Entomologia Experimentalis et Applicata* 81(2): 189-198.
- Longley, M. & Jepson, P.C. 1996.** The influence of insecticide residues on primary parasitoid and hyperparasitoid foraging behaviour in the laboratory. *Entomologia Experimentalis et Applicata* 81(3): 259-269.
- Longley, M. & Stark, J.D. 1996.** Analytical techniques for quantifying direct, residual, and oral exposure of an insect parasitoid to an organophosphate insecticide. *Bulletin of Environmental Contamination and Toxicology* 57(5): 683-690.
- Longley, M. & Jepson, P.C. 1997.** Cereal aphid and parasitoid survival in a logarithmically diluted deltamethrin spray transect in winter wheat: field-based risk assessment. *Environmental Toxicology and Chemistry* 16(8): 1761-1767.
- Longley, M., & Jepson, P. 1997.** Effects of life stage, substrate, and crop position on the exposure and susceptibility of *Aphidius rhopalosiphii* DeStefani-Perez (Hymenoptera: Braconidae) to deltamethrin. *Environmental Toxicology and Chemistry* 16(5): 1034-1041.
- Longo, S. & Benfatto, D. 1987.** Entomophagous Coleoptera present on citrus in Italy. *Informatore Fitopatologico* 37(7-8): 21-30.
- Loni, A. 1997.** Developmental rate of *Opius concolor* (Hym.: Braconidae) at various constant temperatures. *Entomophaga* 42(3): 359-366.
- Loon, J.J.A. van, Dicke, M. & Boer, J.G. de 2000.** Parasitoid-plant mutualism: parasitoid attack of herbivore increases plant reproduction. *Entomologia Experimentalis et Applicata* 97(2): 219-227.
- Lopez Martinez, V., Figueroa de la R., J.I. & Romero Napoles, J. 2003.** Record of a new host for *Stenocorse bruchivora* (Crawford) (Hymenoptera: Braconidae) with notes on its distribution in Mexico. *Registro de un nuevo huesped para Stenocorse bruchivora* (Crawford) (Hymenoptera: Braconidae) con notas de su distribucion en Mexico. *Acta Zoologica Mexicana Nueva Serie* 89: 287-289.
- Lopez Martinez, V., Romero Napoles, J., Gonzalez Hernandez, A., Equihua Martinez, A., Ramirez Alarcon, S. & Sanchez Garcia, J.A. 2003.** Description of the male of *Triaspis kurtogaster* Martin and comments about the distribution of *T. azteca* Martin and *T. eugenii* Wharton and Lopez-Martinez (Hymenoptera: Braconidae). *Descripcion del macho de Triaspis kurtogaster Martin y comentarios de la distribucion de T. azteca Martin y T. eugenii Wharton y Lopez-Martinez* (Hymenoptera: Braconidae). *Folia Entomologica Mexicana* 42(2): 153-160.

- Lopez, E.R., Driesche, R.G. van & Bellows, T.S. 1989. Direct measurement of host and parasitoid recruitment for assessment of total losses due to parasitism in a continuously breeding species, the cabbage aphid, *Brevicoryne brassicae* (L.) (Hemiptera: Aphididae). *Bulletin of Entomological Research* 79(1): 47-59.
- Lopez, E.R., Elkinton, J.S. & Driesche, R.G. van 1990. Rates of parasitism by *Diaeretiella rapae* (Hymenoptera: Braconidae) for cabbage aphids (Homoptera: Aphididae) in and outside of colonies: why do they differ? *Journal of the Kansas Entomological Society* 63(1): 158-165.
- Lopez, J.D. Jr. 1982. Emergence patterns of an overwintering population of *Cardiochiles nigriceps* in Central Texas. *Environmental Entomology* 11(4): 838-842.
- Lopez, M., Aluja, M. & Sivinski, J. 1999. Hymenopterous larval-pupal and pupal parasitoids of *Anastrepha* flies (Diptera: Tephritidae) in Mexico. *Biological Control* 15(2): 119-129.
- Lopez, M. & Fernandez, M. 2001. Fecundity of *Aphis gossypii* glover parasitized by *Lysiphlebus testaceipes* (Cresson) in egg-plant. *Revista de Protección Vegetal* 16(1): 62-64.
- Lopez, M., Sivinski, J., Rendon, P., Holler, T., Bloem, K., Copeland, R., Trostle, M. & Aluja, M. 2003. Colonization of *Fopius ceratitivorus* a newly discovered African egg-pupal parasitoid (Hymenoptera: Braconidae) of *Ceratitis capitata* (Diptera: Tephritidae). *Florida Entomologist* 86(1): 53-60.
- Losey, J.E., Song, P.Z., Schmidt, D.M., Calvin, D.D. & Liewehr, D.J. 1992. Larval parasitoids collected from overwintering European corn borer (Lepidoptera: Pyralidae) in Pennsylvania. *Journal of the Kansas Entomological Society* 65(1): 87-90.
- Losey, J.E., Ives, A.R., Harmon, J., Ballantyne, F. & Brown, C. 1997. A polymorphism maintained by opposite patterns of parasitism and predation. *Nature London* 388(6639): 269-272.
- Lou, J.F., Xu, B.C., Chen, X.Z., Wu, J.L. & Zhong, Z.H. 2000. Biological characteristics and chemical control of *Pseudalbara parvula*. *Journal of Zhejiang Forestry College* 17(2): 229-231.
- Lourencao, A.L., Carvalho, L.O. de, Lasca, D.H.C. & Campos-Lasca, D.H. de 1989. *Anacraga citrinopsis* Dyar (Lepidoptera: Dalceridae) on castor in the state of Sao Paulo. *Bragantia* 48(1): 109-112.
- Lovallo, N. & Cox-Foster, D.L. 1999. Alteration in FAD-glucose dehydrogenase activity and hemocyte behavior contribute to initial disruption of *Manduca sexta* immune response to *Cotesia congregata* parasitoids. *Journal of Insect Physiology* 45(12): 1037-1048.
- Lovallo, N., Barratt, B.I.P., Legge, M. & Cox-Foster, D.L. 2000. Effects of *Microctonus aethiopoidea* parasitism on hemolymph protein composition across alternate hosts. *Entomologia Experimentalis et Applicata* 95(2): 213-216.
- Lovallo, N., McPheron, B.A. & Cox-Foster, D.L. 2002. Effects of the polydnavirus of *Cotesia congregata* on the immune system and development of non-habitual hosts of the parasitoid. *Journal of Insect Physiology* 48(5): 517-526.
- Lovei, G.L., Lola-Luz, D., Hansen, L.M., Sigsgaard, L., Jespersen, J.B., Eilenberg, J., Enkegaard, A. & Hansen, L.M. 2001. Biological control of aphids in small grains by parasitoid wasps. Slutkonference 'Biologisk og mikrobiologisk bekaempelse af skadevoldere' Kobenhavn, 4. maj 2001. DJF Rapport, Markbrug 49: 21-25.
- Lowe, A.D. 1968. The incidence of parasitism and disease in some populations of the cabbage aphid (*Brevicoryne brassicae* L.) in New Zealand. *New Zealand Journal of Agricultural Research* 11: 821-828.
- Lowery, D.T. & Isman, M.B. 1995. Toxicity of neem to natural enemies of aphids. *Phytoparasitica* 23(4): 297-306.
- Lozan, A. 1996. New braconids (Hymenoptera: Braconidae) for the fauna of Moldova Republic. *Buletinul Academiei de Stiinte a Republicii Moldova Stiinte Biologice si Chimice*. 4 277(1995): 65-66, 74.
- Lozan, A. & Tobias, V.I. 2002. A new species of the genus *Chorebus* from Moldova (Hymenoptera: Braconidae: Alysiinae). *Zoosystematica Rossica* 11(1): 171-173.
- Lozano, C. & Campos, M. 1991. Preliminary study about entomofauna of the bark beetle *Leperisinus varius* (Coleoptera: Scolytidae). *Redia* 74(3): 241-243.
- Lozano, C., Campos, M., Kidd, N.A.C. & Jervis, M.A. 1994. The role of parasitism and intraspecific competition in the population dynamics of the bark beetle, *Leperisinus varius* (Fabr.) (Col.: Scolytidae) on European olives (*Olea europea* L.). *Journal of Applied Entomology* 117(2): 182-189.
- Lozano, C., Gonzalez, E., Pena, A., Campos, M., Plaza, M.T., Rodriguez, M., Izquierdo, I. & Tamayo, J. 2000. Response of parasitoids *Dendrosoter protuberans* and *Cheiropachus quadrum* to attractants of *Phloeotribus scarabaeoides* in an olfactometer. *Journal of Chemical Ecology* 26(3): 791-799.
- Lozano Martin, C. & Falcó Gari, J.V. 1992. First record of *Coeloides filiformis* Ratzeburg, 1852 for the Iberian Peninsula (Hymenoptera: Braconidae). *Boletín de la Asociación Española de Entomología* 16: 252.
- Lozzia, G.C. & Rigamonti, I.E. 1991. Observations on strategies of biological and integrated control of grape moths in northern Italy. *Vignevini* 18(11): 33-37.
- Lozzia, G.C., Lemattre, M., Lemattre, P. & Lemaire, F. 1999. Beneficial insects in integrated pest management on urban trees. Examples in Northern Italy. Proceedings of the international symposium on urban tree health, Paris, France, 22-26 September, 1997. *Acta Horticulturae* 496: 169-175.
- Lu, H., Zhang, Z.L. & Shi, B.C. 1992. Effects of host density, exposure period and environmental temperature on the reproduction of two aphid parasitoids, *Aphidius gifuensis* and *Diaeretiella rapae* (Hym.: Aphidiidae). *Chinese Journal of Biological Control* 8(2): 49-53.
- Lu, H., Shi, B.C. & Zhang, Z.L. 1993. Studies on the fecundity of *Aphidius gifuensis* Ashmead. *Acta Agriculturae Boreali Sinica* 8(1): 76-79.
- Lu, H., Shi, B.C., Niu, Y.Z. & Zhang, Z.L. 1994. A study on development thresholds and thermal constants of *Aphidius gifuensis* and *Diaeretiella rapae*. *Acta Agriculturae Boreali Sinica* 9(3): 72-76.
- Lu, N. & Ji, Z. 1992. Aphid parasitoids from Shandong Province, with description of a new species (Hym.: Aphidiidae). *Entomological Journal of East China* 1(1): 4-9.
- Lu, N. & Ji, Z. 1993. A new species and a new record of Aphidiidae in China. Hebei Agricultural University Publication 16(1): 63-65.
- Lu, W.H. 1989. The parasitizing effect of *Snellenius manilae* (Ashmead) on *Spodoptera litura* (Fabr.). *Journal of South China Agricultural University* 10(4): 35-41.
- Lu, W.M. 1993. Population dynamics of the tea geometrid and its forecasting. *China Tea* 15(4): 26-28.
- Lu, X., Wang, G.X. & Lei, P. 1989. Contact toxicity of eight insecticides to *Macrocentrus linearis* (Hym.: Braconidae), a parasite of corn borer, *Ostrinia furnacalis* (Lep.: Pyralidae). *Chinese Journal of Biological Control* 5(3): 123-124.
- Lu, Z.Q. 1983. Preliminary report on the study of parasitic behavior of *Apanteles cypris* Nixon. (in Chinese) *Entomological Knowledge* 20(3): 127-129.
- Lu, Z.X., Yang, Z.F. & Hu, C. 1995. Preliminary study on the relationship among *Macrocentrus linearis*, *Ostrinia furnacalis* and spring maize. *Chinese Journal of Applied Ecology* 6(1): 67-70.
- Lu, Z.X., Yang, Z.F. & Hu, C. 1995. The effect of corn pollen on the adult longevity of *Macrocentrus linearis*. (in Chinese) *Entomological Journal of East China* 4(2): 61-64.

- Lucchini, F. & Almeida, A.A. 1980.** Parasitas da *Spodoptera frugiperda* (Smith & Abbot, 1797) (Lep., Noctuidae), largarta do cartucho do milho, encontrado em Ponta Grossa-PR. Anais da Sociedade Entomologica do Brasil 9(1): 115-121.
- Luck, R.F. & Dahlsten, D.L. 1980.** Within and between tree variation of live and parasitized Douglas-fir tussock moth, *Orygia pseudotsugata* (Lepidoptera: Lymantriidae), cocoons on white fir in central California and its implications for sampling. Canadian Entomologist 112(3): 231-238.
- Ludwig, S.W. & Oetting, R.D. 2001.** Susceptibility of natural enemies to infection by *Beauveria bassiana* and impact of insecticides on *Ipheseius degenerans* (Acari: Phytoseiidae). Journal of Agricultural and Urban Entomology 18(3): 169-178.
- Ludwig, S.W. 1995.** *Apanteles congregatus* (Say) (Hymenoptera: Braconidae), a newly recorded parasite of *Tolype* sp. (Lepidoptera: Lasiocampidae). Banisteria 5: 11.
- Luff, M.L. 1976.** *Centistes nasutus* (Wesmael) (Hym.: Braconidae) parasitizing *Amara apricaria* Payk. (Col., Carabidae). Entomologist's Monthly Magazine 112: 40.
- Luff, M.L. 1976.** The biology of *Microctonus caudatus* (Thomson) a braconid parasite of the ground beetle *Harpalus rufipes* (Degeer). Ecological Entomology 1(2): 111-116.
- Lugojja, F., Ogenga-Latigo, M.W. & Smit, N.E.J.M. 2001.** Species diversity and activity of parasitoids of the sweetpotato butterfly, *Acraea acerata*, in Uganda. Fifth Triennial Congress of the African Potato Association, 28 May-2 June 2000, Kampala, Uganda. African Crop Science Journal 9(1): 157-163.
- Lugowska, B. 1981.** Ichneumonidae and Braconidae (Hymenoptera), parasites of *Plutella maculipennis* Curt. (Lepidoptera: Plutellidae) in Poland. Polskie Pismo Entomologiczne 51(2): 355-362.
- Lukáš, J. 1980.** Some new information of Braconids (Hymenoptera) in the southern region of central part of the River Vah valley. Biologia 35(8): 577-585.
- Lukáš, J. 1981.** Some new information on braconids (Hym.-Braconidae) in the southern region of central part of the River Vah Valley. Biologia (Bratislava) 36(8): 649-657.
- Lukáš, J. 1992.** The contribution on occurrence of braconids (Hymenoptera-Braconidae) of the surroundings of the Klak village. Rosalia 8: 149-158.
- Lukáš, J. 1996.** The natural enemies of the pests of pea. Entomofauna Carpathica 8(2): 38-42.
- Lukáš, J. 1998.** Devinska Kobyla-refugium of the protected and endangered insect species. Devinska Kobyla-refugium chránených a ohrozených druhov hmyzu. Natura Carpatica 39: 129-135.
- Lukáš, J. 2001.** Red (Ecosozological) List of Hymenoptera of Slovakia. Ochrana Prírody 20: 129-133.
- Lukáš, J., Zďarkova, E., Wakefield, M. & Hubert, J. 2002.** Parasitoids occurring in food-processing factories and grain stores. COST Action 842 1999-2004. Biological control of pest insects and mites with special reference to entomophthorales. Proceedings of the Second Meeting of Working Group 4: Biocontrol of arthropod pests in the stored products, Prague, Czech Republic, 30-31 May 2002. 83-86.
- Lum, P.T.M. & Flaherty, B.R. 1973.** Influence of continuous light on oocyte maturation in *Bracon hebetor*. Annals of the Entomological Society of America 66: 355-357.
- Lum, P.T.M. 1977.** Effects of glucose on autogenous reproduction of *Bracon hebetor* Say. Journal of the Georgia Entomological Society 12: 150-153.
- Luna, M.G. & Sanchez, N.E. 1999.** Parasitoid assemblages of soybean defoliator Lepidoptera in north-western Buenos Aires province, Argentina. Agricultural and Forest Entomology 1(4): 255-260.
- Lundgren, J.G., Venette, R.C., Gavloski, J., Hutchison, W.D. & Heimpel, G.E. 1999.** Distribution of an exotic pest, *Agromyza frontella* (Diptera: Agromyzidae), in Manitoba, Canada. Great Lakes Entomologist 32(3): 177-184.
- Lunello, P., Ducasse, D.A., Helguera, M., Nome, S.F. & Conci, V. C. 2002.** An Argentinean isolate of leek yellow stripe virus from leek can be transmitted to garlic. Journal of Plant Pathology 84(1): 11-17.
- Luo, Q.H. 1985.** Description of a new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) from Guizhou, China. (in Chinese with English summary) Acta Zootaxonomica Sinica 10(2): 203-205.
- Luo, Q.H. & Chen, X.X. 1994.** The genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) of Guizhou, China. Acta Entomologica Sinica 37(4): 483-485.
- Luo, Q.H. 1997.** A new species of *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) from China. (in Chinese with English summary) Entomotaxonomia 19(1): 55-57.
- Luo, R.W., Yang, C.L., Shang, Y.F., Li, C.S. & Zhao, J.H. 1994.** Studies on the population dynamics and aphid control capability of *Aphidius avenae*. Acta Phytophylacica Sinica 21(2): 163-168.
- Luo, W., Zhang, J. & Wong, Y. 1984.** On the biology of *Macrocentrus linearis* (Nees). Natural Enemies of Insects 6 (3): 121-125.
- Luo, Z.Y. & Zhang, W.N. 1982.** The fluctuation of hymenopterous of cotton aphid and the effect of insecticide application in cotton field. (in Chinese with English summary) Contr. Shanghai Inst. Entomol. 3: 247-256.
- Luo, Z.Y. & Gan, G.P. 1986.** Population dynamics of cotton aphids on cotton during square-boll stage and the relation between population age structure and parasitization. (in Chinese with English summary) Acta Entomologica Sinica 29(1): 56-61.
- Lupo, A. & Gerling, D. 1984.** Bionomics of the tamarix spindle-gall moth *Amblypalpis olivierella* (Lepidoptera Gelechiidae) and its natural enemies. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 41: 71-90.
- Lutfallah, A.F. & Esmat, A.K. 1988-1989.** Ecological and biological observations on *Bracon brevicornis* Wesmael (Hymenoptera: Braconidae), a parasitoid on corn borers [*Sesamia cretica* and *Ostrinia nubilalis*] in Egypt. Bulletin de la Société Entomologique d'Egypte 68: 187-193.
- Lyashova, L.V. 1992.** *Lysiphlebus* against aphids on vegetable crops. Zashchita Rastenii Moskva 7: 27.
- Lykouressis, D.P. & Mentzos, G.V. 1995.** Effects of biological control agents and insecticides on the population development of *Myzus nicotianae* Blackman (Homoptera: Aphididae) on tobacco. Agriculture, Ecosystems and Environment 52(1): 57-64.
- Lykouressis, D.P. & Eastop, V.F. 1997.** Larval and pupal parasitoids of *Archips rosanus* L. on citrus: new associations. Entomologist 116(1): 33-36.
- Lynn, D.C. & Vinson, S.B. 1977.** Effects of temperature, host age, and hormones upon the encapsulation of *Cardiochiles nigriceps* eggs by *Heliothis* spp. Journal of Invertebrate Pathology 29: 50-55.
- Lyon, J.P. 1968.** Remarques préliminaires sur les possibilités d'utilisation pratique d'Hyménoptères parasites pour la lutte contre les pucerons en serre. Annales des Epiphyties 19: 113-118.
- Lysyk, T.J. & Nealis, V.G. 1988.** Temperature requirements for development of the Jack pine budworm (Lepidoptera: Tortricidae) and two of its parasitoids (Hymenoptera). Journal of Economic Entomology 81(4): 1045-1051.
- Ma, J., Bai, L.Y. & Chen, Y.N. 2000.** Studies on the bionomics and thermal constant of beet armyworm *Spodoptera exigua* (Hübner). Acta Phytophylacica Sinica 27(3): 215-220.
- Ma, L., Yang, Z.Q. & Yao, Y.X. 2002.** A new species of *Triaspis* Haliday (Hymenoptera: Braconidae) parasitizing *Pissodes* (Coleoptera: Curculionidae) and bark beetles on conifer trees. Entomotaxonomia 24(4): 285-288.

- Ma, Y., Chen, X.X. & He, J.H. 1994.** Five new species of the genus *Fornicia* Brullé (Hymenoptera: Braconidae: Microgastrinae) from China. *Entomotaxonomia* 16(2): 127-134.
- Ma, Y., Chen, X.X. & He, J.H. 2002.** Species of the genus *Cardiochiles* Nees (Hymenoptera: Braconidae) parasitizing on *Cnaphalocrocis medinalis* Guenée (Lepidoptera: Pyralidae) in China. *Entomotaxonomia* 24(4): 273-275.
- Ma, Y., Chen, X.X. & He, J.H. 2002.** Newly recorded species of the genus *Aleiodes* Wesmæel (Hymenoptera: Braconidae) in China. *Entomotaxonomia* 24(2): 98.
- MacCollom, G.B., Baumann, G.L., Gilroy, N.L. & Welch, J.G. 1982.** Alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), effects on alfalfa in Vermont. *Canadian Entomologist* 114: 673-680.
- MacDonald, C., Brookes, C.P., Edwards, K.J., Baker, D.A., Lockton, S. & Loxdale, H.D. 2003.** Microsatellite isolation and characterization in the beneficial parasitoid wasp *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Braconidae: Aphidiinae). *Molecular Ecology Notes* 3(4): 601-603.
- Macêdo, M.V. de & Monteiro, R.T. 1989.** Seed predation by a braconid wasp, *Allorhogas* sp. (Hymenoptera). *Journal of the New York Entomological Society* 97: 358-362.
- Macêdo, M.V. de, Pimentel, M.C.P. & Vieira, R.C. 1998.** Response of *Pithecellobium tortum* Martius (Leguminosae) seeds to the attack of the phytophagous braconid *Allorhogas dyspistus* Marsh (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 7(2): 274-279.
- Macedo, N. & Araujo, J.R. de 2000.** Effects of sugarcane burning on larval and egg parasitoids of *Diatraea saccharalis* (Fabr.) (Lepidoptera: Crambidae). *Anais da Sociedade Entomologica do Brasil* 29(1): 79-84.
- Macedo, N., Araujo, J.R. de & Botelho, P.S.M. 1993.** Sixteen years of biological control of *Diatraea saccharalis* (Fabr.) (Lepidoptera: Pyralidae) by *Cotesia flavipes* (Cam.) (Hymenoptera: Braconidae), in the state of Sao Paulo, Brazil. *Anais da Sociedade Entomologica do Brasil* 22(3): 441-448.
- Macedo, N., Mendonca Filho, A.F., Moreno, J.A. & Pinazza, A.H. 1984.** Evaluation of the economic advantages of 10 years of biological control of *Diatraea* spp. through *Apanteles flavipes* (Cameron) in the state of Alagoas (Brazil). *Entomology Newsletter* 16: 9-10.
- MacFarlane, R., Abington, J.B. & Walton, P.D. 1987.** Cluster caterpillar of taro (*Spodoptera litura*). Solomon Islands, Ministry of Agriculture and Lands, Research Department, Agriculture Division, annual report 1985. 9-10.
- MacFarlane, R.P., Lipa, J.J. & Liu, H.J. 1995.** Bumble bee pathogens and internal enemies. *Bee World* 76(3): 130-148.
- Machuca, J.R.L., Arretz, P.V. & Araya, J.E.C. 1988.** Parasitism of noctuids in cultivated artichokes in the metropolitan region: identification and preliminary observations of the parasites. *Revista Chilena de Entomologia* 16: 83-87.
- Mackauer, M. 1964.** Comments on the authorship, generic position and synonymy of *Diaeretiella rapae* (M'Intosh). *Beiträge zur Entomologie* 14(1/2): 53-58.
- Mackauer, M. 1964.** Notes on old and mostly forgotten species of Aphidiidae (Hymenoptera). I. *Beiträge zur Entomologie* 14(5/6): 675-689.
- Mackauer, M. 1965.** Notes on and additions to the *Trioxys* and *Binodoxys* species (Hymenoptera: Aphidiidae) of North America. *Canadian Entomologist* 97(3): 225-231.
- Mackauer, M. 1965.** Parasitological data as an aid in aphid classification. *Canadian Entomologist* 97: 1016-1024.
- Mackauer, M. & Bisdee, H.E. 1965.** *Aphidius smithi* Sharma and Subba Rao (Hymenoptera: Aphidiidae) a parasite of the pea aphid new in southern Ontario. *Proceedings of the Entomological Society of Ontario* 95: 121-124.
- Mackauer, M. & Finlayson, T. 1967.** The hymenopterous parasites (Hymenoptera: Aphidiidae et Aphelinidae) of the pea aphid in eastern North America. *Canadian Entomologist* 99(10): 1051-1082.
- Mackauer, M. & Starý, P. 1967.** World Aphidiidae. Index of Entomophagous Insects. Paris: 1-195.
- Mackauer, M. 1967.** A new genus and several new species of aphid parasites. *Entomophaga* 12(2): 139-147.
- Mackauer, M. 1968.** Aphidiidae. In: Ferrière & van der Vecht, J. [eds] 'Hymenopterorum Catalogus (nova editio) pars 3. 's Gravenhage: 1-103.
- Mackauer, M. 1968.** Die Aphidiiden (Hymenoptera) Finnlands. *Fauna Fennica, Helsingfors* 22: 1-40.
- Mackauer, M. 1968.** Insect parasites of the green peach aphid, *Myzus persicae* and their control potential. *Entomophaga* 13(2): 91-106.
- Mackauer, M. 1968.** Phenotypic polymorphism in *Aphidius smithi* Sharma & Subba Rao (Hymenoptera: Aphidiidae). *Entomophaga* 13: 281-287.
- Mackauer, M. 1969.** Sexual behaviour of and hybridization between three species of *Aphidius* Nees parasitic on the pea aphid (Hymenoptera: Aphidiidae). *Proceedings of the Entomological Society of Washington* 71(3): 339-351.
- Mackauer, M. & Campbell, A. 1972.** The establishment of three exotic aphid parasites (Hymenoptera: Aphidiidae) in British Columbia. *Journal of the Entomological Society of British Columbia* 69: 54-58.
- Mackauer, M. 1973.** Host selection and host suitability in *Aphidius smithi* (Hymenoptera: Aphidiidae). In: Lowe, A.D. [ed.]. *Perspectives in aphid biology*. Christchurch, New Zealand.: 20-29.
- Mackauer, M. & Henkelman, D.H. 1975.** Effect of light-dark cycles on adult emergence in the aphid parasite *Aphidius smithi*. *Canadian Journal of Zoology* 53: 1201-1206.
- Mackauer, M. 1976.** The sex ratio in field populations of some aphid parasites. *Annals of the Entomological Society of America* 69(3): 453-456.
- Mackauer, M. & Sullivan, D.J. 1982.** A new species of *Praon* (Hymenoptera: Aphidiidae), parasitic on the dusky-veined walnut aphid, *Callaphis juglandis* (Homoptera: Aphididae). *Canadian Entomologist* 114: 1159-1161.
- Mackauer, M. 1983.** Determination of parasite preference by choice tests: The *Aphidius smithi* (Hymenoptera: Aphidiidae) - pea aphid (Homoptera: Aphididae) model. *Annals of the Entomological Society of America* 76(2): 256-261.
- Mackauer, M. 1983.** Quantitative assessment of *Aphidius smithi* (Hymenoptera: Aphidiidae): Fecundity, intrinsic rate of increase, and functional response. *Canadian Entomologist* 115: 399-415.
- Mackauer, M. 1984.** Rate of development: its influence on weight and larval competition in aphid parasites. *International Congress of Entomology Proceedings* 17: 202.
- Mackauer, M. & Kambhampati, S. 1984.** Reproduction and longevity of cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae), parasitized by *Diaeretiella rapae* (Hymenoptera: Aphidiidae). *Canadian Entomologist* 116: 1605-1610.
- Mackauer, M. 1986.** Growth and developmental interactions in some aphids and their Hymenopterous parasites. *Journal of Insect Physiology* 32(4): 275-280.
- Mackauer, M. & Kambhampati, S. 1986.** Structural changes in the parasite guild attacking the pea aphid in North America: 347-356. In: Hodek, I. [ed.] "Ecology of aphidophaga". Prague: 1-562.
- Mackauer, M. & Chow, F.J. 1986.** Parasites and parasite impact on aphid populations. In: McLean, G.D., Garret, R.G. & Ruesink, W.G. [eds]. "Plant virus epidemics. Monitoring, modelling and predicting outbreaks." Sydney: 95-118.

- Mackauer, M. & Kambhampati, S. 1988.** Parasitism of aphid embryos by *Aphidius smithii*: some effects of extremely small host size. *Entomologia Experimentalis et Applicata* 49(1-2): 167-173.
- Mackauer, M. & Kambhampati, S. 1988.** Sampling and rearing of aphid parasites: 205-216. In: Minks, A.K. & Harrewijn, P. [eds]. "World crop pests. Aphids. Their Biology, Natural Enemies and Control. Vol.B." Amsterdam: 1-364.
- Mackauer, M. & Chow, F.J. 1990.** The effect of stinging: aphidiid parasitoids (Hymenoptera) 'prefer' pseudoparasitized pea aphids. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 63: 309-315.
- Mackauer, M. 1990.** Host discrimination and larval competition in solitary endoparasitoids. In: Mackauer, M., Ehler, L.E. & Roland, L. [eds]. "Critical issues in biological control." Andover, Hants.: 41-62.
- Mackauer, M., Bai, B., Chow, A. & Danyk, T. 1992.** Asymmetric larval competition between two species of solitary parasitoid wasps: the influence of superparasitism. *Ecological Entomology* 17(3): 233-236.
- Mackauer, M. & Völkl, W. 1993.** Regulation of aphid populations by aphidiid wasps: does parasitoid foraging behaviour or hyperparasitism limit impact? *Oecologia (Heidelberg)* 94(3): 339-350.
- Mackauer, M. & Lardner, R.M. 1995.** Sex-ratio bias in an aphid parasitoid-hyperparasitoid association: a test of two hypotheses. *Ecological Entomology* 20(2): 118-124.
- Mackauer, M. 1996.** Sexual size dimorphism in solitary parasitoid wasps: influence of host quality. *Oikos* 76(2): 265-272.
- Mackauer, M., Michaud, J.P. & Völkl, W. 1996.** Invitation paper: C.P. Alexander Fund. Host choice by aphidiid parasitoids (Hymenoptera: Aphidiidae): host recognition, host quality, and host value. *Canadian Entomologist* 128(6): 959-980.
- Mackauer, M. & Chau, A. 2001.** Adaptive self superparasitism in a solitary parasitoid wasp: the influence of clutch size on offspring size. *Functional Ecology* 15(3): 335-343.
- Mackauer, M. & Völkl, W. 2002.** Brood-size and sex-ratio variation in field populations of three species of solitary aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae). *Oecologia* 131(2): 296-305.
- MacLellan, C.R. 1972.** Codling moth populations under natural, integrated, and chemical control on apple in Nova Scotia (Lepidoptera: Olethreutidae). *Canadian Entomologist* 104: 1397-1404.
- MacLellan, C.R. 1973.** Natural enemies of the light brown apple moth, *Epiphyas postvittana*, in the Australian capital territory. *Canadian Entomologist* 105: 681-700.
- MacLellan, C.R. 1978.** Trends of eye-spotted bud moth (Lepidoptera: Olethreutidae) populations over 12 years on two cultivars in an insecticide free orchard. *Canadian Entomologist* 110: 91-100.
- MacPhee, A.W. 1964.** Cold-hardiness, Habitat and winter survival of some orchard arthropods in Nova Scotia. *Canadian Entomologist* 96(4): 617-625.
- MacQueen, A. & Beirne, B.P. 1974.** Insects and mites associated with fresh cattle dung in the southern interior of British Columbia. *Journal of the Entomological Society of British Columbia* 71: 5-9.
- Madar, R.J. & Miller, J.C. 1983.** Developmental biology of *Apanteles yakutatensis* (Hymenoptera: Braconidae), a primary parasite of *Autographa californica* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 76: 685-687.
- Madar, R.J. & Miller, J.C. 1983.** Parasitism of *Autographa californica* (Lepidoptera: Noctuidae) by *Apanteles yakutatensis* (Hymenoptera: Braconidae) on peppermint in Oregon. *Environmental Entomology* 12(4): 1103-1106.
- Madatyán, A.V., Eremenko, T.S. & Nabikhanova, S.K. 1987.** Parasitoids of the turnip moth. *Zashchita Rastenii Moskva* 6: 34-35.
- Madel, G. 1968.** Beiträge zur Morphologie und Biologie von *Meteorus fragilis* Wesm. (Hym.: Braconidae) - ein Endoparasit des Mondvogels *Phalera bucephala* L. (Lep.: Notodontidae). *Zeitschrift für angewandte Entomologie* 53: 1-47.
- Madel, G. & Kilger, I. 1981.** Die Entwicklung des Parasitoiden *Diaeretiella rapae* M'Intosh (Hym., Braconidae) in *Brevicoryne brassicae* L. (Sternorhyncha: Aphididae). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 3(1-3): 110-112.
- Madrid, F.J. & Stewart, R.K. 1980.** Parasitoids and hyperparasitoids of the gypsy moth *Lymantria dispar* (Linnaeus) (Lepidoptera: Lymantriidae) in Quebec. *Lyman Entomological Museum and Research Laboratory Note No. 6*: i-ii, 1-17.
- Madrid, F.J. & Stewart, R.K. 1981.** Impact of diflubenzuron spray on gypsy moth parasitoids in the field. *Journal of Economic Entomology* 74(1): 1-2.
- Maeda, N., Sato, S. & Yukawa, J. 1982.** Polymodal emergence pattern of the machilus leaf gall midge, *Daphnephila machilicola* Yukawa (Diptera: Cecidomyiidae). *Kontyu* 50(1): 44-50.
- Maes, J.M. 1999.** *Postpromachus*, new name for *Promachus* Cresson (Hymenoptera: Braconidae). *Postpromachus*, nombre nuevo para *Promachus* Cresson (Hymenoptera: Braconidae). *Revista Nicaraguense de Entomologia* 48: 15-16.
- Maetô, K. 1982.** A new species of the genus *Homolobus* (Hymenoptera, Braconidae) from New Guinea. *Kontyu* 50(4): 527-530.
- Maetô, K. 1982.** The genus *Homolobus* Foerster of Japan (Hymenoptera: Braconidae). I. Subgenus *Homolobus*. *Kontyu* 50(2): 314-323.
- Maetô, K. 1982.** The genus *Homolobus* Foerster of Japan (Hymenoptera: Braconidae). II. Subgenera *Chartolobus*, *Apatia*, *Phylacter* and *Oulophus*. *Kontyu* 50(2): 425-433.
- Maetô, K. 1983.** A systematic study on the genus *Polemochartus* Schulz (Hymenoptera: Braconidae), parasitic on the genus *Lipara* Meigen (Diptera, Chloropidae). *Kontyu* 51(3): 412-425.
- Maetô, K. 1983.** Discovery of two genera, *Sarops* Nixon and *Protodacnusa* Griffiths, from Japan (Hymenoptera: Braconidae). *Kontyu* 51(2): 247-253.
- Maetô, K. & Nagai, K. 1985.** Notes on braconid parasitoids of *Medythia nigrobilineata* (Motschulsky) (Coleoptera: Chrysomelidae), with description of a new species of *Centistes* Haliday (Hymenoptera: Braconidae). *Kontyu* 53(4): 729-733.
- Maetô, K. 1986.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. II. the *corax* group of the genus *Meteorus* Haliday. *Kontyu* 54(3): 405-413.
- Maetô, K. 1986.** Systematic studies on the tribe Meteorini from Japan (Hymenoptera: Braconidae). I. The genus *Zelee* Curtis. *Kontyu* 54(3): 246-256.
- Maetô, K. 1987.** A comparative morphology of the male internal reproductive organs of the family Braconidae (Hymenoptera: Ichneumonoidea). *Kontyu* 55(1): 32-42.
- Maetô, K. 1988.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. III. the *hirsutipes* group of the genus *Meteorus* Haliday. *Kontyu* 56(2): 321-329.
- Maetô, K. 1988.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. IV. the groups of *Meteorus albizonalis* and *M. micropterus*. *Kontyu* 56(3): 581-589.
- Maetô, K. 1989.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. V. The *pulchricornis* group of the genus *Meteorus*. *Japanese Journal of Entomology* 57(3): 581-595.
- Maetô, K. 1989.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. VI. The *pulchricornis* group of the genus *Meteorus*. *Japanese Journal of Entomology* 57(4): 768-777.

- Maetô, K. 1990.** Phylogenetic relationships and host associations of the subfamily Meteorinae Cresson (Hymenoptera: Braconidae). *Japanese Journal of Entomology* 58(2): 383-396.
- Maetô, K. 1990.** Systematic studies on the tribe Meteorini (Hymenoptera: Braconidae) from Japan. *Japanese Journal of Entomology* 58(1): 81-94.
- Maetô, K. & Achterberg, C. van 1990.** Two new and aberrant species of Braconidae (Hymenoptera) from Japan. *Zoologische Mededelingen, Leiden* 64(1-6): 59-70.
- Maetô, K. 1991.** Braconid parasitoids (Hymenoptera) of the gall-making Cecidomyiidae (Diptera) in Japan. *Japanese Journal of Entomology* 59(2): 295-313.
- Maetô, K. 1992.** Japanese species of the *Myosoma* generic group (Hymenoptera: Braconidae). *Japanese Journal of Entomology* 60(4): 714.
- Maetô, K. & Kudo, S. 1992.** A new euphorine species of *Aridelus* (Hymenoptera: Braconidae) associated with a subsocial bug *Elasmucha putoni* (Heteroptera: Acanthosomatidae). *Japanese Journal of Entomology* 60(1): 77-84.
- Maetô, K. & Thornton, I.W.B. 1993.** A preliminary appraisal of the braconid (Hymenoptera) fauna of the Krakatau Islands, Indonesia, in 1984-1986, with comments on the colonizing abilities of parasitoid modes. *Japanese Journal of Entomology* 61(4): 787-801.
- Maetô, K. & Nakamura, S. 1995.** Some braconids (Hymenoptera) from Hiroshima Prefecture and its neighboring districts, southwest of Japan. *Miscellaneous Reports of the Hiwa Museum for Natural History* 33: 69-78.
- Maetô, K. 1995.** The genus *Mirax* (Hymenoptera: Braconidae: Miracinae) from Japan. *Japanese Journal of Entomology* 63(3): 649-656.
- Maetô, K. 1996.** Inter-generic variation in the external male genitalia of the subfamily Microgasterinae (Hymenoptera, Braconidae), with a reassessment of Mason's tribal system. *Journal of Hymenoptera Research* 5: 38-52.
- Maetô, K. 1997.** New records of subfamilies and genera of Braconidae (Hymenoptera) from Japan. *Japanese Journal of Entomology* 65(2): 440-441.
- Magalhaes, B.P. & Quintela, E.D. 1987.** Níveis de parasitismo de *Urosigalphus chalcodermi* Wilkinson sobre *Chalcodermus bimaculatus* Fiedler e de *Celatoria bosqi* Blanchard sobre *Cerotoma arcuata* Olivier em Caupi (*Vigna unguiculata* (L.) Walp.), em Goiás. *Anais da Sociedade Entomologica do Brasil* 16(1): 235-238.
- Magro, S.R. & Parra, J.R.P. 2001.** Biology of the ectoparasitoid *Bracon hebetor* Say, 1857 (Hymenoptera: Braconidae) on seven lepidopteran species. *Scientia Agricola* 58(4): 693-698.
- Magro, S. R. & Parra, J. R. P. 2003.** Comparison of artificial diets for rearing *Bracon hebetor* Say (Hymenoptera: Braconidae). *Biological Control* 29(3)(2004 March): 341-347.
- Mahadeo, C.R. 1991.** Evaluation of the biological control program against *Diatraea* spp. (Lepidoptera: Pyralidae) on sugar cane in Trinidad. *Proceedings of the 24th West Indies Sugar Technologists' Conference, Kingston, 8-12 April 1991.* 60-65.
- Mahmood, R., Poswal, M.A. & Shehzad, A. 2002.** Distribution, host range and seasonal abundance of *Sipha* sp. (Homoptera: Aphididae) and their natural enemies in Pakistan. *Journal of Biological Sciences* 5(1): 47-50.
- Mahmoud, T.T., Khalil, F.M. & Awadallah, K.T. 1981.** Population dynamics of aphids and enemies on peach trees in Mosul Region, Iraq. *Mesopotamia Journal of Agriculture* 16(2): 167-183.
- Mahr, D.L. & Ridgway, N.M. 1991.** Methods for rearing a tree-inhabiting leafminer and its parasitoids. *University of Hawaii College of Tropical Agriculture and Human Resources Research Extension Series* 134: 111-114.
- Mahrub, E. & Pollet, A. 1993.** Studies on stem borers in central Java. *Journal of Applied Entomology* 116(4): 399-405.
- Maier, C.T. 1981.** Parasitoids emerging from puparia of *Rhagoletis pomonella* (Diptera: Tephritidae) infesting hawthorn and apple in Connecticut. *Canadian Entomologist* 113: 867-870.
- Maier, C.T. 1982.** Parasitism of the apple blotch leafminer, *Phyllonorycter crataegella*, on sprayed and unsprayed apple trees in Connecticut. *Environmental Entomology* 11(3): 603-610.
- Maier, C.T. 1984.** Abundance and phenology of parasitoids of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), in Connecticut. *Canadian Entomologist* 116: 443-449.
- Maier, C.T. 1985.** Apple leafminers and their parasites live in trees near orchards. *Frontiers of Plant Science* 38(1): 4-6.
- Maier, C.T. 1988.** Parasitoid fauna of two *Phyllonorycter* spp. (Lepidoptera: Gracillariidae) on wild cherries, and similarity to fauna of apple leafminers. *Annals of the Entomological Society of America* 81(3): 460-466.
- Maier, C.T. 1990.** Potential for the biological control of apple leafminers by parasitic wasps. *Proceedings Annual Meeting, Massachusetts Fruit Growers' Association Inc.* 96: 60-74.
- Maier, K. & Bogenschutz, H. 1988.** The importance of caterpillar flies (Dipt.: Tachinidae) in the collapse of an outbreak of *Lymantria dispar* L. (Lep.: Lymantriidae). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 6(1-3): 164-168.
- Maier, K. & Bogenschutz, H. 1990.** Population dynamics of *Lymantria dispar* L. (Lep.: Lymantriidae) and the influence of parasitoids during an outbreak in southwest Germany 1984-86. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 97(4): 381-393.
- Maier, K. 1990.** Contribution to the biology of primary and secondary parasitoids of *Lymantria dispar* L. (Lep.: Lymantriidae). *Journal of Applied Entomology* 110(2): 167-182.
- Maini, S. & Burgio, G. 1990.** The parasitoids of *Ostrinia nubilalis* (Hb.) in Emilia Romagna. *Informatore Fitopatologico* 40(9): 19-28.
- Majerus, M.E.N. 1991.** Notes on the behaviour of the ladybird parasitoid *Perilitus coccinellae* (Schrank), from an unusual source. *Bulletin of the Amateur Entomologists' Society* 50 No. 374: 37-40.
- Majerus, M.E.N. 1997.** Parasitization of British ladybirds by *Dinocampus coccinellae* (Schrank) (Hymenoptera: Braconidae). *British Journal of Entomology and Natural History* 10(1): 15-24.
- Majerus, M.E.N., Geoghegan, I.E. & Majerus, T.M.O. 2000.** Adaptive preferential selection of young coccinellid hosts by the parasitoid wasp *Dinocampus coccinellae* (Hymenoptera: Braconidae). *European Journal of Entomology* 97(2): 161-164.
- Makarova, N.A. 1997.** On biological substantiation of some aspects of the technics of mass rearing of the aphidiid wasp *Aphidius matricariae* Hal. (Hymenoptera: Aphidiidae). *Entomologicheskoe Obozrenie* 76(1): 81-85, 234.
- Makhdum, A.H., Cock, M.J.W. & Shehzad, A. 2001.** Effect of trash mulching on the infestation of stem borer *Chilo infuscatellus* Snellen, its natural enemies and on over all sugar productivity in the Habib Sugar Mills area at Nawabshah, Sindh. *Pakistan Sugar Journal* 16(3): 6-14.
- Makhova, F.F. 1985.** The pea aphid. *Zashchita Rastenii* (Moscow) 1985 (8): 45.
- Maksimovic, M. & Sivčev, I. 1987.** Contribution to the biological control of the gypsy moth (*Lymantria dispar* L.). *Zastita Bilja* 38(3): 197-205.
- Maksimovic, N. 1979.** Influence of the density of bark beetles and their parasites on dieback of elm in some wood of Yugoslavia. *Zeitschrift für angewandte Entomologie* 88(3): 283-295.
- Maksimovic, M. & Sivčev, I. 1984.** Further studies on the numerical increase of natural enemies of the gypsy moth (*Lymantria dispar* L.) in forests. *Zeitschrift für angewandte Entomologie* 98: 332-343.

- Maksimovic, M.** 1986. Laboratory investigations of the parasites of elm-tree bark beetles. *Zastita Bilja* 37(1): 5-20.
- Mal, S.K. & Somchoudhury, A.K.** 1995. Bioefficacy of commercial formulations of insecticides against *Bracon hebetor* Say. *Indian Journal of Entomology* 57(1): 50-54.
- Mallapur, C.P. & Kulkarni, K.A.** 1998. Construction of life tables for the oriental armyworm, *Mythimna separata* (Wlk.). *Karnataka Journal of Agricultural Sciences* 11(1): 29-38.
- Mallapur, C.P.** 1997. Key mortality factors of the oriental armyworm on sorghum. *Journal of Maharashtra Agricultural Universities, publ.* 1998, 22(3): 347-349.
- Mallik, S.N., Kumar, M., Sinha, A.N. & Karn, B.P.** 1989. *Trathala flavo-orbitalis* Cameron (Ichneumonidae) - a parasite of *Leucinodes orbonalis* Guen. from Bihar. *Current Science* 58(19): 1098-1099.
- Malone, L.A., Wigley, P.J. & Dhana, S.D.** 1985. A flagellate protozoan from *Mythimna separata* (Lepidoptera: Noctuidae). *New Zealand Journal of Zoology* 12(1): 155-158.
- Maltais, J., Regnière, J., Cloutier, C., Hebert, C. & Perry, D.F.** 1989. Seasonal biology of *Meteorus trachynotus* Vier. (Hymenoptera: Braconidae) and of its overwintering host *Choristoneura rosaceana* (Harr.) (Lepidoptera: Tortricidae). *Canadian Entomologist* 121(9): 745-756.
- Malyshev, D.S.** 1996. Reservations of the pine moth *Dendrolimus pini* L. (Lepidoptera, Lasiocampidae) parasites in Voronezh region. *Entomologicheskoye Obozreniye* 75(1): 25-31. [*Entomological Review* 76(7): 837-842].
- Mamedov, A.A.** 1988. A quantitative estimation of the effectivity of the entomophages of the cotton bollworm *Heliothis armigera* Hb. (Lepidoptera: Noctuidae). *Entomologicheskoye Obozreniye* 67(1): 31-41. [*Entomological Review* 68(1): 1-12].
- Mamedov, Z.M.** 1988. Parasitoids of the brown-tail moth (*Euproctis chrysorrhoea* L.) and the gypsy moth (*Lymantria dispar* L.). in orchards of Azerbaidzhan. *Izvestiya Akademii Nauk Azerbaidzhanskoi SSR, Biologicheskikh Nauk* 4: 75-77.
- Mamedova, S.R., Guseinov, D.G., Arakcheeva, L.I. & Kulieva, G.D.** 1990. The economic threshold of injuriousness in control of *Chloridea obsoleta*. *Zashchita Rastenii Moskva* 3: 42-43.
- Manero, E.A. de & L'Argentier, S.M. de** 1987. Aphididae and Thripidae injurious to lentil crop in the Jujuy Province. *Revista de Investigacion Centro de Investigaciones para la Regulacion de Poblaciones de Organismos Nocivos* 5(1-4): 17-26.
- Mancini, D. & Tremblay, E.** 1996. On the importance of sensilla in the interpretation of wing vein reduction in Aphidiines (Hymenoptera: Braconidae). *Proceedings of the XX International Congress of Entomology* 49.
- Mancini, D. & Tremblay, E.** 1996. *Trioxys cirsii* (Curtis) (Hymenoptera: Braconidae) new record for Italy. *Redia* 79(2): 203-206.
- Mancini, D.** 2001. Diagnostic and morphological notes on *Dyscritulus planiceps* (Marshall) (Braconidae: Aphidiinae) new record for the Italian fauna. *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri"* 57: 145-153.
- Mancini, D., Priore, R., Battaglia, D. & Achterberg, C. van** 2003. *Caenopachys hartigii* (Ratzeburg) (Hymenoptera: Braconidae: Doryctinae) confirmed for Italy, with notes on the status of the genus *Caenopachys* Foerster. *Zoologische Mededelingen, Leiden* 77(26): 459-470.
- Mangel, M., Collins, M.D. & Dixon, A.F.G.** 1989. An evolutionary interpretation of the motivation to oviposit. *Journal of Evolutionary Biology* 2(3): 157-172.
- Mangum, W.A.** 2001. Honey bee biology. *American Bee Journal* 141(10): 715-717.
- Mani, M. & Nagarkatti, S.** 1983. Susceptibility of two braconid parasites *Apanteles angaleti* Muesebeck and *Bracon kirkpatricki* (Wilkinson) to several chemical pesticides. *Entomon* 8(1): 87-92.
- Mani, M. & Krishnamoorthy, A.** 1984. Toxicity of some insecticides to *Apanteles plutellae*, a parasite of the diamond back moth. *Tropical Pest Management* 30(2): 130-132.
- Mani, M., Nagarkatti, S. & Jayanth, K.P.** 1985. Reaction of four parasitoids to some synthetic pyrethroids. *Entomon* 10: 111-115.
- Mani, M.** 1995. Studies on the toxicity of pesticides to *Cotesia plutellae* (Hymenoptera: Braconidae), a parasitoid of diamond-back moth, *Plutella xylostella* (L.). *Journal of Insect Science* 8(1): 31-33.
- Mani, M.** 1996. Safety of neem and other plant products to parasitoids and predators of citrus insect pests. *Journal of Insect Science* 9(1): 89-90.
- Mani, M. & Krishnamoorthy, A.** 2000. Safety of plant products and conventional pesticides to *Distatrix papilionis* (Viereck) (Hymenoptera: Braconidae), a parasitoid of citrus butterfly Indian *Journal of Plant Protection* 28(1): 19-24.
- Mani, M., Gopalakrishnan, C. & Krishnamoorthy, A.** 2001. Natural enemies of ber hairy caterpillar *Thiacidas postica* Walker (Lepidoptera: Noctuidae) in Karnataka. *Entomon* 26(3-4): 313-315.
- Maniglia, G.** 1978. Effects secondaires du carbaryl et du diméthoate sur *Opius concolor* Szépl. (Hym. Braconidae) au laboratoire. *Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent* 43: 487-491.
- Maniglia, G. & Agro, A.** 1994. Biological control of *Bactrocera* (= *Dacus*) *oleae* (Gmelin) (Diptera: Tephritidae) with *Opius concolor* Szépliget (Hymenoptera: Braconidae). 5. Larval competition in the parasitoid on *Ceratitis capitata* Wiedemann (Diptera: Tephritidae). *Atti del Congresso Nazionale Italiano di Entomologia* 17: 707-708.
- Maninder, V. & Varma, G.C.** 1982. Record of a hyperparasitoid *Eupteromalus* sp. near *parnarae* Gahan (Hymenoptera: Pteromalidae) from the Punjab, India. *Entomon* 7(3): 335-336.
- Manisegaran, S. & Kumarasamy, T.** 1988. Assessment of contact toxicity of insecticides to *Chelonus blackburni* Cam. (Hymenoptera: Braconidae). *Journal of Biological Control* 2(2): 126-127.
- Manjunath, T.M.** 1985. Coconut black-headed caterpillar on banana and coconut. *Fao (Food and Agriculture Organization of the United Nations) Plant Protection Bulletin* 33(2) 1985: 71-72.
- Manley, D.G., Du Rant, J.A., Johnson, A.W. & Roof, M.E.** 1991. The tobacco budworm/bollworm complex (Lepidoptera: Noctuidae) and its parasites on field crops in South Carolina. *Journal of Agricultural Entomology* 8(3): 169-178.
- Manley, D.G., Durant, J.A., Johnson, A.W. & Roof, M.E.** 1991. The tobacco budworm bollworm complex (Lepidoptera: Noctuidae) and its parasites on field crops in South Carolina. *Journal of Agricultural Entomology* 8(3): 169-178.
- Manoharan, V. & Balasubramanian, M.** 1982. Host parasitoid density response to fecundity of *Chelonus blackburni* Cam. *Proceedings of the Indian National Science Academy Part B Biological Sciences* 48(2): 214-217.
- Manoharan, V. & Balasubramanian, M.** 1982. Relative toxicity of some insecticides to adults of *Chelonus blackburni* Cam. *Entomon* 7: 227-228.
- Manojlović, B., Sivčev, I., Draganić, M. & Baca, F.** 1994. So far investigations on European corn borer entomophagous (*Ostrinia nubilalis* Hbn., Lepidoptera: Pyralidae) in Yugoslavia. *Zastita Bilja* 45(2): 81-90.
- Manojlović, B. & Sivčev, I.** 1995. The influence of the diet of *Coleoides scolyticida* Wesm. (Hymenoptera: Braconidae) on parasitism of big elm bark beetle *Scolytus scolytus* (F.) (Coleoptera: Scolytidae). *Zastita Bilja* 46(2): 155-162.
- Manojlović, B., Zabel, A., Kostić, M. & Stanković, S.** 2000. Effect of nutrition of parasites with nectar of melliferous plants on parasitism of the elm bark beetles (Col.: Scolytidae). *Journal of Applied Entomology* 124(3): 155-161.

- Manojlovič, B., Zabel, A., Stankovič, S. & Kostič, M. 2000.** *Ecphyllus silesiacus* (Ratz.) (Hymenoptera: Braconidae), an important elm bark beetle parasitoid. *Agricultural and Forest Entomology* 2(1): 63-67.
- Manojlovič, B., Zabel, A., Stankovič, S. & Kostič, M. 2001.** Additional diet of the parasitoids (Hymenoptera: Braconidae) and the parasitizing of the Elm Bark Beetle (Coleoptera: Scolytidae). *Anzeiger für Schädlingskunde* 74(3): 66-71.
- Mansour, F. 1988.** Parasites of *Monellia caryella* (Hom.: Aphididae): phenology and effect on the aphid population in pecan orchards in Israel. *Entomophaga* 33(3): 371-375.
- Mar Wai, K. & Fujii, K. 1991.** Intraspecific larval competition among wasps parasitic of bean weevil larvae. *Researches on Population Ecology (Kyoto)* 32(1): 85-98.
- Marc, P. & Robbe, A. 1998.** Research on integrated control in strawberries under plastic tunnels. *Fruit Belge* 66(475): 158-165.
- Marchal-Segault, D. 1975.** Larval development of the parasitic Hymenoptera *Apanteles glomeratus* L. and *Phanerotoma flavitesta* F. in caterpillars infected by *Bacillus thuringiensis* Berliner. *Ann. Parasitol. Hum. Comp.* 50: 223-232.
- Marchal-Segault, D. 1975.** Susceptibility of the hymenopterous braconids *Apanteles glomeratus* and *Phanerotoma flavitesta* to the spore-crystal complex of *Bacillus thuringiensis* Berliner. *Annales de Zoologie Ecologie Animale* 6: 521-528.
- Marchand, D. & McNeil, J.N. 2000.** Effects of wind speed and atmospheric pressure on mate searching behaviour in the aphid parasitoid *Aphidius nigripes* (Hymenoptera: Aphididae). *Journal of Insect Behavior* 13(2): 187-199.
- Marchiori, C.H., Oliveira, A.M.S., Martins, F.F., Bossi, F.S. & Oliveira, A.T. 2000.** Occurrence of the frugivorous flies (Diptera: Tephritidae and Lonchaeidae) and their parasitoids in Itumbiara, GO. *Arquivos do Instituto Biologico Sao Paulo* 67(1): 139-141.
- Marchiori, C.H., Oliveira, A.T., Pentead-Dias, A.M., Scatolini, D., Diaz, N.B. & Gallardo, F.E. 2000.** Fauna of parasitoids associated the Diptera Cyclorrhapha (Insecta). *Arquivos do Instituto Biologico Sao Paulo* 67(2): 195-198.
- Marchiori, C.H. & Pentead-Dias, A.M. 2002.** Braconidae (Hymenoptera: Ichneumonoidea) collected in a native forest area in Itumbiara, Goiás, Brazil. *Neotropical Entomology* 31(4): 647-649.
- Marchiori, C.H., Pereira, L.A., Silva Filho, O.M., Ribeiro, L.C.S. & Borges, V.R. 2003.** Parasitoids of flies collected on human faeces in Itumbiara County, Goiás State, Brazil. *Biotemas* 16(1): 121-128.
- Marczak, P. 1989.** Braconidae (Hymenoptera) of moist meadows on the Mazovian Lowland. *Memorabilia Zoologica* 43: 265-277.
- Marczak, P. & Buszko, J. 1993.** Braconid wasps (Hymenoptera: Braconidae) reared from mining Lepidoptera. *Meczelkowitz (Hymenoptera: Braconidae) wyhodowane z motyli minujacych (Lepidoptera)*. *Wiadomosci Entomologiczne* 12(4): 259-272.
- Mardulyn, P. & Whitfield, J.B. 1999.** Phylogenetic signal in the COI, 16S, and 28S genes for inferring relationships among genera of Microgasterinae (Hymenoptera: Braconidae): evidence of a high diversification rate in this group of parasitoids. *Molecular Phylogenetics and Evolution* 12(3): 282-294.
- Maree, J.M., Kallar, S.A. & Khuhro, R.D. 1999.** Relative abundance of *Spodoptera litura* F. and *Agrotis ypsilon* Rott. on cabbage. *Pakistan Journal of Zoology* 31(1): 31-34.
- Mari, J.M. & Peydro, R.J. 1992.** Study of the reproductive capacity and longevity of the females of *Phanerotoma (Phanerotoma) ocellaris* Kohl (Hym.: Braconidae). *Boletín de Sanidad Vegetal, Plagas* 18(3): 625-629.
- Mariau, D. 1999.** Limacodidae (Lepidoptera) on oil palm and coconut. Harmful species and natural enemies. *Plantations, Recherche, Developpement* 6(3): 149-160.
- Marimadaiah, B. & Bai, M.G. 2000.** *Apanteles bisulcata* Cam. (Hymenoptera: Braconidae), a new parasitoid of the leaf roller of mulberry. *Indian Journal of Sericulture* 39(2): 178-179.
- Marimadaiah, B. & Bai, M.G. 2001.** Biology of *Phanerotoma noyesi* (Hymenoptera: Braconidae), a parasitoid of the leaf-roller pest of mulberry, *Diaphania pulverulentalis* (Hampson) (Lepidoptera: Pyralidae). *Entomon* 26(3-4): 289-296.
- Marin, L.R. & Redolfi de Huiza, I. 1993.** Biología y comportamiento de *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae). *Revista Peruana de Entomología* 35(Diciembre 1992): 125-128.
- Marino, P.C. & Cornell, H.V. 1992.** Adult movement of the native holly leafminer, *Phytomyza ilicicola* Loew (Diptera: Agromyzidae): consequences for host choice within and between habitats. *Oecologia* 92(1): 76-82.
- Marino, P.C. & Lis, D.A. 1996.** Effect of landscape structure on parasitoid diversity and parasitism in agroecosystems. *Ecological Applications* 6(1): 276-284.
- Markeya, V. & Divakar, B.J. 1999.** Effect of a neem formulation on four bioagents. *Plant Protection Bulletin Faridabad* 51(3-4): 28-29.
- Markovic, C. & Stojanovic, A. 1996.** Parasitoid complex *Scolytus intricatus* Ratz. (Coleoptera, Scolytidae) in the region of Serbia. *Zastita Bilja* 47(3): 255-266.
- Markovic, C. & Stojanovic, A. 2003.** Significance of parasitoids in the reduction of oak bark beetle *Scolytus intricatus* Ratzeburg (Col.: Scolytidae) in Serbia. *Journal of Applied Entomology* 127(1): 23-28.
- Marktl, R.C., Stauffer, C. & Schopf, A. 2002.** Interspecific competition between the braconid endoparasitoids *Glyptapanteles porthetriae* and *Glyptapanteles liparidis* in *Lymantria dispar* larvae. *Entomologia Experimentalis et Applicata* 105(2-3): 97-109.
- Marle, J. van 1977.** Structure and histochemistry of the venom glands of the wasps *Microbracon hebetor* Say and *Philanthus triangulum* F. *Toxicon* 15: 529-539.
- Marquardt, K. 1985.** Biologie und Oekologie der Minierfliegen (Dipt.: Agromyzidae) an *Lonicera* und *Symphoricarpos* (Caprifoliaceae). *Zeitschrift für angewandte Entomologie* 100: 244-255. (missing 246-255).
- Marques, N. & Hance, T. 1998.** Comparison of the discrimination capacities between two parasitoids (Hymenoptera: Aphididae) of cereal aphids characterized by different level of specificity. *Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent* 63(2b): 433-440.
- Marsden, M.A., Fürniss, M.M. & Kline, L.N. 1981.** Modeling seasonal abundance of Douglas-fir beetle in relation to entomophagous insects and location in trees. *U S Forest Service General Technical Report Int No. 111* 1981: 1-22.
- Marsh, P.M. 1965.** A new species of *Dendrosoter* Wesmael from the Philippine Islands. *Pacific Insects* 7(2): 216-218.
- Marsh, P.M. 1965.** The Nearctic Doryctinae I. A review of the subfamily with a taxonomic revision of the tribe Hecabolini (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 58: 668-699.
- Marsh, P.M. 1965.** Two species of Microgasterinae new to the United States (Hymenoptera, Braconidae). *Proceedings of the Entomological Society of Washington* 67(4): 214.
- Marsh, P.M. 1966.** The Nearctic Doryctinae, II. The genus *Doryctodes* Hellén (Hymenoptera: Braconidae). *Transactions of the American Entomological Society* 92: 503-517.
- Marsh, P.M. 1966.** The Nearctic Doryctinae, III. The genus *Callihormius* Ashmead (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 68(3): 240-246.
- Marsh, P.M. 1967.** The Nearctic Doryctinae, IV. Notes on the genus *Dendrosoter* Wesmael and description of one new species (Hy-

- menoptera: Braconidae). Proceedings of the Entomological Society of Washington 69(3): 246-247.
- Marsh, P.M. 1967.** The Nearctic Doryctinae, V. The genus *Leluthia* and comments on the status of the tribe Hecabolini (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 69(4): 359-364.
- Marsh, P.M. 1968.** A new species of *Alysia* parasitic on carrion-feeding flies (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 70(3): 208-210.
- Marsh, P.M. 1968.** The Nearctic Doryctinae, VI. The genera *Acrophasmus*, *Glyptocolastes*, *Doryctinus*, and a new genus, *Stenocorse* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 70(2): 101-113.
- Marsh, P.M. 1969.** The Nearctic Doryctinae, VII. The genus *Doryctes* Haliday (Hymenoptera: Braconidae). Transactions of the American Entomological Society 94: 379-405.
- Marsh, P.M. 1969.** Two new species of *Aphaereta* with notes on other Nearctic species (Hymenoptera: Braconidae: Alysini). Proceedings of the Entomological Society of Washington 71(3): 416-420.
- Marsh, P.M. 1969.** Lectotype designations in the genus *Heterospilus* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 71(2): 210-214.
- Marsh, P.M. 1970.** A new species of fruit fly parasite from Florida (Hymenoptera: Braconidae: Opiinae). Florida Entomologist 53(1): 31-32.
- Marsh, P.M. 1970.** The Nearctic Doryctinae, IX. The genus *Odontobracon* and notes on related genera (Hymenoptera: Braconidae). Pan-Pacific Entomologist 46(4): 275-283.
- Marsh, P.M. 1970.** The Nearctic Doryctinae, VIII. The genera *Lioobracon* and *Pedinotus*, with notes on the definition of the subfamily (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 72(3): 313-317.
- Marsh, P.M. 1971.** Keys to the Nearctic genera of the families Braconidae, Aphidiidae, and Hybrizontidae (Hymenoptera). Annals of the Entomological Society of America 64(4): 841-850.
- Marsh, P.M. 1973.** New synonyms and new combinations in North American Doryctinae (Hymenoptera: Braconidae). Journal of the Washington Academy of Sciences 63(2): 69-72.
- Marsh, P.M. 1974.** New combinations and new synonyms in North American Braconidae (Hymenoptera). Proceedings of the Entomological Society of Washington 76(3): 285-289.
- Marsh, P.M. 1975.** A new species of *Apanteles* from South America being introduced into California. Pan-Pacific Entomologist 51(2): 143-146.
- Marsh, P.M. 1976.** The Nearctic Doryctinae, X. The genus *Rhaconotus* Ruth (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 78(4): 389-403.
- Marsh, P.M. 1977.** Notes on the taxonomy and nomenclature of *Aphidius* species (Hym.: Aphidiidae) parasitic on the pea aphid in North America. Entomophaga 22(4): 365-372.
- Marsh, P.M. 1978.** The braconid parasites (Hymenoptera) of *Heliothis* species (Lepidoptera: Noctuidae). Proceedings of the Entomological Society of Washington 80(1): 15-36.
- Marsh, P.M. 1979.** Braconidae. Aphidiidae. Hybrizontidae: 144-313. In: Krombein K.V., Hurd Jr. P.D., Smith D.R. & Burks B.D. "Catalog of Hymenoptera in America north of Mexico". Washington (3 vols): 1-2735.
- Marsh, P.M. 1979.** Description of new Braconidae (Hymenoptera) parasitic on the potato tuberworm and on related Lepidoptera from Central and South America. Journal of the Washington Academy of Sciences 69(1): 12-17.
- Marsh, P.M. 1979.** The braconid (Hymenoptera) parasites of the gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantriidae). Annals of the Entomological Society of America 72(6): 794-810.
- Marsh, P.M. 1982.** Descriptions of two new species of *Heterospilus* (Hymenoptera: Braconidae) from South America. Boletín de Entomología Venezolana 2(6): 57-60.
- Marsh, P.M. 1982.** Two new species of *Heterospilus* (Hymenoptera: Braconidae) from Mexico being introduced against the cotton boll weevil, *Anthonomus grandis* (Coleoptera: Curculionidae). Proceedings of the Entomological Society of Washington 84(4): 849-854.
- Marsh, P.M. 1983.** A taxonomic study of the South American genus *Megaloproctus* Schulz (Hymenoptera: Braconidae: Doryctinae). Contributions of the American Entomological Institute 20: 363-380.
- Marsh, P.M. 1983.** *Bohartiellus*, a new genus of Doryctinae from South America (Hymenoptera: Braconidae). Pan-Pacific Entomologist 59(1-4): 148-151.
- Marsh, P.M. 1984.** A new species of Braconidae (Hymenoptera) from Mexico introduced into Texas to control a sugarcane borer, *Eoreuma loftini* (Lepidoptera: Pyralidae). Proceedings of the Entomological Society of Washington 86(4): 861-863.
- Marsh, P.M. 1986.** A new species of *Cardiochiles* (Hymenoptera: Braconidae) introduced into Florida to control *Diaphania* spp. (Lepidoptera: Pyralidae). Proceedings of the Entomological Society of Washington 88(1): 131-133.
- Marsh, P.M., Shaw, S.R. & Wharton, R.A. 1987.** An identification manual for the North American genera of the family Braconidae (Hymenoptera). Memoirs of the Entomological Society of Washington No. 13: 1-98.
- Marsh, P.M. 1988.** Revision of the tribe Odontobraconini in the Western Hemisphere (Hymenoptera: Braconidae: Doryctinae). Systematic Entomology 13(4): 43-464.
- Marsh, P.M. 1989.** Notes on Braconidae (Hymenoptera) associated with jojoba (*Simmondsia chinensis*) and descriptions of new species. Pan Pacific Entomologist 65(1): 58-67.
- Marsh, P.M. 1991.** Comments on the proposed designation of *Agathis longicauda* Boheman, 1853 as the type species of *Vipio* Latreille, 1804 (Insecta: Hymenoptera). Bulletin of Zoological Nomenclature 48(4) 1991: 332.
- Marsh, P.M. 1991.** A new species of *Pauesia* (Hymenoptera: Braconidae, Aphidiinae) from Georgia and introduced into South Africa against the black pine aphid (Homoptera: Aphididae). Journal of Entomological Science 26(1): 81-84.
- Marsh, P.M. 1991.** Description of a phytophagous doryctine braconid from Brasil (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 93(1): 92-95.
- Marsh, P.M. 1995.** Descriptions of new Western Hemisphere genera of the subfamily Doryctinae (Hymenoptera: Braconidae). Contributions of the American Entomological Institute 28(1): 58 pp.
- Marsh, P.M. 1997.** Doryctinae: 207-233. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. [eds]. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Marsh, P.M. 1997.** Replacement names for Western hemisphere genera of Doryctinae (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 99(3): 586.
- Marsh, P.M. & Shaw, S.R. 1998.** Revision of North American *Aleiodes* Wesmael (Part 3): the *seriatus* (Herrich-Schaeffer) species-group (Hymenoptera: Braconidae: Rogadinae). Proceedings of the Entomological Society of Washington 100(3): 395-408.
- Marsh, P.M. & Melo, G.A.R. 1999.** Biology and systematics of New World *Heterospilus* (Hymenoptera: Braconidae) attacking Pemphredoninae (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 8(1): 13-22.
- Marsh, P.M. & Shaw, S.R. 1999.** Revision of North American *Aleiodes* Wesmael (part 5): the *melanopterus* (Erichson) species-group (Hymenoptera: Braconidae: Rogadinae). Journal of Hymenoptera Research 8(1): 98-108.

- Marsh, P.M., Macêdo, M.V. de & Pimental, M.C.P. 2000.** Descriptions and biological notes on two new phytophagous species of the genus *Allorhogas* from Brasil (Hymenoptera: Braconidae: Doryctinae). *Journal of Hymenoptera Research* 9(2): 292-297.
- Marsh, P.M. & Shaw, S.R. 2001.** Revision of North American *Aleiodes* Wesmael (Part 6): the *gasterator* (Jurine) and *unipunctator* (Thunberg) species-groups (Hymenoptera: Braconidae: Rogadinae). *Proceedings of the Entomological Society of Washington* 103(2): 291-307.
- Marsh, P.M. & Achterberg, C. van 2002.** Revision of the genus *Psenobolus* Reinhard (Hymenoptera: Braconidae: Doryctinae). *Zoologische Mededelingen, Leiden* 76(1-16): 1-25.
- Marsh, P.M. 2002.** The Doryctinae of Costa Rica (excluding the genus *Heterospilus*). *Memoirs of the American Entomological Institute*. Volume 70: 1-229.
- Marsh, P.M. & Shaw, S.R. 2003.** Revision of North American *Aleiodes* Wesmael (Part 7): The *compressor* Herrich-Schaeffer, *ufei* (Walley), *gressitti* (Muesebeck) and *procerus* Wesmael species-groups (Hymenoptera: Braconidae: Rogadinae). *Proceedings of the Entomological Society of Washington* 105(3): 698-707.
- Marston, N.L., Hostetter, D.L., Pinnell, R.E., Dickerson, W.A. & Smith, D.B. 1984.** Natural mortality of lepidopteran eggs and larvae in Missouri soybeans. *Annals of the Entomological Society of America* 77(1): 21-28.
- Marti, D., Grossniklaus-Burgin, C., Wyder, S., Wyler, T. & Lanzrein, B. 2003.** Ovary development and polydnavirus morphogenesis in the parasitic wasp *Chelonus inanitus*. I. Ovary morphogenesis, amplification of viral DNA and ecdysteroid titres. *Journal of General Virology* 84(5): 1141-1150.
- Martikainen, P. & Koponen, M. 2001.** *Meteorus corax* Marshall, 1898 (Hymenoptera: Braconidae), a new species to Finland and Russian Karelia, with an overview of northern species of *Meteorus* parasitizing beetles. *Entomologica Fennica* 12(3): 169-172.
- Martin, P.B., Lingren, P.D., Greene, G.L. & Baumhover, A.H. 1981.** Seasonal occurrence of *Rachiplusia ou*, *Autographa biloba*, and associated entomophages in clover. *Journal of the Georgia Entomological Society* 16(3): 288-295.
- Martin, P.B., Lingren, P.D., Greene, G.L. & Grissell, E.E. 1981.** The parasitoid complex of three Noctuids (Lep.) in a northern Florida cropping system: Seasonal occurrence, parasitization, alternate hosts, and influence of host-habitat. *Entomophaga* 26(4): 401-419.
- Martinez, A.J., Bard, J. & Höller, T.C. 1988.** Mass rearing sugarcane borer and Mexican rice borer for production of parasites *Allorhogas pyralophagus* and *Rhacanotus roslinensis*. United States Department of Agriculture. Animal and Plant Health Insp. Serv. 83-1.
- Martinez Martinez, L., Bravo Mojica, H., Lopez Collado, J., Leyva Vazquez, J.L. & Trujillo Arriaga, J. 1993.** Supervivencia y fecundidad de cuatro phenas de *Diaschasmimorpha longicaudata* (Hymenoptera: Braconidae), parasitoides de moscas de la fruta (Diptera: Tephritidae). *Agrociencia Serie Proteccion Vegetal* 3(1)(Enero-Abril 1992): 53-67.
- Martinez, T., Burmester, T., Veenstra, J.A. & Wheeler, D. 2000.** Sequence and evolution of a hexamerin from the ant *Camponotus festinatus*. *Insect Molecular Biology* 9(4): 427-431.
- Martinez-Martinez, L., Leyva-Vazquez, J.L. & Mojica, H.B. 1993.** Utilization of sperm by females of *Diachasmimorpha longicaudata*. *Southwestern Entomologist* 18(4): 293-299.
- Marullo, R. & Marzo, L. de 1993.** On the presence of the aphid parasite *Monoclonia pistaciaecola* in southern Italy. *Informatore Fitopatologico* 43(10): 55-57.
- Marullo, R. 1985.** Sphere of activity of two species of endoparasitoids of aphids, *Lysiphlebus fabarum* (Marshall) and *Lysiphlebus testaceipes* (Cresson) (Hym.: Braconidae). *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri"*, Italy 42: 221-232.
- Marullo, R. 1986.** Mating behavior and longevity of a wide spread aphid parasitoid species in southern Italy, *Trioxys (Binodoxys) angelicae* (Haliday) (Hymenoptera: Braconidae). *Frustula Entomologica*, publ. 1989, 9: 201-213.
- Marullo, R. 1987.** Biological comparison between two species of aphid endoparasitoids, *Lysiphlebus testaceipes* (Cresson) and *Lysiphlebus fabarum* (Marshall) (Hym.: Braconidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 44: 81-96.
- Maruya, W.I., Gravena, S. & Pinto, A.S. de 2001.** Parasitism and *Nomuraea rileyi* (Farlow) Samson on defoliator caterpillar (Lepidoptera) in soyabean crop. *Boletin de Sanidad Vegetal, Plagas* 27(4): 561-567.
- Marzo, L. de & Marullo, R. 1993.** Presenza del parassitoide *Monoclonia pistaciaecola* in Basilicata e Puglia e sua biologia. *Informatore Fitopatologico* 43(10): 55-57.
- Marzo, L. de 2000.** Some anatomical remarks on the female internal genitalia in the Aphidiinae (Hymenoptera: Braconidae). *Redia* 83: 133-139.
- Maslennikova, V.A. & Mustafayeva, T.M. 1971.** An analysis of photoperiodic adaptations of *Apanteles glomeratus* L. (Hymenoptera, Braconidae) and *Pieris brassicae* L. (Lepidoptera: Pieridae). *Entomological Review* 50: 281-284.
- Masler, E.P. & Kovaleva, E.S. 1999.** Inhibition of larval growth in the gypsy moth (Lepidoptera: Lymantriidae) by venom from the parasitic wasp *Microbracon hebetor* (Hymenoptera: Braconidae). *Journal of Entomological Science* 34(4): 435-444.
- Mason, C.E., Romig, R.F., Wendel, L.E. & Wood, L.A. 1994.** Distribution and abundance of larval parasitoids of European corn borer (Lepidoptera: Pyralidae) in the East Central United States. *Environmental Entomology* 23(2): 521-531.
- Mason, J.L., Wright, S.E., Prokopy, R.J. & Driesche, R.G. van 1998.** Effect of reduced insecticide and fungicide use on parasitism of leafminers (*Phyllonorycter* spp.) (Lepidoptera: Gracillariidae) in commercial apple orchards. *Environmental Entomology* 27(3): 578-582.
- Mason, P.G., Erl & son, M.A. & Youngs, B.J. 2001.** Effects of parasitism by *Banchus flavescens* (Hymenoptera: Ichneumonidae) and *Microplitis mediator* (Hymenoptera: Braconidae) on the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae). *Journal of Hymenoptera Research* 10(1): 81-90.
- Mason, R.R. & Torgersen, T.R. 1987.** Dynamics of a non-outbreak population of the Douglas-fir tussock moth (Lepidoptera: Lymantriidae) in southern Oregon. *Environmental Entomology* 16(6): 1217-1227.
- Mason, W.R.M. 1964.** The genus *Chrysopophthorus* Goidanich (Hymenoptera: Braconidae). *Canadian Entomologist* 96: 1005-1017.
- Mason, W.R.M. 1968.** New Canadian Braconidae (Hymenoptera). *Canadian Entomologist* 100: 715-728.
- Mason, W.R.M. 1969.** Muesebeckiini, a new tribe of Braconidae (Hymenoptera). *Proceedings of the Entomological Society of Washington* 71(3): 263-278.
- Mason, W.R.M. 1973.** Recognition of *Zemiotes* (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 75(2): 213-215.
- Mason, W.R.M. 1974.** A generic synopsis of Brachistini (Hymenoptera: Braconidae) and recognition of the name *Charmon* Haliday. *Proceedings of the Entomological Society of Washington* 76(3): 235-246.
- Mason, W.R.M. 1974.** The *Apanteles* species (Hymenoptera: Braconidae) attacking Lepidoptera in the micro-habitat of the spruce budworm (Lepidoptera: Tortricidae). *Canadian Entomologist* 106: 1087-1102.

- Mason, W.R.M. 1975.** A new Nearctic *Apanteles* (Hymenoptera: Braconidae) from Oregon grape (Berberidaceae). Canadian Entomologist 107: 1133-1135.
- Mason, W.R.M. 1976.** A revision of *Dyscoletes* Haliday (Hymenoptera: Braconidae). Canadian Entomologist 108: 855-858.
- Mason, W.R.M. 1976.** The identity of *Macrocentrus uniformis* Provancher (nec Cresson), description of a sibling species and a possible grooming organ (Hym.: Braconidae). Naturaliste Canadien 103: 513-515.
- Mason, W.R.M. 1978.** A new genus, species and family of Hymenoptera (Ichneumonoidea) from Chile. Proceedings of the Entomological Society of Washington 80(4): 606-610.
- Mason, W.R.M. 1978.** A synopsis of the Nearctic Braconini, with revisions of Nearctic species of *Coeloides* and *Myosoma* (Hymenoptera: Braconidae). Canadian Entomologist 110: 721-765.
- Mason, W.R.M. 1978.** Ichneumonoid parasites (Hymenoptera) accidentally introduced into Canada. Canadian Entomologist 110: 603-608.
- Mason, W.R.M. 1979.** A new genus and species of Orgilini (Hymenoptera: Braconidae) from New Guinea. Proceedings of the Entomological Society of Washington 81(4): 640-644.
- Mason, W.R.M. 1979.** A new *Rogas* (Hymenoptera: Braconidae) parasite of tent caterpillars (*Malacosoma* spp.; Lepidoptera: Lasiocampidae) in Canada. Canadian Entomologist 111: 783-786.
- Mason, W.R.M. 1981.** The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): A phylogeny and reclassification of Microgastrinae. Memoirs of the Entomological Society of Canada. No. 115. 147 pp.
- Mason, W.R.M. 1983.** A new South African subfamily related to Cardiochilinae (Hymenoptera: Braconidae). Contributions to the American Entomological Institute 20: 49-62.
- Mason, W.R.M. 1984.** Two new species of Khoikhoiinae (Hym.: Braconidae). Oriental Insects 18: 285-288.
- Mason, W.R.M. 1985.** The correct spelling of *Adelius* Haliday (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 87(4): 896.
- Mason, W.R.M. 1986.** *Microgaster* Latreille, 1804. (Insecta, Hymenoptera): proposed designation of *Microgaster australis* Thomson, 1895 as type species. Z.N.(S.) 2397. Bulletin of Zoological Nomenclature 43(2): 173-174.
- Mason, W.R.M. 1987.** Discovery of female, *Apozyx* (Hymenoptera: Apozygidae) and comments on its taxonomic position. Proceedings of the Entomological Society of Washington 89(2): 226-229.
- Mason, W.R.M. 1987.** *Vadum*, a new genus of nearctic Braconidae (Hymenoptera). Proceedings of the Entomological Society of Washington 89(2): 325-328.
- Mason, W.R.M. 1991.** A new genus of exodont Ichneutinae (Hymenoptera: Braconidae). Insecta Mundi 5: 95-99.
- Mason, W.R.M. 1991.** Comments on the proposed designation of *Agathis longicauda* Boheman, 1853 as the type species of *Vipio* Latreille, 1804 (Insecta, Hymenoptera). Bulletin of Zoological Nomenclature 48(4): 331.
- Massa, B. & Rizzo, M.C. 2000.** *Agromyza hiemalis* Becker (Diptera: Agromyzidae) leaf-miner of nettle (*Urtica* spp.): phenology and parasitoids in Italy. Phytophaga Palermo 10: 53-67.
- Masum, A. & Hodgson, C.J. 1997.** Host discrimination between parasitized and unparasitized aphids by *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae). Bangladesh Journal of Entomology 7(1-2): 61-66.
- Masum, A. & Hodgson, C.J. 2002.** Residual period of some commonly used insecticides and their effect on the searching behaviour of *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae). Agricultura Tropica et Subtropica 35: 85-92.
- Masurier, A.D. le & Waage, J.K. 1993.** A comparison of attack rates in a native and an introduced population of the parasitoid *Cotesia glomerata*. Biocontrol Science and Technology 3(4): 467-474.
- Masurier, A.D. le 1987.** A comparative study of the relationship between host size and brood size in *Apanteles* spp. (Hymenoptera: Braconidae). Ecological Entomology 12(4): 383-393.
- Masurier, A.D. le 1990.** Host discrimination by *Cotesia* (= *Apanteles*) *glomerata* parasitising *Pieris brassicae*. Entomologia Experimentalis et Applicata 54(1): 65-72.
- Masurier, A.D. le 1991.** Effect of host size on clutch size in *Cotesia glomerata*. Journal of Animal Ecology 60(1): 107-118.
- Masurier, A.D. le 1994.** Costs and benefits of egg clustering in *Pieris brassicae*. Journal of Animal Ecology 63(3): 677-685.
- Matama-Kauma, T., Kyamanywa, S., Ogwang, J.A., Omwega, C.O. & Willson, H.R. 2001.** Cereal stemborer species complex and establishment of *Cotesia flavipes* Cameron in Eastern Uganda. Insect Science and its Application 21(4): 317-325.
- Mateias, M.C. 1994.** Elements of integrated control involved in maintaining the biological balance of lucerne crop agroecosystem. Romanian Agricultural Research 1: 77-84.
- Matejko, I. & Sullivan, D.J. 1980.** Bionomics and behavior of *Alloxysta megourae*, an aphid hyperparasitoid (Hymenoptera: Alloxystidae). Journal of the New York Entomological Society 87(4) (1979): 275-282.
- Matejko, I. & Sullivan, D.J. 1984.** Interspecific tertiary parasitoidism between two aphid hyperparasitoids: *Dendrocerus carpenteri* and *Alloxysta megourae* (Hymenoptera: Megaspilidae Cynipidae). Journal of the Washington Academy of Sciences 74: 31-38.
- Mathavan, S. & Christopher, M.S.M. 1986.** Role of a hymenopteran parasite and a bacterium in the regulation of a lepidopteran pest in a tropical ecosystem: 229-235. Hussein, M.Y. & Ibrahim, A.G. [eds]. Biological control in the tropics. Proceedings of the 'First Regional Symposium on Biological Control' held at Universiti Pertanian Malaysia, Serdang from 4-6 September, 1985. Penerbit Universiti Pertanian Malaysia, Serdang 1986: i-xviii, 1-516.
- Mathew, K.P., Abraham, C.C., Visalakshi, A. & Nair, M.R.G.K. 1980.** On the improvement of female production in *Bracon brevicornis* Wesm. Entomon 5(3): 173-174.
- Mathews, P.L. & Stephen, F.M. 1997.** Effect of artificial diet on longevity of adult parasitoids of *Dendroctonus frontalis* (Coleoptera: Scolytidae). Environmental Entomology 26(4): 961-965.
- Mathews, P.L. & Stephen, F.M. 1999.** Effects of an artificial diet and varied environmental conditions on longevity of *Coeloides pissodis* (Hymenoptera: Braconidae), a parasitoid of *Dendroctonus frontalis* (Coleoptera: Scolytidae). Environmental Entomology 28(4): 729-734.
- Mathur, K.C. 1967.** Contribution to the knowledge of the natural enemies of *Bissetia steniellus*. Entomophaga 12(5): 443-448.
- Matpaeva, B.B., Kozhakhmetova, F.K. & Asylova, R.N. 1990.** Entomophages in the greenhouse. Zashchita Rastenii Moskva 5: 10-11.
- Matrangolo, W.J.R., Nascimento, A.S., Carvalho, R.S., Melo, E.D. & Jesus, M. de 1998.** Parasitoids of fruit flies (Diptera: Tephritidae) associated with tropical fruits. Anais da Sociedade Entomologica do Brasil 27(4): 593-603.
- Matskevich, M.N. 1989.** Attempts to use *Aphidius*. Zashchita Rastenii Moskva 1: 30.
- Matsuda, S. & Nakamura, S. 1999.** The insects of the basin of the Gouno River, Hiroshima and Shimane Prefecture. Miscellaneous Reports of the Hiwa Museum for Natural History 37: 39-176.
- Matsui, M. 1996.** Comparison of the efficacy of three parasites, *Aphidius colemani* Viereck, *Lysiphlebus japonicus* Ashmead and *Aphelinus abdominalis* Dalman, in suppressing the population density of the melon aphid, *Aphis gossypii* Glover, in plastic

- cages. Proceedings of the Kanto Tosan Plant Protection Society 43: 203-206.
- Matsumura, M. 1992.** Life tables of the migrant skipper, *Parnara guttata guttata* Bremer et Grey (Lepidoptera: Hesperidae) in the northern peripheral area of its distribution. Applied Entomology and Zoology 27(3): 331-340.
- Matteoni, J., Elliot, D., Cahn, D., Ravensberg, W.J. & Dissevelt, M. 1993.** Chemical effects on greenhouse biological control agents. Grower Talks 57(4): 81-85.
- Matthews, R.W. & Marsh, P.M. 1969.** On the status of Cresson's *Stenophasmus* species from Cuba (Hymenoptera: Braconidae: Doryctinae). Proceedings of the Entomological Society of Washington 71(1): 94-98.
- Matthews, R.W. 1969.** The behavior of three wasp parasites of a Costa Rican bark beetle, with description of a new species of *Ecphyllus*. Journal of the Georgia Entomological Society 4(3): 111-118.
- Matthews, R.W. 1970.** A revision of the genus *Spathius* in America north of Mexico (Hymenoptera, Braconidae). Contributions of the American Entomological Institute 4: 1-86.
- Matthews, R.W. & Marsh, P.M. 1973.** *Notiospathius*, a new neotropical genus (Hymenoptera: Braconidae). Journal of the Washington Academy of Sciences 63(2): 73-75.
- Matthews, R.W. 1974.** Biology of Braconidae. Annual Review of Entomology 19: 15-32.
- Mattiacci, L. & Dicke, M. 1995.** Host-age discrimination during host location by *Cotesia glomerata*, a larval parasitoid of *Pieris brassicae*. Entomologia Experimentalis et Applicata 76(1): 37-48.
- Mattiacci, L. & Dicke, M. 1995.** The parasitoid *Cotesia glomerata* (Hymenoptera: Braconidae) discriminates between first and fifth larval instars of its host *Pieris brassicae*, on the basis of contact cues from frass, silk, and herbivore-damaged leaf tissue. Journal of Insect Behavior 8(4): 485-498.
- Mattiacci, L., Dicke, M. & Posthumus, M.A. 1994.** Induction of parasitoid attracting synomone in Brussels sprouts plants by feeding of *Pieris brassicae* larvae: role of mechanical damage and herbivore elicitor. Journal of Chemical Ecology 20(9): 2229-2247.
- Mattiacci, L., Dicke, M. & Posthumus, M.A. 1995.** beta-Glucosidase: an elicitor of herbivore-induced plant odor that attracts host-searching parasitic wasps. Proceedings of the National Academy of Sciences of the United States of America 92(6): 2036-2040.
- Mattiacci, L., Ambuehl Rocca, B., Scascighini, N., D'alessandro, M., Hern, A. & Dorn, S. 2001.** Systemically induced plant volatiles emitted at the time of "danger". Journal of Chemical Ecology 27(11): 2233-2252.
- Mattiacci, L., Rudelli, S., Ambuehl Rocca, B., Genini, S. & Dorn, S. 2001.** Systemically-induced response of cabbage plants against a specialist herbivore, *Pieris brassicae*. Chemoecology 11(4): 167-173.
- Matveeva, V.A. 2002.** Biometod in Kuzbass. Zashchita i Karantin Rastenii 5: 24.
- Mau, R.F.L., Murai, K., Kumashiro, B. & Teramoto, K. 1980.** Biological control of the banana skipper *Pelopidas thrax* (Linnaeus), (Lepidoptera: Hesperidae) in Hawaii. Proceedings of the Hawaiian Entomological Society 23(2): 231-238.
- Mayer, D.F. & Beirne, B.P. 1974.** Aspects of the ecology of apple leaf rollers (Lepidoptera: Tortricidae) in the Okanagan Valley, British Columbia. Canadian Entomologist 106: 349-352.
- Mayer, D.F., Baird, C.R. & Simko, B. 1998.** Parasitism of *Lygus* spp. (Hemiptera: Miridae) by *Peristenus* (Hymenoptera: Braconidae) in the Pacific Northwest. Journal of the Entomological Society of British Columbia 95: 53-57.
- Mayhew, P.J. 1998.** The life-history of parasitoid wasps developing in small gregarious broods. Netherlands Journal of Zoology 48(3): 225-240.
- Mayhew, P.J. & Alphen, J.J.M. van 1999.** Gregarious development in alysiine parasitoids evolved through a reduction in larval aggression. Animal Behaviour 58(1): 131-141.
- Mays, W.T. & Kok, L.T. 1997.** Oviposition, development, and host preference of the cross-striped cabbageworm (Lepidoptera: Pyralidae). Environmental Entomology 26(6): 1354-1360.
- Mbapila, J.C. & Overholt, W.A. 1997.** Oviposition, development and searching behaviour of *Cotesia flavipes* Cameron and *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae) in relation to aestivating and non-aestivating *Chilo* spp. (Lepidoptera: Pyralidae) larvae in maize. African Entomology 5(1): 35-39.
- Mbapila, J.C. & Overholt, W.A. 2001.** Comparative development, longevity and population growth of exotic and native parasitoids of lepidopteran cereal stemborers in Kenya. Bulletin of Entomological Research 91(5): 347-353.
- McAllister, M.K. & Roitberg, B.D. 1987.** Adaptive suicidal behaviour in pea aphids. Nature 328(6133): 797-798.
- McAllister, M.K., Roitberg, B.D. & Weldon, K.L. 1990.** Adaptive suicide in pea aphids: Decisions are cost sensitive. Animal Behaviour 40: 167-175.
- McBrien, H. & Mackauer, M. 1990.** Heterospecific larval competition and host discrimination in two species of aphid parasitoids: *Aphidius ervi* and *Aphidius smithi*. Entomologia Experimentalis et Applicata 56(2): 145-153.
- McBrien, H. & Mackauer, M. 1991.** Decision to superparasitize based on larval survival: competition between aphid parasitoids *Aphidius ervi* and *Aphidius smithi*. Entomologia Experimentalis et Applicata 59(2): 145-150.
- McCabe, T.L. 1996.** The biology of *Nola pustulata* (Walker) (Lepidoptera: Noctuidae; Nolinae). Journal of the New York Entomological Society 104(1-2): 79-82.
- McCall, P.J., Turlings, T.C.J., Lewis, W.J. & Tumlinson, J.H. 1993.** Role of plant volatiles in host location by the specialist parasitoid *Microplitis croceipes* Cresson (Braconidae: Hymenoptera). Journal of Insect Behavior 6(5): 625-639.
- McComb, C.W. 1965.** A new *Chelonus* (*Microchelonus*) from western United States (Hymenoptera: Braconidae). Entomological News 76(7): 179-181.
- McComb, C.W. 1968.** A revision of the *Chelonus* subgenus *Microchelonus* in North America north of Mexico (Hymenoptera: Braconidae). University of Maryland Agricultural Experiment Station Bulletin A-149: 1-148.
- McCrary, K.W. & Berisford, C.W. 2000.** Parasitoids of the Nantucket pine tip moth (Lepidoptera: Tortricidae) in the coastal plain of Georgia. Journal of Entomological Science 35(3): 220-226.
- McCutchen, B.F., Herrmann, R., Heinz, K.M., Parrella, M.P. & Hammock, B.D. 1996.** Effects of recombinant baculoviruses on a nontarget endoparasitoid of *Heliothis virescens*. Biological Control 6(1): 45-50.
- McCutcheon, G.S. & Turnipseed, S.G. 1981.** Parasites of Lepidopterous larvae in insect resistant and susceptible soybeans in South Carolina. Environmental Entomology 10(1): 69-74.
- McCutcheon, G.S., Salley, W.Z. Jr. & Turnipseed, S.G. 1983.** Biology of *Apanteles ruficrus*, an imported parasitoid of *Pseudoplusia includens*, *Trichoplusia ni*, and *Spodoptera frugiperda* (Lepidoptera: Noctuidae). Environmental Entomology 12: 1055-1058.
- McCutcheon, G.S. & Harrison, W. 1987.** Host range and development of *Microplitis rufiventris* (Hymenoptera: Braconidae), an imported parasitoid of several lepidopterous pests. Environmental Entomology 16: 855-858.
- McCutcheon, G.S. 1988.** Potential of the parasitoid *Cotesia marginiventris* as a bio-control agent of lepidopterous larvae in

- soybean. Dissertation Abstracts International B Sciences and Engineering 48(11) 1988: 3191.
- McCutcheon, G.S. & Turnipseed, S.G. 1989.** Effect of planting date on parasitization of soybean lepidopterans by *Cotesia marginiventris* (Hymenoptera: Braconidae). *Journal of Agricultural Entomology* 6(2): 127-136.
- McCutcheon, G.S., Turnipseed, S.G. & Sullivan, M.J. 1990.** Parasitization of lepidopterans as affected by nematicide-insecticide use in soybean. *Journal of Economic Entomology* 83(3): 1002-1007.
- McCutcheon, G.S. 1991.** Late-season parasitoids of the fall armyworm in South Carolina. *Journal of Agricultural Entomology* 8(3): 219-221.
- McCutcheon, G.S., Sullivan, M.J. & Turnipseed, S.G. 1991.** Pre-imaginal development of *Cotesia marginiventris* (Hymenoptera: Braconidae) in soybean looper (Lepidoptera: Noctuidae) on insect-resistant soybean genotypes. *Journal of Entomological Science* 26(4): 381-389.
- McCutcheon, G.S., Turnipseed, S.G. & Sullivan, M.J. 1997.** Green cloverworm (Lepidoptera: Noctuidae) as an alternate host for natural enemies of Lepidoptera pests of soybean in South Carolina. *Journal of Agricultural Entomology* 14(2): 105-119.
- McDonald, G. & Smith, A.M. 1986.** The incidence and distribution of the armyworms *Mythimna convecta* (Walker) and *Persectania* spp. (Lepidoptera: Noctuidae) and their parasitoids in major agricultural districts of Victoria, south-eastern Australia. *Bulletin of Entomological Research* 76(2): 199-210.
- McDonald, R.C., Kok, L.T. & Yousten, A.A. 1990.** Response of fourth instar *Pieris rapae* parasitized by the braconid *Cotesia rubecula* to *Bacillus thuringiensis* subsp. *kurstaki* delta-endotoxin. *Journal of Invertebrate Pathology* 56(3): 422-423.
- McDonald, R.C. & Kok, L.T. 1991.** Hyperparasites attacking *Cotesia glomerata* (L.) and *Cotesia rubecula* (Marshall) (Hymenoptera: Braconidae) in Southwestern Virginia. *Biological Control* 1(2): 170-175.
- McDonald, R.C. & Kok, L.T. 1992.** Colonization and hyperparasitism of *Cotesia rubecula* (Hym.: Braconidae), a newly introduced parasite of *Pieris rapae*, in Virginia. *Entomophaga* 37(2): 223-228.
- McFadden, M.W. 1969.** Successful laboratory mating of *Apanteles congregatus*, a parasite of the tobacco hornworm, *Manduca sexta*. *Annals of the Entomological Society of America* 62(2): 342-344.
- McFadden, T.L. & Creighton, C.S. 1979.** Annotated checklist of parasites associated with vegetable insects. *Journal of the Georgia Entomological Society* 14(4): 281-285.
- McFadyen, R.E. 1998.** Parasitoids of the arctiid moth *Pareuchaetes pseudoinsulata* (Lep.: Arctiidae), an introduced biocontrol agent against the weed *Chromolaena odorata* (Asteraceae), in Asia and Africa. *Entomophaga* 42(4) (1997): 467-470.
- McGeoch, M.A. 1993.** The Microlepidoptera associated with a fungus gall on *Acacia karroo* Hayne in South Africa. *African Entomology* 1(1): 49-56.
- McGhehey, J.H. & Nagel, W.P. 1969.** The biologies of *Pseudophyllinus tsugae* and *P. grandis* (Coleoptera: Scolytidae) in western hemlock. *Canadian Entomologist* 101: 269-279.
- McGovern, W.L. & Cross, W.H. 1974.** Oviposition of a parasite *Bracon mellitor* attacking larvae of the boll weevil inside the cotton square. *Annals of the Entomological Society of America* 67(3): 520-521.
- McGovern, W.L., Cross, W.H. & Harris, W. 1975.** Implications of early emergence of *Bracon mellitor*, a parasite of the boll weevil. *Journal of the Georgia Entomological Society* 10: 179-186.
- McGregor, M.D. & Sin, L.O. 1968.** Observations on the pinyon pine sawfly, *Neodiprion edulicolus*, in eastern Nevada (Hymenoptera: Diprionidae). *Canadian Entomologist* 100: 51-57.
- McGregor, M.D. 1970.** Biological observations on the life history and habits of *Choristoneura lambertiana* (Lepidoptera: Tortricidae) on lodgepole pine in southeastern Idaho and western Montana. *Canadian Entomologist* 102: 1201-1208.
- McGregor, R. & Mackauer, M. 1989.** Toxicity of carbaryl to the pea-aphid parasite *Aphidius smithi*: influence of behaviour on pesticide uptake. *Crop Protection* 8(3): 193-196.
- McHugh, J.V. 1993.** First records of parasitoids for slime mold beetles of the family Sphindidae (Coleoptera: Cucujoidea). *Entomological News* 104(3): 136-138.
- McInnis, D.O., Wong, T.T.Y. & Nishimoto, J. 1986.** The inheritance of a black body mutant of *Biosteres longicaudatus* (Hymenoptera: Braconidae) from Hawaii. *Proceedings of the Hawaiian Entomological Society* 27: 37-40.
- McKelvey, T.A., Lynn, D.E., Gundersen-Rindal, D., Guzo, D., Stoltz, D.A., Guthrie, K.P., Taylor, P.B. & Dougherty, E.M. 1996.** Transformation of gypsy moth (*Lymantria dispar*) cell lines by infection with *Glyptapanteles indiensis* polydnavirus. *Biochemical and Biophysical Research Communications* 225(3): 764-770.
- McKnight, M.E. 1971.** Biology and habits of *Bracon politiventris* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 64(3): 620-624.
- McKnight, M.E. 1974.** Parasitoids of the western spruce budworm in Colorado. *Environmental Entomology* 3(1): 186-187.
- McLaughlin, R.E. & Adams, C.H. 1966.** Infection of *Bracon mellitor* (Hymenoptera: Braconidae) by *Mattesia grandis* (Protozoa: Neogregarinida). *Annals of the Entomological Society of America* 59: 800-802.
- McLeod, J.M. 1977.** Distribution of ovipositional attacks by parasitoids on overwintering larvae of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae). *Canadian Entomologist* 109(6): 789-796.
- McLeod, P. 1989.** Seasonal abundance and within-plant distribution of *Myzus persicae* (Homoptera: Aphididae) on overwintering spinach. *Journal of the Kansas Entomological Society* 62(4): 596-600.
- McNamee, S. 1993.** Collection of *Drosophila ambigua* from an alcoholic resource in Scotland. *Drosophila Information Service* 72: 111.
- McNeil, J.M. & Rabb, R.L. 1973.** Life history and seasonal biology of four hyperparasite of the tobacco hornworm *Manduca sexta* (Lepidoptera: Sphingidae). *Canadian Entomologist* 105: 1041-1052.
- McNeil, J.N. & Turgeon, J.J. 1988.** Primary parasitoids of the true armyworm, *Pseudaletia unipunctata* (Lepidoptera: Noctuidae), in Quebec. *Revue d'Entomologie du Québec* 33(1/2): 1-8.
- McNeil, J.N. & Brodeur, J. 1995.** Pheromone-mediated mating in the aphid parasitoid, *Aphidius nigripes* (Hymenoptera: Aphididae). *Journal of Chemical Ecology* 21(7): 959-972.
- McNeill, M.R. & Chapman, R.B. 1989.** The toxicities of chlorpyrifos and fenitrothion to *Microctonus aethiopoies* and *Sitona discoideus*. *Proceedings of the Forty Second New Zealand Weed and Pest Control Conference, Taranki Country Lodge, New Plymouth, 8-10 August 1989.* 76-80.
- McNeill, M.R., Phillips, C.B. & Goldson, S.L. 1993.** Diagnostic characteristics and biology of three *Microctonus* spp. (Hymenoptera: Braconidae: Euphorinae) parasitoids of weevils (Coleoptera: Curculionidae) in New Zealand pasture and lucerne. *New Zealand Entomologist* 16: 39-44.
- McNeill, M.R., Hunt, L.M. & Chapman, R.B. 1996.** Field application and effects of chlorpyrifos residues on *Sitona discoideus* (Coleoptera: Curculionidae) adults and implications for biological control by *Microctonus aethiopoies* (Hymenoptera: Braconidae). *Bulletin of Entomological Research* 86(5): 559-566.

- McNeil, M.R., Goldson, S.L. & Baird, D.B. 1996. Evidence of host discrimination by *Microctonus hyperodae* Loan (Hymenoptera: Braconidae: Euphorinae), a parasitoid of the Argentine stem weevil *Listronotus bonariensis* (Kuschel) (Coleoptera: Curculionidae). *Biocontrol Science and Technology* 6(1): 77-89.
- McNeill, M.R., Baird, D.B. & Goldson, S.L. 1998. Evidence of density-dependent oviposition behaviour by *Listronotus bonariensis* (Coleoptera: Curculionidae) in Canterbury pasture. *Bulletin of Entomological Research* 88(5): 527-536.
- McNeill, M.R., Goldson, S.L., Proffitt, J.R., Addison, P.J., Phillips, C.B. & Matthiessen, J.N. 1999. Selling parasitoids to the pastoral industry: a review of the commercial biological control program targeting *Listronotus bonariensis* (Kuschel) (Coleoptera: Curculionidae). *Proceedings of the 7th Australasian Conference on Grassland Invertebrate Ecology* 137-145.
- McNeill, M.R., Vittum, P.J. & Baird, D.B. 1999. Suitability of *Listronotus maculicollis* (Coleoptera: Curculionidae) as a host for *Microctonus hyperodae* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 92(6): 1292-1300.
- McNeill, M.R., Vittum, P.J. & Jackson, T.A. 2000. *Serratia marcescens* as a rapid indicator of *Microctonus hyperodae* oviposition activity in *Listronotus maculicollis* and potential application of the technique to host-specificity testing. *Entomologia Experimentalis et Applicata* 95(2): 193-200.
- McNeill, M.R., Barratt, B.I.P. & Evans, A.A. 2000. Behavioural acceptability of *Sitona lepidus* (Coleoptera: Curculionidae) to the parasitoid *Microctonus aethiopoulos* (Hymenoptera: Braconidae) using the pathogenic bacterium *Serratia marcescens* Bizio. *Biocontrol Science and Technology* 10(3): 205-213.
- McNeill, M.R. 2000. Effect of container type on suitability of the pathogen *Serratia marcescens*-*Microctonus hyperodae* (Hym.: Braconidae) association to indicate parasitoid oviposition attempts. *Journal of Applied Entomology* 124(2): 93-98.
- McNeill, M.R., Addison, P.J., Proffitt, J.R., Phillips, C.B., Goldson, S.L. & Zydenbos, S.M. 2002. *Microctonus hyperodae*: a summary of releases and distribution in New Zealand pasture. *New Zealand Plant Protection Volume 55, 2002. Proceedings of a conference, Centra Hotel, Rotorua, New Zealand, 13-15 August 2002*: 272-279.
- McNeill, M.R., Goldson, S.L., Proffitt, J.R., Phillips, C.B. & Addison, P.J. 2002. A description of the commercial rearing and distribution of *Microctonus hyperodae* (Hymenoptera: Braconidae) for biological control of *Listronotus bonariensis* (Kuschel) (Coleoptera: Curculionidae). *Biological Control* 24(2): 167-175.
- McNeill, M.R., Kean, J.M., Goldson, S.L. & Zydenbos, S.M. 2002. Parasitism by *Microctonus aethiopoulos* on a novel host, *Listronotus bonariensis*, in Canterbury pastures. *New Zealand Plant Protection Volume 55, 2002. Proceedings of a conference, Centra Hotel, Rotorua, New Zealand, 13-15 August 2002*. 280-286.
- Mead-Briggs, M. 1992. A laboratory method for evaluating the side-effects of pesticides on the cereal aphid parasitoid *Aphidius rhopalosiphii* (de Stefani-Perez). *Aspects of Applied Biology* 31: 179-189.
- Meagher, R.L. Jr., Smith, J.W. Jr., Browning, H.W. & Saldana, R.R. 1998. Sugarcane stem borers and their parasites in southern Texas. *Environmental Entomology* 27(3): 759-766.
- Medina, S., Bennett, E.D., Franqui, R.A. & Segarra Carmona, A. 1994. New records of, and notes on, insects (Insecta) from Puerto Rico. *Journal of Agriculture of the University of Puerto Rico* 78(3-4): 181-186.
- Medina, T.M.C., Camacho, D.P., Luque, Z.J.E. & Siabatto, P.A. 1988. Life cycle and description of *Chelonus insularis* Cresson (Hymenoptera: Braconidae), a parasitoid of Spodoptera spp. *Revista Colombiana de Entomologia* 14(1): 13-21.
- Medrzycki, P., Cesari, M. & Maini, S. 2002. *Lysiphlebus testaceipes* on *Aphis gossypii*: studies on remote host discrimination. *Bulletin of Insectology* 55(1-2): 29-33.
- Medvedev, G.S. 1986 [ed.]. Key to insects of the European part of the USSR. Vol. III. Hymenoptera. Part V. Izdatel'stvo 'Nauka', Leningradskoe Otdelenie; Leningrad; USSR: 1-308.
- Medvedev, G.S. 1995 [ed.]. Keys to the insects of the European part of the USSR, vol. III: Hymenoptera, part IV: Braconidae. New Delhi: i-xvi + 1-883.
- Medvedev, G.S. 1995 [ed.]. Keys to the insects of the European part of the USSR, Volume III: Hymenoptera, Part V. Braconidae, Aphidiidae. Lebanon; USA.: i-xii + 1-507.
- Meesters, P. & Pitsioudis, A. 1993. Year-round culture of autumn raspberries under heated glass (part 2). *Fruittel* 6(16): 8-9.
- Meesters, P., Sterk, G., Latet, G. & Polesny, F. 1998. Aspects of integrated production of raspberries and strawberries in Belgium. *Integrated plant protection in orchards, soft fruits. Workshop held in Vienna, Austria, 7-10 October, 1997. Bulletin OILB SROP* 21(10): 45-50.
- Megahed, M.M., Abou-Zeid, N. & Abbas, M.S.T. 1987. Studies on *Apanteles litae* Nixon var. *operculellae* a larval parasite of the potato tuber moth *Phthorimaea operculella* Zell. 1. The immature stages. *Agricultural Research Review (Cairo)* 65(1) 1987: 91-99.
- Megahed, M.M., Abou-Zeid, N. & Abbas, M.S.T. 1987. Studies on *Apanteles litae* Nixon var. *operculellae*, a larval parasite of the potato-tuber moth *Phthorimaea operculella* Zell. 2. Adult stage. *Agricultural Research Review (Cairo)* 65(1) 1987: 101-108.
- Mehrnejad, M.R. & Achterberg, C. van 2002. The braconid parasitoids (Hymenoptera: Braconidae) of *Kermania pistaciella* Amsel (Lepidoptera: Tineidae: Hieroxestinae) in Iran. *Zoologische Mededelingen, Leiden* 76(1-16): 27-39.
- Mehrnejad, M.R., Batlle, I., Hormaza, I. & Espiau, M.T. 2002. The natural parasitism ratio of the pistachio twig borer moth, *Kermania pistaciella*, in Iran. *Proceedings of the 3rd International Symposium on Pistachios and Almonds, 12th Colloquium of GREMPA, Zaragoza, Spain, 20-24 May, 2001. Acta Horticulturae* 591: 541-544.
- Mehta, K. 1999. New record of parasitoids of pea leaf miner in Himachal Pradesh. *Insect Environment* 4(4): 154-155.
- Meijden, E. van der 1980. Can hosts escape from their parasitoids? The effects of food shortage on the braconid parasitoid *Apanteles popularis* and its host *Tyria jacobaeae*. *Netherlands Journal of Zoology* 39(2): 372-392.
- Meijden, E. van der & Veen-van Wijk, C.A.M. van der 1997. Trithrophic metapopulation dynamics. A case study of ragwort, the cinnabar moth, and the parasitoid *Cotesia popularis*: 387-405. In: Hanski, I.A. & Gilpin, M.E. [eds]. *Metapopulation biology: ecology, genetics and evolution*. Academic Press, San Diego, London etc.: i-xvi, 1-512.
- Meijden, E. van der, Veen-van Wijk, C.A.M. van der & Ginneken, V.J.T. van 2000. *Cotesia (Apanteles) popularis* L. parasitoids do not always kill their host. *Entomologist's Monthly Magazine* 136 (1632-1635): 117-120.
- Meiners, T., Wackers, F. & Lewis, W.J. 2002. The effect of molecular structure on olfactory discrimination by the parasitoid *Microplitis croceipes*. *Chemical Senses* 27(9): 811-816.
- Meiners, T., Wackers, F. & Lewis, Wallace J. 2003. Associative learning of complex odours in parasitoid host location. *Chemical Senses* 28(3): 231-236.
- Meinke, L.J. & Slosser, J.E. 1981. Boll weevil parasite surveys in the northern Texas rolling plains. *Journal of Economic Entomology* 74(5): 506-509.
- Meinke, L.J. & Slosser, J.E. 1982. Fall mortality of the boll weevil in fallen cotton squares, with emphasis on parasite induced mortality. *Environmental Entomology* 11(2): 318-323.

- Meinke, L.J. & Slosser, J.E. 1985.** *Bracon mellitor* Say (Hymenoptera: Braconidae) diapause in the Texas rolling plains. *Annals of the Entomological Society of America* 78(3): 376-380.
- Melia, A. 1993.** Evolucion poblacional de *Toxoptera aurantii* (Boyer de Fonscolombe) (Homoptera: Aphididae) en los últimos quince años y su relación a la aparición de *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphididae). *Boletín de Sanidad Vegetal Plagas* 19(4) (4º Trimestre): 609-617.
- Melia, A. 1993.** Population development of *Toxoptera aurantii* (Boyer de Fonscolombe) (Homoptera: Aphididae) during the last fifteen years and its relationship to the appearance of *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphididae). *Boletín de Sanidad Vegetal, Plagas* 19(4): 609-617.
- Melo, L.A.S. 1990.** Biological control of agricultural pests in Brazil. *Investigação Agrária, Cape Verde* 3(2): 35-38.
- Melo, G.A.R. de & Campos, L.A.d.O. 1993.** Nesting biology of *Microstigmus myersi* Turner, a wasp with long-haired larvae (Hymenoptera: Sphecidae, Pemphredoninae). *Journal of Hymenoptera Research* 2(1): 183-188.
- Meloche, F. & Guppy, J.C. 1989.** Encapsulation of eggs and larvae of *Dacnusa dryas* (Hymenoptera: Braconidae) by the alfalfa blotch leafminer (Diptera: Agromyzidae) and its importance in host-parasite coexistence. *Environmental Entomology* 19(2): 423-427.
- Melton, C.W. & Browning, H.W. 1986.** Life history and reproductive biology of *Allorhogas pyralophagus* (Hymenoptera: Braconidae), a parasite imported for release against *Eoreuma loftini* (Lepidoptera: Pyralidae). *Annals of the Entomological Society of America* 79(3): 402-406.
- Melville, R.V. 1985.** Comments on the proposed conservation of *Dapsilarthra* Foerster, 1862. *Z.N.(S.)* 2312 (4). *Bulletin of Zoological Nomenclature* 42(2): 103.
- Melzer, A., Schneider, M.A. & Lamb, D. 1994.** Insects associated with the faecal pellets of the Koala, *Phascolarctos cinereus* Goldfuss. *Australian Entomologist* 21(3): 69-70.
- Men, U.B. & Kalkar, H.G. 1997.** Record of *Syrphophagus aphidivorus* Mayr (Hymenoptera: Encyrtidae) a hyperparasitoid of a primary parasitoid, *Diaeretiella rapae* M'Intosh (Hymenoptera: Braconidae) on mustard aphid, *Lipaphis erysimi* Kalténarch (Homoptera: Aphididae). *PKV Research Journal* 21(2): 197-198.
- Men, U.B. & Thakre, H.S. 1998.** Field parasitization of sunflower semilooper, *Thysanoplusia orichalcea* F. by various parasitoids. *PKV Research Journal* 22(2): 219-221.
- Men, U.B. & Thakre, H.S. 1998.** Parasitoids, predators and pathogens recorded on sunflower semilooper, *Thysanoplusia orichalcea* F. in Vidarbha. *PKV Research Journal* 22(2): 218-219.
- Men, U.B. 1999.** Braconid parasitoids from neem semilooper, *Hyponomecis* sp. in Vidarbha, Maharashtra. *Insect Environment* 5(1): 27.
- Men, U.B. & Kalkar, H.G. 2000.** Record of *Apanteles stantoni* Ashmead (Hymenoptera: Braconidae) a pupal parasitoid of mustard leaf webber, *Crocidolomia pavonana* Fabricius (Lepidoptera: Pyralidae). *Insect Environment* 6(3): 131-132.
- Men, U.B., Bhabad, N.S. & Kalkar, H.G. 2003.** Relative safety of some biopesticides and insecticides to *Diaeretiella rapae* (M'Intosh), a parasitoid of mustard aphid, *Lipaphis erysimi* (Kaltenbach). *Pest Management and Economic Zoology* 10(2)(December 2002): 201-203.
- Menalled, F.D., Marino, P.C., Gage, S.H. & Lis, D.A. 1999.** Does agricultural landscape structure affect parasitism and parasitoid diversity? *Ecological Applications* 9(2): 634-641.
- Mendel, Z. & Halperin, J. 1981.** Parasites of bark beetles (Col.: Scolytidae) on pine and cypress in Israel. *Entomophaga* 26: 375-379.
- Mendel, Z. 1986.** Comparison between two methods for the determination of the hymenopterous parasitoid complex of bark beetles (Scolytidae). *Journal of Applied Entomology* 101(3): 278-282.
- Mendel, Z. 1986.** Hymenopterous parasitoids of bark beetles (Scolytidae) in Israel: host relation, host plant, abundance and seasonal history. *Entomophaga* 31(2): 113-125.
- Mendel, Z. 1986.** Hymenopterous parasitoids of bark beetles (Scolytidae) in Israel: relationships between host and parasitoid size and sex ratio. *Entomophaga* 31(2): 127-137.
- Mendel, Z. 1988.** Effects of food, temperature, and breeding conditions on the life span of adults of three cohabitating bark beetle (Scolytidae) parasitoids (Hymenoptera). *Environmental Entomology* 17(2): 293-298.
- Mendel, Z., Podoler, H. & Livne, H. 1990.** Interactions between *Aulonium ruficornis* (Coleoptera: Colydiidae) and other natural enemies of bark beetles (Coleoptera: Scolytidae). *Entomophaga* 35(1): 99-105.
- Mendes, S., Cervino, M.N., Bueno, V.H.P. & Auad, A.M. 2000.** The diversity of aphids and their parasitoids and predators in alfalfa crops. *Pesquisa Agropecuária Brasileira* 35(7): 1305-1310.
- Menter, H.D. & Wilde, G. 1973.** Susceptibility of the convergent lady beetle to parasitism by *Perilitus coccinellae* (Schrank) (Hymenoptera: Braconidae). *Journal of the Kansas Entomological Society* 46(3): 359-362.
- Mercado, I. & Wharton, R.A. 2000.** *Toxoneuron* (Hymenoptera: Braconidae): designation of a neotype for its type species, *T. viator*, and discovery of a possible senior synonym of its best known species, *T. nigriceps*. *Annals of the Entomological Society of America* 93(2): 208-219.
- Mercado, I. & Wharton, R.A. 2003.** Mexican cardiochiline genera (Hymenoptera: Braconidae), including a preliminary assessment of species-groups in *Toxoneuron* Say and *Retusigaster* Dangerfield, Austin and Whitfield. *Journal of Natural History* 37(7): 845-902.
- Merchant, M.E., Flers, R.V. & Williams, R.E. 1987.** Seasonal abundance and parasitism of house fly (Diptera: Muscidae) pupae in enclosed, shallow-pit poultry houses in Indiana. *Environmental Entomology* 16: 716-721.
- Merino, E.S.S. & Aguilar, F.P.G. 1974.** Studies on *Rogas gossypii* Muesebeck, 1960: I. A method for its mass production. *Revista Peruana de Entomología* 16(1): 58-66.
- Merritt, R.W. & Verson, J.R. 1977.** The effects of different pasture and rangeland ecosystems on the annual dynamics of insects in cattle droppings. *Hilgardia* 45(2): 31-71.
- Merritt, R.W. 1976.** A review of the food habits of the insect fauna inhabiting cattle droppings in north central California. *Pan-Pacific Entomologist* 52(1): 13-22.
- Mertins, J.W. 1984.** Notes on *Microctonus* spp. (Hymenoptera: Braconidae) introduced to Iowa against the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae). *Great Lakes Entomologist* 17: 233-234.
- Mesbah, H.A., El Kady, Magda B. & El Sayed, Nagda A.A. 1998.** Survey and population studies on pests of date palm trees in Siwa oasis (Western Desert, Egypt). *Journal of the Egyptian German Society of Zoology* 25(E): 99-117.
- Mescheloff, E. & Rosen, D. 1988.** Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea) 1. Introduction and key to genera. *Israel Journal of Entomology*, publ 1989, 32: 61-73.
- Mescheloff, E. & Rosen, D. 1988.** Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea) 2. The genera *Ephedrus* and *Praon*. *Israel Journal of Entomology*, publ 1989, 32: 75-100.
- Mescheloff, E. & Rosen, D. 1990.** Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea) 3. The genera *Adialytus* and *Lysiphlebus*. *Israel Journal of Entomology* 24: 35-50.
- Mescheloff, E. & Rosen, D. 1990.** Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea) 4. The

- genera *Pauesia*, *Diaeretus*, *Aphidius* and *Diaeretiella*. Israel Journal of Entomology 24: 51-91.
- Mescheloff, E. & Rosen, D. 1993.** Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea). 5. The genera *Trioxys* and *Binodoxys*. Israel Journal of Entomology 27: 31-47.
- Messelink, G. & Enkegaard, E. 2002.** Biological control of caterpillars with *Cotesia marginiventris* (Hymenoptera: Braconidae) in sweet pepper and tomato. Proceedings of the joint IOBC WPRS Working Group "Integrated Control in Protected Crops, Temperate Climate" and IOBC NRS "Greenhouse, Nursery, & Ornamental Landscape IPM Working Group" at Victoria (British Columbia), Canada, 6-9 May 2002. Bulletin OILB SROP 25(1): 181-184.
- Messenger, P.S. 1964.** Use of life-tables in a bioclimatic study of an experimental aphid-braconid wasp host-parasite system. Ecology 45(1): 119-131.
- Messenger, P.S. 1968.** Bioclimatic studies of the aphid parasite *Praon exsoletum*. 1. Effects of temperature on the functional response of females to varying host densities. Canadian Entomologist 100: 728-741.
- Messenger, P.S. 1969.** Bioclimatic studies of the aphid parasite *Praon exsoletum*. 2. Thermal limits to development and occurrence of diapause. Annals of the Entomological Society of America 62: 1026-1031.
- Messing, R.H. & Aliniyazee, M.T. 1988.** Hybridization and host suitability of two biotypes of *Trioxys pallidus* (Hymenoptera: Aphidiidae). Annals of the Entomological Society of America 81(1): 6-9.
- Messing, R.H. 1988.** Diapause and post-diapause developmental characteristics in relation to synchrony of emergence for overwintering *Trioxys pallidus* and its host *Myzocallis coryli*. Colloques de l'INRA 48: 91-92.
- Messing, R.H. & Aliniyazee, M.T. 1989.** Introduction and establishment of *Trioxys pallidus* (Hym.: Aphidiidae) in Oregon, U.S.A. for control of filbert aphid *Myzocallis coryli* (Hom.: Aphidiidae). Entomophaga 34(2): 153-163.
- Messing, R.H. & Wong, T.T.Y. 1992.** An effective trapping method for field studies of opiine braconid parasitoids of tephritid fruit flies. Entomophaga 37(3): 391-396.
- Messing, R.H. & Jang, E.B. 1992.** Response of the fruit fly parasitoid *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) to host-fruit stimuli. Environmental Entomology 21(5): 1189-1195.
- Messing, R.H., Klungness, L.M., Purcell, M. & Wong, T.T.Y. 1993.** Quality control parameters of mass-reared opiine parasitoids used in augmentative biological control of tephritid fruit flies. Biological Control 3(2): 140-147.
- Messing, R.H., Klungness, L.M. & Purcell, M.F. 1994.** Short-range dispersal of mass-reared *Diachasmimorpha longicaudata* and *D. tryoni* (Hymenoptera: Braconidae), parasitoids of tephritid fruit flies. Journal of Economic Entomology 87(4): 975-985.
- Messing, R.H., Purcell, M.F. & Klungness, L.M. 1995.** Short range dispersal of mass-reared *Psytalia fletcheri* (Hymenoptera: Braconidae), parasitoids of *Bactrocera cucurbitae* (Diptera: Tephritidae). Environmental Entomology 24(5): 1338-1343.
- Messing, R.H. & Rabasse, J.M. 1995.** Oviposition behaviour of the polyphagous aphid parasitoid *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae). Agriculture, Ecosystems and Environment 52(1): 13-17.
- Messing, R.H., Klungness, L.M., Jang, E.B. & Nishijima, K.A. 1996.** Response of the melon fly parasitoid *Psytalia fletcheri* (Hymenoptera: Braconidae) to host-habitat stimuli. Journal of Insect Behavior 9(6): 933-945.
- Messing, R.H., Klungness, L.M. & Jang, E.B. 1997.** Effects of wind on movement of *Diachasmimorpha longicaudata*, a parasitoid of tephritid fruit flies, in a laboratory flight tunnel. Entomologia Experimentalis et Applicata 82(2): 147-152.
- Messing, R.H., Ramadan, M.M. & Tan, K.H. 2000.** Host range and reproductive output of *Diachasmimorpha kraussii* (Hymenoptera: Braconidae), a parasitoid of tephritid fruit flies newly imported to Hawaii. Area wide control of fruit flies- and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998. 713-718.
- Metspalu, L., Hiiesaar, K. & Kuusik, A. 2000.** [The death rate of large white butterfly (*Pieris brassicae*) depending on the growing site of cabbage.] Eesti Pollumajanduslikool Teadustööde Kogumik 208: 131-137.
- Metspalu, L., Hiiesaar, K. & Kuusik, A. 2001.** The dependence of the abundance of the large white butterfly, *Pieris brassicae* L., on the cabbage growth habitats. Acta Biologica Universitatis Daugavpiliensis 1(1): 16-20.
- Metterhouse, W. 1981.** *Rogas indiscretus* Reardon. United States Department of Agriculture. Technical Bulletin. 1584. 757 pp. pp. 368-369. In: Doane, C.C., McManus, M.L. [eds]. "The gypsy moth: research toward integrated pest management."
- Mettus, R.V. & Petters, R.M. 1981.** Genetic investigation of a behavior in response to mechanical shock in the parasitic wasp, *Bracon hebetor*. Genetics 97 (Supplement): s72-s73.
- Mey, W. 1987.** Der Parasitenkomplex des Heckenwicklers, *Archips rosana* (Linné), im Havelländischen Obstbauggebiet. Beiträge zur Entomologie 37: 159-167.
- Mey, W. 1989.** Der Parasitoidenkomplex der Apfelblattminiermotte (*Stigmella malella* Stt.) im Havelländischen Obstbauggebiet (Lepidoptera, Nepticulidae). Beiträge zur Entomologie 39(1): 125-149.
- Mey, W. 1993.** On the parasitism of the pear leaf blister moth, *Leucoptera malifoliella* (Costa) (Lep.: Lyonetiidae) in the Havelland fruit-growing area. Journal of Applied Entomology 115(4): 329-341.
- Meyer, W.L. & Knight, R. Jr. 1998.** A new host record for the Caribbean fruit fly (Diptera: Tephritidae). Florida Entomologist 81(2): 235-237.
- Meyhofer, R. & Hindayana, D. 2000.** Effects of intraguild predation on aphid parasitoid survival. Entomologia Experimentalis et Applicata 97(1): 115-122.
- Meyhofer, R. 2001.** Intraguild predation by aphidophagous predators on parasitised aphids: the use of multiple video cameras. Entomologia Experimentalis et Applicata 100(1): 77-87.
- Meyhofer, R., Klug, T., Hardy, I.C.W. & Johnson, M.W. 2002.** Intraguild predation on the aphid parasitoid *Lysiphlebus fabarum* (Marshall) (Hymenoptera: Aphidiidae): mortality risks and behavioral decisions made under the threats of predation. Papers from the Antonie van Leeuwenhoek Symposium (7th European Workshop on Insect Parasitoids), Haarlem, The Netherlands, 1-6 October, 2002. Biological Control 25(3): 239-248.
- Meyling, N.V., Brodsgaard, H.F., Enkegaard, A. & Enkegaard, E. 2002.** Intraguild predation between the predatory flower bug, *Anthocoris nemorum*, and the aphid parasitoid, *Aphidius colemani*. Proceedings of the joint IOBC WPRS Working Group "Integrated Control in Protected Crops, Temperate Climate" and IOBC NRS "Greenhouse, Nursery, & Ornamental Landscape IPM Working Group" at Victoria (British Columbia), Canada, 6-9 May 2002. Bulletin OILB SROP 25(1): 189-192.
- Meyling, N.V., Enkegaard, A., Brodsgaard, H.F. & Munster-Swendsen, M. 2000.** *Anthocoris*-bugs: preference for different species of aphids and interactions with parasitoids. 18th Danish Plant Protection Conference III. Horticulture. DJF Rapport, Havebrug 17: 21-31.

- Mia, A.M. & Iwahashi, O. 1999.** Seasonal changes in infestation level of sugarcane by the pink borer, *Sesamia inferens* (Lepidoptera: Noctuidae), in relation to a parasitoid, *Cotesia flavipes* (Hymenoptera: Braconidae), on Okinawa Island. *Applied Entomology and Zoology* 34(4): 429-434.
- Micha, S.G., Wellings, P.W. & Morton, R. 1992.** Time-related rejection of parasitised hosts in the aphid parasitoid, *Aphidius ervi*. *Entomologia Experimentalis et Applicata* 62(2): 155-161.
- Micha, S.G., Stammel, J. & Höller, C. 1993.** 6-methyl-5-heptene-2-one, a putative sex pheromone of the aphid hyperparasitoid, *Alloxysta victrix* (Hymenoptera: Alloxystidae). *European Journal of Entomology* 90(4): 439-442.
- Micha, S.G. & Wyss, U. 1995.** The importance of plant odours for host searching of *Aphidius uzbekistanicus* (Hymenoptera: Aphidiidae), a parasitoid of the grain aphid (*Sitobion avenae*). *Gesunde Pflanzen* 47(8): 300-307.
- Micha, S.G. & Wyss, U. 1996.** Aphid alarm pheromone (E)-beta-farnesene: a host finding kairomone for the aphid primary parasitoid *Aphidius uzbekistanicus* (Hymenoptera: Aphidiinae). *Chemoecology* 7(3): 132-139.
- Micha, S.G., Kistenmacher, S., Molck, G. & Wyss, U. 2000.** Tritrophic interactions between cereals, aphids and parasitoids: discrimination of different plant-host complexes by *Aphidius rhopalosiphii* (Hymenoptera: Aphidiidae). *Proceedings of the 7th International Symposium on Ecology of Aphidophaga*. Global working group of I.O.B.C. Bromont near Montreal, Quebec, Canada, 31 August-4 September, 1999 [edited by Vincent, C., Coderre, D., Hodek, I.]. *European Journal of Entomology* 97(4): 539-543.
- Michalska, Z. 1973.** Parasitic Hymenoptera of mining insects. I. The Alysinae (Braconidae) parasites of Diptera from the genus *Agromyza* Fall. and *Phytomyza* Fall. (Agromyzidae). *Badania Fizjograficzne nad Polska Zachodnia* 26: 89-96.
- Michalska, Z. 1973.** Parasitic Hymenoptera of mining insects. II. The Alysinae (Braconidae) parasites of Diptera from the genus *Cerodontha* Rond. S.L., *Liriomyza* Mik. and *Tribolomyza* Hd. (Agromyzidae). *Badania Fizjograficzne nad Polska Zachodnia* 26: 97-105.
- Michalska, Z. 1982.** Alysinae (Hymenoptera: Braconidae) unrecorded for the fauna of Bulgaria and Jugoslavia. *Przegląd Zoologiczny* 26(3-4): 413-415.
- Michalska, Z. 1983.** *Dapsilarthra florimela* (Haliday) (Hymenoptera: Braconidae) parasitoid of *Pegomyia nigrirarsis* Ztt. (Diptera: Muscidae) in Poland. *Przegląd Zoologiczny* 27(3): 333-337.
- Michalska, Z. 1984.** Contribution to the knowledge of the Alysinae (Hymenoptera: Braconidae), parasites of mining Diptera in Poland. (in Polish with English summary) *Polskie Pismo Entomologiczne* 54(2): 367-376.
- Michaud, J.P. & Mackauer, M. 1994.** The use of visual cues in host evaluation by aphidiid wasps. I. Comparison between three *Aphidius* parasitoids of the pea aphid. *Entomologia Experimentalis et Applicata* 70(3): 273-283.
- Michaud, J.P. & Mackauer, M. 1995.** Oviposition behavior of *Monoctonus paulensis* (Hymenoptera: Aphidiidae): factors influencing reproductive allocation to hosts and host patches. *Annals of the Entomological Society of America* 88(2): 220-226.
- Michaud, J.P. & Mackauer, M. 1995.** The use of visual cues in host evaluation by aphidiid wasps. II. Comparison between *Ephedrus californicus*, *Monoctonus paulensis*, and *Praon pequodorum*. *Entomologia Experimentalis et Applicata* 74(3): 267-275.
- Michaud, J.P. 1994.** Differences in foraging behaviour between virgin and mated aphid parasitoids (Hymenoptera: Aphidiidae). *Canadian Journal of Zoology* 72(9): 1597-1602.
- Michaud, J.P. 1996.** The oviposition behavior of *Aphidius ervi* and *Monoctonus paulensis* (Hymenoptera: Aphidiidae) encountering different host species (Homoptera: Aphididae) in sequential patches. *Journal of Insect Behavior* 9(5): 683-694.
- Michaud, J.P. 1999.** Sources of mortality in colonies of brown citrus aphid, *Toxoptera citricida*. *BioControl* 44(3): 347-367.
- Michaud, J.P. & Browning, H.W. 1999.** Seasonal abundance of the brown citrus aphid, *Toxoptera citricida*, (Homoptera: Aphididae) and its natural enemies in Puerto Rico. *Florida Entomologist* 82(3): 424-447.
- Michaud, J.P. 2002.** Classical biological control: a critical review of recent programs against citrus pests in Florida. *Annals of the Entomological Society of America* 95(5): 531-540.
- Michelakis, S.E. 1990.** The olive fly (*Dacus oleae* Gmel.) in Crete, Greece. *Acta Horticulturae* 286: 371-374.
- Michelena Saval, J.M. & Gonzalez Funes, P. 1987.** Contribucion al conocimiento de la familia Aphidiidae (Hymenoptera) en Espana. 1. *Aphidius* Nees. *Eos Revista Espanola de Entomologia* 63 1987: 115-131.
- Michelena Saval, J.M. & Gonzalez-Funes, P. 1988.** *Dyscritulus planiceps* (Marshall, 1896) and *Trioxys cirsi* (Curtis, 1833), recorded for the first time from the Iberian Peninsula (Hym.: Aphidiidae). *Nouvelle Revue d'Entomologie* 5(2): 194.
- Michelena Saval, J.M. & Gonzalez, F.P. 1988.** Contribution to the knowledge of the family Aphidiidae in Spain. III. *Pauesia* Quilis, 1931 (Hymenoptera). *Eos Madrid* 64(1): 159-173.
- Michelena Saval, J.M. & Sanchis Segovia, A. 1993.** *Metaphidius* Starý & Sedlag, 1959 en la Peninsula Iberica (Hymenoptera, Braconidae). *Nouvelle Revue d'Entomologie*. 10(4)(Octobre-December): 379-380.
- Michelena Saval, J.M. & Sanchis, A. 1994.** *Trioxys* (*Trioxys*) *ademuzi*, n. sp. (Hymenoptera: Braconidae) desde Espana. *Boletín de la Asociacion Espanola de Entomologia* 18(3-4): 27-32.
- Michelena Saval, J.M., Sanchis, A. & Gonzalez, F.P. 1994.** Aphidiinae on greenflies in fruit orchards in the Valencia community. *Boletín de Sanidad Vegetal, Plagas* 20(2): 465-470.
- Michelena Saval, J.M. & Sanchis, S.A. 1995.** The genus *Lysaphidius* (Hymenoptera: Braconidae) in the Iberian Peninsula. *Graellsia* 51: 23-26.
- Michelena Saval, J.M. & Sanchis Segovia, A. 1997.** *Metaphidius* Starý & Sedlag, 1959 in the Iberic peninsula (Hymenoptera: Braconidae). *Nouvelle Revue d'Entomologie*. 13(3) (juillet-septembre, 1996): 281.
- Michelena Saval, J.M., Gonzalez, F.P. & Sanchis, A. 1998.** Aphids (Homoptera: Aphididae) and parasitoids (Hymenoptera: Braconidae: Aphidiinae) from the Pyrenees. *Nouvelle Revue d'Entomologie* 15(2): 125-129.
- Michelena Saval, J.M., Gonzalez, P. & Soler, E. 2003.** Aphidiines (Hymenoptera: Braconidae) on aphids associated to Cupressaceae and Pinaceae from Teruel province. *Bol. S.E.A.* 32: 131-133.
- Miczulski, B. & Koslinska, M. 1976.** Parasites of the leaf rollers (Tortricidae) occurring in apple orchards in some regions of Poland. (in Polish with English summary) *Polskie Pismo Entomologiczne* 46: 165-179.
- Miczulski, B. 1987.** Parasitic insects reared from larvae and pupal cocoons of *Yponomeuta padellus* (L.) (Lep.: Yponomeutidae) collected in the suburban area of Lublin. *Polskie Pismo Entomologiczne* 57(2) 1987: 399-402.
- Miczulski, B. 1988.** Hymenoptera found for the first time in Poland as parasitoids of larvae of the clover seed weevil *Apion apricans* Herbst (Col.: Curculionidae). *Polskie Pismo Entomologiczne* 58(3): 685-687.
- Miczulski, B. 1988.** The occurrence of parasitic Hymenoptera (Hymenoptera, Parasitica) in fields of winter wheat and spring barley. *Roczniki Nauk Rolniczych, E Ochrona Roslin* 17(1): 89-95.

- Mihalache, G., Ciornei, C. & Tomescu, R. 1995.** The role of parasitoid and predatory insects in limiting the outbreak of gypsy moth (*Lymantria dispar*) in the oak stands of Romania: 157-170. Malinowski, H. & Tsankov, G. [eds]. Biological and integrated forest protection. Proceedings of the international symposium. 3rd meeting of EPS/IOBC September 12-16, 1994, Sekocin, Poland. Forest Research Institute, Warsaw: 1-288.
- Milbrath, L.R. & Weiss, M.J. 1998.** Development, survival and phenology of the sweetclover weevil parasitoid, *Pygostolus falcatulus* (Hymenoptera: Braconidae). Great Lakes Entomologist 31(2): 129-136.
- Miles, C.I. & Booker, R. 2000.** Octopamine mimics the effects of parasitism on the foregut of the tobacco hornworm *Manduca sexta*. Journal of Experimental Biology 203(11): 1689-1700.
- Miles, M. & Dutton, R. 2000.** Spinosad - a naturally derived insect control agent with potential for use in integrated pest management systems in greenhouses. The BCPC Conference: Pests and diseases, Volume 1. Proceedings of an international conference held at the Brighton Hilton Metropole Hotel, Brighton, UK, 13-16 November 2000. 339-344.
- Miles, M. & Longhurst, C. 2000.** Field and laboratory studies on the effects of the fungicide quinoxyfen on non-target and beneficial arthropods in cereals. The BCPC Conference: Pests and diseases, Volume 1. Proceedings of an international conference held at the Brighton Hilton Metropole Hotel, Brighton, UK, 13-16 November 2000. 371-376.
- Milevoj, L. 1992.** Parasitoids *Aphidius matricariae* Hal. and *Diaeretiella rapae* (M'Intosh) (Hym.: Aphidiidae) in *Rhopalosiphum padi* L. (Hom.: Aphididae) of Slovenia. Zbornik Biotehniške Fakultete Univerze Edvarda Kardelja V Ljubljani Kmetijstvo 59: 163-167.
- Milevoj, L. & Stukelj, A. 1996.** The effects of some pesticides on the parasitoid *Diaeretiella rapae* (M'Intosh). Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 61(3b): 949-954.
- Milevoj, L. 1999.** Biological protection of cabbage. Sodobno Kmetijstvo 32(11): 540-542.
- Millar, J.G., Paine, T.D., Campbell, C.D. & Hanks, L.M. 2002.** Methods for rearing *Syngaster lepidus* and *Jarra phoracantha* (Hymenoptera: Braconidae), larval parasitoids of the phloem-colonizing longhorned beetles *Phoracantha semipunctata* and *P. recurva* (Coleoptera: Cerambycidae). Bulletin of Entomological Research 92(2): 141-146.
- Miller, C.A. 1966.** The black-headed budworm in eastern Canada. Canadian Entomologist 98: 592-613.
- Miller, C.A. & Renault, T.R. 1976.** Incidence of parasitoids attacking endemic spruce budworm (Lepidoptera: Tortricidae) populations in New Brunswick. Canadian Entomologist 108: 1045-1052.
- Miller, D.E. & Jensen, G.L. 1970.** Agromyzid alfalfa leaf miners and their parasites in Massachusetts. Journal of Economic Entomology 63: 1337-1338.
- Miller, G.E. & Finlayson, T. 1974.** Native parasites of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae), in the west Kootenay area of British Columbia. Journal of the Entomological Society of British Columbia 71: 14-21.
- Miller, J.C. & Gerth, W.J. 1994.** Temperature-dependent development of *Aphidius matricariae* (Hymenoptera: Aphidiidae), as a parasitoid of the Russian wheat aphid. Environmental Entomology 23(5): 1304-1307.
- Miller, J.C. & West, K.J. 1987.** Host specificity of *Cotesia yakutatensis* (Hym.: Braconidae) on Lepidoptera in peppermint and alfalfa. Entomophaga 32(3): 227-232.
- Miller, J.C. 1996.** Temperature-dependent development of *Meteorus communis* (Hymenoptera: Braconidae), a parasitoid of the variegated cutworm (Lepidoptera: Noctuidae). Journal of Economic Entomology 89(4): 877-880.
- Miller, R.H. & Haile, A. 1988.** Russian wheat aphids on barley in Ethiopia. RACHIS 7(1-2): 51-52.
- Miller, R.H., El Masir, S. & Al Jundi, K. 1992.** Incidence of wheat stem sawflies and their natural enemies on wheat and barley in northern Syria. Arab Journal of Plant Protection 10(1): 30-25.
- Miller, R.H., Pike, K.S., Tanigoshi, L.K. & Buschman, L.L. 1992.** The Russian wheat aphid, *Diuraphis noxia* Mordvilko (Homoptera: Aphididae) and its natural enemies in Morocco, Jordan, Syria and Turkey. Proceedings of the Second Turkish National Congress of Entomology 61-68.
- Mills, N.J. & Kenis, M. 1991.** A study of the parasitoid complex of the European fir budworm, *Choristoneura murinana* (Lepidoptera: Tortricidae), and its relevance for biological control of related hosts. Bulletin of Entomological Research 81(4): 429-436.
- Mills, N.J. 1983.** The natural enemies of scolytids infesting conifer bark in Europe in relation to the biological control of *Dendroctonus* spp. in Canada. Biocontrol News and Information 4(4): 305-328.
- Mills, N.J. 1990.** Biological control of forest aphid pests in Africa. Bulletin of Entomological Research 80: 31-36.
- Mills, N.J. 1991.** Searching strategies and attack rates of parasitoids of the ash bark beetle (*Leperisinus varius*) and its relevance to biological control. Ecological Entomology 16(4): 461-470.
- Mills, N.J. 1992.** Parasitoid guilds, life-styles, and host ranges in the parasitoid complexes of tortricoid hosts (Lepidoptera: Tortricoidea). Environmental Entomology 21(2): 230-239.
- Mills, N.J. 1993.** Observations on the parasitoid complexes of budmoths (Lepidoptera: Tortricoidea) on larch in Europe. Bulletin of Entomological Research 83: 103-112.
- Mills, N.J. 1994.** Parasitoid guilds: Defining the structure of the parasitoid communities of endopterygote insect hosts. Environmental Entomology 23(5): 1066-1083.
- Mills, N.J., Fischer, P. & Roques, A. 1986.** The entomophage complex of *Pissodes* weevils, with emphasis on the value of *P. validirostris* as a source of parasitoids for use in biological control. Proceedings of the 2nd Conference of the Cone and Seed Insects Working Party S2.07-01. International Union of Forestry Research Organizations. Briancon, 05100, France, September 3-5, 1986: 297-307.
- Mills, N.J., Kruger, K. & Schlup, J. 1991.** Short-range host location mechanisms of bark beetle parasitoids. Journal of Applied Entomology 111(1): 33-43.
- Milne, W.M. 1982.** Imported parasites help control lucerne aphids. Agricultural Gazette of New South Wales 93(1): 15-17.
- Milne, W.M. 1986.** The release and establishment of *Aphidius ervi* Haliday (Hymenoptera: Ichneumonidea) in lucerne aphids in eastern Australia. Journal of the Australian Entomological Society 25(2): 123-130.
- Milne, W.M. 1986.** Aspects of the ecology and control of blue green aphids in N.S.W. Circular of the Entomological Society of New South Wales No. 364: 61-62.
- Milne, W.M. & Bishop, A.L. 1987.** The role of predators and parasites in the natural regulation of lucerne aphids in eastern Australia. Journal of Applied Ecology 24(3): 893-906.
- Milne, W.M. 1988.** The effectiveness of aphidophagous insects in lucerne. In: Niemczyk, E. & Dixon, A.F.G. [eds]. "Ecology and effectiveness aphidophaga." The Hague: 203-210.
- Milne, W.M. 1988.** Factors affecting the performance of *Aphidius ervi* in the laboratory and its potential for establishment in the field. In: Niemczyk, E. & Dixon, A.F.G. [eds] "Ecology and effectiveness aphidophaga." The Hague: 237-241.
- Milne, W.M. 1991.** Host range in *Aphidius ervi*. In: Polgar, L. et al. [eds]. "Behaviour and impact of aphidophaga." The Hague: 51-59.
- Milne, W.M. 1995.** Use of trap plants as a means of measuring the activity of cereal aphid parasitoids in the field. Agriculture, Ecosystems and Environment 52(1): 31-34.

- Milne, W.M. 1997.** Studies on the host-finding ability of the aphid parasitoid, *Trioxys complanatus* (Hym.: Braconidae) in lucerne and clover. *Entomophaga* 42(1-2): 173-183.
- Milne, W.M. 1999.** Evaluation of the establishment of *Aphidius ervi* Haliday (Hymenoptera: Braconidae) in lucerne aphid populations in New South Wales. *Australian Journal of Entomology* 38(2): 145-147.
- Milonas, P.G., Savopoulou-Soultani, M., Cravedi, P. & Mazzoni, E. 1999.** Temperature-dependent functional response of *Bracon hebetor* parasitising larvae of *Adoxophyes orana* in the laboratory. Proceedings of the biennial meeting of the Working Group "Stone Fruit", held between 19th-22nd August 1998, in Godollo, Hungary. *Bulletin OILB SROP* 22(11): 93-100.
- Minami, T., Ishii, M. & Temma, K. 1999.** Difference in parasitoid complex of gypsy moth, *Lymantria dispar* L. (Lepidoptera: Lymantriidae), between mountain coppice and urban greenery in Osaka, Japan. *Japanese Journal of Applied Entomology and Zoology* 43(4): 169-174.
- Minamikawa, J. 1969.** Host records of Ichneumonidae (Hymenoptera). *Kontyu* 37(2): 220-232.
- Mineo, G. & Caleca, V. 1988.** Braconidi acquatici (Hym. Braconidae) parassitoidi di *Hydrellia albifrons* (Fallen) (Dipt. Ephydriidae). *Atti del Congresso Nazionale Italiano di Entomologia* 15: 185-190.
- Mineo, G., Sinacori, A., Rizzo, M.C. & Massa, B. 1997.** On the arthropod fauna of *Parietaria* spp. (Urticaceae). 3rd contribution: parasitoids of *Cosmopterix pulchrimella* Chambers (Lepidoptera Cosmopterigidae). *Bollettino di Zoologia Agraria e di Bachicoltura* 29(2): 195-198.
- Mineo, G., Sinacori, A. & Mineo, N. 2003.** Further records on Hymenoptera parasitoids of leafminers infesting cultivations, spontaneous or ornamental plants. *Reperti su Imenotteri parassitoidi di fillinatori infestanti specie botaniche spontanee ed ornamentali: II Nota*. *Bollettino di Zoologia Agraria e di Bachicoltura* 35(1): 67-76.
- Minja, E.M. & Shanower, T.G. 1999.** A Braconidae parasite (*Bracon* sp. near *celer* Szépligeti) on pigeon pea pod fly (*Melanagromyza chalcosoma* Spencer) in farmers' fields in southern and eastern Africa. *International Chickpea and Pigeonpea Newsletter* 6: 43-44.
- Minkenberg, O.P.J.M. & Lenteren, J.C. van 1986.** The leaf-miners *Liriomyza bryoniae* and *L. trifolii* (Diptera: Agromyzidae), their parasites and host plants: a review. *Agricultural University of Wageningen Papers* 86: 1-50.
- Minkenberg, O.P.J.M. 1990.** On seasonal inoculative biological control: governing *Liriomyza* populations by parasitoids. *Landbouwwuniversiteit Wageningen; Wageningen; Netherlands* 230 pp.
- Minkenberg, O.P.J.M. 1990.** Reproduction of *Dacnusa sibirica* (Hymenoptera: Braconidae), and endoparasitoid of leafminer *Liriomyza bryoniae* (Diptera: Agromyzidae) on tomatoes, at constant temperatures. *Environmental Entomology* 19(3): 625-629.
- Minkenberg, O.P.J.M. & Lenteren, J.C. van 1990.** Evaluation of parasitoids for the biological control of leafminers on glass-house tomatoes: development of a preintroduction selection procedure. *Bulletin SROP* 13(5): 124-128.
- Minkenberg, O.P.J.M. & Lenteren, J.C. van 1991.** What are the criteria for selecting parasitic wasps for biological control? *Gewasbescherming* 22(1): 10-16.
- Minks, A.K. & Harrewijn, P. 1988.** Aphids: their biology, natural enemies and control, vol. B (World crop pests; 2B). Amsterdam: i-xix + 1-364.
- Miramontes, O. & Rohani, P. 1998.** Intrinsically generated coloured noise in laboratory insect populations. *Proceedings of the Royal Society of London, Series B, Biological Sciences* 265(1398): 785-792.
- Mirchev, P., Georgiev, G.T. & Tsankov, G. 2001.** Studies on the parasitoids of *Gelechia senticetella* (Stgr.) (Lepidoptera: Gelechiidae) in Bulgaria. *Anzeiger für Schädlingkunde* 74(4): 94-96.
- Mirica, I.I., Mirica, A. & St Tiomotei, P. 1987.** A record of two species of aphids damaging grapevine: *Aphis fabae* Scop. and *Aphis gossypii* Glover. *BPP Buletinul de Protectia Plantelor* 2-3: 15-16.
- Mirkarimi, A. 1999.** Description of ontogeny of *Asaphes suspensus* (Nees) (Hym.: Pteromalidae) hyperparasitoid of potato aphid in laboratory *Macrosiphum euphorbiae* Thomas (Hom.: Aphididae). *Iranian Journal of Agricultural Sciences* 30(2): 355-367.
- Miroshnikov, A.I. 1993.** On *Tetrops starki* Chevrolat, 1859 (Coleoptera: Cerambycidae: Tetrocini). *Vestnik Zoologii* 2(Mart-April): 81-83.
- Mirsalis, J.C. & Grosch, D.S. 1978.** The effects of three folic acid antagonists on reproduction of *Habrobracon juglandis*. *Annals of the Entomological Society of America* 71: 559-563.
- Mirsalis, J.C. 1980.** Characterization of the toxicity of methotrexate in *Habrobracon juglandis*. *Dissertation Abstracts International B Sciences and Engineering* 41(3) 1980: 817.
- Mirsalis, J.C. 1982.** Disposition of methotrexate in *Bracon hebetor* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 75(5): 513-515.
- Mirzaliev, M.T. 1985.** Breeding of *Habrobracon* using experimental equipment. *Trudy Tashkentskogo Sel'skokhozyaistvennogo Instituta* No. 113: 47-50.
- Mishra, B.K., Mal, S.M.A. & Tunga, T.K. 1992.** Seasonal activity of parasitoids of *Helicoverpa armigera* Hübner in the Eastern Ghat High Land Zone of Orissa. *Orissa Journal of Agricultural Research* 5(3-4): 170-173.
- Mishra, B.K. & Senapati, B. 1998.** Biology and life table studies of *Apanteles cypris* Nixon (Hymenoptera: Braconidae), a larval parasitoid of *Cnaphalocrocis medinalis* (Guenée). *Journal of Biological Control* 12(1): 7-10.
- Mishra, S. & Singh, R. 1990.** Effects of parasitisation by the cereal aphid parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hym.: Aphidiidae) at its varying densities. *Journal of Applied Entomology* 109(3): 251-261.
- Mishra, S. & Singh, R. 1990.** Life-time performance characteristics of an aphid parasitoid, *Lysiphlebus delhiensis* (Hymenoptera: Aphidiidae). *Entomologia Generalis* 15(3): 173-179.
- Mishra, S. & Singh, R. 1991.** Effect of host density on the demographic statistics of an aphid parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hymenoptera: Aphidiidae). *Biological Agriculture and Horticulture* 7(3): 281-302.
- Mishra, S. & Singh, R. 1991.** Sex ratio of the aphid parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hym.: Aphidiidae) in field population. *Journal of Applied Entomology* 111(1): 72-77.
- Mishra, S. & Singh, R. 1992.** Functional response of *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hymenoptera: Aphidiidae) at varying host densities. *Zeitschrift für angewandte Zoologie* 79(4): 443-453.
- Mishra, S. & Singh, R. 1992.** Mating behaviour of *Lysiphlebus delhiensis* Subba Rao and Sharma, an aphidiid parasitoid of corn aphid *Rhopalosiphum maidis* (Fitch). *Zeitschrift für angewandte Zoologie* 79(3): 319-328.
- Mishra, S. & Singh, R. 1993.** Factors affecting supernumerary egg deposition by the parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hymenoptera: Aphidiidae) into its host *Rhopalosiphum maidis* (Fitch). *Biological Agriculture and Horticulture* 10(1): 39-45.
- Mishra, S. & Singh, R. 1994.** Host density related variations in egg distribution by solitary endoparasitoid, *Lysiphlebus delhiensis* (Subba Rao & Sharma). *Insect & Environment* 5: 48-52.

- Mishra, S. & Singh, R. 1999. Thermal tolerance of the mummies of *Lysiphlebus delhiensis* (Subba Rao & Sharma) in relation to adult emergence. *Journal of Applied Zoological Researches* 10(1): 49-50.
- Misra, M.P., Maharaj, P.K. & Pawar, A.D. 1987. New records of *Apanteles sauros* Nixon (Hymenoptera: Braconidae) on *Eucosma critica* Meyrick (Lepidoptera: Tortricidae) from Gorakhpur, Uttar Pradesh. *Indian Journal of Agricultural Sciences* 57(3): 215-216.
- Misra, M.P., Samujh, R. & Pawar, A.D. 1983. New records of parasitoids of *Diadegma armigera* (Olivier) (Hispinae: Chrysomelidae: Coleoptera), a serious pest of paddy in eastern Uttar Pradesh. *Journal for the Advancement of Zoology, Gorakhpur, Association for the Advancement of Zoology* 4 (1): 62-63.
- Mitchell, B.L. 1978. The biological control of potato tuber moth *Phthorimaea operculella* (Zeller) in Rhodesia. *Rhodesia Agricultural Journal* 75(3): 55-58.
- Mitchell, E.R., Copel, W.W. & Tingle, F.C. 1974. Parasites of filth-breeding Diptera in poultry houses in north central Florida. *Florida Entomologist* 57(4): 383-384.
- Mitchell, E.R. 1984. Damage of sunflower by the southern armyworm (Lepidoptera: Noctuidae). *Florida Entomologist* 67(2): 273-277.
- Mitchell, E.R., Tingle, F.C., Navasero Ward, R.C. & Kehat, M. 1997. Diamondback moth (Lepidoptera: Plutellidae): Parasitism by *Cotesia plutellae* (Hymenoptera: Braconidae) in cabbage. *Florida Entomologist* 80(4): 477-489.
- Mitchell, E.R., Hu, G.Y., Okine, J.S. & Carpenter, J.E. 1999. Parasitism of diamondback moth (Lepidoptera: Plutellidae) larvae by *Cotesia plutellae* (Hymenoptera: Braconidae) and *Diadegma insulare* (Hymenoptera: Ichneumonidae) in cabbage fields after inundative releases of *C. plutellae*. *Journal of Entomological Science* 34(1): 101-112.
- Mitsunaga, T. & Fujii, K. 1999. An experimental analysis of the relationship between species combination and community persistence. *Researches on Population Ecology* 41(2): 127-134.
- Mizianty, T.J. & Venit, B. 1971. Effects of ethyl methanesulfonate and mitomycin C upon duration of adult life span in *Bracon serinopae* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 64: 777-779.
- Mizianty, T.J. 1967. Succinoxidase activity in two species of *Bracon*. *Annals of the Entomological Society of America* 60(5): 1092-1094.
- Moawad, G.M., Topper, C.P., El Hussein, M.M. & Kamel, A.M. 1987. Seasonal abundance of parasites and predators of *Spodoptera littoralis* Biosd. in clover fields in Egypt. *Agricultural Research Review (Cairo)* 63(1) (1985): 45-55.
- Moawad, S.M., Marei, S.S., Saleh, M.R. & Matter, M.M. 1997. Impact of *Vairimorpha phestiae* (Microsporidia: Nosematidae) on *Bracon hebetor* (Hymenoptera: Braconidae), an external parasite of the American bollworm, *Heliothis armigera* (Lepidoptera: Noctuidae). *European Journal of Entomology* 94(4): 561-565.
- Mochiah, M.B., Ngi-Song, A.J., Overholt, W.A. & Botchey, M. 2001. Host suitability of four cereal stem borers (Lepidoptera: Crambidae, Noctuidae) for different geographic populations of *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae) in Kenya. *Biological Control* 21(3): 285-292.
- Mochiah, M.B., Ngi-Song, A.J., Overholt, W.A. & Botchey, M. 2002. Effects of calyx fluid from a population of *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae) on the immune response of its host *Busseola fusca* Fuller (Lepidoptera: Noctuidae). *Insect Science and its Application* 22(1): 81-85.
- Mochiah, M.B., Ngi-Song, A.J., Overholt, W.A. & Stouthamer, R. 2002. Variation in encapsulation sensitivity of *Cotesia sesamiae* biotypes to *Busseola fusca*. *Entomologia Experimentalis et Applicata* 105(2-3): 111-118.
- Mochiah, M.B., Ngi-Song, A.J., Overholt, W.A. & Stouthamer, R. 2002. *Wolbachia* infection in *Cotesia sesamiae* (Hymenoptera: Braconidae) causes cytoplasmic incompatibility: implications for biological control. *Biological Control* 25(1): 74-80.
- Mochiah, M.B., Ngi-Song, A.J., Overholt, W.A. & Botchey, M. 2003. Variation in total and differential haemocyte count of *Busseola fusca* (Lepidoptera: Noctuidae) parasitized by two biotypes of *Cotesia sesamiae* (Hymenoptera: Braconidae) and larval growth responses. *Environmental Entomology* 32(2): 247-255.
- Mochida, O. & Takada, H. 1978. Possible migration of aphid parasites (Hymenoptera: Aphididae) across the East China Sea. *Applied Entomology and Zoology* 13: 125-127.
- Moeed, A., Bishop, D.M. & Heath, A.C.G. 1993. Studies on the arthropod fauna of cattle dung in the Wellington region (1977-1979). *New Zealand Entomologist* 16: 90-94.
- Mohamed, A.H., Lester, P.J. & Holtzer, T.O. 2000. Abundance and effects of predators and parasitoids on the Russian wheat aphid (Homoptera: Aphididae) under organic farming conditions in Colorado. *Environmental Entomology* 29(2): 360-368.
- Mohamed, S.A., Overholt, W.A., Wharton, R.A., Lux, S.A. & Eltoun, E.M. 2003. Host specificity of *Psytalia cosyrae* (Hymenoptera: Braconidae) and the effect of different host species on parasitoid fitness. *Biological Control* 28(2): 155-163.
- Mohammad, A.S. & Momoi, S. 1993. Effect of temperature on the functional response of *Cotesia plutellae* (Hymenoptera: Braconidae) to varying host densities. *Mem. Grad. School Sci. Technol. Kobe Univ.* 12: 113-119.
- Mohan Ghosh, S. & Abdurahiman, U.C. 1984. Bioethology of *Meteoridae hutsoni* (Nixon) (Hymenoptera: Braconidae), a parasite of *Opisina arenosella* Walker, the black headed caterpillar pest of coconut. *Entomon* 9(1): 31-34.
- Mohan Gosh, S. & Abdurahiman, U.C. 1995. Behavioural responses to humidity gradient by *Antrocephalus hakonensis* and other parasitoids of *Opisina arenosella*, the caterpillar pest of coconut. *Entomon* 20(2): 67-71.
- Mohan, B.R., Verma, A.N. & Singh, S.P. 1991. Periodic parasitisation of *Chilo partellus* (Swin.) larvae on forage sorghum in Haryana. *Journal of Insect Science* 4(2): 167-169.
- Mohan, B.R., Verma, A.N. & Singh, S.P. 1992. Biology of *Apanteles flavipes* (Cameron) - a potential parasitoid of *Chilo partellus* (Swin.) infesting forage sorghum. *Journal of Insect Science* 5(2): 144-146.
- Mohan, C., Sathiamma, B. & Sabu, A.S. 2000. Observations on laboratory mass multiplication of braconid endoparasitoid *Apanteles taragamae* Willk. on early instar caterpillars of *Opisina arenosella* Walker on coconut. *Entomon* 25(4): 261-268.
- Mohanty, J.N., Prakash, A., Rao, J., Pawar, A.D., Patnaik, N.C. & Gupta, S.P. 2000. Parasitization of the coconut black-headed caterpillar, *Opisina arenosella* Walk. in Puri district of Orissa by field release of hymenopterous parasitoids. *Journal of Applied Zoological Researches* 11(1): 17-19.
- Mohapatra, L.N. & Mohapatra, R. 2003. Incidence of cashew leaf and blossom webber, *Lamida moncusalis* Walker (Lepidoptera: Pyralidae) in relation to its natural enemies and weather factors. *Indian Journal of Plant Protection* 31(1): 119-121.
- Möhr, J.D. 1980. Natural enemies of the karo caterpillar *Loxostege frustalis* Zeller. *Proceedings of the Entomological Congress Entomological Society of Southern Africa* No. 3: 30-31.
- Möhr, J.D. 1990. Life histories and interrelationships of the karo caterpillar *Loxostege frustalis* Zeller (Lepidoptera: Pyralidae) and its parasitoids in relation to the recognition of mortality in field collected material. *Journal of the Entomological Society of South Africa* 53: 1-10.
- Mohyuddin, A.I. & Greathead, D.J. 1970. An annotated list of the parasites of graminaceous stem-borers in East Africa, with a discussion of their potential in biological control. *Entomophaga* 15(3): 241-274.

- Mohyuddin, A.I.** 1971. Comparative biology and ecology of *Apanteles flavipes* (Cam.) and *A. sesamiae* Cam. as parasites of graminaceous borers. Bulletin of Entomological Research 61: 33-39.
- Mohyuddin, A.I. & Shah, S.** 1977. Biological control of *Mythimna separata* (Lep.: Noctuidae) in New Zealand and its bearing on biological control strategy. Entomophaga 22(4): 331-333.
- Mohyuddin, A.I., King, E.G. & Inayatullah, C.** 1980. Oviposition behaviour of *Apanteles flavipes* (Cam.) and its bearing on biological control of graminaceous borers. International Congress of Entomology Proceedings 16: 364.
- Mohyuddin, A.I., Inayatullah, C. & King, E.G.** 1981. Host selection and strain occurrence in *Apanteles flavipes* (Cameron) (Hymenoptera: Braconidae) and its bearing on biological control of graminaceous stem-borers (Lepidoptera: Pyralidae). Bulletin of Entomological Research 71: 575-581.
- Mohyuddin, A.I.** 1991. Utilization of natural enemies for the control of insect pests of sugar-cane. Insect Science and its Application 12(1-3): 19-26.
- Mohyuddin, A.I.** 1992. Interim report on the research programme to develop integrated pest management of fruit and vegetable pests in the Malakand division and transfer the technology to farmers. Malakand Fruit & Vegetable Development Project; Swat; Pakistan, 50 pp.
- Mohyuddin, A.I., Ooi, P.A.C., Lim, G.S., Ho, T.H., Manalo, P.L. & Waage, J.K.** 1992. Implementation of integrated pest management of sugarcane pests in Pakistan. Integrated pest management in the Asia Pacific region, 1992: 73-84.
- Moiseeva, T.S.** 1980. *Hyposoter vulgaris* Tschek as a parasitoid of cabbage and turnip loopers. Vyestsi Akademii Navuk BSSR Syeryyya Biyalahichnykh Navuk 1980(5): 74-78.
- Mojeni, T.D.** 1994. An introduction to one parasitoid wasps species and one new hyperparasitoid wasps genus for the fauna of Iran. Journal of Entomological Society of Iran 14: 20.
- Molck, G. & Wyss, U.** 2002. *Aphelinus abdominalis*, a promising beneficial insect for aphid control. Gesunde Pflanzen 54(3-4): 92-97.
- Moleas, T., Addante, T. & Cilardi, A.M.** 1995. Varietal susceptibility to aphids in peach. In IOBC WPRS working group 'Integrated plant protection in stone fruit' held at Nimes, France, on 6-8 September 1994. Bulletin OILB SROP 18(2): 12-15.
- Molina-Ochoa, J., Hamm, J.J., Lezama-Gutiérrez, Lopez-Edwards, M., Gonzalez-Ramirez, M. & Pescador-Rubio, A.** 2001. A survey of fall armyworm (Lepidoptera: Noctuidae) parasitoids in the Mexican states of Michoacán, Colima, Jalisco, and Tamaulipas. Florida Entomologist 84(1): 31-36.
- Molina-Ochoa, J., Carpenter, J.E., Heinrichs, E.A. & Foster, J.E.** 2003. Parasitoids and parasites of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in the Americas and Caribbean basin: an inventory. Florida Entomologist 86(3): 254-289.
- Moll, M., Schuld, M., Vogt, H., Vinuela, E. & Jacas, J.** 2001. A semi-field test for evaluating the side-effects of plant protection products on the aphid parasitoid *Aphidius rhopalosiphii* (de Stefani-Perez) (Hymenoptera: Braconidae)-first results. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at Castello de la Plana, Spain, 18-20 October, 2000. Bulletin OILB SROP 24(4): 67-70.
- Mollema, C.** 1991. Heritability estimates of host selection behaviour by the *Drosophila* parasitoid *Asobara tabida*. Netherlands Journal of Zoology 41: 174-183.
- Monaco, R.** 1969. The action taken against *Dacus oleae* by *Opius concolor* distributed in Apulia in the Gargano olive groves, and by indigenous parasites in the same habitat. Entomologica 5: 139-191.
- Monaco, R.** 1984. *Opius magnus* Fischer (Braconidae), a parasite of *Rhagoletis cerasi* L. on *Prunus mahaleb*. Entomologica (Bari) 19(0): 75-80.
- Monajemi, N. & Esmaili, M.** 1981. Population dynamics of alfalfa aphids and their natural controlling factors, in Karadj. Journal of Entomological Society of Iran 6(1-2): 41-63.
- Monastero, S. & Delanoue, P.** 1966. Lutte biologique expérimentale contre la mouche de l'olive (*Dacus oleae* Gmel.) au moyen d'*Opius concolor* Szépl. *siculus* Mon. dans les îles Éoliennes (Sicile) en 1965. Entomophaga 11(5): 411-432.
- Monastero, S. & Delanoue, P.** 1967. Première expérimentation à grande échelle, de lutte biologique contre la mouche de l'olive (*Dacus oleae* Gmel.) au moyen d'*Opius concolor* Szépl., *siculus* Mon. en Sicile, en 1966. Entomophaga 12(4): 381-398.
- Monastero, S.** 1965. Risultati della lotta biologica contro il *Dacus oleae* Gmel. a mezzo dell'*Opius concolor* Sz. *siculus* Mon. Entomophaga 10: 335-338.
- Monastero, S.** 1968. Nouvelle expérimentation à grande échelle de la lutte biologique contre la mouche de l'olive (*Dacus oleae* Gmel.) au moyen d'*Opius concolor siculus* Mon. en Sicile en 1967. Entomophaga 13: 251-261.
- Monconduit, H. & Prevost, G.** 1994. Avoidance of encapsulation by *Asobara tabida*, a larval parasitoid of *Drosophila* species. Norwegian Journal of Agricultural Sciences SUPP 16: 301-309.
- Mondor, E.B. & Roitberg, B.D.** 2000. Individual behaviour and population dynamics: lessons from aphid parasitoids. Entomologia Experimentalis et Applicata 97: 75-81.
- Monetti, N.C.** 1980. Revision del genero *Catolestes* (Hymenoptera: Braconidae). Physis Seccion C los Continentes y los Organismos Terrestres 39 (96): 45-49.
- Mongui, H.B., Lugue, J.E. & Escobar, J.** 1986. Biology of *Aphidius colemani* (Hymenoptera: Aphididae) parasitoid of *Myzus persicae* (Homoptera: Aphididae) on chrysanthemums in the Bogota savannah. Revista Colombiana de Entomologia 12(1): 46-53.
- Monnerat, E., Bordat, D., Branco, M.C. & Franca, F.H.** 2000. Effects of *Bacillus thuringiensis* Berliner and chemical insecticides on *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) and its parasitoids. Anais da Sociedade Entomologica do Brasil 29(4): 723-730.
- Monteagudo-Toranzo, S., Caballero-Figueroa, S., Grillo-Ravelo, H. & Mirabal-Rodríguez, R.** 1987. *Rogas* sp. (Hymenoptera: Braconidae) parasitoid of *Davara caricae* Dyar larvae (Lepidoptera: Phycitidae). Centro Agricola XIV(3): 91-92.
- Monteiro, R.F. & Macedo, M.V.** 1989. Seed predation by a braconid wasp, *Allorhogas* sp. (Hymenoptera). Journal of the New York Entomological Society 97(3): 358-362.
- Monteiro, R.F. & Becker, V.O.** 2002. A new *Sigelgaita* Heinrich (Lepidoptera: Pyralidae: Phycitinae) feeding on cacti in Brazil. Revista Brasileira de Zoologia 19 (Supl 1): 299-304.
- Monteith, L.G.** 1971. The status of parasites of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), in Ontario. Canadian Entomologist 103: 507-512.
- Montoya, P., Liedo, P., Benrey, B., Barrera, J.F., Cancino, J. & Aluja, M.** 2000. Functional response and superparasitism by *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae), a parasitoid of fruit flies (Diptera: Tephritidae). Annals of the Entomological Society of America 93(1): 47-54.
- Montoya, P., Liedo, P., Benrey, B., Cancino, J., Barrera, J.F., Sivinski, J. & Aluja, M.** 2000. Biological control of *Anastrepha* spp. (Diptera: Tephritidae) in mango orchards through augmentative releases of *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae). Biological Control 18(3): 216-224.
- Moore, D.** 1983. Hymenopterous parasitoids of stem-boring Diptera (e.g. *Oscinella frit* (L.)) in perennial rye-grass (*Lolium perenne*) in Britain. Bulletin of Entomological Research 73: 601-608.
- Moore, D.** 1984. Factors affecting parasitism of stem-borer larvae in Italian ryegrass (*Lolium multiflorum*). Entomologia Experimentalis et Applicata 36(3): 247-252.

- Moore, D., Clements, R.O. & Ribout, M.S. 1986. Effects of pasture establishment and renovation techniques on the hymenopterous parasitoids of *Oscinella frit* L. and other stem-boring Diptera in ryegrass. *Journal of Applied Ecology* 23(3): 871-881.
- Moore, D. & Hunt, D.J. 1987. The role of parasitic nematodes and hymenopterous parasitoids in causing premature death of *Oscinella* spp. larvae. *Annals of Applied Biology* 110(1): 209-211.
- Moore, D. & Ridout, M.S. 1987. Avoidance of super-parasitism of stem-boring larvae by *Chasmodon apterus* (Hymenoptera: Braconidae). *Entomophaga* 32(3): 299-302.
- Moore, D., Ridout, M.S. & Clements, R.O. 1988. Mortality of *Oscinella* spp. due to parasitism in insecticide treated and untreated ryegrass reseed. *Journal of Applied Entomology* 105(2): 154-159.
- Moore, D. & Prior, C. 1988. Present status of biological control of the coffee berry borer *Hypothenemus hampei*. Brighton Crop Protection Conference. Pests and Diseases 1988. Vol 3: 1119-1124.
- Moore, D., Prior, C. & Abraham, Y.J. 1990. Current developments and future potential in biological control of the coffee berry borer *Hypothenemus hampei* Ferrari with emphasis on the use of *Beauveria bassiana*. *Integrated Pest Management in Tropical and Subtropical Cropping Systems '89*, held on 8-15 February 1989, Bad Durkheim, Germany 2: 313-321.
- Moore, D. 1995. Management of stem boring larvae (Chloropidae and Opomyzidae), especially *Oscinella* spp., in ryegrass in UK. *Biocontrol News and Information* 16(1): 7-20.
- Moore, K.M. 1972. Observations on some Australian forest insects. 25. Additional information on some parasites and predators of longicorns (Cerambycidae: Phoracanthini). *Australian Zoologist* 17: 26-29.
- Moore, R. 2001. Emergence trap developed to capture adult large pine weevil *Hylobius abietis* (Coleoptera: Curculionidae) and its parasite *Bracon hylobii* (Hymenoptera: Braconidae). *Bulletin of Entomological Research* 91(2): 109-115.
- Moore, S.D. 1989. Patterns of juvenile mortality within an oligophagous insect population. *Ecology* 70(6): 1726-1737.
- Moore, S.D. 1989. Regulation of host diapause by an insect parasitoid. *Ecological Entomology* 14(1): 93-98.
- Moraal, L.G. 1987. *Cremnoides atricapillus*, a new parasitoid of the cambium miner, *Phytobia cambii*, with notes on *Symphya* spp. (Hymenoptera: Ichneumonidae, Braconidae; Diptera: Agromyzidae). (in Dutch with English summary) *Entomologische Berichten, Amsterdam* 47: 5-8.
- Moraal, L.G. 1987. *Apanteles evonymellae* fauna n. sp., a new parasitoid of the dusky clearwing moth, *Paranthrene tabaniformis* (Hymenoptera: Braconidae; Lepidoptera: Sesiidae). *Entomologische Berichten (Amsterdam)* 47(9): 137-139.
- Moraal, L.G. 1990. Some parasitoid complexes of aphids on poplar and Scots pine, new to the fauna of the Netherlands (Homoptera: Lachnidae). *Entomologische Berichten, Amsterdam* 50(9): 109-112.
- Moraal, L.G. & Dirkse, G.M. 1992. *Phytomyza rostrata*, a stemminer of *Melampyrum pratense*, new for the Netherlands (Diptera: Agromyzidae). *Entomologische Berichten, Amsterdam* 52(11): 159-161.
- Moraal, L.G. & Achterberg, C. van 2001. *Spathius curvicaudis* (Hymenoptera: Braconidae) new for the Netherlands; a parasitoid of the oak buprestid beetle, *Agrilus biguttatus* (Coleoptera: Buprestidae). *Entomologische Berichten, Amsterdam* 61(11): 165-168.
- Moraes, C.M. de, Lewis, W.J., Pare, P.W., Alborn, H.T. & Tumlinson, J.H. 1998. Herbivore-infested plants selectively attract parasitoids. *Nature (London)* 393(6685): 570-573.
- Moraes, C.M. de, Cortesero, A.M., Stapel, J.O. & Lewis, W.J. 1999. Intrinsic and extrinsic competitive interactions between two larval parasitoids of *Heliothis virescens*. *Ecological Entomology* 24(4): 402-410.
- Moraes, C.M. de & Lewis, W.J. 1999. Analyses of two parasitoids with convergent foraging strategies. *Journal of Insect Behavior* 12(5): 571-583.
- Moraes, R.R. de, Loeck, A.E. & Belarmino, L.C. 1991. Natural enemies of *Rachiplusia nu* (Guenée, 1852) and *Pseudoplusia includens* (Walker, 1857) (Lepidoptera: Noctuidae) on soyabean in Rio Grande do Sul. *Pesquisa Agropecuaria Brasileira* 26(1): 57-64.
- Morales, E.J.T., Perez, E.N. & Nafria, M.N. 1992. Wild reservoirs of parasitoids of aphids of the genus *Aphis* of agricultural interest in the province of Leon. (Hym.: Braconidae: Aphidiinae; Hom.: Aphididae). *Boletín de Sanidad Vegetal, Plagas* 18(2): 309-313.
- Morales-Ramos, J.A. & Cate, J.R. 1993. Reproductive biology of *Heterospilus megalopus* (Hymenoptera: Braconidae), a parasitoid of *Anthonomus grandis*. *Annals of the Entomological Society of America* 86(6): 734-739.
- Morales, J. & Hower, A.A. 1982. Thermal requirements for development of the parasite *Microctonus aethioides*. *Environmental Entomology* 10: 279-280.
- Morallo-Rejesus, B. & Sayaboc, A.S. 1992. Management of diamondback moth with *Cotesia plutellae*. Prospects in the Philippines: 279-286. In: Talekar, N.S. [ed.]. *Diamondback moth and other crucifer pests: Proceedings of the second international workshop*, Tainan, Taiwan, 10-14 December 1990. Asian Vegetable Research and Development Center, Taipei 1992: 1-603.
- Morallo-Rejesus, B., Inocencio, E.L. & Eusebio, J.E. 1996. Comparative effectiveness of IPM-DBM technology versus farmers' control practice for diamondback moth, *Plutella xylostella* (L.) control. *Philippine Entomologist* 10(1): 57-65.
- Morallo-Rejesus, B., Inocencio, E.L., Malabanan-Manipol, J., Eusebio, J.E. & Barroga, S.F. 2000. Technology transfer of *Cotesia*-based IPM for diamondback moth on lowland elevation crucifers in Luzon. *Philippine Entomologist* 14(1): 73-87.
- Moreau, S.J.M., Doury, G. & Giordanengo, P. 2000. Intraspecific variation in the effects of parasitism by *Asobara tabida* on phenoloxidase activity of *Drosophila melanogaster* larvae. *Journal of Invertebrate Pathology* 76(2): 151-153.
- Moreau, S.J.M., Dingremont, A., Doury, G. & Giordanengo, P. 2002. Effects of parasitism by *Asobara tabida* (Hymenoptera: Braconidae) on the development, survival and activity of *Drosophila melanogaster* larvae. *Journal of Insect Physiology* 48(3): 337-347.
- Moreau, S.J.M., Eslin, P., Giordanengo, P. & Doury, G. 2003. Comparative study of the strategies evolved by two parasitoids of the genus *Asobara* to avoid the immune response of the host, *Drosophila melanogaster*. *Developmental and Comparative Immunology* 27(4): 273-282.
- Moreno, M.J. & Jiménez, R. 1987. Contribucion al conocimiento de la tribu Chelonini Handlirsch (Hym., Braconidae, Cheloniinae) en España. *Actas VIII Bienal de la Real Sociedad Espanola de Historia Natural* 115-121.
- Moreno, M.J. & Jiménez, R. 1988. Aportaciones al conocimiento de la tribu Phanerotomini Baker (Hym., Braconidae, Cheloniinae) en España. *Actas III Congreso Iberico Entomologia* 387-394.
- Moreno, M.J. & Jiménez, R. 1989. Aportaciones al conocimiento de la tribu Triaspidini (Haliday) (Hymenoptera, Braconidae, Brachistinae). *Eos Revista Espanola de Entomologia* 64(2) (1988): 111-123.
- Moreno, M.J. & Jiménez, R. 1989. Contribution to the knowledge on the tribe Triaspidini (Haliday) (Hymenoptera: Braconidae: Brachistinae). *Eos Madrid* 64(2): 111-123.

- Moreno, M.J., Falcó Gari, J.V., Jiménez Peydro, R. & Mari, 1989.** New and interesting citations of Spanish Cheloninae (Hymenoptera: Braconidae). Boletín de la Asociación Española de Entomología 13: 165-172.
- Moreno, M.J., Falcó, J.V. & Jiménez, R. 1990.** Study of the parasitoid complex of *Prays citri* Mill. (Lep.: Hyponomeutidae) in the south of the Alicante Province. Boletín de Sanidad Vegetal, Plagas 16(2): 515-522.
- Moreno, M.J., Hawlitzky, N. & Jiménez Peydro, R. 1991.** Host-parasitoid relationships: the complex of *Ephestia kuehniella* Zeller (Lep.: Pyralidae) - *Phanerotoma (Phanerotoma) ocularis* Kohl (= *flavitestacea* Fischer) (Hym.: Braconidae). Boletín de la Asociación Española de Entomología 15: 325-332.
- Moreno, M.J. & Jiménez, P.R. 1992.** Estudio de la capacidad reproductora y longevidad de las hembras de *Phanerotoma (Phanerotoma) ocularis* Kohl (Hym.: Braconidae). Boletín de Sanidad Vegetal Plagas 18(3): 625-629.
- Moreno, M.J. & Jiménez, R. 1992.** Une nouvelle espèce du genre *Phanerotoma* Wesmael (Hymenoptera, Braconidae) d'Espagne. Bulletin de la Société Entomologique de France 97(1): 61-63.
- Moreno, M.J., Falcó, J.V. & Jiménez, R. 1992.** On the Iberian *Phanerotomini*. I. *Phanerotoma* Wesmael, 1838 (Hymenoptera: Braconidae). Boletín de la Asociación Española de Entomología 16: 149-159.
- Moreno, M.J., Falcó Gari, J.V., Jiménez Peydro, R., Mari, J.M., Fari, J.V.F. & Peydro, R.J. 1992.** Effect of fenoxycarb on eggs of *Ephestia kuehniella* Zeller (Lepidoptera: Pyralidae) parasitised by *Phanerotoma (P.) ocularis* Kohl (Hymenoptera: Braconidae). Boletín de Sanidad Vegetal, Plagas 18(4): 801-806.
- Moreno, M.J. & Jiménez, R. 1993.** Morphology of the female reproductive system of *Phanerotoma (Phanerotoma) ocularis* Kohl (Hymenoptera: Braconidae). Research and Reviews in Parasitology 53(1-2): 53-56.
- Moreno, M.J. & Jiménez, R. 1993.** Parasitization of *Ephestia kuehniella* Zeller (Lep.: Pyralidae) by *Phanerotoma (Phanerotoma) ocularis* Kohl (Hym.: Braconidae). Journal of Applied Entomology 115(3): 273-276.
- Moreno, M.J., Falcó, J.V. & Jiménez, R. 1993.** Sobre los *Phanerotomini* ibéricos. 2: *Phanerotomella Szépligetii* (Hymenoptera, Braconidae). Bulletin de la Société Entomologique de France 97(5) (decembre 1992): 429-433.
- Moreno, M.J., Hawlitzky, N. & Jiménez, R. 1993.** Effect of the juvenile hormone analogue fenoxycarb applied via the host on the parasitoid *Phanerotoma (Phanerotoma) ocularis* Kohl (Hym.: Braconidae). Journal of Insect Physiology 39(2): 183-186.
- Moreno, M.J., Hawlitzky, N. & Jiménez, R. 1993.** Morphological abnormalities induced by fenoxycarb on the ectoparasitic larval stage of *Phanerotoma (Phanerotoma) ocularis* Kohl (Hym.: Braconidae). Journal of Applied Entomology 116(4): 406-411.
- Moreno, M.J., Hawlitzky, N. & Jiménez, R. 1993.** Morphological abnormalities induced by fenoxycarb on the pupa of *Phanerotoma (Phanerotoma) ocularis* Kohl (Hym.: Braconidae). Journal of Applied Entomology 115(2): 170-175.
- Moreno, M.J., Barry, P. & Jiménez, R. 1994.** Morphological changes on the egg surface of *Ephestia kuehniella* Zeller (Lepidoptera: Pyralidae) after parasitization by *Phanerotoma (Phanerotoma) ocularis* Kohl (Hymenoptera: Braconidae). Applied Entomology and Zoology 29(2): 282-284.
- Moreno, M.A., Garcia, R.F. & Garcia, Q.E. 1994.** Alteration of populations of *Hydrellia wirthi* and *Tagosodes orizicolus* by the incidence of beneficial agents on rice (*Oryza sativa* L.) in an irrigated agroecosystem. Arroz 43(391): 10-15.
- Moreno, M.J., Echevarria-Sansano, A. & Jiménez Peydro, R. 1996.** Cyromazine effects on *Opius concolor* Szépl. (Hymenoptera: Braconidae) applied through laboratory host *Ceratitidis capitata* Wied. (Diptera: Tephritidae). Applied Entomology and Zoology 31(4): 525-529.
- Moreno, M.J., Dominguez-Romero, M., Oltra-Moscardo, M.T. & Jiménez Peydro, R. 1999.** Phytophages and natural enemies associated with aromatic plants in the glasshouse. Actes de la IV Conference Internationale Francophone d'Entomologie, Saint-Malo, France, 5-9 juillet 1998. Annales de la Société Entomologique de France 35: 521-524.
- Moretti, R. & Calvitti, M. 2003.** Mortality by parasitization in the association between the egg-pupal parasitoid *Fopius arisanus* and *Ceratitidis capitata*. BioControl 48(3): 275-291.
- Mori, P. 1988.** Parasitoids of insect and mite pests. Vita in Campagna 6(2): 26-27.
- Mori, P. 1997.** Biological control of the cabbage butterfly. Vita in Campagna 15(5): 27.
- Morrill, W.L., Kushnak, G.D., Bruckner, P.L. & Gabor, J.W. 1994.** Wheat stem sawfly (Hymenoptera: Cephidae) damage, rates of parasitism, and overwinter survival in resistant wheat lines. Journal of Economic Entomology 87(5): 1373-1376.
- Morrill, W.L., Kushnak, G.D. & Gabor, J.W. 1998.** Parasitism of the wheat stem sawfly (Hymenoptera: Cephidae) in Montana. Biological Control 12(3): 159-163.
- Morris, R.F. 1976.** Hyperparasitism in populations of *Hyphantria cunea*. Canadian Entomologist 108: 685-687.
- Morris, R.F. 1976.** Influence of genetic changes and other variables on the encapsulation of parasites by *Hyphantria cunea*. Canadian Entomologist 108(7): 673-684.
- Morris, R.F. 1976.** Relation of mortality caused by parasites to the population density of *Hyphantria cunea*. Canadian Entomologist 108: 1291-1294.
- Morris, R.F. 1976.** Relation of parasite attack to the colonial habit of *Hyphantria cunea*. Canadian Entomologist 108: 833-836.
- Morris, R.F., Penney, B.G., Greenslade, G., Hendrickson, P.A. & McRae, K.B. 1988.** Notes on the occurrence, distribution, population levels, and control of *Grapholita libertina* Heinr. (Lepidoptera: Tortricidae), a pest of lingonberries in Newfoundland. Canadian Entomologist 120(10): 867-872.
- Morris, R.J., Müller, C.B. & Godfray, H.C.J. 2001.** Field experiments testing for apparent competition between primary parasitoids mediated by secondary parasitoids. Journal of Animal Ecology 70(2): 301-309.
- Mosiane, S.M., Kfir, R. & Villet, M.H. 2003.** Seasonal phenology of the diamondback moth, *Plutella xylostella* (L.), (Lepidoptera: Plutellidae), and its parasitoids on canola, *Brassica napus* (L.), in Gauteng province, South Africa. African Entomology 11(2): 277-285.
- Mostovski, M.B. 2001.** New records of *Megaselia* (Dipt., Phoridae) parasitized by Alysiniinae (Hym., Braconidae) Entomologist's Monthly Magazine 137(1648-1651): 210.
- Motta-Mir & a, M.M., Picanco, M., Matioli, A.L. & Pallini-Filho, A. 1998.** Distribution on the plant and biological control of aphids (Homoptera: Aphididae) on tomato. Revista Brasileira de Entomologia 42(1-2): 13-16.
- Mourad, A.K. 1996.** The effect of *Cardiochiles nigriceps* (Hymenoptera: Braconidae) parasitization on some developmental and physiological parameters of its natural host *Heliothis virescens* (F.) (Lepidoptera: Noctuidae). Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 61(3b): 937-947.
- Mpuchane, S., Gashe, B.A., Allotey, J., Siame, B., Teferra, G. & Dithogo, M. 2000.** Quality deterioration of phane, the edible caterpillar of an emperor moth *Imbrasia belina*. Food Control 11(6): 453-458.
- Mucha, I. 1995.** Gabčíkovo part of the hydroelectric power project environmental impact review. Bratislava: i-iv + 1-384.
- Mueck, O., Hassan, S., Huger, A.M. & Krieg, A. 1981.** Effects of *Bacillus thuringiensis* on the parasitic Hymenopteran *Apanteles glomeratus* (Braconidae) and *Pimpla turionellae* (Ichneumonidae). Zeitschrift für angewandte Entomologie 92: 303-314.

- Mueller, A.J. & Kunnalaca, S. 1979.** Parasites of green cloverworm on soybean in Arkansas. *Environmental Entomology* 8(2): 376-379.
- Mueller, T.F. & Phillips, J.R. 1983.** Population dynamics of *Heliothis* spp. in spring weed hosts insoutheastern Arkansas: survivorship and stage-specific parasitism. *Environmental Entomology* 12(6): 1846-1850.
- Mueller, T.F. 1980.** Comparative study on the host relations of three species of *Heliothis* (Lepidoptera: Noctuidae) and their parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). Dissertation Abstracts International B Sciences and Engineering 41(3): 806.
- Mueller, T.F. 1983.** The effect of plants on the host relations of a specialist parasitoid of *Heliothis* larvae. *Entomologia Experimentalis et Applicata* 34: 78-84.
- Muesebeck, C.F.W. 1964.** Identity of the genus *Micoculus* Foerster (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 66(2): 88.
- Muesebeck, C.F.W. 1964.** Insects of Campbell Island. Hymenoptera: Braconidae. *Pacific Insects. Monograph*. 7: 494-495.
- Muesebeck, C.F.W. 1965.** Two new Braconid parasites of the spruce budworm (Hymenoptera). *Entomological News* 76: 71-74.
- Muesebeck, C.F.W. 1967.** A new braconid parasite of the potato tuberworm (Hymenoptera). *Proceedings of the Entomological Society of Washington* 69(2): 177-178.
- Muesebeck, C.F.W. 1967.** Family Braconidae: 27-60. In: Krombein, K.V. & Burks, B.D. [eds]. "Hymenoptera of America North of Mexico synoptic catalog (Agriculture Monograph No. 2), second supplement." Washington, D.C.: 1-584.
- Muesebeck, C.F.W. 1967.** Three new reared Braconidae (Hymenoptera). *Entomological News* 78: 135-139.
- Muesebeck, C.F.W. 1967.** Three new southeastern parasitic Hymenoptera. *Florida Entomologist* 50(1): 57-61.
- Muesebeck, C.F.W. 1970.** The Nearctic species of *Orgilus* Haliday (Hymenoptera: Braconidae). *Smithsonian Contribution to Zoology* 30: 1-104.
- Muhammad, I. & Austin, A.D. 2002.** New species of the Australian endemic wasp genus *Notosigalphus* van Achterberg and Austin (Hymenoptera: Braconidae) from Flinders Island, Tasmania. *Australian Journal of Entomology* 41(2): 149-154.
- Mukerji, M.K. 1971.** Major factors in survival of the immature stages of *Hylemya brassicae* (Diptera: Anthomyiidae) on cabbage. *Canadian Entomologist* 103: 717-728.
- Mukunthan, N. 1989.** Life tables of sugar-cane top borer, *Scirpophaga excerptalis* Wlk. *Insect Science and its Application* 10(3): 269-276.
- Müller, C.B. & Godfray, H.C.J. 1998.** The response of aphid secondary parasitoids to different patch densities of their host. *BioControl* 43(2): 129-139.
- Müller, C.B., Adriaanse, I.C.T., Belshaw, R. & Godfray, H.C.J. 1999.** The structure of an aphid-parasitoid community. *Journal of Animal Ecology* 68(2): 346-370.
- Müller, C.B., Adriaanse, I.C.T., Godfray, H.C.J. & Veen, F.J.F. van 2002.** Spatial heterogeneity in risk of secondary parasitism in a natural population of an aphid parasitoid. *Journal of Animal Ecology* 71(3): 463-469.
- Müller, C.B., Völkl, W. & Godfray, H.C.J. 1997.** Are behavioural changes in parasitised aphids a protection against hyperparasitism? *European Journal of Entomology* 94(2): 221-234.
- Mulrooney, J.E. & Adams, E.R. 1998.** A chamber for immobilizing insects with carbon dioxide. *Southwestern Entomologist* 23(3): 285-286.
- Mundiwale, S.K., Men, U.B. & Borle, M.N. 1984.** A record of new parasite on armyworm. *Indian Journal of Entomology* 46(2): 247-248.
- Münster-Swendsen, M. 1979.** The effect of aggregation patterns on the interference between a host species, *Epinotia tedella* (Cl.) (Lep., Tortricidae), and its parasitoid species. (in Swedish with English summary). *Entomologisk Tidskrift* 100(3-4): 145-149.
- Münster-Swendsen, M. 1979.** The parasitoid complex of *Epinotia tedella* (Cl.) (Lepidoptera: Tortricidae). *Entomologiske Meddelelser* 47(2): 63-71.
- Münster-Swendsen, M. 1982.** Interactions within a one-host-two-parasitoids system, studied by simulations of spatial patterning. *Journal of Animal Ecology* 51(1): 97-110.
- Münster-Swendsen, M. 1985.** A simulation study of primary-, clepto- and hyperparasitism in *Epinotia tedella* (Lepidoptera, Tortricidae). *Journal of Animal Ecology* 54(3): 683-695.
- Munster-Swendsen, M. 1989.** Phenology and natural mortalities of the fir needleminer, *Epinotia fraternana* (Hw.) (Lepidoptera: Tortricidae). *Entomologiske Meddelelser* 57(3): 111-120.
- Munster-Swendsen, M. 1994.** Pseudoparasitism: detection and ecological significance in *Epinotia tedella* (Cl.) (Tortricidae). *Norwegian Journal of Agricultural Sciences SUPP* 16: 329-335.
- Murakami, Y., Abe, N. & Cosenza, G.W. 1984.** Parasitoids of scale insects and aphids on citrus in the Cerrados Region of Brazil (Hymenoptera: Chalcidoidea). *Applied Entomology and Zoology* 19(2): 237-244.
- Muraleedharan, N. & Selvasundaram, R. 1989.** Life history and seasonal abundance of *Apanteles aristaeus*, a larval parasitoid of *Cydia leucostoma*, the flushworm of tea. *Entomon* 14(12): 139-142.
- Muraleedharan, N., Selvasundaram, R. & Radhakrishnan, B. 1988.** Natural enemies of certain tea pests occurring in southern India. *Insect Science and its Application* 9(5): 647-654.
- Muramoto, N. 1993.** A chromosome study of five hemipterans (Hemiptera) and two hymenopterans (Hymenoptera). *Kromosomo (Tokyo)* 69: 2336-2341.
- Murchie, A.K., Williams, I.H., Paul, V.H., Kohr, K., Thomas, J. & Dupprich, P.D. 1998.** A bibliography of the parasitoids of the cabbage seed weevil (*Ceutorhynchus assimilis* PAYK.). *Integrated Control in Oilseed Crops. Proceedings of a meeting held at Poznan, Poland, 10-12, April 1997. Bulletin OILB SROP* 21(5): 163-169.
- Muriel, S & ra B. & Grez, Audrey A. 2003.** Abundance and parasitism of *Plutella xylostella* L. (Lepidoptera: Plutellidae) on patches of *Brassica oleracea* varying in shape and surrounding vegetation. *Abundancia y parasitismo de Plutella xylostella* L. (Lepidoptera: Plutellidae) en parches de Brassica oleracea con diferente forma y vegetacion circundante. *Actualidades Biologicas (Medellin)* 25(79): 99-103.
- Murphy, B., Parrella, M., Damm-Kattari, D. von & Lenteren, J.C. van 1999.** Interaction between fungal pathogens and natural enemies: implication for combined biocontrol of greenhouse pests. IOBC WPRS Working Group "Integrated Control in Glasshouses". *Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP* 22(1): 181-184.
- Murphy, S.T. & Völkl, W. 1996.** Population dynamics and foraging behaviour of *Diaeretus leucopterus* (Hymenoptera: Braconidae), and its potential for the biological control of pine damaging *Eulachnus* spp. (Homoptera: Aphididae). *Bulletin of Entomological Research* 86(4): 397-405.
- Murray, D.A., Kriegel, R.D., Johnson, J.W. & Howitt, A.J. 1996.** Natural enemies of cranberry fruitworm, *Acrobasis vaccinii*, (Lepidoptera: Pyralidae) in Michigan highbush blueberries. *Great Lakes Entomologist* 29(2): 81-86.
- Murray, D.A.H. & Rynne, K.P. 1994.** Effect of host plant on parasitism of *Helicoverpa armigera* (Lep.: Noctuidae) by *Microplitis demolitor* (Hym.: Braconidae). *Entomophaga* 39(3-4): 251-255.
- Murray, D.A.H., Monsour, C.J., Teakle, R.E., Rynne, K.P. & Bean, J.A. 1995.** Interactions between nuclear polyhedrosis virus and

- three larval parasitoids of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). Journal of the Australian Entomological Society 34(4): 319-322.
- Murray, D.A.H., Rynne, K.P., Winterton, S.L., Bean, J.A. & Lloyd, R.J. 1995.** Effect of host plant on parasitism of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) by *Hyposoter didymator* Thunberg (Hymenoptera: Ichneumonidae) and *Cotesia kazak* (Telenga) (Hymenoptera: Braconidae). Journal of the Australian Entomological Society 34(1): 71-73.
- Murray, T.J., Barratt, B.I.P., Ferguson, C.M. & Zydenbos, S.M. 2002.** Field parasitism of *Rhinocyllus conicus* Froelich (Coleoptera: Curculionidae) by *Microctonus aethioides* Loan (Hymenoptera: Braconidae) in Otago and South Canterbury. New Zealand Plant Protection Volume 55, 2002. Proceedings of a conference, Centra Hotel, Rotorua, New Zealand, 13-15 August 2002. 263-266.
- Mushtaque, M. & Mohyuddin, A.I. 1987.** *Apanteles plutellae* Kurdj. (Braconidae: Hymenoptera), an effective parasite of diamond back moth, in Pakistan. Pakistan Journal of Zoology 19(4): 341-348.
- Mushtaque, M. & Mohyuddin, A.I. 1987.** *Apanteles plutellae* Kurdj. (Braconidae, Hymenoptera), an effective parasite of the diamond back moth, in Pakistan. Pakistan Journal of Zoology 19(4): 341-348.
- Mushtaque, M., Hassain, S.A. & Mohyuddin, A.I. 1987.** Biology, phenology and natural enemies of cabbage webworm. Pakistan Journal of Agricultural Research 7(4): 312-315.
- Mushtaque, M. 1989.** Control of large cabbage butterfly in Sialkot by local parasites. Progressive Farming 9(4): 38-40.
- Mushtaque, M., Irshad, M. & Mohyuddin, A.I. 1993.** Studies on mortality factors in immature stages of *Pieris brassicae* (L.) (Pieridae, Lepidoptera) and effect of Bactospeine on its larvae and parasites. Pakistan Journal of Zoology 25(2): 165-167.
- Mussury, R.M. & Fern, W.D. 2002.** Occurrence of *Diaretiella rapae* (M'Intosh, 1855) (Hymenoptera: Aphidiidae) parasitising *Lipaphis erysimi* (Kaltenbach, 1843) and *Brevicoryne brassicae* (L. 1758) (Homoptera: Aphididae) in Brassica napus in Mato Grosso do Sul. Brazilian Archives of Biology and Technology 45(1): 41-46.
- Mustafa, T.M. & Masha'l, M.M. 1994.** Population dynamics and flight activity of the cabbage aphid *Brevicoryne brassicae* L. (Homoptera: Aphididae) in the Jordan Valley. Kisallatvorvoslasi 1(5): 115-127.
- Mustafa, T.M. & Masha'l, M.M. 1994.** Population dynamics and flight activity of the cabbage aphid *Brevicoryne brassicae* L. (Homoptera: Aphididae) in the Jordan Valley. Dirasat. Series B, Pure and Applied Sciences 21(1): 115-127.
- Mustafina, M.K. 1982.** Effect of environmental conditions on the effectiveness of parasites of the cotton moth *Heliothis armigera* Hb. (Lepidoptera: Noctuidae). Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk 1982(4): 76-82.
- Mustata, G. 1978.** Facteurs biotiques limitatifs dans certaines populations de *Chortophila brassicae* Bouché (Diptera, Muscidae). Travaux du Muséum d'Histoire Naturelle 'Grigore Antipa' 19: 289-291.
- Mustata, G. 1992.** Role of parasitoid complex in limiting the population of diamondback moth in Moldavia, Romania: 203-211. In: Talekar, N.S. [ed.]. Diamondback moth and other crucifer pests: Proceedings of the second international workshop, Tainan, Taiwan, 10-14 December 1990. Asian Vegetable Research and Development Center, Taipei 1992: 1-603.
- Mustata, G. 2001.** The role of parasitoid and hyperparasitoid complex in the population of diamond back moth in Romania. Analele Stiintifice ale Universitatii 'Al I Cuza' din Iasi. Serie Noua Sectiunea I Biologie Animala 47: 7-15.
- Muthiah, C. & Kareem, A.A. 2000.** Survey of groundnut leaf miner and its natural enemies in Tamil Nadu, India. International Arachis Newsletter 20: 62-63.
- Muthiah, C. 1991.** Some new parasites of groundnut leaf miner (*Aproaerema modicella* Dev.). Indian Journal of Plant Protection 19(1): 105.
- Muthukrishnan, J. & Senthamizhselvan, M. 1987.** Effect of parasitization by *Apanteles flavipes* on the biochemical composition of *Diacrisia obliqua*. Insect Science and its Application 8(2): 235-238.
- Muthukrishnan, J. & Senthamizhselvan, M. 1987.** On certain correlations between host parameters and parasitoid production. Annals of Entomology 5(2): 7-10.
- Muthukrishnan, J. & Senthamizhselvan, M. 1990.** A method for the estimation of food consumption by insect parasitoids. Current Science (Bangalore) 59(3): 164-166.
- Muthukrishnan, J. & Srinivasa, Perumal S. 1992.** Population dynamics and life tables of *Euproctis fraterna* M. (Lymantriidae: Lepidoptera). International Journal of Ecology and Environmental Sciences 18(1): 35-46.
- Muthukrishnan, J., Srinivasaperumal, S. & Selvan, M.S. 1995.** Bioenergetics and life tables of selected parasitoids and a predator: 193-206. In: Ananthakrishnan, T.N. [ed.]. "Biological control of social forest and plantation crops insects." New Delhi, Bombay & Calcutta: 1-225.
- Myartseva, S.N. & Durdyev, S.K. 1989.** Characteristics of the bio-coenotic relations of parasitoids (Hymenoptera: Braconidae, Pteromalidae) of some Lepidoptera of orchard and cotton agrocoenoses. Izvestiya Akademii Nauk Turkmenskoi SSR. Seriya Biologicheskikh Nauk 1: 17-23.
- Nafus, D. 1991.** Biological control of *Penicillaria jocosatrix* (Lepidoptera: Noctuidae) on mango on Guam with notes on the biology of its parasitoids. Environmental Entomology 20(6): 1725-1731.
- Nagalingam, B. 1988.** Studies on the biology of *Psorosticha zizyphi* Stn. on acid lime (*Citrus aurantifolia* Swingle). Mysore Journal of Agricultural Sciences 22(1): 48-52.
- Nagalingam, B. 1991.** Hymenopterous parasitoids of citrus leaf roller. Current Research University of Agricultural Sciences Bangalore 20(7): 139-140.
- Naganagoud, A. & Kulkarni, K.A. 1997.** Surveillance of sorghum armyworm *Mythimna separata* (Walker) and its natural enemies in transitional region of Dharwad. Journal of Biological Control, publ. 1998, 11(1-2): 65-68.
- Naganagoud, A., & Kulkarni, K.A. 1998.** Biology of *Cotesia ruficrus* (Haliday) (Hymenoptera: Braconidae), a parasitoid of sorghum armyworm, *Mythimna separata* (Walker). Journal of Biological Control 12(1): 43-45.
- Naganagoud, A. & Kulkarni, K.A. 1999.** Investigations on the sex ratio of *Cotesia ruficrus* (Hal.) (Hymenoptera: Braconidae) a parasitoid of sorghum armyworm *Mythimna separata* (Walker). Karnataka Journal of Agricultural Sciences 12(1-4): 69-73.
- Naganagoud, A. & Kulkarni, K.A. 2000.** Effect of temperature and relative humidity on the biology of *Cotesia ruficrus* (Haliday). Karnataka Journal of Agricultural Sciences 13(1): 55-59.
- Naganuma, K. & Hespeneide, H.A. 1988.** Behavior of visitors at insect-produced analogues of extrafloral nectaries on *Baccharis sarothroides* Gray. Southwestern Naturalist 33(3): 275-286.
- Nagaraja, H. 1971.** Morphological differences between *Apanteles chilonis* (Munakata) and *A. sesamiae* Cameron (Hym. Braconidae). Parasites on graminaceous moth borers. Commonwealth Institute of Biological Control Technical Bulletin 14: 59-61.
- Nagarkatti, S. & Nair, K.R. 1973.** The influence of wild and cultivated Gramineae and Cyperaceae on populations of sugarcane borers and their parasites in north India. Entomophaga 18(4): 419-430.

- Nahif, A.A. & Madel, G. 1990.** On the biology of the hyperparasitoid *Alloxysta fuscicornis* (= *A. ancylocera*) (Hym.: Charipidae). *Entomophaga* 35(4): 641-651.
- Nahif, A.A. & Madel, G. 1993.** The morphology and development of *Alloxysta fuscicornis* (Hartig, 1841) (Hym.: Charipidae). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 8(4-6): 905-910.
- Nair, K.R. 1988.** Field parasitism by *Apanteles flavipes* Cam. (Hymenoptera: Braconidae) on *Chilo partellus* Swinh. in *Coix lachryma-jobi* L. and *Chilo auricilius* (Dudgn.) in sugarcane in India. *Entomon* 13(3-4): 283-287.
- Nakagawa, S., Cunningham, R.T. & Farias, G.J. 1969.** Differentiation of parasitized and unparasitized pupae of the melon fly and oriental and Mediterranean flies. *Journal of Economic Entomology* 62(4): 970-971.
- Nakai, M. & Kunimi, Y. 1997.** Granulosis virus infection of the smaller tea tortrix (Lepidoptera: Tortricidae): effect on the development of the endoparasitoid, *Ascogaster reticulatus* (Hymenoptera: Braconidae). *Biological Control* 8(1): 74-80.
- Nakai, M., Sakai, T. & Kunimi, Y. 1997.** Effect of entomopoxvirus infection of the smaller tea tortrix, *Adoxophyes* sp. on the development of the endoparasitoid, *Ascogaster reticulatus*. *Entomologia Experimentalis et Applicata* 84(1): 27-32.
- Nakai, M., Takeda, M. & Kunimi, Y. 1997.** Seasonal changes in prevalence of viral disease and parasitism by parasitic insects in a larval population of the smaller tea tortrix, *Adoxophyes* sp. (Lepidoptera: Tortricidae) in a tea field. *Applied Entomology and Zoology* 32(4): 609-615.
- Nakai, M. & Kunimi, Y. 1998.** Effects of the timing of entomopoxvirus administration to the smaller tea tortrix, *Adoxophyes* sp. (Lepidoptera: Tortricidae) on the survival of the endoparasitoid, *Ascogaster reticulatus* (Hymenoptera: Braconidae). *Biological Control* 13(1): 63-69.
- Nakamatsu, Y., Gyotoku, Y. & Tanaka, T. 2001.** The endoparasitoid *Cotesia kariyai* (Ck) regulates the growth and metabolic efficiency of *Pseudaletia separata* larvae by venom and Ck polydnavirus. *Journal of Insect Physiology* 47(6): 573-584.
- Nakamatsu, Y., Fujii, S. & Tanaka, T. 2002.** Larvae of an endoparasitoid, *Cotesia kariyai* (Hymenoptera: Braconidae), feed on the host fat body directly in the second stadium with the help of teratocytes. *Journal of Insect Physiology* 48(11): 1041-1052.
- Nakao, H.K. & Funasaki, G.Y. 1979.** Introductions for biological control in Hawaii: 1975 & 1976. *Proceedings of the Hawaiian Entomological Society* 23(1): 125-128.
- Nakao, H.K., Funasaki, G.Y., Higa, S.Y. & Lai, P.Y. 1979.** Introductions for biological control in Hawaii: 1977 & 1978. *Proceedings of the Hawaiian Entomological Society* 23: 425-432.
- Nakashima, Y. & Senoo, N. 2003.** Avoidance of ladybird trails by an aphid parasitoid *Aphidius ervi*: active period and effects of prior oviposition experience. *Entomologia Experimentalis et Applicata* 109(2): 163-166.
- Nakata, T. 1994.** Prey species of *Orius sauteri* (Poppius) (Heteroptera: Anthocoridae) in a potato field in Hokkaido, Japan. *Applied Entomology and Zoology* 29(4): 614-616.
- Nakata, T. 1995.** Population fluctuations of aphids and their natural enemies on potato in Hokkaido, Japan. *Applied Entomology and Zoology* 30(1): 129-138.
- Napiorkowska, J. 1991.** Parasitic insects reared from larvae and pupae of *Archips rosanus* L. (Lepidoptera, Tortricidae) collected on ornamental shrubs of Lublin. (in Polish with English summary) *Wiadomosci Entomologiczne* 10(3): 163-167.
- Napiorkowska, J. 1991.** Observations on noctuid moths (Lepidoptera: Noctuidae) in Lublin orchards. *Wiadomosci Entomologiczne* 10(4): 233-236.
- Napiorkowska-Kowalik, J. & Machowicz-Stefaniak, Z. 1986.** Evaluation of parasitic insects and fungi in the regulations of Noctuid larvae (Lepidoptera, Noctuidae) occurring in cabbage and sugarbeet crops. (in Polish with English summary) *Polskie Pismo Entomologiczne* 56: 687-700.
- Nappi, A.J. 1981.** Cellular immune response of *Drosophila melanogaster* against *Asobara tabida*. *Parasitology* 83: 319-324.
- Naranjo, Montes de Oca F., Bravo, Mojica H., Napoles, J.R., Trujillo, Arriaga J. & Carrillo, S.J.L. 1991.** Preferencia, efectividad y cria de *Allorhogas pyralophagus* (Hymenoptera: Braconidae) sobre especies de *Diatraea* y *Eoreuma* (Lepidoptera: Pyralidae) de la cana de azucar. *Agrociencia Serie Proteccion Vegetal* 1(2) (Mayo-Agosto 1990): 7-20.
- Narendra Reddy, C. & Singh, T.V.K. 1998.** Life table studies of diamondback moth on cabbage at Hyderabad. *Indian Journal of Entomology* 60(4): 321-325.
- Narendran, T.C., Mohamed, U.V.K., Abdurahiman, U.C. & Sudheendra Kumar, V.V. 1981.** Oviposition behaviour of *Bracon brevicornis* Wesmael (Hymenoptera: Braconidae). *Agricultural Research Journal of Kerala* 18(2) 1980.: 239-241.
- Narendran, T.C., Sumodan, P.K. & Rema, C.G. 1992.** A study of Indian species of *Chelonus* Panzer (Hymenoptera: Braconidae). *Journal of the Zoological Society of Kerala* 2(2): 1-9.
- Narendran, T.C., Rema, C.G. & Madhavikutty, M. 1994.** Three new species of *Cassidibracon* Quicke (Hymenoptera: Braconidae) from India. *Bioved* 5(2): 125-132.
- Narendran, T.C. & Rema, C.G. 1996.** Three new species of Braconidae (Hymenoptera) from India. *Journal of Ecobiology* 8(2): 135-142.
- Narendran, T.C. 1998.** On Indian species of *Choerax* Mason (Hymenoptera: Braconidae). *Journal of Entomological Research* 22(1): 89-96.
- Narendran, T.C. 1999.** A new species of *Hormius* Nees (Hymenoptera: Braconidae) from India and a key to Oriental species. *Journal of Ecobiology* 11(1): 35-39.
- Narendran, T.C., Rajmohana, K., Karmaly, K.A. & Jobiraj, T. 2002.** A study of *Parahormius* Nixon (Hymenoptera: Braconidae) from India. *Ecobios* 1(1): 53-59.
- Naseer, M. & Abdurahiman, U.C. 1993.** Cannibalism in *Cardiastethus exiguus* Poppius (Hemiptera: Anthocoridae), a predator of the coconut caterpillar *Opisina arenolella* Walker (Lepidoptera: Xylorictidae). *Journal of Advanced Zoology* 14(1): 1-6.
- Nasser, M. & Abdurahiman, U.C. 1998.** Efficacy of *Cardiastethus exiguus* Poppius (Hemiptera: Anthocoridae), as a predator of the coconut caterpillar, *Opisina arenosella* Walker (Lepidoptera: Xylorictidae). *Journal of Entomological Research* 22(4): 361-368.
- Naumov, A.V. & Khodyrev, V.P. 1993.** Investigation of the respiratory gas exchange of some representatives of the Lepidoptera in a gasometric system using an infrared gas analyser. *Sibirskii Biologicheskii Zhurnal* 4: 39-43.
- Navarro, M.A. 1988.** Biological control of *Scrobipalpula absoluta* (Meyrick) by *Trichogramma* sp. in the tomato (*Lycopersicon esculentum* Mill.). *Colloques de l'INRA* 43: 453-458.
- Navasero, R.C. & Elzen, G.W. 1989.** Responses of *Microplitis croceipes* to host and nonhost plants of *Heliothis virescens* in a wind tunnel. *Entomologia Experimentalis et Applicata* 53(1): 57-63.
- Navasero, R.C. & Elzen, G.W. 1991.** Sensilla on the antennae, forestarsi and palpi of *Microplitis croceipes* (Cresson) [*Glabromicroplitis croceipes*] (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 93(3): 737-747.
- Navasero, R. & Elzen, G. 1992.** Influence of maternal age and host deprivation on egg production and parasitization by *Microplitis croceipes* (Hym.: Braconidae). *Entomophaga* 37(1): 37-44.
- Navon, A., Nakache, Y., Blumberg, D., Levski, S., Gan-Mor, S., Bechar, A., Ronen, B. & Ucko, O. 1999.** The effectiveness of *Bacillus thuringiensis* in granular feeding baits for use against

- the lesser date moth, *Batrachedra amydraula* in date palms, in comparison with chemical & biological control agents 1995.1999). Alon Hanotea 53(12): 484-489.
- Navratilova, M. (1999).** Results of the efficacy evaluation of biological control agents in glasshouses in the Czech Republic. Bulletin OEPP 29(1-2): 69-72.
- Nayak, M.K., Katiyar, O.P., Yadav, H.S. & Shrivastava, N. (2001).** Seasonal abundance of aphid (*Lipaphis erysimi* Kalt.) on different host plants and extent of its parasitisation under field condition. JNKVV Research Journal (2000), 34(1-2): 74-76.
- Nazzi, F., Powell, W., Wadhams, L.J. & Woodcock, C.M. (1996).** Sex pheromone of aphid parasitoid *Praon volucre* (Hymenoptera: Braconidae). Journal of Chemical Ecology 22(6): 1169-1175.
- Ndemah, R., Gounou, S. & Schulthess, F. (2002).** The role of wild grasses in the management of lepidopterous stem-borers on maize in the humid tropics of western Africa. Bulletin of Entomological Research 92(6): 507-519.
- Ndungu, A.W. (1994).** New natural enemies of the coffee berry moth, *Prophantis smaragdina* (Butler) in Kenya. Kenya Coffee 59(688): 1725-1726.
- Neal, J.W. Jr., Bickley, W.E. & Blickenstaff, C.C. (1970).** Recovery of the Braconid parasite *Microctonus aethiops* from the alfalfa weevil after hormonal treatment. Journal of Economic Entomology 63(2): 681-682.
- Neal, J.W. Jr., Holloway, W.J. & Bickley, W.E. (1971).** Response of *Microctonus aethiops* and *M. colesi*, parasites of the alfalfa weevil, to a mixture of cis-trans and trans-trans 10,11-epoxyfarnesenic acid methyl ester. Journal of Economic Entomology 64: 338-339.
- Nealis, V.G. (1983).** *Tetrastichus galactopus* (Hym.; Eulophidae), a hyperparasite of *Apanteles rubecula* and *Apanteles glomeratus* (Hym.; Braconidae) in North America. Journal of the Entomological Society of British Columbia 80: 25-28.
- Nealis, V.G. (1984).** Development, diapause and seasonal ecology of the insect parasite, *Apanteles rubecula* (Hymenoptera: Braconidae). Dissertation Abstracts International B Sciences and Engineering 45(2) 1984: 451.
- Nealis, V.G., Jones, R.E. & Wellington, W.G. (1984).** Temperature and development in host-parasite relationships. Oecologia 61: 224-229.
- Nealis, V.G. (1985).** Diapause and the seasonal ecology of the introduced parasite, *Cotesia (Apanteles) rubecula* (Hymenoptera: Braconidae). Canadian Entomologist 117: 333-342.
- Nealis, V.G. (1986).** Responses to host kairomones and foraging behavior of the insect parasite *Cotesia rubecula* (Hymenoptera: Braconidae). Canadian Journal of Zoology 64: 2393-2398.
- Nealis, V. & Régnière, J. (1987).** The influence of parasitism by *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae) on spring dispersal and changes in the distribution of the larvae of the spruce budworm (Lepidoptera: Tortricidae). Canadian Entomologist 119: 141-146.
- Nealis, V. (1987).** The number of instars in jack pine budworm, *Choristoneura pinus pinus* Free (Lepidoptera: Tortricidae), and the effect of parasitism on head capsule width and development time. Canadian Entomologist 119(9): 773-777.
- Nealis, V.G. & Smith, S.M. (1987).** Interaction of *Apanteles fumiferanae* (Hymenoptera: Braconidae) and *Nosema fumiferanae* (Microsporidia) parasitizing spruce budworm (Lepidoptera: Tortricidae). Canadian Journal of Zoology 65: 2047-2050.
- Nealis, V.G. & Fraser, S. (1988).** Rate of development, reproduction, and mass rearing of *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae) under controlled conditions. Canadian Entomologist 120(3): 197-204.
- Nealis, V.G. & Lysyk, T.J. (1988).** Sampling overwintering jack pine budworm, *Choristoneura pinus pinus* Free. (Lepidoptera: Tortricidae), and two of its parasitoids (Hymenoptera). Canadian Entomologist 120(12): 1101-1111.
- Nealis, V.G. (1988).** Weather and ecology of *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae). Memoirs of the Entomological Society of Canada 146: 57-70.
- Nealis, V. & Frankenhuyzen, K. van (1990).** Interactions between *Bacillus thuringiensis* Berliner and *Apanteles fumiferanae* Vier. (Hymenoptera: Braconidae), a parasitoid of the spruce budworm, *Choristoneura fumiferana* (Clem.) (Lepidoptera: Tortricidae). Canadian Entomologist 122(July/August): 585-594.
- Nealis, V.G. (1990).** Factors affecting the rate of attack by *Cotesia rubecula* (Hymenoptera: Braconidae). Ecological Entomology 15(2): 163-168.
- Nealis, V.G. (1991).** Parasitism in sustained and collapsing populations of the jack pine budworm, *Choristoneura pinus pinus* Free. (Lepidoptera: Tortricidae), in Ontario, 1985-1987. Canadian Entomologist 123(5): 1065-1075.
- Nealis, V.G., Cadogan, B.L. & Frankenhuyzen, K. van (1992).** Conservation of spruce budworm parasitoids following application of *Bacillus thuringiensis* var. *kurstaki* Berliner. Canadian Entomologist 124(6): 1085-1092.
- Nealis, V.G. & Bouchier, R.S. (1995).** Reduced vulnerability to hyperparasitism in nondiapause strains of *Cotesia melanoscela* (Ratzeburg) (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Ontario 126: 29-35.
- Nealis, V.G., Oliver, D. & Tchir, D. (1996).** The diapause responses to photoperiod in Ontario populations of *Cotesia melanoscela* (Ratzeburg) (Hymenoptera: Braconidae). Canadian Entomologist 128(1): 41-46.
- Nealis, V.G. (1998).** Population dynamics of the white pine weevil, *Pissodes strobi*, infesting jack pine, *Pinus banksiana*, in Ontario, Canada. Ecological Entomology 23(3): 305-313.
- Nealis, V.G., Roden, P.M. & Ortiz, D.A. (1999).** Natural mortality of the gypsy moth along a gradient of infestation. Canadian Entomologist 131(4): 507-519.
- Neder de Roman, L.E. & Arce de Hamity, M.G. (1990).** Ontogenetic and bioecology aspects of *Apanteles ayerzai* Brèthes (Hymenoptera: Braconidae). Acta Zoologica Lilloana 39(2): 39-44.
- Neder de Roman, L.E. & de Hamity, A. (1990).** Aspectos ontogenéticos y bioecológicos de *Apanteles ayerzai* Brèthes (Hymenoptera: Braconidae). Acta Zoologica Lilloana 39(2) 1990: 39-44.
- Neder de Roman, L.E. & Arce de Hamity, M.G. (1991).** *Meteorus chilensis* Porter (Hymenoptera: Braconidae), natural foe of *Copitarsia turbata* (Herrich-Schaffer) (Lepidoptera: Noctuidae) in areas of the Humahuaca Gorge (Quebrada de Humahuaca)-Jujuy. Neotropica (La Plata) 37(98): 137-144.
- Neder de Roman, L.E. & Arce de Hamity, M.G. (1991).** Sobre los enemigos naturales de noctuidos daninos a hortalizas en la Quebrada de Humahuaca, Jujuy. Revista Sociedad Entomologica Argentina 49(1-4) 1990.: 48, 58.
- Nedstam, B. (1985).** Development time of *Liriomyza bryoniae* Kalt. (Diptera: Agromyzidae) and two of its natural enemies, *Dacnusa sibirica* Telenga (Hymenoptera: Braconidae) and *Cyrtogaster vulgaris* Walker (Hymenoptera: Pteromalidae) at different constant temperatures. Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 47(2): 533-540.
- Nedstam, B. (1986).** Biological control of the tomato leafminer in glasshouses. Entomologisk Tidskrift 107(1-2) 1986: 21-25.
- Neel, C.S., Weaver, J.E., Baniecki, J.F. & Wallbrown, R.M. (1992).** A survey of biological agents of the alfalfa weevil in Mason and Preston Counties, West Virginia, for 1992. Circular Agricultural and Forestry Experiment Station, West Virginia University 158: 11 pp.
- Negasi, F. & Abate, T. (1986).** Studies on the control of the bean fly *Ophiomyia phaseoli* (Tryon) (Dipt.: Agromyzidae). Ethiopian Journal of Agricultural Sciences 8(1): 47-59.

- Neira, C.M., Ruff, F.J. & Mundaca, B.N. 1989. Natural enemies of *Pieris brassicae* L. (Lepidoptera: Pieridae) from cultivated crucifers in Valdivia. *Agro Ciencia* 5(2): 5-10.
- Nelson, J.M. & Roitberg, B.D. 1993. Factors governing host discrimination by *Opius dimidiatus* (Ashmead) (Hymenoptera: Braconidae). *Journal of Insect Behavior* 6(1): 13-24.
- Nelson, J.M. & Roitberg, B.D. 1995. Flexible patch time allocation by the leafminer parasitoid, *Opius dimidiatus*. *Ecological Entomology* 20(3): 245-252.
- Nemec, V. & Starý, P. 1983. Elpho-morph differentiation in *Aphidius ervi* Hal. biotype on *Microlophium carnosum* (Bckt.) related to parasitization on *Acyrtosiphon pisum* (Harr.) (Hym., Aphidiidae). *Zeitschrift für angewandte Entomologie* 95: 524-530.
- Nemec, V. & Starý, P. 1983. Genetic polymorphism in *Aphidius ervi* Hal. (Hym., Aphidiidae), an aphid parasitoid on *Microlophium carnosum* (Bckt.). *Zeitschrift für angewandte Entomologie* 95: 345-350.
- Nemec, V. & Starý, P. 1984. Population diversity of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), an aphid parasitoid in agroecosystems. *Zeitschrift für angewandte Entomologie* 97: 223-233.
- Nemec, V. & Starý, P. 1984. Utilization of isozyme analysis in the research on population diversity of aphid parasitoids (Hym., Aphidiidae). *Zeitschrift für angewandte Entomologie* 98: 150-159.
- Nemec, V. & Starý, P. 1985. Genetic diversity and host alternation in aphid parasitoids (Hym., Aphidiidae). *Entomologia Generales* 10(3/4): 253-258.
- Nemec, V. & Starý, P. 1985. Genetic diversity in relation to host specificity of aphid parasitoids (Hymenoptera: Aphidiidae). *Entomologia Generales* 10(3/4): 241-251.
- Nemec, V. & Starý, P. 1985. Genetic diversity of the parasitoid *Aphidius ervi* on the pea aphid, *Acyrtosiphon pisum* in Czechoslovakia (Hymenoptera, Aphidiidae; Homptera, Aphididae). *Acta Entomologica Bohemoslovaca* 82: 88-94.
- Nemec, V. & Starý, P. 1985. Population diversity in deuterotokous *Lysiphlebus* species, parasitoids of aphids (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 82(3): 170-174.
- Nemeye, P.S., Moore, D. & Prior, C. 1990. Potential of the parasitoid *Heterospilus prosopidis* (Hymenoptera: Braconidae) as a vector of plant-pathogenic *Colletotrichum* spp. *Annals of Applied Biology* 116(1): 11-19.
- Ness, J.H. 2003. Contrasting exotic *Solenopsis invicta* and native *Forelius pruinosus* ants as mutualists with *Catalpa bignonioides*, a native plant. *Ecological Entomology* 28(2): 247-251.
- Neunzig, H.H., Cashatt, E.D. & Matuza, G.A. 1964. Observations on the biology of four species of *Dioryctria* in North Carolina (Lepidoptera: Phycitidae). *Annals of the Entomological Society of America* 57: 317-321.
- Neupane, F.P., Coppel, H.C. & Chapman, R.K. 1985. Bionomics of the maize borer, *Chilo partellus* (Swinhoe), in Nepal. *Insect Science and its Application* 6: 547-553.
- New, T.R. 1970. The life histories of two species of *Leiophron* Nees (Hymenoptera, Braconidae) parasitic on Psocoptera in southern England. *Entomologist's Gazette* 21: 39-48.
- New, T.R. 1984. Identification of Hymenopterous parasites of Chrysopidae. *Series Entomologica* 27: 193-204.
- Newman, T.M. & Quicke, D.L.J. 1998. Sperm development in the imaginal testes of *Aleiodes coxalis* (Hymenoptera: Braconidae: Rogadinae). *Journal of Hymenoptera Research* 7(1): 25-37.
- Newton, B.L. & Sharkey, M.J. 2000. A new species of *Bassus* (Hymenoptera: Braconidae: Agathidinae) parasitic on *Samea multiplicalis*, a natural control agent of waterlettuce. *Florida Entomologist* 83(3): 284-289.
- Ng, B.B., Ong, K.H., Teo, L.M. & Tang, M.P. 1997. Evaluation of integrated pest management strategies for the control of diamondback moth in leafy vegetables. *Singapore Journal of Primary Industries* 25: 33-42.
- Ng, S.M. & Starý, P. 1986. Records on aphid parasitoids from Malaysia (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 83(2): 101-104.
- Ngi-Song, A.J., Overholt, W.A. & Ayertey, J.N. 1995. Suitability of African gramineous stemborers for development of *Cotesia flavipes* and *C. sesamiae* (Hymenoptera: Braconidae). *Environmental Entomology* 24(4): 978-984.
- Ngi-Song, A.J., Overholt, W.A., Njagi, P.G.N., Dicke, M., Ayertey, J.N. & Lwe, W. 1996. Volatile infochemicals used in host and host habitat location by *Cotesia flavipes* Cameron and *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae), larval parasitoids of stemborers on gramineae. *Journal of Chemical Ecology* 22(2): 307-323.
- Ngi-Song, A.J. & Overholt, W.A. 1997. Host location and acceptance by *Cotesia flavipes* Cameron and *C. sesamiae* (Cameron) (Hymenoptera: Braconidae), parasitoids of African gramineous stemborers: role of frass and other host cues. *Biological Control* 9(2): 136-142.
- Ngi-Song, A.J., Overholt, W.A. & Stouthamer, R. 1998. Suitability of *Busseola fusca* and *Sesamia calamistis* (Lepidoptera: Noctuidae) for the development of two populations of *Cotesia sesamiae* (Hymenoptera: Braconidae) in Kenya. *Biological Control* 12(3): 208-214.
- Ngi-Song, A.J., Overholt, W.A., Smith, J.W. Jr. & Vinson, S.B. 1999. Suitability of new and old association hosts for the development of selected microgastrine parasitoids of gramineous stemborers. *Entomologia Experimentalis et Applicata* 90(3): 257-266.
- Ngi-Song, A.J., Njagi, P.G.N., Torto, B. & Overholt, W.A. 2000. Identification of behaviourally active components from maize volatiles for the stemborer parasitoid *Cotesia flavipes* Cameron (Hymenoptera: Braconidae). *Insect Science and its Application* 20(3): 181-189.
- Ngi-Song, A.J. & Mochiah, M.B. 2001. Polymorphism for *Wolbachia* infections in Eastern and Southern African *Cotesia sesamiae* (Cameron) (Hymenoptera: Braconidae) populations. *Insect Science and its Application* 21(4): 369-374.
- Ngi-Song, A.J., Kimani-Njogu, S. & Overholt, W.A. 2001. Multiple parasitism by *Cotesia sesamiae* and *Cotesia flavipes* (Hymenoptera: Braconidae) on *Busseola fusca* (Lepidoptera: Noctuidae). *Biocontrol Science and Technology* 11(3): 381-390.
- Nguyen, R. & Workman, R.B. 1979. Seasonal abundance and parasites of the imported cabbageworm, diamondback moth and cabbage webworm in northeast Florida. *Florida Entomologist* 62(1): 68-69.
- Nickle, D.A. & Hagstrum, D.W. 1981. Provisioning with preanalyzed hosts to improve parasite effectiveness: A pest management strategy for stored commodities. *Environmental Entomology* 10: 560-564.
- Nicol, C.M.Y. & Mackauer, M. 1997. Wirtsgrosse vs. Wirtsart: Bedeutung von art-spezifischen Unterschieden in der Wirtsgrosse für den Parasitoiden *Monoctonus paulensis* (Ashmead) (Hym.: Aphidiidae). *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 11(1-6): 729-733.
- Nicol, C.M.Y. & Mackauer, M. 1999. The scaling of body size and mass in a host-parasitoid association: influence of host species and stage. *Entomologia Experimentalis et Applicata* 90(1): 83-92.
- Niehus, O. 1986. Studies on biology and ecology of some *Phyllonorycter* Hb. spp. (Lep., Gracilariidae) and their parasites living on alder (*Alnus* spp.). *Journal of Applied Entomology* 102(1): 63-80.

- Nielsen, D.W.** 1990. Arthropod communities associated with *Darlingtonia californica*. Annals of the Entomological Society of America 83: 189-200.
- Nielsen, L.B.** 1994. Distribution and population densities of stem-boring fly larvae (Diptera) and their parasitoids in Danish farmland. Journal of Applied Entomology 117(4): 321-331.
- Nieminen, M., Suomi, J., Nouhuys, S. van, Sauri, P. & Riekkola, M.L.** 2003. Effect of iridoid glycoside content on oviposition host plant choice and parasitism in a specialist herbivore. Journal of Chemical Ecology 29(4): 823-844.
- Nigam, H.** 1981. *Aphanogmus fijiensis* Ferriere (Hymenoptera-Cera-
phronidae) a hyperparasite of *Apanteles flavipes* Cameron from Uttar Pradesh. Indian Journal of Entomology 43(4) 1981: 453.
- Nigam, H.** 1982. *Apanteles ruficrus* Hal. (Hymenoptera: Braconidae), as a larval parasite of sugarcane stalk borer, *Chilo auricilius* Dugl. - a new record. Science and Culture 48(12): 445-446.
- Nigam, H.** 1984. Record of *Apanteles ruficrus* Hal. (Hymenoptera: Braconidae) as a new larval parasite of sugarcane stalk borer *Chilo auricilius* Dugl. Indian Journal of Entomology 46(3): 363.
- Nikam, P.K. & Sathe, T.V.** 1983. Life tables and intrinsic rate of natural increase of *Cotesia flavipes* (Cam.) (Hymen., Braconidae) population on *Chilo partellus* (Swin.) (Lep., Pyralidae). Zeitschrift für angewandte Entomologie 95: 171-175.
- Nikam, P.K. & Sathe, T.V.** 1983. Studies on host age selection by *Cotesia flavipes* (Cameron), a larval parasitoid of *Chilo partellus* (Swin.). Indian Journal of Parasitology 7(2): 181-182.
- Nikam, P.K. & Gaikwad, A.M.** 1989. Role of hymenopterous parasitoids in the biological control of *Heliothis armigera* (Hubn.) (Lepidoptera: Noctuidae) with special reference to *Campoletis chlorideae* Uchida (Hymenoptera: Ichneumonidae) in India. Journal of Entomological Research 13(1-2): 6-20.
- Nikam, P.K. & Pawar, C.V.** 1992. Studies on the effect of different temperatures and related humidity on the development and longevity of *Bracon hebetor* Say (Hymenoptera: Braconidae), an ectoparasitoid of *Helicoverpa armigera* Hübner larvae. Marathwada University Journal of Sciences 26 Sci 19 1987-1992[?1992]: 89-92.
- Nikam, P.K. & Pawar, C.V.** 1993. Life tables and intrinsic rate of natural increase of *Bracon hebetor* Say (Hym.: Braconidae) population on *Corcyra cephalonica* Staint. (Lep.: Pyralidae), a key parasitoid of *Helicoverpa armigera* Hbn. (Lep.: Noctuidae). Journal of Applied Entomology 115(2): 210-213.
- Nikkhoo, F. & Moieni, M.** 1991. Study of cut worm biology in the vegetable growing areas around Tehran, and determination of its control measures. Applied Entomology and Phytopathology 58(1-2): 1-3.
- Niklaus-Ruiz Borge, M. & Basedow, T.** 1997. A survey on the occurrence and flight periods of fruit fly species (Diptera: Tephritidae) in a fruit growing area in southwest Nicaragua, 1994/95. Bulletin of Entomological Research 87(4): 405-412.
- Nikonov, P.V.** 1987. Extending the use of biological agents. Zashchita Rastenii Moskva 6: 11-14.
- Nilsson, C.** 1988. The pollen beetle (*Meligethes aeneus* F.) in winter and spring rape at Alnarp 1976-1978. 3. Mortality factors. Växtskyddsnotiser 52(6) 1988: 145-150.
- Nilsson, L.A.** 1981. The pollination ecology of *Listera ovata* (Orchidaceae). Nordic Journal of Botany 1(4): 461-480.
- Nirmala, D., Devi, M. & Raj, D.** 1996. Extent of parasitization of *Chilo partellus* (Swinhoe) on maize by *Apanteles* sp. in mid hill zone of Himachal Pradesh (India). Journal of Entomological Research 20(2): 171-172.
- Nishida, T. & Napompeth, B.** 1974. Trap for tephritid fruit fly parasites. Entomophaga 19(3): 349-351.
- Nishida, T. & Torii, T.** 1970. A handbook of field methods for research on rice stem-borers and their natural enemies. International Biol. Prog. Hdbk. No.14. 132 pp.
- Nishihara, K.** 1987. Hymenopterous and dipterous parasites of the egg and larva of *Actias gnoma* Butler (Saturniidae). Japan Heterocerists' Journal No. 141: 253.
- Nishimura, K. & Jahn, G.C.** 1996. Sex allocation of three solitary ectoparasitic wasp species on bean weevil larvae: sex ratio change with host quality and local mate competition. Journal of Ethology 14(1): 27-33.
- Nixon, G.E.J.** 1965. A reclassification of the tribe Microgasterini (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series. Supplement 2: 1-284.
- Nixon, G.E.J.** 1967. The Indo-Australian species of the *ultor*-group of *Apanteles* Förster (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series 21(1): 1-34.
- Nixon, G.E.J.** 1968. A revision of the genus *Microgaster* Latreille (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series 22: 33-72.
- Nixon, G.E.J.** 1970. A revision of the n.w. European species of *Microplitis* Förster (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series 25(1): 1-30.
- Nixon, G.E.J.** 1971. Two new species of *Apanteles* from Europe and Africa with a redescription of the African *Apanteles rutilans* Nixon (Hymenoptera: Braconidae). Journal of Natural History 5: 361-365.
- Nixon, G.E.J.** 1972. A revision of the north-western European species of the *laevigatus*-group of *Apanteles* Förster (Hymenoptera: Braconidae). Bulletin of Entomological Research 61: 701-743.
- Nixon, G.E.J.** 1973. A revision of the north-western European species of the *vitripennis*, *pallipes*, *octonarius*, *triangulator*, *fraternus*, *formosus*, *parasitellae*, *metacarpalis* and *circumscripatus*- groups of *Apanteles* Förster (Hymenoptera: Braconidae). Bulletin of Entomological Research 63: 169-228.
- Nixon, G.E.J.** 1974. A revision of the north-western European species of the *glomeratus*-group of *Apanteles* Foerster (Hymenoptera: Braconidae). Bulletin of Entomological Research 64: 453-524.
- Nixon, G.E.J.** 1976. A revision of the north-western European species of the *merula*, *laeteus*, *vipio*, *ultor*, *ater*, *butalidis*, *popularis*, *carbonarius* and *validus*-groups of *Apanteles* Förster (Hym.: Braconidae). Bulletin of Entomological Research 65: 687-732.
- Nixon, G.E.J.** 1986. A revision of the European Agathidinae (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series 52(3): 183-242.
- Niyibigira, E.I., Abdallah, Z.S., Overholt, W.A., Lada, V.Y. & Huis, A. van** 2001. Distribution and abundance, in maize and sorghum, of lepidopteran stemborers and associated indigenous parasitoids in Zanzibar. Insect Science and its Application 21(4): 335-346.
- Noda, T., Miyai, S., Yamada, S. & Konishi, K.** 1996. Larval and pupal parasitoids of diamondback moth, *Plutella xylostella* (L.) in cabbage fields in Morioka, Japan. Japanese Journal of Applied Entomology and Zoology 40(2): 64-167.
- Noguchi, H., Hayakawa, Y. & Downer, R.G.H.** 1995. Elevation of dopamine levels in parasitized insect larvae. Insect Biochemistry and Molecular Biology 25(2): 197-201.
- Noguchi, H. & Hayakawa, Y.** 1996. Mechanism of parasitism-induced elevation of dopamine levels in host insect larvae. Insect Biochemistry and Molecular Biology 26(7): 659-665.
- Noguchi, H., Tsuzuki, S., Tanaka, K., Matsumoto, H., Hiruma, K. & Hayakawa, Y.** 2003. Isolation and characterization of a dopa decarboxylase cDNA and the induction of its expression by an insect cytokine, growth-blocking peptide in *Pseudaletia separata*. Insect Biochemistry and Molecular Biology 33(2): 209-217.
- Noori, P.** 1994. The parasitism trend of the wasp *Habrobracon hebetor* Say on *Chloridea* spp. in chickpea fields of Kermanshah

- Province. Applied Entomology and Phytopathology 61(1&2): 14-15 Ar 23-31.
- Nopp, H., Pruscha, H., König, H., Vogel, W. & Schopf, A. 1990.** Die Entwicklung von *Glyptapanteles liparidis* (Bouché) (Braconidae) in Abhängigkeit von der Cd und Cu-belastung des Wirtes *Lymantria dispar* (L.) (Lymantridae). Anzeiger der Österreichischen Akademie der Wissenschaften, mathematisch-naturwissenschaften 1990.
- Nordlund, D.A. & Lewis, W.J. 1985.** Response of females of the braconid parasitoid *Microplitis demolitor* to frass of larvae of the noctuids, *Heliothis zea* and *Trichoplusia ni* and to 13-methylhentriacontane. Entomologia Experimentalis et Applicata 38: 109-112.
- Nordlund, D.A. & Sauls, C.E. 1981.** Kairomones and their use for management of entomophagous insects. XI. Effect of host plants on the kairomonal activity of frass from *Heliothis zea* larvae for the parasitoid *Microplitis croceipes*. Journal of Chemical Ecology 7: 1057-1061.
- Nordlund, D.A., Lewis, W.J. & Tumlinson, J.H. 1989.** Habitat and host location behaviour of *Microplitis croceipes*. Southwestern Entomologist 12: 39-48.
- Norowi, H.M., Perry, J.N., Powell, W. & Rennolls, K. 2000.** The effect of spatial scale on interactions between two weevils and their parasitoid. Ecological Entomology 25(2): 188-196.
- Norrbom, A.L. 1993.** New synonymy of *Epochra* Loew with *Euphranta* (*Rhacochlaena* Loew) (Diptera: Tephritidae) and description of a new species from Mexico. Proceedings of the Entomological Society of Washington 95(2): 189-194.
- Norton, A.P., Welter, S.C., Flexner, J.L., Jackson, C.G., Debolt, J.W. & Pickel, C. 1992.** Parasitism of *Lygus hesperus* (Miridae) by *Anaphes iole* (Mymaridae) and *Leiophron uniformis* (Braconidae) in California strawberry. Biological Control 2(2): 131-137.
- Norton, W.N. & Vinson, S.B. 1974.** A comparative ultrastructural and behavioural study of the antennal sensory sensilla of the parasitoid *Cardiochiles nigriceps* (Hymenoptera Braconidae). Journal of Morphology 142: 329-350.
- Norton, W.N. & Vinson, S.B. 1974.** Antennal sensilla of three parasitic Hymenoptera. International Journal of Insect Morphology and Embryology 3(3/4): 305-316.
- Notton, D.G. 1991.** *Aspilota intermediana* Fischer a fungicolous braconid (Hym.) new to Britain. Entomologist's Monthly Magazine 127 Nos 1524-1527: 159-160.
- Nouhuys, S. van & Hanski, I. 1999.** Host diet affects extinctions and colonizations in a parasitoid metapopulation. Journal of Animal Ecology 68(6): 1248-1258.
- Nouhuys, S. van & Via, S. 1999.** Natural selection and genetic differentiation of behaviour between parasitoids from wild and cultivated habitats. Heredity 83(2): 127-137.
- Nouhuys, S. van & Hanski, I. 2000.** Apparent competition between parasitoids mediated by a shared hyperparasitoid. Ecology Letters 3(2): 82-84.
- Nouhuys, S. van & Tay, W.T. 2001.** Causes and consequences of small population size for a specialist parasitoid wasp. Oecologia 128(1): 126-133.
- Nouhuys, S. van & Hanski, I. 2002.** Colonization rates and distances of a host butterfly and two specific parasitoids in a fragmented landscape. Journal of Animal Ecology 71(4): 639-650.
- Novoa, M.C. & Luna, M.G. 1996.** Parasitism, survivorship, sex ratio and developmental time of *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae), parasitizing *Rachiplusia nu* (Guenée) (Lepidoptera: Noctuidae) Larvae in soybean crops in Argentina. Acta Entomologica Chilena 20(0): 23-28.
- Nowak, J.T., McCravy, K.W., Fettig, C.J. & Berisford, C.W. 2001.** Susceptibility of adult hymenopteran parasitoids of the Nantucket pine tip moth (Lepidoptera: Tortricidae) to broad-spectrum and biorational insecticides in a laboratory study. Journal of Economic Entomology 94(5): 1122-1127.
- Nowierski, R.M. & Fitzgerald, B.C. 2002.** Supercooling capacity of Eurasian and North American populations of parasitoids of the Russian wheat aphid, *Diuraphis noxia*. BioControl 47 (3): 279-292.
- Nowierski, R.M. 1980.** The field ecology of the walnut aphid, *Chromaphis juglandicola* (Homoptera: Aphididae) and its introduced parasite, *Trioxys pallidus* (Hymenoptera: Aphididae): a qualitative and quantitative assessment of population regulation. Dissertation Abstracts International B Sciences and Engineering 41(4): 1234.
- Noyes, J.S. 1989.** The diversity of Hymenoptera in the tropics with special reference to Parasitica in Sulawesi. Ecological Entomology 14(2): 197-207.
- Nsami, E., Pallangyo, B., Mgoo, V. & Omwega, C.O. 2001.** Distribution and species composition of cereal stemborers in the Eastern Zone of Tanzania. Insect Science and its Application 21(4): 347-351.
- Nsez-Perez, E. & Tizado, E.J. 1996.** Conifer aphids (Homoptera: Aphididae) and some natural enemies in the León province (Spain). Boletín de la Asociación Española de Entomología 20(1-2): 85-93.
- Nunn, C. & Driesche, R.G. van 2002.** Establishment of a Chinese strain of *Cotesia rubecula* (Hymenoptera: Braconidae) in the Northeastern United States. Florida Entomologist 85(2): 386-388.
- Nussbaumer, C. & Schopf, A. 2000.** Development of the solitary larval endoparasitoid *Glyptapanteles porthetriae* (Hymenoptera: Braconidae) in its host *Lymantria dispar* (Lepidoptera: Lymantriidae). European Journal of Entomology 97(3): 355-361.
- Nussbaumer, C., Stradner, A. & Schopf, A. 2002.** Effects of parasitization or injection of parasitoid-derived factors from the endoparasitic wasp *Glyptapanteles porthetriae* (Hym., Braconidae) on the development of the larval host, *Lymantria dispar* (Lep., Lymantriidae). Journal of Applied Entomology 126(1): 1-7.
- Nwanze, K.F. & Nwilene, F.E. 1998.** Interactions of host plant resistance and biological control of stemborers in sorghum. Insect Science and its Application 18(3): 261-266.
- Nwilene, F.E., Nwanze, K.F. & Reddy, Y.V.R. 1998.** Effect of sorghum ecosystem diversification and sowing date on shoot fly, stem borer and associated parasitoids. Crop Research Hisar 16(2): 239-245.
- Nyiira, Z.M. 1970.** A note on the natural enemies of lepidopterous larvae in cotton bolls in Uganda. Annals of the Entomological Society of America 63(5): 1461-1462.
- Oatman, E.R., Platner, G.R. & Greany, P.D. 1969.** The biology of *Orgilus lepidus*, a primary parasite of the potato tuberworm. Annals of the Entomological Society of America 62(6): 1407-1414.
- Oatman, E.R. & Platner, G.R. 1972.** Colonization of *Trichogramma evanescens* and *Apanteles rubecula* on the imported cabbage-worm on cabbage in southern California. Environmental Entomology 1(3): 347-351.
- Oatman, E.R. & Platner, G.R. 1974.** Parasitization of the potato tuberworm in southern California. Environmental Entomology 3(2): 262-264.
- Oatman, E.R., Platner, G.R., Wyman, J.A., Steenwyk, R.A. van, Johnson, M.W. & Browning, H.W. 1983.** Parasitization of lepidopterous pests on fresh-market tomatoes in southern California. Journal of Economic Entomology 76(3): 452-455.
- Oatman, E.R. 1985.** Parasites associated with lepidopterous leaf miners on apple in northeastern Wisconsin. Journal of Economic Entomology 78: 1063-1066.
- Oballe, R., Vargas-Osuna, E., Lyra, J.R.M., Aldebis, H.K. & Santiago-Alvarez, C. 1995.** Sequence of appearance of parasitoids

- in larval populations of Lepidoptera which attack cotton in Valle del Guadalquivir. *Boletín de Sanidad Vegetal, Plagas* 21(4): 659-665.
- Obara, M. & Kitano, H. 1974.** Studies on the courtship behavior of *Apanteles glomeratus* 1. Experimental studies on releaser of wing vibrating behaviour in the male. *Kontyu* 42: 208-214.
- Oboite, A.U. 1968.** An index of parasites of agricultural insects of the Ibadan area (based on the collection of the Department of Agricultural Biology, University of Ibadan, Nigeria). Occasional Publications of the Entomological Society of Nigeria 1: 1-24.
- Obra, J.B. & Morallo-Rejesus, B. 1997.** Sensitivity of *Cotesia plutellae* and *Diadegma semiclausum*, parasitoids of diamondback moth, *Plutella xylostella* (L.) to several insecticides. *Philippine Entomologist* 11(1): 49-56.
- O'Brien, P.J., Elzen, G.W. & Vinson, S.B. 1985.** Toxicity of azinphosmethyl and chlordimeform to the parasitoid *Bracon melilitor* (Hymenoptera: Braconidae): lethal and reproductive effects. *Environmental Entomology* 14(6): 891-894.
- Obrycki, J.J. & Tauber, M.J. 1978.** Thermal requirements for the development of *Coleomegilla maculata* (Coleoptera: Coccinellidae) and its parasite *Perilitus coccinellae* (Hymenoptera: Braconidae). *Canadian Entomologist* 110(4): 407-412.
- Obrycki, J.J. & Tauber, M.J. 1979.** Seasonal synchrony of the parasite *Perilitus coccinellae* and its host *Coleomegilla maculata*. *Environmental Entomology* 8: 400-405.
- Obrycki, J.J. & Tauber, M.J. 1984.** Natural enemy activity on glandular pubescent potato plants in the greenhouse: an unreliable predictor of effects in the field. *Environmental Entomology* 13(3) 1984: 679-683.
- Obrycki, J.J., Tauber, M.J. & Tauber, C.A. 1985.** *Perilitus coccinellae* (Hymenoptera: Braconidae): parasitization and development in relation to host-stage attacked. *Annals of the Entomological Society of America* 78: 852-854.
- Obrycki, J.J. 1988.** Interactions between *Perilitus coccinellae* (Hymenoptera: Braconidae) and several coccinellid hosts: 317-320. In: Niemczyk, E. & Dixon, A.F.G. [eds]. *Ecology and effectiveness of aphidophaga*. Proceedings of an International Symposium, held at Teresin, Poland, August. 31-September 5, 1987. The Hague: 1-341.
- Obrycki, J.J. 1989.** Parasitization of native and exotic coccinellids by *Dinocampus coccinellae* (Schrank) (Hymenoptera: Braconidae). *Journal of the Kansas Entomological Society* 62(2): 211-218.
- Obrycki, J.J., Ormrod, A.M., Gabriel, A.D. & Orr, C.J. 1993.** Larval and pupal parasitism of the strawberry leafroller (Lepidoptera: Tortricidae). *Environmental Entomology* 22(3): 679-683.
- Ochieng, S.A., Park, K.C., Zhu, J.W. & Baker, T.C. 2000.** Functional morphology of antennal chemoreceptors of the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Arthropod Structure and Development* 29(3): 231-240.
- Ockenfels, P., Prinz, J. & Naumann, C.M. 1993.** Reactions of *Aleiodes cf. assimilis* (Hymenoptera: Braconidae) to the larval food-plant of its host *Zygaena trifolii* (Esper, 1783) (Lepidoptera: Zygaenidae). *Entomologist's Gazette* 44(2): 125-133.
- Ockroy, K.S., Cole, T.J., Trenczek, T.E. & Dorn, S. 2002.** Comparison of parasitism by *Cotesia glomerata* with bacterial infection and wounding in *Pieris brassicae*: induction of new haemolymph polypeptides and changes in humoral immune response. *Journal of Invertebrate Pathology* 81(1): 12-18.
- O'Connor, J.P., O'Connor, M.A. & Achterberg, C. van 1991.** Some records of Irish Braconidae (Hymenoptera) including seven species new to Ireland. *Irish Naturalists' Journal* 23(11): 451-454.
- O'Connor, J.P. 1995.** A second Irish record of *Histeromerus mystacinus* Wesmael (Hym.: Braconidae). *Entomologist's Monthly Magazine* 131(1572-75): 162.
- O'Connor, J.P. & Nash, R. 1998.** *Pygostolus multiarticulatus* (Ratzeburg) (Hym.: Braconidae) new to Ireland. *Entomologist's Monthly Magazine* 134: 255.
- O'Connor, J.P., Nash, R. & Achterberg, C. van 1999.** A catalogue of the Irish Braconidae (Hymenoptera: Ichneumonoidea). Occasional Publication of the Irish Biogeographical Society. Number 4: 1-123.
- O'Connor, J.P. 2003.** The subfamily Ichneutinae (Hymenoptera: Braconidae) new to Ireland. *Entomologist's Gazette* 54(1): 33-34.
- Odak, S.C. & Dhamdhare, S.V. 1968.** New records of hymenopterous parasites of *Sylepta lunalis* Guen. (Lepidoptera: Pyralidae), a pest of grapevines. *Indian Journal of Entomology* 32: 395.
- Ode, P.J., Antolin, M.F. & Strand, M.R. 1995.** Brood-mate avoidance in the parasitic wasp *Bracon hebetor* Say. *Animal Behaviour* 49(5): 1239-1248.
- Ode, P.J., Antolin, M.F. & Strand, M.R. 1996.** Sex allocation and sexual asymmetries in intra-brood competition in the parasitic wasp *Bracon hebetor*. *Journal of Animal Ecology* 65(6): 690-700.
- Ode, P.J., Antolin, M.F. & Strand, M.R. 1997.** Constrained oviposition and female-biased sex allocation in a parasitic wasp. *Oecologia* (Heidelberg) 109(4): 547-555.
- Ode, P.J., Antolin, M.F. & Strand, M.R. 1998.** Differential dispersal and female-biased sex allocation in a parasitic wasp. *Ecological Entomology* 23(3): 314-318.
- Odebiyi, J. & Oatman, E.R. 1972.** Biology of *Agathis gibbosa* (Hymenoptera: Braconidae), a primary parasite of the potato tuberworm. *Annals of the Entomological Society of America* 65(5): 1104-1114.
- Odebiyi, J. & Oatman, E.R. 1977.** Biology of *Agathis unicolor* (Schrottky) and *Agathis gibbosa* (Say) (Hymenoptera: Braconidae), primary parasites of the potato tuberworm. *Hilgardia* 45(5): 123-151.
- Odebiyi, J.A. 1982.** Parasites of the cotton leafroller, *Sylepta derogata* (F.) (Lepidoptera: Pyralidae), in south-western Nigeria. *Bulletin of Entomological Research* 72(2): 329-333.
- O'Donnell, D.J. 1987.** A comparison of techniques used to study the morphology of final instar larvae of aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae). *Systematic Entomology* 12(2): 231-238.
- O'Donnell, D.J. 1987.** Larval development and the determination of the number of instars in aphid parasitoids (Hymenoptera: Aphidiidae). *International Journal of Insect Morphology and Embryology* 16(1): 3-15.
- O'Donnell, D.J. & Mackauer, M. 1989.** A morphological and taxonomic study of first instar larvae of Aphiniinae (Hymenoptera: Braconidae). *Systematic Entomology* 14(2): 197-219.
- Oehlke, J. 1969.** Beiträge zur Insektenfauna der DDR: Hymenoptera-Bestimmungstabellen bis zu den Unterfamilien. Beiträge zur Entomologie 19(7/8): 753-801.
- Oetting, R.D. 1985.** Effects of insecticides applied to potting media on *Oenonogastra microrhopalae* (Ashmead) parasitization of *Liriomyza trifolii* (Burgess). *Journal of Entomological Science* 20: 405-410.
- Offenberger, M. & Klarenberg, A.J. 1997.** Hymenopteran parasitoids of *Drosophila* breeding in decaying herbage (Diptera: Drosophilidae). *Nachrichtenblatt der Bayerischen Entomologen* 46(1/2): 11-15.
- Ofuoku, E.E. 1984.** Modification of fecundity and fertility during oogenesis by gamma radiation &/or ozone with a cytological analysis in the ectoparasitic wasp, *Habrobracon juglandis* (Ashmead). *Dissertation Abstracts International B Sciences and Engineering* 45(6) 1984: 1695.
- Ogol, C.K.P.O., Spence, J.R. & Keddie, A. 1998.** Natural enemy abundance and activity in a maize-leucaena agroforestry system in Kenya. *Environmental Entomology* 27(6): 1444-1451.

- Oh, M.R., Kim, S.S., Park, J.D., Paik, J.C. & Kim, D.I. 1997. Biological characteristics of *Cotesia plutellae* (Hymenoptera: Braconidae), a larval parasitoid of *Plutella xylostella* (Lepidoptera: Yponomeutidae). Korean Journal of Entomology 27(3): 79-84.
- Ohara, Y., Takabayashi, J. & Takahashi, S. 1996. Oviposition kairomones in the cuticular wax of host larvae, *Pseudaletia separata*, toward its parasitic wasp, *Cotesia kariyai*. Applied Entomology and Zoology 31(2): 271-277.
- Ohashi, O.S., Dohara, R., Zucchi, R.A. & Canal, D.N.A. 1997. Occurrence of *Anastrepha obliqua* (Macquart) (Diptera: Tephritidae) on *Malpighia puniceifolia* L. in Para state. Anais da Sociedade Entomologica do Brasil 26(2): 389-390.
- Ohh, M.H. 1993. Studies on biological characteristics of parasitic Hymenoptera, *Bracon hebetor* Say (Braconidae, Hymenoptera). Korean Journal of Entomology 23(3): 143-149.
- Ohnishi, A., Hayakawa, Y., Matsuda, Y., Kwon, K.W., Takahashi, T.A. & Sekiguchi, S. 1995. Growth-blocking peptide titer during larval development of parasitized and cold-stressed armyworm. Insect Biochemistry and Molecular Biology 25(10): 1121-1127.
- Ohnuma, Y. & Kainoh, Y. 1992. Effect of parasitism by *Ascogaster reticulatus* (Hym.: Braconidae) on growth of the host, *Adoxophyes* sp. (Lep.: Tortricidae). Entomophaga 37(2): 327-332.
- Ohsaki, N. & Sato, Y. 1990. Avoidance mechanisms of three *Pieris* butterfly species against the parasitoid wasp *Apanteles glomeratus*. Ecological Entomology 15(2): 169-176.
- Ohsaki, N. & Sato, Y. 1994. Food plant choice of *Pieris* butterflies as a trade-off between parasitoid avoidance and quality of plants. Ecology 75(1): 59-68.
- Ohsaki, N., Sato, Y., Godfray, H.C.J. & Shimada, M. 1999. The role of parasitoids in evolution of habitat and larval food plant preference by three *Pieris* butterflies. Special issue. Parasitoids: a model system to answer questions in behavioral, evolutionary and population ecology. Researches on Population Ecology 41(1): 107-119.
- Ohta, I., Miura, K. & Kobayashi, M. 2001. Life history parameters during immature stage of *Aphidius gifuensis* Ashmead (Hymenoptera: Braconidae) on green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae). Applied Entomology and Zoology 36(1): 103-109.
- Ohta, I. 2003. Parasitism of *Lysiphlebus japonicus* Ashmead on the cotton aphid, *Aphis gossypii* Glover. Proceedings of the Kansai Plant Protection Society 45: 33-35.
- Oien, C.T. & Ragsdale, D.W. 1993. Susceptibility of nontarget hosts to *Nosema furnacalis* (Microsporida: Nosematidae), a potential biological control agent of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae). Biological Control 3(4): 323-328.
- Ojeda-Camacho, M., Rodriguez, L.C. & Niemeyer, H.M. 2001. Olfatometric evaluation of the parasitoid *Aphidius ervi* (Hymenoptera: Braconidae), of different provenances and experience levels of oviposition, based on plant volatiles and plant-host complexes. Revista Chilena de Entomologia 28: 63-69.
- Okada, I. 1988. Three species of wax moths in Japan. Honeybee Science 9(4): 145-149.
- Okada, M. 2002. Present status of biological pesticide in Japan. Agrochemicals Japan 80: 2-5.
- Okada, T. 1989. Parasitoids of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae): species and seasonal changes of parasitism in cabbage fields. Japanese Journal of Applied Entomology and Zoology 33(1): 17-23.
- Okada, T. 1991. Seasonal changes in population density of the diamondback moth, *Plutella xylostella* (L.) and parasitism by parasitoids in cabbage fields. Proceedings of the Kansai Plant Protection Society 33: 39-44.
- Okech, S.H.O. & Overholt, W.A. 1996. Comparative biology of *Cotesia chilonis* (Hymenoptera: Braconidae) on selected African gramineous stemborers. Biocontrol Science and Technology 6(4): 595-602.
- Okine, J.S., Mitchell, E.R., Carpenter, J. & Hu, G.Y. 1998. Oviposition response of *Cotesia plutellae* (Hymenoptera: Braconidae) to sterile and normal diamondback moth (Lepidoptera: Plutellidae) larvae. Environmental Entomology 27(6): 1520-1524.
- Okuda, T. & Kadono-Okuda, K. 1995. *Perilitus coccinellae* teratocyte polypeptide: evidence for production of a teratocyte-specific 540 kDa protein. Journal of Insect Physiology 41(9): 819-825.
- Okuda, T. & Ceryngier, P. 2000. Host discrimination in *Dinocampus coccinellae* (Hymenoptera: Braconidae), a solitary parasitoid of coccinellid beetles. Applied Entomology and Zoology 35(4): 535-539.
- Okumura, M. & Shiraishi, A. 2002. Establishment of alfalfa weevil parasitoid and its potential for biological control. Shokubutsu Boeki 56(8): 329-333.
- Okuno, S., Nakai, M., Hiraoka, T. & Kunimi, Y. 2002. Isolation of a protein lethal to the endoparasitoid *Cotesia kariyai* from entomopoxvirus-infected larvae of *Mythimna separata*. Insect Biochemistry and Molecular Biology 32(5): 559-566.
- Okuno, S., Nakai, M., Seino, N., Hiraoka, T. & Kunimi, Y. 2000. Virion-free plasma from entomopoxvirus-infected larvae of *Pseudaletia separata* (Lepidoptera: Noctuidae) kills larvae of a braconid endoparasitoid, *Cotesia kariyai* (Hymenoptera: Braconidae) cultured in vitro. Applied Entomology and Zoology 35(1): 107-113.
- Olaifa, J.I. & Akingbohunbe, A.E. 1982. Bionomics of *Bracon ? hancocki* (Wilkinson) (Hymenoptera: Braconidae), a larval parasite of *Cydia ptychora* (Meyrick) (Lepidoptera: Tortricidae) in Nigeria. Bulletin of Entomological Research 72(4): 567-572.
- Olaifa, J.I. & Akingbohunbe, A.E. 1982. Seasonal population fluctuations in the black cowpea moth *Cydia ptychora* (Meyrick) (Lepidoptera: Tortricidae). Insect Science and its Application 3(1): 73-77.
- Olbrycht, T. 1999. The occurrence of pea aphid (*Acyrtosiphon pisum* Harris) and its parasitoids on lens (*Lens esculata* Much.) grown in the province of Rzeszow. Progress in Plant Protection 39(2): 416-418.
- Olckers, T. & Hulley, P.E. 1991. Notes on some insect galls associated with *Solanum* plants in South Africa. South African Journal of Zoology 26(2): 55-61.
- Oliveira, A.M., Da Cruz, C.A., Gomes, G.L., Liberal, M.T. & Leal, N.R. 1991. Larval miner of leaves in tomato plants in the State of Rio de Janeiro: perspectives for an integrated control. Boletim Tecnico Empresa de Pesquisa Agropecuaria do Estado do Rio de Janeiro 14: 31 pp.
- Oliveira, F.J.D. & Foerster, L.A. 1986. Development cycle and host instar preference for oviposition by *Apanteles muesebecki* Blanchard, 1947 (Hymenoptera, Braconidae), a parasitoid of *Pseudaletia sequax* Franclemont, 1951 (Lepidoptera, Noctuidae). Anais da Sociedade Entomologica do Brasil 15(2): 371-378.
- Oliveira, L. & Tavares, J. 1992. Dinamica populacional de *Apanteles militaris* (Walsh) (Hymenoptera, Braconidae) em duas localidades da Ilha de S. Miguel-Acores. Acoreana 7(3): 433-441.
- Oliveira, L. 1992. Influencia da temperatura no ciclo biologico de *Apanteles militaris* (Walsh) (Hymenoptera, Braconidae). Actas do Congresso Iberico de Entomologia 5(2): 357-362.
- Oliveira, L. 1992. Os hiperparasitos do genero *Lisibia* e *Trichomalopsis* no controlo biologico de *Apanteles militaris* (Walsh) (Hymenoptera, Braconidae). Acoreana 7(3): 443-446.
- Oliveira, L. & Tavares, J. 1995. Parasitic capacity of *Apanteles militaris* (Hym.: Braconidae) on its host *Mythimna unipuncta* (Lep.: Noctuidae): 443-447. In: Alonso Zarazaga, M.A., Compte Sart,

- A., Garcia-barros Saura, E., Gurrea Sanz, P., Izquierdo Moya, I., Lopez Munguira, M., Lucianez-sanchez, M.J, Llorente del Morarsidad Autonoma de Madrid (uam), Madrid: 1-502. Chapter pagination:
- Oliveira, L., Melo, R. & Tavares, J. 1998.** Response of *Glyptapanteles militaris* (Walsh) (Hymenoptera: Braconidae), a larval parasitoid of the armyworm, *Mythimna unipuncta* (Haworth) (Lepidoptera: Noctuidae), to different temperatures. *Journal of Hymenoptera Research* 7(2): 268-273.
- Oliveira, L., Tavares, J. & Vieira, V. 1998.** Hyperparasites of *Apanteles militaris* (Hymenoptera: Braconidae) at S. Miguel Island (Azores). *Boletim Do Museu Municipal Do Funchal Suplemento* 5(B): 283-289.
- Oliveira, L., Melo, R. & Tavares, J. 1999.** Host age of *Pseudaletia unipuncta* (Lepidoptera: Noctuidae) and parasitic capacity of *Glyptapanteles militaris* (Hymenoptera: Braconidae). *Environmental Entomology* 28(3): 513-517.
- Oliver, A.D. 1964.** Studies on the biological control of the fall webworm, *Hyphantria cunea*, in Louisiana. *Journal of Economic Entomology* 57: 314-318.
- Oliver, K.M., Russell, J.A., Moran, N.A. & Hunter, M.S. 2003.** Facultative bacterial symbionts in aphids confer resistance to parasitic wasps. *Proceedings of the National Academy of Sciences of the United States of America* 100(4): 1803-1807.
- Oliveira, C.R. & Bordat, D. 1996.** Influence of *Liriomyza species* (Diptera: Agromyzidae) and their host plants, on oviposition by *Opius dissitus* females (Hymenoptera: Braconidae). *Annals of Applied Biology* 128(3): 399-404.
- Olkowski, W., Olkowski, H. & van den Bosch, R. 1982.** Linden aphid parasite establishment. *Environmental Entomology* 11(5): 1023-1025.
- Olkowski, W., Olkowski, H., Green, D., Zuparko, R., Klitz, W. & Wilson, M. 1982.** Importation of the aphid parasitoid *Aphidius liriodendri* (Hymenoptera: Aphidiidae) on the tuliptree aphid *Illinoia (Macrosiphum) liriodendri*. *Entomological Society of America Pacific Branch Annual Meeting* 65: 10.
- Olkowski, W., Olkowski, H., Bosch, R. van den, Hom, R., Zuparko, R. & Klitz, W. 1982.** The parasitoid *Trioxys tenuicaudus* Starý (Hymenoptera: Aphidiidae) established on the elm aphid *Tinocallis platani* Kaltenbach (Homoptera: Aphididae) in Berkeley, California. *Pan-Pacific Entomologist* 58: 59-63.
- Ölmez, S. & Ulusoy, M.R., 2003.** A survey of aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) in Diyarbakir, Turkey. *Phytoparasitica* 31(5): 524-528.
- Olsen, J.L. 2002.** Oregon State University's integrated pest management program for the Oregon hazelnut industry. *Proceedings of the workshop 'Leading edge of plant protection for walnut, almond, pecan, hazel and pistachio production'*, presented at ASHS-2001, Sacramento, California, USA, 22-25 July, 2002. *HortTechnology* 12(4): 623-625.
- Olson, A.C., Ives, A.R. & Gross, K. 2000.** Spatially aggregated parasitism on pea aphids, *Acyrtosiphon pisum*, caused by random foraging behavior of the parasitoid *Aphidius ervi*. *Oikos* 91(1): 66-76.
- Olson, C.S. 1980.** Effects of age and diet upon fat body volume and composition in adult female *Habrobracon juglandis*. *Annals of the Entomological Society of America* 73: 427-431.
- Olson, D.M., Fadamiro, H., Lundgren, J.G. & Heimpel, G.E. 2000.** Effects of sugar feeding on carbohydrate and lipid metabolism in a parasitoid wasp. *Physiological Entomology* 25(1): 17-26.
- Olson, D.M., Hodges, T.A. & Lewis, W.J. 2003.** Foraging efficacy of a larval parasitoid in a cotton patch: influence of chemical cues and learning. *Journal of Insect Behavior* 16(5): 613-624.
- Olson, D.M., Rains, G.C., Meiners, T., Takasu, K., Tertuliano, M., Tumlinson, J.H., Wäckers, F.L. & Lewis, W.J. 2003.** Parasitic wasps learn and report diverse chemicals with unique conditionable behaviors. *Chemical Senses* 28(6): 545-549.
- Olszak, R.W. 1986.** The occurrence of *Propylea quatuordecimpunctata* in apple orchards in Poland and the mortality caused by mycosis and parasites. *Series Entomologica (Dordrecht)* 35: 531-535.
- Olszak, R.W. 1994.** Parasitoids associated with different aphid species, their effectiveness and population dynamics. *Norwegian Journal of Agricultural Sciences Supplement* 16: 361-367.
- Oltra Moscardo, M.T. & Michelena Saval, J.M. 1988.** Contribucion al conocimiento de los Microgastrinae en la Peninsula Iberica (Hym. Braconidae): 1. Apantelini. *Actas do Congresso Iberico de Entomologia* 3: 373-380.
- Oltra Moscardo, M.T. & Michelena Saval, J.M. 1988.** Contribucion al conocimiento de los Microgastrinae en la Peninsula Iberica (Hym. Braconidae): 2. *Microgaster*. *Actas do Congresso Iberico de Entomologia* 3: 381-386.
- Oltra Moscardo, M.T. & Michelena Saval, J.M. 1988.** [Contribucion to the knowledge of the Microgastrinae in the Iberian Peninsula (Hymenoptera, Braconidae): III. Cotesiini.] *Eos Revista Espanola De Entomologia* 64(2): 165-171.
- Oltra-Moscardo, M.T. & Michelena-Saval, J.M. 1988.** Contribution to the knowledge of the Microgastrinae of the Iberian Peninsula (Hym., Braconidae): IV. Lissogastrini. *Boletim de la Asociacion Espanola de Entomologia* 12: 353-358.
- Oltra, M.T. & Michelena, J.M. 1989.** *Cotesia balli*, new species from Spain (Hymenoptera, Braconidae). *Nouvelle Revue d'Entomologie* 6(2): 131-134.
- Oltra, M.T., Dominquez, M. & Baixeras, J. 1995.** A new Iberian species of *Protapanteles* (Hymenoptera: Braconidae) associated with the endemic moth *Heliothea discoidaria* (Lepidoptera: Geometridae). *Entomological News* 106(2): 87-96.
- Oltra, M.T., Dominguez, M. & Falcó, J.V. 1996.** Considerations on *Protapanteles* Ashmead, 1898 and a description of *P. hispanica* a new species from the Iberian Peninsula (Hymenoptera: Braconidae). *Bulletin de la Société Entomologique de France* 101(2): 145-150.
- Oltra, M.T. & Falcó, J.V. 1997.** The genus *Cardiochiles* (Hymenoptera: Braconidae) in the Iberian Peninsula. *European Journal of Entomology* 94(2): 295-300.
- Omweaga, C.O., Kimani, S.W., Overholt, W.A. & Ogol, C.K.P.O. 1995.** Evidence of the establishment of *Cotesia flavipes* (Hymenoptera: Braconidae) in continental Africa. *Bulletin of Entomological Research* 85(4): 525-530.
- Omweaga, C.O. & Overholt, W.A. 1996.** Genetic changes occurring during laboratory rearing of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae), an imported parasitoid for the control of gramineous stem borers in Africa. *African Entomology* 4(2): 231-237.
- Omweaga, C.O., Overholt, W.A. & Overholt, W.A. 1997.** Progeny production and sex ratios of field populations of the parasitoids *Cotesia flavipes* and *Cotesia sesamiae* reared from gramineous stemborers in coastal Kenya. *Management of tropical gramineous stemborers, Nairobi, Kenya, 14-16 May 1996. Insect Science and its Application* 17(1): 137-142.
- Omweaga, C.O., Overholt, W.A., Mbapila, J.C. & Kimani-Njogu, S.W. 1997.** Establishment and dispersal of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae), an exotic endoparasitoid of *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in northern Tanzania. *African Entomology* 5(1): 71-75.
- Oncuer, C., Kismali, S. & Erkin, B. 1987.** An investigation of the effects of some insecticides used in orchards on *Diaeretiella rapae* (M'Int.) (Hymenoptera: Aphidiidae). *Turkiye I. Entomoloji Kongresi Bildirileri, 13-16 Ekim 1987, Ege Universitesi, Bornova, Izmir* 471-479.
- O'Neil, R.J. & Cate, J.R. 1985.** Competition between *Bracon mellitor* (Hym.: Braconidae) and *Catolaccus grandis* (Hym.: Pteromalidae) for their host *Anthonomus grandis* (Col.: Curculionidae). *Entomophaga* 30(4): 375-384.

- O'Neill, K.M., Kemp, W.P., Seibert, C., Rolston, M.G., Bess, J.A. & Phillips, T.K. 2001. Natural enemy assemblages on native and reseeded grasslands in Southwestern Montana: a family-level analysis. *Western North American Naturalist* 61(2): 195-203.
- Ong, K.H. & Soon, S.C. 1989. Seasonal abundance and distribution patterns among host plants of diamondback moth *Plutella xylostella* (L.). *Singapore Journal of Primary Industries* 17(1): 29-40.
- Onstad, D.W., Siegel, J.P. & Maddox, J.V. 1991. Distribution of parasitism by *Macrocentrus grandii* (Hymenoptera: Braconidae) in maize infested by *Ostrinia nubilalis* (Lepidoptera: Pyralidae). *Environmental Entomology* 20(1): 156-159.
- Ooi, P.A.C. 1979. Incidence of *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) and its parasite, *Apanteles plutellae* Kurdj. (Hymenoptera: Braconidae) in Cameron Highlands, Malaysia. *Malaysian Applied Biology* 8: 131-143.
- Ooi, P.A.C. 1992. Role of parasitoids in managing diamondback moth in the Cameron Highlands, Malaysia: 255-262. In: Talekar, N.S. [ed.]. Diamondback moth and other crucifer pests: proceedings of the second international workshop, Tainan, Taiwan, 10-14 December 1990. Asian Vegetable Research and Development Center, Taipei 1-603.
- Oppenheim, S.J. & Gould, F. 2002. Behavioral adaptations increase the value of enemy-free space for *Heliothis subflexa*, a specialist herbivore. *Evolution* 56(4): 679-689.
- Oppenheim, S.J. & Gould, F. 2002. Is attraction fatal? The effects of herbivore-induced plant volatiles on herbivore parasitism. *Ecology* 83(12): 3416-3425.
- Orlandini, G. & Martellucci, R. 1997. Melon: biological control of *Aphis gossypii*. *Colture Protette* 26(6): 33-36.
- Orman, T. & Bakanligi, K. 1989. A study on identification, host plants, effects on host plants and natural enemies of aphids damaging vegetables in the Cukurova region. *Arastirma Yayinlari Serisi Yayin* 59: 1-204 + 1-11.
- Orr, C.J., Obrycki, J.J. & Flanders, R.V. 1992. Host acceptance behavior of *Dinocampus coccinellae* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 85(6): 722-730.
- Orr, D.B., Lewis, L.C. & Obrycki, J.J. 1994. Behavior and survival in corn plants of *Ostrinia nubilalis* (Lepidoptera: Pyralidae) larvae when infected with *Nosema pyrausta* (Microspora: Nosematidae) and parasitized by *Macrocentrus grandii* (Hymenoptera: Braconidae). *Environmental Entomology* 23(4): 1020-1024.
- Orr, D.B., Lewis, L.C. & Obrycki, J.J. 1994. Modification of herbivore and parasitoid behaviour over three trophic levels by the entomopathogen *Nosema pyrausta* (Microsporida: Nosematidae). *Annals of the Entomological Society of America* 87(4): 440-447.
- Orr, D.B. & Pleasants, J.M. 1996. The potential of native prairie plant species to enhance the effectiveness of the *Ostrinia nubilalis* parasitoid *Macrocentrus grandii*. *Journal of the Kansas Entomological Society* 69(2): 133-143.
- Orr, H.A. & Irving, S. 1997. The genetics of adaptation: the genetic basis of resistance to wasp parasitism in *Drosophila melanogaster*. *Evolution* 51(6): 1877-1885.
- Ortega, G. & Báez, M. 1980. Contribución al conocimiento de los Ichneumonidos de las Islas Canarias. I. Subfamilia Gelinae (Hymenoptera: Ichneumonidae). *Anuario de Estudios Atlánticos* 26: 15-107.
- Ortegon, E.J., Torres, N.E., Luque, E., & Siabatto, A. 1988. Study on longevity, habits, progeny and preliminary evaluation of *Meteorus laphygmae* (Viereck), a parasitoid of *Spodoptera* spp. *Revista Colombiana de Entomología* 14(1): 7-12.
- Ortel, J., Gintenreiter, S. & Nopp, H. 1992. Metal bioaccumulation in a host insect (*Lymantria dispar* L., Lepidoptera) during development-ecotoxicological implications: 401-425. In: Dallinger, R. & Rainbow, P.S. [eds]. *Ecotoxicology of metals in invertebrates*. Boca Raton, Ann Arbor, etc. 1-461.
- Ortel, J., Gintenreiter, S. & Nopp, H. 1993. The effects of host metal stress on a parasitoid in an insect/insect relationship (*Lymantria dispar* L., Lymantriidae, Lepid. *Glyptapaneteles liparidis* Bouché, Braconidae, Hym.). *Archives of Environmental Contamination and Toxicology* 24(4): 421-426.
- Ortiz, F.M., Brenes-Blanco, J. & Perez-Jiron, H. 1999. Rearing of the parasitoids *Cotesia plutellae*, *Microplitis plutellae* and *Diadegma insulare* under laboratory conditions. II part. *Manejo Integrado de Plagas* 52: 100-102.
- Ortu, S. & Floris, I. 1989. Preliminary study on the control of *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidae) on potato crops in Sardinia. *Difesa delle Piante* 12(1-2): 81-88.
- Oseto, C.Y. & Braness, G.A. 1979. Bionomics of *Smicronyx fulvus* (Coleoptera: Curculionidae) on cultivated sunflower, *Helianthus annuus*. *Annals of the Entomological Society of America* 72(4): 524-528.
- Osler, R., Loi, N., Loschi, A., Ermacora, P., Fabro, R. & Refatti, E. 1999. Experimental transmission of barley yellow dwarf virus by using the vector *Rhopalosiphum padi* parasitized by *Aphidius rhopalosiphii* (Hymenoptera: Braconidae). Experimentelle Übertragung von barley yellow dwarf virus durch den mit *Aphidius rhopalosiphii* (Hymenoptera: Braconidae) parasitierten Vektor *Rhopalosiphum padi*. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 106(3): 291-296.
- Osman, M.Z. & Bradley, J. 1993. Effects of neem seed extracts on *Pholetesor (Apanteles) glomeratus* L. (Hym.: Braconidae), a parasitoid of *Pieris brassicae* L. (Lep.: Pieridae). *Journal of Applied Entomology* 115(3): 259-265.
- Osman, S.E., Rawash, I.A., El Gayar, F. & El Samadisi, M.M. 1984. The effect of the larval endoparasite *Microplitis rufiventris* (Hymenoptera: Braconidae) on the blood picture and cuticle formation of *Spodoptera littoralis* larvae. *Bulletin of the Entomological Society of Egypt, Economic Series* 13: 183-190.
- Osman, S.E. & Balazs, K. 1988. Observations on the parasitoid *Macrocentrus pallipes* Nees (Hymenoptera: Braconidae) in connection with its two hosts *Hedya nubiferana* Haw. and *Pandemis heparana* Den. & Schiff. (Lepidoptera: Tortricidae). *Acta Phytopathologica et Entomologica Hungarica* 23(1-2): 147-152.
- Osmelak, J.A. 1983. Occurrence of leaf-mining Diptera in cultivated crops. *Australian Entomological Magazine* 10(1): 9-10.
- Osmolovski, G.Y. 1964. The biology of *Apanteles glomeratus* L. (Hymenoptera: Braconidae), a parasite of *Pieris brassicae*. *Entomological Review* 43: 387-388.
- Ota, A.K. & Chang, V.C.S. 1990. Status of the lesser cornstalk borer and the yellow sugarcane aphid. Keys to our future: combining the basics with new technology. Hawaiian Sugar Technologists 48th annual conference reports, Honolulu, Hawaii, USA, 6-8 November, 1989 46-49.
- O'Toole, C. & Achterberg, C. van 1993. Annotated catalogue of the types of Braconidae (Hymenoptera) in the Oxford University Museum. *Zoologische Verhandelingen, Leiden* 287: 1-48.
- Otto, F.J. 1964. Zur Bionomie und ökologie der in Westfalen vorkommenden Arten der Gattung *Paraswammerdamia* Friese (Lepidoptera: Yponomeutidae). *Zeitschrift für angewandte Entomologie* 54: 387-433.
- Otto, M. & Mackauer, M. 1998. The developmental strategy of an idiobiont ectoparasitoid, *Dendrocerus carpenteri*: influence of variations in host quality on offspring growth and fitness. *Oecologia* 117(3): 353-364.
- Oudman, L. 1992. Identification of economically important *Liriomyza* species (Diptera: Agromyzidae) and their parasitoids using enzyme electrophoresis. *Proceedings of the Section Ex-*

- perimental and Applied Entomology of the Netherlands Entomological Society 3: 135-139.
- Outreman, Y., Pierre, J.S. & Ralec, A. le 1999.** Foraging behaviour of host patches in the parasitoid *Aphidius rhopalosiphi* (Hymenoptera: Braconidae). Actes de la IV Conference Internationale Francophone d'Entomologie, Saint-Malo, France, 5-9 juillet 1998. Annales de la Soci t  Entomologique de France 35: 404-409.
- Outreman, Y., Ralec, A.L., Plantegenest, M., Chaubet, B. & Pierre, J.S. 2001.** Superparasitism limitation in an aphid parasitoid: cornicle secretion avoidance and host discrimination ability. Journal of Insect Physiology 47(4-5): 339-348.
- Outreman, Y., Wajnberg, E., Pierre, J.S. & le Ralec, A. 2001.** Can imperfect host discrimination explain partial patch exploitation in parasitoids? Ecological Entomology 26(3): 271-280.
- Overgaard, N.W. 1968.** Insects associated with the southern pine beetle in Texas, Louisiana and Mississippi. Journal of Economic Entomology 61(5): 1197-1201.
- Overgaard, S.M. 1989.** Some parasitic wasps reared from Danish burnet moths (Lepidoptera: Zygaenidae: *Zygaena* Fabr. 1775, Hymenoptera: Braconidae, Ichneumonidae, Pteromalidae and Eupelmidae). Entomologiske Meddelelser 57(3): 143-149.
- Overholt, W.A. & Smith, J.W. Jr. 1990.** Colonization of six exotic parasites (Hymenoptera) against *Diatraea grandiosella* (Lepidoptera: Pyralidae) in corn. Environmental Entomology 19(6): 1889-1902.
- Overholt, W.A. & Smith, J.W. Jr. 1990.** Comparative evaluation of three exotic insect parasites (Hymenoptera: Braconidae) against the southwestern corn borer (Lepidoptera: Pyralidae) in corn. Environmental Entomology 19(4): 1155-1162.
- Overholt, W.A. 1993.** Classical biological control and its application in East Africa against *Chilo partellus*: 4-14. In: Overholt, W.A. [ed.]. Proceedings of group training course on identification of *Cotesia* spp. stemborer parasitoids. International Centre of Insect Physiology and Ecology, Nairobi: 1-36.
- Overholt, W.A. 1993.** Laboratory rearing procedure for *C. flavipes*: 29-33. In: Overholt, W.A. [ed.]. Proceedings of group training course on identification of *Cotesia* spp. stemborer parasitoids. International Centre of Insect Physiology and Ecology, Nairobi: 1-36.
- Overholt, W.A., Ngi-Song, A.J., Kimani, S.K., Mbapila, J., Lammers, P. & Kioko, E. 1994.** Ecological considerations of the introduction of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) for biological control of *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in Africa. Biocontrol News and Information 15(2): 19-24.
- Overholt, W.A., Ochieng, J.O., Lammers, P. & Ogedah, K. 1994.** Rearing and field release methods for *Cotesia flavipes* Cameron (Hymenoptera: Braconidae), a parasitoid of tropical gramineous stem borers. Insect Science and its Application 15(3): 253-259.
- Overholt, W.A., Ngi-Song, A.J., Omwega, C.O., Kimani-Njogu, S.W., Mbapila, J., Sallam, M.N. & Ofomata, V. 1997.** A review of the introduction and establishment of *Cotesia flavipes* Cameron in East Africa for biological control of cereal stemborers. Management of tropical gramineous stemborers, Nairobi, Kenya, 14-16 May 1996. Insect Science and its Application 17(1): 79-88.
- Ovruski, N.E., Berta, D.C. & Colomo, M.V. 1998.** Aphids colonizing tomatoes and their hymenopteran parasitoids, in Tucuman. Avance Agroindustrial 19(75): 43-45.
- Ovruski, S.M. & Fidalgo, P. 1994.** Use of parasitoids (Hym.) in the control of fruit flies (Dip. Tephritidae) in Argentina: Bibliographic review 1937-1991). IOBC-WPRS Bulletin 17: 84-92.
- Ovruski, S.M. 1995.** Pupal and larval-pupal parasitoids (Hymenoptera) obtained from *Anastrepha* spp. and *Ceratitis capitata* (Dipt.: Tephritidae) pupae collected in four localities of Tucuman province, Argentina. Entomophaga 40(3-4): 367-370.
- Ovruski, S.M. & Wharton, R.A. 1996.** The identity of *Doryctobracon tucumanus* (Blanchard) (Hymenoptera, Braconidae, Opiinae). Proceedings of the Entomological Society of Washington 98(1): 162-163.
- Ovruski, S.M. 2002.** New records of fruit fly parasitoids (Hymenoptera: Braconidae, Figitidae, Pteromalidae) for La Rioja Province, Northwestern Argentina. Proceedings of the Entomological Society of Washington 104(4): 1055-1057.
- Ovruski, S.M. & Schliserman, P. 2003.** Opiine and Eucoilinae (Hymenoptera: Braconidae and Figitidae, respectively) parasitoids of *Anastrepha fraterculus* (Diptera: Tephritidae) in citrus orchard areas in Corrientes, northeastern Argentina. Canadian Entomologist 135: 863-865.
- Ovruski, S.M., Schliserman, P. & Aluja, M. 2003.** Indigenous parasitoids (Hymenoptera) attacking *Anastrepha fraterculus* and *Ceratitis capitata* (Diptera: Tephritidae) in native and exotic host plants in Northwestern Argentina. Biological Control 29(1)(2004 January): 43-57.
- Owen, D.F. 1987.** Winter breeding by *Cynthia cardui* (L.) (Lepidoptera: Nymphalidae) in Crete and Madeira, and the possible significance of parasitoids in initiating migration. Entomologist's Gazette 38(1): 11-12.
- Owen, D.F. 1989.** Possible origin of the migratory *Cynthia cardui* L. (Lep.: Nymphalidae). Entomologist's Record and Journal of Variation 101(3-4): 51-52.
- Owen, R.E. 1983.** Sex ratio adjustment in *Asobara persimilis* (Hymenoptera: Braconidae), a parasitoid of *Drosophila*. Oecologia 59: 402-404.
- Ozawa, A., Kobayasi, H., Amano, T., Ikari, T. & Saito, T. 1993.** Evaluation of imported parasitic wasps as biological control agents of the legume leaf miner, *Liriomyza trifolii* Burgess, in Japan. II. A field test on cherry tomatoes in a plastic greenhouse, in Shizuoka Prefecture. Proceedings of the Kanto Tosan Plant Protection Society 40: 239-241.
- Ozawa, A., Saito, T. & Ikeda, F. 1998.** Effects of pesticides on *Diglyphus isaea* (Walker) and *Dacnusa sibirica* Telenga, parasitoids of *Liriomyza trifolii* (Burgess). Japanese Journal of Applied Entomology and Zoology 42(3): 149-161.
- Ozawa, A., Saito, T. & Ota, M. 2001.** Biological control of the American serpentine leafminer, *Liriomyza trifolii* (Burgess), on tomato in greenhouses by parasitoids. II. Evaluation of biological control by *Diglyphus isaea* (Walker) and *Dacnusa sibirica* Telenga in commercial greenhouses. Japanese Journal of Applied Entomology and Zoology 45(2): 61-74.
- Ozder, N. & Kilincer, N. 1999.** Investigation on complex of pests and natural enemies on cabbage in Tekirdag province. Turkiye Entomoloji Dergisi 23(1): 27-37.
- Ozkan, A. & Turkyilmaz, N. 1987.** Determination of population fluctuations of the walnut aphid (*Chromaphis juglandicola* Kalt.) (Homoptera: Callaphididae) damaging pecan trees and of its natural enemies in Antalya Province. Turkiye I. Entomoloji Kongresi Bildirileri, 13-16 Ekim 1987, Ege Universitesi, Bornova, Izmir: 99-107.
- Ozkan, C. & Ozmen, D. 2001.** A new record for Turkish fauna *Chelonus oculator* Panzer (Hymenoptera: Braconidae) and its two new hosts. Turkiye Entomoloji Dergisi 25(4): 263-265.
- Pey, K.P., Kumar, A., Shanker, S. & Tripathi, C.P.M. 1985.** First record of a *Pachyneuron aphidis* (Bouch ) (Pteromalidae: Hymenoptera), a hyperparasitoid of *Diaeretiella rapae* (M'Intosh) (Aphidiidae: Hymenoptera) from India. Current Science (Bangalore) 54(14): 710.
- Pey, K.P., Kumar, A. & Tripathi, C.P.M. 1986.** Numerical response of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt. (Hemiptera: Aphididae). Journal of Advanced Zoology 7(1): 5-9.

- Pey, K.P., Kumar, A. & Tripathi, C.P.M. 1990.** The area of discovery of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* (Kalt.) (Homoptera: Aphididae). *Giornale Italiano di Entomologia* 5 No. 25: 59-65.
- Pey, R.K., Singh, R. & Kumar, A. 1982.** Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. 14. Behavioural activities of the parasitoid associated with its functional response. *Zeitschrift für angewandte Entomologie* 93: 164-175.
- Pey, R.K., Singh, R., Kumar, A., Tripathi, C.P.M. & Sinha, T.B. 1983.** Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. 16. The competency of the female parasitoid to fertilise the eggs following insemination. *Entomon* 8(2): 183-185.
- Pey, R.K., Singh, R. & Sinha, T.B. 1984.** Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. 18. Fecundity, oviposition period, duration of development, longevity and sex-ratio of the parasitoid. *Entomon* 9: 239-245.
- Pey, R.K., Singh, R. & Tripathi, C.P.M. 1984.** Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. 19. The impact of male on the fecundity, reproductive pattern and longevity of female and the sex ratio of F1 generation. *Zeitschrift für angewandte Entomologie* 98: 113-118.
- Pey, R.K., Singh, R. & Tripathi, C.P.M. 1984.** Functional response of *Diaeretiella rapae* (M'Intosh) (Hym. Aphidiidae), a parasitoid of the mustard aphid *Lipaphis erysimi* Kalt. (Hom.: Aphididae). *Zeitschrift für angewandte Entomologie* 98: 321-327.
- Pey, R.K. & Singh, R. 1986.** Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. 20. Isolation of host-habitat seeking stimulant. *Mitteilungen aus dem Zoologischen Museum in Berlin* 62: 343-345.
- Pey, R.K. & Sharma, R.C. 2000.** Natural enemies of *Mythimna separata* (Walker) in eastern Uttar Pradesh. *Pest Management and Economic Zoology* 7(2)(December 1999): 171-173.
- Pey, S. & Singh, R. 1997.** Sex allocation in a sequence of oviposition by *Lysiphlebia mirzai* (Hymenoptera: Braconidae). *Current Science (Bangalore)* 73(6): 498-499.
- Pey, S. & Singh, R. 1998.** Effect of temperature on the development and reproduction of a cereal aphid parasitoid, *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Braconidae). *Biological Agriculture & Horticulture* 16(3): 239-250.
- Pey, S. & Singh, R. 1998.** Effect of parental age at coition on reproduction of *Lysiphlebia mirzai* (Hymenoptera: Braconidae). *Entomologia Generalis* 23(3): 187-193.
- Pey, S. & Singh, R. 1999.** Host size induced variation in progeny sex ratio of an aphid parasitoid *Lysiphlebia mirzai*. *Entomologia Experimentalis et Applicata* 90(1): 61-67.
- Pey, S., Singh, R. & Singh, A. 2001.** Influence of host-patch size and parasitoid densities on the progeny sex ratio of *Binodoxys indicus* (Subba Rao and Sharma). *Journal of Advanced Zoology* 22(2): 100-108.
- Padi, B. 1999.** Insects associated with coffee berries in Ghana. *Dix-huitieme Colloque Scientifique International sur le Cafe, Helsinki, Finland, 2-8 aout 1999*. 524-528.
- Padmanaban, B. 1994.** Hosts and parasitoids of pea leaf-miner (*Phytomyza atricornis*) (Diptera: Agromyzidae). *Indian Journal of Agricultural Sciences* 64(7): 512-513.
- Padua, L.E.d.M., Parra, J.R.P. & Haddad, M.d.L. 1994.** Efeito da temperatura e umidade relativa do ar na biologia de *Cotesia flavipes* (Cameron). *Anais da Sociedade Entomologica do Brasil* 23(1): 105-114.
- Paes, B.V.H. & Souza, B.M. de 1992.** Aspectos etologicos e longevidade de *Diaeretiella rapae* M'Intosh, 1855 (Hymenoptera: Aphidiidae). *Revista de Agricultura (Piracicaba)* 67(1): 49-54.
- Pagliano, G. & Scaramozzino, P.L. 1990.** Checklist of the genera of Hymenoptera in the world. *Memoire della Societa Entomologica Italiana* 681989: 1-210.
- Paik, J.C. 1976.** On some unrecorded aphidiid wasps in Korea (Aphidiidae, Hymenoptera). *Korean Journal of Entomology* 6(1): 1-15.
- Paik, J.C. 1994.** Hymenopteran parasitoids of Korea (1): pteromalid hyperparasitoids on aphid. *Korean Journal of Applied Entomology* 33(4): 257-262.
- Paine, T.D., Millar, J.G. & Hanks, L.M. 1995.** Integrated program protects trees from eucalyptus longhorned borer. *California Agriculture* 49(1): 34-37.
- Paine, T.D., Paine, E.O., Hanks, L.M. & Millar, J.G. 2000.** Resource partitioning among parasitoids (Hymenoptera: Braconidae) of *Phoracantha semipunctata* in their native range. *Biological Control* 19(3): 223-231.
- Pair, S.D., Raulston, J.R., Sparks, A.N. & Martin, P.B. 1986.** Fall armyworm (Lepidoptera: Noctuidae) parasitoids: Differential spring distribution and incidence on corn and sorghum in the southern United States and northeastern Mexico. *Environmental Entomology* 15(2): 342-348.
- Pair, S.D., Wiseman, B.R. & Sparks, A.N. 1986.** Influence of four corn cultivars on fall armyworm (Lepidoptera: Noctuidae) establishment and parasitization. *Florida Entomologist* 69(3): 566-570.
- Pair, S.D. 1994.** Japanese honeysuckle (Caprifoliaceae): newly discovered host of *Heliothis virescens* and *Helicoverpa zea* (Lepidoptera: Noctuidae). *Environmental Entomology* 23(4): 906-911.
- Pal, B.C., Masum-Ahmad, Haque, M.A. & Quddus, A. 1999.** Biology and parasitism of *Meteorus* sp. in *Spilarctia obliqua*. *Indian Journal of Entomology* 61(3): 205-212.
- Palacio, I.P., Ibrahim, A.G. & Ibrahim, R. 1991.** Interspecific competition among opiine parasitoids of the Oriental fruit fly, *Bactrocera dorsalis* (Hendel). *Philippine Entomologist* 8(4): 1087-1097.
- Palacio, I.P., Ibrahim, R. & Ibrahim, A.G. 1992.** Identification of immatures and male adults of the opiine parasitoids (*Biosteres* spp.) of the Oriental fruit fly, *Bactrocera dorsalis* (Hendel). *Philippine Entomologist* 8(5): 1124-1146.
- Palaniswami, M.S. & Rajamma, P. 1987.** Biological control of sweet potato weevil and cassava spider mites. *Annual progress report 1986 for the period January December 1986*. 90-92.
- Palmquist, J. & LaChance, L.E. 1966.** Comparative mutagenicity of two chemosterilants, tepa and hempa, in sperm of *Bracon hebetor*. *Science* 154(3750): 915-917.
- Palumbo, J.C. 1992.** Identification and occurrence of *Liriomyza* species associated with cotton in Arizona. *Southwestern Entomologist* 17(1): 69-70.
- Palumbo, J.C., Mullis, C.H. Jr. & Reyes, F.J. 1994.** Composition, seasonal abundance, and parasitism of *Liriomyza* (Diptera: Agromyzidae) species on lettuce in Arizona. *Journal of Economic Entomology* 87(4): 1070-1077.
- Panchapakesan, K., Roe, R.M. & Lampert, E.P. 1993.** Effects of coloration on parasitism, predation, and field survivorship of the tobacco hornworm, *Manduca sexta* (L.). *Journal of Entomological Science* 28(3): 308-314.
- Panis, A. 1974.** Predatory activity of *Eublemma scitula* (Lepidoptera, Noctuidae, Erastrinae) in the south of France. (in French) *Entomophaga* 19(4): 493-500.
- Pankanin-Franczyk, M. 1986.** Observations of parasitic Hymenoptera attacking aphids on cereal crops in the Warsaw district. *Series Entomologica (Dordrecht)* 35: 411-416.
- Pankanin-Franczyk, M. & Ceryngier, P. 1995.** Cereal aphids, their parasitoids and coccinellids on oats in central Poland. *Journal of Applied Entomology* 119(2): 107-111.
- Pankanin-Franczyk, M. & Sobota, G. 1998.** Relationships between primary and secondary parasitoids of cereal aphids. *Journal of Applied Entomology* 122(7): 389-395.

- Panneton, B., St Laurent, G. & Boivin, G. 1995. A temperature control system for the study of insect cold resistance. *Canadian Agricultural Engineering* 37(4): 287-293.
- Pantoja, A. & Fuxa, J.R. 1992. Prevalence of biotic control agents in the fall armyworm *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae). *Folia Entomologica Mexicana* 84: 79-84.
- Paoletti, M.G., Marc, P., Hu, D.X., Huang, N.X., Wu, W.L., Han, C.R., He, J.H., Cai, L.W., Conger, B.V., Paoletti, M.G., Giampietro, M., Pastore, G., Bukkens, S.G.F. & Bry, J. 1999. Arthropods as bioindicators in agroecosystems of Jiang Han Plain, Qianjiang city, Hubei, China. Special issue. *Agricultural intensification and sustainability in PR China. Critical Reviews in Plant Sciences* 18(3): 457-465.
- Paonam, M.S. & Singh, T.K. 1989. Studies on certain aspects of the genus *Pauesia* Quilis (Hymenoptera: Aphidiidae) in Manipur, north east India. *Journal of Aphidology*, publ. 1991, 3(1-2): 32-35.
- Paonam, M.S., Somen Singh, L. & Singh, T.K. 1993. A new species of *Betuloxys* Mackauer (Hymenoptera: Aphidiidae) from Manipur, India. *Journal of Advanced Zoology* 14(2): 124-125.
- Paparatti, B. 1989. Preliminary report on parasitoids and predators of *Rhopalosiphum padi*. In: Burnett P.A. [ed.] "World Perspectives on Barley Yellow Dwarf" 489-493.
- Papp, J. 1965. A monograph of the genus *Aridelus* Marsh (Hymenoptera: Braconidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 11: 181-201.
- Papp, J. 1965. New species of *Bracon* F. from Hungary and Roumania (Hymenoptera, Braconidae). *Acta Zoologica Hungarica* 11: 403-416.
- Papp, J. 1965. The *Aphaereta* Förster species of the Carpathian Basin (Central Europe) (Hymenoptera, Braconidae: Alysiinae). *Beiträge zur Entomologie* 15(1/2): 15-26.
- Papp, J. 1966. A synopsis of the *Bracon* F. species of the Carpathian Basin (Hymenoptera, Braconidae), I. Subgenus *Glabrobracon* Fahr. *Annales Historico-Naturales Musei Nationalis Hungarici* 58: 373-394.
- Papp, J. 1966. New *Phaenocarpa* Foerster species from the Ethiopian Region (Hymenoptera, Braconidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 12: 133-144.
- Papp, J. 1966. *Xenarcha lustrator* (Hal.) (Hymenoptera, Braconidae) new to the Carpathian Basin (Central Europe), together with description of the female. *Entomologist's Monthly Magazine* 102: 150-152.
- Papp, J. 1967. Faunistic catalogue and ethological data of the *Bracon* Fabr. species in the Carpathian Basin (Hym.: Braconidae)-2. (Cat. Hym. XXI). *Folia Entomologica Hungarica* 20(25): 589-603.
- Papp, J. 1967. A synopsis of the *Phaenocarpa* Foerster species of the Oriental Region (Hymenoptera: Braconidae: Alysiinae). *Reichenbachia* 8: 139-157.
- Papp, J. 1967. Braconidae aus der Mongolischen Volksrepublik. *Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962*, Nr. 28. *Mitteilungen aus dem Zoologischen Museum in Berlin* 43: 237-245.
- Papp, J. 1967. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei Braconidae (Hymenoptera). *Acta Zoologica Academiae Scientiarum Hungaricae* 13: 191-226.
- Papp, J. 1967. On the *Trachyusa* Ruthe species of the Carpathian Basin (Hym., Braconidae: Alysiinae). *Opuscula Zoologica* 6: 297-304.
- Papp, J. 1968. A survey of the *Phaenocarpa* Förster species of the Carpathian Basin, Central Europe (Hymenoptera, Braconidae: Alysiinae). *Beiträge zur Entomologie* 18(5/6): 569-603.
- Papp, J. 1968. A synopsis of the *Bracon* F. species of the Carpathian Basin Central Europa (Hymenoptera: Braconidae). *Annales Historico-Naturales Musei Nationalis Hungarici* 60: 191-211.
- Papp, J. 1969. A revision of Thomson's species of *Bracon* F. (Hym.: Braconidae). *Opuscula Entomologica* 34: 177-205.
- Papp, J. 1969. A synopsis of the *Bracon* F. species of the Carpathian Basin Central Europa (Hymenoptera: Braconidae), III. Subgenus *Lucobracon* (Fahr.) Tob. *Annales Historico-Naturales Musei Nationalis Hungarici* 61: 317-335.
- Papp, J. 1969. A synopsis of the *Phaenocarpa* Förster species of the Neotropical Region (Hym.: Braconidae: Alysiinae). *Acta Zoologica Academiae Scientiarum Hungaricae* 15: 379-389.
- Papp, J. 1969. *Conalysis* gen. n. and remarks on *Heratemis fibosa* Walk. (Hym.: Braconidae, Alysiinae). *Opuscula Zoologica* 9: 147-153.
- Papp, J. 1970. A contribution of the Braconid fauna of Israel (Hymenoptera). *Israel Journal of Entomology* 5: 63-76.
- Papp, J. 1971. *Bracomorpha torkai* gen. et sp. n. und Mitteilungen über einige *Bracon* Fabr.-Arten von Ratzeburg, Schmiedeknecht und Fahringer (Hymenoptera: Braconidae). *Reichenbachia* 13: 275-292.
- Papp, J. 1971. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 215. Braconidae (Hym.) 3. *Annales Historico-Naturales Musei Nationalis Hungarici* 63: 307-363.
- Papp, J. 1971. Redeskription von *Coelalysia nigriceps* (Szépl., 1911) (Hymenoptera, Braconidae: Alysiinae). *Deutsche Entomologische Zeitschrift* 18(I-III): 227-232.
- Papp, J. 1971. Results of the zoological explorations of Dr. Z. Kaszab in Mongolia. Hymenoptera: Braconidae II. *Acta Zoologica Hungarica* 17: 51-90.
- Papp, J. 1972. *Aphrastobracon antefurcalis* (Szépl.), an Ethiopian braconid species caught near Rijeka, Yugoslavia (Hym., Braconidae). *Folia Entomologica Hungarica* 25: 307-311.
- Papp, J. 1972. *Exothecus effectus* sp. n., a new Braconid species from N.E. China (Hym.). *Acta Zoologica Academiae Scientiarum Hungaricae* 18: 323-325.
- Papp, J. 1972. New *Apanteles* Först. species from Hungary (Hymenoptera, Braconidae: Microgasterinae), I. *Annales Historico-Naturales Musei Nationalis Hungarici* 64: 335-345.
- Papp, J. 1972. *Phaenocarpa impugnata* sp. n. (Hymenoptera, Braconidae: Alysiinae), a new reared species from Denmark. *Zoologischer Anzeiger* 188: 52-56.
- Papp, J. 1973. A revision of C.G. Thomson species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae). *Entomologica Scandinavica* 4: 59-64.
- Papp, J. 1973. Contributions to the Braconid fauna of Yugoslavia (Hymenoptera, Braconidae) I. *Acta Musei Macedonici Scientiarum Naturalium* 14: 1-23.
- Papp, J. 1973. New *Apanteles* Först. species from Hungary (Hymenoptera: Braconidae: Microgasterinae), II. *Annales Historico-Naturales Musei Nationalis Hungarici* 65: 287-304.
- Papp, J. 1973. Three new *Apanteles* Först. species of the Old World (Hymenoptera: Braconidae, Microgasterinae). *Acta Zoologica Hungarica* 19: 361-367.
- Papp, J. & Reichart, G. 1973. Adatok néhány gyümölcskártévó molylepke gyilkosfűrész élösködőinek ismeretéhez (Lepidoptera et Hymenoptera). *Folia Entomologica Hungarica* 26: 363-371.
- Papp, J. 1974. On the classification of the species *Apanteles* Först. with special respect to the species living in Hungary (Hym. Braconidae: Microgasterinae). *Allattani Kezlemények* 61(1-4): 86-100.
- Papp, J. 1974. A study on the systematics of Braconidae (Hym.). *Folia Entomologica Hungarica* 27(2): 109-133.
- Papp, J. 1974. *Arideloides niger* gen. and sp. n. from New Guinea (Hym.: Braconidae: Euphorinae). *Proceedings of the Hawaiian Entomological Society* 21(3): 443-446.
- Papp, J. 1974. Braconidae (Hymenoptera) from Korea, I. *Acta Zoologica Hungarica* 20: 165-175.

- Papp, J. 1974. Braconidae (Hymenoptera) from Korea, II. Folia Entomologica Hungarica 27(1): 155-160.
- Papp, J. 1974. Grundriss der Systematik der *Apanteles*-Arten Yngarns und ihre praktische Bedeutung (Hymenoptera: Braconidae). Folia Entomologica Hungarica 27(Suppl.): 371-381.
- Papp, J. 1974. New *Apanteles* Först. species from Hungary (Hymenoptera: Braconidae: Microgasterinae), III. Annales Historico-Naturales Musei Nationalis Hungarici 66: 325-337.
- Papp, J. 1974. Zur Kenntnis der *Bracon*-Arten Österreichs (Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 78: 415-435.
- Papp, J., Reichart, G. & Szelenyi, G. 1974. Study on the structure of moth communities living on pomaceous plants in Hungary, according to G. Szelenyi's zoocenological concepts. Folia Entomologica Hungarica 27(1): 161-165.
- Papp, J. 1975. Braconidae (Hymenoptera) from Mongolia, IV. Acta Zoologica Hungarica 21: 115-118.
- Papp, J. 1975. Contributions to the Braconid fauna of Yugoslavia (Hymenoptera: Braconidae) II. Folia Entomologica Hungarica 28(2): 301-319.
- Papp, J. 1975. New *Apanteles* Först. species from Hungary (Hymenoptera, Braconidae: Microgasterinae), IV. Annales Historico-Naturales Musei Nationalis Hungarici 67: 237-255.
- Papp, J. 1975. Three new European species of *Colastes* Hal. with taxonomic remarks (Hym., Braconidae, Exothecinae). Acta Zoologica Academiae Scientiarum Hungaricae 21: 411-423.
- Papp, J. 1976. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae), I. The species groups. Annales Historico-Naturales Musei Nationalis Hungarici 68: 251-274.
- Papp, J. 1976. Braconidae (Hymenoptera) from Mongolia, V. Annales Historico-Naturales Musei Nationalis Hungarici 68: 227-249.
- Papp, J. 1976. Key to the European *Microgaster* Latr. species, with a new species and taxonomical remarks (Hymenoptera: Braconidae; Microgasterinae). Acta Zoologica Academiae Scientiarum Hungaricae 22: 97-117.
- Papp, J. 1977. Braconidae (Hymenoptera) from Mongolia VII. Annales Historico-Naturales Musei Nationalis Hungarici 69: 219-240.
- Papp, J. 1977. Braconidae (Hymenoptera) from Mongolia, VI. Folia Entomologica Hungarica 30(1): 109-118.
- Papp, J. 1977. Contributions to the Braconid fauna of Yugoslavia, III. Folia Entomologica Hungarica 30: 105-117.
- Papp, J. 1977. New *Apanteles* Först. species from Hungary (Hymenoptera, Braconidae: Microgasterinae), V. Annales Historico-Naturales Musei Nationalis Hungarici 69: 201-217.
- Papp, J. 1977. *Phaenocarpa (Asobara) persimilis* sp. n. (Hymenoptera, Braconidae, Alysiniinae) from Australia. Opuscula Zoologica. (Budapest) 13: 73-77.
- Papp, J. 1978. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae), II. The *laevigatus*-group, 1. Annales Historico-Naturales Musei Nationalis Hungarici 70: 265-301.
- Papp, J. 1978. *Apanteles glaber* sp. n. from Finland (Hymenoptera, Braconidae, Microgasterinae). Annales Entomologici Fennici 44: 113-114.
- Papp, J. 1978. Braconidae (Hymenoptera) from Korea, III. Acta Zoologica Hungarica 24: 133-148.
- Papp, J. 1978. New *Opius* Wesm. species from Hungary (Hymenoptera: Braconidae, Opiinae). I. Acta Zoologica Hungarica 24: 363-370.
- Papp, J. 1978. Redescription of *Apanteles ensiformis* (Ratzeburg, 1844) with taxonomical notes (Insecta: Hymenoptera: Braconidae: Microgasterinae). Senckenbergiana Biologica 59: 79-84.
- Papp, J. 1979. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae), III. The *laevigatus*-group, 2. Annales Historico-Naturales Musei Nationalis Hungarici 71: 235-250.
- Papp, J. 1979. Braconidae (Hymenoptera) from Tunisia, 1. Folia Entomologica Hungarica 32(2): 175-187.
- Papp, J. 1979. Contributions to the braconid fauna of Hungary, I. Opiinae (Hymenoptera: Braconidae). Folia Entomologica Hungarica 32(1): 71-95.
- Papp, J. 1979. New *Opius* Wesm. species from Hungary and Czechoslovakia (Hymenoptera: Braconidae, Opiinae), II. Acta Zoologica Hungarica 25: 347-356.
- Papp, J. 1979. Two new *Biosteres* Först. species from the Carpathian Basin (Central Europe) (Hymenoptera, Braconidae: Opiinae). Annales Historico-Naturales Musei Nationalis Hungarici 71: 231-234.
- Papp, J. 1980. A survey of the European species of *Apanteles* Först. (Hymenoptera: Braconidae: Microgasterinae), IV. The *lineipes*-, *obscurus*- and *ater*-group. Annales Historico-Naturales Musei Nationalis Hungarici 72: 241-272.
- Papp, J. 1980. Braconidae (Hymenoptera) from Korea, IV. Acta Zoologica Hungarica 26: 197-210.
- Papp, J. 1980. Braconidae (Hymenoptera) from Mongolia VIII. Acta Zoologica Hungarica 26: 401-413.
- Papp, J. 1980. On the genus *Fornicia* Brullé with two new Oriental species (Hymenoptera, Braconidae: Microgasterinae). Folia Entomologica Hungarica 41(33)(2): 305-311.
- Papp, J. 1981. [Die Grundlegung der Brackwespen-Fauna des Bakony-Gebirges (Hymenoptera, Braconidae), II. Opiinae.] Külinlenyomat a Veszprém megyei mzeumok kzleményei 16: 203-226. (Veszpremi Megyei Mzeumok Kozleményei Termeszettudomány.).
- Papp, J. 1981. A survey of the Braconid fauna of the Hortobágy National Park (Hymenoptera, Braconidae), I. In: Mahunka, S. [ed.]. "The Fauna of the Hortobágy National Park I." Budapest 255-274.
- Papp, J. 1981. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae), V. The *lacteus*-, *longipalpis*-, *ultor*-, *butalidis*- and *vipio*-group. Annales Historico-Naturales Musei Nationalis Hungarici 73: 263-291.
- Papp, J. 1981. Braconidae (Hymenoptera) from Korea. V. Acta Zoologica Academiae Scientiarum Hungaricae 27: 139-158.
- Papp, J. 1981. Braconidae (Hymenoptera) from Tunisia, 2. Folia Entomologica Hungarica 42 (34) (1): 155-162.
- Papp, J. 1981. Braconidae. 14. Opiinae. Fauna Hungariae. Magyarorszag Allatvilaga 144: 1-163.
- Papp, J. 1981. Contributions to the braconid fauna of Hungary, II. Microgasterinae (Hymenoptera: Braconidae). Folia Entomologica Hungarica 42(34)(1): 145-154.
- Papp, J. 1981. Contributions to the braconid fauna of Hungary, III. Opiinae and Microgasterinae (Hymenoptera: Braconidae). Folia Entomologica Hungarica 42(34)(2): 127-141.
- Papp, J. 1981. New species of Braconidae from the Hortobágy National Park, Hungary (Hymenoptera). Acta Zoologica Hungarica 27: 369-379.
- Papp, J. 1981. Three new *Orgilus* Hal. species from the Indo-Australian Region (Hym.: Braconidae: Mimagathidinae). Annales Historico-Naturales Musei Nationalis Hungarici 73: 253-261.
- Papp, J. 1982. First outline of the braconid fauna of southern Transdanubia Hungary (Hymenoptera: Braconidae). I. Introduction and Opiinae. A Janus Pannonius Mzeum vkinyve 26: 67-70.
- Papp, J. 1982. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgasterinae), VI. The *laspeyresii*-, *merula*-, *falcatus*- and *validus*-group. Annales Historico-Naturales Musei Nationalis Hungarici 74: 255-267.
- Papp, J. 1982. Braconidae (Hymenoptera) from Greece, 1. Annales Musei Goulandris 5: 183-193.
- Papp, J. 1982. Braconidae (Hymenoptera) from Korea. VI. Acta Zoologica Hungarica 28: 105-124.

- Papp, J. 1982.** Die Insektenfauna des hochmoores Balmoos bei Hasle, Kanton Luzern. XIX. Hymenoptera 4: Braconidae (Brackwespen). Entomologische Berichte. Luzern 8: 61-64.
- Papp, J. 1982.** Taxonomical and faunistical novelties of the Opiinae in the Arctogaea (Hymenoptera, Braconidae). Annales Historico-Naturales Musei Nationalis Hungarici 74: 241-253.
- Papp, J. & Oehlke, J. 1982.** Zur Brackwespenfauna der Insel Hindensee. Ein Beitrag zur Fauna von Naturschutzgebieten der DDR (Insecta: Hymenoptera: Braconidae). Faunistische Abhandlungen 9: 185-193.
- Papp, J. 1983.** A survey of the Braconid fauna of the Hortobágy National Park (Hymenoptera, Braconidae), II. In: Mahunka, S. [ed.] "The Fauna of the Hortobágy National Park II." Budapest 315-337.
- Papp, J. 1983.** A survey of the European species of *Apanteles* Först. (Hymenoptera: Braconidae: Microgastrinae), VII. The *carbonarius*, *circumscriptus*, *fraternus*, *pallipes*, *parasitellae*, *vitripennis*, *liparidis*, *octonarius*- and *thompsoni* group. Annales Historico-Naturales Musei Nationalis Hungarici 75: 247-283.
- Papp, J. 1983.** Braconidae (Hymenoptera) from Mongolia IX. Acta Zoologica Hungarica 29: 441-449.
- Papp, J. 1983.** Contributions to the braconid fauna of Hungary, IV. Microgastrinae. (Hymenoptera: Braconidae). Folia Entomologica Hungarica 44: 125-138.
- Papp, J. 1983.** Three new Opiinae species from India (Hymenoptera: Braconidae). Contributions of the American Entomological Institute 20: 237-244.
- Papp, J. 1984.** First outline of the braconid fauna of southern Transdanubia, Hungary (Hymenoptera, Braconidae), II. Microgastrinae, 1. A Janus Pannonius Mazeumevkinyve (Pécs) 28: 51-58.
- Papp, J. 1984.** A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae) VIII. The *metacarpalis*, *formosus*, *popularis* and *suevus*-groups. Annales Historico-Naturales Musei Nationalis Hungarici 76: 265-295.
- Papp, J. 1984.** Braconidae (Hymenoptera) from Mongolia X. Acta Zoologica Hungarica 30: 445-468.
- Papp, J. 1984.** Contributions to the braconid fauna of Hungary, V. Doryctinae. (Hymenoptera: Braconidae). Folia Entomologica Hungarica 45: 173-185.
- Papp, J. 1984.** Contributions to the braconid fauna of Hungary, VI. Microgasterinae. (Hymenoptera: Braconidae). Folia Entomologica Hungarica 45(2): 157-168.
- Papp, J. 1984.** Die Insektenfauna des hochmoores Balmoos bei Hasle, Kanton Luzern. XXI. Hymenoptera 5: Braconidae (Brackwespen) 2. Entomologische Berichte. Luzern 11: 43.
- Papp, J. 1984.** First survey of the Triaspidini species of the Indo-Australian region (Hymenoptera: Braconidae: Calyptinae) I. The genus *Triaspis* Haliday. Acta Zoologica Hungarica 30: 137-158.
- Papp, J. 1984.** Palaearctic species of *Microgaster* Latreille (= *Microplitis* Förster) with description of seven new species (Hymenoptera, Braconidae, Microgastrinae). Entomologische Abhandlungen 47: 95-140.
- Papp, J. 1984.** Two new species of *Mirax* Haliday in the Palaearctic region (Hymenoptera: Braconidae: Adeliinae). Folia Entomologica Hungarica 45(1): 167-171.
- Papp, J. 1984.** Zur Insektenfauna der Umgebung der Vogelwarte Sempach, Kanton Luzern. XIV. Hymenoptera 3: Braconidae (Brackwespen). Entomologische Berichte. Luzern 11: 41-42.
- Papp, J. 1985.** Braconidae (Hymenoptera) from Greece. 2. Annales Historico-Naturales Musei Nationalis Hungarici 77: 217-226.
- Papp, J. 1985.** Braconidae (Hymenoptera) from Korea. VII. Acta Zoologica Hungarica 31: 341-365.
- Papp, J. 1985.** Contributions to the Braconid fauna of Hungary, VII. Rogadinae (Hymenoptera: Braconidae). Folia Entomologica Hungarica 46: 143-164.
- Papp, J. 1985.** Taxonomical and faunistical novelties of the Opiinae from the Old World Tropics (Hymenoptera: Braconidae). Acta Zoologica Hungarica 31(1-3): 185-216.
- Papp, J. 1985.** Three new *Blacus* Nees, 1818 species from India (Hym., Braconidae: Blacinae). Annales Historico-Naturales Musei Nationalis Hungarici 77: 227-232.
- Papp, J. 1986.** A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae). IX. The *glomeratus*-group, 1. Annales Historico-Naturales Musei Nationalis Hungarici 78: 225-247.
- Papp, J. 1986.** *Aleiodes* (*Aleiodes*) *sudatorius* sp. n. from the Hortobágy National Park, Hungary (Hymenoptera, Braconidae: Rogadinae). Acta Zoologica Hungarica 32: 137-140.
- Papp, J. 1986.** First survey of the *Glabromicroplitis* Papp species of the Holarctic Region, with taxonomical remarks of three *Microgaster* Latreille species (Hymenoptera, Braconidae: Microgastrinae). Annales Historico-Naturales Musei Nationalis Hungarici 78: 249-253.
- Papp, J. 1986.** Redescription of *Apanteles barcinonensis* Marshall, 1898 (Hymenoptera, Braconidae: Microgastrinae). EOS 62: 167-173.
- Papp, J. 1986.** Three new *Acanthormius* Ashmead species from India (Hymenoptera, Braconidae: Exothecinae). Acta Zoologica Hungarica 32: 343-349.
- Papp, J. 1987.** First outline of the braconid fauna of Southern Transdanubia, Hungary (Hymenoptera, Braconidae), 3. Helconinae, Homolobinae, Macrocentrinae, Blacinae, Doryctinae & Rogadinae. A Janus Pannonius Muzeum Evkonyve 30-31 (1985-1986): 33-36.
- Papp, J. 1987.** A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae), X. The *glomeratus*-group 2 and the *cultellatus*-group. Annales Historico-Naturales Musei Nationalis Hungarici 79: 207-258.
- Papp, J. 1987.** Braconidae (Hymenoptera) from Korea. VIII. Acta Zoologica Hungarica 33: 157-175.
- Papp, J. 1987.** Braconidae (Hymenoptera) from Korea. IX. Acta Zoologica Hungarica 33: 435-456.
- Papp, J. 1987.** First survey of the braconid fauna of the Kiskunság National Park, Hungary (Hymenoptera, Braconidae). In: Mahunka, S. [ed.]. "The Fauna of the Kiskunság National Park II." Budapest. 314-334.
- Papp, J. 1988.** A contribution to the braconid fauna of Israel (Hymenoptera), 2. Israel Journal of Entomology, publ. 1989, 32: 45-59.
- Papp, J. 1988.** Contributions to the Braconid fauna of Hungary, VIII. Microgasterinae (Hymenoptera: Braconidae). Folia Entomologica Hungarica 49: 167-184.
- Papp, J. 1988.** Redescription of *Doryctes hedini* (Fahringer) comb. n. (Hymenoptera: Braconidae, Doryctinae). Entomologica Scandinavica 18: 445-447.
- Papp, J. 1988.** A survey of the European species of *Apanteles* Först. (Hymenoptera: Braconidae: Microgastrinae). XI. 'Homologization' of the species-groups of *Apanteles* s. l. with Mason's generic taxa. Checklist of genera. Parasitoid/host list 1. Annales Historico Naturales Musei Nationalis Hungarici 80: 145-175.
- Papp, J. 1989.** A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae) XII. Supplement to the key of the *glomeratus*-group. Parasitoid/host list 2. Annales Historico Naturales Musei Nationalis Hungarici 81: 159-203.
- Papp, J. 1989.** Braconidae (Hymenoptera) from Korea, X. Acta Zoologica Hungarica 35(1-2): 81-103.
- Papp, J. 1989.** Braconidae (Hymenoptera) from Korea, XI. Acta Zoologica Hungarica 35(3-4): 295-326.
- Papp, J. 1989.** Contributions to the braconid wasps of Greenland, Denmark (Hymenoptera: Braconidae). Folia Entomologica Hungarica 50: 95-104.

- Papp, J. 1989.** *Mirax heinrichi* sp. n. from the U.S.A., and taxonomic bionomic data of two European *Mirax* species (Hymenoptera: Braconidae, Adeliinae). *Folia Entomologica Hungarica* 50: 105-110.
- Papp, J. 1989.** Redescription of *Microchelonus minutus* (A. Costa, 1884), comb. n. (Hymenoptera, Braconidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 45: 3-8.
- Papp, J. 1989.** Three new braconid species from central Switzerland (Hymenoptera, Braconidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 62: 269-278.
- Papp, J. 1990.** A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae) XII. Supplement to the key of the *glomeratus*-group. Parasitoid/host list 2. *Annales Historico-Naturales Musei Nationalis Hungarici* 81: 159-203.
- Papp, J. 1990.** Braconidae (Hymenoptera) from Greece, 3. *Annales Musei Goulandris* 8: 269-290.
- Papp, J. 1990.** New Braconid wasps (Hymenoptera, Braconidae) in the Hungarian Natural History Museum, 1. *Annales Historico-Naturales Musei Nationalis Hungarici* 82: 175-190.
- Papp, J. 1990.** A revision of Thomson's *Microchelonus* species (Hymenoptera: Braconidae, Cheloninae). *Acta Zoologica Hungarica* 36(3-4): 295-317.
- Papp, J. 1990.** Braconidae (Hymenoptera) from Korea, XII. *Acta Zoologica Hungarica* 36(1-2): 87-119.
- Papp, J. 1990.** Braconidae (Hymenoptera) from Korea, XIII. *Acta Zoologica Hungarica* 36(3-4): 319-330.
- Papp, J. 1990.** Braconidae (Hymenoptera) from Tunisia, 3. *Folia Entomologica Hungarica* 51: 89-96.
- Papp, J. 1990.** Contributions to the braconid fauna of Hungary, X. Meteorinae and Blacinae (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 51: 97-106.
- Papp, J. 1990.** New braconid wasps (Hymenoptera: Braconidae) in the Hungarian Natural History Museum, 1. *Annales Historico-Naturales Musei Nationalis Hungarici* 82: 175-190.
- Papp, J. 1991.** First outline of the braconid fauna of Southern Transdanubia, Hungary (Hymenoptera: Braconidae), 4. Braconinae and Exothecinae. *A Janus Pannonius Múzeum Vkiinyve (Pécs)* 35: 71-76.
- Papp, J. 1991.** First survey of the Triaspidini species of the Indo-Australian region (Hymenoptera, Braconidae: Calyptinae) II. The genus *Schizoprymnus* Foerster, 1. *Acta Zoologica Hungarica* 37(1-2): 75-99.
- Papp, J. 1991.** New Braconid wasps (Hymenoptera: Braconidae) in the Hungarian Natural History Museum, 2. *Annales Historico-Naturales Musei Nationalis Hungarici* 83: 145-167.
- Papp, J. 1991.** Parasitic wasps of the superfamily Ichneumonoidea. Braconidae. 18. Doryctinae. 19. Rogadinae. *Magyarorszag Allatvilaga. [Fauna Hungariae.]* 167: 1-122.
- Papp, J. 1991.** Second survey of the braconid wasps in the Botorliget Nature Conservation Areas, Hungary (Hymenoptera: Braconidae). *Studia Naturalia*. 1(2): 639-674. In: *The Botorliget Nature Reserves after forty years. Magyar Természettudományi Múzeum, Budapest.*
- Papp, J. 1991.** Braconidae (Hymenoptera) from Korea, XIV. *Acta Zoologica Hungarica* 38(1-2): 63-73.
- Papp, J. 1991.** Braconidae (Hymenoptera) from Mongolia, XI. *Acta Zoologica Hungarica* 37(3-4): 217-224.
- Papp, J. 1991.** Critical revision of A. Costa's braconid species (Hymenoptera: Braconidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 48: 41-51.
- Papp, J. 1992.** First outline of the braconid fauna of Southern Transdanubia, Hungary (Hymenoptera, Braconidae), 5. Helconinae 2, Calyptinae, Meteorinae and Microgastrinae 2. *A Janus Pannonius Múzeumvkiinyve (Pécs)* 36: 49-58.
- Papp, J. 1992.** Braconidae (Hymenoptera) from Mongolia, XII. *Acta Zoologica Hungarica* 38(3-4): 293-312.
- Papp, J. 1992.** New braconid wasps (Hymenoptera: Braconidae) in the Hungarian Natural History Museum, 3. *Annales Historico-Naturales Musei Nationalis Hungarici* 84: 129-160.
- Papp, J. & Maetô, K. 1992.** *Triaspis curculiovorus* sp. n. (Hymenoptera, Braconidae) from Japan, parasitizing acorn weevils. *Japanese Journal of Entomology* 60(4): 797-804.
- Papp, J. 1993.** First survey of the Triaspidini species of the Indo-Australian region (Hymenoptera, Braconidae: Calyptinae) 3. The genus *Schizoprymnus* Foerster, 2. *Acta Zoologica Hungarica* 39(1-4): 129-173.
- Papp, J. 1993.** New Braconid wasps (Hymenoptera, Braconidae) in the Hungarian Natural History Museum, 4. *Annales Historico-Naturales Musei Nationalis Hungarici* 84: 155-180.
- Papp, J. 1993.** Zur Insektenfauna vom Vogelmoos (775m) bei Neudorf, Kanton Luzern. IX. Hymenoptera, 1: Braconidae (Brackwespen). *Entomologische Berichte, Luzern* 29: 29-45.
- Papp, J. 1993.** *Aivalykus endroedyougai* sp. nov. from Ghana. (Hymenoptera, Braconidae, Doryctinae). *Entomofauna* 14(18): 313-320.
- Papp, J. 1994.** Contribution to the braconid fauna of Hungary, 10. Homolobinae, Macrocentrinae, Orgilinae and Microtypinae (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 55: 287-304.
- Papp, J. 1994.** Hymenoptera species in *Lipara* galls (Diptera, Chloropidae) in Hungary. *Folia Entomologica Hungarica* 55: 65-91.
- Papp, J. 1994.** *Maxfischeria tricolor* gen. n. et sp. n. from Australia (Insecta: Hymenoptera: Braconidae). *Annalen des Naturhistorischen Museums in Wien Serie B Botanik und Zoologie* 96B: 143-147.
- Papp, J. 1994.** The dispersion of braconid wasps in an oak forest of Hungary (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 55: 305-320.
- Papp, J. 1994.** Two new *Centistes* species from Korea (Hymenoptera: Braconidae: Euphorinae). *Acta Zoologica Academiae Scientiarum Hungaricae* 40(4): 337-342.
- Papp, J. 1994.** A revision of the Braconidae (Hymenoptera) species described by J.W. Zetterstedt. *Entomologica Scandinavica* 25(3): 303-310.
- Papp, J. 1994.** Significant braconid wasps in Hungarian plant protection (Hymenoptera: Braconidae). *Novenyvedelem* 30(11): 493-507.
- Papp, J. 1995.** Braconidae (Hymenoptera) from Korea, XVII. *Annales Historico-Naturales Musei Nationalis Hungarici* 87: 123-127.
- Papp, J. 1995.** New diospilinae taxa from the neotropical region (Hymenoptera, Braconidae: Helconinae). *Acta Zoologica Academiae Scientiarum Hungaricae* 41(2): 103-114.
- Papp, J. 1995.** Taxonomic revision of C. Rondani's braconid species (Hymenoptera: Braconidae). *Redia* 78(2): 303-309.
- Papp, J. 1995.** Revision of C. Wesmael's *Chelonus* species (Hymenoptera: Braconidae: Cheloninae). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Entomologie* 65: 115-134.
- Papp, J. & Chou, L.Y. 1995.** The genus *Wesmaelia* Foerster of Taiwan (Hymenoptera: Braconidae: Euphorinae). *Chinese Journal of Entomology* 15: 345-354.
- Papp, J., Achterberg, C. van, Zuijlen, J.W.A. van, Atanassova, P. V., Chen, X.X. and Haeselbarth, E. 1996.** Braconidae (Schildwespen): 119-128. In: Zuijlen, J.W.A. van, Peeters, R.M.J., Wielink, P.S. van, Eck, A.P.W. van & Bouvy, E.H.M. 'Brand-stof. Een inventarisatie van de entomofauna van het natuurreservaat 'De Brand' in 1990'. *Insektenwerkgroep K.N.N.V. - afdeling Tilburg, Nederland*: 1-228.
- Papp, J. & Chou, L.Y. 1996.** The genus *Mirax* from Taiwan (Hymenoptera: Braconidae: Miracinae). *Chinese Journal of Entomology* 16(2): 107-115.

- Papp, J. & Kisbenedek, T. 1996.** Compositions and structures of the braconid communities in two oak forests of Hungary (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 57: 157-169.
- Papp, J. & Rezbanyai-Reser, L. 1996.** Contributions to the braconid fauna of Monte Generoso, Canton Ticino, southern Switzerland (Hymenoptera: Braconidae). *Entomologische Berichte, Luzern* 35: 59-134.
- Papp, J. 1996.** A monograph of the braconid fauna of the Mts. Bakony, Hungary (Hymenoptera, Braconidae) IV. Microgastriinae, Braconinae and Exothecinae. *Folia Musei Historico-Naturalis Bakonyiensis* 111992.: 201-246.
- Papp, J. 1996.** Braconid wasps from the Cape Verde Islands (Hymenoptera, Braconidae) 1. Cheloninae, Exothecinae, Homolobinae, Microgastriinae, Rogadinae. *Boletim do Museu Municipal do Funchal* 48(271): 197-216.
- Papp, J. 1996.** On the genus *Pambolus* (Hymenoptera, Braconidae: Pambolinae), with description of four new tropical species. *Acta Zoologica Academiae Scientiarum Hungaricae* 42(1) 1996: 41-57.
- Papp, J. 1996.** The braconid wasps (Hymenoptera, Braconidae) of the Bükk National Park (NE Hungary): 453-476. In: Mahunka, S. [ed.]. *The fauna of the Bükk National Park. Volume 2. Hungarian Natural History Museum, Budapest*: 1-655.
- Papp, J. 1996.** Braconidae (Hymenoptera) from Korea, XVIII. *Annales Historico Naturales Musei Nationalis Hungarici* 88: 145-170.
- Papp, J. 1996.** Contribution to the Braconid fauna of Hungary, XI. Cheloninae and Sigalphinae (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 62: 131-156.
- Papp, J. 1996.** On the taxonomy of *Microchelonus cycloporus* (Franz, 1930). *Senckenbergiana Biologica* 75(1-2): 203-206.
- Papp, J. 1997.** Revision of the *Chelonus* s. str. species described by C.G. Thomson (Hymenoptera: Braconidae, Cheloninae). *Stobaeana (Lund)* 10: 1-21.
- Papp, J. 1997.** Revision of the *Chelonus* species described by A.G. Dahlbom (Hymenoptera, Braconidae: Cheloninae). *Acta Zoologica Academiae Scientiarum Hungaricae* 43(1): 1-19.
- Papp, J. 1997.** Redescription and taxonomic considerations of *Triaspis complanellae* (Hartig, 1847) (Hymenoptera, Braconidae, Calyptinae). *Entomofauna* 18(8): 81-84.
- Papp, J. 1997.** Contribution to the braconid fauna of Hungary, XII. Calyptinae-1. (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 63: 105-113.
- Papp, J. & Rezbanyai-Reser, L. 1997.** Zur Brackwespenfauna der Insel Brissago, Kanton Tessin (Hymenoptera: Braconidae). *Entomologische Berichte, Luzern* 38: 113-120.
- Papp, J. 1997.** Taxonomic revision of seven European species of the genus *Bracon* Fabricius (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 63: 115-135.
- Papp, J. 1998.** Braconidae (Hymenoptera) from Korea, XIX. *Acta Zoologica Academiae Scientiarum Hungaricae* 43(2): 93-110.
- Papp, J. 1998.** Contribution to the braconid fauna of the former Yugoslavia, IV. Braconinae (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 59: 145-162.
- Papp, J. 1998.** Contributions to the braconid fauna of Cyprus (Hymenoptera, Braconidae: Braconinae). *Entomofauna* 19(14): 241-251.
- Papp, J. 1998.** New braconid wasps (Hymenoptera, Braconidae) in the Hungarian Natural History Museum, 6. *Annales Historico-Naturales Musei Nationalis Hungarici* 90: 221-256.
- Papp, J. 1998.** Contribution to the Braconid fauna of Hungary, XIII. Calyptinae-2., Helconinae (Hymenoptera, Braconidae). *Folia Entomologica Hungarica* 59: 163-184.
- Papp, J. 1998.** New braconid wasps (Hymenoptera: Braconidae) in the Hungarian Natural History Museum. *Annales Historico Naturales Musei Nationalis Hungarici* 90: 221-256.
- Papp, J. 1998.** Two new braconid species from Switzerland (Hymenoptera: Braconidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 71(1-2): 133-139.
- Papp, J. 1999.** [First outline of the braconid fauna of southern Transdanubia, Hungary (Hymenoptera, Braconidae), 6. Helconinae 3 and Cheloninae.] *A Del-Dunantul gyilkosfürkesz faunajanak alapvetese (Hymenoptera, Braconidae) 6. Helconinae 3. es Cheloninae. A Janus Pannonius Muzeum Evkonyve* 43: 57-63.
- Papp, J. 1999.** A revision of the *Bracon* species described by O. Schmiedeknecht (Insecta: Hymenoptera: Braconidae: Braconinae). *Entomologische Abhandlungen* 58(16): 289-308.
- Papp, J. 1999.** *Bracon (Glabrobracon) dilatatus* sp. n. from Iran and Iraq with taxonomical remarks on several related species (Hymenoptera: Braconidae, Braconinae). *Folia Entomologica Hungarica* 60: 269-282.
- Papp, J. 1999.** Braconidae (Hymenoptera from Mongolia, XIII: Alysiinae. *Acta Zoologica Academiae Scientiarum Hungaricae* 45(3): 221-246.
- Papp, J. 1999.** Braconidae (Hymenoptera) from Greece, 4. *Annales Musei Goulandris* 10: 223-247.
- Papp, J. 1999.** New and little triaspine species from Europe and tropical Africa (Hymenoptera: Braconidae, Calyptinae, Traspidini). *Folia Entomologica Hungarica* 60: 283-312.
- Papp, J. 1999.** Redescription of F. Silvestri's two chelonine species (Hymenoptera, Braconidae: Cheloninae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 55: 15-26.
- Papp, J. 1999.** *Regetus balcanicus* gen. et sp. nov. from Yugoslavia (Hymenoptera, Braconidae: Alysiinae, Alysiini). *Entomofauna* 20(24): 389-396.
- Papp, J. 1999.** The Braconid wasps (Hymenoptera: Braconidae) of the Aggtelek National Park (N.E. Hungary). In: *The Fauna of the Aggtelek National Park*. pp. 547-572.
- Papp, J. 1999.** *Triaspis warnckei* sp. nov. from Algeria (Hymenoptera, Braconidae: Calyptinae). *Entomofauna* 20(6): 121-128.
- Papp, J. 1999.** Two new species of *Bracon* from Britain (Hym., Braconidae, Braconinae). *Entomologist's Monthly Magazine* 135(1620-1623): 145-152.
- Papp, J. 1999.** Two new species of *Proavga* Belokobylskij from Australia (Insecta: Hymenoptera: Braconidae: Hormiinae). *Entomologische Abhandlungen* 58(15): 283-288.
- Papp, J. 1999.** Five new *Microchelonus* species from the neotropical region (Hymenoptera: Braconidae: Cheloninae). *Annales Historico Naturales Musei Nationalis Hungarici* 91: 177-197.
- Papp, J. 1999.** Redescription of F. Silvestri's two chelonine species (Hymenoptera: Braconidae: Cheloninae). *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri"* 55: 15-26.
- Papp, J. & Rezbanyai-Reser, L. 1999.** Brackwespen aus Lichtfallen in den höheren Lagen des Berner Jura und der Zentralschweizer Alpen (Hymenoptera: Braconidae). *Entomologische Berichte, Luzern* 42: 75-86.
- Papp, J. & Achterberg, C. van 1999.** New Afrotropical species of the tribe Lysitermini Tobias (Hymenoptera: Braconidae: Lysiterminiinae). *Zoologische Mededelingen, Leiden* 73(11): 199-207.
- Papp, J. & Shaw, S.R. 2000.** A study of the genus *Falcosyntretus* Tobias from the new world with five new species and a key to known species (Hymenoptera: Braconidae: Euphorinae). *Proceedings of the Entomological Society of Washington* 102(3): 634-642.
- Papp, J. 2000.** *Bracon polaris* Hellén, redescription of a little known species (Hymenoptera, Braconidae). *Entomologica Fennica* 11: 125-128.
- Papp, J. 2000.** Braconidae (Hymenoptera) from Mongolia, XIV: Doryctinae, Helconinae, Meteorinae, Euphorinae, Blacinae, Opiinae and Alysiinae. *Acta Zoologica Academiae Scientiarum Hungaricae* 46(1): 35-52.

- Papp, J. 2000.** *Cratocnema juxtacatum* sp. n. from Malagasy (Hymenoptera: Braconidae, Braconinae). Folia Entomologica Hungarica 61: 149-156.
- Papp, J. 2000.** First synopsis of the species of *obscurator* species-group, genus *Bracon*, subgenus *Glabrobracon* (Hymenoptera: Braconidae: Braconinae). Annales Historico Naturales Musei Nationalis Hungarici 92: 229-264.
- Papp, J. 2000.** *Pambolus oblongispina* sp. n. from Honduras (Hymenoptera: Braconidae: Pambolinae). Genus (Wroclaw) 11(1): 87-93.
- Papp, J. 2001.** Braconidae (Hymenoptera) from Korea XX. Alysiniinae: Alysini, *Aspilota* genus-group. Acta Zoologica Academiae Scientiarum Hungaricae 47(1): 1-13.
- Papp, J. 2001.** Taxonomic studies on six genera of Braconini (Insecta: Hymenoptera: Braconidae). Reichenbachia 34(21): 167-174.
- Papp, J. & Shaw, M.R. 2001.** A new species of *Microplitis* Foerster (Hym.: Braconidae, Microgasterinae) from Spain. Entomologist's Monthly Magazine 137: 53-58.
- Papp, J. 2002.** The Braconid wasps (Hymenoptera: Braconidae) of the Fertő-Hanság National Park (NW Hungary). The Fauna of the Fertő-Hanság National Park: 557-581.
- Papp, J. 2003.** Braconidae (Hymenoptera) from Korea, XXI. Species of fifteen subfamilies. Acta Zoologica Academiae Scientiarum Hungaricae 49(2): 115-152.
- Papp, J. 2003.** Revision of Szépligeti's *Chelonus* s. str. species described from Hungary (Hymenoptera: Braconidae: Cheloniinae). Annales Historico-Naturales Musei Nationalis Hungarici 95: 113-133.
- Papp, J. 2003.** *Taphaeus robiginosus* sp. n. from Australia (Hymenoptera: Braconidae). Folia Entomologica Hungarica 64: 237-241.
- Papp, J. 2003.** Type specimens of the braconid species described by T. A. Marshall and deposited in the Hungarian Natural History Museum (Hymenoptera: Braconidae). Annales Historico-Naturales Musei Nationalis Hungarici 95: 135-146.
- Papp, J. 2004.** A revision of Szépligeti's *Microchelonus* species described from Hungary (Hymenoptera: Braconidae: Cheloniinae). Annales Historico-Naturales Musei Nationalis Hungarici 96: 225-259.
- Papp, J. 2004.** Braconidae (Hymenoptera) from Mongolia XV. subfamily Alysiniinae: Dacnusiini. Acta Zoologica Academiae Scientiarum Hungaricae 50(3): 3245-269.
- Papp, J. 2004.** *Chremyloides tobiasi* sp. n. from New Caledonia (Hymenoptera: Braconidae, Pamboliniinae, Chremylini). Trudy Russkago Entomologicheskago Obshchestva. [Horae Societatis Entomologicae Rossicae.] 75(1): 131-133
- Papp, J. 2004.** *Tobiasnusa atomus* gen. et sp. n. from Mongolia (Hymenoptera: Braconidae, Alysiniinae, Dacnusiini). Trudy Russkago Entomologicheskago Obshchestva. [Horae Societatis Entomologicae Rossicae.] 75(1): 127-130.
- Papp, J. 2004.** Type specimens of the braconid species by Gy. Szépligeti deposited in the Hungarian Natural History Museum (Hymenoptera: Braconidae). Annales Historico-Naturales Musei Nationalis Hungarici 96: 153-223.
- Papp, R.P. 1981.** Notes on the reproductive biology of the parasitoid *Doryctes palliatus* (Cameron) (Hymenoptera: Braconidae) in Hawaii. Proceedings of the Hawaiian Entomological Society 23(3): 435-436.
- Pardo, J., Tormos, J. & Jiménez, R. 2000.** Morphology of the last larval stage of *Dacnusa rodriguezi*, a parasitoid of *Chromatomyia horticola* (Hymenoptera: Braconidae; Diptera: Agromyzidae). Fragmenta Entomologica 32(2): 299-303.
- Pardo, J., Tormos, J. & Verd, M.J. 2001.** Description of *Chorebus denticurcatus* sp. nov. and the exuviae of its final larval instar (Hymenoptera: Braconidae: Alysiniinae). Florida Entomologist 84(4): 652-658.
- Pare, F., Cloutier, C., Huot, L. & McNeil, J.N. 1979.** Descriptions of egg and larval stages of *Aphidius nigripes*. Annals of the Entomological Society of America 72: 620-626.
- Parihar, S.B.S. & Singh, O.P. 1992.** Population dynamics of *Agrotis ipsilon* (Hfn.) on potato in relation to weather factors. Bulletin of Entomology New Delhi 33(1-2): 167-170.
- Park, C.G., & Lee, Y.S. 1988.** Note on hymenopteran parasitoid, *Aphaereta pallipes* (Say) (Braconidae) of onion fly, *Delia antiqua* (Meig.) (Diptera: Anthomyiidae). Korean Journal of Applied Entomology 27(1): 55-58.
- Park, H.C., Park, Y.C., Hong, O.K., & Cho, S.Y. 1996.** Parasitoids of the aphidophagous ladybeetles, *Harmonia axyridis* (Pallas) (Coleoptera: Coccinellidae) in Chuncheon areas, Korea. Korean Journal of Entomology 26(2): 143-147.
- Park, J.S. & Achterberg, C. van 1994.** A new genus of the subfamily Ecnomiinae van Achterberg (Hymenoptera: Braconidae) from Korea. Zoologische Mededelingen, Leiden 68(6): 49-54.
- Park, K.C., Ochieng, S.A., Zhu, J.W. & Baker, T.C. 2002.** Odor discrimination using insect electroantennogram responses from an insect antennal array. Chemical Senses 27(4): 343-352.
- Park, K.C., Zhu, J.W., Harris, J., Ochieng, S.A. & Baker, T.C. 2001.** Electroantennogram responses of a parasitic wasp, *Microplitis croceipes*, to host-related volatile and anthropogenic compounds. Physiological Entomology 26: 69-77.
- Parker, F.D. & Pinnell, R.E. 1970.** Rearing the imported cabbage-worm parasite, *Apanteles rubecula*, in the laboratory. Journal of Economic Entomology 63: 1993-1994.
- Parker, F.D. & Pinnell, R.E. 1972.** Further studies of the biological control of *Pieris rapae* using supplemental host and parasite releases. Environmental Entomology 1(2): 150-157.
- Parker, F.D. & Pinnell, R.E. 1973.** Effect on food consumption of the imported cabbageworm when parasitized by two species of *Apanteles*. Environmental Entomology 2(2): 216-219.
- Parkman, P., Dusky, J.A. & Waddill, V.H. 1989.** Leafminer and leafminer parasitoid incidence on selected weeds in south Florida. Florida Entomologist 72(3): 559-561.
- Parnell, J.R. 1964.** The parasite complex of the two seed beetles *Bruchidius ater* (Marshall) (Coleoptera: Bruchidae) and *Apion fascirostre* Fabricius (Coleoptera: Curculionidae). Transactions of the Royal Entomological Society of London 116(4): 73-88.
- Parr, J.C. & Pass, B.C. 1969.** The effect of temperature and photoperiod on the development of the parasite *Aphidius smithi* (Hymenoptera: Aphidiidae). Proceedings of the N. Central Res. Branch of the Entomological Society of America 24: 33.
- Parr, J.C. & Pass, B.C. 1971.** Seasonal occurrence of the pea aphid and a braconid parasite, *Aphidius smithi*, in Kentucky. Journal of Economic Entomology 64(5): 1150-1153.
- Parra, J.R.P. 2002.** Restrictions to the use of biological control in Brazil. Anais do II Congresso Brasileiro de Soja e Mercosoja, 3-6 junho 2002, Foz do Iguacu, PR, Brazil. Documentos Embrapa Soja 180: 61-64.
- Parra, J.R.P., Aguilar, J.A.D. & Botelho, P.S.M. 1989.** Effect of high temperatures on *Diatraea saccharalis* (Fabr., 1794) and its natural enemies. Revista de Agricultura Piracicaba 64(2): 147-162.
- Parra, J.R.P., Padua, L.E.M. de & Haddad, M.L. de 1994.** Effect of temperature and relative humidity on the biology of *Cotesia flavipes* (Cameron). Anais da Sociedade Entomologica do Brasil 23(1): 105-114.
- Parra, J.R.P., Goncalves, W. & Precetti, A.A.C.M. 1981.** Population fluctuations of parasites and predators of *Perileucoptera coffeella* (Guérin-Méneville, 1842) in three locations in the State of Sao Paulo. Turrialba 31: 357-364.
- Parra, J.R.P., Vinson, S.B., Gomes, S.M. & Consoli, F.L. 1996.** Flight response of *Habrobracon hebetor* (Say) (Hymenoptera: Braconidae) in a wind tunnel to volatiles associated with infestations

- of *Ephestia kuehniella* Zeller (Lepidoptera: Pyralidae). Biological Control 6(2): 143-150.
- Parrott, A.W. 1964.** Some common species of *Apanteles* occurring in New Zealand with a catalogue of Australian and New Zealand species of the genus *Apanteles* Foerster. Transactions of the Royal Society of New Zealand 4: 183-194.
- Parry, D. 1995.** Larval and pupal parasitism of the forest tent caterpillar, *Malacosoma disstria* Hübner (Lepidoptera: Lasiocampidae), in Alberta, Canada. Canadian Entomologist 127(6): 877-893.
- Parry, D., Spence, J.R. & Volney, W.J.A. 1997.** Responses of natural enemies to experimentally increased populations of the forest tent caterpillar *Malacosoma disstria*. Ecological Entomology 22(1): 97-108.
- Pasek, J.E. & Kearby, W.H. 1984.** Larval parasitism of *Psilocorsis* spp. (Lepidoptera: Oecophoridae), leaf-tiers of central Missouri oaks. Journal of the Kansas Entomological Society 57(1): 84-91.
- Pasek, J.E. & Dix, M.E. 1989.** Life history of a ponderosa pine cone-worm, *Dioryctria auranticella* (Lepidoptera: Pyralidae). Journal of Economic Entomology 82(3): 879-885.
- Pate, M.P. & Bilpate, G.G. 1984.** Key mortality factors of spotted bollworm on cotton. Journal of Maharashtra Agricultural Universities 9: 155-157.
- Patel, A.G., Yadav, D.N. & Patel, R.C. 1991.** Natural enemies of *Agrotis* spp. from Gujarat. Gujarat Agricultural University Research Journal 17(1): 130-131.
- Patel, B.K. & Patel, R.C. 1981.** Biology of *Rogas aligharensis* Quadri (Hym., Braconidae). A larval parasite of *Earias* spp. Gujarat Agricultural University Research Journal 6(2): 80-86.
- Patel, H.M. & Yadav, D.N. 1991.** Occurrence of mottled emigrant *Catopsilia pyranthe* (Lepidoptera: Pieridae) and its natural enemies at Anand. Indian Journal of Agricultural Sciences 61(10): 789-791.
- Patel, I.S. & Dodia, D.A. 1999.** *Marasmia trapezalis* Guen. (Pyraustidae: Lepidoptera): a new pest of bajra from north Gujarat. Insect Environment 4(4): 122-123.
- Patel, I.S., Patel, G.M. & Pathak, A.R. 1999.** *Apanteles taprobanae* Cam. - a new endoparasite of castor hairy caterpillar, *Euproctis lunata* Walker. Gujarat Agricultural University Research Journal 24(2): 105.
- Patel, I.S., Prajapati, B.G., Patel, G.M. & Pathak, A.R. 1996.** Relative toxicity of insecticides to *Diaeretiella rapae*, a hymenopterous parasite of mustard aphid (*Lipaphis erysimi*). Indian Journal of Agricultural Sciences 66(8): 507-508.
- Patel, J.C. & Patel, R.C. 1971.** Studies on the biology of *Chelonus heliopa* Gupta, an egg-larva parasite of *Spodoptera litura* (F.). Indian Journal of Entomology 33: 50-54.
- Patel, M.P. & Bilpate, G.G. 1984.** Key mortality factors of spotted bollworm (*Earias vittella*) on cotton. Journal of Maharashtra Agricultural Universities 9(2): 155-157.
- Patel, P.N. & Habib, M.E.M. 1982.** Ocorrência natural de *Aspergillus parasiticus* em populações de *Spodoptera frugiperda* (Abbot & Smith, 1797) (Lepidoptera, Noctuidae) e sua transmissão por insetos parasitos. Revista de Agricultura (Piracicaba) 57(4): 223-232.
- Patel, R.C., Patel, J.C. & Patel, J.K. 1972.** New records of parasites of *Heliothis armigera* (Hüb.) & *H. peltigera* (Schiff.) from Gujarat. Indian Journal of Entomology 33: 223-224.
- Patel, R.C., Patel, J.C. & Patel, J.K. 1972.** New records of parasites of *Leucinodes orbonalis* Guen. from Gujarat. Indian Journal of Entomology 33(1971): 358.
- Patel, R.C., Patel, J.C. & Patel, H.K. 1973.** Mass rearing of *Chelonus heliopa* Gupta. Indian Journal of Entomology 36: 103-109.
- Patel, V.B. & Patel, J.R. 1991.** *Apanteles ruficrus* Haliday a larval parasite of *Mythimna separata* Walker in middle Gujarat. Indian Journal of Entomology 53(3): 523-525.
- Patil, B.V. & Thontadarya, T.S. 1986.** Diapause in teak skeletonizer, *Pyrausta machaeralis* and its parasite, *Cremnops atricornis*. Mysore Journal of Agricultural Sciences 20(1): 38-42.
- Patil, R.K., Lingappa, S. & Basappa, H. 1990.** Effect of insecticides and a chitin inhibitor on development of three parasitoids of the coconut black headed caterpillar *Opisina arenosella* Walker (Lep.: Xyloryctidae). Journal of Oilseeds Research 7(2): 51-57.
- Patil, S.U. & Naik, M.I. 1998.** Natural enemies of teak defoliator, *Hyblaea puera* Cramer and their seasonal incidence. Indian Journal of Forestry 21(3): 253-255.
- Paul, A.V.N., Parshad, B. & Kumar, P. 1980.** Age and density effect of the laboratory host, *Corycyra cephalonica* Stainton (Lep., Pyral.) on the egg larval parasitoid *Chelonus blackburni* Cameron (Hym., Braconidae). Zeitschrift für angewandte Entomologie 90(4) 1980: 391-395.
- Paul, A.V.N. & Srivastava, K.P. 1989.** Relative toxicity of different insecticides to *Chelonus blackburni* Cameron an egg-larval parasitoid of cotton bollworms. Pestology 13(12): 10-12.
- Pavuk, D.M. & Barrett, G.W. 1993.** Influence of successional and grassy corridors on parasitism of *Plathypena scabra* (F.) (Lepidoptera: Noctuidae) larvae in soybean agroecosystems. Environmental Entomology 22(3): 541-546.
- Pavuk, D.M. & Hughes, L.L. 1998.** The parasitoid complex of first generation *Ostrinia nubilalis* (Lepidoptera: Pyralidae) larvae in northwest Ohio. Great Lakes Entomologist 31(3-4): 169-172.
- Pavuk, D.M. & Stinner, B.R. 1991.** New Lepidoptera-parasitoid associations in weedy corn plantings: a potential alternate host for *Ostrinia nubilalis* (Lepidoptera: Pyralidae) parasitoids. Great Lakes Entomologist 24(4): 219-223.
- Pawar, A.D., Prasad, J., Asre, R. & Singh, R. 1983.** Introduction of exotic parasitoid, *Chelonus blackburni* Cameron in India for the control of cotton bollworms. Indian Journal of Entomology 45(4): 436-439.
- Pawar, A.D. & Prasad, J. 1983.** Field recovery of *Bracon kirkpatricki* (Wilkinson) (Braconidae Hymenoptera) from the cotton pink boll worm *Pectinophora gossypiella* Saund (Gelechiidae Lepidoptera) in Haryana (India). Indian Journal of Entomology 45(2): 195-197.
- Pawar, A.D. & Prasad, J. 1985.** Evaluation of some exotic parasites in biocontrol of cotton bollworms in Haryana (India). Indian Journal of Plant Protection 13(1): 21-24.
- Pawar, A.D., Prasad, J. & Singh, R. 1985.** Field evaluation of traps and sex pheromones of *Heliothis armigera* Hb. (Noctuidae: Lepidoptera) and effect of releases of parasites on male moth catches in pheromone traps. Plant Protection Bulletin (Faridabad) 36(4): 29-30.
- Pawar, C.S., Bhatnagar, V.S. & Jadhav, D.R. 1985.** *Heliothis* species and their larval parasitoids on sole and intercrop safflower in India. Insect Science and its Application 6(6): 701-704.
- Payne, J.A. & Mason, W.R.M. 1971.** Hymenoptera associated with pig carrion. Proceedings of the Entomological Society of Washington 73: 132-141.
- Pecora, P., Sobhian, R. & Cristofaro, M. 1992.** *Simyra dentinosa* Freyer (Lepidoptera: Noctuidae): a candidate for biological control of leafy spurge (*Euphorbia esula* L.) in the United States. Biological Control 2(1): 78-85.
- Pedigo, L.P., Bechinski, E.J. & Higgins, R.A. 1983.** Partial life tables of the green cloverworm (Lepidoptera: Noctuidae) in soybean and a hypothesis of population dynamics in Iowa. Environmental Entomology 12(1): 186-195.
- Peigler, R. 1985.** Recent records for parasitism in Saturniidae (Lepidoptera). Nachrichten der Entomologische Verein Apollo, Frankfurt 5(4): 95-105.

- Peigler, R.S. & Vinson, S.B. 1988. Parasitoid and hostplant records for genus *Schinia* (Noctuidae) in Texas. Journal of the Lepidopterists' Society, USA 42(2): 144-145.
- Peigler, R.S. 1996. Catalog of parasitoids of Saturniidae of the world. Journal of Research on the Lepidoptera 33 (1994): 1-121.
- Pelley, R.H. le 1973. Coffee insects. Annual Review of Entomology 18: 121-142.
- Pellizzari Scaltriti, G. 1985. Note su alcuni insetti dannosi all'*Arnica montana* L. e all'*Hypericum perforatum* L. Atti del Congresso Nazionale Italiano di Entomologia 14: 469-475.
- Pembererton, R.W., Lee, J.H., Reed, D.K., Carlson, R.W. & Han, H.Y. 1993. Natural enemies of the Asian gypsy moth (Lepidoptera: Lymantriidae) in South Korea. Annals of the Entomological Society of America 86(4): 423-440.
- Pembererton, R.W. & Lee, J.H. 1996. The influence of extrafloral nectaries on parasitism of an insect herbivore. American Journal of Botany 83(9): 1187-1194.
- Pena, J.E. & Waddill, V. 1983. Larval and egg parasitism of *Keiferia lycopersicella* (Walsingham) (Lepidoptera: Gelechiidae) in southern Florida tomato fields. Environmental Entomology 12(5): 1322-1326.
- Pena, J.E., Waddill, V.H. & Elsey, K.D. 1987. Survey of native parasites of the pickleworm, *Diaphania nitidalis* Stoll, and melonworm, *Diaphania hyalinata* (L.) (Lepidoptera: Pyralidae), in southern and central Florida. Environmental Entomology 16(5): 1062-1066.
- Penagos, D.I., Magallanes, R., Valle, J., Cisneros, J., Martinez, A.M., Goulson, D., Chapman, J.W., Caballero, P., Cave, R.D. & Williams, T. 2003. Effect of weeds on insect pests of maize and their natural enemies in Southern Mexico. International Journal of Pest Management 49(2): 155-161.
- Penfield, E.B., Stevens, R.E. & Hawksworth, F.G. 1976. Pollination ecology of three Rocky Mountain dwarf mistletoes. Forest Science 22(4): 473-484.
- Pennacchio, F. & Tremblay, E. 1985. Indagine sulla variabilità allometrica in alcuni Aphidiinae (Hymenoptera: Braconidae). Atti del Congresso Nazionale Italiano di Entomologia 14: 267-274.
- Pennacchio, F. & Tremblay, E. 1986. Biosystematic and morphological study of two *Aphidius ervi* Haliday (Hymenoptera: Braconidae) 'biotypes' with the description of a new species. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri", Italy 43: 105-117.
- Pennacchio, F. & Tremblay, E. 1988. A new species of *Aphidius* Nees from Italy (Hymenoptera: Braconidae: Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 45: 167-169.
- Pennacchio, F., Gårdenfors, U. & Tremblay, E. 1988. Taxonomic discrimination of males of Palearctic *Ephedrus* Haliday (Hymenoptera: Braconidae: Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 45: 181-202.
- Pennacchio, F. & Tremblay, E. 1988. Seasonal phenologies and effectiveness of natural enemies in regulating pest aphid populations in alfalfa fields of southern Italy. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 44: 63-75.
- Pennacchio, F. 1989. The Italian species of the genus *Aphidius* Nees (Hymenoptera: Braconidae: Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 46: 75-106.
- Pennacchio, F. & Digilio, M.C. 1989. Morphology and development of larval instars of *Aphidius ervi* Haliday (Hymenoptera: Braconidae, Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 46: 163-174.
- Pennacchio, F. & Höller, C. 1990. Identity and taxonomic status of *Aphidius uzbekistanicus* Luzhetzki (Hymenoptera: Braconidae) a parasitoid of *Sitobion* Mordvilko species (Homoptera: Aphididae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 47: 127-137.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1991. Interazioni fisiologiche ospite-parassitoide intercorrenti fra *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) e *Heliothis virescens* (F.) (Lepidoptera: Noctuidae). Atti Del Congresso Nazionale Italiano Di Entomologia 16: 409-416.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1991. Effects of *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) teratocytes on physiology of its host *Heliothis virescens* (F.) (Lepidoptera: Noctuidae). Redia 74(3): 433-438.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1992. Host regulation effects on *Heliothis virescens* (F.) larvae induced by teratocytes of *Cardiochiles nigriceps* Viereck (Lepidoptera: Noctuidae - Hymenoptera: Braconidae). Archives of Insect Biochemistry and Physiology 19(3): 177-192.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1992. Preliminary results on in vitro rearing of the endoparasitoid *Cardiochiles nigriceps* from egg to second instar. Entomologia Experimentalis et Applicata 64(3): 209-216.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1993. Growth and development of *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) larvae and their synchronization with some changes of the hemolymph composition of their host, *Heliothis virescens* (F.) (Lepidoptera: Noctuidae). Archives of Insect Biochemistry and Physiology 24(2): 65-77.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1994. Morphology and ultrastructure of the serosal cells (teratocytes) in *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) embryos. International Journal of Insect Morphology and Embryology 23(2): 93-104.
- Pennacchio, F., Vinson, S.B. & Tremblay, E. 1994. Regulation of *Heliothis virescens* (F.) development and hormonal metabolism by the endophagous parasitoid *Cardiochiles nigriceps* Viereck: the role of teratocytes. Norwegian Journal of Agricultural Sciences SUPP 16: 293-300.
- Pennacchio, F., Vinson, S.B., Tremblay, E. & Ostuni, A. 1994. Alteration of ecdysone metabolism in *Heliothis virescens* (F.) (Lepidoptera: Noctuidae) larvae induced by *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) teratocytes. Insect Biochemistry and Molecular Biology 24(4): 383-394.
- Pennacchio, F., Vinson, S.B., Tremblay, E. & Tanaka, T. 1994. Biochemical and developmental alterations of *Heliothis virescens* (F.) (Lepidoptera: Noctuidae) larvae introduced by the endophagous parasitoid *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae). Archives of Insect Biochemistry and Physiology 26(2-3): 211-233.
- Pennacchio, F., Digilio, M.C. & Tremblay, E. 1994. Physiological and developmental alterations in *Acyrtosiphon pisum* (Harris) induced by the endophagous parasitoid *Aphidius ervi* Haliday. Atti del Congresso Nazionale Italiano di Entomologia 17: 635-638.
- Pennacchio, F., Digilio, M.C., Tremblay, E. & Tranfaglia, A. 1994. Host recognition and acceptance behaviour in two aphid parasitoid species: *Aphidius ervi* and *Aphidius microlophii* (Hymenoptera: Braconidae). Bulletin of Entomological Research 84(1): 57-64.
- Pennacchio, F., Digilio, M.C. & Tremblay, E. 1995. Biochemical and metabolic alterations in *Acyrtosiphon pisum* parasitized by *Aphidius ervi*. Archives of Insect Biochemistry and Physiology 30(4): 351-367.
- Pennacchio, F., Sordetti, R., Falabella, P. & Vinson, S.B. 1997. Biochemical and ultrastructural alterations in prothoracic glands of *Heliothis virescens* (F.) (Lepidoptera: Noctuidae) last instar larvae parasitized by *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae). Insect Biochemistry and Molecular Biology 27(5): 439-450.

- Pennacchio, F., Falabella, P. & Vinson, S.B. 1998.** Regulation of *Heliothis virescens* prothoracic glands by *Cardiochiles nigriceps* polydnavirus. Archives of Insect Biochemistry and Physiology 38(1): 1-10.
- Pennacchio, F., Falabella, P., Sordetti, R., Varricchio, P., Malva, C., Vinson, S.B., Pennacchio, F. & Lanzrein, B. 1998.** Prothoracic gland inactivation in *Heliothis virescens* (F.) (Lepidoptera: Noctuidae) larvae parasitized by *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae). Parasitoid-host interactions at the physiological and molecular level. Journal of Insect Physiology 44(9): 845-857.
- Pennacchio, F., Fanti, P., Falabella, P., Digilio, M.C., Bisaccia, F. & Tremblay, E. 1999.** Development and nutrition of the braconid wasp, *Aphidius ervi* in aposymbiotic host aphids. Archives of Insect Biochemistry and Physiology 40(1): 53-63.
- Pennacchio, F., Falabella, P., Varricchio, P., Sordetti, R., Vinson, S.B., Graziani, F., Malva, C., Austin, A.D. & Dowton, M. 2000.** Molecular basis of developmental alteration in *Heliothis virescens* (F.) larvae parasitized by *Cardiochiles nigriceps* Viereck. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 17-22.
- Pennacchio, F., Malva, C. & Vinson, S.B. 2001.** Regulation of host endocrine system by the endophagous braconid, *Cardiochiles nigriceps*, and its polydnavirus: 123-132. In: Edwards, J.P. & Weaver, R.J. [eds]. 'Endocrine interactions of insect parasites and pathogens.' Bios, Oxford: 1-314.
- Penteado-Dias, A.M. 1985.** Considerations on the morphology of the larva of the last instar of *Alphomelon* sp. (Hymenoptera, Braconidae, Microgastrinae). Revista Brasileira de Entomologia 29(1): 143-146.
- Penteado-Dias, A.M. 1986.** Parasitism of *Ascia monuste orseis* (Latreille, 1819) (Lepidoptera, Pieridae) by *Cotesia glomerata* (L., 1758) (Hymenoptera: Braconidae: Microgastrinae). Revista Brasileira de Entomologia 30(2): 257-259.
- Penteado-Dias, A.M. 1987.** [Morphology and biology of *Cotesia alius* (Muesebeck, 1958) (Hymenoptera, Braconidae, Microgastrinae).] Revista Brasileira de Entomologia 31(3): 439-443.
- Penteado-Dias, A.M. 1987.** Occurrence of *Fornicia pilosa* Cushman, 1931 (Hymenoptera, Braconidae, Microgastrinae) in Brasilia DF, Brazil. Revista Brasileira de Entomologia 31(3): 444-446.
- Penteado-Dias, A.M. & Silva, A.R. da 1989.** Biology and morphology of *Gnathopleura quadridentata* Wharton, 1986 (Hymenoptera, Braconidae: Alysiinae). Revista Brasileira de Biologia 49(4): 1003-1008.
- Penteado-Dias, A.M., Ruiz, S.S. & Silveira-Ruiz, S. 1990.** Morphology and biological information on the biology of *Glyptapanteles concinnus* (Muesebeck, 1958) (Hymenoptera: Braconidae: Microgastrinae). Morfologia e informacoes sobre a biologia de *Glyptapanteles concinnus* (Muesebeck 1958) (Hymenoptera: Braconidae: Microgastrinae). Revista Brasileira de Entomologia 34(1): 215-219.
- Penteado-Dias, A.M. 1993.** Morphology, biology and new occurrences of Opiinae (Hymenoptera: Braconidae) in Brazil. Revista Brasileira de Entomologia 37(3): 529-535.
- Penteado-Dias, A.M. 1995.** Duas espécies novas de *Sendaphne* Nixon (Hymenoptera, Braconidae, Microgastrinae) do Brasil. Revista Brasileira de Zoologia 12(2): 251-254.
- Penteado-Dias, A.M. 1995.** Notes on the biology of *Gnathopleura* sp. (Hymenoptera: Braconidae) in Brazil. Entomological News 106(3): 127-129.
- Penteado-Dias, A.M. 1996.** Description of a new species of *Nervellius* Roman (Hymenoptera, Braconidae, Doryctinae). Revista Brasileira de Entomologia 40(1): 121-123.
- Penteado-Dias, A.M. 1996.** A new species of *Acampsis* Wesmael (Hymenoptera, Braconidae, Sigalphinae) from Brazil. Revista Brasileira de Zoologia 13(2): 331-333.
- Penteado-Dias, A.M. 1996.** New Neotropical species of the genus *Meteoridea* Ashmead (Hymenoptera: Braconidae: Meteorideinae). Zoologische Mededelingen, Leiden 70(12): 197-205.
- Penteado-Dias, A.M. 1997.** First host record for the genus *Larissimus* (Hymenoptera: Braconidae). Entomological News 108(1): 66.
- Penteado-Dias, A.M. 1998.** First record of *Aleiodes depanochora* (Hymenoptera: Braconidae) from Brazil. Entomological News 109(3): 217-218.
- Penteado-Dias, A.M. 1999.** New species of parasitoids on *Perileucoptera coffeella* (Guérin-Ménéville) (Lepidoptera: Lyonetiidae) from Brazil. Zoologische Mededelingen, Leiden 73: 189-197.
- Penteado-Dias, A.M., Austin, A.D. & Dowton, M. 2000.** Biological notes and larval morphology of *Donquickeia* (Hymenoptera: Braconidae: Doryctinae). Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 296-299.
- Penteado-Dias, A.M., Scatolini, D. & Braga, S.M. 2000.** First report of *Illidops* Mason (Hymenoptera: Braconidae: Microgastrinae) from the Neotropical region. Zoologische Mededelingen, Leiden 74(1): 219-224.
- Penteado-Dias, A.M., Shimabukuro, P.H.F. & Achterberg, C. van 2002.** A new species of the genus *Xanthomicrogaster* Cameron (Hymenoptera: Braconidae: Microgastrinae) from Brazil. Zoologische Mededelingen, Leiden 76(1-16): 41-44.
- Penteado-Dias A.M. & Achterberg, C. van, 2004.** A new species of *Allobracon* Gahan (Braconidae: Hormiinae) from Brazil, and the first record of green Hormiinae. Zoologische Mededelingen, Leiden 78: 241-247, figs 1-11.
- Pepi, B.M. 1983.** Sobre la presencia de *Aphidius salicis* Haliday, 1834 en la Argentina (Hymenoptera: Aphidiidae). Neotropica (La Plata) 29 No. 81 1983: 87-90.
- Pereira, C.D. & Lomonaco, C. 2003.** Production of winged morphs in colonies of *Brevicoryne brassicae* (L.) (Homoptera: Aphididae) induced by the parasitoid *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae) and some behavioral aspects of the interaction between these species. Neotropical Entomology 32(1): 97-102.
- Pereira, P., Adler, C. & Schoeller, M. 1998.** The use of pheromone traps for monitoring *Ephesia kuehniella* Zeller (Lepidoptera: Pyralidae) and detection of parasitoids in flour mills. Integrated protection of stored products. Proceedings of the meeting at Zurich, Switzerland, 31 August-2 September, 1997. Bulletin OILB SROP 21(3): 111-117.
- Perepechayenko, V.L. 1994.** A new species of the genus *Opius* Wesmael (Hymenoptera: Braconidae: Opiinae) from the Eastern Karakumy. Izvestiya Kharkovskogo Entomologicheskogo Obshchestva 2(2): 23-29.
- Perepechayenko, V.L. 1994.** Ein neues Braconiden-Genus der Tribus Alysiini (Hymenoptera: Braconidae: Alysiinae) aus Turkmenien. Izvestiya Kharkovskogo Entomologicheskogo Obshchestva 2(2): 16-22.
- Perepechayenko, V.L. 1994.** *Myriola* (*Pseudoscapiola*) *rudnicovi* subgen. et sp. n. - New for science subgenus and species of the genus *Myriola* Shestakov (Hymenoptera: Braconidae: Adeliinae) with pseudogeniculate antenna. Izvestiya Kharkovskogo Entomologicheskogo Obshchestva 2(2): 30-35.
- Perepechayenko, V.L. 1994.** The species of braconids new for the fauna of Ukraine. (in Russian) Izvestiya Kharkovskogo Entomologicheskogo Obshchestva 2(2): 36-39. (missing p.37).
- Perepechayenko, V.L. 1995.** On the find of *Alysia soror* Marshall, 1894 (Hymenoptera, Braconidae: Alysiinae) in Far East of Russia. Izvestiya Kharkovskogo Entomologicheskogo Obshchestva 3(1-2).
- Perepechayenko, V.L. 1997.** A new species of the genus *Symphya* Foerster (Hymenoptera: Braconidae: Alysiinae: Dacusini)

- from the Ukraine. *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 5(2): 60-62.
- Perepechayenko, V.L. 1997.** *Protochorebus kasparyani* gen. et sp. n. Phylogenetic relict of the tribe Dacnusiini (Hymenoptera, Braconidae, Alysiinae) from the steppe-zone of the Palearctic. *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 5(1): 92-96.
- Perepechayenko, V.L. 1998.** Contribution to the fauna of Braconid-flies of the genus *Chorebus* Haliday (Hymenoptera: Braconidae: Alysiinae: Dacnusiini) from the basin of the Breda River (Ukraine). *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 6(1): 89-94.
- Perepechayenko, V.L. 1999.** *Fischerastriolus*, gen. nov. the braconid wasps of the tribe Dacnusiini (Hymenoptera: Braconidae: Alysiinae). *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 7(2): 12-16.
- Perepechayenko, V.L. 1999.** *Neopolemon* subgen. nov. of the genus *Polemochartus* Schulz (Hymenoptera: Braconidae: Alysiinae: Dacnusiini). *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 7(1): 17-19.
- Perepechayenko, V.L. 2000.** Review of genera of the tribe Dacnusiini (Hymenoptera: Braconidae: Alysiinae) of Palearctic region. *Izvestiya Kharkovskogo Entomologicheskogo Obshchestva* 8(1): 57-79.
- Perepechayenko, V.L. 2000.** Review of braconid wasps of the genus *Trachionus* (Hymenoptera, Braconidae, Alysiinae) of Palearctic. *Vestnik Zoologii* 34(3): 29-38.
- Perera, D.R., Armstrong, G., & Senanayake, N. 2000.** Effect of anti-feedants on the diamondback moth (*Plutella xylostella*) and its parasitoid *Cotesia plutellae*. SCI Crop Protection Group meeting, Managing beneficials in integrated crop management, London, UK, 16 March 1999. *Pest Management Science* 56(5): 486-490.
- Perera, M.T.M.D.R., Armstrong, G., Naylor, R.E.L. & Senanayake, N. 2000.** Response of *Chrysodeixis eriosoma* (Doubleday), *Plutella xylostella* L. and the parasitoid, *Cotesia plutellae* (Kurdjumov) to feeding deterrents. *Tropical Agricultural Research* 12: 186-198.
- Pérez, G. & Bonet, A. 1984.** Some biological characteristics of *Stenocorse bruchivora* (Crawford) (Hymenoptera, Braconidae), an ectoparasite of *Acanthoscelides obtectus* (Say) (Coleoptera, Bruchidae). *Folia Entomologica Mexicana* 62: 59-74.
- Pérez, G. & Bonet, A. 1984.** Himenópteros parasitoides de *Acanthoscelides obtectus* (Say) (Coleoptera, Bruchidae) en Tepoztlán, Morelos. *Folia Entomologica Mexicana* 59: 71-78.
- Perez-Mendoza, J., Fabrick, J.A., Zhu, K.Y. & Baker, J.E. 2000.** Alterations in esterases are associated with malathion resistance in *Habrobracon hebetor* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 93(1): 31-37.
- Perfecto, I. & Vet, L.E.M. 2003.** Effect of a nonhost plant on the location behavior of two parasitoids: the tritrophic system of *Cotesia* spp. (Hymenoptera: Braconidae), *Pieris rapae* (Lepidoptera: Pieridae), and *Brassica oleraceae*. *Environmental Entomology* 32(1): 163-174.
- Perring, T.M., Farrar, C.A. & Toscano, N.C. 1988.** Relationships among tomato planting date, potato aphids (Homoptera: Aphididae), and natural enemies. *Journal of Economic Entomology* 81(4): 1107-1112.
- Persad, A.B. & Hoy, M.A. 2003.** Intra- and interspecific interactions between *Lysiphlebus testaceipes* and *Lipolexis scutellaris* (Hymenoptera: Aphidiidae) reared on *Toxoptera citricida* (Homoptera: Aphididae). *Journal of Economic Entomology* 96(3): 564-569.
- Petcharat, J. 1997.** A small-scale field trial on the release of *Diachasmimorpha longicaudata* Ashmead (Hymenoptera: Braconidae) in an attempt to control the fruit fly *Bactrocera papayae* Drew & Hancock (Diptera: Tephritidae) population. *Kaen Kaset = Khon Kaen Agriculture Journal* 25(2): 62-65.
- Petcharat, J. 1997.** Biology of *Diachasmimorpha longicaudata* Ashmead (Hymenoptera: Braconidae): a larval-pupal parasitoid of the oriental fruit fly *Bactrocera papayae* Drew & Hancock. *Kaen Kaset = Khon Kaen Agriculture Journal* 25(1): 30-35.
- Peter, C., Balasubramanian, R. & Prasad, V.G. 1987.** Studies on the biology of the cabbage borer, *Hellula undalis* Fabricius (Lepidoptera: Pyralidae) in Karnataka. *Mysore Journal of Agricultural Sciences* 21(3): 309-312.
- Peter, C. & David, B.V. 1988.** Comparative toxicity of some insecticides to *Apanteles taragamae* (Hymenoptera: Braconidae). *Tropical Pest Management* 34(4): 402-403, 467, 470.
- Peter, C. & Govindrarajulu, V. 1989.** A note on the infestation pattern and parasitism of *Melanagromyza hibisci* on okra. *Current Science* 58(11): 643-644.
- Peter, C. & David, B.V. 1990.** Influence of abiotic factors on the occurrence of three major parasitoids of *Diaphania indica* (Lepidoptera: Pyralidae). *Journal of Biological Control* 4(1): 1-3.
- Peter, C. & David, B.V. 1990.** Biology of *Apanteles machaeralis* Wilkinson (Hymenoptera: Braconidae) a parasite of *Diaphania indica* (Saunders) (Lepidoptera: Pyralidae). *Proceedings of the Indian Academy of Sciences, Animal Sciences* 99(5): 353-362.
- Peter, C. & David, B.V. 1990.** Biology of *Aphanogmus fijiensis* (Ferriere) (Hymenoptera: Ceraphronidae) a hyperparasite of *Diaphania indica* (Saunders) (Lepidoptera: Pyralidae) through *Apanteles taragamae* Viereck (Hymenoptera: Braconidae). *Proceedings of the Indian Academy of Sciences, Animal Sciences* 99(2): 131-135.
- Peter, C. & David, B.V. 1990.** Biology of *Tetrastichus pantnagarensis* (Hymenoptera: Eulophidae) a hyperparasite of *Diaphania indica* (Lepidoptera: Pyralidae) through *Apanteles taragamae* (Hymenoptera: Braconidae). *Proceedings of the Indian Academy of Sciences, Animal Sciences* 99(5): 391-395.
- Peter, C. & David, B.V. 1990.** Influence of abiotic factors on the occurrence of three major parasitoids of *Diaphania indica* (Lepidoptera: Pyralidae). *Journal of Biological Control* 4(1): 1-3.
- Peter, C. & David, B.V. 1990.** Influence of host plants on the parasitism of *Diaphania indica* (Lepidoptera: Pyralidae) by *Apanteles taragamae* (Hymenoptera: Braconidae). *Insect Science and its Application* 11(6): 903-906.
- Peter, C. & David, B.V. 1991.** Natural enemies of the pumpkin caterpillar *Diaphania indica* (Lepidoptera: Pyralidae) in Tamil Nadu. *Entomophaga* 36(3): 391-394.
- Peter, C. & David, B.V. 1991.** Population dynamics of the pumpkin caterpillar, *Diaphania indica* (Saunders) (Lepidoptera: Pyralidae). *Tropical Pest Management* 37(1): 75-79.
- Peter, C. & David, B.V. 1992.** Biology of *Apanteles taragamae* Viereck (Hymenoptera: Braconidae) a parasitoid of *Diaphania indica* (Saunders) (Lepidoptera: Pyralidae). *Insect Science and its Application* 13(1): 7-17.
- Peter, C. & David, B.V. 1992.** Biology of *Eurytoma braconidis* Ferriere (Eurytomidae), a hyperparasite of *Apanteles taragamae* Viereck (Braconidae). *Journal of Insect Science* 5(2): 203-205.
- Peter, C. & David, B.V. 1992.** Biology of *Phanerotoma hendecasisella* (Hym.: Braconidae) a parasitoid of *Diaphania indica* (Lep.: Pyralidae). *Entomophaga* 37(1): 3-9.
- Peter, C. & David, B.V. 1993.** Studies on the hyperparasites of *Diaphania indica* (Lepidoptera: Pyralidae) through *Apanteles taragamae* (Hymenoptera: Braconidae). *Journal of the Bombay Natural History Society* 90(3): 412-416.
- Peters, G. & Sengonca, C. 1992.** Enhancement of the solitary parasitoid *Apanteles rubecula* Marsh. (Hym.: Braconidae) in cabbage fields cultivating different intercroppings. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 8(1-3): 93-98.
- Peters, T.M. & Driesche, R.G. van 1987.** Potential for increased use of biological control agents against pests of forage crops in

- Massachusetts. Research Bulletin Massachusetts Agricultural Experiment Station 718: 75-86.
- Petersen, G., Matthiesen, C., Francke, W. & Wyss, U. 2000.** Hyperparasitoid volatiles as possible foraging behaviour determinants in the aphid parasitoid *Aphidius uzbekistanicus* (Hymenoptera: Aphidiidae). Proceedings of the 7th International Symposium on Ecology of Aphidophaga. Global working group of I.O.B.C. Bromont near Montreal, Quebec, Canada, 31 August-4 September, 1999 [edited by Vincent, C., Coderre, D., Hodek, I.J.]. European Journal of Entomology 97(4): 545-550.
- Petersen, G., Matthiesen, C., Francke, W. & Wyss, U. 2000.** Influence of the aphid hyperparasitoid *Alloxysta victrix* on the foraging behaviour of the primary parasitoid *Aphidius uzbekistanicus*. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 12(1-6): 175-178.
- Petersen, G., Matthiesen, C., Stolzenburg, N., Zimmermann, N., Hillgraf, R., Lehmann, L., Francke, W. & Wyss, U. 2001.** The behaviour-modifying effect of *Alloxysta victrix* volatiles within an aphid-primary parasitoid-hyperparasitoid system. Vorträge der Entomologentagung in Düsseldorf vom 26. bis. 31. März 2001. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 13(1-6): 51-55.
- Petitt, F.L. 1992.** Biological control in the integrated pest management program at the Land, EPCOT Center. Bulletin OILB SROP 16(2): 129-132.
- Petitt, F.L., Turlings, T.C.J. & Wolf, S.P. 1992.** Adult experience modifies attraction of the leafminer parasitoid *Opius dissitus* (Hymenoptera: Braconidae) to volatile semiochemicals. Journal of Insect Behavior 5(5): 623-634.
- Petitt, F.L. & Wietlisbach, D.O. 1993.** Effects of host instar and size on parasitization efficiency and life history parameters of *Opius dissitus*. Entomologia Experimentalis et Applicata 66(3): 227-236.
- Petrova, V.K. 1982.** Certain biological features and mass rearing of the aphidophage *Lysiphlebus fritzmuelleri* Mack. Lukin, V.A. [ed.]. [Protection of fruit and vegetables.] 'Vaskhnil', Alma Ata 1982: 1-158. Chapter pagination: 62-68.
- Petrovic, O. 1993.** Initial recordings of *Diuraphis noxia* (Mordvilko) (Homoptera: Aphididae) presence in Serbia. Zastita Bilja 43(2) No. 200: 145-147.
- Pettters, R.M. & Grosch, D.S. 1976.** Increased production of genetic mosaics in *Habrobracon juglandis* by cold shock of newly oviposited eggs. Journal of Embryology and Experimental Morphology 36: 127-131.
- Pettters, R.M. & Grosch, D.S. 1977.** Reproductive performance of *Bracon hebetor* females with more or fewer than the normal number of ovarioles. Annals of the Entomological Society of America 70: 577-582.
- Pettters, R.M. 1977.** A morphogenetic fate map constructed from *Habrobracon juglandis* gynandromorphs. Genetics 85: 279-287.
- Pettters, R.M., Grosch, D.S. & Olson, C.S. 1978.** A flightless mutation in the wasp *Habrobracon juglandis*. Journal of Heredity 68: 113-116.
- Pettters, R.M. & Mettus, R.V. 1980.** Decreased diploid male viability in the parasitic wasp, *Bracon hebetor*. Journal of Heredity 71: 353-356.
- Pettters, R.M. & Mettus, R.V. 1982.** Reproductive performance of *Bracon hebetor* females following acute exposure to sulphur dioxide in air. Environmental Pollution Series A. 27: 155-163.
- Pettters, R.M. & Stefanelli, J. 1983.** Developmental arrest of endoparasitoid wasp larvae (*Nemeritis canescens* Grav.) caused by an ectoparasitoid wasp (*Bracon hebetor* Say). Journal of Experimental Zoology 225: 459-465.
- Pettters, R.M., Kendall, M. & Gilchrist, K. 1982.** Genetic relatedness and mating time in a laboratory stock of the parasitic wasps, *Bracon hebetor*. Genetics 100(Suppl.): 54.
- Pettters, R.M., Mettus, R.V. & Casey, J.N. 1983.** Toxic and reproductive effects of the soluble organic fraction from diesel particulate emissions on the parasitoid wasp, *Bracon hebetor*. Environmental Research 32: 37-46.
- Pettters, R.M., Kendall, M.E., Taylor, R.A.J. & Mettus, R.V. 1985.** Time required for mating and the degree of relatedness in the parasitoid wasp, *Bracon hebetor* Say (Hymenoptera: Braconidae). Melsheimer Entomological Series 35: 21-27.
- Petttersson, E.M., Birgersson, G. & Witzgall, P. 2001.** Synthetic attractants for the bark beetle parasitoid *Coeloides bostrichorum* Giraud (Hymenoptera: Braconidae). Naturwissenschaften 88(2): 88-91.
- Pexton, J.J. & Mayhew, P.J. 2002.** Siblicide and life-history evolution in parasitoids. Behavioral Ecology 13(5): 690-695.
- Pfannenstiel, R.S. & Browning, H.W. 1995.** Field evaluations of parasitoids of larval stalkborers against *Eoreuma loftini* (Lepidoptera: Pyralidae) in rice. Journal of Entomological Science 30(3): 406-414.
- Pfister-Wilhelm, R. & Lanzrein, B. 1996.** Precocious induction of metamorphosis in *Spodoptera littoralis* (Noctuidae) by the parasitic wasp *Chelonus inanitus* (Braconidae): identification of the parasitoid larva as the key regulatory element and the host corpora allata as the main targets. VI International Conference on Juvenile Hormones, 10-15 September 1995, Massachusetts, USA. Archives of Insect Biochemistry and Physiology 32(3-4): 511-525.
- Pham-Thi-Vuong, Kim, J.H. & Song, Y.H. 2001.** The seasonal occurrence of the two aphid species, *Myzus persicae* and *Aphis gossypii*, and their natural enemies on vegetable crops in Chinju, Korea. Journal of Asia Pacific Entomology 4(1): 41-44.
- Phillips, D.S. 1993.** Host-feeding and egg maturation by *Pachycrepoideus vindemmiae*. Entomologia Experimentalis et Applicata 69(1): 75-82.
- Phillips, C.B., Baird, D.B., Goldson, S.L. & Popay, A.J. 1994.** The South American origins of New Zealand *Microctonus hyperodae* parasitoids as indicated by morphometric analysis. Proceedings of the Forty Seventh New Zealand Plant Protection Conference, Waitangi Hotel, New Zealand, 9-11 August, 1994. 220-226.
- Phillips, C.B., Barker, G.M., Roberts, R.L., McNeill, M.R. & Goldson, S.L. 1996.** Fecundity of wild and laboratory reared ecotypes of *Microctonus hyperodae* Loan (Hymenoptera: Braconidae). Proceedings of the New Zealand Plant Protection Conference 49: 285-290.
- Phillips, C.B. & Baird, D.B. 1996.** A morphometric method to assist in defining the South American origins of *Microctonus hyperodae* Loan (Hymenoptera: Braconidae) established in New Zealand. Biocontrol Science and Technology 6(2): 189-205.
- Phillips, C.B., Baird, D.B. & Goldson, S.L. 1997.** South American origins of *Microctonus hyperodae* Loan (Hymenoptera: Braconidae) established in New Zealand as defined by morphometric analysis. Biocontrol Science and Technology 7(2): 247-258.
- Phillips, C.B. & O'Callaghan, M. 1998.** Influence of liquid food on fecundity and longevity of *Microctonus hyperodae* Loan. Proceedings of the Fifty First New Zealand Plant Protection Conference, Quality Hotel, Hamilton, New Zealand, 11-13 August, 1998. 23-27.
- Phillips, C.B., Proffitt, J.R., Goldson, S.L. & O'Callaghan, M. 1998.** Potential to enhance the efficacy of *Microctonus hyperodae* Loan. Proceedings of the Fifty First New Zealand Plant Protection Conference, Quality Hotel, Hamilton, New Zealand, 11-13 August, 1998 16-22.
- Phillips, C.B. & Emberson, R.M. 1999.** Morphological discrimination between first instar larvae of four euphorine parasitoids. BioControl 44(2): 159-169.

- Phillips, C.B., Goldson, S.L., Reimer, L. & Kuhlmann, U. 2000.** Progress in the search for biological control agents of clover root weevil, *Sitona lepidus* (Coleoptera: Curculionidae). New Zealand Journal of Agricultural Research 43(4): 541-547.
- Phillips, C.B. & Baird, D.B. 2001.** Geographic variation in egg load of *Microctonus hyperodae* Loan (Hymenoptera: Braconidae) and its implications for biological control success. Biocontrol Science and Technology 11(3): 371-380.
- Phillips, C.B. 2002.** Observations of oviposition behavior of *Microctonus hyperodae* Loan and *M. aethioides* Loan (Hymenoptera: Braconidae: Euphorinae). Journal of Hymenoptera Research 11(2): 326-337.
- Phillips, C.B., Cane, R.P., Mee, J., Chapman, H.M., Hoelmer, K.A. & Coutinot, D. 2002.** Intraspecific variation in the ability of *Microctonus aethioides* (Hymenoptera: Braconidae) to parasitise *Sitona lepidus* (Coleoptera: Curculionidae). New Zealand Journal of Agricultural Research 45(4): 295-303.
- Phillips, J.H.H. & Proctor, J.R. 1970.** Parasitism of the Oriental fruit moth *Grapholitha molesta* (Lepidoptera: Tortricidae) in an unsprayed peach orchard in the Niagara Peninsula, Ontario. Canadian Entomologist 102: 1395-1404.
- Phillips, W.M. 1977.** Observations on the biology and ecology of the chrysomelid genus *Haltica* Geoff. in Britain. Ecological Entomology 2: 205-216.
- Phiri, G.S.N. 1995.** Interaction of the spotted stem borer *Chilo partellus* (Swinhoe) with some alternative hosts and its larval parasitoid *Cotesia sesamiae* (Cameron) in Malawi. Reading University, Department of Horticulture, Reading 1995: i-xii, 1-347.
- Phoofolo, M.W., Obrycki, J.J. & Lewis, L.C. 2001.** Quantitative assessment of biotic mortality factors of the European corn borer (Lepidoptera: Crambidae) in field corn. Journal of Economic Entomology 94(3): 617-622.
- Piao, M.H., Chen, X.X. & He, J.H. 2002.** Extraction of genome DNA from dried specimens of hymenopteran insects (Insecta). Acta Zootaxonomica Sinica 27(4): 672-676.
- Pickens, L.G. & Miller, R.W. 1980.** Biology and control of the face fly, *Musca autumnalis* (Diptera: Muscidae). Journal of Medical Entomology 17(3): 195-210.
- Piedade-Guerreiro, J. & Guardado, M.I. 1988.** A new technique for laboratory rearing of *Opius concolor* Szpl. (Hymenoptera: Braconidae). Boletim da Sociedade Portuguesa de Entomologia 3-17(97): 1-11.
- Piedra, E., Zuniga, A. & Aluja, M. 1993.** New host plant and parasitoid record in Mexico for *Anastrepha alveata* Stone (Diptera: Tephritidae). Proceedings of the Entomological Society of Washington 95(1): 127.
- Piek, T. 1966.** Site of action of the venom of *Microbracon hebetor* Say. Journal of Insect Physiology 12: 561-568.
- Piek, T. & Engels, E. 1969.** Action of the venom of *Microbracon hebetor* Say on larvae and adults of *Philosamia cynthia* Hübn. Comparative Biochemistry and Physiology 28: 603-618.
- Piek, T. & Simon-Thomas, R.T. 1969.** Paralyzing venoms of solitary wasps. Comparative Biochemistry and Physiology 30: 13-31.
- Piek, T. & Mantel, P. 1970.** The effect of the venom of *Microbracon hebetor* (Say) on the hyperpolarizing potentials in a skeletal muscle of *Philosamia cynthia* Hübn. Comp. Gen. Pharmacol 1: 87-92.
- Piek, T., Spanjer, W., Nijo, K.D., Veneendaal, R.L. & Mantel, P. 1974.** Paralysis caused by the venom of the wasp, *Microbracon gelechiae*. Journal of Insect Physiology 20: 2307-2319.
- Piek, T., Veneendaal, R.L. & Mantel, P. 1982.** The pharmacology of *Microbracon* venom. Comparative Biochemistry and Physiology. C, Comparative Pharmacology 72(2): 303-309.
- Piek, T. 1990.** Neurotoxins from venoms of the Hymenoptera - twenty-five years of research in Amsterdam. Comparative Biochemistry and Physiology. C, Comparative Pharmacology and Toxicology 96(2): 223-233.
- Piekarska-Boniecka, H. 1991.** *Itopectis maculator* (Fabr.) (Hymenoptera: Ichneumonidae) - a hyperparasitoid in orchards in the vicinity of Poznan. Wiadomosci Entomologiczne 10(3): 189.
- Pierce, N.E. & Mead, P.S. 1981.** Parasitoids as selective agents in the symbiosis between lycaenid butterfly caterpillars and ants. Science 211: 1185-1187.
- Pierozzi, I. Jr. & Habib, M.E.M. 1993.** Aspects of the biology and behaviour of the main parasitoids of *Anthonomus grandis* Boh. (Coleoptera: Curculionidae) in Campinas, SP. Anais da Sociedade Entomologica do Brasil 22(2): 317-323.
- Pierozzi, I.Jr. & Habib, M.E.M. 1993.** Identificacao de fatores de mortalidade natural dos estagios imaturos de *Anthonomus grandis* Boh. (Coleoptera: Curculionidae), na regio de Campinas, SP. Anais da Sociedade Entomologica do Brasil 22(2): 325-332.
- Pierre, J.S. & Kasper, C. 1990.** Analysis of the structure and variability of the egg-laying behaviour of the hymenopteran parasitoid *Aphidius uzbekistanicus* Luz. in its host, the cereal aphid *Sitobion avenae* F. The contribution of data analysis to the definition of behavioural variables. Biology of Behaviour 15(3-4): 152-168.
- Pietrantonio, P.V. & Benedict, J.H. 1999.** Effect of new cotton insecticide chemistries, tebufenozide, spinosad and chlorfenapyr, on *Orius insidiosus* and two *Cotesia* species. Southwestern Entomologist 24(1): 21-29.
- Pike, K.S. & Starý, P. 1995.** New species of parasitic wasps attacking cereal aphids in the Pacific Northwest (Hymenoptera: Braconidae: Aphidiinae). Journal of the Kansas Entomological Society 68(4): 408-414.
- Pike, K.S. & Starý, P. 1996.** *Binodoxys coneii* sp. n. (Hymenoptera, Braconidae, Aphidiinae), a new parasitoid of hop aphid, *Phorodon humuli* (Schrank) in Washington State. Journal of the Kansas Entomological Society 68(4)(October 1995): 444-450.
- Pike, K.S. & Starý, P. 1996.** New species of *Pauesia* (Hymenoptera: Braconidae: Aphidiinae) parasitoids on *Cinara* (Homoptera: Aphididae: Lachninae) associated with conifers in the Pacific Northwest. Proceedings of the Entomological Society of Washington 98(2): 324-331.
- Pike, K.S., Starý, P., Miller, R., Allison, D., Boydston, L., Graf, G. & Miller, T. 1996.** New species and host records of aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) from the Pacific Northwest, U.S.A. Proceedings of the Entomological Society of Washington 98(3): 570-591.
- Pike, K.S., Starý, P., Allison, D., Graf, G., Boydston, L. & Miller, T. 1997.** Parasitoids (Hymenoptera: Braconidae: Aphidiinae) of aphids on big sagebrush (*Artemisia tridentata* Nuttall) and prairie sage (*Artemisia ludoviciana* Nuttall) in Washington State. Proceedings of the Entomological Society of Washington 99(1): 143-155.
- Pike, K.S., Starý, P., Miller, R., Allison, D., Boydston, L., Graf, G. & Gillespie, R. 1997.** Small-grain aphid parasitoids (Hymenoptera: Aphelinidae and Aphidiidae) of Washington: Distribution, relative abundance, seasonal occurrence, and key to known North American species. Environmental Entomology 26(6): 1299-1311.
- Pike, K.S., Starý, P., Miller, T., Allison, D., Graf, G., Boydston, L., Miller, R. & Gillespie, R. 1999.** Host range and habitats of the aphid parasitoid *Diaeretiella rapae* (Hymenoptera: Aphidiidae) in Washington State. Environmental Entomology 28(1): 61-71.
- Pike, K.S., Starý, P., Miller, T., Miller, R., Allison, D., Graf, G. & Boydston, L. 1999.** *Ephedrus clavicornis* sp. n. (Hymenoptera: Braconidae: Aphidiinae), an aphid parasitoid of the Pacific Northwest, and key to Nearctic *Ephedrus*. Journal of the Kansas Entomological Society 72(1): 10-16.

- Pike, K.S., Starý, P., Miller, T., Graf, G., Allison, D., Boydston, L. & Miller, R. 2000. Aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) of Northwest USA. Proceedings of the Entomological Society of Washington 102(3): 688-740.
- Pike, K.S., Starý, P., Graf, G. & Allison, D. 2002. *Pauesia columbiana*, n. sp. (Hymenoptera: Braconidae: Aphidiinae) on juniper aphids, and a key to related species. Proceedings of the Entomological Society of Washington 104(3): 646-654.
- Pike, K.S., Starý, P. & Graf, G. 2003. Description of a new species of Braconidae, *Monoctonus allisoni* (Hymenoptera: Braconidae: Aphidiinae), and discussion of the aphid-parasitoid guild for *Nasonovia* spp. (Hemiptera: Aphididae) in northwestern United States. Proceedings of the Entomological Society of Washington 105(2): 380-387.
- Pillai, G.B. & Nair, K.R. 1995. Superiority of the solitary parasitoids over gregarious species in the biological suppression of the coconut caterpillar, *Opisina arenosella* Walker. Journal of Plantation Crops 23(1): 19-27.
- Pillai, K.S., Palaniswami, M.S., Rajamma, P., Mohandas, C. & Jayaprakas, C.A. 1993. Pest management in tuber crops. Indian Horticulture 38(3): 20-23.
- Pilley, P.G. & Trieselmann, R.A. 1967. A note on the occurrence of *Coleophora frischella* (Lepidoptera: Coleophoridae) in North America. Canadian Entomologist 99: 1229.
- Pinango, L., Arnal, E. & Rodriguez, B. 2001. Population fluctuation of *Spodoptera frugiperda* (Smith) (Lepidoptera: Noctuidae) on corn under three tillage systems. Entomotropicalia 16(3): 173-179.
- Pinkham, J.D. & Oseto, C.Y. 1987. Natural enemies and their mortality rates on *Smicronyx fulvus* LeConte (Coleoptera: Curculionidae) larvae. Environmental Entomology 16(6): 1302-1304.
- Pinkham, J.D. & Oseto, C.Y. 1988. Life tables of *Smicronyx fulvus* (Coleoptera: Curculionidae) on cultivated sunflower. Environmental Entomology 17(4): 685-687.
- Pisica, C., Lacatusu, M., Tudor, C., Teodorescu, I. & Nastase, I. 1978. Les entomophages du défoliateur *Stilpnotia salicis* L. (Lepidoptera, Lymantriidae) en Europe et Roumanie. Travaux du Muséum d'Histoire Naturelle 'Grigore Antipa' 19: 297-301.
- Pivnick, K.A. 1993. Diapause initiation and pupation site selection of the braconid parasitoid *Microphtis mediator* (Haliday): a case of manipulation of host behaviour. Canadian Entomologist 125(5): 825-830.
- Pivnick, K.A. 1993. Response of *Meteorus leviiventris* (Hymenoptera: Braconidae) to mustard oils in field trapping experiments. Journal of Chemical Ecology 19(9): 2075-2079.
- Plakidas, J.D. 1978. *Epiblema scudderiana* (Clemens) (Lepidoptera: Olethreutidae), a winter host reservoir for parasitic insects in southwestern Pennsylvania. Journal of the New York Entomological Society 86(3): 220-223.
- Plantenziektenkundige Dienst. 1998. Effects of active substances of plant protection products on biological control agents used in glasshouses. Bulletin OEPP (Organisation Européenne et Méditerranéenne pour la Protection des Plantes) 28(3): 425-431.
- Plarre, R., Lieber, K., Burkholder, W. & Phillips, J. 1999. Host and host instar preference of *Apanteles carpatius* (Say) (Hymenoptera: Braconidae) a possible parasitoid for biological control of clothes moths (Lepidoptera: Tineidae). Journal of Stored Products Research 35(3): 197-213.
- Plarre, R., Lieber, K. & Burkholder, W. 2000. [Host instar preference of *Apanteles carpatius* (Say) (Hymenoptera: Braconidae) a parasitoid of *Tineola bisselliella* (Hummel) (Lepidoptera: Tineidae).] Semaphorontenpräferenz von *Apanteles carpatius* (Say) (Hymenoptera: Braconidae), eine Parasitoide von *Tineola bisselliella* (Hummel) (Lepidoptera: Tineidae). Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 12(1-6): 499-504.
- Plaskota, E. & Dabrowski, Z.T. 1986. Biological principles of leek moth (*Acrolepia assectella* Zeller, Lepidoptera: Plutellidae) control. I. Host plants, damage caused by leek moth larvae, and leek moth parasites. Annals of Warsaw Agricultural University SGGW AR, Horticulture 13: 27-34.
- Platner, G.R. & Oatman, E.R. 1972. Techniques for culturing and mass producing parasites of the potato tuberworm. Journal of Economic Entomology 65(5): 1336-1338.
- Pleshivtseva, V.I. & Abdurakhmanova, R. 1986. [Behavioural reactions of *Habrobracon hebetor* Say-the cotton moth parasite.]: 103-106. In: Kadyrova, M K [ed.]. Vrediteli khlopchatnika i ikh entomofagi v Uzbekistane. [Cotton pests and their entomophages in Uzbekistan.] Fan, Tashkent 1986: 1-179.
- Plewka, T. & Pankanin-Franczyk, M. 1989. Aphids and aphidophages on maize in central Poland. Acta Phytopathologica et Entomologica Hungarica 24(1-2): 169-171.
- Plotnikov, V.F. 1981. Efficacite de l'utilisation d'insectes aphidiphages pour la protection des cultures maraicheres sous verre: 59-65. Lutte biologique et integree contre les pucerons: Colloque franco soviétique Rennes, 26-27 Septembre 1979. Institut National de la Recherche Agronomique. Paris 1981: 1-79.
- Plummer, J.A. & Byers, R.A. 1981. Seasonal abundance and parasites of the alfalfa blotch leafminer, *Agromyza frontella*, in central Pennsylvania. Environmental Entomology 10(1): 105-110.
- Poe, S.L. 1974. Emergence of *Keiferia lycopersicella* (Lepidoptera: Gelechiidae) and *Apanteles* sp. (Hymenoptera: Braconidae) from pupae and soil treated with insect growth regulators. Entomophaga 19(2): 205-211.
- Poecke, R.M.P. van, Roosjen, M., Pumarino, L. & Dicke, M. 2003. Attraction of the specialist parasitoid *Cotesia rubecula* to *Arabidopsis thaliana* infested by host or non-host herbivore species. Entomologia Experimentalis et Applicata 107(3): 229-236.
- Poecke, R.M.P. van, Posthumus, M.A. & Dicke, M. 2001. Herbivore-induced volatile production by *Arabidopsis thaliana* leads to attraction of the parasitoid *Cotesia rubecula*: Chemical, behavioral, and gene-expression analysis. Journal of Chemical Ecology 27(10): 1911-1928.
- Poelking, A. 1992. Diamondback moth in the Philippines and its control with *Diadegma semiclausum*: 271-278. In: Talekar, N.S. [ed.]. Diamondback moth and other crucifer pests: Proceedings of the second international workshop, Tainan, Taiwan, 10-14 December 1990. Asian Vegetable Research and Development Center, Taipei 1992: 1-603.
- Pogue, M.G. 1985. Parasites complex of *Archips argyrospilus*, *Choristoneura rosaceana* (Lepidoptera: Tortricidae) and *Anacamptis innocuella* (Lepidoptera: Gelechiidae) in Wyoming shelterbelts. Entomological News 96(2): 83-86.
- Pogue, M.G. & Friedlander, T.P. 1987. *Cochylis caulocatax* Razowski (Lepidoptera: Tortricidae: Cochylini): A redescription of the male with new descriptions of the female, larva, and pupa. Journal of the New York Entomological Society 95(2): 320-327.
- Poinar, G. Jr. & Miller, J.C. 2002. First fossil record of endoparasitism of adult ants (Formicidae: Hymenoptera) by Braconidae (Hymenoptera). Annals of the Entomological Society of America 95(1): 41-43.
- Poinar, G.O. Jr., Hess, R. & Caltagirone, L.E. 1976. Virus-like particles in calyx of *Phanerotoma flaviestacea* and their transfer into host tissues. Acta Zoologica (Stockholm) 57: 161-165.
- Poirie, M., Frey, F., Hita, M., Hugué, E., Lemeunier, F., Periquet, G. & Carton, Y. 2000. *Drosophila* resistance genes to parasitoids: chromosomal location and linkage analysis. Proceedings of the Royal Society of London. Series B, Biological Sciences 267(1451): 1417-1421.

- Pokharkar, D.S., Bade, B.A. & Salunkhe, G.N. 1999.** Biological suppression of potato tuber moth with parasitoids and microbial agents. *Journal of Maharashtra Agricultural Universities* 24(2): 186-188.
- Pokharkar, D.S. & Jogi, R.R. 2000.** Biological suppression of potato tuber moth, *Phthorimaea operculella* (Zeller) with exotic parasitoids and microbial agents under field and storage conditions. *Journal of Biological Control* 14(2): 23-28.
- Polaszek, A. 1986.** The effects of two species of hymenopterous parasitoid on the reproductive system of the pea aphid, *Acyrtosiphon pisum*. *Entomologia Experimentalis et Applicata* 40(3): 285-292.
- Polaszek, A. & Walker, A.K. 1991.** The *Cotesia flavipes* species-complex: parasitoids of cereal stem borers in the tropics. *Redia* 74(3): 335-341.
- Polaszek, A., Fitton, M.G., Bianchi, G. & Huddleston, T. 1994.** The parasitoids of the African white rice borer, *Maliarpha separatella* Ragonot (Lepidoptera: Pyralidae). *Bulletin of Entomological Research* 84(1): 65-90.
- Polaszek, A. & LaSalle, J. 1995.** The hyperparasitoids (Hymenoptera: Ceraphronidae, Encyrtidae, Eulophidae, Eurytomidae) of cereal stem borers in Africa (Lepidoptera: Noctuidae, Pyralidae). *African Entomology* 3: 131-146.
- Polaszek, A. & Dessart, P. 1996.** Taxonomic problems in the *Aphanogmus hakonensis* species complex; (Hymenoptera: Ceraphronidae) common hyperparasitoids in biocontrol programmes against lepidopterous pests in the tropics. *Bulletin of Entomological Research* 86(4): 419-422.
- Polaszek, A. & Achterberg, C. van 1996.** The parasites of cereal stem borers (Lepidoptera: Cossidae, Crambidae, Noctuidae, Pyralidae) in Africa, belonging to the family Braconidae (Hymenoptera: Ichneumonoidea). *Zoologische Verhandelingen, Leiden* 304: 1-123.
- Polaszek, A. 1998 [ed.].** African cereal stem borers: economic importance, taxonomy, natural enemies and control. CAB International; Wallingford; UK.: i-x + 1-530.
- Polaszek, A., Delvare, G. & Blary, D. 2000.** Cereal stem borers in Africa: economic importance, taxonomy, natural enemies and control methods. *Les foreurs des tiges de cereales en Afrique: importance economique, systematique, ennemis naturels et methodes de lutte*: 1-534, 41 pp.
- Polaszek, A., Rabbi, M.F., Islam, Z. & Buckley, Y.M. 2002.** *Trichogramma zahiri* (Hymenoptera: Trichogrammatidae) an egg parasitoid of the rice hispa *Dicladispa armigera* (Coleoptera: Chrysomelidae) in Bangladesh. *Bulletin of Entomological Research* 92(6): 529-537.
- Polgar, L. & Pap, L. 1989.** A study of toxicity of pyrethroids against beneficial arthropods. *Novenyvedelem* 25(4): 176-178.
- Polgar, L. 1981.** The aphidiid fauna of the Hortobágy National Park (Hymenoptera). In: Mahunka, S. [ed.] "The Fauna of the Hortobágy National Park I." Budapest 251-253.
- Polgar, L. 1984.** Some new records of parasites, predators and hyperparasites of aphids and a leaf-miner fly (*Cerodontha incisa* Meig.) living in maize ecosystems in Hungary. *Folia Entomologica Hungarica* 45 (1): 191-193.
- Polgar, L. 1986.** Effect of cold storage on the emergence, sex ratio and fecundity of *Aphidius matricariae*: 255-260. In: Hodek, I. [ed.] "Ecology of aphidophaga." Prague: 1-562.
- Polgar, L. 1987.** Aphidiidae from the Kiskunság National Park (Hymenoptera). In: Mahunka, S. [ed.]. "The Fauna of the Kiskunság National Park II." Budapest 312-313.
- Polgar, L. 1987.** Induced diapause for long term storage of *Aphidius matricariae*. *SROP/WPRS Bulletin*. X(2): 152-154.
- Polgar, L. 1988.** Guideline for testing the effect of pesticides on *Aphidius matricariae* Hal. (Hym., Aphidiidae). *Bulletin SROP* 11(4): 29-34.
- Polgar, L., Mackauer, M. & Völkl, W. 1991.** Diapause induction in two species of aphid parasitoids: the influence of aphid morph. *Journal of Insect Physiology* 37(9): 699-702.
- Polgar, L.A., Darvas, B. & Völkl, W. 1995.** Induction of dormancy in aphid parasitoids: implications for enhancing their field effectiveness. *Agriculture, Ecosystems and Environment* 52(1): 19-23.
- Polgar, L.A. & Hardie, J. 2000.** Diapause induction in aphid parasitoids. *Entomologia Experimentalis et Applicata* 97: 21-27.
- Pons, X. & Starý, P. 2003.** Spring aphid-parasitoid (Hom., Aphididae, Hym., Braconidae) associations and interactions in a Mediterranean arable crop ecosystem, including Bt maize. *Anzeiger für Schädlingskunde* 76(5): 133-138.
- Pope, T., Croxson, E., Pell, J.K., Godfray, H.C.J. & Muller, C.B. 2002.** Apparent competition between two species of aphid via the fungal pathogen *Erynia neoaphidis* and its interaction with the aphid parasitoid *Aphidius ervi*. *Ecological Entomology* 27(2): 196-203.
- Popov, C. & Mateias, M.C. 1979.** [Effect of some parasites on the level of populations of *Scotia segetum* Den. et Schiff.] (in Romanian with English summary) *Studii si Cercetari de Biologie Seria Zoologie* 31(2): 159-162.
- Popov, N.A. & Shiiko, E.S. 1986.** A parasitoid of the green peach aphid. *Zashchita Rastenii Moskva* 10: 29-30.
- Popov, N.A. 1990.** How to reduce the outdoor damage by the greenhouse whitefly, *Trialeurodes vaporariorum*. *Sting* 10: 9-10.
- Poppy, G.M., Powell, W. & Pennacchio, F. 1997.** Aphid parasitoid responses to semiochemicals-genetic, conditioned or learnt? *Entomophaga* 42(1-2): 193-199.
- Poppy, G.M., Powell, W., Pickett, J.A., Wadhams, L.J., Woodcock, C.M. & Du, Y.J. 1998.** Identification of semiochemicals released during aphid feeding that attract parasitoid *Aphidius ervi*. *Journal of Chemical Ecology* 24(8): 1355-1368.
- Poppy, G.M., Powell, W., Wadhams, L.J. & Du, Y.J. 1997.** Chemically mediated associative learning in the host foraging behavior of the aphid parasitoid *Aphidius ervi* (Hymenoptera: Braconidae). *Journal of Insect Behavior* 10(4): 509-522.
- Porter, C.C. 1989.** Biosystematics of *Zacremnops cressoni* (Cameron), a Neotropical braconid newly recorded from Florida (Hymenoptera). *Florida Entomologist* 72(2): 304-309.
- Porter, E.E. & Hawkins, B.A. 1998.** Patterns of diversity for aphidiine (Hymenoptera: Braconidae) parasitoid assemblages on aphids (Homoptera). *Oecologia* 116(1-2): 234-242.
- Porter, E.E. & Hawkins, B.A. 2003.** Coexistence of specialist parasitoids with host refuges in the laboratory and the dynamics of spatial heterogeneity in attack rate. *Oikos* 100(2): 232-240.
- Porter, K. 1979.** A third generation of *Apanteles bignellii* Marsh. (Hym., Braconidae). *Entomologist's Monthly Magazine* 114: 214.
- Porter, K. 1983.** Multivoltinism in *Apanteles bignellii* and the influence of weather on synchronization with its host *Euphydryas aurinia*. *Entomologia Experimentalis et Applicata* 34: 155-162.
- Porter, K. 1984.** Sunshine, sex-ratio and behaviour of *Euphydryas aurinia* larvae. *Symposia of the Royal Entomological Society of London* No. 11: 309-311.
- Posthumus, M.A., Dicke, M. & Poecke, R.M.P. van 2001.** Herbivore-induced volatile production by *Arabidopsis thaliana* leads to attraction of the parasitoid *Cotesia rubecula*: chemical, behavioral, and gene-expression analysis. *Journal of Chemical Ecology* 27(10): 1911-1928.
- Postley, L. & Thurston, R. 1974.** Rearing *Apanteles congregatus*, a parasite of the tobacco hornworm. *Journal of Economic Entomology* 67: 716-718.
- Potapova, E.S. 1982.** Morphological peculiarities of the head endoskeleton of Braconidae (Hymenoptera) and the main trends of its evolution. *Entomologicheskoe Obozrenie* 61(4): 769-778.

- Potapova, E.S. 1987.** [The use of labiomaxillary structures in braconids (Hymenoptera, Braconidae) for taxonomic purposes.]: 47-48. Bogacheva, I.A. [ed.]. Fauna i ekologiya nasekomykh Urala. [The fauna and ecology of insects of the Urals.] Sverdlovsk: 1-63.
- Potter, D.A. & Gordon, F.C. 1985.** Parasites associated with the native holly leafminer, *Phytomyza ilicicola* Loew (Diptera: Agromyzidae), on American holly in Kentucky. Journal of the Kansas Entomological Society 58: 727-730.
- Potter, D.A. 1985.** Population regulation of the native holly leafminer, *Phytomyza ilicicola* Loew (Diptera: Agromyzidae), on American holly (*Ilex opaca*). Oecologia 66(4): 499-505.
- Potting, R.P.J., Osae-Danso, F., Overholt, W.A. & Ngi-Song, A. 1993.** Host selection in *Cotesia flavipes*, parasitoid of tropical stemborers. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 4: 47-52.
- Potting, R.P.J., Vet, L.E.M. & Dicke, M. 1995.** Host microhabitat location by stem-borer parasitoid *Cotesia flavipes*: the role of herbivore volatiles and locally and systemically induced plant volatiles. Journal of Chemical Ecology 21(5): 525-539.
- Potting, R.P.J., Vet, L.E.M. & Overholt, W.A. 1997.** Geographic variation in host selection behaviour and reproductive success in the stemborer parasitoid *Cotesia flavipes* (Hymenoptera: Braconidae). Bulletin of Entomological Research 87(5): 515-524.
- Potting, R.P.J., Otten, H. & Vet, L.E.M. 1997.** Absence of odour learning in the stemborer parasitoid *Cotesia flavipes*. Animal Behaviour 53(6): 1211-1223.
- Potting, R.P.J. & Overholt, W.A. 1997.** Evolutionary and applied aspects of the behavioural ecology of the stemborer parasitoid *Cotesia flavipes*. Management of tropical gramineous stemborers, Nairobi, Kenya, 14-16 May 1996. Insect Science and its Application 17(1): 109-118.
- Potting, R.P.J., Overholt, W.A., Danso, F.O. & Takasu, K. 1997.** Foraging behavior and life history of the stemborer parasitoid *Cotesia flavipes* (Hymenoptera: Braconidae). Journal of Insect Behavior 10(1): 13-29.
- Potting, R.P.J., Snellen, H.M. & Vet, L.E.M. 1997.** Fitness consequences of superparasitism and mechanism of host discrimination in the stemborer parasitoid *Cotesia flavipes*. Entomologia Experimentalis et Applicata 82(3): 341-348.
- Potting, R.P.J., Vermeulen, N.E., Conlong, D.E., Simpson, S., Mordue, J. & Hardie, J. 1999.** Active defence of herbivorous hosts against parasitism: adult parasitoid mortality risk involved in attacking a concealed stem-boring host. Proceedings of the 10th international symposium on insect-plant relationships, Oxford, UK, 4-10 July, 1998. Entomologia Experimentalis et Applicata 91(1): 143-148.
- Potting, R.P.J., Poppy, G.M. & Schuler, T.H. 1999.** The role of volatiles from cruciferous plants and pre-flight experience in the foraging behaviour of the specialist parasitoid *Cotesia plutellae*. Entomologia Experimentalis et Applicata 93(1): 87-95.
- Powell, J.E. & King, E.G. 1984.** Behaviour of adult *Microplitis croceipes* (Hymenoptera: Braconidae) and parasitism of *Heliothis* spp. (Lepidoptera: Noctuidae) host larvae in cotton. Environmental Entomology 13(1): 272-277.
- Powell, J.E. & Lambert, L. 1984.** Effects of three resistant soybean genotypes on development of *Microplitis croceipes* and consumption by its *Heliothis* spp. hosts. Journal of Agricultural Entomology 1: 169-176.
- Powell, J.E. & Scott, W.P. 1985.** Effect of insecticide residues on survival of *Microplitis croceipes* adults (Hymenoptera: Braconidae) in cotton. Florida Entomologist 68(4): 692-693.
- Powell, J.E., King, E.G. Jr. & Jany, C.S. 1986.** Toxicity of insecticides to adult *Microplitis croceipes* (Hymenoptera: Braconidae). Journal of Economic Entomology 79(5): 1343-1346.
- Powell, J.E. & Hartley, G.G. 1987.** Rearing *Microplitis croceipes* (Hymenoptera: Braconidae) and other parasitoids of Noctuidae with multicellular host-rearing trays. Journal of Economic Entomology 80(4): 968-971.
- Powell, J.E. 1988.** Development of *Heliothis virescens* (Lepidoptera: Noctuidae) larvae after parasitization by *Microplitis croceipes* and *Microplitis demolitor* (Hymenoptera: Braconidae). Florida Entomologist 71(3): 370-374.
- Powell, J.E. 1989.** Food consumption by tobacco budworm (Lepidoptera: Noctuidae) larvae reduced after parasitization by *Microplitis demolitor* or *M. croceipes* (Hymenoptera: Braconidae). Journal of Economic Entomology 82(2): 408-411.
- Powell, J.E. & Elzen, W. 1989.** Biological and host relationships of *Microplitis croceipes*. Southwestern Entomologist 12: 11-16.
- Powell, J.E. & Scott, W.P. 1991.** Survival of *Microplitis croceipes* (Hymenoptera: Braconidae) in contact with residues of insecticides on cotton. Environmental Entomology 20(1): 346-348.
- Powell, J.M. 1971.** The Arthropod fauna collected from the comandra blister rust, *Cronartium comandrae*, on lodgepole pine in Alberta. Canadian Entomologist 103: 908-918.
- Powell, W. 1980.** *Toxares deltiger* (Haliday) (Hymenoptera: Aphidiidae) parasitising the cereal aphid, *Metopolophium dirhodum* (Walker) (Hemiptera: Aphididae), in southern England: a new host-parasitoid record. Bulletin of Entomological Research 70: 407-409.
- Powell, W. 1982.** The identification of hymenopterous parasitoids attacking cereal aphids in Britain. Systematic Entomology 7: 465-473.
- Powell, W. 1983.** The role of parasitoids in limiting cereal aphid populations. In: Cavalloro, R. [ed.] "Aphid Antagonists.". Rotterdam: 50-60.
- Powell, W. & Zhang, Z.L. 1983.** The reactions of two cereal aphid parasitoids, *Aphidius uzbekistanicus* and *A. ervi* to host aphids and their food-plants. Physiological Entomology 8: 439-443.
- Powell, W., Dean, G.J. & Wilding, N. 1986.** The influence of weeds on aphid-specific natural enemies in winter wheat. Crop Protection 5: 182-189.
- Powell, W., Wilding, N., Brobyn, P.J. & Clark, S.J. 1986.** Interference between parasitoids (Hym.: Aphidiidae) and fungi (Entomophthorales) attacking cereal aphids. Entomophaga 31(3): 293-302.
- Powell, W. & Wright, A.F. 1988.** The abilities of the aphid parasitoids *Aphidius ervi* Haliday and *A. rhopalosiphii* de Stefani Perez (Hymenoptera: Braconidae) to transfer between different known host species and the implications for the use of alternative hosts in pest control strategies. Bulletin of Entomological Research 78(4): 683-693.
- Powell, W., Budenberg, W.J., Decker, U.M. & Wright, A.F. 1990.** Conservation and manipulation of aphid parasitoids. Proceedings of the Brighton Crop Protection Conference, Pests and Diseases Vol 2: 685-690.
- Powell, W. & Wright, A.F. 1991.** The influence of host food plants on host recognition by four aphidiine parasitoids (Hymenoptera: Braconidae). Bulletin of Entomological Research 81(4): 449-453.
- Powell, W. & Nickless, A. 1996.** The foraging efficiency of the parasitoid *Diaeretiella rapae* (Hymenoptera: Braconidae) in relation to the spatial distribution of aphids on plants. Acta Jutlandica Natural Science Series 10: 97-106.
- Powell, W. & Glinwood, T. 1998.** Aphid sex pheromones to enhance parasitoid efficiency. HGCA Project Report 155: 1-58.
- Powell, W. 1991.** Tritrophic influence on aphid parasitoids (Hym.: Braconidae: Aphidiinae). Redia 74(3): 129-133.
- Powell, W., Hardie, J., Hick, A.J., Höller, C., Mann, J., Merritt, L., Nottingham, S.F., Wadhams, L.J., Witthinrich, J. & Wright, A.F. 1993.** Responses of the parasitoid *Praon volucre* (Hymenop-

- tera: Braconidae) to aphid sex pheromone lures in cereal fields in autumn: implications for parasitoid manipulation. *European Journal of Entomology* 90(4): 435-438.
- Powell, W.** 1994. Nemeč and Starý's 'Population Diversity Centre' hypothesis for aphid parasitoids re-visited. *Norwegian Journal of Agricultural Sciences SUPP* 16: 163-169.
- Powell, W., Pennacchio, F., Poppy, G.M. & Tremblay, E.** 1998. Strategies involved in the location of hosts by the parasitoid *Aphidius ervi* Haliday (Hymenoptera: Braconidae: Aphidiinae). *Biological Control* 11(2): 104-112.
- Powers, N.R.** 1980. Comparative biologies and reproductive strategies at various temperatures of two ecologically homologous parasites of the potato tuberworm, *Chelonus kelliæ* Marsh and *Chelonus phthorimææ* Gahan (Hymenoptera: Braconidae). *Dissertation Abstracts International B Sciences and Engineering* 40(11): 5134-5135.
- Powers, N.R. & Oatman, E.R.** 1984. Biology and temperature responses of *Chelonus kelliæ* and *Chelonus phthorimææ* (Hymenoptera: Braconidae) and their host, the potato tuberworm, *Phthorimæa operculella* (Lepidoptera: Gelechiidae). *Hilgardia* 52(9): 1-32.
- Prado, E.** 1988. Parasitoids associated with the Oriental fruit moth *Grapholita molesta* (Busck), in Chile. *Agricultura Tecnica Santiago* 48(3): 273-276.
- Prakasan, C.B., Sreedharan, K. & Krishnamoorthy Bhat, P.** 1986. New record of a parasite of coffee white stem-borer *Xylotrechus quadripes* Chev. from India. *Journal of Coffee Research* 16(1-2): 38-40.
- Pramanik, D.R. & Raychaudhuri, D.** 1984. New aphid-parasitoids (Hymenoptera: Aphidiidae) from Nagaland, northeast India. *Akutu* 61: 1-4.
- Pramono, D., Utarini, A. & Wirioatmodjo, B.** 1989. Biological study of *Rhaconotus scirpophagæ* Wik. (Braconidae, Hymenoptera), a parasitoid of the sugarcane top borer. *Biotrop Special Publication* 36: 185-190.
- Prasad, J., Pawar, A.D. & Sharma, R.K.** 1982. Biocontrol trials with an exotic egg-larval parasitoid, *Chelonus blackburni* Cameron on *Heliothis armigera* (Hübner) at Mundahl, Hissar, Haryana. *Journal of Advanced Zoology* 3(2): 160-161.
- Prasada Rao, G.M.V., Ramani, S. & Singh, S.P.** 2001. Field parasitisation of the maize stem borer, *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in Bangalore. *Journal of Biological Control* 15(2): 193-195.
- Praslicka, J., Al Dobai, S. & Huszar, J.** 2003. Hymenopteran parasitoids (Hymenoptera: Aphidiidae) of cereal aphids (Sternorrhyncha: Aphidoidea) in winter wheat crops in Slovakia. *Plant Protection Science* 39(3): 97-102.
- Pratt, C.** 1983. A modern review of the demise of *Aporia crataegi* L.: the black veined white. *Entomologist's Record and Journal of Variation* 95(11-12): 232-237.
- Pratt, C.** 1992. An historical summary of *Cucullia gnaphalii occidentalis* Bour. (Lep.: Noctuidae) in England - but is this the end? *Entomologist's Record and Journal of Variation* 104(1-2): 9-17.
- Free, D.J.** 1979. Toxicity of phosmet, azinphosmethyl and permethrin to the oriental fruit moth and its parasite, *Macrocentrus ancylivorus*. *Environmental Entomology* 8: 969-972.
- Free, D.J., Marshall, D.B., Whitty, K.J. & Archibald, D.E.** 1994. Management of insecticide resistance in *Phyllonorycter* spp. (Lepidoptera: Gracillariidae) and effects on their parasitoids: 52-66. In: Maier, C.T. [ed.]. *Integrated management of tentiform leafminers, Phyllonorycter* spp. (Lepidoptera: Gracillariidae), in North American apple orchards. *Entomological Society of America, Lanham & Maryland* 1994: i-v, 1-82.
- Presnail, J.K. & Hoy, M.A.** 1996. Maternal microinjection of the endoparasitoid *Cardiochiles diaphaniae* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 89(4): 576-580.
- Press, J.W., Flaherty, B.R. & Arbogast, R.T.** 1974. Interactions among *Plodia interpunctella*, *Bracon hebetor*, and *Xylocoris flavipes*. *Environmental Entomology* 3(1): 183-184.
- Press, J.W., Flaherty, B.R. & Arbogast, R.T.** 1977. Interactions among *Nemeritis canescens* (Hymenoptera: Ichneumonidae), *Bracon hebetor* (Hymenoptera: Braconidae), and *Ephesthia cautella* (Lepidoptera: Pyralidae). *Journal of the Kansas Entomological Society* 50(2): 259-262.
- Press, J.W., Flaherty, B.R. & McDonald, L.L.** 1981. Survival and reproduction of *Bracon hebetor* on insecticide-treated *Ephesthia cautella* larvae. *Journal of the Georgia Entomological Society* 16: 231-234.
- Press, J.W. & Flaherty, B.R.** 1981. Reproductive potential of *Bracon hebetor* Say on three moth species, *Ephesthia cautella* (Walker), *Achroia grisella* (F.), and *Galleria mellonella* (L.). *Journal of the Georgia Entomological Society* 16: 342-345.
- Press, J.W., Cline, L.D. & Flaherty, B.R.** 1982. A comparison of two parasitoids, *Bracon hebetor* (Hymenoptera: Braconidae) and *Venturia canescens* (Hymenoptera: Ichneumonidae), and a predator *Xylocoris flavipes* (Hemiptera: Anthocoridae) in suppressing residual populations of the almond moth, *Ephesthia cautella* (Lepidoptera: Pyralidae). *Journal of the Kansas Entomological Society* 55(4): 725-728.
- Press, J.W.** 1988. Avoidance of the red flour beetle, *Tribolium castaneum* (Coleoptera: Tenebrionidae), by *Bracon hebetor* Say (Hymenoptera: Braconidae). *Journal of the Kansas Entomological Society* 61(2): 228-230.
- Prevett, P.F.** 1966. Observations on biology in the genus *Caryedon* Schönherr (Coleoptera: Bruchidae) in northern Nigeria, with a list of associated parasitic Hymenoptera. *Proceedings of the Royal Entomological Society of London (A)* 41(1-3): 9-16.
- Prevost, G. & Lewis, W.J.** 1988. Heritable behaviour of *Microplitis croceipes* parasitoid females: response to host kairomones. *Colloques de l'INRA* 48: 21-22.
- Prevost, G.A. & Lewis, W.J.** 1990. Heritable differences in the response of the braconid wasp *Microplitis croceipes* to volatile allelochemicals. *Journal of Insect Behavior* 3(3): 277-288.
- Price, E. & Price, H.** 1993. A gall or not a gall? *Cecidology* 8(1): 27-28.
- Price, P.W.** 1992. The resource-based organization of communities. *Biotropica* 24(2B): 273-282.
- Prince, G.J.** 1976. Laboratory biology of *Phaenocarpa persimilis* Papp (Braconidae: Alysiniinae), a parasitoid of *Drosophila*. *Australian Journal of Zoology* 24: 249-264.
- Principi, M.M., Memmi, M. & Sgobba, D.** 1979. Reperti su *Chrysopophthorus chrysopimagineis* Goidanich, parassita solitario delle immagini di Neurotteri Crisopidi. *Bollettino dell'Istituto di Entomologia della Università degli Studi di Bologna* 34: 247-273.
- Prinsloo, G.J., Hewitt, P.H. & Westhuizen, M.C. van der** 1993. The effect of temperature on oviposition behaviour and success of two parasitoids of the Russian wheat aphid, *Diuraphis noxia* (Kurdjumov) (Hemiptera: Aphididae). *African Entomology* 1(2): 189-193.
- Priore, R.** 1975. Su alcuni entomofagi della *Ostrinia nubilalis* (Hbn.) (Lepidoptera Pyralidae) rivenuti in Campania. Studio del gruppo di lavoro del C.N.R. per la lotta integrata contro i nemici animali delle piante: 123. *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri* 32: 3-21.
- Priore, R. & Tremblay, E.** 1981. *Pseudovipio castrator* F. (Hymenoptera, Braconidae) entomofago di *Gortyna xanthenes* Germ. (Lepidoptera, Noctuidae). *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri* 38: 275-281.
- Priore, R. & Tremblay, E.** 1987. Contribution to the revision of the Italian species of the genera *Triaspis* Haliday and *Schizoprymnus* Foerster (Hymenoptera Braconidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'* 44: 47-61.

- Priore, R. & Tremblay, E. 1989.** Second contribution to the revision of Italian species of the genera *Triaspis* Haliday and *Schizopyrmnus* Foerster (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 46: 125-129.
- Priore, R. & Tremblay, E. 1991.** *Colastes flavitarsis* Thomson and *Opius similis* Szepilgeti (Hymenoptera: Braconidae), parasitoids of *Liriomyza cyclaminis* Suss (Diptera: Agromyzidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 48: 3-8.
- Priore, R., Tremblay, E. & Racana, A. 1991.** Some parasitoids (Hymenoptera: Braconidae) of *Rhynchaenus fagi* L. (Coleoptera: Curculionidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 48: 35-40.
- Priore, R. & Tremblay, E. 1992.** New parasitoids (Hymenoptera: Braconidae) of *Liriomyza bryoniae* (Kaltenbach) (Diptera: Agromyzidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 49: 31-39.
- Priore, R. & Tremblay, E. 1993.** Parasitoids (Hymenoptera: Braconidae) of some dipteran leafminers (Diptera: Agromyzidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri', publ. 1995, 50: 109-120.
- Priore, R., Mancini, D. & Tremblay, E. 1999.** *Microchelonus silvestrii* Papp and *Pholetesor arisba* (Nixon) (Hymenoptera: Braconidae): new records for the Italian fauna. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" 55: 39-44.
- Proffitt, J.R. & Goldson, S.L. 1987.** Overwintering biology and survival of the *Sitona* weevil parasitoid *Microctonus aethiopoulos*. Proceedings of New Zealand Weed and Pest Control Conference 40: 23-26.
- Prokopy, R.J. & Duan, J.J. 1998.** Socially facilitated egg-laying behaviour in Mediterranean fruit flies. Behavioral Ecology and Sociobiology 42(2): 117-122.
- Prokopy, R.J. & Webster, R.P. 1978.** Oviposition-detering pheromone of *Rhagoletis pomonella*. A kairomone for its parasitoid *Opius lectus*. Journal of Chemical Ecology 4: 481-494.
- Prophetou-Athanasiadou, D., Hodgson, P.J., Kouloussis, N. & Jones, T.H. 1993.** Oviposition behaviour of *Drosophila subobscura* and its parasitoid *Asobara tabida* in the laboratory. Entomologia Experimentalis et Applicata 67(3): 285-291.
- Prozell, S., Scholler, M., Adler, C. & Schoeller, M. 1998.** Insect fauna of a bakery, processing organic grain and applying *Trichogramma evanescens* Westwood. Integrated protection of stored products. Proceedings of the meeting at Zürich, Switzerland, 31 August-2 September 1997. Bulletin OILB SROP 21(3): 39-44.
- Pruszyński, S., Domagal, T., Piatkowski, J. & Kosmowski, W. 1989.** New elements in integrated programmes of greenhouse crop protection. Materialy Sesji Instytutu Ochrony Roslin 29(1): 175-183.
- Pschorn-Walcher, H. & Kriegl, M. 1965.** Zur Kenntnis der Parasiten der Bürsthorn-Blattwespen der Gattung *Arge* Schrank (Hymenoptera: Argidae). Zeitschrift für angewandte Entomologie 56(3): 263-275.
- Pschorn-Walcher, H. 1980.** Populationsfluktuationen und Parasitierung der Birken-Erlenminiermotte (*Coleophora serratella* L.) in Abhängigkeit von der Habitat-Diversität. Zeitschrift für angewandte Entomologie 89: 63-80.
- Pschorn-Walcher, H. & Altenhofer, E. 1989.** The parasitoid community of leaf-mining sawflies (Fenusini and Heterarthrini): a comparative analysis. Zoologischer Anzeiger 222(1-2): 37-56.
- Pucci, C. & Dominici, M. 1986.** Biological notes and cyclical outbreaks of *Theresimima ampelophaga* (Lepidoptera, Zygaenidae). Journal of Applied Entomology 101(5): 479-491.
- Pullin, A.S. 1994.** Cold tolerance of an insect parasitoid *Cotesia (Apanteles) glomeratus* and a comparison with that of its host *Pieris brassicae* and a hyperparasitoid *Tetrastichus galactopus*. Cryo letters 15(1): 67-74.
- Pungerl, N.B. 1983.** Variability in characters commonly used to distinguish *Aphidius* species (Hymenoptera: Aphidiidae). Systematic Entomology 8: 425-430.
- Pungerl, N.B. 1984.** Host preferences of *Aphidius* (Hymenoptera: Aphidiidae) populations parasitising pea and cereal aphids (Hemiptera: Aphididae). Bulletin of Entomological Research 74: 153-161.
- Purcell, M. & Granett, J. 1985.** Toxicity of benzophenyl ureas and Thuringiensin to *Trioxys pallidus* (Hymenoptera: Braconidae) and the walnut aphid (Homoptera: Aphididae). Journal of Economic Entomology 78(5): 1133-1137.
- Purcell, N.B. 1986.** Morphometric and electrophoretic study of *Aphidius* species (Hymenoptera: aphidiidae) reared from a variety of aphid hosts. Systematic Entomology 11: 327-354.
- Purcell, M.F. & Messing, R.H. 1996.** Ripeness effects of three vegetable crops on abundance of augmentatively released *Psytalia fletcheri* (Hym.: Braconidae): improved sampling and release methods. Entomophaga 41(1): 105-115.
- Purcell, M.F. & Schroeder, W.J. 1996.** Effect of Silwet L-77 and diazinon on three tephritid fruit flies (Diptera: Tephritidae) and associated endoparasitoids. Journal of Economic Entomology 89(6): 1566-1570.
- Purcell, M.F. 1998.** Contribution of biological control to integrated pest management of tephritid fruit flies in the tropics and subtropics. Integrated Pest Management Reviews 3(2): 63-83.
- Purcell, M.F., Daniels, K.M., Whiteh & , L.C. & Messing, R.H. 1994.** Improvement of quality control methods for augmentative releases of the fruit fly parasitoids, *Diachasmimorpha longicaudata* and *Psytalia fletcheri* (Hymenoptera: Braconidae). Bio-control Science and Technology 4(2): 155-166.
- Purcell, M.F., Stark, J.D. & Messing, R.H. 1994.** Insecticide effect on three tephritid fruit flies and associated braconid parasitoids in Hawaii. Journal of Economic Entomology 87(6): 1455-1462.
- Purcell, M.F., Jackson, C.G., Long, J.P. & Batchelor, M.A. 1994.** Influence of guava ripening on parasitism of the oriental fruit fly, *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae), by *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae) and other parasitoids. Biological Control 4(4): 396-403.
- Purcell, M.F., Duan, J.J. & Messing, R.H. 1997.** Response of three hymenopteran parasitoids introduced for fruit fly control to a gall-forming tephritid, *Procecidochares alani* (Diptera: Tephritidae). Biological Control 9(3): 193-200.
- Purrlington, F.F. & Nielsen, D.G. 1987.** New host records of parasitic Hymenoptera in clearwing moths (Lepidoptera: Sesiidae). Great Lakes Entomologist 20(3): 141-142.
- Purrlington, F.F. & Stinner, D.H. 1989.** Wasp parasites of the burdock seed moth, *Metzneria lappella* Zeller (Gelechiidae): new host record for *Bracon mellitor* Say (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 91(2): 203-205.
- Pushpalatha, N.A. & Veeresh, G.K. 1995.** Numerical relationship between *Opisina arenosella* Walker and its natural enemies, *Apanteles taragamae* Vierick and *Parena nigrolineata* Chaudoir on coconut. Journal of Insect Science 8(2): 148-150.
- Pushpalatha, N.A. & Veeresh, G.K. 1995.** Population fluctuation of coconut black-headed caterpillar *Opisina arenosella* Walker (Lepidoptera: Xylorictidae). Journal of Plantation Crops 23(1): 44-47.
- Puszkar, L. & Jastrzebski, A. 1999.** The biological protection of hops against damson-hop aphid and two spotted spider mite. Progress in Plant Protection 39(2): 439-443.
- Puterka, G.J., Slosser, J.E. & Price, J.R. 1985.** Parasites of *Heliothis* spp. (Lepidoptera: Noctuidae): Parasitism and seasonal occurrence for host crops in the Texas rolling plains. Environmental Entomology 14(4): 441-446.

- Puterka, G.J., Slosser, J.E., Price, J.R. & Meinke, L.J. 1986. *Bracon* spp. and their host insects and plants in the Texas Rolling Plains. *Southwestern Entomologist* 11(4): 249-254.
- Puterka, G.J., Slosser, J.E., Price, J.R. & Meinke, L.J. 1986. Host/plant relationships used by the boll weevil (Coleoptera: Curculionidae) parasite *Bracon mellitor* (Hymenoptera: Braconidae) in the Texas Rolling Plains. *Environmental Entomology* 15(4): 880-883.
- Putman, W.L. 1964. Occurrence and food of some coccinellids (Coleoptera) in Ontario peach orchards. *Canadian Entomologist* 96(9): 1149-1155.
- Putnam, L.G. 1968. Quantitative relations between *Diadegma insularis* (Hymenoptera: Ichneumonidae) and *Microplitis plutellae* (Hymenoptera: Braconidae) with their host *Plutella maculipennis* (Lepidoptera: Plutellidae). *Canadian Entomologist* 100: 11-16.
- Putnam, L.G. 1973. Effects of the larval parasites *Diadegma insularis* and *Microplitis plutellae* on the abundance of the diamondback moth in Saskatchewan rape and mustard crops. *Canadian Journal of Plant Science* 53(4): 911-914.
- Putnam, L.G. 1978. Diapause and cold hardiness in *Microplitis plutellae*, a parasite of the larvae of the diamondback moth. *Canadian Journal of Plant Science* 58: 911-913.
- Putte, A. van den 2002. Integrated control of woody small fruits in the tunnel: aphid. *Fruitteelt nieuws* 15(3): 26-28.
- Puttler, B., Parker, F.D. & Thewke, S.E. 1970. Introduction of *Apanteles rubecula* into the United States as a parasite of the imported cabbageworm. *Journal of Economic Entomology* 63(1): 304-305.
- Qayyum, A. 2001. Effects of host age on two closely related parasitoid species *Diaeretiella rapae* (M'Intosh) and *Aphidius colemani* (Viereck) (Aphidiidae: Hymenoptera) *Pakistan Journal of Zoology* 33(3): 193-200.
- Qian, Y., Li, X.L. & He, J.H. 1992. Four new species of Haltichellini (Hymenoptera: Chalcididae) from China. *Entomotaxonomia* 14(2): 122-127.
- Qin, Q.L., Gong, H., Zhang, Y.R., Wang, D. & Zhao, J.Y. 1999. Bionomics of *Microplitis mediator* (Hym.: Braconidae) parasitizing *Pseudaletia separata* (Lep.: Noctuidae). *Entomologia Sinica* 6(1): 39-44.
- Qin, Q.L., Gong, H. & Wang, F. 1999. A model system for studying the relationship between parasitoid and its host. *Chinese Journal of Applied and Environmental Biology* 5(4) Serial No. 20: 374-377.
- Qin, Q.-L., Li, X., Sing, C. & Gong, H. 2000. Physiological alterations in *Pseudaletia separata* parasitized by endoparasitoid wasp *Microplitis mediator*. *Chinese Journal of Applied and Environmental Biology* 6(6) Serial No. 28: 554-559.
- Qin, Q.L., Gong, H. & Ding, T. 2000. Two collagenases are secreted by teratocytes from *Microplitis mediator* (Hymenoptera: Braconidae) cultured in vitro. *Journal of Invertebrate Pathology* 76(1): 79-80.
- Qin, Q.-L., Gong, H., Ding, C. & Wang, F.-H. 2000. Embryogenesis and larval development of *Microplitis mediator* parasitizing *Mythimna separata* and occurrence of teratocytes. *Acta Entomologica Sinica* 43(3): 280-284.
- Qin, Q.L., Gong, H., Ding, C.I., Qi, Y.M., Gan, Y.L. & Li, S.W. 2001. Property and function of virus-like filaments in calyx region of the endoparasitoid *Microplitis mediator*. *Acta Entomologica Sinica* 44(2): 170-175.
- Qin, Q.L., Wang, J., Xu, S. & Guo, J. 2001. Impact factors determining offspring sex ratio of *Microplitis mediator*. *Chinese Journal of Biological Control* 17(4): 155-158.
- Qiu, H.G., He, L.F., Ding, D.C., Wang, J.L., Qiu, Z.L. & Shen, B.J. 1988. Effect of diet on the kairomonal activity of frass from *Ostrinia furnacalis* larvae to the parasitoid *Macrocentrus linearis*. *Contributions from Shanghai Institute of Entomology* 8: 77-83.
- Qiu, H.G., He, L.F., Shen, P.Q. & Qiu, Z.L. 1989. Behavioral responses of *Macrocentrus linearis* to plant volatiles. (in Chinese with English summary) *Acta Entomologica Sinica* 32(2): 129-135.
- Qiu, H.G., He, L.F., Ding, D.C., Wang, J.L., Qiu, Z.L. & Shen, B.J. 1990. Effect of diet on the kairomonal activity in frass from *Ostrinia furnacalis* larvae for parasitoid *Macrocentrus linearis*. *Contributions from Shanghai Institute of Entomology* 8 1988.: 77-82.
- Qu, Y.X., Ma, Z.Q., Shan, D.A., Gao, X.H. & Wang, Q.S. 1987. Effects of insecticides on the population of destructive insects and their natural enemies in soybean fields. *Plant Protection* 13(1): 4-6.
- Quashie-Williams, C.A. 1991. Introduction of *Allorhogas pyralophagus* Marsh (Hym.: Braconidae) for the biological control of the yellow headed borer, *Diatraea centrella* (Lep.: Pyral.) in Guyana. *Proceedings of the 24th West Indies Sugar Technologists' Conference*, Kingston, 8-12 April 1991. 80-87.
- Quednau, F.W. 1970. Competition and co-operation between *Chrysocharis laricinellae* and *Agathis pumila* on larch casebearer in Quebec. *Canadian Entomologist* 102: 602-612.
- Quednau, F.W. 1970. Notes on life-history, fecundity, longevity, and attack pattern of *Agathis pumila* (Hymenoptera: Braconidae), a parasite of the larch casebearer. *Canadian Entomologist* 102: 736-745.
- Quentin, U., Hommes, M. & Basedow, T. 1995. Studies on the biological control of aphids (Hom.: Aphididae) on lettuce in greenhouses. *Journal of Applied Entomology* 119(3): 227-232.
- Qui, H.G., He, L.F., Shen, B.J. & Qui, Z.Z. 1989. Behavioral responses of *Macrocentrus linearis* to plant volatiles. *Acta Entomologica Sinica* 32(2): 129-135.
- Quicke, D.L.J. 1981. A reclassification of some Oriental and Ethiopian species of Braconinae (Hymenoptera: Braconidae). *Oriental Insects* 14(4) (1980): 493-498.
- Quicke, D.L.J. 1982. Hamuli number in the Braconinae (Hymenoptera: Braconidae): An inter- and intraspecific, size-dependent, taxonomic character. *Oriental Insects* 15(3): 235-240.
- Quicke, D.L.J. 1982. The genus *Shelfordia* Cameron (Hymenoptera: Braconidae): discovery of type specimen, reclassification of species, new synonymy and notes on related genera. *Oriental Insects* 15(3)(September 1981): 227-233.
- Quicke, D.L.J. 1983. Reclassification of twenty species of tropical, old world Braconinae described by Cameron, Strand and Szépligeti (Hymenoptera: Braconidae). *Entomologist's Monthly Magazine* 119: 81-84.
- Quicke, D.L.J. 1983. Some new hosts records for genera and species of Braconinae (Hym., Braconidae) including economically important species. *Entomologist's Monthly Magazine* 119: 91-93.
- Quicke, D.L.J. 1983. The Afrotropical genus *Archibracon* Saussure (Hymenoptera: Braconidae: Braconinae): Characteristics and new generic synonymy. *Entomologist's Monthly Magazine* 119: 147-150.
- Quicke, D.L.J. 1983. The true identity of reported braconid (Hym.) parasites of *Coniesta ignefusalis* (Kmps.) (Lep., Pyralidae) in Nigeria. *Entomologist's Monthly Magazine* 119: 94.
- Quicke, D.L.J. 1983. Three new combinations in Indo-Australian Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 119: 258.
- Quicke, D.L.J. 1984. Evidence for the function of white-tipped ovipositor sheaths in Braconinae (Hymenoptera: Braconidae). *Proceedings and Transactions of the British Entomological and Natural History Society* 17: 71-79.
- Quicke, D.L.J. 1984. The genus *Acanthodoryctes* Turner (Hymenoptera, Braconidae): redescription and new generic synonymy. *Pan-Pacific Entomologist* 60(2): 97-100.

- Quicke, D.L.J. 1984.** Three new genera of Indo-Australian Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 120: 73-79.
- Quicke, D.L.J. 1984.** Two new genera of Braconinae from the Afrotropical region with a partial review of those genera with 'merinotoid' metasomas (Hymenoptera: Braconidae). *Entomologist's Monthly Magazine* 120: 37-45.
- Quicke, D.L.J. 1985.** Further reclassification of Afrotropical and Indo-Australian Braconinae (Hymenoptera: Braconidae). *Oriental Insects* 18: 339-353.
- Quicke, D.L.J. 1985.** Reclassification of the three species of Iranian Braconinae (Hymenoptera) described by Hedwig and Telenaga. *Stuttgarter Beiträge zur Naturkunde. Serie A (Biologie)* 382: 1-6.
- Quicke, D.L.J. 1985.** Redescription of *Craspedolcus* with notes on included species and related genera (Hymenoptera: Braconidae). *Oriental Insects* 18: 354-360.
- Quicke, D.L.J. 1985.** Two new genera of Braconinae (Insecta, Hymenoptera) from the Afrotropical region. *Zoologica Scripta* 14: 117-122.
- Quicke, D.L.J. 1985.** Reclassification of some Indo-Australian and Afrotropical Braconinae (Hym.: Braconidae). *Entomologist's Monthly Magazine* 121: 215-216.
- Quicke, D.L.J. 1985.** Three new genera of Afrotropical Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 121: 217-226.
- Quicke, D.L.J. 1986.** A revision of the Adeshini van Achterberg with descriptions of three new genera from the Palaetropics (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 15: 265-274.
- Quicke, D.L.J. 1986.** Preliminary notes on homeochromatic associations within and between afrotropical Braconinae (Hym., Braconidae) and Laminae (Col., Cerambycidae). *Entomologist's Monthly Magazine* 122: 97-109.
- Quicke, D.L.J. 1986.** Seven new genera and species of Braconinae (Hym., Braconidae) from Australasia and Indonesia. *Entomologist's Monthly Magazine* 122: 9-30.
- Quicke, D.L.J. 1986.** Three new genera of Braconini from the Afrotropical and Australian regions (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 15: 181-187.
- Quicke, D.L.J. 1987.** A new species of *Paxillibracon* Quicke (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 16: 79-81.
- Quicke, D.L.J. 1987.** A new subfamily of Braconidae, the Vaepellinae, based on a new genus and species from Ghana (Insecta, Hymenoptera). *Zoologica Scripta* 16: 73-77.
- Quicke, D.L.J. 1987.** First host record for the genus *Hyboteles* van Achterberg (Hymenoptera: Braconidae). *Proceedings and Transactions of the British Entomological and Natural History Society* 20: 122.
- Quicke, D.L.J. 1987.** The Old World genera of braconine wasps (Hymenoptera: Braconidae). *Journal of Natural History* 21(1): 43-157.
- Quicke, D.L.J. 1988.** A new genus and species of Adeshini (Hym., Braconidae, Braconinae) from Thailand. *Entomologist's Monthly Magazine* 124: 203-205.
- Quicke, D.L.J. 1988.** A new genus and species of Braconinae from Australia (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 17: 285-287.
- Quicke, D.L.J. 1988.** *Digonogastra*: the correct name for Nearctic *Iphiaulax* of authors (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 90(2): 196-200.
- Quicke, D.L.J. 1988.** Four new genera of the *Plesiobracon* Cameron group (Insecta, Hymenoptera, Braconinae). *Zoologica Scripta* 17: 411-418.
- Quicke, D.L.J. 1988.** Higher classification, biogeography and biology of the Braconinae (Hymenoptera: Braconidae). In: Gupta V.K. [ed.]. *Advances in Parasitic Hymenoptera Research*: 117-138.
- Quicke, D.L.J. 1988.** Inter-generic variation in the male genitalia of the Braconinae (Insecta: Hymenoptera: Braconidae). *Zoologica Scripta* 17(4): 399-409.
- Quicke, D.L.J. 1988.** Reclassification of some Braconinae described by Fabricius (Hym.: Braconidae). *Entomologist's Monthly Magazine* 124(1492-95): 201-202.
- Quicke, D.L.J. 1988.** Reclassification of some Neotropical Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 124(1492-95): 195-199.
- Quicke, D.L.J. 1988.** Reclassification of twenty-four species of old world Braconinae (Hym., Braconidae) *Entomologist's Monthly Magazine* 124: 77-79.
- Quicke, D.L.J. 1988.** The division of *Calcaribracon* Quicke (Hym., Braconidae) into subgenera and the description of three new species. *Entomologist's Monthly Magazine* 124: 111-116.
- Quicke, D.L.J. & Gupta, V.K. 1988.** Higher classification, biogeography and biology of the Braconinae (Hymenoptera: Braconidae). *Advances in parasitic Hymenoptera research: Proceedings of the II Conference on the Taxonomy and Biology of Parasitic Hymenoptera*: 117-138.
- Quicke, D.L.J. & Wharton, R.A. 1988.** On the identification of *Doryctes erythromelas* (Hymenoptera: Braconidae). *Entomological News* 99(4): 189-192.
- Quicke, D.L.J. 1989.** A new Neotropical genus and species of Coeloidini (Hym., Braconidae, Braconinae). *Entomologist's Monthly Magazine* 125: 9-12.
- Quicke, D.L.J. 1989.** Further new host records for general and species of Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 125: 199-205.
- Quicke, D.L.J. 1989.** Parasitic braconine wasps of the genus *Archibracon* (Hymenoptera: Braconidae). *Journal of Natural History* 23(1): 29-70.
- Quicke, D.L.J. 1989.** Reclassification of some New World species of Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 125: 119-121.
- Quicke, D.L.J. 1989.** The Indo-Australian and E. Palaearctic braconine wasp genus *Euurobracon* (Hymenoptera: Braconidae). *Journal of Natural History* 23(4): 775-802.
- Quicke, D.L.J. 1989.** Three new genera of Braconini from Australasia and Malaysia (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 18: 295-302.
- Quicke, D.L.J. 1989.** Two new genera and species of Braconinae (Insecta, Hymenoptera, Braconidae) from Brunei. *Zoologica Scripta* 18: 139-143.
- Quicke, D.L.J. & Huddleston, T. 1989.** The Australian braconid wasp subfamily Mesostoinae (Hymenoptera: Braconidae) with the description of a new species of *Mesostoa*. *Journal of Natural History* 23: 1309-1317.
- Quicke, D.L.J. & Sharkey, M.J. 1989.** A key to and notes on the genera of Braconinae (Hymenoptera: Braconidae) from America north of Mexico with descriptions of two new genera and three new species. *Canadian Entomologist* 121(4-5): 337-361.
- Quicke, D.L.J. & Walker, A. 1989.** A new Indo-Australian genus of Braconinae (Hym.: Braconidae) parasitic on *Hispidiae* (Col.). *Entomologist's Monthly Magazine* 125(1496-1499): 19-24.
- Quicke, D.L.J. & Wharton, R.A. 1989.** *Myosoma nyanzaensis* sp. n. (Hymenoptera: Braconidae) parasitic on the stem-borer pest *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in Kenya. *Bulletin of Entomological Research* 79(1): 1-5.
- Quicke, D.L.J. 1990.** Tergal and intertergal metasomal glands of male braconine wasps (Insecta: Hymenoptera, Braconidae). *Zoologica Scripta* 19(4): 413-423.
- Quicke, D.L.J. & Achterberg, C. van 1990.** Phylogeny of the subfamilies of the family Braconidae (Hymenoptera: Ichneumoniidae). *Zoologische Verhandelingen, Leiden* 258: 1-95.

- Quicke, D.L.J. & Achterberg, C. van 1990. The type specimens of Enderlein's Braconinae (Hymenoptera: Braconidae) housed in Warsaw. *Tijdschrift voor Entomologie* 133(2): 251-264.
- Quicke, D.L.J. & Koch, F. 1990. Die Braconinae-Typen der beiden bedeutendsten Hymenopteransammlungen der DDR (Hymenoptera). *Deutsche Entomologische Zeitschrift* 37: 213-227.
- Quicke, D.L.J. & Tobias, V.I. 1990. [New genera of Braconid wasps of the subfamily Braconinae (Hymenoptera, Braconidae) from Australia.] (in Russian) *Entomologicheskoye Obozreniye* 69(1): 164-180.
- Quicke, D.L.J. 1991. A revision of the Australian species of *Iphiaulax* Foerster and *Chaoilta* Cameron (Insecta: Hymenoptera: Braconidae). *Records of the Australian Museum* 43(1): 63-84.
- Quicke, D.L.J. 1991. Tergal and inter-tergal metasomal glands of male Braconine wasps (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 19: 413-423.
- Quicke, D.L.J. 1991. The African species of *Zaglyptogastra* (Hymenoptera) with a checklist of world species. *Journal of Natural History* 25: 755-771.
- Quicke, D.L.J. 1991. The non-European Braconinae types of Szépligeti housed in Budapest (Hymenoptera, Braconidae). *Annales Historico-Naturales Musei Nationalis Hungarici* 83: 169-186.
- Quicke, D.L.J. 1991. Ovipositor mechanics of the braconine wasp genus *Zaglyptogastra* and the ichneumonid genus *Pristomerus*. *Journal of Natural History* 25(4): 971-977.
- Quicke, D.L.J. & Huddleston, T. 1991. The extraordinary genus *Gnathobracon* Costa (Hym., Braconidae, Braconinae) with the description of a new species from Peru. *Entomologist's Monthly Magazine* 127: 191-195.
- Quicke, D.L.J. & Holloway, G.A. 1991. Redescription of *Calohelcon* Turner (Insecta: Hymenoptera: Braconidae), description of a new species, and a reappraisal of the significance of certain character states in the Helconinae. *Records of the Australian Museum* 43: 113-121.
- Quicke, D.L.J. & Walker, C. 1991. A new Indo-Australian genus of Braconinae (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 20: 419-424.
- Quicke, D.L.J. 1992. Nocturnal Australasian Braconinae (Hym.; Braconidae). *Entomologist's Monthly Magazine* 128: 33-37.
- Quicke, D.L.J., Ficken, L.C. & Fitton, M.G. 1992. New diagnostic ovipositor characters for doryctine wasps (Hymenoptera: Braconidae). *Journal of Natural History* 26(5): 1035-1046.
- Quicke, D.L.J., Fitton, M.G. & Ingram, S. 1992. Phylogenetic implications of the structure and distribution of ovipositor valvelli in the Hymenoptera (Insecta). *Journal of Natural History* 26(3): 587-608.
- Quicke, D.L., Ingram, S.N., Baillie, H.S. & Gaitens, P.V. 1992. Sperm structure and ultrastructure in the Hymenoptera (Insecta). *Zoologica Scripta* 21(4): 381-402.
- Quicke, D.L.J., Ingram, S.N., Proctor, J. & Huddleston, T. 1992. Batesian and Müllerian mimicry between species with connected life histories, with a new example involving braconid wasp parasites of *Phoracantha* beetles. *Journal of Natural History* 26(5): 1013-1034.
- Quicke, D.L.J. & Marsh, P.M. 1992. Two new species of Neotropical parasitic wasps with highly modified ovipositors (Hymenoptera: Braconidae: Braconinae and Doryctinae). *Proceedings of the Entomological Society of Washington* 94(4): 559-567.
- Quicke, D.L.J., Tunstead, J., Falcó, J.V. & Marsh, P.M. 1992. Venom gland and reservoir morphology in the Doryctinae and related braconid wasps (Insecta: Hymenoptera: Braconidae). *Zoologica Scripta* 21(4): 403-416.
- Quicke, D.L.J. & Ingram, S.N. 1993. Braconine wasps of Australia. *Memoirs of the Queensland Museum* 33(1): 299-336.
- Quicke, D.L.J. 1993. A remarkable new genus of Braconinae (Hym., Braconidae) reared from plant galls in India. *Entomologist's Monthly Magazine* 129(1548-51): 135-138.
- Quicke, D.L.J. 1993. A note on the occurrence of green pigmentation in the Braconidae (Hym.). *Entomologist's Monthly Magazine* 129(1548-1551): 123-124.
- Quicke, D.L.J. & Whitfield, J.B. 1993. The polyphyletic origin of endoparasitism in the cyclostome lineages of Braconidae (Hymenoptera): a reassessment. *Zoologische Mededelingen, Leiden* 67(1-26): 159-177.
- Quicke, D.L.J. 1994. *Myosomatoides* gen. nov., (Hymenoptera: Braconidae), a Neotropical larval parasitoid of stem-borer pests, *Diatraea* (Lepidoptera: Pyralidae). *Journal of Hymenoptera Research* 3: 227-231.
- Quicke, D.L.J. 1994. Phylogenetics and biological transitions in the Braconidae (Hymenoptera: Ichneumonoidea). *Norwegian Journal of Agricultural Sciences SUPP* 16: 155-162.
- Quicke, D.L.J. & Genise, J.F. 1994. Reclassification of the South American species of Braconinae (Hym.: Braconidae) described by Brèthes. *Entomologist's Monthly Magazine* 130 (1556-1559): 35-45.
- Quicke, D.L.J., You, L.S. & Zhou, Z.H. 1994. Notes on eighteen braconid species (Hymenoptera: Braconidae) from China. *Wuyi Science Journal* 11: 120-125.
- Quicke, D.L.J. & Delobel, A. 1995. A new Neotropical braconine (Hym.: Braconidae) parasitic on Bruchidae (Col.). *Entomologist's Monthly Magazine* 131(1576-79): 215-221.
- Quicke, D.L.J. 1995. Two new Neotropical genera of Braconinae (Hym., Braconidae). *Entomologist's Monthly Magazine* 131(1576-79): 223-228.
- Quicke, D.L.J. 1995. The rogadine wasp genus *Batotheca* (Hymenoptera: Braconidae) new to Australia. *Australian Entomologist* 22(1): 17-18.
- Quicke, D.L.J., Fitton, M. & Harris, J. 1995. Ovipositor steering mechanisms in braconid wasps. *Journal of Hymenoptera Research* 4: 110-120.
- Quicke, D.L.J. & Kruft, R.A. 1995. Latitudinal gradients in North American braconid wasp species richness and biology. *Journal of Hymenoptera Research* 4: 194-203.
- Quicke, D.L.J. 1996. First record of *Leptorhaconotus* Granger (Hymenoptera: Braconidae) from South Africa, with the description of a remarkable new species and a discussion of the subfamilial placement of the genus. *African Entomology* 4(2): 111-116.
- Quicke, D.L.J., Chishti, M.J.K. & Basibuyuk, H.H. 1996. A revision of the *Yelicones* species (Hymenoptera: Braconidae: Rogadinae) from Central America, with descriptions of sixteen new species. *Zoologische Mededelingen, Leiden* 70: 17-61.
- Quicke, D.L.J., Wharton, R.A. & Sittertz Bhatkar, H. 1996. Recto-tergal fusion in the Braconinae (Hymenoptera: Braconidae): structure and distribution. *Journal of Hymenoptera Research* 5: 73-79.
- Quicke, D.L.J. & You, L.S. 1996. A new species of *Calcaribracon* Quicke (Hym.: Braconidae: Braconinae) parasitic on *Casmara patrona* Meyrick (Lep.: Oecophoridae) in China. *Entomologia Sinica* 3(1): 14-18.
- Quicke, D.L.J. 1997. Parasitic Wasps. London: 1-470.
- Quicke, D.L.J. 1997. Braconinae: 149-176. *Histeromerinae*: 275-278. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." *International Society of Hymenopterists. Special Publication No. 1*: 1-439.
- Quicke, D.L.J. & Achterberg, C. van 1997. Subfamily Ypsistocerinae: 418-422. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." *International Society of Hymenopterists. Special Publication No. 1*: 1-439.

- Quicke, D.L.J., Achterberg, C. van & Godfray, H.C.J. 1997. Comparative morphology of the venom gland and reservoir in opiine and alysiine braconid wasps (Insecta, Hymenoptera, Braconidae). *Zoologica Scripta* 26(1): 23-50.
- Quicke, D.L.J. & Chishti, M.J.K. 1997. A revision of the *Yelicones* species (Hymenoptera: Braconidae: Rogadinae) from Africa and the Arabian Peninsula, with descriptions of four new species. *African Entomology* 5(1): 77-91.
- Quicke, D.L.J., Chishti, M.J.K., Chen, X.X. & Krufft, R.A. 1997. Revision of *Yelicones* (Hymenoptera: Braconidae: Rogadinae) from the east Palaearctic and Oriental regions with descriptions of four new species. *Journal of Natural History* 31(5): 779-797.
- Quicke, D.L.J., Wharton, R.A. & Sittertz Bhatkar, H. 1997. Antero-lateral abdominal scent glands of braconine wasps (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 6(2): 219-230.
- Quicke, D.L.J., You, L.S. & Krufft, R.A. 1997. A new species of *Physaraia* (Hymenoptera: Braconidae) from China. *Entomologia Sinica* 4(2): 144-149.
- Quicke, D.L.J., Austin, A. & Chishti, M.J.K. 1998. Revision of *Yelicones* (Hymenoptera: Braconidae: Rogadinae) from the Australasian region. *Invertebrate Taxonomy* 12: 897-928.
- Quicke, D.L.J. & Falcó, J.V. 1998. A putative pheromone-gland associated modification of the hind tibia in *Vipio moneilemae* (Hymenoptera: Braconidae: Braconinae). *Journal of Hymenoptera Research* 7(1): 118-121.
- Quicke, D.L.J., Basibuyuk, H.H., Fitton, M.G. & Rasnitsyn, A.P. 1999. Morphological, palaeontological and molecular aspects of ichneumonoid phylogeny (Hymenoptera, Insecta). *Zoologica Scripta* 28(1-2): 175-202.
- Quicke, D.L.J. & Belshaw, R. 1999. Incongruence between morphological data sets: an example from the evolution of endoparasitism among parasitic wasps (Hymenoptera: Braconidae). *Systematic Biology* 48(3): 436-454.
- Quicke, D.L.J., Brandt, A.P. & Falcó, J.V. 2000. Revision of the Afrotropical species of *Curria* Ashmead (Hymenoptera: Braconidae: Braconinae): a genus with diverse ovipositor morphology. *African Entomology* 8(1): 109-139.
- Quicke, D.L.J., Broad, G., Laurence, N.M. & Naiman, J. 2000. First possible host record for the braconid wasp genus *Diablomera* Enderlein (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 9(2): 430-431.
- Quicke, D.L.J. & Polaszek, A. 2000. A new genus, and first host records, for the Adeshini: parasitoids of hispine beetles (Braconidae: Braconinae; Coleoptera: Chrysomelidae). *Journal of Hymenoptera Research* 9(1): 104-107.
- Quicke, D.L.J., Taylor, J. & Purvis, A. 2001. Changing the landscape: A new strategy for estimating large phylogenies. *Systematic Biology* 50(1): 60-66.
- Quicke, D.L.J. & Purvis, A. 2001. A new species of *Streblocera* (*Asiastreblocera*) (Braconidae: Euphorinae) from Thailand with depressed ovipositor. *Journal of Hymenoptera Research* 10(2): 138-144.
- Quicke, D.L.J., Manzari, S. & Achterberg, C. van 2002. The systematic placement of *Afrocampsis* van Achterberg & Quicke (Hymenoptera: Braconidae): molecular and morphological evidence indicate that it belongs to Helconinae s.l. not Sigalphinae. *Zoologische Mededelingen, Leiden* 76(23): 443-450.
- Quicke, D.L.J., Palmer-Wilson, J., Burrough, A. & Broad, G.R. 2004. Discovery of calcium enrichment in cutting teeth of parasitic wasp ovipositors (Hymenoptera: Ichneumonoidea). *African Entomology* 12(2): 259-264.
- Quicke, D.L.J. & Shaw, M.R. 2004. Cocoon silk chemistry in parasitic wasps (Hymenoptera, Ichneumonoidea) and their hosts. *Biological Journal of the Linnean Society* 81(2): 161-170.
- Quicke, D.L.J., Shaw, M.R., Takahashi, M. & Yanechin, B. 2004. Cocoon silk chemistry of non-cyclostome Braconidae, with remarks on phylogenetic relationships within the Microgastrinae (Hymenoptera: Braconidae). *Journal of Natural History* 38(17): 2167-2181.
- Quicke, D.L.J., Yen, S.H., Mori, M. & Shaw, M.R. 2004. First host records for the rogadine genus *Conspinarina* (Hymenoptera: Braconidae), and notes on Rogadinae as parasitoids of Zygaenidae (Lepidoptera). *Journal of Natural History* 38(11): 1437-1442.
- Quimio, G.M. & Walter, G.H. 2000. Swarming, delayed sexual maturation of males, and mating behavior of *Fopius arisanus* (Sonan) (Hymenoptera: Braconidae). *Journal of Insect Behavior* 13(6): 797-813.
- Quimio, G.M. & Walter, G.H. 2001. Host preference and host suitability in an egg-pupal fruit fly parasitoid, *Fopius arisanus* (Sonan) (Hym.: Braconidae). *Journal of Applied Entomology* 125(3): 135-140.
- Quistad, G.B., Nguyen, Q., Bernasconi, P. & Leisy, D.J. 1994. Purification and characterization of insecticidal toxins from venom glands of the parasitic wasp, *Bracon hebetor*. *Insect Biochemistry and Molecular Biology* 24(10): 955-961.
- Rabasse, J.M. & Brunel, E. 1977. *Cavariella aegopodii* Scop. (Homoptera: Aphididae) en culture de carottes dans l'Ouest de la France. II. Régulation naturelle par aphidiides (Hymenoptera) et Entomophthorales. *Annales de Zoologie Ecologie Animale* 9: 481-496.
- Rabasse, J.M. & Shalaby, F.F. 1979. Incidence du parasite *Aphidius matricariae* Hal. (Hym.: Aphidiidae) sur la fécondité de son hôte *Myzus persicae* Sulz. (Hom.: Aphididae) a différentes températures. *Annales de Zoologie Ecologie Animale* 11: 359-369.
- Rabasse, J.M. & Shalaby, F.F. 1980. Laboratory studies on the development of *Myzus persicae* Sulz. (Hom.: Aphididae) and its primary parasite, *Aphidius matricariae* Hal. (Hym.: Aphidiidae) at constant temperature. *Acta Oecologica Oecologia Generalis* 1: 21-28.
- Rabasse, J.M. 1982. Remarques sur l'identification des *Aphidius* (Hym.: Aphidiidae) parasites des pucerons des cereales. *Bulletin de la Société Entomologique de Mulhouse* 1982: 17-19.
- Rabasse, J.M. & Dedryver, C.A. 1983. Overwintering of primary parasites and hyperparasites of cereal aphids in western France. In: Cavalloro, R. [ed.] "Aphid Antagonists." Rotterdam: 57-63.
- Rabasse, J.M., Tardieux, T. & Pintureau, B. 1985. Comparaison de deux populations française et brésilienne d'*Aphidius colemani* Viereck (Hym., Aphididae). *Annales de la Société Entomologique de France* 21: 45-49.
- Rabasse, J.M. & Ibrahim, A.A. 1987. Conservation of *Aphidius uzbekistanicus* Luz. (Hym.: Aphidiidae), parasite on *Sitobion avenae* F. (Hom.: Aphididae). *SRQP/WPRS Bulletin*. X(1): 54-56.
- Rabasse, J.M., Trouve, C., Geria, A. & Quignou, A. 2001. Aphid pests of strawberry crops and their parasitoids in France. Proceedings of the 53rd International Symposium on Crop Protection, Gent, Belgium, 8 May 2001. Part I. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen, Universiteit Gent 66(2a): 293-301.
- Rabb, R.L. & Thurston, R. 1969. Diapause in *Apanteles congregatus*. *Annals of the Entomological Society of America* 62: 125-128.
- Rabbinge, R., Kroon, A.G. & Driessen, H.P.J.M. 1984. Consequences of clustering in parasite-host relations of the cereal aphid *Sitobion avenae*: a simulation study. *Netherlands Journal of Agricultural Science* 32(3): 237-239.
- Radcliffe, E.B., Cuperus, G.W. & Flessel, J.K. 1983. Establishment of the alfalfa weevil parasite *Microctonus aethiopoulos* (Hymenoptera: Braconidae) in Minnesota. *Great Lakes Entomologist* 16: 127-130.

- Radcliffe, E.B. & Flers, K.L. 1998.** Biological control of alfalfa weevil in North America. *Integrated Pest Management Reviews* 3(4): 225-242.
- Radhakrishnan, B. & Muraleedharan, N. 1992.** Bio-ecology of three aphidiid parasitoids of *Toxoptera aurantii* (Boyer de Fonscolombe) infesting tea in South India. *Journal of Biological Control* 6(1): 4-8.
- Radhakrishnan, B. & Muraleedharan, N. 1997.** Records of natural enemies *Toxoptera aurantii* (Boyer de Fonscolombe) (Homoptera: Aphididae) infesting tea plantations in South India. *Journal of Aphidology* 9(1-2): 87-91.
- Radhika, P. & Chitra, K.C. 1996.** Effect of adult nutrition on the production potential of *Bracon hebetor*. *Indian Journal of Entomology* 58(2): 149-154.
- Radhika, P. & Chitra, K.C. 1997.** Effect of larval nutrition of *Coryca cephalonica* (Stainton) on the production potential of *Bracon hebetor* (Say). *Journal of Insect Science* 10(1): 59-60.
- Raffa, K.F. 1977.** Potential alternate hosts of the gypsy moth parasite, *Apanteles porthebiae*. *Environmental Entomology* 6: 57-59.
- Raffa, K.F. 1977.** Some parasites of Lepidoptera larvae recently collected in Delaware. *Entomological News* 88(3-4): 81-84.
- Raga, A., Canal, N.A., Zucchi, R.A. & Souza-Filho, M.F. de 1999.** *Anastrepha amita* Zucchi (Diptera: Tephritidae): first host record, infestation levels and associated parasitoids. *Arquivos do Instituto Biologico Sao Paulo* 66(2): 77-84.
- Raga, A., Souza-Filho, M.F., Arthur, V. & Martins, A.L.M. 1996.** Evaluation of fruit flies infestation on coffee varieties (*Coffea* spp.). *Arquivos do Instituto Biologico Sao Paulo* 63(2): 59-63.
- Raga, A., Zucchi, R.A. & Souza-Filho, M.F. de 2000.** Incidence of *Anastrepha obliqua* (Macquart) and *Ceratitis capitata* (Wiedemann) (Diptera: Tephritidae) in star fruit (*Averrhoa carambola* L.) in eight localities of the state of Sao Paulo, Brazil. *Anais da Sociedade Entomologica do Brasil* 29(2): 367-371.
- Rageh, M.A., Shi, Z.H. & Liu, S.S. 2003.** Effects of host age and temperature on interspecific competition between *Cotesia plutellae* (Kurdjmov) and *Oomyzus sokolowskii* (Kurdjmov). *Journal of Zhejiang University Agriculture and Life Sciences* 29(1): 24-28.
- Raguraman, S. & Singh, R.P. 1998.** Behavioral and physiological effects of neem (*Azadirachta indica*) seed kernel extracts on larval parasitoid, *Bracon hebetor*. *Journal of Chemical Ecology* 24(7): 1241-1250.
- Ragusa, S. 1974.** Influence of temperature on the oviposition rate and longevity of *Opius concolor siculus* (Hymenoptera: Braconidae). *Entomophaga* 19: 61-66.
- Rahbe, Y., Digilio, M.C., Febvay, G., Guillaud, J., Fanti, P. & Pennacchio, F. 2002.** Metabolic and symbiotic interactions in amino acid pools of the pea aphid, *Acyrtosiphon pisum*, parasitized by the braconid *Aphidius ervi*. *Journal of Insect Physiology* 48(5): 507-516.
- Rahman, M. 1970.** Effect of parasitism on food consumption of *Pieris rapae* larvae. *Journal of Economic Entomology* 63: 820-821.
- Rahman, M. 1970.** Multilication of imported cabbageworm by the parasite *Apanteles rubecula*. *Journal of Economic Entomology* 63: 1114-1116.
- Rahman, M.H., Fitton, M.G. & Quicke, D.L.J. 1998.** Ovipositor internal microsculpture in the Braconidae (Insecta: Hymenoptera). *Zoologica Scripta* 27(4): 319-331.
- Rahman, M.H., Fitton, M.G. & Quicke, D.L.J. 1998.** Ovipositor internal microsculpture and other features in doryctine wasps (Insecta: Hymenoptera: Braconidae). *Zoologica Scripta* 27(4): 333-343.
- Raimo, B., Reardon, R.C. & Podgwaite, J.D. 1977.** Vectoring gypsy moth nuclear polyhedrosis virus by *Apanteles melanoscelus* (Hym.: Braconidae). *Entomophaga* 22(2): 207-215.
- Raine, J. 1966.** Life history of *Dasystoma salicellum* Hbn. (Lepidoptera: Oecophoridae), a new pest of blueberries in British Columbia. *Canadian Entomologist* 98: 331-334.
- Raj, D. & Sharma, G.D. 1993.** Prevalence of *Diaeretiella rapae* M'Intosh (Hymenoptera: Braconidae) on aphid complex infesting rapeseed. *Journal of Insect Science* 6(2): 285-286.
- Raj, D. & Lakhanpal, G.C. 1998.** Efficiency of endoparasitoid *Diaeretiella rapae* (M'Intosh) on aphid complex infesting rapeseed in mid hill zone of Himachal Pradesh (India). *Journal of Entomological Research* 22(3): 245-251.
- Raja, N., Janarthanan, S. & Ignacimuthu, S. 2000.** Changes of haemolymph protein profile in the larva of *Pericallia ricini* (Fabricius) parasitised by the braconid wasp, *Apanteles taragamae* Viereck (Hymenoptera: Braconidae). *Indian Journal of Experimental Biology* 38(4): 393-395.
- Rajabalee, A. & Bannymadhub, N. 1986.** Elevage et tentative d'implantation d'*Allorhogas pyralophagus* Marsh, un braconid ectoparasitaire de *Chilo sacchariphagus* Boj., le foreur ponctue de la canne a sucre a l'île Maurice, avec quelques notes sur sa biologie. *Revue Agricole et Sucriere de l'île Maurice* 65(2-3): 67-72.
- Rajabalee, M.A. & Govendasamy, M. 1988.** Host specificity and efficacy of *Apanteles flavipes* (Cam.) and *A. sesamiae* (Cam.) (Hymenoptera: Braconidae) parasites of sugar can moth borers in Mauritius. *Revue Agricole et Sucriere de l'île Maurice* 67(1-3): 78-80.
- Rajagopal, D., Mallikarjunappa, S. & Gowda, J. 1988.** Occurrence of natural enemies of the groundnut leaf miner, *Aproaerema modicella* Deventer (Lepidoptera: Gelechiidae). *Journal of Biological Control* 2(2): 129-130.
- Rajagopal, S. & Kareem, A. 1983.** Studies on the toxic effects of some insecticides on parasites (*Aphelinus mali* Halt. and *Aphidius platensis* Brèth.) and predator (*Menochilus sexmaculatus* F.) of chili aphid, *Myzus persicae* Sulzer. *Pranikée* 4: 308-315.
- Rajapakse, R.H.S., Ashley, T.R. & Waddill, V.H. 1985.** Biology and host acceptance of *Microplitis manilae* (Hymenoptera: Braconidae) raised on fall armyworm larvae *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Florida Entomologist* 68: 653-657.
- Rajapakse, R.H.S., Ashley, T.R. & Waddill, H. van 1988.** Interspecific competition of fall armyworm parasites. Brighton Crop Protection Conference. Pests and Diseases 1988. Vol 3: 1137-1141.
- Rajapakse, R.H.S. & Jayasena, K.W. 1990.** Impact of native parasites and management of *Maruca testulalis* and *Ophiomyia phaseoli* attacking mungbean and cowpea in southern Sri Lanka. *Integrated Pest Management in Tropical and Subtropical Cropping Systems '89*, held on 8-15 February 1989 in Bad Durkheim, Germany 2: 605-612.
- Rajapakse, R.H.S. 1990.** Impact of native parasitoids on rice leaf folder *Cnaphalocrocis medinalis* Guenée (Pyralidae: Lepidoptera) in southern Sri Lanka. *Entomon* 15(3-4): 207-212.
- Rajapakse, R.H.S., Ashley, T.R. & Waddill, V.H. 1991.** Interspecific competition between parasitoids of the fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae). *Insect Science and its Application* 12(4): 473-480.
- Rajapakse, R.H.S., Waddill, V.H. & Ashley, T.R. 1992.** Effect of host age, parasitoid age and temperature on interspecific competition between *Chelonus insularis* Cresson, *Cotesia marginiventris* Cresson and *Microplitis manilae* Ashmead. *Insect Science and its Application* 13(1): 87-94.
- Rajavel, D.S. & Veeraraghavathatham, D. 1989.** Efficacy of certain plant extracts on the major pests of cabbage. *South Indian Horticulture* 37(3): 186-188.
- Rajeshwari, S.K. & Chacko, M.J. 1992.** Parasitoids of the mango shoot caterpillar *Penicillaria jacosatrix* Guenée (Lepidoptera: Noctuidae) in southern India. *Entomon* 17(1, 2): 41-47.

- Raju, V.J. & Sivaprakasam, K. 1989.** Survey on pests and diseases of cabbage. *Madras Agricultural Journal* 76(4): 192-196.
- Raju, V.J., Sivaprakasam, K., & Marimuthu, T. 1993.** Influence of weather factors on the incidence of pests and diseases on cabbage. *Madras Agricultural Journal* 80(6): 301-306.
- Rakauskas, R.P. 1981.** Hymenopterous aphid parasites in the gardens of south-east and north Lithuania in 1974-1975. *Acta Entomologica Lituanica* 5: 44-51.
- Rakauskas, R.P. 1985.** Natural enemies of aphids that feed on fruit-trees and berry-shrubs in the Lithuanian SSR. (in Russian with Lithuanian and English summaries) *Acta Entomologica Lituanica* 8: 58-68.
- Rakhshani, E., Talebi, A.A. & Sadeghi, E. 2000.** Comparative study on the fecundity of walnut aphid, *Chromaphis juglandicola* and its' parasitoid wasp, *Trioxys pallidus* (Hymenoptera: Braconidae). Proceeding of 14th Iranian Plant Protection Congress, p. 109.
- Rakhshani, E., Talebi, A.A. & Sadeghi, E. 2001.** The first report of aphid hyperparasitoid, *Alloxysta citripes* (Thomson) (Hymenoptera: Cynipidae) from Iran. *Applied Entomology and Phytopathology* 69(1): 184-185.
- Ralec, A. le, Barbier, R., Nénon, J.P. & Rabasse, J.M. 1986.** Anatomie et fonctionnement de l'ovaire et de l'ovipositeur d'*Aphidius uzbekistanicus* (Hymenoptera: Aphidiidae) parasitoids des pucerons des céréales. *Bulletin de la Société Zoologique de France* 111: 211-220.
- Ralec, A. le & Rabasse, J.M. 1988.** Structure, sensory receptors and operation of the ovipositor of three Aphidiidae. In: Niemczyk, E., Dixon, A.F.G. [eds]. "Ecology and effectiveness aphidophaga.". The Hague: 83-88.
- Ralec, A. le 1988.** Study on the model *Sitobion avenae*-*Aphidius uzbekistanicus*-*Dendrocerus carpenteri*: the hyperparasitoid ovipositor, sting, egg and first instars of development. *Colloques de l'INRA* 48: 125-126.
- Ralec, A. le 1996.** Egg contents in relation to host-feeding in some parasitic Hymenoptera. *Entomophaga* 40(1) (1995): 87-93.
- Ralec, A. le, Rabasse, J.M. & Wajnberg, E. 1996.** Comparative morphology of the ovipositor of some parasitic Hymenoptera in relation to characteristics of their hosts. *Canadian Entomologist* 128(3): 413-433.
- Ramachran Nair, K. & Rao, V.P. 1972.** Results of a survey for natural enemies of potato tuber moth, *Phthorimaea operculella* (Zeller) (Lep.: Gelechiidae) in Mysore State and the parasites reared from Maharashtra State. *Commonwealth Institute of Biological Control Technical Bulletin* 15: 115-130.
- Ramachran Nair, K. 1988.** Field parasitism by *Apanteles flavipes* Cam. (Hymenoptera: Braconidae) on *Chilo partellus* Swinh. in *Coix lachryma-jobi* L. and *Chilo auricilius* (Dudgn.) in sugarcane in India. *Entomon* 13(3-4): 283-287.
- Ramachran, R. & Norris, D.M. 1991.** Volatiles mediating plant-herbivore-natural enemy interactions: electroantennogram responses of soybean looper, *Pseudoplusia includens*, and a parasitoid, *Microplitis demolitor*, to green-leaf volatiles. *Journal of Chemical Ecology* 17: 1665-1691.
- Ramachran, R., Norris, D.M., Phillips, J.K. & Phillips, T.W. 1991.** Volatiles mediating plant-herbivore-natural enemy interactions: soybean looper frass volatiles, 3-octanone and guaiacol, as kairomones for the parasitoid *Microplitis demolitor*. *Journal of Agricultural and Food Chemistry* 39(12): 2310-2317.
- Ramadan, M.M., Wong, T.T.Y. & Beardsley, J.W. 1989.** Insectary production of *Biosteres tryoni* (Cameron) (Hymenoptera: Braconidae), a larval parasitoid of *Ceratitidis capitata* (Weidemann) (Diptera: Tephritidae). *Proceedings of the Hawaiian Entomological Society* 29: 41-49.
- Ramadan, M.M., Wong, T.T.Y. & Beardsley, J.W. 1989.** Survivorship, potential, and realized fecundity of *Biosteres tryoni* (Hymenoptera: Braconidae), a larval parasitoid of *Ceratitidis capitata* (Diptera: Tephritidae). *Entomophaga* 34(3): 291-297.
- Ramadan, M.M. & Wong, T.T.Y. 1990.** Effect of gamma radiation on *Biosteres longicaudatus* (Ashmead) (Hymenoptera: Braconidae), a larval parasitoid of *Dacus dorsalis* Hendel (Diptera: Tephritidae). *Proceedings of the Hawaiian Entomological Society* 29: 111-114.
- Ramadan, M.M., Wong, T.T.Y. & Wong, M.A. 1991.** Influence of parasitoid size and age on male mating success of Opiinae (Hymenoptera: Braconidae), larval parasitoids of fruit flies (Diptera: Tephritidae). *Biological Control* 1(3): 248-255.
- Ramadan, M.M. & Beardsley, J.W. 1992.** Supernumerary molts in the first instar of *Diachasmimorpha tryoni* (Cameron) (Hymenoptera: Braconidae: Opiinae). *Proceedings of the Hawaiian Entomological Society* 31: 235-237.
- Ramadan, M.M., Wong, T.T.Y. & Beardsley, J.W. 1992.** Reproductive behavior of *Biosteres arisanus* (Sonan) (Hymenoptera: Braconidae), an egg-larval parasitoid of the oriental fruit fly. *Biological Control* 2(1): 28-34.
- Ramadan, M.M., Wong, T.T.Y. & Herr, J.C. 1994.** Is the oriental fruit fly (Diptera: Tephritidae) a natural host for the opiine parasitoid *Diachasmimorpha tryoni* (Hymenoptera: Braconidae)? *Environmental Entomology* 23(3): 761-769.
- Ramadan, M.M., Wong, T.T.Y. & Herr, J.C. 1994.** Is the oriental fruit fly (Diptera: Tephritidae) a natural host for the opiine parasitoid *Diachasmimorpha tryoni* (Hymenoptera: Braconidae)? *Environmental Entomology* 23(3): 755-760.
- Ramadan, M.M., Wong, T.T.Y. & McInnis, D.O. 1994.** Reproductive biology of *Biosteres arisanus* (Sonan) an egg-larval parasitoid of the Oriental fruit fly. *Biological Control* 4(2): 93-100.
- Ramadan, M.M., Wong, T.T.Y. & Messing, R.H. 1995.** Reproductive biology of *Biosteres vandenboschi* (Hymenoptera: Braconidae), a parasitoid of early-instar oriental fruit fly. *Annals of the Entomological Society of America* 88(2): 189-195.
- Ramadhane, A.M. & Ihsan, S.I. 1999.** Biological characteristics related to the life cycle of the cabbage large butterfly *Pieris brassica* L. (Lepidoptera: Pieridae) and associated endo-parasitoids. *Arab Journal of Plant Protection* 17(1): 45-48.
- Ramani, S. & Ballal, C.R. 1994.** Influence of change of host on handling time and its variation in *Chelonus Blackburni* Cameron (Hymenoptera: Braconidae). *Insect & Environment* 5: 81-86.
- Ramaseshiah, G., Bhat, K.V. & Dharmadhikari, P.R. 1968.** Influence of host aphid host plant and temperature on the laboratory breeding of *Lysiphlebus testaceipes*. *Indian Journal of Entomology* 30: 281-285.
- Ramirez, B.W. & Marsh, P.M. 1996.** A review of the genus *Psenobolus* (Hymenoptera: Braconidae) from Costa Rica, an inquiline fig wasp with brachypterous males, with descriptions of two new species. *Journal of Hymenoptera Research* 5: 64-72.
- Ramirez-Guevara, G. & Zuluaga, C.J.I. 1995.** Identification of hymenopterous parasitoids of aphids on cotton, *Citrus* and horticultural crops in Valle del Cauca. *Revista Colombiana de Entomologia* 21(2): 71-76.
- Rana, R.L., Dahlman, D.L. & Webb, B.A. 2002.** Expression and characterization of a novel teratocyte protein of the braconid, *Microplitis croceipes* (Cresson). *Insect Biochemistry and Molecular Biology* 32(11): 1507-1516.
- Ranaldi, F. & Santoni, M. 1987.** The parasitoids of the olive fly *Dacus oleae* (Gmel.). *Informatore Fitopatologico* 37(11): 15-18.
- Rangadhamaiah, K. 1980.** Bionomics of the egg larval parasite, *Chelonus Blackburni* Cameron (Hymenoptera: Braconidae) on *Heliothis armigera* (Hübner) and its possible use in the pigeon pea pod borer control. *Thesis Abstracts Haryana Agricultural University* 6(3) 1980: 187-188.
- Rangadhamaiah, K., Thontadarya, T.S. & Rao, K.J. 1985.** Bionomics of the egg-larval parasite, *Chelonus Blackburni* Cameron (Hymenoptera: Braconidae) on the 'tur' pod borer, *Heliothis armigera* (Hübner) (Lepidoptera: Noctuidae). *Mysore Journal of Agricultural Sciences* 18(3) 1984.: 203-207.

- Rangadhamaiah, K., Thontadarya, T.S. & Rao, K.J. 1985. Studies on the superparasitism and its avoidance in the egg-larval parasite, *Chelonus blackburni* Cameron (Hymenoptera: Braconidae). Mysore Journal of Agricultural Sciences 18(4): 286-288.
- Rangadhamaiah, K., Thontadarya, T.S. & Jai Rao, K. 1987. A note on the preference for oviposition of *Chelonus blackburni* Cameron (Hym.: Braconidae) on *Heliothis armigera* (Hübner) infesting different parts of pigeon pea. University of Agricultural Sciences Bangalore Current Research 16(6): 81.
- Rangadhamaiah, K., Thontadarya, T.S. & Jai Rao, K. 1987. Suitability of the eggs of the pigeon pea pod borer of various ages for parasitisation by *Chelonus blackburni* Cameron (Hym.: Braconidae). University of Agricultural Sciences Bangalore Current Research 16(6): 80.
- Rao, B.N. & Patel, R.C. 1974. Bionomics of *Chelonus formosanus* Sonan, an egg-larval parasite of *Spodoptera litura* (F.). Indian Journal of Entomology 36: 103-109.
- Rao, G.M.V.P., Ramani, S. & Singh, S.P. 2001. Field parasitisation of the maize stem borer, *Chilo partellus* (Swinhoe) (Lepidoptera: Pyralidae) in Bangalore. Journal of Biological Control 15(2): 193-195.
- Rao, G.M.V.P., Ramani, S. & Singh, S.P. 2001. Studies on *Cotesia flavipes* and *Tetrastichus howardi* - parasitoids of the maize stem borer *Chilo partellus* (Swinhoe). Insect Environment 7(3): 112-113.
- Rao, K.J. & Suhas, Y. 1987. Competition and survival of two parasites, *Chelonus blackburni* Cameron and *Trichogramma achaeae* Nagaraja and Nagarkatti in a single host during multiple parasitism. Journal of Biological Control 1(1): 1-3.
- Rao, N.S. & Barwal, R.N. 1983. Natural enemies of greasy cut worm, *Agrotis ipsilon* Hafner (Noctuidae: Lepidoptera) in Manipur. Science and Culture 49(12): 408.
- Rao, R.S.N., Sreedhar, U., Rao, S.G. & Satyavani, J.V.R. 1994. Bio-environmental control of *Heliothis armigera* in FCV tobacco. Tobacco Research 20(1): 36-39.
- Rao, S.N. 1969. Studies on Indian Ichneumonidae (Hymenoptera Parasitica). Journal of the Bombay Natural History Society 66(1): 222-226.
- Rao, S.N. & Chalikwar, M.R. 1970. A new species of the genus *Apanteles* Förster (Hymenoptera: Braconidae) from Marathwada. Bulletin of Entomology. India 11(1): 11-14.
- Rao, S.N. & Chalikwar, M.R. 1970. Four new species of the Braconid genus *Protomicroplitis* Ashmead from India and a key to the Oriental species. Bulletin of Entomology. India 11: 102-115.
- Rao, S.N. & Chalikwar, M.R. 1970. Studies on Indian parasitic Hymenoptera (Braconidae) from Marathwada-1. Marathwada University Journal of Sciences 9: 107-112.
- Rao, S.N. & Chalikwar, M.R. 1971. Studies on parasitic Hymenoptera (Braconidae) from Marathwada-5. Marathwada University Journal of Sciences 10(3): 181-186.
- Rao, S.N. & Chalikwar, M.R. 1971. Studies on parasitic Hymenoptera (Braconidae) from Marathwada: III. Three new species of *Chelonus* Panzer. Oriental Insects 5(4): 469-476.
- Rao, S.N. & Chalikwar, M.R. 1976. Studies on Indian parasitic Hymenoptera Braconidae with special reference to *Apanteles* Förster from Marathwada. Marathwada University Journal of Sciences 14(7): 183-188.
- Rao, S.N. & Chalikwar, M.R. 1976. Two new species of *Protomicroplitis* Ashmead (Hymenoptera, Braconidae: Microgasterinae). Oriental Insects 9(4): 439-445.
- Rao, S.N. & Singh, R. 1995. Biological control of *Aphis gossypii* Glover on cucurbits by a parasitic wasp *Trioxys indicus* Subba Rao & Sharma. Biological Agriculture and Horticulture 12(3): 227-236.
- Rao, V.N. & Nagaraja, H. 1967. Validity of the specific status of *Apanteles chilonis* (Munakata). Commonwealth Institute of Biological Control Technical Bulletin 9: 45-49.
- Rao, V.N. & Behera, K.S. 1986. Biology of *Eupteromalus parnarae* Gahan, a hyperparasite of *Cardiochiles nigricollis* Cameron (Hymenoptera: Pteromalidae). Indian Journal of Agricultural Sciences 56(5): 394-395.
- Rao, V.P., Basu, A.N., Phalak, V.R., Chacko, M.J. & Dinesh Rao, H. 1968. Some new parasites of rice stem borers in India. Proceedings of the Indian Academy of Sciences. (B)68: 91-110.
- Rao, V.P., Chacko, M.J., Phalak, V.R. & Dinesh Rao, H. 1969. Leaf-feeding caterpillars of paddy and their natural enemies in India. Journal of the Bombay Natural History Society 66: 455-477.
- Rao, V.P. 1972. Rice stem borers and their natural enemies in India, Pakistan, Ceylon and Malaysia. Mushi 45(Suppl.): 7-23.
- Raske, A.G. 1978. Parasites of birch casebearer larvae in Newfoundland (Lep.: Coleophoridae). Entomophaga 23(1): 103-108.
- Rasnitsyn, A.P. 1966. [Key to superfamilies and families of Hymenoptera.] Entomologicheskoye Obozreniye 45: 599-611. [Entomological Review 45: 340-347.].
- Rasnitsyn, A.P. 1983. Ichneumonoidea (Hymenoptera) from the lower Cretaceous of Mongolia. Contributions to the American Entomological Institute 20: 259-265.
- Rasnitsyna, N.M. & Gordeichuk, A.I. 1985. [Prospects for using the Mediterranean flour moth.] Zashchita Rastenii (Moscow) 1985(5): 36-37.
- Raspi, A. & Loni, A. 1994. Notes on *Opius concolor* (Szépl.) (Hymenoptera: Braconidae) breeding and recent introduction in Tuscany and Liguria. Frustula Entomologica 17: 135-145.
- Raspi, A., Canovai, R. & Antonelli, R. 1997. [*Bactrocera oleae* (Gmelin) infestation trend in olive groves of the Maremma Regional Park.] Frustula Entomologica 19 32: 189-198.
- Raspi, A. & Zhang, L. 1999. Learning behaviour of *Opius concolor* Szépligeti (Hymenoptera: Braconidae) in host discrimination. Entomologia Sinica 6(3): 259-266.
- Raspi, A. & Canale, A. 2000. Effect of superparasitism on *Ceratitis capitata* (Wiedemann) (Diptera Tephritidae) second instar larvae by *Psytalia concolor* (Szépligeti) (Hymenoptera Braconidae). Redia 83: 123-131.
- Rasplus, J.Y. 1990. Spatio-temporal structure of a parasitoid community associated with seminivorous Coleoptera of legumes in Lamto (RCI). Bulletin de la Société Entomologique de France 95(1-2): 5-15.
- Rassel, A. 1981. Étude des variations des sculptures de l'aire laterale du petiole d'*Aphidius frumentarius* Latteur (Hymenoptera Aphidiidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 117(1-3): 71-78.
- Rathman, R.J. & Watson, T.F. 1985. A survey of early-season host plants and parasites of *Heliothis* spp. in Arizona. Journal of Agricultural Entomology 2(4): 388-394.
- Rauleder, H. 2002. Observations on the biology of the plum fruit moth (*Cydia funebrana*). Gesunde Pflanzen 54(8): 241-248.
- Rauwald, K.S. & Ives, A.R. 2001. Biological control in disturbed agricultural systems and the rapid recovery of parasitoid populations. Ecological Applications 11(4): 1224-1234.
- Ravelo, H.G. & Triana-Fern & ez, J.L. 1997. Natural enemies of *Toxoptera citricidus* (Kirkaldy) in the oriental region of Cuba. Centro Agrícola 24(1): 78-80.
- Rawat, R.R. & Verma, S.K. 1980. Parasites of *Spodoptera litura* (Fabricius) from Madhya Pradesh. Jnkvv (Jawaharlal Nehru Krishi Vishwa Vidyalaya) Research Journal 10(4): 413.
- Rawat, U.S., Pawar, A.D. & Sidhu, S.S. 1988. New record of *Apanteles vitripennis* Hal. (Hymenoptera: Braconidae) on anar fly, *Deudorix epijarbus* Moor from Solan, Himachal Pradesh, India. Journal of Advanced Zoology 9(2): 144.
- Rawat, U.S., Pawar, A.D., Singh, R. & Chand, R. 1989. Natural parasitism of pomegranate butterfly, *Deudorix epijarbus* Moore in mid-hill regions of Solan and Sirmour, Himachal Pradesh. Journal of Biological Control 3(1): 65-66.

- Rawat, U.S., Singh, R. & Pawar, A.D. 1990.** Record of a hyperparasitoid on *Apanteles glomeratus* Linn. from Himachal Pradesh. Plant Protection Bulletin Faridabad 42(3, 4): 28.
- Rawat, U.S. & Pawar, A.D. 1993.** Biocontrol of tomato fruit borer, *Heliothis armigera* (Hübner) in Himachal Pradesh, India. Plant Protection Bulletin Faridabad 45(2-3): 34.
- Raychaudhuri, D.N., Dutta, S., Agarwala, B.K., Basant, K., Raychaudhuri, D. & Raha, S.K. 1978.** Some parasites and predators of aphids in northeastern India and Bhutan. Entomon. 3(1): 91-94.
- Raychaudhuri, D.N., Dutta, S., Agarwala, B.K., Raha, S.K. & Raychaudhuri, D. 1979.** Some parasites and predators of aphids in northeastern India and Bhutan. II. Entomon 4: 163-166.
- Raychaudhuri, D.N., Poddar, S.C. & Raychaudhuri, D. 1982.** Study of the genus *Aphidius* (Hymenoptera: Aphidiidae) of India. Entomon 7: 11-22.
- Raychaudhuri, D., Samanta, A.K., Pramanik, D.R., Tamili, D.K. & Sarkar, S. 1990.** Aphidiids (Hymenoptera) of Northeast India. Michigan: 1-155.
- Raychaudhuri, D. 1992.** Aphidiids in aphid control: 49-54. In: Ananthakrishnan, T.N. [ed.]. "Emerging trends in biological control of phytophagous insects." New Delhi, Bombay & Calcutta: 1-255.
- Raymond, B., Darby, A.C. & Douglas, A.E. 2000.** Intraguild predators and the spatial distribution of a parasitoid. Oecologia 124(3): 367-372.
- Razowski, J. & Wiackowski, S.K. 1999.** Contribution to the knowledge of Braconidae (Hymenoptera), parasitoids of Lepidoptera. Wiadomosci Entomologiczne 18(4): 247-250.
- Read, D.C. & Morris, R.F. 1964.** The occurrence and life history of the leaf tier, *Cnephasia virgureana* Treit. (Lepidoptera: Tortricidae), and its parasites in Newfoundland and Prince Edward Island. Canadian Entomologist 96: 1336-1339.
- Read, D.P., Feeny, P.P. & Root, R.B. 1970.** Habitat selection by the aphid parasite *Diaeretiella rapae* (Hymenoptera: Braconidae) and hyperparasite *Charips brassicae* (Hymenoptera: Cynipidae). Canadian Entomologist 102: 1567-1578.
- Reardon, R., Metterhouse, W. & Balaam, R. 1979.** Impact of aerially applied *Bacillus thuringiensis* and carbaryl on gypsy moth (Lepidoptera: Lymantriidae) and adult parasites. Entomophaga 24(3): 305-310.
- Reardon, R.C. 1970.** A new species of *Rogas* parasitic on the gypsy moth, *Porthetria dispar* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 72(4): 473-475.
- Reardon, R.C., Statler, M.W. & McLane, W.W. 1973.** Rearing techniques and biology of five gypsy moth parasites. Environmental Entomology 2(1): 124-127.
- Reardon, R.C. 1976.** Parasite incidence and ecological relationships in field populations of gypsy moth larvae and pupae. Environmental Entomology 5(5): 981-987.
- Reardon, R.C. & Podgwaite, J.D. 1976.** Disease-parasitoid relationships in natural populations of *Lymantria dispar* (Lep.: Lymantriidae) in the northeastern United States. Entomophaga 21(4): 333-341.
- Rechav, Y. 1974.** Effects of common insecticide applied to cotton on adults of a braconid parasitoid, *Chelonus inanitus* (L.). Environmental Entomology 3: 737-738.
- Rechav, Y. 1975.** Biological and ecological studies of the parasitoid *Chelonus inanitus* (Hym.: Braconidae) in Israel. I. Distribution, abundance and parasitism in natural host populations. Entomophaga 20(4): 365-372.
- Rechav, Y. & Orion, T. 1975.** The development of the immature stage of *Chelonus inanitus*. Annals of the Entomological Society of America 68: 457-462.
- Rechav, Y. 1976.** Biological and ecological studies of the parasitoid *Chelonus inanitus* (Hym.: Braconidae) in Israel. II. Releases of adults in a cotton field. Journal of the Entomological Society of South Africa 39(1): 83-85.
- Rechav, Y. 1978.** Biological and ecological studies of the parasitoid *Chelonus inanitus* (Hym.: Braconidae) in Israel. III. Effects of temperature, humidity and food on the survival of the adult. Entomophaga 23(1): 89-94.
- Rechav, Y. 1978.** Biological and ecological studies of the parasitoid *Chelonus inanitus* (Hym.: Braconidae) in Israel. IV. Oviposition, host preferences and sex ratio. Entomophaga 23(1): 95-102.
- Rechmany, N., Miller, R.H., Traboulsi, A.F. & Kfoury, L. 1993.** The Russian wheat aphid, *Diuraphis noxia* (Kurdjumov) (Homoptera: Aphididae), and its natural enemies in northern Syria. Arab Journal of Plant Protection 11(2): 99-92.
- Reddy, C.N. & Singh, T.V.K. 1998.** Life table studies of diamondback moth on cabbage at Hyderabad. Indian Journal of Entomology 60(4): 321-325.
- Reddy, G.R.S., Sreelatha, & Divakar, B.J. 1997.** Toxicity of six insecticides to two species of Bracon. Indian Journal of Plant Protection 25(2): 135-136.
- Reddy, G.R.S. & Divakar, B.J. 1998.** Relative toxicity of nine insecticides to *Bracon kirkpatricki* and *Chrysoperla carnea*. Plant Protection Bulletin Faridabad 50(1-4): 9-10.
- Reddy, G.V.P. & Guerrero, A. 2000.** Pheromone-based integrated pest management to control the diamondback moth *Plutella xylostella* in cabbage fields. Pest Management Science 56(10): 882-888.
- Reddy, G.V.P., Holopainen, J.K. & Guerrero, A. 2002.** Olfactory responses of *Plutella xylostella* natural enemies to host pheromone, larval frass, and green leaf cabbage volatiles. Journal of Chemical Ecology 28(1): 131-143.
- Reddy, K.B., Sreedharan, K., Prakasan, C.B. & Bhat, P.K. 1990.** New records of natural enemies of *Planococcus* spp., *Coccus viridis* (Green) and *Ferrisia virgata* (Cockerell) on coffee in India. Journal of Coffee Research 20(2): 153-156.
- Reddy, P.V.R. & Srikanth, J. 1996.** Effect of plant extracts on larval parasitoid, *Cotesia flavipes* (Cameron) and its parasitisation efficacy. Insect Environment 2(3): 106-108.
- Redolfi de Huiza, I. & Vargas de Pitta, G. 1985.** *Apanteles gelechiidivoris* Marsh (Hym., Braconidae) parasitoid de las polillas de la papa (Lep., Gelechiidae) en el Peru. Revista Peruana de Entomologia 26(1): 5-7.
- Redolfi de Huiza, I. & Marin, L.R. 1993.** Los controladores biológicos de *Spodoptera eridania* (Cramer) en la costa central del Peru. Revista Peruana de Entomologia 35 (Diciembre 1992): 121-124.
- Redolfi de Huiza, I. 1995.** Diversidad de Braconidae (Hymenoptera) en el Peru. [Diversity of Braconidae (Hymenoptera) in Peru]. Revista Peruana de Entomologia 37(11 Setiembre 1994): 11-22.
- Redolfi, I. & Campos, M. 1997.** Interaction between *Chelonus eleaphilus* (Hymenoptera: Braconidae) and *Prays oleae* (Lepidoptera, Plutellidae). Interaccion entre *Chelonus eleaphilus* (Hymenoptera: Braconidae) y *Prays oleae* (Lepidoptera, Plutellidae). Zoologica Baetica 8: 221-230.
- Reed, D.A. & Beckage, N.E. 1997.** Inhibition of testicular growth and development in *Manduca sexta* larvae parasitized by the braconid wasp *Cotesia congregata*. Journal of Insect Physiology 43(1): 29-38.
- Reed, D.A., Loeb, M.J. & Beckage, N.E. 1997.** Inhibitory effects of parasitism by the gregarious endoparasitoid *Cotesia congregata* on host testicular development. Archives of Insect Biochemistry and Physiology 36(2): 95-114.
- Reed, D.A., Brown, J.J., Pennacchio, E., Vinson, S.B. & Lanzrein, B. 1998.** Host/parasitoid interactions: critical timing of parasitoid-derived products. Parasitoid-host interactions at the physiological and molecular level. Journal of Insect Physiology 44(9): 721-732.

- Reed, D.K., Webster, J.A., Jones, B.G. & Burd, J.D. 1991. Tritrophic relationships of Russian wheat aphid (Homoptera: Aphididae), a hymenopterous parasitoid (*Diaeretiella rapae* M'Intosh), and resistant and susceptible small grains. *Biological Control* 1(1): 35-41.
- Reed, D.K., Elliott, N.C., Flanders, R.V., Hein, G.L., Karner, M.A., Michels, G.J. Jr. & Walker, C.B. 1992. Caged versus uncaged releases of Russian wheat aphid natural enemies in four states in spring, 1991. Great Plains Agricultural Council Publication 142: 164-169.
- Reed, D.K., Kindler, S.D. & Springer, T.L. 1992. Interactions of Russian wheat aphid, a hymenopterous parasitoid and resistant and susceptible slender wheatgrasses. *Entomologia Experimentalis et Applicata* 64(3): 239-246.
- Reed, D.K., Hamissou, T., Burd, J.D., Elliott, N.C. & Kindler, S.D. 1993. Relationship of an aphid parasitoid's larval growth characteristics and mummy weight. *Southwestern Entomologist* 18(4): 245-250.
- Reed, H.C., Reed, D.K. & Elliott, N.C. 1992. Comparative life table statistics of *Diaeretiella rapae* and *Aphidius matricariae* on the Russian wheat aphid. *Southwestern Entomologist* 17(4): 307-313.
- Reed, H.C., Tan, S., Reed, D.K., Elliott, N.C., Burd, J.D. & Walker, T. 1994. Evidence for a sex attractant in *Aphidius colemani* Viereck with potential use in field studies. *Southwestern Entomologist* 19(3): 273-278.
- Reed, H.C., Tan, S.H., Haapanen, K., Killmon, M., Reed, D.K. & Elliott, N.C. 1995. Olfactory responses of the parasitoid *Diaeretiella rapae* (Hymenoptera: Aphidiidae) to odor of plants, aphids, and plant-aphid complexes. *Journal of Chemical Ecology* 21(4): 407-418.
- Reede, R.H. de, Groendijk, R.F. & Wit, A.K.H. 1984. Field tests with the insect growth regulators, epofenonane and fenoxycarb, in apple orchards against leafrollers and side-effects on some leafroller parasites. *Entomologia Experimentalis et Applicata* 35: 275-281.
- Reed-Larsen, D.A. & Brown, J.J. 1990. Embryonic castration of the codling moth, *Cydia pomonella* by an endoparasitoid, *Ascogaster quadridentata*. *Journal of Insect Physiology* 36(2): 111-118.
- Reena, M.J.T. & Goud, K.B. 2002. A modified method for rearing *Cotesia plutellae* Kurdyumov (Hymenoptera: Braconidae), a larval endoparasitoid on diamondback moth. *Journal of Biological Control* 16(1): 15-18.
- Reeves, W.K. & Disney, R.H.L. 1999. Taxonomy and biology of two Nearctic species of cavernicolous scuttle flies (Diptera: Phoridae). *Studia Dipterologica* 6(1): 207-218.
- Regnière, J. & Cooke, B.J. 1999. Cooke's Bt efficacy model: user's guide to the decision-support tool for control of spruce budworm populations with *Bacillus thuringiensis*. Information Report Laurentian Forestry Centre, Quebec Region, Canadian Forest Service. No. LAU X-124: i-v + 1-24.
- Regnière, J. 1984. A method of describing and using variability in development rates for the simulation of insect phenology. *Canadian Entomologist* 116(10): 1367-1376.
- Reimer, N.J. & Beardsley, J.W. 1986. Some notes on parasitization of *Blepharomastrix ebulealis* (Guenée) (Lepidoptera: Pyralidae) in Oahu forests. *Proceedings of the Hawaiian Entomological Society* 27: 91-93.
- Reinert, J.A. & King, E.W. 1971. Action of *Bracon hebetor* Say as a parasite of *Plodia interpunctella* at controlled densities. *Annals of the Entomological Society of America* 64(6): 1335-1340.
- Reis, J., Oliveira, L. & Garcia, P. 2003. Effects of the larval diet of *Pseudaletia unipuncta* (Lepidoptera: Noctuidae) on the performance of the parasitoid *Glyptapanteles militaris* (Hymenoptera: Braconidae). *Environmental Entomology* 32(1): 180-186.
- Rema, C.G. & Narendran, T.C. 1996. A remarkable new genus of Braconidae (Hymenoptera) from India. *Journal of the Bombay Natural History Society* 93: 264-267.
- Remaudière, G. & Leclant, F. 1971. Le complexe des ennemis naturels des Aphides du Pêcher dans la moyenne vallée du Rhône. *Entomophaga* 16(3): 255-267.
- Remaudière, G. & Starý, P. 1993. Spontaneous arrival in the Parisian region of the aphidiid hymenopteran *Pauesia cedrobii*, parasite of the cedar aphid *Cedrobium laportei*. *Revue Française d'Entomologie* 15(4): 157-158.
- Rendon, F., Siabatto, A., Herrera, M.A. & Alvarez, A.G. 1990. Results of a pilot programme to monitor the resistance of *Heliothis virescens* (Fabricius) to methyl parathion and pyrethroids in the cotton region of Espinal, 1988 harvest. *Revista Colombiana de Entomologia* 16(1): 16-22.
- Renesto, E. & Terada, Y. 1992. Relationship between the parasitoid *Apanteles ayerzai* (Brèthes, 1920) (Hymenoptera: Braconidae) and *Ascia monuste orseis* (Godart, 1819) (Lepidoptera: Pieridae): effects of host age. *Ciencia e Cultura* 42(11): 967-970.
- Rensburg, N.J. van 1992. The black pine aphid: a success story. *Plantbeskermingsnuus* 28: 5-6.
- Resende Netto Cirelli, K. & Penteado-Dias, A.M. 2003. [Analysis of the faunal richness of Braconidae (Hymenoptera Ichneumonoidea) in natural remnants of the protected area of Descalvado, Sao Paulo.] *Análise da riqueza da fauna de Braconidae (Hymenoptera Ichneumonoidea) em remanescentes naturais da Área de Proteção Ambiental (APA) de Descalvado, SP.* *Revista Brasileira de Entomologia* 47(1): 89-98.
- Resende Netto Cirelli, K. & Penteado-Dias, A.M. 2003. Phenology of Braconidae (Hymenoptera Ichneumonoidea) of the protected area of Descalvado, Sao Paulo. *Fenologia dos Braconidae (Hymenoptera, Ichneumonoidea) da Área de Proteção Ambiental (APA) de Descalvado, SP.* *Revista Brasileira de Entomologia* 47(1): 99-105.
- Rethwisch, M.D. & Manglitz, G.R. 1987. Distribution and parasitoids of the blue alfalfa aphid *Acyrtosiphon kondoi* Shinji (Homoptera: Aphididae) in Nebraska. *Journal of the Kansas Entomological Society* 60(4): 557-561.
- Rethwisch, M.D. & Manglitz, G.R. 1990. Parasitism by *Praon pequodorum* Viereck (Hymenoptera: Aphidiidae): preferences for blue alfalfa aphid and pea aphid (Homoptera: Aphididae) and impact on aphid reproduction. *Journal of the Kansas Entomological Society* 63(2): 298-303.
- Reymonet, C., Gari, J.V.F. & Mari, J.M. 1993. Survey of the parasitoids of the European sunflower moth *Homoeosoma nebulella* (Lep.: Pyralidae) in the Palearctic region. *Entomophaga* 38(3): 355-358.
- Rezende, M.A.A., Cruz, I. & Della-Lucia, T.M.C. 1994. Foliar consumption of maize and development of larvae of *Spodoptera frugiperda* (Smith) parasitized by *Chelonus insularis* (Cresson) (Hymenoptera: Braconidae). *Anais da Sociedade Entomológica do Brasil* 23(3): 473-478.
- Rezende, M.A.A., Cruz, I. & Della-Lucia, T.M.C. 1995. Behaviour of parasitized fall armyworm larvae *Spodoptera frugiperda* by *Chelonus insularis* (Hymenoptera: Braconidae) on corn plants. *Revista Brasileira de Entomologia* 39(3): 675-681.
- Rezende, M.A.A., Cruz, I. & Lucia, T.M.C.D. 1995. Biological aspects of the parasitoid *Chelonus insularis* (Cresson) (Hymenoptera: Braconidae) reared on eggs of *Spodoptera frugiperda* (Smith) (Lepidoptera: Braconidae). *Revista Brasileira de Zoologia* 12(4): 779-784.
- Rezende, M.A.A., Della Lucia, T.M.C., Cruz, I. & Vilela, E.F. 1995. Courtship, mating and oviposition behavior of *Chelonus insularis* (Hymenoptera, Braconidae) reared in *Spodoptera frugiperda*'s eggs. *Revista Brasileira de Biologia* 55(4)(parte i): 555-558.

- Rezk, G.N., El.Heneidy, A.H., Hekal, A.M. & Abdel-Samad, S.S. 2000. Morphological and biological observations on the aphid parasitoid *Lysiphlebus fabarum* Marshall (Hymenoptera: Braconidae). Egyptian Journal of Agricultural Research 78(3): 1063-1072.
- Reznik, S.Y., Chernoguz, D.G. & Zinovjeva, K.B. 1992. Host searching, oviposition preferences and optimal synchronization in *Alysia manducator* (Hymenoptera: Braconidae), a parasitoid of the blowfly, *Calliphora vicina*. Oikos 65(1): 81-88.
- Reznik, S.Y. & Chernoguz, D.G. 1988. Temporal alteration of hosts substrate limits host detection behaviour in *Alysia manducator* Panz. parasitic hymenopteran. Zhurnal Obshchei Biologii 49(4): 520-526.
- Rhoads, L. 1987. Gypsy moth parasites. E.S.P. Newsletter 23(2): 4-6.
- Rice, M.E. & Wilde, G.E. 1988. Experimental evaluation of predators and parasitoids in suppressing greenbugs (Homoptera: Aphididae) in sorghum and wheat. Environmental Entomology 17(5): 836-841.
- Rice, R.E., Flaherty, D.L. & Jones, R.A. 1988. The obliquebanded leafroller: a new pest in pistachios? California Agriculture 42(1): 27-29.
- Richards, O.W. 1967. Some British species of *Leiophron* Nees (Hymenoptera: Braconidae, Euphorinae), with the description of two new species. Transactions of the Royal Entomological Society of London 119: 171-186.
- Richards, O.W. 1977. Hymenoptera. Introduction and key to families. Handbooks for the Identification of British Insects. London 6(1): 1-94.
- Richerson, J.V. 1970. A world list of parasites of Coccinellidae. Journal of the Entomological Society of British Columbia 67: 33-48.
- Richerson, J.V. & Borden, J.H. 1971. Sound and vibrations are not obligatory host finding stimuli for the bark beetle parasite *Coeloides brunneri* (Hymenoptera: Braconidae). Entomophaga 16(1): 95-99.
- Richerson, J.V., Borden, J.H. & Hollingdale, J. 1972. Morphology of a unique sensillum placodeum on the antennae of *Coeloides brunneri*. Canadian Journal of Zoology 50: 909-913.
- Richerson, J.V. & Borden, J.H. 1972. Host finding behavior of *Coeloides brunneri* (Hymenoptera: Braconidae). Canadian Entomologist 104: 1235-1250.
- Richerson, J.V. & Borden, J.H. 1972. Host finding by heat perception in *Coeloides brunneri* (Hymenoptera: Braconidae). Canadian Entomologist 104: 1877-1881.
- Richerson, J.V. & DeLoach, C.J. 1972. Some aspects of host selection by *Perilitus coccinellae*. Annals of the Entomological Society of America 65(4): 834-839.
- Richerson, J.V. & DeLoach, C.J. 1973. Seasonal abundance of *Perilitus coccinellae* and its coccinellid hosts and degree of parasitism in central Missouri. Environmental Entomology 2(1): 138-141.
- Riddick, E.W. 2001. Effect of cold storage on emergence, longevity, fertility, and survival of *Cotesia marginiventris* (Cresson) (Hymenoptera, Braconidae). Journal of Entomological Science 36(4): 366-379.
- Riddick, E.W. 2002. Superparasitism occasionally predisposes *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae) to develop gregariously in *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). Journal of Entomological Science 37(1): 1-9.
- Riddick, E.W. 2002. Superparasitism occasionally predisposes *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae) to develop gregariously in *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). Journal of Entomological Science 37(1): 1-9.
- Ridgway, N.M. & Mahr, D.L. 1985. Natural enemies of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), in sprayed and unsprayed apple orchards in Wisconsin. Environmental Entomology 14(4): 459-463.
- Ridgway, N.M. & Mahr, D.L. 1986. Monitoring adult flight of *Pholetesor ornigis* (Hymenoptera: Braconidae), a parasitoid of the spotted tentiform leafminer (Lepidoptera: Gracillariidae). Environmental Entomology 15: 331-334.
- Ridgway, N.M. & Mahr, D.L. 1989. Laboratory methods for rearing spotted tentiform leafminer (Lepidoptera: Gracillariidae) and two of its parasitoids. Journal of Economic Entomology 82(1): 319-321.
- Ridgway, N.M. & Mahr, D.L. 1990. Effect of host instar on successful parasitism by *Pholetesor ornigis* (Hymenoptera: Braconidae), parasitoid of *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae). Environmental Entomology 19(4): 1097-1102.
- Ridgway, N.M. & Mahr, D.L. 1990. Reproduction, development, and longevity of *Pholetesor ornigis* (Hymenoptera: Braconidae), a parasitoid of spotted tentiform leafminer (Lepidoptera: Gracillariidae), in the laboratory. Annals of the Entomological Society of America 83(4): 790-794.
- Riedel, M., Hansen, L.O. & Berg, O. 2002. Braconidae (Hymenoptera) of Norway, Part I. Norwegian Journal of Entomology 49(2): 97-108.
- Riegel, G.T. 1982. The American species of Dacninae, excluding certain Dacnini (Hymenoptera: Braconidae). Novitates Arthropodae 1(3): 1-185.
- Rieske, L.K., Hunt, D.W.A. & Raffa, K.F. 1989. *Microctonus pachylobii* (Hymenoptera: Braconidae) parasitizes *Hylobius weevils* in Wisconsin: new host genus and geographic records. Entomological News 100(4): 153-154.
- Rigaux, M., Vernon, P. & Hance, T. 2000. Relationship between acclimation of *Aphidius rhopalosiphii* (de Stefani-Perez) in autumn and its cold tolerance (Hymenoptera: Braconidae, Aphidiinae). Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 65(2a): 253-263.
- Riggin, T.M., Espelie, K.E., Wiseman, B.R. & Isenhour, D.J. 1993. Distribution of fall armyworm (Lepidoptera: Noctuidae) parasitoids on five corn genotypes in south Georgia. Florida Entomologist 76(2): 292-302.
- Riggin, T.M., Isenhour, D.J. & Espelie, K.E. 1992. Effect on *Cotesia marginiventris* (Hymenoptera: Braconidae) when rearing host fall armyworm (Lepidoptera: Noctuidae) on meridic diet containing foliage from resistant or susceptible corn genotypes. Environmental Entomology 21(1): 214-219.
- Riggin, T.M., Wiseman, B.R., Isenhour, D.J. & Espelie, K.E. 1992. Incidence of fall armyworm (Lepidoptera: Noctuidae) parasitoids on resistant and susceptible corn genotypes. Environmental Entomology 21(4): 888-895.
- Riggin, T.M., Wiseman, B.R., Isenhour, D.J. & Espelie, K.E. 1994. Functional response of *Cotesia marginiventris* (Cresson) (Hym.: Braconidae) to *Spodoptera frugiperda* (J. E. Smith) (Lep.: Noctuidae) on meridic diet containing resistant or susceptible corn genotypes. Journal of Applied Entomology 117(2): 144-150.
- Risch, S. 1990. Entomophagous insects on the Hofchen Experimental Station (Burscheid, Germany). Pflanzenschutz-Nachrichten Bayer 43(1-2): 54-60.
- Risco Briceño, S.H. 1997. [Historical successes of tachinid flies and braconid wasps in biological control of *Diatraea* borers of sugarcane in America.] Exitos históricos de taquinidos y braconidos en el control biológico de *Diatraea* en caña de azúcar cultivada en América. Revista Peruana de Entomología 39(Diciembre, 1996): 85-90.
- Rishi, N.D. & Shah, K.A. 1985. Survey and bioecological studies on the natural enemy complex of Indian gypsy moth, *Lymantria obfuscata* Walker (Lepidoptera: Lymantriidae). Journal of Entomological Research (New Delhi) 9(1): 82-93.

- Ritchie, J.M., Polaszek, A., Abeyasekera, S., Minja, E.M. & Mviha, P. 2000. Insect pest incidence in seed pods of pigeonpea genotypes in on-farm trials in southern Malawi. *International Chickpea and Pigeonpea Newsletter* 7: 50-52.
- Ritter, K.S. & Johnson, J.A. 1991. Effects of host sterols on the development and sterol composition of *Microplitis demolitor* (Hymenoptera: Braconidae) in *Heliothis zea* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 84(1): 79-86.
- Rivard, I. 1964. Notes on parasitism of ground beetles (Coleoptera: Carabidae) in Ontario. *Canadian Journal of Zoology* 42: 919-920.
- Rivard, I. 1967. *Opius lectus* and *Opius alloeus* (Hymenoptera: Braconidae), larval parasites of the apple maggot, *Rhagoletis pomonella* (Diptera: Trypetidae), in Quebec. *Canadian Entomologist* 99(8): 895-896.
- Roach, S.H. 1975. *Heliothis* spp.: Larvae and associated parasites and diseases on wild host plants in the Pee Dee Area of South Carolina. *Environmental Entomology* 4(5): 725-728.
- Roach, S.H. & Leggett, J.E. 1979. Boll weevil parasites: emergence from cotton squares in the Florence, SC, area. *Journal of Economic Entomology* 72(2): 162-164.
- Robert, Y. & Rabasse, J.M. 1977. Role écologique de *Digitalis purpurea* dans la limitation naturelle des populations du puceron strié de la pomme de terre *Aulacorthum solani* par *Aphidius urticae* dans l'ouest de la France. *Entomophaga* 22(4): 373-382.
- Robert, Y., Rabasse, J.M. & Rouzé-Jouan, J. 1972. Régulation naturelle des populations de *Capitophorus hornii* Berner (Hom.: Aphididae) par Hyménoptères Aphidiidae et Entomophthorales. *Entomophaga* 17(1): 59-69.
- Roberti, D. 1969. Nota su Afidiini (Hym. Ichneumonoidea) raccolti in Puglia. *Entomologica* 5: 101-110.
- Roberti, D., Frilli, F. & Pizzaghi, W. 1965. Contributo alla conoscenza dell'entomofauna del Piacentino (Specie raccolte nel decennio 1955-1964). *Entomologica* 1: 1-118.
- Roberti, D. 1980. *Ochromolopis (Epermenia) staintonella* Stainton (Lep. Epermeniidae) nuovo ospite di braconidi parassiti di Prays. *Entomologica (Bari)* 16 1980: 41-45.
- Roberts, L.I.N. 1979. Biology of *Chrysodeixis eriosoma* (Lepidoptera: Noctuidae) in New Zealand. *New Zealand Entomologist* 7: 52-58.
- Roberts, S.J., Mellors, W.K. & Armbrust, E.J. 1977. Parasites of lepidopterous larvae in alfalfa and soybeans in central Illinois. *Great Lakes Entomologist* 10(3): 87-93.
- Robinson, J. 1992. Predators and parasitoids of Russian wheat aphid in central Mexico. *Southwestern Entomologist* 17(2): 185-186.
- Rocha-e-Silva, L.E.F., Bergmann, E.C., Penteado-Dias, A.M., Imenes, S.D.L. & Faria, A.M. de 1997. Braconids collected in a rubber tree (*Hevea brasiliensis*) crop, in Ibatinga, State of Sao Paulo. *Arquivos do Instituto Biológico Sao Paulo* 64(1): 29-41.
- Rochat, J. 1997. Delayed effects in aphid-parasitoid systems: consequences for evaluating biological control species and their use in augmentation strategies. *Entomophaga* 42(1-2): 201-213.
- Rodrigues, S.M.M. & Bueno, V.H.P. 2001. Parasitism rates of *Lysiphlebus testaceipes* (Cresson) (Hym.: Aphidiidae) on *Schizaphis graminum* (Rond.) and *Aphis gossypii* Glover (Hem.: Aphididae). *Neotropical Entomology* 30(4): 625-629.
- Rodrigues, S.M.M., Bueno, V.H.P. & Bueno Filho, J.S.de S. 2001. Development and evaluation of an open rearing system for the control of *Aphis gossypii* Glover (Hem.: Aphididae) by *Lysiphlebus testaceipes* (Cresson) (Hym.: Aphidiidae) in greenhouses. *Neotropical Entomology* 30(3): 433-436.
- Rodrigues, S.M.M., Bueno, V.H.P. & Sampaio, M.V. 2003. Storage of mummies of *Schizaphis graminum* (Rondani) (Hemiptera: Aphididae) parasitized by *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphidiidae) at low temperature. *Armazenamento de mummies de Schizaphis graminum* (Rondani) (Hemiptera: Aphididae) parasitadas por *Lysiphlebus testaceipes* (Cresson) (Hymenoptera: Aphidiidae) em baixa temperatura. *Boletim de Sanidad Vegetal Plagas* 29(3): 367-374.
- Rodriguez del Bosque, L.A., Browning, H.W. & Smith, J.W. Jr. 1989. Seasonal parasitism of cornstalk borers (Lepidoptera: Pyralidae) by indigenous and introduced parasites in north-eastern Mexico. *Environmental Entomology* 19(2): 393-402.
- Rodriguez del Bosque, L.A. & Smith, J.W. Jr. 1990. Parasitization of *Diatraea lineolata* pupae and diapausing larvae by several exotic parasites. *Florida Entomologist* 73(4): 703-705.
- Rodriguez del Bosque, L.A. & Smith, J.W. Jr. 1991. Parasitization of *Diatraea muellerella* on corn in Guerrero, Mexico. *Southwestern Entomologist* 16(4): 367-369.
- Rodriguez del Bosque, L.A. & Smith, J.W., Jr. 1995. Egg parasites of corn and sugarcane stalkborers (Lepidoptera: Pyralidae) in Mexico. *Colloques de l'INRA (Institut National de la Recherche Agronomique)* 73: 203-205.
- Rodriguez del Bosque, L.A. & Smith, J.W. Jr. 1997. Biological control of maize and sugarcane stemborers in Mexico: a review. *Insect Science and its Application* 17(3-4): 305-314.
- Rodriguez Martinez, R., Carrillo Sanchez, J.L. & Bravo Mojica, H. 1991. Preferencia de *Diachasmimorpha longicaudata* (Hymenoptera: Braconidae) por especies de *Anastrepha* (Diptera: Tephritidae). *Agrociencia Serie Proteccion Vegetal* 2(1): 67-76.
- Rodriguez Valverde, C.L., Bravo Mojica, H., Vera Graziano, J. & Romero Napoles, J. 1989. Atrayentes visuales y olfatorios para *Anastrepha ludens* Loew (Diptera: Tephritidae) y su parasitoide *Diachasmimorpha (Biosteres) longicaudata* (Ashmead) (Hymenoptera: Braconidae). *Agrociencia No. 76*: 99-106.
- Rodriguez, L.C., Fuentes-Contreras, E. & Niemeyer, H.M. 2002. Effect of innate preferences, conditioning and adult experience on the attraction of *Aphidius ervi* (Hymenoptera: Braconidae) toward plant volatiles. *European Journal of Entomology* 99(3): 285-288.
- Roehrdanz, R.L. 1992. Application of PCR techniques for identification of parasites and predators. *Great Plains Agricultural Council Publication* 142: 190-196.
- Roehrdanz, R.L., Reed, D.K. & Burton, R.L. 1993. Use of polymerase chain reaction and arbitrary primers to distinguish laboratory-raised colonies of parasitic Hymenoptera. *Biological Control* 3(3): 199-206.
- Rogers, C.E., Perkins, W.D. & Seiler, G.T. 1986. Bionomics of *Stibadium spumosum* (Lepidoptera: Noctuidae), a pest of sunflower in the southern plains. *Environmental Entomology* 15(6): 1275-1278.
- Rogers, C.E., Jackson, H.B., Eikenbary, R.D. & Starks, K.J. 1972. Host-parasitoid interaction of *Aphis helianthi* on sunflowers with introduced *Aphelinus asychis*, *Ephedrus plagiator*, and *Praon gallicum*, and native *Aphelinus nigritus* and *Lysiphlebus testaceipes*. *Annals of the Entomological Society of America* 65(1): 38-41.
- Rojas, M.G., Vinson, S.B. & Williams, H.J. 1995. Supplemental feeding increases the utilization of a factitious host for rearing *Bracon thurberiphagae* Muesebeck (Hymenoptera: Braconidae) a parasitoid of *Anthonomus grandis* Boheman (Coleoptera: Curculionidae). *Biological Control* 5(4): 591-597.
- Rolff, J. & Kraaijeveld, A.R. 2001. Host preference and survival in selected lines of a *Drosophila* parasitoid, *Asobara tabida*. *Journal of Evolutionary Biology* 14(5): 742-745.
- Rolle, R.S. & Lawrence, P.O. 1994. Purification of a 24kD parasitism-specific hemolymph protein from pharate pupae of the Caribbean fruit fly, *Anastrepha suspensa*. *Archives of Insect Biochemistry and Physiology* 27(4): 265-285.

- Rolle, R.S. & Lawrence, P.O. 1994.** Characterization of a 24 kD parasitism-specific haemolymph protein from pharate pupae of the Caribbean fruit fly, *Anastrepha suspensa*. Archives of Insect Biochemistry and Physiology 25(3): 227-244.
- Romeis, J., Babendreier, D. & Wackers, F.L. 2003.** Consumption of snowdrop lectin (*Galanthus nivalis agglutinin*) causes direct effects on adult parasitic wasps. Oecologia 134(4): 528-536.
- Romero, J.C., Ellington, J.J. & Richman, D.B. 2001.** Pecan nut casebearer, *Acrobasis nuxvorella* Neunzig parasites collected in Dona Ana county, NM, and El Paso county, TX. Southwestern Entomologist 26(3): 269-270.
- Romig, R.F., Mason, C.E. & Burbutis, P.P. 1985.** Parasitism of the European corn borer by *Lydella thomsoni* and *Macrocentrus grandii* in southeast Pennsylvania and Delaware. Entomological News 96: 121-128.
- Roomi, M.W., Shah, A.H. & Qureshi, S.A. 1997.** Studies on biological control of the bean-weevil (*Bruchus chinensis* L.) by *Apanteles flavipes* (Cam.) (Hymen., Braconidae). Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz 70(2): 37-38.
- Roques, A. 1977.** Stude du complex entomologique lié aux cônes de pin sylvestre en forêt de Fontainebleau. Bull. Ecol. 8: 415-434.
- Roques, A. & Achterberg, C. van 1987.** Redescription of *Phaenocarpa seitneri* Fahringer and notes on its biology (Hymenoptera: Braconidae: Alysiinae). Zoologische Mededelingen, Leiden 61(4): 53-57.
- Roques, A. & Hirschheydt, J. von 1990.** Contribution a la connaissance de la faune entomologique des cones de Meleze en Suisse. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 63(1-2) 1990: 105-114.
- Rosa, F.B. & Teran, J. 1990.** Morfologia de la cabeza de larvas del tercer instar de *Meteorus laphygmae* Viereck (Hymenoptera: Braconidae). Boletín de Entomología Venezolana 5(20): 189-191.
- Rose, U.S.R., Alborn, H.T., Makranczy, G., Lewis, W.J. & Tumlinson, J.H. 1997.** Host recognition by the specialist endoparasitoid *Microplitis croceipes* (Hymenoptera: Braconidae): role of host and plant-related volatiles. Journal of Insect Behavior 10(3): 313-330.
- Rose, U.S.R., Lewis, W.J. & Tumlinson, J.H. 1998.** Specificity of systematically released cotton volatiles as attractants for specialist and generalist parasitic wasps. Journal of Chemical Ecology 24(2): 303-319.
- Rosen, D. 1967.** The hymenopterous parasites and hyperparasites of aphids on citrus in Israel. Annals of the Entomological Society of America 60(2): 394-399.
- Rosen, D. 1969.** The parasites of coccids, aphids and aleyrodids on citrus in Israel: Some zoogeographical considerations. Israel Journal of Entomology 4: 45-53.
- Rosenheim, J.A. 1999.** The relative contributions of time and eggs to the cost of reproduction. Evolution 53(2): 376-385.
- Ross, D.R. & Dunn, P.E. 1989.** Effect of parasitism by *Cotesia congregata* on the susceptibility of *Manduca sexta* larvae to bacterial infection. Developmental and Comparative Immunology 13(3): 205-216.
- Rossi, M.N. & Fowler, H.G. 2003.** The sugarcane borer *Diatraea saccharalis* (Fabr.) (Lep., Crambidae) and its parasitoids: a synchrony approach to spatial and temporal dynamics. Journal of Applied Entomology 127(4): 200-208.
- Rossi, M.N. 2000.** Effect of the number of ovipositions from different *Cotesia flavipes* Cam. females on the number of descendants emerging from its host *Diatraea saccharalis* Fabr. Naturalia Sao Paulo 25: 271-280.
- Rotary, N. & Gerling, D. 1973.** The influence of some external factors upon the sex ratio of *Bracon hebetor* Say (Hymenoptera: Braconidae). Environmental Entomology 2: 134-138.
- Roth, J.P., MacQueen, A. & Bay, D.E. 1991.** Effect of introduced scarab beetles (Coleoptera: Scarabaeinae) on coprophilic insects in central Queensland. Environmental Entomology 20(3): 909-914.
- Roth, S., Knorr, C. & Lindroth, R.L. 1997.** Dietary phenolics affects performance of the gypsy moth (Lepidoptera: Lymantriidae) and its parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae). Environmental Entomology 26(3): 668-671.
- Roth, S.K. & Lindroth, R.L. 1995.** Elevated atmospheric CO₂: effects on phytochemistry, insect performance and insect-parasitoid interactions. Global Change Biology 1(3): 173-182.
- Rotheray, G.E. 1988.** Larval morphology and feeding patterns of four *Cheilosia* species (Diptera: Syrphidae) associated with *Cirsium palustre* L. Scopoli (Compositae) in Scotland. Journal of Natural History 22(1): 17-25.
- Rothman, L.D. & Darling, D.C. 1991.** Spatial density dependence effects of scale, host spatial pattern and parasitoid reproductive strategy. Oikos 62(2): 221-230.
- Rothschild, G.H.L. 1970.** Parasites of rice-stem borers in Sarawak (Malaysian Borneo). Entomophaga 15: 21-51.
- Rotrekl, J. 1994.** Effect of insecticides on the beneficial insect fauna in lucerne (*Medicago sativa* L.). Ochrana Rostlin 30(1): 67-77.
- Rotundo, G. & Tremblay, E. 1993.** Electroantennographic responses of chestnut moths (Lepidoptera: Tortricidae) and their parasitoid *Ascogaster quadridentatus* Wesmael (Hymenoptera: Braconidae) to volatiles from chestnut (*Castanea sativa* Miller) leaves. Redia 76(2): 361-373.
- Rotundo, G., Cavallo, R. & Tremblay, E. 1988.** In vitro rearing of *Lysiphlebus fabarum* (Hym.: Braconidae). Entomophaga 33(3): 261-267.
- Rotundo, G., Giacometti, R. & Rotundo, A. 1984.** Individuazione degli attrattivi sessuali dei tortricidi delle castagne mediante studio elettroantennografico e di campo. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 41: 211-224.
- Roux-Nielsen, C. le & Bordat, D. 1989.** Influence of abamectin on two species of entomophagous parasitoids of *Liriomyza trifolii* (Burgess). Agronomie Tropicale 44(1): 21-26.
- Royama, T. 1990.** Simulation of Professor Utida's classic experiment on an interaction between the azuki bean weevil and its parasitic wasp. Bruchids and Legumes: Economics, Ecology and Evolution. Proceedings Of The Second International Symposium (Isbl. 2). Ser. Entomol. vol. 46: 385-394.
- Royama, T. 1992.** Analytical population dynamics. Population and Community Biology Series 10: 1-371.
- Royer, T.A., Giles, K.L., Kindler, S.D. & Elliott, N.C. 2001.** Developmental response of three geographic isolates of *Lysiphlebus testaceipes* (Hymenoptera: Aphididae) to temperature. Environmental Entomology 30(4): 637-641.
- Rozova, V.N. & Novozhilov, K.V. 1986.** Abundance dynamics of parasitoids of the sugarbeet fly and ways of preserving them during chemical treatments. Problemy izbiratel'nosti deistviya insektitsidov i akaritsidov i ee znachenie v zashchite rastenii 114-121.
- Ruberson, J.R., Herzog, G.A., Lambert, W.R. & Lewis, W.J. 1994.** Management of the beet armyworm (Lepidoptera: Noctuidae) in cotton: role of natural enemies. Florida Entomologist 77(4): 440-453.
- Ruberson, J.R. & Whitfield, J.B. 1996.** Facultative egg-larval parasitism of the beet armyworm, *Spodoptera exigua* (Lepidoptera: Noctuidae) by *Cotesia marginiventris* (Hymenoptera: Braconidae). Florida Entomologist 79(3): 296-302.
- Ruberson, J.R., Tillman, P.G., Dugger, P. & Richter, D. 1999.** Effect of selected insecticides on natural enemies in cotton: laboratory studies. Proceedings Beltwide Cotton Conference, Orlando, Florida, USA, 3-7 January, 1999: Vol 2: 1210-1213.

- Ruberson, J.R. & Williams, L.H. 2000. Biological control of *Lygus* spp.: a component of areawide management. *Southwestern Entomologist* 23: 96-110.
- Ruggle, P. & Holst, N. 1994. Life history parameters of parasitoids attacking cereal aphids. *Norwegian Journal of Agricultural Sciences SUPP* 16: 83-88.
- Ruggle, P. & Holst, N. 1997. Modelling natural control of cereal aphids: 4. Aphidiid and aphelinid parasitoids. *Acta Jutlandica Natural Science Series* 11: 233-245.
- Ruiz, C.E., Tejada, M.L.O. & Cantu, T.M.R. 1990. Contribution to the knowledge of the braconids (Hymenoptera) of Tamaulipas and Nuevo Leon, Mexico. *Folia Entomologica Mexicana* 78: 199-208.
- Ruiz-Narvaez, E. & Castro-Webb, N. 2003. A simple method to estimate percentage parasitism when the host and parasitoid phenologies are unknown: a statistical approach. *BioControl* 48(1): 87-100.
- Rungrojwanich, K. & Walter, G.H. 2000. The Australian fruit fly parasitoid *Diachasmimorpha kraussii* (Fullaway): life history, ovipositional patterns, distribution and hosts (Hymenoptera: Braconidae: Opiinae). *Pan Pacific Entomologist* 76(1): 1-11.
- Rungrojwanich, K. & Walter, G.H. 2000. The Australian fruit fly parasitoid *Diachasmimorpha kraussii* (Fullaway): mating behavior, modes of sexual communication and crossing tests with *D. longicaudata* (Ashmead) (Hymenoptera: Braconidae: Opiinae). *Pan Pacific Entomologist* 76(1): 12-23.
- Runyon, J.B., Hurley, R.L., Morrill, W.L. & Weaver, D.K. 2001. Distinguishing adults of *Bracon cephi* and *Bracon lissogaster* (Hymenoptera: Braconidae), parasitoids of the wheat stem sawfly (Hymenoptera: Cephidae). *Canadian Entomologist* 133(2): 215-217.
- Runyon, J.B., Morrill, W.L., Weaver, D.K. & Miller, P.R. 2002. Parasitism of the wheat stem sawfly (Hymenoptera: Cephidae) by *Bracon cephi* and *B. lissogaster* (Hymenoptera: Braconidae) in wheat fields bordering tilled and untilled fallow in Montana. *Journal of Economic Entomology* 95(6): 1130-1134.
- Russ, K. & Rupf, O. 1974. Influence of parasites and pathogens on the hibernating populations of codling moth (*Laspeyresia pomonella* L.) in Austria. *International Atomic Energy Agency*. 557-563.
- Russell, D.A. 1987. Parasitism of the oriental fruit moth *Grapholitha molesta* (Lepidoptera: Tortricidae): The New Zealand position in a world perspective. *New Zealand Entomologist* 10: 13-26.
- Ruth, W.E., Caves, D.W. & Eikenbary, R.D. 1974. Greenbugs less than six hours old as hosts to *Lysiphlebus testaceipes*. *Environmental Entomology* 3: 355-356.
- Ruth, W.E., McNew, R.W., Caves, D.W. & Eikenbary, R.D. 1975. Greenbugs (Hom.: Aphididae) forced from host plants by *Lysiphlebus testaceipes* (Hym.: Braconidae). *Entomophaga* 20(1): 65-71.
- Rutledge, C.E. 1996. A survey of identified kairomones and synomones used by insect parasitoids to locate and accept their hosts. *Chemoecology* 7(3): 121-131.
- Rutledge, C.E. & Wiedenmann, R.N. 1999. Habitat preferences of three congeneric braconid parasitoids: implications for host-range testing in biological control. *Biological Control* 16(2): 144-154.
- Rutledge, C.E. & Wiedenmann, R.N. 2003. An attempt to change habitat preference of a parasitoid, *Cotesia sesamiae* (Hymenoptera: Braconidae), through artificial selection. *Journal of Entomological Science* 38(1): 93-103.
- Rutz, D.A. & Scoles, G.A. 1989. Occurrence and seasonal abundance of parasitoids attacking muscoid flies (Diptera: Muscidae) in caged-layer poultry facilities in New York. *Environmental Entomology* 18(1): 51-55.
- Ruzicka, Z. & Hagen, K.S. 1985. Impact of parasitism on migratory flight performance in females of *Hippodamia convergens* (Coleoptera). *Acta Entomologica Bohemoslovaca* 82(6): 401-406.
- Ruzicka, Z. & Hagen, K.S. 1986. Influence of *Perilitus coccinellae* on the flight performance of overwintered *Hippodamia convergens*. *Series Entomologica* 35: 229-232.
- Ryabchinskaya, T.A. & Kharchenko, G.L. 1995. Parasitoids of leaf-rollers in apple orchards. *Zashchita Rastenii Moskva* 7: 16-17.
- Ryan, R.B. 1965. Maternal influence on diapause in a parasitic insect, *Coeloides brunneri* Vier. (Hymenoptera, Braconidae). *Journal of Insect Physiology* 11: 1331-1336.
- Ryan, R.B. 1980. Rearing methods and biological notes for seven species of European and Japanese parasites of the larch casebearer (Lepidoptera: Coleophoridae). *Canadian Entomologist* 112(12): 1239-1248.
- Ryan, R.B. 1983. Population density and dynamics of larch casebearer (Lepidoptera: Coleophoridae) in the Blue Mountains of Oregon and Washington before the build-up of exotic parasites. *Canadian Entomologist* 115(9): 1095-1102.
- Ryan, R.B. 1985. Relationship between parasitism of larch casebearer (Lepidoptera: Coleophoridae) and dead hosts in the Blue Mountains, 1973-1983. *Canadian Entomologist* 117(8): 935-939.
- Ryan, R.B. 1985. A hypothesis for decreasing parasitization of larch casebearer (Lepidoptera: Coleophoridae) on larch foliage by *Agathis pumila*. *Canadian Entomologist* 117: 1573-1574.
- Ryan, R.B. 1986. Analysis of life tables for the larch casebearer (Lepidoptera: Coleophoridae) in Oregon. *Canadian Entomologist* 118: 1255-1263.
- Ryan, R.B., Tunnock, S. & Ebel, F.W. 1987. The larch casebearer in North America. *Journal of Forestry* 85(7): 33-39.
- Ryan, R.B. 1988. Evidence for mortality in addition to successful parasitism of needle-mining larch casebearer (Lepidoptera: Coleophoridae) larvae by *Agathis pumila* (Ratz.) (Hymenoptera: Braconidae). *Canadian Entomologist* 120(11): 1035-1036.
- Ryan, R.B. 1990. Evaluation of biological control: introduced parasites of larch casebearer (Lepidoptera: Coleophoridae) in Oregon. *Environmental Entomology* 19(6): 1873-1881.
- Ryan, R.B. 1997. Before and after evaluation of biological control of the larch casebearer (Lepidoptera: Coleophoridae) in the Blue Mountains of Oregon and Washington, 1972-1995. *Environmental Entomology* 26(3): 703-715.
- Sacchetti, P. 1990. Observations on the activity and bioethology of the entomophagous insects of *Prays oleae* (Bern.) in Tuscany. II. Incidence of parasitoids. *Redia* 73(2): 405-421.
- Sacco, M. & Girolami, V. 1995. Influence of ants on parasitoids (Hymenoptera: Braconidae) of *Dysaphis plantaginea* (Pass.) *Redia* 78(2): 311-319.
- Sacco, M., Pasini, C., D'Aquila, F., Fadelli, P., Tommasini, M.G., Albajes, R. & Sekeroglu, E. 2000. First experiences in Italy of IPM on ornamental cut foliage: *Danae racemosa* and *Fatsia japonica*. IOBC WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate". Proceedings of the meeting, Antalya, Turkey, 24-28 April 2000. *Bulletin OILB SROP* 23(1): 3-8.
- Sadava, D. & Miller, C.D.F. 1967. Taxonomy of last-instar larval remains of parasites reared from *Spilonota ocellana*. *Canadian Entomologist* 99: 436-442.
- Saeed, A., Austin, A.D. & Dangerfield, P.C. 1999. Systematics and host relationships of Australasian *Diolcogaster* (Hymenoptera: Braconidae: Microgastrinae). *Invertebrate Taxonomy* 13(1): 117-178.
- Saffer, B. 1977. A new species of *Cenocoelius* from Costa Rica (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 79(4): 593-596.

- Saffer, B. 1982.** A systematic revision of the genus *Cenocoelius* (Hymenoptera: Braconidae) in North America including Mexico. *Polskie Pismo Entomologiczne* 52: 73-167.
- Sagar, P. & Ramji. 1990.** Natural enemies of cabbage semilooper on Japanese mint crop at Ludhiana. *Indian Perfumer* 34(1): 44-46.
- Sagarra, L. 1995.** Toxoptera citricida and its natural enemies in Trinidad & Tobago. IICA Office in Trinidad and Tobago; Port of, Trinidad and Tobago; Spain: i-v + 1-54.
- Sah, B.N. & Mehra, B.P. 1986.** New record of the parasites of *Melanagromyza obtusa* Malloch in Ranchi, India. *Indian Journal of Entomology* 48(3): 359.
- Saha, J.L., Poddar, S.C., Das, S.K., Agarwala, B.K. & Raychaudhuri, D. 1982.** Studies of the aphid parasites (Hymenoptera: Aphidiidae) from Himachal Pradesh, India. *Akitsu* 44: 1-12.
- Saharaoui, L. 1994.** Survey and study of some bioecological aspects of entomophagous coccinellids (Coleoptera: Coccinellidae) in Algeria. *Journal of African Zoology* 108(6): 537-546.
- Sahoo, B.K. & Senapati, B. 2000.** Natural enemies of pod borers in pigeonpea. *International Chickpea and Pigeonpea Newsletter* 7: 57-59.
- Saikia, D.K. & Nath, R.K. 2002.** Larval parasitoids of sugarcane early shoot borer, *Chilo infuscatellus* Snellen. *Insect Environment* 8(2): 90-91.
- Saito, O., Mizushima, S., Okuyama, S., Hanada, T., Torikura, H., Hachiya, K. & Sato, K. 1998.** Biology of the diamondback moth, *Plutella xylostella* (L.), in Hokkaido. *Research Bulletin of the Hokkaido National Agricultural Experiment Station* 167: 69-110.
- Saito, T., Ikeda, F. & Ozawa, A. 1996.** Effect of pesticides on parasitoid complex of serpentine leafminer *Liriomyza trifolii* (Burgess) in Shizuoka Prefecture. *Japanese Journal of Applied Entomology and Zoology* 40(2): 127-133.
- Saito, T., Ozawa, A. & Ikeda, F. 1995.** The evaluation of two imported hymenopteran parasites as biological control agents for the serpentine leafminer, *Liriomyza trifolii* (Burgess). *Proceedings of the Kanto Tosan Plant Protection Society* 42: 235-237.
- Sajap, A.S.B., Beegle, C.C. & Lewis, L.C. 1978.** Effects of parasitism by *Microplitis kewleyi* on the tissue and organs of its host, *Agrotis ipsilon*. *Annals of the Entomological Society of America* 71: 267-271.
- Sajap, A.S.B., Beegle, C.C. & Lewis, L.C. 1978.** Effects of parasitism by *Microplitis kewleyi* on the cutting ability of its host, *Agrotis ipsilon*. *Annals of the Entomological Society of America* 71: 343-344.
- Sakanoshita, A., Ohta, M. & Uematsu, H. 1987.** Comparative study of ovogenesis in the parasitoids of the diamondback moth *Plutella xylostella*. *Proceedings of the Association for Plant Protection of Kyushu* 33: 139-141.
- Salama, H.S., Zaki, F.N. & Sharaby, A.F. 1982.** Effect of *Bacillus thuringiensis* Berl. on parasites and predators of the cotton leafworm *Spodoptera littoralis* (Boisd.). *Zeitschrift für angewandte Entomologie* 94(5): 498-504.
- Salama, H.S. & Zaki, F.N. 1983.** Interaction between *Bacillus thuringiensis* Berliner and the parasites and predators of *Spodoptera littoralis* in Egypt. *Zeitschrift für angewandte Entomologie* 95: 425-429.
- Salama, H.S., El Moursy, A., Zaki, F.N., Aboul-Ela, R. & Abdel-Razek, A. 1991.** Parasites and predators of the meal moth *Plodia interpunctella* Hbn. as affected by *Bacillus thuringiensis* Berl. *Journal of Applied Entomology* 112(3): 244-253.
- Salama, H.S., Zaki, F.N. & Sabbour, M.M. 1996.** Effect of *Bacillus thuringiensis* endotoxin on *Apanteles litae* Nixon and *Bracon instabilis* Marsh. (Hym.: Braconidae), two parasitoids of the potato tuber moth *Phthorimma operculella* Zeller (Lep.: Gelishidae). *Journal of Applied Entomology* 120(9): 565-568.
- Salazar, A., Pantoja, A. & Duque, M. 1993.** Biological aspects of the rice leafminer in the Cauca Valley. *Arroz* 42(382): 38-40.
- Salehi, L. & Keller, M.A. 2000.** Reproductive capacity of two parasitoids of potato tuber moth, *Phthorimma operculella*. *Proceeding of the 14th Iranian Plant Protection Congress*, p. 63.
- Salehi, L. & Keller, M.A. 2000.** The influence of temperature on development and longevity of *Apanteles subandinus* and *Orgilus lepidus*. *Proceeding of the 14th Iranian Plant Protection Congress*: 1-64.
- Salerno, G. & Lo Pinto, M. 1995.** The olive pyralid. *Informatore Agrario* 51(43): 77-81.
- Salkeld, E.H. 1967.** Histochemistry of the excretory system of endoparasitoid *Aphaereta pallipes* (Say) (Hymenoptera: Braconidae). *Canadian Journal of Zoology* 45(6): 967-973.
- Sallam, M.N., Overholt, W.A. & Kairu, E. 1999.** Comparative evaluation of *Cotesia flavipes* and *C. sesamiae* (Hymenoptera: Braconidae) for the management of *Chilo partellus* (Lepidoptera: Pyralidae) in Kenya. *Bulletin of Entomological Research* 89(2): 185-191.
- Sallam, M.N., Overholt, W.A. & Kairu, E. 2001.** Dispersal of the exotic parasitoid *Cotesia flavipes* in a new ecosystem. *Entomologia Experimentalis et Applicata* 98(2): 211-217.
- Sallam, M.N., Overholt, W.A., Kairu, E. & Zhou, G.F. 2001.** Will *Cotesia flavipes* drive its African homologue, *Cotesia sesamiae*, to extinction? *Insect Science and its Application* 21(4): 297-302.
- Sallam, M.N., Overholt, W.A. & Kairu, E. 2002.** Intraspecific and interspecific competition between *Cotesia flavipes* and *Cotesia sesamiae* (Hymenoptera: Braconidae), gregarious larval endoparasitoids of lepidopteran stemborers. *Biocontrol Science and Technology* 12(4): 493-506.
- Salles, L.A.B. 1996.** Parasitism of *Anastrepha fraterculus* (Wied.) (Diptera: Tephritidae) by Hymenoptera in Pelotas, RS. *Pesquisa Agropecuaria Brasileira* 31(11): 769-774.
- Salom, S.M., Ascoli, Christensen, A., Birgersson, G., Payne, T.L. & Berisford, C.W. 1992.** Electroantennogram responses of the southern pine beetle parasitoid *Coeloides pissodis* (Ashmead) (Hym., Braconidae) to potential semiochemicals. *Journal of Applied Entomology* 114(5): 472-479.
- Salom, S.M., Grosman, D.M., McClellan, Q.C. & Payne, T.L. 1995.** Effect of an inhibitor-based suppression tactic on abundance and distribution of the southern pine beetle (Coleoptera: Scolytidae) and its natural enemies. *Journal of Economic Entomology* 88(6): 1703-1716.
- Salt, G. 1971.** Teratocytes as a means of resistance to cellular defense reactions. *Nature* (London) 232: 639.
- Salto, C.E., Eikenbary, R.D. & Starks, K.J. 1983.** Compatibility of *Lysiphlebus testaceipes* (Hymenoptera: Braconidae) with greenbug (Homoptera: Aphididae) biotypes C and E reared on susceptible and resistant oat varieties. *Environmental Entomology* 12: 603-604.
- Salvo, A. & Valladares, G. 1995.** Parasitic complex (Hymenoptera: Parasitica) of *Liriomyza huidobrensis* (Diptera: Agromyzidae) on broad beans. *AgriScientia* 12: 39-47.
- Salvo, A. & Valladares, G. 1998.** Taxonomic composition of hymenopteran parasitoid assemblages from agromyzid leafminers sampled in central Argentina. *Studies on Neotropical Fauna and Environment* 33(2-3): 116-123.
- Salvo, A. & Valladares, G. 2002.** Plant-related intraspecific size variation in parasitoids (Hymenoptera: parasitica) of a polyphagous leafminer (Diptera: Agromyzidae). *Environmental Entomology* 31(5): 874-879.
- Salvo, A. & Achterberg, C. van 1997.** Reared Opiinae (Hymenoptera: Braconidae) from Argentina. *Zoologische Mededelingen, Leiden* 71: 189-214.
- Samanta, A.K., Tamili, D.K., Saha, J.L. & Raychaudhuri, D. 1983.** New aphid parasitoids (Hymenoptera: Aphidiidae) from West Bengal, India. *Entomon* 8: 93-96.

- Samanta, A.K. & Raychaudhuri, D. 1984.** A study of the genus *Pauesia* (Hymenoptera: Aphidiidae) of Meghalaya, northeast India. *Akitu* 66: 1-12.
- Samanta, A.K., Tamili, D.K. & Raychaudhuri, D. 1985.** New aphid parasitoids (Hymenoptera: Aphidiidae) from north-east India. *Science and Culture* 51(4): 118-120.
- Samiuddin, A., Haider, A.A. & Ahmad, Z. 2000.** A new species of Cheloninae (Hymenoptera: Braconidae) from India. *Journal of Entomological Research (New Delhi)* 24(3): 239-242.
- Samoedi, D. 1993.** Seasonal abundance of sugar cane top moth borer, *Tryporyza nivella intacta* Sn., and its natural enemies in South Sumatra. *Bulletin Pusat Penelitian Perkebunan Gula Indonesia* 139: 34-40.
- Sampaio, M.V., Bueno, V.H.P. & Perez-Maluf, R. 2001.** Parasitism of *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae) in different densities of *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Neotropical Entomology* 30(1): 81-87.
- Sampaio, M.V., Bueno, V.H.P. & Lenteren, J.C. van 2001.** [Host preference of *Aphidius colemani* Viereck (Hymenoptera: Aphidiidae) for *Myzus persicae* (Sulzer) and *Aphis gossypii* Glover (Hemiptera: Aphididae).] *Neotropical Entomology* 30(4): 655-660.
- Sampaio, M.V., Bueno, V.H.P., Rodrigues, S.M.M. & Soglia, M.C.M. 2003.** Thermal requirements of three populations of *Aphidius colemani* Viereck (Hym.: Aphidiidae). *IOBC WPRS Bulletin* 26(10): 85-88.
- Sampaio, M.V., Bueno, V.H.P., Soglia, M.C.M. & Rodrigues, S.M.M. 2003.** Ocorrência de *Binodoxys brevicornis* (Haliday, 1833) (Hymenoptera, Braconidae, Aphidiinae) no Brasil. Occurrence of *Binodoxys brevicornis* (Haliday, 1833) (Hymenoptera, Braconidae, Aphidiinae) in Brazil. *Revista Brasileira de Entomologia* vol. 47 no. 4: 649-651.
- Samraj, D.A. & David, B.V. 1988.** Life table studies on the spotted bollworm *Earias vittella* (Fabricius) (Lepidoptera: Noctuidae) in cotton ecosystem. *Journal of the Bombay Natural History Society* 85(3): 637-641.
- Sanchez, V.G.A. & Redolfi de Huiza, I. 1985.** Parasitoids of *Liriomyza buidobrensis* and *Scrobipalpus absoluta* in potatoes cultivated in Lima (Peru), 1984. *Revista Peruana de Entomologia* 28(0): 81-84.
- Sanchez-Garcia, J.A., Romero-Napoles, J., Ramirez-Alarcon S.R., Anaya-Rosales, S. & Carrillo-Sanchez, J.L. 1998.** Genera of Braconidae from the state of Guanajuato (Insecta: Hymenoptera). *Acta Zoologica Mexicana* 74: 59-137.
- Sanchez-Garcia, J.A. & Lopez-Martinez, V. 2000.** Genera of Braconidae (Insecta: Hymenoptera) deposited in the "Entomologica del Instituto de Fitosanidad del Colegio de Postgraduados". *Acta Zoologica Mexicana* 79: 257-276.
- Sanchis, A., Michelena, J.M. & Gonzalez, P. 1994.** *Protaphidius* Ashmead, 1900 (Hymenoptera: Braconidae) en la Peninsula Iberica. *Boletin de la Asociacion Espanola de Entomologia* 18(3-4): 33-40.
- Sanchis, A., Michelena, J.M., Nieves, J.L. & Rey del Castillo, C. 1995.** Afidiinos (Hymenoptera: Braconidae, Aphidiinae) del centro peninsular. *Boletin de la Asociacion Espanola de Entomologia* 19(1-2): 219-228.
- Sanchis, A., Michelena, J.M. & Pujade Vilar, J. 1999.** Aphidiinos (Hymenoptera, Braconidae) from Andorra. Afidiinos (Hymenoptera, Braconidae) del Pirineo Andorrano. *Boletin de la Asociacion Espanola de Entomologia* 23(3-4): 239-247.
- Sanchis, A., Latorre, A., Gonzalez-Celas, F., & Michelena, J.M. 2000.** An 18S rDNA-based molecular phylogeny of Aphidiinae (Hymenoptera: Braconidae). *Molecular Phylogenetics and Evolution* 14(2): 180-194.
- Sanchis, A., Michelena, J.M., Latorre, A., Quicke, D.L.J., Gärdenfors, U. & Belshaw, R., 2001.** The phylogenetic analysis of variable-length sequence data: elongation factor-1 α introns in European populations of the parasitoid wasp genus *Pauesia* (Hymenoptera: Braconidae: Aphidiinae). *Molecular Biology and Evolution* 18(6): 1117-1131.
- Sangareddy, N.K. & Patil, B.V. 1997.** Studies on pink bollworm, *Pectinophora gossypiella* (Saunders) incidence and its natural enemies on cotton in Tungabhadra. *Karnataka Journal of Agricultural Sciences* 10(1): 226-228.
- Sanionyte, A., Jakimavičius, A. & Jonaitis, V. 1979.** Insect fauna in the Pravirsulis Conservancy Area. *Acta Entomologica Lituanica* 4: 107-118.
- Sankaran, T. 1974.** Natural enemies introduced in recent years for biological control of agricultural pests in India. *Indian Journal of Agricultural Sciences* 44(7): 425-433.
- Sankaran, T. 1976.** Investigations on parasites and predators of some major forest insect pests in India. *Entomon* 1(1): 87-90.
- Sankaran, T. & Girling, D.J. 1980.** The current status of biological control of the potato tuber moth. *Biocontrol News and Information* 1(3): 207-211.
- Sannino, L., Balbiani, A. & Espinosa, B. 1990.** Biology of *Athetis hospes* (Freyer, 1831), in Campania (Lepidoptera: Noctuidae: Amphipyriinae). *Bollettino della Societa Entomologica Italiana* 122(2): 141-148.
- Sannino, L., Balbiani, A. & Espinosa, B. 1993.** Biology of *Lacanobia oleracea* L. in Campania (Lepidoptera: Noctuidae: Hadeninae). *Bollettino della Societa Entomologica Italiana* 125(1): 61-70.
- Sannino, L. & Espinosa, B. 1998.** Biological cycle of *Mamestra brassicae* and damage to horticultural crops in Campania. *Informatore Fitopatologico* 48(5): 59-67.
- Sannino, L. & Espinosa, B. 1999.** Biology of *Mamestra brassicae* (Lepidoptera: Noctuidae) in Campania (South Italy). *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri"* 55: 79-91.
- Sansone, C.G. & Smith, J.W. Jr. 2001.** Natural mortality of *Helicoverpa zea* (Lepidoptera: Noctuidae) in short-season cotton. *Environmental Entomology* 30(1): 112-122.
- Santiago-Alvarez, C. & Caballero, P. 1990.** Susceptibility of parasitized *Agrotis segetum* larvae to a granulosis virus. *Journal of Invertebrate Pathology* 56(1): 128-131.
- Santiago-Alvarez, C. 1990.** *Israelaphis lambersi* Ilharco, 1961 (Homoptera: Aphidoidea) on oats in Andalusia. *Boletin de Sanidad Vegetal, Plagas* 16(1): 11-13.
- Santis, L. de & Carmen Redolfi, I. del 1976.** Un nuevo *Apanteles* (Hym.: Braconidae) brasileiro parasitoide de *Hylesia* (Lep.). *Revista Brasileira de Biologia* 36(1): 185-186.
- Santis, L. de 1966.** Nuevos Himenopteros *Chilenos* Parasitos de Dipteros, Provincia de Buenos Aires, Gobernacion. Comision de Investigacion Cientifica. *Notas. Buenos Aires* 3(9): 3-8.
- Santis, L. de 1972.** Estudios sobre el barrenador *Hypsipyla grandella* (Zeller) 9. Un nuevo microgasterino neotropico (Hymenoptera: Braconidae). *Turrialba* 22(2): 223-224.
- Santis, L. de 1975.** Himenopteros Ichneumonoideos de la Isla Fernando de Noronha (Hym.: Braconidae, Ichneumonidae). *Studia Entomologica* 18: 251-258.
- Santis, L. de 1982.** Dos nuevos himenopteros parasitoides de *Agromicidos argentinos* (Braconidae y Pteromalidae). *Revista de la Sociedad Entomologica Argentina* 41: 319-330. In: Valadares, G., Diaz, N.B., Santis, L. de. Tres notas sobre dipteros agromicidos de la republica Argentina y sus himenopteros parasitoides (Insecta).
- Santis, L. de 1983.** *Gnathopleura nigripennis* nueva para la fauna argentina (Hymenoptera: Braconidae: Alysiinae). *Neotropica (La Plata)* 29 No. 81: 106.
- Santis, L. de 1987.** Hymenopteran parasitoids and hyperparasitoids of *Anacraga* sp. (Lepidoptera: Dalceridae) in Brazil. *Revista Brasileira de Entomologia* 31(1): 97-99.

- Santis, L. de, Monetti, N.C. & Briano, A.E. de 1987.** Natural enemies of *Rhinocyllus conicus* (Froelich, 1792) (Coleoptera: Curculionidae), a biological control agent of *Carduus thoermeri* Kazmi and *Carduus acanthoides* L. (Compositae) in Castelar, Buenos Aires Province, Argentina. *Revista de Investigacion Centro de Investigaciones para la Regulacion de Poblaciones de Organismos Nocivos* 5(1-4): 27-35.
- Santoro, R. & Arzone, A. 1983.** Investigations on natural enemies of *Leucoptera scitella* (Zell.) (Lepidoptera, Lyonetiidae). *Proceedings of the XIIIth Italian National Congress of Entomology*: 221-228.
- Saparmamedova, N.K. 1988.** On the study of natural enemies of the plum moth *Grapholitha funebrana* Tr. (Lepidoptera: Tortricidae) in the Prikopetdag zone. *Izvestiya Akademii Nauk Turkmenskoi SSR. Seriya Biologicheskikh Nauk* 4: 40-43.
- Saparmamedova, N.K. 1988.** The role of entomophages in reducing the numbers of the plum tortricid in the foothill zone of the Koptedag. *Izvestiya Akademii Nauk Turkmenskoi SSR, Seriya Biologicheskikh Nauk* 3: 34-38.
- Sapunaru, T., Pricop, M. & Mateias, M.C. 1994.** Contributions to the study of biology, ecology and control of the pea bean bruchid (*Bruchus pisorum* L.). *Probleme de Protectia Plantelor. recd.* 1996, 22(2): 235-243.
- Sar, T.J.D. van der 1978.** Emergence of predator and parasites of the white pine weevil, *Pissodes strobi* (Coleoptera: Curculionidae) from Engelmann spruce. *Journal of the Entomological Society of British Columbia* 75: 14-18.
- Saradamma, K. & Nair, M.R.G.K. 1968.** Relative toxicity of insecticides to adults of *Microbracon brevicornis* (Wesmael). *Agr. Res. J. Kerala* 6: 98-100.
- Saraswati, K.C., Jha, V., Kumar, R. & Jha, D.K. 1991.** Insect fauna of Makhana fruits in North Bihar. *Bioved* 2(1): 15-20.
- Saray, M.P., Sarmiento, C.J. & Acosta, G.A. 1988.** Effect of the control of *Liriomyza huidobrensis* (Blanchard) (Diptera: Agromyzidae) on the commercial cultivation of *Gypsophila paniculata* L. (Caryophyllaceae). *Revista Colombiana de Entomologia* 14(1): 34-42.
- Sarazin, M.J. 1985.** Primary types of Braconidae (Hymenoptera) in the Canadian National Collection. *Canadian Entomologist* 117: 1177-1222.
- Sarazin, M.J. 1987.** Primary types of Ichneumonidae (Hymenoptera) in the Canadian National Collection. *Memoirs of the Entomological Society of Canada. No.137*: 1-123.
- Sarhan, A.A. & Quicke, D.L.J. 1989.** A key to the genera of Braconinae (Hymenoptera: Braconidae) occurring in Egypt and neighbouring countries. *Bulletin de la Soci t  Entomologique d'Egypte* 68/1988: 321-351.
- Sarhan, A.A. & Quicke, D.L.J. 1989.** A new subgenus and species of *Glyptomorpha* (Hymenoptera, Braconidae) from Arabia, Egypt, Pakistan and Yemen, with a reappraisal of the status of *Teraturus*. *Systematic Entomology* 14: 403-409.
- Sarhan, A.A. & Quicke, D.L.J. 1990.** *Mesobraconoides psolopterus* (Hymenoptera: Braconidae), a larval parasitoid of the white rice borer, *Maliarpha separatella* (Lepidoptera: Pyralidae), in West Africa. *Bulletin of Entomological Research* 80(2): 217-222.
- Sarhan, A.A. & Quicke, D.L.J. 1991.** A new species of *Bracon* from Mongolia (Hym., Braconidae). *Entomologist's Monthly Magazine* 127: 19-23.
- Saringer, G. 1991.** Biology and control of *Ceutorhynchus maculaalba* Herbst (Coleoptera: Curculionidae). *Acta Phytopathologica et Entomologica Hungarica* 26(3-4): 471-481.
- Sarmiento, C.E., Sharkey, M.J. & Janzen, D.H. 2004.** The first gregarious species of the Agathidinae (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 13(2): 295-301.
- Sarrazyn, R., Simoen, J., Demaegdt, F. & Calus, A. 1999.** Strawberries: overview of research carried out in 1998. *Provinciaal Onderzoeks en Voorlichtingscentrum voor Land en Tuinbouw (Instituut Arthur Olivier); Rumbek Beitem; Belgium*: 1-92.
- Sarup, P., Singh, D.S. Srivastava M.L. & Singh, R.N. 1972.** Laboratory evaluation of pesticides against the adults of an important parasite, *Bracon brevicornis* Wesmael (Braconidae: Hymenoptera) of some crop pests. *Indian Journal of Entomology* 33: 346-349.
- Sasaki, E.T., Honda, M.S. & Calafiori, M.H. (1987)1988.** The use of aluminium foil and rice straw as repellents to aphids and *Aphidius* sp. on cabbage (*Brassica oleracea* var. *acephala*). *Ecosistema* 12: 34-40.
- Sastrodihardjo, S., Siswawijoto, A., Ooi, P.A.C., Lim, G.S. & Teng, P.S. 1992.** Bionomy of coconut leaf miner (*Artiona catoxantha* Hamps). *Proceedings of the 3rd International Conference on Plant Protection in the Tropics* 4: 134-141.
- Sastroiswojo, S. & Setiawati, W. 1992.** Biology and control of *Crocidolomia binotalis* in Indonesia. *Avrcd Publication* 92-368: 81-87.
- Sathe, T.V. & Nikam, P.K. 1984.** Effect of temperature on the development and survival of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae), an internal parasitoid of *Chilo partellus* (Swin.). *Comparative Physiology and Ecology* 9 (Suppl.): 432-434.
- Sathe, T.V. & Nikam, P.K. 1984.** Life tables and intrinsic rate of natural increase of *Cotesia orientalis* Chalikwar et al. (Hymenoptera, Braconidae), population on *Exelastis atomosa* Fab. *Entomon* 9: 169-171.
- Sathe, T.V. & Nikam, P.K. 1984.** Mating, oviposition and emergence of *Cotesia orientalis* (Hymenoptera: Braconidae), an internal larval parasitoid of *Exelastis atomosa* Fab. *Comparative Physiology and Ecology* 9(3): 231-232.
- Sathe, T.V. 1984.** Influence of age of caterpillars of *Exelastis atomosa* (Walsingham) (Lepidoptera: Pterophoridae) on parasitization by *Cotesia diurnii* Chalikwar, Rao and Nikam (Hymenoptera: Braconidae). *Journal of Advanced Zoology* 5: 120-121.
- Sathe, T.V. 1984.** Reproductive potential of *Cotesia diurnii* Chalikwar and Nikam (Hymenoptera: Braconidae), a larval parasitoid of *Exelastis atomosa* Fab. in relation to host density. *Science and Culture* 50(12): 361-362.
- Sathe, T.V. 1985.** Adult longevity of *Cotesia diurnii* Chalikwar and Rao (Hymenoptera: Braconidae), with different food. *Science and Culture* 51(5): 168-169.
- Sathe, T.V. 1985.** Development and survival of *Cotesia diurnii* Chalikwar et al., a larval parasitoid of *Exelastis atomosa* Fab., in relation to different constant temperature. *Geobios (Jodhpur)* 12(1): 46-47.
- Sathe, T.V. 1985.** Host parasitoid density relationship between *Exelastis atomosa* (Walsingham) (Lepidoptera: Pterophoridae) and *Cotesia diurnii* Chalikwar and Rao (Hymenoptera: Braconidae). *Comp. Physiol. Ecol.* 10: 271-272.
- Sathe, T.V. 1985.** Studies on mating, oviposition and emergence of *Cotesia diurnii* Chalikwar et al an internal larval parasitoid of *Exelastis atomosa* Fab. *Geobios New Reports* 4(1): 100-101.
- Sathe, T.V. & Nikam, P.K. 1985.** Longevity, fecundity and sex ratio of *Cotesia orientalis* Chalikwar & Nakim (Hymenoptera: Braconidae), an internal larval parasitoid of *Exelastis atomosa* Wals. *Journal of Current Biosciences* 2(3): 82-83.
- Sathe, T.V. & Nikam, P.K. 1985.** Morphometry and biometry of immature stages of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae), an internal larval parasitoid of *Chilo partellus* (Swin.). *Indian Journal of Zoology* 13(2): 43-46.
- Sathe, T.V. 1986.** Behaviour of *Cotesia flavipes* (Cameron) during cocoon construction. *Science and Culture* 52(4): 120-121.
- Sathe, T.V. 1986.** Life table and intrinsic rate of increase of *Cotesia diurnii* Chalikwar and Rao (Hymenoptera: Braconidae), a larval parasitoid of *Exelastis atomosa* Wals. *Entomon* 11(4): 281-283.

- Sathe, T.V., Gosawi, N.B. & Devgire, D.V. 1986. Parasitic complex associated with *Chapra mathias* Fab., a paddy pest in Kolhapur. *Geobios New Reports* 5(1): 59-60.
- Sathe, T.V. 1987. Adult longevity of *Cotesia orientalis* Chalikwar and Nikam with different foods. *Geobios (Jodhpur)* 14(4): 178-179.
- Sathe, T.V. 1987. Biology of *Cotesia diurnii* Rao and Nikam (Hymenoptera: Braconidae), a larval parasitoid of *Exelastis atomosa* Walsingham. *Oikoassay* 3(1-2): 31-33.
- Sathe, T.V. 1987. Longevity, fecundity and sex-ratio of *Cotesia diurnii* Chalikwar et Rao, a larval parasitoid of *Exelastis atomosa* Walsingham. *Geobios (Jodhpur)* 14(2-3): 98-99.
- Sathe, T.V. 1987. Morphology and biometry of immature stages of *Cotesia orientalis* Chalikwar & Nikam [*Apanteles orientalis*] (Hymenoptera: Braconidae), an internal larval parasitoid of *Exelastis atomosa* Walsingham. *Uttar Pradesh Journal of Zoology* 7(2): 200-203.
- Sathe, T.V. 1987. New records of natural enemies of *Spodoptera litura* (Fab.) in Kolhapur, India. *Current Science* 56: 1083-1084.
- Sathe, T.V. 1987. New records of parasitoids of Ber hairy caterpillar *Thiacidas postica* Wlk. in Kolhapur, India. *Science and Culture* 53(6): 185.
- Sathe, T.V., Nikam, P.K., Jadhav, R.V. & Phadtare, S.T. 1987. Influence of age of caterpillars of *Exelastis atomosa* Walsingham (Lepidoptera: Pterophoridae) on parasitization by *Cotesia orientalis* Chalikwar and Nikam (Hymenoptera: Braconidae). *Indian Journal of Parasitology* 11(1): 87-88.
- Sathe, T.V., Santhakumar, M.V., Inamdar, S.A. & Ingawale, D.M. 1987. Reproductive potential of *Apanteles creatonoti* Viereck (Hymenoptera) in relation to age of *Thiacidas postica* Wlk. caterpillars (Lepidoptera). *Uttar Pradesh Journal of Zoology* 7(1): 89-91.
- Sathe, T.V., Kumar, M.V.S. & Inamdar, S.A. 1988. The biology of *Apanteles creatonoti* Viereck (Hymenoptera: Braconidae), a larval parasitoid of *Thiacidas postica* Wlk. (Lepidoptera). *Entomon* 13(2): 189-190.
- Sathe, T.V. & Santhakumar, M.V. 1988. Host finding behavior by *Cotesia diurnii* Rao and Nikam (Hymenoptera: Braconidae), A parasitoid of *Exelastis atomosa* Walsingham (Lepidoptera: Pterophoridae). *Uttar Pradesh Journal of Zoology* 8(2): 105-113.
- Sathe, T.V., Santhakumar, M.V. & Inamdar, S.A. 1988. Morphology and biometry of immature stages of *Cotesia diurnii* Rao and Nikam (Hymenoptera: Braconidae), an internal larval parasitoid of *Exelastis atomosa* (Wals.). *Journal of Animal Morphology and Physiology* 35(2): 143-146.
- Sathe, T.V. & Gupta, V.K. 1988. Intrinsic rates of increase and interspecific relationships between *Cotesia orientalis*, *Cotesia diurnii* and *Diadegma tarichoptilus* (Hymenoptera: Ichneumonidae), the larval parasitoids of *Exelastis atomosa*. *Advances in parasitic Hymenoptera research: Proceedings of the II Conference on the Taxonomy and Biology of Parasitic Hymenoptera*: 383-387.
- Sathe, T.V. & Inamdar, S.A. 1988. A new species of the genus *Nyereria* Wilkinson (Hymenoptera: Braconidae) from India. *Journal of Advanced Zoology* 9(2): 128-131.
- Sathe, T.V. & Inamdar, S.A. 1989. A new species of the genus *Apanteles* Förster (Hymenoptera: Braconidae), from western Maharashtra (India). *Oikoassay* 6(1): 5-8.
- Sathe, T.V., Santhakumar, M.V. & Nikam, P.K. 1989. Emergence and cocoon construction behaviour of *Cotesia diurnii* Rao & Nikam, a larval parasitoid of *Exelastis atomosa* Walsingham. *Journal of Current Biosciences* 6(2): 41-43.
- Sathe, T.V., Dawale, R.K. & Ingawale, D.M. 1989. A new species of the genus *Parapanteles* Ashmead (Hymenoptera: Braconidae) from India. *Indian Journal of Parasitology* 13(2): 211-213.
- Sathe, T.V. 1990. Longevity, fecundity and sex-ratio of *Paranion bhairavi* (Hymenoptera: Braconidae), a parasitoid of *Diacrisia obliqua* (Lepidoptera: Arctiidae). *Indian Journal of Zoological Spectrum* 1(2): 39-41.
- Sathe, T.V. 1991. Developmental interactions between the sorghum stem borer, *Chilo partellus* and its braconid parasitoid, *Cotesia flavipes*. *Rivista di Parassitologia* 8(3): 291-298.
- Sathe, T.V. 1991. Fecundity and life table studies in *Glyptapanteles malshri* S & I (Braconidae), a larval parasitoid of *Plutella xylostella* (Plutellidae). *Rivista di Parassitologia* 8(3): 299-306.
- Sathe, T.V. 1991. Impact of hymenopterous parasitoids on population of *Exelastis atomosa* Walsingham (Lepidoptera: Pterophoridae), a pigeon pea pest in India. *Bulletin of Entomology* 32(1-2): 74-81.
- Sathe, T.V. 1991. Life table of *Paranion bhairavi* population on *Diacrisia obliqua* (Wlk.). *Uttar Pradesh Journal of Zoology* 11(2): 162-166.
- Sathe, T.V. & Inamdar, S.A. 1991. Two new species of the genus *Glyptapanteles* Ashmead and *Paranion* Nixon (Hymenoptera: Braconidae) from India. *Hexapoda (Insecta Indica)* 3(1-2): 89-93.
- Sathe, T.V. & Ingawale, D.M. 1993. Fecundity, life tables and intrinsic rate of increase in *Apanteles jayanagarensis* Bhatnagar, a larval parasitoid of *Spilosoma obliqua* (Wlk.). *Journal of Biological Control* 7(2): 69-71.
- Sathe, T.V. 1993. Host age selection by *Apanteles jayanagarensis* Bhatnagar (Hymenoptera: Braconidae), a parasitoid of *Spilosoma obliqua* (Wlk.). *Comparative Physiology and Ecology* 18(4): 140-143.
- Sathe, T.V. 1993. On a new species of the genus *Wachsmannia* Szépligeti (Hymenoptera: Braconidae). *Indian Journal of Parasitology* 17(2): 189-191.
- Sathe, T.V., Ingawale, D.M. & Bhosale, Y.A. 1994. Two species of the genus *Cotesia* Cameron (Hymenoptera: Braconidae) from India. *Hexapoda (Insecta Indica)* 6(2): 65-71.
- Sathe, T.V. & Ingawale, D.M. 1995. Two new species of the genus *Apanteles* Foerster (Hymenoptera: Braconidae) from India. *Journal of the Bombay Natural History Society* 92(1): 81-84.
- Sathe, T.V. & Bhosale, Y.A. 1996. Impact of *Apanteles creatonoti* (Hymenoptera: Braconidae) on the population of *Spilosoma obliqua*. *Madras Agricultural Journal* 83(4): 251-254.
- Sathe, T.V. & Bhoje, P.M. 1998. On a new species of the genus *Promicrogaster* Brues & Richardson (Hymenoptera: Braconidae). *Journal of Advanced Zoology* 19(2): 105-106.
- Sathe, T.V. & Dawale, R.K. 1999. On a new species of the genus *Glyptapanteles* Ashmead (Hymenoptera: Braconidae) from India. *Journal of Experimental Zoology, India* 2(1): 71-73.
- Sathe, T.V. 2001. Impact of hymenopterous parasitoids on population of *Exelastis atomosa* Walsingham (Lepidoptera: Pterophoridae), a pigeon pea pest in India. *Rivista di Parassitologia* 17(3) (Dicembre 2000): 359-364.
- Sathe, T.V., Palsule, A.G. & Girhe, B.E. 2001. Effect of different food on adult longevity of *Cotesia sesamiae* (Cameron), a parasitoid of sugarcane borer, *Sesamia inferens* (Walker). *Uttar Pradesh Journal of Zoology* 21(3): 253-255.
- Sathiamma, B., Pillai, G.B. & Jayapal, S.P. 1986. Bioecology of *Bracon hebetor* Say (Hymenoptera: Braconidae), an indigenous larval parasitoid of the coconut leaf eating caterpillar *Opisina arenosella* Wlk. (Lepidoptera: Cryptophasidae). *Journal of Plantation Crops* 14(2): 140-146.
- Sathiamma, B., Sabu, A.S. & Mohan, C. 2000. Observations on laboratory mass multiplication of braconid endoparasitoid *Apanteles taragamae* Wilk. On early instar caterpillars of *Opisina arenosella* Walker on coconut. *Entomon* 25(4): 261-268.
- Sato, H. 1995. Comparison of community composition of parasitoids that attack leaf-mining moths (Lepidoptera: Gracillariidae). *Environmental Entomology* 24(4): 879-888.

- Sato, Y. 1976. Experimental studies on parasitization by *Apanteles glomeratus*. I. Parasitization of different species of genus *Pieris*. Applied Entomology and Zoology 11: 165-175.
- Sato, Y. 1978. Experimental studies on parasitization by *Apanteles glomeratus*. III. Comparison of parasitization potential among females of different origins. Applied Entomology and Zoology 13: 76-83.
- Sato, Y. 1979. Experimental studies on parasitization by *Apanteles glomeratus*. IV. Factors leading a female to the host. Physiological Entomology 4: 63-70.
- Sato, Y. 1980. Experimental studies on parasitization by *Apanteles glomeratus*. V. Relationships between growth rate of parasitoid and host age at the time of oviposition. Entomophaga 25: 123-128.
- Sato, Y. 1980. Host finding sequence of *Apanteles glomeratus* and host specificity. International Congress of Entomology Proceedings 16: 227.
- Sato, Y., Tanaka, T., Imafuku, M. & Hidaka, T. 1983. How does diurnal *Apanteles kariyai* parasitise and egress from a nocturnal host larva? Kontyu 51(1): 128-139.
- Sato, Y. 1984. Developmental interactions between common armyworm and its parasitoids. International Congress of Entomology Proceedings 17: 202.
- Sato, Y. & Tanaka, T. 1984. Effect of the number of parasitoid (*Apanteles kariyai*) eggs (Hymenoptera: Braconidae) on the growth of host (*Leucania separata*) (Lepidoptera: Noctuidae). Entomophaga 29: 21-28.
- Sato, Y., Tagawa, J. & Hidaka, T. 1986. Effects of the gregarious parasitoids, *Apanteles ruficornis* and *A. kariyai* on host growth and development. Journal of Insect Physiology 32: 281-286.
- Sato, Y. & Ohsaki, N. 1987. Host-habitat location by *Apanteles glomeratus* and effect of food-plant exposure on host-parasitism. Ecological Entomology 12(3): 291-297.
- Sato, Y. & Ohsaki, N. 1993. Effect of leaf damage on host-location by *Cotesia glomerata*. Nature & Insects 28(7): 21-26.
- Sato, Y., Takabayashi, J., Yano, S. & Ohsaki, N. 1999. Effect of herbivore species on host searching of a parasitoid, *Cotesia glomerata* (Hymenoptera: Braconidae). Applied Entomology and Zoology 34(4): 459-461.
- Sato, Y., Takada, H. & Katayama, J. 1998. Evaluation of vinyl house release of *Aphidius colemani* and *Aphidoletes aphidimyza* for controlling cucumber-infesting *Aphis gossypii*. Scientific Reports of the Kyoto Prefectural University, Human Environment and Agriculture 50: 75-86.
- Sato, Y., Yano, S., Takabayashi, J. & Ohsaki, N. 1999. *Pieris rapae* (Lepidoptera: Pieridae) females avoid oviposition on *Rorippa indica* plants infested by conspecific larvae. Applied Entomology and Zoology 34(3): 333-337.
- Saucke, H. 1996. Biological and integrated control of *Plutella xylostella* (Lepidoptera: Yponomeutidae) and *Crociodolomia pavonana* (Lepidoptera: Pyralidae) in different cabbage-growing regions of Papua New Guinea. Justus Liebig Universität, Fachbereich Veterinärmedizin; Giessen; Germany 131 pp, 24 pp.
- Saucke, H., Dori, F. & Schmutterer, H. 2000. Biological and integrated control of *Plutella xylostella* (Lep.: Yponomeutidae) and *Crociodolomia pavonana* (Lep.: Pyralidae) in *Brassica* crops in Papua New Guinea. Biocontrol Science and Technology 10(5): 595-606.
- Sauls, E.C., Nordlund, D.A. & Lewis, W.J. 1979. Kairomones and their use for management of entomophagous insects VII. Effect of diet on the kairomone activity of frass from *Heliothis zea* (Brodie) larvae for *Microplitis croceipes* (Cresson). Journal of Chemical Ecology 5: 363-369.
- Saval, J.M.M. & Gonzalez Funes, P. 1988. *Dyscritulus planiceps* (Marshall, 1896) y *Trioxys cirsii* (Curtis, 1833), primera cita para la Península Iberica (Hym. Aphidiidae). Nouvelle Revue d'Entomologie 5(2): 194.
- Saval, J.M.M. & Segovia, A.S. 1993. *Metaphidius* Starý & Sedlag, 1959 in the Iberian Peninsula (Hymenoptera: Braconidae). Nouvelle Revue d'Entomologie 10(4): 379-380.
- Saval, J.M.M. & Segovia, A.S. 1996. *Metaphidius* Starý & Sedlag, 1959 in the Iberian Peninsula (Hymenoptera: Braconidae). Nouvelle Revue d'Entomologie 13(3): 281.
- Savary, S., Beckage, N., Tan, F., Periquet, G. & Drezen, J.M. 1997. Excision of the polydnavirus chromosomal integrated EP1 sequence of the parasitoid wasp *Cotesia congregata* (Braconidae, Microgastrinae) at potential recombinase binding sites. Journal of General Virology 78(12): 3125-3134.
- Savary, S., Drezen, J.M., Tan, F., Beckage, N.E. & Periquet, G. 1999. The excision of polydnavirus sequences from the genome of the wasp *Cotesia congregata* (Braconidae: Microgastrinae) is developmentally regulated but not strictly restricted to the ovaries in the adult. Insect Molecular Biology 8(3): 319-327.
- Saxena, A.P. 1972. Studies on *Stenobracon deesae* Cam. and *Stenobracon nicevillei* Bing. (Hym., Braconidae). Zeitschrift für angewandte Entomologie 71: 145-151.
- Saxena, A.P., Ch & la, V.K. & Raj, B.T. 1988. Ecology of potato pests and their natural enemies. Annual Scientific Report 1987, Central Potato Research Institute, India 139-140.
- Saxena, H. 1992. *Spathius elaboratus* Wilkinson (Hymenoptera: Braconidae: Doryctinae) - a new larval parasite of gurdaspur borer, *Acigona steniella* (Hampson) from Uttar Pradesh. Indian Journal of Entomology 54(4): 482.
- Saxena, K.N., Reddy, K.V.S., Omolo, E.O. & Ngode, L. 1990. Non-pesticidal approach to integrated management of sorghum stem borers for resource-limited small-scale farmers in Africa. Proceedings: Integrated Pest Management in Tropical and Subtropical Cropping Systems '89 1: 175-198.
- Scaglia, M., Brochetto-Braga, M.R., Chaud-Netto, J. & Gobbi, N. 2003. Haemolymph electrophoretic pattern of *Ascia monuste orseis* larvae (Lepidoptera: Pieridae) parasitized by *Cotesia glomerata* (Hymenoptera: Braconidae). Journal of Venomous Animals and Toxins including Tropical Diseases 9(1): 89-103.
- Scales, A.L. 1973. Parasites of the tarnished plant bug in the Mississippi delta. Environmental Entomology 2(2): 304-306.
- Scanabissi, G. & Arzone, A. 1992. Epidemiological researches on *Anthonomus rubi* Herbst (Coleoptera, Curculionidae). Redia 75(2): 537-537.
- Scarborough, T.A. 1984. Mutualism of the red imported fire ant, *Solenopsis invicta* Buren, with honeydew-producing Homoptera. Dissertation Abstracts International B Sciences and Engineering 45(5) 1984: 1373.
- Scatolini, D. & Penteado-Dias, A.M. 1999. A new species of *Sendaphne* (Hymenoptera, Braconidae) from Brazil. Entomological News 110(1): 53-55.
- Scatolini, D., Penteado-Dias, A.M. & Achterberg, C. van 2002. *Pseudorhysipolis* gen. nov. (Hymenoptera: Braconidae: Rhysipolinae), with nine new species from Brazil, Suriname and Panama. Zoologische Mededelingen, Leiden 76(13): 109-131.
- Scatolini, D. & Penteado-Dias, A.M. 2003. [Faunistic analysis of Braconidae (Hymenoptera) in three areas of native woods of Parana State, Brazil.] Análise faunística de Braconidae (Hymenoptera) em tres áreas de mata nativa do Estado do Parana, Brasil. Revista Brasileira de Entomologia 47(2): 187-195.
- Schaaf, A.C. 1972. The parasitoid complex of *Euxoa ochrogaster* (Guenée) (Lepidoptera: Noctuidae). Quaestiones Entomologicae 8: 81-120.
- Schaefer, M. 1992. Brohmer-Fauna von Deutschland: ein Bestimmungsbuch unserer heimischen Tierwelt. Heidelberg: 1-704.
- Schaefer, P.W. & Füruta, K. 1981. A black-backed larval mutant of *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae) in Japan. Journal of Research on the Lepidoptera 18(3) 1979: 167-170.

- Schaefer, P.W., Yan, J.J., Sun, X.L., Wallner, W.E. & Weseloh, R.M. 1984. [Natural enemies of the gypsy moth, *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae) in China.] *Scientia Silvae Sinicae* 20: 434-440.
- Schaefer, P.W. & Semyanov, V.P. 1992. Arthropod parasites of *Coccinella septempunctata* (Coleoptera: Coccinellidae); world parasite list and bibliography. *Entomological News* 103(4): 125-134.
- Schaefer, P.W., Fuester, R.W., Park, J.D., Lee, B.Y., Shin, C.H., Lee, J.H. & Lee, H.P. 2002. Gypsy moth parasitoid complex at Mt. Halla National Park, Cheju Island, Korea. *Entomological News* 13(2): 103-112.
- Scharkov, E.V. & Khanna, S. 1986. [Effect of toxin from the venom of the Ichneumon *Habrobracon hebetor* (Say) on neuromuscular transmission in insects.] (in Russian) *Dokl. Biol. Sci. Akad. Nauk SSSR* 297(1/6): 684-686.
- Schaupp, W.C. Jr., Volney, W.J.A. & Waters, W.E. 1991. Parasitoids of endemic and epidemic populations of *Choristoneura occidentalis* Freeman and *Choristoneura retiniana* (Walsingham) (Lepidoptera: Tortricidae) in southern Oregon. *Canadian Entomologist* 123(5): 1095-1102.
- Schedl, W. & Pschorn-Walcher, H. 1984. Ein Beitrag zu schwarzen Burstenhornblattwespen aus Mitteleuropa (Insecta: Hymenoptera, Argidae). *Berichte des Naturwissenschaftlich Medizinischen Vereins in Innsbruck* 71: 173-179.
- Schedl, W. 1999. Invasion of the eucalyptus borer, *Phoracantha semipunctata* (F.), in the Mediterranean Basin and at the Canary Islands (Coleoptera: Cerambycidae). *Anzeiger für Schädlingskunde* 72(2): 37-40.
- Schellhorn, N.A., Kuhman, T.R., Olson, A.C. & Ives, A.R. 2002. Competition between native and introduced parasitoids of aphids: nontarget effects and biological control. *Ecology* 83(10): 2745-2757.
- Schelt, J. van 1993. Market-driven research and development in biological control. *Pesticide Science* 37(4): 405-409.
- Schelt, J. van 1994. The selection and utilisation of parasitoids for aphid control in glasshouses. *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society*. recd. 1996, 5: 151-157.
- Schepers, E.J., Dahlman, D.L., Zhang, D.Q., Pennacchio, F., Vinson, S.B. & Lanzrein, B. 1998. *Microplitis croceipes* teratocytes: in vitro culture and biological activity of teratocytes secreted protein. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 767-777.
- Schimitschek, E. 1964. Liste der 1934-1936 und 1940-1953 gezogenen Parasiten und ihrer Wirte. *Zeitschrift für angewandte Entomologie* 53: 320-341.
- Schlarmannová, J. & Lukáš, J. 2004. First records of braconids (Hymenoptera, Braconidae) from Slovakia. *Biologia, Bratislava* 59(2): 203-204.
- Schmale, I., Wackers, F.L., Cardona, C. & Dorn, S. 2001. Control potential of three hymenopteran parasitoid species against the bean weevil in stored beans: the effect of adult parasitoid nutrition on longevity and progeny production. *Biological Control* 21(2): 134-139.
- Schmid, J.M. 1981. Distribution of western spruce budworm (Lepidoptera: Tortricidae) insect parasites in the crowns of host trees. *Canadian Entomologist* 113(12): 1101-1106.
- Schmid-Hempel, P., Muller, C., Schmid-Hempel, R. & Shykoff, J.A. 1990. Frequency and ecological correlates of parasitism by conopid flies (Conopidae: Diptera) in populations of bumblebees. *Insectes Sociaux* 37(1): 14-30.
- Schmidt, O., Asgari, S., Beck, M., Theopold, U., Austin, A.D. & Downton, M. 2000. Host defence manipulation by parasitoid wasps and the problem of assessing host specificity. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. *Hymenoptera: evolution, biodiversity and biological control*: 29-37.
- Schmitz, J. & Moritz, R.F.A. 1998. Molecular phylogeny of Vespidae (Hymenoptera) and the evolution of sociality in wasps. *Molecular Phylogenetics and Evolution* 9(2): 183-191.
- Schmuck, R., Mager, H., Kunast, C., Bock, K.D. & Storck-Weyhermüller, S. 1996. Variability in the reproductive performance of beneficial insects in standard laboratory toxicity assays-implications for hazard classification of pesticides. *Annals of Applied Biology* 128(3): 437-451.
- Schmutterer, H. 1992. Influence of azadirachtin, of an azadirachtin-free fraction of an alcoholic neem seed kernel extract and of formulated extracts on pupation, adult emergence and adults of the braconid *Apanteles glomeratus*. Einfluss von Azadirachtin, einer azadirachtinfreien Fraktion eines alkoholischen Niemsamenextraktes und von formulierten Extrakten auf Verpuppung, Schlupf und Imagines der Kohlweisslingsbrackwespe *Apanteles glomeratus* (L.) (Hym.: Braconidae). *Journal of Applied Entomology* 113(1): 79-87.
- Schoeller, M. & Prozell, S. 2003. Response of the parasitoids of stored-product moths, *Habrobracon hebetor*, *Trichogramma evanescens* and *Venturia canescens* (Hymenoptera: Braconidae, Trichogrammatidae, Ichneumonidae), towards three types of funnel traps: 325-329. In: Credland, P.F., Armitage, D.M., Bell, C.H., Cogan, P.M. & Highley, E. [eds]. *Advances in stored product protection*. Proceedings of the 8th International Conference on Stored Product Protection, 22-26 July 2002, York, UK. Wallingford & Cambridge 2003: i-xxi, 1-1071.
- Schoen, L. & Martin, C. 1997. Control of *Aphis gossypii* Glover on greenhouse melon by means of banker plants and *Aphidius colemani* in Roussillon (South France). International conference on pests in agriculture, 6-8 January 1997, at le Corum, Montpellier, France. Vol 3: 759-765.
- Schoen, L., Albajes, R. & Sekeroglu, E. 2000. The use of open rearing units or "banker plants" against *Aphis gossypii* Glover in protected courgette and melon crops in Roussillon (South of France). IOBC WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate". Proceedings of the meeting, Antalya, Turkey, 24-28 April 2000. *Bulletin OILB SROP* 23(1): 181-186.
- Schoenbohm, R.B. & Turpin, F.T. 1977. Effect of parasitism by *Meiteorus leviiventris* on corn foliage consumption and corn seedling cutting by the black cutworm. *Journal of Economic Entomology* 70(4): 457-459.
- Schoff, A. 1984. Endocrinological investigations of the host-parasite system: *Pieris brassicae* L.-*Apanteles glomeratus* L. *International Congress of Entomology Proceedings* 17: 204.
- Scholler, M. 1999. Biological control of the warehouse moth *Ephesia elutella* in bulk grain. *Agrarökologie* 35: 143 pp.
- Scholler, M., Adler, C. & Schoeller, M. 2000. Forager in the rye: biological control of *Ephesia elutella* in bulk grain. IOBC WPRS Working Group 'Integrated Protection in Stored Products'. Proceedings of the meeting at Berlin, Germany, 22-24 August, 1999. *Bulletin OILB SROP* 23(10): 149-159.
- Scholler, M. & Prozell, S. 2001. The meal-moth parasitic wasp *Habrobracon hebetor* (Hymenoptera: Braconidae) as a natural enemy of moths infesting stored products. *Gesunde Pflanzen* 53(3): 82-89.
- Scholler, M., Zdarkova, E., Hubert, J. & Lukáš, J. 2002. Commercial application of parasitoids to control stored product pests in Germany and Austria. COST Action 842 1999-2004. Biological control of pest insects and mites, with special reference to entomophthorales. Proceedings of the First Meeting of Working Group 4: Bio control of arthropod pests in the stored products, Lisbon, Portugal, 6-7th September 2001. 29-32.

- Scholz, D. & Höller, C. 1992.** Competition for hosts between two hyperparasitoids of aphids, *Dendrocerus laticeps* and *Dendrocerus carpenteri* (Hymenoptera: Megaspilidae): the benefit of interspecific host discrimination. *Journal of Insect Behavior* 5(3): 289-300.
- Schonrogge, K. & Altenhofer, E. 1992.** On the biology and larval parasitoids of the leaf-mining sawflies *Profenusa thomsoni* (Konow) and *P. pygmaea* (Konow) (Hym.: Tenthredinidae). *Entomologist's Monthly Magazine* 128(1536-1539): 99-108.
- Schooler, S.S., Ives, A.R. & Harmon, J. 1996.** Hyperparasitoid aggregation in response to variation in *Aphidius ervi* host density at three spatial scales. *Ecological Entomology* 21(3): 249-258.
- Schopf, A. 1984.** Endokrinologische Untersuchungen an dem Wirt-Parasit-System: *Pieris brassicae*-*Apanteles glomeratus*. *Entomologia Experimentalis et Applicata* 36: 265-272.
- Schopf, A. 1991.** The effect of host age of *Lymantria dispar* larvae (Lep.: Lymantriidae) on the development of *Glyptapanteles liparidis* (Hym.: Braconidae). *Entomophaga* 36(4): 593-604.
- Schopf, A. 1993.** The development of the endoparasite *Glyptapanteles liparidis* in larvae of the gypsy moth *Lymantria dispar*. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 8(4-6): 867-870.
- Schopf, A. & Rembold, H. 1993.** Changes in juvenile hormone titer of gypsy moth larvae by parasitism of *Glyptapanteles liparidis*. *Naturwissenschaften* 80(11): 527-528.
- Schopf, A. & Steinberger, P. 1996.** The influence of the endoparasitic wasp *Glyptapanteles liparidis* (Hymenoptera: Braconidae) on the growth, food consumption, and food utilization of its host larva, *Lymantria dispar* (Lepidoptera: Lymantriidae). *European Journal of Entomology* 93(4): 555-568.
- Schopf, A. & Nussbaumer, C. 1996.** Influence of parasitism by *Glyptapanteles liparidis* (Hym.: Braconidae) on the haemolymph carbohydrate and glycogen content of its host larva, *Lymantria dispar* (Lep.: Lymantriidae). *Journal of Applied Entomology* 120(6): 357-362.
- Schopf, A., Nussbaumer, C., Rembold, H. & Hammock, B.D. 1996.** Influence of the braconid *Glyptapanteles liparidis* on the juvenile hormone titer of its larval host, the gypsy moth, *Lymantria dispar*. *Archives of Insect Biochemistry and Physiology* 31(3): 337-351.
- Schopf, A. & Hoch, G. 1997.** Bionomics and significance of *Glyptapanteles liparidis* (Hym.: Braconidae) as a regulator of *Lymantria dispar* (Lep.: Lymantriidae) in different host population densities. *Journal of Applied Entomology* 121(4): 195-203.
- Schröder, D. 1974.** A study of the interactions between the internal larval parasites of *Rhyacionia bouliana*. *Entomophaga* 19(2): 145-171.
- Schroder, R.F.W. & Athanas, M.M. 2002.** Biological observations of *Centistes gasseni* Shaw (Hymenoptera: Braconidae), a parasitoid of *Diabrotica* spp. (Coleoptera: Chrysomelidae). *Proceedings of the Entomological Society of Washington* 104(3): 554-562.
- Schroder, R.F.W. & Sidor, A.M. 1997.** Establishment of *Aleiodes* (= *Rogas*) *indiscretus* (Hymenoptera: Braconidae), an introduced parasite of the gypsy moth in North America. *Entomological News* 108(2): 148-150.
- Schuld, M., Moll, M., Vogt, H. & Heimbach, U. 2002.** Side effects of plant protection products on mortality and reproductive capacity of the aphid parasitoid *Aphidius rhopalosiphii* (DeStefani-Perez) (Hymenoptera: Braconidae) under semi-field conditions. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at San Michele All'Adige, Trento, Italy, 3-6 October, 2001. *Bulletin OILB SROP* 25(11): 1-6.
- Schuler, T.H., Denholm, I., Jouanin, L., Clark, S.J., Clark, A.J. & Poppy, G.M. 2001.** Population-scale laboratory studies of the effect of transgenic plants on nontarget insects. *Molecular Ecology* 10(7): 1845-1853.
- Schuler, T.H., Poppy, G.M., Potting, R.P.J., Denholm, I. & Kerry, B.R. 1999.** Interactions between insect tolerant genetically modified plants and natural enemies. Gene flow and agriculture: relevance for transgenic crops. Proceedings of a symposium held at Keele, UK on 12-14 April 1999 197-202; BCPC Symposium Proceedings No. 72.
- Schuler, T.H., Potting, R.P.J., Denholm, I. & Poppy, G.M. 1999.** Parasitoid behaviour and Bt plants. *Nature London* 401(6747): 825-826.
- Schulthess, F., Bosque-Perez, N.A., Chabi-Olaye, A., Gounou, S., Ndemah, R., Goergen, G. & Overholt, W.A. 1997.** Exchange of natural enemies of lepidopteran cereal stemborers between African regions. Management of tropical gramineous stemborers, Nairobi, Kenya, 14-16 May 1996. *Insect Science and its Application* 17(1): 97-108.
- Schultz, D.E. & Allen, D.C. 1975.** Biology and descriptions of the cherry scallop shell moth, *Hydria prunivivora* (Lepidoptera: Geometridae), in New York. *Canadian Entomologist* 107: 99-106.
- Schumacher, R.K., Austin, A.D. & Floyd, R.B. 2000.** Parasitoids of the autumn gum moth, *Mnesampela privata* (Guenée) (Lepidoptera: Geometridae) in south-eastern Australia, with description of two new larval parasitoids. *Transactions of the Royal Society of South Australia Incorporated* 124(1): 1-15.
- Schuphan, I. 1985.** Determination of the quantitative ecochemical and ecotoxicological behavior of pesticides by means of controlled, ventilated vegetation chambers. *Berichte über Landwirtschaft Sonderheft* 198: 21-34.
- Schurian, K.G., Fiedler, K. & Maschwitz, U. 1993.** Parasitoids exploit secretions of myrmecophilous lycaenid butterfly caterpillars (Lycaenidae). *Journal of the Lepidopterists' Society* 47(2): 150-154.
- Schurian, K.G. 1994.** Beobachtungen zur Biologie und Ökologie von *Zizeeria knysna* (Trimen 1862) (Lepidoptera: Lycaenidae). *Nachrichten des Entomologischen Vereins Apollo* 15(1-2): 47-56.
- Schuster, D.J. & Starks, K.J. 1974.** Response of *Lysiphlebus testaceipes* in an olfactometer to a host and a non-host insect and to plants. *Environmental Entomology* 3: 1034-1035.
- Schuster, D.J. & Starks, K.J. 1975.** Preference of *Lysiphlebus testaceipes* for greenbug resistant and susceptible small grain species. *Environmental Entomology* 4: 887-888.
- Schuster, D.J., Gilreath, J.P., Wharton, R.A. & Seymour, P.R. 1991.** Agromyzidae (Diptera) leafminers and their parasitoids in weeds associated with tomato in Florida. *Environmental Entomology* 20(2): 720-723.
- Schuster, D.J. & Wharton, R.A. 1993.** Hymenopterous parasitoids of leaf-mining *Liriomyza* spp. (Diptera: Agromyzidae) on tomato in Florida. *Environmental Entomology* 22(5): 1188-1191.
- Schworer, U. & Völkl, W. 2001.** Foraging behavior of *Aphidius ervi* (Haliday) (Hymenoptera: Braconidae: Aphidiinae) at different spatial scales: resource utilization and suboptimal weather conditions. *Biological Control* 21(2): 111-119.
- Scopes, N.E.A. 1970.** Control of *Myzus persicae* on year-round chrysanthemums by introducing aphids parasitized by *Aphidius matricariae* into boxes of rooted cuttings. *Annals of Applied Biology* 66: 323-327.
- Scopes, N.E.A. & Biggerstaff, S.M. 1977.** The use of a temperature integrator to predict development period of the parasite *Aphidius matricariae*. *Journal of Applied Ecology* 14: 799-802.
- Seaman, A.J., Nyrop, J.P. & Dennehy, T.J. 1990.** Egg and larval parasitism of the grape berry moth (Lepidoptera: Tortricidae) in three grape habitats in New York. *Environmental Entomology* 19(3): 764-770.

- Sechser, B. 1970.** Der Parasitenkomplex des Kleinen Frostspanners (*Operophtera brumata* L.) (Lep., Geometridae) unter besonderer Berücksichtigung der Kokonparasiten. I. Teil. Zeitschrift für angewandte Entomologie 66: 1-35.
- Sechser, B. 1970.** Der Parasitenkomplex des Kleinen Frostspanners (*Operophtera brumata* L.) (Lep., Geometridae) unter besonderer Berücksichtigung der Kokonparasiten. II. Teil. Zeitschrift für angewandte Entomologie 66: 144-160.
- Sechser, B. & Varty, I.W. 1978.** Effect of an insect growth regulator on non-target Arthropods in an areal application against the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae) in New Brunswick, Canada. Canadian Entomologist 110(6): 561-567.
- Sedlacek, J.D., Price, B.D., Sharkey, M.J., Hill, S.J. Jr. & Weston, P.A. 1998.** Parasitoids found in on-farm shelled corn in Kentucky. Journal of Agricultural Entomology 15(3): 223-230.
- Sedlag, U. 1969.** Eine vierte europäische *Lysaphidus*-Art: *Lysaphidus viaticus* n. sp. (Hymenoptera: Aphidiidae). Deutsche Entomologische Zeitschrift 16(I/III): 127-130.
- Sedlag, U. & Starý, I. 1980.** *Pauesia* (*Pauesiella* subgen. n.) *spatulata* sp. n., a parasitoid of *Cinara*-aphids from central Europe (Hymenoptera, Aphidiidae, Homoptera, Lachnidae). Acta Entomologica Bohemoslovaca 77(6): 383-386.
- Seeras, N.R. & Bilapate, G.G. 1987.** Optimum parasite host ratio of *Chelonus blackburni* Cameron on rice moth. Indian Journal of Entomology, publ. 1989, 49(3): 443-446.
- Segarra-Carmona, A. & Barbosa, P. 1990.** Influence of patch plant density on herbivory levels by *Etiella zinckenella* (Lepidoptera: Pyralidae) on *Glycine max* and *Crotalaria pallida*. Environmental Entomology 19(3): 640-647.
- Segarra-Carmona, A., Torres-Rivera, C.N., Escudero, J., Ortiz, A.A., Alfaro, J.A. & Figueroa, W.G. 1988.** Bacteria associated with the West Indian fruit fly *Anastrepha obliqua* (Macquart) (Diptera: Tephritidae). Journal of Agriculture of the University of Puerto Rico 72(3): 489-491.
- Segarra-Carmona, A.E. & Barbosa, P. 1988.** Notes on the natural enemies of *Etiella zinckenella* in Puerto Rico. Journal of Agriculture of the University of Puerto Rico 72(1): 153-159.
- Sekhar, P.R. & Rai, P.S. 1989.** Studies on the biology and occurrence of natural enemies of safflower caterpillar, *Prospalta condicta* Walker (Lepidoptera: Noctuidae) in Karnataka. Journal of Research APAU 17(1): 19-22.
- Sekhon, B.S. & Varma, G.C. 1983.** Host and parasitoid emergence pattern from diapausing larvae of *Pectinophora gossypiella* (Saunders). Journal of Research Punjab Agricultural University 20(1): 114-116.
- Sekhon, B.S. & Varma, G.C. 1983.** Parasitoids of *Pectinophora gossypiella* (Lep., Gelechiidae) and *Earias* spp. (Lep., Noctuidae) in the Punjab. Entomophaga 28(1): 45-54.
- Sekita, N. 1992.** Comparative population dynamics of two species of leaf miner *Phyllonorycter ringoniella* Matsumura and *Lyonetia prunifoliella malinella* Matsumura in apple orchards. Bulletin of the Aomori Apple Experiment Station 27: 1-98.
- Sekkat, A. & El Bouhssini, M. 1992.** Wheat aphids in the Saiss. Al-Awamia 75: 11-23.
- Sekun, M., Koshevska, N. & Polishchuk, Y. 1997.** Toxicological evaluation of the protection of natural enemies in agrobiocenoses under the application of insecticides. Visnik Agrarnoi Nauki 1: 22-25.
- Selim, A.A., El Refai, S.A. & El Gantiry, A. 1987.** Seasonal fluctuations in the population of *Aphis craccivora* Koch, *Myzus persicae* (Sulz.), *Aphis gossypii* (Glov.) and their parasites. Annals of Agricultural Science, Ain Shams University 32(3): 1837-1848.
- Séméria, Y. 1976.** Un Braconide, *Chrysopophthorus chrysopimagineis* Goidanich (Hymenoptera, Braconidae) parasite des imago de Chrysopinae (Planipennia: Chrysopidae). Bulletin Mensuel de la Société Linnéenne de Lyon 45: 102-127.
- Séméria, Y. 1981.** Signification de deux formes de sur-parasitisme, dont une inédite, chez les adultes de Chrysopinae (Planipennia: Chrysopidae), produites par le braconide (Hymenoptera): *Chrysopophthorus chrysopimagineis* Goid. Sur-parasitisme expérimental et sur-parasitisme périodique.
- Séméria, Y. & Quilici, S. 1986.** Première contribution à l'étude des Chrysopidae (Neuroptera: Planipennia) de l'île de la Réunion (Océan Indien). Neuroptera International 4(2): 107-115.
- Séméria, Y. 1994.** Notes inédites sur le parasitisme séquentiel et le super-parasitisme chez les adultes de Chrysopinae dans la nature (Planipennia: Chrysopidae). Entomologiste (Paris) 50(6): 329-334.
- Semyanov, V.P. 1978.** An unusual pattern of parasitism in the Braconid, *Dinocampus coccinellae* Schrank (Hymenoptera: Braconidae). Entomologicheskoye Obozreniye 57: 513-514. [Entomological Review 57: 351-352.].
- Semyanov, V.P. 1981.** Behavior of *Dinocampus* (= *Perilitus*) *coccinellae* Schrank (Hymenoptera, Braconidae) during search for and infection of hosts: 159-163. Pristavko, V.P. [ed.]. Insect behavior as a basis for developing control measures against pests of field crops and forests. New Delhi, Calcutta 1981: i-vii, 1-238.
- Semyanov, V.P. 1986.** Parasites and predators of *Coccinella septempunctata*. Series Entomologica (Dordrecht) 35: 525-530.
- Sengonca, C. & Kersting, U. 1988.** The effect of some herbicides used in cabbage crops on the aphid parasitoid *Diaeretiella rapae* (Hymenoptera: Aphidiidae) Entomologia Generalis 13(3-4): 157-161.
- Sengonca, C. & Peters, G. 1991.** Occurrence of indigenous parasitoids of the important cabbage pests in the Cologne-Bonn production region. Zeitschrift für angewandte Zoologie 78: 91-100.
- Sengonca, C. & Peters, G. 1993.** Biology and effectiveness of *Apanteles rubecula* Marsh. (Hym.: Braconidae), a solitary larval parasitoid of *Pieris rapae* (L.) (Lep.: Pieridae). Journal of Applied Entomology 115(1): 85-89.
- Sengonca, C. & Liu, B. 2001.** Influence of mixed biocide GCSC-BtA on the pupae and adult stages of *Apanteles plutellae* Kurd. (Hym., Braconidae) and its host, *Plutella xylostella* (L.) (Lep., Plutellidae). Anzeiger für Schädlingskunde 74(6): 145-149.
- Sengonca, C. & Liu, B. 2002.** Effect of GCSC-BtA biocide on population dynamics of cabbage pests and their natural enemies from fields in southeastern China. Anzeiger für Schädlingskunde 75(2): 46-50.
- Senoo, N., Ochiai, Y. & Nakashima, Y. 2002.** Seasonal abundance of primary parasitoids and hyperparasitoids associated with *Acyrtosiphon pisum* (Harris) and *Acyrtosiphon kondoi* Shinji (Homoptera: Aphididae) on alfalfa. Japanese Journal of Applied Entomology and Zoology 46(2): 96-98.
- Senthamizhselvan, M. & Muthukrishnan, J. 1989.** Bioenergetics of *Apanteles flavipes* Cameron (Hymenoptera: Braconidae), a parasitoid of *Porthesia scintillans* Walker (Lepidoptera: Lymantriidae). Insect Science and its Application 10(3): 295-299.
- Senthamizhselvan, M. & Muthukrishnan, J. 1989.** Effect of parasitization by a gregarious and a solitary parasitoid on food consumption and utilization by *Porthesia scintillans* Walker (Lepidoptera: Lymantriidae) and *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). Parasitology Research 76(2): 166-170.
- Sequeira, R. & Mackauer, M. 1987.** Host instar preference of the aphid parasite *Praon pequodorum* (Hymenoptera: Aphidiidae). Entomologia Generalis 12(4): 259-265.

- Sequeira, R. & Mackauer, M. 1988.** Effects of parasitism by *Praon piquodorum* on age-specific fecundity and population growth of the pea aphid, *Acyrthosiphon pisum*. *Entomologia Experimentalis et Applicata* 48(2): 179-185.
- Sequeira, R. & Mackauer, M. 1992.** Covariance of adult size and development time in the parasitoid wasp *Aphidius ervi* in relation to the size of its host, *Acyrthosiphon pisum*. *Evolutionary Ecology* 6(1): 34-44.
- Sequeira, R. & Mackauer, M. 1992.** Nutritional ecology of an insect hosts-parasitoid association: the pea aphid-*Aphidius ervi* system. *Ecology* 73(1): 183-189.
- Sequeira, R. & Mackauer, M. 1992.** Quantitative genetics of body size and development time in the parasitoid wasp *Aphidius ervi* (Hymenoptera: Aphidiidae). *Canadian Journal of Zoology* 70(6): 1102-1108.
- Sequeira, R. & Mackauer, M. 1993.** Seasonal variation in body size and offspring sex ratio in field populations of the parasitoid wasp, *Aphidius ervi* (Hymenoptera: Aphidiidae). *Oikos* 68(2): 340-346.
- Sequeira, R. & Mackauer, M. 1993.** The nutritional ecology of a parasitoid wasp, *Ephedrus californicus* Baker (Hymenoptera: Aphidiidae). *Canadian Entomologist* 125(3): 423-430.
- Sequeira, R. & Mackauer, M. 1994.** Variation in selected life-history parameters of the parasitoid wasp, *Aphidius ervi*: influence of host developmental stage. *Entomologia Experimentalis et Applicata* 71(1): 15-22.
- Serini, G.B. 1990.** Parasitoids of *Parectopa robiniella* Clemens and *Phyllonorycter robiniellus* (Clemens) (Lepidoptera: Gracillariidae). *Bollettino di Zoologia Agraria e di Bachicoltura* 22(2): 139-149.
- Serit, M., Jaal, Z. & Tan, K.H. 1987.** Parasitism of *Dacus dorsalis* (Hendel) in a village ecosystem in Tanjung Bungah, Penang, Malaysia. *Proceedings of the Second International Symposium. Fruit Flies. 16-21 September 1986, Crete, Greece.* pp. 441-448.
- Sers, D.P. & Dobson, R.C. 1966.** The insect complex associated with bovine manure in Indiana. *Annals of the Entomological Society of America* 59(5): 955-959.
- Sers, D.P.A. & Hill, A.R. 1982.** Surveys for parasitoids of *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae) in Australia. *Australia Csiro (Commonwealth Scientific and Industrial Research Organization) Division of Entomology Report No. 29:* 1-18.
- Sers, D.P.A., Bakker, P. & Dori, F.M. 1993.** *Cotesia erionotae* (Wilkinson) (Hymenoptera: Braconidae), for biological control of banana skipper, *Erionota thrax* (L.) (Lepidoptera: Hesperidae) in Papua New Guinea. *Biological Control of Exotic Pests in the Pacific. Proceedings of a Plenary Session and Symposium, XIX International Congress of Entomology, Beijing, June 1992.* *Micronesia* 4: 99-105.
- Sers, D.P.A., Murphy, S.T., Floyd, R.B. & Hauxwell, C. 2001.** Prospects for biological control of *Hypsipyla* spp. with insect agents. *Hypsipyla* shoot borers in Meliaceae. *Proceedings of an International Workshop held at Kandy, Sri Lanka, 20-23 August 1996* 121-130.
- Seshu Reddy, K.V. 1983.** Studies on the stem borer complex of sorghum in Kenya. *Insect Science and its Application* 4(1-2): 3-10.
- Setamou, M., Bernal, J.S., Legaspi, J.C. & Mirkov, T.E. 2002.** Effects of Snowdrop Lectin (*Galanthus nivalis* agglutinin) expressed in transgenic sugarcane on fitness of *Cotesia flavipes* (Hymenoptera: Braconidae), a parasitoid of the nontarget pest *Diatraea saccharalis* (Lepidoptera: Crambidae). *Annals of the Entomological Society of America* 95(1): 75-83.
- Setamou, M., Bernal, J.S., Legaspi, J.C. & Mirkov, T.E. 2002.** Parasitism and location of sugarcane borer (Lepidoptera: Pyralidae) by *Cotesia flavipes* (Hymenoptera: Braconidae) on transgenic and conventional sugarcane. *Environmental Entomology* 31(6): 1219-1225.
- Sethumadhavan, T.V. & Dharmadhikari, P.R. 1969.** Notes on *Di-aeretiella rapae* (M'Intosh) (Hym.: Aphidiidae) parasitic on aphids on crucifers in India. *Commonwealth Institute of Biological Control Technical Bulletin* 11: 173-177.
- Seufert, P. & Fiedler, K. 1996.** Life-history diversity and local co-existence of three closely related lycaenid butterflies (Lepidoptera: Lycaenidae) in Malaysian rainforests. *Zoologischer Anzeiger* 234(4): 229-239.
- Seufert, P. & Fiedler, K. 1999.** Myrmecophily and parasitoid infestation of South-East Asian lycaenid butterfly larvae. *Ecotropica* 5(1): 59-64.
- Sevcik, J. 2001.** Diptera (excluding Mycetophilidae s. str.) associated with fungi in Czech and Slovak Republics: a survey of rearing records from 1998-2000. *Acta Universitatis Carolinae Biologica* 45(1-2): 157-168.
- Sewall, D. & Croft, B.A. 1987.** Chemotherapeutic and montarget side-effects of benomyl to the orange tortrix, *Argyrotaenia citrana* (Lepidoptera: Tortricidae), and braconid endoparasite *Apanteles aristoteliae* (Hymenoptera: Braconidae). *Environmental Entomology* 16: 507-512.
- Seymour, J.E. & Jones, R.E. 2000.** Humidity-terminated diapause in the tropical braconid parasitoid *Microplitis demolitor*. *Ecological Entomology* 25(4): 481-485.
- Seymour, J.E. & Jones, R.E. 2001.** Geographic variation in host instar and species preference of *Microplitis demolitor* (Wilkinson) (Hymenoptera: Braconidae) towards two of its native hosts, *Helicoverpa punctigera* (Wallengren) and *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Australian Journal of Entomology* 40(3): 245-248.
- Shands, W.A., Simpson, G.W., Muesebeck, C.F.W. & Wave, H.W. 1965.** Parasites of potato-infesting aphids in northeastern Maine. *Maine Agricultural Experiment Station. Bull. Tech. Ser* 19: 1-77.
- Shands, W.A., Simpson, G.W. & Simpson, B.A. 1975.** Evaluation of field introductions of two insect parasites (Hymenoptera: Braconidae) for controlling potato-infesting aphids. *Environmental Entomology* 4(3): 499-503.
- Shadrina, N.F. & Gorbunov, N.N. 1995.** [*Liriomyza congesta* and its parasites in pea crops.] *Sibirskii Ekologicheskii Zhurnal* 2(5): 462-465.
- Shah, R.H., Patel, J.R. & Patel, N.C. 2001.** Occurrence of natural enemies of aonla hairy caterpillar, *Selepa celtis* Moore infesting aonla orchard. *Indian Journal of Entomology* 63(2): 193-195.
- Shahadi, F., El. Bouhssini, M. & Babi, A. 2002.** First record of parasitoids on the predator seven spotted coccinellid, *Coccinella septempunctata* L. (Coleoptera: Coccinellidae) in Syria. *Arab Journal of Plant Protection* 20(1): 49-51.
- Shahein, A. & El Maghraby, M.M.A. 1988.** Studies on the hymenopterous parasitoids of *Liriomyza trifolii* (Burgess) (Dipt.: Agromyzidae) on broad beans in Egypt. *Journal of Applied Entomology* 106(4): 377-380.
- Shahein, A. & El Maghraby, M.M.A. 1993.** Impact of the parasitoids of *Liriomyza trifolii* (Burgess) on broad beans. *Zeitschrift für angewandte Zoologie* 79(1): 37-43.
- Shahjahan, M. & Streams, F.A. 1973.** Plant effects on host-finding by *Leiothron pseudopallipes* (Hymenoptera: Braconidae), a parasitoid of the tarnished plant bug. *Environmental Entomology* 2(5): 921-925.
- Shahjahan, M. 1974.** *Erigeron* flowers as a food and attractive odor source for *Peristenus pseudopallipes*, a braconid parasitoid of the tarnished plant bug. *Environmental Entomology* 3(1): 69-72.

- Shalaby, F.F., Abdel-Gawaad, A.A., Ibrahim, A.A. & Kares, E.A. 1988. Effect of intercropping maize in cotton fields on the population of the cotton leaf-worm parasites, their efficiency and the economic income. Bulletin of the Entomological Society of Egypt, Economic Series 15: 33-46.
- Shalaby, F.F., Ibrahim, A.A. & Kares, E.A. 1986. Effect of parasitism by *Microplitis rufiventris* Kok. on the susceptibility of *Spodoptera littoralis* (Boisd.) larvae to bolstar 702 E.C. Bulletin of the Entomological Society of Egypt, Economic Series, publ 1988, 15: 165-172.
- Shaltiel, L. & Ayal, Y. 1998. The use of kairomones for foraging decisions by an aphid parasitoid in small host aggregations. Ecological Entomology 23(3): 319-329.
- Shami, S. & Mohyuddin, A.I. 1987. Host selection by Indonesian strain of *Apanteles flavipes* (Cam.) and its suitability for various graminaceous borers in Pakistan. Proceedings of the Annual Convention, Pakistan Society of Sugar Technologists, publ 1988, 23: 286-291.
- Shami, S. & Mohyuddin, A.I. 1992. Studies on host plant preference of *Cotesia flavipes* (Cameron) (Hymenoptera: Braconidae) an important parasitoid of graminaceous stalk borers. Pakistan Journal of Zoology 24(4): 313-316.
- Shannag, H.K. & Capinera, J.L. 2000. Interference of *Steinernema carpocapsae* (Nematoda: Steinernematidae) with *Cardiochiles diaphaniae* (Hymenoptera: Braconidae), a parasitoid of melon-worm and pickleworm (Lepidoptera: Pyralidae). Environmental Entomology 29(3): 612-617.
- Shao, J.W., Meng, F.R., Zhou, H.Y., Sun, Z.Y., Li, G.L., Jia, R.F., Wang, X.C., Wang, S.J. & Sun, J.H. 1994. A study on the bio-nomics of *Laspeyresia zebeana*. Journal of Northeast Forestry University 22(5): 100-104.
- Shapiro, A.M. 1982. Susceptibility of *Pieris napi microstriata* (Pieridae) to *Apanteles glomeratus* (Hymenoptera, Braconidae). Journal of the Lepidopterists' Society 35(3): 256.
- Sharkey, M. 1983. *Marjoriella*, a new neotropical genus of Agathidinae (Braconidae, Hymenoptera). Contributions of the American Entomological Institute 20: 94-100.
- Sharkey, M.J. & Wharton, R.A. 1985. Redefinition of *Megagathis* Kriechbaumer, and reassignment of new world species to *Zacremnops* new genus (Hymenoptera: Braconidae). Canadian Entomologist 117: 599-603.
- Sharkey, M.J. 1985. Notes on the genera *Bassus* Fabricius and *Agathis* Latreille, with a description of *Bassus arthurellus* n. sp. (Hymenoptera: Braconidae). Canadian Entomologist 117: 1497-1502.
- Sharkey, M.J. & Mason, W.R.M. 1986. The generic validity of *Aenigmotomus* and *Asiacardiochiles* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 88(2): 300-302.
- Sharkey, M., Arthur, A., Bisdee, G., Yoshimoto, C. & Barron, J. 1987. The parasitic Hymenoptera associated with sunflower (*Helianthus* spp.) in mid-western Canada. Canadian Entomologist 119: 611-628.
- Sharkey, M.J. 1986. *Pharpha*, a new genus of Neotropical Agathidinae (Hymenoptera, Braconidae) with a discussion of phylogenetic relationships. Canadian Entomologist 118: 1231-1239.
- Sharkey, M.J. 1986. The phylogenetic affinities of *Mesocoeilus* Schulz (Agathidinae: Braconidae: Hymenoptera). Canadian Entomologist 118: 283-286.
- Sharkey, M.J. 1987. *Agathis thompsoni* n. sp., a Nearctic species of Agathidinae (Hymenoptera: Braconidae) parasitic on *Greya subalba* (Braun) (Lepidoptera: Incurvariidae). Proceedings of the Entomological Society of Washington 89(1): 47-50.
- Sharkey, M.J. 1988. A taxonomic revision of *Alabagrus* (Hymenoptera: Braconidae). Bulletin of the British Museum Natural History, Entomology 57(2): 311-437.
- Sharkey, M.J. 1990. A revision of *Zacremnops* Sharkey and Wharton (Hymenoptera: Braconidae: Agathidinae). Proceedings of the Entomological Society of Washington 92(3): 561-570.
- Sharkey, M.J. 1991. Comments on the proposed designation of *Agathis longicauda* Boheman, 1853 as the type species of *Vipio* Latreille, 1804 (Insecta, Hymenoptera). Bulletin of Zoological Nomenclature 48(3): 250.
- Sharkey, M.J. 1992. Cladistics and tribal classification of the Agathidinae (Hymenoptera: Braconidae). Journal of Natural History 26: 425-447.
- Sharkey, M.J. & Wahl, D.B. 1992. Cladistics of the Ichneumonoi-dea (Hymenoptera). Journal of Hymenoptera Research 1(1): 15-24.
- Sharkey, M.J. & Wharton, R.A. 1994. A revision of the genera of the world Ichneutinae (Hymenoptera: Braconidae). Journal of Natural History 28: 873-912.
- Sharkey, M.J. & Janzen, M.J. 1995. Review of the world species of *Sigalphus* (Hymenoptera: Braconidae: Sigalphinae) and biology of *Sigalphus romeroi*, new species. Journal of Hymenoptera Research 4: 99-109.
- Sharkey, M.J. 1996. Cladistics of the Ichneutinae revisited. Journal of Natural History 30: 1577-1578.
- Sharkey, M.J. 1996. The Agathidinae (Hymenoptera: Braconidae) of Japan. Bulletin of the National Institute of Agro-Environmental Sciences 13: 1-100.
- Sharkey, M.J. & Wharton, R.A. 1997. Morphology and terminology: 19-63. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. [eds]. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Sharkey, M.J. 1997. Subfamily key of Braconidae: 39-64. Agathidinae: 69-84. Apozyginae: 133-136. Blacinae: 141-148. Helconinae: 261-274. Ichneutinae: 303-310. Meteorideinae: 325-326. Sigalphinae: 415-418. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. [eds]. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Sharkey, M.J. 1998. Agathidinae: 520-531. In: Ler, P.A. [ed.]. 'Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3: 1-708.
- Sharkey, M.J., Finnell, K., Leathers, J. & Frana, J. 2000. Microgastri-ne (Hymenoptera: Braconidae) parasitoids of *Colias lesbia* (Fabricius) (Lepidoptera: Pieridae). Journal of Hymenoptera Research 9(1): 108-110.
- Sharkey, M.J. 2004. Synopsis of the Agathidinae (Hymenoptera: Braconidae) of America north of Mexico. Trudy Russkago Entomologicheskago Obshchestva. [Horae Societatis Entomologicae Rossicae.] 75(1): 134-152.
- Sharkey, M.J. 2004. Afrotropical-north American disjunct distribution of *Minanga* (Hymenoptera: Braconidae) with the description of a new species and first record for the new world. Annals of the Entomological Society of America 97: 1198-1203.
- Sharma, A.K. & Subba Rao, P.R. 1964. A further contribution to the knowledge of the taxonomy and biology of Aphidiidae (Ichneumonoi-dea: Hymenoptera) with particular reference to Indian forms. Indian Journal of Entomology 26: 458-460.
- Sharma, A.K., Saxena, J.D. & Subba Rao, B.R. 1967. A catalogue of the hymenopterous and dipterous parasites of *Chilo zonellus* (Swinhoe) (Crambidae: Lepidoptera). Indian Journal of Entomology 28: 510-542.
- Sharma, D.C. & Kashyap, N.P. 2002. Impact of pesticidal spray on seasonal availability of natural predators and parasitoids in the tea ecosystem. Journal of Biological Control 16(1): 31-35.
- Sharma, D.D. & Agrawal, M.L. 1988. Studies on the biology and immature stages of litchi fruit borer *Conopomorpha cramerella* (Snellen) (Lepidoptera: Gracillariidae). Journal of Research Rajendra Agricultural University 6(1-2): 84-87.

- Sharma, D.K. 1999. Effect of natural enemies on the population of *Lipaphis erysimi* (Kaltenbach) (Homoptera: Aphididae) on *Brassica juncea* Coss. Indian Journal of Ecology 26(1): 79-81.
- Sharma, D.R. & Batra, R.C. 1989. Parasitoids of citrus leaf roller, *Psorosticha zizyphi* Stain. and influence of abiotic factors on the parasitization. Journal of Insect Science 2(2): 162-164.
- Sharma, H.C., Sullivan, D.J. & Bhatnagar, V.S. 2002. Population dynamics and natural mortality factors of the Oriental armyworm, *Mythimna separata* (Lepidoptera: Noctuidae), in South-Central India. Crop Protection 21(9): 721-732.
- Sharma, M.L., Odak, S.C. & Pathak, S.C. 1997. Effect of weather parameters and field larval population on the efficiency of biotic factors for population regulation of *Chilo partellus* (Swinhoe). Shashpa 4(2): 109-114.
- Sharma, M.L., Odak, S.C. & Pathak, S.C. 1998. Effect of weather parameters on the efficiency of biotic factors in regulating larval population of *Chilo partellus* (Swinhoe). Shashpa (2): 159-164.
- Sharma, S.K. & Ali, M.A. 1991. Activity of natural enemies against *Callosobruchus maculatus* (F.) in store houses of pigeonpea. Indian Journal of Zoological Spectrum 2(1-2): 31-34.
- Sharma, S.K., Devi, N. & Raj, D. 1999. Bionomics and parasitization of diamondback moth, *Plutella xylostella* L. (Lep.: Plutellidae). Journal of Entomological Research 23(4): 309-314.
- Sharma, V. & Chatterjee, P.N. 1970. A new species of *Apanteles* (Hymenoptera: Braconidae) from India. Oriental Insects 4(2): 165-168.
- Sharma, V. & Chatterjee, P.N. 1970. Description of *Apanteles chatterjeei* sp. nov. (Hymenoptera; Braconidae) from Nilambur, Madras, India. Indian Forest Records 96: 322-325.
- Sharma, V. 1972. Taxonomic studies on *Apanteles* Foerster (Hymenoptera: Braconidae: Microgasterinae) from India III. The *vitripennis* group. Oriental Insects 6(4): 553-560.
- Sharma, V. 1973. Taxonomic studies on *Apanteles* Foerster (Hymenoptera: Braconidae: Microgasterinae) from India IV. The *carbonarius* group. Oriental Insects 7(1): 119-126.
- Sharma, V. 1973. Taxonomic studies on *Apanteles* Foerster (Hymenoptera: Braconidae: Microgasterinae) from India V. The *formosus* group and the *schoenobii* group. Oriental Insects 7(3): 333-341.
- Sharma, V. 1975. A new species of *Xiphozele* (Hym.: Braconidae, Macrocentrinae). Oriental Insects 9(2): 173-175.
- Sharma, V. 1978. Taxonomic studies on Indian Braconidae (Hymenoptera). Oriental Insects 12(1): 123-132.
- Sharma, V. 1982. A new genus of Homolobini (Hymenoptera: Braconidae: Homolobinae). Journal of Entomological Research 6(2): 172-174.
- Sharma, V. 1983. On genus *Euremeros* Bhat with description of two new species (Hymenoptera, Braconidae, Alysiinae). Reichenbachia 21 (2): 127-130.
- Sharma, V. 1984. A new Oriental species of genus *Coelinius* (Hymenoptera, Braconidae, Alysiinae). Reichenbachia 22(22): 169-170.
- Sharma, V. 1984. A new species of genus *Fornicia* (Hymenoptera: Braconidae, Microgasterinae). Reichenbachia 22(29): 209-211.
- Sharma, V. 1984. Studies on the genus *Helcon* (Hymenoptera: Braconidae: Helconinae). Reichenbachia 22(21): 163-168.
- Sharma, V. 1985. Studies on the genus *Zelex* Curtis (Hymenoptera: Braconidae: Euphorinae). Entomotaxonomia 7(2): 93-107.
- Sharma, V. & Gupta, A. 1985. A new Doryctine genus *Prolatus* infesting *Sinoxylon* sp., a serious pest of *Dalbergia sissoo* in Jammu (India) (Hymenoptera: Braconidae). Reichenbachia 23 (1): 37-39.
- Sharma, V. 1991. Biological observations on behavioral adaptation to coleopterous host of *Euremeros gibbosa* Sharma (Hymenoptera: Braconidae: Alysiinae). Journal of Advanced Zoology 12(1): 23-25.
- Sharma, V. 1992. Temperature dependent development, mortality and longevity of *Prolatus aciculata* Sharma (Hymenoptera: Braconidae), a parasitoid of *Sinoxylon anale* (a serious pest of *Dalbergia sissoo*). Journal of Advanced Zoology 13(1-2): 46-48.
- Sharma, V. 1993. Biological notes on new records of braconid parasites on *Sinoxylon* (a pest of *Dalbergia sissoo*) Roxb. Journal of Advanced Zoology 14(1): 48-52.
- Sharma, V. & Naqvi, A.H. 1993. New record of braconid parasites on *Eublemma amabilis* Moore a pest of *Kerria lacca* (Kerr). Journal of Advanced Zoology 14(1): 64-66.
- Sharma, V.K. & Sarup, P. 1982. Preference of *Bracon* species between the natural host, the maize stalk borer, *Chilo partellus* (Swinhoe), and laboratory host, *Corcyra cephalonica* St., and safety limit of three species of larval parasites to endosulfan. Journal of Entomological Research 6(1): 106-109.
- Sharmila, P. & Singh, R. 1998. Effect of temperature on the development and reproduction of a cereal aphid parasitoid, *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Braconidae). Biological Agriculture and Horticulture 16(3): 239-250.
- Sharov, A.A. & Izhevskiy, S.S. 1987. The parasitoid complex of the American white butterfly *Hyphantria cunea* Drury (Lepidoptera, Arctiidae) in the south of the European part of the USSR. Entomologicheskoye Obozreniye 66(2): 290-298. [Entomological Review 67(1): 48-56].
- Sharp, J.L. & Polavarapu, S. 1999. Gamma radiation doses for preventing pupariation and adult emergence of *Rhagoletis mendax* (Diptera: Tephritidae). Canadian Entomologist 131(4): 549-555.
- Shashidhar, V., Basalingappa, S. & Lingappa, S. 1998. Parasitoids of the greater wax moth, *Galleria mellonella* (L.) in Dharwad, Karnataka, India. Insect Environment 3(4): 100.
- Shaw, M.R. & Askew, R.R. 1976. Ichneumonidae (Hymenoptera) parasitic upon leaf-mining insects of the orders Lepidoptera, Hymenoptera and Coleoptera. Ecological Entomology 1(2): 127-133.
- Shaw, M.R. 1976. Noctuid (Lep.) larvae consuming Ichneumonoid (Hym.) larvae. Entomologist's Monthly Magazine 111: 188.
- Shaw, M.R. 1978. *Aleiodes pallidator* (Thunberg) (= *unicolor* Wesm.) (Hym.: Braconidae) new to Britain. Entomologist's Monthly Magazine 113: 81.
- Shaw, M.R. 1979. *Rogas pulchripes* (Wesmael) (Hymenoptera: Braconidae) and other parasites of arboreal *Acronicta* species (Lepidoptera: Noctuidae) at Chat Moss, Manchester. Entomologist's Gazette 30: 291-294.
- Shaw, M.R. 1981. Delayed inhibition of host development by the nonparalyzing venoms of parasitic wasps. Journal of Invertebrate Pathology 37: 215-221.
- Shaw, M.R. 1981. Overwintering of *Anthophila fabriciana* (L.) (Lepidoptera: Choreutidae) in England, with notes on some of its parasites (Hymenoptera). Entomologist's Gazette 32: 203-204.
- Shaw, M.R. 1981. Parasitism by Hymenoptera of larvae of the white admiral butterfly, *Ladoga camilla* (L.), in England. Ecological Entomology 6: 333-335.
- Shaw, M.R. 1981. Possible foodplant differences of *Amphipyra pyramidea* (L.) and *A. berbera svenssoni* Fletcher (Lepidoptera: Noctuidae), and a note on their parasites (Hymenoptera). Entomologist's Gazette 32: 165-167.
- Shaw, M.R. 1981. Undue alarm over parasitism (Hym.) of *Clostera anachoreta* (D. & S.). Entomologist's Record and Journal of Variation 93(5-6): 115.
- Shaw, M.R. 1983. *Aphaereta pallipes* (Say) (Hym.: Braconidae) new to Britain and the Palaearctic region, with remarks on other parasites of Diptera. Entomologist's Monthly Magazine 119: 73-74.
- Shaw, M.R. 1983. On evolution of endoparasitism: The biology of some genera of Rogadinae (Braconidae). Contributions of the American Entomological Institute 20: 307-328.

- Shaw, M.R. 1984.** Foodplants and parasites (Hymenoptera: Ichneumonidae) of *Choreutis pariana* (Clerck) (Lepidoptera: Choreutiidae) in Edinburgh. *Entomologist's Gazette* 35(1): 41-44.
- Shaw, M.R. 1985.** Semi-arboreal habits of *Spilosoma* and *Arctia* species. *Entomologist's Record* 97: 31-32.
- Shaw, M.R. 1987.** Hymenoptera: Parasitica. The parasitic wasps. In: Shirt D.B. [ed.]. "British Red Data Books: 2. Insects." Nature Conservancy Council.
- Shaw, M.R. 1988.** *Meteorus brevicauda* Thomson (Hymenoptera: Braconidae) reared from larvae of *Zeugophora subspinosa* (Fabricius) (Coleoptera: Chrysomelidae). *Entomologist's Gazette* 39: 205-206.
- Shaw, M.R. 1988.** *Spathius curvicaudis* Ratzeburg (Hym.: Braconidae) new to Britain and parasitising *Agrilus pannonicus* (Piller and Mitterpacher) (Col.: Buprestidae). *Entomologist's Record* 100: 215-216.
- Shaw, M.R. 1989.** *Cosmophorus cembrae* Ruschka new to Britain (Hymenoptera: Braconidae: Euphorinae). *Entomologist's Gazette* 40(3): 241-243.
- Shaw, M.R. & Fitton, M.G. 1989.** Survey of parasitoids of British butterflies. *Entomologist's Record* 101: 69-71.
- Shaw, M.R. & Bailey, M. 1991.** Parasitoids (Hymenoptera: Braconidae, Ichneumonidae, Pteromalidae) and notes on the biology of the fern-boring sawfly *Heptamelus ochroleucus* (Stephens) (Hymenoptera: Tenthredinidae) in the English Lake District. *Entomologist 110(3):* 103-109.
- Shaw, M.R. & Huddleston, T. 1991.** Classification and biology of braconid wasps. *Handbooks for the Identification of British Insects* 7(11): 1-126.
- Shaw, M.R. 1992.** A new species of *Hygroplitis* Thomson in England (Hymenoptera: Braconidae: Microgastrinae). *Entomologist's Gazette* 43(4): 283-288.
- Shaw, M.R. 1992.** *Microtypus wesmaelii* Ratzeburg (Hymenoptera: Braconidae: Microtypinae), a species and subfamily new to Britain. *Entomologist's Gazette* 43(4): 289-291.
- Shaw, M.R. 1993.** An enigmatic rearing of *Dolopsidea indagator* (Haliday) (Hymenoptera: Braconidae). *Entomologist's Record* 105: 31-36.
- Shaw, M.R. 1994.** Some recent British specimens of *Baryproctus barypus* (Marshall) (Hym., Braconidae, Braconinae). *Entomologist's Monthly Magazine* 130(1564-67): 219-221.
- Shaw, M.R. & Aeschlimann, J.P. 1994.** Host ranges of parasitoids (Hymenoptera: Braconidae and Ichneumonidae) reared from *Epermenia chaerophyllella* (Goeze) (Lepidoptera: Epermeniidae) in Britain, with description of a new species of *Triclistus* (Ichneumonidae). *Journal of Natural History* 28(4): 619-629.
- Shaw, M.R. & Bland, K.P. 1994.** Foodplant and parasitoids (Hymenoptera: Braconidae and Diptera: Tachinidae) of *Callophrys rubi* (L.) (Lepidoptera: Lycaenidae) on two wet heaths in Argyll, Scotland. *Entomologist's Gazette* 45(1): 27-28.
- Shaw, M.R. 1995.** Observations on the adult behaviour and biology of *Histeromerus mystacinus* Wesmael (Hymenoptera: Braconidae). *Entomologist 114(1):* 1-13.
- Shaw, M.R. 1996.** British records of two species of *Blacometeorus* Tobias (Hymenoptera: Braconidae, Blacinae). *Entomologist's Gazette* 47(4): 267-268.
- Shaw, M.R. 1996.** Parasitism of *Arctia* species: preliminary results and a call for help. *Butterfly Conservation News* 62: 14-15.
- Shaw, M.R. 1996.** *Chrysopophthorus hungaricus* (Zilahi-Kiss) (Hymenoptera: Braconidae: Euphorinae) new to Britain, a parasitoid of adult Chrysopidae (Neuroptera). *Entomologist's Gazette* 47(3): 185-187.
- Shaw, M.R. 1997.** The genus *Heterospilus* Haliday in Britain, with description of a new species and remarks on related taxa (Hymenoptera: Braconidae: Doryctinae). *Zoologische Mededelingen, Leiden* 71: 33-41.
- Shaw, M.R. 1998.** Some genera and species of Doryctinae (Hymenoptera: Braconidae) new to Britain. *Entomologist's Gazette* 49: 191-194.
- Shaw, M.R. 1998.** The surprising discovery of the genus *Yelicones* Cameron (Hymenoptera: Braconidae) in western Europe. *British Journal of Entomology and Natural History* 11: 15-16.
- Shaw, M.R. 1999.** Rearing records of two species of *Cenocoelius* Haliday from Britain (Hymenoptera: Braconidae, Cenocoeliinae). *Entomologist's Gazette* 50: 283-286.
- Shaw, M.R., Geoghegan, I.E. & Majerus, M.E.N. 1999.** Males of *Dinocampus coccinellae* (Schrank) (Hym.: Braconidae: Euphorinae). *Entomologist's Record and Journal of Variation* 111: 195-196.
- Shaw, M.R. & Quicke, D.L.J. 1999.** The British genera of Braconinae (Hym.: Braconidae). *Entomologist's Monthly Magazine* 135(1620-3): 95-101.
- Shaw, M.R. 2000.** Records of *Aleiodes excavatus* (Telenga) (Hym.: Braconidae) from the British Isles. *Entomologist's Monthly Magazine* 136(1636-1639): 251.
- Shaw, M.R. 2000.** Two species of *Coeloides* (Hym.: Braconidae: Braconinae) new to Britain, with notes on congeners. *Entomologist's Monthly Magazine* 136(1632-1635): 137-140.
- Shaw, M.R. & Quicke, D.L.J. 2000.** The biology and early stages of *Acampsis alternipes* (Nees), with comments on the relationships of the Sigalphinae (Hymenoptera: Braconidae). *Journal of Natural History* 34(4): 611-628.
- Shaw, M.R. 2002.** A new species of *Macrostromion* Szépligeti (Hymenoptera: Braconidae: Rogadinae) from Papua New Guinea, with notes on the biology of the genus. *Zoologische Mededelingen, Leiden* 76(14): 133-140.
- Shaw, M.R. 2003.** Revised synonymy in the genus *Cotesia* (Hymenoptera: Braconidae: Microgastrinae): The identity of *Microgaster vestalis* Haliday, 1834, as a senior synonym of *Apanteles plutellae* Kurdjumov, 1912. *Entomologist's Gazette* 54(3): 187-189.
- Shaw, M.R. 2004.** *Microgaster alebion* Nixon and its 'var A': description of a new species and biological notes (Hymenoptera: Braconidae, Microgastrinae). *Entomologist's Gazette* 55: 217-224.
- Shaw, S.R. 1983.** A taxonomic study of Nearctic *Ascogaster* and a description of a new genus *Leptodrepana* (Hymenoptera: Braconidae). *Entomography* 2: 1-54.
- Shaw, S.R. 1984.** *Stenothremma*, a new Euphorinae genus from Australia (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 86(4): 869-876.
- Shaw, S.R. 1985.** A phylogenetic study of the subfamilies Meteorinae and Euphorinae (Hymenoptera: Braconidae). *Entomography* 3: 277-370.
- Shaw, S.R. & Edgerly, J.S. 1985.** A new braconid genus (Hymenoptera) parasitizing web-spinners (Embiidina) in Trinidad. *Psyche* (Cambridge) 92(4): 505-512.
- Shaw, S.R. 1987.** *Orionis*, a new genus from Central America, with an analysis of its phylogenetic placement in the tribe Euphorini (Hymenoptera: Braconidae). *Systematic Entomology* 12: 103-109.
- Shaw, S.R. 1988.** A new Mexican genus and species of Dinocampini with serrate antennae (Hymenoptera: Braconidae: Euphorinae). *Psyche* 95(3-4): 289-297.
- Shaw, S.R. 1988.** Euphorine phylogeny: the evolution of diversity in host-utilization by parasitoid wasps (Hymenoptera: Braconidae). *Ecological Entomology* 13(3): 323-335.
- Shaw, S.R. 1991.** An unusual manner of aggregation in the braconid *Chelonus* (*Microchelonus*) *hadrogaster* McComb (Hymenoptera). *Journal of Insect Behavior* 4(4): 537-542.
- Shaw, S.R. & Inayatollah, M. 1991.** Comments on the proposed designation of *Agathis longicauda* Boheman, 1853 as the type species of *Vipio* Latreille, 1804 (Insecta: Hymenoptera). *Bulletin of Zoological Nomenclature* 48(4): 332-333.

- Shaw, S.R. 1992.** Seven new North American species of *Neoneurus* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 94(1): 26-47.
- Shaw, S.R. 1993.** Systematic status of *Eucystomastax* Brues and characterization of the Neotropical species (Hymenoptera: Braconidae: Rogadinae). Journal of Hymenoptera Research 2(1): 1-11.
- Shaw, S.R. 1993.** Three new *Microctonus* species indigenous to New Zealand (Hymenoptera: Braconidae). New Zealand Entomologist 16: 29-40.
- Shaw, S.R. 1993.** Observations on the ovipositional behavior of *Neoneurus mantis*, an ant-associated parasitoid from Wyoming (Hymenoptera: Braconidae). Journal of Insect Behavior 6(5): 649-658.
- Shaw, S.R. 1995.** The ichneumonoid families. Braconidae: 431-463. In: Hanson, P.E. & Gauld, I.D. [eds.]. The Hymenoptera of Costa Rica. Oxford University Press, Oxford, New York & Tokyo 1995: i-xx, 1-893.
- Shaw, S.R. 1995.** A new species of *Centistes* from Brazil (Hymenoptera: Braconidae: Euphorinae) parasitizing adults of *Diabrotica* (Coleoptera: Chrysomelidae), with a key to new world species. Proceedings of the Entomological Society of Washington 97(1): 153-160.
- Shaw, S.R. 1996.** *Phynops*, a peculiar new genus and ten new species in the tribe Euphorini (Hymenoptera: Braconidae: Euphorinae). Journal of Hymenoptera Research 5: 166-183.
- Shaw, S.R. 1997.** Cheloniinae: 193-202. Euphorinae: 235-256. Meteorinae: 327-332. Neoneurinae: 375-378. Rogadinae: 403-414. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. [eds.]. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Shaw, S.R. 1997.** The Costa Rican species of *Wesmaelia* Foerster with description of a new species (Hymenoptera: Braconidae: Euphorinae). Pan-Pacific Entomologist 73(2): 103-109.
- Shaw, S.R., Marsh, P.M. & Fortier, J.C. 1997.** Revision of North American *Aleiodes* Wesmäl (part 1): the *pulchripes* Wesmäl species-group in the New World (Hymenoptera: Braconidae: Rogadinae). Journal of Hymenoptera Research 6(1): 10-35.
- Shaw, S.R., Marsh, P.M. & Fortier, J.C. 1998.** Revision of North American *Aleiodes* Wesmäl (part 2): the *ductor* species-group in the New World (Hymenoptera: Braconidae, Rogadinae). Journal of Hymenoptera Research 7: 62-73.
- Shaw, S.R., Marsh, P.M. & Fortier, J.C. 1998.** Revision of North American *Aleiodes* Wesmäl (Part 4): the *albitibia* Herrich-Schaeffer and *praetor* Reinhard species-groups (Hymenoptera: Braconidae: Rogadinae) in the New World. Proceedings of the Entomological Society of Washington 100(3): 553-565.
- Shaw, S.R. & Ent, L.J. van der 1999.** A new species of *Capitonius* (Hymenoptera: Braconidae) from Costa Rica with rearing records. Pan Pacific Entomologist 75(2): 112-120.
- Shaw, S.R. & Marsh, P.M. 2000.** Revision of the enigmatic genus *Marshiella* Shaw in the New World with the description of three new species (Hymenoptera: Braconidae: Euphorinae). Journal of Hymenoptera Research 9(2): 277-287.
- Shaw, S.R., Salerno, G., Colazza, S. & Peri, E. 2001.** First record of *Aridelus rufotestaceus* Tobias (Hymenoptera: Braconidae, Euphorinae) parasitizing *Nezura viridula* nymphs (Heteroptera: Pentatomidae) with observations on its immature stages and development. Journal of Hymenoptera Research 10(2): 131-137.
- Shaw, S.R. & Dadelahi, S. 2002.** *Ascogaster bugabensis* Cameron belongs to the Helconinae sensu lato (Hymenoptera: Braconidae). Journal of Hymenoptera Research 11(2): 368-369.
- Shaw, S.R. 2002.** Two new species of *Betelgeuse* from Mexico (Hymenoptera: Braconidae: Euphorinae). Pan Pacific Entomologist 78(3): 188-196.
- She, G. & He, R.R. 1988.** Field survey on parasites of rice stem borer in Chengdu, Sichuan province. Chinese Journal of Biological Control 4(1): 6-9.
- She, G. 1988.** Parasitism of *Chelonius munakatae* Munakata (Hymen.: Braconidae) in the larvae of rice stem borer *Chilo suppressalis*. Natural Enemies of Insects 10(2): 123.
- Shea, P.J., Johnson, D.R. & Nakamoto, R. 1984.** Effects of 5 insecticides on 2 primary parasites of the western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae). Protection Ecology 7(4): 259-268.
- Shean, B. & Cranshaw, W.S. 1991.** Differential susceptibilities of green peach aphid (Homoptera: Aphididae) and two endoparasitoids (Hymenoptera: Encyrtidae and Braconidae) to pesticides. Journal of Economic Entomology 84(3): 844-850.
- Sheehan, W. & Shelton, A.M. 1989.** Parasitoid response to concentration of herbivore food plants: finding and leaving plants. Ecology, USA 70(4): 993-998.
- Sheehan, W. & Shelton, A.M. 1989.** The role of experience in plant foraging by the aphid parasitoid *Diaeretiella rapae* (Hymenoptera: Aphidiidae). Journal of Insect Behavior 2(6): 743-759.
- Sheehan, W. 1988.** The role of learning and influence of patch size in plant foraging by the aphid parasitoid *Diaeretiella rapae* (Hymenoptera: Aphidiidae). Bulletin of the Faculty of Fisheries Nagasaki University 48(12): 3489.
- Sheehan, W., Wäckers, F.L. & Lewis, W.J. 1993.** Discrimination of previously searched, host-free sites by *Microplitis croceipes* (Hymenoptera: Braconidae). Journal of Insect Behavior 6(3): 323-331.
- Shekharappa, S. & Patil, B.V. 1990.** Parasitoid complex of the groundnut leafminer, *Aproaerema modicella* Deventer (Lepidoptera: Gelechiidae). Journal of Biological Control 4(1): 55-56.
- Shelke, S.S., Jadhav, L.D. & Salunkhe, G.N. 1990.** Toxicity of some vegetable oils/extracts to *Chelonius blackburni* Cam., an egg-larval parasite of *Phthorimaea operculella* (Zell.). Indian Journal of Entomology 52(4): 709-711.
- Shelton, A.M., Wilsey, W.T., Hoebeke, E.R. & Schmaedick, M.A. 2002.** Parasitoids of cabbage Lepidoptera in Central New York. Journal of Entomological Science 37(3): 270-271.
- Shelton, A.M., Xu, J.X. & Cheng, X.N. 2001.** Comparison of *Diadegma insulare* (Hymenoptera: Ichneumonidae) and *Microplitis plutellae* (Hymenoptera: Braconidae) as biological control agents of *Plutella xylostella* (Lepidoptera: Plutellidae): field parasitism. Journal of Economic Entomology 94(1): 14-20.
- Shenefelt, R.D. 1965.** A contribution towards knowledge of the world literature regarding Braconidae (Hymenoptera: Braconidae). Beiträge zur Entomologie 15(3/4): 243-500.
- Shenefelt, R.D. 1968.** Braconidae described by L'Abbé Provancher. Naturaliste Canadien 95: 627-656.
- Shenefelt, R.D. 1968.** *Snellenius* in the Neotropical Region. Proceedings of the Entomological Society of Washington 70(4): 339-345.
- Shenefelt, R.D. 1969.** Braconidae 1. Hybrizoninae, Euphorinae, Cosmophorinae, Neoneurinae, Macrocentrinae. Hymenopterorum Catalogus (nova editio). Pars 4: 1-176.
- Shenefelt, R.D. 1969.** Notes on some Rogadine genera (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 71(3): 428-444.
- Shenefelt, R.D. 1969.** Some previously undescribed Nigerian Braconidae. Bulletin of the Entomological Society of Nigeria 1: 98-101.
- Shenefelt, R.D. 1969.** Storage and retrieval of entomological information as applied to Braconidae. Bulletin of the Entomological Society of America 15: 246-250.
- Shenefelt, R.D. 1970.** Braconidae 2. Helconinae, Calyptinae, Mimagathidinae, Triaspininae. Hymenopterorum Catalogus (nova editio). Pars 5: 177-306.

- Shenefelt, R.D. 1970.** Braconidae 3. Agathidinae. Hymenopterorum Catalogus (nova editio). Pars 6: 307-428.
- Shenefelt, R.D. 1972.** Braconidae 4. Microgasterinae: Apanteles. Hymenopterorum Catalogus (nova editio). Pars 7: 429-668.
- Shenefelt, R.D. 1973.** Braconidae 5. Microgasterinae & Ichneutinae. Hymenopterorum Catalogus (nova editio). Pars 9: 669-812.
- Shenefelt, R.D. 1973.** Braconidae 6. Cheloninae. Hymenopterorum Catalogus (nova editio). Pars 10: 813-936.
- Shenefelt, R.D. 1974.** Braconidae 7. Alysiniinae. Hymenopterorum Catalogus (nova editio). Pars 11: 937-1113.
- Shenefelt, R.D. 1975.** Braconidae 8. Exothecinae, Rogadinae. Hymenopterorum Catalogus (nova editio). Pars 12: 1115-1262.
- Shenefelt, R.D. & Marsh, P.M. 1976.** Braconidae 9. Doryctinae. Hymenopterorum Catalogus (nova editio). Pars 13: 1263-1424.
- Shenefelt, R.D. 1978.** A new genus and species of Braconidae. Canadian Entomologist 110: 765-768.
- Shenefelt, R.D. 1978.** Braconidae 10. Braconinae, Gnathobraconinae, Mesestoinae, Pseudodicrogeniinae, Telengainae, Ypsitocerinae, plus Braconidae in general, major groups, unplaced genera and species. Hymenopterorum Catalogus (nova editio). Pars 15: 1425-1872.
- Shenefelt, R.D. 1979.** Some unusual Braconidae (Hymenoptera). Proceedings of the Entomological Society of Washington 81(1): 125-134.
- Sheng, J.K., Zhong, L. & Wu, Q. 1989.** Studies on the parasite complex of garden pea leaf-miner, *Phytomyza horticola* (Dipt.: Agromyzidae) in Nanchang area. Chinese Journal of Biological Control 5(4): 164-167.
- Sheng, M.L. 1990.** New records of Hymenoptera parasitizing wood-boring insects from China. Entomotaxonomia 12(1): 56.
- Sheng, M.L., Liu, Z.F. & Cui, Z.Q. 1992.** [Natural enemies of the tree borers in fire-slash in Daxinganling mountains.] (in Chinese with English summary) Scientia Silvae Sinicae 28(1): 80-84.
- Shenhmar, M. & Brar, K.S. 1996.** Efficacy of two strains of *Cotesia flavipes* (Cameron) for the control of sugarcane borers. Indian Sugar 45(11): 877-879.
- Shenhmar, M. & Varma, G.C. 1988.** Some observations on biology and rearing technique of *Rhaconotus signipennis* (Walker) (Braconidae, Hymenoptera). Journal of Research, Punjab Agricultural University 25(1): 67-69.
- Shenhmar, M., Verma, G.C. & Brar, K.S. 1990.** Studies on the establishment of *Allorhogas pyralophagus* Marsh. (Braconidae: Hymenoptera) on sugarcane borers in the Punjab. Journal of Insect Science 3(1): 53-56.
- Shepard, M. & Sterling, W. 1972.** Incidence of parasitism of *Heliothis* spp. (Lepidoptera: Noctuidae) in some cotton fields of Texas. Annals of the Entomological Society of America 65(3): 759-760.
- Shepard, M., Powell, J.E. & Jones, W.A. Jr. 1983.** Biology of *Microplitis demolitor* (Hymenoptera: Braconidae), an imported parasitoid of *Heliothis* (Lepidoptera: Noctuidae) spp. and the soybean looper, *Pseudoplusia includens* (Lepidoptera: Noctuidae). Environmental Entomology 12(3): 641-645.
- Shervis, L.J., Shenefelt, R.D. & Foote, R.H. 1972.** Species-level analysis of biological literature for storage and retrieval. BioScience 22(11): 651-655.
- Shervis, L.J. & Shenefelt, R.D. 1973.** A bibliography on *Apanteles melanoscelus* (Ratzeburg), *Apanteles porthetriae* Muesebeck and *Apanteles ocnariae* Ivanov, parasites of gypsy moth *Porthetria dispar* (L.). Journal of the Washington Academy of Sciences 63: 61-68.
- Shetgar, S.S., Bilapate, G.G., Patil, V.V. & Londhe, G.M. 1990.** A note on the natural enemies of Bihar hairy caterpillar, *Spilosoma obliqua* (Walker). Indian Journal of Entomology 52(1): 158.
- Shetgar, S.S., Bilapate, G.G., Puri, S.N., Londhe, G.M. & Pawar, P.S. 1993.** Key mortality factors of groundnut leafminer (*Approaerema modicella* Deventer). Indian Journal of Entomology 55(2): 154-157.
- Shevale, B.S. & Khaire, V.M. 1999.** Seasonal abundance of pomegranate butterfly, *Deudorix isocrates* Fabricius. Entomon 24(1): 27-31.
- Shi, D.S. 1980.** Studies on the hymenopterous parasite complex and its fluctuation on the cotton aphid (*Aphis gossypii* Glover) in Shanghai. (in Chinese with English summary) Contributions from Shanghai Institute of Entomology 1: 215-219.
- Shi, D.S. 1984.** Studies on the parasitoids of cotton aphid 1. Bionomics of *Trioxys (Binodoxys) communis* Gahan. Contributions from Shanghai Institute of Entomology 4: 287-293.
- Shi, D.S. 1985.** Studies on the parasitoids of cotton aphid. II. Population suppression by two primary parasitoids on cotton aphid. (in Chinese with English summary) Contributions from Shanghai Institute of Entomology 5: 95-103.
- Shi, D.S. (1986)1987.** Studies on the parasitoids of cotton aphid III. Bionomics of *Aphidencyrthus aphidivorus* (Mayr), a hyperparasite of cotton aphid. Contributions from Shanghai Institute of Entomology, 6: 35-41.
- Shi, D.S. (1987)1988.** Studies on the parasitoids of cotton aphid. IV. Bionomics of *Pachyneuron aphidis* (Bouche). Contributions from Shanghai Institute of Entomology, 7: 45-48.
- Shi, Q.X., Yang, J.Q. & Chen, J.H. 2002.** A new species of *Heterospilus* Haliday (Hymenoptera: Braconidae) from China. Entomological Journal of East China 11(2): 3-5.
- Shi, X.Z., Gomez, S.P. & Lawrence, P.O. 1999.** A 24 kDa parasitism-specific protein from the Caribbean fruit fly, *Anastrepha suspensa*: cDNA and deduced amino acid sequence. Insect Biochemistry and Molecular Biology 29(9): 749-755.
- Shi, Z.H. & Liu, S.S. 1998.** Toxicity of insecticides commonly used in vegetable fields to the diamondback moth, *Plutella xylostella*, and its parasite, *Cotesia plutellae*. Chinese Journal of Biological Control 14(2): 53-57.
- Shi, Z.H. & Liu, S.S. 1998.** Host age preference and suitability of *Cotesia plutellae* Kurdj. Journal of Zhejiang Agricultural University 24(4): 381-386.
- Shi, Z.H. & Liu, S.S. 1999.** Influence of temperature on functional response of *Cotesia plutellae*. Chinese Journal of Applied Ecology 10(3): 332-334.
- Shi, Z.H. & Liu, S.S. 1999.** Influence of temperature on the development, survival and reproduction of *Cotesia plutellae*, a larval parasite of *Plutella xylostella*. Acta Phytopylacica Sinica 26(2): 142-146.
- Shi, Z.H. & Liu, S.S. 1999.** Parasitism preference of *Cotesia plutellae* to host age and the effect of parasitism on the development and food consumption of the host *Plutella xylostella*. Acta Phytopylacica Sinica 26(1): 25-29.
- Shi, Z.H., Liu, S.S. & Li, Y.X. 2002.** *Cotesia plutellae* parasitizing *Plutella xylostella*: host-age dependent parasitism and its effect on host development and food consumption. BioControl 47(5): 499-511.
- Shi, Z.H., Rageh, M.A. & Liu, S.S. 2003.** Effects of host age and temperature on interspecific competition between *Cotesia plutellae* (Kurdjmov) and *Oomyzus sokolowskii* (Kurdjmov). Zhejiang University Publication (Agriculture and Life Sciences) 29(1) General serial No. 116: 24-28.
- Shi, Z.H. & Liu, S.S. 2003.** Interspecific interactions between *Cotesia plutellae* and *Oomyzus sokolowskii*, two major parasitoids of diamondback moth, *Plutella xylostella*. [Journal of Applied Ecology.] 14(6): 949-954.
- Shibao, M., Tanaka, H. & Kimura, Y. 1996.** Control of *Liriomyza trifolii* (Burgess) on tomato by parasites. Proceedings of the Kansai Plant Protection Society. 38: 31-32.

- Shibata, E. 1994.** Population studies of *Callidiellum rufipenne* (Coleoptera: Cerambycidae) on Japanese cedar logs. *Annals of the Entomological Society of America* 87(6): 836-841.
- Shiga, M. 1967.** The effect of aggregations of the green peach aphid, *Myzus persicae* (Sulzer), on the spatial distribution and parasitization of a hymenopterous parasite, *Aphidius gifuensis* Ashmead. (in Japanese with English summary) *Science Bulletin of Faculty of Agriculture, Kyushu University* 23: 169-183.
- Shiga, M. 1967.** Ecological studies on the green peach aphid, *Myzus persicae* (Sulzer) and the cabbage aphid, *Brevicoryne brassicae* (Linnaeus) in Japan, with special reference to their biological control. *Mushi* 41: 75-89.
- Shijko, E.S. 1989.** Rearing and application of the peach aphid parasite, *Aphidius matricariae* (Hymenoptera: Aphidiidae). *Acta Entomologica Fennica* 53: 53-56.
- Shijko, E.S., Kiriya, I.G. & Krivtsova, N.V. 1991.** *Lysiphlebus* parasite against the melon-field aphid on cucumbers. *Zashchita Rastenii* 12: 42-43.
- Shilu, B. & Singh, R. 1995.** Offspring sex ratio of a cereal aphid parasitoid, *Lysiphlebus delhiensis* (Subba Rao & Sharma) in response to maternal crowding. *Insect Science and its Application*, publ. 1997, 16(3-4): 287-291.
- Shilu, B. & Singh, R. 1998.** Interaction between host plant resistance and the biocontrol of a cereal aphid: a laboratory study. *Biological Agriculture and Horticulture* 16(1): 25-36.
- Shimabukuro, P.H.F. & Penteado-Dias, A.M. 2003.** Two new species of *Alphomelon* Mason, 1981 (Hymenoptera, Braconidae, Microgastrinae) from Brazil. *Duas novas especies de Alphomelon* Mason, 1981 (Hymenoptera, Braconidae, Microgastrinae) do Brasil. *Revista Brasileira de Entomologia* 47(2): 197-199.
- Shimada, M. 1985.** Niche modification and stability of competitive systems. 2. Persistence of interspecific competitive systems with parasitoid wasps. *Researches on Population Ecology (Kyoto)* 27(2): 203-216.
- Shimada, M. & Fuji, K. 1985.** Niche modification and stability of competitive systems. 1. Niche modification process. *Researches on Population Ecology (Kyoto)* 27(1): 185-201.
- Shimada, M., Godfray, H.C.J. & Shimada, M. 1999.** Population fluctuation and persistence of one-host-two-parasitoid systems depending on resource distribution: from parasitizing behavior to population dynamics. Special issue. Parasitoids: a model system to answer questions in behavioral, evolutionary and population ecology. *Researches on Population Ecology* 41(1): 69-79.
- Shimamori, K. 1987.** On the biology of *Apanteles galleriae*, a parasite of the two species of wax moths. *Honeybee Science* 8(3): 107-112.
- Shimizu, K., Kainoh, Y. & Tatsuki, S. 1991.** Diurnal searching pattern of *Ascogaster reticulatus* Watanabe (Hymenoptera: Braconidae) in a tea field. *Japanese Journal of Applied Entomology and Zoology* 35(3): 258-260.
- Shimizu, T., Tatsuki, Y. & Takeda, N. 1993.** Aromatic amino acids in the venom of the braconid parasitoid *Apanteles kariyai*. *Zeitschrift für Naturforschung. Section C, Biosciences* 48(1-2): 108-109.
- Shimizu, T. & Takeda, N. 1994.** Aromatic amino acid and amine levels in the hemolymph of parasitized and unparasitized larvae of *Mythimna separata*. *Zeitschrift für Naturforschung. Section C, Biosciences* 49(9-10): 693-695.
- Shimizu, T. 1994.** Effect of RH 5849 on the emergence of *Apanteles kariyai* parasitoid from the common army worm larvae, *Leucania separata*. *International Pest Control* 36(5): 131-133.
- Shimizu, T. & Sakakibara, M. 1995.** Escape behavior of host *Leucania separata* (Lepidoptera: Noctuidae) larvae from the cocoon mass of the parasitoid *Apanteles kariyai* (Hymenoptera: Braconidae). *Journal of Insect Behavior* 8(6): 847-853.
- Shimizu, T., Shiotsuki, T., Tanaka, Y. & Takeda, S. 1995.** Larval development of a larval parasitoid (*Apanteles kariyai*) forced to oviposit in a pupal host (*Pseudaletia separata*). *Entomologia Experimentalis et Applicata* 76(1): 109-112.
- Shin, I., Zhou, H.Q., Que, N.L.S., Liu, H.W., Swedenborg, P.D. & Jones, R.L. 1993.** A sex pheromone isolated from *Macrocentrus grandii*: absolute stereochemistry determination and implications. *Journal of Organic Chemistry* 58(10): 2923-2926.
- Shiojiri, K., Takabayashi, J., Yano, S. & Takafuji, A. 2000.** Flight response of parasitoids toward plant-herbivore complexes: a comparative study of two parasitoid-herbivore systems on cabbage plants. *Applied Entomology and Zoology* 35(1): 87-92.
- Shiojiri, K., Takabayashi, J., Yano, S. & Takafuji, A. 2000.** Herbivore-species-specific interactions between crucifer plants and parasitic wasps (Hymenoptera: Braconidae) that are mediated by infochemicals present in areas damaged by herbivores. *Applied Entomology and Zoology* 35(4): 519-524.
- Shiojiri, K., Takabayashi, J., Yano, S. & Takafuji, A. 2001.** Infochemically mediated tritrophic interaction webs on cabbage plants. *Population Ecology* 43(1): 23-29.
- Shiojiri, K., Takabayashi, J., Yano, S. & Takafuji, A. 2001.** Infochemically mediated tritrophic interaction webs on cabbage plants. *Population Ecology* 43(1): 23-29.
- Shiojiri, K., Takabayashi, J., Yano, S. & Takafuji, A. 2002.** Oviposition preferences of herbivores are affected by tritrophic interaction webs. *Ecology Letters* 5(2): 186-192.
- Shiojiri, K. & Takabayashi, J. 2003.** Effects of specialist parasitoids on oviposition preference of phytophagous insects: encounter-dilution effects in a tritrophic interaction. *Ecological Entomology* 28(5): 573-578.
- Shipp, J.L., Wang, K. & Ferguson, G. 2000.** Residual toxicity of avermectin b1 and pyridaben to eight commercially produced beneficial arthropod species used for control of greenhouse pests. *Biological Control* 17(2): 125-131.
- Shirota, Y., Carter, N., Rabbinge, R. & Ankersmit, G.W. 1983.** Biology of *Aphidius rhopalosiphii*, a parasitoid of cereal aphids. *Entomologia Experimentalis et Applicata* 34: 27-34.
- Shivayogeshwara, B., Prasad, N.K.K. & Setty, M.V.N. 1995.** Natural enemy complex of tobacco aphids. *Current Research University of Agricultural Sciences Bangalore* 24(3): 46-47.
- Shojai, M., Abbas-Pour, H., Nasrollahi, A. & Labbafi, Y. 1995.** Technology and biocenotic aspects of integrated biocontrol of corn stem borer: *Sesamia cretica* Led. (Lep.: Noctuidae). *Journal of Agricultural Sciences Islamic Azad University* 1(2): 5-32, 1-2.
- Shon, F.L. & Shea, P.J. 1976.** Increases rearing efficiency of two Hymenopterous parasites using a non-diapausing host species, *Choristoneura occidentalis*. *Environmental Entomology* 5(2): 277-278.
- Shonouda, M.L. & Nasr, F.N. 1998.** Impact of larval-extract (kairomone) of *Ephestia kuehniella* Zell. (Lep.: Pyralidae), on the behaviour of the parasitoid *Bracon hebetor* Say. (Hym., Braconidae). *Journal of Applied Entomology* 122(1): 33-35.
- Short, J.R.T. 1979.** The final instar of *Phaenocarpa (Asobara) persimilis* Papp (Hymenoptera: Braconidae, Alysiinae) from Australia. *Proceedings of the Linnean Society of New South Wales* 103(3): 171-173.
- Shujauddin 1973.** Three species of *Trioxys* Haliday (Hym.: Aphidiidae) recorded from India. *Indian Journal of Entomology* 35: 9-14.
- Shujauddin 1974.** Two new species of the genus *Toxares* Westwood (Aphidiidae: Hymenoptera) from India with a note on the genus. *Indian Journal of Entomology* 36: 268-274.
- Shujauddin 1975.** Field observations on *Aphidius uzbekistanicus* Luzhetzki (Hymenoptera: Aphidiidae) and its host *Macrosiphum (Sitobion)* sp. (Hemiptera: Aphidiidae) infesting *Triticum aestivum* L. *Indian Journal of Entomology* 37(2): 191-193.

- Shujaiddin 1975.** Two new species of Aphidiidae (Hymenoptera) from India. Records of the Zoological Survey of India 68: 415-420.
- Shujaiddin 1977.** A new species of *Lysaphidus* from India. Journal of the Bombay Natural History Society 73(2): 314-316.
- Shujaiddin 1977.** Observations on normal and diapausing cocoons of the genus *Lipolexis* Foerster (Hymenoptera: Aphidiidae) from India. Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 34: 51-54.
- Shujaiddin & Varshney, K. 1997.** A new species of the genus *Ascogaster* Wesmael (Hymenoptera: Braconidae) from India. Shashpa 4(2): 95-97.
- Shujaiddin 1978.** New records of *Ephedrus campestris* Starý (Hymenoptera: Aphidiidae) from India. Indian Journal of Zoology 6: 60.
- Shujaiddin 1981.** A new species of *Arideloides* Papp (Hymenoptera: Braconidae, Euphorinae) from India. Journal of Entomological Research (New Delhi) 5(2): 132-134.
- Shujaiddin 1982.** Description of a new species of the genus *Trioxys* Haliday (Hymenoptera: Aphidiidae) and new record of *Trioxys* (*Trioxys*) *pallidus* (Hal.) from Kashmir (India). Journal of Entomological Research (New Delhi) 6(2): 146-149.
- Shujaiddin 1982.** Effect of nymphal instars of *Longiunguis sacchari* (Zehnt.) on the size, colour and fecundity of *Lysiphlebia mirzai* Shujaiddin. Journal of Entomological Research 6: 109-110.
- Shujaiddin 1983.** A new species of the genus *Trioxys* Haliday (Hymenoptera: Aphidiidae) from Kashmir, India. Journal of Entomological Research (New Delhi) 7(1): 36-38.
- Shujaiddin & Ahmad, Z. 2001.** A new species of the genus *Blacus* Nees (Blacinae: Braconidae: Hymenoptera) from India. Shashpa 8(1): 15-18.
- Shukla, A.N., Tripathi, C.P.M. & Singh, R. 1992.** Effect of food plants on the functional response of an aphid parasitoid *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae). Phytophaga Madras 4(1): 53-60.
- Shukla, A.N. & Tripathi, C.P.M. 1993.** Effect of food plants on the offspring sex ratio of *Diaeretiella rapae* (Hymenoptera: Aphidiidae), a parasitoid of *Lipaphis erysimi* Kalt (Hemiptera: Aphididae). Biological Agriculture and Horticulture 9(2): 137-146.
- Shukla, A.N., Tripathi, C.P.M. & Singh, R. 1997.** Effect of food plants on the numerical response of *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Braconidae), a parasitoid of *Lipaphis erysimi* Kalt. (Hemiptera: Aphididae). Biological Agriculture and Horticulture 14(1): 71-77.
- Sickle, D. van & Weseloh, R.M. 1974.** Habitat variables that influence the attack by hyperparasites of *Apanteles melanoscelus* cocoons. Journal of the New York Entomological Society 82: 2-5.
- Siddiqi, J.I. 1981.** Record of *Apanteles obliquae* Wlkn. and *Meteorus* sp. (Hymenoptera: Braconidae) as parasites of the hairy caterpillar *Amsacta moorei* Butl. (Lepidoptera: Arctiidae). Journal of the Bombay Natural History Society 78(1): 181-182.
- Sidhu, A.S. & Dhawan, A.K. 1987.** Bollworm damage and carryover in hirsutum cotton in Punjab. Journal of Research Punjab Agricultural University 23(3): 444-450.
- Siegel, J.P., Maddox, J.V. & Ruesink, W.G. 1986.** Impact of *Nosema pyrausta* on a Braconid, *Macrocentrus grandii*, in central Illinois. Journal of Invertebrate Pathology 47: 271-276.
- Siegel, J.P., Maddox, J.V. & Ruesink, W.G. 1987.** Survivorship of the European corn borer, *Ostrinia nubilalis* (Hübner) (Lepidoptera: Pyralidae) in central Illinois. Environmental Entomology 16(5): 1071-1075.
- Siegfried, B.D., Zoerb, A.C. & Spencer, T. 2001.** Development of European corn borer larvae on Event 176 Bt corn: influence on survival and fitness. Entomologia Experimentalis et Applicata 100(1): 15-20.
- Siekmann, G., Tenhumberg, B. & Keller, M.A. 2001.** Feeding and survival in parasitic wasps: sugar concentration and timing matter Oikos 95(3): 425-430.
- Siera-Padiz, A., Reines-Alvarez, M. & Ataki, E. 1990.** Population dynamics and parasitization in larvae of the tomato pinworm-*Keiferia lycopersicella* (Walsingham) (Lep.: Gelechiidae) observed in Cuba. Bulletin of the University of Agricultural Science, Godollo 1: 59-63.
- Sigsgaard, L. 2000.** The temperature-dependent duration of development and parasitism of three cereal aphid parasitoids, *Aphidius ervi*, *A. rhopalosiphii*, and *Praon volucre*. Entomologia Experimentalis et Applicata 95(2): 173-184.
- Sigsgaard, L. 2002.** A survey of aphids and aphid parasitoids in cereal fields in Denmark, and the parasitoids' role in biological control. Journal of Applied Entomology 126(2-3): 101-107.
- Sigwalt, B. 1977.** La nomenclature alaire de Comstock-Needham dans l'étude des Braconides: distinction des genres *Phanerotoma* et *Phanerotomella* (Hym., Braconidae, Cheloninae). Annales de la Société Entomologique de France 13(3): 525-534.
- Sigwalt, B. 1978.** Le genre *Phanerotomella* Szépligeti généralités. Nouvelles espèces du sud-est asiatique (Hym. Braconidae). Annales de la Société Entomologique de France. (N.S.) 14(4): 715-725.
- Sigwalt, B. & Pointel, J.G. 1980.** Statut spécifique et séparation des *Apanteles* du sous-groupe *flavipes* (Hym.: Braconidae) utilisés en lutte biologique. Annales de la Société Entomologique de France 16(1): 109-128.
- Sikorowski, P.P., Powell, J.E. & Lawrence, A.M. 1992.** Effects of bacterial contamination on development of *Microplitis croceipes* (Hym.: Braconidae). Entomophaga 37(3): 475-481.
- Sikorowski, P.P., Gothama, A.A.A. & Lawrence, A.M. 1997.** Potential consequences of field releasing virus infected endoparasitoids. Integrated Pest Management Reviews 2(3): 113-124.
- Sileshi, G. 1998.** Biology of the tef shootfly, *Atherigona hyalinipennis* van Emden in eastern Ethiopia. Insect Science and its Application 17(3-4) (July-December, 1997): 349-355.
- Silfverberg, H. 1996.** Changes 1991-1995 in the list of Finnish insects. Entomologica Fennica 7: 39-49.
- Sillings, J.O. & Broersma, D.B. 1975.** The parasites of the tarnished plant bug, *Lygus lineolaris*, in Indiana. Proceedings of the North Central Branch of the Entomological Society of America 29: 120-125.
- Silva, F.M.A., Fowler, H.G. & Lemos, R.N.S. 1997.** Parasitism associated with fall armyworm, *Spodoptera frugiperda* (Smith), in the Triangulo Mineiro Region, MG. Anais da Sociedade Entomologica do Brasil 26(2): 235-241.
- Silva, J.G., Uramoto, K. & Malavasi, A. 1998.** First report of *Ceratitis capitata* (Diptera: Tephritidae) in the eastern Amazon, Para, Brazil. Florida Entomologist 81(4): 574-577.
- Silva-Junior, J.C., Das Pompolo, S.G., Cruz, I. & Campos, L. A.O. de 2000.** The karyotype of the parasitoid *Chelonius insularis* Cresson (Hymenoptera: Braconidae: Cheloninae). Revista Brasileira de Biologia 60(2): 337-339.
- Silvie, P. 1991.** Natural parasitism of *Syllepte derogata* (Crambidae) and *Cosmophila flava* (Noctuidae), two lepidopterous foliage pests of cotton in Chad. Effet du parasitisme naturel observe au Tchad chez deux lepidopteres phylophages du cotonnier: *Syllepte derogata* (Crambidae) et *Cosmophila flava* (Noctuidae). Entomophaga 36(3): 431-441.
- Silvie, P. 1993.** The parasitoids of *Syllepte derogata* (Fabricius, 1775) (Lepidoptera: Crambidae) in Togo. Journal of African Zoology 107(4): 363-372.
- Simbolotti, G. & Achterberg, C. van 1990.** Revision of the *Euagathis* species (Hymenoptera: Braconidae) from Sulawesi. Zoologische Verhandlungen, Leiden 256: 1-36.

- Simbolotti, G. & Achterberg, C. van 1992.** Revision of the West Palaearctic species of the genus *Bassus* Fabricius (Hymenoptera: Braconidae). Zoologische Verhandelingen, Leiden 281: 1-80.
- Simbolotti, G. & Achterberg, C. van 1994.** Revision of the *Euagathis* species (Hymenoptera: Braconidae: Bassinae) from the Sunda Islands. Zoologische Verhandelingen, Leiden 293: 1-62.
- Simbolotti, G. & Achterberg, C. van 1999.** Revision of the West Palaearctic species of the genus *Agathis* Latreille (Hymenoptera: Braconidae: Agathidinae). Zoologische Verhandelingen, Leiden 325: 1-167.
- Simbolotti, G., Villemant, C. & Achterberg, C. van, 2004.** Notes on the genus *Mama* Belokobylskij (Hymenoptera: Braconidae: Euphorinae), and on the use of monotype taxa. Zoologische Mededelingen, Leiden 78: 451-459, figs 1-39.
- Simchuk, P.A. 1988.** Parasitoids of the potato moth *Phthorimaea operculella* Zeller (Lepidoptera: Gelechiidae) in the Crimea. Entomologicheskoe Obozrenie 67(3): 510-513.
- Simmons, G.A., Leonard, D.E. & Chen, C.W. 1975.** Influence of tree species density and composition on parasitism of the spruce budworm, *Choristoneura funiferana* (Clem.). Environmental Entomology 4(5): 832-836.
- Simons, E.E., Reardon, R.C. & Ticehurst, M. 1979.** Selected parasites and hyperparasites of the gypsy moth, with keys to adults and immatures. United States Department of Agriculture. Agricultural Handbook 540: 1-59.
- Simpson, B.A., Shands, W.A. & Simpson, T.E. 1975.** Mass rearing of the parasites *Praon* sp. and *Diaeretiella rapae*. Annals of the Entomological Society of America 69: 257-260.
- Simwat, G.S. & Sidhu, A.S. 1982.** Mortality of diapausing larvae of pink bollworm, *Pectinophora gossypiella* (Saund.) in cotton stacks during summer in the Punjab. Indian Journal of Entomology 44(2): 182-184.
- Sinacori, A. 1985.** Bio-ethological observations on *Gortyna xanthenes* Germ. (Lep.: Noctuidae) in Sicily. Proceedings of the XIV Italian National Congress of Entomology. Palermo Erice Bagheria. 28-May-1-June-1985: 523-524.
- Sinacori, A. 1990.** Bio-ethological observations on *Gortyna xanthenes* Germar in Sicily (Italy). Naturalista Siciliano 14(1-2): 51-62.
- Sinacori, A., Io, V.G. & Parenzan, P. 1991.** I parassitoidi della nottua del carciofo (*Gortyna xanthenes* Germar, Lepidoptera: Noctuidae) in Sicilia (nota preliminare). Atti Del Congresso Nazionale Italiano Di Entomologia 16: 443-448.
- Sinacori, A., Mineo, G. & Verde, G.L. 1993.** Biological control of *Parabemisia myricae* (Kuwana) in western Sicily (Hom.: Aleyrodidae). Preliminary note. Bulletin OILB SROP 16(7): 41-44.
- Sinclair, E.R. 1980.** Parasites of *Cryptophlebia ombrodelta* (Lower) (Lepidoptera: Tortricidae) in southeast Queensland. Journal of the Australian Entomological Society 18(4): 329-335.
- Singh, A.P. & Ahmed, M. 2001.** Seasonal variation in adult longevity of *Aleooides percurrans* Lyle (Hymenoptera: Braconidae), a larval parasitoid of poplar defoliator *Clostera cupreata* Butler. Indian Forester 127(1): 81-85.
- Singh, B., Dhaliwal, J.S., Battu, G.S. & Atwal, A.S. 1975.** Studies on the maize borer, *Chilo partellus* (Swinhoe) in Punjab. III. Role of parasitization by *Apanteles flavipes* (Cameron) in the population buildup. Indian Journal of Ecology 2: 115-124.
- Singh, B. & Kumar Anand, P. 1982.** Influence of high temperature on *Apanteles flavipes* (Cameron) in parasitising the maize borer, *Chilo partellus* (Swinhoe). Indian Journal of Ecology 9(1): 118-124.
- Singh, B.U. & Sharma, H.C. 2002.** Natural enemies of sorghum shoot fly, *Atherigona soccata* Rondani (Diptera: Muscidae). Bio-control Science and Technology 12(3): 307-323.
- Singh, I. & Singh, G. 1995.** New record of *Meteorus* sp. from the larvae of *Spilosoma obliqua* Walker. Journal of Insect Science 8(2): 209.
- Singh, J. & Sidhu, A.S. 1982.** Carry over sources for *Pectinophora gossypiella* (Saunders) and parasitoid *Apanteles angaleti* Muesebeck. Journal of Research Punjab Agricultural University 19(3): 217-221.
- Singh, J., S & hu, S.S. & Sidhu, A.S. 1988.** Adult emergence pattern of parasitoid *Apanteles angaleti* and its known hosts during the off-season in Punjab. Entomophaga 33(3): 309-314.
- Singh, J., Selvan, M.T., Kumaresan, D. & Goel, S.C. 1992.** On the developmental stages of a cardamom defoliator, *Eupterote cardamomi* Renga (Lepidoptera: Eupterotidae). Bioecology and control of insect pests: Proceedings of the National Symposium on Growth, Development & Control Technology of Insect Pests, 79-84.
- Singh, L.S., Devjani, P., Debaraj, Y. & Singh, T.K. 1994.** Studies on the seasonal incidence of *Myzus persicae* (Sulzer, Homoptera: Aphididae) on cabbage in relation to abiotic and biotic factors. Proceedings of the National Academy of Sciences, India. Section B, Biological Sciences 64(1): 95-98.
- Singh, M. 1989.** New record of *Meteorus* sp. (Braconidae, Hymenoptera) on *Agalope hyalina* in Himachal Pradesh, India. Indian Journal of Entomology (1988), 50(2): 255-256.
- Singh, M.P. 1989.** *Biosteres vandenboschi* Fullaway - a new braconid parasite of *Carpomyia vesuviana* Costa from the Indian desert. Entomon 14(12): 169.
- Singh, O.H., Devjani, P. & Singh, T.K. 2002.** Life table of *Cotesia glomeratus* (Linnaeus), a larval parasitoid of *Pieris canidia* (Sparrman). Journal of Biological Control 16(1): 11-13.
- Singh, O.P. & Rawat, R.R. 1981.** Note on the safety of some insecticides for *Diaeretus rapae* (M'Intosh), a parasite of the mustard aphid. Indian Journal of Agricultural Sciences 51: 204-205.
- Singh, O.P. & Rawat, R.R. 1983.** Seasonal incidence and toxicological studies on *Lipaphis erysimi* (Kalt.) and its parasite, *Aphidius* sp. (?) in Madhya Pradesh, India. Pranikee 4: 259-267.
- Singh, P., Surrey, M.R., Burgess, E.P. & Carey, G.P. 1982.** A rearing method for *Heliothis armiger confertus*, and its use for production of the parasitoid *Apanteles kazak* and the two insect viruses. New Zealand Journal of Zoology 9(2): 301-308.
- Singh, P.M. & Singh, T.K. 1986.** Aphid parasites (Hymenoptera: Aphidiidae) from Manipur, India. Akitu No. 78: 1-7.
- Singh, P.M. & Singh, T.K. 1986.** Two new aphid parasitoids (Hymenoptera: Aphidiidae) from Manipur, north east India. Akitu No. 81: 1-5.
- Singh, R., Sinha, T.B. & Sinha, K.P. 1979.** Studies on the bionomics of *Trioxys (Binodoxys) indicus* Subba Rao and Sharma (Hym., Aphidiidae), a parasitoid of *Aphis craccivora* Koch (Hem., Aphididae). 4. Functional response of the parasitoid. Entomon 4: 331-334.
- Singh, R. & Sinha, T.B. 1979.** First record of *Alloxysta* sp., a hyperparasitoid of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma (Aphidiidae: Hymenoptera). Current Science 48: 1008-1009.
- Singh, R. & Sinha, T.B. 1980.** Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao and Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 5. The extent of hyperparasitism. Zeitschrift für angewandte Entomologie 90(2): 141-146.
- Singh, R. & Sinha, T.B. 1980.** Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 6. Occurrence of non-productive mummies in the field population. Zeitschrift für angewandte Entomologie 90: 233-237.
- Singh, R. & Sinha, T.B. 1980.** Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 7. Sex ratio of the parasitoid in field populations. Entomon 4: 269-275.
- Singh, R. & Sinha, T.B. 1981.** Bionomics of *Trioxys indicus*, an aphidiid parasitoid of *Aphis craccivora*. 9. Factors responsible for superparasitism. Indian Journal of Parasitology 5: 9-15.

- Singh, R., Pey, R.K., Kumar, A. & Sinha, T.B. 1982. First record of three hyperparasitoids of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma (Hym: Aphidiidae) from India. *Entomon* 7(3): 329-330.
- Singh, R. & Sinha, T.B. 1982. Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 12. Courtship and mating behaviour. *Entomon* 7: 303-309.
- Singh, R. & Sinha, T.B. 1982. Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 10. Superparasitism caused by confinement with the host. *Entomologia Experimentalis et Applicata* 32: 227-231.
- Singh, R. & Sinha, T.B. 1982. Bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 13. Host selection by the parasitoid. *Zeitschrift für angewandte Entomologie* 93: 64-75.
- Singh, R. & Sinha, T.B. 1982. Factors responsible for the superparasitic ability of the parasitoid wasp *Trioxys indicus* (Hymenoptera: Aphidiidae). *Entomologia Generalis* 7: 295-300.
- Singh, R. & Sinha, T.B. 1983. The development of the ability of host discrimination in the parasitoid wasp *Trioxys indicus* (Hymenoptera: Aphidiidae). *Entomologia Generalis* 8: 225-234.
- Singh, R. & Sinha, T.B. 1983. *Trioxys (Binodoxys) indicus* Subba Rao & Sharma as a possible biological agent in the control of *Aphis craccivora* Koch. *Pranikee* 4: 245-250.
- Singh, R. & Pey, R.K. 1983. Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora* Koch. 21. Impact of host-age on the proportion of female in F1 population. *Zeitschrift für angewandte Entomologie* 101: 274-278.
- Singh, R. & Pey, R.K. 1986. Bionomics of *Trioxys indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 22. Effect of aging of host and parasitoid on the host-finding efficiency of the parasitoid. *Giornale Italiano di Entomologia* 3 No. 14: 257-259.
- Singh, R., Srivastava, M. & Srivastava, P.N. 1987. New aphidiid host record of aphid hyperparasitoid (Hymenoptera) from India. *Entomon* 12(2): 115-116.
- Singh, R. & Srivastava, M. 1987. Factors associated with host location by *Alloxysta pleuralis* (Cameron), a hyperparasitoid of *Trioxys indicus* Subba Rao & Sharma (Alloxystidae: Hymenoptera; Aphidiidae: Hymenoptera). *Entomon* 12: 325-328.
- Singh, R. & Srivastava, P.N. 1987. Bionomics of *Alloxysta pleuralis*, a cynipoid hyperparasitoid of an aphidiid parasitoid *Trioxys indicus*. *Entomologia Experimentalis et Applicata* 43: 11-15.
- Singh, R. & Srivastava, P.N. 1987. Bionomics of *Trioxys indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 25. The role of host haemolymph in the host stage preference by the parasitoid. *Giornale Italiano di Entomologia* 3: 409-412.
- Singh, R. & Srivastava, P.N. 1987. Potential host-habitat location by *Alloxysta pleuralis* (Cameron) (Alloxystidae: Hymenoptera). *Zeitschrift für angewandte Zoologie* 74(3): 337-341.
- Singh, R. & Srivastava, P.N. 1988. Numerical interactions of a hyperparasitoid *Alloxysta pleuralis* (Cameron) (Alloxystidae: Hymenoptera) with its host *Trioxys indicus* (Subba Rao & Sharma) (Aphidiidae: Hymenoptera). *Bulletin of the Institute of Zoology, Academia Sinica, Taiwan* 27(3): 167-173.
- Singh, R. & Tripathi, R.N. 1988. New host records of the parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) and the hyperparasitoid *Alloxysta pleuralis* (Cameron). *Current Science (Bangalore)* 57(7): 397.
- Singh, R. & Srivastava, M. 1988. Effect of cold storage of mummies of *Aphis craccivora* Koch subjected to different pre-storage temperature on per cent emergence of *Trioxys indicus* Subba Rao & Sharma. *Insect Science and its Application* 9: 655-657.
- Singh, R. & Srivastava, M. 1988. Host acceptance behaviour of *Alloxysta pleuralis*, a cynipoid hyperparasitoid of an aphidiid parasitoid *Trioxys indicus* on aphid. *Entomologia Experimentalis et Applicata* 47: 89-94.
- Singh, R. & Pey, R.K. 1989. Bionomics of *Trioxys indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 23. Factors associated with host-stage preference. *Mitteilungen aus dem Zoologischen Museum in Berlin* 65(2): 233-235.
- Singh, R. & Srivastava, M. 1989. Bionomics of *Trioxys indicus* (Hym.: Aphidiidae), a parasitoid of *Aphis craccivora* (Hem.: Aphididae). 31. Effect of host haemolymph on the numerical response of the parasitoid. *Entomophaga* 34(4): 581-586.
- Singh, R. & Srivastava, P.N. 1989. Effect of parasitoid density on the functional response and sex ratio of a cynipoid hyperparasitoid *Alloxysta pleuralis* (Hym.: Alloxystidae). *Entomophaga* 34(1): 11-18.
- Singh, R. & Srivastava, P.N. 1989. Life-table studies of an aphid hyperparasitoid *Alloxysta pleuralis* (Cameron) (Hym.: Alloxystidae). *Journal of Applied Entomology* 107(4): 351-356.
- Singh, R., Pey, R.K. & Sinha, T.B. 1990. First record of *Phaenoglyphis* sp. as a hyperparasitoid of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma (Hymenoptera: Cynipidae/Hymenoptera: Aphidiidae). *Indian Journal of Entomology* 52(4): 712-713.
- Singh, R. & Srivastava, P.N. 1990. Host specificity and seasonal distribution of *Alloxysta pleuralis*, a cynipoid hyperparasitoid of aphids in India. *Ecological Entomology* 15(2): 215-224.
- Singh, R. & Srivastava, M. (1990)1991. Effect of host-extract on the life-table of the parasitoid, *Trioxys indicus* Subba Rao & Sharma (Hymenoptera: Aphididae). *Journal of Aphidology*, 4(1-2): 93-97.
- Singh, R. & Tripathi, R.N. 1991. Records of aphid hyperparasitoids in India. *Bioed* 1(2): 141-150.
- Singh, R. & Agarwala, B.K. 1992. Biology, ecology and control efficiency of the aphid parasitoid *Trioxys indicus*: a review and bibliography. *Biological Agriculture & Horticulture* 8(4): 271-298.
- Singh, R. & Srivastava, M. 1995. Effect of temperature and photoperiod on the offspring sex ratio of *Lysiphlebus delhiensis* (Subba Rao & Sharma), a parasitoid of *Melanaphis sacchari* (Zehntner). *Journal of Aphidology* 8(1-2), (March, 1994): 125-130.
- Singh, R. & Biswas, S. 1997. Frequency of constrained sex allocation in field population of aphid parasitoids (Aphidiidae: Hymenoptera). *Journal of Aphidology* 9(1-2): 21-29.
- Singh, R. & Upadhyay, B.S. 2000. Parasitism of *Aphis gossypii* (Homoptera: Aphididae) by *Binodoxys indicus* (Hymenoptera: Braconidae) at varying parasitoid-host ratios. *Entomologia Generalis* 24(4): 271-276.
- Singh, R., Pey, S. & Singh, A. 2000. Effect of temperature and photoperiod on development, fecundity, progeny sex ratio and life-table of an aphid parasitoid *Binodoxys indicus*. *Malaysian Applied Biology* 29(1-2): 79-93.
- Singh, R., Singh, A. & Pey, S. 2000. Ability of the aphid parasitoid species *Binodoxys indicus* to switch over to alternative host-complexes (Hymenoptera: Braconidae). *Entomologia Generalis* 25(1): 53-66.
- Singh, R., Singh, K. & Prasad, M. 2000. Thermal influence on the development, reproduction and progeny sex ratio of *Lipolexis scutellaris* Mackauer (Hymenoptera: Braconidae, Aphidiinae). *Proceedings of the National Academy of Sciences India Section B (Biological Sciences)* 70(3-4): 267-278.
- Singh, R., Singh, K. & Upadhyay, B.S. 2000. Honeydew as a food source for an aphid parasitoid *Lipolexis scutellaris* Mackauer (Hymenoptera: Braconidae) *Journal of Advanced Zoology* 21(2): 77-83.

- Singh, R., Singh, A. & Pey, S. 2001. Influence of belated copulation on the fecundity and progeny sex ratio of *Binodoxys indicus* (Subba Rao and Sharma) (Hymenoptera: Braconidae). *Journal of Biological Control* 15(2): 105-112.
- Singh, R., Pey, S. & Singh, A. 2001. Influence of host-patch size and parasitoid densities on the progeny sex ratio of *Binodoxys indicus* (Subba Rao and Sharma). *Journal of Advanced Zoology* 22(2): 100-108.
- Singh, R.P. & Parshad, B. 1970. Biological notes on *Cardiochiles hymeniae* Max Fischer and Baldev Parshad (Braconidae: Hymenoptera). *Indian Journal of Entomology* 32: 127-129.
- Singh, S.B., Yadav, S.S., Singh, S. & Dixit, A. 2002. Naturally occurring key mortality factors of top borer (*Scirpophaga excerptalis* Wlk.) in sugarcane ratoon in U.P. Proceedings of the 64th Annual Convention of the Sugar Technologists' Association of India, Cochin Kerala, India, 17-19 August, 2002. 69-84.
- Singh, S.P. 1982. Some observations on potato cutworms and their natural enemies. *Entomon* 7(2): 197-203.
- Singh, S.P. 1991. Natural enemies of *Papilio* spp. *Indian Journal of Horticulture* 48(3): 237-242.
- Singh, S.P. 1999. Interactions of stem borer, *Chilo partellus* (Swinhoe) and its parasitoids on different sorghum genotypes. *Journal of Insect Science* 12(1): 72-74.
- Singh Paonam, M. & Singh, T.K. 1988. A new genus and three new species of Aphidiidae (Hymenoptera) from Manipur, north east India. *Akitu* No. 96: 1-8.
- Sinha, T.B. & Singh, R. 1979. Studies on the bionomics of *Trioxys (Binodoxys) indicus* (Hym., Aphidiidae). Effect of population densities on sex ratio. *Entomophaga* 24(3): 289-294.
- Sinha, T.B. & Singh, R. 1980. Bionomics of *Trioxys (Binodoxys) indicus*, an aphidiid parasitoid of *Aphis craccivora*. III. Numerical aspects of the interaction of the parasitoid and its host. *Entomologia Experimentalis et Applicata* 28: 167-176.
- Sinha, T.B. & Singh, R. 1980. Studies on the bionomics of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma (Hym., Aphidiidae), a parasitoid of *Aphis craccivora* Koch (Hem., Aphididae). II. The area of discovery of the parasitoid. *Zeitschrift für angewandte Entomologie* 89: 173-178.
- Siri, N. 1995. Host selection in hyperparasitoid, *Alloxysta victrix*. *Kaen Kaset = Khon Kaen Agriculture Journal* 23(2): 92-97.
- Sisterson, M.S. & Gould, F.L. 1999. The inflated calyx of *Physalis angulata*: a refuge from parasitism for *Heliothis subflexa*. *Ecology* 80(3): 1071-1075.
- Sisterson, M.S. & Averill, A.L. 2002. Costs and benefits of food foraging for a braconid parasitoid. *Journal of Insect Behavior* 15(4): 571-588.
- Sisterson, M.S. & Averill, A.L. 2003. Interactions between parasitized and unparasitized conspecifics: parasitoids modulate competitive dynamics. *Oecologia* 135(3): 362-371.
- Sitchawat, T. 1981. Host plant relationships of *Heliothis* species and their parasites in Kentucky. *Dissertation Abstracts International B Sciences and Engineering* 42(1) 1981: 58.
- Sivapragasam, A., Ito, Y. & Saito, T. 1986. Distribution patterns of immatures of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) and its larval parasitoid on cabbages. *Applied Entomology and Zoology* 21(4): 546-552.
- Sivapragasam, A., Ito, Y. & Saito, T. 1988. Population fluctuation of the diamondback moth, *Plutella xylostella* (L.) on cabbages in *Bacillus thuringiensis* sprayed and non-sprayed plots and factors affecting within-generation survival of immatures. *Researches on Population Ecology* 30(2): 329-342.
- Sivapragasam, A., Syed, A.R., LaSalle, J., Ruwaida, M., Hong, L.W., Sastrotomo, S.S., Caunter, I.G., Ali, J., Yeang, L.K., Vijaysegaran, S. & Sen, Y.H. 1999. Parasitoids of invasive agromyzid leafminers on vegetables in Peninsular Malaysia. *Biological control in the tropics: towards efficient biodiversity and bioresource management for effective biological control. Proceedings of the Symposium on Biological Control in the Tropics held at MARDI Training Centre, Serdang, Malaysia from 18-19 March, 1999* 127-129.
- Sivaprasasam, N., Balasubramanian, G., Venkatesan, S. & Narayanan, A. 1985. Life-table and intrinsic rate of increase of *Bracon kirkpatricki* on *Corcyra cephalonica*. *Indian Journal of Agricultural Sciences* 55(12): 762-764.
- Sivaprasasam, N. 1997. Parasitoids of fruit-borer (*Helicoverpa armigera*) of tomato (*Lycopersicon esculentum*) in Tamil Nadu. *Indian Journal of Agricultural Sciences* 67(4): 177.
- Sivinski, J. & Webb, J.C. 1989. Acoustic signals produced during courtship in *Diachasmimorpha (= Biosteres) longicaudata* (Hymenoptera: Braconidae) and other Braconidae. *Annals of the Entomological Society of America* 82(1): 116-120.
- Sivinski, J. & Smittle, B. 1990. Effects of gamma radiation on the development of the Caribbean fruit fly (*Anastrepha suspensa*) and the subsequent development of its parasite *Diachasmimorpha longicaudata*. *Entomologia Experimentalis et Applicata* 55(3): 295-297.
- Sivinski, J. 1991. The influence of host fruit morphology on parasitization rates in the Caribbean fruit fly, *Anastrepha suspensa*. *Entomophaga* 36(3): 447-454.
- Sivinski, J., Aluja, M. & Lopez, M. 1997. Spatial and temporal distributions of parasitoids of Mexican *Anastrepha* species (Diptera: Tephritidae) within the canopies of fruit trees. *Annals of the Entomological Society of America* 90(5): 604-618.
- Sivinski, J., Aluja, M., Holler, T. & Eitam, A. 1998. Phenological comparison of two braconid parasitoids of the Caribbean fruit fly (Diptera: Tephritidae). *Environmental Entomology* 27(2): 360-365.
- Sivinski, J., Vulinec, K., Menezes, E. & Aluja, M. 1998. The bionomics of *Coptera haywardi* (Ogloblin) (Hymenoptera: Diapriidae) and other pupal parasitoids of tephritid fruit flies (Diptera). *Biological Control* 11(3): 193-202.
- Sivinski, J., Aluja, M. & Holler, T. 1999. The distributions of the Caribbean fruit fly, *Anastrepha suspensa* (Tephritidae) and its parasitoids (Hymenoptera: Braconidae) within the canopies of host trees. *Florida Entomologist* 82(1): 72-81.
- Sivinski, J., Jeronimo, F. & Holler, T. 2000. Development of aerial releases of *Diachasmimorpha tryoni* (Cameron) (Hymenoptera: Braconidae), a parasitoid that attacks the Mediterranean fruit fly, *Ceratitis capitata* (Weidemann) (Diptera: Tephritidae), in the Guatemalan highlands. *Biocontrol Science and Technology* 10(1): 15-25.
- Sivinski, J., Pinero, J. & Aluja, M. 2000. The distributions of parasitoids (Hymenoptera) of *Anastrepha* fruit flies (Diptera: Tephritidae) along an altitudinal gradient in Veracruz, Mexico. *Biological Control* 18(3): 258-269.
- Sivinski, J. & Aluja, M. 2003. The evolution of ovipositor length in the parasitic hymenoptera and the search for predictability in biological control. *Florida Entomologist* 86(2): 143-150.
- Sivinski, J.M. & Calkins, C.O. 1990. Sexually dimorphic developmental rates in the Caribbean fruit fly (Diptera: Tephritidae). *Environmental Entomology* 19(5): 1491-1495.
- Sivinski, J.M., Calkins, C.O. & Baranowski, R. 1994. A container for eclosion and holding adult insects prior to mass release. *Florida Entomologist* 77(4): 513-515.
- Sivinski, J.M., Calkins, C.O., Baranowski, R., Harris, D., Brambila, J., Diaz, J., Burns, R.E., Holler, T. & Dodson, G. 1996. Suppression of a Caribbean fruit fly (*Anastrepha suspensa* (Loew) Diptera: Tephritidae) population through augmented releases of the parasitoid *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae). *Biological Control* 6(2): 177-185.

- Skatulla, U.? Oak pests - the gypsy moth (*Lymantria dispar* L.). Waldschutz Merkblatt 8: 1-4.
- Skinner, M., Parker, B.L., Wallner, W.E., Odell, T.M., Howard, D. & Aleong, J. 1993. Parasitoids in low-level populations of *Lymantria dispar* (Lep.: Lymantriidae) in different forest physiographic zones. *Entomophaga* 38(1): 15-29.
- Skoda, S.R. & Campbell, J.B. 1987. Parasites of face flies (Diptera: Muscidae) in south central Nebraska. *Environmental Entomology* 16: 902-904.
- Skoroszewski, R.W. & Hamburg, H. van 1987. The release of *Apanteles flavipes* (Cameron) (Hymenoptera: Braconidae) against stalk-borers of maize and grain-sorghum in South Africa. *Journal of the Entomological Society of South Africa* 50: 249-255.
- Skovgård, H. & Pits, P. 1996. Effects of intercropping on maize stemborers and their natural enemies. *Bulletin of Entomological Research* 86: 599-607.
- Skrzypczynska, M. & Krol, A. 1985. Insects infesting the cones of Euro-Asiatic larches on the IUFRO plantation at Kolanow near Krakow (Poland). *Acta Agraria et Silvestria Series Silvestris* 24: 97-110.
- Skrzypczynska, M. 1978. Parasites of insects damaging seeds and cones of the European (*Larix decidua*) and Polish larches (*L. polonica*) in Poland. *Entomophaga* 23(3): 303-307.
- Skrzypczynska, M. 1989. Review of insects found in cones of *Abies alba* Mill in Poland. Proceedings of the 3rd Cone and Seed Insects Working Party Conference, held in Victoria, British Columbia, Canada, on 26-30 June 1988.42-49.
- Slansky, F. Jr. 1978. Utilization of energy and nitrogen by larvae of the imported cabbageworm, *Pieris rapae*, as affected by parasitism by *Apanteles glomeratus*. *Environmental Entomology* 7: 179-185.
- Slavnova, T.I., Antonov, S.M., Magazanik, L.G., Tonkikh, A.K., Kosovskii, A.V., Sadykov, A.A. & Abdvakhobov, A.A. 1989. Effect of toxin from the venom of the ichneumon *Habrobracon hebetor* (Say) on neuromuscular transmission in insects. *Doklady, Biological Sciences* 43(11): 684-686.
- Slavnova, T.I., Tonkikh, A.K., Kosovskii, A.V., Sadykov, A.A. & Abdvakhobov, A.A. 1989. The toxic activity of *Habrobracon hebetor* venom on glutamate transmission.]: 94-98, 167. In: Mandelshtam, Y.E. [ed.]. [Physiology and biochemistry of glutamatergic synapses. Nauka, Leningrad: 1-169.
- Slavov, N. & Ivanov, S. 1981. Role and importance of *Ascogaster quadridentatus* Wesm. and *Microdus rufipes* Nees. in the control of the apple fruit worm under the present chemical protection. *Nauchni Trudove Vissh Selskostopanski Institut 'Vasil Kolarov'* 26(3) 1981: 63-68.
- Slizynski, K. 1969. *Perilitus rutilus* Nees (Hym., Braconidae) - the parasite of imago of *Hylobius abietis* L. (Col., Curculionidae), new for the Polish fauna. *Polskie Pismo Entomologiczne* 39: 407-416.
- Sloan, A., Dillard, C.R., Ferkovich, S.M. & Gupta, P. 1996. Parasitism of a factitious host, *Galleria mellonella* (Lepidoptera: Pyralidae) by an endoparasitoid: oviposition and emergence of *Microplitis croceipes* (Hymenoptera: Braconidae). *Florida Entomologist* 79(2): 221-229.
- Sloggett, J.J. & Majerus, M.E.N. 2000. *Myrrha octodecimguttata* (L.) (Coleoptera: Coccinellidae), a newly recorded host of *Dinocampus coccinellae* (Schrank) (Hymenoptera: Braconidae). *British Journal of Entomology and Natural History* 13(2): 126.
- Sloggett, J.J. & Weisser, W.W. 2002. Parasitoids induce production of the dispersal morph of the pea aphid, *Acyrtosiphon pisum*. *Oikos* 98(2): 323-333.
- Slosser, J.E., Price, J.R. & Puterka, G.J. 1990. Manipulation of overwintering survival and spring emergence of *Bracon mellitor* Say (Hymenoptera: Braconidae). *Environmental Entomology* 19(4): 1110-1114.
- Slovak, M. 1985. Biological observations on *Microplitis mediator* Hal. (Hym., Braconidae). *Biologia, Czechoslovakia, B Zoologia* 40(10): 987-996.
- Slovak, M. 1985. Studies on morphology and development of the immature stages of *Microplitis mediator* (Hymenoptera, Braconidae). *Biologia (Bratislava)* 40(6): 529-538.
- Slusarczyk, J. 1994. Aphid parasites (Hymenoptera: Aphidiidae) found on the trees and herbaceous plants of the Kielce urban area. *Roczniki Nauk Rolniczych. Seria E, Ochrona Roslin* 24(1-2): 21-25.
- Sluss, R. 1968. Behavioral and anatomical responses of the convergent lady beetle to parasitism by *Perilitus coccinellae* (Schrank). *Journal of Invertebrate Pathology* 10: 9-27.
- Sluss, R.R. & Lenteneger, R. 1968. The fine structure of the trophic cells of *Perilitus coccinellae*. *J. Ultrastruct. Res.* 25: 441-451.
- Smid, H.M., Loon, J.J.A. van, Posthumus, M.A. & Vet, L.E.M. 2002. GC-EAG-analysis of volatiles from Brussels sprouts plants damaged by two species of *Pieris* caterpillars: olfactory receptive range of a specialist and a generalist parasitoid wasp species. *Chemoecology* 12(4): 169-176.
- Smid, H.M., Bleeker, M.A.K., Loon, J.J.A. van & Vet, L.E.M. 2003. Three-dimensional organization of the glomeruli in the antennal lobe of the parasitoid wasps *Cotesia glomerata* and *C. rubecula*. *Cell & Tissue Research* 312(2): 237-248.
- Smilowitz, Z. & Rhoads, L. 1973. An assessment of gypsy moth natural enemies in Pennsylvania. *Environmental Entomology* 2(5): 797-799.
- Smilowitz, Z. & Smith, C.L. 1977. Hemolymph proteins of developing *Pieris rapae* larvae parasitised by *Apanteles glomeratus*. *Annals of the Entomological Society of America* 70: 447-454.
- Smith, C.L. & Smilowitz, Z. 1976. Growth and development of *Pieris rapae* larvae parasitized by *Apanteles glomeratus*. *Entomologia Experimentalis et Applicata* 19: 189-195.
- Smith, C.R., Heinz, K.M., Sansone, C.G. & Flexner, J.L. 2000. Impact of recombinant baculovirus field applications on a nontarget heliothine parasitoid, *Microplitis croceipes* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 93(4): 1109-1117.
- Smith, H.A., Capinera, J.L., Pena, J.E. & Linbo-Terhaar, B. 1994. Parasitism of pickleworm and melonworm (Lepidoptera: Pyralidae) by *Cardiochiles diaphaniae* (Hymenoptera: Braconidae). *Environmental Entomology* 23(5): 1283-1293.
- Smith, J.G. 1976. Influence of crop background on natural enemies of aphids on Brussels sprouts. *Annals of Applied Biology* 83: 15-29.
- Smith, J.W., King, E.G. & Bell, J.V. 1976. Parasites and pathogens among *Heliothis* spp. in the central Mississippi Delta. *Environmental Entomology* 5(2): 224-226.
- Smith, J.W. & Johnson, S.J. 1986. Development of *Pristomerus spinator* (F.), *Illidops terrestris* Wharton and *Chelonus (Microchelonus) elasmopalpi* McComb. *Southwestern Entomologist* 11: 131-135.
- Smith, J.W. Jr., Browning, H.W. & Bennett, F.D. 1987. *Allorhogas pyralophagus* (Hym.: Braconidae), a gregarious external parasite imported into Texas, USA for biological control of the stalk-borer *Eoreuma loftini* (Lep.: Pyralidae) on sugarcane. *Entomophaga* 32: 477-482.
- Smith, J.W. Jr. & Johnson, S.J. 1989. Natural mortality of the lesser cornstalk borer (Lepidoptera: Pyralidae) in a peanut agroecosystem. *Environmental Entomology* 18(1): 69-77.
- Smith, J.W. Jr. & Rodriguez Del Bosque, L.A. 1994. New distribution and host-range records for *Apanteles deplanatus* (Hymenoptera: Braconidae), a parasite of *Diatraea considerata* and *D. magnifactella* (Lepidoptera: Pyralidae), in Mexico. *Biological Control* 4(3): 249-253.

- Smith, M.T. & Hardee, D.D. 1993.** Seasonal relationship among cotton aphid (*Aphis gossypii* Glover), the entomopathogenic fungus *Neozygites fresenii* (Nowakowski) Batko, and the parasite *Lysiphlebus testaceipes* (Cresson). Proceedings Beltwide Cotton Conferences 2: 978-982.
- Smith, P.T. & Kambhampati, S. 1999.** Status of the *Cotesia flavipes* species complex (Braconidae: Microgastrinae) based on mitochondrial 16S rRNA and NADH 1 dehydrogenase gene sequence. Journal of the Kansas Entomological Society 72(3): 306-314.
- Smith, P.T., Kambhampati, S., Völkl, W. & Mackauer, M. 1999.** A phylogeny of aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) inferred from mitochondrial NADH 1 dehydrogenase gene sequence. Molecular Phylogenetics and Evolution 11(2): 236-245.
- Smith, P.T., Kambhampati, S., Austin, A.D. & Downton, M. 2000.** Evolutionary transitions in Aphidiinae (Hymenoptera: Braconidae). Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 106-113.
- Smith, R.A. & Nordlund, D.A. 2000.** Mass rearing technology for biological control agents of *Lygus* spp. Southwestern Entomologist 23: 121-127.
- Smith, R.B. & Wellington, W.G. 1986.** The functional response of a juvenile orb-weaving spider: 275-279. In: Eberhard, W.G., Lubin, Y.D. & Robinson, B.C. [eds]. Proceedings of the Ninth International Congress of Arachnology, Panama 1983. Washington & London: 1-333.
- Smith, R.G., Archer, T.L. & Bynum, E.D. Jr. 1985.** Low-rate applications of insecticides for greenbug (Homoptera: Aphididae) control and effect on beneficial insects on sorghum. Journal of Economic Entomology 78(4): 988-991.
- Smith, R.H. & Whiting, A.R. 1966.** X-radiation sensitivity of *Habrobracon* oocytes at diakinesis. Genetics 54: 364.
- Smith, R.H. 1969.** Induction of mutations in *Habrobracon* sperm with mitomycin C. Mutation Research 7: 231-234.
- Smith, R.H. & Borstel, R.C. von 1971.** Inducing mutations with chemicals in *Habrobracon*. Chem Mutagen Princ Method their Detect 2: 445-460.
- Smith, R.P. & Kurczewski, F.E. 1980.** The gypsy moth, *Lymantria dispar* (L.) (Lepidoptera, Lymantriidae), its parasitoid (Hymenoptera, Braconidae) and the nuclear polyhedrosis virus: an ultrastructural study. Polskie Pismo Entomologiczne 50(2): 189-193.
- Smith, S.M. & Hubbes, M. 1988.** Evaluation of the toxicological effects and field efficacy of an insecticidal soap against the spruce budworm (Lepidoptera: Tortricidae). Proceedings of the Entomological Society of Ontario 119: 53-62.
- Smyrnioudis, I.N., Harrington, R., Clark, S.J. & Katis, N. 2001.** The effect of natural enemies on the spread of barley yellow dwarf virus (BYDV) by *Rhopalosiphum padi* (Hemiptera: Aphididae). Bulletin of Entomological Research 91(4): 301-306.
- Sneh, B., Gross, S. & Gasith, A. 1983.** Biological control of *Spodoptera littoralis* (Lepidoptera, Noctuidae) by *Bacillus thuringiensis* ssp. *entomocidus* and *Bracon hebetor* (Hymenoptera, Braconidae). Zeitschrift für angewandte Entomologie 96(4): 408-412.
- Snodgrass, G.L., Loan, C.C., Graham, H.M. & Nixon, G.E.J. 1990.** New species of *Leiothron* (Hymenoptera: Braconidae: Euphorinae) from Kenya. Florida Entomologist 73(3): 492-496.
- Snodgrass, G.L. & Fayad, Y.H. 1991.** Euphorine (Hymenoptera: Braconidae) parasitism of the tarnished plant bug (Heteroptera: Miridae) in areas of Washington County, Mississippi disturbed and undisturbed by agricultural production. Journal of Entomological Science 26(3): 350-356.
- Snow, J.W., Hamm, J.J. & Brazzel, J.R. 1966.** Geranium carolinianum as an early host for *Heliothis zea* and *H. virescens* (Lepidoptera: Noctuidae) in the southeastern United States, with notes on associated parasites. Annals of the Entomological Society of America 59(3): 506-509.
- Snow, W.J. & Burton, R.L. 1967.** Seasonal occurrence of the *Heliothis* complex on *Desmodium purpureum* with observations on parasitism by *Cardiochiles nigriceps*. Journal of the Georgia Entomological Society 2(2): 47-52.
- Snyder, W.E. & Ives, A.R. 2001.** Generalist predators disrupt biological control by a specialist parasitoid. Ecology (Washington D.C.) 82(3): 705-716.
- Snyder, W.E. & Ives, A.R. 2003.** Interactions between specialist and generalist natural enemies: Parasitoids, predators, and pea aphid biocontrol. Ecology (Washington D.C.) 84(1): 91-107.
- Soares, J.J. & Lara, F.M. 1993.** Influence of cotton genotypes on parasitism of boll weevil, *Anthonomus grandis* Boh. by *Bracon mellitor* Say. Anais da Sociedade Entomologica do Brasil 22(3): 541-545.
- Soares, J.J., Carvalho, O.S., Freire, E.C. & Azevedo, D.M.P. de 1999.** Integrated management of pests of cotton in cerrado Baiano. Anais II Congresso Brasileiro de Algodao: O algodao no seculo XX, perspectivas para o seculo XXI, Ribeirao Preto, SP, Brasil, 5-10 Setembro 1999 312-313.
- Sobchak, M.N. & Sabirova, D.U. 1985.** Toxicity of new insecticides for members of the cotton agrocoenosis. Trudy Tashkentskogo Sel'skokhozyaistvennogo Instituta No. 113 1985: 81-87.
- Sohati, P.H., Musonda, E.M. & Mukanga, M. 2001.** Distribution of cereal stemborers in Zambia and release of *Cotesia flavipes* Cameron, an exotic natural enemy of *Chilo partellus* (Swinhoe). Insect Science and its Application 21(4): 311-316.
- Sokolova, Y.Y. & Issi, I.V. 1997.** On the genus *Nosema* (Microsporidia) in relation to new data on a life cycle of the Microsporidia *N. mesnili*. Parazitologiya (St. Petersburg) 31(4): 307-313.
- Sokolowski, M.B. & Turlings, T.C.J. 1987.** *Drosophila* parasitoid-host interactions: vibrotaxis and ovipositor searching from the host's perspective. Canadian Journal of Zoology 65(3): 461-464.
- Solbreck, C. 2000.** Ecology and biology of *Euphranta connexa* (Fabr.) (Diptera: Tephritidae) - a seed predator on *Vincetoxicum hirsutinaria* Med. (Asclepiadaceae). Entomologisk Tidskrift 121(1-2): 23-30.
- Soldaat, L.L. 1991.** Seasonal variation in parasitoid attack of *Tyria jacobaeae* by *Apanteles popularis*. Netherlands Journal of Zoology 41(2-3): 194-201.
- Soldan, T. & Starý, P. 1981.** Parasitogenic effects of *Aphidius smithi* (Hymenoptera: Aphidiidae) on the reproductive organs of the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphididae). Acta Entomologica Bohemoslovaca 78: 243-253.
- Soldevila, A.I. & Jones, D. 1991.** Immunological analysis of unique protein in *Trichoplusia ni* larvae parasitized by the braconid wasp *Chelonus* near *curvumaculatus*. Insect Biochemistry 21(8): 845-856.
- Soldevila, A.I. & Jones, D. 1993.** Expression of a parasitism-specific protein in lepidopteran hosts of *Chelonus* sp. Archives of Insect Biochemistry and Physiology 24(3): 149-169.
- Soldevila, A.I. & Jones, D. 1994.** Characterization of a novel protein associated with the parasitization of lepidopteran hosts by an endoparasitic wasp. Insect Biochemistry and Molecular Biology 24(1): 29-38.
- Soler, J.M., Garcia-Mari, F. & Alonso, D. 2002.** Stationary evolution of auxiliary entomofauna in citrus orchards. Boletín de Sanidad Vegetal, Plagas 28(1): 133-149.
- Solinna, M. 1974.** *Coroebus florentinus* (Herst) (Col.: Buprestidae): biology, damage, control. (in Italian with English summary) Entomologica 10: 141-193.

- Soller, M. & Lanzrein, B. 1996. Polydnavirus and venom of the egg-larval parasitoid *Chelonus inanitus* (Braconidae) induce developmental arrest in the prepupa of its host *Spodoptera littoralis* (Noctuidae). *Journal of Insect Physiology* 42(5): 471-481.
- Solomon, J.D., Newsome, L. & Filer, T.H. 1984. Discovery and observations of a stem-boring weevil (*Myrmex* sp.) a potentially useful biocontrol of mistletoe. *Journal of the Kansas Entomological Society* 29: 7-11.
- Song, D.B., Chen, J.H. & Yang, J.Q. 2001. A new species of *Apanteles* Foerster in China (Hymenoptera: Braconidae). (in Chinese with English summary) *Journal of Huazhong Agricultural University* 20(6): 535-538.
- Song, D.B. 2002. Two new species of *Apanteles* Foerster from China (Hymenoptera: Braconidae). *Mitteilungen des Internationalen Entomologischen Vereins E.V. Frankfurt A.M.* 27(1-2): 1-8.
- Songa, J.M. & Ampofo, J.K. 1999. Ecology of the bean stem maggot attacking dry bean (*Phaseolus vulgaris* L.) in the semi-arid areas of eastern Kenya. *International Journal of Pest Management* 45(1): 35-40.
- Songa, J.M., Overholt, W.A., Mueke, J.M. & Okello, R.O. 2001. Colonisation of *Cotesia flavipes* (Hymenoptera: Braconidae) in stemborers in the semi-arid Eastern Province of Kenya. *Insect Science and its Application* 21(4): 289-295.
- Songa, J.M., Overholt, W.A., Okello, R.O. & Mueke, J.M. 2002. Control of lepidopteran stemborers in maize by indigenous parasitoids in semi-arid areas of Eastern Kenya. *Biological Agriculture and Horticulture* 20(1): 77-90.
- Sontgen, J.M. & Sengonca, C. 1988. Observations on the incidence of parasitoids of the apple clearwing moth, *Synanthedon myopaeformis* (Borkh.), in Nordrhein. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 6(1-3): 262-266.
- Sood, A.K., Bhalla, O.P., Verma, A.K. & Sharma, K.C. 1995. Development of life tables for cabbage white butterfly, *Pieris brassicae* (L.) (Lepidoptera: Pieridae) in cabbage and cauliflower crop ecosystem. *Journal of Entomological Research (New Delhi)* 19(2): 127-133.
- Sood, A.K. & Bhalla, O.P. 1996. Ecological studies on the cabbage white butterfly in the mid-hills of Himachal Pradesh. *Journal of Insect Science* 9(2): 122-125.
- Sorg, M. 1990. Entomophagous insects on the Hofchen Experimental Station (Burscheid, Germany). Part I. Aphidiinae (Hymenoptera: Braconidae) (parasitic wasps on aphids). *Pflanzenschutz Nachrichten Bayer* 43(1-2): 29-45.
- Sorokina, A.P. 1970. Structure and development of the reproductive organs and potential fecundity in the female of some aphid parasites (Hymenoptera, Aphidiidae). *Entomologicheskoye Obozreniye* 49 [Entomological Review 49: 27-31].
- Soteris, K.M., Berberet, R.C. & McNew, R.W. 1984. Parasitic insects associated with Lepidopterous herbivores on alfalfa in Oklahoma. *Environmental Entomology* 13(3): 787-793.
- Soultanopoulos, C. & Broumas, T. 1979. Comparative toxicity of various insecticides to *Habrobracon hebetor* and *Chelonus eleaphilis* (Hymenoptera: Braconidae). *Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent* 44: 179-184.
- Sourakov, A. & Mitchell, E.R. 2001. Effects of cool temperatures on oviposition and development of *Cotesia marginiventris* (Hymenoptera: Braconidae). *Florida Entomologist* 84(2): 308-309.
- Souza Filho, M.F. de, Bergmann, E.C. & Imenes, S.D.L. 1995. Incidence of *Pygiopachymerus lineola* (Chevrolat), parasitized by *Urosigalphus* sp., in seeds of *Cassia fistula* L. and *C. nodosa* Buch. *Biologico (Sao Paulo)* 57(1-2): 41-44.
- Souza Filho, M.F. de, Raga, A. & Zucchi, R.A. 2000. Incidence of *Anastrepha obliqua* (Macquart) and *Ceratitidis capitata* (Wiedemann) (Diptera: Tephritidae) in star fruit (*Averrhoa carambola* L.) in eight localities of the State of Sao Paulo, Brazil. *Incidencia de *Anastrepha obliqua* (Macquart) y *Ceratitidis capitata* (Wiedemann) (Diptera: Tephritidae) en Carambola (*Averrhoa carambola* L.) en ocho localidades del Estado de Sao Paulo, Brasil* *Anais da Sociedade Entomologica do Brasil* 29(2): 367-371.
- Souza, B.M. de & Bueno, V.H.P. 1992. Parasitoids and hyperparasitoids of mummies of *Brevicoryne brassicae* (Linnaeus, 1758) (Hemiptera: Aphidiidae). *Revista de Agricultura Piracicaba* 67(1): 55-62.
- Souza-Filho, M.F. de, Bergmann, E.C. & Imenes, S.D.L. 1995. Incidence of *Pygiopachymerus lineola* (Chevrolat), parasitized by *Urosigalphus* sp., in seeds of *Cassia fistula* L. and *C. nodosa* Buch. *Biologico* 57(1-2): 41-44.
- Sow, J.D. 1993. Biological control - The remarkable case of *Aphidius sonchi* Marshall (Hymenoptera: Aphidiinae): 209-211. In: Corey, S.A., Dall, D.J. & Milne, W.M. [eds]. "Pest control & sustainable agriculture". CSIRO, Melbourne 1-514.
- Spahr, U. 1987. Ergänzungen und Berichtigungen zu R. Keilbachs Bibliographie und Liste der Bernsteinfossilien-Ordnung Hymenoptera. *Stuttgarter Beiträge zur Naturkunde Serie B (Geologie und Palaeontologie)* No. 127: 1-121.
- Spanjer, W., Grosu, L. & Piek, T. 1977. Two different paralyzing preparations obtained from a homogenate of the wasp *Microbracon hebetor* (Say). *Toxicon* 15: 413-421.
- Spencer, L. & Whitfield, J.B. 1999. Revision of the Nearctic species of *Rhysipolis* Förster (Hymenoptera: Braconidae). *Transactions of the American Entomological Society* 125(3): 295-324.
- Spieth, H.R. & Schwarzer, E. 2001. Aestivation in *Pieris brassicae* (Lepidoptera: Pieridae): implications for parasitism. *European Journal of Entomology* 98(2): 171-176.
- Spomer, S.M. 1985. Observations on the life history of *Occidryas anicia bernadetta* (Nymphalidae) at the type locality. *Journal of the Lepidopterists' Society* 39(1): 55-57.
- Sponagl, B., Wagner, E., Baker, T., Ganguly, S., Douloumpaka, S. & Emden, H.F. van 1996. Hopkins' 'host selection principle', another nail in its coffin. *Physiological Entomology* 21(4): 325-328.
- Sreelatha Divakar, B.J. 1993. Selectivity of some pesticides to the larval parasitoid, *Bracon hebetor*. *Indian Journal of Plant Protection* 21(2): 155-156.
- Sridhar, V., & Prasad, V.D. 1996. Life-table studies on natural population of *Spodoptera litura* (Fabricius) on groundnut, *Arachis hypogaea* Linn. *Annals of Plant Protection Sciences* 4(2): 142-147.
- Srikanth, J., Easwaramoorthy, S., Shanmugasundaram, M. & Kumar, R. 1999. Seasonal fluctuations of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) parasitism in borers of sorghum and sugarcane in southern India. *Insect Science and its Application* 19(1): 65-74.
- Srikanth, J., Easwaramoorthy, S. & Kurup, N.K. 2000. Behavioural response of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) to frass extract of *Chilo partellus* Swinhoe (Lepidoptera: Crambidae). *Insect Environment* 6(2): 75-76.
- Srikanth, J., Easwaramoorthy, S., Kumar, R. & Shanmugasundaram, M. 2000. Patterns of laboratory parasitisation rates of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) in borers of sugarcane and sorghum. *Insect Science and its Application* 20(3): 195-202.
- Srinivas, P.R. & Jayaraj, S. 1989. Record of natural enemies of *Heliothis armigera* from Coimbatore district, Tamil Nadu. *Journal of Biological Control* 3(1): 71-72.
- Srinivas, P.R. & Jayaraj, S. 1989. Seasonal activity of natural enemies of *Heliothis armigera* Hübner in Coimbatore, Tamilnadu. *Journal of Biological Control* 3(2): 87-89.
- Srinivas Charyulu, B.S., P & ey, M.C., Chaudhary, R.N. & Sharma, V.K. 1994. Parasitization on *Mythimna separata* larvae by *Cotesia ruficrus*. *Indian Journal of Entomology* 56(2), June 1994: 189-191.

- Srivastava, B. & Kushwaha, K.S. 1995.** Sequential appearance and frequency of the parasites of *Spodoptera litura* (Fabr.) on cauliflower and cabbage at Udaipur, Rajasthan. *Advances in Agricultural Research in India* 3: 130-140.
- Srivastava, D.C. & Chauhan, N.S. 1986.** On the sex ratio of the lac associated insects. *Entomon* 11(4) 1986: 245-246.
- Srivastava, M. & Singh, R. 1987.** Bionomics of *Trioxys indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 25. The role of host haemolymph in the host stage preference by the parasitoid. *Giornale Italiano di Entomologia* 3(17): 409-412.
- Srivastava, M. & Singh, R. 1988.** Bionomics of *Trioxys (Binodoxys) indicus*, an Aphidiid parasitoid of *Aphis craccivora* Koch. 26. Impact of host extract on the oviposition response of the parasitoid. *Biological Agriculture & Horticulture* 5: 169-176.
- Srivastava, M. & Singh, R. 1988.** Bionomics of *Trioxys indicus* Subba Rao & Sharma, an aphidiid parasitoid of *Aphis craccivora* Koch. 29. Impact of host-extract on reproductive behaviour of the parasitoid at different host densities. *Journal of Applied Entomology* 106(4): 408-412.
- Srivastava, M. & Singh, R. 1988.** Effect of cold storage of mummies of *Aphis craccivora* Koch subjected to different pre-storage temperature on per cent emergence of *Trioxys indicus* Subba Rao & Sharma. *Insect Science and its Application* 9(5): 647-657.
- Srivastava, M. & Singh, R. 1994.** Host density related variations in offspring sex ratio in the aphid parasitoid *Lysiphlebus delhiensis* (Hymenoptera: Aphidiidae). *Insect & Environment* 5: 103-108.
- Srivastava, M. & Singh, R. 1995.** Influence of age of parents *Lysiphlebus delhiensis* (Subba Rao and Sharma) (Hym.: Aphidiidae) during copulation on progeny production and offspring sex ratio. *Journal of Applied Entomology* 119(1): 73-77.
- Srivastava, M. Jr. & Singh, R. 1995.** Sex ratio adjustment by a koinobiotic parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) (Hymenoptera: Aphidiidae) in response to host size. *Biological Agriculture and Horticulture* 12(1): 15-28.
- Srivastava, M., Paul, A.V.N., Rengasamy, S., Kumar, J. & Parmar, B.S. 1997.** Effect of neem (*Azadirachta indica* A. Juss) seed kernel extracts on the larval parasitoid *Bracon brevicornis* Wesm. (Hym.: Braconidae). *Journal of Applied Entomology* 121(1): 51-57.
- Srivastava, P.N. & Singh, R. 1990.** Host specificity and seasonal distribution of *Alloxysta pleuralis*, a cynipoid hyperparasitoid of aphids in India. *Ecological Entomology* 15(2): 215-224.
- Sroka, P. & Vinson, S.B. 1979.** Phenoloxidase activity in the haemolymph of parasitized and unparasitized *Heliothis virescens*. *Insect Biochemistry* 8: 399-402.
- Srot, M. 1983.** Factors reducing the population density of large poplar borer (*Saperda carcharias* L.). *Lesnictvi (Prague)* 29(9): 785-804.
- Stacey, D.A. & Fellowes, M.D.E. 2002.** Influence of elevated CO₂ on interspecific interactions at higher trophic levels. *Global Change Biology* 8(7): 668-678.
- Stacey, D.A. & Fellowes, M.D.E. 2002.** Influence of temperature on pea aphid *Acyrtosiphon pisum* (Hemiptera: Aphididae) resistance to natural enemy attack. *Bulletin of Entomological Research* 92(4): 351-357.
- Stadelbacher, E.A., Powell, J.E. & King, E.G. 1984.** Parasitism of *Heliothis zea* and *H. virescens* (Lepidoptera: Noctuidae) larvae in wild and cultivated host plants in the delta of Mississippi. *Environmental Entomology* 13(5): 1167-1172.
- Stadler, B. & Mackauer, M. 1996.** Influence of plant quality on interactions between the aphid parasitoid *Ephedrus californicus* Baker (Hymenoptera: Aphididae) and its host, *Acyrtosiphon pisum* (Harris) (Homoptera: Aphididae). *Canadian Entomologist* 128(1): 27-39.
- Stadler, B. & Völkl, W. 1991.** Foraging patterns of two aphid parasitoids, *Lysiphlebus testaceipes* and *Aphidius colemani* on banana. *Entomologia Experimentalis et Applicata* 58: 221-229.
- Stadlhofer, P. 1993.** Redescription und systematische Neubewertung des Genus *Calypptoides* Cockerell, 1921. (Hymenoptera: Braconidae). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 45(3-4): 122-124.
- Stadnitskiy, G.V. & Grebenshchikova, B.P. 1977.** Formation of entomofauna in reproductive organs of the Siberian larch in artificially planted forests. *Entomologicheskoye Obozreniye* 56(4): 751-757. [*Entomological Review* 56(4): 28-32].
- Staines, C.L.Jr., Malan, S.C., Williams, G.L. & Shea, T.L.Jr. 1984.** Species composition in a guild of overwintering *Rhyacionia* spp. (Lepidoptera: Tortricidae, Olethreutinae) populations in Maryland. *Proceedings of the Entomological Society of Washington* 86(4): 821-825.
- Stam, P.A. & Elmosa, H. 1990.** The role of predators and parasites in controlling populations of *Earias insulana*, *Heliothis armigera* and *Bemisia tabaci* on cotton in the Syrian Arab Republic. *Entomophaga* 35(3): 315-327.
- Stamp, N.E. 1981.** Behavior of parasitized aposematic caterpillars: advantageous to the parasitoid or the host? *American Naturalist* 118(5): 715-725.
- Stamp, N.E. 1981.** Effect of group size on an egg-clustering butterfly. *Dissertation Abstracts International B Sciences and Engineering* 41(9) 1981: 3301.
- Stamp, N.E. 1981.** Effect of group size on parasitism in a natural population of the Baltimore checkerspot *Euphydryas phaeton*. *Oecologia (Berlin)* 49(2): 201-206.
- Stamp, N.E. 1982.** Behavioral interactions of parasitoids and Baltimore checkerspot caterpillars (*Euphydryas phaeton*). *Environmental Entomology* 11(1): 100-104.
- Stamp, N.E. 1982.** Searching behaviour of parasitoids for web-making caterpillars: A test of optimal searching theory. *Journal of Animal Ecology* 51: 387-395.
- Stamp, N.E. 1984.** Interactions of parasitoids and checkerspot caterpillars *Euphydryas* spp. (Nymphalidae). *Journal of Research on the Lepidoptera* 23(1): 2-18.
- Stanionyte, A. & Dzhanokmen, K. 1990.** Pteromalids (Hymenoptera, Pteromalidae) reared from insect hosts in Lithuania. *Ekologija* 1990(2): 32-39.
- Stapel, J.O., Cortesero, A.M., Tumlinson, J.H., Lewis, W.J. & Moraes, C.M. de 1997.** Extrafloral nectar, honeydew, and sucrose effects on searching behavior and efficiency on *Microplitis croceipes* (Hymenoptera: Braconidae) in cotton. *Environmental Entomology* 26(3): 617-623.
- Stapel, J.O., Cortesero, A.M. & Lewis, W.J. 2000.** Disruptive sublethal effects of insecticides on biological control: altered foraging ability and life span of a parasitoid after feeding on extrafloral nectar of cotton treated with systemic insecticides. *Biological Control* 17(3): 243-249.
- Stark, J.D., Jepson, P.C. & Mayer, D.F. 1995.** Limitations to use of topical toxicity data for predictions of pesticide side effects in the field. *Journal of Economic Entomology* 88(5): 1081-1088.
- Stark, J.D., Vargas, R.I. & Thalman, R.K. 1991.** Diversity and abundance of oriental fruit fly parasitoids (Hymenoptera: Braconidae) in guava orchards in Kauai, Hawaii. *Journal of Economic Entomology* 84(5): 1460-1467.
- Stark, J.D., Vargas, R.I., Messing, R.H. & Purcell, M. 1992.** Effects of cyromazine and diazinon on three economically important Hawaiian tephritid fruit flies (Diptera: Tephritidae) and their endoparasitoids (Hymenoptera: Braconidae). *Journal of Economic Entomology* 85(5): 1687-1694.
- Stark, J.D., Wong, T.T.Y., Vargas, R.I. & Thalman, R.K. 1992.** Survival, longevity, and reproduction of tephritid fruit fly parasitoids (Hymenoptera: Braconidae) reared from fruit flies ex-

- posed to azadirachtin. *Journal of Economic Entomology* 84(4): 1125-1129.
- Stark, J.D., Vargas, R.I. & Walsh, W.A. 1994.** Temporal synchrony and patterns in an exotic host-parasitoid community. *Oecologia* 100(1-2): 196-199.
- Stark, R.W. & Wood, D.L. 1964.** The biology of *Pissodes terminalis* Hopping (Coleoptera: Curculionidae) in California. *Canadian Entomologist* 96: 1208-1218.
- Stark, S.B. & Hopper, K.R. 1988.** *Chrysoperla carnea* predation on *Heliothis virescens* larvae parasitized by *Microplitis croceipes*. *Entomologia Experimentalis et Applicata* 48(1): 69-72.
- Starks, K.H., Muniappan, R. & Eikenbary, R.D. 1972.** Interaction between plant resistance and parasitism against greenbug on barley and sorghum. *Annals of the Entomological Society of America* 65: 650-655.
- Starks, K.J. & Burton, R.L. 1977.** Greenbugs: Determining biotypes, culturing, and screening for plant resistance with notes on rearing parasitoids. United States Department of Agriculture. Technical Bulletin 1556. 12 pp.
- Starks, K.J., Burton, R.L., Teetes, G.L. & Wood, E.A.Jr. 1976.** Release of parasitoids to control greenbugs on sorghum. U.S. Department of Agriculture. Agricultural Research Service. ARS-S-91. 12pp.
- Starks, K.J., Wood, E.A. Jr. & Burton, R.L. 1974.** Relationships of plant resistance and *Lysiphlebus testaceipes* to population levels of the greenbug on grain sorghum. *Environmental Entomology* 3(6): 950-952.
- Starý, B., Bezdecka, P., Čapek, M., Starý, P., Zelený, J. & Sedivý, J. 1988.** Atlas of insects beneficial to forest trees. Vol 2: 1-100. An English translation of: *Zuzitecný hmyz v ochrane lesa*.
- Starý, P. 1964.** Biological control of *Megoura viciae* Bckt. in Czechoslovakia. Bionomics, ecology, mass-production, initial establishment of *Aphidius megourae* Starý in Czechoslovakia. *Acta Societatis Entomologicae Cechosloveniae* 61: 301-322.
- Starý, P. 1964.** Food specificity in the Aphidiidae. *Entomophaga* 9(1): 91-99.
- Starý, P. 1964.** The foci of aphid parasites (Hymenoptera: Aphidiidae) in nature. *Ekologia Polska*. (A)12: 529-554.
- Starý, P. 1964.** Integrated control problems of citrus and peach aphid pests in Italy orchards. *Entomophaga* 9(2): 147-152.
- Starý, P. & Rupais, A. 1964.** New data on aphid parasites in the Baltic region. *Latvijas PSR Zinatnu Akademijas Vestis* 8(205): 63-68.
- Starý, P. 1965.** Aphidiid parasites of aphids in the USSR (Hymenoptera: Aphidiidae). *Acta Faunistica Entomologica Musei Nationalis Pragae* 10: 187-227.
- Starý, P. 1965.** Integrated control of the mealy plum aphid *Hyalopteris pruni* (Geoffr.) in Czechoslovakia (Hom.: Aphidiidae). *Annales de la Société Entomologique de France* 1(1): 177-180.
- Starý, P. 1966.** A review of the parasites of aphids associated with *Prunus* trees in Czechoslovakia (Hym.: Aphidiidae; Hom.: Aphidoidea). *Acta Entomologica Bohemoslovaca* 63: 67-75.
- Starý, P. 1966.** Aphid parasites (Hym.: Aphidiidae) and their relationship to aphid attending ants with respect to biological control. *Insectes Sociaux* 13: 185-202.
- Starý, P. 1966.** Aphid parasites of Czechoslovakia. The Hague: 1-242.
- Starý, P. 1966.** The Aphidiidae of Italy (Hymenoptera, Ichneumonoidea). *Bollettino dell'Istituto di Entomologia della Università degli Studi di Bologna* 28: 65-139.
- Starý, P. 1967.** A review of hymenopterous parasites of citrus pest aphids of the world and biological control projects (Hym.: Aphidiidae; Hom.: Aphidoidea). *Acta Entomologica Bohemoslovaca* 64: 37-61.
- Starý, P. 1967.** A study on the relationship of the Pterocommatinae and the Aphidinae, and their aphidiid parasites in (Central Europe (Homoptera, Aphidoidea-Pterocommatinae, Aphidiinae; Hymenoptera, Aphidiidae). *Acta Entomologica Musei Nationalis Pragae* 37: 655-666.
- Starý, P. 1967.** Control biologico de áfidos que atacan af café y al cacao en Sud América e Indias Occidentales. *Turrialba* 17: 388-397.
- Starý, P. 1967.** Multilateral aphid control concept. *Annales de la Société Entomologique de France* 3(1): 221-225.
- Starý, P. & Schlinger, E.S. 1967.** A revision of the Far East Asian Aphidiidae (Hymenoptera). *Series Entomologica*. The Hague: 1-204.
- Starý, P. 1968.** Biological control of aphid pests (Homoptera: Aphidoidea) by parasites (Hym., Aphidiidae) in the West Indies. *Annales de la Société Entomologique de France* 4(1): 27-43.
- Starý, P. 1968.** Biological control of aphids-pests of Citrus and tea plantations in the Black Sea coast districts of the U.S.S.R.-Georgia. *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 26: 227-240.
- Starý, P. 1968.** Diapause in *Monoctonia pistaciaecola* Starý, a parasite of gall aphids (Hymenoptera: Aphidiidae; Homoptera: Aphidoidea). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 26: 241-250.
- Starý, P. 1968.** Impact of an indigenous parasite, *Aphidius ervi* Hal. on pea aphid, *Acyrtosiphon pisum* (Harris) populations on alfalfa in Czechoslovakia. *Bollettino del Laboratorio di Entomologia*. Portici 26: 293-313.
- Starý, P. 1968.** Parasites and their role in limitation and control of aphids attacking Annonaceous trees in the West Indies (Hymenoptera: Aphidiidae; Homoptera: Aphidoidea). *Turrialba* 18: 129-132.
- Starý, P. 1968.** Parasites and their utilization in aphid control in the tropics (Hymenoptera: Aphidiidae; Homoptera: Aphidoidea). *Turrialba* 18: 387-390.
- Starý, P. 1968.** The creation of artificial foci of parasites - a new method of aphid parasite release. *Acta Entomologica Bohemoslovaca* 65: 76-77.
- Starý, P. 1969.** A study on the relationship of the Anuraphidina and their aphidiid parasites in Europe (Homoptera: Aphidoidea/Hymenoptera: Aphidiidae). *Beiträge zur Entomologie* 19(3/6): 665-671.
- Starý, P. 1969.** Aphid migration and impact of an indigenous parasite, *Aphidius transcaspicus* Telenga, on populations of *Hyalopteris pruni* (Geoffr.) in Iraq (Homoptera: Aphididae and Hymenoptera: Aphidiidae). *Bulletin de la Société Entomologique d'Égypte* 53: 185-198.
- Starý, P. 1969.** Aphid-ant-parasite relationship in Iraq. *Insectes Sociaux* 16(4): 269-277.
- Starý, P. 1969.** Density dependence in field population of *Aphidius ervi* Hal., a parasite of the pea aphid, *Acyrtosiphon pisum* (Harris) in Czechoslovakia (Hym.: Aphidiidae; Hom. Aphididae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 27: 248-250.
- Starý, P. 1969.** Multilateral control approach to pea aphid (*Acyrtosiphon pisum* Harris) pest problem. *Annales de la Société Entomologique de France* 5(3): 669-679.
- Starý, P. 1969.** Role of superparasitism in field populations of a pea aphid parasite, *Aphidius ervi* Haliday in Central Europe-Hymenoptera: Aphidiidae; Homoptera: Aphididae. *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 27: 185.
- Starý, P. 1969.** Aphids and their parasites associated with oaks in Iraq. *Proceedings of the Entomological Society of Washington* 71(3): 279-298.
- Starý, P. 1970.** Biology of aphid parasites (Hymenoptera: Aphidiidae) with respect to integrated control. The Hague: 1-643.

- Starý, P. 1970.** Host life cycle and adaptation of parasites of the sycamore aphid *Drepanosiphum platanoides* (Schrk.) in central Europe. *Acta Entomologica Bohemoslovaca* 67: 351-359.
- Starý, P. 1970.** Laboratory adaptation of *Aphidius smithi* Sharma and Subba Rao (Hymenoptera: Aphidiidae) to cooler environments. *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri* 28: 19-34.
- Starý, P. 1970.** Methods of mass-rearing, collection and release of *Aphidius smithi* in Czechoslovakia. *Acta Entomologica Bohemoslovaca* 5: 339-346.
- Starý, P. 1970.** Parasites of *Impatiens asiaticum* Nevsky, a newly introduced aphid to Central Europe (Hom.: Aphidiidae; Hym.: Aphidiidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 28: 236-244.
- Starý, P. 1970.** Storage of *Aphidius smithi* (Hym.: Aphidiidae) for mass-release. *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 28: 224-228.
- Starý, P. 1971.** Alternative hosts of *Aphidius smithi*, an introduced parasite of the pea aphid in central Europe (Hom.: Aphidiidae; Hym.: Aphidiidae). *Annales de la Société Entomologique de France* 7(2): 351-355.
- Starý, P. 1971.** *Lysiphlebus alpinus* n. sp., a new aphid parasite from the Austrian Alps (Hymenoptera, Aphidiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 44: 299-302.
- Starý, P. 1971.** Migration and parasitization as factors of population regulation of the pea aphid, *Acyrtosiphon pisum* (Harris) in alfalfa fields in Central Europe. *Acta Entomologica Bohemoslovaca* 68: 353-364.
- Starý, P. 1971.** New aphid parasites from central Europe (Hymenoptera: Aphidiidae). *Acta Entomologica Bohemoslovaca* 68: 310-318.
- Starý, P. 1971.** Parasite spectrum of the Lachnine aphids in the Palearctics: zoogeographical considerations (Hym.: Aphidiidae; Hom.: Aphidoidea-Lachnidae). *Mushi* 44: 133-136.
- Starý, P. 1971.** *Praon gallicum*, n. sp., a new parasite of *Schizaphis graminum* from France (Hym. Aphidiidae). *Annales de la Société Entomologique de France* 7(3): 625-627.
- Starý, P. & Carver, M. 1971.** A new genus and species of Aphidiidae (Hymenoptera) parasitizing *Sensoriaphis* (Hemiptera) on *Nothofagus* in New South Wales. *Journal of the Australian Entomological Society* 10: 175-178.
- Starý, P. & Kaddou, I.K. 1971.** Fauna and distribution of aphid parasites (Hym. Aphidiidae) in Iraq. *Acta Faunistica Entomologica Musei Nationalis Pragae* 14: 179-198.
- Starý, P. & Mackauer, M. 1971.** *Trioxys acericola*, n. sp. (Hym., Aphidiidae), a parasite of the aphid *Drepanosiphoniella* from France. *Annales de la Société Entomologique de France* 7(4): 885-887.
- Starý, P., Remaudière, G. & Leclant, F. 1971.** Les Aphidiidae (Hym.) de France et leurs hotes (Hom. Aphididae). *Entomophaga*. *Mémoire* 5: 1-65.
- Starý, P. 1972.** *Aphidius platensis* Brèthes, its distribution and host range (Hym.: Aphidiidae). *Oriental Insects* 6(3): 359-370.
- Starý, P. 1972.** *Aphidius uzbekistanicus* (Luzhetzki) (Hymenoptera: Aphidiidae), a parasite of graminicolous pest aphids. *Annotationes Zoologicae et Botanicae*, Bratislava 85: 1-7.
- Starý, P. 1972.** Host life-cycle and adaptation of parasites of *Periphyllus* aphids (Homoptera, Chaitophoridae: Hymenoptera, Aphididae). *Acta Entomologica Bohemoslovaca* 69: 89-96.
- Starý, P. 1972.** Host range of parasites and ecosystem relations, a new viewpoint in multilateral control concept (Hom., Aphididae; Hym., Aphidiidae). *Annales de la Société Entomologique de France* 8: 351-358.
- Starý, P. 1972.** New aphid parasites (Hymenoptera: Aphidiidae) from Cuba. *Annales Zoologici* 29(9): 317-322.
- Starý, P. 1972.** Relative abundance of parasite species as an area-dependent phenomenon and its possible significance in biological control (Hym.: Aphidiidae). *Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici* 30: 19-27.
- Starý, P. 1973.** A review of the *Aphidius* species (Hymenoptera, Aphidiidae) of Europe. *Annotationes Zoologicae et Botanicae*, Bratislava 84: 1-85.
- Starý, P. 1973.** A revision of fossil Aphidiidae (Hym.). *Annotationes Zoologicae et Botanicae*, Bratislava 87: 1-22.
- Starý, P. & Leclant, F. 1973.** *Ephedrus blattnyi* sp. n. (Hymenoptera, Aphidiidae), a new parasite of *Pterocomma ringdahli* Wahlgr. (Hem., Hom., Aphidiidae) from Czechoslovakia. *Acta Entomologica Bohemoslovaca* 70(4): 269-271.
- Starý, P., Remaudière, G. & Leclant, F. 1973.** Nouvelles données sur les Aphidiides de France (Hym.). *Annales de la Société Entomologique de France* 9(2): 309-329.
- Starý, P. & Remaudière, G. 1973.** Some aphid parasites (Hym.: Aphidiidae) from Spain. *Entomophaga* 18(3): 287-290.
- Starý, P. & Schmutterer, H. 1973.** A review of aphid parasites (Hymenoptera: Aphidiidae) in Kenya. *Zeitschrift für angewandte Entomologie* 74: 351-356.
- Starý, P. 1974.** Host range and distribution of *Monoctonus nervosus* (Hal.) (Hymenoptera: Aphidiidae). *Journal of Applied Entomology* 75: 212-224.
- Starý, P. 1974.** Parasite spectrum (Hym. Aphidiidae) of aphids associated with *Galium*. *Entomologica Scandinavica* 5: 73-80.
- Starý, P. 1974.** *Pseudaclitus dysaphidis* gen. n. and sp. n., a new parasite of *Dysaphis* aphids in Central Asia (Hom.: Aphididae; Hym.: Aphidiidae). *Acta Entomologica Bohemoslovaca* 71(3): 178-181.
- Starý, P. 1974.** Taxonomy, origin, distribution and host range of *Aphidius* species (Hym.: Aphidiidae) in relation to biological control of the pea aphid in Europe and North America. *Zeitschrift für angewandte Entomologie* 77: 141-171.
- Starý, P. 1974.** The emergence hole of aphid parasites (Hymenoptera, Aphidiidae): Its significance in a natural system. *Acta Entomologica Bohemoslovaca* 71: 209-216.
- Starý, P. & Harten, A. van 1974.** *Vanhartenia paoliellae* gen. n., sp. n., a parasite of paolielline aphids from Africa (Hymenoptera: Aphidiidae; Homoptera, Callaphididae). *Acta Entomologica Bohemoslovaca* 71(1): 27-29.
- Starý, P. 1975.** A checklist of the Far East Asian Aphidiidae (Hymenoptera). *Beiträge zur Entomologie* 25: 52-76. Addendum on p. 52.
- Starý, P. 1975.** *Aphidius colemani* Viereck: its taxonomy, distribution and host range. *Acta Entomologica Bohemoslovaca*. 72: 156-163.
- Starý, P. 1975.** Parasites (Hymenoptera, Aphidiidae) of leaf-curling apple aphids in Czechoslovakia. *Acta Entomologica Bohemoslovaca* 72(2): 99-114.
- Starý, P. 1975.** *Pseudopraon mindariphagum* gen. n., sp. n. (Hymenoptera, Aphidiidae) description and life history of a parasite of *Mindarus abietinus* (Homoptera, Mindaridae) in Central Europe. *Acta Entomologica Bohemoslovaca* 72: 249-259.
- Starý, P. 1975.** The subgeneric classification of *Lysiphlebus* Förster 1862. *Annotationes Zoologicae et Botanicae*, Bratislava 105: 1-9.
- Starý, P. & Ghosh, A.K. 1975.** Aphid parasites (Hymenoptera: Aphidiidae) from Meghalaya. *Oriental Insects* 9(3): 343-349.
- Starý, P., Leclant, F. & Lyon, J.P. 1975.** Aphidiides (Hym.) et aphides (Hom.) de Corse. I. Les aphidiides. *Annales de la Société Entomologique de France* 11(4): 745-762.
- Starý, P. 1976.** Aphid parasites (Hymenoptera, Aphididae) of the Mediterranean area. The Hague: 1-95.
- Starý, P. 1976.** External female genitalia of the Aphidiidae (Hymenoptera). *Acta Entomologica Bohemoslovaca* 73: 102-112.

- Starý, P. 1976.** Parasite spectrum and relative abundance of parasites of cereal aphids in Czechoslovakia. *Acta Entomologica Bohemoslovaca* 73(4): 216-223.
- Starý, P. 1976.** Two new *Pseudephedrus* Starý aphid parasites (Hymenoptera: Aphidiidae) associated with *Nothofagus* in South America. With notes on continental drift. *Entomologica Scandinavica* 7: 24-30.
- Starý, P. & Smith, C.F. 1976.** The Nearctic distribution, host plants and nomenclature of *Monoctonus* (Hymenoptera: Aphidiidae). *Proceedings of the Entomological Society of Washington* 78(2): 171-175.
- Starý, P. 1977.** *Dendrocerus*-hyperparasites of aphids in Czechoslovakia (Hymenoptera, Ceraphronoidea). *Acta Entomologica Bohemoslovaca* 74(1): 1-9.
- Starý, P., Remaudière, G. & Leclant, P. 1977.** Nouveaux compléments sur les Aphidiides de France (Hym.) et leurs hôtes. *Annales de la Société Entomologique de France* 13(1): 165-184.
- Starý, P., Remaudière, G. & Harten, A. van 1977.** New *Trioxys* aphid parasites from the Ethiopian region (Hymenoptera: Aphidiidae). *Annales de la Société Entomologique de France* 13(1): 185-190.
- Starý, P. & Leclant, F. 1977.** *Pauesia* (*Pauesia*) *cedrobii*, n. sp., premier parasite connu du puceron de cèdre *Cedrobium laportei* Remaudière (Hym. Aphidiidae). *Annales de la Société Entomologique de France* 13(1): 159-163.
- Starý, P. & Raychaudhuri, D. 1977.** A new species of *Pauesia* (Hymenoptera: Aphidiidae) parasitic on *Lachnus tropicalis* (Homoptera: Aphididae) in India. *Oriental Insects* 11(2): 233-235.
- Starý, P. & Remaudière, G. 1977.** Some aphid parasitoids (Hym. Aphidiidae) from Nearctic America. *Annales de la Société Entomologique de France* 13(4): 669-674.
- Starý, P. 1978.** Parasitoid spectrum of the arboricolous callaphid aphids in Europe (Hymenoptera, Aphidiidae; Homoptera, Aphidoidea, Callaphididae). *Acta Entomologica Bohemoslovaca* 75: 164-177.
- Starý, P. 1978.** Seasonal relations between lucerne, red clover, wheat and barley agroecosystems through the aphids and parasitoids (Homoptera, Aphididae; Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 75: 296-311.
- Starý, P. 1978.** Spécificité parasitaire. Phénologie des hôtes et relations entre les agroécologie systèmes dans les programmes de lutte contre les insectes nuisibles (Hyménoptères: Aphidiides). *Annales de Zoologie Ecologie Animale* 10: 335-343.
- Starý, P. & Bhagat, R.C. 1978.** Records and descriptions of aphid parasitoids from Kashmir, India (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 75(6): 387-393.
- Starý, P. & Ghosh, A.K. 1978.** Further records of aphid parasitoids (Hymenoptera: Aphidiidae) from Meghalaya, India. *Oriental Insects* 12(1): 77-80.
- Starý, P. & Gonzalez, D. 1978.** Parasitoid spectrum of *Acyrtosiphon*-aphids in Central Asia (Hymenoptera: Aphidiidae). *Entomologica Scandinavica* 9(2): 140-145.
- Starý, P. & Juchnevic, L.A. 1978.** Aphid parasites (Hymenoptera: Aphidiidae) from Kazakhstan, USSR. *Polskie Pismo Entomologiczne* 48: 523-532.
- Starý, P. & Raychaudhuri, D. 1978.** *Trioxys* (*Betuloxys*) *takecallis* sp. nov. from India (Hymenoptera: Aphidiidae). *Oriental Insects* 12(3): 365-368.
- Starý, P. 1979.** Aphid parasites (Hymenoptera, Aphididae) of the Central Asian area. *The Hague*: 1-105.
- Starý, P. 1979.** *Indaphidius curvicaudatus* gen. n., sp. n. (Hymenoptera Aphidiidae), an aphid parasitoid from India. *Acta Entomologica Bohemoslovaca* 76(1): 34-37.
- Starý, P. & Ghosh, A.K. 1979.** Redescription of *Trioxys nepalensis* (Takada) and new host records of some aphid parasitoids (Hymenoptera: Aphidiidae) from Meghalaya, India. *Oriental Insects* 13(1-2): 41-45.
- Starý, P. & Rakauskas, R.P. 1979.** *Adialytus balticus* sp. n., a parasitoid of *Dysaphis anthrisci* from the east Baltic (Hymenoptera, Aphidiidae; Homoptera, Aphididae). *Acta Entomologica Bohemoslovaca* 76(5): 313-317.
- Starý, P. & Carver, M. 1980.** Two new species of *Aphidius* Nees (Hymenoptera: Ichneumonoidea: Aphidiidae) from Australia. *Journal of the Australian Entomological Society* 18(4): 337-341.
- Starý, P., Gonzalez, D. & Hall, J.C. 1980.** *Aphidius eadyi* n. sp. (Hymenoptera: Aphidiidae), a widely distributed parasitoid of the pea aphid, *Acyrtosiphon pisum* (Harris) in the Palearctic. *Entomologica Scandinavica* 11: 473-480.
- Starý, P. & Lyon, J.P. 1980.** *Acyrtosiphon pisum ononis* (Homoptera: Aphididae) and *Ononis* species as reservoirs of aphid parasitoids (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 77: 65-75.
- Starý, P. 1981.** Aphid parasitoids (Hymenoptera, Aphidiidae) of Cuba. *Acta Entomologica Bohemoslovaca* 78: 33-42.
- Starý, P. 1981.** Biosystematic synopsis of parasitoids on cereal aphids in the western Palearctic (Hymenoptera, Aphidiidae, Homoptera, Aphididae). *Acta Entomologica Bohemoslovaca* 78: 382-396.
- Starý, P. 1981.** Biosystematical classification of *Trioxys* Hal. and related genera (Hymenoptera, Aphidiidae). *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri* 38: 85-93.
- Starý, P. 1981.** *Mesopraon helleni* gen. n., sp. n. (Hymenoptera: Aphidiidae) from Finnland. *Notulae Entomologicae* 61: 175-176.
- Starý, P. 1981.** On the strategy, tactics and trends of host specificity evolution in aphid parasitoids (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 78(2): 65-75.
- Starý, P. & Rejmanek, M. 1981.** Number of parasitoids per host in different systematic groups of aphids: the implications for introduction strategy in biological control (Homoptera: Aphidoidea; Hymenoptera: Aphidiidae). *Entomologica Scandinavica. Supplementum* 15: 341-351.
- Starý, P. 1982.** The role of ash (*Fraxinus*) as a reservoir of aphid parasitoids in Central Europe with description of a new species (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 79(2): 97-107.
- Starý, P. & Erdelen, C. 1982.** Aphid parasitoids (Hym.: Aphidiidae, Aphelinidae) from the Yemen Arab Republic. *Entomophaga* 27: 105-108.
- Starý, P. & Marsh, P.M. 1982.** A new species of *Trioxys* (Hymenoptera: Aphidiidae) parasitic on a pecan aphid. *Proceedings of the Entomological Society of Washington* 84(4): 726-728.
- Starý, P. & Raychaudhuri, D. 1982.** New aphid parasitoids (Hymenoptera: Aphidiidae) from northwestern India. *Oriental Insects* 16(3): 297-304.
- Starý, P. & Remaudière, G. 1982.** New genera, species, and host records of aphid parasitoids (Hymenoptera, Aphidiidae) from Mexico. *Annales de la Société Entomologique de France* 18(1): 107-127.
- Starý, P. 1983.** Colour patterns of adults as evidence on *Aphidius ervi* biotypes in field environments (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 80: 377-384.
- Starý, P. 1983.** Colour patterns of *Aphidius ervi* Hal. on the pea aphid, *Acyrtosiphon pisum* (Harr.) in the Palearctic (Hymenoptera, Aphidiidae). *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri* 40: 55-59.
- Starý, P. 1983.** Indirect pathogenic effects of aphid mummies on the leaf surface (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 80(4): 241-245.
- Starý, P. 1983.** New species and records of aphid parasitoids from Mexico (Hymenoptera, Aphidiidae). *Acta Entomologica Bohemoslovaca* 80: 35-48.

- Starý, P. 1983. *Parapraon*, a new genus of the Aphidiidae (Hymenoptera). Acta Entomologica Bohemoslovaca 80: 206-209.
- Starý, P. 1983. The perennial stinging nettle (*Urtica dioica*) as a reservoir of aphid parasitoids (Hymenoptera, Aphidiidae). Acta Entomologica Bohemoslovaca 80: 81-86.
- Starý, P. & Ghosh, A.K. 1983. Aphid parasitoids of India and adjacent countries (Hymenoptera: Aphidiidae). Zoological Survey of India. Technical Monographs Vol. 7: 1-96.
- Starý, P. & Harten, A. van 1983. Aphid parasitoids from Bangladesh (Hymenoptera: Aphidiidae). Entomologische Berichten, Amsterdam 43: 29-32.
- Starý, P. & Remaudière, G. 1983. Complements to the aphid parasitoid fauna of Mexico (Hymenoptera, Aphidiidae). Annales de la Société Entomologique de France 19(1): 113-116.
- Starý, P. & Zeleny, J. 1983. Aphid parasitoids from Vietnam (Hymenoptera: Aphidiidae). Acta Entomologica Bohemoslovaca 80: 190-195.
- Starý, P., Michelenal, J.M. & Melia, A. 1984. *Lysiphlebus testaceipes* (Cress.) an exotic aphid parasitoid and biocontrol agent in Spain (Hym. Aphidiidae). Graellsia 41: 131-135.
- Starý, P. 1985. Two new *Lysiphlebus* species from Europe (Hymenoptera, Aphidiidae). Acta Entomologica Bohemoslovaca 82(6): 426-430.
- Starý, P., Pospisil, J. & Nemeč, V. 1985. Integration of olfactometry and electrophoresis in the analysis of aphid parasitoid biotypes (Hym., Aphidiidae). Zeitschrift für angewandte Entomologie 99(5) 1985: 476-482.
- Starý, P., Remaudière, G. & Autrique, A. 1985. New and little-known species of aphid parasitoids from Burundi (Hymenoptera, Aphidiidae). Annales de la Société Entomologique de France 21(2): 133-140.
- Starý, P. & Nemeč, V. 1985. Population diversity in monophagous aphid parasitoids (Hym., Aphidiidae). Zeitschrift für angewandte Entomologie 100(3): 265-271.
- Starý, P. & Vogel, M. 1985. Aphid parasitoids in the sub-Antarctic (Hymenoptera: Aphidiidae). Spixiana 8(1): 25-31.
- Starý, P. 1986. Creeping thistle, *Cirsium arvense*, as a reservoir of aphid parasitoids (Hymenoptera, Aphidiidae) in agroecosystems. Acta Entomologica Bohemoslovaca 83: 425-431.
- Starý, P. 1986. Specificity of parasitoids (Hym., Aphidiidae) to the black bean aphid, *Aphis fabae* complex, in agroecosystems. Acta Entomologica Bohemoslovaca 83: 24-29.
- Starý, P. & Delfino, M.A. 1986. Parasitoids (Hym.: Aphididae) of aphids (Hom.: Aphididae) in Tucuman, Argentina. Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" 43: 41-50.
- Starý, P. & Nemeč, V. 1986. Common elder, *Sambucus nigra*, as a reservoir of aphids and parasitoids (Hymenoptera, Aphidiidae). Acta Entomologica Bohemoslovaca 83: 271-278.
- Starý, P. 1987. Aphid parasitoids in an urban environment (Hym., Aphidiidae). Acta Entomologica Bohemoslovaca 84: 91-101.
- Starý, P. 1987. Aphid-ant-parasitoid association on the creeping thistle, *Cirsium arvense*, in agroecosystems in Czechoslovakia. Acta Entomologica Bohemoslovaca 84(1): 15-21.
- Starý, P. 1987. Subject bibliography of aphid parasitoids (Hymenoptera: Aphidiidae) of the world 1758-1982. Monographs to Applied Entomology 25: 1-101.
- Starý, P. & Remaudière, G. 1987. *Trioxys inulaecola*, sp. n. (Hymenoptera Aphididae), parasite de *Capitophorus inulae* (Homoptera Aphididae, Passerini) dans le sud de la France. Revue Française d'Entomologie (N.S.) 9(1): 49-51.
- Starý, P., Remaudière, G. & Etienne, J. 1987. Aphid parasitoids (Hymenoptera, Aphidiidae) from Guadeloupe, West Indies. Florida Entomologist 70(1): 178-180.
- Starý, P. & Sekkat, A. 1987. Parasitoids (Hymenoptera: Aphidiidae) of aphid pests in Morocco. Annales de la Société Entomologique de France 23(2): 145-149.
- Starý, P. 1988. Aphidiidae: 171-184. In Minks, A.K. & Harrewijn, P. [eds]. "Aphids their Biology, Natural Enemies and Control." Amsterdam: 1-364.
- Starý, P. 1988. Biotypes and interspecific relations of *Trioxys* parasitoids on arboricolous pest aphids (Hymenoptera: Aphidiidae; Homoptera: Callaphididae). Acta Entomologica Bohemoslovaca 85(3): 182-190.
- Starý, P. 1988. *Autriqueella aptera* gen. n., sp. n. from the Afrotropical region (Hymenoptera, Aphidiidae). Acta Entomologica Bohemoslovaca 85: 283-286.
- Starý, P., Lyon, J.P. & Leclant, F. 1988. Biocontrol of aphids by the introduced *Lysiphlebus testaceipes* (Cress) (Hym., Aphidiidae) in Mediterranean France. Journal of Applied Entomology 105: 74-87.
- Starý, P., Lyon, J.P. & Leclant, F. 1988. Post colonisation host range of *Lysiphlebus testaceipes* (Cresson) in the Mediterranean area (Hymenoptera. Aphididae). Acta Entomologica Bohemoslovaca 85(1): 1-11.
- Starý, P., Sterba, J. & Soldan, T. 1988. *Perilitus areolaris* G. & H. (Hymenoptera, Braconidae), a parasitoid of the pine weevil *Hylobius abietis* (L.) in Czechoslovakia. Acta Entomologica Bohemoslovaca 85(6): 428-433.
- Starý, P. & Sterba, J. 1988. A new parasitoid of insects with armour plating. Ziva 36(6): 223-224.
- Starý, P. & Remaudière, G. 1988. Los parasitos de los pulgones en Mejico (Hym. Aphidiidae, Hom. Aphididae). Studia Oecologica 5: 287-302.
- Starý, P. & Völkl, W. 1988. Aggregations of aphid parasitoid adults (Hymenoptera: Aphidiidae). Journal of Applied Entomology 105: 270-279.
- Starý, P. 1989. Aphidiidae. Acta Faunistica Entomologica Musei Nationalis Pragae 19: 45-48.
- Starý, P. 1989. Incomplete parasitization in aphids and its role in pest management (Hymenoptera: Aphidiidae). Acta Entomologica Bohemoslovaca 86(5): 356-367.
- Starý, P. & Cermeli, M. 1989. Parasitoids (Hymenoptera, Aphidiidae) de áfidos en plantas cultivadas de Venezuela. Boletín de Entomología Venezolana 5: 77-80.
- Starý, P. 1990. *Trioxys brevicornis*, a new parasitoid and potential biocontrol agent of the asparagus aphid, *Brachycorynella asparagi* (Hymenoptera, Aphidiidae; Homoptera, Aphidoidea). Acta Entomologica Bohemoslovaca 87(2): 87-96.
- Starý, P. 1990. The asparagus aphid, *Brachycorynella asparagi* (Mordv.) (Hom.: Aphididae) and its natural enemy spectrum in Czechoslovakia. Journal of Applied Entomology 110(3): 253-260.
- Starý, P. & Havelka, J. 1990. The aphid *Macrosiphum albifrons*, a new pest of *Lupinus* species in Czechoslovakia. Ochrana Rostlin (Prague) 26(1), Unor 1990: 53-58.
- Starý, P. & Stechmann, D.H. 1990. *Ephedrus cerasicola* Starý (Hym.: Aphidiidae), a new biocontrol agent of the banana aphid, *Pentalonia nigronervosa* Coq. (Hom.: Aphididae). Journal of Applied Entomology 109(5): 457-462.
- Starý, P. 1991. *Philadelphus coronarius* L. as a reservoir of aphids and parasitoids. Journal of Applied Entomology 112(1): 1-10.
- Starý, P. & Gonzalez, D. 1991. The Chenopodium aphid, *Hayhurstia atricplidis* (L.) (Hom.: Aphididae), a parasitoid reservoir and a source of biocontrol agents in pest management. Zeitschrift für angewandte Entomologie 111: 243-248.
- Starý, P. & Havelka, J. 1991. *Macrosiphum albifrons* Essig, an invasive lupin aphid and its natural-enemy complex in Czechoslovakia (Homoptera: Aphididae). Acta Entomologica Bohemoslovaca 88(2): 111-120.
- Starý, P. & Stechmann, D.H. 1991. Niche distribution and dispersal of the banana aphid, *Pentalonia nigronervosa* in relation to parasitization by biocontrol agents (Hom., Aphididae; Hym., Aphidiidae). Acta Entomologica Bohemoslovaca 88(3-4): 187-195.

- Starý, P. & Gonzalez, D. 1992.** Field acceptance of exposed exotic aphids by indigenous natural enemies (Homoptera: Aphidina: Aphididae). *Entomologia Generales* 17(2): 121-129.
- Starý, P. & Harten, A. van 1992.** Aphid parasitoids in the Cape Verde Islands (Hymenoptera, Aphelinidae, Aphidiidae). *Miscellanea Zoologica* (Barcelona) 16: 113-116.
- Starý, P. 1993.** Alternative host and parasitoid in first method in aphid pest management in glasshouses. *Journal of Applied Entomology* 116(2): 187-191.
- Starý, P. 1993.** The fate of released parasitoids (Hymenoptera: Braconidae: Aphidiinae) for biological control of aphids in Chile. *Bulletin of Entomological Research* 83(4): 633-639.
- Starý, P., Gerding, M., Norambuena, H. & Remaudière, G. 1993.** Environmental research on aphid parasitoid biocontrol agents in Chile (Hym., Aphidiidae, Hom.; Aphidoidea). *Journal of Applied Entomology* 115: 292-306.
- Starý, P., Rodriguez, A.F. & Gerding, P.M. 1993.** Releases of natural enemies of the Russian wheat aphid, *Diuraphis noxia* (Kurdjumov), in Chile. *Agricultura Tecnica Santiago* 53(4): 359-361.
- Starý, P. 1994.** Aphid parasitoid fauna (Hymenoptera, Aphidiidae) of the southern beech (*Nothofagus*) forest. *Studies on Neotropical Fauna and Environment* 29: 87-98.
- Starý, P., Remaudière, G. & Etienne, J. 1994.** Aphid parasitoids (Hym., Braconidae, Aphidiinae) of Reunion Island. *Linzer Biologische Beiträge* 26(1): 437-442.
- Starý, P. 1995.** Terrestrial invertebrates of the Palava Biosphere Reserve of UNESCO, 2. Hymenoptera: Ichneumonoidea 2. (Aphidiidae). *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis Biologia* 93: 255-259.
- Starý, P. 1995.** The Aphidiidae of Chile (Hymenoptera, Ichneumonoidea, Aphidiidae). *Deutsche Entomologische Zeitschrift* 42(1): 113-138.
- Starý, P. 1995.** Natural enemy spectrum of *Aphis spiraeophaga* (Hom.: Aphididae), an exotic immigrant aphid in Central Europe. *Entomophaga* 40(1): 29-34.
- Starý, P. & Zuparko, R.L. 1995.** A new species of *Trioxys* (Hymenoptera: Braconidae) from California. *Pan Pacific Entomologist* 71(3): 173-175.
- Starý, P. 1996.** Occurrence of anholocyclic strains of pest aphids on winter barley and wheat in South Moravia, Czech Republic. *Anzeiger für Schädlingskunde Pflanzenschutz Umweltschutz* 69(7): 149-152.
- Starý, P., Cecilio, A. & Aguiar, A.M.F. 1996.** *Lysiphlebus testaceipes* (Cr.), an exotic parasitoid biocontrol agent of aphids in Madeira Island (Hymenoptera, Aphidiidae). *Agronomia Lusitana* 45(4): 327-336.
- Starý, P., Naumann-Etienne, K. & Remaudière, G. 1998.** A review and tritrophic associations of aphid parasitoids (Hym.: Braconidae: Aphidiinae) of Pakistan. *Parasitica* 54(1): 3-21.
- Starý, P., Tomanovič, Ž. & Petrovič, O. 1998.** A new parasitoid of root-feeding aphids from the Balkan Mountains (Hymenoptera, Braconidae, Aphidiinae). *Mitteilungen aus dem Museum für Naturkunde in Berlin Deutsche Entomologische Zeitschrift* 45(2): 175-179.
- Starý, P. 1999.** Biology and distribution of microbe-associated thelytokous populations of aphid parasitoids (Hym., Braconidae, Aphidiinae). *Journal of Applied Entomology* 123(4): 231-235.
- Starý, P. 1999.** Parasitoids and biocontrol of Russian wheat aphid, *Diuraphis noxia* (Kurdj.) expanding in central Europe. *Journal of Applied Entomology* 123(5): 273-279.
- Starý, P. & Choi, J.Y. 2000.** An annotated review of tritrophic associations of aphid parasitoids (Hymenoptera, Braconidae, Aphidiinae) in Korea. *Insecta Koreana* 17: 91-109.
- Starý, P., Remaudière, G., Gonzalez, D. & Shahrokhi, S. 2000.** A review and host associations of aphid parasitoids (Hym.: Braconidae, Aphidiinae) of Iran. *Parasitica* 56(1): 15-41.
- Starý, P., Havelka, J. & Choi, J.Y. 2001.** New parasitoid species of *Cinara*-aphids on conifers from Korea (Hymenoptera, Braconidae, Aphidiinae). *Insecta Koreana* 18(2): 163-169.
- Starý, P. 2002.** Field establishment of *Aphidius colemani* Vier. (Hym.: Braconidae: Aphidiinae) in the Czech Republic. *Journal of Applied Entomology* 126(7-8): 405-408.
- Starý, P., Havelka, J. & Choi, J.Y. 2002.** *Lysiphlebia japonica* (Ashm.), a keystone aphid parasitoid in the Korean peninsula (Hymenoptera: Braconidae: Aphidiinae). *Journal of Asia Pacific Entomology* 5(1): 135-137.
- Starý, P., Havelka, J. & Choi, J.Y. 2002.** New species and populations of *Lysiphlebus* Foerster-aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) in Korea. *Insecta Koreana* 19(3-4): 205-211.
- Starý, P. & Zuparko, R.L. 2002.** *Diaeretus essigellae* (Hymenoptera: Braconidae), a new species parasitic on *Essigella* pine aphids (Homoptera: Aphididae) from California. *Pan Pacific Entomologist* 78(1): 56-61.
- Stavraki-Paulopoulou, H.G. 1967.** Contribution à l'étude de la capacité reproductive et de la fécondité réellée d'*Opius concolor* Szépl. (Hymenoptera: Braconidae). *Annales des Epiphyties* 17: 391-435.
- Stechman, D.H., Völkl, W. & Starý, P. 1996.** Ant-attendance as a critical factor in the biological control of the banana aphid *Pentalonia nigronervosa* Coq. (Hom.: Aphididae) in Oceania. *Journal of Applied Entomology* 120(2): 119-123.
- Stechmann, D.H. & Völkl, W. 1988.** Introduction of *Lysiphlebus testaceipes* Cr. into the Kingdom of Tonga, Oceania. In: Niemczyk, E., Dixon, A.F.G. [eds]. "Ecology and effectiveness aphidophaga." The Hague: 271-273.
- Steck, G.J., Gilstrap, F.E., Wharton, R.A. & Hart, W.G. 1986.** Braconid parasitoids of Tephritidae (Diptera) infesting coffee and other fruits in West-Central Africa. *Entomophaga* 31(1): 59-68.
- Steenis, M.J. van 1992.** Biological control of the cotton aphid, *Aphis gossypii* Glover (Hom.: Aphididae): pre-introduction evaluation of natural enemies. *Journal of Applied Entomology* 114(4): 362-380.
- Steenis, M.J. van 1992.** Perspectives on biological control of cotton aphid (*Aphis gossypii*) Glover. *Mededelingen van de Faculteit Landbouwwetenschappen, Universiteit Gent* 57(2b): 467-472.
- Steenis, M.J. van 1992.** Suitability of *Aphis gossypii* Glov., *Macrosiphum euphorbiae* (Thom.), and *Myzus persicae* Sulz. (Hom.: Aphididae) as host for several aphid parasitoid species (Hym.: Braconidae). *Bulletin OILB SROP* 16(2): 157-160.
- Steenis, M.J. van 1993.** Intrinsic rate of increase of *Aphidius colemani* Vier. (Hym.: Braconidae), a parasitoid of *Aphis gossypii* Glov. (Hom.: Aphididae), at different temperatures. *Journal of Applied Entomology* 116(2): 192-198.
- Steenis, M.J. van 1994.** Evaluation of four aphidiine parasitoids (Hym.: Braconidae) for biological control of *Aphis gossypii* Glov. (Hom. Aphididae). *Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen* 59(2a): 267-271.
- Steenis, M.J. van 1994.** Intrinsic rate of increase of *Lysiphlebus testaceipes* Cresson (Hym.: Braconidae), a parasitoid of *Aphis gossypii* Glover (Hom.: Aphididae) at different temperatures. *Journal of Applied Entomology* 118(4-5): 399-406.
- Steenis, M.J. van 1995.** Evaluation of four aphidiine parasitoids for biological control of *Aphis gossypii*. *Entomologia Experimentalis et Applicata* 75(2): 151-157.
- Steenis, M.J. van & El Khawass, K.A.M.H. 1995.** Behaviour of *Aphidius colemani* searching for *Aphis gossypii*: Functional response and reaction to previously searched aphid colonies. *Biocontrol Science and Technology* 5(3): 339-347.
- Steenis, M.J. van & El Khawass, K.A.M.H. 1995.** Life history of *Aphis gossypii* on cucumber: influence of temperature, host plant and parasitism. *Entomologia Experimentalis et Applicata* 76(2): 121-131.

- Steenis, M.J. van & El Khawass, K.A.M.H. 1996. Different parasitoid introduction schemes determine the success of biological control of *Aphis gossypii* with the parasitoid *Aphidius colemani*. IOBC-WPRS Bulletin 19: 159-162.
- Steenis, M.J. van, El Khawass, K.A.M.H., Hemerik, L. & Lenteren, J.C. van 1996. Time allocation of the parasitoid *Aphidius colemani* (Hymenoptera: Aphidiidae) foraging for *Aphis gossypii* (Homoptera: Aphidae) on cucumber leaves. Journal of Insect Behavior 9(2): 283-295.
- Steenwyk, R.A. van & Stern, V.M. 1976. The biology of *Peristenus stygicus* (Hymenoptera: Braconidae), a newly imported parasite of *Lygus* bugs. Environmental Entomology 5(5): 931-934.
- Steenwyk, R.A. van & Stern, V.M. 1977. Propagation, release and evaluation of *Peristenus stygicus*, a newly imported parasite of *Lygus* bugs. Journal of Economic Entomology 70(1): 66-69.
- Stefanescu, C., Pintureau, B., Tschorsnig, H.P. & Pujade-Villar, J. 2003. The parasitoid complex of the butterfly *Iphiclidus podalirius feisthamelii* (Lepidoptera: Papilionidae) in north-east Spain. Journal of Natural History 37(4): 379-396.
- Steffan, S.A., Daane, K.M. & Mahr, D.L. 2001. 15N-enrichment of plant tissue to mark phytophagous insects, associated parasitoids, and flower-visiting entomophaga. Entomologia Experimentalis et Applicata 98(2): 173-180.
- Stegmaier, C.E. Jr. 1972. Parasitic Hymenoptera bred from the family Agromyzidae (Diptera) with special reference to south Florida. Florida Entomologist 55(4): 273-282.
- Stehr, F.W. & Cook, E.F. 1968. A revision of the genus *Malacosoma* Hübner in North America (Lepidoptera: Lasiocampidae): systematics, biology, immatures, and parasites. Bulletin of the United States National Museum. No. 276. 321 pp.
- Stehr, F.W. 1971. Establishment of *Microctonus aethiops*, a parasite of adult alfalfa weevils, in Michigan. Journal of Economic Entomology 64: 340-341.
- Stehr, F.W. 1974. Dispersal following establishment in Michigan of *Microctonus aethiops*, a parasitoid of alfalfa weevils. Environmental Entomology 3: 575-577.
- Stein, J.D. 1981. Notes on the biology of the western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), in north central Washington. Pacific Insects 23(1-2): 101-106.
- Steinberg, S., Dicke, M., Vet, L.E.M. & Wanningen, R. 1992. Response of the braconid parasitoid *Cotesia* (= *Apanteles*) *glomerata* to volatile infochemicals: effects of bioassay set-up, parasitoid age and experience and barometric flux. Entomologia Experimentalis et Applicata 63(2): 163-175.
- Steinberg, S., Dicke, M. & Vet, L.E.M. 1993. Relative importance of infochemicals from first and second trophic level in long-range host location by the larval parasitoid *Cotesia glomerata*. Journal of Chemical Ecology 19(1): 47-59.
- Steinberg, S., Prag, H. & Rosen, D. 1993. Host plant affects fitness and host acceptance in the aphid parasitoid *Lysiphlebus testaceipes* (Cresson). Bulletin OILB SROP 16(2): 161-164.
- Steiner, B., Pfister-Wilhelm, R., Grossniklaus-Burgin, C., Rembold, H., Treiblmayr, K. & Lanzrein, B. 1999. Titres of juvenile hormone I, II and III in *Spodoptera littoralis* (Noctuidae) from the egg to the pupal moult and their modification by the egg-larval parasitoid *Chelonus inanitus* (Braconidae). Journal of Insect Physiology 45(4): 401-413.
- Steiner, W.W.M. & Teig, D.A. 1989. *Microplitis croceipes* (Cresson): genetic characterization and developing insecticide resistant biotypes. Southwestern Entomologist 12: 71-87.
- Steinkraus, D.C., Mueller, A.J. & Humber, R.A. 1993. *Furia virescens* (Thaxter) Humber (Zygomycetes: Entomophthoraceae) infections in the armyworm, *Pseudaletia unipuncta* (Haworth) (Lepidoptera: Noctuidae) in Arkansas with notes on other natural enemies. Journal of Entomological Science 28(4): 376-386.
- Stephen, F.M. 1973. *Ceratospirca campoplegicis* Burks, a hyperparasite of *Perilitus coccinellae* (Schrank) (Hymenoptera: Chalcididae). Braconidae). Pan-Pacific Entomologist 49(4): 395.
- Stephens, M.J., France, C.M., Wratten, S.D. & Frampton, C. 1998. Enhancing biological control of leafrollers (Lepidoptera: Tortricidae) by sowing buckwheat (*Fagopyrum esculentum*) in an orchard. Biocontrol Science and Technology 8(4): 547-558.
- Stephenson, A.G. 1982. The role of the extrafloral nectaries of *Catalpa speciosa* in limiting herbivory and increasing fruit production. Ecology (Washington D.C.). 63(3): 663-669.
- Sterzynski, W. 1983. A new species *Colastes magdalenae* sp. n. (Hymenoptera, Braconidae) from Mazovian lowland (Poland). Polskie Pismo Entomologiczne 53(1-2): 143-146.
- Sterzynski, W. 1984. A new species of the braconid genus *Lodbrokia* (Hymenoptera, Braconidae) from Poland. Entomologicheskoe Obozrenie 63(4): 813-816. [Entomological Review 64(1): 88-91].
- Stettler, P., Trenczek, T., Wylter, T., Pfister-Wilhelm, R., Lanzrein, B., Pennacchio, F., Bradleigh-Vinson, S. & Lanzrein, B. 1998. Overview of parasitism associated effects on host haemocytes in larval parasitoids and comparison with effects of the egg-larval parasitoid *Chelonus inanitus* on its host *Spodoptera littoralis*. Parasitoid-host interactions at the physiological and molecular level. Journal of Insect Physiology 44(9): 817-831.
- Stevens, R.E., Borg, T.K. & Thatcher, T.O. 1977. Notes on a pine-feeding budworm, *Choristoneura lambertiana ponderosana* (Lepidoptera: Tortricidae), in the Colorado Rockies. Canadian Entomologist 109: 1269-1274.
- Stevenson, R.E. 1967. Notes on the biology of the Engelmann spruce weevil, *Pissodes engelmanni* (Curculionidae: Coleoptera) and its parasites and predators. Canadian Entomologist 99: 201-213.
- Steward, V.B., Yearian, W.C. & Kring, T.J. 1990. Parasitism of *Heliothis zea* (Lepidoptera: Noctuidae) eggs and larvae and *Celama sorghitella* (Lepidoptera: Noctuidae) eggs on grain sorghum panicles. Environmental Entomology 19(1): 154-161.
- Stewart, A.J. 1985. Spruce beetle management: a synthesis. Pest Management Paper Simon Fraser University No. 28 1985: i-v + 1-102.
- Stewart, S.D., Graham, L.C., Gaylor, M.J. & Verberg, L.A. 2001. Combining exclusion techniques and larval death-rate analyses to evaluate mortality factors of *Spodoptera exigua* (Lepidoptera: Noctuidae) in cotton. Armyworm Symposium 2000. Florida Entomologist 84(1): 7-22.
- Still, G.N. & Wong, H.R. 1973. Life history and habits of a leaf miner, *Cameraria macrocarpae*, on bur oak in Manitoba (Lepidoptera: Gracillariidae). Canadian Entomologist 105: 239-244.
- Stilmant, D. 1994. Differential impact of three *Sitobion avenae* parasitoids. Norwegian Journal of Agricultural Sciences SUPP 16: 89-99.
- Stilmant, D., Boivin, G. & Hance, T. 1994. Attractiveness and acceptability of *Sitobion avenae* (Aphidiidae: Homoptera) for *Aphidius rhopalosiphii* and *A. ervi* (Aphidiidae: Hymenoptera). Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen 59(2b): 717-724.
- Stilmant, D. 1995. Impact of host-parasitoid coevolution on parasitoid offspring number-first results. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen Universiteit Gent 60(3a): 807-809.
- Stilmant, D. 1996. The functional response of three major parasitoids of *Sitobion avenae*: *Aphidius rhopalosiphii*, *A. ervi* and *P. volucre*-how could different behaviours conduct to similar results? Bulletin OILB SROP 19(3): 17-29.
- Stoltz, B. & Whitfield, J.B. 1992. Viruses and virus-like entities in the parasitic Hymenoptera. Journal of Hymenoptera Research 1(1): 125-139.

- Stoltz, D.B., Vinson, S.B. & MacKinnon, E.A. 1976. Baculovirus-like particles in the reproductive tracts of female parasitoid wasps. *Canadian Journal of Microbiology* 22: 1013-1023.
- Stoltz, D.B. & Vinson, S.B. 1977. Baculovirus-like particles in the reproductive tracts of female parasitoid wasps. II. The genus *Apanteles*. *Canadian Journal of Microbiology* 23: 28-37.
- Stoltz, D.B. & Vinson, S.B. 1979. Viruses and parasitism in insects. *Advances in Virus Research* 24: 125-171.
- Stoltz, D.B., Guzo, D. & Cook, D. 1986. Studies on polydnavirus transmission. *Virology* 155(1): 120-131.
- Stoltz, D.B., Guzo, D., Bell & E.R., Lucarotti, C.J. & MacKinnon, E.A. 1988. Venom promotes uncoating in vitro and persistence in vivo of DNA from a braconid polydnavirus. *Journal of General Virology* 69: 903-907.
- Stoltz, D.B., Krell, P., MacKinnon, E.A. & Lucarotti, C.J. 1988. An unusual virus from the parasitic wasp *Cotesia melanoscela*. *Virology New York* 162(2): 311-320.
- Stoltz, D.B. 1990. Evidence for chromosomal transmission of polydnavirus DNA. *Journal of General Virology* 71(5): 1051-1056.
- Stoltz, R.L., Gavlak, R.G. & Halbert, S. 1997. Survey of potential aphid vectors of potato (*Solanum tuberosum* L.) virus diseases in the Matanuska valley, Alaska. *Journal of Vegetable Crop Production* 3(1): 27-36.
- Stolz, I., Nagel, P., Lomer, C. & Peveling, R. 2002. Susceptibility of the hymenopteran parasitoids *Apoanagyrus* (= *Epidinocarsis*) *lopezi* (Encyrtidae) and *Phanerotoma* sp. (Braconidae) to the entomopathogenic fungus *Metarhizium anisopliae* var. *acridum* (Deuteromycotina: Hyphomycetes). *Biocontrol Science and Technology* 12(3): 349-360.
- Stolz, M. & Blumel, S. 1998. Occurrence of agromyzid leafminer parasitoids in three greenhouses with different ornamental crops in Austria. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* 105(1): 71-77.
- Stolz, M. & Lenteren, J.C. van 1996. Investigations on the occurrence of agromyzid leafminers and their natural enemies in greenhouse cut gerbera in Austria. *Proceedings of the meeting Integrated control in glasshouses, held in Vienna, Austria, 20-25 May 1996. Bulletin OILB SROP* 19(1): 167-170.
- Stoner, A. 1973. Incidence of *Wesmaelia pendula* (Hymenoptera: Braconidae), a parasite of male *Nabis* species in Arizona. *Annals of the Entomological Society of America* 66(2): 471-473.
- Storeck, A., Poppy, G.M., Emden, H.F. van & Powell, W. 2000. The role of plant chemical cues in determining host preference in the generalist aphid parasitoid *Aphidius colemani*. *Entomologia Experimentalis et Applicata* 97(1): 41-46.
- Stouthamer, R. & Bigler, F. 1991. Genetic problems caused by sex determination in the rearing of parasitoids. *Fifth Workshop of the IOBC Global Working Group on Quality Control of Mass Reared Arthropods* 38-46.
- Stouthamer, R., Luck, R.F. & Werren, J.H. 1992. Genetics of sex determination and the improvement of biological control using parasitoids. *Environmental Entomology* 21(3): 427-435.
- Stouthamer, R. & Luck, R.F. 1993. Influence of microbe-associated parthenogenesis on the fecundity of *Trichogramma deion* and *T. pretiosum*. *Entomologia Experimentalis et Applicata* 67(2): 183-192.
- Strand, M.R. & Vinson, S.B. 1982. Behavioral response of the parasitoid *Cardiochiles nigriceps* to a kairomone. *Entomologia Experimentalis et Applicata* 31: 308-315.
- Strand, M.R., Johnson, J.A. & Culin, J.D. 1988. Developmental interactions between the parasitoid *Microplitis demolitor* (Hymenoptera: Braconidae) and its host *Heliothis virescens* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 81(5): 822-830.
- Strand, M.R. & Godfray, H.C.J. 1989. Superparasitism and ovicide in parasitic Hymenoptera: theory and a case study of the ectoparasitoid *Bracon hebetor*. *Behavioral Ecology and Sociobiology* 24(6): 421-432.
- Strand, M.R., Williams, H.J., Vinson, S.B. & Mudd, A. 1989. Kairomonal activities of 2-acylcyclohexane-1,3-diones produced by *Ephestia kuehniella* Zeller in eliciting searching behavior by the parasitoid *Bracon hebetor* (Say). *Journal of Chemical Ecology* 15: 1491-1500.
- Strand, M.R., Johnson, J.A. & Culin, J.D. 1990. Intrinsic interspecific competition between the polyembryonic parasitoid *Copidosoma floridanum* and solitary endoparasitoid *Microplitis demolitor* in *Pseudoplusia includens*. *Entomologia Experimentalis et Applicata* 55(3): 275-284.
- Strand, M.R. & Dover, B.A. 1991. Developmental disruption of *Pseudoplusia includens* and *Heliothis virescens* larvae by the calyx fluid and venom of *Microplitis demolitor*. *Archives of Insect Biochemistry and Physiology* 18(3): 131-145.
- Strand, M.R. & Noda, T. 1991. Alterations in the haemocytes of *Pseudoplusia includens* after parasitism by *Microplitis demolitor*. *Journal of Insect Physiology* 37(11): 839-850.
- Strand, M.R. & Wong, E.A. 1991. The growth and role of *Microplitis demolitor* teratocytes in parasitism of *Pseudoplusia includens*. *Journal of Insect Physiology* 37(7): 503-515.
- Strand, M.R., Roitberg, B.D. & Papaj, D.R. 1991. Acridine orange: a potentially useful internal marker of Hymenoptera and Diptera. *Journal of the Kansas Entomological Society* 63(4): 634-637.
- Strand, M.R., McKenzie, D.I., Grassl, V., Dover, B.A. & Aiken, J.M. 1992. Persistence and expression of *Microplitis demolitor* polydnavirus in *Pseudoplusia includens*. *Journal of General Virology* 73(7): 1627-1635.
- Strand, M.R. 1994. *Microplitis demolitor* polydnavirus infects and expresses in specific morphotypes of *Pseudoplusia includens* [*Chrysodeixis includens*] haemocytes. *Journal of General Virology* 75(11): 3007-3020.
- Strand, M.R., Johnson, J.A., Noda, T. & Dover, B.A. 1994. Development and partial characterization of monoclonal antibodies to venom of the parasitoid *Microplitis demolitor*. *Archives of Insect Biochemistry and Physiology* 26(2-3): 123-136.
- Strand, M.R. & Pech, L.L. 1995. *Microplitis demolitor* polydnavirus induces apoptosis of a specific haemocyte morphotype in *Pseudoplusia includens*. *Journal of General Virology* 76(2): 283-291.
- Strand, M.R. & Johnson, J.A. 1996. Characterization of monoclonal antibodies to hemocytes of *Pseudoplusia includens*. *Journal of Insect Physiology* 42(1): 21-31.
- Strand, M.R. & Grbic, M. 1997. The life history and development of polyembryonic parasitoids: 37-56. In: Beckage, N.E. [ed.]. *Parasites and pathogens: effects on host hormones and behavior*. Chapman & Hall, New York, Albany etc.: 1-338.
- Strand, M.R., Witherell, R.A. & Trudeau, D. 1997. Two *Microplitis demolitor* polydnavirus mRNAs expressed in hemocytes of *Pseudoplusia includens* contain a common cysteine-rich domain. *Journal of Virology* 71(3): 2146-2156.
- Strand, M.R., Clark, K.C. & Gardiner, E.M.M. 1999. Plasmacyte spreading peptide does not induce *Microplitis demolitor* polydnavirus-infected plasmacytes to spread on foreign surfaces. *Archives of Insect Biochemistry and Physiology* 40(1): 41-52.
- Streams, F.A., Shahjahan, M. & LeMasurier, H.G. 1968. Influence of plants on the parasitization of the tarnished plant bug by *Leiphron pallipes*. *Journal of Economic Entomology* 61(4): 996-999.
- Streito, J.C. & Nibouche, S. 1997. First observations on the parasitoids associated with lepidopterous pests of cotton in Burkina Faso. *Entomophaga* 42(4): 543-557.
- Stresemann, E., Hannemann, H.J., Klausnitzer, B. & Senglaub, K. 1989. Exkursionsfauna für die Gebiete der DDR und der BRD. Band 2/1. *Wirbellose: Insekten-Erster Teil*. 8 Aufl. Berlin: 1-504.

- Strien-van Liempt, W.T.F.H. van & Alphen, J.J.M. van 1981.** The absence of interspecific host discrimination in *Asobara tabida* Nees and *Leptopilina heterotoma* (Thomson) coexisting larval parasitoids of *Drosophila* species. *Netherlands Journal of Zoology* 31: 701-712.
- Strien-van Liempt, W.T.F.H. van 1983.** The competition between *Asobara tabida* Nees von Esenbeck, 1834 and *Leptopilina heterotoma* (Thomson, 1862) in multiparasitized hosts. I. The course of competition. *Netherlands Journal of Zoology* 33(2): 125-163.
- Strien-van Liempt, W.T.F.H. van & Hofker, C.D. 1985.** Host selection in two coexisting parasitoids of *Drosophila*, *Asobara tabida* Nees von Esenbeck and *Leptopilina heterotoma* (Thomson). *Netherlands Journal of Zoology* 35: 693-706.
- Strojnowski, R. 1977.** Studies on Hymenoptera parasites of fruit tree pests. II. Parasites reared from *Coleophora serratella* L., *C. hemerobiella* Scop. and *C. anatipennella* Hb. (in Polish with English & German summaries) *Polskie Pismo Entomologiczne* 47(4): 747-754.
- Strojnowski, R. 1977.** Studies on parasitic Hymenoptera on orchard pests. I. The parasites of *Molorchus umbellatarum* Schreber (Col., Cerambycidae) on apple trees. (in Polish with English and German summaries) *Polskie Pismo Entomologiczne* 47(1): 137-145.
- Struble, G.R. 1965.** Effect of aerial sprays on parasites of the lodgepole needle miner. *Journal of Economic Entomology* 58: 226-227.
- Stuart, M.K. & Burkholder, W.E. 1991.** Monoclonal antibodies specific for *Laelius pedatus* (Bethyilidae) and *Bracon hebetor* (Braconidae), two hymenopteran parasitoids of stored-products pests. *Biological Control* 1(4): 302-308.
- Stuart, M.K. & Greenstone, M.H. 1996.** Serological diagnosis of parasitism: a monoclonal antibody-based immunodot assay for *Microplitis croceipes* (Hymenoptera: Braconidae). *Systematics Association Special Volume* 53: 301-321.
- Stuart, M.K. & Greenstone, M.H. 1997.** Immunological detection of hymenopteran parasitism in *Helicoverpa zea* and *Heliothis virescens*. *Biological Control* 8(3): 197-202.
- Stuart, M.K. 1998.** An antibody diagnostic for hymenopteran parasitism is specific for a homologue of elongation factor-1[alpha]. *Archives of Insect Biochemistry and Physiology* 39(1): 1-8.
- Stuber, R. & Dickler, E. 1988.** Studies on the biology and behaviour of the apple clearwing *Synanthedon myopaeformis* (Bork.) (Lepidoptera: Sesiidae) as a basis for its control using the confusion method. *Mitteilungen aus der Biologischen Bundesanstalt für Land und Forstwirtschaft Berlin Dahlem* 241: 1-144.
- Stufkens, M.W. & Farrell, J.A. 1987.** Establishment of *Aphidius rhopalosiphii*, a parasitoid of the rose-grain aphid in New Zealand. *Proceedings of the New Zealand Weed and Pest Control Conference* 15-18.
- Stufkens, M.W., Farrell, J.A. & Goldson, S.L. 1987.** Establishment of *Microtonus aethiopooides*, a parasitoid of the sitona weevil in New Zealand. *Proceedings of the New Zealand Weed and Pest Control Conference*: 31-35.
- Stufkens, M.W., Farrell, J.A. & Popay, A.J. 1994.** Quarantine host range tests on two exotic parasitoids imported for aphid control. *Proceedings of the Forty Seventh New Zealand Plant Protection Conference*, Waitangi Hotel, New Zealand, 9-11 August, 1994: 149-153.
- Stufkens, M.W., Farrell, J.A. & Popay, A.J. 1995.** Release and establishment of *Aphidius sonchi*, a parasitoid of the sowthistle aphid in New Zealand. *Proceedings of the Forty Eighth New Zealand Plant Protection Conference*, Angus Inn, Hastings, New Zealand, August 8-10, 1995: 343-344.
- Sturm, M.M. & Sterling, W.L. 1986.** Boll weevil mortality factors within flower buds of cotton. *Bulletin of the Entomological Society of America* 32(4) 1986: 239-247.
- Sturm, M.M. & Sterling, W.L. 1990.** Geographical patterns of boll weevil mortality: observations and hypothesis. *Environmental Entomology* 19(1): 59-65.
- Styer, E.L., Hamm, J.J. & Nordlund, D.A. 1987.** A new virus associated with the parasitoid *Cotesia marginiventris* (Hymenoptera: Braconidae): Replication in noctuid host larvae. *Journal of Invertebrate Pathology* 50: 302-309.
- Suasa-Ard, W., Charernsom, K., Singh, V. & Kumar, V. 1999.** Success of *Cotesia flavipes* (Cameron) for biological control of sugarcane moth borers in Thailand. *Proceedings of the XXIII ISSCT Congress*, New Delhi, India, 22-26 February, 1999. Vol 2: 559-568.
- Suasa-Ard, W., Charernsom, K., Permnnyomkit, J., Kernasa, O. & Hogarth, D.M. 2001.** Augmentative biological control of sugarcane moth borer *Chilo tumidicostalis* in Thailand. *International Society of Sugar Cane Technologists. Proceedings of the XXIV Congress*, Brisbane, Australia, 17-21 September 2001. Vol 2: 404-407.
- Suay Cano, V.A. & Michelena Saval, J.M. 1998.** Aphidiins (Hymenoptera: Braconidae) and aphid-parasitoid relationships in the province of Valencia. *Afidiinos (Hymenoptera: Braconidae) y relaciones pulgon-parasitoide en la provincia de Valencia*. *Boletín de la Asociación Española de Entomología* 22(3-4): 75-90.
- Subba Rao, B.R. & Sharma, A.K. 1966.** Two new species of parasites reared from *Stomopteryx nerteria* (Meyrick) (Lepidoptera: Gelechiidae). *Indian Journal of Entomology* 28: 299-304.
- Subba Rao, B.R., Singh, R.N., Saxena, J.D. & Sharma, A.K. 1969.** Bionomics of *Apanteles flavipes* (Cameron) a parasite of *Chilo zolnelli* at Dehli with special reference to the mode of overwintering of the parasite. *Indian Journal of Entomology* 31: 7-12.
- Subbiah, K. 1987.** A new host record of a hyperparasite, *Perilampus* sp. (Perilampidae: Hymenoptera) on *Apanteles aristaeus* (Nixon.) (Braconidae: Hymenoptera). *Current Science (Bangalore)* 56(15) 1987: 794-796.
- Subbiah, K. 1988.** New records of insect parasitoids of leaf-roller and flushworm of tea. *Current Science* 57(12): 686.
- Subbiah, K. 1995.** The parasitism by *Bracon hebetor* on the larva of *Cydia leucostoma* in field conditions. *Journal of Ecobiology* 7(4): 299-302.
- Subinprasert, S. 1987.** Natural enemies and their impact on overwintering codling moth populations (*Laspeyresia pomonella* L.) (Lep., Tortricidae) in south Sweden. *Journal of Applied Entomology* 103(1): 46-55.
- Suckling, D.M., Burnip, G.M., Gibb, A.R., Daly, J.M. & Armstrong, K.F. 2001.** Plant and host effects on the leafroller parasitoid *Dolichogenidia tasmanica*. *Entomologia Experimentalis et Applicata* 100(2): 253-260.
- Suckling, D.M., Burnip, G.M., Walker, J.T.S., Shaw, P.W., McLaren, G.F., Howard, C.R., Lo, P., White, V. & Fraser, J. 1998.** Abundance of leafrollers and their parasitoids on selected host plants in New Zealand. *New Zealand Journal of Crop and Horticultural Science* 26(3): 193-203.
- Suckling, D.M., Gibb, A.R., Burnip, G.M., & Delury, N.C. 2002.** Can parasitoid sex pheromones help in insect biocontrol? A case study of codling moth (Lepidoptera: Tortricidae) and its parasitoid *Ascogaster quadridentata* (Hymenoptera: Braconidae). *Environmental Entomology* 31(6): 947-952.
- Suckoruchenko, G.I., Ivanova, G.P., Kozlova, E.G., Krasavina, L.P. & Belajkova, N.A. 2001.** The comparative effect of insecticides Pegas and Phitoverm for aphids parasites *Aphidius matricariae* Hal. and *Lysiphlebus testaceipes* Cresson (Hymenoptera, Aphidiidae). *Trudy Russkago Entomologicheskago Obshchestva* 72: 93-99.
- Sudheendrakumar, V.V., Mohamed, U.V.K., Abdurahiman, U. C. & Narendran, T.C. 1978.** Mating behaviour of *Bracon*

- brevicornis* Wesmäl (Hymenoptera: Braconidae), a larval parasite of *Nephantis serinopa* Meyrick the black headed caterpillar of coconut. Agricultural Research Journal of Kerala 16: 224-226.
- Sudheendrakumar, V.V., Mohamed, U.V.K., Narendran, T.C. & Abdurahiman, U.C. 1982.** Biology and morphology of immature stages of *Bracon brevicornis* (Hymenoptera: Braconidae) an important biological control agent of the black-headed caterpillar pest of coconut. Journal of the Bombay Natural History Society 79(2): 254-260.
- Sudheendrakumar, V.V. 1993.** Notes on hymenopteran parasites of *Eutectona machaeralis* recorded from Nilambur, Kerala. Indian Forester 119(6): 510-511.
- Sudipta, C. & Sanjib, C. 1998.** Effect of stress on heart beat and post embryonic development in *Corcyra cephalonica* larvae. Indian Journal of Experimental Biology 36(8): 796-799.
- Sueyoshi, M. 1999.** Immature stages of three Oriental species of the genus *Rhabdochaeta* de Meijere (Diptera: Tephritidae), with brief biological notes. Entomological Science 2(2): 217-230.
- Suganthi, M., Rao, G.V.R. & Kumar, S.T. 2002.** Relative efficacy of IPM strategies of chickpea on soil inhabiting and aerial natural enemies. Legume Research 25(1): 66-68.
- Sugimoto, T. 1984.** Foraging for patchily-distributed hosts by the braconid wasp, *Dacnusa* sp. International Congress of Entomology Proceedings 17: 279.
- Sugimoto, T., Uenishi, M. & Machida, F. 1986.** Foraging for patchily-distributed leaf-miners by the Braconid *Dapsilarthra rufiventris* (Hymenoptera: Braconidae) I. Discrimination of previously searched leaflets. Applied Entomology and Zoology 21: 500-508.
- Sugimoto, T., Murakami, H. & Yamazaki, R. 1987.** Foraging for patchily-distributed leaf-miners by the Braconid *Dapsilarthra rufiventris* (Hymenoptera: Braconidae) II. Stopping rules for host search. Journal of Ethology 5: 95-103.
- Sugimoto, T., Shimono, Y., Hata, Y., Nakai, A. & Yahara, M. 1988.** Foraging for patchily-distributed leaf-miners by the Braconid *Dapsilarthra rufiventris* (Hymenoptera: Braconidae) III. Visual and acoustic cues to a close range patch-location. Applied Entomology and Zoology 23: 113-121.
- Sugimoto, T., Ichikawa, T., Mitomi, M. & Sakuratani, Y. 1988.** Foraging for patchily-distributed leaf-miners by the Braconid *Dapsilarthra rufiventris* (Hymenoptera: Braconidae) IV. Analysis of sounds emitted by a feeding host. Applied Entomology and Zoology 23: 209-211.
- Sugimoto, T., Kameoka, H., Kusatani, S., Inui, O. & Otsuka, K. 1988.** Foraging for patchily-distributed leaf-miners by the parasitoid, *Dapsilarthra rufiventris* (Hymenoptera: Braconidae). V. Plant odour as a cue to long range patch-location. Applied Entomology and Zoology 23(2): 135-143.
- Sugimoto, T., Kawado, K. & Tadera, K. 1988.** Responses to the host mine by two parasitic wasps, *Dapsilarthra rufiventris* (Hymenoptera: Braconidae) and *Chrysocharis pentheus* (Hymenoptera: Eulophidae). Journal of Ethology 6: 55-58.
- Sugimoto, T., Minkenber, O.P.J.M., Takabayashi, J., Dicke, M. & Lenteren, J.C. van 1990.** Foraging for patchily-distributed leaf miners by the parasitic wasp, *Dacnusa sibirica*. Researches on Population Ecology 32(2): 381-389.
- Sugiura, S. & Osawa, N. 2001.** Parasitoid community associated with the leafroller *Eudemis gyrotis* (Lepidoptera: Tortricidae) on a bayberry, *Myrica rubra* (Myricaceae). Entomological Science 4(1): 25-34.
- Sugiura, S. & Osawa, N. 2002.** Temporal response of parasitoids to the density of the leafroller *Eudemis gyrotis* (Lepidoptera: Tortricidae) on bayberry *Myrica rubra* (Myricaceae). Environmental Entomology 31(6): 988-994.
- Sujatha, A., Zaheruddeen, S.M. & Reddy, R.V.S.K. 1992.** Turmeric leaf roller *Udaspes folus* Cram. and its parasitoids in Godavari Delta. Indian Cocoa, Arecanut and Spices Journal 15(4): 118-119.
- Sujatha, A. & Singh, S.P. 1999.** Natural enemy complex of coconut leaf eating caterpillar, *Opisina arenosella* Walker (Lepidoptera: Xylorictidae) in Karnataka. Journal of Biological Control 13(1-2): 51-58.
- Sujatha, A. & Singh, S.P. 2002.** Natural enemy complex of coconut leaf eating caterpillar, *Opisina arenosella* Walker (Lepidoptera: Oecophoridae) on palmyrah palm (*Borassus flabellifer* L.). Journal of Plantation Crops 30(3): 33-36.
- Sulaiman bin Hanapi, & Askew, R.R. 1991.** The biology of the sawfly *Pontania collactanea* (Forster) (Hym.: Tenthredinidae). Entomologist's Monthly Magazine 127 Nos 1520-1523: 29-34.
- Sulkhanov, A.V. 1990.** Species composition and spatial distribution of *Lithocolletis populifoliella* Tr. parasites. Biol. Nauki (Moscow) 7: 33-40.
- Sullivan, B.T., Berisford, C.W. & Dalusky, M.J. 1997.** Field response of southern pine beetle parasitoids to some natural attractants. Journal of Chemical Ecology 23(3): 837-856.
- Sullivan, B.T., Dalusky, M.J. & Berisford, C.W. 2003.** Interspecific variation in host-finding cues of parasitoids of the southern pine beetle (Coleoptera: Scolytidae). Journal of Entomological Science 38(4): 631-643.
- Sullivan, D.J. & Bosch, R. van den 1971.** Field ecology of the primary parasites and hyperparasites of the potato aphid, *Microsiphum euphorbiae* in the east San Francisco Bay area. Annals of the Entomological Society of America 64(2): 389-394.
- Sullivan, R.T. 1981.** Insect swarming and mating. Florida Entomologist 64(1): 44-65.
- Summers, C.G., Coviello, R.L. & Cothran, W.R. 1975.** The effect on selected entomophagous insects of insecticides applied for pea aphid control in alfalfa. Environmental Entomology 4(4): 612-614.
- Summy, K.R. 1991.** Late-season parasitism of boll weevil in the Lower Rio Grand Valley of Texas. Proceedings Beltwide Cotton Conferences 1991(2): 720-722.
- Summy, K.R., Morales-Ramos, J.A., King, E.G., Greenberg, S.M., Rankin, M.A., Hansen, L.G. & Moomaw, C. 1995.** Rationale and potential for augmentative biological control of boll weevil on fallow-season cotton in southern Texas. Southwestern Entomologist 20(4): 483-491.
- Sumodan, P.K. & Sevichan, P.J. 1989.** A new species of *Apanteles* Förster (Hymenoptera: Braconidae) reared from a pyralid pest of *Azolla*. Journal of Ecobiology 1(4): 319-322.
- Sumodan, P.K. & Narendran, T.C. 1990.** Five new species of *Apanteles* Foerster (Hymenoptera: Braconidae) from Kerala, India. Journal of Ecobiology 2(3): 239-248.
- Sun, C.N. 1992.** Detoxifying enzymes of *Apanteles plutellae* and *Dia-degma semiclausum*, parasitoids of diamondback moth larvae. Resistant Pest Management 4(1): 21-22.
- Sun, Meng, Ye, Gong yin & Hu, Cui. 2001.** Analysis of the soluble proteins in three species of parasitoids and molecular characteristics of yolk protein in *Pteromalus puparum*. Entomologia Sinica 8(4): 298-308.
- Sun, Y.Z., Ma, G.F. & Zhao, X.F. 1987.** [A preliminary study of parasitic wasps of *Lithocolletis ringoniella* Matsumura.] (in Chinese) Natural Enemies of Insects 9(3): 156-159.
- Sundaralingam, S., Hower, A.A. & Kim, K.C. 2001.** Host selection and reproductive success of French and Moroccan populations of the parasitoid, *Microctonus aethiopoulos* (Hymenoptera: Braconidae). BioControl 46(1): 25-41.
- Sundaramurthy, V.T. & Jayaraj, S. 1985.** Reproductive behaviour of parasitoids *Parasierola nephantidis* and *Bracon brevicornis* as affected by their host treated with JHA: 159-160. In: Regupathy, A. & Jayaraj, S. [eds]. Behavioural and physiological ap-

- proaches to pest management. Tamil Nadu Agricultural University. Coimbatore, India 1985: i-xviii + 1-218.
- Sunose, T. 1984.** Parasitoid complex of the euonymus gall midge *Masakimyia pustulata* (Diptera: Cecidomyiidae) in Japan. *Kontyu* 52(4): 557-564.
- Surles, W.W. 1974.** Native Hymenopteran parasitoids attacking an introduced weevil, *Rhinocyllus conicus* in Virginia. *Environmental Entomology* 3(6): 1027-1028.
- Surles, W.W., Pienkowski, R.L. & Kok, L.T. 1975.** Mortality of the immature stages of *Rhinocyllus conicus* a thistle head weevil, in Virginia. *Environmental Entomology* 4(3): 371-372.
- Surulivelu, T. 1989.** Scope of parasites in bollworm control. *Entomon* 14(12): 101-106.
- Sushil, S.N., Mishra, Y.D., Bhattacharya, A., Jaiswal, A.K. & Sharma, K.K. 1997.** Safety of endosulfan and dichlorvos to four parasitoids of lac insect predators. *Pest Management in Horticultural Ecosystems* 3(1): 39-41.
- Susidko, P.I. & Makhotkin, A.G. 1984.** *Phaenocarpa* - a parasite of grass flies. *Zashchita Rastenii* (Moscow) 1984(11): 45.
- Suss, L. 1983.** Survival of pupal stage of *Aphidius ervi* Hal. in mummified *Sitobion avenae* F. to pesticide treatment. In: Cavalloro, R. "Aphid Antagonists." Rotterdam: 129-133.
- Suwa, M. 1999.** A tribute to the memory of Chihisa Watanabe: 1907-1996. *Insecta Matsumurana* 56: 1-2.
- Suzuki, M. 2000.** Parasitic native enemies to some noctuid larvae in Kanagawa. *Shokubutsu Boeki* 54(8): 327-332.
- Swamiappan, M. & Balasubramanian, M. 1980.** Studies on mass multiplication and potentiality of *Chelonus blackburni* Cam. a braconid parasite of cotton. *Entomon* 5(1): 73-75.
- Swan, D.I. 1973.** Evaluation of biological control of the oak leaf-miner *Phyllonorycter messaniella* (Zell.) (Lep., Gracillariidae) in New Zealand. *Bulletin of Entomological Research* 63: 49-55.
- Swedenborg, P.D. & Jones, R.L. (1986)1987.** Learning and host habitat location in *Macrocentrus grandii* Goidanich (Hymenoptera: Braconidae), a larval parasitoid of the European corn borer, *Ostrinia nubilalis*. *Contributions from Shanghai Institute of Entomology* 6: 58.
- Swedenborg, P.D. & Jones, R.L. 1992.** Multicomponent sex pheromone in *Macrocentrus grandii* Goidanich (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 18(11): 1901-1912.
- Swedenborg, P.D. & Jones, R.L. 1992.** (Z)-4-Tridecenal, a pheromonally active air oxidation product from a series of (Z,Z)-9,13 dienes in *Macrocentrus grandii* Goidanich (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 18(11): 1913-1931.
- Swedenborg, P.D., Jones, R.L., Liu, H.W. & Krick, T.P. 1993.** (3R*,5S*,6R*)-3,5-dimethyl-6-(methylethyl)-3,4,5,6-tetrahydropyran-2-one, a third sex pheromone component for *Macrocentrus grandii* (Goidanich) (Hymenoptera: Braconidae) and evidence for its utility at eclosion. *Journal of Chemical Ecology* 19(3): 485-502.
- Swedenborg, P.D., Jones, R.L., Zhou, H.Q., Shin, I. & Liu, H.W. 1994.** Biological activity of (3R,5S,6R)- and (3R,5S,6S)-3,5-dimethyl-6-(methylethyl)-3,4,5,6-tetrahydropyran-2-one, a pheromone of *Macrocentrus grandii* (Goidanich) (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 20(12): 3373-3380.
- Sychevskaya, V.I. 1964.** Hymenopterous parasites of flies of medical importance in middle Asia. *Entomologicheskoye Obozreniye* 43: 391-404. [*Entomological Review* 199-206].
- Syme, P.D. & Green, G.W. 1972.** The effects of *Orgilus obscurator* (Hymenoptera: Braconidae) on the development of the European pine shoot moth (Lepidoptera: Olethreutidae). *Canadian Entomologist* 104(4): 523-530.
- Syme, P.D. 1968.** *Agathis binominata* (Hymenoptera: Braconidae) parasitizing *Rhyacionia buoliana* (Lepidoptera: Olethreutidae) in central Ontario. *Canadian Entomologist* 100: 893.
- Syme, P.D. 1970.** Discrimination by *Hyssopus thymus* (Hymenoptera: Eulophidae) against *Orgilus obscurator* (Hymenoptera: Braconidae), an internal parasite of the European pine shoot moth, *Rhyacionia buoliana* (Lepidoptera: Olethreutidae). *Canadian Entomologist* 102: 152301527.
- Syme, P.D. 1977.** Observations on the longevity and fecundity of *Orgilus obscurator* (Hymenoptera: Braconidae) and the effects of certain foods on longevity. *Canadian Entomologist* 109: 995-1000.
- Symington, C.A. 2003.** Lethal and sublethal effects of pesticides on the potato tuber moth, *Phthorimaea operculella* (Zeller) (Lepidoptera: Gelechiidae) and its parasitoid *Orgilus lepidus* Muesebeck (Hymenoptera: Braconidae). *Crop Protection* 22(3): 513-519.
- Syrjämäki, J. 1976.** The mystery of the missing females in connexion with males swarming of *Blacus ruficornis* Nees (Hym.: Braconidae). *Annales Entomologici Fennici* 42(2): 66-68.
- Syvetsen, T.C., Jackson, L.L., Blomquist, G.J. & Vinson, S.B. 1995.** Alkadienes mediating courtship in the parasitoid *Cardiochiles nigriceps* (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 21(12): 1971-1989.
- Szatmari, S., Balazs, K., Meszaros, Z., Jenser, G. & Polesny, F. 1998.** Lepidoptera living on raspberry in North-Hungary. Integrated plant protection in orchards, soft fruits. Workshop held in Vienna, Austria, 7-10 October, 1997. *Bulletin OILB SROP* 21(10): 35-38.
- Szócs, J. 1965.** The parasites of mining moths. *Folia Entomologica Hungarica* 18: 123-151.
- Szócs, J. 1979.** Angaben zu den Parasiten der minirenden Motten (Hymenoptera: Braconidae). *Folia Entomologica Hungarica* 32(2): 199-206.
- Szentesi, A. & Wink, M. 1991.** Fate of quinolizidine alkaloids through three trophic levels: *Laburnum anagyroides* (Leguminosae) and associated organisms. *Journal of Chemical Ecology* 17(8): 1557-1573.
- Sznajder, B. & Harvey, J.A. 2003.** Second and third trophic level effects of differences in plant species reflect dietary specialisation of herbivores and their endoparasitoids. *Entomologia Experimentalis et Applicata* 109(1): 73-82.
- Szwejdá, J. 1974.** The natural enemies of the cabbage maggot-*Hylemya brassicae* (Bouché) (Diptera: Anthomyiidae). (in Polish with English summary) *Polskie Pismo Entomologiczne* 44: 845-863.
- Taeger, A. 1987.** Drei neue *Orgilus*-Arten aus Korea (Hymenoptera, Braconidae). *Annales Historico-Naturales Musei Nationalis Hungarici* 79: 199-205.
- Taeger, A. 1989.** Die *Orgilus*-Arten der Palearktis (Hymenoptera, Braconidae). Arbeit aus dem Institut für Pflanzenschutzforschung Kleinmachnow, Bereich Eberswalde. Berlin 1988: 1-260.
- Taeger, A. 1991.** Zur Kenntnis der *Orgilus*-Arten der Mongolei (Hymenoptera, Braconidae). *Acta Zoologica Hungarica* 37(1-2): 129-139.
- Tagashira, E., Tanaka, T., Pennacchio, F., Vinson, S.B. & Lanzrein, B. 1998.** Parasitic castration of *Pseudaletia separata* by *Cotesia kariyai* and its association with polydnavirus gene expression. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 733-744.
- Tagawa, J. 1977.** Localization and histology of the female sex pheromone producing gland in the parasitic wasp *Apanteles glomeratus*. *Journal of Insect Physiology* 23: 49-56.
- Tagawa, J. 1980.** Pheromone glands of the parasitic wasps, genus *Apanteles*. *International Congress of Entomology Proceedings* 16: 244.
- Tagawa, J. & Kitano, H. 1981.** Mating behaviour of the braconid wasp, *Apanteles glomeratus* L. (Hymenoptera: Braconidae) in the field. *Applied Entomology and Zoology* 16: 345-350.

- Tagawa, J. & Hidaka, T. 1982.** Mating behaviour of the braconid wasp, *Apanteles glomeratus* L. (Hymenoptera: Braconidae): Mating sequence and the factor for correct orientation of male and female. *Applied Entomology and Zoology* 17: 32-39.
- Tagawa, J., Sato, Y. & Tanaka, T. 1982.** Developmental interactions between the army worm *Leucania separata* (Lep.: Noctuidae) and its parasite *Apanteles ruficrus* (Hym.: Braconidae). *Entomophaga* 27(4): 447-454.
- Tagawa, J. 1983.** Female sex pheromone glands in the parasitic wasps, genus *Apanteles*. *Applied Entomology and Zoology* 18: 416-427.
- Tagawa, J., Ishii, M. & Sato, Y. 1984.** Diapause in the braconid wasp, *Apanteles glomeratus* L. I. Evidence of diapause in overwintering prepupae. *Applied Entomology and Zoology* 19: 396-399.
- Tagawa, J., Asano, S., Ohtsubo, T., Kamomae, M. & Gotoh, T. 1985.** Influence of age on the mating behaviour of the braconid wasp, *Apanteles glomeratus* L. *Applied Entomology and Zoology* 20: 227-230.
- Tagawa, J. 1987.** Post mating changes in the oviposition tactics of the parasitic wasp *Apanteles glomeratus* L. (Hymenoptera, Braconidae). *Applied Entomology and Zoology* 22: 537-542.
- Tagawa, J., Yoshida, C., Hashimoto, T. & Sudare, A. 1987.** Effects of mating on the oviposition behavior of the parasitic wasp, *Apanteles glomeratus* L. (Hymenoptera: Braconidae). *Journal of Ethology* 5: 37-41.
- Tagawa, J. 1992.** Host discrimination by unmated individuals of the gregarious parasitoid wasp, *Cotesia* (= *Apanteles*) *glomerata* (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 27(2): 306-309.
- Tagawa, J. & Fukushima, H. 1993.** Effects of host age and cocoon position on attack rate by the hyperparasitoid, *Eurytoma* sp. (Hym.: Eurytomidae), on cocoons of the parasitoid, *Cotesia* (= *Apanteles*) *glomerata* (Hym.: Braconidae). *Entomophaga* 38(1): 69-77.
- Tagawa, J. 1996.** Function of the cocoon of the parasitoid wasp, *Cotesia glomerata* L. (Hymenoptera: Braconidae): protection against desiccation. *Applied Entomology and Zoology* 31(1): 99-103.
- Tagawa, J. 2000.** Sex allocation and clutch size in the gregarious larval endoparasitoid wasp, *Cotesia glomerata*. *Entomologia Experimentalis et Applicata* 97(2): 193-202.
- Tagawa, J., Aoki, S. & Kiyosue, T. 2000.** Longevity, egg load, and lack of host-quality preference in the hyperparasitoid *Eurytoma goidanichi* Bouček (Hymenoptera: Eurytomidae). *Applied Entomology and Zoology* 35(4): 541-547.
- Tagawa, J. 2002.** Male insemination capability in the parasitoid wasp, *Cotesia glomerata* L. (Hymenoptera: Braconidae). *Netherlands Journal of Zoology* 52(1): 1-10.
- Tahhan, O. & Emden, H.F. van 1989.** Biology of *Bruchus dentipes* Baudi (Coleoptera: Bruchidae) on *Vicia faba* and a method to obtain gravid females during the imaginal quiescence period. *Bulletin of Entomological Research* 79(2): 201-210.
- Takabayashi, J., Noda, T. & Takahashi, S. 1985.** Effect of kairomones in the host searching behavior of *Apanteles kariyai* (Hymenoptera: Braconidae), a parasitoid of the common armyworm, *Pseudaletia separata* (Lepidoptera: Noctuidae): I. Presence of arresting stimulants produced by the host larvae. *Applied Entomology and Zoology* 20(4): 484-489.
- Takabayashi, J. & Takahashi, S. 1986.** Effect of kairomones in the host searching behavior of *Apanteles kariyai* (Hymenoptera: Braconidae), a parasitoid of the common armyworm, *Pseudaletia separata* (Lepidoptera: Noctuidae): II. Isolation and identification of arrestants produced by the host larvae. *Applied Entomology and Zoology* 21(1): 114-118.
- Takabayashi, J. & Takahashi, S. 1986.** Effect of kairomones in the host searching behavior of *Apanteles kariyai* Watanabe (Hymenoptera: Braconidae), a parasitoid of the common armyworm, *Pseudaletia separata* Walker (Lepidoptera: Noctuidae): III. Synthesis and bioassay of arrestants and related compounds. *Applied Entomology and Zoology* 21(4): 519-524.
- Takabayashi, J. & Takahashi, S. 1988.** Effect of the kairomone on the parasitization rates of *Apanteles kariyai* to *Pseudaletia separata*. *Journal of Pesticide Science* 13(2): 283-286.
- Takabayashi, J. & Takahashi, S. 1989.** Effects of host fecal pellet and synthetic kairomone on host-searching and post-oviposition behaviour of *Apanteles kariyai*, a parasitoid of *Pseudaletia separata*. *Entomologia Experimentalis et Applicata* 52(3): 221-227.
- Takabayashi, J. & Takahashi, S. 1990.** An allelochemical elicits arrestment in *Apanteles kariyai* in feces of nonhost larvae *Acantholeucania loreyi*. *Journal of Chemical Ecology* 16(6): 2009-2017.
- Takabayashi, J., Noda, T. & Takahashi, S. 1991.** Plants produce attractants for *Apanteles kariyai*, a parasitoid of *Pseudaletia separata*; cases of 'communication' and 'misunderstanding' in parasitoid-plant interactions. *Applied Entomology and Zoology* 26(2): 237-243.
- Takabayashi, J., Sato, Y., Horikoshi, M., Yamaoka, R., Yano, S., Ohsaki, N. & Dicke, M. 1998.** Plant effects on parasitoid foraging: differences between two tritrophic systems. *Biological Control* 11(2): 97-103.
- Takabayashi, J., Sato, Y., Yano, S. & Ohsaki, N. 2000.** Presence of oily droplets from the dorsal setae of *Pieris rapae* larvae (Lepidoptera: Pieridae). *Applied Entomology and Zoology* 35(1): 115-118.
- Takabayashi, J., Takahashi, S., Dicke, M. & Posthumus, M.A. 1995.** Developmental stage of herbivore *Pseudaletia separata* affects production of herbivore-induced synomone by corn plants. *Journal of Chemical Ecology* 21(3): 273-287.
- Takacs, S., Gries, G. & Gries, R. 1997.** Semiochemical-mediated location of host habitat by *Apanteles carpatus* (Say) (Hymenoptera: Braconidae), a parasitoid of clothes moth larvae. *Journal of Chemical Ecology* 23(2): 459-472.
- Takada, H. 1965.** A new species of the genus *Monoctonus* Haliday from Japan (Hymenoptera: Aphidiidae). *Kontyu* 33: 223-225.
- Takada, H. 1965.** A new species of the genus *Toxares* Haliday from Japan (Hymenoptera: Aphidiidae). *Insecta Matsumurana* 28: 17-18.
- Takada, H. 1966.** A preliminary revision of species of *Trioxys* Haliday occurring in Japan with description of eight new species (Hymenoptera: Aphidiidae). *Insecta Matsumurana* 29: 23-36.
- Takada, H. 1966.** Description of a new species of *Monoctonus* (Hymenoptera: Aphidiidae). *Kontyu* 34: 154-157.
- Takada, H. 1966.** Discovery of *Binodoxys confucius* in Japan. *Insecta Matsumurana* 28: 130.
- Takada, H. 1966.** Three new species of the genus *Lysaphidus* Smith from Japan (Hymenoptera: Aphidiidae). *Insecta Matsumurana* 29: 127-130.
- Takada, H. 1968.** Aphidiidae of Japan (Hymenoptera). *Insecta Matsumurana* 30(2): 67-124.
- Takada, H. 1970.** A new species of *Binodoxys* Mackauer from Nepal (Hymenoptera: Aphidiidae). *Kontyu* 38(1): 42-44.
- Takada, H. 1973.** Studies on aphid hyperparasites of Japan. I. Aphid hyperparasites of the genus *Dendrocerus* Ratzeburg occurring in Japan (Hymenoptera: Ceraphronidae). *Insecta Matsumurana* 2: 1-37.
- Takada, H. & Shiga, M. 1974.** Description of a new species and notes on the systematic position of the genus *Aclitus* (Hymenoptera: Aphidiidae). *Kontyu* 42(3): 283-292.
- Takada, H. 1975.** Differential preference for *Myzus persicae* (Sulzer) of two parasites, *Diaeretiella rapae* (M'Intosh) and *Aphidius gi-*

- fuensis* Ashmead. (in Japanese with English summary) Japanese Journal of Applied Entomology and Zoology 19: 260-266.
- Takada, H. 1976.** Studies of aphids and their parasites on cruciferous crops and potatoes. I. Parasite complex of aphids. (in Japanese with English summary) Kontyu 44: 234-253.
- Takada, H. 1976.** Redescription and some notes on *Paralipsis eikoeae* (Yasumatsu) (Hymenoptera: Aphidiidae). Akitu 7: 1-6.
- Takada, H. 1976.** Zoological collectings by the Hungarian Natural History Museum in Korea. 31. Aphidiidae (Hymenoptera). Akitu 4: 1-8.
- Takada, H. 1977.** A new host record of *Areopraon nipponicum*. Akitu 11: 6.
- Takada, H. 1977.** Discovery of *Aphidius gifuensis* in Hong Kong. Akitu 11: 6.
- Takada, H. 1977.** Descriptions of two new species of the genus *Dacnusa* Haliday from Japan (Hymenoptera: Braconidae). Akitu 11: 1-5.
- Takada, H. 1979.** Aphidiidae (Hymenoptera) from Mongolia. Folia Entomologica Hungarica 32(1): 189-202.
- Takada, H. 1979.** Further records of aphid parasites (Hymenoptera: Aphidiidae) from Korea. Folia Entomologica Hungarica 32(1): 185-187.
- Takada, H. & Kamijo, K. 1979.** Parasite complex of the garden pea leaf-miner, *Phytomyza horticola* Goureaux, in Japan. Kontyu 47(1): 18-37.
- Takada, H. & Yamauchi, S. 1979.** Records of the aphidiid species new to Japan and synonyms of *Binodoxys communis* (Gahan) (Hymenoptera: Aphidiidae). Akitu 26: 1-6.
- Takada, H. & Takenaka, Y. 1982.** Parasite complex of *Myzus persicae* (Sulzer) (Homoptera: Aphididae) in tobacco. (in Japanese with English summary) Kontyu 50: 556-568.
- Takada, H. 1983.** Redescription and biological notes on *Protaphidius nawaii* (Ashmead) (Hymenoptera: Aphidiidae). Kontyu 51(1): 112-121.
- Takada, H. & Hashimoto, Y. 1983.** Life-history and association with ants of *Aclitus sappaphis* Takada et Shiga and *Paralipsis eikoeae* (Yasumatsu) (Hymenoptera, Aphidiidae) parasitizing the root aphid *Sappaphis piri* Matsumura (Homoptera, Aphididae). (in Japanese with English summary) Kontyu 51: 509-519.
- Takada, H. & Hashimoto, Y. 1985.** Association of the root aphid parasitoids *Aclitus sappaphis* and *Paralipsis eikoeae* (Hymenoptera: Aphidiidae) with the aphid-attending ants *Pheidole fervida* and *Lasius niger* (Hymenoptera: Formicidae). Kontyu 53: 150-160.
- Takada, H. & Imura, T. 1994.** Three *Dapsilarthra* species (Hymenoptera: Braconidae) from Japan. Japanese Journal of Entomology 62(2): 333-340.
- Takada, H. & Sugimoto, N. 1994.** Life cycle of *Aphis nerii* B. de F. (Homoptera: Aphididae) in Kyoto, and its natural enemy complex. Japanese Journal of Applied Entomology and Zoology 38(2): 91-99.
- Takada, H. 1998.** A review of *Aphidius colemani* (Hymenoptera: Braconidae; Aphidiinae) and closely related species indigenous to Japan. Applied Entomology and Zoology 33(1): 59-66.
- Takada, H. & Tada, E. 2000.** A comparison between two strains from Japan and Europe of *Aphidius ervi*. Entomologia Experimentalis et Applicata 97(1): 11-20.
- Takada, H. 2002.** Parasitoids (Hymenoptera: Braconidae: Aphidiinae; Aphelinidae) of four principal pest aphids (Homoptera: Aphididae) on greenhouse vegetable crops in Japan. Applied Entomology and Zoology 37(2): 237-249.
- Takahashi, F. 1973.** An experimental study on the suppression and regulation of the population of *Cadra cautella* (Walker) (Lepidoptera: Pyralidae) by the action of a parasitic wasp, *Nemeritis canescens* Gravenhorst (Hymenoptera: Ichneumonidae). Memoirs of the College of Agriculture, Kyoto University 104: 1-12.
- Takahashi, H., Nishio, E. & Hayashi, H. 1993.** Pollination biology of the saprophytic species *Petrosavia sakuraii* (Makino) van Steenis in central Japan. Journal of Plant Research 106: 213-217.
- Takahashi, H. 1995.** Ichneumonidae from Hachijo-jima Island, Izu Islands. Gensei 67: 7-8.
- Takanashi, M. 1990.** Development and reproductive ability of *Lysiphlebus japonicus* Ashmead (Hymenoptera: Aphidiidae) parasitizing the citrus brown aphid, *Toxoptera citricidus* (Kirkaldy) (Homoptera: Aphidiidae). Japanese Journal of Applied Entomology and Zoology 34(3): 237-243.
- Takanashi, M. 1991.** Percentage parasitism by an aphidiid parasitoid, *Lysiphlebus japonicus* Ashmead, attacking host colonies of different sizes. Proceedings of the Association for Plant Protection of Kyushu 37: 163-166.
- Takanashi, M. 1997.** Rearing methods of native natural enemies in Japan: *Lysiphlebus japonicus* Ashmead. Shokubutsu Boeki 51(11): 537-540.
- Takanashi, M., Nieto-Nafria, J.M. & Dixon, A.F.G. 1998.** Function and mechanisms of coordinated body swing in the colony of brown citrus aphid, *Toxoptera citricida*. Aphids in natural and managed ecosystems. Proceedings of the Fifth International Symposium on Aphids, Leon, Spain, 15-19 September 1997. 279-285.
- Takasu, K. & Yukawa, J. 1984.** Two-year life history of the neolitea leaf gall midge, *Pseudasphondylia neoliteae* Yukawa (Diptera: Cecidomyiidae). Kontyu 52(4): 596-604.
- Takasu, K. 1992.** Learning in the parasitic wasp, *Microplitis croceipes*. Insectarium 29(8): 236-242.
- Takasu, K. & Lewis, W.J. 1993.** Host- and food-foraging of the parasitoid *Microplitis croceipes*: learning and physiological state effects. Biological Control 3(1): 70-74.
- Takasu, K. 1995.** Ovicidal behaviour of a parasitic wasp, *Bracon hebetor*. Insectarium 32(10): 4-10.
- Takasu, K. & Lewis, W.J. 1995.** Importance of adult food sources to host searching of the larval parasitoid *Microplitis croceipes*. Biological Control 5(1): 25-30.
- Takasu, K. & Lewis, W.J. 1996.** The role of learning in adult food location by the larval parasitoid, *Microplitis croceipes* (Hymenoptera: Braconidae). Journal of Insect Behavior 9(2): 265-281.
- Takasu, K. & Overholt, W.A. 1996.** Oviposition behavior of *Cotesia flavipes* and *Goniozus indicus*, larval parasitoids of the lepidopteran stemborer *Chilo partellus*. Japanese Journal of Applied Entomology and Zoology 40(4): 308-310.
- Takasu, K., Ode, P.J., Antolin, M.F. & Str, M.R. 1997.** Environmental and genetic determinants of ovicide in the parasitic wasp *Bracon hebetor*. Behavioral Ecology 8(6): 647-654.
- Takasu, K., Overholt, W.A. & Overholt, W.A. 1997.** Aggressive behaviour of *Chilo partellus* (Swinhoe) larvae against the parasitoid, *Cotesia flavipes* Cameron. Management of tropical grassy stemborers, Nairobi, Kenya, 14-16 May 1996. Insect Science and its Application 17(1): 131-135.
- Takasu, K. & Lewis, W.J. 2003.** Learning of host searching cues by the larval parasitoid *Microplitis croceipes*. Entomologia Experimentalis et Applicata 108(2): 77-86.
- Takizawa, T., Yasuda, H. & Agarwala, B.K. 2000.** Effect of three species of predatory ladybirds on oviposition of aphid parasitoids. Entomological Science 3(3): 465-469.
- Takizawa, T., Yasuda, H. & Agarwala, B.K. 2000.** Effects of parasitized aphids (Homoptera: Aphididae) as food on larval performance of three predatory ladybirds (Coleoptera: Coccinellidae). Applied Entomology and Zoology 35(4): 467-472.
- Talebi, A.A., Rakhshani, E., Sadeghi, S.E. & Fathipour, Y. 2002.** A comparative study on the fecundity, developmental time and adult longevity of walnut aphid, *Chromaphis juglandicola* (Kalt.), and its parasitoid wasp, *Trioxys pallidus* (Hal.). Journal

- of Science and Technology of Agriculture and Natural Resources 6(3): 241-254.
- Talekar, N.S. 1988.** Biological control of diamondback moth in farmers' fields. AVRDC Publication, Asian Vegetable Research and Development Center 87-273: 50-54.
- Talekar, N.S. & Yang, J.C. 1990.** Biological control of diamondback moth: Use of parasitoids. Chinese Journal of Entomology. Special Publication 4: 28-45.
- Talekar, N.S. & Yang, J.C. 1991.** Characteristic of parasitism of diamondback moth by two larval parasites. Entomophaga 36(1): 95-104.
- Talekar, N.S., Ooi, P.A.C., Lim, G.S., Ho, T.H., Manalo, P.L. & Waage, J.K. 1992.** Integrated management of diamondback moth: a collaborative approach in Southeast Asia. Integrated pest management in the Asia Pacific region: 37-49.
- Talekar, N.S. & Yang, J.C. 1993.** Influence of crucifer cropping system on the parasitism of *Plutella xylostella* (Lep.: Yponomeutidae) by *Cotesia plutellae* (Hym.: Braconidae) and *Diadegma semiclausum* (Hym.: Ichneumonidae). Entomophaga 38(4): 541-550.
- Talekar, N.S. 1996.** Biological control of diamondback moth in Taiwan - a review. Plant Protection Bulletin Taipei 38(3): 167-189.
- Talitzky, V.I. & Kuslitzky, W.S. 1990.** Parasitic Hymenoptera of Moldavia: 1-304.
- Tamaki, G., Halfhill, J.E. & Hathaway, D.O. 1970.** Dispersal and reduction of colonies of pea aphids by *Aphidius smithi* (Hymenoptera: Aphidiidae). Annals of the Entomological Society of America 63(4): 973-980.
- Tamaki, G., Halfhill, J.E. & Maitlen, J.C. 1969.** The influence of UC-21149 and the Aphidiid parasite *Aphidius smithi* on populations of the pea aphid. Journal of Economic Entomology 62(3): 678-682.
- Tamashiro, M. 1971.** A biological study of the venoms of two species of *Bracon*. Hawaiian Agricultural Experiment Station. Technical Bulletin 70: 1-52.
- Tamer, A. & Ozer, M. 1990.** Investigations on the bioecology and control of *Bembecia scopigera* (Scopoli) (Lepidoptera: Sesiidae) that damages sainfoin in Ankara Province. Doga Turk Tarım ve Ormancılık Dergisi 14(2): 149-180.
- Tamer, A. 1995.** Investigations on natural enemies and biological control possibilities of *Bembecia scopigera* (Scopoli) (Lepidoptera: Sesiidae). BCPC Symposium Proceedings 63: 87-90.
- Tamili, D.K. & Raychaudhuri, D. 1984.** Two new species of aphid parasitoids (Hymenoptera: Aphidiidae) from West Bengal, India. Akitu, N.S. 62: 1-6.
- Tamura, M. 1994.** Biology of *Bracon hebetor* Say (Hymenoptera: Braconidae). House and Household Insect Pests 16(1): 41-46.
- Tanaka, A., Suenaga, H., Turuta, S. & Kusigemati, K. 1991.** Parasitoids of the beet armyworm, *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae) infesting welsh onion in Kagoshima Prefecture. (in Japanese) Proceedings of the Association for Plant Protection of Kyushu 37: 137-140.
- Tanaka, A., Shimooki, M. & Kusigemati, K. 1991.** Parasitoids of the diamondback moth, *Plutella xylostella* L. and their seasonal changes in Kagoshima Prefecture. (in Japanese) Proceedings of the Association for Plant Protection of Kyushu 37: 144-148.
- Tanaka, A. & Kusigemati, K. 1993.** [Parasitoids of the beet armyworm, *Spodoptera exigua* (Hübner) infesting Welsh onion.] (in Japanese) Plant Protection 47: 79-82.
- Tanaka, K., Matsumoto, H. & Hayakawa, Y. 2002.** Analysis in the course of polydnavirus replication in ovarian calyx cells of the parasitoid wasp, *Cotesia kariyai* (Hymenoptera: Braconidae). Applied Entomology and Zoology 37(2): 323-328.
- Tanaka, K., Matsumoto, H. & Hayakawa, Y. 2002.** Detailed characterization of polydnavirus immunoevasive proteins in an endoparasitoid wasp. European Journal of Biochemistry 269(10): 2557-2566.
- Tanaka, K., Tsuzuki, S., Matsumoto, H. & Hayakawa, Y. 2003.** Expression of *Cotesia kariyai* polydnavirus genes in lepidopteran hemocytes and Sf9 cells. Journal of Insect Physiology 49(5): 433-440.
- Tanaka, T. 1980.** Resistance of *Microplitis mediator* eggs and larvae to hemocytic encapsulation by their natural host, *Leucania separata*. International Congress of Entomology Proceedings 16: 202.
- Tanaka, T. 1982.** Effect of *Microplitis* parasitization on the ultrastructural morphology in hemocytes of *Leucania* host: 169-172. In: Akai, H., King, R.C. & Morophoshi, S. [eds] "The ultrastructure and functioning of insect cells." Society for Insect Cells, Japan.
- Tanaka, T., Sato, Y. & Hidaka, T. 1984.** Developmental interaction between *Leucania separata* (Lepidoptera: Noctuidae) and its braconid parasitoid, *Microplitis mediator* (Hymenoptera: Braconidae). Journal of Economic Entomology 77(1): 91-97.
- Tanaka, T. 1986.** Effects of the calyx and venom fluids of *Apanteles kariyai* (Hymenoptera: Braconidae) on the fat body and hemolymph protein contents of its host *Pseudaletia separata* (Lepidoptera: Noctuidae). Applied Entomology and Zoology 21(2): 220-227.
- Tanaka, T. 1986.** Morphological changes in haemocytes of the host, *Pseudaletia separata*, parasitized by *Microplitis mediator* or *Apanteles kariyai*. Developmental and Comparative Immunology 11: 57-67.
- Tanaka, T. 1986.** Physiological interaction between a host, *Pseudaletia* (= *Leucania*) *separata* and its parasitoids, *Microplitis mediator* and *Apanteles kariyai*. Memoirs of the Faculty of Science. Kyoto University. Series Biology 11: 1-27.
- Tanaka, T. 1987.** Calyx and venom fluids of *Apanteles kariyai* (Hymenoptera: Braconidae) as factors that prolong larval period of the host, *Pseudaletia separata* (Lepidoptera: Noctuidae). Annals of the Entomological Society of America 80(4): 530-533.
- Tanaka, T. 1987.** Effect of the venom of the endoparasitoid *Apanteles kariyai* Watanabe, on the cellular defence reaction of the host, *Pseudaletia separata* Walker. Journal of Insect Physiology 33: 413-420.
- Tanaka, T. 1987.** Morphology and functions of calyx fluid filaments in the reproductive tracts of endoparasitoid, *Microplitis mediator* (Hymenoptera, Braconidae). Entomophaga 32(1): 9-18.
- Tanaka, T., Agui, N. & Hiruma, K. 1987.** The parasitoid *Apanteles kariyai* inhibits pupation of its host, *Pseudaletia separata*, via disruption of prothoracicotropic hormone release. General and Comparative Endocrinology 67: 364-374.
- Tanaka, T. & Wago, H. 1990.** Ultrastructural and functional maturation of teratocytes of *Apanteles kariyai*. Archives of Insect Biochemistry and Physiology 13: 187-197.
- Tanaka, T. & Vinson, S.B. 1991.** Depression of prothoracic gland activity of *Heliothis virescens* by venom and calyx fluids from the parasitoid, *Cardiochiles nigriceps*. Journal of Insect Physiology 37(2): 139-144.
- Tanaka, T. & Vinson, S.B. 1991.** Interaction of venoms with the calyx fluids of three parasitoids, *Cardiochiles nigriceps*, *Microplitis croceipes* (Hymenoptera: Braconidae), and *Campoplex sonorensis* (Hymenoptera: Ichneumonidae) in effecting a delay in the pupation of *Heliothis virescens* (Lepidoptera: Noctuidae). Annals of the Entomological Society of America 84(1): 87-92.
- Tanaka, T., Yagi, S. & Nakamatu, Y. 1992.** Regulation of parasitoid sex allocation and host growth by *Cotesia* (*Apanteles*) *kariyai* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 85(3): 310-316.
- Tanaka, T., Tagashira, E. & Sakurai, S. 1994.** Reduction of testis growth of *Pseudaletia separata* larvae after parasitization by *Cotesia kariyai*. Archives of Insect Biochemistry and Physiology 26(2-3): 111-122.

- Tang, Y.Q. & Marsh, P.M. 1994.** A taxonomic study of the genus *Ascogaster* in China (Hymenoptera: Braconidae: Cheloniinae). *Journal of Hymenoptera Research* 3: 279-302.
- Tang, Y.Q. & Yokomi, R.K. 1995.** Temperature-dependent development of three hymenopterous parasitoids of aphids (Homoptera: Aphididae) attacking citrus. *Environmental Entomology* 24(6): 1736-1740.
- Tang, Y.Q., Weatherbee, A.A. III & Mayer, R.T. 2002.** Effect of neem seed extract on the brown citrus aphid (Homoptera: Aphididae) and its parasitoid *Lysiphlebus testaceipes* (Hymenoptera: Aphidiidae). *Environmental Entomology* 31(1): 172-176.
- Tanigoshi, L.K., Pike, K.S., Miller, R.H., Miller, T.D. & Allison, D. 1995.** Search for, and release of, parasitoids for the biological control of Russian wheat aphid in Washington State (USA). *Agriculture, Ecosystems and Environment* 52(1): 25-30.
- Tanton, M.T. & Epila, J.S.O. 1984.** Parasitization of larvae of *Paropsis atomaria* Ol. (Coleoptera: Chrysomelidae) in the Australian Capital Territory. *Australian Journal of Zoology* 32(2): 251-259.
- Tanwar, R.K. & Varma, A. 1996.** Rearing, biology and storage of Indonesian strain of *Cotesia flavipes* (Cameron) using sugarcane stalk borer *Chilo auricilius* Dudgeon as a host. *Journal of Biological Control* 10(1-2): 61-66.
- Tanwar, R.K. & Varma, A. 2001.** Field evaluation of *Cotesia flavipes* Cameron (Hymenoptera: Braconidae) (Indonesian strain) against sugarcane stalk and internode borers. *Journal of Biological Control* 15(2): 127-131.
- Tanwar, R.K. & Varma, A. 2002.** Field trials with *Cotesia flavipes* Cameron against sugarcane borers in sub tropical India. *Sugar Tech* 4(3-4): 153-156.
- Tao, F.L. & Zhang, M.L. 1997.** Study of the tritrophic system composed of the cruciferous vegetable-diamondback moth (*Plutella xylostella*)-parasitoids: the investigation of the larvae mortality caused by braconid (*Apanteles plutella*). *Natural Enemies of Insects* 19(2): 66-69.
- Tarabrina, A.M. 1970.** The silver Y moth in the Voronezh region. (in Russian) *Zashchita Rasteniy, Moskva* 15(10): 19.
- Tardieux, I. & Rabasse, J.M. 1986.** Host-parasite relationships in the case of *Aphidius colemani*: 125-135. In: Hodek, I. [ed.]. "Ecology of Aphidophaga." Prague: 1-562.
- Tardieux, I. & Rabasse, J.M. 1988.** Induction of a thelytokous reproduction in the *Aphidius colemani* (Hym.: Aphidiidae) complex. *Journal of Applied Entomology* 106(1): 58-61.
- Tardieux, I. & Rabasse, J.M. 1988.** Some aspects of host immunity and physiological suitability in aphids attacked by *Aphidius colemani*: 311-315. In: Niemczyk, E. & Dixon, A.F.G. [eds]. "Ecology and effectiveness aphidophaga". The Hague.
- Tardieux, I. & Rabasse, J.M. 1990.** Role of some epigenetic factors influencing the host suitability of *Myzus persicae* for the parasitoid *Aphidius colemani*. *Entomologia Experimentalis et Applicata* 54(1): 73-80.
- Tatara, A., Furuki, T. & Harakawa, K. 1993.** Evaluation of imported parasitic wasps as biological control agents of the legume leaf miner, *Liriomyza trifolii* Burgess in Shizuoka, Japan. I. Parasitism of two wasps [*Dacnusa sibirica*, *Diglyphus isaea*] on the legume leaf miner in glass greenhouse conditions and susceptibility of the wasps to insecticides and fungicides. *Proceedings of the Kanto Tosan Plant Protection Society* 40: 235-237.
- Tauber, M.J., Tauber, C.A., Nechols, J.R. & Obrycki, J.J. 1983.** Seasonal activity of parasitoids: control by external, internal & genetic factors. *Series Entomologica (Dordrecht)* 23: 87-108.
- Tavarez, M.T. 1996.** Occurrence of *Dendrocerus carpenteri* (Curtis) (Hymenoptera: Megaspilidae) in Brazil. *Anais da Sociedade Entomologica do Brasil* 25(2): 363-364.
- Tawfik, M.F.S., Hafez, M. & Ibrahim, A.A. 1977.** On the bionomics of *Microplitis rufiventris* Kok. (Hym., Braconidae). *Bulletin de la Société Entomologique d'Égypte* 61: 123-135.
- Tawfik, M.F.S., Hafez, M. & Ibrahim, A.A. 1980.** Immature stages of *Microplitis rufiventris* Kok. (Hym.: Braconidae). *Deutsche Entomologische Zeitschrift* 27: 39-50.
- Tawfik, M.F.S., Hafez, M. & Ibrahim, A.A. 1981.** Biology of the immature forms of *Microplitis rufiventris* Kok. (Hymenoptera: Braconidae). *Bulletin de la Société Entomologique d'Égypte* No. 61: 205-213.
- Taylor, A.D. 1988.** Host effects on larval competition in the gregarious parasitoid *Bracon hebetor*. *Journal of Animal Ecology* 57(1): 163-172.
- Taylor, A.D. 1988.** Host effects on functional and ovipositional responses of *Bracon hebetor*. *Journal of Animal Ecology* 57: 173-184.
- Taylor, A.J., Muller, C.B. & Godfray, H.C.J. 1998.** Effect of aphid predators on oviposition behavior of aphid parasitoids. *Journal of Insect Behavior* 11(2): 297-302.
- Taylor, G.S., Austin, A.D. & Davies, K.A. 1996.** Biology of the eucalypt gall-forming fly, *Fergusonina flavicornis* Malloch (Diptera: Fergusoninidae) and its associated hymenopterans in South Australia, with a description of a new species of *Bracon* (Hymenoptera: Braconidae). *Transactions of the Royal Society of South Australia Incorporated* 120(3-4): 131-146.
- Taylor, T. & Jones, D. 1990.** Isolation and characterization of the 32.5 kDa protein from the venom of an endoparasitic wasp. *Biochimica et Biophysica Acta, General Subjects* 1035(1): 37-43.
- Teague, T.G. & Phillips, J.R. 1981.** Determination of the kairomonal activity of Elcar and its effect upon host-searching of *Microplitis croceipes*, a braconid parasite of *Heliothis* spp. *Journal of the Kansas Entomological Society* 54(4): 732.
- Teague, T.G. & Phillips, J.R. 1982.** Kairomonal activity of Elcar and its effect upon host searching of *Microplitis croceipes* (Cresson) (Hymenoptera: Braconidae). *Environmental Entomology* 11: 1151-1153.
- Teague, T.G., Horton, D.L., Yearian, W.C. & Phillips, J.R. 1985.** Benomyl inhibition of *Cotesia marginiventris* in four lepidopterous hosts. *Journal of Entomological Science* 20: 76-81.
- Tedders, W.L. & Payne, J.A. 1986.** Biology, life history, and control of *Conotrachelus schoofi* (Coleoptera: Curculionidae) on pecans. *Journal of Economic Entomology* 79(2): 490-496.
- Tedders, W.L. 1977.** *Trioxys pallidus* and *Trioxys complanatus* as parasites of *Monellia costalis*, *Monelliopsis nigropunctata* and *Tinocallis caryaefoliae*. *Annals of the Entomological Society of America* 70(5): 687-690.
- Teder, T. & Tammaru, T. 2001.** Large larvae of a flush-feeding moth (*Epirrita autumnata*, Lepidoptera: Geometridae) are not at a higher risk of parasitism: Implications for the moth's life-history. *European Journal of Entomology* 98(3): 277-282.
- Tejada, M.L.O. & Luna, S.J.F. 1986.** Natural parasitism on *Heliothis zea* Boddie eggs and *Diatraea* spp. larvae in maize sown on different dates in Apodaca, N.L. *Informe de Investigacion Division de Ciencias Agropecuarias y Maritimas, Instituto Tecnológico y de Estudios Superiores de Monterrey, Mexico* 19: 33-34.
- Tejada, M.L.O., Ara, H.E. & Barajas, B.R. 1988.** Biological aspects of the chilli weevil *Anthonomus eugenii* Cano and evaluation of three insecticides for its control in Apodaca, N.L. *Informe de Investigacion, Division de Ciencias Agropecuarias y Maritimas, Instituto Tecnológico y de Estudios Superiores de Monterrey, Mexico* 20: 45-46.
- Telekar, N.S. & Yang, J.C. 1990.** Use of parasitoids for controlling the diamondback moth, *Plutella xylostella* (Lep.: Yponomeutidae). *FFTC-NARC International Seminar on 'The use of parasitoids and predators to control agricultural pests'*, Tukuba Science City, Ibaraki-ken 305, Japan, 2-7 October 1989. 21 pp.

- Teles da Silva, M. & Palma, M. de F.M. 1986.** Pygidial gland in males of *Doryctobracon areolatus* (Szépligeti) (Hymenoptera, Braconidae). *Revista Brasileira de Entomologia* 29(3/4)(30 December 1985): 571-574.
- Temerak, A.S. 1982.** Laboruntersuchungen zur Wirtshabitat-Wahl von *Bracon brevicornis* Wesm. (Hym.: Braconidae), einem Parasitoiden der Raupen von *Sesamia cretica* Led. (Lep., Noctuidae) in Sorghum-Stengeln. *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 55(10): 152-154.
- Temerak, S.A. 1980.** Detrimental effects of rearing a braconid parasitoid on the pink borer larvae inoculated by different concentrations of the bacterium, *Bacillus thuringiensis* Berliner. *Zeitschrift für angewandte Entomologie* 89: 315-319.
- Temerak, S.A. 1981.** Über Eignung und Reaktion überwinternder und aktiver Raupen von *Sesamia cretica* Led. (Lepid. Noctuidae) in Bezug auf den Parasitoiden *Bracon brevicornis* Wesm. (Hymen., Braconidae). *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 54(10): 149-151.
- Temerak, S.A. 1982.** Interactions between *Bacillus thuringiensis* Berl. and the larvae of the braconid *Bracon brevicornis* Wesm. through the larvae of *Sesamia cretica* Led. at different temperatures. *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 55(9): 137-140.
- Temerak, S.A. 1982.** Transmission of two bacterial pathogens by means of the ovipositor of *Bracon brevicornis* Wesm. (Hym.: Braconidae) into the body of *Sesamia cretica* Led. (Lep., Tortricidae). *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 55(6): 89-92.
- Temerak, S.A. 1983.** Eine verbesserte Technik zur Gewinnung eines höheren Weibchenanteils beim Parasitoiden *Bracon brevicornis* Wesm. (Hym., Braconidae). *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 56(2): 34-36.
- Temerak, S.A. 1983.** Host preferences of the parasitoid *Bracon brevicornis* (Hymenoptera, Braconidae) and host sensitivity to its venom. *Zeitschrift für angewandte Entomologie* 96(1): 37-41.
- Temerak, S.A. 1983.** Laboratory studies on certain factors affecting envenomation by the parasitoid, *Bracon brevicornis*: 2. Effect of females age, starvation and temperature. *Zeitschrift für angewandte Entomologie* 96(5): 428-432.
- Temerak, S.A. 1983.** Longevity of *Bracon brevicornis* (Hymenoptera: Braconidae) adults as influenced by nourishment on artificial and natural foods. *Entomophaga* 28 (2): 145-150.
- Temerak, S.A. 1983.** Studies on certain factors affecting the envenomation by the parasitoid, *Bracon brevicornis* Wesm. 1. Ratios of females to host larva, ratios of host larvae to a female and size of host insect. *Zeitschrift für angewandte Entomologie* 96: 364-368.
- Temerak, S.A. 1983.** Studies on *Pediobius bruchicida* (Rond.) (Hym., Eulophidae) a hyperparasitoid of *Sesamia cretica* Led. (Lep., Noctuidae). *Zeitschrift für angewandte Entomologie* 95(3): 267-272.
- Temerak, S.A. 1984.** A note on discrimination by the parasitoid, *Bracon brevicornis* Wesm. (Hymenoptera: Braconidae) between non-infected and bacteria-infected *Sesamia cretica* Led. larvae (Lepidoptera: Noctuidae). Über die Fähigkeit von *Bracon brevicornis* Wesm. (Hym.: Braconidae), zwischen nicht infizierten und von Bakterien infizierten Raupen von *Sesamia cretica* Led. (Lep.: Noctuidae) zu unterscheiden. *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 57(3): 54-56.
- Temerak, S.A. 1984.** Beziehungen zwischen dem Bakterium *Serratia marcescens* (Biz.) und der in den Raupen von *Sesamia cretica* Led. (Lep.: Tortricidae) sich entwickelnden Schlupfwespe *Bracon brevicornis* Wesm. (Hym., Braconidae). *Anzeiger für Schädlingkunde Pflanzenschutz Umweltschutz* 57(1): 7-9.
- Temerak, S.A. 1984.** Effect of different constant temperatures on certain biological aspects of *Bracon brevicornis*, a larval ectoparasitoid of *Sesamia cretica*. *Bulletin de la Société Entomologique d'Egypte* 63: 129-134.
- Temerak, S.A. 1984.** Studies on certain factors affecting the egg deposition of the parasitoid, *Bracon brevicornis* Wesm. (Hym., Braconidae). *Zeitschrift für angewandte Entomologie* 97: 523-527.
- Temerak, S.A. 1984.** Suitability of five lepidopteran host insects to the ectolarval parasitoid, *Bracon brevicornis*. *Zeitschrift für angewandte Entomologie* 97(2): 210-213.
- Temerak, S.A., Morsy, M.A. & Abdel-Galil, F.A. 1984.** Notes on relative impact of *Bracon brevicornis* Wesm. and its hyperparasitoid, *Pediobius bruchicida* (Rondani) through populations of the hibernating larvae of the pink borer. *Bulletin de la Société Entomologique d'Egypte* 63: 213-218.
- Tenhumberg, B., Keller, M.A. & Possingham, H.P. 2001.** Using Cox's proportional hazard models to implement optimal strategies: an example from behavioural ecology. *Mathematical and Computer Modelling* 33(6-7): 597-607.
- Tenhumberg, B., Keller, M.A., Possingham, H.P. & Tyre, A.J. 2001.** Optimal patch-leaving behaviour: a case study using the parasitoid *Cotesia rubecula*. *Journal of Animal Ecology* 70(4): 683-691.
- Tenhumberg, B., Keller, M.A., Tyre, A.J. & Possingham, H.P. 2001.** The effect of resource aggregation at different scales: Optimal foraging behavior of *Cotesia rubecula*. *American Naturalist* 158(5): 505-518.
- Tenma, K. 1997.** A taxonomic review of the *Aleiodes dispar*-group (Hymenoptera: Braconidae: Rogadinae) from Japan. *Japanese Journal of Entomology* 65(4): 799-812.
- Tenma, K. & Hirowatari, T. 1999.** A new species of the genus *Clinocentrus* Haliday (Hymenoptera: Braconidae: Rogadinae) from Japan. *Entomological Science* 2(2): 253-256.
- Teotia, T.P.S. 1964.** The comparative morphology and anatomy of the last instar larva of *Bracon (Microbracon) gelechiiae* Ashmead and *Apanteles flavipes* Cameron (Braconidae: Hymenoptera). *Ann. Zool.* 4: 74-111.
- Teramoto, T. & Tanaka, T. 2003.** Similar polydnavirus genes of two parasitoids, *Cotesia kariyai* and *Cotesia ruficrus*, of the host *Pseudaletia separata*. *Journal of Insect Physiology* 49(5): 463-471.
- Teran, J.B. 1984.** Comparative biologies of *Parahormius pallidipes* (Ashmead) (Hymenoptera: Braconidae) and *Sympiesis stigmatipennis* Girault (Hymenoptera: Eulophidae), ectoparasites of the tomato pinworm, *Keiferia lycopersicella* (Walsingham) (Lepidoptera: Gelechiidae). *Dissertation Abstracts International B Sciences and Engineering* 45(2) 1984: 455-456.
- Tereshkin, A.M. & Lobodenko, Y.S. 1997.** Some results on rearing entomophagous insects in Belarus. *Vyesti Akademii Navuk Byelarusi Syeryya Biyalahichnykh Navuk* 3: 99-103, 127.
- Tereshkova, E.V. 1981.** The Mediterranean fruit fly (*Ceratitidis capitata*) methods of discovery and control. *Zashchita Rastenii (Moscow)* 1981(1): 42-43.
- Ternes, P., Colfi, M.P., Ufer, A., Vogt, H., Vogt, H., Vinuela, E. & Jacas, J. 2001.** Influence of leaf substrates on the toxicity of selected plant protection products to *Typhlodromus pyri* Scheuten (Acari: Phytoseiidae) and *Aphidius rhopalosiphii* de Stefani Perez (Hymenoptera: Aphidiidae). IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at Castello de la Plana, Spain, 18-20 October, 2000. *Bulletin OILB SROP* 24(4): 7-15.
- Teskey, H.J. 1969.** On the behavior and ecology of the face fly, *Musca autumnalis* (Diptera: Muscidae). *Canadian Entomologist* 101(6): 561-576.
- Tewari, G.C. & Sandana, H.R. 1990.** An unusual heavy parasitization of brinjal shoot and fruit borer, *Leucinodes orbonalis* Guen. by a new braconid parasite. *Indian Journal of Entomology* 52(2): 338-341.

- Tewari, R.K., Mehrotra, A.K. & Prakash, O. 1985. Record of a new parasitoid, *Meteorus striatus* Thompson (Braconidae: Hymenoptera) on *Spilosoma obliqua* Wlk. (*Diacrisia obliqua* Wlk.) infesting sugarbeet. Science and Culture 51(6): 199-201.
- Thakur, A.K. & Kaistha, S. 1994. Incidence of insect pests in sesame (*Sesamum indicum* Linn.) under rainfed conditions in Paonta valley of Himachal Pradesh. Pest Management and Economic Zoology 2(2): 159-161.
- Thakur, A.K. & Kaistha, S. 1996. Association of braconid parasitoid *Apanteles obliquae* with caterpillars of *Spilosoma obliqua* (Walker) on sesame in Paonta Valley in Himachal Pradesh. Insect Environment 2(1): 12.
- Thakur, J.N., Rawat, U.S., Pawar, A.D. & Sidhu, S.S. 1989. Natural enemy complex of the cabbage aphid *Brevicoryne brassicae* L. (Homoptera: Aphididae) in Kullu Valley, Himachal Pradesh. Journal of Biological Control 3(1): 69.
- Thakur, J.N., Rawat, U.S. & Pawar, A.D. 1993. Successful control of cabbage butterfly, *Pieris brassicae* L. (Lepidoptera: Pieridae) with its natural enemies in Kullu Valley. H.P., India. Journal of Advanced Zoology 14(2): 84-87.
- Thakur, N.S.A. 1990. Additional record of parasitoids [*Brachymeria lasus*, *Ascogaster* sp.] on soyabean leaf folders, *Nacoleia* spp. in Khasi Hills of Meghalaya (India). Indian Journal of Hill Farming 3(2): 83-84.
- Thakur, N.S.A. & Deka, T.C. 1995. Evaluation of insecticides for safety to *Apanteles glomeratus* (L.), a parasitoid of *Pieris brassicae* (L.). Pest Management in Horticultural Ecosystems 1(1): 21-25.
- Thalji, R.A. 1997. Notes on parasitism of ladybirds (Coleoptera: Coccinellidae) in Vojvodina. Zbornik Matitse Srpske Za Prirodne Nauke 93: 67-75.
- Tham, E., Elmquist, H. & Trei, H. 1986. A comparison between *Eriogaster arbusculae* Freyer and *E. lanestris* L. in Sweden (Lep.: Lasiocampidae). Entomologisk Tidskrift 107(4): 117-123.
- Thangavelu, K. & Subba Rao, G. 1982. Insect parasitisation of muga silkworm *Antheraea assama* Westw. (Lepidoptera: Insecta). Current Science (Bangalore) 51(21): 1023-1024.
- Thangavelu, K. 1993. Natural enemies of muga silkworm, *Antheraea assama* Westwood (Lepidoptera: Saturniidae). Journal of Insect Science 6(1): 57-59.
- Thapa, R.B. 1987. Biology of *Pieris brassicae nepalensis* Doubleday (Lepidoptera: Pieridae) in the Chitwan Valley. Pesticides 21(6): 30-33.
- Thelen, E. & Farish, D.J. 1977. An analysis of the grooming behavior of wild and mutant strains of *Bracon hebetor*. Behaviour 62: 70-102.
- Thiboldeaux, R.L., Hutchison, W.D. & Hogg, D.B. 1987. Species composition of pea aphid (Homoptera: Aphididae) primary and secondary parasitoids in Wisconsin. Canadian Entomologist 119(11): 1055-1057.
- Thiel, A. & Hoffmeister, T.S. 2001. The influence of time intervals between patch visits on the host searching behaviour of the braconid wasp *Asobara tabida*. Vorträge der Entomologentagung in Dusseldorf vom 26. bis 31. März 2001. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 13(1-6): 73-76.
- Thiery, D., Xuerab, A., Villemant, C., Sentenac, G., Delbac, L., Kuntzman, P. & Lozzia, C. 2001. The parasites of grape tortricids: noticed on several species present in 3 French vine regions. Proceedings of the IOBC WPRS Working Group "Integrated Control in Viticulture" at Ponte de Lima, Portugal, 2-7 March, 2001. Bulletin OILB SROP 24(7): 135-141.
- Thippaiah, M. & Kumar, N.G. 1999. Additions to the natural enemies of the semilooper, *Thysanoplusia orichalcea* Fab. (Lepidoptera: Noctuidae). Entomon 24(4): 397-398.
- Thireau, J.C., Regnière, J. & Cloutier, C. 1990. Biology and morphology of immature stages of *Meteorus trachynotus* Vier. (Hymenoptera: Braconidae). Canadian Journal of Zoology 68(5): 1000-1004.
- Thireau, J.C. & Regnière, J. 1995. Development, reproduction, voltinism and host synchrony of *Meteorus trachynotus* with its hosts *Choristoneura fumiferana* and *C. rosaceana*. Entomologia Experimentalis et Applicata 76(1): 67-82.
- Thistleton, B.M. 1987. Control of diamond-back moth in brassicas. Harvest 12(3): 87-90.
- Thoeny, W.T. & Nordin, G.L. 1991. Parasitoids reared from the locust twig borer, *Ecdytolopha insiticiiana* Zell. (Lepidoptera: Tortricidae) in southeastern Kentucky. Journal of the Kansas Entomological Society 64(1): 77-79.
- Thomas, F., Gente, P., Oget, E., Desmots, D. & Renaud, F. 1999. Parasitoid infection and sexual selection in the beetle *Timarcha maritima* Perris (Coleoptera: Chrysomelidae). Coleopterists Bulletin 53(3): 253-257.
- Thomas, G.D. & Wingo, C.W. 1968. Parasites of the face fly and two other species of dung inhabiting flies in Missouri. Journal of Economic Entomology 61(1): 147-152.
- Thomas, G.D. & Morgan, C.E. 1972. Parasites of the horn fly in Missouri. Journal of Economic Entomology 65(1): 169-174.
- Thomas, G.D. 1981. Insect parasites of the horn fly and face fly in Missouri: 118-124. In: Patterson, R.S. [ed.]. "Status of biological control of filth flies." Proceedings of a workshop, February 4-5, 1981, Gainesville.
- Thomas, G.D., Hall, R.D., Wingo, C.W., Smith, D.B. & Morgan, C.E. 1983. Field mortality studies of the immature stages of the face fly (Diptera: Muscidae) in Missouri. Environmental Entomology 12(3): 823-830.
- Thomas, Y., Bethenod, M.T., Pelozuelo, L., Frerot, B. & Bourguet, D. 2003. Genetic isolation between two sympatric host-plant races of the European corn borer, *Ostrinia nubilalis* Hübner. I. Sex pheromone, moth emergence timing, and parasitism. Evolution 57(2): 261-273.
- Thompson, C.R. 1989. *Diachasmimorpha longicaudata* (Ashmead) (Hymenoptera: Braconidae), biological control agent for the Caribbean fruit fly. Florida Department of Agriculture and Consumer Services Division of Plant Industry Entomology Circular No. 325 1989: 2 pp.
- Thompson, J.N. 1986. Oviposition behaviour and searching efficiency in a natural population of a braconid parasitoid. Journal of Animal Ecology 55: 351-360.
- Thompson, L.C. & Kulman, H.M. 1980. Parasites of the yellow-head spruce sawfly, *Pikonema alaskensis* (Hymenoptera: Tenthredinidae), in Maine and Nova Scotia. Canadian Entomologist 112(1): 25-29.
- Thompson, S.N. & Barlow, J.S. 1972. Influence of host fatty acid composition on that of Ichneumonoid and Chalcidoid wasps. Journal of Parasitology 58(4): 836-839.
- Thompson, S.N. 1983. Biochemical and physiological effects of metazoan parasites on their host species. Comparative Biochemistry and Physiology B74(2): 183-211.
- Thompson, S.N., Lee, R.W.K. & Beckage, N.E. 1988. Preliminary NMR studies in the metabolism of [13C] labelled metabolites in *Manduca sexta* parasitized by the insect parasite *Cotesia congregata*. Colloques de l'Inra 48: 73-79.
- Thompson, S.N., Lee, R.W.K. & Beckage, N.E. 1990. Metabolism of parasitized *Manduca sexta* examined by nuclear magnetic resonance. Archives of Insect Biochemistry and Physiology 13(1-2): 127-143.
- Thompson, S.N. & Lee, R.W.K. 1993. Metabolic fate of alanine in an insect *Manduca sexta*: effects of starvation and parasitism. Biochimica et Biophysica Acta 1157(3): 259-269.

- Thompson, S.N. & Lee, R.W.K. 1994. Glucose metabolism in an insect *Manduca sexta* and effects of parasitism. *Biochimica et Biophysica Acta, General Subjects* 1200(3): 322-330.
- Thompson, S.N., Deese, A.J. & Beckage, N.E. 1991. Magnetic resonance imaging (MRI) of the gregarious parasite *Cotesia congregata* in *Manduca sexta*. *Redia* 74(3)(Appendice): 463-466.
- Thompson, S.N., Dahlman, D.L., Pennacchio, F., Vinson, S.B. & Lanzrein, B. 1998. Aberrant nutritional regulation of carbohydrate synthesis by parasitized *Manduca sexta* L. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 745-753.
- Thompson, S.N. & Dahlman, D.L. 1999. Blood sugar formation due to abnormally elevated gluconeogenesis: aberrant regulation in a parasitized insect, *Manduca sexta* Linnaeus. *Biochimica et Biophysica Acta, Molecular Basis of Disease* 1454(2): 133-142.
- Thompson, S.N. 2001. Parasitism enhances the induction of gluconeogenesis by the insect, *Manduca sexta* L. *International Journal of Biochemistry and Cell Biology* 33(2): 163-173.
- Thompson, S.N., Redak, R.A. & Wang, L.W. 2001. Altered dietary nutrient intake maintains metabolic homeostasis in parasitized larvae of the insect *Manduca sexta* L. *Journal of Experimental Biology* 204(23): 4065-4080.
- Thompson, S.N., Redak, R.A. & Borchardt, D.B. 2002. The gluconogenic response of a parasitized insect *Manduca sexta* L. is partially mediated by differential nutrient intake. *Biochimica et Biophysica Acta, General Subjects* 1571(2): 138-150.
- Thorpe, K.W. & Barbosa, P. 1986. Effects of consumption of high and low nicotine tobacco by *Manduca sexta* (Lepidoptera: Sphingidae) on survival of gregarious endoparasitoid *Cotesia congregata* (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 12(6): 1329-1337.
- Thorpe, K.W., Raupp, M.J., Odell, T.M. & Abbott, W.S. 1990. Assessing gypsy moth (Lepidoptera: Lymantriidae) larval mortality caused by the parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae): host age effects. *Environmental Entomology* 19(3): 771-775.
- Throne, J.E., Weaver, D.K. & Baker, J.E. 1995. Probit analysis: assessing goodness-of-fit based on backtransformation and residuals. *Journal of Economic Entomology* 88(5): 1513-1516.
- Thumlert, T.A. & Austin, A.D. 1994. Biology of *Phylacteophaga froggatti* Riek (Hymenoptera: Pergidae) and its parasitoids in South Australia. *Transactions of the Royal Society of South Australia* 118(2): 99-113.
- Thuróczy, C. 1999. Parasitoids of mining insects. *Novenyvedelem* 35(12): 643-644.
- Thurston, R. & Fox, P.M. 1972. Inhibition by nicotine of emergence of *Apanteles congregatus* from its host, the tobacco hornworm. *Annals of the Entomological Society of America* 65: 547-550.
- Thurston, R. 1976. Diapause inhibition in *Manduca sexta* and *Apanteles congregatus* by high scotophase temperatures. *Environmental Entomology* 5: 626-627.
- Tian, L.X., Yang, L.F., Wang, S.M. & Gao, S.G. 1981. A preliminary study on aphid parasites in cotton fields (Hymenoptera: Aphidiidae). (in Chinese) *Kunchong Zhishi* 18(4): 158-160.
- Tian, Z.P. 1987. Field survey of the larval parasites of *Cnaphalocrocis medinalis* in Guizhou. (in Chinese) *Chinese Journal of Biological Control* 3(2): 72.
- Ticehurst, M. & Fusco, R.A. 1976. Release of three *Apanteles* spp. against the gypsy moth in Pennsylvania. *Journal of Economic Entomology* 69(3): 307-308.
- Ticehurst, M., Fusco, R.A., Kling, R.P. & Unger, J. 1978. Observations on parasites of gypsy moth in first cycle infestations in Pennsylvania from 1974-1977. *Environmental Entomology* 7(3): 355-358.
- Ticehurst, M., Fusco, R.A. & Blumenthal, E.M. 1982. Effects of reduced rates of Dispel 4L, Dylox 1.5 oil, and Dimilin W-25 on *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae), parasitism, and defoliation. *Environmental Entomology* 11(5): 1058-1062.
- Ticehurst, M. 1984. Seasonal chronology of gypsy moth parasitism in Pennsylvania. *Melsheimer Entomological Series No. 34*: 15-18.
- Tien, N.S.H., Boyle, D., Kraaijeveld, A.R. & Godfray, H.C.J. 2001. Competitive ability of parasitized *Drosophila* larvae. *Evolutionary Ecology Research* 3(6): 747-757.
- Tilahun, D.A. & Emden, H.F. van 1997. The susceptibility of rose grain aphid (Homoptera: Aphididae) and its parasitoid (Hymenoptera: Aphidiidae) and predator (Coleoptera: Coccinellidae) to malathion on aphid susceptible and resistant wheat cultivars. International conference on pests in agriculture, 6-8 January 1997, at le Corum, Montpellier, France. Vol 3: 1137-1148.
- Tilden, R.L. & Ferkovich, S.M. 1987. Kairomonal stimulation of oviposition into an artificial substrate by the endoparasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 81: 152-156.
- Tilden, R.L. & Ferkovich, S.M. 1987. Regulation of protein synthesis during egg development of the parasitic wasp, *Microplitis croceipes* (Cresson) (Braconidae). *Insect Biochemistry* 17(6): 783-792.
- Tillinger, N.A., 2002. Die Wirkung unterschiedlicher Dosen von Co-Strahlung auf die Funktion assoziierter Polydnnaviren im Wirt-Parasitoid System *Lymantria dispar* (Lep., Lymantriidae) und *Glyptapanteles liparidis* (Hym., Braconidae). Wien: 1-152.
- Tillman, P.G. & Powell, J.E. 1989. Comparison of acceptance of larval instars of the tobacco budworm (Lepidoptera: Noctuidae) by *Microplitis croceipes*, *Microplitis demolitor*, *Cotesia kazak* (Hymenoptera: Braconidae), and *Hyposoter didymator* (Hymenoptera: Ichneumonidae). *Journal of Agricultural Entomology* 6(4): 201-209.
- Tillman, P.G. & Cate, J.R. 1989. Six new hosts of *Bracon mellitor* (Hymenoptera: Braconidae), with a review of recorded hosts. *Environmental Entomology* 18(2): 328-333.
- Tillman, P.G. & Powell, J.E. 1991. Developmental time in relation to temperature for *Microplitis croceipes*, *M. demolitor*, *Cotesia kazak* (Hymenoptera: Braconidae), and *Hyposoter didymator* (Hymenoptera: Ichneumonidae), endoparasitoids of the tobacco budworm (Lepidoptera: Noctuidae). *Environmental Entomology* 20(1): 61-64.
- Tillman, P.G. & Powell, J.E. 1992. Intraspecific host discrimination and larval competition in *Microplitis croceipes*, *Microplitis demolitor*, *Cotesia kazak* (Hym.: Braconidae) and *Hyposoter didymator* (Hym.: Ichneumonidae), parasitoids of *Heliothis virescens* (Lep.: Noctuidae). *Entomophaga* 37(3): 429-437.
- Tillman, P.G. & Powell, J.E. 1992. Interspecific discrimination and larval competition among *Microplitis croceipes*, *Microplitis demolitor*, *Cotesia kazak* (Hym.: Braconidae), and *Hyposoter didymator* (Hym.: Ichneumonidae), parasitoids of *Heliothis virescens* (Lep.: Noctuidae). *Entomophaga* 37(3): 439-451.
- Tillman, P.G. & Cate, J.R. 1993. Effect of host size on adult size and sex ratio of *Bracon mellitor* (Hymenoptera: Braconidae). *Environmental Entomology* 22(5): 1161-1165.
- Tillman, P.G. & Laster, M.L. 1993. Comparison of parasitization of *Heliothis virescens*, *Helicoverpa zea* and *H. virescens*-*H. subflexa* hybrid by *Microplitis croceipes*. *Proceedings Beltwide Cotton Conferences* 2: 992.
- Tillman, P.G., Laster, M.L. & Powell, J.E. 1993. Development of the endoparasitoids *Microplitis croceipes*, *Microplitis demolitor*, and *Cotesia kazak* (Hymenoptera: Braconidae) on *Helicoverpa zea* and *H. armigera* (Lepidoptera: Noctuidae). *Journal of Economic Entomology* 86(2): 360-362.

- Tillman, P.G. 1994.** Age-dependent parasitization and production of female progeny for *Microplitis croceipes* (Hymenoptera: Braconidae). *Southwestern Entomologist* 19(4): 335-338.
- Tillman, P.G. & Lambert, L. 1995.** Influence of soybean pubescence on incidence of the corn earworm and the parasitoid, *Microplitis croceipes*. *Southwestern Entomologist* 20(2): 181-185.
- Tillman, P.G. & Laster, M.L. 1995.** Parasitization of *Heliothis virescens* and *H. virescens*-*H. subflexa* backcross (Lepidoptera: Noctuidae) by *Microplitis croceipes* (Hymenoptera: Braconidae). *Environmental Entomology* 24(2): 409-411.
- Tillman, P.G. 1995.** Recent accomplishments in biological control of *Heliothis virescens* and *Helicoverpa zea*. *Proceedings Beltwide Cotton Conferences, San Antonio, TX, USA, January 4-7, 1995: Vol 2: 1036-1038.*
- Tillman, P.G. 1995.** Susceptibility of *Microplitis croceipes* and *Cardiochiles nigriceps* (Hymenoptera: Braconidae) to field rates of selected cotton insecticides. *Journal of Entomological Science* 30(3): 390-396.
- Tillman, P.G. 1996.** Functional response of *Microplitis croceipes* and *Cardiochiles nigriceps* (Hymenoptera: Braconidae) to variation in density of tobacco budworm (Lepidoptera: Noctuidae). *Environmental Entomology* 25(2): 524-528.
- Tillman, P.G. 1996.** Susceptibility of three parasitoids of *Heliothis virescens* to field rates of selected cotton insecticides. *Proceedings Beltwide Cotton Conferences, Nashville, TN, USA, January 9-12, 1996: Vol 2: 793-795.*
- Tillman, P.G. & Scott, W. 1997.** Susceptibility of *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae) to field rates of selected cotton insecticides. *Journal of Entomological Science* 32(3): 303-310.
- Tillman, P.G., Mulrooney, J.E., Mitchell, W., Dugger, P. & Richter, D. 1998.** Susceptibility of selected beneficial insects to DPX-MP062. *Proceedings Beltwide Cotton Conferences, San Diego, California, USA, 5-9 January 1998. Vol 2: 1112-1114.*
- Tillman, P.G. & Mulrooney, J.E. 2000.** Effect of selected insecticides on the natural enemies *Coleomegilla maculata* and *Hippodamia convergens* (Coleoptera: Coccinellidae), *Geocoris punctipes* (Hemiptera: Lygaeidae), and *Bracon mellitor*, *Cardiochiles nigriceps*, and *Cotesia marginiventris* (Hymenoptera: Braconidae) in cotton. *Journal of Economic Entomology* 93(6): 1638-1643.
- Tillman, P.G. & Mulrooney, J.E. 2001.** Effect of malathion on beneficial insects. *Southwestern Entomologist* 24: 13-21.
- Tillman, P.G. 2001.** Factors affecting parasitization of *Spodoptera exigua* (Lepidoptera: Noctuidae) and sex ratio of the parasitoid *Cotesia marginiventris* (Hymenoptera: Braconidae). *Journal of Entomological Science* 36(2): 188-198.
- Tillman, P.G. & Mullinix, B.G. Jr. 2003.** Comparison of host-searching and ovipositional behavior of *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae), a parasitoid of *Heliothis virescens* (Fabricius) (Lepidoptera: Noctuidae), in tobacco and cotton. *Journal of Insect Behavior* 16(4): 555-569.
- Tilmon, K.J., Danforth, B.N., Day, W.H. & Hoffmann, M.P. 2000.** Determining parasitoid species composition in a host population: a molecular approach. *Annals of the Entomological Society of America* 93(3): 640-647.
- Tilmon, K.J. & Hoffmann, M.P. 2003.** Biological control of *Lygus lineolaris* by *Peristenus* spp. in strawberry. *Biological Control* 26(3): 287-292.
- Tingle, F.C., Ashley, T.R. & Mitchell, E.R.L. 1978.** Parasites of *Spodoptera exigua*, *Spodoptera eridania* (Lepidoptera: Noctuidae) and *Herpetogramma bipunctalis* (Lepidoptera: Pyralidae) collected from *Amaranthus hybridus* in field corn. *Entomophaga* 23(4): 343-348.
- Tingle, F.C. & Mitchell, E.R. 1982.** Effect of synthetic pheromone on parasitization of *Heliothis virescens* (F.) (Lepidoptera: Noctuidae) in tobacco. *Environmental Entomology* 11(4): 913-916.
- Tingle, F.C., Mitchell, E.R. & Heath, R.R. 1989.** Mating and oviposition by *Cotesia* (= *Apanteles*) *marginiventris* (Hymenoptera: Braconidae) in presence of synthetic pheromone of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Chemical Ecology* 15(7): 2045-2050.
- Tingle, F.C., Mitchell, E.R. & McLaughlin, J.R. 1994.** Lepidopterous pests of cotton and their parasitoids in a double-cropping environment. *Florida Entomologist* 77(3): 334-341.
- Titayavan, M. & Altieri, M.A. 1990.** Synomone-mediated interactions between the parasitoid *Diaeretiella rapae* and *Brevicoryne brassicae* under field conditions. *Entomophaga* 35(4): 499-507.
- Tizado, E.J. & Nunez-Perez, E. 1991.** Contribution to the knowledge of parasitoids of aphids of the subfamily Aphidiinae (Hym.: Braconidae) in Spain. *Boletín de Sanidad Vegetal, Plagas* 17(4): 545-554.
- Tizado, E.J. 1992.** *Monoctonus hispanicus* sp. n. (Hymenoptera, Braconidae: Aphidiinae), a parasitoid of *Nasonovia* (*Neokakimia*). *Anales de Biología* 18: 53-57.
- Tizado, E.J. & Nunez-Perez, E. 1994.** *Aphidius* (*Tremblayia*) *artemisiicola*, a new subgenus and species of Aphidiinae from Spain (Hymenoptera: Braconidae). *Graellsia* 50: 25-27.
- Tobias, V.I. 1964.** New species and genus of Braconids (Hymenoptera, Braconidae) from Kazakhstan. *Trudy Zoologicheskogo Instituta. Leningrad* 34: 177-234.
- Tobias, V.I. 1964.** Novye viy i rod brakonid (Hymenoptera, Braconidae) iz Tadzhikistana. *Izvestiya Akademii Nauk Tadzhikskoi SSR (Biol.)* 2(16): 59-62.
- Tobias, V.I. 1964.** On two new species of the genus *Agathis* Latr. (Hymenoptera, Braconidae) from the Caucasus. *Izvestiya Akademii Nauk Armyanskoi SSR* 17(3): 59-66.
- Tobias, V.I. 1965.** Generic groupings and evolution of parasitic Hymenoptera of the subfamily Euphorinae (Hymenoptera: Braconidae). *Entomologicheskoye Obozreniye* 44(4): 841-865. [Entomological Review 494-507].
- Tobias, V.I. 1966.** Generic groupings and evolution of parasitic Hymenoptera of the subfamily Euphorinae (Hymenoptera: Braconidae) II. *Entomologicheskoye Obozreniye* 45: 612-633. [Entomological Review 45: 348-358].
- Tobias, V.I. 1966.** Parasitic Braconids (Hymenoptera, Braconidae) collected at the light of a quartz lamp in Turkmenia, their variability and adaptation to life in the desert. (in Russian with English summary) *Zoologicheskii Zhurnal* 45(12): 1804-1814.
- Tobias, V.I. 1966.** New species and genus of Braconids (Hymenoptera, Braconidae) from Turkmenia and adjacent territories. *Trudy Zoologicheskogo Instituta. Leningrad* 37: 111-131.
- Tobias, V.I. 1967.** The Soviet Far East-the centre of abundance of the tribe Helconini (Hymenoptera: Braconidae) in the Palearctic. *Trudy Zoologicheskogo Instituta. Leningrad* 41: 222-238.
- Tobias, V.I. 1967.** A review of the classification, phylogeny and evolution of the family Braconidae (Hymenoptera). *Entomologicheskoye Obozreniye* 46(3): 645-669. [Entomological Review 46(3): 387-399].
- Tobias, V.I. 1968.** A tropical relict in the desert fauna of braconids (Hymenoptera, Braconidae) of Middle Asia. (in Russian with English summary) *Zoologicheskii Zhurnal* 47: 304-305.
- Tobias, V.I. 1968.** The problems of classification and phylogeny of the Braconidae (Hymenoptera): 3-43. (in Russian). *Acad. Sci. USSR. Dokladi na Dvadsatom Ezhegodnom Chleniya Pamyati N.A. Kholodkovskogo*. [Special issue dedicated to the memory of N.A. Kholodkovskogo].
- Tobias, V.I. 1970.** New species of braconid ichneumon flies (Hymenoptera, Braconidae) from the Far East: 77-81. In: Cherepanov [ed.]. 'New and little known species Siberian fauna, Novosibirsk.' 3.

- Tobias, V.I. 1971.** Review of the Braconidae (Hymenoptera) of the U.S.S.R. (in Russian) Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 54: 156-268. [Translation 1975 1-164. New Delhi].
- Tobias, V.I. 1971.** The system, phylogeny and evolution of the family Braconidae (Hymenoptera). Proceedings of the 13th International Entomological Congress 1: 206-207.
- Tobias, V.I. & Jakimavičius, A.B. 1971.** Key to braconid parasites (Hymenoptera: Braconidae) of orchard pests. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 54: 269-285.
- Tobias, V.I. & Kiriya, I.G. 1971.** The parasite *Areopraon pilosum* Mackauer, 1959, and respects of their phylogeny and evolution of the family Aphidiidae (Hymenoptera). Entomologicheskoye Obozreniye 50: 11-16. [Entomological Review 50(1): 6-8].
- Tobias, V.I. & Alexeev, Y.I. 1972.** Braconidae (Hymenoptera)- parasites of lepidopterous pests in the Middle Asia (Key for identification). (in Russian) Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 55: 267-283.
- Tobias, V.I. 1972.** Behavior of adult braconid parasitic wasps (Hymenoptera, Braconidae) and its improvement in the process of evolution. (in Russian with English summary) Zoologicheskii Zhurnal 51(4): 524-532.
- Tobias, V.I. 1972.** Contributions to the knowledge of the subgenus *Chelonus* s. str. of the USSR and near-by territories. (in Russian) Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 55: 284-299.
- Tobias, V.I. 1972.** New species of Braconids (Hymenoptera: Braconidae) from Mongolia. Nasekomye Mongolii [Insects of Mongolia] 9: 585-612.
- Tobias, V.I. & Abdinbekova, A.A. 1973.** Ichneumon flies of the genus *Ipobracon* Thomson, 1892 (Hymenoptera, Braconidae) from the fauna USSR and Mongolia. (in Russian with English summary) Entomologicheskoye Obozreniye 52(2): 430-438. [Entomological Review 52(2): 296-302].
- Tobias, V.I. & Alexeev, Y.I. 1973.** A new genus of braconids (Hymenoptera) with the Middle Asian-South African range. (in Russian with English summary) Zoologicheskii Zhurnal 52(2): 286-289.
- Tobias, V.I. & Jakimavičius, A.B. 1973.** Supplementary data about the braconid (Hymenoptera, Braconidae) fauna of Lithuania. (in Russian with English summary) Acta Entomologica Lituanica 2: 23-38.
- Tobias, V.I. & Dudarenko, G.P. 1974.** General trends in evolution of Braconidae (Hym.) abdomen. (in Russian) Vestnik Zoologii 1974(3): 65-72.
- Tobias, V.I. 1974.** Contribution to the knowledge of the Braconids (Hymenoptera, Braconidae).] (in Russian) Nasekomye Mongolii [Insects of Mongolia] 4(2): 261-274.
- Tobias, V.I. 1975.** A new genus of Braconidae (Hymenoptera) of tropical origin in the fauna of middle Asia. (in Russian with English summary) Zoologicheskii Zhurnal 54: 962-964.
- Tobias, V.I. 1975.** Two new species and a new genus of Braconids (Hymenoptera, Braconidae, Alysiinae) from Mongolia. (in Russian) Nasekomye Mongolii [Insects of Mongolia]. 3: 306-309.
- Tobias, V.I. 1975.** Body sizes in the braconids (Hymenoptera: Braconidae) and their evolution. Entomologicheskoye Obozreniye 54(1): 137-150. [Entomological Review 54(1): 98-107].
- Tobias, V.I. 1975.** Two new species of braconids from the genus *Apanteles* Först. (Hymenoptera: Braconidae) parasites of the moth *Bucculatrix ulmella* Z. Izvestiya Akademii Nauk Moldav. SSR (Biol. Khim) 1975(3): 60-63.
- Tobias, V.I. 1976.** A new genus of braconids (Hymenoptera, Braconidae, Opiinae) in the fauna of the USSR. (in Russian) Trudy Zoologicheskogo Instituta. Akad. Nauk SSSR 64: 76-78.
- Tobias, V.I. 1976.** Braconids of the Caucasus (Hymenoptera, Braconidae). (in Russian) Opred. Faune SSSR. Nauka Press. Leningrad 110. 286 pp.
- Tobias, V.I. 1976.** *Gnaptogaster mongolica* gen. et sp. n. from a new tribe of braconids (Hym., Braconidae, Opiinae) and some problems of the phylogeny and evolution of this family. (in Russian) Nasekomye Mongolii [Insects of Mongolia] 4: 315-321.
- Tobias, V.I. 1976.** Contribution to the knowledge of the Far Eastern Braconids of the genus *Microdus* Nees (Hymenoptera: Braconidae). Trudy Biologo-pochvennogo Instituta AN SSSR 43: 96-106.
- Tobias, V.I. 1977.** A new genus and new species of Braconidae (Hymenoptera) from Mongolia. Nasekomye Mongolii [Insects of Mongolia].5: 470-480.
- Tobias, V.I. 1977.** New species of braconids of the genus *Apanteles* Först. (Hymenoptera, Braconidae) from the Far East. Trudy Zoologicheskogo Instituta. Leningrad 67: 90-96.
- Tobias, V.I. 1977.** The genus *Opius* Wesm. (Hymenoptera, Braconidae) as parasites of fruit flies (Diptera, Tephritidae). Entomologicheskoye Obozreniye 56: 420-430. [Entomological Review 56: 132-139].
- Tobias, V.I. 1977.** Two new species of the genus *Opius* Wesm. (Hymenoptera, Braconidae) that are parasites of fruit flies (Diptera, Tephritidae). In: Skarlato, O.A. [ed.]. 'New and Little-known Insect species from the European regions of the USSR.' Leningrad; 82-85.
- Tobias, V.I. & Alexeev, J.I. 1977.** Contribution to the knowledge of Braconidae of the genus *Cardiochiles* Nees (Hym.) species with black body coloration. (in Russian) Trudy Zoologicheskogo Instituta. Akad. Nauk SSSR 71: 94-104.
- Tobias, V.I. & Lukáš, J. 1997.** *Microchelonus bidentulus* sp. nov. from Slovakia (Hymenoptera: Braconidae). Entomofauna 18(2): 21-24.
- Tobias, V.I. & Saidov, N.S. 1997.** Three new species of braconid parasitoids from the Vakhsh Valley of Tajikistan. Izvestiya Akademii Nauk Respubliki Tadjikistan Otdelenie Biologicheskikh Nauk 2-4 134 (aprel'-dekabr', 1994): 25-29.
- Tobias, V.I. & Saidov, N.S. 1997.** Two new species of braconid wasps (Hymenoptera, Braconidae) from Tajikistan. Entomologicheskoye Obozreniye 76(1): 210-212, 236. [Entomological Review 77(3): 271-273].
- Tobias, V.I. 1979.** A new species of the genus *Cenocoelius* Hal. (Hymenoptera, Braconidae) from the Far East. Trudy Zoologicheskogo Instituta. Leningrad 81: 106-108.
- Tobias, V.I. 1979.** New genus and species from tribe Dacusini (Hymenoptera; Braconidae) from the Caucasus. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 61: 138-140.
- Tobias, V.I. 1979.** Two new and little known subfamilies of Braconidae (Hymenoptera) from Australia. (in Russian) Entomologicheskoye Obozreniye 58: 128-142. [Entomological Review 70-79].
- Tobias, V.I. & Yuldashev, E.Y. 1979.** Three new remarkable species and two new genera of Braconids (Hymenoptera, Braconidae, Euphorinae, Neoneurini). (in Russian) Trudy Zoologicheskogo Instituta. Leningrad 88: 95-102.
- Tobias, V.I. 1980.** New species of braconids (Hymenoptera, Braconidae)-parasites of bark beetles from Mongolia and the USSR. Nasekomye Mongolii 7: 289-295.
- Tobias, V.I. & Belokobylskij, S.A. 1981.** Braconid genera (Hymenoptera, Braconidae) new to science and to the fauna of the USSR from the Maritime territory. (in Russian) Entomologicheskoye Obozreniye 60: 354-363. [Entomological Review 60(2): 75-86].
- Tobias, V.I. & Potapova, Y.S. 1982.** Morphological peculiarities of the head capsule of Braconidae (Hymenoptera) and the basic directions of their evolution. Entomologicheskoye Obozreniye 61: 30-42. [Entomological Review 61(1): 34-47].

- Tobias, V.I. 1982.** The species described by W. Hellén under *Diospilus*, subgenus *Taphaeus* (Hymenoptera, Braconidae). *Entomologicheskoye Obozreniye* 61: 614-625. [Entomological Review 61(3): 143-148].
- Tobias, V.I. 1983.** On the cognition of the genus *Acrisis* Förster, 1862 and tribe Acrisidini Hellén, 1957 (Hymenoptera: Braconidae: Doryctinae). (in Russian) *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 65: 155-168.
- Tobias, V.I. 1984.** Far eastern species of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae: Cheloninae) with yellow abdominal spots. *Ler, P.A. [ed.]. Sistematika Nasekomykh Dal'nego Vostok [Systematic of Insects from the Far East.]* 1984: 84-94.
- Tobias, V.I. & Belokobylskij, S.A. 1984.** Aberrant venation in Braconids (Hymenoptera, Braconidae) and its significance for the study of the phylogeny of the family. *Entomologicheskoye Obozreniye* 62: 341-347. [Entomological Review 62(2): 107-114].
- Tobias, V.I. & Kotenko, A.G. 1984.** Three new species of genus *Apanteles* Foerster of the parasitellae-group (Hymenoptera: Braconidae). [Taxonomy and Zoogeography of Insects. Kiev.] 61-66.
- Tobias, V.I. & Gurasashvili, M.L. 1985.** A new species of the genus *Phaenocarpa* (Hymenoptera, Braconidae). (in Russian with English summary) *Zoologicheskii Zhurnal* 64(3): 461-463.
- Tobias, V.I. 1985.** Two new species of the braconid genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) from the Caucasus. (in Russian) *Entomologicheskoye Obozreniye* 64(4): 823-826. [Entomological Review 65(2): 139-142].
- Tobias, V.I. 1985.** *Victorovita*, new genus from the tribe Dacnusiini (Hymenoptera, Braconidae, Alysiinae). (in Russian with English summary) *Zoologicheskii Zhurnal* 64(9): 1407-1409.
- Tobias, V.I. 1985.** New species of braconids (Hymenoptera: Braconidae) from Afghanistan. *Entomologicheskoye Obozreniye* 64: 197-202. [Entomological Review 64(2): 137-143].
- Tobias, V.I. 1986.** New species of *Microchelonus* Szépl. (Hymenoptera, Braconidae) from the Soviet Far East: 22-27 (in Russian). In: *Ler, P.A., Belokobylskij, S.A. & Storozheva, N.A. [eds] 'Pereponchatokrylye Vostochnoy Sibiri i Dal'nego Vostoka [Hymenoptera of East Siberia and the Far East].'* Vladivostok: 1-152 pp.
- Tobias, V.I. 1986.** New species of the subfamily Cheloninae (Hymenoptera: Braconidae) from the Far East of the USSR. (in Russian) *Trudy Zoologicheskogo Instituta. Akad. Nak. SSSR* 159: 3-17.
- Tobias, V.I. 1986.** Two new species of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) from Moldavia. (in Russian with English summary) *Entomophages of the Horticulture Pests (Kishinev)*. 9-14.
- Tobias, V.I. 1986.** Introduction: 1-21. Rogadinae: 72-85. Gnaptodontinae, Braconinae, Telengainae: 85-149. Helconinae, Braclistinae: 150-180. Euphorinae: 181-250. Macrocentrinae. Xiphozelinae: 250-263. Homolobinae, Orgilinae (Mimagathidinae, Microtypinae): 263-274. Sigalphinae, Agathidinae: 274-291. Ichneutinae: 291-293. Cheloninae: 293-335. Acaeliinae, Cardiochilinae, Microgastrinae, Miracinae, Supplement: 336-501. In: *Medvedev G.S. [ed.]. 'Opredelitel Nasekomykh Evrospeiskoi Tsasti SSSR 3, Peredpontdatokrylye 4. Opr. Faune SSSR.'* 145: 1-501. [Keys to the insects of the European part of USSR. Hymenoptera.]. [English translation. Lebanon, U.S.A.].
- Tobias, V.I. & Jakimavičius, A. 1986.** Alysiinae & Opiinae: 7-231. In: *Medvedev G.S. [ed.]. 'Opredelitel Nasekomykh Evrospeiskoi Tsasti SSSR 3, Peredpontdatokrylye 4. Opr. Faune SSSR.'* Vol. 147, Section 3, Part 5: 1-308. [English translation. Lebanon, U.S.A.: 1-507].
- Tobias, V.I. & Kirijak, I.G. 1986.** Aphidiidae: 232-283 In: *Medvedev G.S. [ed.]. 'Opredelitel Nasekomykh Evrospeiskoi Tsasti SSSR 3, Peredpontdatokrylye 4. Opr. Faune SSSR.'* Vol. 147, Section 3, Part 5: 1-308. [English translation. Lebanon, U.S.A.: 1-507].
- Tobias, V.I. 1986.** Addenda to 'A guide to the insects of the European part of the USSR.' *Opredeliteli po Faune SSSR* 3(5) No. 147: 303-307 [English translation. Lebanon, U.S.A.].
- Tobias, V.I. & Potapova, Y.S. 1987.** Labio-maxillary complex of braconids (Hymenoptera, Braconidae) its evolution and taxonomic significance. (in Russian) *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva* 69: 190-208.
- Tobias, V.I. 1987.** New taxa of Braconidae from Baltic amber (Hymenoptera). *Entomologicheskoye Obozreniye* 66(4): 845-859. [Entomological Review 67(4): 18-32.].
- Tobias, V.I. 1988.** Two new species of Braconidae of the subfamily Cheloninae (Hymenoptera) from the protected territories of the Lithuanian SSR. *Acta Entomologica Lituanica* 9: 89-94.
- Tobias, V.I. 1988.** New subfamily of braconids (Hymenoptera, Braconidae) from Australia. *Entomologicheskoye Obozreniye* 67: 644-648. [Entomological Review 68(4): 49-53.].
- Tobias, V.I. & Starý, P. 1988.** Regarding "anyone, who can actually defend the usage of 'Aphidiidae'". *Ichnews* 11: 18-19.
- Tobias, V.I. 1989.** A new species of the braconid genus new for the fauna of the USSR (Hymenoptera). *Zoologicheskii Zhurnal* 68: 149-151.
- Tobias, V.I. 1989.** Application of W. Hennig's method of phylogenetic analysis for the construction of the phylogenetic tree of the family Braconidae (Hymenoptera). (in Russian) *Trudy Zoologicheskogo Instituta. Leningrad* 202: 67-83.
- Tobias, V.I. 1989.** New species of *Microchelonus* Szépl. (Hymenoptera: Braconidae) with yellow abdominal spots from the Soviet Far East. (in Russian) *Trudy Zoologicheskogo Instituta. Leningrad* 188: 3-22.
- Tobias, V.I. 1989.** Wasps of the genus *Microchelonus* (Hymenoptera: Braconidae) of Mongolia. (in Russian) *Nasekomye Mongolii [Insects of Mongolia]* 10: 413-505.
- Tobias, V.I. 1990.** New Mongolian species of the genus *Microchelonus* (Hymenoptera: Braconidae) with strongly developed apical abdominal aperture in males. *Nasekomye Mongolii [Insects of Mongolia]* 11: 270-276.
- Tobias, V.I. 1990.** Three new species alysiin-wasps (Hymenoptera: Braconidae: Alysiinae) from Vietnam. *Trudy Zoologicheskogo Instituta* 209: 99-106.
- Tobias, V.I. 1990.** Two new species of the genus *Microchelonus* (Hymenoptera: Braconidae) from the Crimea. (in Russian with English summary) *Novosti faunistiki i sistematiki [Faunistic and Systematic Novelties]* (Kiev) 133-137.
- Tobias, V.I. 1990.** New data on Far Eastern Braconid wasps of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae): Species with dark abdomens and light legs. *Entomologicheskoe Obozrenie* 69(1): 181-192. [Entomological Review 69(6): 1-12.].
- Tobias, V.I. 1990.** Towards the knowledge of Far-Eastern braconid wasps of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae). Species with dark abdomen and light legs. *Entomologicheskoe Obozrenie* 69(1): 181-192.
- Tobias, V.I. & Long, K.D. 1990.** New species of *Apanteles* Foerster of the *A. ultor* group (Hymenoptera, Braconidae) from Vietnam. *Trudy Zoologicheskogo Instituta* 209: 107-114.
- Tobias, V.I. 1991.** A new species of the genus *Chelonus* (Hymenoptera: Braconidae) from Central Asia. *Zoologicheskii Zhurnal* 70(7): 143-144. [Entomological Review 70 (6): 75-76.].
- Tobias, V.I. 1991.** Braconid wasps of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) from west Badakhstan and Pamiro-Alai. *Entomologicheskoye Obozreniye* 70(3): 646-656. [Entomological Review 87-97.].

- Tobias, V.I. 1992.** Braconid-fly of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) from the Transbaikalia: 108-123. In: Amirkhanov, A.M. [ed.]. Insects of Dauria and adjacent territories. Izdatelstvo Tsentralnoi Nauchno issledovatel'skoi laboratorii okhotnichogo khozyaistva i zapovednikov. Moskva 1992: 1-141.
- Tobias, V.I. & Perepechayenko, V.L. 1992.** New braconid species (Hymenoptera, Braconidae) from the south-east Ukraine. Vestnik Zoologii 1992(5): 28-32.
- Tobias, V.I. & Saidov, N.S. 1992.** Effect of wind on diel activity of parasitic hymenopterous insects (with braconid wasps as an example) (Hymenoptera Parasitica, Braconidae). Entomologicheskoe Obozrenie 71(2): 339-347, 501. [Entomological Review 74(6): 114-122.].
- Tobias, V.I. 1993.** Relationship between wing venation and habitat in the Hymenoptera. Entomologicheskoye Obozreniye 72(3): 497-506. [Entomological Review 73(3): 8-17].
- Tobias, V.I. 1993.** Dependence of wing venation in the Hymenoptera on the ecological environment of their habitats. Entomologicheskoe Obozrenie 72(3): 497-506.
- Tobias, V.I. 1994.** Far-eastern braconids of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae). Dark-coloured species with elongate abdomen. Entomologicheskoe Obozrenie 73(2): 352-370, 494. [Entomological Review 74(4): 71-90].
- Tobias, V.I. 1994.** On braconid parasitic wasp of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae) of the Baikal region: 129-139. In: Kotenko, A.G. [ed.]. Hymenopterian insects of Siberia and Far East: memoirs of the Daurian Nature Reserve, No. 3. Institut zoologii NAN Ukrainy. Kiev 1994: 1-147.
- Tobias, V.I. 1994.** Bracon-wasps of the genus *Microchelonus* (Hymenoptera, Braconidae) with strongly lengthened palpi. Zoologicheskii Zhurnal 73(7): 95-103. [Entomological Review 73(9): 148-155.].
- Tobias, V.I. 1994.** Description of two species (one new species) of the genus *Microchelonus* from Austria (Insecta: Hymenoptera: Braconidae). Annalen des Naturhistorischen Museums in Wien 96B: 169-172.
- Tobias, V.I. 1995.** Far-Eastern species of *Microchelonus* of the group *M. contractus* (Hymenoptera, Braconidae). Zoologicheskii Zhurnal 74(10): 60-69. [Entomological Review 75(6): 111-120].
- Tobias, V.I. 1995.** New Central Asian species of the genus *Microchelonus* Szépl. The *M. retusus* group (Hymenoptera, Braconidae). Entomologicheskoe Obozrenie 74(2): 420-425, 491. [Entomological Review 75(7): 75-81].
- Tobias, V.I. 1995.** New subgenus and species of the genus *Microchelonus* (Hymenoptera: Braconidae) with some comments on synonymy. (in Russian with English summary) Zoologicheskii Zhurnal 74(7): 38-50. [Entomological Review 75(7): 158-170].
- Tobias, V.I. 1995.** Species of the *Microchelonus agathis* group with description of *M. subagathis* sp. n. from Turkmenistan (Hymenoptera: Braconidae). Zoosystematica Rossica 3(2) (1 July 1994): 289-291.
- Tobias, V.I. & Perepechayenko, V.L. 1995.** A new genus of braconid wasps (Hymenoptera, Braconidae, Alysiinae) from Turkmenia. Entomologicheskoye Obozrenie 74(3): 677-680, 725. [Entomological Review 75(9): 29-32].
- Tobias, V.I. & Saidov, N.S. 1995.** New species of braconid wasps (Hymenoptera, Braconidae) from Tajikistan. Entomologicheskoye Obozrenie 74(3): 681-684, 726. [Entomological Review 75(9): 33-37.].
- Tobias, V.I. 1996.** New species of *Microchelonus* with light-coloured legs from Turkmenistan (Hymenoptera: Braconidae). Zoosystematica Rossica 4(1): 159-162.
- Tobias, V.I. 1996.** A key to Mongolian species of braconid wasps of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) based on male characters (with description of new species). Entomologicheskoye Obozrenie 75(2): 380-407. [Entomological Review 76(6): 719-742.].
- Tobias, V.I. 1996.** A key to Mongolian species of braconid wasps of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae) based on male characters (with description of new species). Entomologicheskoye Obozrenie 75(2): 380-407.
- Tobias, V.I. 1997.** New species of the genus *Microchelonus* Szépl. from group *M. contractus* (Hymenoptera, Braconidae). Entomologicheskoye Obozrenie 76(3): 654-665, 731. [Entomological Review 77(8): 976-986.].
- Tobias, V.I. 1997.** New braconids of the genus *Microchelonus* with yellow abdominal spots in the female, similar to *M. fenestratus* (Nees) (Hymenoptera: Braconidae). Zoosystematica Rossica 6(1-2): 297-301.
- Tobias, V.I. 1997.** Species of the *Microchelonus contractus* group with very short malar spaces, from Russia and neighbouring territories (Hymenoptera: Braconidae). Zoosystematica Rossica 5(2): 291-293.
- Tobias, V.I. 1997.** *Microchelonus* species of the group *M. contractus* (Hymenoptera: Braconidae) with very short radial cell from southern Russia and adjacent territories. Zoologicheskii Zhurnal 76(6): 684-694. [Entomological Review 77(9): 1144-1154.].
- Tobias, V.I. 1998.** Male swarming in parasitic hymenopterans (Hymenoptera: Parasitica), its probable significance and evolution. Entomologicheskoye Obozrenie 77(1): 54-66, 269. [Entomological Review 78(2): 139-148.].
- Tobias, V.I. 1998.** Alysiinae (Dacnusiini): 299-411 and Opiinae: 558-655. In: Ler, P.A. 'Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3.' Dal'nauka, Vladivostok: 1-706.
- Tobias, V.I., Čapek, M. & Lauterer, P. 1998.** Braconidae (Hymenoptera) from Afghanistan in the collections of the Moravian Museum. Acta Musei Moraviae Scientiae Biologicae 82: 173-190.
- Tobias, V.I. 1999.** A new genus and new species of braconids (Hymenoptera, Braconidae) from northwestern Russia. Entomologicheskoye Obozrenie 78(4): 924-933.
- Tobias, V.I. 1999.** *Microchelonus* species related to *Microchelonus atripes* (Hymenoptera, Braconidae) from Western Palearctic. Zoologicheskii Zhurnal 78(6): 697-708.
- Tobias, V.I. 2000.** New data on subfamily Opiinae (Hymenoptera: Braconidae) from the Russian Far East. Far Eastern Entomologist 83: 1-16.
- Tobias, V.I. 2001.** *Microchelonus* species of subgenus *Microchelonus* s. str. (Hymenoptera: Braconidae) with head enlarged behind eye from western Palearctic. Zoologicheskii Zhurnal 80(11): 1327-1337. Entomological Review 81(8): 999-1009.].
- Tobias, V.I. 2001.** New *Microchelonus* species related to *M. caucasicus* (Hymenoptera, Braconidae) from the Ukraine. Vestnik Zoologii 35(3): 17-21.
- Tobias, V.I. 2001.** Species of the genus *Microchelonus* Szépl. (Hymenoptera: Braconidae) with yellow abdominal spots and pale coloration of the body from the western Palearctic region. Entomologicheskoye Obozreniye 80: 137-179. [Entomological Review 80(2): 134-165].
- Tobias, V.I. 2001.** New species of the genus *Microchelonus* related to *M. subcontractus* (Abdinbekova) from Russia and adjacent territories (Hymenoptera: Braconidae). Zoosystematica Rossica 10(2): 381-385.
- Tobias, V.I. 2001.** *Microchelonus* species of subgenus *Microchelonus* s. str. (Hymenoptera: Braconidae) with head enlarged behind eye from western Palearctic. Zoologicheskii Zhurnal 80(11): 1327-1337.
- Tobias, V.I. 2002.** New species of the genus *Microchelonus* (Hymenoptera: Braconidae) from the Lower Volga Region. Zoologicheskii Zhurnal 81(8): 952-957. [Entomological Review 82(4): 494-499.].

- Tobias, V.I. 2002.** Male swarming in parasitic braconid wasps (Hymenoptera: Braconidae) and its significance. *Entomologicheskoe Obozrenie* 81(1): 3-10. [Entomological Review 82(2): 127-132].
- Tobias, V.I. 2002.** New and little-known species of the genus *Microchelonus* Szépligeti (Hymenoptera, Braconidae) from the Russian Far East. *Far Eastern Entomologist* 120: 8-12.
- Tobias, V.I. 2002.** New species of the genus *Microchelonus* (Hymenoptera: Braconidae) from the lower Volga River basin. *Zoologicheskii Zhurnal* 81(8): 952-957.
- Tobias, V.I. 2003.** Species of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) with coarse sculpture of head. *Entomologicheskoe Obozrenie*. [Entomological Review 82(2): 449-471.].
- Tobias, V.I. 2003.** To the knowledge of the subgenus *Prosapha* stat. n. of the genus *Dinotrema* (Hymenoptera, Braconidae, Alysiinae). *Zoologicheskii Zhurnal* 82(7): 810-815.
- Tobias, V.I. & Lozan, A. 2003.** Central-European species of *Microchelonus* Szépligeti (Hymenoptera, Braconidae) with very big apical metasomal aperture of males. *Linzer Biologische Beiträge* 35(1): 239-261.
- Todzhayev, Sh.T., & Ruzmetov, P. 1993.** Harmfulness of the cotton moth on tomato plants. *Zashchita Rastenii Moskva* 12: 33.
- Togashi, I. & Ishikawa, T. 1996.** Host records of *Pelecystoma solitariatum* Watanabe (Hymenoptera: Braconidae) in Ishikawa Prefecture. *Japanese Journal of Entomology* 64(2): 412.
- Togashi, I. 1972.** A natural enemy of *Crociodophora evenoralis* Walker (Lepidoptera: Pyralidae). *Transactions of the Shikoku Entomological Society* 11(3): 83.
- Togashi, I. 1978.** New host records of Braconid flies (Hymenoptera: Braconidae). *Transactions of the Shikoku Entomological Society* 14(1-2): 79.
- Togashi, I. 1980.** Discovery of the genus *Yelicones* Cameron (Hymenoptera: Braconidae) from Japan. *Kontyu* 48: 517-520.
- Togashi, I. 1980.** Preliminary report on the soybean pests and their natural enemies in Ishikawa Prefecture. *Bulletin of Ishikawa Prefecture College of Agriculture* 10: 15-19.
- Togashi, I. 1981.** The Braconid (Hymenoptera) parasites reared from Lepidopterous pests occurring in chestnut orchards in Ishikawa Prefecture (I). *Bulletin of Ishikawa Prefecture College of Agriculture* 11: 50-58.
- Togashi, I. 1983.** Hymenopterous parasites of sweetpotato leaf folder, *Brachmia triannulella* Herrich-Schäffer, in Ishikawa Prefecture, Japan. *Bulletin of Ishikawa Prefecture College of Agriculture* 13: 16-18.
- Togashi, I. 1984.** Notes on braconid parasites (Hymenoptera: Braconidae) of bean webworm, *Pleuroptya ruralis* (Scopoli) in Ishikawa Prefecture, Japan. *Bulletin of Ishikawa Prefecture College of Agriculture* 14: 21-24.
- Togashi, I. 1988.** Hymenopterous parasitoids reared from larvae of *Lyonetia clerkella* Linnaeus, a leaf-mining moth on peach. *Akitsu* No. 93: 6.
- Togashi, I. 1988.** Parasitic insects reared from larvae of *Ivela auripes* Butler (Lepidoptera: Lymantriidae), a defoliator of dogwood tree, *Cornus controversa* Hemsley, in Ishikawa Prefecture, Japan. *Transactions of the Shikoku Entomological Society* 19(1-2): 83-86.
- Togashi, I. 1993.** New host records of braconid wasps from Japan, 1. *Japanese Journal of Entomology* 61(2): 370.
- Togashi, I. 1993.** New host records of braconid wasps from Japan, 2. *Japanese Journal of Entomology* 61(3): 442.
- Togashi, I. 1995.** Braconid wasps (Hymenoptera: Braconidae) emerged from larvae of *Conobathra fraukella* Roesler, 1975 (Lepidoptera: Pyralidae) in Tsurugi-machi, Ishikawa Prefecture, Japan. *Japanese Journal of Entomology* 63(2): 302.
- Togashi, I. 1996.** Gall forming aphids on the cherry trees in the Kenroku Park, Kanazawa City. *Bulletin of the Japan Sea Research Institute Kanazawa University* 27: 39-43.
- Togashi, I. 2000.** Discovery of *Aulacocentrum seticella* van Achterberg & He (Hymenoptera: Braconidae) in Japan and its host record. *New Entomologist* 49(1-2): 26.
- Tol, S. van & Steenis, M.J. van 1994.** Host preference and host suitability for *Aphidius matricariae* Hal. and *A. colemani* Vier. (Hym.: Braconidae), parasitizing *Aphis gossypii* Glov. and *Myzus persicae* Sulz. (Hom.: Aphididae). *Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische Wetenschappen* 59(2a): 273-279.
- Tomanovič, Ž., Brajkovič, M., Krunič, M., & Stanisavljevič, L. 1996.** Seasonal dynamics, parasitization and colour polymorphism of the pea aphid, *Acyrtosiphon pisum* (Harris) (Aphididae, Homoptera) on alfalfa in the south part of the Pannonian area. *Tiscia (Szeged)* 30: 45-49.
- Tomanovič, Ž., Brajkovič, M. & Krunič, M. 1998.** A checklist of aphid parasitoids (Hymenoptera: Aphidiidae) in Yugoslavia. *Acta Entomologica Serbica* 3(1-2): 95-106.
- Tomanovič, Ž., Brajkovič, M., Krunič, M. & Stanisavljevič, L. 1998.** Some biosystematic notes on *Prunus* aphid parasitoids (Hymenoptera: Aphidiidae) in Yugoslavia. *Acta Entomologica Serbica* 3(1-2): 107-115.
- Tomanovič, Ž., Brajkovič, M., Petrovič, O. & Leclant, F. 1998.** Species composition of aphids (Aphididae, Homoptera) and their primary parasitoids (Aphidiidae, Hymenoptera) on the *Prunus* spp. in Yugoslavia. *Arhiv bioloških nauka*, 50 (2-3): 17-18.
- Tomanovič, Ž., Brajkovič, M., Krunič, M. Petrovič, O. & Stanisavljevič, L. 1999.** Zoogeographic and ecological characteristics of the aphidiid fauna (Aphidiidae, Hymenoptera) of Yugoslavia. *Contributions to the Zoogeography and Ecology of the Eastern Mediterranean Region*. 1 (suppl.): 57-62.
- Tomanovič, Ž., Brajkovič, M. & Krunič, M. 1999.** Numerical discrimination of some *Aphidius* species (Aphidiidae: Hymenoptera) from Yugoslavia. *Arch. Biol. Sci.* 51(4): 209-218.
- Tomanovič, Ž., Brajkovič, M., Petrovič, O., Krunič, M., Mihajlovič, L. & Miloradović, Z. 1999.** Aphids-parasitoids-hyperparasitoids relation between cereal and lucerne agroecosystems in Serbia. *Contributions to the Zoogeography and Ecology of the Eastern Mediterranean Region*. 1 (suppl.): 51-56.
- Tomanovič, Ž. 2000.** New findings of aphid parasitoids (Hymenoptera: Aphidiidae) from Serbia and Montenegro. *Acta Entomologica Serbica* 5(1-2): 111-118.
- Tomanovič, Ž. & Brajkovič, M. 2000.** Some rare species of aphid parasitoids (Aphidiidae: Hymenoptera) in Yugoslavia. *Zashchita Prirode* 52(1): 65-67.
- Tomanovič, Ž. & Brajkovič, M. 2001.** Aphid parasitoids (Hymenoptera: Aphidiidae) of agroecosystems of the south part of the Pannonian area. *Archives of Biological Sciences, Belgrade* 53(1-2): 57-64.
- Tomanovič, Ž. & Starý, P. 2001.** *Aphidius linocephalus* sp. n. (Hymenoptera: Braconidae: Aphidiinae), a new member of the aphid parasitoid guild associated with Galium. *Zootaxa* 6: 1-4.
- Tomanovič, Ž., Starý, P. & Petrovič, O. 2002.** *Monoctonus leclanti* sp. n. (Hymenoptera: Braconidae: Aphidiinae) from high-montane areas of southeastern Europe, and key to related species. *Entomologica Fennica* 13(3): 159-162.
- Tomanovič, Ž. & Kavallieratos, N.G. 2002.** Two new aphidiine wasps from the southeastern Europe (Insecta: Hymenoptera: Braconidae: Aphidiinae). *Reichenbachia* 34(2): 341-345.
- Tomanovič, Ž., Kavallieratos, N.G., Athanassiou, C.G. & Petrovič, O. 2003.** A new *Praon* species (Hymenoptera: Braconidae: Aphidiinae) of the *Uroleucon* parasitoid complex from the Mediterranean area. *Phytoparasitica* 31(1): 19-26.
- Tomar, R.K.S., Yadav, H.S. & Agrawal, R.K. 1997.** Parasitoids of chilli gall midge, *Asphondylia capsici* and their role in chilli ecosystem. *Indian Journal of Entomology* 59(2): 173-178.

- Tomassini Barbarossa, I., Muroi, P., Dardani, M., Casula, P. & Angioy, A.M. 1998.** New insight into the antennal chemosensory function of *Opius concolor* (Hymenoptera, Braconidae). Italian Journal of Zoology (Modena) 65(4): 367-370.
- Tomiuk, J. & Wohrmann, K. 1980.** Population growth and population structure of natural populations of *Macrosiphum rosae* (L.) (Hemiptera: Aphididae). Zeitschrift für angewandte Entomologie 90(5): 464-473.
- Tomkins, A.R., Penman, D.R. & Chapman, R.B. 1987.** Overwintering of codling moth larvae in an abandoned Canterbury apple orchard. New Zealand Entomologist 10: 40-44.
- Tomlin, A.D., Miller, J.J., Harris, C.R. & Tolman, J.H. 1985.** Artropod parasitoids and predators of the onion maggot (Diptera: Anthomyiidae) in southwestern Ontario. Journal of Economic Entomology 78(4): 975-981.
- Tomov, B.W. & Bernal, J.S. 2003.** Effects of gna transgenic sugarcane on life history parameters of *Parallorhagus pyralophagus* (Marsh) (Hymenoptera: Braconidae), a parasitoid of Mexican rice borer. Journal of Economic Entomology 96(3): 570-576.
- Tomov, B.W., Bernal, J.S. & Vinson, S.B. 2003.** Impacts of transgenic sugarcane expressing gna lectin on parasitism of Mexican rice borer by *Parallorhagus pyralophagus* (Marsh) (Hymenoptera: Braconidae). Environmental Entomology 32(4): 866-872.
- Tonet, G.L., Fiuzza, L.M., Santana, J. & Silva, R.F.P. da 1997.** Toxicological evaluation of insecticides to *Aphidius* spp. (Hym.: Aphidoidea). Pesquisa Agropecuaria Gaucha 3(1): 21-24.
- Tooker, J.F. & Hanks, L.M. 2000.** Flowering plant hosts of adult hymenopteran parasitoids of central Illinois. Annals of the Entomological Society of America 93(3): 580-588.
- Torgersen, T.R. 1970.** Parasites of the black-headed budworm, *Acleris gloverana* (Lep.: Tortricidae) in south-east Alaska. Canadian Entomologist 102: 1294-1299.
- Torgersen, T.R. & Beckwith, R.C. 1974.** Parasitoids associated with the large aspen *Tortrix*, *Choristoneura conflictana* (Lepidoptera: Tortricidae), in interior Alaska. Canadian Entomologist 106: 1247-1265.
- Tormos, J. 1987.** Further developments in the study of Spanish Alysiinae (Hymenoptera, Braconidae): III. Boletín de la Asociación Española de Entomología 11: 321-324.
- Tormos, J. 1987.** Nueva cita de Alysiini (Hym. Braconidae) para el Archipelago Canario. Boletín de la Asociación Española de Entomología 11: 414.
- Tormos, J. & Sendra, A. 1987.** The Spanish species of the genus *Exotela* Foerster, 1862 (Hymenoptera, Braconidae). Miscellanea Zoologica 11: 179-186.
- Tormos, J., Gayubo, S.F. & Asis, J.D. 1988.** Alysiinae of the Vall d'Aran (Spain) (Hymenoptera, Braconidae). (in Spanish with English summary) Miscellanea Zoologica 12: 368-370.
- Tormos, J., Gayubo, S.F., Asis, J.D. & Vacas, M.A.G. 1989.** Preliminary notes on the Braconidae (Hym.: Apocrita, Terebrantia), parasitoids of Agromyzidae (Dipt.: Cyclorrhapha) in the province of Salamanca (Spain). Anales de Biología 15(4): 83-86.
- Tormos, J. & Gayubo, S.F. 1990.** Alysiinae (Hymenoptera: Braconidae) parasites of Agromyzidae (Diptera: Cyclorrhapha) in Valencia (Spain). Orsis (Organismes I Sistemes) 5: 135-139.
- Tormos, J. & Gayubo, S.F. 1990.** On Iberian *Aspilota* spp. (I). (Hymenoptera, Braconidae). Eos Revista Española de Entomología 65(1): 201-206.
- Tormos, J. & Gayubo, S.F. 1991.** On intraspecific variation in the Alysiinae (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 93(1): 201-203.
- Tormos, J., Gayubo, S.F. & Asis, J.D. 1991.** A new species of *Idiasta* (Hymenoptera: Braconidae) from Spain. Entomological News 102(1): 42-46.
- Tormos, J., Pardo, X., Jiménez, R., Asis, J.D. & Gayubo, S.F. 2003.** Descriptions of adults, immature stages and venom apparatus of two new species of Dacnusiini: *Chorebus pseudoasphodeli* sp. n., parasitic on *Phytomyza chaerophili* Kaltenbach and *C. pseudoasramenes* sp. n., parasitic on *Cerodontha phragmitophila* Hering (Hymenoptera: Braconidae: Alysiinae; Diptera: Agromyzidae). European Journal of Entomology 100(3): 393-400.
- Torrás, C.C. 1996.** Species of Alloxystinae (Hymenoptera: Cynipoidea: Charipinae), hyperparasites of aphids in Barcelona province: 196-197. Real Sociedad Española de Historia Natural. Tomo extraordinario publicado con motivo del 125 aniversario de su fundación. 12 Bial, 11-15 de marzo. [Extraordinary volume published on the occasion of the 125th anniversary of the foundation. 12th biennial, 11th-15th March.] Real Sociedad Española de Historia Natural, Madrid 1996: 1-572.
- Torreno, H.S. 1990.** Parasitization behaviour and efficiency of the braconid, *Microgaster manilae* (Ashmead), against the cutworm, *Spodoptera litura* (F.). Tropical Pest Management 36(2): 128-130.
- Torres-Vila, L.M., Rodríguez-Molina, M.C., Palo, E., Lacasa, A. & Estal, P. del 2000.** The larval parasitoid complex of *Helicoverpa armigera* on tomato in the Vegas del Guadiana (Extremadura). Boletín de Sanidad Vegetal, Plagas 26(3): 323-333.
- Toth, P., Lukáš, J. & Cagan, L. 2002.** First records of *Chorebus cyparissa* (Hymenoptera: Braconidae) and *Sphexigaster aculeata* (Hymenoptera: Pteromalidae) from Slovakia and a new host for the species. Biologia Bratislava 57(5): 639-640.
- Toussidou, M., Leather, S., Williams, M.C. de & Lenteren, J.C. van 1999.** Life history parameters of *Aphidius colemani* (Hym.: Aphidiidae) on sweet pepper in different temperature regimes. IOBC WPRS Working Group "Integrated Control in Glasshouses". Proceedings of the meeting at Brest, France, 25-29 May, 1999. Bulletin OILB SROP 22(1): 255-258.
- Tracewski, K.T. & Brunner, J.F. 1987.** Seasonal and diurnal activity of *Rhagoletis zephyria* Snow. Melanderia 45 1987: 26-32.
- Tran, V.L. 1977.** Morphologie des pièces génitales et nervation ailaire des principales pyrales foreurs du riz en Côte d'Ivoire. Description de quelques Hyménoptères parasites. Cahiers ORSTOM Serie Biologie 12: 29-45.
- Trang, T.T.K., Chaudhari, S. & Gautam, R.D. 2002.** A note on the spread of *Spodoptera litura* (Fab.) nuclear polyhedrosis virus through *Cotesia (Apanteles) angaleti* Muesebeck (Hymenoptera: Braconidae). Shashpa 9(1): 93-94.
- Traveset, A. 1991.** Pre-dispersal seed predation in Central American *Acacia farnesiana*: factors affecting the abundance of co-occurring bruchid beetles. Oecologia 87(4): 570-576.
- Trematerra, P. 1988.** Arthropod antagonists of *Pyralis farinalis* (L.) (Lep., Pyralidae) and visitors of its larva shelters. Journal of Applied Entomology 105(5) 1988: 525-528.
- Tremblay, E. 1964.** Research on parasitic Hymenoptera. I. Morphological study on *Lysiphlebus fabarum* (Marshall) (Hymenoptera: Braconidae, Aphidiidae). (in Italian with English summary) Bollettino del Laboratorio di Entomologia Agraria. Portici 22: 1-122.
- Tremblay, E. 1966.** Ricerche sugli imenotteri parassiti. II. Osservazioni sull'origine e sul destino dell'involucro embrionale degli Afidiini (Hym.: Braconidae: Aphidiinae) e considerazioni sul significato generale delle memrane embrionali. Bollettino del Laboratorio di Entomologia Agraria. Portici 24: 119-166.
- Tremblay, E. 1966.** Ricerche sugli imenotteri parassiti. III. Osservazioni sulla competizione intraspecifica degli Aphidiinae (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria. Portici 24: 209-225.
- Tremblay, E. 1967.** Ricerche sugli imenotteri parassiti. IV. Notizie su Aphidiini Italiani (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria. Portici 25: 59-70.
- Tremblay, E. 1967.** Ricerche sugli imenotteri parassiti. V. Sulla posizione sistematica degli Aphidiinae (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria. Portici 25: 93-108.

- Tremblay, E. 1969.** Ricerche sugli imenotteri parassiti. VI. Descrizione di una nuova specie del genere *Pauesia* Quilis Pérez (Hymenoptera: Braconidae: Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria. Portici 27: 153-159.
- Tremblay, E. & Calvert, D. 1971.** Embryosystematics in the Aphidiines (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 29: 223-249.
- Tremblay, E. & Iaccarino, F.M. 1971.** Notizie sull'ultrastruttura dei trofociti di *Aphidius matricariae* Hal. (Hymenoptera: Braconidae). Bollettino del Laboratorio di Entomologia Agraria. Portici 29: 305-313.
- Tremblay, E. 1972.** Ricerche sugli imenotteri parassiti. IX. Sur un rinvenimento di *Trioxys pannonicus* Starý (Braconidae: Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria. Portici 30: 131-138.
- Tremblay, E. 1973.** The feasibility of using *Aphidius matricariae* Haliday (Hym., Aphidiidae) against *Myzus persicae* (Sulz.) (Hom., Aphididae) under glass. (in Italian with English summary) Bollettino del Laboratorio di Entomologia Agraria. Portici 30: 331-350.
- Tremblay, E. 1975.** I parassiti degli afidi del *Pinus nigra* Arn. (Hymenoptera: Ichneumonoidea). Bollettino del Laboratorio di Entomologia Agraria. Portici 32: 91-110.
- Tremblay, E. 1975.** Le specie del genere *Trioxys* Hal. (Hymenoptera Ichneumonoidea) parassite di Afidi del genere *Cavariella* Del Guer. (Homoptera: Aphidoidea). Istituto di Entomologia Agraria dell'Università di Napoli-Portici 3-11.
- Tremblay, E. 1975.** Possibilities for utilization of *Aphidius matricariae* Hal. (Hymenoptera: Ichneumonoidea) against *Myzus persicae* (Sulz.) (Homoptera: Aphidoidea) in small glasshouses. Zeitschrift für Pflanzenkrankheit und Pflanzenschutz 81: 612-619.
- Tremblay, E. 1976.** La discriminazione dei maschi di alcune specie dei generi *Ephedrus* Hal. e *Praon* Hal. (Hymenoptera Ichneumonoidea). Bollettino del Laboratorio di Entomologia Agraria. Portici 33: 168-181.
- Tremblay, E. 1978.** Le armature genitali maschili nei generi degli Aphidiinae (Hymenoptera: Braconidae). I. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 35: 221-233.
- Tremblay, E. & Eady, R.D. 1978.** *Lysiphlebus confusus* n. sp. per *Lysiphlebus ambiguus* sensu auct. nec Haliday (1834) (Hymenoptera Ichneumonoidea). Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 35: 180-184.
- Tremblay, E., Barbagallo, S., Micieli de Biase, L., Monaco, R. & Ortu, S. 1978.** Sulla presenza in Italia del *Lysiphlebus testaceipes* (Cr.), nemico naturale di afidi dannosi agli agrumi. Bollettino del Laboratorio di Entomologia Agraria. Portici 35: 169-179.
- Tremblay, E., Barbagallo, S., Micieli de Biase, L., Monaco, R. & Ortu, S. 1980.** Composizione dell'entomofauna parassitica vivente a carico degli afidi degli agrumi in Italia (Hym.: Ichneumonoidea, Hom.: Aphidoidea). Bollettino del Laboratorio di Entomologia Agraria. Portici 37: 209-216.
- Tremblay, E. 1980.** A case of predatism by *Chrysopa formosa* Br. (Neuroptera) on Hymenoptera Braconidae, aphid endoparasites. Bollettino della Società Entomologica Italiana 112(9-10): 190-191.
- Tremblay, E. 1981.** Le armature genitali maschili degli Aphidiinae (Hymenoptera Braconidae). II. Bollettino del Laboratorio di Entomologia Agraria. Portici 38: 251-263.
- Tremblay, E. 1983.** Le armature genitali maschili degli Aphidiinae (Hymenoptera: Braconidae). III. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 40: 147-158.
- Tremblay, E. 1983.** Preliminary data on an interesting case of competitive displacement between endophagous aphid parasitoids. Proceedings of the XIIIth Italian National Congress of Entomology pp. 205-211.
- Tremblay, E. & Barbagallo, S. 1983.** *Lysiphlebus testaceipes* (Cr.) a special case of ecesis in Italy. Cavalloro, R. Aphid antagonists. Proceedings of a meeting of the Ec Experts' Group, Portici, Italy 23-24.
- Tremblay, E. 1984.** The parasitoid complex (Hym.: Ichneumonoidea) of *Toxoptera aurantii* (Hom.: Aphidoidea) in the Mediterranean area. Entomophaga 29(2): 203-209.
- Tremblay, E. & Pennacchio, F. 1985.** Taxonomic status of some species of the genus *Praon* Haliday (Hymenoptera, Braconidae, Aphidiinae). Bollettino del Laboratorio di Entomologia Agraria Portici 42: 143-147.
- Tremblay, E. & Priore, R. 1985.** *Triaspis aciculatus* Ratz. (Hymenoptera: Braconidae) parasitoid of *Apion damryi* Desbr. (Coleoptera Curculionidae) in Campania. Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 42: 207-212.
- Tremblay, E., Kavar, N. & Barbagallo, S. 1985.** Aphids (Homoptera: Aphidoidea) and Aphidiines (Hymenoptera: Braconidae) of Lebanon. Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' Portici 42: 19-32.
- Tremblay, E., Pennacchio, F., Matrone, L. & Piccolo, D. 1986.** Redescription of *Praon dorsale* (Haliday 1833) and resurrection of *Praon longicornis* Marshall 1891: a statistical analysis of morphological data (Hymenoptera: Braconidae). Entomotaxonomia 8(1/2): 31-42.
- Tremblay, E. & Pennacchio, F. 1988.** Speciation in aphidiine Hymenoptera (Hymenoptera: Aphidiidae). In: Gupta, V.K. [ed.]. Advances in parasitic Hymenoptera research: Proceedings of the II Conference on the Taxonomy and Biology of Parasitic Hymenoptera: 139-146.
- Tremblay, E. 1991.** On a new species of *Monoctonia* Starý (Hymenoptera: Braconidae) from *Pemphigus vesicarius* Pass. galls (Homoptera: Pemphigidae). Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri' 48: 137-142.
- Tremblay, E., Priore, R. & Vigilante, G. 1991.** Phenological notes on the cyclamen leafminer (*Liriomyza cyclaminis* Suss) (Diptera: Agromyzidae). Informatore Fitopatologico 41(10): 59-63.
- Tremblay, E. & Mancini, D. 1996.** *Aphidius aquilus* Mackauer (Hymenoptera: Braconidae), new species for the Italian fauna. Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri 51: 155-161.
- Tremblay, E. 2000.** Nutritional interactions between endophagous Hymenoptera and symbiont bacteroids in aphids. Atti della Accademia Nazionale Italiana di Entomologia Rendiconti 47: 245-250.
- Triana, J.L.F. 1997.** Preliminary ecological data on the principal maize pests in the province of Granada (II). Centro Agrícola 24(1): 30-35.
- Triapitsyn, S.V. & Tretiakova, T.M. 1997.** Sexual behavior of *Apanteles oenone* Nixon (Hymenoptera: Braconidae), an exotic parasitoid of the pink bollworm, *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae). Russian Entomological Journal 6(1-2): 71-72.
- Tribe, G.D. & Kfir, R. 2001.** The establishment of *Dendrosoter caenopachoides* (Hymenoptera: Braconidae) introduced into South Africa for the biological control of *Orthotomicus erosus* (Coleoptera: Scolytidae), with additional notes on *D. sp. nr. labdacus*. African Entomology 9(2): 195-198.
- Tribe, G.D. 1991.** Phenology of three exotic pine bark beetle species (Coleoptera: Scolytidae) colonising *Pinus radiata* logs in the south-western Cape Province. South African Forestry Journal 157: 27-31.
- Triggiani, O. 1983.** Gravi attacchi di *Tomicus piniperda* L. (Col.: Scolytidae) nelle pinete del litorale ionico (Nota preliminare). Atti del Congresso Nazionale Italiano di Entomologia 13 1983: 391-398.

- Triggiani, O. 1984.** *Tomicus piniperda* L. (Coleoptera: Scolytidae: Hylesininae): Biology, damage and control in the Ionic coast (Italy). *Entomologica (Bari)* 19(0): 5-22.
- Triggiani, O. 1986.** Observations on the biology and behaviour of *Dioryctria pineae* (Stgr.) (Lepidoptera: Phycitidae) and on its parasitoid *Elachertus geniculatus* (Ratz.) (Hymenoptera: Chalcidoidea). *Entomologica* 21: 141-153.
- Triggiani, O. 1992.** Observations on the Lepidoptera Tortricidae and their parasitic complex on *Quercus trojana* Webb. in Apulia Region (southern Italy). *Entomologica (Bari)* 27: 85-105.
- Triltsch, H. 1996.** A mite parasitizing *Coccinella septempunctata* L. (Col.: Coccinellidae). *Entomologist's Monthly Magazine* 132: 175.
- Triltsch, H. 1996.** On the parasitization of the ladybird *Coccinella septempunctata* L. (Col.: Coccinellidae). *Journal of Applied Entomology* 120(6): 375-378.
- Trimble, R.M. & Brach, E.J. 1985.** Effect of color on sticky-trap catches of *Pholetesor ornigis* (Hymenoptera: Braconidae), a parasite of the spotted tentiform leafminer *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae). *Canadian Entomologist* 117: 1559-1564.
- Trimble, R.M. & Pree, D.J. 1987.** Relative toxicity of six insecticides to male and female *Pholetesor ornigis* (Weed) (Hymenoptera: Braconidae), a parasite of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Fabr.) (Lepidoptera: Gracillariidae). *Canadian Entomologist* 119: 153-157.
- Trimble, R.M. 1988.** Monitoring *Pholetesor ornigis* (Hymenoptera: Braconidae), a parasite of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae): Effect of sticky trap location on size and sex ratio of trap catches. *Environmental Entomology* 17(3): 567-571.
- Trimble, R.M. 1988.** Relationship between sticky trap catches and emergence of *Pholetesor ornigis* (Weed) (Hymenoptera: Braconidae), a parasite of the spotted tentiform leafminer, *Phyllonorycter blancardella* (F.) (Lepidoptera: Gracillariidae). *Memoirs of the Entomological Society of Canada* 146: 95-105.
- Trimble, R.M. 1994.** Conservation of *Pholetesor ornigis* (Hymenoptera: Braconidae), a parasitoid of *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae) in Ontario. Maier, C.t. [ed.]. *Integrated management of tentiform leafminers, Phyllonorycter spp.* (Lepidoptera: Gracillariidae), in North American apple orchards. *Entomological Society of America, Lanham & Maryland* 1994: i-v, 1-82. Chapter pagination: 25-36.
- Trimble, R.M., Pree, D.J. & Vickers, P.M. 1990.** Survey for insecticide resistance in some Ontario populations of the apple leafminer parasite, *Pholetesor ornigis* (Weed) (Hymenoptera: Braconidae). *Canadian Entomologist* 122(9-10): 969-973.
- Tripathi, C.P.M. & Kumar, A. 1984.** Effect of host plants on the numerical response of *Trioxys (Binodoxys) indicus* Subba Rao & Sharma (Hym., Aphidiidae), a parasitoid of *Aphis craccivora* Koch (Hem.: Aphididae). *Zeitschrift für angewandte Entomologie* 97: 101-107.
- Tripathi, G.M. 1995.** Record of parasite and predator complex of sugarcane woolly aphid, *Ceratovacuna lanigera* Zehnt. in Nagaland. *Indian Sugar* 44(11): 839-841.
- Tripathi, R.N. & Singh, R. 1987.** Records of aphid parasitoids from Terai belt of eastern Uttar Pradesh-I. *Journal of Aphidology* 1(1-2): 89-92.
- Tripathi, R.N. & Singh, R. 1988.** New host records of the parasitoid *Lysiphlebus delhiensis* (Subba Rao & Sharma) and the hyperparasitoid *Alloxysta pleuralis* (Cameron). *Current Science* 57(7): 397.
- Tripathi, R.N. & Singh, R. 1990.** Behaviour of the parasitoid *Lysiphlebia mirzai* Shuja-Uddin (Hym.: Aphidiidae) at varying host densities. *Journal of Applied Entomology* 110(1): 26-34.
- Tripathi, R.N. & Singh, R. 1990.** Fecundity, reproductive rate, longevity, and intrinsic rate of increase of an aphidiid parasitoid *Lysiphlebia mirzai*. *Entomophaga* 35(4): 601-610.
- Tripathi, R.N. & Singh, R. 1990.** Mating behaviour of *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Aphidiidae), a parasitoid of *Rhopalosiphum maidis* (Fitch) (Hemiptera: Aphididae). *Entomophaga* 15(1-2): 21-25.
- Tripathi, R.N. & Singh, R. 1991.** Aspects of life-table studies and functional response of *Lysiphlebia mirzai*. *Entomologia Experimentalis et Applicata* 59(3): 279-287.
- Tripathi, R.N. & Singh, R. 1991.** Progeny and sex allocation in the aphid parasitoid, *Lysiphlebia mirzai*, at different parasitoid-host ratios (Hymenoptera: Aphidiidae). *Entomologia Generalis* 16(1): 23-30.
- Tripathi, S.P. & Tripathi, C.P. 1991.** Temperature plays a pivotal role in the survival of parasitoid *Diaeretiella rapae* (M'Intosh) bioagent of *Lipaphis erysimi* (Kalt). *Journal of Advanced Zoology* 12(1): 68-69.
- Tripathi, S.P. & Pey, M.K. 1994.** Effect of temperature on length of development period and percent emergence of parasitoid *Diaeretiella rapae* (M'Intosh) (Hymenoptera: Aphidiidae). *Journal of Advanced Zoology* 15(2): 76-78.
- Tripathi, S.R. & Singh, A.K. 1991.** Some observations on population dynamics of brinjal borer, *Leucinodes orbonalis* (Guen.) (Lepidoptera: Pyralidae). *Annals of Entomology, publ.* 1993, 9(1): 15-24.
- Tripathi, R.N. & Singh, R. 1994.** Host-finding and host acceptance behaviour of an aphid parasitoid *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Aphidiidae). *Journal of Advanced Zoology* 15(1): 37-43.
- Tripathi, R.N. & Singh, R. 1995.** Host specificity and seasonal distribution of *Lysiphlebia mirzai* Shuja-Uddin (Hymenoptera: Braconidae). *Biological Agriculture and Horticulture* 12(3): 283-294.
- Tripathi, S.K. & Singh, R. 1997.** Effect of host-food plant transfer on the life-table of *Lysiphlebia mirzai*, as a parasitoid of cereal aphids. *Malaysian Applied Biology* 26(2): 51-55.
- Tripathi, S.R. & Akhtar, S. 1988.** Population dynamics of a cabbage noctuid *Plusia eriosoma* (Doubleday) (Lepidoptera) in response to certain ecological parameters. *Annals of Entomology* 6(1): 41-45.
- Trivedi, T.P. & Saxena, A.P. 1988.** *Aphidius colemani* Viereck parasitoid of *Myzus persicae* Sulzer on potato crop in Karnataka. *Indian Journal of Plant Protection* 16(1): 75-77.
- Trjapitzin, V.A. & Manukyan, A.R. 1993.** A new species of the genus *Syrphophagus* (Hymenoptera: Encyrtidae) reared from *Schizolachnus pineti* F. (Homoptera: Lachnidae) in the Kaliningrad Province. *Zoosystematica Rossica* 2(1): 173-174.
- Trofimov, V.N. 1983.** Parasites of *Xiphydria camelus* L. *Trudy Vsesoyuznogo Entomologicheskogo Obschestva* 65: 122-135.
- Trostle, M., Carrejo, N.S., Mercado, I. & Wharton, R.A. 1999.** Two new species of *Phaenocarpa* Foerster (Hymenoptera: Braconidae: Alysiinae) from South America. *Proceedings of the Entomological Society of Washington* 101(1): 197-207.
- Trottin-Caudal, Y., Brajeul, E. & Capy, A. 2000.** Greenhouse cucumbers: integrated protection against thrips and aphids. *PHM Revue Horticole, No. 416 Suppl.*, xxv-xxx.
- Trottin-Caudal, Y., Trouve, C. & Capy, A. 2002.** Integrated control of glasshouse crops: comprehensive management of strawberry - an overview of the 2001 test results. *Infos Ctilf* 178: 41-44.
- Trudeau, D., Strand, M.R., Pennacchio, F., Vinson, S.B. & Lanzrein, B. 1998.** A limited role in parasitism for *Microplitis demolitor* polydnavirus. Parasitoid-host interactions at the physiological and molecular level. *Journal of Insect Physiology* 44(9): 795-805.

- Trudeau, D., Witherell, R.A. & Str &, M.R. 2000. Characterization of two novel *Microplitis demolitor* polydnavirus mRNAs expressed in *Pseudoplusia includens* haemocytes. *Journal of General Virology* 81(12): 3049-3058.
- Trumble, J.T. & Oatman, E.R. 1984. Dispersion analyses and resource utilization of aphid parasitoids in a non-depletable environment. *Researches on Population Ecology* 26: 124-133.
- Tsai, J.H. & Deng, Y.X. 1998. Development of *Lysiphlebia japonica* (Hymenoptera: Aphidiidae), a parasitoid of *Toxoptera citricida* (Homoptera: Aphididae) at five temperatures. *Florida Entomologist* 81(3): 415-423.
- Tsai, J.H. & Wang, J.J. 2002. Host age choice for parasitism by *Lysiphlebia mirzai* and its effect on the development and reproduction of brown citrus aphid. *BioControl* 47(6): 645-655.
- Tsankov, G. 1988. The Ichneumonoid parasites of the European pine shoot moth caterpillars in Bulgaria (Hymenoptera: Ichneumonoidea). In: Gupta, V.K. [ed.] "Advances in parasitic Hymenoptera research. Proceedings of the 2nd Conference on the Taxonomy and Biology of Parasitic Hymenoptera held at the University of Florida, Gainesville, Florida." Leiden: 391-394.
- Tsankov, G. & Georgiev, G. 1991. Records on parasitoids of smaller poplar borer, *Saperda populnea* (Coleoptera: Cerambycidae) along the Danube in Bulgaria. *Entomophaga* 36(4): 493-498.
- Tsankov, G. & Stalev, Z. 1992. Studies on parasitoids of the larvae and pupae of the curculionid *Rhynchaenus fagi* in the Strandzha mountains. *Nauka za Gorata* 29(3): 45-49.
- Tsankov, G. & Stalev, Z. 1995. Certain features of the biology and ecology of *Eubazus minutus* (Braconidae, Hym.), the commonest parasitoid of larvae and pupae of the curculionid *Rhynchaenus fagi* in the Strandzha region. *Nauka za Gorata* 32(2): 46-50.
- Tscharntke, T., Abraham, R. & Vidal, S. 1991. Larval characteristics and life-history traits of the parasitoids attacking *Giraudiella inclusa* Fr. (Dipt.: Cecidomyiidae). *Journal of Applied Entomology* 112(5): 464-475.
- Tscharntke, T. 1992. Coexistence, tritrophic interactions and density dependence in a species-rich parasitoid community. *Journal of Animal Ecology* 61(1): 59-67.
- Tseng, H.K. 1988. Utilization of portable bottle for the rearing methods of enemy of tea pest-parasitoids. *Taiwan Tea Research Bulletin* 7: 27-30.
- Tubbs, P.K. 1986. Notes on the proposed conservation of *Dapsilarthra* Foerster, 1862 Z.N. (S.) 2312. *Bulletin of Zoological Nomenclature* 43(1) 1986: 14.
- Tuda, M. & Shimada, M. 1995. Developmental schedules and persistence of experimental host-parasitoid systems at two different temperatures. *Oecologia* (Heidelberg) 103(3): 283-291.
- Tuda, M. 1996. Mechanism for coexistence in the laboratory community of bean-bean weevil-parasitic wasp. *Japanese Journal of Ecology* (Sapporo) 46(3): 313-319.
- Tuda, M. 1996. Temporal/spatial structure and the dynamical property of laboratory host-parasitoid systems. Population fluctuations. 17th symposium of the Society of Population Ecology, Yunoyama-onsen, Japan, 30 September-2 October 1995. *Researches on Population Ecology* 38(2): 133-140.
- Tuda, M. & Iwasa, Y. 1998. Evolution of contest competition and its effect on host-parasitoid dynamics. *Evolutionary Ecology* 12(7): 855-870.
- Tuda, M. 1998. Evolutionary character changes and population responses in an insect host-parasitoid experimental system. *Researches on Population Ecology* 40(3): 293-299.
- Tudor, C. & Caruntu, V. 1980. Parasitic relationships-Cynipinae galls from the south east of the country. *Studii si Cercetari de Biologie Seria Biologie Animala* 32(2): 171-176.
- Turkmen, S. 1987. A new pest of legumes (*Amicta oberthuri* Hey.) (Lepidoptera: Psychidae) in southeast Anatolia. *Turkiye I. Entomoloji Kongresi Bildirileri*, 13-16 Ekim, Ege Universitesi, Bornovo, Izmir 239-248.
- Turlings, T.C.J., Batenburg, F.D.H. van & Strien-Liempt, W.T.F.H. van 1985. Why is there no interspecific host discrimination in the two coexisting larval parasitoids of *Drosophila* species, *Lepidopilina heterotoma* (Thomson) and *Asobara tabida* (Nees). *Oecologia* 67: 352-359.
- Turlings, T.C.J., Tumlinson, J.H., Lewis, W.J. & Vet, L.E.M. 1988. The effect of experience with hosts and host by-products on the response to host related odors by the larval parasitoid *Cotesia marginiventris* (Cresson). *Colloques de l'INRA* 48: 67-68.
- Turlings, T.C.J., Tumlinson, J.H., Lewis, W.J. & Vet, L.E.M. 1989. Beneficial arthropod behavior mediated by airborne semiochemicals. VIII. Learning of host-related odors induced by a brief contact experience with host by-products in *Cotesia marginiventris* (Cresson), a generalist larval parasitoid. *Journal of Insect Behavior* 2(2): 217-225.
- Turlings, T.C.J., Scheepmaker, J.W.A., Vet, L.E.M., Tumlinson, J.H. & Lewis, W.J. 1990. How contact foraging experiences affect preferences for host-related odors in the larval parasitoid *Cotesia marginiventris* (Cresson) (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 16(5): 1577-1589.
- Turlings, T.C.J., Tumlinson, J.H. & Lewis, W.J. 1990. Exploitation of herbivore-induced plant odors by host-seeking parasitic wasps. *Science* (Wash.) 250(4985): 1251-1253.
- Turlings, T.C.J., Tumlinson, J.H., Eller, F.J. & Lewis, W.J. 1991. Larval-damaged plants: source of volatile synomones that guide the parasitoid *Cotesia marginiventris* to the micro-habitat of its hosts. *Entomologia Experimentalis et Applicata* 58(1): 75-82.
- Turlings, T.C.J., Tumlinson, J.H., Heath, R.R., Proveaux, A.T. & Doolittle, R.E. 1991. Isolation and identification of allelochemicals that attract the larval parasitoid, *Cotesia marginiventris* (Cresson), to the microhabitat of one of its hosts. *Journal of Chemical Ecology* 17(11): 2235-2251.
- Turlings, T.C.J. & Tumlinson, J.H. 1991. Do parasitoids use herbivore-induced plant chemical defenses to locate hosts? *Florida Entomologist* 74(1): 42-50.
- Turlings, T.C.J., McCall, P.J., Alborn, H.T. & Tumlinson, J. 1992. Systemic releases of volatiles by herbivore-damaged plants: what possible functions? *Series Entomologica* (Dordrecht) 49: 365-366.
- Turlings, T.C.J. & Tumlinson, J.H. 1992. Systemic release of chemical signals by herbivore-injured corn. *Proceedings of the National Academy of Sciences of the United States of America* 89(17): 8399-8402.
- Turlings, T.C.J., McCall, P.J., Alborn, H.T. & Tumlinson, J.H. 1993. An elicitor in caterpillar oral secretions that induces corn seedlings to emit chemical signals attractive to parasitic wasps. *Journal of Chemical Ecology* 19(3): 411-425.
- Turlings, T.C.J. 1994. The active role of plants in the foraging successes of entomophagous insects. *Norwegian Journal of Agricultural Sciences*, SUPP 16: 211-219.
- Turlings, T.C.J. & Fritzsche, M.E. 1999. Attraction of parasitic wasps by caterpillar-damaged plants: 21-42. In: Chadwick, D.J. & Goode, J.A. [eds.]. "Insect plant interactions and induced plant defence." John Wiley & Sons, Ltd, Chichester, New York etc.: 1-281.
- Turlings, T.C.J., Alborn, H.T., Loughrin, J.H. & Tumlinson, J.H. 2000. Volicitin, an elicitor of maize volatiles in oral secretion of *Spodoptera exigua*: isolation and bioactivity. *Journal of Chemical Ecology* 26(1): 189-202.
- Turner, E.C. Jr., Burton, R.P. & Gerhardt, R.R. 1968. Natural parasitism of dung-breeding Diptera: a comparison between native hosts and an introduced host, the face fly. *Journal of Economic Entomology* 61(4): 1012-1015.

- Turner, J.R. & Hawkeswood, T.J. 1992. Some notes on the general biology and adult emergence of *Ogyris genoveva genoveva* Hewitson (Lepidoptera: Lycaenidae). *Giornale Italiano di Entomologia* 6(32): 161-168.
- Uchoa F., Manoel A., da Molina, R.M.S., Oliveira, I. de, Zucchi, R.A., Canal, N.A. & Diaz, N.B. 2003. Larval endoparasitoids (Hymenoptera) of frugivorous flies (Diptera, Tephritoidea) reared from fruits of the cerrado of the State of Mato Grosso do Sul, Brazil. *Revista Brasileira de Entomologia* 47(2): 181-186.
- Uchoa-Fernandes, M.A. & Campos, W.G. de 1993. Parasitoids of larvae and pupae of the tomato worm *Scrobipalpuloides absoluta* Meyrick, 1917 (Lepidoptera: Gelechiidae). *Revista Brasileira de Entomologia* 37(3): 399-402.
- Uçkan, F. & Gulel, A. 2000. Effects of host species on some biological characteristics of *Apanteles galleriae* Wilkinson (Hym.: Braconidae). *Turkish Journal of Zoology* 24: 105-113.
- Uçkan, F. & Gulel, A. 2001. The effects of cold storage on the adult longevity, fecundity and sex ratio of *Apanteles galleriae* Wilkinson (Hym.: Braconidae). *Turkish Journal of Zoology* 25(3): 187-191.
- Uçkan, F. & Ergin, E. 2002. Effect of host diet on the immature developmental time, fecundity, sex ratio, adult longevity, and size of *Apanteles galleriae* (Hymenoptera: Braconidae). *Environmental Entomology* 31(1): 168-171.
- Uçkan, F. & Gulel, A. 2002. Age-related fecundity and sex ratio variation in *Apanteles galleriae* (Hym.: Braconidae) and host effect on fecundity and sex ratio of its hyperparasitoid *Dibrachys boarmiae* (Hym.: Pteromalidae). *Journal of Applied Entomology* 126(10): 534-537.
- Uçkan, F. & Ergin, E. 2003. Temperature and food source effects on adult longevity of *Apanteles galleriae* Wilkinson (Hymenoptera: Braconidae). *Environmental Entomology* 32(3): 441-446.
- Udayagiri, S. & Jones, R.L. 1992. Flight behavior of *Macrocentrus grandii* Goidanich (Hymenoptera: Braconidae), a specialist parasitoid of European corn borer (Lepidoptera: Pyralidae): factors influencing response to corn volatiles. *Environmental Entomology* 21(6): 1448-1456.
- Udayagiri, S. & Jones, R.L. 1992. Role of plant odor in parasitism of European corn borer by braconid specialist parasitoid *Macrocentrus grandii* Goidanich: isolation and characterization of plant synomones eliciting parasitoid flight response. *Journal of Chemical Ecology* 18(10): 1841-1855.
- Udayagiri, S. & Jones, R.L. 1993. Variation in flight response of the specialist parasitoid *Macrocentrus grandii* Goidanich to odours from food plants of its European corn borer host. *Entomologia Experimentalis et Applicata* 69(2): 183-193.
- Udayagiri, S., Mason, C.E. & Pesek, J.D. Jr. 1997. *Coleomegilla maculata*, *Coccinella septempunctata* (Coleoptera: Coccinellidae), *Chrysoperla carnea* (Neuroptera: Chrysopidae), and *Macrocentrus grandii* (Hymenoptera: Braconidae) trapped on colored sticky traps in corn habitats. *Environmental Entomology* 26(4): 983-988.
- Uematsu, H., Yamashita, T. & Sakanoshita, A. 1987. Parasitoids of the diamondback moth, *Plutella xylostella* L. and their seasonal incidence in Miyazaki district, in the southern part of Japan. *Proceedings of the Association for Plant Protection of Kyushu* 33: 136-138.
- Uematsu, H. & Yamashita, T. 1999. Seasonal occurrence of diamondback moth, *Plutella xylostella* (L.) and parasitoids in some commercial cruciferous fields in Miyazaki, Southern Japan. *Japanese Journal of Applied Entomology and Zoology* 43(3): 113-121.
- Ueno, T. & Hirai, K. 1999. Larval and pupal parasitoids of oriental corn borer *Ostrinia furnacalis* (Lepidoptera: Pyralidae). *Japanese Journal of Applied Entomology and Zoology* 43(3): 135-137.
- Uthhoff-Kaufmann, R.R. 1990. The distribution of the genera *Trinophyllum* Bates, *Gracilia* Serv., and *Hylotrupes* Serv. (Col.: Cerambycidae) in the British Isles. *Entomologist's Record* 102: 267-274.
- Uthhoff-Kaufmann, R.R. 1990. The genera *Clytus* Laich. and *Anaglyptus* Muls. (Col.: Cerambycidae) in the British Isles. *Entomologist's Record* 102: 111-114.
- Uthhoff-Kaufmann, R.R. 1990. The genera *Nathrius* Brèthes and *Molorchus* F. (Col.: Cerambycidae) in Great Britain. *Entomologist's Record* 102: 239-242.
- Uthhoff-Kaufmann, R.R. 1990. The occurrence of the Callidini tribe (Col.: Cerambycidae) in the British Isles. *Entomologist's Record* 102: 161-166.
- Uthhoff-Kaufmann, R.R. 1990. The occurrence of the sub-family Aseminae (Col.: Cerambycidae) in the British Isles. *Entomologist's Record* 102: 55-63.
- Uthhoff-Kaufmann, R.R. 1991. The distribution and occurrence of *Acanthocinus* Dej. and *Agapanthia* Serv. (Col.: Lamiidae) in the British Isles. *Entomologist's Record* 103: 189-192.
- Uthhoff-Kaufmann, R.R. 1991. The distribution and occurrence of the genus *Saperda* F. (Col.: Lamiidae) in Great Britain. *Entomologist's Record* 103: 129-134.
- Uthhoff-Kaufmann, R.R. 1991. The genera *Lamia* F., *Mesosa* Latr., and *Leiopus* Serv. (Col.: Lamiidae) in the British Isles. *Entomologist's Record* 103: 73-77.
- Uthhoff-Kaufmann, R.R. 1991. The genus *Pogonocherus* Zett. (Col.: Lamiidae) in the British Isles. *Entomologist's Record* 103: 243-246.
- Ulrich, W. 1999. The number of species of Hymenoptera in Europe and assessment of the total number of Hymenoptera in the world. *Polskie Pismo Entomologiczne* 68(2): 151-164.
- Ulrich, W. 2000. Parasitic Hymenoptera and their hosts in a beech forest on limestone: dependence on biotic and abiotic factors. *Polskie Pismo Entomologiczne* 69(4): 429-439.
- Ulrich, W. 2001. Differences in temporal variability and extinction probabilities between species of guilds of parasitic Hymenoptera. *Polskie Pismo Entomologiczne* 70: 9-30.
- Ulrichs, C., Mewis, I., Schnitzler, W.H. & Burleigh, J.R. 2001. Parasitoids of the bean podborer, *Maruca vitrata* F. (Lepidoptera: Pyraustinae), a pest of *Vigna sesquipedalis* in the Philippine lowlands. *Vorträge der Entomologentagung in Dusseldorf vom 26. bis 31. März 2001. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 13(1-6): 283-288.
- Umoru, P.A. & Powell, W. 2002. Sub-lethal effects of the insecticides pirimicarb and dimethoate on the aphid parasitoid *Diaeretiella rapae* (Hymenoptera: Braconidae) when attacking and developing in insecticide-resistant hosts. *Biocontrol Science and Technology* 12(5): 605-614.
- Umoru, P.A. 1993. Effects of ground preparation on *Chasmodon apterus* Nees, (Hym.: Braconidae), a parasitoid of stem-boring Diptera in grassland in northern England. *Journal of Applied Entomology* 115(3): 284-286.
- Umoru, P.A. 1993. Parasitism of frit fly (*Oscinella* spp. (Dipt.: Chloropidae) and *Geomyza tripunctata* Fall. (Dipt.: Opomyzidae)) by hymenopterous parasitoids in grassland in northern England. *Journal of Applied Entomology* 116(3): 313-320.
- Umoru, P.A., Powell, W. & Clark, S.J. 1996. Effect of pirimicarb on the foraging behavior of *Diaeretiella rapae* (Hymenoptera: Braconidae) on host-free and infested oilseed rape plants. *Bulletin of Entomological Research* 86(2): 193-201.
- Unruh, T.R., White, W., Gonzalez, D., Gordh, G. & Luck, R.F. 1983. Heterozygosity and effective size in laboratory populations of *Aphidius ervi* (Hym.: Aphidiidae). *Entomophaga* 28(3): 245-258.

- Unruh, T.R., White, W., Gonzalez, D. & Woolley, J.B. 1989. Genetic relationships among seventeen *Aphidius* (Hymenoptera: Aphididae) populations, including six species. *Annals of the Entomological Society of America* 82(6): 754-768.
- Upadhyay, B.S. & Singh, R. 1999. Parasitism of *Aphis gossypii* (Homoptera: Aphididae) by *Binodoxys indicus* (Hymenoptera: Braconidae) at varying parasitoid-host ratios. *Entomologia Generalis* 24(4): 271-276.
- Upadhyay, B.S., Singh, R. & Singh, K. 2000. Honeydew as a food source for an aphid parasitoid *Lipolexis scutellaris* Mackauer (Hymenoptera: Braconidae). *Journal of Advanced Zoology* 21(2): 77-83.
- Urano, T. & Hijii, N. 1991. Biology of the two parasitoid wasps, *Atanycolus initiator* (Fabricius) and *Spathius brevicaudis* Ratzeburg (Hymenoptera: Braconidae), on subcortical beetles in Japanese pine trees. *Applied Entomology and Zoology* 26(2): 183-193.
- Urano, T. & Hijii, N. 1991. Factors causing the difference in parasitism pattern between two parasitoid wasps, *Atanycolus initiator* (Fabricius) and *Spathius brevicaudis* Ratzeburg (Hymenoptera: Braconidae), on subcortical beetles in Japanese pine trees. *Applied Entomology and Zoology* 26(4): 425-434.
- Urano, T. & Hijii, N. 1995. Resource utilization and sex allocation in response to host size in two ectoparasitoid wasps on subcortical beetles. *Entomologia Experimentalis et Applicata* 74(1): 23-35.
- Urano, T. & Ito, K. 1993. Life histories of the parasitoid wasps and their percent parasitism on inoculated larvae of the cryptomeria bark borer, *Semanotus japonicus* Lacordairei (Coleoptera: Cerambycidae). *Journal of the Japanese Forestry Society* 75(5): 409-415.
- Urban, A. & Schmidt, H. 1993. Moth pests on sultanias controlled biologically. *Plant Protection News* 31: 8-9.
- Urbaneja, A., Lara, L., Timmer, R., Blockmans, K. & Blom, J. van der 2002. Use of *Cotesia marginiventris* (Cresson) (Hym.: Braconidae) for the biological control of noctuids (Lep.: Noctuidae) in integrated pest management of protected sweet pepper. *Boletín de Sanidad Vegetal, Plagas* 28(2): 239-250.
- Urias-Lopez, M.A., Bellotti, A.C., Bravo-Mojica, H., Carrillo-Sanchez, J.L., Lopez, M.A.U., Mojica, H.B. & Sanchez, J.L.C. 1987. Effect of insecticides on 3 parasitoids of the yucca pest *Erinnyis ello* (L.). *Agrociencia* 67: 137-146.
- Ushchikov, A.T. & Rodkin, R.V. 1994. Rearing of *Opius*, the parasite of solanum miner. *Zashchita Rastenii* (Moscow) 11: 42-43.
- Usha, C., Bhalla, O.P. & Sharma, K.C. 1997. Biology and seasonality of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) and its parasitoids on cabbage and cauliflower. *Pest Management in Horticultural Ecosystems* 3(1): 7-12.
- Ushchikov, A.T. 1993. [The breeding of *Dacnusa* - a parasite of the leaf miner.] *Zashchita Rastenii* (Moscow) 9: 56-58.
- Ushchikov, A.T. 1994. *Diglyphus* as an efficient parasitoid of mining flies. *Zashchita Rastenii Moskva* 3: 56-57.
- Ushchikov, A.T., Muzafarov, I.Sh. & Derbysheva, V.A. 1994. Experience in biological control of nightshade miner in greenhouses of Tatarstan. *Zashchita Rastenii Moskva* 12: 19-20.
- Ushchikov, A.T. 2002. Leaf miner of Solanaceae and its parasites. *Zashchita i Karantin Rastenii* 11: 17-19.
- Utsunomiya, A. & Iwabuchi, K. 2002. Interspecific competition between the polyembryonic wasp *Copidosoma floridanum* and the gregarious endoparasitoid *Glyptapanteles pallipes*. *Entomologia Experimentalis et Applicata* 104(2-3): 353-362.
- Uygun, N., Polatoz, Z. & Baspinar, H. 1995. Faunistic studies on Agromyzidae (Diptera) in the South East Mediterranean Region of Turkey. *Turkiye Entomoloji Dergisi* 19(2): 123-136.
- Uzhchikov, A.T. 2002. Miner pest of Solanaceae crops and its parasites. *Zashchita i Karantin Rastenii*. 11, Noyabr 2002: 17-19.
- Uzun, S. 1987. Parasites of the cabbage butterfly (*Pieris brassicae* (L.)) (Lepidoptera: Pieridae) harmful on cabbage and cauliflower in the Izmir district. *Turkiye Entomoloji Dergisi* 11(4): 237-245.
- Vacante, V. & Veire, M. van de 1988. Buprofezin: a powerful help to integrated control in greenhouse vegetables and ornamentals. *Boletín de Sanidad Vegetal, Fuera e Serie* 17: 425-435.
- Vagina, N.P. 1982. Morphology of the neuroendocrine system of larvae of *Alysia manducator* Panz. (Hymenoptera: Braconidae). (in Russian) *Entomologicheskoe Obozrenie* 61(2): 245-251.
- Vagina, N.P. 1986. Role of cerebral neurosecretory cells in the regulation of the development of the larvae of braconid *Alysia manducator* Panz. (Hymenoptera: Braconidae). *Entomologicheskoe Obozrenie* 65(3): 457-464.
- Vagina, N.P. & Zinovjeva, K.B. 1993. Activating and inhibitory thermoreactions, regulating the development of parasitic wasp *Alysia manducator* Panz. (Hymenoptera: Braconidae): a comparison of experimental and histological data. *Entomologicheskoe Obozrenie* 72(3) 1993: 489-496, 728. [*Entomological Review* 73(3): 1-7].
- Vagina, N.P. & Chernoguz, D.G. 1995. Stress or regulation? Interruption of larval diapause in Diptera infected by Braconidae. *Zoologicheskii Zhurnal* 74(3): 88-101.
- Vagina, N.P. 1995. Effect of temperature variations on general condition and neurosecretory system of *Alysia manducator* Panz. larvae (Hymenoptera: Braconidae). *Entomologicheskoe Obozrenie* 74(3): 497-506, 722. [*Entomological Review* 75(8): 15-24].
- Vail, P.V., Barnett, W., Cowan, D.C., Sibbett, S., Beede, R. & Tebbets, J.S. 1991. Codling moth (Lepidoptera: Tortricidae) control on commercial walnuts with a granulosis virus. *Journal of Economic Entomology* 84(5): 1448-1453.
- Vakenti, J.M., Cossentine, J.E., Cooper, B.E., Sharkey, M.J., Yoshimoto, C.M. & Jensen, L.B.M. 2001. Host-plant range and parasitoids of obliquebanded and three-lined leafrollers (Lepidoptera: Tortricidae). *Canadian Entomologist* 133(1): 139-146.
- Valarmathi, K. & Sundararajan, R. 1986. Biology of *Chelonus blackburni* Cameron and comparative toxicity of certain pesticides to *Bracon brevicornis* Wesmael and *Chelonus blackburni* Cameron (Hymenoptera: Braconidae). *Pest Management* 1: 47-51.
- Valcovic, L.R. & Grosch, D.S. 1968. Apholate-induced sterility in *Bracon hebetor*. *Journal of Economic Entomology* 61(6): 1514-1517.
- Valcovic, L.R. 1993. Genetic response of adult *Bracon hebetor* (Say) to alkylation by ethylenimine. *Mutat. Res.* 15: 67-75.
- Valentine, E.W., 1967. A list of the hosts of entomophagous insects of New Zealand. *New Zealand Journal of Science* 10: 1100-1209.
- Valentine, E.W. & Walker, A.K. 1991. Annotated catalogue of New Zealand Hymenoptera. D.S.I.R. Plant Protection Report No. 4.
- Valentine, E.W. 1975. Additions and corrections to Hymenoptera hyperparasitic on aphids in New Zealand. *New Zealand Entomologist* 6(1): 59-61.
- Valerio, A.A. & Whitfield, J.B. 2000. Taxonomic notes on Costa Rican Mendesellinae (Ichneumonoidea: Braconidae), with description of a new central American species of *Mendesella*. *Journal of Hymenoptera Research* 9(2): 271-276.
- Valerio, A.A. & Whitfield, J.B. 2002. *Epsilogaster faviolae*, a new species of Mendesellinae from Colombia (Hymenoptera: Braconidae) *Zootaxa* 41: 1-7.
- Valerio, A.A. & Whitfield, J.B. 2003. A new species of the enigmatic genus *Teremys* Mason, *T. hamniae*, from Costa Rica (Hymenoptera: Braconidae). *Zootaxa* 364: 1-9.

- Valicente, F.H. 1989.** Survey of the natural enemies of *Spodoptera frugiperda* (J.E. Smith, 1797) (Lepidoptera: Noctuidae) in different regions of Minas Gerais. *Anais da Sociedade Entomologica do Brasil* 18(1): 119-130.
- Valladares, G.R. & Salvo, A. 1999.** Insect-plant food webs could provide new clues for pest management. *Environmental Entomology* 28(4): 539-544.
- Valverde Macedo, M. de, Pimentel, M.C.P. & Cardoso-Vieira, R. 1998.** Response of *Pithecellobium tortum* Martius (Leguminosae) seeds to the attack of the phytophagous braconid *Allorhogas dyspistus* Marsh (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 7(2): 274-279.
- Vanlaerhoven, S.L. & Stephen, F.M. 2002.** Height distribution of adult parasitoids of the southern pine beetle complex. *Environmental Entomology* 31(6): 982-987.
- Vanlaerhoven, S.L. & Stephen, F.M. 2003.** Rain influences trap catch of adult parasitoids of the southern pine beetle, *Dendroctonus frontalis* Zimmermann. *Journal of Entomological Science* 38(1): 143-146.
- Vanlaerhoven, S.L., Hanano, T.L. & Stephen, F.M. 2002.** Baseline egg load of southern pine beetle parasitoid complex. *Canadian Entomologist* 134(4): 551-560.
- Vanni, S., Bartolozzi, L. & Whitman-Mascherini, S. 1985.** Collections of the Zoological Museum "La Specola" of the University of Florence. II. Insecta Hymenoptera: Type specimens. *Atti della Societa Toscana di Scienze Naturali* B92: 119-131.
- Vanninen, I. & Koskula, H. 1998.** Effect of hydrogen peroxide on algal growth, cucumber seedlings and the reproduction of shore flies (*Scatella stagnalis*) in rockwool. *Crop Protection* 17(6): 547-553.
- Varadarasan, S. 1986.** New record of a braconid parasite on cardamom hairy caterpillar, *Eupterote cardamomi* Reng. and cardamom looper, *Eumelia rosalia* Cram. *Entomon* 11(4): 260-261.
- Varatharajan, R., Singh, T.K. & Shantibala, K. 1995.** Preliminary observations on the abundance of *Hyalopterous pruni* (Geoff.) (Homoptera: Aphididae) in relation to certain biotic and abiotic factors. *Journal of Aphidology* 5(1-2) (March 1991): 56-60.
- Varatharajan, R., Singh, S.A., Keisa, T.J., Singh, O.D. & Selvasundaram, R. 1998.** Life table of *Spilosoma obliqua* (Lepidoptera: Arctiidae) on sunflower. *Insect Science and its Application* 18(4): 383-385.
- Varela, L.G. & Welter, S.C. 1992.** Parasitoids of the leafminer, *Phyllonorycter* nr. *elmaella* (Lepidoptera: Gracillariidae), on apple in California: abundance, impact on leafminer, and insecticide-induced mortality. *Biological Control* 2(2): 124-130.
- Vargas, R.I., Stark, J.D. & Bigler, F. 1991.** Two methods for estimation of oriental fruit fly and associated opiine parasitoid abundance. Fifth Workshop of the IOBC Global Working Group on Quality Control of Mass Reared Arthropods 183-191.
- Vargas, R.I., Stark, J.D., Prokopy, R.J. & Green, T.A. 1991.** Response of oriental fruit fly (Diptera: Tephritidae) and associated parasitoids (Hymenoptera: Braconidae) to different-color spheres. *Journal of Economic Entomology* 84(5): 1503-1507.
- Vargas, R.I., Stark, J.D., Uchida, G.K. & Purcell, M. 1993.** Opiine parasitoids (Hymenoptera: Braconidae) of oriental fruit fly (Diptera: Tephritidae) on Kauai Island, Hawaii: islandwide relative abundance and parasitism rates in wild and orchard guava habitats. *Environmental Entomology* 22(1): 246-253.
- Vargas, R.I., Walsh, W.A., Hsu, C.L., Spencer, J., Mackey, B. & Whiteh, L. 1994.** Effects of sterile Mediterranean fruit fly (Diptera: Tephritidae) releases on the target species, a nontarget tephritid, and a braconid parasitoid (Hymenoptera: Braconidae) in commercial coffee fields. *Journal of Economic Entomology* 87(3): 653-660.
- Vargas, R.I., Walsh, W.A. & Nishida, T. 1995.** Colonization of newly planted coffee fields: dominance of Mediterranean fruit fly over oriental fruit fly (Diptera: Tephritidae). *Journal of Economic Entomology* 88(3): 620-627.
- Vargas, R.I. 1996.** Suppression of Mediterranean fruit fly populations with SIT in two habitats: a coffee agroecosystem with a braconid parasitoid and a forest with scattered patches of understory coffee: 467-470. In: McPheron, B.A. & Steck, G.J. [eds]. "Fruit fly pests a world assessment of their biology and management." Delray Beach, Florida: 1-586.
- Vargas, R.I., Ramadan, M. & Tan, K.H. 2000.** Comparisons of demographic parameters: six parasitoids (Hymenoptera: Braconidae) and their fruit fly (Diptera: Tephritidae) hosts. Area wide control of fruit flies and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998 733-737.
- Vargas, R.I., Peck, S.L., McQuate, G.T., Jackson, C.G., Stark, J.D. & Armstrong, J.W. 2001.** Potential for areawide integrated management of Mediterranean fruit fly (Diptera: Tephritidae) with a braconid parasitoid and a novel bait spray. *Journal of Economic Entomology* 94(4): 817-825.
- Vargas, R.I., Miller, N.W. & Prokopy, R.J. 2002.** Attraction and feeding responses of Mediterranean fruit fly and a natural enemy to protein baits laced with two novel toxins, phloxine B and spinosada. *Entomologia Experimentalis et Applicata* 102(3): 273-282.
- Vargas, R.I., Ramadan, M., Hussain, T., Mochizuki, N., Bautista, R.C. & Stark, J.D. 2002.** Comparative demography of six fruit fly (Diptera: Tephritidae) parasitoids (Hymenoptera: Braconidae). *Biological Control* 25(1): 30-40.
- Vargas-Camplis, J. 1995.** Seasonal fluctuation of larval parasites of bollworm complex before boll weevil eradication program in northern Tamaulipas Mexico. *Proceedings Beltwide Cotton Conferences, San Antonio, TX, USA, January 4-7, 1995: Vol 2: 790-791.*
- Vargas-Osuna, E., Munoz-Ledesma, J., Aldebis, H.K. & Santiago-Alvarez, C. 1994.** Pathogens and parasitoids for the control of *Thaumetopoea pityocampa* (D. & Schiff.) (Lep. Notodontidae). *Boletin de Sanidad Vegetal, Plagas* 20(2): 511-515.
- Varis, A.-L. & Bilewicz-Pawinska, T. 1992.** Influence of temperature on survival and emergence of diapausing *Peristenus steno-demae* (Hymenoptera, Braconidae). *Entomologica Fennica* 3(2): 117-119.
- Varis, A.-L. & Achterberg, C. van 2001.** *Peristenus varisae* spec. nov. (Hymenoptera: Braconidae) parasitizing the European tarnished plant bug, *Lygus rugulipennis* Poppius (Heteroptera: Miridae). *Zoologische Mededelingen, Leiden* 75(18): 371-380.
- Varlez, S., Jervis, M.A., Kidd, N.A.C., Campos, M. & McEwen, P.K. 1993.** Effects of *Bacillus thuringiensis* on parasitoids of the olive moth, *Prays oleae* Bern. (Lep., Yponomeutidae). *Journal of Applied Entomology* 116(3): 267-272.
- Varma, A., Nigam, H. & Singh, K. 1987.** Laboratory and field evaluations of an exotic parasite, *Allorhogas pyralophagus* Marsh (Hymenoptera: Braconidae) against sugarcane stalk borer, *Chilo auricilius* Ddgn. (Lepidoptera: Pyralidae). *Entomon* 12(4): 367-372.
- Varma, A., Saxena, H. & Tanwar, R.K. 1987.** Some observations on the biology of an exotic parasite *Allorhogas pyralophagus* Marsh in India. *Journal of Biological Control* 1(2): 141-143.
- Varma, A. & Saxena, H. 1989.** Field recovery of an exotic parasite, *Allorhogas pyralophagus* Marsh against sorghum borer *Chilo partellus* Swinhoe. *Indian Journal of Plant Protection* 17(1): 101-102.
- Varma, A. & Nigam, H. 1990.** Field releases and recoveries of an exotic parasite, *Allorhogas pyralophagus* Marsh against sugar-

- cane stalk borer, *Chilo auricilius* Ddgn. Indian Journal of Entomology 51: 136-138.
- Varma, G.C. & Bindra, O.S. 1973.** Technique for rearing of *Apanteles* ssp. (Braconidae: Hymenoptera). Indian Journal of Entomology 35(3): 276-277.
- Varma, G.C. & Singh, L. 1983.** Growth of the population of *Chelonus blackburni* Cameron (Hymenoptera: Braconidae). Journal of Research Punjab Agricultural University 20(3): 307-310.
- Varma, G.C. & Mangat, L.S. 1984.** Laboratory studies on superparasitism in *Chelonus blackburni* (Braconidae: Hymenoptera). Entomon 9(4): 297-303.
- Varma, G.C. & Shenhmar, M. 1988.** Parasitoids of *Pectinophora gossypiella* (Saunders) (Lep.: Gelechiidae) and *Earias* spp. (Lep.: Noctuidae) in Punjab. Journal of Research, Punjab Agricultural University 25(4): 592-594.
- Varricchio, P., Gargiulo, G., Graziani, F., Manzi, A., Pennacchio, F., Digilio, M., Tremblay, E. & Malva, C. 1995.** Characterization of *Aphidius ervi* (Hymenoptera: Braconidae) ribosomal genes and identification of site-specific insertion elements belonging to the non-LTR retrotransposon family. Insect Biochemistry and Molecular Biology 25(5): 603-612.
- Varricchio, P., Falabella, P., Sordetti, R., Graziani, F., Malva, C. & Pennacchio, F. 1999.** *Cardiophiles nigriceps* polydnavirus: molecular characterization and gene expression in parasitized *Heliothis virescens* larvae. Insect Biochemistry and Molecular Biology 29(12): 1087-1096.
- Varshney, K. & Shujaiddin 1999.** Two new species of the genus *Phanerotoma* Wesmael (Hymenoptera: Braconidae) from India. Records of the Zoological Survey of India 97(2): 259-263.
- Varshney, R.K. 1995.** Family Aphididae is in Hemiptera or Hymenoptera? Journal of the Bombay Natural History Society 92(3): 428-429.
- Vasicek, A.L. 1985.** Bionomic advances on *Agromyza apfelbecki* Strobl. (Dipt.: Agromyzidae). Revista de la Facultad de Agronomía, Universidad Nacional de La Plata 61(62): 143-146.
- Vass, E., Nappi, A.J. & Carton, Y. 1993.** Comparative study of immune competence and host susceptibility in *Drosophila melanogaster* parasitized by *Leptopilina boulardi* and *Asobara tabida*. Journal of Parasitology 79(1): 106-112.
- Vass, E. & Nappi, A.J. 2001.** Fruit fly immunity BioScience 51(7): 529-535.
- Vassileva-Sumnalieva, L. 1976.** Faunistic and biological notes on the family Aphidiidae (Hymenoptera) of Bulgaria. Acta Zoologica Bulgarica 4: 60-64.
- Vater, V.G. 1971.** Dispersal and orientation of *Diaeretiella rapae* (Hymenoptera: Aphididae) with regard to the hyperparasites of *Brevicoryne brassicae* (Homoptera: Aphididae). Zeitschrift für angewandte Entomologie 68: 187-225.
- Vaughn, T.T., Antolin, M.F. & Bjostad, L.B. 1996.** Behavioral and physiological responses of *Diaeretiella rapae* to semiochemicals. Entomologia Experimentalis et Applicata 78(2): 187-196.
- Vaughn, T.T. & Antolin, M.F. 1998.** Population genetics of an opportunistic parasitoid in an agricultural landscape. Heredity 80(2): 152-162.
- Veda, O.P. & Shaw, S.S. 1988.** Population dynamics of mustard aphids, *Lipaphis erysimi* K. and its parasite, *Diaretus rapae* M'Intosh. Agricultural Science Digest Karnal 8(4): 189-190.
- Veda, O.P., Shaw, S.S. & Badaya, A.K. 1994.** Serious outbreak of green peach aphids (*Myzus persicae* Sulzer) on opium poppy (*Papaver somniferum* Linn.) and its associated parasites and predators in western Madhya Pradesh. Bhartiya Krishi Anusandhan Patrika 9(1): 69-72.
- Veen, F.J.F. van, Muller, C.B., Adriaanse, I.C.T. & Godfray, H.C.J. 2002.** Spatial heterogeneity in risk of secondary parasitism in a natural population of an aphid parasitoid. Journal of Animal Ecology 71(3): 463-469.
- Veeresh, G.K., Shylesha, A.N. & Siddegowda, D.K. 1992.** Ecobiological studies on *Allorhogas pallidiceps* (Perkins) (Braconidae: Hymenoptera) a larval parasite of coffee white stem borer *Xylotrechus quadripes* Chev. Journal of Plantation Crops 20(Supplement): 123-126.
- Verman, A., Slagt, M.E., Alderlieste, M.F.J. & Veenendaal, R.L. 1985.** Photoperiodic induction of diapause in an insect is vitamin A dependent. Experientia (Basel) 41(9): 1194-1195.
- Veire, M. van de 1988.** Towards integrated control of leaf-mining flies of tomatoes under glass. Revue de l'Agriculture 41(1): 45-51.
- Veire, M. van de 1990.** Greenhouse whitefly, *Trialeurodes vaporariorum*, and spider mite, *Tetranychus urticae*, control in greenhouse tomatoes and cucumbers, with some experimental pesticides and their side effects on some important natural enemies. Bulletin SROP 13(5): 218-221.
- Veire, M. van de 1991.** Progress in IPM in glasshouse vegetables in Belgium. Bulletin SROP 14(5): 22-32.
- Vekarta, M.V. & Patel, G.M. 1999.** Succession of important pests of mustard in North Gujarat. Indian Journal of Entomology 61(4): 356-361.
- Vekarta, M.V. & Patel, G.M. 2000.** Bioefficacy of botanicals and certain chemical insecticides and their combinations against the mustard aphid, *Lipaphis erysimi*. Indian Journal of Entomology 62(2): 150-158.
- Velasco, L.R.I. 1982.** Life history of *Apanteles plutellae* Kurdj. (Braconidae: Hymenoptera), a parasitoid of diamondback moth. Philippine Entomologist 5: 385-399.
- Velasco, L.R.I. 1983.** Field parasitism of *Apanteles plutellae* Kurdj. (Braconidae, Hymenoptera) on the diamond-back moth of cabbage. Philippine Entomologist 6: 539-553.
- Vélez Angel, R. 1988.** [Recognition, identification and biology of species of Gelechiidae (Lepidoptera) on solanaceous plants from the Antioquia Department. I. *Scrobipalpula absoluta* (Meyrick).] (in Spanish with English summary) Revista Colombiana de Entomologia 14(2): 25-32.
- Velu, T.S. & Kumaraswami, T. 1990.** Studies on 'skip row coverage' against bollworm damage and parasite emergence in cotton. Entomon 15(1-2): 69-73.
- Venkatesha, M.G. & Gopinath, K. 1992.** Studies on the biology of *Apanteles* sp. (nr. *nepitae* Wilkinson) (Hymenoptera: Braconidae), a gregarious endoparasitoid of *Amata passalis* (Fabricius) (Lepidoptera: Arctiidae). Journal of Biological Control 6(1): 9-12.
- Venkatesha, M.G. & Gopinath, K. 1992.** Suitability of host age and number for parasitization by *Apanteles* nr. *nepitae* (Hymenoptera: Braconidae), an endoparasitoid of *Amata passalis* (Lepidoptera: Arctiidae), a pest of sandalwood. Agrotropica 4(3): 39-44.
- Venkatesha, M.G., Gopinath, V.K. & Chandramohan, K. 1992.** New host record and some parasitoids of *Euproctis fraterna* (Moore) (Lepidoptera: Lymantriidae), a pest of forest trees in India. Indian Journal of Forestry 15(4): 358.
- Venkatesha, M.G., Gopinath, K. & Chandramohan, K. 1993.** First record of *Apanteles obliquae* Wilkinson (Hymenoptera: Braconidae) on *Tros aristolochiae* [*Atrophanaura aristolochiae*] (Fabricius) (Lepidoptera: Papilionidae). Indian Journal of Forestry 16(3): 290-291.
- Venkatesha, M.G. & Gopinath, K. 1993.** On the behaviour of *Apanteles* nr. *nepitae* (Hymenoptera: Braconidae) and its parasitised host, *Amata passalis* (Lepidoptera: Arctiidae), a defoliator of sandalwood. Annals of Entomology 11(1): 47-52.
- Venkatesha, M.G. & Gopinath, K. 1993.** Record of parasitoids on the sandalwood defoliator, *Amata passalis* (Fabricius) (Lepidoptera: Arctiidae). Indian Journal of Forestry 16(2): 177-178.
- Venkatesha, M.G. & Gopinath, K. 1994.** Description of immature stages of a species of *Glyptapanteles* (Hymenoptera: Braconidae), a gregarious endoparasitoid of *Amata passalis*

- (Fabricius) (Lepidoptera: Arctiidae), a defoliator of sandalwood, *Santalum album* L. Insect Science and its Application 15(2): 161-165.
- Venkatesha, M.G. & Gopinath, K. 1994.** First record of *Apanteles obliquae* Wilkinson (Hymenoptera: Braconidae) on *Tros aristolochiae* (Fabricius) (Lepidoptera: Papilionidae). Bulletin Of Entomology 35(1-2): 154-155.
- Venkatesha, M.G., Seetharama, H.G. & Sreedharan, K. 1997.** *Iphiaulax* sp. - a new braconid parasitoid of coffee white stem borer, *Xylotrechus quadripes* (Chevr.) (Coleoptera: Cerambycidae). Pest Management in Horticultural Ecosystems 3(2): 112-113.
- Vera Grazziano, J., Carrillo, J.L. & Sosa Moss, C. 1972.** Fluctuación en la densidad de población del pulgón verde de la alfalfa *Acyrtosiphon pisum* (Harris) y de su parasitoido *Aphidius smithi* Sharma & Subba Rao, en Chapingo, Mexico. Agro-Ciencia 1972D(9): 25-37.
- Vergara-Ruiz, R. & Galeano, O.P.E. 1994.** Population interactions between aphids and their natural enemies in cotton, in two areas in Tolima. Revista Colombiana de Entomología 20(1): 15-22.
- Verkerk, R.H.J. & Wright, D.J. 1997.** Field-based studies with the diamondback moth tritrophic system in Cameron Highlands of Malaysia: implications for pest management. International Journal of Pest Management 43(1): 27-33.
- Verma, S.C. & Raj, D. 1996.** Incidence of wax moths (*Galleria mellonella* L. and *Achroia grisella* F.) and their parasitization by *Apanteles galleriae* Wilkinson in *Apis mellifera* colonies in Kangra valley. Pest Management and Economic Zoology 4(1-2): 91-95.
- Verma, S.C. & Raj, D. 1998.** Mass production of wax moths and economics of parasitoid, *Apanteles galleriae* Wilkinson production. Journal of Biological Control 12(2): 123-129.
- Verma, S.C. 1998.** Record of a parasitoid, *Apanteles galleriae* Wilkinson, of the greater wax moth in honey bee colonies in Chamba, Himachal Pradesh. Pest Management and Economic Zoology 6(2): 167-168.
- Verma, S.C., Srivastava, S., Raj, D. & Devi, N. 1998.** Incidence of wax moths (*Galleria mellonella* Linn. and *Achroia grisella* Fabr.) and their parasitization by *Apanteles galleriae* Wilkinson in honey bee, *Apis mellifera* Linn. colonies in mild hill zone of Himachal Pradesh (India). Journal of Entomological Research 22(1): 11-16.
- Verma, S.C., Raj, Desh, Srivastava, S. & Devi, Nirmala. 1999.** Longevity and behaviour of *Apanteles galleriae* Wilkinson (Braconidae, Hymenoptera). Indian Bee Journal 59(3)(September 1997): 174-175.
- Verma, S.C. & Raj, D. (2000)2001.** Incidence of wax moth (*Galleria mellonella* L. and *Achroia grisella* F.) and their parasitization by *Apanteles galleriae* Wilk. in *Apis cerana* colonies in Kangra valley. Himachal Journal of Agricultural Research 26(1-2): 44-49.
- Verma, S.K. & Joshi, N.K. 1988.** *Syntretomorpha szayboi* Papp. - a new hymenopterous parasite of Indian hive bee, *Apis cerana indica* Fabr. Indian Bee Journal 50(2): 39-40.
- Verma, S.N., Singh, O.P. & Nema, K.K. 1993.** Effect of dates of sowing on the incidence of mustard aphid and its parasite in Madhya Pradesh. Indian Journal of Agricultural Research 27(2): 76-80 *Apanteles galleriae* Wilk. in *Apis cerana* Fab. colonies at Palampur. Journal of Insect Science 12(1): 75-76.
- Vernede, R., & Pak, G.A. 1994.** Olfactory preferences of *Cotesia glomerata* (L.) (Hym.: Braconidae) to volatiles from the plant-host complex in a flight tunnel. Journal of Applied Entomology 117(3): 278-286.
- Versoi, P.L. & Yendol, W.G. 1978.** Recognition of virus-diseased gypsy moth larvae by *Apanteles melanoscelus* Ratzeburg (Hymenoptera: Braconidae). Journal of the New York Entomological Society 86(4): 325-326.
- Versoi, P.L. & Yendol, W.G. 1982.** Discrimination by the parasite, *Apanteles melanoscelus*, between healthy and virus-infected gypsy moth larvae. Environmental Entomology 11: 42-45.
- Vet, L.E.M. & Janse, C.J. 1984.** Fitness of two sibling species of *Asobara* (Braconidae: Alysiinae), larval parasitoids of Drosophilidae in different microhabitats. Ecological Entomology 9(3): 345-354.
- Vet, L.E.M. & Opzeel, K. van 1984.** The influence of conditioning on olfactory microhabitat and host location in *Asobara tabida* (Nees) and *A. rufescens* (Foerster) (Braconidae: Alysiinae) larval parasitoids of Drosophilidae. Oecologia 63: 171-177.
- Vet, L.E.M., Janse, C.J., Achterberg, C. van & Alphen, J.J.M. van 1984.** Microhabitat location and niche segregation in two sibling species of drosophilid parasitoids: *Asobara tabida* (Nees) and *A. rufescens* (Foerster) (Braconidae: Alysiinae). Oecologia 61: 182-188.
- Vet, L.E.M., Meyer, M., Bakker, K. & Alphen, J.J.M. van 1984.** Intra- and inter-specific host discrimination in *Asobara* (Hymenoptera) larval endoparasitoids of Drosophilidae: Comparison between closely related and less closely related species. Animal Behaviour 32(3): 871-874.
- Vet, L.E.M. 1985.** Olfactory microhabitat location in some eucoilid and alysiine species (Hymenoptera), larval parasitoids of Diptera. Netherlands Journal of Zoology 35: 720-730.
- Vet, L.E.M. 1985.** Response to kairomones by some Alysiine and Eucoilid parasitoid species (Hymenoptera), larval parasitoids of Diptera. Netherlands Journal of Zoology 35: 486-496.
- Vet, L.E.M. & Alphen, J.J.M. van 1985.** A comparative functional approach to the host detection behaviour of parasitic wasps. I. A qualitative study on Eucoilidae and Alysiinae. Oikos 44: 478-486.
- Vet, L.E.M. & Opzeeland, K. van (1985)1986.** Olfactory microhabitat selection in *Leptopilina heterotoma* (Thomson) (Hym.: Eucoilidae), a parasitoid of Drosophilidae. Netherlands Journal of Zoology 35(3) 497-504.
- Vet, L.E.M. & Datema, A. 1993.** Clutch size in a larval-pupal endoparasitoid. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 4: 85-89.
- Vet, L.E.M., Datema, A., Snellen, H. & Welzen, K. van 1993.** Clutch size in a larval-pupal endoparasitoid. 1. Variation across and within host species. Oecologia 95(3): 410-415.
- Vet, L.E.M., Datema, A., Janssen, A. & Snellen, H. 1994.** Clutch size in a larval-pupal endoparasitoid: consequences for fitness. Journal of Animal Ecology 63(4): 807-815.
- Vet, L.E.M., Datema, A., Janssen, A. & Snellen, H. 1994.** The relation between clutch size and fitness in a larval-pupal endoparasitoid. Norwegian Journal of Agricultural Sciences SUPP 16: 141-145.
- Via, S. & Nouhuys, S. van 1999.** Natural selection and genetic differentiation of behaviour between parasitoids from wild and cultivated habitats. Heredity 83(2): 127-137.
- Vickerman, G.P. & Wratten, S.D. 1979.** The biology and pest status of cereal aphids (Hemiptera: Aphididae) in Europe: a review. Bulletin of Entomological Research 69: 1-32.
- Vickerman, G.P. 1982.** Distribution and abundance of cereal aphid parasitoids (*Aphidius* spp.) on grassland and winter wheat. Annals of Applied Biology 101: 185-190.
- Vickerman, G.P., Greig-Smith, P.W., Frampton, G. & Hardy, T. 1992.** The effects of different pesticide regimes on the invertebrate fauna of winter wheat. Pesticides, cereal farming and the environment: the Boxworth project 82-109.
- Vidal, S. 1993.** Determination list of entomophagous insects. Nr. 12. IOBC-WPRS Bulletin 16(3): 1-9.

- Vidal, S. & Bohlsen, W. 1994. What makes intercropped cauliflower plants less susceptible to *Brevicoryne brassicae*? IOBC-WPRS Bulletin 17(8) 1994: 173-182.
- Vidal, S. 1997. Factors influencing the population dynamics of *Brevicoryne brassicae* in undersown Brussels sprouts. Entomological research in organic agriculture. Selected papers from the European Workshop, Austrian Federal Ministry of Science and Research, Vienna, Austria, 14-16 March, 1995. Biological Agriculture and Horticulture 15(1-4): 285-295.
- Vidal, S. 1997. Determination list of entomophagous insects. Nr. 13. IOBC-WPRS Bulletin 20(2): 1-8.
- Vieira, V. 1994. Contributions to the terrestrial arthropod fauna of the Corvo Islands (Azores). Arquipelago Boletim Da Universidade Dos Acores Ciencias Biologicas E Marinhas 12A: 51-56.
- Viggiani, G. 1988. Osservazioni sulla *Reuteria marqueti* Puton (Hem. Miridae) ed altri nemici naturali degli afidi del nocciolo. Atti del Congresso Nazionale Italiano di Entomologia 15: 911-916.
- Viggiani, G. 1990. Current biological control projects. Informatore Agrario 46(46): 70-74.
- Viggiani, G., Bernardo, U. & Giorgini, M. 1998. Contact effects of pesticides on some entomophagous insects. Informatore Fitopatologico 48(10): 76-78.
- Vikberg, V. & Koponen, M. 2001. *Proclithrophorus genalis* sp. n. from northern Finland representing a genus new to European fauna (Hymenoptera: Braconidae: Euphorinae). Entomologica Fennica 12(3): 176-181.
- Vilhelmsen, L. 1997. Head capsule concavities accommodating the antennal bases in hymenoptera pupating in wood: Possible emergence-facilitating adaptations. International Journal of Insect Morphology and Embryology 26(2): 129-138.
- Villagra, C.A., Ramirez, C.C. & Niemeyer, H.M. 2002. Antipredator responses of aphids to parasitoids change as a function of aphid physiological state. Animal Behaviour 64(5): 677-683.
- Villasenor, A., Carrillo, J., Zavala, J., Stewart, J., Lira, C., Reyes, J. & Tan, K.H. 2000. Current progress in the Medfly Program Mexico-Guatemala. Area wide control of fruit flies and other insect pests. Joint proceedings of the international conference on area wide control of insect pests, 28 May-2 June, 1998 and the Fifth International Symposium on Fruit Flies of Economic Importance, Penang, Malaysia, 1-5 June, 1998: 361-368.
- Villemant, C. 1980. Modification du complexe entomophage de la tordeuse des pousses de pin *Rhyacionia buoliana* Schiff. (Lepidoptere: Tortricidae) en liaison avec la pollution atmosphérique en forêt de Roumare (Saine-Maritime). Acta Oecologica Oecologia Applicata 1: 139-160.
- Villemant, C. & Simbolotti, G. 2000. Une nouvelle espece du *Cyclaulacidea* parasite d'un charancon revageur du palmier *Euterpe oleracea* au Bresil (Hymenoptera: Braconidae). Revue Francaise d'Entomologie (Nouvelle Serie) 22(4): 167-171.
- Vincelette, F. 1994. The utilisation of parasitoid wasps in biological control. Fabrieres 19(1): 12-26.
- Vink, C.J., Phillips, C.B., Mitchell, A.D., Winder, L.M. & Cane, R.P. 2003. Genetic variation in *Microctonus aethiopoies* (Hymenoptera: Braconidae). Biological Control 28(2): 251-264.
- Vinogradova, E.B. & Zinovjeva, K.B. 1972. The control of seasonal development in parasites of blow flies. IV. Patterns of photoperiodic reaction in *Alysia manducator* Panz. (Hymenoptera, Braconidae). (in Russian) In: Zaslavsky, V.A. [ed.]. "Host-parasite relations in insects." Publishing House Nauka. Leningrad: 112-117.
- Vinogradova, E.B. & Zinovjeva, K.B. 1972. Experimental investigation of the seasonal aspect of the relationship between blowflies and their parasites. Journal of Insect Physiology 18(9): 1629-1638.
- Vinson, S.B. & Lewis, W.J. 1965. A method of host selection by *Cardiochiles nigriceps*. Journal of Economic Entomology 58(5): 869-871.
- Vinson, S.B. 1968. Source of a substance in *Heliothis virescens* that elicits a searching response in its habitual parasite *Cardiochiles nigriceps*. Annals of the Entomological Society of America 61: 8-10.
- Vinson, S.B. 1969. General morphology of the digestive and internal reproductive systems of adult *Cardiochiles nigriceps* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 62: 1414-1419.
- Vinson, S.B. 1970. Development and possible functions of teratocytes in the host parasite association. Journal of Invertebrate Pathology 16: 93-101.
- Vinson, S.B. & Barras, D.J. 1970. Effects of the parasitoid, *Cardiochiles nigriceps*, on the growth, development and tissues of *Heliothis virescens*. Journal of Insect Physiology 16: 1329-1338.
- Vinson, S.B. 1971. Defense reaction and hemocytic changes in *Heliothis virescens* in response to its habitual parasitoid *Cardiochiles nigriceps*. Journal of Invertebrate Pathology 18: 94-100.
- Vinson, S.B. 1972. Competition and host discrimination between two species of tobacco budworm parasitoids. Annals of the Entomological Society of America 65(1): 229-236.
- Vinson, S.B. 1972. Factors involved in successful attack on *Heliothis virescens* by the parasitoid *Cardiochiles nigriceps*. Journal of Invertebrate Pathology 20: 118-123.
- Vinson, S.B. & Guillot, F.S. 1972. Host marking: source of a substance that results in host discrimination in insect parasitoids. Entomophaga 17(2): 241-245.
- Vinson, S.B., Guillot, F.S. & Hays, D.B. 1973. Rearing of *Cardiochiles nigriceps* in the laboratory, with *Heliothis virescens* as hosts. Annals of the Entomological Society of America 66: 1170-1172.
- Vinson, S.B. & Lewis, W.J. 1973. Teratocytes: Growth and numbers in the hemocoel of *Heliothis virescens* attacked by *Microplitis croceipes* (Cresson). Journal of Invertebrate Pathology 22: 351-355.
- Vinson, S.B. 1974. Effect of an insect growth regulator on two parasitoids developing from treated tobacco budworm larvae. Journal of Economic Entomology 67(3): 335-336.
- Vinson, S.B. & Scott, J.R. 1974. The fine structure of teratocytes from *Heliothis* parasitized by *Cardiochiles nigriceps*. International Journal of Insect Morphology and Embryology 3: 293-304.
- Vinson, S.B. 1975. Source of material in the tobacco budworm involved in host recognition by the egg-larval parasitoid, *Chelonus texanus*. Annals of the Entomological Society of America 68: 381-384.
- Vinson, S.B., Jones, R.L., Sonnet, P.E., Bierl, B.A. & Beroza, M. 1975. Isolation, identification and synthesis of host-seeking stimulants for *Cardiochiles nigriceps*, a parasitoid of the tobacco budworm. Entomologia Experimentalis et Applicata 18: 443-450.
- Vinson, S.B., Henson, R.D. & Barfield, C.S. 1976. Oviposition behaviour of *Bracon mellitor* Say (Hymenoptera: Braconidae), a parasitoid of the boll weevil (*Anthonomus grandis*). I. Isolation and identification of a synthetic releaser of oviposition probing. Journal of Chemical Ecology 3: 151-158.
- Vinson, S.B. 1977. *Microplitis croceipes* inhibitions of the *Heliothis zea* defense reaction to *Cardiochiles nigriceps*. Experimental Parasitology 41: 112-117.
- Vinson, S.B., Barfield, C.S. & Henson, R.D. 1977. Oviposition behaviour of *Bracon mellitor*, a parasitoid of the boll weevil (*Anthonomus grandis*). II. Associative learning. Physiological Entomology 2: 157-164.
- Vinson, S.B. 1978. Courtship behavior and source of a pheromone from *Cardiochiles nigriceps*. Annals of the Entomological Society of America 71: 832-837.
- Vinson, S.B. & Sroka, P. 1978. Effects of superparasitism by a solitary endoparasitoid on the host, parasitoid and field samplings. Southwestern Entomologist 3: 299-304.

- Vinson, S.B. & Ables, J.R. 1980. Interspecific competition among endoparasitoids of tobacco budworm larvae (Lep.: Noctuidae). *Entomophaga* 25(4): 357-362.
- Vinson, S.B. 1982. Competition for possession of the host with *Trichogramma* and several other egg parasitoids Colloques de l'INRA (Institut National de la Recherche Agronomique) 9 1982: 153.
- Vinson, S.B. & Dahلمان, D.L. 1989. Physiological relationship between braconid endoparasites and their hosts: the *Microplitis croceipes-Heliothis* spp. system. *Southwestern Entomologist* 12: 17-37.
- Vinson, S.B. 1990. Physiological interactions between the host genus *Heliothis* and its guild of parasitoids. *Archives of Insect Biochemistry and Physiology* 13: 63-81.
- Vinson, S.B. 1990. The interaction of two parasitoid polydnaviruses with the endocrine system of *Heliothis virescens*. Proceedings and abstracts, Vth International Colloquium on Invertebrate Pathology and Microbial Control, Adelaide, Australia, 20-24 August 1990. 195-199.
- Vinson, S.B., & Scarborough, T.A. 1991. Interactions between *Solenopsis invicta* (Hymenoptera: Formicidae), *Rhopalosiphum maidis* (Homoptera: Aphididae), and the parasitoid *Lysiphlebus testaceipes* Cresson (Hymenoptera: Aphidiidae). *Annals of the Entomological Society of America* 84(2): 158-164.
- Vinson, S.B. & Williams, H.J. 1991. Host selection behaviour of *Campoletis sonorensis*: a model study. *Biological Control* 1(2): 107-117.
- Vinson, S.B., Mourad, A.K., Sebesta, D.K. & Mourad, A.K. 1994. Sources of possible host regulatory factors in *Cardiochiles nigriceps* (Hymenoptera: Braconidae). *Archives of Insect Biochemistry and Physiology* 26(2-3): 197-209.
- Vinson, S.B., Mourad, A.K., Austin, A.D. & Dowton, M. 2000. The response of *Cardiochiles nigriceps* Viereck (Hymenoptera: Braconidae) larvae to conspecific competitors. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. Hymenoptera: evolution, biodiversity and biological control 46-49.
- Vinuela, E., Adan, A., Smagghe, G., Gonzalez, M., Medina, M.P., Budia, F., Vogt, H. & Estal, P.D. 2000. Laboratory effects of ingestion of azadirachtin by two pests (*Ceratitidis capitata* and *Spodoptera exigua*) and three natural enemies (*Chrysoperla carnea*, *Opius concolor* and *Podisus maculiventris*). *Biocontrol Science and Technology* 10(2): 165-177.
- Vinuela, E., Medina, M.P., Schneider, M., Gonzalez, M., Budia, F., Adan, A., Estal, P. del, Vogt, H. & Jacas, J. 2001. Comparison of side-effects of spinosad, tebufenozide and azadirachtin on the predators *Chrysoperla carnea* and *Podisus maculiventris* and the parasitoids *Opius concolor* and *Hyposoter didymator* under laboratory conditions. IOBC WPRS Working Group 'Pesticides and Beneficial Organisms'. Proceedings of the meeting at Castello de la Plana, Spain, 18-20 October, 2000. *Bulletin OILB SROP* 24(4): 25-34.
- Viramo, J. 1968. *Syrphidius delusorius* Frst. (Hym., Braconidae), ein Imaginalparasit des Erlenrüsselkäfers. *Aquilo, Ser. Zoologica* 6: 51-54.
- Virla, E.G., Colomo, M.V., Berta, C. & Valverde, L. 1999. The complex of parasitoids of fall armyworm of maize, *Spodoptera frugiperda*, in Argentina (Insecta: Lepidoptera). *Neotropica* 45(113-114): 3-12.
- Virtanen, T. & Neuvonen, S. 1999. Performance of moth larvae on birch in relation to altitude, climate, host quality and parasitoids. *Oecologia (Berlin)* 120(1): 92-101.
- Visser, B.J. & Spanjer, S. 1969. Biochemical study of two paralyzing insect venoms. *Acta Physiol. Pharmacol. Neerl.* 15: 107-108.
- Visser, B.J. 1976. Isolation and some biochemical properties of a paralyzing toxin from the venom of the wasp *Microbracon hebetor* Say. *Toxicon* 14: 357-370.
- Visser, B.J., Labruyere, W.T., Spanjer, W. & Piek, T. 1983. Characterization of two paralyzing protein toxins (A-MTX and B-MTX), isolated from a homogenate of the wasp *Microbracon hebetor* (Say). *Comparative Biochemistry and Physiology B Comparative Biochemistry* 75(3): 523-530.
- Visser, M.E. 1994. The importance of being large: the relationship between size and fitness in females of the parasitoid *Aphaereta minuta* (Hymenoptera: Braconidae). *Journal of Animal Ecology* 63(4): 963-978.
- Visser, M.E. 1996. The influence of competition between foragers on clutch size decisions in an insect parasitoid with scramble larval competition. *Behavioral Ecology* 7(1): 109-114.
- Visser, M.E., Nell, H.W. & Alphen, J.J.M. van 1992. Adaptive superparasitism and patch time allocation in solitary parasitoids: searching in groups vs sequential patch visits. *Functional Ecology* 6(5): 528-535.
- Visser, M.E. & Rosenheim, J.A. 1998. The influence of competition between foragers on clutch size decisions in insect parasitoids. *Biological Control* 11(2): 169-174.
- Vitt Meyling, N., Brodsgaard, H.F. & Enkegaard, A. 2002. Intraguild predation between the predatory flower bug, *Anthrenor nemorum*, and the aphid parasitoid, *Aphidius colemani*. *IOBC WPRS Bulletin* 25(1): 189-192.
- Vogt, H. 1997. The importance of using selective insecticides against key pests in apple orchards to preserve the parasitoid fauna of leafminers. Entomological research in organic agriculture. Selected papers from the European Workshop, Austrian Federal Ministry of Science and Research, Vienna, Austria, 14-16 March, 1995. *Biological Agriculture and Horticulture* 15(1-4): 241-248.
- Vogt, H., Vogt, H. & Heimbach, U. 2000. Sensitivity of non-target arthropod species to plant protection products according to laboratory results of the IOBC WG 'Pesticides and Beneficial Organisms'. Working group "Pesticides and beneficial organisms", Versailles, France, 27-29 October 1999. *Bulletin OILB SROP* 23(9): 3-15.
- Völkl, W. & Starý, P. 1988. Parasitisation of *Uroleucon species* (Hom.: Aphididae) on thistles (Compositae, Cardueae). *Journal of Applied Entomology* 106(5): 500-506.
- Völkl, W. 1989. The parasitoid complex of *Aphis fabae cirsiacanthoidis* Scop. (Homoptera: Aphididae) and its changes along a geographical gradient in the Rhone valley. *Acta Oecologica, Oecologia Applicata* 10(3): 167-176.
- Völkl, W. & Mackauer, M. 1990. Age-specific pattern of host discrimination by the aphid parasitoid *Ephedrus californicus* Baker (Hymenoptera: Aphidiidae). *Canadian Entomologist* 122(3-4): 349-361.
- Völkl, W., Stechmann, D.H. & Starý, P. 1990. Suitability of five species of Aphidiidae (Hymenoptera) for the biological control of the banana aphid *Pentalonia nigronervosa* Cow. (Homoptera: Aphididae) in the South Pacific. *Tropical Pest Management* 36(3): 249-257.
- Völkl, W. 1991. Species-specific larval instar preferences and aphid defense behaviour in three parasitoids of *Aphis fabae*: 73-78. In: Polgár, L., Chambers, R.J., Dixon, A.F.G. & Hodek, I. [eds]. "Behaviour and impact of Aphidophaga". Proceedings of the 4th meeting of the IOBC W.G. 'Ecology of Aphidophaga'. The Hague: 1-350.
- Völkl, W. & Stadler, B. 1991. Interspecific larval competition between *Lysiphlebus testaceipes* and *Aphidius colemani* (Hym.: Aphidiidae). *Journal of Applied Entomology* 111(1): 63-71.
- Völkl, W. 1992. Aphids or their parasitoids: who actually benefits from ant-attendance? *Journal of Animal Ecology* 61(2): 273-281.
- Völkl, W. & Mackauer, M. 1993. Interactions between ants attending *Aphis fabae* ssp. *cirsiacanthoidis* on thistles and foraging parasitoid wasps. *Journal of Insect Behavior* 6(3): 301-312.

- Völkl, W. 1994. Searching at different spatial scales: the foraging behaviour of the aphid parasitoid *Aphidius rosae* in rose bushes. *Oecologia* 100(1-2): 177-183.
- Völkl, W. 1994. The effect of ant-attendance on the foraging behaviour of the aphid parasitoid *Lysiphlebus cardui*. *Oikos* 70(1): 149-155.
- Völkl, W., Hübner, G. & Dettner, K. 1994. Interactions between *Alloxysta brevis* (Hymenoptera, Cynipoidea, Alloxystidae) and honeydew-collecting ants: how an aphid hyperparasitoid overcomes ant aggression by chemical defense. *Journal of Chemical Ecology* 20(11): 2901-2915.
- Völkl, W. & Kranz, P. 1995. Nocturnal activity and resource utilization in the aphid hyperparasitoid, *Dendrocerus carpenteri*. *Ecological Entomology* 20(3): 293-297.
- Völkl, W., Kranz, P., Weisser, W. & Hübner, G. 1995. Patch time allocation and resource exploitation in aphid primary parasitoids and hyperparasitoids searching simultaneously within aphid colonies. *Journal of Applied Entomology* 119(6): 399-404.
- Völkl, W., Liepert, C., Birnbach, R., Hübner, G. & Dettner, K. 1996. Chemical and tactile communication between the root aphid parasitoid *Paralipsis enervis* and trophobiotic ants: consequences for parasitoid survival. *Experientia* 52(7): 731-738.
- Völkl, W. & Kraus, W. 1996. Foraging behaviour and resource utilization of the aphid parasitoid *Pauesia unilachni*: adaptation to host distribution and mortality risks. *Entomologia Experimentalis et Applicata* 79(1): 101-109.
- Völkl, W., Liepert, C., Birnbach, R., Hübner, G. & Dettner, K. 1996. Chemical and tactile communication by the root aphid parasitoid *Paralipsis enervis* and trophobiotic ants: Consequences for parasitoid survival. *Experientia* 52: 731-738.
- Völkl, W. & Mackauer, M. 1996. "Sacking" the host: oviposition behavior of a parasitoid wasp, *Dyscritulus planiceps* (Hymenoptera: Aphidiidae). *Journal of Insect Behavior* 9(6): 975-980.
- Völkl, W. & Stadler, B. 1996. Colony orientation and successful defence behaviour in the conifer aphid, *Schizolachnus pineti*. *Entomologia Experimentalis et Applicata* 78(2): 197-200.
- Völkl, W. 1997. Interactions between ants and aphid parasitoids: patterns and consequences for resource utilization. *Ecological Studies* 130: 225-240.
- Völkl, W. & Kroupa, A.S. 1997. Effects of adult mortality risks on parasitoid foraging tactics. *Animal Behaviour* 54(2): 349-359.
- Völkl, W. & Novak, H. 1997. Foraging behaviour and resource utilization of the aphid parasitoid, *Pauesia pini* (Hymenoptera: Aphidiidae) on spruce: influence of host species and ant attendance. *European Journal of Entomology* 94(2): 211-220.
- Völkl, W. & Stechmann, D.H. 1998. Parasitism of the black bean aphid (*Aphis fabae*) by *Lysiphlebus fabarum* (Hym.: Aphidiidae): the influence of host plant and habitat. *Journal of Applied Entomology* 122(5): 201-206.
- Völkl, W. 2000. Foraging behaviour and sequential multisensory orientation in the aphid parasitoid, *Pauesia picta* (Hym.: Aphidiidae) at different spatial scales. *Journal of Applied Entomology* 124(7-8): 307-314.
- Völkl, W., Mackauer, M. & Kambhampati, S. 2000. Phylogenetic relationships among genera of Aphidiinae (Hymenoptera: Braconidae) based on DNA sequence of the mitochondrial 16S rRNA gene. *Systematic Entomology* 25(4): 437-445.
- Völkl, W. & Mackauer, M. 2000. Oviposition behaviour of aphidiine wasps (Hymenoptera: Braconidae, Aphidiinae): Morphological adaptations and evolutionary trends. *Canadian Entomologist* 132(2): 197-212.
- Völkl, W. & Sullivan, D.J. 2000. Foraging behaviour, host plant and host location in the aphid hyperparasitoid *Euneura augarus*. *Entomologia Experimentalis et Applicata* 97: 47-56.
- Völkl, W. 2001. Parasitoid learning during interactions with ants: How to deal with an aggressive antagonist. *Behavioral Ecology and Sociobiology* 49(2-3): 135-144.
- Voloshenko, S.V. & Khachumov, E.S. 2000. Biological method of protecting tomato. *Kartofel' i Ovoshchi* 5: 27.
- Volovnik, S.V. 1994. On parasites and predators of Cleoninae weevils (Col. Curculionidae) in Ukrainian steppe. *Anzeiger für Schädlingskunde Pflanzenschutz Umweltschutz* 67(4): 77-79.
- Vorley, W.T. & Wratten, S.D. 1985. A simulation model of the role of parasitoids in the population development of *Sitobion avenae* (Hemiptera: Aphidiidae) on cereals. *Journal of Applied Ecology* 22: 813-823.
- Vorley, W.T. 1986. The activity of parasitoids (Hymenoptera: Braconidae) of cereal aphids (Hemiptera: Aphididae) in winter and spring in southern England. *Bulletin of Entomological Research* 76: 491-504.
- Vorley, W.T. & Wratten, S.D. 1987. Migration of parasitoids (Hymenoptera: Braconidae) of cereal aphids (Hemiptera: Aphidiidae) between grassland, early-sown cereals and late-sown cereals in southern England. *Bulletin of Entomological Research* 77: 555-568.
- Vos, M., Hemerik, L. & Vet, L.E.M. 1998. Patch exploitation by the parasitoids *Cotesia rubecula* and *Cotesia glomerata* in multi-patch environments with different host distributions. *Journal of Animal Ecology* 67(5): 774-783.
- Vos, M., Moreno-Berocal, S., Karamaouna, F., Hemerik, L. & Vet, L.E.M. 2001. Plant-mediated indirect effects and the persistence of parasitoid-herbivore communities. *Ecology Letters* 4(1): 38-45.
- Vos, M. & Hemerik, L. 2003. Linking foraging behavior to lifetime reproductive success for an insect parasitoid: adaptation to host distributions. *Behavioral Ecology* 14(2): 236-245.
- Werley, P.A., Ramalho, F.S. de, Veiga, A.F.S.L. de & Zanuncio, J.C. 1999. Impact of temperature on reproduction of *Bracon vulgaris* Ashmead (Hymenoptera: Braconidae), parasitoid of cotton weevil. *Anais II Congresso Brasileiro de Algodao: O algodao no seculo XX, perspectivas para o seculo XXI*, Ribeirao Preto, SP, Brasil, 5-10 Setembro 1999. 299-301.
- Waage, J.K., Carl, K.P., Mills, N.J. & Greathead, D.J. 1985. Rearing entomophagous insects. In: Singh, P. & Moore, R.F. [eds]. *Handbook of insect rearing* Vol. 1. Elsevier, Amsterdam. pp. 45-66.
- Waage, J.K. & Greathead, D. [eds]. 1986. *Insect Parasitoids*. London: 1-389.
- Waage, J.K. & Masurier, A.D. le 1993. A comparison of attack rates in a native and an introduced population of the parasitoid *Cotesia glomerata*. *Biocontrol Science and Technology* 3(4): 467-474.
- Wäckers, F. 1992. Parasitoids foraging for leaf damage: do they see beyond the end of their antennae? *Series Entomologica (Dordrecht)* 49: 359-360.
- Wäckers, F.L. & Swaans, C.P.M. 1993. Finding floral nectar and honeydew in *Cotesia rubecula*: random or directed? *Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society* 4: 67-72.
- Wäckers, F.L. 1994. The effect of food deprivation on the innate visual and olfactory preferences in the parasitoid *Cotesia rubecula*. *Journal of Insect Physiology* 40(8): 641-649.
- Wäckers, F.L. 1994. Visual cues in food and host-foraging by hymenopterous parasitoids. *Norwegian Journal of Agricultural Sciences Supplement* 16: 347-352.
- Wäckers, F.L. & Lewis, W.J. 1994. Olfactory and visual learning and their combined influence on host site location by the parasitoid *Microplitis croceipes* (Cresson). *Biological Control* 4(2): 105-112.
- Wäckers, F.L., Schmale, K., Cardona, C.M., Dorn, S., Adler, C. & Schoeller, M. 1998. The effect of food supplements on the longevity of the bean weevil parasitoids *Anisopteromalus calandrae*

- and *Heterospilus prosopidis*. Integrated protection of stored products. Proceedings of the meeting at Zurich, Switzerland, 31 August-2 September, 1997. Bulletin OILB SROP 21(3): 75-82.
- Wäckers, F.L., Sommeijer, M.J. & Francke, P.J. 1998.** Food supplements to enhance biological control in storage systems: effects of hosts and honey on the longevity of the bruchid parasitoids *Anisopteromalus calandrae* and *Heterospilus prosopidis*. Proceedings of the 9th Meeting of Experimental and Applied Entomologists, Leiden, Netherlands, 19 December 1997. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 9: 47-52.
- Wäckers, F.L. & Lewis, W.J. 1999.** A comparison of color, shape and pattern-learning by the hymenopteran parasitoid *Microplitis croceipes*. Journal of Comparative Physiology. A, Sensory, Neural, and Behavioral Physiology 184(4): 387-393.
- Wäckers, F.L. 1999.** Gustatory response by the hymenopteran parasitoid *Cotesia glomerata* to a range of nectar and honeydew sugars. Journal of Chemical Ecology 25(12): 2863-2877.
- Wäckers, F., Filippini, A. & Dorn, S. 2000.** Ein Vergleich verschiedener Nektar- und Honigtauzucker bezüglich ihrer geschmacklichen Akzeptanz durch die Brackwespe *Cotesia glomerata*. Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie 12(1-6): 585-588.
- Wäckers, F.L. 2001.** A comparison of nectar- and honeydew sugars with respect to their utilization by the hymenopteran parasitoid *Cotesia glomerata*. Journal of Insect Physiology 47(9): 1077-1084.
- Wäckers, F.L., Steindl, P., Gunther, D., Dorn, S. & Gu, H.N. 2001.** Different approaches to labelling parasitoids using strontium. Entomologia Experimentalis et Applicata 99(2): 173-181.
- Wäckers, F.L., Bonifay, C. & Lewis, W.J. 2002.** Conditioning of appetitive behavior in the Hymenopteran parasitoid *Microplitis croceipes*. Entomologia Experimentalis et Applicata 103(2): 135-138.
- Wäckers, F.L. 2003.** Assessing the suitability of flowering herbs as parasitoid food sources: flower attractiveness and nectar accessibility. Biological Control 29(3)(2004 March): 307-314.
- Waddill, V.H. 1978.** Contact toxicity of four synthetic pyrethroids and methomyl to some adult insect parasites. Florida Entomologist 61(1): 27-30.
- Waern, P. & Ekbohm, B. 1995.** The diamondback moth (*Plutella xylostella*) as an insect pest in spring oilseed rape. Vaxtskyddsnotiser 59(4): 111-115.
- Waeyenbergh, M. & Baguette, M. 1996.** First Belgian record of *Cotesia vestalis* (Haliday, 1834) (Hymenoptera, Braconidae), parasite of *Procllossiana eunomia* (Esper, 1799) (Lepidoptera: Nymphalidae), new host species. Belgian Journal of Zoology 126(1): 79-81.
- Wagner, T.L. & Leonard, D.E. 1980.** Mortality factors of satin moth, *Leucoma salicis* (Lep.: Lymantriidae), in aspen forests in Maine. Entomophaga 25(1): 7-16.
- Wago, H. & Kitano, H. 1985.** Effects of the venom from *Apanteles glomeratus* on the hemocytes and hemolymph of *Pieris rapae crucivora*. Applied Entomology and Zoology 20: 103-110.
- Wago, H. & Tanaka, T. 1989.** Synergistic effects of calyx fluid and venom of *Apanteles kariyai* Watanabe (Hymenoptera: Braconidae) on the granular cells of *Pseudaletia separata* Walker (Lepidoptera: Noctuidae). Zoological Science 6(4): 691-696.
- Wahl, D.B. & Sharkey, M.J. 1993.** Superfamily Ichneumonoidea: 358-509. In: Goulet H. & Huber J.T. [eds] "Hymenoptera of the World: An identification guide to families." Agriculture Canada Publication 1894: 1-668.
- Wahl, K.R. 1982.** Foraging strategies in an aphid-natural enemy system. Dissertation Abstracts International B Sciences and Engineering 42(12) 1982: 4676.
- Wahlberg, N., Kullberg, J. & Hanski, I. 2001.** Natural history of some Siberian melitaeine butterfly species (Nymphalidae: Melitaeini) and their parasitoids. Entomologica Fennica 12(2): 72-77.
- Wai, K.M. & Fujii, K. 1990.** Intraspecific larval competition among wasps parasitic of bean weevil larvae. Researches on Population Ecology 32(1): 85-98.
- Wakisaka, S., Tsukuda, R. & Nakasuji, F. 1991.** Life tables of the diamondback moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) and effects of rainfall, temperature and host plants on survival and reproduction. Japanese Journal of Applied Entomology and Zoology 35(2): 115-122.
- Waladde, S.M., Leutle, M.F. & Villet, M.H. 2001.** Parasitism of *Plutella xylostella* (Lepidoptera: Plutellidae): field and laboratory observations. South African Journal of Plant and Soil 18(1): 32-37.
- Walgenbach, J.F. 1994.** Distribution of parasitized and nonparasitized potato aphid (Homoptera: Aphididae) on staked tomato. Environmental Entomology 23(4): 795-804.
- Wali, R.U. 1993.** Studies on seed insect pests of forest trees. Pakistan Journal of Forestry 43(1): 27-31.
- Walker, A.K. & Deitz, L.L. 1979.** A review of entomophagous insects in the Cook Islands. New Zealand Entomologist 7(1): 70-82.
- Walker, A.K. & Huddleston, T. 1987.** *Chelonus chailini* sp. n. (Hymenoptera: Braconidae) from Malaysia, parasitizing gracilarid moth (Lepidoptera). Bulletin of Entomological Research 77: 437-440.
- Walker, A.K. & Huddleston, T. 1987.** New Zealand chelonine braconid wasps (Hymenoptera). Journal of Natural History 21(2): 339-361.
- Walker, A.K. 1989.** Synonymy of two *Apanteles* species (Hymenoptera: Braconidae) parasitizing the coconut flat moth, *Agonoxyena argaule* Meyrick (Lepidoptera: Agonoxyenidae). Bulletin of Entomological Research 79(2): 283-284.
- Walker, A.K., Joshi, N.K. & Verma, S.K. 1990.** The biosystematics of *Syntretomorpha szaboi* Papp (Hymenoptera: Braconidae: Euphorinae) attacking the Oriental honey bee, *Apis cerana* Fabricius (Hymenoptera: Apidae), with a review of braconid parasitoids attacking bees. Bulletin of Entomological Research 80: 79-83.
- Walker, A.K., Kitching, I.J., Austin, A.D. & Mason, W.R.M. 1990.** A reassessment of the phylogenetic relationships within the Microgastrinae (Hymenoptera: Braconidae). Cladistics 6(3): 291-306.
- Walker, A.K. 1993.** Preparing and mounting specimens of *Cotesia*: 19-22. Identification guide: 23-28. In: Overholt, W.A. [ed.]. Proceedings of group training course on identification of *Cotesia* spp. stemborer parasitoids. International Centre of Insect Physiology and Ecology, Nairobi: 1-36.
- Walker, A.K. & Overholt, W.A. 1993.** Biology, host range, and distribution of *Cotesia flavipes* complex: 15-18. In: Overholt, W.A. [ed.]. Proceedings of group training course on identification of *Cotesia* spp. stemborer parasitoids. International Centre of Insect Physiology and Ecology, Nairobi: 1-36.
- Walker, A.K. 1994.** Species of Microgastrinae (Hymenoptera: Braconidae) parasitizing lepidopterous cereal stem borers in Africa. Bulletin of Entomological Research 84: 421-434.
- Walker, A.K. 1996.** A new species of *Choeras* (Braconidae: Microgastrinae) widespread in New Zealand. New Zealand Entomologist 19: 43-48.
- Walker, A.L., Bottrell, D.G. & Cate, J.R. Jr. 1973.** Hymenopterous parasites of biotype C greenbug in the High Plains of Texas. Annals of the Entomological Society of America 66: 173-176.
- Walker, A.M. & Hoy, M.A. 2003.** Responses of *Lipolexis oregmae* (Hymenoptera: Aphidiidae) to different instars of *Toxoptera citricida* (Homoptera: Aphididae). Journal of Economic Entomology 96(6): 1685-1692.

- Walker, G.P. & Cameron, P.J. 1981. The biology of *Dendrocerus carpenteri* (Hym.; Ceraphronidae), a parasite of *Aphidius* species, and field observations of *Dendrocerus* species as hyperparasites of *Acyrtosiphum* species. *New Zealand Journal of Zoology* 8: 531-538.
- Walker, G.P. & Cameron, P.J. 1989. Status of introduced larval parasitoids of tomato fruitworm. Proceedings of the Forty Second New Zealand Weed and Pest Control Conference, Taranki Country Lodge, New Plymouth, August 8-10, 1989. 229-232.
- Wall, R. & Berberet, R.C. 1975. Parasitoids associated with Lepidopterous pests on peanuts; Oklahoma fauna. *Environmental Entomology* 4(6): 877-882.
- Waller, J.B. 1964. Bracon venom - a naturally occurring selective insecticide. Proceedings of the 12th International Congress of Entomology 509-511.
- Waller, J.B. 1965. The effect of the venom of *Bracon hebetor* on the respiration of the wax moth *Galleria melonella*. *Journal of Insect Physiology* 11: 1595-1599.
- Wallner, W.E. 1979. Induction of diapause in *Rogas indiscretus*, a larval parasite of the gypsy moth, *Lymantria dispar*. *Annals of the Entomological Society of America* 72: 358-360.
- Wallner, W.E., Weseloh, R.M. & Grimberg, P.S. 1982. Intrinsic competition between *Apanteles melanoscelus* and *Rogas lymantriae* reared on *Lymantria dispar*. *Entomophaga* 27: 99-103.
- Wallner, W.E., Dubois, N.R. & Grinberg, P.S. 1983. Alteration of parasitism by *Rogas lymantriae* (Hymenoptera: Braconidae) in *Bacillus thuringiensis* - stressed gypsy moth (Lepidoptera: Lymantriidae) hosts. *Journal of Economic Entomology* 76(2): 275-277.
- Wallner, W.E. & Grinberg, P.S. 1984. Suitability of the white-marked tussock moth (Lepidoptera: Lymantridae) as an alternate host for the imported gypsy moth (Lepidoptera: Lymantriidae) parasite, *Rogas lymantriae* Watanabe (Hymenoptera: Braconidae). *Environmental Entomology* 13: 986-989.
- Waloff, N. 1967. Biology of three species of *Leiophron* (Hymenoptera: Braconidae, Euphorinae) parasitic on Miridae on broom. *Transactions of the Royal Entomological Society of London* 119: 187-213.
- Walters, M.C., Giliomee, J.H., & Rensburg, J.B.J. van 1988. Mortality in natural populations of the maize stalk borer, *Busseola fusca* (Fuller) (Lepidoptera: Noctuidae) in South Africa. *Phytophylactica* 20(1): 17-19.
- Walters, P.J. & Dominick, B.C. 1984. The establishment in New South Wales of *Trioxys complanatus* Quilis (Hymenoptera: Aphidiidae), an imported parasite of *Therioaphis trifolii* (Monell) f. *maculata*, spotted alfalfa aphid. *General and Applied Entomology* 16: 65-67.
- Walther, C. & Reinecke, M. 1983. Block of synaptic vesicle exocytosis without block of Ca super(2+)-influx. An ultrastructural analysis of the paralyzing action of *Habrobracon* venom on locust motor nerve terminals. *Neuroscience* 9: 213-224.
- Walton, M.P., Loxdale, H.D. & Williams, L.A. 1990. Electrophoretic 'keys' for the identification of parasitoids (Hymenoptera: Braconidae: Aphelinidae) attacking *Sitobion avenae* (F.) (Hemiptera: Aphididae). *Biological Journal of the Linnean Society* 40(4): 333-346.
- Walton, M.P., Powell, W., Loxdale, H.D. & Allen-Williams, L. 1990. Electrophoresis as a tool for estimating levels of hymenopterous parasitism in field populations of the cereal aphid, *Sitobion avenae*. *Entomologia Experimentalis et Applicata* 54(3): 271-279.
- Wang, A.F., Huang, J.N. & Han, P.E. 1989. A study on the control of insects on vegetables with preparations of *Bacillus thuringiensis*. *Zhejiang Agricultural Science* 2: 79-81.
- Wang, A.J. 2001. Studies on biological characteristics of *Xylotrechus namanganensis*. *Forest Research, Beijing* 14(5): 560-565.
- Wang, C.R. 1981. A new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Entomologica Sinica* 24(2): 219-221.
- Wang, C.R. 1985. A new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) from Sichuan province. (in Chinese with English summary) *Journal of the Shaanxi Teachers University*. (1): 74-75.
- Wang, D.A., & Hun, Z.Y. 1992. Diapause and overwintering characteristics of *Microplitis mediator*. *Chinese Journal of Biological Control* 8(3): 141.
- Wang, D.A., Wang, J.Y. & Chen, H.Y. 2001. Chamber for mass rearing of *Microplitis mediator*. *Chinese Journal of Biological Control* 17(1): 43-44.
- Wang, F.H., Gu, D.X. & Gong, H. 1999. The structure and functions of teratocytes of parasitic wasps. (in Chinese) *Entomological Knowledge* 36(2): 113-117.
- Wang, F.H., Gu, D.X. & Wen, R.Z. 2000. The teratocytes of parasitic wasp *Apanteles cypris* Nixon. *Acta Scientiarum Naturalium Universitatis Sunyatseni* 39(1): 77-80.
- Wang, F.H. & Gu, D.X. 2001. Effects of parasitization of parasitic wasps on the development of inner organs of hosts. *Acta Scientiarum Naturalium Universitatis Sunyatseni* 40(5): 76-79.
- Wang, G., You, D.K., Wei, H.X., Chen, F.Y., Wang, Y.M., Li, J.H., Zhang, Y.W., Shun, Y.B., Zhao, Y.R., Zhao, M.G., Shi, J.L., Pan, H.Y. & Wan, Y.Y. 1992. Cultivation and quarantine of imported larch casebearer parasite *Agathis pumila*. Collection of achievements on the technique cooperation project of P. R. China and F. R. Germany 29-32.
- Wang, G., Zhang, S.G. & Yang, W.Y. 2000. Release of *Agathis pumila* in forest. *Senlin Bingchong Tongxun* 19(4): 25-27.
- Wang, J. 1993. Hymenoptera: Braconidae: 1361-1362. In: Chen, S. [ed.]. "Insects of the Hengduan Mountains region. Volume. 2." Beijing 1993: i-xvi + 867-1547.
- Wang, J. 1993. Hymenoptera: Braconidae: 656-658. In: Huang, F. [ed.]. "Insects of Wuling Mountains area, southwestern China". Beijing: 1-777.
- Wang, J.R. 1983. A new species of *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Zootaxonomica Sinica* 8(3): 280-282.
- Wang, J.R. 1983. A new species of *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Entomotaxonomia* 5(3): 231-232.
- Wang, J.R. 1983. A new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Entomologica Sinica* 26(3): 348-349.
- Wang, J.R. 1984. On a new species of *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae) from Shaanxi province. (in Chinese with English summary) *Acta Zootaxonomica Sinica* 9(4): 422-423.
- Wang, J.R. 1989. Description of a new genus and species of Aphidiidae from Shaanxi Province, China (Hymenoptera). *Entomotaxonomia* 11(1-2): 111-113.
- Wang, J.S., Wang, J.Q., Zhang, X.B., Tang, T.Q., Liang, W.Q. & Wang, C. 1999. Study on the bionomics of *Biston robustum* and its control. *Forest Research, Beijing* 12(4): 403-410.
- Wang, J.Y. 1981. A new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Zootaxonomica Sinica* 6(4): 421-422.
- Wang, J.Y. 1981. A new species of the genus *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Sinozoologia* 1(1): 107-108.
- Wang, J.Y. 1982. Description of a new species of the genus *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Sinozoologia* 2: 61-62.
- Wang, J.Y. 1982. Hymenoptera: Braconidae-Macrocentrinae: 351-352. (in Chinese with English summary) [Insects of Tibet.] Volume 2. Beijing: 1-508 pp.

- Wang, J.Y. 1984. Braconids parasitising *Dendrolimus* spp. in China. (in Chinese) Forest Pest & Disease 1984(4): 34-37.
- Wang, J.Y. 1984. Description of a new species of *Meteorus* Haliday from Sichuan province, China (Hymenoptera: Braconidae). (in Chinese with English summary) Acta Zootaxonomica Sinica 9(3): 321-323.
- Wang, J.Y. 1984. Two new species of Agathidinae Förster (Hymenoptera: Braconidae). Entomotaxonomia 6(2/3): 151-154.
- Wang, J.Y. 1985. A new species of the genus *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) from Beijing, China. (in Chinese with English summary) Acta Entomologica Sinica 28(2): 229-230.
- Wang, J.Y. 1986. Description of a new species of the genus *Streblocera* Westwood (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) Entomotaxonomia 8(3): 179-180.
- Wang, J.Y. 1988. Hymenoptera: Braconidae, Scoliidae: 533-534. In: Huang, F.S., Wang, P.Y., Yin, W.Y., Yu, P.Y., Lee, T.S., Yang, C.K. & Wang, X.J. [eds]. Insects of Mt. Namjagbarwa region of Xizang. Beijing: i-xii + 1-621.
- Wang, J.Y. 1993. Hymenoptera: Braconidae: 719-720. In: Huang, C.M. [ed.]. "Animals of Longqi Mountain". China Forestry Publishing House: 1-1105.
- Wang, K.W., Jiang, J.X., You, L.S., Chen, Y.N. & Jiang, Z.R. 2001. Preference of *Microplitis* sp. to host age. Journal of Hunan Agricultural University 27(5): 367-369.
- Wang, Q. & Shi, G. 2001. Host preference and sex allocation of three hymenopteran parasitoid species (Ichneumonidae and Braconidae) of a longicorn pest, *Oemona hirta* (Fabr.) (Col., Cerambycidae). Journal of Applied Entomology 125(8): 463-467.
- Wang, Q. 1994. The monotypic genus *Epithora* Pascoe (Coleoptera: Cerambycidae: Phoracanthini) from Australia: taxonomic review and ecological notes. Giornale Italiano di Entomologia 7(37): 79-86.
- Wang, Q., Gu, H. & Dorn, S. 2003. Selection on olfactory response to semiochemicals from a plant-host complex in a parasitic wasp. Heredity 91(4): 430-435.
- Wang, Q., Shi, G.L., & O'Callaghan, M. 1999. Parasitic natural enemies of lemon tree borer. Proceedings of the Fifty Second New Zealand Plant Protection Conference, Auckland Airport Centra, Auckland, New Zealand, 10-12 August, 1999. 60-64.
- Wang, S.Z. & Liu, L.J. 1989. An evaluation of the effects of natural enemies on cotton aphids. Insect Knowledge 26(1): 10-14.
- Wang, T.K., & Rong, W.G. 1992. Study on *Grapholitha delineaana* Walker. China's Fiber Crops 2: 26-29, 35.
- Wang, W.L. 1980. Paleontological Atlas of Northeast China. Volume 2. Mesozoic & Cenozoic. Phylum Arthropoda: 59-153. Beijing: 1-403
- Wang, W.X. 1988. Use of *Ontsira palliatus* (Hym.: Braconidae) to control pine sawyer, *Monochamus alternatus* (Col.: Cerambycidae). Chinese Journal of Biological Control 4(1): 18-20.
- Wang, W.X. 1991. Studies on the relationship between host size and sex ratio of *Bracon hebetor* (Hym.: Braconidae). Chinese Journal of Biological Control 7(1): 16-18.
- Wang, X.G. & Keller, M.A. 2002. A comparison of the host-searching efficiency of two larval parasitoids of *Plutella xylostella*. Ecological Entomology 27(1): 105-114.
- Wang, X.G. & Messing, R.H. 2002. Newly imported larval parasitoids pose minimal competitive risk to extant egg-larval parasitoid of tephritid fruit flies in Hawaii. Bulletin of Entomological Research 92(5): 423-429.
- Wang, X.G. & Messing, R.H. 2002. Newly imported larval parasitoids pose minimal competitive risk to extant egg-larval parasitoid of tephritid fruit flies in Hawaii. Bulletin of Entomological Research 92(5): 423-429.
- Wang, X.G. & Messing, R.H. 2003. Egg maturation in the parasitoid *Fopius arisanus* (Hymenoptera: Braconidae): do host-associated stimuli promote ovarian development? Annals of the Entomological Society of America 96(4): 571-578.
- Wang, X.G. & Messing, R.H. 2003. Foraging behavior and patch time allocation by *Fopius arisanus* (Hymenoptera: Braconidae), an egg-larval parasitoid of Tephritid fruit flies. Journal of Insect Behavior 16(5): 593-612.
- Wang, X.G. & Messing, R.H. 2003. Intra- and interspecific competition by *Fopius arisanus* and *Diachasmimorpha tryoni* (Hymenoptera: Braconidae), parasitoids of tephritid fruit flies. Biological Control 27(3): 251-259.
- Wang, Y.P., Chen, X.X. & He, J.H. 2003. The genus *Testudo*bracon in eastern China and the description of three new species (Hymenoptera: Braconidae: Braconinae). European Journal of Entomology 100(3): 411-416.
- Wang, Y.P., Chen, X.X. & He, J.H. 2003. Taxonomic studies on the subtribe Aphrastobraconina Ashmead (Hymenoptera: Braconidae: Braconinae) in China. Entomologica Fennica 14(2): 118-124.
- Wang, Y.P., Chen, X.X. & He, J.H. 2003. The discovery of the genus *Shelfordia* Cameron (Hymenoptera: Braconidae: Braconinae) in China, with description of one new species. Entomologia Sinica 10(3): 215-220.
- Wang, Y.P., Chen, X.X. & He, J.H. 2003. First Chinese record of the genus *Trispinaria* Quicke (Hymenoptera, Braconidae, Braconinae) and a description of a new species. Acta Zootaxonomica Sinica 28(2): 333-335.
- Wang, Y.Z. & Dong, D.Z. 1997. Two new species of *Lysaphidus* and *Pauesia* (Hymenoptera: Aphidiidae) from Yunnan, China. Xinnan Nongye Daxue Xuebao. [Southwest Agricultural University Publication] 19(3): 213-216.
- Wang, Y.Z. & Yue, Y.H. 1998. Effects of interplanting and mixed-sowing of soyabean and maize on the infestation by insects and infection by diseases. Plant Protection 24(1): 13-15.
- Wani, M., Yagi, S. & Tanaka, T. 1990. Synergistic effect of venom, calyx and teratocytes of *Apanteles kariyai* on the inhibition of larval pupal ecdysis of the host, *Pseudaletia separata*. Entomologia Experimentalis et Applicata 57(1): 101-104.
- Wani, M., Iwabuchi, K. & Mitsushashi, J. 1994. Developmental responses of *Galleria mellonella* (Lepidoptera: Pyralidae) larvae to parasitism by a braconid parasitoid, *Apanteles galleriae* (Hymenoptera: Braconidae). Applied Entomology and Zoology 29(2): 193-201.
- Wani, M., Iwabuchi, K., Agui, N. & Mitsushashi, J. 1997. Endocrine alteration and precocious premetamorphic behaviors in the greater wax moth larvae, *Galleria mellonella*, parasitized by an endoparasitoid, *Apanteles galleriae*. Archives of Insect Biochemistry and Physiology 34(3): 257-273.
- Wanjala, F.M.E. & Khaemba, B.M. 1987. The biology and behavior of *Iphiaulax varipalpis* (Hymenoptera: Braconidae) as a parasite of *Dirphya nigricornis* (Coleoptera: Cerambycidae). Entomophaga 32(3): 281-290.
- Wardlow, L.R. 1984. Monitoring the activity of tomato leaf miner (*Liriomyza bryoniae* Kalt.) and its parasites in commercial glasshouses in southern England. Mededelingen van de Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 49(3a): 781-791.
- Waring, P. 2001. Parasitoid *Meteorus gyrator* (Thunb.) (Hym.: Braconidae: Meteorinae) reared from larva of the White-spotted Pinion moth *Cosmia diffinis* (L.) (Lep.: Noctuidae) in Cambridgeshire. Entomologist's Record and Journal of Variation 113: 135-136.
- Waring, P. 2003. Parasitoids *Homolobus annulicornis* (Nees) (Hym.: Braconidae) and *Eumea linearicornis* (Zetterstedt) (Dipt.: Tachi-

- nidae) reared from larvae of the white-spotted Pinion moth *Cosmia diffinis* (L.) (Lep.: Noctuidae), with notes on habitat of the host. Entomologist's Record and Journal of Variation 115: 123-126.
- Warren, M.S. 1984.** The biology and status of the wood white butterfly, *Leptidea sinapis* (L.) (Lepidoptera: Pieridae) in the British Isles. Entomologist's Gazette 35(4): 207-223.
- Warren, M.S., Munguira, M.L. & Ferrin, J. 1994.** Notes on the distribution, habitats and conservation of *Eurodryas aurinia* (Rottemburg) (Lepidoptera: Nymphalidae) in Spain. Entomologist's Gazette 45(1): 5-12.
- Warrington, I.J., Rook, D.A., Morgan, D.C. & Turnbull, H.L. 1988.** The influence of simulated shadelight and daylight on growth, development and photosynthesis of *Pinus radiata*, *Agathis australis* and *Dacrydium cupressinum*. Plant, Cell and Environment 12(4): 343-356.
- Washburn, J.O., Haas-Stapleton, E.J., Tan, F.F., Beckage, N.E. & Volkman, L.E. 2000.** Co-infection of *Manduca sexta* larvae with polydnavirus from *Cotesia congregata* increases susceptibility to fatal infection by *Autographa californica* M Nucleopolyhedrovirus. Journal of Insect Physiology 46(2): 179-190.
- Watanabe, C. 1964.** On the identity of *Spathius helle* Nixon, a larval parasite of the rice stem borer, *Chilo suppressalis* (Walker) (Hymenoptera, Braconidae). Mushi 38(6): 33-35.
- Watanabe, C. & Takada, H. 1964.** A note on *Pauesia konoii* (Watanabe). (Hymenoptera: Aphidiidae) Insecta Matsumurana 27: 11.
- Watanabe, C. & Takada, H. 1964.** Occurrence of two species of the genus *Praon* Haliday in Japan. (Hymenoptera: Aphidiidae) Insecta Matsumurana 27: 8-11.
- Watanabe, C. 1965.** A list of Braconidae collected by Dr. Shirôzu in Taiwan (Hymenoptera). Spec. Bull. Lep. Soc. Jap. 1: 178-179.
- Watanabe, C. 1965.** Notes on the *Apanteles flavipes* complex (Hymenoptera, Braconidae). Mushi 38: 111-116.
- Watanabe, C. 1965.** New host records of *Chelonus* (Hym.: Braconidae). Insecta Matsumurana 28(1): 92.
- Watanabe, C. & Takada, H. 1965.** A revision of the genus *Pauesia* Quilis in Japan, with descriptions of three new species (Hymenoptera: Aphidiidae). Insecta Matsumurana 28: 1-17.
- Watanabe, C. 1966.** Notes on Braconid and Ichneumonid parasites of the rice stem borer, *Chilo suppressalis* (Walker), in Japan (Hymenoptera). Mushi 39: 95-101.
- Watanabe, C. 1966.** Notes on braconid parasites of *Naranga aeneascens* Moore occurring in Japan (Hymenoptera: Braconidae). Insecta Matsumurana 28: 131-132.
- Watanabe, C. 1967.** Description of a new species of the genus *Ascogaster* Wesmael and notes on synonymy of *Apanteles* species (Hymenoptera: Braconidae). Insecta Matsumurana 29: 41-44.
- Watanabe, C. 1967.** Further revision of genus *Macrocentrus* Curtis in Japan, with descriptions of two new species (Hymenoptera: Braconidae). Insecta Matsumurana 30(1): 1-16.
- Watanabe, C. 1967.** Notes on Braconidae caught in a sweep-net at paddy fields, Part I. Mushi 40: 189-198.
- Watanabe, C. & Kocho, T. 1967.** Dipterous and hymenopterous parasites of five nymphalid butterflies. Insecta Matsumurana 29: 44.
- Watanabe, C. & Takada, H. 1967.** Aphidiid parasites of the green peach aphid, *Myzus persicae* (Sulzer) in Japan. Mushi 40: 83-87.
- Watanabe, C. 1968.** A revision of the genus *Acanthormius* Ashmead, with descriptions of six new species (Hymenoptera: Braconidae). Insecta Matsumurana 30: 57-68.
- Watanabe, C. 1968.** Notes on the genera *Cosmophorus* and *Orgilus* in Japan with description of a new species (Hymenoptera: Braconidae). Insecta Matsumurana 31(1-2): 1-6.
- Watanabe, C. 1968.** Identification of the braconid parasites of rice borers (Hymenoptera: Braconidae). Mushi 41(14): 185-189.
- Watanabe, C. 1969.** Notes on the genera *Zele* Curtis and *Xiphozele* Cameron, with special reference to the species in Japan (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Washington 71(3): 318-328.
- Watanabe, C. 1970.** Descriptions of two new species of the genus *Pelecystoma* Wesmael (Hymenoptera, Braconidae). Mushi 43: 117-120.
- Watanabe, C. 1970.** Notes on Braconid parasites of Lepidopterous leaf-rollers with descriptions of two new species (Hymenoptera: Braconidae). Mushi 43: 121-126.
- Watanabe, C. 1970.** Supplementary note on *Macrocentrus* Curtis with description of a new species (Hymenoptera: Braconidae). Mushi 43: 115-116.
- Watanabe, C. 1972.** A revision of the Helconini of Japan and review of helconinae genera of the world (Hymenoptera: Braconidae). Insecta Matsumurana 35: 1-18.
- Watanabe, C. 1972.** Notes on the genera *Aspigonus* Wesmael and *Baeacis* Foerster with special reference to the Japanese species (Hymenoptera, Braconidae). Kontyu 40: 17-22.
- Watanabe, C. 1987.** Occurrence of *Apanteles galleriae* (Hymenoptera, Braconidae), parasite of wax moth, in Japan. Kontyu 55(1): 165.
- Watmough, R.H., Broodryk, S.W. & Annecke, D.P. 1973.** The establishment of two imported parasitoids of potato tuber moth (*Phthorimaea operculella*) in South Africa. Entomophaga 18(3): 237-249.
- Watt, A.D. 1989.** The growth and survival of *Panolis flammea* larvae in the absence of predators on Scots pine and lodgepole pine. Ecological Entomology 14(2): 225-234.
- Wawrzyniak, M. 1987.** The susceptibility of *Apanteles glomeratus* L. to insecticides applied against its host Roczniaki Nauk Rolniczych, Seria E, Ochrona Roslin, publ. 1988, 17(2): 225-235.
- Wawrzyniak, M. 1999.** Selected aspects of influence tebufenozide on cabbage white butterfly (*Pieris brassicae* L.) and its endoparasite braconid (*Apanteles glomeratus* L.). Progress in Plant Protection 39(2): 419-421.
- Wawrzyniak, M. & Wrzesinska, D. 2000.** Activity of azadirachtin relating to *Pieris brassicae* and *Apanteles glomeratus*. Journal of Plant Protection Research 40(2): 94-101.
- Wawrzyniak, M., Dabrowski, Z.T. & Narkiewicz-Jodko, J. 2000.** Effect of extracts obtained from some plants of Umbelliferae family on *Pieris brassicae* L. and its endoparasite *Apanteles glomeratus* L. Proceedings of the international symposium on Lepidoptera pests in vegetables, Skierniewice, Poland, 2-3 December 1998. Vegetable Crops Research Bulletin 52: 47-54.
- Weathersbee, A.A.III. & Hardee, D.D. 1993.** Indices of relative abundance for the cotton aphid, *Aphis gossypii* Glover, and associated parasitoids, pathogens, and predators on six cotton cultivars. Proceedings Beltwide Cotton Conferences 2: 733-737.
- Weaver, J.E. & Shaffer, J.B. 1988.** Biocontrol of the alfalfa weevil in West Virginia - a status report. Bulletin, Agricultural and Forestry Experiment Station, West Virginia University 700: 13 pp.
- Webb, B.A. & Dahlman, D.L. 1985.** Developmental pathology of *Heliothis virescens* larvae parasitized by *Microplitis croceipes*: parasite-mediated host developmental arrest. Archives of Insect Biochemistry and Physiology 2: 131-143.
- Webb, B.A. & Dahlman, D.L. 1986.** Ecdysteroid influence on the development of *Heliothis virescens* and its endoparasite *Microplitis croceipes*. Journal of Insect Physiology 32: 339-345.
- Webb, B.A., Rana, R.L. & Dahlman, D.L. 2001.** Endoparasitoid-mediated disruption of host endocrine systems: common themes through uncommon means: 83-93. In: Edwards, J.P. & Weaver, R.J. [eds]. 'Endocrine interactions of insect parasites and pathogens.' Oxford: 1-314.
- Webb, G.A. 1994.** A new larval host for *Stenoderus suturalis* (Olivier) (Coleoptera: Cerambycidae) with a note on use of

- Asteraceae by Cerambycidae. *Victorian Entomologist* 24(5): 113-116.
- Webb, R.E., Shapiro, M., Podgwaite, J.D., Reardon, R.C., Tatman, K.M., Venables, L. & Kolodny-Hirsch, D.M. 1989.** Effect of aerial spraying with Dimilin, Dipel, or Gypchek on two natural enemies of the gypsy moth (Lepidoptera: Lymantriidae). *Journal of Economic Entomology* 82(6): 1695-1701.
- Webb, R.E., Venables, L. & Thorpe, K.W. 1998.** Improved rearing and release procedures for *Cotesia melanoscela* (Hym.: Braconidae), an early season parasitoid of *Lymantria dispar* (Lep.: Lymantriidae). *Entomophaga* 42(4): 471-481.
- Weber, C.A., Godfrey, L.D. & Mauk, P.A. 1996.** Effects of parasitism by *Lysiphlebus testaceipes* (Hymenoptera: Aphidiidae) on transmission of beet yellows closterovirus by bean aphid (Homoptera: Aphididae). *Journal of Economic Entomology* 89(6): 1431-1437.
- Weber, G., Gibbons, J., & Eichelkraut, K. 1988.** The management of *Hydrellia* spp. *Arroz en las Americas* 9(2): 11-14.
- Weeks, J.A. 2003.** Parasitism and ant protection alter the survival of the lycaenid *Hemiargus isola*. *Ecological Entomology* 28(2): 228-232.
- Wei, H. 1987.** Observation on the biological characteristics of *Microplitis ocellatae* Bouché. *Natural Enemies of Insects* 9(1): 10-12.
- Wei, Y.B. 1987.** Observations on population fluctuations of *Apanteles cypris* and the affecting factors. *Plant Protection* 13(1): 24-25.
- Weiblen, G.D. & Achterberg, C. van 2000.** *Ficobracon brusi* gen. nov. & spec. nov. (Hymenoptera: Braconidae), a parasitoid reared from figs in Papua New Guinea. *Zoologische Mededelingen, Leiden* 74(1): 51-55.
- Weigand, S. 1990.** Insect pests of chickpea in the Mediterranean area and possibilities for resistance. *Options Mediterraneennes, Serie A, Seminaires Mediterraneennes* 9: 73-76.
- Weihrauch, F. 2000.** Investigations on the efficacy of the field release of beneficials to control *Phorodon humuli* (Schrank, 1801) (Homoptera: Aphididae) in special crop hops. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes* 52(8): 185-194.
- Weinbrenner, M. & Völkl, W. 2002.** Oviposition behaviour of the aphid parasitoid, *Aphidius ervi*: are wet aphids recognized as host? *Entomologia Experimentalis et Applicata* 103(1): 51-59.
- Weir, L.E.H. & Sagarzazu, L. 1998.** Interspecific competition between *Metagonystylum minense* (Diptera: Tachinidae) and *Cotesia flavipes* (Hymenoptera: Braconidae) parasitoids of sugarcane borers (*Diatraea* spp., Lepidoptera: Pyralidae). *Revista de Biologia Tropical* 46(4): 1135-1139.
- Weires, R.W., Davis, D.R., Leeper, J.R. & Reissig, W.H. 1980.** Distribution and parasitism of gracillariid leafminers on apple in the northeast. *Annals of the Entomological Society of America* 73(5): 541-546.
- Weires, R.W., Leeper, J.R., Reissig, W.H. & Lienk, S. 1982.** Toxicity of several insecticides to the spotted tentiform leafminer (Lepidoptera: Gracillariidae) and its parasite, *Apanteles ornigis*. *Journal of Economic Entomology* 75(4): 680-684.
- Weiss, A. & Vogt, H. 1994.** Populationsdynamik und Parasitierung von Miniermotten am Apfel in Abhängigkeit von biologischen und chemischen Pflanzenschutzmassnahmen. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 9(1-3): 379-387.
- Weiss, M.J. & Williams, R.N. 1980.** Some host-parasite relationships of *Microplitis nitidulidis* and *Stelidota geminata*. *Annals of the Entomological Society of America* 73(3): 323-326.
- Weiss, M.J., Williams, R.N. & Loan, C.C. 1979.** Euphorine parasitism of *Stelidota geminata* (Say) (Coleoptera: Nitidulidae) with description of a new species of *Microctonus* Wesmael (Hymenoptera: Braconidae). *Naturaliste Canadien* 105: 323-326.
- Weisser, W.W. 1994.** Age-dependent foraging behaviour and host-instar preference of the aphid parasitoid *Lysiphlebus cardui*. *Entomologia Experimentalis et Applicata* 70(1): 1-10.
- Weisser, W.W., Houston, A.I. & Völkl, W. 1994.** Foraging strategies in solitary parasitoids: the trade-off between female and offspring mortality risks. *Evolutionary Ecology* 8(6): 587-597.
- Weisser, W.W. 1995.** Within-patch foraging behavior of the aphid parasitoid *Aphidius funebris*: plant architecture, host behavior, and individual variation. *Entomologia Experimentalis et Applicata* 76(2): 133-141.
- Weisser, W.W. & Völkl, W. 1997.** Dispersal in the aphid parasitoid, *Lysiphlebus cardui* (Marshall) (Hym.: Aphidiidae). *Journal of Applied Entomology* 121(1): 23-28.
- Weisser, W.W., Völkl, W. & Hassell, M.P. 1997.** The importance of adverse weather conditions for behaviour and population ecology of an aphid parasitoid. *Journal of Animal Ecology* 66(3): 386-400.
- Weisser, W.W. 2000.** Metapopulation dynamics in an aphid-parasitoid system. *Entomologia Experimentalis et Applicata* 97(1): 83-92.
- Wellings, P.W., Hart, P.J., Kami, V. & Morneau, D.C. 1994.** The introduction and establishment of *Aphidius colemani* Viereck (Hym.: Aphidiinae) in Tonga. *Journal of Applied Entomology* 118(4-5): 419-428.
- Wells, M.L., Hagan, D.V. & McPherson, R.M. 2001.** Survey of parasitoids associated with *Rhyacionia frustrana* (Comstock) in Bulloch County, Georgia. *Journal of Entomological Science* 36(1): 101-104.
- Wells, M.L., McPherson, R.M. & Ruberson, J.R. 2001.** Predation of parasitized and unparasitized cotton aphids (Homoptera: Aphididae) by larvae of two coccinellids. *Journal of Entomological Science* 36(1): 93-96.
- Wen, J.Z. & Sun, C.X. 1988.** Two new species of *Nosema* (Microspora: Nosematidae). *Acta Zootaxonomica Sinica* 13(2): 105-111.
- Wen, J.Z., Lei, Z.R. & Wang, Y. 2002.** Opiinae parasitoids of the leafminer *Liriomyza* spp. in China. (in Chinese) *Entomological Knowledge* 39(1): 14-16.
- Wen, L. & Pan, T. 1983.** Effect of the instars of rice leaf folder *Cnaphalocrocis medinalis* Guenée, on the developmental duration of a braconid parasitoid, *Apanteles cypris* Nixon. *Natural Enemies of Insects* 5(4): 222-223.
- Wen, S., Xie, Y. & Xie, Z. 1991.** Influence of host factors on the oviposition of *Bracon greeni* (Hym.: Braconidae). *Chinese Journal of Biological Control* 7(3): 105-107.
- Wen, S.Y., Li, L., Xie, Y.Q., Li, Y.H., Lin, Q.F. & Zhang, S.S. 1996.** Proteinase content of larval ectoparasitoids and its relation to the artificial diet for in vitro rearing. *Natural Enemies of Insects* 18(4): 151-154.
- Weng, R.Q. & Chen, J.H. 2001.** A new species of genus *Indiopius* Fischer (Hymenoptera: Braconidae) from China. *Entomological Journal of East China* 10(1): 5-7.
- Werner, F.G. 1982.** Common names of insects & related organisms 1982. *Entomological Society of America*: 1-132.
- Werren, J.H., Raupp, M.J., Sadoff, C.S., & Odell, T.M. 1992.** Host plants used by gypsy moths affect survival and development of the parasitoid *Cotesia melanoscela*. *Environmental Entomology* 21(1): 173-177.
- Weseloh, R.M. 1972.** Field responses of gypsy moths and some parasitoids to colored surfaces. *Annals of the Entomological Society of America* 65(3): 742-746.
- Weseloh, R.M. 1972.** Spatial distribution of the gypsy moth (Lepidoptera: Lymantriidae) and some of its parasitoids within a forest environment. *Entomophaga* 17(3): 339-351.
- Weseloh, R.M. 1973.** Relationships of natural enemy field populations to gypsy moth abundance. *Annals of the Entomological Society of America* 66(4): 853-856.

- Weseloh, R.M. 1973.** Termination and induction of diapause in the gypsy moth larval parasitoid, *Apanteles melanoscelus*. Journal of Insect Physiology 19: 2025-2033.
- Weseloh, R.M. 1974.** Host recognition by the gypsy moth larval parasitoid, *Apanteles melanoscelus*. Annals of the Entomological Society of America 67(4): 585-587.
- Weseloh, R.M. 1974.** Relationships between different sampling procedures for the gypsy moth, *Porthetria dispar* (Lepidoptera: Lymantriidae) and its natural enemies. Canadian Entomologist 106: 225-231.
- Weseloh, R.M. 1975.** Seasonal variations in activity of *Apanteles melanoscelus* Ratzeburg (Hymenoptera: Braconidae) adults as related to seasonal variations in age structure of its host *Porthetria dispar* (L.) (Lepidoptera: Lymantriidae). Journal of the New York Entomological Society 83: 242.
- Weseloh, R.M. & Anderson, J.F. 1975.** Inundative release of *Apanteles melanoscela* against the gypsy moth. Environmental Entomology 4(1): 33-36.
- Weseloh, R.M. 1976.** Behavioural responses of the parasite, *Apanteles melanoscelus*, to gypsy moth silk. Environmental Entomology 5(6): 1128-1132.
- Weseloh, R.M. 1976.** Discrimination between parasitized and non-parasitized hosts by the gypsy moth larval parasitoid, *Apanteles melanoscelus* (Hymenoptera: Braconidae). Canadian Entomologist 108: 395-400.
- Weseloh, R.M. 1976.** Reduced effectiveness of the gypsy moth parasite, *Apanteles melanoscela*, in Connecticut due to poor seasonal synchronization with its host. Environmental Entomology 5: 743-746.
- Weseloh, R.M. 1977.** Effects on behavior of *Apanteles melanoscelus* females caused by modifications in extraction, storage, and presentation of gypsy moth silk kairomones. Journal of Chemical Ecology 3: 723-735.
- Weseloh, R.M. 1977.** Mating behavior of the gypsy moth parasite, *Apanteles melanoscelus*. Annals of the Entomological Society of America 70: 549-554.
- Weseloh, R.M. 1978.** Implications for parasite effectiveness of crossing *Apanteles melanoscelus* with an exotic *Apanteles* from India. Journal of the New York Entomological Society 86(4): 326-327.
- Weseloh, R.M. 1978.** Seasonal and spatial mortality patterns of *Apanteles melanoscelus* due to predators and gypsy moth hyperparasites. Environmental Entomology 7: 662-665.
- Weseloh, R.M. 1979.** Comparative behavioral responses of three *Brachymeria* species and other gypsy moth *Lymantria dispar* parasitoids to humidity and temperature. Environmental Entomology 8(4): 670-675.
- Weseloh, R.M. 1980.** Behavioral changes in *Apanteles melanoscelus* females exposed to Gypsy moth silk. Environmental Entomology 9: 345-349.
- Weseloh, R.M. 1980.** Sex pheromone gland of the gypsy moth parasitoid, *Apanteles melanoscelus*: Revaluation and ultrastructural survey. Annals of the Entomological Society of America 73: 576-580.
- Weseloh, R.M. 1980.** Studying parasites of the gypsy moth to increase their effectiveness. Frontiers of Plant Science 32(2): 6-7.
- Weseloh, R.M. 1981.** *Apanteles melanoscelus* (Ratzeburg): 399-402. In: Doane, C.C. & McManus, M.L. [eds]. "The gypsy moth: research toward integrated pest management." United States Department of Agriculture. Technical Bulletin 1584: 1-757.
- Weseloh, R.M. 1982.** Comparison of U.S. and Indian strains of the gypsy moth (Lepidoptera: Lymantriidae) parasitoid *Apanteles melanoscelus* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 73(5): 563-567.
- Weseloh, R.M. & Andreadis, T.G. 1982.** Possible mechanism for synergism between *Bacillus thuringiensis* and the gypsy moth (Lepidoptera: Lymantriidae) parasitoid, *Apanteles melanoscelus* (Hymenoptera: Braconidae). Annals of the Entomological Society of America 75: 435-438.
- Weseloh, R.M. 1983.** Effects of multiple parasitism on the gypsy moth parasites *Apanteles melanoscelus* (Hymenoptera: Braconidae) and *Compsilura concinnata* (Diptera: Tachinidae). Environmental Entomology 12: 599-602.
- Weseloh, R.M. 1983.** Population sampling method for cocoons of the gypsy moth (Lepidoptera: Lymantriidae) parasite, *Apanteles melanoscelus* (Hymenoptera: Braconidae), and relationship of its population levels to predator- and hyperparasite-induced mortality. Environmental Entomology 12: 1228-1231.
- Weseloh, R.M. 1984.** Effect of the feeding inhibitor Plictran and low *Bacillus thuringiensis* Berliner doses on *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae): implications for *Cotesia melanoscelus* (Ratzeburg) (Hymenoptera: Braconidae). Environmental Entomology 13: 1371-1376.
- Weseloh, R.M. 1984.** Selecting *Cotesia (Apanteles) melanoscelus* to attack large gypsy moth larvae. International Congress of Entomology Proceedings 17: 802.
- Weseloh, R.M. 1986.** Artificial selection for host suitability and development length of the gypsy moth (Lepidoptera: Lymantriidae) parasite, *Cotesia melanoscela* (Hymenoptera: Braconidae). Journal of Economic Entomology 79(5): 1212-1216.
- Weseloh, R.M. 1987.** Orientation behavior and effect of experience and laboratory rearing on responses of *Cotesia melanoscela* (Ratzeburg) (Hymenoptera: Braconidae) to gypsy moth silk kairomone. Journal of Chemical Ecology 13(6): 1493-1502.
- Weseloh, R.M. 1988.** Host recognition by the gypsy moth (*Lymantria dispar*) (Lepidoptera: Lymantriidae) hyperparasite, *Eurytoma appendigaster* (Hymenoptera: Eurytomidae) of cocoons of *Cotesia melanoscela* (Hymenoptera: Braconidae). Entomophaga 33(2): 153-162.
- Weseloh, R.M., Andreadis, T.G., Moore, R.E.B., Anderson, J.F., Dubois, N.R. & Lewis, F.B. 1983.** Field confirmation of a mechanism causing synergism between *Bacillus thuringiensis* and the gypsy moth parasitoid, *Apanteles melanoscelus*. Journal of Invertebrate Pathology 41: 99-103.
- Weseloh, R.M., Stamp, N.E. & Casey, T.M. (1995)1993.** Potential effects of parasitoids on the evolution of caterpillar foraging behavior. Caterpillars: ecological and evolutionary constraints on foraging: 203-223.
- Weslien, J. 1992.** The arthropod complex associated with *Ips tyroglyphus* (L.) (Coleoptera, Scolytidae): species composition, phenology, and impact on bark beetle productivity. Entomologica Fennica 3(4): 205-213.
- West, K.J. & Miller, J.C. 1989.** Patterns of host exploitation by *Meteorus communis* (Hymenoptera: Braconidae). Environmental Entomology 18(3): 537-540.
- West, R.J. & Kenis, M. 1997.** Screening four exotic parasitoids as potential controls for the eastern hemlock looper, *Lambdina fiscellaria fiscellaria* (Guenée) (Lepidoptera: Geometridae). Canadian Entomologist 129(5): 831-841.
- West, R.J. 1984.** Studies on the biology of the potato stem borer, *Hydraecia micacea* (Esper) (Lepidoptera: Noctuidae), and its natural enemies. Dissertation Abstracts International B Sciences and Engineering 45(4) 1984: 1110.
- West, R.J., Laing, J.E. & Marshall, S.A. 1984.** Parasites of the potato stem borer, *Hydraecia micacea* (Lepidoptera: Noctuidae). Proceedings of the Entomological Society of Ontario 114: 69-82.
- West, R.J., Kenis, M., Butt, G.W. & Bennett, S.M. 1999.** Parasitoid complex of *Zeiraphera canadensis* (Lepidoptera: Tortricidae) and evaluation of *Tycherus osculator* (Hymenoptera: Ichneumonidae) as a biological control agent. Canadian Entomologist 131(4): 465-474.

- West, S.A., Cook, J.M., Werren, J.H. & Godfray, H.C.J. 1998. *Wolbachia* in two insect host-parasitoid communities. *Molecular Ecology* 7(11): 1457-1465.
- Wharton, R.A. 1977. New World *Aphaereta* species (Hymenoptera: Braconidae: Alysiinae), with a discussion of terminology used in the tribe Alysiini. *Annals of the Entomological Society of America* 70(5): 782-803.
- Wharton, R.A. 1978. Exodontiellini, a new tribe of Opiinae with exodont mandibles. *Pan-Pacific Entomologist* 53: 297-303.
- Wharton, R.A. & Marsh, P.M. 1978. New world Opiinae (Hymenoptera: Braconidae) parasitic on Tephritidae (Diptera). *Journal of the Washington Academy of Sciences* 68(4): 147-167.
- Wharton, R.A. 1980. Review of the Nearctic Alysiini (Hymenoptera, Braconidae) with discussion of generic relationships within the tribe. University of California Press. Berkeley, U.S.A. 88: 1-112.
- Wharton, R.A. 1982. Catalog of the entomological types in the Bishop Museum. Hymenoptera: Braconidae. *Pacific Insects* 24: 292-303.
- Wharton, R.A. 1983. New species of *Illidops* and *Bracon* (Hymenoptera: Braconidae) of potential use in biological control. *Canadian Entomologist* 115: 667-672.
- Wharton, R.A. 1983. *Senuot*, a new genus of Alysiini (Hymenoptera: Braconidae) from Africa. *Contributions of the American Entomological Institute* 20: 277-280.
- Wharton, R.A. 1983. Variation in *Opius hirtus* Fischer and discussion of *Desmiostoma* Foerster (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 85(2): 327-330.
- Wharton, R.A. & Chou, L.Y. 1983. The genus *Heratemis* Walker, with a review of the Taiwanese species (Hymenoptera: Braconidae). *Journal of Taiwan Museum* 36(2): 7-13.
- Wharton, R.A. & Gilstrap, F.E. 1983. Key to and status of opiine braconid (Hymenoptera) parasitoids used in biological control of *Ceratitis* and *Dacus* s.l. (Diptera: Tephritidae). *Annals of the Entomological Society of America* 76(4): 721-742.
- Wharton, R.A., Gilstrap, F.E., Rhode, R.H., Fischer, M. & Hart, W.G. 1983. Hymenopterous egg-pupal and larval-pupal parasitoids of *Ceratitis capitata* and *Anastrepha* spp. in Costa Rica. *Entomophaga* 26(3): 285-290.
- Wharton, R.A. 1984. Biology of the Alysiini (Hymenoptera: Braconidae), parasitoids of cyclorrhaphous Diptera. Texas Agricultural Experimental Station. Technical Monograph 11: 1-39.
- Wharton, R.A. 1984. The status of certain Braconidae (Hymenoptera) cultured for biological control programs, and description of a new species of *Macrocentrus*. *Proceedings of the Entomological Society of Washington* 86(4): 902-912.
- Wharton, R.A. 1985. Characterization of the genus *Aspilota* (Hymenoptera: Braconidae). *Systematic Entomology* 10: 227-237.
- Wharton, R.A. & Chou, L.Y. 1985. Revision of the Taiwanese species of *Alloea* Haliday (Hymenoptera: Braconidae, Alysiinae). *Journal of Agricultural Research of China* 34(3): 352-367.
- Wharton, R.A. 1986. Comment on the proposed conservation of *Apanteles ornigis* Weed, 1887 (Hymenoptera). *Z.N.(S.)* 2506. *Bulletin of Zoological Nomenclature* 43(4): 324.
- Wharton, R.A. 1986. *Opius* Wesmael, 1835 (Insecta, Hymenoptera): proposed designation of *Opius pallipes* Wesmael, 1835 as type species. *Bulletin of Zoological Nomenclature* 43(4): 369-371.
- Wharton, R.A. 1986. The braconid genus *Alysia* (Hymenoptera): description of the subgenera and a revision of the subgenus *Alysia*. *Systematic Entomology* 11: 453-504.
- Wharton, R.A. 1987. Changes in nomenclature and classification of some opiine Braconidae (Hymenoptera). *Proceedings of the Entomological Society of Washington* 89(1): 61-73.
- Wharton, R.A. 1988. Classification of the braconid subfamily Opiinae (Hymenoptera). *Canadian Entomologist* 120(4): 333-360.
- Wharton, R.A. 1988. The braconid genus *Alysia* (Hymenoptera): a revision of the subgenus *Anarcha*. *Contributions of the American Entomological Institute* 25(2): 1-69.
- Wharton, R.A. & Quicke, D.L.J. 1988. A new species of *Bracon* (Hymenoptera: Braconidae) parasitic on *Eoreuma loftini* (Dyar) (Lepidoptera: Pyralidae). *Proceedings of the Entomological Society of Washington* 90(3): 288-293.
- Wharton, R.A. 1989. Classical biological control of fruit infesting Tephritidae. In: Robinson, A.S., Hooper, G. [eds] "World crop pests: fruit flies, their biology, natural enemies, and control. Vol. 3b." Amsterdam: 303-313.
- Wharton, R.A., Smith, J.W. Jr., Quicke, D.L.J. & Browning, H.W. 1989. Two new species of *Digonogastra* Viereck (Hymenoptera: Braconidae) parasitic on neotropical pyralid borers (Lepidoptera) in maize, sorghum and sugarcane. *Bulletin of Entomological Research* 79(3): 401-410.
- Wharton, R.A., Austin, A.D., & Thomson, J.A. 1990. Two new species of *Opius* Wesmael (Hymenoptera: Braconidae) parasitic on Drosophilidae (Diptera) in Australia. *Journal of the Australian Entomological Society* 29(1): 11-18.
- Wharton, R. 1991. Comments on the proposed designation of *Agathis longicauda* Boheman, 1833 as the type species of *Vipio* Latreille, 1804 (Insecta, Hymenoptera). *Bulletin of Zoological Nomenclature* 48(4) 1991: 331-332.
- Wharton, R.A. & Mason, W.R.M. 1991. Case 2614. *Vipio* Latreille, 1804 (Insecta, Hymenoptera): proposed designation of *Agathis longicauda* Boheman, 1853 as the type species. *Bulletin of Zoological Nomenclature* 48(1): 45-49.
- Wharton, R.A., & Austin, A.D. 1991. Revision of Australian Dacnusiini (Hymenoptera: Braconidae: Alysiinae), parasitoids of cyclorrhaphous Diptera. *Journal of the Australian Entomological Society* 30(3): 193-206.
- Wharton, R.A., Shaw, S.R., Sharkey, M.J., Wahl, D.B., Woolley, J.B., Whitfield, J.B., Marsh & P.M., Johnson, W. 1992. Phylogeny of the subfamilies of the family Braconidae (Hymenoptera: Ichneumonoidea): a reassessment. *Cladistics* 8(3): 199-235.
- Wharton, R.A. 1993. Bionomics of the Braconidae. *Annual Review of Entomology* 38: 121-143.
- Wharton, R.A. 1993. Review of the Hormiini (Hymenoptera: Braconidae) with a description of new taxa. *Journal of Natural History* 27(1): 107-171.
- Wharton, R.A. 1994. New genera, species, and records of New World Alysiinae (Hymenoptera: Braconidae). *Proceedings of the Entomological Society of Washington* 96(4): 630-664.
- Wharton, R.A. 1997. Generic relationships of opiine Braconidae (Hymenoptera) parasitic on fruit-infesting Tephritidae (Diptera). *Contributions of the American Entomological Institute* 30(3): 1-53.
- Wharton, R.A. 1997. Introduction: 1-18. Alysiinae: 85-118. Gnampodontinae: 257-260. Homolobinae: 279-284. Macrocentrinae: 311-316. Opiinae: 379-396. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Wharton, R.A. 1999. A review of the Old World genus *Fopius* Wharton (Hymenoptera: Braconidae: Opiinae), with description of two new species reared from fruit-infesting Tephritidae (Diptera). *Journal of Hymenoptera Research* 8(1): 48-64.
- Wharton, R.A., Quilici, S., Hurtrel, B. & Mercado, I. 1999. The status of two species of *Psytalia* Walker (Hymenoptera: Braconidae: Opiinae) reared from fruit-infesting Tephritidae (Diptera) on the Indian Ocean Islands of Réunion and Mauritius. *African Entomology* 7(1): 85-90.

- Wharton, R.A. & Achterberg, C. van 2000. Family group names in Braconidae (Hymenoptera: Ichneumonoidea). *Journal of Hymenoptera Research* 9(2): 254-270.
- Wharton, R.A., Austin, A.D. & Dowton, M. 2000. Can braconid classification be restructured to facilitate portrayal of relationships? Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. *Hymenoptera: evolution, biodiversity and biological control*: 143-153.
- Wharton, R.A., & Lopez-Martinez, V. 2000. A new species of *Triaspis* Haliday (Hymenoptera: Braconidae) parasitic on the pepper weevil, *Anthonomus eugenii* Cano (Coleoptera: Curculionidae). *Proceedings of the Entomological Society of Washington* 102(4): 794-801.
- Wharton, R.A., Trostle, M.K., Messing, R.H., Copeland, R.S., Kimani-Njogu, S.W., Lux, S., Overholt, W.A., Mohamed, S. & Sivinski, J. 2000. Parasitoids of medfly, *Ceratitis capitata*, and related tephritids in Kenyan coffee: a predominantly koinobiont assemblage. *Bulletin of Entomological Research* 90(6): 517-526.
- Wharton, R.A. 2002. Revision of the Australian Alysini (Hymenoptera: Braconidae) *Invertebrate Systematics* 16(1): 7-105.
- Wharton, R.A. & Sittertz-Bhatkar, H. 2002. Polydnnaviruses in the genus *Mirax* Haliday (Hymenoptera: Braconidae). *Journal of Hymenoptera Research* 11(2): 358-365.
- Wheeler, A.G. Jr. 1978. Studies on the arthropod fauna of alfalfa VIII. Parasitoid-host records. *Canadian Entomologist* 110: 1117-1119.
- Wheeler, A.G. Jr., Hayes, J.T. & Stephens, J.L. 1968. Insect predators of mummified pea aphids. *Canadian Entomologist* 100: 221-222.
- Wheeler, A.G. Jr. & Loan, C.C. 1984. *Peristenus henryi* (Hymenoptera: Braconidae, Euphorinae), a new species parasitic on the honeylocust plant bug, *Diaphnocoris chlorionis* (Hemiptera: Miridae). *Proceedings of the Entomological Society of Washington* 86(3): 669-672.
- Wheeler, G.S., Ashley, T.R. & Drews, K.L. 1989. Larval parasitoids and pathogens of the fall armyworm in *Honduran maize*. *Entomophaga* 34(3): 331-340.
- Whistlecraft, J.W., Harris, C.R., Tomlin, A.D. & Tolman, J.H. 1984. Mass rearing technique for a braconid parasite, *Aphaereta pallipes* (Hymenoptera: Braconidae). *Journal of Economic Entomology* 77(3): 814-816.
- Whistlecraft, J.W. & Lepard, I.J.M. 1989. Effect of flooding on survival of the onion fly *Delia antiqua* (Diptera: Anthomyiidae) and two parasitoids, *Aphaereta pallipes* (Hymenoptera: Braconidae) and *Aleochara bilineata* (Coleoptera: Staphylinidae). *Proceedings of the Entomological Society of Ontario* 120: 43-47.
- White, E.B., Bernal, J.S., Gonzalez, D. & Triapitsyn, S.V. 1998. Facultative hyperparasitism in *Brachymeria pomonae* (Hymenoptera: Chalcididae). *European Journal of Entomology* 95(3): 359-366.
- White, J.S., Everett, C.J. & Brown, R.A. 1990. Lambda-cyhalothrin: laboratory and field methods to assess the effects on natural enemies. *Proceedings of the Brighton Crop Protection Conference, Pests and Diseases* 3: 969-974.
- Whitehead, D.R. 1975. Parasitic Hymenoptera associated with brucid-infested fruits in Costa Rica. *Journal of the Washington Academy of Sciences* 65: 108-116.
- Whiteside, E.F. 1980. Biological control of the potato tuber moth (*Phthorimaea operculella*) in South Africa by two introduced parasites (*Copidosoma koehleri* and *Apanteles subandinus*). *Journal of the Entomological Society of South Africa* 43(2): 239-255.
- Whiteside, E.F. 1981. The results of competition between two parasites of the potato tuber moth, *Phthorimaea operculella* (Zeller). *Journal of the Entomological Society of Southern Africa* 44(2): 359-365.
- Whiteside, R.C., Burbutis, P.P. & Kelsey, L.P. 1967. Insect parasites of the green cloverworm in Delaware. *Journal of Economic Entomology* 60(2): 326-328.
- Whitfield, G.H., Drummond, F.A. & Haynes, D.L. 1981. A simulation model for the survival and development of the onion maggot *Hylemya antiqua* (Diptera: Anthomyiidae). *Proceedings of the Entomological Society of Ontario* 111: 39-55.
- Whitfield, J.B. 1985. The Nearctic species of *Deuterixys* Mason (Hymenoptera: Braconidae). *Pan-Pacific Entomologist* 61(1): 60-67.
- Whitfield, J.B. 1986. *Apanteles ornigis* Weed, 1887 (Insecta: Hymenoptera): proposed conservation by the suppression of *Microgaster robiniae* Fitch, 1859. *Z.N.(S.) 2506. Bulletin of Zoological Nomenclature* 43(1) 1986: 96-98.
- Whitfield, J.B. 1987. Comment on the proposed designation of *Microgaster australis* Thomson, 1895 as type of *Microgaster* Latreille, 1804 (Insecta: Hymenoptera) (Case 2397). *Bulletin of Zoological Nomenclature* 44(1): 47.
- Whitfield, J.B. 1987. Male swarming by a microgastrine braconid, *Apanteles coniferae* (Haliday) (Hymenoptera). *Proceedings and Transactions of the British Entomological and Natural History Society* 20(4): 133-135.
- Whitfield, J.B. & Achterberg, C. van 1987. Clarification of the taxonomic status of the genera *Cantharoctonus* Viereck, *Noserus* Foerster and *Pseudavga* Tobias (Hymenoptera: Braconidae). *Systematic Entomology* 12(4): 509-518.
- Whitfield, J.B. & Wagner, D.L. 1988. Patterns in host ranges within the Nearctic species of the parasitoid genus *Pholetesor* Mason (Hymenoptera: Braconidae). *Environmental Entomology* 17(3): 608-615.
- Whitfield, J.B. 1988. Revision of the Nearctic species of the genus *Stiropius* Cameron (= *Bucculatriplex* auct.) with the description of a new related genus (Hymenoptera: Braconidae). *Systematic Entomology* 13(3): 373-385.
- Whitfield, J.B. 1988. Taxonomic notes on Rhyssalini and Rhysipolini (Hymenoptera: Braconidae) with first Nearctic records of three genera. *Proceedings of the Entomological Society of Washington* 90(4): 471-473.
- Whitfield, J.B. 1988. Two new species of *Paradelius* (Hymenoptera: Braconidae) for North America with biological notes. *Pan-Pacific Entomologist* 64(4): 313-319.
- Whitfield, J.B., Johnson, N.F. & Hamerski, M.R. 1989. Identity and phylogenetic significance of the metapostnotum in non-aculeate Hymenoptera. *Annals of the Entomological Society of America* 82(6): 663-673.
- Whitfield, J.B. 1990. Phylogenetic review of the *Stiropius* group of genera (Hymenoptera: Braconidae, Rogadinae) with description of a new neotropical genus. *Proceedings of the Entomological Society of Washington* 92(1): 36-43.
- Whitfield, J.B. 1990. Parasitoids, polydnnaviruses and endosymbiosis. *Parasitology Today* 6(12): 381-384.
- Whitfield, J.B. & Wagner, D.L. 1991. Annotated key to the genera of Braconidae (Hymenoptera) attacking leafmining Lepidoptera in the Holarctic region. *Journal of Natural History* 25: 733-754.
- Whitfield, J.B. 1992. The polyphyletic origin of endoparasitism in the cyclostome lineages of Braconidae (Hymenoptera). *Systematic Entomology* 17(3): 273-286.
- Whitfield, J.B. & Cameron, S.A. 1993. Comparative notes on hymenopteran parasitoids in bumble bee and honey bee colonies (Hymenoptera: Apidae) reared adjacently. *Entomological News* 104(5): 240-248.
- Whitfield, J.B. & Mason, W.R.M. 1994. Mendesellinae, a new subfamily of braconid wasps (Hymenoptera, Braconidae) with a review of relationships within the microgastroid assemblage. *Systematic Entomology* 19(1): 61-76.

- Whitfield, J.B.** 1995. Annotated checklist of the Microgastrinae of North America north of Mexico (Hymenoptera: Braconidae). *Journal of the Kansas Entomological Society* 68(3): 245-262.
- Whitfield, J.B.** 1995. *Xanthapanteles*, a new genus of Microgastrinae (Hymenoptera: Braconidae) from South America. *Proceedings of the Entomological Society of Washington* 97(4): 879-883.
- Whitfield, J.B.** 1995. Annotated checklist of the Microgastrinae of North America north of Mexico (Hymenoptera: Braconidae). *Journal of the Kansas Entomological Society* 68(3): 245-262.
- Whitfield, J.B. & Scaccia, B.** 1996. A new species of *Distatrix* (Hymenoptera: Braconidae) from California, with biological notes. *Proceedings of the Entomological Society of Washington* 98(2): 308-313.
- Whitfield, J.B.** 1997. Adeliinae: 65-68. Dirrhopinae: 203-206. Mendesellinae: 321-324. Microgastrinae: 333-366. Miracinae: 371-374. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Whitfield, J.B. & Dangerfield, P.D.** 1997. Subfamily Cardiochilinae: 177-183. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Whitfield, J.B. & Wharton, R.A.** 1997. Hormiinae: 285-301. In: Wharton, R.A., Marsh, P.M. & Sharkey, M.J. "Manual of the New World genera of the family Braconidae (Hymenoptera)." International Society of Hymenopterists. Special Publication No. 1: 1-439.
- Whitfield, J.B.** 1997. Molecular and morphological data suggest a single origin of the polydnviruses among braconid wasps. *Naturwissenschaften* 84(11): 502-507.
- Whitfield, J.B., Marquis, R.J. & Corff, J. le** 1999. Host associations of braconid parasitoids (Hymenoptera: Braconidae) reared from Lepidoptera feeding on oaks (*Quercus* spp.) in the Missouri Ozarks. *Entomological News* 110(4): 225-230.
- Whitfield, J.B., Austin, A.D. & Dowton, M.** 2000. Phylogeny of microgastroid braconid wasps, and what it tells us about polydnvirus evolution. Hymenoptera: evolution, biodiversity and biological control. Fourth International Hymenoptera Conference, held in Canberra, Australia, in January 1999. 97-105.
- Whitfield, J.B., Cameron, S.A., Ramírez, S.R., Roesch, K., Messinger, S., Taylor, O.M. & Cole, D.** 2001. Review of the *Apanteles* species (Hymenoptera, Braconidae) attacking Lepidoptera in *Bombus* (*Feroidobombus*) (Hymenoptera: Apidae) colonies in the New World, with description of a new species from South America. *Annals of the Entomological Society of America* 94(6): 851-857.
- Whitfield, J.B. & Lewis, C.N.** 2001. Analytical survey of the braconid wasp fauna (Hymenoptera: Braconidae) on six midwestern U.S. tallgrass prairies. *Annals of the Entomological Society of America* 94(2): 230-238.
- Whitfield, J.B. & Chen, X.X.** 2002. A new species of the rare genus *Katytermus* (Hymenoptera: Braconidae) in China. *Entomological News* 113(4): 239-242.
- Whitfield, J.B., Benzing, A. & Ponce, F.** 2002. Review of the *Glyptapanteles* species (Hymenoptera: Braconidae, Microgastrinae) attacking noctuids in field crops in the neotropical region, with descriptions of two new species from the Ecuadorian Andes. *Journal of Hymenoptera Research* 11(1): 152-165.
- Whitfield, J.B., Chen, X.X. & He, J.H.** 2002. Discovery of the genus *Microtypus* Ratzeburg (Hymenoptera: Braconidae) in China, with records of three species. *Journal of the Kansas Entomological Society* 75(4): 333-334.
- Whitfield, J.B., Chen, X.X. & He, J.H.** 2002. The discovery of the genus *Gnamptodon* Haliday (Hymenoptera: Braconidae) in China, with description of one new species. *Pan Pacific Entomologist* 78(3): 184-187.
- Whitfield, J.B., Mardulyn, P., Austin, A.D. & Dowton, M.** 2002. Phylogenetic relationships among microgastrine braconid wasp genera based on data from the 16S, COI and 28S genes and morphology. *Systematic Entomology* 27(3): 337-359.
- Whitfield, J.B.** 2002. Estimating the age of the polydnvirus/braconid wasp symbiosis. *Proceedings of the National Academy of Sciences of the United States of America* 99(11): 7508-7513.
- Whitman, D.W. & Eller, F.J.** 1990. Parasitic wasps orient to green leaf volatiles. *Chemoecology* 1(2): 69-75.
- Whitman, D.W. & Eller, F.J.** 1992. Orientation of *Microplitis croceipes* (Hymenoptera: Braconidae) to green leaf volatiles: dose-response curves. *Journal of Chemical Ecology* 18(10): 1743-1753.
- Wiackowski, S.K. & Herman, E.** 1968. Laboratory investigations on the effect of insecticides on adults of primary and secondary aphid parasites. *Polskie Pismo Entomologiczne* 38: 593-600.
- Wiackowski, S., Dabrowski, J., Tomkow, M. & Witrylak, M.** 1983. Four year long studies on *Exoteleia dodecella* L. and its natural enemies in forests of Upper Silesian and Krakow industrial regions. *Folia Forestalia Polonica* 25: 117-127.
- Wiackowski, S. & Wiackowski, I.** 1996. Aphid parasitoids (Hymenoptera: Aphidiidae) occurring on orchard plants. *Zeszyty Naukowe Instytutu Sadownictwa i Kwiaciarnictwa w Skierniewicach* 3: 115-118.
- Wiackowski, S.K.** 1997. Aphid parasitoids (Hymenoptera: Aphidiidae) appearing on the crop plants. *Roczniki Nauk Rolniczych. Seria E, Ochrona Roslin* 26(1-2): 33-38.
- Wiackowski, S.K., Wiackowska, I. & Mezyk, Z.** 1997. Aphids (Homoptera: Aphidoidea) and parasites of aphids (Hymenoptera, Aphidiidae) occurring on ornamental plants. *Zeszyty Naukowe Instytutu Sadownictwa i Kwiaciarnictwa w Skierniewicach* 4: 191-195.
- Wiackowski, S.K. & Wiackowska, I.** 2000. Parasitoids of aphids (Hymenoptera: Aphidiidae) occurring on forest trees and shrubs. *Wiadomosci Entomologiczne* 19(2): 93-103.
- Wiackowski, S.K., Wiackowska, I., Werstak, K. & Slusarczyk, J.** 2001. Aphid parasitoids (Hymenoptera: Aphidiidae) of Central and Southern Poland. *Wiadomosci Entomologiczne* 20(1-2): 57-65.
- Wick, M. & Erfürth, P.** 1989. Test trial of the aphid parasitoid *Aphidius matricariae* against the green peach aphid *Myzus persicae* of sweet pepper. *Gartenbau* 36(12): 366-369.
- Wickman, B.E.** 1968. The biology of the fir tree borer, *Semanotus litigiousus* (Coleoptera: Cerambycidae), in California. *Canadian Entomologist* 100: 208-220.
- Wickremasinghe, M.G.V. & Emden, H.F. van** 1992. Reactions of adult female parasitoids, particularly *Aphidius rhopalosiphii*, to volatile chemical cues from the host plants of their aphid prey. *Physiological Entomology* 17(3): 297-304.
- Wickremasinghe, M.G.V.** 1989. Behavior of *Aphidius rhopalosiphii* (Hymenoptera: Aphidiidae) in relation to potential host community location. Doctoral Dissertation, University of Reading 1989: 1240pp.
- Wieber, A.M., Cook, S.P., Webb, R.E., Tatman, K.M. & Reardon, R.C.** 1995. Niche partitioning by four *Gelis* spp. (Hymenoptera: Ichneumonidae) hyperparasitoids of the primary gypsy moth parasitoid *Cotesia melanoscela* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 88(4): 427-433.
- Wieber, A.M., Webb, R.E., Ridgeway, R.L., Thorpe, K.W., Reardon, R.C., Kolodny-Hirsch, D.M. & Tatman, K.M.** 1995. Effect of seasonal placement of *Cotesia melanoscela* (Hym.: Braconidae)

- on its potential for effective augmentative release against *Lymantria dispar* (Lep.: Lymantriidae). *Entomophaga* 40(2): 281-292.
- Wieber, A.M., Cook, S.P., Webb, R.E., Reardon, R.C. & Tatman, K.M. 1996. Similarity of the hyperparasitoid communities attacking two strains of a gypsy moth (Lepidoptera: Lymantriidae) primary parasitoid, *Cotesia melanoscela* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* 89(1): 47-52.
- Wieber, A.M., Webb, R.E., Reardon, R.C. & Tatman, K.M. 2001. Characterization of then hyperparasitoid complex of *Cotesia melanoscelus* (Hymenoptera: Braconidae) at three Maryland locations. *Entomological News* 112(4): 241-249.
- Wieber, A.M., Webb, R.E., Reardon, R.C., Tatman, K.M. & Thorpe, K.W. 2002. Temporal patterns of hyperparasitoid emergence from *Cotesia melanoscelus* (Hymenoptera: Braconidae) cocoons. *Entomological News* 113(4): 253-266.
- Wiech, K., Jankowska, B., Finch, S., Hartfield, C. & Brunel, E. 1999. Preliminary observations on *Diadegma fenestralis* a parasitoid of the diamond-back moth, *Plutella maculipennis*. Integrated control in field vegetable crops. Proceedings of the meeting at Chania, Crete, 6-8 October 1997. *Bulletin OILB SROP* 22(5): 145-149.
- Wiedenmann, R.N., Smith, J.W. Jr. & Darnell, P.O. 1992. Laboratory rearing and biology of the parasite *Cotesia flavipes* (Hymenoptera: Braconidae) using *Diatraea saccharalis* (Lepidoptera: Pyralidae) as a host. *Environmental Entomology* 21(5): 1160-1167.
- Wiedenmann, R.N. & Smith, J.W. Jr. 1993. Functional response of the parasite *Cotesia flavipes* (Hymenoptera: Braconidae) at low densities of the host *Diatraea saccharalis* (Lepidoptera: Pyralidae). *Environmental Entomology* 22(4): 849-858.
- Wiedenmann, R.N. & Smith, J.W. Jr. 1995. Parasitization of *Diatraea saccharalis* (Lepidoptera: Pyralidae) by *Cotesia chilonis* and *C. flavipes* (Hymenoptera: Braconidae). *Environmental Entomology* 24(4): 950-961.
- Wiedenmann, R.N., Smith, J.W. Jr. & Rodriguez-del-Bosque, L.A. 2003. Host suitability of the New World stalkborer *Diatraea considerata* for three Old World *Cotesia* parasitoids. *BioControl* 48(6): 659-669.
- Wiethoff, J., Meyhofer, R. & Poehling, H.M. 2002. Use of combinations of natural enemies for biological control of *Myzus persicae* (Sulzer) (Hom.: Aphididae) on sweet pepper in greenhouses. *Gesunde Pflanzen* 54(3-4): 126-137.
- Wightman, J.A. 1986. *Sitona discoideus* (Coleoptera: Curculionidae) in New Zealand, 1975-1983: Distribution, population studies, and bionomic strategy. *New Zealand Journal of Zoology* 13(2): 221-240.
- Wijerathna, M.A.P. & Edirisinghe, J.P. 1995. Preliminary observations on graminaceous aphids (Homoptera: Aphididae) of the Peradeniya University Park. *Ceylon Journal of Science, Biological Sciences* 24: 34-41.
- Wijerathna, M.A.P. & Edirisinghe, J.P. 1997. A survey of vegetable-infesting aphids in Sri Lanka, and their natural enemies. *Tropical Agriculture* 74(1): 49-57.
- Wiktelius, S., Chiverton, P.A., Meguenni, H., Bennaceur, M., Ghezal, E., Umeh, E.D.N., Egwuatu, R.I., Minja, E., Makusi, R., Tukahirwa, E., Tinzaara, W. & Deedat, Y. 1999. Effects of insecticides on non-target organisms in African agroecosystems: a case for establishing regional testing programmes. *Agriculture, Ecosystems and Environment* 75(1-2): 121-131.
- Wilbert, H. 1967. Mechanismen und physiologische Abwehrreaktionen einiger Blattlausarten (Aphididae) gegen Schlupfwespen (Hymenoptera). *Entomophaga* 12(2): 127-137.
- Wildbolz, T. & Staub, A. 1985. Der Schlüpfverlauf männlicher und weiblicher Apfelwicklerfalter (*Cydia pomonella*) und der Raupenparasiten im Insektarium. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 58: 199-204.
- Wiles, J.A. & Jepson, P.C. 1994. Substrate-mediated toxicity of deltamethrin residues to beneficial invertebrates: estimation of toxicity factors to aid risk assessment. *Archives of Environmental Contamination and Toxicology* 27(3): 384-391.
- Wilkinson, A.T.S. 1966. *Apanteles rubecula* Marsh and other parasites of *Pieris rapae* in British Columbia. *Journal of Economic Entomology* 59(4): 1012-1013.
- Wilkinson, J.D. & Ignoffo, C.M. 1973. Activity of a juvenile hormone analogue on a parasitoid, *Apanteles rubecula*, via its host, *Pieris rapae*. *Journal of Economic Entomology* 66(3): 643-645.
- Wilkinson, J.D., Biever, K.D. & Ignoffo, C.M. 1975. Contact toxicity of some chemical and biological pesticides to several parasitoids and predators. *Entomophaga* 20(1): 113-120.
- Wilkinson, J.D., Biever, K.D. & Ignoffo, C.M. 1979. Synthetic pyrethroid and organophosphate insecticides against the parasitoid *Apanteles marginiventris* and the predators *Geocoris punctipes*, *Hippodamia convergens*, and *Podisus maculiventris*. *Journal of Economic Entomology* 72(4): 473-475.
- Williams, C.B., Walton, G.S. & Tiernam, C.F. 1969. Zectran and Naled affect incidence of parasitism of the budworm *Choristoneura occidentalis* in Montana. *Journal of Economic Entomology* 62(2): 310-312.
- Williams, C.E., Pavuk, D.M., Taylor, D.H. & Martin, T.H. 1995. Parasitism and disease incidence in the green cloverworm (Lepidoptera: Noctuidae) in strip-intercropped soybean agroecosystems. *Environmental Entomology* 24(2): 253-260.
- Williams, D.J.M. 1985. The New World genus *Lathrapanteles* n. gen.: Phylogeny and placement in the Microgastrinae (Hymenoptera: Braconidae: Cotesini). *Canadian Journal of Zoology* 63: 1962-1981.
- Williams, D.J.M. 1988. Classification, phylogeny and zoogeographic studies of species of *Sathon* Mason (Hymenoptera: Braconidae). *Quaestiones Entomologicae* 24(4): 529-639.
- Williams, D.W., Fuester, R.W., Metterhouse, W.W., Balaam, R.J., Bullock, R.H., Chianese, R.J. & Reardon, R.C. 1992. Incidence and ecological relationships of parasitism in larval populations of *Lymantria dispar* (Lepidoptera: Lymantriidae). *Biological Control* 2(1): 35-43.
- Williams, H.J., Wong, M., Wharton, R.A. & Vinson, S.B. 1988. Hagen's gland morphology and chemical content analysis for three species of parasitic wasps (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 14(9): 1727-1735.
- Williams, L.I.I., Logarzo, G.A., Shaw, S.R., Price, L.D. & Manrique, V. 2003. *Leiophron argentinensis* Shaw (Hymenoptera: Braconidae): A new species of parasitoid from Argentina and Paraguay - Information on life history and potential for controlling *Lygus* bugs (Hemiptera: Miridae). *Annals of the Entomological Society of America* 96(6): 834-846.
- Williams, R.N., Galford, J.R. & Purrington, F. 1991. Parasites of *Stelidota* (Coleoptera: Nitidulidae). *Entomological News* 102(2): 90-94.
- Williamson, G.D. 1971. Insect liberations in Canada, 1970. Parasites and predators. Canada. Agriculture Canada. Research Program Services Section 34: 1-16.
- Williamson, G.D. 1972. Insect liberations in Canada, 1971. Parasites and predators. Canada. Agriculture Canada. Research Program Services Section 35: 1-16.
- Wilson, C.G., Swincer, D.E. & Walden, K.J. 1982. The introduction of *Trioxys complanatus* Quilis (Hymenoptera: Aphidiidae), an internal parasite of the Spotted Alfalfa aphid, into South Australia. *Journal of the Australian Entomological Society* 21: 13-27.
- Wilson, C.G. & Swincer, D.E. 1984. Hyperparasitism of *Therioaphis trifolii* f. *maculata* (Homoptera: Aphididae) in South Aus-

- tralia. Journal of the Australian Entomological Society 23(1): 47-50.
- Wilson, G.B. & Lambdin, P.L. 1987.** Suitability of *Brevicoryne brassicae* and *Myzus persicae* (Homoptera: Aphididae) as hosts of *Diaeretiella rapae* (Hymenoptera: Aphidiidae). Entomological News 98: 140-146.
- Wilson, J.A. Jr. & DuRant, J.A. 1991.** Parasites of the European corn borer (Lepidoptera: Pyralidae) in South Carolina. Journal of Agricultural Entomology 8(2): 109-116.
- Wilson, L.F. 1970.** Life history and habits of a sweet-fern moth, *Acrobasis comptoniella* (Lepidoptera: Phycitidae), in Michigan. Canadian Entomologist 102(3): 257-263.
- Wingo, C.W. 1970.** Laboratory adaptation of an indigenous Braconid parasite to the face fly. Journal of Economic Entomology 63(3): 748-751.
- Winiarska, W. (1986)1987.** Fruit flies (Diptera: Tephritidae) attacking the flower heads of *Cirsium arvense* (L.) Scop. Polskie Pismo Entomologiczne 56(4): 887-895.
- Winiarska, W. 1995.** *Apanteles melanoscelis* Ratz. - an effective parasitoid of gypsy moth caterpillars. Ochrona Roslin 39(2): 6.
- Winiarska, W. 1995.** Preliminary study on the insects living inside the heads of *Arctium minus* (Hill.) Bernh. (Compositae). Wiadomosci Entomologiczne 14(2): 69-74.
- Winiarska, W. & Filipowicz, A. 1995.** Predatory and parasitic insects in colonies of *Aphis (Aphis) fabae cirsiiacanthoidis* Scop. on the thistle, *Cirsium arvense* (L.) Scop. Materiały ogólnopolskiej konferencji naukowej Nauka Praktyce Ogrodniczej z okazji XXV -lecia Wydziału Ogrodniczego Akademii Rolniczej w Lublinie: 403-406.
- Winnie, W.V. & Chiang, H.C. 1982.** Seasonal history of *Macrocentrus grandii* (Hym.: Braconidae) and *Eriborus terebrans* (Hym.: Ichneumonidae), two parasitoids of the European corn borer, *Ostrinia nubilalis* (Lep.: Pyralidae). Entomophaga 27(2): 183-188.
- Wipking, W. & Mengelkoch, C. 1994.** Control of alternate-year flight activities in high-alpine ringlet butterflies (*Erebia*, Satyridae) and burnet moths (*Zygaena*, Zygaenidae) from temperate environments. Series Entomologica (Dordrecht) 52: 313-347.
- Wiskerke, J.S.C. & Vet, L.E.M. 1991.** Comparison of two *Cotesia* species for solitarily and gregariously feeding *Pieris* host species. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 2: 190-195.
- Wiskerke, J.S.C. & Vet, L.E.M. 1994.** Foraging for solitarily and gregariously feeding caterpillars: a comparison of two related parasitoid species (Hymenoptera: Braconidae). Journal of Insect Behavior 7(5): 585-603.
- Wissinger, W.L. & Cervone, T.H. 1985.** Vitellogenic and embryogenic activity of the microtubule disruptor vinblastine following ingestion by the wasp *Bracon hebetor*. Journal of Insect Physiology 31(6): 471-476.
- Wissinger, W.L. & Grosch, D.S. 1975.** Influence of juvenile hormone analogues on reproductive performance in the wasp, *Habrobracon juglandis*. Journal of Insect Physiology 21: 1559-1564.
- Wissinger, W.L., Petters, R.M., Cervone, T.H. & Mettus, R.V. 1985.** Reproductive performance and mutagenic response of the wasp *Bracon hebetor* following treatment with the antibiotic bleomycin. Mutation Research 149: 375-383.
- Witethom, B. 1987.** Effects of temperature on and some competitive characteristics of *Meteorus leviiventris* (Wesmael) and *Microplitis kewleyi* Muesebeck [*Microgaster kewleyi*] (Hymenoptera: Braconidae), parasitoids of black cutworm larvae, *Agrotis ipsilon* (Hufnagel) (Lepidoptera: Noctuidae). Dissertation Abstracts International. B, Sciences and Engineering 47(9): 3636.
- Witter, J.A. & Kulman, H.M. 1979.** The parasite complex of the forest tent caterpillar in northern Minnesota. Environmental Entomology 8(4): 723-731.
- Woets, J. & Linden, A. van der 1982.** On the occurrence of *Opius pallipes* Wesmael and *Dacnusa sibirica* Telenga (Braconidae) in cases of natural control of the tomato leafminer *Liriomyza bryoniae* Kalt. (Agromyzidae) in some large glasshouses in the Netherlands. Mededelingen Faculteit Landbouwwetenschappen Rijksuniversiteit Gent 47(2): 533-540.
- Woets, J. & Linden, A. van der 1983.** Observations on *Opius pallipes* Wesmael (Hym.: Braconidae) as a potential candidate for biological control of the tomato leafminer *Liriomyza bryoniae* Kalt. (Dipt.: Agromyzidae) in Dutch greenhouse tomatoes. Bull SROP Int Organ Biol Control Noxious Anim Plants West Palaearctic Reg Sec. Wageningen 6 (3): 134-141.
- Woets, J. 1984.** Biological control of the leafminers *Liriomyza bryoniae* and *L. trifolii* on greenhouse tomatoes in western Europe. International Congress of Entomology Proceedings 17: 772.
- Wollam, J.D. & Yendol, W.G. 1976.** Evaluations of *Bacillus thuringiensis* and a parasitoid for suppression of the gypsy moth. Journal of Economic Entomology 69: 113-118.
- Wong, H.R. & Melvin, J.C.E. 1976.** Biological observations and larval descriptions of *Enargia decolor* (Lepidoptera: Noctuidae) on trembling aspen in northern Alberta. Canadian Entomologist 108: 1213-1220.
- Wong, T.T.Y., Mochizuki, N & Nishimoto, J.I. 1984.** Seasonal abundance of parasitoids of the Mediterranean and oriental fruit flies (Diptera: Tephritidae) in the Kula area of Maui, Hawaii. Environmental Entomology 13(1): 140-145.
- Wong, T.T.Y. & Ramadan, M.M. 1987.** Parasitization of the Mediterranean and Oriental fruit flies (Diptera: Tephritidae) in the Kula area of Maui, Hawaii. Journal of Economic Entomology 80(1): 77-80.
- Wong, T.T.Y., Ramadan, M.M., McInnis, D.O. & Mochizuki, N. 1990.** Influence of cohort age and host age on oviposition activity and offspring sex ratio of *Biosteres tryoni* (Hymenoptera: Braconidae), a larval parasitoid of *Ceratitidis capitata* (Diptera: Tephritidae). Journal of Economic Entomology 83(3): 779-783.
- Wong, T.T.Y., Ramadan, M.M., McInnis, D.O., Mochizuki, N., Nishimoto, J.I. & Herr, J.C. 1991.** Augmentative releases of *Diachasmimorpha tryoni* (Hymenoptera: Braconidae) to suppress a Mediterranean fruit fly (Diptera: Tephritidae) population in Kula, Maui, Hawaii. Biological Control 1(1): 2-7.
- Wong, T.T.Y. & Ramadan, M.M. 1992.** Mass rearing biology of larval parasitoids (Hymenoptera: Braconidae: Opiinae) of tephritid flies (Diptera: Tephritidae) in Hawaii: 405-426. In: Anderson, T.E. & Leppla, N.C. [eds]. Advances in insect rearing for research and pest management. Boulder, San Francisco & Oxford: 1-519.
- Wong, T.T.Y., Ramadan, M.M., Herr, J.C. & McInnis, D.O. 1992.** Suppression of a Mediterranean fruit fly (Diptera: Tephritidae) population with concurrent parasitoid and sterile fly releases in Kula, Maui, Hawaii. Journal of Economic Entomology 85(5): 1671-1681.
- Wong, T.T.Y. 1993.** Mass-rearing of larval fruit fly parasitoids in Hawaii: 257-260. In: Aluja, M. & Liedo, P. [eds]. Fruit flies: biology and management: proceedings of the International Symposium of Fruit Flies of Economic Importance, 1990, Antigua, Guatemala, October 14-20, 1990. New York, Berlin etc.: 1-492.
- Woods, T.L., Bailey, W.C., & Puttler, B. 1999.** A comparison of methods to determine parasitoids and parasitism rates of the alfalfa caterpillar, *Colias eurytheme* (Boisduval) (Lepidoptera: Pieridae). Journal of the Kansas Entomological Society 72(3): 273-276.

- Woodward, J. 1995. *Phaenocarpa conspurcator* (Haliday) (Hymenoptera: Braconidae) reared from *Scathophaga stercoraria* L. (Diptera: Scathophagidae). Entomologist 114(1): 62-69.
- Wool, D. & Burstein, M. 1991. Parasitoids of the gall-forming aphid *Smynturodes betae* (Aphidoidea: Fordinae) in Israel. Entomophaga 36(4): 531-538.
- Wool, D., Emden, H.F. van & Bunting, S.W. 1978. Electrophoretic detection of the internal parasite, *Aphidius matricariae* in *Myzus persicae*. Annals of Applied Biology 90: 21-26.
- Wool, D., Brower, J.H. & Kamin-Belsky, N. 1987. The relative importance of factors affecting the size of laboratory populations of the almond moth, *Ephesia cautella* (Walker) (Lep.: Pyralidae). Journal of Applied Entomology 104: 217-227.
- Worner, S.P. 1992. Performance of phenological models under variable temperatures regimes: consequences of the Kaufmann or rate summation effect. Environmental Entomology 21(4): 689-699.
- Wright, S.P., Poprawski, W.L., Meyer, W.L. & Peairs, F.B. 1993. Natural enemies of Russian wheat aphid (Homoptera: Aphididae) and associated cereal aphid species in spring-planted wheat and barley in Colorado. Environmental Entomology 22(6): 1383-1391.
- Wright, E.J. & Laing, J.E. 1978. The effects of temperature on development, adult longevity and fecundity of *Coleomegilla maculata lengi* and its parasite, *Perilitus coccinellae*. Proceedings of the Entomological Society of Ontario 109: 33-47.
- Wright, E.J. & Laing, J.E. 1982. State-specific mortality of *Coleomegilla maculata lengi* Timberlake on corn in southern Ontario. Environmental Entomology 11(1): 32-37.
- Wright, E.J. 1978. Observations on the copulatory behaviour of *Perilitus coccinellae* (Hymenoptera: Braconidae). Proceedings of the Entomological Society of Ontario 109: 22.
- Wright, L.C. & Cone, W.W. 1988. Population dynamics of *Brachycorynella asparagi* (Homoptera: Aphididae) on undisturbed asparagus in Washington State. Environmental Entomology 17(5): 878-886.
- Wright, L.C. & James, D.G. 2001. Parasitoids of the hop aphid (Homoptera: Aphididae) on *Prunus* during the spring in Washington State. Journal of Agricultural and Urban Entomology 18(3): 141-147.
- Wright, R.J., Duyn, J.W. van & Bradley, J.R. Jr. 1983. Seasonal phenology and biology of the southern corn billbug in eastern North Carolina. Journal of the Georgia Entomological Society 18(3): 376-385.
- Wu, G., You, M.S., Zhao, S.X., Zhou, Z.Q. & Jiang, S.R. 2002. Monitoring of susceptibility to organophosphates and analysis of toxicological mechanism in *A. plutellae* Kurd. Acta Phytophylacica Sinica 29(2): 168-172.
- Wu, G., Zhao, S.X., You, M.S. & Jiang, S.R. 2002. Correlated change of acetylcholinesterase sensitivity between *Plutella xylostella* and its parasitoid *Apanteles plutellae*. Acta Entomologica Sinica 45(5): 623-628.
- Wu, G. & Jiang, S.R. 2003. Resistance mechanisms to methamidophos and methomyl in the parasitoid *Diaeretiella rapae* (M'Intosh). Acta Entomologica Sinica 46(3): 292-298.
- Wu, G.S. & Yin, J.F. 1988. A study on *Rogas japonicus* Ashmead. Science of Sericulture 14(3): 124-128.
- Wu, H. 1986. Toxicity of several insecticides to *Lycosa pseudoannulata* Boes et Str. and *Apanteles cypris* Nixon. Natural Enemies of Insects 8(4): 230-231.
- Wu, H.C., Cheng, X.N. & Zou, Y.D. 1999. Dynamics of arthropod populations on different varieties of tobacco. Chinese Journal of Applied Ecology 10(4): 452-456.
- Wu, J.W., Wang, J.R., Wang, J., Shi, B.C., Wang, W., Wang, B.Z., Dong, Z.H., Wei, D.Z. and Huang, Q.F. 1987. A checklist of natural enemy on vegetable pests in Beijing. (in Chinese with English summary) Acta Agriculturae Boreali-Sinica 2(1): 75-96.
- Wu, M.X., You, M.S. & Guo, Y. 1997. Parasitical efficiency of *Cotesia plutellae* Kurdjumov (Hymenoptera: Braconidae). Journal of Fujian Agricultural University 26(4): 432-434.
- Wu, Q.S., Zeng, L. & Liang, G.W. 2002. Effect of the parasitoid *Opius dimidiatus* on *Liriomyza sativae* Blanchard. Journal of South China Agricultural University 23(3): 40-42.
- Wu, X.F., Li, T.F., Wei, J.N., Wang, Y., Deng, J.H., Gao, J.H. & Zhao, L.H. 2000. Temperature effects on development and fecundity of *Aphidius gifuensis* Ashmead. Zoological Research 21(3): 192-198.
- Wu, X.F., Zhao, L.H., Wei, J.N., Li, T.F., Wang, Y., Deng, J.H. & Gao, J.H. 2000. Activity rhythm of *Aphidius gifuensis* (Ashmed) in tobacco fields and its control of tobacco aphid. Xinan Nongye Daxue Xuebao 22(4): 327-330.
- Wu, Z.S. & Chen, J.H. 1994. [Description of one new species of genus *Heratemis* (Hymenoptera: Braconidae: Alysiinae) from Yunnan, China.] (in Chinese with English summary) Entomotaxonomia 16(3): 201-204.
- Wu, Z.S., Chen, J.H. & Huang, J.C. 1995. New records of the genus *Phaenocarpa* Foerster (Hymenoptera: Braconidae) from China. Entomotaxonomia 17(4): 262.
- Wu, Z.S. & Chen, J.H. 1995. [Discovery of *Cratospila* Foerster from China (Hymenoptera, Braconidae).] Journal of Fujian Agricultural University 24(3): 310-311.
- Wu, Z.S. & Chen, J.H. 1996. A new species of genus *Heratemis* Walker from Fujian province (Hymenoptera: Braconidae). Entomologia Sinica 3(1) 1996: 29-32.
- Wu, Z.S. & Chen, J.H. 1998. [Two newly recorded species of Alysiines from China (Hymenoptera: Braconidae).] (in Chinese) Acta Zootaxonomica Sinica 23(2): 157.
- Wu, Z.S. & Chen, J.H. 1998. A new species of genus *Eudinostigma* (Hymenoptera: Braconidae) from China. Entomologia Sinica 5(1): 29-31.
- Wu, Z.S., Chen, J.H. & Huang, J.C. 1999. A new species of the subfamily Microtypinae (Hymenoptera: Braconidae) from China. Journal of Fujian Agricultural University 28(2): 171-174.
- Wu, Z.S., Chen, J.H. & Huang, J.C. 2000. A new species of the genus *Dirrhope* (Hymenoptera: Braconidae) from China. Entomologia Sinica 7(3): 203-206.
- Wu, Z.S., Chen, J.H. & Huang, J.C. 2000. Notes on a new species and a new record of the genus *Centistidea* Haliday (Hymenoptera: Braconidae) from China. Entomologia Sinica 7(2): 113-116.
- Wu, Z.S., Huang, J.C. & Chen, J.H. 2000. A new species of *Aulosaphoides* (Hymenoptera: Braconidae) from Fujian Province of China. Entomological Journal of East China 9(2): 13-16.
- Wu, Z.S., Yang, J.Q. & Chen, J.H. 2000. A new species of genus *Acanthormius* Ashmead Hymenoptera: Braconidae) from Yunnan. Journal of Fujian Agricultural University 29(4): 486-488.
- Wu, Z.S., Yang, J.Q. & Chen, J.H. 2000. Description of *Aulosaphoides aquilus* sp. nov. (Hymenoptera: Braconidae) from Fujian. Journal of Fujian Agricultural University 29(2): 216-218.
- Wurst, S. & Jones, T.H. 2003. Indirect effects of earthworms (*Aporrectodea caliginosa*) on an above-ground tritrophic interaction. Pedobiologia 47(1): 91-97.
- Wyatt, I.J. 1970. The distribution of *Myzus persicae* (Sulz.) on year-round chrysanthemums. II. Winter season: the effect of parasitism by *Aphidius matricariae* Hal. Annals of Applied Biology 65: 31-41.
- Wyatt, I.J. 1983. Simple calculator models of predator-prey interactions: logistic population growth. Protection Ecology 5(4): 327-336.
- Wyatt, I.J. 1985. Aphid control by parasites. In: Hussey, N.W. & Scopes, N. [eds]. "Biological pest control. The glasshouse experience." Dorset: 134-137.
- Wyder, S., Blank, F. & Lanzrein, B. 2003. Fate of polydnavirus DNA of the egg-larval parasitoid *Chelonius inanitus* in the host *Spodoptera littoralis*. Journal of Insect Physiology 49(5): 491-500.

- Wylie, H.G. & Lanzrein, B. 2003. Ovary development and polydnavirus morphogenesis in the parasitic wasp *Chelonus inanitus*. II. Ultrastructural analysis of calyx cell development, virion formation and release. *Journal of General Virology* 84(5): 1151-1163.
- Wylie, H.G. 1973. Parasites of face fly, *Musca autumnalis* (Diptera: Muscidae), and associated Diptera near Belleville, Ontario. *Canadian Entomologist* 105: 257-261.
- Wylie, H.G. & Bucher, G.E. 1977. The berthia armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae). Mortality of immature stages on the rape crop, 1972-1975. *Canadian Entomologist* 109(6): 823-837.
- Wylie, H.G. 1980. Colour variability among females of *Microctonus vittatae* (Hymenoptera: Braconidae). *Canadian Entomologist* 112(8): 771-774.
- Wylie, H.G. 1980. Factors affecting facultative diapause of *Microctonus vittatae* (Hymenoptera: Braconidae). *Canadian Entomologist* 112(7): 747-749.
- Wylie, H.G. 1981. Effects of collection method on estimates of parasitism and sex ratio of flea beetles (Coleoptera: Chrysomelidae) that infest rape crops in Manitoba. *Canadian Entomologist* 113: 665-671.
- Wylie, H.G. 1982. An effect of parasitism by *Microctonus vittatae* (Hymenoptera: Braconidae) on emergence of *Phyllotreta cruciferae* and *Phyllotreta striolata* (Coleoptera: Chrysomelidae) from overwintering sites. *Canadian Entomologist* 114: 727-732.
- Wylie, H.G. 1983. Delayed development of *Microctonus vittatae* (Hymenoptera: Braconidae) in superparasitized adults of *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae). *Canadian Entomologist* 115(4): 441-442.
- Wylie, H.G. 1983. Oviposition and survival of the European parasite *Microctonus bicolor* (Hymenoptera: Braconidae) in crucifer-infesting flea beetles (Coleoptera: Chrysomelidae) in Manitoba. *Canadian Entomologist* 115(1): 55-58.
- Wylie, H.G. 1984. Oviposition and survival of three Nearctic Euphorine Braconids in crucifer-infesting flea beetles (Coleoptera: Chrysomelidae). *Canadian Entomologist* 116(1): 1-4.
- Wylie, H.G. & Loan, C.C. 1984. Five Nearctic and one introduced Euphorine species (Hymenoptera: Braconidae) that parasitize adults of crucifer-infesting flea beetles (Coleoptera: Chrysomelidae). *Canadian Entomologist* 116: 235-246.
- Wylie, H.G. 1985. Posterior dispersal of eggs and larvae of *Microctonus vittatae* (Hymenoptera: Braconidae) in crucifer-infesting flea beetles (Coleoptera: Chrysomelidae). *Canadian Entomologist* 117: 541-545.
- Wylie, H.G. & Bisdee, H.E. 1987. Primary and secondary parasites of an alfalfa-infesting aphid, *Therioaphis* sp., in Manitoba. *Canadian Entomologist* 119(9): 857-858.
- Wylie, H.G. 1988. Release in Manitoba, Canada of *Townesilitus bicolor* (Hym.: Braconidae), an European parasite of *Phyllotreta* spp. (Col.: Chrysomelidae). *Entomophaga* 33(1): 25-32.
- Wysoki, M. & Izhar, Y. 1981. Biological data on *Apanteles cerialis* Nixon (Hymenoptera: Braconidae), a parasite of *Boarmia (Ascotis) selenaria* Schiff. (Lepidoptera: Geometridae). *Phytoparasitica* 9: 19-25.
- Xia, S.P., Liu, J.P., Zhang, C.J. & Chen, Y.N. 1988. A preliminary study on the bionomics of *Lamprosema indicata* Fabricius. *Insect Knowledge* 25(2): 81-84.
- Xia, Y., Zhou, J. & Wu, Z. 1992. Study on the control effect and community of natural enemies of *Dendrolimus punctatus* in different type of Masson pine stand. *Forest Research* 5(3): 356-360.
- Xiao, G.Z. 1988. Studies on the population dynamics of *Cnaphalocrocis medinalis* Guenée in North Hunan and the causes. *Insect Knowledge* 25(2): 72-74.
- Xiao, T.G., Song, H.Y. & Chen, C.M. 1992. A survey on the parasitic insects of the larvae of the Chinese tea oecophorid (*Casimara patrona* Meyrick). *Journal of Hunan Agricultural College* 18(2): 288-292.
- Xiao, Z.S. & You, L.S. 2002. A new genus of Microgastrinae from China (Hymenoptera: Braconidae). *Acta Zootaxonomica Sinica* 27(3): 616-620.
- Xiao, Z.S. & You, L.S. 2002. Notes on *Iconella* Mason from China (Hymenoptera: Braconidae: Microgastrinae). *Journal of Hunan Agricultural University* 28(1): 35-36.
- Xie, G.F., Li, X., Bi, H.M., Han, G.Y. & Xie, M. 1993. A study on the bionomics of two species of *Zeiraphera* Treit. on larch. *Entomological Knowledge* 30(5): 280-282.
- Xie, Z.N., Li, L. & Xie, Y.Q. 1989. Culture of ectoparasitoid *Bracon greeni* Ashmead in vitro. *Acta Entomologica Sinica* 32(4): 433-437.
- Xie, Z.N., Li, L., & Xie, Y.Q. 1989. In vitro culture of *Habrobracon hebetor* (Say) (Hym.: Braconidae). *Chinese Journal of Biological Control* 5(2): 49-51.
- Xie, Z.P. 1990. Functional response of *Apanteles cypris* to the rice leafroller. *Natural Enemies of Insects* 12(1): 48-50.
- Xin, Y.F., Li, X.R., Wang, H.P., Wang, G.Q. & Tang, Y.H. 2001. Studies on the use of radish seedling to propagate peach aphid for mass rearing *Aphidius gifuensis*. *Chinese Journal of Biological Control* 17(2): 49-52.
- Xiong, S.L., You, L.S., Zhou, Z.H. & Chen, Z.G. 1994. Studies on braconid wasp *Apanteles anomidis* Watanabe, an endoparasite of *Anomis flava* Fabricius. *Journal of Hunan Agricultural College* 20(1): 57-65.
- Xu, F.C., Chen, Z.L., Wu, Y.H. & Zou, J.F. 2000. Studies on effectiveness of avermectin to *Plutella xylostella* and its effects to farmland community structure of pests and their natural enemies. *Acta Agriculturae Zhejiangensis* 12(2): 92-96.
- Xu, G.J., Zeng, X.S. & Tian, C.H. 1991. Studies on some characteristics of *Apanteles chiloniponellae*. *Journal of Huazhong Agricultural University* 10(2): 155-159.
- Xu, J.X., Shelton, A.M. & Cheng, X.N. 2001. Comparison of *Diadegma insulare* (Hymenoptera: Ichneumonidae) and *Microplitis plutellae* (Hymenoptera: Braconidae) as biological control agents of *Plutella xylostella* (Lepidoptera: Plutellidae): Field parasitism, insecticide susceptibility, and host-searching. *Journal of Economic Entomology* 94(1): 14-20.
- Xu, N., Chen, Z.M. & You, X.Q. 1998. Biochemical mechanism on the indirect defense of tea plant against tea geometrid in the tritrophic system of tea plant-tea geometrid *Apanteles* sp. *Journal of Tea Science* 18(1): 1-5.
- Xu, N., Chen, Z.M. & You, X.Q. 1999. Isolation and identification of tea plant volatiles attractive to tea geometrid parasitoids. *Acta Entomologica Sinica* 42(2): 126-131.
- Xu, T.S. & Lu, R.Q. 1988. A study on *Chyliza bambusae*. *Forest Research* 1(3): 278-284.
- Xu, W.A. & He, J.H. 1997. A new species of *Microgaster* Latreille from China (Hym.: Microgasterinae). *Wuyi Science Journal* 13: 76-79.
- Xu, W.A. & He, J.H. 1998. *Microgaster* Latreille: a new species from China (Hymenoptera: Braconidae: Microgasterinae). *Journal of Shandong Agricultural University* 29(2): 161-164.
- Xu, W.A. & He, J.H. 1998. Hymenoptera: Braconidae (II): Microgastrinae: 395-397. In: Wu, H. [ed.]. *Insects of Longwangshan Nature Reserve*. Beijing: i-ix + 1-404.
- Xu, W.A., He, J.H. & Chen, X.X. 1998. A new species of *Microgaster* Latreille from China (Hymenoptera: braconidae: Microgasterinae). *Acta Zootaxonomica Sinica* 23(3): 302-305.
- Xu, W.A., He, J.H., Zheng, F.Q. & Ye, B.H. 1998. Two newly recorded species of *Microgaster* Latreille from China (Hymenoptera: Braconidae: Microgasterinae). *Journal of Shandong Agricultural University* 29(3): 313-316.
- Xu, W.A. & He, J.H. 1999. A new species of *Microplitis* Foerster (Hymenoptera: Braconidae: Microgastrinae) from Fujian, China. (in Chinese with English summary) *Entomotaxonomia* 21(1): 64-68.

- Xu, W.A. & He, J.H. 1999. A new species of *Microgaster* Latreille from Yunnan Province of China (Hymenoptera: Braconidae: Microgasterinae). Entomological Journal of East China 8(2): 7-9.
- Xu, W.A. & He, J.H. 1999. A new species of *Microplitis* Foerster from China (Hymenoptera: Braconidae, Microgastrinae). Entomological Journal of East China 8(1): 1-3.
- Xu, W.A. & He, J.H. 2000. A new species of *Microplitis* Foerster from China (Hymenoptera: Braconidae: Microgastrinae). (in Chinese with English summary) Acta Zootaxonomica Sinica 25(2): 195-198.
- Xu, W.A. & He, J.H. 2000. Two new species of *Microplitis* Foerster (Hymenoptera: Braconidae) from China. (in Chinese with English summary) Entomotaxonomia 22(3): 204-208.
- Xu, W.A. & He, J.H. 2000. A new record species and two new species of *Microgaster* Latreille (Hymenoptera) from China. Entomotaxonomia 22(2): 134-139.
- Xu, W.A. & He, J.H. 2000. A new species and a new record of *Microplitis* Foerster from China (Hymenoptera: Braconidae: Microgastrinae). Acta Entomologica Sinica 43(2): 193-197.
- Xu, W.A. & He, J.H. 2000. A new species and a new record species of *Microplitis* Foerster (Hymenoptera: Braconidae: Microgastrinae) from China. Entomological Journal of East China 9(2): 5-8.
- Xu, W.A. & He, J.H. 2000. Two new species of *Microgaster* Latreille (Hymenoptera: Braconidae) from China. Entomologia Sinica 7(3): 207-212.
- Xu, W.A. & He, J.H. 2000. Two new species of *Microplitis* Foerster (Hymenoptera: Braconidae) from China. Entomologia Sinica 7(2): 107-112.
- Xu, W.A., He, J.H. & Ye, B.H. 2000. Two new recorded species of *Microgaster* Latreille from China (Hymenoptera: Braconidae: Microgasterinae). Entomological Journal of East China 9(1): 7-9.
- Xu, W.A. & He, J.H. 2000. Two new species of the genus *Microgaster* Latreille (Hymenoptera: Braconidae: Microgastrinae) from China. Entomological Journal of East China 9(2): 1-4.
- Xu, W.A. & He, J.H. 2000. Two new species of the genus *Microgaster* Latreille (Hymenoptera: Braconidae: Microgastrinae) from China: 246-250. In: Zhang Y.L. [ed.]. Systematic and faunistic research on Chinese insects. Proceedings of the 5th National Congress of Insect Taxonomy. China Agriculture Press: 1-331.
- Xu, W.A., He, J.H., Ye, B.H. & Zheng, F.Q. 2000. Two new recorded species of *Microplitis* Foerster from China (Hymenoptera: Braconidae: Microgasterinae). Journal of Shandong Agricultural University 31(4): 378-380.
- Xu, W.A., He, J.H. & Li, S.J. 2001. One new species and a new record species of *Microgaster* Latreille (Hymenoptera) from China. Journal of Shandong Agricultural University 32(2): 143-146.
- Xu, W.A. & He, J.H. 2002. Two new species of *Microplitis* Foerster (Hymenoptera: Braconidae: Microgastrinae) from China. Acta Entomologica Sinica 45: Supplement: 99-102.
- Xu, W.A. & He, J.H. 2002. Two new species of the genus *Microgaster* Latreille (Hymenoptera: Braconidae: Microgastrinae) from China. Acta Entomologica Sinica 45: Supplement, 103-106.
- Xu, W.A. & He, J.H. 2002. Two new species of *Microplitis* Foerster from China (Hymenoptera: Braconidae: Microgastrinae). Acta Zootaxonomica Sinica 27(1): 153-157.
- Xu, W.A. & He, J.H. 2003. Two new species of *Microgaster* Latreille from China (Hymenoptera, Braconidae, Microgastrinae). Acta Zootaxonomica Sinica 28(3): 525-529.
- Xu, W.A. & He, J.H. 2003. Two new species of *Microplitis* Foerster from China (Hymenoptera: Braconidae: Microgastrinae). Acta Zootaxonomica Sinica 28(4): 724-728.
- Xu, Z.F., Gao, Z.Z., Chen, X.F., Hou, R.H. & Zeng, L. 1999. Hymenopterous parasitoids of *Liriomyza sativae* Blanchard (Diptera: Agromyzidae) in Guangdong Province, China. Natural Enemies of Insects 21(3): 126-132.
- Xu, Z.L. 1984. Studies on the biology and utilization of *Apanteles cypris* Nixon. Entomological Knowledge 21(2): 76-81.
- Yabar, E., Gianoli, E. & Echegaray, E.R. 2002. Insect pests and natural enemies in two varieties of quinoa (*Chenopodium quinoa*) at Cusco, Peru. Journal of Applied Entomology 126(6): 275-280.
- Yabas, C. & Zeren, O. 1987. Studies on the biology of the cabbage webworm (*Hellula undalis* F.) (Lepidoptera: Pyralidae). Turkiye I. Entomoloji Kongresi Bildirileri, 13-16 Ekim 1987, Ege Universitesi, Nornova, Izmir 229-238.
- Yadav, D.N. 1985. Influence of nectar on the fecundity, longevity & sex-ratio of *Bracon brevicornis* Wesm. an important parasite of *Opisina arenosella* Walk., the blackheaded caterpillar of cocnut. Current Science (Bangalore) 54(17): 877-878.
- Yadav, R.P., Kumar, N., Sinha, M.M. & Goel, S.C. 1992. Population dynamics of Bihar hairy caterpillar (*Spilosoma obliqua* Walker) and its parasitoid complex as influenced by intercroppings. Bioecology and control of insect pests: Proceedings of the National Symposium on Growth, Development & Control Technology of Insect Pests 225-231.
- Yadav, R.P., Kumar, N., Yazdani, S.S. & Goel, S.C. 1992. Effect of insecticides on field populations of Bihar hairy caterpillar, *Spilosoma obliqua* Walker and its naturally occurring parasitoids in Bihar. Bioecology and control of insect pests: Proceedings of the National Symposium on Growth, Development & Control Technology of Insect Pests, 192-199.
- Yagi, S. & Tanaka, T. 1992. Retardation of testis development in the armyworm, *Pseudaletia separata*, parasitized by the braconid wasp, *Cotesia kariyai*. Invertebrate Reproduction and Development 22(1-3): 151-157.
- Yakawa, J. 1983. Arthropod community centred upon the neolitsea leaf gall midge, *Pseudasphondylia neolitsea* Yukawa (Diptera: Cecidomyiidae) and its host plant, *Neolitsea sericea* (Blume) Koidz. (Lauraceae). Memoirs of the Faculty of Agriculture Kagoshima University 19 No. 28: 89-96.
- Yakovlev, E.B. & Tobias, V.I. 1992. Braconidae (Hymenoptera) parasites of fungivorous Diptera in Karelia. Entomologica Fennica 3(3): 139-148.
- Yamada, H., Igarashi, Y., Saito, H., Takasu, Y., Tsubouchi, K. & Kato, Y. 2002. Characterization of a serine/aspartic acid-rich fibrous protein from the parasitic wasp *Apanteles glomeratus*. International Journal of Wild Silkmoth & Silk 7: 79-84.
- Yamada, H., Igarashi, Y., Takasu, H., Tsubouchi, K. & Kato, Y. 2002. Characterization of silk proteins from the cocoons of parasitic wasps belonging to Braconidae. International Journal of Wild Silkmoth & Silk 7: 75-78.
- Yamada, M.V. & Penteado-Dias, A.M. 2002. *Mendesella jaraguaiensis*, a new species of Mendeselline wasp (Hymenoptera: Braconidae) from Brazil. Entomological News 113(4): 236-238.
- Yamaguchi, H. 1987. The role of venoms in host-discrimination of *Ascogaster reticulatus* Watanabe. Japanese Journal of Applied Entomology and Zoology 31: 80-82.
- Yamanaka, A., Hayakawa, Y., Noda, H., Nakashima, N. & Watanabe, H. 1996. Characterization of polydnvirus-encoded mRNA in parasitized armyworm larvae. Insect Biochemistry and Molecular Biology 26(6): 529-536.
- Yamauchi, M.N., Gobbi, N., Chaud-Netto, J. & Campos-Farinha, A.E. 1997. Relationship between number of ovipositions of *Cotesia flavipes* (Cam.) and number of descendants emerging from its host *Diatraea saccharalis* (Fabr.). Anais da Sociedade Entomologica do Brasil 26(1): 87-91.
- Yamauchi, S. & Takada, H. 1978. Aphid parasites from Okinawa, the Ryukyus (Hymenoptera: Aphidiidae). Akitu 20: 1-2.

- Yamazaki, S.** 1987. Serious damage to mahogany by the shoot borer *Hypsipyla grandella* Zeller (Lepidoptera: Pyralidae). Tropical Forestry 8: 26-34.
- Yamazaki, S., Taketani, A., Fujita, K., Vasques, C.P. & Ikeda, T.** 1990. Ecology of *Hypsipyla grandella* and its seasonal changes in population density in Peruvian Amazon forest. JARQ, Japan Agricultural Research Quarterly 24(2): 149-155.
- Yan, F. & Hou, Z.Y.** 1995. Electroantennogram responses of *Lysiphlebia japonica* Ashmead (Hymenoptera: Aphididae) to some cotton plant volatiles and cotton aphid pheromones. Entomologia Sinica 2(3): 253-264.
- Yan, J., Yao, D. & Xu, C.** 1991. Studies on the effects of cold storage on *Aleiodes dendrolimi* (Matsumura). Forest Research 4(1): 65-68.
- Yan, J.J. & Liu, H.P.** 1991. A review on research progress of *Apanteles* Foerster. Chinese Journal of Biological Control 7(3): 127-133.
- Yan, J.J., Pemberton, R.W., Yao, D.F., Liu, H.P. & Li, G.W.** 1993. [Field studies on the natural enemies of gypsy moth, *Lymantria dispar* (Lep.: Lymantriidae) in Anshan, Liaoning Province.] (in Chinese with English summary) Chinese Journal of Biological Control 9(2): 49-53.
- Yanes, J. Jr. & Boethel, D.J.** 1983. Effect of a resistant soybean genotype on the development of the soybean looper and an introduced parasitoid, *Micropplitis demolitor* Wilkinson. Environmental Entomology 12(4): 1270-1274.
- Yang, G., Wei, H. & You, M.S.** 2003. Ultrastructure of the antennae of *Cotesia plutellae*. Journal of Fujian Agricultural and Forestry University 32(1): 32-35.
- Yang, H.W.** 1985. [Bionomics of *Apanteles rubecula* Marshall.] (in Chinese with English summary) Chinese Journal of Biological Control 1(2): 6-10.
- Yang, J.C., Chu, Y.I. & Talekar, N.S.** 1994. Studies on the characteristics of parasitism of *Plutella xylostella* (Lep.: Plutellidae) by a larval parasite *Diadegma semiclausum* (Hym.: Ichneumonidae). Entomophaga 39(3-4): 397-406.
- Yang, J.Q. & Chen, J.H.** 1998. One new species and one new record of genus *Coccygidium* Saussure from China (Hymenoptera: Braconidae). Journal of Fujian Agricultural University 27(3): 332-336.
- Yang, R.B. & Liu, Z.** 1987. [Brief study on the life cycle and the habits of *Macrocentrus linearis* (Nees) (Hymen.: Braconidae)] Natural Enemies of Insects 9(3): 135-139.
- Yang, X.K., Sun, H.G. & Jiang, G.M.** 1991. Catalogue of the insect type specimens preserved in the insect collections of the Institute of Zoology, Academia Sinica. Agriculture Publishing Company. Beijing, China. 164 pp.
- Yang, X.Y. & Wu, J.** 1981. [A check list of the forest insects of China.] (in Chinese) Beijing: 1-444.
- Yang, Y.Z., Pang, X.F. & Liang, G.W.** 2000. Lifetable of cotton bollworm under different control condition. Yingyong Shengtai Xuebao 11(6): 856-860.
- Yang, Z.** 1987. A preliminary survey of parasitic wasps of *Dendroctonus armandi* Tsai et Li (Coleoptera, Scolytidae) in Qinling Mountains (China) with description of three new species and a new Chinese record (Hymenoptera, Pteromalidae). Entomotaxonomia 9(3): 175-184.
- Yang, Z.Q.** 1989. A new species of *Ropalophorus* Curtis (Hymenoptera: Braconidae) parasitizing *Polygraphus polygraphus* adult (Coleoptera: Scolytidae) with a key to the world species of the genus. Entomotaxonomia 11(1-2): 91-96.
- Yang, Z.Q.** 1998. Hymenoptera: Stephanoidea, Cynipoidea, Chalcidoidea, Ichneumonoidea. (in Chinese with English summary) In: Shen, X & Shi. Z. [eds] The Fauna and Taxonomy of insects in Henan. 2, Beijing: 322-326.
- Yang, Z.Q.** 1996. Parasitic wasps on bark beetles in China. (in Chinese with English summary) Beijing: 1-363.
- Yang, Z.Q., Wei, J.R. & You, L.S.** 2002. Two new braconid species parasitizing larva of fall webworm from China (Hymenoptera: Braconidae). Acta Zootaxonomica Sinica 27(3): 608-615.
- Yao, A.L.** 1985. Host-associated olfactory stimuli on host-searching behaviour of three species parasitoids of the Caribbean fruit fly, *Anastrepha suspensa* (Loew.). Bulletin of the Society of Entomology National Chung Hsing University 18: 25-30.
- Yao, A.L.** 1987. Ring-like structure: A mortality factor due to *Opius concolor* (Hym.: Braconidae) besides parasitism on *Anastrepha suspensa* (Diptera: Tephritidae). Proceedings of the Second International Symposium. Fruit Flies. 16-21 September 1986, Crete, Greece pp. 511-514.
- Yao, A.L.** 1988. Encapsulation of *Trybliographa daci* (Hym.: Eucolidae) in superparasitized and multiparasitized hosts. NSC Symposium Series 13: 83-94.
- Yao, A.L.** 1989. Recovery survey of small scale field releases of *Bioosteres longicaudatus* Ashmead (Hym.: Braconidae) in Bai-Chi area, Taiwan. Bulletin of the Institute of Zoology, Academia Sinica 28(3): 211-214.
- Yarkulov, F.Ya. & Kuznetsov, V.N.** 1993. Bio-method in the greenhouses of Primorye. Zashchita Rastenii Moskva 9: 3-4.
- Yarrow, W.H.T.** 1970. Parasites of *Plutella xylostella* (L.) in south-eastern Queensland. Queensland Journal of Agriculture and Animal Science 27: 321-324.
- Yasarakinci, N. & Kornosor, S.** 1990. The effectiveness of the natural enemies and parasitoids of *Heliothis virescens* (Hufn.) (Lep.: Noctuidae) a pest of chickpea and lentil in southeastern Anatolia. Proceedings of the Second Turkish National Congress of Biological Control 83-89.
- Yasarakinci, N. & Hincal, P.** 2000. Studies on the pests, their natural enemies and population developments on protected eggplant in Izmir province. Bitki Koruma Bulteni 40(1-2): 29-48.
- Yasarakinci, N. & Hincal, P.** 2000. The studies on the pests, their natural enemies and population developments on protected pepper in Izmir province. Bitki Koruma Bulteni 40(3-4): 135-152.
- Yaseen, M.** 1978. The establishment of two parasites of the diamond-back moth *Plutella xylostella* (Lep.: Plutellidae) in Trinidad, W.I. Entomophaga 23(2): 111-114.
- Yastrebov, I.O.** 1986. Influence of temperature on length of development of white cabbage butterfly and its main parasite-*Apanteles glomeratus*. Zakhyst Roslyn (Kiev) 33: 34-37.
- Yastrebov, I.O.** 1991. Nectar plants near cabbage plantings. Zashchita Rastenii 1: 17.
- Yastrebov, I.S.** 1980. The influence of chlorophos on the insect fauna. Zashchita Rastenii (Moscow) 1980(10): 27.
- Yasumatsu, K.** 1967. Notes on *Bracon onukii* Watanabe, a parasite of four species of lepidopterous borers (Hymenoptera: Braconidae). Mushi 40: 181-188.
- Yasumatsu, K.** 1967. Distribution and bionomics of natural enemies of rice stem borers. Mushi 39(Supplement): 33-44.
- Yazlovestkii, I.G., Nepomnyashchaya, A.M. & Ageeva, L.I.** 1992. Optimization of the artificial diet for larvae of *Bracon hebetor* (Hymenoptera: Braconidae). Zoologicheskii Zhurnal 71(10): 134-138.
- Yazlovetskii, I.G. & Nepomnyashchaya, A.M.** 1989. Rearing larvae of *Bracon hebetor* (Hymenoptera: Braconidae) on an artificial nutrient medium. Zoologicheskii Zhurnal 68(6): 120-125.
- Ye, G.Y., Hu, C., Zhu, J.Q. & Shang, J.N.** 1994. Influence of temperature and host age on the development of *Apanteles* sp., a parasitoid of *Ectropis obliqua* (Lep.: Geometridae). Chinese Journal of Biological Control 10(1): 15-17.
- Yeagan, K.V. & Braman, S.K.** 1986. Life history of the braconid parasite *Diolcogaster facetosa* (Weed) (Hymenoptera: Braconidae) and its behavioral adaptation to the defensive response of a lepidopteran host. Annals of the Entomological Society of America 79: 1029-1033.

- Yeargan, K.V. & Braman, S.K. 1989. Comparative behavioral studies of indigenous hemipteran predators and hymenopteran parasites of the green cloverworm (Lepidoptera: Noctuidae). *Journal of the Kansas Entomological Society* 62(2): 156-163.
- Yeargan, K.V. & Braman, S.K. 1989. Life history of the hyperparasitoid *Mesochorus discitergus* (Hymenoptera: Ichneumonidae) and tactics used to overcome the defensive behavior of the green cloverworm (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America* 82(3): 393-398.
- Yeargan, K.V., Barney, W.E. & Braman, S.K. 1991. Diapause in the parasite *Diolcogaster facetosa* (Hymenoptera: Braconidae). *Environmental Entomology* 20(1): 65-70.
- Yee, J.M. & Yee, S. 1990. Bugwatch: a microcomputer-based monitoring program for pests of apples and peaches in Ontario. *Proceedings of the Entomological Society of Ontario* 121: 123-126.
- Yeo, H., Pell, J.K., Pye, B.J. & Alderson, P.G. 1998. A biorational approach to selecting mycoinsecticides for aphid management. Brighton Crop Protection Conference: Pests & Diseases, 1998: Vol. 1: Proceedings of an International Conference, Brighton, UK, 16-19 November 1998. 307-308.
- Yeo, S.D. & Park, J.S. 1998. Unrecorded species of the genus *Microplitis* (Hymenoptera: Braconidae: Microgastrinae) from Korea. *Korean Journal of Entomology* 28(3): 243-255.
- Yin, C.S., Chen, X.X., Lang, F.Y. & He, J.H. 2003. Biological characteristics of adult *Opius caricivora* Fischer, a parasitoid of *Liriomyza sativae* Blanchard. *Acta Entomologica Sinica* 46(4): 505-511.
- Yin, L.H., Wang, C.Z. & de Qin, 2001. Polydnavirus and its functions in parasitoid-host interactions. *Acta Entomologica Sinica* 44(1): 109-118.
- Yin, Y. & Chang, J. 1984. Preliminary observation on the biology of *Apanteles rubecula* and its utilizations. *Natural Enemies of Insects* 6(4): 223-226.
- Yin, Y. & Zhan, J. 1987. On the biological characteristics of *Apanteles kariyai* (Hymen.: Braconidae). *Natural Enemies of Insects* 9(2): 88-89.
- Yin, Y.S., Chang, J.Y., Meng, S.J. & Ji, S.G. 1987. A preliminary study on *Macrocentrus linearis* and its utilization in controlling corn borer. (in Chinese) *Kunchong Zhishi* 24(1): 40-43.
- Ying, S.H. 1988. Contact toxicity of some insecticides to certain hymenopterous parasitoids. *Acta Entomologica Sinica* 31(1): 20-25.
- Ying, Y.S. 1987. Preliminary report on the biology of *Macrocentrus linearis*. (in Chinese) *Kunchong Zhishi* 24(1): 40-43.
- Yitafaru, K. & Gebre-Amlak, A. 1994. Phenology and survival of the maize stalk borer, *Busseola fusca* in eastern Ethiopia. *Insect Science and its Application* 15(2): 177-184.
- Yitafaru, K. & Walker, A.K. 1997. Studies on the maize stem borer, *Busseola fusca* (Lepidoptera: Noctuidae) and its major parasitoid, *Dolichogenidea fuscivora* (Hymenoptera: Braconidae), in eastern Ethiopia. *Bulletin of Entomological Research* 87(3): 319-324.
- Yokomi, R.K., Tang, Y.Q., Nong, L. & Kok-Yokomi, M.L. 1994. Potential mitigation of the threat of the brown citrus aphid, *Toxoptera citricida* (Kirkaldy), by integrated pest management. *Proceedings of the Florida State Horticultural Society* 106: 81-85.
- Yokomi, R.K. & Tang, Y.Q. 1996. A survey of parasitoids of brown citrus aphid (Homoptera: Aphididae) in Puerto Rico. *Biological Control* 6(2): 222-225.
- Yokoyama, H., Tanaka, A., Suenaga, H., Inoue, H. & Kusigemati, K. 1992. Natural enemies of the beet armyworm, *Spodoptera exigua* (Hübner) and their seasonal prevalence in Kagoshima Prefecture. (in Japanese) *Proceedings of the Association for Plant Protection of Kyushu* 38: 142-145.
- Yoldas, Z., Madanlar, N., Gul, A., Onogur, E., Tuzel, Y., Burrage, S.W., Bailey, B.J., Gul, A., Smith, A.R. & Tuncay, O. 1999. Investigations on integrated control practices in vegetable glass-houses in Izmir. *Proceedings of the international symposium on greenhouse management for better yield and quality in mild winter climates*, Antalya, Turkey, 3-5 November 1997. *Acta Horticulturae* 491: 453-460.
- Yonce, C.E., Tedders, W.L. & Wood, B.W. 1996. Cold tolerance of hickory shuckworm (Lepidoptera: Tortricidae) larvae and associated parasites. *Journal of Entomological Science* 31(1): 13-19.
- Yoneda, Y. 1978. A new species of the genus *Ascogaster* Wesmäl (Hymenoptera, Braconidae) from Japan. *Kontyu* 46(2): 291-296.
- Yoshimura, H. & Yoneda, M. 1999. List of the insects that infest *Pharbitis congesta* and *Ipomoea pes-caprae* as wild host plants of the sweet potato weevil. *Research Bulletin of the Plant Protection Service, Japan* 35: 157-160.
- Yoshiyama, M., Tu, Z., Kainoh, Y., Honda, H., Shono, T. & Kimura, K. 2001. Possible horizontal transfer of a transposable element from host to parasitoid. *Molecular Biology and Evolution* 18(10): 1952-1958.
- You, D.K., Wang, G., Wei, H.X., Wang, Y.M., Chen, F.Y., Li, J.H., Shun, Y.B., Zhang, Y.W., Zhao, Y.R., Zhao, M.G., Shi, J.L., Pan, H.Y. & Wan, Y.Y. 1992. The collection and transportation of imported larch casebearer parasite *Agathis pumila*. *Collection of achievements on the technique cooperation project of P.R. China and F.R. Germany* 25-28.
- You, L., Xiong, S. & Zhou, Z. 1982. Three species of *Apanteles* Förster - new records from China. (in Chinese) *Entomotaxonomia* 4(3): 204.
- You, L.S. & Xiong, S.L. 1983. Two new species of *Apanteles* Foerster (Hymenoptera: Braconidae) from China. *Entomotaxonomia* 5: 225-229.
- You, L.S., Xiong, S.L. & Zhou, Z.H. 1983. New records of *Apanteles* Förster (Hymenoptera: Braconidae) from China. *Acta Zootaxonomica Sinica* 8(1): 83.
- You, L.S., Xiong, S.L. & Cao, K.C. 1983. New records of *Apanteles* Förster (Hymenoptera: Braconidae) from China. *Acta Entomologica Sinica* 26(4): 469.
- You, L.S., Xiong, S.L. & Wang, Z.D. 1985. A new species of *Apanteles* Foerster (Hymenoptera, Braconidae) from China. (in Chinese with English summary) *Acta Zootaxonomica Sinica* 10: 421-423.
- You, L.S., Xiong, S.L. & Chen, Z.Q. 1985. Notes on *Apanteles* Foerster (Hymenoptera: Braconidae) in China (4). (in Chinese with English summary) *Natural Enemies of Insects* 7(1): 49-53.
- You, L.S. 1986. Emendation of the species name *Apanteles chilo luteelli* You, Xiong et Wang. *Acta Zootaxonomica Sinica* 11: 208.
- You, L.S., Xiong, S.L., Chen, L.L. & Song, X.P. 1986. New records of *Apanteles* Foerster (Hymenoptera: Braconidae) from China. (in Chinese) *Acta Entomologica Sinica* 29(4): 425.
- You, L.S., Xiong, S.L., Dang, X.D. & Tong, X.W. 1987. Four new species of *Apanteles* Förster from China (Hymenoptera: Braconidae: Microgasterinae). *Entomotaxonomia* 9(4): 275-281.
- You, L.S., Xiong, S.L. & Zhou, Z.H. 1987. On a new species of *Apanteles* Foerster from Yunnan Province (China) (Hymenoptera: Braconidae: Microgasterinae). (in Chinese with English summary) *Acta Zootaxonomica Sinica* 12(4): 424-426.
- You, L.S. & Luo, H.W. 1988. A new record of *Macrocentrus* Curtis, 1833 (Hymenoptera, Braconidae) from China. (in Chinese with English summary) *Journal of Hunan Agricultural University* 14(4): 37-38.
- You, L.S., Xiong, S.L., Wang, Z.D. & Nixon, G.E.J. 1988. Annotated list of *Apanteles* Foerster (Hymenoptera: Braconidae) from China. *Entomologica Scandinavica* 19(1): 35-42.
- You, L.S., Xiong, S.L. & Zhou, Z.H. 1988. On a new species of *Aridelus* Marshall (Hymenoptera: Braconidae: Euphorinae) from

- Hunan province, China. (in Chinese with English summary) *Acta Entomologica Sinica* 31(4): 423-425.
- You, L.S., Xiong, S.L. & Zhou, Z.H. 1988.** Two new species of *Streblocera* (Hymenoptera: Braconidae: Euphorinae) from China. (in Chinese with English summary) *Acta Zootaxonomica Sinica* 13(2): 167-171.
- You, L.S. & Zhou, Z.H. 1988.** A new species of *Apanteles* from reed field in Shandong, China (Hymenoptera: Braconidae). *Acta Zootaxonomica Sinica* 13(3): 305-307.
- You, L.S. & Zhou, Z.H. 1989.** A new species of paddy field *Apanteles* Foerster from Yunnan, China (Hymenoptera: Braconidae). *Entomotaxonomia* 11(4): 307-309.
- You, L.S. & Zhou, Z.H. 1989.** Description of the female of *Fornicia obscuripennis* Fahringer (Hymenoptera: Braconidae). *Acta Zootaxonomica Sinica* 14(1): 127-128.
- You, L.S., Wang, Z.D. & Zhou, Z.H. 1990.** New species and new records of *Apanteles* Förster (Hymenoptera: Braconidae: Microgasterinae) in China. *Acta Entomologica Sinica* 33(2): 237-242.
- You, L.S. & Zhou, Z.H. 1990.** Notes on the *Aulacocentrus philippinense* (Ashmead) (Hymenoptera: Braconidae) from China. (in Chinese with English summary) *Journal of Hunan Agricultural College* 16(3): 256-259.
- You, L.S. & Zhou, Z.H. 1990.** Two new species of *Apanteles* Foerster (Hymenoptera: Braconidae: Microgasterinae) from South China. *Entomotaxonomia* 12(2): 151-155.
- You, L.S., Xiong, S.L., Dang, X.D., Tong, X.W., Yang, Z.Q. & Shi, Z.Y. 1990.** Braconidae: 25-73. In: Dang, X.D. et al. [eds]. "A Parasitic Wasp Atlas of Forest Pests." Shaanxi: i-xiii + 1-216.
- You, L.S., Zhou, Z.H. & Tong, X.W. 1990.** Primary report on *Homolobus* Foerster of Hunnan province. (in Chinese) *Journal of Hunan Agricultural University* 16(4): 364-366.
- You, L.S., Zhou, Z.H. & Tong, X.W. 1990.** [Description of *Xiphozele* Cameron in Hunan and Guangxi (Hymenoptera: Braconidae: Xiphozelinae).] (in Chinese with English summary) *Journal of Hunan Agricultural College* 16(2): 150-152.
- You, L.S. & Zhou, Z.H. 1991.** A new species of *Bracteodes* attacking *Apis cerana* Fabricius, 1793 (Hymenoptera: Braconidae: Euphorinae). *Entomofauna* 12(13): 157-164.
- You, L.S., Zhou, Z.H. & Tong, X. 1991.** Two new species of *Sigalphus* Latreille, 1802 from Hunan Province (Hymenoptera: Braconidae, Cheloninae). *Acta Entomologica Sinica* 34: 225-229.
- You, L.S., Zhou, Z.H. & Tong, X.W. 1991.** Two new species of *Apanteles* Foerster from China (Hymenoptera: Braconidae: Microgasterinae). *Entomotaxonomia* 13(1): 39-42.
- You, L.S., Luo, Q.H. & Zhou, Z.H. 1991.** The comparison of genitalia between *Aridelus rutilipes* Papp and *Aridelus humanensis* You, Xiong et Zhou. (in Chinese with English summary) *Journal of Hunan Agricultural University* 17(1): 23-25.
- You, L.S., Zhou, Z.H. & Luo, Q.H. 1992.** Revision of three braconid wasps from China (Hymenoptera: Braconidae). *Journal of Hunan Agricultural College* 19(3): 229-233.
- You, L.S. & Chen, S.H. 1993.** Bionomics of the *Bracteodes* sp. attacking *Apis cerana* Fabricius. *Entomological Knowledge* 30(2): 107-111.
- You, L.S. & Luo, Q.H. 1993.** On a new species of *Streblocera* Westwood from Guizhou province, China (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Entomologica Sinica* 36(2): 216-218.
- You, L.S., Xiao, T.G. & Zhou, Z.H. 1993.** Two new species of *Streblocera* Westwood from Hunan, China (Hymenoptera: Braconidae: Euphorinae). (in Chinese with English summary) *Acta Zootaxonomica Sinica* 18(4): 485-489.
- You, L.S., Quicke, D.L.J. & Zhou, Z.H. 1994.** Notes on eighteen braconid species (Hymenoptera, Braconidae) from China. (in Chinese with English summary) *Wuyi Science Journal* 11: 120-125.
- You, L.S. & Zhou, Z.H. 1994.** Revision of the genus *Sigalphus* Latreille, 1802 of the subfamily Sigalphinae (Hymenoptera: Braconidae) in China. *Journal of Hunan Agricultural College* 20(4): 363-365.
- You, L.S. & Xu, H.Q. 1995.** Discussion of one species of *Streblocera* Westwood in China. (in Chinese with English summary) *Journal of Hunan Agricultural University* 21(3): 280-282.
- You, L.S. & Zhou, Z.H. 1995.** A new species of *Kerorgilus* van Achterberg, 1985 from Hunan Province (Hymenoptera: Braconidae, Orgilinae). *Acta Entomologica Sinica* 38(1): 103-105.
- You, L.S., Chen, S.G. & Zhou, Z.H. 1996.** Studies of the chalcid *Antrocephalus galleriae* and braconid *Apanteles galleriae* parasitising bee moth of comb in Guizhou province. (in Chinese with English summary) *Journal of Hunan Agricultural University* 22(2): 164-169.
- You, L.S. & Zhou, Z.H. 1996.** A new species of *Microgaster* Latreille from China (Hymenoptera: Braconidae: Microgasterinae). *Acta Zootaxonomica Sinica* 21(2): 214-217.
- You, L.S., Chen, Z.F., Zhou, Z.H. & Xiao, T.G. 1998.** Revision of known species of *Sigalphus* Latreille and *Streblocera* Westwood in China. *Journal of Hunan Agricultural University* 24(6): 456-460.
- You, L.S. 1999.** A note on the homonymy of *Streblocera chaoi* Chen et Achterberg (Hymenoptera, Braconidae, Euphorinae) in China. *Wuyi Science Journal* 15: 54.
- You, L.S., Chen, L.C., Yang, H.Q., Xiao, Z.S., Luo, Q.H. & Tong, X.W. 2000.** Annotated list of Braconidae (Hymenoptera) in Hunan province. *Journal of Hunan Agricultural University* 26(5): 394-400.
- You, L.S., Luo, Q.H. & Zhou, Z.H. 2001.** Revision of known species of *Aridelus* Marshall and *Streblocera* Westwood. *Journal of Hunan Agricultural University (Natural Sciences)* 27(1): 84-86.
- You, L.S., Zhang, W.N. & Luo, Q.H. 2002.** A new species of *Microgaster* Latreille from China (Hymenoptera: Braconidae: Microgasterinae). *Journal of Hunan Agricultural University* 28(6): 514-515.
- You, L.S., Xiao, Z.S., Bo, L.Y. & Zhou, Z.H. 2002.** On the external male genitalia and phylogenetic relationships of the tribal taxa of Microgasterinae (Hymenoptera: Braconidae). *Acta Entomologica Sinica* 45(6): 794-804.
- Youm, O., Browning, H.W. & Gilstrap, F.E. 1988.** Population dynamics of stalk borers attacking corn and sorghum in the Texas Rio Grande Valley. *Southwestern Entomologist* 13(3): 199-204.
- Youm, O., Gilstrap, F.E. & Browning, H.W. 1990.** Parasitism of stem borers (Lepidoptera: Pyralidae) associated with corn and sorghum in the Lower Rio Grande Valley of Texas. *Journal of Economic Entomology* 83(1): 84-88.
- Youm, O. & Gilstrap, F.E. 1993.** Life-fertility tables of *Bracon hebetor* Say (Hymenoptera: Braconidae) reared on *Heliocheilus albipunctella* De Joannis (Lepidoptera: Noctuidae). *Insect Science and its Application* 14(4): 455-459.
- Youm, O. & Gilstrap, F.E. 1993.** Population dynamics and parasitism of *Coniesta* (= *Haimachia*) *ignefusalis*, *Sesamia calamistis*, and *Heliocheilus albipunctella* in millet monoculture. *Insect Science and its Application* 14(4): 419-426.
- Younes, A.A. 2001.** Arrestment olfactory responses of the parasitoid, *Microplitis rufiventris* towards contact chemicals produced by the host, *Spodoptera littoralis* and some of its host plants. *Journal of Union of Arab Biologists Cairo A Zoology* 16: 55-65.
- Young, A.M., Blum, M.S., Fales, H.M. & Bian, Z. 1986.** Natural history and ecological chemistry of the Neotropical butterfly *Papilio anchisiades* (Papilionidae). *Journal of the Lepidopterists' Society* 40(1): 36-53.
- Young, D.K. 1984.** Cantharidin and insects: an historical review. *Great Lakes Entomologist* 17(4): 187-194.

- Young, D.K. 1984.** Field records and observations of insects associated with cantharidin. *Great Lakes Entomologist* 17(4): 195-200.
- Young, J.H. & Price, R.G. 1975.** Incidence, parasitism and distribution patterns of *Heliothis zea* on sorghum, cotton, and alfalfa for southwestern Oklahoma. *Environmental Entomology* 4(5): 777-779.
- Young, S.Y. & Yearian, W.C. 1989.** Nuclear polyhedrosis virus transmission by *Microplitis croceipes* (Hymenoptera: Braconidae) adult females reared in infected *Heliothis virescens* (Lepidoptera: Noctuidae) larvae. *Journal of Entomological Science* 24(4): 500-506.
- Young, S.Y. & Yearian, W.C. 1989.** Transmission of nuclear polyhedrosis virus by the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae) to *Heliothis virescens* (Lepidoptera: Noctuidae) on soybean. *Environmental Entomology* 19(2): 251-256.
- Youssef, N.S., Shalaby, A.M., Osman, S.M., Hegazi, E.M. & Ayoud, A.A. 1996.** The effect of *Apanteles galleriae* W. on the haemopoietic organs and haemocyte population of *Galleria mellonella* (L.) larvae. *Journal of the Egyptian German Society of Zoology* 19(E): 59-81.
- Yu, D.S. & Horstmann, K. 1997.** A catalogue of world Ichneumonidae (Hymenoptera). *Memoirs of the American Entomological Institute*. Volume 58: 1-1558.
- Yu, D.W. & Quicke, D.L.J. 1997.** *Compsobraconoides* (Braconidae: Braconinae), the first hymenopteran ectoparasitoid of adult *Azteca* ants (Hymenoptera: Formicidae). *Journal of Hymenoptera Research* 6(2): 419-421.
- Yu, J.Z. & Chen, C.C. 1991.** Effects of different regimes of photoperiod on the emergence and oviposition of the rice moth (*Coryca cephalonica* Stainton). *Journal of Agricultural Research of China* 40(1): 52-56.
- Yu, M.G., Gu, D.J. & Zhang, W.Q. 1993.** The effects of temperatures on the foraging behaviour of parasitoid *Diaeretiella rapae* (Hym.: Braconidae). *Journal of South China Agricultural University* 14(4): 20-25.
- Yu, S.H., Ryoo, M.I. & Na, J.H. 1999.** Life history of *Bracon hebetor* (Hymenoptera: Braconidae) on *Plodia interpunctella* (Lepidoptera: Pyralidae) on a dried vegetable commodity. *Journal of Asia Pacific Entomology* 2(2): 149-152.
- Yu, S.H., Ryoo, M.I., Na, J.H. & Choi, W.I. 2003.** Effect of host density on egg dispersion and the sex ratio of progeny of *Bracon hebetor* (Hymenoptera: Braconidae). *Journal of Stored Products Research* 39(4): 385-393.
- Yu, Y. & Yan, Y.H. 1999.** Effect of plant diversity in apple ecosystems on sustainable control of apple leaf blotchminer *Lithocolletis ringoniella* Mats. by parasitic wasps. *Research progress in plant protection and plant nutrition* 196-202.
- Yukawa, J. & Nakawatase, A. 1985.** Age structure and percentage parasitism of *Philomacroploea pleuralis* (Hymenoptera: Braconidae) attacking the soybean pod gall midge. (in Japanese with English summary) *Proceedings of the Association for Plant Protection of Kyushu* 31: 132-134.
- Yumruktepe, R. & Uygun, N. 1994.** Determination of aphid species (Homoptera: Aphididae) and their natural enemies in citrus orchards in the Eastern Mediterranean region. *Turkiye III. Biyolojik Mucadele Kongresi Bildirileeri*, 25-28 Ocak 1994, Ege Universitesi Ziraat Fakultesi, Bitki Koruma Bolumu, Izmir 1-12.
- Zajanckauskas, P., Jonaitis, V., Jakimavičius, A. & Stanionyte, S. 1979.** Entomoparasites of insects- orchard pests in Lithuania. *Vilnius Mokslas*: 1-164.
- Zaka-ur-Rab, M. 1964.** A new species of the genus *Bathyaulax* Szépligeti from India (Hymenoptera: Braconidae). *Beiträge zur Entomologie* 13: 192-194.
- Zaka-ur-Rab, M. 1978.** Morphology of the head of *Bathyaulax alami* Zaka (Hymenoptera, Braconidae). *Zoologische Jahrbücher. Anatomie und Ontogenie der Tiere* 99(3): 421-436.
- Zakharova, T. 1999.** Anticholinesterase effect of the organophosphorus and pyrethroids insecticides to some phytophages, their predators and parasites species. *Ukrayins'kyi Biokhimichnyi Zhurnal* 71(3) 1999: 104-107.
- Zaki, F.N., Marizy, F.M.A., Antounious, A.G., Hegazy, G.M. & Farag, N.A. 1987.** Effect of certain insect growth inhibitors on some biological aspects of the ectoparasite *Bracon brevicornis* (Wesm.) (Braconidae: Hymenoptera). *Annals of Agricultural Science, Ain Shams University* 32(3): 1791-1801.
- Zaki, F.N., Elsaadany, G., Gomaa, A. & Saleh, M. 1994.** Some biological factors affecting the production of the larval parasitoid *Bracon brevicornis* Wesm. (Hym.: Braconidae). *Journal of Applied Entomology* 118(4-5): 413-418.
- Zaki, F.N., Awadallah, K.T., Gesraha, M.A. & Ibrahim, A.M.A. 1995.** Attractiveness of the parasitoid, *Meteorus rubens* (Nees) to hexane-extract of *Agrotis ipsilon* (Hufn.). *Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz* 68(6): 140-141.
- Zaki, F.N. 1996.** Effect of some kairomones and pheromones on two hymenopterous parasitoids *Apanteles ruficornis* and *Microplitis demolitor* (Hym.: Braconidae). *Journal of Applied Entomology* 120(9): 555-557.
- Zaki, F.N., Awadallah, K.T. & Gesraha, M.A. 1997.** Competitive interaction between the braconid parasitoid *Meteorus rubens* Nees and the entomogenous nematode, *Steinernema carpocapsae* (Weiser) on larvae of *Agrotis ipsilon* Hufn. (Lep.: Noctuidae). *Journal of Applied Entomology* 121(3): 151-153.
- Zaki, F.N., Awadallah, K.T. & Gesraha, M.A. 1997.** Parasitism by *Meteorus rubens* on *Agrotis ipsilon* as affected by supplementary food and kairomone, field studies. *Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz* 70(6): 117-119.
- Zaki, F.N., El Saadany, G., Gomaa, A. & Saleh, M. 1998.** Increasing rates of parasitism of the larval parasitoid *Bracon brevicornis* (Hym.: Braconidae) by using kairomones, pheromones and a supplementary food. *Journal of Applied Entomology* 122(9-10): 565-567.
- Zaki, F.N., Awadallah, K.T. & Gesraha, M.A. 1999.** *Meteorus rubens*-*Steinernema carpocapsae* interaction, field studies. *Anzeiger für Schädlingskunde* 72(4): 107-109.
- Zaki, F.N., El Shaarawy, M.F. & Farag, N.A. 1999.** Release of two predators and two parasitoids to control aphids and whiteflies. *Anzeiger für Schädlingskunde, Pflanzenschutz, Umweltschutz* 72(1): 19-20.
- Zaki, F.N., El Shaaraway, M.F. & Farag, N.A. 2002.** Populations of aphids, whiteflies and associated predators and parasites on different vegetables cultivated in plastic greenhouses. *Anzeiger für Schädlingskunde* 75(5): 128-131.
- Zaldivar-Riveron, A. & Quicke, D.L.J. 2002.** First host record for the parasitic wasp genus *Notiopambolus* Achterberg and Quicke (Hymenoptera: Braconidae: Pambolinae). *Journal of Hymenoptera Research* 11(2): 370-371.
- Zaldivar-Riveron, A., Areekul, B., Shaw, M.R. & Quicke, D.L.J. 2004.** Comparative morphology of the venom apparatus in the braconid wasp subfamily Rogadinae (Insecta, Hymenoptera, Braconidae) and related taxa. *Zoologica Scripta* 33(3): 223-237.
- Zaman, M. & Karimullah, 1987.** Lepidoptera of jute cultivars in Peshawar. *Pakistan Journal of Agricultural Research* 8(3): 290-297.
- Zaman, M. 1990.** Entomophagous insects and mites found in jute fields at Tarnab, Peshawar. *Journal of Insect Science* 3(2): 133-135.
- Zanen, P.O. & Carde, R.T. 1991.** Learning and the role of host-specific volatiles during in-flight host-finding in the specialist parasitoid *Microplitis croceipes*. *Physiological Entomology* 16(3): 381-389.

- Zanen, P.O., Lewis, W.J., Carde, R.T. & Mullinix, B.G. 1989. Beneficial arthropod behavior mediated by airborne semiochemicals VI. Flight responses of female *Microplitis croceipes* (Cresson), a braconid endoparasitoid of *Heliothis* spp., to varying olfactory stimulus conditions created with a turbulent jet. *Journal of Chemical Ecology* 15(1): 141-168.
- Zanen, P.O. & Carde, R.T. 1996. Effects of host-odour plume altitude and changing wind velocity on upwind flight manoeuvres of a specialist braconid parasitoid. *Physiological Entomology* 21(4): 329-338.
- Zanuncio, J.C., Teixeira, C.A.D. & Sossai, M.F. 1999. Natural enemies of *Nomophila* sp. (Lepidoptera: Pyralidae), a cutworm of *Eucalyptus grandis* (Myrtaceae) seedlings in Vicosa, Minas Gerais, Brazil. *Anais da Sociedade Entomologica do Brasil* 28(2): 357-358.
- Zaviezo, T. & Mills, N. 2001. The response of *Hyssopus pallidus* to hosts previously parasitised by *Ascogaster quadridentata*: heterospecific discrimination and host quality. *Ecological Entomology* 26(1): 91-99.
- Zaykov, A.N. 1978. Contribution to the braconid fauna of Bulgaria (Hymenoptera, Braconidae). (in Bulgarian with English summary) *Travaux scientifiques d'Université de Plovdiv "Paissi Hilendarski"* 16(4): 227-234.
- Zaykov, A.N. 1979. New to the Bulgarian fauna genera and species of Euphorinae (Hym., Braconidae) collected in the Rhodope Mountains. *Travaux scientifiques d'Université de Plovdiv "Paissi Hilendarski"* 17(4): 187-192.
- Zaykov, A.N. 1979. On the species of the tribe Alysini of the Rhodope mountains. *Travaux scientifiques d'Université de Plovdiv "Paissi Hilendarski"* 17(4): 181-185.
- Zaykov, A.N. 1980. Hymenoptera Braconidae genera and species unknown to Bulgarian fauna. (in Bulgarian with English summary) *Travaux scientifiques d'Université de Plovdiv "Paissi Hilendarski"* (1977) 15(4): 111-116.
- Zaykov, A.N. 1980. New species of the family Braconidae (Hymenoptera) for the Bulgarian fauna. (in Bulgarian with English summary) *Acta Zoologica Bulgarica* 16: 86-89.
- Zaykov, A.N. 1980. Two new species of family Braconidae (Hymenoptera, Braconidae) collected in the Rhodopes. *Acta Zoologica Bulgarica* 15: 103-106.
- Zaykov, A. 1980. *Angelovia elipsocubitalis* gen. et sp. n. from Bulgaria (Hymenoptera, Braconidae: Alysini). *Annales Historico-Naturales Musei Nationalis Hungarici* 72: 273-274.
- Zaykov, A.N. 1981. A new species of the genus *Perilitus* Nees (Hymenoptera, Braconidae, Euphorinae) from Bulgaria. *Acta Zoologica Bulgarica* 17: 73-74.
- Zaykov, A.N. 1981. New genera and species of Alysini (Hymenoptera, Braconidae) for the Bulgarian fauna. *Acta Zoologica Bulgarica* 17: 88-91.
- Zaykov, A.N. 1982. The European species of *Symphya* Förster (Hymenoptera: Braconidae). *Acta Zoologica Hungarica* 28: 171-179.
- Zaykov, A.N. & Fischer, M. 1982. On three extraordinary Alysinae from Bulgaria (Hym.: Braconidae). *Acta Zoologica Bulgarica* 19: 70-74.
- Zaykov, A.N. 1983. New for Bulgarian fauna species of subfamily Opiinae (Hymenoptera: Braconidae). Faunistic and taxonomic contribution I. *Acta Zoologica Bulgarica* 23: 33-42.
- Zaykov, A.N. 1983. *Oncophanes tobiasi* sp. n. (Hymenoptera: Braconidae), a new species from Bulgaria. *Acta Zoologica Bulgarica* 22: 59-60.
- Zaykov, A.N. & Fischer, M. 1983. Über Opiinae aus Bulgarien (Hymenoptera: Braconidae). *Annalen des Naturhistorischen Museums in Wien* 85: 39-51.
- Zaykov, A.N. 1984. Atavistic wing venation in *Alysia manducator* (Hymenoptera, Braconidae). *Acta Zoologica Bulgarica* 25: 80-82.
- Zaykov, A.N. 1984. *Chorebus griffithsi*, new species (Hymenoptera: Braconidae, Alysini) from Bulgaria. *Folia Entomologica Hungarica* 45(1): 223-224.
- Zaykov, A. & Basamakov, I. 1985. *Colastes curtifemur* sp. n. from Bulgaria (Hymenoptera, Braconidae, Braconinae). *Bulletin of the Museums of South Bulgaria* 11: 61-62.
- Zaykov, A.N. 1986. A faunistic contribution to the study of tribe Dacnusiini (Hymenoptera: Braconidae) in Bulgaria. *Acta Zoologica Bulgarica* 30: 61-63.
- Zaykov, A.N. 1986. Description of two new Dacnusiini species (Hymenoptera: Braconidae). *Acta Zoologica Bulgarica* 32: 52-55.
- Zaykov, A. & Bassamakov, I. 1988. New for Bulgarian fauna species of Braconidae (Hymenoptera). *Nauchni Trudove Plovdivski Universitet "Paissi Hilendarski"* 26(6): 57-61.
- Zehnder, G.W., Herbert, D.A., McPherson, R.M., Speese, J.I. & Moss, T. 1990. Incidence of *Heliothis zea* (Lepidoptera: Noctuidae) and associated parasitoids in Virginia soybeans. *Environmental Entomology* 19(4): 1135-1140.
- Zelenev, N.N. 1982. Natural enemies of the juniper argent. *Lesnoe Khozyaistvo* 2: 48-50.
- Zenil, M., Liedo, P., Williams, T., Valle, J., Cancino, J. & Montoya, P. 2003. Reproductive biology of *Fopius arisanus* (Hymenoptera: Braconidae) on *Ceratitis capitata* and *Anastrepha* spp. (Diptera: Tephritidae). *Biological Control* 29(2)(2004 February): 169-178.
- Zeren, O. & Yabas, C. 1987. Studies on the insect and mite fauna seen as harmful or beneficial to potato (*Solanum tuberosum* L.) plants in the Mediterranean Region. *Turkiye I. Entomoloji Kongresi Bildirileri*, 13-16 Ekim 1987, Ege Universitesi, Bornova, Izmir 675-684.
- Zettel, H. 1987. Beitrag zur Kenntnis der Sigalphinen- und Cheloninen Fauna in Österreich (Hym.: Braconidae). *Linzer Biologische Beiträge* 19: 359-376.
- Zettel, H. 1987. On the knowledge of the genus *Ascogaster* Wesm. (Hymenoptera: Braconidae): *Ascogaster dentiventris* Telenga. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 39(1-2): 33-36.
- Zettel, H. 1988. Die australischen Arten der Gattung *Phanerotoma* Wesm. (Hymenoptera: Braconidae: Cheloninae). *Stapfia* 17: 215-238.
- Zettel, H. 1988. Eine neue *Phanerotoma*-Art aus Saudi-Arabien (Hym.: Braconidae, Cheloninae). *Linzer Biologische Beiträge* 20: 199-201.
- Zettel, H. 1989. Beiträge zur Kenntnis neotropischer Arten der Gattung *Phanerotoma* Wesm.: 1. Die *Ph. bilinea*-Gruppe und 2. Die *Ph. attenuata*-Gruppe (Hymenoptera: Braconidae, Cheloninae). *Linzer Biologische Beiträge* 21(2): 317-338.
- Zettel, H. 1989. Beiträge zur Kenntnis neotropischer Arten der Gattung *Phanerotoma* Wesm.: 3. Die *Ph. trivittata*-Gruppe (Hymenoptera: Braconidae: Cheloninae). *Linzer Biologische Beiträge* 21(2): 527-542.
- Zettel, H. 1989. Die Gattung *Phanerotomella* Szépligeti (Hymenoptera: Braconidae, Cheloninae). *Linzer Biologische Beiträge* 21(1): 15-142.
- Zettel, H. 1989. Zwei neue Phanerotomini aus Nepal (Hymenoptera, Braconidae). *Entomofauna* 10(32): 509-515.
- Zettel, H. 1990. A revision of the genera of the Cheloninae (Hymenoptera: Braconidae) with descriptions of new genera and species. *Annalen des Naturhistorischen Museums in Wien, Serie B für Botanik und Zoologie* (1987) 91: 147-196.
- Zettel, H. 1990. Description of four new *Phanerotoma* species from eastern Asia with a key for identifying the oriental species (Hymenoptera: Braconidae, Cheloninae). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 42(3-4): 110-120.
- Zettel, H. 1990. Knowledge of the genus *Ascogaster* Wesm. (Hymenoptera, Braconidae): *Ascogaster erythrothorax* Marshall. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 41(3-4): 111-112.

- Zettel, H. 1990. *Baognatha babiji* sp. nov., eine neue Raupenwespe aus Salzburg (Hymenoptera, Braconidae, Agathidinae). Entomofauna 11(24): 429-432.
- Zettel, H. 1990. Beiträge zur Kenntnis neotropischer Arten der Gattung *Phanerotoma* Wesmæl: 4. Die *Ph. fuscovaria*-Gruppe (Hymenoptera: Braconidae, Cheloninae). Linzer Biologische Beiträge 22(1): 3-19.
- Zettel, H. 1990. Die *Phanerotoma*-Arten des indischen Subkontinents (Insecta, Hymenoptera, Braconidae, Cheloninae). Reichenbachia 27(15-31): 147-158.
- Zettel, H. 1990. Neue *Phanerotoma*-Arten von pazifischen Inseln (Hym.: Braconidae). Deutsche Entomologische Zeitschrift 37(13): 45-69.
- Zettel, H. 1990. Zwei neue *Phanerotoma*-Arten aus dem mediterranen Raum (Hymenoptera: Braconidae: Cheloninae). Annales Historico-Naturales Musei Nationalis Hungarici 81: 153-157.
- Zettel, H. 1990. Zwei neue *Phanerotoma*-Arten aus Südafrika (Hymenoptera: Braconidae: Cheloninae). Linzer Biologische Beiträge 22: 335-340.
- Zettel, H. 1991. On the distribution of Helconini in Austria (Hymenoptera, Braconidae). Zeitschrift der Arbeitsgemeinschaft Zosterreichischer Entomologen 43(3-4): 117-119.
- Zettel, H. 1991. Eine unbekannte Art der *Blacus exilis*-Gruppe aus Österreich (Hymenoptera: Braconidae). Linzer Biologische Beiträge 23(2): 521-524.
- Zettel, H. 1991. Beiträge zur Kenntnis neotropischer Arten der Gattung *Phanerotoma* Wesmæl: 5. Die *Ph. minuta*-Gruppe und 6. Die *Ph. popovi*-Gruppe (Hymenoptera: Braconidae, Cheloninae). Linzer Biologische Beiträge 23(1): 375-385.
- Zettel, H. 1992. Beiträge zur Kenntnis neotropischer Arten der Gattung *Phanerotoma* Wesmæl: 7. Die *Ph. atriceps*-Gruppe (Hymenoptera: Braconidae: Cheloninae). Linzer Biologische Beiträge 24(2): 663-669.
- Zettel, H. 1992. *Phanerotoma puchmeriana* sp. n. aus Ungarn und der Türkei (Hymenoptera: Braconidae: Cheloninae). Acta Zoologica Hungarica 38(1-2): 145-147.
- Zettel, H. 1992. Revision der *Phanerotoma*-Arten Nordamerikas (Hymenoptera: Braconidae: Cheloninae). Linzer Biologische Beiträge 24(1): 275-330.
- Zettel, H. 1992. Zwei neue Arten aus der Gattung *Dentigaster* Zettel (Hymenoptera: Braconidae: Cheloninae). Deutsche Entomologische Zeitschrift 39(1-3): 131-134.
- Zettel, H. & Beyarslan, A. 1992. Der Agathidinae aus der Türkei (Hymenoptera: Braconidae). Entomofauna 13: 121-132.
- Zettel, H. 2002. *Pachychelonus maximus* sp. n. (Hymenoptera: Braconidae: Cheloninae) aus Kenia. Linzer Biologische Beiträge 34(1): 195-198.
- Zhan, Z. 1984. Preliminary studies on the braconid wasp *Zombrus bicolor* (Enderlein). Natural Enemies of Insects 6(1): 53-56.
- Zhang, C.Z. & Jin, L.F. 1988. Toxicity test of pesticides on two dominant natural enemies of *Cnaphalocrocis medinalis* Guenée (Lepid.: Pyralidae). Natural Enemies of Insects 10(3): 139-145.
- Zhang, D. & Dahlman, D.L. 1989. *Microplitis croceipes* teratocytes cause developmental arrest of *Heliothis virescens* larvae. Archives of Insect Biochemistry and Physiology 12(1): 51-61.
- Zhang, D., Dahlman, D.L. & Gelman, D.B. 1992. Juvenile hormone esterase activity and ecdysteroid titer in *Heliothis virescens* larvae injected with *Microplitis croceipes* teratocytes. Archives of Insect Biochemistry and Physiology 20(3): 231-242.
- Zhang, D., Dahlman, D.L., Jarlfors, U.E., Southgate, H.H. & Wiley, S.P. 1994. Ultrastructure of *Microplitis croceipes* (Cresson) (Braconidae: Hymenoptera) teratocytes. International Journal of Insect Morphology and Embryology 23(3): 173-187.
- Zhang, L. & Raspi, A. 1999. Learning behaviour of *Opius concolor* Szépligeti (Hymenoptera: Braconidae) in host discrimination. Entomologia Sinica 6(3): 259-266.
- Zhang, L.Q., Song, S.H. & Fang, J.X. 1987. Studies on controlling *Semanotus sinoaster* (Gressitt) (Coleoptera: Cerambycidae) by release of *Ontsira palliatus* (Cameron) (Hymenoptera: Braconidae). Scientia Silvae Sinicae 23(3): 306-313.
- Zhang, R.J., Heong, K.L. & Domingo, I.T. 1995. A test on high temperature tolerance of *Cardiochiles philippinensis* a larval parasitoid of rice leaf folder *Cnaphalocrocis medinalis*. Natural Enemies of Insects 17(2): 75-78.
- Zhang, R.J., Heong, K.L. & Domingo, I.T. 1995. Effects of temperature on host feeding in *Cardiochiles philippinensis* (Hymenoptera: Braconidae), a larval parasitoid of rice leaf folder *Cnaphalocrocis medinalis*. International Rice Research Notes 20(1): 34-35.
- Zhang, R.J., Heong, K.L. & Domingo, I.T. 1996. Relationship between temperature and functional response in *Cardiochiles philippinensis* (Hymenoptera: Braconidae), a larval parasitoid of *Cnaphalocrocis medinalis* (Lepidoptera: Pyralidae). Environmental Entomology 25(6): 1321-1324.
- Zhang, W.Y. & Ji, Z.D. 1992. A new species and four new records of *Pauesia* Quilis from China (Hymenoptera: Aphidiidae). (in Chinese with English summary) Acta Zootaxonomica Sinica 17(2): 231-234.
- Zhang, X.G. & Yan, F.L. 1994. Observations on the parasitization of *Agrotis segetum* (Lep.: Noctuidae) by *Apanteles kariyai* (Hym.: Braconidae). (in Chinese) Chinese Journal of Biological Control 10(1): 46.
- Zhang, Y., Guo, B.Q., Hou, Z.Y., Chen, X & Yan, F.S. 1998. Olfactory orientation of the parasitoid wasp *Lysiphlebus fabarum* to its host food plants. Entomologia Sinica 5(1): 74-82.
- Zhang, Z.Q. 1986. Studies on the biological and ecological characteristics of *Apanteles ruficrus* Haliday. (in Chinese) Natural Enemies of Insects 8(2): 84-89.
- Zhang, Z.Q. 1992. The natural enemies of *Aphis gossypii* Glover (Hom.: Aphididae) in China. Journal of Applied Entomology 114(3): 251-262.
- Zhang, Z.J. 1984. Cheloninae of *Carposina niponensis* Walsingham. Plant Protection 10(1): 41.
- Zhao, H. & Pei, D. 1984. Preliminary study of *Apanteles rubecula*, a parasitoid of the imported cabbage worm. Natural Enemies of Insects 6(4): 227-229.
- Zhao, H.Y., Wan, L.M., Zhang, W.L. & Pei, D.J. 1986. A survey of the natural enemy resource of *Pieris rapae* in Tunghua, Jilin. (in Chinese) Chinese Journal of Biological Control 2(1): 42.
- Zhao, H.Y. 1988. Studies on the parasitoids of *Mamestra brassicae* in Tonghua area. (in Chinese) Chinese Journal of Biological Control 4(2): 90.
- Zhao, J.N. & Chen, S. 1990. *Macrocentrus* sp. (Hemiptera: Braconidae) - an important natural enemy of *Dioryctria rubella* and *D. pryori*. Natural Enemies of Insects 12(4): 164-166.
- Zhao, J.Z., Ayers, G.S., Grafius, E.J. & Stehr, F.W. 1992. Effects of neighboring nectar-producing plants on populations of pest Lepidoptera and their parasitoids in broccoli plantings. Great Lakes Entomologist 25(4): 253-258.
- Zhao, J.Z., Ayers, G.S., Grafius, E.J. & Stehr, F.W. 1992. Effects of neighboring nectar-producing plants on populations of pest Lepidoptera and their parasitoids in broccoli plantings. Great Lakes Entomologist 25(4): 253-258.
- Zhao, Q.L. & Liu, F. 1986. Braconidae of western Nei Menggu. (in Chinese) [Nei Menggu Forestry 1986(3): 1-20.
- Zhao, S.P., Lan, T.B. & You, M.Q. 1988. Biology of *Macrocentrus* sp. (in Chinese) [Hubei Forestry.] 1988(3): 6-10.
- Zheng, B.Z. & Wang, Z.G. 1987. Toxicity of four insecticides to cereal aphid *Sitobion avenae* F., its predator seven spot ladybird *Coccinella septempunctata* and aphidiid parasitoid *Aphidius avenae* Hal. Act. Agric. 13: 173-182.
- Zheng, R., Dong, D. & Yang, H. 1987. Species of parasitoids (Hymen.: Aphidiidae) on wheat aphids. (in Chinese) Natural Enemies of Insects 9(2): 94-99.

- Zheng, W.J., Yang, W.Z. & Wang, L.Z. 1981. Ichneumonidae. Braconidae. Aphidiidae: 11-66. (in Chinese) In: "[Identification of the natural enemies of rice pests in Yunnan province.]" 1-270. Kunming.
- Zheng, Y.S. & Tang, B.S. 1989. Field releases and recovery of an introduced aphid parasitoid, *Lysiphlebus testaceipes* (Hym.: Braconidae) in Shaanxi. Chinese Journal of Biological Control 5(2): 68-70.
- Zheng, Y.S., Zhang, X.Y. & Wang, Z.H. 1985. Aphidiidae of cotton in China. (in Chinese) Kunchong Zhishi 22(4): 175-180.
- Zhong, L.S. & Zhang, J.L. 1992. The effect of food dregs in the pupal tissue fluid of *Antheraea pernyi* on the development of *Trichogramma* and a new simplified method of obtaining the fluid as a component of artificial host eggs for *Trichogramma*. Chinese Journal of Biological Control 8(4): 145-147.
- Zhou, G. & Overholt, W.A. 2001. Spatial-temporal population dynamics of *Cotesia flavipes* (Hymenoptera: Braconidae) in Kenya. Environmental Entomology 30(5): 869-876.
- Zhou, G., Baumgartner, J. & Overholt, W.A. 2001. Impact assessment of an exotic parasitoid on stemborer (Lepidoptera) population dynamics in Kenya. Ecological Applications 11(5): 1554-1562.
- Zhou, G.F., Overholt, W.A. & Kimani-Njogu, S.W. 2003. Species richness and parasitism in an assemblage of parasitoids attacking maize stem borers in coastal Kenya. Ecological Entomology 28(1): 109-118.
- Zhou, J., Yin, L.H. & Wang, C.Z. 2002. Polydnavirus gene products and their physiological effects on host insects. Entomological Knowledge 39(3): 161-165.
- Zhou, Z.H. & You, L.S. 1992. A new species of *Angustibracon* Quicke (Hymenoptera: Braconidae: Braconinae) from Guangxi, China. (in Chinese with English summary) Entomotaxonomia 14(2): 139-142.
- Zhou, Z.R., Huang, Y.M. & Zhou, Q. 1994. Bionomics and control of *Daimio tethys moorei*. Forest Research 7(4): 464-467.
- Zhu, C.P., Jin, Z.S., Wang, F.L. & Zhang, Y.X. 1994. Impact of a native parasitoid, *Macrocentrus linearis* on the Asian corn borer population in cotton fields of Jiangsu. Chinese Journal of Biological Control 10(2): 55-57.
- Zhu, S.X. & Zou, F. 1993. Effects of the insect growth regulator cascade on several parasitic wasps. Entomological Knowledge 30(3): 166-169.
- Zhu, Y.C., Burd, J.D., Elliott, N.C. & Greenstone, M.H. 2000. Specific ribosomal DNA marker for early polymerase chain reaction detection of *Aphelinus hordei* (Hymenoptera: Aphelinidae) and *Aphidius colemani* (Hymenoptera: Aphidiidae) from *Diuraphis noxia* (Homoptera: Aphididae). Annals of the Entomological Society of America 93(3): 486-491.
- Zhu, Y., Huang, G., Dai, R. & Li, S. 1983. Interaction of *Apanteles rubecula* and a granulosis virus in larvae of *Pieris rapae*. Acta Ecologica Sinica 3(1): 69-72.
- Zhukovskii, S.G., Novozhilov, K.V. & Novozhilov, K.V. 1986. On the question of the physiological selectivity of organophosphorus insecticides. Problemy izbiratel'nosti deistviya insektitsidov I akaritsidov I ee znachenie v zashchite rastenii 88-96.
- Zigiaco, P. 1993. *Choristoneura lafauryana* (Rag.) on soyabean in Friuli. Informatore Fitopatologico 43(6): 46-50.
- Zijp, J.P. & Blommers, L.H.M. 1992. *Syrrhizus delusorius* and *Scambus pomorum*, two parasitoids of the apple blossom weevil. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society 3: 46-50.
- Zijp, J.P. & Blommers, L.H.M. 2001. The effect of diflubenzuron on parasitism of *Anthonomus pomorum* by *Centistes delusorius*. Entomologia Experimentalis et Applicata 98(1): 115-118.
- Zijp, J.P. & Blommers, L.H.M. 2002. Biology of *Centistes delusorius*, a parasitoid of adult apple blossom weevil. Agricultural and Forest Entomology 4(4): 275-282.
- Zikič, V., Brajkovič, M. & Tomanovič, Ž. 2000. Preliminary results of Braconid fauna research (Hymenoptera: Braconidae) found in Sicevo Gorge, Serbia. Acta Entomologica Serbica 5(1-2): 95-110.
- Zil'bermints, I.V., Petrushov, A.E. & Kovalenkov, V.G. 1986. Prospects for obtaining resistant races of a braconid. Zashchita Rastenii 8: 23-24.
- Zimsen, E. 1964. The type material of J.C. Fabricius. Copenhagen. Munksgaard: 1-656.
- Zinnert, K.D. 1969. Vergleichende Untersuchungen zur Morphologie und Biologie der Larvenparasiten (Hymenoptera Ichneumonidae und Braconidae) mitteleuropäischer Blattwespen aus der Subfamily Nematinae (Hymenoptera: Tenthredinidae). Teil II. Zeitschrift für angewandte Entomologie 64: 277-306.
- Zinovjeva, K.B. & Vinogradova, E.B. 1972. The control of seasonal development in parasites of blow flies. III. Patterns of photoperiodic reaction in *Aphaereta minuta* Nees (Hymenoptera, Braconidae). (in Russian) In: Zaslavsky V.A. [ed.] "Host-parasite relations in insects." Leningrad: 100-111.
- Zinovjeva, K.B. 1974. [Stimulation of pupation of larvae of *Calliphora vicina* R.D. (Diptera: Calliphoridae) by the parasite *Aphaereta minuta* Nees (Hymenoptera: Braconidae).] (in Russian) Doklady Akademii Nauk SSSR. Ser. Biol. 216: 702-703.
- Zinovjeva, K.B. 1976. The role of photo- and thermorhythms in the induction of diapause in the Braconid *Alysia manducator* Panz. (Hymenoptera, Braconidae). Entomologicheskoye Obozreniye 55(3): 517-524. [Entomological Review 6-11.].
- Zinovjeva, K.B. 1978. The dependence of diapause induction and reactivation on 24th-rhythm of temperature and photoperiod by *Alysia manducator* Panz. (Hymenoptera, Braconidae). (in Russian) Trudy Zoologicheskogo Instituta. Leningrad 69: 124-146.
- Zinovjeva, K.B. 1981. Effect of infestation of the larvae of *Calliphora vicina* R.-D. flies (Diptera, Calliphoridae) by parasite *Alysia manducator* Panz. (Hymenoptera, Braconidae). Trudy Vsesoyuznogo Entomologicheskogo Obschestva 63: 168-170.
- Zinovjeva, K.B. 1985. Effect of short "pulses" of high temperature coinciding with different phases of the light-dark cycle on the development of *Alysia manducator* (Hymenoptera, Braconidae). Entomologicheskoye Obozrenie 64(1): 3-13. [Entomological Review 64(3): 24-32.].
- Zinovjeva, K.B. 1988. Effect of the daily temperature cycle on the termination of larval diapause in *Alysia manducator* Panz. (Hymenoptera: Braconidae) in continuous darkness and with a 12-h photoperiod. Entomologicheskoye Obozrenie 67(4): 699-703.
- Zinovjeva, K.B. 1991. Role of the daily cycles of temperature and photoperiod in the induction and termination of the diapause in *Alysia manducator* Panz. (Hymenoptera: Braconidae). Entomologicheskoye Obozrenie 70(2): 265-280.
- Zinovjeva, K.B. 1992. Influence of feeding on the host haemolymph on the photoperiodic reaction of *Bracon hebetor* (Hymenoptera: Braconidae). Zoologicheskii Zhurnal 71(9): 153-155.
- Zinovjeva, K.B. 1993. Role of the daily temperature cycle and photoperiod in regulation of development in *Alysia manducator* Panz. (Hymenoptera: Braconidae). Entomologicheskoye Obozrenie 72(2): 257-267.
- Zinovjeva, K.B., Reznik, S.Y., Zaslavskii, V.A. & Umarova, T.Y. 1996. Effect of photoperiod and thermoperiod on the eclosion rhythm of adults in *Alysia manducator* (Hymenoptera: Braconidae) and *Trichogramma evanescens* (Hymenoptera: Trichogrammatidae). Zoologicheskii Zhurnal 75(10): 1496-1504.
- Zinovjeva, K.B. 2000. Dependence of the efficiency of activating and inhabiting thermophase from its position in photoperiod in the parasitic wasp, *Alysia manducator* Panz. (Hymenoptera: Braconidae). Entomologicheskoye Obozrenie 79(2): 287-295, 509.

- Zitani, N.M., Shaw, S.R. & Janzen, D.H. 1997.** Description and biology of a new species of *Meteorus* Haliday (Hymenoptera: Braconidae: Meteorinae) from Costa Rica, parasitizing larvae of *Papilio* and *Parides* (Lepidoptera: Papilionidae). *Journal of Hymenoptera Research* 6(1): 178-185.
- Zitani, N.M., Shaw, S.R. & Janzen, D.H. 1998.** Systematics of Costa Rican *Meteorus* (Hymenoptera: Braconidae: Meteorinae) species lacking a dorsope. *Journal of Hymenoptera Research* 7(2): 182-208.
- Zitani, N.M. & Shaw, R.S. 2002.** From meteors to death star. Variations on a silk thread (Hymenoptera: Braconidae: Meteorinae). *American Entomologist* 48(4): 228-235.
- Zitnan, D., Kingan, T.G. & Beckage, N.E. 1995.** Parasitism-induced accumulation of FMRamide-like peptides in the gut innervation and endocrine cells of *Manduca sexta*. *Insect Biochemistry and Molecular Biology* 25(6): 669-678.
- Zitnan, D., Kingan, T.G., Kramer, S.J. & Beckage, N.E. 1995.** Accumulation of neuropeptides in the cerebral neurosecretory system of *Manduca sexta* larvae parasitized by the braconid wasp *Cotesia congregata*. *Journal of Comparative Neurology* 356(1): 83-100.
- Zlatanova, A.A. 1970.** Biology of *Microdus rufipes* Nees (Hymenoptera, Braconidae) - a parasitoid of codling moth in Kazakhstan. *Entomologicheskoye Obozreniye* 49: 749-755. [Entomological Review 460-463].
- Zlatanova, A.A. 1987.** The codling moth. *Zashchita Rastenii Moskva* 11: 54.
- Zlobina, V.V. 1993.** New data on the systematics of insects. *Trudy Zoologicheskogo Instituta, Rossiiskaya Akademiya Nauk* 251: 1-178.
- Znamenskii, V.S. 1986.** The reactions of gypsy moth parasites to host population density: 3-8. Lebedeva, R.N. [ed.]. *Zashchita lesa of vreditelei i boleznai Sbornik nauchnykh trudov*. [Forest protection from pests and diseases. Collected works.] Forestry Research Institute. Moscow 1986: 1-139.
- Zohdy, N., El Moursy, A.A., Kares, E.A., Abdel-Rahman, A.M. & El Marawy, M.B.R. 2000.** Effect of delfin and baythroid on the total haemocyte counts (THCs) and haemocyte percentage in healthy and parasitized larvae of the cotton leafworm. *Egyptian Journal of Agricultural Research* 78(4): 1569-1586.
- Zolubas, P., Gedminas, A. & Shields, K. 2001.** Gypsy moth parasitoids in the declining outbreak in Lithuania. *Journal of Applied Entomology* 125(5): 229-234.
- Zongo, J.O., Vincent, C. & Stewart, R.K. 1993.** Effects of intercropping sorghum-cowpea on natural enemies of the sorghum shoot fly, *Atherigona soccata* (Diptera: Muscidae), in Burkina Faso. *Biological Agriculture and Horticulture* 9: 201-213.
- Zou, Y.D., Bi, S.D., Meng, Q.L., Geng, J.G., Chen, G.C. & Wang, G.M. 1998.** Influence of natural enemies on populations of wheat aphid and greenbug. *Chinese Journal of Applied Ecology* 9(6): 613-616.
- Zou, Y.D., Bi, S.D., Wang, X., Li, G., Meng, Q., Geng, J. & Shen, Y. 2001.** Geostatistical analysis on spatial patterns of *Macrosiphum granarium* and *Aphidius*. *Yingyong Shengtai Xuebao* 12(6): 887-891.
- Zuazua, F.E., Araya, J.E. & Guerrero, M.A. 2000.** A method for rearing *Aphidius ervi* (Hymenoptera: Aphididae) on *Acyrtosiphon pisum* (Homoptera: Aphididae). *Boletín de Sanidad Vegetal, Plagas* 26(3): 433-437.
- Zuazua, F., Araya, J.E. & Guerrero, M.A. 2003.** Lethal effects of insecticides on *Aphidius ervi* Haliday (Hymenoptera: Aphididae), parasitoid of *Acyrtosiphon pisum* (Harris) (Homoptera: Aphididae). Efectos letales de insecticidas sobre *Aphidius ervi* Haliday (Hymenoptera: Aphididae), parasitoides de *Acyrtosiphon pisum* (Harris) (Homoptera: Aphididae). *Boletín de Sanidad Vegetal Plagas* 29(2): 299-307.
- Zubrik, M. & Novotny, J. 2000.** Study of gypsy moth microsporidia transmission by *Glyptapanteles liparidis* and *Cotesia melanoscela* (Hym.: Braconidae). *IOBC WPRS Bulletin* 23(2): 297-302.
- Zucchi, R.A. & Leonel, F.L. Jr. 1992.** Parasitoids (Hym., Braconidae) from fruit flies (Dip.: Tephritidae) in Brasil. *International Congress of Entomology Abstracts. XIX.* p. 52.
- Zuniga, E. 1989.** Biological control of cereal aphids in the southern cone of South America. In: Burnett P.A. [ed.] "World Perspectives on Barley Yellow Dwarf": 362-367.
- Zuparko, R. 1983.** Biological control of *Eucallipterus tiliae* (Hom.: Aphididae) in San Jose, Calif., through establishment of *Trioxys curvicaudus* (Hym.: Aphididae). *Entomophaga* 28(4): 325-330.
- Zuparko, R.L. & Dahlsten, D.L. 1993.** Survey of the parasitoids of the tuliptree aphid, *Illinoia liriodendri* (Hom.: Aphididae), in northern California. *Entomophaga* 38(1): 31-40.
- Zuparko, R.L. & Dahlsten, D.L. 1994.** Host plant resistance and biological control for linden aphids. *Journal of Arboriculture* 20(5): 278-281.
- Zuparko, R.L. & Hamai, J. 1994.** Depositions of parasitic Hymenoptera (Insecta) types from the University of California, Berkeley. *Pan Pacific Entomologist* 70(4): 313-317.
- Zuparko, R.L. & Dahlsten, D.L. 1995.** Parasitoid complex of *Eucallipterus tiliae* (Homoptera: Drepanosiphidae) in northern California. *Environmental Entomology* 24(3): 730-737.
- Zuparko, R.L. & Poinar, G.O. Jr. 1997.** *Aivalykus dominicanus* (Hymenoptera: Braconidae), a new species from Dominican amber. *Proceedings of the Entomological Society of Washington* 99(4): 744-747.
- Zuranska, I. & Ciepielewska, D. 1988.** The influence of some ecological factors on the development and survival of eggs and larvae of the cabbage white-*Pieris brassicae* L. *Acta Academiae Agriculturae ac Technicae Olstenensis, Agricultura* 46: 165-173.