

Class Cephalopoda

Order. Tibranchiata.

Argonauta, Spirula - Sepia holipes.

Order - Tetrabranchiata -

Mantella Pompilius -

Superorder

Parabronchiatia Aster - Coel Eph ...

Family Strombidae

Strombus - Pterocera - Postellana - Gomphus -

Fam. Muricidae,

Murex - Pisania - Turris - Fittor - Janina

Turbinella - Cantharus - Scaphites - Trochostoma

Pyruca - Fusus - ...

Fam Buccinidae -

Buccinum - Bulla - Elona - ... Murex -

Planorbis - ... Planorbis - ...

Planorbis - ... Planorbis - ...

Harpa - ... Harpa - ...

Fam. Conidae

4670.5
Purchaser
Woolley
Museum

Index Testaceologicus ;

OR

A C A T A L O G U E

OF

S H E L L S,

BRITISH AND FOREIGN,

ARRANGED ACCORDING TO

T H E L I N N E A N S Y S T E M ;

WITH THE LATIN AND ENGLISH NAMES,
REFERENCES TO AUTHORS, AND
PLACES WHERE FOUND.

ILLUSTRATED WITH 2300 FIGURES.

Illustrated
BY **W. WOOD, F.R.S. & L.S.**

AUTHOR OF ZOOGRAPHY, GENERAL CONCHOLOGY, ILLUSTRATIONS OF THE
LINNEAN GENERA OF INSECTS, &c.


Second Edition
SECOND EDITION,

CORRECTED AND REVISED.


LONDON:

PRINTED FOR W. WOOD, 428, STRAND.

1828.



ALERE FLAMMAM.



LONDON:

PRINTED BY RICHARD TAYLOR,

RED LION COURT, FLEET STREET.

~~514.08~~ QL
404
W881 W88
~~1828~~ 1828
SCHWRTZ

P R E F A C E .

A BOOK containing a sufficient number of figures to assist conchologists in the determination of the shells they may occasionally acquire, has long been a desideratum.

We have, it is true, the extensive work of Martini and Chemnitz, the more confined publications of Knorr, of Gaultieri, of Rugenfuss, Lister, Rumphius, Petiver, and others; but in no instance, except the first-mentioned, has any attempt been made to include a figure of every species. The great expense attending such publications, and the want of sufficient encouragement in purchasers, has hitherto operated to prevent the accomplishment of so desirable an undertaking. It has therefore been the endeavour of the Author, in the absence of larger and more costly publications, to supply their place by a work which will incorporate in one volume figures of all the known shells, reduced indeed to a small size, but with a degree of accuracy that it is hoped, will not only enable the conchologist to fix upon any particular species he may wish to define, but also to arrange his collection by inspection, without the trouble of consulting other publications on the subject.

The plan followed in the present undertaking has been to give *one* characteristic figure of each species, and the arrangement adopted has been that of Linnæus. The Author is well aware that in this age of general novelty he shall be censured by the young, and perhaps by the experienced conchologist, for adhering too tenaciously to the principles of his early master; but let it be remembered, that all systems built on artificial foundations must be liable to objection, and that it still remains to be proved whether the present innovators had not better have trusted to the Linnean method, with such additions and divisions as its great author might be supposed to have made had he now been living, than by an extreme multiplication of the genera, rather to increase than remove the difficulty of determining the species.

With a desire in some measure to accommodate those who have adopted the French arrangement, the Author has added the divisions of Lamarck, referring his genera to the figures in the *Index Testaceologicus*.

It may not be improper to remark that all the plates (with the exception of the first six by that excellent artist the late Mr. Sowerby) have been executed under the immediate inspection of the Author, and every attention paid to make the figures as accurate as possible. To accomplish this purpose recourse has always been had to the shells whenever they could be procured, so that the figures are for the most part original. And here the Author has great pleasure in acknowledging his obligation to Mrs. Mawe, Mr. J. and Mr. G. B. Sowerby, who with their usual liberality have allowed him the free use of their extensive collections towards the completion of his task.

Each page of the Index is divided into five columns. The first contains the Linnean names : the second, a reference to the page in Gmelin's enlarged edition of the *Systema Naturæ*, where the descriptions of such shells as were noticed by that editor will be found. The English names occupy the third column : the fourth refers to some of the principal authors whose figures have an established reputation ; and in the fifth division will be seen the name of the place where every shell is to be found.

The figures of Montagu and Donovan have been constantly quoted for the British shells, and where the species is confined to Britain, the word alone is mentioned ; but where it occurs also in other parts of the world, it is denoted by " Britain, &c." Thus the shells that have been observed on our coasts will be immediately detected.

With regard to the Plates, it must be noticed that several shells have been named by authors without any reference to figures, and which are too obscurely described to be identified. This will account for the gaps which occasionally appear in the numbering of the plates. Thus in Plate I. we pass from No. 27 to 29 ; in Plate II. from 17 to 19, and from 21 to 23, &c. It must also be noticed, that in some instances the figures are misplaced, such as No. 23 of Plate I., the engraver having forgotten it till he had finished No. 37.

As a guide to the comparative size of the different shells, a mark or a letter of the alphabet is added after the number engraved on the plate. Thus + indicates a shell half an inch long ; $\frac{+}{2}$ three-quarters of an inch ; *a* an inch ; $\frac{a}{4}$ an inch and a quarter ; *a* + an inch and a half ; $\frac{a}{2} +$ an inch and three-quarters ; *b* two inches ;

c three inches, and so on : *n* denotes shells of the natural size ; and *m* such as are magnified. Thus in Plate I. figure 15 is an inch long ; fig. 16, an inch and a quarter ; fig. 4, an inch and a half ; fig. 1, two inches ; fig. 27, three-quarters of an inch ; fig. 29, the natural size. In the genus *Nautilus*, Plate 13, all the figures, except three, are magnified.

A SYNOPSIS
OF
THE LINNEAN GENERA.

1. CHITON.—Plate 1.

Animal, a Lophyrus.

Shell, multivalve (valves or plates), generally eight, arranged longitudinally; moveable on each other, like the joints in the tail of a lobster; connected by a projecting coriaceous border, which is either plain, spinous, or scaly.

2. LEPAS.—Plate 1.

Animal, a Triton.

Shell, multivalve, either conical or compressed, formed of several valves: the conical shells are sessile, strongly fixed at the base, and the valves are articulated or joined to each other by delicate sutures. The compressed shells are not articulated, but connected by a membrane, and supported on a flexible retractile pedicle.

3. PHOLAS.—Plate 2.

Animal, an Ascidia.

Shell, multivalve, consisting of two principal valves, with several smaller accessory valves on the hinge. Hinge recurved, united by a cartilage, and having a strong incurved tooth in one valve. Shell always gaping at one end, generally at both.

4. MYA.—Plate 2.

Animal, an Ascidia.

Shell, bivalve, generally gaping at one end. Hinge, for the most part, with a single solid, thick, broad tooth, strongly attached by cartilage, but not inserted into the opposite valve.

5. SOLEN.—Plate 3.

Animal, an Ascidia.

Shell, bivalve, equivalve, elongated transversely; open at both ends. Hinge with an awl-shaped reflex tooth, often double; not inserted into the opposite valve.

6. TELLINA.—Plate 3.

Animal, a Tethys.

Shell, bivalve, generally flattish, sometimes orbicular, anterior end often produced into an angular beak. Hinge usually with three teeth; lateral teeth in one of the valves flat; often remote.

7. CARDIUM.—Plate 5.

Animal, a Tethys.

Shell, bivalve, equivalve, nearly equilateral, somewhat heart-shaped, ribbed longitudinally; beaks prominent, valves toothed or plaited on their internal margin. Hinge with four teeth in each valve; the two cardinal teeth near together, and alternating with the opposite; the two lateral teeth remote and inserted.

8. MACTRA.—Plate 6.

Animal, a Tethys.

Shell, bivalve, valves unequal at the sides; subtriangular; beaks prominent. Hinge with the middle tooth spoon-shaped, having a small cavity on each side; lateral teeth remote, locking into the opposite valves.

9. DONAX.—Plate 6.

Animal, a Tethys.

Shell, bivalve, equivalve, of unequal sides, the anterior side very short and very obtuse; generally crenulated on the margin. Hinge with two cardinal teeth, either on each valve, or on one only: a single remote lateral tooth in the posterior side.

10. VENUS.—Plate 7.

Animal, a Tethys.

Shell, bivalve, equivalve, with a heart-shaped depression on the cartilage slope. Hinge with three approximate teeth in each valve, the lateral ones inclining a little outwards.

11. SPONDYLUS.—Plate 9.

Animal, a Tethys.

Shell, bivalve; valves unequal, eared, spiny or rugged; one convex, the other rather flat and adherent. Hinge with two strong recurved teeth in each valve, and an intermediate hollow for the ligament.

12. CHAMA.—Plate 9.

Animal, a Tethys.

Shell, bivalve, irregular; beaks recurved, unequal. Hinge with a single oblique tooth, thick and coarse; articulated into a cavity in the opposite valve. Two muscular impressions in each valve.

13. ARCA.—Plate 9.

Animal, a Tethys.

Shell, bivalve, equivalve; beaks prominent, and separated by a channel. Hinge, composed of numerous teeth, inserted into the interstices of the opposite valve. Muscular impressions two in each valve.

A SYNOPSIS OF

14. OSTREA.—Plate 10.

Animal, a Tethys.

Shell, bivalve, irregular; valves unequal and somewhat eared. Hinge without teeth, but having a strong elastic ligament inserted into a hollow in the valves.

15. ANOMIA.—Plate 11.

Animal, a Tethys?

Shell, bivalve; fixed, and irregular; valves unequal, the lower one with a hole at the base, which is stopped by a testaceous plug at the will of the animal. Hinge without teeth, valves united by ligaments.

16. MYTILUS.—Plate 12.

Animal, an Ascidia?

Shell, bivalve, equivalve, fixed by a silky byssus; the beaks nearly strait, terminal and pointed. Hinge lateral, generally without teeth. Ligament marginal; muscular impression long and sub-lateral.

17. PINNA.—Plate 12.

Animal, a Limax.

Shell, bivalve, equivalve, wedge-shaped, gaping at the summit, pointed at the base; beaks strait. Hinge lateral, without teeth, ligament marginal, linear, and very long.

18. ARGONAUTA.—Plate 13.

Animal, a Clio.

Shell, univalve, unilocular, involute, boat-shaped; very thin. Spire double-keeled, tuberculated.

19. NAUTILUS.—Plate 13.

Animal, a Cephalopode?

Shell, univalve, spiral, multilocular, the chambers formed by transverse divisions, which are concave, and communicate with each other by a small tubular aperture.

20. CONUS.—Plate 14.

★

Animal, a Limax.

Shell, univalve, convoluted, turbinated: aperture longitudinal, linear, without teeth, terminated at the summit by a slope; base entire: pillar smooth.

21. CYPRÆA.—Plate 17.

Animal, a Limax.

Shell, univalve, involuted, suboval, obtuse, smooth; aperture longitudinal, linear, toothed or wrinkled on both sides; base strait and open.

22. BULLA.—Plate 18.

Animal, a Limax.

Shell, univalve, convoluted, without teeth, oval; aperture for the most part the whole length of the shell, entire at the base: often without any spire.

23. VOLUTA.—Plate 19.

Animal, a Limax.

Shell, univalve, oval, more or less ventricose, spiral: aperture sloping and without a canal: pillar plaited, the lower plaits the largest and most oblique.

24. BUCCINUM.—Plate 22.

Animal, a Limax.

Shell, univalve, spiral, gibbous; aperture ovate, ending in a short canal leaning to the right, with a beak or projection turned backwards: pillar-lip expanded.

25. STROMBUS.—Plate 24.

Animal, a Limax.

Shell, univalve, spiral, ventricose; aperture dilated and terminating in a canal leading to the left: outer lip mostly expanding with age into a wing, or into long and pointed claws.

26. MUREX.—Plate 25.

Animal, a Limax.

Shell, univalve, spiral, oval, or oblong: channeled at the base; canal strait and entire, sometimes slightly reflected. Externally studded with spines, tubercles, or folds.

27. TROCHUS.—Plate 28.

Animal, a Limax.

Shell, univalve, conical, spiral; aperture more or less angular, transversely contracted: pillar placed obliquely.

28. TURBO.—Plate 30.

Animal, a Limax.

Shell, univalve, spiral, solid; aperture contracted, orbicular, entire.

29. HELIX.—Plate 32.

Animal, a Limax.

Shell, univalve, spiral, subdiaphanous, brittle; aperture entire, contracted, semilunar or roundish.

30. NERITA.—Plate 35.

Animal, a Limax.

Shell, univalve, solid, somewhat globular, flat beneath; aperture semi-orbicular: pillar-lip oblique relative to the axis of the shell, flattish, truncate, and often toothed; inner lip frequently toothed or crenulated.

31. HALIOTIS.—Plate 36.

Animal, a Limax.

Shell, univalve, ear-shaped, generally flattish; spire lateral, very short; aperture nearly as large as the shell; disk perforated by a row of pores in a line parallel to the edge.

32. PATELLA.—Plate 37.

Animal, a Limax.

Shell, univalve, more or less conic, without a spire.

33. DENTALIUM.—Plate 38.

Animal, a Terebella.

Shell, univalve, tubular, slightly arched, lessening insensibly towards the extremity, and open at both ends.

34. SERPULA.—Plate 38.

Animal, a Terebella.

Shell, univalve, tubular, generally affixed to other bodies, open only at the anterior extremity.

35. TEREDO.—Plate 38.

Animal, a Terebella.

Shell, a cylindrical tube, taper, and flexuous: two testaceous hemispherical valves, truncated on the fore part, and wholly independent of the tube, are attached to the head of the animal. There are also two lanceolate valves near the tail.

LAMARCK'S DIVISIONS
OF
THE LINNEAN GENERA,
REFERRED TO THE FIGURES
OF THE
INDEX TESTACEOLOGICUS.

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
1. Chiton.....	{ Chiton	1	1—38
	{ Chitonellus	1	39—40
2. Lepas	{ Tubicinella.....	1	1
	{ Coronula	1	2
	{ Balanus	1	5
	{ Acasta	1	16
	{ Creusia.....	2	30
	{ Anatifera	2	38
	{ Pollicipes	2	34
	{ Cinaras	2	43
	{ Otion	2	45
3. Pholas	{ Pholas	2	1
	{ Gastrochæna	2	11

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
	{ Mya	2	1
	{ Panopæa	3	41
	{ Glycymeris	2	10
4. Mya	{ Anatina	3	13
	{ Corbula	3	40
	{ Hyria	2	36
	{ Vulsella	11	84
	{ Solen	3	3
5. Solen	{ Sanguinolaria	3	29
	{ Hiatella	3	33
	{ Tellina	4	26
	{ Amphidesma	4	76
6. Tellina	{ Pandora	5	97
	{ Psammobia	4	36
	{ Cyclas	5	90
	{ Cyrena	8	114
7. Cardium	Cardium	5	1—54
	{ Mactra	6	21
8. Mactra	{ Lutraria	6	36
	{ Crassatella	6	16
	{ Donax	6	1
9. Donax	{ Capsa	6	14
	{ Petricola	6	21
	{ Venus	8	67
	{ Venerirupis	8	108
	{ Corbis	8	65
10. Venus	{ Lucina	8	79
	{ Crassina	7	21
	{ Galatea	7	48
	{ Cyprina	7	41
	{ Cytherea	7	46
11 Spondylus	{ Spondylus	9	1
	{ Plicatula	9	3

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
12. Chama	{ Chama	9	18
	{ Cardita	9	4
	{ Cypricardia	9	17
	{ Isocardia	9	1
	{ Tridacna	9	2
	{ Hippopus	9	3
13. Arca	{ Arca	9	2
	{ Cucullæa	9	16
	{ Pectunculus	10	36
	{ Nucula	9	27
14. Ostrea	{ Ostrea	11	74
	{ Crenatula	11	82
	{ Perna	11	80
	{ Malleus	11	58
	{ Pedum	11	75
	{ Lima	11	54
	{ Gryphæa	10	1
15. Anomia.....	{ Pecten	10	1
	{ Anomia	11	3
	{ Placuna	12	30
	{ Crania	11	1
	{ Orbicula	11	2
	{ Terebratula	11	24
16. Mytilus	{ Hyalæa	11	28
	{ Mytilus	12	28
	{ Saxicava	12	9
	{ Anodon	12	32
	{ Modiola	12	31
	{ Avicula	12	42
17. Pinna.....	{ Meleagrina	12	4
	{ Pinna	12	1—20
18. Argonauta.....	{ Argonauta	13	1—3
	{ Carinaria	13	6

LAMARCK'S DIVISIONS OF

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
	Nautilus	13	1
	Orthoceras	13	24
19. Nautilus	Nodosaria	13	27
	Spirula	13	16
	Cristellaria	14	47
20. Conus	Conus	14—16	1—155
21. Cypræa	Cypræa	17	1—67
	Bulla	18	20
	Bullæa	18	14
	Bulimus	34	101
22. Bulla	Achatina	18	53
	Physa	18	37
	Ovula	18	1
	Terebellum	18	41
	Voluta	21	175
	Auricula	19	1
	Ancilla	18	44
	Tornatella	19	13
	Turbinella	21	160
23. Voluta	Cancellaria	20	71
	Columbella	20	74
	Mitra	21	144
	Marginella	20	64
	Volvaria	19	59
	Oliva	19	29
	Buccinum	22	37
	Concholepas	22	56
	Phasianella	23	96
	Cassidaria	22	9
	Cassis	22	14
24. Buccinum	Purpura	22	53
	Monoceros	22	54
	Harpa	22	49
	Dolium	22	6
	Eburna	23	77
	Terebra	24	129

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
25. Strombus	Strombus	25	22
	Pirena	25	40
	Cerithium.....	25	39
	Rostellaria	24	1
	Pteroceras	24	5
26. Murex	Murex	25	6
	Fasciolaria	27	98
	Fusus	26	71
	Pyrula	26	82
	Struthiolaria.....	26	62
	Ranella.....	26	44
	Triton	27	95
27. Trochus.....	Ricinula	26	47
	Trochus	29	66
	Pyramidella	30	122
	Solarium	29	62
	Rotella	29	78
28. Turbo	Turbo	30	34
	Pupa	31	110
	Clausilia	32	146
	Scalaria	31	88
	Delphinula.....	31	83
	Turritella	32	130
29. Helix.....	Helix	33	76
	Paludina	34	119
	Caracolla	33	44
	Anostoma.....	33	26
	Bulimus	34	102
	Succinia	35	171
	Cyclostoma	32	7
	Planorbis	33	55
	Lymnæa	35	166
	Melania	35	164
	Valvata	31	87
	Ampullaria.....	33	71
Janthina	34	116	
Sigaretus	35	187	

<i>Linnean Genera.</i>	<i>Lamarckian Genera.</i>	<i>Plate.</i>	<i>Figure.</i>
30. <i>Nerita</i>	{	<i>Nerita</i>	36 64
		<i>Navicella</i>	37 9
		<i>Neritina</i>	35 31
		<i>Natica</i>	31 1
31. <i>Haliotis</i>	{	<i>Haliotis</i>	36 1—17
		<i>Stomatia</i>	36 18—21
32. <i>Patella</i>	{	<i>Patella</i>	37 27
		<i>Lingula</i>	12 45 & 46
		<i>Umbrella</i>	38 85
		<i>Parmophora</i>	38 84
		<i>Emarginula</i>	38 86
		<i>Fissurella</i>	38 98
		<i>Pileopsis</i>	37 41
		<i>Calyptræa</i>	37 1
		<i>Crepidula</i>	37 10
		<i>Ancylus</i>	37 56
33. <i>Dentalium</i>	{	<i>Stomatella</i>	37 54
		<i>Dentalium</i>	38 1—15
34. <i>Serpula</i>	{	<i>Serpula</i>	38 36
		<i>Siliquaria</i>	38 26
		<i>Spirorbis</i>	38 8
		<i>Vermilia</i>	38 9
		<i>Aspergillum</i>	38 34
		<i>Septaria</i>	38 1—Teredo
35. <i>Teredo</i>	{	<i>Vermetus</i>	38 25
		<i>Teredo</i>	38 2
		<i>Fistulana</i>	38 4

ABBREVIATIONS.

A.	Adanson's <i>Senegal</i> .
B.	Born, <i>Testacea Musei Cæsarei</i> .
Br. E. M.	Bruguiere in <i>Encyclopédie Méthodique</i> , art. <i>Vers</i> .
B. E. C.	Burrow's <i>Elements of Conchology</i> .
C.	Martini et Chemnitz, <i>Historia Conchyliorum</i> .
D'Arg.	D'Argenville, <i>Conchyliologie</i> .
D. C.	Da Costa's <i>British Conchology</i> .
D.	Donovan's <i>Natural History of British Shells</i> .
Dr.	Drapanaud, <i>Histoire Naturelle des Mollusques</i> .
E. M.	<i>Encyclopédie Méthodique</i> , art. <i>Vers testacés</i> .
Fab. F. Gr.	Fabricius, <i>Fauna Groenlandica</i> .
F.	Favanne, <i>Conchyliologie, ou Histoire Naturelle des Coquilles</i> .
Fer.	Ferussac, <i>Histoire Naturelle des Mollusques</i> .
F. T. M.	Fichtell et Moll, <i>Testacea Microscopica</i> .
Geoff.	Geoffroy, <i>Traité Sommaire des Coquilles</i> .
Gm.	Gmelin, <i>Systema Naturæ Linnæi</i> .
G. Z.	Gronovius, <i>Zoophylacium</i> .
G.	Gualtieri, <i>Index Testarum Conchyliorum</i> .
Kæm. Cab. Rudolst.	Kämmerer, <i>Die Conchylien, &c</i> .
Kl. Ost.	Klein, <i>Tentamen Methodi Ostracologicæ</i> .
K.	Knorr, <i>Les Délices des Yeux et de l'Esprit</i> .
L. Z. M.	Leach's <i>Zoological Miscellany</i> .
L. F. S.	Linnæus, <i>Fauna Suecica</i> .
L. M.	Linné, <i>Mantissa altera</i> .
L. M. U.	— <i>Museum Ludovicæ Ulricæ Sueciæ Regiæ</i> .
L. S. N.	— <i>Systema Naturæ</i> . Ed. 12.
L. T.	<i>Linnean Transactions</i> .
L.	Lister, <i>Historia Conchyliorum</i> .

<i>M. U. C.</i>	Martyn's <i>Universal Conchologist</i> .	
<i>M.</i>	Montagu's <i>Testacea Britannica</i> .	
<i>M. Suppl.</i>	————— <i>Supplement</i> .	
<i>M. Z. D.</i>	Müller, <i>Zoologia Danica</i> .	
<i>M. V.</i>	————— <i>Vermium Terrestrium et Fluviatilium</i> .	
<i>P. M. Z.</i>	Pallas, <i>Miscellanea Zoologica</i> .	
<i>P. S. Z.</i>	————— <i>Spicilegia Zoologica</i> .	
<i>P. B. Z.</i>	Pennant's <i>British Zoology</i> . 1812.	
<i>P.</i>	Petiver, <i>Gazophylacium</i> .	
<i>P. Amb.</i>	————— <i>Amboyna Shells</i> .	
<i>P. D. C.</i>	Pultney's <i>Dorset Catalogue</i> .	
<i>R.</i>	Rumphius, <i>Thesaurus Imaginum Piscium Testaceorum</i> .	
<i>S. Conch.</i>	Schreiber's <i>Conchylienkenntniss</i> .	
<i>S. Einl.</i>	Schröter, <i>Einleitung in die Conchylien</i> .	
<i>S. Erd.</i>	————— <i>Erdkonchylien</i> .	
<i>S. Fluss.</i>	————— <i>Flussconch.</i>	
<i>S. N. M.</i>	Shaw's <i>Naturalist's Miscellany</i> .	
<i>Seb.</i>	Seba's <i>Museum</i> .	
<i>W. M. S.</i>	Walker's <i>Minute Shells</i> .	
<i>W.</i>	Wood's <i>General Conchology</i> .	
Fr. w.	Fresh water.	} These abbreviations occur in the fifth column.
L.	Land.	
U.	Unknown.	

DIRECTIONS TO THE BINDER.

Plate	Page	Plate	Page
1 to face	4	19 }	
2	10	20 } to face	102
3	16	21 }	
4	22	22 }	
5	28	23 }	114
6	32	24 }	
7 }		25	118
8 }	40	26 }	
9	44	27 }	132
10	48	28 }	
11	54	29 }	142
12	60	30 }	
13	64	31 }	154
14 }		32 }	
15 }	78	33 }	
16 }		34 }	168
17	84	35 }	
18	88	36	174
		37 }	
		38 }	188

A

CATALOGUE OF SHELLS.

MULTIVALVES.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
I. CHITON. COAT OF MAIL.				
1 squamosus	3203	scaly	<i>P. t.</i> 1, <i>f.</i> 3. <i>B. t.</i> 1, <i>f.</i> 1, 2. <i>E. M. t.</i> 162, <i>f.</i> 5, 6. <i>W. t.</i> 1, <i>f.</i> 1.	America.
2 bistriatus		2-striated	<i>C. 8, t.</i> 94, <i>f.</i> 788-91. <i>W. p.</i> 7.	v.
3 fulvus		tawny	<i>C. 10, t.</i> 173, <i>f.</i> 1691. <i>E. M.</i> <i>t.</i> 161, <i>f.</i> 4, 5. <i>W. p.</i> 7, <i>t.</i> 1, <i>f.</i> 2.	S. America.
4 piceus	3205	pitchy	<i>C. 8, t.</i> 96, <i>f.</i> 807-10. <i>E. M.</i> <i>t.</i> 163, <i>f.</i> 3-5. <i>W. p.</i> 8, <i>t.</i> 1, <i>f.</i> 3.	Red Sea.

B

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
5 granulatus	3205	granulated	<i>C. 8, t. 96, f. 806. W. p. 9.</i>	W. Indies.
6 aculeatus	3202	prickly	<i>C. 10, t. 173, f. 1692. R. t. 10, f. 6. E. M. t. 163, f. 16. W. p. 9.</i>	Asia.
7 fasciatus	3203	β banded	<i>C. 8, t. 95, f. 801. E. M. t. 162, f. 1, 2. W. t. 1, f. 4, 5.</i>	S. Amer.
8 marmoratus	3205	marbled	<i>C. 8, t. 95, f. 803-5. K. 4, t. 17, f. 3, 4. E. M. t. 162, f. 11, 12. W. p. 10.</i>	W. Indies.
9 maculatus	3205	spotted	<i>C. 8, t. 95, f. 802. W. p. 11.</i>	————
10 tunicatus		coated	<i>W. p. 11, t. 2, f. 1.</i>	————
11 Gigas	3206	gigantic	<i>C. 8, t. 96, f. 819. E. M. t. 161, f. 3. W. p. 12.</i>	Cape of Good Hope.
12 amiculatus	3206	kidney-sh.	<i>W. p. 13.</i>	Kurile Islands.
13 castaneus		chesnut	<i>W. p. 13, t. 2, f. 2, 3. & t. 3, f. 2, 3.</i>	u.
14 ruber	3203	red	<i>C. 8, t. 96, f. 813. W. p. 14.</i>	North Sea.
15 punctatus	3203	punctured	<i>W. p. 14. Seb. 3, t. 1, f. 132.</i>	Asia, Eur., & Amer.
16 Indus	3205	Indian	<i>C. 8, t. 96, f. 811. W. p. 15.</i>	W. Indies.
17 viridis		green	<i>C. 10, t. 173, f. 1689. E. M. t. 162, f. 9. W. p. 15.</i>	u.
18 lineatus		striped	<i>W. p. 15, t. 2, f. 4, 5.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 fascicularis	3202	tufted	<i>C.</i> 10, <i>t.</i> 173, <i>f.</i> 1688. <i>E.M.</i> <i>t.</i> 163, <i>f.</i> 15. <i>M.p.</i> 5, <i>t.</i> 27. <i>W.p.</i> 16, <i>t.</i> 2, <i>f.</i> 6.	Britain, &c.
20 sulcatus		furrowed	<i>W.p.</i> 16, <i>t.</i> 3, <i>f.</i> 1.	South Seas.
21 bicolor	3204	2-coloured	<i>C.</i> 8, <i>t.</i> 94, <i>f.</i> 794, 5. <i>W.p.</i> 17.	Indian Seas.
22 cerasinus	3204	cherry	<i>C.</i> 8, <i>t.</i> 94, <i>f.</i> 796. <i>W.p.</i> 17.	u.
23 magellanicus	3204	Magellanic	<i>C.</i> 8, <i>t.</i> 95, <i>f.</i> 797-8. <i>F.t.</i> 74, <i>f.</i> A.1. <i>E.M.t.</i> 160, <i>f.</i> 4, 5. <i>W.t.</i> 3, <i>f.</i> 6.	Str. of Magellan.
24 fuscus	3204	brown	<i>C.</i> 8, <i>t.</i> 95, <i>f.</i> 799, 800. <i>E.M.</i> <i>t.</i> 160, <i>f.</i> 6, 7. <i>W.p.</i> 18.	E. Indies.
25 minimus	3205	mealy	<i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 814. <i>W.p.</i> 19.	Norwegian Sea.
26 Cimex	3206	bug	<i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 815. <i>W.p.</i> 19.	Coast of Norway.
27 Asellus	3206	millepede	<i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 816. <i>E.M.</i> <i>t.</i> 161, <i>f.</i> 12. <i>W.p.</i> 19.	N. Seas.
28 icelandicus	3206	Iceland	<i>W.p.</i> 20.	Iceland.
29 albus	3204	white	<i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 817. <i>L.T.</i> 8, <i>t.</i> 1, <i>f.</i> 4. <i>W.p.</i> 20.	Britain, &c.
30 marginatus	3206	bordered	<i>P.B.Z.</i> 4, <i>t.</i> 39, <i>f.</i> 2. <i>M.p.</i> 1. <i>L.T.</i> 8, <i>t.</i> 1, <i>f.</i> 2. <i>W.p.</i> 21, <i>t.</i> 3, <i>f.</i> 4.	————
31 cinereus	3204	ash-coloured	<i>B.t.</i> 1, <i>f.</i> 3. <i>P.B.Z.</i> 4, <i>t.</i> 39, <i>f.</i> 3. <i>C.</i> 8, <i>t.</i> 96, <i>f.</i> 818. <i>E.M.t.</i> 161, <i>f.</i> 11. <i>M.p.</i> 3. <i>W.p.</i> 21, <i>t.</i> 3, <i>f.</i> 5.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 lævis	3206	smooth	<i>M.p.2. W.p.22.</i>	Britain, &c.
33 tuberculatus	3202	tuberculated	<i>S. Einl. 3, t. 9, f. 19.</i> <i>W.p.22.</i>	S. Amer.
34 tessellatus		tessellated	<i>C. 10, t. 173, f. 1690. E.M.</i> <i>t. 162, f. 10. W.p.23.</i>	Isle of St. Thomas.
35 crinitus	3206	hairy	<i>P.B.Z. 4, t. 39, f. 1. E.M.</i> <i>t. 163, f. 13, 14. M.p. 4.</i> <i>W.p.23.</i>	Scotland.
36 hispidus	3202	hispid	<i>S. Einl. 3, p. 493, t. 9, f. 18.</i> <i>W. p. 24.</i>	America.
37 thalassinus	3206	sea-green	<i>W.p.24.</i>	u.
38 spinosus		spiny	<i>B.E.C. p. 185, t. 26, f. 4.</i>	u.
39 porosus		porous	<i>B.E.C. p. 189, t. 28, f. 1.</i>	u.
40 larvæformis		larva-shaped	<i>B.E.C. p. 191, t. 28, f. 2-4.</i>	u.

II. LEPAS.

BARNACLE.

1 tracheæformis		windpipe	<i>W.p.31, t. 4*, f. 1, 2, 3.</i>	On South Sea whales.
2 Diadema	3208	turban	<i>L. t. 445, f. 288. G. t. 106,</i> <i>f. Q. C. 8, t. 99, f. 843-4.</i> <i>E. M. t. 165, f. 13, 14.</i> <i>W.p.33, t. 4.</i>	Northern Ocean on whales.
3 balænaris	3208	whale	<i>P. t. 1, f. 11. R. t. 14, f. H.</i> <i>C. 8, t. 99, f. 845-6.</i> <i>W.p.35, t. 5, f. 1-3.</i>	North Sea on whales.

CHITON.

Pl. I.



LEPAS



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 testudinaria	3209	turtle	<i>G. t.</i> 106, <i>f.</i> M. <i>P. t.</i> 9, <i>f.</i> 9. <i>K.</i> 3, <i>t.</i> 30, <i>f.</i> 3. <i>F. t.</i> 59, <i>f.</i> A. 4, 5. <i>C.</i> 8, <i>t.</i> 99, <i>f.</i> 847-8. <i>E.M. t.</i> 165, <i>f.</i> 17, 18. <i>W. p.</i> 37, <i>t.</i> 5, <i>f.</i> 4.	Backs of turtles.
5 Tintinnabulum	3208	bell	<i>L. t.</i> 443, <i>f.</i> 285. <i>R. t.</i> 41, <i>f.</i> A. <i>F. t.</i> 59, <i>f.</i> A. 2. <i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 828-31. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 5. <i>D. t.</i> 148. <i>M.</i> <i>p.</i> 10. <i>W. p.</i> 38, <i>t.</i> 6, <i>f.</i> 12.	East Indies.
6 Scotica		Scottish	<i>W. p.</i> 40, <i>t.</i> 6, <i>f.</i> 3.	Scotland.
7 rugosa		wrinkled	<i>M. p.</i> 8. <i>L. T.</i> 8, <i>t.</i> 1, <i>f.</i> 5. <i>W. p.</i> 41, <i>t.</i> 6, <i>f.</i> 4.	Britain, &c.
8 angustata	3212	nar.-mouthed	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 835. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 12. <i>W. p.</i> 41, <i>t.</i> 6, <i>f.</i> 5.	Mediterranean.
9 conoides		conic	<i>M. p.</i> 12. <i>W. p.</i> 42. <i>D.</i> 1, <i>t.</i> 30, <i>f.</i> 3.	Britain.
10 lævis		contracted	<i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 822. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 2.	East Indies.
11 Balanus	3207	common	<i>L. t.</i> 443, <i>f.</i> 286. <i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 820. <i>E.M. t.</i> 164, <i>f.</i> 1. <i>D. t.</i> 30, <i>f.</i> 1. <i>M. p.</i> 6. <i>W. p.</i> 43, <i>t.</i> 7, <i>f.</i> 3.	Britain, &c.
12 balanoides	3207	smooth	<i>L. t.</i> 444, <i>f.</i> 287. <i>C.</i> 8, <i>t.</i> 97, <i>f.</i> 826. <i>E.M. t.</i> 164, <i>f.</i> 3. <i>M. p.</i> 7. <i>W. t.</i> 7, <i>f.</i> 1.	————
13 clavata	3203	club-shaped	<i>C.</i> 8, <i>t.</i> 98, <i>f.</i> 838. <i>E.M.</i> <i>t.</i> 164, <i>f.</i> 7, 8. <i>M. p.</i> 10. <i>W. p.</i> 45, <i>t.</i> 7, <i>f.</i> 2.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 punctata		punctured	<i>P. D. C. t. 1, f. 10. M. p. 8, t. 1, f. 5. W. p. 46.</i>	Britain, &c.
15 costata		ribbed	<i>M. p. 11. D. t. 30, f. 2. W. p. 46.</i>	————
16 spongiosa		sponge	<i>M. Suppl. t. 17, f. 4, 5, 6. W. p. 47.</i>	————
17 galeata	3209	helmet	<i>S. 3, t. 9, f. 20. E. M. t. 165, f. 7, 8. W. p. 48.</i>	On <i>Gorgonia</i> .
18 Psittacus	3212	parrot-beak.	<i>W. p. 49.</i>	Chili.
19 spinosa	3213	spiny	<i>C. 8, t. 98, f. 840, t. 99, f. 841. E. M. t. 164, f. 9, 10. W. p. 49, t. 7, f. 4, 5.</i>	East Indies.
20 minor	3212	flesh-colour.	<i>C. 8, t. 97, f. 827. E. M. t. 164, f. 14. W. p. 50, t. 7, f. 6.</i>	————
21 radiata		rayed	<i>W. p. 50, t. 7, f. 7.</i>	u.
22 palmipes	3209	palmated	<i>W. p. 51.</i>	u.
23 crispata	3214	rugged	<i>E. M. t. 164, f. 11. W. p. 51, t. 8, f. 1-4.</i>	East Indies.
24 porcata		ridged	<i>W. p. 52, t. 8, f. 5.</i>	————
25 violacea	3213	violet	<i>C. 8, t. 99, f. 842. W. p. 53.</i>	Indian Ocean.
26 patellaris	3213	limpet	<i>C. 8, t. 98, f. 839.</i>	Coromandel.
27 hemisphærica		hemispherical	<i>C. 8, t. 98, f. 833. E. M. t. 165, f. 4-6. W. p. 54.</i>	Africa.
28 purpurascens		purple-tipped	<i>W. p. 55, t. 9, f. 1, 2, 3.</i>	South Seas.
29 porosa	3212	porous	<i>C. 8, t. 98, f. 836-7. E. M. t. 165, f. 9, 10. W. p. 56, t. 9, f. 4.</i>	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
30 Verruca	3212	wart-shaped	<i>C. 8, t. 98, f. 834. P.B.Z. 4, t. 41, f. 1. E.M. t. 164, f. 16, 17. D. t. 36, f. 1. M. p. 12. W. p. 57, t. 9, f. 5.</i>	Britain, &c.
31 Stroemia	3214	Norwegian	<i>W. p. 58.</i>	Norway.
32 cariosa	3214	carious	<i>W. p. 58.</i>	Kurile Islands.
33 Mitella	3210	mitre	<i>C. 8, t. 100, f. 849-50. E.M. t. 166, f. 9. W. p. 59, t. 10, f. 1.</i>	Amboyna.
34 pollicipes	3213	cornucopia	<i>L. t. 439, f. 281. C. 8, 100, f. 851-2. E.M. t. 166, f. 10, 11. W. p. 60, t. 10, f. 2.</i>	Mediterranean.
35 Scalpellum	3210	pen-knife	<i>G. t. 106, f. C. E.M. t. 166, f. 7, 8. D. t. 166. M. p. 18, t. 1, f. 3. W. p. 61, t. 10, f. 3.</i>	Britain, &c.
36 fascicularis		bladder	<i>L. t. 439, f. 280. E.M. t. 166, f. 4. D. t. 164. M. p. 557. W. p. 62, t. 10, f. 4.</i>	Britain.
37 anserifera	3210	striated	<i>L. t. 440, f. 283. C. 8, t. 100, f. 856. M. p. 16. W. p. 64, t. 10, f. 5.</i>	Britain, &c.
38 anatifera	3211	duck	<i>G. t. 26, f. E. C. 8, t. 853-5. P.B.Z. 4, t. 41. E.M. t. 166, f. 1. D. t. 7. M. p. 15. W. t. 11.</i>	_____
39 villosa		downy	<i>E.M. t. 166, f. 2. W. p. 67.</i>	Mediterranean.
40 dentata		toothed	<i>L. t. 439, f. 282. E.M. t. 166, f. 6. W. p. 67.</i>	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
41 sulcata		furrowed	<i>M. p.</i> 17, <i>t.</i> 1, <i>f.</i> 6. <i>W. p.</i> 68, <i>t.</i> 12, <i>f.</i> 1.	Britain.
42 dorsalis		Musquito	<i>E.M. t.</i> 166, <i>f.</i> 5.	Musquito coast.
43 vittata		ribbon	<i>W. p.</i> 69, <i>t.</i> 12, <i>f.</i> 2, 3.	Atlantic.
44 membranacea		membranous	<i>M. Suppl. p.</i> 164. <i>W. p.</i> 70.	Britain.
45 aurita		eared	<i>C. 8, t. 100, f. 857-8.</i> <i>W. p.</i> 70, <i>t.</i> 12, <i>f.</i> 4.	North Seas.

III. PHOLAS. PIERCER.

1 Dactylus	3214	prickly	<i>L. t.</i> 433, <i>f.</i> 267. <i>G. t.</i> 105, <i>f.</i> D. <i>C. 8, t.</i> 101, <i>f.</i> 859. <i>D. t.</i> 118. <i>M. p.</i> 20. <i>W. p.</i> 77, <i>t.</i> 13.	Britain, &c.
2 orientalis	3216	Indian	<i>L. t.</i> 431, <i>f.</i> 247. <i>C. 8, t.</i> 101, <i>f.</i> 860. <i>E.M. t.</i> 168, <i>f.</i> 10. <i>W. p.</i> 78, <i>t.</i> 14, <i>f.</i> 1.	Indian Ocean.
3 candida	3215	white	<i>L. t.</i> 435, <i>f.</i> 278. <i>G. t.</i> 105, <i>f.</i> E. <i>C. 8, t.</i> 101, <i>f.</i> 861. <i>D. t.</i> 132. <i>M. p.</i> 25. <i>W.</i> <i>p.</i> 79, <i>t.</i> 14, <i>f.</i> 3, 4.	Britain, &c.
4 costata	3215	ribbed	<i>L. t.</i> 434, <i>f.</i> 277. <i>G. t.</i> 105, <i>f.</i> G. <i>E.M. t.</i> 169, <i>f.</i> 1, 2. <i>C. 8, f.</i> 863. <i>W. p.</i> 80, <i>t.</i> 15, <i>f.</i> 1, 2.	E. Indies & America.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
5 <i>crispata</i>	3216	curled	<i>L. t.</i> 436, <i>f.</i> 279. <i>E.M.</i> <i>t.</i> 169, <i>f.</i> 4,5. <i>C.8,</i> <i>t.</i> 102, <i>f.</i> 872-4. <i>D.t.</i> 62. <i>M.</i> <i>p.</i> 23. <i>W.</i> <i>p.</i> 81, <i>t.</i> 15, <i>f.</i> 3-5.	Britain, &c.
6 <i>parva</i>		small	<i>M.p.</i> 22, <i>t.</i> 1, <i>f.</i> 7, 8. <i>W.p.</i> 82. <i>P.B.Z.</i> 4, <i>pl.</i> 43, <i>f.</i> 1.	Britain.
7 <i>striata</i>	3215	striated	<i>G. t.</i> 105, <i>f.</i> F. <i>E.M.t.</i> 170, <i>f.</i> 1, 2, 3. <i>C.8,</i> <i>t.</i> 102, <i>f.</i> 867 -71. <i>D.t.</i> 117. <i>M.p.</i> 26. <i>W.p.</i> 83, <i>t.</i> 16, <i>f.</i> 1-4.	India & America.
8 <i>falcata</i>		hooked	<i>W.p.</i> 84, <i>t.</i> 16, <i>f.</i> 5-7.	v.
9 <i>cordata</i>	3216	heart-shaped	<i>E. M. t.</i> 169, <i>f.</i> 8-10. <i>W.p.</i> 85.	In corallines.
10 <i>Chiloensis</i>	3217	Chili	<i>W.p.</i> 85.	Chili.
11 <i>hians</i>	3217	gaping	<i>C. 10,</i> <i>t.</i> 172, <i>f.</i> 1678, 1681. <i>W.p.</i> 85.	America.

BIVALVES.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
IV. MYA.		GAPER.		
1 truncata	3217	abrupt	<i>L. t.</i> 428, <i>f.</i> 269. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 2. <i>C.</i> 6, <i>t.</i> 1, <i>f.</i> 1. <i>P.B.Z.</i> 4, <i>t.</i> 44. <i>M.p.</i> 32. <i>W.p.</i> 90, <i>t.</i> 17, <i>f.</i> 1, 2. Britain, &c.	
2 arenaria	3218	sand	<i>L. t.</i> 418, <i>f.</i> 262. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 1. <i>C.</i> 6, <i>t.</i> 1, <i>f.</i> 3, 4. <i>P.B.Z.</i> 4, <i>t.</i> 45. <i>D.t.</i> 85. <i>M. t.</i> 30. <i>W.p.</i> 91, <i>t.</i> 17, <i>f.</i> 3.	————
3 convexa		convex	<i>W.p.</i> 92, <i>t.</i> 18, <i>f.</i> 1.	Britain.
4 declivis		sloping	<i>W.p.</i> 93, <i>t.</i> 18, <i>f.</i> 2, 3.	————
5 prætenuis		spoon-hinge	<i>P.B.Z.</i> 4, <i>t.</i> 50, <i>f.</i> 1. <i>D.t.</i> 176. <i>M.p.</i> 41, <i>t.</i> 1, <i>f.</i> 1. <i>W.p.</i> 94, <i>t.</i> 24, <i>f.</i> 7-9.	————
6 anatina	3221	duck	<i>C.</i> 6, <i>t.</i> 3, <i>f.</i> 13-16. <i>E.M.</i> <i>t.</i> 229, <i>f.</i> 3. <i>W.p.</i> 94.	Africa.
7 globosa		globular	<i>W.p.</i> 95, <i>t.</i> 24, <i>f.</i> 4-6.	u.
8 arctica	3220	arctic	<i>W.p.</i> 95.	North Seas.

LEREIS.

Pl. 2



PHOLAS.



MYA.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
9 edentula	3220	toothless	<i>W.p.</i> 96.	v.
10 picea		pitchy	<i>C.</i> 11, <i>t.</i> 198, <i>f.</i> 1934. <i>W.p.</i> 96, <i>t.</i> 22, <i>f.</i> 5.	v.
11 Nicobarica	3221	Nicobar	<i>C.</i> 6, <i>t.</i> 3, <i>f.</i> 17, 18. <i>W.p.</i> 97.	Nicobar Islands.
12 rostrata		beaked	<i>C.</i> 11, <i>p.</i> 198, <i>f.</i> C. D. <i>W.p.</i> 97.	Bergen.
13 Norwegica	3222	Norway	<i>C.</i> 10, <i>t.</i> 170, <i>f.</i> 1647, 1648. <i>W.p.</i> 98, <i>t.</i> 18, <i>f.</i> 4, 5.	Norway.
14 membranacea	3222	membranous	<i>W.p.</i> 98.	Iceland.
15 distorta		deformed	<i>M.p.</i> 42, <i>t.</i> 1, <i>f.</i> 1.	Britain.
16 bidentata		double-toothed	<i>M.p.</i> 44. <i>W.p.</i> 99.	————
17 decussata		decussated.	<i>M. Suppl.</i> <i>p.</i> 20, <i>t.</i> 28, <i>f.</i> 1. <i>W.p.</i> 99.	Scotland.
18 purpurea		purple	<i>M. Suppl.</i> <i>p.</i> 21. <i>W.p.</i> 100.	Britain.
19 ferruginosa		rusty	<i>M. Suppl.</i> <i>p.</i> 22, <i>t.</i> 26, <i>f.</i> 2. <i>W.p.</i> 100.	Scotland.
20 nitens		glossy	<i>M. Suppl.</i> <i>p.</i> 165. <i>W.p.</i> 101.	————
21 prismatica		prismatic	<i>M. Suppl.</i> <i>p.</i> 23, <i>t.</i> 26, <i>f.</i> 3. <i>W.p.</i> 101.	————
22 substriata		substriated	<i>M. Suppl.</i> <i>p.</i> 25. <i>W.p.</i> 102.	Britain.
23 dubia		dubious	<i>P.B.Z.</i> 4, <i>t.</i> 47. <i>D.</i> <i>t.</i> 108. <i>M.p.</i> 28. <i>W.p.</i> 102, <i>t.</i> 25, <i>f.</i> 2, 3.	————
24 nitida	3222	white	<i>W.p.</i> 103.	Norway.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 Batava		Dutch	<i>C. 6, t. 1, f. 6. D. t. 174. E.M.t.248, f.3. M.p.36. W.p.103, t.19, f.1, 2. Dr. t.10, f.20, & t.21, f.1, 2.</i>	Britain &c.
26 Pictorum		painters	<i>L. t. 146, f. 1, & 147, f. 3. E.M.t.248, f.4. P.B.Z. 4, t.46, f.1. D.t.89. M. p.34. W.p.104, t.19, f.3, 4. Dr. t.11, f.4.</i>	—————
27 ovata		oval	<i>D. t. 101. M. p. 34 & 563. W.p.105, t.19, f.5. Dr. t.11, f.5.</i>	—————
28 crassa		thick	<i>W.p.106, t.20, 21.</i>	China. Fr. w.
29 nodulosa		knotted	<i>W.p.106, t.22, f.1-4.</i>	u.
30 margaritifera 3219		pearl	<i>L.t.149, f.4. C.6, t.1, f.3. E.M.t.249, f.5. P.B.Z. 4, t.46, f.2. D.t.73. M. p. 33. W.p. 107, t. 23, f. 1-3. Dr. t. 10, f. 8, 16 & 19.</i>	Britain, &c.
31 corrugata	3221	wrinkled	<i>C.6, t.3, f.22. E.M.t.248, f.8. W.p.108, t.24, f.1-3.</i>	Coromandel. Fr.w.
32 radiata	3220	radiated	<i>C. 6, t.2, f.7. E.M.t.248, f.5. W.p.109.</i>	Malabar. Fr.w.
33 rugosa	3222	rough	<i>C. 10, t. 170, f. 1649. W.p.109.</i>	Coromandel.
34 nodosa	3222	knobbed	<i>C. 10, t. 170, f. 1650. W.p.110.</i>	
35 spuria	3222	spurious	<i>W.p.210. E.M.t.249, f.3.</i>	Tranquebar. Fr.w.
36 syrmatophora 3222		angular	<i>W.p.210. G.Z.t.18, f.1, 2.</i>	Guinea. Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
37 suborbicularis		roundish	<i>M. Suppl.t.26,f.6.</i>	Britain.
38 variabilis		variable	<i>L. T. 10, t. 24, f. 4-7.</i> <i>W.p.111.</i>	South America. Fr.w.
39 labiata		lipped	<i>L. T. 10, t. 24, f. 1-3.</i> <i>W.p.112.</i>	South America.
40 inequivalvis		unequal-valved	<i>E.M.t.230,f.4. M.p.38.</i> <i>Suppl. t. 26, f. 7. W.</i> <i>p.113.</i>	Britain, &c.
41 Glycimeris	3222	great	<i>L.t.414,f.258. C.6,t.3,</i> <i>f.25. D.t.142. W.p.114,</i> <i>t.25.</i>	Mediterranean.

V. SOLEN. RAZOR.

1 Siliqua	3223	pod	<i>L. t. 409, f. 255. E.M.</i> <i>t.222,f.2. C.6,t.4,f.29.</i> <i>M.p.46. W.p.118,t.26,</i> <i>f.1,2.</i>	Britain, &c.
2 Novacula		Carmarthenshire	<i>M.p.47. W.p.119.</i>	Britain.
3 Vagina	3223	sheath	<i>L.t.410,f.256. D.t.110.</i> <i>W.p.119,t.27,f.1.</i>	————
4 truncatus		truncated	<i>G.t.95,f. D. E.M.t.122,</i> <i>f.1. C.6,t.4,f.28. W.</i> <i>p.121,t.26,f.3,4,t.27,</i> <i>f.2.</i>	American Seas.
5 linearis		slender	<i>C.11,t.198,f.1931,1932.</i> <i>W.p.121,t.27,f.3.</i>	Indian Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Ensis	3224	sword	<i>L. t.</i> 411, <i>f.</i> 257. <i>E.M. t.</i> 223, <i>f.</i> 2, 3. <i>C. 6, t.</i> 4, <i>f.</i> 30. <i>P.B.Z. 4, t.</i> 48, <i>f.</i> 2. <i>D. t.</i> 50. <i>M. p.</i> 48. <i>W. p.</i> 122, <i>t.</i> 28, <i>f.</i> 1, 2. Britain, &c.	
7 pellucidus		transparent	<i>C. 11, t.</i> 198, <i>f.</i> 1940. <i>D. t.</i> 153. <i>M. p.</i> 49. <i>W. p.</i> 123, <i>t.</i> 28, <i>f.</i> 3. Britain.	
8 Legumen	3224	peascod	<i>L. t.</i> 420, <i>f.</i> 264. <i>G. t.</i> 91, <i>f.</i> A. <i>E.M. t.</i> 225, <i>f.</i> 3. <i>C. 6, t.</i> 5, <i>f.</i> 32-34. <i>P.B.Z. 4, t.</i> 49, <i>f.</i> 3. <i>D. t.</i> 58. <i>M. p.</i> 50. <i>W. p.</i> 124, <i>t.</i> 28, <i>f.</i> 4, 5. Britain, &c.	
9 Cultellus	3224	kidney	<i>G. t.</i> 90, <i>f.</i> E. <i>E.M. t.</i> 223, <i>f.</i> 4. <i>C. 6, t.</i> 5, <i>f.</i> 36, 37. <i>P. B. Z. 4, t.</i> 49, <i>f.</i> 2. <i>W. p.</i> 125, <i>t.</i> 29, <i>f.</i> 1, 2. Amboyna.	
10 antiquatus		antiquated	<i>C. 6, t.</i> 6, <i>f.</i> 45. <i>P.B.Z. 4, t.</i> 49, <i>f.</i> 4. <i>D. t.</i> 114. <i>M. p.</i> 52. <i>W. p.</i> 125, <i>t.</i> 29, <i>f.</i> 3. Britain, &c.	
11 fragilis		brittle	<i>C. 11, t.</i> 198, <i>f.</i> 1939. <i>W. p.</i> 126, <i>t.</i> 29, <i>f.</i> 4, 5. Southern Ocean.	
12 strigilatus	3225	strigilated	<i>L. t.</i> 416, <i>f.</i> 260. <i>G. t.</i> 91, <i>f.</i> C. <i>E.M. t.</i> 224, <i>f.</i> 3. <i>C. 6, t.</i> 6, <i>f.</i> 41, 2. <i>W. p.</i> 127, <i>t.</i> 30, <i>f.</i> 1. Mediterranean.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 anatinus	3225	duck-bill	<i>C.t.6, f.46-8. E.M.t.228, f.3. W.p.128, t.30, f.2-4.</i>	Indian Ocean.
14 radiatus	3225	rayed	<i>L. t. 422, f. 266. G. t. 91, f. B. E.M. t. 225, f. 2. C. 6, t. 5, f. 38-40. W. p.128, t.31, f.1,2.</i>	Amboyna.
15 Guineensis		Guinea	<i>C. 11, t. 198, f. 1937. W.p.129.</i>	Coast of Guinea.
16 maximus		largest	<i>W.p.129, t.31, f.3.</i>	Sandwich Isl.
17 magnus		great	<i>C.6, t.5, f.35. W.p.130.</i>	Coast of Nicobar.
18 inflexus		inflected	<i>W.p.131, t.32, f.1,2.</i>	
19 minimus	3227	little	<i>C. 6, t. 5, f. 31. a. b. W.p.131.</i>	Tranquebar.
20 Macha	3226	Molini's	<i>W.p.132.</i>	Chili.
21 virens	3226	green	<i>W.p.132.</i>	Java.
22 Diphos	3226	violet	<i>C.6, t.7, f. 53-4. Item 11, t.198, f.1933. W.p.133, t.32, f.3.</i>	Indian Ocean.
23 roseus	3227	rose-colour.	<i>C.6, t.7, f.55. W.p.133.</i>	Red Sea.
24 striatus	3227	striated	<i>C.6, t.7, f.57, 58. W.p.134.</i>	Nicobar Islands.
25 castrensis		zig-zag	<i>C. 11, t. 198, f. 1935-6. W.p.134.</i>	Coast of Guinea.
26 biradiatus		double-rayed	<i>W.p.135, t.33, f.1.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
27 vespertinus	3228	variable	<i>C.t.7, f.59,60. P.B.Z.4, t.38 lower figure & t.50, f.2. D.t.41, f.2. M.p.54. W.p.135, t.33, f.2,3.</i>	Britain, &c.
28 sanguinolentus	3227	sanguine	<i>L. t. 397, f. 236. E.M. t.227, f.1. C.6, t.7, f.56. W.p.136, t.33, f.4,5.</i>	Jamaica, &c.
29 occidentis	3228	spotted	<i>C.6, t.7, f.61. W.p.137.</i>	Western Ocean.
30 Spengleri	3228	Spengler's	<i>W.p.137.</i>	
31 Amethystus		amethystine	<i>K. 6, t. 12, f.2. C. 6, t.10, f.93. W.p.138, t.34, f.1.</i>	India.
32 variegatus		variegated	<i>W.p.139, t.34, f.2-4.</i>	
33 minutus	3226	minute	<i>C.t.6, f.50,51. E.M.t.234, f.4. M.p.53, t.1, f.4. W.p.139, t.34, f.5,6.</i>	Britain.
34 squamosus		scale-like	<i>M.p.565. W.p.140.</i>	————
35 Pinna		semi-oval	<i>P. B. Z. 4, t. 67, f. 3. M. p. 566, t. 15, f. 3. W.p.141.</i>	————

VI. TELLINA.

TELLEN.

1 Gargadia	3228	toothed	<i>C. 6, t. 8, f. 63, 64. a. b. W.p.144.</i>	Indian Ocean.
------------	------	---------	--	---------------



37 n



38 a



39 a



40 n



41 y



1 b



8 c

SOLEN.



3 e



4 d



5 c



6 e



7 a



9 b+



10 b




11 a+



12 b



13 b



14 d



15 c



16 e



17 d



18 c



19 a




22 d



23 b



24 a



25 a



26 b



27 a+



28 b



29 b+



30 b



31 b



32 a



33 +




35 +


TELLINA.



1 n+



2 a+



3 b+




4 b+



5 b



6 a+



7 a



8 a+



9 b



10 a



11 b



12 a+



13 +



14 +



15 b



16 m



17 a



17 a



19 n



20 c



22 +



23 +



24 b



25 c

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 <i>Lingua felis</i>	3229	cat's tongue	<i>G.t.</i> 76, <i>f.</i> B. <i>E.M.t.</i> 289, <i>f.</i> 6. <i>C.6, t. 8, f.</i> 65. <i>W.</i> <i>p.</i> 144, <i>t.</i> 40, <i>f.</i> 2, 3.	Ind. Ocean.
3 <i>virgata</i>	3229	striped	<i>G.t.</i> 86, <i>f.</i> G. <i>E.M.t.</i> 288, <i>f.</i> 2. <i>C. 6, t. 8, f.</i> 66-72. <i>W.p.</i> 145.	Atlantic.
4 <i>interrupta</i>		freckled	<i>L. t.</i> 399, <i>f.</i> 238. <i>E. M.</i> <i>t.</i> 288, <i>f.</i> 7. <i>C. 6, t. 8,</i> <i>f.</i> 73. <i>W. p.</i> 146, <i>t.</i> 36, <i>f.</i> 3. S. America & India.	
5 <i>angulata</i>	3229	angular	<i>L. t.</i> 406, <i>f.</i> 252. <i>E. M.</i> <i>t.</i> 290, <i>f.</i> 3. <i>C. 6, t. 9,</i> <i>f.</i> 75. <i>W.p.</i> 146, <i>t.</i> 43, <i>f.</i> 1. Indian Ocean.	
6 <i>Gari</i>	3229	varying	<i>K.6, t. 12, f.</i> 2. <i>C. 6, t. 10,</i> <i>f.</i> 92. <i>W.p.</i> 147.	————
7 <i>fragilis</i>	3230	brittle	<i>C. 6, t. 9, f.</i> 84. <i>W.p.</i> 148.	Eur. Ocean & Caspian Sea.
8 <i>rugosa</i>	3230	rugged	<i>C.6,t.8, f.</i> 62. <i>E.M.t.</i> 290, <i>f.</i> 1. <i>W. p.</i> 148, <i>t.</i> 41, <i>f.</i> 2, 3. India & S. Amer.	
9 <i>inflata</i>	3230	inflated	<i>C. 6, t. 9, f.</i> 76. <i>W.p.</i> 149.	u.
10 <i>crystallina</i>		pellucid	<i>C.11,t.199, f.</i> 1947-8	u.
11 <i>multangula</i>	3230	multangular	<i>C.6,t.9, f.</i> 77. <i>W.p.</i> 150.	Tranquebar.
12 <i>papyracea</i>	3231	paper	<i>C. 6, t. 9, f.</i> 78. <i>E. M.</i> <i>t.</i> 290, <i>f.</i> 14. <i>W.p.</i> 150.	Coast of Guinea.
13 <i>gibbosa</i>	3231	gibbous	<i>G.t.</i> 77, <i>f.</i> Q. <i>W.p.</i> 151.	u.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 inæquilatera	3231	unequal-sided	<i>G.t.88, f.C. W.p.151.</i>	u.
15 Knorrii	3231	Knorr's	<i>K.5, t.21, f.5. W.p.151.</i>	u.
16 pusilla	3231	minute	<i>W.p.152. S. Fluss. t.4, f.7, a.b.</i>	Europe, Fr. w.
17 obliqua		oblique	<i>W.p.152, t.41, f.4,5.</i>	u.
18 maculata		spotted	<i>L.T.3, p.252. W.p.153.</i>	Britain.
19 amnica		river	<i>G. t.7, f.C.C. C. 6, t.13, f.134. D. t.64, f.2. M. p.86. W. p.153, t.47, f.6. Dr. t.10, f.17.</i>	Britain, Fr. w.
20 foliacea	3232	foliaceous	<i>C. 6, t.10, f.95. E. M. t.287, f.4. W.p.154, t.36, f.1.</i>	Indian Ocean.
21 albida	3231	whitish	<i>W.p.154.</i>	Europe.
22 tenuis		thin	<i>L.t.405, f.251. C.6, t.12, f.117. D.t.19, f.2. M. p.59. W.p.155, t.44, f.3,4.</i>	Britain, &c.
23 fabula	3239	semi-striated	<i>D.t.97. M.p.61. W.p.156, t.45, f.4.</i>	-----
24 planata	3232	flat	<i>B.t.2, f.9. G. t.89, f.G. W.p.157.</i>	u.
25 acuta		sharp-edged	<i>W.p.157, t.44, f.1.</i>	West Indies.
26 radiata	3232	rayed	<i>L. t.393, f.240. G. t.89, f.1. E.M. t.289, f.2. C. 6, t.11, f.102. W. p.158, t.38, f.2,3.</i>	S. America.
27 saúguinea		red	<i>W.p.159, t.44, f.2.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 rostrata	3232	beaked	<i>L. t.</i> 382, <i>f.</i> 225. <i>G. t.</i> 88, <i>f.</i> T. <i>E. M. t.</i> 289, <i>f.</i> 1. <i>C. 6, t.</i> 11, <i>f.</i> 105. <i>W.</i> <i>p.</i> 159, <i>t.</i> 37, <i>f.</i> 3. Indian Ocean.	
29 lævigata	3232	smooth	<i>L. t.</i> 387, <i>f.</i> 234. <i>C. 6, t.</i> 12, <i>f.</i> 111. <i>W. p.</i> 160, <i>t.</i> 41, <i>f.</i> 1. Europe and India.	
30 trifasciata	3232	3-banded	<i>C. 6, t.</i> 12, <i>f.</i> 114. a. b. <i>W. p.</i> 161. European Ocean.	
31 donacina	3234	Donax	<i>G. t.</i> 88, <i>f.</i> N. <i>M. p.</i> 58. <i>W. p.</i> 161, <i>t.</i> 45, <i>f.</i> 5. Britain, &c.	
32 truncata	3234	truncated	<i>W. p.</i> 162.	Java.
33 trilatera	3234	triangular	<i>C. 6, t.</i> 10, <i>f.</i> 85. <i>W. p.</i> 162.	—
34 oblonga	3234	oblong	<i>C. 6, t.</i> 10, <i>f.</i> 87. <i>W. p.</i> 163.	Europe.
35 Spengleri	3234	Spengler's	<i>L. t.</i> 398, <i>f.</i> 237. <i>E. M.</i> <i>t.</i> 287, <i>f.</i> 5. <i>C. 6, t.</i> 10, <i>f.</i> 88-90. <i>W. p.</i> 163, <i>t.</i> 37, <i>f.</i> 2. Indian Ocean.	
36 Ferröensis	3235	carnation	<i>L. t.</i> 394, <i>f.</i> 241. <i>C. 6, t.</i> 10, <i>f.</i> 91. <i>P. B. Z.</i> 4, <i>t.</i> 5, <i>f.</i> 3. <i>D. t.</i> 60. <i>W. p.</i> 164, <i>t.</i> 45, <i>f.</i> 1. Britain, &c.	
37 operculata	3235	blushing	<i>K. 6, t.</i> 12, <i>f.</i> 1. <i>C. 6, t.</i> 11, <i>f.</i> 97. <i>W. p.</i> 165, <i>t.</i> 42, <i>f.</i> 1.	Indian Ocean.
38 alba	3235	β white	<i>C. 6, t.</i> 11, <i>f.</i> 98.	v.
39 hyalina	3235	glassy	<i>C. 6, t.</i> 11, <i>f.</i> 99. <i>W. p.</i> 166.	I. Ocean.
40 lanceolata	3236	lance-shaped	<i>C. t.</i> 11, <i>f.</i> 103. <i>W. p.</i> 107, <i>t.</i> 45, <i>f.</i> 2.	India.
41 opalina	3236	opaline	<i>C. 6, t.</i> 12, <i>f.</i> 107. <i>W. p.</i> 167.	—

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
42 coccinea.	3236	scarlet	<i>C.6,t.12,f.109.</i>	Mediterranean.
43 calcarea	3236	chalky	<i>C.6,t.13,f.136.</i>	<i>W.p.168.</i> Irish Sea.
44 pectinata	3236	Lister's	<i>L.t.300,f.137.</i>	<i>W.p.169.</i> E. Ind.
45 angusta	3236	narrow	<i>L.t.383,f.226.</i>	<i>W.p.169.</i> Scotland?
46 Madagasca- riensis	3237	Madagascar	<i>L.t.386,f.233.</i>	<i>W.p.169,</i> <i>t.39,f.2,3.</i> Madagascar.
47 punicea	3239	flat-striated	<i>D. t. 123. M. p. 57.</i>	<i>W.p.170,t.39,f.1.</i> Britain, &c.
48 depressa	3238	depressed	<i>G.t.88,f.L. C.6,t.10,f.96.</i>	<i>D.t.163. M.p.56. W.</i> <i>p.171,t.45,f.3.</i> ———
49 purpurascens	3237	purple	<i>L.t.391,f.230.</i>	<i>W.p.172.</i> u.
50 aspera	3237	rough	<i>W.p.172.</i>	u.
51 triangularis	3237	subcuneated	<i>L.t.401,f.244.</i>	<i>W.p.173.</i> u.
52 lata	3237	broad	<i>L.t.407,f.253.</i>	<i>W.p.173.</i> Norway.
53 Jamaicensis	3237	Jamaica	<i>L.t.408,f.254.</i>	<i>W.p.173.</i> Jamaica.
54 albicans	3238	whitish	<i>G.t.77,f.H.</i>	<i>W.p.174.</i> u.
55 rufescens	3238	reddish	<i>G.t.85,f.C.</i>	<i>W.p.174.</i> u.
56 fasciata	3238	banded	<i>G.t.89,f.B.</i>	<i>W.p.174.</i> u.
57 striata	3238	striated	<i>G. t. 89, f. C. M. p. 60.</i>	<i>W.p.175.</i> Britain, &c.
58 rosea	3238	rosy	<i>K.5,t.9,f.3.</i>	<i>W.p.175.</i> u.
59 Adansoni	3239	Adanson's	<i>W.p.176.</i>	Africa.
60 cancellata	3239	reticulated	<i>W.p.176.</i>	Island of Goree.
61 strigosa	3239	fasciated	<i>W.p.177.</i>	Moluccas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 nivea		snowy	<i>W.p.</i> 177, <i>t.</i> 46, <i>f.</i> 1.	America.
63 sulcata		sulcated	<i>W.p.</i> 178, <i>t.</i> 47, <i>f.</i> 1.	u.
64 angulosa	3244	angular	<i>C.</i> 10, <i>t.</i> 170, <i>f.</i> 1654-5. <i>W.p.</i> 178.	u.
65 Laskeyi		Laskey's	<i>M. Suppl.t.</i> 28, <i>f.</i> 3.	Frith of Forth.
66 balaustina	3239	pomegranate flower	<i>W.p.</i> 180.	Mediterranean.
67 scobinata	3240	rasp	<i>L. t.</i> 203, <i>f.</i> 143. <i>G. t.</i> 76, <i>f.</i> E. <i>E.M. t.</i> 291, <i>f.</i> 4. <i>C. 6, t.</i> 13, <i>f.</i> 122-4. <i>W.</i> <i>p.</i> 180, <i>t.</i> 35, <i>f.</i> 1.	Indian Ocean.
68 lævis		smooth	<i>L.t.</i> 266, <i>f.</i> 102. <i>C.6,t.</i> 12, <i>f.</i> 112. <i>W.p.</i> 181, <i>t.</i> 37, <i>f.</i> 1.	West Indies.
69 Remies	3239	waved	<i>C.6,t.</i> 12, <i>f.</i> 113. <i>W.p.</i> 182, <i>t.</i> 38, <i>f.</i> 1.	India & America.
70 reticulata	3240	lattice	<i>C.6,t.</i> 12, <i>f.</i> 118. <i>M.p.</i> 66. <i>W.p.</i> 182, <i>t.</i> 42, <i>f.</i> 2,3.	Britain, &c.
71 Radula		thread-girded	<i>D. t.</i> 130. <i>M. p.</i> 68, <i>t.</i> 2, <i>f.</i> 1,2. <i>W.p.</i> 183, <i>t.</i> 42, <i>f.</i> 4,5.	_____
72 scabra		rough	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1943-44. <i>W.p.</i> 184.	W. Indies.
73 muricata		prickly	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1945-46. <i>W.p.</i> 185.	_____
74 fausta		obsolete	<i>E.M. t.</i> 290, <i>f.</i> 2. <i>D.t.</i> 98. <i>M.p.</i> 64. <i>W.p.</i> 185.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
75 crassa		thick	<i>L.t.</i> 299, <i>f.</i> 136. <i>P.B.Z.</i> 4, <i>t.</i> 51, <i>f.</i> 1. <i>D.t.</i> 103. <i>M.</i> <i>p.</i> 65. <i>W.p.</i> 186, <i>t.</i> 40, <i>f.</i> 1.	Britain, &c.
76 lactea	3240	milky	<i>G.t.</i> 71, <i>f.</i> D. <i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 125. <i>M.p.</i> 70, <i>t.</i> 2, <i>f.</i> 4. <i>W.p.</i> 187.	Britain.
77 rotundata		round	<i>M.p.</i> 71, <i>t.</i> 2, <i>f.</i> 3. <i>W.p.</i> 187.	————
78 flexuosa		crooked	<i>D.t.</i> 42, <i>f.</i> 2. <i>M.p.</i> 72. <i>W.p.</i> 188, <i>t.</i> 47, <i>f.</i> 7,8.	————
79 carnaria	3240	flesh-colour.	<i>L.t.</i> 339, <i>f.</i> 176. <i>C.</i> 6, <i>t.</i> 15, <i>f.</i> 126. <i>D.t.</i> 47. <i>M.p.</i> 73. <i>W.p.</i> 189, <i>t.</i> 40, <i>f.</i> 4,5.	American Ocean.
80 polygona	3244	polygonal	<i>C.</i> 10, <i>t.</i> 170, <i>f.</i> 1650-3. <i>M. Suppl. t.</i> 28, <i>f.</i> 4. <i>W.p.</i> 190.	Indian Ocean.
81 decussata		decussated	<i>W.p.</i> 190, <i>t.</i> 43, <i>f.</i> 2,3.	u.
82 cordiformis		heart-shaped	<i>C.</i> 11, <i>t.</i> 199, <i>f.</i> 1941-2. <i>W.p.</i> 191, <i>t.</i> 43, <i>f.</i> 4,5.	W. Indies.
83 bimaculata	3240	double-spotted	<i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 127. <i>D.t.</i> 19, <i>f.</i> 1,2. <i>M.p.</i> 59. <i>W.p.</i> 192, <i>t.</i> 45, <i>f.</i> 6,7.	Britain, &c.
84 solidula		solid	<i>L.t.</i> 405, <i>f.</i> 250. <i>C.</i> 6, <i>t.</i> 12, <i>f.</i> 110. <i>P.B.Z.</i> 4, <i>t.</i> 52, <i>f.</i> 2. <i>M.p.</i> 63. <i>W.p.</i> 193, <i>t.</i> 46, <i>f.</i> 2.	————
85 Balthica	3241	Baltic	<i>C.</i> 6, <i>t.</i> 13, <i>f.</i> 128. <i>W.p.</i> 194.	Baltic Sea.
86 pisiformis	3241	pea	<i>W.p.</i> 194.	Eur. mouths of rivers.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
87 divaricata	3241	obliquely striated	<i>L. t. 301, f. 142. E.M. t. 289, f. 4. C. 6, t. 13, f. 129. W. p. 195, t. 46, f. 6.</i>	Mediterranean.
88 dentata		toothed	<i>W. p. 195, t. 46, f. 7.</i>	u.
89 digitaria	3241	digital	<i>C. 6, t. 12, f. 121. E.M. t. 292, f. 6. W. p. 196.</i>	America.
90 cornea	3241	horn-coloured	<i>L. t. 159, f. 14. G. t. 7, f. C. C. 6, t. 13, f. 133. a. b. E.M. t. 302, f. 5. P.B.Z. 4, t. 52, f. 3. D. t. 95. M. p. 86. W. p. 196, t. 46, f. 3. Dr. t. 10, f. 1-3.</i>	Britain, &c. Fr. w.
91 lacustris	3242	lake	<i>C. 6, t. 13, f. 135. E.M. t. 302, f. 6. M. p. 89. W. p. 197, t. 47, f. 5. Dr. t. 10, f. 14 & 15.</i>	—————
92 Iberica	3243	Spanish	<i>W. p. 198.</i>	Shores of Spain.
93 sinuosa	3243	sinuous	<i>G. t. 77, f. D.E. W. p. 198.</i>	
94 Gallica	3244	French	<i>W. p. 199.</i>	River Marne, France.
95 Senegalensis	3244	Senegal	<i>W. p. 199.</i>	Africa.
96 limosa		Maton's	<i>W. p. 199, t. 46, f. 4, 5.</i>	S. America. Fr. w.
97 inæqualvis	3233	unequal-valved	<i>C. 6, t. 11, f. 106. a-d. D. t. 41, f. 1. M. p. 75. W. p. 201, t. 47, f. 2-4.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
VII. CARDIUM. COCKLE.				
1 aculeatum	3247	spiny	<i>L. t.</i> 321, <i>f.</i> 158. <i>G. t.</i> 72, <i>f.</i> A. <i>E. M. t.</i> 298, <i>f.</i> 1. <i>C. 6, t.</i> 15, <i>f.</i> 155-7. <i>P. B. Z. 4, t.</i> 53, <i>f.</i> 1. <i>D. t.</i> 6. <i>M. p.</i> 77. <i>W. p.</i> 207, <i>t.</i> 51, <i>f.</i> 1.	Britain, &c.
2 echinatum	3247	thorny	<i>L. t.</i> 324, <i>f.</i> 161. <i>E. M. t.</i> 298, <i>f.</i> 3. <i>C. 6, t.</i> 15, <i>f.</i> 158. <i>D. t.</i> 107, <i>f.</i> 1. <i>M. p.</i> 78. <i>W. p.</i> 208, <i>t.</i> 49, <i>f.</i> 1, 2.	————
3 ciliare	3248	fringed	<i>L. t.</i> 325, <i>f.</i> 162. <i>G. t.</i> 72, <i>f.</i> C. <i>C. 6, t.</i> 17, <i>f.</i> 171-2. <i>P. B. Z. 4, t.</i> 53, <i>f.</i> 2. <i>D. t.</i> 32, <i>f.</i> 2. <i>M. p.</i> 79. <i>W. t.</i> 49, <i>f.</i> 3, 4.	————
4 tuberculatum	3248	tuberculated	<i>L. t.</i> 329, <i>f.</i> 166. <i>G. t.</i> 71, <i>f.</i> M. <i>C. 6, t.</i> 15, <i>f.</i> 173, & <i>t.</i> 19, <i>f.</i> 191. <i>D. t.</i> 107, <i>f.</i> 2. <i>M. p.</i> 79 & 568. <i>W. p.</i> 210, <i>t.</i> 50, <i>f.</i> 1, 2.	————
5 medium	3246	marbled	<i>L. t.</i> 316, <i>f.</i> 153. <i>E. M. t.</i> 296, <i>f.</i> 1. <i>C. 6, t.</i> 16, <i>f.</i> 162-4. <i>D. t.</i> 32, <i>f.</i> 1. <i>M. p.</i> 83. <i>W. p.</i> 211, <i>t.</i> 50, <i>f.</i> 3.	India and America.
6 exiguum	3255	pigmy	<i>L. t.</i> 317, <i>f.</i> 154. <i>D. t.</i> 32, <i>f.</i> 3. <i>M. p.</i> 82. <i>W. p.</i> 212.	Britain.
7 nodosum		knotty	<i>M. p.</i> 81. <i>W. p.</i> 212.	————
8 rubrum		red	<i>M. p.</i> 83. <i>W. p.</i> 212.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
9 arcuatum		waved	<i>M.p.</i> 85, <i>t.</i> 3, <i>f.</i> 2. <i>W.p.</i> 213.	Britain.
10 discors		pea	<i>M.p.</i> 84. <i>W.p.</i> 214.	———?
11 elongatum		lengthened	<i>M.p.</i> 82. <i>W.p.</i> 214.	———
12 muricatum		microscopic	<i>M.p.</i> 85. <i>W.p.</i> 215.	———
13 fasciatum		banded	<i>M. Suppl.</i> , <i>p.</i> 30, <i>t.</i> 27, <i>f.</i> 6. <i>W.p.</i> 215.	———
14 muricatum	3250	prickly	<i>L. t.</i> 322, <i>f.</i> 159. <i>K.4</i> , <i>t.</i> 14, <i>f.</i> 5. <i>C. 6</i> , <i>t.</i> 17, <i>f.</i> 177. <i>W.p.</i> 216, <i>t.</i> 51, <i>f.</i> 2, 3. <i>W. Indies.</i>	
15 Isocardia	3249	imbricated	<i>L. t.</i> 323, <i>f.</i> 160. <i>C.6</i> , <i>t.</i> 17, <i>f.</i> 174-6. <i>E.M.t.</i> 297, <i>f.</i> 4. <i>W. p.</i> 217, <i>t.</i> 52, <i>f.</i> 1, 2. <i>E. & W. Indies.</i>	
16 glaucum	3253	greenish	<i>W.p.</i> 218. <i>Mediterranean.</i>	
17 maculosum		mottled	<i>W.p.</i> 218, <i>t.</i> 52, <i>f.</i> 3. <i>v.</i>	
18 ringens	3254	toothed	<i>L.t.</i> 330, <i>f.</i> 167. <i>K.4</i> , <i>t.</i> 14, <i>f.</i> 3. <i>C.6</i> , <i>t.</i> 16, <i>f.</i> 170. <i>E.M.t.</i> 296, <i>f.</i> 3. <i>W.</i> <i>p.</i> 219, <i>t.</i> 53, <i>f.</i> 1, 2. <i>Africa.</i>	
19 ventricosum		prominent	<i>L. t.</i> 328, <i>f.</i> 165. <i>E.M.</i> <i>t.</i> 299, <i>f.</i> 1. <i>W.p.</i> 220. <i>Coast of Campeachy.</i>	
20 magnum	3250	great	<i>L.t.</i> 331, <i>f.</i> 168. <i>C.6</i> , <i>t.</i> 17, <i>f.</i> 179. <i>E.M.t.</i> 297, <i>f.</i> 3. <i>W.p.</i> 221, <i>t.</i> 53, <i>f.</i> 3. <i>W.Indies.</i>	
21 lævigatum	3251	smooth	<i>L. t.</i> 332, <i>f.</i> 169. <i>P.B.Z.4</i> , <i>t.</i> 54. <i>D.t.</i> 54. <i>M.p.</i> 80. <i>W.p.</i> 222, <i>t.</i> 54, <i>f.</i> 1, 2. <i>Britain & c.</i>	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 citrinum	3251	citron [<i>serratum.</i>]	<i>G.t.</i> 82, <i>f.</i> A. <i>C. 6, t.</i> 18, <i>f.</i> 189. <i>W.p.</i> 223, <i>t.</i> 44, <i>f.</i> 3. India and S. America.	
23 oblongum	3254	oblong	<i>C. 6, t.</i> 19, <i>f.</i> 190. <i>E.M.</i> <i>t.</i> 298, <i>f.</i> 5. <i>W.p.</i> 223, <i>t.</i> 55, <i>f.</i> 1. Mediterranean.	
24 flavum	3251	yellow	<i>S. Eiml.</i> 2, <i>t.</i> 7, <i>f.</i> 11. a. b. <i>W.p.</i> 224. Coast of Coromandel.	
25 rusticum	3252	banded	<i>C. 6, t.</i> 19, <i>f.</i> 197. <i>W.p.</i> 225, <i>t.</i> 55, <i>f.</i> 2, 3. European Seas.	
26 edule	3252	common	<i>L.t.</i> 334, <i>f.</i> 171. <i>G.t.</i> 71, <i>f.</i> F. <i>C. 6, t.</i> 19, <i>f.</i> 194. <i>E.M.</i> <i>t.</i> 300, <i>f.</i> 5. <i>P.B.Z.</i> 4, <i>t.</i> 53, <i>f.</i> 3. <i>D.t.</i> 124. <i>M.</i> <i>p.</i> 76. <i>W.p.</i> 226, <i>t.</i> 55, <i>f.</i> 4. Europe.	
27 Icelandicum	3252	Iceland	<i>C. 6, t.</i> 19, <i>f.</i> 195-6. <i>E.M.</i> <i>t.</i> 300, <i>f.</i> 8. <i>W.p.</i> 227. Iceland.	
28 Grœnlandi- cum	3252	Greenland	<i>C. 6, t.</i> 19, <i>f.</i> 198. <i>E.M.</i> <i>t.</i> 300, <i>f.</i> 7. <i>W.p.</i> 227. Greenland.	
29 regulare		equal-sided	<i>W.p.</i> 228. West Indies.	
30 pectinatum	3253	pectinated	<i>G.t.</i> 75, <i>f.</i> A. <i>W.p.</i> 229. Mediterranean.	
31 Auricula	3253	eared	<i>W.p.</i> 229. Arabia.	
32 Lima	3253	Asiatic	<i>E.M. t.</i> 292, <i>f.</i> 1. a. b. <i>C. 6,</i> <i>t.</i> 15, <i>f.</i> 153-4. <i>W.p.</i> 230. Indian Ocean.	
33 papyraceum	3254	paper	<i>C. 6, t.</i> 18, <i>f.</i> 184. <i>W.p.</i> 230, <i>t.</i> 55, <i>f.</i> 5. _____	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 <i>costatum</i>	3244	ribbed	<i>L. t.</i> 327, <i>f.</i> 164. <i>G. t.</i> 72, <i>f.</i> D. <i>C. 6, t.</i> 15, <i>f.</i> 151-2. <i>E. M. t.</i> 293, <i>f.</i> 1. <i>W.</i> <i>p.</i> 231, <i>t.</i> 56, <i>f.</i> 1.	Africa.
35 <i>apertum</i>		gaping	<i>C. 6, t.</i> 18, <i>f.</i> 181-3. <i>E. M.</i> <i>t.</i> 296, <i>f.</i> 5. <i>W. p.</i> 232, <i>t.</i> 56, <i>f.</i> 2.	Asia & S. America.
36 <i>soleniforme</i>	3226	solen [<i>S. bullatus.</i>]	<i>L. t.</i> 342, <i>f.</i> 179. <i>G. t.</i> 85, <i>f.</i> H. <i>E. M. t.</i> 296, <i>f.</i> 6. <i>C. 6, t.</i> 6, <i>f.</i> 49, 50. <i>W.</i> <i>p.</i> 233, <i>t.</i> 56, <i>f.</i> 3.	S. America.
37 <i>pecteniforme</i>		pecten	<i>G. t.</i> 71, <i>f.</i> H. <i>C. 6, t.</i> 17, <i>f.</i> 180. <i>W. p.</i> 233.	u.
38 <i>Donaciforme</i>		Donax	<i>C. 6, t.</i> 16, <i>f.</i> 165. <i>W. p.</i> 234.	Indian Ocean.
39 <i>fimbriatum</i>		furbeled	<i>W. p.</i> 234, <i>t.</i> 56, <i>f.</i> 4, 5. <i>S. Einl.</i> 2, <i>t.</i> 7, <i>f.</i> 13?	u.
40 <i>Æolicum</i>	3254	Janus	<i>L. t.</i> 314, <i>f.</i> 150. <i>C. 6, t.</i> 18, <i>f.</i> 187-8. <i>E. M. t.</i> 296, <i>f.</i> 4. <i>W. p.</i> 235, <i>t.</i> 57, <i>f.</i> 1.	Ind. & China.
41 <i>rigidum</i>		rough	<i>W. p.</i> 236, <i>t.</i> 57, <i>f.</i> 1, 2.	u.
42 <i>latum</i>	3254	broad	<i>C. 6, t.</i> 19, <i>f.</i> 192-3. <i>W. p.</i> 236, <i>t.</i> 57, <i>f.</i> 4, 5.	Ind. Ocean.
43 <i>flexuosum</i>	3255	flexuous	<i>L. t.</i> 343, <i>f.</i> 180.	u.
44 <i>rubiginosum</i>	3256	rusty	<i>G. t.</i> 83, <i>f.</i> D. <i>W. p.</i> 238.	u.
45 <i>albidum</i>	3256	whitish	<i>G. t.</i> 83, <i>f.</i> H. <i>W. p.</i> 238.	u.
46 <i>virescens</i>	3256	greenish	<i>G. t.</i> 84, <i>f.</i> A. <i>W. p.</i> 238.	u.
47 <i>lineatum</i>	3246	streaked	<i>E. M. t.</i> 298, <i>f.</i> 6. <i>W. p.</i> 239.	u.
48 <i>roseum</i>	3245	rose	<i>E. M. t.</i> 294, <i>f.</i> 2. <i>C. 6, t.</i> 14, <i>f.</i> 147. <i>W. p.</i> 239, <i>t.</i> 57, <i>f.</i> 6.	Nicobar Isl. & Gulf of Bengal.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
49 hemicardium	3246	triangular	<i>G.t.</i> 83, <i>f.c.</i> <i>E.M.t.</i> 295, <i>f.2.</i> <i>C.6,t.16,f.159-61.</i> <i>W.p.240,t.57,f.7,8.</i>	E. Indies.
50 Fragum	3249	strawberry	<i>L.t.</i> 315, <i>f.152.</i> <i>G.t.</i> 83, <i>f.E.</i> <i>C.6,t.16,f.166-7.</i> <i>E.M.t.</i> 295, <i>f.3.</i> <i>W.</i> <i>p.241,t.58,f.1,2.</i>	Indian Seas.
51 Unedo	3250	white straw- berry	<i>L.t.</i> 135, <i>f.151.</i> <i>G.t.</i> 83, <i>f.A.</i> <i>C.6,t.16,f.168-9.</i> <i>E.M.t.</i> 295, <i>f.4.</i> <i>W.</i> <i>p.242,t.58,f.3.</i>	Amboyna.
52 retusum	3245	Diana-heart	<i>C.6,t.12,f.139-42.</i> <i>E.M.</i> <i>t.249,f.3.</i> <i>W.p.243,</i> <i>t.58,f.4,5.</i>	East Indies.
53 Cardissa	3245	spiny-keeled	<i>L.t.</i> 318, <i>f.155.</i> <i>G.t.</i> 84, <i>f.B.C.D.</i> <i>E.M.t.</i> 293, <i>f.3.</i> <i>C.6,t.14,f.143-4.</i> <i>W.p.244,t.59,f.1,2.</i>	—————
54 humanum		smooth-keeled	<i>L.t.</i> 219, <i>f.158.</i> <i>C.6,t.14,</i> <i>f.145-6.</i> <i>E.M.t.</i> 294, <i>f.1.</i> <i>W.p.245,t.59,f.3,4.</i>	Indian Ocean & Persian Gulf.

VIII. MACTRA. MACTRA.

1 Spengleri	3256	Spengler's	<i>C.6,t.20,f.199-201.</i> <i>E.M.</i> <i>t.252,f.3.</i>	C. of G. Hope.
2 plicataria	3257	plaited	<i>C.6,t.20,f.202-4.</i>	Ind. Ocean.
3 papyracea	3257	paper	<i>C.6,t.23,f.231.</i>	Nicobar Isl.

TELLINA.



CARDIUM.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 vitrea		brittle	<i>C.9,t.200,f.1959-60.</i>	Ceylon.
5 striatula	3257	striated	<i>G.t.85,f.F. C.6,t.21, f.205-6. E.M.t.251, f.1.</i>	West Indies.
6 cygnea	3260	swan	<i>C.6,t.21,f.207.</i>	Tranquebar.
7 maculata	3260	spotted	<i>C.6,t.21,f.208-9. E.M. t.254,f.3.</i>	Nicobar Islands.
8 turgida	3260	inflated	<i>C.6,t.21,f.210-12.</i>	Tranquebar.
9 violacea	3260	violet	<i>C.6,t.22,f.213-4.</i>	————
10 cuneata	3260	wedge-shaped	<i>C.6,t.22,f.215. E.M. t.257,f.5.</i>	————
11 rotundata	3257	roundish	<i>L.t.263,f.99.</i>	u.
12 glabrata	3258	smooth	<i>L.t.263,f.99. G.t.71,f.A. C.6,t.22,f.216-7.</i>	African Ocean.
13 nitida	3258	pellucid	<i>S. Einl.3, t.8, f.2.</i>	u.
14 corallina	3258	wh.-banded	<i>G.t.71,f.B. C.6,t.22, f.218-9.</i>	Medit. & Guinea.
15 lactea	3258	milky	<i>C.6,t.22,f.220-21.</i>	Tranquebar.
16 striata	3257	striated	<i>C.6,t.22,f.222-3.</i>	u.
17 radiata		rayed	<i>D.t.161.</i>	Britain?
18 Stultorum	3258	simpleton	<i>L.t.251,f.85. G.t.71, f.C. C.6,t.23,f.224-7. P.B.Z.4,t.52,f.1. E.M. t.256,f.3. M.p.94.</i>	Britain, &c.
19 grandis	3259	large simple- tons'	<i>C.6,t.23,f.228.</i>	New Jersey.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
20 achatina		variegated	<i>C.11,t.200,f.1957-8.</i>	Tranquebar.
21 solida	3259	strong	<i>L.t.253,f.87-8. C.6,t.23, f. 229-30. P.B.Z. 4, t.54,f.1. & t.55,f.2. D. t.61. M.p.92.</i>	Britain, &c.
22 solidissima	3259	thick	<i>C.10,t.170,f.1656.</i>	N. America.
		[<i>solida</i> , var. β .]		
23 subtruncata		abrupt	<i>L. t. 253, f. 86. P.B.Z.4, t.55,f.1. M.p.93. Suppl. t. 27, f. 1. L.T. 8, t. 1, f.11.</i>	Britain.
24 australis	3221	southern	<i>C.6,t.3,f.19,20.</i>	New Zealand.
		[<i>Mya</i> .]		
25 Listeri	3261	Lister's	<i>L. t. 253, f. 88. C. 6, t. 3, f.21. E.M. t. 257, f. 4. D. t. 64, f. 1. M. p. 96.</i>	Mouths of rivers, Britain, &c.
26 tenuis		thin	<i>M.p.572,t.17,f.7.</i>	Britain.
27 Boysii		Boys's	<i>M. p. 98, t. 3, f. 7. L.T.6, t.18,f.9-12.</i>	_____
28 triangularis		triangular	<i>M.p.99,t.3,f.5.</i>	_____
29 minutissima		minute	<i>M. Suppl.p.37.</i>	_____
30 glauca	3260	red-rayed	<i>C. 6, t. 23, f. 232-3. E.M. t.256,f.1. D.t.125. M. p.571.</i>	Spain. Britain ?
31 pellucida	3260	transparent	<i>C.6,t.24,f.234.</i>	Guinea.
32 fragilis	3261	brittle	<i>C.6,t.24,f.235. M.p.95, t.5,f.1. [M.dealbata.]</i>	Britain, &c.
33 rugosa	3261	rugged	<i>C.6,t.24,f.236.</i>	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 <i>Ægyptiaca</i>		Egyptian	<i>C.11,t.200,f.1955-6.</i>	Red Sea.
35 <i>complanata</i>	3261	flat	<i>C.6,t.24,f.238-9.</i> <i>t.258,f.4.</i>	<i>E.M.</i> Tranquebar.
36 <i>lutraria</i>	3259	large	<i>L.t.415,f.259.</i> <i>C.6,t.24,</i> <i>f.240-1.</i> <i>E.M.t.258,</i> <i>f.3.</i> <i>P.B.Z.4,t.55,f.3.</i> <i>D.t.58.</i> <i>M.p.100.</i>	Britain, &c.
37 <i>hians</i>		gaping	<i>G. t. 90,</i> lower <i>f. A.</i> <i>D.t.140.</i> <i>M.p.101.</i>	Britain.

IX. DONAX.

WEDGE.


1 <i>scortum</i>	3262	beaked	<i>L.t.377,f.220.</i> <i>C.6,t.25,</i> <i>f.242-7.</i> <i>E.M.t.260,</i> <i>f.2.</i>	East Indies.
2 <i>pubescens</i>	3262	spiny	<i>C.6,t.25,f.248.</i> <i>E.M.</i> <i>t.260,f.1.</i>	Amboyna.
3 <i>rugosa</i>	3262	wrinkled	<i>L.t.375,f.216.</i> <i>G.t.89,</i> <i>f.F.</i> <i>C.6,t.25,f.250.</i>	S.Ocean.
4 <i>Serra</i>		crenated	<i>C.6,t.25,f.251-2.</i> <i>E.M.</i> <i>t.260,f.3.</i>	Tranquebar.
5 <i>Trunculus</i>	3263	yellow	<i>L.t.376,f.217.</i> <i>G.t.88,</i> <i>f.O.</i> <i>C.6,t.26,f.253-4.</i> <i>E.M.t.262,f.1.</i> <i>P.B.Z.</i> <i>4,t.58,f.1.</i> <i>D.t.91,f.1.</i> <i>M.p.105.</i>	Britain, &c.
6 <i>complanata</i>		single-rayed	<i>L.t.384,f.227.</i> <i>M.p.106,</i> <i>t.5,f.4.</i>	Britain.
7 <i>striata</i>	3263	striated	<i>L.t.376,f.219.</i> <i>C.6,t.26,</i> <i>f.255.</i> <i>E.M.t.261,f.9.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
8 denticulata	3263	toothed	<i>L.t.</i> 376, <i>f.</i> 218-9. <i>C.6,t.</i> 26, <i>f.</i> 256-7. <i>P.B.Z.4,t.</i> 58, <i>f.</i> 2. <i>D.t.</i> 24. <i>M.p.</i> 104.	Mediterranean.
9 plebeia		horn-colour.	<i>L.t.</i> 389, <i>f.</i> 228. <i>M.p.</i> 107, <i>t.</i> 5, <i>f.</i> 2.	Britain.
10 castanea		chestnut	<i>M.p.</i> 573, <i>t.</i> 17, <i>f.</i> 2.	————
11 spinosa	3265	decussated	<i>C.6,t.</i> 26, <i>f.</i> 258.	Tranquebar.
12 incarnata	3265	flesh-colour.	<i>C.6,t.</i> 26, <i>f.</i> 259.	————
13 cuneata	3263	compressed	<i>L.t.</i> 392, <i>f.</i> 231. <i>C.6,t.</i> 26, <i>f.</i> 260. <i>E.M.t.</i> 261, <i>f.</i> 5.	East Indies.
14 lævigata	3265	smooth	<i>C.6,t.</i> 25, <i>f.</i> 249.	Tranquebar.
15 scripta	3264	lettered	<i>L. t.</i> 379, <i>f.</i> 222 & 380, <i>f.</i> 223. <i>G.t.</i> 88, <i>f.</i> Q. <i>C.</i> <i>6,t.</i> 26, <i>f.</i> 261-5. <i>E.M.</i> <i>t.</i> 261, <i>f.</i> 2-4.	East Indies.
16 Faba	3264	bean-shaped	<i>C. 6, t. 26, f.</i> 266. <i>E.M.</i> <i>t.</i> 261, <i>f.</i> 7.	Coast of Malabar.
17 radiata	3266	two-rayed	<i>S. Einl.</i> 3, <i>p.</i> 104, <i>t.</i> 8, <i>f.</i> 3.	Tranquebar.
18 muricata	3265	prickly	<i>L.S.N.p.</i> 1128.	Indian Ocean.
19 straminea	3266	straw-col.	<i>S. Einl.</i> 3, <i>p.</i> 105, <i>t.</i> 8, <i>f.</i> 4.	u.
20 candida	3266	white	<i>S. Einl.</i> 3, <i>p.</i> 106, <i>t.</i> 8, <i>f.</i> 5.	Tranquebar.
21 Irus	3265	foliated	<i>G. t.</i> 95, <i>f.</i> A. <i>C. 6, t.</i> 26, <i>f.</i> 268-70 <i>E.M.t.</i> 262, <i>f.</i> 4. <i>D.t.</i> 29, <i>f.</i> 2. <i>M.</i> <i>p.</i> 108 & 573.	Britain, &c.

MACTRA.



DO. NAX



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
X. VENUS.		VENUS.		
1 Dione	3266	prickly-mouthed	<i>L. t.</i> 307, <i>f.</i> 140. <i>G. t.</i> 76, <i>f.</i> D. <i>C. 6, t. 27, f. 271-3.</i> <i>E. M. t. 275, f. 1.</i>	S. America.
2 Paphia	3268	wrinkled	<i>L. t.</i> 279, <i>f.</i> 116. <i>G. t.</i> 85, <i>f.</i> A. <i>C. 6, t. 27, f. 274-6.</i> <i>E. M. t. 275, f. 4.</i>	West Indies.
3 fasciata		thick-ribbed	<i>L. t.</i> 295, <i>f.</i> 132. <i>C. 6, t. 27, f. 277-8.</i> <i>E. M. t. 276, f. 2.</i> <i>D. t. 170. M. p. 110.</i>	Britain.
4 succincta	3282	grooved	<i>L. M. p.</i> 546.	u.
5 Marica	3268	American	<i>C. 6, t. 27, f. 282-6.</i> <i>E. M. t. 275, f. 2.</i>	American Seas.
6 cingenda		girdled	<i>L. t.</i> 378, <i>f.</i> 115. <i>C. 6, t. 28, f. 287-90.</i> <i>E. M. t. 268, f. 1.</i> <i>M. Suppl. p. 42.</i>	W. Indies.
7 Dysera	3268	ribbed	<i>L. t.</i> 277, <i>f.</i> 114. <i>C. 6, t. 28, f. 291-2.</i> <i>E. M. t. 275, f. 5.</i>	East Indies.
8 Tiara		turban	<i>G. t.</i> 88, <i>f.</i> D. <i>C. 6, t. 27, f. 279-81.</i>	—————
9 plicata	3276	plaited	<i>C. 6, t. 28, f. 295-7.</i> <i>E. M. t. 275, f. 3.</i>	Levant.
10 excavata	3269	excavated	<i>S. Einl. 3, p. 167, t. 8, f. 10.</i>	u.
11 spinifera		spiny	<i>M. p. 577, t. 17, f. 1.</i>	Britain.
12 verrucosa	3269	warty	<i>L. t.</i> 284, <i>f.</i> 122. <i>G. t.</i> 75, <i>f.</i> H. <i>C. 6, t. 29, f. 299-300.</i> <i>P. B. Z. 4, t. 57, f. 1.</i> <i>D. t. 44. M. p. 112.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 rigida		rigid	<i>C.6, t.29, f.303.</i>	W. Indies.
14 casina	3269	broad-ribbed	<i>L. t.286, f.123. C.6, t.29, f.301-2. P.B.Z.4, t.57, f.2. D.t.149. M.p.47.</i>	Britain, &c.
15 cancellata	3270	channeled	<i>C.6, t.29, f.304-7. E.M. t.267, f.7. D.t.115. M. p.574.</i>	Indian Ocean.
16 subcordata		subcordate	<i>M.p.121, t.3, f.1.</i>	Britain?
17 minima		red-streaked	<i>M.p.121, t.3, f.3.</i>	————
18 sulcata		furrowed	<i>M.p.131. L.T.8, t.2, f.2.</i>	Scotland.
19 Montagui		Montagu's	<i>M. Suppl. p.43, t.26, f.1.</i>	————
20 Scotica	3285	Scottish	<i>C.7, t.39, f.412. M.p.44. L.T.8, p.81, t.2, f.3.</i>	————
		[<i>borealis.</i>]		
21 Danmonia		Devonshire	<i>M. Suppl. p.45, t.29, f.4.</i>	Britain.
22 reflexa	3290	reflected	<i>G. t.75, f.O. M. Suppl. p.40 & 168.</i>	————
		[<i>undulata.</i>]		
23 Gallina	3270	hen	<i>I. t.295, f.131. C.6, t.30, f.308-10. P.B.Z.4, t.59, f.2. D. t.68. M. p.113.</i>	Britain, &c.
24 circinata	3288	compass	<i>C.6, t.30, f.311-12. M. Suppl. p.48 & 168.</i>	C. of Guinea.
		[<i>Guineensis.</i>]		
25 Caliste	3277	sordid white	<i>S. Einl.3, p.156, t.8, f.8.</i>	Red Sea.
26 compressa	3282	compressed	<i>L.M.p.546.</i>	u.
27 exalbida		whitish	<i>C.11, t.202, f.1974.</i>	Falkland Isl.
28 petulca		clouded	<i>L.S.N.p.1131.</i>	S. of Europe.
29 granulata	3277	grained	<i>C.6, t.30, f.313. D. t.83. M.p.120.</i>	W. Indies. Britain?
30 ovata		oval	<i>M.p.120. L. T.8, p.85, t.2, f.4.</i>	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
31 paupercula		despised	<i>C.11,t.202,f.1977.</i>	Coromandel.
32 flexuosa	3270	flexuous	<i>G. t. 83, f. I. C. 6, t. 31, f. 333-4. E. M. t. 266, f. 6.</i>	West Indies.
33 Mactroides	3278	Maetra	<i>L. t. 251, f. 85. C. 6, t. 31, f. 326. E. M. t. 269, f. 3.</i>	————
		[<i>Corbicula.</i>]		
34 tripla	3276	triple	<i>L. t. 252, f. 86. G. t. 75, f. Q. C. 6, t. 31, f. 330-2. E. M. t. 269, f. 4.</i>	Africa.
35 triangularis		triangular	<i>M. p. 577, t. 17, f. 3.</i>	Britain.
36 Malabarica	3277	Malabar	<i>C. 6, t. 31, f. 324-5.</i>	Malabar.
		[<i>Gallus.</i>]		
37 flammea	3278	brown-band.	<i>S. Einl. 3, p. 200, t. 8, f. 12.</i>	Red Sea.
38 Erycina	3271	polished	<i>L. t. 268, f. 104. C. 6, t. 32, f. 337-9. E. M. t. 264, f. 3.</i>	Europe & Asia.
39 costata		ribbed	<i>C. 11, t. 202, f. 1975.</i>	Ceylon.
40 mercenaria	3271	mercenary	<i>L. t. 271, f. 107. C. 10, t. 171, f. 1659-60. E. M. t. 263.</i>	North America.
41 Icelandica		Icelandic	<i>L. t. 272, f. 108. G. t. 58, f. B. C. 6, t. 32, f. 341-2. P. B. Z. 4, t. 56. D. t. 77. M. p. 114.</i>	Britain, &c.
42 coaxans	3278	Ceylon	<i>C. 6, t. 32, f. 336.</i>	Ceylon.
43 lusoria		sportive	<i>C. 6, t. 32, f. 340.</i>	Amboyna.
44 Chione	3272	smooth-brown	<i>L. t. 269, f. 105. C. t. 86, f. A. C. 6, t. 32, f. 343. E. M. t. 266, f. 1. P. B. Z. 4, t. 54. D. t. 17. M. p. 115.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 maculata	3272	spotted	<i>L. t.</i> 270, <i>f.</i> 106. <i>G. t.</i> 86, <i>f.</i> I. <i>C. 6, t.</i> 33, <i>f.</i> 345. <i>E. M. t.</i> 265, <i>f.</i> 4.	W. Indies.
46 casta	3278	chaste	<i>C. 6, t.</i> 33, <i>f.</i> 346.	E. Indies.
47 Meretrix	3273	lipped	<i>G. t.</i> 76, <i>f.</i> C. <i>C. 6, t.</i> 33, <i>f.</i> 347-52. <i>E. M. t.</i> 268, <i>f.</i> 6.	Indian Seas.
48 paradoxa		doubtful	<i>B. p.</i> 66, <i>t.</i> 4, <i>f.</i> 12, 13.	Peru?
49 læta	3278	globose [<i>affinis.</i>]	<i>G. t.</i> 88, <i>f.</i> V. <i>C. 6, t.</i> 34, <i>f.</i> 353-4.	Mediterranean.
50 opima	3279	plump	<i>C. 6, t.</i> 34, <i>f.</i> 355-7.	E. Indies.
51 triradiata	3279	three-rayed	<i>C. 6, t.</i> 34, <i>f.</i> 356-8.	Tranquebar.
52 nebulosa	3279	clouded	<i>C. 6, t.</i> 34, <i>f.</i> 359-61.	————
53 contemta	3279	shabby	<i>C. 6, t.</i> 34, <i>f.</i> 362-3.	Malabar.
54 recens		fresh	<i>C. 11, t.</i> 202, <i>f.</i> 1979.	Coromandel.
55 Japonica	3279	Japan	<i>C. 6, t.</i> 34, <i>f.</i> 364. <i>E. M.</i> <i>t.</i> 267, <i>f.</i> 6.	Tranquebar.
56 striata	3279	striated	<i>C. 6, t.</i> 34, <i>f.</i> 365-6.	Nicobar Isl.
57 castrensis	3273	eastern	<i>L. t.</i> 262, <i>f.</i> 98. <i>G. t.</i> 82, <i>f.</i> H. <i>C. 6, t.</i> 35, <i>f.</i> 367- 370. <i>E. M. t.</i> 273, <i>f.</i> 1.	Amboyna, &c.
58 Pectunculus	3287	painted	<i>L. t.</i> 254-7. <i>G. t.</i> 82, <i>f.</i> G. <i>C. 11, t.</i> 202, <i>f.</i> 1693-4.	Red Sea, &c.
59 Lorenziana		Lorenzo	<i>C. 11, t.</i> 200, <i>f.</i> 1961-2.	Ceylon.
60 ornata		adorned	<i>L. t.</i> 259, <i>f.</i> 95. <i>C. 6, t.</i> 35, <i>f.</i> 380-1. <i>E. M. t.</i> 273, <i>f.</i> 2.	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
61 Phryne	3274	Phryne	<i>R.t.</i> 42, <i>f.</i> O.	Southern Ocean.
62 Meroë	3274	Meroë	<i>L. t.</i> 378, <i>f.</i> 221. <i>C. 6, t.</i> 43, <i>f.</i> 450-4.	East Indies.
63 Callipyga	3282	Arabian	<i>C. 11, t.</i> 201, <i>f.</i> 1968-70.	Red Sea.
64 deflorata	3274	purp.-streak.	<i>L. t.</i> 425, <i>f.</i> 273. <i>G. t.</i> 86, <i>f.</i> B.C. <i>C. 6, t.</i> 9, <i>f.</i> 79-83. <i>P. B. Z.</i> 4, <i>t.</i> 60. <i>E. M.</i> <i>t.</i> 231, <i>f.</i> 3,4.	West Indies.
65 fimbriata	3275	fringed	<i>L. t.</i> 1056, <i>f.</i> 1. <i>G. t.</i> 75, <i>f.</i> C. <i>C. 7, t.</i> 43, <i>f.</i> 448-9.	East Indies.
66 reticulata		netted	<i>L. t.</i> 335, <i>f.</i> 172. <i>G. t.</i> 83, <i>f.</i> F. <i>C. 7, t.</i> 36, <i>f.</i> 382-4. <i>E. M. t.</i> 278, <i>f.</i> 1.	Ceylon and New S. Wales.
67 Puerpera	3276	spotted	<i>G. t.</i> 76, <i>f.</i> G. <i>C. 6, t.</i> 36, <i>f.</i> 388-9. <i>E. M. t.</i> 278, <i>f.</i> 2.	East Indies.
68 crenulata	3279	crenulated	<i>L. t.</i> 283, <i>f.</i> 11. <i>C. 6, t.</i> 36, <i>f.</i> 385.	_____
69 radiata	3280	rayed	<i>C. 6, t.</i> 36, <i>f.</i> 386.	u.
70 cincta	3286	girdled	<i>C. 6, t.</i> 36, <i>f.</i> 387.	u.
71 squamosa	3275	scaly	<i>G. t.</i> 83, <i>f.</i> G. <i>C. 6, t.</i> 31, <i>f.</i> 335.	Amboyna.
72 lapicida	3269	rock	<i>C. 10, t.</i> 172, <i>f.</i> 1664-5.	W. Indies.
73 divergens	3269	ziz-zag	<i>C. 10, t.</i> 172, <i>f.</i> 1666-7.	_____
74 plumbea	3280	leadен	<i>C. 7, t.</i> 69, <i>f.</i> A-D. <i>E. M.</i> <i>t.</i> 259, <i>f.</i> 3.	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
75 tigerina	3283	tiger	<i>L.t.</i> 305, <i>f.</i> 138. <i>G.t.</i> 77, <i>f.</i> 1. <i>C.</i> 6, 37, <i>f.</i> 390-1. <i>E.M.t.</i> 277, <i>f.</i> 4.	W. Indies.
76 Sinensis	3285	China	<i>C.</i> 10, <i>t.</i> 171, <i>f.</i> 1663.	China.
77 prostrata	3283	compressed	<i>C.</i> 6, <i>t.</i> 29, <i>f.</i> 298.	Tranquebar.
78 Pensylvanica	3283	Pensylvania	<i>L.t.</i> 305, <i>f.</i> 138. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 394-6. <i>E.M.t.</i> 284, <i>f.</i> 1.	America.
79 Jamaicensis		Jamaica	<i>G.t.</i> 88, <i>f.</i> B. <i>C.</i> 7, <i>t.</i> 39, <i>f.</i> 408. <i>E.M.t.</i> 284, <i>f.</i> 2.	Jamaica.
80 spuria	3284	spurious	<i>L.t.</i> 296, <i>f.</i> 133. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 399.	North Seas.
81 punctata	3284	dotted	<i>G.t.</i> 75, <i>f.</i> D. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 397-8.	Amboyna.
82 sinuata	3285	sinuated	<i>L.t.</i> 294, <i>f.</i> 130. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 400-1. <i>E.M.t.</i> 279, <i>f.</i> 4.	Tranquebar.
83 exoleta	3284	antiquated	<i>L.t.</i> 291, <i>f.</i> 127 & 293, <i>f.</i> 129. <i>E.M.t.</i> 279, <i>f.</i> 5. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 402-4. <i>P.B.Z.</i> 4, <i>t.</i> 57, <i>f.</i> 3. <i>D.</i> <i>t.</i> 42, <i>f.</i> 1. <i>M.p.</i> 116.	Britain, &c.
84 concentrica	3286	concentric	<i>L.t.</i> 288, <i>f.</i> 124. <i>G.t.</i> 76, <i>f.</i> F. <i>C.</i> 7, <i>t.</i> 37, <i>f.</i> 293. <i>E.M.t.</i> 279, <i>f.</i> 2.	Jamaica.
85 juvenilis		young	<i>L.t.</i> 295, <i>f.</i> 131. <i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 405. <i>E.M.t.</i> 280, <i>f.</i> 2.	Indian Seas.
86 Histrio	3287	map	<i>C.</i> 7, <i>t.</i> 38, <i>f.</i> 407. <i>E.M.</i> <i>t.</i> 280, <i>f.</i> 1.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
87 undata		waved	<i>P. B. Z. 4, t. 48, f. 3.</i> <i>D.t.121. L.T.t.6,t.17,</i> <i>f.17,18. M.p.117.</i>	Britain.
88 tumidula	3285	gibbous	<i>L.M.p.546.</i>	u.
89 aculeata	3293	acute-ribbed	<i>S.Eml.3,p.200,t.8,f.13.</i>	u.
90 pectinata	3285	pectinated	<i>L. t. 313, f. 149. G. t. 72.</i> <i>f.E.F. C.7,t.39,f.415-</i> <i>416. E.M.t.271,f.4.</i>	Amboyna.
91 discors	3292	toothed	<i>L.t.312,f.148. C.7,t.39,</i> <i>f.418-19. E.M.t.271,</i> <i>f.1.</i>	China.
92 dispar		unequal	<i>C. 11, t. 202, f. 1981-2.</i> <i>E.M.t.271,f.2.</i>	South Seas.
93 equivocata		equivocal	<i>C.11,t.202,f.1980. E.M.</i> <i>t.271,f.3.</i>	East Indies.
94 divaricata	3277	divaricated	<i>L.t.310,f.146. C.6,t.30,</i> <i>f.316. E.M.t.271,f.5.</i>	Ceylon.
95 contraria	3277	contrary	<i>C.6,t.30,f.317-19. E.M.</i> <i>t.259,f.2.</i>	West Indies.
96 corrugata		corrugated	<i>C.7,t.39,f.410-11. B.t.5,</i> <i>f.7.</i>	Red Sea.
97 scripta	3286	written	<i>G. t. 77, f. C. C. 7, t. 40,</i> <i>f.420-6. E.M. t. 274,</i> <i>f.1.</i>	Amboyna.
98 edentula	3286	toothless	<i>L. t. 260, f. 96. C. 7, t. 40,</i> <i>f.427-9. E. M. t. 284,</i> <i>f.3.</i>	Jamaica.
99 globosa	3287	globose	<i>C.7,t.40,f.430-31. E.M.</i> <i>t.285,f.1.</i>	Red Sea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
100 gigantea	3282	gigantic	<i>C. 10, t. 171, f. 1661. E. M. t. 280, f. 3.</i>	West Indies.
101 literata	3293	lettered	<i>L. t. 402, f. 246. G. t. 86, f. F. C. 7, t. 41, f. 432-4. E. M. t. 280, f. 4.</i>	Amboyna.
102 geographica	3293	geographic	<i>G. t. 86, f. H. C. 7, t. 42, f. 440.</i>	Mediterranean.
103 rotundata	3294	rounded	<i>C. 7, t. 42, f. 441. E. M. t. 281, f. 3.</i>	Ceylon.
104 Textile	3280	tissue	<i>L. t. 400, f. 239. C. 7, t. 42, f. 442-3. E. M. t. 283, f. 1.</i>	Red Sea.
105 obsoleta	3280	wrinkled [<i>corrugata.</i>]	<i>C. 7, t. 42, f. 444.</i>	Mediterranean.
106 Senegalensis	3282	Senegal	<i>A. p. 227, t. 17, f. 11.</i>	Senegal.
107 decussata	3294	intersected	<i>L. t. 423, f. 271. G. t. 85, f. L. C. 7, t. 43, f. 455-6. P. B. Z. 4, t. 60. D. t. 67. M. p. 124.</i>	Britain, &c.
108 perforans		boring	<i>P. B. Z. 4, t. 58, f. 4. M. p. 127, t. 3, f. 6.</i>	Britain.
109 pullastra		Sandwich	<i>M. p. 124. L. T. 6, t. 17, f. 13, 14 & 8, t. 2, f. 7.</i>	————
110 virginea	3294	maidenly	<i>L. t. 403, f. 247 & 404, f. 248. C. 7, t. 43, f. 457. P. B. Z. 4, t. 58, f. 5. E. M. t. 283, f. 2. M. p. 128. L. T. 8, t. 2, f. 8.</i>	Britain, &c.
111 aurea	3288	golden	<i>L. t. 404, f. 249. G. t. 85, f. I. C. 7, t. 43, f. 458. P. B. Z. 4, t. 60. M. p. 119.</i>	Britain.

VENT'S.



1 a +

2 a

3 a

5 a

7 a

6 a

8 a

4 a

10 a

12 b

11 +

18 b

14 a +

9 b +

16 a

17 a

19 a

20 a

21 a

22 a

23 a

24 a

25 a

27 a

29 a

30 +

31 a

32 a

33 a +

34 a +

35 +

36 b

37 a

38 a

39 a

40 a +

41 a +

42 a

43 b +

44 a

45 b

46 a +

47 a +

48 a

49 b

50 a +

51 a +

52 a

53 +

54 a

55 a

56 a +

57 a +

58 a +

59 a +

60 a



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
112 monstrosa	3280	uneq.-valved	<i>C.7,t.42,f.445-6.</i>	Nicobar Isl.
113 fluminalis	3242	ventricose	<i>C.6,t.30,f.320.</i>	<i>E.M.</i>
		[<i>Tel.</i>]	<i>t.301,f.2.</i>	Euphrates. Fr.w.
114 fluminea	3242	heart-shaped	<i>C.6,t.30,f.322-3.</i>	China. Fr.w.
		[<i>Tel.</i>]		
115 fluviatilis	3243	river	<i>C.6,t.30,f.321.</i>	Canton. Fr.w.
		[<i>Tel.</i>]		
116 hermaphro- dita	3278	triangular	<i>C.6,t.31,f.327-9.</i>	Guinea. Fr.w.

XI. SPONDYLUS. HINGED OYSTER.

1 Gædaropus	3296	red thorny	<i>L. t. 206, f. 40. G. t. 99,</i> <i>f. F. & G. C. 7, t. 44,</i> <i>f.459-62. E.M.t.190-</i> <i>195.</i>	Amboyna.
2 regius	3298	royal	<i>C.7,t.46,f.471.</i>	India.
3 plicatus	3298	spineless	<i>L. t. 210, f. 44. G. t. 99,</i> <i>f. E. C.7,t.47,f.479-</i> <i>482.</i>	W. Indies.
4 citreus		citron	<i>D'Arg.t.20,f. K.</i>	————

XII. CHAMA. CLAMP.

1 Cor	3299	heart	<i>L. t. 275, f. 111. G. t. 71,</i> <i>f. E. C. 7, t. 48, f. 483.</i> <i>E. M. t. 232, f. 1. D.</i> <i>t.134. M.p.134.</i>	Britain, &c.
-------	------	-------	---	--------------

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 Gigas	3299	giant	<i>L. t.</i> 351, <i>f.</i> 189. <i>G. t.</i> 92, <i>f.</i> B. F. <i>C.</i> 11, <i>t.</i> 204, <i>f.</i> 1997-8. <i>E.M. t.</i> 235, <i>f.</i> 2-4. & <i>t.</i> 236, <i>f.</i> 1.	Amboyna.
3 Hippopus	3300	spotted	<i>L. t.</i> 350, <i>f.</i> 188. <i>G. t.</i> 93, <i>f.</i> A. <i>C.</i> 7, <i>t.</i> 50, <i>f.</i> 498-9. <i>E.M. t.</i> 236, <i>f.</i> 2.	————
4 antiquata	3300	antiquated	<i>G. t.</i> 71, <i>f.</i> I.L. <i>C.</i> 7, <i>t.</i> 48, <i>f.</i> 488-91. <i>E.M. t.</i> 233, <i>f.</i> 2.	Mediterranean.
5 Moltkiana	3303	Moltkian	<i>C.</i> 7, <i>t.</i> 48, <i>f.</i> 484-7. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 1.	China.
6 plumbea		leaden	<i>C.</i> 11, <i>t.</i> 203, <i>f.</i> 1991-2.	S. Sea.
7 Ajar		Ajar	<i>C.</i> 7, <i>t.</i> 48, <i>f.</i> 490-1. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 3.	Mouth of the Niger.
8 trapezia	3301	trapeziform	<i>L. t.</i> 344, <i>f.</i> 181. <i>C.</i> 11, <i>t.</i> 204, <i>f.</i> 2005-6. <i>E.M.</i> <i>t.</i> 234, <i>f.</i> 7.	Norway.
9 semiorbicu- lata	3301	brown	<i>C.</i> 7, <i>t.</i> 50, <i>f.</i> 502-3. <i>E.M.</i> <i>t.</i> 233, <i>f.</i> 4.	Arabia.
10 calyculata	3301	variegated	<i>L. t.</i> 347, <i>f.</i> 184. <i>G. t.</i> 90, <i>f.</i> F. <i>C.</i> 7, <i>t.</i> 50, <i>f.</i> 500-1. & 11, <i>t.</i> 204, <i>f.</i> 1999, 2000. <i>E.M. t.</i> 233, <i>f.</i> 6.	Indian Seas.
11 cordata	3301	heart-shaped	<i>L.S.N.p.</i> 1138.	u.
12 satiata	3301	obsolete	<i>L.S.N.p.</i> 1138.	u.
13 rugosa	3305	rugged	<i>L.M.p.</i> 546.	u.
14 oblonga	3302	oblong	<i>C.</i> 11, <i>t.</i> 203, <i>f.</i> 1993-4. <i>E.M. t.</i> 234, <i>f.</i> 2.	Guinea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
15 concamerata	3304	chambered	<i>C. 7, t. 50, f. 506.</i> <i>t. 234, f. 6.</i>	<i>E. M.</i> West Indies.
16 Pectunculus		pectuncle	<i>L. t. 347, f. 185.</i>	v.
17 coralliophaga	3305	coral-rock	<i>C. 10, t. 172, f. 1673-4.</i>	E. Indies.
18 Lazarus		Lazarus	<i>C. 7, t. 51, f. 507-9.</i> <i>t. 197, f. 1.</i>	<i>E. M.</i> —————
19 gryphoides	3302	gryphus	<i>L. t. 212, f. 47.</i> <i>G. t. 101,</i> <i>f. D. E. C. 7, t. 51, f. 510-</i> <i>513. E. M. t. 196, f. 4, 5.</i>	Africa.
20 cornuta	3003	horned [<i>bicornis.</i>]	<i>L. t. 214, f. 49.</i> <i>G. t. 101,</i> <i>f. G. C. 7, t. 52, f. 16-20.</i> <i>E. M. t. 196, f. 6.</i>	Mediterranean.
21 sessilis		scaly	<i>L. t. 213, f. 48.</i> <i>C. 11, t. 203,</i> <i>f. 1995-6. E. M. t. 196,</i> <i>f. 2.</i>	West Indies.
22 foliacea	3304	leafy	<i>L. t. 216, f. 52 & 217, f. 53.</i> <i>G. t. 101, f. C. C. 7, t. 52,</i> <i>f. 521. E. M. t. 197, f. 2.</i>	v.
23 punctata		dotted	<i>E. M. t. 197, f. 3.</i>	Guadaloupe.
24 sinistrorsa		reversed	<i>C. 9, t. 116, f. 992-3.</i> <i>t. 196, f. 3.</i>	<i>E. M.</i> West Indies.
25 Arcinella	3303	hedge-hog	<i>L. t. 355, f. 192.</i> <i>C. 7, t. 52,</i> <i>f. 522-3. E. M. t. 197,</i> <i>f. 4.</i>	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
XIII. ARCA. ARK.				
1 tortuosa	3305	twisted	<i>G. t.</i> 95, <i>f.</i> B. <i>C. 7, t.</i> 53, <i>f.</i> 424-5. <i>E. M. t.</i> 305, <i>f.</i> 1.	Amboyna.
2 Noæ	3306	Noah's	<i>L. t.</i> 368, <i>f.</i> 208. <i>G. t.</i> 87, <i>f.</i> H. <i>C. 7, t.</i> 53, <i>f.</i> 529- 531. <i>E. M. t.</i> 305, <i>f.</i> 2.	Red Sea. Britain?
3 barbata	3306	bearded	<i>L. t.</i> 231, <i>f.</i> 65. <i>G. t.</i> 91, <i>f.</i> F. <i>C. 7, t.</i> 54, <i>f.</i> 535. <i>E. M. t.</i> 309, <i>f.</i> 1. Mediterranean.	
4 imbricata		imbricated	<i>L. t.</i> 367, <i>f.</i> 207. <i>G. t.</i> 87, <i>f.</i> F. G. <i>C. 7, t.</i> 54, <i>f.</i> 532. <i>E. M. t.</i> 305, <i>f.</i> 3. b.	Africa.
5 navicularis		boat	<i>C. 7, t.</i> 54, <i>f.</i> 533.	St. Domingo.
6 plicata		plaited	<i>C. 11, t.</i> 204, <i>f.</i> 2008.	Red Sea.
7 candida	3311	white	<i>L. t.</i> 229, <i>f.</i> 64. <i>C. 7, t.</i> 55, <i>f.</i> 542.	West Indies.
8 complanata		compressed	<i>C. 7, t.</i> 55, <i>f.</i> 544-5.	Guinea.
9 Magellanica	3311	Magellanic	<i>C. 7, t.</i> 54, <i>f.</i> 539.	Str. of Magellan.
10 lacerata		hairy	<i>C. 7, t.</i> 54, <i>f.</i> 536-7. <i>E. M.</i> <i>t.</i> 309, <i>f.</i> 2.	East Indies.
11 bicolorata		2-coloured	<i>C. 11, t.</i> 204, <i>f.</i> 2007.	Red Sea.
12 ovata	3307	oval	<i>C. 7, t.</i> 54, <i>f.</i> 533.	—
13 cancellata	3308	channelled	<i>S. Einl.</i> 3, <i>p.</i> 294, <i>t.</i> 9, <i>f.</i> 2.	Curaçoa.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 fusca		brown	<i>D. 5, t. 158, f. 3, 4.</i> <i>M. Suppl. p. 51.</i>	Britain.
15 Modiolus	3307	muscle	<i>L. t. 365, f. 205.</i> <i>C. 8, t. 84,</i> <i>f. 754.</i>	Mediterranean.
16 Cucullus	3311	chambered	<i>C. 7, t. 53, f. 526-8.</i> <i>E. M.</i> <i>t. 304.</i>	Nicobar Islands.
17 antiquata	3409	antiquated	<i>L. t. 230, f. 64.</i> <i>G. t. 87,</i> <i>f. B. C. C. 7, t. 55, f. 548-9.</i>	West Indies, &c.
18 granosa	3210	grained	<i>L. t. 241, f. 78.</i> <i>G. t. 87,</i> <i>f. E. C. 7, t. 56, f. 557.</i> <i>E. M. t. 307, f. 1.</i>	Tranquebar.
19 rhomboidea	3314	rhomboid	<i>L. t. 244, f. 75.</i> <i>G. t. 87,</i> <i>f. A. C. 7, t. 56, f. 553.</i> <i>E. M. t. 307, f. 3.</i>	East Indies.
20 senilis	3309	rugose	<i>L. t. 238, f. 72.</i> <i>G. t. 87,</i> <i>f. D. C. 7, t. 56, f. 554-6.</i> <i>E. M. t. 308, f. 1.</i>	Jamaica.
21 Indica	3312	Indian	<i>L. t. 232, f. 66.</i> <i>C. 7, t. 55,</i> <i>f. 543.</i> <i>E. M. t. 305,</i> <i>f. 3. b.</i>	Coromandel.
22 Corbicula	3310	basket	<i>L. t. 234, f. 68.</i> <i>C. 7, t. 56,</i> <i>f. 558.</i> <i>E. M. t. 309, f. 5.</i>	Cape of Good Hope.
23 Senegalensis	3312	Senegal	<i>A. p. 248, t. 18, f. 6.</i>	Mouths of the Niger.
24 lactea	3309	milky	<i>L. t. 235, f. 69.</i> <i>C. 7, t. 55,</i> <i>f. 547.</i> <i>P. B. Z. 4, t. 61,</i> <i>f. 2. D. t. 135. M. p. 138.</i>	Britain, &c.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 reticulata	3311	reticulated	<i>L. t.</i> 233, <i>f.</i> 67. <i>C. 7, t.</i> 54, <i>f.</i> 540.	West Indies.
26 pellucida	3308	transparent	<i>C. 7, t.</i> 54, <i>f.</i> 541. <i>E. M. t.</i> 309, <i>f.</i> 8.	Nicobar Islands.
27 Pella	3307	brittle	<i>C. 7, t.</i> 55, <i>f.</i> 546. <i>E. M. t.</i> 309, <i>f.</i> 9.	Mediterranean.
28 Campechen- sis	3212	Campeachy	<i>L. t.</i> 237, <i>f.</i> 71. <i>E. M. t.</i> 310, <i>f.</i> 1.	Bay of Campeachy.
29 Pectunculus	3313	pectuncle	<i>L. t.</i> 239, <i>f.</i> 73. <i>G. t.</i> 72, <i>f.</i> H. <i>C. 7, t.</i> 58, <i>f.</i> 568-9. <i>E. M. t.</i> 311, <i>f.</i> 5.	South America.
30 pectinata	3313	comb-like	<i>L. t.</i> 243, <i>f.</i> 74. <i>C. 7, t.</i> 58, <i>f.</i> 571-2. <i>E. M. t.</i> 311, <i>f.</i> 6.	West Indies.
31 decussata	3310	decussated	<i>C. 7, t.</i> 57, <i>f.</i> 561. <i>E. M. t.</i> 311, <i>f.</i> 1.	E. & W. Indies.
32 æquilatera	3311	equilateral	<i>C. 7, t.</i> 57, <i>f.</i> 562.	West Indies.
33 pallens	3311	pale	<i>S. Einl.</i> 3, <i>p.</i> 270, <i>t.</i> 9, <i>f.</i> 1.	————
34 angulosa	3315	angular	<i>L. t.</i> 245, <i>f.</i> 76. <i>C. 7, t.</i> 57, <i>f.</i> 567.	Jamaica.
35 undata	3312	waved	<i>G. t.</i> 72, <i>f.</i> G. <i>C. 7, t.</i> 57, <i>f.</i> 560.	————
36 Glycymeris		orbicular	<i>L. t.</i> 247, <i>f.</i> 82. <i>G. t.</i> 82, <i>f.</i> C. D. <i>E. M. t.</i> 310, <i>f.</i> 3. <i>C. 7, t.</i> 57, <i>f.</i> 564. <i>L. T.</i> 8, <i>t.</i> 3, <i>f.</i> 3.	Britain, &c.
37 pilosa	3314	downy	<i>L. t.</i> 240, <i>f.</i> 77. <i>G. t.</i> 77, <i>f.</i> A. <i>C. 7, t.</i> 57, <i>f.</i> 565-6. <i>E. M. t.</i> 310, <i>f.</i> 2. <i>P. B. Z.</i> 4, <i>t.</i> 61, <i>f.</i> 1. <i>M.</i> <i>p.</i> 136. <i>L. T.</i> 8, <i>t.</i> 3, <i>f.</i> 4.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 stellata	3289	starred	<i>A.p.</i> 253,t.18,f.10.	Africa.
		[<i>V. stellata.</i>]		
39 scripta		lettered	<i>L.t.</i> 246,f.80. <i>B.t.</i> 6,f.1. <i>E.M.t.</i> 311,f.8.	St. Domingo.
40 nummaria	3314	coin	<i>L.t.</i> 239,f.81. <i>C.7,t.</i> 58, <i>f.</i> 572. <i>E.M.t.</i> 311,f.4.	Mediterranean.
41 striata	3308	thickly striated	<i>C.7,t.</i> 58,f.573.	Red Sea.
42 Nucleus	3314	silvery	<i>G.t.</i> 88,f. R. <i>C.7,t.</i> 58, <i>f.</i> 574. <i>E.M.t.</i> 311,f.3. <i>D.t.</i> 63. <i>M.p.</i> 141.	Britain, &c.
43 rostrata	3308	beaked	<i>C.7,t.</i> 55,f.550-1. <i>E.M.</i> <i>t.</i> 309,f.7. <i>M. Suppl.</i> <i>p.</i> 55,t.27,f.7.	Scotland, &c.
44 minuta	3309	minute	<i>D.t.</i> 78. <i>M.p.</i> 140.	Britain, &c.
45 tenuis		thin	<i>M. Suppl.p.</i> 56,t.29,f.1.	Scotland.

XIV. OSTREA. OYSTER.

1 maxima	3315	greatest	<i>L.t.</i> 161,f.1. <i>G.t.</i> 98,f.A.B. <i>C.7,t.</i> 60,f.585. <i>E.M.</i> <i>t.</i> 209,f.1. <i>P.B.Z.</i> 4, <i>t.</i> 62. <i>D.t.</i> 49. <i>M.p.</i> 143.	Britain, &c.
2 Jacobæa	3316	lesser	<i>L.t.</i> 165,f.2. <i>G.t.</i> 99,f.B. <i>C.6,t.</i> 60,f.588-9. <i>E.M.t.</i> 209,f.2. <i>P.B.Z.</i> 4,t.63,f.1. <i>D.t.</i> 137. <i>M.p.</i> 144.	Mediterranean. Britain?

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 Zic-zac	3316	zig-zag	<i>L. t.</i> 168, <i>f.</i> 5. <i>C. 7, t.</i> 61, <i>f.</i> 590-2. <i>E. M. t.</i> 207, <i>f.</i> 1.	West Indies.
4 striatula	3316	16-rayed	<i>M. L. U. p.</i> 524, No. 101.	Indian Ocean.
5 minuta	3317	minute	<i>M. L. U. p.</i> 524, No. 102.	—
6 Pleuronectes	3317	sole	<i>G. t.</i> 73, <i>f.</i> B. <i>C. 7, t.</i> 61, <i>f.</i> 595. <i>E. M. t.</i> 208, <i>f.</i> 3.	Amboyna.
7 Japonica	3317	Japan	<i>C. 7, t.</i> 62, <i>f.</i> 596. <i>E. M. t.</i> 208, <i>f.</i> 4.	Japan.
8 Laurentii	3317	Lorenzo's	<i>C. 7, t.</i> 61, <i>f.</i> 593.	S. America.
9 Magellanica	3317	Magellanic	<i>C. 7, t.</i> 62, <i>f.</i> 597. <i>E. M. t.</i> 208, <i>f.</i> 5.	Str. of Magellan.
10 hybrida	3318	hybrid	<i>L. t.</i> 173, <i>f.</i> 10. <i>C. 7, t.</i> 63, <i>f.</i> 601-2.	Norway.
11 Radula	3318	rasp	<i>L. t.</i> 175, <i>f.</i> 12. <i>G. t.</i> 74, <i>f.</i> L. <i>C. 7, t.</i> 63, <i>f.</i> 599, 600. <i>E. M. t.</i> 208, <i>f.</i> 2.	Amboyna.
12 imbricata	3318	imbricated	<i>C. 7, t.</i> 69, <i>f.</i> G.	Red Sea.
13 Plica	3318	folded	<i>C. 7, t.</i> 62, <i>f.</i> 598. & 11, <i>t.</i> 57, <i>f.</i> 2041.	Amboyna.
14 Pes-lutra	3339	Otter's-foot	<i>L. t.</i> 171, <i>f.</i> 8. <i>G. t.</i> 74, <i>f.</i> C. C.	v.
15 Pallium		Ducal mantle	<i>L. t.</i> 187, <i>f.</i> 25. <i>G. t.</i> 74, <i>f.</i> F. <i>C. 7, t.</i> 64, <i>f.</i> 607. <i>E. M. t.</i> 210, <i>f.</i> 1.	India.



O. TRELL.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
16 sanguinolenta	3322	red-spotted	<i>C.7,t.64,f.608.</i>	Red Sea.
17 palliata	3331	variegated	<i>K.1,t.19,f.2.</i>	Mediterranean.
18 nodosa	3322	knobbed	<i>L. t. 186, f. 24. G. t. 99, f.C.D. C.7,t.64,f.609- 611. E.M.t.210,f.2.</i>	Africa & America.
19 Pes-felis	3323	cat's-foot	<i>C.7,t.64,f.612 & t.65,613.</i>	Africa.
20 histrionica	3226	Harlequin	<i>C. 7, t. 65, f. 614. E. M. t.210,f.4.</i>	v.
21 Islandica	3326	Iceland	<i>L.t.1057, f.4. G.t.73,f.R. C. 7, t. 65, f. 615, 616, E.M.t.212, f.1.</i>	North Seas.
22 senatoria	3327	senator	<i>C.7,t.65,f.617.</i>	Moluccas.
23 citrina	3327	citron	<i>C.7,t.65,f.618.</i>	India.
24 pellucens	3323	pellucid	<i>L. t. 184, f. 21. C. 7, t. 66, f. 625-7. E. M. t. 213, f. 6.</i>	West Indies.
25 obliterata	3323	worn	<i>C.7,t.66,f.622-4.</i>	Moluccas.
26 tigrina	3327	tiger	<i>C.11,t.207,f.2031-6.</i>	N. Ocean.
27 Fuci	3327	Fucus	<i>C.11,t.207,f.2039.</i>	————
28 exotica		exotic	<i>C.11,t.207,f.2037-8.</i>	Red Sea.
29 sanguinea	3323	scarlet	<i>L. t. 185, f. 22. C. 7, t. 66, f. 628.</i>	West Indies.
30 porphyrea	3328	porphyry	<i>C.7,t.66,f.632.</i>	Red Sea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
31 varia		various	<i>L. t.</i> 180, 181, & 189. <i>G. t.</i> 73, <i>f.</i> C. I. N. C. 7, <i>t.</i> 66, <i>f.</i> 633-4. <i>E. M.</i> <i>t.</i> 213, <i>f.</i> 4. <i>P. B. Z.</i> 4, <i>t.</i> 64, <i>f.</i> 1. <i>D.</i> 1, <i>t.</i> 1, <i>f.</i> 1. <i>M. p.</i> 146.	Britain, &c.
32 sauciata	3328	uneq.-rayed	<i>C. 7, t.</i> 69, <i>f.</i> H.	Red Sea.
33 Pusio	3324	wrinkled	<i>G. t.</i> 74, <i>f.</i> A. H. <i>C. 7, t.</i> 67, <i>f.</i> 635-6.	Nicobar Islands.
34 sinuosa	3319	distorted	<i>L. t.</i> 172, <i>f.</i> 9. <i>P. B. Z.</i> 4, <i>t.</i> 64, <i>f.</i> 2. <i>D. t.</i> 34. <i>M.</i> <i>p.</i> 148.	Britain.
35 miniata	3321	vermilion	<i>B. p.</i> 104, <i>t.</i> 7, <i>f.</i> 1.	v.
36 vitrea	3328	glassy	<i>C. 7, t.</i> 67, <i>f.</i> 637. a.	N. Ocean.
37 obsoleta	3328	obsolete	<i>P. B. Z.</i> 4, <i>t.</i> 64, <i>f.</i> 3. <i>D. t.</i> 1, <i>f.</i> 2. <i>M. p.</i> 149.	Britain.
38 lævis		smooth	<i>E. M. t.</i> 214, <i>f.</i> 6. <i>M. p.</i> 150, <i>t.</i> 4, <i>f.</i> 4. <i>L. T.</i> 8, <i>t.</i> 3, <i>f.</i> 5.	————
39 triradiata	3326	three-rayed	<i>C. 11, t.</i> 207, <i>f.</i> 2043. <i>E. M.</i> <i>t.</i> 212, <i>f.</i> 6.	Denmark.
40 solaris		solar	<i>C. 7, t.</i> 67, <i>f.</i> 638.	Adriatic.
41 glabra	3324	glabrous	<i>G. t.</i> 73, <i>f.</i> H. <i>C. 7, t.</i> 67, <i>f.</i> 641-5. <i>E. M. t.</i> 213, <i>f.</i> 2.	Mediterranean.
42 Proteus		variable	<i>C. 11, t.</i> 207, <i>f.</i> 2042.	————
43 opercularis	3325	painted	<i>L. t.</i> 182, <i>f.</i> 19. <i>C. 7, t.</i> 67, <i>f.</i> 646. <i>E. M. t.</i> 213, <i>f.</i> 3. <i>P. B. Z.</i> 4, <i>t.</i> 63, <i>f.</i> 2. <i>D. t.</i> 12. <i>M. p.</i> 145.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
44 lineata	3319	linedated [<i>crenata.</i>]	<i>L. t.</i> 170, <i>f.</i> 7. <i>D. t.</i> 116. <i>M. p.</i> 147.	Britain, &c.
45 Tranqueba- rica	3328	Tranquebar	<i>L. t.</i> 179, <i>f.</i> 16. <i>G. t.</i> 73, <i>f.</i> L.M. <i>E.M. t.</i> 212, <i>f.</i> 4.	East Indies.
46 gibba	3325	gibbous	<i>G. t.</i> 73, <i>f.</i> D.F. <i>C. 7, t.</i> 65, <i>f.</i> 619-20. <i>E. M. t.</i> 212, <i>f.</i> 3.	South America.
47 turgida	3327	turgid	<i>L. t.</i> 169, <i>f.</i> 6. <i>C. 7, t.</i> 65, <i>f.</i> 621. a. b.	East Indies.
48 sulcata	3325	sulcated	<i>C. 7, t.</i> 63, <i>f.</i> 603-4.	Malabar.
49 flavicans	3331	yellowish	<i>L. S. N. p.</i> 1147.	Southern Ocean.
50 fasciata	3331	banded	<i>L. t.</i> 177, <i>f.</i> 14. <i>G. t.</i> 88, <i>f.</i> F.F. <i>C. 7, t.</i> 68, <i>f.</i> 649. a. <i>E. M. t.</i> 206, <i>f.</i> 5.	W. Indies.
51 inflata	3321	inflated	<i>C. 7, t.</i> 68, <i>f.</i> 649. b. <i>M. Suppl. p.</i> 63, <i>t.</i> 29, <i>f.</i> 2.	Mediterranean.
52 fragilis	3332	brittle	<i>C. 7, t.</i> 68, <i>f.</i> 650.	Nicobar Islands.
53 hians	3332	gaping	<i>S. Einl. p.</i> 332, <i>t.</i> 9, <i>f.</i> 4.	Norway.
54 Lima	3332	file	<i>G. t.</i> 88, <i>f.</i> F. <i>C. 7, t.</i> 68, <i>f.</i> 651. <i>E. M. t.</i> 206, <i>f.</i> 4.	Mediterranean.
55 scabra	3332	rough [<i>glacialis.</i>]	<i>L. t.</i> 176, <i>f.</i> 13. <i>C. 7, t.</i> 68, <i>f.</i> 652. <i>E. M. t.</i> 206, <i>f.</i> 2.	West Indies.
56 glacialis	3332	β glacial	<i>C. 7, t.</i> 68, <i>f.</i> 653. <i>E. M.</i> <i>t.</i> 206. <i>f.</i> 3.	—————
57 excavata	3332	excavated	<i>C. 7, t.</i> 68, <i>f.</i> 654.	Norway.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
58 Malleus		hammer	<i>L. t.</i> 219, <i>f.</i> 54. <i>G. t.</i> 96, <i>f.</i> D. E. <i>C.</i> 8, <i>t.</i> 70, <i>f.</i> 655- 666. <i>E. M. t.</i> 177, <i>f.</i> 12, 13.	Amboyna.
59 anatina	3333	duck	<i>C.</i> 8, <i>t.</i> 70, <i>f.</i> 658 & 71, <i>f.</i> 659. <i>E. M. t.</i> 177, <i>f.</i> 14.	Nicobar Islands.
60 fornicata	3335	vaulted	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 667. <i>E. M.</i> <i>t.</i> 178, <i>f.</i> 6, 7.	Red Sea.
61 orientalis		eastern	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 660. <i>E. M.</i> <i>t.</i> 184, <i>f.</i> 4.	East Indies.
62 Folium	3334	corrugated	<i>C.</i> 8, <i>t.</i> 71, <i>f.</i> 662-6. <i>E. M.</i> <i>t.</i> 184, <i>f.</i> 10-14.	Amboyna.
63 plicatula	3336	plaited	<i>G. t.</i> 104, <i>f.</i> A. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 674.	West Indies.
64 Sinensis	3335	China	<i>C.</i> 8, <i>t.</i> 72, <i>f.</i> 668. <i>E. M.</i> <i>t.</i> 184, <i>f.</i> 1.	China.
65 cristata	3337	crested	<i>B. p.</i> 112, <i>t.</i> 7, <i>f.</i> 3.	u.
66 Forskælii	3336	Forskæel's	<i>C.</i> 8, <i>t.</i> 72, <i>f.</i> 671. <i>E. M.</i> <i>t.</i> 181, <i>f.</i> 5.	Egypt.
67 rostrata	3336	beaked	<i>G. t.</i> 102, <i>f.</i> D. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 676.	Mediterranean.
68 Virginica	3336	Virginian	<i>L. t.</i> 200, <i>f.</i> 34. <i>C.</i> 8, <i>t.</i> 73, <i>f.</i> 677. <i>E. M. t.</i> 180, <i>f.</i> 1-3.	Virginia.
69 Cornucopiæ	3336	cornucopia	<i>C.</i> 8, <i>t.</i> 74, <i>f.</i> 679. <i>E. M.</i> <i>t.</i> 182, <i>f.</i> 1, 2.	Africa.
70 orbicularis	3334	orbicular	<i>G. t.</i> 104, <i>f.</i> G. <i>C.</i> 8, <i>t.</i> 74, <i>f.</i> 680.	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
71 arborea	3336	tree	<i>C. 8, t. 74, f. 681.</i>	<i>E. M.</i>
		[<i>parasitica.</i>]	<i>t. 185, f. 1-3.</i>	East Indies.
72 Senegalensis	3337	Senegal	<i>A. p. 202, t. 14, f. 5.</i>	Senegal.
73 denticulata		toothed	<i>C. 8, t. 73, f. 672-3,</i> <i>t. 183, f. 1-4.</i>	<i>E. M.</i> C. of Good Hope.
74 edulis	3334	eatable	<i>L. t. 193-4 & 202-3.</i> <i>G. t. 202, f. A. B. C. 8,</i> <i>t. 74, f. 682. P. B. Z. 4,</i> <i>t. 65.</i>	Ocean.
75 spondyloidea	3335	spondyloid	<i>C. 8, t. 72, f. 669-70.</i>	<i>E. M.</i>
			<i>t. 178, f. 1.</i>	Indian Seas.
76 ovalis	3337	oval	<i>S. Einl. 3, p. 378, t. 9, f. 8.</i>	u.
77 semiaurita	3335	half-eared	<i>S. Einl. 3, p. 365, t. 9, f. 6.</i>	Mediterr.
78 Perna	3338	oblong	<i>L. t. 199, f. 33 & t. 228,</i> <i>f. 63. C. 7, t. 59, f. 597-</i> <i>580. E. M. t. 175, f. 1.</i>	West Indies.
79 Isognomon	3338	long-hinged	<i>C. 7, t. 59, f. 584.</i>	<i>E. M.</i>
			<i>t. 176, f. 1.</i>	Amboyna.
80 Ehippium	3338	saddle	<i>L. t. 227, f. 62. C. 7, t. 58,</i> <i>f. 576. E. M. t. 176, f. 2.</i>	Tranquebar.
81 alata	3339	winged	<i>C. 7, t. 59, f. 581.</i>	West Indies.
82 picta	3339	muscle-shap.	<i>C. 7, t. 58, f. 575.</i>	Red Sea.
83 Legumen	3339	pod-shaped	<i>C. 7, t. 59, f. 578.</i>	<i>E. M.</i>
			<i>t. 175, f. 2, 3.</i>	Nicobar Islands.
84 Vulsella	3219	tongue-shaped	<i>L. t. 1055, f. 10. G. t. 90,</i> <i>f. H. E. M. t. 178, f. 4, 5.</i>	
		[<i>Mya Vulsella.</i>]	<i>C. 6, t. 2, f. 8-11.</i>	Amboyna.

Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XV. ANOMIA. ANOMIA.

- | | | | | | |
|----|---------------|------|---|--|-----------------|
| 1 | craniolaris | 3340 | cranium | <i>C.8,t.76,f.687. a-f. E.M.</i>
<i>t.171,f.1-7.</i> | Philippine Isl. |
| 2 | turbinata | 3721 | top-shaped
[<i>Patella anomala.</i>] | <i>M.Z.D.1,p.14,t.5.</i> | Norway. |
| 3 | Ephippium | 3340 | orbicular | <i>L. t. 204, f. 38. G. t. 97,</i>
<i>f.B. E.M.t.169,f.6,7.</i>
<i>C. 8, t. 76, f. 692-3.</i>
<i>P.B.Z.4,t.65. D.t.26.</i>
<i>M.p.155.</i> | Britain, &c. |
| 4 | Cepa | 3341 | onion | <i>C.8,t.76,f.694-5. E.M.</i>
<i>t.171,f.1,2.</i> | ———— |
| 5 | electrica | 3341 | small amber | <i>L. t. 205, f. 39. C. 8, t. 76,</i>
<i>f. 691. E. M. t. 171,</i>
<i>f.3,4.</i> | Mediterranean. |
| 6 | punctata | 3346 | dotted | <i>C. 8, t. 77, f. 698. E. M.</i>
<i>t.171,f.8,9.</i> | Ferroe Island. |
| 7 | aculeata | 3346 | prickly-
valved. | <i>C. 8, t. 77, f. 702. E. M.</i>
<i>t. 171, f. 10. M. p. 157,</i>
<i>t.4,f.5.</i> | Britain, &c. |
| 8 | muricata | 3346 | muricated | <i>C.8, p. 65, f. A.D. E.M.</i>
<i>t.171,f.12-15.</i> | Guinea. |
| 9 | undulata | 3346 | striated | <i>L. t. 202, f. 36. C.8, t. 77,</i>
<i>f.699. E.M.t.171,f.16,</i>
<i>17. D.t.45. M.p.153</i>
<i>&157,t.4,f.6.</i> | Britain, &c. |
| 10 | patelliformis | 3342 | limpet-shaped | <i>C. 8, t. 77, f. 700. E. M.</i>
<i>t.171,f.18,19.</i> | Norway. |

OSTREA. I.



IVOMIA.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
11 Squama	3346	scaly	<i>C. 8, t. 77, f. 697.</i> <i>t. 171, f. 22-3.</i>	<i>E. M.</i> Norway.
12 pectinata	3340	comb-like	<i>C. 8, t. 76, f. 689-90.</i> <i>t. 171, f. 20, 21.</i>	<i>E. M.</i> Mediterranean.
13 cylindrica	3349	cylindric	<i>M. Suppl. p. 64. L. T. 8, t. 3,</i> <i>f. 6.</i>	Britain, &c.
14 scobinata	3342	rough	<i>C. 8, t. 78, f. 704.</i> <i>t. 243, f. 9.</i>	<i>E. M.</i> Mediterranean.
15 aurita	3342	eared	<i>G. t. 96, f. B.</i>	u.
16 retusa	3342	blunt	<i>L. S. N. p. 1151.</i>	Norway.
17 truncata	3343	truncated	<i>C. 8, t. 77, f. 701.</i>	Mediterranean.
18 Capensis	3347	Cape	<i>C. 8, t. 77, f. 703.</i>	C. of Good Hope.
19 detruncata	3347	semicircular	<i>C. 8, t. 78, f. 705.</i> <i>t. 243, f. 10.</i>	<i>E. M.</i> Mediterranean.
20 pubescens	3344	downy	<i>G. t. 96, f. C.</i> <i>f. 8.</i>	<i>E. M. t. 246,</i> Norway Seas.
21 sanguinolenta	3347	scarlet-rayed	<i>C. 8, t. 78, f. 706.</i>	East Indies.
22 Caput-serpentis	3344	snake's-head	<i>C. 8, t. 78, f. 712 & 11,</i> <i>t. 203, f. 2013-4.</i> <i>t. 241, f. 2.</i>	<i>E. M.</i> Norway Seas.
23 Terebratula	3344	Terebratula	<i>Kl. ost. t. 11, f. 74.</i> <i>t. 239, f. 1.</i>	<i>E. M.</i> Mediterranean.
24 vitrea	3347	brittle	<i>C. 8, t. 78, f. 707-9.</i>	Norway.
25 cruenta		blood-red	<i>L. Z. M. 1, p. 76, t. 33.</i>	Southern Seas.
26 dorsata	3348	keeled	<i>C. 8, t. 78, f. 710-11.</i> <i>t. 242, f. 1.</i>	<i>E. M.</i> Str. of Magellan.
27 psittacea	3348	parrot-beaked	<i>L. t. 211, f. 46.</i> <i>f. 713.</i>	<i>C. 8, t. 78,</i> <i>E. M. t. 244, f. 3.</i> Northern Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 tridentata	3348	3-toothed	<i>C.8,t.p.65,f.F.G.</i>	Mediterranean.
29 Placenta	3345	cake	<i>L.t.225,f.60 & 261,f.61.</i> <i>C.8,t.79,f.716.</i>	<i>E.M.</i> <i>t.173,f.1-3.</i> Tranquebar.
30 Sella	3345	saddle	<i>G.t.104,f. B.</i>	<i>C.8,t.79,</i> <i>f.714.</i> <i>E.M.t.174,f.1.</i> Amboyna.
31 flexuosa	3349	flexuous	<i>S.Einl.3,p.418,t.9,f.11.</i>	Norway Seas.
32 spondylodes	3348	spondylus	<i>L.t.211,f.45.</i>	v.

XVI. MYTILUS. MUSCLE.

1 Crista-galli	3350	cock's-comb	<i>G.t.204,f.E.</i>	<i>C.8,t.75,</i> <i>f.683-4.</i>	Red Sea.	
2 Hyotis	3350	horned	<i>G.t.103,f. A.</i>	<i>C.8,t.75,</i> <i>f.685.</i> <i>E.M.t.186,</i> <i>f.1,2.</i>	Amboyna.	
3 Frons	3350	leaf	<i>L.t.197,f.32 & 198,32. a.</i> <i>G.t.104,f.C.</i>	<i>C.8,t.75,</i> <i>f.686.</i> <i>E.M.t.186,</i> <i>f.4-46.</i>	West Indies.	
4 margaritiferrus	3351	pearly	<i>L.t.221,f.56.</i>	<i>G.t.84,</i> <i>f.E.F.G.</i>	<i>C.8,t.80,</i> <i>f.717.</i> <i>E.M.t.177,f.1,</i> <i>2 & 4.</i>	Amboyna.
5 radiatus		rayed	<i>L.Z.M.1,p.98,t.43.</i>	<i>E.M.</i> <i>t.177,f.3.</i>	Tranquebar.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Unguis	3351	nail	<i>M.L.U.</i> 539. No. 131.	Mediterr.
7 lithophagus	3351	burrowing	<i>L.t.</i> 427, <i>f.</i> 268. <i>G.t.</i> 90, <i>f.</i> D. <i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 729-730. <i>E.M.t.</i> 221, <i>f.</i> 6, 7.	East and West Indies.
8 aristatus		cross-beaked	<i>A.p.</i> 267, <i>t.</i> 19, <i>f.</i> 2.	Senegal.
9 rugosus	3352	rugged	<i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 735. <i>P.B.Z.</i> <i>t.</i> 66, <i>f.</i> 1. <i>D.t.</i> 141. <i>M.p.</i> 164.	Britain, &c.
10 coralliophagus	3359	coral-boring	<i>C.</i> 8, <i>t.</i> 84, <i>f.</i> 752. <i>E.M.</i> <i>t.</i> 219, <i>f.</i> 4.	E. & W. Indies.
11 præcisus		truncated	<i>M.p.</i> 165, <i>t.</i> 4, <i>f.</i> 2.	Britain.
12 fuscus	3359	brown	<i>L.t.</i> 359, <i>f.</i> 197.	East Indies.
13 arborescens		dendritical	<i>C.</i> 11, <i>t.</i> 198, <i>f.</i> 2016-17. <i>E.M.t.</i> 221, <i>f.</i> 2.	West Indies.
14 plicatus	3358	plaited	<i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 733.	Nicobar Islands.
15 vulgaris	3358	small	<i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 732. <i>E.M.</i> <i>t.</i> 218, <i>f.</i> 4.	West Indies.
16 niveus	3358	snow-white	<i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 734.	Nicobar Islands.
17 bilocularis	3352	two-celled	<i>C.</i> 8, <i>t.</i> 82, <i>f.</i> 736-7.	Indian Ocean.
18 exustus		rose-coloured	<i>L.t.</i> 366, <i>f.</i> 206. <i>C.</i> 8, <i>t.</i> 83, <i>f.</i> 744.	Tranquebar.
19 striatulus	3358	striated	<i>S.Einl.</i> 3, <i>p.</i> 449, <i>t.</i> 9, <i>f.</i> 16.	Northern Ocean.
20 niger	3362	black	<i>A.p.</i> 211, <i>t.</i> 15, <i>f.</i> 3.	Africa.
21 edulis	3353	eatable	<i>L.t.</i> 362, <i>f.</i> 200. <i>C.</i> 8, <i>t.</i> 84, <i>f.</i> 750-1. <i>P.B.Z.t.</i> 66, <i>f.</i> 2. <i>D.t.</i> 128. <i>M.p.</i> 159.	Britain, &c.
22 pellucidus		pellucid	<i>P.B.Z.t.</i> 66, <i>f.</i> 3. <i>D.t.</i> 81. <i>M.p.</i> 160.	Britain.
23 unguatus	3354	ox-hoof	<i>C.</i> 8, <i>t.</i> 85, <i>f.</i> 756.	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
24 <i>latus</i>		broad	<i>C. 8, t. 84, f. 747.</i> <i>t. 218, f. 2.</i>	<i>E. M.</i> New Holland.
25 <i>elongatus</i>	3361	lengthened [<i>testaceus.</i>]	<i>C. 8, t. 83, f. 738.</i>	Str. of Magellan.
26 <i>smaragdinus</i>	3359	green-coated	<i>C. 8, t. 83, f. 745.</i>	Tranquebar.
27 <i>lineatus</i>	3359	wedge-shaped	<i>C. 8, t. 84, f. 753.</i>	u.
28 <i>bidens</i>	3354	double- toothed	<i>L. t. 356, f. 193.</i> <i>f. 3. C. 8, t. 83, f. 742.</i> <i>E. M. t. 217, f. 2.</i>	<i>K. 4, t. 30,</i> West Indies.
29 <i>punicus</i>	3362	ventricose	<i>A. p. 210, t. 15, f. 2.</i>	Goree.
30 <i>demissus</i>		silvery	<i>L. t. 358, f. 196.</i>	America.
31 <i>Modiolus</i>	3354	great	<i>L. t. 359, f. 198 & 1057,</i> <i>f. 5. G. t. 91, f. H. C. 8,</i> <i>t. 85, f. 557-9. E. M.</i> <i>t. 219, f. 1. P. B. Z. 4,</i> <i>t. 69. D. t. 23. M. p. 163.</i>	Britain, &c.
32 <i>Cygneus</i>	3355	swan	<i>L. t. 156, f. 11. G. t. 7, f. F.</i> <i>C. 8, t. 85, f. 762. E. M.</i> <i>t. 201, t. 1. P. B. Z. 4,</i> <i>t. 70. D. t. 55. M. p. 170.</i> <i>Dr. t. 12, f. 1. Britain, &c. Fr. w.</i>	
33 <i>Anatinus</i>	3355	duck	<i>L. t. 153, f. 8. G. t. 7, f. E.</i> <i>C. 8, t. 86, f. 763. E. M.</i> <i>t. 202, f. 1. P. B. Z. 4,</i> <i>t. 71. D. t. 113. M. p. 171.</i> <i>Dr. t. 11, f. 6 & t. 12, f. 2. ———</i>	
34 <i>Avonensis</i>		Avon	<i>M. p. 172. L. T. 8, t. 3.</i> <i>A. f. 4.</i>	Britain, Fr. w.
35 <i>fluviatilis</i>	3359	river	<i>L. t. 157, f. 12.</i>	N. America.
36 <i>dubius</i>	3363	doubtful	<i>A. p. 234, t. 17, f. 21.</i>	Senegal.
37 <i>ruber</i>	3356	red	<i>L. S. N. p. 1158.</i>	Southern Ocean,

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 discrepans		compartment	<i>C.8, t. 86, f. 766-7. E.M. t. 204, f. 4. M.p. 169. & Suppl.p. 65, t. 26, f. 4.</i>	Britain.
39 discors		discordant	<i>C.8, t. 86, f. 764-5. D.t. 25. M.p. 167.</i>	Britain, &c.
40 impactus		wool-coated	<i>C. 8, t. 86, f. 768. t. 204, f. 5.</i>	<i>E. M.</i> New Zealand.
41 Faba	3359	bean	<i>C.8, t. 85, f. 761.</i>	Greenland.
42 Hirundo	3357	swallow	<i>L. t. 220, f. 55. G. t. 94, f. B. C. 8, t. 81, f. 722. E.M.t. 179, f. 9.</i>	W. Indies.
43 Morio		mulberry	<i>C.11, t. 205, f. 2018-9.</i>	Red Sea.
44 Ala-corvi	3357	crow's-wing	<i>C. 8, t. 81, f. 727. t. 177, f. 6.</i>	<i>E. M.</i> S. Sea Islands.
45 Lingua		tongue	<i>C. 10, t. 172, f. 1675-6. E.M.t. 250, f. 1.</i>	Amboyna.
46 Camellii		Camelli's	<i>S. N. M. 9, t. 315.</i>	Japan.
47 Canaliculus	3363	channelled	<i>M. U. C. 2, t. 78.</i>	New Zealand.
48 incurvatus		incurved	<i>P. B. Z. t. 67, f. 1. L. T. 8, t. 3, f. 7.</i>	<i>M. p. 160.</i> Britain.
49 umbilicatus		umbilicated	<i>P. B. Z. 4, t. 68. M. p. 164. & Suppl. p. 71.</i>	<i>D. 2, t. 40.</i> ——



XVII. PINNA.

WING-SHELL.

1 rudis	3363	rough	<i>L. t. 373, f. 214. f. C. C. 8, t. 88, f. 773. E.M.t. 199, f. 3.</i>	<i>G. t. 79.</i> W. Indies.
---------	------	-------	--	--------------------------------

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
2 nigra		black	<i>G. t.</i> 81, <i>f. A.</i> <i>C. 8, t.</i> 88, <i>f.</i> 774. <i>E. M. t.</i> 199, <i>f.</i> 1.	Red Sea.
3 ingens		great	<i>M. p.</i> 180. <i>Suppl. p.</i> 72.	Scotland.
4 pectinata	3363	spiny-ribbed	<i>G. t.</i> 90, <i>f. A.</i> <i>E. M. t.</i> 200, <i>f.</i> 5. <i>C. 8, t.</i> 87, <i>f.</i> 770. <i>P. B. Z.</i> 4, <i>t.</i> 72. <i>D.</i> 1, <i>t.</i> 10. <i>M. p.</i> 178.	Britain, &c.
5 inflata		inflated	<i>C. 8, t.</i> 87, <i>f.</i> 771.	Nicobar Islands.
6 carnea	3365	flesh-colour.	<i>C. 8, t.</i> 92, <i>f.</i> 785. <i>M. p.</i> 183, <i>t.</i> 5, <i>f.</i> 3.	Britain, &c.
7 rigida		rigid	<i>C. 8, t.</i> 89, <i>f.</i> 775.	Curaçoa.
8 nobilis	3364	sharp-scaled	<i>G. t.</i> 78, <i>f. B.</i> <i>C. 8, t.</i> 89, <i>f.</i> 776-7.	Mediterranean.
9 muricata	3364	prickly	<i>L. t.</i> 370, <i>f.</i> 210. <i>G. t.</i> 79, <i>f.</i> D. <i>C. 8, t.</i> 91, <i>f.</i> 781.	E. Indies.
10 exusta	3366	pear-shaped	<i>C. 8, t.</i> 91, <i>f.</i> 782.	New Zealand.
11 Vexillum	3366	banner	<i>C. 8, t.</i> 91, <i>f.</i> 783.	Indian Seas.
12 squamosa	3365	scaly	<i>L. t.</i> 374, <i>f.</i> 215. <i>G. t.</i> 78, <i>f.</i> A. <i>C. 8, t.</i> 92, <i>f.</i> 784. <i>E. M. t.</i> 200, <i>f.</i> 1.	Mediterranean.
13 rotundata	3365	giant	<i>G. t.</i> 80, <i>f. A.</i> <i>C. 8, t.</i> 93, <i>f.</i> 787. <i>E. M. t.</i> 200, <i>f.</i> 2. ———	
14 bicolor	3366	two-coloured	<i>C. 8, t.</i> 90, <i>f.</i> 780.	Red Sea.
15 incurva	3366	incurved	<i>C. 8, t.</i> 90, <i>f.</i> 778. <i>E. M.</i> <i>t.</i> 200, <i>f.</i> 3.	Amboyna.
16 vitrea	3366	brittle	<i>G. t.</i> 78, <i>f. C.</i> <i>C. 8, t.</i> 87, <i>f.</i> 772.	Indian Seas.


AVICULA.



MYTILUS.



PINNA.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
17 papyracea	3367	paper	<i>C.8,t.93,f.786.</i>	Indian Seas.
18 saccata	3365	satchel- shaped	<i>L.t.371,f.212.</i> <i>f.779.</i>	<i>C.8,t.90,</i> Mediterranean.
19 digitiformis	3365	finger-shaped	<i>L.S.N.p.1160.</i>	Indian Ocean.
20 bullata	3367	studded	<i>G.t.79,f.C.</i>	v.
21 lobata	3366	lobed	<i>L.S.N.p.1160.</i>	Indian Ocean.

UNIVALVES.

Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*


XVIII. ARGONAUTA. PAPER SAILOR.

1	Argo	3367	oriental	<i>L.t.556,f.7.</i> <i>G.t.12,f.A.</i> <i>C.1,t.17,f.157.</i>	Mediterranean.
2	tuberculata		tuberculated	<i>G.t.12,f.B.</i> <i>C.1,t.17,</i> <i>f.156.</i>	Amboyna.
3	hians		gaping	<i>G.t.12,f.C.</i> <i>C.1,t.17,</i> <i>f.158-9.</i>	China.
4	Gondola		boat	<i>C.1,t.18,f.160.</i>	Mozambique.
5	Haustrum		bucket	<i>C.1,p.221,f.2.</i>	East Indies.
6	vitrea	3368	brittle	<i>C.1,t.18,f.163.</i>	Amboyna.
7	Cymbium	3368	minute	<i>G.t.12,f.D.</i>	————
8	Cornu	3368	horn	<i>C.10,t.137,f.1271-3.</i>	C. of Good Hope.
9	arctica	3368	arctic	<i>Fab.F.G.p.386.</i>	Greenland.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
XIX. NAUTILUS. SAILOR.				
1 Pompilius	3369	great-chambered	<i>L. t.</i> 550, <i>f.</i> 1-3. <i>G. t.</i> 17 & 18. <i>C.</i> 1, <i>t.</i> 18, <i>f.</i> 164 & 19, <i>f.</i> 165-7. <i>E. M.</i> <i>t.</i> 471, <i>f.</i> 3.	Amboyna.
2 scrobiculatus		sunk-spire	<i>L. t.</i> 552, <i>f.</i> 4. <i>C.</i> 10, <i>t.</i> 137, <i>f.</i> 1274-5.	New Guinea.
3 lacustris	3624	lake [<i>H. nitida.</i>]	<i>M. p.</i> 191, <i>t.</i> 6, <i>f.</i> 3.	Britain.
4 Calcar	3370	spur	<i>G. t.</i> 19, <i>f.</i> C. <i>C.</i> 1, <i>t.</i> 19, <i>f.</i> 168-9. <i>F. T. M. t.</i> 11, 12 & 13.	Adriatic.
5 rotatus		wheel	<i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 180-1. <i>M.</i> <i>p.</i> 189, <i>t.</i> 15, <i>f.</i> 4.	Britain, &c.
6 lævigatulus		smooth	<i>M. Suppl. p.</i> 75, <i>t.</i> 18, <i>f.</i> 7, 8.	Britain.
7 depressulus		compressed	<i>M. Suppl. p.</i> 78, <i>t.</i> 18, <i>f.</i> 9. ———	
8 crispus		keel-edged	<i>G. t.</i> 19, <i>f.</i> A.D. <i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 172-4. <i>F. T. M. t.</i> 4, <i>f.</i> d-f. <i>M. p.</i> 187, <i>t.</i> 18, <i>f.</i> 5.	Britain, &c.
9 Beccarii	3370	Beccaria's	<i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 175-7. <i>M.</i> <i>p.</i> 186. <i>Suppl. p.</i> 74, <i>t.</i> 18, <i>f.</i> 4. ———	
10 Balthicus	3370	Baltic	<i>S. Einl.</i> 1, <i>p.</i> 20, <i>t.</i> 1, <i>f.</i> 2.	Baltic.
11 crassulus		strong	<i>M. p.</i> 191. <i>Suppl. t.</i> 18, <i>f.</i> 2.	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
12 umbilicatus		umbilicated	<i>M. p.</i> 191. <i>Suppl. p.</i> 78, <i>t.</i> 18, <i>f.</i> 1.	Britain.
13 lobatus		lobed	<i>L. T.</i> 8, <i>p.</i> 117.	—
14 rugosus	3371	rugged	<i>S. Einl.</i> 1, <i>p.</i> 12.	Southern Ocean.
15 umbilicatus	3371	oblique- jointed	<i>S. Einl.</i> 1, <i>p.</i> 12.	Croatia.
16 Spirula	3371	ram's-horn [<i>Spicula.</i>]	<i>L. t.</i> 550, <i>f.</i> 2. <i>G. t.</i> 19, <i>f.</i> E. <i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 184-5. <i>E. M. t.</i> 465, <i>f.</i> 5.	West Indies.
17 Spengleri	3371	Spengler's	<i>F. T. M. t.</i> 14, <i>f.</i> d-i, & 15, <i>f.</i> a-h. <i>E. M. t.</i> 470, <i>f.</i> 4.	Sands in India.
18 unguiculatus	3372	nail-shaped		—
19 semilituus	3372	half-crozier	<i>C.</i> 1, <i>t.</i> 20, <i>f.</i> 186-7. <i>M.</i> <i>p.</i> 196. <i>Suppl. t.</i> 19, <i>f.</i> 1.	Britain.
20 Lituus	3372	crozier		Red Sea.
21 carinatus		keeled	<i>M. p.</i> 195. <i>L. T.</i> 8, <i>p.</i> 118.	Britain.
22 obliquus	3372	obliquely- striated	<i>G. t.</i> 19, <i>f.</i> N. <i>M. p. t.</i> 14, <i>f.</i> 4. <i>jugosus.</i>	—
23 Raphani- strum	3372	12-striated	<i>S. Einl.</i> 1, <i>p.</i> 15.	Mediterranean.
24 Raphanus	3372	17-striated	<i>G. t.</i> 9, <i>f.</i> L.M. <i>C.</i> 1, <i>p.</i> 1, <i>f.</i> A.B.	—
25 costatus		ribbed	<i>M. p.</i> 199, <i>t.</i> 14, <i>f.</i> 5. <i>Suppl.</i> <i>p.</i> 83, <i>t.</i> 19, <i>f.</i> 2.	Britain.
26 Granum	3372	8-striated	<i>S. Einl.</i> 1, <i>p.</i> 16.	Mediterranean.
27 Radicula	3373	bulbous- jointed	<i>C.</i> 1, <i>p.</i> 1, <i>f.</i> G.g. <i>M. p.</i> 197, <i>t.</i> 6, <i>f.</i> 4. & <i>t.</i> 14, <i>f.</i> 6.	Britain.

PINNA.



ARGONAUTA.



N. UTILIS.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
28 spinulosus		spinous-joint	<i>M. Suppl.</i> p. 86, t. 19, f. 5.	Britain.
29 subarcuatus		sub-arcuated	<i>M.</i> p. 198, t. 6, f. 5.	————
30 bicarinatus		two-keeled	<i>M. Suppl.</i> p. 86.	————
31 Fascia	3373	banded	<i>G. t.</i> 19, f. O. <i>C.</i> 1, p. 1. <i>f.</i> D. d.	Adriatic.
32 inæqualis	3373	unequal		Red Sea.
33 siphunculus	3373	ringed	<i>G. t.</i> 19, f. R. S. <i>C.</i> 1, p. 1, <i>f.</i> F. ff. f.	Sicily.
34 Legumen	3373	Pod	<i>G. t.</i> 19, f. P. <i>C.</i> 1, p. 1, <i>f.</i> E. e. <i>M. Suppl.</i> p. 82, t. 19, f. 6.	Britain, &c.
35 linearis		linear	<i>M. Suppl.</i> p. 87, t. 30, f. 9.	Scotland.
36 rectus		straight	<i>M.</i> p. 197. <i>Suppl.</i> p. 82, t. 19, f. 4 & 7.	Britain.
37 Pompilioides		thick-smooth	<i>F. T. M.</i> t. 2, f. a-c.	Mediterranean.
38 repandus		wheel-shaped	<i>F. T. M.</i> t. 3, f. a-c. <i>E. M.</i> t. 466, f. 9.	————
39 asterizans		starred	<i>F. T. M.</i> t. 3, f. e-h. <i>E. M.</i> t. 466, f. 10.	————
40 incrassatus		thickened	<i>F. T. M.</i> t. 4, f. a-c.	C. of Elba.
41 strigilatus		white-rayed	<i>F. T. M.</i> t. 5, f. c-g. <i>E. M.</i> t. 470, f. 3.	Adriatic Sea.
42 craticulatus		sharp-keeled	<i>F. T. M.</i> t. 5, f. h-k. <i>E. M.</i> t. 470, f. 1.	Arabian Shore.
43 striato-punctatus		dotted	<i>F. T. M.</i> t. 9, f. a-c.	————
44 ambiguus		doubtful	<i>F. T. M.</i> t. 9, f. d-f.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 macellus		23-ribbed	<i>F.T.M.t.10, f.c-k.</i>	Mediterranean.
46 papillosus		pimpled	<i>F.T.M.t.14, f.a-c.</i>	Adriatic.
47 planatus		flat	<i>F.T.M.t.16, f.a-i.</i> <i>E.M.</i> <i>t.467, f.1,2.</i>	————
48 Cassis		lobster's-tail	<i>F.T.M. t. 17 & 18, f. a-c.</i> <i>E.M.t.467, f.3-5.</i>	————
49 Galea		Helmet	<i>F.T.M.t.18, f.d-f.</i> <i>E.M.</i> <i>t.467, f.6.</i>	Etruria.
50 acnautauricul- laris		sharp-eared	<i>F.T.M.t.18, f.g-i.</i> <i>E.M.</i> <i>t.467, f.7.</i>	Mediterranean.
51 Faba		bean-shaped	<i>F.T.M.t.19, f.a-c.</i>	Rimini.
52 Scapha		boat-shaped	<i>F.T.M.t.19, f.d-f.</i>	Adriatic.
53 Crepidula		Slipper	<i>F.T.M.t.19, f.g-i.</i>	Etruria.
54 Auricula		ear-shaped	<i>F.T.M.t.20, f.d-f.</i>	Mediterranean.
55 tuberosus		punctured	<i>F.T.M.t.20, f.g-k.</i>	Etruria.
56 orbiculus		orbicular	<i>F.T.M.t.21.</i> <i>E.M.t.468,</i> <i>f.1.</i>	————
57 angulatus		angular	<i>F.T.M.t.22.</i> <i>E.M.t.468,</i> <i>f.3.</i>	Arabian Gulf.
58 aduncus		crooked	<i>F.T.M.t.23.</i> <i>E.M.t.468,</i> <i>f.2.</i>	————

Linn. names. *Gm. Engl. names.* *Synonyms.* *Habitat.*

XX. CONUS. CONE.


- 1 marmoratus 3374 marbled † *L. t.* 787, *f.* 39. *G. t.* 22, *f.*D. *C. 2, t.* 62, *f.* 685-6. *E. M. t.* 317, *f.* 5, 6.
East and West Indies.
- 2 Nicobaricus yellow-throat. *C. 10, t.* 139, *f.* 1292. *E. M.* *t.* 318, *f.* 9. East Indies.
- 3 arachnoideus 3388 spider's-web *C. 2, t.* 61, *f.* 676. *E. M.* *t.* 318, *f.* 7, 8. Tranquebar.
- 4 zonatus zoned *C. 10, t.* 139, *f.* 1286-8. *E. M. t.* 318, *f.* 4. Asiatic Ocean.
- 5 imperialis 3374 imperial *L. t.* 766, *f.* 15. *G. t.* 22, *f.* A. *C. 2, t.* 62, *f.* 690-2. *E. M. t.* 319, *f.* 1, 2. Amboyna.
- 6 fuscatus brownish *C. 2, t.* 62, *f.* 692-3. *E. M.* *t.* 319, *f.* 3. New Zealand.
- 7 literatus 3375 lettered *G. t.* 20, *f.* O. *L. t.* 770, *f.* 17. *C. 2, t.* 60, *f.* 668. *E. M. t.* 323, *f.* 1. Amboyna.
- 8 eburneus square-spotted † *G. t.* 22, *f.* F. *C. 2, t.* 61, *f.* 674. *E. M. t.* 324, *f.* 1, 2. East Indies.
- 9 tessellatus mosaic † *L. t.* 767, *f.* 17. *G. t.* 21, *f.* H. *C. 2, t.* 59, *f.* 653-4. *E. M. t.* 326, *f.* 7 & 9.
African Ocean.

<i>Linn. names.</i>	<i>Gm. Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
10 <i>generalis</i>	3375 general	<i>L. t.</i> 786, <i>f.</i> 35. <i>G. t.</i> 20, <i>f.</i> G. <i>C. 2, t.</i> 58, <i>f.</i> 645- 652. <i>E. M. t.</i> 325, <i>f.</i> 1-6.	Amboyna.
11 <i>canaliculatus</i>	grooved [<i>Malaccanus.</i>]	<i>E. M. t.</i> 325, <i>f.</i> 9.	Ceylon.
12 <i>radiatus</i>	3386 radiated	<i>C. 2, t.</i> 53, <i>f.</i> 584 & 587. <i>E. M. t.</i> 327, <i>f.</i> 3.	West Indies.
13 <i>Virgo</i>	3376 Virgin ♀	<i>L. t.</i> 754, <i>f.</i> 2 & 758, <i>f.</i> 3. <i>G. t.</i> 20, <i>f.</i> B. <i>C. 2, t.</i> 53, <i>f.</i> 585-6. <i>E. M. t.</i> 326, <i>f.</i> 5.	Africa.
14 <i>niveus</i>	3392 white	<i>B. p.</i> 150, <i>t.</i> 7, <i>f.</i> 9.	u.
15 <i>Capitaneus</i>	3376 Captain	<i>L. t.</i> 78, <i>f.</i> 27. <i>G. t.</i> 22, <i>f.</i> M. <i>C. 2, t.</i> 59, <i>f.</i> 660-2. <i>E. M. t.</i> 327, <i>f.</i> 1, 2.	Amboyna.
16 <i>Chemnitzii</i>	Chemnitz's	<i>C. 11, t.</i> 182, <i>f.</i> 1764-5.	Ceylon.
17 <i>mustelinus</i>	weasel	<i>C. 10, t.</i> 138, <i>f.</i> 1280. <i>E. M. t.</i> 327, <i>f.</i> 6.	Batavia.
18 <i>Hyæna</i>	Hyena	<i>C. 11, t.</i> 181, <i>f.</i> 1750-1. <i>E. M. t.</i> 327, <i>f.</i> 5 & 7.	New Zealand.
19 <i>Miles</i>	3377 Soldier ♂	<i>L. t.</i> 786, <i>f.</i> 34. <i>G. t.</i> 20, <i>f.</i> N. <i>C. 2, t.</i> 59, <i>f.</i> 663-4. <i>E. M. t.</i> 329, <i>f.</i> 7.	Amboyna.
20 <i>Tribunus</i>	3377 Tribune	<i>C. 2, t.</i> 59, <i>f.</i> 655.	West Indies.
21 <i>spurius</i>	3396 spurious	<i>G. t.</i> 22, <i>f.</i> E. <i>C. 2, t.</i> 56, <i>f.</i> 626-8. <i>E. M. t.</i> 334, <i>f.</i> 1, 2.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 leoninus	3386	Lion	<i>L. t.</i> 772, <i>f.</i> 18. <i>G. t.</i> 21, <i>f.</i> D. <i>C. 2, t.</i> 55, <i>f.</i> 607. <i>E.M.t.</i> 335, <i>f.</i> 5.	Amboyna.
23 characteri- sticus		character- spotted	<i>C. 11, t.</i> 182, <i>f.</i> 1760-1.	W. Indies.
24 cærulescens		blueish	<i>C. 11, t.</i> 182, <i>f.</i> 1762-3.	————
25 Princeps	3378	Persian robe	<i>C. 10, t.</i> 138, <i>f.</i> 1276. <i>E.M.</i> <i>t.</i> 318, <i>f.</i> 3.	Asiatic Ocean.
26 Janus		Janus	<i>L. t.</i> 782, <i>f.</i> 29. <i>G. t.</i> 25, <i>f.</i> T. <i>C. 2, t.</i> 52, <i>f.</i> 581. <i>E.M.t.</i> 336, <i>f.</i> 5.	————
27 Guinaicus		Guinea	<i>F. t.</i> 16, <i>f.</i> F1. & F2. <i>E.M.</i> <i>t.</i> 337, <i>f.</i> 4 & 6.	Guinea.
28 fulmineus	3388	lightning	<i>C. 2, t.</i> 58, <i>f.</i> 644. <i>E.M.</i> <i>t.</i> 337, <i>f.</i> 3.	Africa.
29 Lorenzianus		Lorenzo's	<i>C. 11, t.</i> 181, <i>f.</i> 1754-5. <i>E.M.t.</i> 336, <i>f.</i> 1.	East Indies.
30 Amadis	3388	Amadis	<i>C. 10, t.</i> 142, <i>f.</i> 1322-3. <i>E.M.t.</i> 335, <i>f.</i> 1, 2.	Java.
31 acuminatus		sharp-pointed	<i>F. t.</i> 17, <i>f.</i> N1. <i>E.M.t.</i> 336, <i>f.</i> 3, 4.	Amboyna.
32 Thomæ	3394	St. Thomas's	<i>C. 10, t.</i> 143, <i>f.</i> 1331. No. 2. <i>E.M.t.</i> 339, <i>f.</i> 3.	Asiatic Ocean.
33 Ammiralis	3378	Admiral	<i>L. t.</i> 759, <i>f.</i> 4. <i>G. t.</i> 21, <i>f.</i> L. <i>C. 2, t.</i> 57, <i>f.</i> 634. <i>E.M.</i> <i>t.</i> 328, <i>f.</i> 1, 2, 7, 8 & 9.	Amboyna.
34 Archithalas- sus		granulated	<i>C. 2, p.</i> 26, <i>f.</i> 1. <i>E.M.t.</i> 328, <i>f.</i> 3, 4.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
35 Cedonulli	3378	Cedonulli	<i>C. 2, t. 57, f. 633.</i> <i>t. 316, f. 1-9.</i>	<i>E. M.</i> Caraccas.
36 aurantius		orange	<i>L. t. 775, f. 21.</i> <i>G. t. 20,</i> <i>f. L. C. 2, t. 61, f. 679.</i> <i>E. M. t. 317, f. 7.</i>	Philippine Islands.
37 leucostictos	3388	marbled	<i>G. t. 21, f. L. C. 2, t. 61,</i> <i>f. 678. E. M. t. 317, f. 1,</i> <i>4 & 9.</i>	West Indies.
38 vitulinus		spotted	<i>F. t. 15, f. R. E. M. t. 326,</i> <i>f. 3.</i>	Martinique.
39 polyzonias	3392	depressed- spire	<i>B. t. 7, f. 13. E. M. t. 326,</i> <i>f. 4 & 8.</i>	Guinea.
40 Senator	3381	Senator	<i>C. 2, t. 59, f. 659. E. M.</i> <i>t. 326, f. 6.</i>	_____
41 Catus		Cat	<i>C. 2, t. 55, f. 609-10. E. M.</i> <i>t. 332, f. 3, 4 & 7. C. of G. Hope.</i>	
42 nobilis	3381	noble	<i>C. 2, t. 62, f. 689 & 10,</i> <i>t. 141, f. 1312. E. M.</i> <i>t. 339, f. 7, 8.</i>	Amboyna.
43 Siamensis		Siam	<i>F. t. 16, f. B.</i>	China.
44 genuanus	3381	butterfly- winged	<i>L. t. 767, f. 16. G. t. 22,</i> <i>f. H. C. 2, t. 56, f. 624-5.</i> <i>E. M. t. 329, f. 5, 6.</i>	East Indies.
45 papilionaceus		Papilio	<i>L. t. 773, f. 19. G. t. 22,</i> <i>f. C. C. 2, t. 60, f. 669.</i> <i>E. M. t. 330, f. 1, 2, 5 & 8.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
46 Prometheus		Prometheus	<i>L. t.</i> 771, <i>f.</i> 17. <i>G. t.</i> 22, <i>f.</i> B. <i>E.M.t.</i> 331, <i>f.</i> 5.	Java.
47 tæniatus		American- flag	<i>L. t.</i> 763, <i>f.</i> 12. <i>C. 2, t.</i> 57, <i>f.</i> 632 & 10, <i>t.</i> 144, m & n. <i>E.M.t.</i> 319, <i>f.</i> 5.	Africa.
48 Musicus		Music	<i>E.M.t.</i> 322, <i>f.</i> 4.	China.
49 miliaris		millet	<i>E.M.t.</i> 319, <i>f.</i> 6.	————
50 glaucus	3382	little blueish	<i>C. 10, t.</i> 138, <i>f.</i> 1277-8. <i>E.M.t.</i> 329, <i>f.</i> 3.	Amboyna.
51 Suratensis		Surat	<i>C. 11, t.</i> 181, <i>f.</i> 1752-3. <i>E.M.t.</i> 329, <i>f.</i> 4.	East Indies.
52 Monachus	3387	Monk [<i>nebulosus.</i>]	<i>C. 2, t.</i> 55, <i>f.</i> 614. <i>E. M.</i> <i>t.</i> 329, <i>f.</i> 1, 2.	China.
53 Ranunculus		Ranunculus	<i>E.M.t.</i> 331, <i>f.</i> 1.	American Ocean.
54 achatinus		Agate	<i>C. 10, t.</i> 142, <i>f.</i> 1317. <i>E.M.</i> <i>t.</i> 330, <i>f.</i> 6 & 9.	Batavia.
55 Luzonicus		spotted-velvet	<i>F. 2, p.</i> 678, <i>t.</i> 17, <i>f.</i> C. <i>E.M.t.</i> 338, <i>f.</i> 6.	Philippine Isl.
56 Rusticus	3383	Rustic	<i>L. t.</i> 765, <i>f.</i> 14. <i>C. 2, t.</i> 52, <i>f.</i> 578 & 11, <i>t.</i> 183, <i>f.</i> 1776-7. <i>E.M.t.</i> 331, <i>f.</i> 7.	Amboyna.
57 Nisus		brown- throated	<i>C. 11, t.</i> 183, <i>f.</i> 1784-5.	East Indies.
58 lividus		livid	<i>C. 2, t.</i> 63, <i>f.</i> 694-5. <i>E. M.</i> <i>t.</i> 321, <i>f.</i> 5.	C. of G. Hope.
59 Mus		Mouse	<i>L. t.</i> 784, <i>f.</i> 31. <i>E.M.t.</i> 320, <i>f.</i> 9.	Guadaloupe.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
60 <i>distans</i>		wide-lined	<i>C.10,t.138,f.1281.</i> <i>E.M.</i>  <i>t.321,f.11.</i>	South Seas.
61 <i>Caledonicus</i>		Caledonian	<i>E.M.t.321,f.10.</i>	New Caledonia.
62 <i>Coffeæ</i>	3388	Coffee	<i>C.2,t.56,f.618.</i> <i>E.M.</i> <i>t.336,f.7.</i>	American Seas.
63 <i>vittatus</i>		ribbon	<i>E.M.t.335,f.3.</i>	Asiatic Ocean.
64 <i>Classarius</i>		Sailor	<i>G.t.21,f.C.</i> <i>C.11,t.183,</i> <i>f.1786-7.</i> <i>E.M.t.335,</i> <i>f.7.</i>	_____
65 <i>Mercator</i>	3383	net-work	<i>L.t.788,f.41.</i> <i>C.2,t.56,</i> <i>f.619-20.</i> <i>E.M.t.333,</i> <i>f.7.</i>	Cape of Good Hope.
66 <i>betulinus</i>	3383	birch-bark	<i>L.t.762,f.11.</i> <i>G.t.21,</i> <i>f.B.</i> <i>C.2,t.40,f.665.</i> <i>E.M.t.333,f.5&8.</i>	Amboyna.
67 <i>figulinus</i>	3384	brown-band.	<i>L.t.785,f.32.</i> <i>G.t.20,</i> <i>f.E.</i> <i>C.2,t.59,f.656.</i> <i>E.M.t.332,f.1,2.</i>	Malabar.
68 <i>quercinus</i>	3378	Oak	<i>C.2,t.59,f.657.</i> <i>E.M.</i> [<i>Cingulum.</i>] <i>t.332,f.6.</i>	C. of G. Hope.
69 <i>lineatus</i>		lined	<i>C.10,t.138,f.1285.</i> <i>E.M.</i> <i>t.326,f.2.</i>	Philippine Isl.
70 <i>Eques</i>		Chevalier	<i>F.2,p.606,t.14,f.F1.</i> <i>E.M.t.335,f.9.</i>	New Zealand.
71 <i>ermineus</i>		ermine	<i>C.2,t.57,f.630-1&10,</i> <i>t.140,f.1298.</i> <i>E.M.</i> <i>t.338,f.8.</i>	East Indies.
72 <i>Vexillum</i>	3397	Banner	<i>G.t.20,f.M.&t.21,f.E.</i> <i>C.11,t.182,f.1758-9.</i>	Batavia.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
73 testudinarius		Turtle	<i>C. 2, t. 55, f. 605.</i> <i>t. 335, f. 6.</i>	<i>E. M.</i> West Indies.
74 venulatus		veined	<i>F. 2, p. 604, t. 14, f. D. 1 & 2.</i> <i>E. M. t. 337, f. 9.</i>	American Seas.
75 Namocanus		Ash-wood	<i>E. M. t. 338, f. 5.</i>	South Sea.
76 costatus		ribbed	<i>C. 11, t. 181, f. 1745-7.</i>	South Sea & China.
77 ebræus	3384	Hebrew	<i>L. t. 779.</i> <i>G. t. 25, f. T.</i> <i>C. 2, t. 56, f. 617.</i> <i>t. 321, f. 8, 9.</i>	<i>E. M.</i> East Indies, &c.
78 Stercus mus- carum	3385	black-and- white dotted	<i>L. t. 757, f. 9.</i> <i>G. t. 25, f. O.</i> <i>C. 2, t. 64, f. 711-12.</i> <i>E. M. t. 341, f. 6.</i>	Amboyna.
79 arenatus		sandy	<i>L. t. 761, f. 10.</i> <i>G. t. 25,</i> <i>f. P.</i> <i>C. 2, t. 63, f. 696.</i> <i>E. M. t. 320, f. 3, 6 & 7.</i>	Batavia.
80 pulicarius		flea-bitten	<i>L. t. 774, f. 20.</i> <i>G. t. 21,</i> <i>f. G.</i> <i>C. 2, t. 63, f. 698. a.</i> <i>E. M. t. 320, f. 1, 2.</i>	Friendly Islands.
81 Zeylanicus	3389	Ceylon	<i>C. 10, t. 142, f. 1318.</i> <i>t. 320, f. 8.</i>	<i>E. M.</i> Ceylon.
82 punctatus		fawn-coloured	<i>C. 10, t. 139, f. 1294.</i> <i>t. 319, f. 8.</i>	<i>E. M.</i> East Indies.
83 cancellatus		trellised	<i>E. M. t. 338, f. 1.</i>	Owyhee.
84 varius	3386	Shagreen	<i>C. 10, t. 138, f. 1284.</i> <i>t. 321, f. 3, 4.</i>	<i>E. M.</i> West Indies.


<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
85 Portoricanus		granulated	<i>E.M.t.338,f.4.</i>	Porto Rico.
86 Tinianus		red, clouded	<i>E.M.t.338,f.2.</i>	Isle of Tinian.
87 coronatus	3389	crowned	<i>C.2,t.63,f.703-5.</i> <i>t.322,f.2.</i>	<i>E. M.</i> East Indies.
88 Barbadosis		white-banded	<i>E.M.t.322,f.8.</i>	Barbadoes.
89 roseus		rose-coloured	<i>C.2,t.63,f.707.</i> <i>t.322,f.7.</i>	<i>E. M.</i> Antilles.
90 coccineus	3390	scarlet	<i>C.2,t.61,f.680.</i> <i>t.322,f.6.</i>	<i>E. M.</i> West Indies.
91 citrinus	3389	citron-colour.	<i>C.2,t.61,f.681.</i>	Curaçoa.
92 sponsalis		pink-spotted	<i>C.11,t.182,f.1766-7.</i> <i>E.M.t.322,f.1.</i>	South Seas.
93 Taitensis		blackish violet	<i>E.M.t.336,f.9.</i>	Otaheite.
94 scabriusculus		roughish	<i>C.11,t.182,f.1768-9.</i>	Coast of Guinea.
95 puncturatus		groove-punctured	<i>E.M.t.322,f.9.</i>	Botany Bay.
96 Ceylonensis		zig-zag	<i>E.M.t.322,f.10.</i>	Ceylon.
97 pusillus		dwarf	<i>C.11,t.183,f.1788-9.</i> <i>E.M.t.331,f.8.</i>	C. of Guinea.
98 lamellosus		plaited-spire	<i>E.M.t.322,f.5.</i>	Ceylon.
99 Rattus		Rat-skin	<i>E.M.t.338,f.7.</i>	America.
100 Jamaicensis		three-banded.	<i>E.M.t.335,f.4.</i>	Jamaica.
101 Mediterraneus		olive-clouded	<i>E.M.t.330,f.4.</i>	Mediterranean.
102 puncticulatus	3382	red-dotted	<i>G.t.22,f.No.2.</i> <i>C.2,t.55,</i> <i>f.612, b. & 10, t.140,</i> <i>f.1305.</i> <i>E. M. t.331,</i> <i>f.2.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
103 Mauritianus		Mauritian	<i>E.M.t.330,f.9.</i>	Africa.
104 sulcatus		grooved	<i>E.M.t.321,f.6.</i>	West Indies.
105 verrucosus		warty	<i>L. t. 756, f. 8. C. 2, t. 55, f.612. c.d. E.M.t.333, f.4.</i>	Africa.
106 Columba		rose-dove	<i>F. 2, p. 572, t. 18, f. K. 1. E.M.t.334,f.3.</i>	I. of France.
107 Madurensis		green cross	<i>F. 2, p. 617, t. 15, f. E. 1. E.M.t.333,f.3.</i>	Asiatic Ocean.
108 Jaspideus	3387	Jasper	<i>C. 2, t. 55, f. 612. t.334,f.4.</i>	<i>E.M.</i> West Indies.
109 Japonicus		orange-mottled	<i>E.M.t.330,f.3.</i>	Japan.
110 Mindanus		white-mottled	<i>E.M.t.330,f.7.</i>	Philippine Islands.
111 festivus		festive	<i>C.11,t.182,f.1770-1.</i>	Moluccas.
112 Clavus	3390	yell.-veined	<i>L. t. 744, f. 34. C. 2, t. 52, f. 570 & 10, t. 143, f. 1327. E. M. t. 346, f.3.</i>	East Indies.
113 aureus		golden	<i>E.M.t.346,f.4.</i>	China.
114 affinis	3391	Commandant	<i>C. 2, t. 52, f. 571. E. M. t.342,f.4,5.</i>	East Indies.
115 tendineus		chocolate	<i>L.t.745,f.36. C.10,t.143, f. 1330. E. M. t. 342, f.6.</i>	Africa.
116 australis		Southern	<i>C. 11, t. 183, f. 1774-5.</i>	New South Wales.
117 lævis	3391	smooth	<i>C.2,t.52,f.572.</i>	Africa.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
118 ochroleucus		yellowish	<i>C. 2, t. 52, f. 573.</i> <i>t. 343, f. 6.</i>	<i>E. M.</i> America.
119 strigatus		pale violet	<i>E. M. t. 342, f. 1.</i>	Indian Seas.
120 mitratus		Mitre	<i>E. M. t. 342, f. 3.</i>	————
121 Glans		Acorn	<i>C. 10, t. 143, f. 1331.</i> <i>t. 342, f. 7 & 9.</i>	<i>E. M.</i> Africa.
122 tenellus		delicate	<i>C. 11, t. 183, f. 1782-3.</i>	Moluccas.
123 Nussatella	3390	clouded white and yellow	<i>C. 2, t. 51, f. 567.</i> <i>t. 342, f. 2 & 8.</i>	<i>E. M.</i> Island of Nussatella.
124 granulatus	3391	grained	<i>L. t. 760, f. 5.</i> <i>C. 2, t. 52,</i> <i>f. 574-5.</i> <i>E. M. t. 339,</i> <i>f. 9.</i>	South America.
125 Fusus	3390	Spindle	<i>L. t. 768, f. 17. A.</i> <i>C. 2, t. 52,</i> <i>f. 576.</i> <i>E. M. t. 341, f. 7.</i>	West Indies.
126 aurisiacus	3392	Orange	<i>C. 2, t. 57, f. 636-7.</i> <i>E. M.</i> <i>t. 339, f. 4.</i>	Amboyna.
127 Terebellum	3390	Wimble	<i>F. 2, p. 662, t. 17, f. K. 2.</i> <i>C. 2, t. 52, f. 577.</i> <i>E. M.</i> <i>t. 339, f. 1, 2.</i>	Batavia.
128 Raphanus		Radish	<i>E. M. t. 341, f. 1, 2.</i>	Asiatic Ocean.
129 Adansoni		Adanson's	<i>A. p. 95, t. 6, f. 6.</i> <i>E. M.</i> <i>t. 343, f. 7.</i>	Senegal.
130 Augur		Augur	<i>L. t. 755, f. 7.</i> <i>C. 2, t. 58,</i> <i>f. 641.</i> <i>E. M. t. 333,</i> <i>f. 6.</i>	Ceylon.
131 Magus		Magician	<i>C. 2, t. 52, f. 579-80.</i> <i>E. M.</i> <i>t. 341, f. 8.</i>	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
132 striatus	3393	striated	<i>L. t. 760, f. 6. G. t. 26, f. D.</i> <i>C. 2, t. 64, f. 714-16.</i> <i>E. M. t. 340, f. 1-3.</i>	Moluccas.
133 Gubernator		Governor	<i>E. M. t. 340, f. 4, 5, 6.</i>	Asiatic Ocean.
134 Gloria maris		Glory of the sea	<i>C. 10, t. 143, f. 1324-5.</i> <i>E. M. t. 347, f. 7.</i>	East Indian Ocean.
135 pyramidalis		pyramidal	<i>F. 2, p. 645, t. 18, f. C. 1.</i> <i>E. M. t. 347, f. 5.</i>	Torrid zone.
136 Textile	3373	Gold brocade	<i>L. t. 788, f. 40. G. t. 25,</i> <i>f. A. A. C. 2, t. 54, f. 598,</i> <i>600. E. M. t. 344, f. 5.</i>	E. & W. Indies.
137 Abbas		Abbot	<i>C. 10, t. 143, f. 1326. b. c.</i> <i>E. M. t. 345, f. 3.</i>	I. of France.
138 Archiepiscopus		Archbishop	<i>C. 2, t. 54, f. 602. E. M.</i> <i>t. 346, f. 1 & 7.</i>	E. Indies.
139 Canonicus		Canon	<i>E. M. t. 345, f. 1.</i>	Indian Seas.
140 Episcopus		Bishop	<i>L. t. 790, f. 43. C. 2, t. 53,</i> <i>f. 591. E. M. t. 345,</i> <i>f. 2 & 6.</i>	————
141 Prælatas		Prelate	<i>F. 2, p. 639, t. 18, f. B. 7.</i> <i>C. 2, t. 54, f. 601. E. M.</i> <i>t. 345, f. 4.</i>	————
142 pennaceus		plumous	<i>B. t. 7, f. 14. E. M. t. 344,</i> <i>f. 4.</i>	Amboyna.
143 rubiginosus		orange-brown	<i>F. 2, p. 644, t. 18, f. C. 4.</i> <i>C. 2, t. 54, f. 593-4.</i> <i>E. M. t. 344, f. 2.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
144 Omaria		pearl-brown	<i>F. 2, p. 652, t. 18, f. C. 5.</i> <i>C. 2, t. 54, f. 596. E.M.</i> <i>t. 344, f. 3.</i>	New Guinea.
145 Aulicus	3394	Brunette	<i>G. t. 25, f. Z. C. 2, t. 53,</i> <i>f. 592. E.M. t. 343, f. 3</i> & 4.	Amboyna.
146 elongatus		lengthened	<i>C. 10, t. 144. A. f. i & k.</i> <i>E.M. t. 337, f. 2.</i>	Guinea.
147 Spectrum	3395	Spectre	<i>L. t. 783, f. 30. C. 2, t. 53,</i> <i>f. 582-3. E.M. t. 341,</i> <i>f. 9.</i>	Amboyna.
148 informis		misshapen	<i>F. 2, p. 700, t. 79 upper</i> <i>f. N. C. 10, t. 144, A.</i> <i>f. g. h. E.M. t. 337, f. 8.</i>	New Zealand.
149 ventricosus	3397	ventricose	<i>E.M. t. 337, f. 5.</i>	Africa.
150 bullatus		bubble	<i>G. t. 26, f. C. C. 10, t. 142,</i> <i>f. 1315-16. E.M. t. 339,</i> <i>f. 6.</i>	Moluccas.
151 Timorensis		Timor	<i>E.M. t. 341, f. 3.</i>	E. Ind. Ocean.
152 nimbosus		rainy	<i>E.M. t. 341, f. 5.</i>	————
153 rosaceus		Aurora	<i>C. 11, t. 181, f. 1756-7.</i>	————
154 Tulipa	3395	Tulip	<i>L. t. 764, f. 13. G. t. 26,</i> <i>f. G. C. 2, t. 64, f. 718-</i> <i>719 & t. 65, f. 720-1.</i> <i>E.M. t. 322, f. 11. Madagascar.</i>	
155 Geographus	3396	Geographer	<i>L. t. 747, f. 41. G. t. 26,</i> <i>f. E. C. 2, t. 64, f. 717.</i> <i>E.M. t. 322, f. 12.</i>	Amboyna.



CONTIN.







Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XXI. CYPRÆA. COWRY.

- | | | |
|----------------|-------------------------|---|
| 1 Exanthema | 3397 spotted | <i>L. t.</i> 697, <i>f.</i> 44 to 699,
<i>f.</i> 46. <i>G. t.</i> 16, <i>f.</i> O. <i>C.</i> 1,
<i>t.</i> 28, <i>f.</i> 289, <i>t.</i> 29, <i>f.</i> 298-
300. <i>E. M. t.</i> 349 & 353,
<i>f.</i> 3. American Ocean. |
| 2 Mappa | 3397 Map | <i>F. t.</i> 29, <i>f.</i> A. 3. <i>C.</i> 1, <i>t.</i> 25,
<i>f.</i> 245-6. <i>E. M. t.</i> 352,
<i>f.</i> 4. Amboyna. |
| 3 Arabica | Arabic | <i>L. t.</i> 658, <i>f.</i> 3. <i>G. t.</i> 16, <i>f.</i> V.
<i>C. t.</i> 31, <i>f.</i> 328-30. <i>E. M.</i>
<i>t.</i> 352, <i>f.</i> 2 & 5. Madagascar. |
| 4 Histrio | 3403 Harlequin | <i>L. t.</i> 659, <i>f.</i> 3. a. <i>C.</i> 10,
<i>t.</i> 145, <i>f.</i> 1346-7. Amboyna. |
| 5 Argus | 3398 Argus | <i>L. t.</i> 705, <i>f.</i> 54. <i>G. t.</i> 16,
<i>f.</i> T. <i>C.</i> 1, <i>t.</i> 28, <i>f.</i> 285-6
& 10, <i>t.</i> 145, <i>f.</i> 1344-5.
<i>E. M. t.</i> 350, <i>f.</i> 1. ——— |
| 6 testudinaria | 3399 Tortoise-
shell | <i>L. t.</i> 689, <i>f.</i> 36. <i>C.</i> 1, <i>t.</i> 27,
<i>f.</i> 271-2. <i>E. M. t.</i> 351,
<i>f.</i> 2. Ceylon. |
| 7 stercoraria | 3399 livid, speckled | <i>L. t.</i> 687, <i>f.</i> 34. <i>C.</i> 11, <i>t.</i> 180,
<i>f.</i> 1739-40. <i>E. M. t.</i> 354,
<i>f.</i> 5. Guinea. |
| 8 Aurantium | 3403 Orange | <i>F. t.</i> 30, <i>f.</i> S. <i>C.</i> 11, <i>t.</i> 180,
<i>f.</i> 1737-8. Friendly Islands. |
| 9 carneola | 3400 flesh-coloured | <i>L. t.</i> 664, <i>f.</i> 8. <i>G. t.</i> 30, <i>f.</i> H.
<i>C.</i> 1, <i>t.</i> 28, <i>f.</i> 287-8. <i>E. M.</i>
<i>t.</i> 354, <i>f.</i> 3. Amboyna. |

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
10 Talpa	3400	Mole	<i>L. t.</i> 668, <i>f.</i> 14. <i>G. t.</i> 16, <i>f.</i> N. <i>C. 1, t.</i> 27, <i>f.</i> 273-4. <i>E. M. t.</i> 353, <i>f.</i> 4.	Asia.
11 lurida	3401	lurid	<i>L. t.</i> 671, <i>f.</i> 17 & 673, <i>f.</i> 19. <i>G. t.</i> 13, <i>f.</i> E. T. <i>C. 1,</i> <i>t.</i> 30, <i>f.</i> 315. <i>E. M. t.</i> 354, <i>f.</i> 2.	South America.
12 Vanelli	3402	saffron- throated	<i>L. t.</i> 684, <i>f.</i> 31. <i>C. 1, t.</i> 25, <i>f.</i> 250-1.	Barbadoes.
13 lota	3402	white	<i>G. t.</i> 16, <i>f.</i> C. <i>C. 1, t.</i> 30, <i>f.</i> 322.	Sicily.
14 guttata	3402	dotted	<i>L. t.</i> 676, <i>f.</i> 23. <i>G. t.</i> 16, <i>f.</i> 1. <i>C. 1, t.</i> 25, <i>f.</i> 252-3.	u.
15 sanguinolenta	3406	sanguine	<i>C. 1, t.</i> 26, <i>f.</i> 265-6. <i>E. M.</i> <i>t.</i> 356, <i>f.</i> 12.	u.
16 undulata	3406	waved	<i>C. 10, t.</i> 144, <i>f.</i> 1337.	Mauritius.
17 teres	3405	long	<i>S. Einl.</i> 1, <i>p.</i> 161, <i>t.</i> 1, <i>f.</i> 7.	u.
18 achatina		Agate	<i>M. U. C. 1, t.</i> 14.	Otaheite.
19 Caput ser- pentis	3406	Snake's head	<i>L. t.</i> 702, <i>f.</i> 50 & 704, <i>f.</i> 53. <i>G. t.</i> 15, <i>f.</i> I. O. <i>C. 1, t.</i> 30, <i>f.</i> 316. <i>E. M. t.</i> 354, <i>f.</i> 4, a. b.	_____
20 Mauritiana	3407	blackish- brown	<i>L. t.</i> 703, <i>f.</i> 52. <i>G. t.</i> 15, <i>f.</i> S. T. <i>C. 1, t.</i> 30, <i>f.</i> 317. <i>E. M. t.</i> 350, <i>f.</i> 2. a. b.	Mauritius, Amboyna.
21 Vitellus	3407	white-spotted	<i>L. t.</i> 693, <i>f.</i> 40. <i>G. t.</i> 13, <i>f.</i> T. V. <i>C. t.</i> 23, <i>f.</i> 228. <i>E. M. t.</i> 354, <i>f.</i> 6.	Amboyna.

<i>Lin. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
22 Mus	3407	Mouse	<i>F. t. 30, f. A. C. 1, t. 23,</i> <i>f. 222-3. E. M. t. 354,</i> <i>f. 1.</i>	Amboyna.
23 Tigris	3408	Tiger	<i>L. t. 682, f. 29. G. t. 14,</i> <i>f. G. I. L. C. 1, t. 24,</i> <i>f. 232-4. E. M. t. 353,</i> <i>f. 3.</i>	—————
24 pantherina		Panther	<i>L. t. 681, f. 28. G. t. 14,</i> <i>f. H. C. 1, t. 24, f. 235-6.</i>	Mediterranean.
25 Lynx	3409	Lynx	<i>L. t. 683, f. 30. G. t. 13, f. Z.</i> <i>C. 1, t. 23, f. 230-1.</i> <i>E. M. t. 355, f. 8.</i>	Mauritius.
26 felina	3412	feline	<i>L. t. 680, f. 7. C. 1, t. 28,</i> <i>f. 283-4.</i>	Maldives.
27 cinerea	3402	ash-coloured	<i>L. t. 667, f. 11 & 670, f. 16.</i> <i>G. t. 16, f. M. C. 1, t. 25,</i> <i>f. 254-5.</i>	West Indies.
28 Isabella	3409	yellow	<i>L. t. 660, f. 4. C. 1, t. 27,</i> <i>f. 275. E. M. t. 355, f. 6.</i>	Amboyna.
29 cylindrica	3405	cylindrical	<i>B. t. 8, f. 10.</i>	u.
30 Scurra	3409	green-spotted	<i>C. 10, t. 144, f. 1338. a. b.</i> <i>E. M. t. 352, f. 3.</i>	Eastern Ocean.
31 Onyx	3410	Onyx	<i>L. t. 657, f. 2. G. t. 15, f. N.</i> <i>C. 1, t. 26, f. 269-70.</i>	Asia.
32 subflava	3413	yellowish	<i>G. t. 13, f. D.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
33 zic-zac	3410	zig-zag	<i>L. t.</i> 661, <i>f.</i> 5. <i>C. 1, t.</i> 23, <i>f.</i> 224-7. <i>E. M. t.</i> 356, <i>f.</i> 11.	East Indian Ocean.
34 zonaria	3414	zoned	<i>C. 10, t.</i> 145, <i>f.</i> 1342.	Guinea.
35 Hirundo	3411	Swallow	<i>L. t.</i> 674, <i>f.</i> 20. <i>C. 1, t.</i> 28, <i>f.</i> 282. <i>E. M. t.</i> 356, <i>f.</i> 6.	Maldives.
36 Ursellus	3411	brown-spotted	<i>G. t.</i> 15, <i>f.</i> L. <i>C. 1, t.</i> 24, <i>f.</i> 241.	v.
37 lutea	3414	yellow	<i>G. Z. t.</i> 19, <i>f.</i> 17. <i>S. Einl.</i> 1, <i>p.</i> 168.	v.
38 Asellus	3411	3-banded	<i>L. t.</i> 666, <i>f.</i> 10. <i>G. t.</i> 15, <i>f.</i> M. <i>C. 1, t.</i> 27, <i>f.</i> 280. <i>E. M. t.</i> 356, <i>f.</i> 5.	Amboyna.
39 erronea	3411	olive-mottled	<i>C. 1, t.</i> 27, <i>f.</i> 278-9.	East Indies.
40 Pyrum	3411	Pear	<i>G. t.</i> 14, <i>f.</i> E. <i>C. 1, f.</i> 267-8.	Mediterranean.
41 punctata	3414	dotted	<i>C. 1, t.</i> 28, <i>f.</i> 290-1. <i>E. M. t.</i> 355, <i>f.</i> 10.	v.
42 cribraria	3414	umbilicated	<i>L. t.</i> 695, <i>f.</i> 42. <i>C. 1, t.</i> 31, <i>f.</i> 336. <i>E. M. t.</i> 355, <i>f.</i> 5.	China.
43 Moneta	3414	Money	<i>L. t.</i> 709, <i>f.</i> 59. <i>G. t.</i> 14, <i>f.</i> 3-5. <i>C. 1, t.</i> 31, <i>f.</i> 337-340. <i>E. M. t.</i> 356, <i>f.</i> 3.	East Indies.
44 Annulus	3415	ringed	<i>G. t.</i> 14, <i>f.</i> 1, 2. <i>C. 1, t.</i> 24, <i>f.</i> 239-40. <i>E. M. t.</i> 356, <i>f.</i> 7.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 Caurica	3415	thick-edged	<i>L. t.</i> 677, <i>f.</i> 24. <i>G. t.</i> 15, <i>f.</i> A.A. <i>C. t.</i> 29, <i>f.</i> 301-2. <i>E. M. t.</i> 356, <i>f.</i> 10.	Madagascar.
46 stolidia	3416	angular- marked	<i>B. t.</i> 8, <i>f.</i> 12. <i>C. 1, t.</i> 28, <i>f.</i> 292-3.	Amboyna.
47 cruenta	3420	ferruginous	<i>G. t.</i> 15, <i>f.</i> E. <i>C. 1, t.</i> 29, <i>f.</i> 303. <i>E. M. t.</i> 353, <i>f.</i> 2.	————
48 erosa	3415	bordered	<i>L. t.</i> 692, <i>f.</i> 39. <i>G. t.</i> 15, <i>f.</i> H. <i>C. 1, t.</i> 30, <i>f.</i> 320-1. <i>E. M. t.</i> 355, <i>f.</i> 4.	Mauricius.
49 spurca	3416	narrow- margined	<i>C. 1, t.</i> 31, <i>f.</i> 335.	Mediterranean.
50 rubiginosa	3420	square-spot- ted	<i>F. t.</i> 29, <i>f.</i> S. <i>C. 1, t.</i> 29, <i>f.</i> 305 & 11, <i>t.</i> 180, <i>f.</i> 1743-4.	Eastern Ocean.
51 tabescens		glaucous	<i>L. t.</i> 678, <i>f.</i> 25. <i>C. 1, t.</i> 28, <i>f.</i> 294-5.	Amboyna.
52 angustata	3421	narrow	<i>G. t.</i> 13, <i>f.</i> Q.Q.	u:
53 helvola	3417	star	<i>L. t.</i> 691, <i>f.</i> 38. <i>G. t.</i> 15, <i>f.</i> B.B. <i>C. 1, t.</i> 30, <i>f.</i> 326- 327. <i>E. M. t.</i> 356, <i>f.</i> 13.	Amboyna.
54 ocellata	3417	eyed	<i>L. t.</i> 696, <i>f.</i> 43. <i>F. t.</i> 29, <i>f.</i> B.5. <i>C. 1, t.</i> 31, <i>f.</i> 333- 334. <i>E. M. t.</i> 355, <i>f.</i> 7.	Indian Ocean.
55 poraria	3417	white-spotted	<i>L. t.</i> 694, <i>f.</i> 41. <i>C. 1, t.</i> 24, <i>f.</i> 237-8. <i>E. M. t.</i> 356, <i>f.</i> 4.	Jamaica.
56 gangrænosa	3417	gangrene	<i>C. 1, t.</i> 30, <i>f.</i> 324-5.	China.

[*poraria a.*]

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
57 fimbriata	3420	fimbriated	<i>C.t.</i> 26, <i>f.</i> 263-4.	v.
58 Oniscus		Wood-louse	<i>L. t.</i> 706, <i>f.</i> 35. <i>F. t.</i> 29, <i>f.</i> H.3. <i>C.1,t.</i> 29, <i>f.</i> 306- 308.	Adriatic.
59 sulcata	3418	sulcated	<i>L. t.</i> 706, <i>f.</i> 56. <i>G. t.</i> 15, <i>f.</i> R. <i>C.1,t.</i> 29, <i>f.</i> 310-11. <i>E.M.t.</i> 356, <i>f.</i> 1.a.	West Indies.
60 Pediculus	3418	Sea-louse	<i>L. t.</i> 707, <i>f.</i> 57. <i>C. 1, t.</i> 29, <i>f.</i> 309. <i>P.B.Z. 4, t.</i> 73. <i>D. 2, t.</i> 43. <i>M. p.</i> 200. <i>E.M.t.</i> 356, <i>f.</i> 1.b.	Britain.
61 Madagasca- riensis	3419	Madagascar	<i>L.t.</i> 710, <i>f.</i> 61.	Madagascar.
62 Nucleus	3418	wrinkled	<i>G. t.</i> 14, <i>f.</i> Q. R. S. <i>C. 1,</i> <i>t.</i> 29, <i>f.</i> 312. <i>E. M.</i> <i>t.</i> 355, <i>f.</i> 3.	Island of Nussatella.
63 pustulata		Pustule	<i>L.t.</i> 710, <i>f.</i> 62.	China.
64 staphylea	3419	groove- backed	<i>L.t.</i> 78, <i>f.</i> 58. <i>G.t.</i> 14, <i>f.</i> T. <i>C. 1, t.</i> 29, <i>f.</i> 313-14. <i>E.M.t.</i> 356, <i>f.</i> 9.	East Indies.
65 Cicercula	3419	Vetch	<i>L. t.</i> 710, <i>f.</i> 60. <i>C. 1, t.</i> 24, <i>f.</i> 243-4. <i>E. M. t.</i> 355, <i>f.</i> 1.	Amboyna.
66 Margarita		Pearl	<i>G. t.</i> 14, <i>f.</i> M. <i>C. 1, t.</i> 24, <i>f.</i> 242. <i>E. M. t.</i> 356, <i>f.</i> 2.	_____
67 Globulus	3419	globular	<i>G.t.</i> 14, <i>f.</i> N. <i>C.10,t.</i> 145, <i>f.</i> 1339-40.	_____
68 minuta	3406	minute	<i>S.Einl.</i> 1, <i>p.</i> 65, No. 121.	v.

CYPRIDIA.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
XXII. BULLA. DIPPER.				
1 Ovum	3422	Egg	<i>L. t.</i> 711, <i>f.</i> 65. <i>G. t.</i> 15, <i>f.</i> A. B. <i>C. 1, t.</i> 22, <i>f.</i> 205- 206. <i>E. M. t.</i> 358, <i>f.</i> 1. Amboyna.	
2 imperialis		crumpled	<i>M. U. C. t.</i> 60.	Friendly Islands.
3 Volva	3422	Weaver's- shuttle	<i>L. t.</i> 711, <i>f.</i> 63. <i>F. t.</i> 30, <i>f.</i> K. 2. <i>C. 1, t.</i> 23, <i>f.</i> 218- 219. <i>E. M. t.</i> 357, <i>f.</i> 3.	Japan.
4 carnea	3434	flesh-coloured	<i>E. M. t.</i> 357, <i>f.</i> 2.	Africa.
5 lepida		orange-coloured	<i>P. G. t.</i> 66, <i>f.</i> 2, 3.	Leghorn.
6 birostris	3423	lesser-shuttle	<i>F. t.</i> 30, <i>f.</i> K. 1. <i>C. 1, t.</i> 24, <i>f.</i> 217. a. b. <i>E. M. t.</i> 357, <i>f.</i> 1. a. b.	China.
7 Secale		Rye-shaped	<i>L. t.</i> 711, <i>f.</i> 66.	West Indies.
8 patula		patulous	<i>P. B. Z. 4, t.</i> 73. <i>D. 4, t.</i> 142. <i>M. p.</i> 207.	Britain.
9 Spelta	3423	oblong	<i>L. t.</i> 712, <i>f.</i> 68. <i>G. t.</i> 15, <i>f.</i> 4. <i>C. t.</i> 23, <i>f.</i> 215-16.	Mediterr.
10 verrucosa	3423	warty	<i>L. t.</i> 712, <i>f.</i> 67. <i>G. t.</i> 16, <i>f.</i> F. <i>C. t.</i> 32, <i>f.</i> 220-1. <i>E. M. t.</i> 357, <i>f.</i> 5.	Amboyna.
11 gibbosa	3423	belted	<i>L. t.</i> 711, <i>f.</i> 64. <i>G. t.</i> 15, <i>f.</i> 3. <i>C. 1, t.</i> 22, <i>f.</i> 211-14. <i>E. M. t.</i> 357, <i>f.</i> 4.	Brazil.
12 Naucum	3424	Sea-nut	<i>L. t.</i> 714, <i>f.</i> 73. <i>G. t.</i> 13, <i>f.</i> G. G. <i>C. 1, t.</i> 22, <i>f.</i> 200- 201. <i>E. M. t.</i> 359, <i>f.</i> 5. a. b.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
13 ferruginosa	3432	rust-spotted	<i>C.1,t.22,f.209-10.</i>	u.
14 aperta	3424	wide	<i>C. 10, t. 146, f. 1354-5.</i> <i>D. 4, t.120. M.p. 208.</i> <i>Vign.2,f.1-4.</i>	Britain, &c.
15 Catena		Chain	<i>M.p.215,t.7,f.7.</i>	————
16 Plumula		Feather	<i>M. p. 214, t. 15, f. 9. &</i> <i>Vign.2,f.5.</i>	Britain.
17 Hydatis	3424	Paper	<i>G.t.13,f.D.D. C.1,t.21,</i> <i>f. 119 & 11, t. 118,</i> <i>f.1019.</i>	
18 Ampulla	3425	Pewit's egg	<i>L. t. 713, f. 69 & t. 1056,</i> <i>f.8. G.t.12,f. E: C.1,</i> <i>t. 21,f. 188-93. E.M.</i> <i>t.358,f.3.a.b.</i>	Amboyna.
19 Amygdalus	3425 β	Almond	<i>L. t. 714, f. 72. G. t. 12,</i> <i>f.F.I. C.1,t.22,f.202-4.</i> <i>E.M.t.358,f.2.a.b. M.</i> <i>p.206,t.7,f.1. Ampulla.</i>	West Indies.
20 lignaria	3425	brown- striated	<i>L. t. 714, f. 71. C.1, t. 21,</i> <i>f.194-5. E. M. t. 359,</i> <i>f.3. P.B.Z.4,t.73. M.</i> <i>p.205.</i>	Britain, &c.
21 pectinata		pectinated	<i>M.Z.D. 2, p.41,t. 71,f.10.</i> <i>E.M.t.360,f.3.a.b.c.</i>	Coast of Denmark.
22 soluta	3434	unsealed	<i>C.10,t.46,f.1359-61.</i>	Ceylon.
23 Akera	3434	elastic	<i>C.10,t.146,f.1358.D.t.79.</i> <i>M.p.219.</i>	Britain, &c.
24 Physis	3425	striped	<i>G. t. 13, f. F. F. C.1,t.21,</i> <i>f.196-7. E. M. t. 359,</i> <i>f.4.</i>	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
25 nitidula		brittle	<i>L.t.</i> 715, <i>f.</i> 74. <i>C.1</i> , <i>p.</i> 274, <i>f.</i> 4,5.	West Indies.
26 Amphustre	3426	banded	<i>C. 10, t. 146, f. 1350-1.</i> <i>E.M.t.</i> 359, <i>f.</i> 2.	China.
27 Velum	3433	zoned	<i>C. 10, t. 146, f. 1348-9.</i> <i>E.M.t.</i> 359, <i>f.</i> 1.a.b.	Tranquebar.
28 scabra	3434	rough	<i>C.10,t.</i> 146, <i>f.</i> 1352-3.	Java.
29 Ficus	3426	Fig	<i>L. t. 750 & 751. G. t. 26,</i> <i>f.M. C.3,t.</i> 66, <i>f.</i> 733-5. <i>E.M.t.</i> 432, <i>f.</i> 1,2.	Amboyna.
30 Pyrum		Pear	<i>L.t.</i> 877, <i>f.</i> 1. <i>C. 3, t. 66,</i> <i>f.</i> 736-7.	u.
31 Rapa	3426	turnip-shaped	<i>C.3,t.</i> 68, <i>f.</i> 747-9.	China.
32 canaliculata	3427	chanelled	<i>L.S.N.p.</i> 1185.	u.
33 conoidea	3427	conoidal	<i>L.S.N.p.</i> 1185.	u.
34 Voluta	3433	volute	<i>C.9,t.</i> 117, <i>f.</i> 1009-10.	u.
35 Dominicensis	3433	nine-whirled	<i>C.9,t.</i> 117, <i>f.</i> 1011.	St. Domingo.
36 crassula		reversed	<i>L.t.</i> 135, <i>f.</i> 35. <i>C. 9, t. 103,</i> <i>f.</i> 879-80.	West Indies.
37 fontinalis	3427	fresh-water	<i>L. t. 134, f. 34. G. t. 5,</i> <i>f.C.C. D.5,t.</i> 168, <i>f.</i> 2. <i>M.p.</i> 226.	Rivers in Britain,&c.
38 rivalis		river	<i>F.t.</i> 61, <i>f.</i> E.6. <i>C.9, t.103,</i> <i>f.</i> 877-8. <i>M.Suppl.p.</i> 97.	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 Hypnorum	3665	slender	<i>L.t.</i> 1059, <i>f.</i> 5. <i>C.9,t.</i> 103, <i>f.</i> 882-3. a. b. c. <i>M.</i> <i>p.</i> 228. <i>L.T.</i> 8, <i>t.</i> 4, <i>f.</i> 3.	Britain, &c. Fr.w.
40 gelatinosa	3428	gelatinous	<i>S.Fluss.p.</i> 293.	Denmark. Fr.w.
41 Terebellum	3428	awl-shaped	<i>L.t.</i> 736, <i>f.</i> 30-1. <i>G.t.</i> 23, <i>f.</i> O. <i>C.2,t.</i> 51, <i>f.</i> 568-9 & 10, <i>t.</i> 146, <i>f.</i> 1362-3. <i>E.M.t.</i> 360, <i>f.</i> 1.a.b.c.	Amboyna.
42 Cypræa		cowry-form	<i>C.2,t.</i> 65, <i>f.</i> 731.	Mediterranean.
43 ventricosa		ventricose	<i>L.t.</i> 746, <i>f.</i> 40.	u.
44 ampla	3467	wide-mouthed	<i>C.2,t.</i> 65, <i>f.</i> 722.	u.
45 virginea	3429	ribbon	<i>L.t.</i> 15, <i>f.</i> 10. <i>G.t.</i> 6, <i>f.</i> A. <i>C. 9, t. 117, f. 1000-3.</i> <i>Fer.t.</i> 118, <i>f.</i> 3 & 4. West Indies.	
46 fasciata	3430	banded	<i>L.t.</i> 12, <i>f.</i> 7. <i>G.t.</i> 6, <i>f.</i> C.D. <i>C.9,t.</i> 117, <i>f.</i> 1004-6.	East and West Indies.
47 strigata	3430	yellow-streak.	<i>M.V.2,p.</i> 148.	u.
48 striatula	3430	striated	<i>Br.E.M.p.</i> 329.	u.
49 exarata	3431	wrinkled	<i>C. 9, t. 120, f. 1031-2.</i> <i>Fer.t.</i> 118, <i>f.</i> 1 & 2.	Guinea.
50 truncata	3434	truncated	<i>C.9,t.</i> 120, <i>f.</i> 1028-30.	u.
51 Priamus		Priam	<i>Br. E. M. p. 360. C. 9,</i> <i>t.</i> 120, <i>f.</i> 1026-7.	West Indies.
52 Zebra	3431	Zebra	<i>L.t.</i> 580, <i>f.</i> 34. <i>C. 9,t.</i> 118, <i>f.</i> 1015-16.	Guinea.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
53 achatina	3432	broad-striped	<i>L. t.</i> 579, <i>f.</i> 34. <i>G. t.</i> 45. <i>f.</i> B. C. 9, <i>t.</i> 118, <i>f.</i> 1012-1013.	E. Indies.
54 purpurea	3433	purple-mouthed	<i>L. t.</i> 581, <i>f.</i> 35. <i>C. 9, t.</i> 118, <i>f.</i> 1017-18.	Africa.
55 bicarinata		double-keeled	<i>L. t.</i> 37, <i>f.</i> 36. <i>C. 9, t.</i> 103, <i>f.</i> 875-6.	v.
56 cylindrica	3433	cylindric	<i>F. t.</i> 27, <i>f.</i> F. 5. <i>C. 10, t.</i> 146, <i>f.</i> 1356-7. <i>E. M. t.</i> 360, <i>f.</i> 2.	S. Sea.
57 cylindracea		cylindrical	<i>L. t.</i> 714, <i>f.</i> 70. <i>P. B. Z.</i> 4, <i>t.</i> 73. <i>D. 4, t.</i> 120, <i>f.</i> 2. <i>M. p.</i> 221, <i>t.</i> 7, <i>f.</i> 2.	Britain.
58 umbilicata		umbilicated	<i>M. p.</i> 222, <i>t.</i> 7, <i>f.</i> 4.	————
59 retusa		blunt	<i>M. t.</i> 7, <i>f.</i> 5. <i>L. T.</i> 8, <i>p.</i> 128 & 5, <i>t.</i> 1, <i>f.</i> 1, 2.	————
60 obtusa		obtuse	<i>M. p.</i> 223, <i>t.</i> 7, <i>f.</i> 3.	————
61 haliotoidea		Venus' ear	<i>C. 1, t.</i> 16, <i>f.</i> 151-3. <i>M.</i> <i>p.</i> 211, <i>t.</i> 7, <i>f.</i> 6. <i>L. T.</i> 8, <i>p.</i> 123.	————

XXIII. VOLUTA. VOLUTE.

1 Auris Midæ	3435	Midas' ear	<i>L. t.</i> 1058, <i>f.</i> 6. <i>G. t.</i> 55, <i>f.</i> G. <i>C. 2, t.</i> 43, <i>f.</i> 436-8. <i>E. M. t.</i> 460, <i>f.</i> 6.	E. Indies.
2 Auris Judæ	3437	Judas' ear	<i>L. t.</i> 32, <i>f.</i> 30. <i>C. 2, t.</i> 44, <i>f.</i> 449-51.	Malacca.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 Australis		Southern	<i>C.9,t.121,f.1039-40.</i>	New Holland.
4 Auris Malchi	3437	Malchus' ear	<i>C.9,t.121,f.1037-8. Fer. t.159.</i>	u.
5 glabra	3436	smooth	<i>C.2,t.43,f.447-8.</i>	u.
6 Auris Sileni	3436	Silenus' ear	<i>B. t.9,f. 3,4. C. 11,t.176, f. 1701-2. E.M. t.460, f.4.</i>	u.
7 fasciata		banded	<i>C.9,t.121,f.1041.</i>	Australasia.
8 Auris virginis		Virgin's ear	<i>L. t. 24, f. 22. C. 9, t. 121, f. 1042.</i>	East Indies.
9 Auris vulpina		Fox's ear	<i>C.11,t.210,f.2086-7.</i>	St. Helena.
10 Auris cati		Cat's ear	<i>C.11,t.177,f.1711-12.</i>	u.
11 tornatilis	3437	double-band.	<i>L. t. 835, f. 58. C. 2, t. 43, f. 442-3. E. M. t. 452, f. 3. P. B. Z. 4, t. 75, f. 1. D. 2, t. 57. M. p. 231.</i>	Britain.
12 flammea	3435	variegated	<i>L. t. 814, f. 24. C. 2, t. 43, f. 439. E. M. t. 452, f. 1.</i>	u.
13 solidula	3437	strong	<i>C.2,t.43,f.440-1.</i>	China.
14 livida	3438	livid	<i>G. t. 25, f. B.</i>	Africa.
15 Coffea	3438	coffee-colour.	<i>L. t. 834, f. 59. F. t. 65, f. H. 7. C. 9, t. 121, f. 1043. E. M. t. 460, f. 5.</i>	Barbadoes.
16 minuta	3436	minute	<i>L. t. 834, f. 60. F. t. 65, f. H. 8. C. 2, t. 43, f. 445.</i> ———	
17 flava	3436	yellow	<i>C.2,t.43,f.444.</i>	East Indies.
18 denticulata		toothed	<i>M. p. 234, t. 20, f. 5.</i>	Britain.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 triplicata		3-toothed	<i>D.4,t.138. M.Suppl.p.99.</i>	Guernsey.
20 pusilla	3436	small oval	<i>F.t.65,f.H.4. C.2,t.43, f.446.</i>	u.
21 bidentata		double-toothed	<i>M.Suppl.p.100,t.30,f.2.</i>	Britain.
22 alba		white	<i>W.M.S.f.61. M.p.225.</i>	————
23 pellucida		pellucid	<i>W.M.S.f.46. M.t.12,f.9.</i>	————
24 unidentata		single-toothed	<i>L.T.8,p.131.</i>	————
25 interstincta		divided	<i>L. T. 3, t. 13, f. 23-4. M.t.12,f.10.</i>	————
26 insculpta		engraved	<i>M.Suppl.p.129.</i>	————
27 plicata		plaited	<i>M.t.21,f.2. L.T.8,p.131.</i>	————
28 ambigua		doubtful	<i>M.Suppl.t.21,f.4. L.T.8, p.132.</i>	————
29 Porphyrea	3438	Porphyry	<i>G. t. 24, f. P. C. 2, t. 46, f. 485-6. E. M. t. 361, f.4.</i>	West Indies.
30 erythrostoma		orange-marbled	<i>L.t.727,f.14, G.t.24,f.O. C.2,t.45,f.476-7. E.M. t.361,f.2.</i>	Amboyna.
31 oliva	3439	olive	<i>L. t. 728, f. 15. G. t. 24, f. F. C. 2, t. 51, f. 559. E.M.t.362,f.5.</i>	————
32 cruenta		orange-throated	<i>L. t. 720, f. 4, 5. G. t. 23, f. Q. C.2,t.46,f.491-2. E.M.t.368,f.2.</i>	————
33 annulata	3441	ringed	<i>L.t. 717, f. 1. C. 2, t. 51, f.564. E.M.t.363,f.2.</i>	Isle of France.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
34 <i>ventricosa</i>		ventricose	<i>L. t.</i> 735, <i>f.</i> 25. <i>F. t.</i> 19, <i>f.</i> E. 2. <i>C. 2,</i> <i>t.</i> 47, <i>f.</i> 507-508 & 10, <i>t.</i> 147, <i>f.</i> 1373. <i>E. M. t.</i> 364, <i>f.</i> 7.	Moluccas.
35 <i>incrassata</i>		thickened	<i>C. 2,</i> <i>t.</i> 47, <i>f.</i> 499, 500. <i>E. M. t.</i> 363, <i>f.</i> 6.	————
36 <i>pinguis</i>		Quaker olive	<i>C. 10,</i> <i>t.</i> 147, <i>f.</i> 1367-8.	Brazil.
37 <i>Utriculus</i>	3441	gibbous	<i>L. t.</i> 723, <i>f.</i> 10 & 730, <i>f.</i> 19. <i>G. t.</i> 24, <i>f.</i> G. <i>C. 2,</i> <i>t.</i> 49, <i>f.</i> 539-40. <i>E. M. t.</i> 365, <i>f.</i> 6.	Coromandel.
38 <i>Ispidula</i>		enamelled	<i>L. t.</i> 722, <i>f.</i> 9. <i>F. t.</i> 19, <i>f.</i> A. <i>C. 2,</i> <i>t.</i> 50, <i>f.</i> 551-3. <i>E. M. t.</i> 368, <i>f.</i> 3 & 6.	Moluccas.
39 <i>hiatula</i>	3442	gaping	<i>L. t.</i> 729, <i>f.</i> 17. <i>C. 2,</i> <i>t.</i> 50, <i>f.</i> 555. <i>E. M. t.</i> 368, <i>f.</i> 5.	Africa.
40 <i>nivea</i>	3442	snowy	<i>F. 2,</i> <i>p.</i> 836, <i>t.</i> 19, <i>f.</i> I. 2. <i>C. 2,</i> <i>t.</i> 50, <i>f.</i> 557-8.	West Indies.
41 <i>Jaspidea</i>	3442	Jasper	<i>L. t.</i> 725, <i>f.</i> 13. <i>F. 2,</i> <i>p.</i> 835, <i>f.</i> I. 2. <i>C. 2,</i> <i>t.</i> 50, <i>f.</i> 556.	Philippines.
42 <i>tigrina</i>		Tiger	<i>L. t.</i> 721, <i>f.</i> 6. <i>C. 2,</i> <i>t.</i> 46, <i>f.</i> 493-4. <i>E. M. t.</i> 368, <i>f.</i> 1.	Eastern Ocean.
43 <i>Carneola</i>	3443	Cornelian	<i>F. 2,</i> <i>p.</i> 829, <i>t.</i> 19, <i>f.</i> H. 2. <i>C. 2,</i> <i>t.</i> 46, <i>f.</i> 495. <i>E. M. t.</i> 365, <i>f.</i> 5.	Moluccas.
44 <i>micans</i>		little	<i>L. t.</i> 733, <i>f.</i> 22. <i>F. 2,</i> <i>p.</i> 837, <i>t.</i> 19, <i>f.</i> H. 1. <i>C. 2,</i> <i>t.</i> 50, <i>f.</i> 543-4. <i>E. M. t.</i> 363, <i>f.</i> 3.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 nitidula		delicate	<i>C. 2, t. 50, f. 545-7. E. M. t. 363, f. 4.</i>	Moluccas.
46 Oryza		Rice	<i>C. 2, t. 50, f. 548.</i>	u.
47 Dactylus	3443	six-plaited	<i>L. t. 813, f. 23. C. 10, t. 150, f. 1411-12. E. M. t. 372, f. 5.</i>	India.
48 fenestrata		eight-plaited	<i>G. t. 28, f. P. E. M. t. 372, f. 3.</i>	_____
49 crenulata	3452	crenulated	<i>L. t. 813, f. 23. a. C. 10, t. 150, f. 1413-14. E. M. t. 372, f. 4. a. b.</i>	East Indies.
50 texturata		four-plaited	<i>L. t. 819, f. 36. G. t. 28, f. O. E. M. t. 372, f. 2.</i>	u.
51 Conus	3349	cone-shaped	<i>L. t. 814, f. 23. b. C. 10, t. 150, f. 1415-16. E. M. t. 382, f. 2.</i>	u.
52 Miliaria	3443	Millet	<i>C. 2, t. 42, f. 428.</i>	Mediterranean.
53 Monilis	3443	Necklace	<i>C. 2, t. 42, f. 426.</i>	China.
54 exilis	3444	brown-banded	<i>C. 2, t. 42, f. 427.</i>	Senegal.
55 Persicula	3444	red-spotted	<i>L. t. 803, f. 10. G. t. 28, f. C. D. E. C. 2, t. 42, f. 421. E. M. t. 377, f. 3.</i>	Africa.
56 cingulata		red lined	<i>L. t. 803, f. 9. G. t. 25, f. C. C. 2, t. 42, f. 419-20. E. M. t. 377, f. 4. a. b.</i>	Cape Verde.
57 guttata		dotted	<i>C. 2, t. 42, f. 417-18.</i>	Jamaica.
58 Porcellana	3449	Porcelain	<i>C. 10, t. 150, f. 1419-20. E. M. t. 377, f. 5.</i>	Indian Ocean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
59 pallida	3444	pallid	<i>L.t.</i> 714, <i>f.</i> 70. <i>E.M.t.</i> 384, <i>f.</i> 4. <i>D.t.</i> 66. <i>M.p.</i> 232.	Britain, &c.
60 catenata		chain-spotted	<i>M.p.</i> 236, <i>t.</i> 6, <i>f.</i> 2 & <i>Suppl.</i> <i>p.</i> 104.	————
61 lævis		smooth	<i>D.5,t.</i> 165. <i>M.t.</i> 6, <i>f.</i> 7.	————
62 marginata	3449	marginated	<i>F.t.</i> 29, <i>f.</i> E. <i>C.10,t.</i> 150, <i>f.</i> 1421. <i>E.M.t.</i> 376, <i>f.</i> 9.	Guinea.
63 Faba	3445	Bean	<i>L.t.</i> 812, <i>f.</i> 22. <i>G.t.</i> 28, <i>f.</i> Q. <i>C.2,t.</i> 42, <i>f.</i> 432-3. <i>E.M.t.</i> 377, <i>f.</i> 1-8.	Bombay.
64 glabella	3445	polished	<i>L.t.</i> 818, <i>f.</i> 29. <i>C.2,t.</i> 42, <i>f.</i> 429. <i>E.M.t.</i> 377, <i>f.</i> 6. a.b.	Guinea.
65 picta		painted	<i>C.2,t.</i> 42, <i>f.</i> 434-5. <i>E.M.</i> <i>t.</i> 377, <i>f.</i> 2.	Brazil.
66 Castanea		Chesnut	<i>C.2,t.</i> 42, <i>f.</i> 430.	————
67 strigata		wave-striped	<i>C.10,t.</i> 150, <i>f.</i> 1423-4. <i>E.M.t.</i> 377, <i>f.</i> 7.	Guinea.
68 Prunum	3446	blueish grey	<i>C.2,t.</i> 42, <i>f.</i> 422-3. <i>E.M.</i> <i>t.</i> 376, <i>f.</i> 8.	Island of Goree.
69 elegans	3448	elegant	<i>C.2,t.</i> 42, <i>f.</i> 424-5.	u.
70 bullata	3452	bubble	<i>L.t.</i> 803, <i>f.</i> 11. <i>C.10,t.</i> 150, <i>f.</i> 1409-10. <i>E.M.t.</i> 376, <i>f.</i> 5.	East Indies.
71 reticulata	3446	reticulated	<i>L.t.</i> 830, <i>f.</i> 52. <i>C.3,t.</i> 121, <i>f.</i> 1107-8. <i>E.M.t.</i> 375, <i>f.</i> 2.	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
72 Ziervogelii	3457	thick-lipped	<i>C.10,t.149,f.1406.</i> <i>t.375,f.9.</i>	<i>E.M.</i> u.
73 mercatoria	3446	clouded	<i>L. t. 824, f. 43.</i> <i>G. t. 43,</i> <i>f.I.L. C.2,t.44,f.452-8.</i> <i>E.M.t.375,f.4.</i>	Mediterranean.
74 rustica	3447	rustic	<i>L. t. 824, f. 44.</i> <i>G. t. 43,</i> <i>f.C.E.G.H. C. 2, t.44,</i> <i>f. 462-468-471. E. M.</i> <i>t.375,f.2.</i>	_____
75 paupercula	3448	Zebra	<i>L.t.819,f.35. G.t.15,f.L.</i> <i>C. 4, t. 149, f. 1386-7</i> <i>& 10, t.150, f. 1417-18.</i> <i>E.M.t.372,f.8.</i>	_____
76 Pica		Magpie	<i>C. 11, t. 178, f. 1721-2.</i> <i>E.M.t.372,f.7.</i>	Island of St. Bartholomew.
77 ferrugata		bellied	<i>C.4,t.150,f.1398-9. E.M.</i> <i>t.375,f.1.</i>	u.
78 patriarchalis	3460	Patriarch	<i>C. 10, t. 150, f. 1425-6.</i> <i>E.M.t.374,f.1.</i>	East Indies.
79 mendicaria	3448	black and white	<i>L.t.826,f.47. G.t.52,f.E.</i> <i>C.2,t.44,f.460-1. E.M.</i> <i>t.375,f.10.a.b.</i>	Mediterranean.
80 nana		dwarf	<i>C.2,t.44,f.459.</i>	_____
81 microzonias		white-banded	<i>E.M.t.374,f.8.</i>	Indian Ocean.
82 cancellata	3448	latticed	<i>L.t.830,f.53-4. G.t.48,</i> <i>f. D. E. C. 11, t. 179,</i> <i>f.1727-8.</i>	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
83 Nassa	3464	ribbed	<i>G.t.</i> 48, <i>f.</i> B.C. <i>C.</i> 4, <i>t.</i> 124, <i>f.</i> 1172-3.	Guinea.
84 nucea	3449	nut	<i>G.Z.t.</i> 18, <i>f.</i> 11.	u.
85 Tringa	3449	decorticated	<i>L.t.</i> 825, <i>f.</i> 45. <i>G.t.</i> 45, <i>f.</i> B. <i>E.M.t.</i> 374, <i>f.</i> 10.	Mediterranean.
86 Cornicula	3449	horn-colour.	<i>G.t.</i> 43, <i>f.</i> N. <i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1731-2.	————
87 Schroeteri		Schroeter's	<i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1735-6. <i>E.M.t.</i> 371, <i>f.</i> 2.	Guinea.
88 acuminata	3454	sharp-pointed	<i>C.</i> 4, <i>t.</i> 150, <i>f.</i> 403-4.	Tranquebar.
89 Virgo	3450	Virgin	<i>L.S.N.p.</i> 1192.	Hayman.
90 filaris	3457	narrow	<i>L.Mant.p.</i> 548.	u.
91 filosa	3465	threaded	<i>G.t.</i> 53, <i>f.</i> H. <i>F.t.</i> 31, <i>f.</i> C.7. <i>C.</i> 4, <i>t.</i> 149, <i>f.</i> 1388-9 & 1391.	East Indies.
92 fissurata		straw-coloured	<i>E.M.t.</i> 371, <i>f.</i> 1.	u.
93 Barbadosis	3455	striped	<i>L.t.</i> 819, <i>f.</i> 33. <i>E.M.t.</i> 372, <i>f.</i> 6.	Barbadoes.
94 Clathrus	3457	cancellated	<i>S.Einl.</i> 1, <i>p.</i> 296. <i>K.</i> 3, <i>t.</i> 27, <i>f.</i> 3.	China.
95 crenifera		crenulated	<i>E.M.t.</i> 370, <i>f.</i> 3.	Indian Seas.
96 scabricula		roughly striated	<i>G.t.</i> 53, <i>f.</i> D. <i>C.</i> 11, <i>t.</i> 179, <i>f.</i> 1729-30. <i>E.M.t.</i> 371, <i>f.</i> 4,5.	China.
97 exasperata	3453	granulous	<i>C.</i> 10, <i>t.</i> 151, <i>f.</i> 1440-1.	East Indies.
98 costata	3458	ribbed	<i>S.Einl.</i> 1, <i>p.</i> 302, <i>t.</i> 1, <i>f.</i> 17.	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
99 <i>granosa</i>	3453	grained	<i>C.10,t.151,f.1442-3.</i> East Indian Ocean.	
100 <i>nodulosa</i>	3453	nodulous	<i>G.t.52,f.F.G. C.4,t.149,</i> <i>f.1385 & 1390.</i> West Indies.	
101 <i>spadicea</i>	3454	five-plaited	<i>C.4,t.150,f.1392.</i>	v.
102 <i>decussata</i>	3454	decussated	<i>C.4,t.150,f.1395.</i>	v.
103 <i>Ruffina</i>	3450	reddish-yel.	<i>L.t. 822,f. 40. G. t. 54,</i> <i>f.G. C.4,t.147,f.1361.</i> <i>E.M.t.369,f.5. Eastern Ocean.</i>	
104 <i>variegata</i>	3457	variegated	<i>K.5,t.18,f.6.</i>	v.
105 <i>Sanguisuga</i>	3450	Leech	<i>L.t. 821, f. 38. G. t. 53,</i> <i>f.F. C.4,t.148,f.1373-4.</i> <i>E.M.t.373,f.10. Amboyna.</i>	
106 <i>Caffra</i>	3451	Caffre	<i>G.t.53,f.E. E.M.t. 373,</i> <i>f.4. C.4,t.148,f.1369-</i> <i>1370.</i> Africa.	
107 <i>Leucozonias</i>	3453	white-striped	<i>C.4,t.148,f.1371-2.</i>	v.
108 <i>Morio</i>	3451	tawny	<i>L.S.N.p.1193.</i> West Indies.	
109 <i>Vulpecula</i>	3451	foxy	<i>G.t.54,f.B.C. E.M.t.373,</i> <i>f.5. C.4,t.148,f.1364-6.</i> Amboyna.	
110 <i>costellaris</i>		chequered	<i>G.t.54,f.D. E.M.t. 373,</i> <i>f.3. C.10,t.151,f.1436-</i> <i>1437.</i> East Indian Ocean.	
111 <i>subdivisa</i>	3453	subdivided	<i>E.M.t. 373,f. 1. C. 10,</i> <i>t.151,f.1434-5.</i> ———	
112 <i>melongena</i>		fine-ribbed	<i>E.M.t.373,f.9.</i> ———	
113 <i>polygona</i>	3454	polygonal	<i>C.4,t.150,f.1401-2.</i> ———	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
114 <i>tæniata</i>		Tænia	<i>C. 10, t. 151, f. 1444-5.</i> <i>E.M.t.373,f.7.</i>	Bombay.
115 <i>plicaria</i>	3452	folded	<i>L. t. 820, f. 37. G. t. 54,</i> <i>f. F. C. t. 148, f. 1362-3.</i> <i>E.M.t.373, f. 6.</i>	China.
116 <i>rugosa</i>	3456	rugose	<i>G. t. 54, f. A & E. E. M.</i> <i>t. 373, f. 8.</i>	Indian Ocean.
117 <i>cruentata</i>	3453	knotty ribbed	<i>C. 10, t. 151, f. 1438-9.</i>	East Indies.
118 <i>turrita</i>	3456	turreted	<i>L. t. 836, f. 62. C. 4, t. 141,</i> <i>f. 1317-18.</i>	v.
119 <i>spiralis</i>	3464	spiral	<i>R. Mus. t. 29, f. X.</i>	Indian Seas.
120 <i>aurantia</i>	3454	orange	<i>E. M. t. 375, f. 5. C. 4, t. 150,</i> <i>f. 1393-4.</i>	v.
121 <i>vitulina</i>		white-banded	<i>C. 4, t. 149, f. 1380-1.</i>	Indian Seas.
122 <i>scutulata</i>	3452	scutcheon	<i>C. 10, t. 151, f. 1428-9.</i>	———
123 <i>nigra</i>	3452	black	<i>C. 10, t. 151, f. 1430-1.</i>	Guinea.
124 <i>casta</i>	3453	brown-band.	<i>C. 10. p. 174, f. C. D.</i>	Amboyna.
125 <i>Acus</i>	3451	Needle	<i>C. 4, t. 157, f. 1493-4.</i>	v.
126 <i>maculosa</i>	3453	spotted	<i>C. 4, t. 149, f. 1377.</i>	v.
127 <i>biplicata</i>	3454	two-plaited	<i>C. 4, t. 149, f. 1375.</i>	v.
128 <i>turricula</i>	3454	tower	<i>C. 4, t. 149, f. 1376.</i>	v.
129 <i>lineata</i>	3454	white lined	<i>C. 4, t. 149, f. 1378-9.</i>	Tarentum.
130 <i>sulcata</i>	3455	sulcated	<i>C. 4, t. 150, f. 1407.</i>	Tranquebar.
131 <i>discors</i>	3455	discordant	<i>C. 4, t. 150-1400.</i>	West Indies.
132 <i>striata</i>	3455	striated	<i>C. 4, t. 150, f. 1405-6.</i>	Minorca.
133 <i>lævigata</i>	3455	smooth	<i>C. 4, t. 150, f. 1408.</i>	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
134 ocellata	3455	eyed	<i>C.4,t.150,f.1409.</i>	Mediterranean.
135 nasuta	3455	black-spotted	<i>C.4,t.150,f.1410.</i>	————
136 marmorea	3455	marbled	<i>C.4,t.150,f.1411.</i>	————
137 Abbatis		Abbot	<i>C.11,t.177,f.1709-10.</i>	E. Indies.
138 serpentina		serpentine	<i>E.M.t.370,f.4.</i>	————
139 olivaria		two-banded	<i>E.M.t.371,f.3.</i>	u.
140 nubila	3450	clouded	<i>C.11,t.177,f.1705-6.</i>	Friendly Islands.
141 pertusa	3458	punctured	<i>L.t.838,f.65. E.M.t.369,</i> <i>f.1. C.4,t.147,f.1358-9.</i>	East Indies.
		[<i>Cardinalis.</i>]		
142 digitalis		digital	<i>F.t.31,f.D.3. E.M.t.370,</i> <i>f.5. C.10,t.151,f.1432-</i> <i>1433.</i>	————
143 episcopalis	3459	Mitre	<i>L. t. 839, f. 66. G. t. 55,</i> <i>f.G. C.4,t.147,f.1360.</i> <i>E.M.t.369,f.2-4.</i>	Asiatic Ocean.
144 papalis	3459	Papal Mitre	<i>L. t. 839, f. 67. G. t. 53,</i> <i>f.I. C.4,t.147,f.1353-4.</i> <i>E.M.t.370,f.1. Amboyna.</i>	
145 Thiara		Thiara	<i>L. t. 840, f. 68. G. t. 53,</i> <i>f.I. C.4,t.147,f.1355-6.</i> <i>E.M.t.370,f.2. Madagascar.</i>	
146 coronata		Crown	<i>E. M. t. 371, f. 6. C. 11,</i> <i>t.178,f.1719-20.</i>	West Indies.
147 Musica	3460	Music	<i>L.t.805,f.14. G.t.28,f.Z.</i> <i>C.3,t.96,f.927-9. E.M.</i> <i>t.380,f.1 & 3.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
148 virescens		greenish	<i>E.M.t.379,f.1 & 382,f.3.</i> <i>C.3,t.79,f.932-3.</i>	Guinea.
149 plicata		plaited	<i>C.10,t.149,f.1403-4.</i>	East Indies.
150 Vexillum	3464	Banner	<i>F.t.33,f.O.1. E.M.t.381,</i> <i>f.1. C.10,p.152.f.A.B.</i>	Amboyna.
151 Vespertilio	3461	Bat	<i>L.t.807,f.16 & 808,f.17.</i> <i>G.t.28,f.F.G.I.M. C.</i> <i>10,t.149,f.1397-1400.</i> <i>E.M.t.378,f.2.</i>	West Indies.
152 imperialis		imperial	<i>C.3,t.97,f.934-5. E.M.</i> <i>t.382,f.1.</i>	Str. of Malacca.
153 Pacifica	3461	nodulous [<i>Arabica.</i>]	<i>C.11,t.178,f.173-4.</i>	Pacific Ocean.
154 Ebræa	3461	Hebrew character	<i>L.t.809,f.18. E.M.t.380,</i> <i>f.2. C.3,t.96,f.924-6.</i>	Jamaica.
155 Turbinellus	3462	turbinated	<i>L.t.811,f.20. F.t.24,</i> <i>f.C.2. C.3,t.99,f.944.</i>	Amboyna.
156 Capitellum	3462	ridged	<i>G.t.37,f.A. F.t.24,f.C.3.</i> <i>C.3,t.99,f.947-8 & 11,</i> <i>t.179,f.1723-4.</i>	Indian Ocean.
157 Rhinoceros	3458	Rhinoceros	<i>C.10,t.150,f.1407-8.</i>	New Guinea.
158 muricata		prickly	<i>L.t.810,f.19. C.3,t.99,</i> <i>f.949-50.</i>	West Indies.
159 Ceramica	3462	horned	<i>L.t.829,f.51. G.t.55,f.D.</i> <i>C.3,t.99,f.943.</i>	Moluccas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
160 Pyrum	3403	pear-shaped	<i>L.t.</i> 815, <i>f.</i> 25. <i>G.t.</i> 46, <i>f.</i> C. <i>C.3,t.</i> 95, <i>f.</i> 916. <i>E.M.</i> <i>t.</i> 390, <i>f.</i> 2.a.b.c.	Ceylon.
161 gravis		solid	<i>C.3,t.</i> 95, <i>f.</i> 917. <i>E.M.</i> <i>t.</i> 390, <i>f.</i> 1.	Str. of Malacca.
162 globosa		globose	<i>C.11,t.</i> 178, <i>f.</i> 1715-16.	v.
163 Lapponica	3463	wave-lined	<i>F.t.</i> 33, <i>f.</i> P. <i>C.3,t.</i> 95, <i>f.</i> 920-21. <i>E.M.t.</i> 381, <i>f.</i> 3 & <i>t.</i> 431.bis <i>f.</i> 1.	American Ocean.
164 Zebra		Zebra	<i>L.Z.M.</i> 1, <i>t.</i> 12, <i>f.</i> 1.	New Holland.
165 flavicans	3464	yellowish	<i>C.3,t.</i> 95, <i>f.</i> 922-3.	East Indies.
166 undulata		undulated	<i>S.N.M.</i> 17, <i>t.</i> 702.	Australasia.
167 rupestris	3464	rock	<i>E.M.t.</i> 381, <i>f.</i> 2. <i>C.3,t.</i> 98, <i>f.</i> 941-2.	Japan.
168 Magellanica	3465	Magellanic	<i>F.t.</i> 28, <i>f.</i> E. <i>C.10,t.</i> 148, <i>f.</i> 1383-4. <i>E.M.t.</i> 385, <i>f.</i> 1 & 3.	Str. of Magellan.
169 Volva	3457	whitish	<i>C.10,t.</i> 148, <i>f.</i> 1389-90.	Guinea.
170 Junonia		square-spotted	<i>F.t.</i> 79, <i>f.</i> A. <i>C.11,t.</i> 177, <i>f.</i> 1703-4.	S. Pacific Ocean.
171 nivosa		snow-spotted	<i>S.N.M.</i> 21, <i>t.</i> 912.	New Holland.
172 Scapha	3468	Lightning	<i>L.t.</i> 799, <i>f.</i> 6. <i>G.28,f.</i> S. <i>C.3,t.</i> 72, <i>f.</i> 774 & 73, <i>f.</i> 775-6. <i>E.M.t.</i> 391.	Cape of Good Hope.
173 magnifica		magnific	<i>C.11,t.</i> 174-5.	New Holland.
174 Colocynthis		Coloquint	<i>C.11,t.</i> 176, <i>f.</i> 1695-6.	Brazil.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
175 Æthiopica	3465	Æthiopic	<i>L. t.</i> 797, <i>f.</i> 4. <i>C. 3, t.</i> 74, <i>f.</i> 781. <i>E. M. t.</i> 387, <i>f.</i> 1, 2 & 388, <i>f.</i> 1-3.	Amboyna.
176 Corona		ducal crown	<i>C. 10, t.</i> 148, <i>f.</i> 1387-8.	E. Indies.
177 Cymbiola	3468	lesser Cym- bal	<i>C. 10, t.</i> 148, <i>f.</i> 1385-6.	————
178 Cymbium	3466	Cymbal	<i>L. t.</i> 796, <i>f.</i> 3. <i>G. t.</i> 29, <i>f.</i> B. <i>C. 3, t.</i> 70, <i>f.</i> 762-3. <i>E. M. t.</i> 386, <i>f.</i> 3.	Guinea.
179 porcina		keel-margin	<i>E. M. t.</i> 386, <i>f.</i> 2. <i>C. 3, t.</i> 70, <i>f.</i> 764-5.	————
180 Olla	3466	Melon	<i>L. t.</i> 794, <i>f.</i> 1. <i>G. t.</i> 29, <i>f.</i> A. <i>C. 3, t.</i> 71, <i>f.</i> 766. <i>E. M. t.</i> 385, <i>f.</i> 2.	West Indies.
181 Neptuni	3467	Neptune's	<i>L. t.</i> 802, <i>f.</i> 8. <i>G. t.</i> 27, <i>f.</i> A. A. <i>C. 3, t.</i> 71, <i>f.</i> 767. <i>E. M. t.</i> 386, <i>f.</i> 1.	Persian Gulf.
182 Navicula	3467	Gondola	<i>L. t.</i> 795, <i>f.</i> 2. <i>C. 3, t.</i> 71, <i>f.</i> 768-71.	Guinea.
183 Glans	3468	reddish-yel.	<i>C. 10, t.</i> 148, <i>f.</i> 1393-4.	Africa.
184 Præputium	3468	Nipple	<i>L. t.</i> 798, <i>f.</i> 5. <i>C. 10, t.</i> 148, <i>f.</i> 1391-4.	Coromandel.
185 Indica	3467	Indian	<i>C. 3, t.</i> 72, <i>f.</i> 772-3. <i>E. M. t.</i> 389, <i>f.</i> 1.	China.
186 clathrata	3445	worn	<i>L. t.</i> 819, <i>f.</i> 34.	Barbadoes.

VOLETA.





63 ?



64 b



65 u



66 ?



67 u



68 u



69 u



70 b +



71 b



72 u



73 u



74 ?



75 u



76 u



77 u



78 ?



79 ?



80 +



81 ?



82 u



83 ?



84 u



85 ?



86 u



87 u



88 b



91 u +



92 u +



93 u



94 u



95 u



96 b



97 u



98 u



99 u +



100 u



101 u



102 u



103 u



104 u +



105 u +



106 b



107 b



109 u +



110 b



111 b



112 u +



113 u



114 u +



115 b



116 u +



117 u



118 b



119 u



120 u



121 u +



122 u +



123 u +



124 b



125 ?





Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XXIV. BUCCINUM. WHELK.

1	Olearium	3469 Tun	<i>G. t.</i> 44, <i>f.</i> T. <i>C. 3, t.</i> 117, <i>f.</i> 1076-7. <i>E. M. t.</i> 403, <i>f.</i> 1.	East Indies.
2	Galea	3469 brown Tun	<i>L. t.</i> 898, <i>f.</i> 18. <i>G. t.</i> 42. <i>C. 3, t.</i> 116, <i>f.</i> 1070. <i>E. M. t.</i> 403, <i>f.</i> 1.	Mediterranean.
3	Perdix	3470 Partridge Tun	<i>L. t.</i> 984, <i>f.</i> 43. <i>G. t.</i> 51, <i>f.</i> F. <i>C. 3, t.</i> 117, <i>f.</i> 1078- 1080. <i>M. p.</i> 244, <i>t.</i> 8, <i>f.</i> 5.	Britain, &c.
4	Pomum	3470 thick-lipped Tun	<i>L. t.</i> 792, <i>f.</i> 45. <i>G. t.</i> 51, <i>f.</i> C. <i>C. 2, t.</i> 36, <i>f.</i> 370-1. <i>E. M.</i> <i>t.</i> 403, <i>f.</i> 2.	Amboyna.
5	sulcosum	flat-ribbed	<i>F. t.</i> 27, <i>f.</i> B. <i>C. 3, t.</i> 118, <i>f.</i> 1081.	Coromandel.
6	Dolium	3470 spotted Tun	<i>L. t.</i> 899, <i>f.</i> 19. <i>G. t.</i> 39, <i>f.</i> E. <i>C. 3, t.</i> 117, <i>f.</i> 1073-4. <i>E. M. t.</i> 403, <i>f.</i> 3.	Amboyna.
7	Chinense	Chinese Tun	<i>C. 11, t.</i> 188, <i>f.</i> 1804-5.	China.
8	caudatum	3471 beaked Tun	<i>C. 3, t.</i> 118, <i>f.</i> 1083-4.	v.
9	Echinophorum	3471 tuberculated	<i>L. t.</i> 1003, <i>f.</i> 68. <i>G. t.</i> 43, <i>f.</i> 3. <i>C. 2, t.</i> 41, <i>f.</i> 407-8. <i>E. M.</i> <i>t.</i> 405, <i>f.</i> 3.	Mediterranean.
10	nodosum	belted	<i>L. t.</i> 1011, <i>f.</i> 71.	v.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
11 Tyrrhenum	3478	rugged	<i>L.t.</i> 1011, <i>f.</i> 71. e. <i>G.t.</i> 43, <i>f.</i> 2. <i>C.</i> 10, <i>t.</i> 153, <i>f.</i> 1461-1462. <i>E.M.t.</i> 405, <i>f.</i> 1. Tuscany.	
12 abbreviatum	3468	short-beaked	<i>C.</i> 10, <i>t.</i> 153, <i>f.</i> 1463-4.	Ind. Ocean.
13 plicatum	3472	plaited	<i>L. t.</i> 1002, <i>f.</i> 67. <i>G. t.</i> 40, <i>f.</i> C. <i>C. 2, t.</i> 37, <i>f.</i> 379-80.	Jamaica.
14 cornutum	3472	horned	<i>L. t.</i> 1006, <i>f.</i> 70 & 1008, <i>f.</i> 71. <i>G. t.</i> 40, <i>f.</i> D. <i>C. 2, t.</i> 35, <i>f.</i> 362.	Amboyna.
15 rufum	3473	red	<i>G. t.</i> 40, <i>f.</i> F. <i>F. t.</i> 26, <i>f.</i> D.2. <i>C. 2, t.</i> 32, <i>f.</i> 341 & <i>t.</i> 33, <i>f.</i> 346-7.	Madagascar.
16 tuberosum	3473	Casket	<i>G. t.</i> 41. <i>F. t.</i> 25, <i>f.</i> B. 2. <i>C. 2, t.</i> 38, <i>f.</i> 381-2. <i>E. M. t.</i> 406, <i>f.</i> 1-3, & <i>t.</i> 407, <i>f.</i> 2.	West Indies.
17 flammeum	3473	triangular Casket	<i>L. t.</i> 1004, <i>f.</i> 69. <i>F. t.</i> 25, <i>f.</i> E. <i>C. 2, t.</i> 34, <i>f.</i> 353-4. ———	
18 Testiculus	3474	Bonnet Casket	<i>L. t.</i> 1001, <i>f.</i> 6. <i>G. t.</i> 39, <i>f.</i> C. <i>C. 2, t.</i> 37, <i>f.</i> 375-6.	Jamaica.
19 decussatum	3474	decussated	<i>L. t.</i> 1000, <i>f.</i> 65. <i>G. t.</i> 40, <i>f.</i> B. <i>C. 2, t.</i> 35, <i>f.</i> 360-1.	Mediterranean.
20 Areola	3475	small dice	<i>L. t.</i> 1012, <i>f.</i> 76. <i>G. t.</i> 29, <i>f.</i> H. <i>C. 2, t.</i> 34, <i>f.</i> 355-6. <i>E. M. t.</i> 407, <i>f.</i> 3.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
21 strigatum	3477	yellow-striped	<i>L. t.</i> 1014, <i>f.</i> 78. <i>F. t.</i> 24, <i>f.</i> D. C. 10, <i>t.</i> 153, <i>f.</i> 1457-8.	Indian Seas.
22 achatinum		agate	<i>E.M.t.</i> 407, <i>f.</i> 1.	New Holland.
23 saburon		gray casket	<i>L. t.</i> 1012, <i>f.</i> 76. <i>G. t.</i> 39, <i>f.</i> G.	Mediterranean.
24 granulatum		granulated	<i>L. t.</i> 1056, <i>f.</i> g. <i>F. t.</i> 25, <i>f.</i> A. 4. <i>C. 2, t.</i> 32, <i>f.</i> 344- 345 & 34, <i>f.</i> 350-2.	West Indies.
25 undulatum	3475	undulated	<i>L. t.</i> 996, <i>f.</i> 61. <i>G. t.</i> 39, <i>f.</i> B. <i>C. 11, t.</i> 186, <i>f.</i> 1794- 1795.	Mediterranean.
26 inflatum		inflated	<i>S. N. M.</i> 22, <i>t.</i> 959. <i>C. 11,</i> <i>t.</i> 186, <i>f.</i> 1792-3.	Indian Seas.
27 tessellatum	3476	tessellated	<i>L. t.</i> 997, <i>f.</i> 62. <i>F. t.</i> 26, <i>f.</i> B. 1. <i>C. 2, t.</i> 36, <i>f.</i> 369.	Amboyna.
28 bilineatum	3476	smooth, Helmet	<i>L. t.</i> 998, <i>f.</i> 63. <i>P. B. Z.</i> 4, <i>t.</i> 82, <i>f.</i> 9. <i>M. p.</i> 244.	Britain.
29 cicatricosum	3475	cicatrix	<i>G. Z. t.</i> 19, <i>f.</i> 1, 2.	Indian Ocean.
30 recurvirostrum	3477	recurved-beak	<i>L. t.</i> 1016, <i>f.</i> 75.	Barbadoes.
31 Cassis	3477	Helmet	<i>C. 10, t.</i> 152, <i>f.</i> 1456.	B. of Naples.
32 Erinaceus	3478	Hedgehog	<i>L. t.</i> 1015, <i>f.</i> 73. <i>G. t.</i> 39, <i>f.</i> D. & I. <i>C. 2, t.</i> 35, <i>f.</i> 363.	Amboyna.
33 nodulosum	3479	knobbed	<i>S. Einl.</i> 1, <i>p.</i> 383, <i>t.</i> 2, <i>f.</i> 9.	u.
34 Fimbria	3479	bordered	<i>F. t.</i> 25, <i>f.</i> D. 4. <i>C. 10, t.</i> 153, <i>f.</i> 1459-60.	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
35 glaucum	3478	glaucous	<i>L. t.</i> 996, <i>f.</i> 60. <i>G. t.</i> 40, <i>f.</i> A. <i>C.2,t.32,f.342-3.</i>	Amboyna.
36 Vibex	3479	agate casket	<i>G.t.39,f.F. Ft.t.25,f.H.1.</i> <i>C.2,t.35,f.364-6.</i>	————
37 papillosum	3479	prickly-lipped	<i>L. t.</i> 969, <i>f.</i> 23. <i>G. t.</i> 44, <i>f.</i> G. <i>C.4,t.125,f.1204-1205.</i> <i>E.M.t.400,f.2.</i>	Java.
38 Glans	3480	thread-girded	<i>L.t.981,f.40. Ft.t.33,f.L.</i> <i>C. 4, t. 125, f. 1196-8.</i> <i>E.M.t.400,f.5.</i>	Asiatic Ocean.
39 foliosum	3493	leafy	<i>L. t.</i> 975, <i>f.</i> 30. <i>G. t.</i> 44, <i>f.</i> B. <i>C.2,t.38,f.387-8.</i>	Amboyna.
40 Arcularia	3480	broad-lipped	<i>L. t.</i> 970, <i>f.</i> 24. <i>G. t.</i> 44, <i>f.</i> O.Q. & R. <i>C. 2, t. 41,</i> <i>f.409-12. E. M.t.394,</i> <i>f.1,2.</i>	China.
41 coronatum		crowned	<i>S. Einl. 1, p. 329, t. 2, f. 4.</i> <i>Br. E.M.p.277.</i>	Madagascar.
42 hepaticum		small-knobbed	<i>M.p.243,t.8,f.1. L.T.8,</i> <i>p.135.</i>	Britain.
43 Pullus	3481	small koffer	<i>L.t.970,f.25. G.t.44,f.N.</i>	Straits of Malacca.
44 Thersites		pale olive	<i>L. t.</i> 971, <i>f.</i> 26. <i>C. 2, t. 41,</i> <i>f.413. E.M.t.394,f.8.</i>	Asiatic Ocean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
45 verrucosum		warty	<i>L.t.</i> 972, <i>f.</i> 27.	East Indies.
46 gibbosulum	3481	hunchbacked	<i>L.t.</i> 973, <i>f.</i> 28. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 414-15.	Mediterranean.
47 mutabile	3427	changeable	<i>G.t.</i> 44, <i>f.</i> R. <i>F.t.</i> 33, <i>f.</i> S.1. <i>C.</i> 4, <i>t.</i> 125, <i>f.</i> 1194. <i>E.M.t.</i> 394, <i>f.</i> 4.	Senegal.
		[<i>nitidulum.</i>]		
48 neriteum	3481	nerite-shaped	<i>G.t.</i> 65, <i>f.</i> C.I. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1602. <i>E.M.t.</i> 394, <i>f.</i> 9.	Mediterranean.
49 Harpa	3482	Harp	<i>L.t.</i> 994, <i>f.</i> 57. <i>G.t.</i> 29, <i>f.</i> C.E. & G. <i>C.</i> 3, <i>t.</i> 119, <i>f.</i> 1090. <i>E.M.t.</i> 404, <i>f.</i> 1-4.	East Indies.
50 cancellatum	3482	latticed	<i>C.</i> 10, <i>t.</i> 152, <i>f.</i> 1453.	Tranquebar.
51 costatum	3482	ribbed	<i>E.t.</i> 28, <i>f.</i> A.4. <i>C.</i> 3, <i>t.</i> 119, <i>f.</i> 1093.	Philippines.
52 Persicum	3482	Persian	<i>L.t.</i> 987, <i>f.</i> 46. <i>G.t.</i> 51, <i>f.</i> H.L. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 760. <i>E.M.t.</i> 397, <i>f.</i> 1.	Persian Gulf.
53 patulum	3483	wide-mouthed	<i>L.t.</i> 989, <i>f.</i> 49. <i>G.t.</i> 51, <i>f.</i> E. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 758-9.	West Indies.
54 Monodon	3483	spine-lipped	<i>F.t.</i> 27, <i>f.</i> D.1. <i>C.</i> 3, <i>t.</i> 69, <i>f.</i> 761 & 10, <i>t.</i> 154, <i>f.</i> 1469-70. <i>E.M.t.</i> 396, <i>f.</i> 3.	Cape Horn.
55 Haustorium	3498	Scoop	<i>C.</i> 10, <i>t.</i> 152, <i>f.</i> 1449-50.	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
56 Concholepas	3697	limpet-shaped	<i>F.1,p.543,t.4,H.2.</i>	C.10, Straits of Magellan.
		[<i>P. Lepas.</i>]	<i>p.320,f.A.B.</i>	
57 Hæmastoma	3483	red-lipped	<i>L.t.988,f.48. G.t.51,f.A.</i> <i>C.11,t.187,f.1796-7.</i>	Mediterranean.
58 armigerum		armed	<i>C.11,t.187,f.1798-9.</i>	South Seas.
59 luteostomum		pallid	<i>C.11,t.187,f.1800-1.</i>	China.
60 lamellosum	3498	lamellar	<i>C.10,p.179,f.A.B.</i>	New Zealand.
61 crispatum		wrinkled	<i>C.11,t.187,f.1802-3.</i>	————
62 Lapillus	3484	purple-staining	<i>L. t. 965, f. 18, 19. C. 3,</i> <i>t.121,f.1111-2. P.B.Z.</i> <i>4,t.75,f.1. D.1,t.11. M.</i> <i>p.239.</i>	Britain, &c.
63 filosum	3486	threaded	<i>C.3,t.121,f.1113-4.</i>	u.
64 sulcatum	3491	grooved	<i>L.t.976,f.31. C.4,t.124,</i> <i>f.1170-1.</i>	Tranquebar.
65 sertum		chestnut-stained	<i>L.t.986,f.45. C. 3,t.121,</i> <i>f.1115-6. E.M.t.397,</i> <i>f.2.</i>	————
66 Rusticum	3484	Emerald	<i>L.t.831,f.55. G.t.43,f.X.</i> <i>C.3,t.120,f.1104-5.</i>	————
67 varium	3486	varied	<i>K.6,t.23,f.3. C. 3, t.121,</i> <i>f.1106.</i>	u.
68 Tuba	3484	lengthened	<i>C.3,t.94,f.908.</i>	Indian Ocean.
69 Pyrum	3484	pear-shaped	<i>C.3,t.94,f.909-10.</i>	Red Sea.
70 plumbeum		double-grooved	<i>C.11,t.188,f.1806-7.</i>	California.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
71 spadiceum	3485	chesnut	<i>C.3,t.94,f.911.</i>	West Indies.
72 umbilicatum	3485	umbilicated	<i>C.3,t.94,f.915.</i>	u.
73 candidum	3485	white	<i>C.3,p.191,f.3.</i>	u.
74 crassum	3485	thick	<i>C.3,t.120,f.1099,1100.</i>	u.
75 Orbita	3490	globose	<i>C. 10, t. 154, f. 1471-3.</i> <i>E.M.t.398,f.1.</i>	New Zealand.
76 Scala	3486	broad-belted	<i>L.t.1059,f.2.</i> <i>C.3,t.118,</i> <i>f.1089.</i> <i>E.M.t.422,f.4.</i>	East Indies.
77 spiratum	3487	acute-spined	<i>L. t. 983, f. 42. c.</i> <i>P. G.</i> <i>t.101,f.13.</i> <i>C.4, t.122,</i> <i>f. 1118.</i> <i>E. M. t. 401,</i> <i>f.2.</i>	————
78 Zeylanicum	3489	Ceylon	<i>L.t.982,f.42.</i> <i>G.t.51,f.B.</i> <i>C. 4, t. 122, f. 1119.</i> <i>E.M.t.401,f.3.</i>	Ceylon.
		[<i>glabratum</i> β].		
79 glabratum	3489	glossy	<i>L. t. 974, f. 29.</i> <i>G. t. 43,</i> <i>f.T.</i> <i>C.4,t.122,f.1117.</i> <i>E.M.t.401,f.1.</i>	Tranquebar.
80 turgidum	3490	red-spotted	<i>C.10,t.154,f.1475-6.</i>	New Zealand.
81 scutulatum	3498	streaked	<i>M. U. C. 2, t. 55.</i> <i>C. 10,</i> <i>p.179,f.C.D.</i>	————
82 testudineum	3498	tortoise-shell	<i>C.10,t.152,f.1454.</i> <i>E.M.</i> <i>t.399,f.2.</i>	————
83 Cataracta	3498	long-striped	<i>C.10,t.152,f.1455.</i>	Cape of Good Hope.
84 lævissimum	3494	polished	<i>C. 4, t. 127, f. 1215-16.</i> <i>E.M.400,f.1.a.b.</i>	Indian Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
85 cyaneum		blueish	<i>C.10,t.152,f.1448.</i>	Greenland.
86 læve	3488	smooth	<i>C.4,t.124,f.1150.</i>	East Indies.
87 igneum	3494	red-streaked	<i>C.4,t.127,f.1217.</i>	u.
88 plumatum	3494	painted	<i>L.t.822,f.41.b. C.4,t.127, f.1218-20.</i>	Jamaica.
89 ocellatum	3488	white-eyed	<i>C.4,t.124,f.1160-1.</i>	East Indies.
90 glaberrimum	3488	little, smooth	<i>C.4,t.125,f.1177.</i>	u.
91 Nucleus		small	<i>L.t.976,f.32.</i>	New Zealand.
92 lineatum		small, lineated	<i>C.4,t.125,f.1186-7. D.1, t.15. M.p.245.</i>	Britain.
93 exile	3497	small, slender	<i>C.4,t.125,f.1190-1.</i>	u.
94 prærosus	3489	carious	<i>C.9,t.121,f.1035-6.</i>	Aqueduct at Seville.
95 Cochlidium		indented spire	<i>C.11,t.209,f.2053-4.</i>	Islands in the South Seas : L.
96 australe	3490	southern	<i>B. t. 13, f. 18, 19. C. 9, t.120,f.1033-4. E.M. t.449,f.1.</i>	New Zealand. Fr.w.
97 undosum	3490	undulated	<i>L.t.938,f.33. C.4,t.122, f.1126-7. E.M.t.422, f.5.</i>	Amboyana.
98 affine	3490	brown-striped	<i>K.2,t.14,f.4,5. C.4,t.123, f.1135.</i>	South Seas.
99 fumosum		smoky	<i>C.4,t.123, upper f.1145- 1146.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
100 Indicum	3495	Indian	<i>C.4,t.123,f.1138-9.</i>	East Indies.
101 Tranquebaricum	3491	Tranquebar	<i>C.4,t.123, lower f.1146-9.</i> <i>E.M.t.422,f.6.</i>	Coromandel.
102 versicolor	3491	lurid	<i>C.4,t.123, lower f.1145.</i>	East Indies.
103 cruentatum	3491	red-spotted	<i>C.4,t.123,f.1143-4.</i>	u.
104 Bezoar	3491	Bezoar	<i>C.3,t.68,f.754-5.</i>	China.
105 bulbosum		bulbous	<i>L. t. 894, f. 14. K. 5, t. 21, f. 2. C. 3, t. 68, f. 750-3. E. M. t. 434, f. 1.</i>	Tranquebar.
106 glaciale	3491	keel-ridged	<i>C. 10, t. 152, f. 1446-7. E. M. t. 399, f. 3. D. 5, t. 154. M. Suppl. p. 109.</i>	Northern Ocean.
107 undatum	3492	wave ribbed	<i>L. t. 962, f. 14. F. t. 32, f. D. C. 4, t. 126, f. 1206-1211. P. B. Z. 4, t. 76. D. 3, t. 104. M. p. 237. E. M. t. 399, f. 1.</i>	Britain, &c.
108 papyraceum		paper	<i>L. t. 963, f. 17. C. 4, t. 126, f. 1212. E. M. t. 400, f. 3.</i>	Norway.
109 Tahitense	3498	Otaheite	<i>C. 10, t. 154, f. 1477.</i>	Otaheite.
110 porcatum	3494	rugged	<i>C. 4, t. 126, f. 1213-14.</i>	Coast of Mexico.
111 lyratum	3494	lyre	<i>C. 4, t. 127, f. 1221-2.</i>	u.
112 Pyrozonias	3488	double-streaked	<i>C. 3, t. 109, f. 1017.</i>	u.
113 textum	3493	turreted	<i>C. 4, t. 125, f. 1201-2.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
114 clathratum	3471	latticed	<i>P.t.</i> 56, <i>f.</i> 5. <i>B.t.</i> 9, <i>f.</i> 17, 18. <i>E.M.t.</i> 394, <i>f.</i> 5.	East Indies.
115 niveum	3495	cancellated	<i>C.4,t.</i> 122, <i>f.</i> 1122-3.	Tranquebar.
116 Lima		acuminated	<i>C.11,t.</i> 188, <i>f.</i> 1808-9.	East Indies.
117 reticulatum	3495	reticulated	<i>L.t.</i> 966, <i>f.</i> 21. <i>G.t.</i> 44, <i>f.</i> C. <i>C.4,t.</i> 124, <i>f.</i> 1162-1164. <i>P.B.Z.4,t.</i> 75, <i>f.</i> 1. <i>D.</i> 3, <i>t.</i> 76. <i>M.p.</i> 240.	Britain, &c.
118 ambiguum		small, plicated	<i>G.t.</i> 44, <i>f.</i> V. <i>C.4,t.</i> 124, <i>f.</i> 1165. <i>M.p.</i> 242, <i>t.</i> 9, <i>f.</i> 7.	Britain.
119 Macula		spot-lipped	<i>P. B. Z. 4, t. 82, f. 6.</i> <i>M.p.</i> 241, <i>t.</i> 8, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 138, <i>t.</i> 4, <i>f.</i> 4.	————
120 stolatum	3496	brown-banded	<i>C.4,t.</i> 124, <i>f.</i> 1167-9.	Tranquebar.
121 cinctum		minute, girdled	<i>M.p.</i> 246, <i>t.</i> 15, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 139.	Britain.
122 minimum		minute, chesnut	<i>M.p.</i> 247, <i>t.</i> 8, <i>f.</i> 2.	————
123 plicatulum	3496	plaited	<i>G.t.</i> 44, <i>f.</i> E. <i>F.t.</i> 33, <i>f.</i> V.2. <i>C.4,t.</i> 124, <i>f.</i> 1158-9.	East Indies.
124 Piscatorium	3496	knobbed	<i>G.t.</i> 43. <i>M.</i> <i>C.4,t.</i> 124, <i>f.</i> 1151-2.	————
125 S ^u Maurittii	3496	six-toothed	<i>C.4,t.</i> 124, <i>f.</i> 1153-4.	Island of St. Maurice.
126 armillatum	3496	brown-pimp.	<i>C.4,t.</i> 124, <i>f.</i> 1155-7.	u.
127 nitidulum		neat banded	<i>G.t.</i> 52, <i>f.</i> C. <i>A.t.</i> 9, <i>f.</i> 27.	Mediterranean.
128 ventricosum	3498	ventricose	<i>M.U.C.2,t.</i> 47.	St. George's Bay.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
129 maculatum	3499	spotted	<i>L. t.</i> 846, <i>f.</i> 74. <i>G. t.</i> 56, <i>f.</i> I. <i>C. 4, t.</i> 153, <i>f.</i> 1440. <i>E. M. t.</i> 402, <i>f.</i> 1. Asia & Africa.	
130 oculatum		ocellated	<i>P. Amb. t.</i> 2, <i>f.</i> 4. <i>F. t.</i> 40, <i>f.</i> Z. <i>C. 4, t.</i> 153, <i>f.</i> 1442.	E. Indies.
131 subulatum	3499	awl-shaped	<i>L. t.</i> 842, <i>f.</i> 70. <i>G. t.</i> 56, <i>f.</i> B. <i>C. 4, t.</i> 154, <i>f.</i> 1443. <i>E. M. t.</i> 402, <i>f.</i> 2. Amboyna.	
132 tigrinum	3502	tiger	<i>G. t.</i> 56, <i>f.</i> G. <i>C. 4, t.</i> 154, <i>f.</i> 1448.	v.
133 crenulatum	3500	crenulated	<i>L. t.</i> 846, <i>f.</i> 75. <i>G. t.</i> 57, <i>f.</i> L. <i>C. 4, t.</i> 154, <i>f.</i> 1445. <i>E. M. t.</i> 402, <i>f.</i> 3. China.	
134 hecticum		hectic	<i>C. 11, t.</i> 188, <i>f.</i> 1817-18.	Africa.
135 geminum	3506	divided	<i>L. M. p.</i> 550.	v.
136 proximatatum	3505	proximate	<i>L. M. p.</i> 550.	v.
137 Monile	3505	Necklace	<i>L. M. p.</i> 550.	v.
138 vittatum	3500	ribbon	<i>L. t.</i> 977, <i>f.</i> 34. <i>F. t.</i> 40, <i>f.</i> C. 2. <i>C. 4, t.</i> 155, <i>f.</i> 1461-3. <i>E. M. t.</i> 402, <i>f.</i> 4. Ceylon.	
139 digitale		bluish-banded	<i>L. t.</i> 977, <i>f.</i> 33. <i>F. t.</i> 40, <i>f.</i> C. 1. <i>C. 4, t.</i> 155, <i>f.</i> 1468-71. Coromandel.	
140 strigillatum	3501	strigillated	<i>L. t.</i> 845, <i>f.</i> 73. <i>C. 4, t.</i> 155, <i>f.</i> 1456. Asiatic Ocean.	
141 concinnum		belt-spotted	<i>G. t.</i> 57, <i>f.</i> O.	v.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
142 duplicatum		double-whirled	<i>L. t.</i> 837, <i>f.</i> 64. <i>G. t.</i> 57, <i>f.</i> N. C.4, <i>t.</i> 155, <i>f.</i> 1455.	Indian Ocean.
143 cinereum	3405	steel-gray	<i>B. p.</i> 267, <i>t.</i> 10, <i>f.</i> 11, 12.	Amboyna.
144 succinctum	3502	girted	<i>C. 4, t.</i> 154, <i>f.</i> 1451.	East Indies.
145 Acus	3502	Needle	<i>C. 4, t.</i> 154, <i>f.</i> 1449.	u.
146 lanceatum	3501	Lancet	<i>G. t.</i> 56, <i>f.</i> G. <i>P. Amb. t.</i> 13, <i>f.</i> 20. <i>C. 4, t.</i> 154, <i>f.</i> 1450.	Amboyna.
147 dimidiatum	3501	orange and wh. striped	<i>E. t.</i> 57, <i>f.</i> I. M. <i>F. t.</i> 40, <i>f.</i> Y. <i>C. 4, t.</i> 154, <i>f.</i> 1444.	China.
148 murinum	3502	mouse-col.	<i>L. S. N. p.</i> 1206.	Africa.
149 pertusum		hollow-dotted	<i>B. t.</i> 10, <i>f.</i> 13. <i>C. 4, t.</i> 155, <i>f.</i> 1457.	u.
150 hastatum	3502	Javelin	<i>C. 4, t.</i> 154, <i>f.</i> 1453-4.	u.
151 Phallus	3503	sinuated	<i>C. 4, t.</i> 155, <i>f.</i> 1464-5.	East Indies.
152 bifasciatum	3504	two-banded	<i>P. t.</i> 53, <i>f.</i> 5.	—————
153 radiatum	3504	radiated	<i>G. t.</i> 52, <i>f.</i> D.	Coast of Naples.
154 virgineum	3505	fresh-water	<i>L. t.</i> 113, <i>f.</i> 7. <i>P. t.</i> 104, <i>f.</i> 8.	Rivers in Virginia.
155 Acicula		minute-pointed	<i>G. t.</i> 6, <i>f.</i> B. B. <i>M. t.</i> 8, <i>f.</i> 3.	Britain, &c. in dry moss.
156 asperum	3503	rough	<i>L. t.</i> 925.	u.
157 Chalis	3497	Chalis	<i>C. 4, t.</i> 125, <i>f.</i> 1192.	u.
158 nanum	3497	dwarf	<i>C. 4, t.</i> 125, <i>f.</i> 1176.	u.
159 nigropunctatum	3497	black-dotted	<i>G. t.</i> 44, <i>f.</i> F.	u.

BUCINUM.





BUCCINUM.



STROMBUS.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
160 striatum	3477	striated	<i>Gr.Z.t.19,f.18.</i>	America.
161 trifasciatum		red-banded	<i>G.t.44,f.A.</i>	u.
162 unifasciale		single-streaked	<i>E.M.t.397,f.6.</i>	u.
163 Norwegicum		Norwegian	<i>E.M.t.399,f.5.</i>	Norway.
164 maculosum		stained	<i>E.M.t.400,f.7.</i>	u.
165 Turris		spiral tower	<i>C. 4, t. 124, f. 1172-3 & t.125,f.1174-5. E.M. t.394,f.6.</i>	Guinea.
166 crassilabrum		thick-lipped	<i>E.M.t.396,f.2.</i>	u.
167 cingulatum		belted	<i>E.M.t.396,f.4.</i>	u.
168 dentatum		toothed	<i>E.M.t.396,f.5.</i>	u.
169 gemmulatum		folded	<i>E.M.t.397,f.3.</i>	u.
170 Pseudonum		false-toothed	<i>B.E.C.p.184,t.26,f.2.</i>	u.
171 strombiforme		strombus-shaped	<i>B.E.C.p.184,t.26,f.3.</i>	u.

XXV. STROMBUS. SCREW.

1 Fusus	3506	Spindle	<i>L.t.854,f.12. C.4,t.158, f.1495-6. E.M.t.411, f.1.</i>	Red Sea.
2 Unicornus		Unicorn	<i>L. t. 916, f. 9. F. t. 34, f. B. 3. C. 4, t. 159, f.1500.</i>	East Indies.
3 fissus		slit	<i>F.t.79,f.Y. C.11,t.195. A.f.1869.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 Pes-Pelecani	3507	4-fingered	<i>L. t.</i> 865 & 866, <i>f.</i> 21. <i>b.</i> <i>G. t.</i> 53, <i>f.</i> A. B. & C. <i>C.</i> 3, <i>t.</i> 85, <i>f.</i> 848-50. <i>P.B.Z.</i> 4, <i>t.</i> 78. <i>D.</i> 1, <i>p.</i> 4. <i>M.</i> <i>p.</i> 253.	Britain, &c.
5 Chiragra	3507	Devil's claw	<i>L. t.</i> 870, <i>f.</i> 24. <i>G. t.</i> 53, <i>f.</i> B. <i>C.</i> 3, <i>t.</i> 86, <i>f.</i> 853-4. & 87, <i>f.</i> 856-7.	China.
6 Scorpius	3508	Scorpion	<i>L. t.</i> 867, <i>f.</i> 22. <i>G. t.</i> 36, <i>f.</i> C. <i>C.</i> 3, <i>t.</i> 88, <i>f.</i> 860.	Amboyna.
7 Lambis	3508	Spider	<i>L. t.</i> 866, <i>f.</i> 21. <i>G. t.</i> 36, <i>f.</i> A. B. <i>C.</i> 3, <i>t.</i> 87, <i>f.</i> 858- 859. <i>E. M.</i> <i>t.</i> 410, <i>f.</i> 2.	Batavia.
8 Bryonia	3520	blunt-tipped	<i>L. t.</i> 882, <i>f.</i> 4, & <i>t.</i> 931. <i>F. t.</i> 21, <i>f.</i> E. 1. & 2. <i>C.</i> 3, <i>t.</i> 93, <i>f.</i> 904-5.	East Indies.
9 Millepeda	3509	Millepede	<i>L. t.</i> 868-9. <i>F. t.</i> 22, <i>f.</i> A. 6. <i>C.</i> 3, <i>t.</i> 88, <i>f.</i> 861-2. <i>E. M.</i> <i>t.</i> 410, <i>f.</i> 1.	Coromandel.
10 lentiginosus	3510	pink-lipped	<i>L. t.</i> 860, <i>f.</i> 17. <i>F. t.</i> 20, <i>f.</i> B. 2. <i>C.</i> 3, <i>t.</i> 82, <i>f.</i> 833-4.	Jamaica.
11 polyfasciatus		many-banded	<i>C.</i> 10, <i>t.</i> 155, <i>f.</i> 1483-4.	Red Sea.
12 Gallus	3511	Plough	<i>L. t.</i> 874, <i>f.</i> 30. <i>G. t.</i> 32, <i>f.</i> M. <i>C.</i> 3, <i>t.</i> 84, <i>f.</i> 843-5. <i>E. M.</i> <i>t.</i> 408, <i>f.</i> 1, & <i>t.</i> 409, <i>f.</i> 2.	West Indies.
13 Papilio		Butterfly	<i>C.</i> 10, <i>t.</i> 158, <i>f.</i> 1510-11.	E. Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
14 fasciatus	3510	banded	<i>L. t.</i> 860, <i>f.</i> 17. <i>F. t.</i> 20, <i>f.B.2. C.3,t.82,f.833-4.</i>	West Indies.
15 laciniatus		sinuated	<i>C.10,t.158,f.1506-7.</i>	East Indies.
16 Auris Dianæ	3512	Diana's ear	<i>L. t.</i> 872, <i>f.</i> 28. <i>G. t.</i> 32, <i>f.D.H. C.3,t.84,f.838-839. E.M.t.409,f.3.</i>	Amboyna.
17 Pugilis	3512	thick, spined	<i>G. t.</i> 32, <i>f.</i> B. <i>C. 3, t.</i> 81, <i>f.830-31. E. M. t.</i> 408, <i>f.4.</i>	West Indies.
18 marginatus		marginated	<i>L.S.N.p.1209.</i>	China.
19 Luhuanus	3513	Lohoe broad-lip	<i>L. t.</i> 850 & 851. <i>G. t.</i> 31, <i>f.H.I. C.3,t.77,f.789-791.</i>	_____
20 gibberulus	3514	Pouter	<i>L.t.847,f.1. G.t.13,f.N.</i> <i>C.3,t.77,f.792-4.</i>	Amboyna.
21 Oniscus	3514	Wood-louse	<i>L.t.791,f.44. G.t.22,f.1.</i> <i>C.11,t.195. A,f.1872-1873.</i>	West Indies.
22 Gigas	3515	Giant	<i>L.t.886-8. G.t.54,f.M.</i> <i>C. 3, t. 80, f. 824 & 11,</i> <i>t.195,B.</i>	_____
23 latissimus	3516	broad Giant	<i>L.t.856 & 862. C.3,t.82,</i> <i>f.832 & t.83,f.835.</i>	China.
24 Accipiter		spinous	<i>L. t.</i> 863, <i>f.</i> 18. <i>C. 3, t.</i> 81, <i>f.829.</i>	Asiatic Ocean.
25 Epidromis	3516	mottled fawn	<i>L. t.</i> 853, <i>f.</i> 10. <i>F. t.</i> 20, <i>f.A.6. C.3,t.79,f.821.</i>	Amboyna.
26 minimus	3516	least	<i>G.t.31,f.L. C.10,t.156,</i> <i>f.1491-2.</i>	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
27 Canarium	3517	Partridge	<i>L.t.</i> 853, <i>f.</i> 9. <i>G.t.</i> 32, <i>f.</i> N. <i>C.3,t.</i> 79, <i>f.</i> 818.	Amboyna.
28 vittatus	3517	ribbon	<i>L.t.</i> 852, <i>f.</i> 8. <i>P.G.t.</i> 98, <i>f.</i> 12. <i>C.3,t.</i> 79, <i>f.</i> 819-20 & 822-3. <i>E.M.t.</i> 409, <i>f.</i> 1.	_____
29 sulcatus		sulcated	<i>L.t.</i> 852, <i>f.</i> 8. <i>F.t.</i> 20, <i>f.</i> A. 4. <i>C.11,t.</i> 195. <i>A.f.</i> 1870- 1871.	China.
30 succinctus	3518	girdled	<i>L.t.</i> 859, <i>f.</i> 16. <i>G.t.</i> 33, <i>f.</i> B. <i>C.3,t.</i> 79, <i>f.</i> 815-16.	Amboyna.
31 Fissurella	3518	slit-lipped	<i>F.t.</i> 79, <i>f.</i> Y. <i>C.4,t.</i> 158, <i>f.</i> 1498-9. <i>E.M.t.</i> 411, <i>f.</i> 3.	East Indies.
32 Urceus	3518	Pitcher	<i>L.t.</i> 857, <i>f.</i> 13. <i>G.t.</i> 32, <i>f.</i> E & G. <i>C.3,t.</i> 78, <i>f.</i> 803-9.	_____
33 Erythrinus		nodulous	<i>C.11,t.</i> 195. <i>A.f.</i> 1874-5.	Red Sea.
34 tridentatus	3519	3-toothed	<i>L.t.</i> 858, <i>f.</i> 14. <i>G.t.</i> 33, <i>f.</i> C. D. <i>C.10,t.</i> 157, <i>f.</i> 1503.	Amboyna.
35 dentatus	3519	toothed	<i>C.10,t.</i> 157, <i>f.</i> 1501-2.	Isle of France.
36 Vexillum	3520	Banner	<i>C.10,t.</i> 157, <i>f.</i> 1504-5.	East Indies.
37 Norwegicus	3520	Norwegian	<i>C.10,t.</i> 157, <i>f.</i> 1497-8.	Norway.
38 tuberculatus	3521	tuberculated	<i>C.4,t.</i> 157, <i>f.</i> 1490. <i>B.t.</i> 10, <i>f.</i> 16, 17. <i>Seb.t.</i> 55, <i>f.</i> 21.	Mediterranean.

STROMBUS.



MUREX.





<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 palustris	3521	marsh	<i>L. t.</i> 837, <i>f.</i> 63. <i>F. t.</i> 14, <i>f.</i> A. 1. <i>C.</i> 4, <i>t.</i> 156, <i>f.</i> 1472.	East Indies.
40 ater	3521	black	<i>L. t.</i> 115, <i>f.</i> O. <i>F. t.</i> 61, <i>f.</i> H. 11. <i>C.</i> 9, <i>t.</i> 35, <i>f.</i> 1227. Marshes in Amboyna.	
41 auritus	3522	eared	<i>L. t.</i> 121, <i>f.</i> 16. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1265-6.	Guinea. Fr.w.
42 lividus	3523	livid	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1269-70.	v.
43 costatus		ribbed	<i>D.</i> 3, <i>t.</i> 94. <i>M. p.</i> 255.	Britain.
44 raninus		thin-lipped	<i>K.</i> 6, <i>t.</i> 29, <i>f.</i> 8.	v.

XXVI. MUREX. ROCK.

1 Haustellum	3524	Snipe	<i>L. t.</i> 903, <i>f.</i> 23. <i>G. t.</i> 30, <i>f.</i> E. <i>C.</i> 3, <i>t.</i> 115, <i>f.</i> 1066.	Amboyna.
2 Motacilla	3530	Nightingale	<i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1563.	East Indies.
3 Scolopax		thorny Snipe	<i>C.</i> 11, <i>t.</i> 189, <i>f.</i> 1819-20.	Red Sea.
4 Tribulus	3525	thorny Woodcock	<i>L. t.</i> 902, <i>f.</i> 22. <i>G. t.</i> 31, <i>f.</i> A. <i>C.</i> 3, <i>t.</i> 113, <i>f.</i> 1053- 1056.	Amboyna.
5 cornutus	3525	horned Snipe	<i>L. t.</i> 901, <i>f.</i> 21. <i>G. t.</i> 30, <i>f.</i> D. <i>C.</i> 3, <i>t.</i> 114, <i>f.</i> 1057.	—
6 Brandaris	3526	short-beaked Snipe	<i>L. t.</i> 900, <i>f.</i> 20. <i>G. t.</i> 30, <i>f.</i> F. <i>C.</i> 3, <i>t.</i> 114, <i>f.</i> 1058-61.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
7 Trunculus	3526	Tyrian dye	<i>L.t.</i> 947, <i>f.</i> 42. <i>G.t.</i> 31, <i>f.</i> C. <i>C.3,t.</i> 109, <i>f.</i> 1018-20.	Mediterranean.
8 Rosarium		Rosary	<i>C.10,t.</i> 161, <i>f.</i> 1528-9.	u.
9 Pomum	3527	apple-shaped	<i>L.t.</i> 944, <i>f.</i> 39. a. <i>K.3,t.</i> 9, <i>f.</i> 1. <i>C.3,t.</i> 109, <i>f.</i> 1021- 1023 & 110, <i>f.</i> 1024-5.	Mediterranean.
10 miliaris	3536	scabrous	<i>K.3,t.</i> 29, <i>f.</i> 5. <i>C.10,t.</i> 161, <i>f.</i> 1532-5. <i>E.M.pl.</i> 419, <i>f.</i> 1.a.b. & <i>f.</i> 7.a.b.	Nicobar Islands.
11 melanama- thos	3527	black-spined	<i>C.3,t.</i> 108, <i>f.</i> 1015. <i>E. M.</i> <i>t.</i> 418, <i>f.</i> 2.	East Indian Seas.
12 ramosus	3528	branched	<i>L. t.</i> 946, <i>f.</i> 41. <i>G. t.</i> 37, <i>f.</i> D. G. H. I. L. <i>C. 3,</i> <i>t.</i> 102-6, <i>f.</i> 980-97.	West Indies.
13 foliatus	3529	foliated	<i>C.10,t.</i> 161, <i>f.</i> 1538-9.	New Zealand.
14 Lingua		Sheep's tongue	<i>C.10,t.</i> 161, <i>f.</i> 1540-1.	Goree.
15 tripterus	3530	subtriangular	<i>B. t.</i> 10, <i>f.</i> 18, 19. <i>C. 3,</i> <i>t.</i> 110, <i>f.</i> 1031-2. <i>E.M.</i> <i>t.</i> 417, <i>f.</i> 3.	Batavia.
16 triqueter	3530	3-warted	<i>C.3,t.</i> 111, <i>f.</i> 1038. <i>E. M.</i> <i>t.</i> 417, <i>f.</i> 1 & 4.	China.
17 Scorpio	3529	Scorpion	<i>G. t.</i> 37, <i>f.</i> M. <i>F. t.</i> 36, <i>f.</i> G.3.G.4. <i>C. 3, t.</i> 106, <i>f.</i> 998-1003.	Amboyna.
18 saxatilis	3529	Endive	<i>F.t.</i> 36, <i>f.</i> K. <i>K.3,t.</i> 9, <i>f.</i> 2. <i>C.3,t.</i> 107, <i>f.</i> 1004-10.	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 erinaceus	3530	rough ridged	<i>G. t.</i> 49, <i>f.</i> H. <i>C.</i> 3, <i>t.</i> 110, <i>f.</i> 1026-8. <i>E. M. t.</i> 421, <i>f.</i> 1. <i>D.</i> 1, <i>t.</i> 35. <i>M. p.</i> 259.	Britain, &c.
20 Sacellum	3530	corded	<i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1561-2.	Nicobar Islands.
21 Rana	3531	Frog	<i>L. t.</i> 995, <i>f.</i> 58. <i>G. t.</i> 49, <i>f.</i> L. <i>C.</i> 4, <i>t.</i> 133, <i>f.</i> 1268-71. <i>E. M. t.</i> 412, <i>f.</i> 3.	Amboyna.
22 spinosus	3531	spiny Frog	<i>L. t.</i> 949, <i>f.</i> 44. <i>F. t.</i> 32, <i>f.</i> B. 2. <i>K.</i> 3, <i>t.</i> 7, <i>f.</i> 5. <i>E. M. t.</i> 412, <i>f.</i> 5.	Tranquebar.
23 crassus		thick Frog	<i>F. t.</i> 32, <i>f.</i> B. 4. <i>C.</i> 4, <i>t.</i> 133, <i>f.</i> 1272-3. <i>E. M. pl.</i> 412, <i>f.</i> 4. a. b.	Madagascar.
24 Gyrinus	3531	whirled	<i>L. t.</i> 939, <i>f.</i> 34. <i>G. t.</i> 49, <i>f.</i> E. <i>C.</i> 4, <i>t.</i> 127, <i>f.</i> 1224-7. <i>E. M. t.</i> 412, <i>f.</i> 2.	Mediterranean.
25 bitubercularis		2-knobbed	<i>E. M. t.</i> 412, <i>f.</i> 6.	u.
26 bufonius	3534	toad-shaped	<i>F. t.</i> 32, <i>f.</i> B. 1. <i>C.</i> 11, <i>t.</i> 192, <i>f.</i> 1845-6. <i>E. M. t.</i> 412, <i>f.</i> 1.	South Seas.
27 Argus	3547	Argus	<i>K.</i> 5, <i>t.</i> 3, <i>f.</i> 3. <i>C.</i> 10, <i>t.</i> 160, <i>f.</i> 1522. <i>E. M. t.</i> 414, <i>f.</i> 3.	Amboyna.
28 Lampas	3532	granulated	<i>L. t.</i> 1023, <i>f.</i> 88. <i>G. t.</i> 50, <i>f.</i> D. <i>C.</i> 4, <i>t.</i> 129, <i>f.</i> 1238- 1239. <i>E. M. t.</i> 420, <i>f.</i> 3.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
29 Olearium	3532	Oil Jar	<i>L.t.</i> 937, <i>f.</i> 32. <i>G.t.</i> 49, <i>f.</i> G. <i>C.4,t.</i> 130, <i>f.</i> 1242-3.	Mediterranean.
30 Parthenopus		tawny-yellow	<i>K.5,t.</i> 21, <i>f.</i> 1. <i>C.4,t.</i> 131, <i>f.</i> 1252-3. <i>E.M.t.</i> 416, <i>f.</i> 3.	Bay of Naples.
31 lyratus	3531	lyre-shaped	<i>C.10,t.</i> 169, <i>f.</i> 1634.	New Zealand.
32 Femorale	3533	triangular	<i>L.t.</i> 941, <i>f.</i> 37. <i>G.t.</i> 50, <i>f.</i> C. <i>C.3,t.</i> 111, <i>f.</i> 1039.	Ceylon.
33 cutaceus	3533	rough-skinned	<i>L.t.</i> 942, <i>f.</i> 38. <i>C.3,t.</i> 118, <i>f.</i> 1085-6. <i>E.M.t.</i> 414, <i>f.</i> 2.	West Indies.
34 Lotorium	3533	angulated Oil Jar	<i>L. t.</i> 934, <i>f.</i> 29. <i>F. t.</i> 34, <i>f.</i> G. 4. <i>C. 4, t.</i> 130, <i>f.</i> 1246-9. <i>E.M.t.</i> 415, <i>f.</i> 2.	Amboyna.
35 Pileare	3534	nodulous Oil Jar	<i>G. t.</i> 49, <i>f.</i> A. <i>C. 4, t.</i> 130, <i>f.</i> 1243 & 131, <i>f.</i> 1250-1. <i>E.M.t.</i> 415, <i>f.</i> 3-4.	Mediterranean.
36 conditus	3565	mottled Oil Jar	<i>C.10,t.</i> 162, <i>f.</i> 1544-5.	v.
37 maculosus	3548	spotted	<i>L. t.</i> 1022, <i>f.</i> 86. <i>F. t.</i> 33, <i>f.</i> X. 2. <i>C. 10, t.</i> 162, <i>f.</i> 1552-3. <i>E. M. t.</i> 416, <i>f.</i> 1.	Amboyna.
38 Spengleri		Spengler's	<i>C.11,t.</i> 191, <i>f.</i> 1839-40.	New South Wales.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
39 Pyrum	3534	Pear	<i>G.t.</i> 37, <i>f.</i> F. <i>F.t.</i> 34, <i>f.</i> A.2. <i>K.</i> 2, <i>t.</i> 7, <i>f.</i> 2, 3. <i>C.</i> 3, <i>t.</i> 112, <i>f.</i> 1040-4.	Coromandel.
40 Clavator		club-shaped	<i>C.</i> 11, <i>t.</i> 190, <i>f.</i> 1825-6.	Ceylon.
41 caudatus	3535	caudated	<i>L.t.</i> 893, <i>f.</i> B. <i>C.</i> 3, <i>t.</i> 112, <i>f.</i> 1045-7.	Coromandel.
42 Rubecula	3535	Footman	<i>G.t.</i> 49, <i>f.</i> F. & I. <i>F. t.</i> 34, <i>f.</i> G.1.&G.3. <i>C.</i> 4, <i>t.</i> 132, <i>f.</i> 1259-67.	Red Sea.
43 Scrobiculator	3535	violet-throated	<i>L.t.</i> 943, <i>f.</i> 39. <i>G.t.</i> 49, <i>f.</i> B. <i>C.</i> 10, <i>t.</i> 163, <i>f.</i> 1556-7. <i>E.M.t.</i> 414, <i>f.</i> 1.	Mediterranean.
44 reticularis	3535	reticulated	<i>L. t.</i> 935, <i>f.</i> 30. <i>G. t.</i> 49, <i>f.</i> M. <i>C.</i> 4, <i>t.</i> 128, <i>f.</i> 1228. <i>E.M.t.</i> 413, <i>f.</i> 1.	————
45 Anus	3536	Grimace	<i>L. t.</i> 833, <i>f.</i> 57. <i>G. t.</i> 37, <i>f.</i> B.E. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 403- 404. <i>E.M.t.</i> 413, <i>f.</i> 3.a.b.	Amboyna.
46 Mulus		Mule	<i>G.t.</i> 31, <i>f.</i> D. <i>F.t.</i> 31, <i>f.</i> H.2. <i>C.</i> 2, <i>t.</i> 41, <i>f.</i> 405-6.	Coasts of Hitoe.
47 neritoideus	3537	Mulberry	<i>L.t.</i> 804, <i>f.</i> 12,13. <i>F. t.</i> 24, <i>f.</i> A.1. <i>C.</i> 3, <i>t.</i> 101, <i>f.</i> 972- 973. <i>E.M.t.</i> 395, <i>f.</i> 7.	Coromandel.
48 Nodus	3537	Chesnut	<i>L. t.</i> 991, <i>f.</i> 53. <i>P. t.</i> 19, <i>f.</i> 10. <i>C.</i> 3, <i>t.</i> 100, <i>f.</i> 956- 958.	Jamaica.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
49 Fucus	3538	black-eyed	<i>L. t.</i> 990, <i>f.</i> 50. <i>G. t.</i> 66, <i>f.</i> B. B. <i>C. 3, t.</i> 100, <i>f.</i> 959-60.	Guinea.
50 Hystrix	3538	Porcupine	<i>G. t.</i> 28, <i>f.</i> R. <i>C. 3, t.</i> 101, <i>f.</i> 974-5.	East Indies.
51 Ricinus	3537	Spur	<i>G. t.</i> 28, <i>f.</i> N. <i>K. 1, t.</i> 25, <i>f.</i> 5, 6. <i>C. 3, t.</i> 102, 976-7. <i>E. M. 395, f.</i> 7.	China.
52 Mancinella	3538	Mancinella	<i>L. t.</i> 957, <i>f.</i> 9. <i>C. 3, t.</i> 101, <i>f.</i> 967-8.	Amboyna.
53 Hippocastanum	3539	Horse-chestnut	<i>P. Amb. t.</i> 4, <i>f.</i> 12. <i>F. t.</i> 24, <i>f.</i> C. 1. <i>C. 3, t.</i> 99, <i>f.</i> 945-6. <i>E. M. t.</i> 432, <i>f.</i> 4, 5.	Batavia.
54 nodatus	3536	knobbed	<i>M. U. C. 2, t.</i> 51.	New Holland.
55 lacerus		carinated	<i>L. t.</i> 958, <i>f.</i> 11. <i>P. t.</i> 101, <i>f.</i> 18. <i>C. 3, t.</i> 100, <i>f.</i> 951- 953.	Guinea.
56 plicatus		plaited	<i>C. 3, t.</i> 100, <i>f.</i> 954-5.	East Indies.
57 morbosus		marbled	<i>L. t.</i> 990, <i>f.</i> 51. b. & 991, <i>f.</i> 52. <i>C. 4, t.</i> 123, <i>f.</i> 1140.	West Indies.
58 senticosus	3539	cancellated	<i>G. t.</i> 51, <i>f.</i> G. I. <i>F. t.</i> 31, <i>f.</i> L. <i>C. 4, t.</i> 155, <i>f.</i> 1466-7. <i>E. M. t.</i> 419, <i>f.</i> 3.	Amboyna.
59 Melongena	3540	open-mouthed	<i>L. t.</i> 904, <i>f.</i> 24. <i>G. t.</i> 26, <i>f.</i> F. <i>C. 2, t.</i> 39, <i>f.</i> 389-92. <i>E. M. t.</i> 435, <i>f.</i> 3. a-e.	————
60 calcaratus	3540	brownish-white	<i>P. Amb. t.</i> 8, <i>f.</i> 11. <i>G. t.</i> 31, <i>f.</i> F. <i>C. 2, t.</i> 40, <i>f.</i> 398-9.	————

[*Melongena* β-ζ.]

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
61 Consul	3550	ventricose	<i>C.10,t.160,f.1516-17.</i>	'E. Indies.
62 stramineus	3542	straw-coloured	<i>F.t.79,f.8. f.1520-1.</i>	<i>C.10,t.160,</i> New Zealand.
63 Virgo		corded	<i>E.M.t.439,f.2.</i>	v.
64 clavatulus		crowned Tower	<i>C.11,t.190,f.1831-2.</i>	Guinea.
65 gibbosus	3564	gibbous	<i>C.11,t.190,f.1829-30 & 1833-4.</i>	Red Sea.
66 virgineus		Virgin Tower	<i>C.11,t.190,f.1835-6.</i>	Guinea.
67 Babylonius	3541	Tower of Babel	<i>L.t.19,f.11. G.t.52,f.N. C.4,t.143,f.1331-2. E.M.t.439,f.1,5 & 6.</i>	Amboyna.
68 Javanus	3543	Javan [<i>Turris.</i>]	<i>F.t.33,f.C.5. f.1334-5. E.M.t.439,f.3.</i>	<i>C.4,t.143, B.E.C.t.18,</i> Java.
69 tornatus	3541	white Tower [<i>Javanus.</i>]	<i>C.4,t.143,f.1336-8.</i>	Tranquebar.
70 dubius	3543	doubtful [<i>asper.</i>]	<i>C.4,t.150,f.1396-7.</i>	v.
71 Colus	3543	Spindle	<i>L. t. 917, f. 10 & 918. G.t.52,f.L. f.1339 & 1342. E.M. t.423,f.4,5, & 424,f.4.</i>	Amboyna.
72 colosseus		great	<i>E.M.t.427,f.2.</i>	————
73 longicaudus		long-beaked	<i>L.t.918. E.M.t.423,f.2.</i>	Amboyna.
74 striatulus	3557	transversely striated	<i>C.4,t.146,f.1351-2.</i>	v.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
75 Lancea	3556	narrow	<i>C.4,t.145,f.1347.</i>	Amboyna.
76 versicolor *	3556	changeable	<i>K.3,t.14,f.1. C.4,t.146, f.1348.</i>	East Indies.
77 verrucosus	3557	warty	<i>C.4,t.146,f.1349-50.</i>	Red Sea.
78 Morio	3544	Helmet	<i>L. t. 988, f. 22. F. t. 35, f. B. 1. C. 4, t. 139, f.1300-1. E. M. t.430, f.3,4.</i>	West Indies.
79 Cochlidium	3544	brown- streaked	<i>C.10,t.164,f.1569. E.M. t.434,f.2.</i>	East Indies.
80 Tuba	3554	Trumpet	<i>C.4, t. 143, f.1333. E. M. t.426,f.2.</i>	China.
81 Spirillus	3544	blunt-tipped	<i>K.4,t.24,f.3. C.3,t.115, f.1069. E.M.t.437,f.4.</i>	Malabar.
82 canaliculatus	3544	channelled	<i>L.t.878,f.2. G.t.47,f.A. C.3,t.67,f.742-3. E.M. t.436,f.3.</i>	Canada.
83 Carica	3545	keeled	<i>L. t. 880, f. 3. b. G. t. 47, f.B. C.3,t.67,f.744 & 69,f.756-7. E.M.t.433, f.3.</i>	u.
84 cariniferus		wave-edged	<i>E.M.t.423,f.3.</i>	u.
85 Ficus	3545	fig-shaped	<i>G.t.26,f.N. C.10,t.163, f. 1564-5 & 11, t. 193, f.1853.</i>	Red Sea.
86 clandestinus	3471	double- lipped [<i>B. caudatum</i> β.]	<i>L.t.940,f.36. K. 6, t. 29, f.5. C.11,t.193,f.1856- 1857. E.M.t.433,f.1.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
87 Aruanus	3546	spine-crown.	<i>F.t.</i> 35, <i>f.M.</i> C. 4, <i>p.</i> 143, <i>f.D.</i>	China.
88 perversus	3546	reversed	<i>L.t.</i> 907, <i>f.</i> 27. <i>F.t.</i> 23, <i>f.H.</i> 2. C. 9, <i>t.</i> 106, <i>f.</i> 904-907. <i>E.M.t.</i> 433, <i>f.</i> 4.	West Indies.
89 antiquus	3546	antiquated	<i>L.t.</i> 913, <i>f.</i> 4. C. 4, <i>t.</i> 138, <i>f.</i> 1292-4. <i>E.M.t.</i> 426, <i>f.</i> 5. <i>P.B.Z.</i> 4, <i>t.</i> 81. <i>D.</i> 1, <i>t.</i> 31. <i>M.p.</i> 256.	Britain, &c.
90 Magellanicus	3548	leafy ribbed	C. 4, <i>t.</i> 139, <i>f.</i> 1297. <i>M.U.C.</i> 1, <i>t.</i> 6. <i>E.M.t.</i> 419, <i>f.</i> 4.	Straits of Magellan.
91 acanthopterus		foliated	<i>E.M.t.</i> 417, <i>f.</i> 2.	u.
92 fornicatus	3547	arched	C. 4, <i>t.</i> 138, <i>f.</i> 1295. <i>S.Einl.</i> 1, <i>t.</i> 3, <i>f.</i> 5.	Greenland.
93 despectus	3547	despised	<i>E.M.t.</i> 426, <i>f.</i> 4. <i>D.</i> 5, <i>t.</i> 180.	Northern Ocean.
94 subantiquatus		great, worn	C. 4, <i>t.</i> 138, <i>f.</i> 1293 & 1296. <i>D.</i> 4, <i>t.</i> 119. <i>M.p.</i> 257. <i>L.T.</i> 8, <i>p.</i> 147.	Britain.
95 Tritonis	3549	Triton	<i>L.t.</i> 959, <i>f.</i> 12. <i>G.t.</i> 48, <i>f.A.</i> C. 4, <i>t.</i> 134, <i>f.</i> 1277, & <i>t.</i> 135, <i>f.</i> 1282-3. <i>E.M.t.</i> 421, <i>f.</i> 2.	Amboyna.
96 vulpinus	3558	foxy	<i>B.p.</i> 317, <i>t.</i> 11, <i>f.</i> 10, 11.	u.
97 Pusio	3550	Wreath	<i>L.t.</i> 914, <i>f.</i> 7. <i>G.t.</i> 52, <i>f.</i> 1. <i>F.t.</i> 53, <i>f.</i> I. C. 4, <i>t.</i> 147, <i>f.</i> 1537.	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
98 Tulipa	3550	Tulip	<i>L. t.</i> 910 & 911. <i>G. t.</i> 46, <i>f.</i> A. E. <i>C.</i> 4, <i>t.</i> 136, <i>f.</i> 1286-7. <i>E.M.t.</i> 431, <i>f.</i> 2.	West Indies.
99 clathratus	3551	ribbed	<i>L.t.</i> 926, <i>f.</i> 19.	Iceland.
100 lamellosus	3536	lamellar	<i>F.t.</i> 37, <i>f.</i> H. 1. <i>K.</i> 4, <i>t.</i> 30, <i>f.</i> 2. <i>C.</i> 11, <i>t.</i> 190, <i>f.</i> 1823- 1824.	Straits of Magellan.
101 Scala	3551	Ladder	<i>C.</i> 4, <i>p.</i> 1, <i>f.</i> a. b. c.	East Indies.
102 Fiscellum	3552	short-beaked	<i>C.</i> 10, <i>t.</i> 160, <i>f.</i> 1524-5.	Pulo Condore.
103 undatus		waved	<i>C.</i> 11, <i>t.</i> 192, <i>f.</i> 1851-2.	Tranquebar.
104 virgatus		nodulous	<i>C.</i> 4, <i>t.</i> 123, <i>f.</i> 1441-2.	East Indies.
105 Corona	3552	crowned	<i>C.</i> 10, <i>t.</i> 161, <i>f.</i> 1526-7. <i>E.M.t.</i> 430, <i>f.</i> 2.	G. of Mexico.
106 Dolarium	3552	narrow-belted	<i>K.</i> 2, <i>t.</i> 24, <i>f.</i> 5 & 5, <i>t.</i> 3, <i>f.</i> 5. <i>C.</i> 3, <i>t.</i> 118, <i>f.</i> 1087-8. <i>E.M.t.</i> 420, <i>f.</i> 1.	Portugal.
107 corneus	3552	slender horn	<i>L.t.</i> 913, <i>f.</i> 5. <i>C.</i> 4, <i>t.</i> 141, <i>f.</i> 1312-13. <i>E.M.t.</i> 429, <i>f.</i> 2. <i>P.B.Z.</i> 4, <i>t.</i> 79, <i>f.</i> 2. <i>D.</i> 2, <i>t.</i> 38. <i>M.p.</i> 258.	Britain, &c.
108 lineatus	3559	lined	<i>C.</i> 10, <i>t.</i> 164, <i>f.</i> 1572. <i>E.M.</i> <i>t.</i> 429, <i>f.</i> 4.	New Zealand.
109 sexcostatus		6-ribbed	<i>E.M.t.</i> 441, <i>f.</i> 3. a. b.	u.
110 Nassa	3551	rough	<i>L.t.</i> 828, <i>f.</i> 50. <i>K.</i> 6, <i>t.</i> 20, <i>f.</i> 7.	Guinea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
111 Aplustre		American flag	<i>C.11,t.191,f.1841-2.</i>	Friendly Islands.
112 Trapezium	3552	striped Tower	<i>L.t. 931, f. 26. G.t. 46, f.B. C.4,t.139,f.1298- 1299. E.M.t.431,f.3.</i>	Amboyna.
113 polygonus	3555	many-angled	<i>C. 4, t. 140, f. 1306-9 & t.141,f.1314-16. E.M. t.423,f.1.</i>	Isle of France.
114 Vespertilio	3553	reddish- brown	<i>L.t. 884, f. 6. a. F.t. 23, f. L. 2. C. 4, t. 142, f. 1323-4 & 1326-7. E.M.t.434,f.8.</i>	Tranquebar.
115 Scolymus	3553	flesh-coloured	<i>C.4,t.142,f.1325.</i>	u.
116 Ternatanus	3554	Ternate	<i>L.t. 892, f. 12. F.t. 35, f. B. 6. C. 4, t. 140, f.1304-5. K.4,t.15,f.4 & t.26,f.1.</i>	Isl. of Ternate.
117 Columbarium	3559	white-belted	<i>C.10,t.169,f.1637-8.</i>	Friendly Islands.
118 Infundibulum	3554	funnel-shaped	<i>L.t.921,f.14. C.4,t.143, f.A. E.M.t.424,f.2.</i>	W. Indies.
119 Syracusanus	3559	Syracuse [asperrimus.]	<i>F.t.34,f.D.2. C.10,t.162, f.1542-3.</i>	Mediterranean.
120 Perron	3559	shelving	<i>C.10,t.164,f.1573-4.</i>	South Seas.
121 craticulatus	3554	net-whirled	<i>L.t.919,f.13. K.2,t.3,f.6. C. 4, t. 149, f. 1382-3. E.M.t.429,f.3.</i>	Mediterranean.
122 Pardalis	3557	Leopard	<i>K.2, t. 3, f. 4. -C. 4, t. 149, f.1384.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
123 prismaticus	3559	prismatic	<i>C.10,t.169,f.1635-6.</i>	Friendly Islands.
124 Maroccensis	3558	Morocco	<i>F.t.33,f.A.6. C.9,t.105, f.896.</i>	Morocco.
125 Harpa	3554	Harp	<i>C.4,t.142,f.1328-30.</i>	u.
126 Bamffius		Bamffian	<i>D.5,t.169,f.1. L.T.8, p.149. M.Suppl.p.117.</i>	Scotland.
127 gracilis		elegant	<i>D.t.169,f.2. M.p.267 & 586,t.15,f.5.</i>	Britain.
128 attenuatus		tapering	<i>M.p.266,t.9,f.6. L.T. p.143.</i>	————
129 Nebula		clouded	<i>M.p.267,t.15,f.6. L.T. 8,p.143.</i>	————
130 costatus		high-ribbed	<i>P.B.Z.4,t.82,f.2. D.3, t.91. M.p.265.</i>	————
131 proximus		eleven-ribbed	<i>M.Suppl.p.118,t.30,f.8.</i>	Scotland.
132 septangularis		seven-angled	<i>D.5,t.179,f.4. M.p.168, t.9,f.5.</i>	Britain.
133 Turricula		small-towered	<i>M.p.262,t.9,f.1. L.T.8, p.144.</i>	————
134 rufus		red	<i>M.p.263. L.T.8,p.145.</i>	————
135 sinuosus		channel-lipped	<i>M.p.264,t.9,f.8. L.T.8, p.145.</i>	————
136 linearis		linear	<i>M.p.261,t.9,f.4. L.T.8, p.148.</i>	————
137 purpureus		purple	<i>M.p.260,t.9,f.3.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
138 muricatus		rasp	<i>M.p.</i> 262, <i>t.</i> 9, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 149.	Britain.
139 minutissimus		minute	<i>M.p.</i> 273. <i>L.T.</i> 3, <i>p.</i> 65 & <i>p.</i> 149.	————
140 arenosus	3558	sea-sand	<i>S.Einl.</i> 1, <i>p.</i> 644.	India.
141 Scriptorius	3554	Character	<i>L.S.N.</i> <i>p.</i> 1225.	Mediterranean.
142 Obeliscus	3542	Chinese [<i>Sinensis.</i>] Obelisk	<i>L.t.</i> 1018, <i>f.</i> 80. <i>G.t.</i> 56, <i>f.M.</i> <i>C.4,t.</i> 157, <i>f.</i> 1489. <i>E.M.t.</i> 443, <i>f.</i> 4.	West Indies.
143 Vertagus	3560	curve-beaked	<i>L.t.</i> 1020, <i>f.</i> 83. <i>G.t.</i> 57, <i>f.D.</i> <i>C.4,t.</i> 156, <i>f.</i> 1479 & 157, <i>f.</i> 1480. <i>E.M.</i> <i>t.</i> 443, <i>f.</i> 2.	Amboyna.
144 curvirostris		cross-beaked	<i>C.4,t.</i> 156, <i>f.</i> 1748.	————
145 plicatulus	3561	white-plaited	<i>L.t.</i> 1017, <i>f.</i> 79. <i>G.t.</i> 57, <i>f.A.</i> <i>C.4,t.</i> 157, <i>f.</i> 1488.	————
146 Aluco	3560	Caterpillar	<i>L.t.</i> 1017, <i>f.</i> 79. <i>G.t.</i> 57, <i>f.A.</i> <i>C.4,t.</i> 156, <i>f.</i> 1478. <i>E.M.t.</i> 443, <i>f.</i> 5.	————
147 nodulosus		nodulous	<i>L.t.</i> 1025, <i>f.</i> 87. <i>G.t.</i> 57, <i>f.G.</i> <i>C.4,t.</i> 156, <i>f.</i> 1473- 1474. <i>E.M.t.</i> 442, <i>f.</i> 3.	————
148 Adansoni		Adanson's	<i>G.t.</i> 57, <i>f.</i> B. <i>A.t.</i> 10, <i>f.</i> 2.	River Gambia.
149 Clava	3565	club-shaped	<i>C.10,p.</i> 233, <i>f.</i> A.B.	Pulo Condore.
150 uncinatus	3542	grappling	<i>S.Fluss.t.</i> 8, <i>f.</i> 15.	u.
151 atratus	3564	blackish	<i>B.p.</i> 327, <i>t.</i> 11, <i>f.</i> 17, 18.	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
152 alucoides		marbled	<i>L. t.</i> 1019. <i>G. t.</i> 56, <i>f.</i> L. <i>F. t.</i> 39, <i>f.</i> C. 1.	Mediterranean.
153 ebeninus		deep black	<i>F. t.</i> 79, <i>f.</i> lower N. <i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1548-9. <i>E. M.</i> <i>t.</i> 442, <i>f.</i> 1.	New Holland.
154 fuscatus	3562	prickly	<i>L. t.</i> 121, <i>f.</i> 17. <i>F. t.</i> 39, <i>f.</i> C. 19. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1267-8.	Senegal: mouth of rivers.
155 torulosus	3563	ringed	<i>L. t.</i> 121, <i>f.</i> 16. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1486 & 10, <i>t.</i> 164, <i>f.</i> 1575-6.	East Indies.
156 fluviatilis	3562	river	<i>L. t.</i> 122, <i>f.</i> 20. <i>G. t.</i> 58, <i>f.</i> F. <i>C.</i> 4, <i>t.</i> 155, <i>f.</i> 1459.	Rivers of Senegal, within reach of the tide.
157 marginatus		margined	<i>G. t.</i> 56, <i>f.</i> H.	East Indies.
158 serratus		serrated	<i>M. U. C.</i> 2, <i>t.</i> 58.	Friendly Islands.
159 asper	3563	rough-grained	<i>L. t.</i> 1020, <i>f.</i> 84. <i>F. t.</i> 39, <i>f.</i> C. 18. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1483.	West Indies.
160 granulatus		grained	<i>P. Amb. t.</i> 7, <i>f.</i> 12. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1492. <i>E. M.</i> <i>t.</i> 442, <i>f.</i> 4.	Asiatic Ocean.
161 Moluccanus	3563	grooved	<i>L. t.</i> 1021, <i>f.</i> 85. <i>G. t.</i> 57, <i>f.</i> E. <i>C.</i> 4, <i>t.</i> 157, <i>f.</i> 1484- 1485. <i>E. M. t.</i> 442, <i>f.</i> 2.	Moluccas.
162 semi-granosus		half-grained	<i>E. M. t.</i> 443, <i>f.</i> 1.	New Holland.





MUREX.



TROCHUS.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
163 literatus	3548	lettered	<i>G. t.</i> 56, <i>f.</i> N. <i>B. t.</i> 11, <i>f.</i> 14, 15.	Guadaloupe.
164 hexagonus	3548	six-ribbed	<i>C.</i> 10, <i>t.</i> 162, <i>f.</i> 1554-5.	South Sea.
165 reticulatus		reticulated	<i>G. t.</i> 58, <i>f.</i> G. <i>M. p.</i> 272. <i>L. T.</i> 8, <i>p.</i> 150.	Britain.
166 tubercularis		pimpled	<i>M. p.</i> 270 & <i>Suppl. p.</i> 116. <i>L. T.</i> 8, <i>p.</i> 150.	_____
167 adversus		left-handed	<i>W. M. S.</i> <i>f.</i> 48. <i>D.</i> 5, <i>t.</i> 159. <i>M. p.</i> 271 & <i>Suppl. p.</i> 115. <i>L. T.</i> 8, <i>p.</i> 151.	Britain, &c.
168 subulatus		awl-shaped	<i>M. Suppl. p.</i> 115, <i>t.</i> 30, <i>f.</i> 6.	Scotland, in sea sand.
169 decollatus	3563	decapitated	<i>E. M. t.</i> 458, <i>f.</i> 3.	v.
170 Afer	3558	African	<i>A.</i> 1, <i>p.</i> 125, <i>t.</i> 8, <i>f.</i> 18. <i>E. M.</i> <i>t.</i> 426, <i>f.</i> 6.	Senegal.
171 sinistralis		left-handed	<i>E. M. t.</i> 424, <i>f.</i> 1.	v.

XXVII. TROCHUS. TOP SHELL.

1 Niloticus	3565	large marbled	<i>L. t.</i> 617, <i>f.</i> 3. <i>G. t.</i> 59, <i>f.</i> B & C. <i>C.</i> 5, <i>t.</i> 167, <i>f.</i> 1605 & 168, <i>f.</i> 1614. <i>E. M. t.</i> 444, <i>f.</i> 1.	Amboyna.
2 Conus	3569	conic	<i>L. t.</i> 631, <i>f.</i> 18. <i>F. t.</i> 13, <i>f.</i> 1. <i>C.</i> 5, <i>t.</i> 167, <i>f.</i> 1610.	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 spinosus	3570	thorny	<i>F.t.</i> 12, <i>f.</i> B. 3. <i>C. 5, t.</i> 167, <i>f.</i> 1611.	New Zealand.
4 jujubinus	3570	mottled	<i>F. t.</i> 12, <i>f.</i> L. <i>C. 5, t.</i> 167, <i>f.</i> 1612-13.	West Indies.
5 maculatus	3566	spotted	<i>L. t.</i> 632, <i>f.</i> 20. <i>G. t.</i> 61, <i>f.</i> D. <i>C. 5, t.</i> 168, <i>f.</i> 1615- 1618 & 69, <i>f.</i> 1623-4.	Madagascar.
6 Alveare	3570	Bee-hive	<i>G. t.</i> 60, <i>f.</i> P. <i>C. 5, t.</i> 168, <i>f.</i> 1619 & 1622.	Isle of France.
7 concavus	3570	concave base	<i>C. 5, t.</i> 168, <i>f.</i> 1620-1.	Coromandel.
8 vernus	3571	green	<i>C. 5, t.</i> 169, <i>f.</i> 1625-6.	East Indian Seas.
9 conspersus	3571	Poppy	<i>G. t.</i> 60, <i>f.</i> B. <i>C. 5, t.</i> 169, <i>f.</i> 1627.	————
10 Tentorium	3571	Pavilion	<i>C. 5, t.</i> 169, <i>f.</i> 1628.	————
11 ochroleucus	3571	whitish- brown	<i>C. 5, t.</i> 169, <i>f.</i> 1629.	————
12 stellatus	3571	starred	<i>C. 5, t.</i> 169, <i>f.</i> 1630.	————
13 Spengleri	3571	Spengler's	<i>C. 5, t.</i> 169, <i>f.</i> 1631.	u.
14 costatus	3571	ribbed	<i>C. 5, t.</i> 169, <i>f.</i> 1633-4.	u.
15 inæqualis	3572	unequal	<i>G. t.</i> 60, <i>f.</i> O. <i>F. t.</i> 12, <i>f.</i> D. <i>C. 5, t.</i> 170, <i>f.</i> 1635-6.	Mozambique.
16 regius	3572	royal	<i>C. 5, t.</i> 170, <i>f.</i> 1637.	u.
17 verrucosus	3572	warty	<i>C. 5, t.</i> 170, <i>f.</i> 1638.	E. Indian Seas.
18 cylindricus	3572	sub-conical	<i>C. 5, t.</i> 170, <i>f.</i> 1639.	u.
19 radiatus	3572	radiated	<i>C. 5, t.</i> 170, <i>f.</i> 1640.	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
20 <i>viridis</i>	3572	green-beaded	<i>C.5,t.170,f.1643-4.</i>	New Zealand.
21 <i>rusticus</i>	3572	blackish- brown	<i>C.5,t.170,f.1645-6.</i>	China.
22 <i>nigerrimus</i>	3573	black	<i>C.5,t.170,f.1647.</i>	————
23 <i>Fanulum</i>	3573	Pagoda	<i>P.t.156,f.15. F.t.13,f.O.</i> <i>C.5,t.170,f.1648-9.</i>	Coasts of Fernambuca.
24 <i>strigosus</i>	3573	black-tipped	<i>C.5,t.170,f.1651.</i>	Morocco.
25 <i>Pyramis</i>	3573	pyramidal	<i>C.5,t.170,f.1652-3.</i>	u.
26 <i>depressus</i>	3573	depressed	<i>C.5,t.171,f.1668-9.</i>	u.
27 <i>lævigatus</i>	3573	smooth	<i>C.5,t.171,f.1670.</i>	u.
28 <i>Grœnlandi- cus</i>	3574	Greenland	<i>C.5,t.171,f.1671.</i>	Greenland.
29 <i>cruciatus</i>	3567	cross-rayed	<i>C.5,t.171,f.1674.</i>	Mediterranean.
30 <i>Pharaonius</i>	3567	Strawberry	<i>L.t.638,f.26. G.t.63,f.B.</i> <i>C.5,t.171,f.1672-3.</i> <i>E.M.t.447,f.7.</i>	Red Sea.
31 <i>corallinus</i>	3576	coral-beaded	<i>A.p.183,t.12,f.4.</i>	Magdalen Isl.
32 <i>Guineensis</i>	3574	Guinea	<i>C.5,t.171,f.1680.</i>	Guinea.
33 <i>carneus</i>	3574	flesh-coloured	<i>C.5,t.171,f.1682.</i>	u.
34 <i>Magus</i>	3567	tuberculated	<i>L.t.641,f.32. G.t.62,</i> <i>f.L. C.5,t.171,f.1656-</i> <i>1659. P.B.Z.4,t.83,f.4.</i> <i>D.1,t.8,f.1. M.p.283.</i>	Britain, &c.
35 <i>Capensis</i>	3573	Cape	<i>C.5,t.171,f.1661-2.</i>	Cape of Good Hope.
36 <i>Afer</i>	3577	grey-marbled	<i>A.p.184,t.12,f.6.</i>	Senegal.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
37 <i>Modulus</i>	3568	keel-whirled	<i>L.t.</i> 653, <i>f.</i> 52. <i>F.t.</i> 8, <i>f.</i> D. <i>C.5,t.</i> 171, <i>f.</i> 1665.	West Indies.
38 <i>Ægyptius</i>	3573	Ægyptian	<i>C.5,t.</i> 171, <i>f.</i> 1663-4.	Red Sea.
39 <i>muricatus</i>	3568	prickly	<i>G.t.</i> 64, <i>f.</i> H.	Mediterranean.
40 <i>roseus</i>	3574	rose-coloured	<i>C.5,t.</i> 171, <i>f.</i> 1675.	Cape of Good Hope.
41 <i>tumidus</i>		tumid	<i>M.p.</i> 280, <i>t.</i> 10, <i>f.</i> 4. <i>L.T.</i> 8, <i>p.</i> 153.	Britain.
42 <i>viridulus</i>	3574	necklace-grained	<i>C.5,t.</i> 171, <i>f.</i> 1677.	u.
43 <i>urbanus</i>	3574	broad purple-striped	<i>C.5,t.</i> 171, <i>f.</i> 1679.	u.
44 <i>scaber</i>	3568	rough	<i>C.5,t.</i> 171, <i>f.</i> 1667.	u.
45 <i>quadratus</i>		square spotted	<i>C.5,t.</i> 171, <i>f.</i> 1683.	Mediterranean.
46 <i>croceus</i>	3584	saffron-coloured	<i>C.5,t.</i> 171, <i>f.</i> 1684.	Morocco.
47 <i>varius</i>	3568	varied	<i>S.Einl.</i> 1, <i>p.</i> 659.	Mediterranean.
48 <i>umbilicatus</i>	3575	obliquely- [<i>obliquatus.</i>] rayed	<i>C. 5, t. 171, f. 1685.</i> <i>P. B. Z. 4, t. 83, f. 3. D.</i> <i>t. 74, 3 middle figures.</i> <i>M.p.</i> 286. <i>L.T.</i> 8, <i>p.</i> 153.	Britain, &c.
49 <i>cinerarius</i>	3568	ash-coloured	<i>L.t.</i> 641, <i>f.</i> 31. <i>C.5,t.</i> 171, <i>f.</i> 1686. <i>D.3,t.</i> 74. <i>M.</i> <i>p.</i> 284.	—————
50 <i>neritoideus</i>	3577	reddish-col.	<i>Fab.F.G.p.</i> 393.	Greenland.
51 <i>albidus</i>	3576	white	<i>B.t.</i> 11, <i>f.</i> 19,20.	u.
52 <i>vittatus</i>	3575	ribbon	<i>F.t.</i> 9, <i>f.</i> E.3. <i>C. 5, t. 171,</i> <i>f.</i> 1687.	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
53 divaricatus	3568	divaricated	<i>Fab.F.G.p.392.</i>	Mediterranean.
54 fuscatus	3576	brown	<i>B.t.12,f.1,2.</i>	u.
55 umbilicaris	3568	umbilicated	<i>C.5,t.171,f.1666.</i>	Mediterranean.
56 Areola	3575	red square spotted	<i>C.5,t.173,f.1710-11.</i>	u.
57 cinereus		dark ash-coloured	<i>L. t. 633, f. 21. F. 2, t. 13, f. M. D. 5, t. 155, f. 3. M.p.289.</i>	Britain, &c.
58 fasciatus	3576	banded	<i>B.t.12,f.3-4.</i>	u.
59 variegatus	3575	variegated	<i>C.5,t.173,f.1708-9.</i>	u.
60 infundibuli- formis	3575	ram's horn	<i>C.5,t.173,f.1706-7.</i>	u.
61 hybridus	3567	hybrid	<i>C.5,t.173,f.1702-5.</i>	Mediterranean.
62 perspectivus	3566	stair-case	<i>L. t. 636, f. 24. G. t. 65, f.O.C.5,t.172,f.1691-6 & 11, t. 196, f. 1884-5. E.M.t.446,f.1 & 3.</i>	Amboyna.
63 stramineus	3575	straw-co- loured	<i>L.t.635,f.23. C.5,t.172, f.1699.</i>	Tranquebar.
64 Indicus	3575	Indian	<i>C.5,t.172,f.1697-8.</i>	East Indies.
65 planus	3576	flattish	<i>C.5,t.174,f.1721-2.</i>	u.
66 solaris	3569	sulcated, sun	<i>L. t. 622, f. 9. K. 6, t. 26, f. 4. C.5,t.173,f.1700- 1701.</i>	East Indies.
67 inermis	3576	short-spined	<i>C.5,t.173,f.1712-13.</i>	W. Indies.
68 imperialis	3576	imperial	<i>C. 5, t. 173, f. 1714 & 174, f.1715.</i>	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
69 conchyliophorus	3584	Carrier	<i>F.t.</i> 12, <i>f.</i> C. 1 & C.2. <i>t.</i> 172, <i>f.</i> 1688-90.	<i>C.</i> 5, West Indies.
70 Tectum	3569	arch-lipped	<i>L.t.</i> 653, <i>f.</i> 51. <i>F.t.</i> 9, <i>f.</i> M.3. <i>C.</i> 5, <i>t.</i> 165, <i>f.</i> 1567-8.	————
71 perlatus	3577	tooth-lipped	<i>L.t.</i> 654, <i>f.</i> 54. <i>F.t.</i> 8, <i>f.</i> D. <i>C.</i> 10, <i>t.</i> 165, <i>f.</i> 1583-4.	————
72 Pumilio		Dwarf	<i>C.</i> 11, <i>t.</i> 196, <i>f.</i> 1888-9.	Africa.
73 terrestris	3645	land [<i>H. elegans.</i>]	<i>L.t.</i> 61, <i>f.</i> 58. <i>P.t.</i> 22, <i>f.</i> 10. <i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1045. <i>P.B.Z.</i> 4, <i>t.</i> 83, <i>f.</i> 5. <i>D.</i> 4, <i>t.</i> 111. <i>M.p.</i> 287.	Britain, &c.
74 bidens	3642	double- [<i>H. bidentata.</i>] toothed	<i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1052. Botanic garden at Strasbourg.	
75 fragilis	3577	brittle	<i>S.Einl.</i> 1, <i>t.</i> 3, <i>f.</i> 16.	v.
76 callosus	3577	keeled	<i>C.</i> 9, <i>t.</i> 122, <i>f.</i> 1501.	Bayreuth. Fr.w.
77 flumineus	3587	river	<i>S.Fluss.p.</i> 282, <i>t.</i> 6, <i>f.</i> 12.	River Huines.
78 vestiarius	3578	flattened	<i>L.t.</i> 650-2. <i>G.t.</i> 65, <i>f.</i> F-H. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1601. a. to h.	Mediterranean.
79 grandinatus	3585	studded	<i>C.</i> 10, <i>t.</i> 169, <i>f.</i> 1639.	Palmerston's Island.
80 Labeo	3578	double-lipped	<i>L.t.</i> 584, <i>f.</i> 42 & 645, <i>f.</i> 37. <i>F.</i> 2, <i>t.</i> 8, <i>f.</i> A. 2. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 1579-81. <i>E.M.</i> <i>t.</i> 447, <i>f.</i> 1.	Amboyna.
81 asper	3583	rugged	<i>F.t.</i> 8, <i>f.</i> A.3. <i>C.</i> 5, <i>t.</i> 166, <i>f.</i> 3582.	New Zealand.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
82 quadricarinatus		four-keeled	<i>C.11,t.196,f.1892-3.</i>	Mediterr.
83 tessellatus	3583	tessellated	<i>C.5,t.166,f.1583.</i>	Bay of Naples.
84 turbinatus		turbinated	<i>L. t. 642, f. 33-4. G. t. 63, f. D. E. & G. G. 5, t. 166, f. 1584.</i>	Isle of France.
85 argyrostomus	3583	Ink-horn	<i>C.5,t.165,f.1562-3.</i>	N. Zealand.
86 Sinensis	3583	Chinese	<i>F.t.9,f.B.1. K.5,t.3,f.1. C.5,t.165,f.1564-5.</i>	China.
87 crassus		Hair-streaked	<i>M.p.281. L. T. 8, p. 154. D. C. t. 6, f. 7. P. D. C. t. 17, f. 3 & 7.</i>	Britain.
88 Tuber	3578	large mottled	<i>L.t.646,f.38. F.t.9,f.C. C.5,t.165,f.1572-6.</i>	W. Indies.
89 melanostomus	3581	black-throated	<i>C.5,t.161,f.1526.</i>	S. Ocean.
90 striatus	3597	small striated	<i>L.t.616,f.2. G.t.61,f.N. C.5,t.162,f.1527-8. D. t.155,f.1. M.p.278.</i>	Britain, &c.
91 exiguus [<i>erythroleucos.</i>] tipped	3581	crimson-tipped	<i>L.t.681,f.8. F.t.12,f.N.2. C. 5, t. 162, f. 1529. P.B.Z.4,t.83,f.1. D.1, t.8,f.2. M.p.277.</i>	————
92 punctulatus	3581	little rose-coloured	<i>F.t.12,f.N.1. C.5,t.162, f.1530.</i>	Morocco.
93 Conulus	3579	conical	<i>C.5,t.166,f.1588-9.</i>	Mediterr.
94 Ziziphinus	3579	livid	<i>L.t.616,f.1. G. t. 61, f. C. C. 5, t. 166, f. 1592-4. P.B.Z.4,t.83,f.1. D.2, t.52. M.p.274.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
95 papillosus		granulated	<i>G.t.</i> 61, <i>f.</i> G.M. <i>C.5,t.</i> 166, <i>f.</i> 1597-8. <i>D.4,t.</i> 127. <i>M.p.</i> 275, <i>t.</i> 10, <i>f.</i> 3.	Britain, &c.
96 dolarius		fluted	<i>C.10, t.</i> 165, <i>f.</i> 1579-80. <i>E.M.t.</i> 445, <i>f.</i> 1.	New Zealand.
97 Granatum	3584	Tiger	<i>C.5,t.</i> 170, <i>f.</i> 1654-5.	————
98 virgineus		ringed	<i>F.t.</i> 79, <i>f.</i> 1. <i>C.10,t.</i> 165, <i>f.</i> 1581-2.	————
99 diaphanus	3580	thin, chesnut- coloured	<i>C.5,t.</i> 161, <i>f.</i> 1520-1.	————
100 cærulescens		blueish	<i>E.M.t.</i> 444, <i>f.</i> 2.a.b.	New Holland.
101 selectus		red-&-white- grained	<i>C.11,t.</i> 196, <i>f.</i> 1896-7.	New Zealand.
102 purpureus	3582	bright-purpl.	<i>C.5,t.</i> 162, <i>f.</i> 1538-9.	v.
103 Americanus	3581	American	<i>C.5,t.</i> 162, <i>f.</i> 1534-5.	West Indies.
104 imbricatus	3581	imbricated	<i>L.t.</i> 628, <i>f.</i> 14. <i>G.t.</i> 60, <i>f.</i> Q. <i>C.5, t.</i> 162, <i>f.</i> 1531. <i>E.M.t.</i> 445, <i>f.</i> 4.	————
105 cælatus	3581	scaly	<i>L.t.</i> 647, <i>f.</i> 40. <i>F.t.</i> 8, <i>f.</i> M. <i>C.5,t.</i> 162, <i>f.</i> 1536-7.	————
106 gibberosus	3585	olive-green [<i>inæqualis.</i>]	<i>M.U. C.1, t.</i> 31. <i>C.10,</i> <i>p.</i> 287, <i>f.</i> A.B.	New Zealand.
107 Mauritanus	3582	great-toothed	<i>L.t.</i> 625, <i>f.</i> 11. <i>G.t.</i> 61, <i>f.</i> D & F. <i>C.5,t.</i> 163, <i>f.</i> 1547-8.	New Guinea.
108 fenestratus	3582	small-toothed	<i>G.t.</i> 60, <i>f.</i> N. <i>F.t.</i> 12, <i>f.</i> I. <i>C.5,t.</i> 163, <i>f.</i> 1549-50.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
109 Obeliscus	3579	Obelisk	<i>K.1,t.12,f.4. C.5,t.160, f.1510-12.</i>	East Indies.
110 foveolatus	3580	Sugar-loaf	<i>L.t.626,f.11.a. G.t.59, f.A. C.5,t.161,f.116- 117,f.1518-19.</i>	New Guinea.
111 virgatus	3580	rose-striped	<i>L.t.631,f.17. G.t.61,f.E. C.5,t.160,f.1514-15.</i>	Amboyna.
112 Cookii	3582	Cook's	<i>C.5,t.163,f.1540 & t.164, f.1551.</i>	Friendly Islands.
113 Iris	3580	Iris	<i>F.t.79,f.G. C.5,t.161, f.1522-3.</i>	New Zealand.
114 elegans	3581	elegant	<i>S.Einl.1,p.682.</i>	————
115 notatus	3581	marked	<i>S.Einl.1,p.682.</i>	South Seas.
116 Zic-zac	3587	Zig-zag	<i>L.t.583,f.38. C.5,t.166, f.1599.</i>	West Indies.
117 obtusus		blunt	<i>C.11,t.196,f.1894-5.</i>	Indian Seas.
118 crocatus	3584	saffron- coloured	<i>B.t.12,f.11,12.</i>	u.
119 hortensis	3587	Garden	<i>C.9,t.122,f.1055-6.</i>	Gardens in Southern climates.
120 Telescopium	3585	Telescope	<i>L. t. 624, f. 10. G. t. 60, f. D. & E. C. 5, t. 160, f.1507-9.</i>	East Indies.
121 Terebellus		little Auger	<i>L.t.844,f.72. G.t.4,f.M.</i>	Barbadoes: L.
122 dolabratus	3585	Zebra	<i>F.t.65,f.L. C.5,t.167, f.1603-4.</i>	Africa: L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
123 perversus	3586	left-handed	<i>L.S.N.p.1231.</i>	Mediterranean.
124 pusillus	3586	minute, re-versed	<i>S.Einl.1,p.751.</i>	East Indies : in sand.
125 undulatus	3586	minute, waved	<i>C.9,t.113,f.967.</i>	————
126 ventricosus	3586	minute, bel- lied	<i>C.9,t.113,f.968.</i>	————
127 annulatus	3587	annulated	<i>C.9,t.113,f.969.</i>	————
128 punctatus	3587	dotted	<i>L.S.N.p.1231.</i>	Mediterranean.
129 striatellus	3587	violet-tipped	<i>L.S.N.p.1232.</i>	————
130 lunaris	3589	minute, horn- coloured	<i>C.9,t.113,f.971.</i>	v.

XXVIII. TURBO. WREATH.

1 obtusatus	3588	blunt	<i>C.5,t.185,f.1854.a-f.</i>	Northern Ocean.
2 neritoides		nerit-shaped	<i>G.t.45,f.F.</i>	Mediterranean.
3 Nicobaricus	3596	Nicobar	<i>B.t.13,f.16,17. C.5,t.182, f.1822-5.</i>	Nicobar Islands.
4 nigerrimus	3597	black	<i>C.5,t.185,f.1848.</i>	South Seas.
5 littoreus	3588	Periwinkle	<i>L.t.585,f.43. G.t.45,f.G. C.5,t.185,f.1852,1-8. P.B.Z.4,t.84,f.1. D.1, t.33. M.p.301.</i>	Britain, &c.

TROCHUS.



53 +



54 +



55 †



56 †



58 n



59 †



51 +



52 +



54 a +



55 +



56 +



57 n



58 +



59 +



60 +




61 +



62 a




63 a



64 b



65 a



66 a +



67 a



68 b



69 a +



70 †



71 n



72 +



73 n



74 n



75 n



76 n



77 n



78 n



79 a †



80 a



81 a



82 a



83 †




84 a



85 b



86 a



88 a †



89 †



90 n



91 n



92 n



93 †



94 a



95 a



96 a



97 b



98 a



99 a



100 b



101 a



102 a



103 a



104 a †



105 b †




87 †

TROCHUS.



TURBO.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 tenebrosus		chocolate	<i>M.p.</i> 303, <i>t.</i> 20, <i>f.</i> 4. <i>L.T.</i> 8. <i>p.</i> 160.	Britain.
7 rudis		sordid	<i>D.</i> 1, <i>t.</i> 33, <i>f.</i> 3. <i>M.p.</i> 304. <i>L. T.</i> 8, <i>p.</i> 159, <i>t.</i> 4, <i>f.</i> 12, 13.	————
8 muricatus		prickly	<i>L.t.</i> 30, <i>f.</i> 28. <i>G.t.</i> 45, <i>f.</i> E. <i>C.5,t.</i> 177, <i>f.</i> 1752-3.	Southern Europe.
9 Æthiops	3596	black-and- white	<i>C.5,t.</i> 182, <i>f.</i> 1820-1. <i>E.M.</i> <i>t.</i> 447, <i>f.</i> 5.	New Zealand.
10 punctatus	3597	white-dotted	<i>A.p.</i> 168, <i>t.</i> 12, <i>f.</i> 1. <i>F.t.</i> 71, <i>f.</i> A.1.A.2.	Goree.
11 jugosus		lineated	<i>M.p.</i> 586, <i>t.</i> 20, <i>f.</i> 2. <i>L.T.</i> 8, <i>p.</i> 158, <i>t.</i> 4, <i>f.</i> 7.	Britain.
12 crassior		coarse	<i>D.t.</i> 178, <i>f.</i> 4. <i>M.p.</i> 309 & <i>Suppl.p.</i> 127, <i>t.</i> 20.	————
13 petræus		small rock	<i>M.p.</i> 403. <i>L. T.</i> 8, <i>p.</i> 160. <i>Dors. Cat.t.</i> 18, <i>f.</i> 13.	————
14 fulgidus		bronze-banded	<i>M.p.</i> 332. <i>L.T.</i> 8, <i>p.</i> 161.	————
15 Cimex	3589	Bug	<i>G.t.</i> 44, <i>f.</i> X. <i>D.</i> 1, <i>t.</i> 2, <i>f.</i> 1. <i>M.p.</i> 315.	Britain, &c.
16 calathiscus		cancellated	<i>M.Suppl.p.</i> 132, <i>t.</i> 30, <i>f.</i> 5.	Britain.
17 Pullus	3589	painted	<i>D.</i> 1, <i>t.</i> 2, <i>f.</i> 2-6. <i>M.p.</i> 319. <i>L. T.</i> 8, <i>p.</i> 162.	Britain, &c.
18 Pertholatus	3590	Serpent's skin	<i>L.t.</i> 584, <i>f.</i> 39. <i>G.t.</i> 64, <i>f.</i> F. <i>C.5,t.</i> 183, <i>f.</i> 1830-5.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 Cidaris	3596	Turban	<i>F.t.8, f.C.1. & C.2. t.184, f.1840-7. E.M. t.448, f.5.</i>	C.5, China.
20 helacinus	3597	green-and-purple	<i>B.p.348, t.12, f.23-4.</i>	u.
21 Cochlus	3590	Camelopard	<i>L.t.584, f.40. f.1805-6.</i>	C.5, t.182, East Indies.
22 Smaragdus	3595	green	<i>C.5, t.182, f.1815-16. E.M.t.448, f.3.</i>	New Zealand.
23 chrysostomus	3591	golden-mouthed	<i>G.t.62, f.H. C.5, t.178, f.1766.</i>	<i>F.t.9, f.A.2.</i> Amboyna.
24 Tectum-Per-sicum	3591	little Pagoda	<i>G.t.60, f.M. C.5, t.163, f.1543-4.</i>	<i>F.t.13, f.F.</i> Asiatic Ocean.
25 trochiformis		white-grained	<i>C.5, t.163, f.1545-6.</i>	S. Ocean.
26 unicarinatus		single-keeled	<i>E.M.t.461, f.1.</i>	u.
27 Pagodus	3591	Pagoda	<i>L.t.644, f.36. f.1541-2.</i>	<i>G.t.62, f.B.C. C.5, t.163,</i> Amboyna.
28 Calcar	3592	Spur	<i>G.t.65, f.N. f.1552-3.</i>	<i>F.t.13, f.C.3. C.5, t.164. lower</i> _____
29 stellaris	3600	starred	<i>C.5, t.164. upper f.1552-3.</i>	South Seas.
30 aculeatus	3600	pointed	<i>C.5, t.164, f.1556-7.</i>	Nicobar Islands.
31 stellatus	3600	spined	<i>C.5, t.164, f.1558-9.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 armatus		armed	<i>L. t.</i> 608, <i>f.</i> 46. a. <i>C. 5,</i> <i>t.</i> 180, <i>f.</i> 1786-7. Mediterranean.	
33 rugosus	3592	large, silver- mouthed	<i>L. t.</i> 647, <i>f.</i> 41. <i>G. t.</i> 63, <i>f.</i> F. H. <i>C. 5, t.</i> 180, <i>f.</i> 1782-5.	————
34 marmoratus	3592	large, green	<i>L. t.</i> 587, <i>f.</i> 46. <i>G. t.</i> 64, <i>f.</i> A. <i>C. 5, t.</i> 179, <i>f.</i> 1775- 1776. <i>E. M. t.</i> 448, <i>f.</i> 1.	Asiatic Ocean.
35 Sarmaticus	3593	large, knobbed	<i>F. t.</i> 8, <i>f.</i> L. <i>C. 5, t.</i> 179, <i>f.</i> 1777-8 & <i>t.</i> 180, <i>f.</i> 1781.	Moluccas.
36 Olearius	3593	large, keeled	<i>G. t.</i> 68, <i>f.</i> A. <i>F. t.</i> 8, <i>f.</i> K. 1. <i>C. 5, t.</i> 178, <i>f.</i> 1771-2.	Coromandel.
37 cornutus	3593	large, horned	<i>F. t.</i> 8, <i>f.</i> G. 1. <i>C. 5, t.</i> 179, <i>f.</i> 1779-80.	China.
38 radiatus	3594	radiated	<i>C. 5, t.</i> 180, <i>f.</i> 1788-9.	Red Sea.
39 imperialis	3594	imperial	<i>C. 5, t.</i> 180, <i>f.</i> 1790.	China.
40 coronatus	3594	crown	<i>F. t.</i> 8, <i>f.</i> O. <i>C. 5, t.</i> 180, <i>f.</i> 1791-2. <i>E. M. t.</i> 448, <i>f.</i> 2.	Moluccas.
41 canaliculatus	3594	grooved	<i>F. t.</i> 9, <i>f.</i> A. 4. <i>C. 5, t.</i> 181, <i>f.</i> 1794.	————
42 setosus	3594	Leopard	<i>G. t.</i> 64, <i>f.</i> B. <i>F. t.</i> 9, <i>f.</i> A. 1. <i>C. 5, t.</i> 181, <i>f.</i> 1795-6. <i>E. M. t.</i> 448, <i>f.</i> 4.	I. of France.
43 Sparverius	3594	pearly- mouthed	<i>C. 5, t.</i> 181, <i>f.</i> 1798.	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
44 Molkianus	3595	Moltkian	<i>C.5,t.181,f.1799-80.</i>	v.
45 Spenglerianus	3595	Spengler's	<i>C.5,t.181,f.1801-2.</i>	East Indies.
46 castaneus	3595	chesnut	<i>C. 5, t. 182, f. 1807-8 & f.1813-14.</i>	West Indies.
47 mamillatus		nipple	<i>D.5,t.173. L.T.8,p.166. M.Suppl.p.126.</i>	Britain.
48 crenulatus	3595	crenulated	<i>C.5,t.182,f.1811-12.</i>	v.
49 papyraceus	3596	paper	<i>C.5,t.182,f.1817-18.</i>	East Indies.
50 semicostatus		minute, ribb.	<i>M.p. 326 & Suppl. p. 129, t.21,f.5.</i>	Britain.
51 ruber		minute, red	<i>L. T. 3, t. 13, f. 21 & 22. M.p.320.</i>	_____
52 vitreus		minute, glassy	<i>M.p.321,t.12,f.3.</i>	_____
53 Punctura		minute, punct.	<i>M.p.320,t.12,f.5.</i>	_____
54 arenarius		minute, sand	<i>M.t.12,f.4.</i>	_____
55 unifasciatus		minute, band.	<i>M.p.327,t.20,f.6.</i>	_____
56 nivosus		minute, white	<i>M.p.326. L.T.8,p.163.</i>	_____
57 labiosus		lipped	<i>M.t.13,f.7. L.t.8,p.164.</i>	_____
58 Ulvæ		Sea-weed	<i>M.p.318. L.T.8,p.164.</i>	_____
59 ventricosus		bellied	<i>M.p.317,t.12,f.13.L.T.8, p.164.</i>	_____
60 subumbilicatus		minute, yellowish	<i>M.p.316. L.T.8,p.165.</i>	_____
61 Cingillus		minute, girdled	<i>M.p.328,t.12,f.7. L.T.8, p.165.</i>	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 interruptus		minute, streaked	<i>L. T. 5, p. 3, t. 1, f. 16, 17.</i> <i>M. p. 329, t. 20, f. 8. D. 5,</i> <i>t. 178, f. 2.</i>	Britain.
63 semistriatus		minute, half- striated	<i>M. Suppl. p. 136.</i>	————
64 albulus	3609	minute, pel- lucid	<i>Fab. F. G. p. 394.</i>	Greenland.
65 Pica		ped	<i>L. t. 640, f. 30. G. t. 68, f. B.</i> <i>C. 5, t. 176, f. 1750-1.</i>	West Indies.
66 nodulosus		nodulous	<i>B. t. 13, f. 1, 2. C. 5, t. 178,</i> <i>f. 1769-70.</i>	————
67 dentatus	3601	toothed	<i>C. 5, t. 178, f. 1767-8.</i>	v.
68 auricularis		eared	<i>M. p. 308. L. T. 8, p. 166.</i>	Britain.
69 vinctus		small brown banded	<i>M. p. 307, t. 20, f. 3. L. T. 8,</i> <i>p. 167.</i>	————
70 quadrifascia- tus		small four- banded	<i>M. p. 328, t. 20, f. 7. L. T. 8,</i> <i>p. 167.</i>	————
71 sanguineus	3598	scarlet	<i>C. 5, t. 177, f. 1756-7.</i>	Mediterranean.
72 atratus	3601	black-grained	<i>C. 5, t. 177, f. 1754-5.</i>	Nicobar Islands.
73 Anguis	3602	Snake	<i>M. U. C. 2, t. 70. B. E. C.</i> <i>p. 168.</i>	South Seas.
74 Diadema	3601	Diadem	<i>C. 5, p. 145, f. A. B.</i>	New Zealand.
75 undulatus	3597	waved	<i>C. 10, t. 169, f. 1640-1.</i>	New Holland.
76 argyrostomus	3699	wrinkled silver-mouth	<i>F. t. 9, f. A. 3. K. 1, t. 3, f. 3.</i> <i>C. 5, t. 177, f. 1760-1 &</i> <i>1763-5.</i>	Indian Seas.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
77 margarita- ceus	3599	greenish wh. pearly mouth	<i>C.5,t.177,f.1762.</i>	Frederick Isl.
78 Porphyrites	3602	Porphyry	<i>M.U.C.2,t.70. C.5,t.176, f.1740-1.</i>	New Caledonia.
79 Mespilus	3601	Medlar	<i>C.5,t.176,f.1742-3.</i>	South Seas.
80 granulatus	3601	granulated	<i>C.5,t.176,f.1744-6.</i>	—————
81 cinereus	3601	ash-coloured	<i>B.t.12,f.25-6.</i>	v.
82 torquatus	3597	thready	<i>C.10,p.293,f.A.B.</i>	New Zealand.
83 Delphinus	3599	Endive leaf	<i>L. t. 608, f. 45. G. t. 68, f. C. D. C. 5, t. 175, f.1727-35. E.M.t.451, f.1.</i>	Amboyna.
84 nodulosus	3600	rough- knobbed	<i>C.5,t.174,f.1723-4.</i>	East Indies.
85 distortus	3600	distorted	<i>C.5,t.175,f.1737-9.</i>	v.
86 crenellus	3602	crenated	<i>L.S.N.p.1236.</i>	v.
87 fontinalis	3603	fresh-water [<i>thermalis.</i>]	<i>D.3,t.102. M.p.348,t.22, f.4. L.T.8,p.168.</i>	Britain, &c.
88 scalaris	3603	Wentletrap	<i>G.t.10,f.Z.Z. K. 4, t.20, f.2,3. C.4,t.152,1426- 1427 & 1430-1. E.M. t.451. lower f.1.</i>	Amboyna.
89 principalis		principal	<i>C. 4, t.152, f.1428-9 & 11, t.195. A. f.1876-7.</i>	Coromandel.
90 Clathrus	3603	latticed	<i>L.t.588,f.51. G.t.58.H. C.11,t.195. A, f. 1878- 1879. E.M.t.451,f.3 & 5. P.B.Z.4,t.84,f.2. D.1,t.28. M.p.296.</i>	Britain, &c.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
91 fimbriatus		furbelowed	<i>E.M.t.451, f.4.</i>	v.
92 clathratulus		little, latticed	<i>W.M.S.f.45. M.p.297 & Suppl.p.124.</i>	Britain.
93 pulcher		white-ribbed	<i>L.t.588, f.50.</i>	West Indies.
94 ambiguus	3604	doubtful	<i>L.S.N.p.1237.</i>	Mediterranean.
95 crenatus	3604	knobbed whirl	<i>L.t.588, f.52. C.11, t.195. A, f.1880-1.</i>	West Indies.
96 lacteus	3604	milky	<i>L.S.N.p.1238.</i>	Mediterranean.
97 elegantissimus		elegant	<i>D.5, t.179, f.1. M.p.298, t.10, f.2.</i>	Britain.
98 simillimus		similar	<i>M.Suppl.p.136.</i>	Scotland.
99 parvus		little Guernsey	<i>D.t.90. M.p.310. L.T.3, t.13, f.29, 30, & 8, p.171.</i>	Britain.
100 striatulus	3604	minute, wrinkled	<i>M.t.10. L.T.8, p.172.</i>	————
101 reticulatus		reticulated	<i>L.T.3, p.66, t.13, f.19, 20. M.p.322, t.21, f.1.</i>	————
102 Bryereus		Bryer's	<i>M.p.313, t.15, f.8.</i>	————
103 coniferus		small, margi- nated	<i>M.p.314, t.15, f.2. L.T.8, p.173.</i>	————
104 denticulatus		small, tooth.	<i>M.p.315. L.T.8, p.173.</i>	————
105 marginatus		small, margin.	<i>M.Suppl.p.128.</i>	Guernsey.
106 striatus		minute, striated	<i>L. T. 3, t. 13, f. 25-6. M.p.312.</i>	Britain.
107 costatus		minute, ribbed	<i>W. M. S. f. 47. L. T. 3, p.65, t.13, f.13, 14. M. p.311, t.10, f.6.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
108 unicus		minute, convex	<i>W.M.S.f.40. M.p.299,</i> <i>t.12,f.2.</i>	Britain.
109 indistinctus		indistinct	<i>M.Suppl.p.129.</i>	————
110 Uva	3604	Berry	<i>G.t.58,f.D. F.t.65,f.B.</i> <i>11. Coast of Bretagny.</i>	
111 Mumia		double- toothed	<i>L.t.588,f.48. C.t.153,</i> <i>f.1439. Br.E.M.p.348.</i>	America.
112 Alveare		white-mouth.	<i>L.t.588,f.49. Seb.3,t.55,</i> <i>f.21. Guadaloupe. L.</i>	
113 Cylindrus		cylindrical	<i>L.t.21,f.17. C.11,t.209,</i> <i>f.2061-2. Jamaica. L.</i>	
114 croceus	3655	orange [<i>H. crocea.</i>]	<i>C.9,t.135,f.1233. E.M.</i> <i>t.461,f.6.</i>	u.
115 sulcatus	3610	sulcated	<i>L.t.588,f.47. C.9,t.135,</i> <i>f.1231-2. Ceylon. L.</i>	
116 corneus	3605	horny	<i>L.S.N.p.1238.</i>	u.
117 reflexus	3605	reflected mouth	<i>L.S.N.p.1238.</i>	u.
118 elegans		intersected	<i>L.t.27,f.25. G.t.4,f.A.</i> <i>C.9,t.123,f.1060 d. & e.</i> <i>P.B.Z.4,t.85,f.2. Dr.</i> <i>t.1,f.7. Britain, &c. L.</i>	
119 Lincina	3605	bordered	<i>L.t.26,f.24. P.t.118,f.11.</i> <i>C.9,t.123,f.1060 b. c.</i> <i>E.M.461,f.2. Jamaica. L.</i>	
120 Labeo	3605	white-lipped	<i>L.t.25,f.23. B.t.13,f.5-6.</i> <i>C.9,t.123,f.1061-2.</i> <i>E.M.t.461,f.4. ——— L.</i>	
121 lunulatus		moon spotted	<i>S.Fluss.p.363.</i>	u.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
122 ligatus		ligature	<i>C.9,t.123,f.1071-4.</i>	u.
123 foliaceus		leafy	<i>C.9,t.123,f.1069-70.</i>	u.
124 limbatus	3606	shouldered	<i>C.9,t.123,f.1075.</i>	Coromandel.
125 carinatus	3601	keeled	<i>L.t.28,f.26. B.t.13,f.3, 4. C.9,t.126,f.1103.</i>	Jamaica. L.
126 Separatista		three-keeled	<i>C.10,t.165,f.1589-90.</i>	Indian Seas.
127 niveus	3598	snowy	<i>C.10,t.165,f.1587-8.</i>	Nicobar Islands.
128 helicoides	3602	brown zig-zag	<i>C.9,t.123,f.1067-8.</i>	u.
129 imbricatus	3606	imbricated	<i>G.t.58,f. E. K.6,t.25, f.2. C.4,t.152,f.1422.</i>	Jamaica.
130 replicatus	3606	large screw	<i>C.4,t.151,f.1412.</i>	Tranquebar.
131 acutangulus	3607	sharp-angled	<i>G.t.58,f.B. K.3,t.19,f.5. C.4,t.151,f.1413.</i>	————
132 duplicatus	3607	double-ribbed	<i>L.t.591,f.58. G.t.58, f.C. C.4,t.151,f.1414. E.M.t.449, lower f.1. D.4,t.112.</i>	Mediterranean.
133 torcularis		brown spotted	<i>B.p.358,t.13,f.8.</i>	u.
134 Turritella		Spindle	<i>E.M.t.449, lower f.2.</i>	u.
135 obsoletus	3612	obsolete	<i>L.t.589,f.53. B.t.13,f.7.</i>	u.
136 exoletus	3607	ribbed screw	<i>C.4,t.152,f.1423.</i>	Guinea.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
137 Terebra	3608	Auger screw	<i>L.t.</i> 591, <i>f.</i> 57. <i>G.t.</i> 58, <i>f.</i> A. <i>C.</i> 4, <i>t.</i> 151, <i>f.</i> 1418-19. <i>E.M.t.</i> 449, lower <i>f.</i> 3. <i>P.B.Z.</i> 4, <i>t.</i> 84, <i>f.</i> 4. <i>D.</i> 1, <i>t.</i> 22, <i>f.</i> 2. <i>M.p.</i> 293. Britain, &c.	
138 Archinnesis		Archimedes' screw	<i>C.</i> 10, <i>t.</i> 165, <i>f.</i> 1591.	China.
139 variegatus	3608	variegated	<i>Seb.</i> 3, <i>t.</i> 56, <i>f.</i> 26,34,31 & 33.	Southern Europe.
140 Terebellum		little screw	<i>C.</i> 10, <i>t.</i> 165, <i>f.</i> 1592-3.	Nicobar Islands.
141 annulatus	3609	little white	<i>G.t.</i> 58, <i>f.</i> L.	v.
142 Turris Thomæ		little tower	<i>C.</i> 11, <i>t.</i> 213, <i>f.</i> 3022.a-d.	Island of St. Thomas.
143 bidens		double-tooth.	<i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 963-4. <i>P.B.Z.</i> 4, <i>t.</i> 84, <i>f.</i> 5. <i>L.T.</i> 8, <i>p.</i> 178. <i>t.</i> 5, <i>f.</i> 3. Britain, &c. L.	
144 laminatus		laminated	<i>L.t.</i> 41, <i>f.</i> 39. A. <i>G.t.</i> 4, <i>f.</i> C. <i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 961, <i>no.</i> 1. <i>M.p.</i> 359, <i>t.</i> 11, <i>f.</i> 4. ——— L.	
145 biplicatus		double plaited	<i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 960. <i>no.</i> 2. <i>M.p.</i> 361, <i>t.</i> 11, <i>f.</i> 5. ——— L.	
146 corrugatus		wrinkled	<i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 961-2.	Spain. L.
147 nigricans		black	<i>L.t.</i> 41, least <i>f.</i> <i>M.p.</i> 357, <i>t.</i> 11, <i>f.</i> 7. <i>L.T.</i> 8, <i>p.</i> 180.	Britain. L.
148 labiatus		lipped	<i>M.p.</i> 362, <i>t.</i> 11, <i>f.</i> 6. <i>L.T.</i> 8, <i>p.</i> 180. ——— L.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
149 <i>perversus</i>	3609	reversed	<i>F.t.65,f.E.4. C.9,t.112, f.959.a. M.p.355,t.11, f.12.</i>	Britain.L.
150 <i>quinqueden- tatus</i>	3612	five-toothed	<i>G.t.4,f.G. F.t.65,f.E.12. B.t.13,f.9.</i>	France. L.
151 <i>tridens</i>	3611	three-toothed	<i>G.t.4,f.F. M.p.338,t.11, f.2.</i>	Britain, &c. L.
152 <i>Juniperi</i>		Juniper-bush	<i>C. 9, t. 135, f. 1236. M. p. 340, t. 12, f. 12. L.T.8,p.182.</i>	———— L.
153 <i>Muscorum</i>	3611	Moss	<i>C. 9, t. 123, f. 1076. D.3, t. 80. M. p. 335, t. 22, f.3.</i>	———— L.
154 <i>quadridens</i>	3610	four-toothed	<i>L. t. 40, f. 38. C. 9, t. 112, f. 965.</i>	France. L.
155 <i>sexdentatus</i>		six-toothed	<i>M.p.337,t.12,f.8. L.T.8, p.183.</i>	Britain.
156 <i>Vertigo</i>	3644	Vertigo	<i>M.p.363,t.12,f.6. L.T.8, p.183.</i>	———— L.
157 <i>Carychium</i>	3665	minute, toothed	<i>M.p.339,t.22,f.2. L.T.8, p.184.</i>	———— L.
158 <i>Auriscalpium</i>	3611	Ear-picker	<i>L.S.N.p.1240.</i>	Mediterranean.
159 <i>politus</i>	3612	polished	<i>D.t.177. M.p.398. L.T.8, p.210.</i>	Britain, &c.
160 <i>subulatus</i>		awl-shaped	<i>D. 5, t. 172. M. Suppl. p.142.</i>	Britain.
161 <i>decussatus</i>		decussated	<i>M.p.399,t.15,f.7. L.T.8, p.209.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
162 nautilus	3612	Nautilus	<i>W. M. S. f. 20, 21. C. 9, t. 123, f. 1077. M. t. 25, f. 5.</i>	Britain, &c.
163 cristatus		small crested	<i>M. vign. 1, f. 7, 8. L. T. 8, p. 169.</i>	————
164 depressus		minute, flattish	<i>M. t. 13, f. 5. L. T. 8, p. 170.</i>	Britain.
165 serpuloides		Serpula	<i>M. Suppl. t. 21, f. 3.</i>	————
166 Ludus		green, spotted	<i>C. 5, t. 176, f. 1748-9.</i>	South Seas.
167 Marginellus		pale reflected lipped	<i>C. 9, t. 123, f. 1063.</i>	v.

XXIX. HELIX. SNAIL.

1 Scarabæus	3613	Cockchafer	<i>L. t. 577, f. 31. G. t. 4, f. S. C. 9, t. 136, f. 1249-50.</i>	Mountains of Asia.
2 Afra	3651	African	<i>A. t. 1, f. 4.</i>	Goree.
3 Lapidica		Rock	<i>L. t. 69, f. 68. C. 9, t. 126, f. 1107. P. B. Z. 4, t. 86, f. 1. D. 2, t. 39, f. 2. M. p. 435. Dr. t. 7, f. 35-37.</i>	Britain, &c. L.
4 marginella	3622	white- margined	<i>B. t. 14, f. 7, 8. C. 9, t. 125, f. 1097.</i>	Jamaica.
5 cicatricosa	3614	flat, reversed	<i>F. t. 63, f. K. C. 9, t. 109, f. 923 & 11, t. 213, f. 3012-13.</i>	———— L.

TURBO.



44 a +



45 b +



46 a



47 a



48 a



49 a



50 m



53 m



52 m



51 m



56 m



55 m



56 m



57 n



58 n



59 m



61 m



62 m



65 b



66 a



67 +



68 n



69 n



70 n



71 n



72 +




73 a



74 b



75 b



76 b



77 b



78 a



79 a +



80 a +



81 +



82 b



83 a +



84 a +



85 a +



87 n



88 b



89 b



90 a



91 a +



92 n



93 a



95 +



97 m



98 m



99 m



100 m



101 m



102 m



103 n



104 n



105 n



106 m



107 m



108 m



110 +

TURBO.



HELIX.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
6 Cornu		large horn	<i>C.11,t.208,f.2051-2.</i> New Zealand. L.	
7 Oculus-Capri	3615	Goat's eye	<i>L.t.75,f.75. C.9,t.123,</i> <i>f.1064-6.</i>	Asia. L.
8 Involvulus	3638	white, re- flected	<i>M.V.2,p.84.</i>	u.
9 albella	3615	flat, whitish	<i>L.t.64,f.62. G.t.3,f.N.</i> <i>C.9,t.126,f.1102. Dr.</i> <i>t.6,f.25-27. Rocks in Europe.</i>	
10 albina	3615	minute, white	<i>L.t.86,f.86.</i>	u.
11 radiata	3633	small ra- [<i>rotundata.</i>] diated	<i>L.t.1058,f.11.A. G.t.3,</i> <i>f.Q. M.p.423,t.24,f.3.</i>	Britain, &c. L.
12 striatula	3615	transversely striated	<i>L.S.N.p.1242.</i>	Algiers. L.
13 Algira	3615	yellowish	<i>L.t.79,f.80. G.t.3,f.G.</i> <i>C.9,t.125,f.1093-4.</i> <i>Fer.t.81.</i>	Amboyna.
14 Leucas	3616	purple lined	<i>L.S.N.p.1242.</i>	Africa.
15 lævipes		reverse whirled	<i>C.9,t.108,f.915-16. Fer.</i> <i>t.92,f.3-6.</i>	Guinea.
16 exilis	3616	white-striped	<i>C.9,t.129,f.1149. Fer.</i> <i>t.92,f.1.</i>	Tranquebar.
17 vermiculata	3616	rough dotted	<i>G.t.1,f.G. F.t.64,f.K.1.</i> <i>& K. 2. C.9,t.129.</i> <i>f.1148.a.b.c. Fer.t.37.</i> <i>Dr.t.6,f.7 & 8.</i>	Italy.
18 incarnata	3617	flesh-co- loured lip	<i>C.9,t.133,f.1206.</i>	Denmark. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
19 Cantiana		Kentish	<i>D.5,t.157,f.2. M.t.422, t.23,f.1. L.T.8,p.197.</i>	Britain. L.
20 rufescens		reddish	<i>L. t. 71, lower f.A. D.5, t. 157, f. 1. M.p. 420, t.23,f.2.</i>	——— L.
21 caperata	3617	black tipped [<i>crenulata.</i>]	<i>L.t.85,f.85. C.9,t.133, f.1207. M.p.430,t.11, f.11.</i>	Britain, &c. L.
22 annulata	3622	ringed	<i>S.Fluss.p.244,t.5,f.30.</i>	u.
23 planata	3617	keeled [<i>Planorbis.</i>]	<i>E.M.t.462,f.5. M.p.451, t.25,f.1. P.B.Z.4,t.86, f.2. L. T. 8,p.189,t.5, f.14. Dr.t.2,f.13 & 14.</i>	Ponds in Britain, &c. Fr.w.
24 complanata	3617	flat umbili- cated	<i>L. t. 138, f. 42. G. t. 4, f. E. E. C. 9, t. 127, f. 1121-2. M. p. 450, t.25,f.4. L.T.8,p.188, t.5,f.13. Dr.t.2,f.11 & 12.</i>	———
25 fontana		fresh-water	<i>M.p.462,t.6,f.6. L.T.8, p.193.</i>	———
26 ringens	3618	toothed lamp	<i>L. t. 99, f. 100. F. t. 63, f. F. 10. C. 9, t. 109, f.919-20.</i>	Brazil. L.
27 plicata		plaited	<i>F.t.63,f.F.11. K. 5,t.26, f.5. C.11,t.208,f.2048. Fer.t.54.B.f.1.</i>	East Indies.
28 punctata	3622	punctured	<i>L.t.93,f.93. F.t.63,f.2. B.t.14,f.17,18.</i>	Virginia.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
29 sinuata	3618	sinuous	<i>L.t.</i> 97, <i>f.</i> 98. <i>F.t.</i> 63, <i>f.</i> F.8. <i>B. t.</i> 14, <i>f.</i> 13, 14. <i>C.</i> 9, <i>t.</i> 126, <i>f.</i> 1110-2. <i>Fer.</i> <i>t.</i> 54, <i>f.</i> 1-3.	Jamaica.
30 Lucerna	3619	lamp-shaped	<i>L. t.</i> 96, <i>f.</i> 97. <i>C. 9, t.</i> 126, <i>f.</i> 1108-9. <i>E.M.t.</i> 462, <i>f.</i> 1.	East Indies.
31 Lychnuchus	3619	top-shaped	<i>L.t.</i> 90, <i>f.</i> 90.	Jamaica.
32 Cepa	3619	Onion	<i>L.t.</i> 88, <i>f.</i> 89.	_____
33 Lampas	3619	orange lip	<i>C.</i> 11, <i>t.</i> 208, <i>f.</i> 2044-5.	u.
34 Carocolla	3619	large brown	<i>L. t.</i> 63, <i>f.</i> 61. <i>G. t.</i> 3, <i>f.</i> I. <i>C. 9, t.</i> 125, <i>f.</i> 1090-2. <i>E. M. t.</i> 462, <i>f.</i> 2. <i>Fer.</i> <i>t.</i> 57, <i>f.</i> 3.	America. L.
35 unidentata		single-toothed	<i>C. 11, t.</i> 208, <i>f.</i> 2049-50. <i>Fer.t.</i> 58.	Ceylon.
36 Corna-militare	3620	Bugle-horn	<i>F.t.</i> 64, <i>f.</i> C.2. <i>C.</i> 9, <i>t.</i> 129, <i>f.</i> 1142-3. <i>Fer.t.</i> 15, <i>f.</i> 5- 7 & <i>t.</i> 53, <i>f.</i> 3 & 4.	Germany. L.
37 maculosa	3622	spotted	<i>B.t.</i> 14, <i>f.</i> 15, 16. <i>Fer.t.</i> 28, <i>f.</i> 9, 10.	u.
38 corrugata	3623	wrinkled	<i>C.</i> 9, <i>t.</i> 133, <i>f.</i> 1208.	Otahcite.
39 Pellis Serpentis	3620	Snake's skin	<i>L. t.</i> 66, <i>f.</i> 64. <i>F. t.</i> 63, <i>f.</i> G. 3. <i>C. 9, t.</i> 208, <i>f.</i> 2046-7. <i>Fer.t.</i> 75.A. <i>f.</i> 2 & 3. & <i>t.</i> 75.B. <i>f.</i> 6 & 7.	South America.
40 Vortex	3620	Vortex	<i>L.t.</i> 138, <i>f.</i> 43. <i>G.t.</i> 4, <i>f.</i> G.G. <i>C. 9, t.</i> 127, <i>f.</i> 1127. <i>P.B.Z.</i> 4, <i>t.</i> 86, <i>f.</i> 4. <i>D.</i> 3, <i>t.</i> 75. <i>M.p.</i> 454, <i>t.</i> 25, <i>f.</i> 3. <i>Dr.t.</i> 2, <i>f.</i> 4-7. Britain, & c. Fr. w.	
41 planorbula		notch lipped	<i>E.M.t.</i> 461, <i>f.</i> 3.	u.
42 scabra	3620	rough	<i>C.</i> 11, <i>t.</i> 210, <i>f.</i> 2074-5.	Jamaica.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
43 Gothica	3621	doubtful	<i>L.S.N.p.1243.</i>	Sweden. L.
44 Gaulteriana	3621	Gaulter's	<i>G.t.68,f.E. B.t.13,f.12, 13. C.9,t.126,f.1100-1. Fer.t.62.</i>	Spain. L.
45 Turcica.		Turkish	<i>C.11,t.209,f.2065-6.</i>	Morocco.L.
46 Avellana	3640	Hazel-nut	<i>C.5,t.188,f.1919-20.</i>	New Zealand.
47 Faba	3623	bean-shaped	<i>M.U.C.2,t.67.</i>	Otaheite.
48 cornea	3623	horn	<i>L. t. 137, f. 41. G. t. 4, f. D. D. C. 9, t. 127, f.1113-15. E.M.t.460, f.1,2. P.B.Z.4,t.86,f.3. D.2,t.39,f.1. M.p.448. Dr.t.1,f.42-44.</i>	Britain, &c. Fr.w.
49 similis	3625	similar	<i>M.V.2,p.166.</i>	Denmark. Fr.w.
50 spirorbis	3624	small-con- cave	<i>M.p.455,t.25,f.2. L.T.8, p.191. Dr.t.2,f.8-10.</i>	Britain, &c. Fr.w.
51 polygyra	3624	many whirled	<i>B.t.14,f.19,12. C.9,t.127, f.1124-5.</i>	u.
52 contorta		coiled	<i>C.9,t.127,f.1126. D.3, t.99. M.p.457,t.25,f.6. Dr.t.1,f.39-41.</i>	Britain, &c. Fr.w.
53 alba	3625	pale horn- colour	<i>P.t.92,f.7. S. Fluss. t. 5, f.12. M.p.459,t.25,f.7. L.T.8,p.192. ———</i>	Fr. w.
54 paludosa	3635	Bog	<i>M.p.440. L. T. 8, p.193, t.5,f.5. ———</i>	Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
55 Cornu-Arietis	3625	Ram's horn	<i>L.t.</i> 136, <i>f.</i> 40. <i>C.9,t.</i> 112, <i>f.</i> 952-3. <i>E.M.t.</i> 460, <i>f.</i> 3.	Amboyna. Fr.w.
56 Cornu Venatorum		Hunters' horn	<i>C.9,t.</i> 127, <i>f.</i> 1132-3.	u.
57 Ericetorum	3632	Heath	<i>L.t.</i> 78, <i>f.</i> 78. <i>G.t.</i> 3, <i>f.</i> P. <i>C. 9, t. 132, f. 1193.</i> <i>P.B.Z.4,t.88,f.5. D.5,</i> <i>t. 151. M.p.437, t. 24,</i> <i>f.2. Dr.t.6,f.12 & 13.</i>	Britain, &c. L.
58 cingenda	3632	girdled [<i>strigata.</i>]	<i>P. B. Z. 4, t. 88, f. 2.</i> <i>M.p.418,t.24,f.4. L.T.</i> <i>8,p.195,t.5,f.6. Dr.t.5,</i> <i>f.14,15.</i>	———— L.
59 virgata	3631	striped [<i>Pisana.</i>]	<i>L.t.</i> 59, <i>f.</i> 56. <i>G.t.</i> 2, <i>f.</i> L. <i>D. 2, t. 65. M.p. 415,</i> <i>t.24,f.1.</i>	———— L.
60 lucida	3633	pellucid [<i>nitens.</i>]	<i>L. t. 71, two upper f. G.</i> <i>t.2,f.G. M.p.425,t.23,</i> <i>f.4. L. T. 8, p.198,t.5,</i> <i>f.7. Dr.t.8,f.23-25.</i>	———— L.
61 tenuis	3641	thin	<i>S. Fluss.p. 258, t. 5, f. 32.</i> <i>M.p.426. Var. of lucida.</i>	———— Fr.w.
62 obvoluta	3634	small white lipped	<i>G. t. 2, f. S. C. 9, t. 127.</i> <i>f.1128.</i>	Italy. Fr.w.
63 minima	3666	minute	<i>S.Fluss.p.321,t.7,f.18.</i>	u.
64 hispida	3625	hairy	<i>P.t.93,f.13. C. 9, t. 122,</i> <i>f. 1057-8. M. p. 423,</i> <i>t.23,f.3. Dr.t.7,f.23-</i> <i>25.</i>	Britain, &c. L.
65 umbilicata		umbilicated	<i>M.p.434,t.13,f.2. L.T.8,</i> <i>p.200.</i>	————

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
66 costata	3633	little cross ribbed	<i>M.V.2,p.31.</i>	Denmark. L.
67 pulchella	3633	little, striated	<i>M.V.2,p.30.</i>	————
68 trochiformis		trochus-shap.	<i>M.p.427,t.11,f.9. L.T.8, p.200.</i>	Britain. L.
69 spinulosa	3638	prickly [<i>aculeata.</i>]	<i>C. 9, t. 133, f. 1209. M.p.429,t.11,f.10. Dr. t.7,f. 10 & 11.</i>	————
70 Lacuna		gutter-lipped	<i>M.p.428,t.13,f.6. L.T.8, p.201.</i>	Britain.
71 ampullacea	3626	smooth girdled	<i>L.t.130,f.30. G.t.1,f.R. C. 9, t. 128, f. 1133-5. E.M.t.457,f.3.</i>	Amboyna. Fr.w.
72 Urceus		Cocoa-nut	<i>L. t. 125, f. 25. F. t. 61, f. D. 10. C. 9, t. 128, f.1136. E.M.t.457,f.2.</i>	America. Fr.w.
73 glauca	3628	grayish brown	<i>L.t.129,f.29. K.5,t.5, f.3. C.9,t.129,f.1144- 1145.</i>	Guadeloupe.Fr.w.
74 vitrea	3622	brittle	<i>B. t. 15, f. 15, 16. C. 11, t.210,f.2072-3.</i>	v.
75 Sultana		variegated	<i>C.11,t.210,f.2070-1.</i>	New Zealand.
76 Pomatia	3627	edible	<i>L.t.48,f.46. G. t. 1, f. A. C. 9, t. 128, f. 1137-8. P.B.Z.4,t.87,f.1. D.3, t.84. M.p.405. Dr.t.5, f. 20-22. Fer. t. 21 & t.24,f.2.</i>	Britain, &c. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
77 scalaris	3652	produced	<i>F. t. 76, f. L. C. 9, t. 128, f. 1139. no. 1.</i>	France. L.
78 cincta	3630	red-banded	<i>M. V. 2, p. 58. Fer. t. 20, f. 7 & 8. & t. 24, f. 1.</i>	u.
79 rosacea	3636	flesh-coloured	<i>M. V. 2, p. 76.</i>	u.
80 extensa	3631	four-whirled	<i>M. V. 2, p. 60. F. t. 64, f. C. 5. Fer. t. 16, f. 1, 2.</i>	u.
81 citrina	3628	sulphur-coloured	<i>L. t. 54, f. 50. G. t. 3, f. D. E. C. 9, t. 131, f. 1167-75.</i>	Jamaica. L.
82 Rapa	3629	single-banded	<i>C. 9, t. 131, f. 1176.</i>	u.
83 castanea	3629	chestnut	<i>C. 9, t. 131, f. 1177-8.</i>	u.
84 Globulus	3629	globular	<i>C. 9, t. 130, f. 1159-60. Fer. t. 26, f. 10 & 11.</i>	Tranquebar.
85 incisa	3630	slit margined	<i>F. t. 64, f. S. C. 9, t. 130, f. 1166.</i>	East Indies. L.
86 Lucena	3636	transparent	<i>F. t. 64, f. M. 1. C. 9, t. 130, f. 1155. Fer. t. 28, f. 11, 12.</i>	Tranquebar.
87 Fruticum	3635	six-whirled	<i>C. 9, t. 133, f. 1203.</i>	Denmark. L.
88 Arbustorum	3630	brown single-streaked	<i>L. t. 56, f. 53. C. 9, t. 133, f. 1202. P. B. Z. 4, t. 88, f. 4. D. 4, t. 136. M. p. 413. Fer. t. 27, f. 5 & 6. Dr. t. 5, f. 18.</i>	Britain, &c. L.
89 fulva	3630	amber	<i>M. V. 2, p. 56.</i>	Denmark. L.
90 Epistylum	3630	Bee-hive	<i>L. t. 62, f. 60. F. t. 64, f. O. 4. C. 9, t. 122, f. 1049-50. Fer. t. 25, f. 1 & 2.</i>	S. Sea. Isl. L.
91 Papilla	3660	Nipple	<i>C. 9, t. 122, f. 1053-4. Fer. t. 25. B. f. 5.</i>	u.
92 nemorensis	3632	polished	<i>B. t. 16, f. 1, 2. C. 9, t. 129, f. 1146-7.</i>	East Indies. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
93 vittata	3636	ribbon	<i>K.5,t.21,f.4. C.9,t.132, f.1190-2. Fer.t.26,f.4, 5,6.</i>	Coromandel.
94 zonaria	3632	zoned	<i>G.t.3,f.L. K.5,t.21,f.3. C. 9, t. 132, f. 1188-9. Fer.t.72 & 73.</i>	S.of Europe. L.
95 striata	3632	striated	<i>S.Erd.p.183,t.2,f.20.</i>	Saxony. L.
96 unguina	3635	tawny-horn	<i>C.9,t.125,f.1098-9. E.M. t.462,f.6. Fer.t.76,f.3, 4.</i>	India.
97 Lucitanica	3636	Lusitanian	<i>G. t. 2, f. T. C. 9, t. 108, f.913-14,t.173,f.1684-1685.</i>	South of Europe. L.
98 mammillaris	3636	mammillary	<i>L. t. 566, f. 13. F. t. 11, f. H. 3. C. 5, t. 189, f.1926-7.</i>	Guinea. Fr. w.
99 Hispana	3637	Spanish	<i>L.S.N.p.1246.</i>	South of Europe.
100 lutaria	3637	Mud	<i>L.S.N.p.1246.</i>	u.
101 ovalis	3637	oval	<i>L.t.1055,f.1. C.9,t.119, f.1020-1. Fer.t.145.B. f.1.</i>	East Indies. L.
102 oblonga	3637	oblong	<i>L.t.23,f.21. B.t.15,f.21-22. C.9,t.119,f.1022-3. Fer.t.145.B.f.2.</i>	West Indies. L.
103 flammea	3637	Zebra	<i>L.t.578,f.33. C.9,t.119, f.1024-5.</i>	Guinea. L.
104 Kambeul		Kambeul	<i>A.p.14,t.1,f.1.</i>	Senegal.
105 Pileus	3637	red & yellow striped	<i>C. 9, t. 122, f. 1046-8. F.t.63.A.f.3-8.</i>	u.
106 trifasciata	3642	three-banded	<i>C.9,t.134,f.1215.</i>	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
107 Bontia	3642	broad mouthed	<i>F. t. 65</i> , upper <i>f. L. t. 134</i> , <i>f. 1216-17</i> .	<i>C. 9</i> , Tranquebar.
108 labiosa	3645	lipped	<i>G. t. 4</i> , <i>f. R. f. 1234</i> .	<i>C. 9</i> , <i>t. 135</i> , India.
109 trochoides	3642	angular mouthed	<i>C. 10</i> , <i>t. 173</i> , <i>f. 1686</i> .	East Indies.
110 Otaheitana		coffee-coloured	<i>C. 9</i> , <i>t. 112</i> , <i>f. 950-1</i> .	Otaheite. Fr. w.
111 læva	3644	party-co- loured	<i>L. t. 33</i> , <i>f. 31</i> . <i>F. t. 65</i> , <i>f. A. 3</i> . <i>C. 9</i> , <i>t. 111</i> , <i>f. 940-949</i> .	East Indies.
112 aurea	3643	yellow [<i>dextra.</i>]	<i>L. t. 34</i> , <i>f. 33 & 35</i> , <i>f. 34</i> . <i>G. t. 5</i> , <i>f. P. C. 9</i> , <i>t. 134</i> , <i>f. 1210-12 & t. 110</i> , <i>f. 928-33</i> .	West Indies. L.
113 recta	3643	straight	<i>G. t. 5</i> , <i>f. O. K. 5</i> , <i>t. 23</i> , <i>f. 5</i> . <i>C. 9</i> , <i>t. 110</i> , <i>f. 925-6</i> .	u.
114 interrupta	3644	tessellated	<i>F. t. 65</i> , <i>f. A. 6</i> . <i>C. 9</i> , <i>t. 134</i> , <i>f. 1213-14</i> .	u.
115 arenaria	3644	minute, sand	<i>C. 9</i> , <i>t. 113</i> , <i>f. 972-3</i> .	Rimini.
116 Ianthina	3645	violet	<i>L. t. 572</i> , <i>f. 24</i> . <i>G. t. 64</i> , <i>f. O. C. 5</i> , <i>t. 166</i> , <i>f. 1577-8</i> . <i>E. M. t. 456</i> , <i>f. 1</i> . Mediterranean.	
117 Jamaicensis	3644	Jamaica	<i>L. t. 42</i> , <i>f. 40</i> . <i>K. 1</i> , <i>t. 21</i> , <i>f. 3</i> . <i>F. t. 63</i> , <i>f. M. C. 9</i> , <i>t. 129</i> , <i>f. 1140-1</i> . <i>Fer. t. 14</i> , <i>f. 6-9</i> .	Jamaica. L.
118 Rhodia	3645	Rhodes	<i>C. 9</i> , <i>t. 132</i> , <i>f. 1179-80</i> . <i>Fer. t. 38</i> , <i>f. 3-6</i> . Island of Rhodes. L.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
119 vivipara	3646	viviparous	<i>L.t.</i> 1055, <i>f.</i> 6. <i>G.t.</i> 5, <i>f.</i> A. <i>C.</i> 9, <i>t.</i> 132, <i>f.</i> 1182-5. <i>E.M.t.</i> 458, <i>f.</i> 1. <i>P.B.Z.</i> 4, <i>t.</i> 87, <i>f.</i> 2. <i>D.</i> 3, <i>t.</i> 87. <i>M.p.</i> 386. <i>Dr.t.</i> 1, <i>f.</i> 16.	Britain, &c. Fr.w.
120 fasciata	3646	banded	<i>G.t.</i> 5, <i>f.</i> M. <i>Dr.t.</i> 1, <i>f.</i> 18.	Italy. Fr.w.
		[<i>Vivipara</i> var.]		
121 dissimilis	3647	dissimilar	<i>S.Einl.</i> 2, <i>p.</i> 253, <i>t.</i> 4, <i>f.</i> 10.	Tranquebar.
122 angularis	3661	angular	<i>C.</i> 9, <i>t.</i> 134, <i>f.</i> 1222-3.	Canton. Fr.w.
123 nemoralis	3647	varied	<i>L.t.</i> 57, <i>f.</i> 54. <i>G.t.</i> 1, <i>f.</i> P. <i>C.</i> 9, <i>t.</i> 132, <i>f.</i> 1196-8. <i>D.</i> 1, <i>t.</i> 13. <i>M.p.</i> 411. <i>Dr.t.</i> 6, <i>f.</i> 3-6. <i>Fer.t.</i> 33-36.	Europe. L.
124 Cartusiana	3664	Chartreuse	<i>Geoff.p.</i> 33, <i>t.</i> 2. <i>Dr.t.</i> 6, <i>f.</i> 33.	Near Paris. L.
125 Lucorum	3649	brown-lipped	<i>G.t.</i> 1, <i>f.</i> C. <i>Fer.t.</i> 21.A. & <i>t.</i> 21.B. <i>f.</i> 3.	Europe. L.
126 hortensis	3649	garden	<i>L.t.</i> 49, <i>f.</i> 47. <i>F.t.</i> 62, <i>f.</i> D.2, D.3, & D.4. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1156-8. <i>D.</i> 4, <i>t.</i> 131. <i>P.B.Z.</i> 4, <i>t.</i> 87, <i>f.</i> 2. <i>M.p.</i> 407. <i>Fer.t.</i> 18 & <i>t.</i> 24, <i>f.</i> 3. <i>Dr.t.</i> 5, <i>f.</i> 23.	Britain, &c. L.
		[<i>grisea.</i>]		
127 hæmastorna	3650	rose-lipped	<i>L.t.</i> 1055, <i>f.</i> 2. <i>F.t.</i> 64, <i>f.</i> A. 4. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1150-1. <i>E.M.t.</i> 462, <i>f.</i> 4. <i>Fer.t.</i> 32.B. <i>f.</i> 1,2,5.	South America. L.
128 lactea	3629	milky	<i>L.t.</i> 95, <i>f.</i> 96. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1161. <i>Fer.t.</i> 45.	Jamaica. L.
129 picta	3650	painted	<i>B.t.</i> 15, <i>f.</i> 17,18. <i>C.</i> 9, <i>t.</i> 130, <i>f.</i> 1162-5. <i>Fer.t.</i> 12,13, 14, <i>f.</i> 1-5, <i>t.</i> 25, <i>f.</i> 9 & 10 & <i>t.</i> 11.A, <i>f.</i> 14.	Amboyna. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
130 versicolor	3651	diversified	<i>B.t.</i> 16, <i>f.</i> 9,10. <i>Fer.t.</i> 17, <i>f.</i> 1-3.	u.
131 aperta	3651	gaping	<i>B.t.</i> 15, <i>f.</i> 19,20. <i>C.9,t.</i> 133, <i>f.</i> 1204-5. <i>Fer.t.</i> 11, <i>f.</i> 17-21. <i>Dr.t.</i> 5, <i>f.</i> 26 & 27. Island of St. Croix.	
132 fusca		brown	<i>M.p.</i> 424, <i>t.</i> 13, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 209.	Britain. L.
133 fuscescens	3639	glossy	<i>S.Erd.t.</i> 1, <i>f.</i> 11. <i>Fer.t.</i> 9.A. <i>f.</i> 6.	Denmark. L.
134 consolidata		square-tipped	<i>C.9,t.</i> 136, <i>f.</i> 1258.	Surinam. L.
135 decollata	3651	truncated	<i>L.t.</i> 17, <i>f.</i> 12 & 18, <i>f.</i> 13. <i>G.t.</i> 4, <i>f.</i> O.P.Q. <i>C.9,</i> <i>t.</i> 136, <i>f.</i> 1254-5.	South of Europe. L.
136 truncata		flag	<i>F.t.</i> 65, <i>f.</i> B.10. <i>C.9,t.</i> 136, <i>f.</i> 1256-7.	St. Domingo. L.
137 calcarea		chalky	<i>L.t.</i> 14, <i>f.</i> 9. <i>G.t.</i> 6, <i>f.</i> 1. <i>C.9,t.</i> 135, <i>f.</i> 1226.	East Indies.
138 cuspidata	3655	pointed	<i>L.t.</i> 118, <i>f.</i> 13. <i>G.t.</i> 6, <i>f.</i> H. <i>C.9,t.</i> 135, <i>f.</i> 1228.	India. Fr.w.
139 plicaria	3654	white-spotted	<i>B.t.</i> 16, <i>f.</i> 14.	u.
140 undulata	3645	wave striped	<i>B.t.</i> 16, <i>f.</i> 15.	u.
141 aspera	3656	roughly striated	<i>C.9,t.</i> 136, <i>f.</i> 1259-60.	Coromandel. Fr.w.
142 Vibex	3522	red marked	<i>S.Einl.</i> 2, <i>p.</i> 199.	————
		[<i>Str.Vibex.</i>]		
143 crenata	3655	crenated	<i>C.9,t.</i> 135, <i>f.</i> 1230.	Madagascar. Fr.w.
144 fuscata	3654	shining brown	<i>L.t.</i> 116, <i>f.</i> 11. <i>C.9,t.</i> 135, <i>f.</i> 1229.	East Indies. Fr.w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
145 <i>lubrica</i>	3661	glossy	<i>M.p.</i> 390, <i>t.</i> 22, <i>f.</i> 6. <i>p.</i> 213.	<i>L.t.</i> 8, Britain, &c. L.
146 <i>Stagnorum</i>	3653	barleycorn	<i>Bast.</i> 2, <i>p.</i> 77, <i>t.</i> 7, <i>f.</i> 4.	Holland. Fr.w.
147 <i>obscura</i>	3661	small brown	<i>M.p.</i> 391, <i>t.</i> 22, <i>f.</i> 5. <i>p.</i> 212, <i>t.</i> 5, <i>f.</i> 11.	<i>L.T.</i> 8, Britain. L.
148 <i>Lackhamensis</i>		Lackham	<i>M.p.</i> 394, <i>t.</i> 11, <i>f.</i> 3. <i>p.</i> 212.	<i>L.T.</i> 8, —————
149 <i>octanfracta</i>	3668	8-whirled [<i>peregrina.</i>]	<i>M.p.</i> 396 & <i>p.</i> 588, <i>t.</i> 11, <i>f.</i> 8. <i>L.T.</i> 8, <i>p.</i> 211.	————— Fr.w.
150 <i>octona</i>		slender	<i>L.t.</i> 20, <i>f.</i> 15. <i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1264. <i>M.Suppl.</i> <i>p.</i> 144. <i>L.T.</i> 8, <i>p.</i> 211, <i>t.</i> 5, <i>f.</i> 10.	West Indies. L.
151 <i>Columna</i>	3653	Column	<i>L.t.</i> 39, <i>f.</i> 37. b. <i>C.</i> 9, <i>t.</i> 112, <i>f.</i> 954-5 & 11, <i>t.</i> 213, <i>f.</i> 3020-1. <i>E.M.</i> <i>t.</i> 459, <i>f.</i> 5.	Guinea. L.
152 <i>incumbens</i>	3524	tawny striped [<i>Str. striatus.</i>]	<i>M.V.</i> 2, <i>p.</i> 149. <i>B. striatun.</i>	v.
153 <i>Pella</i>	3654	small red brown	<i>L.S.N.p.</i> 1248.	Iceland.
154 <i>bifasciata</i>		double-banded	<i>D.</i> 1, <i>t.</i> 10. <i>M.p.</i> 346, <i>t.</i> 22, <i>f.</i> 1. <i>T.fasciatus.</i>	Britain. &c. L.
155 <i>Carinula</i>	3655	brown lined	<i>C.</i> 9, <i>t.</i> 136, <i>f.</i> 1263, <i>no.</i> 1-4.	Guadeloupe. L.
156 <i>detrita</i>	3660	smooth rayed	<i>L.t.</i> 8, <i>f.</i> 2. <i>C.</i> 9, <i>t.</i> 134, <i>f.</i> 1225. a-d. <i>Dr.</i> <i>t.</i> 4, <i>f.</i> 21.	Italy. L.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
157 Guadalou- pensis		Guadaloupe	<i>L. t. 8, f. 1. C. 9, t. 134,</i> <i>f. 1224.</i>	Guadaloupe.
158 substriata	3667	substriated	<i>M. p. 384, t. 11, f. 1. L. T. 8,</i> <i>p. 217. detrita.</i>	Britain, &c. Fr. w.
159 undata	3667	waved	<i>G. t. 5, f. N.</i>	New Holland. Fr. w.
160 fluviatilis	3665	river [<i>Lanchaurica.</i>]	<i>C. 9, t. 135, f. 1243. a. b.</i>	Coromandel. Fr. w.
161 Lyonetiana	3581	distorted [<i>T. distortus.</i>]	<i>C. 5, t. 160, f. 1513.</i>	East Indies. L.
162 Pupa	3656	Pupa	<i>L. S. N. p. 1248.</i>	Mauritania.
163 Barbara	3656	Barbary	<i>L. S. N. p. 1248.</i>	Algiers.
164 Amarula	3656	Mitre	<i>L. t. 133, f. 33. G. 6, f. B.</i> <i>F. t. 61, f. G. 5. C. 9,</i> <i>t. 134, f. 1218-19. E. M.</i> <i>t. 458, f. 6.</i>	Asia. Fr. w.
165 turbinata	3668	turbinated	<i>S. Fluss. p. 360, t. 10. B, f. 1.</i>	The Danube.
166 stagnalis	3657	Lake	<i>L. t. 123, f. 21. G. t. 5, f. I.</i> <i>C. 9, t. 135, f. 1237-8.</i> <i>E. M. t. 459, f. 6. P. B. Z.</i> <i>4, t. 89, f. 1. D. 2, t. 51,</i> <i>f. 2. M. p. 367, t. 16, f. 8.</i> <i>Dr. t. 2, f. 38 & 39.</i>	Britain, &c. Fr. w.
167 fragilis	3658	brittle	<i>S. Fluss. p. 309, t. 7, f. 8.</i>	Denmark. Fr. w.
168 palustris	3658	Marsh	<i>C. 9, t. 135, f. 1239-40.</i> <i>D. 5, t. 171, f. 1. P. B. Z.</i> <i>4, t. 89, f. 2. M. p. 373,</i> <i>t. 16, f. 10. Dr. t. 2, f. 40-</i> <i>42.</i>	Britain, &c. Fr. w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
169 fossaria		ditch	<i>M.p.</i> 372, <i>t.</i> 16, <i>f.</i> 9. <i>L.T.</i> 8, <i>p.</i> 217, <i>t.</i> 5, <i>f.</i> 9.	Britain, Fr.w.
170 albicans	3666	white	<i>S.Fluss.p.</i> 311, <i>t.</i> 7, <i>f.</i> 6.	Hamburg. Fr.w.
171 putris		thin yellowish	<i>L.t.</i> 123, <i>f.</i> 23. <i>P.B.Z.</i> 4, <i>t.</i> 89, <i>f.</i> 3. <i>M.t.</i> 16, <i>f.</i> 3. <i>L.T.</i> 8, <i>p.</i> 217. <i>Fer.t.</i> 11, <i>f.</i> 4-10. <i>Dr.t.</i> 3, <i>f.</i> 22.	Britain, &c. Fr.w.
172 succinea		amber coloured	<i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1248. <i>M.t.</i> 16, <i>f.</i> 4. <i>D.t.</i> 168, <i>f.</i> 1. <i>L.T.</i> 8, <i>p.</i> 218.	———— Fr.w.
173 truncatula	3659	small dark brown	<i>S.Fluss.p.</i> 318, <i>t.</i> 7, <i>f.</i> 13.	Saxony. Fr.w.
174 inflata	3666	inflated	<i>S.Fluss.p.</i> 311, <i>t.</i> 7, <i>f.</i> 5.	————
175 opaca	3667	opaque	<i>S.Fluss.t.</i> 7, <i>f.</i> 17.	Hamburg. Fr.w.
176 tentaculata	3662	olive	<i>L.t.</i> 132, <i>f.</i> 32. <i>G.t.</i> 5, <i>f.</i> B. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1245. <i>P.B.Z.</i> 4, <i>t.</i> 89, <i>f.</i> 6. <i>D.</i> 3, <i>t.</i> 93. <i>M.p.</i> 389. <i>Dr.t.</i> 1, <i>f.</i> 19.	Britain, &c. Fr.w.
177 repanda	3666	ventricose	<i>S.Fluss.p.</i> 320, <i>t.</i> 7, <i>f.</i> 16.	Tangelstadt. Fr.w.
178 canalis		channelled	<i>L.T.</i> 8, <i>p.</i> 220. <i>M.t.</i> 12, <i>f.</i> 11.	Britain.
179 lutea		yellow	<i>M.p.</i> 380, <i>t.</i> 16, <i>f.</i> 6. <i>L.T.</i> 8, <i>p.</i> 222.	————
180 auricularia	3662	eared	<i>L.t.</i> 123, <i>f.</i> 22. <i>G.t.</i> 5, <i>f.</i> F. <i>C.</i> 9, <i>t.</i> 135, <i>f.</i> 1241-2. <i>P.B.Z.</i> 4, <i>t.</i> 89, <i>f.</i> 4. <i>D.</i> 2, <i>t.</i> 51, <i>f.</i> 1. <i>M.p.</i> 375, <i>t.</i> 16, <i>f.</i> 2. <i>Dr.t.</i> 2, <i>f.</i> 28 & 29.	Britain, &c. Fr.w.

HELIX.





HELIX.



HELIX.

1435



NERITA.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
181 Sicula		Sicilian	<i>Br. E. M.</i> p. 235. <i>G. t.</i> 5, <i>f. N. S. Fluss. t.</i> 10. <i>A. f.</i> 7. <i>Dr. t.</i> 2, <i>f.</i> 30 & 31. Sicily. Fr. w.	
182 glutinosa	3659	membranous	<i>M. p.</i> 379, <i>t.</i> 16, <i>f.</i> 5, & <i>Suppl. p.</i> 139. <i>L. T.</i> 8, <i>p.</i> 222. Britain, &c. Fr. w.	
183 lævigata	3663	smooth flesh- coloured	<i>P. B. Z.</i> 4, <i>t.</i> 89, <i>f.</i> 8. <i>D.</i> 3, <i>t.</i> 105. <i>M. p.</i> 382, & <i>Suppl. p.</i> 140. <i>L. T.</i> 8, <i>p.</i> 222. Britain, &c.	
184 Balthica	3663	Baltic	<i>L. S. N.</i> p. 1250.	Baltic.
185 neritoidea	3663	nerite-shaped	<i>G. t.</i> 64, <i>f.</i> I.	————
186 perspicua	3663	large-mouth.	<i>L. S. N.</i> p. 1250.	Mediterranean.
187 haliotoidea	3663	Venus' ear	<i>C.</i> 1, <i>t.</i> 16, <i>f.</i> 151-3.	————
188 ambigua	3665	ambiguous	<i>A. t.</i> 13, <i>f.</i> 1. <i>F. t.</i> 70, <i>f.</i> G. 1. <i>G.</i> 2.	————
189 acutangula		brittle acute- angled	<i>B. E. C.</i> p. 171, <i>t.</i> 26, <i>f.</i> 1.	u.

XX. NERITA. NERITE.

1 Canrena	3699	varied	<i>L. t.</i> 560, <i>f.</i> 4. <i>G. t.</i> 67, <i>f.</i> V. <i>M. Suppl. p.</i> 148. <i>E. M.</i> <i>t.</i> 453, <i>f.</i> 1, 2. & <i>t.</i> 455, <i>f.</i> 3-5. <i>L. T.</i> 8, <i>p.</i> 223. <i>D.</i> 5, <i>t.</i> 167. Britain, &c.	
2 candida		zoned	<i>C.</i> 5, <i>t.</i> 187, <i>f.</i> 1887-91. <i>E. M. t.</i> 453, <i>f.</i> 3. Moluccas.	

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 cancellata	3670	latticed	<i>L.t.</i> 566, <i>f.</i> 16. <i>C.5,t.</i> 188, <i>f.</i> 1911-14.	West Indies.
4 sulcata	3673	grooved	<i>B.t.</i> 17, <i>f.</i> 5,6.	v.
5 glaucina	3671	livid	<i>L. t.</i> 568, <i>f.</i> 19. <i>G. t.</i> 67, <i>f.</i> A. B. <i>C. 5, t.</i> 186, <i>f.</i> 1856-9. <i>P.B.Z.</i> 4, <i>t.</i> 9, <i>f.</i> 1. <i>D.</i> 1, <i>t.</i> 20, <i>f.</i> 1. <i>M.</i> <i>p.</i> 469.	Britain, &c.
6 Vitellus	3671	clouded yellow	<i>L. t.</i> 565, <i>f.</i> 12. <i>G. t.</i> 67, <i>f.</i> L. <i>C.5,t.</i> 186, <i>f.</i> 1866- 1867.	Amboyna.
7 spadicea	3672	chestnut-co- loured	<i>C.5,t.</i> 187, <i>f.</i> 1872-3.	Mauritius.
8 rufa	3672	reddish	<i>L.t.</i> 606, <i>f.</i> 34. <i>C.5,t.</i> 187, <i>f.</i> 1874-5. <i>M. Suppl.</i> <i>p.</i> 150, <i>t.</i> 30, <i>f.</i> 3.	Britain, &c.
9 punctata		punctured	<i>C.</i> 11, <i>t.</i> 197, <i>f.</i> 1903-4.	Mediterranean.
10 fulminea	3672	zig-zag	<i>L. t.</i> 567, <i>f.</i> 17. <i>G. t.</i> 67, <i>f.</i> M. <i>C.5,t.</i> 187, <i>f.</i> 1881- 1884.	Moluccas.
11 orientalis	3673	Eastern	<i>C.5,t.</i> 188, <i>f.</i> 1898-9.	East Indies.
12 cruentata	3673	red spotted	<i>C.5,t.</i> 188, <i>f.</i> 1900-1.	Tranquebar.
13 rugosa	3673	wrinkled	<i>C.5,t.</i> 188, <i>f.</i> 1902-3.	West Indies.
14 Marochiensis	3673	wave striped	<i>C.5,t.</i> 188, <i>f.</i> 1905-10.	Africa.
15 arachnoidea	3674	spider marked	<i>C.5,t.</i> 188, <i>f.</i> 1915-16.	v.
16 vittata	3674	ribbon	<i>C.5,t.</i> 188, <i>f.</i> 1917-18.	Morocco.
17 Albumen	3671	liver-co- loured	<i>P. Amb. t.</i> 10, <i>f.</i> 14. <i>C. 5,</i> <i>t.</i> 189, <i>f.</i> 1924-5.	Amboyna.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
18 Zebra		Zebra	<i>C. t.</i> 124, <i>f.</i> 1080. <i>t.</i> 455, <i>f.</i> 3.	<i>E. M.</i> v.
19 Mammilla	3672	Nipple	<i>L. t.</i> 571, <i>f.</i> 22. <i>G. t.</i> 67, <i>f.</i> C. <i>C. 5, t.</i> 189, <i>f.</i> 1928-31. <i>E. M. t.</i> 453, <i>f.</i> 5.	West Indies.
20 Papilla	3675	pap-shaped	<i>C. 5, t.</i> 189, <i>f.</i> 1939.	Tranquebar.
21 pallidula		pallid	<i>D. 1, t.</i> 16, <i>f.</i> 1. <i>M. p.</i> 468. <i>L. T. 8, p.</i> 226.	Britain.
22 Corona	3675	Eastern crown	<i>F. t.</i> 61, <i>f.</i> D. 7. <i>C. 9, t.</i> 124, <i>f.</i> 1083-4.	Ganges & China. Fr. w.
23 Radula	3676	rough-ribbed	<i>B. t.</i> 17, <i>f.</i> 7, 8. <i>C. 5, t.</i> 190, <i>f.</i> 1946-7.	Amboyna.
24 Magdalenæ	3677	Magdalen	<i>A. t.</i> 13, <i>f.</i> 5.	Magdalen Islands.
25 cornea	3676	horn	<i>S. Conch. 1, p.</i> 323.	Red Sea.
26 fluviatilis	3676	river	<i>L. t.</i> 141, <i>f.</i> 38 & <i>t.</i> 607, <i>f.</i> 43. <i>G. t.</i> 4, <i>f.</i> L. L. <i>C. 9, t.</i> 124, <i>f.</i> 1088. <i>P. B. Z. 4, t.</i> 90, <i>f.</i> 2. <i>D. 1, t.</i> 16, <i>f.</i> 2. <i>M.</i> <i>p.</i> 470. <i>Dr. t.</i> 1, <i>f.</i> 3, 4.	Britain, & c. Fr. w.
27 littoralis	3677	strand	<i>L. t.</i> 607, <i>f.</i> 39-42. <i>G. t.</i> 64, <i>f.</i> N. <i>C. 5, t.</i> 185, <i>f.</i> 1854. <i>P. B. Z. 4, t.</i> 90, <i>f.</i> 3. <i>D. 1,</i> <i>t.</i> 20, <i>f.</i> 2. <i>M. p.</i> 467.	————
28 lacustris	3677	lake	<i>G. t.</i> 4, <i>f.</i> M. M.	Europe. Fr. w.
29 dubia	3676	black marked	<i>C. 5, t.</i> 193, <i>f.</i> 2019-20.	v.
30 marginata	3677	marginated	<i>S. Einl. 2, t.</i> 4, <i>f.</i> 16.	v.
31 pulligera	3678	reddish	<i>L. t.</i> 143, <i>f.</i> 37. <i>G. t.</i> 4, <i>f.</i> H. H. <i>C. 9, t.</i> 124, <i>f.</i> 1078-9. <i>E. M. t.</i> 455, <i>f.</i> 1.	India. Fr. w.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
32 aculeata	3686	spinous	<i>C.10,t.169,f.1642.</i>	India. Fr.w.
33 Pupa	3679	black and white	<i>L. t. 605, f. 31. f.S.</i>	<i>P. t. 15,</i> Jamaica.
34 bidens	3679	double- toothed	<i>F.t.10, lower f.R.</i>	New Zealand.
35 flavescens		yellowish	<i>C.10,t.165,f.1594-5.</i>	Nicobar Islands.
36 viridis	3679	green	<i>L.t.601,f.18. f.1089.</i>	<i>C.9,t.124,</i> West Indies. Fr.w.
37 virginea	3679	zig-zag	<i>L. t. 604, f. 24-7. t.124,f.1086-7. a-l.</i>	<i>C. 9,</i> —————
38 turrata	3686	turreted	<i>C.9,t.124,f.1085.</i>	—————
39 polita	3680	mottled	<i>L.t.602,f.20. G.t.66,f.G. C.5,t.193.f.2002-3.</i>	Amboyna.
40 litterata	3685	streaked	<i>C.5,t.193,f.2016-18.</i>	East Indies.
41 piperina		triangular spotted	<i>C.11,t.197,f.1905-6.</i>	Malabar.
42 Larva	3679	broad-banded	<i>C.5,t.193,f.2017.</i>	Amboyna.
43 atrata	3683	smooth black	<i>F. t. 70, f. F.1.F.2. t.190,f.1954-5.</i>	<i>C. 5,</i> West Indies.
44 aterrima	3679	thick opaque	<i>C.5,t.192,f.1985-6.</i>	v.
45 Antillarum	3685	wrinkle-lipped	<i>C.5,t.192,f.1987.</i>	West Indies.
46 Peloronta	3680	purple- streaked	<i>L.t.595,f.1. C. 5, t. 192, f. 1977-84. E.M.t.454,f.2.</i>	—————
47 albicella	3681	pimple lipped	<i>L.t.600,f.16. C.5,t.193,f.2000.a-h.</i>	<i>F.t.11,f.F.</i> Cape of Good Hope.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
48 maxima	3683	great black and yellow	<i>C.5,t.190,f.1942-3.</i>	v.
49 textilis	3683	thrush	<i>L.t.598,f.14. C.5,t.190, f.1944-5.</i>	Tranquebar.
50 Histrio	3681	tooth lipped	<i>L.t.598,f.11. C.5,t.190, f.1948-9.</i>	East Indies.
51 plicata	3681	wrinkle- lipped	<i>L.t.595,f.3. G.t.66,f.V. C.5,t.190,f.1952-3. E.M.t.454,f.5.</i>	Tranquebar.
52 Ascensionis	3683	Ascension	<i>C.5,t.191,f.1956-7.</i>	Island of Ascension.
53 lineata	3684	lined	<i>C.5,t.191,f.1958-9. E.M. t.455,f.4.</i>	Str. of Malacca.
54 versicolor	3684	purple tessellated	<i>F.t.10,f.S. C.5,t.191, f.1962-3. E.M.t.454, f.7.</i>	West Indies.
55 Pica	3684	ped	<i>C.5,t.191,f.1964-5.</i>	Amboyna.
56 flammea	3685	spotted silver	<i>C.5,t.192.f.1992-3.</i>	West Indies.
57 costata	3684	ribbed	<i>C.5,t.191,f.1966-7.</i>	Nicobar Islands.
58 bizonalis		two-zoned	<i>E.M.t.454,f.3.</i>	v.
59 grossa	3682	red thrush	<i>P.Amb.t.5,f.8. C.5,t.191, f.1968-9.</i>	Asiatic Ocean.
60 Chamæleon	3682	Chameleon	<i>G.t.66,f.X. P.Amb.t.11, f.7. C.5.t.192,f.1988- 1991.</i>	Moluccas.
61 Stella		black rayed	<i>C.11,t.197,f.1907-8.</i>	East Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
62 undata	3682	waved	<i>L.t.</i> 596, <i>f.</i> T. <i>G.t.</i> 66, <i>f.</i> P. <i>C. 5, t. 190, f. 1950-1.</i> <i>E.M.t.</i> 454, <i>f.</i> 6.	East Indies.
63 undulata	3678	thin waved	<i>C.5,t.</i> 191, <i>f.</i> 1970-1.	————
64 Exuvia	3683	Exuvia	<i>L.t.</i> 596, <i>f.</i> 5. <i>K.3,t.</i> 1, <i>f.</i> 5. <i>C. 5, t. 191, f. 1972-3.</i> <i>E.M.t.</i> 454, <i>f.</i> 1.	Jamaica.
65 quadricolor	3684	four-coloured	<i>C.5,t.</i> 191, <i>f.</i> 1974-5.	Red Sea.
66 Malaccensis	3684	Malacca	<i>C.5,t.</i> 192, <i>f.</i> 1976.	Straits of Malacca.
67 fulgurans	3685	lightning	<i>C.5,t.</i> 192, <i>f.</i> 1996-7.	West Indies.
68 tessellata	3685	tessellated	<i>C.5,t.</i> 192, <i>f.</i> 1998-9.	————
69 Stercus mus- carum		dotted	<i>C.5,t.</i> 187, <i>f.</i> 1894. <i>E.M.</i> <i>t.</i> 453, <i>f.</i> 6.	America.
70 auriculata		eared	<i>E.M.t.</i> 455, <i>f.</i> 6.	New Holland. Fr.w.

XXXI. HALIOTIS. SEA EAR.

1 Midæ	3687	leafy	<i>L.t.</i> 613, <i>f.</i> 5. <i>G.t.</i> 69, <i>f.</i> B. <i>C. 1, t. 14, f. 136 & t. 15,</i> <i>f.</i> 141.	East Indies.
2 pulcherrima	3690	white and rose-coloured	<i>M. U. C. 2, t. 62. C. 10,</i> <i>t.</i> 166, <i>f.</i> 1605-6.	South Sea.
3 virginea	3690	iridescent	<i>C.10,t.</i> 166, <i>f.</i> 1607-8.	New Zealand.

NERITA.



HALIOTIS.



<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 tuberculata	3687	common	<i>L.t.</i> 611, <i>f.</i> 2. <i>G.t.</i> 69, <i>f.</i> I. <i>C.</i> 1, <i>t.</i> 16, <i>f.</i> 146-2. <i>P.B.Z.</i> 4, <i>t.</i> 91. <i>D.</i> 1, <i>t.</i> 5. <i>M.p.</i> 473.	Britain, &c.
5 striata	3688	wrinkled	<i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 138.	Asiatic Ocean.
6 bistriata	3689	double-lined	<i>L.t.</i> 612, <i>f.</i> 3. <i>C.</i> 1, <i>t.</i> 15, <i>f.</i> 142.	Africa.
7 varia	3688	rough striated	<i>L.t.</i> 612, <i>f.</i> 4. <i>G.t.</i> 69, <i>f.</i> L.M. <i>C.</i> 1, <i>t.</i> 15, <i>f.</i> 144.	East Indies.
8 marmorata	3688	marbled	<i>L.t.</i> 614, <i>f.</i> 6. <i>G.t.</i> 69, <i>f.</i> A. <i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 139.	————
9 glabra	3690	smooth mottled	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1602.	B.of Naples.
10 asinina	3688	Ass's ear.	<i>L.t.</i> 610, <i>f.</i> 1. <i>G.t.</i> 69, <i>f.</i> D. <i>C.</i> 1, <i>t.</i> 16, <i>f.</i> 150.	Amboyna.
11 australis	3689	rough plaited	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1604 & 1604 a.	New Zealand.
12 gigantea	3691	gigantic	<i>M. U. C.</i> 2, <i>t.</i> 63. <i>C.</i> 10, <i>t.</i> 167, <i>f.</i> 1610-11.	New Holland.
13 Iris	3691	Iris	<i>M. U. C.</i> 2, <i>t.</i> 61. <i>C.</i> 10, <i>t.</i> 167, <i>f.</i> 1612-13.	New Zealand.
14 Cracherodii		Cracherode's	<i>L.Z.M.</i> 1, <i>p.</i> 131, <i>t.</i> 58.	California.
15 ovina	3691	chestnut marbled	<i>C.</i> 10, <i>t.</i> 166, <i>f.</i> 1609.	u.
16 parva	3689	small orange	<i>F.t.</i> 5, <i>f.</i> D. <i>C.</i> 1, <i>t.</i> 14, <i>f.</i> 140.	China.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
17 Guineensis	3689	decussated	<i>S.Einl.2,p.388,t.4,f.18.</i>	Guinea.
18 imperforata	3690	imperforate	<i>L.t.1056, f.6,7. F.t.5, f.F. C.10,t.166,f.1600- 1601. E.M.t.450,f.1.</i>	East Indies.
19 imbricata		imbricated	<i>E.M.t.450,f.2.</i>	u.
20 phymotis		irregular	<i>E.M.t.450,f.5.</i>	u.
21 planulata		oblong, mottled	<i>E.M.t.450,f.4.</i>	u.

XXXII. PATELLA. LIMPET.

1 equestris	3691	cup-and- saucer	<i>L.t.546,f.38. G.t.9,f.Z. C.1,t.13,f.119,120.</i>	Amboyna.
2 Neptuni		Neptune's cap	<i>F.t.4,f.B.3. C.1,t.13, f.117-18.</i>	St. Domingo.
3 Tectum		Chinese roof	<i>F.t.4,f.B.1. C.10,t.168, f.1630-1.</i>	China.
4 Sinensis	3692	Chinese bonnet	<i>L.t.546,f.39. C.1,t.13, f.121-2. D.4,t.129, M.p.489,t.13,f.4.</i>	Britain, &c.
5 auricula	3694	ear-shaped	<i>P.t.21,f.11. C.10,t.168, f.1628-9.</i>	West Indies.
6 trochiformis	3693	trochus- shaped	<i>F.t.4,f.A.1. C.10,t.168, f.1626-7.</i>	Tranquebar.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
7 trochoides		wave ribbed	<i>F. t. 4, f. A. 2.</i> <i>C. 1, t. 13,</i> <i>f. 135.</i>	v.
8 neritoidea	3692	chambered	<i>L. t. 545, f. 36.</i> <i>C. 1, t. 13,</i> <i>f. 133-4.</i>	Indian Seas.
9 porcellana	3692	brown spotted	<i>L. t. 545, f. 34.</i> <i>C. 1, t. 13,</i> <i>f. 127-8 & 9, t. 124,</i> <i>f. 1082.</i>	————
10 fornicata	3693	slipper	<i>L. t. 545, f. 33 & 35.</i> <i>C. 1,</i> <i>t. 13, f. 129-30.</i>	Mediterranean.
11 aculeata	3693	spiny ribbed	<i>F. t. 4, f. F. 2.</i> <i>C. 10, t. 163,</i> <i>f. 1624-5.</i>	W. Indies.
12 Goreensis	3694	Sandal	<i>C. 1, t. 13, f. 131-2.</i>	Goree.
13 Crepidula	3695	transparent white	<i>L. S. N. p. 1257.</i>	Mediterranean.
14 laciniosa	3695	white-eyed	<i>F. t. 2, f. 1.</i> <i>C. 1, t. 10, f. 81.</i>	Amboyna.
15 plicaria	3708	plaited	<i>B. t. 18, f. 1.</i>	v.
16 monopis	3707	chesnut streaked	<i>C. 1, t. 9, f. 80.</i>	West Indies.
17 saccharina	3695	star	<i>L. t. 532, f. 10.</i> <i>G. t. 9,</i> <i>f. I. M.</i> <i>C. 1, t. 9, f. 70 &</i> <i>76.</i>	Amboyna.
18 angulosa	3707	angular	<i>F. t. 2, f. C.</i> <i>C. 1, t. 8, f. 69.</i>	France.
19 repanda	3707	small sun	<i>F. t. 2, f. G. 1.</i>	Island of Cerigo.
20 tenuis	3708	thin amber	<i>F. t. 2, f. A.</i> <i>C. 1, t. 10, f. 87.</i>	v.
21 margaritacea	3707	great sun	<i>G. t. 8, f. L.</i> <i>F. t. 2, f. G. 2.</i> <i>C. 1, t. 10, f. 85. A. B.</i>	Patagonia.
22 barbara	3696	toothed	<i>K. 5, t. 13, f. 5.</i>	Falkland Islands.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
23 Cypria	3698	white ribbed	<i>F. t. 11, f. D. 1. C. 1, t. 9, f. 79.</i>	New Zealand.
24 Oculus		Goat's eye	<i>G. t. 9, f. H. F. t. 2, f. M. C. 1, t. 10, f. 86.</i>	Mediterranean.
25 pentagona	3708	five-angled	<i>B. t. 18, f. 4, 5.</i>	v.
26 granularis	3696	wh.-grained	<i>L. t. 536, f. 15. F. t. 3, f. 4. D. C. 1, t. 8, f. 61.</i>	Cape of Good Hope.
27 granatina	3696	garnet	<i>L. t. 534, f. 13. G. t. 9, f. F. F. t. 2, f. B. 3 & 4. C. 1, t. 9, f. 71-2.</i>	————
28 chlorosticta	3707	pigeon's throat	<i>C. 1, t. 10, f. 84. A. B.</i>	Jamaica.
29 tigrina	3707	tiger	<i>C. 1, t. 9, f. 78.</i>	v.
30 ornata		adorned	<i>C. 11, t. 197, f. 1914-15.</i>	New Zealand.
31 melanogram- ma	3706	black-ribbed	<i>C. 1, t. 8, f. 67.</i>	v.
32 ferruginea	3706	rusty	<i>F. t. 3, f. D. 2. f. 1616.</i>	<i>C. 10, t. 168, Str. of Magellan.</i>
33 crenata	3706	little gray	<i>G. t. 9, f. G. F. t. 2, f. E.</i>	Mediterranean.
34 Umbella	3706	rose streaked	<i>L. t. 538, f. 21. F. t. 1, f. H. 1 & 2. C. 1, t. 8, f. 63.</i>	Africa.
35 Ulyssiponen- sis	3706	Buckler	<i>C. 1, t. 8, f. 62.</i>	Lisbon.
36 radiata		radiated	<i>C. 11, t. 197, f. 1916-17.</i>	Moluccas.
37 lugubris	3705	black	<i>F. t. 1, f. M. C. 1, t. 8, f. 60.</i>	Provence.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
38 <i>vulgata</i>	3697	common	<i>L. t.</i> 535, <i>f.</i> 14. <i>C. 1, t.</i> 5, <i>f.</i> 38. <i>P.B.Z. 4, t.</i> 92, <i>f.</i> 1. <i>D. 1, t.</i> 14. <i>M. p.</i> 475.	Britain, &c.
39 <i>tuberculata</i>	3697	wh.-pimpled	<i>L.S.N. p.</i> 1259.	u.
40 <i>Cochlear</i>	3721	horse-shoe	<i>B. t.</i> 18, <i>f.</i> 3. <i>K. 2, t.</i> 26, <i>f.</i> 3. <i>F. t.</i> 79, upper <i>f.</i> B.	N. Zealand.
41 <i>ungarica</i>	3709	bonnet	<i>G. t.</i> 9, <i>f.</i> V. & V.V. <i>F. t.</i> 4, <i>f.</i> E. 2. <i>C. 1, t.</i> 12, <i>f.</i> 107-108. <i>P.B.Z. 4, t.</i> 93, <i>f.</i> 1. <i>D. 1, t.</i> 21, <i>f.</i> 1. <i>M. p.</i> 486.	Britain, &c.
42 <i>militaris</i>		hooked	<i>L. t.</i> 544, <i>f.</i> 32. <i>F. t.</i> 4, <i>f.</i> B. <i>D. 5, t.</i> 171. <i>M. p.</i> 488, <i>t.</i> 13, <i>f.</i> 11.	_____
43 <i>mitrula</i>	3708	small imbricated	<i>L. t.</i> 544, <i>f.</i> 30-1. <i>C. 1, t.</i> 12, <i>f.</i> 111-13. <i>M. p.</i> 485, <i>t.</i> 13, <i>f.</i> 9.	_____
44 <i>cochleata</i>		white ridged	<i>C. 11, t.</i> 197, <i>f.</i> 1919-20.	S. Seas.
45 <i>Calyptra</i>	3712	helmet	<i>M.U.C. t.</i> 18. <i>C. 10, t.</i> 169, <i>f.</i> 1643-4.	N.W. Coast of America.
46 <i>intorta</i>	3713	inclining [<i>Pectunculus.</i>]	<i>C. 1, t.</i> 12, <i>f.</i> 115. <i>P.B.Z. 4, t.</i> 93, <i>f.</i> 2. <i>D. 5, t.</i> 146. <i>M. Suppl. p.</i> 154. <i>L. T.</i> 8, <i>p.</i> 231.	Britain, &c.
47 <i>cassida</i>		lentil seed	<i>F. t.</i> 4, <i>f.</i> C. <i>C. 1, t.</i> 12, <i>f.</i> 116.	Otaheite.
48 <i>Tranquebarica</i>	3714	brilliant	<i>L. t.</i> 530, <i>f.</i> 8. <i>C. 1, t.</i> 12, <i>f.</i> 114.	Tranquebar.
49 <i>mammillaris</i>	3709	nipple	<i>L. t.</i> 537, <i>f.</i> 17. <i>F. t.</i> 3, <i>f.</i> F. 1. <i>C. 1, t.</i> 7, <i>f.</i> 58-9.	West Indies.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
50 leucopleura	3699	small, rayed	<i>L. t. 539, f. 22.</i> <i>C. 1, t. 7,</i> <i>F. 56-7.</i>	West Indies.
51 tricarinata	3710	small three- keeled	<i>C. 10, t. 168, f. 1622-3.</i>	New Zealand.
52 pectinata	3710	gray, striated	<i>S. Einl. 2, p. 418, t. 5, f. 3.</i>	Mediterranean.
53 fusco-lutea		yellowish brown	<i>B. t. 18, f. 8.</i>	u.
54 lutea	3710	yellow	<i>F. t. 5, f. E. C. 1, t. 17, f. 154-155.</i>	Amboyna.
55 perversa	3714	reverse, tipped	<i>C. 1, t. 12, f. 114.</i> A.B.	Goree.
56 lacustris	3711	lake [<i>fluviatilis.</i>]	<i>L. t. 141, f. 39.</i> <i>G. t. 4, f. B. B.</i> <i>D. 5, t. 147.</i> <i>M. p. 482.</i> <i>L. T. 8, p. 232.</i> <i>Dr. t. 2,</i> <i>f. 25-27.</i> Britain, &c. Fr. w.	
57 oblonga	3710	oblong [<i>lacustris.</i>]	<i>G. t. 4, f. A. A.</i> <i>D. 5, t. 150.</i> <i>L. T. 8, p. 233.</i>	————
58 pellucida	3717	pellucid blue rayed	<i>C. 10, t. 168, f. 1620.</i> <i>P. B. Z. 4, t. 93, f. 4. M.</i> <i>p. 477 & Suppl. p. 153.</i>	Britain, &c.
59 cærulea		opaque blue rayed	<i>L. t. 542, f. 26 & 543, f. 27.</i> <i>C. 10, t. 168, f. 1621.</i> <i>M. Suppl. p. 152.</i>	————
60 radians		gray, mottled	<i>C. 10, t. 168, f. 1618.</i>	N. Zealand.
61 Rota	3720	roundish	<i>C. 10, t. 168, f. 1619.</i>	West Indies.
62 testudinaria	3717	great tortoise- shell	<i>L. t. 531, f. 9.</i> <i>G. t. 8, f. B.</i> <i>C. 1, t. 6, f. 45-8.</i>	East Indies.
63 testudinalis	3718	small tortoise- shell	<i>C. 10, t. 168, f. 1614-15.</i> <i>F. t. 1, f. Q. 2.</i>	Greenland.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms</i>	<i>Habitat.</i>
64 compressa	3718	flat-sided	<i>L.t.541,f.25. F.t.3,f.B.3</i> <i>C.1,t.12,f.106.</i>	Cape of Good Hope.
65 Afra	3715	African	<i>G.t.9,f.C. C.1,t.5,f.34.</i>	Goree.
66 Lusitanica	3715	narrow- ribbed	<i>G.t.8,f.N.M.P. F.t.1,f.I.</i> <i>C.1,t.5,f.35-6.</i>	Portugal.
67 Jamaicensis	3715	orange lined	<i>C.1,t.5,f.37.</i>	Jamaica.
68 stellifera	3719	brown and white starred	<i>C.10,t.168,f.1617.</i>	Friendly Islands.
69 fusca	3719	sugar-loaf	<i>F.t.1,f.A.2. C.1,t.5,f.40.</i>	Falkland Islands
70 areolata	3716	pyramidal	<i>F.t.1,f.A.1. C.1,t.5,f.41.</i>	Straits of Magellan.
71 flammea	3716	agate	<i>F.t.1,f.P.2. C.1,t.5,f.42.</i>	Falkland Islands.
72 Indica	3716	Indian	<i>G.t.8,f.E. F.t.1,f.G. C.1,</i> <i>t.7,f.49.</i>	East Indies.
73 vitellina	3716	yellow	<i>K. 1, t. 20, f. 2. C.1, t. 7,</i> <i>f.51.</i>	u.
74 lævigata	3717	white tipped	<i>C.1,t.7,f.54.</i>	u.
75 Surinamensis	3716	brown rayed	<i>C.1,t.7,f.50.</i>	Surinam.
76 punctulata	3705	dotted	<i>C.1,t.7,f.55.</i>	u.
77 notata	3719	wheat-sheaf	<i>C.10,p.320,f.C.D.</i>	W. Indies.
78 cruciata	3719	white cross	<i>S.Einl.2,p.432,t.5,f.6.</i>	u.
79 reticulata	3719	reticulated	<i>S.Einl.2,p.433,t.5,f.7.</i>	Mediterranean.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
80 cæca	3711	little white bordered	<i>M.Z.D.1,t.12,f.1-3.</i>	Norway.
81 virginea	3711	red rayed	<i>D.1,t.21,f.2. M.p.480.</i> <i>L.T.8,p.235.</i>	Britain, &c.
82 tessellata	3711	tessellated	<i>M.Z.D.1,t.12,f.6,7.</i>	Norway.
83 fulva	3712	orange tawny	<i>M.Z.D.t.24,f.1-3.</i>	———
84 ambigua		white duck's bill	<i>C.11,t.197,f.1918.</i>	N. Holland.
85 umbellata	3720	Chinese parasol	<i>F.t.3,f.H. C.1,t.6,f.44&10,t.169,f.1645-6.</i>	China.
86 Fissura	3728	slit	<i>L. t. 534, f. 28. F. t. 4, f.M.1. C.1,t.12,f.109-110. P.B.Z.4,t.93,f.3. D.t.3,f.2. M.p.490.</i>	Britain, &c.
87 incisa		reticulated slit	<i>C.11,t.197,f.1925-6.</i>	Falkland Islands.
88 fissurata		rose coloured slit	<i>C.11,t.197,f.1929-30.</i>	Ceylon.
89 apertura	3728	perforated [<i>fissurella.</i>]	<i>C. 11, t. 197, f. 1927-8. M.p. 491, t. 13, f. 10 & Suppl.p.155. L. T. 8, p.236.</i>	Britain, &c.
90 Pustula	3728	doubtful	<i>L.t.528,f.3. C.10,t.168, f.1632-3.</i>	West Indies.
91 Græca	3728	cancellated	<i>L.t.527,f.2. G. t. 9, f.N. C.1,t.11,f.98-9.P.B.Z. 4,t.92,f.3. D.t.21,f.3. M.p.492.</i>	Britain, &c.
92 atricapilla		black ring	<i>L. t. 528, f. 5. C. 1, t. 12, f.104.</i>	Barbadoes.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
93 nodosa	3731	tuberculated	<i>L.t.</i> 528, <i>f.</i> 6. <i>F.t.</i> 3, <i>f.</i> D.	Barbadoes.
	[<i>spinosa.</i>]			
94 perforata	3730	partridge	<i>L. t.</i> 528, <i>f.</i> 7. <i>C. 1, t.</i> 11, <i>f.</i> 93, 96-7.	_____
95 Caffra	3730	African	<i>C. 1, t.</i> 11, <i>f.</i> 95.	C. of Good Hope.
96 Pileolus		open cap	<i>C. 11, t.</i> 197, <i>f.</i> 1922.	v.
97 Scutellum	3731	Scutcheon	<i>P. t.</i> 3, <i>f.</i> 11. <i>F. t.</i> 3, <i>f.</i> A. 1.	Falkland Islands.
98 picta	3729	painted	<i>F. t.</i> 3, <i>f.</i> A. 4. <i>C. 1, t.</i> 11, <i>f.</i> 90.	_____
99 nimbose	3729	scaly ribbed	<i>G. t.</i> 9, <i>f.</i> R. S. <i>F. t.</i> 3, <i>f.</i> A. 3. <i>C. 1, t.</i> 11, <i>f.</i> 91-2.	Martinique.
100 nubecula	3729	variegated red & white	<i>C. 1, t.</i> 12, <i>f.</i> 105.	Mediterranean.
101 Porphyrozo- nias	3730	Porphyry	<i>C. 1, t.</i> 12, <i>f.</i> 102-3.	N. America.
102 Macroschis- ma		oblong perfo- rated	<i>C. 11, t.</i> 197, <i>f.</i> 1923-4.	Japan.

XXXIII. DENTALIUM. TOOTH-SHELL.

1 rectum	3738	straight	<i>P. t.</i> 95, <i>f.</i> 11. <i>G. t.</i> 10, <i>f.</i> H. <i>C. 1, t.</i> 1, <i>f.</i> 4. A.	Indian Seas.
2 elephantinum	3736	fluted ele- phant's	<i>L. t.</i> 547, upper <i>f.</i> 1. <i>G. t.</i> 10, <i>f.</i> 1. <i>C. 1, t.</i> 1, <i>f.</i> 5. A.	_____
3 aprinum	3736	white, ribbed	<i>C. 1, t.</i> 1, <i>f.</i> 4. B.	_____

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
4 striatum	3738	striated	<i>L.t.</i> 547, lower <i>f.</i> C.1,t.1, <i>f.</i> 5.B. <i>D.</i> 5,t.162. <i>M.</i> <i>Suppl.</i> p.155.	Britain, &c.
5 Dentalis	3736	curved, striated	<i>F. t.</i> 5, <i>f.</i> E. 4. <i>M. p.</i> 495. <i>L. T.</i> 8, <i>p.</i> 237.	_____
6 Entalis	3736	common	<i>L. t.</i> 547, <i>f.</i> 2. & <i>t.</i> 1056, <i>f.</i> 4. <i>G. t.</i> 10, <i>f.</i> E. <i>P. B. Z.</i> 4, <i>t.</i> 93, <i>f.</i> 5. <i>D.</i> 2, <i>t.</i> 48. <i>M. p.</i> 494.	_____
7 corneum	3737	horn-co- loured	<i>S. Eiml.</i> 2, <i>p.</i> 523, <i>t.</i> 6, <i>f.</i> 16.	African Ocean.
8 politum	3737	ring striated	<i>G. t.</i> 10, <i>f.</i> F. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 3. A.	India.
9 eburneum	3737	smooth ivory	<i>L. S. N. p.</i> 1264.	_____
10 fasciatum	3737	banded	<i>F. t.</i> 5, <i>f.</i> E. 2. <i>C.</i> 1, <i>t.</i> 1, <i>f.</i> 3. B.	Sicily.
11 Gadus		Hake's	<i>M. p.</i> 496, <i>t.</i> 14, <i>f.</i> 7. <i>L. T.</i> 8, <i>p.</i> 238.	British Channel.
12 inperforatum		minute, trun- cated	<i>W. M. S. f.</i> 15. <i>M. p.</i> 496. <i>L. T.</i> 8, <i>p.</i> 238.	Britain.
13 Trachea		minute, wind- pipe	<i>M. p.</i> 497, <i>t.</i> 14, <i>f.</i> 10. <i>L. T.</i> 8, <i>p.</i> 239.	_____
14 glabrum	3737	minute, [<i>minutum.</i>] smooth	<i>M. p.</i> 497. <i>L. T.</i> 8, <i>p.</i> 239.	_____
15 pellucidum	3738	pellucid	<i>S. Eiml. p.</i> 529, <i>t.</i> 6, <i>f.</i> 17.	N. Seas.

Linn. names. *Gm.* *Engl. names.* *Synonyms.* *Habitat.*

XXXIV. SERPULA. WORM-SHELL.

1	<i>stellaris</i>	3747	rayed pin's head	<i>Fab.F.Gr.p.383.</i>	Greenland.
2	<i>Semilunum</i>	3739	small seed	<i>G.t.10,f.S. W.M.S.f.1. M.p.520.</i>	Britain, &c.
3	<i>incurvata</i>		incurved	<i>W.M.S.f.11. M.p.518.</i>	———
4	<i>planorbis</i>	3740	flat	<i>L.S.N.p.1264.</i>	Europe: on shells.
5	<i>Cereolus</i>	3745	bougie	<i>F.t.6,f.D. C.1,t.3,f.20.E.</i>	West Indies.
6	<i>Spirillum</i>	3740	minute spiral	<i>C. 1, t. 3, f. 20. C. D. M.p.499. L.T.8,p.240.</i>	Europe: on corallines.
7	<i>minuta</i>		minute	<i>M.p.505. L.T.8,p.241.</i>	Britain.
8	<i>spirorbis</i>	3740	tapering spiral	<i>L.t.553,f.5. G.t.10,f.O. C. 1, t. 3, f. 21. A.B. P.B.Z.4,t.94,f.1. D.1, t.9. M.p.498.</i>	Britain, &c.
9	<i>triquetra</i>	3740	three-sided	<i>G.t.10,f.P. C.1,t.3,f.25. D.3,t.95. M.p.511.</i>	———
10	<i>carinata</i>		keeled	<i>M.p.502. L.T.8,p.242.</i>	Britain.
11	<i>granulata</i>	3741	grained	<i>D. 3, t. 100. M. p. 500. L.T.8,p.241.</i>	———
12	<i>cancellata</i>	3746	grooved	<i>Fab.F.Gr.p.383.</i>	Greenland.
13	<i>heterostro- pha</i>		reversed	<i>M.p.503. L.T.8,p.242.</i>	Britain.
14	<i>corrugata</i>		wrinkled	<i>M.p.502. L.T.8,p.242.</i>	———

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
15 lucida		shining	<i>M.p.</i> 507. <i>L.T.</i> 8,p.243.	Britain.
16 vitrea	3746	brittle	<i>Fab.F.Gr.p.</i> 382.	Greenland.
17 contortupli- cata	3741	twisted	<i>F. t. 6, f. E. 1.</i> <i>C.1, t. 3,</i> <i>f.24.A.</i>	Mediterranean.
18 nebulosa		clouded tawny	<i>F.t.6,f.9.</i>	American Seas.
19 Goreensis	3745	intestine	<i>F.t.6,f.E.2.</i>	Goree.
20 glomerata	3742	glomerated	<i>G. t. 10, f. T.</i> <i>F. t. 6, f. Q.</i> <i>C.1,t.3,f.23.</i>	Mediterranean.
21 lumbricalis	3742	flexuous	<i>L. t. 548, f. 1.</i> <i>G. t. 10,</i> <i>f.Q.V.</i> <i>C.1,t.2,f.12.B.</i>	Amboyna.
22 conica		Elephant's trunk	<i>F.t.5,f.C.</i> <i>C.1,t.2,f.15.</i>	——
23 arenaria	3743	solitary rose	<i>G.t.10,f.L.T.</i> <i>F.t.6,f.P.</i> <i>C.1,t.3,f.19.A.B.C.</i>	India.
24 Afra	3745	smooth brown	<i>C.1,t.3,f.20.A.B.</i>	Goree.
25 Volvox		Caterpillar	<i>P.t.16,f.32.</i> <i>F. t. 6, f. M.</i> <i>C.1,t.2,f.14.</i>	East Indies.
26 anguina	3743	serpent	<i>L.t.548,f.2.</i> <i>F.t.6,f.G.1.</i> <i>C.1,t.2,f.13.B.C.</i>	Amboyna.
27 echinata	3744	prickly	<i>G.t.10,f.R.</i> <i>C.1,t.2,f.8.</i>	Indian Ocean.
28 annularis		ringed snake	<i>F.t.6,f.G.2.</i> <i>C.1,t.2,f.16.</i>	u.
29 Cornu-copiæ [<i>Helix</i> ; untwisted.]	3745	Cornucopia	<i>B. t. 13, f. 10, 11.</i> <i>C. 11,</i> <i>t.211,f.2092-3.S.N.M.</i> <i>t.568.</i>	Mauritius.
30 decussata	3745	decussated	<i>L. t. 547, f. 4.</i> [<i>F. t. 6, f. L.</i> <i>C.1,t.2,f.17.</i>	America.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
31 vermicularis	3743	round	<i>D. 3, t. 95. M. p. 509.</i> <i>L.T.8,p.243.</i>	Britain, &c.
32 tubularia		awl-shaped tubular	<i>M.p.513. L.T.8,p.244.</i>	Britain.
33 denticulata	3746	toothed	<i>S.Einl.2,p.570,t.6,f.18.</i>	Europe.
34 Aquaria	3744	watering-pot	<i>L.t.548,f.3. G.t.10,f.M.</i> <i>F.t.5,f.B. C.1,t.1,f.7.</i>	Amboyna.
35 Ocrea	3744	boot-shaped	<i>P.Amb.t.20,f.12. F.t.5,</i> <i>f.D. C.1,t.1,f.9.</i>	East Indies.
36 proboscidea	3745	proboscis	<i>C.1,t.2,f.18.B.</i>	v.
37 protensa	3744	lengthened	<i>F.t.5,f.F. C.1,t.2,f.12.A.</i>	Amboyna.
38 gigantea	3747	great conical toothed	<i>Pall. M.S.p.139, t.10,f.2-</i> <i>10.</i>	Caribbee Islands.


XXXV. TEREDO. BORER.

1 gigantea	3742	great bifur- [<i>S. polythalamia.</i>] cated	<i>F.1,t.5,f.N. C.1,t.1,f.6 &</i> <i>11.</i>	Island of Ceram.
2 navalis	3747	ship	<i>F. t. 60,f.C.1.C.2. & C. 3.</i> <i>D.5,t.145. M.p.527 &</i> <i>Suppl.p.7. E.M.t.167,</i> <i>f.1-3.</i>	Bottoms of ships.

<i>Linn. names.</i>	<i>Gm.</i>	<i>Engl. names.</i>	<i>Synonyms.</i>	<i>Habitat.</i>
3 Utriculus	3748	timber	<i>Kœm. Cab. Rudolst. p. 7, t. 1.</i>	In wood in the sea.
4 Clava	3748	club-shaped	<i>S. Einl. 2, p. 574, t. 6, f. 20.</i> <i>E. M. t. 167, f. 6-16.</i>	Coromandel.



PATELLA.



DENTALIUM.



SERPULA.



TEREDO.



INDEX GENERUM.

ENGLISH INDEX.

	Page
Anomia	54
Arca	44
Argonauta	62
Buccinum	103
Bulla	85
Cardium	24
Chama	41
Chiton.....	1
Conus	67
Cypræa	79
Dentalium	183
Donax.....	31
Haliotis	174
Helix	154
Lepas	4
Mactra	28
Murex	119
Mya	10
Mytilus	56
Nautilus	63
Nerita	169
Ostrea.....	47
Patella	176
Pholas.....	8
Pinna	59
Serpula	185
Solen	13
Spondylus	41
Strombus	115
Tellina	16
Teredo	187
Trochus	133
Turbo	142
Venus	33
Voluta	89

	Page
Anomia	54
Ark.....	44
Barnacle	4
Borer	187
Clamp	41
Coat of Mail	1
Cockle	24
Cone	67
Cowry.....	79
Dipper	85
Gaper	10
Hinged Oyster	41
Limpet	176
Mactra	28
Muscle	56
Nerite.....	169
Oyster.....	47
Paper Sailor	62
Piercer	8
Razor	13
Rock	119
Sailor	63
Screw	115
Sea Ear	174
Snail	154
Tellen.....	16
Tooth Shell.....	183
Top Shell	133
Venus.....	33
Volute	89
Wedge	31
Whelk.....	103
Wing Shell	59
Worm Shell	185
Wreath	142

INDEX ALPHABETICUS.



<p>ANOMIA. <i>page 54.</i></p> <p style="text-align: right;"><i>Sp.</i></p> <p>aculeata..... 7</p> <p>aurita..... 15</p> <p>Capensis 18</p> <p>Caput Serpentis 22</p> <p>Cepa 4</p> <p>craniolaris..... 1</p> <p>cruenta..... 25</p> <p>cylindrica 13</p> <p>detruncata 19</p> <p>dorsata 26</p> <p>electrica..... 5</p> <p>Ephippium 3</p> <p>flexuosa 31</p> <p>muricata 8</p> <p>patelliformis 10</p> <p>pectinata 12</p> <p>Placenta 29</p> <p>psittacea 27</p> <p>pubescens 20</p> <p>punctata 6</p> <p>retusa..... 16</p> <p>sanguinolenta 21</p> <p>scobinata 14</p> <p>Sella 30</p> <p>spondylodes 32</p> <p>Squama..... 11</p> <p>Terebratula 23</p> <p>tridentata 28</p>	<p style="text-align: right;"><i>Sp.</i></p> <p>truncata 17</p> <p>turbinata 2</p> <p>vitrea..... 24</p> <p>undulata 9</p> <p style="text-align: center;"><i>ARCA. page 44.</i></p> <p>æquilatera..... 32</p> <p>angulosa 34</p> <p>antiquata 17</p> <p>barbata 3</p> <p>bicolorata 11</p> <p>Campechensis 28</p> <p>cancellata 13</p> <p>candida 7</p> <p>complanata 8</p> <p>Corbicula 22</p> <p>Cucullus 16</p> <p>decussata 31</p> <p>fusca 14</p> <p>Glycymeris 36</p> <p>granosa 18</p> <p>imbricata 4</p> <p>Indica 21</p> <p>lacerata 10</p> <p>lactea..... 24</p> <p>Magellanica 9</p> <p>minuta 44</p> <p>Modiolus 15</p> <p>naviculata..... 5</p>	<p style="text-align: right;"><i>Sp.</i></p> <p>Noæ 2</p> <p>Nucleus..... 42</p> <p>nummaria.. 40</p> <p>ovata 12</p> <p>pallens 33</p> <p>pectinata 30</p> <p>Pectunculus..... 29</p> <p>Pella 27</p> <p>pellucida 26</p> <p>pilosa..... 37</p> <p>plicata 6</p> <p>reticulata 25</p> <p>rhomboidea 19</p> <p>rostrata 43</p> <p>scripta 39</p> <p>Senegalensis..... 23</p> <p>senilis..... 20</p> <p>stellata 38</p> <p>striata..... 41</p> <p>tenuis..... 45</p> <p>tortuosa..... 1</p> <p>undata 35</p> <p style="text-align: center;"><i>ARGONAUTA. p. 62.</i></p> <p>arctica 9</p> <p>Argo 1</p> <p>Cornu 8</p> <p>Cymbium 7</p> <p>Gondola 4</p>
---	--	---

<i>Sp.</i>		<i>Sp.</i>	<i>Sp.</i>
Haustrum	5	costatum	51
hians	3	crassilabrum	166
tuberculata	2	crassum	74
vitrea	6	crenulatum	133
		crispatum	61
BUCCINUM. <i>page</i> 103.		eruentatum	103
abbreviatum	12	cyaneum	85
achatinum	22	decussatum	19
Acicula	155	dentatum	168
Acus	145	digitale	139
affine	98	dimidiatum	147
ambiguum	118	Dolium	6
Arcularia	40	duplicatum	142
Areola	20	Echinophorum ...	9
armigerum	58	Erinaceus	32
armillatum	126	exile	93
asperum	156	filosum	63
australe	96	Finbria	34
Bezoar	104	flammeum	17
bifasciatum	152	foliosum	39
bilineatum	28	fumosum	99
bulbosum	105	Galea	2
cancellatum	50	geminum	135
candidum	73	gemmaatum	169
Cassis	31	gibbosulum	46
Cataracta	83	glaberrimum	90
caudatum	8	glabratum	79
Chalis	157	glaciale	106
Chinense	7	Glans	38
cicatricosum	29	glaucum	35
cinctum	121	granulatum	24
cinereum	143	Hæmastoma	57
cingulatum	167	Harpa	49
clathratum	114	hastatum	150
Cochlidium	95	Haustorium	55
Concholepas	56	hecticum	134
concinnum	141	hepaticum	42
cornutum	14	igneum	87
coronatum	41	Indicum	100
		inflatum	26
		læve	86
		lævissimum	84
		lamellosum	60
		lanceatum	146
		Lapillus	62
		Lima	116
		lineatum	92
		lutecostomum	59
		lyratum	111
		Macula	119
		maculatum	129
		maculosum	164
		minimum	122
		Monile	137
		Monodon	54
		muri num.	148
		mutabile	47
		nanum	158
		neriteum	48
		nigropunctatum ..	159
		nitidulum	127
		niveum	115
		nodosum	10
		nodulosum	33
		Norwegicum	163
		Nucleus	91
		ocellatum	89
		oculatum	130
		Olearium	1
		Orbita	75
		papillosum	37
		papyraceum	108
		patulum	53
		Perdix	3
		Persicum	52
		pertusum	149
		Phallus	151
		piscatorium	124

<i>Sp.</i>		<i>Sp.</i>	
plicatulum	123	tigrinum	132
plicatum	13	Tranquebaricum	101
plumatum	88	trifasciatum	161
plumbeum	70	Tuba	68
Pomum	4	tnberosum	16
porcatum	110	turgidum	80
prærosum	94	Turris	165
proximatum	136	Tyrrhenum	11
Pseudonum	170	varium	67
Pullus	43	ventricosum	128
Pyrozonias	112	verrucosum	45
Pyrum	69	versicolor	102
radiatum	153	Vibex	36
recurvirostrum	30	virgineum	154
reticulatum	117	vittatum	138
rufum	15	umbilicatum	72
Rusticum	66	undatum	107
saburon	23	undosum	97
St ⁱ Mauritii	125	undulatum	25
Scala	76	unifasciale	162
scutulatum	81	Zeylanicum	78
sertum	65		
spadiceum	71	<i>BULLA. page 85.</i>	
spiratum	77	achatina	53
stolatum	120	Akera	23
striatum	160	ampla	44
strigatum	21	Amplustre	26
strigillatum	140	Ampulla	18
strombiforme	171	Amygdalus	19
subulatum	131	aperta	14
succinctum	144	bicarinata	55
sulcatum	64	birostris	6
sulcosum	5	canaliculata	32
Tahitense	109	carnea	4
tessellatum	27	Catena	15
Testiculus	18	conoidea	33
testudineum	82	crassula	36
textum	113	cylindracea	57
Thersites	44	cylindrica	56
		Cypræa	42
		Dominicensis	35
		exarata	49
		fasciata	46
		ferruginosa	13
		Ficus	29
		fontinalis	37
		gelatinosa	40
		gibbosa	11
		halioतोidea	61
		Hydatis	17
		Hypnorum	39
		imperialis	2
		lepada	5
		lignaria	20
		Naucum	12
		nitidula	25
		obtusa	60
		Ovum	1
		patula	8
		pectinata	21
		Physis	24
		Plumula	16
		Priamus	51
		purpurea	54
		Pyrum	30
		Rapa	31
		retusa	59
		rivalis	38
		scabra	28
		Secale	7
		soluta	22
		Spelta	9
		striatula	48
		strigata	47
		Terebellum	41
		truncata	50
		Velum	27
		ventricosa	43

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
marmoratus	8	cancellatus	83	Janus	26
minimus	25	Canonicus	139	Japonicus	109
piceus	4	Capitaneus	15	Jaspideus	108
porosus	39	Catus	41	imperialis	5
punctatus	15	Cedonulli	35	informis	148
ruber	14	Ceylonensis	96	lævis	117
spinosus	38	characteristicus	23	lamellosus	98
squamosus	1	Chemnitzii	16	leoninus	22
sulcatus	20	citrinus	91	leucostictos	37
tessellatus	34	Classarius	64	lineatus	69
thalassinus	37	Clavus	112	literatus	7
tuberculatus	33	coccineus	90	lividus	58
tunicatus	10	Coffæ	62	Lorenzianus	29
viridis	17	Columba	106	Luzonicus	55
<i>CONUS. page 67.</i>					
Abbas	137	coronatus	87	Madurensis	107
achatinus	54	costatus	76	Magus	131
acuminatus	31	distans	60	marmoreus	1
Adansoni	129	ebræus	77	Mauritanus	103
affinis	114	eburneus	8	Mediterraneus	101
Amadis	30	elongatus	146	Mercator	65
Ammiralis	33	Episcopus	140	Miles	19
arachnoideus	3	Eques	70	miliaris	49
Archiepiscopus	138	ermineus	71	Mindanus	110
Archithalassus	34	festivus	111	mitratus	120
arenatus	79	figulinus	67	Monachus	52
Augur	130	fulmineus	28	Mus	59
Aulicus	145	fuscatus	6	Musicus	48
aurantius	36	Fusus	125	mustelinus	17
aureus	113	generalis	10	Namocanus	75
aurisiacus	126	genuanus	44	Nicobaricus	2
australis	116	Geographus	155	nimbosus	152
Barbadensis	88	Glans	121	Nisus	57
betulinus	66	glaucus	50	niveus	14
bullatus	150	Gloria maris	134	nobilis	42
cærulescens	24	granulatus	124	Nussatella	123
Caledonicus	61	Gubernator	133	ochroleucus	118
canaliculatus	11	Guinæicus	27	Omaria	144
		Hyæna	18	papilionaceus	45
		Jamaicensis	100	pennaceus	142

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>		
polyzonias	39	Thomæ	32	guttata	14	
Portoricanus	85	Timorensis	151	helvola	53	
Prælatus	141	Tinianus	86	Hirundo	35	
Princeps	25	Tribunus	20	Histrio	4	
Prometheus	46	Tulipa	154	Isabella	28	
pulicarius	80	varius	84	lota	13	
punctatus	82	ventricosus	149	lurida	11	
puncticulatus	102	venulatus	74	lutea	37	
puncturatus	95	verrucosus	105	Lynx	25	
pusillus	97	Vexillum	72	Madagascariensis	61	
pyramidalis	135	Virgo	13	Mappa	2	
quercinus	68	vittatus	63	Margarita	66	
radiatus	12	vitulinus	38	Mauritiana	20	
Ranunculus	53	Zeylanicus	81	minuta	68	
Raphanus	128	zonatus	4	Moneta	43	
Rattus	99			Mus	22	
rosaceus	153	<i>CYPRÆA. page 79.</i>			Nucleus	62
roseus	89	achatina	18	ocellata	54	
rubiginosus	143	angustata	52	Oniscus	58	
Rusticus	56	Annulus	44	Onyx	31	
scabriusculus	94	Arabica	3	pantherina	24	
Senator	40	Argus	5	Pediculus	60	
Siamensis	43	Asellus	38	poraria	55	
Spectrum	147	Aurantium	8	punctata	41	
sponsalis	92	Caput serpentis	19	pustulata	63	
spurius	21	carneola	9	Pyrum	40	
Stereus muscarum	78	Caurica	45	rubiginosa	50	
striatus	132	Cicercula	65	sanguinolenta	15	
strigatus	119	cinerea	27	Scurra	30	
sulcatus	104	cribraria	42	spurca	49	
Suratensis	51	cruenta	47	staphylea	64	
tæniatus	47	cylindrica	29	stercoraria	7	
Taitensis	93	erosa	48	stolida	46	
tendineus	115	erronea	39	subflava	32	
tenellus	122	Exanthema	1	sulcata	59	
Terebellum	127	felina	26	tabescens	51	
tessellatus	9	fimbriata	57	Tälpa	10	
testudinarius	73	gangrænosa	56	teres	17	
textile	136	Globulus	67	testudinaria	6	

	<i>Sp.</i>
Tigris	23
Vanelli	12
Vitellus	21
undulata	16
Ursellus	36
zic-zac	33
zonaria	34

DENTALIUM. *p.* 183.

aprinum	3
corneum	7
Dentalis	5
eburneum	9
elephantinum	2
Entalis	6
fasciatum	10
Gadus	11
glabrum	14
imperforatum	12
pellucidum	15
politum	8
rectum	1
striatulum	4
Trachea	13

DONAX. *page* 31.

candida	20
castanea	10
complanata	6
cuneata	13
denticulata	8
Faba	16
incarnata	12
Irus	21
lævigata	14
muricata	18
plebeia	9
pubescens	2
radiata	17

	<i>Sp.</i>
rugosa	3
scortum	1
scripta	15
Serra	4
spinosa	11
straminea	19
striata	7
Trunculus	5

HALIOTIS. *page* 174.

asinina	10
australis	11
bistriata	6
Cracherodii	14
gigantea	12
glabra	9
Guineensis	17
imbricata	19
imperforata	18
Iris	13
marmorata	8
Midæ	1
ovina	15
parva	16
phymotis	20
planulata	21
pulcherrima	2
striata	5
tuberculata	4
varia	7
virginea	3

HELIX. *page* 154.

acutangula	189
Afra	2
alba	53
albella	9
albicans	170
albina	10

	<i>Sp.</i>
Algira	13
Amarula	164
ambigua	188
ampullacea	71
angularis	122
annulata	22
aperta	131
Arbustorum	88
arenaria	115
aspera	141
Avellana	46
aurea	112
auricularia	180
Balthica	184
Barbara	163
bifasciata	154
Bontia	107
calcareo	137
canalis	178
Cantiana	19
caperata	21
Carinula	155
Carocolla	34
Cartusiana	124
castanea	83
Cepa	32
cicatricosa	5
cincta	78
cingenda	58
citrina	81
Columna	151
complanata	24
consolidata	134
contorta	52
cornea	48
Cornu	6
— Arietis	55
— militare	36
— Venatorum	56

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
corrugata	38	inflata	174	ovalis.....	101
costata	66	interrupta.....	114	paludosa	54
crenata	143	Involvulus.....	8	palustris	168
cuspidata	138	Kambeul	104	Papilla	91
decollata	135	labiosa	108	Pella	153
detrita	156	Lackhamensis	148	Pellis Serpentis.....	39
dissimilis	121	lactea	128	perspicua	186
Epistylum	90	Lacuna	70	picta	129
Ericetorum	57	læva	111	Pileus	105
exilis.....	16	lævigata	183	planata	23
extensa	80	lævipes	15	planorbula.....	41
Faba	47	Lampas	33	plicaria	139
fasciata	120	Lapicida	3	plicata	27
flammea	103	Leucas	14	polygyra	51
fluviatilis	160	lubrica	145	Pomatia	76
fontana	25	Lucena	86	pulchella	67
fossaria	169	Lucerna	30	punctata	28
fragilis	167	lucida	60	Pupa.....	162
Fruticum	87	Lucorum	125	putris	171
fulva	89	Lusitanica	97	radiata	11
fusca	132	lutaria	100	Rapa	82
fuscata	144	lutea	179	recta	113
fuscescens	133	Lychnuchus	31	repanda.....	177
Gaulteriana	44	Lyonetiana	161	Rhodia	118
glauca	73	maculosa	37	ringens	26
Globulus	84	mammillaris	98	rosacea	79
glutinosa	182	marginella.....	4	rufescens	20
Gothica.....	43	minima	63	scabra	42
Guadaloupensis	157	nemoralis	123	scalaris	77
hæmastoma	127	nemorensis	92	Scarabæus.....	1
halioideoidea	187	neritoidea	185	Sicula	181
Hispana.....	99	oblonga.....	102	similis	49
hispidata	64	obscura.....	147	sinuata	29
hortensis	126	obvoluta	62	spinulosa	69
Jamaicensis	117	octanfracta	149	spirorbis	50
Ianthina	116	octona	150	stagnalis	166
incarnata	18	Oculus-Capri	7	Stagnorum	146
incisa.....	85	opaca	175	striata	95
incumbens.....	152	Otaheitana	110	striatula.....	12

<i>Sp.</i>	<i>Sp.</i>	<i>Sp.</i>
adversus167	craticulatus121	maculosus 37
Afer170	curvirostris144	Magellanicus 90
Aluco146	cutaceus 33	Mancinella 52
alucoides152	decollatus.....169	marginatus157
Aplustre111	despectus 93	Maroccensis124
antiquus 89	Dolarium106	melanamathos 11
Anus 45	dubius 70	Melongena 59
arenosus140	ebeninus153	miliaris 10
Argus..... 27	Erinaceus 19	minutissimus.....139
Aruanus..... 87	Femorale 32	Moluccanus161
asper.....159	Ficus..... 85	morbosus 57
atratus151	Fiscellum102	Morio 78
attenuatus128	fluviatilis156	Motacilla 2
Babylonius 67	foliatus 13	Mulus 46
Bamfius126	fornicatus 92	muricatus138
bitubercularis 25	Fucus 49	Nassa.....110
Brandaris 6	fuscatus.....154	Nebula129
bufonius 26	gibbosus 65	neritoideus 47
calcaratus 60	gracilis127	nodatus..... 54
canaliculatus..... 82	granulatus.....160	nodulosus147
Carica 83	Gyrinus..... 24	Nodus 48
cariniferus..... 84	Harpa125	Obeliscus142
caudatus 41	Haustellum 1	Olearium 29
clandestinus 86	hexagonus.....164	Pardalis.....122
clathratus 99	Hippocastanum .. 53	Parthenopus 30
Clava149	Hystrix 50	Perron120
Clavator 40	Javanus..... 68	perversus 88
clavatulus 64	Infundibulum118	Pileare 35
Cochlidium 79	lacerus 55	plicatulus145
colosseus 72	lamellosus.....100	plicatus..... 56
Columbarium117	Lampas 28	polygonus113
Colus..... 71	Lancea 75	Pomum..... 9
conditus 36	linearis136	prismaticus123
Consul 61	lineatus.....108	proximus131
corneus107	Lingua 14	purpureus137
cornutus 5	literatus163	Pusio..... 97
Corona105	longicaudus 73	Pyrum 39
costatus.....130	Lotorium 34	ramosus..... 12
crassus 23	lyratus 34	Rana 21

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
reticularis	44	tubercularis	166	nodulosa	29
reticulatus.....	165	Tulipa	98	Norwegica	13
Ricinus	51	Turricula	133	ovata	27
Rosarium	8	verrucosus.....	77	picea	10
Rubecula	42	versicolor	76	Pictorum	26
rufus	134	Vertagus	143	prætenuis	5
Sacellum	20	Vespertilio	114	prismatica	21
saxatilis.....	18	virgatus.....	104	purpurea	18
Scala.....	101	virginus	66	radiata	32
Scolopax	3	Virgo.....	63	rostrata	12
Scolymus	115	uncinatus	150	rugosa	33
Scorpio	17	undatus.....	103	spuria.....	35
Scriptus.....	141	vulpinus	96	suborbicularis	37
Scrobiculator	43			substriata	22
semigranosus.....	162	<i>MYA. page 10.</i>		syrmatophora	36
senticosus	58	anatina	6	truncata	1
septangularis.....	132	arctica	8	variabilis	38
serratus.....	158	arenaria.....	2		
sexcostatus	109	Batava	25	<i>MYTILUS. page 56.</i>	
sinistralis	171	bidentata	16	Ala-corvi	44
sinuosus	135	convexa.....	3	Anatinus	33
Spengleri	38	corrugata	31	arborescens	13
spinosus.....	22	crassa.....	28	aristatus	8
Spirillus	81	declivis	4	Avonensis	34
stramineus	62	decussata	17	bidens	28
striatulus	74	distorta	15	bilocularis.....	17
subantiquatus	94	dubia	23	Camellii	46
subulatus	168	edentula	9	Canaliculus	47
Syracusanus	119	ferruginosa	19	coralliophagus	10
Ternatanus	116	globosa	7	Crista-galli	1
tornatus	69	Glycimeris	41	Cygneus	32
torulosus	155	inæquivalvis.....	40	demissus	30
Trapezium	112	labiata	39	discors	39
Tribulus	4	margaritifera	30	discrepans.....	38
tripterus	15	membranacea	14	dubius	36
triqueter	16	Nicobarica	11	edulis	21
Tritonis.....	95	nitens.....	20	elongatus	25
Trunculus.....	7	nitida.....	24	exustus	18
Tuba	80	nodosa	34	Faba	41

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
fluviatilis	35	bicarinatus	30	siphunculus	33
Frons.....	3	Calcar	4	Spengleri	17
fuscus	12	carinatus	31	spinulosus	28
Hirundo	42	Cassis	48	Spirula	16
Hyotis	2	costatus.....	25	striato-punctatus ...	43
impactus	40	crassulus	11	strigilatus	41
incurvatus.....	48	craticulatus	42	subarcuatus	29
latus	24	Crepidula	53	tuberosus	55
lineatus.....	27	crispus	8	umbilicatus	12
Lingua	45	depressulus	7	umbilicatus	15
lithophagus	7	Faba	51	unguiculatus	18
margaritiferus	4	Fascia	31		
Modiolus	31	Galea.....	49	NERITA. <i>page</i> 169.	
Morio	43	Granum.....	26	aculeata	32
niger	20	inæqualis	32	albicella	47
niveus	16	incrassatus.....	40	Albumen	17
pellucidus	22	lacustris.....	3	Antillarum	45
plicatus.....	14	lævigatus	6	arachnoidea	15
præcisus	11	Legumen	34	Ascensionis	52
puniceus	29	linearis	35	aterrima	44
radiatus.....	5	Lituus	20	atrata	43
ruber.....	37	lobatus	13	auriculata	70
rugosus	9	macellus	45	bidens	34
smaragdinus	26	obliquus	22	bizonalis	58
striatulus	19	orbiculus	56	cancellata	3
umbilicatus	49	papillosus	46	candida	2
Unguis	6	planatus	47	Canrena	1
ungulatus	23	Pompilioides.....	37	Chamæleon	60
vulgaris	15	Pompilius	1	cornea	25
		Radicula	27	Corona	22
NAUTILUS. <i>page</i> 63.		Raphanistrum	23	costata	57
acutaucularis.....	50	Raphanus	24	cruentata	12
aduncus.....	58	rectus	36	dubia.....	29
ambiguus	44	repandus	38	Exuvia	64
angulatus	57	rotatus	5	flammea	56
asterizans	39	rugosus	14	flavescens	35
Auricula	54	Scapha	52	fluviatilis	26
Balthicus	10	scrobiculatus.....	2	fulgurans	67
Beccarii.....	9	semilituus	19	fulminea	10

	<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>
sinuosa.....	34	equestris	1	ornata	30
solaris	40	ferruginea	32	pectinata.....	52
spondyloidea	75	Fissura	86	pellucida.....	58
striatula	4	fissurata	88	pentagona	25
sulcata.....	48	flammea	71	perforata.....	94
tigerina	26	fornicata.....	10	perversa	55
Tranquebarica	45	fulva.....	83	picta.....	98
triradiata	39	fusca.....	69	Pileolus	96
turgida.....	47	fusco-lutea	53	plicaria	15
varia.....	31	Goreensis	12	porcellana	9
Virginica.....	68	Græca.....	91	Porphyrozonias...'	101
vitrea	36	granatina.....	27	punctulata	76
Vulsella	84	granularis	26	Pustula	90
Zic-zac	3	Jamaicensis.....	67	radians.....	60
		incisa	87	radiata.....	36
		Indica	72	repanda	19
		intorta.....	46	reticulata	79
		laciniosa	14	Rota.....	61
		lacustris	56	saccharina	17
		lævigata	74	Scutellum	97
		leucopleura	50	Sinensis	4
		lugubris	37	stellifera	68
		Lusitanica	66	Surinamensis	75
		lutea	54	Tectum	3
		Macroschisma	102	tenuis	20
		mammillaris	49	tessellata.....	82
		margaritacea	21	testudinalis.....	63
		melanogramma	31	testudinaria	62
		militaris.....	42	tigrina	29
		mitrula.....	43	Tranquebarica	48
		monopis	16	tricarinata	51
		Neptuni	2	trochiformis	6
		neritoidea	8	trochoides	7
		nimbosa	99	tuberculata.....	39
		nodosa.....	93	virginea	81
		notata	77	vitellina	73
		nubecula.....	100	Ulyssiponensis	35
		oblonga	57	Umbella	34
		Oculus.....	24	umbellata	85
<p>PATELLA. <i>page 176.</i></p>					
aculeata	11				
Afra	65				
ambigua	84				
angulosa	18				
apertura	89				
areolata	70				
atricapilla	92				
auricula	5				
barbara	22				
cæca.....	80				
cærulea	59				
Caffra	95				
Calyptra	45				
Cassida	47				
chlorosticta	28				
Cochlear.....	40				
cochleata	44				
compressa	64				
crenata	33				
Crepidula	13				
cruciata	78				
Cypria.....	23				

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>
ungarica	41	SERPULA. <i>page</i> 185.		SOLEN. <i>page</i> 13.
vulgata.....	38	Afra.....	24	Amethystus
		anguina	26	anatinus
		annularis	28	antiquatus.....
		Aquaria	34	biradiatus
		arenaria	23	castrensis
		cancelata	12	Cultellus
		carinata	10	Diphos
		Cereolus	5	Ensis
		conica	22	fragilis
		contortuplicata ...	17	Guineensis
		Cornu-copiæ	29	inflexus
		corrugata	14	Legumen
		decussata	30	linearis
		denticulata.....	33	Macha
		echinata	27	magnus
		gigantea	38	maximus
		glomerata	20	minimus
		Goreensis	19	minutus.....
		granulata.....	11	Novacula
		heterostropha ...	13	occidens
		incurvata.....	3	pellucidus
		lucida	15	Pinna.....
		lumbricalis	21	radiatus.....
		minuta.....	7	roseus ..
		nebulosa	18	sanguinolentus.....
		Ocrea	35	Siliqua
		planorbis.....	4	Spengleri
		proboscidea	36	squamosus.....
		protensa	37	striatus
		Semilunum.....	2	strigilatus
		Spirillum.....	6	truncatus
		Spirorbis.....	8	Vagina
		stellaris	1	variegatus
		triquetra	9	vespertinus
		tubularia.....	32	virens
		vermicularis	31	
		vitrea	16	SPONDYLUS. <i>page</i> 41.
		Volvox.....	25	citreus
				4

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
Gædaropus.....	1	raninus	44	fabula.....	23
plicatus	3	Scorpius	6	fasciata	56
regius	2	succinctus	30	fausta	74
STROMBUS, page 115.					
Accipiter.....	24	sulcatus	29	Ferröensis.....	36
ater	40	tridentatus	34	flexuosa.....	78
Auris Dianæ	16	tuberculatus	38	foliacea	20
auritus.....	41	Vexillum.....	36	fragilis	7
Bryonia	8	vittatus	28	Gallica	94
Canarium	27	Unicornus	2	Gargadia	1
Chiragra.....	5	Urceus.....	32	Gari	6
costatus	43	TELLINA, page 16.			
dentatus	35	acuta	25	gibbosa	13
Epidromis	25	Adansoni	59	hyalina	39
Erythrinus	33	alba	38	Jamaicensis	53
fasciatus	14	albicans.....	54	Iberica	92
Fissurella	31	albida.....	21	inæquilatera	14
fissus.....	3	amnica	19	inæquivalvis	97
Fusus	1	angulata	5	inflata	9
Gallus	12	angulosa	64	interrupta.....	4
gibberulus	20	angusta	45	Knorrii	15
Gigas	22	aspera	50	lactea.....	76
laciniatus	15	balaustina.....	66	lacustris.....	91
Lambis.....	7	Balthica.....	85	lævigata.....	29
latissimus	23	bimaculata	83	lævis	68
lentiginosus	10	calcarea.....	43	lanceolata.....	40
lividus	42	cancellata.....	60	Laskeyi.....	65
Luhuanus	19	carnaria.....	79	lata.....	52
marginatus	18	coccinea	42	limosa	96
Millepeda	9	cordiformis	82	Lingua felis	2
minimus	26	cornea	90	maculata	18
Norwegicus	37	crassa	75	Madagascariensis	46
Oniscus	21	crystallina.....	10	multangula	11
palustris	39	decussata	81	muricata	73
Papilio.....	13	dentata	88	nivea	62
Pes-Pellicani	4	depressa	48	obliqua	17
polyfasciatus	11	digitaria	89	oblonga	34
Pugilis.....	17	divaricata	87	opalina.....	41
		donacina	31	operculata	37
				papyracea	12
				pectinata.....	44

<i>Sp.</i>	<i>Sp.</i>	<i>Sp.</i>
pisiformis 86	Afer 36	flumineus 77
planata 24	albidus 51	foveolatus 110
polygona 80	Alveare 6	fragilis 75
punicea 47	Americanus 103	fuscatus 54
purpurascens 49	annulatus 127	gibberosus 106
pusilla 16	Areola 56	Granatum 97
radiata 26	argyrostomus 85	grandinatus 79
radula 71	asper 81	Gröenlandicus 28
Remies 69	bidens 74	Guineensis 32
reticulata 70	cælatus 105	hortensis 119
rosea 58	cærulescens 100	hybridus 61
rostrata 28	callosus 76	imbricatus 104
rotundata 77	Capensis 35	imperialis 68
rufescens 55	carneus 33	inæqualis 15
rugosa 8	cinerarius 49	Indicus 64
sanguinea 27	cinereus 57	inermis 67
scabra 72	concauus 7	infundibuliformis .. 60
scobinata 67	conchyliphorus .. 69	Iris 113
Senegalensis 95	conspersus 9	jujubinus 4
sinuosa 93	Conulus 93	Labeo 80
solidula 84	Conus 2	lævigatus 27
Spengleri 35	Cookii 112	lunaris 130
striata 57	corallinus 31	maculatus 5
strigosa 61	costatus 14	Magus 34
sulcata 63	crassus 87	Mauritanus 107
tenuis 22	crocatus 118	melanostomus ... 89
triangularis 51	croceus 46	Modulus 37
trifasciata 30	cruciatus 29	muricatus 39
trilatera 33	cylindricus 18	neritoideus 50
truncata 32	depressus 26	nigerrimus 22
virgata 3	diaphanus 99	Niloticus 1
TEREDO. <i>page</i> 187.	divaricatus 53	notatus 115
Clava 4	dolabratus 122	Obeliscus 109
gigantea 1	dolarius 96	obtusus 117
navalis 2	elegans 114	ochroleucus 11
Utriculus 3	exiguus 91	papillosus 95
TROCHUS. <i>page</i> 133.	Fanulum 23	perlatus 71
Ægyptius 38	fasciatus 58	perspectivus 62
	fenestratus 108	perversus 123

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
imperialis	39	papyraceus	49	striatus	106
indistinctus	109	parvus	99	subulatus	160
interruptus	62	Pertholatus	18	subumbilicatus	60
jugosus	11	perversus	149	sulcatus.....	115
Juniperi	152	petræus.....	13	Tectum-Persicum..	24
Labeo	120	Pica	65	tenebrosus	6
labiatus	148	politus	159	Terebellum	140
labiosus.....	57	Porphyrites	78	Terebra.....	137
lacteus	96	principalis	89	torcularis	133
laminatus	144	pulcher	98	torquatus	82
ligatus	122	Pullus	17	tridens	151
limbatus	124	punctatus	10	trochiformis	25
Lincina	119	Punctura	53	Turris Thomæ	142
littoreus	5	quadridens	154	Turritella	134
Ludus	166	quadrifasciatus	70	variegatus	139
lunulatus	121	quinquedentatus	150	ventricosus	59
mamillatus	47	radiatus.....	38	Vertigo	156
margaritaceus	77	reflexus.....	117	vinctus	69
marginatus	105	replicatus	130	vitreus	52
Marginellus	167	reticulatus.....	101	Ulvæ	58
marmoratus	34	ruber.....	51	undulatus	75
Mespilus	79	rudis	7	unicarinatus	26
Moltkianus	44	rugosus	33	unicus	108
Mumia	111	sanguineus.....	71	unifasciatus	55
muricatus	8	Sarmaticus	35	Uva	110
Muscorum	153	scalaris	88		
nautilus	162	semicostatus	50	VENUS. <i>page 33.</i>	
neritoides	2	semistriatus	63	aculeata.....	89
Nicobaricus	3	Separatista	126	aurea.....	111
nigerrimus.....	4	serpuloides	165	Caliste	25
nigricans	147	setosus	42	Callipyga	63
niveus	127	sexdentatus	155	cancellata	15
nivosus	56	simillimus	98	casina	14
nodulosus	66	Smaragdus	22	casta	46
nodulosus	84	Sparverius.....	43	castrensis	57
obsoletus	135	Spenglerianus	45	Chione	44
obtusatus	1	stellaris	29	cincta	70
Olearius	36	stellatus.....	31	cingenda	6
Pagodus	27	striatulus	100	circinata	24

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
coaxans	42	Icelandica	41	reflexa	22
compressa	26	juvenilis.....	85	reticulata	66
concentrica	84	læta	49	rigida.....	13
contempta.....	53	lapidica	72	rotundata	103
contraria	95	literata	101	Scotica	20
corrugata	96	Lorenziana	59	scripta	97
costata	39	lusoria	43	Senegalensis	106
crenulata	68	mactroides	33	Sinensis.....	76
Danmonia	21	maculata	45	sinuata	82
decussata	107	Malabarica	36	spinifera.....	11
deflorata	64	Marica	5	spuria	80
Dione	1	mercenaria	40	squamosa	71
discors	91	Meretrix	47	striata	56
dispar	92	Meroë	62	subcordata	16
divaricata	94	minima	17	succincta	4
divergens	73	monstrosa.....	112	sulcata	18
Dysera	7	Montagui	19	Textile	104
edentula	98	nebulosa	52	Tiara	8
equivoca	93	obsoleta	105	tigerina	75
Erycina.....	38	opima	50	triangularis	35
exalbida.....	27	ornata	60	tripla	34
excavata	10	ovata.....	30	triradiata	51
exoleta	83	Paphia	2	tumidula	88
fasciata	3	paradoxa	48	verrucosa	12
fimbriata	65	paupercula	31	virginica.....	110
flammea.....	37	pectinata	90	undata	87
flexuosa.....	32	Pectunculus	58		
fluminalis	113	Pensylvanica.....	78	VOLUTA. <i>page</i> 89.	
fluminea	114	perforans	108	Abbatis	137
fluviatilis	115	petulca	28	acuminata.....	88
Gallina	23	Phryne	61	Acus	125
geographica	102	plicata	9	Æthiopica	175
gigantea.....	100	plumbea	74	alba	22
globosa	99	prostrata	77	ambigua.....	28
granulata	29	Puerpera	67	annulata	33
hermaphrodita	116	pullastra	109	aurantia	120
Histrio	86	punctata	81	Auris cati	10
Jamaicensis	79	radiata	69	— Judæ	2
Japonica	55	recens	54	— Malchi	4

<i>Sp.</i>		<i>Sp.</i>		<i>Sp.</i>	
Auris Midæ	1	Ebræa	154	Magellanica	168
—— Sileni	6	elegans	69	magnifica	173
—— Virginis	8	episcopalis.....	143	marginata	62
—— vulpina	9	erythrostoma.....	30	marmorea	136
Australis	3	exasperata.....	97	melongena	112
Earbadensis	93	exilis	54	mendicaria	79
bidentata	21	Faba	63	mercatoria.....	73
biplicata	127	fasciata	7	micans	44
bullata	70	fenestrata	48	microzonias	81
Caffra	106	ferrugata	77	Miliaria.....	52
cancellata	82	filaris.....	90	minuta	16
capitellum.....	156	filosa	91	Monilis	53
Carneola	43	fissurata.....	92	Morio	108
casta	124	flammea.....	12	muricata	158
Castanea	66	flava	17	Musica	147
catenata.....	60	flavicans	165	nana	80
Ceramica	159	glabella	64	Nassa.....	83
cingulata	56	glabra.....	5	nasuta	135
clathrata	186	Glans.....	183	Navicula	182
Clathrus	94	globosa	162	Neptuni.....	181
Coffea	15	granosa	99	nigra	123
Colocynthis	174	gravis.....	161	nitidula.....	45
Conus	51	guttata	57	nivea	40
cornicula	86	hiatula	39	nivosa	171
Corona	176	Jaspidea.....	41	nodulosa	100
coronata	146	imperialis	152	nubila	140
costata	98	incrassata	35	nucea.....	84
costellaris	110	Indica	185	ocellata.....	134
crenifera	95	insculpta	26	oliva	31
crenulata	49	interincta	25	olivaria	139
cruenta	32	Ispidula.....	38	Olla	180
cruentata	117	Junonia.....	170	Oryza	46
Cymbiola	177	lævigata.....	133	Pacifica	153
Cymbium	178	lævis	61	pallida	59
Dactylus	47	Lapponica.....	163	papalis	144
decussata	102	Leucozonias	107	patriarchalis	78
denticulata	18	lineata	129	paupercula	75
digitalis	142	livida.....	14	pellucida	23
discors	131	maculosa	126	Persicula	55

<i>Sp.</i>	<i>Sp.</i>	<i>Sp.</i>
pertusa141	rustica 74	triplicata..... 19
Pica 76	Sanguisuga105	Turbinellus.....155
picta 65	scabricula 96	turricula128
pinguis 36	Scapha.....172	turrita 118
plicaria115	Schroeteri 87	variegata.....104
plicata 27	scutulata.....122	ventricosa 34
plicata149	serpentina138	Vespertilio151
polygona113	solidula 13	Vexillum 150
Porcellana..... 58	spadicea101	virescens.....148
porcina179	spiralis.....119	Virgo 89
Porphyrea 29	striata132	vitulina121
Præputium.....184	strigata 67	undulata166
Prunum 68	subdivisa111	unidentata 24
pusilla 20	sulcata.....130	Volva169
Pyrum160	tæniata114	Utriculus..... 37
reticulata..... 71	texturata..... 50	Vulpecula109
Rhinoceros.....157	Thiara.....145	Zebra164
Ruffina.....103	tigrina 42	Ziervogelii..... 72
rugosa116	tornatilis 11	
rupestris167	Tringa..... 85	

THE END.

P R E F A C E.

IN submitting the following SUPPLEMENT to the Public, it will be proper to remark, that the plan pursued in the *Index Testaceologicus* has been continued for the sake of uniformity, though liable to an objection with respect to the first column.

It appears absurd that the word Linnean names, should be continued to shells wholly unknown to Linneus; yet as the arrangement is Linnean, the head could not well be dispensed with, without injury to the body.

It will be seen by a reference to the third column, that the majority of the shells have been figured from specimens in the British Museum, and the names attached to them in that collection have been adopted. For the rest, except such as have been derived from books, the Author gratefully acknowledges the assistance of Mrs. Mawe, and Mr. Gray, from whose Cabinets, and principally from the former he has derived the most essential benefit.

It is to be hoped that an inspection of the Plates, and a careful comparative examination of the Figures, will leave the Subscribers at least as well satisfied with the second part of the Index, as they have kindly professed themselves to be with the first.

The additional list of Lamarckian names, adapted to the plates and figures in the *Index Testaceologicus*, has been extracted from the three last volumes of the "*Animaux sans Vertèbres*"; and the Genera have been arranged alphabetically for the convenience of reference.

As a guide to the comparative size of the different shells, a mark or a letter of the alphabet is added after the number engraved on the plate. Thus + indicates a shell half an inch long; $\frac{+}{4}$ three-quarters of an inch; *a* an inch; $\frac{a}{4}$ an inch and a quarter; *a* + an inch and a half; $\frac{a}{4} +$ an inch and three-quarters; *b* two inches; *c* three inches, and so on: *n* denotes shells of the natural size; and *m* such as are magnified.

LONDON,
May, 17, 1828.

ABBREVIATIONS.

<i>Au. Cab.</i>	. . .	Author's Cabinet.
<i>Bligh Cat.</i>	. . .	Bligh Catalogue.
<i>Br. M.</i>	. . .	British Museum.
<i>E. M.</i>	. . .	<i>Encyclopédie Méthodique</i> , art. <i>Vers.</i>
<i>Fer.</i>	. . .	Ferussac, <i>Histoire Naturelle des Mollusques.</i>
<i>Gray Cab.</i>	. . .	Mr. Gray's Cabinet.
<i>M. Cab.</i>	. . .	Mrs. Mawe's Cabinet.
<i>S. G. S.</i>	. . .	Sowerby's <i>Genera of Recent and Fossil Shells.</i>
<i>Sw. Ex. Con.</i>	. . .	Swainson's <i>Exotic Conchology.</i>
<i>Sw. Z. Ill.</i>	. . .	————— <i>Zoological Illustrations.</i>
<i>Tan. Cat.</i>	. . .	Tankerville Catalogue.
<i>Turt. B.</i>	. . .	Turton's <i>British Bivalves.</i>
<i>Zool. Jour.</i>	. . .	<i>Zoological Journal.</i>
Fr. w.	. . .	Fresh water.
L.	. . .	Land.
U.	. . .	Unknown.

} These abbreviations occur in
the last column.

SUPPLEMENT.



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
CHITON.	COAT OF MAIL.		
1 Peruvianus	black, bristle- edged	<i>M. Cab. E.M. pl.</i> 163, f. 7 & 8.	Peru.
2 undulatus	brown-waved	<i>M. Cab.</i>	Indian Ocean.
3 luteolus	yellowish	————	————
4 nebulosus	clouded	————	Isle of France.
5 setosus	yellow-bearded	————	W. Indies.
6 olivaceus	smooth, olive	————	Indian Ocean.
7 variegatus	variegated	<i>Au. Cab.</i>	Britain.
8 latus	brindled	<i>Zool. Jour. 2, pl. 5, f. 6</i> & 7.	————
9 aselloides	smooth, brown	<i>Zool. Jour. 2, pl. 5,</i> <i>f. 5.</i>	————
10 Carmichaelis	Carmichael's	<i>Br. Mus.</i>	C. of Good Hope.
11 Capensis	Cape	————	————
12 Siculus	Sicilian	————	Coast of Sicily.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
LEPAS. BARNACLE.			
1 aculeata	spiny-ribbed	<i>M. Cab.</i>	African Seas.
2 pulchra	wrinkled	<i>Br. Mus.</i>	Corsica.
3 Peronii	Peron's	————	South Seas.
4 Pyrgoma	ribbed	————	West Indies.
5 Lyonii	Lyon's	————	Indian Seas.
6 Homii	Home's	————	South Seas.
7 angulosa	angular	<i>S. G. S. No. 26, pl. 2.</i>	
PHOLAS. PIERCER.			
1 papyracea	Paper	<i>Au. Cab.</i>	Britain.
2 tuberculata	tuberculated	<i>Turt. B. t. 1, f. 7, 8.</i>	————
3 lamellata	lamellated	<i>Turt. B. t. 1, f. 5, 6.</i>	————
4 Ovum	egg-shaped	<i>Br. Mus.</i>	West Indies.
MYA. GAPER.			
1 rotunda	round	<i>Au. Cab.</i>	N. America. Fr. w.
2 oblongata	brown-rayed	————	————
3 alata	winged	<i>Sw. Ex. Con. No. 1.</i>	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
4 nasuta	lancet-shaped	<i>Au. Cab.</i>	N. Amer. Fr.w.
5 undulata	dark-streaked	————	————
6 gravis	heavy	————	————
7 rugulosa	green, wrinkled	————	————
8 obliqua	oblique	<i>Br. Mus.</i>	————
9 ambigua	doubtful	————	————
10 rigida	rigid	————	————
11 praelonga	lengthened	————	————
12 angulata	sharp-cornered	<i>M. Cab.</i>	S. America. Fr.w.

SOLEN.

RAZOR.

1 Mediterraneus	dark-rayed	<i>Brit. Mus.</i>	Sardinia.
2 corneus	horn-coloured	————	u.
3 lividus	pale	————	New Holland.
4 orbiculatus	orbicular	————	u.
5 tenuis	slender	<i>M. Cab.</i>	—
6 politus	polished	————	—

TELLINA.

TELLEN.

1 Childreni	Children's	<i>Br. Mus.</i>	Brazil.
2 convexa	round	————	New Holland.
3 lutea	yellowish	————	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
4 pulchella	orange-streaked	<i>M. Cab.</i>	u.
5 elegans	beaked	————	—
6 ochroleuca	ochre-coloured	————	—

MACTRA. MACTRA.

1 cyprinus	brittle	<i>Br. Mus.</i>	Peru.
2 recurva	recurved	————	u.
3 Campechensis	grooved	————	Campeachy.
4 tenera	thin spotted	————	Van Dieman's L.
5 similis	rough coated	————	————
6 subplicata	wrinkle-skinned	————	Tranquebar.
7 alata	pale single-ridged	————	u.
8 Veneriformis	Venus-shaped	————	—
9 denticulata	toothed	————	—
10 subtriangulata	truncated	————	—
11 ovata	oval	————	—
12 Taprobanensis	smooth, angular	————	Ceylon.

DONAX. DONAX.

1 Scalpellum	slender	<i>Br. Mus.</i>	u.
2 Stultorum	mactra-shaped	————	Indian Seas.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
3 Madagascariensis	ribbon	<i>M. Cab.</i>	Madagascar.
4 biradiata	two-rayed	————	Isle of France.
5 sexradiata	six-rayed	————	————

VENUS.

VENUS.

1 lamellata	rough, ridged	<i>Br. Mus.</i>	New Holland.
2 Berrii	Capuchin	————	u.
3 elegans	cockle-shaped	————	Brazil.
4 Stutchburii	Stutchbury's	————	Sandwich Isl.
5 similis	spotted	————	China.
6 subrugosa	roughish	<i>M. Cab.</i>	Panama.
7 subrostrata	slightly beaked	<i>Br. Mus.</i>	New Holland.
8 papyracea	Paper	————	————
9 Kingii	King's	————	S. Seas.
10 aphrodisinoides	grated	————	————
11 hians	gaping	————	China.
12 aurisiaca	golden-valved	————	u.
13 Childreni	Children's	————	—
14 cyprinoides	strong marked	————	Japan.
15 costulata	mottle ribbed	<i>M. Cab.</i>	S. Seas.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
16 pulchra	smooth-rayed	<i>M.Cab.</i>	S. Seas.
17 Damaoides	interrupted	<i>Br.Mus.</i>	East Indies.

CHAMA. CLAMP.

1 angulata	angular	<i>Br.Mus.</i>	N. Holland.
2 rostrata	beaked	————	u.
3 incrassata	heavy, grooved	————	—
4 Australis	Cockle	————	N. Holland.
5 crassicostata	thick-ribbed	————	u.
6 pectinata	comb-shaped	————	—

ARCA. ARK.

1 Americana	regular shaped	<i>Br.Mus.</i>	Bay of Campeachy.
2 semitorta	winged	————	u.
3 cylindrica	cylindric	————	—
4 obliquata	mussel-shaped	————	—
5 tellinoides	tellen-shaped	————	Cumana.
6 glacialis	small brittle	————	North Sea.
7 Braziliansa	Brazilian	————	Brazil.
8 nodosa	tuberculated	————	u.
9 Rostrum	hoe-shaped	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
10 elongata	lengthened	<i>Br.Mus.</i>	u.
11 pectiniformis	pecten-shaped	————	—
12 squamosa	scaly	————	—

OSTREA. OYSTER.

1 asperrima	roughish	<i>Br.Mus.</i>	South Sea.
2 muscosa	prickly	————	————
3 Tegula	tile-ribbed	<i>M.Cab.</i>	u.
4 ornata	mottled	————	Tranquebar.
5 subauriculata	little-eared	<i>Br.Mus.</i>	Great Britain.
6 elliptica	shapeless	————	Nile Fr. w.
7 gigantea	gigantic	————	u.
8 angulata	angular	————	Africa.

ANOMIA. ANOMIA.

1 dentata	toothed	<i>Br.Mus.</i>	u.
2 ostreoides	oyster-shaped	————	Africa.
3 rosea	rose-coloured	————	N. Holland.
4 rubra	red-coloured	<i>M.Cab.</i>	East Indies.

MYTILUS. MUSSEL.

1 Niloticus	Nilotic	<i>Br.Mus.</i>	Nile Fr. w.
-------------	---------	----------------	-------------

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
2 dilatatus	dilated	<i>Br.Mus.</i>	u.
3 castaneus	chestnut	————	China.
4 Folium	leafy	————	u.
5 lævigatus	Northern	————	Polar Seas.
6 Volgensis	mottled	————	Volga. Fr.w.

CONUS.

CONE.

1 brunneus	brown	<i>M.Cab.</i>	u.
2 interruptus	dotted	————	—
3 gracilis	slender	————	Timor.
4 lucidus	bright	————	South Sea.
5 Balteus	girdled	————	u.
6 gradatus	interrupted	————	California.

CYPRÆA.

COWRY.

1 tessellata	painted	<i>M.Cab.</i>	S. Seas.
2 lactea	milky	————	————
3 sulcidentata	strong-toothed	————	————
4 Listeri	ocellated	————	————
5 arenosa	sand	————	————
6 Turdus	thrush-backed	————	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
7 Arabacula	snake-skin	<i>M. Cab.</i>	S. Seas.
8 quadrimaculata	four-spotted	————	u.
9 interstincta	spotted	————	—
10 aperta	open-mouthed	————	—
11 commixta	blended	————	Ind. Ocean.
12 nivea	white-banded	————	S. Seas.
13 umbilicata	umbilicated	<i>Tan. Cat. p. 30, pl. 7.</i>	u.
14 Algoensis	Algoa Bay	<i>Br. Mus.</i>	Africa.
15 rosea	violet	————	Ind. Ocean.
16 Childreni	Children's	————	u.
17 clandestina	angular-streaked	————	S. Seas.
18 Capensis	Cape	————	C. of Good Hope.

BULLA. DIPPER.

1 lineata	linear	<i>Br. Mus.</i>	New Holland.
2 elegans	inflated	<i>Gray Cab.</i>	Britain.
3 decussata	pear-shaped	<i>M. Cab.</i>	Panama.

VOLUTA. VOLUTE.

1 subnodosa	zigzag	<i>Br. Mus.</i>	u.
-------------	--------	-----------------	----

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
2 gracilis	slender	<i>Br.Mus.</i>	v.
3 Fulgetrum	lightning	<i>Tan.Cat.pl.28, pl.4</i> & 5.	—
4 aulica	red-clouded	<i>Tan.Cat.p.29,p.6.</i>	Ind. Oc.
5 Flammula	flame-marked	<i>Tan.Cat.pl.3,fig.1.</i> [<i>V. cymbiola.</i>]	v.
6 pulchra	speckled flesh- coloured	<i>Tan.Cat.p.28,pl.3,f.2.</i>	v.
7 Goodalli	Goodall's	<i>Br.Mus.</i>	—
8 marginata	double-banded	—————	—
9 Pusio	five-banded	—————	—
10 vittata	ribbon	—————	—
11 lyriformis	lyre-shaped	—————	—
12 lugubris	dark-coloured	—————	—
13 zonata	zoned	—————	Mediterranean.
14 contracta	contracted	<i>M.Cab.</i>	v.
15 Australis	Southern	—————	Van Dieman's Land.
16 Pyramis	taper	—————	v.
17 rigida	stiff, ribbed	—————	—
18 crassa	heavy	—————	South Sea.
19 punctata	dotted	—————	—————
20 marmorata	marbled	—————	v.
21 angulata	cornered	—————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
22 tuberculata	pimpled	<i>M.Cab.</i>	S. Seas.
23 rubiginosa	reddish	————	v.
24 modesta	open-mouthed	————	—
25 Lens	lentil-shaped	————	—
26 Harpa	Harp-shaped	————	—
27 Fragaria	Strawberry	————	—
28 unifasciata	single-banded	————	—
29 corrugata	wrinkled	————	—
30 Filum	Thread	————	—
31 tessellata	mosaic	————	—
32 ignea	reticulated	————	—
33 Nux	Hazel	<i>Br.Mus.</i>	—
34 columellaris	thick-lipped	————	—
35 Peruviana	Peruvian	————	S. America.
36 cærulea	blue-banded	<i>M.Cab.</i>	v.
37 Dama	fawn-spotted	————	S. Sea.
38 tenebrosa	dark	————	————

BUCCINUM. WHELK.

1 ringens	wry-mouthed	<i>Br.Mus.</i>	v.
2 semigranosum	lightly grained	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
3 melanostoma	thick-ribbed	<i>Br.Mus.</i>	v.
4 tenue	thin-coated	<i>M.Cab.</i>	—
5 coarctatum	Roller	————	—
6 Rudolphi	purple-marked	————	—
7 distortum	misshapen	————	—
8 Bulbus	bulbous	————	—
9 subrostratum	channeled	————	—
10 brevidentatum	short-toothed	————	—
11 denticulatum	small-toothed	————	—
12 armatum	single-spined	————	—
13 tectum	knob-whirled	————	—
14 callosum	thick-skinned	————	—
15 Planaxis	girdled	————	—
16 Tankervillei	Tankerville's	<i>Br.Mus.</i>	—
17 marginatum	marginated	————	—
18 Strombiforme	strombus-shaped	————	—
19 fulgurans	Lightning	————	—
20 chlorostoma	thick-lipped	————	—
21 Terpsichore	small spotted	————	—
22 lineolatum	slender lined	————	—
23 roseum	rose harp	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
24 minus	clouded harp	<i>Br.Mus.</i>	u.
25 elongatum	long	<i>M.Cab.</i>	India.
26 Noveboracensis	New York	<i>GrayCab.</i>	America.
27 melanopsis	brown, furrowed	————	S. of Europe.
28 prærosum	Spindle	————	————
29 lævigatum	smooth	————	u.
30 Zebra	Zebra	————	Pacific Ocean.

STROMBUS. SCREW.

1 gracilior	indented	<i>Br.M.</i>	u.
2 variabilis	streaked	————	—
3 labiosus	spreading	————	—
4 jugosus	ridged	————	Indian Ocean.
5 floridus	florid	<i>M.Cab.</i>	————
6 cancellatus	Spindle	<i>Br.M.</i>	u.
7 zonatus	zoned	<i>M.Cab.</i>	—
8 obtusus	blunt	<i>Br.M.</i>	—
9 petrosus	rocky	<i>M.Cab.</i>	East Indies.
10 rugosus	rugged	<i>Br.M.</i>	u.
11 lineolatus	lined	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
12 incisus	notch-lipped	<i>Br.M.</i>	v.
13 Galea	Helmet	————	—
14 Galea junior	young helmet	————	—
15 bituberculatus	Banner	————	—
16 tricornis	three-horned	————	—
17 Thersites	spotted	————	—
18 variabilis(<i>var.</i>)	spot mouth	————	—
19 Persicus	Persian	————	Persian Gulf.
20 dilatatus	dilated mouth	————	v.
21 granulatus	granulated	————	—
22 auritus	eared	————	—
23 Byronensis	nailed	————	S. Amer.
24 Sayii	top-shaped	————	N. Amer.

MUREX.

ROCK.

1 costularis	prickly-lipped	<i>Br.M.</i>	v.
2 Papilla	Nipple	————	—
3 rigidus	rigid	————	—
4 cristatus	horned	————	—
5 Mitra	Mitre	————	—
6 echinatus	echinated	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
7 bicarinatus	double-keeled	<i>Br.M.</i>	u.
8 elegans	slender	————	—
9 Pleurotoma	ribbed	————	—
10 sanguineus	red-ribbed	<i>M.Cab.</i>	—
11 unifasciatus	white-banded	————	—
12 acuminatus	sharp-pointed	————	—
13 regius	imperial	<i>Sw.Ex.Con.part2.</i>	S. Seas.
14 Salmo	salmon-coloured	<i>M.Cab.</i>	u.
15 ceratus	wax-noduled	————	—
16 Ferrugo	rusty	————	—
17 Funiculus	corded	————	—
18 labiosus	lipped	————	—
19 aculeatus	spiny	————	—
20 pinnatus	winged	<i>BlighCat.p.18.</i>	—
21 exasperatus	rough-coated	<i>M.Cab.</i>	—
22 cariosus	cariosus	————	—
23 subglobosus	roundish	————	—
24 pictus	painted	————	—
25 mitriformis	brown striated	————	Isle of France.
26 curvirostris	curve-beaked	<i>Br.M.</i>	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
TROCHUS. TOP-SHELL.			
1 undosus	waved	<i>M.Cab.</i>	California.
2 Unguis	clawed	————	————
3 olivaceus	olive gray	————	S. Sea.
4 Pellis Serpen- tis	snake skin	————	Panama.
5 armillatus	beaded	————	S. Sea.
6 acuminatus	sharp-edged	————	————
7 rugosus	rough	<i>Br.M.</i>	u.
8 Listeri	Lister's	————	—
9 elegantulus	red, rough	————	Ceylon.
10 Tankervillii	Tankerville's	————	u.
11 granosus	grained	————	—
12 tæniatus	Ribbon	————	—
13 lævis	smooth	————	—
14 albidus	whitish	<i>Au.Cab.</i>	Ireland.
15 Clelandi	small dotted	————	————
16 quadricostatus	four-ribbed	<i>Br.M.</i>	u.
17 Byronianus	shaded	————	Sandwich Islands.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
18 Zebra	Zebra	<i>Br.M.</i>	u.
19 elongatus	lengthened	————	—
20 Smithii	Smith's	————	—
21 reticularis	blunt-tipped	————	—
22 articulatus	interrupted	————	—
23 filosus	threaded	————	—
24 Trochlea	Screw	————	—
25 atratus	sombre	————	—
26 obscurus	doubtful	————	—
27 Maugeri	warted	————	—
28 pictus	painted	————	—
29 formosus	ornamented	<i>GrayCab.</i>	—
30 æqualis	small, flattish	————	—
31 clangulus	Trumpet	————	—
32 Mediterraneanus	clouded	————	Mediterranean.
33 callosus	thick-skinned	————	u.
34 zonatus	zoned	————	—
35 concameratus	dome-shaped	————	—
36 viridis	green, striped	————	—
37 odontis	Mulberry	————	—
38 reticulatus	reticulated	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
39 clanguloides	regularly marked	<i>Gray Cab.</i>	u.
40 sulcatus	furrowed	————	—
41 indistinctus	indistinct	————	—
42 interruptus	mottle-banded	————	Ireland.
43 Montagui	Montagu's	————	————
44 Calyculus	Cup	————	u.
45 pulcherrimus	elegant	————	—
46 badius	chestnut-coloured	————	S. Seas.

TURBO. WREATH.

1 niger	black	<i>Br.M.</i>	u.
2 Petiverianus	Petiver's	————	—
3 Jamaicensis	Jamaica	————	W. Indies.
4 pulcher	plaited mouth	————	u.
5 lævis	smooth	————	—
6 Chemnitzii	Chemnitz's	————	—
7 Australis	Southern	————	New Holland.
8 Fascia	banded	————	u.
9 fulvus	tawny	————	Minorca.
10 elongatus	finely-striated	————	u.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
11 maculatus	spotted	<i>Au.Cab.</i>	Britain.
12 Anglicus	broad-toothed	————	————
13 rufescens	reddish	<i>GrayCab.</i>	————
14 edentulus	toothless	————	————
15 fuscus	brown	————	————
16 raricostatus	net-work	<i>Br.M.</i>	u.
17 lamellosus	distant-ribbed	————	—
18 Australis	Southern	————	New Holland.
19 varicosus	close-ribbed	————	————
20 Martinii	Martini's	————	u.
21 Columna	Pillar	<i>GrayCab.</i>	—
22 mirabilis	broad-lipped	————	—
23 aurantius	Orange	————	—
24 formosus	elegant	————	W. Indies.
25 varius	speckled	————	u.
26 lineolatus	marked	————	Isle of France.
27 bulimoides	Bulimus-shaped	————	————
28 Francesii	dark-banded	————	E. Indies.
29 minimus	dotted	————	u.
30 tuberculatus	knobbed	————	—
31 flavidus	cylindrical	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
32 tortus	crooked	<i>GrayCab.</i>	u.
33 Zebra	Zebra	————	S. America.
34 Pintado	Pintado	————	Sandwich Isl.
35 torticollis	wry-necked	<i>Br.M.</i>	Mediterranean.
36 costulatus	Cone	————	u.
37 truncatulus	wire-worm	————	Mediterranean.
38 gracilis	slender	————	W. Indies. L.
39 Chrysalis	wrinkled	————	————
40 Mediterranean	seed-shaped	————	Malta. L.
41 suturalis	taper	————	u.
42 compressus	compressed	————	—
43 crassus	heavy	<i>M.Cab.</i>	—
44 fluctuosus	green-waved	————	—
45 saxosus	rocky	————	—
46 Perdix	Partridge	————	—
47 bicarinatus	double-ridged	————	—
48 Funis	corded	————	—

HELIX. SNAIL.

1 formosa ¹	bright-spotted	<i>Fer.t.47,f.1.</i>	u.
2 orbiculata	roundish	<i>Fer.t.42,f.4.</i> (<i>plicaria.</i>)	West Indies.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
3 squamosa	scaly	<i>Fer.t.41,f.3.</i>	W. Indies.
4 auriculata	eared	<i>Sw.Z.Ill.v.1.</i>	u.
5 sylvatica	wood	<i>Fer.t.32,f.7.</i>	N. of Eur. L.
6 turgidula	yellow-brown	<i>Fer.t.29,f.12.</i>	Europe. L.
7 Helicella	scollop-edged	<i>Fer.t.30,f.2.</i>	Marocco. (<i>planata</i> 295.)
8 Zonula	small girdled	<i>Fer.t.26,f.6.</i>	Ceylon. (<i>vittata</i> , n. 35.)
9 patula	open-mouthed	<i>Fer.t.11,f.15.</i>	West Indies.
10 formosa ²	delicate, red striped	<i>Fer.t.31,f.4,5,6.</i>	u.
11 tridentata	three-toothed	<i>Au.Cab.</i>	N. America. L.
12 angulata	sharp-angled	————	———— Fr.w.
13 subcarinata	slightly keeled	<i>L.T.13,pl.5,f.1.</i>	————
14 septemvolva	seven-whirled	<i>Au.Cab.</i>	Florida.
15 monodon	single-toothed	————	N. America. L.
16 fraterna	brown, five whirled	————	———— L.
17 decisa	tawny Delaware	————	———— Fr.w.
18 dissimilis	dissimilar	————	————
19 virginica	beak-mouthed	————	————
20 coniformis	cone-shaped	<i>Fer.t.108,f.1.</i>	u.
21 concamerata	dome-shaped	————	Cape of G. Hope.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
22 conica	conical	<i>Br.M.</i>	u.
23 Listeri	Lister's	————	—
24 goniostoma	angular-mouthed	————	Brazil. Fr.w.
25 odontostoma	six-toothed	————	———— L.
26 lævissima	smooth, striped	————	S. America.
27 Kingii	King's	————	New Holland.
28 Dufresnii	Dufresne's	————	————
29 pulchra	Garter	<i>Gray Cab.</i>	u.
30 Byronii	Lord Byron's	————	Otaheite.
31 Maugeri	Mauger's	————	W. Indies.
32 nigrescens	three-toothed, black	————	u.
33 Tripolitana	African	————	Tripoli.
34 Sayii	Say's	————	N. America.
35 globulosa	inflated	<i>Fer.t.25,f.4.</i>	u.
36 Caffra	thin, streaked	<i>Fer.t.9.A.f.8.</i>	Africa.
37 conformis	shapely	<i>Fer.t.25.A.f.10.</i>	Molucca.
38 Prunum	plum-shaped	<i>Fer.t.26,f.7,8,9.</i>	N.Holland.
39 contusa	blunt-tipped	<i>Fer.t.31,f.1. & t.39.</i> <i>B.f.5,6.</i>	Brazils.
40 deformis	deformed	<i>Fer.t.32.A.f.1.</i>	Mediterr.
41 Nicæensis	double-banded	<i>Fer.t.28,f.1,2.</i>	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
42 Meridionalis	Southern	<i>Fer.t.29,f.4,5.</i> (<i>Otahietana.</i>)	Otaeti.
43 Melitensis	Quince	<i>Fer.t.25,f.11,12.</i>	Malta.
44 circumornata	spotted whirl	<i>Fer.t.41,f.2.</i>	u.
45 granosa	grained	<i>Fer.t.44,f.1-3.</i> (<i>aspera.</i>)	America.
46 discolor	discoloured	<i>Fer.t.46,f.3-6.</i>	S. America.
47 Lima	File	<i>Fer.t.46,f.1&2.</i>	Porto Rico.
48 dentiens	indented lip	<i>Fer.t.49.A.f.2.</i>	S. America.
49 parilis	orange	<i>Fer.t.49,f.2.</i>	Gaudaloupe.
50 Imperator	claw-mouthed	<i>Fer.t.52.</i>	America.
51 Soror	four-toothed	<i>Fer.t.54,f.4.</i>	W. Indies?
52 Zodiacus	white-banded, red	<i>Fer.t.75,f.2.</i>	u.
53 concisa	diagonally-striated	<i>Fer.t.78,f.3 & 4.</i>	—
54 Pellicula	thin-skinned	<i>Fer.t.105,f.1.</i>	—
55 Strobilus	red-banded	<i>Fer.t.103,f.1.</i>	—
56 Alauda	double-striped	<i>Fer. t. 103,f. 2, 3. &</i> <i>140,f.4,5.</i>	—
57 Carina	sharp-edged	<i>Fer.t.60,f.2.</i> (<i>Lampas.</i>)	E. Indies.
58 Pileolus	conical	<i>Fer.t.63.A.f.1,2.</i>	u.
59 bipartita	party-coloured	<i>Fer.t.75.A.f.1.</i>	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
60 <i>sinistrorsa</i>	reversed	<i>Fer.t.32.f.2,3.</i>	Cape of G. Hope. L.
61 <i>Listeriana</i>	Wheel	<i>Br.M.</i>	W. Indies.
62 <i>scabra</i>	rough-skinn'd	————	————
63 <i>Brownii</i>	Brown's	————	————
64 <i>scitula</i>	straw-coloured	————	————
65 <i>aureola</i>	somewhat golden	————	————
66 <i>Fibula</i>	Button	————	Sicily.
67 <i>lævis</i>	smooth, broad-lipped	————	Ceylon.
68 <i>lineata</i>	striped	————	E. Indies.
69 <i>labrosa</i>	edge-lipped	————	v.
70 <i>Petiveriana</i>	Petiver's	————	—
71 <i>dentata</i>	toothed	————	—
72 <i>fasciolata</i>	brown-streaked	<i>M.Cab.</i>	—
73 <i>sulculata</i>	beaked	————	—
74 <i>subplicata</i>	fallow	<i>Br.M.</i>	—
75 <i>Auris Leporis</i>	Hare's Ear	————	—
76 <i>papyracea</i>	paper	————	—
77 <i>scobinata</i>	rough-coated	<i>M.Cab.</i>	—
78 <i>Vexillum</i>	Banner	————	—
79 <i>Porto Sancta-na</i>	Porto Santo	————	Madeiras.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
80 punctulata	small dotted	<i>M. Cab.</i>	v.
81 exalbida	whitish	————	—
82 Bulverii	Bulwer's	————	—
83 tectiformis	roof-shaped	————	—
84 Madeirensis	little brown band- ed	————	Madeira.
85 bicarinata	double-keeled	————	v.

NERITA.

NERITE.

1 duplicata	doubled	<i>Br. M.</i>	S. America.
2 patula	wide snail-shaped	————	————
3 plumbea	lead-coloured	————	————
4 ornata	tooth-lipped	————	————
5 Australis	Cap	————	New Holland.
6 crepidularia	Slipper	————	————
7 intricata	mottled	<i>D. 1.</i>	Britain, &c.
8 Oweniana	shapeless	————	Africa.
9 cariosa	angular-mouthed	<i>Gray Cab.</i>	————
10 Caffra	Negro	————	————
11 Smithii	Smith's	————	————
12 spinosa	spiny	————	————

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
13 rudis	unwrought	<i>GrayCab.</i>	Africa.
14 glabra	smooth	————	————
15 semiconica	dark spotted	<i>M.Cab.</i>	India.
16 Owenii	Owen's	————	Africa.
17 Canalis	channeled	————	South Sea Islands.
18 pulchella	Festoon	<i>Br.M.</i>	W. Indies.

HALIOTIS. SEA-EAR.

1 rubra	red	<i>Br.M.</i>	New Holland.
2 tricostata	three-ribbed	<i>Br.M.</i>	u.
3 sulcifera	blotched	————	Van Dieman's Land.
4 imbricata	imbricated	————	New Holland.
5 Mariæ	fluted	————	u.
6 corrugata	wrinkled	————	—

PATELLA. LIMPET.

1 angulata	angular	<i>Br.M.</i>	u.
2 Poculum	Cup	————	—
3 Peziza	Jew's Ear	————	—
4 scutellata	crenated	————	—

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synon. & Ref.</i>	<i>Habitat.</i>
5 Extinctorium	Extinguisher	<i>Br.M.</i>	v.
6 Laqueare	grooved	————	—
7 hiantula	key-hole	————	—
8 crystallina	brittle	————	—

SERPULA. WORM-SHELL.

1 filograna	thread-like	<i>Au. Cab. Lam. 5,</i> <i>p.364.</i>	Britain, &c.
2 maxima	large	<i>Br.M.</i>	————
3 fuscata	brown	————	————
4 rosea	rose-coloured	<i>M.Cab.</i>	v.

REFERENCES

FROM

LAMARCK'S "*ANIMAUX SANS VERTEBRES*,"

ADAPTED TO

THE FIGURES IN THE

"*INDEX TESTACEOLOGICUS*."

The names in Italics refer to the Supplement, and are not in Lamarck.

ACASTA.		AMPHIDESMA.	
Vol. 5. p. 397.		Vol. 5. p. 489.	
	<i>Pl. Fig.</i>		<i>Pl. Fig.</i>
1 Montagui (<i>Lepas</i>)....	1 16	2 donacilla (<i>Donax</i>) ..	6 9
		6 lucinalis (<i>Tellina</i>) ..	4 76
		7 Boysii (<i>Mactra</i>)	6 27
		8 tenue (<i>Mactra</i>)	6 26
		9 flexuosum (<i>Tellina</i>) .	4 78
		10 prismaticum (<i>Mya</i>) .	2 21
ACHATINA.		AMPULLARIA.	
Vol. 6. pt. 2. p. 126.		Vol. 6. pt. 2. p. 176.	
1 Perdix (<i>Bulla</i>).....	18 53	2 rugosa (<i>Hélix</i>)	33 72
4 purpurea	18 54	3 fasciata	33 71
6 bicarinata	18 55	5 effusa	33 73
10 Vexillum	18 46	6 Guinaica.....	34 97
11 virginea	18 45	9 Avellana.....	33 46
12 Priamus.....	18 51	<i>conica</i>	7 22
13 Glans.....	18 34		
15 albo-lineata (<i>Voluta</i>)	20 107		
16 fusco-lineata (<i>Bulla</i>).	18 35		
<i>Byronii</i> (<i>Helix</i>)	7 30		

ANATIFA.

Vol. 5. p. 402.

	Pl.	Fig.
1 lævis (<i>Lepas</i>)	2	38
2 villosa	2	39
3 dentata	2	40
4 striata	2	37
5 vitrea	2	36
<i>aculeata</i>	1	1

ANATINA.

Vol. 5. p. 462.

3 subrostrata (<i>Solen</i>)...	3	13
4 longirostris (<i>Mya</i>)...	2	12
5 globulosa.....	2	6
9 myalis.....	2	4

ANCILLARIA.

Vol. 7. p. 412.

4 candida (<i>Bulla</i>)	18	44
<i>Tankervillei</i> (<i>Buccinum</i>)	4	16
<i>marginata</i>	4	17

ANCYLUS.

Vol. 6. pt. 2. p. 25.

1 lacustris (<i>Patella</i>) ...	37	56
------------------------------------	----	----

ANODON.

Vol. 6. p. 83.

1 cygneus (<i>Mytilus</i>) ...	12	32
2 anatinus	12	33

ANOMIA.

Vol. 6. p. 225.

	Pl.	Fig.
1 Ehippium	11	3
4 electrica	11	5
5 pyriformis	11	13
8 Squamula	11	11
3 Cepa	11	4

ANOSTOMA.

Vol. 6. pt. 2. p. 100.

1 depressum (<i>Helix</i>).....	33	26
-----------------------------------	----	----

ARCA.

Vol. 6. p. 33.

The same specific names as the
Linnean, except the following,

24 Helbingii.....	9	7
-------------------	---	---

ARGONAUTA.

Vol. 7. p. 650.

1 Argo	13	1
2 tuberculatus	13	2
3 nitidus.....	13	3

ASPERGILLUM.

Vol. 5. p. 428.

1 Javanum (<i>Serpula</i>)...	38	34
---------------------------------	----	----

AURICULA.

Vol. 6. pt. 2. p. 156.

	<i>Pl.</i>	<i>Fig.</i>
1 Auricula Midæ (<i>Voluta</i>)	19	1
——— Judæ	19	2
3 ——— Sileni	19	6
6 Scarabæus (<i>Helix</i>)	32	1
10 minima (<i>Turbo</i>)	32	157
12 coniformis (<i>Voluta</i>)	19	15
13 nitens	19	20
14 Monile	19	17

AVICULA.

Vol. 6. p. 146.

3 semi-sagitta (<i>Mytilus</i>)	12	42
-----------------------------------	----	----

BALANUS.

Vol. 5. p. 387.

2 sulcatus (<i>Lepas</i>)	1	11
3 Tintinnabulum	1	5
11 perforatus	1	10
13 spinosus	1	19
14 radiatus	1	21
21 galeatus	1	17
26 crispatus	1	23
27 punctatus	1	20
28 fistulosus	1	13
8 ovularis	1	12
16 stalactiferus	1	29
<i>angulosus</i>	1	7
<i>Lyonsii</i>	1	5

BUCCINUM.

Vol. 7. p. 262.

The specific names the same as the
Linnean, except

	<i>Pl.</i>	<i>Fig.</i>
3 Anglicanum	23	108
23 inflatum	22	39
29 Miga	23	120
<i>Fragaria</i> (<i>Voluta</i>)	3	27
<i>melanostoma</i> (<i>Buccinum</i>)	4	3
<i>callosum</i>	4	14
<i>chlorostoma</i>	4	20
<i>Noveboracense</i>	4	26

BULIMUS.

Vol. 6. pt. 2. p. 116.

1 ovatus (<i>Helix</i>)	34	101
2 hæmastomus	34	102
3 Gallina-sultana	33	75
5 undatus (<i>Bulla</i>)	18	52
7 inversus (<i>Helix</i>)	34	113
8 citrinus	34	112
12 interruptus	34	114
16 calcareus	34	137
17 decollatus (<i>Helix</i>)	34	135
18 Lyonetianus	35	161
20 radiatus	35	156
22 Guadalupensis	35	157
27 octonus	35	150
30 acutus	35	154
33 hordeaceus	35	147
34 lubricus	34	145
<i>formosus</i> (<i>Turbo</i>)	6	24

	<i>Pl. Fig.</i>		<i>Pl. Fig.</i>
<i>Listeri</i> (<i>Helix</i>)	7 23	<i>scutellata</i>	8 4
<i>Kingii</i>	7 27	<i>Extinctorium</i>	8 5
<i>Dufresnii</i>	7 28		
<i>pulcher</i>	7 29	CANCELLARIA.	
<i>Maugeri</i>	7 31	Vol. 7. p. 111.	
<i>lævis</i>	8 67	1 <i>reticulata</i> (<i>Voluta</i>)... 20	71
<i>labrosus</i>	8 69	3 <i>scalarina</i>	20 83
<i>Auris Leporis</i>	8 75	5 <i>nodulosa</i> (<i>Buccinum</i>)	24 124
<i>papyraceus</i>	8 76	6 <i>cancellata</i> (<i>Voluta</i>)... 20	82
<i>scobinatus</i>	8 77	7 <i>senticosa</i> (<i>Murex</i>)... 26	58
<i>Vexillum</i>	8 78	11 <i>rugosa</i> (<i>Voluta</i>)	20 116
		12 <i>Ziervogeliana</i>	20 72
		CAPSA.	
BULLA.		Vol. 5. p. 553.	
Vol. 6. pt. 2. p. 31.		1 <i>lævigata</i> (<i>Donax</i>) ... 6	14
The specific names the same as the			
Linnean, except		CARDITA.	
3 <i>striata</i>	18 19	Vol. 6. p. 20.	
6 <i>fasciata</i>	18 27	1 <i>sulcatus</i> (<i>Chama</i>)..... 9	4
11 <i>solida</i>	18 56	3 <i>turgidus</i>	9 7
		9 <i>trapezoides</i>	9 8
		4 <i>phreniticus</i>	9 9
		14 <i>rufescens</i>	9 19
		15 <i>calyculatus</i>	9 10
		19 <i>concameratus</i>	9 15
		<i>incrassatus</i>	2 3
		CARDIUM.	
		Vol. 6. p. 2.	
		The same specific names as the	
		Linnean.	

CARINARIA.

Vol. 7. p. 671.

	Pl.	Fig.
<i>vitrea (Argonauta)</i>	13	6

CAROCOLLA.

Vol. 6. pt. 2. p. 94.

2 <i>albilabris (Helix)</i> ...	33	34
4 <i>Labyrinthus</i>	33	27
5 <i>Lucerna</i>	33	30
6 <i>inflata</i>	33	44
11 <i>marginata</i>	32	4
12 <i>Lychnuchus</i>	33	31
16 <i>Lapicida</i>	32	3
17 <i>albella</i>	32	9
18 <i>elegans (Trochus)</i> ...	29	73
<i>Soror (Helix)</i>	7	51
<i>Listeræ</i>	8	61

CASSIDARIA.

Vol. 7. p. 214.

1 <i>echinophora (Buccinum)</i>	22	9
2 <i>Tyrrhena</i>	22	11

CASSIS.

Vol. 7. p. 218.

2 <i>cornuta (Buccinum)</i> .	22	14
3 <i>tuberosa</i>	22	16
4 <i>flammea</i>	22	17
5 <i>fasciata</i>	22	27

Pl. Fig.

6 <i>glauca</i>	22	35
9 <i>Areola</i>	22	20
10 <i>Zebra</i>	22	21
11 <i>decussata</i>	22	19
13 <i>rufa</i>	22	15
15 <i>Testiculus</i>	22	18
16 <i>achatina</i>	22	22
19 <i>sulcosa</i>	22	25
20 <i>granulosa</i>	22	24
21 <i>Saburon</i>	22	23
24 <i>Vibex</i>	22	36
25 <i>Erinaccus</i>	22	32
<i>semigranosa</i>	4	2
<i>temis</i>	4	4
<i>coarctata</i>	4	5

CASTALIA.

Vol. 6. p. 66.

<i>ambigua (Mya)</i>	1	9
----------------------------	---	---

CERITHIUM.

Vol. 7. p. 63.

2 <i>palustre (Strombus)</i> . .	25	39
3 <i>sulcatum (Murex)</i> ...	28	161
4 <i>Telescopium (Trochus)</i>	30	120
5 <i>ebeninum (Murex)</i> ...	27	153
6 <i>nodulosum</i>	27	147
7 <i>vulgatum</i>	27	152
8 <i>Obeliscus</i>	27	142
9 <i>granulatum</i>	28	160
10 <i>Aluco</i>	27	146

	<i>Pt. Fig.</i>
13 muricatum	27 154
14 Radula	28 156
16 decollatum	28 169
18 semigranosum.....	28 162
19 asperum	28 159
21 Vertagus.....	27 143
27 torulosum	28 155
28 tuberculatum(<i>Strombus</i>)	25 38
31 literatum (<i>Murex</i>)...	28 163
32 atratum	27 151
<i>zonatum</i> (<i>Strombus</i>) .	4 7
<i>obtusum</i>	4 8
<i>petrosum</i>	4 9
<i>rugosum</i>	4 10
<i>exasperatum</i> (<i>Murex</i>)	5 21
<i>nitriforme</i>	5 24

CHAMA.

Vol. 6. p. 92.

2 damicornis	9 18
3 gryphoides	9 19
5 unicornis.....	9 20
7 lamellosa.....	9 22
8 calcarata.....	9 23
11 arcinella	9 35
12 radians	9 24

CHITON.

Vol. 6. p. 318.

The Specific names the same as
the Linnean.

CHITONELLUS.

Vol. 6. p. 316.

	<i>Pt. Fig.</i>
1 lævis (<i>Chiton</i>).....	1 39

CINERAS.

Vol. 5. p. 407.

1 vittatus (<i>Icpas</i>)	2 43
-----------------------------------	------

CLAUSILIA.

Vol. 6. pt. 2. p. 111.

5 corrugata (<i>Turbo</i>) ...	32 146
10 papillaris.....	32 143
<i>torticollis</i>	6 35
<i>costulata</i>	6 36
<i>truncatula</i>	6 37
<i>gracilis</i>	6 38
<i>Chrysalis</i>	6 39
<i>Mediterranea</i>	6 40

COLUMBELLA.

Vol. 7. p. 292.

2 rustica (<i>Voluta</i>)	20 74
3 mercatoria	20 73
14 mendicaria	20 79
<i>Strombiformis</i> (<i>Buccinum</i>)	4 18
<i>fulgurans</i>	4 19
<i>Terpsichore</i>	4 21
<i>Zebra</i>	4 30

CONCHOLEPAS.

Vol. 7. p. 250.

	Pl.	Fig.
1 Peruviana (<i>Buccinum</i>)	22	56

CONUS.

Vol. 7. p. 440.

The Specific names the same as
the Linnean, except

5 araneosus	14	3
10 regius.....	14	25
21 obesus	15	81
30 lividus	15	91
80 cinereus.....	15	56
96 fulgurans	14	28
100 flammeus	14	29
131 Aurora	16	153
138 Omaicus	14	32
145 Terebra.....	16	127
155 Dux	16	114
156 tendineus	16	117
157 Præfectus	16	118

CORBIS.

Vol. 5. p. 536.

1 fimbriata (<i>Venus</i>) ...	8	65
----------------------------------	---	----

CORBULA.

Vol. 5. p. 494.

6 Nucleus (<i>Mya</i>)	3	40
--------------------------------	---	----

CORONULA.

Vol. 5. p. 385.

	Pl.	Fig.
1 Diadema (<i>Lepas</i>) ...	1	2
2 balænaris	1	3
3 testudinaria.....	1	4
<i>pulchra</i>	1	2

CRANIA.

Vol. 6. p. 237.

1 personata (<i>Anomia</i>) .	11	1
---------------------------------	----	---

CRASSATELLA.

Vol. 5. p. 480.

11 striata (<i>Mactra</i>).....	6	16
7 contraria (<i>Venus</i>) ...	8	95

CRASSINA.

Vol. 5. p. 554.

1 Danmoniensis (<i>Venus</i>)	7	21
---------------------------------	---	----

CRENATULA.

Vol. 6. p. 136.

7 phasianoptera (<i>Ostrea</i>)	11	82
-----------------------------------	----	----

CREPIDULA.

Vol. 6. pt. 2. p. 22.

1 fornicata (<i>Patella</i>) ...	37	10
------------------------------------	----	----

	<i>Pl.</i>	<i>Fig.</i>
2 Porcellana	37	9
3 aculeata	37	11
4 unguiformis.....	37	13

CREUSIA.

Vol. 5. p. 399.

3 Verruca (<i>Lepas</i>).....	2	30
---------------------------------	---	----

CRISTELLARIA.

Vol. 7. p. 607.

1 Squamula (<i>Nautilus</i>)	14	47
2 papillosa	14	48
4 auricularis	14	50
5 Faba	14	51
6 Scapha	14	52
7 Crepidula	14	53
8 Auricula	14	54
9 tuberosa	14	55

CUCULLÆA.

Vol. 6. p. 35.

1 auriculifera (<i>Arca</i>) ..	9	16
-----------------------------------	---	----

CYCLAS.

Vol. 5. p. 557.

1 rivicola (<i>Tellina</i>)	5	90
3 lacustris	5	91
4 obliqua	3	19

CYCLOSTOMA.

Vol. 6. pt. 2. p. 142.

2 Valvulus (<i>Helix</i>).....	32	7
----------------------------------	----	---

	<i>Pl.</i>	<i>Fig.</i>
6 tricarinatum (<i>Turbo</i>)	32	125
8 Labeo	32	120
13 flavulum.....	32	114
21 ligatum	32	122
22 Lincinella	32	119
26 elegans	32	118
<i>Petiverianum</i>	6	2
<i>Jamaicense</i>	6	3
<i>pulchrum</i>	6	4
<i>læve</i>	6	5
<i>Chemnitzii</i>	6	6
<i>Fascia</i>	6	8
<i>fulvum</i>	6	9
<i>elongatum</i>	6	10
<i>maculatum</i>	6	11
<i>Columna</i>	6	21
<i>mirabile</i>	6	22
<i>Aurantium</i>	6	23
<i>flavidum</i>	6	31
<i>tortum</i>	6	32
<i>compressum</i>	6	42

CYPRÆA.

Vol. 7. p. 372.

The Specific names the same as
the Linnean, except

14 Aurora	17	8
23 zonata.....	17	34
28 rufa.....	17	40
37 olivacea	17	39
42 flaveola	17	49
48 Stercus-Muscarum...	17	41

CYPRICARDIA.

Vol. 6. p. 27.

	Pl.	Fig.
1 Guinaica (<i>Chama</i>) ...	9	14
4 coralliophaga	9	17
<i>angulata</i>	2	1
<i>rostrata</i>	2	2

CYPRINA.

Vol. 5. p. 556.

2 Icelandica (<i>Venus</i>) ...	7	41
-----------------------------------	---	----

CYRENA.

Vol. 5. p. 551.

4 fuscata (<i>Venus</i>).....	8	115
5 fluminea	8	114
11 Zeylanica	7	42

CYTHEREA.

Vol. 5. p. 559.

1 lusoria (<i>Venus</i>)	7	43
3 impudica	7	47
8 morphina	7	51
10 casta	7	46
11 Corbicula	7	33
12 tripla	7	34
13 gigantea	8	100
14 Erycina	7	38
22 Chione	7	44
23 maculata	7	48
31 castrensis	7	57

Pl. Fig.

36 juvenilis.....	8	85
39 Dione	7	1
48 exoleta	8	83
50 concentrica	8	84
53 tigerina	8	75
54 punctata	8	81
57 scripta	8	97
63 pectinata	8	90
64 gibbia.....	8	91
66 divaricata	8	94
72 flexuosa.....	7	32
<i>hians</i>	2	11
<i>subrugosa</i>	2	5

DELPHINULA.

Vol. 6. pt. 2. p. 229.

1 laciniata (<i>Turbo</i>)....	31	83
2 distorta	31	85

DENTALIUM.

Vol. 5. p. 341.

1 elephantinum	38	2
2 aprinum.....	38	3
4 fasciatum	38	10
10 Dentalis.....	38	5
13 Entalis	38	6
15 corneum	38	7
17 politum	38	8

DISCINA.

Vol. 6. p. 236.

1 <i>ostreoides</i> (<i>Anomia</i>)..	2	2
---	---	---

DOLIUM.

Vol. 7. p. 258.

	Pl.	Fig.
1 Galea (<i>Buccinum</i>) ..	22	2
2 Olearium	22	1
3 maculatum	22	6
5 Pomum	22	4
7 Perdix	22	3
<i>ringens</i>	4	1

DONAX.

Vol. 5. p. 544.

1 Scortum	6	1
2 pubescens	6	2
3 cuneata	6	13
14 vittata (<i>Donax</i>)	6	10
16 ringens	6	4
17 rugosa	6	3
20 denticulata	6	8
22 Meroe (<i>Venus</i>).....	8	62
23 scripta	6	15
24 Trunculus.....	6	5
26 anatina (<i>Tellina</i>) ..	4	31

EBURNA.

Vol. 7. p. 28.

1 glabrata (<i>Buccinum</i>) .	23	79
2 Zeylanica	23	78
3 spirata	23	77

EMARGINULA.

Vol. 6. pt. 2. p. 5.

1 Fissura (<i>Patella</i>)....	38	86
<i>crystallina</i>	8	8

ÆTHERIA.

Vol. 6. p. 98.

	Pl.	Fig.
1 elliptica (<i>Ostrea</i>)....	2	6

FASCIOLARIA.

Vol. 7. p. 117.

1 Tulipa (<i>Murex</i>)	27	98
3 Trapezium	27	112

FISSURELLA.

Vol. 6. pt. 2. p. 8.

1 picta (<i>Patella</i>).....	38	98
2 nimbose	38	99
4 Græca	38	91
5 nodosa	38	93
8 rosea	38	100
9 Barbadosensis	38	94
13 Pustula	38	90
<i>hiantula</i>	8	7

FISTULANA.

Vol. 5. p. 432.

3 gregata (<i>Teredo</i>)	38	4
----------------------------------	----	---

FUSUS.

Vol. 7. p. 121.

1 colosseus (<i>Murex</i>) ..	26	72
2 longissimus	26	71
8 incrassatus	27	103
11 antiquus.....	26	89
12 despectus	27	93
13 carinatus	27	94
15 Islandicus	27	107

	Pt.	Fig.
16 Morio	26	78
18 Cochlidium	26	79
19 Corona	27	105
25 Syracusanus	27	119
29 Afer	28	170
31 sinistralis	27	124
32 Nifat	27	97
<i>curvirostris</i>	5	26

GALATEA.

Vol. 5. p. 554.

1 radiata (<i>Venus</i>)	7	48
----------------------------------	---	----

GASTROCHÆNA.

Vol. 5. p. 446.

1 cuneiformis (<i>Pholas</i>) ..	2	11
3 modiolina (<i>Mya</i>) ..	2	23

GLYCIMERIS.

Vol. 5. p. 457.

1 Siliqua (<i>Mya</i>)	2	10
--------------------------------	---	----

GRYPHÆA.

Vol. 6. p. 197.

1 angulata (<i>Ostrea</i>) ..	2	8
---------------------------------	---	---

HALIOTIS.

Vol. 6. pt. 2. p. 212.

The Specific names the same as the Linnean, except

3 tubifera	36	12
13 canaliculata	36	16
<i>rubra</i>	8	1
<i>tricostata</i>	8	2

Pt. Fig.

<i>Mariae</i>	8	5
<i>corrugata</i>	8	6

HARPA.

Vol. 7. p. 253.

1 imperialis (<i>Buccinum</i>)	22	51
2 ventricosa	22	49
<i>rosea</i>	4	23
<i>minor</i>	4	24

HELICINA.

<i>Tankervillei</i> (<i>Trochus</i>) ..	5	10
<i>Brownii</i> (<i>Helix</i>).....	8	63
<i>scitula</i>	8	64
<i>aureola</i>	8	65

HELIX.

Vol. 6. pt. 2. p. 62.

The Specific names the same as the Linnean, except

1 vesicalis	32	6
2 gigantea	33	36
9 aspersa	34	126
13 naticoides	34	131
71 carthusianella	34	124
83 scabra.....	32	11
97 nitida.....	33	60
99 personata	33	28
101 rotundata	32	11
<i>formosa</i> ¹	7	1
<i>orbiculata</i>	7	2
<i>squamosa</i>	7	3
<i>auriculata</i>	7	4

	Pl. Fig.		Pl. Fig.
<i>sylvatica</i>	7 5	<i>Carina</i>	7 57
<i>turgidula</i>	7 6	<i>Pilcolus</i>	7 58
<i>Helicella</i>	7 7	<i>bipartita</i>	7 59
<i>Zonula</i>	7 8	<i>sinistrorsa</i>	7 60
<i>formosa</i> ²	7 10	<i>scabra</i>	8 62
<i>tridentata</i>	7 11	<i>Fibula</i>	8 66
<i>septemvolva</i>	7 14	<i>subplicata</i>	8 74
<i>monodon</i>	7 15	<i>Porto Sanctana</i>	8 79
<i>fraterna</i>	7 16	<i>punctulata</i>	8 80
<i>coniformis</i>	7 20	<i>exalbida</i>	8 81
<i>concamerata</i>	7 21	<i>Bulverii</i>	8 82
<i>nigrescens</i>	7 32	<i>tectiformis</i>	8 83
<i>Tripolitana</i>	7 33	<i>Mudeirensis</i>	8 84
<i>Sayü</i>	7 34	<i>bicarinata</i>	8 85
<i>globulosa</i>	7 35		
<i>Caffra</i>	7 36	HIATELLA.	
<i>conformis</i>	7 37	Vol. 6. p. 29.	
<i>Prunum</i>	7 38	1 <i>Arctica (Solen)</i>	3 33
<i>contusa</i>	7 39		
<i>deformis</i>	7 40	HIPPOPUS.	
<i>Nicæensis</i>	7 41	Vol. 6. p. 107.	
<i>Meridionalis</i>	7 42	1 <i>maculatus (Chama)</i> ...	9 3
<i>Melitensis</i>	7 43		
<i>circumornata</i>	7 44	HYALÆA.	
<i>granosa</i>	7 45	Vol. 6. p. 284.	
<i>discolor</i>	7 46	1 <i>tridentata (Anomia)</i> ..	11 28
<i>Lima</i>	7 47		
<i>dentiens</i>	7 48	HYRIA.	
<i>parilis</i>	7 49	Vol. 6. p. 81.	
<i>Imperator</i>	7 50	1 <i>avicularis (Mya)</i>	2 36
<i>Zodiaca</i>	7 52	<i>corrugata</i>	1 12
<i>concosa</i>	7 53		
<i>Pellicuta</i>	7 54		
<i>Strobilus</i>	7 55		
<i>Alauda</i>	7 56		

IANTHINA.

Vol. 6. pt. 2. p. 204.		
	<i>Pl. Fig.</i>	
1 communis (<i>Helix</i>) ..	34	116

IRIDINA.

Vol. 6. p. 88.

<i>ovata</i> (Arca)	2	9
<i>elongata</i>	2	10
<i>Nilotica</i> (<i>Mytilus</i>) ..	2	1

ISOCARDIA.

Vol. 6. p. 30.

1 Cor (<i>Chama</i>)	9	1
3 Moltkiana	9	5

LIMA.*

Vol. 6. p. 155.

1 inflata (<i>Ostrea</i>).....	10	51
2 squamosa	11	54
3 glacialis	11	55
5 fragilis	11	52
6 linguatula	11	53
<i>subauriculata</i>	2	5

LINGULA.

Vol. 6. p. 257.

1 anatina (<i>Mytilus</i>)....	12	45
----------------------------------	----	----

LUCINA.

Vol. 5. p. 538.

1 Jamaicensis (<i>Venus</i>)..	8	79
----------------------------------	---	----

Pl. Fig.

2 Pensylvanica.....	8	78
3 edentula.....	8	98
5 Radula (<i>Tellina</i>)....	4	71
7 divaricata	4	87
8 carnaria	4	79
9 scabra.....	4	72
10 reticulata	4	70
12 lactea	4	76
13 undata (<i>Venus</i>).....	8	87

LUTRARIA.

Vol. 5. p. 467.

1 solenoides (<i>Maetra</i>) .	6	37
2 elliptica.....	6	36
3 rugosa.....	6	33
4 compressa	6	25
8 papyracea	6	3
11 complanata	6	35

LYMNÆA.

Vol. 6. pt. 2. p. 157.

1 columnaris* (<i>Helix</i>)	35	151
2 stagnalis.....	35	166
3 palustris.....	35	167
7 auricularia.....	35	180
8 ovata	35	181
12 minuta	35	173

MACTRA.

Vol. 5. p. 471.

1 gigantea.....	6	22
2 Spengleri	6	1

* Lamarck has since removed the *Lymnæa columnaris* to the genus *Achatina*.

	Pl.	Fig.
4 carinata.....	6	5
5 helvacea.....	6	30
6 grandis	6	19
7 Stultorum	6	18
10 Australis	6	12
11 violacea.....	6	9
12 fasciata	6	14
13 turgida	6	8
14 plicataria	6	2
16 maculata	6	7
22 alba.....	6	15
23 solida.....	6	21
29 depressa.....	6	31
33 crassatella.....	6	23
<i>alata</i>	1	7

MALLEUS.

Vol. 6. p. 143.

2 vulgaris (<i>Ostrea</i>)....	11	58
5 anatinus.....	11	59

MARGINELLA.

Vol. 7. p. 354.

1 glabella (<i>Voluta</i>)....	20	64
4 cærulescens	20	68
9 Faba	20	63
11 bivaricosa	19	62
19 bullata	20	70
22 Persicula	19	55
<i>Goodalli</i>	3	7
<i>marginata</i>	3	8
<i>tessellata</i>	3	31

MELANIA.

Vol. 6. pt. 2. p. 163.

	Pl.	Fig.
10 amarula (<i>Helix</i>)....	35	164
<i>lineolata</i> (<i>Strombus</i>) .	4	11
<i>aurita</i>	4	22
<i>Byronensis</i>	4	23
<i>Sayii</i>	4	24
<i>lineolata</i> (<i>Helix</i>).....	7	26
<i>lineata</i>	8	63
<i>fasciolata</i>	8	72
<i>sulculata</i>	8	73

MELANOPSIS.

Vol. 6. pt. 2. p. 163.

<i>prærosa</i> (<i>Buccinum</i>) .	4	28
--------------------------------------	---	----

MELEAGRINA.

Vol. 6. p. 150.

1 margaritifera (<i>Mytilus</i>)	12	4
------------------------------------	----	---

MITRA.

Vol. 7. p. 297.

1 episcopalis (<i>Voluta</i>)..	21	143
2 papalis	21	144
5 millepora	21	142
6 cardinalis	21	141
8 versicolor	21	140
15 casta	20	124
17 olivaria	21	139
18 scabriuscula	20	96
20 crenifera	20	95
21 serpentina.....	21	138

	<i>Pl. Fig.</i>
22 <i>tæniata</i>	20 114
23 <i>plicaria</i>	20 115
25 <i>costellaris</i>	20 110
26 <i>lyrata</i>	20 111
27 <i>Melongena</i>	20 112
29 <i>Vulpecula</i>	20 109
30 <i>Caffra</i>	20 106
31 <i>Sanguisuga</i>	20 105
33 <i>filosa</i>	20 91
34 <i>fissurata</i>	20 92
36 <i>cornicularis</i>	20 86
41 <i>Tringa</i>	20 85
42 <i>melaniana</i>	20 123
43 <i>scutulata</i>	20 122
44 <i>Dactylus</i>	19 47
45 <i>fenestrata</i>	19 48
46 <i>crenulata</i>	19 49
47 <i>texturata</i>	19 50
48 <i>Conulus</i>	19 51
50 <i>aurantiaca</i>	20 120
52 <i>coronata</i>	21 146
53 <i>paupercula</i>	20 75
55 <i>patriarchalis</i>	20 78
62 <i>microzonias</i>	20 81
<i>vittata</i>	3 10
<i>lyriformis</i>	3 11
<i>lugubris</i>	3 12
<i>zonata</i>	3 13
<i>contracta</i>	3 14
<i>Australis</i>	3 15
<i>gracilis</i>	3 16
<i>rigida</i>	3 17
<i>crassa</i>	3 18
<i>Lens</i>	3 25
<i>unifasciata</i>	3 28

	<i>Pl. Fig.</i>
<i>corrugata</i>	3 29
<i>Filum</i>	3 30
<i>igneæ</i>	3 32

MODIOLA.

Vol. 6. p. 109.

1 <i>Papuana (Mytilus)</i> ..	12 31
8 <i>picta</i>	12 13
20 <i>plicata</i>	12 14
22 <i>lithophaga</i>	12 7
23 <i>caudigera</i>	12 8
18 <i>cinnamomea</i>	12 12
15 <i>discrepans</i>	12 39
16 <i>discors</i>	12 40
<i>Vagina</i>	2 3
<i>lævigata</i>	2 5

MONOCEROS.

Vol. 7. p. 250.

2 <i>imbricatum (Buccinum)</i>	22 54
<i>brevidentatum</i>	4 10
<i>denticulatum</i>	4 11
<i>armatum</i>	4 12

MONODONTA.

Vol. 7. p. 30.

2 <i>Pagodus (Turbo)</i> ...	30 27
3 <i>Tectum Persicum</i> ..	30 24
6 <i>Ægyptiaca (Trochus)</i>	29 38
8 <i>Modulus</i>	29 37

	Pl.	Fig.
9 Tectum	29	70
10 Labio	29	80
14 fragaroides.....	29	84
<i>rugosa</i>	5	7
<i>Listeri</i>	5	8
<i>Zebra</i>	5	18
<i>reticularis</i>	5	21
<i>Trochlea</i>	5	24
<i>atrata</i>	5	25
<i>obscura</i>	5	26
<i>concamerata</i>	6	35
<i>viridis</i>	6	36
<i>Odontis</i>	6	37
<i>pulcherrima</i>	6	45
<i>badia</i>	6	46

MUREX.

Vol. 7. p. 155.

The Specific names the same as
the Linnean, except

3 crassispinus	25	4
11 inflatus	25	12
23 asperrimus.....	25	9
35 Endivia	25	18
53 miliaris	25	10
<i>costularis</i>	5	1
<i>cristatus</i>	5	4
<i>regius</i>	5	13
<i>Ferrugo</i>	5	16
<i>Funiculus</i>	5	17
<i>labiosus</i>	5	18
<i>aculeatus</i>	5	19

	Pl.	Fig.
<i>pinnatus</i>	5	20
<i>pictus</i>	5	23

MYA.

Vol. 5. p. 459.

1 truncata.....	2	1
2 arenaria.....	2	2

MYTILUS.

Vol. 6. p. 117.

1 Magellanicus	12	28
4 striatulus	12	19
6 exustus	9	15
7 bilocularis.....	12	17
12 elongatus	12	25
16 unguatus	12	23
19 smaragdinus	12	26
22 achatinus	12	24
29 edulis.....	12	21
33 incurvatus.....	12	48
34 lineatus	12	27
<i>dilatatus</i>	2	2
<i>Volgensis</i>	2	6

NATICA.

Vol. 6. pt. 2. p. 195.

1 glaucina (<i>Nerita</i>)....	35	5
2 Albumen	35	17
4 Mamilla.....	35	19
5 melanostoma (<i>Helix</i>).	34	98
10 Canrena (<i>Nerita</i>) ..	35	1

	Pl.	Fig.
11 cruentata	35	12
12 millepunctata	36	69
13 Vitellus	35	6
18 rufa	35	18
21 fulminea.....	35	10
23 vittata	35	16
25 Marochiensis	35	14
26 arachnoidea	35	15
31 cancellata	35	3
<i>duplicata</i>	8	1
<i>patula</i>	8	2
<i>plumbea</i>	8	3
<i>intricata</i>	8	7
<i>glabra</i>	8	14

NAUTILUS.

Vol. 7. p. 630.

1 Pompilius	13	1
2 umbilicatus	13	2

NAVICELLA.

Vol. 6. pt. 2. p. 181.

1 Porcellana (<i>Patella</i>) .	37	9
-----------------------------------	----	---

NERITA.

Vol. 6. pt. 2. p. 188.

The Specific names the same as
the Linnean.

<i>ornata</i>	8	4
<i>Australis</i>	8	5
<i>rudis</i>	8	13

NERITINA.

Vol. 6. pt. 2. p. 182.

	Pl.	Fig.
2 pulligera (<i>Nerita</i>)....	35	31
3 dubia	35	29
4 Zebra.....	35	18
8 Corona	35	22
11 auriculata	36	70
16 strigilata	36	38
18 virginea	36	37
19 fluviatilis	35	26
20 viridis.....	36	36
<i>crepidularia</i>	8	6
<i>Oweniana</i>	8	8
<i>cariosa</i>	8	9
<i>Caffra</i>	8	10
<i>Smithii</i>	8	11
<i>spinosa</i>	8	12
<i>semiconica</i>	8	15
<i>Owenii</i>	8	17
<i>pulchella</i>	8	18

NODOSARIA.

Vol. 7. p. 595.

1 Radicula (<i>Nautilus</i>)..	13	27
3 Siphunculus.....	13	33

NUCULA.

Vol. 6. p. 57.

2 rostrata (<i>Arca</i>).....	10	43
3 pella	9	27
4 Nicobarica	9	26
6 margaritacea.....	10	42
<i>Tellinoides</i>	2	5
<i>glacialis</i>	2	6

OLIVA.

Vol. 7. p. 416.

	Pl.	Fig.
1 porphyria (<i>Voluta</i>) ..	19	29
3 erythrostoma	19	30
15 leucophæa.....	19	33
39 carneola.....	19	43
40 ispidula	19	38
46 Utriculus	19	37
52 hiatula	19	39
57 conoidalis	19	41
59 eburnea	19	40
62 Oryza.....	19	46
<i>Nux</i>	4	33
<i>columellaris</i>	4	34
<i>Peruviana</i>	4	35
<i>cærulea</i>	4	36

ORBICULA.

Vol. 6. p. 242.

1 Norwegica (<i>Anomia</i>). .	11	2
----------------------------------	----	---

ORBICULINA.

Vol. 7. p. 609.

1 numismalis (<i>Nautilus</i>)	14	56
2 angulata.....	14	57
3 uncinata.....	14	58

ORTHOcera.

Vol. 7. p. 593.

1 Raphanus (<i>Nautilus</i>).	13	24
---------------------------------	----	----

Pl. Fig.

2 Fascia	13	31
3 Raphanistrum.....	13	23
4 obliqua	13	22
6 Legumen	13	34

OSTREA.

Vol. 6. p. 200.

The same names and Genus as the
Linnean, except the following

36 rubella (<i>Mytilus</i>)	12	3
45 Crista-Galli	12	1
47 Hyotis	12	2

OTION.

Vol. 5. p. 408.

1 Cuvieri (<i>Lepas</i>)	2	45
---------------------------------	---	----

OVULA.

Vol. 7. p. 365.

1 oviformis (<i>Bulla</i>)....	18	1
3 verrucosa	18	10
5 carnea	18	4
8 gibbosa	18	11
10 Spelta.....	18	9
11 birostris	18	6
12 Volva.....	18	3

PALUDINA.

Vol. 6. pt. 2. p. 172.

	Pl.	Fig.
1 vivipara (<i>Helix</i>)	34	119
2 achatina.....	34	120
5 impura	35	176
<i>Australis</i> (Turbo)....	6	7
<i>fuscus</i>	6	15
<i>bulimoides</i>	6	27
<i>Francesii</i>	6	28
<i>subcarinata</i>	7	13
<i>decisa</i>	7	17
<i>dissimilis</i>	7	18

PANDORA.

Vol. 5. p. 498.

1 rostrata (<i>Tellina</i>)....	4	97
2 obtusa (<i>Solen</i>)	3	35

PANOPÆA.

Vol. 5. p. 456.

1 Aldrovandi (<i>Mya</i>)....	3	41
---------------------------------	---	----

PARMOPHORUS.

Vol. 6. pt. 2. p. 2.

1 ambigua (<i>Patella</i>)....	38	84
----------------------------------	----	----

PATELLA.

Vol. 6. p. 321.

The Specific names the same as
the Linnean.

<i>Laqueare</i>	8	6
-----------------------	---	---

PECTEN.

Vol. 6. p. 161.

The same names as the Linnean
Genus *Ostrea*, except the fol-
lowing supplementary:

	Pl.	Fig.
<i>asperrimus</i> (<i>Ostrea</i>)..	2	1
<i>muscosus</i>	2	2
<i>ornatus</i>	2	4

PECTUNCULUS.

Vol. 6. p. 47.

1 Glycimeris (<i>Arca</i>)....	10	36
2 pilosus	10	37
3 undulatus	10	35
5 scriptus	10	39
6 pennaceus	9	31
8 angulatus	10	34
9 stellatus.....	10	38
10 pallens	9	33
14 nummarius	10	40
15 castaneus	9	32
16 pectiniformis.....	9	29
17 pectinatus	9	30

PEDUM.

Vol. 6. p. 153.

1 spondyloideum (<i>Ostrea</i>)11	75
-------------------------------------	----

PERNA.

Vol. 6. p. 138.

1 Ephippium (<i>Ostrea</i>) .	11	80
---------------------------------	----	----

	Pl.	Fig.
2 obliqua	11	81
3 Isogonum	11	79
8 sulcata	11	77

PETRICOLA.

Vol. 5. p. 502.

13 linguatula (<i>Venus</i>) ..	8	72
ochroleuca (<i>Tellina</i>)..	1	6

PHASIANELLA.

Vol. 7. p. 51.

1 bulimoides (<i>Buccinum</i>)	23	96
lineolatus (<i>Turbo</i>)....	6	26
<i>Perdix</i>	6	46

PHOLAS.

Vol. 5. p. 442.

1 Dactylus.....	2	1
2 orientalis	2	2
3 candida	2	3
4 dactyloides	2	6
6 costata	2	4
7 crispata	2	5
9 clavata	2	7
<i>papyracea</i>	1	1
<i>ovum</i>	1	4
<i>tuberculata</i>	1	2
<i>lanceolata</i>	1	3

PHYSA.

Vol. 6. pt. 2. p. 155.

	Pl.	Fig.
2 fontinalis (<i>Bulla</i>)....	18	37
3 Hypnorum.....	18	39

PILEOPSIS.

Vol. 6. pt. 2. p. 16.

1 ungarica (<i>Patella</i>) ..	37	41
2 mitrula	37	43

PINNA.

Vol. 6. p. 129.

1 rudis	12	1
2 Flabellum	12	6
3 seminuda	12	7
5 nobilis.....	12	8
6 squamosa	12	12
7 marginata	12	20
8 muricata	12	9
9 pectinata	12	4
10 saccata	12	18
13 ingens.....	12	3
14 Vexillum	12	11
15 nigrina	12	2

PIRENA.

Vol. 6. pt. 2. p. 169.

1 terebralis (<i>Strombus</i>)	25	40
3 aurita.....	25	41

PLACENTULA.

Vol. 7. p. 620.

	Pl.	Fig.
1 pulvinata (<i>Nautilus</i>) .	13	38
2 asterisans	13	39

PLACUNA.

Vol. 6. p. 223.

1 Sella (<i>Anomia</i>)	12	30
3 Placenta	12	29

PLANAXIS.

Vol. 7. p. 50.

2 undulata (<i>Buccinum</i>) .	23	64
<i>Planaxis</i>	4	15
<i>laevigatum</i>	4	29

PLANORBIS.

Vol. 6. pt. 2. p. 150.

1 Cornu-Arietis (<i>Helix</i>)	33	55
2 corneus	33	48
3 carinatus	33	23
6 spirorbis	33	50
7 Vortex	33	40
9 contortus	33	52
10 hispidus	33	53
11 nitidus (<i>Nautilus</i>) ..	13	3
12 imbricatus (<i>Turbo</i>) ..	32	162
<i>angulatus</i> (<i>Helix</i>)	7	12

PLEUROTOMA.

Vol. 7. p. 90.

	Pl.	Fig.
2 auriculifera (<i>Strombus</i>)	25	42
11 spirata (<i>Murex</i>)	27	120
14 buccinoides (<i>Buccinum</i>)	24	151
16 Virgo (<i>Murex</i>)	26	63
17 Babylonia	26	67
23 nodifera	26	68
<i>Mitra</i>	5	5
<i>echinata</i>	5	6
<i>bicarinata</i>	5	7
<i>elegans</i>	5	8
<i>Pleurotoma</i>	5	9
<i>curvirostris</i>	5	25

PLICATULA.

Vol. 6. p. 184.

1 ramosa (<i>Spondylus</i>) . .	9	3
-----------------------------------	---	---

POLLICIPES.

Vol. 5. p. 405.

1 Cornucopia (<i>Lepas</i>) . .	2	34
2 Mitella	2	35
3 Scalpellum	2	35
<i>Peronii</i>	1	3
<i>Homii</i>	1	6

POLYSTOMELLA.

Vol. 7. p. 624.

1 crispa (<i>Nautilus</i>)	13	8
--	----	---

	Pl. Fig.	
2 costata.....	13	25
3 planulata.....	14	45
4 ambigua	13	44

PSAMMOBIA.

Vol. 5. p. 511.

2 Feroensis (<i>Tellina</i>)..	4	36
3 vespertina (<i>Solen</i>) ..	3	27

PSAMMOTÆA.

Vol. 5. p. 516.

6 candida (<i>Tellina</i>)....	4	39
----------------------------------	---	----

PTEROCERA.

Vol. 7. p. 194.

1 truncata (<i>Strombus</i>) .	24	8
2 Lambis	24	7
3 Millepeda	24	9
5 Scorpio	24	6
7 Chiragra	24	5

PUPA.

Vol. 6. pt. 2. p. 103.

1 Mumia (<i>Turbo</i>)	32	111
2 Uva.....	31	101
3 sulcata.....	32	115
16 tridens.....	32	151
17 quadridens	32	154

	Pl. Fig.	
24 fragilis	32	149
27 Muscorum	32	153
<i>Anglicus</i>	6	12
<i>rufescens</i>	6	13
<i>edentulus</i>	6	14
<i>odontostoma</i>	7	25
<i>Petiveriana</i>	8	70
<i>dentata</i>	8	71

PURPURA.

Vol. 7. p. 233.

1 Persica (<i>Buccinum</i>) .	22	52
3 patula	22	53
6 Consul (<i>Murex</i>).....	26	61
7 armigera (<i>Buccinum</i>). .	22	58
9 Hippocastanum (<i>Murex</i>)	26	53
11 Hæmastoma (<i>Bucc.</i>)	22	57
12 Mancinella (<i>Murex</i>) .	26	52
15 neritoides.....	26	49
21 Sacellum.....	25	20
25 Sertum (<i>Buccinum</i>)... .	22	41
29 cruentata	23	103
30 Lapillus	23	62
33 Cataracta	23	83
35 plicata (<i>Murex</i>)	26	56
36 Fiscella	27	102
41 Hystrix	26	50
45 Trochlea (<i>Buccinum</i>). .	23	76
48 Vexillum (<i>Strombus</i>). .	25	36
<i>Rudolphi</i> (<i>Buccinum</i>). .	4	6
<i>distorta</i>	4	7
<i>Bulbus</i>	4	8
<i>subrostrata</i>	4	9

	Pl.	Fig.
<i>Tectum</i>	4	13
<i>cariosa</i> (<i>Murex</i>)	5	22

PYRAMIDELLA.

Vol. 6. pt. 2. p. 221.

2 dolabrata (<i>Trochus</i>) .	30	122
----------------------------------	----	-----

PYRGOMA.

Vol. 5. p. 400.

1 cancellatum (<i>Lepas</i>) .	1	4
----------------------------------	---	---

PYRULA.

Vol. 7. p. 137.

1 canaliculata (<i>Murex</i>)	26	82
2 Carica	26	83
3 perversa	26	88
5 Tuba	26	80
7 Vespertilio	27	114
8 Melongena	26	59
10 Ficus (<i>Bulla</i>)	18	29
13 Spirillus (<i>Murex</i>) ...	28	81
14 elongata (<i>Buccinum</i>) .	23	68
15 Ternatana (<i>Murex</i>) .	27	116
16 Bezoar (<i>Buccinum</i>) .	23	104
17 Rapa	23	105
18 papyracea (<i>Bulla</i>) ...	18	31
22 nodosa (<i>Murex</i>).....	26	85
23 citrina (<i>Buccinum</i>) ...	23	69
<i>Salmo</i> (<i>Murex</i>)	5	14

RANELLA.

Vol. 7. p. 147.

	Pl.	Fig.
1 gigantea (<i>Murex</i>) ...	26	44
3 candidata.....	26	36
4 Argus	25	27
5 Crumena.....	25	21
6 spinosa.....	25	22
7 bufonia	25	26
11 bitubercularis	25	25
12 ranina	25	24
<i>Papilla</i>	5	2

RICINULA.

Vol. 7. p. 230.

1 horrida (<i>Murex</i>).....	26	47
---------------------------------	----	----

ROSTELLARIA.

Vol. 7. p. 191.

1 curvirostris (<i>Strombus</i>)	24	1
2 rectirostris	24	2
3 Pes-Pelecani	24	4
<i>cancellata</i>	4	6

ROTELLA.

Vol. 7. p. 6.

1 lineolata (<i>Trochus</i>)...	29	78
<i>formosa</i>	5	29
<i>æqualis</i>	5	30

SANGUINOLARIA.

Vol. 5. p. 509.

	Pt.	Fig.
1 <i>occidens</i> (<i>Solen</i>)	3	29
2 <i>rosea</i>	3	28
4 <i>rugosa</i> (<i>Venus</i>)	8	64
<i>livida</i> (<i>Solen</i>)	1	3

SAXICAVA.

Vol. 5. p. 501.

1 <i>rugosa</i> (<i>Mytilus</i>).....	12	9
---	----	---

SCALARIA.

Vol. 6. pt. 2. p. 225.

1 <i>pretiosa</i> (<i>Turbo</i>).....	31	88
5 <i>communis</i>	31	90
<i>raricostata</i>	6	16
<i>lamellosa</i>	6	17
<i>Australis</i>	6	18
<i>varicosa</i>	6	19
<i>Martini</i>	6	20

SEPTARIA.

Vol. 5. p. 436.

1 <i>arenaria</i> (<i>Teredo</i>) ...	38	1
---	----	---

SERPULA.

Vol. 5. p. 360.

1 <i>vermicularis</i>	38	31
4 <i>contortuplicata</i>	38	17

Pl. Fig.

6 <i>glomerata</i>	38	20
7 <i>decussata</i>	38	30
8 <i>protensa</i>	38	37
11 <i>Cereclus</i>	38	5
21 <i>echinata</i>	38	27
26 <i>arenaria</i>	38	23
<i>florigrana</i>	8	1
<i>fuscata</i>	8	3
<i>rosea</i>	8	4

SIDEROLITES.

Vol. 7. p. 623.

1 <i>calcitrapoides</i> (<i>Nautilus</i>)	14	46
---	----	----

SIGARETUS.

Vol. 6. pt. 2. p. 207.

1 <i>halioideus</i> (<i>Helix</i>) .	35	187
--	----	-----

SILICUARIA.

Vol. 5. p. 337.

1 <i>anguina</i> (<i>Serpula</i>) ...	38	26
2 <i>muricata</i>	38	27

SOLARIUM.

Vol. 7. p. 2.

1 <i>perspectivum</i> (<i>Trochus</i>)	29	62
4 <i>stramineum</i>	29	63

	Pl. Fig.	
5 hybridum	29	61
6 variegatum	29	59

SOLEMYA.

Vol. 5. p. 488.

2 Mediterranea (<i>Solen</i>)	1	1
---------------------------------	---	---

SOLEN.

Vol. 5. p. 449.

1 Vagina.....	3	3
4 Siliqua.....	3	1
5 Ensis	3	6
6 pygmæus	3	7
8 Cultellus	3	9
9 planus	3	16
10 minutus	3	33
11 Legumæa.....	3	8
15 antiquatus	3	10
18 strigilatus.....	3	12
19 radiatus	3	14
21 rostratus	3	22
<i>corneus</i>	1	2
<i>orbiculatus</i>	1	4

SPIRORBIS.

Vol. 5. p. 358.

1 nautiloides (<i>Scrpula</i>).	38	8
2 Spirillum.....	38	6
3 carinatus	38	10

SPIRULA.

Vol. 7. p. 600.

	Pl. Fig.	
1 Peronii (<i>Nautilus</i>) ...	13	16

SPONDYLUS.

Vol. 6. p. 186.

1 Gædaropus.....	9	1
9 regius	9	2

STOMATELLA.

Vol. 6. pt. 2. p. 209.

4 Auricula (<i>Patella</i>) ...	37	54
<i>sulcifera</i> (<i>Haliotis</i>) ...	8	3
<i>imbricata</i>	8	4

STOMATIA.

Vol. 6. pt. 2. p. 211.

1 phimotis (<i>Haliotis</i>) ...	36	18
------------------------------------	----	----

STROMBUS.

Vol. 7. p. 199.

The Specific names the same as
the Linnean, except

2 accipitrinus.....	25	41
7 cristatus	25	15
9 bubonius	25	14
23 Troglodytes	25	26
26 plicatus	25	35
29 lineatus	24	11

	Pl. Fig.		Pl. Fig.
<i>gracilior</i>	4 1	5 <i>virgata</i>	3 3
<i>variabilis</i>	4 2	8 <i>Spengleri</i>	4 35
<i>labiosus</i>	4 3	9 <i>rostrata</i>	4 28
<i>jugosus</i>	4 4	12 <i>foliacea</i>	3 20
<i>floridus</i>	4 5	13 <i>operculata</i>	4 37
<i>incisus</i>	4 12	20 <i>planata</i>	3 24
<i>Galca</i>	4 13	21 <i>punicea</i>	4 47
<i>Galca junior</i>	4 14	22 <i>depressa</i>	4 48
<i>bituberculatus</i>	4 15	24 <i>Fabula</i>	3 23
<i>tricornis</i>	4 16	15 <i>tenuis</i>	3 22
<i>Thersites</i>	4 17	27 <i>donacina</i>	4 31
<i>variabilis</i>	4 18	31 <i>Remies</i>	4 69
<i>Persicus</i>	4 19	34 <i>scobinata</i>	4 67
<i>dilatatus</i>	4 20	35 <i>crassa</i>	4 75
<i>granulatus</i>	4 21	36 <i>laevigata</i>	4 29
		37 <i>Lingua-Felis</i>	3 2
		38 <i>rugosa</i>	3 8
		39 <i>lacunosa</i>	3 12
		40 <i>gargadia</i>	3 1
		42 <i>multangula</i>	3 11
		43 <i>polygona</i>	4 80
		47 <i>obliqua</i>	4 46
		51 <i>solidula</i>	4 84
		52 <i>bimaculata</i>	4 83
		<i>convexa</i>	1 2
STRUTHIOLARIA.			
Vol. 7. p. 147.			
1 <i>nodulosa (Murex)</i> ...	26 62		
SUCCINEA.			
Vol. 6. pt. 2. p. 154.			
2 <i>amphibia (Helix)</i> ...	35 171		
<i>patula</i>	7 9		
TELLINA.			
Vol 5. p. 519.			
1 <i>radiata</i>	4 26		
1 <i>maculosa</i>	3 4		
		TEREBELLUM.	
		Vol. 7. p. 409.	
		1 <i>subulatum (Bulla)</i> .	18 41
		TEREBRA.	
		Vol. 7. p. 283.	
		1 <i>maculata (Buccinum)</i>	24 129

	Pl.	Fig.
3 crenulata.....	24	133
4 dimidiata.....	24	147
5 muscaria	24	131
7 oculata	24	130
8 duplicata.....	24	142
18 Myuros	24	140
21 lanceata	24	146
22 aciculina.....	24	143
24 vittata	24	138
<i>lineolata</i>	4	22
<i>elongata</i>	4	25

TEREBRATULA.

Vol. 6. p. 243.

1 vitrea (<i>Anomia</i>)	11	24
8 dorsata.....	11	26
9 sanguinea	11	25
10 Caput-Serpentis	11	22
11 truncata	11	17
12 psittacea	11	27
<i>pulchra</i>	2	1
<i>rosea</i>	2	3
<i>rubra</i>	2	4

TEREDO.

Vol. 5. p. 438.

1 navalis.....	38	2
----------------	----	---

TORNATELLA.

Vol. 6. pt. 2. p. 219.

1 flammea (<i>Voluta</i>)....	19	12
---------------------------------	----	----

	Pl.	Fig.
2 solidula	19	13
3 fasciata	19	11

TRIDACNA.

Vol. 6. p. 104.

1 Gigas (<i>Chama</i>).....	9	2
-------------------------------	---	---

TRIGONIA.

Vol. 6. p. 61.

1 pectinata (<i>Chama</i>) ..	2	6
---------------------------------	---	---

TRITON.

Vol. 7. p. 177.

1 variegatus (<i>Murex</i>) .	27	95
4 Lampas	25	28
5 Scrobiculator	26	43
6 Spengleri	26	38
9 Pileare	26	35
10 Lotorium	26	34
11 Femorale	26	32
12 Pyrum	26	39
15 canaliferus	26	41
17 Clavator	26	40
21 Anus	26	45
25 maculosus.....	26	37
27 Rubecula	26	42
28 cutaceus.....	26	33

	Pl.	Fig.
29 Dolarius	27	106
31 undosus (<i>Buccinum</i>) .	23	97

TROCHUS.

Vol. 7. p. 9.

The Specific names the same as
the Linnean, except

12 stellaris (<i>Turbo</i>)	30	29
18 agglutinans (<i>Trochus</i>)	29	69
22 Merula	29	86
26 pyramidalis	30	110
<i>undosus</i>	5	1
<i>Unguis</i>	5	2
<i>olivaceus</i>	5	3
<i>Pellis-Serpentis</i>	5	4
<i>armillatus</i>	5	5
<i>acuminatus</i>	5	6
<i>elegantulus</i>	5	9
<i>granosus</i>	5	11
<i>tæniatus</i>	5	12
<i>lævis</i>	5	13
<i>albidus</i>	5	14
<i>Clelandii</i>	5	15
<i>quadricostatus</i>	5	16
<i>Byronianus</i>	5	17
<i>elongatus</i>	5	19
<i>Smithii</i>	5	20
<i>articulatus</i>	5	22
<i>filosus</i>	5	23
<i>Maugeri</i>	5	27
<i>pictus</i>	5	28
<i>Clangulus</i>	5	31
<i>Mediterraneus</i>	5	32

	Pl.	Fig.
<i>callosus</i>	5	33
<i>zonatus</i>	5	34
<i>reticulatus</i>	6	38
<i>clanguloides</i>	6	39
<i>sulcatus</i>	6	40
<i>indistinctus</i>	6	41
<i>interruptus</i>	6	42
<i>Montagui</i>	6	43
<i>Calyculus</i>	6	44

TUBICINELLA.

Vol. 5. p. 384.

1 Balænarum (<i>Lepas</i>) .	1	1
--------------------------------	---	---

TURBINELLA.

Vol. 7. p. 102.

1 Scolymus (<i>Murex</i>) ..	27	115
4 Pyrum (<i>Voluta</i>)	21	160
5 pugillaris	21	158
6 Rhinoceros	21	157
7 cornigera	21	155
8 Ceramica	21	159
9 Capitellum	21	156
11 Globulus	21	162
13 rustica (<i>Buccinum</i>) ..	23	66
14 cingulifera (<i>Murex</i>) .	27	110
15 polygona	27	113
16 carinifera	26	84
17 Infundibulum	27	118
18 craticulata.....	27	121
19 lineata (<i>Voluta</i>)	20	118

	Pl.	Fig.
23 ocellata (<i>Buccinum</i>) .	23	89
rigida (<i>Murex</i>)	5	3
sanguinea	5	10
unifasciata	5	11
acuminata	5	12
cerata	5	15

TURBO.

Vol. 7. p. 38.

The Specific names the same as
the Linnean, except

22 Hippocastanum	31	46
niger	6	1
minimus	6	29
tuberculatus	6	30
Zebra.....	6	33
Pintado	6	34
crassus	6	43
fluctuosus	6	44
saxosus	6	45
bicarinatus.....	6	47

TURRITELLA.

Vol. 7. p. 55.

1 duplicata (<i>Turbo</i>) ..	32	132
2 Terebra.....	32	137
3 imbricata	32	129
4 replicata	32	130
10 exoleta	32	136
suturalis	6	41

UMBRELLA.

Vol. 6. p. 339.

	Pl.	Fig.
1 Indica (<i>Patella</i>)	38	85

UNIO.

Vol. 6. p. 68.

2 elongatus (<i>Mya</i>).....	2	30
3 crassus.....	2	28
13 radiatus	2	32
32 Pictorum.....	2	26
33 Batavus	2	25
34 corrugatus	2	31
35 nodulosus	2	34
nasutus.....	1	4
rotundatus	1	1
oblongatus	1	2
undulatus.....	1	5
cariosus	1	6
obliquus	1	8
alatus	1	3
rugulosus	1	7
rigidus?.....	1	10
prælongus	1	11

VALVATA.

Vol. 6. pt. 2. p. 171.

1 piscinalis (<i>Turbo</i>) ...	31	87
-----------------------------------	----	----

VENERICARDIA.

Vol. 5. p. 609.

<i>Tankervillei</i> (<i>Chama</i>).	2	4
crassicosata	2	5

VENERUPIS.

Vol. 5. p. 506.

	Pl.	Fig.
1 perforans (<i>Venus</i>)....	8	108
3 Irus (<i>Donax</i>)..	6	21

VENUS.

Vol. 5. p. 583.

1 Puerpera	8	67
2 reticulata	8	66
5 crenulata	8	68
7 Verrucosa	7	12
8 rugosa	7	13
9 crassina	7	14
10 plicata	7	9
11 cancellata	7	15
14 granulata	7	29
16 Marica	7	5
22 mercenaria	7	40
24 Gallina	7	23
27 sulcata	7	18
29 exalbida.....	7	27
34 corrugata	8	105
35 Malabarica	7	36
36 papilionacea.....	8	103
40 litterata	8	101
42 Textile	8	104
44 geographica	8	102
46 decussata.....	8	107
47 pullastra	8	109
55 Scotica	7	20
56 aurea	8	111
57 virginea	8	110
61 callipyga	8	63

Pl. Fig.

62 opima	7	50
63 nebulosa	7	52
84 flammea	7	37
87 ovata	7	30
<i>lamellata</i>	2	1
<i>Berrii</i>	2	2
<i>elegans</i>	2	3
<i>Stutchburii</i>	2	4
<i>subrostrata</i>	2	7
<i>papyracea</i>	2	8
<i>aphrodinoides</i>	2	10
<i>Aurisiaca</i>	2	12
<i>costulata</i>	2	15

VERMETUS.

Vol. 6. pt. 2. p. 224.

1 lumbricalis (<i>Serpula</i>)	38	21
<i>maximus</i>	8	2

VERMILIA.

Vol. 5. p. 368.

2 triquetra (<i>Serpula</i>)...	38	9
-----------------------------------	----	---

VOLVARIA.

Vol. 7. p. 362.

1 Monilis (<i>Voluta</i>)....	19	53
2 pallida	19	59
3 triticea	19	54

VOLUTA.

Vol. 7. p. 327.

The specific names the same as the
Linnean, except

	Pl.	Fig.
7 Milo	21	185
14 Brasiliana	21	174
33 ancilla	21	168
36 fulminata.....	21	167
41 volvacea	21	165
<i>subnodosa</i>	3	1
<i>gracilis</i>	3	2
<i>Falgetrum</i>	3	3
<i>aulica</i>	3	4
<i>Flammula</i>	3	5
<i>pulchra</i>	3	6
<i>Pusio</i>	3	9
<i>punctata</i>	3	19
<i>marmorata</i>	3	20

Pl. Fig.

<i>angulata</i>	3	21
<i>tuberculata</i>	3	22
<i>rubiginosa</i>	3	23
<i>modesta</i>	3	24
<i>Harpa</i>	3	26

VORTICIALIS.

Vol. 7. p. 625.

1 craticulata (<i>Nautilus</i>)	13	42
2 strigilata	13	41

VULSELLA.

Vol. 6. p. 220.


1 lingulata (<i>Ostrea</i>) ...	11	84
-----------------------------------	----	----




THE END.

LONDON:

PRINTED BY RICHARD TAYLOR,


RED LION COURT, FLEET STREET.







VENUS.



CHAMA.



ARCA.



OSTREA.




ANOMIA.



MYTILUS.



CONUS.



CYPRÆA



BULLA



VOLUTA




VOLUTA




BUCINUM



STROMBUS




MUREX




TROCHUS



TROCHUS



TURBO



HELIX



HELIX



NERITA



HALIOTIS



PATELLA





BOOKS IN NATURAL HISTORY,

Published by WILLIAM WOOD, 428, STRAND.

ZOOGRAPHY, or the Beauties of Nature displayed in select descriptions from the Animal and Vegetable, with additions from the Mineral Kingdom. Systematically arranged by W. WOOD, F.L.S. 1807, 3 vols. 8vo. plates, bds., 3*l.* 13*s.* 6*d.* The same, large paper, boards, 6*l.* 6*s.*

GENERAL CONCHOLOGY, or a Description of Shells, arranged according to the Linnæan System, and illustrated with plates drawn and coloured from Nature. By W. WOOD, F.R.S. F.L.S. Lond. 1815. royal 8vo. vol. 1, boards, 3*l.* 10*s.* THE SAME, on fine drawing paper, 4*l.* 18*s.*

This volume is composed of the genera of Shells in a regular Linnæan series, from *Chiton* to *Cardium*. Each genus is complete in itself, and contains many new and rare shells that have not hitherto been noticed. The plates are faithfully drawn and coloured from original specimens, by Mr. Sowerby.

ILLUSTRATIONS OF THE LINNÆAN GENERA OF INSECTS. By W. WOOD, F.R.S. and F.L.S. 2 vols. 12mo. with 86 coloured plates, boards, 1*l.* 10*s.*

This work contains, besides the Generic Characters, and general observations on each genus, a method of catching and preserving Insects for collections, and also an explanation of the principal terms used in Entomology.

THE BRITISH FAUNA; containing a Compendium of the Zoology of the British Islands, arranged according to the Linnæan System. By W. TURTON, M.D. F.L.S. This very useful work contains both the Generic and Specific Characters of all the Quadrupeds, Birds, Fish, Reptiles, Worms, Shells, Corallines, and Animalculæ, inhabiting Great Britain. 12mo. boards, 10*s.* 6*d.*

LEPIDOPTERA BRITANNICA, sistens Digestionem Novam Insectorum quæ in Magna Britannia reperiuntur. Auctore A. H. HAWORTH. Lond. 1828. 8vo. boards, 10*s.* 6*d.*

This Part concludes the work on British Lepidoptera, forming a Monograph of the lesser Moths, and containing a complete Index of all the Species.

COLEOPTERA BRITANNICA, sistens Insecta Coleoptera Britannicæ Indigenæ. Auctore T. MARSHAM. Lond. 8vo. boards, 16*s.*

THE SAME, in two Volumes, with 30 coloured plates, 1*l.* 6*s.*

TESTACEA BRITANNICA; or Natural History of British Shells. By G. MONTAGU. Romsey, 1803, 4to. boards, 2*l.* 2*s.* THE SAME, fine paper, coloured, 4*l.* 4*s.*

Supplement to the above. Exeter, 4to. boards, 1*l.* 1*s.* THE SAME, fine paper, coloured, 2*l.* 2*s.*

ELEMENTS OF CONCHOLOGY according to the Linnæan System, illustrated by 28 plates drawn from Nature. By the Rev. E. I. BURROW, A.M. F.R.S. F.L.S. Mem. Geol. Soc. *Lond.* 1825, third edition, boards. 16s; or with plates coloured, 1*l.* 11s. 6*d.*

A SYNOPTICAL CATALOGUE of British Birds, intended to identify the Species mentioned by different names in several Catalogues already extant. By T. FORSTER, F.L.S. &c. &c. *Lond.* 1821, 8vo. boards, with a coloured plate of the Strix Scops. 3s. 6*d.*

BRITISH ORNITHOLOGY, containing Portraits of all the British Birds, including those of Foreign Origin which have become domesticated; drawn, engraved, and coloured by JOHN HUNT. *Norwich*, 1818, 8vo. parts 1—15, each Part 9s.

SUPPLEMENT TO THE ORNITHOLOGICAL DICTIONARY; or Synopsis of British Birds. *Exeter*, 1813, 8vo. plates, boards, 14s.

SAXIFRAGEARUM ENUMERATIO. Auctore A.H. HAWORTH. *Lond.* 1821, 8vo. boards, 10s. 6*d.*

NATURALIST'S MISCELLANY. By G. SHAW, F.R.S. &c. In 267 Numbers, containing 1064 Plates coloured, 33*l.* 17s.

Numbers to complete sets, or any of the Plates of this work may be had separate in any quantity, for the purpose of illustrating other books, at 6*d.* each, coloured.

ZOOLOGICAL MISCELLANY; being descriptions of new, or interesting Animals, illustrated with coloured Figures drawn from Nature. By W. E. LEACH, M.D. F.L.S. &c. *Lond.* 1814—17. 3 Vols. 8vo. 4*l.* 10s.

This work contains many interesting animals from New Holland.

SKETCHES REPRESENTING THE NATIVE TRIBES, ANIMALS, AND SCENERY OF SOUTHERN AFRICA, from Drawings made by the late MR. SAMUEL DANIELL. Engraved by WILLIAM DANIELL.—Royal Quarto. Price Three Guineas in boards; with the Plates on India paper, Four Guineas.

The illustrations which accompany this work were executed by Mr. S. Daniell with the utmost care and fidelity, and all the subjects contained in the volume are studies from the life. Mr. Daniell was indefatigable in the pursuit of his object, and always made himself master of the actions and habits of an animal before he committed it to paper.

BOOKS IN NATURAL HISTORY,

PUBLISHED BY

WILLIAM WOOD, 428, STRAND.

◆

INDEX TESTACEOLOGICUS, or A Catalogue of Shells, British and Foreign, arranged according to the Linnæan System, with the Latin and English Names, References to Authors, and Places where found. Illustrated with 2300 figures. By W. WOOD, F.R.S. F.L.S., Author of "Zoography," "General Conchology," &c. &c. Lond. 1828, second edition. 8vo. boards. 2*l.* 12*s.* 6*d.*; or with the plates coloured, 5*l.* 5*s.*

The figures contained in this volume are for the most part original, and have been drawn from specimens with the greatest possible attention to accuracy. All Shells, even the most minute, that have been noticed as British by Montagu, Donovan, Walker and others, as well as all the Foreign Species described in the volumes of Martini and Chemnitz, &c., have been introduced. The divisions of Lamarck have been added, and his Genera referred to the figures in the Catalogue.

ZOOGRAPHY, or the Beauties of Nature displayed in select Descriptions from the Animal and Vegetable, with additions from the Mineral Kingdom. Systematically arranged by W. WOOD, F.L.S. 1807, 3 vols. 8vo. plates, bds. 3*l.* 13*s.* 6*d.* THE SAME, large paper, boards, 6*l.* 6*s.*

GENERAL CONCHOLOGY, or a Description of Shells, arranged according to the Linnæan System, and illustrated with plates drawn and coloured from Nature. By W. WOOD, F.R.S. F.L.S. Lond. 1815. royal 8vo. vol. 1, boards, 3*l.* 10*s.* THE SAME, on fine drawing paper, 4*l.* 18*s.*

This volume is composed of the genera of Shells in a regular Linnæan series, from *Chiton* to *Cardium*. Each genus is complete in itself, and contains many new and rare shells that have not hitherto been noticed. The plates are faithfully drawn and coloured from original specimens, by Mr. Sowerby.

ILLUSTRATIONS OF THE LINNÆAN GENERA OF INSECTS. By W. WOOD, F.R.S. F.L.S. 2 vols. 12mo. with 86 coloured plates, boards, 1*l.* 10*s.*

This work contains, besides the Generic Characters, and general observations on each genus, a method of catching and preserving Insects for collections, and also an explanation of the principal terms used in Entomology.

THE BRITISH FAUNA; containing a Compendium of the Zoology of the British Islands, arranged according to the Linnæan System. By W. TURTON, M.D. F.L.S. This very useful work contains both the Generic and Specific Characters of all the Quadrupeds, Birds, Fish, Reptiles, Worms, Shells, Corallines, and Animalculæ, inhabiting Great Britain. 12mo. boards, 10*s.* 6*d.*

COLEOPTERA BRITANNICA, sistens Insecta Coleoptera Britannicæ Indigena. Auctore T. MARSHAM. *London.* 8vo. boards, 16*s.* THE SAME, in two Volumes, with 30 coloured plates, 1*l.* 6*s.*

TESTACEA BRITANNICA; or Natural History of British Shells. By G. MONTAGU. *Romsey*, 1803, 4to. boards, 2*l.* 2*s.* THE SAME, fine paper, coloured, 4*l.* 4*s.*

SUPPLEMENT to the above. *Exeter*, 4to. boards, 1*l.* 1*s.* THE SAME, fine paper, coloured, 2*l.* 2*s.*

ELEMENTS OF CONCHOLOGY according to the Linnæan System, illustrated by 28 plates drawn from Nature. By the Rev. E. I. BURROW, A.M. F.R.S. F.L.S. *Mem. Geol. Soc. Lond.* 1825, third edition, boards. 16*s.*; or with plates coloured, 1*l.* 11*s.* 6*d.*

A SYNOPTICAL CATALOGUE of British Birds, intended to identify the Species mentioned by different names in several Catalogues already extant. By T. FORSTER, F.L.S. &c. &c. *Lond.* 1821, 8vo. boards, with a coloured plate of the Strix Scops. 3*s.* 6*d.*

BRITISH ORNITHOLOGY, containing Portraits of all the British Birds, including those of Foreign Origin which have become domesticated; drawn, engraved, and coloured by JOHN HUNT. *Norwich*, 1818, 8vo. parts 1—15, each Part 9*s.*

SUPPLEMENT TO THE ORNITHOLOGICAL DICTIONARY; or Synopsis of British Birds. *Exeter*, 1813, 8vo. plates, boards, 14*s.*

Books Published by W. Wood, 428, Strand.

SAXIFRAGEARUM ENUMERATIO. 82 pagg. Auctore A. H. HAWORTH, F.L.S. Accedunt Revisiones Plantarum Succulentarum. 20^c pagg. Lond. 1821, 8vo. boards, 10s. 6d.

NATURALIST'S MISCELLANY. By G. SHAW, F.R.S. &c. In 267 Numbers, containing 1064 Plates coloured, 33*l.* 17*s.*

Numbers to complete sets, or any of the Plates of this work may be had separate in any quantity, for the purpose of illustrating other books, at 6*d.* each, coloured.

ZOOLOGICAL MISCELLANY; being descriptions of new, or interesting Animals, illustrated with coloured Figures drawn from Nature. By W. E. LEACH, M.D. F.L.S. &c. Lond. 1814—17. 3 Vols. 8vo. 4*l.* 10*s.*

This work contains many interesting animals from New Holland.

SKETCHES REPRESENTING THE NATIVE TRIBES, ANIMALS, AND SCENERY OF SOUTHERN AFRICA, from Drawings made by the late Mr. SAMUEL DANIELL. Engraved by WILLIAM DANIELL.—Royal Quarto. Price Three Guineas in boards; with the Plates on India paper, Four Guineas.

The illustrations which accompany this work were executed by Mr. S. Daniell with the utmost care and fidelity, and all the subjects contained in the volume are studies from the life. Mr. Daniell was indefatigable in the pursuit of his object, and always made himself master of the actions and habits of an animal before he committed it to paper.

