Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Hardy Herbaceous Plants



Bobbink & Atkins



Rutherford New Jersey

PARCEL POST INSTRUCTIONS

If roses or herbaceous plants are wanted by Parcel Post, add to value of order to cover postage and special packing as follows (remittance by check or postal money-order preferable):

5 per cent additional to the following states: New York, New Jersey, Connecticut, Rhode Island, Massachusetts, Pennsylvania, Delaware, Maryland, New Hampshire, Vermont, Maine, District of Columbia, Virginia.

10 per cent additional to the following states: West Virginia, Ohio, North Carolina, South Carolina, Tennessee, Indiana, Michigan, Kentucky, Alabama, Georgia, Florida Illinois, Louisiana, Iowa, Missouri, Mississippi, Nebraska, Wisconsin.

15 per cent additional to the following states: Arkansas, Kansas, Minnesota, Texas, North Dakota, South Dakota, Oklahama

Dakota, Oklahoma.

20 per cent additional to the following states: Wyoming, Washington, Utah, Oregon, New Mexico, Nevada, Montana, Idaho, Arizona, Colorado, California.

SPECIAL HANDLING.

Parcel Post packages will be given better care and quicker delivery if a postal rate of 25 cents extra is added on each package.

BUSINESS TERMS AND SUGGESTIONS

CORRESPONDENCE SOLICITED. We give every inquiry careful attention, and ask that each inquiry be made as brief and clear as possible.

ORDER EARLY. It greatly facilitates shipment if orders are received early. Please write orders on Order Sheets accompanying catalogue.

IMPORTANT. Please advise, when ordering, if you wish goods shipped by express or freight, giving best route for quick delivery. We will not warrant prompt delivery of goods shipped by freight. Please write Name, Post Office, County, State, and Number of Street, as plainly as possible; also any other information necessary to expedite delivery.

PRICES in this catalogue are f. o. b. Rutherford, N. J. Packing is charged at cost. Postage will be charged at the rate of 10% on the amount of the bill for packages forwarded by Parcel Post. This catalogue cancels all sales conditions and prices quoted in previous catalogues.

TERMS. Cash or satisfactory references must accompany all orders, unless the party ordering has an open account.

OUR RESPONSIBILITY. While we exercise the greatest care to have our nursery products all genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that prove untrue, we do not give any warranty, expressed or implied, or guarantee them to live and grow or give specific results. In case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods. No complaints will be considered that are not made within ten days after the receipt of the stock.

COMPLAINTS. All errors and omissions in the execution of orders will be satisfactorily adjusted, if we are notified immediately upon receipt of goods.

HEAD GARDENERS AND ASSISTANTS. We have a list of competent applicants awaiting engagements. We shall be glad to furnish these names to those requiring the services of trained Horticulturists.

HOW TO REACH OUR NURSERIES. Visitors invited. Our Nurseries, consisting of 500 acres, are located within 8 miles of New York City. The automobile roads leading to our Nurseries are exceptionally fine. All busses leaving the West 42d Street Ferry, New York City, with Paterson as their destination, pass our Nursery on Paterson Avenue, East Rutherford. Rutherford is the first and Carlton Hill the second station on the main line of the Erie Railroad. Take the Hudson Tunnel at 33d Street or at Cortlandt Street Terminal—trained connect with the Erie Railroad at Jersey City. The Carlton Hill Station is only five minutes' walk from our Office and Nurseries.

OUR SHIPPING FACILITIES. We are admirably located to ship to all parts of the country, being only 8 miles from New York City. We can ship by express and freight via Erie Railroad from Rutherford, express or freight via D., L. & W. R. R. from Passaic, and by Carlton Hill Express Co., which connects with all railroad companies, boat and railroad lines leaving New York City and Newark. We advise large orders to be shipped in car-lots from Rutherford, as little or no delay occurs in shipping this way.

AUTO TRUCK DELIVERY. We are in a position to make deliveries by auto truck to points within 75 miles of Rutherford, N. J. Charges are made according to the size of truck required and the distance. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than if packed in cases; and, above all, the goods are landed on the grounds within a short time after being dug. It is the most satisfactory and economical method of transportation providing the order is of sufficient size.

TRANSPORTATION RULES. Our products are shipped and travel at the purchaser's risk. We do not guarantee safe delivery. Our responsibility ceases when we make delivery to the transportation company or on the grounds of the purchaser. The ownership of all goods sold by us passes to the purchaser on delivery by us to the carrier, and the issuing of a receipt by the carrier ends our responsibility. Any claims for damage should be made promptly to the agent at the point of delivery.

Trusting again to be favored with your patronage and promising our best efforts to give satisfaction, we are, Yours respectfully,

HARDY HERBACEOUS PLANTS



BOBBINK & ATKINS

RUTHERFORD . NEW JERSEY





Planting. Many flower-lovers make the mistake of planting too great a variety instead of using at least five or more plants of each variety, assuring not only a mass effect but also a continuation of flowers.

Planting can be done in either spring or fall. There are, however, a few varieties which are more successfully transplanted in spring only. Should any of these varieties appear on your fall order, we will then reserve these for delivery in spring, unless otherwise instructed.

Care. Very little care, if any, is needed. A fairly good soil should be selected, to begin with, with occasional enrichings, a little cultivation to eradicate the weeds, the cutting down and cleaning out of the old dead tops and leaves during the summer months. A slight covering with leaves, weighed down by lath or branches, is sufficient winter protection. Avoid covering with manure unless the ground is frozen. Watering the plants thoroughly after planting and during dry spells is often forgotten, but is most essential.


Besides the height and color given in this catalogue, we have added, in the back, an alphabetical index, including the flowering period, approximate height, and color of each variety, which will enable our customers to select their required number of plants at a glance.

In ordering, care should be taken to select a collection of varieties that will furnish a continuance of bloom the entire season, or for what period the flowers are wanted. Annuals can be planted among the herbaceous plants, especially in smaller borders, improving these considerably besides giving an abundance of bloom during the hottest days of the season, when perennials are in their resting period. We have printed in back of this catalogue a list of the most suitable varieties.

We solicit inquiries from persons laying out gardens of any size; estimates will be furnished for any quantities desired. Our stock of Herbaceous Plants is extensive and complete.

Start Your Flower Garden with Our Special Selection of 100 Choice Perennials, \$15.00

There is no one, without doubt, in this wide world who, at some time in his or her life, has not wished for a flower garden. Our special offer above affords an opportunity for every lover of flowers to have a small garden or the start of a larger one.



The little sketch shows how to proceed with the layout and placement of the twelve varieties of perennials in our offer, the taller growing ones being placed in the rear, the mediums in the center, and the low

the numbers 1, 2, 3, etc., each of which refers to one of the twelve varieties. These plants should be planted approximately a foot apart. Good garden soil should be used, the whole bed being well spaded before planting.

No. Plants

- 8 Achillea, Boule de Neige. 2 ft.
 8 Phlox, Rynstroom. 2 to 3 ft.
 10 Hollyhock, Mixed. 4 to 5 ft.
- 8 Phlox, Thor. 2 to 3 ft.
- 8 Pentstemon barbatus Torreyi. 2 to 3 ft.
- 8 Campanula trachelium. 2 to 3 ft.

No. Plants

- 7. 10 Coreopsis lanceolata. 2 ft.
- 8. 8 Eupatorium cœlestinum. 2 ft.
- 8 Gaillardia grandiflora. 1 to 2 ft. 8 Pyrethrum roseum. 2½ ft. 8 Dianthus barbatus. 2 ft.
- 8 Aquilegia nivea grandiflora. 2 to 3 ft.

This SPECIAL Selection of 100 Perennial Plants for \$15.00

Collection of 100 Choice Rock Plants

5 of each variety, \$15.00

Ajuga reptans atropurpurea Alyssum saxatile compactum Antennaria candida Arabis alpina Campanula carpatica Campanula carpatica alba Crucianella stylosa

Dianthus deltoides Geum atrosanguinea fl.-pl. Leontopodium alpinum (Edelweiss) Myosotis alpestris Phlox subulata alba Phlox subulata rosea Plumbago Larpentæ

Polemonium reptans Primula Bulleyana Primula suaveolens Sedum sarmentosum Sempervivum arachnoideum Veronica rupestris Trehani



Hardy Herbaceous Perennials

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate, and 25 plants at the 100 rate of any one variety

Varieties marked with an asterisk (*) are potted plants

*ACANTHUS mollis. Bear's Breech. Shapely foliage and showy purple flowers. 3 ft. July, Aug. 35 cts. each, \$3 for 10.

-mollis latifolius. Large attractive foliage. Flow-er-spikes over I foot long, purple and white. Needs protection in winter against stagnant moisture. 3 ft. Sept., Oct. 35 cts. each, \$3 for 10.

ACHILLEA filipendulina. Fern-leaved Yarrow; Milfoil. A showy variety with dense heads of yellow flowers. 3 ft. June, July. 25 cts. each, \$2 for 10.

*-Millefolium roseum. Finely cut, rich green leaves; pink flowers in compact heads. Good for cutting. 2 ft. June-Sept. 25 cts. each, \$2 per 10, \$15

per 100. See illustration on page 6.

Parker's Variety. Tall-growing plant, with rain-bow formed, clear yellow flower-heads. Very fine for cutting. 2½ to 3 ft. June-Sept. 50 cts. each,

\$4.50 per 10.

Ptarmica, Boule de Neige. Ball of Snow. An improvement on The Pearl, with fuller and more perfect flowers that are excellent for cutting. perfect flowers that are excellent for cutting.
1½ ft. June-Sept. 25 cts. each, \$2 for 10, \$15
per 100.

-Ptarmica, Perry's White. Fine; grows 2½ feet
high covered with a mass of white flowers in
June and July. Fine cut-flower.

-Ptarmica, The Pearl. The double pure white
flowers to be perfectly the property of the perfectly on strong

flowers are borne in great profusion on strong, erect stems. Good cut-flower variety. 2 ft. June-Sept. 25 cts. each, \$2 for 10, \$15 per 100.

tomentosa. Wooly Yarrow. Bright yellow flow-

ers; excellent for rockeries. Ift. June.

ACONITUM californicum. Monkshood. Decorative plants with beautiful flower-spikes showing their full beauty if left in same place for years in succession. Deep blue flowers. 4 to 5 ft. Autumn.

-Fischeri. One of the choicest Aconitums, which produces strong spikes of large, dark blue flowers. 2 to 3 ft. Sept., Oct.

-Napellus. True Monkshood. Early, bright blue

-Napelus. The Monshood. Early, bright blue flowers. 3 to 4 ft. June, July.

-Napelus bicolor. This variety produces fine branching spikes, with delicate blue partly white

flowers. 3 ft. July.

-Præcox. Deep blue flowers; rare and choice; very early flowering. 3 ft. July. 50 cts. each, \$4.50 for 10.

-Sparks' Variety. A tall variety, with branching spikes of blue flowers. The darkest Aconitum, and has a long flowering period. 5 to 6 ft. July, Aug.

Stoerkianum. Violet; leaves very much cut.

July-Sept.

Wilsonii. A tall variety from China, with violetblue flowers. 5 to 6 ft. Sept. 50 cts. each, \$4.50 for 10.

All Aconitums, 35 cts. each, \$3 for 10, \$25 per 100, except where noted

ACTÆA spicata. Baneberry. White. A very hardy plant, producing clusters of white berries late in the fall. 1½ ft. May, June.

-rubra. Flowers white; berries bright red. A very showy variety. Actæas love shady places. 1½

ft. May, June.

ADONIS amurensis fl.-pl. Double; yellow. Flowers about fourteen days later than A. amurensis. Ift. 50 cts. each, \$4.50 for 10.

vernalis. Early Spring Adonis. Single light yellow. April, May. 50 cts. each, \$4.50 for 10.

*ÆGOPODIUM Podagraria variegatum. Bishop's Weed. A rapid grower; fine for borders or beds and covering barren places. I ft. 25 cts. each, \$2 for 10, \$15 per 100.

*ÆTHIONEMA coridifolium. Resembles the iberis in growth, with clusters of rosy lilac flowers. Requires light cover in winter and protection against moisture. I ft. June.

against moisture. It. June.

-grandiflorum. Hard-wooded and shrubby; dense spikes of rose-colored flowers. Ift. May, June.

-persicum. Stout, erect, shrubby, dwarf-growing; deep rose flowers. Ift. May, June. 35 cts. each, \$3 for 10.

*AGROSTEMMA coronaria. Mullein Pink. Flowers rich crimson, produced in great abundance on long stems. 2 ft. June, July. 25 cts. each, \$2 for 10, \$15 per 100.

*-coronaria alba. A white form of the above.

*AJUGA genevensis. Geneva Bugle. An interesting rock-garden or border plant, creeping by stolons. Deep blue flowers. 6 in. May, June. *—Brockbanki. Dark blue flowers. 6 in. May, June.

*-reptans. Bugle. Blue flowers; compact growth.

6 in. May, June.

reptans atropurpurea. Blue flowers; bronze foliage; compact growth. 6 in. May, June. -reptans multicoloris. Blue flowers. Foliage



Aconitum





Achillea Millefolium roseum. See page 5

ALTHÆA rosea. Hollyhock. A well-known and stately perennial, with long spikes of showy flow-

ers. 5 to 6 ft. July, Aug.
—Double. Carmine-Rose, Crimson, Light Yellow, Rose-Salmon, Sulphur-Yellow, and White. 25 cts. each, \$2 for 10, \$15 per 100.

-Single. Assorted colors only. 25 cts. each, \$2 for 10, \$15 per 100.

-Alleghany Mammoth. Single; assorted colors;

fringed petals. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

*ALYSSUM argenteum. Yellow flowers in clustered heads. Leaves silvery underneath. Blooms all summer, starting later than saxatile. 15 in. 25 cts. each, \$2 for 10, \$15 per 100.

*—rostratum. Beaked Madwort. A good rock-plant, with heads of yellow flowers. I ft. June-Aug. 25 cts. each, \$2 for 10, \$15 per 100.

*—saxatile compactum. Rock Madwort; Golden

Tuft. Large, compact masses of yellow flowers in early spring; excellent for rockery. Very attractive and showy. 1 ft. April, May. 25 cts. each, \$2 for 10, \$15 per 100.

AMSONIA Tabernæmontana. A strong, shrub-like plant, with spikes of delicate blue flowers. 2 ft. May, June. 30 cts. each, \$2.20 for 10.

*ANCHUSA italica, Dropmore. Alkanet. A great improvement on the type, with large, gentian-blue flowers. 4 to 5 ft. If not allowed to go to seed, will bloom continuously from June-Sept. 35 cts. each, \$3 for 10, \$20 per 100.

*—italica, Opal. New. Pale blue flowers. 4 to 5 ft. May-July. 35 cts. each, \$3 for 10, \$20 per 100.

*—italica, Pride of Dover. The finest heavenly blue color. 3 to 5 ft. June-Sept. 50c. ea., \$4.50 for 10.

*—myosotidiflora. New. Produces graceful panicles

of bright blue flowers resembling the forget-menot. April, May. 50 cts. each, \$4.50 for 10.

*ANDROSACE lanuginosa. Rock Jasmine. Gray silky foliage; flowers rose, with yellow eyes. 6 in. April, May. 35 cts. each, \$3 for 10.

*ANEMONE. Windflower. Japanese Anemones are among the best autumn flowering plants, requiring a light protection of leaves in the winter. Besides being exceedingly useful for the hardy border and for front planting of shrubbery, in a semi-shaded position, they are also adapted for naturalizing in the open woods and fine for cutting and decorating purposes. 2 to 3 ft. Sept., Oct.

All Anemones, except where noted, 30 cts. each, \$2.20 for 10, \$18 per 100

- *-hupehensis. A new species from central China resembling a miniature Anemone japonica in growth, with pale mauve-colored flowers which appear in early August and continue to late fall. Ift. See illustration.
- *-japonica alba. Pure white, showing yellow anthers.
- *-japonica, Coupe d'Argent. White.
- -japonica, Geante Blanche. New. Double; silvery white. 50 cts. each, \$4.50 for 10, \$35 per 100.
- *-japonica, Loreley. Cup-shaped silvery pink flowers. 35 cts. each, \$3 for 10. See illustration.
- -japonica, Louise Uhink. New. Strong-growing novelty with healthy foliage and large, full, pure white flowers. 2 to 3 ft. Sept. to late fall. 50 cts. each, \$4.50 for 10. See illustration. *--japonica, Max Vogel. New. Large, semi-double,

light rose color blooms. 50 cts. each, \$4.50 for 10.


ANEMONE JAPONICA

Hupehensis Louise Uhink Mount Rose

Whirlwind Loreley

Rutherford, N. J.

Hardy Herbaceous Plants



japonica, Mount Rose. One of the finest free-flowering, double pink Anemones; deeper than Loreley. See illustration on page 6.

-japonica, Prince Henry. A dwarf dark red variety. An improvement on Rubra.

A strong grower, -japonica, Queen Charlotte.

producing large, semi-double, pink flowers.

-japonica, Richard Arends. New. Large; double; white, tinted pink. 50 cts. each, \$4.50 for 10.

-japonica, Rosace. New. Large, milky white flowers with imbricated petals and perfect form.

50 cts. each, \$4.50 for 10. japonica, Whirlwind. Semi-double; white. See

illustration on page 6.

Pulsatila. Pasque Flower. Well adapted for rockwork or border, flowers varying from lilac to purple. I ft. April, May.

*-Pulsatilla alba. A pure white form of above.

35 cts. each, \$3 for 10. -Pulsatilla rubra. A beautiful dark red variety. -sylvestris. Snowdrop Windflower. Large, sweetscented, white flowers, tinged lavender. I to 11/2 ft. April, May.

-vitifolia tomentosa. A striking new variety with tall flower-stalks; pinkish blue inside, satiny rose


reverse side. 35 cts. each, \$3 for 10.

A COLLECTION of 18 varieties, \$6.50 *ANTENNARIA tomentosum (candida). Cat's Ear. An alpine plant of spreading habit growing 3 to 6 inches high, with silvery white foliage and white flowers. Does well in poor dry soil in sunny position. A useful and attractive plant for rockery, bedding, and edging. 30 cts. each, \$2.20 for 10, \$18 per 100.

*ANTHEMIS montana. Marguerite. Flowers creamy white. 2 ft. June-Oct. 25 cts. each, \$2 for 10.

—tinctoria. Golden Marguerite. Flowers rich yellow; fine for cutting. A very popular sort and largely planted. 2 ft. June-Oct. 25 cts. each,

\$2 for 10, \$15 per 100. *ANTHERICUM (Paradisea) Liliastrum major. St. Bruno's Lily. Flowers white, with narrow, grass-like foliage. Charming in the border and rockery; also good for cutting. 11/2 ft. May, June. 35 cts. each, \$3 for 10, \$25 per 100.



Anthericum Liliastrum major



Mixed Long-Spurred Hybrid Aquilegia

ANTWERPIA. See Erigeron.
AQUILEGIA. Columbine. Showy perennials, with delicate colored flowers; excellent plants for the border, rockery, and for cut flowers. 2 to 3 ft. May, June.

All Aquilegias 30 cts. each, \$2.20 for 10, \$18 per 100

-cærulea. Rocky Mountain Columbine. Large, blue-and-white, long-spurred flowers. 1½ ft. -canadensis. American Columbine. A compact plant, with red-and-yellow flowers. -chrysantha. Golden Spurred Columbine. Flow-

ers fragrant, numerous; yellow. Very showy flow-

ers ragrant, numerous; yenow. Very snowy now-ers. A fine variety. 2 to 3 in. across.

-Haylodgensis Hybrids. Splendid colors.

-Helenæ. Strong growers. Large, pure blue flow-ers with pure white inner petals. I ft. May-July.

-Long-spurred Hybrids. We have a magnificent strain of these choice Columbines in many new and beautiful shades, assorted colors only. See illustration.

Skinneri. Mexican Columbine. Greenish yellow, with long red spurs.

vulgaris nivea grandiflora. Compact habit, with

an abundance of large white flowers. an abundance of large white flowers.

—Double, Assorted. All colors mixed. Fine hybrids.

*ARABIS alpina. Rock Cress. Adapted for rockgardens and borders; pure white flowers. 5 in.
April, May. 25 cts. each, \$2 for 10, \$15 per 100.

*—alpina fl.-pl. A double form of the preceding.
35 cts. each, \$3 for 10.

*ARCTOSTAPHYLOS Uva-ursi. Great Bearberry.

*ARCTOSTAPHYLOS Uva-ursi. Great Bearberry.

An attractive little trailing evergreen plant, with pretty deep green leaves. The flowers are small, white, tinged with red, followed by a rather large, red berry. Fine for sandy places and in the shade. Pot-grown plants, 50 cts. each, \$4.50 for 10, \$35 per 100.



CNARIA balearica. Corsican Sandwort. Very dwarf-growing plants forming dense carpets I inch high, with mostly white flowers. Useful for *ARENARIA balearica. inch high, with mostly white flowers. Useful for dry walls and in the rockery. Blooms nearly all summer. 30 cts. each, \$2.20 for 10, \$18 per 100.

-montana. Mountain Sandwort. A good rockplant, with white flowers. 4 in. April, May. 30 cts. each, \$2.20 for 10, \$18 per 100.

-verna cæspitosa. Moss Sandwort. Compact.

- leafy form, making dense moss-like masses. All summer. 30 cts. each, \$2.20 for 10, \$18 per 100.
- ARISÆMA triphyllum. Indian Turnip. Interesting native plant, having showy red berries in early fall. 1½ ft. May.
- ARMERIA cephalotes rubra. A strong-growing variety with crimson-red flowers. 8 to 12 in. June, July. 30 cts. each, \$2.20 per 10.

 Laucheana. Produces a mass of rosy crimson

flowers all summer. Fine for edging and planting

in masses. 6 in. June-Aug. -maritima. Common Thrift. Flowers pink, in dense heads which spring from tufts of narrow, evergreen foliage. 6 in. May, June.

-maritima alba. Pure white form of above. 6 in.

May, June. 30 cts. each, \$2.20 for 10.

*ARTEMISIA Abrotanum. Southernwood; Old Man. Green, glabrous, scented foliage; yellowish white flowers. 2 to 3 ft. 25c. each, \$2 for 10, \$15 per 100. lactiflora. An excellent hardy border plant, producing large, branching panicles of sweetly

scented, creamy white flowers excellent for cutting. 3 to 4 ft. Aug., Sept. 25 cts. each, \$2 for 10, \$15 per 100.

Stelleriana. Old Woman. Foliage deeply cut; silvery white; a fine plant for rockeries. 1½ ft. 25 cts. each, \$2 for 10, \$15 per 100.

*ASARUM canadense. Wild Ginger. Flowers chocolate-brown and greenish purple, borne close to the ground; does well in the shade. 9 in. May.

ASCLEPIAS incarnata. Swamp Milkweed. Fragrant, purple flowers in umbels. Prefers moist places and sunny position. Bees are very fond of it. 3 to 4 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100. -tuberosa. Butterfly Weed. A remarkably showy plant with several erect umbels of bright orange

flowers. 2 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

*ASPERULA odorata. Sweet Woodruff; Waldmeister.
A sweet-scented herb; when dried, used in flavoring wine; flowers white. 6 to 8 in. May, June. 30 cts. each, \$2.20 for 10.

Aster

Michaelmas Daisy; Starwort

Perennial or hardy Asters are unrivaled for their varying forms and bright colors in the perennial border during the autumn months. The wonderful shades of blue and other colors lend themselves well for cutting and decorative purposes. Asters are very easy to culti-



Anthemis tinctoria. See page 7



Arabis alpina. See page 7

vate and should be given a good position in the back of They should be divided every year or two into small clumps if the best results are desired.

*ASTER alpinus. Blue Mountain Daisy. Fine for the

rockery. 5 to 10 in. May, June.

—alpinus albus. Flowers pure white.

—Amellus, Elegans. Lilac-blue; free-flowering; desirable for border planting. 2 to 2½ ft. Aug.

50 cts. each, \$4.50 for 10.

-Amellus, King George. New. Extra large-flowering with large trusses of blush violet flowers.

2 ft. Aug., Sept. 75 cts. each, \$6.50 for 10.

Climax. New. Plants branching, covered in fall with lovely lavender-blue flowers, 1 to 2 inches in

diameter, 4 to 5 ft. Aug.—Oct.

-cordifolius, Diana. Long, full trusses of pale lavender flowers, smaller than Ideal but very dainty. 4 ft. Oct. 35 cts. each, \$3 for 10. -cordifolius, Ideal. Pale layender flowers borne in

great profusion. 3 to 4 ft. Oct. 35 cts. each, \$3 for 10.

-cordifolius versicolor. Compact trusses of light pink flowers and dainty small foliage. 3 ft. Aug., Sept.

diplostephioides Leichtlini. Flower about inches across, dark lilac in color. Fine for border. 1½ to 2 ft. 30 cts. each, \$2.50 for 10, \$20 per 100. -Delicata. Double lilac flowers. 2 to 3 ft. Aug.,

Sept. See illustration, page 9.
Elta. New. Double; light lavender. Very beautiful

-Elta. New. Double; light lavender. Very beautiful and a fine variety for cut-flowers. 3 to 4 ft. Oct. -ericoides. Flowers small, white, borne in great clusters. 3 ft. Aug.—Oct. -floribunda. Small but pretty flowers of lavenderblue. 4 to 5 ft. Sept., Oct. -hybridus luteus (solidago). New variety with small bright yellow flowers in clusters. -, Maid of Colwall. Valuable cutting flower; long, loose spikes with beautiful white flowers. Aug.—Oct. 4 to 5 ft.

Oct. 4 to 5 ft.
-, Mauve Cushion. A distinct species. It forms a

circular cushion-like plant, rarely exceeding 9 inches in height. The flowers are delicate mauve with silvery white reflection about 11/4 inches in with silvery white reflection about 1½ inches in diameter, produced in such lavish profusion as to completely cover the plant. End of October to November. 35 cts. each, \$3 for 10.

—Mesagrande speciosus grandiflorus. See Erigeron.

—, Mrs. S. A. de Graff. Very light lilac. 4 to 5 ft. Aug., Sept. 35 cts. each, \$3 for 10.

ASTER NOVÆ-ANGLIÆ, Lil Fardel. One of the finest varieties of the New England Aster. Flowers large right after 5 ft. Aug. Sept.

nnest varieties of the New England Aster. Flowers large, rich, clear pink. 4 to 5 ft. Aug., Sept.—, Mrs. S. T. Wright. Large, rosy purple flowers. 5 to 6 ft. Aug., Sept.—, Ryecroft Pink. Bright, rosy pink. Free branching habit. 4 to 5 ft. Sept., Oct. Illustrated

on page 9. -, Ryecroft Purple. Large, rich blue-purple flowers. 4 to 5 ft. Sept., Oct.

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety



HARDY ASTERS. Described on pages 8 and 10

Bobbink & Atkins

ASTER NOVI-BELGII, Anita Ballard. Fine delicate

blue. 4½ ft. Sept., Oct.

—, Beauty of Colwall.

blue. 4½ It. Sept., Oct.

—, Beauty of Colwall. Clear, lavender-blue, semi-double flowers. 4 ft. Sept., Oct.

—, Blue Gem. Semi-double, dark blue flowers. 4 to 5 ft. Sept., Oct. Illustrated on page 9.

—, Bouquet Rose. Rosy pink flowers. 4 to 5 ft.

Sept., Oct.

-—, Cloudy Blue. Fine pale blue, semi-double flowers. 4 ft. Aug.-Oct. Illustrated on page 9.

——, Feltham Blue. Dark blue. 3 ft. Aug.-Oct.

——, F. W. Burbridge. Lorge Fig. 1. --, Feltnam Blue. Dark blue. 3 ft. Aug.-Oct.
--, F. W. Burbridge. Large pinkish lavender.
5 to 6 ft. Aug., Sept.
--, Gertrude. Light blue flowers; graceful large foliage. 4 to 5 ft. Sept., Oct.
--, Glory of Colwall. Double; delicate lilac-blue.
4 to 5 ft. Sept., Oct.

-, Heather Glow. Large flowers with a fringe of fine rose-colored rays and a large golden eye. 4 ft.

Sept., Oct.
—, Joan Vaughan. Very beautiful shade of soft blue; large flowers. 4 to 5 ft. Sept., Oct. 35 cts.

each, \$3 for 10.

—, King of the Belgians. Large, lavender-blue flowers. Semi-double. 5 ft. Sept., Oct.

—, Lady Lloyd. Very fine. Rose-pink with purple

sheen. 4 ft. Aug., Sept.
—, Liege. Large, soft rosy pink; very pretty.

2½ ft. Sept., Oct.

, Maggie Perry. Mauve flowers. 4 to 5 ft. Sept. -, Miss Eisele. Very large; lavender-blue. 3 ft.

Sept., Oct. Sept., Oct.

—, Mrs. McCudden. Branching habit. Crowded sprays of circular, soft mauve flowers. Very fine. Sept., Oct. 3 ft. 50 cts. each, \$4.50 for 10.

—, Perry's White. Fine, single white, shaded lilac. 4 ft. Aug.—Oct.

—, Rache! Ballard. Delightful rose flowers. 4 ft. Aug., Sept.



Astilbe, Gloria

Aster Novi-Belgii, Robert Parker. Light blue. Fine for cutting. 5 to 6 ft. Sept., Oct.

——, Robinson, V. C. Double; mauve. 4 to 5 ft.

Sept., Oct.

-, Snowball. Excellent new double white Aster which slowly turns a choice bluish color. 4 ft.

Aug., Sept.
—, St. Egwin. A novelty of recent introduction. Densely branched, with pink flowers; fine for cutting. 3 ft. Sept., Oct.

—, Thelma Perry. One of the finest pinks yet

introduced with large flower-trusses. 4 ft. Aug.,

Well's White. Large white flowers. 4 ft. Aug., Sept. Illustrated on page 9.

—, White Climax. New. Like Climax, except in

color, which is pure white. 4 to 5 ft. Aug.—Oct.—, White Queen. One of the best whites. 4 ft.

-—, Wonder of Colwall. Very large flowers of a beautiful pale blue in handsome pyramidal spikes.

beautiful pale blue in handsome pyramidal spikes. 4 ft. Aug., Sept.

—, Ypres. Pretty rosy red flowers; neat, compact bushes. Very fine. 3½ ft. Sept., Oct. 50 cts. each, \$4.50 for 10.

Shorti. Long, graceful sprays of azure-blue flowers. 3 to 4 ft. Sept., Oct.

—, Sam Banham. Novelty. Resembling the well-known Climax in every respect except color, which is pure white. 4 to 5 ft. Aug., Sept.

—salviæfolius. A distinct Japanese alpine species with large, single white flowers and large rosettes of downy foliage. 50 cts. each, \$4.50 for 10.

of downy foliage. 50 cts. each, \$4.50 for 10. subcæruleus. Flowers bright mauve.

-subcæruleus. June, July.
-tataricus. Very large leaves and one of the tallest and latest-flowering Asters; bluish violet. 5 to

6 ft. Oct., Nov. COLLECTION of 12 Hardy Asters, our selection, \$2

ASTILBE Arendsii Hybrids. (Spirea.) We have a fine collection of these hardy hybrid Astilbes that will thrive in any good rich soil if given plenty of water during the growing season. Flowers in showy panicles, freely produced. June, July.

Except where noted, 50 cts. each, \$4.50 for 10 -, America. Lilac. -, Amethyst. Erect, well-branched spikes of deep

violet-purple flowers. Anna van Laar. A mauve-crimson darker than Gloria of recent introduction and of great merit.

2 ft. 75 cts. each, \$6.50 for 10.
-astilboides. Dense spikes of white flowers. 2 to

spikes. Excellent for forcing.
-, Freule van den Bosch. New. Compact flower

spikes of a dark pink color. 3½ ft. Splencid novelty. 75 cts. each, \$6.50 for 10.

Gladstone. Fine white flowers in large, py-

ry Glastone. Fine white nowers in large, pyramidal heads. 2 ft. June, July.

Gloria. A recent introduction that is conspicuously beautiful with its dense, feathery plumes of brilliant dark pink, shaded lilac. 75 cts. each, \$6.50 for 10. See illustration.

Granat. Unusual, dark crimson flowers in strong divided spikes. One of the finest Astilbes. 75 cts. each, \$6.50 for 10.

75 cts. each, \$6.50 for 10.

-grandis rosea magnifica. New. Large, pure pink flowers. 4 ft. Late July.

-, Gruno. New. Light and graceful spikes of a splendid salmon-pink color. 4 ft. 75 cts. each,

56.50 for TO.

Marguerite van Rechteren. The very fine fringed flowers are bright red, tinged with dark lidac. It grows about 5 feet high, the flower stem lidac. It grows about 5 feet high, the flower stem lidac. itself has a length of over 3 feet. 75 cts. each,

56.50 for 10.

Meta Immink. Dense flower-spikes of a delightful pink color. 75 cts. each, \$6.50 for 10.

Mont Blanc. Pure white.

Peach Blossom. Light pink flowers. Erect.

I to 3 ft.

Hardy Herbaceous Plants



Astilbe, Pink Pearl. The small, delicate pink, pearl-like flowers are bunched together in dense pani-

cles. 3 ft.

, Prof. van der Wielen. Gigantic long stems and side shoots, showing fine, small, pure white flowers in profusion. 75 cts. each, \$6.50 for 10.

, Queen Alexandra. Deeper pink flowers than

Peach Blossom.

, Rhineland. Bright crimson flower spikes shaded with salmon.

, Rose Pearl. Pearly shell-pink. 21/2 ft. , Rubin. Deep crimson-pink flowers.

, Salland. Stems of a fine red color. A decorative novelty. 5 to 6 feet. Red flowers. 75 cts. each, \$6.50 for 10.

Vesta. Lilac-rose. 21/2 to 31/2 ft.

-Merheimii. This is similar to A. Davidi, with white flowers. 5 to 6 ft. June, July. 75 cts. each, \$6.50 for 10. White Pearl.

Dense, pyramidal plumes of

silvery white. 21/2 ft.

*AUBRIETIA deltoidea. False Wall Cress. One of the prettiest rockery and border plants, forming dense carpets of green foliage and dark violet flowers. All Aubrietias flower in April and May

deltoidea græca. Dwarf; large-flowering; dark violet; 6 in. Flowers large, bluish

deltoidea Hendersoni.

- violet. Large plants. deltoidea, Lavender. Bright lavender-blue.
- (Purple Lady). Purple deltoidea purpurea flowers

-deltoidea, Violet Queen. Violet-purple. All Aubrietias 35 cts. each, \$3 for 10, \$25 per 100

- BAPTISIA australis. False Indigo. A strong-growing plant, desirable for wild garden or border. Has racemes of lupine-like flowers, dark blue in color. 3 to 4 ft. May-July.
- *BELLIS perennis. English Daisy. An old-fashioned plant, but always interesting; white-and-pink flowers. 5 in. May, June. 20 cts. each, \$1.80 for 10, \$15 per 100.
- BOCCONIA cordata. Plume Poppy. An interesting and beautiful plant, well adapted to planting in the shrubbery, borders or massing for effect. Creamy white flowers. 6 to 8 ft. July, Aug.

BOLTONIA asteroides. Pure white, aster-like flowers,

in great profusion. 6 to 7 ft. Aug.—Oct. latisquama. Similar to the preceding, with pinkish lavender flowers. 4 to 5 ft. Aug., Sept. latisquama nana. A dwarf form. 2 ft. Aug.,

Sept.

CACTUS, HARDY-

- -humilis (Rafinesquii). Large, sulphur-yellow flowers, freely produced. 35 cts. each, \$3 for 10.
- *CALAMINTHA alpina. Purple. A fine plant for rockeries as it does well in dry stony soil and sunny position. 6 in. June.
- CALIMERIS incisa. Has light blue, aster-like flowers. An attractive, free-flowering plant. 2 ft. July, Aug.
 - incisa rosea. The same as above, only with pink flowers. 35 cts. each, \$3 for 10.
- *CALLIRHOE LIRHOE involucrata. Poppy Mallow. An elegant trailing plant, with finely divided foliage; large, saucer-shaped flowers of deep rosy crimson. with white center. Flowers freely all summer and fall. I ft. June-Sept.

*CALLUNA. See Erica.

- *CALYSTEGIA pubescens fl.-pl. A creeping vine, with double flesh-colored flowers. Useful for walls and base planting. May-Aug.
- **CAMPANULA.** Bellflower. These combine a large range of habit and color, and are perfectly hardy. One of the best border plants.

-alliariæfolia. White; bell-shaped. Bushy grower with long, nodding flower-spikes. 2 ft. July,

*Campanula bononiensis. A slender species with an abundance of pale blue flowers. 2 ft. 35 cts. each, \$3 for 10.

carpatica. Harebell. Flowers large, erect, light blue. Grows in compact tufts not exceeding 8 inches in height. Fine as edging for a hardy border and unsurpassed for the rockery. July, Aug.

-carpatica alba. A white form of the above. elegans. Lilac flowers of excellent form. Fine for borders and rockeries. 11/2 ft. Blooms all summer

glomerata. Forms a dense tuft of dark green foliage, covered with globular, dark blue flowers. 11/2 ft. June, July.

glomerata dahurica. Dark violet flowers. Fine for mass planting and cutting. 11/2 ft. 50 cts. each, \$4.50 for 10.

each, \$4.50 for 10.

-lactiflora. Large heads of milk-white-blue flowers.

3 to 4 ft. June-Aug.
-lactiflora alba. Strong-growing varieties, which, when established, grow 5 feet high. Stout, leafy stems, terminating with large heads of creamy white flowers. July, Aug.
-latifolia macrantha. Deep purple flowers. 3 ft.

June, July.

macrantha alba. Large white flowers. 3 ft. June, July.

Medium. Canterbury Bells. An old favorite. Medium.

Blue, Rose or White. 2 ft. June.

Medium calycanthema. Cup-and-Saucer Canterbury Bell. In Blue, Lilac, Rose and White.

muralis (Portenschlagiana). Dark blue flowers. Forms dense carpets 3 to 5 inches high in sunny position. Fine for rockery and walls. May, June.

35 cts. each, \$3 for 10. persicifolia. Peach-leaved Bellflower. Large, cupshaped, blue flowers. 2 ft. June, July.



Campanula persicifolia, Thelham Beauty

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety

*Campanula persicifolia alba grandiflora. A white va-

riety of persicifolia.
-persicifolia, Boule d'Argent. These persicifolia hybrids are a great improvement, with large,

wonderful flowers, excellent for group planting and cutting. Semi-double, white flowers. 2 to $2\frac{1}{2}$ ft. June, July. 50 cts. each, \$4.50 for 10. persicifolia, Fleur de Neige. White flowers, somewhat smaller than above variety, but very double. 2 to $2\frac{1}{2}$ ft. June, July. 50 cts. each, \$4.50 for 10.

\$4.50 for 10.

-persicifolia, Lavender Queen. Large flowers of lovely lavender-blue. 2 to 2½ ft. June, July. 50 cts. each, \$4.50 for 10.

-persicifolia Mærheimii. Large, double, white flowers. 2 ft. June, July. 50c. each, \$4.50 for 10.

-persicifolia, Thelham Beauty. Large single blue flowers. 2½ ft. June, July. 50 cts. each, \$4.50 for 10. See illustration on page 11.

-punctata (nobilis). Noble Bellflower. Drooping flowers. spotted reddish violet or white. 2 ft.

flowers, spotted reddish violet or white. 2 ft. June, July.

pyramidalis. Steeple Bellflower. Long spikes, covered with blue flowers. 4 to 5 ft. Aug., Sept. *—pyramidalis alba. A white form of the above. *—rotundifolia. Blue Bells of Scotland. Blue, bell-shaped flowers; fine rock plant. I ft. June-Aug.—trachelium. Coventry Bells. A good border plant

2 to 3 feet high, with large racemes of light purple, bell-shaped flowers; somewhat drooping. June, July.

COLLECTION of 12 Campanulas, our selection, \$2

CARYOPTERIS incana (Mastacanthus).


Spirea. Lavender flowers. 3 to 4 ft. Sept., Oct.

CASSIA marilandica. American Senna. Bright yellow, odd-shaped flowers. Very showy and attractive. 5 to 6 ft. July-Sept.

*CATANANCHE cærulea bicolor. Cupid's Dart. White flowers, with slight suffusion of purple in center. Free-blooming. 2 ft. June-Aug.



Centaurea dealbata



Campanula Medium calycanthema

*CENTAUREA dealbata. TAUREA dealbata. Hardheads; Knapweed. Compact habit; deep pink flowers. 1½ ft. July, Aug. See illustration.

Aug. See Interfation.

-macrocephala. Very showy, with large, thistle-like yellow flowers. 3 ft. July, Aug.

-montana. Perennial Cornflower. Large flowers, resembling the Cornflowers. 2 ft. June–Sept.

-montana alba. A fine white form of the above.

-montana rosea. Rose-colored flowers. 12 to 15 in.

June-Sept.

Entire COLLECTION of 5 Centaureas, \$1

*CENTRANTHUS ruber. Deep red, handsome, wildgarden plants for wall or rockeries. 3 ft. June,

-ruber albus. Same as above, except white flowers. Excellent to plant for contrast with the above variety.

CEPHALARIA alpina. Roundheads. Very tall. Flower-heads pale primrose-yellow. 3 to 4 ft. June, July.

tartarica. Large sulphur-yellow flowers. 5 to 6 ft. June, July.

*CERASTIUM Biebersteinii. Dwarf, creeping alpine plant. Does well in soil that is not too wet and in sunny position. Protect against moisture in winter. Dense, woolly white. Flowers bigger than C. tomentosum. May, June. 35 cts. each, \$3 for 10.

-tomentosum. Snow-in-Summer. Bright silvery foliage, with white flowers; suitable for the rockery or planting in dry, sunny places. 6 in. May, June. 25 cts. each, \$2 for 10, \$15 per 100.

*CHEIRANTHUS Allionii. Siberian Wallflower. Pretty biennial, growing about I foot high, with heads of brilliant orange flowers. Very fragrant and effective in rockery. May to midsummer. Protect in winter.

CHELONE glabra. Turtlehead. Terminal spikes of creamy white flowers. 2 to 3 ft. Aug., Sept. 30 cts. each, \$2.20 for 10, \$18 per 100.

-Lyonii. Dark, glossy foliage and spikes of red or purplish red flowers. 2 to 3 ft. Aug., Sept. 30 cts. each, \$2.20 for 10, \$18 per 100.



- 1 Eden 4 Champ d'Or 7 Chaldon 10 Cranford's White

- 2 Dorothy
 5 Bronze Source d'Or
 8 Champagne
 11 Mr. Rux

- 3 L'Argentuillais 6 Cranfordia 9 Goacher's Crimson 12 Tints of Gold





SINGLE-FLOWERING CHRYSANTHEMUMS. See page 16

1 Gem

3 Fernridge

4 Mrs. W. E. Buckingham

*Hardy Chrysanthemums

When planted in sheltered locations, particularly at the base of walls, buildings, or shrubbery, the Hardy

when planted in sheltered locations, particularly at the base of walls, buildings, or shrubbery, the Hardy Chrysanthemums are wonderfully satisfactory, producing an effective display long after the ordinary garden flowers are destroyed by frost. Even after light falls of snow, it is sometimes possible to cut uninjured clusters. Chrysanthemums are divided into four groups: Large-flowering, Pompon, Button, and Single-flowering sorts. The varieties described below have been selected from an immense list, and are undoubtedly the best, comprising a wide range of forms and colors. We advise planting them from April 15 to May 15, and we also advise protecting them in the winter with a litter of leaves and straw. If bushes of medium height are desired, pinch the tops back when plants are about 10 to 12 inches high.

The dates given back of the varieties indicate the flowering period in our nursery, fall, 1923. These, of

course, may vary some at different seasons, but will be a guide.

All Hardy Chrysanthemums, 20 cts. each, \$1.80 for 10, \$15 per 100

Large-flowering Chrysanthemums

Angelo. A beautiful light pink.
Boston. Orange-bronze; open center; high; bushy. Oct. 25

Bronze Source d'Or. Light bronze and orange; high;

bushy. Nov. 5. Illustrated on page 13.

Brune Poitevine. Dark velvety red; medium bushy.

Nov. 5. Carrie. Yellow; medium high. Oct. 10.

Chaldon. Yellow, veined red; high; bushy. Oct. 10. Illustrated on page 13.

Champ d'Or. Yellow; dwarf. Oct. 10. Illustrated on page 13.

Champagne. Reddish bronze; high; bushy. Oct. 25.

Illustrated on page 13.

Cranfordia. Very large; golden yellow; high; bushy.
Oct. 20. Illustrated on page 13.

Oct. 20. Illustrated on page 13.
Cranford's Pink. A very fine pink of medium height; strong grower. About Oct. 15.
Cranford's White. White with cream center; medium height. Oct. 20. Illustrated on page 13.
Dorothy. Very large; white with yellow shading; medium high; bushy. Oct. 20. Illustrated on page 13.
Early White. Creamy white, with yellow center; medium bushy. Sent. 25.

Early White. Creamy white, with yellow center, medium bushy. Sept. 25.
Eden. Pink; high; bushy. Oct. 10. Illustrated on page 13.

Florence Stanton. Large bronze flower. Late in season. Goacher's Bronze. Bronze reddish yellow. High, Goacher's Bronze. bushy. Oct. 20.

Goacher's Crimson. Red, reverse of petals yellowish bronze; medium bushy. Oct. 30. Illustrated on page 13

L'Argentuillais. Red, yellow tipped. Oct. 15. Illustrated on page 13.

Marie duPont. Large; pure white; very free flowering; low growing. Oct. 15.

Mr. Rux. Dark rose, with darker center; very high, bushy. Oct. 30. Illustrated on page 13.

Mrs. Henry F. Vincent. Orange, tinted bronze; high. Oct. 1

Normandie. Cream-white, yellow center; medium

bushy. Sept. 25.
Pauline Wilcox. Bronze; medium bushy. Oct. 30.
Perle Chatillonaise. Pure white; medium bushy. Oct. 10.
Queen of the Whites. Pure white; very full; high, bushy. Nov. 5.
Tints of Gold. Yellow, with bronze tints in center.

Oct. 20. Illustrated on page 13.
Winnetka. Cream-white, yellowish center; medium

high. Oct. 10.
Wolverine. Yellow; medium bushy. Sept. 25.
Yellow Source d'Or. A yellow form of the bronze
Source d'Or. Late in October. Zelia. Old gold; large flower, very fine, bushy. Oct. 20.

COLLECTION of 24 Large-flowering Chrysanthemums, \$3.50

Pompon Varieties

Acto. Rose-pink; high. Oct. 15. Illustrated on page 15. Anna L. Moran. Bronze with yellow; medium bushy.

Anna L. Moran. Bronze with yellow; medium busny. Oct. 15. Illustrated on page 15.
Captain Cook. Dark rose with brownish center; very high; bushy. Oct. 30. Illustrated on page 15.
Donald. Large; layender-pink; medium busny. Oct. 30.
Fairy Queen. Large; light pink, with full center; high. Oct. 25. Illustrated on page 15.
Frenlight. Bright red. Oct. 20. Illustrated on page 15.
Frances Huckvale. Flesh with yellowish bronze center;

high; bushy. Oct. 25.
Golden Climax. Bronze-gold; medium high. Oct. 25.

Harvest Moon. Pure golden; low; bushy. Oct. 15.
Harvest Moon. Pure golden; low; bushy. Oct. 15.
Illustrated on page 15.
Juliana. Fine yellow. Good grower. Oct. 20.
Lillian Doty. Pink, shading to flesh; high. Oct. 25.
Illustrated on page 15.
Lucifer. Dark red—darkest of all. End of Oct.



POMPON CHRYSANTHEMUMS. See pages 14 and 16
2 Nellie
5 Acto
8 Fairy Queen
11 Golden Climax

1 White Doty 4 Lillian Doty 7 Firelight 10 Petit Louis

3 Mrs. H. Harrison 6 Harvest Moon 9 Captain Cook 12 Anna L. Moran





BUTTON CHRYSANTHEMUMS

1 Waco

2 Doris 4 Skibo

POMPON CHRYSANTHEMUMS, continued

Mrs. Chester Robinson. Pink shading to old rose; very high; bushy. Nov. 5. Mrs. H. Harrison. Large; light

lavender, whitish center; fine variety; high. Oct. 15. Illustrated on page 15.

Mrs. I. Emery. Golden bronze-

yellow. Nov. 5.

Nellie. Golden yellow; very full; high; bushy. Oct. 25.

Illustrated on page 15.

Nellie Blake. Good deep red.

Strong grower. Oct. 20.
Petit Louis. Light pink, bronze center, high. Oct. 25. Illus-

trated on page 15.

Pink Pop. A very good pink.

Bushy. Oct. 25.

Rosea. Large pink flower; fine

clusters; high. Oct. 15. Uvalda. Large; white; strong

grower. Oct. 15.

White Doty. Pure white, cream

center; high. Oct. 20. Illustrated on page 15. COLLECTION of 18 Pompon Chrysanthemums, \$3

Button Chrysanthemums

Brown Bessie. Reddish bronze; medium bushy. Oct. 25. See illustration.

Davenport. Bronze, tinged with red. Late.

Doris. Dark bronze; medium

bushy. Oct. 20. See illus.

Helios. Reddish bronze; medium bushy. Oct. 25.

Liber. Red with yellowish shade. Oct. 30.

Mirabeau. Large; dark rose; high; bushy. Oct. 30.

Metzi. Yellow with red center. Early. Oct. 10.

Minta. Flesh, with brownish center; high. Oct. 5. See

illustration.

Ouray. Rich dark mahogany-brown; bushy. Oct. 20. Skibo. Yellow with reddish center; medium bushy. Oct. 20. See illustration.

Susquehanna. Fine yellow; medium. Oct. 30. Waco. Pure white, with yellowish center; high. Oct. 20. See illustration.

This COLLECTION of 12 Button Chrysanthemums, \$2

Single-flowering Varieties

Alice Howell. Orange-vellow. Very attractive. Oct.

Excelsior. Bronze-vellow; high; bushy. Oct. 30. Fernridge. Reddish bronze; high. Oct. 15. Illustrated on page 14.

Gem. Large; white; very high; bushy. Nov. 5. Illus-

Gem. Large; white; very nigh; bushy. Nov. 5. Intestrated on page 14.

Good Red. Beautiful dark red, yellow center; medium bushy. Nov. 5. Illustrated on page 14.

Mrs. Roberts. Deep rose-pink. End of Oct.


Mrs. W. E. Buckingham. Salmon-pink; very beautiful; medium bushy. Nov. 5. Illustrated on page 14.

Summer Gold. Beautiful, large, golden yellow, single, drive like flowers a inches across. Oct. 30.

daisy-like flowers 2 inches across. Oct. 30. COLLECTION of 6 Single-flowering Chrysanthemums, \$1

*CHRYSANTHEMUM arcticum. Arctic Daisy. Among fall-flowering perennials this is one of the best. It forms an attractive clump of dark green foliage, and in September multitudes of white flowers, slightly tinged rose or lilac, 2 inches wide, appear. I to 1½ ft. Sept.-Nov. 25 cts. each, \$2 for 10, \$15 per 100.

-leucanthemum, Alaska. A decided improvement on the original, of pure glistening white. Very free flowering and in bloom all summer and fall.



Chrysanthemum arcticum





Cimicifuga racemosa

Chrysanthemum maximum, King Edward. Large; vigorous; white flowers. 2 ft. Flowers all summer. 25 cts. each. \$2 for 10, \$15 per 100.

—maximum, Shasta Daisy. Large white flowers;

blooms profusely all summer. 25 cts. each, \$2 for 10, \$15 per 100.

CIMICIFUGA americana. Bugbane. White flowers. Slender. 2 to 4 ft. Aug., Sept. 35 cts. each, \$3

dahurica. Snakeroot. Large spikes of creamy white flowers. 5 to 6 ft. Sept. 50 cts. each.-racemosa. Tall, hardy and ornamental; suited for the back of borders or for partially shaded places; white racemes of flowers. 4 to 5 ft. June, July. 35 cts. each, \$3 for 10.
racemosa simplex. Pure white flowers. July-

Sept. 3 to 4 ft. 50 cts. each.

CLAYTONIA virginica. Spring Beauty. Produces clusters of light pink flowers in April and May.

*CLEMATIS coccinea. Red Leather Flower. A very handsome, hardy climber, with broad, glaucous leaflets, bearing thick, bell-shaped flowers of a bright coral-red; blooms with wonderful profusion from June until frost. 50 cts. each, \$4.50 for 10.

*—crispa. A slender climber, with fragrant lavender flowers, I to 2 in. long; has pretty, thin leaflets, with white center. 50 cts. each, \$4.50 for 10.

*—Davidiana. Delicately scented, pale blue flowers in clustered heads. 4 ft. Aug., Sept. 50 cts. each, \$4.50 for 10.

\$4.50 for 10.

*—integrifolia. Fine, solitary, nodding blue flowers; showy; profuse bloomer all summer. 2 ft. June—

Aug. 35 cts. each, \$3 for Io.

-recta (erecta). A useful herbaceous variety, being very desirable for cutting. The flowers are white and borne on long stems in large, showy clusters. 3 ft. June, July. 35 cts. each, \$3 for 10.

CONVALLARIA majalis. Lily-of-the-Valley. Pure white flowers. 8 to 10 in. May, June. Single crowns, 15 cts. each, \$1.20 for 10, \$8 per 100. Clumps, 50 cts. each.

*COREOPSIS lanceolata grandiflora. Begins to flower early in June and continues in flower until killed back by the frost; until then it is one mass of golden yellow; the flowers are borne on long, gracefu' stems, making them invaluable for cutting. 2 ft. June-Oct. 25 cts. each, \$2 for 10. \$15 per 100.

verticillata. A small, yellow-flowering variety, with finely divided foliage. 2 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

CRAMBE cordifolia. Effective plant, with dense sprays of small, fragrant, white flowers rising above the large, broad, heart-shaped leaves. 5 to 6 ft. June, July. 50 cts. each, \$4.50 for 10.

*CRUCIANELLA stylosa. Crosswort. Pale rose; fine for rockwork. 6 to 9 in. June-Sept.

CYNANCHUM acuminatum. See Vincetoxicum japonicum.

*CYPRIPEDIUM acaule. Lady's Slipper; Moccasin Flower. This plant sends up a stem about 1 ft. high on which is borne a single, large, showy flower, rosy purple in color. The plant itself should have a well-drained soil with some leaf-

*-parviflorum. Small Yellow Lady's Slipper. One of the best of the hardy or, at growing about I ft. high with a leafy stem, at the top of which are one or two very showy yellow flowers. Plant in the shade in soll enriched with leaf mold.

*—pubescens. Large Yellow Lady's Slipper. Similar to the preceding, but with larger flowers. Plant in the shade in a soil enriched with leaf-mold and well drained.

*—spectabile. Showy Lady's Slipper. The finest and most showy of all native orchids. It grows about 2 ft. high, with several large roundish leaves along the stalk which bears at the top one or two large rose-purple or nearly white flowers. Does well in a moist, partly shaded bed of leafmold.

All Cypripediums, 50 cts. each, \$4.50 for 10



Coreopsis lanceolata grandiflora

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety



Border of Hardy Delphiniums

DELPHINIUM. Larkspur. Beautiful hardy plants, grown in borders for their stately habit and the handsome spikes of flowers, gorgeous in coloring. Excellent for cutting, and a mass planting is a feature of your garden to be proud of at blooming-time—from June till late fall.

For their successful cultivation, a rich, well-dug soil is necessary, and when planted in groups along the back portion of a border, they produce

a splendid effect.

We have omitted some varieties in our collection which are rather limited, but we will be pleased to submit list on quantities and prices upon request.

The following named varieties, \$1 each, \$9 for 10, except where noted

DELPHINIUM, HOLLYHOCK, Wrexham Strain. New. These remarkable new Delphiniums, originated by Mr. Watkin Samuel Wrexham, England, now furnish flower-lovers with something new which has long been desired. The thing new which has long been desired. Ine spikes of flowers are of unusual size and the stalks much taller than any Delphiniums now on the market. The name "Hollyhock Delphiniums" was created by visitors who, upon seeing these plants, exclaimed, "They are like hollyhocks." Of the original stock imported we now offer seeding these in assured colors single and double ling plants in assorted colors, single and double varieties, at \$2 each.

-, Amos Perry. Flowers are large and semi-double, -, Amos Feiry. Flowers are large and semi-double, 2½ in. across, rich rosy mauve in color, over-cast sky-blue; a dark eye adds distinctiveness.

-, Andrew Carnegie. Deep mauve, overlaid with silvery blue. Semi-double flowers with white eye.

-, Capri. A clear sky-blue—best of its color.

-, Corry. Large semi-double, sky-blue flowers, with

violet shading.

-, Duke of Connaught. One of the best. Stately spikes of well-formed flowers in richest shades of blue, with white center.

-, King of Delphiniums. One of the finest Del-phiniums, with flowers of enormous size, more than 2 in. across. Semi-double, of a deep purpleblue color, with white eye.

-, Lady Ravensworth. Pure blue with black eye. Very large individual flowers placed regularly in symmetrical tall spikes.

-, Lamartine. Single, dark blue with fine branch-

-, Lize. Tall-growing Larkspur with well-branched spikes of large, single, sky-blue flowers, with a yellowish eye.

Delphinium Mærheimeii. This is one of the finest pure white forms of the Belladonna type. Besides giving a wealth of bloom, it is particularly to be desired because it is the only white Delphinium producing its flowers in large spikes. This variety is sometimes referred to as "The Prize of the White Delphiniums." 75 cts. each. \$6.50 for 10.

—, Queen Wilhelmina. Sky-blue; single; tall.

—, Rev. E. Lascelles. A great favorite where known because of its striking color-scheme—the double flowers being a rich blue and having snowy white petaloid stamens edged with blue.

petaloid stamens edged with blue.

, The Alake. Large, semi-double flowers. outer petals are intense dark blue, inside violet. The following Delphiniums are 25 cts. each, \$2 for 10, \$15 per 100

*-formosum. Dark blue, white center. Does well,

rormosum. Dark blue, white center. Does well, being hardy and free-flowering.

*—Belladonna. A fine, light blue form of the above.

*—Belladonna grandiflorum chinense (chinense).

Low-growing, with gentian-blue flowers.

*—Belladonna grandiflorum chinense alba. A pure white form of the preceding.

*—Bellamosum. This is a dark blue form of the

*-Bellamosum. This is a dark blue form of the

popular Belladonna. *-Hybrids. A choice collection, ranging from the palest to the deepest blues; single and double.

palest to the deepest blues; single and double.

DIANTHUS. Hardy Pinks. Interesting and useful, blooming in early spring. Many of the varieties we offer are improved forms of these old-time favorites; fine for cut-flowers. Most of them grow 10 to 12 in. high. May, June.

*—arenarius. Flowers white or light pink, fragrant, forming dense carpets. For rockery and dry places. 5 to 8 in. July-Sept. 30 cts. each, \$2.20 for 10.

*—barbatus. Sweet William. In separate colors: Red. White and Rose. 2 ft. 20 cts. each, \$1.80

Red, White and Rose. 2 ft. 20 cts. each, \$1.80

Red, White and Rose. 2.1.

*Tor 10, \$15 per 100.

*—barbatus, Newport Pink. A distinct variety in this favorite flower, being a salmon-rose-pink. 20 cts. each, \$1.80 for 10, \$15 per 100.

*—barbatus, Scarlet Beauty. Rich deep scarlet flowers with bright green foliage. 20 cts. each, \$1.80 for 10, \$15 per 100.

*Labbatus Double. Assorted Colors. 2 ft. 20 cts.

-barbatus, Double, Assorted Colors. 2 ft. 20 cts. each, \$1.80 for 10, \$15 per 100.
-cæsius. Cheddar Pink. Delicate rose-colored flowers; fragrant. Close tufts of glaucous foliage; does well on sunny rocks and sandy places. 3 to 6 in. May-July. 30 cts. each, \$2.20 for 10.

*—chinensis. China or Indian Pink. Elegant iringed

flowers in various shades.

-cruentus. Very dark crimson flowers in clusters.

Neat border species. Long stems. I to 2 ft. July.

30 cts. each, \$2.20 for IO.



*Dianthus delicata. Single rose-pink, petals striped red.

striped red, deltoides. Maiden Pink. Dwart, with sprays of pink flowers; fine for rockery. 8 in. 20 cts. each, \$1.80 for 10, \$15 per 100. deltoides alba. A white form of the above. 20 cts. each, \$1.80 for 10, \$15 per 100.

glacialis neglectus (neglectus). Glacier Pink. Masses of pink flowers. 3 to 4 in. 50 cts. each, \$4.50 for 10.

*-latifolius atrococcineus fl.-pl. Everblooming Hybrid Sweet William. Double crimson

flowers.

-plumarius, Mrs. Sinkins. Large, double, white flowers. -plumarius semperflorens. Fragrant, vary-

ing from pink to white, with fringed petals. * speciosus. Lilac-pink. 6 in. July-Sept. *-superbus. Flowers soft lavender, fringed; very fragrant. I to 11/2 ft. June-Aug.

Hybrid Hardy Pinks

*Abbotsford. Deep crimson, marked with white. One of the best. 30 cts. each, \$2.20 for 10.

*Carmen. Light pink; fragrant. Very dwarf. 30 cts. each, \$2.20 for 10.
*Grenadin. Bright scarlet, on stems 1½ feet long.

*Grenadin alba. A white form of the above.

*Her Majesty. One of the best white Garden Pinks.
*Homer. Rosy red flowers with darker center.
*Juliet. A leading variety with white flowers finely laced with brilliant crimson lines.

laced with brilliant crimson lines.

*Lord Lyon. Double rosy pink, petals striped red.

*Napoleon III. A very choice double-flowering variety, having dark crimson flowers. I to 1½ ft. July, Aug. Some ten or fifteen years ago, we grew this variety in our nursery under the name of Napoleon III, but it disappeared. Lately, we have found it growing in our neighborhood, and apparently, it had come from our nursery. We admire this variety so much that we have again started propagating it, and are offering it to the public once more. 50 cts. each. \$4.50 for 10. each, \$4.50 for 10.



Dianthus or Hardy Pinks



Dicentra spectabilis

DICENTRA formosa. Flowers small, rose-color, with finely divided foliage. I ft. May-Aug. 30 cts. each, \$2.20 for IO, \$20 per IOO.
—spectabilis. Bleeding-Heart. Flowers heart-

shaped, in long, drooping racemes of rose-crimson; one of the prettiest of border plants and useful for forcing. 11/2 ft. April-June. 50 cts. each, \$4.50 for 10,

DICTAMNUS caucasicus. A tall variety with flowers double the size of the type. 3 to 4 ft. June-Aug.

50 cts. each, \$4.50 for 10.

Firaxinella alba. Gas Plant. This is also called Burning Bush as in dry weather the white flowers sometimes emit a vapor which is inflammable. 2 to 3 ft. June-Aug. 50 cts. each, \$4.50 for 10. See illustration on page 20.

-fraxinella rubra. Rosy purple, with deeper colored veins. 3 to 4 ft. June-Aug. 50 cts. each,

\$4.50 for 10.

*DIGITALIS. Foxglove. These old garden favorites are stately and elegant in summer when they produce bold masses of leaves and flower-spikes.

-ambigua. Flowers yellow, marked with brown. 2 to 3 ft. June, July.

-Giant Shirley. This is a magnificent strain, attaining a height of from 5 to 7 feet, with spikes of bloom 4 feet in length. Flowers from purest white to deepest rose, spotted with crimson-maroon and chocolate. Only mixed colors. June, July. 35 cts. each, \$3 for 10, \$20 per 100.

*—lanata. Long, dense spikes of grayish or creamy

yellow flowers. 2 to 3 ft. June, July.

-purpurea gloxiniæflora. Gloxinia-flowered Fox-glove. Flowers spotted. Rose, Purple, White, Yellow, each color separate or assorted. 2 to 3 ft. June, July. 25 cts. each, \$2 for 10, \$15 per 100.

*DORONICUM caucasicum. Leopard's Bane. Has large, yellow marguerite-like flowers, 2½ to 3 inches across, in early spring. 1½ to 2 ft. May, June. See illustration on page 20.

-Clusii. Soft foliage. Numerous yellow flowers in

heads. I to 2 ft. April-June.
-magnificum. Very attractive with large, yellow

-plantagineum excelsum (excelsum). Brightest yellow; free-flowering; blooms early in the spring. 11/2 to 2 ft.

All Doronicums, 35 cts. each, \$3 for 10

*DRABA fladnizensis (androsacea). Whitlow Grass. A rock plant which bears white flowers in spring. 35 cts. each, \$3 for 10.

*—olympica (bruniæfolia). Dense, dwarf rosettes of yellow flowers. 3 in. 35 cts. each, \$3 for 10.

DRACOCEPHALUM. Dragon's Head.

-Ruyschiana. Spikes of purple flowers. June, July.



ECHINACEA purpurea. Purple Coneflower. without doubt one of the most interesting of hardy plants. It has reddish purple flowers, 4 in. in diameter, 3 to 4 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

ECHINOPS Ritro. Globe Thistle. Metallic blue flowers; thistle-like foliage. 3 to 4 ft. July—Sept. 30 cts. each, \$2.50 for 10, \$20 per 100.

—sphærocephalus. An interesting plant with thistle-like, large, globular heads of bluish white,

attractive flowers. 4 ft. July-Sept. 30 cts. each, \$2.50 for 10, \$20 per 100.

EPIGÆA repens. Trailing Arbutus. Flowers rose-color, fragrant, 2 to 4 in. April, May.

EPILOBIUM angustifolium. Willow Herb. Crimson flowers; very showy among shrubbery. 3 to 4 ft. June-Aug.

Spine-Aug.

EPIMEDIUM. Barrenwort. A most interesting hardy species with very pretty foliage and lovely flowers in April and May. Does well in half-shady or shady position. Fine for border and especially good for the rockery. 9 in. May, June.

—album plenum. A pure white variety.

—alpun Flowers grayish dark crimson and

-alpinum. Flowers grayish, dark crimson and vellow.

—bicolorum. Rosy brown.
—elegans. Yellow flowers.
—erectum. White.

macranthum. Flowers cream-white, waxy, similar to an orchid. 5 to 10 in. April, May.
-macranthum rubrum. Like above, but with

reddish flowers.

-macranthum violaceum (lilacinum). Beautiful lilac flowers.

-niveum. Snow-white flowers. April–July.
-sulphureum. Dwarf. Pale yellow flowers.
Suitable for shady situation in rock-garden or
border. April–July. 35 cts. each, \$3 for 10.

All Epimediums, 35 cts. each, \$3 for 10, \$25 per 100, except where noted

EREMURUS himalaicus. This wonderful perennial from Asia is mostly used as a specimen plant or in large borders. It has majestic white flower-spikes and stalks growing from 6 to 8 feet high. We consider it one of the most striking plants in large gardens. They should be planted in rich, moist, but well-drained soil. A cover of leaves should be



Doronicum caucasicum. See page 19



Dictamnus fraxinella. See page 19

Eremurus himalaicus, continued given in fall, and in spring it is advisable to protect the flower-stalks against late frost. planting same, the roots should be spread horizontal and the eye only about I inch below the surface of the soil. \$5 each.

*ERICA. Heath. The majority of these Heaths are compact, low-growing plants, and as such are extremely useful for rockeries. The small foliage is densely arranged around the wiry little stems. and either when in full bloom or in midwinter makes a very pretty picture. Give some protection the first winter so that they become acclimated before receiving a check. Semi-shady location. All our Ericas are strong, pot-grown. bushy plants.

All varieties, 50 cts. each, \$4.50 for 10

-carnea (herbacea). Grows about 6 inches high; leaves arranged in fours; nodding, bell-shaped flowers along the stems.

-stricta. Corsican Heath. A compact erect grower with pink flowers. July-Sept.

stricta erecta. Flowers light pink and at ends of branches; upright grower. 12 to 15 in. July, Aug. -Tetralix. A compact, silvery-gray variety.

*-vagans rubra. Purplish red flowers; leaves arranged in fours and fives.

-vulgaris. Scotch Heather. A dense-growing shrub with erect branches, covered with short, closely adpressed leaves. The pretty, bell-shaped flowers occur in great profusion toward tops of the shoots

and are a pretty rosy color.

-vulgaris alba. White Heather. The nodding white flowers are the only diversion from the pre-The nodding

ceding; a very pleasing contrast.

-vulgaris Alportii. Crimson Heather. Dark crimson; flowers in July and August.

-vulgaris aurea. Foliage golden in summer and red in winter; pink flowers.

-vulgaris compacta. Dwarf and compact; pink.

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety





Erigeron

ERIGERON elatior antwerpia. Very large flowers of pale lilac color. Excellent for cutting. 2 to 3 ft. June, July.

Mesagrande speciosus grandiflorus (Aster). Dark lilac flowers in great abundance during July and Aug. 1½ ft.

-, Quakeress. A continuous bloomer with mauve-

colored flowers. 2 ft. June-Oct.

*ERINUS alpinus. The rosettes of pretty foliage and racemes of rosy purple flowers make it one of the finest Rock plants and also for walls. Thrives in semi-shade. 6 in. April–June. 35 cts. each, \$3 for 10.

*ERYNGIUM alpinum. Sea Holly. Flower-heads 3 inches across, of a steel-blue. 2 ft. July, Aug. Flower-heads 50 cts. each, \$4.50 for 10. cœlestinum. Small, bluish flowers in round, thistle-

like head. July-Sept. 35 cts. each, \$3 for 10. -giganteum. Loose-branching heads of silver-

—giganteum. Loose-branching heads of silver-white blooms, excellent for cutting. 2 to 3 ft. July, Aug. 35 cts. each, \$3 for 10. —maritimum. Glaucous blue foliage, handsomely veined, with coarse prickly teeth. Flower-heads nearly globular, pale blue. I ft. 50 cts. each, \$4,50 for 10.

flowers. 3 ft. 50 cts. each, \$4.50 for 10.

-planum. Flowers blue, in roundish heads. 2 ft.
July. Aug. 35 cts. each, \$3 for 10, \$25 per 100.

-, Springhill Seedlings. Flowers are dark steel-blue; blue stems. 3 ft. July, Aug. 50 cts. each, \$4.50

*EUPATORIUM cœlestinum. Mist Flower. A good hardy plant, with light blue flowers, similar to Ageratum. 2 ft. Aug.-Oct. See illustration.

Fraseri (aromaticum melissoides). Stout, leafy stems with flat terminal heads of white flowers. purpureum. Joe Pye Weed. Purple; fine for wild garden. 6 to 7 ft. July-Sept. -urticæfolium (ageratoides). White Snakeroot.

White flowers. 4 to 5 ft. Aug., Sept.

EUPHORBIA corollata. Flowering Spurge. Pretty little white flowers very useful for cutting. 2 to 3 ft. July, Aug.

-polychroma. Bears masses of chrome-yellow flowers in early spring. Excellent for rockery and very good as a pot plant. 2 ft.

myrsinites. Dwarf, creeping plant, with yellow-green flowers and fleshy bluish green leaves. Especially pretty in the fall. Fine for rockery. 4 to 6 in. May, June.

FERNS, HARDY. A shady position, useless for the cultivation of other plants, is easily transformed into a hardy fernery. These graceful plants are of easy culture, especially if a liberal amount of leaf-mold or good earth from the woods is available. Varieties marked (†) succeed in sun or half shade.

All Hardy Ferns, except where noted, are 30 cts. each, \$2.20 for 10, \$18 per 100

Adiantum pedatum. Maidenhair Fern. A graceful species, with delicate fronds. Ift.

†Asplenium Filix-fæmina. A striking species, with finely cut fronds. 2 to 3 ft.

Asplenium Filix-fæmina Craigii. Somewhat similar to

type, but the middle of each frond is purple instead of green. 15 to 18 in.

-multifidum. Fronds divided into three graceful crests. Ift.

Victoria. One of the most beautiful, crested at the ends of the fronds. 12 to 15 in.

†Dennstædtia punctilobula (Dicksonia punctilobula). Hay-scented Fern. One of our best native Ferns for massing. 15 to 18 in.

Dryopteris cristata (Adiantum cristatum). Wood Fern. A common evergreen Fern, very widely planted. I ft.

†-Filix-mas (Lastrea Filix-mas). Male Fern. A rare evergreen species. 15 to 18 in.

-Filix-mas cristata (L. Filix-mas cristata). With narrow, crested fronds. 15 to 18 in.
-Filix-mas fluctuosa (L. Filix-mas fluctuosa).



Eupatorium cœlestinum



Gaillardia aristata (grandiflora)

FERNS, continued

 $\begin{array}{cccc} \textbf{Dryopteris} & \textbf{Goldieana} & (Aspidium & Goldieanum). \\ & \textbf{Goldie's Wood Fern.} & \textbf{A Fern which often grows} \end{array}$ 4 feet high and makes a very attractive background for the lower growing varieties.

marginalis (Aspidium marginale). Evergreen Wood Fern. Thick fronds 3 to 4 inches wide.

noveboracensis (Aspidium noveboracense). New York Shield Fern. A fine variety for massing.

spinulosa (Aspidium spinulosum). Shield Fern. An evergreen Fern, with finely dissected fronds.

Thelypteris (Aspidium Thelypteris). Marsh Shield Fern. Fine for wet and boggy places. Ift. Matteuccia Struthiopteris (Onoclea Struthiopteris). One of the tallest of our native Ferns; very graceful. 2 ft.

Onoclea sensibilis. Sensitive Fern. Strong grower; likes a wet soil. I ft.

unda cinnamomea. Cinnamon Fern. Very beautiful and usually larger than O. Clay-Osmunda cinnamomea. toniana. 2 to 3 ft. 50 cts. each, \$4.50 for 10. -Claytoniana. Clothed with loose wool when un-

folding its fronds in the spring; afterward becoming perfectly smooth. 2 to 3 ft. 50 cts. each, \$4.50 for 10.
-regalis. Flowering Fern. Pale green fronds; one

of the prettiest of the larger Ferns. 2 to 3 ft.

50 cts. each, \$4.50 for 10.

Polystichum acrostichoides (Aspidium acrostichoides). Christmas Fern. An evergreen species with shining dark green leaves. I ft.

FILIPENDULA. See Spirea.

Bobbink & Atkins

FUNKIA (Hosta). Plantain Lily. Very handsome and will thrive in almost any position. They are invaluable for beds, border, rockwork and marshy ground. Both the foliage and flowers are distinctly beautiful. All 1½ to 2 ft.
Fortunei. Deep blue-green foliage; pale lilac

-lanceolata (cærulea). Purplish mauve. One of the latest flowering. Aug., Sept.

lancifolia albo marginata. Large green leaves, edged with white. Lilac flowers. Aug., Sept.

-subcordata grandiflora. Large, pure white flowers and bold foliage make this a very attractive variety. July, Aug. 50 cts. each, \$4.50 for 10.

-undulata media. Green leaves, with purple

-undulata media. Green leaves, with purple flowers. July, Aug.
-undulata media variegata. Leaves widely edged and striped white. Purplish mauve flowers. A good plant for forcing. July, Aug.
-variegata. One of the finest of the Funkias. It has ovate leaves, the margins deep green and center a beautiful creamy white. July, Aug.

*GAILLARDIA aristata (grandiflora). Blanket Flower. Yellow and orange-red. The brilliancy of the Gaillardia is unsurpassed; it is simply invaluable among cut-flowers on account of retaining its beauty for so long a time. It flowers from May to Nov. 1½ ft. 25 cts. each, \$2 for 10, \$15 per 100.

GAILLARDIA PORTOLA. New. This novelty is one of the most valuable perennial plants introduced of late. It is a vigorous grower, reaching 2½ to 3 feet, with beautiful foliage. The flowers are brilliant coppery scarlet, each petal heavily margined with golden yellow. A wonderful improvement over existing sorts. Fine for cutting. 50 cts. each, \$4.50 for 10.

GALEGA officinalis. Goat's Rue. A pretty bushy plant for the border which needs very little attention. Rosy purple flowers. 3 to 4 ft. July,

-officinalis alba. White flowers; fine for cutting.

3 to 4 ft. July.

officinalis Hartlandii. Mauve flowers. 3 to 4 ft. July.

*GALIUM boreale. Northern Bedstraw. Small white flowers in clusters; leaves in whorls. 11/2 ft. May-July.

*GAULTHERIA procumbens. Wintergreen. growing evergreen; bright green leaves and white flowers followed by red berries. 35 cts. each, \$3 for to.

*GENTIANA acaulis. Stemless Gentian. Dark blue flowers. 4 in. March-May. \$1 each, \$9 for 10. -Andrewsii. Closed or Bottle Gentian. A pretty

native species of the Gentian; flowers of a fine blue, appearing late in the autumn. 11/2 to 2 ft. Aug., Sept. 30 cts. each, \$2.50 for 10. See illustration on page 23.
*—thibetica. Creamy white; creeping. May. 50c.

*GERANIUM platypetalum. Crane's Bill. Large, showy panicles of rich, deep violet flowers. 6 to 12 in. July, Aug.

-sanguineum. Flowers blood-red; very attractive in the fall when sometimes the whole plant has a blood-red color. I to 1½ ft. May-Aug.
-sanguineum album. White. 1½ ft. May-July.

All Geraniums, 30 cts. each, \$2.50 for 10

*GERBERA Jamesonii. Transvaal, or Barberton Daisy. Spikes 12 to 18 inches long, terminated with single, daisy-like flowers, fully 4 inches in diameter, and of a rich brilliant scarlet. If taken from the ground in the autumn and placed in a warm greenhouse, it will continue to bloom all winter. If left outside, it should have a win-ter protection of leaves and decomposed manure. 2½ ft. 50 cts. each, \$4.50 for 10; larger plants 75c.



- *GEUM atrosanguineum fl.-pl. Avens. Dark crimson. I to 2 ft. May-July.
 - -bulgaricum. Orange-yellow flowers. Grows very bushy. Does well on moist slopes in the rockery. Ift. July, Aug. 35 cts. each, \$3 for 10.
 - -coccineum. A pretty border plant, producing large, dazzling, intense scarlet flowers. I ft. June-Aug.
 - -coccineum, Mrs. J. Bradshaw. A splendid new variety, with striking, double, dark red flowers, the greater part of summer and fall. 2 ft. June-Sept.
 - -Heldreichii. Orange; one of the best; very free-flowering; fine foliage. 1½ ft. May-July. 35 cts. each, \$3 for 10.
 - -Lady Stratheden. The large double flowers are of a rich golden color. A splendid and beautiful variety; flowers the greater part of summer and fall. 2 ft. June-Sept.
 - -sibericum. Orange-red. This is the finest of all. Its color is not surpassed by any spring flower. 12 to 15 in. April-June. 50 cts. each, \$4.50 for 10.
- All Geums, except where noted, 30 cts. each, \$2.50 for 10, \$20 per 100
- GILLENIA trifoliata. Bowman's Root. A stronggrowing, bush-like perennial, having slender, dark red stems, with handsome trifoliate foliage, and white, pink-tinged flowers. 3 ft. May-July. 35 cts. each, \$3 for 10.
- *GLOBULARIA trichosantha. Globe Daisy. Attractive rock-garden and border plant; blue daisy-like flowers. 6 in. May, June. 35 cts. each, \$3 for 10.
- GRASSES-
 - Arrhenatherum elatius tuberosum variegatum (bulbosum folia-variegata). A dwarf decorative grass; leaves green and white; fine for edging. 6 to 8 in.
- Arundo Donax. Great Reed. A magnificent variety, growing to a height of 15 ft., and forming dense clumps. 50 cts. each, \$4.50 for 10.
- Arundo Donax variegata. This is the same as the above variety except that the leaves are striped. 50 cts. each, \$4.50 for 10.



Foxglove (Digitalis). See page 19

- Grasses, continued
 - Elymus glaucus. Blue Lyme Grass. Has narrow. glaucous silvery foliage. 3 ft.
 - Erianthus Ravennæ. Plume Grass. Grows from 5 to 7 feet high, and produces from thirty to fifty flower-spikes. Closely resembles the Pampas Grass.
 - Festuca glauca. A pretty dwarf grass, with tufts of fine, bluish green foliage. Ift. 25 cts. each, \$2 for 10, \$15 per 100.
 - Miscanthus sinensis (Eulalia japonica). Foliage
 - bright green. 5 to 6 ft.

 -sinensis gracillimus (E. gracillima univittata).

 The most graceful of all. Foliage narrow, bright green, with a silvery midrib. 5 to 6 ft.
 - -sinensis variegata (E. japonica variegata). A tall, graceful variety from Japan. Its long, narrow leaf-blades are striped green, white, and often pink and yellow. 4 to 6 ft.
 - -sinensis zebrinus (E. japonica zebrina). Very striking, with leaves banded transversely with pale yellow. 5 to 6 ft.
 - Pennisetum japonicum. It is, perhaps, one of the finest hardy ornamental grasses grown for its flowers, and for bordering or edging, growing about 3 feet high, with graceful, recurved foliage. Flowers rich mahogany, tipped white.
 - Phalaris arundinacea picta (arundinacea variegata). Variegated Ribbon Grass; Gardener's Garters. 2 ft. 25 cts. each, \$2 for 10, \$15 per 100.
 - All Grasses, except where noted, 35 cts. each, \$3 for 10
- BAMBOOS, HARDY. Our Bamboos are pot-grown and can be shipped at any time.
- Arundinaria japonica (Bambusa Metake). Japanese Bamboo. Foliage large, dark green, whitish underneath. Grows 6 to 10 ft. \$1 each, \$9
- GYPSOPHILA paniculata. Baby's Breath. Masses of minute, pure white flowers. For cutting it is ex-
- minute, pure white flowers. For cutting it is ex-quisite, especially in combination with high-colored flowers. 2 to 3 ft. June, July. 25 cts. each, \$2 for 10, \$15 per 100. -paniculata flore-pleno. This is one of the most beautiful of all the new hardy plants. The charming, double, rosette-like flowers are borne on branched panicles in great profusion. Our stock, which is propagated from grafts, should not be confused with seedling stock that is generally offered to the public. 2 to 3 ft. July, Aug. 50c.
- each, \$4.50 for 10.

 -repens. White or pale rose flowers. 6 in. June, July.
- New. Pale rose-colored -repens monstrosa. flowers. If I. July, Aug. 35 cts. each, \$3 for Io.

 -repens rosea. Prostrate growing variety with
- *HELENIUM autumnale, Gartensonne. Flowers brilliant golden yellow with velvety brown center. 2 to 4 ft. Sept., Oct.

clouds of soft rose-color red flowers.

- autumnale superbum. Sneezeweed. A grand plant, with large, flat, lemon-yellow flowers. 4 to 5 ft. Aug., Sept.
- -autumnale rubrum. A new, bright red and terra-cotta variety. 5 ft. Aug., Sept. -autumnale, Riverton Beauty. Rich lemon-yellow,
- with large purplish black cone. 5 ft. Aug., Sept. *—autumnale, Riverton Gem. Yellow, changing to
- red. A splendid cut-flower on a long stem. 5 ft. Aug., Sept. -grandicephalum Julisonne. Grows only 3 feet high and produces a great number of dark yellow
- flowers with brown centers. July, Aug. -Hoopesii. The earliest-flowering of all the Heleniums and the only one with pure orange-colored
- flowers. 2 to 3 ft. May, June. -, Orange Queen. Neat habit; orange-yellow flowers. Fine for cutting. 35 cts. each, \$3 for 10.
- All Heleniums, 30 cts. each, \$2.20 for 10, except where noted





Hemerocallis hybrida, Sovereign; H. flava major in the background

*HELIANTHEMUM. Sunrose. Evergreen or half-evergreen plant. 8 to 12 in. June, July.

-aureum. Single; yellow. -, Ball of Fire. Double; red.

-, Bride. White. -citrinum. Yellow; single.

- *-macranthum (Chamæcistus macranthum). White.
- -, Mrs. Earle. Double; red. -multiflora. Orange-pink. -, Proceux. White.

- -rhodanthum (Apenninum roseum). Single; pink; silvery foliage.
 *—, Rosy Gem. Rose.

All Helianthemums, 35 cts. each, \$3 for 10, \$20 per 100 COLLECTION of 10 varieties, \$3

HELIANTHUS. Hardy Sunflower. Is easy of culture in any ordinary garden and is admirable for the flower and shrubbery border. Fine for cutting.

All Helianthus, 25 cts. each, \$2 for 10, \$15 per 100

-multiflorus fl.-pl. (Soleil d'Or). Double Hardy Sunflower. Deep golden yellow, quilled petals, similar to a dahlia. 4 to 5 ft. Aug., Sept. -Maximilianii. One of the latest-blooming of all

hardy flowers; clear yellow. 6 to 8 ft. Oct., Nov. -mollis. Thick, velvety foliage, of a distinct silvery tinge; flowers lemon-yellow. 5 ft. Aug., Sept. -orgyalis. Graceful stalks clothed with very long,

willowy, drooping foliage; flowers deep lemon-yellow, with darker centers. 8 to 10 ft. Aug. -tuberosa. Jerusalem Artichoke. Numerous yellow flowers. This plant is sometimes culti-

vated for its edible tubers. 5 to 6 ft. Aug., Sept.-Wolley Dod. Very distinct; deep yellow. 6 to

8 ft. Aug., Sept.

Entire COLLECTION, \$1.25

- HELLEBORUS niger. Christmas Rose. Very large white, solitary flowers, sometimes flushed with purple. Excellent in rocky places. Leaves evergreen. Short plants. Easily forced. Ift. Natural blooming period. Feb., March. \$1 each, \$9 for 10.
- *HELIOPSIS helianthoides Pitcheriana. The flowers are deep golden yellow, about 2 inches in diameter, of very thick texture and very graceful for cutting.

3 to 4 ft. July-Sept.
-scabra imbricata. Yellow, semi-double flowers; bushy. Good for cutting. 2 to 3 ft. June-Sept.
-scabra, Soleil d'Or. Golden yellow. 3 to 4 ft.

July-Sept. -scabra zinniæflora. Grows about 2 to 3 feet high, with large semi-double yellow flowers about 3 inches across. Very fine plant for cutting purposes. Flowering from July to October. 30 cts. each, \$2.50 for 10.

HEMEROCALLIS aurantiaca major. Great Orange Day-Lily. Deep orange, sweet-scented, large and lovely flowers; free-blooming. 3 ft. July, Aug. -aureole. Golden yellow. A very early-blooming

-aureole. Golden yellow. A very early-blooming variety. 3 ft. May-July.
-citrina. Large flowers of lemon-yellow or pale sulphur-yellow; very fragrant. Leaves large. Tallgrowing variety. Excellent for cut-flowers. 3 ft. June, July.

-Dumortieri. Orange-yellow. 2 ft. May, June.

-Dumortieri. Orange-yellow. 2 ft. May, June.-flava. Lemon Lily. Flowers lemon-yellow, sweetscented. 3 ft. May.
-flava major. Large, fragrant, lemon-yellow flowers. 3 ft. May.
-Florham. Large, fragrant golden yellow flowers. 3 ft. June, July.
-fulva. Tawny Day Lily. Orange. 2 to 3 ft. July, Ang.

Fulva Kwanso. Large, double flowers of a rich bronze orange. 2 to 3 ft. June—Aug. -hybrida, Gold Dust. Orange flowers. 3 ft. June. -hybrida, Sovereign. Pretty dark orange flowers.

Very early-blooming variety. 2 to 3 ft. June, July. See illustration.

July. See Industration.

Middendorffii. Flowers deep orange-yellow.

Desirable for cutting. 2 to 3 ft. June, July.

Thunbergii. Flowers lemon-yellow, very fragrant.

One of the most desirable species. Later to bloom than Flava. 3 ft. July, Aug.

All Hemerocallis, 25 cts. each, \$2 for 10, \$15 per 100. COLLECTION, 6 varieties, our selection, \$1.25

*HEPATICA triloba. Liverleaf. Very pretty blue flowers, early in the spring. 4 to 6 in. April, May.

HERACLEUM villosum (giganteum). Giant Parsnip. White flowers; immense, showy leaves, suitable for subtropical gardens. 8 to 10 ft. July, Aug. 50 cts. each, \$4.50 for 10.

*HESPERIS matronalis. Sweet Rocket. Sweet-scented white and pink flowers. Very easily Sweet Rocket. Sweetgrown. 2 ft. May, June.

*HEUCHERA. Bushy plants of easy culture bearing loose, graceful spikes of flowers in great profusion. Dwarf grower of a compact habit. It is fine for the border and rockery and excellent for cutting. Forces well in the greenhouse in early spring.

*—brizoides. Alum Root. Large, pink flowers. 1½ ft. May-Sept.

*—, Flambeau. A striking new variety with reddish flowers. I to 2 ft. 50 cts. each, \$4.50 for 10.

*—, Pluie de Feu. Exceedingly bright fiery red flowers. on loose, elegant, graceful spikes. Free-flowering. on loose, elegant, graceful spikes. Free-flowering. A very showy variety. June, July. 50 cts. each, \$4.50 for 10. Illustrated in color on page 26.

*—Rosmondi. Pleasing coral-pink. 2 ft. June-Sept. 50 cts. each, \$4.50 for 10.
—sanguinea alba. White, tinted.
—sanguinea gracillima. Carmine-rose.

*—sanguinea hybrida Seedlings. Assorted colors. 11/5 ft. May-Sept.

11/2 ft. May-Sept.

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety



B. & A. GIANT-FLOWERED MARSH MALLOWS. Natural size 8 to 10 inches. See page 26

*Heuchera sanguinea, La Perle. A new dark red variety. 50 cts. each, \$4.50 for 10.

*—sanguinea splendens. Crimson Bells. Fine scarlet flowers. Excellent for cutting. I to 2 ft. May—Sept.

All Heucheras, 35 cts. each, \$3 for 10, \$20 per 100, except where noted

HIBISCUS, Mallow Marvels. A robust type, with deeply cut foliage, and large flowers in shades of crimson, pink, and white.

—Moscheutos. Swamp Rose-Mallow. The flowers are 6 inches in diameter, of a light rose, with darker eye. 5 to 6 ft. Aug., Sept. 25 cts. each, \$2.20 for 10, \$15 per 100.

—Moscheutos, Crimson Eye (oculiroseus). Flowers of immense size. The color is of purest white, with a large spot of deep velvety crimson in the center. 5 to 6 ft. Aug., Sept. 25 cts. each, \$2.20 for 10, \$15 per 100.

—Moscheutos Hybrids (B. & A. Giant-flowered Marsh Mallows). These have grown fast in popularity. The mammoth hollyhock-shaped flowers range in color from white to intense crimson, but there is a softness and delicacy to all the shades that make them harmonize with almost any color scheme.

These Hybrids are frankly careless about where they grow, but, like all plants, they repay reasonable consideration with a greater growth and richer bloom.



Heuchera, Pluie de Feu



Iberis sempervirens

Hibiscus Moscheutos Hybrids, continued

the roots offered will produce blooming plants next summer.

Although they may be planted in the fall, providing a 6-inch covering of leaves is given, we prefer to plant same in spring, after which they should be thoroughly watered. See illustration on page 25.

Each 10 100

2-yr.-old plants (mixed varieties).\$0 25 \$2 00 \$18 00 Extra-strong plants (mixed va-

HOSTA. See Funkia.

HYPERICUM calycinum. Aaron's Beard. Rapidly spreading subshrub, with golden yellow flowers. I foot. August. 35 cts. each. \$3 for 10.

foot. August. 35 cts. each, \$3 for 10.

—Moserianum. Gold Flower. Beautiful golden yellow flowers, with crimson stamens. Dwarf habit. One of the best perennials and very showy when in bloom. 1½ ft. June-Sept. 35 cts. each, \$3 for 10.

*IBERIS. Hardy Candytuft. The perennial Candytufts are evergreen, form dense masses of pretty foliage and are covered with clusters of fragrant white flowers early in spring. One of the most attractive of our hardy perennials.

*—gibraltarica. Large, delicate lilac flowers, bloom-

*—gibraltarica. Large, delicate lilac flowers, blooming early in spring; useful for cutting. I ft. May, Tune.

*—sempervirens. Spreading habit; flowers white.
Border plants; fine for forcing. 10 in. April, May.

*—sempervirens, Little Gem. Snowy white flowers;
of compact habit; dwarf. 6 in. April. 35 cts. each,
\$3 for 10.

*INCARVILLEA Delavayi. Large, rose-colored, trumpet-shaped flowers, produced in clusters on stems 1½ ft. long. June. 50 cts. each, \$4.50 for 10.

*INULA ensifolia. Fleabane. Yellow; small flowers. 8 in. July-Sept.

*-glandulosa. Old gold; pretty. 3 to 4 ft. July, Aug.





Hardy herbaceous garden with Iris Germanica in the foreground

Iris

To many home-ground gardeners in America, the word Iris brings up mind-pictures of merely two or three of the most common varieties-kinds that are either native to that particular locality or have become naturalized in the course of time. To such flower-lovers we urge a close first-hand acquaintance with as large a number of the magnificent varieties in the following lists as can be accommodated in the planting-space available. There is a stateliness and splendor about these improved varieties that taxes one's power of description to the utmost; is a statement and spiendor about these improved varieties that taxes one's power of description to the utmost; a range of color and form of flower that is simply marvelous; and the only danger to be combated in Iris-growing is that there is a possibility of becoming so enthusiastic about them as to plant only Irises to the exclusion of everything else! But that's a risk we have to run, and we do it gladly that we may make it possible for you to gain new friends in this wonderful family and acquire an Iris bed that will be not only a source of real joy to you but a Mecca for the flower-lovers of your community.

Iris Germanica German Iris; Fleur-de-Lis

It is probable that the greatest range of color is found in this section-from pure white through all shades of mauve to blue and dark purple; the flowers are regular orchids in beauty and structure, and they have a delicate fragrance that seems to be only a natural ac-companiment of such wonderful blooms. A well-drained sunny location, with the rhizomes just covered with soil is about all the planting advice needed. In the descriptions following, "S" represents standards or upper petals; "F" falls or lower petals. Their blooming period ranges from May to June.

General List of German Iris

Here are gathered together the "novelties" of other years that have "made good." It is an opportunity for the grower who is not interested particularly in having the newest things on the market to acquire a bed of these magnificent improved varieties at a comparatively these magnineent improved varieties are compared to be cost. A few in this list are yet rare, or are of exceptional merit, and the price of such is above the average. You will find, however, that whatever the pice of the Iris named below, they are worth far more to you in enjoyment when they show their beautifully colored, orchid-like flowers at bloom-time. Be liberal in selection; you won't regret it! We have based our prices according to the value of each variety.

Except where noted, 25 cts. each, \$2 for 10, \$15 per 100

Acquackanonk. S, light yellow; F, velvety maroon with a border of light yellow, lighter than King.

50 cts. each.

Ada. S, lavender on upper half, yellow on lower half;
F, white, edged and veined lilac. 25 in.

Admiral Togo. S, white, faintly tinted and frilled lavender; F, white, lightly frilled purple; very tall. 32 in.

Agnes. S, white, frilled and shaded lilac; F, white, lilac at base. 15 in.

Albert Victor. A great favorite. S, soft blue; F, beautiful lavender. Large and beautiful flower.

Albicans. S and F, pure white. 22 in.
Alcazar. S, light violet; F, deep purple-bronze, veined throat. 48 in. 50 cts. each.

Amas (Macrantha). S, light blue; F, velvety violet-blue, of in advances to the second second.

blue. 26 in. 35 cts. each. Archeveque. A very deep purple-violet. 24 in. 5oc. each.

Illustrated on page 29.

Arnols. S, rosy bronze; F, velvety purple. 23 in.

Aurea. Deep golden yellow; large flowers. 18 in. 35 cts. each.

Australis. S, deep lavender; F, light blue. 32 in. Beethoven (Sambucina Beethoven). S, rosy lilac; F, purple with orange crest. 24 in.

Bobbink & Atkins

IRIS GERMANICA, continued

Berchta. S, olive-yellow; F, violet-blue, bordered with reddish brown. 26 in.

Boccage (L'Africain). S, rosy purple; F, purple, striped

white. 27 in.

Boismilon. S, bronze; F, bronze striated with bluish white. A late variety.

write. A late variety.

Bridesmaid. S, pale lavender; F, white, reticulated lavender. 25 in.

Brooklyn. S, lavender, yellow at base; F, blue-veined,

brown at base. 27 in. Calypso. S, pale lavender; F, white, strongly veined blue. 18 in.

Candelabre. S, white, violet spots on base; F, plum-color; yellow beard. Medium-sized flowers; early.

color; yellow beard. Medium-sized flowers; early. Caprice. Reddish purple. 24 in. Carthusian. S, clear lavender-blue; F, darker blue. 27 in. 75 cts. each. Caterina. An improved Pallida dalmatica, of the same color but with larger flowers. 48 in. \$1 each. Celeste. S, lavender; F, deep lavender; large and free-flowering. 22 in.

flowering. 32 in. Charles Dickens. S, blue; F, dark blue, suffused and

veined dark violet. 27 in.

Chester J. Hunt. S, celestial blue; F, dark marine-blue.

34 in. 50 cts. each.

Cottage Maid. S, silvery blue; F, white, tipped and

reticulated violet.

Cytherea. S, dark lavender; F, rich blue; dwarf; late. 22 in.

Daisy Hill. S, light blue; F, deeper.

Daisy Hill. S, pale flesh-white; F, rich purple. One of the most distinct and striking; very rare. 22 in. \$1 each.

Daimatica. S, clear lavender-blue; F, deep lavender; very large; a superb variety. One of the finest of its class. 40 in. 35 cts. each.

Darius. S, rich canary-yellow; F, lilac, margined white,

Danus. S, fich canary-yellow; F, lilac, margined white, rich golden yellow beard; very distinct. 25 in.

Dawn. S and F, sulphur-yellow, veined bronze at the throat. 26 in. 50 cts. each.

Donna Maria. S, white; F, white, shaded lilac. 18 in.

Dora Longdon. S, lilac, suffused with yellow; F, rich reddish lilac with a slight diffusion of yellow. Medium large flower. Excellent grower and free-flowering. 30 in. \$1.50 each. Dr. Bernice. S, coppery bronze; F, velvety crimson.

Edina. S, lavender; F, dark blue, striped at base. Edouard Michel. S, rosy red; F, deeper rosy red. Tall; handsome, well-formed flowers. 30 to 36 in. \$1 each. Eldorado. S, yellowish bronze, shaded lavender; F, bright purple. 22 in. 50 cts. each.
Empress of India. Large; rich, delicate blue flowers.

Long, elegant flower-stems. \$3 each.

Eugene Sue. Creamy white, with purple spots and stripes. 18 in.

stripes. 18 in.

Fairy. White, bordered and suffused blue. 27 in. 35 cts. each.

Fairy Queen. S, pale lavender; F, tipped violet. 25 in.

Flavescens. A delicate shade of pale yellow. 20 in.

Florentina. White, slightly tinged lavender; very

Florentina. White, slightly tinged lavender; very early. 27 in.

Fro. S, golden yellow, edged olive-yellow; F, chestnut-brown, bordered yellow. 28 in. 35 cts. each.

Gajus. S, light yellow; F, crimson, reticulated white and yellow, with a clear yellow edge. 20 in. 35 cts. ea.

Gen. Grant. S, chocolate; F, purple, veined white.

Gisele (Gazelle). S and F, white, frilled, rich mauve. 18 in. 50 cts. each.

18 in. 50 cts. each.

Gladstone (Mr. Gladstone). S, white; F, tipped dark purple and white striped. Gracchus. S, pale yellow; F, yellow, suffused red. 25 in.



Iris Dalmatica



IRIS GERMANICA, continued

Gypsy Queen. S, bronze; F, deep purple, reticulated at the base. A very showy and attractive Iris that should be in every collection.

26 in.

Hebe. White, delicately suffused soft blue. A

dainty variety that is much admired.

Hector. S, delicate yellow; F, deep purple. 26 in.

Herant. S, bright blue; F, much deeper in color.

Her Majesty. S, rosy pink; F, pink, veined

crimson. 25 in. 35 cts. each.

Hiawatha. S, pale lavender, flushed rose; F, royal purple with lavender borders. 28 in. 50 cts, each.

Honorabile. S, golden yellow; F, rich deep brown. Especially fine for massing. 18 in. Hopatcong. S, light yellow; F, chestnut-brown, with a border of light yellow. 50 cts. each.

Innocenza. S and F, ivory-white, with a rich golden crest. 27 in. 35 cts. each.

Iris King. A cross between Pallida dalmatica and Maori King. S, yellow; F, velvety dark

brown with a wide border of golden yellow. 27 in. 50 cts. each.

Iroquois. S, smoky lavender, dotted brown; F,

black-maroon, reticulated white at base. 35 cts. each.

Isoline. S, lilac-pink; F, purplish rose. 36 in. 75 cts. each.

Jacquesiana. S, bright coppery crimson; F, rich maroon. Though an old variety, it is still one of the choicest of German Iris. 30 in. 35c. ea. Jeanne d'Arc. S, white; F, white, bordered pale

lilac. 27 in. 35 cts. each.

Juniata. S and F, deep blue, deeper than Dalmatica. 27 in. 50 cts. each.

Kharput. S, violet-blue; F, velvety dark blue. 26 in.

Khedive. Soft lavender. 23 in.

La Beaute. Sand F, large pale blue. 30 in. \$1 ea. Lady Foster. S, pale blue; F, violet-blue. \$1.50 each.

Lavendulacea (Dove). S, lavender; F, darker.

Lohengrin. One of the most vigorous of the German Iris; petals 2 inches across; S and F,

deep violet-mauve. 28 in. 35 cts. each.

Loreley. S, light yellow; F, blue, bordered light
yellow. 35 cts. each.

Magnate. S, light ageratum-violet; F, velvety

purple of crimson tone. Strong grower; large flower. 30 in. \$1 each.

Maori King. S, golden yellow; F, deep velvety crimson; very dwarf. 14 in.

Maritana. White ground, veined blue. Medium

grower. 24 in.

Marvar. S, clear yellow; F, veined and spotted violet

and red. 27 in. Mary Garden. S, pale yellow, flushed pale lavender;

F, long, drooping, creamy white, dotted and veined

maroon. 28 in. 35 cts. each.

Mercedes. S and F, pure white, frilled with violet and brown. 26 in. \$3 each.

Mexicana (Gold Bound). S, yellow; F, purple, veined

white. 25 in.
Mirage. S, lavender-white; F, lilac. 50 cts. each.

Miralba. S, rosy lavender; F, white, veined and tipped

violet. 26 in. Miss Eardley. S, golden yellow; F, red and yellow.

20 in. 35 cts. each.

Mithras. S, light yellow; F, violet, shaded with claret

and bordered yellow. 24 in.

Mme. Blanche Pion. S, pale bronze-yellow, shot with

lavender; F, rich purple. 26 in.

Mme. Chereau. White, elegantly frilled azure-blue; very beautiful. 30 in.

Mme. Guerville. S and F, white, frilled blue. 26 in.

50 cts. each.

Monsignor. S, violet; F, velvety purple-crimson. 22 in. 50 cts. each. Mount Penn. S, lavender-rose; F, crimson-lilac; deep

orange beard. 30 in. \$1 each.



Mrs. Alan Gray. Delightful lilac-shade, when comparing with other Irises. 30 in. 35 cts. each.

Mrs. Horace Darwin. S, snow-white; F, white, slightly reticulated violet at base. 26 in.

Mrs. Neubronner. Very deep golden yellow, darker than Aurea. 14 in. 35 cts. each.

Mrs. Reuthe. S, white, suffused and marked blue; F, white, edged soft blue. 26 in.

National. S, violet-blue; F, rich velvety violet-purple. Navajo. S, light bronzy yellow, shaded lavender; F, deep maroon, heavily veined white and yellow. 20 in. 50 cts. each.

Neglecta. S, pale lavender; F, purple, reticulated white.

Nibelungen. Flowers large; S, olive-green, suffused with yellow; F, deep purple-violet, edged pale yellow. 35 cts. each.

Nine Wells. S. light violet-blue; F, deep purple-violet, showing a white ground at the throat; very attractive; fragrant. 48 in. \$1 each.

Nokomis. S, pale lavender-white; F, velvety dark violet-blue, with white borders. 35 cts. each.

Bobbink & Atkins

IRIS GERMANICA, continued

Oriflamme. S, light blue; F, rich violet-purple. \$1 each Ossian. S, pale yellow; F, reddish violet. 24 in. Othello. S, deep rich blue; F, dark velvety purple. Pacquita. Sand F, light rosy claret. Late bloomer. 30 in.

Pallida Dalmatica. See Dalmatica.

Pallida Speciosa. See Speciosa.

Parc. de Neuilly. Excellent rich purple, self approaching bloom, not as dark as Kochii. 24 in. 50 cts. each. Pauline. S, lavender; F, slightly darker. 26 in. 50 cts, each.

Penelope. S, white; F, white, delicately veined reddish violet. 18 in.

Penge. S, light blush-violet; F, violet-purple. 30 in. 35 cts. each.

Pfauenauge (Peacock's-Eye). S, olive-vellow; F, brownish blue, with a golden yellow border. 20 in. Plicata, Sappho. S, yellow, flushed lavender; F, straw tipped and reticulated violet-purple. 26 in.

Plumeri. S and F, deep coppery red; early and free.

Powhatan. S, light violet with deeper borders; F, deep purple with crimson shades. Large spreading flowers. 38 in. 50 cts. each.

Princess Victoria Louise. S, light sulphur-yellow; F,

rich violet-red, edged creamy white. 27 in.

Prosper Laugier. With larger and brighter flowers than Jacquesiana. 25 in. 50 cts. each.

Purple King. Large flowered red-purple of fine color.

30 in.

Quaker Lady. S, smoky lavender with yellow shadings; F, ageratum-blue and old-gold. 38 in. 50 cts. each.

Queen Alexandra. S, fawn, shot with lilac; F, lilac, reticulated bronze at the base. 30 in. 50 cts. each.

Queen of May. S and F, rosy lavender. 27 in.

Ramapo. S, rosy lavender; F, purple, bordered lavender.

der. 50 cts. each.

Rhein Nixe. A very strong and robust grower; S, pure

white; F, deep violet-blue, with a white edge. 27 in. 35 cts. each.

Ringdove. S, pale violet; F, deeper. 48 in. \$1 each. Rose Unique. S and F, violet-rose. 26 in. 50 cts. each. Schiller. S, golden yellow; F, velvety crimson. 25 in. Sherwin-Wright. S and F, bright golden yellow. 26 in. 50 cts. each

Speciosa. S, dark lavender, shaded lighter; F, shaded light purple. 30 in.

Spectabilis. S and F, deep purple; free-flowering; early.

Tamerlan. S, violet-blue; F, deeper. 36 in.

Tendresse. S, light lavender; F, light blue, strongly veined violet.

Towaco. S, rosy bronze; F, purple. 50 cts. each. Trojana. S, pale blue; F, rich purple-blue. 40 in.

35 cts. each.
Viola. S, rosy lilac; F, deep violet-blue. 20 in. 50 cts.
Violacea Grandiflora. S, rich blue; F, violet-blue. 27 in.

Violacea Grandiflora. S, rich blue; F, violet-blue. 27 in. A good standard variety. 35 cts. each.

Wanaque. S, rosy bronze; F, deep purple. 50 cts. each.

Wawayanda. S, rosy lavender; F, light maroon. 50 cts.

Weequahic. S, light blue; F, deep velvety violet. This

may be called an improved Perfection. 50 cts. each.

Wyomissing. S, creamy white, suffused soft rose; F,
deep rose, shading to a pale rose border. 26 in.

Yountakah. S, light blue; F, deep violet with a distinct

orange beard. 50 cts. each.

COLLECTION of 12 German Iris, our selection, \$2 COLLECTION of 25 German Iris, our selection, \$4

Intermediate Iris, New Hybrids

The following new varieties are crosses between Iris germanica and I. pumila. They flower earlier than the German Iris. The foliage is dwarf and the flower-stems are 18 inches high. Hardy, vigorous growers; free-flowering.

25 cts. each, \$2.20 for 10, except where noted. One each of the 8 varieties following, \$2

Blue Boy. S, bright clear blue; F, intense dark blue.

Dorothea. S, pearl-gray; F, light blue. 18 in. Fritjof. S, lavender; F, purple, shaded lavender. 20 in. 35 cts. each.

Gerda. S, creamy yellow; F, deep creamy yellow, veined golden yellow. 18 in. 35 cts. each. Halfdan. Light creamy yellow; large flowers. 23 in. Helge. Citron-yellow, with pearl-colored center. 23 in. Ingeborg. Flowers large; pure white. 18 in. Walhalla. S, lavender; F, wine-red. 23 in.

Iris Pumila and Hybrids

This class of dwarf Irises is invaluable for planting in groups or as an edging to a bed of taller-growing varieties. Spread rapidly; low-growing; flowers of exquisite beauty in April and May.

25 cts. each, \$2 for 10. One each of the 5 varieties below, \$1.25 Bride. S and F, white; green and yellow veins. Large, handsome flowers. 15 in.

Cyanea. DB. Rich purple, with dark shadings. 4 to

8 in. May. Ditton Purple. Clear violet-purple; free-flowering.

9 in. 35 cts. each.

Pumila Atroviolacea. Violet-mauve to maroon-red.

Schneekuppe. DB. S, pure white; F, white center, veined greenish yellow. 8 in.

Iris Lævigata (Kaempferi) Japanese Iris

This section of the Iris family embraces wonderful colorings, vivid yet harmonious; all the colors of the rainbow seem to have been gathered together in them in the most fascinating combinations. The great size of the flowers is noteworthy, it being not at all unusual to have blooms 6 to 8 inches across, while there are plenty of instances on record where these marvelous flowers have reached the enormous size of 12 inches across.

A good, well-drained soil will encourage sturdy growth and amazing blooms if they are given plenty of water during the dry season. They come into bloom right after the German Iris and are at their best in July. Affection (Sofu-no-koi). General tone bluish purple.

on French gray background, six petals. 50 cts. each.

Alba Plena. Pure white; very large; six petals. \$1 each.

A. L. Sherwood. Light purple, veined white; three

petals. 50 cts. each.

Amethyst. Very large, wavy petals; most exquisite lavender shade. \$1 each.

Apollo. Pale lavender, veined purple with reddish pink

center; three petals. 75 cts. each.

Azure. Waxy mauve-blue, slightly darker toward center; six very large petals. 75 cts. each.

Blue Danube. Pure rich blue, velvety center; six petals.

75 cts. each.

Blue Flag. Indigo-blue, with light white viens, velvety

sheen, bright yellow at the base; six petals. 50 cts. ea. Blue Jay. Light blue, shading darker toward center, overlaid with purple sheen and silvery stripes. 75 cts. each.

Bride. Maroon, heavily veined white; three petals.

50 cts. each.

Chameleon. Purple, flaked and blotched white; six

petals. 50 cts. each.

Childs Beauty. White, with light blue shading toward edges. Very pretty; three petals. 75 cts. each.

Conadi. Grayish white, with amaranth center, veined dark blue; three petals. 50 cts. each.

Crystal. Pale violet, veined white, white center; six petals. \$1 each.

Dinah. Reddish purple, flaked white, six petals. 50 cts. Distinction. Light lavender-pink, shading bright yellow, blotched at base of petals; three petals. 75c. ea. Eclipse. Deep purple, overlaid red; six petals. 75 cts. Firefly (Uji-no-Hotaru). Deep purple; golden yellow

center; six petals. 75 cts. each.

Frate. Shaded lilac, and silvery veined, with deep lilac

Gold Bound. Large; pure white, yellow center; six petals. 50 cts. each.

Hannibal. Porcelain, veined rose-purple, rose-purple

center; three petals.
Helen von Siebold. 50 cts. each.
Reddish violet, veined white;

three petals. 50 cts. each.

Hyde Park. Reddish purple, blushed with white; six petals. 75 cts. each.

IRIS LÆVIGATA, continued

La Favorite. French gray, heavily veined blue; large flowers; six petals. \$1 each.

Mahogany. Deep velvety, mahogany-red; six petals. 75 cts. each.

Mount Hood. Dark blue on ash-gray background, with dark velvety blue veins; six petals. 75 cts. each. Mrs. Henry L. Higginson. Bright reddish maroon, with

white center; three petals. \$1 each.

Neptune. Slate-blue; three petals. An unusual Iris. 75 cts. each.

Noranea. Bluish white with bluish purple veins; three

petals. 75 cts. each.

Ondine. Pure white, shaded blue toward center; very large and beautiful; three petals. \$1 each.

White, overlaid, and bordered maroon; six

petals. 50 cts. each.

Othello. Lavender-blue, veined white, white center;

large; six petals. 75 cts. each.

Painted Lady. Richly suffused pink on gray back-ground, darker toward center, veined silvery gray;

six petals. \$1 each.

Paragon. Rich velvety purple; three petals. \$1 each.
Peace (Taiheiraku). Rich vinous purple, with conspicuous yellow blotches tipped blue, and which radiate out in purple veins; petaloid stigmas gray and lavender; six petals. \$1 each.

Pink Progress. Beautiful pinkish lavender shade, over-

laid with silver sheen, distinct blue center; three

petals. \$1 each.

Plume. French gray, light purple veined, amaranth toward the center; three petals. \$1 each.

Porcelain Sceptre. White, suffused blue, center pink;

three petals. 75 cts. each.

Prince Camille de Rohan. Rich, reddish purple with

indigo-blue; six petals. 50 cts. each.

Princess Clotilde. Blush-purple on ash-gray back-

ground; six petals. \$1 each.

Pyramid. Violet-blue; center of petals veined white,

very large and beautiful; six petals. \$1 each. Red Riding Hood. Fine amaranth, veined and suffused

white; three petals. \$1 each.
Robert Craig. French gray, veined violet, very pretty;

six petals. 50 cts. each.
Shadow. Reddish purple, velvety sheen; three petals. 75 cts. each.

75 cts. each.

Snowbound. Pure white; three petals. One of the prettiest whites. 50 cts. each.

Toledo. Large white petals with faint light blue veins

and light blue center. 75 cts. each.

Topaz. Reddish amaranth with ash-gray background;

three petals. 75 cts. each.

Tortoise. Purplish red, flaked white. \$1 each.

T. S. Ware. Very double. Dark garnet, veined white. 50 cts. each.

Venus. Large; white; three petals. 50 cts. each. Vesta. Ashgray, veined purple, purple center; three petals. 75 cts. each. Victor. White, veined violet-blue, purple center; six

petals. 50 cts. each. Violet Beauty. Dark velvety purple, with black sheen;

very large and pretty; three petals. \$1 each. William Tell. Porcelain, veined blue, blue center; six petals. 75 cts. each.

The plants offered above are all strong, field-grown, have several eyes, and will bloom the first season after planting.

Mixed varieties, 25 cts. each, \$20 per 100

We shall be pleased to give special prices on named varieties in quantities on divided plants.

Various Irises

25 cts. each, \$2.20 for 10

Pseudacorus (Water Flag, Bearded Flag). favorite for planting along the margins of bodies of water, doing well in such semi-aquatic conditions. Flowers yellow, shaded orange. 3 ft. May, June.

Ochroleuca gigantea. Grows in strong clumps in almost any situation. Very distinct, with its numerous pale yellow flowers. 3 ft. May.



Sibirica. Compact, tufted habit of growth, the stems bearing several clusters of the purplish blue flowers. 2 to 3 ft. May, June. Sibirica flexuosa (sibirica alba). White, veined pale

lilac. 2 ft. May, June.

Orientalis. Compact, tufted habit of growth, the stems bearing several clusters of the purplish blue flowers. 2 to 3 ft. May, June. Orientalis, Snow Queen. Flowers large, snow-white,

carried on strong stems; free-flowering. 2 to 3 ft. June.

Iris Sibirica, Perry's Blue

A hybrid from I. sibirica. This beautiful Iris deserves to be known better. It has large, clear blue flowers, on stiff stalks. Extra fine for cutting. A splendid grower. \$1 each. See illustration.

Crested Iris

*Cristata. A dwarf, native species with handsome, light-colored flowers and short, thick, green foliage. 4 to 8 in. May.

KNIPHOFIA. See Tritoma.

*LATHYRUS latifolius albus. Everlasting Pea. Large

ATHYRUS latifolius albus. Everlasting Pea. Large white flowers on many-flowered stems, similar to the annual sweet pea. A very desirable plant.

3 ft. June-Aug.


*—latifolius, Pink Beauty. Large racemes of pleasing deep rose flowers. 3 ft. June-Aug.

*—latifolius, Rose Queen. New. Large-flowering variety with bright pink flowers. 2 ft. June-Aug.

*—latifolius, White Pearl. The most beautiful of all Everlasting Peas, with pure white flowers, which are double the size of the ordinary Lathyrus. 2 to 3 ft. June-Aug. 35 cts. each, \$3 for Io.

*LAVANDULA vera. Sweet Lavender. Fragrant blue flowers. 1½ ft. July-Sept. 25 cts. each, \$2 for 10, \$15 per 100.

31



Lilium auratum (Gold-banded Lily)

Hardy Lilies (Lilium)

No herbaceous or shrubbery border or wild garden is complete without a liberal representation of these not herbaceous or shrubbery border of wind garden is complete without a liberal representation of these most graceful and charming flowers. For successful growing of hardy Lilies, the chief requirement is a loose, well-manured soil, with some pure sand added under each bulb to further drainage and to prevent the bulbs from rotting. They should be planted 6 to 8 inches deep and among plants with heavy foliage, like peonies, in order to keep the soil surrounding the bulbs cool. They should be left in the same location for three or four years without lifting, which should be done in September, the replanting to take place at once. The beds should be covered with leaves or litter during winter. Delivery of bulbs will be made in September, October or Spring.

grant, white flowers, spotted crimson with a yellow band or midrib extending the whole length of each segment. Red anthers. 3 ft. July, Aug. 50 cts. each, \$4.50 for 10, \$35 per 100.

Batemanniæ. Pale orange-red flowers, sometimes

tinged pink but unspotted; anthers red. 2 ft. July,

Aug. 40 cts. each, \$3.50 for 10. Canadense. Bright yellow, red-spotted, flowers in July

and Aug. 30 cts. each, \$2.50 for 10.

Canadense flavum. Lemon-yellow flowers, spotted purplish brown; red anthers. 2 to 3 ft. June-Aug.

30 cts. each, \$2.50 for 10. Canadense rubrum. Large flowers of bright orange-red,

spotted purplish brown, with a still deeper red tinge on the outside. 2 to 3 ft. June-Aug. 30 cts. each, \$2.50 for 10.

*Candidum. Madonna Lily. Pure glistening white flowers on strong, stiff stems. 50c. each, \$4.50 for 10. Dauricum. Flowers upright, scarlet. Resembles L. philadelphicum. 2 to 3 ft. June, July. 15 cts. each, \$1.40 for 10. egans (Thunbergianum). Orange-red, slightly

Elegans spotted purplish black, anthers red. 20 cts. each, \$1.50 for 10.

Elegans atrosanguineum. Solitary, deep blood-red flowers spotted purplish black, red anthers. I to $1\frac{1}{2}$

ft. June, July. 50 cts. each, \$4.50 for 10. Elegans bicolor. Orange, edged scarlet, with few spots. 35 cts. each. \$3 for 10.

35 cts. each. \$3 for 10. Elegans Horsmanii. Flowers deep blood-red, almost black. 35 cts. each. \$3 for 10. Elegans, Leonard Joerg. A very fine shade of rich apricot, with dark spots. 30 cts. each. \$2.50 for 10. Elegans, Prince of Orange. Soft buff flowers spotted purple-black. Dwarf variety. 6 to 9 in. June. 50 cts. each. \$4 50 for 10. each, \$4.50 for 10.

Giganteum. Pure white, tinged purple near the base. July, Aug. \$3.50 each.

Grayi. Native. Flowers deep red. One of the finest for

planting in shady places. 35 cts. each, \$3 for 10. Hansonii. Flowers reddish orange, eight to twelve in a cluster; petals thick and lasting. 80 cts. each, \$7.50 for 10.

Henryi. Rich golden yellow, lightly spotted brown.

Often reaches a height of 6 ft. 75 cts. each, \$7 for 10. Martagon. Turban Lily. Claret-purple flowers, spotted purplish black; anthers red. 3 ft. June, July. 50 cts.

each, \$4.50 for 10. Pardalinum. Panther Lily. Bright orange, scarlet, and yellow. 3 to 6 ft. Late June-Aug. 35 cts. each, \$3 for 10.

Philadelphicum. Bright orange-red, tinged yellow in center, and spotted deep purple; anthers red. 30 cts. each, \$2.20 for 10.

Regale (myriophyllum). Deliciously fragrant flowers with pure white petals passing to bright canary-yellow at the center; the white sometimes has a suffusion of pink. \$1 each, \$9 for 10.

Speciosum album. Large white flower of great substance, with a greenish band running through the

center of each petal. 2 ft. Aug., Sept. 50 cts. each, \$4.50 for 10, \$35 per 100.

Speciosum rubrum. Fragrant deep red flowers with green stripe at base; anthers red. 2 ft. Aug., Sept.

50 cts. each, \$4.50 for 10, \$35 per 100. Superbum. Bright reddish orange flowers, shaded yellow and spotted purplish brown at base. 25 cts. each,

\$2.20 for 10, \$20 per 100.

Tigrinum. The well-known and beautiful Tiger Lily. A vigorous grower, producing brilliant orange-colored flowers, spotted with black. Very hardy and popular Lily. 3 to 5 ft. July, Aug. 30 cts. each, \$2.20 for 10.

Tigrinum fl.-pl. Double Tiger Lily. Orange-red, spotted with black; double showy flowers. 30 cts.

each, \$2.20 for 10. Tigrinum Fortunei.

Rich, orange-colored flowers, spotted crimson-brown. 30 cts. each, \$2.20 for 10.





Lilium tigrinum

HARDY LILIES, continued

Tigrinum splendens. Large, bright salmon-red flowers, spotted purplish black. Robust grower. 3 to 4 ft. Aug., Sept. 30 cts. each, \$2.20 for 10.

Tenuifolium. Medium-sized perfectly formed flowers of

dazzling coral-red. 40 cts. each, \$3.50 for 10.

Umbellatum erectum. Red flowers, flushed orange; a

tall and vigorous grower. I to 3 ft. June, July. 50 cts. each, \$4.50 for 10.

Umbellatum fulgidum. Deep apricot flowers. Strong variety. 1 to 2½ ft. June, July. 50 cts. each, \$4.50

Umbellatum grandiflorum. Orange flowers, free bloomer. I to 3 ft. June, July. 50 cts. each, \$4.50 for 10. Umbellatum incomparabile. Intense, rich crimson,

spotted. A beautiful variety. I to 3 ft. June, July. 60 cts. each, \$5.50 for 10. Umbellatum maculatum. Reddish orange flowers, six

to ten in a cluster. A rare Japanese Lily. I to 3 ft. June, July. 50 cts. each, \$4.50 for 10.

Washingtonianum. Fragrant white flowers, spotted reddish purple in racemes. 2 to 3 ft. July. 75 cts.

each, \$6.50 for 10.

Willmottiæ. New. Rare Lily; very profuse bloomer.

Orange shaded flowers. July. \$1 each, \$9 for 10.

*LEONTOPODIUM alpinum. Edelweiss. This plant is well known to tourists who have traveled in Switzerland. It is as hardy as any plant can be and very distinct. 5 in. June, July. 35 cts. each, \$3 for 10. See illustration.

LIATRIS callilepis. Purplish red. Does well in semi-

shade and sunny places. 3 to 4 ft. July-Sept.
-pycnostachya. Kansas Gay Feather. One of the choicest and boldest species. Flowers purple, in dense spikes, which bloom a long time. Foliage thick and grass-like; excellent for masses in the border. 4 to 5 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

scariosa. Spikes of deep purple flowers. 3 to 4 ft.

Aug., Sept.

spicata. Button Snakeroot. Western and southern states. Spikes 6 to 15 inches long; purple. 2 to 3 ft. July-Sept. 25 cts. each, \$2 for 10, \$15 per 100.

*LINARIA Cymbalaria. Kenilworth Ivy. Perennial, tender, glabrous herb; long, trailing. Small but pretty lilac flowers, with a yellowish throat. June-Aug.



Lilium speciosum. See page 32

Linaria dalmatica. Large, bright yellow flowers, borne at the tops of the branches in a long, loose spike;

at the tops of the Statement a long, took spans, 3 to 4 ft. June–Sept. hepaticæfolia. Toad Flax. A small creeper, spreading very fast. Foliage similar to hepatica. -hepaticæfolia. Light blue flowers; fine for the rockery. 2 to 3 in.



Leontopodium alpinum



Liatris. See page 33

*LINUM flavum. Flax. Very handsome, light yellow

flowers. I ft. June, July.
-perenne. A lovely plant, with blue flowers. I1/2

ft. May-Aug.

*-perenne album. A white form of the above.

*LITHOSPERMUM, Heavenly Blue. Splendid flowers of sky-blue color. Fine for the rock-garden. 4 in. June-Sept. 75 cts. each, \$6.50 for 10.
*LOBELIA cardinalis. Cardinal Flower. Flo

Cardinal Flower. Flowers BELIA cardinalis. Cardinal Flower. Flowers intense scarlet, opening from below upward along the tall spike, thus bearing flowers for several weeks. 3 ft. July, Aug. 25 cts. each, \$2 for 10, \$15 per 100.

—syphilitica. Fine spikes of blue flowers. 3 ft. Aug., Sept. 25 cts. each, \$2 for 10, \$15 per 100.

INUS. The Lupines are well-known garden plants, very showy and beautiful with spikes of pea-shaped flowers in various colors. They prefer *LUPINUS. pea-shaped nowers in various colors. They preter well-prepared garden soil, and do well in semi-shade. 2½ to 3½ ft. June-Aug.

-polyphyllus. Lupine. Deep blue, pea-shaped flowers on long stems. 4 to 5 ft. June, July.

-polyphyllus albiflorus (polyphyllus albus). A

white form of the above.

-polyphyllus Mærheimii. This is the finest of all Lupines, with its long spikes of pea-shaped flowers a foot long, on stems 3 feet long; color soft rose. June, July.

All Lupinus, 35 cts. each, \$3 for 10, \$25 per 100

*LYCHNIS alpina. Flowers pink. A good plant for the rockery. 6 in. April. *—Arkwrightii. Brilliant red flowers.

*—chalcedonica. Flowers bright scarlet, in dense clusters. An old-fashioned border plant. One of the most brilliant of hardy plants. 2 ft. June, July. *—chalcedonica alba. A white-flowered form. *—Flos-cuculi. Ragged Robin. Loose clusters of red or pink flowers. 1 to 2 ft. May—Aug. *—Haceare Paillent course general flowers of your

double, crimson flowers. Ift.

*—Hos-cutain Ragget Robin Documents
or pink flowers. I to 2 ft. May—Aug.

*—Haageana. Brilliant orange-scarlet flowers of very large size; fine for cutting. I ft. May, June.

—Viscaria splendens. German Catchfly. Rose-pink to crimson flowers. I 1/2 ft. May, June.

*—Viscaria splendens fl.-pl. A fine variety, with

LYCORIS squamigera (Amaryllis Hallii). In early spring it produces attractive green foliage, which grows until July, when it ripens and disappears; then the delicate lilac-pink flowers appear. 2 ft. July. 75 cts. each.

*LYSIMACHIA ciliata. Fringed Loosestrife. Dainty yellow flowers with dark bronzy foliage. 2 ft.

July, Aug.

-clethroides. Japanese Loosestrife. A fine hardy variety from Japan, with long spikes of pure white flowers. 2 ft. July-Sept.

*-Nummularia. Creeping Jenny; Moneywort. A

creeper, with yellow flowers. 2 to 3 in. June, July.

All Lysimachias, 25 cts. each, \$2 for 10, \$15 per 100

LYTHRUM Salicaria roseum, Rose Queen. A remarkably free-blooming variety, with long, grace-ful spikes of rosy pink flowers. For bog-garden or naturalizing, there is nothing to equal it. 2 to 3 ft.

Salicaria roseum superbum. Purple Loosestrife. Tall spikes of rosy purple flowers, on long, grace-

ful stems. 3 to 4 ft.

*MALVA moschata. Musk Mallow. Flowers rose; sweet scented. I to 2 ft. June-Sept

*-moschata alba. A charming plant; flowers white. I to 2 ft. June-Sept.

*MAZUS rugosus. A dwarf, creeping plant. Fine for the rockery. Aug., Sept.

*MEGASEA. Plants with decorative, almost evergreen, shiny green foliage. Dense white, pink, or red flowers. Very useful and attractive in the rockery, and in groups. Sunny and semi-shade; flowers keep well when cut.

—, Athlete. One of the finest varieties.

*—cordifolia. Light pink flowers, I to I½ ft. April,

May. -crassifolia. Flowers in pink panicles; large, waxy

leaves. Useful for rockeries. I ft. April, May.-Leichtlini. Rose-colored flowers. I to $1\frac{1}{2}$ ft. April-June.

-speciosa atropurpurea. Purplish red. I to I1/2 ft. April-June.

All Megasea, 50 cts. each, \$4.50 for 10

*MENTHA rotundifolia variegata. Variegated Roundleaved Mint. Purplish flowers; aromatic foliage. I to 2 ft. June-Sept.

*MENZIESIA polifolia. Usually planted with heather. Dark green glossy leaves and spikes of large, drooping, purple bell-shaped flowers. 1½ ft. July-Oct. 50 cts. each, \$4.50 for 10. -polifolia alba. A white variety of the above.

50 cts. each, \$4.50 for 10.

*MERTENSIA virginica. Bluebell. Flowers blue, fun-nel-formed, in nodding clusters. Should not be disturbed when once planted. 1½ ft. May, June.



Lychnis Viscaria splendens



MONARDA didyma. Oswego Tea. Compact heads of bright red flowers. 3 ft. June—Aug.

—didyma, Cambridge Scarlet. Stout leafy stems; heads of brilliant scarlet flowers. 3 ft. June—Aug.

—didyma rosea. A variety of the preceding, with rose-colored flowers. 3 ft. June—Aug.

—didyma salmonea. Large heads of a delicate shade of salmon-pink. Will stand moister positions than other Monarda varieties. 3 ft. June—Aug.

—didyma violacea superba. Deep amaranth-red flowers. 3 ft. June—Aug.

flowers. 3 ft. June-Aug. -fistulosa alba. Flowers white. 3 ft. July.

All Monardas, 25 cts. each, \$2 for 10, \$15 per 100 COLLECTION of 6 varieties, \$1.25

MONTBRETIA (Tritonia). Bears from eighteen to thirty showy, star-shaped flowers of orange, suffused with red; plant in spring and protect with leaves in winter. 2 to 3 ft. July-Sept.

aurantiaca. Orange.

-crocosmæflora. Rich orange-yellow, tinged with

Crœsus. Very large; apricot-yellow flowers. 2 ft.

-, Feu Brillant. Bright red.

-, Fire King. Bright scarlet-red.
-, George Davison. Fine golden yellow; very distinct.

-, Meteor. Orange with red tips. Very early. 15 cts. each, \$1.20 for 10, \$10 per 100

*MUEHLENBECKIA nana. An elegant rock-plant with wiry stems only a few inches long, densely clothed with small dark green leaves. It is also very useful between stepping-stones.

*MYOSOTIS alpestris robusta grandiflora. Forget-me-not. A dwarf and compact variety; flowers

pale blue. 8 in. May, June.

-Ruth Fischer. Large, bright blue flowers, compact, robust grower. Very fine variety.



Enothera speciosa



MONTBRETIA Feu Brillant

*Myosotis scorpioides semperflorens (palustris semperflorens). This variety remains in flower a long time; color blue. 10 in. May-Sept.

All Myosotis, 20 cts. each, \$1.80 for 10, \$15 per 100

*NEPETA hederacea (Glechoma). Blue; a beautiful evergreen plant of creeping habit; fine for rockwork. 5 in. May, June. -hederacea variegata (Glechoma bederacea). Pretty

George Davison

variegated form of the above.

-Mussinii. Mauve-colored flowers; blooms constantly. 8 in. April-June.

*NIEREMBERGIA rivularis. White-Cup. An excellent, dwarf, creeping alpine plant, with cupshaped creamy white flowers. 8 in. June-Aug. 30 cts. each, \$2.50 for 10, \$20 per 100.

*ENOTHERA fruticosa. Sundrops. Showy yellow flowers 1½ to 2 inches across, in clusters. 1 to 3 ft. *—fruticosa Youngii. A stocky grower and profuse

bloomer. Firm, glossy foliage; lemon-yellow flowers. 2 ft.

-missouriensis. Large, yellow flowers. 10 in. June-Aug.

-speciosa. Large, white flowers. 11/2 ft. Aug., Sept. All Enotheras, 25 cts. each, \$2 for 10, \$15 per 160

OMPHALODES verna alba. Very choice white flowers in loose spikes. Free-growing plant which trails. Excellent for shady situations in rock-gardens or borders. 6 in. May-Sept. 50 cts. each, \$4.50 for 10.

ONOPORDON tauricum. Cotton Thistle. Pink flowers and beautiful silvery leaves and stems. 5 to 6 ft. July, Aug.

OROBUS lathyroides. Bitter Vetch. Violet-blue, peashaped flowers. 1½ ft. May. 50c.ea., \$4.50 for 10.-vernus. Bright purple. 1½ ft. May, June. 50 cts. each, \$4.50 for 10.



Peonies prominent in the perennial border

Peonies

The Peony is one of our best-known and best-loved flowers, and each year sees some improvement in its form and color. The gorgeous beauties of today far excel the varieties grown in our grandmothers' gardens, but all are attractive. They have a place all their own in the flower-garden, and reward any extra care with a wealth of handsome blooms and a profusion of rich green foliage.

The blooming period extends from the middle of May through June. While some varieties of Peonies attain

a height of but I foot, others grow to a height of 3 to 4 feet.

Planting. Although very hardy and easily grown, the Peony prefers a good, deep soil in a rather moist yet sunny location. The result of good soil can be seen in the quality and size of the blooms. Plant the roots so that the eyes are about 2 to 3 inches under the surface. They should be planted in fall, after the leaves have dried off. In watering, keep the buds dry and so prevent

their rotting. Cut seed-pods off after flowering.

If in a very cold section, roots should have a light covering of loose straw or hay for the first winter, after which no protection should be needed. Heavy mulching of manure or covering of any kind in winter is often the cause of Peonies not blooming.

The following are the best of the old and new varieties, all well-grown, healthy stock.

Our plants are freshly dug from the fields, not kept in storage, and no divisions are taken off in fall. In other words, we have based our prices according to the value of each variety. A 2- and 4-year-old plant has been growing in the field 2 and 4 years since having been divided. For larger quantities ask for our special quotation.

Agida. Late dark rose. 2-yr. 75 cts.; 4-yr. \$3.

Albatre. Midseason. Milk-white, shaded ivory, wide center petals tinged lilac, edged with a minute carmine line; very large, compact, globular; fragrant. One of the best whites. 2-yr. \$1; 4-yr. \$4. Albert Crousse. Late. Very large, flat, compact bomb;

rose-white, flecked crimson; fragrant. 2-yr. \$1.50;

4-yr. \$5.

Dumas. Early midseason. Alexandre light violet-rose, creamy white collar of narrow petals, mingled with the wide center petals; fragrant; medium height; free bloomer. Good cut-flower va-

riety. 2-yr. 75 cts.; 4-yr. \$3. Alfred de Musset. Late. Compact, very large, milkwhite flowers, blush center, crimson flecks. 2-yr.

\$1.50; 4-yr. \$5.

Alsace-Lorraine. Late. Cream-white petals, deepening to pale yellow, arranged like a water-lily; very large;

flat; free bloomer. Strong division \$3.50.

Ambroise Verschaffelt. Large, cup-shaped bloom of deep crimson-purple. 2-yr. 75 cts.; 4-yr. \$3.

Midseason. Armandine Mechin. Large, compact blooms of violet-crimson, showing stamens; strong,

spreading hab't; free bloomer. 2-yr. 75 cts.

Atrosanguinea. Midseason. Purplish red, tinted with

violet. 2-yr. 75 cts.; 4-yr. \$3. Augustin d'Hour. Midseason. A lovely, dark, solferino-red, with slight silvery reflex; large, rather compact. 2-yr. \$1; 4-yr. \$4.

Avalanche. Late. Large, compact, white blooms, with

cream-white collar, center tinted lilac-white, and prominent carmine flecks lengthwise of petals; fragrant. 2-yr. \$1.50; 4-yr. \$5. Baroness Schroeder. Midseason. Flesh-white, fading

to milk-white; very large, glo! ular; fragrant. 2-yr.

\$2; 4-yr. \$6.

Berlioz. Late midseason. Beautiful light carmine-rose, tipped silver; large, compact. 2-yr. \$1; 4-yr. \$4.

Boule de Neige. Early midseason. The rather globular flowers are very large, compact, milk-white, with guards and center prominently flecked crimson. 2-yr. 75 cts.; 4-yr. \$3.



PEONIES, continued

Canari. Late. White tinted pale pink, center amberwhite, passing to white, carpels and stigmas pink; medium size, globular. 2-yr. 50 cts.; 4-yr. \$2. Candidissima. Early. Pure white with sulphur center,

carpels in center tipped green; fragrant; tall, strong

grower; free bloomer. 2-yr. 75 cts.

Charlemagne. Late. Very compact, large, globular blooms of lilac-white, with tinge of blush in center; fragrant. 2-yr. 50 cts.; 4-yr. \$2.
Clementine Gillot. Late. Uniform light Tyrian rose; large, compact. 2-yr. \$1.
Couronne d'Or. Late. Lovely pure white flowers, with

a ring of yellow stamens around a tuft of center petals

tipped carmine; large flat. 2-yr. \$1; 4-yr. \$4.

De Candolle. Large, imbricated cup-shaped bloom of currant-red, shaded amaranth. Midseason. 2-yr. \$1.

Delachei. Late midseason. Large, rather compact blooms of violet-crimson slightly tipped silver. blooms of violet-crinison signify typical street 2-yr. 75 cts.; 4-yr. \$3.

Dr. Caillot. Midseason. Brilliant dark Tyrian rose; very large; fragrant. 2-yr. \$1.

Duc de Wellington. Late. Large white flower with sulphur center; fragrant. 2-yr. 75 cts.

Duchesse de Nemours. Early. A lovely pure white consists with sulphur-white collar; medium size;

variety, with sulphur-white collar; medium size; fragrant. 2-yr. 75 cts.; 4-yr. \$3.

Edmond About. Late midseason. Large, compact, globular rose type. Pale hydrangea-pink, deepening in center, which is flecked crimson. Extra fine form, medium tall, very strong stem. Fragrant. Strong division. \$z. division.

Edmond Lebon. Midseason. Bright violet-rose flowers of large size, rather compact. 2-yr. \$1. Edouard Andre. Midseason. Semi-double, dark carmine-violet flowers, with widely notched

petals; medium size. 2-yr. 75 cts.; 4-yr. \$3. Edulis Superba. Early. Large, loose flowers of bright mauve-pink, collar mixed with lilac;

fragrant. 2-yr. 75 cts. Eugene Verdier. Late. Very large, compact blooms of pale hydrangea-pink, with outer guard petals lilac-white; fragrant; extra strong stems. 2-yr. \$2.50; 4-yr. \$7.50.

Faust. Midseason. Medium size; globular

raust. Midseason. Medmin size; globular crown; hydrangea-pink, fading to lilac-white. 2-yr. 50 cts.; 4-yr. \$2.
Felix Crousse. Midseason. Brilliant red; large; good fragrance. 2-yr. \$1; 4-yr. \$4.
Festiva. Late. Large; double; creamy white,

with crimson spots in center; fragrant. 2-yr. 75 cts.; 4-yr. \$3.

Festiva Maxima. Early. Larger than Festiva and the same in color except that outer petals and the same in color except that outer petals are sometimes tinted faint lilac-white on opening. The most popular white for cut-flowers. 2-yr. 75 cts.; 4-yr. \$3.

Fidelina. Late, dark pink, very free-flowering.

2-yr. 75 cts.; 4-yr. \$3.

Floral Treasure. Midseason. Very large; showy, pale lilac-rose; free bloomer; fragrant. 2-yr. 75 cts.; 4-yr. \$3.

Formosa Rosea. Dark pink, center salmon-pink. 2-yr. \$1; 4-yr. \$4.

Bomb type, dark pink. Strong, vigorous, free bloomer. Good keeper; very fragrant. 2-yr. 50 cts.

Gloire de Boskoop. Pure white. Tall, strong grower. A very free flowering choice variety. 2-yr. \$1; 4-yr. \$3.50.

Gloire de Chenonceaux. Late midseason. lovely, uniform solferino-red, becoming silvertipped with age; medium to large, globular, compact; fragrant. 2-yr. \$1; 4-yr. \$4.

Gloire de Douai. Large, purplish crimson flowers,

black reflex. 2-yr. 75 cts. Henri Demay. Midseason. Bright aniline-red, silvery reflex, center petals slightly fringed; medium size, compact. 2-yr. 75 cts.; 4-yr. \$3.

La Perle. Midseason. Large, compact rose type. Deep lilac-white, blush center, flecked carmine; fragrant. 2-yr. \$1.50; 4-yr. \$5. La Rosiere. Midseason. Large, semi-double flowers of pure white, shading to cream-white in the center and having pale green carpels with white stigmas. 2-yr. \$1.50; 4-yr. \$5. La Tulipe. Late. Large; lilac-white, outer guard petals striped crimson; strong grower; free bloomer; fra-

grant. 2-yr. 75 cts.; 4-yr. \$..

La Vestale. Midseason. Large; very detp, compact crown; lilac-white; collar cream-white; center fleeked crimson; strong, erect, tall, free bloomer. 2-yr. \$1.

Lady Alexandra Duff. An immense, cup-shaped flower. The outer petals are pale rose, gradually shading lighter toward the center to a rosy white. Highly perfumed. Strong division \$6.

Lady Leonora Bramwell. Silvery rose. 2-yr. 50 cts. L'Eclatante. Midseason. Tyrian-rose of very large, compact, bomb type, strong and of medium height.

2-yr. 75 cts; 4-y1. \$3. L'Indispensable. Late. Very full, globular flowers of lilac-white, shading to pale violet-rose toward center.

2-yr. \$1.50; 4-yr. \$5. Livingstone. Late. An extra-good variety, having very large, compact flowers of pale lilac-rose, with silver tips, central petals flecked carmine. 2-yr. \$1.50;

A very attractive variety. Strong division \$3.50.

Louis Vanhoutte. Late. A very brilliantly colored values variety.

riety having deep carmine-rose flowers, tipped with silver, and with fiery reflex; medium size, fragrant. 2-yr. 75 cts.; 4-yr. \$3.



Red Peony, Lord Kitchener; Pink Peony, Edulis Superba



PEONIES, continued



Medium size; informal rose Louise Renault. Late. type. Cherry-pink, silvery tipped. 2-yr. 50 cts.

Magnifica. Midseason. White, with yellowish center;
medium size, flat; fragrant. 2-yr. 75 cts.; 4-yr. \$3.

Marcelle Dessert. Large, medium compact flowers,
with high crown; milk-white, minutely splashed with

lilac, center flecked crimson, very fragrant. Medium habit. Midseason. Strong division \$2.50.

Marechal Vaillant. Late. Very large, compact, globular, rose type. Dark mauve-pink. Tall; heavy, coarse stem, barely supporting the heavy boom. 75 cts.

Marguerite Gerard. Late. An exquisite pale hydrangeapink, fading to nearly white, central petals minutely flecked dark carmine; large, compact. 2-yr. \$1.50.

Marie. Very late. Medium-sized, flat, compact flowers of lilac-white fading to milk-white, with golden yellow staminodes or short narrow petals around the collar; fragrant. 2-yr. \$1.50.

Marie Jacquin. Midseason. Very large, semi-double,

rose-white flowers, fading to lilac-white. The wide, incurved petals show an open center filled with stamens, like a water-ily. 2-yr. \$1; 4-yr. \$4.

Marie Lemoine. Very late. Pure white, with cream-white center, occasional carmine tip; large, compact; fragrant; extra strong stem.
2 yr. \$1; 4-yr. \$4.

Marie Stuart. Midseason. Anemone crown

type. Color a delicate lavender, flecked with crimson, which fades to pure white as the

flower ages. 2-yr. 75 cts.

Marquis C. Lagergren. Bright cherry-red, with darker shading. Strong division \$3.50.

Mathilde de Roseneck. Late. Very large, globu-

lar, rose type. Uniform, pale lilac rose, very wide petals, center deep carmine. Free bloomer. 2-yr. \$1.50.

Meissonier. Midseason. Very brilliant purple-

red; medium size; fragrant. 2-yr. 50 cts.;

4-yr. \$2.

Milton Hill. Late. Very large, globular, compact, rose type. Pale lilac-rose—very distinct, pure color. Strong division \$3.

Mile. Desbuisson. Large, flat, compact, semirose type; guards violet-rose, center fading to milk-white; stamens visible; fragrant. Tall, strong; free-blooring habit. Late. 2-yr. \$1.

Mile. Leonie Calot. Late midseason. Large flowers of delicate rose-white, with deeper center and distinct to the control of the control o

ter, and slight carmine tips. Very distinct.
2-yr. \$1; 4-yr. \$4.

Mile. Marie Calot. Late midseason. Large, globular flowers; milk-white, tinted flesh, flecked with crimson; fragrant. 2-yr. \$1.

Mile. Renee Dessert. Midseason. Pure mauve, the additional arms deliberated the reconsection.

tipped silver; large, globular, rather compact;

fragrant. 2-yr. 75 cts. Mlle. Rousseau. Midseason. Large, globular flowers borne on extra-strong stems; milk-white, center petals splashed lilac-white, flecked carmine, the outer guard petals promi-

nently splashed carmine. 2-yr. \$2.

Mme. Barillet Deschamps. Midseason. Clear violet-rose, fading to a delicate silver pink. Large, flat, imbricated, rose type; fragrant, medium height. 2-yr. \$1.

Mme. Benoit Riviere. Large, cup-shaped; broad, soft pink petals and rose-salmon center, shaded deeper toward collar. Strong division \$6.

Mme. Breon. Early. Medium-sized white flowers, with shell-pink guards, red carpels, and

ers, with shell-pink guards, red carpels, and pink stigmas. 2-yr. 50 cts.

Mme. Calot. Early. Very large, delicate hydrangea-pink, with darker center, and collar tinted silver; fragrant. 2-yr. \$1; 4-yr. \$4.

Mme. Chaumy. Midseason. Pale lilac-rose, silvery reflex, center petals slightly darker,

flecked crimson; medium size, very compact.

2-yr. 50 cts.; 4-yr. \$2.

Mme. de Galhau. Late. Rose-white, center pale lilacrose; medium large, compact, globular; fragrant.

2-yr. 75 cts.; 4-yr. \$3.

Mme. de Verneville. Early. Large, very full flowers of pure white, with blush center when first opening, later fading to white, carmine flecks; fragrant. 2-yr.

atter fading to winte, tarinine needs, riagianine, 75 cts.; 4-yr. \$3.

Mme. d'Hour. Very large blooms; soft carmine-pink, silvery reflex; erect stems. 2-yr. \$1.50; 4-yr. \$5.

Mme. Emile Galle. Late. Large, compact, flat, rose

Mme. Emile Galle. Late. Large, compact, nat, rose type. Deep lilac-white changing to milk-white in the center. 2-yr. \$1; 4-yr. \$4.

Mme. Emile Lemoine. Midseason. An extra fire va-

riety with large, globular, compact flowers of milk-white. 2-yr. \$1.50; 4-yr. \$5. Mme. Forel. Late. Violet-rose, silvery tipped center;

large, compact; imbricated; fragrant. 2-yr. 75 cts.

Mme. Fould. Very late. Large, compact outer petals; milk-white, center lilac-white slightly flecked with

mik-white, center lilac-white slightly necked with crimson; fragrant. 2-yr. \$1.50.

Mme. Gaudichau. Large, globular flowers; dark, intensely brilliant crimson. Tall, strong habit. Strong division. \$8.

Mme. Geissler. Midseason. Very large, compact, globular, imbricated, rose type; violet rose, tipped silver; fragrant; spreading habit. 2-yr. \$1; 4-yr. \$4.



PEONIES, continued

Mme. Joanne Sallier. Large, globular, semi-double violet-rose colored flowers, with guards and center flecked crimson. Early. Strong division \$5.

Mme. Jules Calot. Midseason. Large; compact; lilac white with carmine flecks in center; dwarf. 2-yr.

\$2.50; 4-yr. \$6.50.

Mme. Jules Elie. Midseason. Medium size, globular crown; guards violet-rose, collar cream-white, center flecked crimson; fragrant; habit medium. 2-yr. \$1.50; 4-vr. \$5.

Mme. Jules Dessert. Large flower of beautiful form and exquisite coloring. White, shaded flesh and straw-yellow, showing golden stamens. Strong division \$5.

Mme. Lebon.

Late. Very large, compact blooms, varying in color from aniline-red to cherry-pink;

fragrant. 2-yr. 75 cts.

me. Lemoinier. Late midseason. Pale lilac-rose, fading to lilac-white, center flecked crimson; large; fragrant. 2-yr. \$2; 4-yr. \$6.

Mme. Moutot. Midseason. Tyrian-rose blooms of

medium size, slightly silver-tipped; fragrant. 2-yr.

\$1; 4-yr. \$4.

Mme. Muyssart. Late. Very large, very compact, flat rose type. Uniform solferino-red, tipped silver, fragrant, free bloomer. 2-yr. \$1.

Modele de Perfection. Late. Large, compact blooms

of light violet-rose, with high, wide center petals of

darker color; fragrant. 2-yr. \$1.

Mons. Dupont. Midseason. Very attractive milk-white variety with center splashed crimson, and showing

stamens; large; fragrant. 2-yr. \$1.50; 4-yr. \$5.

Mons. Jules Elie. Early. Very large, rather compact flowers of pale lilac-rose with lighter collar which is shaded amber-yellow at the base; fragrant. 2-yr. \$2; 4-yr. \$6.

Mons. Krelage. Late. Dark pink, with silver tips; large, compact; slightly fragrant. 2-yr. \$1.

Mons. Martin Cahuzac. Early midseason. Medium sized, globular, semi-rose type. Very dark purple-garnet with black reflex. The darkest of all Peonies. Strong division §5. Ne Plus Ultra. Early midseason. The uniform pure

mauve petals are loosely arranged and form a medium-sized flat bloom of great beauty; silver-tipped; fragrant. 2-yr. 50 cts. Octavie Demay. Early. Pale hydrangea-pink, collar

almost white; very large, flat; fragrant. 2-yr. \$1.50; 4-yr. \$5.
Paul Verdier. Midseason. Carmine-rose flowers of

large size. 2-yr. 50 cts. **Philomele.** Midseason. Medium size, low, flat crown; guard bright violet-rose, anemone center of ligulated narrow, amber-yellow petals, changing to cream; as the flower develops, there appears a crown of bright rose, edged dark crimson; fragrant; very strong, upright grower; free bloomer. Distinct and novel. 2-yr. \$1; 4-yr. \$4.

Pierre Dessert. Early. Large, rather compact, crimson-purple flowers with silvery tips. One of the earliest dark reds. 2-yr. \$1; 4-yr. \$4.

Pierre Reignoux. Early. Large, medium flat, seminose type. Uniform, light Tyrian rose, center slightly flecked crimson; petals imbricated. Dwarf; medium erect. 2-yr. \$2.50.

erect. 2-yr. \$2.50.

President Roosevelt. Midseason. Color a deep rich carmine-red. 2-yr. \$1.50.

Prince Imperial. Late midseason. A very large-flow-ered variety; amaranth-red. 2-yr. \$1; 4-yr. \$4.

Princess Mathilde. Large, full bloom; flesh-pink, darker center. 2-yr. \$1; 4-yr. \$4.

Raphael. Early. An extra-early, dark, purple-garnet variety, with guards streaked lighter; medium size; globular. A valuable Peony. 2-yr. \$1.50.

Reine des Francais. Fleshy pink guards, center white, shaded yellow. A very attractive variety and one that is largely planted. 2-yr. \$1.50.

Richardson Rubra Superba. Very late. Large, compact, informal rose type; deep rose-carmine or crimpact.

pact, informal rose type; deep rose-carmine or crimson; fragrant; medium grower and bloomer. Considered the best very late crimson. 2-yr. \$1.50; 4-yr. \$5.

Rose d'Amour. Early midseason. Large, rather compact flowers of hydrangea-pink; fragrant. 2-yr. \$1. Rubra Triumphans. Early midseason. Very dark crimson; large, loose, globular. 2-yr. 50 cts.; 4-yr.

arah Bernhardt. Late. Flat, compact, semi-rose type. Uniform mauve-rose, silver tip. Erect, tall, Sarah Bernhardt.

free. 2-yr. \$3.50.

Solange. Late. Unusually large, full, compact, globular crown type. Outer petals very delicate lilac-white, deepening toward the center, with salmon shading. Very strong, erect, tall grower. Strong division \$7.50. Solfatare. Midseason. Large, rather compact, milk-

white blooms with sulphur collar, fading to sulphur-white; fragrant; very fine. 2-yr. 75 cts.

Souvenir de Gaspard Calot. Late. A uniform, pale lilac-rose of large size; fragrant; rose type. 2-yr. \$1. Souvenir de l'Exposition du Mans. Midseason. Very large, loose, semi-rose type. Reddish violet, with silvery reflex. Strong, vigorous, medium bloomer. 2-yr. 50 cts.; 4-yr. \$2. Souvenir de l'Exposition Universelle. Late midseason.

Violet-rose, silvery reflex, tipped silver; very large; fragrant. 2-yr. \$1; 4-yr. \$4.

Souvenir du Dr. Bretonneau. Midseason. Dark Tyrian-rose petals arranged loosely in medium-sized heads. 2-yr. \$1.50; 4-yr. \$5. crassbourg. Deep pink flowers. Early. Strong

Strassbourg. division \$5.

Suzanne Dessert. Midseason. Very large, compact, globular, semi-rose type. Pure mauve, center

splashed crimson. 2-yr. \$1.50.

Therese. Midseason. Very large, medium compact, rose type, developing later a high crown. rose, changing to lilac-white in the center. Strong

Tourangelle. Delicate rose color with salmon tints. Extra. One of the finest and most desirable. Mid-

season. Strong division \$6.
Triomphe de l'Exposition de Lille. Midseason. Very large, compact, pale hydrangea-pink flowers, minutely splashed violet-rose, guard petals fading to nearly white; fragrant. 2-yr. 75 cts.; 4-yr. \$2.

Triomphe du Nord. Midseason. Large, full bloom;

purplish pink shaded fleshy pink. 2-yr. 50 cts. Umbellata Rosea. Early. Large, violet-rose, shading to an amber-white center; strong grower; free bloomer.

2-yr. \$1; 4-yr. \$4. Venus. Midseason. Very large, high, compact crown. hydrangea-pink, collar lighter.

Victor Hugo. Late. Brilliant carmine-red. A good variety that has long been a favorite. 2-yr. \$1.50; 4-yr. \$5. Ville de Nancy. Late. Large, rather compact flowers of carmine-rose, with silvery reflex. 2-yr. \$1.

Virginie. Midseason. Lilac-rose, lighter collar; large,

fragrant. 2-yr. \$1; 4-yr. \$4.

Walter Faxon. Midseason. Bright rose, deepening tow rd the center; medium size; globular. A very distinct and beautiful color. Strong division \$7.50.

Zoe Calot. Midseason. Violet-rose blooms of medium size and compact, flat bomb type; fragrant. 2-yr.

\$1; 4-yr. \$4.

Pæonia Chinensis

For those who do not care for a particular selection of named varieties, we offer a wonderful collection of Peonies, our selection of named varieties, at these much reduced prices: 50 cts. each, \$4.50 for 10, \$40 per 100.

Japanese and Single Peonies

Areos. Single, bright pink, fading to white. 2-yr. \$1. Avant Garde. Single, medium-sized flower of beautiful pale rose-pink, with golden tints and golden stamens. Strong grower. Early May-flowering. Strong division \$5.

Clothes. Single rose. 2-yr. \$2.50.

Medon. Single. Flesh-pink, changing to white. 2-yr \$2.

Bobbink & Atkins

JAPANESE AND SINGLE PEONIES, continued

Prince Alexander. Midseason. Single red. 2-yr. \$1. Rubens. Very dark red with yellow stamens. Very good where a dark variety is desired for contrast.

Whittley Major. Very early, single, pure white with golden center. Foliage heavy and dark green. A most desirable variety. 2-yr. \$1.50.
Wiesbaden. A fine mixture of white, flesh, and clear pink with golden stamens. Two rows of petals. Strong division \$5.

No. 18 (Japanese). Beautiful flesh-pink; inside petals

fringed. \$2.50 each.

No. 28 (Japanese). Single, blush-white, yellow center; anemone-shaped. \$1 each.
No. 44 (Japanese). Single pink. \$1 each.
No. 83 (Japanese). Single white. \$1 each.
No. 85 (Japanese). Single blush-pink. \$1 each.

Pæonia Officinalis

Mutabilis (Rosea pallida plena). Large, full bloom; pretty bud, glossy, soft pink, opening to pure white. 2-vr. \$1.50.

Roseo-plena. Large, double, pink flowers. The earliest pink one to bloom. 2-yr. \$2.50.
Rubro-plena. Rich, dark crimson. The darkest variety ever introduced. Strong, flowering roots. 2-yr. \$1.50.

We have based our prices according to the value of each variety. A two- and four-year-old plant has been growing in the field two and four years since having been divided.

We allow 10 per cent discount on orders for 10 or

more of one variety.

Pæonia Suffruticosa (Arborea) TREE PEONY

The Tree Peony is really one of the finest plants available for the garden or the conservatory. It is quite hardy, and does well under the simplest treatment. It flourishes in the most astonishing manner, bearing blossoms from 6 to 8 inches across, which will increase every year in beauty and size. They are a grand addition to the garden, as they do not die down to the ground like the herbaceous sorts, but make fine bushes 3 to 4 feet in height, being covered in the spring with elegant flowers.

Two-year-old, \$3.50 each

*PACHYSANDRA terminalis. One of the most valuable evergreen shrubs for dense shade. Has low habit, sometimes even trailing. Fine, glossy, light green leaves in abundance. Greenish white flowers in May or June, arranged in spikes. 6 to 9 in. 25 cts. each, \$2 for 10, \$15 per 100, \$120 per 1,000.

*PARDANTHUS chinensis. Blackberry Lily. Orangecolored flowers, spotted with purple-brown, 2 inches across; seed resembles blackberries. A very showy perennial and well adapted for border planting. 3 ft. July, Aug.

Papaver · Poppy

The perennial Poppies rank among the most popular flowers in cultivation. For this reason, they should be used more freely in perennial borders, closely surrounded by other perennial plants, or planted in solid beds of mixed annuals, since the foliage of Poppies dies down after the flowering season.

The flowers are brightly colored, cup-shaped, and borne on long, graceful swaying stems. Oriental Poppies, of which varieties are offered below, produce the largest flowers in the family. We have grown these in pots to enable our customers to plant them in spring

or early fall.

They are perfectly hardy if protected in severe winters with a light covering of leaves.

*Nudicaule. Iceland Poppy. A beautiful class of hardy Poppies, bearing cup-shaped flowers, ranging in color from pure white, yellow and orange-scarlet. Borne on long stems. I ft. May-Aug.

*Orientale. Oriental Poppy. Assorted, 25 cts. each,

\$2 for 10, \$18 per 100. -, Apricot Queen. Reddish apricot color.

-atrosanguinea maxima. Large dark red.

This splendid variety has bright -, Brightness. orange-scarlet flowers.

-, Duke of Teck. Light crimson flowers.
-, E. A. Bowles. Delicate shade of apricot, changing to shell-pink.

Enfield Beauty. Beautiful salmon, maroon base;

late-flowering.

-, Grossfurst. Dark red, with black blotches.

-, King George. Bright scarlet, with petals deeply fringed.

-, Lightness. Pleasing soft rose-color; ruffled petals. -, Lord Lambourne. Resembles a parrot tulip; deeply fringed orange-scarlet petals. 50 cts. each, \$4.50 for

Jor 10.

"Mrs. Perry. Orange-apricot. Improved Marie Louise. 35 cts. each, \$3 for 10, \$18 per 100.

—Oriflamme. Orange-scarlet-red flowers of immense size. 30 cts. each, \$2 for 10, \$18 per 100.

—Perry's White. Purest white. 50 cts. each.

"Princess Victoria Louise. Soft salmon-rose, shading to blush-rose.

—Powal Scarlet. Pichest scarlet flowers of medium.

-, Royal Scarlet. Richest scarlet flowers of medium size, produced in great profusion.

All Poppies, 35c. each, \$3 for 10, unless otherwise noted. Collection of 12 varieties, our selection, \$3.50

PARADISEA. See Anthericum liliastrum major.

*PENTSTEMON barbatus Torreyi. Beard Tongue. Tall spikes of brilliant scarlet flowers. A most charming and effective border plant. 4 ft. June-Aug.

-digitalis. Long purple-white spikes, with purple throats. 2 to 3 ft. June, July. 30 cts. each, \$2 for

10, \$18 per 100.

-glaber. Violet purple; bluish-green leaves. I to 1½ ft. May-July.

Phlox Decussata

Phlox are among the very showiest and most valuable of all hardy plants. They deserve a prominent position in every garden of hardy flowers, since they thrive in most soils; however, a rich loam is most desirable. When this does not exist, the flower-bed should be deeply spaded and manured previous to planting. By growing a complete collection of Phlox—do not plant less than five of each variety, otherwise the effective coloring of mass planting will be lost—a continuity of bloom can be had from early June until late fall. 2 to 3 ft.

All Phlox Decussata, except where noted, 25 cts. each, \$2 for 10, \$15 per 100

Albion. Pure white with a faint red eye.

Antonin Mercier. Very large lilac flower with pure white

Baron van Heeckeren. New. Excellent salmon-pink flowers. 35 cts. each, \$3 for 10. Illustrated on p. 43. Baron von Dedem. Large trusses and scarlet-blood-red flowers. Illustrated on page 43.

B. Comte. Rich satiny, amaranth flowers. 35 cts. each,

\$3 for 10.

Beacon. Brilliant cherry-red.

Bridesmaid. Tall white flowers with large rose-crimson

Champs Elysees. Dark purple; large trusses.

Comet. Cerise-pink, with white shaded center; dwarf habit.


Commander-in-Chief (Hindenburg). red with darker eye. 50 cts. each, \$4.50 for 10. Illustrated on page 43.

Eclaireur. Carmine-violet-red, with pink center. Electra. New. Very large distinct claret-red flowers. The only Phlox known in this rich red color. 50 cts.

each, \$4.50 for 10. Elizabeth Campbell. Very large spikes with flowers of distinct light salmon, changing to pink in center. **Enchantress.** Large trusses of bright salmon-pink flowers, with dark red eyes. 35 cts. each, \$3 for 10.







PHLOX DECUSSATA, continued

Europa. Snow-white with carmine-red band. Very large, compact trusses.

Evelyn. New. Immense flowers of rich salmon-rose. 50 cts. each, \$4.50 for 10.

Fiancee. Pure white. One of the best. Very strong

grower. Illustrated on page 43.

Fire Glow. Brilliant orange-scarlet, with darker center.

Large trusses; strong habit. 50 cts. each, \$4.50 for 10. G. A. Strohlein. Orange-scarlet-red with bright carmine eye. 35 cts. each, \$3 for 10.

Gen. Van Heutz. Bright salmon-red, white center.

Goliath. Bright carmine flowers with darker eye; extra-large trusses. Tall growing. Helene Vacaresco. Globular panicles of large, pure

white flowers with sulphur eye. Dwarf.

Henri Murger. Pure white, with deep rose center.
Homeland (Deutschland). Large trusses of brilliant dark orange-red flowers. 50 cts. each, \$4.50 for 10.

Illustrated on page 43.

Imperator. Brilliant, dark carmine-red flowers with darker eye. 50 cts. each, \$4.50 for 10.

Jeanne d'Arc. Pure white; very late.

Johnson's Favorite. Brilliant carmine. 50 cts. each, \$4.50 for 10.

Jules Sandeau. Very large flowers of pure pink. Dwarf

habit. Illustrated on page 43.

La Vague. Pure mauve-pink with red eye.

Le Mahdi. Dark purple-violet. One of the darkest. 50 cts. each, \$4.50 for 10.

Le Soleil. Light rose, shading white toward center. Louise Abbema. Large, pure white flowers. Very dwarf. Marie's Jacob. New. Pale lilac with white star center. Enormous broad trusses of large flowers. 50 cts. each,

\$4.<u>5</u>0 for 10. Mia Ruys. New. Enormous, much-branched trusses

of large, pure white flowers. Very free-flowering. Very dwarf. 50 cts. each, \$4.50 for 10.

Mrs. Ethel Prichard. New. Flowers of a shade of pale clear rose-mauve. Grows about 3 feet high. Large

trusses. 50 cts. each, \$4.50 for 10.

Mrs. Jenkins. Pure white; very early.

Mrs. Milly van Hoboken. New. Soft pink, without

eye. Large flowers on long, erect spike. 50 cts. each,

\$4.50 for 10. Illustrated on page 43.

Mrs. Scholten. New. Dark salmon-pink flowers in enormous pyramidal spikes. 50 cts. each, \$4.50 for 10.

Pantheon. Clear deep pink, with faint center.

Pink Beauty. A good pink variety. President Lincoln. Cerise-pink; medium height. Professor Schliemann. Bright lilac-rose. Late. Rheinlander. Soft salmon-pink, deep red eye.

Richard Wallace. White with carmine eye. R. P. Struthers. Brilliant rosy red, crimson center.

Rynstrom. Deep pink.
Sunshine. Pink with white eye. Dwarf. Tapis Blanc. Undoubtedly the finest of all dwarf white Phlox; flowers snow-white; of enormous size. 35 cts.

Phiox; nowers snow-white; or enormous size. 35 cts. each, \$3 for 10.

Terre Neuve. Grayish lilac, violet center.

Thor. Rich salmon-pink with deep crimson eye.

Vald Jensen. New. Salmon-red flowers with white eye. 50 cts. each, \$4,50 for 10.

Wala. New. Pure white. 50 cts. each, \$4,50 for 10.

Wanadis. White and light violet with purple eye;

Very large clusters.

very large clusters. W. C. Egan. Soft shade of lilac with a bright red eye. William Ramsey. Dark purple. Very effective.

COLLECTION of 12 named varieties, our choice, \$2 COLLECTION of 25 named varieties, our choice, \$4

Phlox Arendsii Hybrids

New. Originated by successfully crossing the early *Phlox canadensis* with the showy *P. decussata*. Flowers from the latter part of May to July. Louise. Light lilac with a carmine eye. 35 cts. each,

\$3 for 10.

Phlox of Various Types

Amœna. Bright pink flowers in dense heads. 4 to 6 in. April, May.

*Divaricata (canadensis). Large, fragrant lavender

flowers. 10 in. May. *Divaricata alba (canadensis alba). White. 10 in.

May. 35 cts. each, \$3 for 10.

*Divaricata Laphamii, Perry's Variety. A very beautiful and improved form, producing large, lilac-blue flowers; a splendid plant for the rockery or border; I ft. 50 cts. each, \$4.50 for 10. *Divaricata lilacina. Soft lilac color.

*Ovata (carolina). Bright rosy red flowers. I to 11/2 tt.

June, July. *Pilosa splendens. A new spring-flowering Phlox that produces great masses of lilac-rose flowers; I ft. May.



1 Baron von Dedem 4 Thor 7 Jules Sandeau

2 Commander-in-Chief 5 Fiancee 8 Homeland

3 Baron van Heeckeren 6 Wanadis 9 Mrs. Milly van Hoboken





Physalis Franchetii

PHLOX, continued

Moss Pink. Low-spreading stems and narrow, moss-like leaves; flowers in wonderful pro-fusion. 3 to 6 in. April, May. *Subulata alba. Flowers large; white. *Subulata, G. F. Wilson. Soft lavender. 35 cts. each,

\$3 for 10.

\$3 for 10.

*Subulata lilacina. Light blue.

*Subulata Nelsoni. Small white flowers.

*Subulata, Newery Seedling. Pale mauve, star-like flowers. 35 cts. each, \$3 for 10.

*Subulata rosea. Rose. 3 to 6 in. April, May.

*Subulata, The Bride. White with red center.

*Subulata, Vivid. Bright rose.

*Subulata, Vivid. Bright rose.

*Subulata, Vivid. Bright rose.

Suffruticosa, Magnificence. Brilliant purple-carmine. Suffruticosa, Miss Lingard. Flowers pure white with pale pink center; flower truss is very large and long, often being 1½ feet.

Suffruticosa, Perfection. White with pink center.

Perfection. White with 50 cts. each, \$4.50 for 10.

*PHYSALIS Franchetii. Chinese Lantern Plant. Blooming in early summer, the fruit assumes its orange color in autumn. 2 ft. April, May. See illustration.

*PHYSOSTEGIA virginiana. False Dragonhead. Strong spikes of delicate pink flowers. 2 to 3 ft. June, July.

-virginiana alba. Pure white. 2 to 3ft. June, July. virginiana grandiflora. A fine improvement on the previous variety. Fine flowering. 10 to 12 in. Aug., Sept. 35 cts. each, \$3 for 10. See illustration.

PLATYCODON. Choice, free-flowering perennials of dense habit that keep up their fine display practi-cally all summer. The balloon-shaped buds are interesting and almost as attractive as the star-shaped flowers. Considered to be one of the most beautiful plants of the hardy garden.

grandiflorum. Balloon Flower. An oldtime favorite, forming a dense branching plant of upright habit; flowers 3 inches across, blue or bluish white, produced at the tip of each branchlet. I to 2 ft.

June, July.

grandiflorum album. A white-flowered form of the above.

-grandiflorum Mariesii. Deep blue flowers with erect stems. Dwarf habit. An excellent plant for the border or rockery. Ift. June, July.

-grandiflorum Mariesii album. A white-flowered form of the above.







Platycodon grandiflorum

*PLUMBAGO Larpentæ. Blue Leadwort. One of the finest dwarf, spreading plants for the rockery and for the border with deep blue flowers. Very attractive in the fall because of the reddish brown

*POLEMONIUM humile (Richardsonii).

leaves. 6 to 12 in. Aug., Sept. 25 cts. each, \$2 for 10, \$15 per 100. Jacob's

*PODOPHYLLUM peltatum. May Apple; Wild Mandrake. White flowers in spring, followed by yellow fruit. 1½ to 2 ft.

POLYGONATUM multiflorum. Solomon's Seal. Arching sprays of greenish white flowers; useful for cutting. 2 ft. May, June.

POLYGONUM Sieboldii. A strong-growing plant; stems curving gracefully outward. Produces creamy white flowers; very effective for massing. 3 to 5 ft. Aug., Sept.

*POTENTILLA HYBRIDS. Cinquefoil. An interesting plant for borders. If once planted, they multiply continuously and need no care. They thrive in almost any kind of soil and have a variety of color from yellow to red, orange, or rose, in single and double flowers from June to September. I to 2 ft. Assorted, 25 cts. each, \$2 for 10, \$18 per 100.

-, Beelzebub. Dark red. Double.

-, Carnival. Orange-red, tinged yellow. Double.

-, Fairy Queen. Clear yellow. Double.

—formosa. Single; rosy red.
—, Monsieur Rouillard. Crimson, edged yellow.

-, Panorama. Orange, striped. Double. -purpurea plena. Purplish carmine. Double.

-, Rose Queen. Rose color.

All 50 cts. each, \$4.50 for 10, except where noted.

COLLECTION

-, Van Dyck. Yellow striped red. Double.

-, Vase d'Or. Canary-yellow. Double.



Hardy Primroses, See page 46





Double Pyrethrum

*PRIMULA acaulis (vulgaris). Common English Primrose. One of the earliest spring flowers; bright lemon-yellow and fragrant. 6 to 9 in. April, May.

*—Bulleyana. Brilliant orange-scarlet—a hard color to describe. Pretty and somewhat fragrant. Grows taller than the type. I to 1½ ft. June, July.

*—japonica. Whorls of large purple-crimson flowers in June. 9 in.

*—veris suaveolens. Different shades of yellow and

m June. 9 in.

--veris suaveolens. Different shades of yellow and red. Very free flowering and early. May.

--veris superba. Large-flowering; our showiest hardy Primrose. Flowers bright canary-yellow with a golden center. 6 to 9 in. April, May.

*PRUNELLA grandiflora. Large Self-Heal. Purple flowers in dense, short spikes. I ft. June, July.

*PYRETHRUM. The Pyrethrums are so closely related to the hardy chrysanthemums that they are frequently called "spring-flowering chrysanthemums." They are extremely popular in Europe, where the hybrid varieties run into the hundreds, and they are gaining new admirers in this country each season. For cut-flower decoration they are very desirable, lasting longer in water than most other flowers. The colors range from snow-white to the darkest crimson.

Except where noted, \$1 each, \$9 for 10

-Cactus. Deep rose flowers resembling a cactus dahlia, with the petals quilled and cut. -Double.

*-Non Plus Ultra. Large; pale flesh-pink.

*-Purity. The finest pure white.

*-Queen Mary. Flowers large, double, pale
pink, center paler.

-Wilsonii. Double, pure pink creamy white towards center. This COLLECTION, 5 varieties, \$4.50 pure pink flowers, *Pyrethrum roseum (Chrysanthemum coccineum). These plants include all colors from deep red to various

shades of rose to pure white. 2½ ft. May, June. 25 cts. each, \$2 for 10, \$15 per 100.

-uliginosum. Giant Daisy. A fine plant for the border, producing masses of white flowers, carried on long, erect stems. Good for cutting. 4 to 5 ft. Aug., Sept. 25 cts. each, \$2 for 10, \$15 per 100.

*RANUNCULUS acris fl.-pl. Double Buttercup. Good for border planting. Golden yellow flowers. I ft. May, June.

*RHEXIA virginica. Meadow Beauty. Rosy purple flowers with golden anthers. I to 1½ ft. July-

ROMNEYA Coulteri. California Tree, or Matilija Poppy. Beautiful white flowers, delicate and transparent, about 5 inches in diameter. Six to eight flowers on a single shoot. Does not need protection in the southern states but has to be well protected in fall and winter north of Washington. 4 to 5 ft. June–Aug. \$1 each.

RUDBECKIA laciniata, Golden Glow. Coneflower.

A magnificent and stately border plant, with masses of double, golden yellow flowers. 6 to 8 ft. Aug., Sept.

-maxima. One of the most distinct of autumn plants; has immense, grayish green leaves and bright yellow flowers on long stems, 4 to 6 inches across. 6 to 8 ft. June-Sept.

—purpurea. Purple Coneflower. Fine purple-red petals; cone-shaped center. 3 to 4 ft. July-Oct.

*—speciosa (Newmanii). Dark orange-yellow flowers;

fine for cutting, 2 ft. June-Oct.
-subtomentosa. Densely branched masses of brilliant lemon-yellow flowers with dark purple

centers. 4 to 5 ft. July-Oct. All Rudbeckias, 25 cts. each, \$2 for 10, \$15 per 100 Entire COLLECTION of above Rudbeckias, 80 cts.

SALVIA azurea grandiflora (Pitcheri). Α Mountain species, with pretty sky-blue flowers.

3 to 4 ft. Aug., Sept.

-Greggii. Masses of rich, luminous, brilliant carmine flowers. Needs little more protection

than other varieties. 2 ft. July-Oct.

-pratensis. Deep blue flowers. 2 ft. June, July.

-nemorosa (virgata nemorosa). An effective border plant, with dark blue flowers. 2 ft. May, June. 35 cts. each, \$3 for 10.

*SANGUINARIA canadensis. Bloodroot. Very pretty white flowers in early spring, followed by large, heart-shaped leaves. Does well in shady spots. 6 in. April, May.

*SAPONARIA ocymoides. Rock Soapwort. A rock plant, with bright crimson flowers. I ft. May—July. 25 cts. each, \$2 for 10, \$15 per 100.

*—officinalis fl.-pl. Double Bouncing Bet. Double pink-and-white flowers. 1½ ft. June—Aug. 25 cts. each, \$2 for 10, \$15 per 100.

*SANTOLINA Chamæcyparissus incana (incana).
Lavender Cotton. A dwarf evergreen perennial, with silvery white foliage; fine plant for the rockery. 11/2 ft. 25 cts. each, \$2 for 10, \$15 per 100.

*SATUREIA. See Calamintha.

*SAXIFRAGA Macnabiana. A beautiful variety with large white flowers, prettily spotted red. I ft. May, June. 50 cts. each, \$4.50 for 10.

-See also Megasea.

*SCABIOSA caucasica. Pin-Cushion Flower. Handsome, hardy plant, and one which should be grown by everyone; beautiful, soft lilac flowers; vigorous grower. 2 ft. June-Aug. 35 cts. each, \$3 for to.

-caucasica alba. Very rare; pure white. 2 to 3 ft.

June—Aug. 35 cts. each, \$3 for 10.

-japonica. A variety from Japan, with clear blue flowers, I to 1½ inches in diameter. 2 to 3 ft. Iune-Sept.

-ochroleuca. Sulphur-yellow flowers on long stems. 2 to 3 ft. June-Sept. 35 cts. each, \$3 for 10.

Hardy Herbaceous Plants



*SCUTELLARIA baicalensis cœlestina (cœlestina). An Alpine plant, with light blue flowers. 9 to 12 in. July, Aug. 35 cts. each, \$3 for 10.

*SEDUM acre. Golden Moss; Stonecrop. Useful plant for rockeries and for edging borders. Flowers bright yellow. 2 to 3 in. May-July. —Aizoon. Clear yellow flowers. I ft. July, Aug. *—album. Foliage green; flowers white. 2 to 3 in.

May-July.

-dasyphyllum. A dwarf compact variety. May-

July. 35 cts. each, \$3 for 10.
*—hispanicum. Pinkish white flowers; greenish gray foliage becoming reddish. 3 to 4 in. 35 cts. each, \$3 for 10.

-ibericum. Numerous pink or white flowers; coarsely toothed leaves. 6 in. 35 cts. each, \$3 for 10.

*—kamtschaticum. A compact grower; star-shaped, golden yellow flowers. 8 in. July, Aug.
*—lydium. Evergreen species with bronze foliage

and pinkish flowers. I to 3 in. June. 35 cts. each, \$3 for 10.

-Maximowiczii. Like Sedum Aizoon, only better grower. Ift. July.

grower. 11: July.

—maximum. Salmon-pink flowers. Purplish foliage.

I ft. Aug., Sept.

*—reflexum. Flowers yellow. Forms a dense graygreen carpet I to 3 inches high—taller when in
bloom. July. 35 cts. each, \$3 for Io.

*—sarmentosum. A rapid-growing, spreading Sedum.

6 in. May-July.

- *—sexangulare. Leaves dark green and compact; flowers yellow. 4 in. June, July. *—Sieboldii. Foliage changing from blue and cream to coral-rose; flowers rose-pink; charming. 9 in. Aug., Sept.
- -spectabile. Stonecrop. Large heads of pink flowers. A fine border plant and one of the best for foliage or flower effects. 1½ ft. Aug., Sept.-spectabile, Brilliant. A deep rosy crimson variety

of the above.

*-stoloniferum. A flat, trailing variety, with pink flowers. 6 in. July, Aug. *-stoloniferum coccineum (spurium coccineum).

Flowers crimson. 6 in. *-telephium atropurpureum. Bold bronze foliage; immense umbels of buff-colored flowers. 11/2 ft.

Aug., Sept.

COLLECTION of 12 varieties of Sedum, our choice, \$2

SEMPERVIVUM. Houseleek. Evergreen succulents with some resemblance to the Sedums, but they increase by rosettes sent out by the parent plant. The leaves are often bright-colored at their tips; flowers are large, in showy clusters.

-Albertii. The rosettes are of medium size; flowers

bright red. 8 in.

-arachnoideum. Cobweb Houseleek. leaves in rosettes usually connected by silvery threads, from whence its common name; flowers bright red, in a few flowered panicle. 6 in.

californicum. Rosettes about 2 inches in diameter. Leaves glaucous, with distinct red-brown tip. Flowers numerous, pale red, in a panicle. Flowerstems less than I foot high.

-Fauconetti. Small rosettes, with very small leaves and red flowers. 4 to 6 in.

-fimbriatum. Leaves tipped with a tuft of hairs; flowers bright red, in an open panicle. 6 to 10 in.

-globiferum. Rosettes rather flattened; leaves gray-green; flowers pale yellow, densely shorthairy. Ift.

-La Harpei. La Harpei. Rosettes and leaves pointed and larger than Fauconetti. Flowers yellow. 8 in. 35 cts. each, \$3 for 10.

tectorum. Broad rosettes, the leaves having reddish brown tips; flowers pale red. Ift.

All Sempervivums, 20 cts. each, \$1.50 for 10, \$12 per 100

*SHORTIA galacifolia. Flowers white, I inch across; evergreen bronze-green foliage. Shady places. 6 to 9 in. May, June. 35 cts. each, \$3 for 10.

*SENECIO clivorum. Bright yellow flowers. Decora-Aug.—Sept. 35c. each, \$3 for 10.

-pulcher. Striking, erect habit; large, red-purple flowers with yellow disk, in summer. 2 to 4 ft.

See illustration.

SIDALCEA candida. Thin erect spikes densely covered with white flowers. 2½ to 3 ft. July-Sept.

—, Rose Queen. Beautiful rose-pink flowers; very

distinct. 2 to 3 ft. July-Aug.

-, Rosy Gem. Very free-flowering; spikes of soft pink color. I1/2 ft. July.

*SILENE alpestris. Alpine Catchfly. Forms dense masses of white flowers. 4 to 6 in. May, June. *—maritima fl.-pl. A dwarf creeping plant. Double white flowers. 6 in. 75 cts. each, \$6 50 for 10.

Saxifraga. Bright green foliage in masses with whitish flowers. 8 in. July, Aug.—Schafta. Autumn Catchfly. A splendid border or rock-plant, with masses of pink flowers. 4 to 6 in. June-Sept.

SILPHIUM perfoliatum. Cup Plant. This is a most wonderful plant; has beautiful yellow flowers and elegant foliage. 6 to 8 ft. July-Sept. 35 cts. each, \$3 for 10.

SOLIDAGO bicolor. Silver Rod. The only species with white flowers. I to 3 ft. July-Sept.
—canadensis. Goldenrod. Masses of yellow flow-

ers. 4 to 5 ft. July-Sept.

SPIRÆA Aruncus. Goat's Beard. White; beautiful in foliage and flower. Very vigorous. 3 to 5 ft. June, July.

June, Jury.

-filipendula (Filipendula hexapetala). Dropwort.

Creamy white flowers. 1½ ft. May, June.

-filipendula fl.-pl. Double-flowering Dropwort.

A charming variety, with double white flowers and deeply cut foliage. 11/2 ft. June, July.



Senecio pulcher



TROLLIUS. See page 49 1 Orange Princess 2 C 3 Japonicus (Fortunei) fl.-pl. 2 Canary Bird

Spiræa palmata. Crimson Meadow Sweet. The broad clusters of crimson-purple flowers are borne on

erect stems. 3 ft. June, July. -palmata elegans. Large, heart-shaped leaves and strong spikes of soft pink flowers. One of the best.

3 to 4 ft. June, Aug.
-ulmaria. Very fragrant white flowers; feathery leaves with white hairy underside. 4 to 5 ft. June-Aug.

-venusta. An exquisite red-flowering species; very fragrant. 4 to 5 ft. June.

All Spiræas, 35 cts. each, \$3 for 10, \$25 per 100

*STACHYS grandiflora superba. Woundwort. Hardy perennial about a foot high, with spikes of large, showy flowers, intense mauve or rich purplish violet in color. I ft. June, July.

-grandiflora rosea. Spikes of rosy purple flowers.

ı ft. June, July. -lanata. Woolly Woundwort. Purple spikes of flowers, soft silvery foliage. 11/2 ft. June, July.

*STATICE latifolia (Limonium latifolium). Sea Layender. Fine panicles, covered with a profusion of small blue flowers. 2 ft. Aug., Sept.

25 cts. each, \$2 for 10, \$15 per 100.

*—tatarica (*L. tataricum*). Flowers purplish red; attractive foliage. I to 2 ft. Aug., Sept.

*STENANTHIUM robustum. Mountain Feather Fleece. The pure white flowers are borne on graceful compound panicles, often 2 to 3 feet long. 4 to 5 ft. July, Aug. 35 cts. each, \$3 for 10, \$25 per 100.

Bobbink & Atkins

*STOKESIA lævis cyanea. Cornflower Aster; Stokes Aster. A handsome native plant; flowers 3 to 4 inches across, of a fine sky-blue. 2 ft. July-Oct. -lævis alba. A white form of the above.

*TEUCRIUM canadense. American Germander. Dark green foliage and spikes of light purple flowers. Fine for rockeries. I ft. July, Aug.

THALICTRUM adiantifolium (adiantifolium). Leaves resemble those of the maidenhair fern; flowers yellow. I ft. June, July.

aquilegifolium. Meadow Rue. Graceful foliage and masses of pure white flowers. I to 3 ft. May-July

-aquilegifolium aurantiacum. Golden yellow. 3 ft. June, July

aquilegifolium purpureum. Purple flowers. 3 ft. June.

-dipterocarpum. One of the handsomest Thalictrums, with graceful flowers on stems 4 feet high; rosy purple with citron-yellow anthers. 4 ft. Aug., Sept.

glaucum. Greenish yellow flowers. 2 to 5 ft.

June, July.

minus. A dwarf variety, with greenish yellow flowers. I to 2 ft. June, July.

paniculatum. Dwarf yellow flowers. I ft. June,

July.

All Thalictrums, 35 cts. each, \$3 for 10

THERMOPSIS caroliniana. A fine plant, with cloverlike foliage and long spikes of bright yellow, peashaped, lupine-like flowers. 4 ft. June, July.

*THYMUS citriodorus. Creeping Thyme. Very good for rock-garden. Foliage has strong lemon fra-

grance. 4 in.

*—Serpyllum. Mother of Thyme. Dense mats of dark green foliage. Dark red flowers.

*—Serpyllum album. White Mountain Thyme. Forms dense mats of dark green foliage and clouds of white flowers. Fine for rockwork. 3 to 4 in. Tune, Iuly.



Thalictrum



*Thymus Serpyllum coccineus. Dark green foliage;

bright red flowers.
-Serpyllum lanuginosus. Woolly-leaved Thyme. Very effective for rockeries, quickly spreading. Flowers reddish pink. 5 in. June-Aug.

-vulgaris. Common Thyme. Flowers pale lilac.

2 ft. June, July.

TRADESCANTIA virginiana. Spiderwort. Long, grass-like leaves and blue or violet flowers. 2 ft. May-Aug.

virginiana alba. White flowers. 2 ft. May-Aug. -coccinea. Bright red flowers. 2 ft. May-Aug.

*TRILLIUM erectum. Erect Purple Wood Lily. The earliest to flower. 1 ft. May. 15 cts. each, \$1.20 \$8 per 100.

-grandiflorum. Wake Robin. Large white flowers.

Ift. May. 15 cts. each, \$1.20 for I, \$8 per 10.

TRITOMA Pfitzeri (Kniphofia grandis). Everblooming Tritoma. The freest-flowering of all; orangescarlet, shading to salmon-rose at the edge; invaluable for cutting. This is the true Grandis, the showiest of all Tritomas. The plants should be well protected in winter. 2 to 3 ft. Aug., Sept. 30 cts. each, \$2.20 for 10, \$18 per 100.

TRITONIA. See Montbretia.

Trollius. Globe Flower

These beautiful hardy border plants, having handsome dark green foliage and showy yellow flowers, are well adapted for half-shady or sunny positions, flowering from May to July. They are fine for moist places and edges of water-gardens, also doing well in good garden soil which does not lack in moisture.

They are perfectly hardy if given protection during

the winter with a covering of leaves.

TROLLIUS asiaticus, Salamander. Dark yellow. 1½ ft. April-June.

-asiaticus, Bessie Walker. Free-flowering; orangevellow.

asiaticus, Canary Bird. Pale yellow; robust. Fine for cut-flowers. 1½ ft. April, May.

asiaticus, Earliest of All. Early and free flowering; light orange-yellow. 1½ ft. April, May.
-asiaticus, Empire Day. New; very early; enor-

mous, globular; light orange-yellow flowers with orange stamens. 1½ ft. April, May.

europæus. European Globe Flower. lemon-colored, butter-cup-like flowers, I to 1½ inches across, on long stems. Should be planted in moist soil. 2 ft. May, June. 35 cts. each, \$3

europæus, Excelsior. This variety has fine orangered flowers; strong grower. 2 ft. April-June. europæus, Golden Sun. Brilliant golden yellow.

1½ ft. April-June. europæus, Gold Quelle. Large Globe Flower of orange-yellow. Very showy sort. 1½ ft. April-June.
europæus, His Majesty. Round; very large with
pure orange-yellow flowers I to 2 ft. May, June.
europæus japonicus (Fortunei) fl.-pl. Orange
flowers. I to 2 ft. May, June.
europæus, Ledebouri. Large, orange-yellow flow-

ers. Blooms until end of June. 3 to 4 ft. europæus, Lichtball. Extra-large globe-shaped

flowers of orange-yellow. Stiff stems. 20 to 24 in. May, June.

-europæus, Orange Globe. A profuse bloomer, of robust growth; large orange flowers; very fine. 2 ft. May, June. europæus, Orange Princess. Extra deep orange.

Very free-flowering. 2 ft. May, June.

All Trollius, 50 cts. each, \$4.50 for 10 COLLECTION of 12 varieties of Trollius, our choice, \$5

*TUNICA Saxifraga. An attractive rock-plant, with rosy pink flowers; minute, dark green foliage. 6 in. July-Sept.



Tritoma Pfitzeri, or Kniphofia

*VALERIANA officinalis. Hardy Garden Heliotrope. Fragrant, light pink flowers; foliage deeply cut. 3 to 5 ft. June, July. 25 cts. each, \$2 for 10, \$15 per 100.

VERBASCUM densiflorum (thapsiforme). Large, yellow flowers. 4 to 5 ft.

-, Miss Willmott. Fine, large white flowers.

-vernale. Much-branched spikes; deep clear yellow flowers.

All Verbascums, 35 cts. each, \$3 for 10

*VERONICA incana. Silvery gray foliage and spikes of violet-blue flowers. I ft. July, Aug.

-gentianoides. Shiny green leaves; pale blue flowers with dark stripes. Does well in moist places, sunny or semi-shady. 8 to 15 in. May, June.
*—longifolia subsessilis. Blue. This is one of the

most beautiful herbaceous plants, and we cannot too highly recommend it; very attractive; continues to bloom until late fall. Aug., Sept. 2 ft.

-pectinata. Long, many-flowered racemes; deep blue flowers with white center. Aug., Sept.

-repens. A trailing variety, covered with blue flowers in spring. 2 to 4 in. May.

-spicata. Spikes of blue flowers. 2 to 21/2 ft. June, Tulv. -spicata alba. A white form of the above. 2 to

-spicata erica. A heather like Speedwell with

delicate pink flowers. June, July. I ft.
-spicata rosea. Bright rose. 2 to $2\frac{1}{2}$ ft.

spuria (amethystina). Amethyst-blue flowers. 2 ft. May, June.

Teucrium. Dwarf; spreading, of a dense growth; -spuria

flowers blue. 6 to 12 in. May, June.

All Herbaceous Perennials, except where noted, 25 cts. each, \$2 for 10, \$18 per 100. Five plants at the 10 rate and 25 plants at the 100 rate of any one variety





Veronica

- *Veronica Teucrium rupestris (rupestris). Dwarf ar spreading; deep blue flowers. 4 in. May, June. Dwarf and
 - -Teucrium rupestris alba A white form of above. *—Teucrium rupestris rosea. Same as Teucrium rupestris, but with pink flowers. 4 in. May, June. 35 cts. each. \$3 for 10.

*—Teucrium rupestris, Heavenly Blue. Flowers earlier than above. 35 cts. each.

*—Teucrium rupestris Trehani. Brilliant blue flow-

ers. 1 ft. May, June.

-, True Blue. A new blue variety. 10 to 12 in. June-Aug. 35 cts. each, \$3 for 10.

COLLECTION of 12 varieties of Veronica, our choice, \$2

*VINCA minor. Periwinkle. Evergreen trailer; fine for covering bare places. Makes a handsome plant that blooms all summer; lilac-blue flowers. April, May. 15 cts. each, \$1.20 for 10, \$10 per 100.

-minor alba. A white form of the variety above. 35 cts. each, \$3 for 10.

- -minor variegata aurea. Same as above, with green and yellow variegated leaves. 35 cts. each, \$3 for 10.
- VINCETOXICUM japonicum (Cynanchum acuminatifolium). Mosquito Plant. The clus rs of white flowers secrete a juice and by this means entrap mosquitoes. 1½ ft. June.
- ***VIOLA Bosniaca.** Distinct alpine variety, with rose-pink flowers. Very pretty.

*-, Bowles Black. Very dark purple-almost black -with yellow center.

*-cornuta, G. Wermig. Large blue flowers, produced in great numbers during the entire summer. *-cornuta alba, G. Wermig. Same as above, with

white flowers. *_gracilis. Flowers violet or yellow. I ft.

*VIOLA, Tufted Pansies.

*—, Admiration. Soft purple, dark blotched.

*—Jersey Gem. New. One of the prettiest Violas. Absolutely hardy. Pure violet color; large and fragrant. Will grow in any good garden soil in sunny position. 6 in. May-Nov. 50 cts. each, \$4.50 for 10.

*-lutea splendens. Golden yellow.

-, Mauve Queen. Pale mauve color. Free-blooming.

*—Papilio. Violet, with dark eyes.

*_, Snow Queen. Pure white flowers.

, White Perfection. White.

-, Yellow Gem. Clear yellow. Free-flowering. Tufted Pansies, 20 cts. each, \$1.80 for 10, \$15 per 100

- VIOLETS (Viola odorata). Owing to their tragrance and simplicity of culture, Violets have met with general favor. If planted in a shaded moist position out-of-doors, they will thrive and flower freely.
- -, Cœur d'Alsace. A vigorous-growing plant with soft green foliage and large old-rose flowers. This novelty is one of the most fragrant Violets and one of the most attractive for border planting. 50 cts. each, \$4.50 for 10.

-, Gov. Herrick. Somewhat scented. Large flowers of a clear choice shade of blue. 25 cts. each, \$2 for 10, \$15 per 100.

-, Mr. J. Astor. A pretty blue Violet. 50 cts. each, \$4.50 for 10.

-, Mme. Schwartz. Pure violet flowers of good substance, very fragrant, even more than Cœur d'Alsace. Dark green foliage. One of the finest.

50 cts. each, \$4.50 for 10.

Prince of Wales. Color rich violet; very freeflowering; large, fragrant flowers on stout stems.

- , Rose Pearl. This is a French variety remarkable for its color. The flowers are of a beautiful pink, with darker center.
- Souvenir de Mons. Josse. Large, dark blue flowers. Very pretty. 50 cts. each, \$4.50 for 10.

 -Double. Double kinds require the protection of a

coldframe.

-Double Russian. A perfectly hardy border Violet. Large double violet flowers in early spring; fine fragrance.

-Double, Marie Louise. Lavender-blue flowers with whitish center. This variety can be forced in a coldframe.

CCA filamentosa. Adam's Needle. Of tropical appearance, with immense, pyramidal clusters of creamy flowers. 4 to 6 ft. June, July. YUCCA filamentosa.

-filamentosa variegata. A variegated form of the above. \$1 each.

glauca (angustifolia). The foliage of this variety is very narrow and glaucous green. 3 ft. June. Inly.

Either of the above— Each \$2 00





Herbs and Roots

The plants offered below are all strong roots, and will make an abundant growth the first season. Except where noted, 25 cts. each, \$2 for 10, \$18 per 100

Asparagus Roots, Colossal and Palmetto. 2-yr., \$1.50 per 100, \$10 per 1,000; 3-yr. \$2.50 per 100, \$15 per 1,000.

Balm (Melissa officinalis). For culi-

nary purposes.

Chamomile (Anthemis nobilis). Has medicinal qualities. Chives. For flavoring.

Hop Roots (Humulus Lupulus).
Horehound (Marrubium vulgare).
Has medicinal qualities.

Horse-Radish Roots. Used for sauces. 50 cts for 10, \$2 per 100.

Hyssop (*Hyssopus officinalis*). Has medicinal qualities.

Lavender, True (Lavandula offici-nalis). For oil and distilled water. Marjoram, Pot (Origanum Onites).

Used in seasoning. Mint (Mentha piperita).

Rhubarb Roots.

Rosemary (Rosmarinus officinalis). Yields aromatic oil and water.

Rue (Ruta graveolens). Said to have medicinal qualities.

Savory, Winter (Satureia montana). Used as a culinary herb.

Sage, Common (Salvia officinalis). culinary herb, also used in medicine.

Spearmint (Mentha spicata). Tansy Herb (Tanacetum vulgare). Tarragon, True (Artemisia Dracunculus). Used in flavoring vinegar.
 Thyme (Thymus vulgaris). Used in

seasoning. Woodruff (Asperula odorata). Used

in flavoring wine.
Wormwood (Artemisia Absinthium). Has medicinal qualities.

Bedding Plants or Annuals

It is erroneous to believe, with few exceptions, that a package of seeds sown in a herbaceous border will grow and make good plants in a year or two. For this reason we advise, besides the perennial plants, annuals such as listed below, which are readily adaptable in filling gaps or in planting between perennials which have already bloomed in order to keep a mass of color in those parts of the border. These will also supply cut-flowers

in quantities, for most annuals bloom more profusely after proper cutting.

Our following collection of bedding plants are pot-grown, out of 2½- and 3-inch pots, consequently they are easily handled for planting and will grow immediately.

E	ach	10	Ea	.ch	10
Ageratum\$c	20	\$1 50	Heliotrope, in variety. From 2½-in. pots. \$0	25	\$2 00
Alyssum, Little Gem	20	I 50	From 4-in. pots	35	3 00
Antirrhinum (Snapdragons).			Standards\$3 to 5	00	
Separate Colors	25	2 00	Lantanas	25	2 00
Mixed Colors	20	I 50	Marigolds, in variety	20	I 50
Asters, Assorted Colors	20	1 50	Petunias, Double. Separate colors	25	2 00
Calendula, Orange King	20	I 50	Single and Fringed	20	I 50
Centaurea cyanus (Cornflower)	20	I 50	Phlox Drummondi. Assorted colors	20	I 50
gymnocarpa	20	I 50	Salvia splendens	15	I 25
Cockscomb (Celosia), in variety	20	I 50	Stocks, in variety	25	2 00
Cosmos, Early	20	I 50	Verbenas, in variety	20	I 50
Geranium, in variety. From 4-in. pots	30	2 50	Zinnias, in variety	20	I 50

"Rutherford Park" Lawn Grass Seed

Our "Rutherford Park" Mixture will make a close, thick turf in a very few weeks. It roots deeply, enabling it to withstand severe droughts, consequently maintaining its beautiful rich green color the entire season. The "Rutherford Park" is no doubt the cheapest Lawn Grass seed offered; not particularly on account of the price, but more from the points of quality and quantity of seed to the bushel, which contains 21 pounds of the finest kinds and varieties of grasses used for lawn purposes. We believe this mixture to be among the best now on the market, and we ask our customers carefully to consider this before placing their orders.


We will supply any quantity our customers may desire, to meet the needs of the ground on which it is to be sown. The quantity required for making new lawns is 4 to 5 bushels to the acre; for renovating old lawns, I to 2 bushels. For a new plot 15 x 25 feet, or 375 square feet, two quarts are required, and one quart for renovating old lawns of the same dimensions.

35 cts. per qt., \$2.50 per pk., \$9 per bus.

Fertilizers for Lawn, Garden, and Greenhouse

Prices on application

Ask for our Catalogue on Evergreens (Conifers), Flowering Broad-leaved Evergreens, Trees and Shrubs, and Roses





The stems of these shrubs are usually killed back to the ground in situations exposed to the extreme severities of winter, during the first few years after planting, but they freely push forth young shoots in spring, which will flower the same year. They are mostly used for backgrounds in the perennial border. Protect them the first winter

with a covering of leaves. Their rapid re-vegetation gives them all the flexibility of herbaceous perennials combined with a vigor and rugged, permanent appearance which is obtainable otherwise only from slow-growing hard-wooded trees and shrubs. The Buddleias are particularly valuable for this purpose.

*BUDDLEIA amplissima. A new variety having ex-tremely long racemes of delicately shaded lilac flowers. 75 cts. each, \$6.50 for 10.

*—Lindleyana. Choice purplish violet flowers in long, dense racemes which stand erect. Pale green leaves, 2 to 4 inches long. Grows 3 to 6 feet high. Blooms all summer. 50 cts. each, \$4.50 for 10.

-magnifica (variabilis magnifica). A truly beautiful form of the above species with deep purple-lilac flowers, borne in long, graceful panicles, commencing to open in midsummer and continu-ing until frost. The long, gray-green leaves add greatly to its beauty, and in every way it is a good addition to late-blooming shrubs. 50 cts. each, \$4.50 for 10.

-superba. An exceptionally beautiful variety. The flower-spikes are much longer than the above varieties, and also very full and more uniform. Distinct deep blue-lilac flowers. \$1 each.

*DAPHNE Cneorum. A trailing evergreen plant, with narrow, glossy green leaves; flowers fragrant; bright pink. \$1 ea., \$9 for 10.

*-Mezereum (Mezereon Pink). A small, hardy shrub, blooming in March. The deep flowers appear closely along the stems and have a delightful, penetrating fragrance. 75c. each, \$6.50 for 10.

LESPEDEZA (Desmodium) bicolor. slender-looking shrub, with graceful, wiry stems and pretty, pea-shaped, pink flowers.

Each 10 3 to 4 ft.....\$0 50 \$4 50 6 50 4 to 5 ft..... 75 -Sieboldii (D. penduliflorum). Rosy purple or reddish flowers, in pendulous bunches. Very free-flowering. It is the latest-blooming shrub. Each 10 \$4 50

4 to 5 ft..... Rock-Garden Plants are one of our specialties. Ask for our Rock-Garden Pamphlet



Buddleia Lindlevana

Miscellaneous Plants Used in Rockeries

These flowering evergreen plants and shrubs are used in connection with other dwarf evergreens in planting rockeries and sometimes in perennial borders.

Abelia chinensis. Andromeda japonica. -speciosa.

Azalea amoena.

-Benigiri.

-Hakalata-shiro. -Hinodegiri.

-indica alba.

-indica magnifica.

Azalea Kaempferi. -malvatica.

6 50

-Maxwellii.

-mollis.

-rosæflora (balsaminæflora). Cotoneaster horizontalis.

Euonymus radicans. -radicans acuta.

-radicans minimus (kewensis).

Ilex crenata (Japanese Holly). -glabra.

Jasminum nudiflorum. Kalmia latifolia. Leucothoe Catesbæi. Pyracantha coccinea Lalandii. Rhododendron, Boule de Neige. Viburnum Carlesi.

-rhytidophyllum.

For more information and description of these plants, ask for our publication, "Plants for the Rock-Garden," which we shall be pleased to mail upon request.



Plants for Special Purposes

Plants for Cut-flowers

Achillea millefolium roseum
Parker's Variety
Ptarmica, Boule de Neige
Ptarmica, The Pearl
Aconitum, in varieties
Anthericum liliastrum major
Aquilegia, in varieties
Artenisia lactiflora
Asters, in varieties
Asters, in varieties
Astilbe, in varieties
Boltania asteroides
latisquama

Campanula persicifolia, in varieties Centaurea dealbata

macrocephala
Chrysanthemum, in varieties
arcticum
maximum, King Edward
maximum, Shasta Daisy
Cimicifuga racemosa
Coreopsis lanceolata

Delphinium, in varieties
Doranicum, in varieties
Dianthus plumarius, in varieties
Echinacea purpurea
Echinops, in varieties
Erigeron, in varieties
Erynigium, in varieties
Erunatorium celestinum

Eryngium, in varieties Eupatorium cœlestinum Euphorbia corollata Gailliarda, in varieties Geum, in varieties Gypsophila paniculata paniculata flore-pleno Helenium, in varieties

Helianthus, in varieties
Helianthus, in varieties
Heliopsis, in varieties
Hemerocallis, in varieties
Heuchera, in varieties
Iris, in varieties
Lathyrus latifolius, in varieties
Lupinus polyphyllus, in varieties

Lupinus polyphyllus, in varieties
Lychnis viscaria splendens fl.-pl.
Malva moschata
moschata alba
Montbretia, in varieties
Pæonia, in varieties
Papaver orientale, in varieties
Pentstemon, in varieties
Phox decussata, in varieties
Arundsi, in varieties
Physalis Franchetti
Physalis Franchetti

Primula, in varieties
Pyrethrum, in varieties
Rudbeckia, in varieties
Scabiosa caucasica
caucasica alba
Solidago, in varieties
Spiræa, in varieties
Thalictrum, dipterocarpum
Tritoma Pfitzeri
Trellius; in varieties

Tritoma Pfitzeri Trollius, in varieties Viola cornuta, in varieties Violets, in varieties

Ground-Covering Plants for Shady Position

Ajuga reptans atropurpurea. Semi-shade. Ægopodium Podagraria variegatum Asarum canadense Asperula odorata Hedera helix (English Ivy) Lysimachia Nummularia (also sunny). Pachysandra terminalis Vinca minor

Ground-Covering Plants for Sunny Position

Antennaria candida
Cerastium tomentosum
Biebersteini
Dianthus cæsius
Iberis sempervirens
Lysimachia nummularia (also in shade)
Nepeta hederacea
hederacea variegata

Mussini Stachys lanata Thymus serpyllum, in varieties

Plants for Dry Sandy Soils

Achillea Millefolium, and most varieties Ajuga Brockbanki Anchusa italica Antennaria candida Anthemis Asclepias tuberosa Campanula rotundifolia Centaurea dealbata montana Cerastium Coreopsis verticillata Dianthus arenarius, deltoides, and cæsius Dictamnus Fraxinella alba Echinops Eryngium, most varieties Euphorbia Iberis Iris pumila and sibirica Iris germanica Leontopodium alpinus (Enothera Papaver nudicaule Platycodon Polemonium Salvia pratensis Santolina Saponaria officinalis Sedum spectabile, Brillant Sempervivum Solidago Thymus Serpyllum Veronica spicata

Plants for Moist Grounds

Anemone japonica Artemisia lactiflora Astilbe Bocconia Cimicifuga Eupatorium Gentiana Andrewsi Hemerocallis Iris Kaempferi Pseudacorus sibirica Lysimachia nummularia Lythrum roseum superbum Megasea Myosotis Polemonium reptans Richardsoni Primula japonica Bulleyana Senecio Spiræa aruncus

venustus Stenanthium robustum

Tradescantia virginica

Fragrant Plants

Anemone sylvestris Anthericum Liliastrum Artemisia lactiflora Asclepias tuberosa Asperula odorata Astilbe Centranthus ruber Convallaria majalis Dianthus cæsius plumarius superbus Dictamnus Funkia Hemerocallis Hesperis matronalis Lavandula Lathyrus grandiflorus Lilium auratum and candidum a. s. o. Malva moschata Mentha Monarda Nepeta Mussini Enothera speciosa Pæonia Polemonium Primula veris Bulleyana Thymus Valeriana officinalis Viola, in varieties Violets, in varieties

Plants for Bees

Acanthus mollis Aconitum, all varieties Adonis amurensis Anchusa italica, Dropmore and Opal Anemone pulsatilla Anthericum Aquilegia Arabis alpina Asclepias incarnata Campanula Medium and pyramidalis Centaurea montana alba Cephalaria tatarica and alpina Dicentra spectabilis Dictamnus, all varieties Echinops, all varieties Epimedium, all varieties Eryngium, all varieties Galega, all varieties Glecoma, all varieties Helianthemum Helianthus, only single varieties Helleborus Hollyhocks, single varieties Malva moschata Nepeta **E**nothera Pæonia, the best P. chinense. Pentstemon Polemonium Salvia nemorosa Sidalcea Thymus Tritoma

Grasses for Cutting

Miscanthus sinensis (Eulalia japonica) sinensis gracillimus sinensis variegatus Pennisetum japonicum Phalaris arundinacea picta

Ask for our Catalogue on Hardy Herbaceous Evergreens, Azaleas and Rhododendrons

Alphabetical List Indicating Flowering Period, Approximate Height and Color

	şe	Sunny	Shady	Semi-Shade	White and Shades	ık	77	Yellow- Orange	Blue-Purple	Brown	pproximate Height	Flowering
	Page	Sar	Sha	Sen	Wh	Pink	Red	Vel	Blu	Brc	Apr	Flo SS
Acanthus mollis (Bear's Breech)	5	x							x			July, Aug.
—mollis latifolius	5 5	X		. x	. x			· · · · x		: : :		Sept., Oct. June, July
-Millefolium roseum (Milfoil)	5	x				х						June-Sept. June-Sept.
-Ptarmica, Boule de Neige (Ball of Snow)	5	x			x						2 ft.	June-Sept.
—Ptarmica, Perry's White —Ptarmica, The Pearl	5	x		: : :								June, July June-Sept.
-tomentosa (Woolly Yarrow)	5	x						x			I ft.	June
Aconitum californicum (Monkshood) —Fischeri	5 5	X	X									Autumn Sept., Oct.
—Napellus (True Monkshood)	5	x	X						x		3 ft.	June, July
Præcox	5 5	X	X									July June, July
-, Sparks' Variety	5 5	x	X X								5 ft.	July, Aug. July-Sept.
—Wilsonii	5	X	X.						x			Sept.
Actæa spicata (Baneberry)	5 5		X								1½ ft. 1½ ft.	May, June
Adonis amurensis flpl. (Bird's Eye)	5	x		x				x			ı ft.	May, June April, May
—vernalis (Early Spring Adonis)	5	X		x				X			I ft.	April, May
Weed)	5	x	x								I ft.	_
Æthionema coridifolium		X		: : :							I ft. I ft.	June May, June
—persicum	5	x									ı ft.	May, June
Æthiopappus. See Centaurea. Agrostemma coronaria (Mullein Pink)	5	x				x					2 ft.	June, July
—coronaria alba	5	X										June, July
Ajuga Brockbanki	5	X		X								May, June May, June
—reptans (Bugle)		x										May, June
—reptans atropurpurea —reptans multicoloris	5 5			X							6 in.	May, June May, June
Althæa rosea (Hollyhock)	6	X									5 ft. 5 ft.	July, Aug. July, Aug.
—Single Assorted	6	x									5 ft.	July, Aug.
—Alleghany Mammoth Assorted Alyssum argenteum	6	X									5 ft. 15 in.	July, Aug. All summer
—rostratum (Beaked Madwort)	6	x						X			I ft.	June-Aug.
—saxatile compactum (Rock Madwort) —saxatile compactum flpl. (Golden Tuft)	6	X									I ft. I ft.	April, May
Amaryllis. See Lycoris.	6				1						a ft	
Anchusa italica, Dropmore (Alkanet)	6	X	:::	:::							2 ft. 4 ft.	May, June June-Sept.
-italica, Opalitalica, Pride of Dover	6	x	٠	 X								May-July June-Sept.
-myosotidiflora	6	x		1					x		4 ft.	April, May
Androsace lanuginosa (Rock Jasmine) Anemone (Windflower)				X								April, May Autumn
-hupehensis	6			x						x	ı ft.	AugOct.
—japonica alba —japonica, Coupe d'Argent			:::	x	X					:::		Sept., Oct. Sept., Oct.
—japonica, Geante Blanche	6			x	x						2-3 ft.	Sept., Oct.
—japonica, Loreley —japonica, Louise Uhink			:::	X	x					:::		Sept., Oct. Sept., Oct.
—japonica, Max Vogel —japonica, Mignon	6			x		x					2-3 ft.	Sept., Oct. Sept., Oct.
—japonica, Mount Rose			:::	x	:::							Sept., Oct.
— japonica, Prince Henry — japonica, Queen Charlotte	7			X X			x					Sept., Oct. Sept., Oct.
japonica, Richard Arends	7		:::	x	x						2-3 ft.	Sept., Oct.
—japonica, Rosace				X	x						2-3 ft. 2-3 ft.	Sept., Oct. Sept., Oct.
—Pulsatilla (Pasque Flower)	7			x					x		I ft.	April, May
—Pulsatilla alba —Pulsatilla rubra				X	x		 x				I ft. I ft.	April, May April, May
—sylvestris (Snowdrop Windflower)	7			x	x		:				1 ½ ft.	April, May
—vitifolia tomentosa	7	X		. x	x	X					2-3 ft. 3-6 in.	April, May June, July
Anthemis montana (Marguerite)		x	ļ								2 ft.	June, July June-Oct.



					_	_			_			
	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering Season
Anthemis tinctoria (Golden Marguerite) Anthericum (Paradisea) Liliastrum major (St.	7	x				,		x			2 ft.	June-Oct.
Bruno's Lily)	7	x									1½ ft.	May, June
Aquilegia (Columbine)	7	X		: : :							2-3 ft. 2 ft.	May, June May, June
—canadensis (American Columbine)	7	x					x	x			2-3 ft.	May, June
—chrysantha (Golden-spurred)	7	X						. x			2-3 ft. 2 ft.	May, June May, June
—Helenæ	7	x							X		I ft. 2-3 ft.	May-July
—, Long-spurred HybridsAssorted —Skinneri (Mexican Columbine)	7	X			:::			x				May, June
-vulgaris nivea grandiflora	7 7	X						:::			2-3 ft. 2-3 ft.	May, June May, June April, May
Arabis alpina (Rock Cress)	7	X			x						5 in.	April, May
—alpina flpl	7	X	 х		X		· · ·		• • •		5 in. 2-4 in.	April, May Summer
Arenaria balearica	8			x	x						1-2 in.	All summer
montana (Mountain Sandwort) verna cæspitosa (Moss Sandwort)	8	X		X								April, May May-Aug.
Arisæma triphyllum (Indian Turnip)	8		X								1½ ft.	May
Armeria cephalotes rubra	8 8	X		· · · · · · · · · · · · · · · · · · ·							8–12 in. 6 in.	June, July June-Aug.
-maritima (Common Thrift)	8			X	1	x					6 in.	May, June
—maritima alba	8 8	X									6 in. 2-3 ft.	May, June Aug., Sept.
—lactiflora—Stelleriana (Old Woman)	8 8	X			X						3-4 ft. 1½-4 ft.	Aug., Sept. Aug., Sept.
Asarum canadense (Wild Ginger)	8		x								9 in.	May
Asclepias incarnata (Swamp Milkweed) —tuberosa (Butterfly Weed)	8	X		X				·			3-4 ft. 2 ft.	July, Aug.
Asperula odorata (Sweet Woodruff)	8			X	X						2 ft.	July, Aug.
Aster (Michaelmas Daisy; Starwort) Assorted—alpinus (Blue Mountain Daisy)	8	X									½-4 ft. 5-10 in.	Sum., Aut. May, June
—alpinus albus	8	x			x						5-10 in.	May, June
-Amellus, Elegans -Amellus, King George	8 8	X		X					X		2-2½ ft. 2 ft.	Aug., Sept.
-Antwerpia. See Erigeron.												
-, Climaxcordifolius, Diana	8	X								:::	4-5 ft. I ft.	AugOct.
—cordifolius, Ideal	8	x							x			Oct. Sept.
—Delicata	8	X			X						3 ft.	AugOct.
—diplostephioides Leichtlini—Elta		X									1½-2 ft. 3 ft.	June, July AugOct.
—ericoides	8	x			x						3 ft.	AugOct.
—floribundahybridus luteus (solidago)	8 8	X						· · ·	X			Sept., Oct. AugOct.
-, Maid of Colwall	8	X			X						2-3 ft.	AugOct.
—, Mauve Cushion	8	X							X		9 in.	Oct., Nov.
Erigeron.	0					Ì						Aug Sont
-, Mrs. S. A. de Graaff	8	X				X						Aug., Sept.
-novi-angliæ, Mrs. S. T. Wright -novi-angliæ, Ryecroft Pink											4 ft.	Aug., Sept. Aug., Sept.
-novi-angliæ, Ryecroft Purple	8	X							x		4-5 ft.	Aug., Sept.
Aster novi-belgii, Anita Ballard	TO											AugOct.
—novi-belgii, Blue Gem	10	x							X		4 ft.	AugOct.
—novi-belgii, Bouquet Rose—novi-belgii, Cloudy Blue												AugOct.
—novi-belgii, Feltham Blue—novi-belgii, F. W. Burbridge	10								x		3 ft.	AugOct. Sept., Oct.
—novi-belgii, Gertrude	IO							:::	x	: : :	4 ft. 4 ft.	Aug., Sept.
—novi-belgii, Glory of Colwall— —novi-belgii, Heather Glow	10										4 ft.	Aug., Sept. Aug., Sept.
—novi-belgii, Joan Vaughan	10	x							X	:::	4-5 ft.	Sept., Oct.
—novi-belgii, Joan Vaughan —novi-belgii, King of the Belgians —novi-belgii, Lady Lloyd	10							:::	x		5 ft. 4 ft.	Aug., Sept. Aug., Sept.
—novi-belgii, Liege	10	x				X					2½ ft.	Sept., Oct.
—novi-belgii, Maggie Perry —novi-belgii, Miss Eisele									 X	X	3 ft. 3 ft.	Aug., Sept. Sept., Oct.
-novi-belgii, Mrs. McCudden	10	x							X		3 ft.	Sept., Oct.
—novi-belgii, Perry's White—novi-belgii, Rachel Ballard	IO				. x	x	:::		:::		4 ft. 4 ft.	Aug., Sept.
-novi-belgii, Robert Parker	IO	x							X		4-5 ft.	AugOct.
—novi-belgii, Robinson, V. C.	10	X					1	1	1	X	3-4 ft.	AugOct.

	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Aster novi-belgii, Snowball —novi-belgii, St. Egwin —novi-belgii, Thelma Perry —novi-belgii, Well's White —novi-belgii, White Climax	10 10 10 10	x x x x			x x x	х х	 				4 ft. 3 ft. 4 ft. 4 ft. 4-5 ft.	Aug., Sept., Oct. Sept., Oct. Aug., Sept. Aug., Sept. Aug., Sept.
—novi-belgii, White Queen. —novi-belgii, Wonder of Colwall. —novi-belgii, Ypres. —salviæfolius. —, Sam Banham. —Shortii	10 10 10	X X X X X			x x x				x x		4 ft. 4 ft. 3 ½ ft. 1 ft. 4-5 ft. 3-4 ft.	Sept. Aug., Sept. Sept., Oct. Fall Aug., Sept. Aug., Sept.
—subcæruleus. —tataricus. Astilbe (Spiræa) Arendsii Hybrids. Assorted —, America —, Amethyst. —, Anna van Laar. — astilboides.	10 10 10 10			X X X X X	 				x x	x	I ft. 5-6 ft. 2 ft. 2 ft. 2 ft. 2 ft. 2 ft. 2-3 ft.	June Oct. June, July June, July June, July June, July June, July
—, Avalanche. —, Freule van den Bosch. —, Gladstone. —, Gloria. —, Granat. —, grandis rosea magnifica.	10 10 10 10			X X X X X	x 	x x 	x				2 ft. 3½ ft. 2 ft. 2 ft. 2 ft. 4 ft.	June, July June, July June, July June, July June, July July
—, Gruno. —, Marguerite van Rechteren. —, Meta Immink. —, Mont Blanc. —, Peach Blossom. —, Pink Pearl. —, Prof. van der Wielen.	10 10 10			X X X X X	x.	x x x x	x				4 ft. 3-4 ft. 3 ft. 2 ft. 1-3 ft. 3 ft.	June, July June, July June, July June, July June, July June, July June, July
—, Queen Alexandra . —, Rhineland . —, Rose Pearl . —, Rubin . —, Salland . —, Vesta .	II II II			X X X X X X	X		 x x x				3 ft. 2-3 ft. 2-3 ft. 2½ ft. 2 ft. 5-6 ft. 2½-3½ ft.	June, July
— Mœrheimii. —, White Pearl Aubrietia deltoidea (False Wall Cress) —deltoidea græca —deltoidea Hendersoni —deltoidea, Lavender	II II II II II			x x x x	X X				x x x x		5-6 ft. 2½ ft. 6 in. 6 in. 2-3 ft. I ft.	June, July June, July April, May April, May April, May April, May
—deltoidea purpurea (Purple Lady). —deltoidea, Violet Queen. Baptisia australis (False Indigo). Belamcanda. See Pardanthus. Bellis perennis (English Daisy). Bocconia cordata (Plume Poppy).		x x x									1-2 ft. 1-2 ft. 3-4 ft. 5 in. 6-8 ft.	April, May April, May May-July May, June July, Aug.
Boltonia asteroides. —latisquama —latisquama nana Buddleia amplissima —Lindleyana —magnifica, —superba	11 11 52 52 52	X X X X X				X 			X X X		4½-5 ft. 4-5 ft. 2 ft. 4-5 ft. 3-6 ft. 4-5 ft.	Aug., Sept. Aug., Sept. Aug., Sept. June-Aug. June-Aug. July-Sept.
Cactus, Hardy —humilis (Rafinesquii). Calamintha alpina. Calimeris incisa. —incisa rosea. Callirhoe involucrata (Poppy Mallow).	II	X X X X X						X X	 x x		4-8 in. 6 in. 2 ft. 2 ft. 1 ft.	Aug. June July, Aug. July, Aug. June-Sept.
Calluna. See Erica. Calystegia pubescens flpl Campanula (Bellflower)		X X				x					Vine	May-Aug.
-alliariæfoliabononiensiscarpatica (Harebell)carpatica albaelegans	II	X X X		x	X X				 Х		2 ft. 2 ft. 6 in. 6 in. 1 ft. 1½ ft.	July June, July July, Aug. July, Aug. July June, July
glomerata dahurica —lactiflora—lactiflora alba.—latifolia macrantha.—macrantha alba.—Medium (Canterbury Bells)Assorted	II II II II	X X X X X			x x				X X X		1½ ft. 3-4 ft. 3-4 ft. 3 ft. 3 ft.	June, July June-Aug. June-Aug. June, July June, July June



				<u>و</u>					ા		- j	
				Semi-Shade	White and Shades			- Bre	Blue-Purple		Approximate Height	Flowering Season
	9	ny	dy	i-S	ite had	24		ellow- Orange	-P	WII	rox Ieig	aso
	Page	Sunny	Shady	Sen	Wh	Pink	Red	Yellow- Orange	Blue	Brown	dd\ I	Se Se
Composula Madium calmanthama (C.	-			-	_	-						
Campanula Medium calycanthema (Cup-and-Saucer Canterbury Bell)Assorted	II	x									2 ft.	June
-muralis (Portenschlagiana)	II	x							X		3-5 in.	May, June
—persicifolia (Peach-leaved Bellflower)		X									2 ft.	June, July
—persicifolia alba grandiflora— persicifolia, Boule d'Argent	12	X	1								2 ft. 2-2 ½ ft.	June, July June, July
-persicifolia, Fleur de Neige	12	x									2-2½ ft.	June, July
—persicifolia, Lavender Queen—persicifolia Mærheimii	12	X	1									June, July
—persicifolia, Thelham Beauty	I2 I2	X		X	X						* / C.	June, July June, July
—punctata (nobilis) Noble Bellflower	12	X			x		x				2 ft.	June, July
—pyramidalis (Steeple Bellflower)— —pyramidalis alba		X			· · · · x							Aug., Sept. Aug., Sept.
-rotundifolia (Blue Bells of Scotland)	12	X										June-Aug.
-trachelium (Coventry Bells)	12	X										June, July
Caryopteris incana (Blue Spirea) Cassia marilandica (American Senna)	12 12	X						X				SeptOct. July-Sept.
Catananche cærulea bicolor (Cupid's Dart)	12	x									2 ft.	June-Aug.
Centaurea dealbata (Hardheads; Knapweed)		X				X					1½ ft.	July, Aug.
—macrocephala—montana (Perennial Cornflower)	12 12	X							 X		3 ft. 2 ft.	July, Aug. June-Sept.
—montana alba	12	X			X						2 ft.	June-Sept.
—montana rosea	12	X				X					I ft.	June-Sept.
Larpentæ.												
Centranthus ruber	12										3 ft.	June, July
—ruber albus	12										3 ft. 5 ft.	June, July
—tatarica		X						x				June, July June, July
Cerastium Biebersteinii	12	X			X						6 in.	May, June
—tomentosum (Snow-in-Summer)		X									6 in.	May, June June-Aug.
Chelone glabra (Turtlehead)												Aug., Sept.
—Lyonii				X			X				2-3 ft.	Aug., Sept.
Chrysanthemums, Large-floweringAssorted —, Angelo	14	x				v					2½-3 ft.	Oct. 20
—, Boston	14	X						X			3 ft.	Oct. 25
—, Bronze Source d'Or	14							X			3-4 ft.	Nov. I
—, Brune Poitevine	14	X			:::			X			2 ft. 1½-2 ft.	Nov. 5 Oct. 10
-, Chaldon	14	X						X			3-4 ft.	Oct. 12
—, Champ d'Or	14	X						X			1 ft. 3 ft.	Oct. 10 Oct. 25
-, Cranfordia		X										Oct. 22
-, Cranford's Pink.	14	X				X						Oct. 15
-, Cranford's White		X									2 ft. I-2 ft.	Oct. 22 Oct. 22
-, Early White		X									2 ft.	Sept. 25
-, Eden		X									3 ft.	Oct. 10 Oct. 20
-, Firelight		X			111						2-3 ft. 2-3 ft.	Oct. 30
-, Goacher's Bronze	14	x								X	3 ft.	Oct. 20
—, Goacher's Crimson		X									2 ft. 2 ft.	Oct. 30
-, Marie duPont	14	X									3 ft.	Oct. 15
—, Mr. Rux	14	X				X					3-4 ft.	Oct. 28
-, Mrs. Henry F. Vincent		X										Oct. 18 Sept. 25
—, Pauline Wilcox	14	x								x	I-I ½ ft.	Oct. 29
—, Perle Chatillonaise		X									1-1½ ft. 3 ft.	Oct. 10 Nov. 2
—, Queen of the wintes. —, Tints of Gold.		X	1								1-2 ft.	Oct. 22
—, Winnetka	1.4	x			X						1-2 ft.	Oct. 10
—, Wolverine		X								· · ·	1-2 ft. 3-4 ft.	Sept. 25 Oct. 30
, Zelia		X									3-4 It. 3 ft.	Oct. 20
Chrysanthemums, Pompon Varieties.					Ī							
—, Acto		X									3 tt. 1-2 ft.	Oct. 22 Oct. 22
—, Captain Cook	14	X				X					3-4 ft.	Oct. 28
-, Donald	14	X									1-2 ft.	Oct. 30
—, Fairy Queen		X									3 ft. 3 ft.	Oct. 22 Oct. 27
-, Golden Climax	14	x								X	1-2 ft.	Oct. 25
-, Harvest Moon		X									9–12 in. 3 ft.	Oct. 18 Oct. 20
—, Juliana	14	X						, X			311.	OCt. 20

114, 49 110, 22000401				_								
	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Chrysanthemums, Lillian Doty		x				x					3 ft.	Oct. 23
—, Lucifer	16	X			: : :		х				3 ft.	Oct. 29
-, Mrs. H. Harrison	16	x							 X	:::	3 ft.	Oct. 15
—, Mrs. I. Emery	16	X									2-3 ft.	Nov. I
—, Nellie —, Nellie Blake		X					 X	. x			3 ft. 3-4 ft.	Oct. 25 Oct. 20
—, Petit Louis	16	x				X					3 ft.	Oct. 24
—, Pink Pop. —, Rosea		X		: : :		X					3 ft. 3 ft.	Oct. 25 Oct. 18
—, Uvalda	16	x									3-4 ft.	Oct. 15
—, White Doty	16	X			x						3 ft.	Oct. 22
Chrysanthemums, Button Varieties. —, Brown Bessie	16	x								x	1-2 ft.	Oct. 25
—, Davenport		x								x	3 ft.	Nov. I
—, Doris —, Helios		X			:::			:::		X	I-2 ft. I-2 ft.	Oct 22 Oct. 25
—, Liber	16	x									I-2 ft.	Oct. 29
—, Mirabeau	16	x				x					3 ft. 3 ft.	Oct. 29 Oct. 10
—, Minta		X	:::			 x					3 ft.	Oct. 2
—, Ouray		X								X	2-3 ft.	Oct. 20
—, Skibo —, Susquehanna		X	:::		:::						I-2 ft.	Oct. 22 Oct. 20
—, Waco		x			x						3 ft.	Oct. 22
Chrysanthemums, Single-flowering Varieties. —, Alice Howell	16										3 ft.	Oct. 20
—, Excelsior		X		: : :							3 ft.	Oct. 27
—, Fernridge	16	x								X	3 ft.	Oct. 12
—, Gem —, Good Red		X	:::		X						3 ft. 1-2 ft.	Nov. 2 Nov. 1
—, Mrs. Roberts	16	x				x					2½-3 ft.	Oct. 30
—, Mrs. W. E. Buckingham —, Summer Gold	16	X	: : :								1-2 ft. 3 ft.	Nov. I Oct. 30
Chrysanthemums, Other Varieties.	10	Α.						^				Oct. 30
—arcticum (Arctic Daisy)————————————————————————————————		X		X	X						1−1½ ft. 2 ft.	SeptNov
—maximum, King Edward		X	:::								2 ft.	July-Sept.
maximum, Shasta Daisy		x			x						2 ft.	July-Sept.
Cimicifuga americana (Bugbane)				X	X	: : :					2-4 ft. 3-4 ft.	Aug., Sept Sept.
-racemosa	17			X	x						4-5 ft.	June, July
—racemosa simplex				X	X	 X					3-4 ft.	July-Sept.
Clemat's coccinea (Red Leather Flower)		x			1:::		x	: : :			C1.	June-Oct.
—crispa		x							X		C1.	June-Oct.
—Davidiana—integrifolia		X	1113	:::	:::		: : :		X		4 ft. 2 ft.	Aug., Sept
—recta (erecta)	17	x			x						3 ft.	June, July
Convallaria majalis (Lily-of-the-Valley) Convolvulus. See Calystegia.	17		X	X	X						9 in.	May, June
Coreopsis lanceolata grandiflora		x						x			2 ft.	June-Oct.
—verticillata Crambe cordifolia		X			x	: : :		X			2 ft. 5-6 ft.	July, Aug. June, July
Crucianella stylosa (Crosswort)	17	X				x					6–9 in.	June-Sept
Cynanchum acuminatum. See Vincetoxicum. Cypripedium acaule (Lady's Slipper)											ı ft.	Morr-Inne
—parviflorum (Small Lady's Slipper)	17		x			X		x				May-June May-June
—pubescens (Large Lady's Slipper)	17		X					X			I ft.	May-June
—spectabile (Showy Lady's Slipper) Daphne Cneorum	17 52				X	X					2 ft. 9–12 in.	June April
-Mezereum (Mezereon Pink)	52	x				X					I-I ½ ft.	March
Delphinium (Larkspur) Assorted —, New Hollyhock, Wrexham Strain		X							· · ·		5-6 ft.	June Oct. June-Oct.
—, Amos Perry	18	X							X		2 ft.	June-Aug.
—, Andrew Carnegie	18	X							· · ·	X	3-4 ft.	June-Oct.
—, Capri —, Corry	18	X							X	X	5-6 ft. 3 ft.	June-Oct. June-Oct.
—, Duke of Connaught	18	X							x		3 ft.	June-Oct.
—, King of Delphiniums		X							X		4-5 ft. 4-5 ft.	June-Oct. June-Oct.
—, Lamartine	18	X							X		2-3 ft.	June-Oct.
—, Lize —Mœrheimei		X			·				X		4-5 ft. 5-6 ft.	June-Oct. June-Oct.
-, Queen Wilhelmina		X			X				 х		4 ft.	June-Oct.
-, Rev. E. Lascelles	18	X							x		5-6 ft.	June-Oct.
—, The Alake	. 18	X)		1				X		4 ft.	June-Oct.

Hardy Herbaceous Plants



			-	1	1				4)	_	0	
				Semi-Shade	pu s			٥	Blue-Purple		Approximate Height	50
		5		Sh	White and Shades			ellow- Orange	-Pu	п	igh	Flowering
	Page	Sunny	Shady	- <u>i</u>	hite	Pink	귯	Yellow- Orang	ne	Brown	Hei	Sea
	Pa	Sn	S	S.	>	Pi	Red	Λé	Bl	37	Αp	E
Delphinium		-										
—formosum	18	x							x		3 ft.	June-Oct.
—Belladonna	18	X										June-Oct.
—Belladonna grandiflorum chinense (chinense) —Belladonna grandiflorum chinense alba	18	X			X						2 ft. 2 ft.	June-Oct. June-Oct.
-Bellamosum	18	X							x		3 ft.	June-Oct.
—Hybrids	18	x									4-5 ft.	June-Oct.
Dianthus (Hardy Pinks) Assorted—arenarius	18	X									3 in2 ft. 5-8 in.	May, June July-Sept.
—barbatus (Sweet William) Assorted	18	X									2 ft.	May, June
—barbatus, Newport Pink	18	X									2 ft. 2 ft.	May, June May, June
—barbatus Double, Assorted Colors. Assorted	18	X									2 ft.	May, June
—cæsius (Chedder Pink)	18	x				X					3-6 in.	May-July
—chinensis (China or Indian Pink). Assorted—cruentus		x									2 ft. I-2 ft.	May, June July
—delicata		x				x					I-2 ft.	May, June
—deltoides (Maiden Pink)	19	x									8 in.	May, June
—deltoides alba	19	X	: : :								8 in. 3-4 in.	May, June May, June
-, Hybrid Hardy Pinks	1										3 4 111.	litay, June
—, Abbotsford		X					х				I-2 ft.	July
—, Carmen	19	X									8 in.	July May, June
—, Grenadin alba	19	X									1½ ft.	May, June
—, Her Majesty		X										May, June
-, Homer. -, Juliet.		X									I it.	May, June May, June
—, Lord Lyon	19	x				X					I ft.	May, June
—, Napoleon III	19	X					X				1½ ft.	July
Hybrid Sweet William)	TO	x					x				I ft.	May, June
-plumarius, Mrs. Sinkins	19	X									I ft.	May, June
—plumarius semperflorens		X									I ft. 6 in.	May, June July-Sept.
—superbus	19	X									I-I ½ ft.	June-Aug.
Dicentra formosa		X									I ft.	May-Aug.
—spectabilis (Bleeding-Heart)		X				: : :					1½ ft. 3–4 ft.	April-June June, July
—fraxinella alba (Gas Plant)	19	x									2-3 ft.	June, July
—fraxinella rubra		X									3-4 ft.	June, July
Digitalis (Foxglove)	19	X						x			2-3 ft. 2-3 ft.	June, July June, July
—, Giant Shirley	19	X			X	X					5-6 ft.	June, July
—lanata—purpurea gloxiniæflora (Gloxinia-flowered)		X									2-3 it. 2-3 ft.	June, July June, July
Doronicum caucasicum (Leopard's Bane)		X									I 1/2-2 ft.	May, June
—Clusii		X	i					X			1-2 ft.	May, June April-June
—magnificum—plantagineum excelsum		X									I ft. I-2 ft.	May, June April, May
Draba fladnizensis (Whitlow Grass)	19										6-12 in.	April-June April, May
—Olympica (bruniæfolia)				X				X			3 in.	April, May
Dracocephalum Ruyschiana (Dragon's Head) Echinacea purpurea (Purple Coneflower)		X								: : :	1 ft. 3–4 ft.	June, July July, Aug.
Echinops Ritro (Globe Thistle)	20	X							x		3-4 ft.	July, Aug.
—sphærocephalus Epigæa repens (Trailing Arbutus)		X		· · ·	. X							July-Sept. April, May
Epilobium angustifolium (Willow Herb)	20	 х			: : :							June-Aug.
Epimedium (Barrenwort) Assorted	20			X							9 in.	May, June
—album plenum				X							9 in. 9 in.	May, June May, June
—bicolorum				x							9 in.	May, June
—elegans				X							9 in.	June-Aug.
—erectum—macranthum				X							9 in. 9 in.	May, June May, June
-macranthum rubrum	20			X			X				9 in.	May, June
—macranthum violaceum (lilacinum)				X					X		9 in.	May, June April-July
—niveum —sulphureum		:::		X	X						9 in. 9 in.	April-July April-July
Eremurus himalaicus	20	X			x						6-8 ft.	May, June June-Sept.
Erica (Heath)Assorted				X							6 in1 ft. 6 in.	
—carnea (herbacea)				X							6 in1 ft.	July, Aug. July-Sept.
-stricta erecta	20		x	X		X					Ift	July, Aug.
—Tetralix —vagans rubra				X							6 inI ft. 6 inI ft.	July, Aug. July, Aug.
-valgaris (Scotch Heather)				X							6 in1 ft.	July, Aug.

	_	_		1			_			_		,
	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Erica vulgaris alba (White Heather)uulgaris Alportii (Crimson Heather)vulgaris aurea	20		x x x	x x x	X						6 inI ft. 6 inI ft. 6 inI ft.	July, Aug. July, Aug. July, Aug.
-vulgaris compacta	20		x	X		x					9 in.	July, Aug.
Erigeron elatior antwerpia		X	X								2-3 ft. I½ ft.	June, July July, Aug.
-, Quakeress	21	x								X	2 ft.	June-Oct.
Erinus alpinus	2I 2I	x	: : :	X					 х		6 in. 2 ft.	April, May July, Aug.
—cœlestinum	21	x		x					x		2-3 ft.	July, Aug.
—giganteum—maritimum		X		X					X		I ft. 3 ft.	July, Aug. July, Aug.
—Oliverianum		x		x					x		2 ft.	July, Aug.
—planum		X		X					X	:::	2 ft. 3 ft.	July-Sept. July, Aug.
Eupatorium cœlestinum (Mist Flower)	21	x							x		2 ft.	AugOct.
Fraseri		X			X				 X		3-4 ft. 6-7 ft.	July-Sept. July-Sept.
—urticæfolium (White Snakeroot)	21	x			X						4-5 ft.	Aug., Sept.
Euphorbia corollata (Flowering Spurge) —myrsinites		X									2-3 ft. 4-6 in.	July, Aug. May, June
-polychroma		X									2 ft.	April, May
Ferns, Hardy. Adiantum pedatum	21			x							ı ft.	
Asplenium Filix-fæmina	21			x							2-3 ft.	
—Filix-fæmina Craigii				X							I−I½ ft. I ft.	
—, Victoria	21			x							Ift.	
Dennstædtia punctilobula	21			X				: : :			I−I½ ft. I ft.	
—Filix-mas	21			x							I − I ½ ft.	
—Filix-mas cristata—Filix-mas fluctuosa				X							I-I ¹ / ₂ ft. I ft.	
-Goldieana	22			x							4 ft.	
—marginalis —noveboracensis.	22			X							I-2 ft. I-2 ft.	
—spinulosa	22			x							I-I½ ft.	
—Thelypteris Matteuccia Struthiopteris	22	:::		X							I ft. 2 ft.	1
Onoclea sensibilis	22			x							I ft.	
Osmunda cinnamomea		:::	X	X							2-3 ft. 2-3 ft.	
—regalis	22		x	X							2-3 ft.	
Polystichum acrostichoides	22			X				• • •			I tt.	
Funkia (Hosta). Plantain Lily Assorted.	22			X							1-2 ft.	July, Aug.
—Fortunei—lanceolata	22	x		X	:::			:::	X		$1-2$ ft. $1\frac{1}{2}-2$ ft.	July, Aug. Aug., Sept.
—lancifolia albo-marginata	22	x							X		1½-2 ft.	Aug., Sept.
—subcordata grandiflora—undulata media		x		X	X				 X		I-2 ft. I ¹ / ₂ -2 ft.	July, Aug. July, Aug.
—undulata media variegata	. 22			x					11			July, Aug.
—variegataGaillardia aristata (Blanket Flower)		x	:::				x				1-2 ft. 1½ ft.	July, Aug. May-Nov.
—Portola. New		x									2½-3 ft.	May-Nov. July
Galega officinalis (Goat's Rue)		x									3-4 ft. 3-4 ft.	July
—officinalis Hartlandii		X									3-4 ft.	July May-July
Gaultheria procumbens (Wintergreen)	22	X	:::		x						3-6 in.	May, June
Gentiana acaulis (Stemless Gentian) —Andrewsii (Closed or Bottle Gentian)				X					X		4 in.	MarMay Aug., Sept.
—thibetica	. 22			x	x						1−2 ft.	May
Geranium platypetalum (Crane's Bill)	22			x			 X				6 in1 ft. 1-1½ ft.	July, Aug. May-Aug.
-sanguineum album	. 22	1		x	x						11/2 ft.	May-July
Gerbera Jamesonii (Transvaal Daisy)											2½ ft. 1-2 ft.	Autumn May-July
—bulgaricum	23	x						x			I ft.	July, Aug.
-coccineum	23	X									I ft. 2 ft.	June-Aug. June-Sept.
—Heldreichii	23	x			f			x			1½ ft.	May-July
, Lady Strathedensibiricum	23	X						X X			2 ft. 12–15 in.	June-Sept. April-June
Gillenia trifoliata (Bowman's Root)	23			X	X						3 ft.	May-July
Globularia trichosantha (Globe Daisy)	1 23	X		X	1				X	1	6 in.	May, June




	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- O:ange	Blue-Purple	Вгомп	Approximate Height	Flowering
Grasses. Arrhenatherum elatius tuberosum variegatum Arundo Donax (Great Reed)	23	x x									6-8 in.	_
—Donax variegata Elymus glaucus (Blue Lyme Grass) Erianthus Ravennæ (Plume Grass)	23 23	X X X									15 ft. 3 ft. 5-7 ft.	
Festuca glauca	23 23 23	X X X									1 ft. 5-6 ft. 5-6 ft.	
—sinensis variegata. —sinensis zebrinus	23 23 23	X X X									4-6 ft. 5-6 ft. 3 ft.	
Phalaris arundinacea picta (Variegated Ribbon Grass)	23	х									2-3 ft.	
Bamboo)	23 23	x		x							6-10 in. 2-3 ft.	June, July
— paniculata flpl—repens—repens monstrosa	23 23 23	X X X			x	X					2-3 ft. 6 in. 1 ft.	July, Aug. June, July July, Aug.
—repens rosea Helenium autumnale, Gartensonne —autumnale superbum (Sneezeweed)	23 23	X X X		 				X			6 in. 2-4 ft. 4-5 ft.	May, June Sept., Oct. Aug., Sept.
—autumnale rubrum—autumnale, Riverton Beauty—autumnale, Riverton Gem		X X X									5 ft. 5 ft.	Aug., Sept. Aug., Sept. Aug., Sept.
grandicephalum, Julisonne Hoopesii , Orange Queen	23	X X X						X			2-3 ft. 3-4 ft.	July, Aug. May. June July
Helianthemum aureum (Sun Rose)	24 24	X X X			 X		X				6 in1 ft. 6 in1 ft.	June, July June, July June, July
—citrinum —macranthum (Chamæcistus macranthum) —, Mrs. Earle	24 24 24	X X X						X			6 in1 ft. 6 in1 ft.	June, July June, July June, July
—multiflora	24 24	X X X						. X				June, July June, July June, July
—, Rosy Gem Helianthus (Hardy Sunflower) —multiflorus flpl. (Soleil d'Or)	24 24	X X X				X					6 in1 ft.	June, July AugNov. Aug., Sept.
Maximilianii	24 24	X X						X			6-8 ft. 5 ft. 8-10 ft.	Oct., Nov. Aug., Sept. August
—orgyalis —tuberosa (Jerusalem Artichoke) —, Wolley Dod	24 24	X X X						X			5-6 ft. 6-8 ft.	Aug., Sept. Aug., Sept.
Heliopsis helianthoides Pitcherianascabra imbricatascabra, Soleil d'Or	24 24	X						X			3-4 ft. 2-3 ft. 3-4 ft.	July-Sept. June-Sept. July-Sept.
—scabra zinniæflora		X	x	X							2-3 ft. 1 ft.	July-Oct. Feb., Mar.
Day Lily)	24 24	X X X						X X				July, Aug. May-July June, July
— Dumortieri	24 24	X X X						X			3 ft. 3 ft.	May, June May May
-, Florhamfulva (Tawny Day Lily)fulva Kwanso	24	X X X						X			3 ft. 2-3 ft. 2-3 ft.	June, July July, Aug. June-Aug.
— hybrida, Gold Dust	24	X X X						X X			3 ft. 2-3 ft. 2-3 ft.	June June, July June, July
-Thunbergii	24 24	 x						X 	X		3 ft. 4-6 in. 8-10 ft.	July, Aug. April, May July, Aug.
Hesperis matronalis (Sweet Rocket)	24	X X X			X 	X					2 ft. 1½ ft. 1-2 ft.	May. June May-Sept. May-Sept.
-, Pluie de Feu Rosmondi -sanguinea alba	24 24 24	X X X		X		x	X	 X			1-2 ft. 2 ft. 1½ ft.	June, July June-Sept. June-Sept.
—sanguinea gracillima —sanguinea hybrida Assorted Seedlings	24	X X X		X		. X	X				1½ ft. 1½ ft. 1½ ft. 1½ ft. 1–2 ft.	June-Sept. May-Sept. May-Sept. May-Sept.

	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering Season
Hibiscus, Mallow Marvels. —Moscheutos (Swamp Rose-Mallow). —Moscheutos, Crimson Eye. —Moscheutos Hybrids. Assorted. Hosta. See Funkia.	26 26	x x x x			x 	x 	X			.	4-6 ft. 5-6 ft. 5-6 ft. 4-6 ft.	Aug., Sept. Aug., Sept. Aug., Sept. Aug., Sept.
Hypericum calycinum (Aaron's Beard) —Moserianum (Gold Flower) Iberis (Hardy Candytuft) —gibraltarica —sempervirens	26 26 26	x x x x			. x				X	 	I ft. 1½ ft. 6 in1 ft. I ft. 10 in.	August June-Sept. April, May May April, May
-sempervirens, Little Gem Incarvillea Delavayi Inula ensifolia (Fleabane) -glandulosa Iris Assorted	26 26 26 26	 х х			x 	x 		x x			6 in. 1½ ft. 8 in. 3-4 ft.	April June July-Sept. July, Aug.
-germanica Assorted. -, Intermediate, New Hybrids Assorted. -pumila and Hybrids Assorted. -lævigata (Kaempferi) Assorted.	30 30 30 30			 X							9 in3 ft. 9 in3 ft. 9 in3 ft. 9 in3 ft.	May, June May May May June
—, Various Assorted . Kniphofia. See Tritoma. Lathyrus latifolius albus (Everlasting Pea) —latifolius, Pink Beauty —latifolius, Rose Queen —latifolius, White Pearl	31 31 31	X X X			x 	 х х					2 ft.	May, June June-Aug. June-Aug. June-Aug. June-Aug
Lavandula vera (Sweet Lavender). Leontopodium alpinum (Edelweiss). Lespedeza bicolor (Bush Clover). —Sieboldii. Liatris callilepis.	31 33 52 52	X X X		X		 X	X		X 		1½ ft. 5 in. 4-7 ft. 3-5 ft.	June-Aug. July-Sept. June, July Aug., Sept Sept., Oct. July-Sept.
—pycnostachya (Kansas Gay Feather) —scariosa. —spicata (Button Snakeroct). Lilium (Hardy Lilies)	33 33 33	X X X							X X X		3-4 ft. 4-5 ft. 3-4 ft. 2-3 ft.	July, Aug. Aug., Sept July-Sept.
—auratum (Gold-banded Lily) —Batemanniæ —canadense —canadense flavum —canadense rubrum	32 32 32 32	Х.					 	x x			3 ft. 2 ft. 2 ft. 2-3 ft. 2-3 ft.	July, Aug. July, Aug. July, Aug. June-Aug. June-Aug.
	32 32 32 32 32	x					x x	x x			I-2 ft. I-I ½ ft. I-2 ft.	July, Aug. June, July June, July June, July June, July
—elegans Horsmanii. —elegans, Leonard Joerg. —elegans, Prince of Orange. —giganteum. —Grayi.	32 32 32	X X X						x			I-2 ft. 6-9 in. I-2 ft.	June, July June, July June July, Aug. June, July
— Hansonii — Henryi — Martagon (Turban Lily) — pardalinum (Panther Lily) — philadelphicum	32 32 32 32	X X X X					x 	x x 	 X		1-3 ft. 4-6 ft. 3 ft.	June, July June, July June, July June-Aug June, July
regalespeciosum albumspeciosum rubrumsuperbumtigrinum (Tiger Lily).	32 32 32 32	x x x x									1-2 ft. 2 ft.	June, July Aug., Sept Aug., Sept June, July July, Aug.
—tigrinum flpl. (Double Tiger Lily) —tigrinum Fortunei —tigrinum splendens —tenuifolium	32 32 33 33	X X X X					X X X	x x			2-4 ft. 2-4 ft. 3-4 ft. 1-2 ft.	July, Aug. July, Aug. July, Sept June, July June, July
—umbellatum erectum —umbellatum fulgidum —umbellatum grandiflorum —umbellatum incomparabile —umbellatum maculatum	33 33 33 33	X X X X					x x 	x x x			$1-2\frac{1}{2}$ ft. $1-2\frac{1}{2}$ ft. $1-2\frac{1}{2}$ ft. $1+2\frac{1}{2}$ ft. $1-2\frac{1}{2}$ ft.	June, July June, July June, July June, July
Washingtonianum. Willmottiæ. Linaria Cymbalaria (Kenilworth Ivy). dalmatica. hepaticæfolia (Toad Flax).	33 33 33 33							x x			2-3 ft. 2-3 ft. Trailing 3-4 ft. 2-3 in.	July July June-Aug June-Sept May, June
Linum flavum —perenne —perenne album Lithospermum, Heavenly Blue	34 34 34	X X X			 				 х		I ft. I ½ ft. I ½ ft. 4 in.	June, July May-Aug May-Aug June-Sept



	1	_					1		ره		U	T
				Semi-Shade	White and Shades			nge	Blue-Purple		Approximate Height	ing nc
	Page	Sunny	Shady	mi-S	hite	Pink	7	Yellow- Orange	ne-1	Brown	opros Heig	Flowering
	Pa	Sn	Sh	Se	W	Pi	Red	×	BI	Br	Ap	FE.
Lobelia cardinalis (Cardinal Flower)	34	х		x			x					July, Aug.
—syphiliticaLupine)Lupinus polyphyllus (Lupine)	34	X X		X					X		3 ft. 4-5 ft.	Aug., Sept. June, July
-nolyphyllus albiflorus	34	X			x						4-5 ft.	June, July
—polyphyllus Mærheimii Lychnis alpina	34	X									3 it. 6 in.	June, July April
—Arkwrightii	34	X					x				6 inI ft.	April
—chalcedonica	34	X			·		. X			: : :	2 ft. 2 ft.	June, July June, July
Flos-cuculi (Ragged Robin)	34	X X					X				I-2 ft. I ft.	May-Aug. May, June
—Viscaria splendens (German Catchfly)	34	X					X				11/2 ft.	May, June
—Viscaria splendens flpl	34	X				· · ·					1 ft. 2 ft.	May, June July
Lysimachia ciliata (Fringed Loosestrife)	34	x						X			2 ft.	July, Aug.
—clethroides (Japanese Loosestrife)	34	X			X						2 ft. 2-3 in.	July-Sept. June, July
Lythrum Salicaria roseum, Rose Queen	34	x				x					2-3 ft.	July-Sept.
—Salicaria roseum superbum (Loosestrife) Malva moschata (Musk Mallow)	34	X				1						July-Sept. June-Sept.
—moschata alba	34	X					• • •					June-Sept. Aug., Sept.
Megasea, Athlete	34	X								1	I-I 1/2 ft.	April-June April, May
—cordifolia—crassifolia	34	X										April, May April, May
—Leichtlinii	34	x		x		x					I − I ½ ft.	April-June
—speciosa atropurpurea	34	X									I-I ½ ft. I-2 ft.	April-June June-Sept.
Menziesia polifolia	34			X					X		I 1/2 ft.	July-Oct.
—polifolia alba	34	:::			X						I ½ ft. I½ ft.	July-Oct. May, June
Monarda didyma (Oswego Tea)	35	X					x				3 ft.	June-Aug.
—didyma, Cambridge Scarlet—didyma rosea	35	X					X				3 it. 3 ft.	June-Aug. June-Aug.
—didyma salmonea —didyma violacea superba	35	x			:::	x	·				3 ft. 3 ft.	June-Aug. June-Aug.
—fistulosa alba	35	x			x						3 ft.	July
Montbretia (Tritonia) aurantiaca	35	X									2 ft. 2-3 ft.	July-Sept. July-Sept.
—, Crœsus	35	X						x			2 ft.	July-Sept.
-, Feu Brillant		X									2 ft. 2 ft.	July-Sept. July-Sept.
-, George Davison	35	X						x			2-3 ft. 2 ft.	July-Sept. July-Sept.
Muehlenbeckia nana	35										2-3 in.	July Sept.
Myosotis alpestris robusta grandiflora (Forget- me-not)				x	1				X	1	8 in.	May, June
-, Ruth Fischer	35			X					X		8-10 in.	May, June
-scorpioides semperflorens		x							X	:::		May-Sept. May, June
-hederacea variegataMussinii	35	X			.				X	x	5 in. 8 in.	May, June April-June
Nierembergia rivularis (White-Cup)	35	x									8 in.	June-Aug.
Enothera fruticosa (Sundrops)	35	X										June-Aug. June-Aug.
-missouriensis	35	x						x			10 in.	June-Aug.
—speciosaOmphalodes verna alba	35	X		::								Aug., Sept. May-Sept.
Onopordon tauricum (Cotten Thistle) Orobus lathyroides (Bitter Vetch)	35	 X				X						July, Aug. May, June
-vernus	135	X							X		1 ½ ft.	May, June
Peonies. See Descriptive List Assorted	36	X										May, June May, June
—SingleAssorted	- 39										1-4 ft.	May, June
Pæonia officinalis											2-3 ft. 3-4 ft.	May, June May, June May, June
Pachysandra terminalis	40				. x						6-9 in.	May, June May-Aug.
-orientale (Oriental Poppy)	40	X					x				2-3 ft.	June-July
—, Apricot Queen—atrosanguinea maxima	40											June, July June, July
—, Brightness	40	x					x				2-3 ft.	June, July
—, Duke of Teck. —, E. A. Bowles.	40	x		: : :		: : :	X	x			2-3 ft. 2-3 ft.	June, July June, July
—, Enfield Beauty —, Grossfurst	. 40	X				. X					2-3 ft.	June, July
—, Glussiuist	1 40	l x	4				. I X	1	1		2-3 ft.	June, July



Papaver, King George -, Lightness, Lord Lambourne -, Mrs. Perry -, Oriflamme -, Perry's White -, Princess Victoria Louise -, Royal Scarlet -ardanthus chinensis (Blackberry Lily) -aradisea. See Anthericum liliastrum major -entstemon barbatus Torreyi (Beard Tongue) -Digitalis -glaber	40 40 40 40 40 40 40 40 40	X X X X X X X					_			Brown	Approximate Height	Flowering
-, Lord Lambourne -, Mrs. Perry -, Orifamme -, Perry's White -, Princess Victoria Louise -, Royal Scarlet -, ardanthus chinensis (Blackberry Lily) - Paradisea. See Anthericum liliastrum major - Pentstemon barbatus Torreyi (Beard Tongue) - Digitalis	40 40 40 40 40 40	X X X X									2-3 ft.	June, July
-, Mrs. Perry -, Oriflamme -, Perry's White -, Perry's White -, Princess Victoria Louise -, Royal Scarlet -, Royal Scarlet - ardanthus chinensis (Blackberry Lily) - ardanthus chinensis (Blackberry Lily) - ardadisea. See Anthericum liliastrum major - Pentstemon barbatus Torreyi (Beard Tongue) - Digitalis	40 40 40 40 40 40 40	X X X X									2-3 ft. 2-3 ft.	June, July June, July
-, Perry's White, Princess Victoria Louise, Royal Scarlet Pardanthus chinensis (Blackberry Lily) Paradisea. See Anthericum Illiastrum major Pentstemon barbatus Torreyi (Beard Tongue)Digitalis	40 40 40 40 40	X X									2-3 ft.	June, July
-, Princess Victoria Louise. -, Royal Scarlet. Pardanthus chinensis (Blackberry Lily) Paradisea. See Anthericum liliastrum major Pentstemon barbatus Torreyi (Beard Tongue). -Digitalis	40 40 40	X									2-3 ft.	June, July
-, Royal Scarlet Pardanthus chinensis (Blackberry Lily) Paradisea. See Anthericum liliastrum major Pentstemon barbatus Torreyi (Beard Tongue). -Digitalis	40				X						2-3 ft. 2-3 ft.	June, July June, July
Paradisea. See Anthericum liliastrum major		X					x				2-3 ft.	June, July
Pentstemon barbatus Torreyi (Beard Tongue). -Digitalis		X					• • • •	X			3 ft.	July, Aug.
-Digitalis		x					x				4 ft.	June-Aug.
	40	X							X X		2-3 ft. I-I ½ ft.	June, July May-July
Phlox decussata, Albion					x						2-3 ft.	June-Oct.
-Antonin Mercie	40								x		2-3 ft.	June-Oct.
-Baron van Heeckeren -Baron von Dedem											2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-B. Comte	. 40										2-3 ft.	June-Oct.
Beacon					· · · · x						2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-Champs Elysees	. 40								 X		2-3 ft.	June-Oct.
-Comet	. 40					x						June-Oct.
-Commander-in-Chief -Eclaireur											2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-Electra	. 40						x				2-3 ft.	June-Oct.
-Elizabeth Campbell											2-3 ft. 2-3 ft.	June-Oct.
-Europa	. 42				 X						2-3 ft.	June-Oct.
-Evelyn	. 42					x					2-3 ft.	June-Oct.
-FianceeFire Glow					X							June-Oct.
-G. A. Strohlein	. 42						x				2-3 ft.	June-Oct.
-Gen. van HeutzGoliath	1											June-Oct. June-Oct.
Helene Vacaresco			:::		· · · · x							June-Oct.
-Henri Murger	. 42				x						2-3 ft.	June-Oct.
-Homeland -Imperator												June-Oct. June-Oct.
-Jeanne d'Arc	. 42				x							June-Oct.
— Johnson's Favorite							X				2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-La Vague	. 42											June-Oct.
-Le Mahdi	. 42	X							x		2-3 ft.	June-Oct.
Le Soleil	42	X			· · ·						2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-Marie's Jacob	. 42								x		2-3 ft.	June-Oct.
-Mia Ruys -Mrs. Ethel Prichard						 X						June-Oct. June-Oct.
-Mrs. Jenkins	. 42				x						2-3 ft.	June-Oct.
-Mrs. Milly van Hoboken -Mrs. Scholten												June-Oct. June-Oct.
-Pantheon												June-Oct.
-Pink Beauty	. 42	x				X					2-3 ft.	June-Oct.
-President Lincoln	. 42						X				2-3 ft. 2-3 ft.	June-Oct. June-Oct.
-Rheinlander	. 42					X					2-3 ft.	June-Oct.
-Richard Wallace -R. P. Struthers	. 42	X										June-Oct.
-Rynstrom	. 42				4	X						June-Oct.
-Sunshine		X										June-Oct.
Tapis Blanc	. 42								· ·	: : :		June-Oct. June-Oct.
—Thor	. 42	X				x					2-3 ft.	June-Oct.
	. 42		1								2-3 ft. 2-3 ft.	June-Oct. June-Oct.
Wanadis	. 42	X							x		2-3 ft.	June-Oct.
-W. C. Egan	. 42	X							X X		2-3 ft. 2-3 ft.	June-Oct.
-William Ramsey Phlox Arendsii Hybrid, Louise	. 42	X							X	: : :	C.	May-July
Phlox of Various Types		1										
—amœna—divaricata				· · · ·					 X		4-6 in.	April-May May
-divaricata alba	. 42	x		x							10 in.	May
—divaricata Laphamii, Perry's Variety —divaricata lilacina				x					x			May May
ovaticata macina ovata.	. 42	X					X					June, July May



	7		_		-					1	41	
	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Phlox subulata (Moss Pink) —subulata alba —subulata, G. F. Wilson —subulata lilacina —subulata Nelsoni —subulata, Newery Seedling —subulata rosea —subulata, The Bride —subulata, Vivid —suffruticosa, Magnificence —suffruticosa, Miss Lingard —suffruticosa, Perfection Physalis Franchetii (Chinese Lantern Plant) Physostegia virginiana (False Dragonhead)	44 44 44 44 44 44 44 44 44 44 44	X X X X X X X X X X X X X X X X X X X			x x x x x	X	x x	X	x x	X	3-6 in. 3-6 in. 3-6 in. 3-6 in. 3-6 in. 3-6 in. 3-6 in. 3-6 in. 3-6 in. 1-2 ft. 1-3 ft. 1-2 ft. 2-7 ft.	April, May April, May
-virginiana albavirginiana grandifloravirgandiflorum (Balloon Flower)	44	X X			X X						2-3 ft. 10-12 in. 1-2 ft.	June, July Aug., Sept. June, July
—grandiflorum album—grandiflorum Mariesii. —grandiflorum Mariesii album. —grandiflorum Mariesii album. Plumbago Larpentæ (Blue Leadwort). Podophyllum peltatum (May Apple).	44 44 44 45 45	X X X X			X X 				x x		I-2 ft. I ft. I ft. 6-I2 in.	June, July June, July June, July Aug., Sept. April, May
Polemonium humile (Jacob's Ladder)	45 45 45 45	X X X 		X	X X X				X			June, July June, July April, May May, June Aug., Sept. June-Sept.
Potentilla Hybrids (Cinquefoil). —, Beelzebub —, Carnival —, Fairy Queen —formosa —, Monsieur Rouillard	45 45 45 45 45	X X X X X					X X X X				I-2 ft. I-2 ft. I-2 ft. I ½ ft.	June-Sept. June-Sept. June-Sept. July, Aug. June-Sept.
—, Panorama —purpurea plena —, Rose Queen . —, Van Dyck —, Vase d'Or	45 45 45 45 45	X X X X X				X		X X X		x	I-2 ft. I-2 ft. I-2 ft. I-2 ft. I-2 ft.	June-Sept. June-Sept. June-Sept. June-Sept. June-Sept. June-Sept.
Primula acaulis (Primrose). —Bulleyana	46 46 46 46			X X X			x	x x x			6-9 in. 1-1½ ft. 9 in. 6-9 in. 6-9 in. 1 ft.	April, May June, July June May April, May June, July
Pyrethrum Assorted — Single, Cactus — Double, Non Plus Ultra — Double, Purity — Double, Purity — Double Oueen Mary	46 46 46 46	X X X X X				х х					I-3 ft. I-3 ft. I-3 ft. I-3 ft.	June-Aug. June-Aug. June-Aug. June-Aug. June-Aug.
—, Double, Wilsonii. —roseum. —uliginosum (Giant Daisy). Ranunculus acris flpl. Rhexia virginica (Meadow Beauty).	46 46 46 46 46	X X X X			X X	x x					I-3 ft. 2½ ft. 4-5 ft. I ft. I-I½ ft.	June-Aug. May, June Aug., Sept. May, June July-Oct.
Romneya Coulteri (Calif. Tree Poppy). Rudbeckia laciniata, Golden Glow (Coneflower). —maxima—purpurea (Purple Coneflower). —speciosa.	46 46 46	X X X X X						X X X	x		6-8 ft. 6-8 ft. 3-4 ft. 2 ft.	June-Aug. June-Sept. June-Sept. July-Oct. June-Oct.
—subtomentosa. Salvia azurea grandiflora (Pitcheri). —Greggii. —pratensis. —nemorosa.	46 46 46 46	X X X X X					X		х х х		3-4 ft. 2 ft. 2 ft. 2 ft.	July-Oct. Aug., Sept. July-Oct. June, July May, June
Sanguinaria canadensis (Bloodroot). Saponaria ocymoides (Rock Soapwort). —officinalis flpl. (Double Bouncing Bet). Santolina Chamæcyparissus incana (Lavender Cotton).	46 46	x x x	X		х	X					6 in. 1 ft. 1½ ft. 1½ ft.	April, May May-July June-Aug.
Satureia. See Calamintha. Saxifraga Macnabiana	46	x			x						ı ft.	May, June
See also Megasea. Scabiosa caucasica (Pin-Cushion Flower) —caucasica alba. —japonica. —ochroleuca.	46 46	x x x x	:::		x				 X		2-3 ft. 2-3 ft. 2-3 ft. 2-3 ft.	June-Aug. June-Aug. June-Sept. June-Sept.

			_									
	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Scutellaria baicalensis cœlestina Sedum acre (Golden Moss) —Aizoon. —album —dasyphyllum —hispanicum —ibericum —kamtschaticum —lydium —Maximowiczii —maximum —reflexum —sarmentosum —sexangulare —Sieboldii —spectabile (Stonecrop) —spectabile, Brilliant —stoloniferum —telephium atropurpureum Sempervivum (Houseleek)	47 47 47 47 47 47 47	x x x x x x x x x x x x x x x x x x x		 x x		x x x	x	x x x x			9-12 in. 2-3 in. 1 it. 2-3 in. 2-3 in. 2-3 in. 3-4 in. 6 in. 8 in. 1-3 in. 1 it. 1 ft. 1-3 in. 4 in. 9 in. 11½ ft. 6 in. 6 in. 6 in. 6 in. 1½ ft.	July, Aug. May-July July, Aug. May-July May-July June, July June, July July, Aug. June July Aug., Sept. July June-July Aug., Sept. Aug., Sept. July-Sept. July-Sept. July, Aug. Aug., Sept.
—Albertii. —arachnoideum (Cobweb Houseleek). —californicum. —Fauconetti. —fimbriatum. —globiferum. —La Harpei. —tectorum. Senecio clivorum. —pulcher. Shortia galacifolia. Sidalcea candida. —, Rose Queen. —, Rosy Gem. Silene alpestris (Alpine Catchfly). —maritima flpl. —Saxifraga. —Schafta (Autumn Catchfly). Silphium perfoliatum (Cup Plant). Solidago bicolor (Silver Rod). —canadensis (Goldenrod). Spiræa Aruncus (Goat's Beard). —filipendula (Dropwort). —filipendula (Dropwort). —filipendula flpl. —palmata (Crimson Meadow Sweet). —palmata . —venusta. Stachys grandiflora superba (Woundwort). —grandiflora rosea. —lanata (Woolly Woundwort). Statice latifolia (Sea Lavender). —tatarica.	47 47 47 47 47 47 47 47 47 47 47 47 47 4	x x x x x x x x x x x x x x x x x x x	x	x x x	x x x x	x x x	x	x x x x x x	x		8 in. 6 in. 6 in. 4-6 in. ½-1 ft. 1 ft. 8 in. 1 ft. 2-4 ft. 6-9 in. 2½-3 ft. 12½-3 ft. 12½-3 ft. 12½-3 ft. 13-5 ft. 13-5 ft. 13-5 ft. 14-5 ft. 15½ ft.	Sept., Oct. July. Aug. July. Aug. July. Aug. July. Aug. July. Aug. July. Sept. July-Sept. July-Sept. July-Sept. July-Sept. July-Sept. July-Sept. July-Sept. June, July June, Aug. June June June, July June, Sept. Aug., Sept.
Stenanthium robustum (Mountain Feather Fleece). Stokesia lævis cyanea (Cornflower Aster)	48 48 48 48 48 48 48 48 48 49 49 49	x x x x x x x x x x x x x x x x x x x		x x x x x x x	x x x x		x	x x x x x x x x x	x x x		3 ft. 4 ft. 2-5 ft. 1-2 ft. 1 ft. 4 ft. 4 in. 3-4 in. 3-5 in. 5 in. 2 ft. 2 ft. 2 ft.	July, Aug. July-Oct. July-Oct. July, Aug. June, July May-July June, July May-Aug. May-Aug. May-Aug.

Hardy Herbaceous Plants



	Page	Sunny	Shady	Semi-Shade	White and Shades	Pink	Red	Yellow- Orange	Blue-Purple	Brown	Approximate Height	Flowering
Trillium erectum (Erect Purple Wood Lily) —grandiflorum (Wake Robin)	49			x x	x				x		I ft. I ft.	May May
Tritoma Pfitzeri	49	x					x				2-3 ft.	Aug., Sept.
Tritonia. See Montbretia. Trollius asiaticus, Salamander	49			x				x			1½ ft.	April-June
-asiaticus, Bessie Walkerasiaticus, Canary Bird	49			X X				X			1½ ft. 1½ ft.	May-July April, May
-asiaticus, Earliest of All	49			x				x			1 1/2 ft.	April, May
—asiaticus, Empire Day—europæus (European Globe Flower)	49			X				X			1½ ft. 2 ft.	April, May May, June
-europæus, Excelsior europæus, Golden Sun	49			X X			X				2 ft. 1½ ft.	April-June April-June
-europæus, Gold Quelle	49			x				X		: : :	1 ½ ft.	April-June
—europæus, His Majesty—europæus japonicus flpl	49			X				X			1-2 ft. 1-2 ft.	May, June May, June
—europæus Ledebouri	49			x				x			3-4 ft.	May, June
—europæus, Lichtball—europæus, Orange Globe	49		:::	X				X			1½-2 ft. 2 ft.	May, June May, June
-europæus, Orange Princess	49			x				x			2 ft.	May, June July-Sept.
Tunica Saxifraga	49	X				X					6 in. 3-5 ft.	June, July
Verbascum densiflorum	49	x			x			X			4-5 ft. 6 ft.	June, July June-Oct.
vernale	49	x						x			4 ft.	June, July
Veronica incana	49	x		 X					X		1 ft. 8-15 in.	July, Aug. May, June
—longifolia subsessilis—pectinata	49	x		x					X		2 ft.	Aug., Sept.
-repens	49	X									I-I ½ ft. 2-4 in.	Aug., Sept. May
—spicata —spicata alba		x									I ½ ft. I½ ft.	June, July June, July
-spicata erica	49	X				x					I 1/2 ft.	June, July
—spicata rosea	49	X									1	June, July May, June
—Teucrium	49	x							x		½-I ft.	May, June
—Teucrium rupestris —Teucrium rupestris alba		X							X	:::		May, June May, June
—Teucrium rupestris, Heavenly Blue —Teucrium rupestris rosea	50	X							X			June, July May, June
—Teucrium rupestris Trehani	50	x									I ft.	May, June
, True Blue		X	x	X								June-Aug. April, May
—minor alba	50		X		X						3 in.	April, May
—minor variegata aurea		x	. x	. x	 X							May, June June
Viola Bosniaca	50	x		x		x					8-10 in.	May-Oct. May-Oct.
-, Bowles' Blackcornuta, G. Wermig	50	x		X					X	:::	I ft.	June-Aug.
—cornuta alba, G. Wermig. —gracilis		X							X		I ft.	June-Oct. June-Aug.
Viola, Tufted Pansies								1				
—, Admiration —, Jersey Gem	50	X							X		2.	May-Aug. May-Nev.
—lutea splendens	50	X						X	 X		1/2-I ft.	May-Aug. May-Oct.
-Papilio	50	x							x		1/2-I ft.	May-Aug.
-, Snow Queen	50 50	x					:::				1/2-I ft. 1/2-I ft.	May-Aug. May-Aug.
—, Yellow Gem	50	x						x			1/2-I ft.	May-Aug.
Violets (Viola odorata)	50	x	X	x							6-8 in.	April-June May-Oct.
-, Gov. Herrick, Mr. J. Astor	50		x	X X					X		3-6 in.	April-June May-Oct.
-, Mme. Schwartz	50	x		x					X		I ft.	May-Oct.
-, Prince of Wales	50			x								April-June April-June
-, Souvenir de Mons. Josse	50	x		x					X		I ft.	May-Oct.
-, Double Russian	50	X						: : :	X	: : :		May-Oct. May-Oct.
Yucca filamentosa (Adam's Needle)—filamentosa variegata	50	x x			x						4-6 ft.	June, July June, July
—glauca												June, July





Square Tub No. 13



Square Tub with round



Round Tub



Square Tub No. 1

Plant-Tubs and Boxes for Porches and Lawns

Much can be said in praise of the wood our tubs are made from, namely, "Heart Cypress," but briefly it has proved to be decidedly superior to all other woods, not only in durability but in appearance. It does not need a coating as a filler, as the wood naturally contains a certain amount of oil. Consequently it does not warp, shrink, or swell, and in general it is *the* wood for plant-tubs.

Our workmanship on these tubs is equally good. No tub goes from our shops that has not been thoroughly made, and made to last for years, and our tubs are serviceable for practically every situation.

Sometimes architectural features will call for a more decorative tub, and for such purposes we have designed various other kinds in addition to the ordinary round tub.

Among them the most popular are the square tubs Nos. 1, 2, 12, 13, No. 13 being illustrated here. The prices have been computed so as to be as low as it is possible to make them, consistent with the quality of tub we turn out.

If you need tubs, buy good ones, and they will last you for many years. Most tubs, of course, look alike in the store when they are freshly painted, but it is only after using them for a year or so that their value can be realized.

Bobbink & Atkins' tubs are made not only to look nice, but to last. The designs here mentioned are a few of the many that we make. If you need a special design, we can make it, and will be glad at any time to quote you a price upon any size you may need, if you will be kind enough to furnish a rough sketch showing desired shape.

Round Tubs

PAINTED GREEN-BLACK HOOPS

Inside	diam.										\mathbf{E}	ach
IO or	11-in.	No ha	indle	s.,	 	 					\$1	75
I2 or	13-in.	No ha	ndle	s	 	 					2	25
		Drop										
		Drop										
16 or	17-in.											
18 or	19-in.	Drop	hand	les.	 	 					Ś	oc
	21-in.											
	22-in.											
		Drop										
		Drop										
25 Or	26-in.											
	28-in.											
	30-in.											
29 01	-	11001										

Prices for larger sizes on application

Square Tubs

No. 1. Straight sides; iron bands and feet; ba	
tops painted green; iron bands painted black. Eac	
15 or 16 inches diameter inside\$8 o	
17 or 18 inches diameter inside 10 o	
19 or 20 inches diameter inside	
21 or 22 inches diameter inside	
23 or 24 inches diameter inside	
25 or 26 inches diameter inside 16 5	
27 or 28 inches diameter inside	0

Prices for larger sizes on application

Square Tubs

No. 2. Slanting sides; mission style; painted green.
No. 12. Straight sides; corner posts with ball tops; painted green.

No. 13. Straight sides; lattice work; sandstone finish.

All above designs at the following prices:

						L	acn
IO	or	12	inches	diameter	inside	\$5	00
13	or	14	inches	diameter	inside	6	00
					inside		
17	or	18	inches	diameter	inside	8	50
					inside		
21	or	22	inches	diameter	inside	ΙI	00
23	or	24	inches	diameter	inside	13	00
					inside		
27	or	28	inches	diameter	inside	16	50

Prices for larger sizes on application

Square Tubs, with rounded corners

Sizes 19-24 inches

Prices on application

Heart Cypress Tubs do not warp, shrink or swell—they will last many years.

If you are interested in horticulture, or wish to plant your grounds, do not fail to visit our nurseries and greenhouses. We grow everything for the complete planting of every style of garden.

Bobbink & Atkins Publications

Our beautifully illustrated Catalogue of ROSES

Evergreens (Conifers), and Flowering Broad-Leaved Evergreens, Trees and Shrubs

PEONIES. A complete collection.

NEW HYBRID GIANT FLOWERING MARSHMALLOWS.

IRIS. Description of our collection.

VINES AND CLIMBERS FOR EVERY PLACE AND PLANTING.

BERRIED SHRUBS FOR BIRD GARDENS.

BEAUTIFICATION OF INDUSTRIAL BUILDINGS.

ROCK GARDENS. What plants to use.

FRUITS FOR THE HOME GROUNDS.

Home Grounds: Their Planning and Planting.

LILACS. We grow a very complete collection.

HEART CYPRESS TUBS. We manufacture.

WILL BE MAILED UPON REQUEST

PARCEL POST INSTRUCTIONS

If roses or herbaceous plants are wanted by Parcel Post, add to value of order to cover postage and special packing as follows (remittance by check or postal money-order preferable):

5 per cent additional to the following states: New York, New Jersey, Connecticut, Rhode Island, Massachusetts, Pennsylvania, Delaware, Maryland, New Hampshire, Vermont, Maine, District of Columbia, Virginia.

10 per cent additional to the following states: West Virginia, Ohio, North Carolina, South Carolina, Tennessee, Indiana, Michigan, Kentucky, Alabama, Georgia, Florida Illinois, Louisiana, Iowa, Missouri, Mississippi, Nebraska, Wisconsin.

15 per cent additional to the following states: Arkansas, Kansas, Minnesota, Texas, North Dakota, South

15 per cent additional to the following states: Wyoming, Washington, Utah, Oregon, New Mexico, Nevada, Dakota, Oklahoma.

20 per cent additional to the following states: Wyoming, Washington, Utah, Oregon, New Mexico, Nevada, Montana, Idaho, Arizona, Colorado, California.

SPECIAL HANDLING.

Parcel Post packages will be given better care and quicker delivery if a postal rate of 25 cents extra is added on each package.

Bobbink & Atkins



Rutherford New Jersey