

NEW SERIES.

VOL. LIX.

CXCVI.

JOURNAL  
OF THE  
ASIATIC SOCIETY OF BENGAL.


Vol. LIX, Part II—1890.

SUPPLEMENT, No. 1.

EDITED BY

J. WOOD-MASON, ESQ.

VICE-PRESIDENT.



"The bounds of its investigation will be the geographical limits of Asia : and within these limits its inquiries will be extended to whatever is performed by man or produced by nature."—SIR WILLIAM JONES.

\* \* \* Communications should be sent under cover to the *Secretary*, *Asiat. Soc.*, to whom all orders for the work are to be addressed in India ; or, in London, care of *Messrs. Trübner and Co.*, 57 & 59, *Ludgate Hill*.

CALCUTTA :

PRINTED BY T. S. SMITH, CITY PRESS, 12, BENTINCK ST.,  
AND PUBLISHED BY THE  
ASIATIC SOCIETY, 57, PARK STREET.

1890.

Price (Exclusive of Postage) to Subscribers Re. 1.—To Non-Subscribers, Re. 1 as. 8.  
Price in England. 2 Shillings & six-pence.

Issued April 7th, 1890.



S. (F.)  
A. 2622

# JOURNAL OF THE ASIATIC SOCIETY OF BENGAL.

---

## Part II.—NATURAL SCIENCE.

---

---

### SUPPLEMENT.—1890.

---

1—*Catalogue of the Insecta of the Oriental Region.* No. 2, *Order Coleoptera, Family Carabidæ.*—By E. T. ATKINSON, B. A.

DR. HORN writes that the *Carabidæ* form one of the members of the Adephagous series of Coleoptera, which 'is readily recognized by the predaceous character of its mouth parts, its slender anteunæ (except in the *Gyrinidæ*), pentamerous tarsi, and the structure of the first abdominal segment, which is in all cases divided or hidden by the posterior coxae in such a manner that it is entirely lateral, rarely appearing as a small triangular piece between the posterior coxae.'

The classification of the *Carabidæ* is still unsettled, and, notwithstanding the very great attention paid to this group, there is no generally recognized arrangement that can be followed for the species of the Oriental Region. The number of groups, their extent, relative position, and nomenclature, still leave much to be desired. Leconte, † writing in 1862, remarked:—'Numerous efforts have been made to indicate a rational distribution of the genera, and the attempts commenced by Latreille and Bonelli, and successively improved by the suggestions of Dejean, Erichson, Schiödte, Lacordaire, and myself, have finally, in the expert hands of Schaum,\* assumed a form in which probably permanent results have been obtained.'

† 'Classification of the Coleoptera of North America,' in Smithsonian Miscellaneous Collections, 1862.

\* Naturg. Ins. Deutschl, 1860, and 'Das system der Carabidinen,' in Berlin. Ent. Zeits., iv, 1860, p. 161.

Following the suggestions of the later authors, Leconte divided the whole family into three sub-families, formed thus :—

Middle coxæ distant ;

Epimera of the mesonotum reaching the coxæ ... 1. CARABIDÆ.

Epimera of the mesonotum not reaching the coxæ ... 3. HARPALIDÆ.

Middle coxæ contiguous ... ... ... 2. OZÆNIDÆ.

In the *Carabidæ*, he placed the tribes *Omophronini*, *Hiletini*, *Carabini*, and *Scaritini*. To the second sub-family he attached the *Ozænini* and *Pseudomorphini*, and all the rest to the third sub-family. Leconte, writing of the Coleoptera of North America, did not indicate the position of the extra-American genera.

In 1880, † Kölbe, starting with the hypothesis that the land-beetles are later than the water-beetles, and that the points common to both are of primary value in classification, divided the family '*Carnivora*' into six sections, which are further subdivided into groups. His arrangement, however, does not help us, and the placing of the family *Cicindelidæ* as a simple subsection of one of his groups does not appear to be correct.

In 1881, Dr. G. H. Horn, ‡ reviewed the genera of the *Carabidæ* of North America, and, in doing so, gave the following arrangement of the Adephagous families, which is followed in the present catalogue :—

I. Metasternum with an ante-coxal piece, separated by a well-marked suture, reaching from one side to the other, and extending in a triangular process between the coxæ.

Antennæ 11-jointed : posterior coxæ mobile and simple ; habits terrestrial.

Antennæ inserted on the front above the base of the mandibles :  
*Cicindelidae*.

Antennæ arising at the side of the head, between the mandibles and the eyes :  
*Carabidae*.

Antennæ 10-jointed : posterior coxæ fixed, and with large plates almost entirely concealing the abdomen : habits aquatic :  
*Haliphiidae*.

II. Metasternum with a very short ante-coxal piece, the suture indistinct, posteriorly not prolonged between the coxæ : habits aquatic : legs ambulatorial : anterior coxæ globular :

*Amphizoidæ*.

Legs natatorial : anterior coxæ conical :  
*Pelobiidae*.

† *Natürliches System der Carnivoren Coleoptera*, in Deutsche Ent. Zeits., xxiv, 1880, p. 258.

‡ 'On the genera of the Carabidæ, with special reference to the fauna of Boreal America,' in Trans. Amer. Ent. Soc., 1880, p. 91-196.

III. Metasternum prolonged behind in a triangular process, the antecoxal piece entirely wanting : habits aquatic.

Antennæ slender, filiform or setaceous, abdomen with six segments : eyes two : *Dytiscidae*.

Antennæ irregular, very short : abdomen with seven segments of which the first two are closely united : eyes four : *Gyrinidae*.

The *Carabidæ* are divided into three sub-families :—

Middle coxal cavities not entirely enclosed by the sterna, the epimeron of the mesosternum attaining the coxae : *Carabinae*.

Middle coxal cavities entirely enclosed by the sterna, the epimeron of the mesosternum not attaining the coxae.

Head without antennal grooves beneath and with distinct super-orbital setæ : ambulatorial setæ of abdomen usually well developed. *Harpalinae*.

Head with distinct, usually long, antennal grooves beneath, and without distinct super-orbital setæ : ambulatorial setæ of the abdomen feeble or wanting. *Pseudomorphinae*.

The Harpalinae are further subdivided into two sections, the first in which the head has two super-orbital setigerous punctures, the second in which there is but one. The groups included in the subfamilies are as follows :—

<b>Carabinae.</b>	13. <i>Promecognathini</i> .	25. <i>Licinini</i> .	38. <i>Cratocerini</i> .
1. <i>Omophronini</i> .	14. <i>Enceladini</i> .	26. <i>Platynini</i> .	39. <i>Orthogonini</i> .
2. <i>Trachypachini</i> .	15. <i>Scaritini</i> .	27. <i>Anchanoderini</i> .	<b>Harpalinae II</b> .
3. <i>Cychrini</i> .	<b>Harpalinae I.</b>		40. <i>Brachynini</i> .
4. <i>Carabini</i> .	16. <i>Panagæni</i> .	28. <i>Ctenodactylini</i> .	41. <i>Apotomini</i> .
5. <i>Pamborini</i> .	17. <i>Siagonini</i> .	29. <i>Odacanthini</i> .	42. <i>Broscini</i> .
6. <i>Hiletini</i> .	18. <i>Ozænini</i> .	30. <i>Dryptini</i> .	43. <i>Zacotini</i> .
7. <i>Elaphrini</i> .	19. <i>Nomiini</i> .	31. <i>Mormolycini</i> .	44. <i>Peleciini</i> .
8. <i>Loricerini</i> .	20. <i>Psydrini</i> .	32. <i>Agrini</i> .	45. <i>Chlaenini</i> .
9. <i>Nebriini</i> .	21. <i>Morionini</i> .	33. <i>Egini</i> .	46. <i>Zabrinii</i> .
10. <i>Migadopini</i> .	22. <i>Bembidiini</i> .	34. <i>Lebiini</i> .	47. <i>Harpalini</i> .
11. <i>Metriini</i> .	23. <i>Pogonini</i> .	35. <i>Helluonini</i> .	48. <i>Pseudomorphinae</i>
12. <i>Myrtopomini</i> .	24. <i>Pterostichini</i> .	36. <i>Graphiptorini</i> .	
		37. <i>Anthiini</i> .	

Several of these groups are further subdivided, but these details need not be noticed here.

M. Borré writes of this arrangement :—‘ Beaucoup des genres prennent ainsi des places bien différentes de celles où nous sommes accoutumés de les voir ; déjà, dans l’arrangement des tribus, nous avons pu voir que des affinités consacrées par un usage pour ainsi dire général, sont tout à fait brisées, et je dois dire avec justice, car tous ceux qui ont approfondi un peu la matière le savent, il y avait dans notre classification que trop de traces de cette mesquine étude que l’on peut l’appeler l’entomologie

de clocher, c'est-à-dire que les premiers auteurs s'étaient mis en route avec l'insoutenable préjugé que notre petite Europe allait nous offrir l'abrégé exact de la nature du globe, et la possibilité de formuler par elle seule le système de cette nature.' The arrangement, however, has been adopted in Leconte and Horn's edition\* of Leconte's work on the classification of American Coleoptera already noticed, and in most of the later European catalogues. There still remains the task of amalgamating the groups of all countries in one list.

Another attempt at the classification of the *Carabidae* has been made by M. des Gozis.† This is based principally on the presence or absence of setigerous pores in the pronotum. He distributes the genera into six sections, but this arrangement appears to bring together genera incongruous in other respects, *Oodini*, *Omophronini*, *Dryplini* and *Zabriini* in the first group; *Brachynini* and *Harpalini* in the second group; whilst the fifth group contains an agglomeration of apparently widely distinct genera.

Mr. Sharp, in a paper‡ on the *Carabidae*, quotes Leconte's remarks already noticed, and adds:—'The learned and energetic American expert had himself contributed greatly, probably as much or more than any other of the authors he mentions, to the rational system of classification he describes, and had no doubt done so at the expense of great labour and time, but the lapse of time has not altogether justified his expression of reliance as to the permanency of the results then reached. Duval, Chandoir, C. J. Thomson and others have worked, since Leconte, at the classification of these insects, and each has contributed more or less to our knowledge, and has thus induced change. The genera of a large number of groups have been entirely remodelled by Chandoir; while of the larger groups it may be truly said that at present but little accord exists as to their limits and arrangement, except in the case of certain comparatively small and isolated groups.'

Mr. Sharp further remarks:—'Indeed I am, myself, of opinion that classification of the groups superior in complexity to genera is at present (1883) so extremely far from approximation to the actual facts, and that these groups will thus probably in future assume a totally different form, that we should do well to refrain from giving them names at all,

\* 'Classification of the Coleoptera of North America,' by J. L. Leconte and G. H. Horn, in Smithsonian Miscellaneous Collections, 1883; and separate, 1888. Bibliography of the American Carabidae, *ib.*, p. 536.

† 'Mémoire sur les pores sétigères prothoraciques dans la tribu des Carnivores,' in MT Schwe. Ent. Ges. vi, 1882, p. 285.

‡ Trans. Ent. S. Lond., 1883, p. 61. 'On the classification of the Adephaga, or carnivorous series of the Coleoptera.'

and contenting ourselves with the simple method of numbering the tribes or groups, instead of naming them.' As pointed out by Mr. Sharp, the number of tribes, or groups of genera, in each sub-family is greater than those given by Dr. Horn, whose investigations refer mainly to the species of North America. Mr. Sharp also remarks that, in the case of many of the tribes adopted by Dr. Horn, that writer makes use of the same names for them as have been used by his predecessors, although giving to those names a widely different extension or meaning. Though this is the usual plan, it gives to classifications a false appearance of accord and permanence, and also, by giving to the names the sanction of long use, tends to make them appear in the eyes of many of more importance than they are in fact. With these remarks I thoroughly concur, and any one who has had to study the literature of the *Carabidae*, will, I am sure, endorse them. In preparing this paper, I have found that it would be possible almost to count as a group\* each genus, and I consider the best course is to arrange the genera as near as possible in the groups that have been established with some authority, and then to give fairly full references†, which those who have the knowledge and material can hereafter work out for themselves. I possess neither the time nor the material necessary for this purpose, and my object is merely to help others by giving a list of the recorded species from the Oriental Region.‡

**Bates H. :—**

On the group *Pericalini* :—Ent. Mon. Mag., vi. 1869. p. 69.

” ” *Lachnophorini* :—l.c. viii. 1871. p. 29.

*Biologia Centrali-Amer.*, Col. i (i), 1881.

**Bonelli, F. A. :—**

‘Observations entomologiques,’ in *Mémoires de l’ Académie Impériale des Sciences, Littérature et Beaux-arts, classe de Physique et de Mathématique, pour les années, 1809-10.* Turin, 1809, p. 21 : *ibid.*, 1813 p. 442. [My copy does not contain the *tab. syn.* quoted by authors.]

**Brulle, A. :—**

*Histoire naturelle des Insectes, par M M Audouin et Brullé. (Coléoptères).* iv-vi. Paris, 1834.

\* Let any one compare the notes in the *Zoological Record* for a series of years, and he will at once appreciate the extent of the existing confusion, which the *Zoologischer Jahresbericht* got over by giving the genera in alphabetical order.

† A list follows of the principal papers of Chaudoir, Putzeys, Bates, and others on classification.

‡ A few extra-Oriental species, marked by an asterisk, are given from the collection made by the Yarkand Mission of which the types are in the Indian Museum. The species identified in the Indian Museum have the precise locality in angular brackets.

**Chaudoir, M. le Baron de :**—

*Bulletin de la Société Impériale des Naturalistes, Moscou.*

- 1.—Genres nouveaux et espèces nouvelles des *Carabiques*, *ib.* :—x (3), 1837, p. 1 ; (7) p. 3.
- 2.—Tableau d'une nouvelle subdivision du genre *Feronia*. *ib.*, xi (1), 1838, p. 1.
- 3.—Genres nouveaux *ib.*—xv, 1842, p. 832 ; xvi, 1843, p. 383, 671.
- 4.—Trois Mémoires sur la famille des *Carabiques* : *ib.*, xvii, 1844, p. 415.
- 5.—Note sur le groupe des *Stomides* : *ib.*, xix (2), 1846, p. 511.
- 6.—Mémoire sur la famille des Carabiques, I., *ib.*, xxi (1), 1848, p. 1 :—Odacan-thini (p. 26), Pericalus (111). II, *ib.*, xxiii (1), 1850, p. 1 :—Drypta, p. 33, Anthia (41), Callida (51), Catascopus (349), Coptodera (356), Pristonychus (379), Dieranoneus (392), Callistus (394), Lasiocera (402), Omophron (424). III, *ib.*, xxv (1), 1852, p. 1 :—Triplogenius (p. 71). IV, *ib.*, xxvii (1), 1854, p. 112, 279 :—Ozaenii (p. 279). V, *ib.*, xxviii (1), 1855, p. 1 :—Scaritini (p. 5). VI, *ib.*, xxix (3), 1856, p. 187 :—Chlaenini, xxx (3), 1857, p. 1.
- 7.—Materiaux pour servir à l'étude des *Cicindelètes* et des *Carabiques*, *ib.*, xxxiii (4), 1860, p. 269 (*Cicindelidae*) : xxxiv (1), 1861, p. 491 :—Cychrini (p. 493), Carabini (502), Nebriini (504), Opisthius (505), Hiletini (506), Dendrocellus (545), Drypta (546), Galerita (551), Anthia (561) : *ib.* (2), p. 335 :—Revision de l'ancien genre *Panagaeus* :—Epicosmus (p. 335), Peronomerus (354), Euschizomerus (351).
- 8.—*ib.*, xxxv (1), 1862, p. 275 :—Casnonia (p. 275), Dicraspeda (300) Helluodes (302), Physotraphus (303), Pogonoglossus (301), Zuphium (310).
- 9.—Essai monographique sur le genre *Abacetus*, xlii (1), 1869, p. 355.
- 10.—Monographic des *Graphiptérides*, *ib.*, xlili (1), 1870, p. 281.
- 11.—Monographic des *Lébiides*, *ib.*, xlili (2), 1870, p. 111 :—Dietya (p. 123), Nematopeza (146), Lebia (162) : *ib.*, xliv (1), 1871, p. 1 :—Stephanas (p. 55).
- 12.—Observations sur quelques genres des *Carabiques*, *ib.*, xlv (1), 1872, p. 382 :—Callistomimus (p. 382), Casnonia (397).
- 13.—Materiaux pour servir à l'étude des *Feroniens* ;—xlvi (2), 1873, p. 85 ; *ib.*, xlvii (1), 1874, p. 1 :—Aepsira (p. 29).
- 14.—Etude monographique des *Masoréides*, et des *Tetragonodérides*, *ib.*, li (3), 1876, p. 1 :—Capnora (p. 8), Masoreus (11), Cyclosomus (27), Tetragono-derns (33), Mnuphorus (69), Tilius (71).
- 15.—Monographic des *Siagonides*, *ib.*, 1 (1), 1876, p. 62 :—Siagona (p. 76), Coscinia (115).
- 16.—Genres nouveaux et espèces inédites des Carabiques :—*ib.*, llii (3), 1878 p. 1 :—Rhathymus (p. 7), Tropidocerus (9), Abacetus (25), Triplogenius (31).
- 17.—Essai monographique sur les *Morionides*, *ib.*, lv (1), 1880, p. 317 :—Morio, Morionidius.

*Annales de la Société Entomologique de France.*

- 1.—Genres et espèces des *Carabiques* nouveaux :—iv, 1887, p. 429.
- 2.—Monographic du genre *Colpodes*, Maclay :—(3 s.) vii, 1859, p. 287.
- 3.—Revision des genres *Dieranoneus* and *Colpodes* ; (5 s.) viii, 1878, p. 275.
- 4.—Monographic des *Ooidées* :—(6 s.) ii, 1882, p. 317, 485.

*L'Abeille.*

- 1.—Monographie du genre *Pacilus* :—xvi, 1876, p. 1.  
*Annales de la Société Entomologique de Belgique.*
- 1.—Révision du groupe des *Ozénides*, xi, 1867-68, p. 43 :—Picrus (p.45), Itamus (51), Eustra (71).
- 2.—Révision des *Trigonotomides*, l. c., p. 151 :—Triplogenius (p. 154), Trigonomoma (158).
- 3.—Mémoire sur les *Thyreopterides*, xii, p. 113 :—Brachichila (p. 123), Tantillus (126), Sinurus (129), Morinolyce (131), Serrimargo (134), Peripristus (135), Thyreopterus (141), Miscelus (152), Holcoderus (153), Catascopus (158), Pericallus (158).
- 4.—Mémoire sur les *Coptodériades*, ib., p. 163 :—Coptodera (p. 163), Lioptera (208), Moctherus (210), Dolichocritis (215), Brachycitis (252).
- 5.—Essai monographique sur le groupe des *Pogonides*, ib., xiv, 1870-71, p. 21 :—Pogonus (p. 23), Patrobus (40).
- 6.—Essai monographique sur les *Orthogoniens*, ib., xiv, 1870-71, p. 95 :—Orthogonius (p. 98), Hexachaetus (124), Actenoncus (126).
- 7.—Essai monographique sur les *Drimostomides* et les *Cratocérides*, ib., xv, 1872, p. 5 :—Drimostoma (p. 9), Stomouaxus (13), Diceromerus (15).
- 8.—Monographie des *Callidides*, ib., xv, 1872, p. 97 :—Callida (p. 103), Crossoglossa (177), Bothynoptera (181), Endynomena (186).
- 9.—Monographie des *Brachynides*, ib., xix, 1876, p. 11 :—Pheropsophus (p. 16), Brachynus (49), Styphlomerus (87), Mastax (97).
- 10.—Essai monographique sur les *Panagéides*, ib., xxi, 1878, p. 83 :—Brachyonychus (p. 86), Epicosmus (104), Eudema (133), Microcosmus (139), Dischissus (149), Euschizomerus (157), Peronemerus (162), Trichisia (164).
- 11.—Monographie des *Scaritides* ib., xxii, 1879, p. 124-181 ; xxiii, 1880, p. 5-130 :—Oxylobus (p. 129), Coptolobus (159), Distichus (p. 44), Scarites (63.)

*Annali Museo Civico di Genova.*

- 1.—Monographie des *Chlénies* :—viii, 1876, p. 5 :—*Chlaenius* (p. 10), *Hololius* (290), *Rhopalistes* (291).
- 2.—*Féronides* from Australia :—vi, 1874, p. 568 : *Harpaliens* from Australia. xii, 1878, p. 475.

Clairville, J. de :—

Entomologie Helvétique, ou Catalogus des insectes (Coléoptères) de la Suisse. Zurich, 1798 ; vol. ii, 1806.

Curtis, J. :—

British Entomology being Illustrations and Descriptions of the genera of insects found in Great Britain and Ireland. London, 1823-40.

Dejean, P. F. :—

Species général des Coléoptères. Paris, 1825-31.

Iconographie et Histoire naturelle des Coléoptères d'Europe. Paris, 1829-40.

Erichson, W. F. :—

Die Käfer der Mark Brandenburg. Berlin, 1837, 1839.

Fabricius, J. C. :—See Cat. *Capsidæ*, p. 23.

**Fischer, G. :—**

Entomographia imperii Russici, iii, Moscow, 1825-28.

**Herbst, J. F. W. :—**

Kritisches Verzeichniß meiner Insecten-Sammlung (Col.), in Archives de l' histoire des insectes par J. Füssly, 1784 ; in French by Winterthür, 1794.

**Kirby, W. :—**

Fauna boreali-Americana, Zool., iv. Norwich, 1837.

**Lacordaire, J. T. :—** Genera des Coléoptères. I, Paris, 1851.

Faune entomologique des environs de Paris. Paris, 1835.

**Latreille, P. A. :—**

Histoire naturelle générale et particulière des Crustacés et des Insectes. Paris, 1802-1805.

Genera Crustaceorum et Insectorum, secundum ordinem naturalem in familias disposita, &c. Paris, i, iii, 1806-7.

**Motschoulsky, V. :—**

A list of the genera and species described by this author (1834-1867) will be found in the Supplement to vol. iv of the Horae Societatis entomologicae Rossicæ. St. Petersburg, 1868.

Enumération des nouvelles espèces des Coléoptères rapportées de ses voyages iv, Bull. Mosc., xxxvii (3), 1864, p. 171, 297 ; ib., xxxviii (4), 1865, p. 227.

Essai d'un Catalogue des Insectes de l'île Ceylon. Bull. Mosc., xxxiv (1), 1861, p. 95.

**Olivier, A. G. :—**

Entomologie ou Histoire naturelle des Insectes. Paris, 1789-1808.

**Panzer, G. W. F. :—**

Faunæ insectorum Germaniæ initia. Nürnberg, 1793-1809.

**Putzeys, J. :—**

1.—Monographie des *Clivines* et des genres voisins. Mém. de la Soc. Roy. Liège, ii, 1846.

2.—Postscriptum ad *Clivinidarum* Monographiam, l. c., xviii, 1862.

3.—Révision générale des *Clivinides*, Ann. Soc. Ent. Belg., x, 1866-67, p. 1-225.

4.—Supplément à la Révision générale des *Clivinides*, l. c., xi, 1867-68, p. 1-22.

5.—Deuxième supplément à la même, l. c., xvi, 1873, p. 10.

6.—Monographie des *Calathides*, l. c., xvi, p. 19.

7.—*Broscosoma*, Carabidum genus novum. Brussels, 1846.

8.—Les Broscides, Stettin Ent., Zeit., 1868, p. 304 :—*Broscosoma*, p. 253.

9.—Etude sur les Amara de la Collection de Chaudoir. Liège, 1866.

10.—Monographie des Amara. L'Abeille, 1871, p. 100.

11.—Tecchorum oculatorum monographia. Stettin Ent. Zeit., 1870.

**Stephens, J. F. :—**

Illustrations of British Entomology, or a Synopsis of indigenous insects. Mandibulata. Col. I-VI. London, 1828-32.

A Manual of British Coleoptera. London, 1839.

A Systematical catalogue of British Insects. London, 1829.

**Wiedemann, C. R. W. :—**

Zoologisches Magazin, Vol. i. (3), 1819 ; ii (1), 1823.

German's Magazin der Entomologie, iv, 1821, p. 107.

**OMOPHRONINI :—**

Laeordaire, Gen. Col., i, 1854, p. 41 : Horn, Gen. Carab., p. 105 : Leconte and Horn, Class. Col., 1883, p. 6.

**Genus OMOPHRON.**

Latreille, Hist. Nat. Ins., iii, 1802, p. 89 : Laeord., Gen. Col., i, p. 42 : Mun. Cat., p. 42 : Chaudoir, Rev. Mag. Zool., 1868, p. 51 : Bates, Biol. Centr. Amer. Col., i, p. 19.

*Epactius*, Schneider (1791), *texte Bergr.*, Berlin, Ent. Zeits., 1884, p. 229.

*Homophron*, Zool. Rec., 1875, p. 279.

*Scolytus*, pt. Fabr., Ent. Syst., i, 1792, p. 180.

**Brettinghamiae.** Pascoe, Jour. Ent., i, 1860, p. 38.

Hab. India.

**maculosus**, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 424.

Hab. N. India.

**pictus** (*Scolytus*), Wiedemann, Zool. Mag., ii (1), 1823, p. 69.

Hab. India, Bengal.

**vittatus** (*Scolytus*), Wiedemann, l. c., p. 69.

Hab. India, Bengal.

**CYCHRINI :—**

Horn, Gen. Carab., 1881, p. 107 : Leconte & Horner, Class. Col., 1883, p. 7.

[ M. Géhin (Cat. Carab., 1885) places the *Cychrini* with the *Carabini* which he describes as comprising three genera, designated sub-tribes by him, *Cychrus*, *Carabus* and *Calosoma*, each with numerous sub-divisions. M. Géhin writes :—" Tous les groupes que je viens d'examiner ont pour moi la même valeur systématique, ce sont des sous-genres des *Carabus*, *Calosoma* et *Cyhrus*. Si dans le synopsis j'ai fait préélever leur nom des mots 'genre' ou 'sous-genre', c'est pour montrer le peu d'harmonie qui existe entre les entomologistes". For the reasons given by Dr. Horn (l. c. supra), the *Cychrini* are retained as a separate group, and I give the other names as subgenera or synonyms, except *Coptolabrus* and *Damaster* which appear to be well established genera].

**Genus CYCHRUS.**

Fabricius, Skrift. Nat. Selsk., iii (2), 1794, p. 68-71 : Clairv., Ent. Hel., ii, p. 116 t. 19 : Latr., Hist. Crust., iii, p. 90 : Laeord., Gen. Col., i, p. 62 : Chaudoir, Bull. Mosc., xxxiv (1), 1861, p. 493 : Mun. Cat., p. 82 : Gehin, Cat., 1885, p. xxxvi, 73.

*Brennus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 311 : Gehin, Cat., p. xxxvii, 75.

*Irichrous*, Newman, Ent. Mag., v., 1838, p. 385 : Gehin, Cat., p. 71.

*Pemphus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 312 : Gehin, Cat., p. xxxvi, 73.

*Scaphonotus*, Latreille, Jc. Règne Anim., i, 1822, p. 87 : Mun. Cat., p. 84 : Gehin, Cat., p. xxxvi, 71.

*Sphaeroderus*, Dejean, Spec., ii, 1826, p. 14 : Mun. Cat., p. 84 : Gehin, Cat. p. xxxvi, 72.

*Davidis*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 307.

Hab. Yunnan.

*yunnanus*, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.

Hab. Yunnan.

#### CARABINI:—

Horn, Gen. Carab., p. 108 : Leconte and Horn, Class. Col., p. 9.

#### Genus CARABUS.

Linn, Syst. Nat., i (2), 1767, p. 668 : Lacord., Gen. Col., i, p. 54 : Chandoir, Bull. Mosc., xxxiv (1), 1861, p. 502 : Mun. Cat., p. 57 : Gehin, Cat. Carab., 1885, p. xi, xxv : Kraatz, Deutsche Ent. Zeits., 1878, passim ; xxx, 1886, p. 225 : Morawitz, Mém. Acad. St. Petersb., xxxiv, 9, 1886, p. 1.

*Acoptolabrus*, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 17.

*Alogocarabus*, Morawitz, l.c., p. 60.

*Aplothorax*, Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 207 : Lacord., Gen. Col., i, p. 58 : Gehin, Cat., p. xxviii, 54.

*Apotomopterus*, Hope, Col. Man., ii, 1838, p. 48 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 281—*Morphocarabus*, Gehin, Cat., p. 16.

*Arohicarabus*, Seidlitz, Fauna Baltica (2 ed.), 1887, p. 6 : Kraatz, Deutsche Ent. Zeits., xxxi, 1887, p. 362.

*Autocarabus*, Seidlitz, l.c., p. 7 : Kraatz, l.c. *supra*, p. 362.

*Axinocarabus*, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 55.

*Calocarabus*, Séménow, Hor. Ent. Ross., xxi, 1887, p. 166.

*Cathaicus*, Bates, Ent. Mon. Mag., 1872, p. 32 : Kraatz, Deutsche Ent. Zeits., 1878, p. 151 : Gehin, Cat., p. xv, 13.

*Cechenes*, Fischer, Ent. Imp. Russ., i, 1822, p. 110 : Gehin, Cat. p. xxiv, 39.

*Cechenochilus*, Motsch., Ins. Russ., 1846, p. 74, note. : Gehin, Cat., p. xxiv.

*Ceroglossus*, Solier, Mém. Acad. Turin., 1848, p. 10 ; *id.*, Truqui and Baudet, Stud. Ent., p. 49 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 283 : Gehin, Cat., p. xxviii, 54.

*Chætocarabus*, G. Thoms., Op. Ent., 1875, p. 654 : Gehin, Cat., p. xxv, 40.

*Chætomelas*, G. Thoms., l.c., p. 635 : Gehin, Cat., p. xii, 5.

*Chrysocarabus*, G. Thoms., l.c., p. 692 : Gehin, Cat., p. xxv, 41.

*Cratocephalus*, Kirsch, Stettin. Ent., Zeit., 1859, p. 199 : Gehin, Cat., p. xvi, 13.

*Ctenocarabus*, G. Thoms., Op. Ent., 1875, 683 : Gehin, Cat., p. xxvi, 44.

*Eucarabus*, Gehin, 1876 ; Cat., p. xxi, 29.

*Eupachys*, Chandoir, Stettin, Ent. Zeit., 1857, p. 80 : Gehin, Cat., p. xvi, 13.

*Eurycarabus*, Gehin, 1876 ; Cat., p. xxi, 33 : Kolbe, Ent. Nachr., xii, 1886 p. 273.

*Hutelocarabus*, Gehin, 1876 ; Cat., p. xix, 22.

*Goniagnathus*, Kraatz, Deutsche Ent. Zeits., 1883, p. 361 : Gehin, Cat., p. xvii, 14.

*Gonocarabus*, Gehin, Cat., p. xvii, note, = preceding.

*Hadreocarabus*, G. Thoms., Op. Ent., 1875, p. 646 : Gehin, Cat., p. xvi, 13 : Ganglb., Deutsche Ent. Zeits., 1886, p. 228.

- Hemicarabus*, Gehin, 1876 ; Cat., p. xix, 24.  
*Hygrocarabus*, G. Thoms., Op. Ent., 1875, p. 682 ; Gehin, Cat., p. xix, 25.  
*Iniopachys*, Solier, Mém. Acad. Turin., 1848, p. 10 ; *id.*, Truqui & Baudet's Stud. Ent., i, p. 58 : Gehin, Cat., p. xxiv, 40.  
*Ischnocarabus*, Kraatz, Deutsche Ent. Zeits., 1877, p. 78 : Gehin, Cat., p. xiii, 8.  
*Lamprocarabus*, G. Thoms., Opusc. Ent., 1875, p. 673, Gehin, Cat., p. 9.  
*Lamprostus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 297 : Gehin, Cat., p. xiv, 8.  
*Leptocarabus*, Gehin, Cat., p. xxiii, 36.  
*Limnocarabus*, Gehin, 1876 ; Cat., p. xx, 25.  
*Lipaster*, Motsch., Bull. Mosc., xxxviii (4) 1865, p. 296 : Gehin, Cat., p. xiv, 9.  
*Macrogenus*, Motsch., *l.c.*, xix (2), 1846, p. 346 : Gehin, Cat., p. xii, 4.  
*Macrothorax*, pt. G. Thoms., Opusc. Ent., 1875, p. 691 : Gehin, Cat., p. xxii, 35.  
*Megodontus*, Solier, Mém. Acad. Turin, 1848, p. 10, Gehin, Cat., p. xiv, 9.  
*Melanocarabus*, G. Thoms., *l.c. supra*, p. 674 : Gehin, Cat., p. 6.  
*Mesocarabus*, G. Thoms., *l.c.*, p. 678 : Gehin, Cat., p. xvii, 14.  
*Mimocarabus*, Gehin, 1876 ; Cat., p. xxviii, 53.  
*Morphocarabus*, Gehin, *l.c.*, p. xviii, 16.  
*Nioplectes*, Reitter, Wien Ent. Zeit., 1885, p. 27 ; *ib.*, vi, p. 104 : Gehin, Cat., 36.  
 { *Oreocarabus*, Gehin, 1876 : Cat., p. xxvi, 44.  
 { *Oreinocarabus*, Kraatz, Deutsche Ent. Zeit., 1877 : *ib.*, xxxi, p. 362 : Ent. Nach., xiii.  
*Pachycranion*, Solier, Mém. Acad. Turin, 1848, p. 10.  
*Pachycranius* (Solier), Gehin, Cat. p. xv, 12.  
*Pachystus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xii, 5.  
*Pagocarabus*, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 45.  
*Pantophyrtus*, Thieme, Berl. Ent. Zeits., 1881, p. 98 : Gehin, Cat., p. xvii, t. 9. p. 14.  
*Paraplesius*, Morawitz, Mém Acad. St. Petersb., xxxiv (9), 1886, p. 51.  
*Platycorus*, Kolcnati, Mel. Ent., i, 1845, p. 24 : Gehin, Cat., p. xxiv, 39.  
*Plectes*, Fischer, Ent. Imp. Russ., i, 1817, p. 19 ; ii, 1824, p. 53 : Gehin, Cat. p. xxiii 36 ; Reitter, Wien. Ent. Zeit., 1887, p. 104.  
*Procerus*, Dejean, Spec., ii, 1826, p. 22 : Lacord., Gen. Col., i, p. 52 : Gehin, Cat., p. xi, 1.  
*Procrustes*, Bonelli, Mém. Acad. Turin, 1809, p. 39 ; Lacord., Gen. Col., i, p. 53 : Gehin, Cat., p. xi, 2.  
*Procrusticus*, White, Ann. Mag. N. H. 1845, p. 111 ; Gehin, Cat., p. xii, 5 : Ganglb., Deutsche Ent. Zeits., 1887, p. 146.  
*Pseudotribax*, Kraatz, Deutsche Ent. Zeits., 1884, p. 217 : Gehin, Cat., p. xiv, 9.  
*Rhabdotocarabus*, Seidlitz, Fauna Baltica (*ed. 2*), 1887, p. 6.  
*Sphodristus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xi, 4 : Kraatz, Deutsche Ent. Zeits., xxxi, p. 146.  
*Sphodristocarabus*, Gehin, 1876 ; Cat., p. xx, 27 : Ganglb., Deutsche Ent. Zeits., xxxi, 1887, p. 129.

*Trachycarabus*, Gehin, 1876, Cat. p. xxvii, 44.

*Tribax*, Fischer, Bull. Mose., v, p. 483 : G. Thoms., Op. Ent., 1875, p. 670 : Gehin, Cat., p. 8 : Ganglbauer, Deutsche Ent. Zeits., xxx, 1886, p. 305 : Reitter, Wien Ent. Zeits., 1887, p. 186.

*Albrechtii* (*Morphocarabus*), Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 237 : Bates, Trans. Ent. S. Lond., 1873, p. 233 : Gehin, Cat., p. 17.

*fiduciarius*, G. Thoms., Op. Ent., 1875, p. 728 (*nec* J. Thoms.).

var. *corvinus*, Motsch., Bull. Mose., xxxviii (4), 1865, p. 283.

,, *Lewisii*, Bates, Trans. Ent. S. Lond., 1883, p. 229.

,, *Mayasanus*, Bates, l. c., 1873, p. 232 ; id. 1883, p. 230.

,, *multistriatus*, Motsch., Bull. Mose., xxxviii (4), 1865, p. 283.

,, *l. striatus*, Chaudoir. q. v.

Hab. Japan, Canton.

*caschmirensis* (*Megodontus*), Kollar, in Hügel's Kaschm., iv (2), 1844, p. 499, t. 23, f. 4 : Gehin, Cat., p. 10.

var. *lithariophorus*, Tatum, Ann. Mag. N. H., xx, 1847, p. 14.

Hab. Himalaya, Kashmir [*Ind. Mus.*, Murree].

*coriacipennis* (*Trachycarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xv, 1863, p. 114 : Gehin, Cat., p. 53.

Hab. China.

*Davidis* (*Morphocarabus*), Deyrolle and Fairm., Ann. Soc. Ent. Fr., (5 s.) viii, 1878, p. 87, t. 3, f. 4 : Gehin, Cat., p. 16.

Hab. Middle China.

*Delevayii*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Fr., l.c., (6 s.) vi, 1886, p. 308.

Hab. Yunnan.

*Fœæ*, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 106.

Hab., Burma, Bhamo, Kachin-Kauri.

*fiduciarius* (*Morphocarabus*), J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 338, t. 9, f. 3. : Gehin, Cat., p. 16.

Hab., China [*Ind. Mus.*, China].

*Hienfoungii* (*Eucarabus*), J. Thomson, Arch. Ent., i, 1857, p. 166 : Gehin, Cat., p. 29.

Hab. China [*Ind. Mus.*, China].

*indicus* Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ix, 1889, p.

Hab. Sikkim [*Ind. Mus.*, Darjiling].

*insulicola* (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 232 ; ib., 1876, p. 2 : Gehin, Cat., p. 17.

*Kaempferii*, G. Thomson, Opusc. Ent., 1875, p. 729.

Hab. Japan, Canton (*Putzeys*).

*prodigus* (*Morphocarabus*), Erichson, Nova Acta Leop. Car. Nat. Cur., xvi, Suppl., 1834, p. 221, t. 37, f. 1 : (*Apotomopterus*) Hope, Col. Man., ii, p. 47 : Gehin, Cat., p. 16.

Hab. China [*Ind. Mus.*, China].

*Stoliczkanus* (*Morphocarabus*), Bates, Proc. Zool. S. Lond., 1878, p. 713 : Gehin, Cat., p. 17, 77.

Hab. India, Murree [*Ind. Mus.*, type].

- striatus* (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 25.  
 ? = *Albrechtii*, Morawitz, q. v.  
 Hab. China.
- Tisntsii* (*Morphocarabus*), J. Thomson, Arch. Ent., i, 1857, p. 165 : Gehin, Cat., p. 16.  
 Hab. China.
- viridifossulatus*, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.  
 Hab. Tibet, Moupin.
- Wagas* (*Sphodristocarabus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ii, 1882, p. 65 :  
 Gehin, Cat., p. 28.  
 Hab. N. India.
- Wallichii* (*Oreocarabus*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 46.  
*Boysii*, Tatum, Ann. Mag. N. H., viii, 851, p. 51.  
 Hab. Nepal.
- yunnanus*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 309.  
 Hab. Yunnan.

### Genus COPTOLABRUS.

- Solier, Truqui and Baudet's Stud. Ent., i, 1848, p. 58 : Mun. Cat., p. 77 : Gehin, Cat., p. xxii, 35.  
*Macrothorax*, pt., G. Thoms., Opusc. Ent., 1875, p. 691.
- Elysi*, J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 337, t. 9, f. 2 :  
 Gehin, Cat., p. 35.  
 Hab. E. China.
- gsmmifsr*, Fairmaire, Bull. Soc. Ent. Fr., (6 s.) vii, 1887, p. xxvii ; Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.  
 Hab. Yunnan.
- Lafosssi*, Feisthamel, Ann. Soc. Ent. Fr., 1845, p. 103, t. 2, f. 2 : Gehin, Cat., p. 35.  
 var. *coelestis*, Steuart, Ann. Soc. Ent. Fr., (3 s.) iii, 1855, p. 75, t. 7, 1 : Kraatz, Deutsche Ent. Zeits., xxx, 1886, plate, f. 8, ♀.  
 Hab. N. China, Shanghai, Canton (*Putzeyi*) [Ind. Mus., China].
- pustulifsr*, (*Carabus*), Lucas, Bull. Soc. Ent. Fr., (4 s.) ix, 1869, p. x ; ib., (5 s.), ii, 1872, p. 293, t. 14, f. 12, ♂ : Gehin, Cat., p. 35, t. 10.  
 Hab. N. Tibet, Moupin.
- talisnensis*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.), vi, 1886, p. 308.  
 Hab. Yunnan.

### Genus DAMASTER.

- Kollar, Ann. Wien Mus., i, 1836, p. 333 : Laccord., Gen. Col., i, p. 61 : Mun. Cat., p. 77 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36 : Horn, Gen. Carab., p. 108.
- blaptoides*, Kollar, Ann. Mus. Wien, i, 1836, p. 334, t. 31, f. 1 : Laccord., Gen. Col. Atlas, t. 2, f. 2 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36, t. 10 : Morawitz, Mém. Acad. St. Petersb., 1886, p. 18.

- cyanostola*, Lewis, Trans. Ent. S. Lond., 1882, p. 524.  
*Fortunei*, G. Thomson, Opusc. Ent., 1875, p. 657.  
*viridipennis*, Lewis, Ent. Mon. Mag., xvii, 1880, p. 159.  
var. *{ Fortunei*, Adams, Ann. Mag. N. H., (3 s.) viii, 1861, p. 59 : Bates  
Trans. Ent. S. Lond., 1873, p. 230 : Lewis, *ib.*, 1882, p. 524.  
*oxuroides*, Schaum, Ann. Soc. Ent. Fr., (4 s.) ii, 1863, p. 68, t. 2, f. 1.  
,, *Lewisii*, Ryc, Ent. Mon. Mag., 1872, p. 131.  
,, *pandurus*, Bates, Trans. Ent. S. Lond., 1873, p. 230 ; *id.*, l.c., 1883, p.  
231 : Kolbe, Ent. Nach., xiii, 1887, p. 340.  
Hab. Japan, Formosa [*Ind. Mus.*, ? loc.].

### Genus CALOSOMA.

- Weber, Obs. Ent., i, 1801, p. 20 : Latr., Hist. Nat. Crust. Ins., iii, 1802, p. 91 : Lacord., Gen. Col., i, p. 58 : Mun. Cat., p. 78 : Gehin, Cat. Carab., 1885, p. xxix, 56.  
*Aulacopterum*, Gehin, Cat., p. xxxiv, 67.  
*Blaptosoma*, Gehin, 1876 ; Cat., p. xxxiii, 65.  
*Calamata*, Motsch., Bull., Mosc., xxxviii (4), 1865, p. 307 ; Gehin, Cat., p. 59.  
*Callipara*, Motsch., l. c., p. 308 : Gehin, Cat., p. 57.  
*Callisphaena*, Motsch., Et. Ent., 1859, p. 127 : Gehin, Cat., p. 68.  
*Callisthenes*, Fischer, Lettre à Pander, 1821, p. 10 : Gehin, Cat., p. xxxv, 68.  
*Callistrata*, Motsch., Bull. Mosc., l. c. *supra.*, p. 306 : Gehin, Cat., p. 62.  
*Callistriga*, Motsch., l.c., p. 307 : Gehin, Cat., p. xxx, 58.  
*Callitropa*, Motsch., l. c. *supra*, p. 300 : Gehin, Cat., p. xxxii, 63.  
*Calodrepa*, Motsch., l. c., p. 310 : Gehin, Cat., p. 56.  
*Calopachys*, Haury, Le Nat., 1880, p. 164 : Gehin, Cat., p. xxxiv, 67.  
*Camedula*, Motsch., l. c. *supra*, p. 304 : Gehin, Cat., p. xxx, 59.  
*Caminara*, Motsch., l. c., p. 303 : Gehin, Cat., p. xxx, 59.  
*Campalita*, Motsch., l. c., p. 304 : Gehin, Cat., p. xxxii, 62.  
*Carabosoma*, Gehin, 1875 ; Cat., p. xxxii, 63.  
*Cathoplius*, G. Thoms., Opusc. Ent., 1875, p. 628 : Gehin, Cat., p. xxxv, 70.  
*Castrida*, Motsch., Bull. Mosc., l. c. *supra*, p. 300 : Gehin, Cat., p. 58.  
*Charmosta*, Motsch., l. v., p. 301 : Gehin, Cat., p. xxxi, 61.  
*Chrysostigma*, Kirby, Faun. Bor. Amer., iv, 1837, p. 18 : Gehin, Cat., p. xxxiv, 67.  
*Cosmoplate*, Motsch., Bull. Mosc., l. c. *supra*, p. 305 : Gehin, Cat., p. 61.  
*Ctenosta*, Motsch., l. c., p. 306 : Gehin, Cat., p. xxxii, 59.  
*Cychocephalus*, Gehin, 1876 ; Cat., p. 70.  
*Eutelodontum*, Gehin, Bull. Soc. Ent. Fr., 1882, p. cxxxii ; Cat., p. xxxiii, 66.  
*chinense* (*Charmosta*), Kirby, Trans. Linn. S. Lond., xii, 1818, p. 379 : Gehin, Cat., p. 61.  
var. *aenatum*, Motsch., Bull. Mosc., xxxii (4), 1859, p. 481.  
Hab. China, Canton, Japan, India, Ceylon [*Ind. Mus.*, Sahibganj, Calcutta].  
*himalayanum*, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 851 : Gehin, Cat., p. 57.  
Hab. N. W. Himalaya, Ladak,

*indicum* (*Ctenosta*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 61.  
Hab. Nepál.

*investigator*, Illiger, Käfer Preuss., i, 1798, p. 142 : Schaum, Naturg. Ins., i (i), p. 114 : (*Charmosta*) Motsch., Bull. Mosc., xxxviii (4), 1865, p. 301 : Gehin, Cat., p. 61.

*sericeum*, Sturm, Ins. Deutschl., iii, 1815, p. 130, t. 66, f. a : Dejean, Spec. ii, p. 206 ; Id., ii, t. 71, f. 2.

var. *caspium*, Fischer, Ent. Imp. Russ., iii, 1826, p. 236, t. 8, f. 5, 6.

, *dauricum*, Motsch., Ins. Sib., 1844, p. 119, t. 4, f. 9 ; Bull. Mosc., xxxviii (4), p. 303.

, *leptophyllum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 239, t. 8, f. 4.

, *lugubre*, Motsch., Ins. Sib., 1844, p. 121.

, *rugulosum* Motsch., Ins. Russ., 1846, note 2.

, *russicum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 238, t. 8, f. 2.

, *sibiricum*, Motsch., Ins. Sib., 1844, p. 121 ; Bull. Mosc., xx (3), 1847, p. 226.

? *sericeum*, Gebler, Ledeb. Reise, iii, 1830, p. 58 (*nec Fabr.*)

Hab. Prussia, S. Russia, Siberia [*Ind Mus.*, Kashmir, Srinagar].

*lugens* (*Charmosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 372 : Gehin, Cat., p. 61.

var. *Davidis*, Gehin, Cat. Carab., 1885, p. 61.

Hab. N. China, Fuchau.

*nigrum* (*Charmosta*), Parry, Trans. Ent. S. Lond., iv, 1845, p. 85 : Gehin, Cat., p. 62.

var. *seabrienne*, Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 371.

Hab. Assam, N. India.

*orientale* (*Ctenosta*), Hope, Trans. Zool. S. Lond., i, 1833, p. 92 : ? Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 368 : Gehin, Cat., p. 61.  
Hab. India, Poona [*Ind Mus.*, Sind Valley, Kogyar].

*parallelum* (*Campalita*), Motsch., Ins. Sib., 1844, p. 123, t. 4, f. 4 : Gehin, Cat., p. 63.

Hab. Kirgisia, India [*Ind Mus.*, Kashmir, Srinagar].

*squamigerum* (*Ctenosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 369 ; Gehin, Cat., p. 60.

Hab. Bengal, Coimbatore (Madras).

*thibetanum* Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.  
Hab. Moupin, N. Tibet.

#### HILETINI :—

Lacordaire, Gen. Col., i, 1854, p. 47 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 506 : Horn, Gen. Carab., p. 110.

#### Genus HILETUS.

Schiödte, Kröyer's Tidskr., (2 s.) ii, 1847, p. 346 : Lacord., Gen. Col., i, p. 48 : Mun. Cat., p. 46.

*Camaragnathus*, Bocandé, Mag. Zool., 1845, p. 4, t. 163-4 ; Rev. Mag. Zool., (2 s.) i, 1849, p. 460.

*sumatrensis*, Oberthür, Notes Leyden Mus., v, 1883, p. 215,  
Hab. E, Sumatra, Serdang.

#### ELAPHRINI :—

Lacord., Gen. Col., i, 1854, p. 43 : Chaud., Bull. Mosc., xxxiv (1), 1861, p. 524 :  
Horn, Gen. Carab., p. 110 : Leconte & Horn, Class. Col., p. 10.

#### Genus **ELAPHRUS**.

Fabricius, Syst. Ent., 1775, p. 227 ; Syst., Eleuth., i, 1801, p. 245 : Latr. Hist. Nat.  
Ins., iii, 1802, p. 82 : Lacord., Gen. Col., i, p. 44 : Mun. Cat., p. 44.

Davidis, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 89.  
Hab. Yunnan.

#### NEBRIINI :—

Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 504 : Horn, Gen. Carab., p. 112 : Leconte  
& Horn, Class. Col., p. 12.

#### Genus **OPISTHIUS**.

Kirby, Faun. Bor. Amer., iv, 1837, p. 60 : Lacordaire, Gen. Col., i, p. 45 : Chaudoir,  
Bull. Mosc., xxxiv (i), 1861, p. 505 ; Mun. Cat., p. 47.

*indicus*, Chaudoir, Ann. Soc., Ent., Fr. (4 s) iii, 1863, p. 449.  
Hab. N. India.

#### Genus **NOTIOPHILUS**.

Dumeril, Zool. Analyt., 1806, p. 194 : Lacord., Gen. Col., i, p. 43 : Mun. Cat., p. 43 :  
Bates, Biol. Centr. Amer., Col., i (i), p. 19.

*acuticollis*, Putzeys, Mém. Liège, 1866, p. 164.  
Hab. N. China, ? Shanghai.

*orientalis*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 428.  
Hab. India, Simla.

#### Genus **LEISTUS**.

Frölich, Naturf., xxviii, 1794, p. 9 ; Clairv., Ent. Helv., ii, p. 146, t. 23 : Lacord.,  
Gen. Col., i, p. 52 : Mun. Cat., p. 54.

*Pogonophorus*, Latreille, Hist. Nat. Ins., iii, 1802, p. 88 ; Gen. Crust., i,  
p. 223.

*angulicollis*, Fairmaire, Le Nat., 1886, p. 223 ; *id.*, Ann. Soc. Ent. Fr., (6 s) vi,  
1886, p. 307.  
Hab. Yunnan.

#### Genus **NEBRIA**.

Latreille, Hist. Crust. & Ins., iii, 1802, p. 89 : Clairv., Ent. Helv., ii, 1806, p. 140,  
t. 22 : Lacord., Gen. Col., i, p. 50 : Mun. Cat., p. 47.

*Alpaeus*, Bonelli, Mém. Acad. Turin, 1809, p. 68.

*Holobia* (Leach), Stephens, Ill. Brit. Ent., iii, 1827, t. 103.

*Chaslii*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s) vi, 1886,  
p. 306.

Hab. China, Kiangsi.

*chiuensis*, Bates, Ent. Mon., Mag., ix, 1872, p. 52; Trans. Ent. S. Lond., 1873, p. 236: Fairm. Ann. Fr., l. c. *supra*, p. 306.

Hab. Yangtse Valley in China, Japan.

*Desgodinsii*, Oberthür, Nov. Col., i, 1883, p. 47.  
Hab. Darjiling.

*lividipes*, Fairmaire, Le Nat., viii, 1886, p. 223; Ann. Fr. l. c. *supra*, p. 306.  
Hab. China, Kiangsi.

*pulcherrima*, Bates, Trans. Ent. S. Lond., 1873, p. 236: Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.

Hab. Yangtse Valley, Japan, Kiangsi.

*xanthacra*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 423.  
Hab. India, Simla.

#### ENCELADINI:—

Horn, Gen. Carab., p. 118.

#### Genus LUPERCA.

Lap. de Casteln., Hist. Nat. Ins. Col., i, 1840, p. 63: Lacord., Gen. Col., i, p. 163: Mun. Cat., p. 162.

*Holoscelis*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 438; id., 50 (i), 1876, p. 71.

*laevigata*, (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 304; Ent. Syst., i, p. 143; Syst. Eleuth., i, p. 124: Oliv., Ent., iii 36, p. 7, t. 2, f. 18: Herbat., Naturhist. Ins., Käfer, x, p. 256, t. 175, f. 6; Lacordaire, Gen. Col., Atlas, t. 6, f. 1: (*Enceladus*) Dejean, Spec., v, p. 474: Chaudoir, Bull. Mosc., 50 (i), 1876, p. 74: Dohrn, Stettin, Ent. Zeit., 1881, p. 309.

*herculanea*, Lap. de Casteln., Et. Ent., i, 1834, p. 151.

Hab. India, Bengal [*Ind. Mus.*, Ceylon.]

#### SCARITINI:—

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 124; xxiii, 1880, p. 5: Horn, Gen. Carab., p. 119; Leconte & Horn, Class. Col., p. 16.

Dr. Horn divides the tribe, so far as he deals with it, into two sections which he names *Scarites* (*Pasimachus* and *Scarites*), and *Clivina* (*Dyschirius*, *Clivina*, *Ardistomis*). Others make four sections, of which the genera occurring in the Oriental Region are:—

*Pasimachina* :—*Mouhotia*.

*Scaritina* :—*Oxylobus*, *Haplogaster*, *Scaritoderus*, *Coptolobus*, *Distichus*, *Scarites*.

*Scapterina* :—*Scapterus*, *Thlibops*, *Systenognathus*, *Oxygnathus*, *Dacca*.

*Clivinina* :—*Dyschirius*, *Clivina*, *Coryza*, *Ancus*, *Ardistomis*, (*Putzeys*, Rév. Gen., Ann. Soc. Ent. Belg., x, 1866, p. 1),

#### Genus MOUHOTIA.

Lap. de Casteln., Rev. Mag. Zool., xiv, 1862, p. 305: Mun. Cat., p. 180.

*convexa*, Lewis, Ent. Mon. Mag., xix, 1883, p. 193: Waterhouse, Aid., t. 129, f. 1  
Hab. Laos.

*gloriosa*, Lap. de Casteln., Rev. Mag. Zool., 1862, p. 306 : Lucas, Bull. Soc. Ent. Fr., (5 s) vii, p. clxxiii.

*Midas*, Schaum, Proc. Ent. S. Lond., 1862, p. 94.

Hab. Laos.

### Genus OXYLOBUS.

*Chaudoir*, Bull. Mosc., xxviii (i), 1855, p. 5; *id.*, *Monograph*, Ann. Soc. Ent. Belg. xxii, 1879, p. 129 : Mun. Cat., p. 181.

*alveolatus*, Chaudoir, Mon. l. c., p. 134.

Hab. India.

*asperulus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 58 : *Mon.*, p. 133.

Hab. Ceylon.

*costatus*, Chaudoir, *Mon.*, p. 134.

Hab. Malabar, Colombo (*Bates*).

*designans* (*Soarites*), Walker, Ann. Mag. N. H., (3 s) ii, 1858, p. 203 : Bates, l. c., (5 s) xvii, p. 210.

? = *sculptilis*, Westwood, q. v.

Hab. Ceylon.

*foveiger*, Chaudoir, *Mon.*, p. 133.

Hab. India.

*lateralis* (*Scarites*), Dejean, Spec., i, 1825, p. 400 ; Chaud., Bull. Mosc., xxviii (i), 1855, p. 8 ; *id.*, *Mon.*, p. 131.

Hab. India, Coromandel.

*punctatosulcatus*, Chaudoir, Bull. Mosc., xxviii (i), 1855, p. 6 ; *Mon.*, p. 131.

Hab. Nepal.

*quadrinotatus*, Chaudoir, Bull. Mosc., l. o., p. 7 ; *Mon.*, p. 130.

Hab. India, Nilgiris, Colombo (*Bates*).

*sculptilis*, Westwood, Arc. Ent., i, 1843, p. 88, t. 23, f. 1 : Chaudoir, *Mon.*, p. 133.

Hab. India, Coromandel [*Ind. Mus.*, Utakamand.].

### Genus HAPLOGASTER.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 149.

*humeralis*, Putzey, Chaudoir, *Mon.*, l. c., p. 151.

Hab. Madras.

*ovatus*, Chaudoir, *Mon.*, l. c., p. 150.

Hab. N. India.

### Genus SCARITODERUS.

Fairmaire, Bull. Soc. Ent. Fr., (6 s.) iii, 1883, p. lv, note.

*Anomoderus*, Chaudoir, Ann. Soc. Ent. Belg., xxii, 1879, p. 156 (nom. *praeoc.*).

*Anomophaenus*, Faunel, Rev. d'Ent., i, 1882, p. 229 (nom. *praeoc.*).

*Loyolae*, Fairmaire, l.c. *supra*, p. lv.

Hab. India, Ramnad.

### Genus COPTOLOBUS.

Chaudoir, Bull. Mosc., xxx (3), 1857, p. 59; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 159 : *Mun. Cat.*, p. 182.

*Anodon*, Chaudoir, *Mon.*, *l.c.*, p. 160.  
Hab. Ceylon.

*glabriculus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 60; *Mon.*, *l.c.*, p. 162 : *Mun. Cat.*, p. 182.

? *obliterans* (*Scarites*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 203.  
? *subsignans* (*Scarites*), Walker, *l.c.*, p. 203.

Hab. Ceylon, Nuwara Eliya, Horton Plains (*Bates*), Canton (*Putzey*).

*omodon*, Chaudoir, *Mon.*, *l.c.*, p. 161.  
Hab. Ceylon, Colombo (*Bates*).

*taprobanae*, Chaudoir, *Mon.*, *l.c.*, p. 161.  
Hab. Ceylon, Colombo, (*Bates*).

### Genus DISTICHUS.

Motschulsky, Et. Ent., 1857, p. 96 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 44 : Bates, Biol. Centr. Amer., Col., i (i), p. 30.

*Scarites*, pt., Bonelli, Dejean *auct.*

*Taeniolobus*, pt., Chaudoir, *olim*.

*dicaelus*, Chaudoir, *Mon.*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 52.  
Hab. Singapur.

*lucidulus*, Chaudoir, *Mon.*, *l.c.*, 57.  
Hab. Dekhan, Rangoon, Siam.

*modestus*, Chaudoir, *Mon.* *l.c.*, p. 57.  
Hab. India.

*plicicornis* (*Scarites*), Dejean, Spec. v., 1831, p. 493 : Chaudoir, *Mon.*, *l.c.*, p. 56.  
*troglodytes*, Erichson, Wieg. Arch., 1843, p. 214.

? var. *minor*, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 389 : Ann. Mag. N. H., (2 s.) xix, 1857, p. 244.

Hab. Ceylon, Colombo, Dekhan, W. Africa, Zanzibar.

*planus* (*Scarites*), Bonelli, Mém. Acad. Turin., 1813, p. 470 : Dejean, Spec., i, p. 395 ;  
*id.*, Ic. Col. Eur., i, t. 21, f. 3 : Klug, Symb. Phys., Dec. iii, t. 23, f. 5 : Chaudoir *Mon.*, *l.c. supra*, p. 53.

? *bisquadrupunctatus* Klug, Peters Reise Mossamb., v. 1862, p. 158.

*punctatostriatus*, Redtenb., Russiger Reise., p. 979.

*sexpunctatus*, Méntriés, Cat. Rais., i, 1832, p. 103.

var *nitidus*, Dejean, Spec. v. 1831, p. 484.

Hab. Mediterranean and Caspian regions, N. India.

*puncticollis*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 47 ; *Mon.*, *l.c. supra*, p. 55  
Hab. N. India.

*striaticeps*, Chaudoir, *Mon.*, *l.c.*, p. 52.  
Hab. India.

## Genus SCARITES.

- Fabricius, Ent. Syst., i, 1792, p. 94; Syst. Eleuth., i, p. 123 (*Attelabus*, DeGeer, *nec Linn.*): Lacord., Gen. Col., i, p. 194: Schmidt Goebel, Faun. Col. Birm., p. 93: Mun. Cat. p. 184: Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 5; *id.*, Monograph, Ann. Soc. Ent. Belg., xxiii, 1880, p. 63: Motschulsky, Et. Ent., 1857, p. 93.
- Brosoomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 66.
- Glyptomorphus*, Motsch., *l. c.*, p. 95.
- Harpalites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Parallelomorphus*, Motsch., *l. c.*, p. 96: Käf. Russl., 1850, t. v: Chaud., Mon., p. 65.
- Paramecomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 65.
- Scallophorites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Stigmapterus*, Motsch., *l. c.*, p. 95.
- Taeniolobus*, pt, Chaudoir, *olim*: Mun. Cat., p. 183.
- acutidens*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 98; *id.*, Mon., p. 83.  
Hab. E.coast China, Chusan.
- barbarus*, Dejean, Spec., i, 1825, p. 388: Chand., Mon., p. 96.  
Hab. India, Dekhan.
- bengalensis*, Dejean, Spec., ii, 1826, p. 468: Chaud., Bull. Mosc., xxvii (i), 1855, p. 79; *id.*, Mon., p. 89.  
Hab. N. India, Bengal.
- Boysii*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 57; Mon., p. 107.  
Hab. N. India.
- capito*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 92, 108; Mon., p. 95.  
?= *Selene*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 94 [deser. incompr.].  
Hab. Burma, Rangoon, N. India.
- ceylonicus*, Chaudoir, Mon., p. 85.  
Hab. Ceylon, Galle, Colombo (Bates).
- cycloderus*, Chaudoir, Mon., p. 112.  
Hab. India.
- denticulatus*, Chaudoir, Mon., p. 98.  
Hab. Cochinchina.
- dyschromus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 78; *id.*, Mon., p. 82.  
Hab. N. India.
- estriatus*, Fairmaire, Ann. Soc. Ent. Belg., 1887, p. 93.  
Hab. China, Fukien.
- Geryon*, Hope, Gray's Zool. Misc., 1831, p. 21: ? MacLeay, Trans. Ent. Soc. N. S. Wales, i, 1863, p. 68 (Australia.)  
Hab. Nepal.
- inconspicuus*, Chaudoir, Bull. Mosc., *l. c. supra*, p. 82; Mon., p. 97.  
Hab. N. India [*Ind. Mus.*, Jhelam Valley.].
- indus*, Olivier, Ent., iii, 36, 1795, p. 9, t. 1, f 2 *a-b*: Dejean, Spec., i, p. 395: MacLeay, Annal. Javan., p. 35: Chaud., Mon., p. 102.  
Hab. India, Ceylon, Colombo [*Ind. Mus.*, Bengal, Tínpahár, Sáhibgunj?].
- loopterus*, Chaudoir, Mon., p. 87.  
Hab. N. India.

- longiusculus*, Chaudoir, *Mon.*, p. 86.  
 Hab. Philippines.
- mancus*, Bonelli, Mém. Acad. Turin, 1813, p. 473 : Dejean, Spec., i, p. 394 ; Chaudoir, *Mon.*, p. 102.  
 Hab. India, Java, Philippines.
- opacus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 88 ; *id.*, *Mon.*, p. 103.  
*?=parvus*, Wiedemann, Zool. Mag., ii (i), 1823, p. 37.  
 Hab. N. India, Bengal.
- orthomous*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 55 ; *id.*, *Mon.*, p. 88.  
 Hab. Himalaya.
- pacificus*, Bates, Trans. Ent. S. Lond., 1873, p. 238 : Chaud., *Mon.*, p. 101.  
 Hab. Formosa, Japan.
- parallelus*, Dejean, Spec., i, 1825, p. 382 : Chaudoir, *Mon.*, p. 86.  
 Hab. Java.
- praedator*, Chaudoir, *Mon.*, p. 97.  
 Hab. Burma, Rangoon.
- punctum*, Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Chaudoir, *Mon.*, p. 127.  
 Hab. Bengal.
- semicircularis*, MacLcay, Annul. Javan, 1825, p. 24 : Chaudoir, *Mon.*, p. 127.  
*?=punctum* Wiedemann, *q.v.*  
 Hab. Java.
- semirugosus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 90 ; *Mon.*, p. 82.  
*rugipennis*, Chaudoir, Bull. Mosc., l.o., p. 82.  
 Hab. Bengal, Bangkok, Philippines.
- similis*, Chaudoir, *Mon.*, p. 83.  
 Hab. ? E. Asia.
- subnitens*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 87 ; *Mon.*, p. 103.  
 Hab. N. India.
- subproductus*, Chaudoir, *Mon.*, p. 90.  
 Hab. Siam, Bangkok.
- sulcatus*, Oliv., Ent. iii, 36, 1795, p. 7. t. 1, f. 11 ; Dejean, Spec., i, p. 375 : Chaud., *Mon.*, p. 80.
- chinensis*, Erichson, Nova Acta Leop. Carol. Nat., xvi, Supp. i, 1832, p. 220.  
 Hab. India, Macao, Formosa [*Ind. Mus.*, Sikkim, Assam ?].

### Genus SCAPTERUS.

- Dejean, Spec., ii, 1826, p. 471 : Lacord., Gen. Col., i, p. 197 : Mnn. Cat., p. 188.  
 Putzeys, Révision Clivinides, Ann. Soc. Ent. Belg., x, 1866, p. 7.
- figuloides*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 301, fig.  
 Hab. Burma.
- Guerini, Dejean, Spec., ii, 1826, p. 472 ; Icon. Col. Eur., i, t. 22, f. 3 : Guérin, Ic. Règne Anim., t. 5, f. 3 a : Gray, Griffith Anim. Kingd., Ins. ii, 1832, t. 8, f. 3.  
 Hab. India.

*riparius*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 299, fig.

Hab. Burma, Minhlæ.

*sulcatus*, Putzeys, Mém. Roy. Soc. Liège, Postscr., 1863, p. 17 : ? Chaudoir, Rev. Mag. Zool. (2 s.), xv, 1863, p. 117.

Hab. N. E. India [*Ind. Mus.*, Sibságar, Assam].

### Genus THLIBOPS.

Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 9 : Mun. Cat., p. 188.

*crenata*, Chaudoir, Rev. Zool. (2 s.), xv, 1862, p. 118.

Hab. Cochin China.

*Dohrnii*, Chaudoir, l. c., p. 118.

Hab. Java.

*puncticollis*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 302.

Hab. Burma.

### Genus OXYGNATHUS.

Dejean, Spec., ii, 1826, p. 473 ; Icon. Col. Eur., i, t. 22. f. 5 : Lacord., Gen. Col., i, p. 198 : Mun. Cat., p. 190.

*elongatus* (*Scarites*), Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Dejean, Spec., ii, p. 475.

Hab. India.

### Genus DACCA.

Putzeys, Mém. Liège, Postscr., 1862, p. 68 : Mun. Cat., p. 191.

*forcipata*, Putzeys, l.c., p. 68, t. 1, f. 41.

Hab. India.

### Genus SPAROSTES.

Putzeys, Révision, Ann. Soc. Ent. Belg., x, 1866, p. 27 : Mun. Cat., p. 192.

*brevicollis*, Putzeys, l.c., p. 27.

Hab. N. China, ? Canton.

*striatulus*, Putzeys, l.c., p. 29.

Hab. India, Siam.

### Genus DYSCHIRIUS,

Bonelli, Mém. Acad. Turin., 1813, p. 483 : Lacord., Gen. Col., i, p. 202 : Mun. Cat., p. 193 : Putzeys, Monograph Mém. Liège, ii, sep. 1846, p. 4 ; id., Révision générale, Ann. Soc. Ent. Belg., x, 1866, p. 32 ; Suppt., ib., xi, 1868, p. 7 ; xvi, 1873, p. 10.

*Aecephorus*, Leconte, Ann. Lyc. Nat. Hist., New York, v, 1851, p. 194.

*Phreoryctes*, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6.

{ *Richeia*, Saulcy, Ann. Soc. Ent. Fr., (4 s.) ii, 1862, p. 285 : Putzeys, l.c., p. 39 : Mun. Cat., p. 193.

{ *Spelacodytes*, Müller, Wien. Ent. Monats., vii, 1863, p. 28.

*binodosus*, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.

Hab. Calcutta.

- dalmiellus*, Bates, Trans. Ent. S. Lond., 1873, p. 241.  
 Hab. Yangtse Valley, Japan, Nagasaki.
- debilis*, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6 : Putzeys, *Rév.*, Ann. Soc. Ent. Belg., x, 1867, p. 97 ; *id.*, C. R. Ent. Belg., 1878, p. clxxiv.  
*interpunctatus*, Putzeys, *Rév. l.c.*, p. 97.
- pusillus* (*Phreoryctes*), Schmidt Goebel : Putzeys, *Rév.*, p. 97. (*nec. Djejan.*)  
 Hab. Burma, N. India.
- Doriae*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 14.  
 Hab. Borneo, Sarawak.
- fusus*, Putzeys, C. R. Soc. Ent. Belg., xxi, 1878, p. clxxii.  
 Hab. Calcutta.
- hispidulus*, Putzeys, *Rév.*, *l.c.*, p. 98.  
 Hab. Siam.
- impunctatus*, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 10.  
*? = debilis*, Schmidt Goebel, *q. v.*  
 Hab. Siam, Bangkok.
- indicus*, Putzeys, *Rév.*, *l. c.*, p. 91.  
 Hab. N. India.
- nitens*, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.  
 Hab. Calcutta.
- ordinatus*, Bates, Trans. Ent. S. Lond., 1873, p. 240.  
 Hab. Japan, Ceylon, Kandy.
- orientalis*, Putzeys, *Rév.*, p. 92 : Bates, Trans. Ent. S. Lond., 1873, p. 241.  
 Hab. Hongkong, Japan.
- ovicollis*, Putzeys, Ann. Soc. Ent. Belg., 1873, p. 14.  
 Hab. Shanghai.
- porosus*, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xl.  
 Hab. Burma.
- rugifer*, Putzeys, *l.c.*, C. R., 1878, p. clxxiii.  
 Hab. Calcutta.
- Schmidtil*, Putzeys, *l.c.* 1877, p. xli.  
 Hab. Calcutta.
- stenoderus*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 13.  
 Hab. Shanghai.
- verticalis*, Putzeys, *l.c. C. R.*, 1878, p. clxxii.  
 Hab. Calcutta.

### Genus CLIVINA.

Latreille, Consid. géner., 1810, p. 156 : Lacord., Gen. Col., i, p. 204 : *Monographia*, Putzeys, Mém. Liège, ii, 1846 ; *Révision générale*, *id.*, Ann. Soc. Ent. Belg., x, 1866, p. 107 : Mun. Cat., p. 198 : Horn, Gen. Carab., p. 121 : Bates, Biol. Centr. Amer., Col., i (i), p. 32.

*Eupalamus*, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.

- advena**, Putzeys, *Révision*, 1866, p. 123.  
Hab. India.
- agona**, Putzeys, *Révision*, 1866, p. 131.  
Hab. Siam.
- anceps**, Putzeys, Mém. Liège., Postscr., 1862, p. 50; *id.*, *Révision*, p. 124.  
Hab. India, Dacca.
- angularis**, Putzeys, *Révision*, 1866, p. 122.  
Hab. India.
- assamensis**, Putzeys, *Mon.*, Mém. Liège, ii, 1846, p. 584, sep., p. 66; *id.*, Postscr., p. 35; *Révision*, p. 108.  
Hab. Assam.
- attenuata**, Herbst, *Naturhist. Ins.*, Käfer, x, 1806, p. 264, t. 176, f. 7: Putzeys,  
*Révision*, p. 110.  
*melanaria*, Putzeys, *Mon.*, 1846, p. 586, sep., p. 68.  
*picipes*, Bonelli, Mém. Acad. Turin, 1813, p. 481: Dejean, Spec., i, p. 416:  
Putzeys, Mém. Liège, 1846, p. 623; *id.*, Postscr., 1863, p. 51.  
Hab. India, Bengal, Assam.
- bengalensis**, Putzeys, *Mon.* 1846, p. 603, sep., p. 85; *id.*, *Révision*, p. 137.  
Hab. Bengal.
- brevior**, Putzeys, *Révision*, 1866, p. 126.  
Hab. Burma, Rangoon.
- brunnescens**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.  
Hab. Ceylon.
- capitata**, Putzeys, *Révision*, 1866, p. 122.  
Hab. India.
- castanea**, Westwood, Proc. Zool. S. Lond., 1837, p. 128: Putzeys, *Révision*, p. 131,  
noto.  
Hab. Philippines, Manilla.
- cordicollis**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102.  
Hab. Ceylon.
- divaricata**, Putzeys, *Révision*, 1866, p. 122.  
Hab. India. [*Ind. Mus.*?]
- dolens**, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.  
Hab. Shanghai.
- elongatula**, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 390: Ann. Mag. N. H., (2 s.)  
xix, 1857, p. 245: Putzeys, *Révision*, p. 123.  
Hab. Ceylon, Colombo.
- extensicollis**, Putzeys, *Mon.* 1846, p. 601; *id.*, *Révision*, p. 115.  
Hab. Java.
- foveicollis**, Putzeys, Mém. Liège, Postscr. 1863, p. 61; *id.*, *Révision*, p. 133.  
Hab. China.
- fulvaster**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.  
Hab. Ceylon.

- grammica**, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xi.  
Hab. Calcutta.
- Helferii**, Putzey, *Révision*, 1866, p. 126.  
Hab. India.
- numeralis**, Putzey, Mém. Liège, Postscr. 1863, p. 48 ; *id.*, *Révision*, p. 125.  
Hab. Sumatra.
- humilis**, Morawitz, Beitr. Käfer-fauna Ins. Jesso, i, 1863, p. 22 : Bates, Trans. Ent. S. Lond., 1873, p. 238.  
*vulgiraga*, Bohemann, Freg. Eug. Resa, Col., 1858, p. 9.  
Hab. China, Hongkong, Yangtse Valley, Japan.
- hydropica**, Putzey, *Révision*, 1866, p. 121.  
Hab. N. India [*Ind. Mus.—?*].
- indica**, Putzey, *Mon.*, 1846, p. 535, sep., p. 69 ; *id.*, Postscript, p. 35 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 72.  
*rugosifrons*, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 390 : Ann. Mag. N. H., (2s.) xix, 1857, p. 245.  
Hab. Ceylon, Colombo, N. India, Dekhan.
- javanica**, Putzey, *Mon.*, 1846, p. 529, sep., p. 74 ; *id.*, *Révision*, p. 124.  
Hab. Java.
- lata**, Putzey, *Révision*, 1862, p. 131 : Bates, Trans. Ent. S. Lond., 1876, p. 3.  
Hab. India.
- lobata**, Bonelli, Mém. Acad. Turin., 1813, p. 481 : Dejean, Spec., i. p. 414 : Putzey, *Mon.*, p. 599, sep., p. 81 ; *id.*, *Révision*, p. 120.  
Hab. Bengal.
- marginicollis**, Putzey, *Révision*, 1866, p. 133.  
Hab. India.
- memnonia**, Dejean, Spec., v. 1831, p. 503 : Putzey, *Mon.*, sep., p. 70 ; *id.*, *Révision*, p. 108.  
Hab. Java.
- moerens**, Putzey, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.  
Hab. Shanghai.
- mordax**, Putzey, Mém. Liège, Postscr., 1862, p. 67 : *Révision*, p. 133.  
Hab. India.
- nipponensis**, Bates, Trans. Ent. S. Lond., 1873, p. 239.  
Hab. Yangtse Valley, Japan.
- Parryi**, Putzey, Mém. Liège, Postscr., 1862, p. 60 ; *id.*, *Révision*, p. 130 : Bates, Trans. Ent. S. Lond., 1873, p. 233 ; *ib.*, 1876, p. 3 ; *id.*, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.  
*clivinoides*, Schmidt Gocbel, Faun. Col. Birm., 1846, t. 3., f. 4.  
Hab. India, Nilgiris, Bombay, Rangoon, Bhamo, Teintso, Ceylon, Colombo, Yangtse Valley, Japan.
- pluridentata**, Putzey, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.  
Hab. Calcutta.

- recta, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.  
 Hab. Ceylon.
- rufipes, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102 ; Putzeys, *Révision*, p. 134.  
 Hab. Ceylon, Colombo.
- sabulosa, MacLeay, Annul. Javan., 1825, p. 24 : Putzeys, *Révision*, p. 119 note, 124.  
 Hab. Java.
- semicarinata, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xliv.  
 Hab. Calcutta.
- siamica, Putzeys, *Révision*, 1866, p. 124.  
 Hab. Siam.
- striata, Putzeys, Mon., 1846, p. 592, sep., p. 74 ; *Révision*, p. 110.  
 Hab. India, Coromandel.
- stricta, Putzeys, Mém. Liège, Postscr., 1862, p. 49 ; *Révision*, p. 125.  
 Hab. Java.
- sulcigera, Putzeys, *Révision*, 1866, p. 110.  
 Hab. Siam.
- tranquebarica, Bonelli, Mém. Acad. Turin, 1813, p. 484.  
 Hab. India.
- transversa, Putzeys, *Révision*, 1866, p. 125.  
 Hab. Siam.
- unicolor, Herbst, Natursyst. Ins., Käfer, x, 1806, p. 265, t. 176, f. 9, g.  
 Hab. India.
- Westwoodii, Putzeys, *Révision*, 1866, 109.  
 castanea, Putzeys, Mém. Liège, 1863, p. 35 (*nec* Westwood).  
 Hab. India, Ceylon, New Guinea.

### Genus CORYZA.

- Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 194 : Mun. Cat., p. 203.
- cariniceps (Chaudoir), Putzeys, l.c., x, 1866, p. 196.  
 Hab. N. India.
- maculata (*Clivina*), Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 391 : Ann. Mag. N. H., (2 s.) vix, 1857, p. 246 : Putzeys, Ann. Soc. Ent. Belg., x, p. 196,  
 Hab. Ceylon.
- Neitnerii, Putzeys, l.c., p. 196.
- maculata, Putzeys, Mém. Liège, Postscr., 1862, p. 51 (*nec* Nietner).  
 Hab. India.

### Genus ANCUS.

- Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 197 : Mun. Cat., p. 204.
- bicornutus, Putzeys, Mém. Liège, 1863, p. 45 ; l.c. *supra*, p. 198.  
 Hab. Siam.

### Genus ARDISTOMIS.

*Putzeys*, Mém. Liège, ii, 1846, p. 636, sep., p. 118; *id.*, Ann. Soc. Ent. Belg., x, p. 200: Lacord., Gen. Col., i, p. 206: Mun. Cat., p. 201.

*paradoxa*, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 21.  
Hab. Siam, Bangkok.

### Genus PSILUS.

*Putzeys*, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.

*acutipalpis*, Putzeys, *l.c.*, p. xlvi.  
Hab. Calcutta.

Sect. **HARPALINE BISETOSÆ**—Horn, Gen. Carab., 1881, p. 122; Leconte & Horn, Class. Col., p. 19.

**PANAGAEINI** :—Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 83; Horn, Gen. Carab., p. 126; Leconte & Horn, Class. Col., p. 22.

### Genus BRACHYONYCHUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 86.  
*Epicosmus*, pt, Chaudoir, *olim*.

**Andersonii**, Bates Journ. Linn. S. Lond., xxi, 1887, p. 135.  
Hab. Mergui Archipelago (Elphinstone Island): [*Ind. Mus. type*].

*humeralis* (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69; *Mon.*, p. 89.  
Hab. Cochin China.

*laevipennis*, Chaudoir, *Mon.*, p. 87.  
Hab. Siam, Cochin China.

*punctipennis*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 305.  
Hab. Laos.

*sublaevis* (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 67; *Mon.*, p. 89.  
Hab. Cambodia, Cochin China.

### Genus EPICOSMUS.

Chaudoir, Bull. Mus., xvii, 1844, p. 512, note; *id.*, *l.c.*, xxxiv (2), 1861, p. 335; Ann. Soc. Ent. Belg., xxi, 1878, p. 104.

*Craspedophorus*, pt, Hope, Col. Man., i, p. 9: Lacord., Gen. Col., i, p. 210: Murray, Schaum.

*Eudema*, pt., Lap. de Casteln. Hist. Nat. Ins. Col., i, 1840, p. 137: Mun. Cat., p. 208.

*Iotarsus*, pt, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 217; Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 134.

*Panagaeus*, pt, Dejean et auct.

*basifasciatus*, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 115; Ann. Soc. Ent. Belg., xxi, 1878, p. 127.

? = *Saundersii*, Chaudoir, *g.v.*

Hab. Laos, Cambodia.

- Castelnauii**, Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 112.  
*bifasciatus*, Lap. de Casteln., Et. Ent., 1834, p. 155 (*nec Fabr.*) : Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 336.  
 Hab. India, Nilgiris, Coromandel, Colombo (Bates).
- Feeæ**, Gestro, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.  
 Hab. Burma, Bhamo, Teintso, Prome.
- hexagonus**, Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 338 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 114.  
 Hab. India [*Ind. Mus.—?*].
- hilaris**, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, ♂ : Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 345 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 110.  
*? geniculatus* (*Panagaeus*), Wied., Zool. Mag., ii (i), 1823, p. 56 : Chaud., Ann. Belg., *l.c. supra*, p. 112.  
*rufipalpis*, Laferté, *l.c. supra*, p. 221, ♀.  
 Hab. India, N. Bengal.
- laticollis**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 : Ann. Soc. Ent. Belg., xxi, p. 125.  
 Hab. Cambodia, Laos.
- mandarinus** (*Isotarsus*), Sehaum, Ann. Soc. Ent. Fr., (3s.) 1853, p. 436 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 113 : R. Gestro, Ann. Mus. Civ. Gen. xviii, 1882, p. 304.  
 Hab. Hongkong, Burma.
- Mouhotii**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69 ; Ann. Belg., *l.c. supra*, xxi, p. 124.  
 Hab. Cambodia, Laos.
- notulatus**, Fabr., Syst. Eleuth., i, 1801, p. 201 : Schönherr, Syn. Ins., i, p. 209 ; Chaudoir, Ann. Belg., *l.c. supra*, p. 115.  
*elegans*, Dejean, Spec. ii, 1826, p. 290 : Laferté, *l.c. supra*, p. 221 ; Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 432.  
 Hab. Bengal, Dekhan [*Ind. Mus.*].
- pubigaster**, Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 337 : Ann. Belg., *l.c. supra*, p. 122.  
 Hab. India.
- Saundersii**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 ; Ann. Belg., *l.c. supra*, p. 125.  
*? basifasciatus*, Chaudoir, *q. v.*  
 Hab. Cambodia.

### Genus EUDEMA.

- Lap. de Casteln., pt. Hist. Nat. Col., i. 1840, p. 137 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 133.  
*Pimelia & Carabus*, Fabrieus : *Isotarsus*, *pt.*, Laferté : *Panagaeus*, Dejean, & *aut.*
- angulatum**, Fabr., Spec. Ins., i, 1781, p. 302 ; Mant. Ins., i, p. 197 ; Ent. Syst., i, p. 148 (*nec Syst. Eleuth.*, i, p. 203) : Gmelin, ed., Syst. Nat., iv, p. 1963

- Olivier, Ent., iii, 35, p. 38, t. 7, f. 76 ; id., Enc. Méth., Carab., No. 41 : Schönherr, Syn. Ins., i, p. 166 : Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 336 : Schaum, Ann. Soc. Ent. Fr., (3 s.) i, 1853, p. 431.  
*fasciatum* (*Pimelia*), Fabr., Spec. Ins., i, p. 318 ; Mant. Ins., i, p. 209 ; Ent. Syst., i, p. 104 : Schönherr, Syn. Ins., i, p. 166 : ? Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 336 ; id., Mon. l. c. supra, p. 133.  
*tomentosum* (*Panagaeus*), Vigors, Zool. Journ., i, 1825, p. 557, t. 20, f. 1 : Dejean, Spec., ii, p. 284 : Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 431.  
Hab. India, Nilgiris, Coromandel, Pondicherry [*Ind. Mus.*, Utakamand, Orissa, China].  
*sundaicum*, Oberthür, Notes Leyden Mus., v, 1883, p. 221.  
Hab. E. Sumatra, Serdang.
- transversum* (*Epicosmus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 332.  
Hab. India.

### Genus LOROSTEMMA.

- Motschulsky, Bull. Mosc., xxxvii (3), 1864 p. 329 : Mun. Cat., p. 212.  
*Lorostema*, Motsch., l. c. supra.  
*alutacea*, Motsch., l. c. supra, p. 330.  
Hab. India, Tranquebar.

### Genus MICROCOSMUS.

- Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 139.  
*Craspedophorus*, pt, Murray, Schaum.  
*Isotarsus*, pt, Laferté.  
*Panagaeus*, pt, Dejean & auct.  
*flavopilosus*, Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 348 : Ann. Belg., l. c. supra, p. 142 : Bates, Trans. Ent. S. Lond., 1873, p. 243.  
Hab. Bengal, Formosa, Japan.

### Genus DISCHISSUS.

- Bates, Trans. Ent. S. Lond., 1873, p. 243 : Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 149 ; Rev. Zool., (3s.) vi, p. 86.  
*Panagaeus*, MacLeay, Lap. de Castelnau : *Craspedophorus*, pt, Murray,  
Schaum : *Isotarsus*, pt., Laferté, Schaum.  
*borneensis*, Frivaldszky, Term. füz., vi, 1883, p. 134.  
Hab. Borneo.  
*cerens* (*Panagaeus*), MacLeay, Annul. Javan., 1825, p. 12 : Chaud., Rev. Mag. Zool., (2s.) xxi, 1869, p. 116 ; Ann. Soc. Ent. Belg., xxi, 1878, p. 150.  
*? versutus*, Lap. de Casteln., Et. Ent., 1834, p. 155.  
Hab. Java.  
*guttiferus*, Schaum, Ann. Soc. Ent. Fr., (3s) i, 1853, p. 437 : Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 151.  
Hab. Java.

*longicornis* (*Craspedophorus*), Schaum, Berlin. Ent. Zeits., 1863, p. 84 : Chaud., Ann. Soc. Ent. Belg., p. 153.

Hab. Nilgiris, Hongkong, N. China.

*quadrinotatus* (*Peronomerus*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 333 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 152 : Bates, Trans. Ent. S. Lond., 1873, p. 244.

Hab. ? India, Japan.

### Genus EUSCHIZOMERUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 413 : Lacord., Gen. Col., i, p. 212 : Ann. Soc. Ent. Belg., xxi, 1869, p. 157 : Mun. Cat., p. 211.

*aeneipennis*, Chaudoir, Rev. Mag. Zool. (2s.), xxi, 1869, p. 118 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 159.

?=denticollis, Kollar, q. v.

Hab. Malacca.

*aeneus*, Chaudoir, Rev. Mag., l. c., p. 118 : *id.*, Ann. Belg. l. c. *supra*, p. 160.  
Hab. Dekhan.

*denticollis*, Kollar, Ann. Wien Mus., i, 1836, p. 334, t. 31, f. 2, a. b.  
Hab. ? India.

*metallicus*, Harold, Stettin. Ent. Zeit., xl, 1879, p. 331.  
Hab. India.

### Genus PERONOMERUS.

Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 162 : Mun. Cat., p. 211.

*fumatus*, Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 162 : Bates, Trans. Ent. S. Lond., 1873, p. 245 ; *ib.*, 1883, p. 234.

*aeratus*, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 354.

*nigrinus*, Bates, Trans. Ent. S. Lon. 1873, p. 245 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 164.

Hab. India, Dacca, Hong-Kong, Japan [*Ind. Mus.*, Hong Kong].

### Genus TRICHISIA.

Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 331 : Chaudoir, l. c., xliv (2), 1872, p. 283 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 164 : Mun. Cat., p. 211.

*Epicosmus*, pt., Chaudoir, *olim* : *Eudema*, pt, Lap. de Casteln.

*Isotarsus*, pt., Laferté, Schaum.

*cyanea* (*Isotarsus*), Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 439 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 165.

*cyanescens*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 332.  
Hab. India, Hong-Kong.

*morio* (*Isotarsus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, note 4 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 165.  
Hab. Bengal, Dekhan.

**SIAGONINI**, Lacordaire, Gen. Col. i, 1854, p. 162 : Chaudoir, Bull. Mosc., 1 (i), 1876, p. 62 : Horn, Gen. Carab., p. 127.

### Genus **SIAGONA**.

**Latreille**, Gen. Crust. & Ins., i, 1806, p. 160 : Lacord., Gen. Col., i, p. 162 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; Monograph ib., 1 (i), 1876, p. 76.

**atrata** Dejean, Spec., i, 1825, p. 360 : Chaudoir, Mon., p. 85.  
Hab. India, Dekhan, Burma.

**Baconii**, Chaudoir, Mon., p. 89.  
Hab. N. India, Burma.

**cinctella**, Chaudoir, Mon., p. 95.  
Hab. Burma, Rangoon.

**depressa** (*Galerita*), Fabr., Ent. Syst. Suppt., 1798, p. 56 : *id.*, Syst. Eleuth., i, p. 215 : Chaudoir, Mon., p. 90 : Bedel, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 195.  
*europaea*, Dejean, Spec., ii, 1826, p. 468 ; Ic. Col. Eur., i. t. 20, f. 2 : Chaudoir, Mon., p. 91 : ? Gray, Griffith An. Kingd. Ins., i, 1832, t. 8, f. 1.  
*Oberleitneri*, Dejean, Spec., v, 1831, p. 477 : Ic., i. t. 20, f. 3 : Peyron, Ann. Soc. Ent. Fr., (3 s.), 1858, p. 389.  
Hab. Mediterranean & Caspian regions, Senegal, Nubia, Persia, India [*Ind. Mus.*, China, Bengal, Sáhibganj].

**flesus** (*Galerita*), Fabr., Syst. Eleuth., i, 1801 p. 216 : Dejean, Spec., i, 1825, p. 363 : Chaudoir, Mon., p. 94.  
*dorsalis*, Dejean, Spec. v, 1831, p. 477.  
Hab. India, Senegal.

**germana**, Chaudoir, Mon., p. 96.  
Hab. Coromandel (? Pondicherry, Nilgiris).

**induta**, Chaudoir, Mon., p. 98.  
Hab. India, Dekhan.

**obscuripes**, Chaudoir, Mon., p. 86.  
Hab. Burma, Rangoon.

**plagiata**, Chaudoir, Mon., p. 93.  
Hab. India, Dekhan.

**plana**, Bonelli, Mém. Acad. Turin, 1813, p. 453 : Bedcl, Ann. Soc. Ent. Fr., (6. s.) vii, 1887, p. 195.  
*depressa*, Dejean, Spec., i, 1825, p. 361 (*ne* Fabr.) : Chaud., Mon., p. 90.  
Hab. India, Dekhan, Coromandel.

**pubescens**, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; Mon., p. 95.  
var. *dilutipes*, Chaudoir, Bull. Mosc., l. c., p. 440.  
Hab. N. India [*Ind. Mus.*, Sáhibganj, Rangoon].

**punctatissima**, Chaudoir, Mon., p. 106.  
Hab. N. India, Simla.

**punctulata**, Chaudoir, Mon., p. 99.  
Hab. India, Dekhan.

**sublaevis**, Chaudoir, *Mon.*, p. 86.

Hab. Malacea, Bangkok, Cambodia.

**OZAENINI** :—Lacordaire, Gen. Col., i, p. 155 : *Révision*, Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-68, p. 45 : Horn, Gen. Carab., p. 128 : Leconte & Horn, Class. Col., p. 23.

### Genus PSEUDOZAENA.

Lap. de Casteln., Et. Ent., i, 1834, p. 55 : Mun. Cat., p. 158.

*Hoplognathus*, Chaudoir, Bull. Mosc., xxi, 1848, p. 101.

*Ozaena*, Klug, Dejean, ? pt. Lap. de Casteln., nec Olivier.

*Picus*, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 290 ; *Révision*, p. 45.

**obscura** (*Picus*), Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-8, p. 46.

Hab. Borneo.

**opaca** (*Picus*), Chaudoir, l. c., p. 46.

Hab. India.

**orientalis** (*Ozaena*). Klug, Jahrb. Ins., 1834, p. 81, t. 1, f. 8 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 101 ; *id.*, xxvii (2), 1854, p. 291 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 45.

*megacephala*, (*Pseudozaena*), Lap. de Casteln., Et. Ent., i, 1834, p. 54, t. 2, f. 4.

Hab. Java, Borneo, Malacea.

### Genus ITAMUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 160 : Mun. Cat., p. 159 : Chaudoir, Ann. Soc. Ent. Belg., xi, 1867, p. 51.

**castaneus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 67 : Chaudoir, l. c. supra p. 51.

Hab. Burma.

### Genus EUSTRA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 161 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxvii (i), 1854 p. 309 : *id.*, Ann. Soc. Ent. Belg., xi, 1867, p. 71.

**plagiata**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 66, t. 3, f. 1 : Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 309 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 71 : Bates, Trans. Ent. S. Lond., 1873, p. 237.

Hab. Burma, Martaban, Japan.

**NOMIINI** :—Horn, Gen. Carab., 1881, p. 129 : Leconte & Horn, Class. Col., p. 24.

*Coscinini*, Chaudoir, Bull. Mosc., I (i), 1876, p. 115.

### Genus COSCINIA.

Dejean, Spec., v, 1831, p. 478 : Lacord., Gen. Col., i, p. 167 : Mun. Cat., p. 162 : Chaudoir, Bull. Mosc., I (i), 1876, p. 115.

*Cymbionotum*, Baudi, Berlin. Ent. Zeits., 1864, p. 211.

*Graniger*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 197.

*Trychina*, Klug, Symb. Phys., 1832.

*fascigera*, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 92; *ib.*, 1 (i), 1876, p. 121.  
Hab. N. India.

*Helferi*, Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 441; *ib.*, 1 (i), 1876, p. 122.  
Hab. Burma, Martaban, Siam.

**MORIONINI**:—Lacordaire, Gen. Col., i, p. 180 : Chaudoir, Bull. Mosc., lv (i), 1880, p. 317 : Horn, Gen. Carab., p. 132 : Leconte & Horn, Class. Col., p. 26 : Bates, Biol. Centr. Amer., Col., i (i), p. 88.

### Genus MORIO.

Latreille, Consid. Gén., 1810, tab. méth.: Lacerd., Gen. Col., i, p. 183 : Mun. Cat., p. 172 : Putzeys, Stettin. Ent. Zeit., xl. 1879, p. 283 : Chaudoir, *Monograph*, Bull. Mosc., lv (i), 1880, p. 327.

*Harpalus*, pt, Latreille : *Scarites*, pt, Pal. Beauv.

*angustus*, Chaudoir, Bull. Mosc., lv (i), 1880, p. 346.  
Hab. Philippines.

*brevior*, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., *l. c.*, *supra*, p. 340.

Hab. Borneo, Sarawak.

*cordicollis*, Chandoir, Bull. Mosc., lv (i), 1880, p. 343.  
Hab. Borneo, Kandy, Balangoda (*Bates*).

*cucujoides*, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203 : ? Chaud., *l. c. supra*, p. 342 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 211.  
Hab. Ceylon.

*Doriae*, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., Bull. Mosc., lv (i), p. 345.  
Hab. Borneo, Sarawak.

*intermedius*, Chandoir, Bull. Mosc., lv (i), 1880, p. 344.  
Hab. Philippines, Batchian, Ternate, ? Java.

*luzonicus*, Chaudoir, *l. c.*, xxv (i), 1852, p. 81 ; *id*, lv (i), 1880, p. 344 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 726.  
Hab. Siam, Philippines, Amboina, Ternate.

*orientalis*, Dejean, Spec., i, 1825, p. 432 : Putzeys, Ann. Mus. Civ. Geu., iv, p. 216 : Bates, *l. c.*, (2s.) vii, 1889, p. 106 : Chaud., Bull. Mosc., lv (i), 1880, p. 338.  
Hab. Java, Burma, Bhamo, Meectan, [*Ind. Mus.*, Tavoy, Tenasserim].

*subconvexus*, Chaudoir, Bull. Mosc., lv (i), 1880, p. 340.  
Hab. ? Java.

*submarginatus* Chaudoir, *l. c.*, p. 342.  
Hab. ? Borneo, Sunda Islands.

*trogositoides*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203, *nec* Chaudoir, Bull. Mosc., xxv (i), 1852, p. 81 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 143, 211,  
Hab. Ceylon, ? Andaman Islands.

**Walkerii**, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 216 : Chaud., Bull. Mosc., iv (i), 1880, p. 341.

Hab. Ceylon, Kandy (*Bates*).

### Genus MORIOIDIUS.

Chaudoir, Bull. Mosc., iv (i), 1880, p. 380.

**Doriae**, Chaudoir, *l. c.*, p. 383.

Hab. Borneo, Sarawak.

**BEMBIDIONINI**:—Lacordaire, Gen. Col., i, 1854, p. 379 : Horn, Gen. Carab., p. 133 : Leconte & Horn, Class. Col., p. 27.

### Genus TACHYPUS.

Lacordaire, Gen. Col., i, 1854, p. 381 : Mun. Cat., p. 400.

**indicus**, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 189.

Hab. N. India.

**semilucidus**, Motschulsky, Et. Ent. 1861, p. 24 ; Bull. Mosc., xxxvii (3), 1864, p. 180 : Bates, Trans. Ent. S. Lond., 1873, p. 300.

**nubifer**, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 327.

Hab. Hongkong, Japan, Amuria.

### Genus BEMBIDION.

Latreille, Hist. Nat. Ins., viii, 1804, p. 221 : Lacord., Gen. Col., i, p. 382 : Jacq. Duval, *Monograph* (Ear. Spec.), Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 441 ; x, 1852, p. 101 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 193 : Mun. Cat., p. 405.

**Actedium**, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 182.

**Amerizus**, Chaudoir, Rev. Mag. Zool., 1868, p. 216.

**Apteromimus**, Wollaston, Col. St. Helena, 1877, p. 7.

**Bembicidium**, Mun. Cat. p. 405.

**Campa**, Motschulsky, Ins. Sib., 1842, p. 263 ; Bull. Mosc., *l. c. supra*, p. 185.

**Chloredium**, Motschulsky, Bull. Mosc., *l. c. supra* p. 182.

**Oillenus**, Samouelle, Ent. Comp., 1819, p. 148 : Curtis, Brit. Ent., i, 1828, p. 200.

**Emphantes**, Motschulsky, Käfer Russl., 1850 : Bull. Mosc., *l. c. supra*, p. 185.

**Endosomatium**, Wollaston, Col. St. Helena, 1877, p. 8.

**Eudromus**, Kirby, Faun. Bor. Amer. 1837, p. 55.

**Eurytrachelus**, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., *l. c. supra*, p. 183.

**Hydrium**, Leconte, Ann. Lyc. Nat. Hist. N. York, iv, 1848, p. 353 : Motsch., Bull. Mosc., *l. c. supra*, p. 186.

**Leja**, Dejean, Spec., v. 1831, p. 150.

**Lopha**, Dejean, *l. c.*, p. 183 : Motsch., Bull. Mosc., *l. c. supra*, p. 190.

**Lymnaeum**, Stephens, Ill. Brit. Ent., ii, 1829, p. 3 : Motsch., Bull. Mosc., *l. c. supra*, p. 133.

**Metallina**, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., *l. c. supra*, p. 187.

**Neja**, Motschulsky, Bull. Mosc., *l. c.*, p. 188.

- Nepha*, Motschulsky, *l. c.*, p. 190.  
*Notaphus* (Mcgerle), Stephens, Ill. Brit. Ent. ii, 1829, p. 4; Motsch., Bull. Mosc., *l. c.*, p. 184.  
*Ochthedromus*, Leconte, *l. c. supra* p. 153.  
*Ocys*, Stephens, *l. c. supra*, p. 10; Motsch., Bull. Mosc., *l. c. supra*, p. 188.  
*Ocydromus*, Clairville, Ent. Helv., ii, 1806, p. 20.  
*Odontium*, Leconte, *l. c. supra*, p. 352.  
*Omala*, Motschulsky, Ins. Sib., 1842, p. 250.  
*Peryphus*, Dejean Spec. v. 1831, p. 101; Motsch., Bull. Mosc., *l. c. supra*, p. 189.  
*Phila*, Motschulsky, Ins. Sib., 1842, p. 260; Bull. Mosc., xxxvii (3), 1864, p. 188.  
*Philochthus*, Stephens, *l. c. supra*, p. 7; Motsch., Bull. Mosc., *l. c.* p. 186.  
*Plataphus*, Motschulsky, Bull. Mosc., *l. c. supra*, p. 184.  
*Principium*, Motschulsky, *l. c. supra*, p. 181.  
*Pseudophilochthus*, Wollaston, Col. St. Helena, 1877, p. 7.  
*Sinechostictus* Motschulsky, Bull. Mosc., *l. c. supra*, p. 186.  
*Talanes*, Motschulsky, *l. c. supra*, p. 187.  
*Testedium*, Motschulsky, *l. c. supra*, p. 182.  
*Trepanes*, Motschulsky, *l. c. supra*, p. 186.
- callipygum**, Bohemann, Freg. Eug. Resa, Col., 1858, p. 17.  
 Hab. Hongkong.
- chlorum**, Bates, Trans. Ent. S. Lond., 1873, p. 332.  
 Hab. Yangtse Valley, Japan.
- collutum** Bates, *l.c.*, p. 332.  
 Hab. Yangtse Valley, Fuchau.
- europæ**, Bates, Anu. Mag. N.H., (5s.) xvii, 1886, p. 156.  
 Hab. Ceylon, Kandy.
- luridipenne**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.  
 Hab. Bengal.
- niloticum**, Dejean, Spec., v, 1831, p. 73; Bates, Trans. Ent. S. Lond., 1873, p. 301; ib., 1883, p. 269.  
*Batesii* (*Notaphus*), Putzeys, C. R. Soc. Ent. Belg., xviii, 1875, p. lii.  
*opulentum*, Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 420.  
 Hab. Egypt, Japan, China, Ceylon.
- \*pamirense**, Bates, Proc. Zool. S. Lond., 1878, p. 718.  
 Hab. Pamir, between Sirikol and Pangu [*Ind. Mus.*, type].
- \*punctipenne**, Bates, *l.c.*, p. 718  
 Hab. ? Pámír or near Yarkand [*Ind. Mus.*, type].
- tæniatum**, Wiedemann, Zool. Mag., ii (i), 1823, p. 62.  
 Hab. Bengal.
- xanthacrum**, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 175, note.  
 Hab. N. India.

Genus **TACHYNOTUS**.

Motschulsky, Bull. Mosc., xxxiv, (i), 1861, p. 100 : Mun. Cat., p. 395.

*castaneus*. Motschulsky, *i.e. supra*, p. 100, t. 9, f. 1.

Hab. Ceylon.

Genus **TACHYS**.

(Ziegler) Motschulsky, Käfer Russl., 1850 : Mun. Cat., p. 401 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 737 ; Bates. Biol. Centr. Amer., Col., i (i), p. 138.

[Although Motschulsky's revision of the genus (summarised in Et. Ent., 1862, p. 27) has not been generally accepted, his observations deserve apparently more attention than has hitherto been given to them. I reproduce here the arrangement proposed by him in his own words :—

*I.—Antennes allongées, composées d'articles plus longs que larges.*

(a) corps plus ou moins convexe, ovalaire, luisant :—

1. élytres rétrécis vers la base, glabres au milieu, avec un petit sillon basal et un entier vers la suture et la marge latérale :—*Tachylopha*.
2. élytres profondément sillonnés vers la suture :—*Tachyura—Klugii, orientalis*, Nietner.

(b) corps plus ou moins déprimé, oblong ou parallèle, avec un reflet métallique, changeant sur les élytres, qui sont striées, surtout vers la suture. *Tachys*.

(c) corps déprimé, allongé, parallèle ; élytres multistriées ; tête petite, courte ; troisième article de palpes max. élargi. *Lynnastis—pullulus, indicus*, Motsch.

*II.—Antennes pas ou à peine plus longues que la moitié du corps, robustes, grossissant vers l'extrémité et composées d'articles plus ou moins larges.*

(a). corps déprimé presque parallèle ; cotés du corselet rebordés sur toute leur largeur, sans angles relevés en arrière ; élytres multistriées ; elles vivent sous l'écorce des arbres. *Tachymenis—umbrosa*, Motsch.

(b). corps un peu convexe, ovalaire ; cotés du corselet rebordés seulement en arrière, avec les angles à peine saillants ; élytres glabres, sans striés, ou à peine marquées de chaque côté de la suture des sillons plus ou moins effacés ; palpes grands, de la longueur de la tête ; graduellement atténus en avant. *Polyderis—tenellus*, Motsch.

To these I have added

*Elaphropus*, Motsch., Bull. Mosc., xii, 1839, p. 4 ; *id. ib.*, xxii, 1859, p. 40, f. 4 : Mun. Cat., p. 400—*gracilis, latissimus*, Motsch.]

*acaroides*, Motsch., Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 240.  
Hab. Ceylon, Colombo.

*albicornis*, Schaum, Berlin Ent. Zeits., iv. 1860, p. 199.  
Hab. Hongkong.

*amplians*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.  
Hab. Ceylon, Kandy.

*anceps*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 742.  
Hab. India.

- arcuatus.** Putzeys, *l. c.*, p. 744.  
Hab. Ceylon.
- atomarius.** Wollaston, Col. Hesperid., 1868, p. 28 : Bates, Ann. Mag. N. H., (5 s.) xvii, p. 152.  
*microscopica*, Bates, Trans. Ent. S. Lond., 1873, p. 299.  
*l. tenella* (*Polyderis*), Motsch., Et. Ent., 1862, p. 35.  
Hab. Cape Verde Islands, Ceylon (Bogawantalawa).
- bioculatus.** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743 : Bates, *l. c.*, (2 s.) vii 1889, p. 105.  
Hab. Ceylon ; Burma, Bhamo, Teintso, Tenasserim.
- ceylanicus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 423.  
Hab. Ceylon.
- cinctipennis.** Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 99.  
Hab. Ceylon, Colombo.
- coracinus.** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739.  
Hab. Borneo, Sarawak.
- dorsalis.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.  
Hab. India.
- emarginatus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 425 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739 : Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.  
*scydmaenoides*, Bates, Trans. Ent. S. Lond., 1873, p. 299 (*nec* Nietner).  
Hab. Ceylon, Colombo (*Bates*), Fuchau, Lower Yangtse Valley.
- euides.** Bates, Ann. Mag. N. H., (6 s.) xvii, 1886, p. 153.  
Hab. Ceylon, Dikoya.
- finitimus** (*Bembidium*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 204.  
Hab. Ceylon.
- flaviculus.** Motschulsky, Et. Ent., 1859, p. 39.  
Hab. Ceylon.
- fumigatus.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.  
Hab. India.
- fusculus.** Schaum, Berlin Ent. Zeits., iv, 1860, p. 200 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 741.  
Hab. Hongkong.
- gracilis** (*Elaphropus*), Motsch., Et. Ent., 1862, p. 36.  
Hab. India.
- gradatus.** Bates, Trans. Ent. S. Lond., 1873, p. 331.  
Hab. Fuchau, China.
- impresipennis.** Motschulsky, Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 745.  
Hab. Ceylon, Colombo.
- impressus.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.  
Hab. India.

- indicus** (*Lymnaeum*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 507; *id.*, (*Lynnastis*), Et. Ent., 1862, p. 27.  
Hab. India.
- infans**, Bates, Ann. Mag. N. H., (6s.) xvii, 1886, p. 154.  
Hab. Ceylon, Kandy.
- Klugii** (*Bembidium*), Nietner, Aun. Mag. N. H., (3s.) ii, 1858, p. 423.  
Hab. Ceylon.
- latissimus** (*Elaphropus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508; *id.*, Et. Ent., 1859, t. 1, f. 5.  
Hab. India.
- Nietnerii** (*Tachyta*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 88.  
Hab. Ceylon.
- notapholdes**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 156.  
Hab. Ceylon, Kitugalle.
- orientalis** (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 425.  
Hab. Ceylon.
- ornatus** (*Bembidium*), Nietner, l. c., p. 426; Putzeys, Anu. Mus. Civ. Gen., vii, p. 741.  
Hab. Ceylon, Kandy (*Bates*).
- ovatus** (*Lopha*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.  
*albicornis*, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.  
Hab. Hongkong.
- paralellus** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.  
Hab. India.
- periyphinus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 153.  
Hab. Ceylon, Kitugalle.
- poecilopterus**, Bates, Trans. Ent. S. Lond., 1873, p. 331.  
Hab. Fuehau, China.
- politus**, Motsch., Bull. Mosc., xxiv (4), 1851, p. 509; Putzeys, Ann. Mus. Civ. Gen., vii p. 743.  
*ebeninus* (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 424.  
Hab. Ceylon.
- pullulus** (*Lynnastis*), Motschulsky, Et. Ent.. 1862, p. 31.  
Hab. India.
- scydmaenoides** (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427.  
Hab. Ceylon, Colombo (*Bates*) ; Yangtse Valley (*Levis*).
- sericeus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.  
Hab. India.
- spilotus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 152.  
Hab. Ceylon, Colombo.
- subvittatus**, Bates, l. c., p. 151.  
Hab. Ceylon, Dikoya.

*sulcatus* (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 509 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 740.

Hab. India.

*sulculatus*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743.

Hab. Hongkong.

*suturalis* (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 508 : Putzeys, *l. c.*, *supra*. p. 746.

Hab. India.

*tenellus*, Motsch., Et. Ent., 1862, p. 35.

Hab. India.

*triangularis* (*Bembidium*), Nictner, Journ. As. Soc. Beng., 1857, p. 72 : Ann. Mag. N. H., (3s.) ii, 1858, p. 422 : Schaum, Berlin. Ent. Zeits., 1863, p. 72 : Bates, Trans. Ent. S. Lond., 1873, p. 298.

*atriceps*, W. MacLeay, Trans. Ent. S. N. S. Wales, 1871, p. 116.

Hab. Egypt, Yemen (Arabia), Japan, Yangtse Valley, Ceylon, Colombo, Dikoya (*Bates*), Celebes, Melbourne, Queensland.

*tropicus* (*Bembidium*), Nictner, Ann. Mag. N. H., (2s.) ii, 1858, p. 421.

Hab. Ceylon, Dikoya (*Bates*).

*truncatus* (*Bembidium*), Nictner, *l. c.*, p. 421.

Hab. Ceylon.

*umbrosus*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 507 ; *id.*, ib., xxv, 1862, p. 32. (*Tachymenis*), Et. Ent., ix, 1862, p. 32.

? *extremus* (*Acupalpus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

Hab. India, Ceylon, Dikoya (*Bates*), Kiukiang in Yangtse Valley.

*vixstriatus*, Bates, Trans. Ent. S. Lond., 1873, p. 331.

Hab. Yangtse Valley.

**POGONINI** :—Lacordaire, Gen. Col., i, 1854, p. 364 : Chaudoir, *Essai*, Ann. Soc. Ent. Belg., xiv, 1871, p. 21 : Horn Gen. Carab., p. 135.

### Genus POGONUS.

Dejean, Spec., iii, 1828, p. 6 : Lacord., Gen. Col., i, p. 368 : Mun. Cat., p. 381 : Chaudoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 23.

*hindustanus*, Motsch., Bull. Mosc. xxxvii (3), 1864, p. 192 : Chaudoir, Ess., p. 38 (*gen. dub.*).

Hab. India, Tranquebar.

*transfuga*, Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 30.

*orientalis*, Gebler, Bull. Mosc., xx (i), 1847, p. 319.

*persicus*, Chaudoir, *l. c.*, xv, 1842, p. 821.

Hab. Siberia, S. Russia, Pe: sia, ? Kashmir.

### Genus PATROBUS.

Dejean, Spec., iii, 1828, p. 26 : Lacord., Gen. Col., i, p. 367 : Mun. Cat., p. 386 : Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Schaum, Naturg. Deutsch. Ins., p. 375.

*Carabus*, Paykull, Duftschmid, Panzer, Illiger. *Harpalus*, Gyllenhal, Zetters-tedt. *Platysma*, Sturm.

*navipes*, Motsch., Bull. Mose., xxxvii (3), 1864, p. 191 : Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Bates, Trans. Ent. S. Lond., 1873, p. 294 : (*Deltomerus*) Chaudoir, Bull. Mose., liii (3), 1878, p. 79.  
Hab. Japan, Yangtse Valley, Hongkong.

*yunnanus*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 317.  
Hab. Yunnan.

### Genus TRECHUS.

Clairville, Ent. Helv., ii, 1806, p. 22 : Laeord., Gen. Col., i, p. 370 : Mun. Cat., p. 389 : *Mon.*, Putzeys, Stettin Ent. Zeit., 1847, p. 302 : Pandellé, Mat. Col. Franee, 1867, p. 131.

*Bleonus*, pt. Stephens, Ill. Brit. Ent., 1828, p. 50 : Motsch., Bull. Mose., xxxvii (3), 1864, p. 190.

*Epaphius*, Stephens, l. c., *supra* p. 50.

*Thalassophilus*, Wollaston Ins. Mader., 1854, p. 20.

*convexus*, MacLeay, Annul. Javan, 1825, p. 20.  
Hab. Java.

*fasciatus*, Motseh., Bull. Mosc., xxiv (4), 1851, p. 506.  
Hab. India.

**PTEROSTICHINI** :—Ilorn, Gen. Carab., p. 136 : Leconte & Horn, Class, Col., p. 30.

*Feronides*, Lacordaire, Gen. Col., i, p. 317.

*Stomides*, Lacordaire, l. c., p. 247.

*Trigonotomides*, Lacordaire, l. c., p. 309.

**Div. TRIGONOTOMINA** :—Laeordaire, l. c. : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 151.

### Genus TRIPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 : *id.*, *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 152.

*Omaseus*, Morawitz, Motsehulsky, MacLeay.

*Trigonotoma*, pt. Dejean, Laporte.

? *aeratus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.  
Hab. Nepal.

*andamanensis*, Chaudoir, Bull. Mose., liii (3), 1878, p. 22.  
Hab. Andaman Islands.

*Buquetii*, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, *Mon.*, p. 162 ; Bull. Mosc., liii (3), 1878, p. 31.  
Hab. Java.

*chalcothorax*, Chaudoir, Ann. Soc. Ent. Belg. xi, 1868, p. 153 ; Bates, Ann. Mus. Civ. Gen., (2s) vii, 1889, p. 105.

Hab. Cambodia, Cochin China ; Burmah, Bhamo.

*himaleicus* (*Omaseus*), Reitenb., Hügel's Kasehm., iv (2), 1844, p. 501.  
Hab. N. W. Himalaya ; Mussooreo.

? *indicus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.  
Hab. Nepal.

- ingens** (*Omaseus*), Morawitz, Beitr. Z. Käf. Faun. Jesso, i, 1863, p. 51 : Chadoir, Ann. Soc. Ent. Belg., xi, p. 154.  
 (magnus (*Omaseus*)), Motschulsky, Et. Ent., 1860, p. 5.  
 Hab. China, Japan.
- insignis**, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 310.  
 Hab. Borneo, Sarawak, Labuan.
- Mouhotii**, Chadoir, *Mon.*, p. 152 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.  
 Hab. Cambodia; Burma, Bhamo.
- obscurus**, Lap. de Casteln., Et. Ent., 1834, p. 76.  
 Hab. Java.
- planicollis**, Dejean, Spec., iii, 1828, p. 185 : Chaud., *Mon.*, p. 154.  
 Hab. Bengal.
- praestans**, Chadoir, *Mon.*, p. 154.  
 Hab. Hongkong.
- Putzeysii**, Chadoir, Bull. Mosc., liii (3), 1878, p. 31.  
 Hab. Java.
- rectangulus**, Chadoir, *Mon.*, p. 153.  
 Hab. Dekhan.
- semiviolaceus**, Chadoir, *Mon.*, p. 152.  
 Hab. N. India.
- serraticollis**, Chadoir, *Mon.*, p. 153.  
 Hab. Dekhan.
- viridicollis** (*Omaseus*). MacLeay, Annul. Javan., 1825, p. 17 : Chadoir, *Mon.*, p. 154 : Guérin, Ic. Règne Anim., t. 6, f. 2a : Gray, Griffith Anim. Kingd. Ins., i, 1832., t. 25, f. 2.  
 (bicolor, Lap. de Casteln., Et. Ent., 1834, p. 75, t. 2, f. 2 : Chaud., *Mon.*, p. 152 ; id., Bull. Mosc., liii (3), 1878, p. 33.  
 Hab. Java.
- Waterhousei**, Chadoir, Rev. Mag. Zool., 1862, p. 489 ; id., *Mon.*, p. 53.  
 Hab. N. India, Java.

### Genus LESTICUS.

- Dejean, Spec., iii, 1828, p. 190 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 ; Chadoir, Ann. Soc. Ent. Belg., xi, 1868, p. 155.
- amabilis**, Chadoir, *l. c. supra*, p. 155.  
 Hab. Java.
- janthinus**, Dejean, Spec., iii, 1828, p. 190 : Ic. Col. Eur., ii, t. 124, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 120 : Chadoir, *l. c.*, p. 155.  
 Hab. Java.
- tricostatus**, Chadoir, *l. c. supra*, p. 157.  
 Hab. India.

### Genus TRIGONOGNATHA.

Motschulsky, Et. Ent., vi, 1857, p. 25.

**princeps**, Bates, Trans. Ent. S. Lond., 1883, p. 243.

Hab. China, Kwantung.

### Genus TRIGONOTOMA.

Dejean, Spec., iii, 1828, p. 182 : Lacord., Gen. Col., i, p. 311 : Mun. Cat., p. 293 : Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 ; id., *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 158.

**chalceola**, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Hongkong.

**Comottoi**, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 308.

Hab. Burma.

**concinna**, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, *Mon.*, p. 159 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Java.

**crenata**, Chaudoir, *Mon.*, p. 159.

Hab. India.

**curtula**, Chaudoir, *Mon.*, p. 160.

Hab. Laos.

**Dohrnii**, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 69 ; *Mon.*, p. 159.

Hab. Hongkong.

**fulgidicollis**, Lap. de Casteln., Et. Ent., 1834, p. 77 : Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 309.

Hab. Java, ? Laos.

**indica**, Brullé, Hist. Nat. Ins., iv, 1840, p. 333 : Chaud., *Mon.*, p. 158 : Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 145.

*viridicollis*, Dejean, Spec., iii, 1828, p. 183 (*ne* MacLeay) : Lap. de Casteln., Hist. Nat. Ins., i, p. 220.

Hab. Java, Ceylon, Colombo.

**Lewisii**, Bates, Trans. Ent. S. Lond., 1873, p. 284.

var. *bhamoensis*, Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Manchuria, Japau, China, Burma, Bhamo.

**luzonica**, Chaudoir, *Mon.*, p. 161.

Hab. Philippines, Luzon, Manilla.

**nitidicollis**, Chaudoir, *Mon.*, p. 160.

Hab. Cochinchina.

**Peteli**, Lap. de Casteln., Et. Ent., 1834, p. 78 : Chaud., *Mon.*, p. 159.

Hab. Java.

**similis**, Chaudoir, *Mon.*, p. 158.

Hab. Dekhan.

### Genus TRIGONOMINA.

Motschulsky, Bull. Mosc. xxxvii (4), 1864, p. 349 : Mun. Cat., p. 293.

? = *Triplogenys*, Chaudoir, q. v.

*politocollis*, Motschulsky, l. c., p. 349.

Hab. India.

Div. STOMINA:—Lacordaire, Gen. Col., i, p. 247 : Chaudoir, Bull. Mosc., xix (4), 1846, p. 511.

### Genus IDIOMORPHUS.

Chaudoir, Bull. Mosc., xix (4), 1846, p. 515 : Lacord., Gen. Col., i, p. 254 : Mun. Cat., p. 248 : Horn, Gen. Carab., p. 175.

*Guerinii*, Chaudoir, Bull. Mosc., xix (4), 1846, p. 518 : Lacord., Gen. Col., Atlas, t. 12, f. 1  $\alpha$ .

Hab. India, Nilgiris.

### Genus DISPHAERICUS.

Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 211 : Lacord., Gen. Col., i, p. 249 : Mun. Cat., p. 247 : Horn, Gen. Carab., p. 126.

*Dyschiridium*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 130.

*Spanus*, Westwood, Proceed. Ent. S. Lond., iii, Feb. 1864, p. 3.

*marginicollis*, Schaub, Berlin. Ent. Zeits., 1864, p. 122, t. 2, f. 3.

Hab. India, Tranquebar.

*ovicollis*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 73.

Hab. Ceylon, Dikoya.

### Genus PACHYTRACHELUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 85 : Mun. Cat., p. 248.

*Batoscelis*, Lacord., Gen. Col., i, 1854, p. 261 : Mun. Cat., p. 249.

*Systemognathus*, Putzey, Mém. Liège, xviii, 1862, p. 18 : Mun. Cat., p. 189.

*ceylonicus* (*Batoscelis*), Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 103.

Hab. Ceylon.

*cibriceps*, Chaudoir, l. c., xxv (i), 1852, p. 86.

Hab. N. India.

*discipennis* (*Agonoderus*), Dejean, Spec., v, 1831, p. 815.

Hab. India, Simla.

*cblongus* (*Agonoderus*), Dejean, l. c., p. 813.

Hab. India.

*politus*, Schmidt Goebel, Faun. Col. Birm., 1846, t. 2, f. 8 a.-d.

Hab. Burma.

*porosus*, Putzey, Mém. Liège, xviii, 1862, p. 19, t. 1, f. 2-4.

Hab. India.

Div. PTEROSTICHINI:—Horn, Gen. Carab., p. 187.

### Genus CATADROMUS.

MacLeay, Annul. Javan., 1825, p. 18 : Lacord., Gen. Col., i, p. 321 : Mun. Cat., p. 298.  
**teaebricoides** (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 324; *il.*, Ent., iii, 35, p. 17, t. 6, f. 67 : Dejean, Spec., iii, p. 187 : Gray, Griffith, Anim. Kingd., Ins. i, t. 12, f. 3 : Macleay, Annul. Javan, p. 19, t. 1, f. 5,  
*Rajah* (*Harpalus*), Wiedemann, Anal. Ent., 1824, p. 7.  
 Hab. Java [*Ind. Mus.*, Australia ?].

### Genus PTEROSTICHUS.

Bonelli, Obs. Ent. 1809, *tab. syn.* : Lacord., Gen. Col., i, p. 400 : Mun. Cat., p. 317.

- Adelosia*, Stephens, Cat. Brit. Ins. (2 ed.), 1832.
- Aello*, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 297.
- Agonodemus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Arachnoidius*, Chaudoir, *l. c.*, p. 9.
- Argutor* (Megerle), Stephens, Ill. Brit. Ent., i, 1828.
- Argutoroidius*, Chaudoir, Ann. Soc. Ent. Belg., xix, 1876, p. 114.
- Bothriopterus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Brachystylus*, pt. Chaudoir, *l. c.*, p. 10.
- Bryobius*, Chaudoir, *l. c.*, p. 10.
- Cilopterus*, Chaudoir, *l. c.*, p. 11.
- Ceneus*, Chaudoir, *l. c.*, xxviii (3), 1865, p. 109.
- Cheporus*, Latreille, Règne. Aum., (2 ed.) iv, 1825, p. 396.
- Cophorus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828 : Chaud., *l. c.*, *supra*, p. 1.
- Coscinopterus*, Chaudoir, *l. c.* *supra*, p. 11.
- Cryobius*, Chaudoir, *l. c.*, p. 11.
- Dysidius*, Chaudoir, *l. o.*, p. 8.
- Glyptopterus*, Chaudoir, *l. o.*, p. 10.
- Gonoderus*, Motschulsky, Bull. Mosc., xxxii, 1859, p. 149.
- Haplosoelus*, Chaudoir, Bull. Mosc., xi, 1838, p. 8.
- Haptoderus*, Chaudoir, *l. o.*, p. 10.
- Hyphergea* (Esch.), Chaudoir, *l. c.*, p. 8.
- Lianæ*, Gozis, MT. Schw. Ent. Ges., vi, 1882, p. 298.
- Lycoperherus*, Motschulsky, Mém. Ac. St. Petersb., v, 1846, p. 136.
- Lyperosomus*, Motschulsky.
- Lyperus*, Chaudoir, Bull. Mosc., xi, 1838, p. 12.
- Lyropedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Lyrothorax*, Chaudoir, *l. c.*, *supra*, p. 9.
- Melanius*, Bonelli Mém. Acad. Turin, *tab. syn.*, 1809.
- Myosodus*, Fischer, Ent. Imp. Russ., ii, 1823, p. 122.
- Omaseus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828.
- Oreophilus*, Chaudoir, *l. c.* *supra*, p. 9.
- Orthomus*, Chaudoir, *l. c.*, p. 8.
- Parapedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Pedius*, Motschulsky, Bull. Mosc., xxxviii (1), 1865, p. 242.
- Petrophilus*, Chaudoir, *l. c.* *supra*, p. 9.
- Phonias*, Gozis, Récherche, 1886, p. 8.

- Platypterus*, Chaudoir, *l. c. supra*, p. 11.  
*Platysma*, Bonelli, Obs. Ent., 1809, *tal. syn.* : Mun. Cat., p. 317.  
*Pledarus*, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 254.  
*Pseudocryobius*, Motschulsky, Käfer Russl., 1850, 9.  
*Pseudoderus*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.  
*Pseudopediush*, Seidlitz, *l. c.*, p. 36.  
*Pseudosteropus*, Chaudoir, *l. c. supra*, p. 9.  
*Psychobius*, Chaudoir, *l. c.*, p. 12.  
*Rhagadus*, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 261.  
*Steropus* (Megerle), Stephens, Ill. Brit. Ent., i, 1828. Chaud., *l. c. supra*, p. 9.

[The above synonymy requires examination and revision.]

*aeneocupreus* (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.  
 Hab. Yunnan.

*birmanus* (*Loxandrus*), Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.  
 Hab. Burma, Bhamo.

*curtatus* (*Euryperus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 312.  
 Hab. Yunnan.

*diversus* (*Omaseus*), Fairmaire, *l. c.*, p. 311.  
 Hab. Yunnan.

*gagates* (*Platysma*), Hope, Gray's Zool. Misc., 1831, p. 21.  
 Hab. Nepál.

*latecosta* (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 94.  
 Hab. Yunnan.

*Yunnanus*, (*Pterostichus*), Fairmaire, *l. c.*, p. 94.  
 Hab. Yuunan.

*longinquis*, Bates, Trans. Ent. S. Lond., 1873, p. 286.  
 Hab. Yangtse Valley, Japan.

*Noguchi*, Bates, *l. c.*, p. 286.  
 Hab. Yangtse Valley, Nagasaki.

*simillimus*, Fairmaire, Ann. Soc. Ent. Fr., (4s.) vi, 1886, p. 312.  
 Hab. Yunnan.  $\div$

*discescens* (*Simodontus*), Chaudoir, Bull. Mosc., xlvi (3), 1873, p. 114.  
 Hab. ? Philippines ? Australia.

### Genus RHATHYmus.

Dejean, Spec., v, 1831, p. 783 : Mun. Cat., p. 334 : Chaudoir, Bull. Mosc., liii (3), 1878, p. 7.

*Rathymus*, Dejean, *l. c. supra* : Lacord., Gén. Col., i, p. 329.

*Selenidia*, Motsch., Et. Ent., 1855, p. 45.

*Strigia*, Brullé, Hist. Nat. Ins., iv, 1840, p. 382 : Lacord., Gén. Col., i, p. 327 : Mun. Cat., p. 333.

*ater*, Chaudoir, Bull. Mosc., liii (2), 1878, p. 8.  
 Hab. India, Coromandel.

- maxillaris** (*Strigia*), Brullé, Hist. Nat. Ins., iv, 1840, p. 382, t. 15, f. 6 : Chaudoir,  
l.c. *supra*, p. 8.  
Hab. India.
- stigma**, Fabr., Syst. Eleuth., i, 1801, p. 192 : (*Selenidia*) Motsch., Et. Ent., 1855, p.  
45 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140 ; *id.*, Bull. Mosc.,  
liii (3), p. 9.  
? *sulcatus*, Fabr. Ent. Syst. iv, App. 1794, p. 443.  
Hab. India, Dekhan, Java.

### Genus LAGARUS.

- Chaudoir, Bull. Mosc., xi, 1838, p. 10.  
? *Argutor*, Stephens, Ill. Brit. Ent., 1828 ; *teste*, Gozis, Récherche, p. 8.  
? *impunctatus*, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 145.  
Hab. Ceylon, Colombo.

### Genus ABACETUS.

- Dejean, Spec., iii, 1828, p. 195 : Lacord., Gen. Col., i, p. 315 : Mun. Cat., p. 295 :  
Chaudoir, Stettin. Ent. Zeit., 1859, p. 126 ; *id.*, Monograph, Bull. Mosc.,  
xlii (i), 1869, p. 353.  
*Astygis*, Rambur, Faun. Andal., 1842, p. 95.  
*Coelostomus*, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist.  
Nat. Ins., i, p. 123.  
*Dicaelindus*, MacLeay, Annul. Javan., 1825, p. 18 : Schaum, Berlin. Ent.  
Zeits., vii, 1863, p. 86 : Chaud., Bull. Mosc., xlii (i), 1869, p. 356.  
*Distrigodes*, pt., Motsch., Bull. Mosc., xxxvii (4), 1864, p. 353 : Mun. Cat.,  
p. 296.  
*Distrigus*, Dejean, Spec., iii, 1828, p. 191 : Lacord., Gen. Col., i, p. 316 :  
Mun. Cat., p. 296.  
**aenigma**, Chaudoir, Mon. Bull. Mosc., xlvi (i), 1869, p. 358 : Fairm., Ann. Soc. Ent.  
Fr., 1888, p. 336.  
Hab. Cochin China, Tonkin, Hongkong.  
**amplicollis**, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.  
Hab. Burma, Katha, Teintso, Bhamo.  
**anomalus**, Chaudoir, Mon., p. 367.  
Hab. Ceylon, Colombo.  
**antiquus** (*Argutor*), Dejean, Spec., iii, 1828, p. 246 : Chaudoir, Mon., p. 391.  
*picipes*, Motsch., Bull. Mosc., xxxviii (4), 1863, p. 228 (*nec* MacLeay).  
*relinquens* (*Argutor*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.  
*submetallicus* (*Distrigus*), Nietner, l.c., p. 177.  
Hab. India, Coromandel, Ceylon, Colombo,  
**atratus** (*Distrigus*), Dejean, Spec., iii, 1828, p. 194 : Chaud., Mon., p. 358.  
*costatus* (*Distrigus*), Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 176.  
Hab. Ceylon, Colombo.  
**bipunctatus** (*Distrigodes*), Motsch., Bull. Mosc., xxxviii (4), 1864, p. 352 ; Chaudoir,  
Mon., p. 386.  
? *pallipes*, Chaudoir, q. v.

*rufulus* (*Distrigodes*), Motsch., l.c., xxxviii (4), 1865, p. 327.  
Hab. India, Burma.

*bisignatus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.  
Hab. Burma, Bhamo, Shwegu.

*carinifrons*, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 144.  
Hab. Ceylon, Colombo.

*chalceolus*, Chaudoir, *Mon.*, p. 384.  
Hab. N. India.

*cordicollis*, Chaudoir, *Mon.*, p. 357.  
Hab. India, Tranquebar; Ceylon, Galle.

*cyathoderus*, Chaudoir, *Mon.*, p. 373.  
Hab. N. India.

*degener* (*Argutor*), Walker, Ann. Mag. N.H., (3s.) ii, 1858, p. 201.  
Hab. Ceylon.

*Dejeani* (*Distrigus*), Nietner, l.c., p. 178 : Chaud., *Mon.*, p. 390.  
*flavipes* (*Coelostomus*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 228.  
Hab. India, Ceylon.

*dilutipes*, Chaudoir, *Mon.*, p. 383.  
Hab. Siam.

*dorsalis* (*Astygis*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 229 : Chaud., *Mon.*,  
p. 397.  
? = *rufopiceus*, Nietner, q. v.

Hab. India, Tranquebar, Madura.

*felspathicus* (*Dieculindus*), MacLeay, Annul. Javan., 1825, p. 19, t. 1, f. 6 : Schaum,  
Berlin, Ent. Zcts., 1863, p. 86.  
Hab. Java.

*femoralis* (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 354 : Chaud.,  
*Mon.*, p. 386.  
Hab. India, Tranquebar.

*guttula*, Chaudoir, *Mon.*, p. 374.  
Hab. Dekhan.

*haplosternus*, Chaudoir, Bull. Mosc., liii (3), 1878, p. 25.  
Hab. Siam, Bangkok.

*hirmococclus*, Chaudoir, *Mon.*, p. 372.  
Hab. Burma, Rangoon.

*impressicollis* (*Distrigus*), Dejean, Spec., iii, 1828, p. 193 : Lap. de Casteln., Hist.  
Nat. Ins., 1, p. 118 : Chaud., *Mon.*, p. 359.  
Hab. India, Dekhan.

*leucotelus*, Bates, Trans. Ent. S. Lond., 1873, p. 283.  
Hab. Yangtse Valley, Nagasaki.

*lioderes*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 144.  
Hab. Ceylon, Colombo.

**maculipes**, Chaudoir, *Mon.*, p. 384.

Hab. Burma, Martaban.

**marginicollis**, Chaudoir, *Mon.*, p. 359.

Hab. Burma, Pegu, Rangoon.

**Nietnerii**, Chaudoir, *Mon.*, p. 392.

*aenescens* (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : (*nec*, Dejean).

Hab. Ceylon, Colombo.

**pallipes**, Chaudoir, *Mon.*, p. 386.

? = *bipunctatus*, Motschulsky, *q.v.*

Hab. Burma, Martaban.

**picipes** (*Coelostomus*), MacLeay, Annul. Javan, 1825, p. 24 : Hope, Col. Man., ii,

t. 3 f. a.d. (*neo* Motsch.) : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Hab. India.

**picticornis**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 27.

Hab. Middle China.

**politus**, Chaudoir, *Mon.*, p. 368.

Hab. India, Dekhan.

**politulus**, Chaudoir, *Mon.*, p. 369.

Hab. Burma, Rangoon.

**promptus** (*Distrigus*), Dejean, Spec., iii, 1828, p. 195 : Chaud., *Mon.*, p. 370.

Hab. India, Coromandel.

**quadricollis**, Chaudoir, *Mon.*, p. 382.

Hab. Burma, Martaban.

**quadrivittatus**, Chaudoir, *Mon.*, 387 : Bates. Ann. Mag. N. H., (5s.) xvii, 1886, p. 143.

Hab. Ceylon, Kandy.

**quadrimaculatus**, Chaudoir, *Mon.*, p. 380.

Hab. N. India.

**quadrinotatus**, Chaudoir, *Mon.*, p. 388.

Hab. Bengal.

**reflexus**, Chaudoir, *Mon.*, p. 358.

Hab. N. India.

**rufopiceus** (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : Chaud., *Mon.*, p. 398.

Hab. Ceylon.

**rufotestaceus**, Chaudoir, *Mon.*, p. 398.

Hab. Dekhan.

**siamensis**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 26.

Hab. Siam, Bangkok.

### Genus CHLAEMINUS.

Motsch., Bull. Mosc., xxxvii (4), 1864, p. 351 : Mun. Cat. p. 229: Chaud., *Monograph*, Bull. Mosc., xlvi (i), 1869, p. 401.

*Distrigodes*, pt, Motschulsky, l.c. *supra*, p. 353.

*biguttatus*, Motsch., Bull. Mosc. xxxvii (4), 1864, p. 351 : Chaud., *Mon.*, p. 401.  
Hab. India, Dekhan, Tranquebar, Burma, Martaban.

*biplagiatus*, Chaudoir, *Mon.*, p. 402.  
Hab. Burma, Rangoon.

*cruciatus*, Chaudoir, *Mon.*, p. 403.  
Hab. Bengal.

*flavoguttatus* (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 354 : Chaud., *Mon.*, p. 404.  
Hab. Burma.

*quadriplagiatus*, Chaudoir, *Mon.*, p. 403.  
Hab. Dekhan.

### Genus **HOLCONOTUS.**

Chaudoir, Rev. Mag. Zool., (3s.) iv, 1876, p. 352.

*ferrugineus* (*Abacetus*), Chaudoir, Bull. Mosc., xli (2), 1869, p. 399; Schmidt Goebel,  
Faun. Col. Birm., t. 2, f. 6.  
Hab. Burma, Siam.

### Genus **AULACOCOELIUS.**

Chaudoir, Bull. Mosc., xlvi (2), 1869, p. 405.

*liopleurus* Chaudoir, *l.c.*, p. 406.  
Hab. N. Australia, Philippines, Luzon.

### Genus **POECILUS.**

Bonelli, Obs. Ent., 1809, tab. syn : Laeord., Gen. Col., i, p. 402 ; Mun. Cat., p. 300 : Chaudoir, L'Abeille, xiv, 1875, p. 1-54.

*Ancholeus*, subg., Chaudoir, L'Abeille, xiv, 1876, p. 45.

*Blennidus*, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 251.

*Brachystylus*, pt, Chaudoir, Bull. Mosc., xi, 1838, p. 10.

*Carenostylus*, Chaudoir, *l.c.*, p. 8.

*Chlaenioidius*, Chaudoir, Bull. Mosc., xxxviii (3), 1865, p. 110.

*Cyclomus*, Chaudoir, Bull. Mosc., xi, 1838, p. 8.

*Derus*, Motschulsky, Käfer Russl., 1850, p. 50 ; *id.*, Bull. Mosc., xxxvii, (4), 1865, p. 255.

*Sagines*, (Coach) Stephens, Ill. Brit. Ent., 1828 : Chaud., Bull. Mosc., xi, p. 8.  
*Triranumatus*, Chaudoir, Bull. Mosc., xi, 1838, p. 8 : Motsch., *l.c.*, xxxviii (4), 1865, p. 252

*cupreus*, Linn., Faun. Suec., 1746, No. 801 : Dejean, Spec., iii, p. 207 : for *syn. vide*  
Mun. Cat., p. 301.

Hab. Europe, N Africa, Asia Minor, Persia, Japan, Canton (*Putzeys*).

*indicus* (*Sogines*), Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 257.  
Hab. N. India.

### Genus TROPIDOCERUS.

Chaudoir, Bull. Mosc., liii(3), 1878, p. 9.

*indicus*, Chaudoir, *l.c.*, p. 13.

Hab. N. India.

### Genus MOLOPS.

Bonelli, Obs. Ent. i, 1809, *tab. syn.*; Mun. Cat., p. 332 : Kraatz, Deutsche Ent. Zeits., 1875, p. 369.

*piliferus*, Bates, Proc. Zool. S. Lond., 1878, p. 718.

Hab. India, Murree [*Ind. Mus.*, type].

### Genus AEPSERA.

Chaudoir, Bull. Mosc., xlvi (i), 1874, p. 28.

*ferruginea*, Chaudoir, *l.c.*, p. 30.

Hab. Burma.

### Genus AMARA.

Bonelli, Obs. Ent., 1809, *tab. syn.* : Lacord., Gen. Col., i, p. 332 : Mun. Cat., p. 347 : Putzeys, *Monograph*, L'Abbeille, 1871, p. 100.

*Acrodon*, Zimmermann, Gistl's Faunns, i, 1832, p. 40 : Mun. Cat., p. 344.

*Amaroeclia*, Motschulsky, Et. Ent., 1862, p. 4.

*Amathitis*, Zimmermann, *l.c. supra*, p. 39 ; Mun. Cat., p. 342.

*Bradytus*, Stephens, Ill. Brit. Ent., i, 1828, p. 131 : Mun. Cat., p. 338.

*Celia*, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 344.

*Curtonotus* (*Cyrtonotus*), Stephens, *l.c. supra*, p. 138 : Mun. Cat., p. 339 : Bates, Biol. Centr. Amer., Col., i (i), p. 76.

*Isopleurus*, pt, Kirby, Faun. Boreal. Amer., iv, 1837, p. 34.

*Leioenemis* (*Lioenemis*), Zimmermann, *l.c. supra*, p. 38 : Mun. Cat., p. 342.

*Leirus*, Zimmermann, *l.c. supra*, p. 17 (= *Cyrtonotus*).

*Percosia*, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 337.

*Triaena*, Leconte, Ann. Lyc. N. York, iv, 1848, p. 265.

*ambigena*, Bates, Proc. Zool. S. Lond., 1878, p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

\**badiola* (*Amathitis*), Bates, *l.c.*, p. 717.

Hab. north of Kuenluen [*Ind. Mus.*, type].

\**bamidunya*, Bates, *l.c.*, p. 716.

Hab. Pámír [*Ind. Mus.*, type].

*compactus* (*Bradytus*), Bates, Proc. Zool. S. Lond., 1878, p. 49.

Hab. India, Murree [*Ind. Mus.*, type].

*darjelingensis*, Putzeys, Stettin Ent. Zeit., xxxviii, 1877, p. 102.

Hab. Darjiling.

\* *frivola* (*Lioenemis*), Bates, Proc. Zool. S. Lond., 1878, p. 717.

Hab. ? Yarkand, or E. slopes Pámír [*Ind. Mus.*, type].

*himalaica* (*Lioenemis*), Bates, *l. c. supra*, p. 716.

Hab. India, Ladák [*Ind. Mus.*, type].

**indica** (*Lioconemis*), Putzey, Mém. Liège, 1866, p. 216.  
Hab. N. India.

\* **kuenlunensis** (*Amathitis*), Bates, l. c. *supra*, p. 717.  
Hab. Sanju [*Ind. Mus.*, type].

**nitsns** (*Cyrtotonotus*), Putzey, Et. s. l. Amara, 1866, p. 234.  
Hab. Manchuria, Japan, N. China, Szechuan.

\* **pamirensis** (*Cyrtotonotus*), Bates, Proc. Zool. S. Lond., 1878, p. 717.  
Hab. Pámir [*Ind. Mus.*, type].

\* **tartariae** (*Lioconemis*), Bates, l. c. *supra*, p. 716.  
Hab. Between Yangihissar and Sirikol [*Ind. Mus.*, type].

? **yunnana**, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.  
Hab. China.

### Genus DRIMOSTOMA.

Dejean, Spec., v. 1831, p. 745 : Lacord., Gen. Col., i, p. 313 : Mun. Cat., p. 294 : Chadoir, Monograph, Ann. Soc. Ent. Belg., xv, 1872, p. 9.

**rectangulum**, Chadoir, Ann. Soc. Ent. Belg., xv, 1872, p. 11 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 106.  
Hab. Java, Burma, Shwedu, Teintso, Bhamo.

### Genus STOMONAXUS.

Motschulsky, Etudes Entomologiques, 1859, p. 34.

*Diceromerus*, Chadoir, Ann. Soc. Ent. Belg., xv, 1872, p. 15.

**chaudoirii** (*Diceromerus*), Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 60.  
Hab. Annam, Hué.

**orientalis** (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35 : Chadoir (*Diceromerus*), Ann. Soc. Ent. Belg., xv, 1872, p. 15.  
Hab. India, Tranquebar, Ceylon, Dikoya (Bates).

**striaticollis**, Dejean, Spec., v, 1831 p. 747 : Chaud., Ann. Soc. Ent. Belg., xv, 1872, p. 13.

*ceylanicum* (*Drimostoma*), Nictner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 178.

? *marginale* (*Drimostoma*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51 : Bates, ib., (5 s.) xvii, 1886, p. 212.

*rufipes* (*Drimostoma*), Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

? *sculptipennis* (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35, t. 1, f. 6.  
Hab. India, Ceylon, Hong-Kong, Japan, Senegal.

**LICININI** :—Lacord., Gen. Col., i, p. 231 : Horn, Gen. Carab., p. 139 : Leconte & Horn., Class. Col., 1883, p. 32.

### Genus RHEMBUS.

Latrelle, Ic. Col. Egr., i, 1822, p. 85 : Mun. Cat., p. 238 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 278.

? *Diplocheila*, Brullé, Hist. Nat. Ins., Col., i, 1834, p. 407 : Horn, Bull. Brookl. Ent. Soc. iii, 1880, p. 52.

*Rembus*, Latr., l. c. *supra* : Lacord, Gen. Col., i, p. 233 : Laferté.

*Sympyphus*, Nictner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 180,

*elongatus*, Bates, Trans. Ent. S. Lond., 1873, p. 256.  
Hab. Yangtse Valley, Japan.

*impressus* (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57; Syst. Eleuth., i, p. 188 : Dejean, Spec., ii, p. 383.  
Hab. India.

*latifrons*, Dejean, Spec. v, 1831, p. 679.  
Hab. India.

*opacus*, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.  
Hab. Japan China, ? India, Java.

*politus* (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 146; Syst. Eleuth., i, p. 189 : Dejean, Spec., ii, p. 381 : Lap. de Casteln., Hist. Nat. Ins., Col. i, p. 133.  
Hab. India, [Ind. Mus., Bengal, Sahibganj].

*unicolor*, Nietner, Ann. Mag. N. H., (3 s.), ii p. 1858, p. 180.  
Hab. Ceylon.

*zeelandicus*, Redtenb., Reise Novara, Col., 1867, p. 10, t. 1, f. 5 : Bates, Trans. Ent. S. Lond., 1873, p. 256.  
Hab. Formosa, Yangtse Valley, Japan, ? New Zealand.

### Genus BADISTER.

Clairville, Ent. Helv., ii, 1806, p. 90 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 403 : Lacord., Gen. Col., i, p. 234: Mun. Cat., p. 239 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 285 : Leeonte, Trans. Amer. Ent. S., viii, p. 165; *id.*, Bull. Brookl. Ent. S., v, 1892, p. 7.

*Amblychus*, Gyllenhal, Ins. Suee., ii, 1810, p. 74.

*Baudia*, Ragusa, Nat. Sicil., vii, 1884, p. 3.

*Trimorphus*, Stephens, Cat. Brit. Ins., 1829, p. 405.

*rubicollis*, Wiedemann, Zool. Mag., ii (i), 1823, p. 58.  
Hab. Bengal.

*thoracicus*, Wiedemann, l. c., p. 57.  
Hab. India.

### Genus ECCOPTOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 72 : Lacord., Gen. Col., i, p. 320 : Mun. Cat., p. 297.

*moestus*, Chaudoir, l. c. *supra*, p. 74 : Bates, Ann. Mag. N. H., (5, s.) xvii, p. 212.  
? *retinens*, Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51.  
Hab. N. India, Ceylon.

### Genus DIROTUS.

MacLeay, Annul. Javan., 1825, p. 16 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 : Lap. de Casteln., Hist. Nat. Ins., i, p. 133.

*subiridescens*, MacLeay, Annul. Javan., 1825, p. 16 : Hope, Col. Man., ii, t. 2, f. 1, a—e.  
Hab. Java,

**PLATYNINI**:—Horn, Gen. Carab., p. 141: Leconte & Horn, Class. Col., p. 33: (*Anohomenini*) Bates, Biol. Centr. Amer., Col., ii., p. 91.

Horn forms three sub-divisions :—*Platyni* (*Calathus*, *Pristonychus*), *Masorei*, and *Perigoni*.

### Genus SPHODRUS.

Clairville, Ent. Helv., ii, 1806, p. 88: Brullé, Hist. Nat. Ins. Col., i, 1834, p. 310: Lacord., Gen. Col., i, p. 340: Mun. Cat., p. 356: Motseh., Bull. Mose., xxxvii (3), 1864, p. 314 *tab. syn.*

? *brunneus*, Hope, Gray's Zool., Misc., 1831, p. 21.

Hab. Nepál.

*cordicollis*, Motsehulsky, Bull. Mose., xxxvii (3), 1864, p. 315.  
Hab. Circassia, Georgia, India [Ind. Mus., ? var. Murree].

*indus*, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.

Hab. N. W. Himalaya [? Ind. Mus. Murree].

### Genus EULEPTUS.

Klug, Bericht über Madagase. Ins., 1833, p. 9: Lacordaire, Gen. Col., i, 1854, p. 353.

*coderus*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 365.

Hab. Himalaya.

### Genus FEANUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 107.

*spinipennis*, Bates, l. c., p. 108.

Hab. Burma, Bhamo, Teintso.

### Genus ONYCHOLABIS.

Bates, Trans. Ent. S. Lond., 1873, p. 329.

*sinensis*, Bates, l. c., p. 329.

Hab. Yangtse Valley.

### Genus CALATHUS.

Bonelli, Obs. Ent., tab. syn., 1809: Dejean, Spec., iii, p. 62: Brullé, Hist. Nat. Ins. Col., i, 1834, p. 303: Lacord., Gen. Col., i, p. 312: Gautier, MT. Schw. Ent. Ges., ii, 1867, p. 236: Putzeys, Monograph, Ann. Soc. Ent. Belg., xvi, 1873, p. 19: Mun. Cat., p. 360: Leconte, Proc. Acad. Phil., vii, 1854, p. 36; ib., 1860, p. 317.

*Odontonyx*, Stephens, Cat. Brit. Ins., 1829, p. 28; id., Man. Brit. Col., p. 28.

*Pristodactyla*, Dejean, Spec., iii, 1828, p. 82: Lacord., Gen. Col., i, p. 343.

*Pristosia*, Motsehulsky, Bull. Mose., xxxvii (3), 1864, p. 311: Mun. Cat., p. 360.

*aeneocupreus*, Fairmaire, Ann. Sc. Ent. Fr., (6 s.) vi, 1886, p. 314.

Hab. Yunnan.

*cathaicus* (*Pristodactyla*), Bates, Trans. Ent. S. Lond., 1873, p. 330.

Hab. Fuchau.

*cyclodera* (*Pristodactyla*), Bates, l. c., p. 273.

Hab. Fuchau, Japan.

*crenatus*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 82.

Hab. N. India.

*Delevayii*, Fairmaire, l. o., xxxi, 1887, p. 96.

Hab. Yunnan.

*falsicolor*, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.

Hab. Yunnan.

*Kollaris*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 72.

*angustatus*, Redtenb., Hügel's Kaschmir, iv (2), 1844, p. 500 (*nom. praeoc.*).  
Hab. India.

*lateritius*, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 314.

Hab. Yunnan.

*pectiniger*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 86

Hab. N. India.

*piceus* (*Pristosia*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 312 : Putzeys, Ann.

Soc. Ent. Belg., xvi, 1873, p. 91.

Hab. India.

### Genus PRISTONYCHUS.

Dejean, Spec., iii, 1828, p. 43 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 379 ; Lacord., Gen. Col., i, p. 341 : Mun. Cat., p. 358 : Schaufuss, Monograph, SB. Nat. Ges. 'Isis,' xlII, 1865, p. 139' : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 379.

*Cryptotrichus*, Schaufuss, Monograph, 1865, p. 110 : Mun. Cat. p. 355.

*Cryptoxenus*, Motsch., Bull., Mosc., xxxvii, (3), 1864, p. 314.

*Ctenipes*, Latreille Régne Anim, (2 ed.) iv, 1829 p. 400.

{ *Læmostenus*, Bedel, Ann. Soc. Ent. Fr., (5s) vii, 1877, p. 250.

{ *Læmosthenes*, Bonelli. Mém. Ac. Turin, 1809, tab-syn. ; Mun. Cat., p. 355.

*Platynomerus*, Faldermann, Faun. Ent. Transc., i, 1835, p. 45 : Mun. Cat., p. 354.

*piscescens*, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.

Hab. Yunnan.

*spinifer*. Schaufuss, S. B. Nat. Ges. 'Isis,' 1862, p. 66 ; ib., Mou, 1865, p. 176.

Hab. Himalaya.

### Genus PLATYNUS.

Bonelli, Obs. Ent., i, 1809, tab. syn. : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 316 : Mun. Cat., p. 366 : Leconte, Proc. Acad. Phil., vii, 1854, p. 39 : Bates, Trans. Ent. S. Lond., 1873, p. 278 ; id., Biol. Centr. Amer. Col., i (i), p. 91 : Leconte, Bull. Brookl. Ent. S., ii, 1879, p. 43.

*Agonocyrthes*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

*Agonothorax*, Motsch., l. c., p. 317.

*Agonum*, Bonelli, Mém. Ac. Turin., 1813 tab. syn.

*Anchodemus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

*Anchomenus*, pt., Bonelli, Mémo. Ac. Turin., 1813, tab. syn. : Lacord. Gen. Col., i, p. 349.

- Anckus*, Leconte, Proc. Ac. N. Sci. Phil., vii, 1854, p. 38.  
*Batenus*, Motsch., Bull. Mosc. l. c. *supra*, p. 317 *ined.*?  
*Clibanarius*, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 295.  
*Dolichodes*, Motsch., l. c. *supra*, p. 317.  
*Europhilus* (Chaudoir) : Motsch. l. c. p. 317 : *ined.*?  
*Limodromus* (Eschsch.), Motsch., l. c. p. 317, 318.  
*Oxypselaphus*, Chaudoir, Bull. Mosc., xvi, 1843 p. 415.  
*Promecoptera*, Dejean, Spec., v., 1831, p. 443 ; Lacord., Gen. Col., i, p. 131 : Mun. Cat., p. 143.  
*Rhadine*, Leconte, Ann. Lyc. Nat. Hist. New York, 1848, p. 218.  
*Rhytiderus*, Chaudoir, Bull. Mosc., xvii (3), 1844, p. 470.  
*Tanystola*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.  
[*Anehomenus (Bonelli)*, Bates (Biol. Centr. Amer., Col., i (i), p. 93, should apparently be separated].
- aeneotinctus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 330.  
Hab. Fuchau.
- amaroides* (*Calathus*), Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 103.  
Hab. Darjiling.
- ceylonicus* (*Agonothorax*), Motschulsky, Et., Ent., viii, 1859, p. 36.  
Hab. Ceylon, Dikoya (Bates).
- chinensis*, Bohemann, Freg. Eug. Resa, Col., 1858, p. 15.  
Hab. China.
- Dalmio* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 279.  
Hab. China, Fuchau, Japan.
- ilocatus* Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates (*Anchomenus*), ib., (5s.) xvii, 1886, p. 146.  
*degener* (*Argutor*), Walker, l. c. *supra*, p. 204.  
Hab. Ceylon, Nuwara Eliya.
- iridens* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 329.  
Hab. Hongkong.
- \* *ladakensis*, Bates, Proc. Zool. S. Lond., 1878, p. 718.  
Hab. Pámir, Pankong Valley, Tangtze, [*Ind. Mus.*, type].
- laetus*, Erichson, Nov. Acta Leop. Car., 1834, Suppl., p. 222, t. 37, f. 2.  
Hab. Philippines.
- limbatocollis*, Gemm. & Har., Mun. Cat., p. 373.  
*limbatus*, Bohem., Freg. Eug. Resa, Col., 1858, p. 15 (*neu Say*).  
Hab. China.
- lisopterus*, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 136.  
Hab. N. India.
- magnus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 278.  
Hab. Yangtse Valley, Shanghai, Japan.
- marginalis* (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60. (? *Anchomenus*) : (*Promecoptera*) Iap. de Casteln., Hist. Nat. Ins., i. p. 54 :  
Hab. Bengal.

*nuceus* (*Anchomenus*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 96.  
Hab. Yunnan

*orbicollis* (*Agonocyrthes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 323.  
Hab. Hongkong.

*placidulus* (*Agonum*), Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203.  
Hab. Ceylon.

*politissimus*, Bates, Proc. Zool., S. Lond., 1878, p. 719.  
Hab. India, Murree (Panjab) [*Ind. Mus.*, type].

*protensus* (*Dyscolus*), Morawitz, Beitr. Käferf. Jesso, 1863, p. 42 : Bates, Trans. Ent. S. Lond., 1873, p. 278.  
Hab. China, Japan.

*scintillans*, Bohem., Frcg. Eug. Resa, Col., 1858, p. 16.  
Hab. Hongkong.

*semicupreus* (*Agonum*), Fairmaire, Ann. Soc. Ent. Belg. 1887, p. 97.  
Hab. Yunnan.

### Genus DICRANONCUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 392 ; Lacord., Gen. Col., i, p. 358 : Mun. Cat., p. 384 : Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 277.  
*Loxocrepis*, Brullé, Hist. Nat. Ins. Col., i, 1834, p. 325 (*neq; Eschsch.*) : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 309.

*amabilis*, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 350 note ; *id.*, (5s.) viii, 1878, p. 277.

*ruficeps* (*Loxocrepis*), Brullé (*neo MacLeay*), Hist. Nat. Ins., Col., i, 1834, p. 325, t. 12, f. 2.  
Hab. N. India, Java.

*cinctipennis*, Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 278.  
Hab. Ceylon, Hongkong.

*femoralis*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 393 : *id.*, Ann. Fr., *l.c. supra*, p. 277 : Bates, Trans. Ent. S. Lond., 1873, p. 278.

*coelostinus* (*Loxocrepis*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 310.  
Hab. Bengal, Simla, Burma, Japan (*Lewis*).

### Genus MENERA.

Motschulsky, Et. Ent., 1859, p. 32.

*quadrident*, Motschulsky, *l.c.*, p. 32.  
Hab. Java.

### Genus COLPODES.

MacLeay, Annal. Javan., 1825, p. 17 : Lacord. Gen. Col., i, p. 361 : Mun. Cat., p., 381 : Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 287 ; *id.*, *Monograph, l.c.*, (5s.) viii, 1878, p. 278 : Bates, Biol. Centr. Amer., Col., i (i), p. 100.

*Abropus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 306 (*acc Guérin*).

*Dyscolus*, Dejean, Spec., v, 1831, p. 437 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 381 : Lacord., Gen. Col., i, p. 356.

- Loxoorepis*, Eschsch., Zool. Atlas, ii, 1829, p. 6 : Lacord., Gen. Col., i, p. 362.
- Metallosomus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 304.
- Omiastus*, Motschulsky, l.c., p. 306.
- Ophryodactylus*, Chaudoir, l.c., xxiii (2), 1850, p. 382.
- Paranomus*, Chaudoir, l.c., p. 383.
- Pleurosomus*, Guérin, Mag. Zool., vi, 1844, t. 186.
- Scaphiadactylus*, Chaudoir, Bull. Mosc., xi, 1838, p. 20.
- Stenocnemus*, Mannerheim, Bull. Mosc., x, 1837, p. 29.
- abropoides*, Chaudoir, Mon., l.c. *supra* p. 361.  
Hab. Philippines.
- aeneipennis* (*Dyscolus*), Dejean, Spec., v, 1831, p. 441 ; Chaudoir, Mon., p. 333.  
Hab. Java.
- aenescens*, Chaudoir, Mon., p. 368.  
Hab. N. India.
- amoenus*, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 327 ; Mon., p. 367.  
*splendens*, Morawitz, Bull. Acad. Petrop., v, 1863, p. 324.  
Hab. N.-W. India, Ceylon, Dikoya (Bates), Java, Philippines, Japan.
- apicalis* Chaudoir, Mon., p. 367.  
Hab. Philippines.
- Baconii*, Chaudoir, Mon., p. 311.  
Hab. Bengal.
- bengalensis*, Chaudoir, Mon., p. 312.  
Hab. Bengal.
- bipars* (*Lebia*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates, id., (5s.) xvii, 1886, p. 148.  
Hab. Ceylon.
- ? *bispinus* (*Euplynes*), Motschulsky, Et. Ent., 1859, p. 33.  
Hab. Java.
- brunnneus*, MacLeay, Annul. Javan., 1825, p. 17, t. 1, f. 3 : Gray, Griffith Anim., Kingd. Ins., i, t. 15, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.  
Hab. Java.
- Buchananii*, Hope, Gray's Zool. Misc., 1831, p. 21 : Lap. de Casteln. l.c., *supra*, p. 57.  
Hab. Nepal.
- coelopterus*, Chsudoir, Mon., p. 368.  
Hab. Shanghai.
- cruralis*, Chaudoir, Mon., p. 376.  
Hab. India, Malabar.
- Dohrnii*, Nietner, Ann. Mag. N. H. (3s.), ii, 1858, p. 429 ; Chaudoir, Mon., p. 375.  
Hab. Ceylon, Colombo, Pusilawa.
- Hardwickii*, Hope, Grsy's Zool. Misc., 1831, p. 21 : Lap. de Casteln., Hist. Nat. Ins. i, 1850, p. 57.  
Hab. Nepal.

**hirmocoelus.** Chaudoir, *Mon.*, 365.  
Hab. N. India.

**incertus,** Chaudoir, *Mon.*, p. 369.  
?= *Buchanani*, Hope, *supra cit.*  
Hab. India.

**iteratus,** Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 149.  
Hab. Ceylon, Dikoya, Nuwara Eliya.

**japonicus,** (*Tanystola*), Motsch., Et. Ent., 1860, p. 9: ? Morawitz, Bull. Acad. St. Petersb., v, 1863, p. 324: Bates, Trans. Ent. S. Lond., 1873, p. 277.  
Hab. Japan, China.

**lampriodes,** Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 147.  
Hab. Ceylon, Hadley, Dikoya.

**luzonicus,** Chaudoir, *Mon.*, 366.  
Hab. Philippines.

**nigriceps** (*Loxocrepis*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 310.  
Hab. India.

**nilgherriensis,** Chaudoir, *Mon.*, p. 301.  
Hab. India, Nilgiris, Malabar.

**obscuritarsis,** Chaudoir, *Mon.*, p. 375.  
Hab. Burma, Rangoon.

**olivius,** Bates, Trans. Ent. S. Lond., 1873, p. 331.  
Hab. Hongkong.

**ovaliceps,** Bates, Proc. Zool. S. Lond., 1878, p. 719.  
Hab. India, Murree [*Ind. Mus.*, type].

**parallelus,** Chaudoir, Ann. Soc. Ent. Fr., (5s.) ix, 1859, p. 326; *Mon.*, p. 368.  
Hab. Sumatra.

**plagioderus,** Chaudoir, *Mon.*, p. 374.  
Hab. India.

**repletus,** Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 148.  
Hab. Ceylon, Bogawantalawa.

**retusus,** Bates, *l.c. supra*, p. 148.  
Hab. Ceylon, Kandy.

**rotundatus,** Chaudoir, *Mon.*, p. 302.  
Hab. Nilgiris, Malabar.

**ruficeps** (*Lamprias*), MacLeay, Annul. Javan., 1825, p. 25: (*Loxocrepis*), Eshchsch., Zool. Atlas, ii, p. 6, t. 8, f. 3: Gray, Griffith's Anim. Kingd., Ins., i, 1832, t. 19, f. 1: Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 348; *id.*, *Mon.*, p. 376: Bates, Trans. Ent. S. Lond., 1883, p. 263; *id.*, Ann. Mag. N. H., (5 s.) xxii, p. 147.  
Hab. India, Java, Sumatra, Philippines [*Ind. Mus.*, Calcutta, Sikkim].

**rufitarsis** (*Dyscolus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 385; Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 351; *Mon.*, p. 375.  
Hab. Singapur, Sumatra.

**saphyrinus**, Chaudoir, *Mon.*, p. 366.

Hab. Penang, Touda.

**saphyripennis**, Chaudoir, *Mon.*, p. 334.

Hab. India.

**semiaeneus**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.

Hab. Yunnan.

**semistriatus**, Chaudoir *Mon.*, p. 365.

Hab. N. India.

**smaragdipennis**, Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 359 : *Mon.*, p. 375.

Hab. Sumatra, Mt. Singalang.

**stricticollis**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 316.

Hab. Yunnan.

**subsericatus**, Fairmaire, l. c., p. 316.

Hab. Yunnan.

**sycophanta**, Fairmaire, l. c., p. 316.

Hab. Yunnan.

**Xenos**, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 146.

Hab. Ceylon, Bogawantala.

### Genus PIRANTILLUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1819, p. 108.

**Feeæ**, Bates, l. c., p. 109.

Hab. Burma, Tenasserim, Meetan.

### Genus CAPHORA.

Schmidt Goebel, Fauu. Col. Birm., 1846, p. 91 : Lacord. Gen. Col., i, p. 309 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Mun. Cat., p. 146.

**humilis**, Schmidt Goebel, l. c. *supra*, p. 91, t. 3, f. 8 : Chaudoir, Bull. Mosc., li (3), 1876, p. 8.

Hab. Burma.

### Genus ANAULACUS.

MacLeay, Annul. Javan., 1825, p. 22 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

**Aephnidius**, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 308 : Chaudoir, *Mon.*, p. 15.

**Macracanthus**, Chaudoir, Bull. Mosc., xix, 1846, p. 539 ; *id.*, *Mon.*, p. 23 : Lacord., Gen. Col., i, p. 265.

**Masoreus**, Dejean, Spec., iii, 1828, p. 536 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 145 : Zimmermann, *Mon.*, Gistl's Faunus, i, 1832, p. 119 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 231 : Chaudoir, *Mon.*, l. c. li (3), 1876, p. 11, 23, 25 : Bates, Biol. Centr. Amer. Col., i (i), p. 174.

- adeloides* (*Aephnidius*), MacLeay, Annul. Javan., 1825, p. 23, t. 1, f. 7 : Schmidt Goebel, Faun. Col. Birm., p. 88 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 307 : Chaudoir, Mon., p. 17 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.  
*sericeus*, Zimmermann, Mon., 1832, p. 120 : Motsch., Bull. Mosc., xxxvi (3), 1864, p. 234 : Chaud., Mon., p. 17.  
 Hab. Java, Bengal, Dckhan, Burma, Bhamo, Cochina China, Japan, W. Australia.
- fasciatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 25.  
 var. *basalis*, Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 59, 60, t. 4, f. 1.  
 Hab. Burma ; Annam, Hué.
- fuscipennis* (*Aephnidius*), Schmidt Goebel, l.c., p. 89 : Chaudoir, Mon., p. 16 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.  
 Hab. Burma, Bhamo, Shwedu, Tenasserim.
- opaculus* (*Masoreus*), Zimmermann, Mon. Carab., 1832, p. 120 : Chaudoir, Mon., p. 19.  
 Hab. India, Ceylon.
- orientalis* (*Masoreus*), Dejean, Spec., iii, 1828, p. 539 : Chaudoir, Mon. p. 14.  
*grandis*, Zimmermann, Mon. Carab., 1832, p. 121.  
*laticollis*, Chaudoir, Bull. Mosc., xvi (4), 1843, p. 778.  
 Hab. India, Egypt, Abyssinia.
- pleuronectes* (*Masoreus*), Zimmermann, Mon., 1832, p. 120 : Chaudoir, Mon. p. 19.  
 Hab. India, Malabar, Coimbatore, Ceylon.
- quadrimaculatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 90 : Chaudoir, Mon., p. 25.  
 Hab. Burma.
- sericans* (*Masoreus*), Schmidt Goebel, l.c. supra, p. 87 : Chaudoir, Mon., p. 28 (gen. dub. near *Mochtherus*).  
 Hab. Burma.
- scriceipennis* (*Anaulacus*), MacLeay, Annul. Javan., 1825, p. 22, t. 1, f. 4 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Chaudoir, Mon., p. 25.  
 Hab. Java.
- siamensis* (*Masoreus*), Chaudoir, Mon., p. 25.  
 Hab. Bangkok.
- simplex* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 22 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.  
 Hab. Bengal, Malabar ; Burma, Bhamo, Mandalay.

### Genus PERIGONA.

- Lap. de Casteln., Et. Ent., 1834, p. 15 : Chaudoir, Bull. Mosc., xliv (2), 1872, p. 281 : Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 218 : Bates, Biol. Centr. Amer., Col., i (i), p. 133.  
*Masoreus*, pt. Lacordaire, Gen. Col., i, p. 134.

- Nestra*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 : Et. Ent., 1859, p. 37 : Mun. Cat., p. 394.
- Siltopia*, Castelnau, Trans. R. S. Victoria, viii (2), 1868, p. 127.
- Spathinus*, Nietner, Ann. Mag. N. H. (3 s.), ii, 1858, p. 428 : Mun. Cat., p. 394.
- Trechicus*, Leconte, Trans. Amer. Phil. Soc. x, 1853, p. 386 : Lacord., Gen., Col., i, p. 393.
- Beccarii*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 732.  
var. *suffusa*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 151.  
Hab. Borneo, Sarawak ; Ceylon.
- convexicollis*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 729.  
Hab. Johore, Malayan Peninsula.
- fimicola*, Wollaston, Ins. Mader., 1854, p. 63 : Ann. Mag. N. H., (3 s.) viii, 1862, p. 288 ; Col. Hesperid. p. 27 : Bates Ann. Mag. N. H., (5 s.) xvii, 1886, p. 150.  
*Jansonianus*, Wollaston, Ann. Mag. N. H., (3 s.) ii, 1858, p. 19.  
Hab. Cape Verde Islands, Ceylon, Colombo.
- livens*, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 225.  
Hab. ? Coromandel.
- luzonica*, Putzeys, l. c., vii, 1875, p. 728.  
Hab. Philippines, Manilla.
- minor*, Putzeys, l. c., p. 734.  
Hab. Borneo, Sarawak.
- nigriceps* (*Spathinus*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 429.  
? = *fimicola*, Wollaston, *supra cit.*  
Hab. Ceylon.
- nigricollis* (*Nestra*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222.  
Hab. Borneo, Sarawak, Ceylon.
- nigrifrons* (*Nestra*), Motsch., Et. Ent., 1859, p. 38, t. 1, f. 1 : Putzeys, l. c. *supra*, p. 220.  
Hab. Ceylon, Galle (Putzeys), Bogawantala (Bates).
- ruficollis* (*Nestra*), Motsch., Bull. Mosc., xxiv (4) 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222 ; Bates, l. c., (2 s.) vii, 1889, p. 104.  
Hab. Ceylon Kandy (Bates), Borneo, Sarawak (Putzeys), Burma (Bates).
- sinuaticollis*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 149.  
Hab. Ceylon.
- ANCHONODERINI** :—Lacordaïre, Gen. Col., i, 1854, p. 373 : Bates, Ent. Mon. Mag., viii, 1871, p. 29 : Horn, Cat. Carab., p. 144 : Leconte & Horn, Class. Col., 1883, p. 35.

### Genus LASIOCERA.

Dejean, Spec., v, 1831, p. 283 : Brullé, Hist. Nat. Ins. Col., i, p. 142 : Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 402 : Lacord., Gen. Col., i, p. 376 : Mun. Cat., p. 397.

**orientalis**, Chaudoir, Bull. Mose., xxiii (2), 1850, p. 403.  
Hab. N. India.

### Genus OCHTHEPHILUS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 136; *id.*, Ann. Mag. N. H., (2 s.) xx, 1857, p. 275: Mun. Cat. p. 399.

*Perileptus*, Schaum, Nat. Ins., i, 1860, p. 663.

**ceylanicus**, Nietner, Jl. As. Soc. Beng., *l. c. supra*, p. 137: Ann. Mag. *l. c. supra* p. 276: Putzeys, Stettin Ent. Zcit., xxxi, p. 362.  
Hab. Ceylon.

### Genus SELINA.

Motsch., Et. Ent., 1857, p. 110: Schaum, Berlin Ent Zeits., vii, 1863, p. 74.  
*Steleodera*, Schaum, Chaudoir, Bull. Mose., xlv (i), 1872, p. 396.

**Ritsemae**, Oberthür, Notes Lyciden Mus., v, 1883, p. 223.  
Hab. E. Sumatra, Serdang.

**Westermannti**. Motschulsky, Et. Ent., 1857, p. 110, t. 1, f. 6: Schaum, Berlin. Ent. Zeits., 1860, p. 172, t. 3, f. 11, *a. b.*  
*setosus* (*Paelaphanax*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 52: Waterhouse, Aid Ident. Ins., t. 120.  
Hab. India, Tranquebar; Ceylon, Peradeniya (*Bates*); ? Madagascar, Natal.

**HEXAGONINI** (*Ctenodactylini*), Horn, Gen. Carab., p. 145.

### Genus HEXAGONIA.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 563: Brullé, Hist. Nat. Col., i, p. 476 : Lacord., Gen. Col., 1, p. 69: Schmidt Goebel, Faun. Col. Birm., p. 49: Mun. Cat., p. 86: Bates, Biol. Centr. Amer., Col., i (i), p. 158.

*Trigonodactyla*, Dejean, Spec. v, 1831, p. 288: Chaud., Bull. Mosc., xxxiv (i), 1861, p. 532.

**apicalis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 1.  
Hab. Calcutta (Kasipur).

**Bowringii**, Schaum, Berlin Ent. Zeits., 1863, p. 73, 433, t. 3, f. 8.  
Hab. Penang.

**brunnea**, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 531: Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.  
Hab. N. India.

**cephalotes** (*Odacantha*), Dejean, Spec. ii, 1826, p. 439: (*Trigonodactylus*) Guérin, Mag. Zool., 1833, cl. ix, p. 73: Lap. de Casteln., Hist. Nat. Ins., i, p. 31.  
Hab. India.

**Kirbyii**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 2.  
Hab. Darjiling.

**longithorax** (*Lebia*), Wiedemann, Zool. Mag. ii (i), 1823, p. 58 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.

Hab. India.

**terminata**, Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 564 (*nec* Dejean) : Brullé, Hist. Nat. Ins., Col., i, p. 227 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46. Hab. India.

**ODACANTHINI** (*Odontacanthini* Col. Hefte. vi, p. 114) : Lacordaire, Gen. Col., i, p. 71 : Horn, Gen. Carab., p. 147 : Leconte & Horn, Class., Col., 1883, p. 38.

### Genus CASNONIA.

Latreille, Ic. Col. Eur., i, 1822, p. 77 : Lacord., Gen. Col., i, p. 72 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 44 ; *id.*, ib., xxxv (4), 1862, p. 275 ; xlvi (i), 1872, p. 397 : Mun. Cat., p. 86 : Lecomte, Bull. Brookl. Ent. S., ii, 1880, p. 85 : Bates, Biol. Centr. Amer., Col., i, (i), p. 160.

*Apiodera*, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 35 : Lacord., Gen. Col., i, p. 72.

*Lachnothorax*, Motschulsky, Et. Ent., 1862, p. 48.

*Ophionea*, pt, Klug, Ent. Bras. Spec. prim, p. 298 (*nec* Eschsch.).

*Plagiorhytis*, Chaudoir, Bull. Mosc., xxi (i) 1848, p. 31 : Lacord., Gen. Col., i, p. 71.

? *apicalis* (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 408.

Hab. Siam, Bangkok.

*biguttata* (*Lachnothorax*), Motsch., Et Ent., 1862, p. 50.

*oculata*, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 291.

Hab. India, Tranquebar ; Siam.

*bimaculata*, Kollar, Hügel Kaschmir, iv (2), 1844, p. 498, t. 23, f. 2 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 25.

Hab. Kashmir, Simla [*Ind. Mus.*].

*celebensis*, R. Gestro, Ann. Mus. Civ. Gen., vii 1875, p. 854.

Hab. Siam, Bangkok.

*Chaudoirii* (*Ophionea*), Bohemann, Freg. Eug. Resa Col., 1858, p. 2.

Hab. Hongkong [*Ind. Mus.*].

*distigma*, Chaudoir, Bull. Mosc., xxii, (i), 1850, p. 26 ; xlvi (i), 1872, p. 407.

*bimaculata*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 18 (*nec* Kollar).  
Hab. Burma.

*flavicauda*, Bates, Trans. Ent. S. Lond., 1873, p. 303.

Hab. China, Fuchau, Japan.

*fulvipennis*, (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 407 : Bates, Trans. Ent. S. Lond., 1883, p. 278.

Hab. Hongkong, ? Celebes.

*fuscipennis* Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 26 ; *id.*, xxxv (4), 1862, p. 289 : Fairm., Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.

Hab. India, Simla, Tranquebar, Siam, Malacca, Tonkin, Maceassar, China, Chusan.

- haemorrhoidalis**, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 219 : Chaudoir *l. c.* xlvi (i), 1872, p. 404 ; iii (2), 1877, p. 266.  
Hab. India, Ceylon, Colombo (*Bates*), Siam, Celebes, ? Chusan.
- latifascia**, Chaudoir, Bull., Mosc., xlvi (i), 1872, p. 404.  
Hab. India.
- litura** (*Odacantha*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 22 : Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 405 ; iii (2), 1877, p. 266.  
Hab. Burma, Java, Japan.
- metallica**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.  
Hab. Tonkin.
- opacipennis**, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 107.  
Hab. Burma, Bhamo.
- pilifera**, Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 179.  
Hab. Ceylon.
- punctata**, Nietner, *l. c.*, *supra*, p. 178.  
Hab. Ceylon.
- subapicalis**, Oberthür, Notes Leyden Mus., v, 1883, p. 216.  
Hab. E Sumatra, Serdang.
- tetraspilota**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 19.  
Hab. Burma.
- virgulifera**, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 403 : Gestro. Ann. Mus. Civ. Gen., vii, p. 854.  
Hab. Siam, Bangkok.

### Genus OPHIONEA.

- Eschsch., Zool. Atlas, ii, 1829, p. 5 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 43 ; Lacord., Gen. Col., i, p. 73 : Mun. Cat., p. 85.  
*Casnoidea*, Lap de Casteln., Et., Ent., i, 1834, p. 40 ; *id.*, Hist. Nat. An. Ins., i, p. 28.
- Beauchenii**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 333.  
Hab. Tonkin.
- cyancephala** (*Carabus*), Fabr., Ent. Syst. Suppl., 1798 p. 60 : (*Casnonia*) Dejean, Spec., i, p. 173 ; Lacord. Gen. Col. Atlas, t. 3. f. 2 : Schmidt Goebel, Faun. Col. Birm., p. 20.  
Hab. India, Ceylon, Colombo (*Bates*), Celebes, Japan, Hongkong [*Ind. Mus.*], Calcutta, S. India].

- interstitialis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 20.  
Hab. Burma, Java, Soerabaya, Buitenzorg, Celebes.
- nigrofasciata**, Schmidt Goebel, *l. c.*, p. 21.  
Hab. Burma, Ceylon, Colombo (*Bates*).

### Genus DICRASPEDA.

- Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 300.
- brunnea**, Chaudoir, *l. c.*, p. 300.  
Hab. Siam.

**DRYPTINI** :—Horn, Gen. Carab., p. 148 : Leconte & Horn, Class Col., 1883, p. 40 : Lacordaire (*Galeritidcs*), Gen. Col., i, p. 79.

### Genus DRYPTA.

Fabricius, Syst. Eleuth., i, 1801, p. 230 : Brullé, Hist. Nat. Ins. Col., i, p. 163 : Lacord. Gen. Col., i, p. 75 : Mun. Cat., p. 90.

**aeneipennis**, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.

Hab. Burma, Bhamo.

**amabilis**, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 35 (*? = Dendrocellus id*).

Hab. India, Tibet.

**crassiuscula**, Chaudoir, l.c., xxxiv (i), 1861, p. 550.

Hab. N. India.

**dimidiata**, Putzeys, Notes Leyden Mus., ii, 1880, p. 191 ; Mid. Sumatra, iv, 6, t. 2, f. 2.

Hab. Sumatra.

**flavipes**, Wiedemann, Zool. Mag., ii (i), 1823, p. 60 : Dejean, Spec., ii, p. 442 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 34.

*pallipes*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 33 ; ib., (i), 1860, p. 548.

Hab. N. India, Simla.

**formosana**, Bates, Trans. Ent. S. Lond., 1873, p. 333 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 257.

Hab. Formosa.

**lineola**, Dejean, Spec., i, 1825, p. 184 : MacLeay, Annul. Javan, p. 27 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 33 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

var. *philippinensis*, Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

Hab. India, China, Hongkong, Philippines [*Ind. Mus.*, Madras].

**lugens**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.

Hab. Burma.

**mandibularis**, Lap. de Casteln., Et. Ent., 1834, p. 43.

Hab. India, Borneo.

**Mouhotii**, Chaudoir, Rev. Mag. Zool., (2s.), xxiii, 1872, p. 102.

Hab. Laos.

**obscura**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.

Hab. Burma.

**tristis**, Schmidt Goebel, l.c., p. 23.

Hab. Burma.

**virgata**, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 34.

Hab. India.

### Genus DENDROCELLUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : Lacord., Gen. Col., i, p. 80 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 545 : Mun. Cat. p. 91.

*Desera* (Leach), Hope, Col. Man. ii, p. 96, 105.

**aeneipes** (*Drypta*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60.  
Hab. India.

**discolor**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24.  
Hab. Burma, Martaban [*Ind. Mus.*, Dhansiri Valley, Assam].

**geniculatus**, Klug, Jahrb. Insec., i, 1834, p. 52 : Schmidt Goebel, *l.c.*, *supra*, p. 25.  
Hab. India, Assam, Burma, Malacca, Java, Japan.

**longicollis** (*Drypta*), Dejean, Spec., i, 1825, p. 185.  
Hab. India.

**nepalensis** (*Desera*), Hope, Gray's Zool. Misc., 1831, p. 21.  
*flavipes*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : *nec* Wied.  
*nec* Dejean. Calcutta.  
*rugicollis*, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 546.  
Hab. Nepal, Calcutta, Burma.

**parallelus**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 101.  
Hab. Sumatra.

**unidentatus** (*Drypta*), MacLeay, Annul. Javan., i, 1825, p. 28.  
*coelestinus*, Klug, Jahrb. Insect., i, 1834, p. 54.  
Hab. Java.

### Genus GALERITA.

Fabr., Syst. Eleuth., i, 1801, p. 214 : Brullé, Hist. Nat. Ins. Col., i, p. 166 : Schmidt Goebel, Faun. Col. Birm., p. 62 : Lacord., Gen. Col., i, p. 82 : Mun. Cat., p. 92, Leconte, Bull. Brookl. Ent. S., 1879, ii, p. 61 : Bates, Biol. Centr. Amer. Col., i (i), p. 164.

**attelaboides** (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 305 ; Mant. Ins., i, p. 198 ; Ent. Syst., i, p. 132 ; Syst. Eleuth., i, p. 214 ; Oliv., Ent., iii, 35, p. 50, t. 6, f. 70 : Chaudoir, Bull. Mosc., xxiv (i), 1861, p. 560.

? *leptodera*, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 559.  
Hab. India, (not S. America).

**indica**, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 557.  
Hab. N. India.

**nigripennis**, Chaudoir, *l.c.* p. 557.  
Hab. Dekhan.

**orientalis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 26 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.  
Hab. Burma, Bhamo.

**peregrina**, Dohrn, Stettin. Ent. Zeit., xli, 1880, p. 291.  
Hab. Hongkong.

**ruficeps**, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 556 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.  
Hab. N. India ; Burma, Bhamo.

### Genus ZUPHIUM.

- Latreille*, Gen. Crust., & Ios., i, 1806, p. 198 : *Lap. do Casteln.*, *Monograph*, Silb. Rev. i, p. 251 : *Lacord.*, Gen. Col., i, p. 85 : *Brullé*, Hist. Nat. Ios. Col., i, p. 174 : *Mun. Cat.*, p. 98 : *Chaudoir*, Bull. Mosc., xxxv (4), 1862, p. 310 : *Leconte*, Bull. Brookl. Ent. Soc., 1879, p. 61 : *Bates*, Biol. Centr. Amer. Col., i (i), p. 166.  
*Zophium*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 27.  
*bimaculatum*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28 : *Chaudoir*, Rev. Mag. Zool., 1872, p. 105.  
*rittergerum*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28.  
Hab. Burma, Martaban [*Ind. Mus.*, China].  
*erythrocephalum*, Chaudoir, Bull. Mosc., xxxv (2), 1862, p. 311.  
Hab. India, Malabar.  
*inconspicuum*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 30.  
Hab. Burma.  
*modestum*, Schmidt, Goebel, l. c., p. 29.  
Hab. N. India, Burma.  
*olens* (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 139 ; *id. (Galerita)*, Syst. Eleuth., i, p. 215 : Olivier, Ent., iii, 35, p. 94, t. 13, f. 156 : (*Zuphium*) Dejean, Spcc., i, p. 192 ; *id.*, Ic. Col. Eur. i, t. 10, f. 3 : *Brullé*, Hist. Nat. Ins. Col., i, p. 175, t. 6, f. 1 : *Lap. de Casteln.*, Mon., p. 253 : Schmidt Goebel, Faun. Col. Birm., p. 28 ; Duval, Gen. Carab., t. 21, f. 105 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 311.  
*longisculum*, Chaudoir, Bull. Mosc., xv (4), 1842, p. 804 : *id.*, xxxv (4), 1862, p. 312.  
*rufifrons*, Chaudoir, l. c., (4), 1862, p. 311.  
Hab. S. Europe, N. Africa, Asia Minor, Maulmain, Siam.  
*piceum*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 29.  
Hab. Burma.  
*pubescens*, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 182.  
Hab. Ceylon.  
*siamense*, Chaudoir, Rev. Mag. Zool., (2 s), xxiii, 1872, p. 104.  
Hab. Siam.

### Genus AGASTUS.

- Schmidt Goebel, Faun. Col. Birm., 1846, p. 30 : *Lacord.*, Gen. Col., i, p. 87 : *Mun. Cat.*, p. 95.  
*lineatus*, Schmidt Goebel, l. c., p. 91.  
Hab. Burma.  
*ustulatus*, R. Gestro, Anu. Mus. Civ. Gen., vii, 1875, p. 876.  
Hab. Singapur.  
**MORMOLYCINI**, Horn, Gen. Carab., p. 149.

### Genus MORMOLYCE.

- Hagenbach, Nov. Gen. Col., 1825 : *Brullé*, Hist. Nat. Ins. Col., i, p. 310 : *Lacord.*, Gen. Col. i, p. 144 : *Mun. Cat.*, p. 152 : Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886.

**Castelnau**ii, Deyrolle, Ann. Soc. Ent. Fr., (2s.) iv, 1862, p. 314, t. 11, f. 3.

Hab. Malacca.

**Hagenbach**ii, Westwood, Ann. Mag. N. H., (3s.) ix, 1862, p. 96 : Deyrolle, *L. c.* *supra*, p. 313, t. 11, f. 2.

*blattoides*, Thomson, *Mon. Mormolyce*, 1862, p. 8.

Hab. Sumatra.

**phyllodes**, Hagenbach, Nov. Gen. Col., 1825, fig. *a-b.* : Gray, Griffith's Anim. Kingd., Ins. i, 1832, t. 25, f. 7 : Brullé, Hist. Nat. Ins. Col. i, p. 313, t. 11, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i. p. 119, t. 7, f. 3 : Deyrolle, *L. c. supra*, t. II., f. 1 : Verhuel., Ann. Soc. Ent. Fr., 1847, p. 344, t. 7, f. 1-6 : Overdijk, Mém. Ent. S. Pays-Bas, i, 1857, p. 41.

var. *borneensis*, Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886, fig.

Hab. Java, Borneo, ? New Guinea [*Ind. Mus.*, Singapur].

**LEBIINI** :—Horn, Trans. Amer. Ent. Soc., x, 1882, p. 126 : Gen. Carab., p. 155 : Lecomte & Horn, Class. Col., p. 42.

**Lebiides**, pt. Lacordaire, Gen. Col., i, p. 102.

**Pericalides**, Lacordaire, *L. c.*, p. 137.

Includes *Tetragonoderini*, Chaudoir, Bull. Mosc., li (3), 1876, p. 28.

### Genus CYCLOSOMUS.

Latreille, Règne Anim., ii., 1829, p. 394 : Dejean, Spec., iv, p. 23 : Lacord. Gen. Col., i, p. 258 : Mun. Cat., p. 248 : Chaudoir, Bull. Mosc., li (3), 1876, p. 29.

**dysticoides** (*dyticoides*), Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 132 : Ann. Mag. N. H., (2s.) xx, 1857, p. 272 : Chaudoir, Bull. Mosc., li (3), 1876, p. 31.

Hab. Ceylon, Colombo.

**flexuosus**, Fabricius, Syst. Ent., 1775, p. 246 ; Spec. Ins., i, p. 311 ; Mant. Ins., i, p. 203 ; Ent. Syst., i, p. 180 ; (*Scolytus*) Syst. Eleuth., i, p. 247 : Lap. de Casteln., Hist. Nat. Ins., i, p. 96 : Lacord. Gen. Col. : Atlas, t. 10, f. 4 *a-b.* : Gray, Griffith, An. Kingd., Ins. i, 1832, t. 8, f. 12 : Brullé, Hist. Nat. Ins. Col., ii, p. 140 : Chaudoir, Bull. Mosc., li (3), 1876, p. 32.

*suturalis* (*Scolytus*), Wiedemann, Zool. Mag., i (3), 1819, p. 169.

Hab. Bengal, Hongkong.

**marginatus**, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 200 : Chaudoir, *ib.*, li (3), 1876, p. 32.

Hab. India.

### Genus TETRAGONODERUS.

Dejean, Spec., iv, 1829, p. 485 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Lacord., Gen. Col., i, p. 132 : Mun. Cat., p. 144 : Chaudoir, *Monograph*, Bull. Mosc., li (3), 1876, p. 33 : Syn. Amer. Sp., Horn, Trans. Amer. Ent. S., iv, 1872, p. 136 : Bates, Biol. Centr. Amer., Col., i (i), p. 171.

*Carabus*, Fabr. et vct. auct : *Bembidium*, Wied., Germar : *Dromius*, Reiche, Putzeys, Dejean.

*Peronoscelis*, Chaudoir, *Mon.*, p. 56.

**arcuatus**, Dejean, Spec., iv, 1829, p. 195 : Chaudoir, *Mon.*, p. 38.

Hab. India, Egypt, Senaar.

**cursor**, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 201.  
Hab. Ceylon, Kandy.

**dilatatus** (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 ; Chaudoir, *Mon.*, p. 41.  
Hab. India, Bengal.

**discopunctatus**, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 456 ; *id.*, *Mon.*, p. 48.  
Hab. N. India, Simla.

**fimbriatus**, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 202.  
Hab. Ceylon, Kandy.

**notaphoides**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 99 : Bates, *l. c. supra*, p. 201 :  
Chaud., *Mon.*, p. 54.  
Hab. Ceylon, Colombo, Dikoya.

**punctatus** (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 : Dejean, Spec. iv, p. 505 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Chaud., *Mon.* p. 48.  
Hab. India, Bengal, Dekhan.

**quadrinotatus** (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 55 ; *id.*, Syst. Eleuth. i, p. 186 ; Dejean, Spec., iv, p. 491 : Lap. de Casteln., Hist. Nat. Ins., i, p. 89 : Chaud., *Mon.*, p. 41.  
Hab. India, Ceylon [*Ind. Mus.*].

**quadrisignatus**, Quensel, Schönherr, Syn. Ins., i, 1806, p. 212 note : Dejean, Spec. iv, p. 491 : Chaud., *Mon.*, p. 41.  
Hab. India, Hongkong [*Ind. Mus.*, Madras].

**rhombophorus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 93 : Chaud., *Mon.*, p. 48.  
Hab. Burma, Martaban.

**trifasciatus**, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 455 ; *id.*, *Mon.*, p. 48.  
Hab. N. India.

### Genus **MNUPHORUS**.

Chaudoir, Berlin. Ent. Zeits., 1873, p. 55 ; *id.*, Bull. Mosc., li (3), 1876, p. 69.

**disophorus**, Chaudoir, *l. c.*, p. 69.  
Hab. N. India, Simla.

### Genus **TILIUS**.

Chaudoir, Bull. Mosc., li (3), 1876, p. 71.

*Lionychus*, Chaudoir, *olim* (*nec* Wissmann).

**holosericeus**, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 68 ; *id.*, li (3), 1876, p. 72.  
Hab. N. Bengal.

### Genus **DICTYA**.

Chaudoir, Bull. Mosc., xlili, (2), 1870, p. 116, 123.

**eribricollis**, Morawitz, Bull. Ac. Petr., v. 1863, p. 245 : Chaudoir, *l. c. supra*, p. 124.  
Hab. E. Siberia, N. China, Canton (*Putzeys.*).

### Genus NEMATOPEZA.

**Chaudoir**, Bull. Mosc., xlivi (2), 1870, p. 146.

**Baconii**, Chaudoir, *l. c. supra*, p. 150.

Hab. N. India.

**basalis** (*Lebia*), Chaudoir, *l. c.*, xxv (i), 1852, p. 43 ; *id.*, *ib.*, xlivi (2), 1870, p. 149.  
Hab. N. India.

**decora**, Chaudoir, *l. c.*, xlivi (2), 1870, p. 150.  
Hab. N. India.

### Genus LEBIA.

Latreille, Hist. Nat. Ins., viii, 1804, p. 247 : Lacord., Gen. Col., i, p. 127 : Mun. Cat., p. 136 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 226, *tab. syn.* : Chaudoir, *l. c.*, xlivi (2), 1870, p. 111, 162 : Bates, Biol. Centr. Amer., Col., i (i), p. 222.

*Echimuthus*, Leach, Endinb., Encycl., 1818.

*Homalops*, Motschulsky, Käfer Russl., 1845, p. 42.

*Lamprias*, Bonelli, Obs. Ent., 1809, *tab. syn.*

*Lebida*, Motschulsky, Et. Ent., 1862, p. 51 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 225.

*Lebistina*, Motschulsky, Bull. Mosc., *l. c.*, p. 227 : Chaud., *l. c.*, lvi (2), 1877, p. 218.

*Lionedya*, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 126.

*Omalomorpha*, Motschulsky, Ins. Sib., 1842, p. 42.

**Boysii**, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 ; xlivi (2), 1870, p. 223.

Hab. N. India, Simla.

**calycophora**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 44.

Hab. Burma.

**chinensis**, Bohem., Freg. Eug. Resa, Col., 1858, p. 6 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 163.

Hab. Hongkong [*Ind. Mus.*, China].

**circumdata**, Schmidt Goebel, Faun. Col., Birm., 1846, p. 44 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 224.

Hab. Burma.

**elevata** (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 162 ; Syst. Eleuth., i, p. 204 : Chaudoir, Bull. Mosc., xxvii (i) 1854, p. 133 : Schmidt Goebel, Faun. Col., Birm., p. 43.

*maisiliensis*, Fairmaire, Ann. Soc. Ent. Fr. 1849, p. 419 : Brullé, Silb. Rev., ii, p. 108

*unifasciata*, Dejean, Spec., v, 1831, p. 389.

Hab. S. Europe, Burma.

**exsanguis**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 209.

Hab. Ceylon, Dikoya.

**fuscula**, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 221.

Hab. India, Simla.

**gressoria**, Chaudoir, *l.c.*, p. 222.  
Hab. N. India.

**infuscata**, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 227.  
. Hab. India.

**sellata**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 45.  
Hab. Burma.

**tau**, Schmidt Goebel, *l.e.*, p. 45.  
Hab. Burma.

### Genus STEPHANA.

Chaudoir, Bull. Mosc., xliv (i), 1871, p. 55.

**princeps** (*Lebia*), Chaudoir, *l.c.*, xxv (i), 1852, p. 41 ; *id.*, xliv (i), 1871, p. 56.  
Hab. N. India.

### Genus PHYSODERA.

Eschscholtz, Zool. Atlas, ii, 1829, p. 8 : Schmidt Goebel, Faun. Col. Birm., p. 46 ;  
Lacord., Gen. Col., i, p. 130 ; Mun. Cat., p. 143.

**Davidis**, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.  
Hab. China, Fuhkien.

**Dejeani**, Eschscholtz, Zool. Atlas, ii, 1829, p. 8, t. 8, f. 6 : Gray, Griffith's Anim.  
Kingd. Ins., i, t. 19 f. 4 : Lacord., Gen. Col., i, p. 130, Atlas, t. 4, f. 3 :  
Schmidt Goebel, Faun. Col. Birm., p. 46.  
Hab. Burma ; Philippines, Manilla [*Ind. Mus.*, Andamans].

**Eschscholtzii**, Parry, Trans. Ent. S. Lond., v, 1849, p. 179, t. 18, f. 2.  
Hab. Ceylon, Peradeniya (*Bates.*).

### Genus EUPLYNES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Lacord., Gen. Col., i, p. 131 :  
Mun. Cat., p. 380 : Bates, Trans. Ent. S. Lond., 1883, p. 264 ; *id.*, Biol. Centr.  
Amer. Col., i (i), p. 158.

**bispinus**, Motschulsky, Et. Ent., 1859, p. 33.  
Hab. Java.

**cyanipennis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Bates, Ann. Mag.  
N. H., (5s.) xvii, p. 147.  
*Schmidtii*, Chaudoir, Ann. Soc. Ent. Fr., (3s.) vii, 1859 p. 360.  
Hab. India, Burma.

**Dohrnii**, Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 429 : Bates, l. c., (5s.) xvii, 1886,  
p. 147.  
Hab. Ceylon.

### Genus ALLOCOTA.

Motschulsky, Et. Ent., 1859, p. 29 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., iii  
(2), 1877, p. 203,

**viridipennis**, Motsch., Et. Ent., 1859, p. 29, f. 3 : Chaudoir, *l.c.* *supra*, p. 205.  
. Hab. Singapur, Malacca, Java.

### Genus PARENA.

*Motschulsky*, Et. Ent., 1859, p. 31 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 207.

*bicolor*, Motschulsky, Et. Ent., 1859, p. 32.  
Hab. Java.

### Genus LACHNODERMA.

W. MacLeay, Trans. Ent. S. N. S. Wales, ii, 1873, p. 321 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 212 : R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 858.

*hirsutus* (*Singilis*), Bates, Trans. Ent. S. Lond., 1873, p. 333 ; *ib.*, 1883, p. 285.  
Hab. Hongkong.

### Genus SCALIDION.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 63 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147.

*hilare*, Schmidt Goebel, *l.c. supra*, p. 64.  
Hab. Burma.

### Genus COPTODERA.

Dejean, Spec., i, 1825, p. 273 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 149 : *Mémoire*, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 163.

*Agonocheila*, Chaudoir, Bull. Mosc., xxi, 1848, p. 119.

*Belonognatha*, Chaudoir, *l. c.*, xvi (3), 1843, p. 383 : Lacord., Gen. Col., i, p. 142.

*Rhinotoeilla*, Montrouzier, Ann. Soc. Linn. Lyon, 1864, p. 57 : Mun. Cat., p. 141.

*bicincta*, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14 : Chaudoir, *Mém.*, p. 187.  
Hab. Canton, Hongkong.

*discoguttata*, Chaudoir, *Mém.*, 1868, p. 195.  
Hab. Borneo, Celebes.

*elegantula*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.  
Hab. Burma, Bhamo, Teintso, Tenasserim.

*flexuosa*, Schmidt Goebel, *l.c.*, p. 55 : Chaudoir, *Mém.*, p. 196.  
Hab. Burma, Singapur, Bornco.

*interrupta*, Schmidt Goebel, *l.c.*, p. 53 : Chaudoir, *Mém.*, p. 194.  
Hab. Burma, Siam, Borneo, Ceylon, Colombo (Bates).

*ocellata*, Chaudoir, *Mém.*, p. 188.  
Hab. N. India.

*transversa*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Chaudoir, *Mém.*, p. 165.  
Hab. Burma.

**tetraستigma**, Chaudoir, *Mém.*, p. 174.

Hab. Borneo, Sarawak.

**piligera**, Chaudoir, Col. Novit., 1883, p. 20.

Hab. Tibet, Moupin.

### Genus LIOPTERA.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

**Plato**, Bates, Trans. Ent. S. Lond., 1883, p. 281, note.

Hab. N. Borneo.

**quadriguttata**, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

Hab. Philippines.

### Genus MOCHTHERUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 76 : Lacord., Gen. Col., i, p. 137 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 240.

*Dromius*, pt. MacLeay.

*Thyreopterus*, pt. Dejean, Spec., v, 1831, p. 445.

*Cyrtopterus*, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

**immaculatus**, Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 7 : Chaudoir, *Mém.*, p. 243.

Hab. Malacca, Java.

**tetraspilotus** (*Dromius*), MacLeay, Annul. Javan., 1825, p. 25 : Schaum, Berlin Ent. Zeits., 1860, p. 187 : Chaudoir, *Mém.*, p. 241.

*angulatus* (*Mochtherus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 76.

*quadrinotatus* (*Cyrtopterus*), Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106 : Gerst., Wiegmann Archiv. Naturg., 1863, p. 75.

*retractus* (*Panagaeus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.

*tetrasemus* (*Thyreopterus*), Dejean, Spec., v, 1831, p. 448.

Hab. India, Malabar, Burma, Java, Borneo, Ceylon, Colombo, Galle (Bates), [Ind. Mus., Andaman Islands].

### Genus DOLICHOCTIS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 62 : Lacord., Gen. Col., i, p. 136 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 245.

*Cyrtopterus*, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

*Coptodera*, pt. Dejean.

**angulicollis**, Chaudoir, *Mém.*, p. 250.

Hab. Burma, Rangoon.

**fasciola**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Balangoda.

**gilvipes**, Dejean, Spec. v, 1831, p. 396 : Chaud., *Mém.*, p. 248.

Hab. Philippines, Manilla.

**gonioderus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.  
Hab. Ceylon, Kitugalle.

**marginifer** (*Dromius*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202 ; id, Bates, l.c. supra, p. 210.

**parvicollis**, Chaudoir, *Mém.*, p. 249.  
Hab. Borneo.

**quadriplagiata**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106, t. 9, f. 4 : Chaudoir *Mém.* p. 245.

**marginicollis** (*Colpodes*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 51.  
Hab. Ceylon, Anarajapura.

**rotundatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 77 : Chaud., *Mém.* p. 241, 246 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1882, p. 111.  
Hab. Burma, Bhamo, Teintso, Shwedu.

**striata**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 62 : Chaudoir, *Mém.* p. 246.  
Hab. Burma, Isl. Aru, ? Celebes.

**tenuilimbata**, Oberthür, Notes Leyden Mus., v, 1883, p. 219.  
Hab. Sumatra, Serdang.

**tetracolon**, Chaudoir, *Mém.*, p. 248.  
Hab. Borneo, Sarawak [*Ind. Mus.*, Sikkim].

**vitticollis**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.  
Hab. Ceylon, Dikoya.

### Genus **BRACHYCTIS**.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 252.

**rugulosa**, Chaudoir, l.c., p. 252.  
Hab. Borneo, Sarawak.

### Genus **PELIOCYPAS**.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 33 : Lacord., Gen. Col., i, p. 116 : Mun. Cat. p. 127.

**hamatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 35.  
Hab. Burma.

**luridus**, Schmidt Goebel, l.c., p. 35.  
Hab. Burma.

**signifer**, Schmidt Goebel, l.c., p. 35 : Bates, Ann. Mag. N. H. (5s.) xvii, p. 209.  
Hab. Burma.

**suturalis**, Schmidt Goebel, l.c., p. 34.  
Hab. Burma.

**uniformis**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888., p. 334.  
Hab. Tonkin.

### Genus DROMIUS.

*Bonelli*, Obs. Ent., i, 1809, tabl. syn : *Lacord.*, Gen. Col., i, p. 119 : *Mun. Cat.*, p. 128 : *Schaum*, Ins. Deutschl., i (i), p. 263.

*Crossonychus*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 97.

*Lobius*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 230.

*Microlestes*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 41.

*Philorhizus*, Hope, Col. Man., 1838, p. 66.

*exilis* (*Microlestes*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 42.

Hab. Burma.

*inconspicuus* (*Microlestes*), Schmidt Goebel, l.c., p. 41.

Hab. India.

*orthogoniooides*, Bates, Ann. Mag. N. II., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Dikoya.

*steno*, Bates, l.c., p. 206.

Hab. Ceylon, Nuwara Eliya.

### Genus BLECHRUS.

Motschulsky, Bull. Mosc., xx (3), 1847, p. 219 ; xxi (2), 1848, p. 543 ; Et. Ent., 1858, f. 2, 3 : *Mun. Cat.*, p. 131.

*xanthopus*, Bates, Ann. Mag. N. II., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Colombo.

### Genus METABLETUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 38 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 94 : *Lacord.*, Gen. Col., i, p. 122 : *Mun. Cat.*, p. 132.

*Bomius*, pt., Leconte, Ann. Lyc. Nat. Hist. New York., v, 1852, p. 177 : *Lacord.*, Gen. Col., i, p. 120.

*Charopterus*, Motsch., Et. Ent., 1858, p. 155.

*Dromoceryx*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 40.

*angularis* (*Dromoceryx*), Schmidt Goebel, l.c., p. 41.

Hab. Burma.

*dorsalis* (*Dromoceryx*), Schmidt Goebel, l.c., p. 40.

Hab. Burma.

*quadripunctatus*, Schmidt Goebel, l.c., p. 39 : Bates, Trans. Ent. S. Lond., 1883, p. 284.

Hab. Bengal, Japan.

\* *tartareus*, Bates, Proc. Zool. S. Lond., 1878, p. 719.

Hab. Between Yangi Hissar and Sirikol [*Ind. Mus.*, type].

### Genus APRISTUS.

Chaudoir, Enum. Carab. Caucas., 1846, p. 62 : *id.*, Bull. Mosc., xxiii (i), 1850, p. 65 : *Lacord.* Gen. Col., i. p. 123 : *Mun. Cat.* p. 134.

*aeneipennis* (*Lionychus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 37 : Fairm. Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335.

Hab. Burma, Tonkin.

*aeneomicans*, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 66.

Hab. N. India, Simla.

*subtransparens*, Motsch., Bull. Mosc. xxxiv (i), 1861, p. 104: Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Nuwara Eliya, Hadley, Dikoya (Bates).

### Genus APRISTOMORPHUS.

Motschulsky, Bull. Mosc. xxxiv (i), 1861, p. 104.

*sexpunctatus*, Motschulsky, *l.c.*, p. 105, t. 9, f. 2.

Hab. Ceylon, Nuwara Eliya.

### Genus LIONYCHUS.

Wissmann, Stettin Ent. Zeit., vii, 1846, p. 25; Lacord., Gen. Col., i, p. 122: Mun. Cat., p. 133: Schmidt Goebel, Faun. Col. Birm., p. 36.

*albivittis*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

Hab. Ceylon, Peradeniya.

*marginellus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 37, t. 3, f. 3.

Hab. Burma.

### Genus TETRAGONICA.

Motschulsky, Et. Ent., 1859, p. 26; Mun. Cat., p. 136; Bates Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

*catenata*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Bogawantala.

*euproctoides*, Bates, *l.c.*, p. 209.

Hab. Ceylon, Colombo.

*fusca*, Motschulsky, Et. Ent., 1859, p. 28, t. 1, f. 2.

Hab. Ceylon, Nuwara Eliya, Dikoya, Bogawantala (*Bates*).

*intermedia*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Horton Plains.

*mellea*, Bates, *l.c.*, p. 208.

Hab. Ceylon, Colombo.

*repandens*, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51: Bates, *l.c. supra*, p. 210.

Hab. Ceylon.

### Genus BRACHICHILA.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 123.

*hypocrita*, Chaudoir, *Mém.*, *l.c.*, p. 123.

Hab. Hongkong.

### Genus TANTILLUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 126.

*brunneus*, Chaudoir, *Mém.*, *l.c.*, p. 126.

Hab. Ceylon, Dikoya (*Bates*).

*vittatus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 202.

Hab. Ceylon, Bogawantala.

### Genus SINURUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 129.

*opacus*, Chaudoir, *Mémoire*, p. 130.

Hab. Borneo, Sarawak.

### Genus SERRIMARGO.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 134.

*Thyreopterus*, pt. Schaum, Chaudoir *olim*.

*guttiger*, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189, t. 3. f. 5 : Chaudoir, *Mém.*, p. 135.

Hab. Borneo, Sarawak, Malacca.

*verrucifer*, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 171 ; *Mém.*, p. 135.

Hab. Malacca.

### Genus PERIPRISTUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 135.

*ater* (*Thyreopterus*), Lap. de Casteln., Et. Ent., 1834, p. 149 : Schmidt Goebel, Faun. Col. Birm., p. 79 : Chaudoir, *Mém.*, p. 136 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.

Hab. Burma, Malacca, Bhamo, Tenasserim.

### Genus THYREOPTERUS.

Dejean, Spec., v, 1831, p. 445 : Lacord., Gen. Col., i, p. 143 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 186 : Mun. Cat., p. 151 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 141.

*Thysanotus*, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 123.

*impressus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 80 : Chaudoir, *Mém.*, p. 142 : *gen. dub.*

Hab. Burma.

### Genus MISCELUS.

Klug, Jahrb. Insect., 1834, p. 82 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 311 : Lacordaire, Gen. Col., i, p. 146 : Chaudoir, Berlin. Ent. Zeits., iv, 1861, p. 125 : *id.*, Ann. Soc. Ent. Belg., xii, 1868, p. 152 : Mun. Cat., p. 154.

*Leptodactyla*, Brullé, Hist. Nat. Ins., iv, 1837, p. 130.

*convexicollis*, Putzeys, Ann. Mus. Civ. Geu., vii, 1875, p. 724.  
Hab. Borneo, Sarawak.

*Javanus*, King, Jahrb. Insect., 1834, p. 82, t. 1, f. 9 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 32 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 723.

*apicalis* (*Leptodactyla*), Brullé, Hist. Nat. Ins., iv, 1837, p. 130, t. 4, f. 1.  
Hab. Java, Borneo, Sarawak [*Ind. Mus.*, Audaman Islands].

*paradoxus*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 724.  
Hab. Philippines

*rufiventris*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202.

*ceylonicus*, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 125.

Hab. Ceylon, Colombo (*Bates*).

*unicolor*, Putzeys, Mém. Soc. Liège, ii, 1845, p. 375 ; *id.*, Ann. Mus. Civ. Gen., vii, 1875, p. 725.

Hab. Java.

### Genus HOLCODERUS.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

*auripennis*, Chaudoir, Bull. Mosc., lii (2), 1877, p. 198.

Hab. Penang.

*limbipennis*, Chaudoir, *l.c.*, p. 199.

Hab. Penang.

*praemorsus*, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

Hab. Ceylon, Dikoya, Bogawantalawa (*Bates*).

### Genus CATASCOPUS.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 94 : Schmidt Goebel, Faun. Col. Birm..

p. 80 : Lacord., Gen. Col., i, p. 145 : Mun. Cat., p. 152 : W. W. Saunders, Trans.

Ent. S. Lond., (3s.) i, 1863, p. 455 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113. ;

*id.*, Berlin. Ent. Zeits., v, 1861, p. 116 ; *id.*, Ann. Soc. Ent. Belg., xii, p. 158.

*Cyphosoma*, Hope, Anu. Mag. N., H., ix, p. 426.

*aeneipennis*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 118.

Hab. Dekhan.

*aeneus*, Saunders, Trans. Ent. S. Lond., 1863, p. 467, t. 17, f. 2 *a-b*.

Hab. Bornco, Sarawak.

*aequatus*, Dejean, Spec., v. 1831, p. 452 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54.

Hab. Philippines, Manilla.

*andamanensis*, Chaudoir, Bull. Mosc., lii (2), 1877, p. 200.

Hab. Andaman Islands.

*angulatus*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117.

*elegans*, MacLcay, Annul. Javan., 1825, p. 15 (*nec Fabr.*).

*facialis*, Dejean, Spec., v, 1831, p. 452 (*neo Wied.*).

var. *illustrius*, Mannerheim, Bull. Mosc., xxxiii (i), 1850, p. 89.

, *oxygonus*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 244 : Saund., Trans. Ent. S. Lond., 1863, p. 468.

Hab. Malacca, Java, Borneo, Amboina, Ternate, Macassar.

*brachypterus*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 119 ; Saund., Trans. Ent. S.

Lond., 1863, p. 468.

Hab. Bornco, Sarawak, Singapur.

*cingalensis*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 203.

Hab. Ceylon, Kandy, Balangoda.

*cupreicollis*, Waterhouse, Trans. Ent. S. Lond., 1877, p. 1.

Hab. Andaman Islands.

- cupripennis* (*Pericalus*), Thomson, Arch. Ent. i, 1857, p. 282 : Chaudoir, Berlin-Ent. Zeits., v, 1861, p. 122.  
Hab. Singapur, Borneo, Sarawak.
- cyanellus*, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113.  
Hab. Nepál.
- cyanipennis*, Chaudoir, l.c., xxvii (i), 1854, p. 130.  
Hab. N. Iudia.
- élegans*, Fabr., Syst. Eleutb., i, 1801, p. 184 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 354 ; Berlin. Ent. Zeits., v, 1861, p. 120 : Lap. de Casteln., Hist. Nat. Ins. Col., i, p. 54, t. 4, f. 2.  
*amoenus*, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 120 : Rev. Mag. Zool. (2s) xxiii, 1872, p. 247, 250 : Saund., Trans. Ent. S. Lond., 1863, p. 468.
- var. *australasiae*, Hope, Ann. Mag. N. H., ix, 1842, p. 426.  
,, *celebensis*, Thoms., Arch. Ent., i, 1857, p. 282.  
? *elegans*, Schmidt Goebel, Faun. Col. Birm. p. 83, nec Weber.  
? *lateralis*, Brullé, Hist. Nat. Ins., iv, 1837, p. 233.  
*nitidulus*, Lap. de Casteln., Et. Ent., 1834, p. 60.
- var. *cyaneus*, Chaudoir, Rev. Mag. Zool., 1872, p. 247.  
Hab. Java, Sumatra, Philippines, Ambina, Aru, Dorcy, Batchian, Ceram, Celebes, Australia, Cape York, New Guinea.
- elevatus*. Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.  
Hab. Burma, Martaban.
- excisus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 303.  
Hab. Iudia.
- facialis*, Wiedemann, Zool. Mag., i (3), 1819, p. 165 : Djean, Spec., i, p. 329 ; Ic., ii, p. 116, t. 7, f. 8 : Brullé, Hist. Nat. Ins. Col., i, p. 232 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 352 ; id., Berlin Ent. Zeits., v, 1861, p. 116 : Saund., Trans. Ent. S. Lond., 1863, p. 468 : Bates, Ann. Mus. Civ. Gen., (2s.) viii, 1889, p. 12.  
*Hardwickei*, Kirby, Trans. Linn. S. Lond., xvi, p. 98, t. 3, f. 1.  
Hab. Bengal, Burma, Bhamo, Malacca, Ternate, Batchian, Ceram [*Ind. Mus.*, Sibsgar, Assam].
- fuscoaeneus*, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 247, 249.  
*aeneus*, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 303 (nec Saund.)  
Hab. Penang, Malacca.
- Goebelii*, Gemm. & Har., Mun. Cat., 1868, p. 153 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.  
*facialis*, Schmidt Goebel, Faun. Col. Birm., p. 81 (nec Wied) : Chaud., Bull. Mosc., xxiii (2), 1850, p. 352.  
? var. *basalis*, Chaudoir, Rev. Mag., l.c., p. 245.  
Hab. Burma, Malacca.
- gracilis*, Oberthür, Notes Leyden Mus., v, 1883, p. 220.  
Hab. Sumatra, Serdang ; Philippines, Mindanao.
- punctipennis*, Saunders, Trans. Ent. S. Lond., 1863, p. 464, t. 18, f. 4 a-b.  
Hab. Siugapur.

- reductus**, Walker, Ann. Mag. N. H., (2s.) ii, 1858, p. 203 : ? *neo* Chaudoir, Berlin Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 210.  
 Hab. India, Ceylon, Malacca.
- regalis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.  
 Hab. Burma.
- ? **rufipes**, Gory, Ann. Soc. Ent. Fr., 1833, p. 204 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 269.  
*Subquadratus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 302.  
 Hab? Ind'a (nee Senegal).
- Schaumi**, Saunders, Trans. Ent. S. Lond., 1863, p. 457, t. 17, f. 3 a-b.  
 Hab. Borneo, Sarawak.
- simplex**, Chandoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 246.  
 Hab. Philippines, Mindanao.
- smaragdulus**, Dejean, Spec., i, 1825, p. 331 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54 : Chandoir, Berlin Ent. Zeits., v, 1861, p. 119.  
 ? *pauper*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.  
 Hab. Java, Burma [*Ind. Mus.*, Andaman Islands].
- splendidus**, Saunders, Trans. Ent. S. Lond., 1863, p. 459, t. 17, f. 1a-b.  
*costulatus*, Chandoir, Rev. Mag. Zool. 1863, p. 489 ; ib., 1872, p. 249.  
 Hab. Borneo, Sarawak.
- versicolor**, Saunders, l. c. *supra*, p. 463, t. 18, f. 1a-b.  
 Hab. Sumatra.
- violaceus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 82.  
 Hab. Burma, Maulmain.
- virens**, Chandoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.  
 Hab. Celebes, ? India.
- Vollenhovenii**. Chandoir, l. o., p. 218.  
 Hab. Sumatra.
- Whithillii**, Hope, Col. Man., ii, 1838, p. 164, t. 3, f. 2.  
 Hab. India [*Ind. Mus.*, Sikkim, Assam, Calcutta, Burma].

### Genus PERICALUS.

- MacLeay, Annul. Javan., 1825, p. 15 : Schmidt Goebel, Faun. Col. Birm., p. 85 : Lacord., Gen. Col., i, p. 174 : Mun. Cat., p. 154 : Chandoir, Bull. Mosc., xxi (i), 1848, p. 111 ; Berlin. Ent. Zeits., 1861, p. 123 ; id., Ann. Soc. Ent. Belg., xii, 1868, p. 158 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189 : Bates, Ent. Mon. Mag., vi, 1869, p. 69.  
*Coeloprosopus*, Chandoir, Bull. Mosc., xv (i), 1842, p. 839.  
*Pericallus*, Chandoir, *aut.*
- cicindeloides**, MacLeay, Annul. Javan., 1825, p. 15, t. 1, f. 2 : Gray Griffith's Anim. Kingd., Ins., i, 1832, t. 15, f. 2 : Brullé, Hist. Nat. Ins., Col., i, p. 230 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.  
 Hab. Java.

- guttatus**, Chevrolat, Mag. Zool., 1832, cl. ix, t. 46 : Brullé, Hist. Nat. Ins., Col., i, p. 231 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.  
Hab. Java.
- laetus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 190.  
Hab. Borneo.
- longicollis**, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 159.  
Hab. Malacca.
- ornatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 86.  
Hab. Burma.
- quadrimaculatus** (*Catascopus*), MacLeay, Annul. Javan., 1825, p. 15 : Lap., de Casteln., IIist. Nat. Ins., i, p. 55, t. 4., f. 3 : (*Coeloprosopus*) Chaudoir, Bull. Mosc., xv (i), 1842, p. 839.  
*quadrisignatus*, Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 392.  
Hab. Java.
- tetragramma**, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 123.  
Hab. Singapur, Sarawak.
- undatus**, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 111.  
Hab. Philippines.
- xanthopus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 191.  
Hab. Borneo.

### Genus CALLEIDA.

- Dejean, Spec., i, 1825, p. 220 : Lacord., Gen. Col., i, p. 105 : Chaudoir. *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 103 : Mun. Cat., p. 114 : Schmidt Goebel, Faun. Col. Birm., p. 32 ; Bates, Biol. Centr. Amer., Col i (i), p. 203.
- Caillida*, Chaudoir, l.c. *supra*.
- Trigonothops*, W. MacLeay, Trans. Ent. S. N. S. W., i, 1864.
- chloroptera**, Dejean, Spec., v, 1831, p. 340 : Schmidt Goebel, Faun. Col. Birm., p. 33 : Chaud., *Mon.*, p. 112.  
Hab. India, Java.
- cupreo-micans**, Oberthür, Notes Leyden Mus., v, 1883, p. 218.  
Hab. E. Sumatra, Serdang.
- femoralis**, Chaudoir, *Mon.*, p. 112.  
Hab. Dekhan.
- lativittis**, Chaudoir, *Mon.*, p. 113.  
Hab. Dekhan.
- lepidia**, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 6, t. 1, f. 2 : Chaudoir, *Mon.*, p. 112.  
Hab. Hongkong, Japan.
- ? **onypterygoides**, Chaudoir, *Mon.*, p. 123.  
Hab. ? Dekhan, ? Colombia.
- propinqua**, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 59.  
Hab. Annam, Hué.

*splendidula* (*Carabus*), Fabr., Syst. Elcuth., i, 1801, p. 184 : Dejean (*Calleida*), Spec. v, p. 341 : ? (*Lebia*) MacLeay, Annul. Javan., p. 26 : Schmidt Goebel, Faun. Col. Birm., p. 32 : Chaud., Mon., p. 113.  
*rubricata* (*Calleida*), Motsch., Bull. Mosc., xxxvii (2), 1864, p. 238.  
 Hab. Bengal, Java, Hongkong, Shanghai.  
*? terminata*. Waterhouse, Trans. Ent. S. Lond., 1876, p. 11.  
 Hab. Borneo, Sarawak.

### Genus PLOCHIONUS.

Dejean, Spec., i, 1825, p. 250 : Hope, Col. Man., ii, t. 1, f. 6 : Schmidt Goebel, Frun. Col. Birm., p. 42 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 168 : Bates, Biol. Centr. Amer., Col., i (i), p. 197.  
*brunneus* (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 59 : gen. dub. ? *Lebia*.  
 Hab. India, Bengal.  
*fenestratus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 42 : gen. dub.  
 Hab. Burma.  
*pallens* (*Carabus*), Fabricius, Syst. Ent., 1775, p. 244 : Chaudoir, Mon., p. 76 : Bates, Biol. Centr. Amer., Col., i (i), p. 198.  
*Boisdurallii*, Gory, Ann. Soc. Ent. Fr., 1833, p. 189.  
*Bonfilsii*, Dejean, Spec., i, p. 251 : Hope, Col. Man., ii, t. 1, f. 6 : Brullé, Hist. Nat. Ins. Col., i, p. 224, t. 7, f. 6 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 41.  
 Hab. N. and S. America, Europe, Africa, Asia, Java, Formosa, Oceania.

### Genus CROSSOGLOSSA.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 177.  
*latecincta*. Bates, Trans. Ent. S. Lond., 1873, p. 315.  
 Hab. Hongkong, Japan.  
*nigrolineata* (*Plochionus*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 44 ; Mon., p. 180.  
 Hab. Bengal.  
*testacea*, Chaudoir, Mon., p. 178.  
 Hab. Dekhan.

### Genus BOTHYNOPTERA.

Schaum, Jl. Ent, ii (1863), 1866, p. 75 : Mun. Cat., p. 143 : Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 181.  
*dorsigera*, Schaum, l.c. *supra*, p. 76, t. 4, f. 3 : Chaudoir, l.c. *supra*, p. 181.  
 Hab. N. India.

### Genus ENDYNOMENA.

Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 186.  
*? Pradierii*, Fairmaire, Rev. Mag. Zool., 1849, p. 34 : Chaudoir, l.c. *supra*, p. 186.  
 Hab. Marquesas Islands, ? Pondicherry.

Genus **ANCHISTA.**

- Nietner, Jl. As. Soc. Ben., xxvi 1856, p. 523 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 374 : Mun. Cat., p. 118 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.  
*Paraphaea*, Bates, Trans. Ent. S. Lond., 1873, p. 312.
- binotata** (*Plochionus*), Dejean, Spec., i, 1825, p. 252 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.  
*discophora*, (*Callida*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 48.  
*signifera* (*Paraphaea*), Bates, Trans. Ent. S. Lond., 1873, p. 312.  
Hab. N. India, Andamans, Mariannes, Japan.
- curydesa**, Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.  
Hab. India.
- glabra**, Chaudoir, *l.c.*, p. 237.  
Hab. India, Pondicherry.
- modesta**, Nietner, Journ. As Soc. Ben., xxv, 1856, p. 523 : Ann. Mag. N. H., (2s.) xix, 1857, p. 375 : Chaudoir, *l.c. supra*, p. 239.  
Hab. Ceylon, Colombo.
- picea**, Chaudoir, Bull. Mosc., lii (2), 1877, p. 238.  
Hab. Dekhan.
- subpubescens**, Chaudoir, *l.c.*, p. 238.  
Hab. N. India.

Genus **CYMINDIS.**

- Latreille, Gen. Crust., i, 1806, p. 190 : Lacord., Gen. Col., i, p. 108 : Mun. Cat., p. 118 : Schmidt Goebel, Faun. Col. Birm., p. 31 : *Monograph*, Chaudoir, Berlin, Ent. Zeits., xvii, 1873, p. 53.
- Anomocus*, Fischer, Ent. Imp. Russ., i, 1821, p. 125.  
*Arrhostus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 240, *tab.*  
*Berus*, Motsch., *l.c.*, p. 240.  
*Cymindoidea*, Lap. de Casteln., Ann. Soc. Ent. Fr., i, 1832, p. 390 : Chaud., Bull. Mosc., xxix (3), 1875, p. 9.  
*Malisus*, Motsch., *l.c. supra*, p. 240.  
*Mastus*, Motsch., *l.c. supra*, p. 240.  
*Menas*, Motsch., *l.c.*, p. 240.  
*Philotecnus*, Maunerheim, Brachyél., ii, 1837, p. 42 : Mun. Cat., p. 123.  
*Psammastus*, Motsch., *l.c. supra*, p. 240, 299, *tab. syn.*  
*Tarsostinus*, Motsch., *l.c.* p. 240.  
*Tarus*, Clairville, Ent. Helv., i, 1806, p. 94 : Motsch., *l.c. supra*, p. 240, 302.
- \***attenuata**, Jakowleff, Hor. Soc. Ent. Ross., xxi, 1887, p. 150.  
Hab. Pámir, Gilgit.
- distigma** (*Cymindoidea*), Chaudoir, Bull. Mosc. xl ix (3), 1875, p. 15,  
Hab. Bengal.
- glabrella**, Bates, Proc. Zool. S. Lond., 1878, p. 719,  
Hab. India, Ladák [*Ind. Mus.*, type].

- indica*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 31 : Chaudoir, Bull. Mosc., xlix (3), 1875, p. 16.  
*Guérinii*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 49.  
 Hab. Burma, N. India, Nilgiris.
- \* *Mannerheimii* Gebler, Bull. Ac. St. Petersb., i, 1842, p. 36 : Bull. Mosc., 1859, p. 317.  
 Hab. Siberia [Ind. Mus., Yarkand Missiou, Bates].
- nigra*, (*Cymindoidea*), Chaudoir, Bull. Mosc., xlix (3), 1875, p. 19.  
 Hab. Coromandel.
- quadrimaculata*, Redtenbacher, Hügel Kaschm., iv (2), 1844, p. 499, t. 23, f. 3.  
 Hab. India.
- ? *stigmula* (*Cymindis*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 57 : *ib.*, xlix (3), 1875, p. 61.  
 Hab. N. India, Simla.

### Genus TARIDIUS.

Chaudoir, Bull. Mosc., xlix (3), 1875, p. 7.

*opaculus*, Chaudoir, *l.c.*, p. 8.  
 Hab. N. India.

### Genus PLATYTARUS.

Fairmaire, Bull. Soc. Ent. Fr., (2s.) viii, 1850, p. xvii : Mun. Cat., p. 123.

*Boysii* (*Cymindis*), Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 50.  
 Hab. N. India, Siula.

### Genus CELAENEPHES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 77 : Lacord., Gen. Col., i, p. 138 : Mun. Cat., p. 148.

*parallelus*, Schmidt Goebel, *l.c.*, *supra*, p. 78, t. 2, f. 5.  
*linearis* (*Leistus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.  
 Hab. Burma, Ceylon, Malacca, Perak, Siam, Sumatra, New Caledonia.

### Genus PENTAGONICA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 48 : Lacord., Gen. Col., i, p. 133 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 : Chaudoir, Bull. Mosc., iii (2), 1877, p. 212 : Bates, Trans. Ent. S. Lond., 1873, p. 321.

*Didetus*, Leconte, Trans. Amer. Phil. Soc., 1853, p. 377.  
*Elliotia*, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 524 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 375.  
*Rhombodera*, Reiche, Rev. Zool., 1842, p. 313 : Lacord., Gen. Col., i, p. 139 : Mun. Cat., p. 148 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 (*nom. praeoc.*).  
*Trichothorax*, Montrouzier, Ann. Soc. Ent. Fr., 1860, p. 235.  
*Wakefieldia*, Broun, Man. New Zeal. Col., 1880, p. 62.  
*Xenothorax*, Wollaston, Col. Hesper., 1867, p. 15.

*Erichsonii*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.  
Hab. Burma.

*marginata*, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 105, t. 9, f. 3.  
Hab. Ceylon.

*pallipes* (*Elliotia*), Nietner, Jl. As. Soc. Beng., 1856, p. 525 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 376.  
?= *Erichsonii*, Schmidt Goebel, q.v.  
Hab. Ceylon.

*ruficollis*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.  
Hab. Burma, N. India.

*suturalis* (*Rhombodera*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 75.  
Hab. Hongkong.

*transparipes*, Motsch ulsky, Et. Ent., 1859, p. 29.  
Hab. Ceylon, Kandy (*Bates*).

**HELLUONINI**:—Lacordaire, Gen. Col., i, p. 90 : Horn, Gen. Carab., p. 160 : Leconte & Horn, Class. Col., p. 45.

### Genus CREAGRIS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 277 : Chadoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 262 : Gestro, Ann. Mus. Civ. Gen., vii, p. 868.

*Pseudohelluo*, Lap. de Casteln., Nat. Austr. Col., 1867, p. 18.

*affinis*, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 870, fig.  
Hab. Siam, Bangkok.

*labrosus*, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 278 : Chadoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 213 : R. Gestro, l.c. *supra*, p. 872, fig.  
*picenus*, Schaum, Berlin. Ent. Zeits., 1863, p. 80 : *id.*, l.c., 1864, p. 116, t. 2, f. 6.  
Hab. Ceylon, Colombo (*Bates*).

### Genus MACROCHILUS.

Hope, Col. Man., ii, 1838, p. 116 : Schmidt Goebel, Faun. Col. Birm., p. 64 : Lacord., Gen. Col., i, p. 93 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 80 : Chadoir, Bull. Mosc., lii (2), 1877, p. 247.

*Acanthogenius*, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 3 : Lacord., Gen. Col., i, p. 93.

*Macrocheilus*, (Kirby), Hope, l.c. *supra*.

*Meladroma*, Motsch., Et. Ent., 1855, p. 54 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.

*anthoides*, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 169.  
Hab. Bengal.

*asteriscus*, White, Ann. Mag. N. H., xiv, 1844, p. 422 : Chaudoir, Rev. Mag. Zool., 1872, p. 172.  
*crucifer*, Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 4, t. 2, f. 3.  
Hab. China, Hongkong [*Ind. Mus.*, Hongkong].

*Bensonii*, Hope, Col. Man., ii, 1838, p. 166, t. 1, f. 5 : Chaudoir, Rev. Mag. l.c. *supra*, p. 212.  
*quadrimaculatus*, Guérin, Rev. Zool., 1840, p. 38 : Rev. Mag. Zool., Ins. t. 47.  
" Hab. N. India, Madras, Ceylon, [*Ind. Mus.*, Madras, Giridhi, Sibságar, Darjiling, Rurki].

*distactus*, Wiedemann, Zool. Mag., ii (i), 1823, p. 49.  
Hab. Java.

*dorsalis*, Klug, Jahrb. Insect., 1834, p. 77.  
Hab. India.

*impictus*, Wiedemann, Zool. Mag., ii (i), 123, p. 49.  
Hab. Java.

*scapularis*, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 343.  
Hab. India.

*trimaculatus*, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.  
Hab. Dekhan.

*tripustulatus*, Fabr., Ent. Syst., i, 1792, p. 145 : Dejean, Spec., i, p. 286 : Guérin, Voy. Delessert, ii, p. 34 : Schmidt Goebel, Faun. Col. Birm., p. 65, pt. : (*Helluo*) Lap. de Casteln., Hist. Nat. Ins., i, p. 47 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 212.  
Hab. Java, Burma [*Ind. Mus.*, Rangoon].

### Genus PLANETES.

MacLeay, Annul. Javan., 1825, p. 28 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 95.

*Heteroglossa*, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 141 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 279.

*bimaculatus*, MacLeay, l.c. *supra*, p. 29, t. 1, f. 8 : Chaudoir, Rev. Mag. Zool., 1872, p. 139 : Bates, Trans. Ent. S. Lond., 1873, p. 304.  
Hab. Java, China, Japan.

*elegans*, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 143 ; id., Ann. Mag. N. H., (2s.) xx, 1857, p. 281.  
Hab. Ceylon.

*immaculatus*, Schaum, Berlin. Ent. Zeits., 1863, p. 81.  
Hab. Malacca.

- ruficeps**, Schaum, *l.c.*, p. 81 : Chaudoir, Rev. Mag. Zool., 1872, p. 139.  
*bimaculatus*, Nictner (*nee* MacLeay), Jl. As. Soc. Ben., xxvi, 1857, p. 144 ;  
 Ann. Mag. N. H., (2s.) xx, p. 282.  
 Hab. Ceylon.
- ruficollis**, Nictner, Jl. As. Soc. Ben. *l.c. supra*, p. 144 ; Ann. Mag., *l.c. supra*, p. 282.  
 Hab. Ceylon.
- secernendus**, Oberthür, Notes Leyden Mus., v, 1883, p. 217.  
 Hab. E. Sumatra, Serdang.
- simplex**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 199.  
 Hab. Ceylon, Peradeniya.

### Genus OMPHRA.

- Reiche, Ann. Soc. Ent. Fr., 1842, p. 330 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 100.
- atrata**, Klug, Jahrb. Insect., 1834, p. 72.  
 Hab. India.
- complanata**, Reiche, Ann. Soc. Ent. Fr., 1842, p. 342 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 141.  
*brevis*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 36.  
 Hab. India, Simla.
- hirta**, Fabr. Syst. Eleuth., i, 1801, p. 214 : Dejean, Spec., i, p. 284 ; Ic., ii, t. 7, f. 1 : (*Helluo*) Lap. de Casteln., Hist. Nat. An. Art., i, p. 47.  
 Hab. India [*Ind. Mus.*, Bengal, Giridhi, Vizagapatam. S. India].
- pilosa**, Klug, Jahrb., i, 1834, p. 71.  
*attelaboides*, Fabr., Syst. Elcubt., i, 1801, p. 24 : Erichs., Stettin Ent. Zeit., 1847, p. 141.  
 Hab. India, Ceylon.
- rotundicollis**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140.  
 Hab. India.
- rufipes**, Kling, Jahrb. Ins., i, 1834, p. 72 : Chaudoir, *l.c. supra*, p. 141 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 71.  
 Hab. India, Ceylon, Colombo.

**ANTHIINI** :-Lacordaire, Gen. Col., i, 1854, p. 175 : Horn, Gen. Carab., p. 162.

### Genus ANTHIA.

- Weber, Obs. Ent., 1801, p. 17 : Bonelli, Mém. Acad. Turin, 1813, p. 451 : Lacord. Gen. Col., i, p. 177 : Mun. Cat., p. 168 ; Lequien, Mag. Zool., 1832, cl. ix, t. 38-41 : Gory, *ib.*, 1839, t. 14-16 : Guérin, Voy. Abyssin., Zool. Ins., p. 256 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 41 ; *ib.*, xxxiv (i), 1861, p. 561.
- Gonogenia*, Chaudoir, Bull. Mosc., xvii, 1844.
- Microlestia*, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 45.
- Pachymorpha*, Hope, Col. Man., ii, 1838, p. 51 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 215.
- Thermophila* (*Leach*), Hope, *l.c. supra*, p. 52.

*elliptica*, (*Pachymorpha*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 216.  
Hab. Tranquebar.

*indica*, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 563.  
Hab. India [*Ind. Mus.*, Vizagapatam, W. Bengal].

*orientalis*, Hope, Col. Man., ii, 1838, p. 163, t. 3, f. 4 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 563 ; Motsch., *l.c.* xxxvii (3), 1864, p. 216.  
Hab. Bombay [*Ind. Mus.*, N. India].

*sexguttata*, Fabr., Syst. Ent., 1775, p. 236 : Oliv., Ent., iii (35), p. 15, t. 1, f. 6 : Dejean, Spec., i, p. 341 : Brullé, Hist. Nat. Ins. Col., i, p. 270, t. 9, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i, p. 60 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 562 : Motsch., *l.c.*, xxxvii (3), 1864, p. 216.  
Hab. India, Pondicherry [*Ind. Mus.*, Berhampur].

**PHYSOCROTAPHINI**— Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 301 : Horn, Gen. Carab., p. 162.

### Genus **HELLUODES**.

Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279 : Lacord., Gen. Col., i, p. 92 : Mun. Cat., p. 96 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 302.

*taprobanae*, Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279, t. 21, f. B.  
*ceylonicus*, Lacordaire, Gen. Col., Atlas, t. 7, f. 1, (*nec Parry*).  
Hab. Ceylon, Kitugalle (*Bates*).

*Westwoodii*, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 203.  
Hab. Dekhan.

### Genus **PHYSOCROTAPHUS**.

Parry, Trans. Ent. S. Lond., v, 1849, p. 180 : Lacord., Gen. Col., i, p. 181 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 303 : Mun. Cat., p. 96.

*ceylonicus*, Parry, Trans. Ent. S. Lond., v, 1849, p. 180, t. 18, f. 4.  
Hab. Ceylon, Dikoya (*Bates*).

### Genus **POGONOGLOSSUS**.

Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : Gestro, Ann. Mus. Civ. Gen., vii, p. 862.

*Chaudoiri*, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 863.  
Hab. Cambodia.

*sumatrensis*, R. Gestro, *l.c.*, p. 863.  
Hab. Sumatra.

*validicornis*, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : R. Gestro, *l.c. supra*, p. 862.  
Hab. Java.

**Cratocerini:**—Horn, Gen. Carab., p. 163.

### Genus BRACHIDIUS.

Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 18 : Lacord., Gen. Col., i, p. 264 : Mun. Cat., p. 250.

**corpulentus**, Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 20.  
Hab. Penang.

**crassicornis**, Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Mon.*, p. 19.  
Hab. Timor, Moluccas, Philippines.

**Orthogonini**, Chaudoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95 : Horn, Gen. Carab., p. 164.

### Genus ORTHOGONIUS.

Dejean, Spec., i, 1825, p. 279 : Lacordaire, Gen. Col. i, p. 269 : Schmidt Goebel, Faun. Col. Birm., p. 55 : Mun. Cat., p. 251 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 98 ; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95.

**Maraga**, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 204 : Waterhouse, Ent. Mon. Mag., x, 1873, p. 17 : Chaudoir, *Mon.*, p. 121.

Subg. *Apsectra*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 61. .

Subg. *Haplopisthius*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434.

**acrogenous**, Wiedemann, Zool. Mag., i (3), 1819, p. 167 : Dejean, Spec., v, p. 398 : Lacordaire, Gen. Col., Atlas, t. 10, f. 7 : Lap. de Casteln., Hist. Nat., An. Art., i, p. 46 : Chaud., *Mon.*, p. 104.  
*brunnabilbris*, MacLeay, Annul. Javan., 1825, p. 27.  
Hab. Java.

**acutangulus**, Chaudoir, Bull. Mosc., liii (2), 1878, p. 5.  
Hab. Ceylon.

**alternans** (*Plochionus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52 : Brullé, Hist. Nat. Ins., i, p. 225, t. 8, f. 1 : Chaudoir, *Mon.*, p. 102 : Bates, Ann. Mus. Civ. Gen., (2s) vii, 1889, p. 110.  
Hab. Java.

**angulatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 58 : Chaudoir, *Mon.*, p. 110.  
Hab. Burma, Tenasserim.

**angusticollis**, Schmidt Goebel, l.c., p. 61 : Chaudoir, *Mon.*, p. 122.  
Hab. Burma.

? **angustus**, Chaudoir, *Mon.*, p. 114.  
Hab. ? Lake Ngami, ? Malaya.

**Baconii**, Chaudoir, *Mon.*, p. 109.  
Hab. Bengal.

**crassierus**, Chaudoir, *Mon.*, p. 105.  
Hab. Java.

**crenaticerus**, Chaudoir, *Mon.*, p. 113.  
Hab. Cambodia.

**Davidii**, Chaudoir, Bull. Mosc., liii (2), 1878, p. 3.  
Hab. Middle China.

**deletus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 56 : Chaud., *Mon.*, p. 113.  
Hab. Burma.

**duplicatus** (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Schmidt Goebel,  
Faun. Col. Birm., p. 60 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46 :  
Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.  
Hab. Burma, Thagata, Tenasserim, S. China.

**fsmoralis**, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 99 ; *Mon.*, p. 111.  
Hab. India, Nilgiris.

**femoratus**, Dejsan, Spec., i, 1825, p. 281 : Chaud., *Mon.*, p. 122.  
*picilabris*, MacLeay, Annul. Javan., 1825, p. 27.  
Hab. Java, Penang, Malacca.

**fugax**, Chaudoir, *Mon.*, p. 108.  
Hab. Ceylon.

**Hagenii**, Oberthür, Notes Leyden Mus., v, 1883, p. 222.  
Hab. E. Sumatra, Serdang.

**hirtus**. Chaudoir, *Mon.*, p. 103.  
Hab. Penang.

**Hopei**, Gray, Griffith Anim. Kingd., Ins., ii, 1832, p. 273, t. 13, f. 4 : Lap. de Casteln.,  
Hist. Nat. An. Art., i, p. 46 : Chaud., *Mon.*, p. 103.  
*Malabarensis*, Gory, Ann. Soc. Ent. Fr., 1833, p. 196.  
? *Doriae*, Putzeys, Ann. Soc. Ent. Belg., xiv, 1871, p. 104, note. Borneo.  
Hab. India, Malabar, Malacca [*Ind. Mus.*, Khasiya Hills, Sibságar, Assam].

**hypocrita**, Chaudoir, *Mon.*, p. 102.  
Hab. Philippines, ? Java.

**intermedius**, Chaudoir, *Mon.*, p. 102.  
Hab. Java.

**insularis**, Chaudoir, *Mon.*, p. 106.  
Hab. Penang.

**longicornis**, Chaudoir, *Mon.*, p. 109.  
Hab. Siam.

**luzonicus**, Chaudoir, *Mon.*, p. 123.  
Hab. Philippines.

**melanarius**, Chaudoir, *Mon.*, p. 113.  
Hab. Penang.

**Mellyi** (*Haplopiisthius*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434 ; *Mon.*,  
p. 101.  
Hab. N. India, Bengal.

**Mniszechii**, Chaudoir, *Mon.*, p. 101.  
Hab. Malacca.

**Mouhotii**, Chaudoir, *Mon.*, p. 107.  
Hab. Cochin China.

- opacus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 60.  
 Hab. Burma.
- parallelus**, Chandoir, *Mon.*, p. 109.  
 Hab. Ceylon.
- parvus**, Chandoir, *Mon.*, p. 112.  
 Hab. Nilgiris.
- ? **philippensis** (*Amblygnathus*), Chevrolat, Rev. Zool., 1841, p. 221.  
 Hab. Philippines.
- piceus**, Chandoir, *Mon.*, p. 122.  
 Hab. Malacca.
- picipennis**, Chandoir, *Mon.*, p. 100.  
 Hab. Cambodia.
- planiger** (*Maraga*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 : Bates, *L.c.*, (5s.), xvii, 1886, p. 211 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 121.  
 Hab. Ceylon.
- plicatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chaud., *Mon.*, p. 110.  
 Hab. Burma, Tenasserim.
- politus**, Chandoir, *Mon.*, p. 105.  
 Hab. Malacca.
- profundestriatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 58 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.  
 Hab. Burma, Teintso.
- puncticollis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 57 : Chandoir, *Mon.*, p. 112.  
*duplicatus*, Dejean, Spec., i, 1825, p. 279 (*nec* Wied.) : ? MacLeay, Annul. Javan., p. 27.  
 Hab. India, Burma, Tenasserim.
- punctulatus**, Chandoir, *Mon.*, p. 110.  
 Hab. India.
- Schaumi**, Chandoir, *Mon.*, p. 112.  
 Hab. Ceylon.
- Schmidt Goebeli**, Chandoir, *Mon.*, p. 99.  
*duplicata* (*Apsectra*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 61 : (*neo* Wied.).  
 Hab. Burma.
- sulcatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chandoir, *Mon.*, p. 110.  
 Hab. Burma, Tenasserim.
- suturalis**, Chandoir, *Mon.*, p. 104.  
 Hab. Penang.
- xanthomerus**, Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 12 : Chaud., *Mon.*, p. 124.  
 Hab. Hongkong.

### Genus **HFXACHAETUS**.

Chandoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 124.

*laevissimus*, Chaudoir, Bull. Mosc., liii (2), 1878, p. 6.  
Hab. Malacca.

*lateralis*, Guérin, Voy. Delcessert, ii, 1843, p. 35 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 125.  
Hab. Coromandel, Penang.

### Genus ACTENONCUS.

Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.

*ater*, Lap. de Casteln., Et. Ent., 1834, p. 48 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 7.  
*atratus*, Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.  
Hab. Java.

Sect. HARPALINÆ UNISETOSÆ :—Horn, Gen. Carab., p. 165.

BRACHYNINI :—Lacordaire, Gen. Col., i, p. 97 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 11 : Horn, Gen. Carab., p. 166 : Leconte & Horn, Class. Col., p. 47.

### Genus PHEROPSOPHUS.

Solier, Ann. Soc. Ent., Fr., 1833, p. 461 ; id., 1834, t. 16, f. 6-7 : Lacord., Gen. Col., i, p. 99 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 16 : Mun. Cat., p. 102.

*agnatus*, Chaudoir, Mon., p. 43.  
Hab. Chusan, ? Hongkong.

*amoenus*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 : Mon., p. 36.  
Hab. India.

*annulus*, Fabr., Syst. Eleuth., i, 1801, p. 217 : Chaud., Mon., p. 47.  
Hab. India, Tranquebar.

*aptinoides*, Chaudoir, Mon., p. 19.  
Hab. India.

*assamensis*, Chaudoir, Mon., p. 33.  
Hab. Assam.

*assimilis*, Chaudoir, Mon., p. 38.  
Hab. North China, ? Yangtse Valley.

*bimaculatus*, Linn., Mantis., 1771, p. 532 : ? Fabr., Syst. Ent., i, p. 243 ; Oliv., Ent., iii 35, p. 65, t. 2, f. 16 a—e : Dejean, Spec., i, p. 299 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 51 ; Chaudoir, Mon., p. 34.  
Hab. N. India, Ceylon, Kitngalle (Bates) [Ind. Mus., Calcutta, Afghanistan].

*Catoirei* (*Brachinus*), Dejean, Spec. i, 1825, p. 301 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chaudoir, Mon., p. 24.  
var. *lineifrons*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 80.  
Hab. Bengal, Simla, Assam, Ceylon, Kandy (Bates).

*consularis* (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 75.  
Hab. Burma.

- discicollis* (*Brachinus*), Dejean, Spec., i, 1825, p. 300 : Chaudoir, *Mon.*, p. 21.  
 var. *affinis* (*Brachinus*), Dejean, Spec., i, 1825, p. 301.  
 Hab. India, Dekhan.
- emarginatus*. Chaudoir, *Mon.*, p. 20.  
 ? = *Girionierii*, Eyd. & Soul., q.v.  
 Hab. Philippines.
- fumigatus* (*Brachinus*), Dejean, Spec., i, 1825, p. 307 : Chaudoir, *Mon.*, p. 40.  
 Hab. Philippines.
- fuscocollis* (*Braohinus*), Dejean, Spec., i, 1825, p. 306 : Chaudoir, *Mon.*, p. 37.  
 var. *ambiguus*, Dejean, Spec., i, 1825, p. 304 : Chaudoir, *Mon.*, p. 37.  
 „ *interruptus*, Dejean, l. o. p. 306 : Schmidt Goebel, Faun. Col. Birm.,  
 p. 74 : Chaudoir, *Mon.*, p. 37.  
 „ *quadripustulatus*, Chaudoir, Bull. Moso., xvi (3), 1843, p. 706 ; *Mon.*,  
 p. 37.  
 Hab. Borneo, Sumatra, Java, Ceylon, Kitugalle (*Bates*).
- Girionierii*, Eydoux & Souleyet, Rev. Zool., 1839, p. 264 : Desmarest, Voy. La Bonite,  
 i, 1841, p. 293, t. 2, f. 2 : Chaudoir, *Mon.*, p. 32.  
 Hab. Philippines, Mindanao, Luzon.
- hilaris*, Fabr. Ent. Syst. Suppl. 1798, p. 56 ; Chaudoir, *Mon.*, p. 25.  
 var. *sobrinus*, Dejean, Spec., ii, 1826, p. 462.  
 Hab. Dekhan, Coromandel, Burma.
- javanus* (*Brachinus*), Dejean, Spec., i, 1825, p. 305 : Chaudoir, *Mon.*, p. 42.  
*occipitalis* (*Aptinus*), MacLeay, Annul. Javan., 1825, p. 28.  
 var. *fimbriatus* (Dejean), Chaudoir, *Mon.*, p. 42.  
 Hab. Java.
- Jessoensis*, Morawitz, Bull. Acad. St. Petersb., v. 1862, p. 322 : Beitr. Käf. Faun.  
 Jesso, p. 22, t. 1, f. 9 : Chaudoir, *Mon.*, p. 35.  
 Hab. Manchuria, Japan, ? Hongkong.
- lissoderus*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 79 : id., *Mon.*, p. 24.  
 Hab. Tibet.
- marginalis*, Dejean, Spec., i, 1825, p. 310 : Schmidt Goebel, Faun. Col. Birm., p. 74 :  
 Chaudoir, *Mon.*, p. 34.  
 Hab. India, Burma, Siam, Cochinchina, Cambodia [*Ind. Mus.*, Calcutta,  
 Sikkim, Sibsgar, Assam].
- marginiocollis*, Motschulsky, Et. Ent., 1853, p. 44 : Chaudoir, *Mon.*, p. 43.  
 Hab. N. China, ? Shanghai.
- melaucholicus* (*Braohinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 71 : Chaudoir, *Mon.*, p. 20.  
 Hab. India, Bengal.
- nebulosus*, Chaudoir, *Mon.*, p. 27.  
 Hab. Cochinchina.
- piceicollis*, Chaudoir, *Mon.*, p. 44.  
 Hab. Burma, Rangoon.
- siamensis*, Chaudoir, *Mon.*, p. 29.  
 Hab. Siam.

*stenoderus*, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 77 ; *Mon.*, p. 41.

=? *consularis*, Schmidt Goebel, *q.v.*

Hab. N. India, Bengal, Dekhan, Java.

*subcordatus*, Chaudoir, *Mon.*, p. 38.

Hab.—?

### Genus BRACHYNUS.

Weber, Obs. Ent., 1801, p. 22 : Lacord., Gen. Col., i, p. 99 : Motseh., Bull. Mosc. xxxvii (3), 1861, p. 214, *tab. syn.*: Mun. Cat., p. 103 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 49.

*Aploa*, Hope, Trans. Zool. S. Lond., 1833, p. 91.

*atripennis*, Chaudoir, *Mon.*, p. 71.

Hab. India, Simla.

*bigutticeps*, Chaudoir, *Mon.*, p. 52.

Hab. ? India, ? Sunda Islands.

*caligatus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.

Hab. Burma, Bhamo.

*chinensis*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 81 ; *Mon.*, p. 68.

*Confucius*, Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

Hab. Hongkong.

*cinctellus*, Chaudoir, *Mon.*, p. 55.

Hab. India, Dekhan.

*flaviventris*, Chaudoir, *Mon.*, p. 68.

Hab. India, Coromandel.

*Hagenii*, Oberthür, Notes Leyden Mus., v, 1883, p. 217.

Hab. E. Sumatra, Serlang.

*hexagrammus*, Chaudoir, *Mon.*, p. 55.

Hab. Bengal.

*illotus*, Chaudoir, *Mon.*, p. 58.

Hab. Dekhan.

*limbellus*, Chaudoir, *Mon.*, p. 70.

Hab. Dekhan.

*limbicollis*, Chaudoir, *Mon.*, p. 67.

Hab. Dekhan.

*longipalpis*, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 118 : Dejean, Spec. i, p. 314 : Chaudoir, *Mon.*, p. 87.

Hab. Bengal.

*Iuzonicus*, Chaudoir, *Mon.*, p. 68.

Hab. Philippines.

*modestus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chaudoir, *Mon.*, p. 69.

Hab. Calcutta, Maulmain.

*piceus*, Chaudoir, *Mon.*, p. 53.

Hab. Philippines.

- plctus* (*Aplœa*), Hope, Trans. Zool. S. Lond. i, 1833, p. 92 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 223 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 53 : Chadoir, *Mon.*, p. 54.  
*figuratus*, Chadoir, Bull. Mosc., xxv (i), 1852, p. 41.  
Hab. N. India, Bengal.
- puncticollis*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 72 : Chadoir, *Mon.*, p. 69.  
Hab. Burma.
- scitulus*, Schmidt Goebel, *i. c.* p. 72 : ? Chadoir, *Mon.*, p. 59.  
Hab. Burma, ? Tranquebar.
- scotomedes*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 5 : Chadoir, *Mon.*, p. 53.  
Hab. Hongkong, Shanghai.
- scutellatus*, Chadoir, *Mon.*, p. 69.  
Hab. Dekhan.
- sexmaculatus*, Dejean, Spec., i, 1825, p. 312 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chadoir, *Mon.*, p. 63.  
Hab. N. to S. India.
- suturellus*, Chadoir, *Mon.*, p. 69.  
Hab. N. India.
- tetracolon*, Chadoir, *Mon.*, p. 61.  
Hab. Dekhan.
- tetragrammus*, Chadoir, *Mon.*, p. 54.  
Hab. Bengal.
- vigilans*, Chadoir, *Mon.*, p. 68.  
Hab. N. India.
- vitticollis*, Chadoir, *Mon.*, p. 56.  
Hab. Burma, Rangoon.

### Genus STYPHLOMERUS.

- Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 87.  
*Styphromerus*, Chadoir, *l. c.* p. 88.
- dichrous*, Gemm. & Har., Mnn. Cat., 1868, p. 105 : Chadoir, *Mon.*, p. 92.  
*bicolor*, Bohem., Freg. Eug. Resa, Col., 1858, p. 3 (*nec* Brullé) : *nec* Bates, Trans. Ent. S. Lond., 1873, p. 307.  
Hab. Hongkong.
- fusciceps* (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chadoir, *Mon.*, p. 92.  
Hab. Burma.
- ruficeps*, Chadoir, *Mon.*, p. 91.  
Hab. India, Coromandel.

### Genus CREPIDOGASTER.

- Bohemian, Ins. Caffr., i. 1848, p. 68 : Mun. Cat., p. 109 : Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 92.  
*Aptinus*, pt. Dejean, Spec., i, 1825, p. 290.

*Orepidostoma*, Motsch., Et. Ent., 1862, p. 54.  
*humeratus*, Chaudoir, Mon., p. 96.  
 Hab. India, Malabar.

### Genus MASTAX.

Fischer, Ent. Imp. Ross., iii, 1825, p. 111 ; Schmidt Goebel, Faun. Col. Birm., p. 68 : Lacord., Gen. Col., i, p. 101 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 82 : Mun. Cat., p. 108 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 97.

*Brachinus*, Fabricius, Dejean, Steven.

*elegantulus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 69, t. 2, f. 1 : Chaudoir, Mon., p. 99.  
 Hab. Burma.

*histrion*, Fabricius, Syst Eleuth., i. 1801, p. 219 : Chaudoir, Mon., p. 101.  
 Hab. India, Dekhan.

*moestus*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 70, t. 2, f. 3 : Chaudoir, Mon., p. 100.  
 Hab. Burma.

*ornatus*, Schmidt Goebel, l. c., p. 70 : Chaudoir, Mon., p. 100.  
 Hab. Burma.

*poeocilus*, Schaum, Berlin. Ent. Zeits., vii, 1863, p. 82 : Chaudoir, Mon., p. 101.  
 Hab. China, Hongkong, Singapur.

*pulchellus*, Dejean, Spec., v, 1831, p. 433 : Chaudoir, Mon., p. 99.  
 Hab. India.

*striaticeps*, Chaudoir, Mon., p. 99.  
 Hab. Dekhan.

**APOTOMINI**—Jacq. Duval, Gen., i, p. 43 ; Horn, Gen. Carab., p. 167.

### Genus APOTOMUS.

Illiger, Mag. Ins., vi, 1807, p. 348 : Lacord., Gen. Col., i, p. 172 : Mun. Cat., p. 166.

*atripennis*, Motschulsky, Et. Ent., 1858, p. 22.  
 Hab. Ceylon.

*fuscus*, Motschulsky, l. c., p. 22.  
 Hab. India.

*xanthotelus*, Bates, Ent. Mon. Mag., xi, 1874, p. 95 ; Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.  
 Hab. India, Burma, Bhamo.

**BROSCINI**, (*Cnemacanthini*), Putzeys, Stettin. Ent. Zeits., xxix, 1868, p. 303 : Horn. Cat. Carab.

### Genus BROSCUS.

Panzer, Index Ent., 1813, p. 62 : Lacord., Gen. Col., i, p. 239 : Mun. Cat., p. 243 : Putzeys, *Monograph*, Stettin. Ent. Zeit., 1868, p. 307.

*Cephalotes*, Bonelli, Mém. Acad. Turin, 1810 (*nom præoc.*).

*Pseudocupis*, Voet, Cat. Col., 1770, *teste*, Gozis, Récherches, 1886, p. 6.

**anomalus**, Chaudoir, Bull. Mosc., liii (2), 1878, p. 1.  
Hab. N. W. Himalaya.

**nepalensis** (*Percus*), Hope, Gray's Zool. Misc., 1831, p. 21.  
Hab. Nepál.

**nobilis** (*Cophalotes*), Dejean, Spec., iii, 1828, p. 432.  
*rufipes*, Guérin, Ic. Reg. An., t. 6, f. 5 : Gray, Griffith, An. Kingd., Ins., i, 1832, t. 25, f. 3.  
Hab. ? India, Syria.

**punctatus** (*Caphalotes*), Dejean, Spec., iii, 1828, p. 431 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 2.  
*limbatus*, Ball., Bull. Mosc., xlivi (2), 1870, p. 327.  
Hab. Egypt, Syria, Arabia, Nepál.

### Genus CRASPEDONOTUS.

Schaum, Berlin. Ent. Zeits., vii, 1863, p. 87 : Mun. Cat., p. 245 : Putzeys, Stettin. Ent. Zeit., 1868, p. 314.

**tibialis**, Schaum, l.c. *supra*, p. 87, t. 1, f. 5 : Putzeys, l.c. *supra*, p. 314 : Bates, Trans., Ent. S. Lond., 1873, p. 243.  
Hab. Japan, China, Fuchau.

### Genus BROSCOSOMA.

Putzeys, Car. Gen. Nov., 1846 ; *id.*, Stettin. Ent. Zeit., xxix, 1868, p. 353 : Lacord., Gen. Col., i, p. 212 : Mun. Cat., p. 244.

**Ribbeii**, Putzeys, Stettin. Ent. Zcit., xxxviii, 1877, p. 100.  
Hab. Darjiling.

**CHLAENINI** :—Lacordaire, Gen. Col., i, 1854, p. 215 : Horn, Trans. Amer. Ent. S., x, p. vii : Gen. Carab., p. 171 : Leconte & Horn, Class. Col., p. 50.

### Genus CHLAENIUS.

Bonelli, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 224 : Mun. Cat., p. 214 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 187 ; *id.*, Monograph, Ann. Mus. Civ. Gen., viii, 1876 : Laferté Sénectére, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 209. [Laferte's numerous undescribed species are omitted].

*Acacus*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 251 : Lacord., Gen. Col., i, p. 222.

*Aleptocerus*, Laferté, l.c. *supra*, p. 236 : Lacord., Gen. Col., i, p. 218.

*Amblygenius*, Laferté, l.c., p. 263 : Mun. Cat., p. 213.

*Barymorphus*, Laferté, l. c., p. 235.

*Callistoides*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 334.

*Chlaenites*, Motsch., Bull. Acad. St. Petersb., ii, 1860, p. 411 :

*Diaphoropscophus*, Chaud., Bull. Mosc., xxiii (2), 1850, p. 407 : Lacord., Gen. Col., i, p. 221.

*Bilobachilus*, Laferté, l.c. *supra*, p. 293 : Lacord., Gen. Col., i, p. 222.

*Dinodes*, Bonelli, Obs. Ent., i, 1809, tabl. syn. : Laferté, l.c. *supra*, p. 264.

- Eponis*, Bonelli, *l.c. supra* : Laferté, *l.c. supra*, p. 252 : Lacord., Gen. Col., i, p. 223 : Chaud., *Mon.*, p. 120.
- Eurydactylus*, Laferté, *l.c. supra*, p. 255.
- Glyptoderus*, Laferté, *l.c.*, p. 260 : Chaud., *Mon.*, p. 75.
- Hamalolachnus*, Laferté, *l.c.*, p. 293 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 26.
- Lissavchenius*, MacLeay, Annul. Javan., 1825, p. 13 : Lacord., Gen. Col., i, p. 217 : Chaud., *Mon.*, p. 34.
- Ocybatus*, Laferté, *l. c. supra*, p. 293 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 37.
- Ocydronus*, Laferté, *l.c.* p. 230.
- Omalotrichus*, Laferté, *l.c.* p. 233.
- Poecilostus*, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 347.
- Rhysotrachelus*, Bohem., Ins. Caffr., i, , p. 133 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 29.
- Tomochilus*, Laferté, *l.c. supra*, p. 253.
- Trichochlaenius*, Seidlitz, Fauna Baltica, (ed. 2), 1887, p. 23.
- Vertagus*, Dejean, Spec., v, 1831, p. 608 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 31.
- acroxanthus*, Chaudoir, *Mon.*, p. 112.  
Hab. Siam, Singapore, Java.
- agilis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 216 : *Mon.*, p. 193.  
Hab. N. India.
- amabilis*, Chaudoir, *Mon.*, p. 279.  
Hab. Siam.
- amplipennis*, Chaudoir, *Mon.*, p. 252.  
Hab. Java.
- apicalis* (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Dejean, Spec. ii, p. 324 : Chaud. *Mon.*, p. 89.  
Hab. Bengal, Dekhan, Burma.
- atrides*, Chaudoir, *Mon.*, p. 160.  
Hab. India, Dekhau.
- bengalensis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 262 : *Mon.*, p. 157.  
*princeps*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 371.
- quadricolor* (*Poecilostus*), Motsch. (*ne* Oliv.), Bull. Mosc., xxxvii (3), 1864, p. 348.  
Hab. N. India, Bengal, Tranquebar, Ceylou, Siam, Tchekian (China).
- bicolor*, Chaudoir, *Mon.*, p. 130.  
Hab. Dekhan.
- biguttatus*, Motsch., Et. Ent., 1854, p. 63 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 341 : Chaudoir, *Mon.*, p. 274.
- subhamatus*, Bates, Trans. Ent. S. Lond., 1873, p. 248 (*ne* Chaud.).  
Hab. Japan, China, Yangtse Valley, Hongkong.

- bihamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 210; *id.*, *Mon.*, p. 62.  
*hamifer*, Bates, Trans. Ent. S. Lond., 1873.  
 Hab. N. India, Tranquebar, Borneo, Java, Hongkong.
- bimaculatus**, Dejean, Spec., ii, 1826, p. 301: Lacord., Gen. Col., i, p. 218, note: Chaud., *Mon.*, p. 51.  
*? flaviguttatus*, MacLeay, Annul. Javan., 1825, p. 14: Chaud., *Mon.*, p. 52.  
 var. *celebensis*, Schauf., Illor. Ent. Ross., xxi, 1887, p. 105.  
 Hab. India, Java, [*Ind. Mus.*, Bombay, N. Khasiya Hills, Andaman Islands].
- binotatus**, Dejean, Spec., ii, 1826, p. 302: Chaud., *Mon.*, p. 48.  
*maculifer*, Casteln., Not. Austr. Col., 1867, p. 62.  
*punctatus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 200.  
*puncticeps*, Gemm. & Har., Mun. Cat., 1869, p. 224.  
 var. *biguttatus*, Montrouzier, Ann. Soc. Ent. Fr. (4s.) i, 1860, p. 237.  
 „ *guttatus*, Eschsch., Zool. Atlas, v, 1829, p. 26, t. 25, f. 8: Fairm., Rev. Zool., 1849, p. 282.  
 Hab. Java, Sumatra, Philippines, Australia, New Guinea, New Caledonia.
- bioculatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 198: *Mon.*, p. 50.  
 Hab. India, Dekhan, Coromandel.
- birmanicus**, Chaudoir, *Mon.*, p. 93, 95.  
 Hab. Burma, Rangoon.
- braminus**, Chaudoir, *Mon.*, p. 139.  
 Hab. Coromandel.
- callichloris**, Bates, Trans. Ent. S. Lond., 1873, p. 250: Chaud., *Mon.*, p. 193.  
 Hab. Kiukiang on Yangtse, Japan.
- Camillae**, R. Gestro, Ann. Mus. Civ. Gcn., (2s.) vi, 1888, p. 108.  
 Hab. Burma, Teintso.
- celer**, Chaudoir, *Mon.*, p. 201.  
 Hab. N. India, Dekhan.
- chalcoderus**, Chaudoir, *Mon.*, p. 139.  
 Hab. Siam, Bangkok.
- chalcothorax (*Harpalus*)**, Wiedemann, Zool. Mag., ii (i), 1823, p. 51: Dejean, Spec., ii, p. 304: Chaud., *Mon.*, p. 138.  
*pubipennis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 233.  
 Had. India, Tranquebar.
- chlorodius**, Dejean, Spec., ii, 1826, p. 365: Chaud., *Mon.*, p. 176.  
 Hab. India, Cis Ganges [*Ind. Mus.*, Madras].
- cinctus (*Carabus*)**, Fabr., Ins., i, p. 310: Herbst, Füsl. Arch., iv, 1783, p. 135, t. 29 f, 7: Dejean, Spec., ii, p. 307: MacLeay, Annul. Javan., p. 13: Chaud., *Mon.*, p. 135: Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 74.  
*pulcher*, Nictner, Journ. As. Soc. Beng., xxv, 1856, p. 387; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 242.  
 Hab. Bengal, Dekhan, Ceylon, Colombo (Bates) [*Ind. Mus.* Sibságar, Assam, ? China].
- circumdatus**, Brullé, Silb. Rev. Ent., iii, 1835, p. 283: Chaud., *Mon.*, p. 114: Bates, Ann. Mag. N. H., (5s.) xvii, p. 74.

- cupricollis*, Nietner, Jour. As. Soc. Ben., xxv, 1856, p. 387 : Ann. Mag. N. H., (2s.) xix, 1857, p. 243.  
*limbatus*, Dejean, Spec., ii, 1826, p. 306.  
 Hab. India, Bengal, Kandy & Colombo (Bates), ? Java.
- contractus*, Chaudoir, *Mon.*, p. 202.  
 Hab. Dekhan.
- convexus*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.  
 Hab. Yunnan.
- costiger*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 258 ; *Mon.*, p. 95 : Bates, Trans. Ent. S. Lond., 1873, p. 253.  
 Hab. Hongkong, Formosa, Yangtse Valley, Japan.
- crebrepunctatus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 204 ; *id.*, *Mon.*, p. 55.  
 Hab. N. India.
- culminatus*, Bates, Trans. Ent. S. Lond., 1873, p. 251.  
 Hab. ? Hongkong, Chekiang, Japau.
- cupreolineatus*, Chaudoir, *Mon.*, p. 158.  
 Hab. Siam, Bangkok.
- cyaneonitens*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.  
 Hab. Yunnan.
- cyaniceps*, Bates, Trans. Ent. S. Lond., 1873, p. 325 : Chaudoir, *Mon.*, p. 278.  
 Hab. Hongkong.
- dilatatus* (*Poeciloistus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 348 : Chaudoir *Mon.*, p. 157.  
 Hab. India, Dekhan.
- distigma*, Chaudoir, *Mon.*, p. 49.  
 ? = *aspericollis*, Bates, Trans. Ent. S. Lond., 1873, p. 248.  
 Hab. Singapur.
- Doriae*, Chaudoir, *Mon.*, p. 137.  
 Hab. Siam, Bangkok.
- ducalis*, Chaudoir, *Mon.*, p. 155.  
 Hab. India, Dekhan, Rangoon.
- Duvauclii* (*Epomis*), Dejean, Spec., v, 1831, p. 668 : Motsch., Bull. Mosc., xxxvii (3), p. 344 : Chaudoir, *Mon.*, p. 122.  
 Hab. India, Bengal.
- extremus*, Chaudoir, *Mon.*, p. 112.  
 ? = *postscriptus*, Bates, *q. v.*  
 Hab. Hongkong.
- femoratus*, Dejean, Spec., ii, 1826, p. 328 : Chaudoir, *Mon.*, p. 93, 94.  
*flavofemoratus*, Casteln., Et. Ent., p. 81, t. I., f. 3 : Chaud., Bull. Mosc., xxix (3), 1856, p. 244.  
 Hab. Java.
- frater*, Chaudoir, *Mon.*, p. 261 : Bates Ann. Mag. N. H., (5s) xvii, 1886, p. 74.  
 Hab. India, Malabar : ? Colombo (Bates).

- ? *fuscomarginatus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 345.  
 Hab. India.
- fugax*, Chaudoir, *Mon.*, p. 266.  
 Hab. N. India.
- germanus*, Chaudoir, *Mon.*, p. 199.  
 Hab. Laos.
- Gestroi*, Chaudoir, *Mon.*, p. 51.  
 Hab. Malacca, Macao.
- guttula*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 216 : *Mon.*, p. 281.  
 Hab. Hongkong.
- hamatus*, Eschsch., Zool. Atlas, v, 1831, p. 26 : Dej. Spec., v, p. 633 : Chaudoir, *Mon.*, p. 63.  
 Hab. Philippines.
- impressicollis*, Chaudoir, *Mon.*, p. 236.  
 Hab. N. India.
- inops*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 239 ; *id.*, *Mon.*, p. 262.  
*arcuaticollis*, Motsch., Et. Ent., 1860, p. 7.  
*vestitus*, Morawitz, *teste* Chaudoir, *Mon.*, l.c.  
 Hab. Formosa, Yangtse Valley, Chusan, Japan, Korea, Manchuria.
- javanus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 229 : *Mon.*, p. 115.  
 Hab. Malaya, Java.
- Lafertei*, Guerin, Voy. Deless., 1843, p. 36 : Chaudoir, *Mon.*, p. 86.  
*centromaculatus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 218.  
*disfinis*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851 p. 241.  
*maculipennis*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.  
 Hab. India, Bengal, Pondicherry.
- laetiulusculus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 248 : *Mon.*, p. 261.  
 Hab. N. India, Ceylon. [*Ind. Mus.*, Kargil, Turkistán].
- laevipennis*, Chaudoir, *Mon.*, p. 196.  
 Hab. Dekhan.
- leucops* (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52 : Chaudoir, *Mon.*, p. 71.  
*aeruginosus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 271.  
 Hab. N. India, Colombo, Philippines, Cochinchina, Ceram.
- limbicollis*, Chaudoir, *Mon.*, p. 41.  
 Hab. Dekhan, Formosa.
- luteicauda*, Chaudoir, *Mon.*, p. 201.  
 Hab. Dekhan.
- luzonicus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 261 : *Mon.*, p. 159.  
 Hab. Philippines (Luzon).
- lynx*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 199 : *Mon.*, p. 50.  
 Hab. Hongkong.
- macropus*, Chaudoir, *Mon.*, p. 140.  
 Hab. Dekhan.

**maculatus**, Dejean, Spec., ii, 1826, p. 300 : Chaud., *Mon.*, p. 99.

Hab. Dekhan, Siam.

**marginifer**, Chaudoir, *Mon.*, p. 118.

*marginatus*, Dejean, Spec., ii, 1826, p. 305 (*nec* Rossi).

Hab. India.

**medioguttatus** (*Lissanchenius*), Chaudoir, *Mon.*, p. 35.

Hab. Dekhan, Burma.

**melanopterus**, Chaudoir, *Mon.*, p. 226.

Hab. Siam, Ceylon (Peradeniya).

**micans** (*Carabus*), Fabr. Ent. Syst., i, 1792, p. 157; Syst. Eleuth., i, 1801, p. 151 :

Chaudoir, Bull. Mosc., xxix (3), 1856, p. 201, 206 ; *id.*, *Mon.*, p. 62.

*hamifer*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 209 ; *Mon.*, p. 62 : Bates, Trans. Ent. S. Lond., 1873, p. 247.

Hab. India, Zanzibar, [*Ind. Mus.*, Calcutta].

**micans**, MacLeay, Annul. Javan., 1825, p. 14 (*nec* Fabr.) : Chaud., *Mon.*, p. 52.

Hab. Java.

**Mouhotii**, Chaudoir, Col. Novit., i, 1883, p. 34.

Hab. Laos.

**mutatus**, Gemm. & Har., Mun. Cat., p. 222 : Chaudoir, *Mon.*, p. 52.

*apicalis*, MacLeay, Annul. Javan., 1825, p. 14 (*nec* Wied.).

Hab. Java.

**naeviger**, Morawitz, Bull. Acad. St. Petersb., 1862, p. 324 ; *id.*, Beitr. Käferfaun.

Ins. Jesso, p. 33, t. 1, f. 16 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Chaud., *Mon.*, p. 273.

Hab. Ningpo, Hangkow, Nagasaki.

**neelgheriensis**, Guérin, Rev. Zool., 1840, p. 38 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206 : *id.*, *Mon.*, p. 54.

*bilunatus*, Guérin, Voy. Deless., 1843, p. 36.

*binotulatus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.

*formosus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206.

*maleolens*, Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 148 ; Ann. Mag., (2s.) xx, 1857, p. 371.

Hab. Bengal, Nilgiris, Tranquebar, ? Zanzibar.

**nepalensis**, Hope, Gray, Zool. Misc., 1831, p. 21.

*concinnus* (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.

*Mellyi* (*Diaphoropsophus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 407 ; *ib.*,

(2), 1856, p. 213 ; *id.*, (*Rhysotracelus*), *Mon.*, p. 30.

*planicornis* (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.

*Swinhoei*, Bates, Proc. Zool. S. Lond., 1866, p. 342.

Hab. India, Bengal, Malabar, Ceylon, Formosa [*Ind. Mus.*, China, Calcutta].

**nigricans**, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 110, 6 : (*Epmomis*) Dejean, Spec., ii, p. 371 : Chaudoir, *Mon.*, p. 126.

*culminatus*, Bates, Trans. Ent. S. Lond., 1873, p. 251.

*rugicollis* (*Epomis*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 253, note 1.  
Hab. Hongkong, Chekiang, Formosa, Japan, ? Java.

*nigricoxis*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 94.  
Hab. Hongkong.

*nigripennis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 250 ; *Mon.*, p. 225.  
Hab. N. India.

*nitidicollis*, Dejean, Spec., ii, 1826, p. 314 : Chaud., p. 117.  
Hab. Bengal [*Ind. Mus.*, Sikkim].

*opacipennis*, Chaudoir, *Mon.*, p. 176.  
Hab. Bengal.

*orbicollis* (*Ocybatus*), Chaudoir, *Mon.*, p. 40.  
Hab. Nilgiris.

*pachysomus*, Chaudoir, *Mon.*, p. 117.  
Hab. Siam.

*panagaeoides* (*Homalolachnus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 235.  
Chaudoir, *Mon.*, p. 28.  
Hab. India, Malabar.

*parallelus*, Dejean, Spec., v, 1831, p. 627 : Chaud., *Mon.*, p. 69.  
*Dohrnii*, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 149 ; Ann. Mag. N. II., (2s.) xx, 1857, p. 372.  
Hab. Coromandel, Ceylon, Colombo.

*pericallus*, Redtenb., Reise Novara, Zool. ii, Col., 1867, t. 1, f. 4 : Chaud., *Mon.*, p. 286. : Bates, Trans. Ent. S. Lond., 1873, p. 249.  
*pulcher*, Redtenb., *i.c.*, p. 10.

Hab. Hongkong, Kinkiang on Yangtskiang (Bates), Japan (Osaka).

*phaenodrus*, Chaudoir, *Mon.*, p. 161.  
? = *glabriocollis*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 348.  
Hab. Dekhan.

*pictus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 208 ; *id.*, *Mon.*, p. 62 : Bates, Trans. Ent. S. Lond., 1873, p. 247.  
? = *Schönherrii*, Dejean, *q. v.*  
Hab. N. India to N. China.

*pleuroderus*, Chaudoir, Col. Novit., 1883, p. 30.  
Hab. India.

*posticalis*, Motschulsky, Et. Ent., 1853, p. 44 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 340 : Chaud., *Mon.*, p. 273.  
*hospes*, Morawitz, Beitr. z. Käfer Faun. Jesso. 1863, p. 32, t. 1, f. 15.  
*semipurpureus*, Motsch., Bull. Mosc., *i.c. supra*, p. 340.  
Hab. N. China, ? Canton.

*posticus* (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57 ; *id.*, Syst. Eleuth., i, p. 191 : Chaud., *Mon.*, p. 55.  
Hab. India.

*postscriptus*, Bates, Trans. Ent. S. Lond., 1873, p. 326 : Chaud., *Mon.*, p. 113, 156.  
Hab. Hongkong.

*pratensis*, Chaudoir, *Mon.*, p. 210.

Hab. Shanghai, ? Canton.

*pretiosus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 288 ; *id.*, *Mon.*, p. 178.

Hab. N. India.

*prostenus*, Bates, Trans. Ent. S. Lond., 1873, p. 325 ; 1883, p. 235 : Chaudoir, *Mon.*, p. 259.

Hab. Kiukiang on Yangtse river, Japan.

*proximus*, Chaudoir, *Mon.*, p. 113.

Hab. Dekhan.

*pudicus*? (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 193 : Chaud., *Mon.*, p. 280.

*malachinus* (*Callistoides*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 335.

Hab. Bengal.

*pugni*, Camerano, Atti R. Acad. Soc. Turin., xiv, 1878, p. 146 : Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 306.

Hab. Burma, Mandalay.

*punctatostriatus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 244 : *id.*, *Mon.*, p. 91.

Hab. N. India.

*puncticollis*, Dejean, Spec., ii, 1826, p. 315 : Chaudoir, *Mon.*, p. 196.

Hab. Bengal, N. India.

*quadricolor* (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 344 ; *id.*, Ent., iii, 35, p. 77, t. 10, t. 111 : Fabr., Syst. Eleuth., i, p. 180 : Dejean, Spec., ii, p. 317 : Schaum, Stettin Ent. Zeit., 1847, p. 44 ; Chaudoir, *Mon.*, p. 154.

*chlænoides* (*Amblygenius*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 263, ♀.

*orientalis*, Dejean. Spec., ii, 1826, p. 339.

? *laevicollis* (*Poecilostus*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 318.  
Hab. India, Tranquebar, Bengal, Java [*Ind. Mus.*, Sikkim].

*rude sculptus*, Chaudoir, *Mon.*, p. 136.

Hab. Siam.

*ruffemoratus* (*Lissachenius*), MacLeay, Annul. Javan., 1825, p. 13, t. 1, f. 1 : Chaud., Bull. Mosc., xxix (3), 1856, p. 198 : *Mon.*, p. 35.

Hab. Java, Bangkok, India.

*rufithorax*, Wiedemann, Germ., Mag. Ent., iv, 1821, p. 112 : Dejean, Spec. ii, p. 322 : Chaudoir, *Mon.*, p. 259.

Hab. India.

*rugulosus*, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 388 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 243 : Bates, *id.*, (5s.) xvii, 1886, p. 74 : Chand., *Mon.*, p. 90.

Hab. Ceylon, Negumbo (*Nietn.*) : Kandy, Peradeniya (*Bates*).

*scapularis*, Chaudoir, *Mon.*, p. 98.

Hab. Bengal.

*Schönherrii* (*Vertagus*), Dejean, Spec., v, 1831, p. 611 : Chaud., *Mon.*, p. 32.

? *pictus*, Chaudoir, q. v.

Hab. India, Africa.

- Semiperri**, Chaudoir, *Mon.*, p. 92.  
Hab. Philippines.
- sericimicans**, Chaudoir, *Mon.*, p. 235.  
Hab. China, Hongkong.
- sinensis**, Chaudoir, Bull. Mosc. xxix (3), 1856, p. 263 : *Mon.*, p. 162.  
Hab. Hongkong, Shanghai.
- sinuatus**, Dejean, Spec., ii, 1826, p. 321 : Chaudoir, *Mon.*, p. 194.  
Hab. India.
- sobrinus**, Dejean, Spec., ii, 1826, p. 316 : Chaudoir, *Mon.*, p. 197.  
Hab. India.
- spathulifer** (*Vertagus*), Bates, Trans. Ent. S. Lond., 1873, p. 324 ; Chaud., *Mon.*, p. 43.  
Hab. China.
- spoliatus** (*Carabus*), Rossi, Fauna Etrusc., i, 1790, p. 33 : Chaudoir, *Mon.*, p. 88.  
var. *inderiensis*, Motsch., *L.c.*, p. 346 [*Ind. Mus.*, Kargil, Turkistan].  
,, *nicanus* (*Chlaenites*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 346 : Bates,  
Trans. Ent. S. Lond., 1873, p. 249.  
Hab. Europe, N. Africa, Yangtse Valley, Japan.
- stenoristus**, Chaudoir, *Mon.*, p. 265.  
Hab. India, Malabar.
- ? **subhamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 211 : Bates, Trans. Ent. S.  
Lond., 1873, p. 248.  
Hab. Kiukiang on Yangtse, Japan.
- submarginatus**, Chaudoir, *Mon.*, p. 235.  
Hab. N. India, Rangoon.
- Sykesii**, Hope, Trans. Zool. S. Lond., 1833, p. 93, t. 13, f. 2.  
Hab. India, Puna.
- tetragonoderus**, Chaudoir, *Mon.*, p. 68.  
Hab. Sumatra, Macassar.
- trinotatus**, Chaudoir, *Mon.*, p. 179.  
Hab. N. India.
- varicornis**, Morawitz, Käfer Jesso, 1863, p. 35, t. 1, f. 17 : Bates, Trans. Ent. S. Lond.,  
1873, p. 252 : Chand., *Mon.*, p. 267.  
Hab. China, Japan.
- variipes**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 268 : *Mon.*, p. 87.  
Hab. N. India.
- velocipes**, Chaudoir, *Mon.*, p. 266.  
Hab. Bengal (Dacca), Siam, Ceylon (Dikoya), Nilgiris.
- virgulifer**, Chaudoir, *Mon.*, p. 61.  
? *pictus*, Bates, Trans. Ent. S. Lond., 1873, p. 247.  
Hab. Hongkong, N. China, ? Japan.
- viridanus**, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 223.  
Hab. India.

*vividus*, Chaudoir, *Mon.*, p. 176.

Hab. N. India.

*vulneratus*, Dejean, Spec., v, 1831, p. 624 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 203 ; *id.*, *Mon.*, p. 52.

Hab. N. India, Bengal.

*xanthacrus*, Wiedemann, Zool. Mag., (ii) i, 1823, p. 51 : Dejean, Spec. ii, p. 323 : Chaud., *Mon.*, p. 8. (gen dub. *Laochnophorus*).

*Hügelii*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 9, t. 1, f. 3.

Hab. Bengal, Calcutta.

*xanthopleurus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 230 ; *id.*, *Mon.*, p. 115.

Hab. Hongkong, Formosa, Chusan, N. China, Japan.

*xanthospilus* (*Carabus*), Wiedemann, Germar, Mag. Ent., iv, 1821, p. 115 : Chaud., *Mon.*, p. 285.

*quinquemaculatus*, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 386 ; *id.*,

Ann. Mag. N. H., (2 s.) xix, 1857, p. 242.

Hab. Dekhan, Ceylon, Siam.

### Genus PENTHIMUS.

Mun. Cat., p. 229 : Chaudoir, Ann. Mus. Civ. Gen., viii, 1876, p. 291.

*Ceroglossus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 192 (*nec* Solier).

*Harpoglossus*, Motschulsky.

*opacus* (*Ceroglossus*), Chaudoir, Bull. Mosc., xxx (3), 1857, p. 6.

Hab. N. India.

### Genus HOLOLIUS.

Laferté Sencet, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 274 : Lacord., Gen. Col., i, p. 227 : Mun. Cat. p. 230 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 9 ; *id.*, Ann. Mus. Civ. Gen., viii, 1876, p. 290 ; Col. Nov., 1883, p. 37.

*Hololeius*, Laferté Sencet., l.c. *supra*.

*nitidulus* (*Chlaenius*) Dejean, Spec., ii, 1826, p. 341 : Laferté, l. c. *supra*.

*ceylanicus*, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 385 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 241 ; Bates, ib., (5s.) xvii, 1886, p. 75.

var. *punctulatus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 10 ; *id.*, Ann. Mus. Civ. Gen., viii, p. 291.

Hab. India, Ceylon, Kandy, Hongkong.

### Genus RHOPALISTES.

Mun. Cat., p. 230 : Chaudoir, Ann. Mus. Civ. Gen., viii, 1876, p. 291.

*Rhopalopalpus*, Laferté Sencet., Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 262 : Chaudoir, Bull. Mosc., xxx (3), 1867, p. 11.

*ianthinus* (*Chlaenius*), Redtenb., Hügel's Kaschm., iv (2), 1844, p. 500 : Chaudoir, Ann. Mus. Civ. Gen., viii, p. 292.

*poeciloides*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 262 : (*Rhopalopalpus*) Chaudoir, Bull. Mosc., xxx (3), 1857, p. 11, ♀.

Hab. N. India, Kashmir.

### Genus PRISTOMACHAERUS.

**Bates,** Trans. Ent. S. Lond., 1873, p. 323.

**chaloccephalus** (*Panagaeus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 57 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 433 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 84.

*chlorocephalus*, Kollar, Ann. Mus. Wien. i., 1836, p. 335, t. 31, f. 4-6.  
Hab. N. India [*Ind. Mus.* ? Jhelam Valley].

**Messii,** Bates, Trans. Ent. S. Lond., 1873, p. 324.

Hab. Hongkong.

**quadricolor**, Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 101.

Hab. Darjiling.

**quadriguttatus**, Putzeys, *l.c.*, p. 101.

Hab. Darjiling.

### Genus CALLISTUS.

**Bonelli**, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 374 : Mun. Cat., p. 213 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 395 ; *ib.*, xlvi (i), 1872, p. 384 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 85.

*Callistomimus*, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382.

**coarctatus**, Laferté, Ann. Soc. Ent. Fr., (2a.) ix, 1851, p. 230.

*littoralis*, Motschulsky, Et. Ent. 1859, p. 33.

*Westwoodii*, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85.

Hab. N. India, Tranquebar, Ceylon.

**Dicksonii** (*Callistomimus*), Waterhouse, Ann. Mag. N. H., (5a.) xiv, 1884, p. 429.

Hab. Formosa.

**modestus**, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85 : Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Fairm., Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 336.

Hab. Tonkin, China, Hongkong, Canton, Nagasaki.

**suturalis**, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 61, t. 4, f. 2.

Hab. Annam, Hué.

**Div. OODINI** :—Chaudoir, Bull. Mosc., xxx (3), 1857, p. 13 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 317, 485.

### Genus ANATRICHIS.

**Leconte**, Trans. Ann. Phil. Soc., x, 1853, p. 391 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 21 ; *id.*, *Mon.*, *l.c. supra*, p. 318 : Bates, Biol. Centr. Amer., Col., i (i) p. 269.

*Oodinus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 352.

*Oodes*, pt. Dejean, Spec., v, p. 677.

**indicus**, Chaudoir, *Mon.*, p. 320.

Hab. Dekhan.

**pedinoides**, Chaudoir, *Mon.*, p. 321.

Hab. India.

### Genus SYSTOLOCRANIUS.

*Chaudoir*, Bull. Mosc., xxx (3), 1857, p. 23 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s) ii, 1882, p. 326 : Mun. Cat., p. 231.

*Chlaenius*, Boheman.

*Oodes*, Wiedemann, Eschscholtz, Dejean, Gory, Laferté.

*linea* (*Oodes*), Wiedemann, Germar Mag. Ent., iv, 1821, p. 113 ; Chaudoir, *Mon.*, p. 331.

*grandis* (*Oodes*), Dejean, Spec., ii, 1826, p. 376.

Hab. India, Bengal.

*sulcatus*, Eschsch., Zool. Atlas., v, 1829, p. 28 : Chaud., *Mon.*, p. 335 : *id.*, (nec Laferté), Bull. Mosc., xxx (3), 1857, p. 25. (*sp. dub.*).

Hab. Philippines, Manilla.

### Genus OODES.

*Bonelli*, Mem. Acad. Turin, 1809, *tab. syn.* : Laeord., Gen. Col., i, p. 229 ; Mun. Cat., p. 231 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 25 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 341 : Horn, Gen. Carab., p. 172.

*Lonchosternus*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 267 : Lacord., Gen. Col., i, p. 231.

*Stenocrepis*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 45 ; Mun. Cat., p. 234.

*Stenus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 39 : Mun. Cat., p. 233.

*chalceus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 30 ; *Mon.*, p. 357.

*nepalensis*, Motsch., Et. Ent., 1858, p. 171 ; Bull. Mosc., xxxvii (4), 1864, p. 353.

*subolivaceus*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 4.

Hab. Nepál, N. India.

*ooslestinus*, Chaudoir, *Mon.*, p. 363.

Hab. Borneo, Sarawak.

*parallelus*, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 5 : Chaudoir, *Mon.*, p. 347.

Hab. N. India, Dekhan, Malacca.

*piceolus*, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 93.

Hab. China, Fokien.

*piceus*, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 526 ; *id.* Ann. Mag. N. H., (2s.) xix, 1857, p. 377.

*vitis*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 32 ; *Mon.*, p. 369.

Hab. Assam, Tranquebar, Ceylon, Siam, Macassar.

*siamsensis*, Chaudoir, *Mon.*, p. 358.

Hab. Siam, Bangkok.

*subcoriaceus*, Chaudoir, *Mon.*, p. 362.

Hab. Malacca.

*varians*, Chaudoir, *Mon.*, p. 352.

Hab. Bengal,

*virens*, Wiedemann, Zool. Mag., ii (i), 1823, p. 50.

Hab. Bengal.

**Westermannii**, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 2 : Chaud., Bull. Mosc., xxx (3), 1857, p. 31 ; *Mon.*, p. 368.  
*hispanicus* (*Oodes*), pt. Dejean, Spec., ii, 1826, p. 379.  
 Hab. India, Bengal, Dekhan.

### Genus SIMOUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 373.  
**aeneus**, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 270, note 4 : Chaud., *Mon.*, l.c. *supra*, p. 375.  
 Hab. Java.  
**lucidus** (*Oodes*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 76 ; *Mon.*, p. 376.  
 Hab. Siam, Annam, Cambodia.  
**Mouhotii**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, p. 76 ; *Mon.*, p. 373.  
 Hab. Laos.  
**nigriceps** (*Oodes*), Wiedemann, German, Mag. Ent., iv, 1821, p. 114 : Chaudoir, *Mon.*, p. 375.  
*pulcher* (*Oodes*), Dejean, Spec., ii, 1826, p. 375.  
 Hab. India.

### Genus LACHNOCREPIS.

Leconte, Trans. Am. Phil. S., x, 1853, p. 391 : Lacord., Gen. Col., i, p. 394 : Mun. Cat., p. 230 : Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 377.  
**japonicus**, Bates, Trans. Ent. S. Lond., 1873, p. 255 : Chaudoir, *Mon.*, 378.  
 Hab. Yangtse Valley, Japan.

### Genus HOLCOCOLEUS.

Chaudoir, Ann. Soc. Ent. Fr., (6s) ii, 1882, p. 521.  
 ~ *Oodes*, Laferté, Chaudoir, *olim*.  
**sulcatus** (*Oodes*), Chaudoir, Bull. Mosc., xxx (3), 1857, p. 38 ; *id.*, *Mon.*, l.c. *supra*, p. 522.  
*latus* (*Oodes*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 269, note 2.  
 Hab. Nilgiris.

### Genus MELANODES.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 545.  
*Oodes*, Erichson : *Chlaenius*, Laferté : *Poecilus*, Reiche : *Feronia*, Klug.  
**pernitidus**, Chaudoir, *Mon.*, l.c., p. 550.  
 Hab. Dekhan, Rangoon.  
**subelongatus**, Chaudoir, *Mon.*, l.c., p. 550.  
 Hab. Dekhan.

### Genus PATELLUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 551 : Zool. Jahr., Arthr., 1883, p. 212.  
**drimostoides**, Chaudoir, *Mon.*, l.c. *supra*, p. 553.  
 Hab. Burma.  
**ZABRINI** :—Horn, Gen. Carab., p. 173.

### Genus ZABRUS.

Clairville, Ent. Helv., ii, 1806, p. 80 : Zimmermann, Monograph Carabiden, 1831 : Laeord., Gen. Col., i p. 330 : Schaum, Revision, Berlin. Ent. Zeits., 1864, p. 174 : Mun. Cat., p. 334 : Horn, Gen. Carab., p. 174.

*Pelor*, Bonelli, Mém. Acad. Turin., Obs. Ent., 1813. tab.

*Pelorusomus*, Motschulsky.

*Polysitus*, Zimmermann, Mon. Carab., 1831, p. 8.

*chinensis*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 313.

Hab. Yunnan.

**HARPALINI**, Horn, Gen. Carab., p. 174 : Leeonte & Horn, Class. Col., p. 52.

*Anisodactylides*, pt, Lacordaire, Gen. Col., i, p. 268.

*Cratocerides*, pt, Lacordaire, l.c., p. 257.

? *Ditomides*, pt, Lacordaire, l.c., p. 165.

*Harpalides*, Lacordaire, l.c., p. 285.

Horn (*l.c. supra*) divides this tribe into *Dapti*, *Glypti*, *Harpali*, and *Anisodactyli*.

### Genus LIODAPTU.S.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 102.

*birmanus*, Bates, l.c., p. 102.

Hab. Burma, Bhamo, Mandalay.

### Genus BARYSOMUS.

Dejean, Spec., iv, 1829, p. 56 : Lap. de Casteln., Hist. Nat. Ins., i, p. 94 : Lacord.,

Gen. Col., i, p. 290 : Mun. Cat., p. 261 : Bates, Biol. Centr. Amer., Col., i (i), p. 67.

*Oosoma*, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 144 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 368.

*Gyllenhalii*, Dejean, Spec., iv, 1829, p. 59. : Lap. de Casteln., Hist. Nat. Ins., i, p. 95.

*arenarius* (*Oosoma*), Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 146 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon, Colombo (Bates).

*semivittatus* (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 201 : Dejean, Spec., iv, p. 60 : Lap. de Casteln., l.c. *supra*, p. 95.

*Gerstaeckeri*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon.

*subcneus* (*Amara*), MacLeay, Annul. Javan., 1825, p. 21.

Hab. Java.

*subolivaceus* (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

*tricolor* (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

### Genus BRADYBAENUS.

Dejean, Spec., iv, 1829, p. 160 : Laeord., Gen. Col., i, p. 292 : Mun. Cat., p. 261.

*Calodromus*, Nietner Ann. Mag. N. H., (3s.) ii, 1859, p. 181.

*festivus*, Dejean, Spec., iv, 1829, p. 163 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.

*exornatus* (*Calodromus*), Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 181.

*ornatus*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 14, t. 1, f. 8.

Hab. Ceylon, Kandy (*Bates*).

### Genus HYPSINEPHUS.

Bates, Proc. Zool. S. Lond., 1878, p. 715.

*ellipticus*, Bates, *l.c.*, p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

### Genus PANGUS.

Leconte, Trans. Am. Philad., x, 1853, p. 385 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 267.

*infixus*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 (*gen. dub.*).

Hab. Ceylon.

*orientalis* (*Selenophorus*, *Pangus*), Dejean, Spec., iv, 1829, p. 128.  
Hab. India.

*quadricollis*, Kollar, Hügel's Kaschm., iv (2), 1844, p. 502.  
Hab. Kashmir.

### Genus HYPOLITHUS.

Dejean, Spec., iv, 1829, p. 166 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 268.

*javanus*, Gory, Ann. Soc. Ent. Fr., 1833, p. 241.

Hab. Java.

*perlucens*, Bates. Proc. Zool. S. Lond., 1878, p. 715.

Hab. India, Jhelam Valley [*Ind. Mus.*, type].

### Genus HARPALUS.

Latreille, Hist. Nat. Ins., viii, 1804, p. 325 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 272 : Horn, Gen. Carab., p. 181.

*Actephilus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 208,

*Amblystus*, Motschulsky, *l.c.*, p. 209.

*Artabas*, Gozis, Mt. Schiw. Ent. Ges., 1883, p. 287.

*Biderus*, pt, Motschulsky, Käfer Russl., 1850, t. vii.

*Conicus*, Motschulsky, Bull. Mosc., xxxviii (3), 1864, p. 209.

*Erpeinus*, Motschulsky, *l.c.*, p. 208.

*Harpalidium*, Kolbo, Berlin Ent. Zeits., 1883, p. 17.

*Harpalodes*, Motschulsky, *l.c. supru.*, p. 208.

*Holosus*, Motschulsky, Bull. Mosc., xxx (2), 1857, p. 496.

*Ooistus*, Motschulsky, *l.o.*, xxxvii (3), 1864, p. 209.

*Phenginus*, Motschulsky, *l.c.*, p. 209.

*Platus*, Motschulsky, Cat. Carab. Russ., 1850.

*Pseudoophonus*, pt, Motschulsky, Ins. Sib., 1842, p. 196.

[This synonymy requires examination and revision].

- advolane**, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 226 : *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 377.  
Hab. Ceylon.
- cephalotes** (*Pseudoophonus*), Motschulsky, Et. Ent., 1861, p. 3 ; Bull. Mosc., xxxvii (3), 1864, p. 214.  
*capito*, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 359 : Bates, Trans. Ent. S. Lond., 1873, p. 260.  
Hab. Yangtse Valley, Nagasaki, Ussuri.
- chalcentus**, Bates, *l.c. supra*, p. 263.  
Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- \* **coeruleatus**, Bates, Proc. Zool. S. Lond., 1878, p. 714.  
Hab. Yangi Hissar [*Ind. Mus.*, type].
- erates**, Bates, Trans. Ent. S. Lond., 1883, p. 239, note.  
Hab. Hongkong, Yangtse Valley, Korea.
- cyanescens**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.  
Hab. China.
- difficille**, Hope, *l.c.*, p. 15.  
Hab. China.
- griseue**, Panzer, Fauna Germ., 38, 1797 : Dejean, Spec., iv, p. 251 : Schaum, Naturges. Ins., i, p. 584.  
*bicolor*, Marshall, Ent. Brit., i, p. 436.  
*ruficornis*, var., Illiger, Käfer Preuss., i, 1798, p. 171 : Morawitz, Beitr. z. Käf. Jesso, i, p. 68.  
var. *Reichei*, Desbrochers, Nat. Ent. Bourb., 1866, p. 42.  
Hab. Europe, E. Siberia, Japan, China, Shanghai, ? Canton.
- indicola**, Bates, Proc. Zool. S. Lond., 1878, p. 714.  
Hab. India, Murree [*Ind. Mus.*, type].
- laevistriatus**, Sturm, Abbild. Oliv. Ent. Käfer, 4, 1803, p. 80 t. 91, f. B.  
Hab. India.
- leucope**, Wiedemann, Zool. Mag., ii (i), 1823, p. 52.  
Hab. Bengal.
- \* **liodes**, Bates, Proc. Zool. S. Lond., 1878, p. 715.  
Hab. ? near Yarkand [*Ind. Mus.*, type].
- \* **masoredee**, Bates, *l.c.*, p. 715.  
Hab. Pamir [*Ind. Mus.*, type].
- melaneue**, Bates, *l.c.*, p. 714.  
Hab. India, Murree, Sind Valley, Leh. [*Ind. Mus.*, type].
- punctilabris**, MacLeay, Annul. Javan, 1825, p. 20.  
Hab. Java.
- punctulatus**, MacLeay, *l.c.*, p. 21.  
Hab. Java.
- relucens**, Bates, Trans. Ent. S. Lond., 1873, p. 264.  
Hab. Fuchau, Nagasaki.

- rugicollis** (*Plutus*), Motschulsky, Et. Ent., 1860, p. 5 : Harold, Abh. Nat. Ver. Bremen, iv, 1875, p. 285 ; Bates, Trans. Ent. S. Lond., 1883, p. 236.  
*japonicus*, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 227 ; Beitr. z. Käfer Faun. Jesso, i, 1863, p. 69 ; Bates, l.c. *supra*, 1873, p. 261.  
 Hab. Formosa, Fuchau, Shanghai, Yangtse Valley, Japan [*Ind. Mus.*, Murree].
- sinicus**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14.  
 Hab. China.
- tinctulus**, Bates, Trans. Ent. S. Lond., 1873, p. 263.  
 Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- trechoides**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.  
 Hab. China.
- tridens**, Morawitz, Beitrag. Käfer. Faun. Jesso., i, 1863, p. 69 : Bates, Trans. Ent. S. Lond., 1883, p. 236.  
 Hab. Canton, Japan.
- \* **turculus**, Bates, Proc. Zool. S. Lond., 1878, p. 714.  
 Hab. ? near Yarkand [*Ind. Mus.*, type].

### Genus **IRIDESSUS**.

- Bates, Trans. Ent. S. Lond., 1883, p. 210.  
**relucens**, Bates, l.c., 1873, p. 264 ; 1883, p. 240.  
 Hab. Fuchau, Nagasaki.

### Genus **GNATHAPHANUS**.

- MacLeay, Annul. Javan., 1825, p. 20 : Laeord., Gen. Col., i, p. 299 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 503 : Mun. Cat., p. 286.  
**aereus**, Schaufuss, Horae Ent. Ross., xxi, 1887, p. 105.  
 Hab. China, Macassar.
- subcostatus**, Dejean, Spec., iv, 1829, p. 261 : Laeord., Gen. Col. i. p. 299.  
 ? = *vulneripennis*, MacLeay, q. v.  
 Hab. India [*Ind. Mus.*, Tenasserim].
- vulneripennis**, MacLeay, Annul. Javan., 1825, p. 20 : Hope, Col. Man., ii, t. 2, f. 2,  
 a-d : Erichs., Wieg. Arch. (2), 1840, p. 317.  
 Hab. India.

### Genus **CARICUS**.

- Motsch., Bull. Mose., xxxix (2), 1886, p. 394.  
**testaceipes**, Motsch., l.c., p. 394.  
 Hab. Ceylon, Colombo.

### Genus **STENOLOPHUS**.

- Dejean, Spec., iv, 1829, p. 405 ; Laeord., Gen. Col., i, p. 303 ; Mun. Cat., p. 290 : Horn, Gen. Carab., p. 181.  
*Acupalpus*, Latreille, Règne Anim., (2ed.) iv, 1829, p. 391 : Laeord., Gen. Col., 1, p. 302 : Mun. Cat., p. 287.

- Anthracus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207. Balion, Schiödte.
- Egadroma*, Motschulsky, Et. Ent., 1855, p. 43 ; *id.*, *I.e. supra*, p. 201.
- Maniculus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.
- Megrammus*, Motschulsky, Et. Ent., 1857, p. 26.
- Philodes*, Leeonto, Class. Col., 1861, p. 33.
- apicalis* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.  
Hab. India, Tranquebar.
- biplagiatus*, Bohem., Freg. Eug. Resa, Col., 1858, p. 12.  
Hab. China.
- chilceus*, Bates, Trans. Ent. S. Lond., 1873, p. 270.  
Hab. Yangtse Valley, Japan.
- connotatus*, Bates, *I.e.*, p. 327.  
Hab. Yangtse Valley, Japan.
- yanellus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.  
Hab. Burma, Rangoon, Mandalay, Bhamo.
- derogatus* (*Acupalpus*), Walker, Ann. Mag. N. H., (2s.) ii, 1853, p. 204 : *ib.*, Bates, (5s.) xvii, 1886, p. 80.  
Hab. Ceylon, Nuwara Eliya (*Bates*).
- gonidius*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 104.  
Hab. Burma, Bhamo, Teintso, Thagata (Tenasserim).
- guttula* (*Acupalpus*), Dejean, Spec., v, 1831, p. 858.  
Hab. India.
- inornatus* (*Acupalpus*), Bates, Trans. Ent. S. Lond., 1873, p. 268.  
Hab. Yangtse Valley, Japan.
- iridicolor*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 16.  
Hab. Hongkong.
- lucidus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 419.  
*proximus*, Falderm., Fauna Ent. Transcauc., iii, 1838, p. 86.  
Hab. India, Caucasus.
- minimus* (*Acupalpus*), Dejean, Spec., iv, 1829, p. 483.  
Hab. India.
- nitens* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.  
Hab. Bombay.
- opaculus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.  
Hab. Ceylon, Nuwara Eliya.
- polygenus*, Bates, *I.e.*, p. 79.  
Hab. Ceylon, Nuwara Eliya.
- proximus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 420 ; *id.*, *I.e.*, t. 198, f. 4.  
Hab. S. Russia, Japan, Shanghai.
- quinquepustulatus* (*Badister*), Wiedemann, Zool. Mag., ii (i), 1823, p. 58 : (*Stenolophus*) Dejean, Spec., iv, p. 414 : Bates, Trans. Ent. S. Lond., 1873, p. 270 ; Ann. Mag., N. H., (5s.) xvii, 1886, p. 79.

Hab. Japan, China, Yangtse Valley, Cochinchina, Bengal, Ceylon, Colombo, (*Bates*).

*smaragdulus* (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 60 : (*Stenolophus*) Dejean, Spec., iv, 1829, p. 418 : Lap. de Casteln. Hist. Nat. Ins., i, p. 90 : (*Egadroma*), Motsch., Bull. Mosc., xxxvi, (3), 1864, p. 205.

*stolidus* (*Harpalus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

*vulneratus*, Dejean, Spec., v, 1831, p. 352.

Hab. India, Ceylon.

*splendida* (*Egadromo*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 205.

Hab. Burma.

### Genus ANOPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 88 : Lacord., Gen. Col., i, p. 304 : Mun. Cat., 292.

? *Compsolepis*, Nictner.

*Lepithrix*, Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 151 : Ann. Mag., (2s.) xx, 1857, l.c., p. 374.

*Loxoncus*, Schmidt Goebel, Faun. Col. Birm., 1846, on wrapper : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 204.

*circumcinctus*, Motsch., Et. Ent., 1857, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 269.

Hab. Yangtse Valley, Ningpo, Fuchau, Shanghai, Japan.

*discophorus*, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 90.

Hab. N. India, Simla.

*elevatus* (*Loxoncus*), Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 9.

Hab. Burma.

*foliolosus* (*Lepithrix*), Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 152 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 374 : Bates, l.c., (5s.) xvii, 1886, p. 79.

Hab. Ceylon.

*microgonus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 78.

Hab. Ceylon, Colombo, Siam.

*renitens*, Bates, l.c., p. 79.

Hab. Ceylon, Colombo.

*utilans*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.

Hab. Burma, Katha.

### Genus BRADYCELLUS.

Erichson, Käfer Mark. Brand., i, 1837, p. 64 : Lacord., Gen. Col., i, p. 294 : Mun. Cat., p. 263 : Horn, Gen. Carab., p. 294 : Bates, Biol., Centr. Amer., Col., i (i), p. 71.

*Lioceillus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.

*laeticolor*, Bates, Trans. Ent. S. Lond., 1873, p. 267.

Hab. Yangtse Valley, Nagasaki.

*marginale* (*Drimostoma*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51.

Hab. Ceylon.

*sinicus*, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Yangtse Valley.

### Genus OXYCENTRUS.

- Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 345 : Mun. Cat., p. 249.  
**angustus**, Bates, Trans. Ent. S. Lond., 1876, p. 3, note, ♂.  
 Hab. Burma, Rangoon.  
**borneensis**, Bates, l.c., p. 4, note, ♂.  
 Hab. Bornco.  
**parallelus**, Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 347.  
 Hab. N. India.

### Genus TACHYCELLUS.

- Morawitz, Bull. Acad. Petr., v, 1863, p. 261 : Mun. Cat., p. 264 : Horn, Gen. Carab., p. 182.  
**lamprus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.  
 Hab. Ceylon, Colombo.

### Genus DICHIROTRICHUS.

- Jacq. Duval, Gen. Col. Carab., 1855, p. 35 : Mun. Cat., p. 262.  
**\* alticola**, Bates, Proc. Zool. S. Lond., 1878, p. 713.  
 Hab. Pámír [Ind. Mus., type].  
**amplipennis**, Bates, Trans. Ent. S. Lond., 1873, p. 326.  
 Hab. Shanghai.

### Genus CALATHOMIMUS.

- Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.  
**consors**, Bates, l.c., p. 78.  
 Hab. Ceylon, Bogawantalawa.  
**maculatus**, Bates, l.c., p. 77.  
 Hab. Ceylon, Bogawantalawa.

### Genus DIORYCHE.

- MacLeay, Annul. Javan., 1825, p. 21 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 309 : Mun. Cat., p. 287.  
*Platymetopus*, Dejean, Spec., iv, 1829, p. 68 : Lacord., Gen. Col., i, p. 300 : Bates, Trans. Ent. S. Lond., 1873, p. 121.  
**amoena** (*Platymetopus*), Dejean, Spec., iv, 1829, p. 73.  
 Hab. Java.  
**colombensis**, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 151 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373 : ib., Bates, (5s.) xvii, 1886, p. 76.  
 Hab. Ceylon, Colombo.  
**corrosa**, Bates, Trans. Ent. S. Lond., 1873, p. 270.  
 Hab. Yangtse Valley, Fuchau, Japan.

- interpunctata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 71 : Klug, Ins. Madag., p. 133.  
 Hab. India, Coromandel.
- laticeps* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 76.  
 Hab. Philippines, Manilla.
- melanaria*, Boheman, Freg. Eug. Resa, Col., 1858, p. 10.  
 Hab. China.
- quadrimaculata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 70 : Lap. de Casteln., Hist. Nat. Ins., i, p. 92.  
 Hab. Cochinchina.
- rugosa*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373.  
 Hab. Ceylon, Colombo.
- senilis*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 372.  
 Hab. Ceylon, Colombo.
- Thunbergii*, Quensel, Schönh., Syn., i, 1806, p. 188, note : Dejean, Spec., iv, p. 74 : Erichson, Wieg. Arch., (2) 1840, p. 367 : Bates, Trans. Ent. S. Lond., 1873, p. 271.  
 Hab. ? Cape of Good Hope, ? India.
- torta*, MacLeay, Annul. Javan., 1825, p. 21 : Hope, Col. Man., ii, 1838, t. 2, f. 4 a-d : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 271.  
 Hab. Java.

### Genus AMBLYSTOMUS.

- Erichson, Käfer Mark Brand., i, 1837, p. 59 : Lacord., Gen. Col., i, p. 301 : Mun. Cat., p. 143.
- Hispalis*, Rambur, Faun. Andal., 1838 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 233, *tab. syn.*
- Megaristerus*, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427 : Mun. Cat., p. 286.
- aenescens*, Motschulsky, Et. Ent., 1858, p. 23 : (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1864, p. 233.  
 Hab. India.
- biguttatus*, Motschulsky, Et. Ent., 1858, p. 25 : (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.  
 Hab. India, Tranquebar.
- femoralis*, Motschulsky, Et. Ent., 1858, p. 24 : (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.  
 Hab. India.
- flavipes*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.  
 Hab. India.
- fuscescens*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.  
 Hab. India.
- guttatus*, Bates, Trans. Ent. S. Lond., 1873, p. 327.  
 Hab. China, Fuchau.

*indicus* (*Megaristerus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 428.  
Hab. Ceylon, Kitugalle (*Bates*), Madras.

*mandibularis* (*Megaristerus*), Nietner, l.c., p. 428.  
Hab. Ceylon, Colombo.

*pallipes*, Motschulsky, Et. Ent., 1858, p. 24; (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1861, p. 233.  
Hab. India.

*quadriguttatus*, Motschulsky, l.c., p. 24; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.  
Hab. India.

*stenolophoides* (*Megaristerus*), Nietner, l.c. *supra*, p. 428.  
Hab. Ceylon, Colombo.

### Genus SIOPELUS.

Murray, Ann. Mag. N. H., (3s.) iii, 1859, p. 27 : Mun. Cat., p. 287.

*ferreus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 76, 211.

?= *compositus* (*Curtonotus*), Walker, l.c., (3s.) ii, 1858, p. 204,  
Hab. Ceylon, Newara Eliya.

### Genus ANISODACTYLUS.

Dejean, Spec., iv, 1829, p. 132 : Lacord., Gen. Col., i, p. 278 : Mun. Cat., p. 254 :  
Horn, Gen. Carab., p. 184 : Bates, Biol. Centr. Amer., Col., i (i), p. 52.

*Amphasia*, Newman, Ent. Mag., v, 1838, p. 387 : Lacord., Gen. Col. i, p.  
277 : Mun. Cat., p. 254.

*Anisotarsus*, Chaudoir, Bull. Mosc., x, 1837, p. 41 : Lacord., Gen. Col., i,  
p. 279 : Mun. Cat., p. 257.

*Aplacentrus*, Leconte, Geod. Un. St., 1846, p. 108.

*Dicheirus*, Mannerheim, Bull. Mosc., xvi, 1843, p. 211.

*Eurytrichus*, Leconte, Geod. Col. Un. St., in Ann. Lyc. Nat. Hist. N.  
York, iv, 1846, and separate, p. 115 : Mun. Cat., p. 257.

*Gynandromorphus*, Dejean, Spec., iv, 1829, p. 186 : Lacord., Gen. Col., i,  
p. 283 : Mun. Cat., p. 258.

*Gynandrolarsus*, Laferté-Sénectere, Ann. Soc. Ent. Fr., (2s.) x, 1852, p. 202 :  
Lacord., Gen. Col., i, p. 283.

*Spongopus*, Leconte, Good. Col. Un. St., l.c. *supra*, iv, 1846, p. 277 ; sep. p.  
105 : Mun. Cat., p. 258.

*Triplectrus*, Leconte, l.c., p. 108.

*Xestonotus*, Leconte, Trans. Amer. Phil., x, 1853, p. 383 : Mun. Cat., p. 258.

*dispellens*, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51 : Bates, l.c., (5s.) xvii,  
1886, p. 75.

Hab. Siam, Ceylon, Kandy, Hongkong, Fuchau.

*Javanus*, Dejean, Spec., iv, 1829, p. 146.  
Hab. Philippines.

*signatus*, Illiger, Käfer Preuss., i, 1798, p. 174 : Panzer, Faun. Germ., 38, 4 ; Dejean  
Spec., iv, p. 138 : Schaum, Nat. Ins., i, p. 565.

*rusticus*, Dahl, Col. & Lep., 1823, p. 11.

Hab. Europe, Siberia, China, Canton (*Putzeys*).

### Genus LAMPROPHONUS.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.

*lucens*, Bates, *l.c.*, p. 3.

Hab. Burma.

### Genus CHYDAEUS.

Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 343 : Mun. Cat., p. 254.

*obscurus*, Chaudoir, *l.c. supra*, p. 344.

Hab. N. India.

### Genus HYPHARPAX.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 282 : Mun. Cat., p. 258 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 496.

*Sagraemerus*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 13.

*dentipes* (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 54 : Chaudoir, *l.c. supra*, p. 500:

? = *lateralis* MacLeay, *q.v.*

Hab. Java.

*javanus* (*Sagraemerus*), Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 14, t. 1, f. 7.

Hab. Java.

*lateralis*, MacLeay, Annul. Javan., 1825, p. 22 : Hope, Col. Man., ii, t. 2, f. 3 *a-e*

Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Hab. Java.

*simplicipes*, Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 502.

Hab. Java.

### Genus HYPHAERON.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 284 : Mun. Cat., p. 259.

*reflexus*, MacLeay, *l.c. supra*, p. 22 : Hope, Col. Man., ii, t. 2, f. 5 *a-c*.

Hab. Java.

**PSEUDOMORPHINI** :—Westwood, Rev. Mag. Zool., v, 1853, p. 395 : Lacord., Gen. Col., i, 1854, p. 149 : Horn, Gen. Carab., p. 186 : Leconte & Horn, Class. Col., p. 58.

### Genus ADELOTOPUS.

Hope, Trans. Ent. S. Lond., i, 1834, p. 11 : Westwood, Rev. Mag. Zool., v, 1853, p. 403 : Lacord., Gen. Col., i, p. 153 : Mun. Cat., p. 157.

*collaris*, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Siam.

### Genus CRYPTOCEPHALOMORPHA.

Ritsema, Tijds. v. Ent., xviii, 1875, p. xcii.

*Gaverei*, Ritsema, *l.c.*, p. xciii ; *ib.*, xxxii, p. lxxxviii.

*marginatus*, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Java, Batavia.

## ADDITIONS.

## OMOPHRON.—P. 6—

*axillaris*, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 59. Hab. Bengal.

*guttatus*, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

*interruptus*, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

*levigatus*, Gestro, Ann. Mus. Civ. Gen. (2s.) vi, 1888, p. 172. Hab. Burma.

*porosus*, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 61. Hab. Dekhan.

*saigonensis*, Chaudoir, *l.c.*, p. 57. Hab. Cochinchina, Saigon.

*striaticeps*, Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 173. Hab. Burma.

P. 12—The reference to *Carabus indicus*, is Bull. Soc. Ent. Fr., (6s.) ix, 1889, p. xv.  
Hab. Darjiling.

## MOUHOTIA, p. 17.

*Batesii*, Lewis, Ent. Mon. Mag., xvi, 1879, p. 186 : Waterhouse, Aid, t. 125, f. 3.  
Hab. Burma.

## PSEUDOZAENA.—P. 32—

*spissicornis*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335. Hab. Laos.

## PRISTONYCHUS.—P. 54—

*alticola*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. xvi.

Hab. Himalaya, Mt. Yeomitong (11,000—12,000 feet) [*Ind. Mus.*]

Add also :—

P. 96—*Brosicus Davidianus*, Fairmaire, Ann. Soc. Ent. Belg., xxxii, 1888, p. 7. Hab.  
Yunnan, Hongkong.

P. 97—*Chlaenius hemichlorus*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Stobeus colluoens*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Aurisma Delevayi*, Fairmaire, *l.c.*, p. 9. Hab. Yunnan.

P. 44—*Steropanus forticornis*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Omaseus stictopleurus* Fairmaire, *l.c.* p. 10. Hab. Yunnan.

P. 44—*Steropus scutinoides*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Steropus scuticollis*, Fairmaire, *l.c.*, p. 11. Hab. Yunnan.

P. 44—*Pterostichus haesitatus*, Fairmaire, *l.c.*, p. 11. Hab. Yunuan.

P. 44—*Abax tantillus*, Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus strigipennis* Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus nubilipennis*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 54—*Agonum dorsistriatum*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 56—*Dyscolus ovipennis*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 39—*Patrobus microphthalmus*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 50—*Amara orientalis*, Hope Traus. Ent. S. Lond. iv, 1845, p. 14. Hab. China.

P. 61—*Perigona Beccarii*, Putzeys = *fimicola*, Wollast.

P. 95—*Brachynus pictus*, add to references after '92', 't. 13, f. 1' : and at end [*Ind. Mus.*, Dchli].

P. 56—*Colpodes superlita*, Bates. Proc. Zool. S. Lond., 1888, p. 383, Kiukiang.

“ “ *melittus*, Bates, *l.c.*, 1889, p. 215. Goorais Valley.

“ “ *eulabes*, Bates, *l.c.*, p. 215. Goorais Valley.

P. 70—*Lebia coelestis*, Bates, *l.c.*, 1888, p. 380. Kiukiang.

“ “ *chrysomia*, Bates, *l.c.*, p. 382. Kiukiang.

“ “ *callata*, Bates, *l.c.*, p. 382. Kiukiang.

“ “ *xanthophana* Bates, *l.c.*, p. 382 ; *ib.*, 1889, p. 218. Kinkiang, Ichang.

- P. 70—*Lebia prattiana*, Bates, *l.c.*, 1889, p. 218. Ichang.  
 " " *callitrema*, Bates, *l.c.* p. 219. Ichang.  
 P. 97—*Chlaenius anchomenoides*, Bates, *l.c.*, p. 212. Goorais Valley.  
 P. 111—*Harpalus kashmirensis*, Bates, *l.c.*, p. 213. Goorais Valley.  
 " " *idiotus*, Bates, *l.c.*, p. 213. Goorais Valley.  
 P. 53—*Pristodactyla lacerans*, Bates, *l.c.*, p. 214. Goorais Valley.  
 " *agonoides*, Bates, *l.c.*, p. 218 Ichang.  
 P. 54—*Pristonychus kashmirensis*, Bates, *l.c.*, p. 214. Goorais Valley.  
 P. 55—*Anchomenus mesostictus*, Bates, *l.c.*, p. 215. Goorais Valley.  
 P. 10—*Carabus Thentei*, Thoms., var. *minor*, Bates, *l.c.*, p. 217. Ichang.  
 " " *ichangensis*, Bates, *l.c.*, p. 217, ♂. Ichang.  
 " " *protenes* Bates, *l.c.*, p. 217. Ichang.  
 " " *kiukiangensis* Bates, *l.c.*, 1888, p. 381. Kiukiang.  
 " " *dardiellus*, Bates, *l.c.*, 1889, p. 211. Goorais Valley, Kashmir.  
 " var. *granulisparsus*, Bates, *l.c.*.  
 " *barysomus*, Bates, *l.c.*, p. 210. Goorais Valley.  
 P. 13—*Carabus (Coptolabrus) angustus*, Bates, Proc. Zool. S. Lond., 1888, p. 387.  
 Kiukiang, Yangtse Valley.  
 var. *igninitella*, Bates, *l.c.*  
 " " *principalis*, Bates, *l.c.*, 1889, p. 216. Ichang, Yangtse Valley.  
 " " *pustulifer*, Lucas, var., Bates, *l.c.*, p. 217. Ichang.  
 " " *longipennis*, Chaudoir, Bates, *l.c.*, p. 217. Ichang.  
 P. 16—*Nebria himalayica*, Bates, *l.c.*, p. 212. Goorais Valley.  
 P. 34—*Bembidion braoculatum*, Bates, *l.c.*, p. 212. Goorais Valley.  
 " " *dardum*, Bates, *l.c.*, p. 212. Goorais Valley.

#### CORRECTIONS.

- P. 26—for 'Neitnerii,' read 'Nietnerii.'  
 P. 28—line 5 from top, for 'Gestro.' read 'Bates.'  
 P. 30—line 19 from top, for 'metallicus,' read 'metallicus.'  
 P. 34—for 'MOROIDIUS,' read 'MORIONIDIUS.'  
 P. 42—for 'Comottoii,' read 'Comottii.'  
 P. 65—for 'dimidiata, read 'dimidiata.'  
 P. 72—line 22 from top, for 'Rhinolheila,' read 'Rhinocheila.'

## INDEX GENERUM.

- |                               |                             |                               |
|-------------------------------|-----------------------------|-------------------------------|
| <i>Abacetus</i> , 46.         | <i>Anomoderus</i> , 18.     | <i>Blennidus</i> , 49.        |
| <i>Abax</i> , 120.            | <i>Anomoeus</i> , 83.       | <i>Bonius</i> , 75.           |
| <i>Abropus</i> , 56.          | <i>Anomophaeenus</i> , 18.  | <i>Bothriopterus</i> , 44.    |
| <i>Acacus</i> , 97.           | <i>Anoplogeuius</i> , 115   | <i>Bothynoptera</i> , 82.     |
| <i>Acanthogenius</i> , 85.    | <i>Anthia</i> , 87.         | <i>Brachichila</i> , 76.      |
| <i>Acephorus</i> , 22.        | <i>Anthiini</i> , 87.       | <i>Brachidius</i> , 89.]      |
| <i>Acopiglabrus</i> , 10.     | <i>Anthracus</i> , 114.     | <i>Brachinus</i> , 96.        |
| <i>Acrodou</i> , 50.          | <i>Apocadera</i> , 63.      | <i>Brachycetus</i> , 74.      |
| <i>Actedium</i> , 34.         | <i>Aploa</i> , 94.          | <i>Brachynini</i> , 92.       |
| <i>Actenomonus</i> , 92.      | <i>Aplocentrus</i> , 118.   | <i>Brachynnus</i> , 94, 120.  |
| <i>Actephilus</i> , 111.      | <i>Aplothorax</i> , 10.     | <i>Brachyonychus</i> , 27.    |
| <i>Acupalpus</i> , 113.       | <i>Apolomini</i> , 96.      | <i>Brachystylus</i> , 44, 49. |
| <i>Adelosia</i> , 44.         | <i>Apotomopterus</i> , 10.  | <i>Bradybaenus</i> , 110.     |
| <i>Adelotopus</i> , 119.      | <i>Apotomus</i> , 96.       | <i>Bradycellus</i> , 115.     |
| <i>Aello</i> , 44.            | <i>Apristomorphus</i> , 76. | <i>Bradytus</i> , 50.         |
| <i>Aephnidius</i> , 59.       | <i>Apristus</i> , 75.       | <i>Brennus</i> , 9.           |
| <i>Aepsara</i> , 50.          | <i>Aspecta</i> , 89.        | <i>Broszini</i> , 96.         |
| <i>Agastus</i> , 67.          | <i>Apteromimus</i> , 34.    | <i>Brososoma</i> , 97.        |
| <i>Agonocheila</i> , 72.      | <i>Apitus</i> , 95.         | <i>Broscomorphus</i> , 20.    |
| <i>Agonocyrthes</i> , 54.     | <i>Arachnoidius</i> , 44.   | <i>Brosicus</i> , 96, 120.    |
| <i>Agonodemus</i> , 14.       | <i>Archicarabus</i> , 10.   | <i>Bryobius</i> , 44.         |
| <i>Agonothorax</i> , 54.      | <i>Ardistomis</i> , 27.     |                               |
| <i>Agonium</i> , 54, 120.     | <i>Argutor</i> , 44, 46.    | <i>Calamata</i> , 14.         |
| <i>Aleptocerus</i> , 97.      | <i>Argutoroidius</i> , 44.  | <i>Calathominus</i> , 116.    |
| <i>Allocota</i> , 71.         | <i>Arrhostus</i> , 83.      | <i>Calathus</i> , 53, 120.    |
| <i>Alogocarabus</i> , 10.     | <i>Artabas</i> , 111.       | <i>Callieida</i> , 81.        |
| <i>Alpaeus</i> , 16.          | <i>Astygis</i> , 46.        | <i>Callida</i> , 81.          |
| <i>Amara</i> , 50, 120.       | <i>Aulacocelius</i> , 49.   | <i>Callipara</i> , 14.        |
| <i>Amarocelia</i> , 50.       | <i>Aulacopterum</i> , 14.   | <i>Calliphæna</i> , 14.       |
| <i>Amuthitis</i> , 50.        | <i>Aurisma</i> , 120.       | <i>Callisthenes</i> , 14.     |
| <i>Amblychus</i> , 52.        | <i>Autocarabus</i> , 10.    | <i>Callistoides</i> , 97.     |
| <i>Amblygenius</i> , 97.      | <i>Axiocarabus</i> , 10.    | <i>Callistomimus</i> , 107.   |
| <i>Amblystomus</i> , 117.     |                             | <i>Callistrata</i> , 14.      |
| <i>Amblystus</i> , 111.       | <i>Badister</i> , 52.       | <i>Callistriga</i> , 14.      |
| <i>Amerizus</i> , 34.         | <i>Baudia</i> , 52.         | <i>Callistus</i> , 107.       |
| <i>Amphasia</i> , 118.        | <i>Barymorphus</i> , 97.    | <i>Callitropis</i> , 14.]     |
| <i>Anatrichis</i> , 107       | <i>Barysomius</i> , 110.    | <i>Catocarabus</i> , 10.      |
| <i>Anavlacus</i> , 59.        | <i>Baterus</i> , 55.        | <i>Calodrepa</i> , 14.        |
| <i>Anchista</i> , 83.         | <i>Batoxcelis</i> , 43.     | <i>Calodromus</i> , 110.      |
| <i>Anchodenius</i> , 54.      | <i>Belonognatha</i> , 72.   | <i>Calopachys</i> , 14.       |
| <i>Ancholeus</i> , 49.        | <i>Bembicidium</i> , 34.    | <i>Calosoma</i> , 14.         |
| <i>Anchomenus</i> , 54.       | <i>Bembidion</i> , 34.      | <i>Calopterus</i> , 44.       |
| <i>Anchonoderini</i> , 61.    | <i>Bembidiouini</i> , 34.   | <i>Camuragnathus</i> , 15.    |
| <i>Anchus</i> , 55.           | <i>Berus</i> , 83.          | <i>Camedula</i> , 14.         |
| <i>Ancus</i> , 26.            | <i>Biderus</i> , 111.       | <i>Camarina</i> , 14.         |
| <i>Anisodactylides</i> , 110. | <i>Blaptonoma</i> , 14.     | <i>Campa</i> , 34.            |
| <i>Anisodactylus</i> , 118.   | <i>Blechrus</i> , 75.       | <i>Campalita</i> , 14.        |
| <i>Anisotarsus</i> , 118.     | <i>Bleumus</i> , 40.        | <i>Caphora</i> , 59.          |

- CARABINI**, 10.  
*Carabosoma*, 14.  
*Carabus*, 10.  
*Carenostylus*, 49.  
*Caricus*, 113.  
*Casnoidea*, 64.  
*Casnonia*, 63.  
*Castrida*, 14.  
*Catadromus*, 44.  
*Cataeopus*, 78.  
*Cathaicus*, 10.  
*Cathoplius*, 14.  
*Cechenochilus*, 10.  
*Ceckenes*, 10.  
*Celene nepheles*, 84.  
*Celia*, 50.  
*Ceneus*, 44.  
*Cephalotes*, 96.  
*Ceroglossus*, 10, 106.  
*Chaetocarabus*, 10.  
*Chaelomelas*, 10.  
*Charmosta*, 14.  
*Charopterus*, 75.  
*Chedorus*, 41.  
*Chlaeniinius* 48.  
*Chlaenini*, 87.  
*Chlaenites*, 97.  
*Chlaenius*, 97, 108, 109, 120.  
*Chlaeniodiini*, 49.  
*Chrysocarabus*, 10.  
*Chrysostigma*, 14.  
*Chlorodium*, 34.  
*Glydaeus*, 119.  
*Cillenus*, 34.  
*Clibanarius*, 55.  
*Clivins*, 23.  
*Coeloprosopus*, 80.  
*Coelostomus*, 46.  
*Colpodes*, 56.  
*Composolepis*, 115.  
*Conicus*, 111.  
*Cophosus*, 44.  
*Coptodera*, 72, 73.  
*Coptolabrus*, 13.  
*Coptolobus*, 19.  
*Coryza*, 26.  
*Coscinia*, 32.  
*Coscinini*, 32.  
*Cosciniopterus*, 44.  
*Cosmoplata*, 14.  
*Craspedonotus*, 97.  
*Craspedophorus*, 27, 29.  
*Cratocephalus*, 10.  
*Cratocerides*, 110.  
*Cratocerini*, 89.
- Creagris*, 85.  
*Crepidogaster*, 95.  
*Crepidostoma*, 96.  
*Crossoglossa*, 82.  
*Crossonychus*, 75.  
*Cryobius*, 44.  
*Cryptocephalomorpha*, 119.  
*Cryptotrichus*, 54.  
*Cryptoxenus*, 54.  
*Ctenipes*, 54.  
*Ctenocarabus*, 10.  
*Ctenosta*, 14.  
*Curtonotus*, 50.  
*Cychrini*, 9.  
*Cyphrocephalus*, 14.  
*Cyhrus*, 9.  
*Cyclomus*, 49.  
*Cyclosomus*, 68.  
*Cymbionotum*, 32.  
*Cymindis*, 83.  
*Cymindoidea*, 83.  
*Cyphosoma*, 78.  
*Cyrtotomus*, 50.  
*Cyrtopterus*, 73.  
*Dacca*, 22.  
*Damaster*, 13.  
*Dendrocellus*, 65.  
*Derus*, 49.  
*Desera*, 65.  
*Diaphoropsophus*, 97.  
*Dicaelindus*, 46.  
*Diceromerus*, 51.  
*Dicheirus*, 118.  
*Dichirotrichus*, 116.  
*Dicranoncus*, 56.  
*Dicraspeda*, 64.  
*Dictya*, 69.  
*Didetus*, 84.  
*Dilobochilus*, 97.  
*Dinodes*, 97.  
*Dioryche*, 116.  
*Diplocheila*, 51.  
*Dirotus*, 52.  
*Dischissus*, 29.  
*Disphaericus*, 43.  
*Distichus*, 19.  
*Distrigodes*, 46, 48.  
*Distrigus*, 46.  
*Ditomides*, 110.  
*Dolichocerus*, 73.  
*Dolichodes*, 55.  
*Drimostoma*, 51.  
*Dromius*, 68, 73, 75.
- Dromoceryx*, 75.  
*Drypta*, 65.  
*Dryptini*, 65.  
*Dryschiridium*, 43.  
*Dyschirius*, 22.  
*Dyscolus*, 56, 120.  
*Dysidius*, 44.  
*Eccoptogenius*, 52.  
*Echimuthus*, 70.  
*Egadroma*, 114.  
*Elaphrini*, 16.  
*Elaphropus*, 36.  
*Elaphrus*, 16.  
*Eliotia*, 84.  
*Emphunes*, 34.  
*ENCELADINI*, 17.  
*Endosomatium*, 34.  
*Endynomena*, 82.  
*Epicosmus*, 27, 30.  
*Epomis*, 93.  
*Epactius*, 9.  
*Epaphius*, 40.  
*Erpeinus*, 111.  
*Eucarabus*, 10.  
*Eudemus*, 27, 28, 30.  
*Eudromus*, 34.  
*Euleptus*, 53.  
*Eupachys*, 10.  
*Eupalamus*, 23.  
*Euplynes*, 71.  
*Europhilus*, 55.  
*Eurycarabus*, 10.  
*Eurydactylus*, 98.  
*Eurytrachelus*, 34.  
*Eurytrichus*, 118.  
*Euschizomerus*, 30.  
*Eustra*, 32.  
*Eutelocarabus*, 10.  
*Eutelodontum*, 14.
- Feanus*, 53.  
*Feronia*, 109.  
*Feronides*, 41.
- Galerita*, 66.  
*Glyptoderus*, 98.  
*Glyptomorphus*, 20.  
*Glyptopterus*, 44.  
*Gnathaphanus*, 113.  
*Goniagnathus*, 10.  
*Goniocarabus*, 10.  
*Gonoderus*, 44.  
*Gonogenia*, 87.  
*Graniger*, 33.

- Gynandromorphus*, 118.  
*Gynandrotarsus*, 118.
- Hadrocarabus*, 10.  
*Haplocoelus*, 44.  
*Haplogaster*, 18.  
*Haplопisthus*, 89.  
*Haptoderus*, 44.  
*Harpalides*, 110.  
*Harpalidium*, 111.  
*Harpalini*, 110.  
*Harpalinae bisetosae*, 27.  
*Harpalinae unisetosae*, 92.  
*Harpalites*, 20.  
*Harpalodes*, 111.  
*Harpalus*, 33, 111.  
*Harpoglossus*, 106.  
*Helobia*, 16.  
*Helluodes*, 88.  
*HELLUONINI*, 85.  
*Hemicarabus*, 11.  
*Heteroglossa*, 86.  
*Hexachaetus*, 91.  
*Hexagouia*, 62.  
*Hexagouini*, 62.  
*Hiletui*, 15.  
*Hiletus*, 15.  
*Hispalis*, 117.  
*Holococculus*, 109.  
*Holcoderus*, 78.  
*Holconotus*, 49.  
*Hololeius*, 106.  
*Hololius*, 106.  
*Holoscelis*, 17.  
*Holosus*, 111.  
*Homalops*, 70.  
*Homolachnus*, 98.  
*Homophron*, 9.  
*Hoplognathus*, 32.  
*Hydrium*, 34.  
*Hygrocarabus*, 11.  
*Hyphaeon*, 119.  
*Hypharpax*, 119.  
*Hyperpes*, 44.  
*Hypolithus*, 111.  
*Hypsinephus*, 111.
- Idiomorphus*, 43.  
*Iniopaehtys*, 11.  
*Irichrous*, 9.  
*Iridessus*, 113.  
*Ischnocarabus*, 11.  
*Isopleurus*, 50.  
*Isotarsus*, 27, 28, 29, 30.  
*Itamus*, 32.
- Laelinocrepis*, 109.  
*Lachnoderma*, 72.  
*Lachnothorax*, 63.  
*Laemostenus*, 54.  
*Laemostenes*, 54.  
*Lagarus*, 46.  
*Lamprinus*, 70.  
*Lomprocarabus*, 11.  
*Lamprophonus*, 119.  
*Lamprostus*, 11.  
*Lasiocera*, 61.  
*Lebia*, 70.  
*Lebida*, 70.  
*Lebiides*, 68.  
*Lebiini*, 68.  
*Lebistina*, 70.  
*Lebius*, 75.  
*Leiocnemis*, 50.  
*Leirus*, 50.  
*Leistus*, 16.  
*Leja*, 34.  
*Lepithrix*, 115.  
*Leptocarabus*, 11.  
*Leptodactyla*, 77.  
*Lestiens*, 41.  
*Lianoe*, 44.  
*LICININI*, 51.  
*Limodromus*, 55.  
*Limnocarabus*, 11.  
*Liocellus*, 115.  
*Liocnemis*, 50.  
*Liognaptus*, 110.  
*Lioneda*, 70.  
*Lionychus*, 69, 76.  
*Lioptera*, 73.  
*Lipaster*, 11.  
*Lissaucheni*, 9<sup>a</sup>.  
*Lonchosternus*, 108.  
*Lopha*, 34.  
*Lorostemma*, 29.  
*Lorostema*, 29.  
*Loxocrepis*, 56, 57.  
*Loxoncus*, 115.  
*Luperca*, 17.  
*Lymnaeum*, 34.  
*Lymnastis*, 36.  
*Lyperopherus*, 44.  
*Lycrosomus*, 44.  
*Lyperus*, 44.  
*Lyropedius*, 44.  
*Lyrothorax*, 44.  
*Macrakanthus*, 59.  
*Macrocheilus*, 85.  
*Macrochilus*, 85.
- Macrogenus*, 11.  
*Macrothorax*, 11, 13.  
*Malisus*, 83.  
*Manicellus*, 114.  
*Maraga*, 89.  
*Masoreus*, 59, 60.  
*Mastax*, 96.  
*Mastus*, 83.  
*Megaristerus*, 117.  
*Megodontus*, 11.  
*Megramnus*, 114.  
*Meladroma*, 85.  
*Melancarabus*, 11.  
*Melanius*, 44.  
*Melanodes*, 109.  
*Menas*, 83.  
*Menera*, 56.  
*Mesocarabus*, 11.  
*Metnbletus*, 75.  
*Metallina*, 34.  
*Metallasomus*, 57.  
*Microcosmus*, 29.  
*Microlestes*, 75.  
*Microlestia*, 87.  
*Mimocarabus*, 11.  
*Miseclus*, 77.  
*Mnuphorus*, 69.  
*Mochtherus*, 73.  
*Molops*, 60.  
*Morio*, 33.  
*Morioidius*, 34.  
*MORIONINI*, 33.  
*Mormolyce*, 67.  
*Mormolycini*, 67.  
*Morphocarabus*, 11.  
*Mouhotia*, 17, 120.  
*Myosodus*, 44.
- Nebria*, 16.  
*NEBRIINI*, 16.  
*Neja*, 34.  
*Nematopeza*, 70.  
*Neoplectes*, 11.  
*Nepha*, 35.  
*Nestra*, 61.  
*NOMIINI*, 32.  
*Notaphus*, 35.  
*Notiophilus*, 16.
- Ocybatus*, 98.  
*Ocydromus*, 35, 98.  
*Ochthedromus*, 35.  
*Ochthephilus*, 62.  
*Oeys*, 35.  
*Oducanthini*, 63.

- |                                |                              |                                |
|--------------------------------|------------------------------|--------------------------------|
| <i>Odontium</i> , 35.          | <i>Pemphus</i> , 9.          | <i>Pristomachaerus</i> , 107.  |
| <i>Odontonyx</i> , 53.         | <i>Pentagonica</i> , 84.     | <i>Pristonychus</i> , 54, 120. |
| <i>Omala</i> , 35.             | <i>Penthimus</i> , 106.      | <i>Pristosia</i> , 53.         |
| <i>Omalomorpha</i> , 70.       | <i>Percosia</i> , 50.        | <i>Procerus</i> , 11.          |
| <i>Omalotrichus</i> , 98.      | <i>Pericalides</i> , 68.     | <i>Procrustes</i> , 11.        |
| <i>Omaseus</i> , 40, 44, 120.  | <i>Pericallus</i> , 80.      | <i>Procrusticus</i> , 11.      |
| <i>Omioslus</i> , 57.          | <i>Pericalus</i> , 80.       | <i>Promecoptera</i> , 55.      |
| <i>Omophron</i> 9, 120.        | <i>Perigona</i> , 60-120.    | <i>Psommastus</i> , 83.        |
| <i>Omophronini</i> , 9.        | <i>Perileptus</i> , 62.      | <i>Pseudocryobius</i> , 45.    |
| <i>Omplira</i> , 87.           | <i>Peripristus</i> , 77.     | <i>Pseudocupis</i> , 96.       |
| <i>Onycholabis</i> , 53.       | <i>Peronomerus</i> , 30.     | <i>Pseudoderus</i> , 45.       |
| <i>Oodes</i> , 107, 103, 109.  | <i>Peronuscelis</i> , 68.    | <i>Pseudohelluo</i> , 86.      |
| <i>Oodini</i> , 107.           | <i>Peryphus</i> , 35.        | <i>PSEUDOMORPHINI</i> , 119.   |
| <i>Oodinus</i> , 107.          | <i>Petrophilus</i> , 44.     | <i>Pseudocephonus</i> , 111.   |
| <i>Ooistus</i> , 111.          | <i>Phaginus</i> , 111.       | <i>Pseudodopadius</i> , 45.    |
| <i>Oosoma</i> , 110.           | <i>Pheropsophus</i> , 92.    | <i>Pseudophilothrus</i> , 35.  |
| <i>Ophionea</i> , 63, 64.      | <i>Phila</i> , 35.           | <i>Pseudosteropus</i> , 45.    |
| <i>Ophryodactylus</i> , 57.    | <i>Philochthus</i> , 35.     | <i>Pseudotribax</i> , 11.      |
| <i>Opisthius</i> , 16.         | <i>Philodes</i> , 114.       | <i>Pseudozaena</i> , 32, 120.  |
| <i>Oreinocarabus</i> , 11.     | <i>Phitorhizus</i> , 75.     | <i>Psilus</i> , 27.            |
| <i>Oreocarabus</i> , 11.       | <i>Philoteinus</i> , 83.     | <i>Psychobius</i> , 45,        |
| <i>Oreophilus</i> , 44.        | <i>Phoniás</i> , 44.         | <i>PTEROSTICHINI</i> , 40, 43. |
| <i>Orthogonini</i> , 89.       | <i>Phreoryctes</i> , 22.     | <i>Pterostichus</i> , 44, 120. |
| <i>Orthogonius</i> , 89.       | <i>Physocrotaphini</i> , 88. |                                |
| <i>Orthomus</i> , 44.          | <i>Physocrotaphus</i> , 88.  | <i>Rathymus</i> , 45.          |
| <i>Oxycentrus</i> , 116.       | <i>Physodera</i> , 71.       | <i>Reicheia</i> , 22.          |
| <i>Oxygnathus</i> , 22.        | <i>Picrus</i> , 32.          | <i>Rembus</i> , 51.            |
| <i>Oxylobus</i> , 18.          | <i>Pimelio</i> , 28.         | <i>Rhabdotocarabus</i> , 11.   |
| <i>Oxypselaphus</i> , 55       | <i>Pirantillus</i> , 59.     | <i>Rhadine</i> , 55.           |
| <i>Ozaeno</i> , 32.            | <i>Plagiorhysis</i> , 63.    | <i>Rhagadus</i> , 45.          |
| <i>Ozaenini</i> , 32.          | <i>Planetes</i> , 86.        | <i>Rhathymus</i> , 45.         |
| <i>Pachycranion</i> , 11.      | <i>Plataphus</i> , 35.       | <i>Rhembus</i> , 51.           |
| <i>Pachycranius</i> , 11.      | <i>Plotus</i> , 111.         | <i>Rhinocheila</i> , 72.       |
| <i>Pachymorpha</i> , 87.       | <i>Platycrus</i> , 11.       | <i>Rhombodera</i> , 84.        |
| <i>Pachystus</i> , 11.         | <i>Platymetopus</i> , 116.   | <i>Rhopalistes</i> , 106.      |
| <i>Pachytrachelus</i> , 43.    | <i>Platynus</i> , 54.        | <i>Rhopalopalpus</i> , 106.    |
| <i>Pogocarabus</i> , 11.       | <i>Platynini</i> , 53.       | <i>Rhysotrachelus</i> , 98.    |
| <i>Panagaeini</i> , 27.        | <i>Platynomerus</i> , 54.    | <i>Rhytiderus</i> , 55.        |
| <i>Panagaeus</i> , 27, 28, 29. | <i>Platypterus</i> , 45.     |                                |
| <i>Pangus</i> , 111.           | <i>Platsysma</i> , 45.       | <i>Sagraemerus</i> , 119.      |
| <i>Pontophytus</i> , 11.       | <i>Platytarus</i> , 84.      | <i>Scalidion</i> , 72.         |
| <i>Parallelomorphus</i> , 20.  | <i>Plectes</i> , 11.         | <i>Scallophorites</i> , 20.    |
| <i>Paramecomorphus</i> , 20.   | <i>Pledarus</i> , 45.        | <i>Scaphiodactylus</i> , 57,   |
| <i>Poranomus</i> , 57.         | <i>Pleurosoma</i> , 57.      | <i>Scaphonotus</i> , 9.        |
| <i>Porapedius</i> , 44.        | <i>Plochionus</i> , 82.      | <i>Scapterus</i> , 21.         |
| <i>Paraphaea</i> , 83.         | <i>Poeciloistus</i> , 98.    | <i>Scarites</i> , 19, 20.      |
| <i>Paroplesius</i> , 11.       | <i>Poecilus</i> , 49, 109.   | <i>Scaritini</i> , 17.         |
| <i>Parena</i> , 72.            | <i>Pogonini</i> , 39.        | <i>Scaritoderus</i> , 18.      |
| <i>Patellus</i> , 109.         | <i>Pogonoglossus</i> , 88.   | <i>Scolytus</i> , 9.           |
| <i>Patrobus</i> , 39, 120.     | <i>Pogonophorus</i> , 16     | <i>Selina</i> , 62.            |
| <i>Pediuss</i> , 44.           | <i>Pogonus</i> , 39.         | <i>Sclenidio</i> , 45.         |
| <i>Peliocypas</i> , 74.        | <i>Polyderis</i> , 36.       | <i>Serrimargo</i> , 77.        |
| <i>Pelor</i> , 110.            | <i>Polysitus</i> , 110.      | <i>Siagona</i> , 31.           |
| <i>Pelorosomus</i> , 110.      | <i>Principidium</i> , 35.    | <i>Siagonini</i> , 31.         |
|                                | <i>Pristodactyla</i> , 53.   | <i>Simous</i> , 109.           |

<i>Sinechostictus</i> , 35.	<i>Tachycellus</i> , 116.	<i>Tribax</i> , 12.
<i>Sinurus</i> , 77.	<i>Tachylopha</i> , 36.	<i>Trichisia</i> , 30.
<i>Siopelus</i> , 118.	<i>Tachymenis</i> , 86.	<i>Trichocheilaenius</i> , 98.
<i>Sogmes</i> , 49.	<i>Tachynotus</i> , 36.	<i>Trichothorax</i> , 84.
<i>Spanus</i> , 43.	<i>Tachypus</i> , 34.	<i>Trigonodactyla</i> , 62.
<i>Sparostes</i> , 22.	<i>Tachys</i> , 36.	<i>Trigonognatha</i> , 42.
<i>Spathinus</i> , 120.	<i>Tachyura</i> , 36.	<i>Trigonomina</i> , 43.
<i>Spelacodytes</i> , 22.	<i>Taeniolobus</i> , 19, 20.	<i>Trigonocephalus</i> , 81.
<i>Sphodristocarabus</i> , 11.	<i>Talanes</i> , 35.	<i>Trigonotoma</i> , 40, 42.
<i>Sphodristus</i> , 11.	<i>Tantillus</i> , 76.	<i>Trigonotomides</i> , 40.
<i>Sphodrus</i> , 53.	<i>Taridium</i> , 84.	<i>Trigouotomina</i> , 40.
<i>Spongipous</i> , 118.	<i>Tanystola</i> , 55.	<i>Trimorphus</i> , 52.
<i>Stelcodera</i> , 62.	<i>Tarsostinus</i> , 83.	<i>Triplectrus</i> , 118.
<i>Stenocnemus</i> , 57.	<i>Tarus</i> , 83.	<i>Triplogenius</i> , 40.
<i>Stenocrepis</i> , 108.	<i>Testidium</i> , 35.	<i>Trirammatius</i> , 49.
<i>Stenolophus</i> , 113.	<i>Tetragonica</i> , 76.	<i>Tropidocerus</i> , 50.
<i>Stenus</i> , 108.	<i>Tetragonoderini</i> , 68.	<i>Trychina</i> , 33.
<i>Stephana</i> , 71.	<i>Tetragonoderins</i> , 68.	<i>Vertagus</i> , 98.
<i>Steropanus</i> , 120.	<i>Thalassophilus</i> , 40.	<i>Wokefieldia</i> , 84.
<i>Steropus</i> , 45, 120.	<i>Thermophila</i> , 87.	<i>Xenothorax</i> , 84.
<i>Stigmatorcrus</i> , 20.	<i>Thlibops</i> , 22.	<i>Xestonotus</i> , 118.
<i>Stobeus</i> , 120.	<i>Thyreopterus</i> , 77.	<i>Zabriini</i> , 109.
<i>Stomides</i> , 40.	<i>Thyrcopterus</i> , 73, 77.	<i>Zabrus</i> , 110.
<i>Stomouaxus</i> , 51.	<i>Thysanotus</i> , 77.	<i>Zophium</i> , 67.
<i>Strigia</i> , 45.	<i>Tilius</i> , 69.	<i>Zuphium</i> , 67.
<i>Styphlomerus</i> , 95.	<i>Tomochilus</i> , 98.	
<i>Styphromerus</i> , 95.	<i>Trachycarabus</i> , 12.	
<i>Symphyus</i> , 51.	<i>Trechus</i> , 40.	
<i>Systenognathus</i> , 43.	<i>Trepanes</i> , 35.	
<i>Systolocranius</i> , 108.	<i>Triaena</i> , 50.	





## JOURNAL

OCTOBER

ASIATIC SOCIETY OF BENGAL.


Vol. LIX, Part II - 1890.

SUPPLEMENT, No. 2.

EDITED BY

W. J. SCLATER.

HONORARY SECRETARY.



"To extend the investigation will be the geographical limits of Asia, and within those limits it is planned will be extended to whatever is performed by man or produced by nature." — SIR WILLIAM JONES.

\* \* \* "Correspondence should be sent undr cover to the Secretaries, Asiat. Soc., to whom all orders for the work are to be addressed in India; or in London, care of Messrs. Tiffner and Co., 57 & 59, Ludgate Hill,

## CALCUTTA :

PRINTED BY T. S. SMITH, CITY PRESS, 12, BENTINCK ST.,

AND PUBLISHED BY THE

ASIATIC SOCIETY, 57, PARK STREET.

IS 91.

Price (Exclusive of Postage) to Subscribers Re. 1 — To Non  
Price in England 2 Shillings & Six-Pence

Issued 30th March 1891.



A.268364

134 257 02

1.—*Catalogue of the Insecta of the Oriental Region.* No. 4, Order Coleoptera, Family Dytiscidae.—By E. T. ATKINSON, B. A.

DR. D. Sharp's monograph entitled 'On aquatic carnivorous Coleoptera or Dytiscidae' (Scientific Transactions, Royal Dublin Society, (2s.) ii, 1881-2) renders the preparation of the 'Catalogue of the Dytiscidae,' a comparatively easy task. Mr. Sharp's elaborate work is prefaced by a general description of the position of the family, its extent, and some criticisms on the taxonomy; whilst another chapter is devoted to a detailed description of the structure. In the prefatory chapter, Mr. Sharp remarks:—"We possess already in the Munich Catalogue of Coleoptera a work in which a large proportion of synonyms are well recorded, and I have considered the existence of this valuable production sufficient reason for omitting the synonymy already recorded therein, and have contented myself with citing in the alphabetical index of this work such names as are necessary to establish a harmony between it and the catalogue in question. For a similar reason it forms no part of my plan to give a history of the previous and present condition of the taxonomy of the family, nor a list of all the writers who have described species belonging to it, both of these can be gathered from the Munich Catalogue."

Following a like procedure, I give those species recorded in the Munich Catalogue with their synonymy and a reference to the place in which they are noticed in Mr. Sharp's work, and for those described since 1868, the synonymy admitted by him. Up to the year 1882, Dr. Sharp's monograph and the Munich Catalogue may be considered safe and sufficient guides to the study of this family. In Mr. Sharp's work, there is some departure from the ordinary practice in the record of species, which are given under the genus and specific name of the original describer, whilst the genera under which they are placed have neither author's names nor references. It is difficult therefore to ascertain whether the genus of Dr. Sharp is the same as the genus of the original describer, or even, in any strict sense, belongs to it. Therefore the references to the genera in the following Catalogue must be understood to be subject to the modifications introduced by Dr. Sharp in his diagnoses. It would be impossible for me to distinguish accurately between the various phases which successive emendations and sub-divisions have given rise to in a genus, nor would this be the proper place to attempt such a task. Broadly, Dr. Sharp divides the *Dytiscidae* into two main groups, *Dytisci Fragmentati* (p. 963)

and *Dytisci Complicati* (p. 964), according to whether the metathoracic episternum reaches the intermediate coxal cavity or not. These are further sub-divided into the tribes *Noterides* (p. 260, 944), *Hydroporides* (p. 319, 950), *Colymbetides* (p. 490, 956), and *Hydaticides* (p. 647, 959), but the details of this arrangement cannot be followed here.

As already noticed in the 'Catalogue of the Carabidae,' Dr. Horn raises the *Haliplini*, *Amphizoa*, and *Hydrachna\** (*Pelobius*), to the rank of families. There is a strong consensus of opinion that to elevate these aberrant genera to the position of families and thus place them on a level with a family like the *Carabidae* is a step to be regretted as likely to lead to the unnecessary splitting up of other families on equally good grounds. The proper place for these groups appears to be as sub-families of the aquatic carnivora, uniting the *Dytiscidae* proper with the terrestrial carnivora. For convenience the name *Dytiscidae* may be applied to the whole group. Lacordaire † writes of the *Haliplini* that ces insectes n'appartiennent réellement pas non plus à la famille (*Dytiscidae*) par leurs pattes; les tarses postérieurs surtout ressemblent complètement à ceux d'une foule des Carabiques, leurs articulos étant grêles, allongés et chaouen un peu renflé à leur extrémité.' He adds that the characters given should place them at the head of the *Dytiscidae* which they connect with the *Carabidae*. Dr. Sharp ‡ in his paper on the classification of the *Dytiscidae*, removed the *Haliplini* from that family and left it to 'the Carabophiles to decide whether they should be considered *Carabidae* or form a distinct family.' Subsequently, however, he makes them a separate family §.

Lacordaire makes the genus *Amphizoa* also a tribe or sub-family, 'qui présente un singulier mélange des caractères des Dytiscides et des Carabiques. Par ses orgaues buceaux, sa tête, ses antennes, et la non-contiguïté des parapleures métathoraciques avec la base de l'abdomen, il appartient aux premiers, tandis que par ses pattes complètement ambulatoires, son prosternum reçu dans un sillon du mésosternum comme chez les Carabides, et la séparation de ses saillies coxaes, il reentre dans les seconds.' It thus diminishes the differences between the aquatic and the terrestrial Carnivora. Leconte originally placed this singular genus in a distinct family and Chaudoir makes it a distinct group near to *Trachy-*

\* I do not understand the grounds on which the name *Hydrachna* for this genus (1801) has been sunk in favour of *Paelobius* (*Pelobius*) Schönherr (1806), the species 'tarda' Herbst, the type given by Fabricius, being still considered as belonging to the genus.

† Gen. Col., i p. 410.

‡ C. R. Soc. Ent. Belg., xxiii, 1880, p. cxlvii; Dytisc., p. 974.

§ Biol. Centr., Amer., Col., i (2), 1882, p. 1.

*pachys.* Dr. Sharp at first placed it amongst the *Dytiscidae*, but subsequently agreed \* with Dr. Horn that it should be removed from the *Dytiscidae* and treated like *Pelobius*.

*Pelobius* was also formed into a distinct group by Lacordaire who remarks that 'cette tribu ne comprend qu'un seul genre, mais qui ne peut être associé à aucun de ceux qui précédent ou qui suivent : ses hanches postérieures le rattachent aux Haliplides, ainsi que les tarses de la même paire sont à peine plus natatoires,' and declares it to be another of the aberrant genera connecting the *Carabidae* with the *Dytiscidae*. Describing the genus itself he gives it as 'un Dytiscide pourvu d'une tête de Carabique.' Notwithstanding, therefore, the great authority of Dr. Horn, it will, in the present state of our knowledge, be advisable to retain Lacordaire's arrangement as that most convenient. Below is given a list of some of the writings on the *Dytiscidae* of the Oriental Region.

**Aube, C. :—**

Species général des Hydrocanthares et Gyriniens pour faire suite au Species général des Coléoptères de la collection de M. Le Comte Dejean, vi, Paris, 1838.

**Blanchard, E. :—**

Voyage au Pole Sud sur l'Astrolabe, Zool., iv, Paris, 1853.

**Bohemian, C. :—**

Kongliga Svenska Fregatten Eugenies resa, Col., Stockholm, 1858.

**Clark, H. :—**

Transactions Entomological Society London, (3s) i, 1863, p. 413.

**Erichson, W. F. :—**

Dic Käfer der Mark Brandenburg, Berlin, i, 1837.

**MacLeay, W. S. :—**

Annulosa Javanica, or an attempt to illustrate the natural affinities and analogies of the insects collected in Java by Dr. T. Horsfield, London, 1825.

**Motschulsky, V. :—**

Etudes entomologiques, Helsingfors, iv, 1855 : viii, 1859.

**Redtenbacher, L. :—**

Hügel's Kaschmir, iv (2), 1844. Stuttgart.

**Regimbart, M. :—**

'Recherches sur les organes copulateurs dans le genre *Dytiscus*,' in Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 263.

Etude sur la classification des Dytiscides, l. c., viii, 1878, p. 447.

'Dytiscides de Birmanie,' in Ann. Mus. Civ. Gen., (2s) vi, 1888, p. 609.

**Schaum and Kiesenwetter :—**

Naturges. d. Ins. Deutschl., i, ii, 1859-60.

\* *Dytisc.*, p. 974.

**Sharp, D. :—**

- 'Avis préliminaire d'unc nouvelle classification des Dytiscides,' in C. R. Soc. Ent. Belg., xxiii, 1880, p. cxlviii.  
 'Observations on the respiratory action of the Carnivorous water-beetles,' in Jl. Linn. S. Lond., xiii, 1877, p. 161.  
 'On aquatic Carnivorous Colcoptera,' in Scient. Trans. Royal Dublin Society, 1882.

Vander Branden, C. :—Catalogue des coléoptères Caruassiers aquatiques, in Ann. Soc. Ent. Belg., 1885.

**Wehncke, E. :—**

- Deutsche entomologische Zeitschrift, 1873, 1875.  
 Berliner entomologische Zeitschrift, xv, xvi, xix.  
 Stettiner entomologische Zeitng, 1875-7.

**HALIPLINI** :—Shuckard, Elem. Brit. Ent., 1839 : (*Haliplides*) Aubé, Spec. vi : Lacordaire, Gen. Col. i, 1851, p. 410 : Jacq. Duv., Gen. Col., i, p. 69 : Crotch, Revision, Trans. Amer. Ent. Soc., iv, 1873, p. 383.

*Haliplidae*, Horn, Gen. Carab., 1881, p. 91 : Leconte & Horn, Class. Col., 1883, p. 60, 539 : Sharp, Biol. Centr. Amer., Col., i (2), 1882, p. 1.

Leconte observes that the species of this sub-family are aquatic in their habits, of small size, oval, more or less pointed behind and in front, and very convex ; their colour is usually yellowish, more or less spotted with black : scutellum, concealed : antennæ 10-jointed, glabrous, filiform.

### Genus HALIPLUS.

Latrelle, Hist. Nat. Ins., iii, 1802, p. 77 ; Gen. Crust. Ins., i, 1806, p. 234 : Brullé, Hist. Nat. Ins., ii, p. 201 : Lacord., Gen. Col., i, p. 411 : Jacq. Duval, Gen. Col. Eur., i, 1857, p. 69 : Mun. Cat., p. 425 : Crotch, Col. Hefte, vi, p. 95 : Sharp, Biol. Centr. Amer., Col., i (2), p. 2 : Leconte & Horn, Class. Col., p. 61.

*Cnemidotus*, Illiger, Mag. Ent., i, 1802, p. 373 : Lacord., Gen. Col., i, p. 411 : Mun. Cat., p. 427 : Sharp, Biol. Centr. Amer., Col., i (2), p. 1.

*Hoplitus*, Clairville, Ent. Helv., ii, 1806, p. 218.

*brevis*, Wehncke, Stettin. Ent. Zeit., xl, 1880, p. 75.  
 Hab. China.

*maculipennis*, Schaum, Berlin. Ent. Zeits., 1864, p. 107.

Hab. Egypt [Ind. Mus., var., Pankong Valley, N. W. Himalaya].

*oceanicus*, Régimbart, Notes Leyden Museum, viii, 1886, p. 139.  
 Hab. Sumatra.

*pulchellus*, Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 418 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 147.

Hab. Siam, Annam, Cochinchina, Malacca.

*sharpit*, Wehncke, Stettin. Ent. Zeit., xli, 1880, p. 74.  
 Hab. China, Japan.

*sinensis*, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.  
 Hab. China.

*variabilis*, Clark, Trans. Ent. S. Lond., (3s) i, 1863, p. 417.  
 Hab. China, Amoy, Canton, Corea.

### Genus PELTODYTES.

Régbimbart, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 450, 477.

*Cnemidotus*, Erichson, Gen. Dytic., 1832, p. 48 (*nec Illiger*) : Leconte & Horn, Class. Col., p. 61.

*sumatrensis*, Régbimbart, Notes Leyden Mus., vii, 1885, p. 55.

Hab. Sumatra.

**AMPHIZOINI** :—(*Amphizoides*) Lacordaire, Gen. Col., i, 1854, p. 409.

*Amphizoidæ*, Horn, Gen. Carab., 1881, p. 92 : Leconte & Horn, Class. Col., 1883, p. 59, 539.

The species of this subfamily are of small size, and are found clinging to logs and stones under the surface of streams.

### Genus AMPHIZOA.

Leconte, Proc. Acad. Phil., vi, (Jan.) 1853, p. 227 : Lacord., Gen. Col., i, p. 409 : Matthews, Cist. Ent., 1872, p. 119 : Horn, Rep. Un. St. Geol. Surv., 1872-73, p. 717 : Sharp, Dytisc., p. 317, 814, 974 : Leconte & Horn, Class. Col., p. 59.

*Dysmatus*, Mannerheim, Bull. Mosc., xxvi (3), (July) 1853, p. 264 : Lacord., Gen. Col., v, p. 60 : Mun. Cat., p. 1834 : Sallé, Bull. Soc. Ent. Fr., (5s.) iv, 1874, p. cxxii.

Davidis, Lucas, Bull. Soc. Ent. Fr., (6s.) ii, 1882, p. clvii.

Hab. E. Tibet, Moupin.

**HYDRACHNINI** :—

*Pelobides*, Lacordaire, Gen. Col., i, 1854, p. 412.

*Pelobidae*, Horn, Gen. Carab., 1881, p. 92 : Sharp, Dytisc., p. 259, 827, 974.

### Genus HYDRACHNA.

Fabr., Syst. Eleuth., i, 1801, p. 225 : Latreille, Hist. Nat. Crust. Ins. iii, 1802, p. 76 : Mun. Cat., p. 427.

*Hygriobia*, Latreille, Gen. Crust. Ins., i, 1806, p. 233 : *Hygrobia* auct.

*Hyphydrus*, Latreille, l.c., p. 233.

*Paelobius*, Schönherr, Syn. Ins., ii, 1808, p. 27.

*Pelobius*, Brullé, Hist. Nat. Ins. Col., ii, p. 204 : Jacq. Duval, Gen. Col. Eur., i, p. 70 : Sharp, Dytisc., p. 259, 827, 974, et auct.

There are but three other species of this genus described, one European and two Australian. They are of moderate size, very convex beneath, the surface very densely punctured, not pubescent.

Davidis (*Hygrobia*), Bedel, Bull. Soc. Ent., Fr., (6s.) iii, 1883, p. xxiii.

Hab. China, Kiangsi.

**DYTISCINI** :—Sharp, Dytisc., p. 527, 967 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 3 : Leconte & Horn, Class. Col., 1883, p. 61.

*Hydrocanthares*, Latreille, Hist. Nat. Crust. Ins., iii, 1802, p. 74 ; *id.*, Gen. Crust. Ins., i, 1806, p. 228 : Brullé, Hist. Nat. Ins. Col., ii, 1835, p. 182. *Dyticidae*, Westwood, Class. Ins., i, 1839, p. 95.

The *Dytiscini* are aquatic in their habits, and differ from the *Carabidae* chiefly in the absence of the antecoxal piece of the metasternum, and the natatorial legs.

**Dytiscifragmentati**, Sharp, Dytisc., p. 258.

**Noterides**, Sharp, *L.c.*, p. 260 : Leconte & Horn. Class. Col., 1883, p. 63.

**NOTOMICRINI** :—

### Genus **NOTOMICRUS**.

Sharp, Dytisc., 1881, p. 260, 834 ; *id.*, Biol. Centr. Amer., Col., i, (2), p. 3 : Leconte & Horn, Class. Col., p. 63.

**tenellus** (*Hydroporus*), Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 427 : Sharp, Dytisc., p. 812.

Hab. Java.

**HYDROCOPTINI** :—

### Genus **HYDROCOPTUS**.

Motschulsky, Hydrocanth. Russ., 1853, p. 5 : (*Hydroporus*) Mun. Cat., p. 429 : Sharp, Dytisc., p. 261, 834.

**bivittis**, Motsch., Et. Ent., 1859, p. 44 : Sharp, Dytisc., p. 262 : Régimb., Ann. Mus.,

Civ. Gen., (2s.) vi, 1888, p. 610.

Hab. N. India, Burma, Bhamo.

**distinctus**, Wehncke, Deutscho Ent. Zeits., xxvii, 1883, p. 147.

*rubescens*, Sharp, Dytisc., p. 262 (*nec* Clark).

? = *rufulus*, Motschulsky, *q.v.*

Hab. Java, Sumatra, Siam.

**rubescens** (*Hydroporus*), Clark, Trans. Ent. S. Lond., (3s) i, 1863, p. 426 : Wehncke Deutschc Ent. Zeits., 1883, p. 147 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi

1888, p. 610 ; *id.*, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 147.

Hab. Java, Bornco, Saigon, Siam, Burma, Bhamo, India.

**rufulus**, Motschulsky, Etud. Ent., 1859, p. 44 : Sharp, Dytisc., p. 785.

? = *distinctus*, Wehncke, *q.v.*

Hab. India, Burma.

**Sharpi**, Wehncke, Doutsche Ent. Zeits., xxvii, 1883, p. 147.

Hab. Burma.

**vittatus**, Sharp, Dytisc., p. 262.

Hab. India, Borneo, Sarawak.

**NOTERINI** :— Sharp, Dytisc., p. 263, 919 : Leconte & Horn, Class. Col., p. 63.

### Genus **NOTERUS**.

Clairville, Ent. Helv., ii, 1806, p. 22 : Brullé, Hist. Nat. Ins. Col., ii, p. 209 : Lacord., Gen. Col., i, p. 418 : Mun. Cat., p. 443 : Sharp, Dytisc., p. 265, 836.

**granulatus**, Régimbart, Notes Leyden Mus., v, 1883, p. 225.

Hab. China.

**HYDROCANTHINI** :— Sharp, Dytisc., p. 268, 920.

### Genus **CANTHYDRUS**.

Sharp, Dytisc., p. 269, 838 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 5 : Leconte & Horn, Class. Col., p. 63.

- angularis*, Sharp, Dytisc., p. 277.  
 Hab. Singapur.
- bifasciatus*, Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 148.  
 Hab. Cambodia.
- festivus*, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 610.  
 Hab. Burma, Rangoon.
- flammulatus*, Sharp, Dytisc., p. 278 : Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 609 ; *id.*, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 149.  
 Hab. Burma, Bhamo, Rangoon, Siam, Cochinchina, Celebes.
- flavus* (*Hydrocanthus*), Motschulsky, Et. Ent., 1855, p. 83 : Sharp, Dytisc., p. 279 : Régimbart, Ann. Gen., l.c., *supra*, p. 610 ; *id.*, Ann. Fr., l.c. *supra*, p. 150.  
*Ritsemæ* (*Hydrocanthus*), Régimbart, Notes Leyden Mus., ii, 1880, p. 213 ; Midden Sumatra, iv, 6, t. 1, f. 7.  
 Hab. China, Formosa, Siam, Cochinchina, Burms, Rangoon, India.
- frontalis*, Sharp, Dytisc., p. 276.  
 Hab. Arabia, Bomhay.
- fulvescens*, Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 149.  
 Hab. Annaau, Cochinchina.
- Haagii* (*Hydrocanthus*), Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 222 : Sharp, Dytisc., p. 278.  
 Hab. Siam.
- javanus*, Wehncke, Deutsche Ent. Zeits., xxvii, 1883, p. 149.  
 Hab. Java.
- laetabilis* (*Hydroporus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205 : Sharp, Dytisc., p. 277.  
*orientalis* (*Hydrocanthus*), Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 222.  
 Hab. India, Madras, Tranquebar.
- luctuosus* (*Hydrocanthus*), Aubé, Dejean Spec., vi, 1838, p. 408 : Sharp, Dytisc., p. 276.  
 Hab. India.
- Morsbachii* (*Hydrocanthus*), Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 222 : Sharp, Dytisc., p. 276.  
 Hab. Cochinchina.
- nitidulus*, Sharp, Dytisc., p. 278 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 147.  
 Hab. Formosa, N. China, Assam.
- politus* (*Hydrocanthus*), Sharp, Trans. Ent. S. Lond., 1873, p. 51 ; Dytisc., p. 278.  
 Hab. Japan, China.
- proximus*, Sharp, Dytisc., p. 278.  
 Hab. Siam.
- Semperii* (*Hydrocanthus*), Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 223; *ib.*, 1883, p. 149 : Sharp, Dytisc., p. 275.

*auritus* (*Hydrocanthus*), Régimbart, Bull. S. E. Fr., (5s.) vii, 1877, p. lxxix; *ib.*, Ann., p. 359 : Sharp, Dytisc., p. 783.  
Hab. Philippines Manilla.

*sexpunctatus*, Sharp, Dytisc., 276.  
Hab. India.

*testaceus* (*Hydrocanthus*), Boheman, Freg. Eug. Resa, Col., 1858, p. 19 : Sharp, Dytisc., p. 784.  
Hab. China.

*Weisei* (*Hydrocanthus*), Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 222 : Sharp, Dytisc., p. 277 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 150.  
Hab. Cochinchina, Cambodia, Saigon.

### Genus HYDROCANTHUS.

Say, Trans. Amer. Phil., ii, 1825, p. 105 : Brullé, Hist. Nat. Ins. Col., ii, p. 210 : Lacord., Gen. Col., i, p. 419 : Mun. Cat., pt, p. 444 : Sharp, Dytisc., p. 279, 839 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 7 : Leconte & Horn, Class. Col., p. 63.

*indicus*, Wehncke, Deutsche Ent. Zeits., xx, 1876, p. 223 : Sharp, Dytisc., p. 279 : Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 609 ; *id.*, Notes Leyden Mus., ix, p. 51.

Hab. Burma, Rangoon, Bhamo, Siam, Cochinchina, Sumatra.

**VATELLINI** :—Sharp, Dytisc., p. 282, 921.

### Genus DEROVATELLUS.

Sharp, Dytisc., p. 286, 841.

*orientalis*, Wehncke, Deutsche Ent. Zeits., xxvii, 1883, p. 149.  
Hab. Bornoo.

**LACCOPHILINI** :—Sharp, Dytisc., p. 286, 923 : Leconte & Horn, Class. Col., 1883, p. 63.

### Genus LACCOPHILUS.

Leach, Zool. Misc., iii, 1817, p. 69 : Brullé, Hist. Nat. Ins. Col., ii, p. 211 : Lacord., Gen. Col., i, p. 420 : Mun. Cat., p. 444, pt : Sharp, Dytisc., p. 287, 841 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 9.

*assimilis*, Régimbart, Notes Leyden Mus., v, 1883, p. 226.  
Hab. Java, Sumatra.

*Baertii*, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 353 ; *ib.*, Bull. p. lxxviii : Sharp, Dytisc., p. 819.  
Hab. Philippines, Manilla.

*basalis*, Motschulsky, Etud. Ent., 1859, p. 45 : Sharp, Dytisc. p. 314.  
Hab. Malacca.

*chinensis*, Boheman, Freg. Eug. Resa, Col., 1858, p. 21 : Sharp, Dytisc., p. 315.  
Hab. China.

*chlorotieus*, Régimbart, Notes Leyden Mus., ix, 1887, p. 267.  
Hab. Andaman Islands.

*Clarkii*, Sharp, Dytisc., p. 313.  
Hab. Australia, Philippines.

- cognatus*, Sharp, Dytisc., p. 316.  
 Hab. India.
- decoratus*, Boheman, Freg. Eug. Resa, Col., 1858, p. 21 : Sharp, Dytisc., p. 819.  
 Hab. Philippines, Manilla.
- derasus*, Sharp, Dytisc., p. 311.  
 Hab. Siam, Bangkok.
- difficilis*, Sharp, Trans. Ent. S. Lond., 1873, p. 53 ; Dytisc., p. 301.  
 Hab. China, Japan.
- dispersus*, Sharp, Dytisc., p. 312.  
 Hab. Siam, Bangkok.
- elegans*, Sharp, Dytisc., p. 302.  
 Hab. Andaman Islands [*Ind Mus.*, Andamans].
- ellipticus*, Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 152.  
 Hab. Cochinchina, Annam.
- flavescens*, Motschnlsky, Et. Ent., 1859, p. 45 : Sharp, Dytisc., p. 820.  
 Hab. Ceylon.
- flexuosus*, Aubé, Dejean Spcc. vi, 1838, p. 430.  
*? similis*, Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 151.  
 Hab. India, Pondicherry.
- hydaticoides*, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 359 ; *id.*, Bull., p. Ixxix : Sharp, Dytisc., p. 820.  
 Hab. Philippines, Manilla.
- inefficiens* (*Hydroporus*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51 : Sharp, Dytisc., p. 797.  
 Hab. Ceylon.
- lituratus*, Sharp, Dytisc., p. 313 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 150.  
 Hab. Siam, Mytho.
- medialis*, Sharp, Dytisc., p. 309.  
 Hab. Siam.
- obtusus*, Sharp, Dytisc., p. 311 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 151.  
 Hab. Singapur, Cochinchina, Annam, Saigon.
- parvulus*, Aubé, Dejean Spcc. vi, 1838, p. 429 : Sharp, Dytisc., p. 312.  
*orientalis*, Aubé, l. c., p. 431.  
*? solutus*, Sharp, q. v.  
 Hab. India, Bombay, Sumatra, Saigon.
- pellucidus*, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 610.  
 Hab. Burma, Bhamo, Tenasserim.
- ponticus*, Sharp, Dytisc., p. 311.  
 Hab. Mesopotamia, Philippines.
- posticus*, Aubé, Dejean Spcc., vi, 1838, p. 428 : Sharp, Dytisc., p. 309.  
 Hab. Madagascar, Mauritius,? Philippines.

- proteus**, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 358 ; *ib*, Bull., p. lxxix : Sharp, Dytisc., p. 821.  
 Hab. Philippines, Manilla.
- pulicarius**, Sharp, Dytisc., p. 313.  
 Hab. Siam, Bangkok.
- Ritsemae**, Régimbart, Notes Leyden Mus., ii, 1880, p. 209 ; Midden Sumatra, iv, p. 6, t. 1, f. 1.  
 Hab. Sumatra, Mocara Laboe.
- rufulus**, Régimbart, Ann. Mus. Civ. Gen., (2s.), vi, 1888, p. 611.  
 Hab. Burma, Teintso, Rangoon.
- Sharpii**, Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 151.  
*flexuosus*, Sharp, Dytisc., p. 310 (*nec* Aubé).  
 Hab. Asia, Persia, Mesopotamia, N. India, China, Japan.
- Siamensis**, Sharp, Dytisc., p. 306.  
 Hab. Siam.
- solutus**, Sharp, Dytisc., p. 315 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 611.  
*? = parrulus*, Aubé, q. v.  
 Hab. China, Burma, Bhamo.
- transversalis**, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 357 ; *ib*, Bull., p. lxxix : Sharp, Dytisc., p. 822.  
 Hab. Manilla.
- transversus**, Motschulsky, Et. Ent., 1854, p. 45 : Sharp, Dytisc., p. 822.  
 Hab. Burma.
- undulifer**, Motschulsky, Et. Ent., 1859, p. 44 : Sharp, Dytisc., p. 312.  
 Hab. India, Tranquebar, Madras.
- uniformis**, Motschulsky, Et. Ent., 1859, p. 46 : Sharp, Dytisc., p. 822.  
 Hab. India.
- Dytisci complicati**, Sharp, Dytisc., p. 317.
- HYDROPORINI** :—Sharp, Dytisc., p. 319 : Leconte & Horn, Class. Col., 1883, p. 64.
- HYDROVATINI**, Sharp, Dytisc., p. 320.

### Genus HYDROVATUS.

- Motschulsky, Et. Ent., 1855, p. 82 : Ballion, Bull. Mosc., xlvi, p. 219 : Mun. Cat., p. 429 : Sharp, Dytisc., p. 321, 848 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 14 ; Leconte & Horn, Class. Col., p. 64  
*Oxynoptilus*, Schauf & Kiesenwetter, Naturg. Ins. Deutschl., i (2), 1867, p. 22 : Mun. Cat., p. 442.
- acuminatus**, Motschulsky, Et. Ent., 1859, p. 42 : Sharp, Dytisc., p. 326 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 611.
- badius**, Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 424.  
*malaccæ*, Clark, l.c., p. 425.  
 Hab. Rangoon, Malacca, Malaya, Sumatra, Celebes, Lombok, Danes Island, Formosa, Philippines.

- acutus**, Sharp, Dytisc., p. 330 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 612 ;  
*id.*, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 152.  
 Hab. Burma, Rangoon, Annam, Cochinchina, Sumatra, Celebes.
- Aristidis**, Lep., Bull. Soc. Ent. Fr., (5s.) ix, 1879, p. lxxxii : Sharp, Dytisc., p. 325.  
 Hab. Kinkiang in Yangtse Valley, Formosa, Sumatra, Celebes, Lombok.
- atricolor**, Régimbart, Notes Leyden Mus., ii, 1880, p. 209 ; Midden Sumatra, iv, 6,  
 t. 1, f. 5 ; *id.*, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 452.  
 var. *politus*, Sharp, Dytisc., p. 332. Australia.  
 Hab. Cochinchina, Cambodia, Sumatra, Australia.
- Bonvouloirii**, Sharp, Dytisc., p. 335.  
 Hab. N. India.
- carbonarius** (*Hydroporus*), Clark, Trans. Ent. S. Lon., (3s.) i, 1863, p. 423 : Sharp,  
 Dytisc., p. 790.  
 Hab. China, ? Java.
- castaneus**, Motschulsky, Et. Ent., 1855, p. 82 : Sharp, Dytisc., p. 334 : Régimb.,  
 Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 613.  
 Hab. India, Rangoon, Celebes.
- confertus**, Sharp, Dytisc., p. 329.  
 Hab. Siam.
- consanguineus**, Régimbart, Notes Leyden Mus. ii, 1880, p. 212 ; Midden Sumatra, iv,  
 6, t. 1, f. 6.  
 Hab. Sumatra.
- ferrugatus** (*Oxynoptilus*), Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 36 ; *ib.*,  
 Bull., l.c., p. lxxix ; *id.*, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 612 : Sharp,  
 Dytisc., p. 814.  
 elevatus, Sharp, Dytisc., p. 328.  
 Hab. Burma, Indo-China, Sumatra, Java, Celebes, Philippines.
- fractus**, Sharp, Dytisc., p. 330.  
 Hab. Siam.
- fulvescens**, Motschulsky, Et. Ent., viii, 1859, p. 43 : Sharp, Dytisc., p. 326 : Régimb.,  
 Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 611.  
 Hab. India ; Burma, Rangoon.
- fusculus**, Sharp, Dytisc., p. 326.  
 Hab. China, Formosa, Macassar.
- laccophiloides**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 612.  
 Hab. Burma, Bhamo.
- maculatus**, Sharp, Dytisc., p. 332, 973.  
? = *maculatus*, Motsch., Et. Ent., 1859, p. 42 : Sharp, Dytisc., p. 814, 973.  
 Hab. N. India, Mesopotamia.
- nigrita**, Sharp, Dytisc., p. 333.  
 Hab. Philippines, Australia
- obscurus**, Motschulsky, Et. Ent., 1859, p. 43 : Sharp, Dytisc., p. 815.  
 Hab. Ceylon.

- obtusus**, Motschulsky, *l.c. supra*, 1855, p. 82 : Sharp, Dytisc., p. 331.  
 Hah. India.
- orientalis** (*Hydroporus*), Clark, Trans. Ent. S. Lon., (3s.) i, 1863, p. 427 : Sharp,  
 Dytisc., p. 805, 973.  
 Hab. China, Danes Island, Siam.
- picipennis**, Motschulsky, Et. Ent., 1859, p. 40 : Sharp, Dytisc., p. 334.  
 Hab. Ceylon, Siam, Bangkok.
- pudicus** (*Hydroporus*), Clark, Trans. Ent. S. Lon., (3s.) i, 1863, p. 426 : Sharp,  
 Dytisc., p. 807.  
 Hab. Java.
- pumilus**, Sharp, Dytisc., p. 331.  
 Hab. India, Sumatra.
- punctipennis**, Motschulsky, Et. Ent., 1859, p. 41 : Sharp, Dytisc., p. 815.  
 Hab. India.
- pusillus**, Régimbart, Ann. Mus. Civ. Gen., xvi, 1881, p. 620.  
 Hab. India, Sumatra, Philippines.
- rufescens**, Motschulsky, Et. Ent., 1859, p. 41 : Sharp, Dytisc., p. 815.  
 Hab. India.
- rufoniger** (*Hyphidrus*), Clark, Trans. Ent. S. Lon., (3s.) i, 1863, p. 423 : Sharp,  
 Dytisc., p. 334.  
 Hab. China, Siam, Java.
- seminarius**, Motschulsky, Et. Ent., 1859, p. 41 : Sharp, Dytisc., 815.  
 Hab. India.
- subrotundatus**, Motschulsky, Et. Ent., 1859, p. 41 : Sharp, Dytisc., p. 815.  
 Hab. India.
- subtilis**, Sharp, Dytisc., p. 329.  
 Hab. Celebes, Sumatra.
- sumatrensis**, Sharp, Dytisc., p. 327.  
 Hab. Sumatra.
- tinctus**, Sharp, Dytisc., p. 328.  
 Hab. Siam.
- BIDESSINI**, Sharp, Dytisc., p. 336, 925.

### Genus **BIDESSUS**.

- Sharp, Dytisc., p. 344, 852 ; *id.*, Biol. Centr. Amer., Col. i (2), p. 19 : Leconte & Horn, Class. Col., p. 64.  
*Anodocheilus*, Babington, Trans. Ent. S. Lond., iii, 1838, p. 15.  
*Hydroglyphus*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 108.
- annamita**, Régimbart, Ann. Soc. Ent. Fr., (6 s.) ix, 1889, p. 153.  
 Hab. Annam.
- atomus** (*Hydroporus*), Régimbart, *l.c.* Bull., (5 s.) vii, 1877, p. lxxx ; *ib.*, Ann., *l.c.* p. 361 : Sharp, Dytisc., p. 788.  
 Hab. Philippines, Manilla.
- circulatus**, Régimbart, *l.c.*, Ann., (6 s.) ix, 1889, p. 154.  
 Hab. Cechinchina.

- dilutus**, Sharp, Dytisc., p. 364.  
 Hab. Siam.
- hammulatus**, Sharp, Dytisc., p. 359.  
 Hab. China, Kiukiang.
- flaviculus** (*Hydroglyphus*), Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 108 : Sharp, Dytisc., p. 786 : (gen. dub.).  
 Hab. Ceylon.
- fuscipennis**, Sharp, Dytisc., p. 359.  
 Hab. Siam.
- Gestroi**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 613.  
 Hab. Burma, Rangoon.
- intermixtus** (*Hydroporus*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 204 : Sharp, Dytisc., p. 358.  
 Hab. Ceylon, Sumatra.
- japonicus**, Sharp, Trans. Ent. S. Lond., 1873, p. 54 : Sharp, Dytisc., p. 357.  
 Hab. Japan, China, Kiukiang in Yangtse Valley.
- laeticulus**, Sharp, Dytisc., p. 354.  
 Hab. Siam, Celehcs.
- nicobaricus** (*Hydroporus*), Redtenbacher, Reise Novara, Col., 1867, p. 21 : Sharp, Dytisc., p. 802.  
 Hab. Nicobar Islands.
- noteroides**, Régimbart, Notes Leyden Mus., v, 1883, p. 227.  
 Hab. Java.
- orientalis**, Sharp, Dytisc., p. 358, 973.  
 Hab. Siam.
- perforatus**, Sharp, Dytisc., p. 363.  
 Hab. China, Kiukiang.
- pseudogeminus** (*Hydroporus*), Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 360 : ib, Bull., p. lxxix : Sharp, Dytisc. p. 807.  
 Hab. Manilla.
- transversus**, Sharp, Dytisc., p. 358.  
 Hab. Siam, Philippines.
- HYPHYDRINI** :—Sharp, Dytisc., p. 370, 927.
- Genus HYPHYDRUS.**
- Illiger, Mag. Ent., i, 1802, p. 299 : Brullé, Hist. Nat. Ins. Col., ii, p. 206 : Lacord., Gen. Col., i, p. 414 : Jacq. Duval, Gen. Col. Eur., i, p. 71 : Mun. Cat., p. 428, 1st : Sharp, Dytisc., p. 374, 857.
- ? *Pachytes*, Montrouzier, Ann. Soc. Ent. Fr., (3s.) viii, 1860, p. 244 : Mun. Cat., p. 429.
- birmanicus**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 614.  
 Hab. Burma, Bhamo.
- indicus**, Sharp, Dytisc., p. 382.  
 Hab. India.

**lyratus**, Swartz, Schönherr's Syn. Ins., ii, 1808, p. 29, t. 4, f. a, b : Aubé, Dejean Spec., vi, p. 463 : Sharp, Dytisc., p. 383 : Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 614 ; id., Ann. Soc. Ent. Ent. Fr., (6 s.) ix, 1889, p. 152.

*bisulcatus*, Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 422. Malacca.

*fossulipennis*, W. MacLeay, Trans. Ent. Soc. N. S. Wales, ii, 1871, p. 122, ♀. Gayndah.

var. *nigronotatus*, Clark, l.c. supra, p. 421.

Hab. Burma, Bhamo, Annam, Malacca, Penang, Formosa, New Guinea, Australia.

**orientalis**, Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 419 : Sharp, Dytisc., p. 382. var. *eximus*, Clark, l.c. supra, p. 421.

,, *pulchellus* Clark, l.c. supra, p. 420.

Hab. China, Formosa, Amoy, Kiukiang.

**rufus** (*Hyphydrus*), Clark, l.c. supra, p. 423 : (*Hypoporus*) Sharp, Dytisc., p. 818 : (*Hyphydrus*) Régimbart, Ann. Soc. Ent. Fr., (6 s.) ix, 1889, p. 152.

Hab. China, Annam.

**sumatrae**, Régimbart, Notes Leyden Mus., ii, 1880, p. 211 : Midden Sumatra, iv 6, t. i, p. 4.

Hab. Sumatra.

**xanthomelas**, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 361 ; ib., Bull. l.c. p. lxxx : Sharp, Dytisc., p. 383.

Hab. Philippines, Manilla.

**HYDROPORINI** :— Sharp, Dytisc., p. 381, 928.

### Genus HYPHOPORUS.

**Sharp**, Dytisc., p. 390, 859.

**aper**, Sharp, Dytisc., p. 390.

Hab. N. India.

**elegans**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 615.

Hab. Burma, Bhamo.

**elevatus**, Sharp, Dytisc., p. 390.

Hab. N. India.

**interpusus** (*Hydroporus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 : Sharp, Dytisc., p. 799.

Hab. Ceylon.

**Sollerii** (*Hydroporus*), Aulé, Dejean Spec., vi, 1838, p. 554 : Sharp, Dytisc., p. 391, t. 12, f. 142.

Hab. Egypt, Arabia, Persia, N. India.

### Genus COELAMBUS.

**Thomson**, Skand. Col., ii, 1860, p. 13 : Sharp, Dytisc., p. 394, 861, ; id., Biol. Centr. Amer. Col., i (2), p. 26.

**chinensis**, Sharp, Dytisc., p. 398.

Hab. China, Kiukiang ou Yangtse.

**discedens**, Sharp, Dytisc., p. 396.

Hab. China, Kiukiang.

### Genus DERONECTES.

Sharp, Dytisc., p. 418, 865; *id.*, Biol. Centr. Amer., Col., i (2), p. 26: Leconte & Horn, Class. Col., p. 64.

*griseostriatus* (*Dytiscus*), Degener, Ins., iv, 1774, p. 103: Sturm, Ins., ix, p. 21, t. 204, f. a. A.: Aubé, Dejean Spec., vi, p. 541: Sharp, Dytisc., p. 434.

*catascopium* (*Hydroporus*), Say, Trans. Am. Phil. S. Philad., ii, 1825, p. 103.

*interruptus* (*Hydroporus*), Say, l.c., iv, 1834, p. 445.

*parallelus* (*Hydroporus*), Say, Journ. Ac. N. S. Philad., iii, 1832, p. 153.

*halensis* (*Dytiscus*), Paykull, Faun. Suec., i, 1798, p. 230.

*quadristriatus* (*Hypidirus*), Eschscholtz, Mém. Mosc., vi, 1823, p. 107.

? var. *Piochartii*, Régimb., Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 350: Sharp, Dytisc. p. 806.

Hab. Alps, Pyrenees, W. Europe, Arctic Asia, Pankong Valley, N. W. Himalaya: W. America, Lake Superior [*Ind. Mus.*, Pankong Valley].

*indicus*, Sharp, Dytise., p. 431.

Hab. N. India.

### Genus HYDROPORUS.

Clairville, Ent. Helv., ii, 1806, p. 182: Aubé, Dejean Spec., vi, p. 468: Lacord., Gen. Col., i, p. 415: Mun. Cat., p. 429, pt: Sharp, Dytisc., p. 435, 868; *id.*, Biol. Centr. Amer., Col., i (2), p. 28: Leconte & Horn, Class. Col., p. 64.

*Graptodytes*, Seidlitz, Bestimm. tab. Dytisc., in Verh. Ver. Brunn, xxv, 1887, p. 57.

*Oreodytes*, Seidlitz, l. c., p. 57.

*Yola*, Gozis, Récherche, i, 1886, p. 8.

Also perhaps includes *Bidessus* and *Deronectes*, Sharp as subgenera.

*aberrans*, Clark, Trans. Ent. S. Lond., (3s.) i, 1863, p. 426: Sharp, Dytisc., p. 786 (*gen. dub.*).

Hab. Java.

*quadricostatus*, Aubé, Dejean Spec., vi, 1838, p. 487. (*gen. dub.*).

Hab. Bombay.

**COLYMBETINI**, Sharp, Dytisc., p. 490: Leconte & Horn, Class. Col., 1883, p. 65.

*Agabini*, Sharp, Dytise., p. 491, 931.

### Genus AGABUS.

Leach, Zool. Misc., iii, 1817, p. 69, 72: Lacord., Gen. Col., i, p. 424: Jacq. Duval, Gen. Col. Eur., i, p. 73: Mun. Cat., p. 452: Sharp, Dytisc., p. 493, 876; *id.*, Biol. Centr. Amer., Col., i (2), p. 32: Leconte & Horn, Class. Col., p. 65.

*Acatodrys*, Thomson, Skand. Col., i, p. 13, 1859; ii, p. 53, 1860.

*Anisomera*, Brullé, Hist. Nat. Ins., v. 1835, p. 205: Lacord., Gen. Col., i, p. 421.

*Arctodytes*, Thomson, Opusc. Ent., vi, 1874, p. 541.

*Dichodytes*, Thomson, Bull. Soc. Ent. Fr., (6s.) vi, 1886, p. x.

*Eriglenus*, Thomson, Skand. Col., i, 1859, p. 14; ii, p. 55.

*Gaurodytes*, Thomson, l. c. i, p. 14; ii, p. 57: Hult, Ent. Tidskr., 1886, p. 90, 125.

*Heteronychus*, Seidlitz, Verh. Verh. Brn., xxv, 1887, p. 81.

*Necticus*, Hope, Col. Man., ii, 1838, p. 140.

*Scytodites*, Seidlitz, l.c. *supra*, p. 81.

*Xanthodytes*, Seidlitz, l.c. p. 81.

**biguttatus** (*Dytiscus*), Olivier, Ent., iii, 40, 1795, p. 26, t. 4, f. 26 : Aubé, Dejean Spec., vi, p. 341 ; Crotch, Col. Hefte, ix-x, p. 205 : Sharp, Dytisc., p. 499.

*fontinalis*, Stephens, Ill. Brit. Ent., ii, 1828, p. 66.

*melas*, Aubé, l.c. Col., v, 1838, p. 168, t. 20, f. 5.

*nitidus*, Fabr., Syst. Eleuth., i, 1801, p. 265 : Kiesenwetter, Nat. Ins., i (2), 1868, p. 106 : Régimb., Ann. Soc. Ent. Fr., (5s.) vii, p. 348.

*silesiacus*, Letz., Jahrb. Schles. Ges., 1843, p. 4.

? *consanguineus*, Wollaston, Cat. Cun. Col., 1864, p. 81.

var. *nigricollis*, Zubkoff, Bull. Mosc., vi, 1833, p. 17 : Auhé, Dejean, Spec., vi, p. 335 : Régimb., Ann. Soc. Ent. Fr., (5s.) vii, p. 348.

Hah. Middle & S. Europe, Britain, N. Africa, W. Asia, [Ind. Mus., Leh, Dras, Kargil].

**Brandtii**, Harold, M. T. Münch. Ent. Ver., iv, 1880, p. 148.

Hab. China, Pekin, ? Canton.

\* **dichrous**, Sharp, Jl. As. Soc. Beng., xlvi (2), 1878, p. 169, ♂

Hab. Pamir [Ind. Mus., type].

### Genus PLATYNECTES.

Régimbart, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 454, 462 : Sharp, Dytisc., p. 538, 887.

**decempunctatus** (*Dytiscus*), Fabricius, Syst. Ent., 1775, p. 232 ; Spec. Ins., i, p. 294 ; Mant. Ins., i, p. 190 ; Ent. Syst., i, p. 191 ; Syst. Eleuth., i, p. 263 : Sharp, Dytisc., p. 540, t. 14, f. 175.

*Mastersii*, W. MacLeay, Trans. Ent. S. N. S. Wales, ii, 1871, p. 126.

*spilogasterus*, Germar, Linn. Ent., iii, 1848, p. 172.

? var. *lugubris*, Blanchard, Voy. Pole Sud., iv, 1853, p. 49, t. 4, f. 4 : Sharp, Dytisc., p. 754.

Hah. Java, Philippines, Ternate, New Guinea, Tasmania, Australia.

**dissimilis** (*Agyabus*), Sharp, Trans. Ent. S. Lond., 1873, p. 50 ; Dytisc., p. 543.

Hab. Japan, China, N. India.

**lineatus** (*Colymbetes*), Redtenbacher, Hügel's Kaschm., iv (2), 1844, p. 503, t. 23, f. 5 : Sharp, Dytisc., p. 762.

Hab. India.

**octodecimmaculatus** (*Colymbetes*), MacLeay, Annul. Javan., 1825, p. 31 : Sharp, Dytisc., p. 763.

Hab. Java.

**princeps**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 615.

Hab. Kakhien Hills, Tenasserim, Plapu.

**procerus**, Régimbart, Notes Leyden Mus., v, 1883, p. 229.

Hab. Java.

## COPELATINI :—

## Genus COPELATUS.

- Erichson, Gen. Dytic., 1832, p. 38 : Aubé, Dejean Spec., vi, p. 365 : Lacord., Gen. Col., i, p. 425 : Mun. Cat., p. 457 : Sharp, Dytisc., p. 526, 892, 933 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 34 : Leconte & Horn, Class. Col., p. 65.
- Liopterus*, Aubé, Dejean Spec., vi, 1838, p. 289 : Mun. Cat., p. 452.
- andamanicus*, Régimbart,  
Hab. Andaman Islands, [*Ind. Mus.*, Andamans].
- Doriae*, Sharp, Dytisc., p. 578.  
Hab. Borneo, Sarawak.
- Feae*, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 616.  
Hab. Burma, Shwego-myo, Bhamo.
- filiformis*, Sharp, Dytisc., p. 563.  
Hab. Himalaya.
- geniculatus*, Sharp, Dytisc., p. 581.  
Hab. Malay Archipelago.
- indicus*, Sharp, Dytisc., p. 582.  
Hab. India.
- javanus*, Régimbart, Notes Leyden Mus. v, 1883, p. 230.  
Hab. Java.
- latipes*, Sharp, Dytisc., p. 580.  
Hab. Malacca.
- oblitus*, Sharp, Dytisc., p. 582.  
Hab. Singapur.
- quadrisignatus*, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 356 ; *ib.*, Bull., p. lxxviii : Sharp, Dytisc., p. 769.  
Hab. Philippines, Manilla.
- Regimbartii*, van d. Branden, Cat. Col. Carn. Aquat., 1885, p. 86.  
*fragilis*, Régimbart, Notes, Leyden Mus., v, 1883, p. 232 (*neec* Sharp).  
Hab. Java.
- tenebrosus*, Régimbart, *I.e.*, ii, 1880, p. 210 ; *ib.*, viii, 1886, p. 240 ; Midden Sumatra, iv, 6, t. 1, f. 3 ; *id.*, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 154.
- pusillus*, Sharp, Dytisc., p. 580.  
Hab. Malacca, Siam, Saigon, Sumatra, Rawas ; Java.

## LACCONNECTINI :—

## Genus LACCONNECTES.

- Motschulsky, Et. Ent., 1855, p. 83 : Mun. Cat., p. 446 : Sharp, Dytisc., p. 598, 894, 933.
- basalis*, Sharp, Dytisc., p. 598, t. 16, f. 190 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 616.  
Hab. Siam, Cambodia ; Burma, Teintsoa, Shenmaga, Palon.
- fulvescens*, Motschulsky, Et. Ent., 1855, p. 83 : Sharp, Dytisc., p. 598 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 616.  
Hab. India, Burma, Palon, Tennaserim.

Ritsemae, Régimbart, Notes Leyden. Mus., v, 1883, p. 229.  
Hab. Java.

**COLYMBETINI** :—Sharp, Dytisc., p. 605, 934.

### Genus **RHANTUS**.

Boisd. & Lacord, Faun. Ent. Par., i, 1835, p. 309 : Mun. Cat., p. 448 : Sharp, Dytisc., p. 607, 899 ; *id.*, Biol. Centr. Amer., Col., i. (2), p. 42 ; Leconte & Horn, Class. Col., p. 66.

*Rantus*, Eschscholtz, Dejean Cat. 3 ed, p. 61 (*ined*).

**interclusus** (*Colymbetes*), Walker, Ann. Mag. N. H., (3s) ii, 1859, p. 204 : Sharp, Dytisc., p. 762.

Hab. Ceylon.

**punctatus** (*Dytiscus*), Fourcroy, Ent. Paris., i, 1785, p. 70.

*australis* (*Colymbetes*), Aubé, Dejean Spec., vi, 1838, p. 233.

*conspersus* (*Dytiscus*), Gyllenhal, Ins. Succ., i, 1808, p. 482 : Aubé, *l. c.*, p. 237.

*discicollis* (*Colymbetes*), Aubé, *l. c. supra*, p. 250 : Sharp, Dytisc., p. 759.

? *Montrouzierii* (*Colymbetes*), Lucas, Ann. Soc. Ent. Fr., (3s.) viii, 1860, p. 243.

*notatus*, Lacordaire, Fann. Ent. Paris., i, 1835, p. 311.

*pulverosus* (*Colymbetes*), Stephens, Ill. Brit. Ent., ii, 1829, p. 69, t. 12, f. 2 : Sturm, Ins., viii, p. 78, t. 194 : Sharp, Dytisc., p. 609.

*rufimanus*, White, Voy. Erbns & Terror, Zool., xi, 1846, p. 6.

? *suturalis* (*Colymbetes*), MacLeay, Annul. Javan., 1825, p. 31 : Sharp, Dytisc., p. 766.

? *vibicicollis* (*Colymbetes*), Hochhnnth, Chaud. Enum. Carab., 1846, p. 216 : Sharp, Dytisc., p. 766.

Hab. New Zealand, Tasmania, Australia, New Caledonia, Java, Assam, N. W. Himalaya, China, S. Japan, Mesopotamia, Egypt, Algeria, S. & Middle Europe [*Ind. Mus.* var. Kargil (Turkistan), N. Khasiya Hills, Sikkim, S. India.]

**DYTISCINI** :—Leconte & Horn, Class. Col., 1883, p. 66.

*Hydaticini*, Sharp, Dytisc., p. 647, 939.

### Genus **PRODATICUS**.

Sharp, Dytisc., p. 648, 906.

**pictus**, Sharp, Dytisc., p. 648, t. 17, f. 206.

Hab. N. India, Persia, [*Ind. Mus.* Biluchistan.]

### Genus **HYDATICUS**.

Leach, Zool. Misc., iii, 1817, p. 69 : Brullé, Hist. Nat. Ins. Col., ii, p. 217 : Lacord., Gen. Col., i. p. 431 : Jacq. Duval, Gen. Col. Eur., i. p. 75 : Mun. Cat., p. 464 : Sharp, Dytisc., p. 648, 907 ; *id.*, Biol. Centr. Amer., Col., i. (2), p. 43 : Leconte & Horn, Class. Col., p. 67.

**agaboides**, Sharp, Dytisc., p. 663.

Hab. Cochinchina.

**aruspex**, Clark, Trans. Ent. S. Lond., (3s) ii, 1864, p. 212 : Sharp, Dytisc., p. 778.  
Hab. China.

- bihamatus**, Aubé, Dejean Spec., vi, 1838, p. 174 : Sharp, Dytisc., p. 656, t. 17, f. 207 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 155.
- discindens*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204. Ceylon.
  - fractifer*, Walker, l. c., p. 204. Ceylon.
  - pacificus*, Aubé, Dejean Spec., vi, 1838, p. 177. Timor.
  - trivittatus* (*Colymbetes*), Montrouzier, Ann. Soc. Agric. Lyon, viii (1), p. 8 : Sharp, Dytisc., p. 766. Woodlark Island.
- var. *batchianensis*, Sharp, Dytisc., p. 659. Batchian.
- { *Goryi*, Aubé, Dejean Spec., vi, 1838, p. 175 : Sharp, Dytisc., p. 656.
  - Banksi*, Crotch, Col. Hefte, ix-x, 1872, p. 205. Malaya.
  - Clairvillei*, Montrouzier, Ann. Soc. Ent. Fr., (3s.) viii, 1860, p. 242 : Sharp, Dytisc., p. 758.
  - " *ruficollis*, Fabr., Mant. Ins., i, 1787, p. 189 ; id., Ent. Syst., i, p. 189 ; Syst. Eleuth., i, p. 261 : Olivier, Ent., iii, 40, p. 15, t. 2, f. 10.
  - scriptus*, Blanchard, Voy. Pole Sud., iv, 1853, p. 46, t. 4, f. 1. Australia.
- var. *litigiosus*, Régimbart, Notes Leyden Mus., ii, 1880, p. 210 ; Midden Sumatras, iv, 6, t. 1, f. 2. Sumatra, Mocara Laboe.
- { *luzonicus*, Aubé, Dejean Spec., vi, 1838, p. 179 : Sharp, Dytisc., p. 657 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 154. Philippines.
  - moluccarum*, Sharp, Dytisc., p. 656. Batchian.
  - Hab. India, Burma, Ceylon, Indo-China, Philippines, Eastern Archipelago, New Caledonia, Australia, Tasmania [*Ind. Mus. Andamans*].
- Bowringii**, Clark, Trans. Ent. S. Lond., (3s.) ii, 1864, p. 214, t. 14, f. 3 : Sharp, Dytisc., p. 670.
- Hab. Japan, China, ? Australia.
- concolor**, Sharp, Dytisc., p. 661.
- Hab. Cochinchina.
- dineutoides**, Sharp, Dytisc., p. 657.
- Hab. Borneo.
- Fabricii** (*Colymbetes*), MacLeay, Annu. Javan., 1825, p. 31 : Sharp, Dytisc., p. 663 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 155.
- rufulus*, Aubé, Dejean Spec., vi, 1838, p. 199. Java.
  - ? *varius*, Fabr., Ent. Syst., i, 1792, p. 195 ; Syst. Eleuth., i, p. 267 : Olivier, Ent., iii, 40, t. 2, f. 17.
  - Hab. India, Ceylon, Andamans, Malaya, Siam, Saigon, China, Borneo, Sumatra, Java, Celebes, Philippines [*Ind. Mus., Andamans, Berhampur*.]
- histrion**, Clark, Trans. Ent. S. Lond., 1864, p. 221, t. 14, f. 5 : Sharp, Dytisc., p. 780.
- Hab. N. India.
- incertus**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 617.
- Hab. Burma, Bhamo.
- Lcander**, Rossi, Fauna Etrusc., i, 1790, p. 202 : ? Olivier, Ent., iii, 40, p. 22, t. 3, f. 25 : Aubé, Dejean, Spec., vi, p. 198 : Sharp, Trans. Ent. S. Lond., 1873, p. 49 ; id., Dytisc., p. 662 : Régimb., Notes Leyden Mus., xi, 1889, p. 61.
- ? *Nauzielii*, Fairmaire, Bull. Soc. Ent. Fr., 1859, p. lii : Sharp, Dytisc., p. 780.
- var. ? *confusus*, Boheman, Freg. Eug. Resa, Col., 1858, p. 21.
- " *fuscoventris*, Reiche, Ann. Soc. Ent. Fr., 1855, p. 369.
- Hab. S. Europe, N. Africa, Palestine, Madagascar, Philippines.

**philippinensis**, Wehncke, Stettin. Ent. Zeit., xxxvii, 1876, p. 197 : Sharp, Dytisc., p. 782 : Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 356.

*duplicatus*, Sharp, Dytisc., p. 669. Borneo.

*Leveillei*, Régimbart, Bull. Soc. Ent. Fr., (5s.) vii, 1877, p. lxxviii.

Hab. Borneo, Philippines, Manilla.

**rectangulus**, Sharp, Dytisc., 669.

Hab. Persia, N. India, Kulu, Kangra [*Ind. Mus.*, Biluchistan].

**rhamoides**, Sharp, Dytisc., p. 664.

Hab. Formosa, Japan, Manchuria.

**sesquivittatus**, Fairmaire, Le Nat., ii, 1880, p. 164.

Hab. Middle China.

**vittatus** (*Dytiscus*), Fabr., Syst. Ent., App., 1775, p. 825 ; *id.*, Spec. Ins. i, p. 293, Mant. Ins., i, p. 190 ; Ent. Syst., i, p. 190 ; Syst. Eleuth., i, p. 262 ; Olivier, Ent., iii (40), p. 20, t. 1, f. 5 : Gmelin, ed. Syst. Nat., p. 1946 : Aubé, Dejean, Spec., vi, p. 208 : Sharp, Dytisc., p. 670 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 618.

*quadrivittatus*, Blanchard, Voy. Pole Sud, iv, 1853, p. 48, t. 4, f. 3.

var. *bipunctatus*, Wehncke, Stettin Ent. Zeit., xxxvii, 1876, p. 196.

Hab. Japan, Manchuria, China, Formosa, Philippines, Siam, Burma, Malacca, India, Ceylon, Saigon, Borneo, Java, Sumatra, Celebes, Batchian, Menado, Australia [*Ind. Mus.*, Assam, Siboga, Berhampur, Utakamand, Madras].

**THERMONECTINI** :—Sharp, Dytisc., p. 672, 490.

### Genus SANDRACOTTUS.

Sharp, Dytisc., p. 685, 910.

**Baerii** (*Hydaticus*), Régimbart, Bull. Soc. Ent. Fr., (5s.) vii, 1877, p. lxxvii ; *ib.*, Ann., p. 355 : Sharp, Dytisc., p. 779.

Hab. Philippines, Manilla.

**Dejeanii** (*Hydaticus*), Aubé, Dejean Spec., vi, 1838, p. 165 : Sharp, Dytisc., p. 686.

?=*fasciatus*, Fabr., q. v.

Hab. India [*Ind. Mus.*, Burma, Sahibganj, Murshidabad.]

**fasciatus** (*Dytiscus*), Fabr., Syst. Ent. App., 1775, p. 825 ; Spec. Ins., i, p. 293 ; Mant. Ins., i, p. 190 ; Ent. Syst., i, p. 189 ; Syst. Eleuth., i, p. 261 : Olivier, Ent., iii, 40, p. 18, t. 2, f. 19 : Gmelin, ed. Syst., Nat., i (4) p. 1947 : Aubé, Dejean Spec., vi, p. 161 : Régimbart, Ann. Mus. Civ., Gen., (2s.) vi, 1888, p. 618.

*Hunterii*, Crotch, Col. Hefte, ix-x, 1872, p. 205 : Sharp, Dytisc., p. 683.

*mixtus*, Blanchard, Voy. Pole Sud, iv, 1853, p. 47, t. 4, f. 2, Timor.

var. *Chevrolatii*, Aubé, Dejean Spec., vi, 1838, p. 164 : Sharp, Dytisc., p. 686, t.

18, f. 214.

Hab. E. and S. Asia, India, Burma, Ceylon, Timor [*Ind. Mus.*, Sikkim].

**festivus** (*Dytiscus*), Illiger, Mag. Ins., i, 1802, p. 166 : Aubé, Dejean Spec., vi, p. 162 : Sharp, Dytisc., p. 686.

Hab. China, India, Ceylon [*Ind. Mus.*, Ceylon].

**insignis**, Wehncke, Stettin Ent. Zeit., xxxvii, 1876, p. 194 : Sharp, Dytisc., p. 687.

Hab. Philippines.

*maeulatus*, Wehncke, Stettin, Ent. Zeit., 1876, p. 196 : Sharp, Dytisc., p. 690.  
Hab. Malayan Peninsula.

*nauticus*, Sharp, Dytisc., p. 690.  
Hab. Borneo.

*ornatus*, Sharp, l. c. p. 689.  
Hab. Borneo.

### Genus RHANTATICUS.

Sharp, Dytisc., p. 691, 911.

*signatipennis (Hydaticus)*, Lap. de Casteln., Et. Ent., 1884, p. 95 : Aubé, Dejean Spec., vi, p. 158 : Sharp, Dytisc., p. 691, t. 18, f. 215 : Régimb., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 618.  
? *congestus*, Klug, Ins. Madag., 1833, p. 136 : Sharp, Dytisc., p. 691, t. 18, f. 215 (*teste*, Kolbe, Fauvel), Madagascar.

*Rochasii*, Montrouzier, Ann. Soc. Linn. Lyon, 1864, p. 81.

Hab. Australia, New Calcedonia, Formosa, China, Philippines, Siam, Burma, Bhamo, India, Arabia, Madagascar, Cape, Cape Verde, Ngami, Senegal, [Ind. Mus., Berhampur, Bengal].

### ERETINI :-

#### Genus ERETES.

Lap. de Casteln., Ann. Soc. Ent. Fr., i, 1832, p. 397 : Sharp, Dytisc., p. 699, 913 ; id., Biol. Centr. Amer., Col., i (2), p. 46 : Leconte & Horn, Class. Col., p. 67.  
*Euneetes*, Erichson, Gen. Dytic., 1832, p. 23 : Aubé, Dejean Spec., vi, p. 123 : Brullé, Hist. Nat. Ins. Col., ii, p. 221 : Klug, Symb. Phys., t. 33 : Lacord., Gen. Col., i, p. 429 : Jacq. Duval, Gen. Col. Eur., i, p. 76, Mun. Cat., p. 462.

*sticticus (Dytiscus)*, Linn., Syst. Nat., 12 ed., 1767, p. 666 : Fabr., Syst. Ent., p. 232 ; Spec. Ins., i, p. 294 ; Mant. Ins., 1, p. 190 ; Ent. Syst., i, p. 191 ; Syst. Eleuth., i, p. 263 : Olivier, Ent., iii, 40, p. 21, t. 2, f. 11 : Klug, Symb. Phys., t. 33, f. 2 : Jacq. Duval, Gen. Col., 1857, t. 28, f. 136 : Sharp, Dytisc., p. 699 : (larva) Mayet, Bull. Soc. Ent. Fr., (6s.) vii, 1887, p. cciii : Sharp, Biol. Centr. Amer., Col., i (2), p. 46.

*conicollis*, Wollaston, Ann. Mag. N. H., (3s.) viii, 1861, p. 97. Isl. St. Vincent. *griseus*, Fabr., Spec. Ins., i, p. 293 ; Mant. Ins., i, p. 190 ; Ent. Syst., i, 1792, p. 192 ; Syst. Eleuth. i, p. 263 : Olivier, Ent., iii, 40, p. 20, t. 2, f. 12 : Gmelin, ed. Syst. Nat., p. 1947 : Aubé, Ic. Col., v, p. 74, t. 10, f. 1. India. *helvolus*, Klug, Symb. Phys., 1834, t. 33, f. 3 : Wollaston, Trans. Ent. S. Lond., 1871, p. 222. Ambukohl, Madeira.

*occidentalis*, Erichson, Wieg. Arch., 1847 (1), p. 73. Pern.

*plicipennis*, Motschulsky, Bull. Mosc., xviii (1), 1845, p. 29 ; ib., xxii (3), 1849, p. 77. Astrabad.

*punctatus*, Zoubkoff, l.c., x (5), 1837, p. 66, t. 4, f. 1. Turcomania.

*punctipennis*, MacLeay, Trans. Ent. S. N. S. Wales, iii, 1871, p. 127. Gayndah.

*subcoriacus*, Wollaston, Ann. Mag. N. H., (3s.) viii, 1861, p. 99. Madeira.

*subdiaphanus*, Wollaston, l.c., p. 100. Canary Islands.

*succinctus*, Klug, Symb. Phys., 1834, t. 33, f. 4. Egypt.

Hab. Europe, Africa, Egypt, N. & S. Asia, India, Singapur, Ilhéus, Philippines, Eastern Archipelago, United States, Mexico, Peru, Guadeloupe, Galapagos [Ind. Mus., Madras, Berhampur].

**CYBISTRINI** :—Sharp, Dytisc., p. 700, 941 : Leconte & Horn, Class. Col., 1883, p. 67.

### Genus **CYBISTER**.

Curtis, Brit. Ent., iv, 1827, p. 151 : Brullé, Hist. Nat. Ins. Col., ii, p. 222 : Lacord. Gen. Col., i, p. 427 : Jacq. Duval, Gen. Col. Eur., i, p. 78 : Ryc. Ent. Ann., 1872, p. 24 ; Sharp, Dytisc., p. 714, 918 ; id., Biol. Centr. Amer., Col., i (2), p. 47.

*Trogus*, Leach, Zool. Misc., iii, 1817, p. 70 : Mun. Cat., p. 458 (*nom. praeoc.*)

*bengalensis*, Aubé, Dejean Spec., vi, 1838, p. 61 : Sharp, Dytisc., p. 741.

Hab. India, China, Szechuan.

*chinensis* Motschulsky, Et. Ent., 1853, p. 44 : Sharp, Dytisc., p. 742.

Hab. China, Saigon [Ind. Mus., Saigon].

*cognatus*, Sharp, Dytisc., p. 744.

Hab. Java.

*convexus*, Sharp, Dytisc., p. 718.

Hab. India [Ind. Mus., Manipur Hills, N. Khasiya Hills]

*crassus*, Sharp, Dytisc., p. 743.

Hab. Assam, Silhat [Ind. Mus., Sikkim].

*De Haanii*, Aubé, Dejean Spec. vi, 1838, p. 101 : Sharp, Dytisc., p. 726.

Hab. Cambodia, Siam, Borneo.

*Dejeanii*, Aubé, Dejean Spec., vi, 1838, p. 64 : Sharp, Dytisc., p. 771.

Hab. India, Malabar.

*extenuans* (*Dytisoides*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 : Sharp,

Dytisc., p. 773.

? = *Dejeanii*, Aubé, q. v.

*fumatus*, Sharp, Dytisc., p. 731 : Réginbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 155.

Hab. Malacca, Siam, Saigon.

*gracilis*, Sharp, Dytisc., p. 742.

Hab. India.

*Guerini*, Aubé, Dejean Spec., vi, 1838, p. 57 : Sharp, Dytisc., p. 740,

Hab. Manchuria, China, Siam, Laos, Saigon, Java, Celebes.

*japonicus*, Sharp, Trans. Ent. S. Lond., 1873, p. 45 ; id., Dytisc., p. 748, t. 18, f. 225.

Hab. Japan, China.

*javanus*, Aubé, Dejean Spec., vi, 1838, p. 59 : Sharp, Dytisc., p. 743.

Hab. India, Java.

*Lewisianus*, Sharp, Trans. Ent. S. Lond., 1873, p. 46 ; Dytisc., p. 732.

Hab. Japan, China, Assam.

*limbatus* (*Dytisoides*), Fabr. Syst. Ent., 1775, p. 230 ; Spec. Ins., i, p. 292 ; Mant.

Ins., i, p. 189 ; Ent. Syst., i, p. 188 ; Syst. Eleuth., i, p. 258 : Gmelin, ed. Syst. Nat., i (4), p. 1946 : Aubé, Dejean Spec., vi, p. 55 : Sharp, Dytisc., p. 739, t. 18 f. 224 : Réginbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 618.

- aciculatus*, Herbst, Füssly Arch., v, 1784, p. 123 : Olivier, Ent., iii (40), p. 13, t. 3, f. 30 : Gmelin, ed. Syst. Nat., i (4), p. 1952.
- var. *confusus*, Sharp, Dytisc., p. 739. India, Ceylon, China.
- " ? *zeylanicus*, Gronovius, Mus., ii, 1778, p. 164, n. 552 : Gmelin, ed. Syst. Nat., i (4), p. 1954.
- Hab. Manchuria, China, Formosa, Philippines, Burma, Kakhyen Hills, Prome, Saigon, S India, Ceylon [Ind. Mus., S. India, Utakamand, Murshidabad, Ceylon].
- nigripes*, Wehncke, Stettin Ent. Zeit., xxxvii, 1876, p. 359 : Sharp, Dytisc., p. 717. Hab. Borneo.
- pectoralis*, Sharp, Dytisc., p. 736. Hab. India.
- posticus*, Aubé, Dejean Spec. vi, 1838 p. 87 : Sharp, Dytisc., p. 718. Hab. India [Ind. Mus., Sibságar, Mursbidabad, Berhampur].
- prolixus*, Sharp, Dytisc., p. 718. Hab. Ceylon.
- rugosus*, MacLeay, Annul. Javan., 1825, p. 32 : Sharp, Dytisc., p. 745.
- indicus*, Aubé, Dejean Spec., vi, 1838, p. 62 : Régimbart, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 155. Hab. India, Indo-China, Malay Archipelago.
- rugulosus* (*Trochalus*), Redtenbacher, Hügel's Kaschm., iv (2), 1844, p. 502 : Sharp, Dytisc., p. 825. Hab. N. India.
- siamensis*, Sharp, Dytisc., p. 717. Hab. Siam, Andaman Islands.
- sugillatus*, Erichson, Nov. Act. Ces. Leop., xvi, 1834, p. 227 : Sharp, Dytisc., p. 717.
- ? *bisignatus*, Auté, Dejean Spec., vi, 1838, p. 88. Malacca, India [Sibságar].
- ? *notasicus*, Aubé, l.c. p. 90. Timor, Sumatra.
- ? *olivaceus*, Boheman, Freg. Eug. Resa, Col., 1858, p. 21. Philippines. Hab. China, Tibet, India, Malacca, Saigon, Sumatra, Timor, Philippines, [Ind. Mus., Philippines, Sibságar].
- sumatrensis*, Régimbart, Notes, Leyden Mus., v, 1883, p. 233. Hab. Sumatra.
- tripunctatus*, Olivier, Ent. iii, 40, 1795, p. 14, t. 3, f. 24 : Aubé, Dejean Spec., vi, p. 76 ; Gerst., Arch. f. Natnrg., xxxvii, 1871, p. 244 : Sharp, Dytisc., p. 727. Faivel, Rev. d' Ent., ii, 1883, p. 345.
- ? *aegyptiacus*, Peyron, Ann. Soc. Ent. Fr., (3s.) iv, 1856, p. 722. Madagascar.
- ? *africanus*, Lap. de Casteln., Et. Ent., 1834, p. 99 : Aube, l.c., v, p. 49, t. 3, f. 6 : Régimb., Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 347. Bourbon, Egypt.
- ? *gayndahensis*, W. MacLeay, Trans. Ent. Soc. N. S. Wales, ii, 1871, p. 127. Malay Archipelago.
- ? *gotschii*, Hochhuth, Chaudoir, Enum. Carab., 1846, p. 214. Lenkoran.
- ? *haagii*, Wehck, Stettin, Ent. Zeit., 1876, p. 358. Nubia.
- ? *lateralis*, Fabr., Ent. Syst. Suppl., 1798, p. 64 ; Syst. Eleuth., i, p. 260 : Perch., Gen. Ins., 1835, ii, 2, t. 4. Mauritius.

- meridionalis*, Géné, Mém. Ac. Turin., 1836, p. 170, t. 1, f. 3. Sardinia.
- var. *artensis*, Montrouzier, Ann. Soc. Ent. Fr., (3s.) viii, 1860, p. 241. Art Island.
- ,, *asiaticus*, Sharp, Dytisc., p. 731. India, Persia, Mesopotamia [*Ind. Mus.*, Dekhan].
- ,, *hamatus*, Montrouzier, Ann. Soc. Agric. Lyon, vii (1), 1857, p. 9. Woodlark, Island.
- ,, *Noræ Caledonia*, Montrouzier, Ann. Fr., l.c. *supra*, p. 241, New Caledonia.
- ,, *Temnenkii*, Aubé, Dejean Spec., vi, 1838, p. 74. Java.
- Hab. S. Europe, Africa, Madagascar, Bourbon, Mauritius, India, Ceylon, Saigon, Philipines, Java, New Guinea, New Caledonia, Oceania [*Ind. Mus.*, Audamans, Madras, Biluchistan, Calcutta, Rangoon, N. China].
- ventralis*, Sharp, Dytisc., p. 742.
- Hab. Madras.
- virens*, Müller, Zool. Dan. Pradr., 1776, p. 170.
- dixpar*, Rossi, Faun. Etrusc., i, 1790, p. 199. Italy.
- dissimilis*, Rossi, Mant., i, 1792, p. 66. Italy.
- glaber*, Bergstrasser, Nomencl., i, 1778, p. 50, t. 6, f. 4-5; t. 8, f. 4; t. 9, f. 2. Germany.
- intricatus*, Schaller, Schrift. Nat. Ges. Halle, i, 1783, p. 311, ♀. Sweden.
- punctulatus*, Schwarz, Nomencl., i, 1793, p. 34. Sweden.
- Roeselii*, Füssly, Verzeichn. Schw. Ins., 1775, p. 5 : Goeze, Ent. Beytr., i, 1777, Roesel, Ins., ii, Ins. Aquat., i, p. 617 t. 2, f. I-5 : Fabr., Ent. Syst., i, p. 188; Syst. Eleuth., i, p. 259 : Olivier, Ent., iii, 40, p. 13, t. 3, f. 21 a. b. : Sturm, Ins., viii, p. 62, 65, t. 192 : Jacq. Duval, Gen. Col., t. 28, f. 138 ♂ : Aubé, Dejean Spec., vi, p. 66 : Schiödte, Nat. Tidskr., 1864, p. 185, t. 7, f. 10-16 : Sharp, Dytisc., p. 747 ; id., Ent. Mon. Mag., xix, p. 260. France.
- ? *tataricus*, Gobler in Ledeb's Reise, ii, 1830, p. 64; id., Bull. Mosc., (2), 1850, p. 450 : Sharp, Dytisc., p. 775. Tartary.
- airescens*, Linn., Gmelin, Syst. Nat., i (4), 1788, p. 1958.
- var. *Chaudoirii*, Illochhuth, Chaud., Enum. Carab., 1816, p. 213. Lenkoran.
- ,, *lepidus*, Küster, Käfer Europas, i, 1844, p. 24. Dalmatia.
- ,, ? *lusitanicus*, Sharp, Dytisc., p. 747. Portugal.
- ,, *politus*, Gautier, Rec. Zool., 1866, p. 179. Spain.
- ,, ? *Jordanis*, Reiche, Ann. Soc. Ent. Fr., (3s.), iv, 1856, p. 637. Palestine.
- Hab. Europe, N. Africa, ? India [*Ind. Mus.*, Yarkand].
- Wehnckianus*, Sharp, Dytisc., p. 737.
- Hab. ? India.

### Family GYRINIDÆ.

Catalogue of the Insecta of the Oriental Region No. 5. Order Coleoptera,  
Family GYRINIDÆ.—By E. T. ATKINSON, B. A.

The species of this family are of an oval form, somewhat attenuated at either end : of a bluish black colour, shining. Their habits are aquatic, and from their movements on the surface of the water, they have obtained the common name of 'whirligigs.' The arrangement proposed by Dr. M. Régimbart in his 'Monograph of the Gyrinidæ' is followed

in the present catalogue. He has divided the family into three tribes, *Enhydrini*, *Gyrinini*, and *Orechtochilini*, and describes the then known species. His prefaratory chapter notices the details of the structure and is illustrated by figures.

Régimbart, M :—

- ‘ Essai monographique de la famille des Gyrinides,’ in Annales de la Société entomologique de France, 6th series, ii, p. 379, 1882 : iii, p. 121, 381, 1883 : Supplement vi, p. 217, 1886. It will be convenient to cite the whole as ‘ *Mon.*’
- ‘ Monographic du genres Enhydrus et Porrhorhynchus,’ in same, (5s.) vii, 1877, p. 105.
- ‘ Gyrinides de Birmanie,’ in Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 619.

### Family GYRINIDÆ.

Leach, Edinb. Encycl., 1815 ; Brullé, Hist., Nat. Ins., ii, 1835, p. 226 : Jacq. Duv., Gen. Col., i, p. 79 : Lacord., Gen. Col., i, 1854, p. 433 : Leconte & Horn, Class. Col., 1883, p. 68 : Régimbart, *Monograph*, 1882, p. 379.

**ENHYDRINI** :—Régimbart, *Mon.*, 1882, p. 392.

### Genus DINEUTES.

MacLeay, Annul. Javan., 1825, p. 30 : Aubé, Dejean Spec., vi, p. 761 : Brullé, Hist. Nat. Ins. Col., ii, p. 240 : Lacord., Gen. Col., i, p. 439 : Mun. Cat., p. 471 : Régimbart, *Mon.*, 1882, p. 394 : Sharp, Biol. Centr. Amer., Col., i (2), p. 49 : Leconte & Horn, Class. Col., p. 69.

*Cyclinus*, Kirby, Faun. Bor. Amer., iv, 1837, p. 78. :

*australis* (*Gyrinus*), Fabr. Syst. Ent., 1775, p. 235 ; Spec. Ins., i, p. 298 ; Mant. Ins., 1, p. 194 ; Ent. Syst., i, p. 203 ; Syst. Eleuth., i, p. 275 : Oliv., Ent., iii, 41, p. 12, t. 1, f. 4 : Aubé, Dejean Spec., vi, p. 785 : Schaum, Stettin. Ent. Zeit., 1817, p. 54 : Fauvel, Bull. Soc. Linn. Norm., i, 1867, t. i, f. 13 : Redtenb., Reise Novara, Col., p. 21 : Régimb., *Mon.*, 1882, p. 422, t. 12, f. 43, 43a.

? *dentatus*, Suffrian, Stettin. Ent. Zeit., 1842, p. 256. Australia.  
*leucopoda*, Moutrouzier, Ann. Soc. Ent. Fr., (3s.) viii, 1860, p. 245, ♀.

? *limbatus*, MacLeay, Annul. Javan., 1825, p. 30.

Hab. India, Malacca, Sunda Isles, Philippines, New Caledonia, Australia, New Zealand [*Ind. Mus.*, Hong-Kong].

*ciliatus*, Forsberg, Nov. Acta Upsal., viii, 1821, p. 312.  
Hab. India.

*fulgidus*, Régimbart, Notes Leyden Mus., ii, 1880, p. 213 ; *id.*, *Mon.*, 1882, p. 398 : Midden Sumatra, iv, 6, t. i, f. 8.  
Hab. Sumatra, Alahan Pandjang.

*comma*, Thunberg, Mus. Nat. Acad. Upsal., iv, 1787, p. 45.  
Hab. India.

*hastatus* (*Gyrinus*), Fabricius, Syst. Elcuth., i, 1801, p. 275.  
Hab. India.

*indicus*, Aubé, Dejean Spec. vi, 1838, p. 772 : Régimb., *Mon.*, 1882, p. 405.  
Hab. India, [*Ind. Mus.* Assam, Berhampur, Vizagapatam, Biluchistan].

*indus* (*Gyrinus*), Fabricius, Ent. Syst. Suppt, 1798, p. 65 : Forsb., Nov. Acta Upsal., viii, p. 302 : Régimb., Mon., 1882, p. 401, t. ii, f. 27, 27a.

*praemorsus*, Fabr., Syst. Eleuth., i, 1801, p. 275 : Aubé, Dejean Spec., vi, p. 765 : Brullé, Hist. Nat. Ins. Col., ii, p. 240, t. 10, f. 5.

Hab. India, Mauritius, Bourbon, Mascarene Islands, New Caledonia.

*marginatus*, Sharp, Trans. Ent. S. Lond., 1873, p. 56 : Régimb., Mon., 1882, p. 425, t. 12, f. 47, 47a.

*quadrispinus*, Fairmaire, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 88.

Hab. Japan, Manchuria, China, India, New Guinea.

*Mellyi*, Régimbart, Mon., 1882, p. 399.

Hab. China.

*politus*, MacLeay, Annul. Javan., 1825, p. 30 : Aubé, Dejean Spec., vi, p. 762 : Redtenb., Reise Novara, Col., p. 24 : Régimb., Mon., p. 396, t. ii, f. 24.

? *Kollmonni*, Perty, Obs. Col. Ind., 1831, p. xxxit.

Hab. Java, Timor, Australia [*Ind. Mus.*, Java].

*sinuosipennis*, Lap. de Casteln., Hist. Nat. Ins. Col., i, 1840, p. 171.

Hab. Tibet.

*spinosus* (*Gyrinus*), Fabr., Spec. Ins., 1781, p. 298 ; Mant. Ins., i, p. 194 ; Ent. Syst., i, p. 203 ; Syst. Eleuth., i, p. 203 : Olivier, Ent. iii, 41, p. 13, t. 1, f. 7 : Gmelin, ed. Syst. Nat., p. 1612 : Aubé, Dejean Spec., vi, p. 789 : Régimb., Mon., 1882, p. 425, t. 12, f. 48, 48a ; id., Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 619.

Hab. India, Coromandel, Burma, Bhamo, Teintso, Katha, Rangoon, Siam, Borneo [*Ind. Mus.*, Berhampur, Madras].

*subspinosus* (*Gyrinus*), Klug, Symb. Phys., iv, 1829, t. 34, f. 9 : Aubé, Dejean Spec., vi, p. 786 : Régimb., Mon., 1882, p. 423, t. 12, f. 45.

? *dentipennis*, MacLeay, Annul. Javan., 1825, p. 30.

Hab. Senegal, Mauritius, Madagascar, Canaries, Nubia, Egypt, Palestine, Syria, India.

*unidentatus*, Aubé, Dejean Spec., vi, 1838, p. 788 : Régimb., Mon., 1882, p. 424 ; id., Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 156.

Hab. India, Saigon, China [*Ind. Mus.*, Calcutta].

### Genus PORRORHYNCHUS.

Lap. de Casteln., Et. Ent., 1834, p. 108 : Brullé, Hist. Nat. Ins. Col., ii, p. 239 : Lacord., Gen. Col., i, p. 440 : Mun. Cat., p. 473 : Régimbart, Mon., 1882, p. 427.

*tudicans*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205.

*brevirostris*, Régimbart, Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 113, t. 6, f. 5, ♂ ; id., Mon., 1882, p. 429, t. 12, f. 50 ; ib., 1886, p. 250.

Hab. Ceylon, Java.

*marginatus*, Lap. de Casteln., Et. Ent., 1834, p. 108 : Aubé, Dejean Spec., vi, p. 759 : Brullé, Hist. Nat. Ins., ii, p. 239, t. 10, f. 4 : Lacord., Gen. Col. Atlas, t. 13, f. 4 : Régimb., Mon., Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 110 t. 6, f. 3, ♂ ; id., l.c., 1882, p. 427, t. 12, f. 49, 49a.

*var. *tenuirostris**, Régimb., Ann. Soc. Ent. Fr., (5s.) vii, 1877, p. 111, t. 6, f. 4, ♂ ; id., Mon., 1882, p. 428.

Hab. Java, Borneo, Cochinchina, Siam, [*Ind. Mus.*, Tenasserim].

**GYRININI** :—Régimbart, Mon., 1883, p. 121.

### Genus AULONOGYRUS.

(Motschulsky), Régimbart, *Mon.*, 1883, p. 124.

**obliquus** (*Gyrinus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205 : Régimb., *Mon.*, 1883, p. 137

Hab. Ceylon, S. India, [*Ind. Mus.*, S. India].

### Genus GYRINUS.

Geoffroy, Ins. Paris., i, 1762, p. 193 : Fabr., Syst. Ent., p. 234 : Syst. Eleuth., i, p. 274 : Latr., Hist. Nat. Crust., Ins., iii p. 75 : Brullé, Hist. Nat. Ins. Col., ii, p. 235 : Aubé, Dejean Spec., vi, p. 655 : Suffrian, Stettin Ent. Zeit., 1842, p. 43 : Lacord., Gen. Col., i, p. 438 : Jacq. Duval, Gen. Col. Eur., i, p. 79 : Mun. Cat., p. 468 : Régimbart, *Mon.*, 1883, p. 141 : Sharp, Biol. Centr. Amer., Col., i (2), p. 50 : Leconte & Horn, Class. Col., p. 69.

**ceylonicus**, Régimbart, *Mon.*, 1883, p. 164.

Hab. Ceylon.

**convexusculus**, W. MacLeay, Trans. Ent. S. N. S. Wales, ii, 1871, p. 132 : Régimb., *Mon.*, 1883, p. 166, t. 6, f. 88.

**nitidulus**, pt., Aubé, Dejean Spec., vi, 1838, p. 700.

Hab. India, Madras, China, Kiangsi, Tibet, New Caledonia, Australia, [*Ind. Mus.*, Madras].

**Dejeanii**, Brullé, Exped. Morée, iii, 1832, p. 128, t. 34, f. 10 : Lap. de Castein., Hist. Nat. Ins. Col., i, p. 170 : Régimb., *Mon.*, 1883, p. 169.

**aeneus**, Aubé, Dejean Spec., vi, 1838, p. 690 ; Ic. Col., v, p. 389, t. 44, f. 4 : Kirby, Faun. Bor. Amer., p. 80.

**nitens**, Suffrian, Stettin Ent. Zeit., 1842, p. 254.

Hab. S. Europe, N. Africa, Canaries, China, Kiangsi.

**indicus**, Aubé, Dejean Spec., vi, 1838, p. 689 : Régimb., *Mon.*, 1883, p. 173.

Hab. India.

**nitidulus**, Fabricius, Ent. Syst. Suppl., 1798, p. 66 ; Syst. Eleuth., i, p. 276 : Dejean, Spec., vi, p. 700 : Régimb., *Mon.*, 1883, p. 165, t. 6, f. 87.

Hab. India, Pondicherry, Bourbon, Mauritius.

**oceanicus**, Régimbart, *Mon.*, 1883, p. 154.

Hab. Philippines.

**orientalis**, Régimbart, *Mon.*, 1883, p. 167.

Hab. China.

**sericeolimbatus**, Régimbart, *Mon.*, 1883, p. 185.

Hab. Java, Celebes, Philippines.

**smaragdinus**, Régimbart.

Hab. Assam [*Ind. Mus.*, N. Khasiya Hills].

**tenuistriatus**, Régimbart, *Mon.*, 1883, p. 144.

Hab. Philippines,

*viridimaculatus*, Régimbart, Ann. Soc. Ent. Fr. (6s.) x, 1890.

Hab. India, Khasiya Hills.

**ORECTOCHILINI** :—Régimbart, *Mon.*, 1883, p. 387.

### Genus **ORECTOCHILUS**.

Lacordaire, Faun. Ent. Paris., i, 1835, p. 344 ; Gen. Col., i, p. 44 : Jacq. Duval, Gen. Col. Eur., i, p. 89 : Mun. Cat., p. 474 : Régimb., *Mon.*, 1883, p. 410.

*Patrus*, Aubé, Dejean Spec., vi, 1838, p. 724 : Laeord., Gen. Col. i, p. 441 : Mun. Cat., p. 475.

*andamanicus*, Régimbart, *Mon.*, 1883, p. 435, t. 12, f. 138 ; *id.*, Suppl. 1886, p. 265.

Hab. Audaman Islands, Calcutta [*Ind. Mus.*, Andamans].

*angulatus*, Régimbart, Ann. Mus. Civ. Gen., xviii, 1882, p. 72 ; *id.*, *Mon.*, 1883, p. 421, t. 12, f. 128.

Hab. Borneo, Sarawak.

*Baerii*, Régimbart, *Mon.* Suppl., 1886, p. 262.

Hab. Philippines, Manilla.

*bipartitus*, Régimbart, Notes Leyden Mus., iv, 1882, p. 65 ; *id.*, *Mon.*, 1883, p. 426, t. 12, f. 132.

Hab. Java.

*cardiophorus*, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 620.

Hab. Burma, Kakhyen Hills, Tenasserim, Flapa [*Ind. Mus.*, Tenasserim].

*castanei*, Régimbart, Ann. Soc. Ent. Fr., (6s.) x, 1890.

Hab. Madras, Kodeikanal Hills.

*ceylonicus* (*Gyretes*), Redtenbacher, Reise Novara, Zool. ii; Col., 1867, p. 24, t. 1, f. 10 : Régimb., *Mon.*, 1883, p. 416, t. 12, f. 125, 125a.

*conspicuus*, Régimbart, Notes Leyden Mus., iv, 1882, p. 64.

Hab. India, Madras, Ceylon [*Ind. Mus.*, Tenasserim].

*cordatus*, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 621.

Hab. Burma, Tenasserim, Thagata.

*corpulentus*, Régimbart, *Mon.*, 1883, p. 411, t. 12, f. 121 ; *id.*, Ann. Mus. Civ. Gen. (2s.) vi, 1888, p. 619.

Hab. Burma, Tenasserim, Borneo [*Ind. Mus.*, Tenasserim].

*crassipes*, Régimbart, *Mon.*, 1883, p. 411, t. 12, f. 120.

Hab. Borneo.

*cribellatus*, Régimbart, Ann. Soc. Ent. Fr., (6s.) x, 1890.

Hab. India

*cylindricus*, Régimbart, *I. c.*

Hab. India.

*Desgodinsii*, Régimbart, *Mon.* Suppl., 1886, p. 260, t. 4, f. 10.

Hab. Darjiling, Padong.

*dilatatus* (*Patrus*), Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 25, t. 1, f. 12 : Régimb., *Mon.*, 1883, p. 419, t. 12, f. 126.

Hab. Madras, Ceylon.

- discifer** (*Gyrinus*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51 : (*Gyretes*) Redténb., Reise Novara, Zool. ii, Col., 1867, p. 24, t. 1, f. 11 : Régimb., *Mon.*, 1883, p. 416.  
 Hab. Ceylon, Malacca [*Ind. Mus.* Kodeikanal Hills, Madras].
- discus**, Aubé, Dejean Spec., vi, 1838, p. 743 : Régimb., *Mon.*, 1883, p. 422.  
 Hab. Philippines.
- Fairmairei**, Régimbart, *Mon.*, 1883, p. 428, t. 12, f. 135.  
 Hab. Ceylon.
- Feae**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 621.  
 Hab. Burma, Tenasserim, Thagata.
- fraternus**, Régimbart, *Mon.*, 1883, p. 417, t. 12, f. 142.  
 Hab. Ceylon.
- gangeticus** (*Gyrinus*), Wiedemann, Germar Mag. Ent., iv, 1821, p. 119 : Aubé, Dejean Spec., vi, p. 740 : Régimb., *Mon.*, 1883, p. 434, t. 12, f. 137 a, b.  
 Hab. India, Java [*Ind. Mus.*, Murshidabad, Jessorc].
- Gestroii**, Régimbart, Ann. Mus. Civ. Gen., xviii, 1882, p. 72 ; *id.*, *Mon.*, 1883, p. 438, t. 12, f. 140.  
 Hab. Borneo, Sarawak.
- indicus**, Régimbart, *Mon.*, 1883, p. 435, ♀.  
 Hab. India.
- Javanus** (*Patrus*), Aubé, Dejean Spec., vi, 1838, p. 725 ; *id.*, Ic. Col., v, p. 398, t. 46, f. 1 : Lacord., Gen. Col., i, p. 442 : Régimb., *Mon.*, 1883, p. 420, t. 12, f. 129, 129a.  
 Hab. Java.
- limbatus**, Régimbart, *Mon.*, 1883, p. 424, ♀.  
 Hab. India.
- lucidus**, Régimbart, Notes Leyden Mus., iv, 1881, p. 66 ; *id.*, *Mon.*, 1883, p. 425, t. 12, f. 131, ♀ : *id.*, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 623.  
 Hab. Java, Burma, Rangoon.
- marginipennis**, Aubé, Dejean Spec., vi, 1838, p. 744 : Régimb., *Mon.*, 1883, p. 429, t. 12, f. 133, a, b.  
<sub>subsubcatus</sub>, Régimb., Notes Leyden Mus., ii, 1880, p. 215 : Midden Sumatra, iv, 6, t. 1, f. 10.  
 Hab. Java, Sumatra.
- metallicus**, Régimbart, *Mon.*, 1883, p. 418, t. 12, f. 143, ♀ : *id.*, Suppt., 1886, p. 262.  
 Hab. India, Padong in Sikkim.
- Oberthuri**, Régimbart, *Mon.*, 1883, p. 423.  
 Hab. Philippines.
- oblongiusculus**, Régimbart, *Mon.* Suppt., 1886, p. 262, t. 4, f. 11.  
 Hab. Sikkim, Padong.
- procerus**, Régimbart, *Mon.*, 1883, l. c., p. 415.  
 Hab. Cochinchina.

- productus**, Régimbart, *Mon.*, 1883, p. 422, t. 12, f. 130 ; Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 156 ; *id.*, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 623.  
 Hab. India, Burma, Rangoon, Cochinchina, S. China, Borneo.
- pubescens**, Régimbart, Ann. Mus. Civ. Gen., xviii, 1882, p. 73 ; *id.*, *Mon.*, 1883, p. 419, t. 12, f. 127, 127a.  
 Hab. Bornco, Sarawak.
- pulchellus**, Régimbart, *Mon.*, 1883, p. 424.  
 Hab. Philippines, Timor.
- punctulatus**, Régimbart, *Mon.*, Suppt. 1886, p. 261.  
 Hab. Kodeikanal Hills, Madras.
- pusillus**, Régimbart, Ann. Mus. Civ. Gen., xviii, 1882, p. 74 ; *id.*, *Mon.*, 1883, p. 430, ♂.  
 Hab. Borneo, Sarawak.
- Ritsemae**, Régimbart, Notes Leyden Mus., iv, 1881, p. 67 ; *id.*, *Mon.*, 1883, p. 431, t. 12, f. 136.  
 Hab. Java.
- rivularis**, Régimbart, *Mon.*, 1883, p. 427, ♀.  
 Hab. Cochinchina.
- scalaris**, Régimbart, Notes Leyden Mus., ii, 1880, p. 215 ; *id.*, *Mon.*, 1883, p. 430, t. 12 f. 134, 134a : Midden Sumatra, iv, 6, t. 1, f. 11 ; Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 623.  
 Hab. Burma, Tenasserim, Thagata ; Sumatra, Cambodia, Andamans [*Ind. Mus.*, Andamans].
- sculpturatus**, Régimbart, *Mon.*, 1883, p. 425, ♂ : *id.*, Suppt., 1886, p. 263, ♀.  
 Hab. Hongkong.
- semivestitus**, Guérin, Rev. Zool., 1810, p. 38 : Régimb., *Mon.*, 1883, p. 413, t. 12, f. 123, 123a.  
 Hab. India, Pondicherry [*Ind. Mus.*, S. India].
- spiniger**, Régimbart, Notes Leyden Mus., 1880, p. 214 : *id.*, *Mon.*, 1883, p. 436, t. 12, f. 139 ; Midden Sumatra, iv, 6, t. 1, f. 9.  
 Hab. Cochinchina, Laos, Sumatra.
- sublineatus**, Régimbart, Ann. Soc. Ent. Fr., (6s.) x, 1890.  
 Hab. India, Assam.
- trianguliger**, Régimbart, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 622.  
 Hab. Burma, Tenasserim, Thagata.
- Wehnckeii**, Régimbart, *Mon.*, 1883, p. 414, t. 12, f. 124, ♀.  
 Hab. Ceylon.

### Family PAUSSIDÆ.

*Catalogue of the Insecta of the Oriental Region*, No. 6, *Order Coleoptera*  
*Family PAUSSIDÆ. By E. T. ATKINSON, B. A.*

The genus *Paussus* was established by Dahl in 1775, and the genus *Cerapterus* by Swederus in 1788. In 1800, Donovan showed that these

two genera were allied, and, subsequently, Latreille formed them into a family which he named *Paussili*, afterwards changed by Leach into *Paussides*. Mr. J. O. Westwood commenced his labours on this family in 1830, describing many new species, and creating several genera, and subsequently summarised his work in the 'Arcana Entomologica' which contains descriptions and excellent figures of the fifty-two species known up to 1845. In the Oxford 'Thesaurus entomologicus,' Mr. Westwood added many new species, and figured fifty-four species which comprised all those unfigured up to 1874. Since then, but six new species from the Oriental Region have been described, and Mr. Westwood's works consequently form the best guide to the study of the family. Boyes and Benson may also be mentioned as having brought to notice several species from India, in the pages of the *Journal of the Asiatic Society* of Bengal. In 1886, M. Raffray described a number of new species, chiefly African, and further summarised the results of Mr. Westwood's work, adding chapters on the morphology and classification of the family, followed by synoptical tables of the genera, and a list of species. M. Raffray divides the family into two tribes *Cerapterini* and *Paussini*; in the former, the labial and maxillary palpi are large, free, and never conceal the buccal cavity, whilst in the latter, the labial, and especially the maxillary palpi are short and thick, and conceal the buccal cavity. The *Paussidae*, as suggested by Burmeister, appear to be most closely allied to the *Carabidae*. Crotch, in 1873, included the *Rhysodidae* also in the *Adephaga*, but Horn writes:—'These must be excluded for many reasons, more especially as they fail to present the ventral structure which may safely be taken as the key. If we admit them there is no reason why some and after them all the *Colydiidae* should not be admitted, and the door would be opened to much of the *Clavicorn* series. It must be admitted, however, that *Paussus* is the nearest approach of the *Clavicorn* series to the *Adephaga*, the approximation in another direction being through the *Byrrhidae* and *Parnidae* with, however, a very wide interval.' In many European Catalogues the *Paussidae* are placed after the *Carabidae*, I place them here as more convenient.

The *Paussidae* are small insects of a quadrato form with very remarkable clubbed antennæ, so much so that Afzelius formed them into a separate section of the Coleoptera from this character alone. They have been found by Benson, Champion, Trimen and Gnenzius in ants' nests, and it is, perhaps, for this reason that they are so seldom seen in collections, as the ants appear to keep the *Paussidae* prisoners within the formicarium. A few have been captured at the light at night, but the more successful collectors have, as stated, found them by examining the

nests, especially of the smaller species of ants. M. Raffray's list shows 4 species from Western Asia, 48 from the Oriental Region, 86 from Africa, 20 from Australia, 2 from Europe, and 8 common to several regions. The Indian Museum has only a very few specimens in its collection.

Afzelius, A. :—

Observations on the Genus Paussus and description of a new species. Trans. Linn. Soc. Lond., iv, 1798, p. 243-275, fig.

Benson, W. H. :—

'On Paussidae,' in Calcutta Journal Natural History, vi, 1846, p. 459.

Boyce, J. E. :—

Extract from note-book regarding Genus Paussus, in Journ. As. Soc. Ben., xii, 1843, p. 421, t. ann., f. 1-8.

Burmeister, H. C. C. :—

'Observations sur les affinités naturelles de la famille des Paussides' in Mag. Zool., 1841, An. xi, no 76, p. 15, fig.; id., Bull. Soc. Ent. Fr., 1841, p. xxxi.

Donovan, E. :—

'An epitome of the Natural History of the Insects of India and the Islands in the Indian seas.' London, 1800.

Raffray, A. :—

*Mon.* :—Matériaux pour servir à l'étude des Coléoptères de la famille des Paussides, in Nouvelles Archives du Muséum d'Histoire Naturelle, (10s) viii, 1886, p. 307-359; ib., ix, p. 1-52; Fauvel, Rev. d'Ent., vi, 1887, p. 291.

Westwood, J. O. :—

*Trans. Linn. S. Lond.* :—'On the Paussidae, a family of Coleopterous Insects,' in Transactions of the Linnean Society of London, xvi, 1830, p. 607-634, t. 33.

Synopsis of the Coleopterous Genns *Cerapterus*, in *ib.*, xviii, 1840, p. 581-5, t. 39 c.

Synopsis of the Coleopterous family Paussidæ with descriptions of a new genus and some new species, in *ib.*, xix, 1841, p. 45.

Description of some new species of the Genus *Cerapterus* &c., in Proc. Linn. Soc. Lond., i, 1840, p. 75, 110, 115, 133; id., Ann. Mag. N. H., vii, 1841, p. 532; viii, p. 449; x, p. 409.

*Trans. Ent. S. Lond.* :—'Descriptions of some new or but imperfectly known species belonging to the Coleopterous family Paussidæ, ii, 1835, p. 84-98, t. 9, 10.

Descriptions of new species of *Paussidæ*, in *ib.*, v. 1843, p. 22; 1846, p. 24; 1847, p. 29; (n. s.) ii, 1852, p. 84, and Synopsis; iii, 1855, p. 81.

'On the Genus *Cerapterus* of Swederus', in Ent. Mag., v, 1838, p. 500-505.

*Arc. Ent.* :—'Arcana Entomologica, or Illustrations of new, rare, and interesting Insects', ii, p. i, 37, 73, 161, t. 49, 50, 58, 68, 88-94. London 1843-45.

'On Paussidae,' in 'Thesaurus entomologicus Oxoniensis,' 1874, p. 72-96, t. 15 19.

### Family PAUSSIDAE.

Westwood, Trans. Linn. S. Lond., 1830, p. 609; *id.*, Arc. Ent., ii, p. 2 : Lacord., Gen. Col., ii, 1854, p. 6 : Mun. Cat., p. 700.

*Paussili*, Latreille, Gen. Crust. Ins. iii, 1807, p. 1 ; *id.*, Consid. Gén. Nat. Ord. Ins., 1810 p. 225.

*Paussides*, Leach, Edinb. Encycl., 1818.

CERAPTERINI:—Raffray, Mon., viii, p. 335.

### Genus CERAPTERUS.

*Swederus*, Kong. Vetensk.-Acad. Nya Handl., ix, 1788, p. 203 : Westwood, Trans. Linn. S. Lond., xvi, p. 666 ; xviii, p. 581 ; Arc. Ent., ii, 1843, p. 6 : Lacord., Gen. Col., ii, p. 8 : Raffray, Mon., viii, p. 336.

*Ceratopterus*, Mun. Cat., p. 700.

Subg. { *Euthysoma*, Thomson, *L. c. infra*.  
*Orthopterus*, Westwood, Ent. Mag., v, 1838, p. 502 ; *id.*, Arc. Ent., ii, p. 7 : Lacord., Gen. Col. ii, p. 9 : Mun. Cat., p. 701.

*Horsfieldii*, Westwood, Trans. Linn. S. Lond., xvi, 1833, p. 672 ; xviii, p. 583 ; *id.*, Arc. Ent., ii, p. 7, t. 49, f. 2 : MacLeay, Ann. South Afric., t. 4, f. *sup. dextr.*

Hab. Java.

*latipes*, Swedcrus, Kong. Vetensk.-Acad. Nya. Handl., ix, 1788, p. 203, t. 6, f. 1 : Westwood, Trans. Linn. S. Lond., xvi, p. 669 ; xviii, p. 582 ; Arc. Ent. ii, p. 6, t. 49, f. 1 : MacLeay, Ann. South Afric., t. 4, f. *inf. sinistr.*  
Hab. Bengal. Pondicherry, Ceylon.

*quadrimaculatus*, Westwood, Trans. Linn. S. Lond., xviii, 1833, p. 583 ; *id.*, Arc. Ent., ii, p. 7, t. 49, f. 3.  
Hab. Java.

### Genus PLEUROPTERUS.

Westwood, Trans. Linn. S. Lond., xviii, 1840, p. 585 ; *id.*, Arc. Ent., ii, p. 9 : Lacord., Gen. Col., ii, p. 10 : Mun. Cat., p. 702 : Raffray, Mon., viii, p. 338.

*Heteropaussus*, Thomson, Mus. Scient., ii, 1860, p. 70 : Mun. Cat., p. 702.

*Westermannii*, Westwood, Trans. Linn. Soc., xviii, 1810, p. 585 ; *id.*, Arc. Ent., ii, p. 9, t. 50, f. 1 : Raffray, Mon., t. 15, f. 4, 5, 34, 85 ; t. 17, f. 1, 14-16.  
Hab. Ceylon, Java.

PAUSSINI:—Raffray, Mon., viii, p. 337, 340.

### Genus MELANOSPILUS.

Westwood, Trans. Ent. S. Lond., v, 1845, p. 22 note : Col. Hefte, iv, p. 101.

Subg. *Ceratoderus*, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 51 ; Trans. Ent. S. Lond., v, p. 23 ; Thes. Ent. Oxon, p. 79 : Lacord., Gen. Col., ii, p. 10 : Raffray, Mon., viii, p. 340 : Mun. Cat., p. 702.

Subg. *Merismoderus*, Westwood, Trans. Ent. S. Lond., v, 1845, p. 23 : Thes. Ent. Oxon., 1874, p. 80 : Lacord., Gen. Col. ii, p. 11 : Raffray, Mon., viii, p. 341 : Mun. Cat., p. 702.

*Bensonii (Merismoderus)*, Westwood, Trans. Ent. S. Lond., v, 1845, p. 23, t. 2, f. 2 ; Cab. Orient. Ent., p. 84, t. 41, f. 4 ; *id.*, Thes. Ent. Oxon., 1874, p. 80, t. 18, f. 1 : Benson, Calc. Jl. Nat. Hist., vi, 1846, p. 466, 470 : Raffray, *Mon.*, t. 17, f. 25-27.

Hab. Bengal, Cawnpore and Saharanpur districts.

*bifasciatus*, Kollar, Ann. Wien. Mus., i, 1826, p. 336, t. 31, f. 7 *a,b* : Westwood, Trans. Ent. S. Lond., ii, 1835, p. 90, t. 10, f. 3 : *id.* (*Ceratoderus*), Trans. Linn., S. Lond., xix, p. 51 ; Arc. Ent., ii, p. 37, t. 58, f. 1 ; Thes. Ent. Oxon., p. 80 : Raffray, *Mon.*, t. 15, f. 6, t. 16, f. 22-24.

Hab. India.

### Genus **LEBIODERUS**.

Westwood, Trans. Ent. S. Lond., ii, 1835, p. 93 : Raffray, *Mon.* viii, p. 343 : Mun. Cat., p. 702.

*Gorii*, Westwood, Trans. Ent. S. Lond., ii, 1835, p. 94, t. 9, f. 8, *a-d* ; *id.*, Arc. Ent., ii, p. 39, t. 58, f. 3 : Raffray, *Mon.*, t. 15, f. 7, 8 ; t. 17, f. 28-32.  
Hab. Java.

*Percheronii*, Westwood, Thes. Ent. Oxon., 1874, p. 80, t. 17, f. 3.

Hab. Java.

### Genus **PLATYRHOPALUS**.

Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 654 ; *id.*, Arc. Ent., ii, p. 73 : Lacord., Gen. Col. ii, p. 13 : Raffray, *Mon.*, viii, p. 344 : Mun. Cat., p. 703.

*acutidens*, Westwood, Trans. Linn. S. Lond., xvi, 1833, p. 661, t. 33, f. 50 ; xix, p. 51 ; *id.*, Arc. Ent. ii, p. 79.

Hab. India.

*angustus*, Westwood, Trans. Ent. S. Lond., ii, 1835, p. 92, t. 10, f. 6 ; *id.*, Arc. Ent. ii, p. 78, t. 68, f. 3 : Boyes, Jl. As. Soc. Ben., xii, 1843, p. 421.

*suturalis*, Westwood, Arc. Ent., ii, 1845, p. 161, 190, t. 88, f. 1a : Boyes, Jl. As. Soc. Beng., xii, p. 427, t. ann., f. 2.  
Hab. India, Nimach, Mhow.

*aplustrifer*, Westwood, Trans. Linn. S. Lond., xvi, 1833, p. 664, t. 33, f. 51 ; *id.*, Arc. Ent., ii, p. 163, t. 88, f. 3.  
Hab. Bengal.

*Castelnauii*, Westwood, Thes. Ent. Oxon., 1874, p. 96.  
Hab. Siam, Juthia.

*Comottii*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 311, fig.  
Hab. Burma.

*Davidis*, Fairmaire, Le Nat., viii, 1886, p. 224 ; *id.*, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 317.  
Hab. China, Kiangsi.

- denticornis**, Donovan, Ins. India, 1800, t. 5, f. \* : Rees, Encycl., Entom., t. 8, f. 10, 10 \* : Westwood, Trans. Linn. S. Lond., xvi, p. 657, t. 33, f. 43-48; xix, p. 50 ; Arc. Ent., ii, p. 77, t. 68, f. 1 : Burmeister, Mag. Zool., 1841, Ins., t. 76, f. 2 : Lacord., Gen. Col., Atlas t. 14, f. 3.  
 { var. **denticornis** (Megerle), Gyllenhal, in Schönherr, Syn. Ins., i (3), App., 1817., 14, t. 6, f. 1, a. b, p. 19, No. 5 ; ib., Schönherr, i (3), p. 19 : Dalm., Anal. Ent 1 p. 103.
- unicolor**, Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 659, t. 33, f. 49 ; xix, p. 50 ; id., Arc. Ent., ii, p. 79, t. 63, f. 4.  
 Hab. India, Tibet [*Ind. Mus. Calcutta*].
- intermedius**, Benson, Calc. Jl. Nat. Hist., vi, 1846, p. 465 : Westwood, Trans. Ent. S. Lond., v, 1846, p. 25.  
 Hab. India, Saharanpur, N.-W. Provinces.
- irregularis**, Ritschmac, Notcs Leyden Mus., ii, 1880, p. 249.  
 Hab. Java, Bandong.
- Mellii** (*Mellei*), Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 685 ; id., Trans. Ent. S. Lond., ii, 1835, p. 91, t. 10, f. 4 ; id. (*Mellii*), Arc. Ent., ii, p. 162, t. 88, f. 2 ; Thes. Ent. Oxon., 1874, p. 82, t. 18, f. 2 : Guérin, Icon. Règne Anim., Ins., t. 40, f. 11 : Raffray, Mon., t. 17, f. 33-37.  
 Hab. India, Malabar.
- Pictetii**, Westwood, Thes. Ent. Oxon., 1874, p. 82, t. 18, f. 3.  
 Hab. Siam, Cochinchina.
- Simonis**, Dohrn, Stettin. Ent. Zeit., xlvii, 1886, p. 120.  
 Hab. Hongkong.
- vexillifer**, Westwood, l. c., p. 82, t. 17 f. 4.  
 Hab. Penang.
- Westwoodii**, Saunders, Trans. Ent. S. Lond., ii, 1835, p. 84, t. 10, f. 5, a-e : Westwood, Trans. Linn. S. Lond., xix, p. 51 ; Arc. Ent., ii, p. 78, t. 68, f. 2 a-e.  
 Hab. India.

### Genus PAUSSUS.

- A. Dahl, Dissert. ent. bigas Ins. sist., 1775, p. 6, t. ann. f. 6-10 : Thunberg, Act., Suec., 1781, p. 170 : Afzelius, Trans. Linn. S. Lond., iv, p. 263 : Herbst, Käfer iv, p. 99 : Westwood, Trans. Linn. S. Lond., xvi, p. 620 ; id., Trans. Ent. S. Lond., (n. s.) ii, 1852, p. 89 ; Lacord. Gen. Col., ii, p. 14.  
*Pausus*, Harold. M. T. Münch. Ent. Ver., i, 1877, p. 116.
- affinis**, Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 646, t. 33, f. 36, 37 ; ib., xix, p. 49, note ; id., Arc. Ent., ii, p. 188, t. 94, f. 2.  
 Hab. Africa?
- Andreae**, Ritsema, Notcs Leyden Mus., i, 1879, p. 44.  
 Hab. W. Java, Buitenzorg.
- bicolor**, Raffray, Mon., ix, 1886, p. 22, t. 19, f. 25.  
 Hab. Andaman Islands.

- Bowringii**, Westwood, Proc. Linn. S. Lond., ii, 1849, p. 58 ; *id.*, Thes. Ent. Oxon., p. 89, t. 16, f. 9.  
 Hab. Hongkong.
- Boysii**, Westwood, Arc. Ent., ii, 1845, p. 177, t. 92, f. 2 ; t. 90, f. 6 : Boys, *Paussus*, no 6, Jl. As. Soc. Ben., xii, p. 433, t. *ann.*, f. 6.  
 Hab. India.
- cognatus**, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 49 ; *id.*, Arc. Ent., ii, p. 189, t. 9 $\frac{1}{2}$ , f. 3.  
 Hab. Bengal.
- denticulatus**, Westwood, Arc. Ent., ii, 1845, p. 179, t. 92, f. 1 ; t. 90, f. 17 ; *id.*, Thes. Ent. Oxon., 1874, p. 88, t. 16, f. 12 : Boys, *Paussus*, no 1, Jl. As. Soc. Ben. xii, 1843, p. 426, t. *ann.*, f. 1.  
 Hab. India, Mhow.
- Fichtellii**, Donovan, Ins. India, 1800, t. 5, f. \*-\* : Rces, Encycl., Ent., t. 8, f. 12 : Westwood, Trans. Linn. S. Lond., xvi, p. 641, t. 33, f. 31-33 ; *id.*, Arc. Ent., ii, p. 181, t. 90, f. 5, 8, 9 : Saunders, Trans. Ent. S. Lond., ii, 1835, p. 83, t. 9, f. 1 : Boys, Jl. As. Soc. Ben., xii, p. 429, t. *ann.*, f. 4, 5.  
 Hab. India.
- fulvus**, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 47 ; *id.*, Arc. Ent., ii, p. 175, t. 90, f. 3.  
 Hab. India.
- Hardwickii**, Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 649, t. 33, f. 39, 40 ; *id.*, Arc. Ent., ii, p. 189, t. 94, f. 5 : Boys, Jl. As. Soc. Beng., xii, p. 434, t. *ann.*, f. 8.  
 Hab. Nepal.
- Hearseyanus**, Westwood, Proc. Linn. S. Lond., 1842, p. 133 ; *id.*, Arc. Ent., ii, p. 189, t. 94, f. 4 : Boyes, Jl. As. Soc. Beng., xii, p. 427, t. *ann.*, f. 3.  
 Hab. Sultanpur near Benares.
- hystric**, Westwood, Proc. Linn. S. Lond., ii, 1849, p. 59 ; *id.*, Thes. Ent. Oxon., p. 89, t. 16, f. 5.  
 Hab. Hongkong.
- Jerdoni**, Westwood, Trans. Ent. S. Lond., 1846, p. 26, t. 2, f. 1 ; Cab. Orient. Ent., t. 41, f. 5 ; *id.*, Thes. Ent. Oxon., p. 88, t. 18, f. 4.  
 Hab. India.
- Jousselini**, Guérin, Rev. Zool., 1838, p. 21 : Westwood, Trans. Ent. S. Lond., ii, p. 90 ; Arc. Ent., ii, p. 169 : Olivier, Ann. Soc. Ent. Fr., (6s.) iii, 1883, p. 195, t. 7, f. 1.  
 Hab. China, Hongkong, Pegu, Rangoon.
- Ludekingii**, Vollenhoven, Stettin. Ent. Zeit., xxxiii, 1872, p. 82 ; *ib.*, 1873, t. 1, f. 6 : Westwood, Thes. Ent. Oxon., p. 95.  
 Hab. Sumatra.
- nauceras**, Benson, Calc. Jl. Nat. Hist., vi, 1846, p. 461 : Westwood, Trans. Ent. S. Lond., v, 1846, p. 25 ; *id.*, Thes. Ent. Oxon., p. 87, t. 16, f. 8.  
 Hab. India, Mussoorie, Landour.

- specificus*, Westwood, Trans. Ent. S. Lond., iii, 1855, p. 81; *id.*, Thes. Ent. Oxon., p. 88, t. 16, f. 7.  
 Hab. Ceylon.
- pilicornis*, Donovan, Ins. India, 1800, t. 5, f. \*<sup>\*\*</sup>: Rees, Encycl., Ent., t. 8, f. 13: Westwood, Trans. Linn. S. Lond., xvi, p. 643, t. 33, f. 34; *id.*, Arc. Ent., ii, p. 173, t. 89, f. 1.  
 Hab. Bengal
- ploiophorus*, Benson, Calc. Jl. Nat. Hist., vi, 1846, p. 463: Westwood, Trans. Ent. S. Lond., v, p. 25; *id.*, Thes. Ent. Oxon., p. 87, t. 16, f. 11.  
 Hab. India, Moradabad, N. W. P.
- politus*, Westwood, Proc. Linn. S. Lond., ii, 1849, p. 58; *id.*, Thes. Ent. Oxon., p. 87, t. 16, f. 10.  
 Hab. India.
- rufitarsis*, Westwood, Trans. Linn. S. Lond., xvi, 1830, p. 638, t. 33, f. 25-27; *id.* Arc. Ent., ii, p. 172, t. 89, f. 4.  
*Baconii*, Benson, Calc. Jl. Nat. Hist., 1846, p. 459: Westwood, Trans. Ent. S. Lond., v, 1847, p. 24.  
 Hab. India, Dehra Dün.
- Saundersii*, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 50; *id.*, Arc. Ent., ii, p. 190, t. 94, f. 6.  
 Hab. India.
- schiödtei*, Westwood, Thes. Ent. Oxon., 1874, p. 85, t. 16, f. 6.  
 Hab. Bengal.
- sinicus*, Westwood, Proc. Linn. S. Lond., ii, 1849, p. 57; *id.*, Thes. Ent. Oxon., p. 85, t. 18, f. 10.  
 ?= *Jousselinii*, Guérin, g. v.  
 Hab. Honkong.
- spenceli*, Westwood, Proc. Ent. S. Lond., (3s.) i, 1864, p. 190; *id.*, Thes. Ent. Oxon., p. 90, t. 18, f. 8.  
 Hab. India.
- stevensianus*, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 48; *id.*, Arc. Ent., ii, p. 176, t. 90, f. 2.  
 Hab. India.
- thoracicus*, Donovan, Ins. India, 1800, t. 5, f. \*<sup>\*\*</sup>: Rees, Encycl., Ent. t. 8, f. 11, 11\*; Westwood, Trans. Linn. S. Lond., xvi, p. 640, t. 33, f. 28-30; *id.*, Arc. Ent., ii, p. 180, t. 90, f. 4.  
*trigonocornis*, Latreille, Gen. Crust., iii, p. 3, t. 11, f. 8: Schönherr, Syn. Ins., i, (3.), p. 19.  
 Hab. India, Bengal.
- tibialis*, Westwood, Trans. Linn. S. Lond., xix, 1841, p. 47; *id.*, Arc. Ent., ii, p. 174, t. 90, f. 1.  
 Hab. Bengal.
- Waterhousei*, Westwood, Thes. Ent. Oxon., 1874, p. 90, t. 16, f. 4.  
 Hab. Penang.

*Catalogue of the Insecta of the Oriental Region.* No. 7, Order Coleoptera,  
Family HYDROPHILIDÆ.—By E. T. ATKINSON, B. A.

Family HYDROPHILIDÆ.

Lacordaire, Gen. Col., i, 1854, p. 443 : Jacq. Duval, Gen. Col. Eur., i, p. 85 : Mun. Cat., p. 475 : Leconte & Horn, Class. Col., p. 69.

*Palpicornes*, Latreille, Fam. Nat., p. 365 : Brullé, Hist. Nat. Ins. Col., ii, p. 242 : Lacordaire, l. c. *supra*.

Leconte describes the species of this family as living on ‘decomposing vegetable matter, though the larvae are carnivorous and quite voracious: the majority of them are aquatic. Except those of the tribe *Helophorini*, they are of an oval, convex form, sometimes hemispherical; the elytra are sometimes striate, and sometimes have a distinct sutural stria.’ The palpi are slender, and always very long. The tarsi are 5-jointed and according to the length of these joints, the family is divided into four tribes:—*Helophorini*, *Hydrophilini*, *Hydrobiini*, and *Sphaeridini*. Very little has been done to work out the species of this family that occur in the Oriental Region, and this Catalogue is therefore based on the Munich list. Dr. Sharp observes that though the habits of the species of this family are aquatic they cannot correctly be associated with the *Dytiscidae* and *Gyrinidae* in the Adephagons series, but will have to be properly placed when more is known about them.

Solier, M:—

Observations sur la tribu des Hydrophilens et principalement sur le genre *Hydrophilus* de Fabricius, in Ann. Soc. Ent. Fr., iii, 1834, p. 299.

**HYDROPHILINI** (*Hydrophilides*) :—Lacordaire, Gen. Col., i, 1854, p. 447.

Genus HYDROPHILUS.

Geoffroy, Ins. Paris, i, 1764, p. 180 : Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 312 : Lacord., Gen. Col., i, p. 450 : Jacq. Duval, Gen. Col. Eur., i, p. 86 : Mun. Cat., p. 475 : Sharp, Biol. Centr. Amer., Col., i (2), p. 54 : Leconte & Horn, Class. Col., p. 71.

*Hydrodema*, Lap. de Casteln., Hist. Nat. Ins. Col., ii, 1840, p. 51.

*Hydrosoma*, Lap. de Casteln., l. c., p. 50.

*Hydrous*, Leach, Zool. Misc., iii, 1817, p. 92.

*Mesocanthicus*, Hope, Col. Man., ii, 1838, p. 126.

*Stethoxus*, Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 307.

*Temnopterus*, Solier, l.c., p. 307.

*Tetraclanthus*, Hope, Col. Man., ii, 1838, p. 126.

*acuminatus*, Motschulsky, Et. Ent., ii, 1853, p. 44.

Hab. China,

*caschmirensis*, Redtenbacher, Hügel's Kaschm., iv (2), 1844, p. 513, t. 24, f. 2.

Hab India, Kashmir [*Ind. Mus.*, Malda].

*nigriceps*, Fabr., Syst. Eleuth., i, 1801, p. 254.

Hab. India,

**olivaceus**, Fabr., Spcc. Ins., i, 1781, p. 289; Mant. Ins., i, p. 188; Ent. Syst., i, p. 182; Syst. Eleuth., i, p. 250: Olivier, Ent., iii, 39, p. 10, t. i, f., 7: Gimelin, ed. Syst. Nat., i (4), p. 1941.

**hastatus**, Herbst, Beschäft. Naturfor. Freunde Berlin, iv, 1779, p. 317, t. 7, f. 2; id., Natursyst. Käfer, vii, p. 295, t. 137, f. 6.

Hab. India, Coromandel, Ceylon.

**picicornis**, Chevrolet, Ann. Soc. Ent. Fr., (4s) iii, 1863, p. 204.  
Hab. Malaya, Philippines.

**ruficornis**, Klug, Ins. Madag., 1833, p. 159: Boisduval, Voy. l'Astrolabe, Col., p. 151.

Hab. Java, Philippines, Australia [*Ind. Mus.*? Berhampur.]

**viridicollis**, Redtenbacher, Hügel's Kashmir, iv (2), 1844, p. 513, t. 24, f. 3.  
Hab. India, Kashmir.

#### Species of doubtful position.

**mergus** (*Tropisternus*), Redtenbacher, l.c. supra p. 514: Sharp, Trans. Ent. S. Lond., 1883, p. 117.  
Hab. India, Kashmir.

### Genus HYDROCHARIS.

Latreille (*Hydrochare*), Fam. Nat., 1825, p. 366: Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 304: Mun. Cat., p. 478: Sharp, Biol. Centr. Amer., Col., i, (2), p. 61: Leconte & Horn. Class. Col., p. 71.

*Hydrophilus*, Leach, Zool. Misc., iii, 1817, p. 94 (*nec Geoffr.*)

*Hydrous*, Brullé Hist. Nat. Ins. Col., ii, 1835, p. 275 (*nec Leach*): Lacord. Gen. Col. i, p. 452.

**bilineatus**, MacLeay Annul. Javan., 1825, p. 36.  
Hab. Java.

**inconspicuus**, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 538; id., Ann. Mag. N. H., (2s.) xix, 1857, p. 387.  
Hab. Ceylon.

**pallidipalpis**, MacLeay, Annul. Javan., 1825, p. 35.  
Hab. Java.

**rufiventris**, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 537; id., Ann. Mag. N. H., (2s.) xix, 1857, p. 387.  
Hab. Ceylon.

**spinicollis** (*Hydrophilus*), Eschscholtz, Entomographia, 1822, p. 41.  
Hab. India.

### Genus STERNOLOPHUS.

Solier, Ann. Soc. Ent. Fr. iii, 1834, p. 310: Brullé, Hist. Nat. Ins. Col., ii, p. 279: Lacord. Gen. Col., i, p. 453: Mun. Cat., p. 478.

*Helobius*, Mulsant, Mém. Acad. Sci. Lyon, i, 1851, p. 75,

**fulvipes**, Motschulsky, Et. Ent., ii, 1853, p. 45.  
Hab. China.

**rufipes** (*Hydrophilus*), Fabricius, Ent. Syst. i, 1792, p. 183; Syst. Eleuth., i, p. 251: Herbst, Natursyst. Ins., Käfer, viii, p. 307.  
Hab. India, China, Malaya, Philippines.

**HYDROBIINI** (*Hydrobiides*) :— Lacordaire, Gen. Col., i, 1854, p. 452.

### Genus HYDROBIUS.

Leach, Zool. Misc., iii, 1817, p. 92: Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 313: Brullé, Hist. Nat. Ins. Col., ii, p. 280: Lacord., Gen. Col., i, p. 455: Jacq. Duval, Gen. Col. Eur., i, p. 87: Mun. Cat., p. 479: Sharp, Biol. Centr. Amer., Col. i (2), p. 64: Leconte & Horn, Class. Col., p. 72.  
*Anacaena*, Thomson, Skand. Col., i, p. 18, 1859; ii, p. 89, 1860: Gozis, Bull. Soc. Ent. Fr., (6s.) i, p. cxxxv.  
*Brachypalpus*, Lap. de Casteln., pt. Hist. Nat. Col., ii, 1840, p. 56.  
*Cryniphilus*, Motschulsky, Bull. Mosc., xviii (i), 1845, p. 32.  
*Enochrus*, Thomson, Skand. Col., i, p. 18, 1859; ii, p. 93, 1860.  
*Paracymus*, Thomson, Scand. Col., ix, 1867, p. 120.  
*Sperchopsis*, Leconte, List Col. N. Amer., i, 1863, p. 19, p. 377: Mun. Cat., p. 487.  
*Tritonus*, Mulsant, Ann. Soc. Agric. Lyon, vii, 1845, p. 377.  
**neglectus**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 16.  
Hab. China.  
**semistriatus**, Schaufuss, Hor. Ent. Ross., xxi, 1887, p. 108.  
Hab. Singapur.  
**stultus**, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 209.  
Hab. Ceylon.

### Genus HYDROCASSIS.

Fairmaire, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 88.  
**scapulata**, Fairmaire, l.c., p. 89.  
Hab. Middle China.

### Genus PHILYDRUS.

Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 315: Brullé, Hist. Nat. Ins. Col., ii, p. 276: Lacord., Gen. Col., i, p. 456: Jacq. Duval, Gen. Col. Eur., i, p. 58: Mun. Cat., p. 480: Sharp, Biol. Centr. Amer., Col., i (2), p. 66: Leconte & Horn, Class. Col., p. 72.  
*Brachypalpus*, Lap. de Casteln., pt. Hist. Nat. Col., ii, 1840, p. 480.  
*Philhydrus*, Mun. Cat., *auct.*  
*Pylophilus*, Motschulsky, Bull. Mosc., xviii (i), 1845, p. 32; Et. Ent., viii, 1859, p. 46.  
**esuriens**, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 209.  
Hab. Ceylon.  
**fuscatus**, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 109.  
Hab. Ceylon.

*nigriceps*, Motschulsky, Et. Ent., viii, 1859, p. 40.  
Hab. India.

*nigriceps*, Redtenbacher, Reise Novara, Zool., ii, Col., 1867, p. 26.  
Hab. Nicobar Islands.

*nigropiceus*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 109.  
Hab. Ceylon.

*pallens* (*Enhydurus*), MacLeay, Annul. Javan., 1825, p. 35.  
Hab. Java.

### Genus BRACHYGASTER.

Mulsant, Ann. Soc. Linn. Lyon, 1833, p. 380 : Mun. Cat., p. 483.  
*indica*. Mulsant, l.c. *supra* p. 386.  
Hab. India.

### Genus BEROSUS.

Leach, Zool. Misc., iii, 1817, p. 92 : Solier, Ann. Soc. Ent. Fr., iii 1834, p. 316 : Brullé,  
Hist. Nat. Ins. Col., ii, p. 284 : Lacord., Gen. Col., i, p. 458 : Jacq. Duval., Gen. Col.  
Eur., i, p. 89 : Muu. Cat., p. 483 : Sharp, Biol. Centr. Amer., Col., i (2), p. 78 :  
Leconte & Horn, Class. Col., p. 72.

*Anchialus*, Thomson, Skand. Col., i, p. 17 ; ii, p. 87, 1859.

*Enoplurus*, Hope, Col. Man., ii, 1838, p. 128.

*acutispina*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 336.  
Hab. Tonkin.

*aeneiceps*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 110.  
Hab. Ceylon.

*attenuatus* (*Hydrophilus*), Fabricius, Syst. Eleuth., i, 1801, p. 253.

*aeneus* (*Volvulus*), Brullé, Hist. Nat., Ins. Col., ii, 1835, p. 282.  
Hab. Ceylon.

*decrescens*, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 258.  
Hab. Ceylon.

*indicus* (*Enoplurus*), Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 110.  
Hab. India.

*pubescens*, Mulsant, Opusc. Ent., ix, 1859, p. 61.  
Hab. Philippines.

*pulchellus*, MacLeay, Annul. Javan., 1825, p. 35.  
Hab. Java.

### Genus GLOBARIA.

Latreille, Régne Anim., (2ed.), iv, 1829, p. 521 : Lacord., Gen. Col., i, p. 460 : Mun.  
Cat., p. 485.

*Spheroides*, Hope, Col. Man., ii, 1838, p. 168.

*Leachii* Latreille, Régne Anim., iv, 1829, p. 521 : Hope, Col. Man., ii, 1838, p. 167,  
t. 3, f. 6, a-i.  
Hab. India.

**Muellerii** Kirsch, MT. Mus. Dresd., i, 1875, p. 25.

Hab. Malacca.

**striatopunctata**, Lap. de Casteln., Hist. Nat. Ins. Col., ii, 1850, p. 57.

Hab. India.

### Genus AMPHIOPS.

Erichson, Wieg. Arch. Natur. (1), 1843, p. 229 : Lacord., Gen. Col., i, p. 462 : Mun. Cat., p. 486.

**gibbus** (*Hydrophilus*), Illiger, Mag. Ent., i, 1802, p. 168.

Hab. India.

**pisiformis** Fairmaire, Bull. Soc. Ent. Fr., (6s.) iv, 1884, p. xlvi.

Hab. Cambodia.

**SPERCHEINI** (*Sperchoides*) :—Lacordaire, Gen. Col., i, 1854, p. 462.

### Genus SPERCHEUS.

Kugellann, Illig., Verz. Käfer Preuss., 1798, p. 241 : Fabr., Ent. Syst., i, p. 248 ; Syst. Eleuth., i, p. 248 : Solier, Ann. Soc. Ent. Fr., iii, 1834, p. 317 : Brullé, Hist. Nat. Ins., Col., ii, p. 299 : Lacord., Gen. Col., i, p. 464 : Jacq. Duval, Gen. Col. Eur., i, p. 91 : Mun. Cat., p. 487.

**platycephalus**, MacLeay, Annul. Javan., 1825, p. 35 : Lap. de Casteln., Hist. Nat.

Ins. Col., ii, p. 57.

Hab. Java.

**HELOPHORINI** (*Helophorides*) :—Lacordaire, Gen. Col., i, 1854, p. 465.

### Genus EPIMETOPUS.

Lacordaire, Gen. Col., i, 1854, p. 467 : Bedcl., Bull. Soc. Ent. Fr., (5s.) x, 1880, p. lxxiii : Sharp, Biol. Centr. Amer., Col., i (2), p. 88.

*Ceratoderus*, Mulsant, Mém. Acad. Lyon, i, 1851, p. (neq Westwood).

*Sepidulum*, Leconte, Trans. Amer. Ent. Soc., v, 1874, p. 47 : Sharp, Ent. Mon. Mag., xi, p. 247.

**bullatus** (*Sepidulum*), Sharp, Ent. Mon. Mag., xi, 1875, p. 249.

Hab. India.

### Genus HYDROCHUS.

Leach, Zool. Misc., iii, 1817, p. 90 : Lacord., Gen. Col., i, p. 466 : Jacq. Duval, Gen. Col. Eur., i, p. 92 : Mun. Cat., p. 490 : Sharp, Biol. Centr. Amer., Col., i (2), p. 89.

**binodosus**, Motschulsky, Schrenck Reise, ii, 1860, p. 104.

Hab. India.

**lacustris**, Nietner, Jl. As. Soc. Ben., xxv, 1856, p. 537 : id., Ann. Mag. N. H., (2s.) xix, 1857, p. 386.

Hab. Ceylon.

**latitans**, Fairmaire, Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 337.  
Hab. Tonkin.

**opacus**, Motschulsky, Schrenck Reise, ii, 1860, p. 103.  
Hab. India.

**violaceomicans**, Motschulsky, l. c., p. 103.  
Hab. India.

**SPHAERIDINI** (*Sphéridiotes*) :—Latrelle, Fam. Nat., 1825, p. 366 : (*Sphéridiides*).  
Lacordaire, Gen. Col., i, 1854, p. 470 : Leconte & Horn, Class. Col., p. 73.

### Genus CYCLONOTUM.

Erichson, Käfer Mark Brand., i, 1837, p. 212 : Lacord., Gen. Col. i, p. 471 : Mun. Cat., p. 495 : *Monograph*, Mulsant, Ann. Soc. Agric. Lyon, 1844, p. 167 : Jacq. Duval, Gen. Col. Eur., i, p. 94 : Sharp, Biol. Centr. Amer. Col., i (2), p. 94 : Leconte & Horn, Class. Col., p. 73.

*Coelostoma*, Brullé, Hist. Nat. Ins. Col., ii, 1835, p. 293 (*nom. praeoc.*, teste Lacord., l.c.).

**capense**, Mulsant, Mon., p. 170 : Erichson, Wieg. Arch., (2), 1845, p. 105.  
Hab. Africa, ? India.

**hydrophiloides** (*Sphaeridium*), MacLeay, Annul. Javan., 1825, p. 36.  
Hab. Java [*Ind. Mus.*, Berhampur].

**nitidum**, Lap. de Casteln., Hist. Nat. Ins., Col., ii, 1850, p. 58.  
Hab. Java.

### Genus DACTYLOSTERNUM.

Wollaston, Ins. Mader., 1854, p. 99 : Mun. Cat., p. 496 : Fauvel, Rev. d' Ent., ii, p. 357 : Sharp, Biol. Centr. Amer., Col., i (2), p. 95 : Leconte & Horn, Class. Col., p. 73.

**insulare** (*Coelostoma*), Lap. de Casteln., Hist. Nat. Ins., Col., ii, 1850, p. 59.  
*abdominale*, Wollaston, Col. St. Helena, 1877, p. 20.

*Rousselii*, Wollaston, Ins. Mader., 1854, p. 100, t. 3, f. 1.

Hab. S. Europe, Africa, St. Helena, Cape Verde Islands, Bourbon, Mauritius,  
Madagascar, India, New Caledonia.

**rubripes**, Boheman, Freg. Eug. Resa, Col., 1858, p. 24.  
Hab. China, Philippines.

**simplex**, Sharp, Trans. Ent. S. Lond., 1874, p. 419.  
Hab. Japan, China.

### Genus CERCYON.

Leach, Zool. Misc., iii, 1817, p. 95 : Brullé, Hist. Nat. Ins. Col., ii, p. 293 : Lacord., Gen. Col., i, p. 473 : Mun. Cat., p. 473 : *Monograph*, Murray, Anu. Mag. N. H., xii, 1853, p. 73 : Sharp, Biol. Centr. Amer., Col., i (2), p. 103, 109.

*Trichopraa*, Brullé, Hist. Nat. Ins., Col., ii, 1835, p. 294.

- atrioeps**, Gemm. & Harold, Mun. Cat., 1868, p. 496.  
*nigriceps*, Motsch., Bull. Mosc., xxxvi (2), 1863, p. 445, (*nec* Marsh.).  
 Hab. Ceylon.
- hydrophiloides**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 445.  
 Hab. Ceylon.
- lineolatus** (*Trichopoda*), Motschulsky, Bull. Mosc. xxxvi (2), 1863, p. 444.  
 Hab. Ceylon.
- lunulatus**, Gemm. & Harold, Mun. Cat., 1868, p. 497.  
*lungerum*, Motsch., Bull. Mosc., xxxvi (2), 1863, p. 444 (*nec* Mannerh.).  
 Hab. Ceylon.
- rufotestaceus**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 445.  
 Hab. Ceylon.
- vicinalis**, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 258.  
 Hab. Ceylon.

### Genus SPHAERIDIUM.

- Fabricius, Syst. Ent., 1775, p. 66 : Ent. Syst., i, p. 77 : Syst. Eleuth., i p. 92 : Brullé, Hist. Nat. Ins. Col., ii, p. 291 : Lacordaire, Gen. Col., i, p. 472 : Jacq. Duval, Gen. Col. Eur., i, p. 95 : Mun. Cat., p. 499 : Leconte & Horn, Class. Col., p. 73.
- dimidiatum**, Gory, Ic. Régne Anim., 1844, p. 73, t. 20, f. 15 : Lap. de Casteln., Hist. Nat., Col., ii, p. 60.  
 Hab. Java.
- quinquemaculatum**, Fabr., Syst. Eleuth., i, 1801, p. 94 : Lap. de Casteln., Hist. Nat. Col., ii, p. 60.  
 Hab. Java, [*Ind. Mus.*, S. India].
- tricolor**, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 209.  
 Hab. Ceylon.
- vicinum**, Lap. de Casteln. Hist. Nat. Ins., Col. ii, 1850, p. 60.  
 Hab. Java.

### Genus PACHYSTERNUM.

- Motschulsky, Bull. Mosc. xxxvi (2), 1863, p. 446 : Mun. Cat., p. 501.
- apicatum**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 448,  
 Hab. India.
- nigrovittatum**, Motschulsky, l. c., p. 447, t. 9, f. 22.  
 Hab. Ceylon.

### Genus CRYPTOPLEURUM.

- Mulsant, Col. Fr. Palp., 1844, p. 188 : Lacord., Gen. Col., i, p. 475 : Mun. Cat., p. 501 : Sharp, Biol. Centr. Amer., Col., i (2), p. 115 : Leconte & Horn, Class., Col., p. 73.
- sulcatum**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 448.  
 Hab. Ceylon.

## Family SILPHIDÆ.

*Catalogue of the Insecta of the Oriental Region*, No. 8. Order Coleoptera,  
Family SILPHIDÆ.—By E. T. ATKINSON, B. A.

The *Silphidæ* have the body depressed, the head more or less depressed and often posteriorly narrowed into a neck ; mandibles exserted, strong ; thorax orbicular or nearly so, forming a shield to the head, tarsi 5-jointed. They are known as scavenger beetles, and live on decomposing animal matter or fungi. They have been divided into the following sub-families by Leconte & Horn<sup>1</sup> :—

Posterior coxae simple.

Anterior coxae more or less transverse at the base and with trochantin.

Anterior coxal cavities open behind.

Posterior coxae contiguous. *Silphini*

Posterior coxae distant.

Anterior coxae prominent : five ventral segments. *Lyrosomini*

Anterior coxae not prominent : six ventral segments. *Pinodytini*

Anterior coxal cavities closed behind. *Anistomini*

Anterior coxae cylindro-conical, without trochantin, the cavities closed behind, often widely. *Cholevini*

Posterior coxae laminate.

Anterior coxae with trochantin, the cavities closed behind. *Clambini*

Dr. Reitter has also given a classification of the family, but it has not been generally received.<sup>2</sup>

The *Silphini*, *Cholevini*, and *Clambini* are alone represented in our Fauna, and but few species have, as yet, been described from the Oriental Region.

## Family SILPHIDÆ.

Leach, Edinb. Encycl., 1815 : Westwood, Mod. Class. Ins., i, 1839, p. 135 : (*Silphales*) Lacordaire, Gen. Col., ii, 1851, p. 192 : Jacq. Duval, Gen. Col. Eur., i, p. 101 : Mun. Cat., p. 716 : Leconte & Horn, Class. Col., p. 77 : Matthews, Biol. Centr. Amer., Col. ii (i), 1887, p. 72.

<sup>1</sup> Class. Col. N. America, Smithson. Misc. Coll., 1883, p. 78.

<sup>2</sup> Bestimmungs tabellen, in Verh. Ver. Brünn, xxiii, 1885, p. 3 ; *id.*, Wien Ent. Zeit., v, 1886, p. 313, 317 ; Deutsche Ent. Zeits., xxx, 1886, p. 219 : see Fauvel, and Seidlitz, Deutsche Ent. Zeits., xxxi, 1887, p. 81.

### Genus NECROPHORUS.

Fabricius (*Nicrophorus*), Syst. Ent., 1775, p. 71 ; Spec. Ins., i, p. 83 : Mant. Ins., i, p. 48 ; Ent. Syst., i, p. 246 ; (*Necrophorus*) Syst. Eleuth., i, p. 333 : Lap. de Casteln., Hist. Nat., Col., ii, p. 1 : Lacord. Gen. Col., ii, p. 98 : Jacq. Duval & Fairm., Gen. Col. Eur., i, p. 101, t. 33, f. 161 : Mun. Cat., p. 717 : Kraatz, Deutsche Ent. Zeits., 1876, p. 352, 395 : Thibaut, Feuill. Nat., vi, p. 40 : Kiesenwetter, Isis, 1878, p. 124 : Reitter, Wien Ent. Zeit., vi, p. 85 : Schmidt, Feuill. Nat., xiv, p. 39 : Matthews, Biol. Centr. Amer., Col., ii (i), p. 90 : Leconte & Horn, Class. Col., p. 79.

*Cyrtoscelis*, Hoppe, Col. Mau., iii, 1840, p. 149.

*japonicus*, Harold, Deutsche Ent. Zeits., xxi, 1877, p. 345 : Fairmaire, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 89, t. 3, f. 5 : Lewis, Ann. Mag. N. H., (5s.) xx, p. 339.  
Hab. Middle China, Japan.

*nepalensis*, Hoppe, Gray's Zool. Misc., 1831, p. 21 : Kraatz, Deutsche Ent. Zeits. 1877, p. 101 : Harold, l c., p. 346 : Dohrn, Stettin Ent. Zeit., xl, 1879, p. 459 : Lewis, Ann. Mag. N. H., (5s) xx, 1877, p. 340.  
Hab. India, Nepal.

*ocellatus*, Fairmaire, Ann. Soc. Ent. Fr. (5s.) viii, 1878, p. 90.  
Hab. Middle China.

### Genus PTOMASCOPUS.

Kraatz, Deutsche Ent. Zeits., xxi, 1877, p. 102.

*plagiatus* (Ménétriés), Motschulsky, Et. Ent., iii, 1854, p. 27 : Kraatz, Deutsche Ent. Zeits., 1877, p. 102 : Bedcl. Bull. Soc. Ent. Fr., (6s.) i, p. cii.  
*Davidis*, Fairmaire, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 91.  
*plagiatus peninis*, Lewis, Ann. Mag. N. H., (5s.) iv, 1879, p. 460.  
*quadrimaculatus*, Kraatz, Deutsche Ent. Zeits., xxi, 1877, p. 104.  
Hab. China, Kiukiang, Pekin, Mongolia, Japan.

### Genus NECRODES.

Leach, Zool. Misc., ii, 1815, p. 87 : Lacord. Gen. Col., ii, p. 20, note : Mun. Cat., p. 720.  
*Asbelus*, Voet, Cat. Col., 1806 : teste Reitt., Wien Ent. Zeit., vi, p. 85 : Bergroth, Berlin Ent. Zeit., xxviii, p. 229.  
*Dianesus*, Hoppe, Col. Man., iii, 1840, p. 149.

*esculans*, Vigors, Zool. Journ., i, 1825, p. 537, t. 20, f. 2 : Lap. de Casteln., Hist. Nat., Col., ii p. 3.  
Hab. India, Bengal [*Ind. Mus. Silhat*].

### Genus SILPHEA.

Linnaeus, Syst. Nat., 1758, p. 569 : Fabr., Syst. Ent., p. 72 ; Spec. Ins., i, p. 85 : Mant. Ins., i, p. 48 ; Ent. Syst., i, p. 248 ; Syst. Eleuth., i, p. 330 : Gmelin, i (4), p. 1620 : Erichson, Käfer Mark Brand, ii, p. 226 : Lap. de Casteln., Hist. Nat., Col.,

ii, p. 4 : Laeord., Gen. Col., ii, p. 200 : Jaeq. Duval, Gen. Col. Eur., i, p. 102, t. 33, f. 133 : Mun. Cat., p. 720 : Kraatz, Deutsche Ent. Zeits., 1876, p. 352 : Kiesenwetter, Isis, 1878, p. 124 : Karsch, Ent. Nachr., x, 1884, p. 221 : Reitter, Verh. Ver. Brünn., xxiii, p. 85 : Matthews, Biol. Centr. Amer. Col., ii (i), p. 94 : Leeonte & Horn, Class. Col., p. 79.

*Blitophaga*, Reitter, Verh. Ver. Brünn., xxiii, 1885, p. 82.  
*Dendroxena*, Motschulsky, Et. Ent., 1858, p. 125.

*Necroborus*, Hope, Col. Man., iii, 1840, p. 149.

*Necrophila*, Kirby, Faun. Bor. Amer., 1837, p. 102.

*Oiceoptoma*, Leach, Zool. Misc., iii, 1817, p. 74.

*Parasilpha*, Reitter, Verh. Ver. Brünn., xxiii, 1885, p. 76.

*Peltis*, Geoffroy, Ins. Paris., i, 1764, p. 117 : Reitter, Verh. Ver. Brünn., xxiii, p. 75.

*Phosphuga*, Leach, Zool. Misc., iii, 1817, p. 74.

*Pseudopelta*, Voet, Cat. Col., 1806 : Reitter, l.c. supra, p. 83.

*Ptomaphila*, Hope, Col. Man., iii, 1840, p. 149.

*Thanatophilus*, Leach, Zool. Misc., iii, 1817, p. 74.

*Xylocrepa*, Thomson, Skand. Col., i, 1859, p. 56 : Reitter, Wien Ent. Zeit., vi, p. 107.

*cyaniventris* (*Oiceoptoma*), Motschulsky, Bull. Mosc., xlvi (1), 1869, p. 348.  
 Hab. India.

*cyanocincta* (*Oiceoptoma*), Fairmaire, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 92.  
 Hab. India.

*iptera*, Redtenbacher, Hügel's Kasch., iv (2), 1844, p. 512.  
 Hab. Kashmir [Ind. Mus. N. India].

*melanura*, Hope, Gray's Zool. Misc., 1831, p. 21.  
 Hab. India, Nepal.

*minuta* (*Thanatophilus*) Kraatz, Deutsche Ent. Zeits., xx, 1876, p. 374.  
 Hab. Tibet.

*obscuriventris* (*Oiceoptoma*), Motschulsky, Bull. Mosc., xlvi (1), 1864, p. 349.  
 Hab. India.

*rufithorax*, Wiedemann, Zool. Mag., ii (1), 1823, p. 171 : Harold, Deutsche Ent. Zeits., xxi, 1877, p. 347.  
*chloroptera*, Lap. de Casteln., Hist. Nat. Col., ii, 1850, p. 5. Cochinchina.  
*formosa*, Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 400. China.  
 var. *tetraspilota*, Hope, Trans. Zool. S. Lond., i, 1835, p. 93, t. 13, f. 3. Nepal.  
 Hab. India, Bengal, Poona, Nepal [Ind. Mus., Sikkim].

*subcaudata*, Fairmaire, Ann. Soc. Ent. Belg., xxxii, 1888, p. 14.  
 Hab. Yunnan.

*viridis*, Motschulsky, Bull. Mosc., xxxiv (2), 1861, p. 628 ; id., ib., xlvi (1), p. 349.  
*coelestis*, Dohrn, Stettin Ent. Zeit., xxxvi, 1875, p. 81. Philippines.  
*superba*, Kraatz, Deutsche Ent. Zeits., xx, 1876, p. 374. Philippines.  
 Hab. Philippines, Luzon, Manilla.

### Genus NODYNUS.

Waterhouse, Trans. Ent. S. Lond., 1876, p. 12.

*nitidus*, Waterhouse, l.c., p. 13.

Hab. India.

### Genus APATETICA.

Hope, Westwood, Cab. Or. Ent., 1848, p. 86 : Lacord., Gen., Col., ii, p. 206 : Mun. Cat., p. 725.

*brunnipes*, Ritsema, Notes Leyden Mus., i, 1879, p. 46 ; *id.*, *ib.*, vi, p. 134.

*spinipennis* (*Idiocheila*). Frivaldszky, Term. Fluz., vi, 1883, p. 137, t. I, f. 4.

Hab. Sumatra, Borneo.

*leblioides* (Hopc), Westwood, Cab. Or. Ent., 1848, p. 86, t. 41, f. 9a-c.

Hab. Himalaya.

*nitiduloides*, Westwood, Proc. Ent. S. Lond., 1861, p. 11 ; *id.*, Thes. Ent. Oxon., 1874, p. 69, t. 5, f. 11.

Hab. Java.

### Genus CHOLEVA.

Latreille, Précis Caract. Ins. 1796, p. 14 : Spence, Tran. Linn. S. Lond., xi, (1809) 1815, p. 133 : Jacq. Duval, Gen. Col. Eur., i, p. 105, t. 34, f. 170 : Kraatz, Stettin, Ent. Zeit., 1852 : Lacord., Gen. Col., ii, p. 209 : Murray, Ann. Mag. N. H., (2s). xviii, 1856, p. 4, 12 : Mun. Cat., p. 726 : Matthews, Biol. Centr. Amer., Col., ii (1) p. 98 : Leconte & Horn, Class. Col., p. 81.

*Sciodrepa*, Thomson, Skand. Col., i, p. 60 ; iv, p. 66, 1859.

*vestita*, Murray, Ann. Mag. N. H., (2s.) xviii, 1856, p. 303.

Hab. India.

### Genus CATOPSIMORPHUS.

Aubé, Ann. Soc. Ent. Fr., (2s.) viii. 1850, p. 324 : Schaum, Wiegmann Arch., (2) 1851, p. 176 : Jacq. Duval, Gen. Col. Eur., i, p. 106, t. 35, f. 172 : Lacord., Gen. Col., ii, p. 210.

*Attiscurra*, Gozis, Récherche, 1886, p. 17.

*Attumbra*, Gozis, l.c., p. 17.

*Catopsimorphus*, Mun. Cat., p. 731.

*flavicornis*, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 437.

Hab. Ceylon.

### Genus CLAMBUS.

Fischer, Ent. Imp. Russ., i, 1820, Gen., p. 52 : Lacord., Gen. Col., ii, p. 222 : Jacq. Duval, Gen. Col. Eur., i, p. 113, t. 38, f. 188 : Mun. Cat., p. 740 : Matthews, Biol. Centr. Amer. Col., ii (1), p. 73 : Leconte & Horn, Class. Col., p. 83.

*Sternuchus*, Leconte, Agassiz Lake Sup., 1850, p. 222.

*pumilus*, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 480.

Hab. Ceylon.

### Family CORYLOPHIDÆ.

*Catalogue of the Insecta of the Oriental Region*, No. 9. Order Coleoptera,

Family CORYLOPHIDÆ—By E. T. ATKINSON, B. A.

Matthews places this family close to the Silphidæ, but would separate *Aphanocephalus* as a distinct family (*Pseudocorylophidæ*) to be placed near the Coccinellidæ. Leconte observes that 'the wings fringed with long hairs give this family a certain affinity with the Trichopterygidæ, while the loose antennal club, and the comparatively small size of the fourth joint from the end, in several genera, show an unmistakeable resemblance to *Anisostoma*, and other small Silphidæ. The form of the mandibles and the structure of the tarsi, however, distinguish this family from all allies.' Jacquelain Duval, forms two groups :—*Corylophini* in which the head is entirely hidden beneath the anterior margin of the pronotum, broadly rounded and dilated in front; more or less rounded before the eyes. *Orthoperini* in which the head is more or less exposed in front of the anterior margin of the pronotum which is more or less emarginate; abruptly contracted before the eyes. In his description of the species of the family that occur in Central America (Biol. Centr. Amer., Col., ii (i), p. 12) Matthews forms several tribes that need not be noticed here.

### Family CORYLOPHIDÆ.

Wollaston Ins. Mader., 1854, p. xxx : (*Corylophides*) Jacq. Duval, Gen. Col. Eur., ii, p. 229 : Chapuis, Gen. Col., xii, p. 259 : Mun. Cat., p. 3818 : Leeonte & Horn, Class. Col., 1883, p. 112 : Matthews, Ann. Mag. N. H., (5s.) xix, 1887, p. 105 ; id., Biol. Centr. Amer., Col., ii (i), 1887, p. 12.

*Clypeastrides*, Jacq. Duval, Ann. Soc. Ent. Fr., (3s) v, 1857, p. 98 : (*Clypeastres*) Redtenbacher, Fauna Austr., ed. 1, p. 572.

### Genus SACIUM.

Leconte, Proc. Acad. Nat. Sci., Philad., vi, 1852, p. 144 ; Class. Col., 1883, p. 113 : Jacq. Duval, Gen. Col. Eur., ii, p. 230, t. 56, f. 277 : Matthews, Biol. Centr. Amer., Col., ii (i) p. 108.

? = *Clypeaster*, Latreille, Règne Anim., 2 ed., v, 1829, p. 162 : Mun. Cat., p. 3820.

*bifasciatum*, Motschulsky, Et. Ent., vii, 1853, p. 122.  
Hab. India.

*convexuseculum*, Motschulsky, l.c., p. 122.  
Hab. India.

**indicum**, Motschulsky, *l.c.*, p. 122.

Hab. India.

**luridum**, Motschulsky, Bull. Mosc., xxxix (2), 1866, p. 426.

Hab. Ceylon.

**picipenne**, Motschulsky *l.c.*, p. 426.

Hab. Ceylon.

**unifasciatum**, Motschulsky, Et. Ent., vii, 1858, p. 121.

Hab. India.

### Genus ARTHROLIPS.

Wollaston, Ins. Mader., 1851, p. 475 : Jacq. Duval, Gen. Col. Eur., ii, p. 231, t. 56, f. 279 : Mun. Cat., p. 3819 : Leconte & Horn, Class. Col., 1883, p. 113.

**bimaculatus**, Matthews, Ann. Mag. N. H., (5s.) xix, 1887, p. 106.

Hab. Burma.

**croceus**, Matthews, *l.c.*, p. 107.

Hab. Siam.

**flavicollis**, Matthews, *l.c.*, p. 107.

Hab. Java.

**rotundatus**, Matthews, *l.c.*, p. 106.

Hab. Borneo.

**semipunctatus**, Matthews, *l.c.*, p. 107.

Hab. Java.

**suffusus**, Matthews, *l.c.*, p. 106.

Hab. China.

### Genus GLOESOMA.

Wollaston, Ins. Mader., 1865, p. 480 : Mun. Cat., p. 3819.

**Moronillus**, Jacq. Duval., Bull. Soc. Ent. Fr., 1854, p. 37 : *id.*, Gen. Col., ii, p. 234.

? = *Rhypobius*, Leconte, Proc.-Acad. Nat. Sci. Philad. vi, 1852, p. 42 ; Leconte & Horn, Class. Col., 1883, p. 113.

**orientale** (*Moronillus*), Motschulsky, Bull. Mosc., xxxix (2), 1866, p. 427.

Hab. Ceylon. -

### Genus SERICODERUS.

Stephens, Ill. Brit. Ent., ii, 1829, p. 188 : Jacq. Duval, Gen. Col. Eur., ii, p. 232 : Mun. Cat., p. 3819 : Leconte & Horn, Class. Col., p. 113 : Matthews, Biol. Centr. Amer., Col., ii (i), p. 117.

*Gryphinus*, Redtenbacher, Fauna Austriaca, 1849, p. 50.

**infuscatus**, Motschulsky, Bull. Mosc., xxxix (2), 1866, p. 426.

Hab. Ceylon.

### Genus PELTINUS.

Mulsant, Opusc. Ent., xii, 1861, p. 137 : Mun. Cat., p. 3820.

**orientalis**, Matthews, Ann. Mag. N. H., (5s.) xix, 1887, p. 109.

Hab. Java.

### Genus CORYLOPHODES.

Matthews, Ent. Mon. Mag., xxii, 1885, p. 60.

*unicolor*, Matthews, Ann. Mag. N. H., (5<sup>th</sup>) xix, 1887, p. 109.

Hab. Java.

### Genus CATOPTYX.

Matthews, Ann. Mag. N. H., (5<sup>th</sup>) xix, 1887, p. 111.

*Bowringii*, Matthews, l.c., p. 112.

Hab. Java.

### Genus APHANOCEPHALUS.

Wollaston, Ent. Mon. Mag., ix, 1873, p. 278.

*dissimilis*, Matthews, Ann. Mag. N. H., (5<sup>th</sup>) xix, 1887, p. 115.

Hab. China.

*quadrimaculatus*, Matthews, l.c., p. 114.

Hab. Penang.

*vitreus*, Matthews, l.c., p. 114.

Hab. China.

+

? *alutaceum* (*Sacium*), Matthews, l. c. p. 106.

Hab. Maldonado.

### Family SCYDMAENIDÆ.

*Catalogue of the Insecta of the Oriental Region. Order Coleoptera*, No. 10,

*Family Scydmaenidæ—By E. T. ATKINSON, B. A.*

The *Scydmaenidæ* are small, shining insects, usually ovate, of a brown colour, more or less clothed with erect hairs. It is only of late years that many have been recorded from the Oriental Region. Schaufuss, in 1866, gave the bibliography up to that date in his Monograph. In 1882, Reitter sub-divided the family into five tribes:—*Chevrolatini*, *Cephenini*, *Scydmaenini*, *Eumicrini*, and *Mastigini*, and, since then, has suggested that the name *Eumicrus*, Lep., should be changed into *Scydmaenus*, whilst for the *S. Godartii* series to which that name had been applied, the name *Cyrtoscydmus* Motsch., should be used. This proposal has not received such acceptance as to warrant its adoption here. The insects of this family are found near water, under stones, in ants' nests and under bark, and occasionally flying in the dusk. Leconte notices that the *Scydmaenidæ* differ from the *Pselaphidæ*, to which they are closely allied, by the long elytra and the conical distant posterior coxae. The Indian Museum does not possess any specimens from the Oriental Region.

The following undescribed species of Motschulsky have been omitted from this Catalogue :—

*Eumierus glabriculus*, Bull. Mosc., xlvi (i), 1869, p. 258, Ceylon.

*Scydmaenus incrassatus*, l. c., p. 264. India.

„ *longipalpis*, l. c., p. 268. India.

„ *quadrifoveolatus*, l. c., p. 266. India.

„ *subangulosus* l. c., p. 264. India.

*Principal works referred to.*

Motschulsky, V. :—

Bull. Mosc., 1827, p. 120; xviii, 1845, p. 48; xxvi (4), 1851, p. 502; xxxvi (2), 1863, p. 425; xlvi (1), 1869, p. 252.

Etudes Entomologiques, i, 1853, p. 18; iii, 1854, p. 4; iv, 1855, p. 14; v, 1856, p. 26; vi, 1857, p. 57; vii, 1858, p. 29; viii, 1859, p. 131.

Reitter E. :—

'Scydmaeniden Fauna von Java und Borneo' in Verhandlungen der Kaiserlich-Königlichen Zoologisch-botanischen Gesellschaft in Wien, xxxii, 1882, p. 283; ib., xxxiii, p. 387.

Bestimmungstabellen der Europäischen Coleopteren, v. l.c., xxxi, p. 543.

Schaufuss, L. W. :—

*Mon.* 'Monographie der Scydmaeniden Central und Südamerika' in Novorum Actorum Academicae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum, xxxiii (4 dec : iv), Dresden, 1866.

Die Scydmaeniden Nord. Ost Africa's, der Sunda-Inseln und New Guinea's, in Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 387. With this may be read 'Bemerkungen' by E. Reitter, in Deutscho Ent. Zeits., 1885, p. 152.

'Neue Scydmaeniden,' in Deutsche Ent. Zeits., xxxiii, 1889, p. 1.

Schaum, R. :—

Analecta Entomologica. Halle, 1841, and also as 'Symbolæ ad monographiam Scydmaenorum Iusectorum generis.'

### Family SCYDMAENIDÆ.

Leach, Edinb. Encyc., 1815 : Westwood, Mod. Class. Ins., i, 1839, p. 279 : Laeord., Gen. Col., ii, p. 183 : Jacq. Duval, Gen. Col. Eur., i, p. 119 : Schaufuss, *Mon.*, 1886, p. 27 ; Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 387 : Reitter, Ins. Deutschl., iii, 1882, p. 140 : Leconte & Horn, Class., 1883, p. 83 : Sharp, Biol. Centr. Amer., Col., ii (i), 1887, p. 46.

### Genus CEPHENNIUM.

Müller & Kunze, Monograph. Schrift. Ges. Leips., i, 1822, p. 188 : Lacord., Gen. Col., ii, p. 188 : Jaeq. Duval, Gen. Col. Eur., i, p. 122, t. 39, f. 193 : Motschulsky, Bull. Mosc., xlvi (i), 1869, p. 270 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 543, 547 : Leconte & Horn, Class. Col., p. 84.

*Cephennarium*, Reitter, Verh. Zool. Wien, l.c. *supra*, p. 554.

*Geodytes*, Saulcy, Ann. Soc. Ent. Fr., (4s.) iv, 1864, p. 256 : Mun. Cat., p. 714 : Reitter, l.c., p. 551.

*Megaladerus*, Stephens, Ill. Brit. Ent., v, 1835, App. p. 428 : King ; Motschulsky ; Reitter, l.c., p. 547.

*Microdema*, Lap. de Casteln., Hist. Nat., Col., i, 1840, p. 209.

*Nanophthalmus*, Motschulsky, Bull. Mose., xxiv (4), 1851, p. 506 : Reitter, l.c., p. 554.

**festivum**, Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 27.

Hab. Singapur.

**ovatum** (*Seydmaenus*), Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 553 ; id., Ann. Mag. N. H., (2s.) xx, 1857, p. 189 : Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 394.

*breriaceus*, Motschulsky, Et. Ent., vii, 1858, p. 32.

Hab. Ceylon, Nuwara Eliya.

**Raffrayii**, Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 29.

Hab. Singapur.

### Genus CEPHENNODES.

Reitter, Verh. Zool. bot. Ges., Wien, xxxiii, 1883, p. 420.

**Simonis**, Reitter, l.c., p. 421.

*Doriae* (*Cephennum*), Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 422.

Hab. Borneo, Tameangleiang.

### Genus EUCONNUS.

Thomson, Skand. Col., iv, 1862, p. 88 : Schaufuss, Mon., 1866, p. 29 : Reitter, Ins. Deutschl., iii, (2), 1882, p. 178 ; Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 572 ; ib. xxxii, p. 298 ; xxxiii, p. 421 : Sharp, Biol. Centr. Amer., Col., ii, 1887, p. 47.

subg. *Leptocharis*, Reitter, Deutsche Ent. Zeits., 1887, p. 275.

,, *Napochus*, Thomson, Skand. Col., i, p. 67 ; iv, p. 87, 1859 : Reitter, Verh. Wien, l.c. supra, p. 573.

,, *Tetramelus*, Motschulsky, Bull. Mose., xlvi (1), 1869, p. 257 : Reitter, l.c. supra, p. 578.

**angusticeps** (*Seydmaenus*), Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 543 ; Ann. Mag. N. H., (2s.) xx, p. 189 : Schaufuss, Nunq. Otios., iii, p. 560.

*latipennis* (*Seydmaenus*), Motschulsky, Et. Ent., vii, 1858, p. 29.

Hab. Ceylon.

**batavianus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 299.

Hab. Batavia.

**bradypodus** (*Seydmaenus*), Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1884, p. 391, 402.

Hab. Borneo, Sarawak.

**Charon**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 423.

Hab. Borneo, Telang.

- cinnamomeus* (*Seydmaenus*), Schaub, Analect. Ent. Symb., 1841, p. 21.  
Hab. India, Bengal.
- clavigeroides* (*Napochus*), Reitter, l.c. *supra*, xxxiii, 1883, p. 423.  
Hab. Borneo, Telang.
- crassiceps*, Reitter, l.c., xxxii, 1882, p. 301 : Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, p. 389.  
Hab. Batavia.
- dichrous*, Reitter, l.c. *supra*, xxxii, 1882, p. 301 : Schaufuss, l.c. *supra*, p. 389.  
Hab. Borneo, Tumbang Hiang.
- discedens*, Reitter, l.c. *supra*, xxxiii, 1883, p. 424.  
Hab. Borneo, Telang.
- dolesus*, Reitter, l.c. *supra*, xxxii, 1882, p. 300.  
Hab. Batavia.
- eumicroides*, Reitter, l.c., xxxiii, 1883, p. 424.  
Hab. Borneo, Telang.
- extensicornis* (*Seydmaenus*), Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 429 ; *ib.* xlvi (i), p. 267.  
Hab. Ceylon.
- fallax*, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 302 : Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, p. 389.  
Hab. Batavia.
- favorabilis*, Reitter, l.c. *supra*, xxxiii, 1883, p. 424.  
Hab. Borneo, Tameangleiang.
- flavidulus* (*Seydmaenus*), Motschulsky, Bull. Mosc., xxiv (4), 1857, p. 505 ; *ib.* xlvi (i), p. 268.  
Hab. India.
- fractionis*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 389, 395.  
Hab. Borneo, Sarawak.
- glandulicornis* (*Seydmaenus*), Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 428 ; *ib.*, xlvi (i), p. 267.  
Hab. Ceylon.
- glanduliferus*, Nietner, Jl. As. Soc. Ben., xxv, 1856, p. 551 ; *id.*, Ann. Mag. N. H. (2s.) xx, 1857, p. 187 ; Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 390.  
*Nietnerii*, Motschulsky, Et. Ent., vii, 1858, p. 30.  
Hab. Ceylon.
- globiceps*, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 300 : Schaufuss, l.c. *supra*, p. 390.  
Hab. Borneo, Tambang Hiang.
- graminicola*, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 551 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 188 : Schaufuss, l.c. *supra*, p. 389.
- falsatus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 301.  
Hab. Ceylon, Batavia.

- grandis**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 50.  
Hab. India.
- laevissimus**, Motschulsky, l.c., p. 504.  
Hab. India.
- longipilis** (*Napochus*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 299.  
Hab. Batavia.
- lueulus** (*Napochus*), Reitter, Verh. l.c. xxxiii, 1883, p. 423.  
Hab. Java.
- megamelas** (*Scydmaenus*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 52.  
Hab. Ceylon.
- nigripalpis**, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 389, 395.  
Hab. Borneo, Sarawak.
- nigritulus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 426.  
Hab. Borneo, Telang.
- pilicollis** (*Scydmaenus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 505; ib., xlii (i), p. 268.  
Hab. India.
- pubescens**, Nietner, Jl. As. Soc. Ben., xxv, 1856, p. 550; id., Ann. Mag. N. H., (2s.) xx, 1857, p. 186.  
Hab. Ceylon.
- pygmaeus**, Nietner, Jl. l.c., p. 550; id., Ann., l.c., p. 187: Motsch., Bull. Mosc., xlii (i), p. 266.  
Hab. Ceylon.
- pyriformis**, Nietner, Jl. l.c., p. 552; id., Ann. l.c., p. 188: Schaufuss, Tijds. v. Ent. xxv, 1882, p. 75; id., Notes Leyden Mus., iv, p. 156; Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 390, 394.  
*brunnipennis*, Motschulsky, Et. Ent., vii, 1858, p. 30; id., Bull. Mosc., xxxvi (2), 1863, p. 428; ib., xlii (i), p. 265.  
Hab. Ceylon, Java, Sumatra, Celebes.
- quinquefoveolatus** (*Scydmaenus*), Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 427.  
?= *pyriformis*, q.v.  
Hab. Ceylon.
- rufescens** (*Scydmaenus*), Motschulsky, l.c., xxiv (4), 1851, p. 504; ib., xlii (i), p. 264.  
?= *pyriformis*, q.v.  
Hab. India.
- seminudus**, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 390, 398.  
Hab. Bali.
- semisulcatus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 425.  
Hab. Batavia, Pengaron.
- simulator**, Reitter, l.c., xxxii, 1882, p. 302: Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 389.  
Hab. Java, Batavia.

*ngalanensis*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 390, 401.  
Hab. Sumatra.

*sparsulus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 425.  
Hab. Java, Batavia, Barabci.

*telangensis*, Reitter, l.c., xxxiii, 1883, p. 425.  
Hab. Borneo, Telang.

*tetratoma*, Reitter, l.c., xxxii, 1882, p. 300.  
Hab. Borneo, Tumbang Hiaug.

*transversicornis* (*Scydmaenus*), Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 426 :  
(*Tetramelus*) *id.*, l.e., xlvi (i), p. 257.  
Hab. Ceylon.

*trichocerus* (*Scydmaenus*), Motschulsky, l.c., xxiv (4), 1851, p. 504 ; ib., xlvi (i),  
p. 265.  
Hab. India.

*trinodis* (*Scydmaenus*), Motschulsky, Et. Ent., vii, 1858, p. 32 ; ib., xlvi (i), p. 266.  
Hab. Ceylon.

*villosus* (*Scydmaenus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 504 ; ib., xlvi (i),  
p. 267.  
Hab. India, Bombay.

### Genus ELACATAPHORA.

Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 403.

*robusta*, Schaufuss, l.c., p. 391, 404.  
Hab. Java.

### Genus EUMICRUS.

Lap. de Casteln., Hist. Nat. Ins. Col., i, 1840, p. 209 : Laeord., Gen. Col., ii, p. 187 :  
Jaeq. Duval, Gen. Col. Eur., i, p. 120, t. 39, f. 192 : Motsch., Bull. Mosc., xlvi (i),  
1869, p. 257 : Reitter, Ins. Deutsch., iii (2), p. 194 : Sharp, Biol. Centr. Amer.,  
Col., ii, p. 64 : Schaufuss, Mon., p. 30 ; id., Berlin. Ent. Zeit., xxxi, 1887, p. 316 :  
Leconte & Horn, Class. Col., p. 84 : Sharp, Biol. Centr. Amer., Col., ii (i), 1887,  
p. 64.

subg. { *Eumicrus*, Laporte de Casteln., l.c. supra : Reitter, Verh. Zool. bot.  
Ges. Wien, xxxi, p. 581 ; Wien Ent. Zeit. vi, p. 140 : type, *tarsatus*, Müller  
& Kunze, 1822.  
  { *Microstemma*, Motschulsky, Et. Ent., 1857, p. 57 ; Bull. Mosc., xlvi (i), 1869,  
  p. 259.

subg. *Eustemmus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 582 ; Wien  
Ent. Zeit. vi, 1887, p. 141 : type *Olivieri*, Reitter, Wien Ent. Zeit, l.c.

subg. { *Scydmaenus*, Reitter, Wien Ent. Zeit. l.c., p. 143 : type, *Hellwigii* Fabr.  
  { *Chalerus* Thomson, Skand. Col., iv, 1862, p. 77. type, *rufus*, Müller &  
  Kunze.  
  { *Heterognathus*, King, Trans. Ent. S. N. S. Walen, i, 1864, p. 91 : Reitter,  
  Verh. Zool. bot. Ges. Wien, xxxi, p. 583.

? *Cyrtoscydmus*, Motschulsky, Bull. Mosc., xlii (i), 1869, p. 260 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 567.

*Pseudomicrus*, Motschulsky, l.c., xxxvi (2), 1863, p. 425 ; id., xlii (i), 1869, p. 258.

? *Stenichnus*, Thomson, Skand. Col., i, 1859, p. 61 ; iv, p. 85 : Reitter, Verh. Wien, l.c. supra, p. 570.

[Motschulsky (in 1869) proposed the Genus *Cyrtoscydmus* for those species of *Scydmaenus* that have narrow, indistinctly toothed, falciform mandibles, feebly clavate antennæ and apterous females, and compared with the true *Scydmaenus*, a generally less angular form, more strongly punctured and more evenly pubescent surface; a cordate thorax, more convex in front, with large basal foveæ, and anterior tibiae more or less triangularly dilated (type *S. Godarti*, Latreille).]

*advolans*, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 549 ; Ann. Mag. N. H., (2s.) xx, p. 185.

Hab. Ceylon.

*agilis*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 427 : Schaufuss, Ann. Mus. Civ., Gen., (2s.) i, 1883, p. 393.

Hab. Borneo, Tameangleiang.

*alatus*, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 543 ; Ann. Mag. N. H., (2s.) xx, p. 180 : Schaufuss, Nunq. Ot., iii, p. 562.

Hab. Ceylon.

*aurifer*] (*Scydmaenus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 41.

Hab. Singapur.

*birmanicus* (*Eumicrus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 504 : id. (*Microstoma*), l.c., xli (i), 1869, p. 260.

Hab. India.

*capillaris* (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 20.

Hab. Singapur.

*centurionis* (*Cyrtoscydmus*), Schaufuss, l.c., p. 11.

Hab. Singapur.

*ceylanicus*, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 545 ; id., Ann. Mag., N. H., (2s.) xx, p. 182 : Schaufuss, Nunq. Otios, iii, p. 562.

*crassicornis*, Motschulsky, Et. Ent., vii, 1858, p. 29 ; Bull. Mosc., xlii (i), p. 258.

Hab. Ceylon.

*cohaerens*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 392, 409.

Hab. Borneo.

*concinnatus* (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 12.

Hab. Singapur.

*conifer* (*Cyrtoscydmus*), Schaufuss, l.c., p. 16.

Hab. Singapur.

*convexus*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 393, 415.

Hab. Borneo.

- cyrtocerus** (*Scydmaenus*), Motschulsky, Et. Ent., vii, 1858, p. 31 : *id.*, Bull. Mosc., xlil, (i), p. 267.  
 Hab. Ceylon.
- declinatus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 427 : Schaufuss,  
 Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 393.  
 Hab. Borneo, Tamcangleiang.
- diversepilosus**, Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 42.  
 Hab. Siugapur.
- Doræ**, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1884, p. 419.  
 Hab. Sumatra.
- epopsimus**, Schaufuss, Tijds. v. Ent., xxv, 1882, p. 74 ; Notes Leyden Mus., iv,  
 p. 155.  
 Hab. Batavia.
- extensionis** (*Scydmaenus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 40.  
 Hab. Singapur.
- femineus** (*Cyrtoscydmus*), Schaufuss, *l.c.*, p. 3.  
 Hab. Singapur.
- femoralis**, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 544 ; *id.*, Ann. Mag. N. H.,  
 (2s.) xx, 1857, p. 182 : Schaufuss, Nunq. Otios., iii, p. 562.  
 Hab. Ceylon.
- flicornis**, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 393, 414.  
 Hah. Java.
- frontalis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 426.  
 Hab. Borneo, Tamcangleiang.
- glandulifer** (*Cyrtoscydmus*), Deutsche Ent. Zeits., xxxiii, 1889, p. 14.  
 Hab. Singapur.
- intermedius**, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 546 ; *id.*, Ann. Mag. N. H.,  
 (2s.) xx, p. 183 : Schaufuss, Nunq. Otios., iii, p. 562.  
 Hab. Ceylon.
- laborator** (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 13.  
 Hab. Singapur.
- lanuginosus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 302 : Schaufuss, Ann.  
 Mus. Civ. Gen., (2s.) i, 1883, p. 393.  
 Hab. Borneo, Tambang Hiang.
- longicornis**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 503 ; (*Pseudomicrus*) *ib.*,  
 xli (i), p. 259.  
 Hab. India.
- manticoranus**, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 392, 408.  
 Hab. Borneo, Sumatra.
- obtusus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 503 ; *id.*, *l.c.*, xlil (1), p. 258.  
 Hab. India.
- ocularis** (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 12.  
 Hab. Singapur.

- ovicollis*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 392, 410.  
 Hab. Singapur.
- pilipennis* (*Pseudomicrus*), Motsch., Bull. Mosc., xxxvi (2), 1863, p. 425 : Reitter,  
 Wien Ent. Zeit., i, 1882, p. 139.  
 Hab. Ceylon.
- plutus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 504 ; (*Pseudomicrus*) *ib.*, xli (i),  
 p. 259.  
 Hab. India, Bengal.
- potior*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1881, p. 427.  
 Hab. Borneo, Telang.
- procer* (*Scydmaenus*), Motschulsky, Et. Ent., vii, 1858, p. 30 ; *id.*, Bull. Mosc., xlvi (i),  
 p. 266.  
 Hab. Ceylon ? Columbia ?
- pselaphoides*, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 547 ; *id.*, Ann. Mag. N. H.,  
 (2s.) xx, 1857, p. 184 : Schaufuss, Nunq. Otios., iii, p. 562.  
 Hab. Ceylon.
- pudicus* (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 6.  
 Hab. Singapur.
- pumilio* (*Cyrtoscydmus*), Schaufuss, *l.c.*, p. 5.  
 Hab. Singapur.
- regularis* (*Scydmaenus*), Schaufuss, *l.c.*, p. 41.
- rugulus* (*Cyrtoscydmus*), Schaufuss, *l.c.*, p. 5.  
 Hab. Singapur.
- Reitterii*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 392, 407.  
 Hab. Java.
- sericeicollis*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 503 ; (*Pseudomicrus*) *ib.*,  
 xli (i), p. 259.  
 Hab. India.
- similis* (*Scydmaenus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 39.  
 Hab. Singapur.
- simulus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1881, p. 427.  
 Hab. Borneo, Telang.
- subsimilis*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 393, 415.  
 Hab. Borneo, Sarawak.
- tenuicornis*, Schaufuss, *l.c.*, p. 393, 416.  
 Hab. Java.
- timendus* (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 4.  
 Hab. Singapur.
- uncinatus*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 393, 419.  
 Hab. Sumatra.
- vittatus* (*Cyrtoscydmus*), Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 11.  
 Hab. Singapur.

### Genus **HORAEOMORPHUS.**

Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 21.

*eumicrodes*, Schaufuss, *l.c.*, p. 21.

Hab. Singapur.

### Genus **SYNDICUS.**

Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 502 : *id*, xlvi (1), 1869, p. 259 : Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 404.

*paeninsularis*, Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 22.

Hab. Singapur.

*pilicornis*, Motschulsky, Bull. Mosc., xxiv (4), 1851 p. 503 : Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 391.

*principulus*, Schaufuss, Hor. Ent. Ross., xxi, 1887, p. 114.  
Hab. Sumatra.

*sumatrensis*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 391, 405.

Hab. Sumatra, Mt. Singalan.

### Genus **GLANDULARIA.**

Schaufuss, Deutsche Ent. Zeits., xxxiii, 1889, p. 3.

*appendiculata*, Schaufuss, *l.c.*, p. 25.  
Hab. Singapur.

*Erichsonii*, Schaufuss, *l.c.*, p. 24.  
Hab. Singapur.

*fricatoris*, Schaufuss, *l.c.*, p. 23.  
Hab. Singapur.

*interrupta*, Schaufuss, *l.c.*, p. 26.  
Hab. Singapur.

*quadrifoveolata*, Schaufuss, *l.c.*, p. 25.  
Hab. Singapur.

### Genus **CLIDICUS.**

Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 396 : Lacord., Gen. Col., ii, p. 189 : Mun. Cat., p. 715 : Reitter, Wien Ent. Zeit., vi, 1887, p. 64, 303.

*formicarius*, Pascoe, Jl. Ent., ii (1863), 1866, p. 28, t. 2, f. 3 : Reitter, Wien. Ent. Zeit., vi, p. 61, 303.

? *Doriae*, Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 394, 419.  
Hab. Java, Sumatra.

*grandis*, Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 397 ; *id*, Etud. Ent., i, 1834, p. 138 : Fairmaire, Ann. Soc. Ent. Fr., 1856, p. 529 : Lacord. Gen. Col., ii, p. 189, Atlas, t. 16, f. 4 : Gestro, Ann. Mus. Civ. Gen., xii, p. 145, 147, fig. : Reitter, Wien Ent. Zeit., vi, p. 304.

*Ganglbaueri*, Reitter, Wien Ent. Zeit., vi, 1887, p. 61.  
Hab. Borneo, Java.

*monstrosus.* (*Erineus*) Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 206.  
Hab. Ceylon,

*taphrocephalus*, R. Gestro, Ann. Mus. Civ. Gen., xii, 1878, p. 144, fig.: Reitter,  
Wien Ent., Zeit., vi, p. 303.  
*grandis*, Reitter, l.c., p. 64 (*nec Casteln.*).  
Hab. Borneo, Sarawak.

### Genus AGATHELOR.

Schaufuss, Ann. Mus. Civ. Gen., (2s.) i, 1883, p. 420.

*brevitarse*, Schaufuss, l.c., p. 394, 421.

Hab. Borneo,

*deplanatum*, Schaufuss, l.c., p. 394, 421.

Hab. Borneo.

### Family PSELAPHIDÆ.

*Catalogue of the Insecta of the Oriental Region*, No. 11. Order Coleoptera,

Family PSELAPHIDÆ.—By E. T. ATKINSON, B. A.

Leconte describes the *Pselaphidae* as comprising a number of very small insects, not exceeding one-eighth of an inch in length, of a chestnut-brown colour, usually slightly pubescent: the head and thorax are most frequently narrower than the elytra and the abdomen, the latter is convex, and usually obtuse at the apex. Many are found flying at twilight, others in ants' nests, or under stones or bark. The general form is that of the *Scydmaenidae* from which the *Pselaphidae* are distinguished by the truncate, short elytra that leave a part of the abdomen exposed, and the narrow, transverse, usually not contiguous, posterior coxae. Dr. L. W. Schaufuss<sup>1</sup> distributed the genera into six groups arranged according to the number of the antennal joints:—*Articerides*, *Adranides*, *Goniastides*, *Clavigerides*, *Cyathigerides* and *Pselaphides*. This arrangement was reviewed by Dr. E. Reitter,<sup>2</sup> in 1882, who formed five sub-families, *Ctenistini*, *Batrissini*, *Bryaxini*, *Pselaphini* and *Euplectini*. Leconte & Horn,<sup>3</sup> give two sub-families, *Clavigerinae* and *Pselaphinæ*, the latter of which is again sub-divided into groups.

*List of principal works quoted.*

Aube, C. :—

Monographie des Psélaphiens, Rev. Mag. Zool. 1831.

'Note sur la famille des Psélaphiens,' in Ann. Soc. Ent. Fr., ii, 1833, p. 502.

Révision de la famille des Psélaphiens, in Ann. Soc. Ent. Fr., (2s.) ii, 1834, p. 73.

<sup>1</sup> Nunquam Otiosus, ii, 1872, p. 213.

<sup>2</sup> Ins. Deutschl., iii, 1882, p. 10: Verh. Ver. Brünn, xx, 1882, p. 177.

<sup>3</sup> Class. Col., 1883, p. 85.

King, R. L. :—

On the Pselaphidae of Australia, in Trans. Ent. S. N. S. Wales, i, 1864, p. 37, 102.

MOTSCHULSKY, V. :—

Enumération des nouvelles espèces des coléoptères rapportés de son voyage, in Bulletin de la Société Impériale des Naturalistes de Moscou, xxiv (4), 1851, p. 479.

In this paper there are numerous species either undescribed, or imperfectly described, and which are therefore omitted from this catalogue. Some have the letters 'M P' attached to them which stand for 'Museum of Prague,' and it is stated that M. Dornietzer would subsequently describe the species so marked, but I have not been able to trace any reference to the premised descriptions. I have admitted as good some species subsequently identified, and have omitted the following though recorded in the Munich catalogue :—

<i>Acmeonotus Motschulskyi</i> ,	Bull. Mosc., l.c.,	p. 483	—!
<i>Butrius armiger</i> ,	l.c.,	p. 485.	Bengal,
" <i>bryzoides</i> ,	l.c.,	p. 484.	Bengal.
" <i>bucephalus</i> ,	l.c.,	p. 487.	India.
" <i>Dennyi</i> ,	l.c.,	p. 487.	India.
" <i>excavatus</i> ,	l.c.,	p. 485.	Bengal.
" <i>femoralis</i> ,	l.c.,	p. 487.	India.
" <i>fossulatus</i> ,	l.c.,	p. 489.	Bengal.
" <i>foveicollis</i> ,	l.c.,	p. 488.	Bengal.
" <i>grandis</i> ,	l.c.,	p. 489.	India.
" <i>Helferi</i> ,	l.c.,	p. 489.	India.
" <i>Lecontei</i> ,	l.c.,	p. 486.	India.
" <i>macrocerus</i> ,	l.c.,	p. 487.	India.
" <i>mucronatus</i> ,	l.c.,	p. 485.	India.
" <i>nitidulus</i> ,	l.c.,	p. 486.	India.
" <i>nodifrons</i> ,	l.c.,	p. 485.	India.
" <i>nodosus</i> ,	l.c.,	p. 486.	Bengal.
" <i>pepus</i> ,	l.c.,	p. 489.	Bengal.
" <i>piliferus</i> ,	l.c.,	p. 484.	Bengal.
" <i>puncticollis</i> .	l.c.,	p. 485.	India.
" <i>Reichenbachii</i> ,	l.c.,	p. 486.	India.
" <i>sculpticollis</i> ,	l.c.,	p. 489.	India.
" <i>spiniventris</i> ,	l.c.,	p. 486.	Bengal.
" <i>ventralis</i> ,	l.c.,	p. 484.	India.
<i>Bryaxis brevicornis</i> ,	l.c.,	p. 493.	India.
" <i>castanoptera</i> ,	l.c.,	p. 491.	Calcutta.
" <i>clavata</i> ,	l.c.,	p. 491.	Calcutta.
" <i>crassicornis</i> ,	l.c.,	p. 492. ( <i>nec</i> Broun)	Calcutta.
" <i>decorata</i> ,	l.c.,	p. 494.	India.
" <i>dilatata</i> ,	l.c.,	p. 492.	India.
" <i>extensa</i> ,	l.c.,	p. 494.	India.
" <i>indistincta</i> ,	l.c.,	p. 491.	Bengal.
" <i>lata</i> ,	l.c.,	p. 491.	Calcutta.

<i>Bryaxis simplex,</i>	<i>l.c., p.</i>	491.	India.
" <i>suturella,</i>	<i>l.c., p.</i>	491.	India.
<i>Centrophthalmus Horsfieldii,</i>	<i>l.c., p.</i>	479.	Bombay.
" <i>longicornis,</i>	<i>l.c., p.</i>	480.	India.
" <i>orbicollis,</i>	<i>l.c., p.</i>	480.	India.
" <i>pilosus,</i>	<i>l.c., p.</i>	480.	India.
" <i>thoracicus,</i>	<i>l.c., p.</i>	480.	India.
<i>Claviger Ilageni,</i>	<i>l.c., p.</i>	502.	—?
<i>Ctenistes angusticollis,</i>	<i>l.c., p.</i>	481.	India.
" <i>costulatus,</i>	<i>l.c., p.</i>	481.	India.
" <i>hindustanus,</i>	<i>l.c., p.</i>	481.	Bombay.
" <i>longicornis,</i>	<i>l.c., p.</i>	481.	India.
<i>Euplectus elongatus,</i>	<i>l.c., p.</i>	501.	India.
" <i>pulcher,</i>	<i>l.c., p.</i>	499.	India.
" <i>Westwoodi,</i>	<i>l.c., p.</i>	500.	India.
<i>Glyptosoma Paulinae,</i>	<i>l.c., p.</i>	480.	India.
<i>Harmophorus gibbioides,</i>	<i>l.c., p.</i>	490.	India.
<i>Mecochelia impressa</i>	<i>l.c., p.</i>	481.	India.
" <i>simplex</i>	<i>l.c., p.</i>	481.	India.
<i>Metaxis corpulentus,</i>	<i>l.c., p.</i>	490.	India.
" <i>lativentris,</i>	<i>l.c., p.</i>	490.	India.
" <i>politus,</i>	<i>l.c., p.</i>	490.	India.
<i>Pselaphus elegans,</i>	<i>l.c., p.</i>	483.	India.
<i>Trimium abdominalie,</i>	<i>l.c., p.</i>	499.	India.

## LACORDAIRE, T.:—

Genera des Coléoptères, ii, 1854, p. 158.

## RAFFRAY, A.:—

Psélaphidés nouveaux ou peu connus, Rev. d'Ent., i, 1882, p. 1, 25, 49, 73 : ii, 1883, p. 229 ; vi, 1887, p. 18, 61. This writer is bringing out a complete revision of the family in Rev. d'Ent. 1890, which I regret that I cannot make use of.

## REITTER, E.:—

Versuch einer systematischen Eintheilung der Clavigerinen und Pselaphiden, in Verh. Ver. Brünn, xx, 1882, p. 177 : id., Ins. Deutschl., iii 1882, p. 10.

Bestimmungs-tabellen der Europäischen Coleoptera, v, enthaltend *Clavigeridae*,

*Pselaphidae* und *Seydmænidæ*, in Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 443.

Beitrag zur Pselaphiden und Seydmæniden Fauna von Java und Borneo, l.c. xxxii, 1882, p. 283 ; xxxiii, 1883, p. 387.

Neue im südlichen Brasilien gesammelte Pselaphiden, in Deutsche Ent. Zeits., xxxii, 1888, p. 225.

## SCHAUFUSS, C.:—

Catalogus synonymicus Pselaphidarum, in Tijds. v. Ent., xxxi, 1888.

## SCHAUFUSS, L. W.:—

Notes on classification, in Nunquam Otiosus 1872, p. 243.

Die Psélaphiden Siam's. Dresden, 1877.

The Pselaphidæ and Seydmænidæ from the Sunda Islands in the Leyden Museum, in Notes Leyden Mus, iv, 1882, p. 145 : Tijds. v. Ent., xxv, 1882, p. 65.

*Pselaphinorum spuriorum monographia*, in Ann. Mus. Civ. Gen., xviii, 1882, p. 166.  
*Pselaphidarum monographiae*, *l.c.*, p. 173. Adranini. *Neue Pselaphiden in Museo civico di Storia Naturale Genna*, *l.c.*, p. 349.

Beschreibung neuer Pselaphiden aus der Sammlung des Museum Ludwig Salvator, in Tijdschrift voor Entomologie uitgegeven door de Nederlandische Entomologische Vereeniging, xxix, 1885, p. 241; xxx, 1887, p. 91. With this paper may be read, the 'Bemerkungen' of E. Reitter, in *ib.*, xxx, p. 316.

Ueber Pselaphiden und Seydmæniden des Konig. Zool. Mus. Berl., in Berlin Ent. Zeits., xxxi, 1887, p. 287. See also Reitter's criticism thereon in *ib.*, xxxii, 1888, p. 465.

SCHMIDT :—

Beitrag zur Mon. d. Pselaphiden. Prag, 1838.

SHARP, D. :—

*Pselaphidae of Japan*, Trans. Ent. S. Loud., 1874, p. 105; 1883, p. 291: Australia and New Zealand, *l. c.*, p. 483: Central America, Biol. Centr. Amer., Col. ii (i), 1887, p. 10.

WESTWOOD, J. O. B. :—

Thesaurus Ent. Oxon., 1874, p. 96.

### Family PSELAPHIDAE.

Lacordaire, Gen. Col., ii, 1854, p. 158: Jacq. Duval, Gen. Col. Eur., i, p. 127: Leconte & Horn, Class. Col., 1883, p. 84.

CLAVIGERINI :—Leach, Edinb. Encycl., 1815: Jacq. Duval, Gen. Col. Eur., i, p. 128: Sankey, Pet. Nouv. Ent., 1873, p. 539: Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 447: Leconte & Horn, Class Col., p. 85.  
 Adranini, Schaufuss, Ann. Mus. Civ. Gen. xviii, 1883.

### Genus ARTICERUS.

Dalman, Kon. Vet.-Aka. Handl., 1825, p. 398: Hope, Trans. Ent. S. Lond., iv, 1842, p. 106: Aubé, Rév. Psel., Ann. Soc. Ent. Fr., (2s) ii, 1844, p. 155; *id.*, *l. c.*, (4s) v, 1863, p. 13: Sauley, *l. c.*, (5s) iv, 1874, p. 21: Lacord., Gen. Col., ii, p. 181: Mun. Cat., p. 699: King, Trans. Ent. S. N. S. Wales, ii (i), 1869, p. 56: Sharp, Nonv. et faits, 1878, p. 63: Schaufuss, Ann. Mus. Civ. Gen., xviii, p. 176: Reitter, Verh. Zool. bot. Ges Wien, xxxi, 1881, p. 447: Wien Ent. Zeit., i, 1882, p. 68.

*Commatocerus*, Raffray, Rev. d' Ent., i, 1882, p. i; *ib.*, ii, p. 229.

*Fustiger*, Brendel, Proc. Ent. S. Philad., vi, 1866, p. 189: Schaufuss, Ann. Mus. Civ. Gen., xviii, p. 197.

*Mastiger*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 501: Mun. Cat. p. 698.

*abruptus* (*Mastiger*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 501.  
 Hab. Calcutta.

*armatus*, Dalman, Kon. Vet. Aka. Handl., 1825, p. 398, t. 4, f. 12 : Aubé, Rév. Pscl., p. 64, t. 94, f. 3 : Schaufuss, Ann. Mus. Civ. Gen., xviii, p. 187.  
Hab. India.

? *quadriscopulatus*, Schaufuss, Rev. Mens. d' Ent., i, 1883, p. 2.  
Hab. Sumatra.

**PSELAPHINI** :—Newman, Entomologist, 1834 : Lacord., Gen. Col., ii, p. 163 : Jacq. Duval, Gen. Col. Eur., i, p. 129.

### Genus CYATHIGER.

King, Trans. Ent. Soc. N. S. Wales, i, 1865, p. 174 : Mun. Cat., p. 693 : Raffray, Rev. d' Ent., i, 1882, p. 5.

*Baumeisterii*, Reitter, Verb. Zool. bot. Ges. Wien, xxxiii, 1883, p. 388.  
Hab. Borneo, Telang.

*Schaufussii*, Reitter, l. c., p. 389.  
Hab. Borneo, Telang.

*Simonis*, Reitter, l. c., p. 387.  
Hab. Borneo, Telang, Tameangleiang.

### Genus CTENISTES.

Reichenbach, Mon. Pselaph., 1816, p. 75 : Aubé, Mon. Pselaph., p. 17 ; id., Rév. Pscl., Ann. Soc. Ent. Fr., 1844, p. 96 : Lacord., Gen. Col., ii, p. 165 : Jacq. Duval, Gen. Col. Eur., i, p. 132 : Mun. Cat., p. 681 : Leconte & Horn, Class Col., p. 87 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 450, 458.

*Dionyx*, Lep. and Serv., Enc. Méth., x, 1827, p. 220.

*Poroderus*, Sharp, Trans. Ent. S. Lond., 1883, p. 294.

*Sognorus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 458.

*birmanensis*, Motschulsky, Bull. Mosc., xxxiv (4), 1851, p. 481.  
Hab. India.

*gibbiventris* (*Sognorus*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 283.  
Hab. Batavia.

*mitis*, Schaufuss, Tijdschr. v. Ent., xxv, 1882, p. 74 : Notes Leyden Ms., iv, 1882, p. 154 ; Berlin Ent. Zeits., xxxi, 1887, p. 288.  
Hab. S. E. Borneo, Telang, Pengaron.

### Genus ENOPTOSTOMIS.

Schäum, Wollaston Cat. Col. Can., 1864, p. 528 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 450, 459.

*Glyptosoma*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 480.

*angusticeps*, Schaufuss, Berlin, Ent. Zeits., xxxi, 1887, p. 289 ; id., ibid. xxxi, 1887, p. 289.  
Hab. Ceylon.

*birmanus*, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 276.

Hab. Burma.

*globulipalpis* (*Centrotoma*), Schmidt, Beitr. z. Mon. Pscl., 1838, p. 14, t. 2, f. 10.

Hab. India, Calcutta.

*javanus*, Schaufuss, Tijds, v. Ent. xxv, 1882, p. 73; *id.*, Notes Leyden Mus., iv, p. 153.

Hab. Java.

*opacus*, Schaufuss, Festschr. Soc. Ent. Belg., 1880, p. 35; *id.*, Nung. Otios., iii, p. 511.

Hab. India.

*siamensis*, Schaufuss, Festschr. *I.c.*, (Sechs. neue Psclaph.), 1880, p. 35; *id.*, Nung. Otios. iii, p. 511; Ann. Mus. Civ. Gen., xviii, p. 361.

Hab. Siam, Celebes, Macassar.

### Genus **TMESIPHORUS**.

Leconte, Boston Journ. N. II., vi, 1849, p. 75: Lacord., Gen. Col., ii, p. 166: Mun. Cat., p. 682: Leconte & Horn, Class. Col., p. 87.

*Raphitreus*, Sharp, Trans. Ent. S. Lond., 1883, p. 298.

*Sintectes*, Westwood, Trans. Ent. S. Lond., 1870, p. 129: Leconte, Proc. Ac. N. S. Philad., 1873, p. 327.

*Tmesiphoroides*, Motschulsky, Et. Ent., 1856, p. 56.

*armatus*, Raffray, Rev. d'Ent., i, 1882, p. 11.

Hab. Singapur.

*Croesus* (*Sintectodes*), Schaufuss, Berlin. Ent. Zeits., xxxi, 1887, p. 296.

Hab. Ceylon.

*pubescens*, Raffray, Rev. d'Ent., i, 1882, p. 13.

Hab. Java.

*Raffrayi*, C. Schaufuss, Cat. Psclaph., 1888, p. 89.

*umbrosus*, Raffray, Rev. d'Ent., ii, 1883, p. 234, t. 4, f. 9.

Hab. Burma.

*umbrosus*, Raffray, Rev. d'Ent., i, 1882, p. 10.

Hab. Java.

### Genus **SINTECTODES**.

Reitter, Verh. Ver. Brünn., xx, 1881, p. 185, 192.

*Tmesiphorus*, Sharp (nec Leconte), Trans. Ent. S. Lond., 1874, p. 109.

*diversipalpis*, Reitter, Deutsche Ent. Zeits., xxix, 1885, p. 333, t. 2, f. 20.

Hab. Ceylon.

### Genus **ODONTALGUS**.

Raffray, Rev. Mag. Zool., (3s.) v, 1877, p. 286.

*vestitus*, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 213.

Hab. Sumatra.

### Genus RYXABIS.

Westwood, Trans. Ent. S. Lond., 1870, p. 132; *id.*, Thes. Ent. Oxon., p. 101.  
*Somatipion*, Schaufuss, Nunq. Otios., ii, p. 457.

*anthicoides*, Westwood, Trans., Ent. S. Lond., 1870, p. 132; *id.*, Thes., l.c., p. 102, t. 4, f. 12.  
 Hab. Singapur.

### Genus TAPHROSTETHUS.

Schaufuss, Bull. Soc. Ent. Fr., (6s.) ii, 1882, p. 111.

*Epicaris*, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1883, p. 370; *id.*, Tijds. v. Ent., xxix, 1886, p. 274.

*hamotoides* (*Epicaris*), Schaufuss, Ann. Mus. Civ. Gen., xviii, 1883, p. 370.  
 Hab. Borneo, Sarawak.

### Genus ENANTIUS.

Schaufuss, Nunq. Ot., ii, 1877, p. 459; *id.*, Pselaph. Siam, p. 18.

*punctipennis*, Schaufuss, Psel. Siam, 1877, p. 18.  
 Hab. Siam, Baugkok.

*rostratus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 390, t. 20, f. 1.  
 Hab. Borneo.

### Genus CENTROPHTHALMUS.

Schmidt, Beitr. z. Mon. d. Pselaph., i, 1838, p. 7, t. 1, f. 1: Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 450, 459.

*Camaldus*, Fairmaire, Ann. Soc. Ent. Fr., (4s.) iii, 1863, p. 637.

*bispinus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 390, t. 20, f. 2.  
 Hab. Borneo, Telang.

*Clementis*, Schaufuss, Pselaph. Siam's, 1877, p. 20.  
 Hab. India.

*divisus*, Reitter, Verh. Zool. bot. Ges. Wien., xxxiii, 1883, p. 390.  
 Hab. Borneo, Telang.

*femoralis*, Reitter, l.c., xxxii, 1882, p. 284: Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 288.  
 Hab. Batavia, Ceylon.

*forticornis*, Schaufuss, Pselaph. Siam's, 1877, p. 21.  
 Hab. Siam.

*Paria*, Schmidt, Beitr. z. Mon. d. Psel., 1838, p. 8, t. 1, f. 1: Motsch., Bull. Mosc. xxiv (4), 1851, p. 480.  
 Hab. Calcutta.

*punctipennis*, Schaufuss, Pselaph. Siam's, 1877, p. 21; *id.*, Tijds. v. Ent., xxv, p. 73 ; Notes Leyden Mus., iv, p. 153 ; Ann. Mus. Civ. Gen., xviii, p. 359.

var. *inaequalis*, Schaufuss, Pselaph. Siam's, 1877, p. 21.

„ *punctatissimus*, Schaufuss, i.e., p. 21.

Hab. Siam, Batavia, Borneo, Celebes, Macassar.

*quadrifasciatus*, Schaufuss, Pselaph. Siam's, 1877, p. 22; *id.*, Tijds. v. Ent., xxv, p. 73.

Hab. Singapur, E. Java, Batavia.

### Genus **SUBULIPALPUS.**

Schaufuss, Nunq. Ot., ii, 1877, p. 459; *id.*, Psel. Siam's, p. 23.

*spinicoxis*, Schaufuss, Psel. Siam's, 1877, p. 23.

Hab. Siam, Bangkok.

### Genus **TYRUS.**

Aubé, Mag. Zool., iii, 1833, p. 15 : Erichson, Käfer Mark Brand., i, 1837, p. 263 : Lacord., Gen. Col., ii, p. 167 : Jacq. Duval, Gen. Col. Eur., i, p. 132 ; Mun. Cat. p. 682 : Leconte & Horn, Class. Col., p. 87 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 450, 459.

*histrion*, Schaufuss, Berlin. Ent. Zeits., xxxi, 1887, p. 297.

Hab. Ceylon.

*javanicus*, Raffray, Rev. d'Ent., i, 1882, p. 30.

Hab. Java.

### Genus **PSELAPHODES.**

Westwood, Trans. Ent. S. Lond., 1870, p. 129; *id.*, Thes. Ent. Oxon., 1874, p. 99.

*Atherocolpus*, Raffray, Rev. d'Ent., i, 1882, p. 15.

*foveolatus*, Raffray, l.c., p. 15, t. 1, f. 13.

Hab. Singapur.

*heterocerus*, Raffray, l.c., p. 16, t. 2, f. 14-16.

Hab. Java.

*villosus*, Westwood, Trans. Ent. S. Lond., 1870, p. 129; *id.*, Thes. Ent. Oxon., p. 99,

t. 4, f. 6.

Hab. Borneo, Sarawak.

### Genus **ARNYLLIUM.**

Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 391.

*ensipes*, Reitter, l.c., p. 392, t. 20, f. 10.

Hab. Borneo.

*parviceps*, Reitter, l.c., p. 392.

Hab. Bornco.

**pectinatum**, Reitter, *l.c.*, p. 391, t. 20, f. 9 : Schaufuss, Berlin. Ent. Zeits., xxxi, 1887,

p. 289.

Hab. Borneo.

### Genus **BATRISUS**.

**Aubé**, *Mon. Pselaph.*, Mag. Zool., 1833, p. 45; *id.*, *Révision*, Ann. Soc. Ent. Fr., (2s.) ii, 1844, p. 80 : *Lacord.*, Gen. Col., ii, p. 171 : *Jacq. Duval*, Gen. Col. Eur., i, p. 130 : *Mun. Cat.*, p. 687 : Reitter, Deutsche Ent. Zeits., xxv, 1882, p. 133 ; *id.*, *ib.*, xxxiii, 1888, p. 244 ; *id.*, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 451, 463 ; *ib.*, *Syn.*, xxxiii, 1883, p. 393 : Leeonte & Horn, Class. Col., p. 88 : Sharp, Biol. Centr. Amer., Col., ii (i), p. 10.

*Arthmius*, Leconte, Boston Jl. Nat. Hist., vi, 1849, p. 91 ; Class. Col., p. 88.

*Batrisodes*, Reitter, Deutsche Ent. Zeits., xxiv, 1882, p. 134 ; Deutschl. Ins., iii, p. 29.

*Oxarthrius*, Reitter, Deutsche Ent. Zeits., xxxiii, 1888, p. 248.

*Syrbatus*, Reitter, Deutsche Ent. Zeits., xxiv, 1882, p. 134.

**abbreviatus** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 285.

Hab. Borneo, Tumbang Hiang.

**Achillei**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 886.

Hab. Java, Tsibodas.

**angulipes**, Schaufuss, *l.c.*, p. 391.

Hab. Borneo, Sarawak.

**angusticollis**, Raffray, Rev. d'Ent., i, 1882, p. 74.

Hab. Java.

**anthicus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 487 : Schauf., Bull. Soc. Ent.

Fr., (6s.) ii, 1882, p. cxii.

Hab. India, Burma.

**architectus** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 397, t. 20, f. 4.

Hab. Borneo, Tameangleiang.

**basalis**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 396.

Hab. Sumatra Ajer Mantecor.

**batavianus** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 284.

Hab. Borneo, Tameangleiang.

**bipunctulus** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien., xxxiii, 1883, p. 394.

Hab. Borneo.

**birmanus**, Schaufuss, Ann. Mus. Civ. Geu., xviii, 1883, p. 394.

Hab. Burma.

**brevis**, Schaufuss, *l.c.*, p. 396.

Hab. Borneo, Sarawak.

**capitatus**, Raffray, Rev. d'Ent., i, 1882, p. 73.

Hab. Java.

- cavifer** (*Batrissodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 395.  
 Hab. Borneo, Telang.
- celebensis**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 373 : (*Syrbatus*) Reitter,  
*Syn.*, p. 393.  
 Hab. Celebes, Macassar, Bornco.
- claviger** (*Batrissodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 395.  
 Hab. Bornco, Telang.
- oustos**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 138.  
 Hab. Borneo.
- Dohrnii**, Schaufuss, *l.c.*, 1887, p. 137.  
*plieatus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 489 : Schaufuss, Bull.  
 Soc. Ent. Fr., (6s.) ii, 1882, p. cxvii.  
 Hab. India, Burma.
- excisus**, Schaufuss, Pselaph. Siam's 1877, p. 16 ; *id.*, Ann. Mus. Civ. Gen., xviii,  
 p. 379.  
 Hab. Siam.
- exiguus**, Raffray, Rev. d'Ent., i, 1882, p. 61.  
 Hab. Java.
- fundaebrazzatus**, Schaufuss, Tijds. v. Ent., xxv, 1882, p. 71 ; *id.*, Notes Leyden  
 Mus., iv, 1882, p. 151 ; Ann. Mus. Civ. Gen., xviii, p. 383 : (*Batrissodes*) Reitter,  
*Syn.*, p. 398 ; Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 285.  
 Hab. Batavia, Telang, Barabei.
- Grouvelii**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 378 : (*Batrissodes*) Reitter,  
*Syn.*, p. 393.  
 Hab. Sumatra.
- grypochirus**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 379.  
 Hab. Borneo, Sarawak.
- heterocerus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 484.  
 Hab. India.
- holosericeus**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 387.  
 Hab. Sumatra, Singalang.
- incertus**, Schaufuss, *l.c.*, p. 392.  
 Hab. Borneo, Sarawak.
- indus**, Schaufuss, *l.c.*, p. 375 : (*Batrissodes*) Reitter, *Syn.*, p. 393.  
 Hab. Borneo, Sarawak.
- Javanus**, Raffray, Rev. d'Ent., i, 1882, p. 63.  
 Hab. Java.
- laminidens** (*Batrissodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 397,  
 t. 20, f. 5.  
 Hab. Bornco.
- lateridens**, Reitter, *l.c.*, p. 398.  
 Hab. Borneo, Tameanglciang.

- longipennis**, Raffray, Rev. d'Ent., i, 1882, p. 64 : Schaufuss, Ann. Mus. Civ. Gen., xviii, p. 387.  
 Hab. Java.
- margaritifer**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 377.  
 Hab. Sumatra.
- morulus** (*Syrbatus*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 285.  
 Hab. Batavia.
- nicotianus**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 393.  
 Hab. Sumatra.
- orbicollis**, Reitter, Verb. Zool. bot. Ges. Wien, xxxiii, 1883, p. 399, t. 20, f. 8.  
 Hab. Borneo, Telang.
- pallidus**, Raffray, Rev. d'Ent., i, 1882, p. 74.  
 Hab. Java.
- physoderes**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 383.  
 Hab. Sumatra.
- proportionis**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 395.  
 Hab. Sumatra, Ajer Mantcior.
- pubesoens**, Raffray, Rev. d'Ent., i, 1882, p. 62.  
 Hab. Java.
- pubifer** (*Batrisodes*), Reitter, Verb. Zool. bot. Ges. Wien, xxxiii, 1883, p. 397.  
 Hab. Borneo, Telang.
- quaestus**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 139.  
*semisulcatus*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 487.  
 Hab. India, Burma.
- Raffrayii** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 285.  
*bicolor*, Raffray, Rev. d'Ent., i, 1882, p. 63 (*nec* Reitter).  
 Hab. Java.
- Ritsemae**, Schaufuss, Tijds. v. Ent., xxv, 1882, p. 70 ; *id.*, Notes Leyden Mus., iv., 1882, p. 150.  
 Hab. Sumatra, Bengoolen.
- sarawakenensis**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 381.  
 Hab. Borneo, Sarawak.
- souplituratus**, Schaufuss, Tijds. v. Ent., xxv, 1882, p. 71 ; *id.*, Notes Leyden Mus., p. 151.  
 Hab. E. Java, Ardjoeno.
- semisulcatus**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 391, (*neo* Motsch.).  
 Hab. Java.
- septemdentatus**, Schaufuss. l.c. p. 376 : (*Batrisodes*) Reitter, Syn., p. 393.  
 Hab. Borneo, Sarawak.
- septemfoveolatus**, Schaufuss, Pselaph. Siam's, 1877, p. 15.  
 Hab. Siam.
- similis**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 395,  
 Hab. Sumatra.

**spinicollis**, Motschulsky, Et. Ent., vii, 1858, p. 27.

Hab. Ceylon.

**spinidens** (*Syrbatus*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 898, t. 20, f. 7.

Hab. Borneo.

**spinosus**, Motschulsky, Et. Ent., vii, 1858, p. 28.

Hab. India.

**superbus**, Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 393.

Hab. Sumatra.

**tarsalis** (*Batrisodes*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 396, t. 20, f. 6.

Hab. Borneo, Bearbei, Telang.

**vestigifer** (*Batrisodes*), Reitter, l.c., p. 394, t. 20, f. 3.

Hab. Bornco.

### Genus DIROPTRUS.

Motschulsky, Et. Ent., vii, 1858, p. 28 : Mun. Cat., p. 693.

*Listriophorus*, Schaufuss, Nunq. Otios., ii, p. 245, 289 : Reitter, Verh. Ver. Brünn, xx, 1882, p. 189 : Sharp, Biol. Centr. Amer. Col. ii (i), p. 21.

**ceylonicus**, Motschulsky, Et. Ent., vii, 1858, p. 28.

Hab. Ceylon.

### Genus BERLARA.

Reitter, Verh. Ver. Brünn., 1882, p. 189, 206 ; id., Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 286.

**crassipalpis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 287, ♂ ; id., Deutsche Ent. Zeits., xxix, 1885, p. 336, t. 3, f. 21-23.

Hab. Batavia.

### Genus BATRISOSCHEMA.

Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 899.

**lateridentata**, Reitter, l.c., p. 400, t. 20, f. 11.

Hab. Borneo, Barabci.

### Genus BORNEANA.

Schaufuss, Bull. Soc. Ent. Fr., (6s.) ii, 1882, p. cxl.

**biformis**, Schaufuss, l.c., p. cxli.

Hab. Borneo, Mompawa.

### Genus BRYAXIS.

Leach, Zool. Misc., iii, 1817, p. 85 : Aubé, Ann. Soc. Ent. Fr., (2s.) ii, 1844, p. 103 : Lacord., Gen. Col., ii, p. 174 : Jacq. Duval, Gen. Col. Eur., i, p. 181 : Mun. Cat., p. 690 : Casey, Bull. Calif. Ac. Scien., ii, 1886, p. 179 : Saulcy, Soc. Hist. Nat. Metz, 1876 : Raffray, Rev. d'Ent., i, 1882, p. 30 : Gredler, Z. Ferd., (3) 26, p. 219,

note : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 451, 464 ; tab. syn., l.c., xxxiii, 1883, p. 401 : Leconte & Horn, Class Col., p. 88 : Sharp, Biol. Centr. Amer., Col., ii (i), p. 24.

*Acamaldes*, Reitter, Deutsche Ent. Zeits., xxiv, 1882, p. 140.

*Anthicus*, pt. Fabr., Syst. Eleuth., i, 1801, p. 288.

*Brachygluta*, Thomsou, Skand. Col., i, 1859, p. 4 ; iii, p. 236 : Reitter, Verh. l.c. 1881, p. 465.

*Byrawix*, Reitter, Verh. Ver. Brünn, xviii, 1880, p. 16.

*Cryptorhinula*, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 150.

*Dicrobia*, Thomson ; teste Reitter.

? *Metaxis*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 490 : Mun. Cat., p. 68<sup>m</sup>.

*Nisa*, Casey, Bull. Calif. Acad. Sci., ii, 1886, p. 182.

*Nisaxis*, Casey, l.c., p. 183.

*Reichenbachia*, Lench, Zool. Journ., ii, 1826 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 464, 474 ; ib., xxxiii, p. 401.

*Rybaxis*, Stauley, Bull. Soc. Metz., (2s.) xvi, 1883, p. 28 : Reitter, l.c. *supra*, p. 464, 477.

*affinissima* (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 402.

Hab. Borneo, Tameanglaiang, Pengaron.

*amica* (*Rybaxis*), Reitter, l.c., p. 405.

Hab. Borneo, Pengaron.

*amitta* (*Reichenbachia*), Reitter, l.c., p. 402.

Hab. Borneo, Barabei.

*atomus*, Schaufuss, Berlin. Ent. Zeits., xxxi, 1887, p. 294.

Hab. Sumatra.

*clara*, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 113.

Hab. Sumatra.

*aurita*, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 115.

? var. *intuscurvata*, Schaufuss, q. v.

Hab. Sumatra.

*cymbularia* (*Rybaxis*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 292.

Hab. Batavia.

*expanda* (*Reichenbachia*), Reitter, l.c., p. 288 : Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 291.

Hab. Batavia.

*extuscurvata*, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 114.

Hab. Sumatra.

*fulva*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 493 : Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 292.

Hab. India, ? Burma.

*gigantea* (*Rybaxis*), Motschulsky, l.c., xxxvi (2), 1863, p. 422.

Hab. Ceylon.

- Grabowskyi** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 289.  
 Hab. Borneo, Tumbang Hiang, Telang.
- imperatrix** (*Rybaxis*), Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 363.  
 Hab. Borneo, Sarawak.
- inconspicua**, Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 294.  
 Hab. Sumatra.
- ingrata** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 403.  
 Hab. Borneo.
- integrostriata** (*Reichenbachia*), Reitter, l.c., p. 403, t. 20, f. 12.  
 Hab. Borneo, Telang.
- intuscurvata**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 115.  
 ? var. *aurita*, Schaufuss, l.c., p. 115, q.v.  
 Hab. Sumatra.
- invalida** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 288.  
 Hab. Borneo.
- lameiicornis** (*Reichenbachia*), Reitter, l.c., p. 290.  
 Hab. Borneo, Tumbang Hiang.
- negligens** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 403.  
 Hab. Borneo, Pengaron.
- nigrocephala** (*Brachygluta*), Schaufuss, Pscl. Siam's, 1877, p. 10.  
 Hab. Siam, Bangkok.
- nitidissima**, Raffray, Rev. d'Ent., i, 1882, p. 36.  
 Hab. Java.
- nubila** (*Rybaxis*), Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 292.  
 Hab. Borneo, Tumbang Hiang.
- ornatissima**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 115.  
 Hab. Sumatra.
- pilicollis** (? *Metaxis*), Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 421.  
 Hab. Ceylon.
- pilifera**, Motschulsky, l.c., xxiv (4), 1851, p. 494.  
 Hab. India.
- punctithorax** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 290.  
 Hab. Java, Batavia, Borneo, Tambang Hiang.
- rufa**, Schmidt, Beitr. z. Mon. d. Psel., 1838, p. 6: (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 287: Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 289: Reitter, ib., xxxii, p. 465; id., Bull. Soc. Ent. Fr., (6s.) iii, 1883, p. ix.  
*brevicornis*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 493.  
 ? *Baumeisteri*, Schaufuss, Pscl. Siam's, 1877, p. 7 ♂.  
*cordata*, Schaufuss, l.c., p. 9; id., Tijds. v. Ent., xxv, 1882, p. 69.  
 ? *mamilla*, Schaufuss, l.c., p. 9; id., Tijds. v. Ent. l.c.  
 Hab. Siam, Batavia, Ceylon, Calcutta.

- sarawakensis** (*Rybaxis*), Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 364.  
 Hab. Borneo, Sarawak.
- Schaufussii** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 289.  
 Hab. Java, Batavia, Borneo, Tambang Hiang.
- sphaerica**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 492 : Reitter, Verh. Zool. bot. Ges. Wicu, xxxii, 1882, p. 291 ; *id.*, Bull. Soc. Ent. Fr., (6s.) iii, 1883. p ix : (*Eupines*, King),  
*fonensis* (*Eupines*), Schaufuss, Psel. Siam's, 1877, p. 10 ; *id.*, Tijds. v. Ent., xxv, p. 68 ; Berliu. Ent. Zeits., xxxi, p. 293, *teste*, Reitter, Bull. Soc. Ent. Fr., (6s.) iii, 1883, p. ix.
- siamensis* (*Eupines*), Schaufuss, Psel. Siam's, 1877, p. 9 ; *id.*, Tijds. v. Ent., xxv, p. 69.  
 Hab. India, Siam.
- subvalida** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wicu, xxxiii, 1883, p. 404.  
 Hab. Borneo, Telang.
- sumatrensis**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 113.  
 Hab. Sumatra.
- telangensis** (*Reichenbachia*), Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 402.  
 Hab. Borneo, Telang.

### Genus **BATRAXIS.**

- Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 451, 464.
- Batrismorpha* Raffray, Rev. d'Ent., i, 1882, p. 38 : Reitter, Deutsche Ent. Zeits., xxiv, 1881, p. 38.
- carinulata** (*Batrismorpha*), Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 365.  
 Hab. Penang, Java, Sumatra.
- Doriae** (*Batrismorpha*), Schaufuss, l.c., 1882, p. 366.  
 Hab. Sumatra.
- foveicollis** (*Batrismorpha*), Raffray, Rev. d'Ent., i, 1882, p. 39.  
 Hab. Java.
- ursula** (*Batrismorpha*), Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 367.  
 Hab. Java.

### Genus **COMATOPSELAPHUS.**

- Schaufuss, Ann. Mus. Civ. Gen., xviii, 1882, p. 368.
- opacicollis**, Schaufuss, l.c., p. 369.  
 Hab. Borneo, Sarawak.

### Genus **SATHYTES.**

- Westwood, Trans. Ent. S. Lond., 1870, p. 128 ; *id.*, Thes. Ent. Oxon., p. 97.
- Plagiophorus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 496 : Mun. Cat. p. 695.

*inermis* (*Plagiophorus*), Motschulsky, *l.c.* *supra*, p. 496.  
Hab. India.

*paradoxus* (*Plagiophorus*), Motschulsky, *l.c.*, p. 496.  
Hab. India.

*punctiger*, Westwood, Trans. Ent. S. Lond., 1870, p. 128; *id.*, Thes. Ent. Oxon., 1874,  
p. 97, t. 4, f. 3.  
Hab. Borneo.

### Genus BYTHINODERES.

Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 407.  
Grabowskyi, Reitter, *l.c.*, p. 488, t. 20, f. 14.  
Hab. Borneo, Telang.

### Genus BYTHINOMORPHA.

Schaufuss, Tijds. v. Ent., xxx, 1887, p. 109.  
*exsculpta*, Schaufuss, *l.c.*, p. 110.  
Hab. Sumatra,

### Genus BYTHINOPHANAX.

Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 405.  
*bicornis*, Reitter, *l.c.*, p. 407, t. 20, f. 13.  
Hab. Borneo, Telang.  
*exilis*, Reitter, *l.c.*, p. 406.  
Hab. Borneo, Tameanglaiang.  
*latebrosus*, Reitter, *l.c.*, p. 406.  
Hab. Borneo, Telang.

### Genus PSELAPHUS.

Herbst, Natursyst. Ins., Käfer, iv, 1792, p. 106 : Aubé, Mon. Psel., p. 18 ; *id.*, Ann. Soc. Ent. Fr., (2s.) ii, 1844, p. 100 : Lacord., Gen. Col., ii, p. 169 : Jaqc. Duval, Gen. Col. Eur., i, p. 130 : Mun. Cat., p. 684 : Reitter, Syn. tab., in Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 408 : Raffray, Rev. d'Ent., ii, 1883, p. 235 : Leconte & Horn, Class. Col., p. 87 : Sharp, Biol. Centr. Amer., Col., iii (i), p. 34 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 451, 503 ; *ib.*, xxxiii, 1883, p. 409.

*Callithorax*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 482.  
*Dicentrius*, Reitter, Verh. Ver. Brün, 1882, p. 192, 208.

*articularis*, Schaufuss, Psel. Siam's, 1877, p. 6.  
Hab. Siam, Bangkok.

*bifoveolatus*, Schaufuss, *l.c.*, p. 6.  
Hab. Siam, Batavia.

- bilocellatus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 410  
 Hab. Borneo, Telang, Pengaron.
- bivestitus**, Schaufuss, Berlin. Ent. Zeits., xxxi, 1887, p. 295.  
 Hab. S. E. Borneo.
- brevicornis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 411.  
 Hab. Batavia.
- calopygaeus**, Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 294.  
 Hab. S. E. Borneo.
- canaliculatus**, Schaufuss, Psel. Siam's, 1877, p. 5.  
~~subtilis~~, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 483, pt.  
 Hab. Siam, Bangkok, Borneo, Sarawak.
- laevicollis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 410, ♀.  
 Hab. Ceylon.
- lativentris**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 293.  
 Hab. Batavia, Borneo, Telang.
- multangulus**, Schaufuss, Pscl. Siam's, 1877, p. 4; *id.*, Ann. Mus. Civ. Gen., xviii, p. 355.  
~~subtilis~~, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 483, pt.  
 Hab. Siam, Bangkok, Sumatra, Celebes, Macassar.
- parvipalpis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 294.  
 Hab. Batavia, Borneo, Telang.
- pilicollis**, Reitter, *l.c.*, p. 293.  
 Hab. Batavia.
- pilipalpis**, Reitter, Notcs. Leyden Mus., v. 1883, p. 9.  
 Hab. Sumatra.
- sexstriatus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 411.  
 Hab. Borneo, Tameanglaiang.
- trossulus**, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 247.  
 Hab. Sumatra.
- unipunctatus**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 410.  
 Hab. Borneo, Pengaron.

### Genus TYRAPHUS.

- Sharp, Trans. Ent. S. Lond., 1874, p. 489.
- semipacus** (*Tychus*), Schaufuss, Psel. Siam's, 1877, p. 3.  
 Hab. Siam, Bangkok.

### Genus CURCULIONELLUS.

- Westwood, Trans. Ent. S. Lond., 1870, p. 127; *id.*, Thes. Ent. Oxon., 1874, p. 98:  
 Reitter, Bull. Soc. Ent. Fr., (6s.) iii, p. lxxvi: Raffray, Rev. d'Ent., ii, p. 235.
- rugithorax**, Reitter, Verh., Zool. bot. Ges. Wien, xxxii, 1882, p. 294.  
 Hab. Batavia.

### Genus TYCHUS.

Leach, Zool. Misc., iii, 1817, p. 84 : Lacord., Gen. Col., ii, p. 170 : Jacq. Duval, Gen. Col. Eur., i, p. 132 : Mun. Cat., p. 685 : Leeonte & Horn, Class. Col., p. 87 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 451, 509.

**dilatatus.** Motschnlsky, Bull. Mosc., xxiv (4), 1851, p. 496.  
Hab. India.

**quadrifoveolatus,** Motschulsky, l.c., p. 495 : Schaufuss, Bull. Soc. Ent. Fr., (6s.) ii, 1882, p. cxiii.  
Hab. India, Burma.

**testaceus,** Schaufuss, Pselaph. Siam's, 1877, p. 4.  
Hab. Siam, Bangkok.

### Genus ATYCHODEA.

Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 412.

**lenticornis,** Reitter, l.c., p. 414, t. 20, f. 19, 20.  
Hab. Borneo, Telang, Tameanglaiang.

**Raffrayi,** Reitter, l.c., p. 414, t. 20, f. 23.  
Hab. Borneo, Telang.

**Simoniana,** Reitter, l.c., p. 413, t. 20, f. 21, 22.  
Hab. Borneo, Telang.

**singularis,** Reitter, l.c., p. 414, t. 20, f. 24 : Schaufuss, Berlin Ent. Zeits., xxxi, 1887, p. 297.  
Hab. Borneo, Tameanglaiang.

### Genus FILIGER.

Schaufuss, Pselaph. Siam's, 1877, p. 17 ; id., Nunj. Otios., ii, 1877, p. 246, 451 : Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 415.

**ampliventris,** Schaufuss, Pselaph. Siam's, 1877, p. 17.  
Hab. Siam, Bangkok.

**cariniventris,** Schaufuss, l.c., p. 17.  
Hab. Siam.

**conicocollis,** Schaufuss, l.c., p. 17.  
Hab. Siam, Bangkok.

**primus,** Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 415, t. 20, f. 18.  
Hab. Borneo, Telang.

### Genus APHARINA.

Reitter, Verh. Natur. Ver. Brünn, xx, 1882, p. 194 ; id., Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 295 ; ib. xxxiii, p. 411.

**fuscipennis,** Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 415, t. 20, f. 15.  
Hab. Borneo, Telang.

**Simonis**, Reitter, *l.c.*, xxxii, 1882, p. 296.  
Hab. Batavia.

**squamiceps** (*Panaphantus*), Schaufuss, Notes Leyden Mus., iv, 1882, p. 146; *id.*  
Tijds. v. Ent.. xxv, 1882, p. 66.  
Hab. Java.

### Genus MESTOGASTER.

Schmidt, Beitr. z. Mon. Pscl., 1838, p. 9 : Reitter, Wien Ent. Zeit., i, p. 170; *id.*,  
Bull. Soc. Ent. Fr., (6s.) iii, 1883, p. x.

? *Metaxoides*, Schaufuss, Pselaph. Siam's, 1877, p. 13; *id.*, Nunq. Otios., ii,  
p. 453; Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 108, 117; *ib.*, Bull.,  
p. cxvii.

**bruchiformis** (*Metaxoides*), Schaufuss, Pselaph. Siam's, 1877, p. 13.  
Hab. Siam, Bangkok.

**crassicornis**, Schmidt, Beitr. z. Mon. Pscl., 1838, p. 9, t. 2, f. 8.  
Hab. India.

**nitidicollis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 296.  
Hab. Batavia.

### Genus HYBOCEPHALUS.

Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 482 : Mun. Cat., p. 693 : Schaufuss,  
Nunq. Otios., ii, p. 246; *id.*, Ann. Mus. Civ. Gen., 1883, p. 353 : Reitter, Verh.  
Zool. bot. Ges. Wien, xxxiii, 1883, p. 416.

**dentiventris**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 416.  
Hab. Bornco, Telang.

**informis**, Reitter, *l.c.*, p. 417, t. 20, f. 17.  
Hab. Bornco, Telang.

**minimus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 482 : Schauf., Ann. Mus. Civ.  
Gen., xviii, p. 354 : Reitter, *l.c. supra*, p. 416.  
Hab. India, Celebes, Macassar.

**squamosus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 482 : Schauf., *l.c. supra*, p.  
355 : Reitter, *l.c. supra*, p. 416.  
Hab. India, Burma.

**telangensis**, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 417, t. 20, f. 16.  
Hab. Bornco, Telang, Tameanglaiang.

### Genus IMTEMPUS.

Reitter, Verh. Naturf. Ver. Brün, xx, 1882, p. 195, 209.

**punctatissimus**, Reitter, Deutsche Ent. Zeits., xxix, 1885, p. 337, t. 3, f. 27.  
Hab. Philippines, Manilla.

### Genus MECHANICUS.

Schaufuss, Tijds. v. Ent., xxx, 1887, p. 158.

*chlamydophorus*, Schaufuss, *l.c.*, p. 158.

Hab. Sumatra.

### Genus PTHARTOMICRUS.

Schaufuss, Tijds. v. Ent., xxx, 1887, p. 156.

*externus*, Schaufuss, *l.c.*, p. 156.

Hab. Sumatra.

### Genus ZETHOPSUS.

Reitter, *Syn. tab.*, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 418 : Raffray, Rev. d'Ent., vi, p. 50.

*Zethus*, Schaufuss, Nunq. Otios., ii, 1872, p. 294 ; *id.*, Psel. Siam's, 1877, p. 11 (*nom. praeoc.*).

*batavianus* Schaufuss Tijds. v. Ent., xxv, 1882, p. 67 ; *id.*, Notes Leyden Mus., iv, p. 147 : Reitter, *Syn.*, p. 419.

Hab. Batavia.

*Dohrni*, Raffray, Rev. d'Ent., ii, 1883, p. 248, t. 5. f. 24, 25.

Hab. Burma.

*nitidulus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 382 ; *Syn.*, p. 419.

Hab. Ceylon.

*opacus*, Schaufuss, Psel. Siam's, 1877, p. 12 : Reitter, *Syn.*, p. 418.

Hab. Siam.

*sculptifrons*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 419.

Hab. Batavia.

*simplicifrons*, Reitter, *l.c.*, p. 419.

Hab. Borneo.

*Westwoodii*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 500 : Schaufuss, Bull. Soc.

Ent. Fr., (6a.) ii, 1882, p. cxiii : Reitter, *Syn.*, p. 419.

Hab. India, Burma.

### Genus NEODEUTERUS.

Schaufuss, Tijds. v. Ent., xxx, 1887, p. 151.

*admirandus*, Schaufuss, *l.c.*, p. 152.

Hab. Sumatra.

*alter*, Schaufuss, *l.c.*, p. 153.

Hab. Sumatra.

### Genus PYXIDICERUS.

Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 422 : Mun. Cat., p. 697 : Schaufuss, Tijds. v. Ent., xxx, 1887, p. 93.

*amoenus*, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 94, 95, 99.

Hab. Sumatra.

- castaneus**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 423, t. 9, f. 16 : Schaufuss,  
*l.c. supra*, p. 94.  
 Hab. Ceylon.
- cordiger**, Schaufuss, Tijds. v. Ent., xxx, 1887, p. 94, 95, 99.  
 Hab. Sumatra.
- Rajah**, Schaufuss, *l.c.*, p. 93, 94, 96.  
 Hab. Sumatra.
- triophthalmus**, Schaufuss, *l.c.*, p. 94, 95, 96.  
 Hab. Sumatra.
- tythus**, Schaufuss, *l.c.*, p. 94, 95, 97.  
 Hab. Sumatra.
- venustus**, Schaufuss, *l.c.*, p. 94, 95, 98.  
 Hab. Sumatra.

### Genus APHILIA.

- Reitter, Verh. Naturf. Ver. Britan, xx, 1881, p. 196 ; *id*, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 297.
- femorata**, Reitter, Verh. Zool. bot., Ges. Wien, xxxii, 1882, p. 297.  
 Hab. Borneo, Tumbang Hiang.

### Genus OCTOMICRUS.

- Schaufuss, Nanq. Ot., ii, 1877, p. 452 ; Psel. Siam's, p. 14.  
**interruptus**, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 275.  
 Hab. Sumatra.
- longulus**, Schaufuss, Pselaph. Siam's, 1877, p. 174.  
 Hab. Siam, Bangkok.
- verticalis**, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 275.  
 Hab. Sumatra.

### Genus EUPLECTOMORPHUS.

- Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 424 : Man. Cat., p. 693 : Schaufuss,  
 Tijds. v. Ent., xxix, 1886, p. 282.
- elegans**, Schaufuss, Tijds. v. Ent., xxx, p. 159.  
 Hab. Sumatra.
- pygmaeus**, Motschulsky, Bull. Mosc., xxxvi (2), 1863, p. 424, t. 9, f. 17.  
 Hab. Ceylon.
- testis**, Schaufuss, Tijds. v. Ent., xxix, 1886, p. 281.  
 Hab. Ceylon.

### Genus EUPLECTUS.

- Leach, Zool. Misc., iii, 1817, p. 80 : Aubé, Rév. Psel., Ann. Soc. Ent. Fr., (2s) ii,  
 1844, p. 140 : Lacord., Gen. Col., ii, p. 177 : Jacq. Duval, Gen. Col. Eur., i, p. 135 :  
 Mun. Cat., p. 695 : Raffray, Rev. d'Ent., ii, 1883, p. 229 : Broun, New Zeal. Jl.  
 Sci., ii, 1884, p. 238 : Leconte & Horn, Class. Col., p. 88 : Sharp, Biol. Centr.  
 Amer., Col., ii (i), p. 36 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 452,  
 521.

- Bibloplectus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 529.
- Bibloporus*, Thomson, Skand. Col., i, 1859, p. 53 ; iii, p. 225 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 452, 530.
- Pseudoplectus*, Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 452, 531.
- acuminatus*, Schaufuss, Tijds. v. Ent., xxv, 1882, p. 69 ; Notes Leyden Mus., iv, p. 149.  
Hab. Batavia.
- brachyurus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 500.  
Hab. India.
- brevisculus*, Motschulsky, l.c., p. 500.  
Hab. India.
- denticollis* (*Euplectops*), Schaufuss, Tijds. v. Ent., xxx, 1887, p. 155.  
Hab. Sumatra.
- divergens*, Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 420, t. 20, f. 25.  
Hab. Bornco, Telang.
- fuscipennis* (*Pseudoplectus*), Reitter, l.c., xxxii, 1882, p. 297.  
Hab. Borneo.
- hipposideros*, Schaufuss, Pselaph. Siam's, 1877, p. 12.  
Hab. Siam.
- indicus*, Schmidt, Beitr. z. Mon. Pscl., 1838, p. 10, t. 2, f. 6.  
Hab. India.
- infuscatus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 500.  
Hab. India.
- metallicus*, Schmidt, Beitr. z. Mon. Pscl., 1838, p. 11, t. 2, f. 7.  
Hab. Calcutta.
- pumilio* (*Bibloplectus*), Reitter, Verh. Zool. bot. Ges. Wien, xxxii, 1882, p. 298.  
Hab. Batavia.
- solskyi*, Schaufuss, Pselaph. Siam's, 1877, p. 13.  
Hab. Siam.

### Genus TRICHONYX.

Chaudoir, Bull. Mosc., xviii (3), 1845, p. 164 : Lacord., Gen. Col., ii, p. 172 : Jacq. Duval, Gen. Col. Eur., i, p. 134 : Mun. Cat., p. 686 : Leconte & Horn, Class. Col. p. 88 ; Sharp, Biol. Centr. Amer., Col., ii (i), p. 40 : Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 452, 520.

*Amauronyx*, Reitter, Verh. Zool. bot. Ges. Wien, xxxi, 1881, p. 452, 519.

*aliformis*, Raffray, Rev. d'Ent., i, 1882, p. 79.  
Hab. Java.

*Species incertæ sedis.*

*atomus* (*Bythinus*), Schaufuss, Tijds. v. Ent., xxv, 1882, p. 65 ; id., Notes Leyden Mus. iv, 1882, p. 145 : Reitter, Verh. Zool. bot. Ges. Wien, xxxiii, 1883, p. 408.  
Hab. Java, Batavia.

## Family STAPHYLINIDÆ.

*Catalogue of the Insecta of the Oriental Region, No. 12. Order Coleoptera,*  
*Family STAPHYLINIDÆ—By E. T. ATKINSON, B. A.*

The *Staphylinidæ* are very numerous in the Oriental Region, though little attention has been paid to them in India proper. They are usually of a small size, with short elytra, and an entirely corneous abdomen, for the most part exposed. They are divided into two sub-families, *Staphylininæ* and *Micropeplinæ*, of which the first is represented in our Fauna. Messrs. Leconte & Horn, following Jaequelin Duval and Fauvel, distribute the sub-family *Staphylininæ* into the following tribes :—

Antennæ inserted upon the frons	2
Antennæ inserted at the anterior margin of the head.	3
Antennæ inserted under the sides of the frons.	4
2. Prothoracic spiracles visible, front coxae large ; antennæ not abruptly clavate : fourth joint of maxillary palpi distinct.	I. <i>Aleocharinæ</i> .
Prothoracic spiracles not visible, front coxae small, antennæ slender, distinctly clavate, fourth joint of maxillary palpi obsolete.	III. <i>Steninæ</i> .
3. Antennæ filiform or gradually thickened, fourth joint of maxillary palpi distinct.	II. <i>Staphylininæ</i> .
4. Front coxae conical, prominent ;	5
Front coxae transverse	ix. <i>Protininæ</i> .
Front coxae globose	x. <i>Piestinæ</i> .
5. No ocelli.	6.
Ocelli two, situated at or behind the vertex.	viii. <i>Homalininæ</i> .
6. Hind coxae transverse ;	7.
Hind coxae conical.	iv. <i>Paederinæ</i> .
7. Seventh abdominal segment retractile	8.
Seventh abdominal segment exposed	vii. <i>Oxytelinæ</i> .
8. Prothoracic spiracles visible : epipleurae well defined	v. <i>Tachyporinæ</i> .
Prothoracic spiracles concealed : epipleurae ill defined.	vi. <i>Phlaeocharinæ</i> .

### *Principal works noticed.*

**Casey, T. L.** :—*Revision of the Stenini of N. America*, 1884.

**Duvivier, A.** :—‘*Enumeration des Staphylinides décrits depuis la publication du Catalogue de M. M. Gemininger et Harold’ in Annales de la Société Entomologique de Belgique*, xxvii, 1883, p. 91—215.

**Erichson, W. F.** :—‘*Käf. Mark Brand.*,’ ‘*Die Käfer der Mark Brandenburg*,’ Berlin, i, 1837 ; ‘*Gen. Staph.*,’ *Genera et species Staphylinorum*, Berlin, 1840.

**Fauvel, A.** :—‘*Les Staphylinides de l’Australie et de la Polynésie*,’ in *Ann. Mus. Civ. Gen.*, x, 1877, p. 168 ; *ib.*, xv, 1878, p. 465 ; des Moluques et de la Nouvelle Guinée, *ib.*, xii, 1878, p. 171 ; de l’Afrique boréale, *Bull. Soc. Norm.*, (3s) ii, 1878, p. 83 ; de l’Amérique du Nord, *ib.*, p. 157 ; des îles Philippines, *Rev. d’Ent.*, v, 1886, p. 143 : *Faune Gallo-Rhénane*, vol. iii.

- Gravenhorst, J. L.:—‘*Micr. Bruns.*,’ ‘Coleoptera Microptera Brunsvieensis,’ Brunswick, 1802. ‘*Mon. Col. Micr.*,’ ‘Monographia Coleopterorum micropterorum,’ Gottingen, 1806.
- Horn, G. H.:—Synopsis of the *Philonthi* of N. America, Trans. Amer. Ent. Soc., xi, 1884, p. 177.
- Jacquelin Duval, C.:—‘*Genera des Coléoptères d’Europe.*’ ii, 1857, p. 1—95.
- Kraatz, G.:—‘Naturgeschichte d. Ins. Deutschl.’ vol. ii, 1856; ‘Die Staphylinen-Fauna von Ostindien insbesondere der Insel Ceylon,’ in Wiegmann. Archiv., xxv (i) 1859, p. 1.
- Mannerheim von, C. G.:—‘*Brachèl.*,’ ‘Précis d’un nouvel arrangement de la famille des Brachelytres,’ in Mém. présentés à l’Acad. St. Petersb., i, 1830, p. 415.
- Motschulsky, V. de:—Extrait d’une lettre addressé à M. Zoubkoff, Bull. Mosc., x (5) 1837, p. 97; ‘Enumération des nouvelles espèces des Coléoptères,’ *ib.*, xxx (4), 1857, p. 490; xxxi (1), 1858, p. 634; *ib.*, (2), p. 204; Essai d’un Catalogue des insectes de l’île Ceylon, *ib.*, xxxiv (1), 1861, p. 95.
- Mulsant & Rey:—‘Tribus des Brevipennes,’ Ann. Soc. Linn. Lyon, six, 1872, p. 91; Mém. Acad. Lyon, xix, 1873, p. 75; *ib.*, xx, 1873-4, p. 23, 285; Ann. Soc. Agric. Lyon, (4s.) viii, 1875, p. 145.
- Nordmann von, A.:—‘*Symb. Mon. Staph.*,’ ‘Symbola ad Monographiam Staphylinorum,’ in Mém. Acad. St. Petersb., iv, 1837, p. 1.
- Sahlberg, J.:—‘*Enumeratio Coleopterorum Brachelytrorum Fenniae*,’ in Acta Soc. Scient. Fenn., 1876.
- Sharp, D.:—Staphylinidae of Japan, in Trans. Ent. S. Lond., 1874, p. 1; *id.*, Ann. Mag. N. H., (7s.) ii, iii, 1888-89; of the Amazon Valley, Trans. Ent. S. Lond., 1876, p. 27; of Central America, Biol. Centr. Amer., Col., i (2), 1883, p. 145.

### Family STAPHYLINIDÆ

Westwood, Mod. Class. Ins., i, 1839, p. 162: (*Brachelytres*) Latreille, Règne Anim., i, p. 179; *id.*, (*Brachyptera*) Fam. Nat., p. 243: (*Microptera*) Gravenhorst, Col. Micr. Bruns., 1802: (*Staphylini*) Erichson, Gen. Staph., 1840: Kraatz, Naturg. Ins. Deutschl., iii: (*Staphyliniens*) Lacord., Gen. Col., ii, p. 17: (*Staphylinides*) Jacq. Duval, Gen. Col. Eur., ii, p. 1: Leconte & Horn, Class. Col., p. 89.

ALEOCHARINI:—(*Aléocharides*), Lacord., Gen. Col., ii, 1854, p. 26; Jacq. Duval, Gen. Col. Eur., ii, p. 2: Mun. Cat., p. 502: Muls. & Rey, Hist. Nat. Col. France, Aleoch., 1871: Fauvel, Ann. Mus. Civ. Gen., xii, p. 287: Leconte & Horn, Class. Col., p. 90: Sharp, Biol. Centr. Amer., Col., i (2), 1883, p. 145.

### Genus AUTALIA.

Mannerheim, Brachél., 1830, p. 87: Erichson, Gen. Staph., p. 46: Boisd. & Lacord., Faune Ent. Paris., i, 1835, p. 557: Lacord., Gen. Col., ii, p. 27: Kraatz, Naturg. Ins., ii, p. 29: Jacq. Duval, Gen. Col., ii, p. 4, t. 1, f. 3: Mun. Cat., p. 502: Leconte & Horn, Class. Col., p. 92.

*angustata*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 261.  
Hab. India.

*riparia*, Motschulsky, Et. Ent., 1859, p. 93.  
Hab. Ceylon.

### Genus FALAGRIA.

Manucrheim, Braché, 1830, p. 86 : Erichson, Gen. Staph., p. 48 : Boisd. & Lacord., Faune Ent. Paris, i, 1835, p. 555 : Lacord., Gen. Col., ii, p. 28 : Kraatz, Naturg. Ins., ii, p. 32 : Jacq. Duval, Gen. Col. Eur., ii, p. 4, t. 1, f. 3 : Mun. Cat., p. 502 : Leconte, Proc. Ac. Sci. Philad., 1866, p. 372 : Fauvel, Ann. Mus. Civ. Gen., x, p. 295 ; *id.*, *ib.*, xii, p. 309 : Sharp, Trans. Ent. S. Lond., 1876, p. 41 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 232 : Leconte & Horn, Class. Col., p. 91.

*Cardiola*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vii, 1874, p. 478 : Hist. Nat. Col. Fr. Brevie, Myr. (2), p. 452.

*Myrmecocephalus*, W. MacLeay, Trans. Ent. S. N. S. Walcs, ii, 1871, p. 131.

*Stilicoides*, Broun, New Zealand Col., 1880, p. 93.

*dimidiata*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 93.

*duvocincta*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 4.  
Hab. India, Ceylon.

*gracilis*, Motschulsky, xxxi (3), 1858, p. 260.

Hab. India.

*longicornis*, Kraatz, Wieg. Arch., xxv, (i), 1859, p. 6.

Hab. Ceylon.

*obscura*, Gravenhorst, Microp. Brnsw., 1802, p. 74 : Kraatz, Nat. Ins. Deutsch., ii, p. 35 ; *id.*, Wieg. Arch., xxv (ii), p. 5 : Jacq. Duval, Gen. Col., Eur., ii, p. 4, t. 1, f. 4.

*flavipes*, Stephens, Ill. Brit. Ent., v, 1832, p. 105.

*floralis*, Stephens, l.c., p. 105.

*nitens*, Stephens, l.c., p. 105.

Hab. Britain, France, Europe, India.

*parva*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 6.

Hab. Ceylon.

*pygmaea*, Kraatz, l.c., p. 7.

Hab. Ceylon.

*subrugosa*, Kraatz, l.c., p. 5.

Hab. Ceylon.

*veluticollis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 261.

*opacicollis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 4.  
Hab. India, Ceylon.

*vestita*, Boheman, Freg. Eng. Resa, Col., 1858, p. 25.

Hab. China.

*vilis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 5.

Hab. India.

### Genus **BOLITOCHARA**.

Mannerheim, Brachol., 1830, p. 75 : Erichson, Gen. Staph., p. 57 : Lacord., Gen. Col., ii, p. 30 : Mun. Cat., p. 504 : Kraatz, Naturg. Ins., ii, p. 36 : Jacq. Duval, Gen. Col., ii, p. 8, t. 1, f. 5 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 306 : Leconte & Horn, Class. Col., p. 93.

*amabilis*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 154.  
Hab. Ceylon.

*testacea*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 7.  
Hab. Ceylon.

### Genus **ECCOPTOGENIA**.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 8 : Mun. Cat., p. 505.

*rufa*, Kraatz, l.c., p. 9, t. 1, f. 1 a.-c.  
Hab. Ceylon.

### Genus **HOPLANDRIA**.

Kraatz, Linn. Ent., xi, 1857, p. 4, t. 1, f. 6, t. 2, f. 14 : Mun. Cat., p. 505 : Leconte & Horn, Class. Col., p. 91 : Sharp, Biol. Centr. Amer., Col., i (2), p. 219.

*fuscipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 9.  
Hab. Ceylon.

### Genus **PELIUSA**.

Erichson, Gen. Staph., 1840, p. 192 : Lacord., Gen. Col., ii, p. 44 : Mun. Cat., p. 506.  
*pallescens*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 226.  
Hab. India.

### Genus **SCHISTOGENIA**.

Kraatz, Linn. Ent., xi, 1857, p. 39 : Mun. Cat., p. 506.  
*crenicollis*, Kraatz, l.c. *supra*, p. 40 ; *id.*, Wieg. Arch., xxv (i), 1859, p. 13, t. 1, f. 5 a.-b.  
Hab. Ceylon.

### Genus **SILUSA**.

Erichson, Käfer Mark Brand., i, 1837, p. 377 ; *id.*, Gen. Staph., p. 205 : Kraatz, Naturg. Ins. Deutschl., ii, p. 44 : Lacoul., Gen. Col., ii, p. 45 : Kraatz, Naturg. Ins., ii, p. 44 : Jacq. Duval, Gen. Col., ii, p. 5, t. 5, f. 21 : Mun. Cat., p. 507 : Sharp, Biol. Centr. Amer., Col., i (2), p. 274 : Leconte & Horn, Class. Col., p. 93.  
*Stenus*, Kraatz, Naturg. Ins. Deutschl., ii, 1856, p. 47 ; *id.*, Berlin Ent. Zeits., 1866, p. 339 : Mun. Cat., p. 507 : Leconte & Horn, Class. Col., p. 93.

*ceylonica* (*Stenus*), Kraatz, Linn. Ent., xi, 1857, p. 8 ; *id.*, Wieg. Arch., xxv (i), p. 10.  
Hab. Ceylon.

### Genus OCALEA.

Erichson, Käfer Mark Braudenb., i, 1837, p. 293 ; *id.*, Gen. Staphyl., p. 60 : Læcord., Gen. Col., ii, p. 38 : Kraatz, Naturg. Ins., ii, p. 49 : Jacq. Duval, Gen. Col., ii, p. 15. t. 2. f. 8 : Mun. Cat., p. 507 : Lecoute & Horu, Class. Col., p. 92 : Sharp, Biol. Centr. Amer., Col., i (2), p. 169.

*Rheochara*, Muls. & Rey, Ann. Soc. Linn. Lyon, (*n. s.*) xxi, 1874, p. 1.

*indica*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 12.  
Hab. India.

### Genus LEPTUSA.

Kraatz, Naturg. Ins., Deutschl., ii, 1858, p. 50 : Jacq. Duval, Gen. Col., ii, p. 5, t. 6, f. 27 : Mun. Cat., p. 508 : Lecoute & Horn, Class. Col., p. 93.

*Ousipalia*, Gozis, Récherche, 1836, p. 13.

*Pachygluta*, Thomson, Skand. Col., i, 1859, p. 32 ; ii, p. 276.

*Pasilia*, Muls. & Rey, Ann. Soc. Linn. Lyon, (*n. s.*), xix, 1872, p. 316.

*Pisalia*, Muls. & Rey, *l. c.*, p. 325.

*Sipalia*, Muls. & Rey, *l. c.*, 1853, 32, t. 2, f. 1, 2 : Thomson, Skand. Col., i, 1859, p. 4, iii, p. 105.

*annuliventris*, Kraatz, Wieg. Archiv., xxv (i), 1859, p. 12.  
Hab. India.

*varicornis*, Kraatz, *l. c.*, p. 13.  
Hab. Ceylon.

### Genus COENONICA.

Kraatz, Linn. Ent., xi, 1857, p. 45 : Mun. Cat., p. 510.

*puncticollis*, Kraatz, *l. c.*, p. 46 : *id.*, Wieg. Arch., xxv (i), 1859, p. 10, t. 1, f. 3 : Fauvel, Ann. Mus. Civ. Gen., xv, p. 112.  
*indica* (*Phloeopora*), Motschulsky, Bull. Mose., xxxi (3) 1858, p. 258.  
Hab. India, Ceylon.

### Genus LINOGLOSSA.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 10 : Mun. Cat., p. 510.

*bifoveolata*, Kraatz, *l. c.*, p. 11, t. 1, f. 2.  
Hab. India.

### Genus ALEOCHARA.

Gravenhorst, Col. Micr., 1802, p. 67 : Mannerheim, Brachél., p. 66 : Erichson, Gen. Staph., p. 158 : Læcord., Gen. Col., ii, p. 40 : Kraatz, Naturg. Ins., ii, p. 82 : Jacq. Duval, Gen. Col., ii, p. 12, t. 3, f. 11 : Mun. Cat., p. 512 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 305 : Lecoute & Horn, Class. Col., p. 92.

*Baryodma*, Thomson, Skand. Col., i, 1859, p. 30 ; ii, p. 249.

*Ceranota*, Stephens, Ill. Brit. Ent., v. 1832, p. 161.

*Copiata*, Gozis, Récherche, 1836, p. 12.

*Coprochara*, Muls. & Rey, Ann. Soc. Linn. Lyon, (*n. s.*) xx, 1872, p. 430.

*Dyschara*, Muls. & Rey, *l. c.*, p. 425.

*Homoeochara*, Muls. & Rey, *l. c.*, p. 414.

- Hoplonotus*, Schmidt Goebel, Stettin Ent. Zeit., 1846, p. 245.  
*Mecorhopalus*, Solier, Gay's Hist. Fis. Chili, Zool., 1851, p. 350.  
*Polychara*, Muls & Rey, *l. c. supra*, p. 348.  
*Polistoma*, Stephens, Man. Brit. Col., 1839, p. 354 : Gozis, Réch., 1886, p. 12.  
*Xenochara*, Muls, & Rey, *l. c. supra*, p. 344.
- asiatica*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 15 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 306 : Sharp, Ann. Mag. N. H., ii, 1888, p. 281.  
*japonica*, Sharp, Traus. Ent. S. Lond., 1874, p. 8.  
 Hab. India, Ceylon, Hougkong, Japan, Celebes, Aru Isles.
- badia*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 237.  
 Hab. India.
- brunneiventris*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 14.  
 Hab. India.
- castanea*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 239.  
 Hab. India.
- croceipennis*, Motschulsky, *l. c.*, p. 238.  
*maculipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 17.  
*sanguinipennis*, Kraatz, *l. c.*, p. 17.  
 Hab. India, Ceylon, Celebes, Australia.
- denticulata*, Motschulsky, *l. c. supra*, p. 238.  
 Hab. India.
- haematopyga*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 15.  
 Hab. Ceylon.
- hindustana*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 237.  
 Hab. India.
- minutissima*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 19.  
 Hab. Ceylon.
- mutata*, Gemm. & Har. Mun. Cat., 1868, p. 514.  
*tenuicornis*, Motsch., Bull. Mosc., xxv (3), 1858, p. 240 (*nec* Kraatz).  
 Hab. India.
- nigra*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 13 (*nec* Stoerm.).  
 Hab. Ceylon.
- postica*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205.  
 Hab. Ceylon.
- puberula*, Klug, Ins. Madagasc., Col., 1833, p. 51 : Erichson, Gen. Staphyl., 1839, p. 165 : Wollaston Cat. Mad. Col., 1857, p. 180 ; *id.*, Canar. Col., 1864, p. 551 : Kraatz, Wieg. Archiv., xxv (i), 1859, p. 16 : Rey, Brévip., 1874, p. 60 : Fauvel, Ann. Mus. Civ. Gen., x, 1877, p. 292.  
*Armitagei*, Wollaston, Ins. Mader., Col., 1854, p. 559.  
*decorata*, Aubé, Ann. Soc. Ent. Fr., (2s.) viii, 1850, p. 311.  
*dubia*, Fauvel, *l. c.*, (3s.) iii, 1863, p. 428.  
*vaga*, Erichson, Gen. Staphyl., 1839, p. 172.  
 Hab. W. Indies, N. America, Europe, Africa, Japan, China, Ceylon, Burma, Java, Sumatra, New Caledonia, Australia.

**punctiventris.** Kraatz, Wieg. Archiv., xxv (i), 1859, p. 19.  
Hab. Ceylon.

**rutilipennis,** Kraatz, l. c., *supra*, p. 17.  
Hab. Ceylon.

**subjecta,** Walker, Ann. Mag. N. H., (3s.), 1859, p. 52.  
Hab. Ceylon.

**translata,** Walker, l. c. *supra*, p. 52.  
Hab. Ceylon.

**trivialis.** Kraatz, Wieg. Arch., xxv (i), 1859, p. 18.  
Hab. Ceylon.

**tuberiventris,** Kraatz, l. c. *supra*, p. 14.  
Hab. India.

### Genus DINARDA.

Mannerheim, Brachel., 1830, p. 65 : Boisd. & Lacord., Faune Ent. Paris, i, p. 524 ;  
Lacord., Gen. Col., ii, p. 41 : Jacq. Duval, Gen. Col., ii, p. 10, t. 4, f. 17 : Mun. Cat., p. 517.

**serricornis,** Walker, Ann. Mag. N. H., (3s) iii, 1859, p. 52.  
Hab. Ceylon.

### Genus PORUS.

Hope, Royle's Himalaya, 1839, p. 54 : Kraatz, Linn. Ent., xi, 1857, p. 21 : Mun. Cat., p. 518 : Fauvel, Rev. d'Ent., viii, 1889, p. 285.

*Myrmecodia*, pt, Lacordaire, Gen. Col., ii, 1854, p. 285.

**ochraceus,** Hope, l.c. *supra*, p. 55, t. 9, f. 10 : Erichson, Gen. Staph., p. 43 : Kraatz., Linn. Ent., xi, 1857, p. 21, t. 1. f. 19 ; id., Wieg. Archiv., xxv (i), p. 20.  
*ferrugineus*, Kraatz, Linn. Ent., 1857, p. 22. E. Soudan, Abyssinia.  
\* Hab. Africa, India, Nepal, Assam, Moradabad (N. W. P.).

### Genus TERMIDONIA.

Motschulsky, Et. Ent., viii, 1859 (*ined.*) : Mun. Cat., p. 519.

**laminata,** Motschulsky, l.c., p. 87.  
Hab. Ceylon.

### Genus ACANTHOGLOSSA.

Motschulsky, Et. Ent., viii, 1859, p. 89 (*nec.* Kraatz (1858), Mun. Cat., p. 623  
*Stilicopsis*, Sachse).

*Glossacantha*, Gemm. & Har., Mun., Cat., 1868, p. 519.

**badia,** Motschulsky, Etud. Ent., viii, 1859, p. 89.  
Hab. Ceylon.

**humerosa,** Motschulsky, l.c., p. 90.  
Hab. Ceylon.

### Genus MYRMEDONIA.

- Erichson, Käfer Mark Brund., i, 1837, p. 286 ; *id.*, Gen. Staph., p. 35 : Lacord., pt. Gen. Col., ii, p. 29 : Kraatz, Naturg. Ins., ii, p. 118 : Jacq. Duval, Gen. Col. Eur., ii, 1857 : p. 9, t. l. f. 1-2 : Kraatz, Wiegm. Arch., xxv (i), p. 20 : Mun. Cat., p. 519 : Sharp, Trans. Ent. S. Lond., 1876, p. 52 : *id.*, Biol. Centr. Amer., Col., i(2), p. 198 : Leconte & Horn, Class. Col., p. 92.
- ? *Drusilla* (Leach), Boisd. & Lacord., Faune Ent. Paris., i, 1835, p. 534.
- Myrmelia*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 86 ; *id.*, Ann. Soc. Linn. Lyon, xx, 1873-4, p. 6.
- Myrmecia*, Muls. & Rey, Ann. Soc. Agric. Lyon, 1873, p. 130.
- Pelia*, Stephens, Ill. Brit. Ent. v, 1832, p. 434 : Gozis, Réch., 1886, p. 12.
- Zyras*, Stephens, l.c., p. 430 : Man. Brit. Col., p. 350.
- affinis*, Kraatz, Wiegm. Arch., xxv (i), 1859, p. 23.  
Hab. Ceylon.
- clavicornis*, Kraatz, l.c., p. 24, t. l, f. 7.  
Hab. Ceylon.
- excisa*, Kraatz, Linn. Ent., xi, 1857, p. 50 ; *id.*, Wiegm. Arch., xxv (i), p. 50.  
Hab. Ceylon, Negambo.
- gemina*, Kraatz, Wiegm. Arch., xxv (i), 1859, p. 27.  
Hab. Ceylon.
- hirta*, Kraatz, l.c., p. 25, t. l, f. 8.  
Hab. Ceylon.
- hoplonota*, Kraatz, Linn. Ent., xi, 1857, p. 49 ; *id.*, Wiegm. Arch., l.c., p. 22.  
Hab. Ceylon, Colombo.
- impressicollis*, Kraatz, Linn. Ent., 1857, p. 53 ; *id.*, Wiegm. Arch., l.c., p. 27.  
Hab. Ceylon, Colombo.
- laevigata*, Kraatz, Wiegm. Arch., xxv (i), 1859, p. 26, t. l. f. 9.  
Hab. India.
- lineatocollis*, Kraatz, l.c. p. 26.  
Hab. India.
- Nietnerii*, Kraatz, Linn. Ent., 1857, p. 52 ; *id.*, Wiegm. Arch., l.c. *supra*, p. 26.  
Hab. Ceylon, Negambo.
- nigrescens* (*Astilbus*), Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 262.  
Hab. India.
- nigriceps*, Kraatz, Wiegm. Arch., xxv (i), 1859, p. 22.  
Hab. India.
- obscura*, Fabr., Syst. El. ii, 1801, p. 595 : Erichson, Gen., p. 41.  
var. *tricuspidata*, Kraatz, Linn., xi, 1857, p. 49 ; Wiegm. Arch., xxv (i), p. 22.  
Hab. India, Ceylon, Colombo.
- planatiocollis*, Kraatz, Linn. Ent., xi, 1857, p. 51 ; *id.*, Wiegm. Arch., l.c. *supra*, p. 25.  
Hab. Ceylon, Negambo.
- procera*, Kraatz, Wiegm. Arch., xxv (i), 1859, p. 20.  
Hab. Ceylon.

- punctatissima**, Kraatz, Linn. Ent., 1857, p. 52 ; *id.*, Wieg. Arch., *l.c.* *supra* p. 25.  
Hab. Ceylon, Negambo.
- rubricollis**, Kraatz, Linn. Ent., 1857, p. 51 ; *id.*, Wieg. Arch., xxv (i), p. 23.  
Hab. Ceylon, Negambo.
- serraticornis**, Kraatz, Linn. Ent., 1857, p. 48 ; Wieg. Arch., xxv (i), 1859, p. 20.  
Hab. Ceylon.
- sordida**, Kraatz, Wieg. Arch. *l.c.* p. 23.  
Hab. Ceylon.
- termiticola**, Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 110.  
Hab. Burma.

### Genus TETRASTICTA.

- Kraatz, Linn. Ent., xi, 1857, p. 4 : Mun. Cat., p. 522.
- polita**, Kraatz, *l.c.*, p. 55 : Wieg. Arch., xxv (i), 1859, p. 19, t. I, f. 6 a-b.  
Hab. Ceylon.

### Genus PELIOPTERA.

- Kraatz, Linn. Ent., 1857, p. 55 : Mun. Cat., p. 522.  
*Termitopora* Motschulsky, Et. Ent., viii, 1859, p. 91 : Mun. Cat., p. 546.
- adustipennis** (*Termitopora*), Motschulsky, Etud. Ent., viii, 1859, p. 93, t. I, f. 7.  
Hab. Ceylon.
- micans**, Kraatz, Linn. Ent., 1857, p. 56 ; *id.*, Wieg. Arch., xxv (i), 1859, p. 42,  
t. I, f. 4 a-b.  
Hab. Ceylon.
- opaca**, Kraatz, *l.c.*, p. 56 ; *id.*, Wieg. Arch., *l.c.*, p. 42.  
Hab. Ceylon.

### Genus OXYPODA.

- Mannerheim, Brachél., 1830, p. 69 : Erichson, Gen. Staphyl., p. 141 : Kraatz,  
Naturg. Ins., ii, p. 158 : Lacord. Gen. Col., ii, p. 35 : Jacq. Duval, Gen. Col., ii,  
p. 13, t. 3, f. 15 : Mun. Cat., p. 526 : Sharp, Trans. Ent. S. Lond., 1876, p. 68 :  
Leconte & Horn, Class. Col., p. 92.
- Acrostiba*, Thomson, Skand. Col., i, 1859, p. 36 ; iii, p. 11.
- Bessopora*, Thomson, *l.c.*, i, p. 38 ; iii, p. 42.
- Bæoglena*, Thomson, *l.c.*, ix, 1857, p. 248.
- Crataraea*, pt., Thomson, *l.c.*, i, 1859, p. 33 ; ii, p. 282.
- Demosoma*, Thomson *l.c.*, i, p. 37 ; iii, p. 32.
- Disochara*, Thomson, *l.c.*, i, p. 37 ; iii, p. 30.
- Mycetodrepz*, Thomson, *l.c.*, i, p. 37 ; iii, p. 28.
- Myrmecochara*, Kraatz, Linn. Ent., xi, 1857, p. 40.
- Podoxya*, Muls. & Rey, Ann. Soc. Linn. Lyon, (n.s.) xxi, 1874, p. 152.
- Pycnaraea*, Thomson, Skand. Col., i, 1859, p. 37 ; iii, p. 28.
- Sphenoma*, Mannerheim, Brachél., 1830, p. 68.
- Tachysida*, Muls. & Rey, Ann. Soc. Linn. Lyon, (n. s.) xix, 1872, p. 278.
- Thliboptera*, Thomson, Skand. Col., i, 1859, p. 37 ; iii, p. 20.

- atriceps**, Gemm. & Har., Mun. Cat. 1868, p. 526.  
*atricapilla*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 244, (*neo Mäklin*).  
 Hab. India.
- brunnescens**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 243.  
 Hab. India.
- lineola**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 27.  
 Hab. Ceylon.
- nigricauda**, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 153.  
 Hab. Ceylon.
- palleola**, Motschulsky, l.c., xxxi (3), 1858, p. 245.  
 Hab. India.
- plagiata**, Motschulsky, l.c. p. 242.  
 Hab. India.
- vilis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 28.  
 Hab. India.

### Genus HOMALOTA.

- Mannerheim, Brachél., 1830, p. 73 : Erichson, Gen. Staph., p. 80 : Lacord., Gen. Col., ii, p. 32 : Kraatz, Naturg. Ins., ii, p. 192 : Jacq. Duval, Gen. Col., ii, p. 6, t., 3, f. 12 ; Mun. Cat., p. 530 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 294 : Sharp, Trans. Ent. S. Lond., 1869, p. 91, 272 ; 1876, p. 60 ; id., Biol. Centr. Amer., Col. i (2), p. 172 : Leconte & Horn, Class. Col., p. 91.
- Acrotona*, Thomson, Skand. Col., i, 1859, p. 38 ; iii, p. 35.
- Aglypha*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 689.
- Alaobia*, Thomson, l.c., *supra*, i, p. 40 ; iii, p. 99.
- Aloconota*, Thomson, l.c., i, p. 36 ; iii, p. 7.
- Amidobia*, Thomson, l.c., i, p. 34 ; ii, p. 295.
- Amischa*, Thomson, l.c., i, p. 31 ; ii, p. 292.
- Anopleta*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vii, 1874, p. 46.
- Anomognathus*, Solier, Gay's Hist. Fis. Chili, iv, 1851, p. 337 : Lacord., Gen. Col., ii, p. 155.
- Apimelia*, Muls. & Rey, l.c. *supra*, vii, 1874, p. 74.
- Athota*, Thomson, Skand. Col., i, 1859, p. 39 ; iii, p. 61.
- Badura*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 311.
- Bessobià*, Thomson, Skand. Col., i, 1859, p. 38 ; iii, p. 42.
- Cerilaza*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 413.
- Chaetida*, Muls. & Rey, l.c., p. 304.
- Colpodota*, Muls. & Rey, l.c., p. 207.
- Coprothassa*, Thomson, Skand. Col., i, 1859, p. 38 ; iii, p. 35.
- Cryptusa*, Muls. & Rey, l.c. *supra*, vii, 1874, p. 119.
- Dacrina*, Muls. & Rey, l.c., p. 212.
- Dadobia*, Thomson, Skand. Col., i, 1859, p. 33 ; iii, p. 286.
- Datomicra*, Muls. & Rey, l.c. *supra*, vi, 1873, p. 387.
- Dimetrota*, Muls. & Rey, l.c. *supra*, p. 433.
- Dinaracea*, Thomson, Skand. Col., i, 1859, p. 34 ; ii, p. 289.
- Discerota*, Muls. & Rey, l.c. *supra*, vii, 1874, p. 340.

- Disopora*, Thomson, Skand. Col., i, 1859, p. 39 ; iii, p. 57.  
*Dralica*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vii, 1874, p. 212.  
*Eurota*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 154.  
*Enalodroma*, Thomson, Skand. Col., i, 1859, p. 39 ; iii, p. 51.  
*Geostiba*, Thomson, Skand. Col., i, 1859, p. 40 ; iii, p. 104.  
*Glypha*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 678.  
*Glossola*, Fowler, Col. Brit., ii, 1887, p. 66.  
*Hemitropia*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 211.  
*Heteronoma*, Muls. & Rey, l.c., vii, 1874, p. 59.  
*Heteropaena*, Arribalzaga, Bol. Acad. Cienc. Cordoba, vii, 1884, p. 45.  
*Heterota*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 194.  
*Hilara*, Muls. & Rey, l.c., p. 330.  
*Hydrosmechta*, Thomson, Skand. Col., i, 1859, p. 36 ; iii, p. 13.  
*Hygraccia*, Muls. & Rey, Ann. Soc. Agric. Lyon, vii, 1874, p. 305.  
*Hypnota*, Muls. & Rey, l.c., vi, 1873, i, p. 623.  
*Liochlora*, Thomson, Skand. Col., i, 1859, p. 39 ; iii, p. 54.  
*Liotra*, Muls. & Rey, l.c. *supra*, vii, 1874, p. 148.  
*Lyprocorrhe*, Thomson, Skand. Col., i, 1859, p. 41 ; iii, p. 108.  
*Megista*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 623.  
*Mentica*, Muls. & Rey, l.c., vii, 1874, p. 96.  
*Metaxya*, Muls. & Rey, l.c., vii, 1874, p. 173.  
*Microdota*, Muls. & Rey, l.c., vi, 1873, p. 327.  
*Mycota*, Muls. & Rey, l.c., p. 534.  
*Ouralia*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vii, 1874, p. 66.  
*Pachnida*, Muls. & Rey, l.c., vii, 1874, p. 84.  
*Pelurga*, Muls. & Rey, l.c., vi, 1873, p. 609.  
*Philhygra*, Muls. & Rey, l.c., p. 340.  
*Phrygogora*, Muls. & Rey, l.c., p. 657.  
*Plataraea*, Thomson, Skand. Col., i, 1859, p. 38 ; iii, p. 45.  
*Platyola*, Muls. & Rey, Ann. Soc. Linnae. Lyon, (n.s.) xxi, 1874, p. 249.  
*Polyota*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vi, 1873, p. 677.  
*Pycnota*, Muls. & Rey, l.c., vi, 1873, p. 409.  
*Solenia*, Muls. & Rey, l.c. (4s.) vi, 1873, p. 287.  
*Taxicera*, Muls. & Rey, l.c., vii, 1874, p. 315.  
*Tetrapla*, Muls. & Rey, l.c., vi, 1873, p. 524.  
*Thinobaeina*, Thomson, l.c., i, p. 39 ; iii, p. 59.  
*Thinocelia*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) vii, 1874, p. 260.  
*Traumoezia*, Muls. & Rey, l.c., vi, 1873, p. 663.  
*Xenota*, Muls. & Rey, l.c., vi, p. 429.  
*Zoosetha*, Muls. & Rey, l.c., vii, p. 29.
- acutioolls*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 28, t. 1, f. 10.  
 Hab. Ceylon.
- annuliventris*, Kraatz, l.c., p. 40.  
 Hab. India.
- atramentaria*, Gyllenhal, Ins. Succ., ii, 1810, p. 408 : Kraatz, Naturg. Ins. Deutschl., p. 303.  
*acnescons*, Zetterstedt, Ins. Lapp., 1840, p. 77, Lapland.  
*atricornis*, Stephens, Ill. Brit. Ent., v, 1832, p. 133. Britain.

- consimilis*, Stephens, *l.c.*, p. 116. Britain.  
*Mannerheimii*, Sahlberg, Ins. Fenn., i, 1831, p. 380.  
 Hab. Europe, N. Asia, China.
- circellaris*, Gravenhorst, Mon. Col. Micr., 1806, p. 155 : Kraatz, Naturg. Ins. Deutschl., p. 326 ; *id.*, Wieg. Arch., xxxv (i), 1859, p. 41.  
*contigua*, Stephens, Ill. Brit. Ent., v, 1832, p. 116. Britain.  
*rufescens*, Stephens, *l.c.*, p. 128. Britain.  
 Hab. Europe, India.
- cursoria*, Gemminger & Harold, Mun. Cat., 1868, p. 533.  
*cursor*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 251.  
 Hab. India.
- dilatipennis*, Motschulsky, *l.c. supra*, p. 252.  
 Hab. India, Bombay.
- dilutipennis*, Motschulsky, *l.c.*, xxxiv (i), 1861, p. 151.  
 Hab. Ceylon.
- dubia*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 37.  
 Hab. Ceylon.
- exasperata*, Kraatz, *l.c.*, p. 32.  
 Hab. Ceylon.
- exigua*, Kraatz, *l.c.*, p. 36.  
 Hab. Ceylon.
- fungi*, Gravenhorst, Mon. Col. Micr., 1806, p. 157 : Kraatz, Nat. Hist. Deutschl., p. 321 ; *id.*, Wieg. Arch., xxv (i), p. 20.  
*infuscata*, Stephens, Ill. Brit. Ent., v, 1832, p. 136.  
*nigriceps*, Heer, Faun. Helv., i, 1842, p. 333.  
*obfuscata*, Stephens, Ill. Brit. Ent., v, 1832, p. 135.  
 Hab. Europe, India, N. America.
- inornata*, Kraatz, Wieg. Archiv., xxv (i), 1859, p. 39.  
 Hab. Ceylon.
- inutilis*, Kraatz, *l.c.*, p. 35.  
 Hab. Ceylon.
- Kraatzii*, n. n.  
*anthoptera*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 30. (*nec* Stephens).  
 Hab. India.
- lugens*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 257.  
 Hab. India.
- marcida*, Erichson, Käfer Mark Brand., i, 1837, p. 328 : Kraatz, Naturg. p. 298 ; *id.*, Wieg. Archiv., xxv (i), p. 37.  
*livida*, Muls. & Rey, Opusc. Ent., i, 1852, p. 25, t. 1, f. 7 : Kraatz, Naturg., p. 299.  
 Hab. Europe, Ceylon.
- microcephala*, Motschulsky, Bull. Mosc., xxxi, (3), 1858, p. 256.  
 Hab. India.

- mucronata.** Kraatz, Wieg. Arch., xxv (i), 1859, p. 29.  
Hab. Ceylon.
- nana,** Kraatz, l.c., p. 36.  
Hab. Ceylon.
- pelioptera,** Kraatz, l.c., p. 30.  
Hab. India.
- peregrina,** Kraatz, l.c., p. 39.  
Hab. Ceylon.
- platygaster,** Kraatz, l.c., p. 33.  
Hab. Ceylon.
- platysthetoides,** Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 152.  
Hab. Ceylon.
- prona,** Motschulsky, l.c., xxxi (3), 1858, p. 252.  
Hab. India.
- putridula,** Kraatz, Wieg. Arch., xxv (i), 1859, p. 35.  
Hab. Ceylon.
- rhyssoptera,** Kraatz, l.c., p. 37.  
Hab. India.
- rugatipennis** Kraatz, l.c., p. 40.  
Hab. Ceylon.
- scrobicollis,** Kraatz, l.c., p. 31.  
Hab. India.
- splendida,** Kraatz, l.c., p. 38.  
Hab. Ceylon.
- suspiciosa,** Motschulsky, Etud. Ent., 1859, p. 90.  
Hab. Ceylon.
- tenuicornis,** Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 250.  
Hab. India.
- termitophila,** Motschulsky, Etud. Ent., 1859, p. 91.  
Hab. Ceylon.
- testaceipennis,** Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 251.  
Hab. India.
- tridentata,** Kraatz, Wieg. Arch., xxv (i), 1859, p. 31.  
Hab. Ceylon.
- tropica,** Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 256.  
Hab. India.
- tuberculata,** Kraatz, Wieg. Arch., xxv (i), 1859, p. 32.  
Hab. India.
- tuberculicollis,** Kraatz, l.c., p. 33.  
Hab. Ceylon.

*variventris*, Kraatz, l.c., p. 34.

Hab. Ceylon.

*vicaria*, Kraatz, l.c., p. 38.

Hab. Ceylon.

### Genus PLACUSA.

Erichson, Käfer Mark Brand., i, 1837, p. 370; *id.*, Gen. Staph., p. 194: Lacord. Gen. Col., ii, p. 45: Mun. Cat., p. 544: Kraatz, Naturg. Ins., ii, p. 329; Berl. Ent. Zeits., 1863, p. 342: Jacq. Duval, Gen. Col., ii, p. 7, t. 4, f. 16: Sharp, Biol. Centr. Amer., Col., i (2), p. 260: Leconte & Horn, Class. Col., p. 93.

*Calpusa*, Muls. & Rey, Ann. Soc. Linn. Lyon, (u. s.) xix, 1872, p. 198.  
217.

*Cyphea*, Fauvel, Ann. Soc. Ent. Fr., (4s.) iii, 1863, p. 219, 220.

*acuminata*, Kraatz, Wieg. Arch., xxxv (i), 1859, p. 43.

Hab. Ceylon.

*pygmaea*, Kraatz, l.c., p. 44.

Hab. Ceylon.

*spinigera*, Kraatz, l.c., p. 43.

Hab. Ceylon.

### Genus PHLOEPORA.

Erichson, Käfer Mark Brand., i, 1837, p. 314; *id.*, Gen. Staph., p. 76: Lacord., Gen. Col. ii, p. 38: Kraatz, Naturg. Ins., ii, p. 334: Jacq. Duval, Gen. Col., ii, p. 16, t. 2, f. 9: Mun. Cat., p. 545: Sharp, Biol. Centr. Amer., Col., i (2), p. 164: Leconte & Horn, Class. Col., p. 92.

*ceylanensis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 41.

Hab. Ceylon.

*impressicollis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 257.

Hab. India.

*indica*, Motschulsky, l.c., p. 258.

*indica*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 42.

Hab. India.

### Genus OLIGOTA.

Mannerheim, Brachél., 1830, p. 72: Erichson, Gen. Staph., p. 179: Lacord., Gen. Col., ii, p. 39: Mun. Cat., p. 547: Kraatz, Naturg. Ins., ii, p. 346: Jacq. Duval, Gen. Col., ii, p. 17, t. 4, f. 19: Sharp, Biol. Centr. Amer., Col., i (2), p. 293: Leconte & Horn, Class. Col., p. 93.

*Holobus*, Solier, Gay's Hist. Fis. Chili, iv, 1851, p. 155: Lacord., Gen. Col., ii, p. 155.

*Ligiota*, Muls. & Rey, Mém. Acad. Lyon, xx, 1873-4, p. 1.

*Microeera*, Mannerheim, Brachél., 1830, p. 72.

- chrysopyga*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 45.  
 Hab. Ceylon.
- indica*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 236.  
*indica*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 44.  
 Hab. India.
- semibrunnea*, Kraatz, l.c., p. 45.  
 Hab. Ceylon.
- testacea*, Kraatz, l.c., p. 44.  
 Hab. Ceylon.

### Genus HYGROPTERA.

- Motschulsky, Etud. Ent., 1859, p. 86 : Mun. Cat., p. 584.
- castanea*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 150.  
 Hab. Ceylon.
- termitis*, Motschulsky, Etud. Ent., 1859, p. 87, t. 1, f. 9.  
 Hab. Ceylon.

### Genus GYROPHENA.

- Mannerheim, Brachol., 1830, p. 74 : Erichson, Gen. Staph., p. 162 : Lacord., Gen. Col., ii, p. 43 : Kraatz, Naturg. Ins., ii, p. 352 : Jacq. Duval, Gen. Col. Eur., ii, 1857, p. 18, t. 4, f. 20 : Mun. Cat., p. 548 : Muls. & Rey, Hist. Nat. Col. France, Brévip., 1871, p. 17 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 289 : Sharp, Trans. Ent. S. Lond., 1876, p. 72 ; id., Biol. Centr. Amer. Col., i (2), p. 254 : Leconte & Horn, Class. Col., p. 73.
- Agaricochara*, Kraatz, Naturg. Ins., ii, 1857, p. 361 : Mun. Cat. p. 549.  
? *Encephalus*, Westwood, Gnérin's Mag. Zool., 1838, cl. ix, t. 69 : Mun. Cat., p. 548.
- Phaenogyra*, Muls. & Rey, Ann. Soc. Linn. Lyon, (n. s.) xix, 1872, p. 166.
- appendiculata*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 228.
- laminata*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 45.  
 Hab. India.
- cicatricosa*, Motschulsky, l.c., p. 281.
- granulifera*, Kraatz, Wieg. Arch., xxv (i) 1859, p. 48.  
 Hab. Ceylon.
- curtula*, Motschulsky, Etud. Ent., 1859, p. 85.
- nigra*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 49 (nec Motsch.).  
 Hab. Ceylon.
- furcata* (*Encephalus*), Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 227.  
*humeralis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 46.
- indica*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 230.  
 Hab. India.
- immatura*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 47.  
 Hab. Ceylon.

- livida**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 231.  
*oxytloides*, Motschulsky, Etud. Ent., 1859, p. 85.  
*pygmaea*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 49.  
 Hab. India.
- nigra**, Motschulsky, Etud. Ent., 1859, p. 85.  
 Hab. Ceylon.
- pallipes**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 47.  
 Hab. Ceylon.
- rigida**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 230.  
 Hab. India.
- trifida**, Motschulsky, Etud. Ent., 1859, p. 84.  
 Hab. Ceylon.

### Genus BRACHIDA.

- Mulsant & Rey, Ann. Soc. Linn. Lyon, (n. s.) xix, 1872, p. 94 ; Col. France Brévip., Aléoch., p. 4, t. 2, f. 14-18 : Fauvel, Faun. Gall. Rhén., iii, p. 646, t. 6, f. 16 : Sharp, Trans. Ent. S. Lond., 1876, p. 48 ; id., Biol. Centr. Amer., Col., i (2), p. 265.
- crassiuscula** (*Homalota*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 41.  
 Hab. Ceylon.

### Genus CAMACOPALPUS.

- Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 231.  
*Camacopselaphus*, Mun. Cat., p. 549.
- bituberculatus**, Motschulsky, l.c., p. 233, t. 1, f. r.  
 Hab. India.
- flavicornis**, Motschulsky, l.c., p. 233.  
 Hab. India.
- fulvus**, Motschulsky, l.c., p. 234.  
 Hab. India.

### Genus PRONOMAEA.

- Erichson, Käfer Mark Brand., i, 1837, p. 252 : Lacord., Gen. Col., ii, p. 46 : Kraatz, Naturg. Ins., ii, p. 364 : Jacq. Duval, Gen. Col., ii, p. 20, t. 5, f. 24 : Mun. Cat., p. 550.
- bramina**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 224.  
 Hab. India.
- subrufa**, Motschulsky, l.c., xxxiv (i), 1861, p. 149.  
 Hab. Ceylon.

### Genus MYLLAENA.

- Erichson, Käfer Mark Brand., i, 1837, p. 382 ; id., Gen. Staph., p. 209 : Lacord. Gen. Col., ii, p. 48 : Kraatz, Naturg. Ins., ii, p. 367 : Jacq. Duval, Gen. Col., ii, p. 20, t. 8, f. 39 : Mun. Cat., p. 550 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 288 : Sharp, Biol. Centr. Amer., Col., i (2), p. 285 : Leconte & Horn, Class. Col., p. 94.
- Centroglossa*, Mathews, Ent. Mag., v, 1838, p. 194.
- apicalis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 51.  
 Hab. Ceylon.

**lateritia**, Kraatz, l.c., p. 50.  
Hab. Ceylon.

**nitidula**, Kraatz, l.c., p. 50.  
Hab. Ceylon.

### Genus **DINOPSIS**.

(*Deinopsis*) Mathews, Ent. Mag., v, 1838, p. 193 : Kraatz, Naturg. Ins., ii, p. 374 : Mun. Cat., p. 551 : Jacq. Duval, Gen. Col., ii, p. 21, t. 5, f. 25 : Fauvel, Ann. Mus. Civ. Gen., xv, p. 597 : Sharp, Biol. Centr. Amer., Col., i (2), p. 294 : Leconte & Horn, Class. Col., p. 94.

**cinnamomea**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 51.  
Hab. Ceylon.

### Genus **LEUCOCRASPEDUM**.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 51 : Mun. Cat., p. 552.

*Euryglossa*, Motschulsky, Etud. Ent., 1859, p. 82 : Mun. Cat., p. 551.

**pulchellum**, Kraatz, Wieg. Arch., l.c. *supra*, p. 53, t. 1, f. 12 a-e.  
*flavocinctum* (*Euryglossa*), Motschulsky, Etud. Ent., 1859, p. 84, t. 1, f. 8.  
Hab. Ceylon.

**TACHYPORINI**:—(*Tachyporides*) Lacord., Gen. Col., ii, 1854, p. 49 : Jacq. Duval, Gen. Col., ii, p. 22 : Mun. Cat., p. 552 : Thomson, Skand. Col., iii, p. 146 : Pandellé, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 261 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 276 : Horn, Trans. Amer. Ent. S., vi, 1878, p. 81 : Leconte & Horn, Class. Col., p. 99.

### Genus **XENEDUS**.

Rey, Rev. d'Ent., v, 1886, p. 254.

**retractus**, Rey, l. c., p. 255.  
Hab. Sumatra.

### Genus **HYPOCYPTUS**.

Mannerheim (*Hypocyptus*), Brachél., 1820, p. 58 : Eriehson (*Hypocyptus*), Käfer Mark Brand., 1837, p. 387 ; id., Gen. Staph., p. 214 : Boisd. & Lacord., Faun. Ent. Paris, i, p. 519 : Lacord., Gen. Col., ii, p. 51 : Jacq. Duval, Gen. Col., ii, p. 22, t. 9, f. 42 : Mun. Cat., p. 552 : Pandellé, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 268 : Sharp, Biol. Centr. Amer., Col., i (2), p. 297 : Leconte & Horn, Class. Col., p. 100.

*Cypha*, Stephens, Ill. Brit. Ent., v, 1832, p. 187.

**glaber**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 53.  
Hab. Ceylon.

### Genus **CILEA**.

Jacq. Duval, Gen. Col. Eur., ii, 1858, p. 25, t. 9, f. 45 : Fauvel, Bull. Soc. Linn. Norm., x, 1866, p. 246 ; id., Faun. Gall. Rhén., iii, p. 591 : Pandellé, Ann. Soc.

Ent. Fr., (4s.) ix, 1869, p. 277 : Sharp, Biol. Centr. Amer., Col., i (2), p. 308 : Leconte & Horn, Class. Col., p. 100.

*Cilea*, pt, Fauvel, Ann. Mus. Civ. Gen., x, 1877, p. 278.

*Leucoparyphus*, Kraatz, Naturg. Ins. Deutschl., ii, 1858, p. 393 : Mun. Cat., p. 553.

*marginicollis*, Kraatz, Naturg. Ins. l. c., p. 394 ; *id.*, Wieg. Arch., xxv (i), p. 53.  
Hab. N. India, Ceylon.

### Genus TACHINODERUS.

Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 217 : Mun. Cat., p. 556 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 276 : Sharp, Biol. Centr. Amer., Col., i (2), p. 307.  
*Tachinomorphus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 54.

*fulvipes* (*Tachinus*), Erichson, Gen. Staph., 1840, p. 921 : Kraatz, l. c. *supra*, p. 55, note.

*sanguinolentus* (*Tachinus*), Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 216.

*vittatus* (*Tachinomorphus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 55.

Hab. India, Penang, Sumatra, Borneo, Java,

*longicornis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 218, t. 1, f. p.  
Hab. India.

### Genus ERCHOMUS.

Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 218 : Mun. Cat., p. 556 : Horn, Trans. Amer. Ent. S., vi, p. 107 : Sharp, Biol. Centr. Amer., Col., i (2), p. 298 : Leconte & Horn, Class. Col., p. 100.

*Cilea*, pt, Fauvel, Ann. Mus. Gen., xii, p. 110.

*Coproporus*, Kraatz, Naturg. Ins. Deutschl., ii, 1857, p. 399 : Sharp, Trans. Ent. S. Lond., 1876, p. 81.

*Tachinus*, fam. i, pt, Erichson, Gen. Staph., 1840, p. 244.

*atomus* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 58.  
Hab. Ceylon.

*brunninicollis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 220.

*punctipennis* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 57.  
Hab. India.

*fasciipennis* (*Coproporus*), Kraatz, l. c., p. 59.  
Hab. Ceylon.

*flavicornis* (*Coproporus*), Kraatz, l. c. p. 56.  
Hab. India.

*granulum*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 221.  
Hab. India.

*laevigatus*, Motschulsky, l. c., p. 219.  
Hab. India.

*laeviuscula*, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 280.  
Hab. Java, Aru Iscts, New Guinea.

- latus**, Motschulsky, *l. c.*, p. 219, t. 1, f. q.  
*spectabilis* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 55.  
 Hab. India.
- limbifer**, Motschulsky, *l. c.*, *supra*, p. 222.  
*tachyporoides* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 60.  
 Hab. India.
- melanarius**, Erichson, Gen. Staph., 1840, p. 252.  
 Hab. Bengal.
- minimus**, Motschnlsky, Bull. Mose., xxxi (3), 1858, p. 220.  
*pygmaeus* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 58.  
 Hab. India, Ceylon, Celebes.
- rubiginosus**, Motschnlsky, *l. c. supra*, p. 221.  
*castaneipennis* (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 60.  
 Hab. India, Ceylon.
- rufus** (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 59.  
*fulvus*, Motschulsky (*nec* Sahlb.), *l. c. supra*, p. 220.  
 Hab. India.
- sanguinolentus**, Motschnlsky, Bull. Mose., xxxi (3), 1858, p. 220.  
 Hab. India.
- subdepressus** (*Coproporus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 57 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 284.  
 Hab. Ceylon, Celebes, New Guinea.
- subpunctulatus**, Motschnlsky, Etud. Ent., 1859, p. 81.  
 Hab. India.
- tantillus**, Motschulsky, Bull. Mose., xxxi (3), 1858, p. 221.  
 Hab. India.

### Genus TACHYPORUS.

Gravenhorst, Mon. Col. Mier., i, 1806, p. 1 : Erichson, Gen. Staph., p. 231 ; Käfer Mark Brand., p. 392 : Pandellé, Ann. Soc. Ent. Fr., (ts.) ix, 1869, p. 273 : Lacord. Gen. Col., ii, p. 54 : Jacq. Duval, Gen. Col., ii, p. 24, t. 9, f. 44 : Mun. Cat., p. 557 : Sharp, Biol. Centr. Amer., Col., i (2), p. 311 : Leconte & Horn, Class. Col., p. 100.  
*Lamprinus*, Heer, Faun. Helv., i, 1842, p. 286.

- brunneus** (*Oxyporus*), Fabr., Ent. Syst., i (2), 1792, p. 535 ; Syst. Eleuth., ii, p. 607 : Erichson, Gen. Staph., p. 241 : Kraatz, Naturg. Ins. Deutschl., ii, p. 427 : *id.*, Wieg. Arch., xxv (i), p. 61.  
*angustatus*, Stephens, Ill. Brit. Ent., v, 1832, p. 178.  
*basalis*, Stephens, *l. c.*, p. 179.  
*faber*, Say, Trans. Am. Acad. Sci. Phil., iv, p. 468.  
*flavicornis*, Stephens, *l. c. supra*, p. 177.  
*gracilis*, Stephens, *l. c.*, p. 179.  
*libens*, Stephens, *l. c.*, p. 179.  
*minimus*, Stephens, *l. c.*, p. 178.  
*nitidulus*, Olivier, Ent., iii, 42, 1795, p. 34, t. 3, f. 28.  
*nitidus*, Stephens, *l. c. supra*, p. 177.

- pusillus*, Stephens, *l. c.*, p. 180.  
*pyrrhaeeras*, Stephens, *l. c.*, p. 180.  
*thoracicus*, Stephens, *l. c.*, p. 180.  
var. *abdominalis*, Gravenhorst, Microp. Brunsv., 1802, p. 127.  
„ *chloroticus*, Kolenati, McL. Ent., iii, 1846, p. 12.  
„ *scutellaris*, Lacordaire, Faun. Ent. Paris., i, 1835, p. 517.  
„ *testaceus*, Stephens, *l. c. supra*, p. 177.  
Hab. N. America, Europe, India.
- \**chrysomelinus*, Linn., Faun. Succ., 1746, no 855; *id.* Syst. Nat., ed., 12, ii, p. 685: Fabr., Syst. Eleuth., ii, p. 606: Olivier, Ent., iii (12), p. 35, t. 3, f. 22: Latreille, Gen. Crust. Ins., x, p. 7, t. 79, f. 9: Kraatz, Naturg. Ins. Deutschl., ii, p. 421.  
*dispar*, var. *a*, Paykull, Faun. Succ., iii, 1800, p. 423. Sweden.  
*melanocephalus*, Fabr., Ent. Syst., i (2), 1792, p. 534; Syst. Eleuth., ii, p. 607. Germany.  
*merdarius*, Panzer, Ent. Germ., p. 360: Marsham, Ent. Brit., p. 521. Britain.  
Hab. Europe, [*Ind. Mus.*, Pamir].
- dilutus*, Motschulsky, Etud. Ent., 1859, p. 80.  
Hab. Ceylon.
- evanescens*, Boheman, Freg. Eug. Resa, Col., 1858, p. 26.  
Hab. China.

### Genus CONCSOMA.

- Kraatz, Naturg. Ins. Deutschl., ii, 1858, p. 431: Horn, Trans. Amer. Ent. S., vi, p. 108: Sharp, Biol. Centr. Amer., i (2), p. 313: Leconte & Horn, Class. Col., p. 100.  
*Conurus*, Stephens, Ill. Brit. Ent., v, 1832, p. 188 (*nom. praeocc.*): Erichson, Gen. Staph., p. 218: Lacord., Gen. Col., ii, p. 53: Pandellé, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 272: Jacq. Duval, Gen. Col., ii, p. 23, t. 9, f. 43: Mun. Cat., p. 560: Fauvel, Faun. Gall. Réén., iii, p. 600; *id.*, Ann. Mus. Civ. Gen., xii, p. 286.
- biguttatus* (*Conurus*), Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 222.  
*distigma* Kraatz, Wieg. Arch., xxv (i), 1859, p. 61.  
Hab. India.
- brevipennis*, Motschulsky, Etud. Ent., 1859, p. 82.  
Hab. Ceylon.
- ceylanensis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 62.  
Hab. Ceylon.
- cinctus* (*Conurus*), Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 223.  
Hab. India.
- gracilis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 62.  
Hab. Ceylon.
- pictipennis*, Kraatz, *l. c.*, p. 63.  
Hab. Ceylon.
- rufus*, Kraatz, *l. c.*, p. 63.  
Hab. N. India.

### Genus BOLITOBIUS.

Mannerheim, Brachél., 1830, p. 18 : Stephens, Ill. Brit. Ent., v, 1832, p. 171 : Erichson, Gen. Staph., p. 268 : Jacq. Duval, Gen. Col., ii, p. 27, t. 10, f. 49 : Mun. Cat., p. 562 : Pandellé, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 279 : Gozis, Réch., 1886, p. 13 : Sharp, Biol. Centr. Amer., Col., i (2), p. 316 : Leconte & Horn, Class. Col., p. 101.

*Boletobius*, Lacord., Gen. Col., ii, p. 57 : Kraatz, Wieg. Arch. (i), 1859, p. 63.

*Bryocaris*, Boisd. & Lacord., Fauv. Ent. Paris, i, 1835, p. 502.

*Lordithon*, Thomson, Skand. Col., i, p. 47 ; iii, p. 71, 1859.

*Megacronus*, Stephens, Ill. Brit. Ent., v, 1832, p. 165.

**nitidus**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 215.

*bimaculatus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 63.

Hab. India, Ceylon.

### Genus MYCETOPORUS.

Mannerheim, Brachél., 1830, p. 62 : Erichson, Gen. Staph., p. 281 : Mäklin, Symb. Spec. Myct., 1847 : Lacord., Gen. Col., ii, p. 59 ; Pandellé, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 332 : Jacq. Duval, Gen. Col., ii, p. 28, t. 11, f. 51 : Mun. Cat., p. 564 : Sharp, Biol. Centr. Amer., Col., i (2), p. 320 : Leconte & Horn, Class. Col., p. 101.

*Isochnosoma*, Stephens, Ill. Brit. Ent., v, 1832, p. 168.

*Myteroxis*, Gozis, Réch., 1886, p. 14.

**braminus**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 215.

Hab. India.

**testaceus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 64.

Hab. India.

**STAPHYLININI** :—(*Staphylinides*) Lacordaire, Gen. Col., ii, 1854, p. 61 : Jacq. Duval, Gen. Col., ii, p. 29 : Mun. Cat., p. 565 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 238 : Leconte & Horn, Class. Col., p. 95.

*Fissilabres*, Latreille, Nordmann, &c.

### Genus TANYGNATHUS.

Erichson, Käfer Mark Brand., i, 1837, p. 417 ; *id.*, Gen. Staph., p. 288 : Lacord., Gen. Col., ii, p. 60 : Kraatz, Naturg. Ins. Deutschl., ii, p. 477 : Jacq. Duval, Gen. Col., ii, p. 29, t. 11, f. 52 : Mun. Cat., p. 565 : Sharp, Trans. Ent. S. Lond., 1876, p. 96 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 321 : Leconte & Horn, Class. Col., p. 95.

**fuscus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 65.

Hab. India.

**piceus**, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 213.

Hab. India.

**pictus**, Motschulsky, l. c., p. 213.

Hab. India.

*ruficollis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 64.  
Hab. Ceylon.

### Genus ACYLOPHORUS.

Nordmann, Symb. Mon. Staph., 1837, p. 127, t. 1, f. 19 : Erichson, Gen. Staph., p. 519 : Lacord., Gen. Col., ii, p. 81 : Jacq. Duval, Gen. Col., ii, p. 38, t. 15, f. 75 : Mun. Cat., p. 566 : Sharp, Trans. Ent. S. Lond., 1876, p. 97 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 321 : Leconte & Horn, Class. Col., p. 95.

*Rhygnacera*, Motschulsky, Bull. Mosc., xviii (i), 1847, p. 40 ; *id.*, *ib.*, (2), 1858, p. 656.

*flavipes*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 657.  
Hab. India.

*furcatus*, Motschulsky, *l. c.*, p. 657.  
Hab. India.

*ruficollis*, Motschulsky, *l. c.*, p. 657 : ? Kraatz, Wieg. Arch., xxv (i), 1859, p. 65.  
Hab. India.

### Genus EURYPORUS.

Erichson, Käfer Mark Brand., i, 1837, p. 496 ; *id.*, Gen. Staphyl., p. 553 : Lacord., Gen. Col., ii, p. 86 : Jacq. Duval, Gen. Col., ii, p. 39, t. 16, f. 76 : Muu. Cat., p. 566 : Leconte & Horn, Class. Col., p. 96.

*Pelecyphorus*, Nordmann, Symb., 1837, p. 13, t. 1, f. 5.

*argentatus*, Fauvel, Notes Leyden Mus., ii, 1881, p. 164.  
Hab. Sumatra.

*flavipes*, Fauvel, *l. c.*, vi, 1884, p. 241.  
Hab. Sumatra.

### Genus HETEROTHOPS.

Stephens, Ill. Brit. Ent., v, 1832, p. 256 : Erichson, Gen. Staph., p. 515 : Lacord., Gen. Col., ii, p. 83 : Jacq. Duval, Gen. Col., ii, p. 38, t. 15, f. 74 : Mun. Cat., p. 567 : Fauvel, Faun. Gall. Rhén., iii, p. 535 : Ryc, Ent. Mon. Mag., iv, p. 256 : Sharp, Biol. Centr. Amer., Col., i (2), p. 323 : Leconte & Horn, Class. Col., p. 95.  
*Trichopygus*, Nordmann, Symb. Mon. Staph., 1837, p. 137.

\**dissimilis*, Gravenhorst, Micr. Brunsv., 1802, p. 125 : Kraatz, Nat. Ins. Deutschl., ii, p. 485.

*minutus*, Wollaston, Ann. Mag. N. H., (3s.) vi, 1860, p. 53 ; *id.*, Trans. Ent. S. Lond., 1871, p. 298.

*subuliformis*, Gyllenhal, Ins. Suec., ii, 1810, p. 312.  
Hab. Europe, Sweden [*Ind. Mus.*, Leh].

*flavicollis*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 660.  
Hab. India.

*quadripunctula*, Gravenhorst, Mon. Col. Micr., 1806, p. 24 : Kraatz, Naturg. Ins. Deutschl., ii, p. 486.

*pumilio*, Nordmann, Symb. Mon. Staph., 1836, p. 138. Russia.  
*subuliformis*, Zetterstedt, Faun. Lapp., i, 1840, p. 72. Lapland.  
 Hab. Europe [Ind. Mus. Murree].

### Genus CYRTOTHORAX.

Kraatz, Berlin. Ent. Zeits., 1858, p. 366 : Mun. Cat., p. 567 : Fauvel, Bull. Soc. Linnei Norm., (3s) ii, 1878, p. 166 : Sharp, Biol. Centr. Amer., Col., i (2), p. 340.

*carnifex*, Fauvel, Bull. Soc. Linnei Norm., (3s) ii, 1878, p. 166.  
 Hab. Cambodia.

*vulneratus*, Fauvel, l. c., p. 165.  
 Hab. Cochin China.

### Genus QUEDIUS.

(Leach) Stephens, Ill. Brit. Ent., v, 1832, p. 215 : Erichson, Gen. Staph., p. 523 : Jacq. Duval, Gen. Col., ii, p. 37, t. 15, f. 72, 73 : Lacord., Gen. Col., ii, p. 84 : Mun. Cat., p. 568 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 272 : Sharp, Biol. Centr. Amer., Col., i (2), p. 328 : Leconte & Horn, Class. Col., p. 95.

*Ediquus*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) viii, 1876, p. 618.

*Microsaurus*, Stephens, Ill. Brit. Ent., v, 1832, p. 435.

*Raphirus*, Stephens, l. c., v, 1832, p. 201.

*Sauridus*, Muls. & Rey, l. c. supra, p. 700.

*Velleius*, Mannerheim, Brachol., 1830 : Stephens, l. c. supra, p. 435.

*chlorophanus*, Erichson, Gen. Staph., 1840, p. 532 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 66.

Hab. Bengal.

*eruentus* (*Staphylinus*), Olivier, Ent., iii (42), 1795, p. 27, t. 5, f. 49 : Kraatz, Naturg. Ins., p. 495 ; id., Wieg. Arch., xxv (i), 1859, p. 67.

*aetolicus*, Kraatz, Berlin. Ent. Zeits., 1858, p. 58, Greece.

*analis*, Stephens, Ill. Brit. Ent., v, 1832, p. 435, Britain.

*erythropterus*, Stephens, l. c., p. 226, France.

*fulgidus*, Marsham, Ent. Brit., 1802, p. 503, Britain.

*haemorrhous*, Stephens, l. c. supra, p. 217, Britain.

Hab. Britain, Europe, India.

*fulgidus* (*Staphylinus*), Fabr., Mant. Ins., i, 1787, p. 220 ; Ent. Syst., i (2), p. 525 ; Syst. Eleuth., ii, p. 596 : Erichson, Käfer Mark Brand., i, p. 486 : Kraatz, Naturg. Ins., p. 492 ; id., Wieg. Arch., xxv (i), 1859, p. 67 : Schiödte, Nat. Tidsskr., 1864, p. 205, t. 10, f. 17-22 : Mun. Cat., p. 569 : Fauvel, Faun. Gall. Rhén., iii, p. 505.

*arvernicus*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) viii, 1876, p. 613.

*nitidus*, Gravenhorst, Micr. Brunsv., 1802, p. 31. Europe.

*rufithorax*, Muls. & Rey, l. c. supra, p. 661.

*variabilis*, Gyllenhal, Ins. Succ., ii, 1810, p. 303. Sweden.

var. *assimilis*, Nordmann, Symb. Mon. Staph., 1836, p. 78. Russia.

,, *atripennis*, Stephens, Ill. Brit. Ent., v, 1832, p. 436. Britain.

,, *bicolor*, Redtenbacher, Faun. Austr., 1849, p. 710. Germany.

- var. *erythrogaster*, Mannerheim, Bull. Mose., xxv (2), 1852, p. 314. Sitka.  
 „ *floralis*, Lacordaire, Faun. Ent. Paris., i, 1835, p. 380. Styria.  
 „ *Fuchsii*, Scirla, Berlin. Ent. Zeits., 1866, p. 378 : Fauvel, l'Abeille, vii, p. 136. Rome.  
 „ *fuscipennis*, Block, Verzeichn. Ins. Plauen, 1799, p. 116, t. 4, f. 4. Russia.  
 „ *groenlandicus*, Zetterstedt, Faun. Ins. Lapp., 1828, p. 61. Lapland.  
 „ *haemopterus*, Stephens, Ill. Brit. Ent., v, 1832, p. 217. Britain.  
 „ *iracundus*, Say, Trans. Am. Acad. Sci. Phil., iv p. 449. N. Amer.  
 „ *laetus*, Faldermann, Fauna Ent. Transc., i, 1836, p. 127. Armenia.  
 „ *mesomelinus*, Marsham, Ent. Brit., 1802, p. 510. Britain.  
 „ *nigricornis*, Stephens. Ill. Brit. Ent., v, 1832, p. 222. Britain.  
 „ *occultus*, Lacordaire, Faun. Ent. Par., i, 1835, p. 379. France.  
 „ *ochripennis*, Ménétriés, Cat. raisonné, 1832, p. 145 (= *quadripunctatus*, Thomson) Talyk.  
 „ *peranxius*, Muls & Rey, Ann. Soc. Agric. Lyon, (4s.) xiii, 1876, p. 613.  
 „ *rufistariss*, Marsham, Ent. Brit., 1802, p. 512. Britain.  
 „ *skrimshiranus*, Stephens, Ill. Brit. Ent., v, 1832, p. 225. Britain.  
 „ *virens*, Rottenberg, Berlin. Ent. Zeits., xiv, 1870, p. 2S. Sicily.  
 Hab. Europe, N. India, Java, Australia, N. America.

**pectoralis**, Boheman, Freg. Eug. Resa., Col., 1858, p. 31.  
 Hab. China.

**spectabilis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 66.  
 Hab. N. India.

### Genus **NADDIA**.

Fauvel, Col. Hefte, ii, 1867, p. 117 : Mun. Cat., p. 574.  
*Caranistes*, Erichson, Gen. Staph., 1840, p. 925.

**Westermannii** (*Caranistes*), Erichson, Gen. Staph., 1840, p. 925 : Kraatz, Wieg. Arch., xxvi (i), 1859, p. 72.  
 Hab. Bengal.

### Genus **PALAESTRINUS**.

Erichson, Gen. Staph., 1840, p. 343 : Lacord., Gen. Col., ii, p. 74 : Mun. Cat., p. 574.

**mutilarius**, Erichson, Gen. Staph., 1839, p. 924 : Kraatz, Wieg. Arch., xxvi (i), p. 72.  
 Hab. Bengal.

**Sykesii**, Erichson, l. c., supra p. 344 : Kraatz, l. c. supra, p. 71, t. 2, f. 1. a-b.  
 Hab. India.

### Genus **EMUS**.

Curtis, Brit. Ent. xii, 1825, t. 534 : Jacq. Duval, Gen. Col., ii, p. 34, t. 13, f. 61 :  
 Mun. Cat., p. 575 : Fauvel, Ann. Mus. Civ. Gen., x, 1877, p. 249 ; ib., xii, p. 248.  
*Cratophilus*, Mannerheim, Brachöl., 1830, p. 20 : Kraatz, Natvrg. Ins. Deutschl., ii, p. 528 : Jacq. Duval, Gen. Col., ii, p. 34, t. 13, f. 62 : Mun. Cat., p. 575 : Fauvel, Tijds. v. Ent., xviii, 1875, p. 53 : Sharp, Biol. Centr. Amer., Col., i (2), p. 370 : Leconte & Horn, Class. Col., p. 96.

- erythrocephalus* (*Staphylinus*), Fabr., Syst. Ent., 1775, p. 265; Spee. Ins., i, p. 335; Mant. Ins., i, p. 220; Ent. Syst., i (2), p. 523; Syst. Eleuth., ii, p. 593: Olivier, Ent., iii, 42, p. 12, t. 2, f. 9. Erichson, Gen. Staph., p. 351: Fauvel, Tijds. v. Ent., xviii, 1875, p. 56; id., Ann. Mus. Civ. Gen., x, 1877, p. 249.  
 Hab. Australia, Tonga, Tahiti, New Caledonia [*Ind. Mus. India.*]
- insularis*, Fauvel, Ann. Mus. Civ. Gen., xv, 1879-80, p. 94.  
 Hab. Sumatra.
- maxillosus*, Linn., Faun. Suee., 1746, p. 230, no 841: Donovan, Brit. Ins., iii, t. 96, p. 3: Fabr., Syst. Eleuth., ii, p. 592: Erichson, Gen. Staph., p. 348: Kraatz, Naturg. Ins. Deutsch., ii, p. 529; id., Wieg. Arch., xxv (i), 1859, p. 68: Jacq. Duval, Gen. Staph., t. 13, f. 62: Chapuis & Cand., Mém Liège, 1853, p. 399, t. 2, f. 1: Mun. Cat., p. 575: Fauvel, Tijds. v. Ent., xviii, p. 53.  
 [Fauvel, *l.c.*, *supra*, would make *ciliarius*, Stephens, the type, as *maxillosus*, Linn., is the most aberrant of the varieties].
- anonymus*, Sulzer, Kenntz, Ins. nach Linn., 1761, p. 17, t. 7, f. 49. Switzerland.  
*arcticus*, Erichson, Gen. Staph., 1840, p. 348: Solsky, Bull. Mosc., xlvi (2), 1868, p. 260. Kamtschatka.  
*balteatus*, De Geer, Mém., iv, 1774, p. 18, t. 1, f. 7-8, Europe.  
*bicinctus*, Eschscholtz, Bull. Mosc., xvi (2), 1843, p. 229: Solsky. ib. xlvi (2), 1868 p. 262, Russ. America.  
*oinerarius*, Erichson, Gen. Staph., 1840, p. 350: Sharp, Trans. Ent. S. Lond., 1874, p. 27. Egypt.  
*fasciatus*, Füssly, Verzeichn. Sehw. Ins., 1775, p. 21: ? Lap. de Casteln., Etud. Ent., i, p. 111 ♀, Europe.  
*nebulosus*, Geoffroy, Fourcroy, Ent. Paris., i, 1785, p. 165, France.  
*ciliarius*, Stephens, Ill. Brit. Ent., v, 1832, p. 202: Erichson, German's Zeitschr., iii, p. 408, Britain.
- var. { *fulvago*, Motschulsky, Schrenck's Reise, ii 1860, p. 120: Solsky, Hor. Soc. Ent. Ross., vii, 1871, p. 346; viii, p. 158, Mongolia.  
 " *imbecillus*, Sharp, Trans. Ent. S. Lond., 1874, p. 28, Japan.  
 " *medialis*, Sharp, *l.c.* p. 28, Japan.  
 " *orientalis*, Motschulsky, Etud. Ent., 1857, p. 67: Solsky, Hor. Ent. Ross., vii 1871, p. 346; viii, p. 158. E. Siberia,  
 " *subfasciatus*, Sharp, Trans. Ent. S. Lond., 1874, p. 28.  
 " *villosum*, Gravenhorst, Mier. Bruns., 1802, p. 160: Erichson, Gen. Staph., p. 349: Nordmann, Symb. Mon. Staph., p. 319: Sharp, Biol. Centr. Amer., Col., i (2), p. 370.  
 Hab. Europe, America, N. Africa, Japan, China, Mongolia, Siberia, N. India [*Ind. Mus. Kogyar, Leh.*].
- villipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 67.  
 Hab. India, Dekhan; Borneo.

### Genus LEISTOTROPHUS.

Perty, Deleet, Anim., 1830, p. 30: Kraatz, Naturg. Ins., ii, p. 532: Mun. Cat., p. 576: Fauvel, Ann. Mus. Civ. Gen., xii, p. 249: Sharp, Biol. Centr. Amer., Col., i (2), p. 371: Leconte & Horn, Class. Col., p. 96.

*Discocerphalus*, Nordmann, Symb., 1837, p. 8.  
*Staphylinus*, pt. 5, 6, Erichson, Lacord. Gen. Col., ii, p. 76.  
*Trichoderma*, Stephens, Ill. Brit. Ent., v, 1832, p. 435.

*marmoratus* (*Staphylinus*), Erichson, Gen. Staph., 1839, p. 826 : Kraatz, Wieg. Arch., xxv (i), p. 68.  
 Hab. Tenasscrim, Ceylon, Java.  
*tenuicornis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 68.  
 Hab. N. India [*Ind. Mus.* ——].

### Genus TRICHOCOSMETES.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 69 : Mun. Cat., p. 577.

*leucomus* (*Staphylinus*), Erichson, Gen. Staph., 1839, p. 362 : Kraatz, l.c., *supra*, p. 70, t. 2, f. 2 a, b.  
*cinctus* (*Staphylinus*), Redtenbacher, Hügel's Kaschm., iv (2), 1844, p. 504, t. 23, f. 6.  
 Hab. Nepal, N. India.

### Genus EUCIBDELUS.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 70 : Mun. Cat., p. 577.

*gracilis*, Kraatz, l.c., *supra*, p. 71, t. 2, f. 3 a-b.  
 Hab. N. India.

### Genus RHYNCHOCHILUS.

Sharp, Ann. Mag. N. H. (6s.) ii, 1888, p. 220, note.

*aureus* (*Staphylinus*), Fabr., Mant. Ins., i, 1787, p. 219 ; Ent. Syst., i (2), p. 519 ; Syst. Elcuth., ii, p. 589 : Olivier, Ent., iii, 42, p. 7, t. 1, f. 2 : Erichson, Gen. Staph., p. 344 ; Kraatz, Wieg. Arch., xxv (i), 1859, p. 74, note.  
 Hab. Assam, Siam, Cochinchina [*Ind. Mus.*, Sibságar].

*pectoralis*, Sharp, Ann. Mag. N. H., (6s.) ii, 1888, p. 120, note.  
 Hab. Singapur, Malacca, Bornco, Sumatra.

### Genus STAPHYLINUS.

Linn., Syst. Nat., (ed. 12) ii, 1767, p. 683 : Jacq. Duval, Gen. Col., ii, p. 33, t. 13, f. 63 : Lacord., Gen. Col., ii, p. 76 : Kraatz, Naturg. Ins., ii, p. 536 : Mun. Cat., p. 577 : Sharp, Trans. Ent. S. Lond., 1876, p. 150 ; id., Biol. Centr. Amer., Col., i (2), p. 371 : Leconte & Horn, Class. Col., p. 96.

*Abemus*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) viii, 1876, p. 242.  
*Bemasus*, Muls & Rey, l.c., p. 259.  
*Dinothenarus*, Gozis, Récherche, 1886, p. 14.  
*Platydacus*, Thomson, Skand. Col., i, 1859 p. 23.  
*Ouchemus*, Gozis, Récherche, 1886, p. 14.

*asemus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 77.  
 Hab. N. India.

**brachypterus**, Kraatz, *l. c.*, p. 76.

Hab. N. India.

**decipiens**, Kraatz, *l. c.*, p. 75.

Hab. Ceylon.

**Goryi**, Lap. de Casteln., Etud. Ent., i, 1834, p. 113, t. 3, f. 2 : Erichson, Gen. Staph., p. 395 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 72.

*auripennis*, Kraatz, *l. c.*, *supra*, p. 72.

Hab. India.

**griseipennis**, Fairmaire, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. 10.

Hab. Tibet, Moupin.

**indicus**, Kraatz, *l. c.*, p. 75.

Hab. N. India.

**luzonicus**, Fauvel, Rec. d'Ent., v, 1886, p. 149.

Hab. Manilla.

**maculipennis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 77.

Hab. N. India.

**semipurpureus**, Kraatz, *l. c.*, p. 73.

Hab. N. India.

**subirideus**, Kraatz, *l. c.*, p. 78.

Hab. India.

**xanthocephalus**, Kraatz, *l. c.*, p. 74.

Hab. India.

### Genus OCYPUS.

Stephens, Ill. Brit. Ent., v, 1832, p. 211 : Lacord., Gen. Col., ii, p. 79 : Jacq. Duval, Gen. Col., ii, p. 33, 35, t. 14, f. 66 : Mun. Cat., p. 580 : Lecoute & Horn, Class Col., p. 96.

*Anodus*, Nordmann, Symb., 1835, p. 11.

*Goërius*, Stephens, Ill. Brit. Ent., v, 1832, p. 208.

*Pseudocypus*, Muls. & Rey, Ann. Soc. Agric. Lyon., (4s.) viii, 1876, p. 291.

*Tasgius*, Stephens, Ill. Brit. Ent., v, 1832, p. 435 : Jacq. Duval, Gen. Col., ii, p. 35, t. 13, f. 65.

**congruus**, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205.

Hab. Ceylon.

**lineatus**, Walker, *l. c.*, iii, 1859, p. 51.

Hab. Ceylon.

**longipennis**, Walker, *l. c.*, ii, 1858, p. 205.

Hab. Ceylon.

**punctilinea**, Walker, *l. c.*, ii, 1858, p. 205.

Hab. Ceylon.

**testaceipes**, Fauvel, Ann. Soc. Ent. Belg., xxxi, 1887, p. 97.

Hab. Yunnan.

### Genus PHILONTHUS.

Curtis, Brit. Ent., xiii, 1825, t. 610 : Erichson, Gen. Staph., p. 426 : Lacord., Gen. Col., ii, p. 80 : Jacq. Duval, Gen. Col., ii, p. 35, t. 14, f. 67 : Mun. Cat., p. 581 :

- Fauvel, Ann. Mus. Civ. Gen., xii, p. 257 : Horn, Syn. Philonth. N. Amer., Trans. Amer. Ent. S., xi, 1884, p. 177 : Sharp, Trans. Ent. S. Lond., 1876, p. 164 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 395, 428 : Leconte & Horn, Class. Col., p. 96.
- Bisnius*, Stephens, Ill. Brit. Ent., v, 1832, p. 247.
- Gabrius*, Stephens, *l. c.*, p. 249.
- Gefyrobius*, Thomson, Skand. Col., i, 1859, p. 24 ; ii, p. 166.
- Pseudidius*, pt., Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) viii, 1876, p. 574.
- Rabigus*, Muls. & Rey, *l. c.*, p. 523.
- Remus*, Holme, Trans. Ent. S. Lond., ii, 1837, p. 64.
- acroleucus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 91.  
Hab. India.
- acuminatus*, Kraatz, *l. c.*, p. 93.  
Hab. India.
- aeneipennis*, Boheman, Freg. Eug. Resa, Col., 1858, p. 30.  
Hab. China.
- aeneus*, Rossi, Faun. Etrusc., i, 1790, p. 249 : Erichson, Gen. Staph., p. 928 : Kraatz, Naturg. Ins. Deutschl., p. 578 : Schiödte, Nat. Tidsskr., 1864, t. 12, f. 1 : Fauvel, Faun. Gall. Rhén., iii, p. 442.
- cyanicornis*, Mannerheim, Braehél., 1830, p. 27. Sweden.
- laticeps*, Zetterstedt, Faun. Lapp., i, 1810, p. 73. Lapland.
- mandibularis*, Kirby, Fauna Bor. Amer., iv, 1837, p. 91. N. America.
- metallicus*, Boisd. & Lacord., Faun. Ent. Paris., i, 1835, p. 390. France.
- politus*, Linn., Syst. Nat. i (2), p. 683 : Kirby, *l. c. supra*, p. 91. Sweden.
- puncticollis*, Stephens, Ill. Brit. Ent., v, 1832, p. 439. Britain.
- similis*, Marsham, Ent. Brit., 1802, p. 497. Britain.
- var. *atratus*, Boisd. & Lacordaire, *l. c. supra*, p. 392. France.  
Hab. N. Amerien, Europe, N. India.
- amabilis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 97.  
Hab. India.
- asemus*, Kraatz, *l. c.*, p. 86.  
Hab. N. India.
- basalis*, Motschulsky, Bull. Mosc., xxi (2), 1858, p. 664.  
Hab. India, Ceylon, Japan.
- castaneus*, Gemm. & Har., Mun. Cat., 1868, p. 586.
- badius* (*Gabrius*), Motsch. (*nec* Kiesenw.), Bull. Mosc., xxxi (2), 1858, p. 661.  
Hab. India.
- cinctipennis*, Fauvel, Faun. Gall. Rhén., iii, Cat. xxx ; Bull. Soc. Norm., ii, 1878, p. 123.  
Hab. Egypt, Annam, Cochinchina, Philippines.
- cinctulus*, Gravenhorst, Micr. Bruns, 1802, p. 167 ; *id.*, Mon. Col. Micr., p. 89 : Erichson, Gen. Staph., p. 332.  
Hab. Bengal.
- concolor*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 80.  
Hab. Ceylon,

- cyanelytrius**, Kraatz, *l. c.*, p. 80.  
 Hab. N. India [*Ind. Mus.*, Murree].
- delicatulus**, Boheman, Freg. Eug. Resa, Col., 1858, p. 29.  
 Hab. China.
- distinetus**, Gemm. & Har., Mun. Cat., 1868, p. 587.
- antennatus**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 661 (*nec Guérin*).  
 Hab. India.
- ebeninus**, Gravenhorst, Micr. Bruns., 1802, p. 170: Erichson, Gen. Staph., p. 461 :  
 Kraatz, Naturg. Ins. Deutsehl., ii, p. 596.
- varians**, Erichson, Käfer Mark Brand., i, 1837, p. 461. Germany.
- var. brevicornis**, Gravenhorst, *l. c. supra*, p. 22. Europe.
- „ **concinnus**, Gravenhorst, *ib.*, p. 21. Russia.
- „ **corruscus**, Gravenhorst, *ib.*, p. 33 : Erichson, Gen. Staph., p. 465. France.
- „ **irregularis**, Mannerheim, Brachél., 1830, p. 30. Siberia.
- „ **marcidus**, Wollaston, Cat. Col. Canar., 1854, p. 571. Canaries.
- „ **nitidus**, Marsham, Ent. Brit., 1802, p. 511. Britain.
- „ **ochropus**, Gravenhorst, *l. c. supra*, p. 39. Sweden.
- „ **planus**, Boisd. & Lacord., Faun. Ent. Paris, i, 1835, p. 401. France.
- „ **varians**, Gravenhorst, Mon. Col. Micr., 1806, p. 82. Germany.  
 Hab. Europe, India [*Ind. Mus.*, Kulu].
- erythropus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 88 : Fauvel, Ann. Mus. Civ. Gen., xv, p. 104.  
 Hab. India, Ceylon, Annam, China, Philippines, Sumatra, Java, Celebes, New Guinea.
- erythrostictus**, Kraatz, *l. c.* p. 94.  
 Hab. India.
- flavipes**, Kraatz, *l. c.* p. 88.  
 Hab. Ceylon, Siam.
- navocinctus**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 663.  
 Hab. India.
- fulvitarsis**, Motschulsky, Etud. Ent., viii, 1859, p. 80.  
 Hab. Ceylon.
- fuscatus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 95.  
 Hab. Ceylon, Siam.
- fuscolaterus** (*Gabrius*), Motschulsky, Etud. Ent., viii, 1859, p. 76.  
 Hab. Ceylon.
- gemellus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 91.  
 Hab. Ceylon.
- geminus**, Kraatz, *l. c.*, p. 87.  
 Hab. Ceylon, China.
- idiocerus**, Kraatz, *l. c.*, p. 85.  
 Hab. Ceylon, Celebes.

- lativentris**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 663.  
 Hab. India.
- leucopygus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 90.  
 Hab. India.
- leucotus**, Erichson, Gen. Staph., 1839, p. 507 : Kraatz, *I. c.*, *supra* p. 98.  
 Hab. India.
- longiceps**, Fauvel, Ann. Mus. Civ. Gen., xv, 1879-80, p. 104.  
 Hab. Malacca, Borneo, Celebes, New Guinea.
- longicornis**, Stephens, Ill. Brit. Ent., v, 1832; p. 237 : Fauvel, Faun. Gall. Rhén., iii,  
 p. 480 : Sharp, Biol. Centr. Amer., Col., i (2), p. 416.  
*algiricus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 663. Algiers.  
*fumosus*, Solsky, Hor. Soc. Ent. Ross., v, 1867, p. 134. Russia.  
*?fuscicornis*, Nordmann, Symb. Mon. Staph., 1836, p. 96. Russia.  
*scybalarius*, Nordmann, *I. c.*, p. 94 : Kraatz, Naturg. Ins. ii, p. 601 ; *id.*,  
 Wieg. Arch., xxv (i), p. 86. Germany, Ceylon.  
*varians*, var. *b.*, Erichson, Käfer Mark Brand., i, 1837, p. 466 ; *id.*, Gen.  
 Staph., p. 470 : Fauvel, Ann. Soc. Ent. Fr., (3s.) iii, 1863, p. 435. Britain.  
 Hab. Europe, S. America, Cape, Ceylon, Japan, Australia, Tahiti.
- longulus** (*Gabrius*), Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 662.  
 Hab. India.
- luzonicus**, Fauvel, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 180 ; *id.*, Rev. d'Ent., v, p.  
 149.  
 Hab. Philippines.
- micantiventris**, Sharp,  
 Hab. China.
- mutans**, Sharp, Trans. Ent. S. Lond., 1874, p. 43.  
 Hab. Japan, China.
- nitens**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 82.  
 Hab. Ceylon.
- notabilis**, Kraatz, *I. c.*, p. 79.  
 Hab. N. India, Ceylon, Annam, Philippines.
- paederoides** (*Gabrius*), Motschulsky., Bull. Mosc., xxxi (2), 1858, p. 662.  
*bellus*, Kraatz, *I. c. supra*, p. 83.  
 Hab. India, Ceylon, Siam, Cochinchina, Philippines.
- \***pamirensis**, Sharp, Jl. As. Soc. Ben., xlvi (2), 1878, p. 170.  
 Hab. Pamir. [*Ind. Mus.*, type].
- parviceps**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 86.  
 Hab. Ceylon,
- pedestris**, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51.  
*eustilbus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 98.  
 Hab. Ceylon.
- peliomerus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 82.  
 Hab. Ceylon.

- productus**, Kraatz, *l. c.*, p. 80.  
 Hab. Ceylon.
- proximus**, Kraatz, *l. c.*, p. 80 : Fauvel, Faun. Gall. Rhén., iii, p. 406.  
*carbonarius*, Erichson, Käfer Mark Brand., i, 1837, p. 448 (*nec Gyl.*).  
*succicola* (*Baryodoma*), Thomson, Skand., Col., ii, 1859, p. 157 : Kraatz,  
 Deutsche Ent. Zeits., 1875, p. 129.  
 Hab. Europe, Siberia, N. India.
- pulchellus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 92.  
 Hab. India, Ceylon.
- quisquiliarius**, Gyllenhal, Ins. Suec., ii, 1810, p. 335 : Kraatz, Naturg. Ins., p. 607 :  
 Fauvel Faun. Gall. Rhén., iii, p. 463.  
*chalceipennis*, Fauvel, Ann. Mus. Civ. Gen., xiii, 1878, p. 547.  
*dimidiatus*, Lacord., Faun. Ent. Paris., i, 1835, p. 402. France.  
*phaeopus*, Stephens, Mau. Brit. Col., 1839, p. 397. Britain.  
*quadricollis*, Horn, Trans. Amer. Ent. Soc., xi, 1884, p. 194.  
 var. *inquinatus*, Stephens, Ill. Brit. Ent., v, 1832, p. 223. Sweden.  
 „ *rubidus*, Erichson, Gen. Staph., 1840, p. 475. Germany, Japan.  
 „ *variipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 85. Ceylon, India.  
 Hab. N. America, Europe, India, Ceylon, Annam, Cochinchina, Sumatra,  
 Java, Celebes, Philippines, Japan, Africa, New Caledonia.
- \***rotundicollis**, Ménétriés, Cat. Raison., 1832, p. 145 : Hochhuth, Bull. Mosc., xx (i)  
 1849, p. 135.  
*scutatus*, Erichson, Gen. Staph., 1840, p. 438 : Kraatz, Naturg. Ins.  
 Deutschl., ii, p. 580.  
 Hab. S. Europe, Caucasus [*Ind. Mus.*, Pamir].
- rubricollis**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 665.  
 Hab. India.
- rufomarginatus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 90.  
 Hab. Ceylon.
- sericeicollis**, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 266.  
 Hab. Borneo, New Guinea.
- solidus**, Sharp, Trans. Ent. S. Lond., 1874, p. 43.  
 Hab. Japan, China.
- \***Stoliczkae**, Sharp, Jl. As. Soc. Beng., xlvi (2), 1878, p. 170.  
 Hab. Yarkand [*Ind. Mus.*, type.]
- subirideus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 81.  
 Hab. Ceylon.
- tardus**, Kraatz, *l. c.*, p. 81.  
 Hab. Ceylon, Java.
- thermarum**, Aubé, Ann. Soc. Ent. Fr., (2s.) viii, 1850, p. 316 : Kraatz, Naturg.,  
 Ins. Deutschl., p. 608 : Fauvel, Faun. Gall. Rhén., iii, p. 470 ; *id.*, Ann. Mus.  
 Civ. Gen., xii, p. 268 : Sharp, Ann. Mag. N. H., iii, 1889, p. 39.  
*angustatus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 92.

- exilis*, Kraatz, Stettin Eut. Zeit., 1851, p. 293.  
*maritimus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 661.  
*pygmaeus*, Kraatz, l. c. *supra*, p. 93.  
Hab. Europe, Egypt, Japan, N. China, India, Ceylon, Java, New Guinea.  
*turbidus*, Erichson, Gen. Staph., 1840, p. 484.  
*punctipennis*, Wollaston, Cat. Col. Mader., 1857, p. 192.  
Hab. Assam, Mauritius, Bourbon, Madagascar, Syria, Egypt, Madeira.  
*xanthomerus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 83.  
Hab. India.

### Genus CAFIUS.

- Stephens, Ill. Brit. Ent., v, 1832, p. 245 : Fauvel, Faun. Gall. Rhen., iii, p. 421, t. 5, f. 13 ; *id.*, Ann. Mus. Civ. Geu., xii, 1878, p. 251.  
*Orthidus*, Muls. & Rey, Ann. Soc. Agric. Lyon, (4s.) viii, 1876, p. 339.  
*Pseudidus*, pt., Muls. & Rey, Aun. Soc. Agric Lyon, (4s.) viii, 1876, p. 574.  
*parallelus* (*Philonthus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 99.  
Hab. Ceylon.  
*punicollis* (*Philonthus*), Boheman, Freg. Eug. Resa, 1858, p. 31.  
Hab. China.  
*rufescens*, Sharp, Ann. Mag. N. H., (6s.) ii, 1888, p. 44.  
Hab. Japan, Hongkong.

### Genus ACTOBIUS.

- Fauvel, Faunc Gall. Rhén., iii, Suppt. p. 72 : Sharp, Biol. Centr. Amer., Col., i (2), p. 457.  
*Bisenius*, Thomson, Skand. Col., ii, p. 168. (*nec* Leach, Stephens).  
*Erichsonius*, Fauvel, l. c. *supra*, p. 427 (*nom. praeoc.*).  
*longulus* (*Philonthus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 99 (*nec* Motsch.).  
*praelongus*, Gemm. & Har., Mun. Cat., p. 591.  
Hab. India, Ceylon, Annam, Sumatra, Celebes, Philippines.

### Genus LEUCITUS.

- Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 253.  
*stenoides*, Gravonhorst, Mon. Col. Micr., 1806, p. 90 : Erichson, Gen. Staph., p. 493 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 94 *noto* : Fauvel, Anu. Mus. Civ. Gen., xii, p. 253, *notc.*  
Hab. Java.

### Genus PACHYCORYNUS.

- Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 204 : Mun. Cat., p. 595 : Fauvel, Anu. Mus. Civ. Gen., xii, 1878, p. 239.  
*Holismorphus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 100, t. 2, f. 6.  
*dimidiatus*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 205, t. 1, f. n.  
*ceylanensis* (*Holismorphus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 101, t. 2, f. 6 *a-c*.  
Hab. Iudia, Ceylon, Java, Aru Islands.

### Genus BELONUCHUS.

Nordmann, Symb. Mon. Staph., 1837, p. 129, t. 2, f. 2 : Erichson, Gen. Staph., p. 419 : Lacord., Gen. Col., ii, p. 80 : Mun. Cat., p. 595 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 269 : Sharp, Trans. Ent. S. Lond., 1876, p. 156 ; id., Biol. Centr. Amer., Col., i (2), p. 428, 429 : Leconte & Horn, Class. Col., p. 96.

*castaneipennis* (*Philonthus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 96.  
Hab. India, Ceylon.

*ferrugatus* (*Philonthus*), Erichson, Gen. Staph., 1840, p. 931 : Kraatz, l. c. *supra* p. 96.  
Hab. Java, Penang.

*grandiceps* (*Philonthus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 95.  
Hab. Ceylon.

*mutator*, Fauvel, Ann. Mus. Civ. Gen., xv, 1879, p. 106.  
Hab. Malacca, Gilolo, Celebes.

*quadratus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 96.  
Hab. N. India.

### Genus TRAPEZIDERUS.

Motschulsky, Etud. Ent., viii, 1859, p. 77 : Mun. Cat., p. 599.

*bicolor*, Motschulsky, Etud. Ent., viii, 1859, p. 79.  
Hab. Ceylon.

### Genus XANTHOLINUS.

Serville, Enc. Méth., x, 1825, p. 475 : Erichson, Gen. Staph., p. 306 : Lacord., Gen. Col., ii, p. 68 : Jacq. Duval, Gen. Col., ii, p. 32, t. 12, f. 58 : Mun. Cat., p. 600 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 243 : Sharp, Trans. Ent. S. Lond., 1876, p. 198 ; id., Biol. Centr. Amer., Col., i (2), p. 475 : Leconte & Horn, Class. Col., p. 96.

*Eulissus*, Mannerheim, Brachél., 1830, p. 35 : Mun. Cat., p. 600.

*Gyrohypnus*, Stephens, Ill. Brit. Ent., v, 1832, p. 258.

*Megalinus*, Muls. & Rey, Mém. Acad. Lyon, xxii, 1876, p. 261.

*anachoreta*, Erichson, Gen. Staph., 1840, p. 316 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 102.

*morio*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 207.  
Hab. N. India, Ceylon.

*cicatricosa*, Fauvel, Notes Leydeu Mus., iii, 1881, p. 163.  
Hab. Sumatra.

*cinctus*, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205.  
Hab. Ceylon.

*dispidus*, Erichson, Gen. Staph., 1840, p. 317 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 104.

Hab. Bengal.

*fulgidus* (*Staphylinus*), Fabr., Mant. Ins., i, 1787, p. 220 : Ent. Syst., i (2), p. 525 : Syst. Eleuth., ii, p. 596 : Olivier, Ent., iii (42), t. 4, f. 34 : Kraatz, Naturg. Ins.

Deutschl., p. 642; *id.*, Wieg. Arch., xxv (i), p. 105: Jacq. Duval, Gen. Col. Eur., ii, p. 32, t. 12, f. 57.

*angulatus*, Küster, Käfer Europ., p. 13.

*pyropterus*, Gravenhorst, Mon. Col. Mier., 1806, p. 102.

var. *intermedius*, Küster, *l. c. supra*, p. 13.

Hab. Europe, Ceylon.

*hongkongensis*, Redtenbacher, Reise Novara, Col., 1868, p. 28.

Hab. Hongkong.

*inclinans*, Walker, Ann. Mag. N. H., (3s.) ii, 1859, p. 51.

Hab. Ceylon.

*laticeps*, Erichson, Gen. Staphyl., 1840, p. 308: Kraatz, Wieg. Arch., xxv (i), 1859, p. 102.

Hab. Java.

*nigerrimus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 103.

Hab. India, Penang, Java, Hongkong.

*punctulatus* (*Staphylinus*), Paykull, Mon. Staph., 1789, p. 30: Kraatz, Naturg. Ins.

Deutschl., ii, p. 635; *id.*, Wieg. Arch., xxv (i), p. 104: Bouché, Nat. Ins., i, p. 181, t. 8, f. 9-13.

*ater*, Stephens, Ill. Brit. Ent., v, 1832, p. 255. Britain.

*elongatus*, Fourcroy, Ent. Paris, i, 1785, p. 171. France.

—, var. 5, Gravenhorst, Mier. Bruns., 1802, p. 45. Russia.

*fracticornis*, Müller, Zool. Prod., 1776, p. 99. Sweden.

*obscurus*, Stephens, Ill. Brit. Ent., v, 1832, p. 256. Britain.

Hab. Europe, India.

### Genus MITOMORPHUS.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 105: Mun. Cat., p. 604.

*indicus*, Kraatz, *l. c.*, p. 107, t. 2, f. 5 a-b.

Hab. India.

*nigroaeneus*, Kraatz, *l. c.*, p. 106.

Hab. Ceylon.

### Genus LEPTACINUS.

Erichsou, Käfer Mark Brand., i, 1837, p. 429; *id.*, Gen. Staph., p. 333: Boisd. & Lacord., Faun. Ent. Paris., i, p. 416: Lacord., Gen. Col., ii, p. 69: Muu. Cat., p. 605: Kraatz, Naturg. Ins. ii, p. 615; *id.*, Wieg. Arch., xxv (i), p. 109: Jacq. Duval, Gen. Col., ii, p. 32, t. 12, f. 69: Fauvel, Faun. Gall. Rhén., iii, p. 574; *id.*, Ann. Mus. Civ. Gen., xii, p. 242: Sharp, Trans. Ent. S. Lond., 1876, p. 203; *id.*, Biol. Centr. Amer., Col., i (2), p. 489: Lecoute & Horn, Class. Col., p. 97.

*fluum*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 111.

Hab. Ceylon.

*flavipennis*, Kraatz, *l. c.*, p. 111.

Hab. Ceylon.

*pallidipennis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 206.  
*tricolor*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 110.  
 Hab. India, Ceylon.

*pusillimus*, Kraatz, l. c., p. 112.  
 Hab. Ceylon.

*trigonocephalus*, Kraatz, l. c., p. 109, t. 2, f. 4 a-b.  
 Hab. Ceylon.

### Genus SPIROSOMA.

Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 206 : Mun. Cat., p. 606.

*fulvescens*, Motschulsky, l.c., p. 207, t. 1, f. o.  
 Hab. India.

### Genus METAPONCUS.

Kraatz, Naturg. Ins. Deutschl., ii, 1857, p. 651 : Mun. Cat., p. 606 : Fauvel, Faun., Gall. Rhén., iii, p. 379 : Sharp, Trans. Ent. S. Lond., 1873, p. 205 : id., Biol. Centr. Amer., Col., i (2), p. 503 : Leconte & Horn, Class. Col., p. 97.  
*Cylindrocephalus*, Motschulsky, Etud. Ent., viii., 1859, p. 128.  
*Zetostomus*, Jacq. Duval, Gén. Col. Eur., ii, 1857, p. 25.

*exiguus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 108.  
 Hab. India.

*leucocnemis*, Kraatz, l.c., p. 107.  
 Hab. Ceylon.

### Genus XANTHOPHYUS.

Motschulsky, Etud. Ent., viii., 1859, p. 75 : Mun. Cat., p. 607.

*serpentarius*, Motschulsky, l.c. supra, p. 76.  
 Hab. Ceylon.

### Genus DIOCHUS.

Erichson, Gen. Staphyl., 1840, p. 300 : Lacord., Gen. Col. ii, p. 65 : Mun. Cat., p. 608 : Fauvel, Faun. Gall. Rhén., p. 366 : Sharp, Trans. Ent. S. Lond., 1876, p. 184 ; id., Biol. Centr. Amer., Col., i (2), p. 466 : Leconte & Horn, Class. Col., p. 97.

*Rhegmatocerus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 657.

*antennatus* (*Rhegmatocerus*), Motschulsky, Bull. Mosc., l.c., p. 659.  
*indicus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 113.  
 Hab. India.

*conicollis* (*Rhegmatocerus*), Motschulsky, Bull. Mosc., l.c., p. 658, t. 1, f. k.  
*major*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 113.  
 Hab. India.

*punctipennis* (*Rhegmatocerus*), Motschulsky, Bull. Mosc., l.c., p. 659.  
 Hab. India.

### Genus PLATYPROSOPUS.

Mannerheim, Brachél., 1830, p. 35 : Lacord., Gen. Col., ii, p. 63 : Mun. Cat., p. 608 : Sharp, Trans. Ent. S. Lond., 1876, p. 101 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 783.

*elatus*, Fauvel, *in litt.*

*indicus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 114 (*nec* Motsch).  
Hab. N. India, Sáhibganj.

*fuliginosus*, Erichson, Gen. Staph., 1840, p. 923 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 115.

*orientalis*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 212.  
Hab. Bengal.

*fulvicollis*, Motschulsky, *l.c.*, p. 212.

*linearis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 115.  
Hab. India.

*indicus*, Motschulsky, Bull. Mosc., xxxi (3), 1858, p. 212.

Hab. N. India.

*laevicollis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 114.

Hab. N. India.

*tamulus*, Erichson, Gen. Staphyl., 1840, p. 923 : Kraatz, *l.c.*, p. 115.

Hab. Bengal [*Ind. Mus. -?*]

**PAEDERINI** :—(*Pédérides*) Lacord., Gen. Col., ii, 1854, p. 88 : Jacq. Duval, Gen. Col. Eur., ii, p. 41 ; Fauvel, Ann. Mus. Civ. Geu., xii, p. 224 : Mun. Cat., p. 608 : Leconte & Horn, Class. Col., 1883, p. 97.

*Finophilides*, Lacord., *l.c. supra*, p. 97 : Jacq. Duval, *l.c. supra*, p. 49.

### Genus LATHROBIUM.

Gravenhorst, Mon. Col. Micr., 1806, p. 130 : Mannerheim, Brachél., p. 37 : Erichson, Gen. Staphyl., p. 588 : Lacord., Gen. Col., ii, p. 93 : Jacq. Duval, Geu. Col. Eur., ii, p. 44, t. 17, 83 : Mun. Cat., p. 609 : Fauvel, Faune Gall. Rhénan., iii, p. 338 : Eppelsheim, Deutsche Ent. Zeits., xxiii, 1879, p. 182 : Kraatz, *ib.*, p. 193 : Sharp, Trans. Ent. S. Lond., 1876, p. 229 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 536 : Leconte & Horn, Class. Col., p. 99.

*Bathrolium*, Gozis, Rècherche, 1886, p. 14.

*Glyptomerus*, pt, Müller, Stettin. Ent. Zeit., 1856, p. 308 : Fauvel, Rev. d'Ent., iv, p. 28.

*Lobrathium*, Muls. & Rey, Ann. Soc. Lyonn. Lyon, xxiv, 1879, p. 29.

*Notobium*, Solsky, Bull. Mosc., xxxvii (2), 1864, p. 447.

*Throbalium*, Muls. & Rey, *l.c. supra*, p. 99.

*Typhlobium*, Kraatz, Verh. Zool. bot. Ges. Wien, 1856, p. 625.

*chinense*, Boheman, Freg. Eug. Resa., Col., 1858, p. 32.

Hab. China.

*gracilentum*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 115.

Hab. Ceylon.

- prolatum**, Fauvel, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 180 ; *id.*, Rev. d'Ent., v. 1886, p. 148.  
 Hab. Philippines.
- pulchellum**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 116.  
 Hab. Ceylon.
- seminigrum**, Kraatz, *l.c.*, p. 117.  
 Hab. Ceylon.
- sublaeve**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 647.  
 Hab. India.
- unicolor**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 117.  
*pallens*, Gemminger & Harold, Mun. Cat., 1868, p. 611.  
*testaceum*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 646 (*nec* Kraatz).  
 Hab. Western India, Annam, Philippines.

### Genus SCIMBALIUM.

- Erichson, Gen. Staph., 1840, p. 579 : Lacord., Gen. Col., ii, p. 92 : Jacq. Duval, Gen. Col., ii, p. 43, t. 17, f. 81 : Mun. Cat., p. 613 : Fauvel, Fann. Gall. Rhén., iii, p. 359.  
*Lathrobomorphus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 645.  
*Lathrobismorphus*, Gemm & Har., Mun. Cat., p. 1868, 612.
- badius** (*Lathrobomorphus*), Motschulsky, *l.c. supra*, p. 646, t. 1. f. b.  
 Hab. India.

### Genus ACHENIUM.

- Curtis, Brit. Ent., iii, 1825, t. 315 : Stephens, Brit. Ent., v, p. 265 : Lacord., Gen. Col., ii, p. 92 : Jacq. Duval, Gen. Col., ii, p. 44, t. 17, f. 82 : Mun. Cat., p. 612.  
**numerale**, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 648.  
 Hab. India.

### Genus CRYPTOPORUS.

- Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 654 : Mun. Cat., p. 613.  
**flavipes**, Motschulsky, *l.c.*, p. 655, t. 1, f. j.  
 Hab. India.

### Genus DOLICAON.

- Lap. de Casteln., Etud. Ent., i, 1835, p. 119 : Lacord., Gen. Col., ii, p. 91 : Jacq. Duval, Gen. Col. Eur., ii, p. 42, t. 16, f. 80 : Mun. Cat., p. 613 : Sharp, Trans. Ent. S. Lond., 1876, p. 247.  
*Adelobium*, Nordmann, Symb. Mon. Staph., 1836, p. 139.  
*Pinobius*, MacLeay, Trans. Ent. Soc. N. S. Wales, ii, 1870, p. 147.  
**indicus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 118.  
 Hab. India.

*robustus*, Kraatz, *l.c.*, p. 117.

Hab. India, Tranquebar.

*sparsiventris*, Fauvel, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 179 ; *id.*, Rev. d'Ent., v, 1886, p. 148.

Hab. Java, Philippines.

*vicinus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 118.

Hab. India.

### Genus CRYTOBIUM.

Mannerheim, Brachol., 1830, p. 38 : Erichson, Gen. Staph., p. 561 : Gravenhorst, Mon. Micr., p. 129 : Lacord., Gen. Col., ii, p. 89 : Jaeq. Duval, Gen. Col., ii : p. 42, t. 16, f. 79 : Mun. Cat., p. 615 : Fauvel, Faun. Gall. Rhén., iii, p. 364 : Sharp, Trans. Ent. S. Lond., 1876, p. 211 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 506 : Leconte & Horn, Class. Col., p. 98.

*Glyptomerus*, pt, Müller, Stettin. Ent. Zeit., 1856, p. 308.

*Homaeotarsus*, Hochhuth, Bull. Mose., xxiv (i), 1851, p. 34.

*Ochthephilum*, Stephens, Syst. Cat. Brit. Ins., p. 287.

*ceylanense*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 119.

Hab. Ceylon.

*flum*, Kraatz, *l. c.*, p. 119.

Hab. Ceylon.

*fossigerum*, Kraatz, *l. c.*, p. 120.

var.  $\left\{ \begin{array}{l} \text{abdominale, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 651.} \\ \text{pygiale, Kraatz, Wieg. Arch., xxv (i), 1859, p. 121.} \end{array} \right.$

"  $\left\{ \begin{array}{l} \text{rufipenne, Motschulsky, Bull. Mosc., l.c. supra, p. 651.} \\ \text{indicum, Kraatz, l.c. supra, p. 121.} \end{array} \right.$

Hab. India, Ceylon, Assam, Philippines, Java, Sumatra, Celebes.

*limbatum*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 121.

Hab. India.

*marginatum*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 652.

Hab. India.

*sanguinolentum*, Motschulsky, *l.c.*, p. 650.

Hab. India.

*spectabile*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 118.

Hab. N. India.

*suturale*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 652.

Hab. India.

*testaceum*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 120.

Hab. N. India.

### Genus CEPHALOCHETUS.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 122.

*Cephalochoetus*, Mun. Cat., p. 616.

*elegans*, Kraatz, *l. c.*, *supra* p. 123, t. 2, f. 7 *a-d.*  
Hab. Ceylon.

*indicus*, Kraatz, *l.c.*, p. 124.  
Hab. India, Ceylon.

### Genus **PSILOTRACHELUS.**

Kraatz, Wieg. Arch., xxv (i), 1859, p. 124 : Muu. Cat., p. 617.

*crassus*, Kraatz, *l.c.*, p. 124.  
Hab. Ceylon.

*sculptipennis*, Kraatz, *l.c.*, p. 125.  
Hab. India.

### Genus **CALLIDERMA.**

Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 653 : Mun. Cat., p. 617.

*brunneum*, Motschulsky, *l.c.*, p. 653, t. 1, f. i.  
Hab. India.

### Genus **STILICUS.**

Latreille, Règne Anim., iv, 1829, p. 436 ; Enc. Méth., x, p. 494 : Erichson, Gen. Staph., p. 629 : Lacord., Gen. Col., ii, p. 96 : Jacq. Duval, Gen. Col., ii, p. 47, t. 18, f. 87 : Mun. Cat., p. 617 : Fauvel, Faun. Gall. Rhéu., iii, p. 298 : Sharp, Biol. Centr. Amer., Col., i, p. 581 : Leconte & Horn, Class. Col., p. 99.  
*Rugilus*, Curtis, Stephens. Ill. Brit. Ent., v. 1832, p. 227.

*ceylonensis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 126 : Sharp, Trans. Ent. S. Lond., 1874.  
Hab. Ceylon, Japan.

*luteipennis*, Kraatz, *l.c.*, p. 126.  
Hab. Ceylon.

*pygmaeus*, Kraatz, *l.c.*, p. 126.  
Hab. Ceylon.

*sericeus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 640.  
Hab. India.

### Genus **SCOPAEUS.**

Erichson, Gen. Staph., 1840, p. 604 : Lacord., Gen. Col., ii, p. 95 : Jacq. Duval, Gen. Col., ii, p. 46, t. 18, f. 86 : Mun. Cat., p. 618 : Fauvel, Faun. Gall. Rhéu., iii, p. 307 : Sharp, Trans. Ent. S. Loud. 1876, p. 248 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 540, 795 : Leconte & Horn, Class. Col., p. 99.

*Lepturus*, Casey, Bull. Calif. Acad. Sci., ii, 1886, p. 217, 220.

*Polyodontus*, Solier, Gay's Hist. Fis. Chit., iv, 1851, p. 310 : Lacord., Gen. Col., ii, p. 95.

*Scopaeus*, Casey, Bull. Calif. Ac. Sci., ii, 1886, p. 220.

*Scoponeus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 641.

- bicuspid.** Kraatz, Wieg. Arch., xxv (i), 1859, p. 129.  
 Hab. India.
- decipiens.** Kraatz, l.c., p. 131.  
 Hab. Ceylon.
- dilutus.** Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 642.  
 Hab. India.
- fulvescens; (*Scoponeus*).** Motschulsky, l.c., p. 642.  
 Hab. India.
- fusculus (*Scoponeus*).** Motschulsky, l.c., p. 641, t. 1, f. c.  
 Hab. India.
- limbatus,** Kraatz, Wieg. Arch., xxv (i), 1859, p. 130.  
 Hab. India, Ceylon.
- micros.** Kraatz, l.c., p. 132.  
 Hab. Ceylon.
- nitidulus,** Motschulsky, Bull. Mosc., xxv (2), 1858, p. 643.  
 Hab. India.
- pallidulus,** Kraatz, Wieg. Arch., xxv (i), 1859, p. 131.  
 Hab. Ceylon.
- planiusculus,** Kraatz, l.c., p. 132.  
 Hab. India.
- procerus,** Kraatz, l.c., p. 127.  
 Hab. India.
- puberulus,** Kraatz, l.c., p. 128.  
 Hab. India.
- puncticeps,** Kraatz, l.c., p. 132.  
 Hab. India.
- rubrotestaceus,** Kraatz, l. c., p. 128.  
 Hab. Ceylon.
- semifuscus,** Kraatz, l. c., p. 128.  
 Hab. Ceylon.
- subfasciatus,** Kraatz, l. c., p. 129.  
 Hab. India, Ceylon, Siam, Java, Philippines.
- suturalis,** Kraatz, l. c., p. 130.  
 Hab. India, Ceylon, Sumatra, Java, Celebes, Philippines.
- testaceus (*Scoponeus*),** Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 642.  
 Hab. India.
- thoracicus (*Scoponeus*),** Motschulsky, l. c., p. 641.  
 Hab. India.
- velutinus,** Motschulsky, l. c., p. 642.  
 Hab. India.

### Genus SCLEROCHITON.

*Kraatz*, Wieg. Arch., xxv (i), 1859, p. 133 : Mun. Cat., p. 620.

*Saurellus*, Motschulsky, Etudes Ent., viii, 1859, p. 71.

*indicus* (*Echiaster*), Motsehulsky, Bull. Mosc., xxxi (2), 1858, p. 637 ; (*Saurellus*) *id.*,  
Etud. Ent., 1859, p. 72.

*ochraceus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 134, t. 2, f. 8 a.c.  
Hab. India.

### Genus LITHOCHARIS.

Boisd. & Lacord., Faun. Ent. Paris, i, 1835, p. 431 ; Lacord., Gen. Col., ii, p. 94 ;  
Eriebson, Gen. Staphyl., p. 610 : Jacq. Duval, Gen. Col., ii, p. 46, t. 17, f. 85 :  
Mun. Cat., p. 620 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 228 : Sharp, Trans.  
Ent. S. Lond., 1876, p. 254 ; *id.*, Biol. Centr. Amer., Col., i (2), 1886, p. 519 :  
Leeonte & Horn, Class. Col., p. 99.

*Achenomorphus*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 617.

*Metaxgodonta*, Casey, Bull. Acad. N. S. Calif., ii, 1886, p. 29, 232.

*affinis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 142.  
Hab. India.

*breviuscula*, Kraatz, l. c., p. 137.  
Hab. Ceylon.

*cinnamoptora* Kraatz, l. c., p. 141.  
Hab. India.

*curta*, Kraatz, l. c., p. 136.  
Hab. Ceylon, Java.

*debilicornis*, Wollaston, Cat. Col. Mader., 1857, p. 194 ; *id.*, Col. St. Helena, p. 34 :  
Fauvel, Faun. Gall. Rhén., iii, p. 322, t. 4, f. 8 ; *id.*, Ann. Mus. Civ. Gen., xiii,  
1878, p. 515.

*aegyptiaca*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 641. Egypt.  
*brericornis*, Allard, Ann. Soc. Ent. Fr., (3s.), v, 1857, p. 747, t. 14, f. 1, II.  
*rufulus*, Lynch Arribalz, Bolet. Ac-Ci. Cordoba, vii, 1885, p. 259.  
Hab. W. Indies, United States, France, Egypt, Algeria, Cap d'Oré, Madeira,  
Persia, Siam, Japan, Australia, New Caledonia.

*dimidiata*, Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 645.  
*spectabilis*, Kraatz. Wieg. Arch., xxv (i), 1859, p. 135.  
Hab. India, Ceylon, Borneo, Celebes, China.

*erythroptera*, Gemm. & Har., Mun. Cat., p. 621.  
*fuscipennis*, Kraatz (nec Motseh.), Wieg. Arch., xxv (i), 1859, p. 138.  
Hab. Ceylon, Celebes.

*flavescens*. Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 643.  
Hab. India.

*fuscipennis*. Motsehulsky, l. c., p. 643.  
Hab. India.

*numeralis*, Motschulsky, *l. c.*, p. 644.  
Hab. India.

*nigerrima*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 147.  
Hab. Ceylon.

*nigriceps*, Kraatz, *l. c.*, p. 139.  
Hab. Ceylon.

*ochracea*, Gravenhorst, Col. Micr. Bruns., v., 1802, p. 59 : Boisd. & Lacord., Ent. Paris., i, p. 432 : Erichson, Gen. Staph., p. 623 : Kraatz, Naturg. Ins. Deutschl. ii, p. 716 ; *id.*, Wieg. Arch., xxv., (i), 1859, p. 140 : Fauvel, Faun. Gall. Rhén. iii, p. 320, t. 4, f. 7 ; *id.*, Ann. Mus. Civ. Gen., xii, p. 234 : Sharp, Biol. Centr. Amer., Col., i, (2), p. 551.

*brunniceps*, Fairmaire, Rev. Zool., 1849, p. 290. Tahiti.  
*fastidiosa*, Fairm. & Germ., Ann. Soc. Ent. Fr., (3s), i, 1861, p. 438. Chili.  
*rubricollis*, Gravenhorst, Mon. Col. Micr., 1806, p. 138. Europe.

Hab. India, China, Celebes, Europe, Oceania, Centr. America.

*pallida*, Motschulsky, Bull. Mosc., xxxi, (2), 1858, p. 644.  
Hab. India.

*plana*, Kraatz, Weigm. Arch., xxv (i), 1859, p. 136.  
Hab. India.

*rufula*, Kraatz, *l. c.*, p. 140.  
Hab. India.

*uvida*, Kraatz, *l. c.*, p. 138.  
Hab. Ceylon.

*vicina*, Kraatz, *l. c.*, p. 137.  
Hab. India.

*vilis*, Kraatz, *l. c.*, p. 139.  
*sororoula*, Kraatz, *l. c.*, p. 140.  
Hab. India.

### Genus ISOCHILUS.

Sharp, Ann. Mag. N. H., (6s.) iii, 1889, p. 263.

*staphylinoides* (*Lithocharis*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 134 : Sharp.  
*l. c.*, *supra*, p. 263.  
Hab. Ceylon, Japan.

### Genus THINOCHARIS.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 142 : Mun, Cat., p. 623 : Sharp, Trans. Ent. S. Lond., 1876, p. 254 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 226.

*earinioollis*, Kraatz, *l. c. supra*, p. 148.  
Hab. Ceylon.

*pygmaea*, Kraatz, *l. c.*, p. 143, t. 2, f. 9 a-c.  
Hab. Ceylon,

### Genus STILICOPSIS.

*Sachse*, Stettin. Ent. Zeit., 1852, p. 144 : Mun. Cat., p. 625 : Sharp, Biol. Cent. Amer., Col., i (2), p. 606 : Leconte & Horn, Class. Col., p. 99.

*Acanthoglossa*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 144 : Mun. Cat., p. 623 (nec Motsch.).

*brachycera*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 145, t. 2, f. 10 a-e.  
Hab. Ceylon.

*hirta*, Kraatz, l. c., p. 144.  
Hab. Ceylon.

*rufa*, Kraatz, l. c., p. 146.  
Hab. Ceylon.

*testaceipennis*, Kraatz, l. c., p. 145.  
Hab. India.

### Genus STYLIDERUS.

(*Stiliderus*) Motschulsky, Bull. Mosc., xxxi (2), 1858, p. 638 : Mun. Cat., p. 623.

*cicatricosus*, Motschulsky, l. c., p. 639, t. 1., f. d.  
Hab. India.

### Genus NEOGNATHUS.

Sharp, Trans. Ent. S. Lond., 1874, p. 69.

*pulchellus* (*Sunius*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 147.  
Hab. India.

### Genus SUNIUS.

(Leach) Stephens, Ill. Brit. Ent., v, 1832, p. 275 : Erichson, Käfer Mark Brand., i, p. 523 ; id., Gen. Staph. p. 637 : Lacord., Gen. Col., ii, p. 99 : Jacq. Duval. Gen. Col., ii, p. 48, t. 18, f. 88 : Mun. Cat., p. 623 : Fauvel, Faun. Gall, Rhén., iii, p. 292 : Sharp, Trans. Ent. S. Lond., 1876 p. 289 ; id., Biol. Centr. Amer., Col., i (2), p. 596, 601 : Leconte, & Horn, Class. Col., p. 99.

*Astenus*, Boisd. & Lacord., Faun. Ent. Paris., i, 1835, p. 435 : Gozis, Recherche, 1886, p. 14.

*Mecognathus*, Wollaston, Ins. Mader., 1854, p. 595.

*Sunides*, Motschulsky, Bull. Mosc., xxi (2), 1858, p. 638.

*diplagiatus*, Motschulsky, Bull. Mosc., l.c., p. 636.  
Hab. India.

*bicolor*, Sharp, Trans. Ent. S. Lond., 1874, p. 72.  
Hab. China, Japan.

*bispinus*, Motschulsky, Bull. Mosc., xxi (2), 1858, p. 636.  
Hab. India

*concolor*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 149.  
Hab. India, Ceylon.

- navus*, Kraatz, *l. c.*, p. 149.  
     Hab. India.
- gracilis*, Kraatz, *l. c.*, p. 147.  
     Hab. India.
- indicus*, Kraatz, *l. c.*, p. 148.  
     Hab. India.
- maculipennis*, Kraatz, *l. c.*, p. 148.  
     Hab. Ceylon.
- major*, Kraatz, *l. c.*, p. 146.  
     Hab. Ceylon.
- oculatus*, Sharp, *Trans. Ent. S. Lond.*, 1874, p. 72.  
     Hab. China, Japan.
- obliquus*, Walker, *Ann. Mag. N. H.*, (3 s.) iii, 1859, p. 52.  
     Hab. Ceylon.
- trinotatus*, Kraatz, *Wieg. Arch.*, xxv (i), 1859, p. 149.  
     Hab. Ceylon.

### Genus PAEDERUS.

- Fabr., pt. *Syst. Ent.*, 1775, p. 268 ; *Spec. Ins.*, i, p. 339 ; *Mant. Ins.*, i, p. 223 ; *Ent.*, *Syst.*, i (2), p. 536 ; *Syst. Eleuth.*, ii, p. 608 ; *Gravenhorst, Fam. 3, Micr. Bruns.* p. 61 : *Erichson, Gen. Staph.*, p. 619 : *Jacq. Duval, Gen. Col.*, ii, p. 48, t. 18, f. 90 : *Lacord.*, *Gen. Col.*, ii, p. 100 : *Mun. Cat.*, p. 626 : *Fauvel, Ann. Mus. Civ. Gen.*, xii, 1878, p. 235 : *Sharp, Biol. Centr. Amer.*, *Col.*, i (2), p. 609 ; *Trans. Ent. S. Lond.*, 1876, p. 289 : *Leconte & Horn, Class. Col.*, p. 99.
- Paeaderidus*, Muls. & Rey, *Ann. Soc. Linn. Lyon*, xxiv, 1879, p. 245.
- Paeaderomorphus*, Gautier, *Ann. Soc. Ent. Fr.*, (4s.) ii, 1862, p. 75.
- alternans*, Walker, *Ann. Mag. N. H.* (3s.), ii, 1858, p. 205.  
     Hab. Ceylon.
- amplicollis*, Kraatz, *Wieg. Arch.*, xxv (i), 1859, p. 150.  
     Hab. Ceylon.
- chilensis*, Fauvel, *Bull. Soc. Linn. Norm.*, i, 1867, p. 120 ; *Rev. d'Ent.*, v, p. 148.
- cyancephalus*, Baer, *Cat.*, *Ann. Soc. Ent. Fr.*, (6s.) vi, 1886, p. 107 (*nec Erichs.*).  
     Hab. Sumatra, Celebes, Philippines.
- conicollis*, Motschulsky, *Etud. Ent.*, viii 1859, p. 73.  
     Hab. Madara.
- cyancephalus*, Erichson, *Gen. Staphyl.*, 1840, p. 662 : Kraatz, *Wieg. Arch.*, xxv (i), 1859, p. 152.
- indicus*, Motschulsky, *Bull. Mosc.*, xxxi (2), 1858, p. 634.  
     Hab. India, Siam, Philippines.
- extraneus*, Wiedemann, *Zool. Mag.*, ii (i), 1823, p. 113 : Erichson, *Gen. Staphyl.*, p. 661 : Kraatz, *Wieg. Arch.*, xxv (i), p. 152.  
     Hab. Bengal.

- fulvicornis*, Erichson, Gen. Staphyl., 1840, p. 665 : Kraatz, Wieg. Arch., xxv (i), p. 150.  
 Hab. Java.
- fuscipes*, Curtis, Brit., Ent., iii, 1834, t. 108 : Stephens, Ill. Brit. Ent., v, p. 280 : Fauvel, Faune Gall. Rhén., iii, p. 334.
- corsicus*, Gautier, Ann. Soc. Ent. fr., (4s.) i, 1861, p. 393.
- Idae*, Sharp, Trans. Ent. S. Lond., 1874, p. 75, Siam, China, Japan.
- longipennis*, Erichson, Käfer Mark Brand., i, 1837, p. 517 : Kraatz, Naturg. Ins., p. 728.
- peregrinus*, Erichson, Gen. Staph., 1840, p. 656 : Blanchard, Voy. Pole Sud., Zool., iv, p. 55, t. 4, f. 10 : Kraatz, Wieg. Arch., xxv (i), p. 151 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 236.
- riparius*, Gravenhorst, Mier., 1802, p. 65.  
 Hab. S. Europe, Caucasus, Africa, Mauritius, Madagascär, Persia, Jhelam Valley, Calcutta, S. India, Ceylon, Siam, China, Japan, Annam, Cochinchina, Sumatra, Java, Lombok, New Caledonia, Philippines [*Ind. Mus.* Jhelam Valley].
- intermedius*, Boheman, Freg. Eug. Resa, Col., 1858, p. 32.  
 Hab. Philippines, Manilla.
- Javanus*, Lap. de Casteln., Etud. Ent., i, 1834, p. 123 : Erichson, Gen. Staphyl., 1840, p. 654 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 150.  
 Hab. Java.
- melampus*, Erichson, Gen. Staphyl., 1840, p. 660 : Kraatz, Wieg. Arch., xxv (i), p. 153.  
 Hab. India.
- mixtus*, Sharp, Trans. Ent. S. Lond., 1874, p. 75.  
 Hab. China, Hongkong, Japan.
- piliferus* Motschulsky, Etud. Ent., viii, 1859, p. 74.  
 Hab. India, Tranquebar.
- puberulus*, Motschulsky, l. c., p. 71.  
 Hab. Pen. Madara.
- rufieoxis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 151.  
 Hab. Ceylon.
- rugipennis*, Motschulsky, Etud. Ent., viii, 1859, p. 74.  
 Hab. India, Nilgiris.
- tamulus*, Erichson, Gen. Staph., 1840, p. 661 : Kraatz, Wieg. Arch., xxv (i), p. 153.  
*dubius*, Kraatz, l. c., p. 151.  
 Hab. Singapur, Ceylon.
- variceps*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 152.  
 Hab. Ceylon.

### Genus PALAMINUS.

Erichson, Gen. Staphyl., 1840, p. 681. Lacord., Gen. Col., ii, p. 104 : Mun. Cat., p. 629 : Leconte, Proc. Amer. Phil. Soc., xvii, p. 396 : Sharp, Trans. Ent. S. Lond., 1876, p. 340 ; Biol. Centr. Amer. Col., i (2), p. 631 : Fauvel Ann. Mus. Civ. Gen., xii, 1878, p. 225 : Leconte & Horn, Class. Col., p. 99.

*ceylanensis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 153.  
Hab. Ceylon.

*indicus*, Kraatz, l.c., p. 153.  
Hab. India.

### Genus OEDICHIRUS.

Erichson, Gen. Staphyl., 1840, p. 684 : Lacord., Gen. Col., ii, p. 101 : Jacq. Duval, Gen. Col., ii, p. 49, t. 19, f. 91 : Mun. Cat., p. 629 : Sharp. Trans. Ent. S. Lond., 1876, p. 338.

*Elgytrobaeus*, Sahlberg, Acta Soc. Fenn., ii, 2, 1847.

*alatus*, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 393 ; id., Ann. Mag. N. H., (2s) xix, 1857, p. 247 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 154.  
Hab. Ceylon.

*longipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 154.  
Hab. N. India.

*ruficeps*, Kraatz, l.c., p. 155.  
Hab. India.

### Genus PROCIRRUS.

Erichson, Gen. Staph., 1840, p. 685 : Lacord., Gen. Col., ii, p. 105 : Jacq. Duval, Gen. Col., ii, p. 50, t. 19 f. 92 : Mun. Cat., p. 630.

*Lefebvrei*, Latreille, Règne Anim., iv, 1829, p. 436, note : Gurin. Ic. Ins., t. 9, f. 6 a-d : Erichson, Gen. Staph., p. 686 : Jacq. Duval, Gen. Staph., t. 19, f. 92.  
Hab. Sicily, Java (*Fauvel*).

*fusculus*, Sharp, Ann. Mag. N. H., iii, 1889, p. 324, note.  
Hab. Bengal, Dacca.

### Genus PINOPHILUS.

Grayenhorst, Col. Mier. Bruns., 1802, p. 201 : Erichson, Gen. Staph., p. 669 : Lacord., Gen. Col., ii, p. 102 : Jacq. Duval, Gen. Col., ii, Cat., p. 73 : Mun. Cat., p. 630 : Sharp, Trans. Ent. S. Lond., 1876, p. 318 ; id. Biol. Centr. Amer., Col. i (2), p. 620 : Lecoult & Horn, Class. Col., p. 99.

*Pityophilus*, Brullé, Hist. Nat. Ins. Col., iii, 1837, p. 75.

*brachypterus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 161.  
Hab. Ceylon.

*brevis*, Kraatz, l.c., p. 159.  
Hab. Ceylon.

*complanatus*, Erichson, Gen. Staphyl., 1840, p. 672 : Kraatz, l. c. *supra*, p. 155.  
*morio*, Motschulsky, Bull. Mosc., xxx (1), 1857, p. 517.  
Hab. India.

*depressus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 157.  
Hab. N. India,

- javanus*, Erichson, Gen. Staphyl., 1840, p. 672 : Kraatz, *l.c.*, *supra*, p. 156.  
Hab. Java.
- leucopus*, Kraatz, *l.c.*, *supra*, p. 158.  
Hab. India, Tranquebar.
- melanocephalus*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 516 : Kraatz, Wiegmann, Arch., xxv (i), 1859, p. 159.  
Hab. India.
- melanomerus*, Kraatz, *l.c.*, p. 160.  
Hab. India.
- pallipes*, Kraatz, *l.c.*, p. 158.  
Hab. Ceylon.
- picticornis*, Kraatz, *l.c.*, p. 158.  
Hab. Ceylon.
- pilicollis*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 516.  
Hab. India, Tranquebar.
- planus*, Kraatz, Wiegmann, Arch., xxv (i), 1859, p. 157.  
Hab. India.
- rotundicollis*, Kraatz, *l.c.*, p. 160.  
Hab. Ceylon.
- ruficeps*, Kraatz, *l.c.*, p. 155.  
Hab. India [*Ind. Mus.*. Sahibganj].
- rufipennis*, Sharp, Trans. Ent. S. Lond., 1874, p. 78.  
Hab. China, Japan.

### Genus EDAPHUS.

Leconte, Class. Col., 1861, p. 67 : Leconte & Horn, Class. Col., p. 98 : Mun. Cat., p. 532 : Fauvel, Rev. d' Ent., i, p. 138 : Horn, Bull. Brookl. Soc., vii, 1885, p. 121 : Leconte & Horn, Class. Col., p. 98.

*Tetratarsus*, Schaufuss, Nunq. Otios., ii, 1877, p. 460 : *id.*, Pscl. Siamr's, p. 24.

*cribricollis*, Schaufuss, Hor. Ent. Ross., xxi, 1887, p. 109.  
Hab. Sumatra.

*dilutus*, Schaufuss, *l.c.*, p. 109.  
Hab. Sumatra.

*plicatulus*, (*Tetratarsus*), Schaufuss, Pscl. Siam's, 1877, p. 25.  
Hab. Siam.

*sumatreensis*, Schaufuss, Hor. Ent. Ross., xxi, 1887, p. 110.  
Hab. Sumatra.

**STENINI** :—(*Sténides*) Lacord., Gen. Col., ii, 1854, p. 106 : Jacq. Duval, Gen. Col., ii, p. 50 : Mun. Cat., p. 631 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 219 : Leconte and Horn, Class. Col., 1883, p. 97.

### Genus STENAESTETHUS.

*Sharp*, Trans. Ent. S. Lond., 1874, p. 69 ; *id., ib.*, 1876, p. 356 ; Biol. Centr. Amer., Col., i (2), p. 640.

*sunioides*. Sharp, *l.c.*, p. 80.  
Hab. China, Japan.

### Genus STENUS.

Latreille, Précis caract. Ins., 1796, p. 77 : Erichson, Gen. Staph., p. 689 : Lacord., Gen. Col., ii, p. 107 : Jacq. Duval, Gen. Col., ii, p. 51, t. 19, f. 94 : Mun. Cat., p. 632 : Leprieur, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 191 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 221 : Rey, Ann. Soc. Linn. Lyon, xxx, 1886, p. 183 : Casey, Bull. Calif. Acad. Scien., ii, p. 261 ; *id.*, Rev. Stenini, N. America, 1884 : Sharp, Trans. Ent. S. Lond., 1876, p. 358 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 640 : Leconte & Horn, Class. Col., p. 97.

*Areus*, Casey, Rev. Stenini N. America, 1884, p. 150.

*Hemistenus*, Motschulsky, Bull. Mosc., xxxiii (2), 1860, p. 557.

*acuminatus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 165.  
Hab. Ceylon.

*barbatus*, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 531 ; *id.*, Ann., Mag. N. H., (2s. lxix, 1857, p. 381 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 163.  
Hab. Ceylon.

*basicornis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 163.  
Hab. Ceylon.

*bispinus*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 514 : Kraatz, Wieg. Arch., *l.c. supra*, p. 164.  
Hab. India.

*bivulneratus*, Motschulsky, *l.c. supra*, p. 514.  
Hab. India.

*brachypterus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 164.  
Hab. Ceylon.

*cariniger*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 514 : Kraatz, Wieg. Arch., xxv (i), p. 162.  
Hab. India.

*cicindela*, Sharp, Trans. Ent. S. Lond., 1874, p. 85.  
Hab. China, Japan.

*cribellatus*, Motschulsky, Bull. Mosc., *l.c. supra*, p. 515 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 164.  
Hab. India.

*cylindricollis*, Boheman, Freg. Eug. Resa, Col., 1858, p. 34.  
Hab. Malacca.

*fulvescens*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 515 : Kraatz, Wieg. Arch., xxv (i), p. 166.  
Hab. India.

- Facertoides**, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 532; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 382 : Kraatz, Wieg. Arch., xxv (i), 1859, p. 165.  
Hab. Ceylon.
- pictus**, Motschulsky, Bull. Mose., xxx (4), 1857, p. 515 : Kraatz, *l.c. supra*, p. 166.  
Hab. India.
- piliferus**, Motschulsky, *l.c.*, p. 514 : Kraatz, *l. c. supra*, p. 163.  
Hab. India.
- pulcher**, Motschulsky, Etud. Ent., viii, 1859, p. 71.  
Hab. Ceylon.
- rugicollis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 162.  
Hab. India.
- tenuipes**, Sharp, Trans. Ent. S. Lond., 1874, p. 80.  
Hab. Kiukiang on Yangtse, Japan.
- tricarinatus**, Kraatz, *l. c. supra*, p. 164.  
Hab. India.
- velocipes**, Fauvel, Rev. d'Ent., v, 1836, p. 146 ; Ann. Soc. Ent. Fr., (6s.) vi, 1886.  
p. 179.  
Hab. Philippines.
- vitis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 162.  
Hab. India.

### Genus **MEGALOPS**.

Erichson, Gen. Staph., 1840, p. 751 : Lacord., Gen. Col., ii, p. 111 : Mun. Cat., p. 641 : Sharp, Trans. Ent. S. Lond., 1876, p. 378 ; *id.* Biol. Centr. Amer., Col. i, (2), p. 667, 668.

**acutangulus**, Waterhouse, Ann. Mag. N. H., (5s.) xii, 1883, p. 336.  
Hab. Java.

**OXYTELINI** :—(*Oxytelides*) Lacord., Gen. Col., ii, 1854, p. 109 : Jaeq. Duval, Gen. Col., ii, p. 54 : Mun. Cat., p. 641 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 209 : Leconte & Horn, Class. Col., 1883, p. 101.

### Genus **OSORIUS**.

Latreille, Fam. Nat., 1825, p. 245 ; *id.*, Régne Anim., iv, 1829, p. 438 : Erichson, Geu. Staph., p. 753 : Lacord., Gen. Col., ii, p. 112 : Mun. Cat., p. 612 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 209 : Leconte, Trans. Amer. Ent. S., vi, p. 215 : Sharp, Trans. Ent. S. Lond., 1876, p. 381 : *id.*, Biol. Centr. Amer., Col., i (2), p. 677.

*Molosoma*, Say, Trans. Amer. Phil. Soc., n. s., iv, 1834, p. 462.

**compactus**, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 52.  
Hab. Ceylon.

**cordicollis**, Fauvel, Notes Leyden Mus., iv, 1882, p. 58, note.  
Hab. Sumatra.

*tumator*, Fauvel, Rev. d'Eut., viii, 1889, p. 246.

Hab. Sumatra, New Caledonia.

*punctulatus*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 508 : Kraatz, Wieg. Arch., xxv (i), p. 168.

Hab. India.

*rufipennis*, Motschulsky, l. c., p. 508 : Kraatz, Wieg. Arch., xxv (i), p. 168.

Hab. India.

*rufipes*, Motschulsky, l. c., p. 508 : Kraatz, Wieg. Arch., xxv (i), p. 168.

Hab. India.

*rugiceps*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 166.

Hab. India.

*rugicollis*, Kraatz, l. c., p. 167.

Hab. Ceylon.

*rugifrons*, Erichson, Gen. Staphyl., 1840, p. 756 : Kraatz, l. c. supra, p. 166.

Hab. Java.

### Genus HOLOTROCHUS.

Erichson, Gen. Staphyl., 1840, p. 757 : Laeord., Gen. Col., ii, p. 113 : Mun. Cat., p. 643 : Leeonte, Trans. Amer. Ent. S., vi, p. 216 : Sharp, Trans. Ent. S. Lond., 1876, p. 387 ; id., Biol. Centr. Amer., Col., i, (2), p. 682.

*minusculus*, Fauvel, Ann. Mus. Civ. Gen., xv, 1879-80, p. 79.

Hab. Bornco, Java, Mysol.

### Genus BLEDIUS.

Mannerheim, Brachèl., 1830, p. 44 : Stephens, Ill. Brit. Ent., v, p. 307 : Erichson, Gen. Staph., p. 760 : Lacord., Gen. Col., ii, p. 114 : Jaeq. Duval, Gen. Col., i, p. 54, t. 20, f. 100 : Mun. Cat., p. 643 : Leeonte, Trans. Amer. Ent. S., vi, p. 217 : Sharp, Trans. Ent. S. Lond., 1876, p. 393 ; id., Biol. Centr. Amer., Col., i (2), p. 685 : Lecoute & Horn, Class. Col., p. 103.

*Astycops*, Thomson, Skand. Col., i, p. 43 ; iii, p. 121, 1859 : Schiödte, l. c. infra, p. 149.

*Bargus*, Schiödte, Nat. Tidsskr., (3s.) iv, 1866, p. 148, 316.

*Hesperophilus*, Stephens, Ill. Brit. Ent., v, 1832, p. 309 : Schiödte, l. c., p. 150.

*Tadunus*, Schiödte, l. c. supra, p. 147, 317.

*Teropalpus*, pt, Solier, Gay's Hist. Fis. Chili, iv, 1851, p. 330 ; Lacord., Gen. Col., ii, p. 154.

*bispinus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 169.

Hab. India.

*brunnipennis*, Fabr., Syst. Eleenth., ii, 1801, p. 596 : Erichson, Gen. Staph., p. 779 : Kraatz, l. c. supra, p. 168, note.

*puncticollis* (*Ovorius*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 168.

Hab. India.

- dilutipennis**, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 507 : Kraatz, Wiegmann Arch., xxv (i), 1859, p. 170.  
 Hab. India.
- gracilicornis**, Kraatz, Wiegmann Arch., xxv (i), 1859, p. 169.  
 Hab. Ceylon.
- hoplites**, Fauvel, Rev. d'Ent., v, 1886, p. 146 ; Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 178.  
 ? *tricornis*, Redtenbacher, Reise Novara, Col., 1868, p. 31.  
 Hab. Siam, Annam, Philippines, ? Shanghai.
- lucidus**, Sharp, Trans. Ent. S. Lond., 1874, p. 90.  
 Hab. China, Japan.
- minusculus**, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 144.  
 Hab. Ceylon.
- pulchellus**, Kraatz, Wiegmann Arch., xxv (i), 1859, p. 169.  
 Hab. Ceylon.
- tuberculatus**, Fabr., Ent Syst., Suppl., 1798, p. 181 ; Syst. Eleuth., ii, p. 601? : Kraatz, l.c. *supra*, p. 168.  
 Hab. India, Ceylon.

### Genus PLATYSTETHUS.

- Mannerheim, Brachél., 1820, p. 46 : Lacord., Gen. Col., ii, p. 116 : Jacq. Duval., Gen. Col., ii, p. 55, t. 21, f. 101 : Mun. Cat., p. 647 : Sharp, Biol. Centr. Amer., Col., i (2), p. 686.
- Platystethus*, Erichson, Gen. Staph., 1840, p. 781.
- Pycnocraerus*, Thomson, Skand. Col., i, 1859, p. 43 ; iii, p. 125.
- crassicornis**, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 506.  
 Hab. India.
- spectabilis**, Kraatz, Wiegmann Arch., xxv (i), 1859, p. 170.  
 Hab. India, Annam, Philippines.
- testaceus**, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 506.  
 Hab. India.

### Genus OXYTELUS.

- Gravenhorst, Col. Micr. Bruns., 1802, p. 101 : Mannerh., Brachél., p. 47 : Erichson, Gen. Staph., p. 785 : Jacq. Duval, Gen. Col., ii, p. 55, t. 21, f. 102, 103 : Lacord., Gen. Col., ii, p. 116 : Mun. Cat., p. 648 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 214 : Leconte, Trans. Amer. Ent. S., vi, 1877, p. 234 : Sharp, Biol. Centr., Amer., Col., i (2), p. 687 : Leconte & Horns. Class. Col., p. 103.
- Anotylus*, Thomson, Skand. Col., i, 1859, p. 44 ; iii, p. 130.
- Caccoporus*, Thomson, l.c., i, p. 43 ; iii, p. 127.
- Epomotylus*, Thomson, l.c., i, p. 43 ; iii, p. 128.
- Stylooxys*, Gozzi, Récherche, 1886, p. 15.
- Tanyeraerus*, Thomson, l.c. *supra*, i, p. 43 ; iii, p. 129.

- bengalensis**, Erichson, Gen. Staph.; 1840, p. 789 : Kraatz, Wieg. Arch., xxv, (i) 1859, p. 171.  
 Hab. Bengal.
- bicolor**, Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 52.  
 Hab. Ceylon.
- colebensis**, Fauvel, Rev. d'Ent., vi, 1886, p. 145 ; id., Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 178.  
 Hab. India, Sumatra, Java, Celebes, Philippines.
- exasperatus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 175.  
 Hab. Ceylon.
- ferrugineus**, Kraatz, l.c. p. 173.  
 Hab. Ceylon, India.
- flavipennis**, Kraatz, l.c., p. 172.  
 ? = *incisus*, Motschulsky q. v.  
 Hab. Ceylon.
- incisus**, Motschulsky, Bull. Mose., xxx (4), 1857, p. 504  
 Hab. India.
- latiusculus**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 176.  
 Hab. Ceylon.
- lividus**, Motschulsky, Bull. Mose., xxx (4), 1857, p. 503 : Kraatz, Wieg. Arch., xxv, (i), 1859, p. 171.  
 Hab. India.
- micans**, Kraatz, l.c., p. 175.  
 Hab. Ceylon.
- nigriceps**, Kraatz, l.c., p. 171.  
 Hab. India.
- nitidulus**, Gravenhorst, Micr. Bruns., 1802, p. 107 : Krantz, Naturg. Ins. Deutschl., ii, p. 860.  
*angustatus*, Stephens, Ill. Brit. Ent., v. 1832, p. 320. Britain.  
*piceus*, Sehrank, Enam. Ins. Austr., 1781, p. 236. Austria.  
 " var., Paykull, Faun. Suec., iii, 1800, p. 384. Sweden.  
*ruficrus*, Stephens, l.c. supra, p. 320. Britain.  
*rugulosus*, Say, Trans. Amer. Phil., iv, 1834, p. 460. N. Amerien.  
 Hab. N. Amercia, Europe, India [Ind. Mus., Leh].
- parasitus**, Motschulsky, Etud. Ent., viii, 1859, p. 69.  
 Hab. Ceylon.
- productus**, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 205.  
 Hab. Ceylon.
- pulcher**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 173.  
 Hab. India.
- pancticaps**, Kraatz, l.c., p. 176.  
 Hab. Ceylon.

*pygmaeus*, Kraatz, l.c., p. 176.

*pusillus*, Kraatz, l.c., p. 177.

Hab. Ceylon, India.

*rudis*, Walker, Ann. Mag. N. II., (3s.) ii, 1853, p. 205.

Hab. Ceylon.

*rufus*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 174.

Hab. Ceylon.

*simplex*, Motschulsky, Etud. Ent., viii, 1859, p. 70.

Hab. Ceylon.

*sparsus*, Fauvel, Ann. Mus. Civ. Gen., x, 1877, p. 203; ib., xiii, 1878, p. 493.

Hab. Java, Sumatra, New Caledonia, Australia, New Zealand.

*tenuis*, Motschulsky, Etud. Ent., viii, 1859, p. 70.

Hab. India.

*thoracicus* Motschulsky, Bull. Mosc., xxx (4), 1857, p. 504: Kraatz, Wieg. Arch.,

xxv (i), p. 175.

Hab. India.

*varipennis*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 172.

Hab. Ceylon.

### Genus THINODROMUS.

Kraatz, Naturg. Ins. Deutschl., ii, 1857, p. 866: Mun. Cat., p. 651.

*Trogophloeus*, i, Erichson, Col. Mark Brand., i, p. 599.

*Iunatus* (*Trogophloeus*), Motschulsky, Bull. Mosc., xxx (4), 1857, p. 504.

Hab. India.

### Genus XEROPHYGUS.

Kraatz, Wieg. Arch., xxv (i), 1859, p. 178: Mun. Cat., p. 651.

*flavipes*, Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 143.

Hab. Ceylon.

*pallipes*, (*Trogophloeus*), Motschulsky, l.c. (4), 1857, p. 505: Kraatz, Wieg. Arch.,

xxv (i), 1859, p. 178, t. 3, f. 1 a-b.

Hab. India.

### Genus TROGOPHLOEUS.

Mannheim, Brachél., 1830, p. 49: Erichson, Gen. Staph., p. 801: Lacord., Gen. Col., ii, p. 118: Kraatz, Naturg. Ins. Deutschl., ii, p. 868: Jacq. Duval, Gen. Col., ii, p. 56, t. 21, f. 194: Mun. Cat., p. 652: Leconte, Trans. Amer. Ent. S., vi, p. 247: Sharp, Trans. Ent. S. Lond., 1876, p. 397; Biol. Centr. Amer., Col., i (2), p. 697: Leconte & Horn, Class., Col., p. 103.

*Anisammus*, Gozis, Recherche, 1886, p. 14.

*Curpalinus*, Stephens, Ill. Brit. Ent., v, 1832, p. 324.

*Taenosoma*, Mannerheim, Brachél., 1830, p. 50.

*Teropalpus*, pt, Solier, Gay's Hist. Fis. Chili, iv, 1851, p. 330: Lacord., Gen. Col. ii, p. 154.

- exiguus**, Erichson, Käfer, Mark Brand., i, 1837, p. 604 : Kraatz, Naturg. Ins., p. 877 : Fauvel, Faun. Gall. Rhén., iii, p. 157.  
*impressus*, Boisd. & Lacordaire, Faun. Paris., i, 1835, p. 467.  
 Hab. Europe, Caucasus, Japan, Sumatra, Java, New Caledonia, Australia, Zanzibar, W. Africa.
- foveicollis**, Kraatz, Wieg. Arch., xxv (i), 1859, p. 180.  
 Hab. India.
- indicus**, Kraatz, *l.c.*, p. 179.  
 Hab. India, Ceylon, Annam, Java, Celebes, New Caledonia, Philippines.
- minimus**, Kraatz, *l.c.*, p. 180.  
 Hab. Ceylon.
- scabrosus**, Kraatz, *l.c.*, p. 179.  
 Hab. India.
- siamensis**, Fauvel, Rev. d'Ent., v, 186, p. 144 ; *id.*, Ann. Soc. Ent. Fr., (6s.) vi, 186, p. 178.  
 Hab. Siam, Sumatra, Java, Philippines.
- simplex**, Motschinlsky, Bull. Mosc., xxx (4), 1857, p. 505 : Kraatz, Wieg. Arch., xxv, (i) 1859, p. 180 : Fauvel, Ann. Mus. Civ. Gen., xiii, p. 190.  
 Hab. India, Ceylon, Annam, Java, Celebes, Philippines, Australia.
- taprobanae**, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 52.  
 Hab. Ceylon.
- HOMALINI**—(*Omalides*) Lacord., Gen. Col. ii, 1854, p. 132 : Jacq. Duval, Gen. Col., ii, p. 66 : Mun. Cat., p. 657 : Leconte & Horn, Class. Col., p. 103.

### Genus ARPEDIUM.

- Erichson, Käfer, Mark Brand., i, 1837, p. 618 ; *id.*, Gen. Staph., p. 858 : Lacord., Gen. Col., ii, p. 139 : Jacq. Duval, Gen. Col., ii, p. 72, t. 72, f. 125 : Mun. Cat., p. 662 : Leconte & Horn, Class. Col., p. 104.
- pallens**, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 493 : Kraatz, Wieg. Arch., xxv (i), p. 182.  
 Hab. Bombay.

### Genus EUPIESTUS.

- Kraatz, Wieg. Arch., xxv (i), 1859, p. 182 : Mun. Cat., p. 662.
- sculpticollis**, Kraatz, *l. c. supra*, p. 182, t. 3, f. 4 *a-b*.  
 Hab. Ceylon.

### Genus HOMALIUM.

- Gravenhorst (*Omalium*), Micr. Bruns., 1802, p. 111 : Erichson, Käfer Mark Brand., i, p. 628 ; *id.*, Gen. Staph., p. 874 : Mun. Cat., p. 665 : Fauvel, Faun. Gall. Rhénan, iii, p. 57 : Sharp, Trans. Ent. S. Lond., 1876, p. 402 ; *id.*, Biol. Centr. Amer., Col., i (2), p. 744 : Leconte & Horn, Class. Col., p. 104.

- Acrolocha*, Thomson, Skand. Col., i, 1859, p. 50 ; iii, p. 201.  
*Acrulia*, Thomson, l.c., i, p. 50 ; iii, p. 199.  
*Etheothassa*, Thomson, l.c., i, p. 51 ; iii, p. 206.  
*Hapalaraea*, Thomson, l.c., i, p. 50 ; iii, p. 200.  
*Hypopycna*, Muls. & Rey, Ann. Soc. Linn. Lyon, xxvii, 1880, p. 274.  
*Omalium*, Gravenhorst, l.c. supra : Lacord., Gen. Col., ii, p. 143 : Sharp, l.c. supra, : Jacq. Duval, Gen. Col., ii, p. 76, t. 26, f. 129.  
*Phloeonomus*, Heer, Col. Helv., i, 1842, p. 174.  
*Phloeostiba*, Thomson, l.c. supra, i, p. 51 ; iii, p. 208.  
*Phyllodrepa*, Thomson, l.c., i, p. 52 ; iii, p. 214.  
*Xylocromus*, Heer, Col. Helv., i, 1842, p. 184.
- angulatum* (*Phloeonomus*), Motschnlsky, Bull. Mosc., xxxiv (i), 1861, p. 142.  
 Hab. Ceylon.
- filiforme*, Walker, Ann. Mag. N. H., (3 s.), ii, 1858, p. 205.  
 Hab. Ceylon.
- obscurum*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 181.  
 Hab. Ceylon.
- quadrifossulatum*, Motschulsky, Etud. Ent., 1859, p. 68.  
 Hab. Ceylon.
- singulare*, Kraatz, Wieg. Arch., xxv (i), 1859, p. 181.  
 Hab. Ceylon, Sumatra, Celebes, New Caledonia.
- PIESTINI** :-(*Piestides*) Lacord., Gen. Col., ii, 1854, p. 124 : Mun. Cat., p. 674 : Fauvel, Faun. Gall. Rhén., iii, p. 14 ; Aun. Mus. Civ. Geu., xii, p. 184 : Leconte & Horn, Class. Col., p. 105.

### Genus ELEUSIS.

- Lap. de Casteln., Etud. Ent., i, 1834, p. 131 : Lacord., Gen. Col., ii, p. 127 : Mun. Cat., p. 675 : Fauvel, Ann. Mus. Civ. Gen., xii, p. 206 ; id., Notic. Ent., vii, p. 17 ; Sharp, Trans. Ent. S. Lond., 1876, p. 410 ; id., Biol. Centr. Amer., Col., i (2), p. 728 : Leconte & Horn, Class. Col., p. 106.
- Chasoliom*, Lap. de Casteln., Etud. Ent., 1835, p. 132.
- Isomalus*, pt, Erichson, Gen. Staph., 1840, p. 838 : Fauvel, Bull. Soc. Linn., Norm., ix, 1864, p. 35 ; id., Notic. Ent., ii, p. 31.
- fusciceps* (*Isomalus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 184.  
 Hab. Ceylon.
- indica* (*Isomalus*), Kraatz, l.c., p. 183 : Waterhouse, Trans. Ent. S. Lond., 1876, p. 14.
- tenuis* (*Prognatha*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 52.  
 Hab. India.
- Kraatzii*, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 207.
- apicipennis* (*Isomalus*), Kraatz, Wieg. Arch., xxv (i), 1859, p. 183 (nec Fairm.)  
 Hab. Ceylon.

### Genus **HOLOSUS**.

**Motschulsky**, Bull. Mosc., xxx (4), 1857, p. 496 : Mun. Cat., p. 676 : Kraatz, Wiegmann Arch., xxv (i), p. 184 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 198.

**conuriformis**, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 499 : Kraatz, l.c. *supra*, p. 185.

Hab. India.

**fossulatus** (*Holotrochus* ?), Motschulsky, l.c., p. 495 : Kraatz, l.c., p. 185.

Hab. India.

**foveolatus** (*Holotrochus* ?), Motschulsky, l.c., p. 496 : Kraatz, l.c.

Hab. India.

**mycetoporiformis**, Motschulsky, l.c., p. 500 : Kraatz, l.c.

Hab. India.

**olisthaeriformis**, Motschulsky, l.c., p. 500 : Kraatz, l.c.

Hab. India.

**tachiniformis**, Motschulsky, l.c., p. 498 : Kraatz, l.c., p. 185, t. 3, f. 5 a.b.

Hab. India.

**tachyporiformis**, Motschulsky, l.c., p. 498 : Kraatz, l.c.

Hab. India.

### Genus **THORACOPHORUS**.

**Motschulsky**, Bull. Mosc., xiii, 1840, p. 197 : Etud. Ent., 1859, p. 66 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 195 : Sharp, Trans. Ent. S. Lond., 1876, p. 418 ; id., Biol. Centr. Amer., Col., i (2), p. 725 : Fauvel, Rev. d'Ent., viii, 1889, p. 214.

**Glyptoma**, pt, Erichson, Gen. Staph., 1840, p. 908 : Lacord., Gen. Col., ii, p. 148 : Motsch., Etud. Ent., 1859, p. 67 : Sharp, Biol. Centr. Amer., Col., i (2), p. 723.

**Thoraxophorus**, Motschulsky, Bull. Mosc., x (5), 1837, p. 98 : t. 7, f. a : Mun. Cat. p. 677.

**duplicatus**, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 197.

Hab. Burma, Borneo, Aru Islands.

**subnitidus**, Motschulsky, Etud. Ent., 1859, p. 66.

Hab. India.

### Genus **LISPINUS**.

Erichson, Gen. Staphyl., 1830, p. 1828, t. 5, f. 8-a : Lacord., Gen. Col., ii, p. 126 : Mun. Cat., p. 677 : Fauvel, Bull. Soc. Norm., ix, 1865, p. 44 : id., Not. Ent., ii, 1834, p. 40 : Ann. Mus. Civ. Gen., xli, 1878, p. 200 : Sharp, Trans., Ent. S. Lond., 1876, p. 411 ; Biol. Centr. Amer. Col., i (2), p. 718 : Leconte & Horn, Class. Col., p. 106.

**brevicornis**, Kraatz, Wiegmann Arch., xxv (i), 1859, p. 187.

Hab. India.

- coarcticollis*, Kraatz, *l.c.*, p. 186, t. 3, f. 6.  
 Hab. India.
- curticollis*, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 204.  
 Hab. Java, Island Ke.
- fulvus*, Motschulsky, Bull. Mosc., xxx (4), 1857, p. 495.  
 Hab. Calcutta.
- impressicollis*, Motschulsky, *l.c.* p. 495 : Kraatz, Wiegm. Arch., xxv (i), 1859, p. 186.  
 Hab. India.
- laevigatus*, Kraatz, Wiegm. Arch., xxv, (i), 1859, p. 188.  
 Hab. Ceylon.
- laevipennis*, Kraatz, *l.c.*, p. 185.  
 Hab. Ceylon.
- lineipennis*, Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 202.  
 Hab. Java, New Guinea.
- sculptus*, Kraatz, *l.c. supra*, p. 188 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 196.  
 Hab. Ceylon.
- strigiventris*, Kraatz, *l.c. supra*, p. 186.  
 Hab. India.
- subopacus*, Kraatz, *l.c.*, p. 187 : Fauvel, Ann. Mus. Civ. Gen., xii, 1878, p. 205.  
 Hab. Ceylon, Aru Islands, Sumatra, New Guinea.
- tenuicornis*, Kraatz, *l.c.*, p. 187.  
 Hab. Ceylon.
- testaceus*, Kraatz, *l.c.*, p. 188.  
 Hab. Ceylon,



# GENERAL INDEX

TO

*The Oriental Coleoptera catalogued in the Supplement for 1890.*

## A

- ABACETUS*, 46.
- abbreviatus*, 195.
- abdominale*, 169, 246.
- abdominalis*, 189, 228.
- Abumus*, 234.
- aberrans*, 141.
- abropoides*, 57.
- Abropus*, 56.
- abruptus*, 190.
- Acacus*, 97.
- Acamaldes*, 199.
- Acamoonotus*, 188.
- Acanthogenius*, 85.
- ACANTHOGLOSSA*, 215.
- Acanthoglossa*, 251.
- acaroïdes*, 36.
- Acatodes*, 141.
- Acephorus*, 22.
- ACHENIUM*, 245.
- Achenomorphus*, 249.
- Achillei*, 195.
- Aciculatus*, 149.
- Acptolabrus*, 10.
- Acrodon*, 50.
- acrogonus*, 89.
- acrolencus*, 236.
- Acrolocha*, 263.
- Acrostiba*, 217.
- Acrotoma*, 218.
- acroxanthus*, 98.
- Acrulia*, 263.
- Actedium*, 34.
- ACTENONCUS*, 92.
- Actophilus*, 111.
- ACTORIUS*, 240.
- acuminata*, 222.
- acuminatus*, 136, 164, 208, 236, 256.
- Acupalpus*, 113.

- acutangulus*, 89, 257.
- acuticollis*, 16, 219.
- acutidens*, 20, 160.
- acutipalpis*, 27.
- acutispina*, 167.
- acutus*, 137.
- ACYLOPHORUS*, 230.
- adeliooides*, 60.
- Adelobium*, 245.
- Adelosia*, 44.
- ADELOTOPUS*, 119.
- admiranodus*, 206.
- Adranini*, 190.
- adustipennis*, 217.
- advena*, 24.
- advolans*, 112, 183.
- aegyptiaca*, 249.
- Aegyptiacus*, 149.
- Aello*, 44.
- acneiceps*, 167.
- aeneipennis*, 30, 57, 65, 75, 78, 236.
- aeneipes*, 66.
- aeneocupreus*, 45, 53.
- aeneomicans*, 76.
- aeneotinctus*, 55.
- aenescens*, 57, 117.
- aenescens*, 219.
- aenenni*, var. 14.
- aeneus*, 30, 78, 236.
- aeneus*, 48, 79, 109, 153, 167.
- aenigma*, 46.
- Aephnidius*, 59.
- AEPSELA*, 50.
- aequatus*, 78.
- aeratus*, ? 40.
- aeratus*, 30.
- aerens*, 113.
- aeruginosus*, 101.
- affinis*, var. 93.
- affinissima*, 199.
- africanus*, 149.
- Agabini*, 141.
- agaboides*, 144.
- AGARUS*, 141.
- Agabus*, 142.
- Agaricochura*, 223.
- AGASTUS*, 67.
- AGATHELOR*, 187.
- agilis*, 98, 183.
- Agylypha*, 218.
- agnatus*, 92.
- agona*, 24.
- Agonocheila*, 72.
- Agonocyrthes*, 54.
- Agonodemus*, 44.
- Agonothorax*, 54.
- Agonum*, 51.
- Aluobia*, 218.
- alatus*, 183, 254.
- albicornis*, 36.
- albicornis*, 38.
- albittis*, 76.
- Albrechii*, 12.
- Atbrechtii*, 13.
- Aleoeb*, 210.
- ALEOCHARA*, 213.
- Aleocharides*, 210.
- ALEOCHARINI*, 210.
- Aleptocerus*, 97.
- algiricus*, 238.
- ALLOCOTA*, 71.
- Aloconota*, 218.
- Alogocurabus*, 10.
- Alpaeus*, 16.
- alter*, 206.
- alternans*, 89, 252.
- alticola*, 116.
- alutacea*, 29.
- alutaceum*, 177.

- alveolatus, 18.  
 amabilis, 41, 56, 65, 98,  
     212, 236.  
**AMARA**, 50.  
*Amarocelia*, 50.  
 amaroides, 55.  
*Amathitis*, 50.  
*Amauronyx*, 208.  
 ambigena, 50.  
*ambiguus*, var. 93.  
*Amblychus*, 52.  
*Amblygenius*, 97.  
**AMBLYSTOMUS**, 117.  
*Amblystomus*, 111.  
*Amerizus*, 34.  
*Amica*, 199.  
*Amidobia*, 218.  
*Amisamus*, 261.  
*Amischa*, 218.  
 amitta, 199.  
 amoena, 116.  
 amoenus, 57, 92, 206.  
 amoenus, 79.  
*Amphasia*, 118.  
**AMPHIOPS**, 168.  
**AMPHIZOA**, 131.  
*Amphizoides*, 131.  
*Amphizoide*, 131.  
**AMPHIZOINI**, 131.  
 amplians, 36.  
 amplicollis, 46, 252.  
 amplipennis, 98, 116.  
 ampliventus, 204.  
*Anaceana*, 166.  
 anachoreta, 241.  
*analis*, 231.  
*ANATRICHIS*, 107.  
*ANaulacus*, 59.  
 anceps, 24, 36.  
*Anchiaulus*, 167.  
*ANCHISTA*, 83.  
*Anchodemus*, 54.  
*Ancholeus*, 49.  
*Anchomenus*, 54, 55.  
*Anchus*, 55.  
*ANCUS*, 26.  
 andamanensis, 40, 78.  
 andamanicus, 143, 154.  
*Andersonii*, 27.  
 Andreac, 161.  
 angularis, 24, 75, 133.  
 angulatum, 28, 263.  
 angulatus, 78, 89, 154.  
*angulatus*, 73 242.  
 angulicollis, 16, 73.  
 angulipes, 195.  
 angustata, 211.  
*angustatus*, 54, 227, 239,  
     260.  
 angusticeps, 179, 191.  
*angusticollis*, 89, 195.  
*angusticollis*, 189.  
 angustus, 33, 89, 116, 160.  
*Anisodactylides*, 110.  
**ANISODACTYLUS**, 118.  
*Anisomera*, 141.  
*Anisotarsus*, 118.  
 annauita, 138.  
 annuliventris, 212, 319.  
 annulus, 92.  
*Anodochelus*, 138.  
*Anodon*, 19.  
*anodus*, 235.  
 anomalus, 46, 97.  
*Anomoderus*, 18.  
*Anomocetus*, 83.  
*Anomognathus*, 218.  
*Anomophactus*, 18.  
*anonymous*, 233.  
*Anopleta*, 218.  
**ANOPLOGENIUS**, 115.  
*Anotylus*, 259.  
 antennatus, 243.  
*antennatus*, 237.  
*ANTHIA*, 87.  
 anthicoedes, 193.  
*anthicus*, 195.  
*Antibius*, 199.  
 anthoides, 86.  
*Anthracus*, 114.  
 antiquus, 46.  
*Antocarabus*, 10.  
*APATETICA*, 174.  
 aper, 140.  
**APHANOCEPHALUS**, 177.  
*APHARINA*, 204.  
*APIHLIA*, 207.  
 apicalis, 57, 62, 63, 98,  
     114, 224.  
*apicalis*, 77, 102.  
 apicatum, 170.  
*apicipennis*, 263.  
*Apimelia*, 218.  
*Apiodera*, 63.  
*Aploa*, 94.  
*Aplocentrus*, 118.  
*Aplothorax*, 10.  
 aplustrifer, 160.  
*Apotomopterus*, 10.  
*APOTOMUS*, 96.  
**appendiculata**, 186, 223.  
**APRISTOMORPHUS**, 76.  
**APRISTUS**, 75.  
*Apsectra*, 89.  
*Apteromimus*, 34.  
*aptinoides*, 92.  
*Aptinus*, 95.  
*Arachnoidius*, 44.  
*archicarabus*, 10.  
*Architectus*, 195.  
*arcuens*, 233.  
*Arctodytes*, 141.  
*arcuaticollis*, 101.  
*arcuatus*, 37, 68.  
**ARDISTOMIS**, 27.  
*arenarius*, 110.  
*Areus*, 256.  
*argentatus*, 230.  
*Argutor*, 44, 46.  
*Argutoroidius*, 44.  
*Aristidis*, 137.  
*armatus*, 191, 192.  
*Armiger*, 188.  
*Armitagei*, 214.  
**ARNYLLIUM**, 194.  
**ARPEDIUM**, 262.  
*Arrhostus*, 83.  
*Artubos*, 111.  
*artensis*, 150.  
*Arthmius*, 195.  
**ARTHROLIPS**, 176.  
*ARTICERUS*, 190.  
 articularis, 202.  
 aruspex, 144.  
*arrernicus*, 231.  
*Asbolus*, 172.  
*asemus*, 234, 236.  
*asiatica*, 214.  
*asiaticus*, 150.  
*aspericollis*, 100.  
*asperulus*, 18.  
*assamensis*, 24, 92.  
*assimilis*, 92, 134.  
*assimilis*, 231.  
*Astenus*, 251.  
*astriscus*, 86.  
*Astilbus*, 216.  
*astolicus*, 231.  
*Astylops*, 258.  
*Astygis*, 46.  
 ater, 45, 77, 92.  
 ater, 242.  
*Atherocolpus*, 194.  
*Atheta*, 218.  
*atomarius*, 37.

- atomus, 138, 199, 208, 226.  
 atramentaria, 219.  
 atrata, 31, 87.  
 atratus, 46.  
*atratus*, 92, 236.  
 atriceps, 170, 218.  
*atriceps*, 39.  
 atricolor, 137.  
*atricornis*, 219.  
 atripennis, 94, 96.  
*atripennis*, 231.  
 atripes, 98.  
 attelaboides, 66.  
*attelaboides*, 87.  
 attenuata, 24, 83  
 attenuatus, 167.  
*Attiscurra*, 174.  
*Attumbra*, 174.  
 ATYCHODEA, 204.  
 AULACOCOELIUS, 49.  
*Aulacopterum*, 14.  
 AULONOGYRUS 153.  
 aureus, 234.  
 Aurifer, 183.  
 aripennis, 78.  
*auripennis*, 235.  
 aurita, 199.  
*aurita*, 200.  
*auritus*, 134.  
*australasiae*, var. 79.  
 australis, 151.  
*australis*, 144.  
 AUTALIA, 210.  
*Axinocarabus*, 10.
- B**
- Baconii, 31, 57, 70, 89.  
*Baconii*, 163.  
 badia, 214, 215.  
 badiola, 50.  
 BADISTER, 52.  
 badius, 136, 245.  
*badius*, 236.  
*Badura*, 218.  
 Baerii, 134, 146, 154.  
 balteatus, 233.  
 bamidunya, 50.  
*Banksii*, 145.  
 barbarus, 20.  
 barbus, 256.  
*Bargus*, 258.  
*Barymorphus*, 97.  
*Baryodma*, 213, 239.
- BARYSOMUS, 110.  
 basalis, 70, 134, 143, 195, 236.  
*basalis*, var. 60, 79, 227.  
 basicornis, 256.  
*basifasciatus*, 27.  
*basifuscatus* 28.  
 batavianus, 179, 195, 206.  
*batchianensis*, 145.  
*Batenus*, 55.  
*Batesii*, 35.  
*Bathrolium*, 244.  
*Batozelis*, 43.  
 BATRAXIS, 201.  
*Batrisodes*, 195, 196, 197, 198.  
*Batrismorpha*, 201.  
 BATRISOSCHEMA, 198.  
*BATRISUS*, 195.  
*Batrissus*, 188.  
*Baudia*, 52.  
*Bauncisterii*, 191.  
*Baumeisteri*, 200.  
*Beauchenii*, 64.  
*Beccarii*, 61.  
*bellus*, 238.  
*Belonognatha*, 72.  
*BELONUCIUS*, 241.  
*Bemasus*, 234.  
*Bembicidium*, 34.  
 BEMBRIDION, 34.  
*bengalcensis*, 20, 24, 57, 98, 148, 260.  
*Bensonii*, 86, 160.  
*BERLARA*, 198.  
*BEROSUS*, 167.  
*Berus*, 83.  
*Bessobia*, 218.  
*Bessopora*, 217.  
*Bibloplectus*, 208.  
*bibloporus*, 208.  
*bhamoensis*, var. 42.  
*bicincta*, 72.  
*bicinctus*, 233.  
*bicolon*, 251.  
*bicolor*, 72, 98, 161, 241, 260.  
*bicolor*, 41, 95, 112, 197, 231.  
*bicornis*, 202.  
*bicornutus*, 26.  
*bicuspidis*, 248.  
*Bidessini*, 138.  
*BIDESSUS*, 138.  
*Bidessus*, 141.
- bifasciatum, 175.  
*bifasciatus*, 160, 133.  
*bifasciatus*, 28.  
*biformis*, 198.  
*bifoveolata*, 213.  
*bifoveolatus*, 202.  
*biguttata*, 63.  
*biguttatus*, 49, 98, 117, 142, 228.  
*biguttatus*, var. 99.  
*bigutticeps*, 94.  
*bihamatus*, 99, 145.  
*bilineatus*, 165.  
*bilunatus*, 182.  
*bimaculata*, 63.  
*bimaculata*, 63.  
*bimaculatum*, 67.  
*bimaculatus*, 86, 92, 99, 176.  
*bimaculatus*, 87, 229.  
*binodosus*, 22, 168.  
*binotata*, 83.  
*binotatus*, 99.  
*binotulatus*, 102.  
*biocellatus*, 203.  
*bioculatus*, 37, 99.  
*bioderus*, 111.  
*bipars*, 57.  
*bipartitus*, 154.  
*biplagiatus*, 49, 114, 251.  
*bipunctatus*, 46.  
*bipunctatus*, 48, 146.  
*bipunctulus*, 195.  
*birmaensis*, 191.  
*birmanicus*, 99, 139, 183.  
*birmaensis*, 45, 110, 192, 195.  
*bisignatus*, 47.  
*bisignatus*, 149.  
*Bisnius*, 236, 240.  
*Bispinus*, 57, 71, 193, 251, 256, 258.  
*bisquadrupunctatus*, 19.  
*bisulcatus*, 140.  
*bithariophorus*, var. 12.  
*bituberculatus*, 224.  
*bivestitus*, 203.  
*bivittis*, 132.  
*bivulneratus*, 256.  
*blaptoides*, 13.  
*Blaptosoma*, 14.  
*blattoides*, 67.  
 BLECHRUS, 75.  
*BLEDIUS*, 258.

- Blepharida*, 40.  
*Blepharidus*, 49.  
*Blitophaga*, 173.  
*Boisduvalii*, 82.  
*Bœflema*, 217.  
*Boletobius*, 229.  
*BOLITOBIUS*, 229.  
*BOLITOCHARA*, 212.  
*Bomius*, 75.  
*Bonifisi*, 82.  
*BORNEANA*, 198.  
*Bonvouloirii*, 137.  
*borneensis*, 29, 116.  
*borneensis*, var. 68.  
*Bothriopterus*, 44.  
*BOTHONOPTERA*, 82.  
*Bowringii*, 62, 145, 162, 177.  
*Boysii*, 20, 70, 84, 162.  
*Boysii*, 13.  
*BRACHICHLA*, 76.  
*BRACHIDA*, 224.  
*BRACHIDIUS*, 89.  
*Brachinus*, 96.  
*brachycera*, 251.  
*BRACHYCTIS*, 74.  
*Brachygluta*, 199, 200.  
*BRACHYGASTER*, 167.  
*BRACHYNUS*, 94.  
*BRACHYONYCHUS*, 27.  
*Brachypalpus*, 166.  
*Brachyptera*, 210.  
*brachypterus*, 78, 235, 254, 256.  
*Brachystylus*, 44, 49.  
*brachyurus*, 208.  
*BRADYBAENUS*, 110.  
*BRADYCELLUS*, 115.  
*bradypodus*, 179.  
*Bradytes*, 50.  
*bramina*, 224.  
*braniini*, 99, 229.  
*Brandtii*, 142.  
*Bremus*, 9.  
*Brettinghainae*, 9.  
*brevicollis*, 22.  
*brevicornis*, 23, 264.  
*brevicornis*, 188, 200, 237, 249.  
*brevior*, 24, 33.  
*brevipennis*, 228.  
*brevirostris*, 152.  
*brevis*, 195, 254.  
*brevis*, 87.
- brevitarse*, 187.  
*breviuscula*, 249.  
*breviusculus*, 208.  
*breviusculus*, 179.  
*broscomorphus*, 20.  
*BROSCOSOMA*, 97.  
*BROSUS*, 96.  
*bruchiiformis*, 205.  
*brunneia*, 62, 64.  
*brunneiventris*, 214.  
*brunnescens*, 24, 218.  
*brünneum*, 247.  
*brunneus*, 57, 76, 82, 53, 227.  
*brunniceps*, 250.  
*brunnicollis*, 226.  
*brunnilabris*, 89.  
*brunnipennis*, 258.  
*brunnipennis*, 181.  
*brunnipes*, 174.  
*BRYAXIS*, 198.  
*Bryaxis*, 188, 189.  
*Bryxoides*, 183.  
*Bryobius*, 44.  
*Bryocharus*, 229.  
*bucephatus*, 183.  
*Buchananii*, 57.  
*Buchananii*, 58.  
*bullatus*, 168.  
*Buquetii*, 40.  
*Byraxis*, 199.  
*BYTHINODERES*, 202.  
*BYTHINOMORPHA*, 202.  
*BYTHINOPHANAX*, 202.  
*Bythinus*, 208.
- C**
- Cuckoporus*, 259.  
*CAFIUS*, 240.  
*Calamata*, 14.  
*CALATHOMIMUS*, 116.  
*CALATHIUS*, 53.  
*caligatus*, 94.  
*CALLEPA*, 81.  
*callichloris*, 99.  
*callida*, 81.  
*CALLIDERMA*, 247.  
*callipora*, 14.  
*callipygum*, 35.  
*Calliphœna*, 14.  
*Callisthenes*, 14.  
*Callistoides*, 97.  
*Callistomimus*, 107.  
*Callistrata*, 14.
- Callistriga*, 14.  
*CALLISTUS*, 107.  
*Callithorax*, 202.  
*Callitropat*, 14.  
*Calocarabus*, 10.  
*Calodrepa*, 14.  
*Calodromus*, 110.  
*Calopterus*, 44.  
*Calopachys*, 14.  
*calopygaeus*, 202.  
*CALOSOMA*, 14.  
*Calpusa*, 222.  
*calycophora*, 70.  
*CAMACOPALPUS*, 224.  
*Camacopelaphus*, 224.  
*Camaldus*, 193.  
*Camaragnathus*, 15.  
*Camelula*, 14.  
*Cainlae*, 99.  
*Caminara*, 14.  
*Campa*, 34.  
*Campalita*, 14.  
*canaliculatus*, 203.  
*CANTHYDRUS*, 132.  
*capense*, 169.  
*CAPIORA*, 59.  
*capillaris*, 183.  
*capitata*, 24.  
*capitatus*, 195.  
*capito*, 20.  
*capito*, 112.  
*Carabosoma*, 14.  
*CARABUS*, 10.  
*Carabus*, 39, 68.  
*Caranistes*, 232.  
*earlomarius*, 137.  
*carbonarius*, 239.  
*Carotiola*, 211.  
*cardiophorus*, 154.  
*Carcostylus*, 49.  
*CARICUS*, 113.  
*cariniceps*, 26.  
*cariniecollis*, 250.  
*carinifrons*, 47.  
*cariniger*, 256.  
*cariniventris*, 204.  
*carinulata*, 201.  
*carnifex*, 231.  
*caschmirensis*, 12, 164.  
*Casnoidea*, 64.  
*CASNOMIA*, 63.  
*caspium*, var. 15.  
*castanea*, 24, 214, 223.  
*castanea*, 26.

- castaneipennis*, 241.  
*castaneipennis*, 227.  
*castaneus*, 32, 36, 137,  
  207, 236.  
*castanoptera*, 188.  
*Castelnandi*, 68, 160.  
*castelnauii*, 28.  
*Castetsii*, 154.  
*Castrida*, 14.  
*CATADROMUS*, 44.  
*catascopium*, 141.  
*CATASCOPUS*, 78.  
*catenata*, 76.  
*Catopomorphus*, 174.  
*cathalicus*, 53.  
*Cathalicus*, 10.  
*Cathoplus*, 14.  
*Catoirei*, 92.  
*CATOPSIMORPHUS*, 174.  
*CATOPTYX*, 177.  
*cavifer*, 196.  
*Cecheues*, 10.  
*Cechnochilus*, 10.  
*CELAENEPHES*, 84.  
*celbensis*, 63, 196, 260.  
*celebensis*, var. 79, 99.  
*celer*, 99.  
*Celia*, 50.  
*Ceneus*, 44.  
*Centroglossa*, 224.  
*centromaculatus*, 101.  
*CENTROPHTHALMUS*, 193.  
*Centrophthalmus*, 189.  
*Centrotoma*, 192.  
*centurionis*, 183.  
*CEPHALOCHETUS*, 246.  
*cephalotes*, 62, 112.  
*cephalotes*, 96.  
*Cephennarium*, 178.  
*CEPHENNIVUM*, 178.  
*Cephennium*, 179.  
*CEPHENNODES*, 179.  
*Cephalochactus*, 246.  
*Ceranota*, 213.  
*CERAPTERINI*, 159.  
*CERAPTERUS*, 159.  
*Ceratoderus*, 159, 168.  
*Ceratopterus*, 159.  
*CERCYON*, 169.  
*cereus*, 29.  
*Cerilaxa*, 218.  
*Ceroglossus*, 10, 106.  
*ceylanense*, 246.  
*ceylanensis*, 222, 228, 254.  
*ceylanensis*, 240.
- ceylanicum*, 51.  
*ceylanicus*, 37, 62, 183.  
*ceylanicus*, 106.  
*ceylouensis*, 247.  
*ceylonica*, 212.  
*ceylonicus*, 20, 43, 55, 88,  
  153, 154, 198.  
*ceylonicus*, 78, 88.  
*Chatida*, 218.  
*Chatocarabus*, 10.  
*Chatomelas*, 10.  
*chalecipennis*, 239.  
*chalecola*, 42  
*chalecolus*, 47.  
*chalecus*, 108, 114.  
*chalecetus*, 112.  
*chalocephalus*, 107.  
*chalcodermus*, 99.  
*chaleothorax*, 40, 99.  
*Charmosta*, 14.  
*Charon*, 179.  
*Charopterus*, 75.  
*Clasili*, 16.  
*Chasoliom*, 263.  
*Chandoirii*, 51, 63, 88.  
*Chandoirii*, 150.  
*Cheporus*, 44.  
*Cherrolati*, 146.  
*chilensis*, 252.  
*chinensis*, 14, 244.  
*chinensis*, 17, 55, 70, 94,  
  110, 134, 140, 148.  
*chinensis*, 21.  
*CHLAEMINUS*, 48.  
*chlænioides*, 104.  
*Chlaenites*, 97.  
*CHLAENIUS*, 97.  
*Chlaenius*, 108.  
*Chlaenioidius*, 49.  
*chlamydophorus*, 206.  
*chlorocephalus*, 107.  
*Chlorodium*, 34.  
*chlorodius*, 99.  
*chlorophanus*, 231.  
*chloroptera*, 81.  
*chloroptera*, 173.  
*chloroticus*, 134.  
*chloroticus*, 228.  
*Cholerus*, 182.  
*CHOLEVA*, 174.  
*clrysomelinus*, 228.  
*Chrysocarabus*, 10.  
*chrysopyga*, 223.  
*Chrysostigma*, 14.  
*CHYDAEUS*, 119.
- cicatricosa*, 223, 241.  
*cicatricosus*, 251.  
*cicindela*, 256.  
*cicindeloides*, 80.  
*CILEA*, 225.  
*Cilea*, 226.  
*ciliaris*, 233.  
*ciliatus*, 151.  
*cillenus*, 34.  
*cinetella*, 31.  
*cinetellus*, 94.  
*cinctipennis*, 37, 56,  
  236.  
*cinctulus*, 236.  
*cinctus*, 99, 228, 241.  
*cinctus*, 233.  
*einarius*, 233.  
*ciugalensis*, 78.  
*cinnamomea*, 225.  
*cinnamomens*, 180.  
*cinnamoptera*, 249.  
*rirellaris*, 220.  
*circulatus*, 138.  
*circumcinctus*, 115.  
*circundata*, 70.  
*circundatus*, 99.  
*Clanvillei*, 145.  
*CLAMBUS*, 174.  
*clara*, 199.  
*Clarkii*, 134.  
*clarata*, 188.  
*clavicornis*, 216.  
*claviger*, 196.  
*Clariger*, 189.  
*CLAVIGERINI*, 190.  
*clavigeroides*, 180.  
*Clementis*, 193.  
*Clibanarius*, 55.  
*CLIDICUS*, 186.  
*CLIVINA*, 23.  
*clirinoides*, 25.  
*Clypeaster*, 175.  
*Clypeastræ*, 175.  
*Clypeastrides*, 175.  
*Cnemidotus*, 130, 131.  
*coaretatus*, 107.  
*coarcicollis*, 265.  
*COELAMBUS*, 140.  
*coelestinus*, 108.  
*coelestinus*, 56, 66.  
*coelostis*, var. 13.  
*coelostis*, 173.  
*Coeloprosopus*, 80.  
*coelopterus*, 57.  
*Coelostoma*, 169.

- Coelostomus*, 46.  
*ooenonica*, 213.  
*coeruleatus*, 112.  
*cognatus*, 135, 148, 162.  
*cohaereus*, 183.  
*collaris*, 119.  
*collutum*, 35.  
*colombensis*, 116.  
*COLPODES*, 56.  
*Colpodota*, 218.  
*Colymbetes*, 142, 144, 145.  
*COLYMBETINI*, 141, 144.  
*COMPATOPSELAPHUS*, 201.  
*comma*, 151.  
*Commatocerus*, 190.  
*Comottii*, 160.  
*comottoii*, 42.  
*compactus*, 50, 257.  
*complanata*, 87.  
*complanatus*, 254.  
*complicati*, 136.  
*compositus*, 118.  
*comsolepis*, 115.  
*concinna*, 42.  
*concinnata*, 183.  
*concinus*, 102, 237.  
*concolor*, 145, 236, 251.  
*confertus*, 137.  
*Confucius*, 94.  
*confusus*, 145, 149.  
*congestus*, 147.  
*congruus*, 235.  
*conicollis*, 204.  
*conicollis*, 243, 252.  
*conicollis*, 147.  
*conicus*, 111.  
*conifer*, 183.  
*connotatus*, 114.  
*CONOSOMA*, 228.  
*consanguineus*, 137.  
*consanguineus*, 142.  
*consimilis*, 220.  
*consors*, 116.  
*conspersus*, 144.  
*conspicuus*, 154.  
*consularis*, 92.  
*consularis*, 94.  
*contigua*, 220.  
*contractus*, 100.  
*conuniformis*, 264.  
*Conurus*, 228.  
*convexa*, 17.  
*convexicollis*, 61, 77.  
*convexinsculum*, 175.  
*convexinsculus*, 153.  
*convexus*, 40, 100, 148, 183.  
*COPELATINI*, 143.  
*COPELATUS*, 143.  
*Copiatia*, 213.  
*Coprochara*, 213.  
*Coproporus*, 226, 227.  
*Coprothassa*, 218.  
*COPTODERA*, 72.  
*cophosus*, 44.  
*Coptodera*, 73.  
*COPTOLABRUS*, 17.  
*COPTOLOBUS*, 19.  
*coracinus*, 37.  
*cordata*, 200.  
*cordatus*, 154.  
*cordicollis*, 24, 33, 47, 53, 257.  
*cordiger*, 207.  
*coriaceipennis*, 12.  
*corpulentus*, 89, 154.  
*corpulentus*, 189.  
*corrosa*, 116.  
*corruscus*, 237.  
*corsicus*, 253.  
*corvinus*, var. 12.  
*CORYLOPHIDAE*, 175.  
*Corylophides*, 175.  
*CORYLOPHODES*, 177.  
*CORYZA*, 26.  
*coscinini*, 32.  
*coscinopterus*, 44.  
*cosmoplata*, 14.  
*cosoinia*, 32.  
*costatus*, 18.  
*costatus*, 46.  
*costiger*, 100.  
*costulatus*, 80, 189.  
*CRASPEDONOTUS*, 97.  
*Craspedophorus*, 27, 29,  
*crassiceps*, 180.  
*crassicornis*, 89, 205, 259.  
*crassicornis*, 183, 188.  
*crassicrus*, 89.  
*crassipalpis*, 189.  
*crassipes*, 154.  
*crassiuscula*, 65, 224.  
*crassus*, 148, 247.  
*Crataraca*, 217.  
*crates*, 112.  
*Cratocephalus*, 10.  
*Cratocerides*, 110.  
*CREAGRIS*, 85.  
*crebrepuuctatus*, 100.  
*crenata*, 22, 42.  
*crenaticerus*, 89.  
*crenatus*, 54.  
*crenicollis*, 212.  
*Creophilus*, 232.  
*CREPIDOGASTER*, 95.  
*Crepidostoma*, 96.  
*cribellatus*, 154, 256.  
*cribriceps*, 43.  
*cribricollis*, 69, 255.  
*croceipennis*, 214.  
*croceus*, 176.  
*Croesus*, 192.  
*CROSSOGLOSSA*, 82.  
*crossomychus*, 75.  
*cruciatus*, 49.  
*crucifer*, 86.  
*cruralis*, 57.  
*cruentus*, 231.  
*Cryniphilus*, 166.  
*Cryobius*, 44.  
*CRYPTOCEPHALOMORPHA*  
 119.  
*CRYPTOPLEURUM*, 170.  
*CRYPTOPORUS*, 245.  
*Cryptorhinula*, 199.  
*Cryptotrichus*, 54.  
*Cryptoxenus*, 54.  
*Cryptusa*, 218.  
*CRYPTOBIUM*, 246.  
*Ctenipes*, 54.  
*CTENISTES*, 191.  
*Ctenistes*, 189.  
*Ctenocarabus*, 10.  
*Ctenosta*, 14.  
*cucupooides*, 33.  
*culminatus*, 100.  
*culminatus*, 102.  
*cupreicollis*, 78.  
*cupreolineatus*, 100.  
*cupreomicans*, 81.  
*cupreus*, 49.  
*cupricollis*, 100.  
*cupripeunis*, 79.  
*CURCIONELLUS*, 203.  
*Curpalinus*, 261.  
*cursor*, 69.  
*cursor*, 220.  
*cursoria*, 220.  
*curta*, 249.  
*curtatus*, 45.  
*curticollis*, 265.  
*curtonotus*, 50.

*curtula*, 42, 223.  
*custos*, 196.  
*cyanaea*, 30.  
*cyaniventris*, 173.  
*cyanellus*, 79.  
*cyanelytrius*, 237.  
*cyanocincta*, 173.  
*cyaneonitens*, 100.  
*cyanescens*, 112.  
*cyanescens*, 30.  
*cyaneus*, var. 79.  
*cyaniceps*, 100.  
*cyanicornis*, 236.  
*cyanipennis*, 71, 79.  
*cynocephala*, 64.  
*cynocephalus*, 252.  
*cynocephalus*, 252.  
*cyanostola*, 14.  
*OYATHIGER*, 191.  
*cyathoderus*, 47.  
*CYBISTER*, 148.  
*CYBISTRINI*, 148.  
*Cychocephalus*, 14.  
*OYCHRUS*, 9.  
*Cyclinus*, 151.  
*cycloderia*, 54.  
*cycloderus*, 20.  
*Cyclomus*, 49.  
*CYCLONOTUM*, 169.  
*CYCLOSOMUS*, 68.  
*cylindricollis*, 256.  
*cylindrieus*, 154.  
*Cylindrocephalus*, 243.  
*Cymbionotum*, 32.  
*cymbularia*, 199.  
*CYMINDIS*, 83.  
*cymindoidea*, 83.  
*Cypha*, 225.  
*Cyphea*, 222.  
*cyphosoma*, 78.  
*cyrtocerus*, 184.  
*cyptopterus*, 73.  
*Cyrtoscelis*, 172.  
*Cyrtoscydmus*, 184, 185.  
*CYRTOTHORAX*, 231.

**D**

*DACCA*, 22.  
*Dacrla*, 218.  
*DACTYLOSTERNUM*, 169.  
*Dadolia*, 218.  
*daimillus*, 23.  
*Daimio*, 55.  
*DAMASTER*, 13.

*darjelingensis*, 50.  
*Datonicra*, 218.  
*dauricum*, var. 15.  
*Davidii*, 90, 131.  
*Davidis*, 10, 12, 16, 71, 131, 160.  
*Davidis*, var. 15.  
*Davidis*, 172.  
*debilicornis*, 249.  
*debilis*, 23.  
*debilis*, 23.  
*decempunctatus*, 142.  
*decipiens*, 235, 248.  
*declinatus*, 184.  
*deora*, 70.  
*decorata*, 188 214.  
*decoratus*, 135.  
*decrescens*, 167.  
*degener*, 47.  
*degener*, 55.  
*DeHaanii*, 148.  
*Deinopsis*, 225.  
*Dejanii*, 47, 71, 146, 148, 153.  
*Dejanii*, 148.  
*deletus*, 90.  
*Delevayii*, 12, 54.  
*delicatus*, 237.  
*Demosoma*, 217.  
*Dendroxena*, 173.  
*Denyyi*, 188.  
*DENDROCELLUS*, 65.  
*dentatus*, 151.  
*denticollis*, 30, 208.  
*denticollis*, 30.  
*denticornis*, 161.  
*denticornis*, 161.  
*denticulata*, 214.  
*denticulatus*, 90, 162.  
*dentipennis*, 152.  
*dentipes*, 119.  
*dentiventris*, 205.  
*deplanatum*, 187.  
*depressa*, 31.  
*depressa*, 31.  
*depressus*, 254.  
*derasus*, 135.  
*derogatus*, 114.  
*DERONECTES*, 141.  
*DEROVATELLUS*, 134.  
*Derus*, 49.  
*Desera*, 65.  
*Desgodinsii*, 17, 154.  
*designans*, 18.  
*Diamesus*, 172.  
*Diaphoropsophus*, 97.  
*Dicarlinus*, 46.  
*dicaelus*, 19.  
*Dicentrius*, 202.  
*Diceronerus*, 15.  
*Dicheirus*, 118.  
*DICHIROTRICHUS*, 116.  
*Dichodytes*, 141.  
*diclirous*, 95, 142, 180.  
*Dicksonii*, 107.  
*DICRANONCUS*, 56.  
*DICRASPEDA*, 60.  
*Dicrobia*, 199.  
*DICTYA*, 69.  
*Didetus*, 84.  
*difficilis*, 112, 135.  
*diffinis*, 101.  
*dilatata*, 188.  
*dilatus*, 69, 100, 154, 204.  
*dilatipennis*, 220.  
*Dilobochilus*, 97.  
*dilutipennis*, 220, 259.  
*dilutipes*, 47.  
*dilutipes*, var. 31.  
*dilutus*, 130, 228, 248, 255.  
*dimidiata*, 65.  
*Dimetrala*, 218.  
*dimidiata*, 211, 249.  
*dimidiatum*, 170.  
*dimidiatus*, 240.  
*dimidiatus*, 239.  
*Dinaraea*, 218.  
*DINARDA*, 215.  
*DINEUTES*, 151.  
*dineutoides*, 145.  
*Dinodes*, 97.  
*DINOPSIS*, 225.  
*Dinothenarus*, 234.  
*DIODIUS*, 243.  
*Dionyx*, 191.  
*DIORYCHE*, 116.  
*Diplocheila*, 51.  
*DIOPTRUS*, 198.  
*DIROTUS*, 52.  
*discedens*, 140, 180.  
*Discerota*, 218.  
*DISCHIUS*, 29.  
*discicollis*, 93.  
*discicollis*, 144.  
*discifer*, 155.  
*discindens*, 145.  
*discipennis*, 43.  
*Discocephalus*, 234.  
*discognitata*, 72.

- discolor*, 66.  
*discophora*, 83.  
*discophorus*, 69, 115.  
*discopinnetatus*, 69.  
*discus*, 155.  
*Disochara*, 217.  
*Disopora*, 219.  
*dispar*, 150 228.  
*dispellens*, 118.  
*dispersus*, 135.  
*DISPHERICUS*, 43.  
*dispilus*, 241.  
*disimilis*, 142, 150, 177,  
230.  
*distactus*, 86.  
*DISTICHUS*, 19.  
*distigma*, 63, 83, 100.  
*distigma*, 228.  
*distinctus*, 132, 237.  
*distinctus*, 132.  
*Distrigus*, 46, 48.  
*Ditomides*, 110.  
*divaricata*, 24.  
*divergens*, 208.  
*diversepilosus*, 184.  
*diversipalpis*, 192.  
*diversus*, 45.  
*divisus*, 193.  
*Dohrnii*, 22, 42, 57, 71,  
196, 206.  
*Dohrnii*, 203.  
*dolens*, 24.  
*DOLICAON*, 245.  
*DOLICOCTIS*, 73.  
*Dolichodes*, 55.  
*dolosus*, 180.  
*Doriae*, 23, 33, 34, 100,  
143, 184, 201.  
*Doriae*, 90, 179, 186.  
*dorsalis*, 31.  
*dorsalis*, 37, 47, 75, 86.  
*dorsigera*, 82.  
*Dralica*, 219.  
*drimostoides*, 109.  
*DRIMOSTOMA*, 51.  
*DROMIUS*, 75.  
*Dromius*, 73.  
*Dromoceryx*, 75.  
*Drusilla*, 216.  
*DRYPTA*, 65.  
*dubia*, 220.  
*dubia*, 214.  
*dubius*, 253.  
*ducalis*, 100.  
*duplex*, 146.  
*duplicata*, 91.  
*duplicatus*, 90, 264.  
*duplicatus*, 91.  
*Divaueclii*, 100.  
*Dyschara*, 213.  
*Dysehiridium*, 43.  
*DYSCHIRIUS*, 22.  
*dyschromus*, 20.  
*Dyscolus*, 56.  
*Dysidius*, 44.  
*Dyticula*, 131.  
*Dytisci*, 136.  
*DYTISCIDÆ*, 127.  
*Dytiscifragmentati*, 132.  
*DYTISCINI*, 131, 144.  
*Dysmalles*, 131.  
*dytiscoides*, 68.  
*Dytiscus*, 141, 142, 144,  
146, 147, 148.
- E**
- Earota*, 219.  
*ebeninus*, 38.  
*ebeninus*, 237.  
*ECOPTOGENIA*, 212.  
*ECOPTOGENIES*, 52.  
*Echiaster*, 249.  
*Echimutulus*, 70.  
*EDAPHUS*, 255.  
*Ediguus*, 231.  
*Egadroma*, 114.  
*ELACATAPHORA*, 182.  
*Elaphropus*, 36.  
*ELAPHRUS*, 16.  
*elatus*, 244.  
*elegans*, 79, 86, 247, 135,  
140, 207.  
*elegans*, 28, 78, 79, 189.  
*elegantula*, 72.  
*elegantulus*, 96.  
*ELEUSIS*, 263.  
*elevata*, 70.  
*elevatus*, 79, 115, 140.  
*eleratus*, 137.  
*Elliota*, 84.  
*elliptica*, 88.  
*ellipticus*, 111, 135.  
*elongatula*, 24.  
*elongatus*, 22, 52.  
*elongatus*, 189, 242,  
*Elysi*, 13.  
*Elytrolaeus*, 254.  
*emarginatus*, 37, 93.  
*Emphanes*, 34.  
*EMUS*, 232.  
*Enalodroma*, 219.  
*ENANTIUS*, 193.  
*Encephalus*, 223.  
*ENHYDRINI*, 151.  
*Enhydrus*, 167.  
*Enocerus*, 166.  
*Enoplurus*, 167.  
*ENOPTOSTOMIS*, 191.  
*ensipes*, 194.  
*Entelocarabus*, 10.  
*Epactius*, 9.  
*Epaphius*, 40.  
*Epicaris*, 193.  
*EPICOSMUS*, 27.  
*Epicosmus*, 27, 30.  
*EPIMETOPUS*, 168.  
*Epomis*, 98.  
*Epomotylus*, 259.  
*epopsimus*, 184.  
*ERCHOMUS*, 226.  
*ERETES*, 147.  
*ERETINI*, 147.  
*Erichsonii*, 85, 186.  
*Erichsonii*, 85.  
*Erichsonius*, 240.  
*Eriglenus*, 141.  
*Erineus*, 187.  
*Erpeinus*, 111.  
*erythrocephalum*, 67.  
*erythrocephalus*, 233.  
*erythrogaster*, 232.  
*crythroptera*, 249.  
*erythropterus*, 231.  
*erythropus*, 237.  
*erythrostictus*, 237.  
*Eschscholtzii*, 71.  
*estriatus*, 20.  
*caviriens*, 166.  
*Elleothassa*, 263.  
*Eucarabus*, 10.  
*EUCIBDELUS*, 234.  
*EUCONNUS*, 179.  
*EUDEMA*, 28.  
*Eudema*, 27.  
*Eudosonatum*, 34.  
*Eudromus*, 34.  
*EUDYNOMENA*, 82.  
*euides*, 37.  
*EULEPTUS*, 53.  
*Eulissus*, 241.  
*eunicroides*, 180, 186.

EUMICRUS, 182.  
*Eumicrus*, 178, 182, 183.  
*Eunectes*, 147.  
*Eupachys*, 10.  
*Eupalamus*, 23.  
*EUPISTUS*, 262.  
*Eupines*, 201.  
*EUPLECTOMORPHUS*, 207.  
*Euplecopis*, 208.  
*EUPLECTUS*, 207.  
*Euplectus*, 189.  
*EUPLYNES*, 71.  
*cuprotoides*, 76.  
*Europaea*, 31.  
*Europhilus*, 55.  
*europs*, 35.  
*Eurycarabus*, 10.  
*Euryductylus*, 98.  
*curdydes*, 83.  
*Euryglossa*, 225.  
*EURYPORUS*, 230.  
*Eurytrachelus*, 34.  
*Eurytrichus*, 118.  
*EUSCHIZOMERUS*, 30.  
*Eustemmus* 182.  
*eustilbus*, 238.  
*EUSTRA*, 32.  
*Eutelodontum*, 14.  
*Euthysoma*, 159.  
*evanescens*, 228.  
*exsanguis*, 70.  
*exasperata*, 220.  
*exasperatus*, 260.  
*excavatus*, 188.  
*excisa*, 216.  
*excisus*, 79, 196.  
*exigua*, 220.  
*exiguus*, 196, 243, 262.  
*exilis*, 75, 202.  
*exilis*, 240.  
*eximius*, 140.  
*exornatus*, 111.  
*expanda*, 199.  
*exsculpta*, 202.  
*extensa*, 188.  
*extensicollis*, 24.  
*extensicornis*, 180.  
*extensionis*, 184.  
*extenuans*, 148.  
*externus*, 206.  
*extraeus*, 252.  
*extremus*, 100.  
*extremus*, 39.  
*extuseurvata*, 199.

**F**  
*faber*, 227.  
*Fabricii*, 145.  
*facialis*, 79.  
*facialis*, 78, 79.  
*Fairmairci*, 155.  
*FALAGRIA*, 211.  
*fallax*, 180.  
*falsatus*, 180.  
*falsicolor*, 54.  
*fasciatum*, 29.  
*fasciatus*, 40, 60, 146.  
*fasciatus* 146, 233.  
*fascigera*, 33.  
*fasciola*, 73.  
*fasciipennis*, 226.  
*fastidiosi*, 250.  
*favorabilis*, 180.  
*Fœ*, 12, 28, 59, 143, 155.  
*FEANUS*, 53.  
*felspathicus*, 47.  
*femineus*, 184.  
*femoralis*, 47, 56, 81, 90,  
 117, 184, 193.  
*se moralis*, 188.  
*femorata*, 207.  
*femoratus*, 90, 100.  
*fenestratus*, 82.  
*Feronides*, 40.  
*ferreus*, 118.  
*ferrugatus*, 137, 241.  
*ferruginea*, 50.  
*ferruginosus*, 49, 260.  
*ferrugineus*, 215.  
*festivum*, 179.  
*festivus*, 111, 133, 146.  
*Fichteli*, 162.  
*fiduciarius*, 12.  
*fiduciarius*, 12.  
*figuloides*, 21.  
*figuratus*, 95.  
*filicornis*, 184.  
*filiforme*, 263.  
*filiformis* 143, 208.  
*FILIGER*, 204.  
*filum*, 242, 246.  
*fimbriatus*, 69.  
*fimbriatus*, var. 93.  
*timicola*, 61.  
*timicola*, 61.  
*finitimus* 37.  
*Fissilabres*, 229.  
*flammulatus*, 133, 139

*flavescens*, 135, 249.  
*flavicauda*, 63..  
*flavicollis*, 176 230.  
*flavicornis*, 174, 224, 226,  
 227.  
*flaviculus*, 37, 139.  
*flavidulns*, 180.  
*flaviguttatus*, 99.  
*flavipennis*, 260.  
*flavipes*, 40, 65, 117, 230,  
 237, 245, 261.  
*flavipes*, 47, 66, 211.  
*flaviventris*, 94.  
*flavoincta*, 211.  
*flavocinctum*, 225.  
*flavocinctus*, 237.  
*flavofemoratus*, 100.  
*flavoguttatus*, 49.  
*flavopilosus*, 29.  
*flavus*, 133, 252.  
*flesus*, 31.  
*flexuosa*, 72.  
*flexuosus*, 68, 135, 136.  
*floralis*, 211, 232.  
*foliolosus*, 115.  
*fonensis*, 201.  
*fontinalis*, 142..  
*forcipata*, 22.  
*formicarius*, 186.  
*formosa*, 173.  
*formosana*, 65.  
*formosus*, 102  
*forticornis*, 193,  
*Fortunei*, 14.  
*fossigerum*, 246.  
*fossulatus*, 264.  
*fossulatus*, 188.  
*fossilipennis*, 140.  
*foveicollis*, 24, 201, 262.  
*foveicollis*, 188.  
*Foveiger*, 18.  
*foveolatus*, 194, 264.  
*fracticornis*, 242.  
*fractifer*, 145.  
*fractionis*, 180.  
*fractus*, 137.  
*fragilis*, 143.  
*frater*, 100.  
*fraternus*, 155.  
*fricatoris*, 186.  
*frivola*, 50.  
*frontalis*, 133, 184.  
*Fuchsii*, 232.  
*fugax*, 90, 101.

- fulgidicollis*, 42.  
*fulgidus*, 151, 231, 241.  
*fulgidus*, 231.  
*fuliginosus*, 244.  
*fulva*, 199.  
*fulvago*, 233.  
*fulvaster*, 24.  
*fulvescens*, 133, 137, 143, 243, 248, 256.  
*fulvicollis*, 244.  
*fulvicornis*, 253.  
*fulvipennis*, 63.  
*fulvipes*, 165, 226.  
*fulvitarsis*, 237.  
*fulvus*, 162, 224, 265.  
*fultus*, 227.  
*fumator*, 258.  
*fumatus*, 30, 148.  
*fumigatus*, 37, 93.  
*fumosus*, 238.  
*fundæbraccatus*, 196.  
*fungi*, 220.  
*furcata*, 223.  
*fureatus*, 230.  
*fusca*, 76.  
*fuscatus*, 166, 237.  
*fuscescens*, 117.  
*fusciceps*, 95, 263.  
*fuscicollis*, 93.  
*fuscicornis*, 238.  
*fuscipennis*, 60, 63, 139, 204, 208, 212, 249.  
*fuscipennis*, 232, 249.  
*fuscipes*, 95, 253.  
*fusciventris*, 145.  
*fuscoæneus*, 79.  
*fuscolaterus*, 237.  
*fuscomarginatus*, 101.  
*fuscula*, 70, 37, 137, 248, 254.  
*fuscus*, 96, 229.  
*Fustiger*, 190.  
*fusus*, 23.
- G**
- Gabrius*, 236, 237, 238.  
*gagates*, 45.  
*GALERITA*, 66.  
*gangeticus*, 155.  
*Ganglbaueri*, 186.  
*Gaurodytes*, 141.  
*Gaverei*, 119.  
*gayndahensis*, 149.  
*Gefyrobius*, 236.
- gemellus*, 237.  
*gemina*, 216.  
*geminus*, 237.  
*gemnifer*, 13.  
*geniculatus*, 66, 143.  
*geniculatus*, 28.  
*Geodutes*, 178.  
*Geotiba*, 219.  
*germania*, 31.  
*germanus*, 101.  
*Gerstueckeri*, 110.  
*Geryon*, 20.  
*Gestroi*, 139.  
*Gestroi*, 101, 155.  
*gibbodes*, 189.  
*gibbiventris*, 191.  
*gibbus*, 168.  
*gigantea*, 199.  
*gilvipes*, 73.  
*Girionieri*, 93.  
*Girionieri*, 93.  
*glaber*, 225.  
*glaber*, 150.  
*glabra*, 83.  
*glabrella*, 83.  
*glabricollis*, 103.  
*glabriculus*, 19.  
*glabriculus*, 178.  
*GLANDULARIA*, 186.  
*glandulicornis*, 180.  
*glandulifer*, 184.  
*glanduliferus*, 180.  
*Glaphya*, 219.  
*GLOBARIA*, 167.  
*globiceps*, 180.  
*globulipalpis*, 192.  
*GLOESOMA*, 176.  
*gloriosa*, 18.  
*Glossacantha*, 215.  
*Glossola*, 219.  
*Glyptoderus*, 98.  
*Glyptoma*, 264.  
*Glyptomerus*, 244, 246.  
*Glyptomorphus*, 70.  
*Glyptopterus*, 44.  
*Glyptosoma*, 189, 191.  
*GNATHAPHANUS*, 113.  
*Goebelii*, 79.  
*Goniagnathus*, 10.  
*gonidius*, 114.  
*Gonicarabus*, 10.  
*gonioderus*, 74.  
*Gonoderus*, 44.  
*Gonogenia*, 87.  
*Goerius*, 235.
- Gorii*, 160.  
*Goryi*, 235.  
*Goryi*, 145.  
*Gotschii*, 149.  
*Grabowskyi*, 200, 202.  
*gracilentum*, 244.  
*gracilicornis*, 259.  
*gracilis*, 37, 79, 148, 211, 228, 234, 252.  
*gracilis*, 227.  
*gradatus*, 37.  
*graminicola*, 180.  
*graminica*, 25.  
*grandiceps*, 241.  
*grandis*, 181, 186.  
*grandis*, 60, 108, 187, 188.  
*Graniger*, 33.  
*granulatus*, 132.  
*granulifera*, 223.  
*granulum*, 226.  
*Graptodytes*, 141.  
*gressoria*, 71.  
*grisepennis*, 235.  
*griseostriatus*, 141.  
*griseus*, 112.  
*griseus*, 147.  
*greenlandicus*, 232.  
*Gronveli*, 196.  
*Gryphinus*, 176.  
*grypochirus*, 196.  
*Guerinii*, 21, 43, 148.  
*Guerinii*, 84.  
*guttatus*, 81, 117.  
*guttatus*, var. 99.  
*guttiferns*, 29.  
*guttiger*, 77.  
*guttula*, 47, 101, 114.  
*Gyllenhali*, 110.  
*Gynandromorphus*, 118.  
*Gynandrotarsus*, 118.  
*Gyretes*, 154.  
*GYRINIDÆ*, 150, 151.  
*GYRININI*, 152.  
*GYRINUS*, 153.  
*Gyrinus*, 151, 152, 153, 155.  
*Gyrohypnus*, 241.  
*GYROPHENA*, 223.
- H**
- Haagii*, 133.  
*Haugii*, 149.  
*Hadrocaraibus*, 10.  
*haematopgya*, 214.

*haemopterus*, 232.  
*haemorrhoidalis*, 64.  
*haemorrhous*, 231.  
*Hagenbachii*, 68.  
*Hagenii*, 90, 94.  
*Hageni*, 189.  
*halensis*, 141.  
*Haliplide*, 130.  
*Haliplides*, 130.  
*HALIPLINI*, 130.  
*HALIPLUS*, 130.  
*hamatus*, 74, 101.  
*hamatus*, 150.  
*hamifer*, 99, 102.  
*hamotoides*, 193.  
*Hapalaraea*, 263.  
*Haplocoelus*, 44.  
*HAPLOGASTER*, 18.  
*Haplopisthius*, 89.  
*Haptoderus*, 44.  
*Hardwickii*, 57, 162.  
*Hardwickii*, 79.  
*Harmophorus*, 189.  
*Harpalides*, 110.  
*Harpalidium*, 111.  
*Harpalites*, 70.  
*Harpalodes*, 111.  
*HARPALUS*, 111.  
*Harpalus*, 33.  
*Harpoglossus*, 106.  
*hastatus*, 151.  
*hastatus*, 165.  
*Hearseyanus*, 162.  
*Helperii*, 25, 33.  
*Helperii*, 188.  
*HELLUODES*, 88.  
*Hclobia*, 16.  
*Helobius*, 165.  
*Helophorides*, 168.  
*HELPORINI*, 168.  
*helvolus*, 147.  
*Hemicarabus*, 11.  
*Hemistenus*, 256.  
*Hemitropia*, 219.  
*Heptognathus*, 32.  
*herculanea*, 17.  
*Hesperophilus*, 258.  
*heterocerus*, 194, 196.  
*Heteroglossa*, 86.  
*Heterognathus*, 182.  
*Heteronoma*, 219.  
*Heteronychus*, 142.  
*Heteropaussus*, 159.  
*Heterophaena*, 219.  
*Heterota*, 219.

*HETEROTIOPS*, 230.  
*HEXAGONIA*, 62.  
*hexagonus*, 28.  
*hexagrammus*, 94.  
*HEXACHAETUS*, 91.  
*Hienfoungii*, 12.  
*Hilara*, 219.  
*hilare*, 72.  
*hilaris*, 28, 93.  
*HILETUS*, 15.  
*himalaica*, 50.  
*Himalayanum*, 14.  
*himaleicus*, 40.  
*hindustana*, 214.  
*hindustanus*, 39.  
*hindustanus*, 189.  
*hipposideros*, 208.  
*hirmoculus*, 47, 58.  
*hirsutus*, 72.  
*hirta*, 87, 216, 251.  
*hirtus*, 90.  
*hispalis*, 117.  
*hispanicus*, 109.  
*hispidulus*, 23.  
*histrio*, 96, 145, 194.  
*hloreum (chloremum)*, 35.  
*HOLCOCELEUS*, 109.  
*HOLCODERUS*, 78.  
*HOLCONOTUS*, 49.  
*Holismorphus*, 240.  
*Holobus*, 222.  
*Hololeius*, 106.  
*HOLOLIUS*, 106.  
*Holoscelis*, 17.  
*holosericeus*, 69, 196.  
*holosus*, 264.  
*Holosus*, 111.  
*holotrochus*, 258.  
*Holotrochus*, 264.  
*Homaeotarsus*, 246.  
*NOMALINI*, 262.  
*NOMALIUM*, 262  
*Homalolachnus*, 98.  
*Homalops*, 70.  
*NOMALOTA*, 218.  
*Homalota*, 224.  
*Homoeochara*, 213.  
*Homophrone*, 9.  
*Hongkongensis*, 242.  
*Hopei*, 90.  
*NOPLANDRIA*, 212.  
*hoplites*, 259.  
*Hoplitus*, 130.  
*hoplonota*, 216.  
*Hoplnotus*, 214.

*HORAEOMORP* 186.  
*Horsfieldii*, 111.  
*Horsfieldii*, 159.  
*hospes*, 103, 89.  
*Hügelii*, 106.  
*humeralis*, 245.  
*humeralis*, 18, 25, 250.  
*humeralis*, 223.  
*humeratus*, 27, 96.  
*hunerosa*, 215.  
*humilis*, 25, 59.  
*Hunterii*, 146.  
*HYBOCEPHALUS*, 205.  
*Hydaticini*, 144.  
*hydaticoides*, 135.  
*HYDATICUS*, 144.  
*Hydaticus*, 146, 147.  
*HYDRACHNA*, 131.  
*HYDRACHININI*, 131.  
*Hydrium*, 34.  
*Hydrobiides*, 166.  
*HYDROBIINI*, 166.  
*HYDROBIUS*, 166.  
*Hydrocanthares*, 131.  
*HYDROCANTHINI*, 132.  
*Hydrocanthus*, 133, 134.  
*HYDROCANTHUS*, 134.  
*HYDROCASSIS*, 166.  
*Hydrochare*, 165.  
*HYDROCHARIS*, 165.  
*HYDROCHUS*, 168.  
*HYDROCOPTINI*, 132.  
*HYDROCOPTUS*, 132.  
*Hydrodema*, 164.  
*Hydroglyphus*, 138, 139.  
*HYDROPHILIDAE*, 164.  
*Hydrophilides*, 164.  
*HYDROPHILINI*, 164.  
*hydrophiloidea*, 169, 170.  
*HYDROPHILUS*, 164.  
*Hydrophilus*, 164, 165, 166, 167, 168.  
*hydropica*, 25.  
*HYDROPORINI*, 136, 140.  
*HYDROPORUS*, 141.  
*Hydroporus*, 132, 133, 135, 137, 138, 139, 140, 141.  
*Hydrosoma*, 164.  
*Hydrosmechta*, 219.  
*HYDROVATINI*, 136.  
*HYDROVATUS*, 136.  
*Hydrous*, 164, 165.  
*Hygriaecia*, 219.  
*Hygriobia*, 131.  
*Hygrobia*, 131.

*Hygrocarabus*, 11.  
*HYGROPTERA*, 223.  
*HYPHAEREON*, 119.  
*HYPHARPAK*, 119.  
*Hypherpes*, 44.  
*Hyphidrus*, 138, 140, 141.  
*HYPHOPORUS*, 140.  
*Hypoporus*, 140.  
*HYPHYDRINI*, 139.  
*HYPHYDRUS*, 139.  
*Hyphydrus*, 131, 140.  
*Hypnota*, 219.  
*hypocrita*, 76, 90.  
*Hypocyptus*, 225.  
*HYPOCYPTUS*, 225.  
*Hypocyptus*, 225.  
*HYPOLITHUS*, 111.  
*Hypopycta*, 263.  
*Hypsinephus*, 111.  
*hystrix*, 162.

**I**

*Idae*, 253.  
*Idiocheila*, 174.  
*idiocerus*, 237.  
*IDIOMORPHUS*, 43.  
*illlocatus*, 55.  
*illotis*, 94  
*illustris*, 78.  
*imbecillus*, 233.  
*immaculatus*, 73, 86.  
*immatura*, 223.  
*imperatrix*, 200.  
*impictus*, 86.  
*impressa*, 189  
*impressicollis*, 47, 101,  
 216, 222, 265.  
*impresipennis*, 37.  
*impressus*, 37, 52, 77  
*impressus*, 262.  
*impunctatus*, 23, 46.  
*IMTEMPUS*, 205.  
*inaequalis*, 194.  
*incertus*, 58, 145, 193.  
*incisus*, 260  
*incisus*, 260.  
*inclinans*, 242.  
*inconspicua*, 200.  
*inconspicuum*, 67.  
*inconspicuus*, 70, 75, 165.  
*incrassatus*, 178.  
*inderiensis*, 105.

*indica*, 25, 42, 51, 66, 84,  
 88, 167, 213, 222, 223,  
 263.  
*indica*, 213, 222, 223.  
*indicans*, 152.  
*indicola*, 112.  
*indicum*, 15, 176.  
*indicum*, 246.  
*indicus*, 12, 16, 23, 34, 38,  
 40, 49, 50, 107, 118, 134,  
 139, 141, 143, 151, 153,  
 155, 167, 208, 235, 242,  
 244, 245, 247, 249, 252,  
 254, 262.  
*indicus*, 149, 243, 244, 252  
*indistincta*, 188.  
*indus*, 20, 53, 152, 196.  
*induta*, 31.  
*inefficiens*, 135.  
*inermis*, 202.  
*infans*, 38.  
*infexus*, 111.  
*informis*, 205.  
*infuscata*, 71.  
*infuscata*, 220.  
*infuscata*, 176, 208.  
*ingens*, 41.  
*ingrata*, 200.  
*ingrum*, 15.  
*Iniopachys*, 11.  
*inops*, 101.  
*inornata*, 220.  
*inornatus*, 114.  
*inquinatus*, 239.  
*insignis*, 41, 146.  
*insulare*, 169.  
*insularis*, 90, 233  
*insulicola*, 12.  
*interclusus*, 144.  
*intergostriata*, 200.  
*intermedia*, 76.  
*intermedius*, 33, 90, 161,  
 184, 253.  
*intermedius*, 242.  
*intermixtus*, 139.  
*interpulsus*, 140.  
*interpunctata*, 117.  
*interpunctatus*, 23  
*interrupta*, 72, 186.  
*interruptus*, 141, 207.  
*interruptus*, var. 93.  
*interstitialis*, 64.  
*intricatus*, 150.  
*intuscurvata*, 200.  
*inutilis*, 220.  
*invalida*, 200.  
*investigator*, 15.  
*ioptera*, 173.  
*iracundus*, 232.  
*Irichrous*, 9.  
*iridens*, 55.  
*IRIDESSUS*, 113.  
*irideicolor*, 114.  
*irregularis*, 161.  
*irregularis*, 237.  
*Ischnocarabus*, 11.  
*Ischnosoma*, 229.  
*ISOCHILUS*, 250.  
*Isonalus*, 263.  
*Isopleurus*, 50.  
*Isotarsus*, 27, 29, 30.  
*ITAMUS*, 32.  
*iteratus*, 58.

**J**

*Jansonianus*, 61.  
*janthinus*, 41, 106.  
*japonica*, 214.  
*japonicus*, 58, 109, 139,  
 148, 172.  
*japonicus*, 113.  
*javanica*, 25.  
*javanicus*, 194.  
*javanus*, 77, 93, 101, 111,  
 118, 119, 133, 143, 148,  
 155, 192, 196, 253, 255.  
*Jerdanii*, 162.  
*Jessoensis*, 93.  
*Jordanis*, 150.  
*Jousselini*, 162.  
*Jousselini*, 163.

**K**

*Kaempferii*, 12.  
*Kirbyi*, 62.  
*klugii*, 38.  
*kollarii*, 54.  
*Kolmannii*, 152.  
*Kraazii*, 220, 263.  
*kuenlunensis*, 51.

**L**

*laborator*, 184.  
*labrosns*, 85.  
*LACCONECTES*, 143.

LACCONECTINI, 143.  
LACCOPHILINI, 134.  
laccophiloïdes, 137.  
LACCOPHILUS, 134.  
lacertoides, 257.  
LACHNOCREPIS, 109.  
LACHNODERMA, 72.  
*Larhnothorax*, 63.  
lacustris, 168.  
ladakensis, 55.  
*Læmostenus*, 54.  
*Læmosthenes*, 54.  
lactabilis, 133.  
laeticolor, 115.  
laeticulus, 139.  
laetiuseculus, 101.  
laetus, 55, 81.  
*laetus*, 232.  
laevicollis, 203, 244.  
*laevicollis*, 104.  
laevigata, 17, 216.  
laevigatus, 226, 265.  
laevipennis, 27, 101, 265.  
laevissinus, 92, 101.  
laevistriatus, 112.  
laeviscula, 226.  
Lafertei, 101.  
Lafossei 13.  
LAGARUS, 46.  
lamellicornis, 200.  
laminata, 215.  
laminata, 223.  
laminidens, 196.  
*Lamprias*, 70.  
*Lamprinus*, 227.  
lamproides, 58.  
*Lamprocarabus*, 11.  
LAMPROPHONUS, 119.  
*Lamprostus*, 11.  
lampris, 116.  
*lanuginosus*, 184.  
LASIOCERA, 61.  
lata, 25.  
lata, 188.  
latebrosus, 202.  
lateciucta, 82.  
latecosta, 45.  
lateralis, 18, 92, 119, 149.  
*lateralis*, 79, 119.  
laterideus, 196.  
lateridentata, 198.  
laterita, 225.  
lateritius, 54.  
LATHROBIVUM, 244.  
*Lathrobismorphus*, 245.

*Lathrobomorphus*, 245.  
laticeps, 117, 242.  
*laticeps*, 236.  
laticollis, 28.  
*laticollis*, 60.  
latifascia, 64.  
latifrons, 52.  
*latipennis*, 179.  
latipes, 143, 159.  
latissimus, 38.  
latitans, 169.  
latus, 227.  
latiusculus, 260.  
lativentris, 203, 238.  
*latiretris*, 189.  
lativittis, 81.  
*latus*, 109.  
Leachii, 167.  
Leander, 145.  
LEBIA, 70.  
*Lebida*, 70.  
*Lebiides*, 68.  
LEBIODERUS, 160.  
leboides, 174.  
*Lebistina*, 70.  
Lecontei, 188.  
Lefebvrei, 254.  
*Leiocnemis*, 50.  
*Leirus*, 50.  
LEISTOTROPHUS, 233.  
LEISTUS, 16.  
*Leja*, 34.  
lenticornis, 204.  
lepidia, 81.  
*lepidus*, 150.  
LEPTACINUS, 242.  
*Leptihrix*, 115.  
*Leptocarabus*, 11.  
*Leptoearhis*, 179.  
*Leptodactyla*, 77.  
*leptodera*, 66.  
*leptophyllum*, 15.  
*Leptorus*, 247.  
LEPTUSA, 213.  
LESTICUS, 41.  
LEUCITUS, 240.  
leucoenemis, 243.  
LEUCOCRASPEDUM, 225.  
leneomus, 234.  
*Leucoparyphus*, 226.  
*leucopoda*, 151.  
leucops, 101, 102.  
leucopus, 255.  
leucopygus, 238.  
leucotelus, 47.  
leucotus, 238.  
*Leveillei*, 146.  
Lewisianus, 148.  
Lewisii, 42.  
*Lewisii*, 12, 14.  
*Liano*, 44.  
*libens*, 227.  
limbaticollis, 55.  
limbatum, 246.  
limbatns, 148, 155, 248.  
*limbatus*, 55, 97, 100,  
151.  
limbellus, 94.  
limbicollis, 94, 101.  
limbifer, 227.  
Limbipennis, 78.  
*Limnocarabus*, 11.  
*Limodromus*, 55.  
linea, 108.  
*linearis*, 84, 244.  
lineatocollis, 216.  
lineatns, 67, 142, 235.  
*lineifrons*, 92.  
lineipennis 265.  
lineola, 65, 218.  
LINOGLOSSA, 213.  
lineolatns, 170.  
*Liocellus*, 115.  
LIODAPTUS, 110.  
lioderes, 47.  
liodes, 112.  
*Liogluta*, 219.  
*Lionedya*, 70.  
LIONYCHUS, 76.  
*Lionychus*, 69.  
liopleurus, 49.  
LIOPTERA, 73.  
liopterus, 20.  
*Liopterus*, 143.  
*Liotu*, 219.  
*Lipaster*, 11.  
lisopterus, 55.  
LISPINUS, 264.  
*Lissauchenius*, 98.  
lissodermis, 93.  
*Listriophorus*, 198.  
LITHOCHARIS 249.  
*litigiosus*, 145.  
*littoralis*, 107.  
litura, 64.  
lituratus, 135.  
livens, 61.  
livida, 224.  
*livida*, 220.  
lividipes, 17.

*lividus*, 260.  
*lobata*, 25.  
*Lobius*, 75.  
*Lobrathium*, 244.  
*Logiota*, 222.  
*Lonchosternus*, 108.  
*longiceps*, 238.  
*longicollis*, 66, 81.  
*longicoruis*, 30, 90, 184,  
 189, 211, 226, 238.  
*longinqua*, 45.  
*longipalpis*, 94.  
*longipalpis*, 178.  
*longipennis*, 197, 235, 254.  
*longipennis*, 253.  
*longipilis*, 181.  
*longithorax*, 63.  
*longiusculum*, 67.  
*longiusculus*, 21.  
*longulus*, 207, 238, 240.  
*Lopha*, 34.  
*Lordithon*, 229.  
*LOROSTEMA*, 29.  
*Lorostema*, 29.  
*Loxocrepis*, 56, 57.  
*Loxoncus*, 115.  
*Loylae*, 18.  
*lucens*, 119.  
*lucidulus*, 19.  
*lividus*, 109, 114, 155,  
 259.  
*luctuosus*, 133.  
*luctus*, 181.  
*luzonicus*, 145.  
*Ludekingii*, 162.  
*lugens*, 15, 65, 220.  
*lugubre*, 15.  
*lugubris*, 142.  
*lunatus*, 261.  
*lunigerum*, 170.  
*lunulatus*, 170.  
*LUPERCA*, 17.  
*luridipenne*, 35.  
*luridum*, 176.  
*luridus*, 74.  
*lusitanicus*, 150.  
*luteicauda*, 101.  
*luteipennis*, 247.  
*luzouica*, 42, 61.  
*luzonicus*, 33, 58, 90, 94,  
 101, 235, 238.  
*Lymnaeum*, 34.  
*lynx*, 101.  
*Lyperopherus*, 44.  
*Lyperosomus*, 44.

*Lyperus*, 44.  
*Lyprocorre*, 219.  
*lyratus*, 140.  
*Lyropedius*, 44.  
*Lyrothorax*, 44.  
  
**M**  
*Macraanthus*, 59.  
*macrocerus*, 188.  
*Macrocheilus*, 85.  
*MACROCHILUS*, 85.  
*Macrogenus*, 11.  
*macropus*, 101.  
*Macrothorax*, 11, 13.  
*maculata*, 26.  
*maculata*, 26.  
*maculatus*, 102, 116, 137,  
 147.  
*maculatus*, 137.  
*maculifer*, 99.  
*maculipennis*, 130, 214,  
 252.  
*maculipennis*, 101.  
*maculipes*, 48.  
*maculosus*, 9.  
*magnus*, 55.  
*Maiyasanus*, 12.  
*major*, 252.  
*major*, 243.  
*Malabarensis*, 90.  
*malaccus*, 136.  
*magachimus*, 104.  
*maleolens*, 102.  
*Malisus*, 83.  
*manilla*, 200.  
*maneus*, 21.  
*mandarinus*, 28.  
*mandibularis*, 65, 236, 118.  
*manicellus*, 114.  
*Mannerheimii*, 84, 220.  
*mantecioranus*, 184.  
*Maraga*, 89.  
*marcida*, 220.  
*marcidus*, 237.  
*margarifer*, 197.  
*marginale*, 115.  
*marginale*, 51.  
*marginalis*, 55, 93.  
*marginata*, 85.  
*marginatum*, 246.  
*marginatus*, 68, 152.  
*marginatus*, 102, 119.  
*marginellus*, 76.

*marginicollis*, 25, 43, 48,  
 93, 226.  
*marginicollis*, 74.  
*marginifer*, 74, 102.  
*marginipennis*, 155.  
*maritimus*, 240.  
*marmoratus*, 234.  
*masoreides*, 112.  
*Masoreus*, 59, 60.  
*massiliensis*, 70.  
*MASTAX*, 96.  
*Mastersii*, 142.  
*Mastiger*, 190.  
*Mastus*, 83.  
*maxillaris*, 46.  
*maxillosus*, 233.  
*MECHANICUS*, 206.  
*Mechelia*, 189.  
*Mecognathus*, 251.  
*Mecorhopalus*, 214.  
*medialis*, 135.  
*medialis*, 233.  
*medioguttatus*, 102.  
*megacephala*, 32.  
*Megacronus*, 229.  
*Megaladerus*, 179.  
*Megalinus*, 241.  
*MEGALOPS*, 257.  
*megamelas*, 181.  
*megaristerus*, 117.  
*Megista*, 219.  
*Megodontus*, 11.  
*Megrammus*, 114.  
*Meladroma*, 85.  
*melampus*, 253.  
*melanaria*, 24.  
*melanaria*, 117.  
*melanarius*, 90, 227.  
*Melanocarabus*, 11.  
*melancholicus*, 93.  
*melaneus*, 112.  
*Melanius*, 44.  
*melanocephalus*, 255.  
*melanocephalus*, 228.  
*MELANODES*, 109.  
*melanomerus*, 255.  
*melanopterus*, 102.  
*MELANOSPILUS*, 159.  
*melanura*, 173.  
*melus*, 142.  
*mellea*, 76.  
*Mellei*, 161.  
*Mellyi*, 90, 152.  
*Mellyi*, 102.  
*Mellii*, 161.

memnonia, 25.  
*Menas*, 83.  
 MENERA, 56.  
*Meotica*, 219.  
*merdarius*, 228.  
*mergus*, 165.  
*meridionalis*, 150.  
*Merismoderus*, 159, 160.  
*Mesocanthicus*, 164.  
*Mesocarabus*, 11.  
*mesomelinus*, 232.  
*Messii*, 107.  
*MESTOGASTER*, 205.  
*METABLETUS*, 75.  
*metailicus*, 30.  
*metallica*, 64.  
*metallicus*, 155, 208.  
*metallicus*, 236.  
*Metallina*, 34.  
*Metallosomus*, 57.  
*METAPONCUS*, 243.  
*Metaxgodonta*, 249.  
*Metaxis*, 189, 199.  
*Metaxoides*, 205.  
*Metarya*, 219.  
*micans*, 102, 217, 260,  
 micantiventris, 238.  
*microcephala*, 220.  
*Microcera*, 222.  
*MICROCOSMUS*, 29.  
*Microdema*, 179.  
*Microdota*, 219.  
*microgonus*, 115.  
*Microlestes*, 75.  
*Microlestia*, 87.  
*Microptera*, 210.  
 micros, 248.  
*Microsaurus*, 231.  
*microscopica*, 37.  
*Microstemma*, 182.  
*Microstoma*, 183.  
*Midas*, 18.  
*Mimocarabus*, 11.  
*minimus*, 114, 205, 227,  
 262.  
*minimus*, 227.  
*minor*, 19.  
 minor, 61.  
*minusculus*, 258, 259.  
*minuta*, 173.  
*minutissima*, 214.  
*minutus*, 230.  
*MISCELUS*, 77.  
*mitis*, 191.

MITOMORPHUS, 242.  
*mixtus*, 253.  
*mictus*, 146.  
*Mniszechii*, 90.  
*MNUPHORUS*, 69.  
*MOCHTHERUS*, 73.  
*modesta*, 83.  
*modestum*, 67.  
*modestus*, 19, 94, 107.  
*moerens*, 25.  
*moestus*, 52, 96.  
*MOLOPS*, 50.  
*Molosoma*, 257.  
*moluccarum*, 145.  
*monstrosus*, 187.  
*Montrouzierii*, 144.  
*mordax*, 25.  
*MORIO*, 33.  
*morio*, 30.  
*morio*, 241, 254.  
*MORIOIDIUS*, 34.  
*MORMOLYCE*, 67.  
*Morrisonius*, 176.  
*Morphocarabus*, 11.  
*Morsbachii*, 133.  
*morulus*, 197.  
*Motschulskyi*, 188.  
*MOUHOOTIA*, 17.  
*Mouhotii*, 28, 41, 65, 90,  
 102, 109.  
*muconata*, 22.  
*mucronatus*, 188.  
*Muellerii*, 168.  
*multistriatus*, 12.  
*multangulus*, 203.  
*mutans*, 238.  
*mutata*, 214.  
*mutator*, 241.  
*mutatus*, 102.  
*mutillarius*, 232.  
*Mycetodrepa*, 217.  
*myctoporifformis*, 264.  
*MYCETOPORUS*, 229.  
*Mycola*, 219.  
*MYLLAENA*, 224.  
*Myosodus*, 44.  
*Myrmecocephalus*, 211.  
*Myrmecochura*, 217.  
*Myrmeconia*, 216.  
*Myrmecodia*, 215.  
*Myrmelia*, 216.  
*Myrmecia*, 216.  
*Myteroxis*, 229.

**N**

NADDIA, 232.  
*naeviger*, 102.  
*nana*, 221.  
*Nanophthalmus*, 179.  
*Napochus*, 179, 180, 181.  
*nauceras*, 162.  
*nauticus*, 147.  
*Nauzielii*, 145.  
*NEDRIA*, 16.  
*nebulosus*, 93.  
*nebulosus*, 233.  
*Necrobora*, 173.  
*NECRODES*, 172.  
*NECROPHORUS*, 172.  
*Necrophorus*, 172.  
*Necticus*, 142.  
*neclgheriensis*, 102.  
*neglectus*, 166.  
*negligens*, 200.  
*Neitnerii*, 26.  
*Neja*, 34.  
*NEMATOPEZA*, 70.  
*NEODEUTERUS*, 206.  
*NEOGNATHUS*, 251.  
*Neoplectes*, 11.  
*nepalensis*, 66, 97, 102,  
 172.  
*Nephra*, 35.  
*Nestra*, 61.  
*nicanus*, 105.  
*nicobaricus*, 139.  
*nicotianus*, 197.  
*NICROPHORUS*, 172.  
*Nietnerii*, 38, 48, 216.  
*Nietnerii*, 180.  
*nigerrima*, 250.  
*nigerrimus*, 242.  
*nigra*, 84, 214, 294.  
*nigra*, 223.  
*nigrescens*, 216.  
*nigricanda*, 218.  
*nigricans*, 102.  
*nigriceps*, 58, 61, 109, 164,  
 167, 216, 250, 260.  
*nigriceps*, 170, 220.  
*nigricollis*, 61.  
*nigricollis*, 142.  
*nigricornis*, 232.  
*nigricoxis*, 103.  
*nigrifrons*, 61.  
*nigrinus*, 30.  
*nigripalpis*, 181.

*nigripennis*, 66, 103.  
*nigripes*, 149.  
*nigrita*, 137.  
*nigritulus*, 181.  
*nigroaeneus*, 242.  
*nigrocephala*, 200.  
*nigrofasciata*, 64.  
*nigrolinacata*, 82.  
*nigronotatus*, 140  
*nigropiceus*, 167.  
*nigrovittatum*, 170.  
*nilgherriensis*, 58.  
*niloticum*, 35.  
*nipalensis*, 108.  
*nipponensis*, 25.  
*Nisa*, 199.  
*Nisaxis*, 199.  
*nitens*, 23, 51, 114, 238.  
*nitens*, 153, 211.  
*nitidicollis*, 42, 103, 205.  
*nitidissima*, 200.  
*nitidula*, 225.  
*nitiduloides*, 174.  
*nitidulus*, 106, 153, 183,  
 206, 248, 260.  
*nitidulus*, 79, 153, 188, 227,  
*nitidum*, 169.  
*nitidus*, 174, 229.  
*nitidus*, 19, 242, 227,  
 237.  
*nobilis*, 97.  
*nodifrons*, 188.  
*nodosus*, 188.  
*NODYNUS*, 174.  
*Noguchii*, 45.  
*notabilis*, 238.  
*notaphoides*, 38, 69.  
*Notaphus*, 35.  
*NOTIOPHILUS*, 16.  
*notasicus*, 149.  
*notatus*, 144.  
*NOTERIDES*, 132.  
*NOTERINES*, 132.  
*noteroides*, 139.  
*NOTERUS*, 132.  
*Notobium*, 244.  
*NOTOMICRINI*, 132.  
*NOTOMICRUS*, 132.  
*notulatus*, 28.  
*Nove Caledonie*, 150.  
*nubifer*, 34.  
*nubila*, 200.  
*nuccus*, 56.

•

*Oberleitneri*, 31.  
*Oberthuri*, 155.  
*obfuscata*, 220.  
*obliquus*, 153, 252.  
*obliterans*, 19.  
*oblitus*, 143.  
*oblongusculus*, 155.  
*oblongus*, 43.  
*obscura*, 32, 65, 211, 216.  
*obscuripes*, 31.  
*obscuritarsis*, 58.  
*obscuriventris*, 173.  
*obscurum*, 263.  
*obscurus*, 41, 119, 137.  
*obscurus*, 242.  
*obtusus*, 135, 138, 184.  
*OCALEA*, 213.  
*occidentalis*, 147.  
*occipitalis*, 93.  
*ocellata*, 72.  
*occultus*, 232.  
*oceanius*, 130, 153.  
*ocellatus*, 172.  
*ochracea*, 250.  
*ochraceus*, 215.  
*ochraceus*, 249.  
*ochripennis*, 232.  
*ochropus*, 237.  
*Ochthedromus*, 35.  
*Ochthephilum*, 246.  
*ootherphilus*, 62.  
*octodecinaculatus*, 142  
*ootomicus*, 207.  
*ocularis*, 184.  
*oculata*, 63.  
*oculatus*, 252.  
*Ocybatus*, 98.  
*Ocydromus*, 35, 98.  
*ooopus*, 235.  
*Ocys*, 35.  
*ODONTALGUS*, 192.  
*Odontium*, 35.  
*Odontonyx*, 53.  
*OEDICHIRUS*, 254.  
*Oiceoptoma*, 173.  
*Ooistus*, 111.  
*olens*, 67.  
*OLIGOTA*, 222.  
*olisthaeriformis*, 264.  
*olivaceus*, 165.  
*olivaceus*, 149.  
*olivius*, 58.  
*Omala*, 35.

*Omalides*, 362.  
*Omalium*, 262, 263.  
*Omalomorpha*, 70.  
*Omalotrichus*, 98.  
*Omaseus*, 40, 44.  
*Omiastus*, 57.  
*Omiodon*, 19.  
*OMOPHRON*, 9.  
*OMPHRA*, 87.  
*ONYCHOLABIS*, 53.  
*onypterygoidea*, 81.  
*ooderus*, 53.  
*oodes*, 108.  
*Oodes*, 107, 108, 109, 109.  
*Oodinus*, 107.  
*Oosoma*, 110.  
*opaca*, 32, 217.  
*opacicollis*, 201.  
*opacicollis*, 211.  
*opaciennis*, 64, 103.  
*opaculus*, 60, 84, 114.  
*opacus*, 21, 52, 77, 91, 106,  
 169, 192, 206.  
*OPHIONEA*, 64.  
*Ophionea*, 63.  
*OPISTHIUS*, 16.  
*Ophryodactylus*, 57.  
*opulentus*, 35.  
*orbicollis*, 56, 103, 197, 189.  
*ordinatus*, 23.  
*ORECTOCHILINI*, 154.  
*ORECTOCHILUS*, 154.  
*Oreinocarabus*, 11.  
*Oreocarabus*, 11.  
*Oreodytes*, 141.  
*Oreophilus*, 44.  
*orieutale*, 15, 176.  
*orientalis*, 16, 23, 32, 33,  
 38, 51, 60, 62, 66, 88,  
 111, 134, 138, 139, 140,  
 153, 176.  
*orientalis*, 39, 104, 133,  
 135, 233, 244.  
*ornatissima*, 200.  
*ornatus*, 38, 81, 96, 147.  
*ornatus*, 111.  
*Orthodus*, 240.  
*ORTHOGONINI*, 89.  
*orthogonioidea*, 75.  
*ORTHOGONIUS*, 89.  
*orthomous*, 21.  
*Orthomus*, 44.  
*Orthopterus*, 159.  
*osculans*, 172.  
*osorius*, 257.

- Osorius*, 258.  
*Ouchemus*, 234.  
*Ouralia*, 219.  
*Ousipalia*, 213.  
*ovaliceps*, 58.  
*ovatum*, 179.  
*ovatus*, 18, 38.  
*ovieolhis*, 23, 43, 185.  
*Oxarthrius*, 195.  
*oxuroides*, 14.  
*OXYCENTRUS*, 116.  
*OXYGNATHUS*, 22.  
*oxygonus*, 78.  
*OXYLOBUS*, 18.  
*Oxyntopilus*, 136  
*OXYPODA*, 217.  
*Oxypporus*, 227.  
*Oxyppselaphus*, 55.  
*Oxytelides*, 257.  
*OXYTELINI*, 257.  
*oxytelooides*, 224.  
*OXYTELUS*, 259.  
*Ozaena*, 32.
- P**
- Pachnida*, 219.  
*PACHYCORMUS*, 240.  
*Pachycranion*, 11.  
*Pachycranius*, 11.  
*Pachygluta*, 213.  
*Pachymorpha*, 87.  
*pachysomus*, 103.  
*PACIYSTERNUM*, 170.  
*Pachites*, 139.  
*pachystus*, 11.  
*PACHYTRACHELUS*, 43.  
*pacificus*, 21, 163.  
*pacificus*, 145.  
*PAEDERIDUS*, 252.  
*PAEDERINI*, 244.  
*paederoides*, 238.  
*Paederomorphus*, 252.  
*PÆDERUS*, 252.  
*Paelobius*, 131.  
*paeninsularis*, 186.  
*Pagocarabus*, 11.  
*PALÆSTRINUS*, 232.  
*PALAMINUS*, 253.  
*pallens*, 82, 167, 262.  
*pallens*, 245.  
*palleola*, 218.  
*pallescens*, 212.  
*pallida*, 250.  
*pallidipalpis*, 165.
- pallidipennis*, 243.  
*pallidulus*, 248.  
*pallidus*, 197.  
*pallipes*, 48, 85, 118, 224,  
 255, 261.  
*pallipes*, 46, 65.  
*Palpicornes*, 164.  
*pamirense*, 35.  
*pamirensis*, 51, 238.  
*panagaenoides*, 103.  
*Panagaeus*, 27, 29, 29.  
*Panaphantus*, 205.  
*pandurus*, 14.  
*PANGUS*, 111.  
*Pantophyrtus*, 11.  
*Paracynus*, 166.  
*paradoxus*, 202, 77.  
*paradoxa*, 27.  
*Parallelomorphus*, 20.  
*parallelum*, 15.  
*parallelus*, 21, 38, 58, 66,  
 84, 91, 103, 108, 116,  
 240.  
*parallelus*, 141.  
*Paramecomorphus*, 20.  
*Paranomus*, 57.  
*Parapedius*, 44.  
*Paraphaea*, 83.  
*Paraplesus*, 11.  
*Parasilpha*, 173.  
*parasitus*, 260.  
*PARENA*, 72.  
*Paria*, 193.  
*Parryi*, 25.  
*parva*, 211.  
*parviceps*, 194, 238.  
*parvicollis*, 74.  
*parvipalpis*, 203.  
*parvulus*, 135.  
*parvulus*, 136.  
*parvus*, 91.  
*parvus*, 21.  
*Pasilia*, 213.  
*PATELLUS*, 109.  
*PATROBUS*, 39.  
*Patrus*, 154, 155.  
*Paulinae*, 189.  
*pauper*, 80.  
*PAUSSIDÆ*, 156, 159.  
*Paussiles*, 159.  
*Paussili*, 159.  
*PAUSSINI*, 159.  
*PAUSSUS*, 161.  
*Pausus*, 161.  
*pectinatum*, 195.  
*peetiniger*, 54.  
*pectoralis*, 149, 232, 234.  
*pedestris*, 238.  
*pedinoides*, 107.  
*Pedius*, 44.  
*Pelecyphorus*, 230.  
*PELIOPYPAS*, 74.  
*peliomerus*, 238.  
*PELIOTERA*, 217.  
*pelioptera*, 221.  
*PELIUSA*, 212.  
*Pella*, 216.  
*pellucidus*, 135.  
*Pelobidæ*, 131.  
*Pelobius*, 131.  
*Pelor*, 110.  
*Pelrorosomus*, 110.  
*PELTINUS*, 176.  
*Peltis*, 173.  
*PELTODYTES*, 131.  
*Pelurga*, 219.  
*Pemphus*, 9.  
*PENTAGONICA*, 84.  
*PENTHIMUS*, 106.  
*peranxius*, 232.  
*Percheronii*, 160.  
*peregrina*, 66, 221.  
*peregrinus*, 253.  
*perforatus*, 139.  
*Periculides*, 68.  
*PERICALUS*, 80.  
*pericallus*, 103.  
*Pericallus*, 80.  
*Percosia*, 50.  
*PERIGONA*, 60.  
*Perileptus*, 62.  
*PERIPRISTUS*, 77.  
*perlucens*, 111.  
*pernitidus*, 109.  
*PERONOMERUS*, 30.  
*Peronoscelis*, 68.  
*persicus*, 39.  
*peryphiinus*, 38.  
*Peryphus*, 35.  
*Petelii*, 42.  
*Petrophilus*, 44.  
*pxenus*, 188.  
*phaenoderus*, 103.  
*Phaenogryra*, 223.  
*phaeopus*, 239.  
*PHEROPSOPHUS*, 92.  
*Pheuginus*, 111.  
*Phila*, 35.  
*Philhydrus*, 166.  
*Philhygra*, 219.

- philippensis, 91.  
 philippinensis, 146.  
*Philippinensis*, 65.  
*Philochthius*, 35.  
*Philodes*, 114.  
*PHILONTHUS*, 235.  
*Philonthus*, 240, 241.  
*Philarhizus*, 75.  
*Philoticnus*, 83.  
*PHILYDRUS*, 166.  
*Phloconomus*, 263.  
*PHILOEOPORA*, 222.  
*Phloeopora*, 213.  
*Phloeostiba*, 263.  
*Phonias*, 44.  
*Phosphuga*, 173.  
*Phrcoryctes*, 22.  
*Phrygogora*, 219.  
 phyllodes, 68.  
*Phyllodrépa*, 263.  
*PHYSOCROTAPHUS*, 88.  
*PHYSODERA*, 71.  
 physoderes, 197.  
 picca, 83.  
 picelous, 108.  
 piecum, 67.  
 picens, 54, 91, 94, 108  
     229.  
 picens, 85, 260.  
 picollis, 93.  
 picicornis, 19, 165.  
*pic labris*, 90.  
 picipenne 176.  
 picipennis, 91; 138.  
 picipes, 48.  
*picipes*, 24, 46.  
*Picrus*, 32.  
*Picteti*, 161.  
 picticornis, 48, 255.  
 pictipennis, 228.  
 pictus, 9, 95, 103, 104, 144,  
     229, 257.  
 pictus, 105.  
*Piestides*, 263.  
*PIESTINI*, 263.  
 pilicollis, 181, 200, 203,  
     255.  
 pilicornis, 163, 186.  
 pilifera, 64, 200.  
 piliferus, 50, 253, 257.  
*piliferus*, 188.  
 piligera, 73.  
 pilipalpis, 203.  
 pilipennis, 185.  
 pilosa, 87.  
*pilosus*, 189.  
*Pinobius*, 245.  
*Pinophilides*, 244.  
*PINOPHILUS*, 254.  
*PIRANTILLUS*, 59.  
 piscescens, 45, 54.  
*Pischardii*, 141.  
*Pisalia*, 213.  
 pisiformis, 168.  
*Pityophilus*, 254.  
 placidulus, 56.  
*PLACUSA*, 222.  
 plagiata, 31, 32, 218.  
*plagiati pennis*, 172.  
 plagiatus, 172.  
 plagioderus, 58.  
*Plagioporus*, 201, 202.  
*Plagiorhytis*, 63.  
 plana, 31, 250.  
*PLANETES*, 86.  
*planaticollis*, 216.  
 planicollis, 41.  
*planicornis*, 102.  
 planiger, 91.  
 planiusculus, 248.  
 planus, 19, 255.  
*planus*, 237.  
*Plataphus*, 35.  
*Platareae*, 219.  
 Plato, 73.  
*Platus*, 111.  
 platycephalus, 168.  
*Platycerus*, 11.  
*Platydracus*, 234.  
 platygaster, 221.  
*Platynectopus*, 116.  
*PLATYNECTES*, 142.  
*Platynomerus*, 54.  
*PLATYNUS*, 54.  
*Platytola*, 219.  
*PLATYPROSOPUS*, 244.  
*Platypterus*, 45.  
*PLATYRHOPALUS*, 160.  
*Platysma*, 45.  
 platystethoides, 221.  
*PLATYSTETHUS*, 259.  
*Platysthetus*, 259.  
*PLATYTARUS*, 84.  
*Plectes*, 11.  
*Plecdarus*, 45.  
 pleuroderus, 103.  
 pleuronectus, 60.  
*PLEUROPTERUS*, 159.  
*Pleurosooma*, 57.  
 plicatus, 91.  
*plicatus*, 196.  
*plicepennis*, 147.  
*PLOCIONUS*, 82.  
 ploiphorus, 163.  
 pluridentata, 25.  
 plutus, 185.  
*Podoxya*, 217.  
*poeciloides*, 106.  
*Poeciloistus*, 98.  
 poecilopterus, 38.  
*POECILUS*, 49.  
 poecilus, 96.  
*POGONOGLOSSUS*, 88.  
*Pogonophorus*, 16.  
*POGONUS*, 39.  
*Polistoma*, 214.  
 polita, 217.  
 politissimus, 56.  
 politocollis, 43.  
 politulus, 48.  
 politus, 38, 43, 48, 52, 91,  
     133, 152, 163.  
*politus*, 137, 150, 189, 23.  
*Polychara*, 214.  
 polygenus, 114.  
*Polyodontus*, 247.  
*Polyota*, 219.  
*Polysitus*, 110.  
 ponticus, 135.  
*Poroderus*, 191.  
 porosus, 23, 43.  
*FORRORHYNCHUS*, 152.  
*PORUS*, 215.  
 postica, 214, 140.  
 posticalis, 103.  
 posticus, 103, 135.  
*postscriptus*, 103.  
*postscriptus*, 100.  
 potior, 185.  
*Pradierii*, 82.  
 praedator, 21.  
*praelongus*, 240.  
*praemorsus*, 78.  
*praemorsus*, 152.  
*praestans*, 41.  
*pratensis*, 104.  
 pretiosus, 104.  
*primus*, 204.  
*princeps*, 42, 71, 142.  
*princeps*, 98.  
*Princidium*, 35.  
*principulus*, 186.  
*Pristodactyla*, 53.  
*PRISTOMACHAERUS*, 107.

- PRISTONYCHUS*, 54.  
*Pristosia*, 53.  
 procer, 185.  
 procera, 216.  
 procerus, 142, 155, 248.  
*Procerus*, 11.  
*PROCIRRUS*, 254.  
*Procrustes*, 11.  
*Procrusticus*, 11.  
*PRODATICUS*, 144.  
 prodigus, 12.  
 productus, 156, 239, 260.  
*profundestriatus*, 91.  
*Prognatha*, 263.  
*prolatum*, 245.  
*prolixus*, 149.  
*Promecoptera*, 55.  
 promptus, 48.  
*prona*, 221.  
*PRONOMAEA*, 224.  
*propinquia*, 81.  
*proportionis*, 197.  
*prostenus*, 104.  
*proteus*, 136.  
*potens*, 56.  
*proximus*, 104, 114, 133, 239.  
*procimus*, 144.  
*Psammastus*, 83.  
*PSELAPHIDÆ*, 187, 190.  
*PSELAPHINI*, 191.  
*pselephoides*, 185.  
*PSELAPHODES*, 194.  
*PSELAPHUS*, 202.  
*Pselaphus*, 189.  
*Pseudidus*, 236, 240.  
*Pseudocryobius*, 45.  
*Pseudocupis*, 96.  
*Pseudocypus*, 235  
*Pseudoderus*, 45.  
*pseudogeminus*, 139.  
*Pseuolohellus*, 85.  
*Pseudomicrus*, 183, 185.  
*Pseudoophonus*, 111.  
*Pseudopedius*, 45.  
*Pseudopelta*, 173.  
*Pseudophilochthus*, 35.  
*Pseudoplectus*, 208.  
*Pseudosteporus*, 45.  
*Pseudotribax*, 11.  
*PSEUDÖZÆNA*, 32.  
*PSILOTRACHELUS*, 247.  
*PSILUS*, 27,  
*Psychobius*, 45.  
*PTEROSTICHUS*, 44.
- PTHARTOMICRUS*, 206.  
*Ptomaphila*, 173.  
*PTOMASCOPIUS*, 172.  
*puberula*, 214.  
*pubernalis*, 248, 253.  
*pubescens*, 31, 67, 156, 167, 181, 192, 197.  
*pubifer*, 197.  
*pubiger*, 28.  
*pubipennis*, 99.  
*pubicus*, 104, 138, 185.  
*pugni*, 104.  
*pulchellum*, 225, 245.  
*pulellus*, 96, 130, 156, 167, 239, 251, 259.  
*pulchellus*, 140.  
*pulcher*, 257, 260.  
*pulcherima*, 17.  
*pulicarius*, 136.  
*pullulus*, 38.  
*pulverosus*, 144.  
*punilio*, 185, 208.  
*pumilio*, 231.  
*punilus*, 138, 174.  
*punctata*, 64.  
*punctatissima*, 31, 217.  
*punctatissimus*, 205.  
*punctutissimus*, 194.  
*punctatostriatus*, 104.  
*punctatostriatus*, 19.  
*punctatosulcatus*, 18.  
*punctatus*, 69, 97, 144.  
*punctatus*, 93, 147.  
*puncticeps*, 248, 260.  
*puncticeps*, 99.  
*puncticollis*, 19, 22, 91, 95, 104, 213, 240.  
*puncticollis*, 188, 236, 258.  
*punctiger*, 202.  
*punctilabris*, 112.  
*punctiliua*, 235.  
*punctipenne*, 35.  
*punctipennis*, 27, 79, 138, 193, 194, 243.  
*punctipennis*, 147, 226, 240.  
*punctithorax*, 200.  
*punctiventris*, 215.  
*punctulata*, 31.  
*punctulatus*, 91, 112, 156, 242, 258.  
*punctulatus*, 109, 150.  
*punctum*, 21.  
*punctum*, 21.  
*pusillimus*, 243.
- pusillimus*, 261.  
*pusillus*, 138, 156.  
*pusillus*, 23, 143, 228.  
*pustulifer*, 13.  
*putridula*, 221.  
*Putzeysi*, 41.  
*Pycnaraea*, 217.  
*Pycnocrærus*, 259.  
*Pycnota*, 219.  
*pygiale*, 246.  
*pygmaea*, 211, 222, 250.  
*pygmaea*, 224.  
*pygmaeus*, 181, 207, 247, 261.  
*pygmacus*, 227, 240.  
*Pylophilus*, 166.  
*pyriformis*, 181.  
*pyriformis*, 181.  
*pyropterus*, 242.  
*pyrrhoceras*, 228.  
*PYXIDICERUS*, 206.

**Q**

- quadratus*, 241.  
*quadricollis*, 18, 48, 111.  
*quadricollis*, 239.  
*quadricolor*, 98, 104, 107.  
*quadricostatus*, 141.  
*quadridens*, 56.  
*quadrifossulatum*, 263.  
*quadrifovealata*, 186.  
*quadrifovealatus*, 178.  
*quadrifovealatus*, 204.  
*quadriguttata*, 73.  
*quadriguttatus*, 48, 107, 118.  
*quadrinaculata*, 84, 117.  
*quadrimaculatus*, 48, 60, 81, 159, 177.  
*quadrimaculatus*, 86, 172.  
*quadrinotatus*, 30, 48, 69, 73.  
*quadriplagiata*, 74.  
*quadriplagiatus*, 49.  
*quadripunctatus*, 75.  
*quadriponctula*, 230.  
*quadripustulatus*, 93.  
*quadriscopulatus*, 191.  
*quadrisignatus*, 69, 143.  
*quadrisignatus*, 81.  
*quadrispinus*, 152.  
*quadristriatus*, 141, 194.  
*quadrivittatus*, 146.  
*quaestus*, 197.

*quedius*, 231.  
*quinquefoveolatus*, 181.  
*quinquemaeulatum*, 170.  
*quinquemaculatus*, 106.  
*quinquepustulatus*, 114.  
*quisquiliarius*, 239.

**R**

*Rabigus*, 236.  
*Raffrayi*, 204.  
*Raffrayii*, 179, 192, 197.  
*Rajah*, 207.  
*Ranitus*, 144.  
*Raphirus*, 231.  
*Raphitreus*, 192.  
*Rathymus*, 45.  
*recta*, 26.  
*rectangulum*, 51.  
*rectangulus*, 41, 146.  
*reductus*, 80.  
*reflexus*, 48, 119.  
*regalis*, 80.  
*Regimbartii*, 143.  
*regularis*, 185.  
*Reicheia*, 22.  
*Reichei*, 112.  
*Reichenbachia*, 199, 200, 201.  
*Reichenbachii*, 188.  
*Reitterii*, 185.  
*relinquent*, 46.  
*reluens*, 112, 113.  
*Rembus*, 51.  
*Remus*, 236.  
*renitens*, 115.  
*repandens*, 76.  
*repletus*, 58.  
*retinens*, 52  
*retractus*, 225.  
*retractus*, 73.  
*retinus*, 58.  
*Rhabdotocarabus*, 11.  
*Rhadine*, 55.  
*Rhagadus*, 45.  
*RHANTATICUS*, 147.  
*rhamtoides*, 146.  
*RHANTUS*, 144.  
*RATHYMYUS*, 45.  
*Rhegmatocerus*, 243.  
*RHEMBUS*, 51.  
*Rheochara*, 213.  
*Rhinotheila*, 72.  
*Rhombodra*, 84.  
*rhombophorus*, 69.

<i>RHOPALISTES</i> , 106. <i>Rhopalopalpus</i> , 106. <i>Rhygmacera</i> , 230. <b>RHYNCHOCHILOUS</b> , 234. <i>Rhypobius</i> , 176. <i>Rhysotrachelus</i> , 98. <i>rhyssoptera</i> , 221. <i>Rhytiderus</i> , 55. <i>Ribbeii</i> , 97. <i>rigida</i> , 224. <i>riparia</i> , 211. <i>riparius</i> , 22. <i>riparius</i> , 253. <i>Ritsemae</i> , 62, 136, 144, 156, 197. <i>Ritsemor</i> , 133. <i>rivularis</i> , 156. <i>robusta</i> , 182. <i>robustus</i> , 246. <i>Rochasii</i> , 147. <i>Roeselii</i> , 150. <i>rostratus</i> , 193. <i>rotundatus</i> , 58, 74, 176. <i>rotundicollis</i> , 87, 239, 255. <i>Roussetii</i> , 169. <i>rubescens</i> , 132. <i>rubescens</i> , 132. <i>rhibidicollis</i> , 52. <i>rubiolus</i> , 239. <i>rubiginosus</i> , 227. <i>rubricata</i> , 82. <i>rubricollis</i> , 217, 239. <i>rubricollis</i> , 250. <i>rubripes</i> , 169. <i>rnbrotestaceus</i> , 248. <i>rudesculptus</i> , 104. <i>rudis</i> , 261. <i>rufa</i> , 200, 212, 251. <i>rufescens</i> , 238, 181, 240. <i>rufescens</i> , 220. <i>ruficeps</i> , 58, 66, 87, 95, 254, 255. <i>ruficeps</i> , 56. <i>ruficollis</i> , 61, 85, 87, 87, 230. <i>ruficollis</i> , 85, 145. <i>ruficornis</i> , 112. <i>ruficornis</i> , 165. <i>ruficoxis</i> , 253. <i>rufiferus</i> , 260. <i>rufifemoratus</i> , 104, <i>rufifrons</i> , 67. <i>rufimanus</i> , 144. <i>rufipalpis</i> , 28. <i>rufipenne</i> , 246.	<i>rufipennis</i> , 255, 258. <i>rufipes</i> , 26, 80, 87, 166, 258. <i>rufipes</i> , 51, 97. <i>rufitarsis</i> , 58, 163. <i>rufitarsis</i> , 232. <i>rufithorax</i> , 104, 173. <i>rufithorax</i> , 231. <i>rufiventris</i> , 78, 165. <i>rufomarginatus</i> , 239. <i>rufoniger</i> , 138. <i>rufopiceus</i> , 48. <i>rufopiceus</i> , 47. <i>rufotestaceus</i> , 48, 170. <i>rufula</i> , 250. <i>rufulus</i> , 132, 136. <i>rufulus</i> , 47, 132, 145, 249. <i>rufus</i> , 140, 227, 228, 261. <i>rugatipennis</i> , 221. <i>rugiceps</i> , 258. <i>rugicollis</i> , 113, 257, 258. <i>rugicollis</i> , 66, 103. <i>rugifer</i> , 23. <i>rugifrons</i> , 258. <i>Rugilus</i> , 247. <i>rugipennis</i> , 21. <i>rugipennis</i> , 253. <i>rngithorax</i> , 203. <i>rugosa</i> , 117. <i>rugosifrons</i> , 25. <i>rugosus</i> , 149. <i>rugulosa</i> , 74. <i>rugulosum</i> , 15. <i>rugulosus</i> , 104, 149. <i>rugulosus</i> , 260. <i>rugulus</i> , 185. <i>russicum</i> , 115. <i>rusticus</i> , 18. <i>rutilipennis</i> , 215. <i>Rybaxis</i> , 199, 200, 201. <b>RYXABIS</b> , 193.
--	--

**S**

*sabulosa*, 26.  
**SACIUM**, 175  
*sacium*, 177.  
*Sagraemerus*, 119.  
**SANDRACOTTUS**, 146.  
*sanquinipennis*, 214.  
*sanguinolentum*, 246.  
*sanguinolentus*, 227.  
*sanguinolentus*, 226.  
*saphyrinus*, 59.  
*saphyriennis*, 59.

- sarawakensis*, 197, 201.  
*SATHYTES*, 201.  
*saundersii*, 28, 163.  
*saundersii*, 27.  
*Sauridus*, 231.  
*Saurellus*, 249.  
*scabripenne*, 15.  
*scabrosus*, 262.  
*scalaris*, 156.  
*SCALIDION*, 72.  
*Scallophorites*, 20.  
*Scaphiodactylus*, 57.  
*Scaphonotus*, 9.  
*SCAPTERUS*, 21.  
*scapularis*, 86, 104.  
*scapulata*, 166.  
*SCARITES*, 20.  
*Scarites*, 19.  
*SCARITODERUS*, 18.  
*schaufussii*, 191, 201.  
*Schaumii*, 80, 91.  
*schiodtei*, 163.  
*SCHISTOGENIA*, 212.  
*schmidtgoebelii*, 91.  
*Schmidtii*, 23.  
*Schmidtii*, 71.  
*Schonherrii*, 104.  
*Schonherrii*, 103.  
*SCIMBALIUM*, 245.  
*scintillans*, 56.  
*Sciodrepa*, 174,  
*scitulus*, 95.  
*SCLEROCHITON*, 249.  
*Scolytus*, 9.  
*SCOPAEUS*, 247.  
*scopaeodra*, 247.  
*scopeneus*, 247, 248.  
*scotomedes*, 95.  
*scriptus*, 145.  
*scrubicollis*, 221.  
*sculpticollis*, 262.  
*sculpticollis*, 188.  
*sculptifrons*, 206.  
*sculptilis*, 18.  
*sculptilis*, 18.  
*sculptipennis*, 251.  
*sculptipennis*, 247.  
*sculpturatus*, 156, 197.  
*sculptus*, 265.  
*scutatus*, 239.  
*scutellaris*, 228.  
*scutellatus*, 95.  
*scybalariaus*, 238.  
*seydmaenoides*, 38.  
*seydmaenoides*, 37.  
*seydmaenus*, 178, 179, 180,  
 181, 182, 183, 184, 185.  
*SCYDMENIDÆ*, 177, 178.  
*Scytodytes*, 142.  
*secernendus*, 87.  
*Selene*, 20.  
*Selenia*, 45.  
*SELINA*, 62.  
*sellata*, 71.  
*semiacinus*, 59.  
*semibrunnea*, 223.  
*semicarinata*, 26.  
*semicircularis*, 21.  
*semicupreus*, 56.  
*semifuscus*, 248.  
*semilucidus*, 34.  
*seminarius*, 138.  
*seminigrum*, 245.  
*seminodus*, 181.  
*semiopacus*, 203.  
*semipunctatus*, 176.  
*semipurpureus*, 235.  
*semipurpureus*, 103.  
*semirugosus*, 21.  
*semistriatus*, 59, 166.  
*semisulcatus*, 181, 197.  
*semisulcatus*, 197.  
*semiviolaceus*, 41.  
*semivittatus*, 110.  
*semivestitus*, 156.  
*Semperii*, 105, 133.  
*senilis*, 117.  
*Sepidulum*, 168.  
*septemdentatus*, 197.  
*septcnifoveolatus*, 197.  
*sericans*, 60.  
*sericecollis*, 185, 239.  
*sericeipcnis*, 60.  
*sericeolimbatus*, 153.  
*sericum*, 15.  
*sericeum*, 15.  
*sericeus*, 38, 247.  
*sericeus*, 60.  
*sericimnicans*, 105.  
*SERECODERUS*, 176.  
*serpentarius*, 243.  
*serraticollis*, 41.  
*serraticornis*, 217.  
*serricornis*, 215.  
*SERRIMARGO*, 77.  
*sesquivittatus*, 146..  
*setosus*, 62.  
*sexguttata*, 88.  
*sexmaculatus*, 95.  
*sexpunctatus*, 76, 134.  
*sexpunctatus*, 19.  
*sexstriatus*, 203.  
*Sharpii*, 130, 132, 136.  
*SIAGONA*, 31.  
*siamense*, 67.  
*siamensis*, 48, 60, 93, 108,  
 136, 149, 192, 262.  
*siamensis*, 201.  
*siamica*, 26.  
*sibiricum*, 15.  
*signatipennis*, 147.  
*signatus*, 118.  
*signifer*, 74.  
*signifera*, 83.  
*silesiacus*, 142.  
*SILPHA*, 172.  
*Silphales*, 171.  
*SILPHIDÆ*, 171.  
*siltopia*, 61.  
*SILUSA* 212.  
*similis*, 21, 42, 185, 197.  
*similis*, 135, 236.  
*similiinus*, 45.  
*SIMOUS*, 109.  
*Simoniana*, 204.  
*Simonis*, 161, 179, 191,  
 205.  
*simplex*, 60, 80, 87, 169,  
 261, 262.  
*simplex*, 189.  
*simplicefrons*, 206.  
*simplicipes*, 119.  
*simulator*, 181.  
*sinulus*, 185.  
*Sinechostictus*, 35.  
*sicensis*, 53, 105, 130.  
*singalanensis*, 182.  
*singulare*, 263.  
*singularis*, 204.  
*sinicus*, 113, 115, 163.  
*Sinctetes*, 192.  
*SINTECTODES*, 192.  
*Sinctectodes*, 192.  
*sinuaticollis*, 61.  
*sinuatus*, 105.  
*sinuosipennis*, 152.  
*SINURUS*, 77.  
*SIOPELUS*, 118.  
*Sipalia*, 213.  
*skrimshiranus*, 232.  
*smaragdinus*, 153.  
*smaragdipennis*, 59.  
*smaragdulus*, 80, 115.  
*sobrinus*, 105.  
*sobrinus*, 93.

- sogines*, 49.  
*Sognorus*, 191.  
*Solenia*, 219.  
*solidus*, 239.  
*Solterii*, 140.  
*Solskyi*, 208.  
*solutus*, 136.  
*solutus*, 135.  
*Somatipion*, 193.  
*sordida*, 217.  
*storocula*, 250.  
*Spanus*, 43.  
*sparsiventris*, 246.  
*SPAROSTES*, 22.  
*sparsulus*, 182.  
*sparsus*, 261.  
*Spathinus*, 61.  
*spathulifer*, 105.  
*spectabilis*, 246.  
*spectabilis*, 232, 259.  
*spectabilis*, 227, 249.  
*Spelaeodytes*, 22.  
*Spencei*, 163.  
*SPERCHEINI*, 168.  
*SPERCHEUS*, 168.  
*Sperchopsis*, 166.  
*sphacrica*, 201.  
*SPHAERIDINI*, 169.  
*SPHAERIDUM*, 170.  
*Sphaeridum*, 169.  
*Splueroderus*, 10.  
*Sphenoma*, 217.  
*Spheroides*, 167.  
*Sphodristocarabus*, 11.  
*Sphodristus*, 11.  
*SPHODRUS*, 53.  
*Spilopterus*, 142.  
*spilotus*, 38.  
*spinicollis*, 165, 198.  
*spincoxis*, 194.  
*spinidens*, 198.  
*spinifer*, 54.  
*spiniger*, 156.  
*spinigera*, 222.  
*spinipennis*, 53.  
*spinipennis*, 174.  
*spiniventris*, 188.  
*spinosus*, 152, 198.  
*SPIROSOMA*, 243.  
*splendens*, 57.  
*splendida*, 115, 221.  
*splendidula*, 82.  
*splendidus*, 80.  
*spoliatus*, 105.  
*Spongopus*, 118.
- squamiceps*, 205.  
*squamigerum*, 15.  
*squamosus*, 205.  
*Staphylini*, 210.  
**STAPHYLINIDÆ**, 209.  
*Staphylinides*, 210, 229.  
*staphylini*, 229.  
*staphylinoides*, 250.  
**STAPHYLINUS**, 234.  
*Staphylinus*, 231, 233, 234, 241, 242.  
*Steleodara*, 62.  
**STENAESTETHUS**, 256.  
*Stenichnus*, 183.  
**STENINI**, 255.  
*steno*, 75.  
*Stenocnemus*, 57.  
*Stenocrepis*, 108.  
*stenoderus*, 23, 94.  
*stenoides*, 240.  
*stenolophoides*, 118.  
**STENOLOPHUS**, 113.  
*stenoristus*, 105.  
*Stenous*, 108.  
**STENUS**, 256.  
*Stenus*, 212.  
**STEPHANA**, 71.  
**STERNOLOPHUS**, 165.  
*Sternuchus*, 174.  
*Steropus*, 45.  
*Stethoxus*, 164.  
*Stevensianus*, 163.  
*sticticus*, 147.  
*stigma*, 46.  
*Stigmapterus*, 20.  
*stigmula*, 84.  
*Stilicoides*, 211.  
**STILICOPSIS**, 251.  
*Stilicopsis*, 215.  
**STILICUS**, 247.  
*Stiliderus*, 251.  
*Stoliczkae*, 239.  
*Stoliczkanus*, 12.  
*stolidus*, 115.  
*Stomides*, 40.  
**STOMONAXUS**, 51.  
*striata*, 26, 74.  
*striaticeps*, 19, 96.  
*striaticollis*, 51.  
*striatopunctata*, 168.  
*striatulus*, 22.  
*striatus*, 13.  
*striatus*, 12.  
*stricta*, 26.  
*stricticollis*, 59.
- Strigia*, 45.  
*strigiveutris*, 265.  
*stultus*, 166.  
**STYLIDERUS**, 251.  
*Styloxyx*, 259.  
**STYPHLOMERUS**, 95.  
*Styphromerus*, 95.  
*subangulosus*, 178.  
*subapicalis*, 64.  
*subcaudata*, 173.  
*subconvexus*, 33.  
*subcordatus*, 94.  
*subcorinaceus*, 108.  
*subcoriaceus*, 147.  
*subcostatus*, 113.  
*subdepressus*, 227.  
*subdiaphanus*, 147.  
*subelongatus*, 109.  
*subfasciatus*, 248.  
*subfasciatus*, 233.  
*subhamatus*, 105.  
*subhamatus*, 98.  
*subiridescens*, 52.  
*subirideus*, 235, 239.  
*subjecta*, 215.  
*sublaeve*, 245.  
*sublaevis*, 27, 32.  
*sublineatus*, 156.  
*submarginatus*, 33, 105.  
*submetallicus*, 46.  
*subnitens*, 21.  
*subnitidus*, 264.  
*suboenus*, 110.  
*subolivaceus*, 110.  
*subolivaceus*, 108.  
*subopacus*, 265.  
*subproductus*, 21.  
*subpubescons*, 83.  
*subpunctulatus*, 227.  
*Subquadratus*, 80.  
*subrotundatus*, 138.  
*subrufa*, 224.  
*subrugosa*, 211.  
*subsericatus*, 59.  
*subsignatus*, 19.  
*subsimilis*, 185.  
*subspinosus*, 152.  
*subsulcatus*, 155.  
*subtilis*, 138.  
*subtilis*, 203.  
*subtransparens*, 76.  
*subuliformis*, 230, 231.  
**SUBLIPALPUS**, 194.  
*subvalida*, 201.  
*subvittatus*, 38.

*succicola*, 239.  
*succinctus*, 147.  
*suffusa*, 61.  
*suffusus*, 176.  
*sugillatus*, 149.  
*sulcatum*, 170.  
*sulcatus*, 21, 22, 39, 91, 108.  
*sulcatus*, 46.  
*sulcatulus*, 109.  
*sulcigera*, 26.  
*sulculatus*, 39.  
*sumatrae*, 140.  
*sunatrensis*, 16, 88, 131, 138, 149, 186, 201, 255  
*sundaeicum*, 29.  
*sunides*, 251.  
*sunioides*, 256.  
*SUNIUS*, 251.  
*sunius*, 251.  
*suberba*, 173.  
*superbus*, 198.  
*suspiciosa*, 221.  
*suturale*, 246.  
*suturalis*, 39, 74, 85, 91, 107, 248.  
*suturalis*, 68, 144, 160.  
*suturella*, 189.  
*suturellus*, 95.  
*swinhoei*, 102.  
*sycophanta*, 59.  
*Sykesii*, 105, 232.  
*Symphyus*, 51.  
*SYNDICUS*, 186.  
*Syrbatus*, 195, 197, 198.  
*SYSTOLOCRANIUS*, 108.  
*Systemognathus*, 43.

**T**

*tachiniformis*, 264.  
*TACHINODERUS*, 226.  
*Tachinomorphus*, 226.  
*Tachinus*, 226.  
*TACHYCELLUS*, 116.  
*TACHYNOTUS*, 36.  
*Tachyporides*, 225.  
*tachyporiformis*, 264.  
*TACHYPORINI*, 225.  
*tachiporoides*, 227.  
*TACHYPORUS*, 227.  
*TACHYPS*, 34.  
*TACHYS*, 36.  
*Tachyusida*, 217.  
*Tadonus*, 258.

*Taeniolobus*, 19, 20.  
*taeniatum*, 35.  
*Taenosoma*, 261.  
*Talanes*, 35.  
*taliensis*, 13.  
*tamulus*, 244, 253.  
*tan*, 71.  
*TANTILLUS*, 76.  
*tantillus*, 227.  
*Tanyeruerus*, 259.  
*TANYGNATHUS*, 229.  
*Tanystola*, 55.  
*taphrocephalus*, 187.  
*TAPHROSTETHUS*, 193.  
*taprobanae*, 19, 88, 262.  
*tardus*, 239.  
*TARIDIUS*, 84.  
*tarsalis*, 198.  
*Tarsostinus*, 83.  
*tartareus*, 75.  
*tartariac*, 51.  
*Tarus*, 83.  
*Tasgius*, 235.  
*tataricus*, 150.  
*Taxicera*, 219.  
*telangensis*, 182, 201, 205,  
*Temnenkii*, 150.  
*Temnopterus*, 164.  
*tenebrioides*, 44.  
*tenebrosus*, 143.  
*tenella*, 37.  
*tenellus*, 39, 132.  
*tenuicornis*, 185, 221, 234, 265.  
*tenuicornis*, 214.  
*tenuilimbata*, 74.  
*tenuipes*, 257.  
*tenuirostris*, 152.  
*tenuis*, 261.  
*tennis*, 263.  
*tenuistriatus*, 153.  
*TERMIDONIA*, 215.  
*terminata*, 68.  
*termiticola*, 217.  
*termititis*, 233.  
*termitophilâ*, 221.  
*Termitopora*, 217.  
*Teropalpus*, 258, 261.  
*testacea*, 82, 212, 223.  
*testaceipennis*, 221, 251.  
*testaceipes*, 113, 235.  
*testaceum*, 245, 246.  
*testaceus*, 228.  
*testaceus*, 134, 204, 229, 248, 259, 265.  
*Testedium*, 35.  
*testis*, 207.  
*Tetraanthus*, 164.  
*tetracolon*, 74, 95.  
*TETRAGONICA*, 76.  
*Tetragonoderini*, 68.  
*TETRAGONODERUS*, 68.  
*tetragonoderus*, 105.  
*tetragrammus*, 95.  
*Tetramelus*, 179, 182.  
*tetrasemus*, 73.  
*tetraspilota*, 64.  
*tetraspilota*, 173.  
*tetraspilotus*, 73.  
*tetrastrigma*, 73, 81.  
*Tetratarsus*, 255.  
*tetratoina*, 182.  
*TETRASTICTA*, 217.  
*Tetropa*, 219.  
*Thalassophilus*, 40.  
*Thanatophilus*, 173.  
*thermarum*, 239.  
*THERMONECTINI*, 146.  
*Thermophila*, 87.  
*thibetauum*, 15.  
*Thinobaena*, 219.  
*THINOCHARIS*, 250.  
*THINODROMUS*, 261.  
*Thinoecia*, 219.  
*THLIBOPS*, 22.  
*Thliboptera*, 217.  
*thoracicus*, 52, 163, 248, 261.  
*thoracicus*, 189, 228.  
*THORACOPHORUS*, 264.  
*Thoraxophorus*, 264.  
*Throbalium*, 244.  
*Thunbergii*, 117.  
*THYREOPTERUS*, 77.  
*Thyreopterus*, 73, 77.  
*Thysanotus*, 77.  
*tibialis*, 97, 163.  
*Tientci*, 13.  
*TILIUS*, 69.  
*timendus*, 185.  
*tinctulus*, 113.  
*tinctus*, 138.  
*Tmesiphoroïdes*, 1: 2.  
*TMESIPHORUS*, 19.  
*Tmesiphorus*, 192.  
*tomentosum*, 29.  
*Tomochilus*, 98.  
*torta*, 117.  
*Trachycarabus*, 12.  
*tranquebarica*, 26.

trausfuga, 39.  
 translata, 215.  
 transparipes, 85.  
 transversa, 26, 72.  
 trausversalis, 136.  
 transversicornis, 182.  
 transversum, 29.  
 transversus, 136, 139.  
**TRAPEZIDERUS**, 241.  
*Traumoezia*, 219.  
*Trechicus*, 61.  
 trechoides, 113.  
**TRECHUS**, 40.  
*Trepaines*, 35.  
*Triaena*, 50.  
 triangularis, 39.  
 trianguliger, 156.  
*Tribax*, 12.  
 tricarinatus, 257.  
**TRICHISSIA**, 30.  
 trichocerus, 182.  
*Trichochlaenius*, 98.  
**TRICHOCOMETES**, 234.  
*Trichoderma*, 234.  
**TRICHONYX**, 208.  
*Trichopoda*, 169, 170.  
*Trichopygus*, 230.  
*Trichothorax*, 84.  
 tricolor, 110, 170.  
*tricolor*, 243.  
*tricornis*, 259.  
*tricuspidata*, 216.  
 tricostatus, 41.  
 tridens, 113.  
 tridentata, 221.  
 trifasciatus, 69.  
 trifida, 224.  
*trigonocephalus*, 243.  
*trigonocornis*, 163.  
*Trigonodactyla*, 62.  
**TRIGONOGNATHA**, 42.  
**TRIGONOMINA**, 43.  
*Trigonothops*, 81.  
**TRIGONOTOMA**, 42.  
*Trigonotoma*, 40.  
*Trigonotomides*, 40.  
 trimaculatus, 86.  
*Trimium*, 189.  
*Trimorphus*, 52  
 trinodis, 182.  
 trinotatus, 105, 252.  
 triophthalmus, 207.  
*Triplectrus*, 118.  
**TRIPOGENIUS**, 40.  
*Tripogenys*, 43.

tripunctatus, 149.  
 tripustulatus, 86.  
*Trirammatus*, 49.  
 tristis, 65.  
*Tritonus*, 166.  
 trivialis, 215.  
*trivittatus*, 145.  
*Trochalus*, 149.  
*trogloclites*, 19.  
**TROGOPHLOEUS**, 261.  
*Trogophloeus*, 261.  
 trogositoidea, 33.  
*Trogus*, 148.  
 tropica, 221.  
 tropicus, 39.  
**TROPIDOCERUS**, 50.  
*Tropisternus*, 165.  
 trossulus, 203.  
 truncatus, 39.  
*Trychina*, 33  
 tuberculata, 221.  
 tuberculatus, 259.  
 tuberculicollis, 221.  
 tuberiventris, 215.  
 turbidus, 240.  
 turculus, 113.  
**TYCHUS**, 204.  
*Tychus*, 203.  
*Typhlobium*, 244.  
**TYRAPHUS**, 203.  
**TYRUS**, 194.  
 tythus, 207.

**U**

umbrosus, 39, 192.  
*umbrosus*, 192.  
 unciatus, 185.  
 undatus, 81.  
 undulifer, 136.  
*uinicolor*, 26, 52, 78, 177,  
     245.  
*unicolor*, 161.  
 unidentatus, 66, 152.  
*unifasciata*, 70.  
*unifasciatum*, 176.  
 uniformis, 74, 136.  
 unipunctatus, 203.  
 ursula, 201.  
 ustulatus, 67.  
 utilans, 115.  
*uvida*, 250.

**V**

*vaga*, 214.  
 validicornis, 88.  
 variabilis, 130.  
*variabilis*, 231.  
 varians, 108.  
*varians*, 137, 238.  
 varicps, 253  
 varicornis, 213.  
*variicornis*, 105.  
*variipennis*, 239.  
 variipes, 105.  
 varipennis, 261.  
*varius*, 145.  
 variventris, 222.  
**VATELLINI**, 134.  
*Velleius*, 231.  
 velocipes, 105, 257.  
 veluticollis, 211.  
 velutinus, 248.  
 ventralis, 150.  
*ventralis*, 188.  
 venustus, 207.  
 vicaria, 222.  
 vicina, 250.  
 vicinalis, 170.  
 vicinum, 170.  
 vicinus, 246.  
 vigilans, 95.  
 vilis, 211, 218, 250, 257.  
*vilis*, 108.  
 villipennis, 232.  
 villosum, 182, 194.  
*villosum*, 233.  
 violaceomicans, 169.  
 verrucifer, 77.  
 versicolor, 80.  
*versutus*, 29.  
*Vertagus*, 98.  
 verticalis, 23, 207.  
 vestigifer, 198.  
*vestita*, 174, 211.  
 vestitus, 192.  
*restitus*, 101.  
 vexillifer, 161.  
*vibicollis*, 144.  
 violaceus, 80.  
 vires, 150.  
*vires*, 232.  
 virescens, 150.  
 virgata, 65.  
*virgulifera*, 64.  
 virgulifer, 105.  
 virens, 80, 108.

*viridanus*, 105.  
*viridicollis*, 41, 165.  
*viridicollis*, 42.  
*viridifossulatus*, 13.  
*viridimaculatus*, 154.  
*viridipennis*, 71.  
*viridipennis*, 14.  
*viridis*, 173.  
*vitreus*, 177.  
*vittatus*, 9, 76, 132, 146, 185.

*vittatus*, 226.

*vitticollis*, 74, 95.

*vittigerum*, 67.

*vividus*, 106.

*vixstriatus*, 39.

*Vollenhovenii*, 80.

*Volvulus*, 167.

*vulgivaga*, 25.

*vulneratus*, 106, 231.

*vulneratus*, 115.

*vulneripennis*, 113.

*vulneripennis*, 113.

## W

*Wagae*, 13.

*Wakefieldia*, 84.

*Walkerii*, 34.

*Wallichii*, 13.  
*Waterhousei*, 41, 163.  
*Wehnckeii*, 156.  
*Wehuckianus* 150.  
*Weisei*, 134.  
*Westermannii*, 62, 109, 159, 232.  
*Westwoodii*, 26, 88, 107, 161, 206.  
*Westroodi*, 189.  
*Whithillii*, 80.

## X

*xanthaca*, 17.  
*xanthacrum*, 35.  
*xanthacrus*, 106.  
*xanthocephalus*, 235.  
*Xanthodytes*, 142.  
**XANTHOLINUS**, 241.  
*xanthomelas*, 140.  
*xanthomerus*, 240.  
**XANTHOPHYUS**, 243.  
*xanthoptera*, 220.  
*xanthopus*, 75.  
*xanthomerus*, 91.  
*xanthopleurus*, 106.  
*xanthopus*, 81.  
*xanthospilus*, 106.

*xanthotelus*, 96.  
**XENEDUS**, 225.  
*Xenochara*, 214.  
*Xenos*, 59.  
*Xenothorax*, 84.  
*Xenota*, 219.  
**XEROPHYGUS**, 261.  
*Xestonotus*, 118.  
*Xylodrepa*, 173.  
*Xylodromus*, 263.

## Y

*yanellus (cyanellus)*, 114.  
*Yola*, 141.  
*Yunnanus*, 10, 13, 40, 45.

## Z

**ZABRUS**, 110.  
*zeelandicus*, 52.  
**Zetostomus**, 243.  
**ZETHOPSUS**, 206.  
*Zethus*, 206.  
*zeylanicus*, 149.  
*Zoosetha*, 219.  
*Zophium*, 67.  
*ZUPHIUM*, 67.  
*Zyras*, 216.





