

SMITHSONIAN
LIBRARY





CATALOGUS

COLEOPTERORUM EUROPAE ET CAUCASI.

L.C. 125
G. 24-14

AUCTORIBUS

DR. L. v. HEYDEN, E. REITTER ET J. WEISE.

EDITIO TERTIA.



LONDINI.
EDW. JANSON.
28. MUSEUM STREET.

BEROLINI
LIBRARIA NICOLAI.
R. STRICKER.
1883.

PARISIIS.
LUC. BUQUET
52. RUE ST. PLACIDE.

Aug. 20-21/05



2015.

Tradimus hodie in manus omnibus eis, qui coleopterologica studia colunt amantve, catalogi coleopterorum Europae, qui novissime in lucem prodidit ante hos sex annos, i. e. anno 1877, novam editionem. Plurima fuerunt, quae addere, ampliare, delere, denique novare oportet: multum enim atque a multis cum semper, tum his sex annis in illis studiis sudatum est, multa recens detecta, plura ordinata, disposita.

Ita factum est, ut a nobis quoque, cum hunc catalogum conscriberemus, quaedam novarentur. Novatum est praeter caetera in familiarum dispositione. Quae enim familiae naturali quadam cognitione inter se contineri viderentur, eas in singulas quasi tribus congregavimus. Nova his sodaliciis nomina imponere non placuit. Nomina utique abunde sunt. Linea tamen brevis et obesior in quovis termino faciet.

Alterum, quod praefari oportet, est de Faunae nostrae finibus. Atque in universum quidem hic libellus eisdem finibus se continet, quibus, qui eum antecessit. Transcaucasicas tamen et Lenkoranenses regiones assumptas videbis. Quae provinciae, ut hodie res se habet, separari ac disjungi ab eis provinciis, quae citra sunt, vix et ne vix quidem possunt; quando, si quid insectorum ad hunc diem ex illis longinquis locis accepimus, confusum plerumque et inseparatum venit atque ita, ut accuratior patriae perscriptio deesset.

Abbreviaturis eorum vocabulorum, quae patriam significant, eisdem usi sumus, quibus antea. Factum tamen est hic illic compendii gratia, ut universalis quaedam patriae significatio pro pluribus specialibus poneretur, etiamsi de qua bestiola agebatur, illius zonae non omnem locum incolere videretur. Ita leges saepe E. md., E. b., E. m. etc. Perinde compendium fecit, quod nonnunquam continuationem locorum, quibus species aliqua reperta esset, a tergo eorum vocabulorum poneremus, quibus illius ipsius speciei synonyma et varietates continerentur.

Quod restat, haec volumus lector observes. Quae vocabula a capite lineae reduximus, synonyma esse scito. Litera v, cum vocabulum aliquod antecedit, varietatem significat, litera m monstrositatem. Si quo loco signum x reperies, est illa species ex eis, de quibus, rene vera Europam incolant, ambigitur. Advenas etiam et hospites sic significavimus, qui, cum navibus in Europam advenissent, sedem apud nos ceperunt et quibusdam locis colliguntur.

Caeterum in hoc libro non unam manum inesse, ipse titulus profitetur. Et genera Carnivora quidem (Cicindelidas — Gyrinidas) et Heteromera (Tenebrionidas — Pythidas) vnu Heyden conscripsit; Staphylinidas Dr. Eppelsheim. Eam partem catalogi, quae est a Pselaphidis usque ad Cioidas, E. Reitter confecit. In Cerambycidas Ganglbauer, in Curculionidas etc., Chrysomelidas, Coccinellidas J. Weise operam suam et studia contulerunt.

Viro illustrissimo, Dr. Kraatz, gratias agimus plurimas ideo, quod studia nostra offerendis ex bibliotheca sua libris ea, qua assolet, liberalitate juvare voluit.

Auctores.

Abbreviatura, quibus insignificanda patria usi sunus, hae sunt:

<i>A.</i> = <i>Austria.</i>	<i>G.</i> = <i>Germania.</i>	<i>MR.</i> = <i>Monte Rosa.</i>
<i>Al. et Alp.</i> = <i>Alpes.</i>	<i>Ga.</i> = <i>Gallia.</i>	<i>MV.</i> = <i>Monte Viso.</i>
<i>And.</i> = <i>Andalusia.</i>	<i>Gr.</i> = <i>Graccia.</i>	<i>occ.</i> = <i>occidentalis.</i>
<i>Ast.</i> = <i>Asturia.</i>	<i>H.</i> = <i>Helvetia.</i>	<i>o. et or.</i> = <i>orientalis.</i>
<i>b.</i> = <i>borealis.</i>	<i>Hi.</i> = <i>Hispania.</i>	<i>P.</i> = <i>Pyrenaei.</i>
<i>Bal.</i> = <i>Baleares.</i>	<i>Hib.</i> = <i>Hibernia.</i>	<i>Pe.</i> = <i>Pedemontium.</i>
<i>Ban.</i> = <i>Banat.</i>	<i>Hu.</i> = <i>Hungaria.</i>	<i>R.</i> = <i>Russia.</i>
<i>Bav.</i> = <i>Bavaria.</i>	<i>I.</i> = <i>Italia.</i>	<i>S.</i> = <i>Sardinia.</i>
<i>Br.</i> = <i>Britannia.</i>	<i>Il.</i> = <i>Illyria.</i>	<i>Sc.</i> = <i>Scotia.</i>
<i>C.</i> = <i>Corsica.</i>	<i>Is. et Ist.</i> = <i>Istria.</i>	<i>Serb.</i> = <i>Serbia.</i>
<i>Ca.</i> = <i>Caucasus.</i>	<i>Ju.</i> = <i>Jura.</i>	<i>Si.</i> = <i>Sicilia.</i>
<i>Car. et Carn.</i> = <i>Carniola.</i>	<i>L.</i> = <i>Lapponia.</i>	<i>Sil.</i> = <i>Silesia.</i>
<i>Op.</i> = <i>Carpathi.</i>	<i>Lu.</i> = <i>Lusitania.</i>	<i>St.</i> = <i>Styria.</i>
<i>Or.</i> = <i>Carinthia.</i>	<i>m.</i> = <i>meridionalis.</i>	<i>Su.</i> = <i>Suecia.</i>
<i>Cri.</i> = <i>Crimea.</i>	<i>mar.</i> = <i>maritimus.</i>	<i>T.</i> = <i>Turcia.</i>
<i>Cro.</i> = <i>Croatia.</i>	<i>md.</i> = <i>media.</i>	<i>Thur.</i> = <i>Thuringia.</i>
<i>D.</i> = <i>Dalmatia.</i>	<i>MB.</i> = <i>Monte Baldo.</i>	<i>Ti.</i> = <i>Tirolis.</i>
<i>E.</i> = <i>Europa.</i>	<i>Mont.</i> = <i>Montenegro.</i>	<i>Tr.</i> = <i>Transsylvania.</i>
<i>F.</i> = <i>Fennia.</i>	<i>Mt. et Mat.</i> = <i>montes.</i>	<i>U.</i> = <i>Ural.</i>

Cicindelidae.

Tetracha

Hope.

euphratica Dej. *Hi.*

Cicindela

Linné.

maura L. *Ga. Hi. I.*
sicula Redtb.

v. arenaria F. *Hi.*

luctuosa Dej. *Hi.*

concolor Dej. *Gr.*

ismenia Gory *Gr.*

quadrimaculata Loew

campestris L. *E.*

v. affinis Fisch. *R.m.*

v. impunctata Westh. *G.*

v. connata Heer *G.H.C.*

v. conjuncta Torre *G.*

v. dumetorum Mot. *R.*

v. funebris Sturm *G.*

v. nigrescens Heer *H.G.*

v. Saxeseni Prell. *G.*

v. rubens Friv. *Balk.*

v. Olivieria Brull. *Gr.*

v. palustris Mot. *R.m.*

v. Suffriani Loew *Gr.*

v. guadarramensis Grl. *G.*

v. farellensis Grlls. *Hi.*

v. pontica Stev. *Ca.*

v. nigrata Dej. *C.*

saphyrina Gené

v. maroccana F. *Hi.*

lacteola Pall. *R.m.or.*

hybrida L. *E.*

v. riparia Dej. *G.R.*

transversalis Dej.

v. orthogona Dietr. *II.*

v. restricta Fisch. *R.m.*

maritima (auct. ross.)

v. Sahlbergi Fisch. *R.m.*

v. integra Sturm *G.R.*
monticola Mén.

v. maculata Deg. *H.*

v. monasteriensis Wh. *G.*

v. sylvicola Curt. *Br.*
riparia Steph.

v. Pallasi Fisch. *R.*
maritima Dej. *G.Ga.*

baltica Motsch.

sylvicola Dej. *Hu.G.*

v. montana Sharp *MR.*

gallica Brull. *Ga.H.*
chloris Dej

v. bilunata Heer *Ti.*

desertorum Dej. *Ca.*
trapezicollis Chd.

v. Jaegeri Fisch.

festina Motsch. *Ca.*

soluta Dej. *Hu.R.m.*

fracta Fisch.

affinis Chd.

v. ?Nordmanni Chd. *R.*
Javeti Chd. *m.*

sylvatica L. *E.*

v. similis Westh. *G.*

v. fasciatopunctata Gm.

literata Sulz. *E.m./T.*

v. lugdunensis Dej.

v. sinuata F. *G.Ga.R.*

trisignata Dej. *E. m.*

v. subsuturalis Souvb.

Sturmi Ménét. *R.m.*

hispanica Gory *Hi.*

turcica Schaum *T.*

chermonensis Mot. *R.m.*

contorta Fisch. *Ca.*

caucasica Ad. *Ca.*

strigata Dej.

scripta Mén. *R.m.or.*

chiloleuca Fisch. *R.m.T.*

circumscripta Fisch.

Besserii Dej. *R.m.*

elegans Fisch. *R.m.*

stigmatophora Fisch.

volgensis Dej.
v. decipiens Fisch
dilacerata Dej. *Gr.*
circumdata Dej. *Ga.Hi.R.*
v. imperialis Klug *S.*
littorea Forsk. *S.*
tibialis Dej.
Goudotii Dej.

Fischeri Adams *T.Ca.*
octopunctata Loew

v. alasanica Motsch. *Ca.*

litoralis F. *E.m.*

v. nemoralis Oliv. *Ga.*

v. lunulata Fisch. *R.m.*

v. barbara Cast. *E.m.*

v. lugens Ragus. *Si.*

v. aphrodisia Truq. *Si.*

flexuosa F. *Ga.*

v. sardea Dej. *S.*

v. circumflexa Dej. *I.R.*

atrata Pall. *R.m.*

Zwicki Fisch.

v. distans Fisch.

paludosa Duf. *Hi. Ga.*

scalaris Dej.

sabulicola Waltl

Catoptria Guérin.

aegyptiaca Klug *Hi. I.*
melancholica Dej.

v. dignoscenda Chd. *Ca.*

v. connexa Chd. *Ca.*

Cylindrodera Westw.

gracilis Pall. *R.m.*

v. tenuis Stev.

germanica L. *E.*

v. obscura F. *G.Ga.*

v. coerulea Hbst. *G.*

v. fusca Tor. *G.*

v. cuprea Westh. *G.*

v. Steveni Dej. *R.m.*

v. sobrina Gory. *Ti.*

Carabidae.

Carabitae.

Cyehrus

Fabricius.

- cylindricollis Pini *I. b.*
- angustatus Hoppe *H. Car.*
- intermedius Hampe *I. m.*
- italicus Bon. *I.*
- meridionalis Chd. *I.*
- Costae Emery
- rostratus Costa
- caraboides L. *E.*
- rostratus L.
- v. sabaudus Fauv. *Alp.*
- v. pyrenaeus Krtz. *P.*
- v. pygmaeus Chd. *R. m.*
- v. elongatus Hipp. *Hu. Al.*
- Schmidti Chd. *Car.*
- semigranosus Palld. *Hu.*
- balcanicus Hopffg. *Balk.*
- aeneus Fisch. *Ca.*
- signatus Fald.

- attenuatus F. *E. md.*
- v. intermedius Heer *Al.*
- v. carniolicus Mot. *Car.*
- cordicollis Chd. *Al.*
- Mellyi Heer
- angulicollis Sella *Pe.*
- spinicollis Duf. *H. b.*
- Dufouri Chd. *P.*

Calosoma

Weber.

- sycophanta L. *E.*
- v. severum Chd. *T.*
- rapax Mot.
- inquisitor L. *E.*
- v. violaceum Westh. *G.*
- v. punctiventre Rehe. *Gr.*
- v. eupreum Mot. *R.*
- v. clathratum Kol. *R. m.*
- europuetatum Payk. *E.*
- sericeum F. *E. m.*
- maderae F. *E. m.*
- indagator F.
- denticolle Gebl. *R. m.*
- rugulosum Mot.
- investigator Ill. *G. R.*
- sericeum Stm.
- v. russicum Fisch. *Liv.*
- v. caspium Fisch. *R. m.*

Callisthenes

Fischer.

- reticulatus F. *G. R. b.*

- Panderi Fisch. *R. or.*
- breviuseulus Mhm. *Ca.*
- orbiculatus Mot. *Ca.*

Procerus

Dejean.

- Duponcheli Dej. *Gr.*
- gigas Creutz. *Car. Ti.*
- scabrosus Oliv. *T.*
- Olivieri Dej.
- v. cribratus Mot. *T.*
- aegyptiacus Mot.
- bosphoranus Mot.
- Sommeri Munhm.
- tauricus Ad. *Cri.*
- v. aeneus Mot.
- v. viridissimus Krtz.
- v. purpureus Krtz.
- v. nigritulus Krtz.
- caucasicus Ad. *Ca.*
- v. colchicus Mot. *Ca.*

Procrustes

Bonelli.

- coriaceus L. *E.*
- v. angusticollis Mot. *Cur.*
- ♀ cordicollis Mot.
- v. rugifer Krtz. *Tr.*
- v. spretus Dej. *D.*
- v. nitidior Reitt. *D.*
- v. banaticus Krtz. *Hu.*
- v. imminutus Krtz. *Bosn.*
- v. subrugosus Krtz. *Hu.*
- Hopffgarteni Krtz. *Serb.*
- rugosus Dej. *D.*
- v. graecus Dej. *Gr. T.*
- Kindermanni Waltl
- vicus Mén.
- v. caraboides Waltl *Gr.*
- vicus Friv.

Foudrasii Dej.

Gr.

obtritus Chd.

- v. nitens Gant. *Gr.*
- v. Ceresyi Dej. *Gr.*
- v. vicinus Waltl *T.*
- caraboides Friv.
- v. punctulatus Rehe. *T.*
- Banoni Dej. *Gr.*

Chaetomelas Thom. s.

clypeatus Ad.

Ca.

talycheensis Mén.

Fischeri Falb.

Hadrocarabus

Thomson.

- latus Dej. *H. md.*
- Gougeleti Rehe.

- leptopus Thoms.
- brevis Dej. *Hi. md.*
- v. complanatus Dej.
- v. helluo Bon. *Hi. md.*
- trabuccarius Fairm.
- Hellwigi Schaum *Lu.*
- lusitanicus Dej.
- Schaumi Gaub.
- v. descensus Schauf.
- lusitanicus F. *Lu.*
- antiquus Dej.
- Luezoti Dej.
- v. Vieirae Paulino.
- macrocephalus Dej. *Hi. b.*
- brabeus Schauf.
- v. cantabricus Chevr.
- v. Egesippi Laf.
- castilianus Dej. *Hi.*

Iniopachys

Solier.

- pyrenaeus Dej. *P.*
- v. costatus Krtz.
- v. punctatus Géhin
- auriculatus Putz. *Hi. b.*

Cechenus

Fischer.

- Boeberi Ad. *Ca.*
- v. Fischeri Fisch.

Plectes

Fischer.

- ibericus Fisch. *Ca.*
- v. Lafertei Chd.
- v. fulgens Chd.
- compressus Chd. *Ca.*
- protensus Schaum
- Mellyi Chd. *Ca.*
- Komarowi Reitt. *Ca.*

*

- Steveni Mén. *Ca.*
- Schamyl Hampe
- invictus Chd.
- Kraatzii Chd. *Ca.*
- Kasbekianus Krtz. *Ca.*
- macropus Chd. *Ca.*
- Bibersteini Mén. *Ca.*
- v. Kolenatii Chd.
- v. fossiger Chd.
- v. suramensis Krtz.
- Puschkini Ad. *Ca.*
- osseticus Ad. *Ca.*
- v. Mussini Germ.
- nothus Ad. *Ca.*
- v. deplanatus Chd.

v. planipennis Chd. *Ca.*
Fausti Dohrn *Ca.*
Lederi Reitt. *Ca.*
Riedeli Mén. *Ca.*
cupreus Chd. *Ca.*

*

Fabricii Panz. *G.Ga.*
v. Heeri Germ. *Ti.*
v. Linderi Tourn. *Tr.Ju.*
v. Bugnioni Chd. *H.*
v. malachiticus Hampe
v. polonicus Schm. *R.oc.*
depressus Bon. *Al.*
v. lucens Schaum *MV.*
v. glacialis Gaut. *MR.*
v. Bonelli Dej. *A.H.Ti.*
v. evehroides Baudi *I.*
v. Heerianus Géhin. *Ti.*
intermedius Heer.

Creutzeri F. *Car.Cr.* f. *Car.*
v. pseudonothus Krtz.
v. viridimicans Krtz. *Il.*
v. baldensis Schm. *MB.*
v. Kircheri Germ. *Ti.*

Platydrus

Kolenati.

irregularis F. *E.md.*
♀ sculptilis Heer
v. bucephalus Krtz. *Car.*
v. Moutandoni Buys. *Cp.*

Orinocarabus

Kraatz.

hortensis L. *E.*
v. Neumeyeri Hamp. *A.*
Linnei Panz. *G.Cp.*
v. polonicus Mot. *R.oc.*
v. Macairei Krtz. *Alp.A.*
v. angustatus Panz. *G.*
sylvestris Panz. *G.Ga.I.*
v. concecolor Panz. *G.*
v. nivalis Heer *II.*
Hoppei Germ. *A.*
v. Redtenbacheri Géh.
angustatus Rdtb. *St.*
v. Milleri Thoms. *Cp.*
glacialis Mill.
v. transsylvaniaeus Dej.
Fairmairei Thoms. *P.*
v. Baudii Krtz. *MV.*
cenisius Krtz. *MC.*
v. Sellae Krtz.
Putzeysianus Géhin *Al.*
Putzeysi Thoms. *mar.*

Bertolini Krtz. *I.b.*
maritimus Schaum. *MV.*
lombardus Krtz. *I.b.*
alpestris Sturm. *St.Ti.*
olivaceus Géhin

v. illyricus Krtz. *Il.*
brevicornis Krtz. *Cr.*
Hoppei Schaum
v. puncticollis Krtz. *Cr.*
v. tyrolensis Krtz. *Ti.*
carinthiacus Stuim. *Cr.*
Molli Dej.

alpinus Dej. *H.MR.*
v. bernhardinus Krtz.
v. mimethes Krtz. *MR.*
v. amplicollis Krtz. *I.b.*
v. castanopterus Villa
Latreillei Dej. *Pe.H.*
v. Bremii Stierl. *MR.*

Chaetocarabus

Thomson.

intricatus L. *E.md.m.*
v. bohemicus Haury *G.*
v. liburnicus Haury *D.*
v. montenegrinus Krtz.
v. angustulus Haury *Srb.*
v. silaensis Haury *I.m.*
Lefebvrei Dej. *Si.I.m.*
♀ Bayardi Sol.
v. Kadeni Schauf.
Adonis Hampe *Gr.*
v. Merlini Schaum

Megadontus

Solier.

caelatus F. *Car.*
v. Schreiberi Krtz. *Cro.*
dalmatinus Dej. *D.*
v. macretus Krtz. *Car.*
v. procerus Reitt. *D.*
croaticus Dej. *Cro.*
planicollis Küst. *Tr.*

*

Dejeani Fisch. *Cri.*
Gyllenhali Fisch. *Ca.*
purpurascens F. *G.Ga.*
v. Müller Haury *Hi.or.*
v. Suffriani Westh. *G.oc.*
v. crenatus Sturm. *G.*
v. asperulus Krtz. *G.*
exasperatus Suffr.
scaber Schauf.
v. psilopterus Krtz. *G.*
v. aurichalceus Krtz. *P.*
v. fulgens Charp. *P.*

picenus Villa *Pe.*
violaceus L. *E.oc.*
v. Wolfi Dej. *Hu.*
v. cyaneolimbatus Krtz.
v. Kunzei Heer *H.*
v. carbonatus Schfs. *Po.*
azurescens Dej. *Cro.D.*
? sublaevis Drap.

Neesi Hoppe *Ti.H.*
obliquus Thoms. *E.or.*

v. ?exasperatus Dft. *A.*
v. Andrczejuscyi Fisch.
v. Germari Dej. *Cr.Car.*
? detritus Drap.
marginalis F. *G.b.R.*
aurolimbatus Dej. *R.m.*
v. castaneipennis Mén.

*

septemcarinatus Mot. *Ca.*
exaratus Quens. *Ca.*
melancholicus F. *Ga.Hi.*

Tribax

Thomson.

torosus Friv. *Balk.*
Calleyi Fisch. *Ca.*
v. prasinus Mén.
v. Manderstjernae Mot.

Lamprocarabus

Thomson.

Stjernwalli Mhm. *Ca.*
v. Boschniaki Fald. *Ca.*
v. Humboldti Fald.
v. Bartholomaei Fald.
v. Raddeanus Schauf.
v. enops Schauf.
? seriatus Mot. *Ca.*

Melanocarabus

Thomson.

graeccus Dej. *Gr.*
morio Mannerhm. *T.*
trojanus Dej. *Gr.*
hungaricus F. *A.Hu.*
v. maeotis Fisch. *R.m.*
v. viennensis Krtz. *A.*
v. gastridulus Fisch. *T.*
♂ vomax Dej.
v. maritimus Mot. *R.m.*
v. mingens Quens. *R.m.*
cavernicola Krtz. *Rum.*
perforatus Fisch. *R.m.or.*
v. cribellatus Fisch. *R.m.*
thoracicus Krynn.
scythus Mot.

cavernosus Friv. *Balk.*
variolatus Costa *I.*
cibratus Quens. *Ca.R.m.*
v. serobiulus Ad. *Ca.*
glabratus Payk. *E.*

Ischnocarabus

Kraatz.

bessarabicus Fisch. *R.m.*
v. concretus Fisch.
v. platyseelis Fisch.

Hygrocarabus

Thomson.

variolosus F. *G.Ga.R.*
nodulosus Creutz.

Ctenocarabus

Thomson.

galicianus Gory *Lu.*

Mesocarabus

Thomson.

catenulatus Scop. *E.md.*
v. hareyniae Sturm *G.*
v. inflatus Krtz. *Ga.m.*
v. cyanescens Stm. *G.*
v. Mulsanti Krtz. *P.*
m. Brisouti Fauvel *P.*
v. planiusculus Haury
Brisouti (collect.) *Ga.*

Dufouri Dej. *Hi.*
v. Rosalesi Rehe. *And.*
Rossii Dej. *I.*
v. castaneipennis Costa.
m. Dragonetti Costa. *I.*
polychaeta Thoms. *Ca.*
Genei Gené *S.C.*

Sphodristus

Thomson.

Adamsi Ad. Fisch. *Ca.*
v. Eichwaldi Kolen.
v. subeyaneus Fisch.
Eichwaldi Fisch. *Ca.*
v. chrysitis Mot.
v. elegantulus Mot.
v. Eichwaldi Thoms.
v. varians Fisch.
Hollbergi Mhm. *Ca.*
Bohemani Mhm. *Ca.*
separandus Krtz. *Ca.*
armeniacus Mot. *Ca.*
v. varians Thoms. v. a.
v. incatenatus Mhm.

v. subincatenatus Krtz.
v. fulminans Krtz.

Chrysocarabus

Thomson.

Solieri Dej. *Ga.alp.I.b.*
auronitens F. *E.md.*
v. subcatenulatus Wsth.
v. Escheri Pallrd. *Tr.*
v. Zwicki Heer *G.md.II.*
v. nigripes Heyd. *G.II.*
v. Putzeysi Mors *Belg.*
v. cupreonitens Fauv.
v. atratus Heer *H.Tr.*
opacus Haury
festivus Dej. *Ga.m.P.*
v. Farinesi Dej. *Ga.m.P.*
v. punetatoauratus Dej.
v. flavolimbatus Géh. *P.*
v. lugubris Géh.
lineatus Dej. *Hi.b.*
v. lateralis Chevr. *Lu.*
splendens F. *P.*
seriepunctatus Géh.
basilicus Chevr.
Troberti Krtz. *Catal.*
v. Whitei Deyr. *P.*
rutilans F. *P.*
hispanus F. *Ga.P.*
Olympiae Sella *Pe.*
v. Stierlini Heyd.
Sellae Strl.

Carabus

Thomson.

auratus L. *E.oc.*
v. lotharingus Dej. *Ga.*
v. Lasserrei Doué *Ga.*
v. Honorati Dej. *Pe.*
v. picipes Letzuer *G.*
nigripes Torre
v. siculus Rugusa *Si.*

*
nitens L. *E.md.b.*
v. aureomicans Letzn.
v. cupreus Westhof *G.*
v. pulchellus Brüggem.

*
clathratus L. *E.*
granulatus L. *E.*
v. interstitialis Dft. *G.*
v. parvicollis Krtz. *G.*
interstitialis Schaum
v. debilicostis Krtz. *II*
interstitialis Heer

v. forticostis Krtz. *G.*
v. rubripes F. *G.*
v. rufofemoratus Letzn.
haematomerus Krtz.
rubripes Géhin.

v. aetolicus Schaum *Gr.*
v. sculpturatus Mén. *T.*
Sommeri Chd.
Menetriesi Fisch. *R.b.*

*

Stscheglowi Mnkh. *R.or.*
v. Zakharshevskyi Mot.
Deyrollei Gory *Hi.b.Lu.*
arvensis Hbst. *E.md.b.*
v. virescens Torre
v. viridis Letz.
v. purpurascens Letzn.
v. nigrinus Westhof
v. nigrescens Westh.
v. pomeranus Oliv.

Seileri Heer

v. sylvaticus Dej. *H.*
v. anglicus Mot. *Br.*
v. Schrickelli Dej. *Bad.*

*

morbillosus F. *Hi.Si.*
alaternaus Dej.
v. Servillei Sol. *S.Si.*
Thomsoni Fairm. *Si.*
planatus Chd.

rugosus F. *Alg.*
barbarus Dej. *And.*
v. celtibericus Germ.
v. baeticus Deyr. *And.*
v. Brannani Schfs. *Hi.b.*
Famini Dej. *Si.*

*

Ullrichi Germ. *G.*
morbillosus Panz.
v. viridulus Krtz. *Bar.*
v. viridilimbatus Krtz.
v. parallelus Krtz. *Hu.*
v. fastuosus Pallrd. *Ba.*
v. rhilensis Krtz. *Bulg.*
v. glaeus Haury *Ba.*
v. cupreonitens Krtz.
v. superbus Krtz.
v. robustus Krtz.
v. arrogans Schaum. *Sb.*
eancellatus Ill. *E.*
v. viridis Letz.
v. viridiaeneus Torre
v. rufipes Krtz.
haematomerus Krtz.

- v. nigricornis Dej. *Hu.*
 v. assimilis Dft. *Ha.b.*
 v. dolens Krtz. *Ga.m.*
 v. tuberculatus Schm. *A.*
 v. Letzneri Krtz. *Sil.*
 v. excisus Schaum. *A.*
 v. carinatus Charp. *H.G.*
 fusus Palld. *Ju.*
 v. graniger Palld. *Hu.*
 v. moestus Dej. *Hu.*
 Nicanor Haury
 v. scythicus Schaum.
 emarginatus Dft. *Car.*
 ♂ affinis Dft.
 Duttschmidt Géhin.
 v. intermedium Dej. *D.*
 v. trentinus Krtz. *I.b.*
 v. ventricosus Krtz.
 v. Dahli Schaum *Car.*
 v. Ziegleri Krtz. *I.b.*
 nigricornis Schaum.
 Bohatschi Reitt.
 v. oblongus Stm. *Car.*
 italicus Bon. *I.MB.*
 vagans Oliv. *Ga.I.*
 Cristoforii Spence *P.*
 catenatus Panz. *A.Cro.*
 v. subvirens Mot. *Car.*
 v. Hérbsti Dej. *Cro.*
 montivagus Pallrd. *Ban.*
 v. velebiticus Hampe
 v. blandus Friv. *Hu.*
 obsoletus Sturm *Hu.*
 v. euchromus Palld. *Tr.*
 v. carpathicus Palld. *Tr.*
 Parreyssi Palld. *Cro.*
 v. Dobiaschi Haury *Cro.*
 ?v. Gattereri Géhin *St.*
- *
- Scheidleri F. Krtz. *G.A.*
 v. Preyssleri Duft. *A.*
 v. ambitiosus Schauf.
 v. viridicinctus Schauf.
 v. improbus Schauf.
 v. principatus Schauf.
 v. superbus Schauf.
 v. Zawadszkii Friv.
 v. Scheidleri Panz. *A.*
 v. purpuratus Sturm
 v. virens Sturm
 v. aeneipennis Sturm
 ?repercussus Drap.
 v. excellens F. *Tr.*
 v. Goldeggii Duft.
 v. erythromerus Dej.
- v. praeccelleus Palld. *Tr.*
 v. Kollaris Palld. *Ban.*
 v. semetricus Krtz. *Sb.*
 v. magnificus Krtz. *Sb.*
 v. Illigeri Dej. *Cro.*
 v. parallelus Krtz.
 comptus Friv. Dej. *Tr.*
 v. Hopffgarteni Krtz. *Hu.*
 v. Merklianus Heyd. *Hu.*
 merkli Krtz.
 v. incompsus Krtz. *Tr.*
 v. Hampei Küst. *Tr.*
 v. aurosericeus Krtz.
 Rothi Dej. *Tr.*
 v. aequistriatus Krtz.
 v. varistriatus Krtz.
 v. 4-catenatus Krtz.
 v. latestriatus Krtz.
 monilis F. *G.Ga.*
 catenulatus Oliv.
 femoratus Géhin
 v. affinis Panz.
 v. regularis Wissm. *G.*
 v. taunicus Heyd. *G.*
 v. alticola Bell. *At.Ga.*
 v. gracilis Küst. *Bav.*
 v. Kroni Hoppe *H.G.Ga*
 interpositus Géhin
 regularis Géhin
 sabaudeus Géhin
 v. consitus Panz. *G.Ga.*
 morbillosus Latr.
 v. versicolor Friv. *Blg.*
 v. Schartowi Heer *H.*
 v. rufofemoratus Mot.
 v. anomalus Géhin. *Ga.*
 m. helveticus Heer *H.*
 v. simulator Krtz. *Serb.*
 v. serbiclus Hopffg.
- *
- cumanus Fisch. *Ca.*
 sobrinus Mén.
 Pressli Dej. *Gr.*
 errans Gory. *Galaec.*
 guadarramus Laf. *Hi.b.*
 Stewarti Deyr. *Lu.*
 Heydeni Oliveira *Lu.*
 Ghilianii Brême *Hi.b.*
 Staehlini Ad. *Ca.*
 imitator Rtr. *Ca.*
 swaneticus Rtr. *Ca.*
 Roseri Fisch. *Ca.*
 monticola Dej. *Ga.Pe.*
 nemoralis Müll. *E.*
 v. nigrescens Letzn. *G.*
- tristis Tor. *Hi.b.*
 v. prasinotinctus Heyd.
 convexus F. *E.*
 v. Merkli Hopffg. *Tr.*
 v. dilatatus Dej. *Cr.*
 v. Hornschuchii *Ip.Car.*
 v. perplexus Schm. *Gr.*
 v. oblongulus Mot. *Ca.*
 aemulus Fisch.
 v. tristis Mot. *R.m.or.*
 Weisei Reitt. *D.Bosn.*
 biseriatus Chd. *R.m.Ca.*
- *
- Besseri Fisch. *R.m.*
 v. fossulatus Dej.
 v. bosphoranus Fisch.
 v. carbonarius Mot.
 bosphoranus Dej.
 v. haeres Fisch.
 Krynickii Fisch. *R.m.*
 campestris Fisch. *R.m.*
 errans Fisch.
 v. Ledebourei Fisch.
 v. planatus Mot.
 parallelus Fisch.
 cribricollis Mot.
 Wiedemannii Mén. *T.*
 Geoffroyi Dej.
 v. Victor Fisch. *Ca.*
 alyssidotus Ill. *I.*
 Streicheri Fisch. *R.m.*
 accuratus Chd.
 v. Jaegeri Mén.
 scabriusculus Oliv. *A.R.*
 v. Lippi Dej. *Hu.*
 v. inapertus Mot. *R.m.*
 v. erythropus Fisch. *R.*
 v. minutus Mot. *R.m.*
 v. Karelini Fisch. *R.m.*
- *
- maurus Ad. *Ca.*
 v. discoideus Reitt.
 v. Hochhuthi Chd. *Ca.*
 pumilio Küst. *Ca.*
- ## Nebriitae.
- ### Nebriini.
- #### Nebria.
- Latreille.*
- complanata L. *Ga.E.m.*
 livida L. *E.md.b.*
 v. lateralis F.

- psammodes* Rossi *G. Ga.*
- v. *Schreibersi* Dej. *I.*
- rubicunda* Quens. *III.*
- Heldreichi* Schaum *Gr.*
- Genei* Gené. *S.*
- Volxemi* Putz. *Lu.*
- picicornis* Fabr. *E. md.*
- v. *luteipes* Chd. *Ca.*
- cursor* Müll. *E.*
- rufigeze*
- brevicollis* Fabr.
- v. *salina* Fairm.
- v. *iberica* Paulino *Lu.*
- v. *Tamsii* Mannh. *R. m.*
- andalusica* Ramb. *II.*
- v. *barbara* Chd. *Si.*
- v. *sicula* Chd. *[Hi.]*
- v. *degenerata* Schauf.
- Jockischii* Sturm *Mt. E.*
- v. *nigricornis* Villa.
Höpfneri Heer.
Parreyssi Chd.
- parallelopipeda* Mot. *Ca.*
- Mnisczechi* Chd. *Ca.*
- nigerrima* Chd. *Ca.*
- Heegeri Dej. *Hu.*
- Gyllenhali* Schh. *E. md. b.*
- v. *subacuminata* Chd. *II.*
- v. *arctica* Dej.
- v. *Balbii* Bon.
- v. *Besseri* Fisch. *L.*
- hyperborea* Gyll.
- nivalis* Payk. *E. b.*
- Heydeni* Dej. *Gr.*
- Kratteri* Dej. *I.*
- violacea* Costa.
- Dahli* Duftschm. *A. m.*
- v. *Bonellii* Dej. *I.*
- patruelis* Chd. *Ca.*
- v. *Motschulskyi* Chd.
- sobrina* Schauf. *III. occ.*
- punctatostriata* Schfs. *Lu.*
- Geraldesi Paulino
- turcica* Chd. *T.*
- exarata* Fisch. *R. m.*
- tibialis* Bon. *I.*
- fulviventris* Bassi *I.*
- leistoides* Heer *H.*
- Orsinii* Villa. *C. I.*
- Lareyniei* Fairm.
- rubripes* Serv. *Ga. m.*
- Olivieri Dej. *P.*
- Reichi Dej. *Tr.*
- v. *Fussi* Bielz
- chilensis* Friv. *Balk.*
- rivosa* Mill. *Tr.*

- fasciatopunctata* Mill. *St.*
- laticollis* Dej. *Al.*
- crenatostrigata* Bassi *MR.*
- Lafrenayeii* Serv. *P.*
- gagates* Bon. *I.*
- Foudrasii Dej. *Ga. m.*
- Pazi* Seidlitz *III.*
- Hellwigii* Panz. *Al.*
- v. *carpathica* Bielz *Tr.*
- v. *stigmula* Dej. *St.*
- Lariollei* Germiny *P.*
- Vuillefroyi* Chd. *III.*
- pedemontana* Vuillefr. *Al.*
- Dejeani (Ziegli.) Dej. *St.*
- transsylvania* Germ. *Tr.*
- v. *femoralis* Chd.
- caucasica* Mén. *Ca.*
- v. *tenella* Mot.
- castanea* Bon. *Al.*
- v. *lugdunensis* Chd. *Ga.*
- v. *ferruginea* Bon. *Pe.*
- v. *picea* Dej. *II.*
- v. *brunnea* Duftschm. *Al.*
- v. *atrata* Dej. *St.*
- v. *planiuscula* Chd. *MR.*
- v. *depressa* Heer. *II.*
- angusticollis* Bon. *I.*
- Schlegelmilchi* Ad. *R. m.*
- intricata Dej. *Ca.*
- Fischeri* Fald. *Ca.*
- verticalis Fisch.
- oblonga* Motsch. *Ca.*
- elongata* Fisch. *Ca.*
- Solskyi* Chd. *Ca.*
- Bonelli* Adams *Ca.*
- Marschallii Dej.
- v. *cechenoides* Rtr.
- Gaugeri* Chd. *R.*
- rufomarginata* Fisch. *Ca.*
- hybrida* Rottb. *T.*
- Germari* Heer *H.*
- cordicollis Chd.
- v. *Escheri* Heer *MR.*
- Villae Dej.
- angustata* Dej. *Al.*
- Chevrieri* Heer *H.*
- Bremii Germ. *H.*
- tatrica Miller. *Cp.*
- longicornis* Motsch. *Ca.*
- baltica Motsch. *R. b.*
- taygetana Rottb. *Gr.*

Pelophila

Dejean.

- borealis Payk. *E. b.*
- v. *arctica* Dej.

Leistus

Frölich.

- spinibarbis* Fabr. *E.*
- coeruleus Latr.
- parvicollis* Chd. *Gr.*
- magnicollis* Motsch. *Gr.*
- megaloderus Chd.
- expansus* Putz. *Lu.*
- montanus Steph. *E.*
- v. *rhaeticus* Heer *II.*
- v. *puncticeps* Fairm. *P.*
- v. *rufipes* Chd. *T. D.*
- fulvibarbis* Dej. *E.*
- v. *fulvus* Chd. *Ca.*
- Koziorowiczi Brül. *S.*
- crenatus Fairm. *Si.*
- Revelierei Muls. *C. Si.*
- nitidus Duftsch. *P. Al. Tr.*
- v. *gracilis* Fuss *Tr.*
- ovipennis Chd. *Al. MC.*
- femoralis Chd. *Ca.*
- rufomarginatus* Dft. *E. md.*
- ferrugineus* Linn. *E.*
- spinalbris Panz.
- testaceus Fröl.
- caucasicus Chd. *T. o. Balk.*
- pyrenaicus* Kraatz *P.*
- rufescens* Fabr. *E. md.*
- terminatus Panz.
- piceus Fröl. *E. md.*
- Frölichi Duft.
- analisis Dej.
- alpicola Fuss *Tr.*
- Barnevillae Chd. *Hi. b.*
- angusticollis* Dej. *Hi. b.*
- oopterus Chd. *Hi. b.*
- constrictus Schauf. *Hi. b.*
- angulatus Brül. *Hi. c.*

Notiophilini.

Notiophilus

Duméril.

- aquaticus* Linn. *E.*
- laticollis* Chd. *R. m.*
- rufipes* Curt. *A. P. Lu.*
- palustris* Duft. *E.*
- v. *Germinyi* Fauv. *P.*
- strigifrons Baudi *P.*
- biguttatus* Fabr. *E.*
- v. *semipunctatus* Fabr.
- quadripunctatus* Dj. *E. oc.*
- metallicus Costa
- substriatus Waterh. *Br.*

punctulatus Wsm. *Ga.*
puncticollis Küst. *A.*
subopacus Chd. *Ca.*
lateralis Mot. *Ca.*
geminatus Dej. *Ga. I.*
v. marginatus Gen. *S. Lu.*

Omophronitae.

Omophron

Latreille.

limbatus Fabr. *E.*
variegatus Dej. *Hi.*
rotundatus Chd. *Ca.*

Bembidiitae.

Elaphrini.

Blethisa

Bonelli.

Eschscholtzi Zoubk. *R.m.*
foveata Gebl.
multipunctata L. *E.md.m.*

Diachila

Mot.
arctica Gyll. *L.*
polita Fald. *F.*

Elaphrus

Fabricius.

uliginosus Fabr. *E.*
v. pyrenaeus Mtch. *i.t.*
cupreus Duftschm. *E.*
v. arcticus Dej.
angustus Chd. *R.m.*
baschkyrius Mtch. *U.*
lapponicus Gyll. *L.*
Ulrichi Redt. *A.G.*
riparius Linn. *E.*
aureus Müll. *E.*
littoralis Dej.

Trachypachini.

Trachypachys

Chaudoir.

Zetterstedti Gyll. *L.*

Bembidiini.

Tachypus

Lacordaire.

pictus Kolen. *Ca.*
Kolenatii Chd. *Ca.*

caraboides Schrank *Ga.G*
picipes Duft. *Hi.Hi.*
v. nebulosus Rossi *I.*
v. nigripes Mot. *Ca.*
Rossii Schaum *Gr.*
splendidus Heyd. *Hi.b.*
pallipes Duftschm. *E.md.*
cyanicornis Pand. *P.*
flavipes Linn. *E.*
curtus Heyd. *P.*
festivus Duv. *C.*
Stierlini Heyd. *Si.*
angulicollis Strl.

Cillenus

Samouelle.

Cillenum Curtis.

lateralis Sam. *Br.*
Leachi Dej. *Ga.b.*

Bembidion

Latreille.

Bracteon Bedel.
littorale Oliv. *E.md.Su.*
paludosum Panz.
velox L. *E.md.b.*
impressum Panz.
lapponicum Thoms. *L.*
argenteolum Ahr. *G.Ga.*
v. azureum Gebl.
striatum F. *E.md.*
suturale Mot. *Ca.*
foraminosum Stm. *G.Ga.*
volgense Becker *R.m.*

Notaphus Steph.

(Princidium Mot.)

punctatum Drap. *E.*
striatum Serv.
aerosum Er.
v. Dufouri Perris *Hi.Lu.*
ruficolle Panz. *G.Su.R.*

(Testedium Mot.)

bipunctatum L. *E.*
v. niveale Heer *Hi./Gr.*
v. 4-fossulatum Schm.
v. rugiceps Chd. *Ca.*
v. caueasicum Mot. *Ca.*
v. binotatum Mot. *Ca.*
v. glabrieolle Mot. *Ca.*
v. gracile Ramb. *Hi.m.*
laevifrons Schfs.
flavoposticatum Duv. *Hi.*
excellens Rosh. *m.*
laetum Brill. *Hi.Gr.*

(Actedium Mot.)
pallidipenne Ill. *E.b.*
Andreae Dej.
Küsteri Schaum *Hi.C.S.*
Paulinoi Heyd. *Lu.*
*

Starki Schaum *Al.G.m.*
dentellum Thnbg. *E.*
flammulatum Clairy.
varium Oliv. *E.*
adustum Schaum *E.md.m*
fumigatum Dej.
serotinum Hochh. *R.*
obliquum Stm. *E.md.b.*
ephippium Marsh. *E.md.*
pallidipenne Dej. *m.*

(Plataphus Mot.)
altaicum Gebl. *E.*
cyprium Mot.
cypripenne Gemm.
depressum Mén. *R.*
prasimum Dft. *G.*
olivaceum Gyll.
Eichhoffi Bach
v. Kolstroemi Sahlb. *E.*
virens Gyll. *Su.H.*
Pfeiffi Sahlb. *F.*
Hasti Sahlb. *L.F.*
Felmanni Mhm. *L.*
v. ponojense J.Sahlb. *F.*
Gotschi Chd. *Ca.*
combustum Mén. *R.m.*
lividipenne Mén. *Ca.*
castaneipenne Duv. *T.*
fasciatum Chd. *Ca.*

Eudromus Kirby.
laticolle Dft. *G.Br.R.*
apicale Mén. *Ca.*
*

inserticeps Chd. *R.m.Gr.*

Campa Mot.
bisuleatum Chd. *R.m.*
contaminatum J.Sahlb. *F.*
Clarki Daws. *Br.Ga.b.*
fumigatum Dft. *E.md.*
guttulatum Chd. *R.m.*
Bembidion Latr. Bed.
(Metallina Mot.)
lampros Hbst. *E.*
velox E.
v. 14-striatum Thoms.
Sahlbergi Dej. *F.L.*

- brunnipes Sahlb.
 aereum Duv.
 v. pyrenaeum Dej.
 v. rhaeticum Heer
 v. glaciale Heer *H.*
 v. substriatum Chd. *Ca.*
 caucasicum Mot.
 Grapei Gyll. *E.b.*
 v. ? agile Duv. *E.m.C.*
 hypocrita Dej. *P.*
 fastidiosum Duv. *H.D.*
 distans Rosh.
 v. maritimum Küst. *D.*
 guadarramense Gaut. *Hi.*
 angusticollis Mot. *R.m.*
 corpulentum Mot. *Ca.*
 nigricorne Gyll. *Su. Belg.*
 (*Chlorodium* Mot.)
 splendidum Stm. *G.A.*
 venustum Dej. *Tr.L.*
 colchicum Chd. *Ca.oc.*
 (Neja Mot.)
 pygmaeum F. *E.md.*
 chaleopterum Dej.
 v. bilunulatum Bielz *Tr.*
 ambiguum Dej. *Hi.*
 bifoveolatum Ramb.
 v. curtulum Duv. *T.Gr.*
 rugicolle Rche.
 (Talanes Mot.)
 aspericollis Grm. *G.Ga.R.*
 lepidum Dej.
 subfasciatum Chd. *R.m.*
 (Emphanes Mot.)
 normannum Dej. *Ga.oc.*
 v. rivulare Dej. *E.m.*
 v. latiplaga Chd. *E.m.*
 minimum F. *E.*
 pusillum Gyll.
 *
 tenellum Er. *E.*
 gilvipes Strm. *E.*
 Mannerheimi Dej.
 Kollarji Dej.
 Schüppeli Dej. *G.Br.*
 Sahlbergi Zett. *E.b.*
 Chaudoiri Chd. *F.R.m.*
 (Trepanes Mot.)
 maeoticum Kolen. *R.m.*
 articulatum Panz. *E.*
 4-plagiatum Mot. *R.m.*
 Doris Panz. *E.md.b.*
- S-maculatum Goeze *E.*
 Sturmii Panz. *md.m.*
 (Lopha Steph.)
 humerale Sturm *E.md.b.*
 pulchrum Gyll.
 4-maculatum L. *E.*
 formosum Sahlb. *F.*
 coarctatum Sahlb. *F.*
 4-pustulatum Serv. *E.*
 laterale Dej. *Br.Ga.Hi.*
 callosum Küst. *S.*
 v. semipunctatum Grill.
 v. tetrasenum Chd. *Ca.*
 ibericum Pioch. *Hi.*
 4-guttatum F. *E.*
 v. 4-plagiatum Küst. *D.*
 v. Genei Küst. *S.*
 v. speculare Küst. *Hi.S.*
 tetragramnum Chd.
 v. glabrum Mot. *U.*
 (Nephra Mot.)
 Menetriesi Kolen. *R.m.Ca.*
 v. turicum Gemm. *T.*
 versicolor Duv. non L.
 (Synechostictus Mot.)
 Dahli Dej. *E.m.*
 elongatum Dej. *G.E.m.*
 v. Nordmanni Chd. *Ca.*
 puncticollis Dufour
 decoratum Duft. *A.*
 albipes Sturm *G.m.*
 crenatum Dej. *St.*
 cardionotum Putz. *Tr.*
 transylvanicum Blz. *Tr.*
 cribrum Duv. *Ga.Si.*
 ruficorne Strm. *A.Tr.*
 brunnipes Dej.
 v. Millerianum Heyd. *Tr.*
 basale Mill.
 stomoides Dej. *Br.P.A.*
 heterocerum Thms. *S.*
 basale Mot. *Ca.*
 Periphus Steph.
 modestum F. *Mt.E.md.*
 fulvipes Strm. *Mt.E.md.*
 distinctum Dej.
 decorum Panz. *E.md.m.*
 grandipenne Schaum *Gr.*
 praestutum Duv. *Si.*
 nitidulum Marsh. *E.*
 rufipes Gyll.
 brunnipes St.
 deletum Serv.
 v. alpinum Dej. *Al.P.*
- geniculatum Heer
 v. brunnincorne Dj. *D.Gr.*
 v. Milleri Duv. *A.*
 lateritium Mill.
 v. luridum Fald. *Ca.*
 v. affine Steph. *Br.*
 v. cordicolle Duv. *T.*
 v. monticola Sturm *Mt.*
 fuscicornis Dej. *E.md.*
 siculum Dej. *S.Gr.*
 v. Lafertei Duv. *St.*
 v. praestutum Dej. *Ga.A.*
 v. luridipes Gaut. *C.*
 dalmatinum Schaum *D.*
 fasciolatum Dft. *E.md.*
 v. coeruleum Serv. *E.m.*
 tibiale Dft. *E.md.m.*
 v. complanatum Heer
 affine Redtb.
 v. conforme Dej. *Ga.APe*
 planipenne Duv. *T.*
 atrocoeruleum Stph. *Ga.*
 cyanescens Wesm. *Br.*
 cumatile Schioedt. *G.*
 peliopterum Chd. *Ca.*
 tricolor F. *Mt.E.md.*
 Erichsoni Duv.
 eques Sturm *A.Ga.Hi.b.*
 v. bulsanense Gredl. *Ti.*
 nobile Rottbg. *Si.*
 ripicola Dufour *P.H.*
 scapulare Dej.
 tricolor Duv.
 testaceum Dft. *E.md.m.*
 obsoletum Dej.
 v. oblongum Dej.
 dimidiatum Mén.
 v. parallelipene Chd.
 saxatile Gyll. *E.md.b.*
 v. elegans Steph. *F.Br.*
 Andreae F. *E.m.*
 cruciatum Dej.
 v. distinguendum Duv.
 v. xanthomum Chd. *R.m.*
 Chaudoiri Mot.
 femoratum Strm. *E.med.*
 anglicanum Sharp *Br.*
 repandum J. Sahlb. *F.*
 rupestre L. *E.md.b.*
 bruxellense Wesm.
 femoratum Gyll.
 ustulatum L. *E.*
 littoralis Oliv.
 rupestre F.
 Andreae Er.
 dorsuarium Bedel *Br.G.*

concinnum Putz. *Belg.*
concinnum Steph. *Br.*
fluvatile Dej. *E. md. m.*
persicum Men. *Ca.*
lusitanicum Putz. *Lu.*
hispanicum Dej. *Hi.*
dromioides Duv. *Si.*
lunatum Dft. *E. oc.*
ustum Quens. *R. m.*
signatipenne Duv. *T.*
bisignatum Mén. *Tr. Ca.*
terminale Heer *H.*
Limnaeum Steph.
nigropiceum Marsh. *BrG*
sulcatum Chd. *Cri.*
Abeillei Bedel *Ga. m.*

inustum Duv. *Ga. H. Pe.*
Biasioli Gredl. *Ti.*
longicolle Mot. *Ca.*

Philoctthus Steph.
obtusum Serv. *E.*
v. rectangulum Duv. *Si.*
toletanum Perris *Hi. nd.*
Mannerheimi Sahlb. *E. b.*
haemorrhoum Steph.
unicolor Chd. *R.*
iricolor Bedel *Ga. C.*
guttula F. *E.*
bisignatum Serv.
bipustulatum Rdtb.
vicinum Luc. *Hi. S. T.*
aeneum Germ. *E. oc. b. Br.*
lunulatum Fourer. *E.*
riparium Oliv.
guttula Redtb.
biguttatum F. Redtb. *E.*
vulneratum Dej.
inoptatum Schaum
crassicornis Putz. *Ast.*

Ocys Steph.
harpaloides Serv. *E. md. m.*
rufescens Guér.
melanocephalum St.
5-striatum Gyll. *E. md. b.*
pumilio Dft.
v. subtile Schaum *Gr.*

Tachys

Stephens.

bisulcatus Nicol. *E.*
Focki Humm.
latipennis Sturm

silaceus Dej.
globulus Dej. *Hi. Si.*
haemorrhoidalis Dej. *E. m.*
v. socius Schaum *C.*
corsicus Gaut.
sexstriatus Duft. *A.*
angustatus Dej. *E. m.*
v. quadrisignatus Dft.
v. diabracrys Kolen.
v. apristoides Rottbg. *Si.*
erux Putz. *Tr.*
Lucasi Duval *Hi.*
guttiger Reiche
parvulus Dej. *Ga. G. E. m.*
pulicarius Dej.
subfasciatus Mot. *Ga. m.*
andalusicus Mot. *Hi. m.*

Tachyta Kirby.
nanus Gyll. *E.*
quadrifasciatus Ill.

algoricus Lucas. *Si.*
cardioderus Chd. *Ca.*
dilatatus Rottb.
insularis Ragusa *I.*
brevicornis Chd. *Pe.*
bistriatus Duft. *E. md. m.*
v. elongatus Dej.
v. rufulus Rey *Ga. m.*
gregarius Chaud. *E. m.*
v. luridus Rey *Ga. m.*
nigrifrons Fauv. *Ga.*
pallidus Chaud. *Ca.*
testaceus Motsch. *R. occ.*
pygmaeus Fisch.
scutellaris Stph. *E. md. m.*

v. dimidiatus Mot. *Hi.*
bipartitus Duv. *S.*
fulvicollis Dj. *Ga. D. R. m.*
sulcifrons Chaud.
rubicundus Chd. *R. m.*
vittatus Motsch. *R. m. U.*

Perileptus

Schaum.

(*Blemus* Lap. *Bed.*)
areolatus Creutz. *E. md. m.*
v. niger Heyd. *Ast.*

Aëpus

Samouelle.

marinus Stroem. *Br. Ga.*
fulvescens Sam. *Dan.*
Robini Laboulb. *Br. Ga.*

Typhlocharis

Dieck.

Diecki Ehlers *Hi. md.*
baeticus Ehlers *Hi. m.*

Arillus

Duval.

coecus Duv. *Ga. m.*
Mayeti Bris. *Ga. m.*
hypogaeus Aubé *Ga. m.*
convexus Sauley *Ga. m.*
florentinus Dieck. *I. md.*
corsicus Perris *C.*
frater Aubé *Ga.*

Geocharis

Ehlers.

cordubensis Dieck *Hi. m.*
?quadricollis Ehl. *I. md.*

Dicrapterus

Ehlers.

brevipennis Friv. *Hu.*

Scotodipnus

Schaum.

Saulcyi Dieck *I. b.*
glaber Baudi *I. b.*
subalpinus Baudi *Al. lep.*
hirtus Dieck *Pe.*
affinis Baudi *I. b.*
v. ovalipennis Baudi *Pe.*
alpinus Baudi *Pe.*

Microtyphlus

Linder.

Pandellei Saulcy *P.*
taurinensis Baudi. *Al.*
guadarramus Ehlers *Hi.*
Schaumi Saulcy *Ga. m.*
Revelierei Perris *Co.*
Baudii Saulcy *S.*
Aubei Saulcy *Ga. m.*
perpusillus Rottbg. *Gr.*

Perigona

Wollaston.

fimicola Woll. *Hi. m. oc.*

Trechus

Clairville.

discus F. *E. md. b.*
micros Hbst. *E. md.*
v. quadricollis Putz. *R.*

Thalassophilus Woll.	v. assimilis Heer	Fairmairei Pand.
longicornis Strm.	macrocephalus Heer	Al. mar.
littoralis Dej.	laevipennis Heer	amplicollis Fairm.
Blemus Steph.	v. angustatus Hamp.	Ju.
rubens F.	v. Pertyi Heer	plicatus Mill.
paludosus Gyll.	Heeri Tourn.	Tr.
pallidus Strm.	Pandellei Krtz.	sculptus Schaum
*	Schaumi Pand.	Siles.
galloprovincialis Abille.	limacodes Dej.	4-maculatus Mot.
Raymondi Pand.	alpicola Sturm	Ca.
fulvas Dej	lithophilus Putz.	subnotatus Dej.
Lu. Hi.	croaticus Dej.	v. pallidipeonis Schin.
v. Perezi Crotchi	subcordatus Chaud.	Diecki Putz.
Hi. md.	rotundipennis Duft.	Hi. m.
Iapidous Daws.	rotundatus Dej.	binotatus Putz.
Br.	marginalis Schaum	austriacus Dej.
cephalotes Putz.	pinguis Kiesw.	platypterus Strm.
P.	distigma Kiesw.	G.
fulvus Fairm.	striatulus Putz.	rivularis Gyll.
Delhermi Saulcy Ga. m.	modestus Putz.	incilis Daws.
aveyronensis Fauv.	montanellus Gemm.	nigrienus Putz.
Ga.	montanus Putz.	Br.
microphthalmus Mill.	splendens Gemm.	v. maurus Putz.
Cp.	micans Schaum.	Car. Cr.
spelaeus Reitt.	cavernicola Friv.	rufulus Dej.
ruthenus Rtr.	latus Putz.	Chaudoiri Levrat
Cp.	constrictus Schaum	St. planipennis Rosh.
microphthalmus Rtr.	exaratus Schaum	Barnevillei Pand.
diaphanus Rottb.	Grenieri Pand.	quadristriatus Schrnk.
Gr.	banaticus Dej.	E.
procerus Putz.	Dejeani Putz.	minutus Fabr.
Tr.	elongatus Putz.	rubens Dej.
corpulentus Weise	sinuatus Schaum	politus Falb.
Tr.	piceiventris Pand.	amaurocephalus Kol.
subterraneus Mill.	Pandellei Putz.	piceiventris Grills.
Cp. Tr.	Aubei Pand.	v. rufulus Mot.
Longhii Comoll.	Putzeysi Pand.	v. obtusus Er.
Al.	caucasicus Chaud.	castanopterus Heer
baldensis Putz.	Bonvouloiri Pand.	vicinus Putz.
MB.	Pyrenaeus Dej.	Ca. oc.
artemisiae Putz.	Abeillei Pand.	Epaphius Redtb.
Pe.	latebricola Kiesw.	secalis Payk.
strigipennis Kiesw.	Delarouzei Pand.	E. md. b.
MR.	suratalis Putz.	testaceus F.
Beusti Schfs.	infuscatus Chd.	planiusculus Costa.
Hi. b.	maculicornis Chaud.	Anophthalmus Strm.
complanatus Putz.	nivicola Chaud.	Milleri Friv.
Hi. m.	liopleurus Chd.	Bielzi Seidl.
ochreatus Dej.	nemorum Baudi.	pilosellus Mill.
St.	gravidus Putz.	swaneticus Rtr.
Milleri Redt.	longobardus Putz.	nakeralae Rtr.
saxicola Putz.	regularis Putz.	Budae Kenderesy
Hi. b.	palpalis Dej.	balcanicus Friv.
Uhagoni Crotch	testaceus Duft.	Redtenbacheri Friv.
Hi.	v. ? cardioderus Putz.	paroecus Friv.
navaricus Vuillefr.	Tr.	Merkli Friv.
P.		cognatus Friv.
elegans Putz.		Hegedusi Friv.
St. Cr.		turcicus Friv.
ovatus Putz.		Eurydice Schfs.
St. Al.		Reitteri Mill.
macilentus Harold		acherontius Schfs.
pallescens Redt.		Erichsoni Schfs.
ochreatus Redt.		Krüperi Schaum
Lederi Putz.		Doriae Fairm.
Ca.		liguricus Dieck
Brucki Fairm.		
P.		
oblongus Schaum		
politus Fairm.		
Schaufussi Putz.		
Lu.		
eximus Putz.		
St.		
mutatus Bedel.		
P.		
Kiesenwetteri Pand.		
angusticollis Kies.		
P.		
distinctus Fairm.		
P.		
glacialis Heer		
Al.		
patruelis Putz.		
pieceus Putz.		
v. profundestriatus Ihr.		

Picciolii Bedel.	I.
Brucki Picc.	
Ghilianii Fairm.	MV.
Carantii Sella	Pe.
delphinensis Ablle.	Ga.m.
Auberti Gren.	Ga.m.
v. Magdalenae Ab.	
Simoni Ablle.	Ga.
Mayeti Ablle.	Ga.
Clairi Ablle.	Pe.
Raymondi Delar.	Ga.m.
lantosquensis Ablle.	Pe.
Lespesi Fairm.	Ga.
orcinus Linder	P.
Trophonius Ablle.	P.
Orpheus Dieck	P.
v. consorranus Dieck	P.
Discontignyi Fairm.	P.
?siculus Baudi.	Si.
dalmatinus Mill.	Da.
suturalis Schfs.	Mont.
gallicus Delar.	P.
Rhadamanthus Lind.	P.
Gounellei Bed.	Ga.
bucephalus Dieck	P.
amabilis Schfs.	D.
Bilimeki Sturm.	Car.
v. robustus Mot.	
v. oblongicollis Jos.	
oszailensis Bedel	Cro.
croaticus Hampe	
v. ovatus Hampe	
Ilacquetti Strm.	Car.
v. oblongus Mot.	
likanensis Schfs.	Cro.
v. vexator Schfs.	
Kiesenwetteri Schm.	Cro.
v. rectangularis Schfs.	
Schmidti Sturm	Car.
v. Motschulskyi Schmd.	
v. cordicollis Mot.	
v. trechoides Mot.	
globulipennis Schmd	Car
Schaumi Schmidt.	Car.
v. planipennis Jos.	
Targionii Torre	I.b.
Scopolii Sturm	Car.
hirtus Sturm	Car.
♂ costulatus Mot.	
longicornis Mot.	
♂ dilucidus Schaum	
v. rostratus Mot.	
v. convexus Jos.	
v. spectabilis Jos.	
♀ opacus Schmidt	
pubens Bedel	Car.

pubescens Jos.	
v. amplus Jos.	
capillatus Jos.	Car.
Minos Linder	P.
Ehlersi Ablle.	P.
Brisouti Ablle.	P.
Chaudoiri Bris.	

Aphaenops Bonvoul.	
Tiresias Pioch.	Ga.m.
Pluto Dieck	Ga.m.
Cerberus Dieck	Ga.m.
v. Charon Dieck	
inaequalis Ablle.	
Aeacus Sauley	P.
crypticola Linder	P.
Leschenaulti Bonvrl.	P.
Pandellei Linder	P.

Patrobus*Stephens.*

excavatus Payk.	E.md.b.
rufipes Gyll.	
♀ Napoleonis Reiche	
v. assimilis Chaud.	F.
clavipes Thoms.	Su.
campestris Motsch.	
styriacus Chaud.	St.
quadricollis Mill.	Tr.
septentrionalis Dej.	E.md.b.
picicornis Zett.	

v. hyperboreus Dej.	
alpinus Curtis	
v. lapponicus Chaud.	L.
v. rubripennis Thoms.	
v. serenus Gredl.	F.Ti.
v. australis J. Sahlb.	F.

Penetretus*Motschulsky.*

rufipennis Dej.	P.
nebrioides Vuillefr.	Hi.b.

Deltomerus*Motschulsky.*

punctatissimus Fairm.	Hi
elougatus Dej.	Ca.
triseriatus Putz.	Ca.
dubius Chd.	Ca.
Raddei Putz.	Ca.
fulvipes Motsch.	Ca.
elegans Chaud.	Ca.
taticius Mill.	Cp.
validus Chd.	Ca.
carpathicus Mill.	Tr.

Nomius*Laporte.*

pygmaeus Dej.	Ga.
graceus Lap.	

Pogonus*Dejean.*

pallidipennis Dej.	Hi.
maculipennis Dej.	
luridipennis Germ.	E.md.
Burelli Curtis	
flavipeuuis Dej.	I.Hi.
iridipennis Nicol.	E.md.
fulvipennis Dej.	
littoralis Duft.	Br.E.m.
chalceus Marsh.	E.
halophilus Nicol.	
v. oceanicus Dej.	Ga.b.
v. viridanus Dej.	Hi.
smaragdinus Waltl.	Hi.
viridimicans Fairm.	
riparius Dej.	A.E.m.
orientalis Dej.	R.m.
punctulatus Dej.	Gr.R.
meridionalis Dej.	Hi.
atrocyanus Dieck.	Hi.m.
gilvipes Dej.	Ga.II.
v. apicalis Küst.	Lu.S.
reticulatus Schaum	Gr.

Pagonistes*Chaudoir.*

gracilis Dej.	E.m.
rufo-aeneus Dej.	U.
testaceus Dej.	Ga.m.
cordicollis Motsch.	R.m.
convexicollis Chd.	
depressus Motsch.	R.m.

Syrdenus*Chaudoir.*

filiformis Dej.	S.
Grayi Woll.	Lu.

*fulvus Baudi***Cardiaderus***Dejean.*

chloroticus Fisch.	R.m.
--------------------	------

Broscini.**Broscus***Panzer.*

cephalotes Linu.	E.ud.
vulgaris Dej.	

v. semistriatus Fisch. R.
politus Dej. Si.
nobilis Dej. T. R. m.
insularis Pioch. Bal.

Miscodera

Eschscholtz.

Leiochiton Curt.

arctica Payk. Alp. E. b.
Readi Curt. Sc.

Broscosoma

Putzeys.

baldense Putz. MB.

Scaritiae.

Clivinini.

Clivina

Latreille.

fossor L. E.
v. prolixa Kiesw. Gr.
v. ovipennis Chd. Ca.
collaris Ilbst. E.
ypsilon Dej. Hi. R. m.
sicula Baudi Si.
laevifrons Chd. Gr.
lernaea Schaum
transcaucasica Putz. Ca.

Spelaeodytes

Müller.

mirabilis Mill. Herzeg.

Dyschirius

Bonelli.

Reicheia Sauley.
lucifugus Sauley P.C.
Uslaubi Sauley I.
Raymondi Putz. S.
palustris Sauley I.
praecox Schaum Si.
frondicola Reitt. Da.
mirabilis Putz. Sley.
Baudii Ragusa Si.

Dyschirius Putz.

microphthalmus Leyd. Lu
rotundipennis Chd. At.
rufipes Dej. E. md.
Tournieri Putz. Ju.
globosus Herbst E.
gibbus Fabr.
minimus Ahr.

v. ruficollis Kolen. Ca.
v. laevicollis Ahr. R.
v. maritimus Boh. F.
fulvipes (Dej.) Putz. E. m.
rufoaeneus Chd. Si.

aemulus Putz.

importunus Schaum Gr.

v. immarginatus Putz.

Bonellii Putz. A. f. Hi. m.

semistriatus Dej. E. md. m.

gracilis Heer

Lafertei Putz.

v. dimidiatus Chd. Ca.

laeviusculus Putz. G. Ga.

liguriensis Putz. I.

ruficornis Putz. G. I. Ca.

salinus Schaum E.

punctipennis Putz.

striatopunctatus Ptz.

cylindricus Dej. E. m.

protensus Putz. Ga.

macroderus Chd. E. m.

pusillus Dej. R. m.

v. clypeatus Putz. Si.

v. bacillus Schaum. Gr.

v. naus Putz. R. m.

angustatus Ahr. E. md. m.

pusillus Steph.

jejonus Daws.

uliginosus Putz. G.

substriatus Dft. E. md. m.

bimaculatus Bon.

bipunctatus Grimmér

extensus Putz. G. Br. R.

elongatus Daws.

strumosus Putz. A. Gr. R.

chaleucus Er. E. md. m.

nitidus Schioedt.

oblongus Putz.

impunctipennis Daws.

inermis Daws. Br. G.

arenosus Putz. Ga.

laevistriatus Fairm.

lapponicus Thms. Su.

? fulvipes Steph. Br.

ovipennis Putz. R.

nitidus Dej. E.

inermis Putz.

politus Dej. E. md. b.

crenulatus Putz. R.

intermedius Putz. E. md.

sylvaticus Thms. E. b.

angustipennis Mill. D.

digitatus Dej. E. md.

thoracicus Rossi E. md. b.

arenosus Steph.

v. riparius Mhm. R. b.

septentrionis Mot.

v. rugicollis Fairm. Ga.

v. nunidicus Putz. Si.

v. humeratus Chd. R. m.

obscurus Gyll. E. md. b.

latipennis Seidl. Tr.

hemicoleus Chd. Ca.

abbreviatus Chd.

punctatus Dej. Hi.

impressus Putz. Lu.

aeneus Dej. E.

ruthenus Mot.

borealis Mhm.

subcylindricus Mot.

v. hispanus Putz. Hi.

v. apicalis Putz. E. m.

v. remotepunctatus Ptz.

v. chalybaeus Putz. Ga.

minutus Dej. Putz. Hi. I.

misellus Schaum Pe.

recurvus Putz. R. m.

luteola Chd. R. m. II.

? rufilabris Mot. Hu.

? tanaicensis Mot. R. m.

Scarites

Fabricius.

buparius Forst. E. m.

gigas F.

Pyraemon Bon.

Polypheus Bon. Hi. m.

eyclops Crotch

bucida Pall. R. m.

salinus Pall. R. m.

sabuleti Fisch.

saxicola Bon. Hi. m.

hespericus Dej.

collinus Ramb.

eurytus Fisch. R. m. Ca.

impressicollis Zoubk. R.

parallelogrammus Mt.

Motschulskyi Chd.

Adialampus

Gozis.

laevigatus F. E. m.

v. hispanus Mot. Hi.

v. tauricus Chd. Cri.

v. thelonensis Bon. I.

arenarius Bon. E. m.

v. terricola Bon.

v. volgensis Stev. R. m.

Taeniolobus Chaud.

planus Bon. E. m.

Siagonitae.

Siagona

Latreille.

- europaea Dej. E.m.
- v. Oberleitueri Dej. Gr.
- rufipes F. Hi.
- Jenissoni Dej. Hi.
- Dejeani Ramb. Hi.

Morio

Latreille.

- olympicus Redtb. Tenos.
- caucasicus Mot. Ca.

Loroceritae.

Lorocera

Latreille.

- pilicornis F. E.md.b.

Harpalitae.

Panagaeini.

Panagaeus

Latreille.

- crux major L. E.
- v. Putzeysi Borre Belg.
- v. trimaculatus Dej. E.
- bipustulatus F. E.
- 4-pustulatus Sturm.

Oodini.

Oodes

Bonelli.

- helopiooides F. E.
- parallelus Mot. Ca.
- gracilis Villa. E.md.m.
- similis Chd.
- gracilior Fairm. [Hi.]
- ? parallelogrammus M.

- Lonchosternus Laf.
- hispanicus Dej. Hi.

Chlaeniini.

Callistus

Bonelli.

- lunatus Fabr. E.md.m.
- v. gratiosus Chd. Lu.Ca.

Chlaenius

Bonelli.

- Epomis Bon.
- circumscriptus Duft. E.m.
- einctus Rossi
- Dejeani (Sol.) Dej. Gr.
- velutinus Duftschm. E.m.
- v. auricollis Gené Si.
- v. Borgiae Dej. Si.
- festivus Panz. E.m.
- v. Fischeri Kryn. R.m.
- ♀ tenuistriatus Kryn.
- spoliatus Rossi. A.E.m.
- variegatus Fourer. E.oec.
- agrorum Oliv.
- marginatus Fairm.
- viridipunctatus Goeze E.
- vestitus Payk.
- v. distinctus Chaud. Lu.
- v. Oreteus Ragusa Si.
- flavipes Méneutr. D.Ca.
- exutus Friv.
- Steveni Quensel R.m.
- cyaneus Brull. Hi.m.
- azureus Dej.
- macrocerus Chaud.
- Favieri Lue.
- Gotschi Chaud. Ca.
- coeruleus Stev. Ca.
- virens Ramb. Hi.
- coelestinus Chaud.
- infantulus Chd. Hi.
- aeneocephalus Dej. Gr.
- v. gracilis Dej. R.m.
- chrysocephalus Rossi. I.
- v. distinguendus Chd. H.
- chrysothorax Kryn. Ca.
- nitens Fald.
- nitidulus Schrank E.md.
- Schranki Duft.
- v. tibialis Dej. E.md.
- v. uliginosus Hochh. R.
- nigricornis F. E.md.
- v. melanocornis Dej.
- v. Wesmaeli Borre Belg.
- v. fuscitarsis Schm. Gr.
- v. cupreomicans Letzn.
- aureosus Tor.
- v. aeruginosus Tor.
- coxalis Fisch. Ca.
- terminatus Dej. R.m.
- gratiosus Chd.
- tristis Schaller E.
- holosericeus F.

fulgidicollis Duf. P.

nigripes Dej.

galaceianus Chd. Galaec.

baeticus Ramb. Hi.m.

pretiosus Rosi.

dives Dej. Hi.md.

Seoanei Fairm. Hi.b.

proximus Martinez. Hi.m.

sulcicollis Payk. E.md.b.

caelatus Weber G.b.Su.

quadrisuleatus Ill. G.R.

Dinodes Bon.

azureus Dft. E.md.

rufipes Dej.

v. laticollis Chd. Cri.

Karelini Chd. Ca.

cruralis Fisch. R.m.

angusticollis Chd.

v. Maillei Dej. Gr.

delicatulus Laf.

viridis Mén. Ca.

Atranus

Leconte.

- collaris Men. Ga.m.Ca.
- ruficollis Gaut. Ca.

Licinini.

Licinus

Latreille.

- agricola Oliv. E.m.
- granulatus Dej. E.oc.Hi.
- silphoides F.(non Rs.)
- v. brevicollis Dej. I.
- v. siculus Dej. Si.
- dalmatinus Chd. D.
- peltoides Dej. Hi.
- aequatus Serv. Lu.P.
- angustus Chevr. Gal.
- cassideus F. E.md.
- v. latus Dej. I.
- Dohrni Fairm. T.
- depressus Payk. E.md.
- v. helveticus Heer H.
- oblongus Dej. Ga.alp.

Oreeciuss

Bedel.

- Hoffmannseggii Panz. Al.
- v. nebrioides Panz. Car.

Derostichus

Motschulsky.

- caucasicus Mot. Ca.

Badister

Clairville.

- unipustulatus Bon. *E.m.*
- cephalotes Dej.
- v. teutonoides Borre *Blg*
- bipustulatus Fabr. *E.*
- v. lacertosus Sturm
- v. binotatus Fisch. *R.m.*
- v. suturalis Steph. *Br.*
- v. aneora Mén. *Ca.*
- sodalis Duf. *E.md.*
- humeralis Bon.
- v. dorsiger Duf.
- xanthomus Chaud.
- peltatus Panz. *E.*
- dilatatus Chaud.
- corruseus Fisch.
- anomalus Perris
- v. maeoticus Kol. *Ca.*

Rembus

Latreille.

- aegyptiacus Dej. *And.*

Amblystomus

Erichson.

- mauritanicus Dej. *I.Hi.m.*
- Solskyi Rche.
- v. ruficornis Sehfs. *Si.*
- metallescens Dej. *G.Ga.*
- dilatatus Chd. *Bal.*
- maioricensis Sehfs.
- niger Heer *H.E.m.*
- metallescens Sehfs.
- ?macedo Sehfs. *T.*
- Raymondi Gaut. *Ga.m.*
- sardous Baudi *S.*
- escorialensis Gaut. *Hi.md*

Harpalini.

Ditomus

Bonelli.

Aristus Latr.

- capito Serv. *Ga.m. Hi.I.*
- v. Haagi Heyd. *Lu.*
- v. obseuroides Paulino
- obseurus Dej. *Gr.T.R.m.*
- clypeatus Rossi *Ga. Hi.I.*
- suleatus F.
- eremita Dej. *R.m.*
- nitidulus Dej.
- sphaerocephalus Ol. *Ga.D.*
- trogositoides Duf. *Hi.*

Sabienus

Gozis.

- Odontoceras Sol.
 - cephalotes Dej. *Hi.*
 - robustus Dej. *T.Gr.*
 - cordatus Dej. *Hi.Si.*
 - distinctus Dej.
 - baeticus Ramb. *Hi.m.*
 - v. sierranus Heyd.
- Sabienus i. sp.**
- calydonius Rossi. *E.m.*
 - dama Germ. *D.*
 - trieuspispatus Fabr. *E.m.*
 - cornutus Dej.
 - calydonius Germ.
 - ♀ longicornis F.

- Carterus Dej.
- interceptus Dej. *Hi.Lu.*
- rufipes Luc.
- dama Rossi. *E.m.*
- ♂ siagonoides Brull.
- Lefebvrei Brull. *Gr.*
- v. gilvipes Piochard *Si.*
- fulvipes Latr. *E.m.*
- Leachi Steph. *Br.Ga.*
- pilosus Dej.
- rotundicollis Ramb. *E.m.*
- ♀ affinis Ramb.
- dilaticollis Luc.
- rufipes Chaud. *T.*
- angustipennis Chd. *Cri.*
- microcephalus Ramb. *Hi.*
- gracilis Ramb. *Hi.*
- ruficornis Luc.

Eriotomus

Piochard.

- tomentosus Dej. *Hi.m.*
- villosulus Reiche *Hi.*
- ruhens Fairm. *Si.*
- caueasicus Dej. *Cri.Ca.*

Pachycarus

Solier.

- aculeatus Reiche *Gr.*
- atrococerulus Waltl *Gr.*
- cyanescens Chd.
- Chaudoiri Reiche.
- coeruleus Brull. *Gr.*

Penthus

Chaudoir.

- tenebrioides Waltl *Gr.*

Apotomus

Dejean.

- rufus Rossi. *E.m.*
- rufithorax Peccioli *I.*
- testaceus Dej. *R.m.*

Anisodactylus

Dejean.

- heros Fabr. *Hi.Si.*
- v. Dejeani Buquet *S.*
- signatus Ill. *E.md.*
- binotatus Fabr. *E.*
- v. atricornis Steph.
- v. spurcaticornis Dej.
- nemorivagus Duf. *E.*
- gilvipes Dej.

- Dichirus Mannerh.
- poeciloides Steph. *Br.Ga.*
- virens Dej. *G.Hi.I.*
- pseudoaeneus Dj. *Ga.G.R.*
- intermedius Dej. *Ga.I.Gr.*

Diachromus

Erichson.

- germanus Linn. *E.md.m.*

Seybalicus

Schaum.

- Apitelus Schaum.
- oblongiusculus Dj. *Ga.Hi.*
- Rayei Linder *Hu.*
- planiusculus Krtz. *G.*
- Zakharshevskyi Chd.
- cordicollis Serv. *Ga.Gr.R.*
- ditomoides Dej.

Gynandro-morphus

Dejean.

- etruscus Quens. *E.m.*
- Rossii Pouza. *I.*

Ophonus

Stephens.

- sabulincola Panz. *E.md.m.*
- v. columbinus Germ.
- coelestinus Motsch. *R.m.*
- obscurus Fabr. *Ga.G.*
- monticola Dej. *E.m.*
- Steveni Dej. *R.m.*
- diffinis Dej. *A.Ga.E.m.*
- v. rotundicollis Frn. *Ga.*
- obscurus Sturm. *G.Br.*

v. discicollis Waltl *Hi.*
quadricollis Dej. *Ga. Hi. I.*
laminatus Fairm.
incisus Dej. *E. m.*
longicollis Chd.
Canii Fairm. *H. md. or.*
punctatulus Duft. *E. md.*
v. laticollis Mnnh. *MR.*
obsenripes Motsch. *R. m.*
azureus Fabr. *E. md. m.*
chlorophanus Panz.
v. similis Dej. *E. m.*
v. minimus Motsch. *R. m.*
v. coeruleipennis Mén.
v. ruficerus Mén. *Co.*
v. cribicollis Dej. *Ga. A.*
crassiusculus Frm.
convexicollis Mén.
annulatus Chd. *R. m.*
Fauveli Mathan
violaceus Reiche *Si.*
episcopalalis Reiche
meridionalis Dej. *E. m.*
subquadratus Dej.
v. cordicollis Dej. *R. m.*
cephalotes Fairm. *Ga.*
longicollis Ramb. *Hi. m.*
aterrimus Heyd. *Ast.*
distinctus Ramb. *Hi. m.*
punilio Dej. *Si.*
rotundatus Dej. *D.*
cordatus Duft. *E. md.*
rupicola Sturm *E. md. m.*
subcordatus Dej.
rectangulus Thoms. *Su.*
puncticollis Pk. *Su. E. md.*
v. parallelus Dej. *Ga. Hi.*
Melleti Heer *A. H.*
brevicollis Serv. *E. md. Hi.*
? rufibarbis Fabr. *Su.*
cribellus Steph.
maculicornis Duft. *Ga. A.*
v. complanatus Dej. *H.*
signaticornis Duft. *E. md.*
Janus Fairm.
hirsutulus Dej. *Ga. Hi. R.*
planicollis Dej. *Ga. Hi.*
v. fallax Peyron. *T.*
v. laeviceps Mén. *Ca.*
v. hispanus Ramb. *Hi. m.*
v. suturalis Chd. *R. m.*
acutipennis Küst. *D.*
pubipennis Küst. *D.*
mendax Rossi. *E. m.*
fulvipennis Serv.
zigzag Costa. *Calab.*

Pseudophonus

Motschulsky.

hospes Sturm. *A. Tr. Ca.*
v. Sturmi Dej.
Gaudionis Reiche *T.*
v. italus Schaum *I.*
v. terrestris Motsch. *R.*
v. tauricus Motsch. *R. m.*
pubescens Müller *E.*
ruficornis Fabr.
griseus Panz. *E.*
Reichei Desbr.

Platus

Motschulsky.

(Pardileus Gozis.)
calceatus Duft. *E. md. m.*

Artabas

Gozis.

dispar Dej. *E. m. Ca.*
punctatostriatus Dej. *E. m.*
v. siculus Dej. *Si.*
agonoderus Putz. *Ca.*

Harpalus

Latreille.

punctipennis Mls. *Al. mar.*
anthracinus Fairm.
Mulsanti Mars.
rufus Brüggem. *E. md.*
ferrugineus Fabr.
fulvus Dej. *Ga. Hi.*
atratus Latr. *E. md.*
Hottentotta Duft. *E. m.*
v. subsinuatus Duft.
laevicollis Duft. *mt. E. md.*
v. satyrus Sturm
v. nitens Heer
aeneipeennis Fald. *Ca.*
punctatipennis Ramb. *Hi.*
rufitarsis Dft. *E. md. m.*
honestus Dft.
ignavus Dft.
cuniculinus Dft.
rufipalpis Stm.
v. decipiens Dej. *Hi.*
v. impressipennis Dej.
rufitarsis Rmb.
v. Ramburi Rosh. *Hi.*
Bellieri Reiche. *C.*
sardeus Dej. *S.*
sulphuripes Grm. *Ga. A. D.*
Goudoti Dej. *E. m.*
consentaneus Dj. *E. md. m.*

? attenuatus Sph.
intermedius Desbr.
maxillosus Dej.
sarmaticus Motsch. *R. m.*
pygmaeus Dej. *Ga. D.*
seriatus Chaud. *Cri.*
virescens Fald. *Ca.*
pharisaeus Reiche *Gr.*
v. polyglyptus Schaum.
microthorax Mot. *Hi. m.*
Perezi Vuillefr.
hespericus Rosh. *Hi.*
lateralis Dej. *Hi.*
oblitus Dej. *Hi.*
patruelis Dej. *Ga. m.*
incertus Dej. *D. I.*
fastiditus Dej. *Hi.*
diversus Dej. *D.*
minutus Dej. *Hi.*
contemptus Dej. *Lu.*
distinguendus Dft. *E.*
? psittacus Fourer.
v. saxicola Dej. *R. m.*
bosphoranus Rehe.
angulatus Putz. *Ca.*
aeneus F. *E.*
v. confusus Dej.
v. interstitialis Gredl. *Ti.*
v. elegans Prell. (imm.)
v. melas Tor. *G. A.*
v. semipunctatus Dj. *Hi.*
limbopunctatus Fuss.
circumpunctatus Chd. *Ca.*
subsimilis Chd.
plexus Mén.
splendens Gebl. *R. Ca.*
metallinus Mén. *T.*
bifoveolatus Küst. *Mont.*
cupreus Dej. *E. m.*
fastuosus Fald.
v. euchlorus Mén. *T.*
cupreus Chd.
v. quadratus Chd. *Ca.*
smaragdinus Dft. *E.*
discoideus Er. (non F.)
compressus Mot. *R. m.*
rubripes Dft. *E.*
amoenus Heer
v. marginellus Dej. *St.*
v. sobrinus Dej. *G. Al. P.*
alpestris Heer
♀ truncatus Rosh.
latus L. *E. md. b.*
fulvipes F.
limbatis Dft.
rugulosus Heer

v. erythrocephalus F.
v. metallescens Rye Br.
nigritarsis Sahlb. L.F.
luteicornis Dft. E.m.d.b.
4-punctatus Dej. A.G.R.
seriopunctatus Gyll.
fuliginosus Dft. Al.
solitaris Dej. E.b.
Chevrieri Heer
neglectus Serv. E.
tenebrosus Dej. Br. Ga.
Solieri Dej. A.E.m.
Wollastonii Daws.
Bonvouloiri Vuillfr. H.h.
litigious Dej. E.m.
melancholicus Dej G.Ga.
ineditus Dej. I.Gr.
v. decolor Fairm. R.
v. fulvus Dej. H.m.
littoralis Ramb.
v. ovalis Rehe. C.
amplicollis Mén. R.m.
rufimanus Marsh. E.
tardus Er. (collect.)
v. angustior J. Sahlb. F.
flavicornis Dej. D.Cro.
coracinus Stm. Ill.Ti.
pastus Mén. R.or.
tardus Panz. E.md.
Frölicheri Stm. (collect.)
segnis Dej.
serripes Quens. E.md.
convexus Fairm.
helopioides Fald. Ca.
convexus Fald. Ca.
faber Mén. Ca.
politus Dej. G.
taciturnus Dej. D.
taphrioides Mot. R.m.
hirtipes Panz. E.or.
salinus Dej. R.m.
cardioderus Putz. H.b.
zabroides Dej. Ga. Ca. R.m.
Lycaon Linder. Hu.
dimidiatus Rossi E.m.d.m
caspicus Stev.
semiviolaceus Dej.
depressus Dft.
melampus Dft.
hypocrita Dej.
grandicollis Rehe.
autumnalis Dft. G.Ga.A.
impiger Duft.
servus Dft. E.md.Su.
v. ovatus Chd. R.m.
bucculentus Krtz.

reflexus Putz. Ca.
obtusicollis Putz. Ca.
anxius Dft. E.
subcylindricus Dej.
v. pumilus Dej.
v. calathoides Mot. R.m.
v. amariformis Mot. R.m.
v. kirghisicus Mot. R.m.
evanellus Krtz.
fuscipalpis Stm. G.A.R.m
v. subvirens Chd. Ca.
v. castilianus Vuillfr. H.i.
borystheneus Krynn. R.m.
obtusus Gebl.
rotundicollis Kolen. R.m.
nigripennis Mot.
modestus Dej. Hu. II.
flavitarsis Dej. G.Ga.
piceenisis Dft. E.md.
vernalis F.
Pangus
Schaum.
scaritides Stm Ga.A.Gr.
v. Steveni Chd. Cri.
brachypus Stev. R.m.
robustus Fald. Ca.
Daptus
Fischer.
vittatus Fisch. E.m.
vittiger Germ.
labiatus Motsch. H.i.
v. Komineeki Bielz Tr.
Acinopus
Dejean.
Osimus Motsch.
ammophilus Dej. R.m.
grandis Fald.
spinipes Fisch. R.m.
giganteus Dej. H.m.
*
subquadratus Brull. Gr.
quadricollis Sol. I.Si.
ambiguus Dej. Si.
picipes Oliv. E.m.
tenebrioides Dft.
megacephalus Ill.
laevigatus Mén. Ca.
minutus Brull. Gr.
elypeatus Fisch. R.m.
rufitarsis Fisch. R.m.
brevicollis Baudi Si.

elongatus Luc. Si.
cylindraceus Fairm.
pilipes Pioch. Balear.
megacephalus Rossi. I.Hi.
bucephalus Dej. Ga.
sabulosus Sturm. Si.

Bradyceillus

Erichson.

Dichirotrichus Duv.
pubescens Payk. E.md.
v. ustulatus Gebl. R.m.
rufithorax Sahlb. G.b.F.
ponojensis J. Sahlb. F.
obsoletus Dej. E.m.
v. dorsalis Dej.
v. lacustris Redteub. A.
v. pallidus Dej. Ga. H.i.
v. desertus Motsch. R.m.
v. chloroticus Dej. Si.
praeustus Dieck H.i.
barbarus Leder

*
discicollis Dej. R.m.
Godarti Jacquet Ga.m.
Deutschi Sahlb. F.G.
cognatus Gyll. Br.Su.
placidus Gyll. E.md.b.
lusitanicus Dej. H.i. Si.
distinctus Dej. Br. Bely.
cordicollis Wesm. Ga.

Bradyceillus in sp.
verbasci Dft. Br. Ga.
rufulus Dej. G.Si.Gr.
harpalinus Serv. E.md.
fulvus Fairm.
collaris Payk. G.Ga.Br.Su.
v. caucasicus Chd. Ca.
similis Dej. E.md.b.
circuminctus Sahlb.

Stenolophus

Lotreille.

teutonus Schrank E.
vaporariorum F.
v. hirticornis Krynn. R.m.
v. abdominalis Gené Si.
Skrimshiranus Steph. E.
melanocephalus Heer
v. affinis Bach G.
discolor Fald. Ca.
discophorus Fisch. Ga A.
v. Paulinoi Heyd. Lu.
nigricollis Paulino

- Steveni Kryn. *R.m.*
nigricollis Bielz *Tr.*
morio Mén. *Ca.*
proximus Dej. *E.m.*
mixtus Hbst. *E.*
vespertinus Panz.
humeralis Muls.
v. Ziegleri Panz.
flavineculus Mot. *Hu.*
Egadroma Mot.
marginatus Dej. *E.m.*
Manicellus Mot.
elegans Dej. *E.md.m.*
v. ephippium Dej.
Chevrolati Gaubil *Ga.m.*
Acupalpus Latr.
flavicollis Stm. *E.md.m.*
nigriceps Dej.
dorsalis F. *E.*
Gyllenhali Thoms.
v. derelictus Daws. *Br.*
v. salinus Baudi *S.*
v. vittatus Heyd. *Hi.m.*
? vittatus Graëlls
cantabricus Pioch.
notatus Muls. *Ga.S.Bal.*
brunnipes Stm. *E.md.m.*
atratus Dej.
suturalis Dej. *Ga.A.Tr.R.*
exiguus Dej. *E.*
v. luteatus Dft. *E.*
luridus Er.
v. pumilio Schaum *Gr.*
meridianus L. *E.*
picus Rottbg. *Si.*
pallipes Dej. *A.D.*
planicollis Schaum *Gr.*
luridus Dej. nec Er.
corsicus Perris *C.*
longicornis Schaum *Gr.*
alpicola Mén. *Ca.*
flaviceps Mot. *U.*
Anthracus Mot.
consputus Dft. *E.*
cordicollis Chd. *Cri.*
transversalis Schaum *Gr.*
lemovicensis Bleuse *Go.*
- Zabrinae.
- Zabrus
- Clairville.
- obesus Serv. *P.*
marginicollis Dej. *Hi.*
- gravis Dej. *Hi.*
silphoides Dej. *Hi.b.*
asturiensis Heyd. *Hi.b.*
crepidoderus Schm. *Hi.m.*
rotundicollis Ramb.
ambiguus Ramb. *Hi.m.*
rotundatus Ramb. *Hi.m.*
curtus Serv. *P.*
♀ curtoidea Chd.
♀ pyrenaeus Fairm.
consanguineus Chevr. *Hi.b.*
Theveneti Chevr. *Hi.m.*
Castro Martinez *Hi.md.*
notabilis Martin. *Hi.b.*
neglectus Schaum *Hi.*
inflatus Dej. *Ga.m.*
angustatus Ramb. *Hi.m.*
constrictus Grills. *Hi.md.*
flavangulus Chevr. *Hi.b.*
silphoides Zimm. *Lu.*
pinguis Dej. *Lu.*
Seidlitz Schaum *Hi.*
estrellanus Heyd. *Lu.*
incrassatus Germ. *D.*
graecus Dej. *Gr.*
puncticollis Brll.
v. intermedius Zimm.
v. convexus Zimm.
v. striatocollis Gaut.
v. subtilis Schaum
validus Schaum *Gr.*
robustus Zimm. *Gr.*
Fontenayi Dej.
punctiventris Schm. *Gr.*
seriatoporus Schaum *Ca.*
femoratus Dej. *Gr.*
tumidus Rehe. *Gr.*
reflexus Schaum *Gr.*
brevicollis Schaum *Gr.*
rufipalpis Schaum *Gr.*
actolus Schaum *Gr.*
gibbosus Mén. *Ca.*
cognatus Chd. *Ca.*
tenebrioides Goeze *E.*
gibbus F.
v. elongatus Mén. *Ca.*
v. longulus Rehe. *Gr.*
piger Dej. *E.m.*
Orsinii Dej. *I.*
Trinii Fisch. *Ca.*
caucasicus Zimm.
- Pelor Bon.
- blaptoides Creutz. *E.or.*
Steveni Fisch.
v. tauricus Chd. *Cri.*
- v. rugosus Mén. *Ca.*
foveolatus Schaum *Ca.oc.*
Entroctes Zimm.
chaleucus Fald. *U.Ca.*
v. lugubris Fald. *Ca.*
heros Fald. *Ca.*
aurichalceus Ad. *Ca.*
v. punctipeennis Chd.
v. moestus Küst.
aciculatus Schaum *Ca.*
laevigatus Chd.
punctipennis Chd. *Ca.oc.*
moestus Küst.
- Acorius Zimm.
metallescens Dej. *S.Si.*
Ghilianii Baudi *Hi.m.*
- Pterostichini.**
- Amara**
- Bonelli.
- Triaena Leconte.
fulvipes Serv. *E.m.*
striatopunctata Dej.
valida Fairm. *Ga.*
refulgens Rehe. *Si.*
rufipes Dej. *Ga.P.E.m.*
Chaudoiri Hochh. *R.m.*
amabilis Hampe *Tr.*
erythrocnemis Zimm. *Gr.*
floralis Gaub. *Ga.m.*
concinna Zimm. *Ga.*
lepidia Zimm. *G.*
tricuspidata Dej. *E.md.*
v. lepidula Letzn. *G.*
noctivaga Hochh. *R.*
strenua Zimm. *Br.Ga.G.*
plebeja Gyll. *E.md.*
varicolor Heer
lapidicola Heer
littorea Thoms. *Su.*
cyanocnemis Thoms. *Su.*
curvierus Thoms. *Su.R.b.*
- Amara in sp.
similata Gyll. *E.md.b.*
obsoleta Dft.
depressa Letzn.
saphyrea Dej. *Hu.*
ovata Fabr. *E.*
obsoleta Dej.
v. bicolor Kolenat. *R.m.*
v. adamantina Kol. *R.m.*
palustris Baudi *S.*
montivaga Sturm *E.md.b.*

- nitida Sturm. *E. md. b.*
communis Panz. *E. md. b.*
v. aenea Heer *H.*
v. atrata Heer *P.*
v. alpicola Heer *Al. L.*
convexior Steph. *Br. G.*
continua Thoms. *Su.*
nigricornis Thoms. *Su.*
Schimperi Wenck. *Alsat.*
depressa Zimm. *G.*
lunicollis Schdt. *E. md. b.*
vulgaris Panz.
poeciloides Heer
v. assimilis Chd. *R.*
curta Dej. *E.*
brunnicornis Heer *H.*
ovalis Muls. *Ga.*
aenea Degeer *E.*
trivialis Gyll.
spreta Dej. *E. md. b.*
famelica Zimm. *G. Br. R.*
contrusa Schioedt. *Su.*
eurynota Panz. *E. m.*
acuminata Payk.
v. vulgaris Dej. *St.*
exsculpta Hausm. *Ti.*
familiaris Duft. *E.*
perplexa Dej.
anthobia Villa *I.*
lucida Duft. *E.*
gemina Zimm.
tibialis Payk. *E. md.*
agilis Rylands *Br.*
Dalei Ryl. *Br.*
puncticollis Ryl. *Br.*
Celia Zimm.
ingenua Duft. *E.*
v. ruficornis Dej. *Hi.*
rufo-aenea Dej. *Hi.*
complanata Dej. *D.*
fusca Dej. *Hi. I. Ga. G. R.*
Schneideri Putz. *Ca.*
cursitans Zimm. *G. Ga. R.*
♀ fuscieornis Zimm.
v. properans Zimm.
Ougsburgeri Heer *H.*
ambulans Zimm. *R.*
municipalis Dft. *E.*
modesta Dej.
melancholica Schdt.
obsecuricornis Mot.
erratica Dft. *E.*
punctulata Dej.
graculus Heer
- interstitialis Dej. *R. b.*
v. puncticollis J. Sahlb.
misella Mill. *Tr.*
Quenseli Schh. *E. b.*
monticola Zimm. *Al.*
antennata Rosh.
despecta Sahlb.
Solieri Putz. *P.*
sylvicola Zimm. *E. md. b.*
maritima Schioedt.
tescicola Zimm.
rufoaenea Fald. *Ca.*
saxicola Zimm. *Ca.*
propinqua Mén.
livida F. *E.*
bifrons Gyll.
rufoocineta Sahlb.
praetermissa Sahlb. *E. md.*
rufoocineta Dej. *b.*
grandicollis Zimm.
subelongata Mot. *Hi. m.*
infima Dft. *E. md.*
granaria Dej.
*
nitidiuscula Putz. *Hi. md.*
Acrodon Zimm.
brunnea Gyll. *E. md. b.*
v. lapponica Sahlb.
Sahlbergi Zett.
indivisa Putz. *Bely.*
viridescens Reitt. *Ca.*
Leiocnemis Zimm.
daghestanica Chd. *Ca.*
crenata Dej. *G. Ga. R. m.*
sabulosa Serv. *G. Ga. Gr.*
planiuscula Rosh. *Ti.*
polita Chd.
Barnevillae Fairm. *Ga*
dalnatina Dej. *E. m.*
dichroa Putz.
cardionota Putz. *Ca.*
atrovirescens Putz. *Hi.*
eximia Dej. *Ga. Hi.*
diversa Putz. *D.*
glabrata Dej. *Ga. Hi.*
brevis Dej. *Hi. m.*
rotundata Dej.
corpulenta Putz.
arcuata Putz.
gravidula Rosh. *Hi. m.*
testudinea Putz.
rotundicollis Schf. *Hi. md.*
cordicollis Zimm. *Ca.*
ooptera Putz. *Hi. md.*
- affinis Dej. *Hi. md.*
Perezi Putz.
simplex Dej. *Hi.*
arenaria Putz. *Hi. md.*
montana Dej. *Ga. Hi.*
corsica Rche. *S.*
meridionalis Putz. *Ga. m.*
subdepressa Putz. *Ca.*
planipennis Putz. *Ca.*
Leirides Putz.
alpestris Villa *P.*
helopioïdes Heer
latiuscula Chd. *St.*
nobilis Dft. *Al.*
spectabilis Schaum *Car.*
montana Chd. *Or.*
cardui Dej. *P.*
puncticollis Dej. *P.*
pyrenaea Dej. *P.*
cuniculina Dej. *St.*
alpicola Dej. *Al.*
frigida Putz. *Ga. m.*
calathoides Putz. *Ca.*
- Cytonotus Steph.
aulica Panz. *E. md. b.*
picea F.
spinipes auct. non L.
v. caucasica Mot. *Ca.*
Gebleri Dej. *R. m.*
uralensis Mot. *U.*
picea Mot. *R. m.*
convexuscula Mrsh. *E. m.*
Helleri Gredl. *Ti.*
castanea Putz. *R. m.*
propinqua Mén. *Ca.*
deserta Kryn. *R. m.*
volgensis Chd.
cribricollis Chd. *Cri.*
torrida Ill. *L. F.*
alpina F. *E. b.*
cognata Putz. *Norv.*
Amathitis Zimm.
rufescens Dej. *Hi.*
aegyptiaca Zimm.
Bradytus Zimm.
consularis Dft. *E. md. b.*
nigra Chd.
patrata Schioedte
fulva Degeer *E. md. b.*
ferruginea Payk.
iridipennis Heer
apricaria Payk. *E.*
Petri Humm.

v. convexilabris Schdt.			Paykulli Rossi	I.
v. majuscula Chd. <i>Ca.</i>			Dejeani Dej.	I.
abdominalis Chd. <i>Ca.</i>			siculus Dej.	Si.
parvicollis Gebl. <i>U.</i>			♀ lacertosus Dej.	
Percosia Zimm.			operosus Chaud.	C.
Cervini Strl. <i>MR.</i>			Oberleitneri Dej.	I.
equestris Dft. <i>E. md. b.</i>			v. angustiformis Sol. <i>S.</i>	
patricia Dft.			v. strictus Dej. <i>Gr.</i>	
v. zabroides Dej.			stultus Dufour <i>Hi.</i>	
v. dilatata Heer			patruelis Dufour <i>Ga. Hi.</i>	
sicula Dej. <i>Si.</i>			navaricus Dej. <i>Hi. or.</i>	
pastica Dej. <i>R. m.</i>			politus Dej. <i>Hi.</i>	
bullata Mars. <i>R. m.</i>			Vandalitiae Reiche	
Myas			Guiraoi Perez <i>Hi.</i>	
<i>Dejean.</i>			ovatus Mot. <i>S.</i>	
chalybaeus Palliardi <i>Hu.</i>			oblongus Mot. <i>C.</i>	
rugosicollis Brull. <i>Gr.</i>				
Abax				
<i>Bonelli.</i>				
continuus Chd. <i>Pe.</i>			Calopterus	
striola Fabr. <i>E. / Pe.</i>			<i>Chaudoir.</i>	
v. parallelopedius Dej.			<i>Aëlio Gozis.</i>	
v. subpunctatus Dj. <i>Hu.</i>			Prevosti Dej. <i>H. Ju.</i>	
sexualis Fairm. <i>Catal.</i>			Selmanni Sturm	
pyrenaeus Dej. <i>P.</i>			v. Duvali Dej.	
grandicollis Fairm.			Selmanni Duft. <i>Al. or.</i>	
exaratus Dej. <i>Pe.</i>			v. juvenilis Schaum	
oblongus Dej. <i>I.</i>			fossulatus Schh. <i>A. Cp.</i>	
carinatus Duft. <i>A. G.</i>			v. Klugi Dej. <i>Tr.</i>	
v. porcatus Duft. <i>St.</i>				
v. latus Dej. <i>Tr.</i>			Pterostichus	
ovalis Duft. <i>E. md.</i>			<i>Bonelli.</i>	
parallelus Duft. <i>E. md.</i>			Cosciniopterus Chd.	
contractus Heer <i>H. Ped.</i>			Justusi Redtenb. <i>Al. or.</i>	
curtulus Fairm. <i>I.</i>			Welensi Drap. <i>Car.</i>	
Beckenhaupti Dft. <i>Cr. Car.</i>			v. variolatus Dej. <i>St.</i>	
Schueppeli Palliardi <i>Tr.</i>			impressus Fairm. <i>Pe.</i>	
Rendschmidtii Germ. <i>Cp.</i>				
Tanythrix			<i>Bryabius</i> Chd.	
<i>Schaum.</i>			Durati Villa <i>I.</i>	
edura Dej. <i>Ti.</i>			Xatarti Dej. <i>P. Al.</i>	
♀ corpulenta Chd. <i>I.</i>			dubius Heer <i>H.</i>	
marginepunctata Dej.			Jurinei Panz. <i>Al.</i>	
senilis Schaum <i>MR.</i>			v. Zahlbruckneri Heer	
Heydeni Hopffgrt. <i>Tr.</i>			v. Heydeni Heer <i>Tr.</i>	
Stenochoromus			v. Sacheri Friv. <i>Hu.</i>	
<i>Miller.</i>			bicolor Heer <i>Al. mar.</i>	
montenegrinus Mill. <i>Mont.</i>				
Lianoë			<i>Psychobius</i> Chd.	
<i>Gozis.</i>			Spinolae Dej. <i>Al.</i>	
Dufouri Dej. <i>P.</i>			v. flavofemoratus Dej.	
♀ Boisgiraudi Duf.				
			<i>Oreophilus</i> Chd.	
			maurus Duftsch. <i>A. H. St.</i>	
			v. madidus Sturm	
			Escheri Heer <i>H. Pe.</i>	
			validiusculus Chd. <i>H. Pe.</i>	

- biseriatus Schaum
Baudii Chaud. *Al. mar.*
parallelipennis Chd. *Al.*
Peirolier Heer *Pe.*
? planiusculus Chd.
parnassius Schaum *T. I.*
v. distinctus Chd. *Pe.*
Yvani Dej. *Al.*
v. transversus Chd. *Pe.*
multipunctatus Dej. *Al.*
v. purpuratus Heer
v. erythropus Villa *Pv.*
v. nobilis Strl. *MR.*
v. (nigr.) Spinolae Heer
lineatopunctatus Miller
Ziegleri Duft. *Cr.*
Mühlfeldi Duft. *St. Cr.*
brachymorpha Chd.

* transversalis Duft. *Al.*
italicus Chd. *Pe.*
dissimilis Villa *I.*
aterrimus Küst.

Cheporus Latr.
metallicus F. *E. md.*
v. Burmeisteri Heer *II.*
v. Baldensis Schm. *MB.*
ignitus Kraatz. *T.*
Pterostichus in sp.

* melas Creutz. *G. Ga. J. R.*
fornicatus Kolen.
v. incommodus Schm. *Al.*
v. hungaricus Dj. *Tr. Hu.*
transsylvaniaicus Chd.
v. depressus Dej. *Hu.*
turcicus Mén. *T.*

* micans Heer *Pe.*
eristatus Dufour *E. occ.*
parumpunctatus Gm.
v. cantabricus Schfs. *Hi.*
Lasserrei Fairm. *Ga.*
v. pyrenaeus Chd. *P.*
platypterus Fairm. *P. I.*
phaeopus Chd. *I. b.*
picipes Chd.
femoratus Dej. *Ga. or.*
rufipes Dej. ex. p.
v. eanticulus Chd. *Ga.*
vagepunctatus Heer *Al. I.*
impressicollis Frm. *Pe.*
rutilans Dej. *Pe.*
v. auratus Heer *II.*
- Araehnoidius Chd.
fasciatopunctatus Crtz.
Paulinoi Vuillefr. *Lu. f Al.*
Volxeni Putz. *Lu.*
Cantaber Chd. *Hi. b.*
appendiculatus Gaut.
vectoricus Perez *Hi. md.*
Brucki Schaum *Tr.*
Hagenbach St. *Ga. I.*
alpicola Muls. *Ju.*
Honorati Dej. *Ga. m.*
v. rufipes Dej. ex. p.
Sellae Strl. *Al. mar.*
dux Schauf. *Hi. b.*
truncatus Dej. *Ga. I. b.*
v. dilatatus Villa

* nodicornis Fairm. *Ga. m.*
microphthalmus Delar. *P.*
divarius Putz. *Hi. b.*
Merkli Friv. *Balk.*

* Tieffenbach St. Schaum *Gr.*
Platypterus Chd.
Panzeri Panz. *Al.*
v. rugulosus Heer *II.*
v. Illeeri Heer *Ti.*
v. intermedius Heer *II.*
externepunctatus Dj. *Pe.*
pinguis Dej. *Pe.*
v. flavofemoratus Bon.
cibratus Dej. *Pe.*

Lyperopherus Mot.
vermiculosus Mén. *R. b.*
Middendorffii J. Sahlb. *R. b.*
- Petrophilus Chd.
Kokeili Mill. *Tr.*
Findeli Dej. *Hu. Tr.*
foveolatus Dft. *G. Hu. Tr.*
latibulus Sturm
v. interruptestriatus
* [Bielz] *Cp.*
- seriepunctatus Chd. *Ca.*
Tamsi Dej. *Ca.*
caueasicus Mén. *Ca.*
inapertus Fald. *Ca.*
Stierlini Gaut. (Abax) *Ca.*
arator Fald. *Ca.*
armenus Chd. *Ca.*
incultus Krtz. *Bulg.*
confusus Chd. *Ca.*
- Myosodus Fisch.
obscurus Dej. *Ca.*
swaneticus Reitt. *Ca.*
obtusangulus Reitt. *Ca.*
variabilis Mén. *Ca.*
rudestriatus Reitt. *Ca.*
regularis Fisch.
v. ordinatus Fisch.

Glyptopterus Chd.
lacunosus Chd. *Ca.*
intricatus Mot.
Schönherrii Fald. *Ca.*

— Platysma Bon.
oblongopunctatus F. *E.*
vitreus Dej. *E. b.*
borealis Zett.
orinomus Steph.
areticus Reiche
angustatus Duft. *E. md.*

Lyperosomus Mot.
aterrimus Payk. *E. md. b.*
elongatus Duft. *A. R.*
v. meridionalis Dej. *Ga.*
nigerrimus Dej. *Ga. m. Hi.*
attenuatus Chevr.

Styracoderus Perez.
atramentarius Rosh. *Hi.*
Azarae Perez *Hi. md.*
Martinezii Vuillefr. *H. md.*
- Steropus Steph.
madidus Fabr. *E. md. m.*
v. concinnus Stm.
v. amplicollis Fairm. *Gu.*
v. validus Dej. *Ga. m.*
globosus Fabr. *Hi.*
v. gagatinus Germ. *Lu.*
v. ebenus Quens. *Hi.*
Hoffmannseggii Dj. *Lu.*
arrogans Duft.
Lacordairei Putz. *Hi. b.*
Gallega Fairm.
Ghilianii Putz. (Corax) *Hi.*
aethiops Panz. *E. md. b.*
rufitarsis Dej. *G. Tr.*
v. cordatus Letzner
convexus Chd. *Hu.*
v. tenuimarginatus Chd.
insidiator Pioch. *Hi. md.*
Illigeri Panz. *A. St.*
bispinosus Gaut. *P.*
creticus Friv. *Gr.*
Zebei Schaum

cophosiooides Dej. *Hu.*
 cylindricus Hbst. *Hu.*
 v. magnus Dej. *D.*
 v. filiformis Dej. *Hu.*
 Mannerheimi Dej. *U.*
 aeneus Mot. *U.*

Melanius Bon.
 niger Schaller *E.*
 v. distinguendus Heer
 v. brevicornis Gaut. *Ca.*
 v. subcordatus Chd. *Ca.*
 brevipennis Chevr. *Lu.b.*
 Susae Vuillefr.
 vulgaris Linn. *E.*
 melanarius Ill.
 leucophthalmus Fabr.
 ater Sahlb.
 v. nigerrimus Sturm

v. pennatus Dej.
 v. lyperoides Gaut. *Ga.*
 v. cribicollis Motsch. *R.*
 crassipes Ménétr. *Ca.*
 kasbekianus Kolen. *Ca.*
 cardioderus Chd. *Ca.*
 Baeri Mot. *Pol.*
 nigritus Fabr. *E.*
 v. excavatus Boudier
 v. rhaeticus Heer *Al.*
 v. rufifemoratus Steph.

anthracinus Ill. *E.*
 v. depressiusculus Chd.
 v. biimpressus Küst. *D.*
 gracilis Dej. *E. md. b.*
 Güntheri Sturm
 rufimanus Chd. *Ga. Ca.*
 alpicola Chd. *Ga. R.m.*
 minor Gyll. *E. md. b.*
 piceolus Chd. *R.m.*
 uralensis Motsch. *U.*

Argutor Steph.
 interstinctus Strm. *Ga. G.*
 eruditus Dej. *R.*
 ovoideus Sturm
 quadraticollis Chd. *Ca.*
 strenuus Panz. *E. md. b.*

erythropus Marsh.
 pygmaeus Sturm
 v. difficilis Chd.
 Wasastjernae J. Sahlb. *F.*
 diligens Sturm *E. md.*
 pullus Gyll.
 strenuus Er.
 politus Heer
 ? maeoticus Motsch.
 borellus J. Sahlb. *F.*

Orites Schaum.
 negligens Sturm *Ga. G.*
 Sturmii Dej.
 silesiacus Desbr. *Sil.*
 nicaeensis Villa *Pe.*

Pseudorthomus Chd.
 amaroides Dej. *P.*
 abaxoides Dej. *P.*
 apenninus Dej. *Apen.*
 unctulatus Dft. *E. md.*
 alpestris Heer
 subsinguatus Dej. *St.*
 sinuatus Letzner *Al.*

Orthomus Chaud.
 Perezi Martinez *Hi. md.*
 hispanicus Dej. *Hi.*
 cincticollis Chevr.
 4-foveolatus Chd.

hespericus Mot. *Hi.*
 barbarus Dej. *Ga. m. Si.*
 v. velocissimus Waltl *Hi.*
 v. balearicus Pioch *Bal.*
 v. ? planidorsis Fairm. *P.*

Varini Gaut. *S.*
 minutus Rche. *Gr.*
 longior Chd. *Gr.*
 berytensis Rche. *S. Hi. m.*

Alecto
 Heyden.
 graja Dej. *Pe.*

Phaon
 Heyden.
 rhilensis Rottbg. *Bulg.*

Pterotapinus
 Heyden.
 cephalotes Gaut. *T.*
 Fairmairei Chdr.

Tapinopterus
 Schaum.
 Duponcheli Dej. *Gr.*
 protensus Schaum
 punctatostriatus Hyd. *Gr.*
 capitatus Chd. *Ca.*
 laticornis Fairm. *G. Rhod.*

Johannis Peyr.
 Rhodius Mill.
 extensus Dej. *Gr. Jon. Blk.*

filigranus Mill. *Gr.*
 speluncicola Chd. *Gr.*
 ambiguus Fairm. *C.*
 spinicollis Dej. *P.*

*

crassiusculus Chd. *T.*

Adelosia
 Stephens.
 macra Steph. *E. md.*

picimana Duft.
moesta Stev.
siagonica Ménétr.
nivicola Mén. *Ca.*
♀ montivaga Mén.
variabilis Mén. *Ca.*
anachoreta Mén. *Ca.*

Poecilus

Bonelli.

Sogines Leach.
punctulatus Schall. *E.m.d.*
punctatus F.
laevigatus Dufour
anodon Chd. *Ca.*

Poecilus in sp.

dimidiatus Oliv. *E.m.d.m.*
v. aeneus Dej. *Hi.*
viridis Letzn. *G.*
v. niger Letzn.

Koyi Germ. *E.m.d.oc.*
viatricus Dej.

v. marginalis Dej. *E.m.d.*
v. lossinianus Fairm. *I.*

v. aeneicollis Grimm. *St.*
lepidus Leske *E.*

v. viridis Letzn.
viridanus Prell.

v. cyaneus Letzn.
sylvaticus Prell.

azurescens Tor.
v. violaceus Letzn.

v. nigrocupreus Letzn.
v. ferreus Letzn.

v. tricolor Letzn.
ggressorius Dej. *Al.mar.*

transalpinus Heer
v. stenoderus Chd. *Ca.*

cupreus L. *E.*
puncticeps Thoms.

v. beryllinus Prell.
v. rectangulatus Letzn.

v. viridis Prell.
v. cursorius Heer

v. erythropus Falb.
v. affinis Sturm

v. cantabricus Chd. *Hi.b.*
v. recticollis Uhagon *Hi.*

v. lugubris Mot.
coerulescens L. *E.m.d.b.*

versicolor Stm.
pauciseta Thms.

v. viridiecolor Westhf.
v. tenebricosus Westhf.

v. eupreoides Heer

v. subcyaneus Prell.
cursorius Dej. *P.l.*
v. Reichi Waltl *And.*
v. cyanellus Rehe. *Gr.*
quadricollis Dej. *Hi.m.*
cyanaeus Gory
v. vicinus Levrat *Si.*
v. numidicus Luc. *Si./m.*
striatopunctatus Dft. *E.*
subcoeruleus Schaum
subcoeruleus Quens. *Cri.*
crenulatus Dej. *Hi.m.d.*
aerarius Cocq. *Hi.m.*
? obscurus Fairm. *Ga.m*

Ancholeus Chaud.
puncticollis Dej. *E.m.or.*
lissodorus Chd. *R.m.or.*
laevicollis Chd. *Ca.*
splendens Gené *S.*
nitidus Dej. *Hi.m.d.*
nitens Chd. *Ca.*

Carenostylus Chaud.
infuscatus Dej. *E.m.*

? caucasicus Mot. *Ca.*

Derus

Motschulsky.

advena Quens. *R.m.Cri.*
lugubris Dej.
punctifrons Chd.
crenatostriatus Chd.

Pedius

Motschulsky.

inquinatus Stm. *A.E.m.or.*
inqietus Dej.
laevissimus Chd.
Ehrhardti Nowicki
Marowighii Fairm.
siculus Levrat *Si.*
inaequalis Marsh. *E.m.*
longicollis Dft. *m.*
ochraceus Sturm
negligens Dej.

*

coaretatus Luc. *Hi.m.*
gratus Chd.
decipiens Waltl *Hi.m.*
erenatipennis Duv.
v. baeticus Ramb.
erenatus Dej. *E.m.*
tauricus Heyd. *Cri.*

*
lyroderus Chd. *Cri.*

Abacetus

Germor.

Salzmanni Germ. *Ga.H.*
rubripes Dej. *Si.*

Lagarus

Chaudoir.

vernalis Panz. *E.*
crenatus Duft.
biimpressus Fuss Tr.
v. cursor Dej. *E.m.*
maritimus Gaubil
distinguendus Hchh. *R.m*
submetallicus Chd. *R.m.*

Stomis

Clairville.

punicatus Panz. *E.m.*
v. ovipennis Chd. *Ca.*
v. maxillosus Dej. *St.Cp.*
rostratus Sturm *St.Cr.*
elegans Chd. *P.*

Agelaea

Gené.

fulva Gené *S.Gr.*

Sphodrini.

Omphreus

Dejan.

morio Dej. *Monty.*

Taphoxenus

Motschulsky.

Gigas Fisch. *R.m.*
v. grossus Stev. Sehfs.
cellarum Ad. *Ca.*
longicollis Fisch.

Aechmites

Schanfuss.

conspicuus Waltl *Si.T.*
grandis Mot.

Sphodrus

Clairville.

leucophthalmus L. *E.*
planus F.
cordicollis Mot.
siculus Mot.

Sphodroides*Schaufuss.*

picicornis Dej. *Malta*
mehitensis Fairm.

Pseudotaphoxenus*Schaufuss.*

angusticollis Fisch. *R.m.*
Tillesii Fisch. *R.m.*
parallelus Dej.
rufitarsis Fisch. *R.m.*
ovalis Mot. *R.m.*

Antisphodrus*Schaufuss.*

Schreibersi Küst. *Car.*
Schmidti Mill.
dissimilis Schauf.
v. impressifrons Joseph
v. rugosicollis Jos.
v. sulcicollis Jos.
v. sulcipennis Jos.
v. planipennis Jos.
v. nigropunctatus Jos.
v. insiguis Jos.
v. procerus Jos.
v. Schmidti Schauf.
v. brevicollis Jos.
v. laticollis Jos.
v. parallelocollis Jos.
v. propinquus Jos.
v. retractus Jos.

paradoxus Jos. *Car.*
cavicola Schauf. *Car.*
Erberi Schauf. *D.*
exaratus Hampe *Cro.*
Aeacus Mill. *D.*
v. modestus Schauf.

gracilipes Schauf. *D.*
Redtenbacheri Schf.
Pseudapostolus Schf. *Car.*

Ghilianii Schauf. *Al.mar.*
glyptomerus Chaud.
v. dilatatus Schfs.
elegans Dej. *Car.*
v. Küsteri Schauf. *D.*
elegans Küst.
macropus Chaud. *I.*
Peleus Schauf. *P.*
Fairmairei Schauf.
v. obscuratus Schauf.
Ledereri Schauf. *Hi.m.*
Köppeni Motsch. *Cri.*

Laemostenus*Bonelli.**Pseudoprionycterus* Schfs.

cimmerius Fisch. *Cri.*
elegans Brll. *Gr.*
major Brll.

Platynomerus Fald.*caspius* Ménatr. *Ca.**Cryptotrichus* Schfs.*alpinus* Dej. *Alp.it.**v. chalybaeus* Dej. *I.**dalmatinus* Dej. *D.**janthinus* Dft. *G.Ga.I.**v. complanatus* Schfs. *I.**v. coeruleus* Dej. *I.**v. amethystinus* Dej. *Ti.**Sturmi* Schauf.*v. graecus* Schauf. *Gr.**v. purpuratus* Schfs. *Car.**Laemostenus* Bon.*Pristonycthus* Dej.*complanatus* Dej. *E.m.oc.**v. atrocyaneus* Fairm. *Si.**venustus* Dej. *Ga.R.m.Gr.*****angustatus* Dej. *Ga.m.Ca.**v. obtusus* Chd. *P.**elongatus* Dej. *Car.**v. robustus* Schauf. *D.**v. acutangulus* Schauf. *I.**v. oblongus* Dej. *Ga.m.**v. pyrenaeus* Duf. *P.**v. hypogaeus* Fairm. *P.**v. latus* Schauf.*v. Jacquelini* Boild. *Ga.**v. latebricola* Fairm.*v. Balmæ Delar.**v. ellipticus* Schauf. *Hi.b.**piceus* Mot. *Ca.**hepaticus* Fald. *Ca.**algerinus* Gory *Si.**v. sardous* Küst. *S.**australis* Fairm.*v. violaceipennis* Schf. *I.**v. barbarus* Luc. *Hi.**v. meridionalis* Rebe.*v. curtulus* Motsch. *Ca.**mauritanicus* Luc. *Hi.**tauricus* Dej. *Ca.**v. cyanipennis* Dej.*v. punctatus* Dej. *Hu.**inaequalis* Fisch.*v. sericeus* Fisch. *Ca.**amoenus* Fisch. *fm.**parumstriatus* Fairm. *E.**Mannerheimi* Kolen. *Ca.**cyanipennis* Chd.*gratus* Fald. *Ca.**caucasicus* Chd.*Mannerheimi* Schfs.*?angustatus* Fald.*pretiosus* Fald. *Ca.**inaequalis* Pauz. *Ga.G.**terricola* Hbst. *Hu.R.**subcyanus* *III.**v. lithuanicus* Mot. *R.oc.**v. cyanescens* Fairm. *Ga.**v. baeticus* Ramb. *Hi.**v. Polyphemus* Ramb. *Hi.**v. Reichenbachii* Schauf.*Schirmieri* Chd. *Cri.**pinicola* Graëlls *Hi.**carinatus* Chd. *C.**parviceps* Fairm.*carinulatus* Schauf.**Platyderus***Stephens.**lusitanicus* Dej. *Lu.**v. varians* Schfs. *Hi.**v. Portalegra* Vuillfr.*v. Saezi* Vuillfr. *Hi.md.**Vuillefroyi* Dieck *And.**calathoides* Dej. *Si.**notatus* Cocq.*ruficollis* Marsh. *Br.**depressus* Dej. *Ga.**jugicola* Fairm. *P.**dilatatus* Chd. *Ga.m.**v. rufus* Dft. *Ga.Ti.St.**v. troglodytes* Schfs. *Hi.**v. montanellus* Grills. *Hi.**nemoralis* Chd. *b.**v. subpunctatus* Chd. *Hi.**v. subcrenatus* Chd. *Hi.**v. 4-collis* Chd. *Hi.b.**v. emblema* Mars. *Hi.md.**v. depressus* Ramb. *And.**rotundatus* Chd.*v. algesiranus* Dieck*v. canaliculatus* Chd. *Si.**sicanus* Fairm.*v. neapolitanus* Rebe. *I.**v. graecus* Rebe. *Gr.**v. minutus* Rebe. *Gr.**gregarius* Rebe. *Hi.m.**testaceus* Ramb. *And.**dalmatinus* Mill. *D.*

Calathus

Bonelli.

giganteus Dej. *Gr. T.*

♀ *ovalis* Dej.

luctuosus Latr. *Ga. Hi.*

gallieus Fairm.

glabriocollis Dej. *Car.*

Bellieri Gaut. *I.*

Pirazzolii Putz. *L.m.*

alternans Fald. *Ca.*

montivagus Dej. *Si.*

laevicollis Gaut. *Ca.oc.*

minutus Gaut.

v. *sublaevis* Vuillfr. *Lu.*

v. *lugens* Vuillfr. *Hi.b.*

hispanicus Gaut.

v. *Ubagoni* Gaut. *Hi.m.*

v. *Vuillefroyi* Gaut. *Hi.b.*

baeticus Ramb. *Hi.m.*

rotundatus Dej. *Lu. Hi.b.*

rubripes Dej. *I.*

fuscipes Goeze *E.*

flavipes Payk.

cisteloides Panz.

subsimilis Gaut.

v. *frigidus* F.

v. *intermedius* Gaut. *Hi.*

v. *punctipennis* Grm.

v. *graecus* Dej. *Gr.*

distinguendus Chd. *Ca.*

v. *syriacus* Chd. *R.m.*

orientalis Gaut. *Gr.*

v. *Thessalus* Putz. *Gr.b.*

v. ? *longicollis* Mot. *Ca.*

? *reflexicollis* Chd. *Ca.*

uniseriatus Vuillfr. *Hi.b.*

angularis Chevr.

liotrachelus Vuillfr.

v. *Heydeni* Putz. *Lu.*

v. *brevis* Gaut. *Lu. Hi.*

erratus Sahlbg. *E.*

crocopus Steph.

fulvipes Gyll.

flavipes (auct.)

Lasserrei Heer

v. *marginicollis* Chd. *Ca.*

v. *asturiensis* Vuillfr. *Hi.*

bipunctatus Gaut.

granatensis Vuillfr. *Hi.m.*

depressus Gaut.

v. *Tappesi* Gaut.

ambiguus Payk. *E.*

fuscus F.

v. *dilutus* Chd. *Ca.*

v. *Chevrolati* Gaut. *Hi.*

metallicus Dej. *Tr.*

v. *aeneus* Putz. *T.*

v. *deplanatus* Chd. *Rum.*

mollis Marsh. *E.*

ochropterus Dej.

v. *peltatus* Kolen. *Ca.*

v. *encaustus* Fairm.

atticus Gaut. *Gr.*

melanocephalus L. *E.*

ochropterus Dft.

v. *parisiensis* Gaut. *Ga.*

v. *ruficollis* Gaut. *Si.*

v. *nubigena* Hallid. *Br. Is.*

v. *alpinus* Dej. *Al. Ca.*

v. *melanotus* Putz. *Ast.*

tarsalis J. Sahlbg. *F.*

? *cinctus* Mot. *Ca.oc.*

? *armenus* Mot. *Ca.oc.*

micropterus Dft. *E.*

Solieri Bassi *I.Si.*

femoralis Chd. *Ca.*

*

circumseptus Germ. *Ga.*

limbatus Dej. *S.D.*

lateralis Küst. *Hi.*

A mphigynus Haliday.

rotundicollis Dej. *E.oc.*

piceus Mrsh.

angustatus Rmb.

brunneus Brill.

orbicollis Mot. *Ca.*

Pristodactyla

Chaudoir.

caucasica Chd. *Ca.*

Thermoscelis

Putzeys.

insignis Chd. *Ca.*

Dolichus

Bonelli.

hallensis Schall. *E.md.or.*

flavicornis F.

Synuchus

Gyllenhal.

(*Taphria* auct.)

nivalis Pauz. *E.*

vivalis Ill.

sylvialis Mot. *R.md.*

Cardiomeria

Bassi.

Genei Bassi *Si.*

v. Bonvouloiri Schm. *P.*

Anchomenidius

Heyden.

astur Sharp *Hi.b.*

Platynus

Bonelli.

complanatus Bon. *Al.it.*

v. *depressus* Dej. (*MV.*)

erythrocephalus Bassi

Peirolier Bassi *MV.*

piceus Dej.

scrobiculatus F. *A.Hu.Tr.*

glacialis Reitt. *Tr.*

banaticus Friv. *Ha.*

proximus Friv. *Balk.*

Anchodemus Mot. *Al.*

cyaneus Dej. *P.Al.*

Limodromus Mot.

assimilis Payk. *E.*

angusticollis F.

? juncceus Scop.

v. Putzeysi Borre *Bely.*

longiventris Mhm. *E.md.*

Krynickii Sperk *Ga.R.*

uliginosus Er. *G.*

corsicus Tourn. *C.*

Mannerheimi Dej. *Su.*

morio Gebl. *R.m.*

Anchomenus Bon. *Al.*

ruficornis Goeze *E.b.md.*

albipes F.

pallipes F.

v. antennatus *Gaut.E.m.*

obscurus Hbst. *E.m.b.*

*

melanocephalus Dej. *Hi.b.*

Agonum

Bonelli.

marginatum L. *E.*

v. flavocinctum Suffr.

v. prasinum Letzn.

v. suturale Letzn.

v. cuprescens Letzn.

impressum Panz. *E.md.*

sexpunktatum L. *E.*

v. auratocele Westhf.

v. tricolor Letzn.

v. rubidum Letzn.

v. rubrocinctum Westhf.

v. versicolor Letzn.

v. montanum Heer *Al.*
assimile Mot. *R.*
impressostriatum Mot. *Ca.*
ericeti Panz. *E.md.b.*
bifoveolatum Sahlb.
fulgens Daws.
Mülleri Hbst. *E.md.b.*
parumpunctatum Hb.
v. clandestinum Stm.
v. virescens Letzn.
v. plicicollis Nicolai
v. coerulescens Letzn.
chalybaeum Grndl
v. Mellerti Heer *H.*
archangelicum J. Sahlb. *F.*
chalconatum Fald. *Ca.*
gracilipes Dft. *E.md.*
elongatum Dej.
viridicupreum Goeze *E.*
modestum Stm. *md.m.*
v. austriacum F.
v. dalmatinum Küst. *D.*
cuprinum Mot. *R.m.*
v. chrysopraseum Mén.
v. obscurum Chd. *Ca.*
lugens Dft. *E.md.m.*
viduum Panz. *E.*
v. moestum Dft.
afrum Stm.
lugubre Dej.
angustatum Dej.
v. emarginatum Gyll.
versutum Stm. *E.md.b.*
v. longicornis Chd.
longipenne Mhm. *Ca.*
dolens Sahlb. *G.Ga.*
triste Dej.
latipenne Dej.
numidicum Luc. *And.*
sordidum Dej. *Gr.Cri.*
fuscipenne Chd.
antennarium Dft. *Al.Hu.*
subaeneum Dej. *MV.*
atratum Dft. *E.*
laterale Redt.
lucidum Fairm.
v. extensum Mén. *Gr.*
lucidulum Schaum *Hu*
v. Dahlii Borre *Hi.I.C.*
pusillum Schaum
atratum Fairm. *Br.*
curvipes Tourn. *Si.*
Bogemannii Gyll. *A.E.b.*
4-punctatum Deg. *E.md.*
v. cupratum Stm. *G.*
rugicolle Chd. *Co.*

Batenus Mot.
livens Gyll. *E.md.b.*
memnonium Nicol.
pelidnum Payk. pars

Europophilus

Chaudoir.

micans Nicol. *E.md.*
pelidnus Dft.
scitulus Dej. *G.Ga.Br.R.*
pieceus L. *E.md.*
picipes F.
gracilis Gyll. *E.md.b.*
fuliginosus Panz. *E.md.b.*
Thoreyi Dej. *G.Ga.Br.*
v. puellus Dej. *G.Ga.Su.*
pelidnus Payk. pars
Menetriesi Fald. *Ca.*
v. stenoderus Chd.
chalconotus Chd.
consimilis Gyll. *L.*

Clibanarius

Gozis.

dorsalis Pontopp. *E.*
prasinus Thnbg.
v. discophorus Chd. *Ca.*

Olisthopus

Dejean.

rotundatus Payk. *E.*
glabericollis Germ. *E.m.*
punctulatus Dej.
v. hispanicus Dej. *Hi.*
v. graecus Brullé *Gr.*
orientalis Rehe.
fuscatus Dej. *Ga.S.D.R.*
sardous Küst.
v. minor Rehe. *Gr.*
Sturmii Dft. *E.md.*
anomalus Perris *C.*
dilatatus Mot. *Ca.*
angustatus Mot. *Ca.*

Masoreus

Dejean.

Wetterhali Gyll. *E.*
luxatus Serv. *S.*
v. axillaris Küst. *S.*
v. testaceus Luc. *Hi.*
aegyptiacus Dej. *Si.*
rotundipennis Reh. *Si.*
v. affinis Küst. *S.*

Lebiini.

Somoplatus

Dejean.

elevatus F. *Ga.m.*
unifasciatus Dej.
massiliensis Fairm.
fulvus Muls. *Ga.m.*
Marseuli Chd.

Microu

Chaudoir.

Mocquerysi Chd. *Ga.b.oc.*
substriatus Dej. *Ga.m.*
peregrinus Mls. *Ga.m.*

Plochionus

Dejean.

pallens F. *Ga.m.*
Bonfisi Dej.

Singilis

Rambur.

bicolor Ramb. *And.*
soror Ramb. *And.*

Phloeozetaeus Peyr.
fuscipennis Schaum *Gr.*

Glycia

Chaudoir.

ornata Klug *Cartg.*

Lebia

Latreille.

Lamprias Bon.
fulvicollis F. *Si.*
pubipennis Duf. *Hi.*
fulvicollis Dej. *Ga.m.*
thoracica Hoppe *L.*
cyanocephala L. *E.*
v. annulata Brull. *Gr.*
v. numidica Luc. *Hi.b.*
chloriventris Mot.
v. femoralis Chd. *Cri.*
v. formosa Comoll. *I.*
v. violaceipennis Mtsch.
chlorocephala Hofm. *Ga.*
rufipes Steph. *G.Br.*
v. chrysocephala Mtsch.
rufipes Dej. *Ga.m.*

Lebia in sp.

erux minor L. *E.*
v. Andreae Rossi *I.*

v. caucasica Mtsch. *Ca.*
v. errata Rossi *Hi.*
v. nigripes Dej. *E.m.*
v. nigricollis Gené *S.*
trimaculata Villers *E.m.*
cyathigera Rossi
trisignata Mén. *R.m.*
trimaculata Gebl.
scapularis Fourer. *E.m.*
turcica Fabr.
v. quadrimaculata Dej.
v. Pouplieri Chevr.
humeralis Dej. *A.I.R.*
v. lepida Brull. *Gr.*
zonata Reiche.
marginata Fourer. *E.m.*
haemorrhoidalis F.
halomera Chd. *Ca.*
? crassicornis Mot. *Ga.m.*

Cymindis

Latreille.

canigulensis Fairm. *P.*
Baudoueri Perris *C.*
Chaudoiri Fairm. *Si.*
*

humeralis Fourer. *E.m.*
Dianae F.
elongata Heer
hybrida Heer
v. Servillei Sol. *I.*
sinuata Reche. *Gr.*
adusta Redtb. *Gr.*
v. pallida Reche.
pallidula Chd. *Ca.*
axillaris F. *E.m.m.*
homagrica Dft.
v. meridionalis Dej. *Ga.*
v. palliata Fisch. *Ca.*
v. omiades Fald. *Ca.*
v. distinguenda Chd. *T.*
v. Etrusca Bassi *I.*
cribricollis Reche. *P.*
v. alpina Dej. *Si.*
sicelidis Reche.
v. Marmorae Gené *S.*
v. designata Reche. *C.*
v. lineata Schh. *T.Cri.*
v. dorsalis Fisch. *R.m.*
v. crenata Chd. *T.*
v. lineola Dufour *Hi.*
v. fascipennis Küst. *D.*
v. obtusicollis Mot. *And.*
leucophthalma Luc.
angustata Costa *I.m.*
discoidea Dej. *And.*

decora Fisch. *U.R.m.or.*
dorsalis Gebl.
pieta Pall. *R.m.Co.*
cruciata Fisch.
cingulata Dej. *G.H.St.I.*
flavimarginata Letzn.
coadunata Dej. *Al.*
Aubei Tourn. *Ju.*
alternans Ramb. *Hi.b.Ln.*
v. Vogeli Schauf. *Hi.md.*
v. compostellana Reche.
Ehlersi Putz. *Ast.*
melanocephala Dej. *P.*
ruficollis Grills.
v. ruficeps Chd. *Escr.*
Chevrolati Perez
monticola Chev. *Ast.*
singularis Rosh. *And.*
affinis Ramb. *Hi.m.*
baetica Ramb. *Hi.m.*
v. scapularis Schm. *E.m.*
axillaris Dft. *A.*
Leachi Reche. *I.m.*
angularis Gyll. *E.b.Bohem.*
ornata Stev. *Cri.*
*

lateralis Fisch. *R.m.*
macularis Dej. *E.m.b.*
binotata Stm.
vaporiorum L. *Al.E.b.*
punctata Dej.
taurica Mot. (artefact.)

Menas Mot.
variolosa F. *E.m.m.or.*
miliaris F.
v. cyanoptera Mot. *Ast.*
viridipennis Mot. *Ca.*
cylindrica Mot. *U.R.m.*

? punctatissima Mot. *Si.*

Psammoxenus

Chaudoir.

sabulosus Chd. *R.m.*

Cymindoidea
Laporte.
Platytarus Schaub.
Famini Dej. *Ga.m.Si.Gr.*
Bufo Schaub
Bufo F. *Hi.Ln.*
v. sulcata Ramb.
carinulata Fairm.

gracilis Dej. *And.*
protensa Rosh.

Trymosternus

Chaudoir.

onychinus Dej. *Hi.Ln.*
v. plicipennis Chd. *Hi.m.*
minimus Vuillfr. *And.*
refleximargo Chd. *And.*
cordatus Ramb. *And.*
truncatus Ramb. *And.*

Trichis

Klug.

maculata Klug *Hi.m.*

Corsyra

Dejean.

fusula Fisch. *R.m.*

Demetrias

Bonelli.

Aëtophorus Schmidt-Göbel.
atricapillus L. *E.*
monostigma Samll. *E.m.*
unipunctatus Germ.
longicornis Chd. *Ca.*
imperialis Germ. *E.*
v. ruficeps Gené *Ga.S.*

Dromius

Bonelli.

capitalis Fairm. *Ga.m.*
longiceps Dej. *E.m.b.*
linearis Oliv. *E.*
marginellus F. *E.m.b.*
meridiounalis Dej. *Ga.m.*
angustus Brull. *Go.G.A.R.*
testaceus Er.

agilis Fabr. *E.*
fenestratus F. *E.m.b.*
Oberti Mot. *Livon.*
quadrimaculatus L. *E.*
quadrinotatus Panz. *E.*
v. nigricornis Brull.
quadrisignatus Dj. *Ga.G.*
bifasciatus Dej. *Ga.Hi.R.*
Putzeysi Paulino *I.n.*
nigriventris Thomis. *E.b.*
fasciatus Dej. *E.m.*
notatus Schaub
oblitus Boield.
Myrmidon Fairm. *Ga.*
Ramburi Pioch. *And.*

sigma Rossi *E.m.d.b.*
fasciatus F.
vectensis Rye *Br.*
oblitus Sharp
melanocephalus Dj. *E.m*
laeviceps Motsch. *R.m.*
borystheneius Motsch. *R.m.*

Pseudotrechus

Rosenhauer.

mutilatus Rosh. *And.*

Metabletus

Schmidt-Göbel.

oblique-signatus Slsk. *R.m.*

obscuroguttatus Dft. *E.m.*
spilotus Dej.

v. montenegrinus Küst.

v. atratus Dej. *E.m.*

v. impressus Dej. *D.*

v. obsoletus Dej. *E.*

v. valladolensis Gaut. *Hi.*

paracentesis Mot. *R.m.*

tibialis Mot. *Ca.*

scapularis Dej. *Hi.m.*

andalusiacus Ramb.

pallipes Dej. *G.Ga.R.*

truncatellus L. *E.*

nitidulus Piöch. *Hi.m.*

foveola Gyll. *E.*

punctatellus Dft.

foveolatus Dej. *Ga.Hi.*

cupreus Waltl

Blechrus Motsch.

minutulus Goeze *E.*

femoralis Marsh.

glabratus Dft.

maurus Sturm

interstitialis Küst. *Hi.*

minimus Mot. *Ca.*

hispanicus Mot. *Hi.m.*

tantillus Mot. *Hi.m.*

mauritanicus Luc. *Hi.*

exilis Schaum *Gr.*

plagiatus Dft. *A.* *E.m.*

corticalis Dufour

lineellus Fisch. *Ca.*

Lionychus

Wissmann.

quadrillum Dft. *E.*

v. bipunctatus Heer *H.G.*

v. unicolor Heyd. *G.*

Sturmii Gené *S.*

major Miller *Tr.*

maritimus Fairm. *Ga.m.*
albonotatus Dej. *Ga.Hi.*
v. albomaculatus Lue.
v. immaculatus Paulino

Apristus

Chaudoir.

subaeneus Chd. *R.m.Ga.*

v. recticulatus Schaum *Gr.*

Microdaceus Chd. *Gr.*

opacus Schaum *Gr.*

Odacantha

Paykull.

melanura L. *E.*

Zuphium

Latreille.

olens Rossi *E.m.*

v. longiuseulum Chd. *Ca.*

Chevrolati Brill. *Ga.m.*

unicolor Germ. *I.*

Boccegei Paulino *Lu.m.*

hungaricum Friv. *Hu.*

Polystichus

Bonelli.

connexus Fourc. *Ga.m.*

vittatus Brull.

fasciolatus Oliv.

fasciolatus Rossi *E.m.*

discoideus Dej.

Drypta

Fabricius.

dentata Rossi *Br.* *E.m.*

emarginata Oliv.

distincta Rossi *E.m.*

cylindricollis F.

v. intermedia Ramb.

Brachynitae.

Aptinus

Bonelli.

displosor Dufour *Ga.P.I.*

ballista Germ.

bombarda Illig. *G.Ga.*

mutilatus F. *Tr.*

atratus Dej. (artefact.)

acutangulus Chd. *Gr.*

lugubris Schaum *Gr.*

alpinus Dej. *Al.Pe.*

pyrenaeus Dej. *P.Ga.*

Pheropsophus

Solier.

hispanicus Dej. *Hi.m.*

v. tricolor Schauf.

Brachynus

Weber.

humeralis Ahr. *E.m.*

causticus Serv.

Bayardi Dej. *Gr.Ca.*

biguttatus Chd. *Ca.*

v. guttula Chd. *Ca.*

bipustulatus Quens. *Gr.R*

bisignifer Costa *I.m.*

exhalens Rossi *I.*

v. caspius Dej. *R.m.*

hamatus Fisch. *R.m.*

Eversmanni Mén.

4-pustulatus Dej. *R.m.*

quadrinotatus Mén. *Ca.*

cruciatus Quens. *R.m.*

psophia Serv. *E.m.*

bombarda Dej. *E.m.*

plagiatus Reiche

crepitans L. *E.m.d.m.*

v. obscuricornis Brull.

v. strepitans Dutt. *G.*

v. efflans Dej. *Lu.*

v. longicollis Waltl *Hi.*

v. obscurus Heer *II.*

coerulescens Mtsch. *R.m.*

nigricornis Gebl. *R.m.*

incertus Brull. *R.*

atricornis Fairm. *Ga.*

immaculicornis Dej. *E.m.*

v. ejaculans Fisch. *R.m.*

graecus Dej. *Gr.*

v. costulatus Mot. *Ca.*

explodens Dutt. *E.m.d.m.*

v. nitidulus Muls.

v. strepens Fisch. *R.m.*

tibialis Motsch.

v. glabratus Dej. *Ga.R.*

strepitans Fairm.

v. obscuricornis Godet

v. variventris Schaf. *Hi.*

sclopeta F. *E.m.*

v. suturalis Dej. *Hi.*

*

bellicosus Dufour *Hi.*

italicus Dej. *I.*

jaculans Dej.

baeticus Ramb. *Hi.*

angustatus Dej. *And.*

hispalensis Ramb.

andalusiacus Ramb. *H.*
pygmaeus Dei. *H.*
testaceus Ramb.
elongatus Tourn. *Si.*

joenius Patti *Si.*
siculus Patti *Si.*

Mastax Fischer.

thermarum Stev. *Cri. Ca.*
v. ruficeps Motsch.

Haliplidae.

Peltodytes

Regimbart.

Cnemidotus Er.
caesus Duft. *E.*
impressus Panz.
4-maculatus Drap.
rotundatus Aubé *Ga.m.*

Haliplus

Latreille.

Cnemidotus Illig.
amoenus Oliv. *E.*
obliquus Er. non F.
varius Nicolai *E.md.b.*
pietus Mannerh.
maritimus Fairm.
confinis Steph. *E.*
lineatus Aub.
mueronatus Steph. *E.md.*
badius Aub.
parallelus Babingt.
variegatus Sturm *E.*
subnubilus Bab.
guttatus Aubé *Ga.m.*
siculus Wehnck. *Si.*
fulvus F. *E.md.b.*
ferrugineus Gyll.
v. Lapponum Thoms. *L.*
pyrenaicus Delar. *P.*
rubidus Perris *Ga.*
perforatus Schaum *P.*
impressus F. *E.*

flavicollis Sturm
ferrugineus Bab.
cinereus Aub. *E.md.*
v. ater Redtb. *A.*
andalusiacus Wehnck. *H.*
multipunctatus Whk. *E.b.*
ruficollis Degeer *E.*

marginepunctatus Pz.
impressus Aub.
v. Heydeni Whneke. *E.b.*
v. immaculatus Gerh. *G.*
striatus Sharp *E.b.*
apicalis Thoms. *Su.*
Wehnckeii Gerh. *L.*
borealis Gerh.
fluvialis Aub. *E.md.b.*
impressus Gyll.
lineolatus Mhm. *F.*
Schaumi Solsky *R.*
fulvicollis Er. *G.Su.*
lineatocollis Marsh. *E.*
bistriolatus Duft.
trimaculatus Drap.
transversalis Gaut.
transversus Thoms. *Su.*

Brychius

Thomson.

elevatus Panz. *E.*
cristatus J. Sahlb. *F.R.*
glabratrus Villa *J.H.Ga.*
aequatus Aub.

Dyticidae.

Hygrobia

Latreille.

Pelobius Schh.
Hydrachna F.
tarda Hbst. *E.*
Hermannii auct.

Noterini.

Noterus

Clairville.

crassicornis Müll. *E.*
capricornis Hbst.
clavicornis Degeer *E.*
semipunctatus F.
sparsus Marsh.
crassicornis Sturm
laevis Sturm *E.m.*

Hydrocanthini.

Canthhydrus

Sharp.

notula Er. *Aly.*
diophthalmus Rche.
v. siculus Ragusa *Si.*

Laccophilini.

Laccophilus

Leach.

hyalinus Deg. *E.*
interruptus Panz.
minutus F. non L.
v. testaceus Aub. *E.m.*
v. Küsteri Mars. *S.*
pietus Küst.
v. ? Stroehmi Thoms. *F.*
obscurus Panz. *E.*
hyalinus Er.
minutus Stm. Aub.
variegatus Sturm *E*

Hydroporitae.

Hydroratini.

Hydrovatus

Motschulsky.

Oxynoptilus Schaum.
clypealis Sharp *E.*
cuspitatus Kunz. *E.md.m*
simplex Sharp *C.S. And.*

Bidessini.

Bidessus

Sharp.

bicarinatus Latr. *E.m.*
erispatus Germ.
cristatus Lac.
v. obscurior Desbr. *C.*

*

minimus Scop. *E.*
unistriatus Goeze
geminus F.
Goudoti Laporte *E.m.*
pumilus Aub. *E.md.m*
exornatus Reiche *Gr.*
coxalis Sharp *H.m.d.*
saucius Desbr. *C.*
minutissimus Gm. *E.md.*
delicatulus Schaum *G.*

*

parvulus Müll. *E.*
pusillus F.
unistriatus Stm.
pygmaeus Oliv.
trifidus Panz.
monaulacus Drap.

symbolum Kolen.
geminus Sharp
tetragrammus Hochh. *Ca.*
hamulatus Gyll. *Scand.*
thermalis Germ. *E.m.*

Hyphydrini.

Hyphydrus

Illiger.

ferrugineus L. *E.*
ovatus L.
ovalis Illig.
gibbus F.
variegatus Aubé *E.m.*

Hydroporini.

Herophydrus

Sharp.

guineensis Aubé *C.*
turgidus Er.
ferrugineus Luc.
barbarus Schaum
hyphydroides Perris

Coelambus

Thomson.

inaequalis F. *E.*
parvulus F.
minor Costa
versicolor Seball. *E.*
obliquus F.
reticulatus F.

5-lineatus Zett. *L.Br.*
decoratus Gyll. *E.*
*

musicus Klug *Ca.*
*

Marklini Gyll. *E.b.*
v. pallens Aubé

polonicus Aubé *R.*

impressopunctatus Schill.

picipes F. *E.*

♀ lineellus Gyll.

alternans Gravenh.

corpulentus Schaum *Cri.*

saginatus Schaum *Gr.*

Mulsanti Peyr.

lernaeus Schaum *E.m.*

parallelogrammus Abr. *E.*

consobrinus Kunze

nigrolineatus Sturm

novelineatus Steph. *Br.*

♂ Schönherria Aub. *Ca.*

♀ nigrolineatus Gyll.
♀ parallelus Aub. *Su.*
lautus Schaum *G.R.m.*
nigrolineatus Steven *G.*
euneagrammus Ar. *T.*
blandus Germ. *R.m.*
tauricus Motsch. *Cri.*
caspicus Wehncke *R.m.*
pallidulus Aub. *E.m.*
confluens Fabr. *E.md.*

Deronectes

Sharp.

Doriae Sharp *Ca.*
Lareyniei Fairm. *C.*
♂ coarcticollis Rche.
opatrinus Germ. *E.m.*
♀ hispanicus Rosenh.
moestus Fairm. *C.*
Brannani Schaaf. *Bal.*
v. Fairmairei Lepr. *I.*
vestitus Fairm. n. *Gbl.*
v. inconspectus Lepr.
bombycinus Lepr. *Ga.I.*
semirufus Germ. *G.P.Pe.*
Aubei Muls.
v. Delarouzei Duv.
platynotus Germ. *G.*
murinus Sturm
depressicollis Rosenh. *Hi.*
bieostatus Schaum *Hi.*
latus Steph. *E.md.*
ovatus Sturm
castaneus Heer
stearinus Kolen. *Ca.*
*

12-pustulatus Oliv. *E.md.*

12-maculatus Rgt. *C.S.*

*

luctuosus Aubé *G.a.m.H.*

v. sericeus Cost. *I.*

fenestratus Germ. *Si.*

Schaumi Aubé

Clarki Woll. *And.*

Andalusiae Clark

assimilis Payk. *E.*

frater Kunze *G.*

affinis Sturm

v. hyperboreus Gyll. *L.*

brevis Sturm *E.md.*

elegans Panz. *Ga.G.*

depressus auctor.

v. marginicollis Aub. *H.*

v. borystheneus Hehb. *R.*

v. Sansi Aubé *Hi.or.*

suavis Sharp *T.Gr.*
variegatus Aubé *?T.*
carinatus Aubé *Hi.*
sardus Harold *S.*
affinis Aubé
v. Martini Fairm. *C.*
canaliculatus Lac. *E.m.*
baeticus Schaum *Hi.Si.*
Ceresyi Aubé *E.m.*
griseostriatus Deg. *E.b.P*
4-striatus Esch.

Hydroporus

Clairville.

halensis Fabr. *E.*
areolatus Duft.
v. fusciatris Aubé *C.S.*
*

lineatus F. *L.*
alpinus Payk.
♀ bidentatus Gyll.
Davisi Curt. *Br.St.*
alpinus Duft. *Su.*
borealis Aubé
v. borealis Gyll.
septentrionalis Gyll. *E.b.*
alpinus Kunze *E.md.*
fluvialis Sturm
rivalis Gyll. *Ga.*
fluvialis Steph. *Br.*
v. alienus Sharp *Hi.*
v. Sanmarki Shlb. *E.md.*
assimilis Gyll. *L.*

*

lepidus Oliv. *E.md.m.*
Ramburi Reiche
v. rufulus Aubé *S.*
Escheri Aubé *Si.C.*
bieruciatus Germ.

*

quadrilineatus Drap. *E.*
lineatus auct. non F.
ovatus F.
pygmaeus F.
Genei Aubé *E.or.*
oblique-signatus Bielz
meridionalis Aub. *G.a.m.*

*

minimus Scop. *E.md.b.*
♀ granularis L.
v. suturalis Müll.
bilineatus Stm. *E.md.b.*
varius Aub. *E.md.*
v. ignotus Rey

- ypsilon Reiche
 fractus Sharp *Ga.m.*
 flavipes Oliv. *E.md.m.*
 v. octolineatus Schf. *Lu.*
 v. portalegrensis Schfs.
 v. manducus Schfs. *S.*
 v. montenegrinus Schfs.
 pictus F. *E.*
 areuatus F.
 *
 erux F. *E.md.*
 fasciatus Aubé
 sexguttatus Aub. *C.S.*
 jucundus Perr. *P.*
 *
 longicornis Sharp *Br.*
 parallelus Sharp *L.*
 melanarius Sturm *E.b.*
 ruficornis Zett.
 v. monticola Sharp
 cantabricus Sharp *Ast.*
 insularis Sharp *C.*
 memnonius Nicolai *E.*
 niger Sturm
 jugularis Babingt.
 v. incertus Aubé *I.*
 v. castaneus Aubé *Ga.*
 Revelieri Sharp *C.*
 nigrita F. *E.*
 nivalis Redtb.
 ?glabellus Thoms.
 subalpinus Thoms. *E.b.*
 brevis Sahlb. *E.b.*
 monilicornis J. Sahlb. *L.*
 obscurus Sturm *E.t.*
 discretus Fairm. *E.md.m.*
 nigrita Sturm
 pubescens Thoms.
 corsicus Wehneke *C.*
 neuter Fairm. *Pe.P.*
 fuscipennis Schaum *G.b.*
 picus Sturm *Su.*
 puberulus Mannerh.
 pubescens Gyll. *E.*
 scopularis Schioedte
 ?melanocephalus Msh.
 tesselatus Drapiez *E.m.*
 lituratus Brullé
 xanthopus Steph.
 v. nigricollis Fairm. *C.*
 maurus Sharp *Hi.md.m.*
 planus F. *E.*
 flavipes F.
 fusculus Illig.
 v. nigrocephalus Heyd. *G.*
 nigriceps Prell.
 nigriceps Schaum *Hi.*
 v. Bonnairei Fairm. *C.*
 Brucki Wehneke *T.*
 limbatus Aub. *E.m.*
 analis Aubé *S.*
 Habelmanni Wehneke *D.*
 decipiens Shrp. *Hi.md.Lu.*
 venator Sharp *And.*
 marginatus Dft. *E.md.m.*
 astur Sharp *Ast.*
 alticola Sharp *M.Ti.P.*
 nivalis Heer *Al.P.*
 foveolatus Heer
 Atropos Muls.
 pyrenaeus Wehneke *P.*
 glabriuseulus Aub. *L.*
 acutangulus Thoms. *L.F.*
 atriiceps Crotch *G.*
 morio Sharp [Marsh.]
 melanoceph.auct. non
 v. piecus Stm. *E.md.*
 v. geniculatus Thoms. *L.*
 v. opacus Wehneke *L.*
 Gyllenhali Schdt. *E.md.*
 ?piceus Steph. *Br.*
 notatus Sturm *E.b.*
 elongatulus Sturm *E.b.*
 submuticus Thoms. *Su.*
 tristis Payk. *E.*
 elongatulus Schioedt.
 neglectus Schaum *G.*
 scalesianus Stph. *E.md.b.*
 pygmaeus Sturm
 gracilis Wehneke *Hi.*
 augustatus Stm. *E.md.b.*
 acuminatus St.
 umbrosus Gyll. *E.*
 minutus Steph.
 v. striola Zett. *L.*
 inerasatus Thoms. *Su.*
 striola Gyll. *L.*
 v. vittula Er. *E.*
 ambiguus Aubé
 jonicus Mill. *Gr.*
 distinguendus Desbr.
 incognitus Sharp *Br.*
 discedens Rght. *Ga.*
 palustris L. *E.*
 6-pustulatus F.
 lituratus Panz.
 v. ?derelictus Clark *Br.*
 v. tinctor Clark *Br.*
 sabaudus Fauv. *Pe.*
 vagepictus Fairm. *E.m.*
 v. estrellensis Schfs. *Lu.*
 v. avunculus Fairm. *S.*
 erythrocephalus L. *E.*
 ♀ v. deplanatus Gyll.
 rufifrons Duft. *E.md.b.*
 rubripes J. Sahlb. *F.*
 lapponum Gyll. *L.*
 Kolströmi J. Sahlb. *F.*
 arctius Thoms. *L.*
 obtusipennis J. Sahlb. *F.*
 *
 dorsalis F. *E.*
 v. figuratus Gyll. *L.*
 *
 celatus Clark. *Br.G.*
 Kraatzi Schaum *G.*
 longulus Rey *E.m.*
 nevadensis Sharp *And.*
 regularis Sharp *C.*
 obsoletus Aubé *Hi.*
 ferrugineus Steph. *E.md.*
 Victor Aubé
 *
 picicornis J. Sahlb. *L.*
 *
 oblongus Steph. *E.b.*
 nitidus Sturm
 Bohemani Thoms.

Colymbetitae.

Agabini.

Metroneectes

Sharp.

- Aubei Perris *C.*
 parallelipennis Desb.

Agabus

Leach.

- cephalotes Reiche *C.*

*

- styriacus Sharp *St.*
 guttatus Payk. *E.b.*

septemseriatus Sahlb.

- v. ?dilatatus Brull. *Gr.*

- armeniaeus Sharp *Ca.*

- glacialis Hochh. *Ca.*

- biguttatus Oliv. *E.md.m.*

nitidus F.

fontinalis Steph.

melas Aub.

silesiacus Letz.

- v. nigricollis Zoubk.

- Heydeni Wehneke *Hi.*

binotatus Aub.	<i>C.S.</i>	*	Ilybius
paludosus F.	<i>E.md.</i>	femoralis Payk.	<i>E.</i>
marginalis Sharp	<i>Gr.St.</i>	assimilis Sturm	
*		Eversmanni Ballion	
brunneus F.	<i>E.m.</i>	Hermannii F.	<i>E.</i>
rufulus Fairm.		undulatus Schrk.	
marginicollis Fairm.		abbreviatus F.	
*		*	
uliginosus L.	<i>E.md.b.</i>	elongatus Gyll.	<i>L.</i>
Reichei Aub.		*	
v. dispar Bold		Zetterstedti Thoms.	<i>L.</i>
rotundatus Webneke	<i>S.</i>	*	
*		arcticus Payk.	<i>L.</i>
biguttulus Thoms.	<i>Su.L.</i>	Sturmii Gyll.	<i>E.md.b.</i>
v. boreellus J. Sahlb.	<i>L.</i>	fuscoaeneus Regimb.	<i>A.</i>
affinis Payk.	<i>E.b.</i>	Venturii Bertol.	<i>L.</i>
unguicularis Thoms.	<i>E.b.</i>	*	
*		halconotus Panz.	<i>E.md.</i>
lineatus Gebl.	<i>R.m.</i>	vittiger Gyll.	<i>L.</i>
desertorum Moraw.		neglectus Er.	<i>E.b.G.</i>
biocellatus Müll.	<i>E.</i>	Erichsoni Harold	<i>E.b.</i>
didymus Ol.		nigroaeneus Er.	
*		subtilis Er.	<i>E.b.G.</i>
*		*	
congener Payk.	<i>E.b.</i>	melanarius Aubé	<i>E.b.</i>
v. lapponicus Thoms.	<i>L.</i>	tarsatus Zett.	
v. Thomsoni J. Sahlb.	<i>L.</i>	frigidus Schioedt.	
coriacaeus J. Sahlb.	<i>L.</i>	Kotschy Letzner	
obovatus J. Sahlb.	<i>L.F.</i>	bipustulatus L.	<i>E.</i>
obseuripennis J. Sahlb.	<i>F.</i>	abdominalis Costa	
ovalis J. Sahlb.	<i>F.</i>	v. Solieri Aub.	<i>Alp.</i>
ruficeps Mén.	<i>Ca.</i>	alpestris Heer	
foveolatus Muls.	<i>Ga.m.</i>	sexualis Reiche	
clypealis Thoms.	<i>E.b.</i>	*	
nebulosus Forster	<i>E.</i>	fuscipennis Payk.	<i>E.b.</i>
bipunctatus F.		coxalis Sharp	<i>L.</i>
notatus Bergstr.		*	
v. pratensis Schfs.	<i>Bal.</i>	serricornis Payk.	<i>L.</i>
v. ? luniger Kolen.	<i>Ca.</i>	Kessleri Hochh.	<i>R.</i>
conspersus Marsh.	<i>E.</i>		
subnebulosus Steph.			
v. ? Gougeleti Reiche	<i>C.</i>		
opuscus Aub.	<i>F.</i>		
striolatus Gyll.	<i>E.b.</i>		
*			
Wasastjernae Sahlb.	<i>L.</i>		
Haeffneri Thoms.			
Haeffneri Aub.	<i>Su.</i>		
augusticollis J. Sahlb.			
Mimmi J. Sahlb.	<i>L.F.</i>		
♀ opacus Thoms.			
*			
confinis Gyll.	<i>L.</i>		

Platambus

Thomson.

maculatus L.	<i>E.md.</i>	*	Rhantus
v. inaequalis Panz.		punctatus Fourer.	<i>E.</i>
pulchellus Heer		pulverosus Steph.	
v. Graëlli Harld.	<i>Hi.Br.</i>	v. vibicollis Hochh.	<i>Ca.</i>
glacialis Graëlli.		Graepi Gyll.	<i>E.</i>
sinuatus Aub.	<i>T.</i>	pustulatus Rossi	<i>LGr.</i>
		notaticollis Aub.	<i>Ga.G.</i>
		infuscatus Er.	
		suturalis Lacord.	<i>E.</i>
		notatus F.	
		suturellus Harris	<i>E.</i>
		bistriatus Er. et coll.	
		exoletus Forster	<i>E</i>
		adspersus Panz.	
		collaris Payk.	
		v. melanopterus Zett.	<i>L.</i>
		latitans Sharp	<i>G.Belg.</i>
		conspitus Sturm	<i>G.Ga.</i>
		bistriatus Bergstr.	<i>E.</i>
		adspersus F. et coll.	
		hispanicus Sharp	<i>Hi.md.</i>

Colymbetes

Clairville.

- Paykulli Er. *E.b.*
 Thomsoni Sharp *L. Isl.*
 dolabratus Payk. *L.*
 striatus L. *E.b.*
 Bogemanni Gyll.
 fuscus L. *E.*
 striatus Anb.
 v. affinis Stein *Berol.*

Meladema

Laporte.

- coriaceum Lap. *E.m.*

Dyticini.**Dyticus**

Linné.

- Macrodytes Thoms.
 punctulatus F. *E.*
 dimidiatus Bergstr. *E.*
 pisanus Lap. *E.m.*
 v. ibericus Rosh. *Hi.*
 marginalis L. *E.*
 ♀ v. circumductus Serv.
 conformis Kunze

- circumcinctus Ahr. *E.*
 ? angustatus Steph. *Br.*
 ? circumscriptus Lac *Ga.*
 ♀ v. dubius Gyll.
 v. flavocinctus Hamm. *R.*
 circumflexus F. *E.*
 ♀ v. perplexus Lac.
 lapponicus Gyll. *E.b.*
 ♀ v. septentrionalis Gyll.
 v. disjunctus Camer. *Pe.*

Dyticus Thoms.

- latissimus L. *E.md.*

Hydaticitae.**Hydaticini.****Hydaticus**

Leach.

- seminiger Degeer *E.*
 Huebneri F.
 laevipennis Thoms. *E.b.*
 stagnalis F. *E.md.*
 transversalis Pontopp. *E.*
 punctipennis Thoms.
 v. degeneratus Westh.

- grammicus Grm. *E.md.m.*
 Leander Rossi *E.m.*
 ? Nauzieli Fairm. *Ga.*

Thermonectini.**Acielius**

Leach.

- sulcatus L. *E.*
 v. laevisulcatus Mot. *Tri.*
 v. brevis Aub. *Hi.*
 fasciatus Deg. *E.*
 canaliculatus Nicolai
 tomentosus Mot. *R.b.*
 Duvergeri Gob. *Ga.*

Graphoderes

Eschscholtz.

- austriacus Sturm *E.*
 cinereus L. *E.*
 v. intermedius Westh.
 v. simulator Westh.
 zonatus Hoppe *E.b.*
 v. interjectus Westh.
 verrucifer Sahlb. *F.*
 piciventris Thoms. *L.*
 bilineatus Degeer *E.*

Eretes

Laporte.

- Euneetes Erichs.
 stictiens L. *E.m.*
 griseus F.

Cybistetrini.**Cybister**

Curtis.

- binotatus Klug *Hi.Si.*
 bivulnerus Aub.

*

- tripunctatus Oliv. *E.m.*
 africanus Lap.
 meridionalis Géné
 Gotschi Hochh. *Ca.*
 senegalensis Aub. *S.*

*

- laterimarginalis Deg. *E.*
 Roeseli Füssly
 virens Müll.
 v. lepidus Apetz *D.*
 v. politus Gaut. *Hi.md.*
 v. Chandoiri Hochh. *Ca.*
 v. lusitanicus Sharp *Lu.*

Gyrinidae.**Gyrinus**

Geoffroy.

- concinnus Klug *Si.*
 striatus Aub. *E.*
 strigipennis Sufir. *G.*
 striatus Oliv. *E.m.*
 strigosus Aub.
 minutus F. *E.md.b.*
 urinator Ill. *E.m.*
 rivularis Costa
 natator L. *E.*

- mergus Ahr.
 v. natator Ahr.
 v. cereurus Schioedte
 v. marginatus Germ.

- bicolor Payk. *E.*
 angustatus Aub. *E.m.*
 elongatus Aub.

- caspicus Ménétr. *Ti.R.*
 columbus Er. *G.Ga.*
 distinctus Aub. *E.*
 libanus Aub.

- sieulus Regimb. *Si.*
 Suffrani Scriba *G.*
 dorsalis Gyll. *E.md.b.*
 v. marinus Gyll.

- lembus Schioedte
 v. opacus Sahlb. *E.*
 aeneus Thoms.

- Dejeani Brull. *E.m.*
 aeneus Aub.
 nitens Suffr.

Orectochilus

Lacordaire.

- villosus Müll. *E.*
 v. Bellieri Reiche *C.*
 involvens Fald. *Co.*

Hydrophilidæ**Hydrochitae.****Hydrochus**

Leach.

- angustatus Germ. *E.md.*
 v. foveostriatus Fm.
 elongatus Schaller *E.*
 igicollis Mot. *P.m.*
 carinatus Germ. *E.*
 interruptus Heyd. *Hi.*

brevis Herbst *E.m.d.b.*
octocarinatus Hochh. *R.*
grandicollis Kiesw. *C.Hi.*
nitidicollis Muls. *E.m.*
flavipennis Küst.

Henicocerus

Stephens.

granulatus Muls. *Ga.G.*
exsculptus Germ. *Ga.G.*
? lividipes Fairm. *P.*
v. sulcicollis Sturm *Hi.*
gibbosus Germ. *Ga.G.R.*
? lacunosus Sturm

Ochthebius

Leach.

Calobius Westw.
Lejolisi Muls. *Ga.b.*
v. subinteger Muls. *m.*
quadricollis Muls. *Ga.m.*
notabilis Rosh. *Hi.*
submersus Chevr. *C.*
Sellae Sharp *I.b.*
*.

punctatus Steph. *E.oec.*
hibernicus Curt.
nobilis Villa
bifoveolatus Waltl
evanescens J. Sahlb. *E.*
lanuginosus Reiche *Gr.*
? pilosus Waltl *Hi.*
maculatus Reiche *St.*
nanus Steph. *Br.*

aeratus Steph.
pellucidus Muls. *Ga.*
pyrenaeus Fauv.
serratus Rosh. *Hi.*
Volxemi Sharp *Lu.m.*
exaratus Muls. *Ga.Hi.*
fossulatus Muls. *Sic.*
foveolatus Germ. *G.A.Hi.*
corrugatus Rosh. *Hi.*
metallescents Rosh. *G.*
difficilis Muls. *Ga.*

marinus Payk. *E.*
v. pallidipennis Lap. *Gr.*

pusillus Steph. *E.m.d.b.*
marginipennis Latr.
bicolor Germ. *E.*

striatus Lap. *Gr.*
rufomarginatus Stph.
opacus Baudi *Si.*

montanus Friv. *Ha.*
4-fossulatus Waltl *Hi.*

impressicollis Lap. *G.Ga.*
bicolor Steph. *Er.*
aenens Steph. *Br.*
crenulatus Muls. *Ga.*
impressus Marsh. *E.*
pygmaeus auct. non F.
puberulus Reitt. *Ca.*
Poweri Rye *Br.*

Hydraena

Kugelann.

testacea Curt. *E.m.d.m.*
palustris Er. *G.*
sicula Kiesw. *Si.*
carbonaria Kiesw. *P.*
armata Reitt. *Ca.*
ciparia Kugelann *E.*

longipalpis Mrsh.
morio Kiesw. *Carn.*
rugosa Muls. *Ga.*
nigrita Germ. *Br.Ga.G.*
rufipes Curtis
spinipes Baudi *Pe.S.Si.*
curta Kiesw. *Pe.*
augustata Sturm *G.Ga.*
intermedia Rosh. *Ti.*
angulosa Muls. *G.*
politia Kiesw. *G.Ga.*
dentipes Germ. *G.*
lapidicola Kiesw. *G.*
gracilis Germ. *E.*

concolor Waterh.
producta Muls. *Ga.m.*
atricapilla Waterh. *E.m.d.*
flavipes Sturm
pulchella Germ. *E.*
pygmaea Waterh. *Br.*
Sieboldi Rosh. *G.*
lata Kiesw. *P.*
exarata Kiesw. *Hi.*
armipes Kiesw. *Gr.*

Helophoritae.

Helophorus

Fabricius.

Emblemus Hope.
rufipes Bosc *E.*
rugosus Oliv. *E.*
fennicus Payk. *E.*
porellus Bedel *Ga.*
costatus Goeze *E.*
nubilus F. *E.*
Schmidti Villa *Ca.*
alpinus Heer *Al.*
fracticostis Fairm. *P.*

Helophorus in sp.
villosus Duftschm. *G.*
tuberculatus Gyll. *G.E.b.*
micans Fald. *Ca.*

subcostatus Kolen. *R.*
acutipalpis Muls. *Gr.*
alternans Gené *S.E.m.*
intermedius Muls.

fennicus Sahlb. *L.F.*
Gyllenhali J. Sahlb. *E.*
v. borealis Thoms. *E.*

aquaticus L. *E.*
grandis III. *E.*
frigidus Graëlls *Hi.G.*
aequalis Thoms. *Su.*
filitarsis Schauf. *Bal.*

*
mirabilis Mill. *D.*
Mulsanti Rye *E.marit.*
dorsalis Muls. *E.*
? fulgidicollis Mot.

affinis Marsh. *E.*
Erichsoni Bach *G.*
dorsalis Er. *E.*
griseus Thoms. *Su.*

strigifrons Thoms. *Su.*
planicollis Thoms. *Su.Sc.*
aeneipennis Thoms. *E.*

granularis Gyll. *E.*
aquaticus Er. *E.*
gran.v. obscurus Ms.
v. quadrifasciatus Bach

Demoulini Mathieu *E.*
granularis L. *E.*
brevicollis Thoms. *E.*

griseus Herbst *E.*
glacialis Villa *Al.*
nivalis Thoms. *Su.*
v. nivalis Giraud *Al.*

insularis Reiche *C.*
brevipalpis Bedel *E.*

griseus Er. *E.*
granularis Thoms. *E.*

pumilio Er. *E.m.d.b.*
laticollis Thoms. *Su.*
nanus Sturm *E.m.d.b.*

v. pallidulus Thoms. *Su.*
singularis Mill. *D.*
avernicus Muls. *Al.Ga.*

creticus Kiesw. *Creta.*
tigrinus Muls. *Ca.or.*
pallidus Gebl. *E.Su.*

borealis Sahlb. *E.*
lapponicus Thoms. *L.*
pallidipennis Thoms. *E.*
pumientanus Schauf. *Bal.*

Spercheitae.

Spercheus

Kugelann.

emarginatus Schaller *E.*
luridus Mathieu

Hydrophiliteae

Berosini.

Berosus

Leach.

Enoplurus Hope.
bispina Reiche *L.m.* *Gr.*
spinosus Stev. *E.*
Berosus in sp.
geminus Reiche *Cu.*
signaticollis Charp. *E.*
aericeps Curt.
corsicus Desbr. *C.*
luridus L. *E.*
affinis Brull. *E. m.*
muranus Küst.
salumiensis Ackerm.
v. hispanicus Küst.
suturalis Küst. *D.*
sculptus Solsky *R.*

Hydrophilini.

Hydrophilus

Geoffroy.

pieceus Linn. *E.*
pistaceus Lap. *Ga. m.* *Hi.*
inermis Lucas *Si*
aterinus Eschsch. *E. md.*

Tropisternus

Solier.

apicipalpis Chevr. *Ga. m.*

Hydrocharis

Leconte.

Hydrous Brull.
caraboides L. *E.*
v. serobiculatus Panz.
v. substriatus Sturm
v. smaragdinus Bach
flavipes Stev. *E. m.*

Hydrobiini.

Hydrobius

Leach.

Limoxenus Mot.
oblongus Herbst *E. md. m.*

Hydrobius i. sp.
Paulinieri Guér. *E. m.*
convexus Brull.
grandis Motsch. *Hi. Si.*
fuscipes L. *E.*
angustatus Villa *I. b.*
arcadius Brll. *Gr.*
v. Rottenbergi Gerh. *G.*
v. aeneus Sol. *Ga.*
v. balearicus Schfs. *Bal.*
Morenae Heyd. *Hi. md.*
politus Küst. *Hi. m.*

Paracymus

Thomson.

nigroaeneus J. Sahlb. *F.*
aeueus Muls. pars *Ga.*
aeneus Germ. *E. md. G.*
punctulatus Sturm *A.*
salinus Bielz *Tr.*
scutellaris Rosenh. *Hi. m.*

Creniphilus

Motschulsky.

Anaeaena Thoms.
globulus Payk. *E.*
*
limbatus F. *E.*
nitidus Heer
ovatus Reiche *C.*
variabilis Sharp
carinatus Thoms.
?glabericollis Schfs.
bipustulatus Mrh. *E. md.*

Philydrus

Solier.

Enochrus Thoms.
melanocephalus Oliv. *E.*
atricapillus Steph.
bicolor Gyll. non F.

Philydrus in sp.
testaceus F. *E.*
?torquatus Marsh.
bicolor F. *E.*
griseoceans Gyll. *E. b.*
ferrugineus Küst. *Em.*
maritimus Thoms. *Su.*
4-punctatus Hbst. *E. md. b.*
melanocephalus F.
minutus Payk.
halophilus Bedel *G. lit. E.*
frontalis Er. *G. R. m.*
nigricans Zett. *E. b.*

minutus F. *E.*
affinis Thunbg.
marginellus Mls. Ths.
margipallens Marsh.
marginellus Schwarz
coaretatus Greld. *Ti. Br.*
suturalis Sharp
affinis Steph. *fp.*
marginellus Schwarz
nigritus Sharp *Hi. b. Su.*
agrigenitus Rottbg. *Si.*
rectus Sahlb. *E.*

Cymbiodyta

Bedel.

marginella F. *E. md. b.*
ovalis Thoms. *Su.*

Helochares

Mulsant.

lividus Forster. *E.*
fulvus Fourer.
pallidus Rossi
chrysomelinus Hbst.
variegatus Hbst.
dilutus Er.
bicolor Payk.
v. punctatus Sharp
Ludovici Schauf. *Bal.*

Crenitis

Bedel.

punctatostriatus Letz. *G.*

Hemisphaera

Uhagon.

infima Pand. *Hi. md.*
?seriatopunctata Perr.

Laccobius

Erichson.

simatus Motsch. *E. m.*
scutellaris Motsch.
uiricreeps Thoms. *E.*
obseurus Rottb. *E.*
minutus Heer
v. minor Rottb. *E.*
v. albescens Rottb.
v. neapolitanus Rottb. *I.*
v. cinereus Mot.
mauliceeps Rottb. *G.*
v. atratus Rottb. *Hi.*
v. rufescens Rottb. *G.*
thermarius Touru. *H.*

sardens Baudi *S. Carn.*
v. viridiceps Rottb. *E.m.*
subtilis Kiesw.
intermittens Kiesw.
Sellae Sharp *Pe.*
decorus Gyll. *Su.R.*
bipunctatus F. Thoms. *E.*
colon Steph. *or.*
biguttatus Gerh. *Sil.*
minutus L. *E.*
globosus Heer
v. nanulus Rottb.
alutaceus Thoms. *E.*
v. graecus Rottb.
Emeryanus Rottb. *I.Hi.*
alternus Motsch. *E.*
v. gracilis Rottb. *I.*
v. nigrinus Rottb. *C.*
pallidus Muls. *Ga.C.*
v. debilis Rottb.
leucaspis Kiesw. *Hi.*
Revelierei Perris *C.Si.*

Chaetarthriini.

Chaetarthria

Stephens.

Cyldium Erichs.

seminulum Payk. *E.*
picea Hochh. *R.m.*

Limnobiini

Limnobius

Leach.

truncatellus Thunb. *E.*
nitiduloides Baudi *Pe.I.*
papposus Muls. *E.*
fureatus Baudi *I.*
similis Baudi *S.Ga.*
nitidus Muls.
simplex Baudi *S.Si.*
truncatus Thoms. *E.*
nitidus Marsh. *E.md.m.*
sericans Muls. *E.m.*
Fussi Gerhardt *G.*
mucronatus Baudi *I.*
Gerhardtii Heyd. *Hi.*
aluta Bedel *E.md.*
atomus Gerhdt.
picinus Marsh. *Br Ga.G.*
atomus Duft. *E.*
minutissimus Germ.
evanescens Kiesw. *Hi.*

Sphæridiidæ.

Sphaeridium

Fabricius.

scarabaeoides L. *E.*
v. 4-maculatum Küst.
v. bipustulatum Hbst.
v. Daltoni Steph.
v. lunatum F.
v. pictum Fald. *Ca.*
v. striolatum Heer *H.*
bipustulatum F. *E.*
v. 4-maculatum Marsh.
v. marginatum F.
imm. testaceum Heer
substriatum Fald. *Ca.*

Coelostoma

Brullé.

Cyclonotum Erichs.
orbiculare F. *E.*
hispanicum Küst. *Hi.*
dalmatinum Küst. *D.*
brevitarse Heyd. *Hi.b.*
minor Sharp *Hi.*

Dactylosternum

Wollaston.

abdominale F. *E.m.*
Rousetti Woll.
*

Cercyon

Leach.

littoralis Gyll. *E.md.b.*
depressus Steph. *Su.Br.*
dorsostriatus Thoms. *S.*
*

ustulatus Preyssl. *E.*
haemorrhoidalis F.(92)
haemorrhous Gyll.
*

impressus Sturm *E.*
atomarius F.
haemorrhoidalis Hst.
et autor.

melanocephalus L. *E.*
ovillus Motsch.
haemorrhoidalis F.(1775)
flavipes F. *E.*
v. erythropterus Mls. *Si.*
obsoletus Gyll. *E.md.b.*
lugubris Oliv.
lateralis Marsh. *E.md.b.*
marinus Thoms. *G.E.b.*

terminatus Zett.
?aquaticus Steph.
bifenestratus Küst. *R.or.*
palustris Thoms. *Su.*
unipunctatus L. *E.*
quisquilius L. *E.*
flavipennis Küst. *Hi.*
nigriceps Marsh. *E.md.b.*
centrimaculatus St.
pulchellus Heer *H.*
pygmaeus Ill. *E.*
v. merdarius St. *Ga.*
terminatus Mrsh. *E.md.b.*
plagiatus Er.
analis Payk. *E.*
v. marginellus Payk.
*

granarius Er. *G.Ga.Su.*
lugubris Thoms.
lugubris Payk. *E.md.b.*
tristis Illig. *E.*
minutus Mls. et aut.
non F.
rhomboidalis Perris. *C.*

Megasternum

Mulsant.

bolitophagum Marsh. *E.*
eastaneum Heer. *m.*
obscureum autor. *n.M.*

Cryptopleurum

Mulsant.

crenatum Panz. *P.Jur.Ti.*
Vaucherii Tourn. *H.*
minutum F. *E.*
atomarium Oliv. *n.F.*

Limnichidae.

Pelochares

Mulsant.

versicolor Waltl *E.md.m.*
emarginatus Muls.
v. opacus Weise *E.or.*
mulinus Baudi *Ca.*

Limnichus

Latreille.

aurosericeus Duv. *Ga.Hi.*
Leprieuri Perris
auricomus Reitt. *Ca.*
angustulus Weise *S.*
pygmaeus Sturm *E.*
sericeus Steph.

laticatus Kiesw. *E. md. m.*
sericeus Duft. *E.*
Lederi Weise *Ca.*
subchalybaeus Reitt. *Ca.*
punctipennis Kraatz *Gr.*

Bothriophorus

Mulsant.

atomus Muls. *Ga. m. I.*
venetus Ferrari

Dryopidæ.

Dryops

Olivier.

Parnus Fabricius.
prolifericornis F. *E.*
montana Curtis
nivea Heer *Ga. G. II.*
grisea Er. *I. III.*
algirica Lucas *C. Ga.*
striatella Fairm.
lurida Er. *E. md. I. III.*
lululenta Er. *E. m. Ga. G.*
striatopunctata Hr. *Ga. G. I.*
viennensis Heer *Ga. G. I.*
pilosella Er. *A. Ti. Gr.*
rufipes Kryn. *R. m.*
hydrobates Kies. *Ga. III.*
auriculata Pauz. *E.*
nitidula Hr. *Ga. G. IIu. I.*
caspia Mén. *Ca.*
Caspica Falb.
corsica Chevr. *C.*

Potaminus

Sturm.

Dryops Leach.

substriatus Müll. *E. md. I.*
longus Solsky *R. m.*
asiaticus Kiesw. *Ca.*

Potamophilus

Germar.

acuminatus F. *Ga. G. IIu. I.*

Limnius

Müller.

Dargelasi Latr. *E.*
tuberculatus Müll.
troglodytes Gyll. *Su. I. I.*
rivularis Rosh *Ga. II. I.*

Perezi Sharp *II.*
gigas Sharp *II.*
brevis Sharp *II.*
intermedius Fairm. *S.*
sulcipennis Fairm. *S.*
Daniryi Fairm. *C.*

Elmis

Latreille.

Lareynia Duval.
Latreillei Bedel *Mt. E. md.*
Maugeti Müll.
Perezi Heyden *Lu.*
cainata Perez *III.*
Maugei Latr. *E.*
aenea Müll.
v. Kirschi Flach *G.*
v. similis Flach *II.*
subbearinata Sharp *II.*
obscura Müll. *G. Ga. IIu.*

Riolus

Mulsant.

subviolaceus Mll. *E. md. m.*
cupreus Müll. *E. md.*
sodalis Er. *Atp.*
nitens Müll. *Mt. E.*
orichalceus Gyll.

Latelmis

Reitter.

Elmis Mulsant.

Volkmari Pauz. *E.*
Germari Er. *Ga. G. A. Ti.*
opaca Müll. *E. md. m.*
Mülleri Er. *Ga. G. I.*

Esolus

Mulsant.

Ind.
parallelopipedus Mll. *E.*
subparallelus Fairm. *Ga.*
angustatus Müll. *E. md.*
pygmaeus Müll. *Ga. G. I.*

Dupophilus

Mulsant.

brevis Muls. *Ga.*

Stenelmis

Dufour.

canaliculatus Gyll. *E.*
consobrinus Duf. *Ga. m.*

Macronychus

Müller.

4-tuberculatus Müll. *F.*

Micromes

Motschulsky.

caucasicus Motsch. *Ca.*

Georyssidæ.

Georyssus

Latreille.

crenulatus Rossi *E.*
pygmaeus F.
major Mot.
incisus Mot.
tenuepunctatus Mot.
spinicollis Mot.
mutilatus Mot.
integrostriatus Mot. *E. m.*
siculus Ragusa
canaliculatus Reiche
nepos Fairm.
substriatus Heer *E. md.*
laesicollis Germu. *E. md. I.*
caelatus Er. *Ga. A. I.*
costatus Lap. *C. Gr. II.*
carinatus Rosenth.
pimelioides Fairm.
Latreillei Duf.
v. cupreus Reiche

Heteroceridæ

Heterocerus

Fabricius.

Phyrites, *Anycles* Schioedte
Mirulus Muls.

parallelus Kryn. *R. m.*
v. maxillosus Mots. *E.*
salinus Kiesw. *md. m.*
parallelus Kiesw.
fossor Kiesw. *E.*
?rectus Waterh. *Br.*
arenarius Kiesw. *IIb.*
bifasciatus Küst. *II.*
flexuosus Steph. *E.*
femoralis Kryn.
corsicus Schauf.
marginatus F. *E.*
intermedius Kiesw. *E.*

aureolus Schioedte	<i>Su.</i>
gravidus Kiesw.	<i>Si.</i>
pruinosus Ksw.	<i>Ga. Hu. I.</i>
hispidulus Kiesw.	<i>E.</i>
aragonicus Kiesw.	<i>Ht. I.</i>
obsoletus Curt.	<i>E.</i>
v. 4-maculatus Hchh.	<i>R.</i>
holosericeus Rosh.	<i>E.m.</i>
fenestratus Thunb.	<i>E.</i>
laevigatus Pauz.	
pictus Muls.	<i>Si.</i>
scutellatus Mot.	<i>Ca.</i>
vitticollis Reitt.	<i>Ca.</i>
multimaculatus Mot.	<i>R.</i>
fusculus Kiesw.	<i>E.</i>
v. pulchellus Kiesw.	
sericans Kiesw.	<i>E.m. m.</i>
Fausti Reitt.	<i>R.m.</i>
flavidus Rossi	<i>E.m.</i>
v. hamifer Gené	
v. minutus Kiesw.	
flavescens Schauf.	<i>Ht.</i>
funebris Schauf.	<i>Ht.</i>
marmota Kiesw.	<i>Ht.</i>
crinitus Kiesw.	<i>St. I.</i>
curtus Rosenh.	<i>Ga. Hu. m.</i>
murinus Kiesw.	<i>E.m.</i>
nanus Gené	<i>S.</i>
pictus Muls.	<i>Si.</i>
minimus Kiesw.	? <i>Ga.</i>
maritimus Guér.	<i>Ga. S. Si.</i>
senescens Kiesw.	<i>Ht.</i>
punctatus Bris.	

Staphylinidæ.

Aleocharini.

Autalia Stephens.

impressa Ol.	<i>E.m. Ca.</i>
conura Jekel	<i>Si.</i>
longula Jekel	<i>Gr.</i>
rivularis Grav.	<i>E.</i>
puncticollis Sharp	<i>Alp.</i>
rivularis Sahlb.	<i>E.b.</i>
alia Gredler	<i>Ti.</i>

Echidnoglossa

Wollaston.

corsica Rey	<i>C.</i>
ventricosa Quedenf.	<i>Ht. m.</i>

Bolitochara

Mannerheim.

eximia Eppelsh.	<i>Hu.</i>
lucida Grv.	<i>E.m.d. b. Ca.</i>
elongata Heer	<i>H.</i>
elegans Fairm.	<i>Ga.</i>
Mulsanti Sharp	<i>G. Hu. I.</i>
elongata Rey	<i>Ga.</i>
lunulata Payk.	<i>E.</i>
flavicollis Rey	
v. bicolor Ragusa	<i>I.</i>
bella Märk.	<i>G. Hu. A. Ca.</i>
lunulata Rey	<i>Ga.</i>
Reyi Sharp	<i>Ga.</i>
obliqua Er.	<i>E.m. Ca.</i>
foveola Mot.	<i>R.m.</i>
varia Er.	<i>E.m. m.</i>
laevior Fairm	
humeralis Luc.	<i>Ht.</i>
festiva Saule (Myrm.)	
Brucki Eppelsh.	<i>Ht.</i>

Phymatara

J. Sahlb.

brevicollis Kr.	<i>G. A.</i>
gyrophaenoides Sahlb.	

pubescens Kolen.	<i>Ca.</i>
laeviuscula Hochh.	<i>Ca.</i>

Stenus

Kraatz.

rubra Er.	<i>G. Ga. Hu. I.</i>
rufa Heer	<i>H.</i>

Silusa

Erichson.

rubiginosa Er.	<i>E.m.</i>
alpicola Heer	<i>H.</i>
rufula Mot.	<i>Ga.</i>

Euryusa

Erichson.

sinuata Er.	<i>Ga. G.</i>
coaretata Märk.	
brachelytra Kiesw.	<i>St. Cro.</i>
brevipennis Mot.	<i>Hu.</i>
laticollis Heer	<i>E.m.</i>
optabilis Heer	
linearis Märk.	

Thamiosoma	Thomis.
castanoptera Kr.	<i>Alp. E.</i>
laticollis Thomis.	<i>Su.</i>

Leptusa

Kraatz.

Tachyusida Rey.	
gracilis Er.	<i>G. Ga. Hu.</i>

Leptusa

Thoms. Rey.

puclhella Mannh.	<i>F.</i>
analisa Gyll.	<i>E.m.d. b.</i>

venusta Hochh.	<i>Ca.</i>
angusta Aub.	

cinctella Mot.	
brevicornis Rey	

haemorrhoidalis Heer	<i>E.</i>
morosa Heer	

fumida Er.	
pallipes Luc.	

similis Kellu.	
v. xanthopyga Epp.	<i>Ca.</i>

rufescens Eppelsh.	<i>Ca.</i>
ruficollis Er.	<i>E.</i>

rubricollis Heer	
cribrapennis Kr.	<i>A. Hu. Cn.</i>

fuliginosa Aub.	<i>R. m. Gr.</i>
*	

Sipalia

Rey.

testacea Bris.	<i>Ga. m.</i>
Bonvouloiri Bris.	<i>P.</i>

nubigena Kiesw.	<i>Alp. Jur.</i>
Hopffgarteni Eppelsh.	<i>D.</i>

rugatipennis Perris	<i>Ga.</i>
*	

carpathica Weise	<i>Cp. Tr.</i>
eximia Kr.	<i>Tr. Hu.</i>

Reitteri Eppelsh.	<i>Cro. Blk.</i>
alpicola Branes.	<i>Cp.</i>

Lederi Eppelsh.	<i>Ca.</i>
Bodemeyeri Eppelsh.	<i>Hu.</i>

coeca Eppelsh.	<i>(Ischn.) Co.</i>
*	

caucasica Eppelsh.	<i>Ca.</i>
globulicollis Rey	<i>H. G.</i>

pallida Scriba	<i>P.</i>
tricolor Scriba	<i>Lu.</i>

scabripennis Rey	<i>C. L.</i>
pulchra Eppelsh.	

cavipennis Rey	<i>C.</i>
asturiensis Eppelsh.	<i>H.</i>

Brucki Scriba	<i>L.</i>
subconvexa Rey	<i>P.</i>

disformis Rey	<i>Ga. P. H.</i>
lapidicola Bris.	<i>P. H.</i>

- nigra Scriba
Simoni Eppelsh. *G.m.St.*
puellaris Hampe *Cin.*
granulipennis Eppelsh. *Hi.*
lativentris Sharp *Hi.*
abdominalis Mot. *Carn.St.*
pieceata Rey *H.G.Cro.*
punctulata Rey *C.*
flavicornis Branes. *Cp.Ti.*

* difficilis Eppelsh. *Herzeg.*
*
myops Kiesw. *P.*
impressa Rey *Ga.*
montivaga Bris. *Ga.*
bituberculata Eppelsh. *Ca.*
glacialis Bris. *P.*
chlorotica Fairm. *P.*
nitida Fauv. *P.Hi.*
laevigata Scriba
sublaevis Rey *C.*
laevigata Bris. *Hi.*
Revelierei Rey *C.*
bidens Baudi *I.Gr.*
pulchella Baudi *I.*
carinicollis Eppelsh. *Ca.T.*
nivcola Fairm. *P.*
cingulata Eppelsh. *Ca.*
plicatella Fauv. *Hi.I.Mlt.*
infirma Weise *Hi.*
fuscula Bandi *I.*
affinis Eppelsh. *Gr.*
Heydeni Eppelsh. *Hi.Gr.*
curtipennis Aub. *Ga.*
simplex Baudi *I.*
arida Eppelsh. *D.Tr.*
cuneiformis Kr. *Hi.*
laevata Rey *C.*
linearis Bris. *P.*
rugosipennis Scriba *I.*
padana Weise *MV.*

Stichoglossa
Fairmaire.
Stenoglossa Kraatz.
semirufa Er. *E.md.*

Ischnoglossa
Kraatz.
prolixa Grav. *E.md.b.*
corticalis Steph.
- elegantula Mannh.
rufopicea Kr.

Dexiogya Thomson.
corticina Er. *E.*
varia Heer

Platyola
Rey.
fusicornis Rey *Ga.Ti.Hi.*
clavicornis Baudi
Gobanzi Gredl.

Thiasophila
Kraatz.
angulata Er. *E.md.b.*
brunnicornis Jekel *Gr.*
canaliculata Rey *Ga.G.*
inquilina Maerkel *E.md.*
diversa Rey *b.*
♂ Kirbyi Janson
subcorticalis Hochh. *R.m.*

Notothecta
Thomson.
flavipes Grav. *E.md.b.*
confusa Maerk. *E.md.b.*
Lyprocorrhe Thom. *Thom.*
anceps Er. *E.md.b.*
angularis Heer
nidorum Thoms. *Sa.*

Kraatzia Rey.
laevicollis Rey *Ga.m.Hi.*
atrophila Sauley
inflata Fauv. *Si.*

Thamiaraea
Thomson.
hospita Maerk. *Ga.G.Tr.*
castanea Aub.
australis Rey
cinnamomea Grav. *E.md.b.*

Microglossa
Kraatz.
Haploglossa Kraatz.
gentilis Lünem. *E.md.*
picipennis Gyll *Su.F.Ca.*
hadrocera Kraatz *G.*
taxicornis Rey *Ga.*
longicornis Thoms. *Su.*

pulla Gyll. *E.md.b.*
nidicola Fairm. *E.md.b.*
marginalis Gyll. *Su.Br.*
rufipennis Kr. *G.Ga.*
rubripennis Fauvel *R.m.*

Crataraea Thoms.
suturalis Mannerh. *E.*
praetexta Er.
semirubra Graëlls *Hi.*
bicolor Perris
rufescens Mot. *G.*

Aleochara
Gravenhorst.
Ceratota Stephens.
Hoplonotus Schmidt-Göbel
major Fairm. *Ga.*
ruficornis Grav. *G.Ga.A.*
♂ Daltoni Steph.
laminata Sch.-Göb.
grandis Heer (Hom.)
lurida Mot. *R.m.Ca.*
lucidula Hochh. *R.m.Ca.*
erythroptera Grav. *G.H.*
♀ ? conviva Eppelsh. *Ca.*
Aleochara Thomson, Rey.
Baryodma Th., Rey, pars.
discipennis Rey *P.Ga.H.*
♀ basicornis Jekel *Ti.*
lata Grav. *E.*
fuscipes Grav. *E.*
puncticeps Thom. *Sa.*
laticornis Kr. *G.Ga.L.*
crassicornis Lac. *Ga.L.*
solida Hochh. *R.Ca*
clavicornis Redtb. *A.*
Grelieri Fairm.
spissicornis Er. *G.H.*
laeta Rey *Ga.H.*
leucopyga Kr. *Ga.m.*
melanocephala Mot. *R.Ca*
filum Kr. *G.*
diversicornis Eppelsh. *Ca.*
haematica Rey *Ga.m.*
lateralis Heer *E.md.m.*
rufipennis Er.
laevigata Gyll. *Sa.*
signata J. Sahlb. *E.*
fumata Grav. *E.md.b.*
curta Sahlb.
morosa Heer
brevis Heer *Hi.*
aurovillosa Jekel *Malta.*

cinctipennis Mot. *Carn.*
brevipennis Grav. *E.m.d.b*

Xenochara Rey.

puberula Klug *G. Ga. Hu.*
vaga Er. *D. Hu.*
decorata Aub.

Baryodma Thomson.

bipunctata Ol. *E.*
intricata Mannh.
biguttata Heer

crassa Baudi *D. I.C.*
pulicaria Rosh. *Hi.*
eurnyota Rey *Ga.*
punctatissima Scriba

morion Grav. *E.*
intractabilis Heer *H.*
*

crassiuscula Sahlb. *E.*
tristis Er.
scutellaris Luc.

convexuscula Kolen. *Ca.*
Milleri Kr. *A.*
tristis Grav. *E.m.d.m.*

nigripes Mill.
? flavomaculata Mén.
*

bisignata Er. *E.*
maculata Bris. *P.*

apicalis Mén. *Ca.*
cuniculorum Kr. *Ga. G. Hu.*
myctophaga Kr. *G. Ga. F.*

lata Thoms. *Su. Hu.*
sareptana Solsky *R. m.*
lygaea Kr. *G. Hu. Ca.*

frigida Fauv. *MC.*
cretesetosa Jekel *Si.*
kanuginosa Grav. *E.*

rufitarsis Heer *Alp. E.*
villosa Mannh. *E.m.d.b.*
monticola Rosh.

alutacea Rey
nigerrima Kr. *Hi.*
diversa J. Sahlb. *F.*

succicola Thoms. *E.*
sparsa Fairm.
latipalpis Rey

moesta Grav. *E.m.d.b.*
sparsa Heer
vagepunctata Kr. *Hi.*
inconspicua Aub. *Ga. H. G.*

sanguinea L. *E.m.d.b.*
brunneipennis Kr.
moerens Thoms.

v. moesta Heer
fungivora Sharp *Sc.*
haemoptera Kr. *G.*
tenuicornis Kr. *E.m.*

rufipes Rey
Carolinæ Wenck. *Ga.*
haematodes Kr. *Hi. Hu.*
haematoptera Kr. ol.
moerens Gyll. *E.m.d.b.*
haemorrhoidalis Mh.
Ingubris Aub.
linearis Thoms.

brunneipennis Mot. *G.*
*

bilineata Gyll. *E.m.d.b.*
alpicola Heer *M. E.*
nigricornis Gredl. *Ti.*
Sahlbergi Eppsh. *F. L.*
fucicola J. Sahlb.

nitida Grav. *E.*
pauxilla Rey
notatipennis Hochh. *R. m.*
verna Say *E.m.d.b. R.*
binotata Kr.
longula Thoms.

incrassata Thoms. *Su.*
subtilis J. Sahlb. *F.*
hibernica Rye *Hib.*

Rheochara Rey.
procera Er. *G. Ga.*
spadicea Er. *G. Ga.*

Polystoma Stephens.
algarum Fauv. *Ga. Su.*

grisea Thoms.
fuliginosa Rey
albopila Rey *Ga. E.m.*
grisea Kr. *G.*

obsecurella Lucas
senilis Rey *Ga.*
nitidula Thoms. *Su.*
obsecurella Grav. *E. mar.*

punctatella Mot. *Holl.*

Dinusa

Sautley.

taygetana Eppelsh. *Gr.*

Homoeusa

Kraatz.

acuminata Maerk. *E. md.*
paradoxa Scriba *I. Gr.*

Piochardia

Heyden.

lepisimiformis Heyd. *Lu.*

Dinarda

Lacordaire.

Maerkeli Kiesw. *E.m.d.b.*
dentata Grav. *G. Ga. Su. Ca.*
nigrita Rosh. *Hi.*

Lomechusa

Gravehorst.

strumosa F. *E.m.d.b.*
teres Eppelsh. *Ca.*
inflata Zett. *Lu.*

Atemeles

Stephens.

pubicollis Bris. *Ga. Hu.*
inflatus Kr. *G.*
siculus Rottbg. *Si.*
excisus Thoms. *Su.*
paradoxus Grav. *E.m.d.b.*
bifoveolatus Bris. *Ga. G.*
emarginatus Grav. *E.m.d.*
v. nigricollis Kr.

Myrmecodia

Erickson.

Zyras Stephens.

Haworthi Steph. *E.m.d.m.*
elegans Heer (Bolit.)
Kawalli Hochh. *R.*
fulgida Grav. *G. Ga. I. Serb.*
collaris Payk. *E.*

Myrmecodia Th., Rey.
humeralis Grav. *E.m.d.b.*
grandis Mot. *Ca.*
cognata Maerk. *E.m.d.b.*

funesta Grav. *E.m.d.b.*
atrata Heer
mustela Rottbg. *Si. Hi.*

similis Maerk. *G. Ga.*
limbata Payk. *E.m.d.b. Ca.*
laeviceps Eppelsh. *Co.*
subtunida Hochh. *Ca.*

lugens Grav. *G. Ga. I. Ca.*
ruficollis Grinum. *St. Cro.*

Fernandi Fairm. *I.C.*
laticollis Maerk. *E. md. b.*
Hampei Kr. *Cro.*
erratica Hagens *G.*

excepta Rey *Ga.*

Myrmoccia Rey.

confragosa Hochh. *Ca.*

Fussi Kraatz *G.* [*Ga.*]

bituberculata Bris.

physogastra Fairm. *Ga.*

hippocrepis Sauley

Perezi Uhagon *Hi* [*Si.*]

tuberiventris Fairm. *Ga.*

Rougeti Fairm *Ga.A.Gr.*

Reitteri Eppelsh. *Herzeg.*

triangulum Perez *Hi.*

rigida ♂ Fairm *Ga.*

rigida Er. *S. I. Hi.*

cavifrons Perris

punctatissima Bris.

punctatella Bris.

pulla Rottbg. *Si. Hi.*

Astilbus

Dillwyn.

Drusilla Mannh.

Erichsoni Peyron *Ga.*

memnonius Mäerk. *Si.*

tristis Lucas

plicatus Er. *G.*

canaliculatus F. *E.*

gracilis Hochh. *Ca.*

tenuicornis Küst. *S.*

Ocalea

Erichson.

murina Er. *E. m.*

decumana Er. *Ga. G.*

brevicornis Kr. *A. Hu.*

puncticollis Rey *C.H.T.*

v. minor Eppelsh. *Ca.*

badia Er. *E. md.*

prolixa Gyll.

parvula Baudi *I. Ga.*

agilis J. Sahlb. *F.*

alutacea Eppelsh. *Ca.*

puncticeps Kr. *Gr.Cro.*

dubia Motsch. *Ca.*

picata Steph. *E.*

rufilabris Sahlb.

castanea Er.

alpina Heer

concolor Kiesw. *G. Ga.*

rivularis Mill. *A.G.*

sericea Kraatz *I.*

latipennis Sharp *Sc.*

angulata Eppelsh. *Hu.*

Acrostiba Thoms.

borealis Thoms. *Su.*

Hyobates

Kraatz.

Mech Baud. *Pe. Ga.Ti.Tr.*

sulcicollis Aub.

nigricollis Payk. *E.md.b.*

Merkli Eppelsh. *Hu.*

propinquus Aub. *Ga.H.*

rufus Kr. *G.*

forticornis Lac. *Ga.G.I.*

cribripennis Rey *C.*

Bonnairei Fauv. *Ga.*

glabriventris Rye Br.

brunneus Mot. *Ca.*

Aleuonota

Thomson.

Liota, Apimela Rey.

rufotestaceus Kr. *G.A.Hu.*

atricapilla Rey *Ga.*

elegantula Bris. *Ga. Bal.*

hypogaea Rey *P.*

mirabilis Eppelsh. *Ca.*

egregia Rye *Br.*

splendens Kr. *G.Ga.Ca.*

gratilla Eppelsh. *D.Hu.*

dimidiata Hochh. *R.m.*

gracilenta Er. *G.Ga.*

ocaloides Bris. *Ga.*

laeviceps Bris. *Ga.m.*

Kiesenwetteri Kr. *Gr.*

*

macella Er. *G.Ga.I.Ca.*

pallens Rey *Ga.G.I.*

Callicerns

Gravenhorst.

Semiris Heer.

rigidicornis Er. *G.Ga.Hu.*

fuscus Heer *H.Ca.*

♂ unicarinatus Fairm

atricollis Aub. *Ga.Pe.Hu.*

pedemontanus Baudi

v. fulvicornis Eppelsh.

elavatus Rottb. *Si.*

obscurus Grav. *E.md.b.*

Alianta

Thomson.

incana Er. *E.md.Su.F.*

Discerota Rey.

torrentum Kiesw. *P.*

Heterota Rey.

plumbea Waterh. *Br.G.*

Fairmairei Bris. *Hi.*

Godelinai Fauv. *D.*

'trogophloeoides Woll.

Calodera

Monnerheim.

nigrita Mannh. *Sa.Ga.G.*

protensa Mannh. *Sa.*

humilis Er. *G.Ga.*

uliginosa Er. *G.Ga.Su.F.*

lapponica J. Sahlb. *L.*

paludum Kr. *Gr.*

riparia Er. *G.Ga.*

atricapilla Scriba *I.*

hierosolymitana Saulc. *D.*

pulchella Baudi *Pe.*

rufescens Kr. *G.Ga.*

aethiops Grav. *E.*

Ityocara Thoms.

rubens Er. *G.Gu.Su.Ca.*

laticollis Thoms. *F.*

Amarochara Thoms.

umbrosa Er. *G.Ga.Sa.*

tenuis Heer *Hi.*

glabrata Kiesw. *Hi.*

occulta Heer *Pe.*

flavipes Mot. *Ga.*

Chilopora

Kraatz.

longitarsis Er. *E.*

femoralis Heer *Hom.*

subnitida Rey *C.*

rubicunda Er. *G.Ga.Hu.*

oblita Heer (Ocal.) *H.*

cingulata Kr. *G.*

antennata Eppelsh. *Ca.*

Borboropora

Kraatz.

Pseudoscopaeus Weise

Kraazi Fuss *G.Ga.Hu.*

Reitteri Weise *Tr.H.*

Myrmecopora

Sauley.

publicana Sauley *Gr.*

crassiuscula Aub. *Ca.D.*

pygmaea Sachse *Gr.*

Hylusa Rey.

- laesa Er. *S.I.Lu.*
fugax Er. *S.I.Gr.*
lata Saule. (Falag.)

Xenusia Rey.

- uvida Er. *Ga.I.D.*
sulcata Kiesw. *Ga.D.R.*

Falagria

Stephens.

- naevula Er. *Hi.*
formosa Rosh.
elegans Baudi
thoracica Curt. *E.md.*
sulcata Payk. *E.*
atra Hochh. *R.m.*
splendens Kr. *Gr.*
picicornis Rey *C.*
? sicula Jekel *Si.*
sulcatula Grav. *E.*
nigra Grav. *E.*
pusilla Heer
gratilla Er. *R.Gr.Ca.*
laevigata Eppelsh. *D.Serb.*
laeviuscula Epp. *Ca.*

Cardiola Rey.

- obscura Grav. *E.*
crassiusculalochh. *R.m.*

Tachyusa

Erichson.

- balteata Er. *E.md.m.*
flavocincta Heer
v. elongata Kolen. *Ca.*
cingulata Jekel *Si.*
serialis Er. *E.m.occ.*
bicolor Rey
constricta Er. *E.*
v. ? linearis Heer *H.Si.*
agilis Baudi *Cypr.*
flavolimbata Epp. *Ca.*
coarctata Er. *E.*
nigrata Heer
cyanca Kr. *G.Ga.A.*
nitidula Rey *C.Hu.Gr.*
impressa Eppelsh. *Ca.*
concinna Heer *H.A.I.*
objecta Rey *Ga.*
scitula Er. *G.Ga.*
forticornis Fairm.
Ischnopoda Steph.
leucopus Marsh. *E.md.b.*
flavitarsis Sahlb.

- chalybaea Er.
umbratica Er. *G.Ga.T.*
exarata Mannerh. *A.Hu.*
colorata Fairm. *Ga.*
Thinonoma Thoms.
atra Grav. *E.*
Brachyusa Rey.
concolor Er. *E.md.*
lata Kiesw.

Gnypeta

Thomson.

- carbonaria Mannerh. *E.*
labilis Er.
coerulea Sahlb. *E.md.b.*
ripicola Kiesw.
carbonaria Sharp
velata Er. *E.md.I.*

Dilacra

Thomson.

- luteipes Er. *E.*
fallax Kr. *E.mar.*
pruinosa Kr. *E.m.*

Homalota

Mannerheim.

- Disopora Thoms
languida Er. *E.*
v. longicollis Rey
Aloconota Thoms.
Disopora Rey.
insecta Thoms. *E.*
languida Scriba
tereticornis Wankow. *R.*
sulcifrons Steph. *E.md.b.*
pavens Er.
diluta Hampe
lissonura Thoms.
hydrocephalica Epp. *Ca.*
aegyptiaca Mot. *R.m.Ca.*
Eichhoffi Scriba *G.A.*
timens Baudi *Pe.H.*
planifrons Waterh. *Br.G.*
appulsa Scriba *G.*
gregaria Er. *E.*
immunita Er.
latesulcata Rey *Ga.*
cambrica Woll. *Br.*
velox Kr. *E.md.Ca.*
debilicornis Er. *G.S.*
rivulorum Thoms. *Su.*
currax Kr. *G.Ga.A.Tr.*

Hydrosmeeta Thoms.

- Thinoecia Rey.
gracilicornis Kr. *G.Ga.H.*
libitina Rey *G.a.m.*
haesitans Rey *G.a.m.*
eximia Sharp *Br.*
merita Rey *Ga.*
fragilicornis Kr. *G.Ga.A.*

- impressa Rey *Ga*
fluvialis Kr. *G.D.Pe.Hi.*

- gagatina Rey *Ga.*
fragilis Kr. *G.Ga.D.ca.*
longula Heer *H.P.*
thinobioides Kr. *G.Br.*
callida Rey *Ga.*
amara Rey *Ga.*
tenella Mannerh. *F.*
delicatula Sharp *Br.G.*
simillima Rey *Ga.*
subtilissima Kr. *G.Ga.*
deformis Rey *Sn.*
hydrasmeetoides Shb.

- seorsicornis Hochh. *R.m.*

Hygroccia Rey.

Atheta Thoms. pars.

- debilis Er. *E.md.b.*
magniceps J. Sahlb. *F.G.*
fallaciosa Sharp *Br.F.G.*
parca Rey *Ga.*
complana Mannh. *R.Br.*
deformis Kr. *G.Ga.*

Metaxyta Rey.

Atheta Thoms. pars.

Microdota, *Geostiba* Th.
Phryogora Rey. pars.

- laticeps Thoms. *Su.Br.*
pumila Kr. *G.A.*
difficilis Bris. *Ga.*
nana Rey *C.*
meridionalis Rey *Ga.G.*
cyrtotona Thoms. *Sn.*
fluvialis Waterh. *Br.*
littorea Sharp *Gr.*
apricans Rey *C.S.*
marina Rey *Ga.G.Ca.*
imbecilla Waterh. *Br.*
thinobia Thoms. *Sn.*
vilis Er. *G.Ga.*
cava Fauv. *Ga.C.Si.Hi.*
gemina Er. *E.md.b.*

- fossigera Maunh. *R.m.*
Aubei Bris. *Ga.G.Ca.*
 breviceps Thoms. *Su.*
laevicauda J. Sahlb. *F.*
piligera J. Sahlb. *L.*
islandica Kr. *Ist.Su.F.G.*
 eremita Rye *Br.*
clavipes Sharp *Br.F.G.*
rotundicollis J. Sahlb. *F.*
curtipennis Sharp *Br.*
tibialis Heer *Mt.E.md.*
 nivalis Kiesw.
 picipennis Rey
alpicola Mill. *Cp.*
carpathica Mill. *Cp.*
glacialis Mill. *Cr.*
ruficornis J. Sahlb. *J.*
aretica Thoms. *Su.F.*
frigida J. Sahlb. *Su.Norv.*
Brisouti Gemm. *Alp.*
 glacialis Bris. *P.*
hygrobria Thoms. *Su.F.Ca*
cyanea Rey *C.*
sequanica Bris. *Ga.G.IIa.*
elongatula Grav. *E.*
melanocera Thoms. *E.md.*
 halophila Thoms. *b.*
 volans Scriba
convexiuscula Rey *C.*
fusca Sahlb. *F.*
 latiuscula Thoms. *Su.*
hygrotopora Kr. *E.*
 hygrophila Fairm.
 opacula Thoms.
punctulata J. Sahlb. *F.*
terminalis Grav. *E.md.b.*
 v. grisea Thoms.
Gyllenhali Thoms. *Su.F.*
 terminalis Gyll. *G.Ga.*
londinensis Sharp *Br.*
 Pelurga Rey.
 Atheta Thoms. pars.
luridipennis Mannerh. *F.*
 producta Rey
 uliginosa Thoms.
Thinobaena Thoms.
vestita Grav. *E.md.b.*
 elongata Steph.
 sericeoptera Steph.
 quisquiliarum Gyll.
Liogluta Thomson.
graminicola Grav. *E.*
 granulata Mannh.
 coracina Sahlb.
 nigrina Aub.
 v. brunneipennis Th. *Su.*
tenuieornis Thoms. *Su.*
georgiana Mot. *Ca.*
nitidula Kr. *E.*
alpestris Heer *Alp.E.b.*
 nitidiuscula Sharp
 procedens Eppelsh.
microptera Thoms. *Su.F.*
drusilloides J. Sahlb. *F.*
oblonga Er. *G.Ga.I.Tr.F.*
oblongiuseula Sharp *Br.*
fulvipes Mot. *Ca.*
pagana Er. *G.Ga.*
 arvicola Thom. *Su.Br.*
sexnotata Thoms. *Su.F.*
 trigemina Epp. *Ca.*
granigera Kiesw. *G.A.Tr*
 crassicornis Shp. Rey
♀ v. ? subalpina Rey *Ga.*
crassicornis Gyll. Th.
 Letzneri Epp. *Su.G.A.*
vieina Steph. *E.*
 umbonata Er.
 fueicola Thoms.
hypnorum Kiesw. *Cr.*
 micans Rey *P.*
silvicola Fuss *G.Ga.A.Hu*
 hypnorum Thoms. *Br.*
 rufipes J. Sahlb. *Su.F.*
aquatilis Thoms. *Su.G.*
 sericans Rey *Ga.*
Plataraea Thoms.
brunnea F. *E.md.b.*
 depressa Gyll. *I.Ili.*
melanocephala Heer *H.A.*
 nigritrons Er. *G.Ga.I.*
 nigritrinitis Ths. *Su.*
 sordida Kr.
annulata Fauv. *Ga.*
 geniculata Rey
hepatica Er. *G.*
 major Aub. *Ga.*
 castaneipennis Frm.
 exarata Sharp *Br.*
 Earota Rey.
Reyi Kiesw. *Ga.P.Hi.I.*
 Atheta Thoms.
 Homalota. Dimetrota,
 Tetropia. Atheta, Mycota,
 Xenota, Allobia, Ceritaxa Rey.
 Dochmonota Thoms.
incognita Sharp *Br.Su.G.*
 aquatica Thoms. *E.*
 subaenea Sharp
 foliorum Rey
Pertyi Heer *E.md.m.*
Waterhousei Woll.
aeneicollis Sharp
castanoptera Mannh. *E.*
xanthoptera Steph.
merdaria Thoms.
valida Kr. *G.*
 robusta Rey *Ga.*
 convexa J. Sahlb. *F.*
chefsuria Eppelsh. *Ca.*
forticornis Hochh. *Ca.*
oraria Kr. *E.m.*
 cristata Mot.
 parisiensis Bris. *Ga.*
 aquatica Rey
ebenina Rey *Ga.G.*
contristata Kr. *G.A.P.P.*
subglabra Sharp *Br.Ga.*
euryptera Steph. *E.md.b.*
 validicornis Maerk.
 succicola Thoms.
v. ? interrupta Rey *Ga.*
diversa Sharp *Br.*
trinotata Kr. *E.*
 socialis Thoms.
hybrida Sharp *Br.G.F.*
triangulum Kr. *G.Ga.I.*
xanthopus Thoms. *Su.F.*
 sublinearis Kr. *G.*
 subrecta Rey *Ga.H.*
Linderi Bris. *P.*
heterogastra Epp.
subcavicola Bris. *P.*
pilicornis Thoms. *Su.Br.*
 pilosa Kr. *E.md.*
 xanthopus Rey *Ga.*
decepta Rey *Ga.*
sericans Grav. *E.*
 fungicola Kr.
fulvipennis Rey *Br.*
nitidicollis Fairm. *E.md.*
 fungicola Thoms. *Su.*
ignobilis Sharp *Br.*
orcina Fauv. *P.*
spelaea Er. *Car.Herz.*
 troglodytes Mot. *Cro.*
boletophila Thoms. *Su.F.*
pisciformis Kr. *E.md.*
patellata Fauv. *P.*
liturata Steph. *E.md.b.I.*
 nigritula Gyll.
erythrocerata Heer
Gravenhorsti Kr.

- nigritula Grav. *E.*
denticulata Mot.
pubescens Heer
boletobia Thoms.
boleticola J. Sahlb. *F.*
pallidicornis Thom. *E.*
humeralis Kr.
lithuanica Mot.
fennica J. Sahlb.
sodalis Er. *E.m.d.b.*
incisa Rey
Aubei Rey
lapponica J. Sahlb. *L.*
elancula Er. *E.m.d.b.*
funebris Thoms.
atrata Kr.
myrmecobia Kr. *E.m.d.b.*
negligens J. Sahlb.
lativentris J. Sahlb.
gagatina Baudi *E.*
variabilis Kr.
proxima Kr.
mutata Fairm.
nitens Fuss *G.*
coriaria Kr. *E.*
oblita Er. *G.Br.*
longula Fairm. *Ga.*
taedula Rey *I.C.*
nutans Rey *Ga.*
subterranea Rey *G.G.A.*
testaceipes Heer *H.I.C.*
brevicollis Baudi *P.*
varicornis Kr. *G.*
Saundersi Rye *Br.*
dilaticornis Kr. *E.*
spissata Rey
inermis Fauv. *C.*
capitulata Eppelsh. *Hu.*
autumnalis Er. *G.I.Hu.*
laticornis Mot. *Ca.*
foveola Rey *Ga.*
lacustris Bris.
granulicauda J. Sahlb. *F.*
dispersa Mot. *R.m.*
bicornis Rey *E.m.d.*
autumnalis Sharp *Br.*
parvicornis Rey *Ga.F.*
- Dimetrota Rey.
Chaetida, Badura Rey..
Atheta Thoms. p.
- cadaverina Bris. *E.m.d.*
tristicula Rey *f.b.Alp.*
cinnamoptera Thoms. *E*
putrida Kr. *G.A.Hu.Ga.*
assimilis Eppelsh. *Ti.*
- livida Rey *G.A.Hu.H.Ga.*
picipennis Mannb. *E.*
rugulosa Heer
subrugosa Kiesw.
aeneipeunis Thoms.
nudiuscula Thoms.
immunda Bris.
atramentaria Gyll *E.*
impressifrons Sahlb.
borealis Sahlb.
? nigripes Thoms.
villosoala Kr. *G.A.H.P.*
laevana Rey *E.*
v. setigera Sharp
laetiipes Rey *Ga.*
procera Kr. *G.*
marcida Er. *E.*
intermedia Thoms. *E.*
longicornis Grav. *E.*
macrocerata Thoms. *Su Ga.*
nudicornis Rey *H.A.*
cauta Er. *E.*
pulicaria Er.
carbonaria Kol.
spreta Fairm.
- Traumoezia Rey
Atheta Thoms. p.
- nigrieornis Thoms. *E.m.d.*
Thomsoni Jans. *b.I.*
divisa Maerkel *E.m.d.b.*
aridula Thoms.
impressicollis Rey *I.*
emarginata J. Sahlb.
granosa Hoechh. *Ca.*
excavata Gyll. *Su.Br.*
depressicollis Fauv. *P.A.*
picipes Thoms. *Su.Br.G.*
fuscofemorata Water.
excavata Rey *Ga.*
Bessobia Thoms.
excellens Kr. *G.Ga.P.Br.*
monticola Thoms. *G.Ga.*
sericea Eppelsh. *R.m.*
nebulosa Rey *Ga.m.*
subsecescens Scriba *P.*
fungivora Thoms. *Su.Br.*
gilbera Rey *Ga.G.*
occulta Er. *E.m.d.I.*
assimilis Steph. *Br.*
- Megaloscapa Epp.
punctipennis Kr. *G.A.*
Halobretha Thoms.
atricilla Er. *E.mar.*
flavipes Thoms.
- maritima Waterh.
halobretha Sharp
algae Hardy *E.mar.*
puncticeps Thoms.
anthracina Fairm.
halensis Rey
princeps Sharp *Br.*
pubes Rey *Ga.*
Philhygra Rey.
obscurella Fauv. *Ga.*
obscura Rey
perdubia Rey *Ga.*
transposita Rey *Ga.*
palustris Kiesw. *E.*
brunnipes Rey
currents Woll.
antennaria Fauv. *P.*
ravilla Er. *E.m.d.b.I.C.*
♀ angusticollis Thm.
Anopleta Rey.
corvina Thoms. *E.m.d.b.*
lepidia Kr. *I.C.*
puberula Sharp *Br.F.Ti.*
spatula Fauv. *P.Hu.*
excisa Eppelsh. *Cro.Boh.*
atomaria Kr. *G.Br.*
glabriicula Thoms. *Su*
minuscula Bris. *Ga.*
perexigua Sharp *Br.Ga.Lu*
- Microdota Rey.
canescens Sharp *Br.Su.*
sordidula Er. *E./Ga.S.*
nana Rey *C.*
celata Er. *E.*
indigena Heer
montana Rey
dadopora Thoms.
arenicola Thoms.
germania Sharp
coelifrons Rey *Ga.m.*
zosterae Thomson *E.*
vicina Kr.
nigra Kr.
celata Thoms.
hodierna Sharp
indubia Sharp *E.m.d.*
asperana Rey *Ga.*
foveicollis Kr. *G.*
subtilis Scriba *G.P.Hu.*
indiscreta Sharp *Br.*
amicula Steph. *E.*
sericea Rey
sericata Rey *C.*
liliputana Bris. *Ga.G.A.*

mortuorum Thoms. *E.md.*
 atricolor Sharp *b.*
 inquinula Er. *E.*
 aegra Heer *E.*
 Heteronoma Rey.
 inctuosa Rey *Ga.G.Hi.*
 insignicollis Fauv. *Hi.C.*
 Ouralia Rey.
 picicornis Rey *Ga.m.*
 speculum Kr. *Gr.Ca.*
 forticornis Kr. *Gr.*
 Sipalia Thoms.
 caesula Er. *E.md.b.*
 maura Mot.
 brachyptera Thoms.
 exilis Perris
 minuta Bris.
 Geostiba Thoms.
 circellaris Grav. *E.*
 inguinalis Mannh.
 tuberiventris Eppels. *Ca*
 spinicollis Kr. *Cro.Hu.*
 Chyzeri Eppelsh. *Hu.*
 armata Eppelsh. *Gr.Hu.*
 amplicollis Baudi *I.*
 flava Kr. *St*
 croatica Eppelsh. *Cro.*
 tabida Kiesw. *G.rhen.*
 Hilara Rey.
 fulva Rey *Ga*
 minor Aub. *Ga.*
 postica Rey (Ocyusa)
 paleola Er. *E.md.b.*
 Meotica Rey.
 exilis Er. *E.*
 parasita Rey *Ga.*
 parilis Rey *Ga.*
 misera Rey *Ga.*
 pusilla Rey *Ga.*
 indocilis Heer *H.Pe.Ga.*
 pallens Redtb. *A.G.*
 tenuis Rey (Sipalia)
 capitalis Rey *Ga.*
 validiuscula Kr. *E.md.*
 Zoosetha Rey.
 inconspicua Er. *G.Ga.Hi.*
 Amidobia Thoms.
 talpa Heer *E.md.b.*
 parallela Mannerh.

Amischa Thoms.
 analis Grav. *E.*
 contempta Heer
 tantilla Woll.
 arata Rey
 filum Rey
 ♀ decipiens Sharp
 platycephala Thoms. *Su.*
 minima Rey *Ga.*
 soror Kr. *G.Br.F.Ca.*
 forcipata Rey *Ga.Hu.*
 cavitrons Sharp *E.*
 simillima Sharp
 leporina Fauv. *Si.*
 Coprothassa Thoms.
 Hemitropia Rey.
 sordida Marsh. *E.*
 lividipennis Mannh.
 fulvipennis Kol.
 flavicans Mot.
 melanaria Mannh. *E.*
 tenera Sahlb.
 testudinea Er.
 taeniata Kol. *Co.*
 consanguinea Epp. *GATr.*
 Acrotona Thoms.
 Acrotona, Colpodota,
 Solenia Rey.
 fuscipes Heer *H.A.Hu.*
 timorum Bris. *Ga.D*
 affinis Fuss. *G.I.Ca.*
 pygmaea Grav. *E.md.b.*
 sericata Mannh.
 v. obfuscata Grav.
 aterrima Grav. *E.*
 Mannerheimi Sahlb.
 fuscula Mannh.
 lugens Kiesw.
 parva Sahlb. *E.*
 parvula Mannh.
 pilosiventris Thoms.
 stereoraria Kr.
 muscorum Bris. *E.md.*
 nigerrima Aub. *Ga.Hi.*
 abbreviata Rey *C.G.*
 parens Rey *Ga.G.A.Hu.*
 piceorufa Rey *L.Gr.*
 subgrisescens Rey *Ga.*
 lacertosa Rey *Ga*
 pellucida Fauv. *Hi.*
 fungi Grav. *E.*
 agaricola Mannerh.
 cingulata Heer
 bicolor Heer

 nigriceps Heer
 negligens Roy
 laeticornis Rey
 ♀ orbata Er.
 v. dubia Sharp
 hygrophila Hardy
 v. clientula Er.
 plebeja Woll.
 aleocharoides Woll.
 orphana Er. *E.md.b.*
 navicula Rey *Ga.*
 pulchra Kr. *E.*
 clientula Rey *Ga.*
 Sharpi Rye *Br.*
 simulans Rey *Ga.*
 laticollis Steph. *E.*
 vernacula Er.
 sinuatocollis Bris.
 fusca Sharp
 subsinuata Er. *E.md.b.*
 fimetaria Thoms.
 rustica Bris.
 Pycnota Rey.
 secreta Rey *G.*
 paradoxa Rey *Ga.*
 cibrata Kr. *G.Ga.Br.R.*
 macilenta Sahlb. *L.*
 livipes Steph. *A.*
 pedicularia Heer *H.*
 hirtella Heer *H.*
 impressa Heer *H.*
 morio Heer *H.*
 venustula Heer *H.*
 vaga Heer *H.*
 fracticornis Heer *H.*
 pulla Heer *H.*
 carbonaria Heer *H.*
 diluticornis Mot. *Cor.*
 macrocera Mot. *G.*
 picea Mot. *A.*
 Placusa
 Erichson.
 complanata Er. *E.*
 depressa Mackl.
 pumilio Rey
 humilis Er. *G.Su.Ga.R.*
 pumilio Grav. *E.*
 subdepressa Rey
 similata Rey
 atrata Sahlb. *G.A.Tr.*

coronata Solsky *R.*
nitidula Thoms. *Su.*
infima Er. *E.*
tachyporoides Waltl
v. denticulata Sharp *E.*
adscita Er. *G.Ga.A.Hu.*
planiuseula Heer *H*
granulata Baudi *L.*

Cyphea

Fauvel.

curtula Er. *G.Ga.A.Su.*
carbonaria Hamp. *Hu.*

Thectura

Thomson.

cuspidata Er. *E.*
inconspicua Heer
Dadobia Thoms.

immersa Er. *G.Ga.*
planicollis Thoms. *Su.*
laevigata Hochh. *Ca.*
truncata Eppelsh. *Boh.*

Dinaraea Thoms.

nigella Er. *E.md.b.*
punctiventris Thom.

aequata Er. *E.md.b.Ca.*
rufipes Heer

angustula Gyll. *E.md.b.*
linearis Grav. *E.*
melanocornis Rey *Ga.*
arcana Er. *G.Ga.A.*
brevipennis J. Sahl. *F.*

Taxicera Rey.

sericeophila Baudi *L.Cro.*
deplanata Rey *Ga.*
deplanata Grav. *G.D.Ca.*
polita Rosh. *Ti.*
encera Aub. *Ga.*
perfoliata Rey
indigna Rey

Epipedea Rey.

plana Gyll. *E.*
compressa Mannh.
angustata Sahlb.
depressiuseula Mannh.
planaticollis Aub.
sculpta Baudi
nigricans Thoms. *Su.F.*

Phloeopora

Erichson.

reptans Grav. *E*
angustiformis Baud. *I.G.*
Scribae Eppelsh. *G.*
corticalis Grav. *E.*
transita Rey
major Kr. *G.A.Tr.Cro.*
producta Rey *Ga.*

Phloeodroma

Kraatz.

concolor Kr. *G.F.*

Hygronomia

Erichson.

dimidiata Er. *E.md.b.Ca.*

Phytosus

Curtis.

spinifer Curt. *E.mar.*
filiformis Mot.
dimidiatus Woll.
semilunaris Rey

Actosus Rey.

balticus Kr. *G.Ga.*
nigriventris Chevr. *Ga.*

Arena

Fauvel.

Octavii Fauv. *Ga.b.*

Diestota

Rey.

Mayeti Rey *Ga.m.*

Tomoglossa

Kraatz.

luteicornis Er. *A.C.D.*

Alaobia

Thomson.

scapularis Sahlb. *E.b.*
ochracea Er. *G.Ga.I.*
Heydeni Eppelsh. *Cro.*

fulvicollis Hochh. *Ca.*

Schistoglossa

Kraatz.

viduata Er. *G.Ga.A.H.*

Dasyglossa

Kraatz.

prospera Er. *G.Ga.A.*
leporina Kiesw. *Hu.*

Hygropora

Kraatz.

Pyrenaraea Thoms.
eunetans Er. *G.Ga.D.*
curticollis Thoms.
v.nigripes Thoms. *Su.E.*

Oxypoda

Mannerheim.

ruficornis Gyll. *E.md.b.*
v. spectabilis Maerk.
luteipennis Er. *E.*
lividipennis Thoms.
fallaciosa Sauley *Ca.*
longipes Rey *Ga.G.Hu.*
metatarsalis Thoms.
vittata Maerk. *E.*
lateralis Maunh. *Su.F.Ga.*
infuscata Kellner *G.*
v. pellucida Sahlb.
nitidiventris Fairm.
opaca Grav. *E.*
nigricornis Mot.
v. Sahlbergi Seidl.

quadricuspisata Jek. *Si.*
ambigena Fauv. *Si.*
humidula Kr. *G.Ga.Hu.*
umbrata Er. *Ca.*
Damryi Rey *C.*
distincta Rey *Ga.*
induta Rey *Ga.G.A.*
neglecta Bris. *Hi.*

piecea Maekl. *F.*
lentula Er. *G.Ga.Su.F.*
edinensis Sharp *Sc.*
umbrata Gyll. *E.md.b.*
cuniculina Er.

acuminata Hochh. *R.m.*
pectita Sharp *Br.*
subnitida Rey *Ga.*
sericea Heer *E.md.b.*
litigiosa Heer
familiaris Kiesw.
exoleta Er. *E.*
subflava Heer
riparia Thoms.
longula Bris.
forticornis Fairm. *Ga.*
vereunda Sharp *Br.*

solitaria Kr. *G.A.F.*
attenuata Rey *Ga.C.*
perplexa Rey *Ga.m.Hi.*
castanea Rey *Ga.m.*
parvula Bris. *Ga.m.*
rugulosa Kr. *G.F.*

riparia Fairm. *Ga.*
mutata Sharp *Br.*
rufula Rey *Ga.Ca.*
graece Kr. *Gr.*
longipennis Kr. *Gr.*
amicta Er. *S.*
caspia Eppelsh. *Ca.*
depressipennis Aub. *Ga.*
islandica Kr. *E.b.*
exigua Er. *E.md.b.*
nigrina Wat. *Wat.*
investigatorum Kr. *G.Ga.*
uliginosa Bris. *P.*

Disochara Thomson.
tirolensis Gredl. *Ti.*
rupicola Rye *Sc.Hi.*
obseura Kr. *G.F.*
funebris Kr. *G.F.*
longiuscula Er. *E.md.b.*
elongatula Aub.
procerula Mannh.
erythrocerata Eppelsh. *Ca*
lugubris Kr. *G.*

Sphenoma Mannerh.
Thliboptera Thomson.
platyptera Fairm. *Ga.Hi.*
planipennis Fairm.
referens Rey *C.*
atricapilla Maekl. *F.*
planipennis Thom. *Su.*
silvicola Kr. *G.A.*
assimilis Kr. *Hi.*
tenuicornis Seriba
rufa Kr. *G.A.*
vicina Kr. *Ga.Gr.*
soror Kr.
micens Kr. *Hi.Gr.Herz.*
praezellens Eppelsh. *Cro.*
togata Er. *E.*
hospita Grimm *E.*
abdominalis Sahlb. *E.*
occulta Grimm

Deroecala Rey.
rugatipennis Kr. *G.a.m.*
Baeoglena Thoms.
bicolor Rey *Ga.G.A.Hu.*

fusina Rey *C.Ca.*
breviscula Rey *C.*
praecox Er. *E.*
testacea Er. *G.*
Myctodrepa Thoms.
lucens Rey *Ga.G.*
formosakr. *GGa.I.Gr.Ca.*
alternans Grav. *E.*

Bessopora Thoms.
determinata Seriba *Lu.*
recondita Kr. *G.*
haemorrhoa Sahlb. *E.*
promisea Er.
myrmecophila Maerk.
nigrescens Rey *Ga.b.*
nigrociueta Rey *Ga.*
amoena Fairm. *E.md.b.*
flavicornis Kr. *Ca.*
nigrofusca Waterh.
Waterhousei Rye
terrestris Kr. *G.A.Hu.*
?filiformis Redth.
funicularis Hochh. *R.*
tarda Sharp *Br.*
montana Kr. *Alp.A.Mont.*
parvipennis Fauv. *Ga.*
brachyptera Kr. *A*
juvenilis Rey *Ga.G.*
annularis Sahlb. *E.md.b.*
cingulata Mn.
helvola Thoms.
v. pallidula Sahlb.
helvola Er.
rufula Heer
soror Thoms. *Su.*
flava Kr. *G.Ga.Hi.*
brachyptera Steph. *E.md.*
ferruginea Er. *b.*
fuscata Rey *Ga.*
subrugosa J. Sahlb. *F.*
misella Kr. *G.*

Demosoma Thoms.
advena Maekl. *F.*
curta J. Sahlb. *F.*
rufescens Kr. *G.P.*
forniceticola Maerk. *E.*
rugicollis Kr. *A.G.fwd.b.*

myrmecobia Mannh. *R.*
latiuscula Mannh. *R.*
gilvipes Mannh. *F.*
conviva Maekl. *F.*
assecta Maekl. *F.*

nitidula Heer *H.*
rufipennis Heer *H.*
fulvicollis Mot. *R.m.*
pallidipennis Mot. *Corn.*
flavipes Mot. *R.m.*
modesta Mot. *Ca.*
?angusticollis Hochh. *Ca.*
Gotschi Hochh. *Ca.*
Steveni Mannh. *Ca.*

Ocyusa

Kraatz.

Eurylophus J. Sahlb.
crassa Eppelsh. *Hu.*
procidia Er. *G.A.*
inerassata Rey *E.md.F.*
rupestris Fauv.
nigra Bris.
atterima Waterh.
canaliculata J. Sahlb.
grandiceps J. Sahlb. *F.*
nivieola Thoms. *L.*
maura Er. *E.md.b.*
picina Aub. *E.md.b.R.*
ruficornis Kr.
fulvicornis Fairm.
convexuscula Hoch.
longitarsis Thoms.
nigrata Fairm. *G.I.Herz.*
pieta Rey *C.*

defecta Rey *C.*
carbonaria Mot. *Corn.*

Encephalus

Westwood.

complicans Wstw. *E.md.b.*
Kraatzii Hochh. *R.m.*

Gyrophaena

Mannerheim.

pulehella Heer *E.md.b.*
affinis Duval *E.*
affinis Sahlb. *E.*
signatipennis Gredl.
diversa Rey
nitidula Gyll. *E.md.b.*
Kraatzii Solsky *R.*
Solskyi Fauv.
rugipennis Rey *Ga.A.R.*
nana Payk. *E.md.b.*
gentilis Er. *E.md.b.*
congrua Thoms.

fasciata Marsh. E.
pallicornis Steph.
congrua Er.
bihamata Thoms.
carpini Baudi
despecta Rey
laevipennis Kr. E.md.b.
glabrella Mot.
lucidula Er. E.md.b.Ca.
Poweri Crotch Br.R.Hu.
puncticollis Thoms. G.
punctulata Rey Ga.I.
minima Er. E.md.b.
manca Er. E.md.b.Ca.
Phaenogyra Rey.
polita Grav. E.md.b.
brevicornis Rey
v. strictula Er.
glacialis Hochh.
rugicollis Hochh. R.m.
clavigera Scriba G.
clavicornis Epp. Serb.
boleti L. E.md.b.

Agaricochara

Kraatz.

laevicollis Kr. G.Ga.H.I.
aspera Fauv. H.I.C.

Brachida

Rey.

notha Er. E.md.b.Ca.

Oligota

Mannerheim.

pusillima Grav. E.
pieta Mot.
punilio Kiesw. E.m.
convexa Rey C.
australis Rey
atomaria Er. E.
obscuricornis Mot.
parva Rey
fuscipes Rey
misella Rey
punctata Heer H.I.
ruficornis Sharp Br.
pilosa Rey Ga.
parva Kr. G.Br.I.A.
aliena Rey Ga.C.
inflata Mannh. E.md.b.
glacialis Kolen. Ca.
subsericans Rey R.
picipennis Rey H.I.

subtilis Er.
femoralis Thoms. Su.
rufipennis Kr. G.R.
apiata Kr. ol. I.
apiata Rey Ga.
granaria Er. E.md.
pentatoma Foerster
picescens Rey
tantilla Mannh.
?latissima Mot.

Microcera Thoms.
apicata Er. Su.Br.Ga.Hu.
abdominalis Scrib. G.
xanthopyga Kr. I.Cro.
flavicornis Lacord. E.

Pronomaea

Erichson.

rostrata Er. E.
v. dalmatina Sachse
v. picea Heer

Myllaena

Erichson.

Centroglossa Matth.
dubia Grav. E.
conuroides Matth.
valida Rey

intermedia Er. E.
graeca Kr. Gr.Ca.
gracilicornis Fairm. Ga.
elongata Kr. G.

incisa Rey I.
glauca Rye Br.
Kraatz Sharp H.I.

elongata Matth. Br.G.Ca.
glauca Aub. Ga.
brevicornis Matth. E.

gracilis Heer
grandicollis Kiesw.
rubescens Rey

caucasica Eppelsh. Ca.
minuta Grav. E.
gracilis Matth. E.md.

forticornis Kr.
infuscata Kr. G. Ga.H.I.
minima Kr. I.R.

fulvicollis Mot. Carn.

Gymnusa

Erichson.

brevicornis Payk E.md.Su.
variegata Kiesw. E.md.Su

Dinopsis

Matthews.

erosa Steph. Br.Ga.G.
fuscata Matth. D.A.
laticollis Er.

Tachyporini.

Hypocyptus

Mannerheim.

Cypha Stephens.

Pirazzolii Baudi. I.
longicornis Payk. E.
?rufipes Kr. G.
tenuicornis Kr. Gr.
unicolor Rosh. Hi.
rubripennis Pand. Ga.
apicalis Bris. Br.Ga.Lu.G
seminulum Er. E.md.b.
pulicarius Er. I.C.
punctum Mot. Cu.
ovulum Heer E.md.m.
pygmaeus Kr. R.Br.
nigripes Heer Ca.
laeviusculus Redt.
discoideus Er. E.md.b.
laeviusculus Mannh. E.

Typhlocyptus

Sauley.

Pandellei Saule. C.

Trichophya

Mannerheim.

pillcornis Gyllh. E.

Habrocerus

Erichson.

capillaricornis Grav. E.

Leucoparyphus

Kraatz.

Cilea Duval.

Astictus Thoms.

silphoides L. E.

Coproporus

Kraatz.

Erchomus Motsch.

colchicus Kr. Ga.Hi.Hu.
gallieus Perris Ca.

Tachinus

Gravenhorst.

- Ellipsotomus* Motsch.
rufipes L. E.
caucasicus Kol. Ca.
nigerrimus Solsky Ca.
bipustulatus F. E. md. b.
scapularis Steph. Br. Ga.
palliolatus Kr. G. A. Hu
pallipes Grav. E. md. b.
frigidus Er. Kr.
atrides J. Sahlb. L.
aterrimus J. Sahlb.
marginatus Gyll. Su. F. G.
cingulatus Solsky Ca.
Fauveli Pand. Ca.
Deyrollei Sharp
rufulus J. Sahlb. F.
humeralis Grav. E.
rufescens Rey
proximus Kr. E. md.
humeralis Rey Sc.
basalis Er. R. b. U.
circumcinetus Maekl.
nitidus Pand.
berezynicus Wank.
flavipes F. E.
laticollis Grav. E.
marginellus F. E. md. b.
♂ posticalis Mot.
♀ tridens Mot.
flavolimbatus Pand. *Gath*
collaris Grav. E. md. b. Ca.
latiusculus Kiesw. G.
rufipennis Gyll. E. md. b.
Manueli Sharp Pe.
subterraneus L. E.
v. bicolor Grav.
finetarius F. E. md. b. I.
Bonvouloiri Pand. P.
nivalis Mot. Ca.
Drymoporus Thoms.
discoideus Er. A. R. Ga.
elongatus Gyll. E. md. b.
intricatus Sahlb. I.
punctipennis J. Sahlb. F.
rufitarsis Hochh. Ca.

Tachyporus

Gravenhorst.

- obtusus* L. E.
v. nitidicollis Steph. Sc.
sibiricus Mot.
caspicus Mot. Ca.

- flavipes* Maekl. E.
formosus Matth. E. md. b.
rufus Er. Ca.
ruficeps Kr. G. A. Ti.
formosus Hochh. Ca.
Erichsoni Pand. Ga.
?abdominalis Er. R.
solutus Er. E.
v. caucasicus Kol. Ca.
discus Reiche E. m.
v. ?scutellaris Rye Br.
pallidus Sharp. F.
chrysomelinus L. E.
v. maculicollis Lee. R.
jocosus Say F.
arduus Er.
v. centrimaculatus Sahlb.
v. obseurellus Zett. L.
hypnorum F. E.
v. meridionalis Fairm.
v. armeniacus Kol.
tersus Er. Br. Ga. G. R. I.
erassicornis Mannh.
*

- atriceps* Steph. E.
humerosus Er.
pulchellus Mannh.
v. signifer Pand.
v. 4-scopulatus Pand.
ruficollis Grav. Ga. G. R.
pisciformis Heer
v. posticus Foerster Pe.
transversalis Grav. E. md. b.
macropterus Steph. E.
scitulus Er.
pulchellus Heer
v. Abner Sauley Gr. I.
corpulentus J. Sahlb. F.
pusillus Grav. E.
pieceus Maekl.
nitidulus F. E.
brunneus F.
elegantulus Reiche

- nigrieps* Mannh. F.

- Lamprinus* Heer.
pictus Fairm. II. I. Si.
Fairmairei Lepr.
luctuosus Fairm.
saginatus Grav. E. md. b.
haematopterus Kr. G.
erythropterus Panz. G. II.
Lasserrei Heer Ga.
nigricornis Gyll. Su.

Conurus

Stephens.

- Conosoma* Kraatz.
pubescens Payk. E.
v. cavicola Seriba
v. rufulus Hochh.
v. crypticola Rey
immaculatus Steph. E.
fuseulus Er.
dimidiatus Hochh. Ca.
erythrinus Hochh. R. m.
pedicularius Grav. E.
lividus Er.
tauricus Mot.
monticola Woll. Pe. II.
Lethierryi Pand. Lu.
littoreus L. E.
incertus Hampe.
erythrocephalus Hch. Ca.
bipustulatus Grav. E. md.
Wankowiczi Pand. R.
binotatus Grav. G. A.
bipunctatus Grav. E. md. b.
fasciatus Grimm.
nigropictus Eppelsh. Ca.
pumilio Eppelsh. Ca.

Bolitobius

Stephens.

- lunulatus* L. E.
atricapillus F.
rostratus Mot. Ca.
speciosus Er. Al. P. E. b.
lunulatus Gyll.
pulchellus Mannh. E. md. b.
lunulatus Er. I.

Lordithon

- Thoms.
bicolor Grav. A. Ha. G.
trimaculatus Payk. E. orb.
v. flavicollis Hochh. Ca.
Kraatzi Pand. Ha. Tr.
trinotatus Er. E.
trimaculatus Steph.
dorsalis Rey
exoletus Er. E.
angularis Steph.
pygmaeus F. E.
distigma Fairm.
v. biguttatus Steph.
intrusus Hampe
Phaedrus Kolenati Ca.

Megacronus

Stephens.	
striatus Oliv.	<i>E. md. b.</i>
Bryocharis Lac.	
cingulatus Mannh.	<i>E.</i>
insignis Hochh.	<i>Ca.</i>
analisis F.	<i>E.</i>
v. merdarius Gyll.	
eastaneus Steph.	
*	
inclinans Grav.	<i>E.</i>
Barnevillei Pand.	
Aubei Pand.	
punctulatus Heer	<i>H.</i>
formosus Grav.	<i>E. md. b.</i>
haematicus Baudi <i>Pe.</i>	
*	

Bryóporus Kraatz.	
cernuus Grav.	<i>E.</i>
pieceus Thoms.	
v. carus Sperk	
v. merdarius Ol. [<i>Hu. St.</i>	
multipunctatus Hmp.	<i>Cro</i>
rufus Er.	<i>G. Ga. I. Hu. A.</i>
punctipennis Thms.	<i>Su</i>
rugipennis Pand.	<i>Sc. Ga. H</i>
Maecklini J. Sahlb.	<i>F.</i>
castaneus Hardy	<i>Br. P.</i>
Hardyi Crotch	<i>Balk.</i>

Mycetoporus

Mannerheim.

Ischnosoma Thoms.	
splendidus Grav.	<i>E.</i>
pallidulus Mannerh.	
v. longicornis Maeckl.	
biplagiatus Fairm.	
elegans Maeckl.	<i>F.</i>
spelaeus Scriba	<i>Hi.</i>
thoracicicus Epp.	<i>Ca.</i>
myops Eppelsh.	<i>Ca.</i>
*	

Mycetoporus i. sp.	
Brueki Pand.	<i>Al. Hu. Ca</i>
rufescens Steph.	<i>E.</i>
lucidus Er.	
v. laevicollis Eppelsh.	<i>Ca.</i>
Maerkeli Kr.	<i>G. Hu. Su. PF</i>
nanus Er.	<i>E.</i>
Baudueri Rey.	

v. ?tenuis Rey.	
debilis Maekl.	<i>F. R.</i>
crassicornis Maekl.	<i>F.</i>
*	
marginatus Kr.	<i>G.</i>
punctus Gyll.	<i>E.</i>
v. bicolor Maeklin	
v. semirufus Heer	
punctipennis Scrib.	<i>Tr. I.</i>
poricollis Pand.	<i>Ca.</i>
*	

brunneus Marsh.	<i>E.</i>
lepidus Grav.	
humeralis Mot.	
nanus Grav.	
v. longulus Mannh.	
v. bimaculatus Lac.	
ruficornis Kr.	
punctiventris Thoms.	
Heydeni Scriba	
v. pieceus Maeckl.	<i>F.</i>
lapponicus Thoms.	<i>L.</i>
*	

pachyraphis Pand.	<i>Al. P.</i>
niger Fairm.	<i>Ga. P. I. A.</i>
Fairmairei Pand.	<i>Hi.</i>
angularis Rey	<i>E. md. m.</i>
niger Baudi	
Reyi Pand.	
Reichei Pandellé	<i>E.</i>
pronus v. b. Kr.	
v. ?borellus J. Sahlb.	
*	

aequalis Thoms.	<i>Su.</i>
splendens Marsh.	<i>E.</i>
splendidus Duv.	
australis Rey	
confinis Rey	
ruficollis Maeckl.	<i>F. Su.</i>
ignidorsum Epp. Herz	
forticornis Fauv.	<i>Ga. G.</i>
pronus v. a. Kr.	<i>Hu.</i>
clavicornis Steph.	<i>E. md.</i>
pronus Er.	<i>b. I.</i>
brevicornis Matth.	
picipennis Eppelsh.	<i>Ca.</i>

Quediini.

Tanygnathus

Erichson.	
terminalis Er.	<i>Ga. G. R. Su.</i>
varicornis Woll.	<i>And.</i>

Aeylophorus

Nordmann.	
glaberrimus Herbst.	<i>E.</i>
glabricollis Grav.	
pulcher Scriba	
Wagenschieberi Ksw. Su.	
Ga. G. Gr.	

Euryporus

Erichson.

aeneiventris Lucas	<i>Hi. I.</i>
meridionalis Baudi	<i>Si.</i>
picipes Payk.	<i>E. md. b.</i>

Heterothops

Stephens.

praevia Er.	<i>E.</i>
limosa Mot.	
fulvipennis Mot.	
nigra Kr.	
nidiola Thoms.	
melanocera Solsky	
distinguenda Hochh.	
binotata Grav.	<i>E. md. I.</i>
nitens Nordm.	<i>R. m.</i>
4-pnnctula Gyll.	<i>E. md. b.</i>
dissimilis Grav.	<i>E.</i>
praevia Thoms.	
v. brunnipennis Kiesw.	
flavolimbata Mot.	

Velleius

Mannerheim.

dilatatus F.	<i>E. md. b. I.</i>
--------------	---------------------

Quedius

Leach.

Microsaurus Sph.	
Ediquus Rey	
longicornis Kr.	<i>E.</i>
abdominalis Eppelsh.	<i>Ca.</i>
microps Grav.	<i>Su. Br. G.</i>
chrysurus Kiesw.	<i>Ga.</i>
*	

Microsaurus Thoms.	
Quedius Rey	

curtus Er.	<i>Ga. I. S. Si.</i>
v. coeruleipennis Fauv.	
brevis Er.	<i>E. md. b.</i>

crassus Fairm. *Ga.*
amplicollis Scriba *Hi.*
lateralis Grav. *E.*
transcaucasius Fald. *Ca.*
vicinus Ménétr.
v. suramensis Eppelsh.
brevicornis Thoms. *E.m.d.b*
vexans Eppelsh. *G.b.or.*
ochripennis Ménétr. *E.*
laetus Fald.
puncticollis Thoms.
assecla Rey
v. variabilis Rey
fulgidus F. *E.*
bicolor Redtb.
4-punctatus Thoms.
v. nigrocoeruleus Rey
v. erythrogaster Mannh.
mesomelinus Marsh. *E.*
Fuchsi Scriba
temporalis Thoms.
maurus Sahlb. *F.R.Belg.*
fageti Thoms. *Su.G.*
v. pyropterus Epp. *Ca.*
ventralis Aragona *I.Br.G.*
truncicola Fairm. *Ga*
abietum Kiesw. *E.m.*
Reboudi Fairm.
eruentus Oliv. *E.*
aetolicus Kr.
v. virens Rottbg.
xanthopus Er. *E.md.b.I.*
vulneratus Gemm. *Ca.*
plagiatus Hochh.
nigripennis J. Sahlb. *F.*
tenellus Grav. *G.*
polystigma Wank. *R.F*
scitus Grav *E.md.b.*
v. atricillus Grav.
lentus Mot. *R.m.*
infuscatus Er. *G.Ga.A.*

*

laevigatus Gyll. *E.md.b*
laevipennis Duf. *P.*
longipennis Mannh. *I.*
resplendens Thoms.
pediculus Ndm. *Al.E.md.*
punctatellus Heer
cinctus Payk. *E.*
impressus Panz.
rufocinctus Mannh.

*

Quedius Thoms.
Microsaurus Rey

tristis Grav. *E.md.m.*
frontalis Nordm.
laevicollis Brull.
fuliginosus Grav. *E.*
tristis Gyll.
granulipennis Mot.
latus Hochh. *Ca.*
molochinus Grav. *E.*
laticollis Grav.
simplicifrons Fairm.
unicolor Kiesw. *P.Ga.G.*

incompletus Hochh. *Ca.*

*

Sauridus Rey
Raphirus Thoms. ex. p.
ochropterus Er. *Al.E.md.*
coelebs Rottbg. *Si.*
v.brevipennis Mot. Carn
transylvanicus Weis. Tr.
picipes Mannh. *E.*
gracilicorvis Heer
provincialis Rey
nigriceps Kr. *E.*
ruficollis Steph.
pineti Bris.
praecox Fauv.
robustus Scriba *Alp.Lu.*
parviceps Fauv. *Hi.*
fumatus Steph. *E.*
peltatus Er.
praecox Heer
irideus Mill.
dubius Heer *H.Pe.Ga.*
montanus Heer
fimbriatus Er. *G.A.*
speculator Kiesw.
anceps Fairm. *P.Hi.*
cyanescens Rey *Ga.m.*
semiruber Fauv. *R.*
planeus Er. *S.Gr.Ca.*
umbrinus Er. *E.md.b.Ca.*
v.maritimus J. Sahlb. *F.*
suturalis Kiesw. *E.md.b.*
muscorum Bris. *Pe.S.*
marginalis Thoms.
? humeralis Steph.
coxalis Kr. *Gr.I.*
nivicola Kiesw. *Gr.*
bicolor Rey *Ga.*
limbatus Heer *E.md.b.*
praecox Gyll. *Ca.*
maurorufus Er.
obliteratus Er. *E.*
nemoralis Baudi
marginalis Kr.

suturalis Thoms.
ovaliceps Rey
praecox Grav. *I.n.S.*
Ernestini Fauv. *Si.*
maurorufus Grv. *E.md.b.*
praecox Lac.
modestus Kr.
acuminatus Fairm.
riparius Kelln. *G.Ga.I.Ca.*
Eppelsheimi Quedf. *And.*
Kraatzii Bris. *P.C.*
lucidulus Er. *G.Ga.A.H.*
scintillans Grav. *E.*
vicinus Lac.
monspeliensis Fairm.

*

Raphirus Steph.
pyrenaicus Bris. *P.HuBlk.*
cincticollis Kr. *A.Hu.*
auricomus Kiesw. *G.Ga.*
tomentosomaculat. Cor
alpestris Heer *Mt.G.Ga.*
satyrus Kiesw. *HuTr.*
biseriatus Stierl. *H.*
virgulatus Er. *Alp.mar.*
flavipennis Baud. *S.C.*
rufipes Grav. *E.md.I.*
semiobscurus Marsh.
semaeneus Steph. *Br.E.*
semiobscurus Er. *md.*
velutinus Mot.
proximus Kr. *Gr.*
myagrus Rottbg.
paradisiacus Heer *Mt.H.*
monticola Er. *I.G.Ca.*
collaris Er. *G.Hu.Tr.R.*
acuminatus Hochh. *Ca.*
Bonvouloiri Bris. *P.*
attenuatus Gyll. *E.md.b.*
picipennis Heer
Fellmanni Zett. *L.*
fulvicollis Steph. *Sc.G.*
picipennis Scriba *Cp.A.*
boops Grav. *E.*
v. fallaciosus Kr. *G.*
persimilis Rey
v. ? brevipennis Fair. *P.*

Astrapaeus

Gravenhorst.

ulmi Rossi *I.Ga.G.A.Hu.*

Staphylinini.

Emus

Curtis.

*

Creophilus Mannh.

maxillosus L. E.
v. *ciliaris* Steph. Sc.

Emus i. sp.

hirtus L. E.

ruficornis Mén. Ca.

Leistotrophus

Perty.

Schizochilus Gray.

nebulosus F. E.m.d.b.I.
murinus L. E.

v. *inauratus* Mannh.
v. *Haroldi* Epp. Bav.

marginalis Gené S.
callistus Hochh. Ca.

Staphylinus

Linné.

Trichoderma Steph.
Dinothenarus Thoms. ol.

chryscephalus Fourc. Ga.
pubescens Rossi E.m.

pubescens Degeer E.
*

Abemus Rey.

chloropterus Panz. A.Hu.
fossor Scop. A.G.Ga.H.I.

*

Staphylinus Th. Rey

erythropterus L. E.
caesareus Cederh. E.

*

Platydracus Thoms.
lutarious Grav. Ga.A.E.m.

meridionalis Rosh. Ga.
Mulsanti Godart P.

chalcocephalus F.E.m.d.b.
stercorarius Ol. E.

crebrepunctatus Mot.
latebricola Grav. E.

rupicola Kiesw.

fulvipes Scop. E.
bicinctus Block

*

Goërius Steph
Ocyphus Er.

Baudii Fauv. H.Ti.Pe.
rhaeticus Eppelsh.

olens Müller E.
v. *curtipennis* Mot.

brachypterus Kr.
tenebricosus Grav. Si.Hu.

italicus Aragona I.
macrocephalus Grav. G.A.

alpestris Er. G.Ga.A.Hu.
?alpinus Grav. A.

*

brunnipes F. E.
abbreviatus Mot.

v. *alpicola* Er.
Hochhuthi Eppelsh. Ca.

?philonthoides Hochh.
*

ophthalmicus Scop. E.
cyaneus Payk.

cyanochloris Hochh.
v. *atrocyanus* Fairm.

syriacus Baudi R.m.
Baudii Peyron Cri.

Ludovicæ Muls. f.Ti.
megacephalus Nrdm. Car

nitens Schrank E.
similis F.

abbreviatipennis Aub
decurtatus Rey

tenuipennis Grav. Hu.
simulator Epp. Gr. T.I.

gracilicornis Hochh. Ca.
pullus Hochh. Ca.

aethiops Waltl E.m.
musculus Nordm.

hesperus Crotch.
mus Brull. E.m.or.Ca.

picipes Nordm.
fuscipes Heer

tomentosus Baudi Gr.
picipennis F. E.

fuscatus Grav. E.
fulvipennis Er. G.Ga.A.

ibericus Kol. Ca.Hu.
vagans Heer H.I.

v. confusus Baudi I.
obscuroaeneus Fairm. Ga

aeneocephalus Deg. E.
cupreus Rossi

sericeus Mot.
cuculus Rossi

metallicus Costa
quadraticeps Fald. Ca.

Tasgius Steph.

pedator Grav. E.

siculus Aub.

chalybeipennis Mén.
protensus Ménér. Ca.

ater Grav. E.

morio Sahlb.

v. planipennis Aub.

gagates Baudi

Oliverii Fauv.

Matidus Mot.

forficularius Mot. Ca.

Ocyphus Stephens.

Anodus Nordm.

falcifer Nordm. A.I.R.Ca.

rufipes Eppelsh. Ca.

Solskyi Fauv. R.m.

minax Rey Ga.

nigrinus Luc. Hi.

depressus Hochh. Ca.

gracilipalpis Epp.

edentulus Block E.

morio Grav.

melanarius Heer

siculus Stierl.

erosicollis Reiche

Saulcyi Reiche

tricinctus Arag. I.

etruscus Gaut.

compressus Marsh. E.

fulvipes Mot.

mutatus Harold

v. cerdo Er.

luganensis Heer

Physetops

Mannerheim.

tataricus Pallas R.m.

Cafius

Stephens.

Orthidus Rey

cribratus Er. E.m.mar.

Cafius i. sp.

cieaticosus Er. Ga.Br.S.

fucicola Curt. Br.Ga./Si.

xantholoma Grav. E.mar.

variegatus Er.
 ♂ variolosus Sharp.
 Remus Holme.
 Pseudidus Rey.
 sericeus Holme *E.mar.*
 pruiniosus Er.
 v. filum Kiesw.

Hesperus

Fauvel.

rufipennis Grv. *G.A.Ga.I.*

Actobius

Fauvel.

Erichsonius Fauvel ol.
 Remus Thom. nec Holme.
 cinerascens Grav. *E.*
 subopacus Hochh. *Ca.*
 rivularis Kiesw. *Gr.I.Hi.*
 signaticornis Rey *Ga.*
G. Br.

*

Bisnius Thoms.

villosulus Steph. *E.*
 elongatulus Er.
 orbus Kiesw. *Ga.I.Hi.*
 tenellus Woll.
 procerulus Grav. *E.*
 lathroboides Baudi
 semipunctatus Fairm
 prolixus Er. *E.md.m.*
 pubipennis Kol.
 angusticollis Kol.
 dissimilis Baudi

Philonthus

Curtis.

velatipennis Solsky *R.m.*
 ephippium Nordm. *R.m.*
 scutellatus Mot.
 Linki Solsky *R.m.*
 punctus Grav. *E.*
 multipunctatus Munh
 v. binotatus Grav.

*

temporalis Rey *Ga.G.H.*
 punctiventris Kr. *Ti.*
 rutilipennis Hochh. *R.*
 suturalis Nordm. *R.*
 nitidus F. *Su. Mt.E.md.*

splendens F. *E.*
 v. sideropterus Kol. *Ca.*
 v. ? nigritarsis Mén. *Ca.*
 intermedius Lac. *E.*
 heterodoxus Rey *C.*
 umbratilis Grav. *E.*
 subfuscus Gyll. *E.*
 tanaicus Hochh. *R.m.*
 atratus Grav. *E.*
 lucens Mannerh.
 v. coeruleoescens Lac.
 janthinipennis Kol.
 picipes Fauv. *Ca.*
 carbonarius Gyll. *E.md.b.*
 tenuicornis Rey *Ca.*
 setosus J. Sahlb. *F.*
 addendum Sharp *Sc.Ga.R.*
 aeneus Rossi *E.*
 v. atratus Lac.
 proximus Kr. *E.*
 carbonarius Er.
 succicola Thoms.
 asphaltinus Er. *G.m.*
 cyanipennis F. *G.Ga.A.II.*
 coeruleipennis Munh.

*

puella Nordm. *Mt.E.md.b.*
 parumpunctatus Er.
 cephalotes Grav. *E.*
 ♂ megacephalus Heer
 nigritiventris Thoms. *Su.Sc.*
 sordidus Grav. *E.*
 sparsus Luc.
 Scribae Fauv. *G.A.II.*
 placidus v. Er. *R.*
 varipennis Seriba
 fuscus Grav. *E.md.b.*

*

ventralis Grav. *E.*
 ? ♀ celer Grav.
 debilis Grav. *E.*
 celer Heer
 melanocephalus Heer
 discoideus Grav. *E.*
 dimidiatus Sahlb. *G.R.*
 caucasicus Nordm. *Ca.*
 ebeninus Grav. *E.*
 lesghicus Kol.
 v. corruseus Grav. *E.*
 ? turbatus Er. *S.*
 concinnus Grav. *E.*
 varians Thoms.
 v. ochropus Grav.
 frigidus Kiesw. *Mt.G.II.Ga.*
 consputus Baudi *Pe.*

janthinipennis Hochh
 pyrenaeus Kiesw. *PHi.*
 corvinus Er. *Su.F.Br.G.H.*
 quisquiliarius Gyll. *E.*
 linearis Hochh.
 v. inquinatus Steph. *E.*
 rubidus Er.

*

sanguinolentus Grav. *E.*
 v. contaminatus Grav.
 ruficornis Mot. *R.m.*
 immundus Gyll. *E.*
 fumigatus Er.
 gagates Rey

*

laevicollis Lac. *Mt.G.Ga.*
 adscitus Kiesw. *Hu.Serb.*
 aerosus Kiesw. *St.Ti.H.*
 nimbiola Fauv. *MR.Cr.*
 montivagus Heer *Mt.E.*
 laevicollis Er. *[md.*

*

laminatus Creutz. *E.*
 rotundicollis Mén. *Ca.*
 scutatus Er. *E.md.b.S.*
 duplopunctatus Mot.
 juvenilis Peyron *Co.*
 tibialis Eppelsh. *Serb.*
 Bodemeyeri Eppelsh. *Hu.*

*

rufimanus Er. *G.Ga.I.Ca.*
 suavis Bris. *Lu.Hi.*
 gratiosus Bris. ol.
 alejoneus Er. *S.C.Si.II.*
 finetarius Grav. *E.*

stenoderus Reiche

? interpunctatus Mot.

anguinus Fauv. *P.*
 subrugosus Rey *Ga.m.*
 rubripennis Kiesw. *GGa.A*
 lividipes Baud. *Pe.Sc.a*
 dimidiatipennis Er. *E.m.*

*

Gabrius Steph.
 astutus Er. *G.Ga.A.II.*
 erythrostomus Hochh
 pisciformis Fauv. *Gu.*
 tibialis Rey
 badius Kiesw. *C.S.Gr.Hu.*
 insularis Gaut.
 hesperius Fauv. *Hi.Lu.*

brunnicollis Hochh. *R.or.*
 nigritulus Grav. *E.*
 aterrimus Grav.
 pumilus Mannerh.
 pusillus Heer
 pygmaeus Snellen
 v. trossulus Nordm.
 pilifer Rey *C.*
 coxalis Hochh. *R.m.*
 thermarum Aub. *Ga.Br.*
 exilis Kr. *G.A.I.*
 v. maritimus Mot. *E.m.*
 mimulus Rottbg.
 splendidulus Grav. *E.*
 analis Heer
 pubens Rey *Ga.m.*
 vernalis Grav. *E.*
 femoralis Hochh. *Ca.*
 flavipes Mot. *C.a.*
 exiguus Nordm. *E.*
 laticollis Fauv. *Ga.Hi.*
 Gefyrobius Thoms.
 nitidulus Grav. *E.md.b.*
 *
 laetus Heer *Alp.mar.Pe.*
 Ghilianii Kr. *S.*
 decorus Grav. *E.*
 politus F. *E.*
 fuscipennis Mannerh.
 fugax Fald. *Ca.*
 lucens Er. *E.md.b.*
 Mannerheimi Fauv.
 laxatus Fauv. *C.a.*
 varius Gyll. *E.*
 v. ? pieimanus Mén. *Ca.*
 v. bimaculatus Grav.
 escurialensis Perez *Hi.*
 luxurians Er. *C.S.*
 marginatus Müll. *E.*
 bipustulatus Woll. *Hi.Ca.*
 fenestratus Fauv. *Ga.*
 cruentatus Gmel. *E.*
 bipustulatus Panz.
 stragulatus Er. *Ga.m.I.D.*
 longicornis Steph. *E.*
 scybalaria Nordm.
 varians Payk. *E.*
 opacus Gyll.
 alpigradus Rey
 agilis Grav. *E.*
 rufocinctus Fauv. *Hi.*
 albipes Grav. *E.md.b.*
 ? microcephalus Grav.
 lepidus Grav. *E.md.b.*
 v. gilvipes Er.

 *
 fumarius Grav. *E.md.b.*
 nigrita Grav. *E.*
 virgo Grav. *G.Ga.H.Su.*
 palustris Bris. *S.C.Lu.*
 micens Grav. *E.*
 Truquii Peyr.
 salinus Kies. *Ga.G.Hu.Gr.*
 fulvipes F. *E.*
 rubripennis Steph.
 v. varipes Rey
 obscuripes Bris.
 *
 Rabigus Rey.
 formosus Mot. *Ca.*
 tenuis F. *E.*
 gracilis Letzn.
 pullus Nordm. *E.md.*

Platyprosopus

Mannerheim.

elongatus Mannh. *R.m.Ca*
hierichonticus Reiche *Gr.*

Diochus

Erichson.

Staudingeri Kr. *Hi.*

Othius

Stephens.

laeviusculus Steph. *E.md.*
 punctipennis Lac.m.
 fuscicornis Heer
 stenocephalus Eppels. *Co*
 melanocephalus Grv. *E.b.*
 6-punctatus Halid. *md.*

 *
 fulvipes Mot. *Carn.*
 *

myrmecophilus Kiesw. *E.*
 melanocephalus Mnln.
 dilutus Mot.
 lapidicola Kies. *Mt.G.Ga.*
 crassus Mot. *H.Pe.F.*
 suturalis Mot.
 ? longicornis Thoms.
 v. picens Seriba
 volans J. Sablb. *E.*
 brevipennis Kr. *A.St.Ti.*

pallidus Brancs. *Cp.St.Ca.*
 paralleliceps Quedf. *And.*
 fulvipennis F. *E.*
 grandis Hochh. *Ca.*

Baptolinus

Kraatz.

Atreucus Duval

Gyrohypnus Thomson.

pilicornis Payk. *E.md.b.*
 affinis Payk. *E.*
 alternans Grav.
 frigidus Duf.
 nigriceps Mannerh.
 dimidiatus Mot.
 longiceps Fauv. *Mt.E.md.*

Leptacinus

Erichson.

scripticollis Hochh. *Ca.*
 parumpunctatus Gyll. *E.*
 ampliventris Duv.
 batychrus Gyll. *E.*
 linearis Grav.
 procerulus Mannerh.
 tener Waltl
 angustatus Grimm
 apicalis Kol.
 othoides Baudi
 formicetorum Maerk. *E.*
 laeviusculus Solsky *R.m.*

Leptolinus

Kraatz.

Stenistoderus Duval

nothus Er. *E.m.*
 sareptanus Stierl.
 v. cephalotes Kr. *E.m.*
 versicolor Solsky

Metoponcus

Kraatz.

Cylindrocephalus Mot.
 Zetotomus Duval.
 brevicornis Er. *A.Ga.*
 basalis Aub. *Ca.*
 pietus Mot.
 tricolor Brancsik *Hi.*

Xantholinus

Serville.

- glabratus Grav. E.
occidentalis Waltl
- relucens Grav. G.A.Ti.
ochropterus Nrdm. Gr.
v. hebraicus Reiche D.
flavocinctus Hochh. R
- glaber Nordm. E.mdb.
flavipennis Redt.
rotundicollis Steph.
hesperius Er. Lu. II. F.
limbatus Waltl Si.
- myops Fauv. Al.mar.
procerus Er. G.A. II. S.
decorus Er. II. Cro. Gr.
rufipennis Er. Si. Cret. Gr.
elegans Oliv. II. Ga.
fortepunctatus Motsch. Ca.
erassicornis Hochh. Ca.
tricolor F. E.
meridionalis Lac.
- distans Rey E.md.
cribripennis Fauv. Ga. I.
fortepunctatus Hochh.
variabilis Hochh. Ca.
translucidus Scrib. II.
rufipes Luc. II.
Cordieri Boield.
- linearis Oliv. E.
multipunctatus Thms
v. longiventris Heer
graecus Kr. Gr. Corf. Ca.

Vulda Duv.

Typhloides Sharp.

- tenuipes Baudi I.
italicus Sharp
- angusticollis Fauv. I.
gracilipes Fauv.
gracilipes Duv. Ga. Nizza.

Gyrohypnus Steph.

- punctulatus Payk. E.
morio Reitt.
melanarius Fauv.
Haroldi Reitt.
v. Thomsoni Schwarz
- atratus Thoms.
atratus Heer E.
confusus Rey
picipes Thoms.
ochraceus Gyll. E.

Eulissus Mannh.

- Agerodes Motsch.
Gauopterus Thoms.
- fulgidus F. E.
angulatus Küst.
intermedius Küst.
sanguinipennis Kol. Ca.
- Nudobius Thoms.
umbratus Mot. Ca.
lentus Er. E.mdb. I.
haematodes Kolen. Ca.
fasciatus Hochh. Ca.
collaris Er. Ga.G.I.
? Godeti Lap. R.m.
ruficollis Lue.

Paederini

Cryptobium

Mannerheim.

- fracticornis Payk. E.
Jaquelini Boield.
brevipenne Rey

Homoeotarsus

Hochhuth.

spirosoma Mot.

- Chaudoiri Hoch. Gr. Ca.

Dolicaon

Laporte.

Adelobium Nordmann

- densiventris Fauv. Si.
cribriocollis Fauv. II.m.
illyricus Er. A.D.Si.
melanocephalus Rche. Gr.
haemorrhous Er. Si. S.
gracilis Grav. Lu. II.
biguttulus Lac. Ga.G.A.
gracilis Redtb. E.m.

Scotonomus

Fauvel.

- Raymondi Fauv. S.I.
etruseus Sauley I.

Achenium

Curtis.

- caucasicum Lap. Ca.

striatum Latr. II. Si.

- distinctum Luc.
haemorrhoidale Luc.
rugipenne Fauv. II.
ephippium Er. A. II.
planum Er. Gr. R.m.
depressum Grav. E.mdb.m.
basale Er. I.C.S.
tenellum Er. II. I.
jejunum Er. S.

*

- humile Nicolai E. md.
rufulum Fairm. Ga.

Lathrobium

Grarenhorst.

- brunnipes F. E.mdb.
punctatum Crotch
v. luteipes Fauv.
crassipes Rey Ga.m.
elongatum L. E.mdb.
boreale Hochh. E.
elongatum Gyll.
geminum Kr.
bicolor Heer
volgense Hochh.
? pallidipenne Hochh.
rufescens Mot. R.
castaneipenne Kol. Ca. Hu.
lineatocollis Scrib. G.A.
laevipenne Heer II. A. Hu.
dentatum Kelln. Ga.
v. impressifrons Epp. Ca.
fulvipenne Grav. E.mdb.
alpestre Heer

- v. Letzneri Gerhardt
rufipenne Gyll. E.mdb.
punctulatum Mannh.
xanthomerum Kr. I.
? suturale Wenck. Ga.
filiforme Grav. E.
impressum Heer
longulum Grav. E.
v. longipenne Fairm.
maurianense Fauv. Pe. GI.
elegantulum Kr. Cr. Cro.
v. flavipes Hochh. R.m.
fovulum Steph. E.
punctatum Zett.
rufipes Maekl.
Zetterstedti Rye
baicalicum Eppelsh. F.
sibiricum Epp. ol.
atripalpe J. Sahlb.

*
angustatum Lac. *Ga.G.A.*
v.scutellare Nrdm. *R.*
gracile Solsky *Ca.*
Solskyi Stein
quadratum Payk. *E.*
v. posticum Rey
terminatum Grav. *E.*
atripalpe Scriba *G.*
gracile Hampe *Hu.Bar.*

*
dilutum Er. *G.H.*
agile Heer
pallidum Nordm. *E.md.b.*
Jansoui Crotch.
spadiceum Er. *G.Pc.*
Tarnieri Rouget *Ga.*
testaceum Kr. *A.*

*

Glyptomerus Müller.
Typhlobium Kr.
cavicola Müll. *Carn.*
v.apenninum Baudi *I.*
etruscum Piccioli
Diecki Sauley *Si.*

Lobrathium Rey.
lusitanicum Grav. *E.m.*
decipiens Reiche
erythrurum Rottbg.
Manueli Fauv. *Pe.*

*

anale Lucas *Hi.*
concinnum Bris.
apicale Baudi *Gr.Ca.*
multipunctatum Grav. *E.*
v. striatopunctatum Ks.
differens Harold
v. pyrenaicum Fairm.
Lederi Eppelsh. *Ca.*

*

pieipes Er. *Ga.G.I.Cret Ca*
bicolor Er. *G.Ga.A.Pe.*
angusticollis Hoch. *Ca*
angusticollis Lac. *Ga.G.*
longicornis Redtb. *A.*
carinatum Bold *Br.*
v. sodale Kr. *G.Hu.*

Pseudobium Rey.

labile Er. *Ga.G.E.m.*

Throbalium Rey.
dividuum Er. *Ga.m.C.S.*
pallidipenne Stierl. *R*
Centrocnemis Joseph
Krniense Joseph *Carn.*

Scimbalium

Erichson.

Micrillus Raffray
anale Nordm. *Ga. A.I.Tr.*
planiolle Er. *Ca.*
testaceum Er. *E.m.*
grandiceps Duv.
longicolle Muls.
trapezicolle Uhagon
Saintpierrei All.
pubipenne Fairm. *Ga.*
longipenne Bris.

Medon

Stephens.

Lithocharis Lacord.
Achenomorphus Mot.
castaneus Grav. *E.md.b.*
Ruddi Steph.
procerus Perez
? brevicornis Latr.
oppidanus Kr. *G.*
dilutus Er. *G.Ga.Br.Hi.Ca*
spelaeus Scriba *Hi.m.*
piceus Kr. *Ga.G.Br.Hi.Si.*
muscicola Rey
rufiventris Nordm. *G.Hu.*
incertus Rey *Ga.*
pythonissa Sauley *C.*
Branesiki Eppelsh. *A.Hu.*
pocoferus Peyron *Br.*

maritimus Aub. *Ga.*
despectus Fairm. *And.*
ferrugineus Er. *A.*
brunneus Er. *E.md.b.*
megacephalus Heer
monticola Hampe
despectus Fairm. *Hi.m.*
debilicornis Woll. *Ga.*
brevicornis All.
fuscus Mannh. *E.md.*
rufus Rey
v. infuscatus Baudi
Kellneri Kr. *G.*
ripicola Kr. *E.*

fusculus Rey
apicalis Kr. *G.Ga.Br.*
sericellus Fairm. *I.H.*
castanopterus Kr. *G.*
nigritulus Er. *E.m.*
minutus Luc.
siculus Kr.
graecus Kr. *Gr.D.I.*

Hypomedon Rey.

propinquus Bris. *E.*
vicinus Bris ol.
laetus Thoms.
bicolor Ol. *E.*
melanocephalus Er.
ruficollis Kr.
? rubricollis Steph.
melanocephalus F. *E.*
nitidus Quedenf. *Hi.m.*

*

seminiger Fairm. *I.*
aveyronensis Mathan *Ga.*
gracilis Rey
brachypterus Scrib. *P*
brevipennis Scriba
Plasoni Eppelsh.
Simoni Quedenf. *Hi.m.*

Pseudomedon Rey.
obsoletus Nordm. *E.*
opacus Redtb.
v. obscurellus Er.

Lithocharis Th., Rey.
ochraceus Grav. *E.*
brunniceps Fairm.

Scopaeus

Erichson.

infirmus Er. *R.m.*

*

pusillus Hochh. *Ca.*
bicolor Baudi *Pe.I.*
mutatus Harold
gracilis Sperk *E.md.m.*
Erichsoni Kolen. *Ca.*
apicalis Rey
debilis Hochh. *Ca.A.II.*
scitulus Baudi *Ga.ID*
sericans Rey *Ga.I.Si.Hi.*
longicollis Fauv. *Ga.G.Hi.*
laevigatus Gyll. *E.*

Polyodontus Solier

Scoponaeus Mot.

rubidus Rey *Ga.G.I.Hi.*

subcylindricus Scrib.

Ryei Woll.

anxius Rey *Ga.m.*

didymus Er. *E.md.m.*

micropterus Fauv. *I.*

cognatus Rey *E.md.I.*

sulcicollis Steph. *E.*

minutus Er.

chaleodactylus Kol.

pumilus Heer

debilis Rey

v. *abbreviatus* Rey

pusillus Kiesw.

v. *intermedius* Rey

Domene

Fauvel.

scabricollis Er. *Mt.E.md.*

aciculata Hopffg. *Cro.*

stilicina Er. *I.Si.S.Gr.R.*

punctatissima Scrib.

scopaeella Fauv. *Lu.*

Stileius

Latreille.

Rugilus Curtis.

festivus Rey *Ga.m.C.*

capitalis Harold *R.m.*

bimaculatus Mot.

fragilis Grav. *E.md.*

scutellatus Mot. *I.*

*

subtilis Er. *E.md.*

similis Er. *E.md.b.*

geniculatus Er. *E.md.*

? *punctipennis* Steph.

flavipes Mot. *Ca.*

orbicularis Payk *E.*

affinis Er.

fuscipes Er.

ruficornis Lue.

rufipes Germ. *E.*

Erichsoni Fauv. *E.md.b.*

orbicularis Er.

Sunius

Stephens.

Astenuus Lacord.

Mecognathus Woll.

Neognathus Sharp.

paradoxus Epp. *Ca.R.m.*

latus Rosenh. *Lu.Hi.C.*

curtulus Er. *C.S.*

tristis Er. *Lu.Hi.C.S.*

platynotus Sauley

diversicollis Fauv.

Martinezii Uhagon

*

uniformis Duv. *Ga.D.Hi.*

diversicollis Baudi

humeralis Rottbg. *I.*

anguinus Fauv.

vestitus Rey

filiformis Latr. *E.*

anguinus Baudi

sericatus Mot.

serpentinus Mot.

unicolor Rey

subditus Rey

v. *humeralis* Gredl.

v. *abbreviatus* Baudi

*

cribellus Baud. *Pe.Si.D.*

filum Aub. *Hi.S.*

asper Aub.

rutilipennis Chevr.

*

nigromaculatus Mot. *C.Hi*

bimaculatus Er. *E.m.*

biguttatus Baudi

immaculatus Mot.

melanurus Küst. *E.m.*

apicalis Mot.

aemulus Rottb.

*

pulchellus Heer *H.G.Br.*

diversus Aub. *Ga.*

fasciatus Mot. *R.m.*

angustatus Payk *E.*

gracilis Payk.

neglectus Maerkel *E.*

thoracicus Baudi *Gr.R.*

subnitidus Kr. *Ca.*

immaculatus Steph. *E.*

intermedius Er.

dalmatinus Küst.

Nazeris

Fauvel.

Mesunius Sharp.

pulcher Aub. *Lu.Hi.*

cribellatus Fairm.

Paederus

Gravenhorst.

Paederomorphus Gaut.

lusitanicus Aub. *Lu.Hi.*

Baudii Fairm. *Al.mar.Pe.*

lusitanicus Baudi *St.*

ventricosus Gaut.

brevipennis Lac. *Ga.G.I.*

geniculatus Dietr.

gregarius Scop. *E.*

littoralis Grav.

vulgaris Mill.

peduncularius Gaut.

cephalotes Mot.

meridionalis Fauv. *A.Hi.I*

riparius L. *E.*

longicollis Gautier

fuscipes Curt. *E.*

longipennis Er.

corsicus Gautier

v. *fennicus* J. Sahlb. *F.*

caligatus Er. *E.md.m.*

paludosus Dietr.

limnophilus Er. *Ga.G.Pe.*

minutus Gaut. *H.A.*

melanurus Gené *Pe.Si.*

v. *ruficeps* Baudi *I.*

Paederidus Rey

ruficollis F. *E.*

thoracicus Fourer.

v. *gemellus* Kr.

sanguinicollis Stph. *E.md.*

longicornis Aub. *m.*

carbonarius Gautier

haematoderes Hrdl.

Oedichirus

Erichson.

paederinus Er. *Si.*

unicolor Aub. *Hi.*

Oedipus Rottenb. *Si.*

Procirrus

Erichson.

Lefebvrei Latr. *Si.*

Pinophilus

Gravenhorst.

aegyptius Er. *Si.*

siculus Kr.

Ctenomastax

Kraatz.

Kiesenwetteri Kr. *Hi.m.***Stenini.****Dianous**

Samouelle.

coerulescens Gyll. *E.md.b***Stenus**

Latreille.

biguttatus L. *E.*bipunctatus Er. *E.*longipes Heer *Ga.G.I.Hi.*ocellatus Fauv. *Ga.Lu.*

*

erythrocnemus Epp. *Ca.*maculiger Weise *Gr.Cro.*bipustulatus Thms. *Su.Tr.*laevigatus Rey *I.C.S.*guttula Müll. *E.*

geminus Heer

*

Guynemeriduv. *E.occ.m.*

rugosus Kiesw.

tylocephalus Kr.

*

alpicola Fauv. *H.Pe.P.*sibiricus J. Sahlb. *Ca.*

*

aterrimus Er. *G.Ga.Su.*asphaltinus Er. *G.Ga.BrI*fossulatus Er. *G.Ga.I.*gracilipes Kr. *G.*bilineatus J. Sahlb. *F.*

*

strigosus Fauv. *C.*inecanus Er. *E.md.m.*

pygmaeus Perris

tythus Schauf. *Bat.*mendicus Er. *E.m.*

oreophilus Fairm.

pusillus Er. *E.*

coniciventris Fairm.

nanus Steph. *E.*

declaratus Er.

pumilio Baudi

* *

circularis Grav. *E.*pumilio Er. *G.*exiguus Er. *Br.G.*

*

humilis Er. *E.md.b.*

picipes Mot.

synonymus Harold

carbonarius Gyll. *E.md.b.*

niger Mannh.

opacus Er.

debilis Rye

glabellus Thoms. *Su.*subglaber Thoms. *Su.F.*

*

stigmula Er. *E.md.b.Ca.*

maculipes Heer

bimaculatus Gyll. *E.*clavicornis Scop. *E.*

speculator Lac.

boops Gyll.

scrutator Er. *G.Hu.Su.R.*coxalis J. Sahlb. *F.*excellens Eppelsh. *D.*providus Er. *E.*

obscurus Lucas

v. Rogeri Kr. *E.*

novator Duv.

sylvester Er. *G.Ga.Su.Tr.*hyperboreus J. Sahlb. *L.*excubitor Er. *G.*lustrator Er. *E.md.b.*proditor Er. *G.Br.A.H.*ripaccola J. Sahlb. *F.*v.grandiceps Thoms. *Su.*

*

gallicus Fauv. *G.*calcaratus Scriba *G.b.R.*Juno F. *F.*

boops Grav.

inspector Mäkl.

ater Mannh. *E.*affaber Baudi *R.m.Hu.*punctipennis Thoms. *Su.*longitarsis Thoms. *E.md.*

♂ Barnevillae Bedel b.

fasciculatus J. Sahlb. *R.b.*intricatus Er. *Ga.E.m.*

* *

incrassatus Er. *E.*umbripes Baudi *I.*atratus Er. *E.*melanarius Steph. *E.*

cinerascens Er.

gracilentus Fairm.

nigripalpis Thoms.

?inaequalis Rey
subdepressus Rey *Ga.G.*explorator Fauv. *Hi.*morio Grav. *E.md.m.*

trivialis Kr.

aequalis Rey

buphthalmus Grav. *E.*

sulcatus Rey

canaliculatus Gyll. *E.*

congener Mäkl.

palposus Zett. *E.b.Ga.G.*

buphthalmus Gyll.

carbonarius Er.

argentellus Thoms.

ruralis Er. *E.md.*

alpestris Heer

♀ Sheppardi Crotch

labilis Er. *Su.F.*

confusus J. Sahlb.

aemulus Thoms.

nitens Steph. *Br.Su.G.*

aemulus Er.

lapponicus J. Sahlb. *L.*

labilis Thoms.

foraminosus Er. *G.*melanopus Marsh. *E.*

nitidus Lac.

capitatus Eppelsh.

arctulus Hochh. *Ca.*

v. piscator Saulcy

morulus Baudi

sulcifrons Eppelsh.

*

cautus Er. *G.Ga.A.Hu.R.*

macrocephalus Aub.

sublobatus Rey

vafellus Er. *E.md.b.*fuscipes Grav. *E.*

femorellus Zett.

*

argus Grav. *E.*

*

opticus Grav. *E.md.b.*scabriculus J. Sahlb. *F.*formicetorum Mannh. *F.*eumerus Kiesw. *P.Alp.Op.*erassus Steph. *E.*

nigrutilus Er.

minutus Hochh.

crassiventris Thoms.

littoralis Thoms. *E.md.b.*

borealis Mäkl.

*

nigrutilus Gyll. *E.*

campestris Er.	E.
brunnipes Steph.	E.
unicolor Er.	
laticollis Thoms.	
v. lepidus Weise	Gr.Si.
*	*
latifrons Er.	E.
oscillator Rye	B.
paganus Er.	E.
tarsalis Ljungb.	E.
roscidus Snellen	
similis Herbst	E.
oculatus Grav.	
modestus Luc.	
siculus Stierl.	
solutus Er	Br.Ga.G.
cicindeloides Schall.	E.
Kiesenwetteri Rosh.	Br.G
fornicatus Steph.	E.
contractus Er.	
*	*
canescens Roseuh.	Br.Ga.
major Rey	I.Hi.
pubescens Steph.	E.md.b.
subimpressus Er.	
salinus Bris.	Ga.Hi.
binotatus Ljungb	E.
pallitarsis Steph.	E.
plantaris Er.	
cavifrons Rey	
niveus Fauvel	Sc.Ga.
*	*
Leprieuri Cussac	Ga.G.
picipes Steph.	E.
rusticus Er.	
spretus Fairm.	
foveicollis Kr.	Sc.Ga.G.
bifoveolatus Er.	R.m.
brevicollis Thoms.	Su.
paludicola Kiesw.	Gr.
bifoveolatus Gyll.	Br.Su.
planeus Er.	Ga.G.H.
picipennis Er.	Br.Ga.G.C.
languidus Er.	E.m.
nitidiusculus Stph.	F.occ.
tempestivus Er.	
flavipes Steph.	E.
filum Er.	
*	*
cordatus Grav.	E.m.
Monticellii Costa	
princeps Hampe	
hospes Er.	E.m.
pulchripes Solsky	

longicornis Sauley	
politus Aub.	Ga.m.T.Gr.
serpentinus Fauv.	
gracilicornis Baudi	I.
cyaneus Baudi	Gr.D.T.
splendens Sauley	Hu.
rutilans Sauley	
glacialis Heer	Alp.Cp.Br.
muscorum Fairm.	Ga.
seaber Fauv.	Ga.m.P.D.
italicus Baudi	J.C.
? bituberculatus Mot.	
subaeneus Er.	G.Ga.Hu.
? gonymelas Steph.	Br.
ossium Steph.	Br.E.m.
impressipennis Duv.	
carinifrons Fairm.	
sardous Kr.	
elevatus Mot.	
elegans Rosh.	E.m.
ochropus Kiesw.	
Fauveli Bris.	
aceris Steph.	E.md.m.
aerosus Er.	
annulatus Crotch.	
impressus Germ.	E.
aceris Lac.	
angustulus Heer	
gilvipes Mot.	
carinifrons Mot.	
geniculatus Grav.	E.md.b.
flavipalpis Thms.	Su.F.Ti
pallipes Grav.	E.
palustris Er.	E.md.b.
fuscicornis Er.	G.Ga.Hi Br
speculifer Fauv.	P.
sparsus Fauv.	C.
suramensis Eppelsh.	Ca.
Erichsoni Rye	E.
flavipes Er.	
*	*
micropterus Eppelsh.	Ca.
Hopffgarteni Epp.	Cro.
subeylindricus Scriba	Hi.
Reitteri Weise	Tr.fmd.
montivagus Heer	Mt.E.
clavulatus Hochh.	Ca.
Lederi Eppelsh.	

Leptotyphlus

Fauvel	
sublaevis Fauv.	C.
Revelierei Sauley	C.
exilis Rey	P.

Mayetia

Rey.	
sphaerifera Rey	P.
corsica Sauley	C.
atomus Sauley	S.

Euaesthetus

Gravenhorst.

Eristhetus Mannerb.	
bipunctatus Ljungb	E.md.
seaber Grav.	b.
? ruficollis Mot.	
Mariae Bethe	
ruficapillus Lac.	E.
Lespesi Duv.	
pullus Thoms.	
? fulvus Mot.	
laeviusculus Mnkh.	E.md.
ruficapillus Thoms.	b.

Octavius

Fauvel.

Anillosthetus Perris	
pyrenaeus Fauv.	P.
insularis Fauv.	C.
Raymondi Sauley	S.
crenicollis Fauv.	P.
grandiceps Rey	Ga.

Edaphus

Leconte.

dissimilis Aub.	Ga.C I.D.
Lederi Eppelsh.	Ca.

Oxytelini.

Oxyporus

Fabricius.

rufus L.	E.
Mannerheimi Gyll.	E.b.
maxillosus F.	G.Ga.
v. angularis Gebl.	R.G.
v.Schönherrii Mnkh.	F.G.

Cylindrogaster

Fauvel.

corsica Fauv.	C.
---------------	----

Bledius

Mannerheim.

- bos Fauvel *I.S.Si.*
atramentarius Rottb.
taurus Germ. *E.md.m.*
spectabilis Kr. *E.*
tricornis Fauv.
Graëlli Fauv. *Ga.Hi.I.*
? ♀ antilope Peyron
tricornis Herbst *E.md.b.*
nuchicornis Rey *I.R.*
corniger Rosh. *Hi.*
unicornis Germ. *E.md.b.*
monoceros Rosh.
crenulatus Stierl.
*

- bicornis Germ. *G.Ga.I.*
Ruddi Steph. *Br.Hi.*
dama Mot.
diota Schioedte *Dan.*
hinnulus Er. *R.m.*
juveneus Er. *R.m.*

Blediodes Rey.

- Bargus, Tadonus Schioedte.
littoralis Heer *Al.II.Ga.*
aquarius Er. *G.I.A.*
denticollis Fauv. *Ga.P.*
obscurus Rey *G.R.*
opacus Block *E.[m.*
atricapillus Germ. *E.md.*
nanus Er. *E.md.*
defensus Fauv. *Ga.Belg.*
strictus Fauv. *H.Pe.*
femoralis Gyll. *E.md.b.*
sus Aub.

- fracticornis Payk *E.*
alpestris Heer
? elongatus Manuh.
picipennis Hochh. *Ca.*
longulus Er. *G.Ga.Br.II.*
ruficornis Rey *Ga.*
erythropterus Kr. *Alp.G.*
procerulus Er. *G.Ga.R.*

*

- crassicollis Lac. *Ga.G.Br*
filum Heer *H.Pe.Su.*
cibriocollis Heer *E.md.m.*
rufipennis Er.
dissimilis Er. *G.Ga.I.A.R*
v. nigricans Er. *R.m.*
atratus Fauv. *S.*
obsoletus Fauv. *P.*
ignobilis Eppelsh. *Ca.*

- pusillus Er. *G.Ga.A.*
pygmaeus Fauv.
pygmaeus Er. *G.Ga.II.Pe*
agricultor Heer, Kr.
pusillus Fauv.
v. Baudii Fauv.

- Hesperophilus Stph.
arenarins Payk. *E.md.b.*
debilis Er. *G.Hi.Si.R.m.*
Mulsanti Rosenh.
tristis Aub. *Ga.I.*
brevicollis Rey

Astylops Thoms.

- talpa Gyll. *G.Su.F.R.*
subterraneus Er. *G.Ga.Br*
pallipes Thoms. *Su.F.*
rastellus Schioedt. *A.*
vilos Mäkl.
pallipes Grav. *E.md.b.*
terebrans Schioedte
rastellus Thoms.
♀ fuscipes Rye

- hispidulus Fairm. *Ga.II.*
tibialis Heer *P.Alp.*
♂ morio Heer
pubescens Kol. *Ca.*
fossor Heer *H.D.Lu.I.*
triangulum Baudi *Hu.*
frater Kr. *R.m.*
grandicollis Mot. *St.*
limbatus Hochh. *R.m.*

Pucerus Rey.

- verres Er. *Ga.E.m.*
cinctus Mot.
funestus Eppelsh. *T.*

Belidus Rey.

- angustus Rey *Ga.*
infans Rottbg. *Si.*

Platysthetus

Mannerheim.

- cornutus Gyll. *E.*
maxillosus Peyr.
v. alutaceus Thoms.
tristis Rey
spinosus Er. *Ga.E.m.*
capito Heer *E.md.I.*
pilosellus Wankow.
nodifrons Sahlb. *Su.Br.*

- asphaltinus Wltl. *Ga.G.*
Burlei Bris. *Ga.Hi.*
constrictus Scrib.
brevipennis Baudi *S.*
Wankowicz Hochh. *R.m.*
rufospinus Hochh. *S.Gr.*
nitens Sahlb. *E.*

- striatulus Heer
longicornis Lue.
angustipennis Scrib.
debilis Hochh. *R.m.*

Pyctocraerus Thoms.

- arenarius Fourer. *E.*
morsitans Payk.
longipennis Eppelh. *Hi.m.*
oxytelinus Fauv.
macropterus Weise
? excavatus Mot.
laevis Kiesw. *Al.Ti.Pe.*
cephalotes Eppelh. *Ca.*

Oxytelus

Gravenhorst.

- rugosus Grav. *E.*
opacus Kr. *A.Hu.R.*
strigifrons Hochh. *Ca.*
rugifrons Hochh. *A.Hu.R.*
Eppelsheimi Bete *G.*
insecatus Grav. *E.*

Tanygraerus Thoms.

- fulvipes Er. *E.md.b.*
tarandus Mot.
laqueatus Marsh. *E.md.b.*
pieceus Sahlb.
luteipennis Er.
plagiatus Mot.
plagifer Harold

Caccoporus Thoms.

- pieceus L. *E.*
♂ humilis Heer

Epomotylus Thoms.

- sculptus Grav. *E.*

Anotylus Thoms.

- Perrisi Fauv. *Ga.G.*
maritimus Thoms. *Su.*
oceanus Fauv. *Br.*
inustus Grav. *E.*
maxillosus Sperk

politus Er.	A.
plagiatus Rosh.	H.
hybridus Eppelsh.	Ca.T.
sculpturatus Grav.	E.
montivagus Heer	
brevipennis Fauv.	H.
nitidulus Grav.	E.
?flavipes Steph.	

Haploderus

Stephens.

Phloeonaeus Er.
elatus Grav. *E.*
esus Er. *G.A.*

Trogophloeus

Mannerheim,

三

Thinodromus Kr.
filatatus Er. *Ga.G.H.I.*
v. *?hirticollis* Rey

Carpalimus Steph.
distinctus Fairm. *Ga.P.*
Mannerheimi Kolen. *Ca.*
Brebissoni Fv. *Ga.P.*
v. plagiatus Kiesw. *Hi.*
Kiesenwetteri Hochh. *Ca.*
Motschulskyi Hochh. *Ca.*
arcuatus Steph. *E.md.b.*
serobiculatus Er.
dilaticollis Eppelsh. *Ca.*

Trogophloeus	i.	sp.
spinicollis	Rye	Br.
opacus	Baudi	P.
bilineatus	Steph.	E.
riparius	Lac.	
caucasicus	Hochh.	
? lathroboides	Peyron	
suspectus	Rey	
rivalaris	Mot.	E.
bilineatus	Er.	
Erichsoni	Sharp	
memnonius	Er.	E.
tarsalis	Hochh.	
obesus	Kiesw.	
fossulatus	Mot.	
rubripennis	Fauv.	
subaequus	Rey	Ga.
anthracinus	Rey	Ga. Hi.
insularis	Kr.	Gr.Ca.I.H.
politus	Kiesw.	Ga. Hi. SiA
fuliginosus	Grav.	E. md. b.
Taenosoma	Manuh.	
impressus	Lac.	Ga.G.I.R.
inquilinus	Er.	
affinis	Heer	
niloticus	Er.	P.
corticinus	Grav.	E.
fulvipennis	Fauv.	
obsolete	Rey	
elongatus	Er.	E. md. b.
brevipennis	Hochh.	
nitidus	Baudi	I.Ga.G.Hu.
siculus	Rey	Si.
punctatellus	Er.	G.H.I.R.
foveolatus	Sahlb.	E.
troglodytes	Er.	S.Si.
ruficollis	Woll.	Hi. m.
punctipennis	Kiesw.	Ga.C.
rufipennis	Eppelsh.	Gr.
halophilus	Kiesw.	E.
pusillus	Grav.	E.
parvulus	Rey	Ga.m.
gracilis	Mnnh.	Su. Br.Ga.
tenellus	Er.	G. I. Gr.
subtilis	Er.	Br. Ga.G.
Trogius	Rey.	
despectus	Baudi	Pe.Ga.G.
exiguus	Er.	E. md. m. Ca.
aberrans	Rosh.	
glabriocollis	Mot.	
discolor	Baudi	
atomus	Sauclay	
luteicornis	Rey	

Thinobius

Kiesenwetter-

- longipennis Heer *E. md.*
ciliatus Kiesw.
Wenckeri Fauv.
- v. pusillus Heer
brevipennis Kiesw. *G. Br.*
atomus Fauv. *Ga. A. Ca*
minutissimus Fauv. *Ga. A.*

Thinophilus Rey

brevicollis Rey *Ga.* *G. Pe.*
 major Kr., Rey *G. Ga.* *Br.*
 linearis Kr. *G. A. I. Ca.*
 longicornis J. Shlb. *F.*
 luteipennis Rey *Ga.*
 brunneipeurus Kr. *G.*
 delicatulus Kr. *G. I. Ca.*
 ?minor Rey *Ga.*
 Ligeris Pyot *Ga.* *A.*
 nodicornis Eppelsh. *Ca.*
 micros Fauv. *Ga.*
 nitens Fauv. *Ga.*

Ancyrophorus

Kraatz.

Ochthephilus Rey
flexuosus Fairm. *Ga. P.*

Rosenhaueri Kiesw. *Ti*
longipennis Frm. *Ga.A.S.*
oblitus Rey *Ga.G.*
aureus Fauv. *P.C.I.H.Br.*
omalinus Er. *E*
venustulus Rosh. *H*
praepositus Rey *P*
parvulus Eppelsh. *Ca.*

angustatus Er. *G. I.*
filum Fauv. *Lu. A.*

emarginatus Fauv. *Hi.*

Actocharis

Fauvel.

marina Fauv. *Br.Ga.*
Readingi Sharp *Si.*

Compsochilus

Kraatz.

Planeustomus Duv.

procerus Eppelsh. *D.*
cephalotes Er. *Gr.*
miles Scriba *I.*
Kahri Kr. *D.Tr.Ga.R.m.*
palpalis Er. *E.md.b.*
flavicollis Fauv. *Belg.*
eurtipennis Fauv. *Hi.*
elegantulus Kr. *Creta.*
filiformis Quedenf. *And.*
macellus Kr. *Hi.*

Acrognathus

Erichson.

mandibularis Gyll. *E.md.*

Coprophilus

Latreille.

striatulus F. *E.md.b.*

Zonoptilus Mot.

lateralis Fauv. *R.m.*

pennifer Solsky

Schuberti Mot. *R.*

pennifer Mot. *Ca.R.m.*

pieceus Solsky *R.m.*

Pholidus

Rey

Euphanias Fairm.

insignis Rey *Ga.m.*

insignicornis Fairm.

Syntomium

Erichson.

aeneum Müll. *E.md.b.*

Deleaster

Erichson.

dichrous Grav. *E.md.m.*

v. Leachi Curt.

adustus Küst.

v. Erichsoni Hochh. *Ca.*

Homaliini.

Anthophagus

Gravenhorst.

spectabilis Heer *H.G.Ga.*
picipennis Gredl. *Ti.*
bicornis Block *Su.Ga.*
armiger Grav. *G.I.*
aeneicollis Fauv. *Ga.*
forticornis Kiesw. *H.G.A.*
apenninus Baudi *I.*
muticus Kiesw. *P.*
pyrenaeus Bris. *P.*
alpinus Payk. *E.md.b.*
sudeticus Kiesw. *G.A.Pe.*
fallax Kiesw. *Mt.Ga.G.II.*
omalinus Ztt. *Su.Ga.G.R.*
arpedinus Hochh. *Ca.*

*

scutellaris Er. *H.Ga.Pe.Ti.*
Schneideri Eppelsh. *Ca.*
abbreviatus F. *E.md.b.*
caraboides Er.
gracilis Heer.
obscureps Mot.
melanocephalus Heer *Al.*

*

alpestris Heer *Mt.G.I.*
austriacus Er. *A.H.*
transversus Mot.

*

rotundicollis Heer *Alp.*
brevicornis Kiesw. *Ga.*
crassicornis Rey *Pe.Ti.*
caraboides L. *E.md.b.*
testaceus Grav.
palustris Heer.
praeustus Müll. *G.Ga.I.*
[*A.Ca.*

*

aemulus Rosenh. *Ti.Pe.*
cenisius Fairm. *Ga.*

Geodromicus

Redtenbacher.

Geobius Heer.

plagiatus F. *E.md.b.*
v.suturalis Lac. *Alp.*
plagiatus Duv.
v. nigrita Müll. *E.md.b.*
anthracinus Bris.
v. major Mot. *Ca.*

v. puncticollis Weise *Tr.*
globulicollis Zett. *E.b.*

Kunzei Heer *Alp.*

flavipes Mot.

? transversus Mot.

lituratus Kr.

marginatus Fauv.

v. curtipennis Fauv. *Al.*

v. brevicollis Fauv. *Ca.*

Kunzei Hochh.

v. latiusculus Epplh. *Ca.*

Lesteva

Latreille.

Phloeopterus Mot.

pubescens Mnnh. *E.md.b.*
fontinalis Kiesw. *P.Ga.C.*

omissa Rey

? major Rey

Pandellei Fauv. *P.Alp.*

leponia Baudi *I.D.*

nigra Kr. *Si.*

luctuosa Fauv. *Ga.Ca.*

corsica Perris *C.*

longelytrata Goeze *E.*

bicolor F.

macroelytrou Fourer.

oblonga Mot.

v. maura Er. *S.I.G.*

v. longula Mannh. *E.*

monticola Kiesw. *Al.*

Sharpi Rye *Br.*

punctata Er. *E.md.*

riparia Heer

muscorum Duv.

sicula Er. *Si.Ga.C.*

Heeri Fauv. *Br.Su.*

[*A.Ca.*]

Orochares

Kraatz.

angustata Er. *G.Ga.*

Olophrum

Erichson.

Lathrium Leonte.

piceum Gyll. *E.md.b.*

fuscum Grav. *Br.G.R.*

laticolle J. Sahlb. *F.*

caucasicum Fauv. *Ca.*

boreale Payk. *L.*

assimile Payk. *E.md.b.*
puncticolle Eppelsh. *Hu.*
alpestre Er. *Alp.P.G.*

alpinum Heer
consimile Gyll. *E.b.G.b.*
limbatum Mäkl.
rotundicolle Shlb. *F.Su.G*

Deliphrum

Erichson.

tectum Payk. *E.md.b.*
algidum Er. *Ga.G.A.*
crenatum Grav. *E.md.m.*

Mannerheimia Mäkl.

arcticum Er. *L.Tir.*

Lathrimaeum

Erichson.

melanocephalum Ill *E.md*
atrocephalum Heer
atrocephalum Gll. *E.md.b*
melanocephalum Msh
unicolor Marsh. *Br.Ga.*
luteum Er. *G.Lu.*
tenue Eppelsh. *Ca.*
*

prolongatum Rottb. *G.*
fratellum Rottenb. *Gr.*
macrocephalum Epp. *A/P*
fusculum Er. *G.Ga.H.R.*

Amphichroum

Kraatz.

canaliculatum Er. *G.Ga.*
♂ dentipes Heer *H.Pe.*
♀ tenuipes Heer *A.I.*
hirtellum Heer *Alp.*

Aeidota

Stephens.

crenata F. *E.md.b.*
rufa Grav.
pulehra Mot.
cruentata Mannh. *E.md.b.*
ferruginea Lac.
quadrata Zett. *L.*
quadra Zett. *Ca.*

Arpedium

Erichson.

quadrum Grav. *E.md.b.*
consimile Heer *I.*
v. Heydeni Heer *Al.*
alpinum Fauv.
Heydeni Kr. *Al.H.*
brachypterum Grav. *G.b.*
Gyllenhali Shlb. *F.R.*
troglodytes Kiesw. *Al.*
v. engadinicum Heyd. *H.*
Gyllenhali Zett. *L.*
brunnescens J. Sahlb.

Porrhodites

Kraatz.

fenestralis Zett. *L.*
♀ pubescens Zett. *G.*
brevicollis Mäkl.

Cylletron

Kraatz.

nivale Thoms. *L.F.*

Philorinum

Kraatz.

sordidum Steph. *Br.Ga.*
humile Er. *G.U.*
myops Halid. *Gr.A.*
subpubescens Steph.
nitidulum Kr.
Cadomense Fauv.
v. nigriventre Rosh. *H.*
ruficollis Schauf.
pallidicorne Fairm. *C.*

Micralymma

Westwood.

marinum Stroem *Su.Br.*
brevipenne Gyll. *Ga.*
Johnstoni Westw. *G.*

Boreaphilus

Sahlberg

Chevrieria Heer.

Henningianus Shlb. *L.F.*
astur Sharp *H.b.*
velox Heer *H.Ga.I.*

angulatus Fairm. *H.*
guadarramus Sharp

*

Niphetodes Mill.

Redtenbacheri Mill. *Tr.*

Eudectus

Redtenbacher.

Giraudi Redt. *Su.Mt.G.*
v. Whitei Sharp *Br.*

Coryphium

Stephens.

Harpognathus Wesm.

Macropalus Cussac.

angusticolle Stph. *E.md.b*
brevicolle Haliday
Robynsi Wesmael
pallipes Cussac
bifoveolatum Thoms.
Letzneri Schwarz *Sil.*
Gredleri Kr. *Ti.*
obscurellum Heyd.

Homalium

Gravenhorst.

porosum Seriba *I.*
foraminosum Serib.
rivulare Payk *E.*
validum Kr. *G.Ga.Hu.*
laeviusculum Gyll. *Su.Br.*
fucicolæ Kr. *Isl.*
rugulipenne Rye *Br.*
riparium Thoms. *Su.Br.*
impar Rey *Ga.G.*
septentrionis Thm. *Su.Br.*
impressum Kr. *G.*
languidum Mäkl.
Allardi Fairm. *Ga.Br.Su.*
Salzmanni Sauley *D.I.*

foraminosum Mäkl. *E.b.*
laticolle Kr. *G.*
lagopinum J. Sahlb. *F.*
strigicolle Wankow. *R.*
bipunctatum Mot. *R.*
funebre Fauv. *P.*
oxyacanthae Grv. *E.md.I*
montivagum Eppelsh. *Ca.*
exiguum Gyll. *Su.Br.G.P.*
littorale Kr. *G.b.*

excavatum Steph. *E.*
fossulatum Er.
conformatum Hardy
nigriceps Kiesw. *P.Br.*
Xambeui Fauv. *Alp.mar.*
ferrugineum Kr. *Cp.G.*
caesum Grav. *E.*

impressum Heer
corticinum Mot.
ciunamomeum Kr. *Gr.D.*

Phloeonomus Heer.

minimum Er. *G.Ga.H.*
pusillum Grav. *E.*
laesicollis Mäkl.
punctipenne Thoms.
abietinum Thoms.

Xylodromus Heer.

monilicorne Gyll. *E.md.b.*

Phloeostiba Thoms.

planum Payk. *E.*
lapponicum Zett. *E.md.b.*
conforme Kr.
subtile Kr.
pineti Thoms.

Etheothassa Thoms.

cephalotes Eppelsh. *G.*
caucasicum Kolen. *Ca.*
crassicornis J. Sahlb. *L.*
concinnum Marsh. *E.*
v. fuliginosum Heer
deplanatum Gyll. *E.*
testaceum Er. *E.md.b.*

*

Phyllodrepa Thoms.
lineare Zett. *Su.Ga.G.A.F*
elegans Kr. *G.m.*
striatipenne Aub. *Ca.*
scabriuscum Kr. *P.G.D*
cribripenne Fauv. *Ca.*
vile Er. *E.ooc.*
gracilicorne Rye

brevicorne Er. *G.Ga.Br.*
gracilicorne Fair. *Ga.Br.*
hiemale Fuss *G.*
ioptera Steph. *E.md.b.*
lucidum Er.

melanocephalum F. *S.G.*
brunneum Payk. *Pe.H*
translucidum Kr. *G.*
rufipes Fourc. *E.*

florale Payk.
viburni Grav.
ruficorne Steph.
Fahraei Zett.
maculicorne Heer.
v. nigrum Grav.
salicinum Gyll.
salicis Gyll. *E.b.G.Ga.Ca.*

*

Aerolocha Thoms.
sulcolum Steph. *Br.Ga.*
striatum Boisd. *C.Ca.*
striatum Grav. *E.md.*
amabile Heer *G.H.A.*

*

rufulum Er. *G.Ga.I.D.*
marinum Ragusa *Si.*

Hapalaraea Thoms.
pygmaeum Payk. *E.md.b.*
ulmi Mot.
distincticorne Baudi *Pe.*

Aerulia

Thomson.

inflata Gyll. *E.md.b.*
corticalis Heer
longicollis Gredl.

Pyenoglypta

Thomson.

lurida Gyll. *L.Su.G.R.*
alpina Zett.

Hadrognathus

Schaum.

Oncognathus Lacord.

Eugnathus Muls.

longipalpis Rey *Ga.P.*

Anthobium

Stephens.

Eusphalerum Kr.

abdominale Grav. *Ga.G.I.*
signatum Maerk. *Ga.G.I.*
limbatum Er. *Ga.G.I.*
Octavii Fauv. *Ga.MV.*
procerum Baud. *Ga.I.*

primulae Steph. *E.md.b.*
triviale Er. *I.*
cribrosum Heer
oblitum Fairm. *P.I.*
obsoletum Er. *Lu.G.*
sareptanum Epp. *R.m.*

*

Anthobium i. sp.

atrum Heer *Ga.G.I.*
nigrum Er.
florale Panz. *Ga.G.I.*
triviale Heer
robustum Heer *Alp.*
excavatum Er.
♀ alpestre Heer
sinuatum Fauv. *Alp.*
minutum F. *E.*

brevicollis Heer
appendiculatum Heer
v. puncticolle Gredl.
Scribae Schauf. *Hi.*
obscurum Bris.
obtusicollis Fauv. *Ga.Hi.*
lapponicum Mannh. *L.F.*
flavipenne Er. *Sil.*
granulipenne J. Sahlb. *L.*
impressicollis Kiesw. *P.*
nitidicollis Baudi *P.St.*
anale Er. *Mt.E.*
nivale Heer
difficile Rosh.
rhododendri Mot.
longulum Mot.
longiseulum Harold.
v. longulum Kiesw.

*

angustatum Kiesw. *P.*
angusticollis Fv. *Alp.mar.*
luteicorne Er. *Si.*
maculicollis Fairm.
cincticollis Chevr.
foveicollis Fauv. *MR.*
cribricollis Baudi
alpinum Heer *H.Pe.*
luteipenne Er. *G.Ga.*
montanum Er. *A.Hu.*
alpestre Mot.
pruinosum Fauv. *C.*

*

Kraatzi Bris. *P.*
longipenne Duv.
ophthalmicum Payk. *E.b.*
v. discinum Gredl. *E.md.*

rufotestaceum Mot. *Ca.*

*

montivagum Heer *H.Ga.*

sordiduhum Kr. *G.*

umbellatarum Kiesw. *P.*

aetolicum Kr. *Gr.Si.Ca.*

palligerum Kiesw. *Ga.G.I.*

sparsum Fauv. *H.Ga.I.*

longipenne Er. *G.Ga.I.Cp*

♀ lmhoffilleer *H.Hi.*

macropterum Kr. *Al.*

stramineum Kr. *G.H.*

laevipenne Baudi *I.*

pallens Heer *G.Ga.H.I.*

puberulum Kiesw. *P.*

rectangulum Fauv. *Ga.I.*

sorbi Letzn. *G.*

sorbi Gyll. *E.md.b.*

silesiacum Letzn. *G.*

rhododendri Baudi *Al.*

obliquum Rey *G.*

Marshami Fauv. *G.Ga.I.*

torquatum Kr. *A.*

collare Crotch. *G.*

*

aeupariae Kiesw. *P.G.*

torquatum Marsh. *Br.Ga*

scutellare Er. *G.H.I.*

mueronatum Steph. *G.*

v. adustum Kiesw. *H.*

pumilio Roseuh. *G.*

nigriceps Fauv. *C.*

rufoscutellatum Epp. *La.*

atriceps Mot. *Ca.*

hispanicum Bris. *H.*

clavipes Scriba *I.*

tempestivum Er. *C.S.R.m*

microcephalum Mot. *Ca.*

Protinini.

Protinus

Latreille.

laevigatus Hochh. *R.m.*

limbatus Mackl. *Ga.Pe.Ca*

erenulatus Pand. *C.*

ovalis Steph. *Su.Br.G.Ga*

brevicollis Er. *A.I.*

egregius Redt. *A.*

brachypterus F. *E.*

laevicollis Heer *G.*

macropterus Gyll. *E.md.b*

atomarius Er. *E.md.Su.*

Megarthrus

Stephens.

depressus Payk. *E.*

stercorarius Rey (Paud) *P*

nitidulus Kr. *G.R.*

sinuatocollis Lae. Er. *E.*

affinis Miller *E.md.m.*

Bellevoyei Sauley *E.*

sinuatocollis Kr. *E.*

denticollis Beck. *E.md.b.*

hemipterus Illig. *E.*

Phloeobium

Erichson.

clypeatum Müll. *E.*

Phloeocharini.

Pseudopsis

Newman.

suleata Newm. *Br.Ga.Ca.*

Phloeocharis

Mannerheim.

subtilissima Mannerh. *E.*

v. ? minutissima Heer *E.*

Scotodytes Sauley.

Thermocharis Fauv.

latieollis Fauv. *Pe.*

corsica Fauv. *C.*

brachyptera Sharp *H.*

umbratilis Eppelsh. *E.*

*

paradoxa Saule. *P.*

coeca Fauv. *Ga.m.*

subelavata Rey *G.*

Diecki Saule. *H.*

Olisthaerus

Erichson.

megacephalus Zett. *Su.H.*

substriatus Gyll. *Su.Ga.G*

Piestini.

Trigonurus

Mulsant.

Mellyi Muls. *Al.Ga.mar.*

asiaticus Reiche *Ca.*

Siagonium

Kirby.

Prognatha Latr.

quadricorne Krb. *Br.Ga.G*

humerale Germ. *P.G.A.I.*

[*Hu.*]

Thoracophorus

Motsch.

Glyptoma Erichson.

corticinus Mot. *G.Ga.I.A.*

Pselaphidae.

Ctenistini.

Chennium

Latreille.

bituberculatum Lt. *Ga.G.*

Prometheus Saule. *Ca.*

Steigerwaldi Reitt. *Cro.I.*

antennatum Reitt. *Co.*

Kiesenwetteri Saule. *Gr.*

Centrotoma

Heyden.

lucifuga Heyden *E.md.*

penicillata Schauf. *H.*

rubra Saule. *Ga.m.*

Ludyi Reitt. *Ti.*

Brücki Saule. *Gr.*

Desimia

Reitter.

Tetracis Sharp.

Ghilianii Aub. *H.*

integricollis Fairm.

Ctenistes

Reichenbach.

palpalis Reichenb. *E.m.*

Staudingeri Schauf. *H.m.*

Kiesenwetteri Ragus. *Si.*

andalusicus Saule. *H.*

Sognorus Reitter.

Oberthüri Perez *H.*

Enoptostomus

Schäum.

- Aubei Roseuh. *H.m.*
barbipalpis Fairm.
♀ Godarti Saule.
globulicornis Mot. *Gr.*
ponticus Baudi

Tyrus

Aubé.

- mucronatus* Panz. *E.md.*
sanguineus Thoms. */b.*

Tyropsis

Saule.

- Chevrolati Saule. ? *G.a.m.*

Batriscini.

Amaurops

Fairmaire.

- Aubei Fairm. *Si.*
Diecki Saule. *I.*
sardoa Saule. *S.*
corsica Saule. *C.*
Koziorowiczi Saule. *C.*
Revelierei Saule. *C.*
gallica Delar. *G.a.m.*
Abeillei Saule. *G.a.m.*
exarata Baudi *I.*
carinata Baudi *I.b.*
Pirazzolii Saule. *I.b.*
coreyrea Reitt. *Corfu.*

Amicrops

Saulcy.

- Saulcyi Reitt. *Ca.*
Lederi Saule. *Ca.*
lencorana Reitt. *Ca.*

Batrisus

Aubé.

- formicarius Aub. *E.md.*
Batrisodes Reitter.
Delaportei Aub. *E.md.*
puncticollis Tourn.
Schwabi Reitt.
pogonatus Saule. *Gr.*
venustus Reichenb. *E.md.*

- piceus Muls.
adnexus Hampe *E.md.*
insularis Baudi *C.*

- Ruprechti Kolen. *Ca.*
elysius Reitt. *Gr.*
excultus Hampe *A.Tr.*
oculatus Aub. *E.md.m.*

Batraxis

Reitter.

- Hampei Reitt. *Gr.*

Bryaxini.

Tribatus

Motschulsky.

- Abatrisops Reitter.
thoracieus Mot. *Ca.*

Bryaxis

Leach.

- Brachygluta Thoms.
celtiberica Saule. *Hi.*
Lefebvrei Aub. *E.*
corsica Saule. *C.*
tibialis Aub. *E.m.*
dentiventris Saule. *Hi.*
hipponensis Saule. *Hi.*
apennina Saule. *I.*
Revelierei Saule. *C.*
cetus Saule. *Br.*
Pandellei Saule. *P.*
numidica Saule. *S.Si.*
Guillemardi Saule. *I.b.*
syriaca Baudi *Gr.*
Waterhousei Rye *Br.*
simplex Waterh. *E.m.*
brunneiventris Mot. *Ca.*
persica Saule.

- xanthoptera Rehb. *E.mdm*
haemoptera Aub. *E.mdm*
maxima Reitt. *Gr.*
fossulata Rehb. *E.md.b.*
v. aterrima Reitt. *Cp.*
v. rufescens Reitt. *E.m.*
tristis Hampe *Il.*

nigricans Gredler
Sartorii Redtb.

*

- gibbera Baudi *Gr.*

- Helperi Schmidt *E.*
pulchella Schaum

- Retowskii Simon *Cri.*
transversalis Schaum *D.*

- Motschulskyi Saule. *R.m.*
furcata Mot. *Ca.*

- Picciolii Saule. *I.*
Pirazzolii Saule. *I.*

- Diecki Saule. *I.*
Schüppeli Aub. *E.m.*

- galathea Saule. *Si.*
Ragusaie Saule. *Si.*

- cavernosa Saule. *Gr.*
carthageniae Saule. *Hi.*

- haematica Rehb. *E.*
emarginata Först.

- v. perforata Aub.
palustris Reitt.

- v. sinuata Aub.
v. bidenticulata Aub.

- globulicollis Rey *E.m.*
Aubei Tourn. *H.Si.*

- rufula Rottenb.
balearica Saule. *T.*

- Uhagoni Saule. *Hi.*
sardoa Saule. *S.C.*

- nodosa Mot. *Ca.*
colechica Saule. *Ca.*

- Reichenbachia Leh.

Dierobia Thoms.

- militaris Saule. *Gr.*
juncorum Leach *E.*

- nigriventris Schm. *E.m.*
melina Solsky *Ca.*

- rubra Mot.
tychioides Reitt.

- fulviventris Tourn. *H.*
Chevrieri Aub. *E.m.*

- talyschensis Reitt. *Co.*
montana Saule. *Ca.*

- impressa Panz. *E.*
spinipes Reitt. *Ca.*

- antennata Aub. *E.m.m.*
serrata Gredler

caucasica Saule.

- sericeornis Schmidt *E.m.*
opuntiae Schmidt *E.m.*

Rybaxis

Saulcy.

- sanguinea L. *E.*
laminata Mot.

- albana Mot.

limnophila Peyron
longicornis Denny
v. nigropygialis Fairm.
v. formicariensis Gredl.
gigas Baudi *Ca.*

Pselaphini.

Bythinus

Leach.

Decatocerus Sauley.
alhambrae Saule. *Hi.*
bicornis Reitt. *Bal.*

Machaerites Miller.
Linderia Sauley.

spelaeus Mill. *Carn.*
subterraneus Mot. *Carn.*
plicatus Schauf.
♂*argus* Kr.
Doriae Schauf. *I.*
Lucanti Saule. *P.*
cristatus Saule. *P.*
Mariae Duval *P.*
Clarae Schauf. *Hi.*
armatus Schauf. *Hi.*

*

Ludyi Reitt. *Tl.*
Revelierei Reitt. *C.*
myrmido Reitt. *C.*
Bonvouloiri Saule. *P.*
glabratus Rye *Br.*
gladiator Reitt. *L.*
Eppelsheimeri Reitt. *I.*

Bythinus i. sp.

cavifrons Reitt. *D.b.*
caviceps Reitt. *Ca.*
levantinus Schauf. *Zante*
pauper Kiesw. *Gr.*
Anmon Saule. *Ca.*
gracilis Mot. *Ca.*
Jaso Saule. *Ca.*
simplex Baudi *P.*
Baudueri Reitt. *P.*
convexus Kiesw. *Gr.*

*

Heydeni Reitt. *Cr. Cro.*
coryceus Reitt. *Corju.*
solidus Reitt. *Cr. D.*
procerus Gredler *Ti.*
crassicornis Mot. *E.*
Chaudoiri Hochh.

peloponesius Reitt. *Gr.*
giraffa Reitt. *Ca.*
marteopius Reitt. *Ca.*
Schamylianus Saule. *Ca.*
elephas Reitt. *Ca.*
nakeralae Reitt. *Ca.*
Grouvellei Reitt. *Al.mar.*
ibericus Saule. *Hi.*
Viertli Reitt. *Hu.m.*
cocles Saule. *P.*
hypogaeus Saule.
latebrosus Reitt. *Al.mar.*
Picteti Tourn. *H.Pc.*
Marthae Reitt. *Al.mar.*
Pandellei Saule. *P.Hi.b.*
curticollis Reitt.
verruculus Reitt. *C.*
pedator Reitt. *I.*
Simoni Reitt. *Bulg.*
bulgaricus Reitt. *Bulg.*
abastumanus Reitt. *Ca.*
peninsularis Saule. *Hi.*
dalmatinus Reitt. *D.m.*
melinensis Reitt. *D. m.*
dichrous Reitt. *Hi.*
montivagus Reitt. *P.o.*
pyrenaeus Saule. *P.*
etruscus Reitt. *I.*
bajulus Hampe *Tr. Hu.*
trogloerus Saule. *Hi.*
portalegrensis Schf. *Lu.*

*

appendiculatus Reitt. *Ca.*
lusitanicus Saule. *Lu.*
oedipus Sharp.
monstripes Reitt.
Attila Saule. *Hu.m.*
murida Saule. *Ca.*
Sharpi Saule. *Hi.b.*
Mulsanti Saule.
asturiensis Reitt.
Mulsanti Kiesw. *P.*
Massanae Saule.

Erichsoni Kiesw. *Cr.*
ursus Reitt. *Cr.*
Reitteri Saule. *Cp.or.*
sculptifrons Reitt. *Serb.*
scapularis Reitt. *Herzeg.*
earpathieus Saule. *Hu.b.*
Brenskei Reitt. *Gr.*
museorum Kiesw. *Cr. Ti.*
Steindachneri Reitt. *Ca.*
longulus Kiesw. *Cr. Cro.*
v. *carniolicus* Reitt.
femoratus Aub. *E.md.*
Porsenna Reitt. *I.*

nasicornis Saule. *Lu.*
Weisci Saule. *Cp.or.*
italicus Baudi *I.*
bulbifer Rehb. *E.*

tauricus Mot.
lavipes Mot.
v. *?extremalis* Reitt. *Ca.*
aelstae Reitt. *C.*
blandus Reitt. *E.m.*
clavicornis Panz. *E.md.*

nigrinus Rey
laevicollis Fairm.
inflatipes Reitt. *G.*
collaris Baudi *I.*

Manueli Sharp
Curtisi Denny *E.md.*
v. *hungaricus* Reitt.
Ehlersi Reitt. *Lu.*
nodicornis Aub. *E.md.*

Sternbergi Schmidt
ruthenus Saule. *Cp.or.*
Oertzeni Reitt. *Ti.*
acutangulus Reitt. *E.m.*
securiger Rehb. *E.md.*

unicorvis Aub.
specialis Sauley *Cp.or.*
distinetus Chaud. *E.md.b.*
securiger Aub.

Hopffgarteni Reitt. *Hu.m.*
unicornis Reitt. *Hu.m.*
Burelli Denny *E.md.m.*
tener Reitt. *Corfu.*
könicensis Reitt. *D.b.*
germanus Reitt. *G.*

*

nigripennis Aub. *E.md.b.*
Brusinae Reitt. *Il.Cro.*
Stussineri Reitt. *Alp.Cp.*
validus Aub. *E.md.*
curvipes Hampe
puncticollis Denny *E.*
armipes Reitt. *Mont.*

Pselaphus

Herbst.

Heisei Herbst *E.*
caspicus Reitt. *Ca.*
taygetanus Reitt. *Gr.*
acuminatus Mot. *Ca.Gr.*

*

dresdensis Herbst *E.md.*
longicornis Saule. *E.m.*

*

Kiesenwetteri Saule.	<i>C.</i>
Revelierei Reitt.	<i>C.</i>
algesiranus Saule.	<i>Hi.</i>
Diecki Saule.	<i>Hi.b.</i>
♀ Sauleyi Sharp	
longipalpis Kiesw.	<i>P.</i>
argutus Reitt.	<i>C.</i>
Stussineri Saulc.	<i>Ist.</i>
pentagonus Saule.	<i>Ca.</i>
mehadiensis Friv.	<i>Hu.</i>
Ganglbaueri Reitt.	<i>C.</i>
Heydeni Saule.	<i>Hi.b.</i>
*	
Piochardi Saule.	<i>Lu.</i>
Simonis Reitt.	<i>Hi.m.</i>
caviventris Reitt.	<i>Gr.</i>

Dicentrius

Reitter.

Merkli Reitt.	<i>Balk.</i>
---------------	--------------

Tychus

Leach.

niger Payk.	<i>E.</i>
v. colchicus Saule.	<i>Ca.</i>
dichrous Schmidt	<i>E.</i>
tauricus Mot.	
angulifer Reitt.	<i>Ca.</i>
nodifer Reitt.	<i>Gr.</i>
Lederi Saule.	<i>Ca.</i>
dalmatinus Reitt.	<i>D.I.</i>
tuberculatus Aub.	<i>P.</i>
armeniacus Saule.	<i>Ca.</i>
ibericus Mot.	<i>E.m.</i>
rufopictus Reitt.	<i>C.</i>
Jaquelini Boieldieu	<i>Si.</i>
hirtulus Reitt.	<i>D.I.</i>
rufus Mot.	<i>E.m.or.</i>
myops Kiesw.	
v. morio Reitt.	
serbicus Reitt.	<i>Serb.</i>
anophthalmus Reitt.	<i>C.</i>
brunneus Mot.	<i>Ca.</i>
caucasicus Saule.	
lenkoranus Reitt.	<i>R.m.or.</i>
integer Reitt.	<i>Si.</i>
monilicornis Reitt.	<i>D.b.</i>
corsicus Reitt.	<i>C.</i>
pullus Kiesw.	<i>Gr.</i>
mendax Kiesw.	
miles Saule.	<i>Hi.</i>
armatus Saule.	<i>Hi.</i>
Fournieri Saule.	<i>Ga.</i>
castaneus Aub.	<i>Hi.Si.</i>

Pygoxyon

Reitter.

lathridiiforme Reitt.	<i>Cu.</i>
seydmaeniforme Rtt.	<i>Ca.</i>

Euplectini.

Zibus

Saulcy.

adustus Reitt.	<i>Si.</i>
planiceps Reitt.	<i>Gr.</i>
liocephalus Aub.	<i>Ga.</i>
Riedeli Fairm.	<i>Si.</i>

Panaphantus

Kiesenwetter.

atomus Kiesw.	<i>Ga.Gr.Ca.</i>
---------------	------------------

Philus

Saulcy.

Aubei Reitt.	<i>C.</i>
Schmidti Maerkel	<i>G.</i>

Trimium

Aubé

cavicolle Reitt.	<i>D.</i>
Hopffgarteni Reitt.	<i>D.</i>
Diecki Reitt.	<i>C.</i>
caucasicum Kolen	<i>Ca.</i>
latiusculum Reitt.	<i>Cr.Cro.</i>
brevicorne Reichb.	<i>E.</i>
♀ brevipenne Chaud.	
♂ latipenne Tourn.	
♂ Chevrieri Tourn.	
v. puncticeps Reitt.	<i>D.</i>
imitatum Reitt.	<i>Lu.</i>

*

domogleti Reitt.	<i>Hu.</i>
emonae Reitt.	<i>Cr.Ti.</i>
aetnense Reitt.	<i>I.</i>
longipenne Reitt.	<i>Cr.Cro.</i>
carpathicum Saule.	<i>Cp.</i>

Pseudoplectus

Reitter.

perplexus Duval	<i>E.m.</i>
-----------------	-------------

Bibloporus

Thomson.

bicolor Denny	<i>E.</i>
---------------	-----------

glabriculus Gyll.

tennicus Mäklin.

variicolor Reitt.

Ca.

Euplectus

Leach.

Erichsoni Aub.	<i>E.md.</i>
nubigena Reitt.	<i>E.md.</i>
nitidus Fairm.	<i>Ga.m.</i>
tuberculatus Tourn.	<i>H.</i>
rhenanus Reitt.	<i>G.</i>
Tischeri Aub.	<i>E.md.b.</i>
carpathicus Reitt.	<i>Sil.Tr.</i>
tenuicorne Reitt	<i>Sil.Hu.</i>

*

Aubeanus Reitt.

G.

brunneus Grimmer

E.nd.

Kunzei Aub.

Frivaldszkyi Saule.

Hu.

Duponti Aub.

E.md.

bescidicus Reitt.

G.Sil.

piceus Mot.

E.md.

nigricans Chaud.

suleatulus Saule.

nanus Reichb.

E.

Reichenbachi Denny

Kirbyi Denny

Richteri Reitt.

Abeillei Sharp

Br.

occipitalis Reitt.

Ca.

sanguineus Denny

E.

v. georgicus Saule.

Ca.

signatus Reichb.

E.

afer Reitt.

Hi.m.

Linderi Reitt.

Alp.mar.

Bonvoirloiri Reitt.

C.

punctatus Muls.

E.md.m.

intermedius Woll.

E.m.

Karsteni Reichb.

E.

v. gracilis Chaud.

v. filum Reitt.

narentinus Reitt.

D.

Spinolae Aub.

Ga.A.Hu.

Bibloporus Reitter.

ambiguus Reichb.

E.

tenebrosus Reitt.

D.

minutissimus Aub.

E.m.

Garneysi Fowler Br.

Scotoplectus

Reitter.

capellae Reitt.

Cr.Cro.

Mirus

Saulcy.

permirus Saule.

C.

5*

Amauronyx

Reitter.

- Maerkeli Aub. *E.md.*
Barnevillei Saule. *Ga.m.*
brevipennis Saule. *Hi.*
Kraatz Saule. *Hi.*

Trichonyx

Chaudoir.

- suleicollis Reichb. *E.md.*
georgicus Mot. *Ca.*
talyschensis Reitt. *Ca.*

Nannia

Reitter.

- myrmecophila Reitt. *T.*

Trogaster

Sharp.

- Heteronyx Sauley.
heterocerus Saule. *C.*
aberrans Sharp *C.*

Faronus

Aubé.

- Lafertei Aub. *E.m.*
Aubei Luc. *A.*
♀ telonensis Fairm.
spartanus Reitt. *Gr.*
Brucki Saule. *I.*
pyrenaicus Saule. *P.*
nicicensis Saule. *Ga.m.*
hispanus Saule. *Hi.m.*

Clavigeridae.

Claviger

Preyssler.

- Lederi Reitter *Ca.*
Perezii Reitt. *Hi.*
testaceus Preyssl. *E.md.*
foveolatus Müll.
nitidus Hampe *Serb.Cro.*
v. carniolicus Reitt. *Car.*
Brucki Saule. *Ga.m.*
Piochardi Saule. *Hi.b.*
lusitanicus Saule. *Lu.*
Duvali Saule. *Ga.m.*

- Pouzaui Saule. *P.o.*
Sauleyi Bris. *Hi.*
colchicus Mot. *Ca.*
caspicus Reitt. *Ca.*
nebrodensis Ragusa *Si.*
Revelierei Saule. *C.*
apenninus Baudi *L.*
elysius Reitt. *Gr.*
longicornis Müll. *E.md.*

- linearis Muls.
flavipes Mot.
abbreviatella Er.
elavata Reitt. *Hi.G.*

Cephennium

Müller.

- Megaladerus Steph.
divergens Reitt. *Hi.md.*
Kiesenwetteri Aub. *P.*
nicaeense Reitt. *Al.mar.*
intermedium Fairm. *P.*
majus Reitt. *Cr.Cro.*
difficile Reitt. *Hi.*
simile Reitt. *I.*
carnicum Reitt. *Cr.Cro.*
montenegrinum Rtt. *Mont.*
perispinctum Kolen. *Ca.*
laticolle Aub. *E.md.*
thoraeicum Müll. *E.md.*
maritimum Reitt. *Al.mar.*
fovangulum Reitt. *Balk.*
hungaricum Reitt. *Ha.Tr.*
carpathicum Reitt. *Sil.Cp*
delicatulum Reitt. *A.Hu.*
delicatum Reitt. *Hi.m.*

*
turgidum Reitt. *Ca.St.D.*

- Geodutes Sauley.
asturicum Reitt. *Hi.b.*
algesiranum Reitt. *Hi.*
coecum Saule. *Ga.*
lesinae Reitt. *D.Corf.*
minutissimum Aub. *Ga.*
granulum Reitt. *Gr.*
liliputanum Reitt. *D.*
fulvum Schaum. *Cr.*
Sauleyi Reitt. *Cro.*
pygmaeum Sauley *Hi.*
caueasicum Saule. *Ca.*
latum Mot. *Cr.*

- Cephennarium Reitt.
apicale Reitt. *I.*
Aubei Reitt. *C.*
minimum Reitt. *C.*
atomarium Saule. *Lu.*

- Nanophthalmus Mot.
armeniaeum Reitt. *Ca.*
rotundicolle Reitt. *Ca.*
megaloderoides Mot. *Ca.*
ditomum Saule.

Pausidae.

Pausus

Linné.

- turciens Friv. *Ca.T.Gr.*
Mariae Muls.
Favieri Fairm. *Ga.Hi.Si.*

Scydmænidæ

Chevrolatini

Chevrolatia

Duval.

- insignis Duval *Ga.I.*
Holzeri Hampe
egregia Reitt. *D.C.Cri.*

Cephenniini

Euthiconus

Reitter.

- Conoderus Sauley.
coniecollis Fairm. *Ga.G.*
parallelocollis Saule. *Tr.*
Tschapeki Saule. *St.*

Euthia

Stephens.

- plicata Gyll. *E.md.*
truncatella Er.
Schaumi Kiesw. *E.*
Merkli Simon *Tr.*
formicetorum Reitt. *E.m.*
clavicornis Reitt. *Ga.*
seydmaenoides Steph. *E.*

Seydmaenini

Neuraphes

Thomson

- angulatus Müll. *E.mdb.*
 impressus Sahlb.
 Wighamii Denny
 rubicundus Schaum *G.*
 Sharpi Saule. *Br.*
 carinatus Muls. *Ga.G.*
 glyptocephalus Saule
 georgicus Saule. *Ca.*
 Lederianus Reitt. *Ca.*
 frondosus Reitt. *Hi.b.*
 solitarius Reitt. *Lu.*
 balaena Saulc. *Ca.*
 eximus Reitt. *Ca.*
 antennalis Saulc. *Ca.*
 elongatus Müll. *E.mdb.*

10

- | | |
|----------------------|-----------------|
| semitestaceus Reitt. | <i>Cro.</i> |
| filicornis Reitt. | <i>Herzeg.</i> |
| regalis Reitt. | <i>Ca.</i> |
| delphinus Saule. | <i>Ca.</i> |
| colchicus Saule. | <i>Ca.</i> |
| nakeralae Reitt. | <i>Ca.</i> |
| capellae Reitt. | <i>Cro.A.</i> |
| emonae Reitt. | <i>Cr.</i> |
| plicicollis Reitt. | <i>Balk.</i> |
| ornatus Reitt. | <i>Serb.Hu.</i> |
| nodifer Reitt. | <i>Bulg.</i> |
| parallelus Chaud. | <i>G.</i> |
| * | |
| longicollis Mot. | <i>G.</i> |
| praeteritus Rye | |

20

- | | |
|--------------------|--------------|
| leptocerus Reitt. | <i>I.Hu.</i> |
| occipitalis Saule. | <i>Ca.</i> |
| tenuicornis Reitt. | <i>S.</i> |
| myrmecophilus Aub. | <i>Ga.</i> |
| longicollis Muls. | |
| Mulsanti Reitt. | |
| sulcatus Fairm. | <i>Ga.m.</i> |
| proximus Reitt. | <i>C.</i> |
| similaris Reitt. | <i>C.</i> |
| tritomus Reitt. | <i>D.m.</i> |
| titan Reitt. | <i>Hi.</i> |
| pusillus Reitt. | <i>Gr.</i> |
| geticus Saule. | <i>A.Hu.</i> |
| asturiensis Reitt. | <i>Hi.b.</i> |
| oedicerus Saule. | <i>Lu.</i> |
| strictus Fairm. | <i>P.or.</i> |
| dubius Reitt. | <i>C.</i> |
| Brucki Reitt. | <i>I.</i> |
| subcordatus Fairm. | <i>Ga.</i> |

- ventricosus* Rottenb. *Si.*
Yermolowi Saule. *Ca.*
subparallelus Saule. *Cp.*
latitans Saule. *Hi.* m.
sulcipennis Reitt. *D.m.*

1

- Hopffgarteni Rtt. *Cr. Cro.*
 Diocletianus Reitt. *D.*
 Sparshalli Denny *E.*
 helvolus Schaum.
 profanus Reitt. *D. Gr.*
 parilis Reitt. *Hi.*
 minutus Chaud. *E. md.*
 pumilio Schaum.
 nigrescens Reitt. *Hu. m.*
 cordubanus Saulc. *Hi.*
 subsulcatus Reitt. *Ca.*
 Revelierei Reitt. *C.*

Seydmaenus

Latreille.

- | | |
|----------------------------|-----------------|
| <i>Scydmaenus</i> | Thoms. |
| <i>Godarti</i> Latr. | <i>E. md.</i> |
| <i>aegilius</i> Reitt. | <i>Gr.</i> |
| <i>scutellaris</i> Müll. | <i>E.</i> |
| <i>Helferi</i> Schaum. | <i>E.m.</i> |
| <i>Raymondi</i> Saule. | |
| <i>collaris</i> Müll. | <i>E.</i> |
| <i>Dalmanni</i> Gyll. | |
| <i>Chevrieri</i> Heer | |
| <i>propinquus</i> Chaud. | |
| <i>tuberculatus</i> Chaud. | |
| <i>pusillus</i> Müll. | <i>E.</i> |
| <i>flavicornis</i> Mot. | |
| <i>Steveni</i> Kolenati | |
| <i>crassimanus</i> Reitt. | |
| <i>protervus</i> Coquerel | <i>H.m.</i> |
| | <i>Pittieri</i> |

protervus Reitt.

- | | |
|-----------------------|-------------------|
| <i>turtivus</i> | Coquer. |
| <i>v. truncatus</i> | Coquer. |
| <i>andalusiacus</i> | Reitt. <i>H.</i> |
| <i>cribrum</i> | Sazle. <i>Ca.</i> |
| <i>Damryi</i> | Reitt. <i>C</i> |
| <i>Kunzei</i> | Gené <i>S.</i> |
| <i>Bandii</i> | Reitt. <i>S.</i> |
| <i>semipiceus</i> | Reitt. <i>Ca.</i> |
| <i>macedo</i> | Reitt. <i>Gr.</i> |
| <i>microphthalmus</i> | Reitt. <i>C.</i> |

- Stenichnus* Thomson.
ellipticus Reit. *Ca.*

- cordicollis* Kiesw. *P.*
rotundipennis Schm. *Gr.*
exilis Er. *E.*

seminunctatus Fairm.

- vicinus Chaud.
 croaticus Hampe
 bicolor Denny
 angustior Saule. *Hi.* b.
 convexicollis Reitt
 lusitanicus Saule. *Lu.*
 picipennis Reitt. *Ca.*
 corecyreus Reitt. *Corfu.*
 globulipennis Reitt. *C.*
 Ehlersi Reitt. *Lu.*

Euconus

Thomson,

- Napochus Thomson.
chrysocomus Saulc. *E.m.*
claviger Müll. *E.md.b.*
denticornis Thoms.
barbatulus Reitt. *Ca.*
cornutus Saule. *E.m.*
 Mäklini Mnnh. *E.md.b.*
clavicornis Thoms.

Euconnus i. sp.

- Motschulskyi *Strm* E.m.d
 v. Kiesenwetteri Kiesw.
 pulcher Reitt. Gr.
 puniceus Reitt. D.m.
 denticornis Müll. E.
 ruficornis Denny
 v. suramensis Reitt. Ca.
 similis Weise Alp.
 robustus Reitt. Ca.
 Schlosseri Reitt. Cro.D.
 Heydenri Saalke Hi.m.

1

- | | |
|-------------------|--------------|
| hospes Saule. | <i>Hi.</i> |
| promptus Coquerel | <i>Hi.m.</i> |
| alcides Saule. | <i>Hi.</i> |
| Loewi Kiesw. | <i>P.</i> |
| Ferrarii Kiesw. | <i>P.</i> |

- rutilipennis* Müll. E. *md.*
hirticollis Ill. E.
subtilis Grimmer
v. fimetarius Chaud.
v.?sanguinipennis Reitt.
confusus Bris. E. *md.m.*

Wetterhalii Gyll. E.
quadratus Müll.
hirtus Sahlb.
intrusus Schaum. E.m.
abditus Coquer.
Schaumi Lucas
tritonus Kiesw.
nanus Schaum. E.
minimus Chaud.
suturellus Mot.
gibbulus Mot.

Tetramelus Motsch.
oblongus Sturm H.
Pandellei Fairm. P.
Gredleri Reitt. Ti.
transsylvaniae Saule. Tr
Schioedtei Kiesw. P.H.
distinctus Tourn.
Bedeli Reitt. Alp.mar.
pubicollis Müll. E.md.
styriacus Grim. Alp.C.p.
Nikitanus Reitt. Mont.
microcephalus Reitt. D.m.
Thomayi Reitt. Cro.
Brenskianus Reitt. Gr.
Simoni Reitt. H.b.
haematodes Saule. Lu.
Dorotkanus Reitt. D.
Linderi Saule. Ga.m.
subterraneus Reitt. D.
Reitteri Saule. Ca.
Kraussi Reitt. Ca.
pravus Reitt. Gr.
laticeps Saule. Lu.
distinguendus Saule. Lu.
navaricus Saule. Lu.
haematicus Fairm. P.
muscorum Fairm.
Delarouzei Bris.

*

Kratzi Reitt. H.m.

Eumicrini.

Eumierus

Laporte.

*

tarsatus Müll. E.md.b.

Eustenmus Reitter.
antidotus Germ. Si.E.m.
conspicuus Schaum. H.i.
spartanus Reitt. Gr.

Heterognathus King.
rufus Müll. E.
agilis Mot.
Perrisi Reitt. E.md.m.
Hellwigi F. E.md.b.
cornutus Mot. E.m.ca.
cerastes Baudi

Eudesis

Reitter.

aglena Reitt. S.

Mastigini.

Leptomastax

Pirazzoli.

Pytades Fairmaire.

hypogaeus Piraz. I.Hu.m.
mehadiensis Friv.
nemoralis Reitt. Pe.
Grenieri Saule. S.C.
sublaevis Reitt. Alp.mar.
Delarouzei Bris. P.or.
Raymondi Saule. Ga.m.
grandis Simon I.
bipunctatus Reitt. Gr.
Coquereli Fairm. Gr.
Stussineri Reitt. D.
Emeryi Simon I.
Kaufmanni Reitt. D.m.
Simonis Stussiner D.Gr.

Ablepton

Fivaldszky.

Treforti Friv. Hu.m.

Mastigus

Latreille.

pilifer Kr. I.
Heydeni Rottenb. I.
prolongatus Gory H.b.
palpalis Latr. H.m.
♀ acuminatus Mot. Pe.
ruficornis Mot. Pe.
liguricus Fairm.
dalmatinus Heyd. I.b.D.

Silphidae.

Cholerini.

Leptoderus

Schmidt.

Stagobius Schioedte.
Hohenwarti Schmtd. Crn.

troglodytes Schioedte
v. Schmidtii Mot. Carn.
angustatus Schmidt. Crn.
v. Robici Joseph Carn.

Propus Abeille.

sericeus Schmidt. Carn.
v.intermedius Hamp. Cr.

Autrocharis

Abeille.

Querilhaci Lespès Ga.m.
dispar Abeille Ga.m.
Mestrei Abeille Ga.m.

Diaprysius Abeille.

caudatus Abeille Ga.m.
caudatissimus Ab. Ga.m.

Oryotus

Miller.

Schmidtii Miller Carn.

Cytodromus

Abeille.

dapsoides Ab. Ga.m.

Pholeuon

Hampe.

Pluto Reitt. Cro.
leptoderum Friv. Hu.
angusticolle Hampe Hu.
gracile Friv. Hu.
Merkli Friv. Balk.
v. affine Friv.
v. simile Friv.

Drimeotus

Miller.

Kovaesi Miller Hu.
Kraatzi Friv. Hu.

Spelaeochlamys

Dieck.

Ehlersi Dieck H.m.

Bathysecia

Schioedte.

Adelops auct.
Quaestus Schaufuss.
Quaesticulus Schauf.

*

Aphaobius Abeille.
Milleri Schmidt. *Carn.*

Bathysecia i. sp.

acuminata Mill. *Carn.*
byssina Schioedt. *Carn.*
globosa Miller. *Carinth.*
Freyeri Mill. *Carn.*
croatica Mill. *Cro.*
Khevenhülleri Mill. *Carn.*
narentina Mill. *D.*
pruinosa Schauf.

Dorotkana Reitt. *Herzeg.*
Erberi Schauf. *D.*

celata Hampe. *Cro.*
tarsalis Kiesw. *MR.*

Kerimi Fairm.
montana Schioedt. *Carn.*
Hoffmanni Mot. *Carn.*
Karamani Reitt. *D.*
lesinaea Reitt. *D.*
hungarica Reitt. *Hu.b.*
insignis Friv. *Hu.m.*
Paveli Friv. *Hu.m.*
Doderi Fairm. *I.*
Doriae Fairm. *I.*
Spagnoli Fairm. *I.*
sarteanensis Bargagli. *I.*
museorum Dieck. *I.*

Ehlersi Abeille. *Ga.m.*
Bonvouloiri Duv. *P.*
Diecki Saule. *Ga.*
pyrenaea Lesp. *Ga.*
Discontignyi Saule. *Ga.*
Barnevillei Saule. *Ga.*
longicornis Saule. *Ga.*
Sauleyi Abeille. *Ga.*
Abeillei Saule. *Ga.*
clavata Saule. *Ga.*
stygia Dieck. *Ga.*
zophosina Saule. *Ga.*
 speluncarum Delar. *P.*
proserpinae Abeille. *Ga.*
Schioedtei Kiesw. *P.Hi.b.*

grandis Fairm.
meridionalis Duv.
depressa Fairm.
Grenieri Saule. *P.*
subasperata Saule. *Ga.*
ovata Kiesw. *P.*
lapidicola Saule. *Ga.*
inferna Dieck. *Ga.*
Delarouzei Fairm. *P.*

novem-fontium Pioch. *Ga.*
Perieri Piochard. *Ga.*
curvipes Pioch. *Ga.*
v. *subcurvipes* Ab. *Ga.*
v. *subrectipes* Ab. *Ga.*
Piochardi Abeille. *Ga.*
hermensis Abeille. *Ga.*
crassicornis Pioch. *Ga.*
oviformis Pioch. *Ga.*
lucidula Delar. *Ga.m.*
galloprovincialis Frm. *Ga.*
asperula Fairm. *P.*
Hecate Abeille. *Ga.*
Aubei Kiesw. *Ga.m.*
ovoidea Fairm. *Ga.*
epuraeoides Fairm. *Ga.*
subalpina Fairm. *Ga.or.*
Simoni Abeille. *Ga.*
Tarissani Bedel. *Ga.*
Chardonis Abeille. *Ga.*
Linderi Abeille. *Ga.*
Mayeti Abeille. *Ga.*
Grouvellei Abeille. *Ga.or.*
brevicollis Abeille. *Ga.or.*

Gestroi Fairm. *S.*
Damryi Abeille. *C.*
mialeensis Abeille. *C.*
Destefanii Ragusa. *Si.*
Kiesenwetteri Dieck. *Hi.*
Dohrni Schauf. *Hi.*
Bonvouloiri Schauf. ol.
triangulum Sharp. *Hi.b.*
vaseonica Pioch. *Hi.b.*
Crotchi Sharp. *Hi.b.*
Cisnerosi Perez. *Hi.*
arcana Schauf. *Hi.b.*
Perezi Sharp. *Hi.b.*
adnexa Schauf. *Hi.b.*
rugosa Sharp. *Hi.b.*
Uhagoni Sharp. *Hi.b.*
flaviobrigensis Uhag. *Hi.*
Mazarredoi Uhag. *Hi.*
filicornis Uhag. *Hi.*
Seeboldii Uhag. *Hi.*
cantabrica Uhag. *Hi.*
tropica Abeille. *Hi.*

Wollastoni Janson. *Br.*
pusilla Mot. *Ca.*

Leptinus

Müller.

testaceus Müller. *Su.Ga.G*
caucasicus Mot. *Ca.*

Catopomorphus

Aubé.

orientalis Aub. *T.*
dalmatinus Kr. *D.Gr.*
bicolor Kr. *Hi.*
arenarius Hampe. *Tr.*
pilosus Muls. *Ga.*
georgicus Weise. *Ca.*
Marqueti Fairm. *Ga.m.*
Josephinae Saule. *Ga.m.*
Rougeti Saule. *G.m.*
fornicetorum Peyr. *Ga.m.*
Fairmairei Delar.
myrmecobius Rottb. *Si.*
curticornis Fairm. *T.*

Choleva

Latreille.

spadicea Sturm. *E.md.*
punctata Bris. *Hi.*
intermedia Kr. *G.R.*
angustata F. *E.*
nivalis Kr. *G.*
cistelooides Frölich *E.md.*
castanea Sturm *E.m.*
v. *?humeralis* Brullé *Gr.*
angusticollis Kr. *Hi.*
Sturmii Bris. *Hi.*
norvegica Sparre *E.b.*
cuneiformis Fairm. *I.*
agilis Illig. *E.md.b.*
acicularis Kr. *Hi.Si.*
strigosa Kr. *G.A.*
transversostriata Mrr. *Lu.*
gracilis Kr. *Hi.*
graeeca Kr. *Gr.*
velox Spence. *E.*
notaticollis Baudi. *Hi.*
badia Sturm. *G*
Wilkinsi Spence. *Br.*
praecox Er. *E.*
fungieola Kolen. *Ca.*
Lederi Weise. *Ca.*
brunnea Sturm. *Hn.*

Ptomaphagus

Hellwig.

Catops Paykull.

Bugnioni Tourn. *Ga.H.*
picipes F. *E.*
meridionalis Aub. *Ga.Hi.*
andalusicus Heyd. *Hi.*
depressus Murr. *Ga.*

fuseus Panz.	<i>E.</i>
pallidus Ménétr.	<i>Ca.</i>
rufus Kr.	<i>Hi.</i>
Menetriesi Fald.	
umbrinus Er.	<i>Ga. G. R.</i>
flavicornis Thoms.	<i>Su. R.</i>
femoralis Thoms.	<i>L.</i>
nigricans Spence.	<i>E. md. b.</i>
v. longipennis Chaud.	
v. fuliginosus Er.	
v. caliginosus Steph.	
v. soror Newm.	
coracinus Kellner	<i>E. md.</i>
nitidicollis Kr.	<i>Ga.</i>
morio F.	<i>E. md. b.</i>
dissimilator Spence.	
? Marshami Spence.	
quadraticollis Aub.	<i>Ga.</i>
affinis Steph.	<i>E. md. b.</i>
nigrita Er.	
grandicollis Er.	<i>Ga. G.</i>
chrysomeloides Pz.	<i>Ga. G.</i>
longulus Kellner	<i>G.</i>
pilicornis Thoms.	<i>Su.</i>
tristis Panz.	<i>E.</i>
Leachi Spencee	
v. abdominalis Rosh.	
v. montivagus Heer.	
Kirbyi Spence	<i>E. md. b.</i>
rotundicollis Kellner	
neglectus Kr.	<i>Ga. G.</i>
alpinus Gyll.	<i>E. md. b.</i>
subfuscus Kellner	<i>I.</i>
ventricola Weise	<i>Ca. Tr.</i>
brunneipennis Sahlb.	<i>L.</i>
Watsoni Spence	<i>E.</i>
agilis F.	
fumatus Er.	
ambiguus Heer	<i>H.</i>
fumatus Spence	<i>E. md. b.</i>
scitulus Er.	
brevicollis Kr.	<i>Si.</i>
nivicola Kiesw.	<i>Gr.</i>
lucidus Kr.	<i>D.</i>
validus Kr.	<i>Hu.</i>
varicornis Rosenh.	<i>G. R.</i>
sericeus F.	<i>E.</i>
v. sericatus Chaud.	<i>R. m.</i>
suturalis Murr.	<i>Ca.</i>
tenuicornis Rosenh.	<i>Hi.</i>
anisotomoides Spence	<i>E.</i>
colonoides Kr.	<i>E. md. b.</i>
vandalitiae Heyd.	<i>Hi.</i>
clathratus Perris	<i>Hi.</i>
frater Newm.	<i>Br.</i>

Colon

Herbst.

bidentatum Slb.	<i>Su. E. md.</i>
viennense Herbst	<i>E. md. b.</i>
serripes Sahlb.	<i>E. md. b.</i>
♀ fusculum Er.	
♂ simplex Thoms.	
v. ♂ Kraatzi Tourn.	<i>H.</i>
v. puncticolle Kr.	<i>Su.</i>
♀ dentipes Er.	<i>Ga. G.</i>
myops Czwalina	<i>Ca.</i>
microps Czwalina	<i>Br.</i>
angulare Er.	<i>Ga. G. R.</i>
v. rectangulum Chaud.	
clavigerum Herbst	<i>Ga. G.</i>
affine Sturm	<i>E. md. Gr.</i>
♂ confusum Fairm.	
griseum Czwalina	<i>Ga. D.</i>
armipes Kr.	<i>G.</i>
appendiculatum Sahlb.	<i>E.</i>
calcaratum Er.	<i>E. md.</i>
♀ pygmaeum Er.	
v. nanum Kr.	
dentipes Sahlb.	<i>E.</i>
♂ spinipes Halid.	
♀ brevicorne Sahlb.	
v. Zebei Kr.	<i>E. md.</i>
v. Barnevillae Kr.	<i>Ga.</i>
v. Lentzi Czwalina	<i>G.</i>
v. firmum Czwal.	<i>Ca.</i>
rufipes Czwalina	<i>Hi.</i>
v. minor Czwal.	
v. opacum Czwal.	
v. nitidum Czwal.	
fuscicornis Kr.	<i>G.</i>
pubescens Kr.	<i>ol.</i>
emarginatum Rosenh.	<i>Hi.</i>
murinum Kr.	<i>Ga. A. E. m.</i>
denticulatum Kr.	<i>G.</i>
brunneum Latr.	<i>E. md. b.</i>
episternale Czwal.	<i>Hi. G.</i>
rufescens Kr.	<i>G.</i>
latum Kr.	<i>Ga. G. Hu.</i>
Delarouzei Tourn.	<i>G.</i>
sinuatum Chaud.	<i>R. m.</i>
subdepressum Chd.	<i>R. m.</i>

Silphini.

Pteroloma

Gyllenhal.

Forsstroemi Gll. *Su. G. Ca.*

Necrophilus

Latreille.

subterraneus Dahl. *Mt. E.*

Phosphuga

Leach.

polita Sulz.	<i>E. md. m.</i>
laevigata F.	
v. gibba Kr.	<i>H. D.</i>
v. gibba Brull.	<i>Gr.</i>
cibrata Fald.	<i>Gr. Ca.</i>
atrata L.	<i>E.</i>
v. brunnea Herbst	
v. fusca Herbst	
v. punctata Herbst	
v. nitida Fald.	<i>Ca.</i>
v. pedemontana F.	
v. subrotundata Stph. Sc.	
v. cassidea Kr.	<i>Hu. m.</i>

Oiceoptoma Leach.

opaca L.	<i>E.</i>
Souverbi Fairm.	<i>P.</i>
v. alpicola Küst.	<i>Tr.</i>
undata Müll.	<i>E.</i>
reticulata F.	
v. verrucosa Mén.	<i>Ca.</i>

Thanatophilus

Leach.

thoracicus L.	<i>E.</i>
Golowatschovi Lind.	
rugosus L.	<i>E.</i>
intricatus Ménétr.	
v. vestitus Küst.	<i>S.</i>
v. ruficornis Küst.	<i>Hi.</i>
tuberculatus Luc.	
lapponiens F.	<i>E. b.</i>
terminatus Hamm.	<i>R.</i>
sibiricus Gebl.	<i>Ca.</i>
Levaillanti Mls.	<i>Cri.</i>
sinuatus F.	<i>E.</i>
v. unicostatus Lac.	<i>E.</i>
dispar Herbst	<i>E.</i>

Xylodrepa

Thomson.

4-punctata L. *E. md. b.*

Silpha

Linné.

lunata F. *E.*

- carinata Ill.
v. Italica Küst. *St.I.*
lunata Heer
v. atropurpurea Küst. *R.*
perforata Gebl. *R.m.*
tristis Illig. *E.*
v. dalmatina Küst.
obscura L. *E.*
v. carniolica Küst.
v. costata Mén. *Ca.*
oblonga Küst. *Hu.Tr.*
v. alpestris Kr.
tyrolensis Laich. *Alp.*
alpina Germ.
v. nigrita Creutz. *E.*
v. ambigua Graëlls *Hi.*
striola Ménétr. *Ca.*
granulata Ol. *Ga.E.m.*
puncticollis Luc. *Ga.*
hispanica Küst. *Hi.I.*
fluctuosa Schauf. *Hi.*
orientalis Brull. *Gr.Hu.*
multipunctata Frv.
v. lugens Küst. *T.*
v. Godarti Reiche *Cri.*
v. turcica Küst. *T.Gr.*
sericea Zoubk. *R.*
- Necrodes**
Wilkin.
- Necrophorus**
Fabricius.
- germanicus L. *E.*
v. speciosus Schulze
v. hipunctatus Kr.
v. apicalis Kr.
ruthenus Mot. *R.m.*
humator Goeze *E.*
v. bimaculatus Steph.
morio Gebl. *R.m.*
nigricornis Fald. *Carn.Ca.*
vespillo L. *E.*
vestigator Herschel *E.*
v. trimaculatus Grndl *A.*
interruptus Brull *E.m.*
interruptus Stph. *E.md.b.*
fossor Er.
v. gallicus Duv. *Ga.*
investigator Zett. *E.b.*
ruspator Er. *Ga.G.I.*
♂ v. microcephalus Thms
sepultor Charp. *Ga.G.*
obrutor Er. *I.*
- v. sibiricus Mot. *R.*
vespilloides Herbst *E.*
mortuorum F.
corsicus Lap. *C.S.*
funeris Gené
- Agyrtes**
Frölich
- bicolor Lap. *Ga.*
castaneus Payk *E.*
- Hadrambe**
Thomson.
- glabra Payk. *G.Su.*
latissima Reitt. *Gr.*
- Sphaerites**
Duftschmid.
- glabratus F. *E.b.Mt E.*
- Anisotomini**
- Triarthron**
Schmidt.
- Maerkeli Schmidt *G.*
- Hydnobius**
Schmidt.
- punctatissimus Stph. *E.*
Perrisi Fairm. *Ga.*
ciliaris Thoms. *Su.*
septemtrionalis Thms. *L.*
punctatus Sturnu *E.*
spinipes Gyll. *Su.*
spinula Zett. *L.*
intermedius Thoms. *Su.*
andalusius Dieck *Hi.*
strigosus Schmidt. *E.md.b.*
punctulatus Hampe *Tr.*
multistriatus Gyll. *Su.*
- Liodes**
Latrelle.
- Anisotoma Schmidt. Er.
cinnamomea Pz. *Br.Ga.G*
grandis Fairm. *Ga.*
anglica Rye *Br.*
fracta Seidl. *R.*
oblonga Er. *Ga.G.*
rugosa Steph. *E.md.*
armata Sturm
Triepkei Schmidt *E.md.b.*
- macropus Rye *Ga.Br.*
rotundata Er. *Ga.G.A.*
rhaetica Er. *A.*
picea Ill. *E.md.b.*
lucens Fairm. *Ga.*
obesa Schmidt *Su.E.md.*
brunnea Sturm *G.*
dubia Kugelann *E.*
ferruginea Sturm
rufipennis Payk
bicolor Schmidt
longipes Schmidt
pallescens Schmidt
curta Fairm. *Ga.*
curvipes Schmidt *I.*
flavescens Schmidt *Ga.G.*
silesiaca Kr. *Ga.G.*
arctica Thoms. *L.*
simplex Thoms. *Su.*
humeralis Thoms. *Su.*
furva Er *Su.G.*
ciliaris Schmidt *Su.Ga.G.*
Caullei Bris. *Ga.*
pallens Sturm *Ga.A.*
ovalis Schmidt *E.md.b.*
nigrita Schmidt *Ga.G.*
rubiginosa Schmidt *Ga.G*
clavicornis Rye *Sc.*
scita Er. *G.*
calcarata Er. *E.md.b.*
lunicollis Rye *Br.*
geniculata Muls. *Ga.*
distinguenda Fairm. *Ga.*
fuscocincta Fairm. *C.*
Heydeni Ragusa *Si.*
litura Steph. *Br.*
ornata Fairm. *Ga.*
v. maculicollis Rye
scutellaris Muls. *Ga.*
punctulata Gyll. *Su.L.*
puncticollis Thoms. *L.*
nitidula Er. *G.*
badia Sturm *E.*
moesta Hampe
Discontignyi Bris. *Ga.*
similata Rye *Br.*
multipunctata Rye *Br.*
bicolor Brancsik *Hu.*
hybrida Er. *G.*
parvula Sahib. *E.md.b.*
vittata Curtis *Br.*
circinipes Rye *Br.*
- Cyrtusa**
Erichson.
- subtestacea Gyll. *E.md.b.*

minuta Ahrens *E.m.d.b.*
femorata Schmidt
latipes Er. *Ga.G.*
pauxilla Schmidt *G.*
castanescens Fairm. *C.*

Colenis

Erichson.

immunda Sturm *E.m.d.b.*
dentipes Gyll.
Bonnairei Duv. *Ga.*
foveicollis Uhagon *Hi.oc.*

Xanthosphaera Frm.
Barnevillei Fairm. *Hu.*

latifrons Curtis *Br.*

Agarieophagus

Schmidt.

cephalotes Schmidt *Ga.G.*
conformis Er. *G.*
praezellens Hampe *A.*

Anisotoma

Illiger.

Liodes Erichson.

humeralis Kugel. *E.*
clavipes Herbst
armata Steph.
v. globosa Payk.
axillaris Gyll. *E.m.d.b.*
glabra Kugel. *E.m.d.b.*
serricornis Gyll. *Ga.G.*
castanea Herbst *E.m.d.b.*
Raffrayi Heyd. *Hi.*
orbicularis Hbst. *E.m.d.b.*
larvata Canestini *Calab.*

Amphicyllis

Erichson.

globus F. *E.m.d.b.*
v. ferruginea Sturm
globiformis Shlb. *E.m.d.b.*

Agathidium

Illiger.

nigripenne Kugel. *E.*
atrum Payk. *E.*
siculum Bris. *Si.*

pallidum Gyll. *Su.Ga.G.*
seminulum L. *E.*
suturale Reitt. *Ca.*
pisum Bris. *I.b.*
intermedium Fairm. *Ga.*
laevigatum Er. *E.m.d.b.*
caspicum Reitt. *Ca.*
seripeunctatum Bris. *Ga.*
badium Er. *E.m.d.b.*
escorialense Bris. *Hi.*
dentatum Muls. *Ga.*
mandibulare Sturm *E.*
plagiatum Gyll. *E.m.d.b.*
Brisouti Reitt. *Gr.*
pieceum Er. *E.m.d.b.*
confusum Bris.
polonicum Wank
elypeatum Sharp
rubicundum Reitt. *Cp.*
globosum Muls. *Ga.*
convexum Sharp *Br.*
rotundatum Gyll. *E.m.d.b.*
varians Beck *Su.Ga.G.*
nudum Hampe *Tr.*
nigrinum Sturm *E.m.d.b.*
staphylaeum Gyll.

rhinoceros Sharp *Br.*
discoideum Er. *Mt.E.*
arcticum Thoms. *E.b.*
pulchellum Wank. *R.*
vittatum Mot. *Ca.*
marginatum Stm. *E.m.d.b.*
Wankowiczii Hochh. *R.*
haemorrhorum Er. *Go.G.*

Ansibaris

Reitter.

alexiformis Rtrr. *Ca.*

Clambidae.

Cybocephalini

Cybocephalus

Erichson.

phantazomerus Duval.
Stagonomorpha Wollast.
metallicus Baudi *Ca.*
seminulum Baudi *E.or.*
festivus Er. *A.E.m.*
diadematatus Chevr.
Heydeni Reitt. *Ga.m.*

Reitteri Uhagon *Hi.*
pulchellus Er. *E.*

♂ aeneiceps Duv.
politus Gyll. *E.*

exiguus Sahib.
rufifrons Reitt. *Hi.*

similiceps Duv. *E.m.*

atomus Bris.
politus Er.

Clambini.

Clambus

Fischer.

Sternuchus Leconte.

pilosellus Reitter *Ca.*

armadillo Degeer *E.*

punctulum Beck

pubescens Redtb. *E.m.d.b.*

?coccinelloides Steph.

minutus Sturm *E.*

punctulum Gyll. *E.m.d.b.*

nitidus Steph.

Loricaster Mulsant.

testaceus Muls. *E.m.*

Calyptomerus

Redtenbacher.

Comazus Fairm.

alpestris Redtb. *A.Hu.*

caucasicus Reitt. *Ca.*

troglodytes Fauv. *Ga.*

dubius Marsh. *E.*

enshamensis Steph.

Bisaya

Reitter.

nossidiiformis Reitt. *Ca.*

Sphaeriidae.

Sphaerius

Waltl.

Microsporus Kolen.

acaroides Waltl *E.*

obsidianus Kolen.

Hydroscaphidæ.

Hydroscapha

Sharp.

gyrinoides Aub. Ga.

Trichopterygidae.

Ptilini.

Nossidium

Erichson.

pilosellum Marsh E.md.
scaphidiiforme Hochh. R.

Euryptilium

Matthews.

saxonicum Gillm. G.Ga.Sc

Meridium

Motschulsky.

vittatum Mot. R.m.

Ptenidium

Erichson.

Gressneri Gillm. G.Ga.

turgidum Thoms. Su.Br.

laticolle Hochh. R.

formicetorum Kr. E.md.

myrmecophilum Mot.

Kraatzii Matth. Br.Sc.

evanescens Marsh. E.

apicale Gillm.

terminale Haldem.

longicorne Fuss G.

Wankowiczi Matth. R.m.

intermedium Wank.

atomarooides Mot. R.Br.

nitidum Bris. Ga.

Brisouti Matth.

punctatum Steph. E.md.

laevigatum Gillm.

pusillum Gyll. E.

nitidum Heer

4-foveolatum Allib.

minutissimum Steph.

fuscicorne Er. E md.

obscuricorne Mot.
picipes Matth.
punctatum Gyll. E.
litoralis Mot.
alutaceum Gillm.
coecum Joseph Carn.

Actidium

Matthews.

Boudieri Allib. Ga.G.
transversale Er. A.
picipes Mot. R.
concolor Sharp Br.
coarctatum Halid. E.
filiforme Aub.
elongatum Thoms.
mediterraneum Mot.

Millidium

Motschulsky.

minutissimum Ljngbh. E.b
trisulcatum Aub. fmd.
excavatum Halid.

Ptilium

Erichson.

angulicolle Fairm. Ga.
Halidayi Matth. Br.
foveolatum Allib. E.
excavatum Gillm.
clandestinum Halid.
minimum Matth.

cordatum Mot. R.
insigne Matth. Br.
modestum Wank. R.m.
myrmecophilum Allib. E.
inquilinum Gillm.

v. discoideum Gillm.
lineaticollis Mot. R.
exaratum Allib. E.md.
cauaculatum Gillm.

?haemorrhoidalis Mot.
affine Er. E.md.
caesum Er. Ga.G.
latum Gillm.

tenue Kr. Gr.
fulvescens Mot. R.
croaticum Matth. A.
caledonicum Sharp Br.
marginatum Aub. Ga.Br.
Spencei Allib. E.md.
angustatum Fr.
oblongum Gillm.
v. fuscipenne Först.

v. ?fuscum Gillm.
Fürsteri Matth. Ga.
rugulosum Allib. E.md.
depressum Mot. R.
breviceolle Matth.
Kunzei Heer E.
spinipenne Comolli

Trichopterini.

Nephanes

Thomson.

Elachyx Matth.

Titan Newm. E.md.
abbreviatellus Heer
curtus Allib.
v. ?Gillmeisteri Allib.

Microptilium

Matthews.

pulchellum Allib. Ga.

Mierus

Matthews.

filicornis Fairm. Ga.

Trichopteryx

Kirby.

Aerotrichis Mot.
Baeoceraea Thoms.
variolosa Muls. E.md.b.

litoralis Thoms.
Thomsoni Sharp
Silbermanni Wenck.

Poweri Matth. Br.
ambigua Matth. Br.
dispar Matth. Br.
suffocata Halid. Hib.

Chevrolati Allib. E.md.b.
pygmaea Er.
parallelogramma Gill
minuta Mot.

Waterhousei Matth. Br.
fuscula Matth. Br.
acuminata Mot. R.

elevata Mot. R.
obscoena Woll. Br.
Guerini Allib. Ga.

rivularis Allib. Ga.
Montandoni Allib. E.md.

similis Gillm.
abdominalis Fairm.
Jansoni Matth. Br.

picornis Maunh. *F.Br.*

carbonaria Matth. *Br.*

longula Matth. *Br.*

Edithia Matth. *Br.*

longicornis Maunh. *E.md.*

pumila Er.

sericans Gillm.

Kirbyi Matth. *Br.*

brevipennis Er. *E.md.*

clavipes Gillm.

bovina Mot. *R.m.*

brevis Mot. *R.ca.*

sericans Heer *E.*

depressa Gillm.

volans Mot. *Sc.*

atrata Mot. *R.m.*

attenuata Gillm. *G.*

seminitens Matth. *Br.*

championis Matth. *Br.*

fascicularis Herbst *E.*

intermedia Gillm.

Laetitia Matth. *Belg.G.Br.*

cantiana Matth. *Br.*

lata Mot. *E.*

gigas Allib.

fratercula Matth. *Br.*

grandicollis Mannh. *R.*

fascicularis Gillm. *G.*

Marseuli Matth. *Ga.*

taurica Mot. *R.*

anthracina Matth. *Br.*

convexuscula Mot. *R.*

convexa Matth. *Br.*

atomaria Degeer *E.*

♀ quadrata Mot.

thoracica Waltl *E.md.*

alpina Allib.

caucasica Kol.

Sarae Matth. *Br.*

munda Mot. *R.*

punctatissima Mot. *Br.*

subaenea Mot. *Br.*

maritima Mot. *Ga.Cri.*

Actinopteryx

Matthews.

fucicola Allib *E.*

mollis Halid.

dilaticollis Mot.

marina Mot.

Astatopteryx

Perris.

laticollis Perris *Ga.*

Perrisi Matth.

Pteryx

Matthews.

suturalis Heer *E.*

bicolor Mot.

mutabilis Matth.

Ptinella

Motschulsky.

testacea Heer *E.md.*

limbata Heer

Proteus Matth.

Maria Matth. *Br.*

biimpressa Reitt. *Cp.*

denticollis Fairm. *Ga.*

punctipennis Fairm.

britannica Matth. *Br.Ga.*

rotundicollis Mot. *F.*

aptera Guer. *G.*

ratisbonensis Gillm.

?anophthalma Joseph

angustula Gillm. *E.md.*

?pallida Er.

♀ gracilis Gillm.

microscopica Gillm. *E.md.*

tenella Er.

Corylophidae.

Sacium

Leconte.

Clypeaster Latreille.

pusillum Gill. *E.b.*

rhenanum Reitt. *G.*

Damryi Reitt. *C.*

brunneum Bris. *E.md.*

latum Reitt. *Ca.*

orientale Reitt. *T.*

obscureum Sahlb. *E.*

discedens Duv.

corticinum Thoms.

?nanum Muls.

densatum Reitt. *E.md.m.*

Arthrolips

Wollaston.

regularis Reitt. *Ga.Hi.*

humilis Rosenh. *E.md.m.*

rnif thorax Duv.

piecus Comolli *E.md.*

ferrugatus Rtt. *E.m.Ca.*

Sericoderus

Stephens.

Gryphinus Redth.

lateralis Gyll. *E.*

Revelierei Reitt. *C.D.I.*

Corylophus

Stephens.

cassidooides Mrsh. *E.*

sublaevipennis Duv. *Ga.*

Orthoperus

Stephens.

punctulatus Reitt. *Tr.*

punctatus Wankow. *R.*

Rogerii Kr. *G.*

Klucki Wankow. *R.G.*

brunnipes Gyll. *E.*

piceus Steph. *corticalis* Redth.

atomus Gyll. *E.*

pilosiusculus Duv. *Ga.*

anxius Muls. *Ga.m.*

coriaceus Muls. *Ga.m.*

punctum Mrsh. *E.*

atomarius Heer

Moronillus

Duval.

Gleosoma Wollaston.

ruficollis Duv. *E.m.*

velox Wollast.

v. discolor Rosenh. *Hi.*

Scaphidiidae.

Scaphidium

Olivier.

4-maculatum Ol. *E.md.b.*

Scaphium

Kirby.

immaculatum Oliv. *E.md.*

rufipes Reitt. *Ca.*

Scaphischema

Reitter.

Poupillieri Reiche *Hi.m.*

Scaphisoma

Leach.

- agaricinum L. E.
subalpinum Reitt. E.md.
boleti Panz. E.
assimile Er. E.
limbatum Er. Hu.St.

- liquidus Er. E.md.m.
discoideus Küst. Ga.I.
affinis Sturm E.md.
millefolii Payk. E.
ulicis Gyll. Su.R.m.
particeps Muls. Ga.
helveticus Rye II.
pygmaeus Sturm E.

- v. bicolor Gyllyh. A.St.
tergestana Reitt. Ist.
valida Reitt. Ca.
levida Faldb. Su.Ga.G.Ca.
rufipes F. Su.Ga.G.I.
v. clavata Lac. Hu.
collaris Schall. Ga.G.A.
capistrata Lac. Tr.
v. sulphuricollis Rtt.Ca.
pygmaea Kr. St.

Baeocera

Erichson.

- Schirmeri Reitt. D.

Phalacridae.

Phalaerus

Paykull.

- maximus Fairm. Hi.
corruscus Payk. E.
v. Humberti Rye
Brisouti Rye Br.
intermedius Hochh. R.m.
grossus Er. E.md.b.
substriatus Gyll. E.
caricis Sturm E.md.b.
brunnipes Bris. Ga.
seriepunctatus Bris. Ga.
striatulus Tourn. Si.
minutus Tourn. II.

Stilbus

Seidlitz.

- Olistherus Seidl. ol.
testaceus Panz. E.
geminus Ill. E.
atomarius L. E.
picus Steph. E.
oblongus Er. Ga.G.E.m.
Baudueri Tourn. Ga.
hispanicus Tourn. Ga.Hi.
pumilus Hochh. R.m.

Cyrtotriplax

Crotch.

Tritoma Fabr.

- bipustulata F. E.
octonotata Bedel Ca.

Aulacochilus

Lacordaire.

- violaceus Germ. Cro.

Tolypus

Erichson.

- granulatus Guér. Ga.Hi.
stratiopennis Lue.
punctulatus Rosh. E.m.
punctatostriatus Kr.Ga.
subsulcatus Fairm. Gr.

Erotylidae.

Dacne

Latreille.

- Engis Paykull.
notata Gmel. Su.G.A.
bipustulata F. Tr.
rufifrons F. E.md.b.
bipustulata Thunb. E.
humeralis F.
v. Jekeli Reitt. Ga.
pontica Bedel Ca.

Combocerus

Bedel.

- glaber Schall. Su.Ga.G.
sanguinicollis F.

Triplax

Paykull.

- russica L. E.
elongata Lacord. A.
Lacordairei Crotch Ga.A.
ruficollis Steph. Br.G.
nigriceps Lac. I.Hi.
Marseuli Bedel Ga.m.D.
cyanescens Bedel Hi.
melanocephala Lac.
aenea Schall. E.

Ischyurus Lac.

scutellaris Charp. Su.G.

Endomychidæ

Dapsini.

Aencylopus

Costa.

- melanocephalus Oliv. Si.
v. pictus Wied.
testaceus Costa I.m.

Dapsa

Latreille.

Phylira Muls.

- denticollis Germ. G.A.
v. nigricollis Mars. Hu.
caucasica Mot. Ca.
Lederi Reitt. Ca.
nigripennis Reitt. Ca.
trimaculata Mot. E.m.

Lycoperdina

Latreille.

Golgia Muls.

- succincta L. E.md.b.
v. fasciata F.
classicornis Reitt. Tr.
*
Bovistae F. E.
immaculata Latr.

subpubescens Reitt. C.
validicornis Gerst. S.

Hylaia
Redtenbacher.

Ceramis Gerstäcker.

rubricollis Germ. *Ga.Hu.*
dalmatina Kaufn. *D.*
podagraria Guér. *T.*

Mycetina

Mulsant.

cruciata Sehall. *E.*
lithophila Hrbst.
v. calabria Costa *I.*
interrupta Gredl. *Ti.*
binotata Dahl *Hu.*
apicalis Mot. *Ca.*

Endomychini.

Endomychus

Panzer.

armeniacus Mot. *Ca.*
Scovitzii Fald.
coecineus L. *E.*
thoracicus Charp. *Hu.Tr.*

Polynmus

Mulsant.

nigricornis Muls. *Ga.*

Mycetaeini.

Myrmecoxenus

Chevrolat.

subterraneus Chvr. *E.md.*
epulo Mackl. *b.F.*
picinus Aub. *E.md.m.*
vaporariorum Guér. *E.md.*
beturiensis Reitt. *Hi.*

Lithophilus

Frölich.

cordatus Rosh. *Hi.*
graeceus Reitt. *Gr.*
kalawrytus Reitt. *Gr.*
connatus Panz. *A.G.Hu.*
caucasicus Weise *Ca.*
Weisei Reitt. *Ca.*

Leiestes

Redtenbacher.

seminigra Gyllh. *E.*
montana Mot. *Ca.*

Pleganophorus

Hampe.

bispinosus Hamp. *Hu.Gr.*

Symbiotes

Redtenbacher.

rubiginosus leer *E.md.b.*
latus Redtb.
gibberosus Luc. *E.md.m.*
pygmaeus Hamp.
minutus Schauf.
armatus Reitt. *Cro.*

Mycetaea

Stephens.

hirta Marsh. *E.*
subterranea F.
villosa Beck

Agaricophilus

Motschulsky.

reflexus Mot. *Ca.*
v. subaeneus Reitt. *Ca.*

Clemmus

Hampe.

troglodytes Hamp. *A.Cro.*

Mychophilus

Friwaldszky.

minutus Friv. *Hu.*
caspicus Reitt. *R.m.or.*

Alexia

Stephens.

globosa Sturm *Mt.E.md.*
pubescens Friv. *T.*
alutacea Reitt. *R.m.or.*
sublaevis Reitt. *Ca.*
meridionalis Reitt. *Hi.*
carpathica Reitt. *Cp.*
pilosa Panz. *Mnt.E.md.*
punctata Reitt. *Hu.m.*
laevicollis Reitt. *A.*
pilifera Müll. *Cr.Car.Cro.*
v. lunigera Reitt. *Ti.*

pilosissima Friv. *Hu.m.*
pilosella Reitt. *Ca.*

hirtula Reitt. *ol.*

obsoleta Reitt. *Ca.R.m.*

puneticollis Reitt. *Ca.*

nevadensis Reitt. *And.*

Cryptophagidae.

Telmatophilini.

Diphyllus

Stephens.

lunatus F. *E.*
frater Aubé *E.m.*

Diplocoelus

Guérin.

fagi Guér. *E.*
humerosus Reitt. *Ca.*

Telmatophilus

Heer.

spargani *Ahrens* *E.*
caricei Oliv. *E.*

obscurus F.

longicollis Reitt. *G.*

rufus Reitt. *Ga.*

brevicollis Aub. *E.md.*

typhae Fall. *E.*

pumilus Reitt. *A.*

Schönherri Gyll. *E.md.*

Cryptophagini.

Antherophagus

Latreille.

nigricornis F. *E.*

silaceus Herbst *E.*

pallens Oliv. *E.*

caucasicus Rtrr. *Ca.*

Zavaljus

Reitter.

Fausti Reitt. *R.*

Emphyllus

Erichson.

Spavius Mot.

glaber Gyll. *E.*

Setaria

Mulsant.

sericea Muls. *C.Ga.m.*

Spaniophaeenus

Reitter.

laticollis Mill. Tr.
amplicollis Bris. Hi.

Henoticus

Thomson.

serratus Gyll. E.

Cryptophagus

Herbst.

silvanoides Reitt. R.m.
crenatus Gyll. Ga.G.

crenulatus Er. Su.I.
simplex Miller A.

lapidarius Fairm. G.
mountanus Bris. Ga.

gracilis Reitt. Alp.
croaticus Reitt. E.md.

durus Reitt. Hi.
lapidicola Reitt. Ca.

baldensis Er. E.md.
lycoperdi Herbst E.

pilosus Gyll. E.
puncticollis Lucas

v. punctipennis Bris. E.
Skalitzky Reitt. A.

setulosus Sturm E.
Schmidtii Sturm E.

nitidulus Miller A.Tr.
Milleri Reitt. A.

affinis Sturm E.
cellaris Scop. E.

crenatus Sturm.
v. mascarensis Reitt. Hi.

rufus Bris. Pe.Ga.
? parallelus Thoms. Su

acutangulus Gyll. E.
m. Waterhousei Rye

Heydeni Reitt. A.

subtilis Thoms. Su.
fumatus Marsh. E.

quercinus Kr. E.
denticulatus Heer II.

badius Sturm E.md.
fuscicornis Sturm E.md.

reflexicollis Reitt. Tr.
lamellicornis Bris. Ga.

populi Payk E.
grandis Kr. Ca.

Brucki Reitt. E.
labilis Er. E.

Brisouti Reitt. P.
axillaris Reitt. Tr.

ruficornis Steph. E.b.

umbrotus Er. G.
niger Bris. Ga.

distinguendus Sturm E.
fasciatus Kr. E.m.
signatus Bris.

4-maculatus Reitt. Ca.
scutellatus Newm. E.ind.

bicolor Sturm E.b.
rufipennis Sturm
crenatus Thoms.

saginatus Sturm E.
corticinus Thoms. Eb.

inaequalis Reitt. Cp.
dentatus Herbst E.

pallidus Sturm E.
cylindrus Kiesw.
parallelus Bris.

Thomsoni Reitt. E.
scanicus L. E.

patruelis Sturm
v. hirtulus Kr. Gr.

dorsalis Sahlb. E.
hexagonalis Tourn.

subdepressus Gyll. E.
depressus Thoms.

Kraatzi Reitt. R.
subfumatus Kr. G.

validus Kr. G.
lapponicus Gyll. E.
clavatus Zett.

pubescens Sturm
bimaculatus Panz. E.md.

nigricollis Reitt. Ca.
vini Panz. E.ud.m.

villosus Heer E.
pilosulus Er.
ocularis Reitt.

Perrisi Bris. Ga.

dilaticollis Tourn. II.
impressicollis Tourn. II.

helveticus Tourn. II.
Micrambe Thomson.

abietis Payk. E.
Leucohimatium

Rosenhauer.

elongatum Er. E.m.
angustum Rosenh.
brevicolle Reitt. R.m.

Cryptophilus
Reitter.

integer Heer E.ud.m.

muticus Bris.
Barnevillei Tourn. Si.
balearicus Schf. Bal.

Pharaxonotha

Reitter.

Kirschi Reitt. X A.

Loberogosmus

Reitter.

fasciatus Kolen. Ca.

Haplolophus

Frivaldszky.

robustus Moraw. E.or.

neglectus Friv.

Frivaldszkyi Friv.

Paramecosoma

Curtis.

melanocephalum Ilbst. E.

univestre Reitt. E.

Langi Solsky R.

Atomariini.

Caenoscelis

Thomson.

ferruginea Sahlb. E.

pallida Woll.

subdeplanata Bris. Ga.Ca.

Atomaria

Stephens.

filmetaria Herbst E.

Abeillei Tourn.

carpathica Reitt. Hu.

pilosella Reitt. A.

longicornis Thoms. Su.G.

Barani Bris. E.md.

unbrina Gyll. E.

fumata Er.

affinis Sahlb.

puncticollis Thoms. Su.G.

diluta Er. E.

Utagoni Reitt. Hi.

planiuscula Reitt. A.

linearis Steph. E.

Herminae Reitt. E.ud.

elongatula Er. E.

bella Reitt. G.

atrata Reitt.	E.
pulehra Er.	E.m.d.
alpina Heer	E.m.d.
badia Er.	G.
procerula Er.	G.
prolixa Er.	G.
Wollastoni Sharp	Br.G.
nigriventris Steph.	E.
nana Er.	
pumila Reitt.	G.
fuscollis Mannh.	E.
umbrina Er.	
plicicollis Mäklin	
Anchicera Thoms.	
impressa Er.	E.m.d.
plicata Reitt.	A.
v. amplipennis Reitt.	A.
pusilla Kr.	E.
multimaculata Kr.	E.
multimaculata Kr.	E.
nigripennis Payk.	E.
cognata Er.	A.
morio Kolen.	Ca.
formosa Reitt.	Hu.
gravidula Er.	E.
castanea Thoms.	Su.
tumulorum Villa	I.
bicolor Er.	St.
fuscula Schbh.	E.
? rubella Heer	H.
Zetterstedti Zett.	E.
salicicola Kr.	
pusilla Payk.	E.
dimidiatipennis Mnh.	
minutissima Tourn.	H.
peltata Kr.	E.
atricapilla Steph.	E.
nigriceps Er.	
v. berolinensis Kr.	
scutellaris Mot.	E.m.
humeralis Kr.	
canariensis Woll.	
atra Herbst	E.
castanoptera Reitt.	Ca.
nitidula Heer	E.
basalis Er.	
v. rhenana Kr.	
mesomelas Herbst	E.
dimidiata Marsh.	
gutta Steph.	E.
unifasciata Er.	E.m.d.
contaminata Er.	E.m.d.
fuscipes Gyll.	E.
concolor Märk.	
turgida Er.	E.
ornata Heer	E.m.d.

versicolor Er.	
testacea Steph.	E.
analisa Er.	
apicalis Er.	E.
v. clavicornis Baudi	Al.
ruficornis Marsh.	E.
terminata Comell.	
rubida Reitt.	A.
viennensis Reitt.	A.
morula Reitt.	Ti.
rubricollis Bris.	E.m.
divisa Rye	Br.
Attila Reitt.	Hu.b.
montenegrina Reitt.	Mon.
gibbula Er.	E.
hislopi Woll.	
v. hiemalis Baudi	Pe.
parvula Reitt.	H.I.
paucula Reitt.	
delicatula Tourn.	H.Ju.
grandicollis Bris.	Ga.
thorictoides Reitt.	I.
? nitida Heer	H.

Sternodea

Reitter.

Baudii Reitt.	Gr. I.
Weisei Reitt.	C.p.
Lederi Reitt.	Ca.
Raddei Reitt.	Ca.
♂ Haroldi Reitt.	

Ephistemus

Stephens.

Psychidium Heer.

nigriclavis Steph.	E.
globosus Waltl	
palustris Wollast.	
globulus Payk.	E.
gyrinoides Marsh.	
ovulum Er.	
v. dimidiatus Sturm	
piceorrhoeus Marsh.	
exiguus Er.	E.
ventrosus Baudi	
lepidus Hochh.	

Derodontidae

Derodontus

Leconte.

Mycetomychus Friv.	
macularis Fuss.	Tr.Ti.

Lathridiidae.

Merophysini.

Neoplotera

Belon.

peregrina Belon × Ga.

Coluoecera

Motschulsky.

formicaria Mot.	E.m.
formiceticola Rosh.	
attae Kraatz	
gallica Schauf	
v. major Rtr.	C.a.
punctata Märk.	Si.S.

Merophysia

Lucas.

cretica Kiesw.	Cret.
lata Kiesw.	Gr.
carinulata Rosh.	E.m.
oblonga Kiesw.	Gr.
formicaria Lucas	E.m.
v. sicula Kiesw.	Si.

Holoparamecus

Curtis.

Tomyrium Reitter.	
Bertouti Aub.	Ga.S.
Holoparamecus i. sp.	
niger Aub.	E.m.
v. Lowei Woll.	E.m.
occultus Leder	
caularum Aub.	E.m.
obtusicornis Mot.	G.
Calyptobium Villa.	
singularis Beck	E.m.m.
depressus Curt.	
Villae Aub.	
difficilis Villa	
populi Mot.	
longipennis Mot.	
Lederi Reitt.	Ca.
Kunzei Aub.	E.m.
Truquii Baudi	Gr.
Ragusae Reitt.	Si.C.

Anommatus

Wesmael.

12-striatus Müll. Ga.

terricola Wsm. *G.I.*
pusillus Schauf. *G.*
Kiesenwetteri Reitt. *Hi.*
valombrosae Dieck. *I.*
Diecki Reitt. *G.a.m.C.*
Baudii Reitt. *I.*
planicollis Fairm. *G.a.m.*
Linderi Reitt.

Abromus*Reitter.*Brucki Reitt. *G.a.m.***Lathridiini.****Langelandia***Aubé.*

anophthalma Aub. *E.m.*
Reitteri Belon *C.S.*
exigua Reitt.
exigua Perris *C.S.*
incostata Perris
callosipennis Reitt. *Herz.*

Agelandia*Reitter.*grandis Reitt. *I.Ca.***Metophthalmus***Wollaston.*

Bonvouloiria Duv.
niveicollis Duv. *Ga.Hi.*
Ragusae Reitt. *Si.*
obesus Reitt. *C.*
lacteolus *Hu.R.m.*
humericola Reitt. *Ca.*

Lathridius*Herbst.*

lardarius Deg. *E.*
pini Mot.
dilaticollis Mot.
subbrevis Mot.
laticeps Belon *Ga.*
angulatus Mannh. *E.*
angusticollis Thoms.
undulatus Mot.
productus Rosenh. *E.m.*
variolosus Mannh. *F.*
lapporum Mnsh. *L.*
angusticollis Humm. *E.*
Pandellei Bris.

tremulae Thoms.
alternans Mannh. *E.*
rugicollis Oliv. *E.*
sinuatocollis Fald. *Ca.*
caueasicus Mnsh.
Bergrothi Reitt. *F.*

Coninomus
Thomson.

Aridius Mot. ex. p.
constrictus Hummel *E.*
carinatus Gyll.
incisus Mannh.
limbatus Först.
monticola Mannh.
nodifer Westw. *Br.E.b.*
nodulosus Mot. *G.Ga.*
volgensis Mnsh. *R.m.*

Eniemus*Thomson.*

Permidius. 1sidius Mot.

*

Conithassa Thoms.
hirtus Gyll. *E.*
minutus L. *E.*
anthracinus Mannh.
assimilis Mannh.
scitus Mannh.
minutissimus Mot.
gemellatus Mannh.
consimilis Mannh. *E.*
parallelocollis Mnsh.
brevicollis Thoms. *E.*
carpathicus Reitt.

Eniemus i. sp.
testaceus Steph. *E.*
cordaticollis Aub.
crenicollis Thoms.

Mannerheimi Kolen. *Ca.*
rugosus Herbst *E.*
rugipennis Mannh.
planatus Mannh.
fungicola Thoms. *E.*
dubius Mannh. *Ca.*
transversus Oliv. *E.*
brevicornis Mnsh. *E.m.*
carbonarius Mannh.

Cartodere*Thomson.*

pilifera Reitt. *Si.*
Beloni Rtrr. *Belg.*

inflaticeps Mot. *Cri.*
elegans Aub. *Ti.Ga.*
elongata Cartis *E.*
hexagonalis Mot.
elathrata Mannh.
aequalis Reitt. *Ca.*
anatolica Mnsh. *D.Gr.*
maritima Mot. *Ca.*
ruficollis Marsh. *E.*
liliputana Villa
collaris Mannh.
exilis Mannh.
v. concinna Mnsh.
nanula Mannh.
filiformis Gyll. *E.*
parallela Mannh.
v. tantilla Mannh.
filum Aub. *E.md.*
Schüppeli Reitt. *G.Ca.*

Revelieria*Perris.*

Genei Aub. *C.S.*
spectabilis Perr.
Heydeni Reitt. *And.*

Corticarini.**Dasycerus***Brongniart.*

elongatus Reitt. *Hi.*
sulcatus Brongn. *E.m.*
echinatus Aragona
crenatus Mot. *Ca.*
interruptus Reitt. *A.*
echinatus Reitt.

Corticaria*Marsham.*

metallica Reitt. *Hi.*
pubescens Gyll. *E.*
grossa Lec.
v. piligera Mnsh. *E.*
olympica Reitt. *Gr.C.*
crenulata Gyll. *E.*
v. tineta Mnsh. *Ca.*
sylvicola Bris. *Ga.*
pinguis Aub.
Diecki Reitt. *E.m.*
v. convexa Reitt.
pinicola Bris. *Hi.*
rufescens Reitt.
monticola Bris. *P.*
illaesa Mnsh. *E.m.*

subparallelia Fairm.
setosa Mot.
?pilosa Mot.
?villosa Mot.
v. 4-maculata Mnnh. *Ca.*
fulva Comolli *E.*
 cypria Baudi
 transversicollis Mot.
 unicarinata Mot.
 attenuata Mot.
 hirtella Thoms.
 pharaonis Mot.
 stigmosa Mot.
 cardiadera Fairm.
 flavescens Thoms.
pilosula Rosenh. *Hi.*
concolor H. Bris. *C.*
umbilicata Beck *E.*
 cylindrica Mnnh.
 umbilicifera Mnnh.
 borealis Wollast.
 cylindripennis Mot.
 punctatissima Mot.
v. *subpicea* Mot.
angusta Aub. *Ga.*
 eribricollis Fairm.
denticulata Gyll. *E.m.d.b.*
impressa Oliv. *E.*
 longicornis Oliv.
 validipes Motsch.
 sculptipennis Fald.
v. *badia* Mnnh.
 campicola Mnnh.
interstitialis Mnnh. *E.m.*
 abietorum Mot.
Mannerheimi Rtrr. *E.*
 longicollis Mnnh.
linearis Payk. *E.*
 baikalica Mnnh.
 rubripes Mnnh.
Eppelsheimi Reitt. *E.*
 ?lateritia Mnnh.
foveola Beck *E.*
 amplipeennis Reitt.
 dilatipennis Reitt.
corsica Bris. *Ga.m.C.*
bella Redtb. *E.*
longicollis Zett. *E.*
 formicetorum Mnnh.
 melanophthalma Mh.
v. *Weisei* Reitt. *G.*
crenlicollis Mnnh. *E.*
 fagi Wollast.
 melanophthalma Ths.
 ?lacerata Mnnh.
serrata Payk. *E.*

Motschulskyi Kolen.
v. *axillaris* Munh.
v. *laticollis* Munh.
Clairi H. Bris. *P.*
lapponica Zett. *E.b.m.*
 saginata Munh.
 denticulata H. Bris.
obscura Bris. *E.*
 depressa Thoms.
cucujiformis Reitt. *C.*
*
Thomsoni Reitt. *Su.*
 spinulosa Thoms.
elongata Hummel *E.*
fenestralis L *E.*
 ferruginea Mrsh.
 nigricollis Zett.
 nigriceps Waltl
 rufula Zett.
 subacuminata Mnnh.
 deleta Mnnh.

Melanophtalma

Motschulsky.

gibbosa Herbst *E.*
 cylindricollis Mot.
 impressa Mrsh.
transversalis Gyll. *E.*
 brevicollis Mnnh.
v. *hortensis* Munh. *E.*
v. *Wollastonii* Waterh.
v. *suturalis* Munh. *E.*
v. *crocata* Mnnh. *E.*
v. *taurica* Munh. *R.m.*
v. *curticollis* Mnnh. *R.m.*
 maura Mot.
v. *pallens* Mnnh. *R.m.*
v. *moraviaca* Reitt. *G.*
sericea Munh. *R.m.*
v. *albibasis* Reitt. *E.*
fusciipennis Munh. *E.*
 algirina Mot.

distinguenda Comolli *E.*
 angulata Wollst. *E.m.*
v. *parvicollis* Munh. *E.*
 angulosa Mot.

Corticarina Reitter.
similata Gyll. *E.*
v. *parvula* Munh. *A.*
v. *subtilis* Munh. *E.b.*
ovalipennis Reitt. *H.*
fuscula Hummel *E.*
v. *trifoveolata* Redtb. *E.*
v. *latipennis* Sahlb. *E.b.*

fulvipes Comolli *E.m.d.m.*
 fuseipennis Mot.
 picipennis Munh.
 curta Wollast.
 meridionalis Reitt.
 ooptera Fairm.
truucatella Munh. *E.*

Migneauxia

Duval.

crassiuscula Aub. *E.m.*
 serraticollis Duv.
inflata Rosenh. *Hi.*
Lederi Reitt. *Hi.m.*

Tritomidae.

Triphyllina

Reitter.

Lederi Reitt. *Ca.*

Pseudotriphyllus

Reitter.

suturalis F. *E.*
colchicus Reitt. *Ca.*

Triphyllus

Latreille.

punctatus F. *E.*

Litargus

Erichson.

bifasciatus F. *E.*
 lunatus F.
 signatus Panz.
coloratus Rosenh. *E.m.*
trifasciatus Woll.

Tritoma

Geoffroy

Mycetophagus Hellw.
quadripustulata L. *E.*
v. *picea* F. *E.*
 varabilis Hellw.
 v. *histrio* Sahlb.
 v. *undulata* Mrsh.
salicis Bris. *Ga.*
v. *ancora* Reitt. *Ca.*
v. *deempunctata* F. *E.*
v. *atomaria* F. *E.*
v. *infulata* Reitt. *Ca.*

quadriguttata Müll. E.
variegata Sahlb.
populi F. E.
multipunctata Hellw. E.
falvicollis F. E.

Atritomus

Reitter.

cibratus Baudi Si.
univestris Reitt. Ca.

Typhaea

Curtis.

fumata L. E.
laticollis Luc. (Cryptoph.)
maculata Perris E.m
unibrata Baudi
curticollis Fairm.

Berginus

Erichson.

tamaricis Woll. Ga.E.m.

Micopeplidæ

Micopeplus

Latreille.

porcatus F. E.
♀ Mathani Fauv.
caelatus Er. G.Su.
staphylinoides Marsh. Br
obtusus Newm. Ga.G.
fulvus Duval A.I.
Maillei Guér. C.
♀ Duvali Fauv.
Eppelsheimi Reitt. Ca.
fulvus Er. G.Ga.R.
Margaritae Duval Br.
♀ Marietti Duval I.
longipennis Kr. G.
staphylinoides Kr. ol.

latus Haüpe Cro.
tesserula Curtis E.md.Su.
laevipennis Eppelsh. Hu.
interstitialis Sahlb. R.

arundinis Lap.
inglorius Gozis Ga.
bipustulatus Payk. E.
v. ochraceus Murr. R.

Cercus i. sp.
dalmatinus Stm. E.md.m.
rufilabris Latr. E.
rubicundus Heer
pallidus Heer
fulvus Er.

Heterhelus

Duval.

solani Heer E.
sambuci Er.
♀ scutellaris Heer
rubiginosus Er. E.
rhenanus Bach
spiraeae Märk.

Amarthus

Leconte.

Anthonaeus Horn.
aurosericeus Rtt. Gr. Ca.
dilutitarsis Solsky

Brachypterus

Kugelann.

Heterostomus Duval
gravidus Ill. E.
linariae Steph. E.md.
linariae Cornel.
laticollis Küst. D.
vestitus Kiesw. E.m.
cinereus Heer E.

Brachyleptus Mot.
quadratus Creutz. E.m.or.
v. canescens Mot. Ca.

Brachypterus i. sp.
Lucasi Murray Ga.m.
glaber Newm. E.md.b.
pubescens Er.
unicolor Küst. S.
?ater Mot. Hi.
urticæ F. E.
fulvipes Er. E.m.
v. affinis Heer II.
pallipes Murray Bal.
metallescens Schauf.
labiatus Er. S.
meridionalis Küst. Hi

velatus Wollast. E.m.or.
rotundicollis Murr.
flavicornis Küst. I.

glaberrimus Payk. Su.

Carpophilini.

Microctilodes

Reitter.

Ragusae Reitt. Si.

Carpophilus

Leach.

rubripennis Heer E.md.m
castanopterus Er. Si.
immaculatus Luc. E.m.
mutilatus Er. E.m.
hemipterus F.
dimidiatus F. E.
hemipterus L. E.
pictus Heer
dimidiatus Heer
v.4-pustulatus Schf. Gr.
v. 4-signatus Er. E.m.
bipustulatus Heer E.m.
sexpustulatus F. E.
abbreviatus Panz.

Nitidulini.

Omosiphora

Reitter.

georgica Reitt. Ca.
limbata F. E.
Skalitzkyi Reitt. A.

Epuraea

Erichson.

decemguttata F. E.
diffusa Bris. Ga.
silacea Herbst E.b.
aestiva L. E.
v. bisignata Sturm E.
melina Er. E.
deleta Er. E.
fagi Bris. E.
terminalis Mannh. E.
immunda Er. E.
nana Reitt. E.
v. binotata Reitt. E.m.
silesiaca Reitt. G.

Nitidulidae.

Brachypterini.

Cercus

Latreille.

Anoma eocera Shuk.
pedicularius L. E.

neglecta Heer	<i>E.</i>
rufomarginata Steph.	<i>E.</i>
parvula Sturm	
castanea Duft.	<i>A.</i>
variegata Herbst	<i>E.</i>
obsoleta F.	<i>E.</i>
incompleta Mot.	
v. bipunctata Heer	<i>H.</i>
longula Er.	<i>E.</i>
excisicollis Reitt.	<i>G.</i>
distincta Grimmer	<i>A.Ga.</i>
boreella Zett.	<i>E.</i>
angustula Er.	<i>E.</i>
Marseuli Reitt.	<i>Ca.Si.</i>
thoracica Tourn.	<i>H.</i>
pygmaea Gyll.	<i>E.</i>
rubromarginata Reitt.	
carpathica Reitt.	<i>Hu.</i>
pusilla Ill.	<i>E.</i>
parallela Reitt.	<i>A</i>
oblonga Herbst	<i>E.</i>
Fussi Reitt.	<i>E. md.</i>
sericata Reitt.	<i>G.Hi.</i>
suturalis Reitt.	<i>G.</i>
florea Er.	<i>E.</i>
laeviuscula Gyll.	<i>E. md.b.</i>

Micuria

Reitter.

melanocephala Marsh.	<i>E.</i>
ferruginea Heer	
brunnea Heer	

Nitidula

Fabricius.

bipustulata L.	<i>E.</i>
flavomaculata Rossi	<i>E.m.</i>
flexuosa F.	
fusula Gebl.	<i>E.or.</i>
regalis Zoubk.	
elegans Stierl.	
rufipes L.	<i>E.</i>
obseura F.	
v. castanea Sahlb.	<i>E.b.</i>
carnaria Schaller	<i>E.</i>
quadripustulata F.	
v. flavipennis Heer	<i>H.</i>
v. variata Steph.	<i>Br.</i>

Stelidota

Erichson.

sexguttata Sahlb.	<i>F.</i>
lata Aub.	<i>R.</i>
integra Wankow.	

Omosita

Erichson.

depressa L.	<i>E.</i>
colon L.	<i>E.</i>
discoidea F.	<i>E.</i>
v. cincta Heer	<i>H.</i>

Soronia

Erichson.

punctatissima Ill.	<i>E.</i>
grisea L.	<i>E.</i>
oblonga Bris.	<i>Ga.m.</i>

Amphotis

Erichson.

marginata F.	<i>E.</i>
orientalis Reiche	<i>Gr.</i>
Martini Bris.	<i>Ga.</i>

Ipidia

Erichson.

quadrinotata F.	<i>E.</i>
binotata Reitt.	<i>Hu.</i>

Pria

Stephens.

dulcamarae Scop.	<i>E.</i>
breviscula Kol.	<i>Ca.</i>
pallidula Er.	<i>E.m.</i>

Meligethes

Stephens.

Odontogethes Reitt.	
hebes Er.	<i>E.</i>
olivaceus Heer	
marginalis Mot.	
marginatus Gredl.	

Meligethes i. sp.

rufipes Gyll.	<i>E.</i>
lumbaris Sturm	<i>E.</i>
m. foveifrons Reitt.	
Forsteri Reitt.	<i>E.</i>
epuraeoides Reitt.	<i>A.</i>
prioides Reitt.	<i>Si.</i>
humerosus Reitt.	<i>H.</i>
v. subalpinus Friv.	<i>Hu.</i>
simplex Kr.	<i>Gr.</i>
discolor Reitt.	<i>G.</i>
subrubicundus Rtr.	<i>G.</i>
rhenanus Reitt.	<i>G.</i>

Osmia

Muls E.m.

fulvipes Bris.

pumilus Er. E.m.

v. decoloratus Först. G.

coracinus Sturm E.

subaeneus Sturm E.

anthracinus Bris. E.m.d.m

coeruleovirens Först. E.

brassicae Scop. E.m.d.

aeneus F.

v. Bonvouloiri Bris. Ga.

v. coeruleus Mrsh. E.

v. rubripennis Reitt. E.

v. dauricus Mot. E.or.

viridipeunis Mot.

v. australis Küst. E.m.

viridescentis F. E.

virescens Thoms.

v. germanicus Reitt. E.

?azureus Heer

v. ?olivaceus Gyll.

Czwalinai Reitt. E.m.

gracilis Bris. E.m.

symphyti Heer E.

varicollis Wollast. E.m.

metallicus Roseuh.

moraviacus Reitt. A.

ranunculi Reitt. G.

corvinus Er. E.

ventralis Baudi

subrugosus Gyll. E.

v. substrigosus Er.

alpigradus Reitt. P.

serripes Gyll. E.

exaratus Först.

quadridens Först.

Rosenhaueri Reitt. A.

hispanicus Reitt. H.

nanus Er. E.

marrubii Bris.

spinipes Reitt.

villosus Bris. E.m.

dalmatinus Reitt. D.

obscurus Er. E.

♂ palmatus Er.

v. confusus Bris.

Schneideri Reitt. Co.

Hoffmanni Reitt. A.

parallelus Reitt. A.H.

bidentis Bris. E.

umbrosus Sturm E.

ater Bris. Ga. Hu.

maurus Sturm E.

v. durus Reitt. Belg.

v. calvus Reitt. H.

v. meridianus Reitt. Hi.

ineanus Sturm	<i>E.</i>	Kraatz Reitt.	<i>Gr.</i>	obsoletus Chevr.
Gredleri Reitt.	<i>Ti.</i>	elongatus Rosenh.	<i>E.m.</i>	areuatus Kiesw.
ovatus Sturm	<i>E.</i>	Crotchi Bris.		<i>I.</i>
♀ fuliginosus Er.		discoideus Er.	<i>E.md.m.</i>	histrio Wollast.
melancholicus Rtrr.	<i>P.</i>	<i>glauci</i> Kolen.		<i>H.</i>
opacus Rosenh.	<i>Hi.</i>	immundus Kraatz	<i>E.m.</i>	v. truncatus Kiesw.
natrieis Bris.	<i>Ga.</i>	castaneus Bris.		
brachialis Er.	<i>E.</i>	picipennis Muls.		
dives Reitt.		rotundicollis Bris.	<i>E.m.</i>	
picipes Sturm	<i>E.</i>	Brisouti Reitt.	<i>Hi.</i>	
funebris Först.		hypocrita Bris.	<i>E.m.</i>	
Sanleyi Reitt.		<i>subtilis</i> Bris.		
moestus Er.	<i>E.md.m.</i>	solitarius Reitt.		
nigerrimus Rosenh.		Krüperi Reitt.	<i>Hu.</i>	
flavipes Sturm	<i>E.</i>	Frivaldszkyi Reitt.	<i>Hu.</i>	ferrugineus F.
flavicornis Mill.		tristis Sturm	<i>E.</i>	<i>E.</i>
memnonius Er.	<i>E.md.</i>	planiusculus Heer	<i>E.</i>	Wajdelota Wank.
parvulus Bris.	<i>Ga.</i>	♂ murinus Er.		<i>R.Cro.</i>
niger Bris.		♀ senieulus Er.		
memnonius Reitt.		v. ruficornis Heer	<i>H.</i>	
ochropus Sturm	<i>E.</i>	acicularis Bris.	<i>E.m.</i>	
quadristriatus Först.		lugubris Sturm	<i>E.</i>	
brunnicornis Sturm	<i>E.</i>	ebeninus Först.		
floribundus Reitt.	<i>Ca.</i>	gagatinus Er.	<i>E.</i>	
Buyssonii Bris.	<i>P.o.</i>	eristatus Först.		
Letzneri Reitt.	<i>G.</i>	mellitulus Reitt.	<i>G.</i>	
angustatus Küst.	<i>E.m.</i>	eigenus Er.	<i>E.</i>	
ligaricus Reitt.		menthae Bris.		
haemorrhoidalis Först.	<i>E.</i>	exilis Sturm	<i>E.</i>	
Kirschi Reitt.	<i>G.</i>	nigrita Luc.		
Diecki Reitt.	<i>G.</i>	fumatus Er.	<i>E.m.</i>	
atramentarius Först.	<i>G.</i>	Grenieri Bris.	<i>Ga.</i>	
luctifer Reitt.	<i>St.</i>	Stierlini Reitt.	<i>Si.</i>	
difcifilis Heer	<i>E.</i>	punctatus Bris.	<i>E.m.</i>	
v. Kunzei Er.		Brucki Reitt.		
blandulus Reitt.	<i>G.</i>	Erichsoni Bris.	<i>E.m.</i>	
Milleri Reitt.	<i>A.</i>	bidentatus Bris.	<i>E.</i>	
morosus Er.	<i>E.</i>	Gresseri Bach		
viduatus Sturm	<i>E.</i>	erythropus Gyll.	<i>E.</i>	
melanarius Först.		carinulatus Först.		
v. luctuosus Först.	<i>G.</i>	v. carbonarius Först.		
m. bituberculatus Först.		Acanthogethes Reitt.		
pedicularius Gyll.	<i>E.</i>	solidus Sturm	<i>E.md.</i>	
tenebrosus Först.		denticulatus Heer	<i>E.m.</i>	
austriacus Reitt.	<i>A.Ga.</i>	Khevenhüller Mill.	<i>A.</i>	
suleatus Bris.	<i>Ga.</i>	brevis Sturm	<i>E.md.m.</i>	
assimilis Sturm	<i>E.</i>	v. mutabilis Rosh.		
fibularis Er.		pietus Rye		
distinctus Sturm	<i>E.md.</i>	fuscus Oliv.	<i>E.m.</i>	
minutus Bris		v. lamii Rosenh.		
tropicus Reitt.	<i>Ga.</i>	Xenostygnus		
aestimabilis Reitt.	<i>E.md.</i>	Wollaston.		
lepidii Miller	<i>E.</i>	Deyrollei Duval	<i>E.m.</i>	
v. chalybaeus Reitt.	<i>A.</i>	hirsutus Fairm.		
coerulescens Kraatz	<i>Gr.</i>			
tener Reitter	<i>Ill.</i>			

obsoletus Chevr.
areuatus Kiesw. *I.*
histrio Wollast. *Hi.*
v. truncatus Kiesw.

Thalyera

Erichson.

fervida Oliv. *E.*
sericea Sturm

Poecadius

Erichson.

ferrugineus F. *E.*
Wajdelota Wank. *R.Cro.*

Strongylini.

Cyathramus

Kugelann.

4-punctatus Hrbst. *Mt.E.*
fungicola Heer *Mt.E.*
alutaceus Reitt. *Mt.E.*
luteus F. *E.*

Strongylus

Herbst.

Cyathodes Erichson.

ater Herbst *E.*
morio Kugelann
laticollis Heer *H.*

Ipini.

Cryptarcha

Shuckard.

strigata F. *E.*
lateralis Sahlb.
imperialis F. *E.*
quadriseignata Küst. *G.*
punctatissima Boield. *Si.*
sulcata Fisch. *R.m.*

Ips

Fabricius.

grandis Tourn. *Ca.*
latefasciatus Reitt. *Ca.*
quadripunctatus Oliv. *E.*
quadriguttatus F. *E.*
v. 10-guttatus Ol.

Glischrochilus Murr.
quadripustulatus L. *E.*

Pityophagus Shuck.
quercus Reitt. *Gr. Hu.*
laevior Abeille *Ga.*
ferrugineus L. *E.*

Rhizophagini.

Rhizophagus

Herbst.

grandis Gyll. *E.*
depressus F. *E.*
Hahnfeldi Tourn. *R.*
cribratus Gyll. *E.*
ferrugineus Payk. *E.*
perforatus Er. *E.*
Brucki Reitt. *G. Ga.*
parallelocollis Gyll. *E.*
nitidulus F. *E.*
similaris Reitt. *Ca.*
dispar Payk. *E.*
bipustulatus F. *E.*
 ♀ *longicollis* Gyll. *Su.*
politus Hellw. *E.*
puncticollis Sahlb. *E. b.*
 Wagae Wankow. *Eor.*
aeneus Richter *R.*
 coeruleipennis Sahlb
 coeruleus Waltl
parvulus Payk. *E.*

Trogositidae.

Nemosomini.

Nemosoma

Latreille.

corsicum Reitt. *C.*
elongatum L. *E.*
caucasicum Ménatr. *Ca.*
 fascicolle Hampe
cornutum Sturm *Ca.*

Trogositini.

Trogosita

Olivier.

Temnochila Westw.
coerulea Ol. *E.m.*
 v. *tristis* Muls. *Si.*

Tenebrioides

Piller.

mauritanicus L. *E.*
caraboides F.

Leperini.

Leperina

Erichson.

Cymba Seidlitz.

procera Kr. *Gr.*

Nosodes

Leconte.

Calytis Thoms.

seabra Thunb. *E. md. b.*
dentata F.

Ostomini.

Ostoma

Laicharting.

Peltis Illiger.

Gaurambe Thoms.
Gynocharis Thoms.

grossum L. *E.*
ferrugineum L. *E.*
Yvani Allib. *>* *E.*
oblongum L. *E.*
pubescens Er. *Gr.*

Thymalus

Latreille.

limbatus F. *E.*
 v. *Aubei* Leveille *Ca.*

Colydiidae.

Orthocerini.

Diodesma

Latreille.

subterranea Er. *G. Ga.*
 v. *picra* Sturm *St. Car.*

Orthocerus

Latreille.

Sarrotrium Illig.
muticus L. *E.*
clavicornis L.
hirticornis Degeer
crassicornis Er. *G.*
tereticornis Er. *G. Ga.*

Diplagia

Reitter.

hellenica Reitt. *Gr.*

Cortieus

Latreille.

diabolicus Schauf. *Hu. Gr.*

tauricus Germ. *Cri. Ca.*

tuberculatus Germ. *Tr. R.*

celtis Germ. *D. Si.*

foveicollis Costa

foveolatus Fairm.

brevipennis Reitt. *Ca.*

Apistus

Motschulsky.

Rhopalocerus Reitt.

Rondanii Villa *E. m.*

Pycnomerini.

Dechomus

Dural.

sulcicollis Germ. *Ca. Tr.*

Pycnomerus

Erichson.

terebrans Ol. *E.*

inexpectus Duval *G. Ga.*

Coxelini.

Coxelus

Latreille.

pietus Sturm *E. md.*

Tarphius

Erichson.

gibbulus Germ. *I. Si.*

Kiesenwetteri Heyd. *Lu.*

Helioctamenus

Schaufuss.

hippopotamus Sehf. *B. d.*

Ditomini.

Ditoma

Herbst.

Synchita Hellw.

juglandis F. *E.*

v. *obscura* Redth. *A.*

separanda Reitt. *E.*

mediolanensis Villa *E. md.*

Cicones

Curtis.

variegatus Hellw. E.
pictus Er. E.

Xylolaemus

Redtenbacher.

fasciculosus Gyll. *Su. St.*

Endophloeus

Erichson.

spinulosus Latr. *E.m.*
squarrosum Germ. *Gr. T.*
exsculptus Germ. *R.m.*

Colobicus

Latreille.

emarginatus Latr. E.

Niphopelta

Reitter.

imperialis Reitt. Ca.

Lastrema

Reitter.

verrucicollis Reitt. Ca.

Lyreus

Aubé.

subterraneus Aub. Ga.

Synchitodes

Crotch.

Ditoma auct.

crenata F. E.

Lado

Wankowicz.

Othismopteryx J. Sahlb.
Jelskii Wankow. E.b.
carinatus J. Sahlb.

Colydiini.

Colydium

Fabricius.

elongatum F. E.
filiforme F. E.

Aulonium

Erichson.

trisulcum Fourc. *E.md.m.*
suleatum Ol.
ruficorne Oliv. *E.md.m.*
bicolor Hrbst.

Aglenus

Erichson.

brunneus Gyll.
v. rugipennis Schauf. *Gr.*
v. major Schauf. *Hi m.*

Esarcini.

Esarcus

Reiche.

Entoxylon Abeille.
Abeillei Ancey Ga.

Deretaphrini.

Oxylaemus

Erichson.

cylindricus Panz. *E.*
variolosus Dufour Ga.
caesus Er. G.

Teredus

Shuckard.

cylindricus Oliv. E.
nitidus F.
volvulus F.
opacus Habelm. *G.b.Ga.*

Bothriderini.

Bothrideres

Erichson.

contractus F. E.
interstitialis Heyd. *Hi.*
Massanae Morg. Ga.
angusticollis Bris. *G.m.*

Cerylonini.

Philothermus

Aubé.

Montandoni Aub. Ga.

Cerylon

Latreille.

evanescens Reitt. *Tr.Cro.*
magnicolle Reitt. Ca.
semistriatum Perr. *Ga.m.*

attenuatum Fairm. *Hi*
aetolicum Reitt. *Gr.*

? spissicorne Fairm. *T.*

conicicolle Reitt. *Ca.*

fagi Bris. *E.md.*

forticorne Muls.

caucasicum Reitt. *Ca.*

histeroides F. *E.*

atratulum Reitt. *Cp.*

ferrugineum Steph. *E.*

angustatum Er.

impressum Er. *E.md.m.*

deplanatum Gyll. *E.*

Rhysodidae.

Rhysodes

Dalman.

americanus Lap. *E.*

exaiatus Serv.

aratus Newm.

sulcatus F. *E.*

exaratus Dalm.

europeus Ahr.

Clinidium

Kirby.

trisulcatum Germ. *Si.Gr.*

canaliculatum Costa

sulcipenne Muls. *Ca.*

Cucujidae.

Passandrini.

Laemotmetus

Gerstäcker.

Orycoecus Reitter.

ferrugineus Gerst. >G.

cathartoides Reitt.

Prostomis

Latreille.

mandibularis F. *E.*

Cucujini.

Cueujus

Fabricius.

sanguinolentus L. *E.md.*

haematodes Er. *E.*

caucasicus Mot.

depressus Herbst

Pediacus

Sheppard.

depressus Herbst *E. md. I.*
dermestoides F. *E. md. I.*
fuscus Er. *E. md. b.*

Phloeostichus

Redtenbacher.

denticollis Rdt. *Ga. G. A. L.*

Laemophloeus

Erichson.

denticulatus Preyssl. *E.*
monilis F.
nigricollis Luc. *E. m.*
muticus F. *E. md. b.*
castaneus Er. *Ga. Ti.*
bimaculatus Payk. *E.*
unitasciatus Latr.

testaceus F. *E.*
suberis Luc.
duplicatus Waltl *E.*
pusillus Schh. *E.*

longicornis Mannh.
brevis Fauv.
turcicus Grouv. *T.*
terrugineus Steph. *E.*
testaceus Payk.

ater Oliv. *E.*
spartii Curt.

breviceornis Thoms. *Su.*
abietis Wankowicz *R.*
Weisei Reitt. *G.*
Krüperi Reitt. *Gr.*
juniperi Grouv. *E. md.*

Perrisi Grouvelle *C.*
alternans Er. *E. md. b.*

fractipennis Mot. *Ga.*

Dufouri Laboulb. *Gr.*

hypobori Perris *Ga.*

clematidis Er. *E.*

corticinus Er. *E.*

Lathropus

Erichson.

sepicola Müll. *E.*

Hyliotini.

Dendrophagus

Schönherr.

erenatus Payk. *E. md. b.*

Hyliota

Latreille.

Brontes Fabricius.
planata L. *E.*
arabs F. Scarites.
pallens F.

Psammoechini.

Psammoechus

Latreille.

bipunctatus F. *E.*
v. Boudierii Luc. *E. m. Co.*

Cryptamorpha

Wollaston.

Pseudophanus Lee.
musae Woll. *E. m.*
signata Lecont.

Hypocoprini.

Hypocorus

Motschulsky.

Myrmecinomus Cha.
lathridioides Mot. *Ca.*
Hochhuthi Chaud. *G.*
caucasicus Kol.
epulo Mäkl. *F.*
quadrifollis Reitt. *E. m.*

Silvanini.

Airaphilus

Redtenbacher.

elongatus Gyll. *Su. G. b.*
genimus Kr. *E. m.*
ruthenus Solsk. *R. E. md.*
siculus Reitt. *Si.*
carpetanus Heyd. *Hi.*
corsicus Grouvelle *C.*
hirtulus Reitt. *Gr.*
talpa Kr. *E. m.*
nasutus Chevrl. *E. m.*
fibulatus Kr.
subferrugineus Reitt. *P.*
ferrugineus Kr. *Hi. I.S.*
arcadius Reitt. *Gr.*
Grouvellei Reitt. *Hi.*
filiformis Rosenh. *Hi.*

Nillina

Motschulsky.

Astilpnus Perris.
Derotoma Reitter.
multistriolata Perris *Si.*
sericella Rottbg.
Lederi Reitter

Xenoseelis

Wollaston.

Diocares Reitter.
costipennis Fairm. *E. m.*
depressus Reitt.

Nausibius

Redtenbacher.

dentatus Marsh. *E.*

Silvanus

Latreille.

surinamensis L. *E.*
frumentarius F.
sexdentatus F.
cursor F.
bicornis Er. *Ga. G. I.*
signatus Frauenfeld \times *E.*
fascipennis Reitt.
reflexus Reitt. *Si.*

unidentatus Oliv. *E.*
siculus Stierlin
bidentatus F. *E.*
laricis Chevr. *E.*
similis Er. *fagi Guerin*

Cathartus

Reiche.

Ahasverus Gozzi.
cassiae Reiche \times *E.*
gemellatus Duv. \times *G.*
excisus Reitt. \times *G.*
advena Waltl *E.*
angustatus Luc.
striatus Rouget

Monotomini.

Monotoma

Herbst.

conicicollis Aub. *E.*
angusticollis Thoms.
angusticollis Gyll. *E.*
formicetorum Thms.
spinicollis Aub. *E.*
spinigera Chaud.
spinifera Woll.
quadrifoveolata Mot. *E.*
quadrimpressa Mot. *E.*
rufa Redtb. *[md.*
ferruginea Bris. *E. m.*
Diecki Reitt.
quadricollis Aub. *E.*
v. qnisquiliarum Redt.
obtusicollis Mot.

v. bicolor Villa	I.
brevicollis Aub.	E.
v. trapezicollis Chd.	R.
punctaticollis Aub.	Ga.I.
picipes Herbst	E.
scabra Kunze	
robustula Mot.	
v. brevipennis Kunze	
sub 4-foveolata Wterh.	E.
Thomsoni Reitt.	Su.
parallelia Thoms.	
quadridentata Thoms.	Su.
breviceornis Mot.	Ca.
longicollis Gyll.	E.
flavipes Kunze	

Byturidae.

Byturus

Latreille.

rosae Scop.	E.
fumatus F.	
sambuci Scop.	E.
tomentosus F.	
urbanus Lindem.	
v. flavescentia Marsh.	
ochraceus Scriba	

Dermestidae.

Dermestes

Linnae.

vulpinus F.	E.
sibiricus Er.	R.m.
Frischi Kugel.	E.
dimidiatus Stev.	R.m Ca.
leopardinus Muls.	
coronatus Stev.	R.m.
murinus L.	E.
laniarius Illig.	E.
sardous Küst.	E.m.
diadema Mot.	Hi.
mustelinus Er.	E.m.
undulatus Brahm	E.
variegatus Brullé	
atomarius Er.	E.
pardalis Billb.	E.m.
hirticollis F.	Hi.
tessellatus F.	E.
aurichalceus Küst.	E.m.
holosericeus Tourn.	
mustelinus Perr.	
cadaverinus F.	Ga.R.m.
noxius Muls.	

v. domesticus Gebl.	
peruvianus Laport.	Ga.
hemorrhoidalis Kst.	
gulo Muls.	
bicolor F.	E.
lardarius L.	E.
v. vorax Mot.	R.m.
ater Ol.	Ga.G.E.m.
fuliginosus Rossi	A.I.
latissimus Bielz	Tr.

Attagenus

Latreille.

Schäfferi Herbst	E.
pieceus Ol.	E.
megatoma F.	
v. dalmatinus Küst.	D.I.
stygialis Muls.	C.S.
v. sordidus Heer	Ga.H.
fulvipes Muls.	
v. brunneus Falda	Ca.
marginicollis Küst.	E.md.
pellio L.	E.

Lanorus Mulsant.	
vigintiguttatus F.	E.md.b.
pantherinus Ahr.	E.md.
trifasciatus F.	E.m.
siculus Allard	Si.
bifasciatus Rossi	E.m.
rufipennis Muls.	

fallax Gené	I.Gr.
v. distinctus Muls.	
calabrius Reitt.	I.
tigrinus F.	E.or.
poecilus Germ.	
bifasciatus Oliv.	
v. Wachanruimls.	Hi.Gr.
v. pulcher Falderm.	Ca.
v. persicus Reitt.	Ca.Gr.
quadrimaculatus Kr.	Gr.
bivittatus Muls.	
simplex Reitt.	I.Si.
sericeus Guérin	Gr.Hi.
lobatus Rosenh.	

Telopes Redtenbacher.	
maritimus Gené	S.
seniculus Solsky	R.m.
obtusus Gyll.	E.m.
holosericeus Sahlb.	
hirtulus Rosh.	Gr.Hi.m.
posticalis Fairm.	Hi.m.
lynx Muls.	R.m.
fasciolatus Solsky	
sareptanus Reitt.	
orientalis Reitt.	Ca.

Megatoma

Herbst.

undata L.	E.
glabra Sahlb.	
pubescens Zett.	E.Ca.
rufovittata Abeille	
conspersa Solsky	
v. ?ruficornis Aub.	Ga.

Hadrotoma

Erichson.

Mesalia Mulsant.	
marginata Payk.	E.
Guillebelli Muls.	
corticalis Eichh.	G.I.b.
suleata Bris.	Hi.
Antoniae Reitt.	Ca.

Globicornis Latreille.	
nigripes F.	E.
breviclavata Reitt.	Ca.
depressa Muls.	Ga.
fasciata Fairm.	Ga.
quadriguttata Reitt.	Ca.
variegata Küst.	S.Si.C.
tristis Reitt.	Gr.
pieta Küst.	D.I.Gr.Si.

Trogoderma

Latreille.

versicolor Creutz.	E.md.
elongatum Dft.	m.
Costae Muls.	
v. meridionale Kr.	
flexuosum Thoms.	Su.
testaceicorne Per.	Ga.
hieroglyphicum Abll.	
megatomoides Reitt.	A.
glabrum Herbst	Ga.G.I.
elongatum F.	Hi.
versicolor Ill.	
fuscicorne Muls.	
5-fasciatum Duval	Ga.
albonotatum Muls.	P.
villosulum Duft.	Ga.G.I.

Tiresias

Stephens.

serra F.	E.
----------	----

Anthrenus

Geoffroy.

fasciatus Herbst.	Gr.Hi.
isabellinus Küst.	
pimpinellae F.	E.
v. delicatus Kiesw.	E.m.

v. cinnamomeus Gdl.	<i>Gr.</i>	v. hystrix Baudi	<i>Pe.</i>	pilula L.	<i>E.</i>
v. Goliath Muls.	<i>Gr. Hi.</i>	v. paleata Er.	<i>Ga. G. Hu.</i>	ater Ill.	
v. niveus Reitt.	<i>Ga.</i>	Reichei Muls.	<i>Cr. Pe.</i>	v. auratopunctatus Rtt.	
festivus Rosenh.	<i>E.m.</i>	arragonica Reitt.	<i>Hi. md.</i>	v. albopunctatus F.	
funestus Muls.		striatopunctata Steff.	<i>Ga.</i>	v. oblongus Strm.	
serophulariae L.	<i>E.</i>	? hirsuta Sharp.	<i>Br.</i>	v. Dennyi Curt.	<i>Br. Ga.</i>
histrio F.		spinosa Rossi	<i>E.</i>	quadrifasciatus Muls.	
verbasci Herbst		arenaria Sturm		v. aurovittatus Reich.	<i>I.</i>
v. proteus Kr.	<i>Gr.</i>	Curimus		Dennyi Er.	<i>E.m.</i>
v. gravidus Küst.	<i>D.</i>	Erichson.		tuscanus Dohrn	
v. albidus Brullé <i>D. Gr.</i>		insignis Steff.	<i>T.</i>	v. aurofuscus Reitt.	
v. signatus Er.	<i>A. I.</i>	interstitialis Reitt.	<i>E.m.</i>	fasciatus F.	<i>E.</i>
v. senex Kr.	<i>Gr.</i>	rudis Fairm.	<i>Creta.</i>	flavocoronatus Er.	
ineanus Friv.	<i>Cro.</i>	v. ? tagygetanus Reitt.	<i>Gr.</i>	v. inornatus Reitt.	
molitor Aub.	<i>E.m.</i>	petraeus Gredler	<i>Ti.</i>	v. subornatus Reitt.	
apicalis Küst.	<i>D. Mont.</i>	decorus Steff.	<i>Hu.</i>	v. auratofasciatus Duft.	
verbasci L.	<i>E.</i>	hispidus Er.	<i>A. II.</i>	v. arictinus Steff.	
varius F.		Erichsoni Reitt.	<i>Sil. Cp.</i>	v. bellus Reitt.	
tricolor Herbst		caueasicus Reitt.	<i>Ca.</i>	v. cinctus Ill.	
v. nitidulus Küst.	<i>D.</i>	erinaceus Duft.	<i>Al. Cro. Pe.</i>	argenteofasciatus Dt.	
v. minutus Er.	<i>E.m.</i>	lariensis Villa	<i>Al. Pe.</i>	v. complicans Reitt.	<i>Ga.</i>
Anthrenops Reitter.		montenegrinus Rtt.	<i>Mont.</i>	v. Diana F.	
coloratus Reitt.	<i>Gr.</i>	Poreinolus		cinctus Sturm	
albidoflavus Reitt.	<i>Gr.</i>	murinus F.	<i>E.</i>	decipiens Fairm.	
Florilinus Mulsant.		v. alternans Muls.		v. Fabripii Reitt.	
Oberthüri Reitt.	<i>P.</i>	Byrrhus		v. fusculus Reitt.	
museorum L.	<i>E.</i>	Linné.		v. bilunulatus Muls.	<i>Gr.</i>
caucusicus Reitt.	<i>Ca.</i>	seminolus Muls.		v. niveus Reitt.	<i>Ga.</i>
Helocerus Muls.		gigas F.	<i>Alp.</i>	v. sulcatus Zett.	<i>L.</i>
fuscus Latr.	<i>E.</i>	alpinus Gory	<i>Alp.</i>	pustulatus Forster	<i>E.</i>
claviger Er.		seabripennis Steff.		dorsalis F.	
Trinodes		inaequalis Er.	<i>Alp.</i>	v. ater F.	
Latreille.		pyrenaeus Dufour	<i>P.</i>	Cistela	
hirtus F.	<i>E.</i>	lobatus Kiesw.		Geoffroy.	
Orphilus		Suffriani Kiesw.		Cytillus Erichson.	
Erichson.		bigorrensis Kiesw.		varia F.	<i>E.</i>
glabratus F.	<i>Ga. G. E.m.</i>	sorrecianus Fairm.	<i>P.</i>	pulchella Heer	
Cistelidae.		signatus Panz.		fusca Steph.	
Nosodendrini.		melanostictus Frm.		auricoma Duft.	<i>G.</i>
Nosodendron		auromicans Kiesw.	<i>P.</i>	Pedilophorus	
Latreille.		Kiesenwetteri Muls.	<i>P.</i>	Steffahny.	
fasciculare Ol.	<i>E.</i>	nigrisparsus Muls.		Morychus Er.	
Cistelini.		striatus Steff.	<i>Al. Ti. Cr. P.</i>	Hypolorus Mulsant.	
Synalypta		similaris Muls.		nitens Panz.	<i>E. md. m.</i>
Dillwyn.		ornatus Panzer	<i>E. md.</i>	aeneus F.	<i>E.</i>
setosa Waltl Su.	<i>Ga. G. I.</i>	*		Pedilophorus	
setigera Ill.	<i>E. md. b.</i>	luniger Germ.	<i>E. md.</i>	modestus Kies.	<i>P. MR. Cr.</i>
		lineatus Panz.		auratus Duft.	<i>Cr. D.</i>
		picipes Duft.	<i>Alp.</i>	transsylvaniaeus Suffr.	<i>T.</i>
		pilosellus Heer	<i>II.</i>	metallicus Chevr.	<i>P.</i>
		Byrrhus i. sp.		*	
		depilis Gräells	<i>Hi. b.</i>	variolosus Perris	<i>Hi. b.</i>
		regalis Steff.	<i>Hu. Tr.</i>		

rufipes Muls. *Hi.*
Stierlini Gozis *P.*
Piochardi Heyden *Hi.b.*

Simplocaria*Marsham.*

striata Bris. *Hi.*
metallica Sturm *A/p.*
maculosa Er. *G.m.I.*
semistriata F. *E.*

Trinaria Mulsant.
acuminata Er. *Cp. Hu. St*
carpathica Hampe *Cr.Cp.*

Thorictidae.**Thorictus***Germar.*

Ehlersi Perez *Hi.*
pilosus Peyron *Gr.*
piliger Schaum
castaneus Peyron
pubescens Coye
seriesetosus Fairm. *Hi.*
sulcicollis Perez
Lederi Reitt. *Ca.*
foveicollis Reitt. *Ca.*
mauritanicus Luc. *S.Si. Hi.*
myrmecophilus Reitt. *Ca.*
laticollis Mot. *Hu. Ca.*
hungaricus Weise
loricatus Peyron *E.m.*
bicolor Kr.
castaneus Waltl
grandicollis Germ. *E.m.*
laticollis Peyron
gallicus Peyron
Germari Luc.
stricticollis Kr. *D.*

Thorictodes*Reitter.*Heydeni Reitt. *Ga. Hi.***Histeridae.****Holeopta***Paykull.*plana Füssly *E.***Platysoma***Leach.*algiricum Luc. *S.*

laevicolle Küst.
frontale Payk. *E.*
puncticolle Redt.
marginatum Thoms.
v. delatum Baudi *S.*
deplanatum Gyll. *Su.R.*
compressum Herbst *E.*
depressum F.
betulinum Hochh. *R.m.*
oblongum F. *E.*
cornix Marseul *Gr.*
lineare Er. *E.*
angustatum Hoffm. *E.*
filiforme Er. *E.m.*
dalmatinum Küst.

Margarinotus*Marseul.*seaber F. *Lu. Hi.m.***Hister***Linné.*

maior L. *E.m.*
inaequalis Oliv. *E.m.*
bipunctatus Payk. *Hi.m.*
4-maculatus L. *E.m.*
v. gagates Ill. *Ga. Hi.*
aethiops Heer
Pelopis Mars. *Gr.*
pustulosus Gené *S.*
amplicollis Er. *Hi.*
grandicollis Ill. *Lu.*
helluo Truqui *Ga. I.*
silesiacus Roger *G.*
modestus Redt. *A.*
teter Truqui *Hi.*
unicolor L. *E.*
v. terricola Redt. *A.*
cadaverinus Hoffm. *E.*
striola Sahlb.
succicola Thoms. *E.m.d.b.*
siculus Tourn. *Si S.*
integer Biis. *Hi.*
terricola Germ. *E.md.*
merdarius Hoffm. *E.m.d.m.*
Lethierryi Mars. *Si.*
distinctus Er. *Ga. G.A.*
binotatus Er. *Ga.m. Hi.*
laco Mars. *Gr.*
Coquereli Mars. *R. m.*
fimatarius Herbst *E.*
sinuatus F. *E.*
graeus Brullé *E.m.*
neglectus Germ. *E.*
uncostriatus Mars. *Hi.*
Ariasi Mars. *Hi.b.*

ignobilis Mars. *Ga.*
carbonarius Illig. *E.*

nigellatus Germ.
ventralis Mars. *Ga.G.A.*

ruficornis Grimm *G.Ga.*

myrmecophilus Muls.
nigellatus Mars.

purpurascens Herbst *E.*
brunneus Herbst
castanipes Steph.

v. niger Er.
stigmosus Mars. *Ga.G.*

marginatus Er. *Ga.G.H.*

stercorarius Hoffm. *E.*
parallelogrammus Fald.

parallelus Mén. *Ca./Ca.*
paralleloides Mars.

sinuatus Ill. *E.*
uncinatus Ill.

quadrinotatus Serib. *E.*
lugubris Truqui *G.I.*

moerens Er. *G.A.*

Desbiochersi Senac *T.*
sepulchralis Er. *G.Gr.*

funestus Er. *Ga.G.I.H.*

bissexstriatus F. *E.*
caliginosus Steph.

arenicola Thoms. *Su.*
sordidus Aub. *Hi.*

scutellaris Er. *Si.*
bimaculatus L. *E.*

12-striatus Schrank. *E.*
v 14-striatus Gyll. *Su.*

corvinus Germ. *E.*
praetermissus Peyr. *G.G.*

puncticollis Heer *H.*
smyrneus Mars. *Ca.*

obliquatus Mot. *Ca.*
punctatus Sahlb. *F.*

Sahlbergi Mars.

Phelister*Marseul.*Rouzeti Fairm. *Ga.***Spatochus***Marseul.*Coyei Mars. *Ca.***Epierus***Erichson.*italicus Payk. *A. Hu.*

retusus Er. *St.*

mundus Hampe

comptus Ill. *Ga.G.I.*

aegyptiacus Mars. *G.a.m.*
russicus Mars. *Ca.*

Homalister

Reitter.

ornatus Reitt. *Ca.*

Carcinops

Marseul.

14-striata Steph. *E.md.*

pumilio Er.

miuima Aub. *E.m.*

corpusecula Mars.

Mayeti Mars. *G.a.m.*

Paromalus

Erichson.

Kissister Mars.

complanatus Panz. *E.*

parallellopipedus Herbst. *E.*

flavicornis Herbst *E.*

Schaufussi Mars. *Hi.*

filum Reitt. *Bulg.*

Hetaerius

Erichson.

grandis Reitt. *Ca.*

ferrugineus Ol. *G.a.G.R.m.*

sesquicornis Preyssl.

quadratus Kugel. *A.*

v. Marseuli Schauf. *Hi.*

puberulus Mot. *Si.*

Marseuli Bris. *Hi.*

hispanus Rosenh. *Hi.*

Eretmotes

Marseul.

ibericus Bris. *Hi.*

Sartorii Redth. *G.A.D.*

Rayei Mars. *Hi.*

Palumboi Ragusa *Si.*

talyshensis Reitt. *Ca.*

Dendrophilus

Leach.

punctatus Herbst *E.*

pygmaeus L. *E.*

sulcatus Mot. *Ca.*

Tribalus

Erichson.

scaphidiformis Ill. *E.m.*

mauritanicus Luc.

minimus Rossi *E.m.*

acritooides Reitt. *Gr.*

Saprinus

Erichson.

maculatus Ross. *E.m.*

cruciatus Payk. *Hi.*

ornatus Er. *R.m.*

fasciolatus Gebl.

externus Fisch. *R.m.*

biguttatus Stev. *R.m.*

semipunctatus F. *E.m.*

detersus Ill. *E.m.*

melas Küst.

suturalis Mars. *Ca.*

niger Mot. *Ca.*

lateralis Mot. *Ca.*

bilateralis Mars.

nitidulus Payk. *E.*

v. uralensis Mot. *U.*

v. sparsipunctatus Mot.

rugipennis Hochh. *R.*

concinnus Mot. *R.m.Ca.*

inerassatus Mén. *Ca.*

Godeti Brullé *Gr./R.m.*

punctatostriatus Mars.

tripartitus Mot. *R.m.*

bipartitus Mars.

subnitidus Mars. *E.m.*

algericus Payk. *E.m.*

puncticollis Küst. *Hi.S.*

Küsteri Mars.

furvis Er. *E.m.*

immundus Gyll. *Su.E.md.*

figuratus Mars. *Hi.*

rugifer Payk. *Su.G.*

speculifer Latr. *E.m.*

aeneus F. *E.*

v. fulminans Koltze *G.*

prasinus Er. *I.Gr.*

virescens Payk. *E.*

subvirescens Mén. *Ca.*

asphaltinus Hochh. *R.*

cribellatus Mars. *R.m.*

chaleites Ill. *E.md.m.*

georgicus Mars. *Ca.*

biterrensis Mars. *G.a.m.*

lautus Er. *Ga.G.*

turcicus Mars. *T.*

tauricus Mars. *R.m.*

pastoralis Duv. *Ga.m.*

tridens Duv. *Ga.m.*

ciliaris Muls.

serripes Mars. *I.T.*

fulvipes Mars. *Hi.*

Mocquerisi Mars. *Hi.Lu.*

aemulus Mars *G.a.m.*

amoenus Er. *Ga.Hi.R.*

spretulus Er. *Lu.Hi.*

sabuleti Rosenh. *G.*

longistrius Mars. *Hu.*

metallescens Er. *E.m.*

aemulus Ill. *G.a.m.Lu.*

mediocris Mars.

brunnensis Fleischer A.

cribellaticollis Duv. *Ga.*

v. sicanus Mars. *Si.*

corsicus Mars. *C.*

herbeus Mars. *Ha.*

rufipes Payk. *E.*

rubripes Er.

v. arenarius Mars. *G.*

antiquulus Ill. *Hu.*

granarius Er. *Ga.G.*

elongatus Rosenh. *Hi.*

andalusicus Mars.

conjugens Payk. *E.*

v. micans Hochh. *R.*

Pelleti Mars. *G.a.m.*

quadristriatus Hoffm. *E.*

v. ?rugiceps Duft. *G.R.*

specularis Bach. *Ga.G.*

maritimus Steph. *Br.Ga.*

sabulosus Fairm.

crassipes Er. *Ga.Hi.I.*

grossipes Mars. *Ga.Hi.*

rugifrons Payk. *E.*

semistriatus Steph.

v. smaragdulus Steph.

v. violaceus Steph.

metallicus Herbst *E.*

radiosus Mars. *Ga.m.*

apricarius Er. *Ga.Hi.I.*

dimidiatus Ill. *E.m.*

pullus Rosenh. *G.*

curtus Rosenh. *Ha.*

quadrilineatus Waltl *Hi.*

latipes Bon. *I.*

caesopygus Mars. *Hi.*

Perrisi Mars. *C.*

Krynickii Kryn. *R.*

Gnathoneus

Duval.

rotundatus Kugel. *E.*

punctulatus Thms. *Su.G.*

nannetensis Mars. *Ga.*

Myrmeces

Marseul.

piceus Payk. *E.*

Teretrius

Erichson.

picipes F. *E.*

hispidulus Bremi	<i>H.</i>
parasita Mars.	<i>Hi.</i>
Rothi Rosenh.	<i>Gr.</i>
Mulsanti Mars.	
quercus Mars.	

Plegaderus

Erickson.

saucius Er.	<i>E.</i>
vulneratus Panz.	<i>E.</i>
caesus Ill.	<i>E.</i>
dissectus Er.	<i>Su.Ga.G.</i>
Otti Mars.	<i>Ga.m.</i>
Barani Mars.	<i>Ga.m.</i>
sanatus Truqui	<i>Gr.</i>
discisus Er.	<i>Ga.G.</i>
pusillus Ross.	<i>I.S.</i>
hispidulus Muls.	<i>Ga.</i>

Glymma

Marseul.

Candezei Mars. \times Belg.

Onthophilus

Leach.

globulosus Oliv.	<i>E.</i>
sulcatus F.	
exaratus Ill.	<i>Ga.m.Hi.</i>
striatus Forster	<i>E.</i>
affinis Redt.	<i>A.Gr.</i>
costatus Kiesw.	

Bacanius

Leconte.

rhombophorus Aub.

soliman Mars.

consobrinus Mars.

Abraeus

Leach.

globulus Creutz.	<i>E.</i>
globosus Hoffm.	<i>E.</i>
areolatus Reitt.	<i>Ca.</i>
Raddei Reitt.	<i>Ca.</i>
v. subplicatus Reitt.	<i>Ca.</i>
granulum Er.	<i>E.md.m.</i>
punctatissimus Reitt.	
parvulus Aub.	<i>G.Ga.</i>
minutissimus Reitt.	<i>Ca.</i>
punctulum Reitt.	<i>Ca.</i>

Aeritus

Leconte.

fulvus Mars.	<i>E.</i>
tataricus Reitt.	<i>Ca.</i>
punctum Aub.	<i>G.I.G.</i>

minimus Aub.	
littoralis Ferrari	
atomarius Aub.	<i>Ga.G.Hu.</i>
clarulus Reitt.	<i>Ca.</i>
*	

Hopffgarteni Reitt.	<i>E.md.</i>
sulcipennis Fuss	<i>G.</i>
minutus Herbst	<i>E.</i>
balearicus Schauf.	
microscopicus Reitt.	<i>Hu.</i>
nigricornis Hoffm.	<i>E.</i>
seminulus Küst.	<i>Mont.</i>
semen Mars.	
rhenanus Fuss.	<i>E.</i>

Murmidius

Leach.

Ceuthocerus Germ.	
ovalis Beck (Hister).	<i>E.</i>
ferrugineus Leach	
advena Germ.	

Lucanidae.

Lucanus

Linné.

cervus L.	<i>E.</i>
v. capreolus Sulz.	<i>E.</i>
capra Oliv.	
hircus Herbst	
dorcas Panz.	
v. microcephalus Muls.	
v. pentaphyllus Rch.	<i>Ga.</i>
v. Fabiani Muls.	<i>Ga.m.</i>
v. Pontbrianti Mls.	<i>Ga.m.</i>
v. lusitanicus Hope	<i>Lu.</i>
v. tauricus Mot.	<i>Cri.</i>
v. turcicus Sturm	<i>T.Gr.</i>
orientalis Kraatz.	<i>Ca.</i>
?ibericus Mot.	
tetraodon Duv.	
v. curtulus Mot.	<i>Ca.</i>
tetraodon Thunb.	<i>I.</i>
Barbarossa Costa	
serraticornis Duv.	
Barbarossa F.	<i>Hi.</i>

Dorcus

Mac Leay.

parallelipedus L.	<i>E.</i>
Truquii Muls.	<i>Alp.mar.</i>
Peyroni Reiche	<i>Gr.</i>
Musimon Gené	<i>S.</i>

Systemocerus

Weise.

Platycerus auct.	
caraboides L.	<i>E.</i>
aeneus Pollich.	
virescens Muls.	
viridiaeetus Muls.	
evibratus Muls.	
v. rufipes Herbst	<i>Hi.</i>
spinifer Schauf.	
caucasicus Parry	<i>Ca.</i>

Ceruchus

Mac Leay.

chrysomelinus Hohenw.	
tarandus Panz.	<i>Mt.E.</i>
tenebrioides F.	
sylvicola Muls.	

Aesalus

Fabricius.

scarabaeoides Pauz.	<i>E.</i>
---------------------	-----------

Sinodendron

Fabricius.

cylindricum L.	<i>E.</i>
juvenile Muls.	

Scarabaeidae

Coprini.

Scarabaeus

Linné.

Ateuchus Weber.	
sacer L.	<i>E.m.</i>
pius Ill.	<i>Ga.Ti.E.m.</i>
europaeus Mot.	
acuticollis Mot.	
digitatus Mot.	
opacus Mot.	
tauricus Mot.	
affinis Brull.	
retusus Brull.	
infirmus Fisch.	
monachus Falb.	
subsulcatus Muls.	
puncticollis Latr.	<i>Hi.T.</i>
semipunctatus F.	<i>E.m.</i>
variolosus F.	<i>E.m.</i>
cicatricosus Lucas	<i>E.m.</i>
laticollis L.	<i>E.m.</i>

Sisyphus

Latreille.

- Schaefferi L. *Ga. G. Hu.*
Tauscheri Fisch. *R.*
Bosebnaki Fisch. *E.m.*

Gymnopleurus

Illiger.

- Geoffroyi Sulz. *Ga. G.*
mopsus Pall. *H.E.m.*
obtusus Muls.
Sturmii Mac Leay *E.m.*
atronitidus Mac L.
cantharus Er. *Ga. G. E.m.*
v. *cyanescens* Mot.
flagellatus F. *E.m.*
confusus Muls.
saturalis Muls.
v. *asperatus* Stev. *Ca.*
serratus Fisch.

Cacobiuss

Thomson.

- Schreberi L. *E.*
histeroides Mén. *D.Gr.*
anthracinus Fald. *Ca.*
nigellus Kiesw. *Gr.*
mundus Mén. *Ca.*

Copris

Geoffroy.

- bispanus L. *E.m.*
lunaris L. *E.*

Bubas

Mulsant.

- bison L. *E.m.*
babalus L. *E.m.*

Onitis

Fabricius.

- Belial F. *Ga.m. II.*
Olivieri Ill. *I.*
Damoetas Stev. *R.m.*
♂ Steveni Brullé *Gr.*
Jon Oliv. *Ga.m. Hi.I.*
Vandellii F.
humerosus Pallas *R.m.*
Menaleas Pallas
♂ Chevrolati Luc.
sphinx F. *Gr.*
Inuus F.

Cheironitis

Lansberge.

- irroratus Rossi *E.m.*

v. Lophas F.

- hungaricus Herbst. *Hu.*
Clinias F. *E.m.*
Amyntas Stev.
meliboeus Muls.
pamphylius Mén. *r.m.or*
Haroldi Ballion. *R.m.*
luctuosus Lansb. *Ca.*
ponticus Lansb. *Ca.*
moeris Pall. *I.T. R.m.*
furcifer Rossi. *I.Gr.*
pugil Costa

Onthophagus

Latreille.

- Kindermannii Harold *Ru.*
Amyntas Oliv. *E.m.*
Hübneri F. *G.m.*
♀ Tages Oliv. *Ga.*
v. atramentarius Mén.
v. subviolaceus Mén.
taurus Schreber *E.*
rugosus Poda
♀ morio Brull.
Menetriesi Fald.
v. urus Ménét. *Ca.*
verticicornis Laichh. *E.*
nutans F. *md.*
merdarius Chevr. *Hi.*
austriacus Panz. *Ga.G.m.*
stylocerus Graëlls *Hi.*
vacca L. *E.*
v. medius Panz.
coenobita Herbst *E.md.*
specularis Fisch. *Ca.*
fracticornis Preyssl. *E.*
nuchicornis L. *E.*
lemur F. *E.*
hirtus Ill. *Ga.m. Hi.*
maki Ill. *E.m.*
suretellus Brull. *Gr.*
fissicornis Kryn. *Gr. R.m.*
quadridentatus Mén.
marginalis Gebl. *R.m.*
andalusiacus Wltl *Hi.*
maurus Luc. *Si.Gr.*
marmoratus Mén. *R.m.*
truchmenus Kol.
leucostigma Stev. *R.m.or.*
viridis Mén *Ca.*
cruciatus Mén. *Ca.*
camelus F. *Ga.G.A.*
semicornis Panz. *Ga.G.R.*
furcatus F. *Ga.G.Hu.*
♀ apicalis Fald. *E.m.*
Mniszechi Hochb.

ovatus L.

- v. ruficapillus Brull. *S.Si.*
sibaeneus Mén. *R.m.*
nigellus Ill. *Hi.Gr.*
melitaeus F. *Hi.*
punctatus Ill. *Hi Si.*
emarginatus Muls. *Ga.*
lucidus Ill. *S.Cri.*
♀ nitidicollis Brull. *Gr.*
trochiscobius Kolen. *Ca.*
excisus Reiche *Gr.*
irroratus Fald. *Ca.*

Oniticellus

Serville.

- festivus Stev. *R.m.*
fulvus Goeze *E.*
flavipes F. *E.*
pallipes F. *E.m.*
concinnus Gené *C.*
v. Revelierei Muls.
speciosus Costa *I.m.*

Aphodiini.

Coptochirus

Harold.

- singularis Harold *T.*

Aphodius

Illiger.

- Agrilinus, Planolinus, Oromus,
Grodalus, Euadus, Nialus, Me-
cynodes, Eudolus, Biralus, Ago-
lus, Amidorus, Sigorus, Pubi-
nus, Limarus, Auomius, Subri-
nus, Erytus, Labarris, Bodilus,
Esynus, Volinus, Notius, Nim-
bus Muls.

Colobopterus Muls.

- erraticus L. *E.*

- v. striolatus Gebl. *Ca.*

Coprimorphus Muls.

- scrutator Herbst *E.*
brevicornis Schrank.

Eupleurus Muls.

- subterraneus L. *E.*

Teuchestes Muls.

- fossor L. *E.*

- v. sylvaticus Abr.

Otophorus Muls.

- haemorrhoidalis L. *E.*

Aphodius Muls.

- conjugatus Panz. *Ga.A.E.*

- seybalarius F. E. [m.
foetens F. E.
rufiventris Preller
fimetarius L. E.
v. autumnalis Naez.
orophilus Charp.
bicolor Fourer.
punctulatus Muls.
suarius Fald. T.Gr.Ca.
*
ater Deg. E.m.d.b.
v. convexus Er.
v. Lueasi Harold Hi.
affinis Luc. Pe.S.
v. adscendens Reiche P.
latipunctatus Gredl. Ti.
constants Duft. E.m.d.m.
vernus Muls.
exiguus Muls.
granarins L. E.
concolor Muls.
cribratus Muls.
moestus Muls.
parcepunctatus Muls.
rugosulus Muls.
retusus Waltl
v. suturalis Fald.
trucidatus Harold Hi.Gr.
Perezi Harold Hi.m.
orophius Muls. Ca.
pieceus Gyll. Mt.E.
alpicola Muls.
nemoralis Er. G.
iugicola Harold Pe.
lapponum Gyll. E.b.
borealis Gyll. L.
sedulus Harold Alp.
putridus Sturm
putridus Herbst E.m.d.b.
foetidus F. Alp.
monticola Muls. Ga.I.b.
hydrochaeris F. E.m.Ga.
meridionalis Villa G.
punctipennis Er. Cri.Ca.
brunneus Klug. T.
sordidus F. E.
rufus Moll.
rufescens F. I.b.
arcuatus Moll. E.m.d.b
lugens Creutz Ga.G.E.m.
Faldermanni Sperk
nitidulus F. E.
longispina Küst S.Hi.m.
immundus Crtz. E.m.d.m.
*
alpinus Scop. Mt. E.
- rheonum Zett.
v. rubens Muls.
v. Schmidtii Heer H.
v. dilatatus Schmidt St
varians Duft. E.
bimaculatus F.
Kraatzii Harold Gr.Cret.
Haagi Beck. i.l. R.m.
niger Pauz. E.
plagiatus L. E.
Sturmii Harold Ga.G.Hu.
rufus Sturm S.I.
vitellinus Klug. Ga.m.
ferrugineus Muls. Ga.Hi.
lividus Ol. E.
cylindricus Reiche Ga.Hi.
*
inquinatus F. E.
exclamationis Mot. R.m.
melanostictus Schmidt E.
Bonvouloiri Har. Hi [md.
sticticus Panz. E.m.d.b.
conspurcatus L. E.
pictus Sturm Ga.G.A.
cervorum Fairm. Ga.
Lederi Harold Ca.
tessulatus Payk. E.m.d.b.
lineolatus Ill. E.m.
lateralis Brull.
nigrolineatus Rosh.
dilatatus Reiche T.Gr.
flammulatus Harold Ca.
*
maculatus Stm. Ga.G.Su.
Zenkeri Germ. Ga.G.I.b.
*
barbarus Fairm. Hi.m.
obscurus F. Mt.E.m.d.
sericatus Schmidt
cribarius Brull. E.m.
dalmatinus Schmidt
cinereus Muls. Si.
thermicola Schmidt Ga.A
obscurus Panz. Jstr.Ca.
poreus F. E.m.d.S.
ibericus Harold Hi.
Sharpi Harold Hi.m.
fimicola Reiche Gr.
tomentosus Müll. E.or.
lutarious Payk. G.Su.
serofa F. E.
*
tristis Panz. E.m.d.b.
hypocrita Muls. Ga.
parallelus Muls. Ga.m.
- Tormes Graëlls Hi.Si.
Diecki Harold Hi.
tersus Er. Lu.Hi.Si.
suturalis Lucas
pusillus Herbst E.
coenosus Ahr.
tyrolensis Rosenh. Ti.I
quadriguttatus Herbst E.
macri Costa
quadrimaculatus L. E.
4-pustulatus F.
4-signatus Brull. Si.Gr.
sanguinolentus Pnz. Ga.G
biguttatus Germ. G.A.I.
merdarius F. E.
unicolor Oliv. Hi.Si.
castaneus Ill. Ga.m.
Solieri Muls. Ga.m.
badius Muls. Hi.
Melinopterus Muls.
prodromus Brahm. E.
♀ sphacelatus Panz.
♂ rapax Fald. R.m.
gregarius Harold R.m.
Zuberi Desbr.
punctatosulcatus Strm. E
sabulicola Thoms.
pubescens Strm. Ga.G.m.
tabidus Er. D.
limbatus Germ. Hu.R.m.
easpius Mén.
consputus Crtz. E.m.d.m.
serotinus Panz. C.A.Hu.
contaminatus Herbst E.
affinis Panz. A.
obliteratus Panz. E.m.d.
- Acrossus Muls.
mixtus Villa Alp A.
discus Schmidt E.m.
? abdominalis Bon.
montanus Er. Ti.
pollicatus Er. Ga.A.m.
Heydeni Harold Hi.b.
praecox Er. Alp.
moutivagus Er. Alp.
picimanus Er. Ti.St.
carpetanus Graëlls Hi.
siculus Harold Si.
laticollis Baudi Alp.mar.
gagatinus Ménétr. R.m.or.
rufipes L. E.
capitatus Deg.
bimaculatus Laxm. Ga.G.
coccinelloides Pall. I.
bipunctatus F. R.m.

luridus Payk. E.
depressus Kugel. E.
v. atramentarius Er.
satellitius Herbst Ga.G.
pecari F. E.m.
equinus Falb.
v. Menetriesi Mén. Ca.
exclamationis Mot. Cu.

linearis Reiche Gr.
hirtipes Fisch. R.m.
graphicus Kol. Ca.
asphaltinus Kol. Ca.
striatulus Waltl Hi.m.

Plagiogonus

Mulsant.

rhododactylus Marsh. K.
arenarius Ol.
syriacus Harold Ca.

Ammoeius

Mulsant.

pyrenaicus Duv. P.
corvinus Er. E.md.
gibbus Germ. Alp.Si.
transylvanicus Küst. Tr.
suleatus F. A.Hu.Ca.
rugifrons Aub. S.
Levaillanti Muls.
rugiceps Muls. Ga.
brevis Er. E.md.b.
elevatus Panz. Ca.
? nitidus Küst. Mont.
lusitanicus Er. Lu.
frigidus Bris. Lu.Hi.
elevatus Ol. Ga.Hi.
baeticus Muls. Hi.

Oxyomus

Laporte.

heptaulacus Muls.
sus Herbst E.md.b.
alpinus Drap. Mt.E.
carinatus Germ.
nivalis Muls.
porcellus Friv. Hu.
testudinarius F. E.md.b.
villosum Gyll. E.
sylvestris Scop. E.
porcatus F.

Ataenius

Harold.

horticola Harold T.

cyprius Baudi
caucasicus Reitt. Ca.

Hexalus

Mulsant.

simplicipes Muls. Ga.m.

Rhyssenus

Mulsant.

germanus L. E.

asper F.

plicatus Germ. Ga.D.

arenarius Costa Si.

Godarti Muls. Ga.m.

verrucosus Muls. Ga.m.Si.

algiricus Lue. Hi.m.

sulcigaster Muls. C.S.

Marqueti Reiche Ga.m.

Psammobius

Heer.

Pleurophorus Muls.

caesus Panz. E.

Platytomus Muls.

sabulosus Muls. E.m.

Diastictus Muls.

vulneratus Sturm E.

sabuleti Muls.

Psammodius Muls.

sulcicollis Ill. E.

porcicollis Ill. E.m.

basalis Muls. Ga.m.

plicicollis Er. Ga.I.

insculptus Küst.

variolosus Kolen. Ca.

ciliatus Küst. Hi.

accentifer Muls. Ga.m.

scutellaris Muls. Ga.Si.

laevipennis Costa I.

rugicollis Er.

costatus Stierl. R.m.

laevistriatus Perris S.

Alleonis Fairm. T.

Glaresis

Erichson.

Frivaldszkyi Westw. Hu.

Beckeri Solsky R.m.

Aegialia

Latrelle.

Dimalia Muls.

sabuleti Payk. E.md.b.I.

rufa F. G.Su.

arenaria F. E.mor.
globosa Kugel.

Chiron

Mac Leay.

digitatus F. Si.

Hyalini.

Hybalus

Brull.

glabratus F. Ga.E.m.

doreas F.

cornifrons Guer.

graeucus Sturm E.m.

doreas Germ.

cornifrons Brull.

Benoiti Tourn. Si.

tricornis Lue. Hi.m.

Chaetonyx

Schaum.

robustus Schaum T.b.

Codocera

Fischer.

Ochodaeus Serville.

Stomphax Fischer.

chrysomelina F. E.md.

ferruginea Eschsch. Ca.

erucirostris Fisch.

pocadioides Mot. Hi.m.

Hybosorini.

Hybosorus

Mac Leay.

Hilgeri Reiche E.m.

arator Ill.

Geotrupini.

Bolboceras

Kirby.

unicornis Selrak. E.md.

gallicum Muls. Ga.m.Hi.

boecchus Er. Lu.Hi.

fissicorne Muls.

Odontaeus

Klug.

armiger Scop. E.

mobilicornis F.

♀ bicolor F.

Geotrupes*Latreille.*

- Ceratophyus Fisch.
polyceros Pall. *R.m.*
ammon Pall.
dispar F.
Fischeri Fisch. *R.m.*
v. Rossii Jekel *I.*
dispar Rossi *I.*
v. dispar Fairm. *I.*
Hoffmannseggi Frm. *Hi.*
Rossii Rosenh. *Lu.*
dispar Oliv.
Olivieri Jekel
Minotaurus Muls.
Typhoeus Leach.
Typhoeus L. *E.*
fossor Waltl *E.m.*
lateridens Guér. *Gr.*
subarmatus Er.
4-geminus Fairm.
Momus Oliv. *Hi.*
Hiostius Gené *S.*
matutinalis Baudi *S.*
inermis Mén. *Ca.*
laevipennis Muls. *Hi.*
Geotrupes Muls.
Douei Gory *Hi.S.Si.*
siculus Er.
dentifrons Muls.
stercorarius L. *E.*
putridarius Er.
foveatus Marsh. *E.md.*
intermedius Ferr.
spiniger Marsh. *E.*
mesoleius Thoms.
puncticollis Malin.
stercorarius Er.
mutator Marsh. *E.*
v. impressicollis Ferr.
hypocrita Serv. *Ti.E.m.*
fimicola Muls. *I.b.R.m.*
sylvaticus Panz. *E.*
molestus Fald. *Ca.*
v. micanticollis Fald.
inaequalis Fald. *Ca.*
creticus Fairm. *Cret.*
vernalis L. *E.*
v. autumnalis Er. *Alp.*
v. alpinus Hagenb. *Alp.*
v. splendens Er. *I.*
purpureus Küst. *T.*
Amedei Fairm. *T.*
pyrenaeus Charp. *P.*

- corruscans Chevr. *Lu.*
v. caucasicus Weise *Ca.*
caucasicus Sharp. *Ca.*

- Silotrupes Muls.
epistomalis Muls. ?*Ga.*

- Thorectes Muls.
laevigatus F. *E.m.*
chalconotus Chvr. *Lu.*
punctatissimus Chevr. *Hi.*
marginatus Poiret *Hi.Si.*
rotundatus Lucas

- Brullei Jekel *Gr.*
hemisphaericus Brull.
rugosicollis Jekel *Lu.*
sericeus Jekel *E.m.*
hemisphaericus Ol. *E.m.*
sardous Er. *S.*
geminatus Gené *Hi.C.S.*
HoppelHagenb. *Ga.A.m I*
nitidus Jekel *Lu.*
reflexus Jekel *Hi.*
lusitanicus Jekel *Lu.*
escorialensis Jekel *Hi.*
silphoides Jekel *Hi.*

Lethrus
Scopoli.

- apterus Laxmann *A.*
cephalotes Pall. *Hu.*
podolicus Fisch. *R.*
scoparius Fisch. *R.m.or.*
longimanus Fisch. *R.m.*
brachiicollis Fairm. *T.Gr.*

- dispar Fisch. *R.*

Trogini.**Trox***Fabricius.*

- Morticiini Pallas *R.*
Eversmanni Kryn. *E.md.*
concinus Er. *E.m.*
Perrisi Fairm.
transversus Reiche *T.Gr.*
graecus Muls.
cribrum Gené *C.S.*
v. elathratus Reiche. *C.*
perlatus Goeze *Ga.A.I.*
subterraneus Fourer.
perlatus Scriba
Chevrolati Harold
v. hispanicus Harold *Hi.*
v. Fabricii Reiche *Hi.m.*
granulatus F.

- granulipennis Fairm. *Hi.*
v. 4-maculatus Ball. *Gr.*
Haroldi Flach *G.Ga.*
nidicola Bonnaire
hispidus Pontopp. *E.*
arenosus Gyll.
v. asiaticus Fald. *Ca.I.G.*
v. nodulosus Harold C.S.
cadaverinus Ill. *E.md.*
undulatus Zoubk.
sabulosus L. *E.md.b.*
scaber L. *E.*
arenarius F.

Glaphyrini.**Anthypna***Latreille.*

- abdominalis F. *H.Ti.I.*
Carceli Lap. *I.md.*
romana Duponch.

Glaphyrus*Latreille.*

- caucasicus Kr. *Ca.*
modestus Kiesw. *Gr.*
v. nigripes Schauf.
micans Fald. *Ca.*
oxypterus Pall. *R.m.*
uralensis Gmel. *Ca.*
serratae F. *Hi.m.*

- globulicollis Mén. *T.*

Amphicoma*Latreille.*

- Eulasia Truqui.
vittata F. *T.Gr.*
Goudoti Lap. *Hi.m.*
Lasserrei Germ. *I.Gr.*
bicolor Waltl *Gr.*
distincta Burm. *T.*
bombyliformis Pall. *T.Gr.*
arctos Pall. *Ca.*
v. martes Friv. *T.*
v. chloridicollis Mot. *Ca.*
v. chrysopyga Fald. *Ca.*
vulpes F. *R.m.Gr.*
v. psilotrichia Fald. *Ca.*
eyaneoviolacea Mot.
graeca Sturm.
v. hirsuta Burm. *T.*
v. purpuricollis Waltl *T.*
v. chrysonota Brull. *Gr.*
v. anemonina Brull. *Gr.*
v. scutellata Brull. *Gr.*

- v. humeralis Brull. *Gr.*
v. apicalis Brull. *Gr.*
 apicalis Waltl
chalybaea Fald. *Ca.*
Psilodema Blanch.
ciliata Ménétr. *T.*
 mustela Waltl

Melolonthini.

Hoplia

Illiger.

- Decamera Muls.
philanthus Füssl. *E. md.*
 argentea Oliv. *I. b.*
 pulverulenta F.
Ramburi Heyd. *Hi. m.*
praticola Duft. *Ga. G.*
 ♀ palustris Heer *Hi. I.*
corallipes Reitt. *Ca.*
 *paupera Kryn. *U.*
Eversmanni Bur. *R. m.*
farinosa L. *E. md.*
 squamosa F. *E. m.*
aulica L. *Hi.*
v. bilineata F. *Lu.*
v. chlorophana Er. *Si.*
 aulica *III.*
v. pubicollis Küst. *C. S.*
coerulea Drury *Ga.*
 farinosa F. *Hi.*
Kunzei Schmidt *T.*
flavipes Germ. *I. b. D. Gr.*
minuta Panz. *I.*
 pulverulenta Ol.
dubia Rossi *I.*
misella Schauf. *Hi.*
parvula Kryn. *G. b. R.*
 pollinosa Er. *Lu.*
 minuta *III.*
 pulverosa Küst.
pollinosa Kryn. *R. m.*
 pilicollis Er. *Ca.*
graminicola F. *E. md. b.*
floralis Oliv. *Ga. Ti.*
 brunnipes Bon. *Pe. Cr.*
hungarica Burm. *Ga. A.*
 nuda Er. *Hi.*
caucasica Kol. *Ca.*
Eversmanni Fald. *Ca.*

Hymenoptilia

Eschscholtz.

Ramburi Heyd. *Hi.*

- angusta Heyd. *Hi. m.*
strigosa Ill. *Lu. Hi.*
 bifrons Eschsch. *Ga. m.*
 cristata Graëlls
Illigeri Pérez *Lu.*
rugulosa Muls. *Hi.*
 lineolata Blanch.
 costulata Graëlls
lata Heyd *Lu.*
Chevrolati Muls. *Ga. Hi.*
 strigosa Lap. *S.*
estrellana Heyd. *Lu.*
fulvipennis Blanch. *Hi. m.*
 ♂ Miegii Graëlls
cinerascens Rosenh. *Hi. m.*
distincta Uhagon *Hi. oc.*
sicula Blanch. *Si.*

hungarica Blanch. ?*Hi.*

Triodonta

Mulsant.

- aquila Lap. *Ga. m. I. b.*
cribellata Fairm. *C.*
unguicularis Er. *I. m.*
 pumila Burm.
 cinctipennis Luc.
alni Blanch. *S.*
 luteipes Fairm.
nitidula Rossi *I.*
Raymoudi Perris *S.*

Homaloplia

Stephens.

- ruricola F. *E.*
v. bumeralis F. *Hi.*
v. alternata Küst. *T.*
v. pruinosa Küst. *D.*
erythroptera Friv. *Hi.*
transsylvania Bielz.
v. carbonaria Blanch. *D.*
hirta Gebl. *R. m. or. A.*
limbata Krynicki *Cri.*
iberica Kolen. *Ca.*
caspia Fald. *Ca.*
spiraeae Pall. *Ca.*

Sericia

Mac Leay.

- Maladera Muls.
holosericea Scop. *E.*
 variabilis F.
 *rugosa Blanch. *Gr.*
brunnea L. *E.*
euphorbiae Burm. *R. m. or.*

- mutata Gyll. *Hi. I.*
Ariasi Muls. *Hi.*
elata Küst. *Mont.*
punctatissima Fald. *Ca.*

Chasmatopterus

Serville.

- pilosulus Ill. *I. Hi.*
 parvulus Graëlls
hirtulus Ill. *Ast. Lu.*
hispidulus Graëlls *Hi. md.*
villosum Ill. *Hi. md.*
 Illigeri Perris
hirtus Blanch. *Lu.*

Haplidia

Hope.

- transversa F. *A. I. Gr.*
v. quebecina Burm. *Ti.*
etrusca Kr. *I.*
graeca Kr. *Gr.*
turcica Kr. *Gr.*
vagepunctata Kr. *T.*
villigera Burm. *Si.*
hirticollis Burm. *S.*
attenuata Reiche *S.*

Lasiopsis

Erichson.

- Henningi Fisch. *R. m.*

Monotropus

Erichson.

- Nordmanni Blanch. *R. m.*
Staudingeri Schauf. *Lu.*

Rhizotrogus

Latreille.

- Amphimallus Muls.
pini Ol. *Ga. m. Hi.*
pygialis Muls. *Hi.*
niger Waltl *Hi. m.*
 flavicornis Blanch.
caninus Zoubk. *Ill. R. m.*
caspicus Méu. *T. R. m.*
solstitialis L. *E.*
 v. grossatus Esch. *Ca.*
 v. subsulcatus Fald. *Ca.*
 v. ? volgensis Fisch. *R. m.*
Javeti Stierl. *Si.*
ochraceus Knoch. *Ga. A.*
v. Falleni Gyll. *Hi.*
tropicus Muls. *Pe. Si.*
pineticola Grills. *Hi.*
vernalis Brull. *T. Gr.*
torulosus Waltl

verticalis Burm. *Gr.*
 nomadicus Reiche *P.Gr.*
 fuscus Scop. *E.m.*
 ater F. *Ga.G.A.*
 Arianae Fairm. *Gr.*
 Logesi Muls. *I.m.*
 nebrodensis Ragusa
 Sainzi Graëlls *Hi.*
 altaicus Mannh. *Ca.Balk.*
 ruficornis F. *E.md.*
 paganus Ol. *I.b.*
 limbatipennis Vill. *Hi.I.b.*
 lusitanicus Gyll. *Lu.*
 angulicollis Fairm.
 cantabricus Heyden
 hirticollis Luc. *Hi.m.*
 assimilis Herbst *A.E.m.*
 rufescens Ltr. *Ga.GH.Pe.*
 queranus Burm. *I.*
 Naceyroi Muls. *Hi.*
 pilicollis Gyll. *T.R.m.Hu.*
 fallax Mars. *Ca.*
 serrifinus Mars. *Ca.*
 caucasicus Gyll. *Ca.T.*
 Brucki Fairm. *Gr.*
 thoracicus Zoubk. *R.m.or*
 pexus Zoubk. *R.m.or.*
 Rhizotrogus Muls.
 pulvereus Knoch *R.m.*
 vulpinus Gyll. *R.m.*
 rusticus Fald.
 sassariensis Perris *S.*
 Rosalesi Fairm. *Hi.m.*
 aequinoctialis Hbst. *Ga.A.*
 pilicollis Kryn. *I.Hu.*
 vernus Germ *E.m Atp.*
 fraxinicola Hagenb. *I.b.*
 tauricus Blanch. *R.Gr.*
 arcilabris Mars. *Ca.*
 aestivus Ol. *Ga.G.R.I.*
 maculicollis Villa *I.A.G.*
 thoracicus Muls. *Ga.*
 marginipes Muls. *Ga.G.*
 toveolatus Beh. *H.I.b.*
 ♀ granulifer Rosh. *Hi.*
 v. geniculatus Chevr.
 vexator Schauf. *Bal.*
 Reichei Muls. *Hi Ga.m.*
 Faldermanni Reiche *R.m.*
 cicatricosus Mis. *Ga.G.S.*
 anachoreta Rosenh.
 lautiusculus Schauf. *D.*
 procerus Baudi *Pe.*
 insularis Reiche *C.*
 ciliatus Reiche *S.Si.*
 flavicans Blanch. *Hi.*

v. Chevrolati Graëlls
 Bellieri Reiche *C.S.*
 monticola Blanch. *Hi.*
 parvulus Rosenh.
 submarginatus Rch. *Hi.*
 lepidus Schauf. *Bal.*
 costulatus Friv. *T.*
 vicinus Muls. *Ga.m.I.*
 rugifrons Burm. *C.S.*
 cartaginæ Fairm. *Hi.*
 insubricus Burm. *I.b.*
 fossulatus Muls. *C.S.*
 patruelis Reiche *Hi.*
 tarsalis Reiche *Si.*
 neglectus Perez *Hi.md.*
 alicantinus Dieck *Hi.or.*
 signatitarsis Chevr. *Hi.*
 variolatus Fairm. *Hi.*
 Zapateri Mars. *Hi.*
 Bolivari Martinez *Hi.*
 parvicollis Perris *Hi.*
 Geotrogus Guér.
 sicelis Blanch. *Si.*
 siculus Burm.
 Genei Blanch. *Pe.*
 sardous Burm.
 euphytus Buqu. *Si.*
Pseudotrematodes
Duval.
 Frivaldszkyi Mén. *T.Gr.*
 carbonarius Blanch.
Anoxia
Laporte.
 orientalis Kryn. *Ilu.R.*
 scutellaris Muls. *Ga.m.S.*
 ? sardoa Mot. *S.*
 sicula Mot. *Si.*
 ? hungarica Desbr.
 australis Schönh. *E.m.*
 occidentalis F. *Ti.*
 v. matutinalis Lap. *Ga.*
 villosa F. *Ga.G.A.I.*
 pilosa F. *A.Hu.E.m.*
 cretica Kiesw. *Cret.*
 Cyphonotus Fisch.
 testacea Pall. *R.m.Ca.*
 Anketeri Herbst
 monacha Kryn. *R.m.or.*
 thoracica Kryn. *R.m.*
 farinosa Kryn. *R.m.*

Polyphilla

Harris.

fullo L. *E.*
 v. marmorata Muls.
 v. luctuosa Muls. *Ga.*
 Boryi Brull. *Gr.*
 Olivieri Lap. *Si.Gr.*
 v. caucasica Heyden *Ca.*
 Ragusae Kr. *Si.*
 alba Pallas *R.m.*
 hololeuca Pall.
 adspersa Mot. *Ca.*

Melolontha

Fabricius.

hippocastani F. *E.*
 v. coronata Muls.
 v. nigricollis Muls.
 v. tibialis Muls.
 v. nigripes Comolli *Ti.I.*
 vulgaris F. *E.*
 extorris Er.
 v. discicollis Muls.
 v. ruficollis Muls.
 v. albida Redtb.
 v. lugubris Muls.
 albida Friv. *Gr.T.*
 candidans Burn.
 pectoralis Germ. *Ga.G.*
 aceris Falderm. *Ca.*
 soror Mars.
 aceris Er. *A.*
 v. rhenana Bach. *G.I.b.*
 albida Er.
 papposa Illig. *Hi.*
 hybrida Charp. *Hi.*
 fucata Blanch.
 praeambula Kolen. *Ca.*

Tanyproctus

Faldermann.

ovatus Mot. *Ca.*
 ? rufideus Mars. (Elaph.)
 carbonarius Fald. *Ca.*
 persicus Fald. *Ca.*
 brevipennis Mot. *Ca.*
 subcylindricus Mot. *Ca.*
 Olivieri Blanch. *I.Gr.*

Pachydema

Laporte.

Dasysterna Ramb.
 Reichei Ramb. *Gr.*
 nigricans Burm.
 graeca Mot. *Gr.*

Elaphocera

Géné.

- Bedeani Er. *Hi.m.*
v. adusta Kr. *Hi.*
longitarsis Illig. *Hi.m.*
malacensis Ramb. *Hi.*
granatensis Ramb. *Hi.*
Heydeni Kr. *Hi.m.*
hispalensis Ramb. *Hi.*
affinis Schauf. *Hi.m.*
carteiensis Ramb. *Hi.*
hirticollis Kr. *Hi.m.*
angusta Kr. *Hi.m.*
autumnalis Mot. *Hi.m.*
churianensis Ramb. *Hi.*
Martorelli Fairm. *Hi.m.*
Capdeboni Schauf. *Bal.*
emarginata Gyll. *I.*
obscura Géné *S.*
sardoa Ramb.
Erichsoni Duv. *S.*
obscura Er.
dilatata Er. *S.*
dalmatina Mot. *D.*
hiemalis Er. *Gr.b.*
graeca Kr. *Gr.*
elongata Schauf. *Gr.*
Raymondi Kr. *T.*
Erberi Kr. *Gr.*
gracilis Waltl *Gr.T.*
bysantica Ramb.
nigroflabellata Burm. *Gr.*
insularis Fairm. *Cret.*

Pachypus

Latreille.

- caesus Er. *S.Si.*
Siculus Lap.
v. impressus Er.
cornutus Oliv. *C.*
candidae Petagna
candidae Muls.
excavatus Feistham.

Propomacrus

Newman.

- Euchirus Kirb. ex. sp.
bimucronatus Pall. *T.*

Rutelini.

Anisoplia

Laporte.

- leucaspis Cast. *Gr.Ca.*
syriaca Burm. *R.m.*
velutina Er. *Cri.*

- segetum Herbst *E.or.*
fruticola F.
Zoubkoffi Kryni. *R.m.*
pallidipennis Gyll. *D.Si.*
hypocrita Burn. *S.*
straminea Brull. *Gr.*
villosa Goeze *E.m.d.m.*
agricola F.
monticola Er. *D.I.b.*
depressa Er. *Ga.m.Lu.*
lineata F. *E.m.*
baetica Er.
arvicola Ol. *E.m.*
bromicola Gm. *D.Ti.T.R.*
Faldermannii Reitt. *R.m.*
villosa Fald.
bromicola var. Burm.
floricola F. *E.m.*
v. scytha Mot. *R.m.*
campicola Mén. *R.m.*
cyathigera Scop. *Ga.A.*
eruciferallerbst *R.m.*
v. dispar Er. *I.b.Hu.*
tempestiva Er. *Br.Ga.A.*
austriaca Muls. *I.b.*
flavipennis Brull. *D.*
adjecta Er. *I.b.T.*
Bouei Blanch. *Gr.*
austriaca Herbst *Ga.A.I.*
tritici Kiesw. *Gr.*
Zwicki Fisch. *R.m.*
lata Er. *A.Hu.R.m.*
deserticola Fisch. *Ti.Hu.*
pubipennis Blch. *Gr./R.*
tenebralis Burm. *T.*
lanuginosa Er. *Gr.*
farraria Er. *Ca.*

Phyllopertha

Kirby.

- lineolata Fisch. *E.m.*
arenaria Brull. *Gr.*
campestris Ltr. *Ga.Hi.Ti.*
horticola L. *E.*
v. ustulatipennis Villa *I.*
v. Perrisi Muls. *Ga.m.*
hirtella Brull. *Gr.*
Rumelia Fries. *T.*

Anomala

Samouelle.

- aurata F. *Cr.Ti.Ga.*
v. auricollis Lap. *Corn.*
rngatipennis Graells *Hi.*
junii Duft. *A.m.I.Ga.*
v. thoracica Muls.

- v. etrusca Ganglbauer *I.*
v. signaticollis Er.

- v. rugosula Fairm. *C.I.b.*
Doublieri Muls. *Si.*

- v. scutellaris Muls. *Ga.C.*

- practicola F. *Hu.R.m.*
errans Illig. *Lu.I.*

- v. brunnea Mén. *Ca.*
diluta Mot.

- v. desertorum Mot. *Ca.*
*

- vagans Er. *Lu.Hi.*
♀ profuga Er.

- v. quadripunctata Illig.
*

- devota Rossi *I.III.*

- villosa Blanch. *Ga.m.*

- v. apicalis Muls.

- v. versicolor Muls.

- ausonia Er. *Ga.m.I.*

- v. sicula Ganglb. *Si.*

- vitis F. *Ga.A.*

- holosericea Illig. *E.m.*

- varians Muls.

- osmanlis Blanch. *T.*

- solida Er. *Hu.I.b.T.*

- splendida Mén. *Co.*

- v. luculenta Er. *R.m.*

- aenca Degeer. *E.*

- Frischi F.

- julii Payk.

- dubia Scop.

- v. coeruleocephala Oliv.

- cyanococephala F.

- oblonga Er. *A.Ga.I.*

- v. cyanicollis Villa

- v. pedemontana Tourn.

- pallidiventris Gaut. *R.m.*

Adoretus

Laporte.

- nigrifrons Stev. *R.m.*

- discolor Fald. *Ca.*

Dynastini.

Pentodon

Hoppe.

- idiota Herbst *A.E.m.*

- monodon F.

- tauricus Mot.

- v. ventricosus Mot. *R.*

- v. subdilatatus Mot. *Ca.*

- curtus Mot.

- algerinus Herbst *Hi.Ga.m.*

- | | | |
|---|---|--|
| <p>puncticollis Burm.
monodon Muls.
v. bispinosus Küst. <i>S.</i>
v. brunneus Muls. <i>Ga.m.</i>
balearicus Kr. <i>Bal.</i>
*</p> <p>punctatus Villers <i>D.I.</i>
v. castaneus Muls. <i>Ga.</i>
m. testudinarius Ragusa
pimeliooides Costa <i>I.</i>
bidens Pallas <i>R.m.</i>
emarginatus Küst.
*</p> <p>caminarius Falderm. <i>Ca.</i></p> <p>bilobus Mot. <i>Ca.</i>
distans Er. <i>R.m.</i>
sulcifrons Küst. <i>R.m.</i>
elatus Küst. <i>Ca.</i></p> <p>Callienemis
<i>Laporte.</i>
Latreillei Lap. <i>Ga.m.Hi.</i></p> <p>Phyllognathus
<i>Eschscholtz.</i>
Silenus F. <i>E.m.</i></p> <p>Oryctes
<i>Illiger.</i>
nasicornis L. <i>E.</i>
grypus Ill. <i>Ti.E.m.</i>
v. Ragusae Riggio <i>Si.</i></p> <p>Cetoniini.</p> <p>Oxythyrea
<i>Mulsant.</i>
Leucocelis Burm.
cinctella Schaum <i>Gr.R.m.</i>
variegata Gory
longula Desbr. <i>R.m.</i>
funesta Poda <i>E.md.m.</i>
stictica L.
albopicta Mot. <i>R.</i></p> <p>Heterocnemis
<i>Albers.</i>
græca Brull. <i>Gr.</i>
quadrata Gory</p> <p>Paleira
<i>Reiche.</i>
femorata Ill. <i>Lu.Hi.</i>
hispanica Gory</p> | <p>Tropinota
<i>Mulsant.</i>
Epicometis Burm.
squida L. <i>E.m.</i>
crinita Charp. <i>D.Ga.</i>
v. pilosa Brull. <i>Gr.</i>
hirta Poda <i>E.</i>
hirtella L.
tonsa Burm.</p> <p>Aethiessa
<i>Burmeister.</i>
floralis F. <i>E.m.</i>
v. Doguerai Gory
deserticola Waltl
v. refulgens Herbst
tenebrionis Gory
v. squamosa Gory
tineta Germ. <i>Si.</i></p> <p>Cetonia
<i>Fabricius.</i>
Melanosa Mulsant.
funesta Mén. <i>T.</i>
oblonga Gory <i>E.m.</i>
v. luctifera Muls. <i>Si.</i>
v. Raffrayi Desbr. <i>Hi.m.</i>
lugubris Voet. <i>E.m.</i>
morio F.
excavata Gory
vidua Gory <i>T.Gr.</i>
v. aegyptiaca Gory
adspersa Waltl
exclamationis Burm.
v. excavata Fald. <i>Ca.</i>
afficta Gory <i>T.</i>
v. atrocoerulea Waltl
v. leucogramma Gory</p> <p>Potosia Mulsant.
opaca F. <i>Ga.m.Hi.</i>
v. funeraria Gory <i>Si.</i>
v. cardui Gyll. <i>Ga.</i>
corvina Mot.
v. nitidiventris Germ.
opaca Gory
v. cretica Kr. <i>Cret.</i>
funebris Gory <i>Ca.</i>
sardoa Gory <i>C.S.Si.</i>
hungarica Herbst <i>Hu.R.</i>
viridis F.
v. viridana Brull. <i>Gr.</i>
v. armeniaca Mén. <i>Ca.</i>
v. cirsii Mot. <i>Ca.</i>
sibirica Gebl. <i>I.m.Gr.</i></p> | <p>trojana Gory
v. Godeti Gory <i>Ca.</i>
speciosissima Scop. <i>E.md.</i>
fastuosa F. <i>E.m.</i>
v. speciosa Adams <i>R.m.</i>
v. venusta Mén. <i>T.</i>
affinis Andsch. <i>Ga.A.E.m.</i>
v. mirifica Muls. <i>Ga.</i>
v. splendidula Fald. <i>Ca.</i>
v. caspia Stev. <i>R.m./Ga.</i>
angustata Grm. <i>A.E.m.</i>
marmorata F. <i>E.md.Ca.</i>
floricola Herbst <i>E.</i>
aenea Gyll.
hieroglyphia Mén. <i>Ca.</i>
v. obscura And.
v. incerta Costa <i>I.</i>
v. atrorubens Friv. <i>T.</i>
v. cuprea Gory <i>Si.</i>
v. florentina Hrbst. <i>E.m.</i>
v. metallica F.
v. volhynensis Gory <i>R.</i>
steppensis Mot.
v. caucasica Kol. <i>R.m.Ca.</i>
v. euprea Gory <i>Ca.</i>
v. Fieberi Kr. <i>G.b.</i>
Cetonia i. sp.
aurata L. <i>E.</i>
v. carthami Gory <i>S.Si.</i>
v. nigra Gaut. <i>C.</i>
v. lucidula Fieb. <i>E.m.</i>
v. valesiaca Heer <i>Ga.H.</i>
v. strigiventris Besser <i>R.</i>
v. hispanica Er. <i>Lu.Hi.</i></p> <p>Osmoderma
<i>Serville.</i>
eremita Scopoli <i>E.</i></p> <p>Gnorimus
<i>Serville.</i>
variabilis L. <i>E.</i>
octopunctatus F.
decempunctatus Helf. <i>Si.</i>
v. velutinus Ragusa <i>Si.</i>
Bartelsi Fald. <i>Ca.</i>
nobilis L. <i>E.</i>
subcostatus Mén. <i>Ca.</i></p> <p>Trichius
<i>Fabricius.</i>
fasciatus L. <i>E.</i>
abdominalis Mén. <i>Ga.A.</i>
gallicus Heer <i>E.m.</i>
zonatus Germ. <i>C.S.</i></p> |
|---|---|--|

Valgus

Scriba.

hemipterus L.

E.

Buprestidae.

Julodini.

Julodis

Eschscholtz.

Faldermanni Mannh. Ca.

variolaris Pall. R.m.

Ehrenbergi Lap. T.Gr.

syriaca Lap.

pubescens Lap.

onopordi F. Ga.m.Hi.

onopordinis F.

Sommeri Küst.

pilosa F. Hi.m.

fidelissima Mars. Hi.

onopordi Oliv.

lineigera Mars. Ca.

Andreae Ol. Ca.

globithorax Stev. Ca.

propinqua Fald

Yveni Mannerh. Cret.Gr.

pubescens Oliv. T.Gr.

Olivieri Lap.

Brullei Lap.

onopordinis Brull.

Buprestini.

Chalcophora

Solier.

mariana L. E.

v. florentina Kiesw. I.

detrita Klug J.TGr.

Fabripii Rossi S.Si.Gr.

stigmatica Dalm. I.

v. 4-notata Klug T.Gr.

Lefebvrei Lap.

Trachykele

Marseul.

Blondeli Mars. × Ga.

Psiloptera

Solier.

argentata Mannh. Ca.

Aurigena

Laporte.

Perotis Spinola.

unicolor Oliv. Hi.

tarsata Herbst Ga.m.

Lyoni Vigors
chloraua Lap. Gr.
Xerxes Mars.
v. viriditarsis Schf. I.m.
aereiventris Reiche Ca.
lugubris F. A.E.m.

Capnodis

Eschscholtz.

cariosa Pallas. I.T.Gr.R.
miliaris Klug Ca.
daedalea Stev.
porosa Klug. T.Gr.R.m.
Mannerheimi Fld.
hypocrita Gehin
carbonaria Klug. T.Gr.
Lefebvrei Lap. R.m.
porosa Lap.

Hennigii Mnkh. Ca.Gr.
anthracina Fisch. Ca.
excisa Ménér.
tenebrionis L. Ga.A.E.
tenebrioides Pall. fm.
v. aerea Lap. Ca.
tenebricosa Herbst E.m.
v. lugens Küst. D.S.Si.

Coeculus

Laporte.

Cyphosoma Mannerh.
sibiricus F. R.m.
tataricus Pallas
repandus Mén.
gravidus Lap. S.Si.
Buqueti Lap.
Lawsoniae Chevr.
insulare Kiesw. Gr.

Latipalpis

Spinoia.

plana Oliv. Ga.m.T.
pisana Rossi I.
stellio Kiesw. Gr.

Dicerca

Eschscholtz.

aenea L. E.
oxyptera Pall.
carniolica F.
reticulata F.
subrugosa Payk.
seabrosa Mannerh.
berolinensis Herbst Ga.
♂ calcarata Schall A.
alni Fisch. E.
calcarata Maunerh.

fagi Lap.
chlorostigma Mannh. Ca.
fritillum Mén. R.m.Ca.
fureata Thunb. E.
acuminata Pall.
calcarata F.

Argante Gistl.
moesta F. E.
4-lineata Herbst
Herbsti Kiesw. A/p.

Poecilonota

Eschscholtz.

variolosa Payk. E.
conspersa Gyll.
plebeja Herbst

Lampra Spin.

rutilans F. E.md.m.
decipiens Mnkh. E.md.m.
mirifica Muls. C.
nobilissima Mnkh. R.
Solieri Lap. Ga.G.E.m.
hieroglyphica Mls. Hi.
Guiraoi Fairm. Hi.m.
festiva L. Ga.A.S.
10-punctata F.
bella Gory T.
balearica Kirehsberg

Buprestis

Linné.

Ancylacheira Esch.
splendida Payk. Su.G.
splendens F.
pretiosa Herbst
rustica L. E.
v. bimaculata Kr. G.
haemorrhoidalis Herbst E.
punctata F.
v. 4-stigma Herbst G.
v. bicolor F. E.m.
barbara Oliv.

dalmatina Mnkh. D.
v. Ledereri Mars. T.
tarsensis Mars. Gr.
strigosa Gebl. R.m.
flavomaculata Fisch.
maculata Lap.
flavopunctata Deg. E.
flavomaculata F.
v. maculata F. E.
octoguttata L. E.
albopunctata Deg. E.
v. magica Lap. E.m.
mauritanica Luc.

Douei Lue. *Alg.*
v. Amori Graëlls *Hi.m.*
cupressi Germ. *D.*
mutabilis Costa *Si.*

Eurythyrea Solier.

austriaca L. *Ga.G.A.*
quercus Herbst *Hu.*
aurulenta Rossi *R.m.*
marginata Herbst *I.b.*
scutellaris Oliv. *E.md.m.*
carniolica Herbst
similis Schöuh.
v. obliterata Fald. *Ca.*
micans F. *Ti.Ga.E.m.*
marginata Oliv.
aurata Pall. *R.m.or.*

Melanophila

Eschscholtz.

decostigma F. *Ga.A.*
chrysostigma F. *E.m.*
14-guttata Oliv.
v. picta Pall. *Gr.*
acuminata Deg. *E.*
appendiculata F.
morio Payk.
Pecchiolii Lap.
aequalis Mannerh. *E.m.*
oxyura Marquet. *Ga.m.*
anthaxoides Marqu. *Ga.m.*

Kisanthobia *Hi.*

Marseul.

Ariasi Robert *D.Ga.m.*

Phaenops

Lacordaire.

eyanea F. *E.*
tarda F.

Anthaxia

Eschscholtz.

Cratomerus Sol.
hungarica Scop. *Ga.G.m.*
cyanicornis F.
femorata Vill. *E.m.*
♀ trochilus F. *Ca.*
♀ v. sitta Küst.
diadema Fisch. *R.m.*
adoxa Küst. *Ca.*
sponsa Kiesw. *Gr.*
nupta Kiesw. *T.*
♀ divina Reiche.
scorzonerae Friv. Kies. *T.*

Anthaxia i. sp.

Cresus Villers *Ga.*
Croesus Kiesw. *E.m.*
viminalis Lap.
scutellaris Gené
ditescens Abeille
fulgidipennis Luc.
olympica Kiesw. *Gr.*
fulgidipennis Mars. *G.*
ignipennis Abeille
parallela Lap. *G.a.m.*
v. basalis Küst. *Hi.*
praeclera Munerh. *E.m.*
variipennis Küst.
cichorii Oliv. *Ga.A.E.m.*
chlorocephala Luc.
millefolii F. *E.m.*
chamomillae Mnub.
smaragdifrons Mars. *Hi.m.*
umbellatarum F. *E.m.*
inculta Germ.
*

aurulenta F. *Ga.G.Hu.*
auricolor Herbst *I.T.*
deaurata Gmel.
v. senicula Schrank
Hanaki Küst.
manca F. *E.md.m.*
elongatula Schrank
Kiesenwetteri Mars. *Gr.*
melancholica Kr.
vittula Kiesw. *Gr.Cret.*
Midas Kiesw. *E.m.*
Croesus Lap.
candens Panz. *Ga.G.S.*
fulminans Schrank
fulminatrix Herbst
lucens Küst. *D.Si.Hu.*
candens Lap. *Gr.Cret.*
Passerinii Pech. *I.Gr.*
brevis Lap. *Gr.R.m.*
ephippiata Redtb.
dimidiata Thunb. *E.m.*
saliceti Ill.
salicis F. *Ga.G.Hu.I.*
Mascheli Kiesw. *Ca.*
semicuprea Küst. *A.E.m.*
bicolor Fald. *Ca.R.m.*
fulgorans Schrank *E.md.*
nitens F. *Hu.*
foveolata Herbst *E.m.*
fulgens Herbst
dorsalis Lap.
v. azurescens Lap.
grammica Lap. *A.R.E.m.*

podolica Mnub.
cyanescens Gory *Hi.I.*

luctuosa Luc.
aeneiventris Küst.
nitidula L. *nitida* E.
♀ laeta F.

v. cyanipennis Lap. *D.*
v. signaticollis KRN. *Hu.*
hypomelaena Ill. *E.m.*
annulicollis Strm. Cat
v. nitidicollis Lap.

ferulæ Gené *S.*
vittaticollis Luc. *Hi.*
anatolica Mars. *Ca.*
lucidiceps Gory *T.Gr.*
discicollis Lap. *A.T.Gr.*
Olivieri Lap. *Rhodus.*
Mulsanti Mars. *Gr.*
hilaris Muls.
funerula Ill. *Ga.H.Ti.*
Chevrieri Lap. *A.Hu.*
Spinolæ Lap. *D.E.m.*
pygmaea Lap.
banatica Lap.

rugicollis Luc. *Hi.Bal.*
biimpressa Mars. *Gr.*
helvetica Stierl. *A.II.*
morio F. *Ga.G.I.b.*
confusa Lap. *Ga.C.S.*
plicata Kiesw. *Tr.*
sepulchralis F. *Mt.E.*
umbellatarum Oliv.
v. istriana Rosh. *Istr.*
pinguis Kiesw. *Gr.*

quadripunctata L. *E.*
punctata Ponza.
quadriimpressa Mot.
v. Godeti Lap.
v. granulata Küst.
v. angulata Küst.
v. angulicollis Küst.
corsica Reiche. *C.S.*
nigritula Ratz. *G.Ga.*
practicola Lafert. *I.*
umbellatarum Lap.
tenella Kiesw. *Gr.*
venerabilis Mars. ?*Gr.*
verecunda Mars.

Polycestini.

Polycesta

Solier.

aegyptiaca L. *Gr.*

Ptosima

Solier.

- 11-maculata Herbst *Ga.A.*
flavoguttata Ill. *E.m.*
9-maculata F.
v. 6-maculata Hrbst. *D.*
v. confusa Villa *I.*
cyclops Mars. *T.*

Polycetes

Marseul.

- rhois Mars. *Balk.*

Aemaeodora

Eschscholtz.

- pulchra F. *Hi.*

v. postverta Buq.

- v. Revelieri Muls. *C.*

- cylindrica F. *E.m.*

acuminipennis Lap.

convolvuli Waltl

- 18-guttata Piller *St.*

16-punctata Schrnk *T.*multipunctata Luc. *H.*

- v. Frivaldszkyi Mars. *Hu.*

- v. Feisthamelii Lap. *Pe.I.*

- v. 18-punctata Lap. *Ga.*

- Prunneri Gené *S.*

- quadrifasciata Rossi *Ga.*

mutabilis Spinol. *I.*

- ottomana Friv. *T.Gr.*

- saxicola Spinol. *T.?I.*

- crinita Gory *Gr.*

melanosoma Luc.

- Reichei Boield. *Gr.*

- praecox Mars. *T.Gr.*

- pisellae Bon. *Ga.Ti.*

discoidea Oliv. *I.b.*

- cecropia Kiesw. *Gr.*

- flavolineata Lap. *S.Gr.*

dorsalis Spin.

- v. brevipes Kiesw. *Gr.*

- bipunctata Oliv. *E.m.*

sexpustulata Lap. *Ga.*Pittneri Rosenh. *Ti.*

flavopunctata Luc.

- v. Vaillanti Spin. *S.*

flavonotata Luc.

- flavofasciata Piller *Ga.A.*

taeniata F. *E.m.*

- v. dermestoides Friv. *T.*

- v. hirsutula Lap. *Hi.*

tristis Luc.

- Mimonti Boield. *Gr.*

- adspersula Ill. *Ga.m.Lu.*

dermestoides Sol. *I.*

- inamoena Fald. *Ca.*

- vetusta Mén. *Ca.*

- gibbulosa Mén. *Ca.*

- Levrati Mars. *Si.*

Chevrolati Levr.

- virgulata Ill. *Lu.Hi.*

v. flavovittata Luc. *I.Gr.*

v. chrysanthemi Chevr.

v. lineola Chevr.

discoidea F. *Ga.m.S.Si.*

v. barbara Gory *I.*

v. albosetosa Rosh. *Hi.*

parvula F. *Lu.Hi.*

lanuginosa Lap.

coarctata Luc.

lanuginosa Gyll. *Hi.C.*

cylindrica Lap. *S.Si.*

v. ovis Chevr. *C.*

lugens Gory *T.*

cyanipennis Luc. *Hi.m.*

villosula Stev. *R.m.*

Boryi Brull. *Gr.T.*

cyanescens Lap. *S.*

hyacinthina Friv.

cuprifica Lap. *Gr.*

producta Lap.

modesta Lap. *?Gr.*

Sphenopterini.

Sphenoptera

Solier.

orichalcea Pall. *R.m.*

v. Dejeani Zoubk.

v. cupraria Manuh.

glabrata Mén. *Ca.*

rugulosa Fald. *Ca.*

cribrata Fald. *Ca.*

clauda Mars. *Ca.*

coracina Stev. *R.m.S.*

antiqua Ill. *Ga.A.Hu.*

v. litigiosa Mannh. *E.m.*

iridiventris Gory

ardua Lap. *Ga.m.*

hypocrita Mannh. *Ca.*

foveola Gebl. *U.Ca.*

Solskyi Becker *R.m.*

fossulata Gebl. *R.m.or.*

sulcata Fisch.

Gebleri Lap. *R.m.*

inaequalis Stev. *R.m.*

subcostata Muls. *T.*

dianthi Stev. *R.m.*

exarata Fisch.

mendax Mars. *R.m.*

impressicollis Mars.

gemellata Mannh. *Ga.A.I.*

conica Lap.

cupiventris Lap.

lapidaria Brull. *Ga.Gr.*

demissa Mars. *Ca.*

somchetica Kolen. *Ca.*

rauca F. *E.m.*

laticollis Oliv.

Bassii Lap.

celtiberica Gory

carduorum Chevr.

geminata Ill. *E.m.*

lineata F.

lineola Herbst

?gemmata Oliv.

v. smyrnensis Gory

cuprifrons Fald. *Ca.*

excavata Fald. *Ca.*

*

metallica F. *Ga.A.Hu.I.*

canesceus Mot. *U.*

substriata Kryn. *R.m.*

basalis Moraw. *R.m.*

parvula Lap. *Ga.I.*

minutissima Desbr. *Hi.m.*

*

Tappesi Mars. *T.*

*

chrysostoma Lap. *Gr.*

Scovitzii Fald. *R.m.*

Beckeri Dohru.

Pelleti Muls. *Ga.m.*

Chrysobothrini.

Chrysobothrys

Eschscholtz.

chrysostigma L. *E.md.b.*

affinis F. *E.*

chrysostigma Herbst

congener Payk.

v. tetragramma Mén.

Solieri Lap. *Ga.Hi.*

Pini Klingelh. *G.*

Agrilini.

Coraebus

Laporte.

bifasciatus Oliv. *Ga.G.m.*

florentinus Herbst *I.*

undatus F. *Ga.G.*

pruni Panz. *I.*

4-fasciatus Rossi

rubi L. *Ga.G.E.m.*

nebulosus Scop.

elatus F. *Ga. G. A.*
lampsanae Bon. *Hu.*
metallicus Lap. *E.m.*
pruinosis Küst.
subfasciatus Küst.
gibbicollis Ill. *Lu*
Melybaeus Mars.
episcopalensis Mannh. *Ga.D.*
purpureus Lap. *Hu.G.*
saginatus Kiesw. *Si.*
subulatus Moraw. *R.m.*
graminis Panz. *Ga.S.R.*
cylindraceus Lap. *Ti.*
aeratus Muls. *Ga.m.*
aeneicollis Vllers. *Ga.Hi.*
robustus Küst. *I.R.m.*
amethystinus Oliv. *E.m.*
coeruleus Herbst
granulatus Lap.
chalybaeus Küst.
violaceus Kiesw. *Ga.E.m.*
parvulus Küst. *Gr.*
subfasciatus Mén. *Ca.*
tribulus Fald. *Ca.*
cryptocerus Kiesw. *Gr.*

Agrius
Solier.
Anambus Thoms.
Guerini Lac. *Ga.R.m.*
sexguttatus Herbst *E.m.*
biguttatus Rossi *Ga.A.*
pannonicus Piller *E.*
biguttatus F.
sinuatus Oliv. *Ga.G.*
chryseis Curt. *E.m.*
mendax Mannh. *Ga.G.*
Faldermanni Lap. *R.*
subauratus Gebl. *Ga.G.*
coryli Ratzeb. *Ti.Pe.*
auripennis Lap. *A.R.*
viridis L. *E.*
viridipennis Lap.
capreae Chevr.
v. linearis Panz.
v. nocivus Ratzb.
distinguendus Lap.
bicolor Redtb.
v. fagi Ratzb.
Aubei Lap.
quercinus Redtb.
v. ater F.
auricollis Ksw. *Mt.Ga.G.*
lineola Redtb. *Ga.A.*
coeruleus Rossi *Ga.*
eyaneus Lap. *A.G.*

amabilis Lap. *I.F.*
cyanescens Ratzb. *Hi.*
sulcaticeps Abeille
pseudocyaneus Ksw. *G.I.*
betuloti Ratzb. *G.Su.*
pratensis Ratzb. *Ga.G.Su*
linearis Payk. *R.*
Roberti Chevr. *I.*
elongatus Herbst *Ga.G.*
tenuis Ratzeb.
Sahlbergi Mnnerh. *Su.*
viridis Lap. *I.Hu.*
v. cyanus Rossi
angustulus Ill. *E.*
olivaceus Gyllh.
laetefrons Mannh.
pavidus Lap.
laticornis Lap.
v. rugicollis Ratzb.
scaberrimus Ratzb. *G.*
aceris Chevr. *Ga.I.*
laticornis Ill. *E.*
laticollis Kiesw.
olivicolor Kiesw. *Su.Ga.*
olivaceus Ratzb. *G.I.b.*
hastulifer Ratzb. *Ga.G.I.*
graminis Lap. *Ga.G.I.R.*
derasofasciatus Le. *Ga.A.*
angustulus Lap. *E.m.*
litura Kiesw. *Alp.*
curtulus Muls. *Ga.md.*
hemiphanes Mars. *Ga.m.*
Linderi Mars. *Ga.m.*
cinctus Oliv. *Ga.E.m.A.*
v. cytisi Baudi *Al.mar.*
Solieri Gory *Ga.C.*
turcicus Mars. *T.*
Sperki Hochh. *R.m.*
Baudii Bauduer *Ist.*
proximus Bauduer *Ga.*
antiquus Muls. *Ga.m.*
artemisiae Bris. *Ga.m.*
cisti Bris. *Ga.m.*
elegans Muls.
convexifrons Ksw. *Ga.A.I*
grandiceps Kiesw. *T.Gr.*
ziezag Mars. *R.m.*
sericans Kiesw. *Ca.*
cuprescens Lap.
cuprescens Mén. *Ca.*
albogularis Gory *Hu.*
binotatus Gory *I.b.*
aurichaleucus Redt. *Ga.G.*
convexicollis Redtb. *G.AR*
integerrimus Ratz. *Ga.A.*
cupreus Redtb. *R.*

hyperici Crtz. *Ga.G.I.R.*
prasinus Muls. *Ga.m.*
roscidus Kiesw. *Ga.I.T.*
obscuricollis Kiesw. *Ga.G*
Reyi Bauduer *Ga.*
asperrimus Mars. *I.*
minusculus Mars. *A.*

Cylindromor-phus

Kiesenwetter.

subuliformis Mannh. *Hu.R*
tauricus Lap. *Ga.*
carpetanus Perris *Hi.*
filum Gyll. *Ga.A.I.b.*
gallicus Muls. *Ga.m.*
parallelus Fairm. *Ga.m.*
pyrethri Stierl. *R.m.or.*
Popoffi Mars.

Trachynini.

Aphanisticus

Latreille.

distinctus Perris *Hi.*
angustatus Luc. *Ga.m.I.*
siculus Muls. *Si.*
emarginatus F. *E.md.m.*
elongatus Villa *E.m.*
Lamothei Guér. *Ga.G.*
v. canaliculatus Schauf.
pusillus Oliv. *E.*
lineola Germ.
pygmæus Luc. *Hi.Ga.*

Trachys

Fabricius.

reflexa Gené *S.*
minuta L. *E.*
corusca Ponz. *E.md.m.*
pygmaea F.
troglodytes Gyll. *Su.Ga.G*
fragariae Bris. *Ga.G.*
hipponensis Mars. *Pe.*
pumila Ill. *Ga.G.E.m.*
intermedia Lap.
v. scrobiculata Mars. *D.*
v. phlyctaenoides Kol. *R*
v. ahenata Muls. *Cri.*
v. major Perris *Hi.md.*
Marseuli Bris. *Ga.*
Goberti Bauduer *Ga.*
Habroloma Thoms.
nana Herbst *E.*
troglodytes Lap.

triangularis Lac. *P.Si.*
Pandellei Fairm.
quercicola Mars. *Ga.*

Eucnemidae.

Trixagini.

Trixagus

Kugelann.

Throscus Latr.

dermestoides L. *E.*
adstrictor Panz.
similis Baudi *Pe.*
brevicollis Bonv. *Ga.G.I.*
asiaticus Bonv. *I.*
orientalis Bonv. *Ca.*
carinifrons Bonv. *E.*
elateroides Redtb.
elateroides Heer *Ga.G.H.*
gracilis Woll.
exul Bonv. *Ga.G.*
obtusus Curt. *E.*
pusillus Heer
Duvali Bonv. *Ga.G.I.*
modestus Weise *Ca.Tr.*
Dohrn Bethe *R.m.*

Drapetes

Redtenbacher.

mordelloides Illost *E.*
equestris F.

Cerophytini.

Cerophytum

Latreille.

elateroides Latr. *E.md.*

Melasini.

Melasis

Olivier.

buprestoides L. *E.md.b.*
♂ v. elateroides Ill. *I.*

Tharops

Laporte.

Isorhipis Lacord.

melasoides Lap. *Ga.G.I.*
Lepaigei Lac.
nigriiceps Mannerh. *T.*
Marmottani Bris. *Ga.*

Eucnemini.

Euenemis

Ahrens.

capucina Ahr. *Su.Ga.G.I.*

Thambus

Bonvouloir.

Frivaldszkyi Bonv. *Slav.*

Dromaeolus

Kiesenwetter.

barnabita Villa *I.b.St.*
Heydeni Bach *Ga.G.*
maronita Bonv. *Ca.*

Dirrhagus

Latreille.

Microrrhagus Esch.
lepidus Rosenh. *Ti.Tr.*
♀ Manueli Fairm. *Ga.I*
nitidus Costa
pygmaeus F. *Ga.G.Su.R.*
Chevrolati Stierl. *Si.*
brevis Hampe *Croat.*
pyrenaeus Bonv. *P.*

Dirrhagus Lac.
longicornis Hampe. *Tr.*
Büttneri Seidlitz *R.*
elypeatus Hampe. *Ga.G.Tr.*
Emyi Rouget *Ga.*
Sahlbergi Mannh. *F.Alp.*
cinnamomeus Hampe.
Heydeui Kr. *G.*

Farsus

Dural.

unicolor Latr. *Ga.I.*
alticollis Kiesw.

Nematodes

Latreille.

filum F. *E.m.*
foveicollis Thoms. *Su.*
filum Kiesw. *A.*
attenuatus Mäklin *F.*

Anelastidius

Dural.

Feisthameli Graëlls *Hi.*
ineditus Duv.

Hypocoelus

Eschscholtz.

procerulus Manuh *Su.Ga.*

elaterinus Villa *A.I.*
v. *musculus* Rosenh. *Ti.*

Anelastes

Kirby.

barbarus Luc. *C.*

Phyllocerus

Serville.

flavipennis Guér. *D.*
fulvipennis Germ. *Si.*
v. *Grohmanni* Spin.
Spinolae Guér.
longipennis Ferrari *Ca.*
v. ♀ *herculeanus* Schauf. *[Gr.]*

Xylophilus

Mannerheim.

Xylobius Latreille.
alni F. *Su.G.A.*
humeralis Duf. *Su.Ga.*

Hylochares

Latreille.

cruentatus Gyll. *F.Si.*

Otho

Kiesenwetter.

sphondyloides Germ. *G.R.*

Elateridae.

Agrypnini.

Agrypnus

Eschscholtz.

notodontia Latr. *Si.*
himerensis Ragusa

Adelocera

Latreille.

punctata Herbst *F.Ga.*
carbonaria Schrank *G.*
atomaria F. *E.m.*
lepidoptera Panz. *Ga.G.Su.*
conspersa Gyll. *E.b.G.*
fasciata L. *E.*
quercea Herbst *E.*
varia Oliv.
graeca Cand. *Gr.*

Laeon

Laporte.

murinus L. *E.*

v. Kokeili Küst. *Alp.*
crenicollis Mén. *I.Ca.*

Hemirrhipiini.

Alaus

Eschscholtz.

Calais Laporte.

Parreyssi Stev. *Gr. R.m.*

Aeolus

Eschscholtz.

Heteroderes Latr.

crucifer Rossi *E.m.*

Rossi Germ. *R.m.Ca.*

atricapillus Germ. *R.m.*

tessellatus Moraw.

algirinus Lue. *Ga.Hi.*

Porthmidius

Germar.

austriacus Schrank *Ga.*

fulvus Redtb. *A.I.*

Anchastus

Leconte.

Brachycrepis Lee.

acuticornis Grm. *Ga.GHi*

subcyleneus Kiesw. *Gr.*

Drastrerius

Eschscholtz.

bimaculatus Rossi *E.md.*

v. pallipes Küst. *E.m.*

v. 4-signatus Küst.

v. fenestratus Küst.

v. variegatus Küst.

v. binotatus Rossi

Elater

Linné.

Ampedus Germar.

sanguineus L. *E.*

v. rubidus Cand. *G.*

aurilegulus Schauf. *Hi.G.*

cinnabarinus Esch. *E.md.*

lythropterus Grin. *fb.*

v. satrapa Kiesw.

dibaphus Schioedt.

sanguinolentus Schrank

coccineus Schioedt.

v. ephippium Ol. *E.*

coccinatus Rye *Br.*

pomona Steph. *E.md.b.*

praeustus F. *E.md.b.*

cardinalis Schioedt.

? exsanguis Esch.

pomorum Herbst *E.*

ferrugatus Lac.

ochropterus Esch.

erocatus Lac. *E.*

? erubescens Esch.

ochropterus Küst. *T.Ca.*

v. straminipennis Heyd.

rufiventris Cand. *Hi.[Hi.*

elongatus F. *E.*

melanurus Muls. *Ga.*

balteatus L. *E.*

elegantulus Sehh. *E.*

austriacus Lap.

elongatus Ill.

4-signatus Gyll. *Ga.G.*

Chalusii Guér.

basalis Maunh. *R.or.*

tristis L. *E.b.*

sinuatus Germ. *Hu.I.*

erythrogonus Müll. *Mt.E.*

auritus Gyll. *F.*

concolor Stierl. *Pe.H.*

ruficeps Muls. *Ga.A.*

pallidus Redt. *Ti.*

cuneiformis Hamp.

Megerlei Lac. *Mt.Ga.G.*

v. melanotites Gredl. *Ti.*

aethiops Lac. *Mt.Ga.G.*

serofa Germi.

nigerrimus Lac. *Ga.G.I.*

obsidianus Germ.

brunnicornis Germ.

nigrinus Payk. *E.md.b.*

pilosulus Herbst

coenobita Costa *I.m.*

Ischnodes

Germar.

sanguinicollis Panz. *E.*

Megapenthes

Kiesenwetter.

tibialis Lac. *Su.E.md.*

subcarinatus Germ. *I.*

cothurnatus Curt.

divaricatus Desbr. *Ga.*

lugens Redt. *Ga.G.A.*

atterimus Curt. *Br.*

gagates Curt. *J.*

Volkemi Cand. *Ca.Cri.*

v. Retowskii Heyd. *Cri.*

rutilipennis Cand. *Ca.*

Betarmon

Kiesenwetter.

bisbimaculatus Schl. *E.*

4-maculatus F. *fm.*

vittatus Cand. *Hi.b.*

Cryptohypnus

Eschscholtz.

*

Hypolithus Steph.

hyperboreus Gyll. *L.*

planatus Esch. *Alp.*

maritimus Curt. *Br.*

scotus Cand. *I.Ga.*

gracilis Muls. *Alp.Ga.*

morio Kiesw. *G.*

Brucki Cand. *P.*

arcticus Cand. *L.*

riparius F. *Mt.E.*

Meyeri Stierl. *H.*

rivularius Gyll. *L.Alp.*

frigidus Kiesw. *E.b.Alp.*

valesiacus Stierl. *H.*

Negastrius Thoms.

4-pustulatus F. *E.md.b.*

boreophilus Thoms. *L.*

tetratoma Rosenh. *Hi.*

tenuicornis Germ. *A.*

elongatus Redt. *R.*

minuseulus Bach *G.*

consobrinus Muls.

pulchellus L. *E.*

v. arenicola Boh.

sabulicola Boh. *Su.Ga.Tr.*

curtus Germ. *E.m.*

alysidotus Kiesw. *D.I.*

dermestoides Herbst *E.*

v. 4-guttatus Lap.

tetraphagus Germ.

angularis Caud. *Hi.*

exilis Cand.

flavipes Aub *Ga.*

meridionalis Lap. *E.md.*

lapidicola Germ.

pumilio Kiesw. *Si.*

minutissimus Germ. *E.*

liliputanus Germ. *Si.[md.*

erux Küst. *S.*

propinquus Desb. *C.*

Cardiophorus

Eschscholtz

gramineus Seop. *E.*

thoracieus F.

miniaticollis Cand. *Gr.*
syriacus L. *Ca.*
pietus Fald. *T.*
Hinkei Friv.
maeuliecollis Reiche *Gr.*
discicollis Herbst *A.R.Gr.*
ruficollis L. *E.*
collaris Er. *Ga.I.*
ulcerosus Gené *S.Si.*
caucasius Desbr. *Ca.*
argiolus Gené *S.Si.*
anticus Er. *E.m.*
signatus Oliv. *Lu.Hi.*
sexpunctatus Latr.
formosus Curt. *Br.*
biguttatus Oliv. *E.m.*
v. pictus Lap. *Ga.*
v. submaeulatus Lap. *P.*
v. Farinesi Villa
ornatus Cand.
bipunctatus F. *Hi.I.*
nigropunctatus Mot. *R.*
v. cruciatus Faust. *R.m.*
Eleonorae Gené *I.*
rufipes Fourer. *E.m.*
maeulierus Desbr. *C.*
v. Beloni Desbr.
pusillus Desbr. *C.*
Senaci Desbr. *T.*
Getschmanni Cand. *Hi.b.*
permodicus Fald. *Ca.*
vestigialis Er. *E.m.*
pallipes Brull.
tenellus Reiche *Gr.*
procerulus Kiesw. *Gr.*
Kiesenwetteri Cand.
rufururus Brull. *Gr.Si.*
tibialis Er. *Hi.*
nigerrimus Er. *E.md.b.*
Graëlli Cand. *Hi.*
longicornis Schauf. *Hi.*
annulicornis Desbr. *Hi.*
villosulus Desbr. *C.*
melampus Ill. *E.m.*
deflexus Schauf.
breviatus Desbr. *H.*
ebeninus Germ *E.*
turgidus Er. *Gr.T.*
rotundicollis Friv.
atramentarius Er. *E.m.*
musculus Er. *Ga.G.R.I.*
curtulus Muls. *Ga.*
asellus Er. *E.*
concolor Desbr. *R.m.*
exaratus Er. *Ga.Hi.I.*

cinereus Herbst *E.*
v. testaceus F. *Hu.*
v. obesus Brull. *Gr.*
versicolor Muls. *Ga.*
v. asperulus Cand. *Lu.*
agnatus Cand. *E.md.*
ineanus Er. *S.*
crassicollis Er. *R.m.*
geminatus Er. *Cri.*
decorus Fald. *Cri.*
equiseti Herbst *E.*
luridipes Lac. *E.*
rubripes Germ. *E.m.*
♀ pollux Germ.
messenieus Brull.

Melanotus
Eschscholtz.
Cratonychus Lac.
Perimecus Steph.
punctolineatus Pel. *E.md.*
niger F. *E.m.*
tenebrosus Er. *Ga.G.Hi.*
brunnipes Germ. *A.Hu.*
subvestitus Brll. *T.Gr.*
fascicularis Küst. *Gr.T.*
sulcicollis Muls. *Ga.Hi.*
eastanipes Payk. *E.*
fulvipes Gyll.
longipennis Küst.
v. aspericollis Muls. *Si.*
rufipes Herbst *E.*
? sublueens Abeill.
v. bicolor F.
bernhardinus Stierl. *II.*
monticola Mén. *R.m.o.*
punctatocollis Bris. *Ga.Pe.*
crassicollis Er. *E.md.m.*
tristis Küst.
picticornis Heyd. *Lu.*
Hidalgoi Perez *Lu.*
cinerascens Küst. *D.I.*
amplithorax Muls. *Ga.*
dichrous Er. *E.m.*
aemulus Er. *Gr.*
Candezei Stierl. *Si.*
torosus Er. *T.*
fusciceps Gyllh. *R.m.*
♂ villosus Brull. *T.*
fuseacollis Brll. *Gr.*
anachoreta Mén. *R.m.or.*
sobrinus Mén. *R.m.or.*
Menetriesi Fald.

Limonius
Eschscholtz.
rufus Cand. *Hi.*
violaceus Müll. *Ga.G.I.*
suturalis Gebl. *R.m.*
pilosus Leske *E.*
nigripes Gyll.
aeruginosus Oliv. *E.*
cylindricus Payk.
turdus Cand. *Ga.*
marginellus Perris *Hi.*
minutus L. *E.*
♂ forticornis Bach
v. aereus Brull. *Gr.*
v. nitidicollis Lap. *Ga.*
parvulus Panz. *E.md.m.*
mus Ill. *E.*
lythrodes Germ. *E.md.m.*

Pheletes Kiesw.
aeneoniger Deg. *E.*
Brueteri Panz.

Athous
Eschscholtz.
Stenagostus, *Grypcarus*
Thoms. *Anathrotus* Steph.
Crepidophorus Muls.
impressifrons Hampe *T.*
rufus Deg. *E.*
robustus Stierl. *II.*
rhombeus Oliv. *E.*
Langsdorfi Stierl. *Nizza*
porrectus Thoms. *E.*
? hirtus Herbst
? nigrinus Mrsh.
laesus Germ.
niger Redtb.
alpinus Redtb. *E.*
deflexus Thoms.
v. scrutator Hbst. Redt.
♂ aeneithorax Desbr.
jugicola Perez *Lu.*
tartarus Cand. *Cri.*
mutilatus Rosenh. *Su.G.*
foveolatus Hampe *A.*
anthracinus Muls. *Ga.*
delphinus Reiche *Ga.*
haemorrhoidalis F. *E.*
leucophaeus Lac.
semirufus Desbr. *P.*
mulinus Reiche *Ga.*
Lavergnei Reiche *I.*
parallelipedus Brll. *Gr.*
obsoletus Ill. *Lu.S.*
rubrotestaceus Desbr. *Hi.*
difficilis Dufour *P.*
distinctithorax Desbr. *Hi.*
austriacus Desbr. *A.*

vittatus F. E.
 v.semipallens Muls. Ga.
 v. Oeskyi Kiesw. T.
 conicicollis Desbr. Ga.
 pallidipennis Desbr. Ga.
 nigricornis Bris. Hi.
 puncticollis Kiesw. Ga.
 analis Muls. I.
 ineptus Cand. C.Si.
 vicinus Desbr. ?
 cantabricus Schauf. Hi.
 v. angustulus Cand. Hi.
 strictus Reiche P.
 v. Grandini Desbr.
 subtruncatus Muls. Ga.
 virgatus Reiche
 Schneideri Kiesw. Ca.
 longicollis Oliv. E.
 ♀ crassicollis Lac.
 debilis Reiche Hi.b.
 tomentosus Muls. Ga.I.
 sinuatocollis Desbr. Ga.
 crenatostriatus Reich. Ga
 villiger Muls. Ga.S.
 brevicornis Desbr. C.
 filicornis Cand. P.
 infuscatus Esch. R.m.
 undulatus Deg. E.
 trifasciatus Herbst
 v. bifasciatus Gyll. G.
 Sacheri Kiesw. Hu.
 proximus Hampe T.
 ♀ spectabilis Hampe
 reynosae Bris. Hi.
 subfuscus Müll. E.md.b.
 analis F.
 transcaucasicus Strl. Ca.
 Perrisi Desbr. C.
 cingulatus Miller D.
 emaciatus Cand. Ga.I.
 corsicus Reiche C.
 cachecticus Cand. Si.
 crassicornis Cand. MB.Pe
 Godarti Muls. Ga.Hi.
 acutus Muls. Ga.I.
 flavescent Muls. Ga.
 olbiensis Muls. Ga.
 Brucki Caud. Gr.
 Zebei Bach Ga.G.
 biformis Redt. A.I.
 leucophaeus Kiesw.
 recticollis Graëlls Hi.
 spiniger Cand. S.I.
 Chamboveti Muls. Ga.
 sylvaticus Muls. Ga.
 v. laevigatus Desbr. Hi.

quadricollis Desbr. Ga.
 obtusifrons Desbr. Ga.
 pallens Muls. E.m.
 cavifrons Redt. A.
 montanus Cand. A.H.
 ieinus Kiesw. Ti.
 lateralis Bris. Hi.
 circumductus Mén. Hu.R
 circumscriptus Cand. G.
 melanoderes Ksw. Hu
 circumductus Rdtb. A
 difformis Lac. Ga.I.
 interstitialis Desbr. Ga.
 Bonvouloiri Reiche P.
 Ecoffeti Reiche Ga.
 cavus Germ. D.
 tenuis Bris. Hi.
 elongatus Bris. Hi.
 procerus Ill. Hi.
 escorialensis Muls.
 tauricus Cand. Cri.
 Kiesenwetteri Schf. Hi.
 herbigradus Muls. Ga.
 basalis Cand. I.
 longicornis Cand. P.
 pyrenaeus Cand. P.
 flavipennis Caud. Pe.
 hispidus Cand. Ga.
 thessalonicus Reiche T.
 Dejeani Lap. Alp.
 ♂ cervinus Lap.
 ♀ fuscicornis Muls.
 agnatus Reiche Ga.
 epiurus Stierl. T.
 melanoderes Muls. Ga Pe.
 Peragaloi Reiche
 fallax Desbr.
 frigidus Muls. Ga.
 castanescens Muls. Ga.
 v. vestitus Muls. P.
 cylindricollis Muls. Ga.
 oblongicollis Desbr. Al.m.
 uncicollis Perris Hi.
 mandibularis Cand. P.
 ♀ Titanus Muls.
 canus Duf. P.
 limoniiformis Cand. I.
 chloroticus Cand. H.
 pubescens Mannh. ?R.
 Revelierei Rey. C.
 amicus Perris C.
 Raddei Faust Ca.
 depressifrons Desbr. C.
 villosus Desbr. C.
 florentinus Desbr. I.
 nigerrimus Desbr. Alp.

curtulus Desbr. ?
 humeralis Fisch. R.
 strictus Fisch. R.

Isidus

Rey.
 Moreli Rey. Ga.C.

Corymbites

Latreille.

virens Schrank. Ga.
 aeneicollis Oliv. G.
 aulicus Panz. A.
 v. signatus Panz. I.
 pectinicornis L. E.md.b.
 apicalis Perris Hi.md.
 Kiesenwetteri Bris.
 Heyeri Saxesen Ga.G.I.
 cupreus F. Mt.E.md.
 v. aeruginosus F.
 pyrenaeus Charp. P.
 Putoni Desbr. Ga.

Calosirus Thoms.

purpureus Poda E.
 haematodes F.
 v. flavus Gredl. Ti.
 Lederi Heyd. Ca.
 Eschscholtzi Fald. Ca.
 haemapterus Ill. Lu.Hi.
 castaneus L. E.md.b.
 sulphuripennis Grm. E.m
 affinis Lap. Ga.A.
 Zenii Rosenh. Ti.

Actenicerus Kiesw.

sjællandicus Müll. E.
 tessellatus F.
 v. assimilis Gyll.
 Paulinoi Desbr. Lu.

Orithales Kiesw.

serraticornis Payk. G.
 ♀ longulus Gyll. Su.F.

Liotrichus Kiesw.

affinis Payk. Mt.E.
 famulus Germ. Si.
 montivagus Rosh. Ti.
 quercus Gyll. Ol. E.b.
 Gyllenhali Reiche
 incanus Gyll. E.md.
 nivicola Kiesw. Hi.
 tibiellus Chevr.
 angustulus Kiesw. G.

- Pristilophus Kiesw.
— insitivus Germ. *Ga.Hu.*
— depressus Germ. *G.R.*
Gougeleti Fairm. *Hi.b.*
- Tactocomus Kiesw.
— tessellatus L. *E.*
— holosericus Ol.
— undulatus Herbst
— v. bifasciatus Küst.
chrysocomus Germ. *Hu.*
nubilipennis Germ. *R.m.*
- Diacanthus Latr.
— impressus F. *E.md.b.*
— aeratus Muls. *Ga.*
— nigricornis Panz. *E.md.b.*
— metallicus Payk.
melancholicus F. *E.md.*
amplicollis Germ. *P.*
— pyrenaeus Dej.
aeneus L. *E.*
v. germanus L.
v. caucasicus Mén.
v. nitens Scop.
v. viridinitens Voet.
rugosus Germ. *Alp.*
v. confluens Gebl. *R.m.*
sulcatus Cand. *Siles.*
latus F. *E.md.m.*
v. gravidus Germ.
v. Milo Germ.
v. saginatus Mén. *Ca.*
eruciatus L. *E.*
alpestris Mén. *Ca.*
— profugus Fald.
globicollis Germ. *G.Ca.*
bipustulatus L. *E.md.b.*
- Hypoganus Kiesw.
— cinetus Payk. *Su.F.*
— inunetus Lac. *Ga.G.*
- Paranomus Kiesw.
— guttatus Germ. *Mt.E.md.*
costalis Payk. *Su.L.F.*
♂ parvicollis Mannh.
- flavescens Eschsch. *Ca.*
- Dima**
Eschscholtz.
- elateroides Charp. *A.Ti.*
dalmatina Küst. *D.*
- Dima Schauf. (Celox) *Hi.*
Perezi Seidlitz *[md.]*
- Ludius**
Latrelle.
- grandis Fald. *R.m.or.*
ferrugineus L. *E.*
v. occitanicus Villers.
Trichophorus Muls.
Guillebeau Muls. *Ga.I.*
- Agriotes**
Eschscholtz.
- * * *
- Ectinus Eschsch.
aterimus L. *E.*
niger Degeer
obscurus Herbst
v. volvynensis Fisch. *R.*
meticulosus Cand. *Ca.*
- Agriotes i. sp.
gurgistanus Fald. *Ca.Cri.*
turciens Cand. *D.T.*
corsicus Cand. *C.*
pilosellus Schl. *E.md.*
pilosus Panz. *E.m.*
v. nudus Küst. *Gr.*
tauricus Heyd. *Cri.*
parallelus Baudi *Sabaud.*
Laicheftungi Gredl. *Ti.*
meridiionalis Dsbr. *Ga.*
ustulatus Schaller *E.md.*
blandus Germ. *E.m.*
gilvellus Lac.
flavicornis Redtb.
confusus Bach
sputator Redtb.
nitidicollis Miller *D.*
sputator L. *E.*
rufulus Lac.
graminicola Redt.
? cibrosus Esch.
? corallifer Esch.
v. lapicida Fald. *Ca.*
infuscatus Desbr. *Balk.*
hispanicus Desbr. *Hi.*
lineatus L. *E.*
segetis Bjerk.
v. strigosus Kiesw. *Gr.*
obscurus L. *E.*
variabilis F.
rubiginosus Cand. *Gr.*
brevis Cand. *Ga.*
sordidus Ill. *E.m.*
rufipalpis Brull.
- v. scutellatus Schf. *Bal.*
italicus Bandi *I.Pe.*
punctulatus Brull. *Gr.*
carinifrons Desbr. *Ca.*
paludum Kiesw. *Gr.*
litigiosus Rossi *Ga.I.*
castaneus Fairm. *Si.*
modestus Kiesw. *A.Hu.*
filiformis Cand. *T.*
sobrinus Kiesw. *Ga.G.*
pallidulus Redtb.
pallidulus Ill. *E.md.m.*
nmbrinus Germ.
gallicus Lac. *Ga.G.R.*
picolus Küst. *D.Ga.*
monachus Muls. *Cri.*
murinus Mill. *Gr.*
karabaghensis Kol. *Ca.*
- acuminatus Steph. *Br.*
- Idolus** Desbr.
Metopius Desbr.
picipennis Bach *Ga.G.*
— styriacus Redtb. *Hu.*
v. axillaris Kiesw.
scapulatus Cand. *E.m.*
- Dolopius**
Eschscholtz.
- marginatus L. *E.*
sticticus Panz.
depressus Esch.
- Sericus**
Eschscholtz.
Sericosomus Redtb.
- brunneus L. *E.*
♂ fugax F.
v. sulcipennis Baud. *I.*
subaeneus Redt. *Mt.E.md.*
♂ jucundus Märk.
♀ xanthodon Märk.
contiguus Fald. *Ca.*
- Pittonotus**
Kiesenwetter.
Ectinus Cand.
- Theseus Germ. *E.m.*
- Synaptus**
Eschscholtz.
Ctenonychus Steph.
filiformis F. *E.*

incola Herbst
cinereus Illig.
v.unguliferris Gyll. E.or
v. erivans Fald. Ca.

Silesis

Candèze.

terminatus Er. E.m.
dimidiatipennis Reche.
rutilipennis Ill. Ga.Lu.
cordubensis Heyd. Hi.
concolor Desbr. T.

Adrastus

Eschscholtz.

limbatus F. E.md.m.
pusillus F. [Sab.
v. porrectifrons Gozis
axillaris Er. G.
turcicus Stierl. T.
pallens F. E.
limbatus Payk.
pusillus Herbst
lacertosus Er. E.m.
nanus Herbst E.md.
♀ luteipennis Er.
humilis Er. Ga.G.A.
rudis Küst. I.
Miegi Graëlls Hi.

Denticollini.

Denticollis

Piller.

Campylus Fisch.

Lepturoides Herbst.

rubens Piller M.t.E.
denticollis F.
linearis L. E.
♀ mesomelas L.
v. livens F.
v. marginatus F.
borealis Payk. E.b.
parallelocollis Aubé Ca.

Campylomor-

plus

Ducal

homalisinus Ill. E.m.

Ceroplastus

Hedyn.

Plastocerus auct.

angulosus Germ. T.

Pleonomus

Ménétriés.

strictus Cand. II.

Isosoma

Ménétriés.

elateroides Mén. Ca.

Cebriidae.

Cebrio

Olivier.

morio Leach Lu.

superbus Duv. Hi.m.

carbonarius Chevr. Hi.

Fabričii Leach Hi.b.Si.

v. xanthomerus Germ. P

pubicornis Fairm. Lu.

frater Duv. Hi.b.

insularis Chevr. D.

Alleonis Fairm. Alban

gigas F. Ga.

promelus Leach E.m.

♀ Latreillei Leach

dubius Rossi I.

neapolitanus Costa

♀ brevicornis Oliv.

corsicus Duv. C.

semiflavus Chevr. Gr.

Benedicti Fairm. Si.

fossulatus Perris C.

varicolor Perris S.

Seoanei Perez Hi.

fuscatus Costa Si.

sardous Perris S.

Getschmanni Chevr. Hi.m

strictus Gené S.

suturalis Boisd. Hi.m.

andalusicus Duv. Hi.

gypsicola Graëlls Hi.

impressicollis Chevr. Hi.

antennatus Chevr. Gr.

Bruleriei Heyd. Lu.

insignatus Duv. Hi.

malaccensis Dieck Hi.

Dufouri Graëlls Hi.

anthracinus Chevr. Hi.

rufifrons Graëlls Hi.

tricolor Graëlls Hi.

Yserni Graëlls Hi.

melanocephalus Germ.

Germari Duv. Si.

cordubensis Perez Hi.m.

angusticornis Fairm. Hi.m.

personatus Chevr. Hi.m.

ruficollis F. Hi.m.

maculicollis Fairm.

? testaceus Lap.

Moyses Fairm. Lu.

parvicollis Dieck Hi.

Amori Graëlls Hi.

tarifensis Dieck Hi.

puberulus Chevr. Hi.

Carrenoï Graëlls Hi.

rubicundus Duv. Hi.

apicalis Chevr. Hi.

Rhipiceridae.

Arrhaphipterus

Kraatz.

Arrhaphus Kraatz.

olivetorum Kraatz. Gr.

Dascillidae.

Dascillini.

Dascillus

Latreille.

Atropa Payk.

cervinus L. E.

♀ cinereus F. Si.

sicanus Fairm. Si.

parallelus Dohrn

elongatus Fald. R.m.Ca.

Pseudodaetus

Hampe.

cribratus Hampe I.

Cyphonini.

Helodes

Latreille.

minutus L. E.

pallidus F.

v. lactus Panz.

sericeus Kiesw. Gr.

Genei Guér. Ga.S.

elongatus Tourn. H.Gr.

Kiesenwetteri Tourn. Gr.

chrysocomes Abeille Ga.

nigripennis Tourn. T.

scutellaris Tourn. Hi.

Tournieri Kiesw. S.

flavicollis Kiesw. E.m.m.

Carolinae Tschapek

Gredleri Kiesw. *Ti.*
Hausmanni Gredl. *Ti.*
Bonvouloiri Tourn. *H.*
marginatus F. *E.*
trilineatus Chevr.

Microcara

Thomson.
testacea L. *E.*
livida F.
Bohemani Mannh. *Su.G.*
dispar Seidlitz *Hi.*

Cyphon

Paykull.
coaretatus Payk. *E.*
♀ fuscicornis Thoms.
cartusiensis Gozis *Ga.alp.*
tabidus Kiesw. *Gr.*
ruficeps Tourn. *II.*
elongatus Tourn. *Ga.Br.*
puncticollis Tourn. *H.*
intermedius Tourn. *II.*
Barnevillei Tourn. *Ga.*
palustris Thoms. *E.*
♀ maeer Kiesw.
nitidulus Thoms. *E.*
♀ pallidiventris Ths.
grandis Tourn. *H.Ga.*

Künckeli Muls. *MR.Ga.*
laevipennis Tourn. *Ju.*
Putoni Bris. *Ga.*
padi L. *E.*
discolor Panz.
gratosus Kolen.
pygmaeus Payk.
pusillus Guér.
depressus Muls. *Ga.*
hydrocyphooides Trn. *I.*
sulcicollis Muls. *Ga.*
variabilis Thunb. *E.*
pubescens F.
♂ nigriceps Kiesw.
punctipennis Sharp *Sc.*
siculus Tourn. *Si.*
saturalis Tourn. *Ga.H.G.*
impressus Kiesw. *S.*
Paykulli Guér. *Ga.*
pallidulus Boh. *E.md.b.*

Prionocyphon

Redtenbacher.
sericicornis Müll. *E.md.b.*

Hydrocyphon

Redtenbacher.
deflexicollis Müll. *E.md.*
australis Linder *Ga.Hi.*

Scirtes

Illiger.
hemisphaericus L. *E.*
v. attenuatus Baud. *Pe.*
orbicularis Panz. *E.md.*

Eucinetini.

Eucinetus

Germar.

Nycteus Latreille.

haemorrhoidalis Germ. *E.*
meridionalis Lap. *Ga.Hi.*
caucusicus Reitt. *Ca.*

Eubriini.

Eubria

Redtenbacher.

palustris Germ. *Ga.G.I.*
v. marchantii Duval.

Cantharidae.

Lycini.

Homalitus

Geoffroy.

fontisbellaquei Fourer.
suturalis Villers *E.*
Victoris Muls. *Ga.[md.m.]*
sauguinipennis Lap. *D.*
tauriensis Baud. *Pe.*

Phaeopterus Costa.
nigricornis Reitt. *D.*
unicolor Costa *I.m.*

Thilmanus

Baudi.

fuscus Baudi *C.S.*
malthinipennis Bourg. *Gr.*

Paradrilus

Kiesenwetter.

opacus Kiesw. *Hi.*

Eros

Newman.

Dictyopterus Muls.

Aurora Herbst *E.*
coccineus Gemm.

hybridus Mannh.
rubens Gyll. *Ga.G.R.*
sanguinea Scop.

alternatus Fairm. *Hi.*
decipens Mars. *Hi.*

longicornis Reiche *Ca.*
Wankowiczi Bedel *R.*
erythropterus Baud.

Pyropterus

Mulsant.

affinis Payk. *G.R.*
♀ nigroruber Deg. *Su.*

Platycis

Thomson.

Schneideri Kiesw. *Ca.*
abdominalis Reiche
Cosnardi Chevr. *Su.*
flavescens Redtb. *G.*
Merckii Muls.

minutus F. *E.*
♂ nigrorubra Deg.
pusilla Gmelin

Dictyoptera

Latreille.

Lygistorpterus Muls.
sanguinea L. *E.*
rufipennis Latr.
villosa Deg.
superba Mot. *R.m.*

Lampyridi.

Pelania

Mulsant.

mauritauica L. *Ga.Hi.*

Lampyris

Linnae.

Reichei Duv. *P.*
mauritanica Ol. *Hi.*
soror Schaum *E.m.*
Zenkeri Duv.
membranacea Mot. *R.m.*
angustata Mot. *Ca.*
caueasica Mot. *Ca.*
orientalis Falb. *Ca.*
lusitanica Mot. *Ga.*
Raymondi Muls. *Lu.*
mauritanica Küst. *Hi.*
depressiuscula Mot. *Ca.*
Zenkeri Germ. *D.*
Germariensis Duv.
ambigena Duv. *Si.*

Lareyniei Duv.	S.
brutia Costa	I.m.
morio Baudi	I.
bicarinata Muls.	C.Ga.
Bonvouloiri Duv.	Si.
molesta Duv.	Pe.
Brullei Reiche	Gr.
Zenkeri Brull.	
noctiluca L.	E.
longipennis Mot.	
v. Bellieri Reiche	Ga.P.
cineta Mot.	R.m.
limbata Mot.	Ca.
brevicollis Mot.	Ca.

Lamprorrhiza*Duval.*

Mulsanti Kiesw.	P.
Boieldieui Duv.	Ga.
Farinesi Villa	I.
Delarouzei Duv.	Ga.
foliacea Baudi	S.
splendidula L.	E.
antiqua Brull.	
morio Baudi	I.
Germari Küst.	D.

Phosphaenus*Laporte.*

hemipterus Geoff.	E.
v. brachypterus Mot.	

Phosphaenopterus*Schaufuss.*

Metzneri Schauf.	Lu.
------------------	-----

Luciola*Laporte.*

Colophotia Dejean	
mingrelica Mén.	Tr.Ca.
mehadiensis Fald.	Hu.
caucasica Mot.	Ca.
collaris Mot.	R.m.
lusitanica Charp.	E.m.
v. mentonensis Perag.	
obtusangula Mot.	Cri.
italica L.	I.Ga.
illyrica Küst.	
v. pedemontana Mot.	
v. minuta Mot.	
suturalis Mén.	T.
pontica Mot.	Ca.
gracea Lap.	Gr.
dispar Fairm.	T.

Cantharini.**Podabrus***Westwood.*

alpius Payk.	Mt.E.
v. annulatus Kiesw.	
v. rubens F.	E.b.
v. lateralis Er.	
Moequerysi Reiche	Ga.b.

Anolisus Muls.

procerulus Ksw.	Al.mar.
lapponicus Gyll.	I.

nigriventris Fisch.	R.
lunulatus Fisch.	R.m.

Nastonycha*Motschulsky.*

brachyptera Mot.	Ca.
------------------	-----

Cantharis*Linné.*

Telephorus Schaeffer.	
*	

Ancistronycha Märk.	
abdominalis F.	E.md.

v. cyanipennis Bach	
cyanea Dietr.	

v. occipitalis Rosenh.	
consobrina Märk.	

v. passeriana Gredl.	Ti.
rufidens Mars.	C.

hispanica Reiche	Hi.b.
astur Heyden	Hi.b.

violacea Payk.	Em.d.
v. tigurina Dietr.	♀

violacea Dietr.	♂
cordicollis Küst.	R.m.

Erichsoni Bach	Ga.G.
----------------	-------

Cantharis i. sp.

annularis Mén.	E.m.
illyrica Muls.	Ga.G.

oculata Gebl.	R.m.
longitarsis Pand.	Ga.P.

fusca L.	E.
m. rugifrons Lap	

fuscipennis Muls.	D.Si.
rufifrons Mars.	

rustica Fall.	E.
Reichei Muls.	Hi.

tristis F.	Mt.E.md.
obscura L.	F.

funesta Fald.	R.m.Ca.
---------------	---------

brevipennis Fald.	Oa.
funebris Mars.	T.

pulicaria F.	E.
opaca Germ.	

discicollis Brull.	
fibulata Märk.	Mt.E.md.

instabilis Kiesw.	Hi.
albomarginata Märk.	Alp.

cornix Abeille.	Ga.
nigricans Müll.	E.md.b.

v. plumbea Eschsch.	
v. arvernica Desbr.	Ga.

xanthoporpa Kiesw.	P.
v. signaticollis Muls.	

hospes Rosh.	T.b.
versicolor Baudi	I.

pellucida F.	E.md.b.
livida L.	E.

v. scapularis Redt.	
v. rufipes Herbst	

dispar F.	
v. Menetriesi Fald.	

v. eremita Rosh.	
bubsequa Gozis	Ca.

immaculicollis Lap.	Ga.Si
decolorans Brull.	Gr.

longicollis Kiesw.	Gr.
cyanipennis Redt.	A.

brevicornis Kiesw.	P.
palliata Gyll.	St.Hi.

figurata Mannh.	E.md.b.
iliaca Mars.	T.

assimilis Payk.	E.md.Su.
♀ fulvipennis Germi.	

dilatata Redt.	
sudetica Letzn.	G.

Chapelieri Reiche	Ga.
coronata Gyll.	Hi.

foetida Méu.	R.m.
rufa L.	E.

maculicollis Steph.	
analis Steph.	

v. liturata Fall.	
v. ustulata Kiesw.	

v. pallida Goeze	
bicolor Panz.	

orecreata Reiche	C.
hispanica Reiche	Hi.

iuculta Gené	S.
Genei Gené	S.

rufocapitata Gemm.	Gr.
ruficeps Kiesw.	

edentula Baudi	R.m.
Paulinoi Kiesw.	Lu.

praecox Gené	C.
vittatocollis Baudi	

pagana Rosh.	<i>T. b.</i>
fulvicollis F.	<i>E.</i>
nivalis Germ.	
thoracica Redtb.	
v. rufilabris Fall.	
pygmaea Mén.	<i>Ca.</i>
thoracica Oliv.	<i>E.</i>
fulvicollis Redtb.	
dissipata Gemm.	<i>C.</i>
dichroma Reiche	<i>S.</i>
flavilabris Fall.	<i>E. md. b.</i>
paludosa Fall.	<i>E. md. b.</i>
boreella Zett.	
Ariasi Muls.	<i>Hi.</i>
oralis Germ.	<i>Br. Ga. G.</i>
?lateralis L.	<i>Hi.</i>
olympica Mars.	<i>Gr.</i>
atrata Mars.	<i>Hi.</i>
marginiventris Rche.	<i>T.</i>
bivittata Mars.	<i>Ga. Hi.</i>
v. Getschmanni Heyd.	
discoidea Ahr.	<i>Ga. G.</i>
siguata Fald.	<i>Hu.</i>
humeralis Redt.	<i>Gr.</i>
v. liturata Redt.	
notata Waltl	
lineata Bach	
deserta Dietr.	
ephippiger Brull.	<i>Gr.</i>
lineata Kiesw.	<i>P.</i>
Seidlitz Kiesw.	<i>Hi.</i>
anteunatalis Mars.	<i>Hi.</i>
franciana Kiesw.	<i>Hi.</i>
turcica Mars.	<i>T.</i>
♀ apicalis Reiche	<i>Gr.</i>
rufimana Mén.	<i>Gr. R.</i>
haemorrhoidalis F.	<i>E.</i>
puncticollis Levr.	
clypeata Ill.	
Picciolii Ragusa	
decipiens Baud.	<i>Pe. Su.</i>
?haemorrhoidalis Ths	
unguiculata Baud.	<i>Hi.</i>

Rhagonycha

Eschscholtz.

Absidia Muls.	
pilosa Payk.	<i>E. md. b.</i>
v. rufotestacea Letzn.	
v. Schönerri Mannh.	
v. unicolor Curt.	
prolixa Märk.	<i>G. Alp.</i>
♀ sulcifrons Märk.	
angularis Sahlb.	<i>F.</i>
Armidia Muls.	
barbara F.	<i>Siles. Car.</i>

signata Germ.	<i>Mt. Ga. G.</i>
ericeti Kiesw.	<i>Ga. Hi.</i>
gracilis Pand.	<i>P.</i>
sulcicollis Brull.	<i>Gr.</i>
fusiceps Luc.	<i>Gr.</i>
Rhagonycha i. sp.	
translueida Krynn.	<i>Ga. G.</i>
rufescens Letzn.	
concolor Märk.	
angulatocollis Costa	<i>I.</i>
nigriceps Waltl	<i>Alp.</i>
♂ v. boops Kiesw.	<i>P.</i>
cantabrica Heyd.	<i>Hi.</i>
fuscicornis Oliv.	<i>Ga. Su.</i>
v. Märkeli Kiesw.	<i>G.</i>
nigritarsis Brull.	<i>Gr.</i>
fulva Scop.	<i>E.</i>
melanura Oliv.	
usta Gemm.	<i>A. I.</i>
terminalis Redtb.	
chlorotica Gené	<i>C. S.</i>
v. corsica Reiche	
patricia Kiesw.	<i>Hi.</i>
vicina Baudi	<i>R. m.</i>
aetolica Kiesw.	<i>Gr.</i>
oliveti Kiesw.	<i>Hi.</i>
gilvipennis Rosh.	<i>Hi.</i>
notaticollis Rosh.	<i>Hi.</i>
opaca Muls.	<i>Ga. Hi.</i>
genistae Kiesw.	<i>Hi.</i>
plagiella Mars.	<i>Hi.</i>
quadricollis Kiesw.	<i>Hi.</i>
limbipennis Mars.	
v. marginella Baud.	
querctei Kiesw.	<i>Hi.</i>
Meisteri Gredler	<i>Ti.</i>
maculicollis Mrk.	<i>Cr.</i>
v. pedemontana Bd.	<i>Pe.</i>
testacea L.	<i>E.</i>
v. limbata Thoms.	
vitticollis Mén.	<i>Ca.</i>
sareptana Mars.	<i>R. m.</i>
femoralis Brull., Redt.	<i>Gr.</i>
fugax Mannh.	<i>E. md. b.</i>
nigripes Redtb.	<i>E. md.</i>
alpicola Heer.	
v. Scopolini Gredler	<i>Ti.</i>
nigricollis Mot.	<i>Hi.</i>
semiflava Küst.	<i>Ga.</i>
guadarrameensis Grls.	
pallipes F.	<i>E.</i>
pallida F.	
straminea Kiesw.	<i>Gr.</i>
Fairmairei Mars.	<i>Hi.</i>
♀ heteronota Pand.	

cruentata Reiche	<i>Gr.</i>
nitida Baudi	<i>Hi. S.</i>
banatica Rosenh.	<i>Hi.</i>
Milleri Kiesw.	<i>Ti.</i>
hesperica Baudi	<i>Hi.</i>
varians Rosenh.	<i>Hi.</i>
bithynica Mars.	<i>T.</i>
viduata Küst.	<i>D.</i>
xanthopus Kiesw.	<i>Gr.</i>
rorida Kiesw.	<i>Tr.</i>
morio Kiesw.	<i>P.</i>
elongata Fall.	<i>E. md. b.</i>
paludosa Redt.	
obscuripes J. Sahlb.	<i>L.</i>
galiciana Goug.	<i>Hi.</i>
atra L.	<i>E.</i>
v. rhaetica Stierl.	<i>H.</i>
soror Kiesw.	<i>D.</i>

Pygidia

Mulsant.

sicula Mars.	<i>Si.</i>
distinguenda Baud.	<i>Alp.</i>
laricicola Kiesw.	
denticollis Schumm.	<i>Ga. G.</i>
Redtenbacheri Märk.	
planicollis Kiesw.	<i>Si.</i>
punctipennis Kiesw.	<i>Alp.</i>
laeta F.	<i>Ti. I.</i>

tibialis Brull.	<i>Gr.</i>
Brullei Mars.	<i>Gr.</i>
bicolor Brull.	
scotica Crotch	<i>Sc.</i>
melanodera Esch.	<i>Ca.</i>
melanoscelis Kolen.	<i>R. m.</i>
Darwiniana Sharp	<i>Br.</i>
analis F.	<i>E.</i>
terminata Fald.	<i>Ca.</i>

Silis

Latreille.

nitidula F.	<i>Ga. G.</i>
♂ excisa Germ.	<i>R.</i>
spinicollis Charp.	<i>I.</i>
ruficollis F.	<i>E. md. b.</i>
rubricollis Charp.	
torquata Gyll.	
neapolitana Mars.	<i>L.</i>

Porostenus

Motschulsky.

pediloides Mot.	<i>Ga. m.</i>
-----------------	---------------

Malchinus

Kiesenwetter.

telephoroides Abeille *Ga.*
demissus Kiesw. *Carn.*
sinuatocollis Ksw. *D. Ill.*
tunicatus Kiesw. *Pe.*
nigrinus Schauf. *D.*

Podistra

Motschulskg.

rupicola Kiesw. *Carn.*
alpina Mot. *Ca.*

Macrocerus

Motschulskg.

oculatus Mot. *Ca.*

Apodistrus

Reitter.

brachypterus Ksw. *A.Ti.*

Malthinus

Latreille.

rubricollis Muls. Baudi *C.*
striatulus Muls. *Ga.m.*
incanus Kiesw. *T.*
biguttulus Payk. *E. md. b.*
rhaphidiceps Kiesw. *T.*
alpinus Muls. *Ga.*
filicornis Kiesw. *I.*
v. scriptus Kiesw. *Hi.*
scapularis Mars. *Malta*
scutellaris Rosh. *Hi.*
punctatus Fourer. *E.*

flaveolus Payk.
bilineatus Kiesw. *Ga.*
Kiesenwetteri Bris. *Ga.*
cincticollis Kiesw. *P.*
ornatus Rosh. *Hi.*
diffusus Kiesw. *Hi.*
obscuripes Kiesw. *Hi.*
geniculatus Kiesw. *Gr.*
stigmatias Kiesw. *Hi.*
armipes Kiesw. *S.*
seriepunctatus Ksw. *E.m.*
fasciatus Oliv. *E. md. b.*
facialis Thoms. *Su.*
balteatus Suffr. *G.b.*
dryocoetes Rottb. *Si.*

sicanus Kiesw.
glabellus Kiesw. *Ga.G.*
laevicollis Kiesw. *Gr.*
vitellinus Kiesw. *Hi.*
sordidus Kiesw. *I.*

frontalis Marsh. *Ga.G.Su.*
longicornis Kiesw. *Hi.*

lituratus Mot. *Hi.*
robustus Mot. *R. m.*
lateralis Mot. *Cri.*
dubius Mot. *T.*
carbonarius Waltl *G.*
fuscus Waltl *Bavar.*
laetus Waltl *Bavar.*

Malthodes

Kiesenwetter.

minimus L. *E.*
sanguinolentus Fall.
creticus Kiesw. *Cret.*
crassicornis Mäkl. *Su.*
helveticus Ksw. *G.H.*
simplex Kiesw. *I.m.*
tristis Kiesw. *A.I.b.*
pellucidus Kiesw. *E.md.b.*
graeccus Kiesw. *Gr.*
turcicus Kiesw. *T.*
modestus Kiesw. *Hi.b.*
nigellus Kiesw. *E.md.b.*
brevicollis Thoms.
marginatus Latr. *E. md. b.*
bifiggatus Panz.
forcipifer Kiesw. *Ga. Hi.*
volgensis Kiesw. *R. m.*
dispar Germ. *Su.G.I.*
neglectus Muls. *Ga.*
tenax Kiesw. *C.*
flavoguttatus Ksw. *Ga.G.*
limbiventris Thoms. *Su.*
alpinus Muls. *Ga.*
chelifer Kiesw. *Ga.m.Hi.*
Raymondi Kiesw. *S.*
bifurcatus Kiesw. *Si.*
discicollis Baudi *Ga.m.*
meridianus Muls.
spectabilis Kiesw. *I.*
maurus Lap. *Ga.G.*
misellus Kiesw. *Ga.G.*
fibulatus Kiesw. *Ga.G.Su.*
distans Thoms. *L.*
profanus Kiesw. *G.*
guttifer Kiesw. *Su.Ga.G.*
alpicola Kiesw. *Alp.II.*
spretus Kiesw. *H.Carn.*
affinis Muls. *Ga.*
mendax Kiesw. *C.*
picticollis Kiesw. *I.*
validicornis Suffr. *Lu.*
hispanicus Baud. *Hi.*
arbustorum Kiesw. *Hi.*

argivus Kiesw. *Gr.*
stylifer Kiesw. *Hi.*
insularis Kiesw. *C.*
aenulus Kiesw. *MR. Ti.*
prodigiosus Kiesw. *?Hu.*
mysticus Kiesw. *E.md.b.*
v. obscuriusculus Dietr.
eruciatus Baudi *S.*
eruciferarum Kiesw. *Hi.*
rosmarini Kiesw. *Hi.*
pulicarius Redt. *G.R.m.*
dimidiatocollis Rosh.
?auritus Mot.
curtipennis Mot. *Ca.*
siculus Kiesw. *Si.*
berberidis Kiesw. *Hi.*
lautus Kiesw. *G.m.Hu.*
trifurcatus Kiesw. *Alp.*
v. penninus Baud.
atramentarius Kiesw. *St.*
ensifer Kiesw. *S.*
pinnatus Kiesw. *I.m.*
recurvus Baudi *Pe.*
tetracanthus Kiesw. *I.A.*
manubriatus Kiesw. *I.*
boicus Kiesw. *G.*
hamatus Kiesw. *S.*
quadrispinosus Kiesw. *Si.*
brevicollis Payk. *E.md.*
atomus Thoms. *E.b.*
parthenias Kiesw. *I.*
procerulus Kiesw. *Ga.m.*
hastulifer Kiesw. *Si.*
corsicus Kiesw. *C.*
umbrosus Kiesw. *I.*
facetus Kiesw. *I.*
laciniatus Kiesw. *Si.*
lobatus Kiesw. *G.*
hexacanthus Ksw. *E.md.*
cordiger Kiesw. *C.S.*
subductus Kiesw. *Carn.*
cyphonurus Kiesw. *MR.*
montanus Kiesw. *Carn.*
ruralis Kiesw. *Si.*
spathifer Kiesw. *E. md. b.*
setifer Baudi *Alp.mar.*
genistae Kiesw. *Hi.*
subsericeus Kiesw. *D.Ill.*
meiloformis Linder *P.*
debilis Kiesw. *Ga.m.*

nigricollis Baudi *D.*
cephalotes Baudi *D.*
vincens Gredler *Ti.*
atratus Baudi *P.or.*
apterus Muls. *Ga.*

ibericus Rosenh.	<i>Hi.</i>
nigriceps Muls.	<i>Ga.</i>
cognatus Costa	<i>Im.</i>
sulphuriguttatus Mot.	<i>Ca.</i>
curtipennis Mot.	<i>Ca.</i>
unicolor Mot.	<i>Ca.</i>
angusticollis Mot.	<i>H.</i>
brachythorax Mot.	<i>St.</i>
cinctellus Mot.	<i>Ga.m.</i>
eroeicecollis Mot.	<i>Sax.</i>
dilutus Mot.	<i>G.</i>
morio Mot.	<i>Carn.</i>
obsecuricollis Mot.	<i>Cri.</i>
punilus Mot.	<i>Cri.</i>
sardous Mot.	<i>S.</i>
ustulatus Mot.	<i>St.</i>
ventralis Mot.	<i>Hi.</i>

Drilini.

Malacogaster

Bassi.

Passerinii Bassi	<i>Si.</i>
v. thoracica Redt.	
nigripes Schauf.	<i>Hi.</i>

Drilus

Olivier.

flavescens Rossi	<i>E.md.m.</i>
v. flabellatus Kiesw.	<i>Gr.</i>
fulvitarsis Baudi	<i>Ca.</i>
concolor Ahr.	<i>G.</i>
pectinatus Gyll.	<i>Su.</i>
ater Audouin	<i>Ga.</i>
longulus Kiesw.	<i>Creta.</i>
fulvicornis Kiesw.	<i>Gr.</i>
fulvicollis Audouin	<i>D.</i>
venustus Guér.	<i>Ga.</i>
amabilis Schauf.	<i>Bal.</i>

Malachiini.

Haplochrus

Erichson.

vittatus Morawitz	<i>R.m.</i>
variegatus Er.	<i>R.m.</i>
pectinicornis Er.	<i>R.m.</i>
femoralis Er.	<i>E.</i>
maculicollis Peyron	<i>R.m.</i>
flavicollis Schauf.	<i>R.m.</i>
pictus Mot.	<i>U.</i>
flavolimbatus Muls.	<i>E.m.</i>
v. tricolor Kiesw.	<i>Hi.m.</i>

Cyrtosus

Motschulsky.

Anthodytes	Kiesw.
cyanipennis Er.	<i>Ga.Hi.l.</i>
flavilabris Waltl	<i>Hi.</i>
♀ tristis Luc.	
v. ♂ angusticollis	Baudi
Lethierryi Peyron	<i>Hi.</i>
corniculatus Kr.	<i>Gr.</i>
♀ ♀ nitidicollis	Chevr.
armifrons Kr.	<i>Gr. T.</i>
♀ longicollis	Kiesw.
ovalis Cast.	<i>I.D.</i>
longicollis Erichson	<i>S.C.</i>
♀ parallelus	Küst.
v. bicolor Perris	
signicollis Muls.	
dispar Fairm.	<i>C.</i>

imperialis Moraw.

R.m. rubidus Er. *Ga.G.*

fallax Strübing *Hi.*

carnifex Er. *T Gr.*

stolatus Muls. *R.m.*

saturellus Ksw. *Cret.*

graeceus Kr. *Gr.T.R.m.*

♀ submarginatus Mt.

♀ fallaciosus Baudi

lusitanicus Er. *Lu.Hi.S.*

australis Muls. *I.Ga.*

bipustulatus L. *E.*

v. aetolicus Kiesw. *Gr.*

lusitanicus Ksw. *Lu.*

aeneus L. *E.*

v. Faldermanni Fald. *Ca.*

versicolor Fald. *Co.*

♂ tricolor Baudi

rufus Oliv. *Ga.m Hi.t.*

marginellus F. *E.md.m.*

♂ bispinosus Curt.

carinifrons Baudi *Ca.*

coeruleus Er. *Lu.Hi.*

v. limbifer Kiesw.

♀ hilaris Rosh.

semilimbatus Fairm.

v. lippus Chevr.

affinis Mén. *E.md.m.*

♂ laticollis Rosh.

gracilis Miller

v. corticornis Kiesw.

spinipennis Germ. *A Ga.*

♂ spinosus Brull. *R.H.*

♀ eruentatus Mot.

♀ antenuatus Mot.

v. brevispina Kiesw. *S.*

muticus Baudi

ambiguus Peyr. *Al.H. Ica.*

geniculatus Germ. *Ga.A.*

v. armeniacus Fald. *Co.*

elegans Oliv. *E.md.*

parilis Er. *E.m.*

v. calabrus Baudi *I.m.*

falcifer Abeille *R.m.or.*

spinosus Er. *E.md.m.*

♀ angustatus Mén. *Ca.*

v. chlorizans Er. *S.*

cavifrons Kiesw. *Ca.*

opacus Kiesw. *Ca.*

monticola Kiesw. *Ca.*

debilis Kiesw. *Ca.*

— Anthocomus

Erichson.

Celidus Muls.

rufus Herbst *E.*

sanguinolentus F.
miniatus Kolen. *Ca.*
equestris F. *E.*
v. dealbatus Kr. *A.*
v. sellatus Solsky *R.m.*
v. humeralis Moraw. *R.m.*
fasciatus L. *E.*
v. regalis Charp.
fenestratus Liuder *P.*
regalis Abeille

Carapheles

Mulsant.

Diaphonus Mulsant.
terminatus Ménétr. *Ga.G.*
festivus Redtb. *Gr.Ca.*
ruficollis F.
lateplagiatus Fairm. *Ga.*

Axinotarsus

Motschulsky.

Adenophorus Thoms.
longicornis Kiesw. (Mal.)
v. rufithorax Kiesw. *Si.*
ruficollis Oliv. *E.*
rubricollis Marsh.
peninsularis Abeille *Hi.*
insularis Abeille *C.*
pulicarius F. *E.md.b.*
tristis Perris *Hi.*
marginalis Lap. Er. *Ga.*
brevicornis Kr. *Hi.*
v. tristiculus Kr.

Attalus

Erichson.

Sphinginus Mulsant.
lobatus Oliv. *Ga.G.I.*
limbatus Mink. *A.*
coaretatus Er. *Ga.A.*
constrictus Er. *Ga.m.S.*
apicalis Perris *C.*
posticus Muls.

Antholinus Mulsant.

aemulus Er. *S.*
sericans Er. *S.C.*
parietariae Er. *Si.*
panormitanus Ragusa *Si.*
Ragusae Schauf
lateralis Er. *E.m.*
labilis Er. *S.*
varitarsis Kr. *Ga.m.I.*
jocosus Kiesw. *Si.Hi.*

distinctus Muls.
v. ♀ tarsalis Perris
jocosus Er. *I.Hi.*

Abrinus Mulsant.
analis Panz. *A.E.m.*
amictus Er. *Ga.I.Hi.*
fagi Mot. *St.*
ulicis Er. *Hi.*
pictus Kiesw. *P.or.Hi.*

Pelochrus Mulsant.
pallidulus Er. *G.a.m.Lu.*
pallidus Abeille *Hi.*

Attalus i. sp.
coloratus Abeille *Bal.*
melitensis Peyr. *I.Malta*
erythroderus Er. *S.Si.*
v. luxurians Er. *Si.*
v. Genei Küst.
lusitanicus Er. *Lu.Hi.*
barbarus Mot. *Ga.m.*
gracilentus Muls.

gracilis Kiesw. *Hi.*
dalmatinus Er. *St.D.*
v. jonicus Miller *Gr.*
sicanus Er. *I.Si.*
v. dalmatinus Baudi
anticus Kiesw. *Hi.*
Nourricheli Lap. *I.*
transfuga Kiesw.
v. ♂ palliatus Baudi
postremus Abeille *Si.*
Ragusae Abeille
cyaneus Rosenh. *Hi.m.*
Rosenhaueri Reiche
alpinus Giraud *Alp.*
pectinatus Kiesw. *Hi.*

Nepachys Thomson.
cardiacae L. *Su.G.Ga.*
♀ pedicularius L.
pulchellus Muls. *Ga.m.*

Ebaeus

Erichson.

collaris Er. *E.m.*
congressarius Fairm.
v. flavifrons Baudi *S.*
caspicus Peyron *R.m.*
bulbifer Kolenati *Ca.*
caspicus Reitt. *[Hi.]*
thoracicus Fourc. *Ga.G.*
humilis Er. *Ga.Hi.S.*
♀ viridifrons Schauf.

glabricollis Muls. *P.or.*
cyaneus Cast. *I.Malt.*
♀ taeniatus Muls.

*
coerulescens Er. *D.A.Gr.*
pugio Mars.
appendiculatus Er. *Ga.A.*
nigricollis Küst. *D.*
mendax Kiesw. *Hi.*
rafipes Moraw. *R.m.*
abietinus Abeille *Ga.*
praeoccupatus Gemm. *E.*
pedicularius Schrank
biguttatus Fourer.
praestus Gyll.
flavicornis Er. *G.Ga.*
v. ater Kiesw. *A.*
mediterraneus Ab. *Cri.Si.*

Hypebaeus

Kiesenwetter.

alicianus Duv. *P.*
albifrons Oliv. *Ga.*
anticus Lap.
flavipes F. *Ga.G.R.*
♀ perspicillatus Brem.
posticus Kiesw. *Hi.*
Brisouti Muls. *Ga.*
pius Kiesw. *Hi.*
flavicollis Er. *Ga.A.E.m.*
scitulus Er. *Gr.*
♀ cordicollis Kiesw.
♂ nodipennis Kryn.
discifer Abeille *I.*
nigripes Kolen. *Ca.*

Charopus

Erichson.

saginatus Küst. *S.*
rotundatus Er. *G.S.*
multicaudis Kiesw. *Hi.*
nitidus Küst. *Ga.S.*
apicalis Kiesw. *Si.Gr.*
concolor F. *Ga.G.E.m.*
♂ furcatipennis Villa
docitis Kiesw. *Ga.m.*
hamifer Kiesw. *Hi.m.*
pallipes Oliv. *Gu.Hi.*
grandicollis Kiesw.
varipes Baudi. *I.S.*

flavipes Payk. *G.E.b.*
pallipes Er.
madidus Kiesw. *Ti.*
thoracicus Moraw. *R.m.*

Atelestus

Erichson.

- brevipennis Lap. *Ga.m.*
hemipterus Er.
Erichsoni Küst. *D.*
Peragalloi Perris. *Ga.*

Trogllops

Erichson.

- albicans L. *E.*
angularis F.
verticalis Er. *Hi.*
capitata Er. *Lu.*
corsica Perris *C.*
impressifrons Ponza *S.*
silo Er. *L.b.*
cephalotes Ol. *Ga.G.*
Dufouri Perris
♂ cornigera Kiesw.
v. bicornis Costa *I.*
v. ♀ cruenta Kiesw.
marginata Waltl *Hi.*
marginalis Kiesw.
♀ aterrima All.
brevis Er. *S.*
nigripes Waltl *Hi.*
♀ glabra Kiesw.

Homocodipnis

Duval.

- Javeti Duv. *Ga.m.*
v. rufithorax Duv.

Antidipnis

Wollaston.

- punctatus Er. *E.m.*
rubripes Perr. Duv.
obsoletus Er. *D.Gr.*
heleropalpus Mars.
v. nigripennis Mot. Küst.
punctipennis Kies. *Hi.*
maculatus Kiesw. *R.m.*
galbula Kiesw. *R.m.*
flavomaculatus Beck.

Colotes

Erichson.

- maculatus Lap. *A.*
trinotatus Er.
v. suturalis Mot. *Ga.*
pulchellus Baudi
v. dorsalis Baudi. *Almar.*
v. Hampei Redtb. *A.*

Thelydrias

Motschulsky.

- contractus Mot. *Ca.*

Dasytini.**Henicopus**

Stephens.

Allotarsus Graëlls.

- scutellaris F. *Hi.m.*
amphicomia Graëlls
confusus Duv. *Hi.m.*
distinguendus Duv. *Hi.m.*
armatus Luc. *E.m.*
falcifer Fairm.
acutatus Boield.
v. subvittatus Fairm. *Si.*
rugosicollis Duv. *Hi.b.Lu.*
pyrenaeus Fairm. *P.*
longimanus Kiesw. *P.Hi.*
armipes Duv. *Hi.m.*
ibericus Duv. *Hi.*
hirtus L. *Ga.A.*
pilosus Scop. *T.Ca.*
parnassi Kiesw. *Gr.*

- orientalis Fairm.
calcaratus Kiesw. *Ga.Hi.*
Bonvouloiri Boield.
spiniger Duv. *Hi.Lu.*
Heydeni Kiesw. *Ast.*
hoplotarsus Duv. *Hi.*
vittatus Kiesw. *Ga.Hi.or.*
Perezi Kiesw. *Hi.nd.*
senescens Duv. *Hi.m.*
senex Rosenh. *Hi.m. [Hi.*
melaleucotrichos Grills.
privignus Kiesw. *Hi.m.*
tibiellus Rosenh. *Hi.m.*
simplicipes Duv. *Hi.*
praticola Waltl *Hi.m.*
hirsutulus Fald. *Ca.*
v. brachialis Duv.

Dasytes

Paykull.

Divales

Lap.

- 4-pustulatus F. *Ga.I.*
communimacula Cost. *I.*
Reyanus Gozis *C.S.*
tibialis Muls. *Ga.*
flavipennis Baudi *Si.*
cinetus Gené *S.Si.*
lateralis Küst.
bipustulatus F. *E.m.*
v. 4-maculatus Ol.

variegatus Luc. *S.*

- ♂ v. nigromaculatus Le.
haemorrhoidalis F. *Hi.*
v. erythromelas Kst. *Si.*
flaveseens Gené *S.Si.*
v. pectoralis Baudi

Dasytes i. sp.

- alpigratus Kiesw. *Alp.*
oceiduus Muls. *Ga.*
gonoceros Muls. *Ga.*
tardus Schauf. *D.*
brevicornis Kiesw.
ineanus Rosenh. *Hi.*
striatulus Brull. *D.Gr.*
dalmatinus Baudi *D.*
niger L. *E.*
v. montanus Gredl. *Ti.*
moniliatus Kiesw. *Cret.*
algiricus Luc. *S.*
coeruleolectans Küst.
sardous Rosenh.
nigrita Kiesw. *Gr.*
dolens Rosenh. *Hi.*
tristiculus Muls. *Ga.*
griseus Küst. *E.m.*
v. seriatus Muls. *C.I.*
graeculus Kiesw. *Gr Si.*
calabrus Costa *Ga.I.*
fuscipes Brull. *Gr.*
thoracicus Muls. *Ga.*
montanus Muls. *Ga.*
rugipennis Thoms. *Su.*

Hypodasytes Muls.

- obseurus Gyll. *E.*
borealis Thoms. *Su.*
subalpinus Baudi *A.*
Grenieri Kiesw. *C.*

Metadasytes Muls.

- pillcornis Kiesw. *Ga.m.*
? pauperculus Lap.

nigrocyanus Muls. *S.Si.*

- coeruleus Deg. *E.*
cyanus F.

Mesodasytes Muls.

- Hapalogluta Thoms. pars.
flavipes (Ol.) Mls. *Ga.m.*
plumbens Müll. *E.*
flavipes F.
tibialis Zett.
coxalis Muls.
aerosus Kiesw. *Ga.P.*
plumbeus Muls.
cruralis Muls. *S.*

aeneiventris Küst. *A. I.*
nigroaneus Küst. *I.*
oculatus Kiesw. *Hi.*
subfasciatus Kiesw. *Hi.*
croceipes Kiesw. *Hi.*
variolosus Baudi *Hi.*

Pseudodasytes Muls.
X Waltl *Hi.*
terminalis Duv.
asperulus Graëlls *Hi.*
fusculus Ill. *Su.Ga.G. I.*
subaeneus Schönh. *Ga.G.*
aeneus Oliv. *A. Hi.*
scaber Suffr.
nigropunctatus Küst. *Hi.*

setosus Waltl *Hi.*
callosus Solsky *R.m.or.*
aeratus Steph. *Br.*
chalybaeus Mén. *R.m.*
pyrrhostoma Kol. *Ca.*
xanthocnemus Kol. *Ca.*

Acanthocnemus

Perris.

ciliatus Perris *C.*

Psilotrix

Redtenbacher.

severus Kiesw. *D.*
femoralis Moraw. *R.m.*
nobilis Ill. *Ga.E.m.*
viridis Rossi *G.*
illustris Woll. *Hi.*
splendidus Schauf. *Bal.*
protensus Gené *S.Si.*
melanostoma Brull. *Gr.*
lucidulus Brull.
v. smaragdinus Luc. *I.*
aureolus Kiesw.

Dolichosoma

Stephens.

lineare Rossi *E.*
subdensatum Muls. *Ga.*
submicaceum Muls. *Ga.*
filum Fairm. *C.*
simile Brull. *Gr.Si.*
cinereum Mén.

Lobonyx

Duvai.

aeneus F. Gyll. *Hi.*
aurarius Ill. *I.*

metallicus F.
v. ciliatus Graëlls *Hi.*
gracilis Reitter *Hi.*
ruficollis Raffray

Haplocrenemus

Stephens.

morio Schönh. *Hi.*
eumerus Muls. *Ga.*
croceicornis Kiesw. *R.m.*
pulverulentus Küst. *T.D.*
obscurus Germ.
brevis Rosenh. *Hi.*
tarsalis Sahlb. *Ga.G.Su.*
coeruleatus Rosenh. *Hi.*
ruftarsis Sahlb. *F.*
impressus Marsh. *E.*

pini Redtb.
 femoralis Ill.
 nigricollis Ill.
v. serratus Redtb. *A.*
rufomarginatus Perr. *Si.*
Koziorowiczi Desbr. *C.*
marginatus Rottb. *Si.*
xanthopus Kiesw. *C.*
corecyrius Mill. *Gr.*
tumidus Kiesw. *Hi.*
consobrinus Rosenh. *Hi.*
andalusicus Rosenh. *Hi.*
nigricornis F. *E.*

punctatus Germ.
 v. chalybaeus Germ.
virens Suffr. *Ga.G.*
calidus Muls. *Ga.*
quercicola Muls. *Ga.*
cylindricus Kiesw. *Ga.m.*
albibipus Kiesw. *Hi.*
ramicornis Kiesw. *R.m.*
pectinicornis Lue. *C.S.*

pectinatus Küst.
crenicollis Kiesw. *Si.*
duplicatus Kiesw. *S.*
montivagus Rosenh. *Hi.*
abietum Kiesw. *Gr.S.*
cribricollis Muls. *C.*
rugulosus Rosenh. *Hi.*
jejunus Kiesw. *Ga.m.*
chlorosoma Lue. *Si.*
caelatus Brull. *Gr.*
cribrarius Brull. *Gr.*
pristocerus Kiesw. *Gr.*
chalconotus Germ. *D.*
pertusus Kiesw. *Gr.*
basalis Küst. *G.D.I.*
serratus Brull. *Gr.*
alpestris Kiesw. *Alp.*

pinicola Kiesw. *Alp.*
integer Baudi *Pe.*
nigripes Muls. *Lu.*
erosus Muls. *?*
rufipes Mill. *Gr.*
limbipennis Kiesw. *Hi.*
pellucens Kiesw. *Hi.*
aestivus Kiesw. *Ti.*
ahenus Kiesw. *Ga.G.*
siculus Kiesw. *Si.*
trinaciensis Ragus. *Si.*
serbiclus Kiesw. *T.b.*
Barnevillei Kiesw. *Hi.*
Aubei Kiesw. *P.*
variolatus Costa *I.m.*
incognitus Falda. *Co.*

Julistus

Kiesenwetter.

Trichoceble Thoms.

floralis Oliv. *E.md.b.*
floricola Kiesw.
funera Kiesw. *Gr.*
arbustorum Kiesw. *Gr.*
longicornis Kiesw. *Gr.*
memnonius Kiesw. *G.*
fulvohirtus Bris. *Ga.G.*
curtus Baudi *D.*

Amauronia

Westwood.

subaenae Westwood *Gr.*
pieta Kiesw. *Hi.Gr.*
elegans Kiesw. *Hi.*
hispana Kiesw. *Hi.*

Aphyctus

Duval.

megacephalus Kiesw. *Gr.*
saginatus Kiesw. *T.*
Muelleri Kiesw. *Gr.*

Dasytiscus

Kiesenwetter.

indutus Kiesw. *Gr.*
plumbeus Kiesw. *Ca.*
armeniacus Kiesw. *Ca.*
graminicola Kiesw. *Gr.*
rufitarsis Lucas *Cret.*
affinis Moraw. *R.m.*
medius Rottb. *Si.*
plexus Kiesw.
obesus Kiesw. *R.m.*
Beckeri Kiesw. *R.m.*

Cerallus

Duval.

Pristochira Moraw.

- brevicollis Kiesw. *R.m.*
luteus Kiesw. ? *T.*
concolor Kiesw. *Ti.*
rubidus Gyll. *Hu.*
varians Moraw. *R.m.*
bisanicus Kiesw. *Hi.*
bicolor Kiesw. *R.m.or.*

Danacea

Laporte.

Cosmioecous Rosh.

- pallipes Panz. *E.*
hispanica Gougelet *Hi.b.*
longiceps Muls. *Ga.*
ambigua Muls. *Ga.I.*
nigritarsis Küst. *E.md.*
tomentosa Muls. *E.m.*
Kiesenwetteri Heyd. *Hi.*
lusitana Heyd. *Lu.*
corsica Kiesw. *C.*
? v. misella Baudi *S.*
imperialis Gené *C.S.Si.*
distincta Luc. *Ga.I.*

- aurichalcea Küst.
eusauensis Costa *I.*
deuticollis Baudi *Pe.*
augulata Küst. *Mont.*
atrides Graülls *Hi.*
mitis Küst. *S.*
olivacea Baudi *R.m.*
cervina Küst. *D.R.m.*
lata Kiesw. *H.*
fuscoaenea Fairm. *Hi.*
morosa Kiesw. *Siles.*
murina Küst. *D.*
montivaga Muls. *Ga.*
valida Heyd. *Ca.*
Reyi Tourn. *Ga.*
picornis Küst. *S.Si.*
sardoa Kiesw. *S.*
marginata Küst. *A.Gr.*
cretica Kiesw. *Cret.*
iners Kiesw. *Gr.*
hypoleuca Kiesw. *Gr.*
taurica Baudi *R.m.*
aenea Moraw. *R.m.*
macrocephala Schauf. *D.*
serbica Kiesw. *T.b.*
nana Kiesw. *Hi.b.*
pygmaea Schauf. *Bal.*
ziezac Schauf. *Bal.*
particeps Muls. *Hi.*

- Championi Mars. *Ga.*
flava Kiesw. *Ca.*

Phloeophilini.**Phloeophilus**

Stephens.

Edwardsi Steph. *E.md.***Melyrini.****Melyris**

Fabricius.

- granulata F. *Hi.*
andalusiaca Waltl
Zygia Fabr.
oblonga F. *E.m.*
bicolor F. *S.*
versicolor Chevr.

Cleridae.**Tillini.****Denops**

Steven.

- albofasciata Charp. *Ga.G.*
personata Arrag.
agilis Lucas *E.m.*
longicollis Stev. *Tr.R.*

Tillus

Olivier.

- elongatus L. *E.*
♂ ambulans F.
ruficollis Herbst
? rugulosus Torre A.
v. bimaculatus Don.
hyalinus Sturm
transversalis Charp. *E.m.*
unifasciatus F. *Ga.G.E.m.*
pallidipennis Bielz *Tr.*
rubrofasciatus Kol. *Ca.*

Clerini.**Opilo**

Latreille.

- mollis L. *E.(m.*
domesticus Sturm *E.md.*
pallidus Oliv. *Ga.A.E.m.*
v. germanus Chevr.
taeniatus Klug. *D.T.*
Mimonti Boield. *Gr.*
scutellatus Schauf.

- v. frontalis Klug.
eruentatus Spin.
v. thoracicus Klug.

Cleroides

Schäffer.

- Pseudoclerus Duv.
brevicollis Spin. *Hi.*
Pseudoclerops Duv.
mutillarius F. *E.md.m.*

Thanasimus Latr.

- formicarius L. *E.*
rufipes Brahm. *E.md.b.*
v. substriatus Gebl. *Eor.*
femoralis Zett. *L.*
pectoralis Fuss. *Tr.Hi.*

Allonyx Duv.

- 4-maculatus Schall.
- Ga.G.*

Tarsosteus

Spinola.

- univittatus Rossi
- E.md.m.*

Clerus

Geoffroy.

- Trichodes Herbst.
octopunctatus F. *E.m.*
umbellatarum Ol. *Hi.m.*
alvearius F. *Ga.G.*
v. Dahli Spin. *E.m.*
apiarius L. *E.*
v. arcuatus Spin. *Ga.*
v. elegans Spin. *I.*
crabroniformis F. *I.T.*
v. gulo Kr. *Gr.*
v. rufitarsis Chevrl. *Ori.*
favarius Ill. *Ga.A.*
affinis Chevr. *E.m.*
v. obliquatus Brull. *Gr.*
v. Lafertei Chevr. *T.*
v. insignis Stev. *Ori.*
v. illustris Klug. *Si.*
v. vicinus Spin. *T.*
phedinus Spin. *R.m.*
viridifasciatus Chevr.

- leucopsisides Ol. *Ga.*
v. Olivieri Klug *Hi.*
syriacus Spin.
Klugi Kr.
nobilis Klug. *T.Gr.R.*
sanguineosignatus Sp.
4-guttatus Adams *T.Gr.*
4-pustulatus Brull.

sipylus L. *Gr. T.*
visnagae Spin.
v. ammios F. *E.m.*
v. flavocinctus Spin. *C.*
v. laminatus Chevr. *Gr.*
angustus Chevr.
flavicornis Germ. *Si.*
atticus Chevr. *Gr.*
hispanus Chevr. *Hi.*
subfasciatus Kr. *Ca.*
irkutensis Laxm. *Bav.alp.*
bifasciatus F. *Tr.*
caecasicus Chevr. *Ca.*

Emmepus

Motschulsky.

arundinis Mot. *Ca.*

Enopliini.

Dermestoides

Schäffer.

Orthopleura Spinola
sanguinicollis F. *G.Tr.*
dulcis Ledoux *Ga.I.*

Enoplium

Latreille.

serraticorne F. *Ga.E.m.*

Corynetini.

Corynetes

Herbst.

Corynetops Duv.
coeruleus Degeer *E.*
v.ruficornis Strm. *Ga.G.*
angustatus Fald. *Ca.*
pusillus Klug *S.*
geniculatus Klug *Lu.Hi.*

Necrobia

Latreille.

ruficollis F. *E.*
violacea L. *E.*
Agonolia Muls.

rufipes Degeer *E.*

Opetiopalpus

Spinola.

defunctorum Waltl *Hi.*
bicolor Lap. *Hi.*
hybridus Baudi *Hi.*

sabulosus Mot. *Ca.*
scutellaris Panz. *Ga.G.R.*

Laricobius

Rosenhauer.

Erichsoni Rosh. *Alp.*
Sahlbergi Reitt. *L.*

Lymexylini.

Elateroides

Schäffer.

Hylecoetus Latreille.

dermestoides L. *E.md.b.*

♂ *proboscideus* F.

v. ♂ *Marci* L.

barbatus Panz.

v. ♂ *morio* F.

flabellicornis Udd. *G.Ga.*

Lymexylon *[R.]*

Fabricius.

návale L. *E.*

Bruchidae.

Gibbiini.

Gibbium

Scopoli.

psyolloides Czenpinsk. *E.*

scotias F. *fmd.m.*

Boieldieui Levrat *T.*

Mezium

Curtis.

sulcatum F. *E.md.m.*

hirticolle Lap.

affine Boield. *E.md.m.*

sulcatum Sturm.

hirtipenne Reiche.

arachnoides Desbr. *Gr.*

Bruchini.

Trigonogenius

Solier.

sphaericus Woll.

Tipnus Duval.

gibboides Boield. *Ga.I.*

exiguus Boield. *Ga.Lu.*

Niptus

Boieldieu.

hololeucus Falderm. *E.*

Epaulococcus Muls.

Tipnus Thoms.

griseofuscus Deg. *E.*

crenatus F.

minutus Ill.

v. *fuscus* Gradi *A.*

Mironiptus Kiesw.

elongatus Boield. *Si.*

constrictus Kiesw. *Hi.*

minimus Heyd.

rotundicollis Lucas *Hi.*

globulus Boield. *

Paraniptus Kiesw.

globulus Ill. *Lu.* *

Eurostus Muls.

submetallicus Fairm. *P.*

quisquilarum Baud. *Pe.*

trigidus Boield. *Alp.*

Otti Bremi

apenninus Baud. *I.*

Bruehus

Geoffroy.

Ptinus Linné et auct.

*

Pseudoptinus Reitt.

Kutzschenbachi Rtt. *Ca.*

capellae Reitt. *Cro.*

subaeneus Reitt. *Gr.*

lichenum Marsh. *Ga.G.*

♀ *similis* Marsh.

ornatus Müller

fuscus Sturm

v. *lepidus* Villa *Ga.I.*

coarcicollis Sturm. *G.*

lepidus Muls. *fGa.*

v. *debilicornis* Boield.

Ptinobruchus Reitt.

crassicornis Kiesw.

♂ *forticornis* Reitt.

Gynopterus Muls.

palliatus Perris *Ga.II.*

germanus F. *G.*

quadrisignatus Mén. *Ca.*

sexsignatus Fald.

basicornis Reitt. *Cro.*

sexpunctatus Panz. *E.*

Aubei Boield. *E.m.*

formosus Rosenh.

phlomidis Boield. *Gr.*

corsicus Kiesw. *C.*

opulans Er. $\times G.$
variegatus Rossi $E.$
v. Duvali Lareyn. $Ga.$
dubius Sturm $E.$
erenatus Payk.

Bruchus i. sp.
italicus Arrag. $Ga. I.$
biformis Reitt. $Ca.$
brevivittis Reitt. $D.$
rufipes F. $E. md. b.$
germanus Kugel.
♀ elegans Ill.

timidus Bris. $H.$
carbonarius Rosenh. $H.$
atricapillus Kiesw. $I.$
Lucasi Boield. $Si. I. H.$
rufus Lucas $I. H.$
obesus Lucas $S. Si.$

pulchellus Boield. $H.$
solitarius Roseuh.
Kaufmanni Reitt. $D.$
validicornis Desbr. $C. H.$
Spitzi Villa $Ga. I.$
ruber Rosenh.
cisti Chevr.

corticinus Rottenb. $Si.$
affinis Desbr. $Si.$
pilosus Müller $E. md.$
pallipes Duft. $Su.$
intermedius Boield.

subpilosus Strm. $Ga. G.$
latro F. $E. md. m.$
brunneus Duft. $E.$
testaceus Boield.
hirtellus Strm.
calcaratus Kiesw. $Ill.$
perplexus Muls. $H. Ga. Ca.$
bicinctus Sturm $Ga. G. R.$

*

fur L. $E.$
Heteroplus Muls.
pusillus Sturm. $Ga. G.$

Cyphoderes Muls.
bidens Oliv. $E. md. b.$
raptor Sturm.
sycophanta Ill.
hirticornis Kiesw. $H.$
quercus Kiesw. $Ga. Ti.$

Eutaphrus Muls.
canaliculatus Reitt. $Gr.$
dilophus Ill. $Lu. H.$
irroratus Kiesw. $E. m.$
alpinus Boield.

quadridens Chevr.
siculus Kiesw. $Si.$
farinosus Boield. $H.$
lusitanus Ill. $Lu. H.$
loboderus Schaum
dilophus Boield.
brevipilis Desbr. $C.$
Reichei Boield. $Ga. Si. Gr.$
gibbicollis Lucas $H.$
xylopertha Boield. $E. m.$
mutandus Mars. $C.$
insularis Desbr. $Matt.$
brevierinitus Desbr. $C.$
carinatus Luc. $H. m.$
fossulatus Luc. $H. m.$
abbreviatus Boield. $H.$
agricultor Rosenh.
nitidus Duft $Ga. G.$

rufus Brull. $Gr.$
nigripennis Comolli $I.$

Byrrhidae.

Byrrhini.

Dryophilus

Chevrolat.

densipilis Abeille $Ga.$
pusillus Gyllh. $E.$
striatellus Beck
anoboides Chevr. $Ga. G.$
compressicornis Mls.
longicollis Muls. $Ga. G.$
Homophthalmus Ab.
rugicollis Muls. $Ga. G.$
forticornis Abeille $D.$
paradoxus Rosenh. $Ga. H.$
succinctus Chevr. $Gr.$
raphaelensis Muls.

Priobium

Motschulsky.

castaneum F. $Ga. G.$
tomentosum Mls. $Su. R$
tricolor Oliv. $Ga. G.$
planum F. $Ga. Su.$

Episernus

Thoms.

Amphibolus Muls.
Claudius Gozis.
angulicollis Thoms. $L.$
gentilis Rosenh. $Ti.$

striatellus Bris. $G.$
Achillis Gozis $Ga.$
hispanus Kiesw. $H.$

Gastrallus

Duval.

laevigatus Oliv. $E.$
exilis Sturm
parallelus Küst.
immarginatus Redtb.
immarginatus Müll. $Ga. G.$
sericatus Lap.

Anobium

Fabricius.

Byrrhus Geoffroy.

*

Dendrobium Muls.
denticolle Panz. $E. md. m.$
confusum Kr. $G. Su.$
denticolle Thoms.

carpetatum Heyd. $H.$
pertinax L. $E.$

striatum F.
fagi Herbst

domesticum Fourer. $E.$
striatum Oliv.

pertinax F. Herbst
caelatum Muls. $Ga.$
fagicola Muls. $E. md. b.$

fagi Muls.
fulvicorne Thoms.

Hadrobregmus Thms.
nitidum Herbst $E. md. b.$
canaliculatum Thms.

fulvicorne Sturm $E. md.$
morio Villa $I.$

striatellum Beck
sericeum Thoms.

v. rufipenne Duit.
emarginatum Duit. $Ga. G.$

rufipes F. $E.$
castaneum Herbst.

Thomsoni Kr. $Su.$
bruuneum Thoms.

rufum Ill. $Lu. H.$
explanatum Mannh. $F.$

Nicobium Leconte.
Neobium Muls.

Schneideri Reitt. $Ca.$
hirtum Ill. $Ga. H. I.$
fasciatum Dufour
v. tomentosum Muls.

disruptus Baudi. *S.*
Reyi Bris. *Ga.I.*

Sitodrepa Thoms.

Artobium Muls.

paniceum L. *E.*
minutum F.
nanum Küst.

variegatum Mén. *Ca.*
costatum Arrag. *I.*
crenulatum Lap. *G.*
oblongum Lap. *Ga.*
pubescens Herbst *G.*
ruficollis Herbst *G.*
brevicorne Ratz. *G.*

Oligomerus

Redtenbacher.

brunneus Oliv. *Ga.G.I.*
cinnamomeus Sturm

Xestobium

Motschulsky.

Caecus Thoms.
Hyperisus Muls.

rufo-villosum Deg. *E.*
tessellatum F.
rubiginosum Müll.
pulsator Schall.
subincanum Reitt. *Ca.*
declive Dufour *P.*
velutinum Muls.
plumbeum Ill. *Ga.G.*
? coerulescens Fourc.
politum Duft. *Ti.*
variabile Dej.

Ernobiuss

Thomson.

Liozoum Muls.

reflexus Muls. *Ga.m.*
? explanatas Munh. *F.*
abietinus Gyllh. *E.md.b.*
pruinosis Muls. *Ga.Pe.C.*
abietis F. *E.md.b.*
abieticola Thoms.
brevicorne Bach
anababtista Gozis *Ga.*
angusticollis Muls.
lucidus Muls. *Ga.m.G.*
suleatulus Muls. *Ga.m.*
gigas Muls. *Ga.m.*
frigidus Thoms. *L.*

mollis L. *E.*
consimilis Muls. *Ga.Pe.R.*
tarsatus Kr. *Ga.*
mollis Muls.
parens Muls. *Ga.G.*
tabidus Kiesw. *G.*
angusticollis Rtz. *E.md.*
parvicollis Muls. *Ga.*
longicornis Strm. *Ga.G.I.*
? sericeus Duft.
densicornis Muls. *Ga.Pe.*
pini Sturm *Ga.G.Su.*
crassiusculus Muls.
fuscus Muls. *Ga.G.*
nigrinus Strm. *Ga.G.Pe.S*
canaliculatus Thoms. *Su.*
microtomus J. Sahlb. *L.*

Xyletinini.

Hedobia

Sturm.

pubescens F. *Ga.G.*
v. unicolor Reitt. *Ca.*
Ptinomorphus Muls.
magnifica Reitt. *Ca.Gr.*
imperialis L. *E.*
v. senex Kr. *G.*
regalis Duft. *Ga.G.*
angustata Bris. *P.*

Trypopitys

Redtenbacher.

carpini Herbst *E.*
serricornis Duft.
excisus Mannerh.

Ptilimus

Geoffroy.

pectinicornis L. *E.*
impressifrons Küst.
aspericollis Mén. *R.m.*
discolor Falb.
Mulsanti Mars. *Si.*
asperulus Genus.
aspericollis Muls.
costatus Gyllh. *E.*
v. flavescens Cast.
fissicollis Reitt. *A.Hu.*
punctostriatus Fst.

Plumaria

Reitter.

grandicollis Mén. *R.m.*

Oehina

Stephens.

Latreillei Bon. *Pe.S.G.*
sanguinicollis Dft. *Ti.*

Cittobium Muls.

hederae Müll. *E.md.m.*
ptinoïdes Marsh.

Metholeus

Dural.

cylindricus Germ. *D.I.*
Raymondi Muls. *Ga.*
Phoenicis Fairm.

Trachelobrachys

Gemminger.

Brachytrachelus Mor.
Kiesenwetteri Mrw. *R.m.*
sanguineocinctus Frm *Ga*

Calypterus

Mulsant.

Notiomimus Wollast.
bucephalus Ill. *Lu.Hi.*
striatipennis Fairm.
sericans Muls. *Ga.I.*
peregrinus Chevr.

Xyletinus

Latreille.

Sternoplus Muls.
ater Panz. *E.*
serratus Panz.
tenebricosus Solsky *R.*

Xyletinus Muls.
maculatus Kiesw. *R.m.*
ruficollis Gebl. *R.m.*
rufithorax Lareyn. *Ga.*
thoracicus Friv. *T.*
v. discicollis Moraw. *Gr.*
ornatus Germ. *Hu.R.m.*

sericeus Moraw.
renovatus Gozis *Ca.*
ornatus Falb.
pectinatus F. *E.*

? flabellicornis Hrbst.
oblongus Muls. *Ga.*
flavipes Lap. *Ga.St.I.b.*
laticollis Duft. *Ga.G.Hu.*
subrotundatus Lar. *I.A.D.*

Xeronthobius Moraw.
pallens Germ. *R.m.*
pallidus Lap.

Lasioderma

Stephens.

Pseudochina Duval.
Hypora Muls.

thoracicum Moraw. C.R.
obscurum Solsk. R.m.

?micens Mannh.

apicatum Muls. Ga.Si.
haemorrhoidale Ill. D.E.

villosum Lap. m.Ga.

bicolor Schauf. Ga.Hi.
Redtenbacheri Bach G.

cyphonoides Mor. R.m

testaceum Redtb. A.

fulvescens Muls. Ga.

laeve Ill. Ga.G.E.m.
torquatum Chevr. C.

testaceum Duft. E.
serricone Muls.

bubalus Fairm. C.I.

Dorcatomini.

Mesothes

Mulsant.

ferrugineus Mls. Ga.Pe.C.

Mesocoelopus

Duval.

niger Müll. Ga.G.R.
pubescens Duft. I.

murinus Sturm

hederae Dufour

creticus Fairm. Cret.
collaris Muls. Ga.I.

Theca

Mulsant.

Stagetus Woll.

byrrhooides Muls. Ga.I.
pilula Aubé Ga.

elongata Muls. Ga.Pe.
raphaelensis Anb. Ib

andalusiaca Aubé II.
pellita Aubé Ga.

Eutheca

Kiesenwetter.

solida Kiesw. Lu.

Doreatoma

Herbst.

dresdensis Herbst E.
bistriata Payk.
sinuata Thoms.

punctulata Muls. Ga.G.
serra Panz. Ga.G.I.

substriata Hummel
Dommeri Rosem. Ga.S.
dichroa Boield.

lanuginosa Baud. S.
setosella Muls. Ga.G.
chrysomelia Sturm E.

dresdensis F.
flavicornis F. E.

Coenocara

Thomson.

Enneatoma Muls.
bovistae Hoffm. E.

subalpina Bon.
v. meridionalis Lap.

v. castaneae Gredl.
affinis Sturm Ga.G.I.b.

subglobosa Mls. Ga.G.I.

Anitys

Thomson.

Amblytoma Muls.

rubens Hoffmann E.m.d.b.
cognata Muls. Ga.

Bostrychidae

Sphindini.

Sphindus

Chevrolat.

Coniophagus Mink.
dubius Gyll. E.

Gyllenhali Chevr.
humeralis Mink.

hispidus Seidl.
grandis Hampe Cro.

Aspidiphorus

Latreille.

orbiculatus Gyll. E.
striatopunctatus Lap.

striatus Kryn.
Lareyniei Duv. A.Ga.

Lyctini.

Lyctus

Fabricius.

unipunctatus Herbst E.
canaliculatus F.
linearis Thunb.

oblongus Oliv.

v. Duftschmidi Gozis
pubescens Duft.

suturalis Fald. Ca.
Deyrollei Tourn.

pubescens Panz. Ga.G.
bicolor Comolli E.m.

? caucasicus Tourn. Ca.
Xylotrogus Steph.

brunneus Steph. E.md.m.
glycyrrhizae Chevr.

Trogoxylon

Leconte.

impressum Comolli E.m.
haevipenne Fald.

Psolini.

Psoa

Herbst.

grandis Mot. Ca.

viennensis Herbst A.Ca.

dubia Rossi Gr.Ti.
italica Küst. Ga.I.

v. Herbsti Küst.

Bostrychini.

Apate

Fabricius.

francisca F. II.
♂ carnelita F.

monacha Oliv.
v. rufiventris Luc.

perforans Schrauk A.

Sinoxylon

Duftschmid.

Trypoecladus Guér.

bispinosum Oliv. E.md.
muricatum Dft. Hbst.

sexdentatum Ol. Ga.H.I.
chalcographum Pnz.

Ti.

Bostrychus

Geoffroy.

Ligniperda Pallas.

capucinus L. E.

v. luctuosus Oliv. E.m.

v. nigriventris Luc. Hi.

varius Ill. E.m.

Dufouri Latr.

gallicus Pauz.

bimaculatus Oliv. *E.m.*
auritus Friv.
xyloperthoides Dv. *Ga.l.*

Xylopertha

Guérin.

Enneadesmus Muls.
sinuata F. *E.md.*
praeusta Germ. *Ga.D.S.*
appendiculata Luc. *Si.*
pustulata F. *Ti.S.*
humeralis Luc. *Hi.*
aterrima Fald. *Ca.*
puncticollis Kiesw. *G.*
trispinosa *Ga. Ist. S.C.*

Rhizopertha

Stephens.

bifoveolata Woll. *E.m.*
foveicollis Allard *Si.*
sicula Baudi
pusilla F. *E.md.m.*

Dinoderus

Stephens.

elongatus Payk. *G.E.b.*
substriatus Payk. *E.*

Hendecatomini.

Hendecatomus

Mellié.

Dictyalotus Redtb.
reticulatus Hbst. *E.md.m.*

Cisidae.

Xylographius

Mellié.

bostrychoides Duf. *E.m.*
Aubei Mell.

Cis

Latreille.

Eridraulus, *Hadraule* Thoms.
boleti Scopoli *E.*
obliteratus Mell.
substriatus Mell.
v. caueasicus Mén. *E.*
rugulosus Mell.
rubiginosus Mell.
pyrrhocephalus Mell.
villosulus Marsh. *E.*
setiger Mellie

plagiatus Thoms.
v. submicans Abeille
micans F. *Ga.G.H.*
pyrrhocephalus Mrsh.
Lederi Reitt. *Ca.*
hispidus Payk. *E.*
crenatus Sablb.
nitidicollis Abeille *Ga.*
striatulus Mellie *Ga.G.*
v. flavipes Luc. *P.*
pubescens Dej.

elongatus Gyll. *Su.Ga.*
comptus Gyll. *E.f.G.*
quadridens Mell. *Al.P.*
fissicornis Mell. *R.*
sublaminatus Wank.
v. germanicus Ab. *G.*

laminatus Mellie *Ga.G.*
fissicollis Mell. *P.I.C.*
bidentatus Oliv. *Su.Ga.G.*
inermis Marsh. *Br.J.*
gladiator Flach *G.*
dentatus Mell. *Alp.Su.*

microgonus Thoms.
dentatus Mell. *Alp.*
Perrisi Abeille *Ga.*
nitidus Herbst *E.*
Jaquemarti Mell. *Ga.G.*
glabratus Mell. *E.*
lineatocribratus Mill. *P.Al.*

punctifer Mell. *H.Ga.P.I.*
punctulatus Gyll. *E.md.b.*
Reitteri Flach *G.*
sericeus Mell. *Ga.Si.*
tomentosus Mell. *D.*
setifer Reitt. *Ca.*

alni Gyll. *E md.b.*
betulæ Zett.
v. reticollis Ab. *P.G.*
coluber Abeille *Ga.*
Lucasi Abeille *P.A.G.*
reflexicollis Abeille
bidentulus Rosenh. *E.*
alpinus Mell.
castaneus Mell. *E.*

fuscatus Mell.
fagi Waltl.
festivus Panz. *Alp.P.*
vestitus Mell. *Ga.*
pygmaeus Marsh. *E.*
oblongus Mell.
rhododactylus Mrsh.

v. Pandellei Ab.
4-dentulus Perris *Ga.*
bicornis Mellie *Ga.P.*
puncticollis Thoms. *Su.*

Rhopalodontus

Mellié.

populi Bris. *Ga.*
Perrini Reitt. *Ca.*
perforatus Gyll. *E.*
punctiger Waltl.
Baudueri Abeille *Ga.*
fronticornis Panz. *E.*

Ennearthron

Mellié.

Entypus Redtb.
affine Gyll. *E.P.*
cornutum Gyll. *E.*
filum Abeille *Ga.*
opaculum Rtt. *G.Hu.Cro.*
pruinulosum Perris *Ga.A*
laricinum Mell. *Ga.G.R.*
Wagae Wankow *R.*
cucullatum Mell. *> Ga.*

Octotemnus

Mellié.

Orophius Redtb.
mandibularis Gyll. *E.*
glabrieulus Gyll. *E.*

Tenebrionidæ

Zophosini.

Zophosis

Latreille.

steppensis Gemm. *R.m.*
nitidula Mot.
ovata Brull. *Gr.Creta.*
polita Lucas *R.m.*
Wollastoni Deyr. *Ca.*
subinflata Brull. *Gr.*
puuctata Brull. *S.Si.Gr.*
v. Kollaris Deyr. *Gr.*
v. sicula Villa *Si.*
minuta F. Herbst *Hi.*
suborbicularis Sol.
errausrus Sol. *Hi.*
rugosa Fald. *R.m.Ca.*
dilatata Deyr. *Ca.*

cretica Mot. *Creta.*
sicula Mot. *Si.*

Chirosis

Deyrolle.

acuminata Mén. *R.m.*
ovata Fald.

Erodiini.

Arthrodeis

Solier.

globosus Fald. *Ca.*
persicus Fald.
orientalis Fald.

Erodius

Fabricius.

tibialis L. *Lu.Hi.*
v. europaeus Sol. *S.*
v. bilineatus Herbst
v. curvipes Sol.
v. lusitanicus Sol. ♀
v. nitidiventris Sol. ♀
v. Goryi Sol. ♀

carinatus Sol. *Hi.*
latus Sol. ♀
rugosus Kr. *Hi.*
 puncticollis Rosh.

pyriformis All. *Hi.*
obtusus All. *Hi.*

parvus Sol. *Hi.Si.*
nitidicollis Sol. *Hi.Si.*

Emondi Sol. *Hi.or.*
 v. Mittrei Sol.

neapolitanus Sol. *I.*
 v. siculus Sol. *Si.*
 v. vicinus Sol. *I.*

v. dalmatinus Kr. *D.*
v. Peirolieri Sol. *S.*
 v. rotundatus Kr. *Hi.*

orientalis Brull. Sol. *Gr.*
 ♂ *v. Duponti* Sol. *Si.*

brevicostatus Sol. *Gr.*
Boyeri Sol. *Gr.*
 v. longus Sol. *Creta.*

oblongus Sol. *Gr.*
Fabricii Sol. *Si.*

Adesmiini.

Adesmia

Fischer.

Fischeri Fald. *Ca.*
Ehrenbergi Fald. *Ca.*
nodulosa Fald. *Ca.*
strophium Fisch. *Ca.*
 Maillei Sol.

Tentyriini.

Colposecelis

Lacordaire.

longicollis Zoubk. *R.m.or.*

Gnathosia

Fischer.

Dialognatha Esch.

laticollis Besser *T.Gr.*
quadricollis Brull.
v. *caraboides* Sol. *Gr.*
v. *Audouini* Sol. *T.*
v. *variabilis* Sol. *Hi.Gr.*
v. *rugata* Sol. *Gr.*
v. *Carceli* Sol. *R.m.*
v. *impressicollis* Sol. *Gr.*
v. *hispana* Sol. *Hi.*
v. *laevigata* Brull. *Gr.*
sinuatocollis Desbr. *Gr.*
vicina Brull. *Gr.*
pumila Baudi *Gr.*
crassicornis Desbr. *Gr.*
aequalis Tausch. *R.m.*
caucasica Desbr. *Ca.*
caraboides Faldm. *Ca.*

Anatolica

Eschscholtz.

angustata Stev. *R.m.*
 elongata Gebl.
 subquadrata Esch.
v. *Audouini* Sol.
v. *Maillei* Sol.

impressa Tausch. *R.m.*
eremita Stev. *R.m.or.*
v. *Besseri* Kryn.
gibbosa Gebl. *R.m.*

v. *depressa* Besser
v. *thoracica* Besser
v. *lineata* Stev.
subquadrata Tausch. *R.m.*

macrocephala Stev.
rugulosa Gebl.
abbreviata Sol.
curvipes Schaum.
v. abbreviata Gebl.

lata Stev. *R.m.or.*

♀ *tristis* Sol.

v. *albovittis* Mot.

ventralis Mot. *Cri.*

coriacea Mot. *R.m.*

rugipeunis Fald. *R.m.*

Calyptopsis

Solier.

caraboides Brull. *Gr.*

Emondi Sol.

pulchella Fald. *R.m.*

depressicornis Fald.

deplanata Faust *R.m.*

convexicollis Desbr. *Ca.*

Seythis

Schaum.

macrocephala Tsch. *R.m.*

subquadrata Stev.

pygmaea Mannerh.

Choristopsis

Kraatz.

caucasica Kr. *Ca.*

Dichomma

Solier.

dardanum Stev. *T.Gr.*

Maillei Sol.

glabrum Brull.

Pachychila

Eschscholtz.

punctata F. *Hi.m.*

hispanica Sol. *Hi.*

Salzmanni Sol. *Gr.*

Stevensi Sol. *Si.*

Dejeani Besser *Si.*

subovata Besser *S.*

cossyrensis Ragus. *I.*

*

glabra Stev. *Hi.m.*

impressifrons Sol.

incrassata Rosh. *Hi.m.*

brevis Bess. *Hi.*

pedinoides Sol. *Cret.*

sublunata Sol. *Bal.*

gabella Herbst *Hi.m.*

Frioli Rosh.

granatensis Pioch. *And.*

Servillei Sol. *C.S.*

v. *pygmaea* Gené *Si.*

Germari Sol. *Hi.Si.*

bifida Rosh. *S.*

sardea Kr. *S.I.*

Frioli Sol. *S.Si.I.*

quadricollis Rebe.

laticollis Dej. *Gr.*

Microdera

Eschscholtz.

- deserta Tausch. *R.or.*
- deplanata Gebl. *Ca.*
- campestris Stev. *R.m.*
- v. convexa Fald. *R.m.*
- gracilis Esch. *R.m.*
- subsulcata Kr. *R.m.*
- convexa Tausch. *R.m.*

Tentyria

Latreille.

- mucronata Stev. *E.m.*
- v. oblonga Sol. *Ga.*
- v. nitida Sol. *I.m.*
- elongata Waltl *Hi.l.*
- v. sinuatocollis Rosh.
- v. rugoso-striata Kr.
- v. arenaria Kr.
- emarginata Kr. *Hi.*
- ligurica Sol. *C.S.I.*
- subcostata Sol. *Hi.m.*
- maura Er.
- acuminipennis Luc.
- maroccana Sol. *Hi.m.*

*

- Ramburi Sol. *C.*
- v. angusticollis Sol. *C.*
- v. Maillei Sol. *S.*
- v. substriata Sol. *C.Ga.*
- v. laevicollis Sol. *C.S.*
- rugosa Gené *S.*
- interrupta Latr. *I.*
- gallica Sol. *Ga.*
- Floresi Gené *S.*
- v. monticola Gen.
- cercyonoides Hrbst. *Hi.*
- curta Stev. *Lu.*
- Heydeni Haag *Lu.*
- Schaumi Kr. *Bal.*
- basalis Schauf. *Bal.*
- andalusiaca Kr. *Hi.C.*
- gaditana Sol. *Hi.m.*

*

- Thunbergi Stev. *Hi.*
- bipunctata Sol. *Ga.m.*
- Sommieri Baud. *I.*
- gigas Fald. *R.m.*
- italica Sol. *D.E.m.*
- corrugata Rosh. *Lu.Hi.*
- cylindrica Sol. *Gr.*
- acuminata Reiche
- angulata Brull. *T.*
- subdepressa Sol. *Gr.*
- taurica Tausch. *R.m.Gr.*

- v. Fischeri Sol. *T.*
- sardea Sol. *S.Si.*
- v. barbara Sol. *Hi.*
- v. tristis Sol.
- v. Mittrei Sol.
- v. Tarquinia Baud. *S.*

*

- grossa Besser *S.Si.*
- sicula Sol.
- v. Dejeani Sol.
- v. grandis Sol.
- laevigata Stev. *I.m.Si.*
- v. Leachi Baud. *Malt.*
- nomas Pallas *R.m.*
- v. rugulosa Germ.
- podolica Stev.
- v. sibirica Gebl.
- v. striatopunctata Mén.
- Frivaldszkyi Kr. *Hi.*
- banatica Friv.
- clavata Kr. *R.m.*
- Bassii Sol. *Hi.*
- subrugosa Sol. *Hi.m.*
- Kindermannii Fisch. *R.m.*
- rotundata Brull. *Gr.*
- grossa Sol.
- orbicollis Sol.

- Peirolieri Sol. *Hi.m.*
- prolixa Rosh. *Hi.m.*
- sublaevis Kr. *Hi.m.*
- laevis Sol. *Hi.m.*
- incerta Sol. *Hi.m.*
- platyceps Stev. *Hi.m.*
- Goudoti Sol. *Lu.*
- v. modesta Rosh. *Hi.m.*
- velox Chevrol. *Hi.*
- oblonga Tausch. *Hi.*
- tessulata Tausch. *R.m.*

Psammoecyptus

Kraatz.

- Stenosida Duval.
- minutus Tausch. *R.m.*

Lachnoga

Ménétries.

- squamosa Men. *Ca.*

Adelostomini.

Adelostoma

Duponchel.

Polyseopus Waltl.

- sulcatum Duponch. *Hi.m.*
- costatum Waltl ?*Si.*
- seabrum Chevr. *D.*

Stenosini.

Stenosis

Herbst.

Tagenia Latr.

- angustata Herbst *Ga.S.*
- filiformis Latr. *Si.*
- brenthoides Rossi *I.*
- italica Kr.
- angustata Rossi
- sardoa Küst. *C.S.*
- intermedia Sol. *E.m.*
- angusticollis Reiche *C.S.*
- sicula Sol. *I.Si.*

*

- orientalis Brull. *Gr.*
- graeca Sol. *I.Gr.*
- pilifera Sol. *Hi.*
- villosa Bris. *Hi.*
- hispanica Sol. *Hi.m.*
- filiformis F. *Ga.Hi.*
- brevicollis Reiche *Gr.*
- orientalis Sol.
- hesperica Sol. *Hi.m.*
- elongata Sol. *Si.Malt.*
- smyrnensis Sol. *Gr.Cret.*
- punctiventris Esch. *Cri.*
- Webbi Guér. *S.*
- laeviventris Desbr. *Cri.*
- foveiventris Desbr. *Cri.*
- quadraticollis Desbr. *Ca.*

Dichillus

Duval.

- subtilis Kr. *Si.*
- minutus Sol. *E.m.*
- socius Rottb. *Si.*
- carinatus Küst. *D.I.*
- subcostatus Sol. *Hi.m.*
- andalusicus Rosenh. *Hi.*
- corsicus Sol. *C.S.*
- pumilus Sol. *C.S.*
- pertusus Kiesw. *Gr.*
- v. biseriatus Reiche *Si.*

Microtelus

Solier.

- asiaticus Sol. *T.Gr.*

Oogaster

Faldermann.

- piccea Mén. *R.m.*
- Menetriesi Fald.

Helenophorini.

Helenophorus

Latrelle.

collaris L. *Ga.Hi.I.*

Akisini.

Mortea

Solier.

planata F. *Hi.m.*

grossa L. *Lu.*

s-costata Sol. *Hi.*

hybrida Charpent. *Hi.*

obtusa Sol.

Akis

Herbst.

bacarozzo Schrk. *E.m.*

punctata Thunberg

reflexa Oliv.

v. tuberculata Kr.

subterranea Sol. *Ga.Si.*

acuminata F. *Hi.Si.*

Sansi Sol. *Hi.b.*

elongata Brull. *T.Gr.*

deplanata Waltl

discoidea Quens. *Hi.*

Salzei Sol. *Hi.m.*

v. hispanica Sol.

*

spinosa L. *E.m.*

v. sardea Sol. *D.I.*

v. Olivierii Sol. *Si.*

v. barbara Sol. *Hi.S.*

v. angusticollis Baud. *S.*

granulifera Sahlb. *Lu.*

v. spinosa Herbst *Hi.*

v. Bayardi Sol.

v. Genei Sol.

v. lusitanica Sol.

elegans Charp. *Hi.Ga.*

carinata Sol.

italica Sol. *I.*

Cyphogenia

Solier.

Lechriomus Moraw.

lucifuga Adams *R.m.*

depressa Küst.

v. acuminata Fisch.

aurita Pallas *R.m.or.*

truncata Gebl.

Zablotzkii Zoubk. *Ca.*

Seaurus

Fabricius.

tristis Oliv. *E.m.*

calcaratus F.

v. giganteus Küst. *S.*

v. lugens Küst. *S.Si.*

aegyptiacus Sol. *S.Si.*

vicius Sol. *Hi.S.*

rugulosus Sol. *Hi.*

gracilis Küst. *Hi.?I.*

uncinus Forst. *Hi.*

gigas Waltl

hespericus Sol.

striatus F. *E.m.*

v. maremmanus Sol. *I.*

sticticus Gemmigr. *Ga.Hi.*

punctatus Herbst. *S.*

atratus F. *Ga.Hi.I.*

Cephalostenus

Solier.

elegans Brull. *Gr.*

Dejeani Sol.

orbicollis Mén. *T.Gr.*

elegans Sol.

Dejeani Reiche

Blaptini.

Gnaptor

Solier.

spinimanus Pallas *E.m.*

glabratus Herbst *Hi.*

Boryi Lap. *T.*

graecus Küst. *Gr.*

prolixus Fairm. *Ca.*

Prosodes

Eschscholtz.

Gebleria Motsch.

Peltarium Fisch.

Nyctipates Sol.

obtusus F. *R.m.*

♂ cylindricus Herbst

attenuatus Fisch.

♀ punctatus Fisch.

pasticus Sol.

Blaps

Fabricius.

Uroblaps Mot.

ominosa Mén. *Ca.R.m.or.*

lusitanica Herbst. *Ga.m.Hi.*

producta Lap. *Lu.*

hispanica Sol. *Ga.m.Hi.*

Emondi Sol. *I.m.*

Lithoblaps Mot.

gages L. *E.m.*

gigas F.

producta Brull.

brachyura Küst. *Hi.*

abbreviata Sol.

pruinosa Fald. *R.m.*

♂ Fischeri Fisch.

Rhizoblaps Mot.

armeniaca Fald. *Ga.m.T.*

plana Sol. *Cro.Hi.*

hians Fisch. *R.*

taeniolata Mén. *R.m.Ca.*

Requieni Sol. *And.*

nitens Lap. *H.m.*

stygia Er.

subteres Sol.

vicina Sol.

Blapisa Mot.

gibba Lap. *I.Gr.Bal.*

australis Sol.

ecaudata Küst.

v. planicollis Sol. *Im.*

v. impressicollis Sol. *Si.*

v. italica Baudi

Jaegeri Humm. *R.m.Ca.*

carbo Fisch.

orbicollis Mot. *R.m.oc.*

abbreviata Mén. *E.or.*

ovata Sol.

convexa Fisch.

v.rotundicollis Rche. *Gr.*

luctuosa Mén. *Ca.*

Platyblaps Mot.

deplanata Mén. *Ca.*

quinquecostata Fsch. *Ca.*

muricata Mén. *Ca.*

corrosa Fisch. *R.m.oc.*

planicollis Mot. *Ca.*

tibialis Rche. *Gr.*

Blaps Mot.

mortisaga L. *E.*

acuminata Deg.

dorsata Fisch. ? All. *R.m.*

montana Mot. *Ca.*

graeeca Sol. *Gr.*

Ledereri Fairm.

Dineria Mot.

confusa Mén. *R.m.Hu.*

reflexicollis Sol.

glabrata Bess.

viatica Mill.

v. microphthalmia Fisch.
confluens Fisch. *A.R.Hu.*
confusa Fisch. *Ca.*
Solieri Reiche *Cri.Ca.*
acuminata Sol.

Agroblaps Mot.
reflexicollis Fisch. *Hu.T.*
Dahli Sol.
pannonica Friv.
robusta Mot. *Ca.*
putrida Mot. *R.m.*
parvicollis Eschsch. *Hu.*
Krynickii Fisch. *R.m.*
scabriuseula Mén. *Ca.or.*
subalpina Mén. *Ca.*
anthracina Fald. *Ca.*
pterotapha Mén. *Ca.or.*
angulicollis Mot.
similis Latr. *E.*
fatidica Sturm
obtusa Curtis
v. proxima Sol. *Ga.Si.*
subquadrata Brll. *T.Gr.*
bipunctata Allard *Ca.*
Leptocolena Allard.
mucronata Latr. *E.m.*
obtusa Stm. *G.Ga.*
Chevrolati Sol.
sublineata Brll. *Gr.*
striolata Küst. *S.*
v. stricticollis Villa *Si.*
v. reflexa Sol.
dilatata Lap.
foveicollis Allard *Malta.*

Asidini.

Asida
Latreille.

sabulosa Goeze *Ga.*
grisea Oliv. *A.*
rugosa Fourer. *Pe.*
♀ vicina Sol.
v. Duftschmidi Gemm.
morbillosa Duft. *A.*
♂ variolosa F.
v. helvetica Sol. *D.*
v. glabricosta Sol. *Si.*
v. insidiosa Muls *Ga.*
♀ v. catenulata Mls. *Ga.*
confusa Kr. *Hi.m.*
pygmaea All.
reticulata Sol. *Hi.*
Ghilianii Baud. *Hi.*
Dejeani Sol. *Ga.Hi.Pe.*

v. massiliensis Baud. *Ga.*
pygmaea Rosh. *Hi.m.*
pusillima Kr. *Hi.m.*
ruficornis Sol. *Hi.C.*
complauata Lue.
Ricoi Martinez *Hi.m.*
Paulinoi Perez *Lu.*
Solieri Gené *S.*
setosa Perez *Hi.m.*
planipennis Schauf. *Bal.*
Moraguezi Schauf. *Bal.*
lutosa Sol. *R.m.Ca.*
setulifera Küst. *Mont.*
Fairmairei Boield. *Gr.*
graeca All. *Gr.*
fascicularis Germ. *D.*
terricola Küst.
lineatocollis Küst. *D.*
acuticollis All.
sardinensis All. *S.*
consanguinea All. *Ga.*
Bayardi Sol. *I.*
v. ligurica Baud. *I.*
Goryi Sol. *Hi.S.Si.*
serripes Chevr. *And.*
grisea F. Rossi *I.*
longicollis Sol. *C.*
Ludovicii Perez *Bal.*
carinata Sol. *C.S.*
lepidoptera All. *C.*
hesperica Perez *Hi.m.*
sericea Oliv. *Ga.P.Hi.*
v. difficilis Perez *H.md.*
sinuatocollis Sol. *Hi.S.*
banatica Friv. *Hu.*
Pirazzolii All. *I.*
corsica Lap. *C.S.*
Genei Sol. *S.*
Combae Gené *S.*
rustica Gené *S.b.*
glacialis Gené *S.P.*
Jurinei Sol. *Hi.I.*
♀ bigorrensis Sol. *Pe.*
Mahoni Boield. *Bal.*
Pazi Perez *Hi.*
v. pyrenaea Baudi *P.*
oblonga All. *Hi.*
Bonvouloiri All. *P.*
elongata Perez *Hi.*
Reichei All. *Bal.*
Cardonae Perez
horrens Schauf.
cincta Rosh. *Hi.S.*
Barceloi Perez *Bal.*
gibbicollis Perez *Lu.*
♂ angustata All. *Hi.*

setipennis All. *Hi.*
hebes Rosenh. *Hi.m.*
minuta Ramb. i. l.
granulifera Chvr. *Lu.Hi.*
inquinata Rosh. *Hi.*
Brucki All. *Hi.m.*
marginicollis Rosh. *Hi.*
Marmottani Bris. *P.*
holosericea Germ. *Hi.m.*
Ramburi Sol.
Clementei Perez *Hi.*
Solieri Ramb. i. l.
lorcana Perez *Hi.m.*
luctuosa Boisduv. *Hi.*
puncticollis Sol. *Hi.*
opatroides All. *Si.*
sulcipennis Fairm.
cariosicollis Sol. *And.*
Touruieri All. *Si.*
dubia All. *Hi.*
porcata F. *Hi.*
costulata Sol. *Lu.*
tangeriana Sol *Hi.m.*
scabrosa All. *Hi.*
sulecata All. *Hi.m.*
grauifera Sol. *Hi.m.*
Marseuli All. *Hi.*
punctipennis Per. *Hi.Lu.*
Zapateri Perez *Hi.*
castellana Graëlls *Hi.*
Goudotii Sol. *Hi.m.*
Gaditana Ramb. i. l.
v. Perezi Chevr.
v. ventricosa Sol.
gigas Dufour *Hi.*
hispanica Sol. *Hi.*
crassicollis Frm. *Hi.*
Morae Perez
gracilis All. *Hi.*
atrata Baudi *Hi.*
elongata Sol. *Hi.*
Amori Perez
Diecki All. *Hi.b.*
parallela Sol. *Hi.*
Vuillefroyi Perez
montana Baudi *Hi.m.*
laevis Sol. *Hi.*
depressa Sol. *Bal.*
♀ brevicostata Sol.
laevigata Ramb. i. l.
v. ibicensis Perez *Hi.*
v. crenata Schauf. *Bal.*
asperata Sol. *Hi.*
rugosula Ramb. i. l.
alonensis Martinez *Hi.m.*
sicula Sol. *Si.*

♀ grossa Sol.

syriaca All.

grandipalpis All. *Hi.*
squalida All. *Hi.m.*

Pimeliini.

Pimelia

Fabricius.

*

angulata F. *Si.*

angulosa Oliv.

spinosa Forsk.

asperrima Pall.

v. aculeata Klug.

sericea Oliv. *Gr.T.*

v. Latreillei Sol.

v. denticula Sol. *Bal.*

*

balearica Sol. *Bal*

inflata Herbst *S.Si.*

grossa F.

barbara Sol.

v. rugosicollis Levr.

cephalotes Pallas *R.m.*

capito Krynicki *R.m.*

neglecta Mén.

Schönerherri Sol.

v. anomala Sol.

v. Schönerherri Fald.

*

variolosa Sol. *Hi.m.*

ruida Sol. *Hi.m.*

maura Sol. *Hi.m.*

Mittrei Sol. *Gr.*

sardea Sol. *C.S.Si.*

v. Goryi Sol. *S.*

v. subscabra Sol. *C.S.*

v. sublaevigata Sol. *Si.*

v. corsica Sol. *S.*

rugulosa Germ. *I.*

v. bifurcata Sol. *Si.*

undulata Sol. *S.*

Payraudi Sol. *C.S.Si.*

v. rugatula Sol. *Gam.*

angusticollis Sol. *C.Si.*

bipunctata F. *Ga.Hi.*

muricata Ol. *I.*

aspera Germ.

sulcata Fourcr.

distincta Sol. *Hi.*

castellana Perez *Hi.*

baetica Sol. *Hi.*

costata Waltl *Hi.*

hesperica Sol.

v. lineata Sol.

v. gadium Sol.

v. graphica Baudi

modesta Herbst *Lu.Hi.*

incerta Sol.

muricata F.

integra Rosenh. *Hi.m.*

cribra Sol. *Bal.*

v. interjecta Sol.

hispanica Sol. *Hi.m.*

v. rotundata Sol.

punctata Sol. *Hi.*

monticola Rosh. *Hi.m.*

brevicollis Sol. *Hi.m.*

*

politata Sol. *Gr.*

subglobosa Pall. *R.m.T.*

monilifera Sol. *T.Gr.*

verruculifera Sol. *T.Gr.*

verrucifera Waltl

coordinata Fisch.

varicosa Mén.

v. Mongeneti Sol.

v. balcanica Kirchsb.

v. graeca Sol.

euboica Boield. *Gr.*

graeca Brull. *Gr.*

v. sericella Sol.

v. exanthematica Sol.

v. asperula Sol.

v. phymatodes Sol.

v. Minos Luc. *Cret.*

cephalenica Kr. *Gr.*

scabrosa Sol. *Hi.m.*

fornicata Herbst *Hi.*

obesa Sol.

verrucosa Fisch. *R.m.or.*

oblongiuscula Mot. *R.*

Podhomala

Solier.

suturalis Sol. *R.m.or.*

lucidula Kryn.

Pachyscelis

Solier.

quadricollis Sol. *Gr.*

v. obscura Sol.

v. porphyrea Sol.

v. parallela Sol.

granulosa Sol. *Gr.S.*

v. tenebrosa Sol.

erinita Sol. *Gr.*

v. hirtella Sol.

bilineata Baud. *R.m.*

clavaria Mén. *R.m.*

leprosa Fald.

Onera

Fischer.

Trachyderma Latr.

hispida Forskal *Si.*

angustata Sol. *S.Si.*

imbricata Fisch. *R.m.or.*

v. pilicollis Fald.

setosa Mén. *R.m.or.*

Beckeri Desbr. *R.m.*

abbreviata Mtsch. *R.m.*

Pterocoma

Solier.

costata Pall. *R.m.or.*

Sarpae Sol.

gracilicornis Sol. *R.m.*

subrugosa Mot. *R.m.*

Platypope

Fischer.

leucographa Pall. *R.m.*

Bassii Sol.

v. unicolor Zoubk.

Karelini Kryn.

lineata F. *R.m.*

Lasiostola

Solier.

pubescens Pallas *R.m.*

variolaris Gebl. *R.m.*

tuberculata Mot. *R.m.*

Trigonoscelis

Solier.

muricata Pall. *R.m.or.*

deplanata Kryn. *R.m.*

callosa Mot. *R.m.*

contraria Desbr. *R.m.*

sinuatocollis Desbr. *R.m.*

Sepidiini.

Sepidium

Fabricius.

bidentatum Sol. *Hi.m.*

v. castilianum Graëlls

siculum Sol. *S.Si.*

v. Gencii Sol.

barbarum Sol. *Si.*

v. Servillei Sol.

tricuspidatum F. *Hi.*

Crypticini.

Crypticus

Latreille.

- infatus Reiche Gr.
- gibbulus Quens. E.m.
- pubens Fairm. Hi.m.
- substriatus Desbr. R.m.
- viaticus Fairm. Hi.
- ulomoides Fairm.
- nebulosus Fairm. Hi.
- pruinosis Dufour Hi.
- adspersus Küst.
- helvolus Küst. S.Si.
- quisquilius L. E.
- glaber F.
- v. pyrenaicus Baud. P.
- Zuberi Desbr. R.m.
- pusillus Rosenh. Hi.m.
- zophosoides Heyd. Lu.Hi
- Kraatzi Bris. Hi.
- alpinus Comolli I.b.

Oochrotus

Lucas.

Pyenidium Erichs.

- unicolor Lucas Ga.Hi.I.

Seriscius

Motschulsky.

- pubescens Mot. R.m.or.

Platyscelis

Latreille.

- hypolithos Pall. R.m.
- Spinolae Sol. R.m.
- polita Sturm A.Hu.
- melas Fisch. R.m.
- gages Fisch. A.R.m.
- hungarica Friv. Hu.
- intermedia Gebl. R.m.or.
- attenuata Mot. R.m.

Pedinini.

Dendarus

Latreille.

- Pandarus Mulsant.
- carinatus Muls. C.S.
- corsicus Perris
- tristis Rossi Ga.m.I.
- coarcticollis Muls.
- v. bipunctatus Crist.
- pectoralis Muls. Hi.

- castilianus Piöch. Lu.Hi.
- Aubei Muls. Hi.m.
- insidiosus Muls. Hi.m.
- sinuatus Muls. T.Gr.
- emarginatus Brull.
- graecus Brull. Gr.
- stygius Waltl Si.T.Gr.
- simius Muls. Gr.
- lugens Muls. D.S.Si.Gr.
- emarginatus Germ. D.I.
- dalmatinus Germ. T.
- torpidus Muls. Gr.
- plicatalus Brull. Gr.
- obscuripennis Brull. Gr.
- Victoris Muls. T.
- moesiacus Muls. Gr.
- cibratus Waltl T.R.m.
- dardanus Fald.
- carbonarius Waltl T.
- punctatus Serv. R.m.
- messenius Brull. Gr.
- gravidus Brull.
- ottomanus Muls. T.
- tentyrioides Brull.
- foraminosus Küst. Cret.
- rhodius Baudi Cret.
- creticus Mot. Cret.

- Pandarinus Mulsant.
- tenellus Muls. I.Gr.
- caelatus Brull. Gr.
- elongatus Muls. Hi.m.
- nevadensis Piöch. Hi.m.

- Bioplanes Mulsant.
- meridionalis Mls. Ga.A.I.

Pedinus

Latreille.

- punctatus Muls. T.I.
- Olivieri Muls. Cret.
- quadratus Brull. Gr.Si.
- helopiooides Ahr. D.Hu.
- gibbosus Gory I.Gr.
- affinis Brull. D.Gr.
- gibbosus Muls. MB.
- fallax Muls. Hu.D.Si.Gr.
- v. gracilis Muls. Gr.
- punctatostriatus Mls. Em
- olympicus Kiesw. Gr.
- longulus Rottb. Si.
- Ragusae Baudi Si.
- vicius Baudi
- meridianus Muls. Ga.I.
- fatuus Muls. Si.
- oblongus Muls. T.Gr.

- subdepressus Brull. Gr.
- cylindricus Waltl
- Schaumi Muls. T.
- taygetanus Kiesw. Gr.
- curvipes Muls. T.
- femoralis L. Ga.G.A.R.
- ♀ dermestoides F. I.
- debilis Kiesw. Gr.
- curtulus Muls. T.
- tauricus Muls. R.m.
- volgensis Muls. R.m.
- sulcatus Mén. T.
- jonicus Kiesw. Gr.

Colpotus

Mulsant.

- strigosus Costa I.
- strigicollis Muls. S.
- similaris Muls. Lu.I.
- Godarti Muls. C.Si.
- byzantinicus Waltl T.
- sulcatus Muls. Cret.
- pectoralis Muls. Gr.Cret.

Isocerus

Latreille.

- ferrugineus F. Lu.Hi.
- purpurascens Herbst
- balearicus Schauf. Bal.

Litoborus

Mulsant.

- Moreleti Lucas I.Hi.
- planicollis Waltl Hi.Si.

Heliopates

Mulsant.

- lusitanicus Ilbst. Ga.Hi.
- cribratostriatus Muls. Hi.
- Perroudii Muls. Hi.
- simulans Chevr.
- transversalis Muls. Hi.
- montivagus Muls. Hi.m.
- avarus Muls. Si.Gr.
- v. ambiguus Baud. C.Si.
- v. Neptunius Baud. Si.
- ibericus Muls. Hi.
- cribratus Chevr. Hi.
- rotundicollis Lucas Hi.m.
- agrestis Muls. Hi.m.
- Inctuosus Serv. E.m.
- emarginatus F. Lu.Hi.
- subvariolaris Lucas
- meridianus Brull. Gr.

Olocrates Mulsant.

saxicola Muls. *Hi.*
collaris Muls. *Hi.*
gibbus F. *E.*

paludicola Chevr. *Hi.*
fossulatus Muls. *Hi.*
foveolatus Graëlls *Hi.*
foveipennis Muls. *Hi.*
lineatopunctatus Mls.
v. milleporus Chevr. *Hi.*

foveostriatus Muls. *Hi.*
indiscretus Muls. *Hi.*
nivalis Baudi

abbreviatus Ol. *Ga. Hi.*
hybridus Latr. *I.*
v. dubius Baud.

dendaroides Baud. *Hi. m.*
planiusculus Muls. *Hi.*
viaticus Muls.

barbarus Luc. *Hi. m.*
quadratulus Muls.
damaseenus Mannh. *R. m.*
Mulsanti Pioch. *Lu.*
Reyi Pioch. *Lu.*

mediterraneus Pioch. *Bal.*

Melambius

Mulsant.

sardous Baudi *S.*

Phylax

Brullé.

variolosus Ol. *Lu. Hi.*
littoralis Muls. *Ga. I.*
v. fraternus Muls. *Si.*
v. ingratus Muls. *I.*
v. melitensis Baud. *Malt.*
brevicollis Baudi *S.*
saxeticola Graëlls *Hi. I.*
punctulatus Luc. *Cret.*
balearicus Schauf. *Bal.*

Micrositus

Mulsant.

orbicularis Muls. *Gr. Cret.*
ulyssiponensis Germ. *Lu.*

v. montanus Muls.
v. lusorius Muls. *Hi. mnd.*
ventralis Mars.
obesus Muls.

Paivae Perez *Lu.*
agricola Muls. *Hi.*
obesus Waltl *Hi. m.*
baeticus Muls.
miser Muls. *Hi.*

Heeri Muls.

gibbulus Mot. *Hi.*
melancholicus Mls.
nitidicollis Perez *Bal.*
furvus Muls. *Hi. m. or.*
subcylindricus Mot. *Hi.*
longulus Muls. *Hi.*
levis Perez *Hi.*
granulosus Billb. *Lu.*
plicatus Luc.

Litororus Miedel.
semicostatus Muls. *Hi. m.*

Pachypterus

Lucas.

mauritanicus Luc. *Hi. C.*

Pseudolamus

Fairmaire.

pusillus Baudi *Hi.*

Opatriini.

Scleron

Hope.

abbreviatum Reich. *Gr. R.*
armatum Waltl *Hi.*
algiricum Lucas
multistriatum Forsk. *Gr.*
foveolatum Ol.

Cnemeplatia

Costa.

Autocera Wollaston.

Atropos Costa *E. m. IIu.*
anticipes Woll.
rufa Tourn. *Lu.*

Opatrum

Fabricius.

perlatum Germ. *Hi.*
verrucosum Germ. *I. Gr.*
granigerum Bess.
hispidosum Brull.
v. verruciferum Mls. *Gr.*
verrucosum Brull.
v. trilobatum Baudi *Gr.*
v. alternatum Küst. *D. T.*
v. sculpturatum Fairm.
obesum Oliv. *S.*
v. dardanum Stev. *T.*
v. elevatum Brull. *Gr.*
gibbum Küst.
messeniacum Rttb. *Si.*
v. setuligerum Costa *I. m.*

? v. Parreyssi Küst. *T.*

? v. sulcatum Küst. *T.*

sabulosum L. *E.*

v. lucifugum Küst. *D.*

v. riparium Scriba *G. m.*

v. distictum Küst. *C. Pe.*

? meliteuse Küst *I. Gr.*

v. tricarinatum Mot. *Cri.*

triste Stev. *S. R. m.*

granulatostriat. Kst.

areolatum Küst. *T.*

nivale Gené *S.*

porcatum F. *Maroc.*

v. validum Rottbg. *Si.*

porcatum Muls. *Bal.*

baeticum Rosenh. *Hi. m.*

gregarium Rosh. *Hi. m.*

geminatum Brull. *T.*

Dahli Küst. *S.*

nodosum Gen.

europaeum Mot. *C. S.*

Colliardi Fairm.

ciliaris Muls. (*Sinor.*)

Lefranci Fairm. *S. Si.*

sexcostatum Mot. *Gr.*

scleroides Baudi *Creta*

Gonocephalum Muls.

pygmaeum Stev. *Ga. I.*

v. pedestre Rosh *Ti.*

pusillum Küst.

v. pesthiense Besser *Hu.*

v. Sturmii Küst.

v. assimile Küst. *I.*

setulosum Fald. *Ca.*

minutum Mén. *E. m.*

crenatum F. *E. m.*

vestitum Küst.

hispidum Brull. *Lu.*

prolixum Er. *Hi. S. Si.*

hespericum Mot.

obseurum Küst.

lugens Küst. *R. m.*

rusticum Oliv. *E. m.*

pulverulentum Ol.

patruelle Küst. *Ga.*

vicinum Gemm.

v. terrosum Küst. *S.*

setulosum Küst. *Hi.*

trichopterum Gemm.

villosum Stev. *Ga.*

muricatum Brll. *Gr.*

subsulcatum Kst.

famelicum Kst. *Gr.*

v. rugulosum Kst. *T.*

pusillum F. *E. m.*

vienense Dft. *A.Hu.*
v. nitidulum Küst. ?*Gr.*
v. ragusanum Küst. *D.*
v. interstitiale Kst. *Mont.*
v. nigrum Küst. *E.m.*
v. meridionale Küst. *Hi.*
?v. costatum Brllé.
lineare Küst.

fuscum Küst. ?*Ga.I.*
substriatum Bess. ?*I.*
pruinosum Fisch. *R.m.or.*
intermedium Fsch. *R.m.*
modestum Küst. *And.*

Seleropatrum

Miedel.

hirtulum Baudi *R.m.*
Hadrus
Wollaston.
subellipticus Dsbr. *Creta.*

Lobothorax

Gemminger.

Loboderus Muls.
rufescens Muls. *R.m.or.*

Heterophilus

Mulsant.

picipes Fald. *Ca.*
ellipticus Desbr. *R.m.*

Opatroides

Brullé.

punctulatus Brull. *S.Si.*
subcylindricus Mén. *Gr.*
parvulus Fald. *R.m.*
thoracicus Rosenh. *Hi.m.*

Penthicus

dilectans Fald. *U.*
pinguis Fald. *R.m.or.*
saginatus Mén. *Ca.*
granulatus Desbr. *R.m.*

Microzoum

Redtenbacher.

tibiale F. *E.*

Lichenum

Blanchard.

pietum F. *E.or.*
pulchellum Küst. *E.m.*

variegatum Kst. *Ga.*

mucronatum Küst. *Hi.*

Trachyscelini.

Anemia

Laporte.

Cheirodes Dej.

granulata Lap. *Seneg.*
v. sardoa Gené *E.m.*
pilosa Tourn.
rotundicollis Desbr. *I.m.*

Ammophthorus

Lacordaire.

Ammobius Guér.

rufus Luc. *E.m.*
rugosus Rosenh. *Hi.*

Trachyscelis

Latreille.

aphodioides Latr. *E.m.*

Phaleria

Latreille.

hemisphaerica Küst. *E.m.*
v. bimaculata Herbst
v. dorsigera F.
v. limbata Baud. *S.*
nigriceps Muls. *Ga.E.m.*
Revelieri Muls. *C.*
acuminata Küst. *C.S.Si.*
oblonga Küst. *Hi.m.Si.*
adriatica Baudi *I.md.*
insulana Desbr. *C.*

Bolitophagini.

Bolitophagus

Illiger.

reticulatus L. *E.*
crenatus F.
interruptus Ill. *Ga.G.E.m*
armatus Panz. *Ga.G.S.*

Heledona

Latreille.

agricola Herbst *E.*
agaricola Panz.

Diaperini.

Diaperis

Geoffroy.

boleti L. *E.*
v. quercana Baud. *Cro.*
v. morio Baud. *St.*

v. bipustulata Lap. *Hi.*
fungi Mot. *Ca.*

Hoplocephala

Laporte.

haemorrhoidalis F. *E.*
quadricornis Reitt. *Ca.or.*

Seaphidema

Redtenbacher.

metallicum F. *E.md.*
aeneum Payk. *E.b.*
bicolor F.
armeniacum Desbr. *Ca.*

Amarantha

Motschulsky.

viridis Mot. *Ca.*
azurea Waltl *T.Si.*
parallela Fairm.

Platydema

Laporte.

europaeum Lap. *E.m.*
dytiscoides Rossi *E.md.*
violaceum F. *E.b.*
Dejeani Lap. *A.Hu.R.*
triste Lap. *R.m.*
cophosoides Fald. *Ca.*

Alphitophagus

Stephens.

Phyletus Redtenb.
4-pustulatus Steph. *E.*
populi Redt.
pictus Mén. *Ca.*

Pentaphyllus

Latreille.

fm.
chrysomelooides Rossi *E.*
melanophthalmus Mls.
testaceus Hellw. *E.*
nitidulus Reitt. *Ca.or.*

Ulomini.

Tribolium

Mac Leay.

ferrugineum F. *E.*
castaneum Herbst
madens Charp. *Ga.G.R.I.*
confusum Duval *Ga.G.I.*

Lathelicus

Waterhouse.

oryzae Waterh. *> Br.*

Lyphia

Mulsant.

fiecola Muls. C.
tetraphylla Fairm. *Ga.I.*

Gnathocerus

Thunberg.

Cerandria Lucas.

cornutus F. E.
v. *laeviusculus* Steph.

Palorus

Duval.

melinus Herbst E.
depressus F.
bifoveolatus Dft. *G.Ga.T.*
Ratzeburgi Wissm.
fagi Ratz.

Corticeus

Piller.

Hypophloeus Hellw.
cimeterius Herbst E.
castaneus F.
v. *siculus* Baudi Si.
fraxini Kugel. *E.mdb.*
ferrugineus Creutz.
pini Panz. *Ga.G.I.*
longulus Gyll. *Su.G.*
suturalis Payk. *Su.G.R.*
v. *bivittatus* Reitt. *Tr.*
rufulus Rosenh. *Ga.G.*
insidiosus Muls.

bicolor Ol. E.
basalis Reitt. *Ca.or.*
fasciatus F. E.
versipellis Baudi I.
Hopffgarteni Reitt. *Tr.*
linearis F. E.

Melasia

Mulsant.

gagatina Muls. Si.

Uloma

Redtenbacher.

culinaris L. E.
v. *cucullata* Mén. Ca.
pieca Küst. D.J.
Perroudi Muls. E.
cyprea Kr. T.Gr.
cypria All.
cypriotes Mars.

Pygidiphorus

Mulsant.

Caroli Muls. *Ga.m.Hu.*

Alphitobius

Stephens.

Heterophaea Redt.

diaperinus Panz. *E.m.d.m.*

mauritanicus F. *E.m.*

piceus Ol. *G.Ga.*

fagi Panz.

ebryosomelinus Hbst. *G.*

glabratus F. *Ga.E.m.*

gracilipes Baudi ? R.

viator Muls. *Ga.*

granivorus Muls. *Ga.*

Clitobius

Mulsant.

Halonomus Woll.

ovatus Er. Si.

sabulicola Mls.

subplumbeus Frm.

Cataphronetis

Lucas.

crenata Germ. E.m.

brunnea Muls.

Phthora

Mulsant.

crenata Muls. Ga.I.

Erebus

Mulsant.

sulcipennis Muls. I.

Ulomina

Baudi.

carinata Baudi I.

Anthracias

Redtenbacher.

cornutus Fisch. R.

bicornis Redtb. Hu.

Cossyphini.

Cossyphus

Olivier.

tauricus Stev. *R.m.Gr.*

insularis Lap. S.Si.

Hoffmannseggii Hbst. *H.i.I*

Dejeani Brême *Lu.III.*

algirus Lap. C.S.

ovatus Brêm.

substriatus Lap. *H.i.m.*

barbarus Brêm.

incostatus Brême *H.i.m.*

tuberculatus Brême *H.i.m.*

pygmaeus Brême *H.i.*

Coelometopini.

Coelometopus

Solier.

clypeatus Germ. Lu.

Tenebrionini.

Iphthimus

Truqui.

italicus Truqui *I.C.Si.*

croaticus Truqui *Hu.Cro.*

Upis

Fabricius.

ceramboides L. *G.E.b.*

Tenebrio

Linne.

Menedrio Mot.

opacus Dft. *Ga.G.Su.*

obscurus F. E.

longicollis Mot. Ca.

*

molitor L. E.

picipes Herbst *R.b.Si.*

transversalis Duft. G.

noctivagus Muls. Ga.

Menephilus

Mulsant.

cylindricus Herbst *E.m.d.*

curvipes F. E.m.

♂ *loripes* Ill.

Bius

Mulsant.

thoracicus F. E.m.b.

Centorus

Mulsant.

procerus Muls. E.m.

trogosita Stev. Mot. Ca.or.

sulcatus Fisch. R.m.

tenuicornis Mot. Ca.or.

Calcar

Latreille.

- elongatum Herbst *E.m.*
- sulcatum Fisch. *R.m.*
- crassipes Fisch. *R.m.*

Boromorphus

Wollaston.

- tagenoides Lucas *Hi.*
- maderae Woll.

Dilamus

Duval.

- rufipes Luc. *Hi.m.Si.*
- v. congener Rottb. *Hi.*
- v. Andalusiae Baudi *Hi.*

Sitophagus

Mulsant.

Adelina Wollast.

- Solieri Muls. *Ga.I.*
- farinarius Woll.
- turcicus Reitt. *Balk.*

Helopini.

Laena

Latreille.

- Heydeni Weise *Balk.*
- Kraatzi Weise *T.*
- Kaufmanni Reitt. *D.*
- Weisei Reitt. *Gr.*
- hirtipes Reitt. *Ca.or.*
- Hopfgarteni Weise *Serb.*
- Lederi Weise *Ca.*
- ? caucasica Mot.
- pimelia F. *H.St.Car.*
- viennensis Sturm *A.*
- graeca Weise *Gr.*
- angusta Weise *Cri.Ca.*
- pulchella Fisch. *Cri.*
- pubella Solier *T.*
- v. rubiginosa Sol.
- piligera Weise *Ca.*
- Reitteri Weise *Tr.*
- 4-collis Weise *Ca.*
- ferruginea Küst. *D.T.*
- villosula Mot.
- minima Mot.
- Marthae Reitt. *D.*
- Krüperi Reitt. *Gr.*
- longicornis Weise *Ca.*
- Baudii Weise *Ca.*
- Merkli Weise *T.*

Misolampus

Latreille.

- lusitanicus Brême *Lu.*
- gibbulus Herbst *Lu.Hi.*
- Hoffmannseggii Latr.
- Ramburi Brême *Hi.m.*
- scabricollis Graëlls *Hi.*
- subglaber Rosenh. *Hi.m.*
- Goudoti Guérin *Bal.*

Acanthopus

Latreille.

- Enoplopus Sol.
- caraboides Petagna *I.*
- dentipes Panz.
- Reitteri Brenske *Gr.*

Entomogonus

Faldermann.

- sapphyrinus Allard *Ca.*

Helops

Fabricius.

- coeruleus L. *Br.E.m.*
- Rossii Germ. *Ga.I.*
- Steveni Kryn. *R.m.*
- superbus Muls. *C.*
- micantipennis All. *Lu.*
- giganteus Kr. *Gr.*
- fusiformis All. *T.*
- ebeninus Villa *Ga.I.*

nitidipennis Küst. *Si.*

robustus Muls.

v. Germari Küst. *I.*

- anthracinus Germ. *S.Si.*
- laticollis Küst. *Ga.Hi.*

Cerberus Muls.

- coriacus Küst. *E.m.*
- v.cordicollis Baudi *Hi.m*
- Ehlersi Kr. *And.*
- granulatus All. *Lu.*
- interstitialis Küst. *Hi.*

Diecki Kr.

- grajus All. *Gr.*
- rufipes All. *T.Hu.*
- subrugosus Duft. *R.*
- rugosus Küst. *Hu.*
- v.damaseenus Küst. *Hu.*
- Schmidti Ahr.

melas Küst. *Hi.*

- tenebricosus Brull. *Gr.*
- obesus Friv. *T.*
- lacertosus Küst.
- quadricollis Mén. *Ca.*
- vicius All. *Ca.*
- maurus Waltl *T.*
- Fulei Küst. *T.*

granipennis All.

T.

gibbus Küst.

T.

mori Brull.

Gr.

Terreni Friv. *Creta.*

tentyroides Küst.

Gr.

parvicollis Baudi

caucasicus All.

Ca.

tauricus Muls.

Cri.

Nalassus

Mulsant.

harpaloides Küst. *Ga.S.*

Ecoffeti Küst. *Ga.I.*

Pharnaces All. *T.*

picinus Küst. *H.*

Fabricii Gemm. *E.*

quisquilius F.

dermestoides Ill.

dryadophilus Mls

longipennis Küst. *C.Hi.*

convexus Küst. *A.I.*

v. laevigatus Küst. *MR.*

diteras Mars. *Ca.*

celioides All.

plebejus Küst. *Gr.T.*

v. distinguendus Küst.

brevicollis Kryn. *A.R.m.*

picipes Küst. *A.R.H.*

quisquilius Mls.

brevis Sturm *R.m.*

striatus Fourer. *E.*

caraboides Panz.

v. ruficollis F.

lusitanus Kr. *Lu.*

xanthomus Muls.

pallidus Curtis *Br.*

testaceus Küst. *E.m.*

pellucidus Muls. *Ga.S.*

aemulus Küst. *E.m.Bal.*

fusculus All. *Si.*

clavicornis All. *Ca.*

arboreus Küst. *R.m.*

impressicollis Fald. *R.m.*

zabroides Küst.

v. amaroides Küst.

Faldermauni Fald. *Ca.*

Heydeni Allard *Hi.*

rufescens Küst. *T.*

ovipennis All. *Gr.*

minor Weise *Hi.*

parvulus Küst. *Si.*

parvulus Lucas *Hi.*

nanus Küst. *Si.*

intersparsus Küst. *Si.*

hirtulus Reiche *And.*

piligerus Kr.

minutus Muls.

Stenomax

Allard.

- lanipes L. E.
v. affinis Gené I.
incurvus Küst. Cr.
piceus Sturm I.Ga.m.
picipes Küst. Pe.
cordatus Küst.
gloriosus Fald. Ca.
impressus Küst. R.m.
pulcher All. Ca.or.
Foudrasi Muls. Ga.m.I.
arboreus Germ. R.m.
tarsatus Küst. Hu.
perplexus Mén.
gracilis Fisch.
Douei Allard. R.m.Ca.
meridianus Muls. Ga.m.
intricatus All. Bulg.
assimilis Küst. Ga.I.
convexicollis Küst. S.
aeneoniger Küst. Si.
grandicollis Küst. Ca.
♂ Sturmi Küst. R.m.
exaratus Germ. D.
brunnitarsis Küst.
elypeatus Küst. Si.
v.asphaltinus Küst. Car.
nigropiceus Küst. Ill.
badius Redtb. Hu.I.Gr.
luridus Mén. Ca.or.
planivittis All. Gr.
crenatostriatus All. Gr.
sareptanus All. R.m.
bosphorus All. T.
pyrenaeus Muls. P.
estrellensis Kr. Lu.
latiusculus Kr. Ast.
monilicornis Baudi R.m.

Omaleis Allard.

Omalus, Omalois All.

Isopedus Stein.

- congener Reiche Lu.
tenebrioides Germ. Lu.
montanus Kr. Lu.[Il.
atticus All. Gr.
plicatulus Kr. Ast.
nodifer Kr. Ast.
ophonoides Lue. Hi.m.
planipennis Küst. I.
v. ruficornis Baudi Il.
Genie Gené Gu.C.S.
micantipennis All. Lu.

Nesotes

Allard.

viridicollis Schauf. Bal.

Diastixus

Allard.

- crassicollis Küst. Hi.
carbo Küst. Hi.
Ghilianii Baudi Hi.
ibericus All. Hi.
nigroaeneus Küst. Hi.I.
obtusangulus Küst. C.
subaeneus Baudi Hi.

Catomus

Allard.

- pygmaeus Küst. Em.
v. agonus Muls. Ga.I.
rotundicollis Küst.
v. siculus Küst. Si.
v. juncorum Küst. S.Si.
v. tagenoides Küst. I.
consentaneus Küst. E.m.
lapidicola Küst. D.
splendidulus Schauf. D.
politcollis All. Gr.
Küsteri Weise T.
gracilis Küst.
villosum Schauf. Hi.m.
puber All.
macellus Kr. Hi.m.
sublinearis Kr. Hi.
sphaericollis Küst. Si.S.
gibbithorax Gemm. S.
gibbicollis Küst.
cribripennis Lucas Creta.
flavus All. T.

Raibosecles

Allard.

- corvinus Küst. T.Cret.
tumidicollis Küst. Gr.
azureus Brull. Gr.T.
obliteratus Allard Gr.
coelestinus Waltl T.
violaceus Kryn.

Odoenemis

Allard.

- tuberculatus Küst. Gr.
tuberculiger Reiche

Cylindrinotus

Faldermann.

- gibbicollis Fald. Ca.
funestus Fald. Ca.

umbrinus Fald.

lugubris Fald.

Ca.

flavipes Alld.

Ca.

Nephodes

Rosenhaner.

- villiger Rosenh. Hi.md.
foveicollis Küst.
metallescens Küst. C.S.
modestus Kr. Hi.
corsicus Desbr. C.

Hedyphanes

Fischer.

- laticollis Mén. Ca.
helopiooides Fald.
nycterooides Fald.
Mannerheimi Fald. Ca.or.
impressicollis Fald.
Besseri Fald.
chalybaeus Fald. Ca.or.
tagenoides Mén. Ca.
v. Dejeani Fald.
upiooides Fald.
v. hegeterooides Fald. Ca.

*

- helopinus Gemm. I.Creta.
helopiooides Lucas

Gerandryus

Rottenberg.

- Parablops Rottbg.
aetnensis Rottb. Si.
oculatus Baudi Si.
sardiniensis All. S.

Euboens

Boieldieu.

- Mimonti Boield. Gr.
pubescens Küst. Hi.

Apolites

Dural.

- mucoreus Waltl T.
graecus Kr. Gr.

Alleculidae.**Allecula**

Fabricius.

- morio F. E.md.b.
rhenana Bach. G.H.
badia Ksw. Gr.Creta.
basalis Faust Ca.or.
Beckeri Kiesw. Ca.or.

orientalis Faust	<i>R.m.</i>
castanea Faust	<i>R.m.or.</i>
Upinella Muls.	
aterrima Küst.	<i>A.R.</i>
Pseudocistela	
Crotsch.	
Cistela Fabricius.	
Gonodera Muls.	
Luperus Herbst	<i>E.</i>
fulvipes F.	
v. ferruginea F.	
metallica Küst.	<i>Ga.I.</i>
subaenea Küst.	<i>Gr.</i>
pulcherrima Fald.	<i>Ca.</i>
viridis All. (Eub.)	
Pseudocistela in sp.	
Cistela Muls.	
cerambooides L.	<i>E.md.b.I.</i>
serrata Chevrol.	<i>G.Hu.</i>
saperdoides Küst.	
varians F.	<i>Ga.</i>
ferruginea Küst.	<i>C.S.</i>
corsica Muls.	<i>Si.</i>
melanophthalma Luc.	
spadix Kiesw.	<i>Gr.</i>
Costessii Bertol.	<i>I.</i>
subalpina Mén.	<i>Ca.</i>
Hymenalia Muls.	
gravidia Küst.	<i>D.</i>
rufipes F.	<i>E.</i>
fusca Ill.	
alleculoides Fald.	<i>Ca.</i>
amplicollis Linder	<i>Hu.</i>
Isomira Muls.	
antennata Panz.	<i>E.m.</i>
hispanica Kiesw.	<i>Hi.</i>
estrellana Kiesw.	<i>Lu.</i>
funesta Reitt.	<i>D.</i>
funerea Kiesw.	<i>Gr.</i>
nitidula Kiesw.	<i>Gr.</i>
antennalis Reitt.	<i>Ca.or.</i>
semiflava Küst.	<i>Abp.</i>
hypocrita Mls.	<i>Ga.Hi.</i>
v. icteropa Küst.	
v. genistae Rottb.	<i>Si.</i>
v. parvula Rottb.	<i>Si.</i>
ovulum Kiesw.	<i>And.</i>
mirina L.	<i>E.</i>
sericea Drap.	
v. maura F.	
v. thoracica F.	
v. evonymi F.	

v. ochropus Küst.	
v. ?umbellatarum Ksw.	
oblonga Küst.	<i>Carn.</i>
mareida Kiesw.	<i>Ti.</i>
scutellaris Baudi	<i>Pe.</i>
granifera Kiesw.	<i>Ca.</i>

elegans Fald.	<i>Ca.</i>
sulphureus L.	<i>E.</i>
♂ v. bicolor F.	
sulphuripes Germ.	<i>A.Ti.</i>
♀ collaris Kst.	<i>Hu Gr.</i>
neapolitanus Baudi	<i>I.m.</i>

Eryx	
Stephens.	
Prionychus Solier.	
ater F.	<i>E.</i>
♂ melanarius Germ.	
lugens Küst.	<i>C.Si.</i>
mauritanicus Muls.	
Bellieri Reiche	
laevis Küst.	<i>P.I.b.</i>
Fairmairei Reiche	
subsulcatus Fairm.	<i>Si.</i>

Hymenoros	
Mulsant.	
Doublieri Muls.	<i>Ga.m.</i>
♀ rugicollis Muls.	

Mycetochares	
Latreille.	
Mycetophila Gyllh.	
axillaris Payk.	<i>E.md.b.</i>
♀ v. morio Redtb.	<i>I.b.</i>
maurina Muls.	
♂ v. linearis Redtb.	
flavipes F.	<i>E.</i>
humeralis F.	
♀ bimaculata Mannh.	

Ernocharis Thoms.	
bipustulata Ill.	<i>E.</i>
♂ scapularis Gyllh.	
4-maculata Latr.	<i>Ga.Ti.I.</i>
fasciata Muls.	<i>Ga.I.b.</i>
linearis Ill.	<i>E.</i>
barbata Latr.	
♀ brevis Panz.	
v. dalmatina Baudi	<i>D.</i>
pygmaea Redtb.	<i>A.</i>
obscura Zett.	<i>Su.F.</i>
thoracica Gredler	<i>Ti.</i>
rudis Küst.	<i>T.</i>
gracilis Fald.	<i>Ca.R.m.</i>
crocceipes Weise	<i>Ca.or.</i>

Cteniopus	
Solier.	
altaicus Gebl.	<i>R.m.</i>
granatensis Rosenh.	<i>Hi.m.</i>
luteus Küst.	<i>Hi.Si.</i>

Podonta	
Mulsant.	
Megischia Redtb.	
ambigua Kiesw.	<i>T.Cri.</i>
nigrita F.	<i>Ga.G.A.</i>
oblonga Oliv.	<i>Hu.I.Gr.</i>
dalmatina Baudi	<i>D.Cro.</i>
turcica Kiesw.	<i>Rumel.</i>
italica Baudi	<i>Apen.</i>
Aubei Muls.	<i>Gr.</i>
lugubris Küst.	<i>T.</i>
Ileydeni Ksw.	<i>Rumel.</i>
Milleri Kiesw.	<i>Gr.</i>
oblonga Mill.	
corvina Kiesw.	<i>T.</i>
morio Kiesw.	<i>Gr.Ca.</i>
convexicollis Küst.	<i>T.</i>
elongata Faust	<i>Ca.</i>
lugubris Küst.	<i>T.</i>
pulcherrima Fald.	<i>Ca.</i>

Omophlus	
Solier.	
Heliotaurus Muls.	
distinctus Lap.	<i>Ga.m.</i>
ruficollis F.	<i>Hi.</i>
rubricollis Gmel.	
punctosulcatus Fairm.	<i>Hi.</i>
maculicollis Desbr.	
productus Rosenh.	<i>Hi.m.</i>
*	
coeruleus F.	<i>Hi.m.</i>
Gastrhaema Duval.	
abdominalis Lap.	<i>Hi.</i>
rufiventris Waltl	<i>Hi.</i>
v. anceps Muls.	
Omophlus in sp.	
armillatus Brull.	<i>Gr.Si.</i>
curvipes Brull.	<i>E.m.</i>
v. galbanatus Kiesw.	<i>Gr.</i>
Küsteri Kirsch	<i>T.</i>
picipes F.	<i>Ga.G.m.</i>
tibialis Costa	<i>I.b.S.</i>
sericeicollis Küst.	
frigidus Muls.	<i>Ga.I.</i>
amerinae Curt.	<i>E.md.</i>
pinicola Redtb.	<i>I.b.</i>
pubescens Muls.	

v. picipes Redt. *Ga.G.*
lividipes Muls.
Brullei Kirsch *Gr.*
marginatus Kirsch *Ca.*
pilicollis Mén. *Gr.Ca.*
hirtellus Kirsch
melitensis Baudi *Malta.*
curtus Küst. *T.Gr.*
curtulus Kirsch *Ca.*
volgensis Kirsch *R.m.*
ochraceipennis Fald. *Ca.*
ochraceus Fald.
tarsalis Kirsch
tumidipes Kirsch *Ca.*
dispar Costa *I.Gr.*
♂ infirmus Kirsch *T.*
v. dalmatinus Kirsch
turcicus Kirsch *T.Gr.*
quadricollis Brull. *Gr.*
flavipennis Küst. *T.*
atrides Küst. *R.*
betulae Herbst *E.md.m.*
lepturoides F.
elongatus Küst.
alpinus Mill.
v. lepturoides Brull. *Gr.*
v. pilosellus Kirsch *Si.*
fallaciosus Rottb. *Si.*
longicornis Bertol. *I.Hu.*
rugosicollis Brull. *Ga.G.*
brevicollis Muls. *I.Gr.*
rugicollis Küst. *III.*
Proteus Kirsch *T.Gr.R.m.*
dilatatus Fald. *Ca.*
caucasicus Kirsch
orientalis Muls. *T.R.m.*

Lagriidae.

Lagriini.

Lagria

Fabricius.

atrides Muls. *Ga.Si.*
hirta L. *E.*
v. nudipennis Muls. *Lu.*
v. depilis Muls.
elliptica Fairm. *Hi.md.*
glabrata Oliv. *Ga.*
tristis Bon. *I.b.*
Grenieri Bris. *Ga.Hi.*
lata F. *Hi.*
rugulosa Rosenh. *Hi.*
rubida Graëlls *Hi.*
♂ parvula Perris

lurida Kryn. *U.*
caecaica Mot. *Ca.*
pontica Mot. *Cri.Gr.*
pretiosa Reiche *Ca.*

Agnathini.

Agnathus

Germar.

decoratus Germ. *Ga.G.I.*

Melandryidae

Tetratomini.

Tetratoma

Fabricius

fungorum F. *E.md.b.*
Desmaresti Latr. *Br.Ga.*
ancora F. *E.md.b.I.*
Baudueri Perris *Ga.*

Melandryini.

Mycetoma

Mulsant.

suturalis Panz. *Ga.G.Hu.*

Eustrophus

Latreille.

dermestoides F. *E.*

Orchesia

Latreille.

Clinocara Thoms.

piecea Herbst *E.*

micans Panz.

luteipalpis Muls. *Ga.m.*

blandula Branczik *Cp.*

v. transsylvaniae Rtrr.

v. carpathica Rtrr.

sepicola Rosenb. *E.md.b.*

tetratoma Thoms.

grandicollis Rosenb. *Ti.*

laticollis Redtb. *A.St.*

maculata Muls. *Si.*

fasciata Payk. *E.md.b.*

trifasciata Zett.

undulata Kr. *Br.Ga.G.*

fasciata Thoms. *Su.*

Lederia

Reitter.

suramensis Reitt. *Ca.*

asturiensis Reitt. *Ast.*
anatolica Friv. *T.Ca.*

Hallomenus

Panzer.

binotatus Quens. *E.md.b.*
humeralis Panz. *I.*
bipunctatus Payk.
fuscus Gyll. *E.md.b.*
variegatus Mot. *C.*
scapulatus Fairm.

Abdera

Stephens.

quadrifasciata Crt. *E.md.*
bifasciata Marsh. *Br.*
biflexuosa Curt. *Ga.*
triguttata Gyll. *Su.R.G.*
v. scutellaris Muls. *Ga.*
griseoguttata Fairm. *Ga.*
undata Perris *I.*

Carida Muls.

affinis Payk. *E.*
flexuosa Payk. *E.md.b.*

Anisoxya

Mulsant.

fuscula Ill. *E.md.b.*
tenuis Rosenh.
mustela Abeille *Ga.*

Phloeotrya

Stephens.

rufipes Gyll. *E.md.b.*
Stephensi Duv.
tenuis Hampe

Vaudoueri Muls. *Ga.*

Direaea

Fabricius.

quadrimaculata Ill. *G.*
australis Fairm. *Ga.*
4-guttata Payk. *E.md.b.*

Serropalpus

Hellenius.

barbatus Schall. *E.*
striatus Hellen.
m. biguttatus Schellenb.

Xylita

Paykull.

laevigata Hellen. *E.md.b.*
discolor F.
livida Sahlb. *Mt.E.*

ephippium Schaum
sutura Gredl.

Parreyssi Muls. *E.m.*
mollis Graëlls.
Revelieri Muls.
ferruginea Gredl.

Hypulus

Paykull.

quercinus Quens. *E.*
bifasciatus F. *E.md.b.*

Zilora

Mulsant.

ferruginea Payk. *Su.R.*
sericea Sturm *G.*
obscura F. *Ga.*
elongata J. Sahlb. *F.*

Marolia

Mulsant.

variegata Bosc. *Alp.Ga.I.*

Neogonus

Hampe.

Opsigonus Baudi.

Plasoni Hamp. *Gr.*
Krüperi Bandi
Fausti Reitt. *Ca.or.*

Melandrya

Fabricius.

caraboides L. *E.*
dubia Schall. *E.md.b.*
canaliculata F.
flavicornis Duft. *G.*
barbata Strm. *Ga.I.b.*
v. Goryi Lap.
rufipes Chevr.

Phryganophilus

Sahlberg.

ruficollis F. *F.R.A.*
analis F. *Cp.Tr.*
nigriventris Hamp *A.*

Conopalpus

Gyllenhal.

testaceus Oliv. *E.md.b.*
♀ flavicollis Gyll.
brevicornis Kr. *G.Hi.*
Vigorsi Muls. *Ga.*
v. thoracicus Baudi *Pe.*

Osphya

Illiger.

Nothus Oliv.

bipunctata F. *Ga.G.*
praeusta Oliv. *A.Hu.*
♂ clavipes Oliv. *R.*
aeneipennis Kriechb. *Alp.*
Vandalitiae Kr. *Hi.*
uralensis Mot. *U.*

Scotodes

Eschscholtz.

annulatus Eschsch. *E.b.*

Stenotrachelus

Latreille.

aeneus Payk. *E.b.*

Pedilidae.

Pedilus

Fischer.

rubricollis Mot. *R.m.*
fuscus Fisch. *R.m.or.*
v. fulvipes Mot.
rufipes Mot.
errans Faust *Ca.*

Steropes

Steven.

Blastanus Illiger.
caspicus Steven *R.m.*
colon Ill.
hungaricus Hamp. *Hu.*

Scaptia

Latreille.

dubia Oliv. *E.m.*
fusca Latr.
ophthalmica Muls. *Ga.Si.*
fuscula Müll. *E.*
minuta Muls.
ferruginea Kiesw. *Alp.*
nigriceps Heyd. *Hi.m.*
bifoveolata Küst. *D.I.*
longicornis Kiesw. *Gr.*
oculata Kiesw. *And.*

Phytobaenus

Sahlberg.

amabilis Sahlb. *E.*
bisbimaculatus Ilmp. *E.*

Euglenes

Westwood.

Xylophilus Latr.

Olotelus Muls.

punctiger Muls. *Ga.m.*
pruinosus Ksw. *Ga.G.Em*
testaceus Kolen. *D.Ga.*
flaveolus Muls. *Ga.*
nigripennis Villa *I.*
neglectus Duv. *Ga.*
lateralis Gredl. *Ti.*
brevicornis Perris *Ga.*
minor Baudi *Pe.*
filicornis Schauf. *Bal.*
v. bicolor Schauf.

Anidorus Muls.

nigrinus Germ. *E.md.b.*
tyrolensis Gredl. *Ti.*
patricius Abeille *Ga.*
sanguinolentus Ksw. *Ga.*
ruficollis Rossi *G.A.I.*

Euglenes i. sp.

oculatus Gyll. *Su.R.Ga.*
pygmaeus Muls. *G.Hi.*
pygmaeus Degeer *E.md.b.*
melanocephalus Panz
populneus F.
fulvus Oliv.
fennicus Mannh.
pentatomus Thoms. *Su.*

Aderus Westw.

boleti Marsh. *E.*
populneus Pauz.

Trotomma

Kiesenwetter.

pubescens Kiesw. *Ga.I.*

Anthicidae.

Notoxus

Geoffroy.

brachycerus Fald. *Ga.G.*
major Schmidt *R.I.b.*
monoceros L. *E.*
platycerus Lafert. *Ga.Hi.*
mauritanicus Luc. *Gr.*
eurycerus Kiesw. *Gr.*
cavifrons Laf. *Lu.*
excisus Küst. *Hi.Si.*
siculus Laferté *Si.*
cornutus F. *E.*

trifasciatus Rossi	tenuipes Laf.	Gr.	versicolor Kiesw. <i>Hi.</i>
v. armatus Schmidt	*		*
miles Schmidt	magistri Gozis	<i>Ga.m.</i>	4-guttatus Rossi <i>E.m.</i>
elongatus Laf.	femoralis Mars.		hispidus Rossi <i>E.</i>
hirtus Laf.	longipilis Bris.	<i>Ga.</i>	*
lobicornis Reiche	coniceps Mars.	<i>Lu.</i>	antherinus L. <i>E.</i>
impepus Kiesw.	Morawitzi Desbr.	<i>R.m.</i>	tripustulatus F.
hispanicus Mot.	salinus Crotch.	<i>Br.</i>	laeviceps Baudi <i>Ga.I.Hi.</i>
bicoronatus Bedel	humilis Germ.	<i>E.</i>	thyreoccephalus Solsk. <i>R.</i>
appendiculatus Desbr.	nigrinus Zett.		setulosus Bohem. <i>Su.</i>
	v. variabilis Laf.		crinitus Laf. <i>R.m.</i>
Mecynotarsus	v. Beckeri Desbr.	<i>R.m.</i>	Truquii Beck. Desbr.
<i>Laferté.</i>	Bremei Laf.	<i>Ga.m.I.</i>	bifasciatus Rossi <i>E.m.</i>
serricornis Panz.	ustulatus Truqui	<i>S.</i>	v. Kolenatii Kol. <i>Ga.G.</i>
rhinoceros F.	Cerastes Truqui	<i>Gr.</i>	quadrioculatus Laf. <i>E.m.</i>
Amblyderus	erro Truqui		quadriguttatus Walt.
<i>Laferté.</i>	v. erinitus Mot.	<i>R.m.</i>	brunneus Laf. <i>Ga.</i>
scabricollis Laf.	incomptus Truq.	<i>Ca.</i>	4-maculatus Luc. <i>Hi.</i>
	minutus Laf.	<i>E.m.D.</i>	tristis Schmidt <i>E.m.</i>
	sardous Schmidt	<i>S.</i>	v. Schaumi Wollast. <i>Br.</i>
	v. lateralis Küst.		ater Steph.
	blandulus Baudi	<i>Si.Hi.</i>	v. elegans Stev. <i>R.m.</i>
coeruleipennis Laf.	thessalius Mars	<i>Gr.</i>	biguttatus Laf. <i>S.</i>
formicarius Goeze	lotus Mars.	<i>R.m.</i>	ater Panz. <i>E.</i>
pedestris Rossi	*		niger Oliv. <i>E.m.</i>
hispanicus Mot.	turca Mars.	<i>T.</i>	morio Laf.
rubidus Reitt.	*		fuscicornis Laf. <i>Ga.Hi.</i>
nobilis Fald.	floralis L.	<i>E.</i>	*
sareptanus Dsbr.	basilaris Say	<i>Su.</i>	ochreatus Laf. <i>Hi.Si.</i>
v. cursor Laf.	quisquilius Thoms.		lividipes Desbr.
ionicus Laf.	lateriguttatus Mot.	<i>Mars.</i>	semicinctus Desbr. <i>Hi.</i>
latro Laf.	*		olivaceus Laf. <i>Hi.</i>
canaliculatus Laf.	instabilis Laf.	<i>E.m.</i>	v. posticus Laf.
	v. agilis Küst.		depressus Laf. <i>Ca.</i>
Tomoderus	v. geminipilis Desbr.	<i>Hi.</i>	pauperculus Laf. <i>Hi.</i>
<i>Laferté.</i>	duplicatus Desbr.		*
compressicollis Mot.	ophthalmicus Rottb.	<i>Si.</i>	fenestratus Schmidt <i>E.m.</i>
Ehlersi Heyd.	gracilis Panz.	<i>E.md.I.</i>	humeralis Gebl. <i>R.m.</i>
Piochardi Heyd	Schmidtii Rosenh.	<i>Ga.A.</i>	flavipes Paaz. <i>E.</i>
italicus Mars.	subfasciatus Laf.	<i>E.m.</i>	nigriceps Mannerh.
seydmaenoides Reitt.	*		sabulosus Mars. <i>Ca.</i>
dalmatinus Reitt.	transversalis Villa	<i>Ga.A.I.</i>	scoticus Rye <i>Sc.</i>
serbicus Reitt.	longicollis Schmidt		fumosus Lucas <i>S.</i>
*	optabilis Laf.	<i>Ga.m.I.</i>	latefasciatus Desbr. <i>R.m.</i>
funebris Reitt.	tenellus Laferté	<i>E.m.</i>	inaequalis Mot. <i>Ca.</i>
	amoenus Schmidt		axillaris Schmidt <i>Ga.A.I.</i>
Anthicus	*		varians Kolen. <i>Ca.</i>
<i>Paykull.</i>	longiceps Laf.	<i>Si.</i>	inflatus Kolen. <i>Ca.</i>
Leptaleus Laf.	dichrous Laf.	<i>Si.</i>	diversus Laf. <i>R.</i>
Rodriguesi Latr.	Heydeni Mars.	<i>Hi.m.</i>	luteicornis Schmidt <i>Ga.G.</i>
pulchellus Schmidt	callimus Baudi	<i>Hi.m.</i>	*
Chaudoiri Kolen.	Brucki Kiesw.	<i>Hi.m.</i>	diformis Mot. Mars. <i>R.m.</i>
glabellus Truqui	velox Lafert.	<i>Si.</i>	Genei Laf. <i>E.m.</i>
Stenidius Laf.	tibialis Waltl	<i>Hi.</i>	proximus Mars. <i>T Gr.</i>
vittatus Luc.			

Liparoderus Laf.
insignis Lucas *Hi.*
venator Dufour
Paykulli Gyll. *Hi.*
*

bimaculatus Ill. *E.md.*
sellatus Panz. *E.*
*

digitalis Mars. *H.m.*
fuscipes Mars. *And.*
Aubei Laf. *Hi.*
bijubatus Mot. *Hi.*
andalusicus Laf. *Hi.*
bispilifasciatus Mars. *Hi.*
Ghilianii Laf. *Hi.*
fasciatus Chevr. *E.m.*
genistae Rosh. *Ga.G.*
monogrammus Schm.
♀ Antoniae Laf.
♂ affinis Laf.

venustus Villa *Ga.Ti.Pe.*
unifasciatus Schmdt.
zonatus Laf. *S.*
nectarinus Panz. *G.E.m.*
ruficollis Schmidt *E.m.*
sanguinicollis Laf.
v. terminatus Schm. *Gr.*
leptostemma Kol. *Ca.*
mylabrinus Gené *C.S.*
cantabricus Mars. *Hi.*
Dejeani Laf. *D.S.*
corsicus Laf. *C.*
rectipennis Laf. *Ca.*
Lederi Mars. *Ca.*
terminatus Laf. *D.Gr.*
melanocephalus Mot. *R.*

piciceps Desbr. *[m.*
vespertinus Rosh. *And.T.*
scrobicollis Laf. *Hi.*
capito Laf. *Hi.*
plumbeus Laf. *Ga.Hi.I.*

♂ callosus Schm.
♂ v.melanarius Schm.
♀ brevis Schmidt
Gorgus Truqui *Gr.*
caspicus Desbr. *R.m.*
mollis Desbr. *R.m.*
caliginosus Laf. *D.I.Gr.*
velutinus Laf. *Si.*
calliger Mars. *Ga.m.Gr.*
Fairmairei Bris. *Ga.*
Brisouti Desbr. *P.*
validicornis Laf. *I.*
unicolor Schm. *Ga.G.E.m.*

Volvemis Mars. *Lu.*
ovatus Kiesw. *Gr.*
patagiatus Kiesw. *Gr.*
Aulacoderus Laf.
Frivaldszkyi Laf. *Hu.*

Palicari Lap. *Gr.*
amicitiae Dufour *Hi.*
palliferus Dufour *P.*
angustatus Curtis *Br.*
Costae Costa *Si.*

Ochthenomus

Schmidt.

punctatus Laf. *Ga.Hi.Pe.*
unifasciatus Bon. *Ga.E.m.*
sinuatus Schmidt *Ti.*
tenuicollis Rossi *Em.*
melanocephalus Bon.
angustatus Laf. *Ga.G.*
signatus Kr.
v.melanocephalus Küst.

Pyrochroidae

Pyrochroa

Geoffroy.

coccinea L. *E.md.b.*
purpurata Müll. *E.b.*
rubens Schall. *E.md.*
satrapa Schrank. *I.b.*
pectinicornis L. *E.md.b.*
Kiesenwetteri Fairm. *Si.*

Dendroides

Latreille.

Pogonocerus Fisch.
thoracicus Fisch. *R.m.*

Mordellidae.

Mordellini.

Tomoxia

Costa.

biguttata Gyll. *E.*
bucephala Costa

Mordella

Linné.

perlata Sulz. *G.Hu.*
octopunctata Schrank.

v. 12-punctata Ross. *Ga.*
v. 6-punctata Hrbst. *I.*
maculosa Naezen *E.*
guttata Payk.
atomaria F.

bisignata Redtb. *Ga.A.*
albosignata Muls.
Gacognei Muls. *Ga.m.C.*
aurofasciata Comoll. *A.*
vittata Gemm. *Hu.I.*
Sacheri Friv.
bipunctata Germ. *Ga.Hi.*
decora Chevr. *I.*
perspicillata Costa

suicauda Muls. *Hi.I.*
fasciata F. *E.*

v. briantea Comolli
v. interrupta Costa
v. basalis Costa
v. coronata Costa
v. sericeoguttata Mls.
subcoeca Muls.
v. villosa Muls.
v. Habelmanni Emery
villosa Schrank *Ga.A.*

? *murina* Herbst
palmae Emery *I.m.*
aculeata L. *E.*
v. vestita Emery *E.m.*
v. brevicauda Cost. *Ga.*
brachyura Mls. *A.I.*
v. viridescens Costa *I.*
v. velutina Emery *R.m.*
v. Fleischeri Emery *A.*
viridipennis Muls. *Hi.*

aradasiana Patti *Si.*
leucaspis Küst. *D.*
funesta Falda. *Ca.*

Conalia

Mulsant.

Baudii Muls. *Hu.*

Stenalia

Mulsant.

testacea F. *Ga.I.IIu.*
brunniceipennis Muls.

Mordellistena

Costa.

*

Mordellochroa Emer.

Milleri Emery *Hu.*
abdominalis F. *E.md.b.*
♂ ventralis F. *I.*
v. serotina Rosh. *Hu.*
Mordellistena i. sp.
— brunnea F. *E.*
 humeralis v. Mls.
 meridionalis Costa
humeralis L. *E.*
 v. axillaris Gyll.
— lateralis Oliv. *Ga.H.I.*
 variegata F.
nana Mot. *Ga.R.m.*
 v. Baudueri Em. *Ga.m.*
— parvula Gyll. *E.*
 pusilla Redtb.
 troglodytes Mannh.
 liliputana Muls.
— v. inaequalis Muls.
 v. picipes Costa
 v. helvola Muls.
Reichei Emery *J.m.*
Kraatzi Emery *R.m.*
episternalis Muls. *E.m.*
 extensa Rosenh. *A.*
 v. intersecta Emery
brevicauda Boh. *E.*
 subtruncata Muls.
 obtusata Bris.
 v. dives Emery *R.*
micans Germ. *E.*
 purpurascens Costa
 v. minima Costa
 grisea Muls.
— v. rectangula Thoms. *Su*
— puniila Gyll. *E.*
 stricta Costa
tarsata Muls. *Ga.I.Ca.*
Perroudi Muls. *Ga.G.I.*
— stenidea Muls. *E.m.*
 flexipes Muls.
Perrisi Muls. *Ga.m.I.*
confinis Costa *E.m.oc.*
 Tolida Muls.
Tournieri Emery *G.H.*
humerosa Rosenh. *Hu.Gr*
pulchella Muls. *I.*
artemisiae Muls. *Ga.*

Anaspini.
Pentaria
 Mulsant.
badia Rosenh.
 sericaria Muls.
Cyrtanaspis
 Emery.
phalerata Germ. *G.St.*
Anaspis
 Geoffroy.
Geoffroyi Müll. *E.m.*
 humeralis F.
 biguttata Rossi
v. 4-maculata Costa
v. vulcanica Costa
maculata Fourcr. *E.*
 picta Hampe
 testacea Snellen
 obscura Marsh.
frontalis L. *E.*
 assimilis Snellen
 maculicollis Mot. *R.*
v. verticalis Fald. *Ca.*
v. lateralis F. *E.*
confusa Emery *Su.Ga.G.*
 lateralis Thoms. ♂
ruficollis F. *E.md.I.*
v. alpicola Emery *Al.*
v. ? punctata Esch. *Ca.*
abollata Gozis *Ga.alp.*
nigripes Bris. *Hi.I.Ca.*
pulicaria Costa *E.*
 forcipata Muls.
Kiesenwetteri Emery *Hu.*
arctica Zett. *E.b.*
v. ruficeps Zett. *L.*
pyrenaea Fairm. *P.*
subtestacea Stph. *E.md.m*
 Nassipa Emery.
flava L. *E.*
v. thoracica L.
v. basalis Emery *Ca.*
occipitalis Emery *R.m.*
melanostoma Cost *Ga.H.II*
 monilicornis Mls.
Costae Emery *Ga.I.*
 thoracica Costa
rufilabris Gyll. *E.*
atra F.
Spanisa Emery.
subtilis Hampe *Tr.R.m.*
labiata Costa *Ga.H.I.I.*

Larisia Emery.
rufitarsis Luc. *Gr.*
Schneideri Emer. *Ca.*
Revelierei Emer. *I.*
dichroa Emer. *I.Gr.Ca.*
Stierlini Emery *R.m.*
steppensis Mot. *R.m.*
ochracea Stierl.
Chevrolati Muls. *Hi.Si.*
Mulsanti Bris. *Ga.Hi.*
 Silaria Muls.
latiuscula Muls. *G.Alp.*
brunnipes Muls. *Ga.G.*
 fuscipes Muls. *I.Alp.*
varians Muls. *E.*
 frontalis Costa
palpalis Gerhardt *G.*
scapularis Emery *Gr.*
suturalis Emery *C.S.*
trifasciata Chevr. *Ga.Hi.*
 4-pustulata Duv.
quadrimaculata Gll. *Ga.G*
 4-pustulata Müll. *I.Hi*
v. bipustulata Bonelli
versicolor Baudi *I.md.*
orientalis Fald. *Ca.*
poecila Fald. *Ca.*
inderiensis Mot. *U.*

Rhipiphoridae

Pelecotoma
 Fischer.
fennica Payk. *G.R.b.*
Scotoscopus
 Reitter.
carbonarius Reitt. *Gr.*
Evaniocera
 Guérin.
Ptilophorus Gerst.
Dufouri Latr. *E.m.*
 Steveni Fisch.
v. Boryi Lue.
v. striolata Nowicki *I.*
Rhipidius
 Thunberg.
Symbius Sundevall.
pectinicornis Thunb. *Ga.*
blattarum Sund. *Su.G.*
lusitanicus Gerst. *Lu.*
quadriiceps Abeille *Ga.*

Rhipiphorus

Bosc.

Myodites Latreille.

subdipterus Bosc E.m.

Dorthesia Latr.

Metoeetus

Gerstaecker.

paradoxus L.

E.

♂ v. apicalis Gradl.

v. macularis Grd.

v. abdominalis Grd.

v. nigritiventris Grd.

v. nigrescens Grd.

♀ v. angulatus Panz.

v. semiflavus Grd.

v. notiventris Grd.

v. flavoniger Grd.

Emenadia

Laporte.

Rhipiphorus Fabr.

larvata Schrank Ga.G.

bimaculata F. A.

v. angustula Mot. Hi.

v. bicolor Oliv. E.m.

v. nigrithorax Fisch. R.

v. liturata F. I. [m.

carinthiaeana Pnz.

v. binotata Fisch. R.S.

v. 4-maculata Gyll. Hu.

bipunctata F. Costa I.m.

flabellata F. E.m.

v. ferruginea F. S.

v. uniformis Mot. Hi.

praeusta Gebl. Ga.m.I.

apicalis Fisch. R.m.

rufipennis Chevr.

v. fulvipennis Küst. D.

sulcata Fisch. Ca.

Meloidae.

Meloë

Linné.

prosearabaeus L. E.

cyanellus Brull.

inceptus Tausch.

volgensis Tausch.

v. cyaneus Muls. Ga.

violaceus Marsh. E.

rufipes Bremi

autumnalis Oliv. E.m.d.m.

hiemalis Gredl. Si.I.

v. laevis Gredl. Ti.
prolifericornis Mot. Ca.
majalis L. Ga.m.I.
v. laevigatus Oliv. Hi.
insignis Charp. Hi.
hungarus Schrnk. Ga.A.

limbatus F. Hu.R.
uralensis Pall. A.Hu.R.
decorus Brandt Ga.G.

pygmaeus Redt. I.Hu.

corallifer Germ. Hi.Lu.

cicatricosus Leach E.m.

ineditus Salv. Hi.

iluronensis Salv. Hi.

coriarius Brandt Ga.G.

reticulatus Brndt. Hu.

v. rufiventris Germ. R.

variegatus Douov. E.

purpurascens Grm. E.m.

Sardous Gené

aeneus Tausch. R.m.

luctuosus Brandt Si.

tuccius Rossi Hu.E.m.

v. corrosus Brandt Si.

v. scabricollis Brndt. I.

erythrocnemus Pall. I.Gr.

corallipes Gebl.

rugosus Marsh. E.m.d.m.

rugulosus Brull.

flavicomus Wollast. Ga.

Baudueri Gren.

murinus Brandt E.m.

scabriusculus Brndt. Ga.

brevicollis Panz. E. [G.

m. bilineatus Arrag. Si.

fascicularis Arrag. I.b.

Latreillei Reiche Hi.

aeneus Lap. -

Cerocoma

Geoffroy.

festiva Fald. Ca.

Schreberi F. Ga.G.E.m.

obscuripes Mot. Ca.

Schaefferi L. E.

Schraderi Kr. Gr.

Mühlfeldi Gyll. Ga.G.Hi.

micans Mén. R.

Faldermanni Lap.

pallipes Mot. R.m.

Kunzei Friv. T.

Scovitzi Fald. Ca.

Dahli Kr. A.T.

gloriosa Muls. Gr.

gonocera Mot. Ca.

Rhampholyssa

Kraatz.

Steveni Fisch. R.m.

Zonabris

Harold.

Mylabris auctor.

Megabris Gozis.

syriaca Klug. Gr.

intersecta Reiche

jugatoria Reche. Gr.

cincta Oliv. T.Gr.

bicolor Waltl

taeniata Waltl

v. Matthesi Fald.

praeusta F. Hi.m.

v. apicalis Chevr.

v. contexta Chevrol.

maculata Oliv. R.m.

superba Fald. Ca.

cingulata Fald. Ca.

pusilla Oliv. R.m.

variabilis Pallas E.m.

v. lacera Küst. D.

v. mutabilis Mars. Hi.

v. disrupta Baudi

v. armeniaca Fald. Ca.

4-punctata L. E.m.

10-punctata Oliv. I.

melanura Pall. R.m.

v. eichorii Oliv. Ga.

v. Maldinesi Chevr. Hi.

v. melanura Petagn. I.

v. 4-punctata Billb. R.

v. Adamsi Fisch. E.m.

fasciatopunctata Ad.

hispanica Mannh.

Schreibersi Reiche Si.

terminata Chevrol.

floralis Pallas Ga.G.

variabilis Oliv. E.m.

Fuesslini Panz.

v. spartii Germ. D.

atrata Pallas R.m.

minuta F.

euphratica Mars. Ca.

scabiosae Oliv. T.

solonica Pall. R.m.

14-punctata Pall. T.

meliloti Oliv. R.m.

combusta Tausch.

setigera Waltl

Dufouri Graëlls Hi.

Amori Graëlls Hi.

hieracii Graëlls Hi.

v. suspicosa Rosh.

Uhagoni Perez	<i>Hi.</i> <i>md.</i>
sobrina Graëlls	<i>Hi.</i>
alpina Mén.	<i>Ca.</i>
flexuosa Oliv.	<i>E.m.</i>
geminata F.	<i>E.m.</i>
Dejeani Gyllh.	<i>E.m.</i>
varians Gyll.	<i>Hi.</i>
inconstans Chevr.	
v. 10-spilota Chevr.	
v. scutellata Rosh.	
externepunctata Fald.	<i>Ca.</i>
laevicollis Mars.	<i>Ca.</i>
calida Pall.	<i>Gr.</i> <i>T.</i> <i>R.m.</i>
v. maculata Oliv.	<i>Gr.</i>
bimaculata Oliv.	
impar Thunb.	<i>R.m.</i>
grisescens Tauseh.	
Olivieri Billb.	
rufipes Fisch.	
easpia Mén.	
Tauscheri Fisch.	<i>R.m.</i>
impressa Chevr.	<i>Lu.</i>
lutea Pall.	<i>R.m.</i>
crocata Pall.	<i>I.</i>
12-punctata Tausch.	
v. aulica Mén.	<i>R.m.</i>
12-punctata Oliv.	<i>Ga.</i> <i>Hi.</i>
cyanescens Illig.	<i>I.</i>
brevicollis Baudi	<i>Ga.m.</i>
10-punctata F.	<i>E.m.</i>
Forti Muls.	<i>I.m.</i>
marginata Fisch.	<i>Ca.</i>
confluens Fisch.	
ocellata Pallas	<i>R.m.U.</i>
Argus Oliv.	
pupillata Schönh.	
Audouini Mars.	<i>R.m.or.</i>
bivulnera Pall.	<i>R.m.</i>
sericea Pall.	<i>E.m.</i>
decora Friv.	<i>T.</i>
Ledebouri Gebl.	<i>R.m.U.</i>
obsoleta Nowicki	<i>Calab.</i>

Coryna

Billberg.

Hycleus Latr.

confluens Reiche	<i>T.</i>
distincta Chevrol.	<i>Si.</i>
Billbergi Gyllh.	<i>Ga.</i> <i>Hi.</i> <i>J.</i>

*

maculosopunctata Grills.	
--------------------------	--

Oenias

Latrelle.

afer L,	<i>E.m.</i>
hispanus Abille.	<i>And.</i>

erassicornis Ill.	<i>E.m.</i> <i>Hu.</i>
v. luctuosus Latr.	<i>Hi.</i>

Lydus

Latrelle.

algiricus L.	<i>E.m.</i>
tenuitarsis Abille.	<i>Ca.</i>
Halbhuberi Reitt.	<i>Ca.</i>
trimaculatus F.	<i>I.Gr.</i> <i>R.</i>
v. 4-maculatus Tausch.	
4-signatus Fisch.	

Halosimus Muls.

syriacus L.	<i>Ga.</i> <i>Ti.</i>
v. myagri Fisch.	<i>R.m.</i>
collaris F.	<i>R.m.</i>
noticollis Muls.	<i>Gr.</i>
cinetus Schauf.	
chalybaeus Tausch.	<i>R.m.</i>
luteus Waltl	<i>T.</i>
luctuosus Tausch.	<i>R.m.</i>

Lyta

Fabrieius.

Cantharis auct.	
vesicatoria L.	<i>E.</i>
v. optabilis Fald.	<i>Ca.</i>
dives Brull.	<i>T.Gr.</i>
v. phalerata Friv.	
vittata Brull.	
erassicornis Costa	<i>I.m.</i>
Bassii Lap.	<i>Si.</i>
segetum F.	<i>S.</i> <i>Si.</i>
clematidis Pall.	<i>R.m.</i>
♂ v. bivittis Pall.	
♀ Fischeri Gebl.	
trivittis Pallas	<i>R.m.</i>
trivittata Schuh.	
Menetriesi Fald.	<i>Ca.or.</i>

Lagorina Muls.

sericea Waltl	<i>Hi.</i>
---------------	------------

Epicauta

Redtenbacher.

rufidorsum Goeze	<i>Ga.</i> <i>G.</i>
verticalis Ill.	<i>E.m.</i>
dubia Oliv.	
erythrocephala Pnz.	
erythrocephala Pall.	<i>A.T.</i>
sonchi Gmel.	<i>Gr.</i> <i>R.m.</i>
sibirica Pall.	<i>R.m.T.</i>
flabellicornis Grm.	<i>Jst.</i>
dubia F.	<i>R.m.</i>
bicolor Fisch.	<i>R.m.</i>
latelineolata Muls.	<i>Ca.</i>

Zonitis

Fabricius.

mutica Scriba	<i>E.m.</i>
immaculata Oliv.	<i>G.</i>
fulva Rossi	<i>A.</i>
ligurica Schellbg.	<i>I.</i>
bipunctata Rag.	<i>I.m.</i>
nana Ragusa	<i>Si.</i>
biimpressa Chevr.	<i>Hi.b.</i>
nigriventris Mot.	<i>Ca.</i>
praeusta F.	<i>E.m.</i>
v. nigripennis F.	<i>Ga.</i> <i>E.</i>
v. flava F.	<i>Gr.</i>
v. afra Rossi	
sexmaculata Oliv.	<i>E.m.</i>
fenestrata Pall.	<i>R.m.</i> <i>Ca.</i>
lunata Tausch.	<i>Ca.</i> <i>R.m.</i>
rubida Men.	<i>Ca.</i> <i>or.</i> [m.]
fulvipennis F.	<i>Hu.</i> <i>Ga.</i> <i>E.</i>
adustipeunis Mot.	<i>R.m.</i>
obliquata Mot.	<i>Ca.</i>
4-punctata F.	<i>E.m.</i>
bifasciata Swartz	<i>Hu.</i> <i>Ga.</i>
v. atra Swartz	<i>R.m.</i>
nigricollis Mén.	<i>R.m.</i>
Haroldi Heyd.	<i>Hi.</i> <i>md.</i>
ruficollis Friv.	<i>Creta.</i>
Bellieri Reiche	<i>Si.</i>
pubescens Waltl	<i>T.</i>

Stenodera

Eschscholtz.

caucasica Pall.	<i>R.m.</i>
sexmaculata F.	<i>Ca.</i>

Nemognatha

Illiger.

chrysomelina F.	<i>E.m.</i>
flavipes Mén.	
v. nigripes Suffr.	<i>Ga.</i> <i>Hi.</i>
chrysomelina Oliv.	<i>I.</i>

Leptopalpus

Guérin.

rostratus F.	<i>Hi.</i> <i>Si.</i>
--------------	-----------------------

Hapalus

Fabricius.

bipunctatus Germ.	<i>E.</i>
bimaculatus L.	<i>E.m.d.b.</i>
neydaleus Pall.	<i>Gr.</i> <i>Cret.</i>
rufipennis Gebl.	
v. spectabilis Friv.	
creticus Friv.	<i>Cret.</i>

Sitaris

Latreille.

- Stenoria, Criolis Muls.
taurica Mot. *Cri.*
muralis Forst. *E.m.*
humeralis F.
v. nitidicollis Abble. *Ga.*
Solieri Pecchioli *E.m.*
v. longicornis Kr. *I.*
melanura Küst. *Ga.Hi.*
rufipennis Küst. *Hi.I.*
lativentris Schauf. *Hi.m.*
splendida Schauf. *Hi.m.*
analisa Schauf. *G.I.*
v. adusta Schm. *Siles.*
v. colletis Mayet *Ga.*
apicalis Latr. *Ga.I.b.*
Kraatzii Muls. *R.m.*
v. melanocephala Stev.
thoracica Kr. *Gr.I.*
Guerini Muls. *Ga.m.*
acutipennis Fairm. *Catal.*

Ctenopus

Fischer.

- Sturmii Küst. *D.I.*
melanogaster Fisch. *R.m.*
abdominalis Mot. *R.m.*

Oedemeridae

Calopus

Fabricius.

- serraticornis L. *E.*

Sparedrus

Schmidt.

- testaceus Andersch *E.*
Orsinii Costa *I.m./md.m.*

Ditylus

Fischer.

- laevis F. *E.md.b.*

Xanthochroa

Schmidt.

- carniolica Gstl. *Alp.*
Blossevillei Guér.
gracilis Schmidt. *Alp.*
Raymondi Muls. *Ga.*
Bellieri Reiche. *C.*
italica Chevr. *I.md.*

Nacerdes

Schmidt.

- melanura L. *E.*
lepturoides Thunb.
v. notata F. *Ca.*
v. sardea Schmidt *S.*
Anoncodes Schmidt
rufiventris Scop. *Ga.G.R.*
melanocephala *F.I.T.*
ustulata F. *Ga.G.R.I.*
♀ scutellaris Wtl. *Gr.*
geniculata Schmidt *T.*
v. basalis Friv.
fulvicollis Scop. *Mt.E.md.*
v. media Gredler *Ti.*
coarctata Germ. *R.m.*
ruficollis F. *Ga.G.R.I.*
viridipes Schm. *Ga.G.R.*
v. meridionalis Costa *I.*
dispar Dufour *Ga.G.*
amoena Schmidt *E.m.*
turcica Schmidt *T.*
austriaca Ganglbr. *A.*
azurea Schmidt *Ga.G.I.b.*
alpina Schmidt *St.T.I.b.*

- Lethonymus Mars.
diffornis Schmidt *T.*

- Nacerdes in sp.
adusta Panz. *Ga.G.R.*
♀ collaris Panz. *I.b.*
v. paradoxa Fald. *Ca.*
v. flaviventris Fald. *Ca.*
v. flavipennis Mot. *Ca.*

Xanthochroina

Ganglbauer.

- Auberti Aeille *Ga.m.*

Ischnomera

Stephens.

- Asclera Schmidt.
sanguinicollis F. *E.md.m.*
xanthoderes Muls. *Ga.Si.*
haemorrhoidalis Schmidt.
cinerascens Pnd. *P.[T.Si.]*
coerulea L. *E.*
Reitteri Ganglbr. *Ca.or.*

Opsimea

Miller.

- ventralis Mill. *Cro.*
quadrinervosa Rehe.

Oncomera

Stephens.

Dryops Fabr.

- femorata F. *E.md.*
♀ calopoides Germ. *T.*
v. purpureocoerulea Ggl.
flavicans Fairm. *T.[D.]*
murinipennis Kiesw. *Cret.*

Oedemera

Olivier.

- Necydalis Fabricius.
basalis Küst. *Hi.*
cupreata Reiche
melanopyga Schmidt *Si.*
brevipennis Gglb. *Rumel.*
podagrariae L. *E.*
v. sericans Muls. *Ga.*
v. incerta Muls. *C.*
v. obscura Gangl. *Ca.*
penicillata Schmidt *T.Gr.*
Schmidti Gemm. *E.m.*
ventralis Schmidt
brevicollis Schmidt *S.Si.*
v. tibialis Luc. *Si.*
brevicollis Costa
simplex L. *Ga.Hi.*
flavimana Schmidt *Lu.*
similis Schmidt *I.T.Gr.*
femorata Scop. *E.*
flavescens L.
flavipennis Schmidt *Hi.*
subulata Oliv. *E md.m.*
marginata F.
v. vittata Friv.
lateralis Schmidt *Ga.I.R.*
caucasica Kolen.
tristis Schmidt *Ga.A.Ca.*
rufofemorata Germ. *I.D.*
femorata Brull. *Gr.*
cyanescens Schmidt *D.I.*
brevicornis Schm. *Rm.*
unicolor Schmidt *Lu.Hi.*
nobilis Scop. *E.md.m.*
coerulea L.
atrata Schmidt *Ga.Hi.I.b.*
flavipes F. *E.*
annulata Germ. *Ga.A.I.*
(Stenaxis Schm.)
barbara F. *E.m.*
croceicollis Gyll. *G.G.Su.*
v. sarmatica Moraw. *R.*
virescens L. *E.*
lurida Marsh. *E.*

quadrinervosa Latr. *Ga.*
angusticollis Costa *I.*
pusilla Costa. *Si.*

Chrysanthia

Schmidt.

viridissima L. *E.*
planiceps Kiesw. *Ca.*
varipes Kiesw. *Gr.*
superba Reitt. *Hi. m.*
viridis Schmidt *E.*

Probosca

Schmidt.

viridana Schm. *Ga. I.*
unicolor Küst. *Hi.*
plumbea Suffr.
ineana Schmidt *T.*
fucata Fald. *Ca.*
einacea Mot. *R.m.*
cretica Fairm. *Creta.*

Chitona Schmidt

Sierversi Kiesw. *Ca.*
connexa F. *Hi. Lu.*
variegata Germ. *S.*
ornata Küst. *Hi.*
strigilata Suffr.

Stenostoma

Latreille.

coeruleum Petagn. *Ga. II.*
rostratum F. *S. Si.*

Pythidae.

Pythini.

Pytho

Fabricius.

depressus L. *E.b. Alp.*
v. castaneus F.
v. festivus F.
kolwensis Sahlb. *F.*
abieticola J. Sahlb. *F.*

Borus

Herbst.

Schneideri Panz. *G. Su.*

Salpingini.

Lissodema

Curtis.

4-pustulatum Mrsh. *Br. Su.*
denticolle Gyll. *Ga. G.*
4-guttatum Serv. *I.*
cursor Gyll. *Su. Ga. G.*

Heyanum Curt. *Br.*
lituratum Costa *Ga. I.*

Salpingus

Gyllenhal.

ater Payk. *E.md. b.*
Reyi Abeille *Ga. m.*
aeneus Steph. *Br. G.*
aeratus Muls. *Ga.*
bimaculatus Gyll. *E.md. b.*
exsanguis Abeille *Ga. m.*
castaneus Panz. *E.*
acibileae Bon
piceae Geim.
Colposis Muls.
mutilatus Beck *Alp.*
virescens Muls.
ruficollis Panz. *Br. Ga.*
v. Genei Costa *I.G.*
viridipennis Latr.
ruficeps Bosé
Rabocerus Muls.
aveolatus Ljungh *Ga. G.*

Rhinosimus *[E.b.]*

Latreille.

ruficollis L. *E.md. b.*
roboris Payk.
planirostris F. *E.*
Spinolae Costa
aeneus Oliv. *E. md.*
tapirus Abeille *Ga.*
ornithorrhynchus Ab. *Ga.*

Mycterini.

Myterus

Olivier.

curculionoides F. *E. md.*
griseus Clairv. *Su.*
Cyclops Muls.
umbellatarum F. *Ga. G.*
ruficornis Muls. *E. m.*
pulverulentus Küst. *S.*
tibialis Küst. *D.T. I.*

Curculionidæ

Curculionitae.

Otiorrhynchini.

Otiorrhynchus

Germar.

Dodecastichus Strl.
pulverulentus Germ. *Crn.*

interstitialis Germ. *A.*

v. periscelis Gyllh. *Hu.*

Hopffgarteni Tourn.

v. adumbratus Stierl. *Cr.*

obsoletus Stierl. *Carn.*

contractus Stierl. *Tr.*

dalmatinus Gyll. *D. Ti. T.*

consentaneus Boh. *D. Ist.*

lauri Stierl. *Ist. I.*

dolomitae Stierl. *T.*

geniculatus Germ. *Ga. A.*

inflatus Gyllh. *Carn. Sil.*

v. salebrosus Boh. *Ti. Ill.*

Heydeni Stierl. *D. Ist. Hu.*

pruinosus Germ. *Carn. D.*

v. turgidus Germ. *Si. Istr.*

v. scabricollis Germ. *Ill.*

dulcis Germ. *D.*

mastix Oliv. *Alp.*

Otiorrhynchus i. sp.

rhacusensis Germ. *D.*

ragusensis Boh.

v. sieculus Stierl. *Si.*

cardiniger Host *D. Istr.*

goerzensis Hbst. *Carn.*

v. cattarvensis Stierl. *D.*

spalatrensis Boh. *D.*

caudatus Rossi. *I. Ti.*

orientalis Gyllh. *Gr.*

sensitivus Scop. *Ti. Hu.*

planatus Hbst. *Car. I.*

sabulosus Gyllh. *Hu. A. Si.*

latipennis Boh. *Ill. Cro.*

aurifer Boh. *Ist. I.*

v. morulus Boh. *Si.*

v. Lefebvrei Gyllh.

armadillo Rossi *I. H.*

orbicularis Ol. *Ga.*

sulphurifer Herbst *D.*

v. salicis Stierl.

latissimus Stierl. *Hu.*

amplipennis Fairm. *MR.*

rahaeticus Stierl. *H.*

v. collinus Gredler *Ti.*

obsitus Gyllh. *Carn. Ill.*

scabripennis Gyllh. *Alp.*

Ghilianii Fairm. *I.*

pyrenaicus Gyllh. *P.*

♀ femoralis Boh.

amabilis Stierl. *Pe.*

europunctatus Gyllh. *P.*

v. fossor Boh.

v. Lafertei Chevr.

v. rufipes Boh.

coryli Chevr. *Alp. mar.*

multipunctatus F. *Sil. Al.*

civis Stierl.	<i>Ga. Gr.</i>	tumefactus Stierl.	<i>Ga.</i>	v. laevigatocollis Gredl.	
corticalis Stierl.	<i>Ga. m.</i>	suleogemmatus Boh.	<i>Hi.</i>	repletus Boh.	<i>R. occ.</i>
oleae Stierl.	<i>Ga.</i>	truncatellus Graëlls	<i>Hi.</i>	guttula Fairm.	<i>C.</i>
meridionalis Gyll.	<i>Ga. Hi.</i>	irritans Herbst	<i>A. G. Hu.</i>	assimilis Gemm.	<i>I.</i>
*		nobilis Germ.	<i>Cr. Carn.</i>	affinis Stierl.	
europupillatus Stierl.	<i>I.</i>	laevigatus F.	<i>E. md.</i>	raucus F.	<i>E. md. b.</i>
bisulcatus F.	<i>D. Ill. Cr.</i>	v. cornicinus Mars.	<i>G.</i>	arenarius Hbst.	
carinthiacus Germ.		concinnaus Gyllh.	<i>Hu.</i>	v. tristis F.	<i>H.</i>
v. istriensis Germ.	<i>Ist.</i>	*		v. fulvus F.	<i>Su.</i>
v. longicollis Gyll.	<i>Car.</i>	alutaceus Germ.	<i>Ist. D.</i>	perdix Oliv.	<i>Alp.</i>
v. vochinensis Stierl.		vittatus Germ.	<i>Cro.</i>	intercalaris Boh.	<i>Hu.</i>
scaberimus Stierl.	<i>I.</i>	v. punctatissimus Gyll.	*	phasma Rottb.	<i>Si.</i>
truncatus Stierl.	<i>Al. or.</i>	morio F.	<i>E. occ.</i>	*	
sulphurifer Ol.	<i>Carn. Ill.</i>	unicolor Hbst.		argenteus Stierl.	<i>Hu.</i>
frufulicus Hbst.		v. ebeninus Gyllb.	<i>H. I.</i>	caucasicus Stierl.	<i>Ca.</i>
fortis Rosh.	<i>MB. Ti.</i>	v. memnonius Gyll.	<i>Al.</i>	vestitus Gyllh.	<i>A.</i>
vehemens Boh.	<i>Ill.</i>	v. imus Boh.	<i>H.</i>	argillosus Hochh.	<i>Ca.</i>
ticinensis Stierl.	<i>I.</i>	hispanicus Stierl.	<i>Hi.</i>	banaticus Stierl.	<i>Hu.</i>
stricticollis Fairm.	<i>P.</i>	navaricus Gyllh.	<i>P.</i>	auroguttatus Stierl.	<i>T.</i>
caunicus Perez	<i>Hi.</i>	v. intricatus Stierl.		histrio Gyll.	<i>R. m.</i>
amputatus Chevr.		Getschmanni Stierl.	<i>Hi. b.</i>	Zebei Stierl.	<i>Serb.</i>
jaenensis Stierl.	<i>Hi. m.</i>	crinitarsis Stierl.	<i>Ga.</i>	conspersus Germ.	<i>E. or.</i>
griseopunctatus Boh.	<i>I.</i>	reynosae Bris.	<i>Hi.</i>	Heeri Stierl.	<i>H.</i>
v. clavipes Boh.		areolatus Stierl.	<i>Hi. m.</i>	chalceus Stierl.	<i>Carn.</i>
Peirolierii Chevr.		asturiensis Chevr.	<i>Hi. b.</i>	spoliatus Stierl.	<i>G.</i>
hungaricus Germ.	<i>Hu. Ga.</i>	Ehlersi Stierl.	<i>Hi. m.</i>	subspinatus Stierl.	<i>Gr.</i>
fuscipes Ol.	<i>Mut. E. md.</i>	dentipes Graëlls	<i>Hi.</i>	Carceli Gyllh.	<i>T. Gr.</i>
v. erythropus Boh.		atroapterus Deg.	<i>Br. Su.</i>	graniger Reiche	
v. fagi Gyllh.		v. arenosus MacL.	<i>Ga. G.</i>	*	
v. francolinus Schauf.		Perezi Stierl.	<i>Hi.</i>	chrysomus Boh.	<i>Hu.</i>
elongatus Stierl.	<i>Ga.</i>	pilicornis Chevr.		*	
haematopus Boh.	<i>H. Ti.</i>	*		densatus Boh.	<i>H.</i>
lugdunensis Boh.	<i>Ga.</i>	orbicularis Hbst.	<i>Emd.</i>	grisescens Muls.	<i>Ga.</i>
tenebricosus Herbst	<i>H.</i>	petrensis Boh.	<i>Ill.</i>	scabrosus Marsh.	<i>Br. A. D.</i>
clavipes Ol.	<i>Ga. G.</i>	gyraticollis Stierl.	<i>D.</i>	ligneus Oliv.	<i>E. md.</i>
♂ ater Gyll.	<i>Su.</i>	luteus Stierl.	<i>Gr.</i>	scabridus Steph.	<i>Su.</i>
niger Marsh.	<i>Br.</i>	intrusicollis Rosh.	<i>Hi.</i>	v. setosus Stierl.	<i>I. G.</i>
♀ morio Payk.		*		v. hispidulus Mars.	
substriatus Gyllh.	<i>H. G.</i>	plumipes Grm.	<i>St. Cr. Car.</i>	Frescati Boh.	<i>I.</i>
pubens Boh.	<i>Ga.</i>	eripines Mill.	<i>D. Tr. T.</i>	Stierlini Gemm.	<i>Gr.</i>
stomachosus Gyllh.		valachiae Fuss		tristis Stierl.	
v. nigripes Schh.	<i>I. b.</i>	v. herzegovinensis Strl.		arenosus Stierl.	<i>I.</i>
v. Ariasi Stierl.		cribrosus Germ.	<i>D. Carn.</i>	misellus Stierl.	<i>Ga.</i>
sanguinipes Boh.	<i>Ga. I.</i>	♀ argutus Boh.	<i>Ill.</i>	rubiginosus Stierl.	<i>Ga.</i>
caesipes Muls.	<i>Ga.</i>	arrogans Friv.	<i>Hu.</i>	necessarius Stierl.	<i>Si.</i>
Simoni Bedel	<i>Ga.</i>	*		plebejus Stierl.	<i>Cro.</i>
gallicus Stierl.	<i>Ga. I.</i>	validus Stierl.	<i>Hi. md.</i>	pseudomias Hochh.	<i>Ca. A.</i>
Sellae Stierl.	<i>MV.</i>	*		lutosus Stierl.	<i>Ga. II.</i>
niger F.	<i>E. md.</i>	cupreosparsus Fairm.	<i>Pe.</i>	planoplithalmus Heyd.	<i>H.</i>
scrubieulatus Gyll.		lanuginosus Boh.	<i>H. I.</i>	affaber Boh.	<i>Si.</i>
perlatus Richter		insubricus Crist.	<i>Ti.</i>	corsicus Fairm.	<i>C.</i>
v. villosopunctatus Gyll.		v. neglectus Stierl.	<i>Pe.</i>	*	
v. rugipennis Boh.	<i>Si.</i>	chrysocomus Germ.	<i>H.</i>	mandibularis Redtb.	<i>Hu.</i>
v. angustatus Stierl.	<i>H.</i>			granulosus Boh.	<i>Hu.</i>
v. montanus Boh.	<i>H. Hu.</i>				
♀ v. coecus Germ.	<i>Carn.</i>				

granulatostriatus Strl.	<i>Ca.</i>	demotus Boh.		eremicola Rosenh.	<i>T.</i>
alpestris Stierl.	<i>Alp.</i>	v. pauper Boh.	<i>St.</i>	tenuicornis Mill.	<i>Tr.</i>
dobrutschae Stierl.	<i>T.</i>	Gobanzi Gredler	<i>Ti.</i>	subquadratus Rosh.	<i>H.St.</i>
foraminosus Boh.	<i>II.</i>	Tournieri Stierl.	<i>G.</i>	Reichei Stierl.	<i>Tr.</i>
v. insculptus Stierl.	<i>Ti.</i>	Schmidtii Stierl.	<i>Carn.</i>	simulans Stierl.	<i>Ca.</i>
Müllerii Rosenh.	<i>MB.</i>		*	vernalis Stierl.	<i>I.</i>
distincticornis Rosh.	<i>Ti.</i>	trichographus Stierl.	<i>D.</i>	v. Diecki Stierl.	
lombardus Stierl.	<i>II.I.</i>	seriehispidus Stierl.	<i>II.</i>	delicatulus Stierl.	<i>Al.mar.</i>
pigrans Stierl.	<i>St.</i>	obcoecatus Boh.	<i>Ca.</i>	Hampei Stierl.	<i>Tr.</i>
tagenoides Stierl.	<i>III.</i>	malefidus Gyll.	<i>P.</i>	elegantulus Germ.	<i>Car.</i>
compressus Stierl.	<i>A.</i>	planidorsis Fairm.		crataegi Germ.	<i>I.Ist.</i>
incivilis Fald.	<i>Ca.</i>	Noui Fairm.	<i>Por.</i>	deformis Stierl.	<i>T.</i>
	*	praelongus Fairm.	<i>P.</i>	globus Boh.	<i>IIu.</i>
bicostatus Boh.	<i>T.Gr.</i>	puncticornis Gyllh.	<i>Cri.</i>	difficilis Stierl.	<i>MR.</i>
gemellatus Stierl.	<i>Gr.</i>	Johannis Stierl.	<i>Hi.b.[Ca.</i>	signatipennis Gyllh.	<i>Cro.</i>
lasius Germ.	<i>Carn. III.</i>	fulvipes Gyllh.	<i>Ga.</i>	aureolus Gyll.	<i>Carn.</i>
porcatus Herbst	<i>E.md.</i>	alpinus Richter	<i>Sil.H.</i>	confusus Boh.	<i>Ill.</i>
?arvernicus Desbr.		monticola Germ.	<i>P.</i>	illyricus Stierl.	<i>Ill.Ist.</i>
seaber L.	<i>E.</i>	laevigatus Gyll.	<i>L.Hu</i>	duinensis Germ.	<i>Ill.</i>
septentrionis Hrbst.		blandus Gyllh.	<i>L.</i>	Milleri Stierl.	<i>Cro.</i>
v. Ecchelii Gredl.	<i>Ti.</i>	jugicola Stierl.	<i>Hi.</i>	affinis Hochh.	<i>Ca.</i>
subcostatus Stierl.	<i>II.</i>	silvestris Chevr.		seductor Stierl.	<i>Hu.</i>
helvetica Desb. (Lit.)		patruelis Stierl.	<i>Hu.</i>	heteromorphus Rottb.	<i>Si.</i>
obtusus Boh.	<i>III.</i>	brevicornis Boh.	<i>T.</i>		*
Bohemani Stierl.	<i>T.</i>	cribripennis Hochh.	<i>T.Ca.</i>	gemmatus F.	<i>Alp.</i>
Kuenburgi Stierl.	<i>Cp.</i>	denigrator Boh.	<i>Cro.Ill.</i>	v. chlorophanus Boh.	<i>Hu</i>
costipennis Rosh.	<i>G.Tr.</i>	lithanthracius Boh.	<i>G.</i>	dives Germ.	<i>Hu.Tr.Cr.</i>
antennatus Stierl.	<i>Tr.</i>	glabratus Stierl.	<i>Hu.T.b.</i>	opulentus Germ.	<i>Tr.</i>
Chaudoiri Hochh.	<i>Ca.</i>	modestus Stierl.	<i>Gr.</i>	v. Fussi Küst.	<i>Tr.</i>
	*	politus Gyll.	<i>Hu.</i>	cymophanus Germ.	<i>Hu.T.</i>
squamifer Boh.	<i>Gr.</i>		*	Tatarchani Reitt.	<i>Co.</i>
thracicus Stierl.	<i>T.</i>	lavandus Germ.	<i>G.Hu.</i>		*
sordidus Stierl.	<i>Hi.</i>	longicornis Stierl.	<i>Gr.</i>	squamosus Miller	<i>St.</i>
fraternus Stierl.	<i>Hi.</i>	respersus Stierl.	<i>D.</i>	v. squamulatus Stierl.	
decorus Stierl.	<i>Hi.</i>	aurosparsus Germ.	<i>Ca.</i>	lepidopterus F.	<i>Mt.E.md.</i>
	*	roscidus Gyll.		squamiger F.	<i>L.</i>
hypocrita Rosh.	<i>Ti.</i>	squamatus Boh.	<i>Hu.</i>	salicis Stroem	
venustus Stierl.	<i>Ga.m.</i>	singularis L.	<i>E.</i>	v. pauperculus Strl.	
echinatus Hochh.	<i>Ca.</i>	picipes F.		livonicus Seidl.	<i>R.</i>
Stussineri Stierl.	<i>Istr.</i>	granulatus Herbst			*
uncinatus Germ.	<i>G.H.</i>	v. Marquardti Fald.	<i>R.m.</i>	corruptor Host	<i>Ti.Car.</i>
setifer Boh.	<i>Ju.</i>	v. Chevrolati Gyllh.	<i>A.</i>	giraffa Germ.	<i>D.Ill.</i>
globulus Gredler	<i>Ti.</i>	impressiventris Fairm.	<i>P.</i>	v. ornatus Stierl.	<i>Si.</i>
teter Gredler	<i>Ti.</i>	v. Ariasi Marseul	<i>I.b.</i>	v. politus Stierl.	<i>T.</i>
proximus Stierl.	<i>Hu.</i>	procerus Stierl.	<i>Ga.</i>	torea Boh.	<i>T.</i>
Branesiki Stierl.		carmagnolae Stierl.	<i>I.H.</i>	armatus Boh.	<i>D.I.</i>
coronatus Stierl.	<i>Gr.</i>	pupillatus Gyllh.	<i>H.G.</i>	v. romanus Boh.	<i>I.</i>
	*	v. supdentatus Bach Alp.		v. granatus Stierl.	<i>Gr.</i>
dubius Sturm	<i>Mt.E.</i>	frigidus Muls.	<i>Ga.I.</i>	obesus Stierl.	<i>Cret.</i>
maurus Gyll.		rhododendri Stierl.	<i>Ti.</i>	scitus Gyllh.	<i>T.</i>
adscitus Germ.		Clairi Stierl.	<i>Ga.m.</i>	Tarnieri Stierl.	<i>Gr.</i>
v. comosellus Boh.	<i>Hu.</i>	teretirostris Stierl.	<i>Pe.</i>	excellens Kirsch	<i>Gr.</i>
v. aurosus Muls.	<i>II.</i>	Baudii Stierl.	<i>Pe.</i>	fraxini Germ.	<i>G.H.Car.</i>
v. Brueteri Germ.	<i>G.</i>	cancellatus Boh.	<i>I.</i>	v. funicularis Gyllh.	<i>I.</i>
		pusillus Stierl.	<i>Pe.</i>	inafaustus Gyllh.	
		varius Boh.	<i>Ill.</i>		

Brucki Stierl.	<i>Gr.</i>	asphaltinus Germ.	<i>Cri.</i>	cuprifer Stierl.	<i>Hu.</i>
Fabricii Stierl.	<i>D.</i>	*		*	
polycoceus Gylbh.	<i>T.</i>				
Kraatz Stierl.	<i>Hu.</i>	petiginosus Stierl.	<i>D.</i>	alpicola Boh.	<i>H.G.</i>
graecus Stierl.	<i>Gr.</i>	helvetius Boh.	<i>Ti.H.</i>	morio Redt.	<i>A.P.</i>
longipennis Stierl.	<i>D.</i>	calabrus Stierl.	<i>I.</i>	aterrimus Boh.	<i>Car.</i>
inunctus Stierl.	<i>T.</i>	lugens Germ.	<i>D.I.T.</i>	Gautardi Stierl.	<i>Ju.</i>
peregrinus Stierl.	<i>T.</i>	impressipennis Brull.		Javeti Stierl.	<i>Ga.</i>
	*	scalptus Gyll.	<i>Gr.</i>	strigirostris Boh.	<i>I.</i>
sulcatus F.	<i>E.md.b.</i>	tricarinatus Chvr.	<i>Hi.</i>	moestus Gylbh.	<i>Ga.</i>
linearis Stierl.	<i>I.</i>	sculptirostris Hochh.	<i>Ca.</i>	Raymondi Gautier	
Schlaeflini Stierl.	<i>Ga.T.</i>	spartanus Kirsch	<i>Gr.</i>	pedemontanus Strl.	<i>Pe.P.</i>
fusciventris Fuss.	<i>Cp.</i>	Kiesenwetteri Stierl.	<i>Gr.</i>	obsulcatus Stierl.	<i>Ca.</i>
auricomus Germ.	<i>Car.Ilt.</i>	sulcifrons Gyll.	<i>Ill.</i>	coriarius Stierl.	<i>I.</i>
v. nivalis Stierl.	<i>II.</i>	*		moestificus Schönh.	<i>Ca.</i>
Parreyssi Stierl.	<i>T.</i>	Kollari Gyll.	<i>Hu.</i>	bidentatus Stierl.	<i>Ca.</i>
tristis Scop.	<i>E.md.b.</i>	v. Bielzi Küst.	<i>Tr.</i>	rugifrons Gyll.	<i>Eb.A.</i>
nigrita F.	<i>Ti.</i>	Schaumi Stierl.	<i>Hu.Tr.</i>	v. scaber Steph.	<i>Br.</i>
monedula Stierl.	<i>T.</i>	equestris Richter	<i>Sil.</i>	Piochardi Stierl.	<i>Ga.</i>
marmota Stierl.	<i>Hu.</i>	aerifer Germ.	<i>A.</i>	ambiguus Schönh.	<i>Br.</i>
mus Stierl.	<i>D.</i>	elaboratus Gylbh.		v. senex Stierl.	<i>Ga.</i>
angustior Rosenh.	<i>Ti.</i>	v. regularis Stierl.	<i>Hu.</i>	impoticus Boh.	<i>Ga.</i>
carniolicus Stierl.	<i>Car.</i>	subsignatus Gyll.	<i>Ca.</i>	Ghestleri Stierl.	<i>H.</i>
populeti Boh.	<i>Hu.</i>	croaticus Stierl.	<i>Cro.</i>	picitarsis Rosenh.	<i>St.</i>
	*	graniventris Mill.	<i>Hu.</i>	pinastri Herbst	<i>St.Car.</i>
prolixus Rosenh.	<i>Ti.</i>	austriacus F.	<i>G.A.</i>	montanus Chevr.	<i>Hi.</i>
protensus Stierl.	<i>Hi.b.</i>	v. carinatus Gylbh.		multicostatus Strl.	<i>St.Ist.</i>
prolongatus Stierl.	<i>Gr.</i>	costatus Stierl.	<i>Carn.</i>	segnis Gyllh.	<i>G.</i>
Jovis Mill.	<i>Gr.</i>	*		ovatus L.	<i>E.</i>
discretus Stierl.	<i>Cr.Ca.</i>	auricapillus Germ.	<i>G.Car.</i>	v. pabulinus Panz.	<i>I.</i>
	*	punctiscapus Boh.	<i>Cr.</i>	v. vorticosis Gylbh.	<i>Ga.</i>
infernalis Germ.	<i>Cro.Ill.</i>	♂ affinis Redt.	<i>H.</i>	parvulus Stierl.	<i>T.</i>
	*	montivagus Boh.	<i>Ti.</i>	muscorum Bris.	<i>Ga.H.</i>
Kratteri Boh.	<i>Tr.T.</i>	clathratus Germ.	<i>D.</i>	desertus Rosenh.	<i>Ti.</i>
egregius Mill.	<i>Tr.</i>	nubilus Boh.	<i>II.Pe.</i>	glabellus Rosenh.	<i>Ti.Ist.</i>
rugulipennis Cost.	<i>I.</i>	v. partitialis Boh.		rotundatus Siebold	<i>G.Ca.</i>
rugosus Hummel	<i>R.</i>	Bischoffi Stierl.	<i>H.</i>	imparidentatus Hochh.	
corvus Boh.	<i>Hu.Tr.</i>	Bonvouloiri Stierl.	<i>Ga.</i>	rugiostris Stierl.	<i>Cro.</i>
intrusus Reiche	<i>C.</i>	tener Stierl.	<i>Pe.</i>	pauxillus Rosh.	<i>Ti.II.Tr.</i>
Germari Stierl.	<i>D.</i>	gracilis Gyllh.	<i>Ga.</i>	clemens Gyllh.	<i>R.</i>
obsidianus Boh.	<i>Tr.</i>	Beckeri Stierl.	<i>Ca.</i>		
perforatus Redt.		provincialis Stierl.	<i>Ga.</i>	Aramnichnus Gozis	
asplenii Mill.	<i>Tr.</i>	horridus Stierl.	<i>D.</i>	Eurychirus Stierl.	
verrucicollis Strl.	<i>Ca.</i>	irregularis Stierl.	<i>Gr.</i>	cribricollis Gyll.	<i>Ga.I.</i>
curvipes Stierl.	<i>Carn.</i>	rugicollis Germ.	<i>D.</i>	v. striatosetosus Boh.	<i>Si.</i>
achaeus Stierl.	<i>Ca.</i>	Hopffgarteni Stierl.	<i>D.</i>	v. reticollis Boh.	<i>D.Bal.</i>
alpigradus Miller	<i>Hu.</i>	pachyseelis Stierl.	<i>Car.</i>	umbilicatus Stierl.	<i>Si.</i>
granicollis Boh.	<i>Hu.</i>	tumidipes Stierl.	<i>Car.</i>	sulcirostris Boh.	<i>D.III.</i>
Riessi Fuss	<i>Cp.</i>	*		comparabilis Boh.	<i>T.</i>
kasbekianus Stierl.	<i>Ca.</i>	ligustici L.	<i>E.md.b.</i>	scabrosoides Stierl.	<i>Si.</i>
subcoriaceus Reitt.	<i>Ca.</i>	v. collaris F.		setosulus Stierl.	<i>Si.</i>
carbonarius Hochh.	<i>Ca.</i>	v. Brucki Bach	<i>G.</i>	breviusculus Stierl.	<i>Ca.</i>
	*	v. agnathus Gyll.	<i>Hu.</i>	humilis Germ.	<i>G.Hu.Ca.</i>
longiventris Küst.	<i>Tr.</i>	subrotundatus Strl.	<i>Ca.</i>	Godeti Gyll.	<i>R.</i>
		Ledereri Stierl.	<i>Ca.</i>	tomentosus Gyll.	<i>Ga.I.</i>
				v. juveneus Gyll.	<i>G.</i>
				vellicatus Germ.	

villosus Stierl.	Gr.
Christophi Stierl.	Ca.
Ferrarii Mill.	I.
flavimanus Stierl.	S.
elatior Stierl.	Si.
neapolitanus Stierl.	LSi.
pulchellus Stierl.	Si.
hellenicus Stierl.	Gr.
gravidus Stierl.	Gr.
picimanus Stierl.	Gr.
Schmorli Stierl.	Ca.
impexus Schönh.	Ca.
poricollis Schönh.	Ca.
minutus Stierl.	R.
ponticus Stierl.	Ca.
juvenilis Schönh.	Ca.
semigranulatus Strl.	T.
foveicollis Hochh.	Ca.
messenicus Stierl.	Gr.
Lederi Stierl.	Ca.
ovatus Boh.	E.m.
pusio Gyll.	Ca.
lubricus Boh.	E.m.
rufimanus Hochh.	Ca.

Tournieria Stierl.

grandicollis Boh.	T.
Schönherri Stierl.	Ca.
constricticollis Strl.	T.
amplicollis Stierl.	T.
acatum Gyll.	Cri.
balcanicus Stierl.	T.
cylindricus Stierl.	Ca.
brunneus Stev.	Cri.
crispus Boh.	R.
bosphorus Stierl.	T.
velutinus Germ.	Hu.
Tr. R.	
exilis Boh.	R.m.
Lucae Stierl.	Gr.
tomentifer Boh.	Cri.
Kirsch Stierl.	Ca.
caucasius Stl. (Per.)	
vitellus Gyll.	Ga.
decussatus Hochh.	Ca.
hystrix Gyll.	Ca.

*

armeniacus Hochh.	Ca.
Raddei Stierl.	Ca.
scopularis Hochh.	Ca.
chrysopterus Stl.	R.m.
fullo Schrank	Ga.
Zebra F.	Hu.
coarctatus Stierl.	Tr. T.b.
erinaceus Stierl.	Ca.
formicarius Stierl.	Gr.
hirsutus Stierl.	? H.

cinereus Stierl.	Ca.
albidus Stierl.	T.
*	
anadolicus Boh.	Gr.
ovalipennis Boh.	T.Gr.
crucirostris Hoch.	Ca.
transsylvanicus Strl.	Tr.
pulvinatus Hochh.	Ca.
*	
brachialis Boh.	Ca.
Reitteri Stierlin	Ca.
Schneideri Stierl.	Ca.
dispar Stierl.	Ca.
swaneticus Reitt.	Ca.
tristriatus Stierl.	Ca.
compressus Stierl.	Ca.
creticus Stierl.	Cret.
decoratus Stierl.	Ca.
*	
maxillosus Gyllh.	D.I.
frater Stierl.	T.
miser Kirsch	Gr.
laconicus Kirsch	Gr.
griseus Kirsch	Gr.
asiaticus Stierl.	Gr.
cornicinus Stierl.	D.I.
bisphaericus Reich.	D.Gr.
ottonianus Stierl.	T.
Frivaldszkyi Rosh.	T.
gibbicollis Boh.	Corn.
nitidus Reiche	Gr.
globicollis Hochh.	Ca.
Fausti Stierl.	Ca
Faldermanni Hochh.	Ca.
Merkli Stierl.	? Hu.
vitis Gyll.	Cri.
nasutus Stierl.	Ca.

turbatus Schönh.	I.
nigrita Oliv.	
Tyloderes Schönh.	
chrysops Herbst	St. Ti.
Megerlei F.	G.A.
Dejeani Boh.	St.

Troglorrhynchus Schmidt.

anophthalmus Schmidt	
Grenieri All.	C. f.Corn.
Martini Fairm.	P.or.
Mayeti Fairm.	P.or.
terrificola Linder	P.
latirostris Bargagli	I.
camaldulensis Rottb.	I.m.
baldensis Czwalina	MB.
myops Reitt.	Ca

Stomodes

Schönherr.

gyrosicollis Boh.	Ga. A.I.
v. gracilior Brancs.	Cp.
convexicollis Mill.	Herz.
rotundicollis Friv.	T.
puncticollis Tourn.	Si.
tolutarius Boh.	Cri. Gr.
angustatus Stierl.	Gr.
elongatus Hochh.	Ca.
Schaufussi Mill.	D.I.

Parametra

Seidlitz.

rudis Boh.	T.
hispida Stierl.	
setosa Seidl.	T.
caucasica Stierl.	Ca.

Caenopsis

Bach.

Cataphorticus Duval.	
fissirostris Walton	Br.
Bachi Foerst.	Ga.G.
Larraldi Perr.	Ga.m.
Waltoni Boh.	Br. Ga.S.
Reichei Tourn.	Hi.

Peritelus

Germar.

Gymnomorphus Seidl.	
nigrans Fairm.	P.or.
Peritelus i. sp.	
mononychus Seidl.	Hi.
astragali Stierl.	S.
caucasicus Stierl.	Ca.

hirticornis Hbst. *Mnt. E.*
variegatus Boh.
 ♀ *depubes* Schh.
planidorsis Seidl. *Ga. m.*
Cremieri Boh. *Ga. Pe. I.*
Schönherri Boh. *Ga. Pe.*
Gougeleti Seidl. *Hi.*
hispanus Chevrol.

Kraatzii Tourn. *Si.*
Grenieri Seidl. *Ga. Si.*
platysomus Seidl. *Ga. m.*
adusticornis Ksw. *Ga. Hi.*
Kiesenwetteri Sdl. *Hi. m.*
rusticus Boh. *Ga.*
curticollis Mars. *C.*
subdepressus Muls. *Ga. I.*

flavipennis Duv.
v. sculus Seidl. *Si.*
prolixus Kiesw. *P.*
necessarius Gyllh. *Ga. m.*
ruficornis Bris. *Ga. Por.*
noxius Boh. *Ga. I.*
griseus Oliv. *Ga. G. I.*

sphaeroides Germ. *H.*
familiaris Boh. *Hu. Tr.*
faunulus Gyllh. *T. R.*

sphaeroides Creutz.

hybridus Marseul *Hi.*

globulicollis Mars. *Hi.*

susanae Seidl. *Hi.*

senex Boh. *Ga. St. I. b.*

v. Marqueti Gaut.

leucogrammus Grm. *E.*

albolineatus Dj. [md. m.]

*

echidua Seidl. *I.*
parvulus Seidl. *C.*
insularis Desbr. *C.*
brevicollis Seidl.
foveithorax Desbr. *C.*
muscorum Desbr. *C.*
rudis Boh. *I.*

Brucki Seidl.

Meira Dural.

squamulata Reiche *C. I.*
corsica Desbr.
crassicornis Duv. *Ga. I.*
minuta Stierl.
suturella Fairm. *Ga. I.*
elongatula Fairm. *P.*
minima Stierl. *Ti.*
Grouvellei Stierl.
exigua Stierl. *Si.*

Pfisteri Stierl. *Si.*
microphthalmia Seidl. *Si.*
latiscrobs Desbr. *C.*
hamata Mars.
Damryi Tourn. *C.*
distinguenda Tourn. *C.*

Pseudomeira

Stierlin.

nicaeensis Stierl. *Ga. m.*
Clairi Stierl. *Ga. m.*

Phyllobiini.

Holcorrhinus

Schönherr.

siculus Seidlitz *Si.*
v. parvicollis Seidl.
metallicus Desbr. *Gr.*

Nastus

Schönherr.

Goryi Boh. *Cri.*
Stierlini Faust *C. a.*
trapezicollis Faust *C. a.*
sareptanus Faust *R. m.*
humatus Germ. *Ca.*

Elytrodon

Schönherr.

bidentatus Stev. *R. m.*
bispinus Boh. *Hu. D.*
inermis Boh. *Ga. m.*

Myiacus

Schönherr.

murinus Boh. *R. m.*
v. vestitus Boh.
v. sphaericus Boh.
globulus Boh. *Hu. I. R.*
rotundatus F. *E. md. I.*
puberulus Stev. *Ca.*
haematopus Rosh. *Ti.*
verruca Stev. *R. m. Ca.*
pustulatus Seidl. *Balk.*
seminulum F. *A. Hu. Tr.*
globosus Gyllh. *R. m. Ca.*
glomulus Schön. *R. m.*

♀ *glomeratus* Gyll. *Ca.*

armatus Seidl. *T.*
indutus Kiesw. *Cret.*
baeticus Schauf. *Hi. m.*
rhinolophus Seidl.
Senaci Desbr. *T.*

Ptochus

Schönherr.

longicollis Boh. *Ca.*

porcellus Stev. *R. m.*
perdix Boh. *Cri.*
lacteolus Mot. *R. m.*
setosus Boh. *Ca.*
circumciuctus Falb. *Ca.*
lateralis Chevr. *Ca.*
rufipes Gyllh. *Ca.*
latifrons Hochh. *Ca.*

Argoptochus Weise.
bisignatus Germ. *G. A. Hu.*
subsignatus Boh. *R. m. Hu.*
4-signatus Bach *G.*
peritelooides Fuss *Tr.*

Phyllobius

Schönherr.

cylindricollis Gyllh. *R. m.*
 ♂ *hebes* Boh. *Ca.*
crassicollis Stierl.
crassipes Mot. *R. m.*
Achardi Desbr. *T.*
maculicornis Germ. *E.*
pineti Redtb. *A.*
Gyllenhali Tourn. *Hu.*
glaucus Scop. *E.*
calcaratus F.
v. nudus Westh.
urticae Degeer *E.*
alneti F.
brevitalus Thoms.
piri Gyllh.
 ♂ *atrovirens* Gyll. *Ga.*
 ♀ *pomaceus* Gyll.
vereundus Boh. *R. m.*
Lindemanni Lindem.
maculatus Tourn. *R. b.*
anomastus Tourn. *R. b.*
fulvago Stev. *Crim.*
 ♂ *fulvipes* Gyll. *Ca.*
pilicornis Desbr. *Hu. A.*
canus Gyllh. *Gr. R. m.*
 ♂ *faeculentus* Gyll.
pilifer Gyllh. *Ca.*
cupreo-aureus Strl. *T.*
psittacinus Germ. *Su. Ga.*
 v. *acuminatus* Bl. *G. H.*
pellitus Boh. *C. S.*
pilipes Desbr. *S.*
squamosus Bris. *Hi.*
hirtus Seidl.
squarrosus Desbr.

Reichei Desbr. *Si.*
tuberculifer Chevr. *Hi.*
etruscus Desbr. *I. A. T.*
betulae F. *E.*
v. trivialis Boh.

v. aurifer Boh.	pallidipennis Hochh.	<i>Ca.</i>	curtulus Bris.	<i>Hi.or.</i>
lateralis Reiche	mixtus Hochh.	<i>Ca.</i>	impressifrons Gyll.	<i>Ga.G.</i>
smaragdifer Kiesw.	*		v. flavovirens Gyll.	<i>R.</i>
brachicornis Desbr.	monstruosus Tourn.	<i>Calb.</i>	v. Reyi Gozis	<i>Ga.m.</i>
contemptus Stev.	Pseudomylocerus		v. curtirostris Goz.	<i>Ga.m.</i>
<i>G.R.m.</i>	Desbroch.		Bohemani Kiesw.	<i>Ca.Hi.</i>
valgus Gyllh.	mus F.	<i>Ga.G.A.E.m.</i>	flavipes Deg.	<i>E.md.b.</i>
detritus Gyllh.	sinuatus F.	<i>Ga.G.A.E.m.</i>	pterygomalis Boh.	<i>E.</i>
fulvipilis Desbr.	Parascythropus		corruscus Germ.	<i>E.md.</i>
v. Emeryi Desbr.	Desbr.		ligurinus Gyll.	<i>m.</i>
argentatus L.	Apollinis Mill	<i>Gr.</i>	griseomaculatus Desb.	
v. viridans Boh.	pinicola Kiesw.	<i>Gr.</i>	variegatus Desbr.	<i>Hi.[Ga.</i>
v. tereticollis Gyllh.			alveolus Desbr.	<i>Hi.m.</i>
longipilis Boh.			caucasicus Desbr.	<i>Ca.</i>
breviatus Desbr.			xanthopus Gyll.	<i>Ga.Hi.</i>
parviceps Desbr.			Martinez Perez	
T.			cervinus L.	<i>E.</i>
serripes Desbr.			messor Herbst	
<i>Gr.</i>			v. maculosus Herbst	<i>Ill.</i>
pictus Stev.			v. pilosus Gredler	<i>Ti.</i>
<i>Ca.R.m.</i>			v. Ballioni Lindem.	<i>R.</i>
varius Brull.			v. melanotus Steph.	<i>Br.</i>
pallipes Gyllh.			v. virens Boh.	<i>G.</i>
maculifer Desbr.			binotatus Thoms.	<i>Su.G.</i>
montanus Mill.			melanostictus Chevr.	
incanus Gyllh.			arvernicus Desbr.	<i>Ga.</i>
ruficornis Redtb.			nodulosus Chevr.	<i>Alp.</i>
rufipennis Kirsch			Peragalloii Desbr.	
Mariae Faust.			astutus Gyll.	<i>Cri.</i>
oblongus L.			inustus Germ.	<i>R.m.</i>
v. floricola Herbst			vilis Gyll.	<i>Cri.</i>
Stierlini Desbr.			Martini Humm.	<i>Ca.</i>
subdentatus Boh.			chrysomela Oliv.	<i>Ga.</i>
piri L.			salsicola Fairm.	
vespertinus F.			smaragdulus Fairm.	
mutus Gyllh.			Volxemi Tourn.	<i>Lu.</i>
v. irroratus Seidl.			confueus Steph.	<i>Br.</i>
artemisiae Desbr.			chrysomela Gyll.	<i>Ga.</i>
mutabilis Desbr.			perplexus Gyll.	<i>G.</i>
scutellaris Redt.			jonicus Chevr.	<i>Corfu.</i>
<i>A.Hu.</i>			sparsus Gyllh.	<i>Ga.G.I.</i>
v. xanthocnemius Ksw.			Reitteri Kirsch.	<i>Ca.</i>
alpinus Stierl.			viridicinctus Gyll.	<i>A.T.</i>
pomona Oliv.			fuscoroseus Desbr.	<i>Hi.</i>
<i>E.</i>			dilutus Mot.	<i>Hi.m.</i>
v. cinereipennis Gyll.			pallidivestis Desbr.	
ulmi Becker			picus F.	<i>E.md.m.</i>
v. cinereus Tourn.			mollis Stroem	<i>E.</i>
viridiaereis Laich.			micaus F.	
<i>E.</i>			v. chlorophanus Westh.	
uniformis Marsh.	tereticollis Deg.	<i>E.</i>	cocciferae Kiesw.	<i>Gr.</i>
roboretanus Gredl.	undatus F.		v. creticus Kiesw.	<i>Cret.</i>
viridicollis F.	v. niveopictus Rche.	<i>P.</i>	brevipes Kiesw.	<i>D.</i>
<i>E.md.b.</i>	fasciatus Müll.	<i>E.md.b.</i>	sericeus Schall.	<i>G.Su.</i>
armeniacus Kirsch.	fulvicornis F.		subpilosus Desbr.	<i>Ti.</i>
sulcirostris Boh.	intermedius Zett.		juniperi Desbr.	<i>C.</i>
<i>G.R.</i>	penninus Brenni			
planirostris Gyllh.	florentinus Chevr.	<i>I.</i>		
suratus Gyllh.	ornatus Stev.	<i>R.m.</i>		
seriehispidus Gyll.	ferrugineus Boh.			
v. cinereus Gyllh.	planifrons Gyll.	<i>Alp.</i>		
brevis Gyllh.	hispanicus Desbr.	<i>Hi.</i>		
dispar Redtb.	brevicollis Desbr.	<i>Si.</i>		
<i>G.A.</i>	tibiellus Desbr.	<i>Gr.</i>		
crassipes Mot.	armipes Brull.	<i>Gr.Si.</i>		
<i>R.m.</i>				
cervinus Hochh.				
<i>Ca.</i>				

frater Rottb.	<i>Si.</i>
Emeryi Desbr.	
neapolitanus Desbr.	
abbreviatus Desbr.	<i>Ti.</i>
thalassinus Gyll.	<i>R.m.</i>
v. jucundus Mill.	<i>Gr.</i>
pilosulus Chevr.	<i>Lu.Hi.</i>
mollis Boh.	
♀ villosulus Chevr.	
alampis Gozis.	
subglaber Desbr.	<i>Hi.m.</i>
dichrous Fairm.	<i>Hi.</i>
lateralis Gyll.	<i>G.</i>
dorsualis Gyll.	<i>Gr.</i>
leucaspis Boh.	<i>C.S.</i>
suturellus Chevr.	
chaerodrysius Gredl.	<i>Ti.</i>
amoenus Germ.	<i>Al.E.md.</i>
bellus Kr.	<i>Gr.</i>
cephalotes Desbr.	
convexifrons Desbr.	
gracilicornis Kiesw.	<i>Cret.</i>
Kahri Kirsch	<i>MB.</i>
gentilis Bertolini	<i>I.</i>
v. siculus Desbr.	<i>Si.</i>
interstitialis Perris	<i>Hi.</i>
aceris Chevr.	
pilifer Hochh.	<i>Ca.</i>
rufulus Hochh.	<i>Ca.</i>

Conocetus	
<i>Desbrochers.</i>	
bardus Gyllh.	<i>R.m.T.</i>
Piezocnemus	
<i>Chevrolat.</i>	
paradoxus Stierl.	<i>A/p.</i>
pedemontanus Chev.	
Abeillei Desbr.	<i>Ga.m.</i>

Metallites	
<i>Germar.</i>	
mollis Germ.	<i>E.md.</i>
laricis Chevr.	
impar Gozis	
atomarius Oliv.	<i>E.md.</i>
pallidus Gyll.	
v. geminatus Chevr.	<i>P.</i>
carpathicus Brancsik	<i>Cp.</i>
modestus Stierl.	<i>Si.</i>
pistaciae Kiesw.	<i>Gr.</i>
sicanus Chevr.	<i>Si.</i>
scutellaris Chevr.	<i>Pe.</i>
elegantulus Boh.	<i>D.</i>
parallelus Chevr.	<i>C.</i>
iris Oliv.	<i>E.md.</i>

marginatus Steph.	
ambiguus Gyll.	
lusitanicus Chevr.	<i>Lu.</i>
murinus Gyll.	<i>Ga.m.</i>
globosus Gyll.	
Javeti Desbr.	<i>Ga.</i>
tibialis Gyll.	<i>Ill.</i>
♂ cylindricollis Boh.	
senex Chevr.	<i>Hi.</i>
candidatus Perris	<i>I.</i>
Pirazzolii Stierl.	<i>I.</i>
affinis Chevr.	<i>Hi.</i>
punctulatus Bris.	
viridipubens Mars.	<i>C.</i>
Homapterus	
<i>Fairmaire.</i>	
Metallitides Chevr.	
subnudus Fairm.	<i>P.</i>
brevipeunis Kirsch.	<i>Hi.b.</i>
asturiensis Chevr.	
Chaerodrys	
<i>Duval.</i>	
setifrons Duv.	<i>E.m.</i>
Seythropus	
<i>Schönherr.</i>	
mustela Herbst	<i>Ga.G.</i>
v. squamulosus Herbst	
squamosus Kiesw.	<i>Hi.</i>
argenteolus Chevr.	
nodicollis Chevr.	<i>Lu.</i>
dentipes Seidl.	<i>Hi.m.</i>
glabratus Chevr.	<i>Hi.</i>
Javeti Desbr.	<i>Bal.</i>
balearicus Schauf.	
Lethierryi Desbr.	<i>Ga.</i>
Sciaphilus	
<i>Schönherr.</i>	
Chiloneus Schönh.	
siculus Boh.	<i>Si.</i>
♀ meridionalis Boh.	
Sciaphilus i. sp.	
procerus Rottb.	<i>Si.</i>
Chevrolati Tourn.	<i>Lu.</i>
ionicus Kr.	<i>Gr.</i>
costulatus Kiesw.	<i>Hi.</i>
maculatus Hamp.	<i>Cro.</i>
muricatus F.	<i>E.</i>
corpulentus Kiesw.	<i>Gr.</i>
squalidus Gyll.	<i>R.</i>
Beckeri Stierl.	
viridis Boh.	<i>I.</i>
Barypithe	
<i>Duval.</i>	
globus Seidl.	<i>Tr.</i>

- v. sphaeroides Seidl.
virguncula Seidl. *Alp.or.*
Chevrolati Boh. *Ga.G.*
♀ ruficollis Boh.
subnitidus Boh.
pellucidus Boh. *Ga.G.*
montanus Chevrol. *Ga.G.*
styriacus Seidl. *St.*
trichopterus Gaut. *Elsass.*
violatus Seidl.
curvimanus Duval *Ga.m.*
Companyonis Boh. *P.*
seydmaenoides Seidl. *Ist.*
araneiformis Schrnk. *E.*
brunnipes Oliv. *md.*
ebeninus Boh.
piceus Marsh.
gracilis Beck
v. pyrenaeus Seidl. *P.*
v. carpathicus Reitt. *Cp.*
mollicomus Ahr. *E.md.*
punctirostris Boh.
vallestris Hampe *A.*
tenex Boh. *G.*
indigens Boh. *Lu.*
sulcifrons Boh. *Br.Ga.*
rufipes Duval.
meridionalis Muls.
v. andalusicus Seidl. *Hi.*
asturiensis Kirsch. *Hi.b.*
cineraseens Rosh. *Hi.m.*
rhytidiceps Chevr. *Hi.b.*
maurulus Rottb. *Si.*
metallicus Desbr. *S.*
- Omias**
Schönherr.
- inflatus Kolen. *Ca.*
Hanaki Friv. *Hu.Tr.*
rufipes Boh. *A.G.R.*
nitidus Boh. *R.m.*
micens Seidl. *Ga.m.*
metalleseens Seidl. *Si.*
concinnus Boh. *Ga.*
parvulus Boh. *G.A.*
sericeus Boh.
oblongus Boh.
Raymondi Gaut.
Marqueti Gaut.
mandibularis Chevr.
mollinus Boh. *G.Serb.*
Bohemani Zett. *Su.*
strigifrons Gyllh. *R.m.*
rugifrons Hochh. *Cri.*
forticornis Boh. *Mt.G.A.*
gracilipes Boli.

- rugicollis Boh.
validicornis Märk.
Gattereri Brancs. *St.*
illotus Hochh. *Ca.*
gracilipes Panz. *G.*
- Achradiitus**
Kiesenwetter.
- creticus Kiesw. *Cret.*
- Strophosomus**
Billberg.
- coryli F *E.md.b.*
illibatus Boh. *I.T.*
obesus Thoms.
v. fagi Chevrol. *C.*
erinaceus Chevr. *Ga.Hi.*
griseus Tourn. *H.*
ocularis Chevr. *Lu.*
palearius Perez *Hi.b.*
Veladoi Perez *Hi.b.*
tubericollis Fairm. *P.*
globulus Seidl. *Lu.Hi.*
picticollis Seidl. *Hi.m.*
obesus Marsh. *E.md.b.I.*
fulvicornis Walton *Br.G.*
curvipes Thoms. *Su.G.*
constrictus Seidl. *Hi.m.*
Baudueri Desbr. *Ga.*
Desbrochersi Tourn. *H.*
alticola Seidl. *Hi.m.*
albolineatus Seidl. *R.m.*
alternans Redtb. *A.*
aureolus Chevr. *Hi.b.*
puncticollis Tourn. *Hi.*
- Neliocarus** Thoms.
- eristatus Boh. *Hi.*
faber Herbst *E.md.b.*
pilosellus Gyll.
ebanista Seidl. *Hi.*
lateralis Payk. *Su.Br.*
limbatus F. *Ga.G.*
formosus Seidl. *Lu.*
retusus Marsh. *Br.Ga.*
oxyops Boh. *Lu.G.*
? alternans Boh.
canus Chevr. *Hi.m.*
pellitus Kirsch. *Hi.m.*
monachus Seidl. *Hi.b.*
ovulum Seidl. *Hi.b.*
flavipes Chevr.
sagitta Seidl. *Hi.*
elongatus Martinez *Hi.m.*

huelvanus Kirsch *Hi.m.*
puberulus Chevr. *Hi.m.*

Strophomorphus
Seidlitz.

- porcellus Schönh. *Ga.G.I.*
hispidus Boh. *Gr.R.m.*
v. eomatus Bohem.
albarius Reiche *T.Gr.*
lineolatus Fairm.

Pholicodes
Schönherr.

- inauratus Bohem. *Ca.*
♂ lepidopterus Boh.
plebejus Boh. *Ca.*
trivialis Boh. *Ca.*
semicalvus Reitt. *Ca.*

Eusomus
Germar.

- ovulum Ill. *Ga.G.Pe.*
v. minor Tourn.
virens Boh. *R.*
elongatus Boh. *R.m.*
angustus Lucas *Cret.*
virens Kiesw. *Gr.*
Beckeri Tourn. *R.m.*
angusticollis Lucas *Cret.*
taeniatus Kryn. *R.m.*
furcillatus Mot. *R.m.*
pilosus Schönb. *Ca.*
pulcher Kirsch *Ca.*

Eusomostrophus
Tournier.
viridis Tourn. *T.*

Brachyderes
Schönherr.

- lusitanicus F. *Ga.Lu.*
laesicollis Fairm. *Lu.*
4-punctatus Fairm. *Lu.*
scutellaris Seidl. *Hi.*
aurovittatus Fairm. *Hi.*
gracilis Boh. *Lu.Hi.*
alboguttatus Chevr.
opacus Boh. *Ga.*
illaesus Boh. *Lu.*
apicalis Chevr. *H.md.*
ophthalmicus Fairm. *Lu.*
cinereus Chevr. *Hi.*
griseseens Fairm. *Hi.m.*
incanus L. *E.md.s.*
lepidopterus Gyll.
siculus Fairm. *Si.*
pubescens Boh. *Ga.m.*

quercus Bellier
albidus Bohem. *Ca.*
cinctellus Chevr. *Hi.m.*
suturalis Graëlls *Hi.*
circumeinetus Chvr. *Hi.b.*
marginellus Graëlls *Hi.*
sabaudus Fairm. *Ga.*
lineolatus Fairm. *Hi.m.*
ovipennis Fairm. *Hi.m.*
signatus Waltl *Hi.m.*
sparsutus Fairm. *Lu.*
cribricollis Fairm. *Ga.*
analys Desbr. *C.*
Brucki Tourn. *Hi.md.*
strictus Tourn. *Hi.b.*
Heydeni Tourn. *Lu.*
nigrosparsus Chvr. *Ga.m.*

Caulostrophus
Fairmaire.
Delarouzei Fairm. *Ga.I.*
 ? *subsulcatus* Boh. *Ist.*
ottomanus Fairm. *T.Gr.*
 ? *obsoletehispidus* Luc.

Mesagroicus
Schönherr.
pilifer Boh. *Ca.*
obscurus Boh. *R.m.* *Tr.*
occipitalis Germ. *D.*

Sitona
Germar.
Sitones Schönherr.
Pandeleitus Schönh.
gressorius F. *E.m.*
giganteus Fairm.
subcostatus Allard *Hu.*
griseus F. *E.*
palliatus Oliv.
conspectus Fahrs. *Ga.Si.*
cacheeta Gyll. *E.m.*
vestitus Waltl
variegatus Fahr. *E.m.*
setulifer Fahrs. *S.*
longulus Gyllh. *R.m.*
ovipennis Hochh. ? *Ca.*
serpentarius All.
longicollis Fahrs. *G.R.*
flavescens Marsh. *E.*
 obsoletus Gmel.
caninus Gyllh.
S-punctatus Fahrs.
suturalis Steph. *E.*
elegans Gyll.
albarius Fahrs.

anchora Gyllh. *R.m.*
sulcifrons Thunberg *E.*
tibialis Gyllh.
argutulus Gyll.
medicaginis Redtb.
tibialis Herbst *E.*
 ♀ *striatellus* Gyll.
 v. *ambiguus* Gyll. *Ga.G.*
 v. *brevicollis* Sahlb. *A.*
 v. *arcticollis* Gyll. *Cri.*
languidus Gyllh. *Ga.G.*
 v. *obscuripes* Gyllh. *R.*
callosus Gyllh. *Ga.G.R.*
 v. *tenuis* Rosenh. *Ti.*
lineelius Bonsd. *G.*
occator Herbst
Waterhousei Walt. *E.md.*
setosus Redtb.
erinitus Oliv. *E.*
albescens Steph.
fallax Rosenh. *Hi.*
parallelipennis Desb. *Rm*
seriesetosus Fahrs. *Ca.*
ambulans Gyllh. *I.*
 v. *limiosus* Rossi
mauritanicus Fahrs. *Hi.*
bisphaericus Reiche
latipennis Gyllh. *Lu.*
regensteiniensis Hbst. *Br.*
 v. *globulicollis* Gyll. *GaG*
cambricus Steph. *Br.Ga.*
cribricollis Gyll. *G.Hi.*
 v. *constrictus* Fahrs. *A.*
 v. *cinerascens* Fahrs.
laticeps Tourn. *C.*
ocellatus Küst. *Hi.*
bituberculatus Mot.
puncticollis Stph. *E.md.b.*
flavescens Thoms.
punctiger Thoms.
insulsus Gyll.
gemellatus Gyllh. *Ga.Hi.*
cinnamomeus All. *Ga.*
virgatus Fahrs. *Si.*
lineatus L. *E.*
 v. *geniculatus* Fahrs.
 v. *viridifrons* Mot. *Hi.*
chloroloma Fahrs. *Ga.I.*
lividipes Fahrs. *S.*
foodus Gyllh. *R.m.*
Fairmairei All.
niger Allard *Hi.*
rasilis Hochh. *R.m.*
lateralis Gyllh. *A.R.m.*
bicolor Fahrs. *D.I.*
hispidulus F. *E.*

haemorrhoidalis Gll.
 v. *tibiellus* Gyll.
trisulcatus Gyll.
dispersus Muls.
cylindricollis Fahr. *E.md.*
 meliloti Walton *[m.*
maculosus All.
Brucki Allard *Hi.m.*
humeralis Steph. *E.md.m*
 v. *discoideus* Gyll.
 biseriatus All.
 v. *maculatus* Mot.
circumductus Dsbr. *R.m.*
inops Schönh. *E.md.*
ononidis Sharp. *Br.Ga.*
guttulatus Chevr.
ophthalmicus Desbr. *C.*
Allardi Chevr. *Hi.*
promptus Gyll. *Ca.*

Trachyphloeus
Germar.
Lacordairius Bris.
Mitomermus Duv.
Seidlitzi Bris. *Hi.*
pustulatus Seidl. *Hi.*
nodipennis Chevr. *Hi.Si.*
aureocruciatus Desbr. *C.*
 *

parallelus Seidl. *Hu.*
laticollis Boh. *E.*
 ♂ *anoplus* Först.
rectus Thoms.
spinimanus Thoms.
 v. *fusciscapus* Desbr. *C.*
alternans Gyllh. *Ga.I.*
scaber Redtb. *G.A.R.m.*
spinimanus Germ. *Ga.G.*
lanuginosus Gyll. *A.*
spinulosus Gaut. *Ga.m.*
digitalis Gyllh. *Su.R.S.*
scabrieulus L. *E.*
 ♀ *spinimanus* Gyllh.
 ♀ *scaber* Schl.
 ♂ *setarius* Gyllh.
 ♀ *erinaceus* Redtb.
viverra Herbst
 *

ventricosus Germ. *A.Hu.*
rugicollis Seidl. *D.T.*
ypsilone Seidl. *Hu.*
 v. *turcicus* Seidl. *T.*
 *

scaber L. *E.*

squamatus Gyllh.
v. tessellatus Marsh.
scabriculus Gyllh.
septentrionis Thoms.
bifoveolatus Beck
setiger Seidl. E.m.
maculatus Perris
rostratus Thoms. Su.
scaber Thoms.
*
variegatus Küst. E.m.
hystrix Duval
brevirostris Bris. Hi.
*
aristatus Gyllh. E.
asphaltinus Gyllh.
squamulatus Ol. E.m.d.m.
myrmecophilus Seidl. Hi.
guadarramus Seidl. Hi.
inermis Boh. A.
sabulosus Redtb.
granulatus Seidl. Ga.l.
Cathormiocerus
Schönherr.
Schaumius Bris.
validiscapus Rouget P.
cordicollis Seidl.
socius Boh. Hi.
maritimus Rye Br.
curviscapus Seidl. Hi.m.
curvipes Wollast. Hi.Ga.
attaphilus Bris. Ga.
Chevrolati Seidl. Hi.
socius Chevrol. Br.
Diecki Marseul Hi.m.
horrens Gyllh. Hi.
sulcirostris Chev.
lapidicola Chevrol. Hi.
Vuillefroyi Bris.
canaliculatus Schauf. Bal
hirticulus Seidlitz Hi.m.
excisor Seidl.
excisor Stierl. Hi.m.
gracilis Seidl. Hi.
Lethierryi Chevrol. Hi.
v. Capiomonti Seidl. Ga.m
irrasus Seidl. Hi.
pygmaeus Seidl. Hi.
discors Desbr. C.
Raymondi Gaut. Ga.m.
vestitus Küst. Istr.

Bradycinetus
Schaufuss.
Ignatii Schauf. Bal.

Axyraeus
Kiesenwetter.
Kraatz Kiesw. Gr.
Liophloeus
Germar.
tessellatus Bonsdorff E.
nubilus F.
hungaricus Tourn. Hu.
Paulinoi Desbr. Lu.
aquisgranensis Först. G.
atricornis Desbr. Ga.
quadricollis Tourn. Pe.
cyanescens Fairm. P.
pulverulentus Gyllh. Ga.
sparsutus Tourn. H.Ga.
ineditus Tourn. Ju.
aureopilis Tourn. Siles.
Schmidti Boh. G.
viridanus Tourn. Siles.
Kirschi Tourn. R.m.
laticollis Tourn. Sil.
Herbsti Gyllh. G.
gibbus Boh. Hu.
v. chrysopterus Bob.
obsequiosus Gyllh. R.
lentus Germ. Hu.
ovipennis Fairm. Ga.
amplipennis Tourn. H.
modestus Tourn. Ju.
opus Chevr. Ga.
minutus Tourn. H.
geminatus Boh. Ga.
alpestris Tourn. Alp.
robusticornis Tourn. H.
rotundicollis Tourn. H.Ist
nubiculus Schönh. Ca.
Cneorrhiniini.
Geonemus
Schönherr.
flabellites Oliv. E.m.
illaetabilis Boh.
Tanyenemus
Faust.
Akinini Faust R.m.or.
v. caspicus Faust
Plutodus Hochh. Ca.
Psallidium
Illiger.
maxillosum F. A.Hu.I.T.
spinimanum Reiche Cret.
v. interstitiale Boh. Cri.
v. anatomicum Boh. Gr.
sculpturatum Boh. T.
vittatum Boh. T.
vestitum Waltl T.
Barynotus
Germar.
margaritaceus Grm. Alp.
Fairmairei Tourn. Pe.
maculatus Boh. Alp.
murinus Bonsdrff. E.m.d.b
obscurus F.
v. honorus Herbst G.
moerens F. E.m.d.b.
elevatus Marsh. S.
alternans Boh. Ga.St.
♀ squalidus Gyllh.
pyrenaeus Bris. P.
Schönherri Zett. Su.L.
squamosus Germ. P.
illae sirostris Fairm.
hungaricus Tourn. Hu.
viridanus Fairm. P.
umbilicatus Duf. P.
auronubilus Fairm.
laticeps Desbr. P.
Heydeneonymus
Desbrochers.
Cneomorphus Seidl.
amplicollis Boh. Lu.
Seidlitz Desbr.
Leptolepurus
Desbrochers.
meridionalis Duv Ga.m.
siculus Rottb.
Cneorrhinus
Schönherr.
barcelonicus Herbst. Hi.b.
Heydeni Tourn. Lu.
Laeordaireus
Desbrochers.
Bornazon Gozis.
prodigus F. Ga.Hi.
ludificator Gyllh.
Martini Fairm. Lu.
Bellieri Bris. P.
Dactylorrhinus
Tournier.
plagiatus Schall. E.
geminatus F.
globatus Herbst

vicinus Desbr. *Hi.m.*
parapleurus Mrsh. *Br.Ga.*
albicans Boh. *G.b.*
argentifer Marseul *Hi.*
argentatus Perris
albinus Bob. *Ca.*

Attagen genus

Tournier.

exaratus Marsh. *Br.Ga.*
plumbeus Marsh. *Br.*
carinirostris Boh. *Ga.*
gypsicenter Graëlls
Baulnyi Bris. *Lu.Hi.*
piriformis Bob. *Lu.*
cordubensis Kirsch *Hi.m.*
tumidus Desbr.

hispanicus Desbr. *Hi.*
5-carinatus Desbr. *Ga.m.*
angustus Desbr. *Lu.*
hypocyanus Boh. *Lu.*
lateralis Graëlls *Hi.*
dispar Graëlls *Hi.*
Graëllsi Bris.
tarsalis Tourn. *Hi.m.*
Diecki Tourn. *Hi.*
escorialensis Desbr. *Hi.*
sulcifrons Desbr. *Hi.*
pubescens All. *Ga.m.*
oxyops Desbr. *Lu.*
spinipes Perez *Hi.md.*

Tanymecini.

Amomphus

Schönherr.

Westringi Küst. *Ga.*
dissimilis Desbr. *Hi.*
concinnus Küst.

Phaenognathus Schhh.
Dohrni Küst. *Gr.*
thalassinus Schhh. i. l.
Reichei Desbr. *Gr.*

Tylacites

Germar.

mus Herbst *Lu.*
cataractes Sahlb.
planicollis Perez *Hi.m.*
elongatus Perez *Hi.m.*
pretiosus Schauf. *Hi.m.*
Uhagoni Desbr. *Hi.*
submetallicus Desbr. *Hi.*
fritillum Panz. *E.m.*
v. canescens Rossi *I.*

lapidarius Gyll. *A.*
v. insularis Desbr. *C.*
v. dubius Desbr. *C.S.*
turbatus Gyll. *Hi.*
v. Schönherri Desbr.
v. glabratus Gyll.
oblongus Gyll.
? tesselatus Gyll. *Lu.*
hirtellus Desbr. *Lu.Hi.*
tomentosus Desbr. *Hi.*
chaleogrammus Boh. *Hi.*
candidulus Desbr. *Hi.*
serripes Desbr. ? *Hi.*
depilis Fairm. *Ga.*
corsicus Perris *C.*
Beloni Desbr. *Malt.*
siculus Desbr. *Si.*
insidiosus Fairm. *Hi.b.*
inflaticollis Fairm. *Hi.m.*
heliophilus Chevr. *Hi.*
araneiformis Chevr.
latithorax Desbr. *Hi.*
emarginatus Desbr. *Lu.*
umbrinus Gyll. *Lu.Hi.*
lasius Boh. *Lu.*
vittatus Boh. *Hi.*
pilosus F. *G.A.R.I.*
piliferus Schhh. *Ca.*
scobinatus Hochh. *Ca.*
pusillus Seidl. *Hi.m.*
Guinardi Duv. *Ga.*
longipilis Seidl. *Hi.*
argentatus Perris *Hi.*
tonsus Chevr. *Hi.*
alienus Desbr. *Hi.*
persulcatus Fairm. ? *Ga.*

Chlorophanus

Germar.

viridis L. *E.*
rugicollis Gyllh. *Ga.Hi.*
pollinosus F. *Ga.G.E.m.*
v. voluptificus Gyll. *Hu.*
separandus Desbr. *R.*
salicicola Germ. *Ga.G.R.*
v. sibiricus Gyllh. *Cri.*
graminicola Gyll. *Ga.G.R*
flavescens Herbst. *I.*
vittatus Schönh. *Ca.*
irregularis Hochh. *Ca.*
appendiculatus Mén. *R.or*
excisus F. *Hu.T.*
nobilis Germ.
v. fallax Germ. *Hu.*
caudatus Fahrs. *R.m.*
micens Stev. *R.m.*

sellatus F. *R.m.*
nitidulus Desbr. *R.m.*
pilifer Fahrs. *Ca.*
splendens Hochh. *Ca.*

Tanymecus

Schönherr.

palliatus F. *E.*
angustulus Fairm. *Hi.m.*
argentatus Gyll. *Ca.*
Revelieri Tourn. *I.*
sareptanus Desbr. *R.m.*
variegatus Gebl. *R.m.*
variatus Desbr. *R.m.*
Beckeri Desbr. *R.m.*
rotundicollis Tourn. *R.m.*
bidentulus Desbr. *R.m.*
Zuberi Desbr. *R.m.*
vittiger Gyllh. *Hu.*
dilaticollis Gyll. *Gr.Ca.*
dilatatus Schauf.
urbanus Gyllh. *Ca.*
agyrostomus Gyll. *Ca.*
albicans Rosenh. *Hi.*
siculus Tourn. *Si.*
griseus Rottb. *Si.*
cinereus Desbr.
nevadensis Desbr. *Hi.m.*
setulosus Chevr. *Hi.*
vagabundus Chevr. *Lu.*

Esamus

Chevrolat.

niloticus Schhh. *Si.*

Eremnini.

Chloëbius

Schönherr.

psittacinus Boh. *R.m.*
sulcirostris Hochh.
immeritus Boh. *Ca.*
Steveni Boh. *Ca.*

Oxyophthalmus

Hochhuth.

Steveni Hochh. *Ca.*

Brachycerini.

Brachycerus

Olivier.

balearicus Bedel *Bal.*
algirus F. *Ga.m.Hi.*
muricatus Oliv. *Ill.*
perodosius Gyllh.

semiaeneus Desbr.
v. planirostris Gyllh. *I.*
v. sulcifrons Gyllh. *Ga.*
v. cirrosus Gyllh. *Si.*
cinereus Oliv. *Hu.Ill.I.*
pulverulentus Oliv. *Gr.*
4-sulcatus Fisch. *Ca.*
v. lutosus Gyllh.
superciliosus Gyllh.
Pradieri Fairm. *Ga.Hi.*
europaeus Pradal
plicatus Gyllh. *Hi.*
scutipennis Dsbr. *T.Gr.*
v. europaeus Gyllh. *Hi.*
v. tetanicus Luc. *Hi.m..*
v. insignis Mill.
vespertilio Desbr.
undatus F. *E.m.*
algirus Oliv. *D.*
mauritanicus Oliv.
europaeus Thunb.
ovatus Brull.
pterygomalis Gyllh.
corrosus Gyllh.
subvariolatus Desbr.
sericeus Desbr.
nubilus Desbr.
hispidus Desbr.
cornifrons Desbr.
albidentatus Gyll. *C.S.Si.*
barbarus L. *E.m.*
v. latro Gyllh. *E.m.*
libertinus Fahr. *Bal.*
curtulus Desbr.
v. lateralis Gyllh. *Lu.Hi.*
v. fluctiger Gyllh.
v. ramosus Schauf. *Bal.*
Chevrolati Fahr. *Lu.*
peninsularis Chev. *Hi.*
Raffrayi Desbr. *? Si.*
parens Desbr.
hypocrita Bedel *Hi.*
foveicollis Gyllh. *A.D.*
muricatus F. *Hu.T.*
ventralis Desbr.
junix Lichtenst. *D.Hu.*
v. sinuatus Oliv. *Gr.T.*
Besseri Kryn. *R.m.*
tauricus Desbr. *Ca.*
pisifer Thunb.
v. cribrarius Ol. *Ca.*
fimbriatus Desbr.
aegyptiacus Oliv. *Gr.Si.*
siculus Gyllh.
insularis Desbr.
? fimbriatus Desbr. *?*

Tropiphorini.

Tropiphorus

Schönherr.

micans Boh. *Hu.Carn.*
pedemontanus Stierl. *Pe.*
obtusus Bonsd. *E.b.*
lepidotus Hbst. *G.II.*
mercurialis Stierl.
longicollis Stierl. *MR.*
cinereus Boh. *Ga.G.Hu.*
caesius Friv. *T.*
globatus Herbst *A.II.*
carinatus Müll. *Alp.A.*
triceratus Dsbr. *Ga.MR.*
ochraceosignatus Boh. *A.*
elevatus Herbst *A.Sil.*
mercurialis F.
abbreviatus Stierl.

Rhytirrhinini.

Perieges

Schönherr.

bardus Bohem. *Ca.*

Minyops

Schönherr.

carinata L. *Ga.G.I.*
rudis Mén. *R.m.or.*
variolosa F. *Ga.G.Ca.*
scrobiculata Boh. *Si.Cri.*
sinuata Boh. *Si.*
costalis Gyllh. *R.m.*
costata Boh. *T.*
minuta Boh. *T.*
lutosa Friv. *T.*

Rhytirrhinus

Schönherr.

dilatatus F. *Hi.*
stenoderus Gemm. *Hi.*
angusticollis Rosh.
variegatus Mot. *Hi.*
clitellarius Boh. *Hi.m.*
annulipes Luc.
subfasciatus Rosh. *Hi.*
interruptus Bris. *Hi.*
Bonvouloiri Bris. *Hi.*
scaber Allard *Gr.*
crispatus Boh. *Hi.I.*
nodifrons Boh. *Hi.*
atticus Reiche *Gr.*
deformis Reiche *Gr.*
horridus Reiche
parvus Rosenh. *Hi.m.*

caudatus Bris. *Hi.*
escorialensis Bris. *Hi.*
Brucki Allard *Hi.*
impressicollis Boh. *Ga.S.*
longulus Rosenh. *Hi.*
variabilis Bris.
Stableau Fairm. *P.*
alpicola Fairm. *Ga.*
laesirostris Fairm. *C.S.*
gibbus Kolenk. *Ca.*
modestus Schauf. *Bal.*

Gronops

Schönherr.

lunata F. *E.*
v. rubrica Ahr.
v. ♂ seminigra All.
v. c-nigrum Rossi *E.m.*
pretiosa Tourn. *Lu.*
sulcata Boh. *R.m.*
fasciata Küst. *Hi.*

Dichotrachelus

Stierlin.

Freyi Stierl. *Pe.*
Manueli Mars. *MC.*
conavicollis Trn. *Wallis*
Bischoffii Stierl. *Pe.*
tenuirostris Stierl. *Pe.*
bernhardinus Strl. *H.*
Linderi Fairm. *P.or.*
bigorreensis Bonv.
pedemontanus Strl. *M.C.*
sulcipennis Strl. *Zermatt.*
gallicus Tourn. *Ga.m.*
*

seminudus Tourn. *Balme*
Imhoffi Strl. *Bernina.*
maculosus Fairm. *Ga.*
Knechti Stierl. *Pe.*
angusticollis Chevr. *Ga.*
v. ? arbutus Tourn. *H.*
sulcirostris Tour. *Balme.*
Rudenii Stierl. *H.Pe.*
alpinus Bremi
depressipennis Tourn. *II.*
Stierlini Gredl. *Ti.Pe.*
sabaudus Fairm.
v. vulpinus Gredl. *Ti.*
*
valesiacus Stierl. *Wallis*
verrucosus Kiesw. *Por.*
alpestris Stierlin *Jura.*
muscorum Fairm. *Ga.P.*
Graëlli Perris *Hi.md.*

Koziorowiczi Desbr. *C.*
Tournieri Stierl. *Jura.*
minutus Tourn. *Jura.*

Trachelomor-

plus

Seidlitz.

Baudii Seidlitz *MR.*

Rhynchaenitae

Hyperini.

Alophus

Schönherr.

triguttatus F. *Ga.G.E.m.*
nictitans Boh. *Ga.St.*
singularis Duval *Gr.*
foraminosus Stierl. *Gr.*
agrestis Bohem. *Ca.*
elegans Stierl. *T.*

Bubalocephalus

Capiomont.

Kiesenwetteri Cap. *Hi.m.*
rotundicollis Cap. *Hi.m.*

Macrotarsus

Schönherr.

Bartelsi Bohem. *R.m.*
ottomanus Desbr. *T.*
notatus Capiom. *R.m.or.*

Hypera

Germar.

Pachypera Capiom.
spissa Bohem. *Ca.*
Kraatzi Capiom. *Hu.*
arvernica Capiom. *Ga.*
cyrta Germ. *Hu.D.Ill.*
turbata Boh. *Si.Gr.*
pyrenaea Capiom. *P.*

Hypera in sp.

orientalis Capiom. *Gr.*
intermedia Boh. *Ga.Pe.H.*
♂ fuscescens Boh. *St.*
v. marmorata Cap. *Hu.*
Aubei Capiom. *P.*
oxalidis Herbst *Ga.G.A.*
♀ viennensis Boh. *H.*
♂ monticola Baech
v. ovalis Bohem. *Ga.G.*
tessellata Herbst *G.A.*
maculata Redtb.

variegata Brull. *Gr.*
austera Bohem. *Hi.*
fuseata Boh.
tigrina Waltl
? corpulenta Schauf.
philanthus Oliv. *E.m.*
meridionalis Villa
v. carinirostris Chevr.
palumbaria Gm. *Mt.A.Hu*
? idriensis Hoppe
segnis Capiom. *Ti.*
comata Boh. *G.Hu.*
velutina Boh. *G.Hu.R.m.*
tristis Capiom. *P.*
oblonga Bohem. *Si.*
salviae Schrank *E.m.*
♀ latipennis Boh.
elegans Boh. *Hu.*
Brucki Cap. *I.*
Bonvouloiri Cap. *P.*
globosa Fairm. *H.P.*
v. rotundata Cap.
biglobosa Kirsch *Hi.b.*
obscura Capiom. *Ga.*

Brachypera

Capiom. *Hi.m.*
porcellus Cap. *Gr.*
Barnevillei Cap. *P.*
Fairmairei Cap. *Ga.*
dubia Capiom. *Ga.*
rudicollis Capiom. *Lu.*
sierrana Cap. *Hi.m.*
Piochardi Cap. *Ga.*
hispanica Cap. *Hi.*
Delarouzeei Cap. *P.*
lusitanica Cap. *Lu.*
obtusa Rosenh. *Ga.Hi.*
montivaga Cap. *Hi.m.*
proxima Cap. *Lu. [Gr.*
Perrisi Cap. *Hi.*
circumvaga Boh. *Ga.Si.*
Deyrollei Cap. *Lu.*
tumida Cap. *Hi.*
erinita Boh. *E.m.*
visnagae Ol. i. litt.
socialis Boh.
perplexa Cap. *Ga.Lu.Hi.*

Pseudhypera

Reichei Cap. *Gr.*

Phytonomus

Schönh. *Donus Cap.*

punctata F. *E.*

v. rufa Boh. *E.*

fallax Capiom. *Hi.m.*
brevirostris Cap. *Hi.*
vidua Comolli *Pe.P.*
nigrovelutina Fairm.
fasciculata Herbst *E.*
dauei Oliv.
variegata Baech
lunata Woll.

Metadonus Cap.
Vuillefroyi Cap. *Hi.m.*
anceps Boh. *R.m.*
decipiens Capiom. *Ca.*
brevicollis Cap. *R.m.*

Erirhinomorphus

C. *Kunzei Germ.*
alternans Steph. E.md.b.

Julini Sahlb.
parallelogramma Boh

Kunzei Gyllh. ♂
interruptovittata Dsb.R.

arundinis Payk. E.md.b.
pollux F. E.

commaculata Hrbst.
v. histrio Bohem. G.
v. rumicis Oliv. Ga.
v. ignota Bohem. H.
v. rumicis L. E.
pyrrhodactyla Marsh.

Dapalinus Cap.
dapalis Bohem. *Hi.m.*
subvittata Cap. *Gr.*
tychioides Cap. *R.m.*
contaminata Hrbst. *G.A.*
striata Boh. *Hu.Cro.T.b.*
meles F. *E.*

trifolii Herbst
borealis Germ.
straminea Marsh.
v. pallidus Cap.
postica Gyllh. G.

Tigrinellus Cap.
maeulipennis Frm. *Ga.Hi.*
pastinaceae Rossi *E.m.*
setosa Boh. *Ga.G.*
v. Olivieri Cap. *C.S.*
v. tigrina Boh. *Br.Ga.G.*
v. albicans Cap. *G.E.m.*
v. sejugata Boh. *Ga.G.*

Phytonomus Cap.
Pandellei Cap. *P.*
polygoni F. *E.*
arator Marsh.

Rogenhoferi Ferr.	<i>A. T.</i>
elongata Payk.	<i>E. md. b.</i>
mutabilis Germ.	
suspiciosa Herbst	<i>E.</i>
meles Gyllh.	<i>E.</i>
dorsata Gyll.	<i>R.</i>
murina F.	<i>E.</i>
brevipes Desbr.	<i>Hi. m.</i>
variabilis Herbst	<i>E.</i>
suturalis Redtb.	<i>A.</i>
v. parca Gyllh.	<i>Ga. I. Hi.</i>
v. sericea Cap.	<i>Ga. II.</i>
v. sicula Cap.	<i>Si.</i>
plantaginis Degeer	<i>E.</i>
v. aurolineata Brull.	<i>Gr.</i>
denominanda Cap.	<i>D.T.R.</i>
Phytonomidius Cap.	
farinosa Bohem.	<i>Ca.</i>
melarrhyncha Oliv.	<i>Lu.</i>
auriflua Waltl	<i>Hi.</i>
ononidis Chevr.	<i>Ga. G. II.</i>
trilineata Marsh.	<i>E.</i>
v. plagiata Redtb.	
repanda Oliv.	
nigrirostris F.	<i>E.</i>
v. Stierlini Cap.	<i>II. Al.</i>
juquenda Cap.	<i>Si. II.</i>
scolymi Cap.	<i>Si. II.</i>
constans Boh.	<i>Ti. Lu. Si.</i>
balteata Chevr.	
incompta Boh.	<i>Lu.</i>
viciae Gyll.	<i>E.</i>
Lethierryi Cap.	<i>Hi.</i>
laticollis Hochh.	<i>Ca.</i>
Limobius	
Schönherr.	
dissimilis Herbst	<i>E.</i>
borealis Payk.	
v. irregularis Boh.	
v. globicollis Reiche	
Hampei Capiom.	<i>Tr.</i>
mixtus Bohem.	<i>Br. Ga.</i>
Procas	
Stephens.	
armillatus F.	<i>Br. Ga.</i>
picipes Marsh.	
moestus Bach.	<i>G.</i>
granulicollis Waltl	
v. Steveni Gyllh.	<i>R. m.</i>

Coniatus	
Germar.	
tamarisci F.	<i>E. m.</i>
v. Mimonti Boield.	<i>Gr.</i>
repandus F.	<i>E. m.</i>
Deyrollei Capiom.	<i>Ga. II.</i>
Wenckeri Capiom.	<i>G.</i>
Schrenki Gebl.	<i>Ca.</i>
caspicus Bohem.	
Bagooides Capiomont.	
suavis Gyllh.	<i>Ga. I. S.</i>
v. chrysochlorus Luc.	<i>Hi.</i>
triangulifer Chevr.	
splendidulus F.	<i>R. m.</i>
laetus Mill.	<i>Gr.</i>
ionicus Capiom.	
Acentrus	
Schönherr.	
histrio Bohem.	<i>E. m.</i>
Myorrhinini.	
Myorrhinus	
Schönherr.	
albolineatus F.	<i>Ga. G. Hu.</i>
complicatus Germ.	
v. Steveni Gyllh.	<i>Ca.</i>
lepidus Brull.	<i>Gr.</i>
Brullei Guer.	
Schneideri Kirsch	<i>Ca.</i>
siculus Kr.	<i>Si.</i>
Tanyrrhinchini	
Ita	
Tournier.	
Kirschi Tourn.	<i>Ca.</i>
crassirostris Tourn.	<i>Si.</i>
Cleonini.	
Rhytideres	
Schönherr.	
plicatus Oliv.	<i>Ga. II.</i>
v. siculus Fahr.	<i>Si.</i>
Eumeops	
Hochhuth.	
Kittaryi Hochh.	<i>R. m. or.</i>
Conorrhynchus	
Motschulsky.	
nigrivittis Pallas	<i>Ca.</i>
pulverulentus Zoubk.	<i>R.</i>
Bartelsi Fahrs.	<i>{m.</i>
hololeucus Pall.	<i>R. m.</i>
strabus Gyllh.	<i>Ca.</i>
tenebrosus Boh.	<i>R. m.</i>
plumbeicollis Chvr.	<i>R. m.</i>
lacerta Chevr.	<i>Ca.</i>
Cleonus	
Schönherr.	
Bothynoderes Schnh.	
pilipes Fahrs.	<i>Ca.</i>
sareptensis Chevr.	<i>R. m.</i>
nigrocinctus Chevr.	<i>R. m.</i>
luscus Chevr.	<i>Hi.</i>
betavorus Chevr.	<i>Ca. R. m.</i>
tenebrosus Schh.	<i>ex. p.</i>
caucasicus Chevr.	<i>Ca.</i>
punctiventris Grm.	<i>G. Hu.</i>
carinatus Zoubk.	
carinulatus Schh.	
v. halophilus Schönh.	
duplicarina Chevr.	<i>G.</i>
Crotchi Chevr.	<i>Hi.</i>
uniformis Chevr.	<i>Hi.</i>
albicans Gyll.	<i>Ill.</i>
hispanus Chevr.	<i>Hi.</i>
meridionalis Chevr.	<i>Ga. m.</i>
conicirostris Gyll.	
vexatus Gyllh.	<i>Cri. Ca.</i>
flavicans Fahrs.	<i>Ill.</i>
maculicollis Chvr.	<i>Malt.</i>
Genei Chevr.	<i>S.</i>
dealbus Klug.	<i>Ca.</i>
peregrinus Chevr.	<i>Ga. m.</i>
carinicollis Gyllh.	<i>R. m.</i>
angulicollis Chevr.	<i>T.</i>
mus Chevrol.	<i>S.</i>
anxins Gyllh.	<i>Ca.</i>
Temnorrhinus Chevr.	
mendicus Gyllh.	<i>Ga. Ca.</i>
brevirostris Gyllh.	<i>Ga. I.</i>
conicirostris Oliv.	<i>Ga.</i>
orbitalis Fahrs.	<i>Si.</i>
cylindricus Reiche	
Chromoderus Mot.	
affinis Schrank	<i>E.</i>
albidus F.	
niveus Bonsdorff	
berolinensis Gmel.	
declivis Oliv.	<i>IIu.</i>
v. scalaris Fisch.	<i>R.</i>
glaucus F.	<i>G.</i>
Chromonotus Mot.	
vittatus Zoubk.	<i>R. m. or.</i>

- | | | |
|-----------------------------------|---------------------------------|----------------------------------|
| v. interruptus Zoubk. | Chromosomus Mot. | v. misellus Gyllh. <i>I.Hi.</i> |
| v. bipunctatus Zoubk. | Fabricii Gemm. <i>G.</i> | hemigrammus Chevr. <i>Ca.</i> |
| pilosellus Fahr. <i>R.m.or.</i> | roridus F. <i>I.</i> | Pseudocleonus |
| v. proximus Faust <i>R.or.</i> | ocularis F. <i>I.</i> | Schönherr. |
| humeralis Zoubk. <i>R.m.</i> | barbarus Oliv. | costatus F. <i>E.md.m.</i> |
| pictus Pallas <i>R.m.</i> | Porocleonus Mot. | bilineatus Rossi |
| hirsutulus Faust <i>R.or.</i> | scrobicollis Mot. <i>R.m.</i> | cinereus F. |
| Plagiographus Chevr. | insidiosus Chevr. <i>R.m.</i> | senilis Rosenh. <i>Hi.m.</i> |
| erinipes Fahr. <i>Ca.</i> | achates Fahr. <i>Hu.</i> | v. fimbriatus Chevr. <i>C.</i> |
| foveicollis Gebl <i>R.m.</i> | alboguttatus Chevr. <i>Hi.</i> | grammicus Panz. <i>Ga.G.I.</i> |
| fatuus Gyll. | Gonocephalus Mot. | marginicollis Fahr. <i>R.m.</i> |
| arciferus Chevr. <i>Hi.</i> | Helferi Chevr. <i>Si.</i> | Cyphocleonus Mot. |
| obliquus F. <i>E.m.</i> | margaritifer Luc. <i>Hi.</i> | morbillosus F. <i>Ga.A.Hi.I.</i> |
| sulcicollis Fahr. <i>Si.</i> | Leucosomus Mot. | trisulcatus Herbst <i>E.</i> |
| ericae Fahr. <i>Ga.</i> | 4-punctatus Schrank <i>E.</i> | volvulus Schh. <i>Ca.</i> |
| callosus Bach <i>G.Hu.Hi.</i> | ophthalmicus Rossi | testatus Gyllh. <i>I.</i> |
| Amori Mars. <i>Hi.m.</i> | distinctus F. | Schönherr Gemm. <i>I.C.</i> |
| gaditanus Chevr. <i>Hi.m.</i> | v. pasticus Germ. <i>I.</i> | sparsus Gyllh. |
| excoriatus Gyllh. <i>E.m.</i> | v. ocellatus Fahr. <i>Si.</i> | cenchrus Pallas <i>Ca.R.m.</i> |
| megalographus Fahr. | Maitorelli Fairm. <i>Hi.</i> | Miegi Fairm. <i>Hi.</i> |
| lacunosus Gyllh. | Neocleonus Chevr. | Piochardi Bris. |
| tabidus Gyllh. | vittiger Fahr. <i>R.m.</i> | tigrinus Panz. <i>E.md.m.</i> |
| podolicus Chevr. <i>R.</i> | frenatus Reiche | marmoratus F. |
| tabidus Oliv. <i>Ga.C.</i> | Pachycerus Schönh. | Marmottani Bris. <i>Hi.</i> |
| Pelleti Fairm. | Rhabdorrhynchus Mot. | sardous Chevr. <i>S.</i> |
| nebulosus L. <i>E.b.</i> | segnis Germ. <i>Ga.I.Hi.</i> | Raymondi Perris. |
| carinatus Degeer | scabrosus Gyllh. <i>Gr.</i> | achatesides Chevr. ? <i>R.</i> |
| glaucus Panz. | v. planirostris Boh. <i>Si.</i> | Cleonus i. sp. |
| guttulatus Gyll. <i>F.</i> | atomarius Fahr. <i>Ca.</i> | sulcirostris L. <i>E.</i> |
| turbatus Fahr. <i>E.</i> | rugosus Luc. <i>Ga.m.</i> | scutellatus Boh. |
| Lethierryi Chevr. <i>Hi.</i> | albarius Gyllh. <i>Ga.Si.</i> | 8-signatus Gyll. <i>Co.</i> |
| Graëllsi Chevr. <i>Ga.Hi.</i> | echii Chevr. | impexus Mot. <i>R.m.or.</i> |
| Stephanocleonus | Abeillei Chvr. <i>Si.Hi.Ga.</i> | 4-vittatus Zoubk. <i>R.m.</i> |
| Mot. | picipes Fahr. <i>R.m.</i> | bicarinatus Gyllh. |
| tetragrammus Pall. <i>Ca.F.</i> | mixtus F. <i>Si.Ca.</i> | frontalis Falb. |
| concionus Gyllh. <i>Hu.</i> | Menetriesi Gyll. <i>Ga.</i> | Xanthochelus Chevr. |
| microgrammus Gyll. <i>Ca.</i> | varius Herbst <i>Ga.G.Si.</i> | nomas Pall <i>R.m.</i> |
| fascicularis Gebl. <i>R.m.or.</i> | Karelini Fahr. <i>Gr.</i> | Omogerion Hbst. <i>Ca.</i> |
| pruinosis Gyllh. ? <i>Si.</i> | Mecaspis Schönh. | firmus Gyllh. |
| ignobilis Faust <i>R.or.</i> | emarginatus F. <i>Ga.G.</i> | Lixus |
| Stephanophorus | florentinus Hbst. <i>I.</i> | <i>Fabricius.</i> |
| Chevr. | palmatus Oliv. <i>Hi.</i> | paraplecticus L. <i>E.</i> |
| rordius Pallas <i>R.m.</i> | alternans Oliv. <i>Ga.Ca.</i> | iridis Oliv. <i>E.</i> |
| aquila Fahr. <i></i> | v. cinereus Schrank. <i>C.</i> | turbatus Gyllh. |
| Leucomigus Mot. | caesus Gyllh. <i>E.md.m.</i> | gemellatus Gyllh. |
| candidatus Pallas <i>R.m.</i> | cunetus Gyll. <i>Ga.G.</i> | v. incarnatus Gyllh. <i>D.</i> |
| v. tessellatus F. <i>Hi.m.</i> | moerens Fahr. <i></i> | v. geminatus Boh. <i>C.</i> |
| Liocleonus Mot. | incisuratus Gyllh. | v. ?connivens Gyll. <i>Ca.</i> |
| clathratus Oliv. <i>T.Ca.</i> | coenobita Oliv. <i>G.</i> | v. conformis Capiom. <i>Gr.</i> |
| amoenus Chevr. <i>Ca.</i> | lureans Hbst. <i>E.m.</i> | Nordmanni Hochh. <i>Ca.</i> |
| Trachydemus Chevr. | v. nanus Gyllh. <i>Ca.</i> | canescens Fisch. <i>R.m.</i> |
| basalis Chevr. <i>Ga.</i> | | siculus Boh. <i>Si.</i> |

- ♀ tenuirostris Boh.
 desertorum Gebl. *R.m.*
 bidens Capiom. *Si.*
 motacilla Schönh. *Ca.*
 furcatus Oliv. ?*Ca.*
 sitta Sahlb.
 mucronatus Oliv. *E.m.*
 venustulus Boh.
 Chevrolati Boh.
 augurius Boh. *Hi.*
 umbellatarum F. *S.*
 submaculatus Boh.
 brevicaudis Küst.
 pardalis Bohem.
 anginus L. *Ga.E.m.*
 v. anguiculus Boh. *Gr.*
 castellanus Chevr. *Hi.*
 inops Boh. *F.m.*
 parallelus Bohem. *Si.*
 cylindricus L. *Ga.G.*
 cylindrus F. *E.m.*
 hypocrita Chevr. *Hi.*
 scabricollis Boh. *Ga.Hi.*
 brevirostris Boh. *Si.Hi.*
 nanus Boh. *Ga.m.*
 cretaceus Chevrol.
 perparvulus Desbr. *Ga.m.*
 sanguineus Ross. *E.md.m.*
 angustus Herbst
 seniculus Bohem.
 rufulus Bohem.
 subtilis Boh. *G.Hu.T.b.*
 inquinatus Boh. *Ca.*
 difficilis Cap. *Hu.*
 brevipes Bris. *Hi.I.*
 acicularis Germ. *E.m.*
 ruficornis Boh.
 v. acutus Boh.
 v. palpebratus Boh.
 v. superciliosus Boh. *L.*
 curvirostris Cap. *S.*
 trivittatus Cap. *Ga.m.*
 Rosenschöldi Boh. *Lu.I.*
 aeruginosus Cap. *I.Bal.*
 sanguineus Boh.
 linearis Oliv. *Gr.*
 sublipennis Boh. *R.*
 Ascanii L. *Ga.Hi.*
 ochraceus Boh.
 v. sicanus Cap. *Si.*
 v. albomarginatus Boh.
 v. Wagneri Lue. *Hi.m.*
 insularis Cap. *Si.*
 puncticollis Bris. *Hi.*
 tibialis Boh. *I.*
 lateralis Panz. *I.Si.*
- binotatus Boh. *A.*
 elegantulus Boh. *D.Hu.*
 vibex Pallas *R.m.*
 spartii Oliv. *E.m.*
 fallax Bohem.
 myagri Oliv. *E.md.m.*
 diloris Germ.
 marginemaculatus B.
 pistrinarius Boh.
 v. punctirostris Boh. *Hu.*
 suetus Boh. *R.m.*
 lyeophorus Boh. *Ca.*
 algirus L. *Ga.G.A.*
 angustatus F. *E.m.*
 Lefebvrei Boh.
 pulvereus Oliv.
 ?Kolenatii Hochh.
 v. ferrugatus F. *H.*
 v. varicolor Boh. *I.*
 euphorbiae Cap. *Hu.*
 ferrugatus Oliv. *Ga.E.m.*
 cribricollis Boh.
 guttiventris Boh.
 punctiventris Boh. *E.md.m.*
 abdominalis Boh. *Si.*
 angusticollis Boh. *Ga.*
 bimaculatus Lue. *G.*
 cylindricus Herbst. *E.md.b*
 bardanae F.
 tristis Bohem. *R.m.*
 speciosus Mill. *Ca.*
 irresectus Bohem. *Ho.R.*
 rufitarsis Bohem. *E.m.*
 elongatus Germ. *D.L.Hu.*
 fasciculatus Boh. *R.m.*
 vilos Rossi *E.m.*
 bicolor Oliv.
 nigritarsis Boh.
 consenescens Boh.
 orbitalis Boh. *R.m.*
 circumdatus Schönh. *A.*
 juncei Boh. *E.m.*
 aseanoides Comolli
 conicollis Boh.
 scolopax Boh. *E.m.*
 barbarus Boh.
 sardiniensis Boh.
 affinis Lue.
 v. cynarae Grills. *Hi.*
 Marquetti Desbr. *Ga.m.*
 sulphuratus Boh. *Ca.*
 lutescens Cap. *D.Si.C.*
 cardui Oliv. *E.m.*
 pollinosus Germ.
 v. cynarophilus Cap. *Hi.*
 filiformis F. *E.md.m.*
- constrictus Boh. *R.m.*
 flavescent Boh. *A.Hu.*
 aberratus Boh. *R.E.m.*
 incanescens Boh. *R.m.*
 salsolae Becker
 cinerascens Bohem. *R.m.*
 Kraatzi Capiom. *R.m.*
 sinuatus Mot. *R.m.*
 curtirostris Tourn. *Ca.*
-
- flaveolus Mot. *Hi.*
 cinnabarinus Waltl *Hi.*
 vittiger Chevr. *Cri.*
 lateralis Bris. *Hi.*
- Ileomus**
- Schönherr.
 pacatus Gyllh. *Ca.*
- Larinus**
- Germar.
 cynarae F. *E.m.*
 v. glabirostris Gyll. *Si.*
 v. timidus Gyllh. *R.m.*
 hispanicus Mot. *Hi.*
 latus Herbst *E.m.*
 cardui Rossi *Hi.*
 subcostatus Brull.
 v. cirsii Stev. *R.m.*
 v. costirostris Gyll. *I.*
 v. teretirostris Gyll. *Ca.*
 buceinator Oliv. *E.m.*
 v. tubicenus Boh. *Hi.*
 inaequalicollis Cap. *R.m.*
 vulpes Oliv. *E.m.*
 maculosus Schönh.
 reconditus Boh. *Ga.*
 maculatus Gyllh. *I.Gr.*
 onopordi Oliv. *Ca.*
 v. onopordinis Gyll.
 albarius Boh. *Si.*
 scolymi Oliv. *E.m.*
 bardus Gyllh. *Ca.*
 v. sulphuratus Gyllh.
 flavescent Germ. *E.m.*
 planus Herbst
 carinifer Boh. *Si.*
 teres Herbst
 Reichei Capiom. *Ga.Hi.*
 rustieanus Gyllh. *E.m.*
 virescens Boh.
 sturnus Schall. *E.*
 ? pollinis Laich.
 conspersus Boh. *Ga.Ca.*
 maurus Oliv. *E.m.*

guttifer Boh.
 stellaris Gyllh. *E.m.*
 unguilatus Gyllh. *R.m.*
 carinirostris Gyllh. *I.Gr.*
 jaceae F. *E.md.m.*
 foveicollis Gyllh.
 immitus Gyllh. *E.m.*
 longirostris Gyllh. *E.m.*
 confinis Duv. *Hi.*
 filirostris Rosh.
 v. consimilis Cap.
 turbinatus Gyllh. *E.m.*
 canescens Gyllh. *A.Hu.*
 cinerascens Cap.
 meridionalis Rosenh. *Hi.*
 planus F. *E.*
 lynx Küst. *S.*
 obtusus Gyllh. *Ga.G.*
 dissimilis Cap. *E.m.*
 australis Cap. *Ga.Hu.I.*
 serratulae Cap. *R.m.*
 minutus Gyllh. *R.m.*
 ferrugatus Gyllh. *Ga.Hi.*
 brevis Gyllh. *I.*
 suborbicularis Cap. *Hi.*
 morio Gyllh. *Ga.*
 carlinae Oliv. *E.md.m.*
 longirostris Stierl. *Si.*
 hololeucus Mot. *R.m.*
 rufipes Desbr. *E.or.*
 Lethierryi Bris. *Hi.*
 afer Gyll. *Lu.Hi.*
 ♀ acanthiae Gyll.
 Schönherr Capiom. *Hi.*
 centaureae Oliv. *Gr.*
 Tournieri Stierl.
 albicinctus Chevr. *Hi.*
 albomarginatus Cap.
 ursus F. *E.m.*
 Genei Boh. *S.*
 granicollis Boh. *?R.m.*
 brevis Herbst *Ga.G.Hu.*
 senilis F. *E.m.*
 lineatocollis Gyll.
 St. Balmae Abeille
 idoneus Gyllh. *R.m.*
 bicolor Boh.
 siculus Boh. *Si.Hi.*
 Chevrolati Boh.
 escorialensis Bris. *Hi.*
 villosus Boh. *T.Gr.*
 hirtellus Helfer *T.*
 hirtus Waltl
 —
 volgensis Becker *R.m.*
 lineola Dufour *P.*

ruber Mot. *R.*
 hispanicus Mot. *Hi.*
Stolatus
 Mulsant.
 crinitus Boh. *Hi.Tr.R.m.*
 Nicolasi Muls. *Ga.*

Bangasternus

Gozis.

Coelosthetus Cap.
 planifrons Gyllh. *D.Gr.T.*
 villosus Capiom. *Alger.*
 v. hispanicus Cap. Hi.
 siculus Capiom. *Si.*
 Diecki Capiom. *Hi.m.*
 orientalis Cap. *A.T.Ca.*
 antiodontalgicus Rdt.
 v. smyrnensis Cap.
 provincialis Fairm. Ga.I.

Rhinocyllus

Germar.

Schönherr Capiom. *Ca.*
 oblongus Cap. *Gr.T.Hi.*
 conicus Froelich *E.md.m.*
 latirostris Latr.
 v. antiodontalgicus Grb.
 v. odontalgicus Oliv.
 Olivieri Gyllh.
 inquilinus Gyllh. *F.*
 depressirostris Boh. *R.m.*

Microlarinus

Hochhuth.

rhinocylloides Hochh. *Ca.*
 Lareyniei Duval *Ga.*

Liparini.

Anisorrhynchus

Schönherr.

punctatosuleatus Desbr.
 aratus Bohem. *Lu./Lu.*
 fallax Desbr. *Hi.m.*
 hespericus Desbr. *Lu.Hi.*
 v. occidentalis Desbr.
 v. sulcatus Desbr. Lu.
 v. arduus Desbr.
 v. elongatus Desbr. Hi.
 v. scabrus Desbr.
 gallicus Desbr. *G.a.m.P.*
 bajulus Oliv. *Ga.G.*
 curtus Perris I.Gr.
 Sturmii Bohem. *G.a.m.I.*

v. barbarus Bohem. *Si.*
 v. catenulatus Desbr. *Si.*
 costatus Bohem. *C.S.*
 monachus Germ. *D.Ill.*
 v. siculus Boh. S Si.R.
 v. alternans Boh.
 cornutus Perez *Hi.*

Trysibius

Schönherr.

tenebrioides Pall. *Ga.R.*
 v. punctipennis Brull. [m.
 graeacus Brull. Gr.
 intermedius Waltl *T.*
 Olivieri Bohem. *Gr.*

Liparus

Olivier.

Molites Schönherr.
 coronatus Goeze *Su.E.md.*
 v. sulcirostris Dsbr. Ga.
 germanus L. *Mnt.E.*
 carinaerostris Gyllh.
 carinaerostris Kst. G.Hu.
 glabrirostris Küst. Ga
 illyricus Gyllh. Car.Ill.
 dirus Herbst Ga.G.Hu.
 glabratus F. I.b.
 laevigatus Gyll. R.m.

Meleus

Lacordaire.

Gerli Bohem. *Cro.*
 Megerlei Panz. *P.Alp.*
 v. Illigeri Germ. Cp.
 v. Findeli Boh.
 Tischeri Germ. *G.St.*
 anceps Bohem. G.
 styrianus Bohem. St.
 Sturmii Germ. *G.A.Hu.*
 granulifer Bohem. *E.m.*
 granulipennis Fairm. Si.
 Pareyssi Germ. *Cr.Ill.*
 silphoides Herbst *R.m.*
 ♀ illotus Gyllh. Ca.
 Schneideri Tourn. *Ca.*
 caucasicus Desbr. (Bar.)
 parthenius Costa I.[Ca.
 fallax Falderm. Ca.

Plinthus

Germar.

tigratus Rossi *I.*
 granulatus Bohem. *Alp.*
 mucronatus Rosenh. *Ti.*
 porcatus Panz. *G.A.*

porculus F. *Hu.*

Schalleri Germ. *Alp.*

imbricatus Dufour *P.*

nivalis Duval

caliginosus F. *Ga.G.*

Perezi Bris. *Hi.*

carinatus Boh. *Ca.*

Liosoma

Stephens.

Leiosomus Schönh.

robustum Seidl. *Hi.m.*

Discontignyi Bris. *P.*

ovatum Clairv. *E.md.*

deflexum Panz. *Hi.*

♀ impressum Boh. *G.*

neglectum Brenni *I.*

cyanopterum Redtb. *A.*

troglodytes Rye *Br.*

oblongulum Bohem. *Alp.*

reynosae Bris. *Hi.*

Lethierryi Bris. *P.*

muscorum Bris. *P.*

pyrenaicum Bris. *P.*

rufipes Bris. *P.*

geniculatum Bris. *Ga.Ist.*

Pandellei Bris. *P.*

cribrum Gyllh. *Mt.E.md.*

concinnum Bohem. *Ill.Ca*

Stierlini Tourn. *II.*

Kirschi Gredl. *Ti.*

Isabellae Tschapek *St.*

scruber Rottb. *Si.*

Aubeonymus

Dural.

carinicollis Luc. *Si.*

pulchellus Duv.

granicollis Reitt. *Hi.m.*

Aerisius

Deshrochers.

Hyperomorphus Perr.

Koziarowiczi Desbr. *C.*

asperatus Perris

Sterens

Motschulsky.

Aparion Hampe

Acrodrya Tourn.

costatus Fahr. *Hmp.* *A.G.*

Brucki Tourn. *Hu.*

Chevrolati Duv. *Ga.*

corsicus Perris *C.*

aqualis Reitt. *Ca.*

Adexius

Schönerr.

scrubipeennis Gyllh. *Cr.Ca*

rudis Küst. *G.*

Orthochaetes

Germar.

Sternes Schönh.

discoidalis Fairm. *Ga.*

erinaceus Duv. *Ga.G.*

setulosus Gyll. *Ga.*

setiger Beck *G.Ga.*

Styphlus

Schönerr.

penicillus Gyll. *Ga.G.*

unguicularis Aub. *Ga.*

rubricatus Fairm. *P.*

insignis Aub. *Ga.*

extensus Fairm. *Ga.b.*

Lederi Fairm. *Ca.*

pilosus Mot. *R.m.*

uncatus Friv. *Hu.*

Trachodes

Germar.

hystrix Gyllh. *R.m.*

hispidus L. *E.*

squamifer Gyllh.

Heydeui Stierl. *Cro.*

ovatus Weise *Ca.*

Hylobiini.

Lepyrus

Germar.

colon F. *E.*

v. Herbichi Zaw. *Hu.*

asperatus Schauf.

v. canus Gyllh. *G.*

capucinus Schall. *E.*

binotatus F.

v. terrestris Mot. *Hu.*

arcticus Payk. *L.*

v. 4-notatus Boh.

v. variegatus Schm. *Cr.*

v. volgensis Faust *R.m.*

Hylobius

Schönerr.

piceus Degeer *E.md.b.*

pineti F.

sparsutus Tourn.

abietis L.

pinastri Gyllh. *E.*

rugulosus Boh. *Ga.m.*

verrucipennis Schh. *Ca.*

longicollis Tourn.

albopunctatus Boh. *Ca.*

fatuus Rossi *I.Ga.G.R.*

alpheus Reiche *Gr.*

Pissodes

Germar.

picaceae Ill. *Mt.E.md.Ca.*

pini L. *E.*

notatus F. *E.*

validirostris Gyll. *G.E.b.*

strobili Redt. *A.*

Gyllenhalii Gyll. *Su.*

harcyniae Herbst. *E.md.b.*

pinophilus Herbst. *Ga.G.E.*

scabricollis Miller *A.[b.*

rotundicollis Desbr. *R.*

Erirrhinini.

Grypidius

Schönerr.

equiseti F. *E.*

nigrogibbosus Deg.

v. atrirostris F.

brunnirostris F. *E.md.b.*

Erirrhinus

Schönerr.

Notaris Germar.

granulipennis Tourn. *T.*

bimaculatus F. *E.md.*

v. Frivaldszkyi Trn. *Hu.*

Erycus Tourn.

petax Stev. *G.T.R.*

scirpi F. *E.*

globicollis Frm. *Ga.Hu.*

acridulus L. *E.*

v. moutanus Tourn.

Maerkeli Boh. *G.*

aterrimus Hamp. *Cro.A.*

Gerhardtii Letzn. *Sil.*

Brancsiki Tourn. *Cp.*

Merkli Stierl. *Hu.m.*

aethiops F. *G.E.b.*

Erirrhinus i. sp.

Icaris Tournier.

sparganii Gyllh. *Ga.G.R.*

pertinax Gyllh. *Ca.*

festucae Herbst *E.md.b.*

nereis Payk *Su.E.md.*

scirrhosus Gyllh. *E.*

Dorytomus

Germar.

- vorax F. E.
v. Frivaldszkyi Trn. Hu.
macropus Redtb. E. md.
? ventralis Steph. Br.
meridionalis Dsbr. Hi.
tremulae Payk. E.
♂ vecors Gyll.
♀ amplithorax Dsbr.
variegatus Gyll. Ga. G. Hu
tenuirostris Gyllh. Ga.
costirostris Gyll. E. md. b.
maculatus Marsh. E. md. m
Silbermanni Wenck. G. II.
affinis Payk. Ga. G. Su.
Dejeani Faust Ga.
suratus Gyllh. E. md. b.
?bituberculatus Zett.
validirostris Gyllh. E. md.
Waltoni Boh. S.

- taeniatus F. E.
salicis Walton Su. Br.
occultescens Gyllh. Ga. G.
flavipes Panz. Ga. G. Hu.
salicinus Gyllh. Su. Ga. G.
agnathus Boh. Ga. G. Su.
v. clitellarius Boh. F.
maialis Payk. E. md. b.
pectoralis Panz. E. md. b.
nebulosus Gyllh. E. m.
punctator Herbst G. II.
amplipennis Tourn. Ca.
minutus Gyll. Ga. G. H. Hu
villosum Gyllh. A.
puberulus Boh. D. Hu.
tortrix L. E.
inecanus Muls. Ga. m.
tomentosus Fairm.
auripennis Desbr. C.
filirostris Gyllh. E. md. m.
Riehli Bach
dorsalis L. E. md. b.
atomarius Gené S.

Oryx

Tournier.

- nitidus Chevrol. Si.

Pachytychius

Jekel.

- Styphlotychius Jekl
strunarius Gyllh. Hi.
elephas Kr.
Picteti Tourn. Si.

- latus Jekel Gr.
baeticus Kirsch Hi.
Lucasi Jekel Si.
haematocephalus Gll. Ga.
sparsutus Oliv. E. md. m.
v. obesus Bohem. H.
v. pernix Gyllh. Hu.
scrobiculatus Rosh. Hi. m.
granulicollis Tourn. Lu.
scabricollis Rosh. Ga. Hi.
ancora Gyllh. Ca.
auricollis Gyllh. Ca.
rubriceps Rosenh. Hi. m.
trimacula Rosh. Hi.
Lacordairei Tourn. Hi.
lineipennis Chevr. Hi.
insularis Chevr. C. S.

- Barytychius Jekel.
hordei Brull. T. Gr.
squamosus Gyll. Ga. I. Hi.
intramarginalis Hchh
v. caucasicus Hochh. Ca.
elegans Brull. Gr.
globipennis Tourn. Ca.

Colchis

Tournier.

- carinirostris Tourn. Ca.

Sharpia

Tournier.

- rubida Rosenh. Ga. Hi. I.

Smicronyx

Schönherr.

- cyanus Gyllh. Ga. I. R.
Erichsoni Hochh. Ca.
fulvipes Reiche Gr.
puncticollis Tourn. H. Ca.
politus Boh. Ga. G. A. H. I.
Reichi Gyllh. Ga. H.
Revelierei Tourn. C.
seriopilosus Tourn. T.
scops Tourn. R. m.
cicur Gyll. Ga. G. II. Hu.

- variegatus Gyll. I. Ca.
jungermanniae Reich G.
cretaceus Tourn. Gr. / Ga.
corsicus Fairm. C.
nebulosus Tourn. Ga. Hi.
modestus Tourn. H.
striatipennis Tourn. Hu.
rufipes Kiesw. Gr.
coecus Reich G.

- euscatae Bris. Ga.
pygmaeus Curti Br.

Hypoglyptus

Gerstäcker.

- pictus Gerst. Corfu.
gracilis Kiesw. Gr.

Geranorrhinus

Chevrolat.

- elegans Seidl. Hi.
Brannani Schauf.
Seidlitzi Kirsch Ca.

Philernus

Schönherr.

- Halophagus Becker.
farinosus Gyllh. R. m.
halimocnemis Becker

Pseudostyphlus

Tournier.

- bilunulatus Desbr. R. m.
pilumnus Gyllh. Su. Ga.
setiger Perris G. H.
pilifer Gredl. Ti.

Brachypus

Schönherr.

- cylindricus Hochh. Ca.

Brachonyx

Schönherr.

- pineti Payk. E. md. b.
indigena Herbst

Anoplus

Schönherr.

- plantaris Naezen E.
depilis Thoms.
♀ roboris Suffr.
setulosus Kirsch G. Ca.

Tanysphyrus

Germar.

- lemnæ F. E.

Endaliscus

Kirsch.

- Skalitzkyi Kirsch A.

Ephimeropus

Hochhuth.

- geniculatus Hochh. Ca.

Echinocnemus

Faust.

Bagoopsis Faust ol.

volgensis Faust R.m.
pugnax Faust R.m.

Dieranthus

Motschulsky.

Anactodes Bris.

elegans F. G.

Lyprus

Schönherr.

cylindrus Payk. E.
Frivaldszkyi Tourn. Hu.

Bagous

Schönherr.

rotundicollis Boh. G.
exilis Duv. Ga.m.

biimpressus Fahr. I.
frater Duv. Ga.

minutus Muls. Ga.m.

binodulus Herbst E.

atrirostris F.

graeceus Desbr. Gr.

nodulosus Gyll. Ga.G.I.

subcarinatus Gyll. Ga.G.

muticus Thoms. Su.G.

frit Herbst Ga.G.I.

claudicans Gyllh. H.

mundanus Boh.

diglyptus Boh. Ga.G.Br.

brevipennis Kirsch Ca.

perparvulus Rosh. Hi.m.

Revelierei Tourn. C.

lutulosus Gyllh. Ga.G.H.

v. formicetorum Duv.

dorsalis Perr.

dilatatus Thoms. Su.

tempestivus Hbst. Su.Ga.

convexicollis Boh. G.

v. tessellatus Först. I.

adspersus Först.

longitarsis Thoms. Su.

Aubei Cussac Su.Ga.G.

petro Herbst Su.Ga.G.

limosus Gyllh. Hu.

chorinaeus Fahr. I.

laticollis Herbst

petrosus Herbst

sardiniensis Bris. S.

lutosus Gyllh. E.md.b.

v. validitarsus Boh. Ga.

collignensis Hrbst. E.md.

lutulentus Gyllb. E.b.

binotatus Steph. I.

puncticollis Boh.

nigritarsis Thoms. Su.G.

costulatus Perris C.

robustus Bris. Gr.

validus Rosenh. Hu.

cylindricus Rosh. Hi.? Si.

angustulus Tourn. Si.

argillaceus Gyllh. Gr.G.

encaustus Boh. I.

inceratus Gyllh. T.R.

halophilus Redtb.

haematopus Gyllh. Ca.

Kraatzi Bris. Moravia.

brevis Gyllh. Su.

curtus Gyllh. Su.

Hydronomus

Schönherr.

alismatis Marsh. E.md.b.

tibialis Boh. I.

Glaridorrhinus

Kolenati.

Kuenburgi Kolen. G.

Cryptorhynchini.

Arthrostenus

Schönherr.

fullo Steven Ca.

spadicetus Bohem. Ca.

cinereus Bohem. Ca.

Camptorrhinus

Schönherr.

statua Rossi E.m.

simplex Seidl. Hi.m.

fasciatus Schauf. Hi.

Gasterocercus

Laporte.

depressirostris F.E.md.m

Cryptorhynchus

Illiger.

lapathi L. E.

Acalles

Schönherr.

denticollis Germ. Alp.

rufirostris Boh. Cp.S.

camelus F. E.md.

quercus Boh.

Sophiae Tschapek St.

Aubei Boh. Ga.G.Hu.Ca.

Milleri Reitter Ca.

validus Hampe Tr.

Giraudi Muls. Ga.

pyrenaicus Bohem. P.G.

croaticus Bris. Tr.Cro.

reynosae Bris. Hi.

Graëllsi Martinez Hi.

roboris Curtis E.md.

abstersus Boh. Su.

v. Navieresi Boh. I.

Chaudoiri Hochh. Ca.

pulchellus Bris. P.

humerosus Fairm. P.

lemur Germ. E.md.

sulcatus Bohem.

v. fallax Bohem.

sierrae Bris. Hi.

turbatus Bohem. E.md.b.

v. echinatus Germar.

v. parvulus Boh.

misellus Boh.

nudiusculus Först.

ptinoides Gyllh.

setulipennis Desbr. C.

Capiomonti Bris. I.Ist.

ptinoides Marsh. E.nd.

nocturnus Boh. Ca.

teter Bohem. Si.

barbarus Luc.

hypocrita Boh. E.md.Ca

caucasicus Reitt. Ca.

Bellieri Reiche Si.

variegatus Boh. Ga.I.

v. fuscus Chevr.

v. costatus Chevr.

v. Peragalloi Chevr. I.

punctaticollis Lucas P.

tuberculatus Rosh. Hi.m.

Querilaci Bris. Ga.m.

Rolleti Germ. Ga.I.

Dioctetianus Germ. D.I.

fasciculatus Boh. E.m.

dromedarius Boh.

plagiatafasciatus Cst.

impressicollis Luc.

subglaber Rosh. Hi.m.

rufipes Chevr. Hi.

Torneuma

Wollaston.

Typhloporus Hampe.

Crypharis Fairm.

deplanatum Hampe Si.

planidorsum Fairm.
setiferum Bris.

Rosaliae Rottb.

Raymondi Perris S.

Damryi Perris C.

siculum Ragusa Si.

Magdalini.

Magdalitis

Germar.

Magdalitus Schönh.

memnonia Fald. E. md.

carbonaria F.

beros Küst.

ebenina Bach

phlegmatica Hbst. E.

linearis Gyllh. E. md. b.

rufa Germ. E. md. m.

duplicata Germ. E. md.

? punctipennis Kst. Tr

Weisei Schreiner G.

? virescens Germ.

striatula Desbr. G. Tr.

frontalis Gyllh. E.

violacea Desbr.

duplicata Thoms.

punctirostris Gyllh.

violacea L. A. Alp.

Heydeni Desbr. G. m.

violaceipennis Desbr.

cyanea Seidlitz R. L.

nitida Gyllh. E.

punctulata Muls. Ga.

exarata Bris. Ga. G.

cerasi L. Su. E. md.

atterima F. E.

stygia Gyllh.

carbonaria L. E. md. b.

atramentaria Germ.

tridentata Gradi

v. atrocyanea Boh.

asphaltina Boh. G.

fallax Kirsch Cn.

barbicicornis Latr. E.

♂ claviger Küst.

mixta Desbr. G.

turcica Desbr. T.

Kraatzii Weise G. A.

flavicornis Gyllh. Ga. G.

v. fuscicornis Desbr.

v. quericola Weise

pruni L. E.

nitidipennis Boh. Ga. G.

caucasica Tourn. Ca.

Tychiini.

Balaninus

Germar.

elephas Gyllh. Ga. G.

mastodon Jekel

propinquus Desbr.

pellitus Boh. E. md. m.

sericeus Desbr.

Reichei Desbr. Si. T. Cri.

glandium Marsh. E.

venosus Grav.

Deyrollei Tourn. T.

nucum L. E.

tessellatus Frer. E. md. m.

turbatus Gyllh.

villosus F. E.

cordifer Fourer.

Herbsti Gemm. E.

cerasorum Herbst

betulae Steph. E. md.

rubidus Gyllh.

v. rubricollis Westh.

Balanobius

Jekel.

rhaeticus Fuchs H.

crux F. E.

crucifer Fuchs Ti.

ochreatus Fahr. Ga. Hi.

rufosignatus Fairm.

brassicae F. E.

pedemontanus Fuchs Pe.

pyrrhoceras Marsh. E.

troglodytes Jekel Gr.

Anthonomus

Germar.

Toplithus Gozis.

Antomorphus Weise.

varians Payk. E.

varius Zett.

melanocephalus F.

nigrocapitatus Latr.

phyllocola Herbst

v. perforator Herbst E.

ater Marsh.

? v. obesior Desbr. G.

Anthonomus i. sp.

rubri Herbst E.

rubripes Gyllh. T. Cri.

femoratus Desbr.

sorbi Germ. Su. G. b.

oxyacanthae Boh.

Bonvouloiri Desbr. I.

leptopus Gozis Ga.

gracilipes Desbr.

pubescens Payk. E. md. b.

pyrenaeus Desbr. P.

britannus Desbr. Br.

Chevrolati Desbr. Ga. Br.

cinctus Redtb. Ga. G. I.

piri Schönh.

Rosinae Gozis Ga.

ulmi Degeer E.

cinctus Thoms.

bituberculatus Thoms.

rufus Gyllh. E. md.

nitidirostris Desbr.

v. opaci rostris Desbr. F.

languidus Gyllh. Cri.

pruni Desbr. Ga. G.

ornatus Reiche Car. I. T.

pedicularius L. E.

Schönberrli Desbr.

fasciatus Marsh.

melanocephalus Ol.

ulmi Thoms.

v. ? conspersus Muls. Ga.

distinguendus Desbr. Ga.

conspersus Dsbr. Br. Ga.

v. Javeti Desbr. G. A.

Kirschi Desbr. A.

Stierlini Desbr. Gr.

spilotus Redtb. E. md. m.

Robertii Wenk.

pomorum L. E.

v. piri Kollar A.

incurvus Panz. E. md. b.

curtus Faust R. occ.

undulatus Gyllh. Ga. G.

♀ ruber Perris A. D.

rectirostris L. E.

druparum L. G.

obesior Desbr. G.

Bradybatus

Germar.

Nothops Mars.

Pseudomorphus Desbr.

elongatus Boh. Ga. G.

fallax Gerst. H.

aceris Chevr.

*

Creutzeri Germ. A. I. R.

subfasciatus Gerst. Ga. A.

v. robustirostris Dsbr. I.

Kellneri Bach. Ga. A. Hu.

carbonarius Reitt. C.

Acalyptus

Schönherr.

- carpini Herbst E.
v. sericens Gyllh.
alpinus Villa Ga.G.
rufipennis Gyllh. I.

Elleschus

Stephens.

- seanicus Payk. E.
v. pallidesignatus Gyllh.
bipunctatus L. E.
ruficornis Zett.
brevirostris Desbr. R.m.
infirmus Hbst. Ga.G.E.m.
v. languidus Faust R.m.

Lignyodes

Schönherr.

- enucleator Panz. Ga.H.A.
Muerlei Ferrari A. [Ca.
suturatus Fairm. A.
rudesquamosus Frm. Ga.
obliquefasciatus Frm. T.

Tychius

Germar.

- quinquepunctatus L. E.
modestus Tourn. Gr.
astragali Becker R.m.
affinis Becker R.m.
trivirgatus Desbr. R.m.
tessellatus Tourn. Hi.m.
polylineatus Grm. Ga.H.I
lineatulus Germ. Ga.G.
Schneideri Bris. H.I.
arietatus Tourn. H.
cuprinus Rosh. Hi.m.
aureomicans Tourn. Hi.
elegantulus Bris. Ga.H.
rufipennis Bris. Ga.E.m.
Schneideri Hbst. E.md.m.

- lineatulus Steph. I.
conspersus Rosh. Hi.m.
Grenieri Bris. Ga.Hi.Si.
graecus Kiesw. Gr.
nigricollis Chevrol. Si.
mitratus Costa
Schaumi Stierl.
bicolor Stierl.
lautus Gyllh. T.R.m.
dispar Tourn. I.m.
bicolor Bris. Ga.I.Ca.
fuscipes Chevr. Hi.m.
dimidiatipennis Dsb.

- aurichalceus Gyllh. Hi.Si.
funicularis Bris. Ga.Hi.I.
thoracicus Boh. I.Hi.
strigosus Reiche Gr.
latillicollis Perris Hi.

- suavis Bris. Si. Ist.
argentatus Chevr. Ga.Hi.
siculus Boh. Si.
gentilis Rottb. Si.
subsulcatus Tourn. Hu.
flavicollis Steph. E.
squamulatus Gyllh.
Kirbyi Waterh.

- cinnamomeus Kiesw. Hi.
suturalis Bris. Ga.I.
cretaceus Kiesw. Hi.
Brisouti Tourn. Jura.
albilaterus Stierl. R.m.
venustus F. Ga.G.H.
v. genistaecola Chevr. I.
v. genistae Boh. Hi.
globithorax Desbr. Ga.
lineolatus Desbr. P.
bivittatus Perris C.
Huetti Tourn. I.
longiusculus Tourn. R.m.
farinosus Rosh. Hi.m.
terrosus Tourn. I.m.
Morawitzi Becker R.m.

- confusus Desbr. Ca.
carinicollis Tourn. R.m.
italicus Tournier I.
ciliatus Gyllh. R.m.
striatulus Gyllh. Ga.G.Pe.
deliciosus Perris S.
fuscolineatus Luc. Hi.Si.
decoratus Rosh. Lu.

- v. bellus Kirsch
Oleesei Tourn. Lu.
Chevrolati Tourn. Lu.
insularis Chevr. S.
rufirostris Schönb. R.m.
glycyrrhizae Becker

- Kiesenwetteri Tourn. T.b.
acosmus Tourn. R.m.
Beckeri Tourn. R.m. [Ca.
crassirostris Kirsch H.I.
sericatus Tourn. H.
aureolus Kiesw. Ga.G.Hi.
albovittatus Bris. Hi.
albovittis Gemm. I.
sorex Gyllh. R.
medicaginis Bris. E.md.m
curtus Bris. Ga.G.Ca.
flavicollis Boh. H.
flavus Becker R.m.

- femoralis Bris Ga.G.Hu.I.
difficilis Tourn. Car.Ist.
junceus Reich E.md.m.
canescens Marsh. Su.
haematopus Gyllh.

- v. gracilipes Tourn. A.
meliloti Steph. E.md.m.
v. ?litigiosus Tourn. Si.S
auricollis Gyllh. R.m.
armatus Tourn. I.Si
comptus Tourn. I.
tibialis Bohem. Ga.H.I.
curvirostris Bris. Ga.m.
hirtellus Tourn. Creta.
neapolitanus Tourn. I.m.
pusillus Germ. Br.G.
pygmaeus Bris. Ga.
brevicornis Waterh.
curtirostris Desbr. C.
longicollis Bris. Ga.I.R.m
longulus Desbr. R.m.
longiusculus Tourn.
pumilus Bris. G.Ga.m.
Sharpi Tourn. H.
tomentosus Herbst E.
similaris Tourn. Pe.

- acuminirostris Bris. Hi.
breviusculus Desbr.
deplanatus Desbr. Hi.
sericeus Desbr.
metallescens Kolen. Ca.

- Hypactus Tourn.
hypaetrus Tourn. S.Si.
depressus Desbr.

- Ectatotychius Tourn.
amplicollis Aub. Si.
similis Tourn. Si.

- Miccotrogus Schönh.
picirostris F. E.
v. posticinus Gyll. Ga.
pyrenaeus Bris. P.
consputus Kiesw. Gr.
capucinus Boh. Si.
v. monachus Chevr. Hi.
v. signaticollis Chevr.
molitor Chevr.
discoideus Desbr.
suturatus Perris C.
cuprifer Panz. Ga.G.E.m
v. procerulus Kiesw. Hi.
v. ?parallelus Kiesw. Si.

Sibinia*Germar.*

Sibynes Schönherr.

Heydeni Tourn. *Gr.Hi.*
sodalis Germ. *E.md.*cretacea Bris. *Hi.I.*
meridionalis Bris. *Ga.Hi.*Tournieri Tourn. *R.m.*
Beckeri Desbr.

Zuberi Desbr.

planiuscula Desbr. *R.m.*
minutissima Tourn. *R.m.*Reichei Tourn. *I.m.*
Hopffgarteni Tourn. *Hu.*unicolor Fahr. *Hu.R.m.*
subelliptica Desbr. *Ga.*Perrisi Tourn. *I.*
grisescens Tourn. *H.*primita Herbst *E.*
v. arenariae Steph.v. phalerata Stev.
♀ seriata Desbr. *C.*♂ Bohemani Desbr. *P.*
sellata Lucas *Si.*femoralis Germ. *A.Hu.*
gallicola Giraudv. ? formosa Aub. *Ga.*
harmonica Chevr. *Ga.m.*attalica Gyllh. *E.m.*
v. lateralis Perris *C.*tibieta Gyllh. *I.Si.*
silenes Perris *Ga.*vittata Germ. *G.A.*
zebra Gyllh. *Hu.*pellucens Scop. *E.*
cana Herbst

v. Roelofsi Desbr.

abdominalis Tourn. *Hu.*
rudepilosa Tourn. *Hu.*tibialis Gyllh. *Hu.R.m.*
viscariae L. *E.*bipunctata Kirsch *Ca.*
nitidirostris Desbr. *R.m.*pulchella Desbr. *R.m.*
nigritarsis Desbr. *R.m.*tenuirostris Desbr. *R.m.*
fugax Germ. *E.md.m.*potentillae Germ. *E.*
Beckeri Tourn. *R.m.Ca.*curtirostris Tourn. *Ga.H.*grandicollis Waltl *Hi.m.*
statices Moncreaff *Br.*
variata Gyllh. *Ga.*
velutifer Desbr. *Ga.m.***Mecinus***Germar.*piraster Herbst *E.*
longiusculus Boh. *Ga.Hi.*filiformis Aub. *Lu.I.*
♂ teretiusculus Boh.collaris Germ. *E.*
janthinus Germ. *E.*laeviceps Tourn. *R.m.*
Heydeni Wencker *G.*comosus Bohem. *Lu.*
setosus Kiesw. *Gr.*dorsalis Aubé *Ga.*
nasutus Tourn. *I.m.*circulatus Marsh. *E.md.m*
alternans Kirsch *Hi.m.*barbarus Gyllh. *Hi.*
humeralis Tourn. *Hi.***Gymnetron***Schönherr.*pascuorum Gyllh. *E.*
v. bicolor Gyllh. *E.m.*plantaginis Eppelsh. *G.*
mixtum Muls. *Ga.*inermicrum Desbr. *R.m.*
ictericum Gyllh. *Ga.G.Hu.*latiusculum Duv. *Ga.*
tychioides Bris. *Hi.m.*villosulum Gyllh. *E.md.m*
beccabungae L. *E.*concinnum Gyllh. *E.*
veronicae Germ. *E.*variabile Rosh. *Ga.Hi.*
sanguinipes Chevr.v. algiricum Bris. *And.*
Zuberi Desbr. *R.m.*labile Herbst *E.*
2-arcuatum Desbr. *C.*conirostre Desbr. *R.m.*
simum Muls. *Si.Ga.m.*Pirazzolii Stierl. *I.*
Schwarzii Letzn. *G.*elongatum Bris. *Ga.G.*
stimulosum Germ. *E.md.*haemorrhoidale Bris. *I.*
rostellum Herbst *E.*melanarium Germ. *E.md.*
intaminatum Steph.perparvulum Boh. *E.*
pyrenaicum Bris. *P.*rotundicolle Gyllh. *Cri.*
Rhinusa Steph.asellus Grav. *E.md.I.*nasutum Rosenschld.
cylindrirostre Gyll.
v. plagiatum Gyll.thapsicola Germ. *Ga.G.m.*
vestitum Germ. *Ga.Hi.*
verbasci Dufour.inecanum Kirsch *And.*
netum Germ. *Ga.G.Ca.*fuliginosum Rosh. *Hu.Ca.*
bipustulatum Rossii *Ga.G.*spilotum *Grm.A.I.Ca.*
melas Boh. *Ga.*collinum Gyllh. *E.*
linariae Panz. *E.*curvirostre Rossi
depressum Rottb. *Si.*tetrum F. *Ga.G.E.m.*
v. amictum Germ. *Hi.*verbasci Roseusch.
♀ v. trigonale Gyllh.v. plagiellum Gyllh.
v. crassirostre Luc.comosum Rosnsch. *T.Gr.*
antirrhini Germ. *E.md.m.*lanigerum Bris. *Hi.Lu.C.*
griseoirtellum Dsb.Heydeni Desbr. *Hi.*
littoreum Bris. *Ga.R.m.*noctis Herbst *E.*
herbarum Bris. *Ga.Hu.*pilosum Gyllh. *E.md.m.*
hispidum Brull. *Gr.*fuscescens Rosensch. *Cri.*
haemorrhoum Rssch. *Hu.***Miarus***Stephens.*

Cleopus Suf fr.

longirostris Gyll. *E.md.m.*
seutellaris Bris. *Ga.Ca.*distinctus Boh. *Alp.*
graminis Gyllh. *E.*campanulae L. *E.*
micos Germ. *E.*plantarum Grm. *E.md.m.*
meridionalis Bris. *Ga.m.***Cionus.***Clairville.*scrophulariae L. *E.*
v. intermedius Oeskaytuberculosus Scop. *E.*
verbasci F.Olivieri Rossch. *E.md.*
longicollis Bris. *Ga.G.Hi.*similis Müll. *E.*

thapsus F.

hortulanus Marsh. E.

Sehönberrii Bris. P.

distinctus Desbr. C.

ungulatus Germ. D. Hi.

Clairvillei Bohem. Ga. R.

simplex Rosenschld. R.

Merkli Stierl. T.

olens F. Ga. G. R. Hi.

blattariae F. E. md. m.

v. Villae Comolli I.

pulverosus Gyll. E. m.

pulvereus Schönh.

Stereonychus

Suffrian.

fraxini Degeer E.

gibbifrons Kiesw. Ga. Hi.

phillyreae Chevr.

globulariae Kiesw. Gr.

Platylaemus

Weise.

pulchellus Herbst E.

solani F. Ga. G.

telonensis Gren. Ga. m.

Microphyes

Weise.

cyanipennis Weise. Ca.

alutaceus Reitt. Ca.

Nanophyes

Schönherr.

Nanodiscus Kiesw.

transversus Aub. E. m.

v. aureolus Perris C.

v. cuneatus Kiesw. Hi.

v. juniperi Chevr. Gr.

Sphaerula Steph.

Komaroffi Faustj R. m.

niger Waltl E. m.

sieulus Boh.

ericetorum Dufour

annulatus Arrag. I.

hemisphaericus Ol. Ga. G.

v. ulmi Germ. E. m. H.

circumscriptus Aub. Go.

globulus Germ. Su. Ga. G.

pygmaeus Herbst

stramineus Bach

gracilis Redtb. Ga. G.

geniculatus Aub. E. m.

v. geniculatus Ksw. Cret.

brevis Boh. Ga. A. H. Ca.

rubricus Rosenh. E. m.

v. globiformis Ksw. Gr.

nigritius Gredler Ti.

Sahlbergi Gyllh. E.

v. lateralis Rosenh.

v. brevicollis Bris.

Durieui Luc. Hi. m.

flavidus Aub. Ga. R. m.

nigritarsis Aub. Si.

Chevrieri Boh. Ga. R. E.

♀ difficilis Tourn. m.

v. spretus Duv.

v. nitidulus Gyllh.

v. helveticus Tourn.

lythri F. E.

v. angustipennis Bach

v. salicariae F.

v. rufipes Tourn.

Nanophyes i. sp.

languidus Boh. R. m.

tristigma Rottb. Si.

tamaricis Gyllh. E. m.

pallidus Oliv. E. m.

stigmaticus Kiesw.

centromaculatus Cost. Si.

Olivieri Desbr.

v. caesifrons Bris.

posticus Gyllh. Ga. Hi.

tetraستigma Aub. Ga. Hi.

rubens Aub. Ga. m.

4-virgatus Costa D. J. Gr.

v. 6-punctatus Ksw. Cret.

v. setulosus Tourn.

v. trilineatus Bris. fm.

minutissimus Trn. Hi. R.

pallidulus Grav. Ga. m. I.

v. liliputianus Bris. Hi.

Doriae Bris. I.

Orchestes

Illiger.

Salius Schrank. Rhynchaenus

Clairy. Euthoron. Trectiens.

Alyctus. Isochnus Thoms.

quercus L. E.

viminalis F.

v. depressus Marsh.

v. Phoebus Gozis Ga. m.

v. roboris Westh.

v. conformis Westh.

hirtellus Mill. Gr.

rufus Oliv. E. md. b.

haematicus Germ.

alni L. E.

v. ferrugineus Marsh.

atricapillus Marsh.

? nigricollis Marsh.

melanocephalus Ol.

Quedenfeldti Gerhrdt G.

ilicis F. E.

pilosus F.

irroratus Kiesw. Ga. Hi.

distinguendus Duv.

montanus Chevr. MR.

sparsus Fahr. Ga. H. Hi.

melanarius Kiesw.

erinitus Boh. A.

subfasciatus Gyllh. R. m.

erythropus Germ. Ga. G.

foedatus Gyllh.

tricolor Kiesw. Hi.

jota F. E. md. Su.

rossae Herbst Pe.

fagi L. E.

calear F.

fragariae F.

rhododactylus Marsh.

rhodopus Steph.

pratinus Germ. E. md.

Waltoni Curt. Co.

tomentosus Gyllh.

testaceus Müller E.

scutellaris F.

rufus Schrank

v. albopilosus Reiche Ga.

v. suturalis Zett. L.

oenipontanus Gdl. Ti.

v. carnifex Germ. G.

viminalis Schrank

v. semirufus Gyll. E. md.

5-maculatus Chevr.

v. pubescens Stev. E. md.

caleeatus Germ. E. b.

pilosus Gyllh.

? v. atratus Preller G.

lonicerae Herbst E. md.

xylostei Clairv.

rusei Herbst E.

bifasciatus Gyllh.

avellanae Donov. E.

salicis F.

hortorum Oliv.

signifer Creutz.

v. confusus Desbr. Lu.

astrachanicus Trn. R. m.

populi F. E.

cinereus Fahr. Ga. G.

Tachyerges Schönh.

decoratus Germ. E.

v. affinis Steph.

rufitarsis Germ. G. A.

confundatus Steph. Br.

fulvitarsis Brull. Ga.

— salicis L.	E.
bifasciatus F.	
— stigma Germ.	E.
jota Payk.	
foliorum Müller	E.
— saliceti F.	
—	
luteicornis Chevr.	Ga.
longulus Schauf.	Gr.
incanus Rosenh.	Hi.m.
monedula Herbst	G.
plinhotrichus Kolen.	Ca.
Rhamphus	
<i>Clairville.</i>	
— flavicornis Clairv.	E.
tomentosus Oliv.	G.H.I.
rhamphoides Duv.	
aeneus Boh.	Ga.G.E.m.
Kiesenwetteri Tourn.	Si.
Ceuthorrhyn-	
chini.	
Mononychus	
<i>Schönherr.</i>	
ireos Pallas	Ca.
— pseudacori F.	E.md.m.
salviae Germ.	E.m.
v. caucasicus Kol.	Ca.
v. Schönerri Kolen.	
superciliaris Boh.	Lu.Hi.
spermaticus Becker R.m.	
Marmoropus	
<i>Schönherr.</i>	
topiarius Germ.	Ga.G.Hu
coarctatus Duv.	E.m.
Besserii Gyllh.	G.R.
Stenocarus	
<i>Thomson.</i>	
impressus Rosh.	Ti.
cardui Herbst	E
fuliginosus Marsh.	
guttula F.	
pruni Boh.	
umbrinus Gyll.	
canaliculatus Gyllh.	
Schüppeli Boh.	D.
Allodactylus	
<i>Weise.</i>	
geranii Payk.	E.
exiguus Oliv.	
asperatus Gyll.	R.m.

Coeliodes	
<i>Schönherr.</i>	
Megacetes Thoms.	
zonatus Germ.	E.m. Alp.
quercus F.	E.
dryados Gmel.	[Tr.
trifasciatus Bach	Ga.G.
ruber Marsh.	E.
Mannerheimi Gyll.	
rufirostris Steph.	
pudicus Rottb.	Si. Ist.
erythroleucus Gmel.	E.
subrufus Herbst	
cinetus Rossi	
Hoffmanni Weise	Cro.
rubieundus Payk.	E.
melanocephalus Stph	
congener Först.	G.Ga.
Cnemogonus	
<i>Leconte.</i>	
epilobii Payk.	E.md.b.
Cidnorrhinus	
<i>Thomson.</i>	
quadrimaculatus L.	E.
didymus F.	
v. gibbipennis Germ.	
v. urticae Marsh.	
immaculatus Gyll.	
v. nigrirostris Boh.	
v. melancholicus Gyll.	
massageta Kirsch	Ca.
Coeliastes	
<i>Weise.</i>	
lamii F.	E.md.
abruptestriatus Gyll.	
mendosus Gyll.	
v. punctulum Herbst	
Scleropterus	
<i>Schönherr.</i>	
serratus Germ.	G.Hu.R.
offensus Boh.	G.Hu.Tr.
carpathicus Brancs.	
Rhytidosomus	
<i>Schönherr.</i>	
globulus Herbst	E.md.b.
Reitteri Weise	Hu.
Rhinoneus	
<i>Schönherr.</i>	
eastor F.	E.

v. flavipes Steph.	
v. leucostigma Marsh.	
v. granulipennis Gyll.	
bruchoides Herbst	E.
v. asperatus Gyllh.	
leucogaster Gyllh.	
v. rufescens Steph.	
— inconspectus Hbst.	E.md.
pericarpius L.	E.[b.]
gramineus F.	
v. conjectus Gyll.	
perpendicularis Reich	E.
guttalis Grav.	
subfasciatus Gyllh.	
denticollis Gyllh.	I.
albiceinctus Gyllh.	E.
Eubrychius	
<i>Thomson.</i>	
velatus Beck	E
aquaticus Thoms.	
Litodactylus	
<i>Redtenbacher.</i>	
leucogaster Mrsh.	E.md.b.
myriophylli Gyllh.	Pe.
Phytobius	
<i>Schönherr.</i>	
Pelenomus Thoms.	
velaris Gyll.	Su.Ga.G.
canaliculatus Fhr.	E.md.b.
Waltoni Boh.	E.md.b.
notula Suffr. Redt.	
comari Herbst	Su.E.md.
4-tuberculatus F.	E.md.b.
notula Germ.	
muricatus Bris.	Ga.G.
Pachyrrhinus	
granatus Gyll.	Su.Ga.G.I.
4-nodosus Gyll.	E.md.b.
mucronulatus Germ.	
4-cornis Gyll.	E.m.d.b.
Amalus	
<i>Schönherr.</i>	
scortillum Herbst	E.
alpinus Hampe	Alp.A.
Orobitis	
<i>Mannerheim.</i>	
eyaneus L.	E.md.
Graphicotera	
<i>Tournier.</i>	
excelsa Tourn.	Ca.

Ocladius

Schönherr.

salicorniae Oliv. R.m.
trinotatus Fsch. (Cion.)

Ceuthorrhyn-
chidius

Duval.

Calosirus Thoms.

spinosus Goeze E.md.m.
horridus Panz.

urens Gyllh. E.m.
albohiispidus Fairm.

troglodytes F. E.
spiniger Herbst
pusio Panz.

frontalis Bris. Br.Ga.G.

Dawsoni Bris. Ga.Br.

hystrix Perris Ga.G.

Barnevillei Bris. P.

terminatus Hrbst. E.

apicalis Gyll.

sii Gyllh.

analis Panz.

uniguttatus Marsh.

haemorrhoidalis Stph

Waltoni Boh.

nigrinus Marsh. E.

depressicollis Gyllh.

biscutellatus Chevr. Ga.

melanarius Stph. E.md.m

♂ convexicollis Boh.

♀ glaucus Boh.

camelinæ Boh.

Perrisi Bris. Ga.Hi.

quercicola Payk. E.md.

grypus Herbst Su.Ca.

versicolor Bris. G.

Crotchi Bris. Br.

hepaticus Gyllh. Ga.

floralis Payk. E.

micens Bris. Ga.m.

achilleae Gyllh. Ga.G.

pyrrhorhynchus Marsh.

pulvinatus Gyll. E.

Hampeli Bris. A.

pumilio Gyllh. E.

Poweri Rye

v. asperulus Boh.

v. posthumus Germ.

minimus Walton Br.

Chevreliati Bris. Ga.

Centhorhynchus

Germar.

Thamniocolus, Hadropontus,
Micreius Thoms.

albolineatus Friv. Hu.

albovittatus Grm. E.md.

sublineellus Bris. Gr. [m.

tenuirostris Rosh. Hi.m.

insidiosus Bris. Hi.

macula-alba Hrbst. Ga.G.

seriatus Boh. R.

suturalis F. Ga.G.

quercreti Gyll. E.md.

alboscutellatus Gyll.

conspitus Germ. G.

v. rubescens Boh. I.

granulicollis Thoms. Su.

Stevensi Boh. Cri.

arator Gyll. Ga.G.R.

inaffectatus Gyllh.

glabrirostris Gyllh.

syrites Germ. E.

alauda F.

assimilis Payk. E.

brassicae Focill.

fulvitarsis Bris. Ga.

thlaspi Bris. Ga.P.

setosus Bohem. E.md.

atomus Boh.

cochleariae Gyll. E.

atratulus Gyll.

austerus Gyll.

Schönerri Bris. Ga.

parvulus Bris. Ga.A.Ca.

similis Bris. G.

constrictus Marsh. E.md.

plumbeus Bris. G.

subpilosus Bris. Hi.

fallax Bohem. Ga.Cri.

dimidiatus 'Friv. Hu.

leucorrhama Rosh. Hi.

squamulosus Bris. Hi.

algiricus Bris. Si.

nanus Gyllh. E.md.m.

rufipes Bris. Hi.m.

ericæ Gyllh. E.

albosetosus Gyllh.

sphaerion Boh. G.

subglobosus Bris. P.

geographicus Goez. E.md.

echii F. E.m.

glaucinus Boh. G.

radula Gyllh. Ga.G.I.

vocifer Rottb. H.Si.

viduatus Gyllh. E.md.b.

raphani F. E.md.

acalloides Fairm. Ga.C.S.

borraginis F. Ga.G.I.

alternans Bris. Hi.

lineatus Gyllh. Cri.

abbreviatus F. E.md.m.

fatidicus Gyllh. Ca.

cruciger Herbst E.

crucifer Oliv. E.

Arcasi Bris. Hi.

venedicus Weise G.

carinicollis Bris. Hi.Ga.

humeralis Gyll. Ca.

caucasicus Kirsch Ca.

gratiosus Bris. Ga.

hungaricus Bris. Hu.

Aubei Boh. Ga.

Javeti Bris. G.A.R.

peregrinus Gyllh. Hi.

uroleucus Boh. I.

T-album Gyllh. Cri.

Andreae Germ. E.md.m.

litura F. E.

trimaculatus F. E.md.m.

trisignatus Gyllh. A.Ha.

cynoglossi Frauenf.

Diecki Bris. Hi.

albosignatus Gyllh. Ga.G.

austriacus Bris. A.

asperifoliarum Gyll. E.

urticae Boh. Br.Ga.

pallidicornis Bris.

Fairmairei Bris. Ga.

Sahlbergi Schh. F.R.b.

Kraatzi Bris. Hu.Cro.

campestris Gyllh. Ga.G.

lepidus Gyllh. Hi.

italicus Bris. I.

molitor Gyllh. Ga.S.Si.

triangulum Boh.

vicinus Kr. G.

chrysanthemi Gyllh E.md.

v. figuratus Gyllh. R.m.

rugulosus Hrbst. E.md.m.

gallicus Gyllh.

arquatus Herbst E.md.

occultus Gyllh. I.b.

uliginosus Boh.

subfasciatus Chevr. C.

auritus Kirsch Ca.

melanostictus Msh. E.md.

concinnus Gyllh. E.m.

Stenbergi Thoms.

v. obtusicollis Gyllh. R.m.

v. lycepi Gyllh. Ga.G.

v. perturbatus Gyllh.	Ga.	vilis Gyllh.	Cri.	Hypurus
v. murinus Gyllh.	R.m.	coarctatus Gyllh.	Cri.	Rey.
euphorbiae Bris.	G.	uniformis Gyllh.	Ca.	Bertrandi Perris
quadridens Panz.	E.	subulatus Bris.	Hi.	carneus Perris
resedae Marsh.	E. md.	signatus Gyll.	E. md.	
marginatus Payk.	E.	decoratus Gyll.		Poophagus
punctiger Gyllh.		interstinctus Gyll.		Schönherr.
v. rufitarsis Gyllh.		♀ pubicollis Gyll.		robustus Faust
distinctus Bris.	P.	♂ signatellus Gyll.		sisymbrii F.
Möllerii Thoms.	Su. Ca.	*		nasturtii Germ.
rotundatus Bris.	Ga. G. II.	suleicollis Payk.	E. md. b.	olivaceus Gyllh.
Lethierryi Bris.	Hi. Ca.	cyanipennis Germ.		Hopffgarteni Tourn.
nebulosus Bris.	Hi.	timidus Weise	D. Cro.	araneipes Faust
pilosellus Gyllh.	Ga. Hi.	obesulus Weise	Hi. m.	
nigroterminatus Woll.	Ca.	hirtulus Germ.	E.	
mixtus Muls.	Ga. m.	chalybaeus Germ.	E. md.	
denticulatus Schnk.	E. md.	coeruleescens Gyll.		Tapinotus
contusus Perris	Im.	granipennis Weise	Gr.	Schönherr.
verrucatus Gyllh.	Br. Ga.	viridiipennis Bris.	Ga. m.	sellatus F.
biguttatus Boh.	R. m.	melanocyaneus Boh.	Ga.	E. md. b.
raphaelensis Chevr.		carinatus Gyll.	R. m.	
rusticus Gyllh.	E. m.	canaliculatus Bris.	Tr.	
pollinarius Forst.	E.	aeneicollis Germ.	Ga. G. A.	
angulosus Boh.	G.	metallinus Fairm.	Hi.	
obsoletus Gyllh.	G. Tr.	scapularis Gyll.	Ga. G. H.	
faeculentus Gyllh.	Ga.	obsecurecyaneus Gyll.		
antennalis Bris.	Hi.	intersetosus Bris.	Hi. m.	
obscurus Bris.	Hi.	erysimi F.	E.	
picitarsis Gyllh.	Ga. G.	v. chloropterus Steph.		
tarsalis Boh.	H. R. Si.	contractus Marsh.	E.	
tibialis Boh.	Ga. G. Hi.	drabae Laboulb.		
pleurostigma Mrsh.	E.	Grenieri Bris.	Ga. m.	
sulcicollis Gyll. Thms.		suturellus Gyll.	R. m. G.	
pyrenaicus Bris.	P.	Pandellei Bris.	P.	
griseus Bris.	Ga. G.	barbareac Suffr.	G.	
alliariae Bris.	Ga.	cyanopterus Redtb.	A.	
intermedius Bris.	P.	ignitus Germ.	G.	
rapae Gyllh.	E. md. b.	pervicea Weise	Siles.	
Roberti Boh.	Ga.	chlorophanus Rouget	Ga.	
puncticollis Boh.	Ga.	Gougeleti Bris.	Hi. b.	
sulcatus Bris.	Cri.	laetus Rosh.	Hi. Ga. m.	
Duvali Bris.	Ga. m.	smaragdinus Bris.	I.	
longirostris Bris.	P.			
napi Gyllh.	Ga. G.	variegatus Ol.	Ga.	
sophiae Stev.	G. Hu.	scutellaris Brull.	Gr.	
neutralis Gyllh.	R. m.	tuber Reich	G.	
misellus Gyllh.		fossarum Reich	G.	
ferrugatus Perris	Ga. G.	minutus Reich	G.	
validirostris Gyllh.	Cri.	pultiarius Fourer.	Ga.	
rimulosus Germ.	G. A.	*		
moestus F.	E.	cineritus Hochh.	R. m.	
		submureicatus Hochh.	R. m.	
virgatus Gyllh.	R. m.	inornatus Waterh.	Br.	
dubitabilis Boh.		mirabilis Villa	I.	
nubilosus Gyllh.	R. m.	haemorrhoidalis Mot.	Ca.	
Maschelli Hochh.	R. m.			

dalmatina Bris.	<i>D.</i>
Brisouti Faust	<i>R.m.</i>
nigritarsis Boh.	<i>Ca.</i>
semistriata Boh.	<i>Ca.</i>
Gimmerthalii Hochh.	
v. Hochhuthi Faust	
sellata Bohem.	<i>Hi.</i>
atramentaria Boh.	<i>G.Hu.</i>
melaena Bohem.	<i>R.m.</i>
Renardi Hochh.	
viridisericea Goeze	<i>Ga.G.</i>
cuprirostris F.	<i>E.m.</i>
v. sieula Boh.	<i>Si.</i>
v. nitidula Bris.	
prasina Boh.	<i>E.m.</i>
angusta Brull.	<i>A.Hu.Gr.</i>
violacea Gyll.	<i>R.m.</i>
ianthina Boh.	<i>R.m.</i>
Stierlini Tourn.	<i>Si.</i>
coeruleolectans Scop.	<i>E.md.</i>
chlorodia Boh.	<i>E.m.</i>
chloris F.	
fallax Bris.	<i>Ga.G.Hi.</i>
cribellata Kiesw.	<i>Gr.</i>
chlorizans Germ.	<i>E.md.</i>
Luczoti Boh.	
celtis Gredl.	<i>Ti.</i>
chloris Panz.	
viridipennis Rosenh.	<i>Hi.</i>
lepidii Germ.	<i>E.md.m.</i>
nivalis Bris.	<i>P.</i>
concinna Boh.	<i>R.m.</i>
Villae Comolli	<i>Ga.A.I.R.</i>
pertusa Kiesw.	<i>Gr.</i>
rufa Bohem.	<i>Si.</i>
limbata Bris.	<i>Hi.R.m.</i>
picicornis Marsh.	<i>E.md.</i>
abrotani Germ.	
v. punctata Gyllyh.	<i>E.m.</i>
v. virescens Brull.	<i>Gr.</i>
cribricollis Reiche	
andalusiaca Bris.	<i>Hi.</i>
armeniaca Oliv.	<i>Ga.</i>
Suffriani Hochh.	<i>Ca.</i>
Aulobaris Lec.	
albomaculata Bris.	<i>Hi.m.</i>
T-album L.	<i>E.</i>
v. pusio Boh.	<i>E.m.</i>
v. crocopelma Gyllyh.	<i>R.</i>
setifera Bris.	<i>Si.</i>
analisis Oliv.	<i>Br.Ga.G.E.m.</i>
scolopacea Germ.	<i>Ga.Hi.</i>
vestita Perris	<i>I.</i>
v. pallidicornis Bh.	<i>R.m.</i>
v. parvula Boh.	<i>Ca.</i>

picturata Mén. *E.m.*
opiparis Duv.

Eumycterus
Schönherr.

albosquamulatus Boh.
tenuirostris Bris. *Gr.*

Calandrini.

Sphenophorus
Schönherr.

picens Pall. *Ga.G.E.m.*
opacus Stierl.
v. nitens Allard *Ga.*
parumpunctatus Gyll. *D.*
opacus Gyll. *E.m.[S.*
siculus Stierl.
abbreviatus F. *E.m.Hu.*
paludicola Waltl
v. inaequalis Allard
v. Ragusae Stierl. *Si.*
mutilatus Laich. *Br.Ga.*
ardesius Ol. *G.I.b.*
helveticus Stierl.
meridionalis Gyll. *E.m.*
v. uniseriatus Stierl.

Calandra

Clairville.

Sitophilus Schöbh.

granaria L. *E.*
oryzae L. *xE.*
linearis Herbst. *xE.*

Cossonini.

Dryophthorus

Schönherr.

lymexylon F. *E.md.b.*

Choerorrhinus

Fairmaire.

squalidus Fairm. *Ga.I.*
brevirostris Chevr.

Aphyllura

Reitter.

Brenskei Reitt. *Gr.*

Pentarthrum

Wollaston.

Huttoni Woll. *Br.*
Hervei All. *Hi.*

Amaurorrhinus

Fairmaire.

Bonnairei Fairm. *C.S.Crf.*
narbonnensis Bris. *Ga.GI.*
crassiusculus Fairm. *I.*

Raymondia

Aubé.

Raymondionymus Woll.
sieula Rottb. *Si.*
sardoa Perris *S.*
longicollis Perris *C.*
apennina Dieck *I.md.*
fossor Aub. *I.md.*
salpingoides Kr. *D.*
Perrisi Grenier *G.a.m.*
Aubei Marq. *Ga.m.*
Marqueti Aub. *Ga.m.*
Benjaminis Marq. *P.*
curvinasus Abeille *Ga.*
laevithorax Perris *C.*
Damryi Perris *C.*

Alaoxyba Perris.

Delarouzeei Bris. *P.*
carinulata Perris. *S.Si.*

Dereolumus

Schönherr.

chamaeropis F. *Hi.*
subcostatus Boh. *S.*

Cotaster

Motschulsky.

uncipes Boh. *Ga.G.I.*
cuneipennis Aubé *Pe.*

Styphloderes

Wollaston.

exculptus Boh. *Ga.m.*
littoralis Mot.

Cossonus

Clairville.

linearis F. *Ga.G.I.b.*
parallelolopipedus Hbst. *E.*
ferrugineus Clairv.
cylindricus Sahlb. *E.*

Mesites

Schönherr.

pallidipennis Boh. *E.m.*
aquitanus Fairm. *Ga.I.*
pallidipennis Perris
cunipes Boh. *Ga.I.b.*
cibratus Fairm. *Hi.Gr.*

Rhopalomesites

Wollaston.

Tardy Curt. Br.Ga.G.

Phloeophagus

Schönherr.

aeneopiceus Boh. Br.Ga.
spadix Herbst E.
pilosus Bach
sculptus Gyllh.
scalptus Schönh.

Hexarthrum

Wollaston.

culinare Germ. E.md.
exiguum Boh.
submuriatum Boh. Ga.I.

Brachytemnus

Wollaston.

poreatus Grm. Ga.G.E.m.

Stereocorynes

Wollaston.

truncorum Germ. E.md.b.

Rhyncoulus

Creutzer.

cylindricus Boh. Ga.G.
longicollis Boh. Si.
cribrifrons Graëlls Hi.
ater L. E.

chloropus F.
sculpturatus Waltl G.
crassirostris Perr. Ga.Tr.
elongatus Gyll. E.md.Su.
caucasicus Hochh.

nitidipennis Thoms. Su.
lignarius Marsh. E.md.Su.

cylindrirostris Oliv. I.
turbatus Schönh. Su.
lignarius Gyllh. F.

Schönherrii Hochh. Ca.
reflexus Boh. E.md.m.
punctatulus Boh. Ga.G.I.

gracilis Rosenh. E.md.m.
filum Muls. Ga.m.
grandicollis Bris. P.

augustus Fairm. Ga.

Eremotes

Wollaston.

strangulatus Perr. Ga.m.
gravidicornis Woll. ?P.

Apionidae.

Apion

Herbst.

Oxystoma Dumeril.
pomona F. E.
cyanescens Kirby.
cyaneum Paauz.
glabrum Marsh.
scrobicolle Gyllh. Br.
conspicuum Desbr. Ga.
obtusum Desbr. Pe.
opeticum Bach Su.E.md.
Dietrichi Dietr. E.m.
♂ Marshami Boh.
eraccae L. E.md.b.
viciae Deg. I.b.
♂ ruficorne Herbst
consanguineum Desbr. G.
cerdo Gerst. Su.Ga.G.R.
breviatum Desbr. G.
subulatum Kirby. Su.E.md.
♂ Marshami Steph. I.
platalea Steph. Ca.
neglectum Gyllh. Cri.
ochropus Germ. Ga.G.I.
* Ca.

Perrisi Wenk. P.
rugicolle Germ. (S.Z.)
Wenckei Bris. Ga.
Grenieri Desbr. Ga.m.
tubiferum Gyllh. Ga.Hi.C.S.
aeruginosum Kirsch Ca.
rugicolle Germ. (Mag.) Ga.
setiferum Gyllh. E.m.
hirsutum Villa
Revelierei Perris C.
diversum Desbr.
tamaricis Gyllh. Ga.G.Tr.
Poupillieri Wenk. Ga.m.
Gautardi Tourn. Si.
dentirostre Gerst Ga.Hi.
cyaneum Deg. E.md.m.
carduorum Kirby. Su.
gibbirostre Gyllh.
v. tumidum Steph.
basicorne Illig. Ga.G.
allariae Herbst. E.m.
galactitis Wenk.
v. meridianum Wenk.
parens Desbr. Lu.
russicum Desbr. R.m.
sareptanum Desbr. R.m.
frater Desbr. R.m.

indistinctum Mot. Hi.
Beckeri Desbr. R.m.
sculptum Muls. Ga.G.E.m
armatum Gerst. G.
Barnevillae Wenck. Ga.
caviceps Desbr. R.
subconicicolle Desbr. R.m.
penetrans Germ. Ga.G.I.
Caullei Wenck. Ga.G.
rugipenne Hochh. R.m.
ovipenne Hochh. R.m.
onopordi Kirby. E.
penetrans Steph.
v. rugicolle Steph.
detritum Muls. Ga.Hi.
Roclofsi Everts Holl.
confluens Kirby. E.
stolidum Gyllh.
v. stolidum Germ.
Ragusae Everts Si.
viridiceoeruleum Ev. Si.
insolitum Desbr. Ga.b.
brunnipes Boh. Ga.G.
laevigatum Kirby.
candidum Wnk. Ga.m.Gr.
holosericeum Gyllh. D.
hemale Hamp. I.Hu.
vicinum Kirby. Su.E.md.
loti Gyllh. I.b.
incrassatum Germ.
oculare Gyllh. R.m.
caucasicum Hochh. Ca.
atomarium Kirby Emd.
pusillum Germ. Su.
acium Gyllh. I.b.
serpyllicola (Wnk) Gmm
parvulum Mls. G.Ga.
minutissimum Rosh. Hi.
millum Bach Ga.G.R.
annulipes Wenck.
consors Desbr. C.
Uhagoni Desbr. Hi.b.
cineraceum Wenck. Ga.
flavimanum Gyllh. Ga.G.
picorne Stph. Br.E.m.
v. torquatum Wenck.
venustum Wenck. Gr.
Hookeri Kirby. E.md.b.
Beuthini Hoffm. Hi.
Kolenatii Kolen. Ca.
ulicis Forst. E.md.
ilicis Kirby.
carpini Gyllh.
nigrirostre F.
uliciperda Pand. Ga.
difficile Herbst Ga.G.I.

- corniculatum Germ.
 oblongulum Desbr. *Hh.*
 Kiesenwetteri Desbr. *Hu.*
 breviusculum Rosenh. *Hh.*
 Putoni Bris. *Hh.*
 bivittatum Gerst. *E.m.*
 funiculare Muls.
 fuscirostre F. *E.md.*
 melanopum Kirb. *I.b.*
 albovittatum Herbst
 venustum Herbst
 longulum Desbr. *R.m.*
 elongatissimum Dsbr. *Hi.*
 astragali Hbst. *E.md.m.*
 genistae Kirb.
 squamigerum Duv. *Ga.m.*
 argentatum Gerst. *I.*
 senivittatum Gyll. *E.md.*
 Germari Walton *m.*
 albopilosum Lue.
 centromaculatum Btt
 separandum Aub. *Ga.*
 pallipes Kirb. *E.*
 geniculatum Germ.
 flavipes Voet
 flavofemoratum Hbst. *Go*
 ? femorale F. [G.E.m.
 v. croceifemoratum Gll.
 Steveni Gyllh. *R.m.*
 cretaceum Rosenh. *Hh.*
 rufulum Wenck *Ga.m.*
 urticarium Hbst. *E.*
 vernale F.
 fasciatum Oliv.
 lythri Panz.
 sculptor Herbst
 concinnum Marsh.
 rufescens Gyllh. *Ga.Si.*
 pallidulum Gyll. *Lu.*
 *
 aeneum F. *E.*
 validum Germ. *G.Hu.T.*
 radiolus Kirb. *Su.E.md.*
 aterrimum Marsh.
 compressum Ill.
 oxurum Kirb.
 v. Rougeti Wenck.
 v. ferruginipes Wenck.
 saeculare Gozis *E.*
 astragali Payk.
 tricarinatum Waltl *Hi.*
 artemisiae Moraw. *R.m.*
 elegantulum Grm. *E.md.*
 pineae Rosenh. *E.m.*
 incisum Boh.
 coracinum Gyll.
 laticolle Perr.
 facetum Gyllh. *R.m.*
 pullum Gyllh. *Cri.*
 dispar Germ. *Su.E.md.m.*
 curvirostre Gyllh. *A.TR.*
 striatum Kirb. *Su.E.md.*
 atratum Germ. *E.m.*
 amplipenne Gyllh. *A.Gr.*
 immune Kirb. *E.md.m.*
 betulae Gyllh.
 cibricolle Perr.
 trifolii Gyllh.
 denominandum Duv.
 Kraatzi Wenck. *Ga.m.*
 hydropicum Wenck. *Ga.*
 rapulum Wenck. *Ga.*
 pubescens Kirb. *Su.E.md.*
 civicum Germ. *I.b.*
 salicis Gyllh.
 palpebratum Gyllh. *R.m.*
 cylindricolle Gyllh. *R.m.*
 Schneideri Tourn. *Ca.*
 Curtisi Curtis *Ga.G.Br.*
 seriatosetosulum Wenck. *I.*
 setosum Wenck. *Gr.*
 simile Kirb. *E.md.b.*
 superciliatum Gyll. *I.*
 triste Germ.
 curtulum Desbr. *Ga.m.C.*
 pedicellare Thoms. *Su.*
 murinum Everts *Si*
 senicum Kirb. *E.md.*
 tenue Gyll. *Su.*
 plebeium Germ. *I.b.*
 pusillum Steph.
 Zuberi Desbr. *R.m.*
 elongatum Germ. *Ga.G.*
 iocanum Boh. *I.b.*
 millum Gyllh. *Ca.*
 leucophaeatum Wenck *Ga*
 fulvirostre Gyllh. *E.m.*
 ♀ atritarse Gyllh.
 rufirostre F. *Su.E.md.*
 malvarum Kirb. *E.m.*
 trifolii Marsh.
 obscurum Marsh. *Br.*
 longirostre Ol. *A.I.T.Ca.*
 viae Payk. *E.md.b.Ca.*
 v. Griesbachi Steph.
 variegatum Wenck. *Ti.*
 bicolor Gredl.
 casbekianum Gerst. *Ca.*
 litigiosum Wenck. *T.*
 boops Gyllh. *Gr.*
 *
 armiferum Wenck. *T.Gr.*
 dentipes Gerst. *I.*
 ♀ tubicen Wenck.
 difforme Ahr. *E.md.m.*
 tibiale Desbr.
 Truquii Reiche *T.*
 dissimile Germ. *E.*
 laevicollis Kirb. *Br.Ga.S.*
 Schöneri Boh. *Br.Ga.*
 pedale Muls. *Gam.[Ca.*
 varipes Germ. *E.md.m.*
 flavipes v. Gyllh.
 Bohemani Schönh.
 apriacans Herbst *E.*
 fagi Kirby
 flavifemoratum Kirb.
 Bohemani Thoms.
 flavipes Müll.
 v. ononicola Bach *Ga.G.*
 ononidis Gyllh. *Ti.Ca.*
 v. encaustum Wenck. *Ga.*
 angusticollis Gyllh. *Ga.Si.*
 longimanum Mls. *R.m.*
 assimile Kirb. *E.*
 Ryei Blackburn *Br.*
 trifolii L. *E.*
 aestivum Germ.
 flavipes Laich.
 Leachi Steph.
 v. ruficerus Grm. *Ga.G.Ca*
 Motschulskyi Hehh. *R.m.*
 Grimmi Hochh. *R.*
 Linderi Wenck. *Ga.*
 gracilipes Dietr. *II.*
 flavipes F. *E.*
 Lederi Kirsch *Ca.*
 nigritarse Kirb. *E.*
 Waterhousei Boh.
 ebeninum Kirb. *E.md.b.*
 Kunzei Boh.
 tenue Kirb. *Su.E.md.I.*
 intermedium Epp. *G.Ca.*
 sulcifrons Hbst. *Su.E.md.*
 punctigerum Payk. *Su.*
 sulcifrons Kirb. *E.md.*
 punctirostre Gyllh. *A.R.*
 Schmidt Bach *G.*
 rhomboidale Desbr. *A.*
 subglabrum Desbr. *Carn.*
 amethystinum Mill. *A.*
 arrogans Wenck. *Gam.*
 glabrum Gemm. *Gr.*
 glabratum Kiesw.
 virens Hbst. *Su.E.md.*
 aeneocephalum Gyll.
 ♂ marchicum Kirb. *I.*
 punctigerum Thunb. *E.*

- platalea Germ.
♀ validiostre Gyllh.
♂ afrum Gyllh.
unicolor Thoms.
Gyllenhali Kirb. *E.m.d.b.*
unicolor Kirb.
aethiops Gyllh.
melanoholicum Wnck. *Ga*
ervi Kirb. *E.m.d.b.*
♂ lathyri Kirb.
hadrops Thoms. *Su*.
?furvum Sahlb.
ononis Kirb. *E.m.*
glauceum Gyllh. *I.*
mecops Boh. *Su*.
♂ perplexum Gyllh.
cinerascens Germ.
filirostre Kirb. *E.m.Su*.
morio Germ. *I.b.*
minimum Herbst *E*.
velox Kirb.
foraminosum Gyllh.
pisi F. *E*.
punctifrons Kirb.
gravidum Oliv.
aeratum Steph.
pasticum Germ. [R.
interruptostriatum Dsbr.
Sundevali Boh. *E.b.*
perspicax Wnck. *G.Gr*
aethiops Hrbst. *E.m.d.b.*
coeruleum Hrbst. *I.b.*
marchicum Gyllh.
subsulcatum Kirb.
subcoeruleum Steph.
stenocephalum Perr.
Bonvouloiri Bris. *H.*
cyanipenne Gyllh. *S.G.Gr*
gracilicolle Gyllh. *E.m.*
leptocephalum Aub.
laevigatum Payk. *E.m.d.b.*
sorbi Herbst *I.b.Ca.*
viridescens Marsh.
♂ Sahlbergi Gyllh.
♂ carbonarium Germ.
scutellare Kirb. *Br.Ga*
Kirbyi Germ. *G.Hi*.
ulicicola Perr. *I.b.*
meliloti Kirb. *E.m.d.b.*
bifoveolatum Steph.
angustatum Gyllh.
angustatum Kirb. *E*.
loti Kirb.
♂ languidum Gyllh.
modestum Germ.
glabratum Germ.
v. plumbeomicans Rosh
differens Desbr. *R.m.* [*G.*
cantabricum Desbr. *Hi*.
oblongum Gyllh. *R.m.*
Capiomonti Wnck. *Ga.Hi*.
pedemontanum Dsbr. *Pe*.
columbinum Germ. *E.*
rudicole Hochh. *R.m.*
aleyoneum Germ. *Ga.G.*
Spencei Kirb. *E.m.d.b.*
eyaneum Gyllh.
intrusum Gyllh.
cyanescens Gyllh. *Ga*.
vorax Hrbst. *E.m.m.*
♂ fuscicerne Marsh.
pallicerne Gyllh.
♀ villosulum Marsh.
Desbrochers Krsch. *And.*
montanum Mill. *Gr.*
filicorne Wenck. *Ga*.
pavidum Germ. *Ga.G.*
plumbeum Gyllh. *I.Ca.*
orbitale Boh.
lanigerum Gemm. *Ga*.
lanuginosum Wenck.
compactum Desbr.
juniperi Boh. *Ga.H.I.*
Marqueti Wenck. *Ca*.
decorum Wenck. *Ga.m.*
livescerum Gyllh. *Ga.G.*
reflexum Gyllh. *I.Ca.*
translatitium Gyllh.
Waltoni Steph. *Br.Ga.G.*
Curtisi Boh.
aeneomicans Wenck. *Ga*.
fallax Wenck. *G.*
*
miniatum Germ. *E*.
frumentarium Hrbst.
distinctirostre Dsbr. *C.*
frumentarium L. *E*
haematodes Kirb.
purpureum Latr.
coccineum Gmel.
cruentatum Walton
rubens Steph. *Su.E.m.d.*
sanguineum Deg. *E.m.d.*
malvae F. *E.m.*
minutum Fourer. *Ga*.
pulex Gmel. *G.*
flavescens Villa
limonii Kirb. *Br.Ga.Hi*.
Chevrolati Gyllh. *Br.Ga.Hi*.
carbonarium Everts *Hi*.
brevirostre Hrbst. *E.m.d.*
sedi Germ. *E.m.d.*
tumidicolle Bach
interstitiale Boh.
meridianum Thoms. *Su*.
sedi Gyllh.
aciculare Germ. *G.Ga*.
v. pulchellum Mill. *A.*
violaceum Kirb. *E.m.d.b.*
cyanum Oliv. *I*.
v. cyanum Hrbst.
v. alpinum Wenck.
hydratopathi Kirb. *E*.
coeruleipenne Steph.
externepunctatum Db. *R.*
laticeps Desbr. *U*.
burdigalense Wenck. *Ga*.
neapolitanum Dsbr. *I.m.*
semicyaneum Muls. *Ga*.
aterimum L. *E*.
marchicum Hrbst.
violaceum Gyllh.
rumicis Kirb.
spartii Kirb.
laevithorax Gyllh.
cognatum Hochh. *R.m.*
affine Kirb. *Br.G.E.b.*
talpa Desbr. *R.m.*
aquilinum Boh. *Su*.
humile Germ. *E.m.d.b.*
curtiostre Germ.
brevirostre Gyllh.
plebeium Steph.
sibiricum Bohem. *R.m.*
Lemoroi Bris. *Ga*.
Marseuli Wenck. *Hi*.
simum Germ. *E.m.I.b.*

Rhynchitidae.

Auletes

Schönherr.

- tubicen Boh. *E.m.*
meridionalis Duv.
Auletobius Desbr.
basilaris Gyllh. *E.m.*
nigroeyaneus Waltl
politus Bohem. *E.m.*
ilicis Gené.
Tessoni Muls
pubescens Kiesw. *Hi*.
cisticola Fairm. *Ga*.
subplumbeus Chevr.
maculipennis Duv. *S.Si*.
v. concolor Desbr.
Beckeri Desbr. *R.m.*

Rhynchites

Herbst.

- giganteus Kryn. E.m.
rectirostris Gyllh.
- v. trojanus Gyllh. ?Gr.
maximus Desbr.
- Jekeli Desbr. R.m.
?splendidus Kryn.
- auratus Scop. E.
- Bacchus L. E.md.m.
- aequatus L. E.
v. semiruber Stierl. E.m.
- ruber Fairm. E.m.
interstitialis Desbr.
- cribripennis Desbr. T.
- hungaricus Herbst. A.Hu.T
- aethiops Bach Ga.A.H.
- planirostris Gyll. R.m
- parellinus Gll. Ga.G.Hi.R
- Abeillei Desbr. Ga.m.
- alliariae Payk. E.
interpunctatus Steph.
multipunctatus Bach
v. confusus Desbr.
- germanicus Herbst E.
minutus Gyllh.
- aeneovirens Mrsh. E.md.
obscurus Gyllh.
v. fragariae Gyllh.
longirostris Bach
- pauxillus Germ. E.
- cupreus L. E.
- conicus Ill. E.
- uncinatus Thoms. E.
planirostris Desbr.
?tomentosus Gyll.
caligatus Haliday I.md.
- planirostris F. E.
- nanus Payk.
- megacephalus Grm. G.
constrictus Gyll. E.b.
laevicollis Stph. E.md
- sericeus Herbst E.
ophthalmicus Steph.
v. splendidulus Kiesw.
praeustus Bohem. A.E.m.
- v. luridus Boh.
syriacus Desbr. Gr.
- pubescens F. E.md.m.
♂ caeruleus Gyllh.
♀ cyanicolor Gyllh.
olivaceus Gyllh. E.md.m.
♂ comatus Gyllh.
ophthalmicus Redtb.
eyaneocephalus Herbst. E.

coeruleocephalus
tristis F. E.md.m. [Schall.
seminiger Reitt. Ca.
betulae L. E.

Rhinomacer

Geoffroy.

Byctiscus Thoms.

- alni Müll. E.
betuleti F.
v. viridulus Westh.
- populi L. E.
? fulgidus Fourer. Ga.
v. tataricus Faust R.or.

Attelabidae.

Attelabus

Linné.

- variolosus Oliv. Hi.
foveipenneus Jek.
cureulionoides L. E.
v. maculipes Villa I.b.
v. pulvinicollis Jek. Si.
v. hispanicus Jek. Hi.
atricornis Muls. Ga.I.C.
suturalis Jekel ?T.

Apoderus

Olivier.

- coryli L. E.
v. collaris Scop.
v. avellanae L.
v. morio Bonelli Ga.l.
v. gibbicollis Fst. R.or.
erythropterus Gmel. E.
intermedius Hellw.

Nemonygidae

Diodyrrhynchus

Schönherr.

- Daedyrrhynchus Imhoff.
austriacus Ol. Su. E.md.m.

Cimberis

Gozzi.

- Rhinomacer Fabr.
attelaboides F. E.

Nemonyx

Redtenbacher.

- lepturoides F. E.md.

Brentidae.

Amorphocephalus

Ius

Schönherr.

coronatus Germ. Ga.D.I.

Arrhenodes

Schönherr.

Reichei Fairm. Cret.

Anthribidae.

Tropiderini.

Platyrrhinus

Clairville.

latirostris F. E.

Tropideres

Schönherr.

Enedreutes Schönh.
hilaris Fahr. Ga.
oxyacanthae Bris. Ga.

Tropideres i. sp.
bilineatus Germ. Al.Tr.
bisignatus Fahr. Hu.
albirostris Herbst E.
dorsalis Thunb. E.md.b.
marchicus Herbst G.
cinctus Payk. Su.Al.
maculosus Muls. Ga.

*

curtirostris Muls. Ga.C.

*

niveirostris F. E.md.b. Ca.
sepicola F. Su. E.md.
ephippium Boh. Ga.
v. combraliensis Gozzi.
pudens Gyll. G.Ga.Hu.
inornatus Bach. G.
?Reyi Gozzi Ga.

undulatus Pauz. E.
Edgreni Schönh.

Phaenotherion

Frivaldszky.

Pulskyi Friv. Hu.Ca.

Anthribini.

Macrocephalus

Olivier.

Anthribus auct.

albinus L.

E.

Cratoparis

Schönherr.

centromaculatus Gyllh. I.
Targionii Piccioli I.

Anthribus

Geoffroy.

Brachytarsus Schh.

fasciatus Forst. E.

scabrosus F.

scapularis Gebler R.m.

constrictus Stierl. Si.

areolatus Boh. Si. I.

varius F. E.

tessellatus Boh. E.md.m.

nebulosus Küst. G.

fallax Perris Ga.

atomarius Mot. R.b.

undulatus Mot. R.b.

Araeocerus

Schönherr.

fasciculatus Deg. × E.
coffeae F.

Choragini.

Choragus

Kirby.

Alticopus Villa.

Sheppardi Kirby. E.md.
bostrychooides Mll. [m.]

Galeazzii Villa

piceus Schaum Su.E.md.
bostrychooides Fhr. [m.]

Grenieri Bris. Ga.

caucasicus Mot. Ca.

pygmaeus Mot. Belg.

Galeazzii Mot. I.

Urodonini.

Urodon

Schönherr.

rufipes Oliv. Ga.G.E.m.

pygmaeus Gll. Ga.G.E.m.

v. *alensis* Gredl. Ti.
suturalis F. Su.E.md.m.
conformis Suffr. Ga.G.R.
argentatus Küst. Hi.
flavescens Küst. E.m.
concolor Fahr. R.m.
villus Allard Ca.
Allardi Jekel

albidus Küst. Hi.

canus Küst. Hi.

parallelus Küst. Hi.

sericatus Mot. R.m.

parvulus Mot. R.m.

exiguus Mot. R.m.

Cercomorphus

Perris.

Duvali Perris Hi.

Mylabridae.

Rhaebini.

Rhaebus

Fischer.

Manuerheimi Mot. R.m.

Beckeri Suffr.

sagroides Solsky

Solskyi Kr. ?R.m.

Beckeri Solsky

Mylabrinii.

Kytorrhinus

Fischer.

immixtus Mot. Ca.

Spermophagus

Steven.

cardui Bohem. E.

rufiventris Bh. R.m. [E.m.]

variolosopunctatus Gll.

convolvuli Gyllh. R.m.

glabratus Gyllh.

sulcifrons Küst. D.I.

euphorbiae Küst. E.m.

Mylabris

Geoffroy.

Bruchus Linn.

Caryoborus Schönh.

acaciae Gyllh. D.ca.

Germari Küst. G.

Bruchus Schönh.

chinensis L. × E.

♂ pectinicornis L.

♀ scutellaris F.

♀ rufa Deg.

ornata Boh.

obseuripes Gyllh. Ga.Hi.

gilva Gyllh. R.m.

biguttata Oliv. D.E.m.

v. fulvipennis Germ.

misella Bohem. Ga.D.I.

ignarium Allard Gr.Cret.

glycyrrhizae Fahrs. R.m.

?halodendri Gebl.

plagiata Reiche Gr.

bimaculata Oliv. D.E.m.

variegata Germ.

delicatula Mot. Ca.

4-plagiata Mot. R.m.

dispar Germ. Ga.E.m.

v. braccata Gyllh.

albescens Allard

poecilus Germ. R.m.Ca.

decora Bohem.

dispergata Gyllh. Ga.I.

lubrica Gyllh. II.

marginalis F. E.md.

marginella F. I.

myobromae Mot. Cri.

maculosa Mot. Ca.

diversicornis Mot. Ca.

ruficornis Mot. Ca.

tesserula Mot. R.m.

vitticollis Mot. Ca.

aestuosa Mot. R.m.or.

nugaria Mot. Cri.

femoralis Mot. Ca.

fulvicornis Mot. I.

astragali Boh. R.m.

Fischeri Humm. R.m.

consobrina All.

?♂ subalbovittis Mot.

lucifuga Boh. R.m.Ca.

implicata Mot. St.Cret.

incanescens Mot. Cret.

forticornis Mot. U.

rubrimana Mot. Ca.

picipes Germ. Ga.G.E.m.

basalis Gyllh.

sicula Fahrs. Si.

v. femoralis Gyllh. D.

silaciialis Mot. Ca.

autumnalis Mot. Ca.

varia Oliv. Ga.G.E.m.

inspergata Gyllh.

♂ galegae Gyllh.

tarsalis Gyllh.
magnicornis Küst. *T.*
imbricornis Panz. *Ga.G.*
fulviventris Blnch.
galegae Rossi *E.m.*
Martinez Allard *Ili.*
pusilla Germ. *Ti.E.m.*
lividimanus Redtb. *G*
Stierlini Allard *Ga.*
cisti F. *E.md.m.*
cana Germ. *Su.*
unicolor Oliv.
debilis Gyllh. *Ga.I.*
olivacea Germ. *Ga.G.*
virgescens Boh. *Ili.I.*
lutescens Blanch.
canina Germ. i. l. *E.m.*
uniformis Bris.
varipes Bohem. *D.*
mimosae F. *> E.*
pallidipes Fahrs.
gilvipes Mot. *Hi.m.*
tibiella Gyllh. *Ga.I.*
nana Germ. *Ga.G.E.m.*
sardoa Mot. *S.*
angustula Mot. *S.*
pulverulenta Mot. *A.R.*
conica Mot. *R.m.*
cinerascens Gyllh. *E.m.*
eryngii Bris.
musculus Solsky
tibialis Boh. *E.m.*
grandicornis Blanch. *Ca.*
♀ oblonga Blanch. *Si.*
tarda Mot. *Ca.*
grisea Mot. *Ca.*
pauper Bohem. *E.md.m.*
radula Desbr. *R.m.*
pygmaea Boh. *Ga.I.R.*
perparvula Boh. *Ga.G.Ii.*
foveolata Gyllh. *Ga.D.*
costata Blanch. *I.*
concolor Blanch.
♀ misera Fahrs.
sericeata Germ. *Ga.I.R.*
minima Blanch.
adeps Vogel *Hi.occ.*
antennalis Gyllh. *R.m.*
carinata Gyllh. *R.m.*
anxia Fahrs. *Ga.I.*
pisorum L. *E.md.m.*
pisi L. *—*
salicis Scop.
intermedia Mot. *Ca.*
rufimanus Boh. *E.md.m.*
sparsa F. *Ili.*

affinis Froelich *Ga.G.Ca.*
flavimanus Boh. *I.b.*
obsecuritarsis Mot. *R.m.*
sertatus Ill. *Ga.G.E.m.*
v. signaticornis Gyll.
seminarius L. *E.md.m.*
granarius Fahrs.
taorminensis Blanch.
suratus Mot. *T.*
infectus Mot. *Cret.*
brachialis Fahrs. *Ga.G.*
tristis Boh. *Ca.I.*
uniformis All. *—*
hamatus Mill. *D.*
tristiculus Fahrs. *Ga.I.*
oblongus Rosh. *Hi.*
Brisouti Kr. *Ga.*
pallidicornis Boh. *Ga.G.*
sertatus Muls. *Si.*
v. inornatus Küst. ♀ *Ili.*
Perezi Kr. *Hi.C.*
meridionalis All. *Ca.*
luteicornis Ill. *E.md.m.*
rufipes Herbst *Ga.G.E.m.*
nubilus Boh.
griseomaculatus Gyll. *Ga.*
Mulsanti Bris. *Ga.*
seminarius Boh.
exiguus Rosh. *Hi.m.*
trifolii Mot. *Carn.*
cribricollis Mot. *Hi.*
viciae Ol. *E.md.m.*
nigripes Gyll.
punctellus Boh.
insitus Mot. *Ca.*
venustus Boh. *Ca.GaHu.*
incurvatus Mot. *Ca.*
troglodytes Fahrs. *Ga.G.*
atomarius L. *E.*
granarius L.
v. Fahraei Gyll. *Su.*
pachycerus Mot. *Ca.*
campanulatus Mot. *Ca.*
venustulus Mot. *Ca.*
loti Payk. *E.md.b.*
lathyrus Steph.
Wasastjernae Fahrs.
septentrionalis Mot. *R.b.*
oxytropis Gebl. *R.m.*
pinetorum Mot. *R.b.*
tesselatus Muls. *Ga.*
ulicis Muls. *Hi.Cret.*
lentis Boh. *Ga.G.I.*
laticollis Boh. *R.m.*
ovalis Blanch. *Si.*
velaris Fahrs. *Ga.G.*

plumbeus Luc. *E.m.*
refamae Vogel
laticornis Blanch.
obsoletus Blanch.
v. lividimanus Gyll.
incarnatus Boh. *Ga.Ii.*
longicornis Germ. *E.m.*
v. jocosus Gyll. *Lu.*
v. discipennis Fahrs. *S.*
v. histrio Boh. *Lu.*
v. signatus Redtb. *A.*
rubiginosus Desbr. *Lu.*
meleagrinus Gené *S.Si.*
paracanthesis Mot. *S.*
5-punctatus Mot. *Cret.*
5-guttatus Ol. *D.Ti.*
longicornis Mls. *T.Gr.*
Steveni Gyll. *Ga.A.R.*
canaliculatus Mls. *T.*
nudus All. *Gr.*
rostratus Mot. *T.*
pubescens Germ. *Ga.G.I.*
obsecuricornis Blanch.
antennarius Mot. *A.*
villosum F. *E.*
cisti Payk.
ater Marsh.
mulinus Boh. *E.md.m.*
alni Fahrs.
nigritarsis Fahrs.
calabrensis Blanch.
bipunctatus Sulz. *H.*
fasciatus Ol. *Ga.*
albolineatus Blanch. *E.m.*
flavescens Luc.
gracilis Blanch. *Si.*
albopunctatus Blnch. *Si.*
latus Blanch. *Si.*
varicornis Brull. *Gr.*
albomaculatus Grills. *Hi.*
denticornis All. *Hi.*
annulipes All. *T.Ca.*
lineatus All. *I.T.*
cinereus All. *Ca.*
intermedius Mot. *R.*
Bohemani Hochh. *Ca.*
Gyllenhali Hochh. *Ca.*
incipiens Kolenati *Ca.*

Hylesinidae.

Hylastes

Erichson.

ater Payk.

E.

brunneus Er.

S.G.

-*cunicularius* Er. *E.*
linearis Er. *Ga. G. Hi.*
 variolosus Perris
corticiperda Er. *Lu. Hi.*
attenuatus Er. *E. ind.*
 -*angustatus* Herbst *E.*
 graphus Duft.

opacus Thoms.
 opacus Er. Ga.G.
 glabratus Zett. E.
 decumanus Er.
 tenebrosus Sahlb.
 ? Paykulli Duft.
 -palliatus Gyllh. E.
 trifolii Müller Ga.G.E.m.
 crenatulus Duft.

Helferi Villa I.
Hylurgus
Latreille.
-ligniperda F. E.m.d.m.
Micklitzi Wachtl E.m.D.

longulus Kolenat. *Ca.*
Myelophilus
Eichhoff.
Blastophagus Eichh.
piniperda L. *E.*
minor Hartig *Su.E.md.*

Kissophagus
Chapuis.
hederae Schmidt *Ga.G.*

Xylechinus
Chapuis.
pilosus Ratzeb. *G.St.A.*

Polygraphus
Erichson.
polygraphus L. *Su.*
pubescens F. *Ga.G.*
subopacus Thoms. *Su.*

Dendroctonus
Erichson.
-micans Kug. *E. md. b.*

Carphoborus
Eichhoff.
minimus F. Ga. *G. A. Ca.*
 σ squamulatus Rdtb.

pinii Eichh. *Ga.*
2 *prospicatus* Gudl. *Ts.*

Phloeosinus

PROCOPTILIS
Chapuis.

Hylesinus

	<i>Fabricius.</i>
- <i>crenatus</i> F.	<i>E.</i>
- <i>oleiperda</i> F.	<i>E. md.</i>
<i>scaber</i> Marsh.	
- <i>suturalis</i> Redt.	
<i>Esau</i> Gredler	<i>Ti.</i>
- <i>fraxini</i> F.	<i>E.</i>
<i>v. varius</i> F.	
- <i>Kraatzi</i> Eichh.	<i>Ga. Hu.</i>

vittatus F.	Ga. G. R.
Putoni Eichh.	II.
vestitus Muls.	Ga.
retamae Perris	II.
Perrisi Chapuis	C.
vicinus Comolli	I.
brevicollis Kolenat.	Ca.

Plocophorus

Wollaston.
—spartii Nördl. *G. Ga. II.*
tarsalis Först.
rhododactylus Mrsh. *E.*
perfoliatus Woll.

Phloeotribus

Latreille.

Scolytidae.

Scolytus

Geoffroy.
 Eceptogaster Hrbst.
Geoffroyi Goeze *E.md.b.*
 destructor Oliv.
 scolytus F.
 Ratzeburgi Thoms.
Ratzeburgi Jansou *E.md.*
 destructor Ratzeb. [*b.*]
 destructor Thomis.
 laevis Chap. *P.St.G.*
 pygmaeus F. *E.md.m.*
 noxious Ratzeb.

- *carpini* Ratzeb. *Ga. G.*
- *pruni* Ratzb. *Su.Ga.G.*
- v. *piri* Ratzb. *G.*
- v. *eastaneus* Ratzeb. *Ga.*
- *nitidulus* Chap. *Ga.m.*
- *intricatus* Ratzeb. *E.*
- pygmaeus* Gyllh.
- carpini* Redtb.
- *rugulosus* Ratzeb. *E.*
- haemorrhous* Schmd.
- amygdali* Guér. *Ga.*
- v. *rufipennis* Brancs. *Ill.*
- *Kirschi* Skalitzky *A.*
- *multistriatus* Marsh. *E.*
- v. *triornatus* Eichh. *G.*
- v. *ulmi* Redt. *G.*
- v. *armatus* Comolli *I.*
- v. *flavicornis* Chevr. *I.*

Tomicidae.

Crypturgini.

Crypturgus

pusillus Gyllh. *E.* [Gr.]
v. parallelocollis Eichh.
v. cedri Eich. *C.*
cinereus Herbst *E.*
tenerrimus Sahlb.
v. cinereus Gyll. *E.* *md.b.*
v. terminatus Sahlb.
dubius Eichh. *P.Ga.*
numidicus Ferr. *E.m.*
♂ mediterraneus Eichh.

Liparthrum

Wollaston.

mori Aub.	Ga.m
genistae Aub.	Ga.m
corsicum Eichli.	C.

Glyptoderes

Eichhoff.
granulatus Rtz. *Su.Ga.G.*
~~asperatus~~ Gyllh. *Su.Ga.*
 binodulus Ratzb. *G.*
alni Lindemann *R.*

Cromphalini.

Gymnophorus

piccae Ratzeb. *Su.Ga G*
numidicus Eichh. *E.m*

abietis Ratzeb. *E. md.b.*
tiliae Gyllh.
asperatus Ratz. *G.*
intermedius Ferr. *G.*

Ernoporus

Thomson.

tiliae Panz. *E. md.b.*
Ratzeburgi Ferr.
fagi F. Nördl. *E. md.*
Thomsoni Ferr. *Su.*
?fagi Duft. *G.*
Schreineri Eichh. *G.*
caucasicus Lindem. *Ca.*
jalappae Letzn. \times *G.*

Homœocrypha-

Ius

Lindemann.

Ehlersi Eichh. *Hi.*

Stephanoderes

Eichhoff.

setosus Eichh. \times *G. b.*
arundinis Eichh. *Ga.*
Hampei Ferrar. \times *Tr.*

Hypothenemus

Westwood.

eruditus Westw. \times *Br.*
?ruficollis F.
?arecae Hornung

Pityophthorus

Eichhoff.

Lichtensteini Ratzb. *E.*
?v.ramulorum Perr. *Ga.*
glabratus Eichh. *G.*
micrographus L. *E.*
pityographus Ratzb.

?flavus Steph.

macrographus Eichh. *Sil.*
excultus Ratzb. ?*G.*

Hypoborus

Erichson.

ficus Er. *E. m.*
v. siculus Ferr. *Si.*

Tomicini.

Taphrorychus

Eichhoff.

bicolor Herbst
fuscus Marsh.

tristiculus Ferr.
Bulmerinqui Kolen *Ca.*
capronatus Perr. *Ga.*

Thamnurgus

Eichhoff.

euphorbiae Küst. *E.m.*
varipes Eichh. *Ga.m.*
delphini Rosenh. *Hi.*
Kaltenbachi Bach *G.Ga.*
characiae Rosenh. *Hi.b.*

Xylocleptes

Ferrari.

bispinus Duft. *G.Ga.*
♂ retusus Oliv. *C.*

Tomicus

Latreille.

Bostrychus Fabr.
Cumatomiticus, Cyrtotomicus,
Orthotomicus Ferrari.

6-dentatus Boerner *E.*
stenographus Duft.
typographus Deg. *Gll.*
cembrae Heer *Alp.H.*
amitinus Eichh. *G.Tr.Ca.*
xylographus Redtb.

typographus L. *E.*
v. 8-dentatus Payk.

Judeichi Kirsch *Ca.*
infucatus Eichh. *A St.*
Manusfeldi Wachtl

acuminatus Gyllh. *E.*
geminatus Zett.

rectangulus Eichh. *E.m.*
duplicatus Sahlb. *F.*

proximus Eichh. *L.Alp.*
v. omissus Eichh. *Su.G.*

laricis F. *E.*
denticulatus Sturm

micrographus Deg.
saturalis Gyllh. *E.*
♂ nigritus Gyllh.

curvidens Germ. *Ga.G.*
♀ psilonotus Germ.

longicollis Gyllh. *Su.Cri.*
oblitus Perris *Ga.*
chaleographus L. *E.*

trepanatus Noerdl.
v. sexdentatus Ol.

xylographus Sahlb. *Su.*
chaleographus Ratzb.

bidentatus Herbst *E.*

bidens F.

4-dens Hartig *E. md.*

v. calcaratus Ferr.
v. bistridentatus Eichh.

Dryocoetes

Eichhoff.

autographus Ratzb. *E.*
villosus Gyllh.

?Victoris Muls. *Ga.m.*
v. micrographus Ol.

alni Georg *G.Ga.*

Marshami Rey

villosus F. *E.*
coryli Perris *Ga.G.*
aceris Lindemann *R.*

Coccotrypes

Eichhoff.

dactyliperda F. *E.m.*

Xyleborus

Eichhoff.

dispar F. *E. Co.*
♀ tachygraphus Shlb.

Ratzeburgi Kolenati
cryptographus Rtz. *E.*

villosus Ratz. [md.]

cerygraphus Ratz. *G.Ga.*

Pfeili Ratzeburg *G.*

alni Muls. *Ga.*

?dryographus Thms. *Su.*
angustatus Eichh. *R.*

Saxeseni Ratzb. *E.*

♂ decolor Boield.

aesculi Ferr.

Dohrni Wollast.

dryographus Ratz. *E.*

monographus Janson

monographus F. *E. md.b.*

Trypodendron

Stephens.

Xyloterus Erichs.

domesticum L. *E.m.d.b.*

signatum F. *E. md.*

quercus Eichh.

?5-lineatum Adam *Ca.*

lineatum Ol. *E. md.b.*

v. melanocephalum F.

Platypidae.

Platypus

Herbst.

cylindrus F. *E.*

v. ♂ bimaculatus Dft.

oxyurus Dufour *P.*

Cerambycidæ

Anaulacnemitae

Parandrini

Parandra

Latreille.

caspica Mén. R.m.o.

Spondylini.

Spondylis

Fabricius.

buprestoides L. E.

Prionini.

Prionus

Geoffroy.

coriarius L. E.

asiaticus Fald. T.Gr.R.m.

persicus Redt.

besicanus Fairm.

Lefeveburei Mars.

Otiartes Thoms.

Psilopus Motsch.

brachypterus Gebl. R.m.o.

hemipterus Mot.

Ergates

Serville.

faber L. E.m.d.b.

Rhaesus

Motschulsky.

Aulacopus Serv. ex.p.

serricollis Mot. T.

robustus Heyd.

persicus Mot.

Macrotoma

Serville.

Prinobius Muls.

scutellaris Germ. E.m.

atropos Chevr.

cedri Mars.

Gaubili Chevr.

lethifer Fairm.

Germari Muls.

Goudotii Chevr.

Myardi Muls.

Aegosoma

Serville.

seabricorne Scop. E.m.d.m

Tragosoma

Serville.

depsarium L. E.m.d.b.

Lepturini.

Vesperus

Latreille.

streps F. I.

litigiosus Muls. Ga.m.

Xatarti Muls. P.Hi.

? brevicollis Graëlls

luridus Rossi I.Ga.m.

Solieri Germ.

Apatophysis

Chevrolat.

tomentosus Gebl. R.m.o.

♀ obtusicollis Mot.

♂ toxotoides Chevr.

Stenocorus

Geoffroy.

Rhagium Fabr.

sycophanta Schrank E.m.d.

mordax F. [b.

scrutator Oliv.

grandiceps Thoms.

mordax Deg. E.

inquisitor F.

Linnei Laich.

fasciatus Fald. R.m.o.

pygmaeus Ganglb. R.m.o.

bifasciatus F. E.m.d.m.

bicolor Oliv.

ornatus F.

Ecoffeti Muls.

unifasciatus Muls.

inquisitor L. E.m.d.b.

indagator F.

investigator Muls.

Rhammusium

Latreille.

bicolor Schrank E.

salicis F.

glaucopterum Schall.

ruficolle Herbst

Schrinki Laich.

etruscum Rossi

ambustum Heyd.

graecum Schf. Gr.R.m.o.

juglandis Fairm.

Enoploderes

Faldermann.

Xylostylon Reitter.

sauguineus Fald. R.m.o.

Lederi Reitt.

Xylosteus

Frivaldszky.

Spinolae Friv. Hu.
rufiventris Germ.

Leptorrhabdium

Kraatz.

gracie Kr. Ill.D.Gr.

Psilorrhabdium Kr.

causasicum Kr. Ca.

Oxymirus

Mulsant.

cursor L. E.m.d.b.

♂ noctis L.

v. testaceus Gredl.

Verneuli Muls.

mirabilis Mot. Ca.

Toxotus

Serville.

meridianus Panz. E.m.d.b.

chrysogaster Schrank.

cantharinus Herbst

splendens Laich.

insitus Fald. Ca.

♀ persicus Fald.

biformis Tourn. Ca.

queucus Goeze E.m.d.m.

♂ humeralis F.

♀ dispar Panz.

Lacordairei Pascoë Gr.

Acimerus

Serville.

Schäfferi Laich. Mt.E.m.d.

cinctus F

dentipes Muls.

Pachyta

Serville.

Anthophylax Muls.

lamed L. E.m.d.b.

pedella Deg.

♂ spadicea Payk.

quadrimaculata L. E.

Brachyta*Fairmaire.*

- Pachyta Mulsant.
clathrata F. *Alp.*
reticulata F.
signata Panz.
v. nigrescens Gredl.
borealis Gyll. *E.b. Alp.*
interrogationis L. *E.b. Alp.*
12-maculata Oliv.
marginella F.
russica Herbst
v. curvilineata Muls.
balcanica Hampe *Balk.*

Gaurotes*Leconte.*

- Carilia Muls.
virginea L. *E. md. b.*
violacea Deg.
excellens Brancs. *Cp.*

Acmæops*Leconte.*

- collaris L. *E.*
marginata F. *E.b. G.*
smaragdula F. *E.b.*
pratensis Laich *E. md. b.*
strigilata F.
septentrionis Thoms. *E.*
marginata Naez. [b.
simplonica Stierl. *Al.*

Pidonia*Mulsant.*

- lurida F. *E. md.*
Fallacia Muls.
elegans Fald *Ca.*
longicollis Muls.
Lederi Kr.

Cortodera*Mulsant.*

- humeralis Schall. *E. md.*
4-guttata F.
v. suturalis F.
v. spinosula Muls.
femorata F. *E. md.*
monticola Abeille
flavimana Waltl *T.*
v. rufipes Kr.
Frivaldszkyi Kr. *A. Hu.*
holosericina F. *A. Hu.*

alpina Mén. *R.m.o.*

Beckeri Desbr.

tibialis Mars.

? v. Kiesenwetteri Kr.

pumila Ganglb. *Ca.***Grammoptera***Serville.*

- ustulata Schall. *E.*
praeusta F.
splendida Herbst
ruficornis F. *E.*
variegata Germ. *E. md.*
analis Panz.
femorata Muls.

Leptura*Linné.*

- Nivellia Muls.
sanguinosa Gyll. *E.b.*
Kratteri Hampe *Cp.*
Sacheri Wolfn. *Sil.*
Anoplodera Muls.
rufipes Schall. *E. [R.m.o.]*
v. rufiventris Tourn.
Krüperi Ganglb. *Gr.*
sexguttata Schall. *E.*
v. exclamationis F.
rufiventris Gebl. *Tr.*
nigroflava Fuss.

Vadonia Muls.

- unipunctata F. *E. md. m.*
v. saucia Muls. *R.m. Cro.*
bisignata Brull. *Gr.*
grandicollis Muls.
Steveni Sperk. *E. md. or.*
adusta Kr.
globicollis Desbr.
laterimaculata Mot.
? litigiosa Muls. *Cri.*
monostigma Ganglb. *T.*
livida F. *E. [R.m.]*
v. biscarinata Arnold

Leptura i. sp.

- maculicornis Deg. *E.*
tesseralis Charp. *Sil. Hu.*
v. bisignata Mén. *R.m.*
v. unipunctata Heyd.
pallens Brull. *T. Gr.*
pallidipennis Trn. *Ca.*
fulva Deg. *E.*
tomentosa F.
ustulata Mén. *Ca.*
rufa Brull. *T. Gr.*

excelsa Costa *I.*

v. Silbermanni Lef.

nigropicta Fairm.

trisignata Fairm. *Hi.*rufa Muls. *Ga.m.*semirufula Kr. *[?Hi.*

oblongomaculata Buq.

rubra L. *E.*

♂ testacea L.

rubrotestacea Ill.

erythroptera Hagenb. *H.*rufipenni Muls. *Ga.A.*Fontenayi Muls. *Ga.m. Hi.*cordigera Fuessly *E.m.*bastata Sulz. *Ti.*scutellata F. *E. md. b.*v. ochracea Faust *Ca.*variicornis Dalm. *E.b. G.b*virens L. *E.*stragulata Germ. *Hi.*

variventris Schauf.

v. nigrina Schauf.

dubia Scop. *E. md. b.*

cincta F.

limbata Laich.

v. melonota Fald. *Ca.*sanguinolenta F. *E.*

variabilis Degeer

montana Muls. *Cret.*

Indolia Muls.

cerambyciformis Schrnk.

4-maculata Scop. *E.*8-maculata Schll. *md.*

10-punctata Ol.

erratica Dalm. *E. md. m.*

6-maculata F.

7-signata Küst.

v. erythrura Küst. *E.m.*sexmaculata L. *E.b. Alp.*

trifasciata F.

Alosterna Muls.

chrysomeloides Schrk. *E.*

tabacicolor Degeer

laevis F.

Stenura Dej.

Strangalia auct.

nigripes Deg. *E.b. Alp.*aurulenta F. *E. md.*4-fasciata L. *E. md. b.*v. Lederi Ganglb. *Ca.*maculata Poda. *E.*

♂ calcarata F.

♀ subspinosa F.

sinuata Panz.

armata Herbst
elongata Deg.
arcuata Panz. *E.m.d.b.*
annularis F.
aethiops Poda *E.m.d.b.*
atra Laich.
thoracica F. *E.b.Cr.Ca.*
revestita L. *E.m.d.b.*
villica F.
pubescens F. *E.m.d.b.*
obscura Panz.
verticalis Germ. *Ill.D Gr.*
distigma Charp. *Hi.Ga.m.*
approximans Rosenh. *Hi.*
purpuripennis Muls.
melanura L. *E.m.d.b.*
suturanigra Deg.
similis Herbst
bifasciata Müll. *E.*
cruciata Oliv.
v. lanceolata Muls.
Jaegeri Humm. *Ca.*
mingrelica Tourn.
emmipoda Muls. *T.Gr.*
septempunctata F. *E.md.*
5-signata Küst. [m.
v.suturata Reiche *T.Gr.*
nigra L. *E.*
Strangalia Serv.
attenuata L. *E.m.d.b.*

Letzneria

Kraatz.

lineata Letzn. *Sil.A.*

Necydalis

Linné.

Panzeri Harold *E.m.*
abbreviata Panz.
major Guér.
major L. *E.m.d.b.*
abbreviata F.
populi Bütt.
salicis Muls.
ulmi Chevr.

Cerambycini.

Molorchus

Fabricius.

Coenoptera Thomson.
minor L. *E.*
dimidiatus F.
cerambooides Deg.
? v. rufescens Kiesw. *Ca.*

Conchopterus Fairm.
minimus Scop. *E.*
umbellatarum L.
Kiesenwetteri Mls. *E.md.*
Marmottani Bris. *E.md.*
discicollis Heyd.

Brachypterooma

Heyden.

Dolocerus Muls.
ottomanum Heyd. *E.m.*
Reichei Muls.
Mulsanti Stierl.

Stenopterus

Olivier.

flavicornis Küst. *E.md.*
procerus Costa *m.*
rufus L. *E.m.d.m.*
v. geniculatus Kr.
praeustus F. *E.m.*
v. ♀ ater L.
v. ♂ auriventris Küst.
v. ♀ ustulatus Muls.
v. ♀ nipripes Kraatz

Callimoxys

Kraatz.

gracilis Brull. *D.Gr.*
Brullei Muls.

Callimus

Mulsant.

abdominalis Oliv. *Ga.m.I.*
decorus Gené
angulatus Schrank *E.md.*
♀ cyaneus F. *m.*
♂ variabilis Bon.
♂ Bourdini Muls.
egregius Muls. *Ca.*
femoratus Germ. *T.R.m.*

Cartallum

Serville.

ebulinum L. *E.m.*
ruficolle F.

Dilus

Serville.

fugax Oliv. *G.m.E.m.*

Obrium

Latreille.

cantharinum L. *E.*
ferrugineum F.

brunneum F. *E.m.d.b.*
bicolor Kr. *A.Gr.*

Leptidea

Mulsant.

brevipennis Muls. *Ga.*
♂ miniata Mot.

Gracilia

Serville.

minuta F. *Su.Ga.G.*
pygmaea F.
pusilla Gyll.
vini Panz.

Exilia

Mulsant.

timida Mén. *E.m.*
fasciolata Kryn. *Ca.*

Axinopalpus

Redtenbacher.

gracilis Kryn. *A.R.m.*

Icosium

Lucas.

Cluvia Stål.
tomentosum Lucas *E.m.*
Chevrolati Stål.

Oxypleurus

Mulsant.

Nodieri Muls. *Ga.m.Gr.*
scutellaris Costa *I.*

Saphanus

Serville.

pieceus Laich. *Alp.*
spinosus F.
sudeticus Richter
v.cylindraceus Frm. *P.*
Drymochares Muls.
Truquii Muls. *Alp.m.Ca.*

Neomarius

Fairmaire.

Gandolhei Fairm. *Ga.m.*

Hesperophanes

Mulsant.

sericeus F. *E.m.*
rotundicollis Luc.
Latreillei Brull.
cinereus Villers *E.m.*
nebulosus Oliv.

holosericeus Rossi
griseus F. E.m.
fasciculatus Fald.
pulverulentus Er.
affinis Luc.
pallidus Oliv. Ga.G.I.
mixtus F.

Stromatium

Serville.

solenophorus Muls.
unicolor Oliv. E.m.
strepens F.

Criocephalus

Mulsant.

rusticus L. E.
♂ pachymerus Muls.
polonicus Mot.
coriaceus Mot.
epibata Schioedte E.
ferus Kr.

Cyamophthalmus
Kraatz.

Alocerus Muls.

moesiacus Friv. T.Gr.
ferrugineus Kr. Hi.
fulvus Muls.
nitidus Fairm.

Tetropium

Kirby.

Criomorphus Muls.
Isarthron Redt.
luridum L. E.md.b.
castaneum L.
v. aulicum F.
v. fuleratum F.
fuscum F. E.md.b.

Asemum

Eschscholtz.

striatum L. E.
buprestoides Saven.
v. agreste F.
dichroum Gmel.
tenuicorne Kr. Cri.

Nothorrhina

Reitenbacher.

muricata Schöuh. E.b.G.
seabricolle Redt.

Anisarthron

Reitenbacher.

barbipes Charp. Gr.G.I.

Callidium

Fabricius.

Lioderes Redt.
Kollari Redt. A.Hu.

Phymatodes Muls.

variabile L. K.

v. fennicum L.

v. testaceum L.

v. praeustum F. [R.

v. dimidiatipenne Chvr.

v. Sellae Kr. Pe.

v. similare Küst. D.

v. anale Redt. A.T.

lividum Rossi E.mdl.m.

melancholicum F.

brevicolle Schönh.

thoracicum Com.

puncticollis Muls. Hu.R.m.

abdominale Bon. E.m.

luridum Oliv.

humerale Com.

barbipes Villa

angustum Kriechb. Bar.

*

femorale Mén. Ca.

Poecilium Fairm.

alni L. E.

v. infuscatum Chevr.

v. nitidum Chevr. Hi.

Callidium Muls.

rufipes F. E.mdl.

unifasciatum Ol. E.mdl.m.

glabratum Charp. E.mdl.

castaneum Redt.

Deltili Chevr.

aeneum Deg. E.

dilatatum Payk.

violaceum L. E.

Pyrrhidium Fairm.

sanguineum L. E.

Rhopalopus

Mulsant.

spinicornis Abeille Ga.Ti.

Varini Bedel A.

femoratus L. E.

punctatus F.

macropus Germ. E.mdl.b.

clavipes Gyllh.

pilicollis Thoms.

clavipes F. E.

Lederi Ganglb. Ca.

hungaricus Herbst A. Hu.
cognatus Laich. Sil.
? Fischeri Kryn. R.m.
v.insubricus Germ. A.D.
v.♀ siculus Stierl. Si.

Semanotus

Mulsant.

coriaceus Payk. E.b.Alp.

eupripennis Kriechb.

undatus L. E.md.b.

russicus F. R.m. A.D.

Sympiezocera Lucas.

Laurasi Lue. Ga.

Bonvouloiri Muls.

Hylotrupes

Serville.

bajulus L. E.

♂ affinis Saven.

♂ Koziorowiczi Dsb.

lividus Muls.

puellus Villa

Clytus

Laicharting.

Plagionotus Muls.

detritus L. E.

arcuatus L. E.

v. interruptus Mors.

v. connatus Mors.

v. Colbeau Mors.

v. apicalis Hampe

v. lugubris Mén. Ca.

Bobelayei Brull. Gr.

speciosus Adams Ca.

scalaris Brull. Gr.

sieulus Lap. Si.

Echinocerus Muls.

floralis Pall. E.mdl.m.

v. variabilis Mot. R.m.

v. abruptus Kr.

v. zebra Lap.

v. pruinosis Kr.

Xylotrechus Chevr.

rusticus L. E.mdl.b.

liciatus L.

hafuiensis F.

atomarius F.

Oo Schrank

maculatus Gmel.

omega Rossi

pantherinus Saven. Su.

arvicola Oliv. *E.m.d.b.*
v. Heydeni Stierl. *Si.*
ibex Gebl. *G.b.*
capricornis Gebl. *Alp.*
antilope Zett. *E.m.d.b.*
arietis F.
arvicola Redt.
cinereus Lap. *Ga.G.Ca.*
Duponti Stierl.
Sterni Kr.
Auboueri Desbr.

Sphegesthes Chevr.
tropicus Panz. *E.md.*
mucronatus Lap.
Kelchi Bach
Schneideri Kiesw. *Ca.*
arietis L. *E.*
gazella F.
v. triangulimacula Cost.
v. Bourdillonii Muls.
v. Lederi Ganglb. *Ca.*
clavicornis Reiche *Si.*
lama Muls. *Ga.Alp.*
ramni Germ. *E.m.d.m.*
temesiensis Germ.
gazella Lap.
Bellieri Gaut. *C.*
corsicus Chevr.

Clytaanthus Thoms.
Anthobacus Chevr.
ornatus Herbst *E.m.d.m.*
C-duplex Scop.
verbasci Muls.
v. viridicollis Kr.
verbasci L. *E.*
Herbsti Brahm
sulphureus Schaum
v. Faldermanni Fald. *Ca.*
glabromaculatus Goez. *G.*
4-punctatus F. *E.m.*
v. glaucus Luc. *Hi.*
griseus Lap.
lugens Küst.
nigripes Brull. *A.Hu.D.*
aegyptiacus Lap.
aegyptiacus F. *E.m.*
trifasciatus F.
ruficornis Oliv. *Ga.m.*
massiliensis L. *E.m.d.m.*
spinosulus Muls.
v. fulvicollis Muls.
Pelletieri Lap. *Ga.m.Hi.*
figuratus Scop. *E.*
plebejus F.

cordiger Arragon.
nivipictus Kr. *T.*
angusticollis Muls. *Hi.*
Caloclytus Fairm.
Isotomus Muls.
speciosus Schneid. *A.*
semipunctatus F.
Stierlini Tourn. *R.m.*
comptus Mannh. *R.m.*
perspicillum Fisch.
pubicollis Lap.
Bartholomaei Mot. *Ca.*
admirabilis Heyd.

Neoclytus
Thomson.
Rhopalomerus Chvr.
erythrocephalus Oliv. *D.*
acuminatus F. *Ist.*
aspericollis Germ.

Cyrtoclytus
Ganglbauer.
capra Germ. *Alp.*

Anaglyptus
Mulsant.
Cyrtophorus Lec.
caucasicus Mot. *Ca.*
Brucki Kr.
Reitteri Ganglb. *Ca.*
Raddei Ganglb. *Ca.*
mysticus L. *E.m.d.m.*
v. hieroglyphicus Hbst.
rusticus Scop.
litteratus Gmel.
arabicus Küst. *T.*
Deyrollei Tourn. *Ca.*
gibbosus F. *Ist.D.I.*
scriptus Muls. *Ga.m.*

Rosalia
Serville.
alpina L. *Su.E.m.d.*

Calchaenesthes
Kraatz.
oblongomaculata Guér. *T.*
Nogeli Friv. *Hi.Gr.*

Purpuricenus
Fischer.
Anoplistes Serv.
halodendri Pall. *R.m.o.*

humeralis Oliv.
v. ephippium Stev.
altaiensis Laxm. *R.m.o.*
sellatus Germ.
ephippium Fisch.
affinis Mot.

Purpuricenus i. sp.
Wachanruei Levrat *T.*
Hausknechti Witte
ferrugineus Fairm. *Hi.*
Fettingi Schauf.
globulicollis Muls. *Ga.D.*
Kähleri L. *E.m.d.m.*
v. cinctus Villa *I.Gr.*
Boryi Brull.
v. aetnensis Bassi *Si.*
v. bipunctatus Villa *I.*
bilineatus Muls. *Ga.*
v. Servillei Serv. *Ga.*
budensis Göze *Hu.E.m.*
v. affinis Brull. *Gr.*
v. hungaricus Herbst
v. Wredei Fisch. *T.*
Desfontainei F. *Gr.*
dalmatinus Sturm *D.Gr.*
Fellowsi White
Deyrollei Thoms. *Ca.*
Lederer Ferr.

Pachydissus
Newman.
mauritanicus Buq. *Ga.m.*
nerii Er.

Cerambyx
Linné.
Hammaticherus auct.
velutinus Brull. *E.m.*
Welensi Küst.
carinatus Küst. *D.*
cerdo L. *E.*
heros Scop.
v. acuminatus Mot. *Cri.*
Manderstjerna Mls.
v. Pfisteri Stierl. *Si.Gr.*
v. Mirbecki Luc. *Ga.m.*
miles Bon. *E.m.*
nodulosus Germ. *Ill.*
nodicornis Küst. *D.*
intricatus Fairm. *I.*
nodosus Muls. *T.Gr.*
dux Fald. *T.*
orientalis Küst.
Thirki Küst.

Scopolii Füssl.
cerdo Scop.
multiplicatus Mot.
elegans Dohrn

Aromia
Serville.

moschata L. E.
chlorophana Fisch. R.
v. ambrosiaca Stev. E.m.
v. thoracica Fisch. E.m.
rosarum Luc.

Metaulacnemita.
Lamiini.

Acanthocinus
Stephens.

Astynomus Stephens.
aedilis L. E.
montanus Serv.
costatus F. E.m.
atomarius F.
griseus F. E.m.b.
carinulatus Gebl. A.
alpinus Redt.
sibiricus Mot.
xanthoneurus Muls. Si.
Edmondi Fairm. MR.

Liopus
Serville.

nebulosus L. E.m.b.
punctulatus Payk. Sn.Ga.
femoratus Frm. T.Ca.[G.

Exocentrus
Mulsant.

punctipennis Muls. Ga.
signatus Muls. T.
adspersus Muls. E.m.
v. Clarae Muls.
v. Revelierei Muls. C.
lusitanus L. E.
balteatus F.

Acanthoderes
Serville.

clavipes Schrank E.
varius F.
Krüperi Kr. Gr.
modestus Gyllh. F.

E.
Ca.

Pogonochaerus

Latreille.

bidentatus Thoms. E.
hispidus Laich.
hispidus Schrank E.m.b.
dentatus Fourer.
pilosus F.
dimidiatus Blessig Ca.
Caroli Muls. Ga.
Perroudi Muls. Ga.
fasciculatus Deg. E.m.b.
fascicularis Panz.
hispidus L.
decoratus Fairm. Ga.
scutellaris Muls. Ga.G.
multipunctatus Georg
ovatus Goeze E.m.b.
ovalis Gmel.

Belodera

Thomson.

Blabinotus auct.
Stenosoma, Stenidia Muls.
Deroplia Rosh.
Troberti Muls. Ga.Si.D.
Genei Arragona E.m.
Foudrasi Muls.
obliquetruncata Rsh.

Parmenopsis

Ganglbauer.

caucasica Leder Ca.

Parmena

Latreille.

baltea L. Ga.m. Ist. D.
fasciata Villers
unifasciata Rossi
interrupta Carm.
pilosa Brull. Gr.
bicincta Küst. D.
algirica Lap. Hi.
pubescens Dalm.
hirsuta Küst. D.
Dahli Muls. Si.
v. inclusa Muls. Si.
v. Solieri Muls. Ga.m.
pilosa Sol.

Dorcadion

Dalman.

Gebleri Kr. R.m.o.
Pallasi Gebl.
glycyrrhizae Gebl.
glycyrrhizae Pall. R.m.o.
rufifrons Mot. R.m.o.

Olivieri Thoms.
♀ politum Fisch.

Mniszechi Kr. Ca.
carinatum Pall. R.m.
pigrum Schönh.
morio Fisch.

aethiops Scop. A.E.m.d.o.
morio F.

lugubre Kr. Gr.
fulvum Scop. A.E.m.d.o.

♀ canaliculatum Fsch.
♂ erythropterum Fsch

Sturmii Friv. T.

Beckeri Kr. R.m.
gallipolitanum Thoms. T.
sutura-alba Desbr.

v. Gandolphi Tourn.
pedestre Poda A.E.m.d.o.

rufipes F.
tricolor Fisch.
v. ♀ molitor Redt.

v. ♀ gogium Thoms.
sericatum Kryn. R.m.

caucasicum Küst. Ca.
v. micens Thoms. Cri.

v. sericatulum Kr. Ca.
v. impressicorne Tourn.

sulcipenne Küst. Ca.
femoratum Brull. Gr.

italicum Küst. I.
pedestre Rossi

fuscifrons Chevr. Gr.
lineatocolle Kr. T.

olympicum Ganglb. T.
graeum Kr.

condensatum Küst. T.
v. punctipenne Küst.

nigritarse Stev. R.m.T.
tauricum Waltl

ferruginipes Méu. T.
thracicum Küst.

arenarium Scop. Ill.D.T.
pedestre L.

lemniscatum Küst.
v. ♀ cinerarium Küst.

v. Kraatzii Tourn. T.
v. abruptum Germ. D.

v. ♀ vittigerum Panz.
v. axillare Küst. T.

v. velutinum Stev. R.m.
sericatum Sahlb.

Brenski Ganglb. G.
apicale Kr.

minutum Kr. Gr.
pusillum Küst. R.m.

? cinerarium F.

- decipiens Germ. *Hu.R.m.*
Murrayi Küst. *Hu.R.m.T.*
4-maculatum Küst. *T.Gr.*
Heldreichi Kr. *Gr.*
bilaterale Chevr.
sareptanum Kr. *R.m.*
elegans Kr. *R.m.*
litigiosum Ganglb. *R.m.*
Lederi Kr. *Ca.*
Saulcyi Thoms. *T.Gr.*
v. Krüperi Ganglb.
atticum Kr. *Gr.*
parnassi Kr. *Gr.*
Oertzeni Ganglb. *Gr.*
Scopolii Herbst *Hu.*
lineatum F.
v. convexicolle Küst. *T.*
septemlineatum Waltl *T.*
v. 8-lineatum Kr.
v. 9-lineatum Kr.
insulare Kr. *T.*
granigerum Ganglb. *Gr.*
loratum Thoms. *T.*
albolineatum Küst. *T.*
byzantinum Thoms.
niveisparsum Thoms. *Ca.*
cretosum Ferr.
formosum Kr. *Ca.*
crux Dalm. *R.m.*
graecum Waltl *Gr.*
v. ♀ bifidum Chevr. *Gr.*
Piochardi Kr. *T.*
quadrupustulatum Kr. *T.*
striatum Dalm. *R.m.*
♀ holosericeum Kryn.
striolatum Kr. *Ca.*
equestre Laxm. *Tr.R.m.*
cruciatum F.
cruciferum Lepech.
v. Razoumowskyi Fisch.
v. Nogelli Fairm. *Bulg.*
v. exclamationis Thoms
nitidum Mot. *Ca.*
Kindermanni Waltl *T.*
♀ griseum Waltl
v. eachinno Thoms.
immersum Tourn.
seabricolle Dalm. *Ca.*
v. ♀ copulatum Fald.
v. ♀ lutescens Kr.
bitbynense Chevr. *T.*
seminudum Kr. *Ca.*
nobile Hampe *Ca.*
dimidiatum Mot. *Ca.*
Reitteri Ganglb. *Ca.*
indutum Fald. *Ca.*
- semilucens Kr. *Ca.*
fuliginator L. *G.occ.Ga.*
obesum Gaut. *Ga.m.*
v. ovatum Sulz.
hypocrita Muls.
v. vittigerum F.
quadrilineatum Küst.
mendax Muls
v. navaricum Muls. *Ga.*
v. monticola Muls. *Ga.m.*
v. meridionale Muls. *Ga.*
alpinum Chevr.
v. pyrenaeum Germ. *P.*
striola Chevr. *Ga.m.*
v. atrum Bach *Thur.*
mus Rosh. *And.*
Amori Mars. *Hi.m.*
♂ Staudingeri Chevr.
lusitanicum Chevr. *Lu.*
suturale Chevr. *Hi.occ.*
soricinum Chevr.
mucidum Dalm. *Hi.m.*
Handschihi Küst.
v. annulicerne Chevr.
Spinolae Dalm. *Hi.b.*
Mulsanti Bris.
castilianum Chevr. *Cast.*
Seoanei Graëlls *Hi.b.*
Brannau Schauf. *Lu.*
Lorquinii Fairm. *Aud.*
Iserni Perez *Hi.c.*
molitor F. *Ga.m.*
lineola Illig.
v. Donzeli Muls.
v. senegalense Thoms.
v. Brisouti Kr.
Heydeni Kr. *Ast.*
circumcinetum Chevr. *Hi.*
? v. escorialense Chevr.
? v. Ariasi Chevr.
Korbi Ganglb. *Arag.*
Uhagoni Perez *Hi.c.*
Martinezii Perez *Hi.c.*
Perezii Graëlls *Hi.c.*
v. ♀ anthracinum Chvr.
Ghiliani Chevr. *Hi.c.*
♂ Reichei Chevr.
albicans Chevr. *Hi.b.*
reynosae Bris.
hispanicum Muls. *Hi.c.*
v. nigrolineatum Chevr.
v. ♀ encaustum Chevr.
Graëlli Graëlls *Hi.c.*
v. Oberthüri Ganglb.
v. ♀ ovale Chevr. *Esc.*
alternatum Chevr. *Hi.c.*
- v. costicolle Chevr.
? v. segovianum Chevr.
? v. Dejeani Chevr.
longipenne Chevr. *Hi.c.*
Stableaui Chevr. *P.*
- frontale Muls. *T.*
nudum Küst. *Hu.* ?
Linderi Tourn. *Hi.* ?
- Neodorecadion**
Ganglbauer.
- Virleti Brull. *Gr.*
bilineatum Grm. *Tr.T.Gr.*
fallax Kr. *Gr.*
laqueatum Waltl *T*
Abeillei Tourn.
v. ♀ interruptum Muls.
v. ♀ sparsum Muls.
segne Muls. *T.*
exornatum Friv. *T.*
inclusum Ferr.
labyrinthicum Thms.
balearicum Tourn. *T.*
- Herphila**
Mulsant.
- Doreatypus Thoms.
tristis L. *G.m.Ga.m.Hu.*
funesta F. *E.m.*
v. obsoleta Fairm. *T.*
Fairmairei Thoms. *Gr.*
- Morimus**
Serville.
- funereus Muls. *Ga.G.m.E*
tristis F. *m.*
asper Sulz. *Ga.m.G.m.*
lugubris F. *E.m.*
v. verecundus Fald. *Ca.*
- Lamia**
Fabricius.
- textor L. *E.*
v. triearinata Cornel.
- Monochammus**
Latreille.
- 4-maculatus Mot. *E.b.*
sartor Thoms.
sartor F. *E.md.*
? v. ♀ Rosenmüllerii Ced.
sutor F. *E.md.b.*
♀ Heinrothi Cederhj.
galloprovincialis Ol. *E.m.*
v. pistor Germ.

- v. lignator Fald. *Ca.* lineatocollis Don. *E.*
saltarius Gebl. *A.* angusticollis F.
peregrinus Grndl. maculicornis Gyllh. *Hu.*
nitidior Abeille *R.* annularis Muls. *Hi.*
Hoplosia Reyi Muls.
Mulsant. cardui L. *E. md. m.*
fennica Payk. *E. md. b.* suturalis F.
cinerea Muls.
Mesosa
Serville. v. Peragalloi Muls
curelionoides L. *E.* v. marginalis Muls.
myops Dalm. *E. b.* v. nigroaenea Muls.
nebulosa F. *E. md.* v. consobrina Chevr.
nubila Oliv.
Albana
Mulsant. cyanea Herbst
M-griseum Muls. *Ga. m.* micans Panz.
accentifera Fairm.
Niphona
Mulsant. violacea Oliv.
picticornis Muls. *E. m.* coerulea Schönh.
Anaesthetis
Mulsant. smaragdina Kryn.
testacea F. *E. md.* chalybaea Fald. *Ca.*
Calamobius
Guérin. osmanlis Reiche *T.*
gracilis Creutz. *E. md. m.* Lais Reiche *Gr.*
marginellus F.
Agapanthia
Serville. leucaspis Steven *R. m.*
irrorata F. *E. m.* cyanea Dalm. *Ca.*
v. pubiventris Muls. *Hi.*
v. integra Chevr. *Si.*
Kirbyi Gyll. *E. m.*
latipennis Muls. *Ga. m.*
Zawadszkyi Fairm. *T.*
aspodeli Latr. *E. m.*
Spencei Gyll.
insularis Gaut. *C.*
cynarae Germ. *E. md.*
decora Kryn.
? Dahl Richter
acutipennis Muls. *Ga. m.*
pyrenaenae Bris. *P.*
Gyllenhali Ganglb. *E. md.*
cardui F.
lineatocollis Muls.
sicula Ganglb. *Si.*
lineatocollis Don. *E.*
angusticollis F.
maculicornis Gyllh. *Hu.*
annularis Muls. *Hi.*
Reyi Muls.
cardui L. *E. md. m.*
suturalis F.
v. Peragalloi Muls
v. marginalis Muls.
v. nigroaenea Muls.
v. consobrina Chevr.
cyanea Herbst
micans Panz.
violacea Oliv.
coerulea Schönh.
smaragdina Kryn.
chalybaea Fald. *Ca.*
osmanlis Reiche *T.*
Lais Reiche *Gr.*
leucaspis Steven *R. m.*
cyanea Dalm. *Ca.*
Saperda
Fabricius.
Compsidia Muls.
populnea L. *E.*
v. salicis Zett. *L.*
querens Charp. *Hu.*
Anaerea Muls.
carcharias L. *E.*
punctata Deg.
Amilia Muls.
similis Laich. *E. md. b.*
phoea Froel.
Saperda i. sp.
scalaris L. *E.*
perforata Pall. *E. md. b.*
Seydli Fröl.
Rudolphi Cederhj.
octopunctata Scop. *Su. Ga.*
tremulae F. *G. Ti.*
punctata L. *E. md. m.*
Menesia
Mulsant.
Perrisi Muls. *Ga. m.*
bipunctata Zoubk. *E. md.*
biguttata Redt.
v. quadripustulata Muls
Tetrops *[Ga. m.]*
Stephens.
Polyopsia Muls.
Starki Chevr. *Alp. Hu.*
praeusta L. *E.*
ustulata Hagenb.
v. nigra Kr. *A. Pe.*
gilvipes Stev. *Ca.*
Stenostola
Mulsant.
ferrea Schrank *E.*
nigripes F.
tiliae Küst.
plumbea Bon.
alboscutellata Kr. *Gr.*
nigripes Küst. *E. md.*
Oberea
Mulsant.
oculata L. *E.*
maculicollis Luc. *Hi.*
melanura Gredl. *Ti.*
pupillata Gyll. *E. md.*
v. pedemontana Chevr.
cineta Gebl. *R. m. [Pe.*
erythrocephala F. *E. md.*
v. nigriceps Muls. *[m.*
v. bicolor Reiche *Lu.*
v. melitana Reiche *Malt.*
euphorbiae Germ. *A. Hu.*
bipunctata Panz. *H.*
insidiosa Muls. *D.*
linearis L. *E. md. b.*
parallela Scop.
Mairei Chevr. *Ga.*
Phytoecia
Mulsant.
puncticollis Fald. *Ca.*
Wachanuei Muls. *T. Gr.*
syriaca Chevr.
Faldermanni Fald. *Ca.*
rubropunctata Goeze *E.*
Argus Froel. */md. Hu.*
v. Jourdani Muls. *Ga. G.*
v. Blessigi Morau *R.*
armeniaca Friv. *Ca.*
marginalis Kr. *Ca.*
volgensis Kr. *R. m.*
flavipes Gyll.
affinis Harrer *E. md.*
cephalotes Küst. *Ist. Gr.*
fumigata Küst. *Gr.*
humeralis Waltl *T.*
scapulata Muls.
v. insignita Chevr.
balcanica Friv. *T.*
praetextata Stév. *Cri.*
vittipennis Reiche *T.*
diademata Fald. *Ca.*

millefolii Adams *P.m.Ca.*

azurea Stev.

♀ *excelsa* Stierl.

rubicollis Lue. *Si.*

virgula Charp. *E.md.m.*

punctatum Muls.

v. *vulnerata* Muls. *Ga.m.*

? ♂ *cyclops* Küst *Hi.*

pustulata Schrank *E.md.*

lineola F.

geniculata Muls. *T.Gr.*

♂ *fuscicornis* Muls.

orientalis Kr.

erythroenema Lue. *Ga.m.*

Grenieri Fairm.

rufimana Schrank *E.md.*

v. *Baecueti* Brull. *Gr.* [m.

croceipes Reiche *T.*

macilenta Muls.

puncticollis Muls.

Schreiberi Kr. *Il.*

annulipes Muls. *T.*

ephippium F. *E.*

icterica Schall.

ragusana Küst.

modesta Waltl *T.*

cylindrica L. *E.md.b.*

nigricornis F. *E.*

♂ *solidaginis* Bach

Caroni Muls.

♀ *Julii* Muls.

malachitica Lue. *Hi.*

♂ *Bolivari* Perez

Opsilia Muls.

virescens F. *E.*

v. *flavicans* Muls.

v. *echii* Chevr.

v. *obseura* Bris. *Ga.m.*

v. *aeruginosa* Muls. *Hi.*

molybdaena Dalm. *E.m.*

v. *chlorizans* Chevr.

uncinata Redt. *G.*

Cardoria

Mulsant.

scutellata F. *G.m.*

orbicollis Reiche *Gr.*

Oxylia

Mulsant.

Duponcheli Brull. *Gr.*

vestita Küst.

languida Mén.

Pilemia

Fairmaire.

tigrina Muls. *Ga.*

anchusae Fuss *Tr.*

hirsutula Froel. *G.m.*

atomaria Towns. *Hu.*

Helladia

Fairmaire.

flavescens Brull. *Gr.*

Conizonia

Fairmaire.

vittigera F. *Ga.m.Hi.*

detrita F. *Ga.m.*

♀ *glauca* Er.

Guerini Brême

Coptosia

Fairmaire.

albovittigera Heyd. *T.Gr.*

languida Fairm.

Mallosia

Mulsant.

graeaa Sturm *Gr.*

♀ *tomentosa* Sturm

Scovitz Fald. *Ca.*

Chrysomeli-dae.

Eupoda.

Sagrini.

Orsodacna

Latreille.

cerasi L. *E.*

v. *chlorotica* Latr.

v. *lineola* Lac.

v. *melanura* F.

v. *limbata* Oliv.

v. *glabrata* Panz.

v. *cantharoides* F.

v. *glabrata* F.

v. *nigriceps* Latr.

mespili Lac.

v. *nigricollis* Oliv.

marginella Duft.

picipennis Duft.

v. *humeralis* Latr.

coerulescens Duft.

nematoïdes Lac.

v. *croatica* Weise Cro.

Donaciini.

Haemonia

Latreille.

appendiculata Panz. *E.*

equiseti F. *Ind.*

mosellae Bellev.

v. *flavicollis* Bellev.

v. *Chevrolati* Lac.

v. *lineata* Chevr.

zosterae F. *E.mar.*

Gyllenhalii Lac.

Sahlbergi Lac.

v. *Curtisi* Lac.

baltica Seidl.

v. *ruppiae* Germ. *Dania*

rugipennis J. Sahlb. *L.*

incisa J. Sahlb. *F.*

pubipennis Reuter *F.*

Donacia

Fabricius.

erassipes F. *E.*

dentata Hoppe. *E.*

v. *chrysochlora* Westh.

v. *auctumnalis* Westh.

diabolus Westh.

♀ v. *phelandrii* Sahlb.

v. *angustata* Kunz. *A.I.*

versicolorea Brahm *E.*

bidens Oliv.

eineta Germi.

politana Kunze *E.m.*

aquatica L. *E.md.b.*

dentipes F.

*

sparganii Ahr. *E md.b.*

limbata Panz. *E.*

lemnæ F.

v. *vittata* Panz.

v. *unicolor* Westh.

bicolora Zschaech *E.*

sagittariae F.

v. *collaris* Panz.

obscura Gyllh. *E.md.b.*

thalassina Germ. *E.md.b.*

v. *porphyrogenita* West.

brevicornis Ahr. *G.Su.*

platysterna Thoms.

impressa Payk. *E.*

♀ *brevicornis* Kunz.

andalusiae Kr. *Hi.m.*

apricans Lac. *Si.*

antiqua Kunze *E.m.d.b.*
simplicifrons Lac.
brevicornis Gyllh.
♂ gracilis Suffr.
appendiculata Ahr. *E.m.*
reticulata Gyllh.
*

clavipes F. *E.m.d.b.*
menyanthidis Gyllh.
fennica Payk. *Su.F.G.*
v. MalinovskyiAhr./*Ga.*
semicuprea Panz. *E.*
iris Westh.
v. tenebrans Westh.
vulgaris Zschach *E.*
typhae Ahr.
simplex F. (Syst. E.) *E.*
linearis Hoppe
aeruginosa Westh.
aurichaleea Westh.
v. sanguinea Westh.
v. pulcherrima Hummel
atrococerulea Westh.
viridula J. Sahlb. *L.*
*

cinerea Herbst *E.*
tomentosa Ahr. *E.*

Plateumaris

Thomson.

sericea L. *E.*
v. festucae F.
violacea Hoppe
atropurpurea Westh.
v. micens Panz.
v. armata Payk.
♂ discolor Panz.
v. nymphaeae F.
aenea Hoppe
v. tenebricosa Westh.
luctuosa Westh.
v. violacea Gyllh.
discolor Panz. *E.*
comari Suffr.
proteus Kunze
v. Lacordairei Perris *Hi*
*

braceata Scop. *E.m.d.b.Ca*
consimilis Schrank *E.*
diseolor Hoppe
v. variabilis Kunz. *E.m.*
rustica Kunz. *E.or.*
v. planicollis Kunz. *G.*
affinis Kunz. *E.oec.*
v. pallipes Kunz. *G.*

Criocerini.**Syneta**

Lacordaire.

betulae F. *E.b.H.***Zeugophora**

Kunze.

scutellaris Suffr. *Ga.G.*
v. frontalis Suffr. *Su.Ti.*
subspinosa F. *E.*
Turneri Power *Br.Sc.*
rufotestacea Kr. *G.*
flavicollis Marsh. *E.*
v. australis Weise

Lema

Fabricius.

cyanella L. *E.*
puncticollis Curt.
Erichsoni Suffr. *E.*
v. Lipperti Gredl.
septentrionis Weise *G.Su.*
lichenis Voet. *E.*
cyanella Suffr.
gallaeciana Heyd.
v. obscura Steph.
nigra Westh.
flavipes Suffr. *E.m.*
melanopa L. *E.*
v. atrata Waltl
Duftschmidi Redtb.
nigriceps Westh.
Hoffmannseggii Lac. *Lu.*
rufocyanæa Suffr. *G.Ga.H*
cyanipennis Duft.

Crioceris

Geoffroy.

stercoraria L. *E.m.*
v. laeviuseula Weis. *Hi*
lili Scop. *E.*
merdigera F.
lilioram Thoms.
merdigera L. *E.*
brunnea F.
v. rufipes Hbst.
v. Suffrani Schmidt
v. collaris Lac.
v. abdominalis Comoll.
Faldermauni Guér. *Ca.*
cornuta Falda.
tibialis Villa *Alp.*
alpina Redtb.
*

12-punctata L. *E.*

v. dodecastigma Suffr. *E.*
14-punctata Scop. *Ga.E.o*

5-punctata Scop. *Ga.G.R.*

bierueciata Sahlb. *R.m.*

distincta Lac. *Gr.*

v. decorata Moraw.

paracanthesis L. *E.m.*

v. suturalis Grav. *Lu.*

v. cruciata Bon. *I.*

v. Dahlia Lac. *Si.*

asparagi L. *E.*

pupillata Ahr.

v. campestris L.

maculipes Gebl.

macilenta Weise *E.m.*

campestris Rossi *I.*

v. Simoni Weise *II.*

Camptosomata.**Clytrini.****Labidostomis**

Lacordaire.

taxieornis F. *E.m.*
lusitanica Germ. *Ga.Hi.*
tibialis Lac. *Lu.*
meridionalis Lac. *Ga.Hi.*
pyrenaæa Kr. *P.*
bigemina Suffr. *Hi.S.*
*

asiatica Fald. *Ca.*

propinqua Fald. *R.m.*

binotata Waltl *Gr.*

♀ Steveni Lac.

? sulcicollis Lac.

rufa Waltl *T.Gr.*

maculipennis Lef. *R.m.*

Kindermannii Kr.

diversifrons Lef. *R.m.*

speculifrons Kr.

decipiens Fald. *R.m.*

v. ♀ lineola Redtb.

tridentata L. *E.*

Leithneri Redtb.

? Kluczykii Now. *A.*

humeralis Schneid. *E.m.d.*

lucida Germ. *Ga.G.E.m.*

v. sareptana Kr. *R.m.*

v. axillaris Lac. *A.Hu.T.*

brevipennis Fald. *R.m.*

Beckeri Weise *R.m.*

metallica Lefèvr. *R.m.*

senicula Kr. *R.m.*

uralensis Lac. *R.or.*

rugicollis Lef. *R.m.*
 longimana L. *E.*
 v. dalmatina Lac. *E.m.*
 hispanica Lac. *Hi.*
 Ghilieci Lac. *Hi.*
 centromaeulata Gén. *C.S.*
 v. syriaca Lac.
 v. 4-notata Oliv.
 v. Damryi Weise
 *

pallidipennis Gebl. *A.E.*
 chalybeicornis Brull.
 v. distinguenda Rosh. *Ti.*
 v. pilicollis Lac. *Hu.* *T.R.*
 cyanicornis Germ. *A.Ga.*
 tridentata Redt. *Hu.I.*
 lepida Lefèvre *R.m.*

Chlorostola Weise

Guerini Bassi *Si.*
 hordei F. *Lu.Hi.*

Macrolenes

Lacordaire.

ruficollis F. *E.m.*
 v. bimaculata Rossi
 v. salicariae Mén.
 Bellieri Reiche *Si.*

Tituboea

Lacordaire.

sexmaculata F. *E.m.*
 v. parviceps Lac. *Hi.m.*
 macropus Ill. *Ga.* *Hi.A.R.*
 biguttata Oliv. (σ) *E.m.*
 ♀ sexpunctata Oliv.
 v. dispar Lue.
 ♀ maculicollis Brull.
 8-punctata F. *Lu.*
 nigriventris Lef. *R.m.*

Barathraea

Lacordaire.

cerealis Oliv. *Hi.m.*
 tripectinata Schneid. ? *Hi.*
 straminipennis Luc. $\frac{f}{?} Si.$

Lachnaea

Lacordaire.

paradoxa Oliv. *Si.*
 vicina Lac. *Hi.m.*
 tristigma Lac. *Ga.* *Hi.I.*
 puncicollis Chevr. *Ga.* *Hi.*

hirta F. *Ga.Hi.*
 hirtipes All.
 Suffriani Kr.
 tripunctata Lac.
 pubescens Duf. *Ga.Hi.*
 palmata Lac.
 macrodactyla Lac.
 orientalis Weise *Gr.Cret.*
 sexpunctata Scop. *A.Hu.*
 longipes F. *E.m.*
 glabricollis Suffr. *I.*
 brachialis Küst.
 italica Weise *Ti.* *I.C.S.*
 6-punctata Petagn.
 cylindrica Lac. *Ga.* *Hi.I.*
 variolosa L. *Hi.m.*

Clytra

Laicharting.

valeriana Mén. *R.m.Gr.*
 v. tetrastigma Schmd. *T.*
 dissimilithorax Desb.
 elata F. *E.m.*
 9-punctata Oliv.
 v. aleppensis Rdtb. *Ca.*
 globulosa Lef.
 quadripunctata L. *E.*
 4-signata Märkel
 appendicina Lac. *Ga.* *I.Al.*
 laeviuscula Rtz. *E.m.d.m.*
 nigrocincta Lac. ? *T.*
 v. ovata Lac.
 atraphaxidis Pallas *E.m.*
 maculifrons Zoubk. *R.m.*

Gynandrophthalma

Lacordaire.

Otiocephala Lefèvre.
 opaca Rosh. *Hi.m.*
 Andalusica Heyd.

Calyptorrhina Lac.
 chloris Lac. *Hu.m.*
 v. banatica Weise
 Gynandrophthalma i. sp.
 baetica Weise *Hi.m.*
 nigritarsis Lac. *Ga.Hi.*

*

limbata Stev. *T.Gr.R.m.*
 amabilis Lac. *Lu.Hi.*
 concolor F. *Ga.I.Hi.*

aenea Germi. *Lu.*
 hypoerita Lac. *T.R.m.*
 tibialis Brull. *Gr.*
 v. helleuca Marsoul
 v. bioculata Lac.
 v. liturata Weise

Menetriesi Ménétr. *Ca.*
 v. venusta Lef.
 Raffrayi Desbr. *C.*
 brevicornis Lef. *Lu.*

*

salicina Scop. *E.*
 cyanæa F.

flavicornis Charp. *Alp.*
 diversipes Letzn. *Siles.*
 thoracica Lac. *Lu.*
 ferulæ Gené *C.S.*
 graeca Lef. Kr. *Gr.*
 aurita L. *E.md.*
 affinis Hellw. *E.*
 manicata Lef. *Hi.*
 xanthaspis Germ. *E.md.*
 thoracica Küst.
 Reyi Bris. *Hi.*

Chilotoma

Lacordaire.

erythrostoma Falb. *Ca.*
 musciformis Goeze *E.md.*
 bucephala Schall. [m.]

Coptocephala

Lacordaire.

apicalis Lac. *R.m.*
 chalybaea Germ. *A.Hu.R.*
 unicolor Luc. *Si.*

*

5-notata Lefèvre *C.*
 Gebleri Gebl. *R.m.*
 fossulata Lef. *Si.*
 unifasciata Scop. *E.*

4-maculata L.
 v. 4-maculata Lac.
 v. maculiceps Kr.
 v. femoralis Kr.
 scopolina L. *G.A.E.m.*
 v. Küsteri Kr. *D.C.Si.*
 melanocephala Küst.
 v. plagiocephala F.
 rubicunda Laich. *Ga.A.*
 tetradyma Küst. *G.*
 floralis Oliv. *Hi.*
 v. bistrimaculata Küst.
 cyanocephala Lac. *S.D.*

Cryptocephalini.

Cryptocephalus

Geoffroy.

*

Homalopus Chevr.

Loreyi Solier *Alpes.*

v. ♀ major Comoll.

informis Suffr. *Alp. occ.*

tricolor Rossi *II. I.*

florentinus Oliv.

prusias Suffr. *Cn.*

*

carinthiacus Suffr. *Al. md.*

sinuatus Harold *P. Alp.*

fasciatus II. Schff. [occ.]

v. *abietinus* Gaut. *II.*

excisus Seidl. *Hi.*

erosus Seidl. ol.

4-punctatus Ol. *Ga. P.*

v. *Stierlini* Weise *H.*

lusitanicus Suffr. *Lu. Hi.*

v. *lividimanus* Suffr.

floribundus Suffr. *P.*

*

coryli L. *E.*

v. *temesiensis* Suffr. *Hu.*

cordiger L. *E.*

octopunctatus Scop. *E.*

variabilis Schneid.

sexpunctatus L. *E.*

v. *thoracicus* Weise

v. *pictus* Suffr.

v. *separandus* Suffr.

v. *Gyllenhali* Weise

signatus Laich. *Mnt. E.*

interruptus Suffr. [md]

v. *rubellus* Weise

cribratus Suffr. *T. Ca.*

trapezensis Tapp. *? Ca.*

variegatus F. *Alp.*

♂ *axillaris* Charp.

distinguendus Schneid. G

v. *humeralis* Ws. [E. b.

albolineatus Suffr. *Alp.*

v. *Suffriani* Suffr.

Perrieri Fairm.

v. *Bischoffi* Tappes

laevicollis Gebl. *T. R.*

v. *viennensis* Ws. A.

bimaculatus F. *Alp. P.*

v. *bisbipustulatus* Suffr.

infirmior Kr. *I. Ga. m.*

primarius Har. *G. Ga. I.*

imperialis F. *A. Hi.*

v. *rufolimbatus* Suffr.

? v. *Manueli* Tappes

pexicollis Suffr. *Hi. Ga.*

cicatricosus Luc. ? Si.

sexmaculatus Ol. *II. Ga.*

tristigma Charp. *Lu. Hi.*

hirticollis Suffr. *I. Si.*

ilicis Ol. *E. m.*

v. *etruseus* Weise

imperialis Laich. *E. md. m.*

bistripunctatus Germ.

trimaculatus Rossi *Ga. G.*

salieis F. *E. m.*

bipunctatus L. *E.*

v. *sanguinolentus* Scop.

lineola F.

v. 4-notatus H. Schff.

paradoxus Suffr.

v. *Thomsoni* Weise

biguttatus Scop. *E.*

bipustulatus F.

*

coronatus Suffr. *R. m.*

14-maculatus Schneid. A.

coloratus Suffr. *Hu. R.*

v. *Pilleri* Schrank. *T.*

v. *coloratus* F.

floralis Krynicki *R. m.*

halophilus Suffr.

flavicollis F. *R. m.*

nigritarsis Suffr.

Suffriani Dohrn *R. m.*

Beckeri Moraw.

Reitteri Weise *Cro. St.?*

balophilus Gebl. *R. m.*

rubi Ménétr. *Ca.*

astracanicus Suffr. *R. m.*

tamaricis Solsky

gamma H. Schäff. *R. m.*

sesquistriatus Kryn.

ypsililon Suffr.

ergenensis Moraw. *R. m.*

Beckeri Suffr.

sareptanus Moraw. *R. m.*

flexuosus Kryn. *R. m.*

bohemius Drap. *G. A. R.*

Böhmi Germ. *Hu.*

apicalis Gebl. *Hu. R.*

flavoguttatus Suffr. *T.*

v. *eburatus* Weise

lateralis Suffr. *R. m.*

*

laetus F. *E. md. m.*

? v. *salisburgensis* Moll

rugicollis Oliv. *E. m.*

v. *humeralis* Ol.

v. *verrucosus* Suffr.

v. *sexnotatus* F.

virgatus Suffr.

v. *Wagneri* Küst.

baeticus Suffr. *Hi. m.*

Proctophysus Redtb.

Schäfferi Schrank *Ga. G.*

♂ *lobatus* F. *I. T.*

unicolor Ol. *R.*

♀ *haemorrhoidalis* Ol

cyanipes Suffr. *Ti. II. I. b.*

villosus Suffr. *H. A. Hu.*

*

sericeus L. *E.*

bidens Thoms.

aureolus Seidl.

robustus Suffr. *Ca.*

v. *pratorum* Suffr.

v. *coeruleus* Weise

v. *intrusus* Weis. *E. m.*

? *zambanellus* Mars.

globicollis Suffr. *Ga. I. III.*

aureolus Suffr. *E.*

sericeus Küst. Seidl.

hypocoeridis L. *E.*

v. *cristatus* Duf. *E. m.*

eristula Duf.

rugulipennis Suffr.

asturiensis Heyd. *Hi. b.*

concolor Suffr. *R. m.*

v. *duplicatus* Suffr.

violaceus Laich. *E.*

virens Redtb.

v. *violaceus* Redtb.

v. *smaragdinus* Suffr.

virens Suffr. *R. m.*

*

tibialis Bris. *P. Hi. b.*

poeciloceras Heyd.

elongatus Germ. *A. R.*

tetraspilus Suffr. *Ga. II.*

♀ *lepidus* Muls.

Ramburi Suffr. *Hi. m.*

marginellus Ol. *Ga. A.*

v. *pictus* Ragusa *Si.*

v. *inexpectus* Fairm. *I. R.*

nitidulus F. *E. md. b.*

ochrostoma Harold

nitidus L. *F.*

nitens L.

modestus Suffr. *R. m. or.*

punctiger Payk. *E. md. b.*

pallifrons Gyll. <i>Ga.G.F.</i>	4-guttatus Richter <i>G.Hu.</i>	v. oneratus Weise <i>E.m.</i>
m. insignis Payk. <i>Su.</i>	v. maurus Sfr. <i>R.m.</i>	v. ommissus Weise
janthinus Germ. <i>E.md.S.</i>	Kowarzi Gradl.	Rossii Sfr. <i>Ga.Lu.Hi.</i>
parvulus Müll. <i>E.</i>	creticus Sfr. <i>D.Cret.</i>	v. centrimaculatus Sfr.
nigrocoeruleus Goez.	4-pustulatus Gyllh. <i>E.md</i>	v. Graëllsi Weise
violaceus Fourer.	v. similis Sfr. <i>b.Ca.</i>	v. hirtifrons Graëlls
flavilabris F.	apicalis Mars.	v. gaditanus Mars.
fulcratus Germ.	v. rhaeticus Stierl.	vittatus F <i>E.md.m.</i>
coeruleuscens Sahlb. <i>F.G.</i>	bisignatus Sfr.	v. negligens Weise
flavilabris Sfr. <i>A.P.</i>	v. aethiops Weise	celtibericus Sfr. <i>Hi.md.</i>
androgyne Mars.	princeps Rottb. <i>Si.</i>	bilineatus L. <i>E.</i>
? Pelleti Mars.	flavipes F. <i>E.</i>	v. moestus Weise
v. flavilabris Thoms.	Wydleri Fald.	v. armeniacus Fald.
concinus Sfr. <i>Hu.R.m.</i>	v. nigrescens Gradl.	Spitzi Sfr.
biguttulus Sfr. <i>R.m.</i>	v. dispar Weise	elegantulus Grav. <i>Ga.G.</i>
rufilabris Sfr. <i>R.m.</i>	v. signatifrons Sfr.	tesselatus Germ. <i>Hu.</i>
marginatus F. <i>E.md.m.</i>	turcicus Sfr. <i>Ti.D.T.C.</i>	v. juncundus Fald <i>H.R.</i>
v. terminatus Germ.	pistaciae Sfr. <i>Gr.Ga.</i>	strigosus Germ. <i>A.I.Hu.</i>
? v. palliatus Sfr. <i>I.</i>	*	*
Grohmanni Sfr. <i>Si.</i>	chrysopus Gmel. <i>E.md.b.</i>	pygmaeus F. <i>Ga.I.</i>
*	Hübneri F.	v. aemoenus Drap. <i>E.md.</i>
cynarae Sfr. <i>Lu.Hi.</i>	limbifer Seidl. <i>Hi.m.</i>	vittula Sfr. <i>I.Gr.</i>
v. 12-plagiatus Fairm.	Czwalinac Weise <i>I.b.</i>	v. orientalis Weise
curvilinea Ol. <i>Si.S.C.</i>	frontalis Marsh. <i>E.md.b.</i>	capucinus Sfr. <i>Ga.Hi.</i>
v. inops Weise <i>[Hi.</i>	scapularis Sfr. <i>I.</i>	connexus Ol. <i>A.Hu.R.</i>
5-punctatus Harrer <i>A.</i>	mystacatus Sfr. <i>Lu.Hi.</i>	v. subconnexus Weise
12-punctatus F. <i>Hu.</i>	♂ larvatus Sfr.	v. arenarius Weise
v. 8-maculatus Rossi	saliceti Zebe <i>Mnt.G.Alp.</i>	signaticollis Sfr. <i>D.I.Gr.</i>
v. 8-notatus Schneid.	ocellatus Drap. <i>E.md.m.</i>	v. succinctus Weise
v. testaceus Villa <i>I.</i>	geminus Gyllh.	v. aprius Weise
v. stramineus Sfr. <i>R.m.</i>	ochropezus Sfr. <i>Si.</i>	blandulus Harold <i>Pa.Hi.</i>
*	querceti Sfr. <i>Su.Ga.G.</i>	pulchellus Sfr.
- pini L. (<i>Disopus</i>) <i>E.</i>	labiatus L. <i>E.</i>	Fausti Weise <i>R.m.</i>
abietis Redtb.	♂ longicornis Thms. <i>Su.</i>	fulvus Goeze <i>E.</i>
v. abietis Sfr.	v. exilis Steph.	minutus F.
Simoni Weise <i>Hi.</i>	v. digrammus Sfr.	v. fulvicollis Sfr.
podager Seidl. <i>Hi.</i>	exiguus Schneid. <i>E.md.b.</i>	politus Sfr. <i>I.Ga.Hi.</i>
laevigatus Sfr. <i>R.m.</i>	Wasastjerna Gyll.	Mayeti Mars. <i>Ga.</i>
sulphureus Ol. <i>Ga.Hi.</i>	*	macellus Sfr. <i>E.md.m.</i>
*	Moraei L. <i>E.</i>	ochroleucus Sfr.
10-maculatus L. <i>E.</i>	v. vittiger Mars.	alboscutellatus Sfr. <i>Ga.S.</i>
10-punctatus L.	v. bivittatus Gyll.	♀ v. nigridorsum Chevr.
v. solitus Weise	cruciatus Mars.	planifrons Weise <i>A.Hu.R.</i>
v. scenicus Weise	v. arquatus Weise	ochroleucus Fairm. <i>Ga.G.</i>
v. moestus Weise	Mariae Muls. <i>Ga.Hi.</i>	fallax Sfr.
v. bothnicus L.	signatus Ol. Sfr.	luridicollis Sfr. <i>Ga.m.</i>
betulaenanae Schill.	v. pyrenaeus Weise	? plantaris Sfr. <i>Si.</i>
v. ornatus Herbst	crassus Ol. <i>I.Ga.Hi.</i>	linellus Sfr. <i>Hi.m.</i>
v. barbareae L.	gravidus H. Schäff.	populi Sfr. <i>Ga.G.Hi.</i>
frenatus Laich. <i>E.md.</i>	v. tenebricosus Weise	pusillus F. <i>E.</i>
v. callifer Sfr.	stragula Rossi <i>I.Ga.</i>	v. immaculatus Westh.
v. flavescent Schneid.	anticus Sfr. <i>Ca.</i>	v. Marshami Weise
v. seminiger Weise	Koyi Sfr. <i>Lu.Hi.</i>	marginellus Marsh.
v. Fabricii Weise	v. Martinezi Weise	gracilis Redtb.
*	6-pustulatus Ross. <i>E.md.</i>	rufipes Goeze <i>E.</i>
8-guttatus Schneid.	8-guttatus Schneid. <i>F.</i>	gracilis F.

sonehi Schrank *G.m.*
bicolor Eschsch. *Ca.*

Pachybrachys

Suffrian.

scriptidorsum Mars. *R.m.*
scripticollis Sfr.

hieroglyphicus Laich. *Su.*
victerius Weise [*E.m.*]

v. tristis Laich.

histrio F.

v. italicus Weise

Suffriani Schauf. *Hi.b.*
terminalis Sfr. *Lu.*

piceus Sfr. *R.m.*
suturalis Weise *G.Ga.*

v. gallicus Weis.

flexuosus Weise *Ti.Si.Gr.*
v. viennensis Weis. *A.*

pallidulus Kiesw. *P.*
scriptus H. Schäff. *I.C.S.*

v. erycinus Géné

v. Hellwigi Weise

linelolatus Sfr. *Hi.m.*
pteromelas Graëlls *Hi.md.*

Kraatzii Weise *Ht.m.*
fulvipes Mars.

testaceus Perris *C.S.*
v. riguus Mars.

anoguttatus Sfr. *Balear.*
laetificus Mars. ? *R.m.*

scripticollis Fald. *Ca.*
israelita Tapp.

glycirrhizae Ol. *Ca.*
vermicularis Sfr. *R.m.*

*

haliciensis Mill. *Hu.Tr.T.*

v. rufimanus Weise *G.*

hippophaës Sfr. *Alp.*
sinuatus Muls.

v. lignosus Weise

tesselatus Ol. *Ga.G.A.*

histrio Ol. *E.m.*

bisignatus Rdtb.
tauricus Sfr. *R.m.*

v. aethiops Weise

picus Weise *G.A.*

histrio Rdtb.

limbatus Ménatr. *T.Gr.*

v. maculatus Sfr.

v. ater Weise

ciuctus Sfr. *C.S.*

fimbriolatus Sfr. *Ga.S.*

tristis Ol. *E.m.*

v. pteromelas Mars.

probus Weise *R.m.*

mendax Sfr. *R.m.Ca.*
fulvipes Sfr. *Hi.m.*

pradensis Mars. *P.*
baeticus Weise *Hi.m.*

viridissimus Sfr. *Hi.*
v. regius Schauf.

azureus Sfr. *Ga.m.Hi.*

Stylosomus

Suffrian.

tamaricis II. Schäff. *E.m.*
v. cruciatus Weis. [*Istr.*]

macer Weise *R.m.*
erythrocephalus Mars

cylindricus Moraw. *R.m.*

*

ericeti Kiesw. *Hi.*
bituberculatus Dsbr.

ilicicola Germ. *Ti.Ga.Hi.*
v. rugithorax Abeille

minutissimus Germ. *A.*
depilis Ab. [E.m.]

Cyclica

Eumolpini.

Lamprosoma

Kirby.

Oomorphus Curtis.

concolor Sturm *E.m.d.*

Pachnephorus

Redtenbacher.

pilosus Rossi *E.m.d.m.*

arenarius Panz.

lepidopterus Küst.

tesselatus Duft. *E.m.d.m.*

v. sabulosus Gebl.

areuarius Küst.

v. villosus Fairm.

v. villosus Redtb.

ruficornis Lefèvr. *Ca.*

canus Weise *Si.R.m.*

*

villosus Duft. *A.I.T.*

aspericollis Frm. *Gr.*

rugaticollis Mill. *R.m.*

v. chalybaeus Weise

baeticus Weise *Hi.m.*

impressus Rosh. *E.m.*

cylindricus Luc. *Ga.Hi.*

v. corinthius Fairm.

v. hippomensis Desbr.

Brueki Fairm. *Ga.I.*

robustus Desbr. *R.m.*

Schlumbergeri Duf. *P.*

Colaspidea

Laporte

Dia Redtb.

Saportae Gren. *Ga.m.*

metallica Rossi *I.*

aeruginea F.

sphaerooides Fairm.

globosa Küst. *Ga.m.Hi.*

globata Redtb.

aeruginea Fairm.

nitida Luc.

metallica Lefèvr.

abbreviata Desbr.

oblonga Blanch. *I.Ga.Gr.*

nitida Redtb.

proxima Fairm.

Adoxus

Kirby.

Eumolpus Redtb.

Bromius Chap.

obscurus L. *E.*

v. pilobii Weise

v. vitis F. *E.m.d.m.*

Chloropterus

Morawitz.

Nodostoma Redtb.

Heterocnemis Moraw.

versicolor Moraw. *R.m.*

Bedelia

Lefèvre.

angustata Lef. *Ca.*

Chrysocahres

Morawitz.

asiatica Pallas *R.m.*

Chrysochus

Redtenbacher.

pretiosus F. *Ga.G.m.E.m.*

Pales

Redtenbacher.

ulema Germ. *Hu.T.Gr.*

Pseudocolaspis

Laporte.

cylindrica Küst. *Hi.m.*

setosa Luc.

- rubripes Schauf. Gr.
setosa Duv.
graeca Lef. Gr.
- Calliope**
Weise.
Fausti Weise Ca.
- Chrysomelini.**
- Colaphus**
Redtenbacher.
sophiae Schall. E.
Höfti Ménétr. R.m.Ca.
- Colaspidema**
Laporte.
atrum Ol. E.occ.
v. barbarum F.
v. maculicolle Lef.
Dufouri Perez Hi.
rufifrons Ol. ? Lu.Hi.
- Gastroidea**
Hope.
Gastrophysa Redtb.
viridula Deg. E.md.b.
raphani Herbst
v. pennina Weise
alpina Kiesenw.
unicolor Marsh. Hi.
janthina Sfr. Lu.
v. Naceiroi Graëlls
polygoni L. E.
v. ruficollis F.
- Cyrtionastes**
Fairmaire.
seriatoporus Fairm. Cret.
- Entomoscelis**
Chevrolat.
adonidis Pall. Ga.G.E.m.
sacra L. A.E.m.
dorsalis F.
suturalis Weise Gr.P.m.
ruminis F. Hi.m.
- Timarcha**
Latreille.
balearica Gory Bal.
Kiesenwetteri Kr. Hi.m.
sericea Fairm. Hi.m.or.
v. Ehlersi Weise
luggens Rosh. Hi.m.
- Piochardi Fairm. Hi.b.or.
Brulerii Fairm.
fallax Perez Hi.
calceata Perez Hi.
hispanica H. Schäff. Hi.
vermiculata Fairm. Lu.
laevisterna Fairm. Hi.md.
tenuicornis Fairm. Hi.md.o.
rugipennis Perez Hi.md.
erosa Fairm. Lu.
marginicollis Rosh. Hi.m.
insparsa Rosh. Hi.m.
parvicollis Rosh. Hi.m.
coareticollis Fairm. Hi.m.
apricaria Waltl Hi.m.
Paulinoi Kr. Lu.
Seidlitzi Kr. Hi.m.
splendida Perez Hi.md.or.
Heydeni Weise Hi.m.
melitensis Weise Malta
- *
- tenebricosa F. E.md.m.
laevigata Duft.
validicornis Fairm.
angulicollis Mot. Hi.
subcyanea Mot. R.m.
iberica Mot. Ca.
v. semipolita Chevr. I.
v. angusticollis Fairm.
? v. gravis Rosh. Bal.
? v. chalcosoma Fairm. Bal.
? v. Camoensi Fairm. Lu.
nicaeensis Villa Ti.Ga.m.
italica H. Schäff. I.T.
? intermedia H. Schäff.
venosula Weise Carn.Istr.
scabra Ol. Hi.m.
scabripennis Fairm.
pimelioides II. Schäff. S.Si.
laevigata L. ? Hi.m.
rugosa L. ? Hi.m.
sardea Villa S.
- Prunneri H. Schäff.
sicelidis Reiche Si.
sublaevis Fairm. C.
montana Fairm. T.
pratensis Duft. A.I.D.
violaceonigra Deg. E.
coriaria Laich.
angusticollis Duft.
v. aerea Fairm.
v. rugosa Duft.
gallica Fairm. Ga.Hi.
laevigata II. Schäff.
? scutellaris Waltl
parnassia Fairm. Gr.
- interstitialis Fairm. P.
monticola Duf. P.
v. cyanescens Fairm.
v. recticollis Fairm.
globipennis Fairm. Hi.md.
rugosula Rosh. Hi.m.
aspera Chevr.
elliptica Fairm. Bat.
maritima Perris Ga.m.
geniculata Germ. Lu.Hi.b.
sinuatocollis Fairm. P.
strangulata Fairm. P.
Olivieri Fairm. T.
coriaria Ol.
oblongula Fairm. Hi.
rugulosa H. Schäff. Ha.T.
v. Lomnicki Mill. A.
globata Fairm.
- *
- corinthia Fairm. D.
Hummeli Fald. Ca.
v. armeniaca Fald.
metallica Laich. Mnt.E.
v. splendens Matzek
gibba Hoppe Carn.
globosa H. Schäff.
scorteia Germ. Lu.
lusitanica Ol.
occidentalis H. Schäff.
trapezicollis Fairm. Lu.
sphaeroptera Fairm. Hi.
Gougeleti Fairm. Hi.b.
geniculata II. Schäff.
janthinipes Fairm. Lu.
chloropus Germ. Lu.
gallaeciana Chevr.
convexifrons Fairm. Lu.
asturiensis Kr. Hi.b.
- immarginata II. Schäff.?
aerea H. Schäff. D.
- Cyrtonus**
Latreille
rotundatus II. Schäff. Ga.
plumbeus Fairm. Hi.[m.
punctipennis Fairm. P.
elegans Germ. Lu.
montanus Graëlls Hi.
angusticollis Fairm. Hi.
gratiosus Rosenh. Hi.m.
thoracieus Fairm. Hi.
Fairmairei Rosenh. Hi.m.
ruficornis Graëlls Hi.
Eumolpus Fairm. Ga.Hi.

cupreovirens Perez *Hi.*
 Dufouri Dufour *Hi.*
 coaretatus Muls. *Ga.*
 curtus Fairm. *Hi.*
 brevis Fairm. *Hi.*
 corruscans Vuillefr. *Lu.*
 denticulatus Chevr. *Hi.*
 Martorelli Fairm. *Lu.*
 comorphus Fairm. *Hi.b.*

Chrysomela

Linné.

Threnosoma, Chrysolina, Ovostoma, Colaphosoma, Zeugotenia, Chrysomorpha, Taeniosticha, Bittotaenia, Stichoptera, Chalcoidea, Hoplosoma Mot.
 atra II. Schäff. *Si. Ist.*
 helopiooides Suffr. *Hi.m.*
 fimbrialis Küst. *A. Hu.*
 v. molluginis Redtb.
 v. hungarica Fuss
 cribrosa Ahr. *Istr.Cro.D.*
 obscurella Suffr. *Ga.m.*
 pelagica Chevr. *I.*
 tagana Suffr. *Lu. Hi.*
 coerulea Ol. *Alp. Cp. Ca.*
 globipennis Suffr. *T.b.*
 lichenis Richt. *Sil. Op.*
 abena Germ. *Alp. Tr.*
 v. nigerrima Weise [Ca.]
 v. quadricollis Weise
 v. moraviaca Weise
 v. islandica Germ. *Alp.*
 lichenis Duft.
 v. carpathica Fuss. *Tr.*
 Schneideri Weise *Cp.*

*

rufa Duft *G. A. Cp. Tr.*
 ♂ Dahlia Suffr.
 opulenta Suffr.
 squalida Suffr.
 menthae Duft.
 porphyrea Fald. *Ca.*
 caspica Weise *Ca.*
 caucasica Weise ol.
 marcasitica Germ. *Alp.A.*
 subiucrassata Duft.
 v. turgida Weise *Sil.*
 v. pannonica Weis. *Cp.T*
 purpurascens Germ. *G.Cp.*
 crassimargo Duft. *Al.*
 crassimargo Germ. *Alp.*
 v. viridis Weise
 hemisphaerica Grm. *Alp.*
 crassicollis Suffr. *A. Tr.*

olivacea Suffr. *G.Cp.*
 globosa Panz. *Alp.A.*
 ? v. aerea Duft.
 vernalis Brull. *E.m.*
 bicolor Germ.
 v. Ileri H. Schäff.
 v. florea II. Schäff.
 ? incerta II. Schäff.
 v. gallica Weise *P.*
 v. turea Fairm. *T.*
 v. italica Weise *I.*
 pyrenaica Dufour *P.*
 carbonaria Suffr.
 v. bigorrensis Fairm.
 acuticollis Fairm. *Gap*
 cantabrica Heyd. *Hi.b.*
 subaenea Suffr. *P.*
 coriacea Suffr. *Hi.Lu.*
 v. rugipennis Har.
 ? fossulata Suffr.
 cretica Oliv. *Cret*
 v. Olivieri Weise
 orientalis Oliv. *T.Gr.*

*

haemoptera L. *E.*
 v. unicolor Suffr. *Ti.I.*
 atrovirens Friv. *Hu.m.*
 rossia Ill. *Ga.G. A.E.m.*
 femoralis Ol. *P.Al.*
 molluginis Suffr. *Ga.G.A.*
 fuliginosa Ol. *Al.occ.*
 baetica Suffr. *Ga.Hi.*
 v. varipes Suffr. *Lu.*
 affinis F. *Ga.Hi.*
 caliginosa Ol.
 provincialis Harold *Ga.*
 aethiops Ol.
 hyacinthina Suffr. *Si.*
 cribellata Suffr. *Si.*
 Tagenii II. Schäff. *Lu.*
 confusa Suffr. *Ga.*
 rufofemorata Heyd. *Hi.*
 goettingensis L. *E.*
 v. Sturmii Westhof
 v. polonica Weise *R.*
 Banksi F. *E.m.*
 staphylea L. *E.*
 subiucrassata Duft.
 v. subferruginea Sfr.
 v. distincta Küst.
 v. daurica Gebl. *Ca.*
 v. Lederi Weise *Ca.*
 limbata F. *E.*
 Findeli Suffr. *Ist.Cr.*
 limbifera Küst. *R.m.*
 Hochhuthi Suffr. *R.m.*

discipennis Fald. *Ca.*
 Besseri Kryn. *R.m.*
 cruentata Suffr. *Lu.*
 diluta Germ. *E.m.*
 variolosa Petagn. *I.Si.*
 melanostigma H. Sch.
 Sparshalli Curt. *Br.*
 mactata Fairm. *Lu.Hi.*
 limitata Küst. *D.*
 lurida L. *E.md.Ca.*
 gypsophilae Küst. *Ga.A.*
 v. Gaubili Luc. *E.m.*
 sanguinolenta L. *E.*
 lucidicollis Küst.
 stachydis Gené *I.P.Hi.*
 *

marginalis Duft. *Su.E.md.*
 depressa Fairm. *Ga.*
 carnifex F. *E.md.* [Ga.
 v. coerulescens Suffr. Ju
 armeniaca Fald. *Ca.*
 cinctipennis Mannh. *R.m.*
 circumducta Suffr.
 interstineta Suffr. *I.*
 v. subseriata Suffr.
 marginata L. *E.*
 dierythra Rottb. *Si.*
 Graëllsi Perez *Hi.*
 analis L. Panz. *E.*
 Schach F.
 v. lomata Herbst
 Schach Ol.
 v. prasina Suffr. *P.*
 erythromera Luc. *E.m.*
 Schotti Suffr.
 ? meridionalis H. Schff.
 oricalcia Müller *E.*
 lamina F. [I. *Hu.*
 v. laevicollis Ol. *Ga.Br.*
 chalcitis Germ. *D.Ga.Hu.*
 rufoaenea Suffr. *Ga.G.Hi.*
 morio Kryn. *Hu.R.*
 cupreopunctata Rche. *Ca.*
 Sahlbergi Fald. *Ca.*
 grata Fald. *Ca.*
 sculptipennis Fald. *Ca.*
 salviae Germ. *Ga.A.E.m.*
 brunsvicensis Grav. *E.*
 duplicita Zenk. [md.m
 v. cuprina Duft.
 hyperici Forst. *E.*
 fucata F.
 brunsviceus Dft.
 v. gemellata Duft.
 4-gemina Suffr.
 v. subseriopunctata Dtr

- v. alternata Suffr. *Si.*
geminata Payk. *E.b.Mt.*
didymata Scriba *E.md.*
geminata Steph. [m.
corcyrica Suffr. *Gr.Si.*
lepidia Oliv. *Ga.Hi.*
bicolor F. *E.m.*
regalis Oliv.
americana L. *E.m.*
v. lesinae Reitt. *D.*
cerealis L. *E.*
v. laminula H. Schff.
v. ornata Ahr.
v. fulgens Duf. *P.*
v. alternans Panz.
v. 8-vittata Schrank
v. Megerlei F.
v. luxurians Oliv.
v. rufolineata Mot.
v. bivittata Schrank
v. Kiesenwetteri Mot.
v. violacea Schall.
mixta Suffr.
relucens Rosh. *Ti.*
melanaria Suffr. *Ga.m.*
varians Schaller *E.*
hyperici Deg.
v. centaurei F.
v. aetbiops F.
fastuosa L. *E.*
v. galeopsis Schrank.
v. subfastuosa Mot. *Ca.*
angelica Reiche *Ca.*
magnifica Reitt.
violacea Goeze *E.md.*
coerulea Scrib.
nigrita F.
v. herbacea Duft.
?m.rugicollis Weidb. *Bav.*
graminis L. *E.*
menthastris Suffr. *E.md.*
recticollis Mot. *Ca.*
artemisiae Mot. *R.m.*
caucasica Mot. *Ca.*
blanda Mot. *Ga.*
v. fulminans Suffr. *E.m.*
fulgida Duft.
v. resplendens Suffr. *E.*
ignita Suffr. ol. [m.
ventricosa Suffr. *I.m.*
viridana Küst. *E.m.*
chloris Luc.
v. palustris Suffr. *E.m.*
v. aurocuprea Fairm.
asclepiadis Villa *I.*
mixta Küst. *A.*
- aurichalcea* Mannh. *R.m.*
elevata Suffr. ?*Br.*
Suffriani Fairm. *C.*
lucida Oliv. *Ga.m.*
chloromaura Chp. *Ga.Hi.*
laevipennis Suffr. *I.*
lucida Charp. Küst.
grossa F. *Ga.Ti.I.*
gallega Fairm. *Hi.*
polita L. *E.*
- peregrina* H. Schäffer *I.*
lepidia Brull. *Gr.*
Dahli H. Schäff. *Istr.*
stenomiera Duf. *P.*
praticola Duft. *A.*
graminicola Drap. *G.*
Margarita Oliv. *Ga.*
obscurata F. Duft. *A.*
ignita Ol. *Hi.*
- Orina**
Cherrolat.
- Alpaeixena*, *Diochrysa* Mot.
luctuosa Ol. *Alp.*
nobilis Waltl
v. smaragdina Weise
v. cuprina Weise
v. tenebrosa Weise
v. rugulosa Suffr. *Tr.Ban.*
intricata Germ. *Sil.Op.A.*
v. seminigra Weis.
v. amethystina Ws.
?v. Anderschi Duft. *Al.*
aurulenta Suffr. *Tr.*
alpestris Schumm. *Sil.Op.*
intricata var. Suffr. *Tr.*
punctatissima Suffr.
v. rivularis Weise
v. fontinalis Weise
v. olivacea Weise
v. moesta Weise
v. polymorpha Kr. *Thur.*
speciosa Pnz. *Sil.G.*
pretiosa Suffr. *Al.Balk.*
v. variabilis Weise
v. baleanica Weise
gloriosa F. Suffr. *Alp.*
v. venusta Suffr.
tristis Redtb. I.
v. nigrina Suffr. *P.*
superba Ol. Suffr. *II.Pe.*
liturata Scop. *Carn.*
phalerata Germ.
vittigera Suffr. *Alp.*
v. bifrons Duft.
- viridis* Duft. *Alp.*
nivalis Suffr.
v. Heeri Suffr.
v. ignita Comoll.
v. splendens Suffr.
v. lugubris Weise
decora Richter *Sil.Cp.*
v. cyanescens Weise
v. virescens Weise
v. aurata Weise
v. aenescens Suffr. *Al.*
v. mirifica Weis. *Al.or.*
bifrons F. *Alp.*
monticola Duft.
*
Ludovicæ Muls. *P.*
nigriceps Fairm.
melanocephala Dft. *Sfr.*
♂ *Peirolierii* Bassi *MR.*
nigriceps Suffr. *Al.*
? *commutata* Suffr. *Cr.*
melancholica Heer *H.*
v. Peirolierii Suffr.
plagiata Suffr. *Cp.Tr.*
melanocephala Fuss
*
virgulata Germ. *Mt.E.md.*
alcyonea Suffr.
splendidula Fairm. *P.*
fairmairiana Gozis
cacaliae Schrank *G.m.*
v. tristis F. *Alp.*
v. tussilaginis Suffr. *P.*
v. senecionis Schumm.
Gleissneri Suffr. *Cp.Tr.*
v. fraudulenta Ws. *Sil.*
v. tristicula Weise
v. cyanipennis Weise
speciosissima Sep. *E.md.*
speciosa Schumm. *Sil.*
gloriosa Redtb. I.
v. Letzneri Weise *Sil.*
ignita Letzn.
v. viridescens Suffr. *Letz.*
v. coeruleascens Letzn.
v. Schummeli Weise
tristis Ol. Suffr. *Letz.*
v. violacea Letzn.
v. fuscoaenea Schumm.
v. nigrescens Letzn.
v. junceorum Suffr. *Tr.*
v. carpathica Kr. *Cp.*
v. troglodytes Ksw. *MR.*
v. convergens Suffr. *P.*
elegans Aragona *Al.occ.*

Genei Suffr.
elongata Suffr. Al.
v. cyanea Suffr.
v. aenea Suffr.
frigida Weise *Al.occ.md.*
monticola Suffr.

Phytodecta
Kirby.

Gonioceta Redtb.
rufipes Deg. E.
fulvipes Duft.
viminalis L. *Su.E.md.*
v. signata Scop.
v. bicolor Kr.
v basipunctata Pnz.
v. 10-punctata L.
v. friedrichsdalensis Ml.
v. Baaderi Panz.
v. nigripes Deg.
v. calcarata F.
haemorrhoidalis Scop.
flavicornis Suffr. *H.Ti.*
Kaufmanni Mill. *Al.A.*
linneana Schrank *E.md.*
triandrae Suffr. [b.
tibialis Duft.
v. decostigma Duft.
v. Kraatzii Westh.
v. nigricollis Westh.
v. Satanas Westh.
affinis Schönh. *L.Su.Al.*
nivosa Suffr. Al.
v. rufula Kr. Ti.

Spartophila Chevr.
fornicata Brüggm. *G.A.*
6-punctata Pnz. *E.m.*
olivacea Forst. E.
v. flavicans F.
v. litura F.
v. ruftarsis Marsh.

Goniomena Mot.
variabilis Oliv. *Hi.*
capreae Ill. *Lu.Ga.*
v. 6-notata F.
v. spartii Ol.
v. aegrota F.
Grandini Desbr. *Ga.m.*
5-punctata F. *E.md.*
v. dispar Payk. *Su.*
pallida F.
v. punctulata F.
v. norbillosa F.
flavicollis Duft.
pallida L. *Mt.Emd.*

v. undata Thunb. *F.b.*
v. frontalis Ol.

Acanthodon
Weise.
lineatum Gené *C.S.*

Phyllodecta
Kirby.
Phratora Redtb.
vulgatissima L. E.
betulae L.
viennensis Schrank *Mt.E.*
tibialis Suffr. [md.
v. Cornelii Weise
laticollis Suffr. E.
cavifrons Thoms.
Fairmairei Bris. *Hi.b.*
major Stierl. H.
vitellinae L. E.
coerulescens Küst. T.
atrovirens Cornel. G.

Hydrothassa
Thomson.
hispanica Graëlls *Hi.*
aucta F. E.
v. glabra Herbst
egenia Gyll.
Suffriani Küst. C.S.
pumila Reiche
flavocincta Brull. *T.Gr.*
marginella L. *E.md.b.*
hannoverana F. *E.md.b.*
v. potentillae Hrbst.
v. calthae Weise
v. germanica Weise

Prasocuris
Latreille.
Helodes Payk.
phelandrii L. E.
v. sii Weise
v. cicutae Weise
distineta Luc. *E.m.*
marginicollis Suffr.
junci Brahm. E.
beccabungae Ill.
violacea F.
vicina Luc. Si.
chalybaea Suffr.
litigiosa Rosh. *Hi.*

Selerophaedon
Weise.
carniolicus Germ. *Mt.E.*
orbicularis Suffr. [md.

v. transylvanicus Fuss
v. carpaticus Weise *Cp.*
Kenderesi Kiesw.

Phaedon

Latreille.

Emmetrus Mot.

salicinus Heer *Al.P.*
pyritosus Duft. *Cp.*
armoraciae L. *E.md.b.*
betulae Küst. Suffr.
cochleariae Pnz. Gyll.
cochleariae F. E.
gramicus Duft.
laevigatus Duft.
parvulus Duft.
neglectus Sahlb. F.
?hederae Suffr. G.
omissus Sahlb. *F.L.R.*
concinus Steph. *Br.G.R.*
tumidulus Grm. *Br.Ga.P.*
pyritosus Ross. Ol. *E.md.*
graminicola Duft. [m.
galeopsis Letz. *E.md.*
sabulicola Suffr.

Plagioderma

Redtenbacher.

versicolora Laich. E.
armoraciae F. Suffr.
salicis Pnz. Thoms.
v. clavicornis Steph.

Melasoma

Stephens.

Lina Redtb. E.
aeneum L. E.
v. betulae Scop.
v. violaceum Ol.
amethystinum Gmel.
v. haemorrhoidale L.
cupreum F. *E.md.Su.*
ruficaudis Deg.
collare L. *E.md.b.*
salicis F.
Escheri Heer
v. collare F.
v. alpinum Zett.
20-punctatum Scp. *E.md.*
lapponicum L. *E.b.A.*
curvilinea Deg. *Ga.G.*
v. bulgharense F.
coeruleum Gradl

populi L. * E.
tremulae F. E.
orbicularis Suffr. [md. longicolle Suffr. E.

Galerucini.

Agelastica

Redtenbacher.

alni L. E.

Malacosoma

Chevrolat.

lusitanicum L. E.m.
testaceum F. A.Ga.
nigripes Ol.

*

futeicolle Gebler R.m.
cyanopterum Kryn.
lepidum Küst.
triumphans Fald.

Gaudioni Reiche T.
flavipes Heyd. Ca.

Aulacophora

Chevrolat.

Raphidopalpus Redtb.
abdominalis F. E.m.
foveicollis Luc.
signata Kirsch Si.

Phyllobrotica

Redtenbacher.

quadrimaculata L. E.
bimaculata F.
elegans Kr. T.
adusta Creutz. A.Hu. R.

Luperus

Geoffroy.

Calomierus Steph.
nigrofasciatus Goez. E.
spartii Koch /md.
circumfusus Marsh.
brassicae Panz.
suturellus Ill.

suturalis Joann. Hi.m.
fallax Joann. Hi.m.
sordidus Kiesw. Hi.m.
pinicola Duft. Ga.G.R.
Rottenbergi Ragusa Si.
gularis Gredl. Ti.Carn.
Chevrolati Joann. Ca.
cyaneus Joann. D.
v. costalis Joann.
violaceus Harold A.
xanthopus Duft.
fossulatus Joann. Cri.

Luperus i. sp.
flavus Rosh. Hi.m.
Revelierei Perris C.
abdominalis Rosh. Hi.m.
pygmaeus Joann. I.
foveolatus Rosh. Hi.m.

sulphuripes Graëlls
niger Goeze E.md.
rufipes Goeze
dispar Redtb.
floralis Fald. Ca.
armeniacus Kiesw. Ca.
aetolicus Kiesw. Gr.
rufipes Scop. E.md.b.
longicornis F.
betulinus Joann.

diniensis Bellier D.MC.
xanthopoda Schrank E.
rufipes F. /md.
pallipes Bach
Kiesenwetteri Joann. R.m.
oxypterus Fald. Ca.
orientalis Fald.

amoenus Fald. Ca.
flavipes L. E.md.
v. megalophthalmus Jo.
v. maculicornis Dsbr. C.
carniolicus Kiesw. Carn.
laevis Kiesw. C.
cyanipennis Küst. Mont.
nigripes Kiesw. Alp.
v. geniculatus Joann.

discolor Fald. Ca.
Garieli Aubé Ga.

viridipennis Germ. Ga.I.
coeruleoescens Dft. A.G.
v. caucasicus Weis. Ca.
Biraghii Ragusa Si.
aetnensis Rottb.

pyrenaeus Germ. P.
Maerkeli Mot. G.
collaris Humm. R.m.

Lochmaea

Weise.

pallidipennis Küst. T.Ca.
flava Küst. R.or.
capreae L. E.
suturalis Thoms. Su.G.
crataegi Forst. Dft. E.
sanguinea F.
♂ tibialis Duft. A.
femoralis Duft.
v. pallida Joann.
seutellata Chevr. Ga. Hi.

rufa Germ. Ga.Hu.Gr.Cro.
reticulata Küst. R.m.
melanocephala Ponza Ga.
aptera Bon. E.m.
haematidea Germ. A.

Arima

Chapuis.

marginata F. Ga.I.
brevipennis Ill.
brachyptera Küst. A.

Trirhabda

Leconte.

Pyrrhalta Joann.

viburni Payk. E.md.b.

Galerucella

Crotch.

Galeruca auct.

nymphaeae L. E.
aquatica Fourer. E.
sagittariae Gyll.
xanthomelaena Schrk. E.
calmariensis F.
persica Fald. Ca.
lineola F. E.
maculicornis Fald. Ca.
calmariensis L. E.
lythri Gyll.
aquatica Müll.
tenella L. E.
pusilla Duft.
minima Weidenb. Bav.
grisescens Joann. Si.

Diorhabda

Weise.

elongata Brull. E.m.
carinata Fald.
sublineata Luc.
costalis Muls.
carinulata Desbr. R.m.

*

Fischeri Fald. Ca.
v. subnigra Weise
sareptana Stierl. R.m.

Galeruca

Geoffroy.

Adimonia Laich. et auct.
sardoa Gené S.
orientalis Osculat T.
turcica Joann. T.
barbara Er. Hi.m.
sicana Reiche Si.

spectabilis Fald. *Ca.*
artemisiae Rosh. *Hicret.*
littoralis F. *E.m.*
rufescens Joann. *Ga.m.*

Maechoi Joannis *Lu.*
tanaceti L. *E.*
hungarica Friv. *Hu.*
glabra Fisch. *R.m.*

luctuosa Joann. *Hi.*
obscura Joann. *Gr.D.*
ponomae Scop. *E.*

rustica Schall.
v. dispar Joann. *Ga.*
rugosa Joann. *Cro.*
cicatricosa Chevr.

Miegi Perez *Hi.*
Pelleti Joann. *T.*
Reichei Joann. *Si.*
Gredleri Joann. *Ti.*

corsica Joann. *C.*
gibbosa Reiche *Gr.*
monticola Kiesw. *P.*
lobata Joaun. *T.*

fuliginosa Joann. *Gr.Ca.*
declivis Joann. *Serb.*
angusta Küst. *Hi.*
oelandica Boh. *Su.*

circumdata Duft. *A.*
florentina Redt. *I.R.*
jucunda Fald. *Ca.*
interrupta Ol. *E.*

circumeineta Mannh. *F.*
silphoides Sahlb. *R.m.*
Javeti Joann. ?

Haagi Joann. *Hi.m.*
Bonvouloiri Joann. *R.m.*
abbreviata Joann. *Pe.*

brevis Joann. *Ill.*
erratica Joann. *P.*

Aubei Joann. *Ga.m.*
laticollis Sahlb. *E.md.*
fontinalis Bol. *Su.*

Villae Comolli. *I.*
Dahli Joann. *E md.*

Agelasa

Motschulsky.

Sermyla Chapuis.

halensis L. *E.md.m.*
nigricornis F.

Monolepta

Erichson.

erythrocephala Ol. *Ga.*
terrestris Rosh. *Hi.*

Halticini.

Podagraria

Foudras.

fuscipes L. *E.*

malvae Ill. *Ga.A.E.m.*

semirufa Küst. *Ga.m.*

italica All. *C.*

intermedia Kutsch. *E.m.*

Menetriesi Fald. *Ca.*

discedens Boield. *E.m.*

rudicollis Foudr.

fusicornis L. *E.*

rufipes F.

fulvipes F.

v. chrysomelina Waltl

Crepidodera

Chevrolat.

rufipes L. *E.*

ruficornis F.

sodalis Kutsch. *I.b.*

serbica Kutsch. *Serb.*

strangulata All.

femorata Gyll. *Mt.E.md.*

femoralis Duft. *Su.*

melanopus Kutsch. *P.*

Peirolierii Kutsch. *Alp.*

corpulenta Kutsch. *Tr.Ca*

melanostoma Redt. *Alp*

transsylvania Fuss. *Tr.*

rhaetica Kutsch. *II.*

cyanescens Duft. *Alp.*

cyanipennis Kutsch. *Alp.*

nigritula Gyll. *Su.Ga.G.*

ovulum Duft. *A.*

simplicipes Kutsch. *St.*

Chalcoides

Foudrasia Gozis

nitidula L. *Su.E.md.*

aurata Marsh. *E.*

versicolor Kutsch.

metallica Duft. *A.*

helxines Foudr.

smaragdina Foudr. *Ga.G.*

versicolor var. Ktseh.

chloris Foudr. *Su.Ga.G.*

aureola Foudr. *Ga.m.*

helxines L. *E.*

fulvicornis F.

v. viridicoerulea Deg.

v. violaceopunctata Dg.

v. cyanea Marsh.

Hippuriphila Foudr.

Modeeri L. *E.*

Arrhenocoela Foudr.

lineata Rossi *Ga.Hi.I.*

*

impressa F. *E.md.m.*

rufa Küst.

transversa Marsh. *E.md.*

impressa Duft. *[m.*

exoleta Ol.

ferruginea Ill.

ferruginea Scop. *E.*

exoleta F. Gyll.

v. marginicollis Küst.

classicornis Fald. *Ca.*

peregrina Harold *Hi.Si.*

laevigata Foudr.

ventralis Ill. *E.m.*

abdominalis Küst.

nigriventris Bach

rubicunda Perris *C.*

corsica All.

pisana All. *I.*

Ochrosis Foudr.

salicariae Payk. *E.md.*

striatella Ill. *I.*

Orestia

Germar.

Kraatzi All. *D.*

andalusiaca All. *Hi.*

Pandellei All. *P.*

arcuata Mill. *Cp.*

Aubei All. *Ill.Hu.m.*

carpathica Reitt. *Cp.*

caucasica Reitt. *Ca.*

punctipennis Luc. *C.*

alpina Germ. *Alp.*

Hampei Mill. *Cro.*

puncticollis Reitt. *Tr.*

sierranae Heyd. *Hi.md.*

Electra Gredler *Ti.*

Paveli Friv. *Hu.m.*

Hypnophila

Foudras.

Minota Kutsch.

obesa Waltl *Mt.E.md.*

caricis Märkel

impuncticollis All. *P.*

Epitrix

Foudras.

pubescens Koch *E.*

intermedia Foudr. *Ga.*

atropae Foudr. *E.md.*

Mantura

Stephens.

Balanomorpha Foudr.
Cardiapus Curtis.

- rustica* L. E.
 semiaenea F.
 chrysanthemi Koch E.
 obtusata Gyll. *Su.E.md.*
 ambigua Kutsch. *Ga.G.*
 Matthewsi Curt. *Br.*
 aeraria Foudr.
Iutea All. *Ga.Hi.*

Chaetocnema

Stephens.

- Plectroscelis* Redtb.
major Duv. P.
chlorophana Duft. *Ga.G.*
 dentipes Ol. [E.m.
Scheffleri Kutsch. A.
semicoerulea Koch *E.md.*
concinna Marsh. E.
 dentipes Koch
breviuscula Fald. Ca.
laevicollis Thoms. Su.
tibialis Ill. *Ga.G.E.m.*

*

- conducta* Mot. *Ga.Hi.A.R*
depressa Boield. *Ga.m.*
 chrysicollis Foudr.

- Chaetocnema* i. sp.
procerula Rosh. *Ga.A.*
 compressa Foudr. *Hi.*
compressa Letzn. *Sil.*
 tarda Foudr. *Ga.A.Gr*
angustula Rosh. *Alp.P.*
 balanomorpha Boield

*

- Mannerheimi* Gyll. *E.md.*
aridula Gyll. E.
confusa Boh. *E.md.Su.*
 arida Foudr.
arenacea All. *Ga.Hi.*
seabricollis All. *Ga.m.*
subcoerulea Kutsch. *A.Ga.*
punctulata Muls. *Ga.*
Sahlbergi Gyll. *E.md.b.*
 v. insolita All.
hortensis Fourer. E.
 aridella Payk.
acerosa Letzn. *Mt.E.md.Hi*
 punctatissima Grills.
meridionalis Foudr. *Ga.A*
 obesa Boield. *Hu.*

Psylliodes

Latreille.

- anglica* F. *Br.Ga.G.*
 nigricollis Marsh.
chrysocephala L. E.
 napi F. Panz.
 v. erythrocephala L.
cyanoptera Ill. Redtb. E.
 elongata Gyll.
catinensis Rottb. Si.
laticollis Kutsch. Si.
 napi Koch E.
 rapae Ill.
 v. ecalcarata Redtb.
 v. flavicornis Weise Sil.
laevata Foudr. *Ga.Ti.*
Milleri Kutsch. *A.Gr.*
thlaspis Foudr. *Ga.A.*
fusiformis Ill. *Ga.G.*
 luteipes Küst. *E.m.*
luridipennis Kutsch. *Br.*
cuprea Koch *Ga.G.Hi.*
 v. cupronitens Först.
 herbacea Foudr.
Foudras Bach *H.Ga.*
 cuprea Foudr.
pyritosa Kutsch. Cr.
cupreata Duft. *E.md.*
instabilis Foudr. *E.md.*
attenuata Koch *E.md.*
 v. vicina Redtb.
nucea Ill. *Ga.Hi.Lu.*
Kunzei Foudr. A.I.
sicana Muls. Si.
marcida Ill. *E.mar.*
 operosa Foudr.
affinis Payk. E.
 exoleta Ill.
 atricilla Panz.
circundata Redtb. *Ga.G.I.*
 picipes Redtb. *A.G.Ga.*
 ? brunnipes Duft.
subaenea Kutsch. *A.Tr.*
aerea Foudr. *Ga.A.*
lauticollis All. *Ga.Si.*
pallidipennis Rosh. *Hi.*
 marcida Foudr. *Ga.*
- *
- dulcauarae* Koch E.
chaleomera Ill. E.
hyoscyami L. E.*md.*
laevifrons Kutsch. *Si.Hi.*
obsuroaenea Rosh. *Hi.*
picina Marsh. E.*md.*
 piecea Redtb.

rufilabris Koch.

v. *melanophthalma* Dft.

rufopicea Letzn.

piecea Foudr.

luteola Müller *Br.Ga.G.*

propinquus Rdt. A.

algirica All. Si.

puncticollis Rosh. Hi.

crassicollis Fairm.

dilatata Foudr. Ga.

ventricosa Rottb. Si.

glabra Duft. Alp.

alpina Redtb.

*

cucullata Ill. E.

angustata Waltl

vicina Boield.

spergulae Gyll.

sicula Stierl. Si.

petasata Foudr. MR.

minima All. P.

Kiesenwetteri Kutsch. Cr.

callinota Fald. Ca.

gibbosa All. E.m.

inflata Reiche Ti. E.m.

Gougeleti All. Hi.

obscura Duft. A.

Lithonoma

Rosenhauer.

cineta F. Ga.m.Hi.

marginella F.

limbata F. Hi.

andalusica Rosh.

Favieri Fairm. Hi.m.

eyanea Tourn.

Haltica

Geoffroy.

Graptodera All.

erucae Ol. Ga.G.Hi.

querectorum Foudr.

bicarinata Kutsch. Ca.

coryli All. Ga.Hi.

brevicollis Foudr. G.

ampelophaga Guér. Br.G.

consobrina Foudr. Hi.

lythri Aub. E.

♀ *consobrina* All.

tamaricis Schrnk. Ga.G.

hippophaës Aub. R.J.

consobrina Duft. Su.

hispana Allard. Hi.

ericeti Allard. Ga.G.

♂ longicollis All.
splendens Muls. P.
oleracea L. E.
v. *basalis* All.
v. *secula* All.
v. *carduorum* Guér.
helianthemi All. *Ga.P.*
pusilla Duft. *Mt E.md.*
potentillae All.
v. *cognata* Kutsch.
montana Foudr.

Hermoeophaga

Foudras.

Linozosta All.

cicatrix Ill. *Ga.Lu.Hi.*
mercurialis F. *Su.E.md.*
ruficollis All. *Hi.Si.*

Batophila

Foudras.

rubi Payk. *E.md.b.*
aerata Marsh. *Br.Ga.H.*
Bertolini Gredl. *Ti.[Ca.*
pyrenaea All. P.

Phyllostreta

Foudras.

armoraciae Koch *E.md.*
tetrastigma Com. E.
dilatata Thoms. *Su.*
flexuosa Ill. *E.md.m.*
fallax All.

flavoguttata Kutsch. *Gr.*
exclamationis Thunb. *Su.*
brassicae F. *Br.Ga.*

4-*pustulata* Payk. *G.*
ochripes Curt. E.
excisa Redtb.

bimaculata All. *Ga.Si.*
biguttata Foudr.

?*rugifrons* Küst. S.
horticola Richter *G.*
caucasica Harold *Ca.*

parallela Boield. *Ga.m.*
humeralis Foudr.

sinuata Steph. E.
undulata Kutsch. E.
flexuosa Redtb. I.

nemorum L. E.
vittula Redt. E.

variipennis Boield. *E.m.*
varians Foudr.

lativittata Kutsch. *Gr.*
*

Foudrasi Bris. Ga.

aterrima Schrank E.
atra Payk.
elongata Steph.

cruciferae Goeze E.
obscurella Ill.
poeciloceras Com.

colorea Foudr.
punctipennis Weidb.
diademata Foudr. *Ga.G.*

punctulata Marsh. *E.md.*
melaena Ill. *Ga.G.*

crassicornis All. *Ga.*
nigripes F. E.

lepidii Koch
procera Redtb. *E.md.m.*

nodicornis Marsh. *Br.Ga.*
antennata Koch *G.*
corrugata Reich. *Ga.Gr.*

rivularis Mot. R.m.

Aphthona

Allard.

cyparissiae Kch. *E.md.m.*
nigriventris All. *A.Hu.*

nigriscutis Foudr. *R.*
laevigata F. E.m.
variolosa Foudr. *Ga.*

pallida Boield.
albinea Foudr. *Ga.G.*
abdominalis All.

flaviceps All. *Ga.A.*
straminea Foudr.
lutescens Gyll. *Su.E.md.*

nigriceps Redt. E.m.
Sicula Foudr.

decorata Kutsch. *Cret.*
pallida Bach *Ga.G.*
placida Kutsch. A.

pallida Kutsch.

*

semicyanea All. *Ga.D.Cro*
nonstriata Goeze. E.

coerulea Payk.
? *pseudacori* Marsh.

gracilis Falb. Cu.
hilaris Steph. *Ga.G.*
virescens Foudr.

subaptera Muls. Ga.
depressa All. Ga.

venustula Kutsch. E.
euphorbiae All.
cyanella Foudr.

Heydeni Allard. Hi.
atrococerulea Steph. E.
cyanella Redtb.

euphorbiae Foudr.
carbonaria Rosenh. Hi.
pygmaea Kutsch. Ga.G.

nigella Kutsch. D.
violacea Koch E.

pseudacori Foudr.
sublaevis Bohem.

Perrisi Allard. C.
sardea Allard. S.

punctiventris Muls. Ga.
euphorbiae Schrank. E.m.

ovata Foudr. E.m.
delicatula Foudr. Ga.

Erichsoni Zett. G.E.b.
nigritarsis Mot.
curvifrons Bach

aenea Allard. Ga.
atrovirens Först. Su.G.

tantilla Foudr. Ga.
atrata All. Ga.m.
Albertinae All. Hi.

Allardi Bris.
punctigera Muls. Ga.m.
subimpressa Muls. Ga.m.

hispana All. Hi.
puncticollis All. I.
herbigrada Curt. E.m.

campanulae Redt.
v. *laevicollis* Muls. Ga.
v. *dimidiata* Muls.

lacertosa Rosenh. Hu.T.
divaricata Redt. A.
fossulata All. Ga.m.

Longitarsus

Latrelle.

Thyamis Steph.

Teinodactyla Foudr.

Linnaei Duft. Ga.A.R.
echii Koch E.m.m.

tibialis Duft.
dimidiatus All. Ga.m.
fusco-aeneus Redt. Ga.G.

corynthus Rich. E.m.
metallescens Foudr.

aeneus Kutsch. Ga.Hi.
fusco-aeneus Foudr.

cuprius Kutsch. Gr.
mediterraneus All. Ga.m.
pulex Schrank E.m.

obliteratus Rosh.
cousociatus Först.

anchusae Payk. E.
absinthii Kutsch. Ga.G.
niger Koch E.

elongatus Bach

rectilineatus Foudr.	<i>E.m.</i>	senecionis Mot.	<i>Carn.</i>	laevis All.
ater F.	<i>E.</i>	monticola Kutsch.	<i>St.</i>	rudipennis All.
parvulus Payk.		atricillus L.	<i>E.</i>	<i>C.</i>
pumilus Illig.		fuscicollis Foudr.		flavicornis Steph.
nigerrimus Gyllh.	<i>Su.</i>	aeneicollis Fald.	<i>Ca.</i>	<i>Br.Ga.</i>
subquadratus All.	<i>Ga.</i>	distinguendus Rye	<i>Br.</i>	rubiginosus Foudr.
apicalis Beck	<i>E.m.d.b.</i>	4-maculatus Weidenb.	<i>G.</i>	candidus Foudr.
analisis Duft.		atricapillus Duft.	<i>E.</i>	ochroleucus Marsh.
Fischeri Zett.		senecionis Bris.		pellucidus Foudr.
praticola Sahlb.		atricillus Foudr.		testaceus All.
holsticus L.	<i>E.</i>	melanocephalus All.		canescens Foudr.
4-guttatus Pontopp.	<i>E.</i>	melanocephalus Deg.	<i>E.</i>	helvolus Kutsch.
4-pustulatus F.		atriceps Kutsch.		ferrugineus Foudr.
4-signatus Duft.	<i>A</i>	crassicornis Foudr.	<i>Ga.</i>	membranaceus Fdr.
ventricosus Foudr.	<i>Ga.</i>	nigrocillus Mot.	<i>Hi.</i>	<i>Br.</i>
subrotundus All.	<i>P.</i>	piciceps Steph.	<i>E.</i>	teuerii All.
fulgens Foudr.	<i>Ga.m.</i>	atricapillus Redt.		<i>Ga.</i>
submaculatus Kutsch.	<i>F.</i>	picipes All.		laevis Duft.
pallidicornis Kutsch.	<i>A.</i>	Poweri All.		<i>E.</i>
castaneus Duft	<i>Ga.G.Su.</i>	subterlucens Foudr.	<i>Ga.</i>	succineus Foudr.
conspiciabilis Fald.	<i>Ca.</i>	longipennis Kutsch.	<i>Ga.</i>	vitreus Kutsch.
gravidulus Kutsch.	<i>Alp.</i>	femoralis Redt.	<i>A.</i>	cerinus Foudr.
brunneus All.		pratensis All.		ordinatus Foudr.
luridus Scop.	<i>E.</i>	lycopti Foudr.	<i>Ga.</i>	brunniceps All.
brunneus Duft.	<i>E.</i>	tantulus Foudr.		<i>I.</i>
luridus var. Gyll.		obsoletus Muls.	<i>Ga.m</i> [<i>A.</i>	nanus Foudr.
minusculus Foudr.	<i>Ga.G.</i>	abdominalis Duft.	<i>All.</i> <i>Ga.</i>	brevicollis Kutsch.
gibbosus Foudr.	<i>Ga.</i>	iuncicola Foudr.	<i>Ga.m.</i>	seriatus Kutsch.
Bonnairei All.	<i>C.</i>	substriatus Kutsch.		gracilis Kutsch.
rubellus Foudr.	<i>Ga.G.</i>	ballotae Marsh.	<i>E.b.</i>	liliputanus All.
languidus Kutsch.		pallens Steph.	<i>Br.Ga.G.</i>	viduus All.
dorsalis F.	<i>Ga.G.Hi.</i>	gracilicornis Muls.	<i>Ga.Si.</i>	Dibolia
stragulatus Foudr.	<i>E.m.</i>	medicaginis All.	<i>Ga.</i>	<i>Latreille.</i>
circumseptus All.		fusculus Kutsch.	<i>Br.</i>	femoralis Redt.
lateripunctatus Rosh.	<i>Ga.</i>	pusillus Gyll.	<i>E.</i>	<i>Ga.G.</i>
biguttatus Fdr.	<i>Hi.Si.</i>	funereus Muls.	<i>Ga.</i>	aurichalcea Först.
nasturtii F.	<i>E.</i>	scutellaris Muls.	<i>Ga.m.</i>	occultans Koch
circumscriptus Bach		minimus Kutsch.	<i>A.Hi.</i>	<i>E.</i>
suturalis Marsh.	<i>E.</i>	exoletus L.	<i>E.</i>	paludina Foudr.
nigricollis Foudr.		femoralis Marsh.		Försteri Bach
rubenticollis All.	<i>Lu.</i>	boppardiensis Bach		<i>Ga.G.</i>
suturrellus Duft.	<i>E.</i>	pratensis Foudr.		buglossi Foudr.
thoracicetus Stph.	All.	australis Muls.	<i>Ga.</i>	Foudraši Muls.
tabidus F.	<i>E.</i>	livens Muls.	<i>Ga.</i>	<i>Ga.</i>
v. verbasci Panz.		sternalis Muls.	<i>Ga.m.</i>	depressiuscula Ltzn.
v. dorsalis Rossi		pectoralis Foudr.	<i>Ga.</i>	<i>G.II.</i>
thapsi Marsh.		Reichei All.	<i>Br.Ga.</i>	laevicollis Foudr.
borealis Zett.		paleaceus Muls.	<i>Ga.</i>	cryptocephala Koch
sisymbrii F.	<i>E.</i>	rutilus Ill.	<i>G.Ili.</i>	<i>Ga.</i>
suturaus Foudr.		pratensis Panz.	<i>Br.Ga.G.</i>	cynoglossi Koch
nebulosus All.	<i>C.</i>	Waterhousei Kutsch.		<i>E.md.III.</i>
papaveris All.	<i>Ga.</i>	jacobsae Waterb.	<i>Br.Ga.</i>	rugulosa Redt.
lateralis Ill.	<i>Ga.A.E.m.</i>	tabidus Ol.	<i>G.</i>	<i>E.md.</i>
patruelis All.	<i>Ga.</i>	agilis Rye	<i>Br.</i>	Pelleti All.
curtus All.	<i>Ga.</i>	rufulus Foudr.	<i>E.m.</i>	Schillingi Letzn.
mosecovita All.	<i>R.</i>	aeruginosus Foudr.	<i>Ga.</i>	<i>G.E.m.</i>
				punctillata Foudr.
				timida Ill.
				<i>Ga.G.E.m.</i>
				Chevroleti All.
				<i>R.m.</i>
				metallica Mot.
				aerata Dalm.
				<i>A.</i>
				Apteropeda
				<i>Redtenbacher.</i>
				globosa Ill.
				<i>Alp.</i>
				conglomerata Ill.
				globus Duft.
				majuscula Foudr.
				nigroaenea Weidenb.

splendida All. *P. Alp.*
globosa Foudr.
orbiculata Marsh. *E. md.*
graminis Koch.
ciliata Ol.
ovulum Ill. *Lu.*

Mniophila

Stephens.

muscorum Koch *Su.E.md.*
Wroblewskii Wank.

Sphaeroderma

Stephens.

testaceum F. *Su.E.md.*
rubidum Graëlls *E.m.*
cardui Gyll. *Su.E.md.*

Argopus

Fischer.

Dicherosis Foudr.

bicolor Fisch. *R.Hu.*
discolor Bielz.
nigritarsis Gebl. *R.m.*
Ahrensi Germ. *Ga.G.A.*
hemisphaericus Duft.
brevis All. *Ga.m.*

Hispani.

Hispa

Linné.

atra L. *E.*
aptera Mot. *E.*
testacea L. *E.m.*

Leptispa

Baly.

Leptomorpha Germ.
filiformis Germ. *Si.*

Cassidini.

Cassida

Linné.

canaliculata Laich. *Ga.*
austriaca F. *G.E.m.*
v speciosa Brahm *R.*
murræa L. *E.*
maculata L.
v. immutabilis Suffr.
fastuosa Schall. *E.*
vittata F.
v. vittata Ahr. *R.m.*

sanguinosa Suffr. *E.md.*
sareptana Kr. *R.m.*
vibex L. *E.*
rubiginosa Müll. Ill.
viridis F.
singularis Steph.
prasina F.
? alpina Bremi *H.*
graeca Kr. *Gr.*
ferruginea Goeze *E.*
thoracica Fourer.
viridis Payk.
liriophora Kirby *E.*
vibex F.
dorsalis Herbst
deflorata Suffr. *E.m.*
herbea Luc.
? ♂ lata Suffr.
humeralis Kr. *Hi.m.*
inquinata Brull. *E.m.*
Bohemani Bris.
v. depressa Suffr.
seladonia Gyllh. *E.*
filaginis Perris
rotundicollis Bris.
sordida Bris. *Hi.*
algirica Luc. *E.m.*
prasina Boh.
hexastigma Suffr. *E.m.*
chloris Suffr. *E.md.*
languida Cornel.
artemisiae Bris. *Hi.*
stigmatica Suffr. *G.Hu.R.*
rufovirens Suffr. *G.*
denticollis Suffr. *Su.E.md.*
sanguinolenta Müll. *E.*
v. prasina Ill.
viridana Ilbst.
flaviventris Kr. *R.m.*
ornata Creutz. *Ga.G.Hu.*
azurea F.
v. lucida Suffr.
? rosea Bohem. *St.*
desertorum Gebl. *R.m.*
vittata Villers *E.md.m.*
oblonga Ill.
nobilis L. *E.*
v. laevis Herbst
v. pulchella Panz.
margaritacea Schall. *E.*
superba Gmel.
subreticulata Suffr. *Ga.G.*
v. splendidula Suffr. *I.*
mollis Boh. *Lu.*
pusilla Waltl *Ga.Hi.I.*
puncticollis Suffr.

pupillata Boh. *Si.*
lineola Creutz. *A.Hu.R.*
♂ russica Herbst
♀ signata Herbst
nebulosa L. *E.*
affinis F.
tigrina Deg.
v. nigra Herbst
subferruginea Schrank *E.*
ferruginea F.
fusca Laich.
meridionalis Boh. *Ga.m.*
flaveola Thunb. *E.*
obsoleta Ill.
nebulosa F.
pallida Payk.
exculpta Charp.
berolinensis Suffr. *Ga.G.*
atrrata F. *G.A.R.*
viridis L. *E.*
equestris F.
nigriceps Fairm. *Lu.Hi.*
corii Fairm. *Cret.*
hemisphaerica Herbst *E.*
concinna Steph.
anglica Curtis
bella Fald. *R.m.*
seraphina Mén. *T.Gr.*
v. hablitziae Mot. *Ca.*
testudo Suffr.

corallina Boh. *Hi.*
deflexicollis Boh. *Ga.m.*
plana Charp. *P.*
suadae Halid. *Si.*

Coccinellidae

Hippodamia

Mulsant.

tredecimpunctata L. *E.*
padana Muls.
11-maculata Harrer
trinaeris Fourer.
vittata Goeze
v. signata Fald. *Ca.*
v. borealis Weise *G.*
7-maculata Deg. *Su.G.*
oblonga Herbst
segetalis Naëzen
v. rubra Weise *G.*
v. continua Weise *G.*

Adonia

Mulsant.

- variegata Goeze E.
 mutabilis Scrib.
 4-punctata Müll.
 5-maculata F.
 6-punctata F.
 constellata Laich.
 obversepunctata Schr.
 carpini Fourer.
 9-punctata Schrank
 corsica Reiche
 v. immaculata Gmel.
 v. limbata F.
 arctica Schneid. L.

Anisosticta

Duponchel.

- 19-punctata L. E.
 v. Tiesenhausenii Weise
 strigata Thunbg. *Ti.*
 dohrniana Muls. *Hu.*

Adalia

Mulsant.

- obliterata L. E.
 obsoleta Schneid.
 M-nigrum F.
 v. pallida Thunb.
 v. livida Deg.
 6-notata Thunb.
 v. fenestrata Weise
 v. fumata Weise
 bothnica Payk. *E. md. b.*
 Faldermanni Humm.

- v. decas Beck
 v. destituta Weise
 v. reticulum Weise
 rufocincta Muls. *MR.*
 alpina Villa *Alp.*
 v. tirolensis Weise
 frigida Schneid. *E. b.*
 v. ophthalmica Muls.
 v. hyperborea Payk.
 arctica Thunb.

- bipunctata L. E.
 bioculata Say
 dispar Schneid.
 v. Herbsti Weise
 v. unifasciata F.
 v. perforata Marsh.
 v. annulata L.
 v. pantherina L.
 tripustulata Zschach.

- v. semirubra Weise
 v. 6-pustulata L.
 4-pustulata Scop.
 4-maculata Scop.
 4-punctata Donov.

- v. Simoni Weise
 v. lugubris Weise
 v. dorsimacula F.
 fasciatopunctata Fald.
 stictica Muls. *Ca.*
 Revelierei Muls. *E. m.*
 v. Damryi Weise
 v. sardiniensis Weise
 v. decipiens Weise
 maritima Mén. *Ca. or.*
 Schneideri Weise *Ca.*

- Semiadalia Crotch.
 notata Laich. *Mt. E. md.*
 inquinata Muls.
 v. elongata Weise
 11-notata Schneid. *E. md.*
 cardui Brahm *[m.]*
 9-punctata Fourer.
 fulvimana Mot.
 distincta Redtb.
 v. graminis Weise
 apicalis Weise *Ca.*

Bulaeä

Mulsant.

- Lichatschovi Humm. *R.*
 19-notata Gebl. *Hu. T.*
 pallida Muls.
 v. pallida Mot. *Hi.*
 lividula Muls.
 v. coronata Weise *Ca.*

Coccinella

Linné.

- 7-punctata L. E.
 v. lueida Weise
 v. divaricata Oliv.
 v. confusa Wiedem.
 v. anthrax Weise
 distincta Fald. *Ca R. m.*
 v. magnifica Redtb. *E.*
 labilis Muls.
 v. domidœa Weise
 v. intertexta Weise
 transversoguttata Fald.
 v. 5-notata Kirb. *L.*
 ephippiata Zett.
 trifasciata L. *E. b.*
 5-punctata L. E.

- v. Rossii Weise
 tripunctata Rossi
 v. multipunctata Ws.
 v. arcuata Weise

- undecimpunctata L. *E.*
 aegyptiaca Reiche
 v. tripunctata L. Mot.
 4-maculata F.
 9-punctata L.
 oculata Westm.
 v. nigrofasciata Rossi
 decempunctata L. *E.*
 variabilis F.

- v. lutea Ross. Schauf.
 v. 4-punctata L.
 subpunctata Schrnk.
 6-punctata L.
 6-maculata Thunb.
 8-punctata Müll.
 12-punctata Müll.
 13-maculata Forst.

- v. consolida Weise
 v. 10-pustulata L.
 obliquata Reiche
 guttatopunctata L.
 humeralis Schall
 pantherina Deg.
 v. bimaculata Pont.
 bipustulata Herbst
 bimaculosa Herbst
 inconstans Schauf.
 austriaca Schrank
 unifasciata Scrib.
 v. nigrina Weise

- hieroglyphica L. E.
 hastata Ol.
 8-pustulata Thunb.
 v. brunnea Weise
 v. lineolata Marsh.
 v. flexuosa F.

- sinuata Naëz. [Brhm.
 v. marginemaculata
 bistriverrucata Haw.
 v. areata Panz.
 14-pustulata L. E.
 v. nigropicta Weise
 sinuatomarginata Fald.
 ambigua Gredl. *Al. Ca.*
 Ghiliauii Bell.

- lyncea Ol. E. m.
 agnata Rosh. *[A.]*
 v. 12-pustulata F. *Ga. G.*
 v. pullata Weise
 * * *
 18-punctata Scop. E.
 impustulata Ill.

gemella Herbst	v. <i>vandalitiae</i> Weise	v. <i>formosa</i> Costa <i>Hi. I.</i>	Subcoccinella
v. <i>vandalitiae</i> Weise	v. <i>ornata</i> Herbst	v. <i>ornata</i> Herbst	<i>Huber.</i>
v. <i>rosea</i> Deg.	Vibidia Muls.	Vibidia Muls.	<i>Lasia</i> Muls.
v. <i>impustulata</i> L.	12-guttata Poda E.	12-guttata Poda E.	24-punctata L. E.
specularis Bon.	bis-6-guttata F.	bis-6-guttata F.	25-punctata L.
v. <i>caucasica</i> Mot. Ca.	v. <i>patricia</i> Weise	23-punctata L.	23-punctata L.
viridula Hampe Tr.	v. <i>eburnea</i> Bell. <i>Ga.Hi.</i>	22-punctata F.	22-punctata F.
Doublieri Muls. <i>Ga.Hi.I.</i>	Thea Muls.	25-punctata Rossi.	25-punctata Rossi.
v. <i>gaditana</i> Weise	vigintiduopunctata L. E.	globosa Schneid.	v. <i>livida</i> Herbst
v. <i>scripta</i> Weise	v. 27-punctata Mot. <i>E.m.</i>	impernata Deg.	immaculata Rossi
formosa Grav. E.	flaviventris Schauf.	sapouariae Huber	sapouariae Huber
Harmonia	v. 20-punctata F. E.	4-notata F.	4-notata F.
Mulsant.	v. <i>signifera</i> Weise	v. <i>meridionalis</i> Mot.	v. <i>haemorrhoidalis</i> F.
4-punctata Pont. E.	Propylea Muls.	centrimaculata Rossi	Rhizobius
marginepunctata	conglobata L. Ill. E.	<i>Stephens.</i>	
16-punctata F. [Schall]	v. <i>parumpuuctata</i> Sajo	litura F. E.	
v. <i>sordida</i> Weise	v. <i>tessulata</i> Scop.	testaceus F.	
Mysia	v. <i>suturalis</i> Weise	pallidulus Muls.	
Mulsant.	v. <i>Frivaldszkyi</i> Sajo	lividus Ol.	
oblongoguttata L. E.	v. <i>conglomerata</i> F.	fasciatus F.	
v. <i>Mulsanti</i> Schauf.	v. <i>fimbriata</i> Sulz.	aurora Pauz.	
Vogeli Schauf.	Chelonitis	hypomelanus Marsh.	
Halyzia	Weise.	lineatellus Muls.	
Mulsant.	venusta Weise <i>P. Al. occ.</i>	nigriventris Thoms.	
Anatis Muls.	rufoocincta auct. I.	marinus Muls.	
ocellata L. E.	Micraspis	v. <i>chrysomelooides</i> Hbst	
Böberi Cederjh.	Tytthaspis Crotsch	v. <i>dissimacula</i> Cost. <i>E.m.</i>	Coccidula
15-punctata Deg.	sedecimpunctata L. E.	<i>Kugelann.</i>	
v. <i>hebraea</i> L. <i>Ga.G.R.</i>	v. 12-punctata L.	scutellata Herbst E.	
Halyzia i. sp.	v. Poweri Weise	5-punctata F.	
sedecimguttata L. E.	phalerata Costa <i>I.m.Si.</i>	v. subrufa Weise	
Sospita Muls.	lineola Gebl. R.m.	v. arquata Weise	
vigintiguttata L. E.	Gebleri Muls.	rufa Herbst E.	
v. Linnei Weise	Epilachna	pectoralis F. Ill.	Chilocorus
v. tigrina L.	Redtenbacher.	<i>Leach.</i>	
Calvia Muls.	chrysomelina F. <i>E.md.m.</i>	similis Rossi. E.	
14-guttata L. E.	11-maculata Redtb.	renipustulatus Scrib.	
v. exoleta Weise	v. hieroglyphica Sulz.	bipustulatus L. E.	
v. scutulata Weise	elaterii Rossi <i>I.Hi.</i>		Exochomus
15-guttata F. E.	argus Fourcr. <i>E.md.m.</i>	Redtenbacher.	
bis-7-guttata Schall.	11-maculata F.	4-pustulatus L. E.	
bis-7-punctata Perch.	chrysomelina Redtb.	4-verrucatus F.	
v. 12-gemmata Hrbst.	angusticollis Reiche <i>II.</i>	oblongus Weidb.	
decemguttata L. E.	Cynegetis	v. bilunulatus Weise	
v. imperfecta Muls.	Redtenbacher.		
v. hololeuca Muls. Ca.	impunctata L. E.		
Myrrha Muls.	aptera Payk.		
octodecimguttata L. E.	punctum Herbst		
	v. palustris Redtb. <i>Mt.A.</i>		

v. floralis Mot.	<i>E.m.</i>	transversoguttata Ws. <i>Ca</i>	Scymnus Muls.
unicolor Schauf.		campestris Hrbst. <i>E.md.b</i>	<i>Anisoscymnus</i> Crotch.
v. distinctus Brull.		v. concolor Suffr.	nigrinus Kugelann <i>E.</i>
ibericus Mot.		Novius	morio Payk.
v. 6-pustulatus Kr.	<i>E.m.</i>	Mulsant.	abietis Payk. <i>E.md.b</i>
v. Koltzei Weise	<i>D.</i>	cruentatus Muls. <i>E.md.</i>	rubromaculatus Goeze <i>E.</i>
Reitteri Schneider		v. 10-punctatus Kr. <i>E.m.</i>	pygmaeus Fourer.
undulatus Weise	<i>Ca.</i>	Pharus	femoralis Gyll.
nigromaculatus Goeze		Mulsant.	Damryi Weise <i>C.</i>
auritus Scrib.	<i>E.m.</i>	Fleischeri Weise <i>Gr.</i>	rufipes F. <i>E.m.</i>
v. collaris Küst.		Scymnus	Ahrensi Muls.
pyrenaeus Kr.		Kugelann.	frontalis F. <i>E.</i>
v. nigripennis Er.		Pullus Muls.	v. 4-pustulatus Hbst.
russicollis Muls.		ferrugatus Moll.	?spectabilis Falda.
pubescens Küst.	<i>Hi.</i>	analis F.	v. Suffriani Weise
flavilabris Mot.		ruficollis Ol.	v. immaculatus Suffr. <i>Hi.</i>
melanocephalus Zoubk.		haemorrhoidalis Herbst	pallipes Muls. <i>Ca.</i>
minutus Kr.	<i>G.[R.m.</i>	analis Rossi <i>E.</i>	Apetzi Muls. <i>E.md.m.</i>
Brumus		capitatus F. <i>E</i>	?stigmatopterus Falda.
Mulsant.		v. Brisouti Crotsch.	v. incertus Muls.
octosignatus Gebl.	<i>R.m.</i>	rufipes Bris.	interruptus Goeze <i>E.</i>
desertorum Gebl.	<i>Si.</i>	tibialis Bris.	marginalis Rossi
desertus Mot.		subvillosum Goeze <i>E.</i>	v. flavicollis Redtb.
v. lasioides Weise	<i>C.</i>	fasciatus Fourcr. [Mls.	v. flexuosus Weise
Platynaspis		transversalepustulat.	v. basalis Redtb.
Redtenbacher.		v. juniperi Mot. <i>Ca.</i>	v. inundatus Weise
luteorubra Goeze	<i>E.</i>	v. pubescens Panz.	v. laeticus Weise <i>Si.</i>
villosa Fourer.		aurantiacus Panz.	Nephus Muls.
v. confluens Muls.	<i>E.m.</i>	impexus Muls. Mt. <i>E.md.</i>	Ludyi Weise <i>Gr.C.</i>
Chilomenes		globosus Weise <i>I.Gr.</i>	Kiesenwetteri Muls. <i>Hi.S.</i>
Cherrolat.		testaceus Mot. <i>Ca.</i>	v. siculus Weise <i>C.Si.</i>
vicina Muls.	<i>Si.</i>	v. quercus Muls.	sannio Weise <i>Si.</i>
Hyperaspis		v. scutellaris Mls. Mt. <i>E.</i>	binotatus Bris. <i>Ga.</i>
Redtenbacher.		Mulsanti Waterh. [md.	purcellus Herbst <i>E.</i>
reppensis Herbst	<i>E.</i>	suturalis Thunb. <i>E.</i>	4-lunulatus Ill.
algirica Crotch		discoideus Ill.	v. obliquus Weise
Motschulskyi Muls.		atriceps Steph.	Levaillanti Muls. <i>Si.</i>
pseudopustulata Mls.		v. limbatus Steph. Wat.	bipunctatus Kugel. <i>E.</i>
v. subconcolor Weise		argutus Muls. <i>R.m.</i>	biverrucatus Panz.
v. marginella F.	<i>E.m.</i>	biguttatus Muls. <i>R.m.or.</i>	bisignatus Boh.
Hoffmannseggii Grav.		guttifer Muls. <i>Ga.m.</i>	v. nigricans Weise <i>C.</i>
histeroides Falda.		alpestris Muls. <i>Ga.</i>	plagiatus Weise <i>Ca.</i>
v. illecebrosa Mls.	<i>Hi.Lu</i>	biflammulatus Mot. <i>Ca.</i>	Redtenbacheri Mls. <i>E.</i>
v. 4-maculata Redtb.	<i>A.</i>	arcuatus Rossi <i>Ga.A.I.</i>	v. unicolor Weise {md.
6-guttata Bris.	<i>E.m.</i>	Hausmanni Gredl. <i>Ti.</i>	incipitus Muls. <i>R.m.Gr.</i>
inaudax Muls.	<i>Ca.</i>	fulvicollis Muls. <i>Ga.C.</i>	anomus Muls. <i>Ga.m.</i>
Bellieri Chevr.	<i>Hi.</i>	atricapillus Bris. <i>Ga.</i>	Diomus Muls.
femorata Mot.	<i>R.m.</i>	ater Kugelann <i>E.</i>	rubidus Mot. <i>Ca.</i>
vittata Gebl.	<i>R.m.or.</i>	nanus Muls. <i>E.m.</i>	Coelopterus Muls.
erythrocephala F.	<i>R.m.</i>	pallidivestis Muls.	salinus Muls. <i>Ga.m.</i>
Fabricii Muls.	<i>Hu.</i>	minimus Rossi <i>E.</i>	
?6-pustulata Mot.		gilvifrons Muls. <i>R.m.</i>	
Karpowkae Humm.	<i>R.m.</i>	Sidis Muls.	
		bipustulatus Mot. <i>Ca.Gr.</i>	
lividus Bold.		lividus Bold. <i>Br.</i>	

Addenda.

- Pag. 3 *Pachyceranius* Solier: Schönerri Fisch. R.m.
 Pag. 11 col. 1 *Anophthalmus* Villardi Bedel *Ga.* prope „*delphinensis*.“
 ” 14 “ 1 *Amblystomus levantinus* Reitt. *Gr. And.* pr. „*mauritanicus*.“
 ” ” ” *rectangulus* Reitt. *D.* pr. „*Raymondi*.“
 ” ” ” *picinus* Baud. *Maced.* (macedo Schf.) pr. „*niger*.“
 ” 15 ” 2 Ad „*Pseudoph. v. tauricus* Mot.“ synonymon „*Retowskii* Heyd.“
 ” 20 ” 3 *Steropus percoides* Reitt. *Hi md.* = *insidiator* Pioch. i. litt.
 ” 32 ” 1 Ad „*Dyticus punctulatus* F.“ variet. nov. „*maurus* Schauf.“
 ” 33 ” 3 *Hydraena cordata* Schauf. *Lu.*
 ” 34 ” 1 *Enopturus guttalalis* Rey *Ga.* prope „*spinosus* Stev.“
 ” 38 ” 1 *Leptusa Pandellei* Bris. *P.* prope „*pnichella* Baud.“
 ” 45 ” 2 Ante genus *Phytosus*: *Diglossa* Haliday:
 ” ” ” *mersa* Haliday *Br.*
 ” ” ” *submarina* Fairm. *Br.Ga.*
 ” ” ” *sinuatocollis* Rey
 ” ” ” *crassa* Rey *Ga.*
 ” 49 ” 3 Ante genus *Quedius*:
 ” ” ” *Velleiopsis* Fairmaire: *marginiventris* Fairm. *Bulgaria.*
 ” 50 ” 2 Ad „*Qued. molochinus*“ synonymon „*maculicollis* Rey.“
 ” 73 ” 1 Ad „*Necroph. nigricornis* Falda.“ synonymon „*sepulchralis* Heer.“
 ” 92 ” 3 *Saprinus gangeticus* Mars. *Hi.* pr. „*rugipennis*.“
 ” 102 ” 2 *Ceton. transfuga* Schauf. et var. *subalboguttata* Schauf. *Ca.*
 ” ” ” pr. „*floricola*.“
 ” 105 ” 2 *Agrilus sinuatocollis* Bris. *Hi.* pr. „*cinctus*.“
 ” 135 ” 3 *Helops angulicollis* Fairm. *Bulgar.* pr. „*mori*.“
 ” ” ” *Nalassus alpigradus* Fairm. *MV.* pr. „*Ecoffeti*.“
 ” 142 ” 2 *Anaspis variegata* Power *Br.* pr. „*frontalis*.“
 ” 151 ” 1 *Peritelus Leveillei* Bris. *Ga.* pr. „*adusticornis*.“
 ” ” ” *Meira Sedilloti* Bris. *Ga.* pr. „*crassicornis* Duv.“
 ” 185 ” 3 *Icosium purpurascens* Herbst *Lu.*
 ” 198 ” 2 *Chrysomela timarchoides* Bris. *Ga.* prope „*Tagenii*.“

Corrigenda.

- Pag. 6 col. 1 *Nebria chilensis* = *rhilensis*.
 ” 8 ” 3 *Bembid. nobile* Rottb. = *combustum* Mén. (pg. 7.)
 ” 12 ” 1 *Clivina laevifrons* = *laevifrons*.
 ” 19 ” 1 *Tanythrix marginepunctata* Dej. *promovenda* est.
 ” 20 ” 2 *Pterostichus Tieffenbachi* Schaum = *rebellis* Reiche.
 ” 21 ” 3 *Myosodus regularis* et var. *ordinatus* Fisch. = *obscurus* Dej.
 ” ” ” *Tapinopterus protensus* Schaum (*punctatostriatus* Heyd.)
 ” ” ” *promovendus* est.
 ” 27 ” 2 *Aristus recticulatus* = *reticulatus*.
 ” 34 ” 2 *Hydrobius Morenae* Heyd. et *politus* Küst. = *Philydrus* i. sp.
 ” 38 ” 1 *Leptusa pulchella* Baud. (nou Mannh.) = *Baudii* Epp.
 ” ” ” *Heydeni* Epp. = *plicatella* Fauv.
 ” ” ” 3 *Aleochara haematica* Rey = *haemoptera* Kr.
 ” 50 ” 3 *Quedius persimilis* Rey = *boops*.
 ” 55 ” 1 *Lathrob. posticum* Rey = *terminatum* var.
 ” 55 ” 3 *Hypomedon nitidus* Qued. (non Er.) = *Quedenfeldti* Epp.
 ” 57 ” 1 *Stenus circulario* = *circularis*.
 ” 58 ” 2 *Euaesthetus fulvus* Mot. *Ca.* *promovendus* est.
 ” 65 ” 3 lin. 36 lege *tychoides*

Pag.	66	col. 2	"	3	"	martkopius
"	67	" 1	"	47	Tych. mendax Kiesw.	promovendus est.
"			2	"	3	lathridiiforme Reitt. <i>D.</i> (non <i>Ca.</i>)
"			3	"	43	lege Bibloplectus
"	68	" 2	Euth.	clavicornis	<i>Gr.</i> (non <i>Ga.</i>)	
"	70	" 1	lin.	40	lege Kraatz	
"	71	" 2	"	9	"	oviformis
"	73	" 1	"	35	"	bipunctatus
"	78	" 2	"	Alexia ignorans	Reitt. <i>Cr. Car. Cro.</i>	
				pilifera	Reitt.	
				v. lunigera	Reitt.	
				pilifera	Müll.	<i>G.</i>
"	79		Spaniophaenus	amplicollis	Bris.	= <i>lapidarius</i> Fairm.
			Cryptophagus	<i>lapidarius</i>	Reitt.	= <i>montanus</i> Bris.
"	80	" 3	lin.	45	12-striatus	Müll.
				pusillus	Schauf.	pars.
				basalis	Reitt.	<i>G. Ga.</i>
				pusillus	Reitt.	
				pusillus	Schauf.	pars.
"	81	" 1	Metophth.	lacteolus	Mot.	
"	86	" 2	Thymalus	Aubei	promovendus est.	
"	87	" 3	Cucujus	depressus	F. (non Herbst.)	
"	90		Byrrhus	Linné	= <i>Cistela</i> Geoffr.	
"	91		Cistela	Geoffroy	= <i>Cytillus</i> Er.	
"	93		Lucanus	Linné	= <i>Platycerus</i> Geoffr.	
"	94	" 1	Bubus	bubalus	Ol. (non L.)	
		" 3	lin.	32	Anomius	
"	104	" 1	"	12	Acmaeodera	
"	114	" 3	"	29	tibialis	Brull. prope „nigritarsis.“
"	116	" 3	"	34	antennatus	
"	118	" 1	Colotes	Hampei	Redt. promovendus est.	
"	119	" 1	lin.	11	fusculus.	
"	122	" 3	Anobium	F.	= <i>Byrrhus</i> Geoffroy.	
"	125	" 1	lin.	31	Xylographus	
"	137	" 1	Allecula	orientalis	Faust. = <i>Beckeri</i> Kiesenw.	
"	141	" 2	Anthicus	Costae	prope „flavipes“ (pg. 140 col. 3.)	
"	144	" 2	Lydus	Halbhuberi	Reitt. = <i>tenuitarsis</i> Abeille.	
"	146	" 2	Rabocerus	= <i>Rhabocerus</i> : aveolatus = foveolatus.		
"	152	" 3	Polydrusus	variegatus	Desbr. = <i>subglaber</i> Desbr. var.	
"	154	" 2	Strophosomus	Baudueri	Desbr. = <i>curvipes</i> Thoms.	
"	155	" 2	Sitona	mauritanica	Fahrs. = <i>ambulans</i> Gyll.	
"		" 3	Trachyphloeus	spinosulus	Gaut. = <i>laticollis</i> Boh.	
"	156	" 1	Cathormiocerus	Raymondi	Gaut. = <i>curvipes</i> Woll.	
"	161	" 2	Cleonus	ocularis	F. (1792) = <i>barbarus</i> Ol. (1790).	

Delenda.

Pag.	40	col. 2	lin.	24	gratilla	Epp.
"	55	" 1	"	37	despectus	Fairm.
"	66	" 3	"	46	taygetanus	Reitt.
"	80	" 3	"	41	Truquii	Baud.
"	96	" 2	"	2	caucasicus	Reitt.
"	125	" 2	"	25	dentatus	Mell.

Index Generum.

- | | | |
|---|--|---|
| A bacetus 22.
<i>Abatrisops</i> 65.
<i>Abax</i> 19.
<i>Abdera</i> 138.
A bemus 51.
<i>Ablepton</i> 70.
<i>Abraeus</i> 93.
<i>Abrinus</i> 117.
<i>Abromus</i> 81.
<i>Absidia</i> 114.
<i>Acalles</i> 166.
<i>Acalyptus</i> 168.
<i>Acanthocinus</i> 188.
<i>Acanthocnemus</i> 119.
<i>Acanthoderes</i> 188.
<i>Acanthogethes</i> 85.
<i>Acanthodon</i> 200.
<i>Acauthopus</i> 185.
<i>Acentrus</i> 160.
<i>Achenium</i> 54.
<i>Achenomorphus</i> 55.
<i>Achradidius</i> 154.
<i>Acidota</i> 62.
<i>Acilius</i> 32.
<i>Acimerus</i> 183.
<i>Acinopus</i> 16.
<i>Acmaeodera</i> 104.
<i>Acmaeops</i> 184.
<i>Acorius</i> 17.
<i>Acrisius</i> 164.
<i>Acritus</i> 93.
<i>Acrodon</i> 18.
<i>Acrodrya</i> 164.
<i>Acrognathus</i> 61.
<i>Acrolocha</i> 63.
<i>Acrossus</i> 95.
<i>Acrostiba</i> 45.
<i>Acrotona</i> 44.
<i>Acrotichis</i> 75.
<i>Acrulia</i> 63.
<i>Actedium</i> 7.
<i>Actenicerus</i> 104.
<i>Actidium</i> 75.
<i>Actinopteryx</i> 76. | <i>Actobius</i> 52.
<i>Actocharis</i> 60.
<i>Actosus</i> 45.
<i>Acupalpus</i> 17.
<i>Acylophorus</i> 49.
<i>Adalia</i> 207.
<i>Adelina</i> 135.
<i>Adelobium</i> 54.
<i>Adelocera</i> 106.
<i>Adelops</i> 70.
<i>Adelosia</i> 21.
<i>Adelostoma</i> 127.
<i>Adenophorus</i> 117.
<i>Aderus</i> 139.
<i>Adesmia</i> 126.
<i>Adexius</i> 164.
<i>Adialampus</i> 12.
<i>Adimonia</i> 201.
<i>Adonia</i> 207.
<i>Adoretus</i> 100.
<i>Adoxus</i> 196.
<i>Adrastus</i> 111.
<i>Aechmites</i> 22.
<i>Aegialia</i> 96.
<i>Aegosoma</i> 183.
<i>Aëllo</i> 19.
<i>Aeolus</i> 107.
<i>Aëpus</i> 9.
<i>Aesalus</i> 93.
<i>Aethiessa</i> 101.
<i>Aëtophorus</i> 26.
<i>Agabus</i> 30.
<i>Agapanthia</i> 190.
<i>Agaricochara</i> 47.
<i>Agaricophagus</i> 74.
<i>Agaricophilus</i> 78.
<i>Agathidium</i> 74.
<i>Agelaea</i> 22.
<i>Agelandia</i> 81.
<i>Agelasa</i> 202.
<i>Agelastica</i> 201.
<i>Agerodes</i> 54.
<i>Aglenus</i> 87.
<i>Agnathus</i> 138. | <i>Agolius</i> 94.
<i>Agonolia</i> 121.
<i>Agonum</i> 24.
<i>Agrilinus</i> 94.
<i>Agrilus</i> 105.
<i>Agriotes</i> 110.
<i>Agroblaps</i> 129.
<i>Agrypnus</i> 106.
<i>Agyrtes</i> 73.
<i>Airaphilus</i> 88.
<i>Akis</i> 128.
<i>Alaobia</i> 42, 45.
<i>Alaconota</i> 41.
<i>Alaocyba</i> 174.
<i>Alaus</i> 107.
<i>Albana</i> 190.
<i>Aleochara</i> 38.
<i>Aleuonota</i> 40.
<i>Alexia</i> 78.
<i>Alianta</i> 40.
<i>Alecto</i> 21.
<i>Allecula</i> 136.
<i>Allodactylus</i> 171.
<i>Allonyx</i> 120.
<i>Allotarsus</i> 118.
<i>Alocerus</i> 186.
<i>Alophus</i> 159.
<i>Alostenra</i> 184.
<i>Alpaeixena</i> 199.
<i>Alphitobius</i> 134.
<i>Alphitophagus</i> 133.
<i>Alsus</i> 152.
<i>Alticopus</i> 179.
<i>Alyctus</i> 170.
<i>Amalus</i> 171.
<i>Amara</i> 17.
<i>Amarantha</i> 133.
<i>Amarochara</i> 40.
<i>Amartus</i> 83.
<i>Amathitis</i> 18.
<i>Amauronnia</i> 119.
<i>Amauronyx</i> 68.
<i>Amaurops</i> 65.
<i>Amaurorrhinus</i> 174. |
|---|--|---|

- | | | |
|----------------------|-------------------|---------------------|
| Amblyderus 140. | Anitys 124. | Apotomus 14. |
| Amblystomus 14. | Anobium 122. | Aristus 27. |
| Amblytoma 124. | Anodus 51. | Apteropeda 205. |
| Amicrops 65. | Anolisus 113. | Aptinus 27. |
| Amidobia 44. | Anomaeocera 83. | Arachnoidius 20. |
| Amidorus 94. | Anomala 100. | Araeocerus 179. |
| Amilia 190. | Anomius 94. | Aramnichnus 149. |
| Amischa 44. | Anommatus 80. | Arctobia 7. |
| Ammobius 133. | Anoncodes 145. | Arena 45. |
| Ammoecius 96. | Anophthalmus 10. | Argante 102. |
| Ammophorus 133. | Anopleta 43. | Argoptochus. 151. |
| Amomphus 157. | Anoplistes 187. | Argopus 206. |
| Amorphocephalus 178. | Anoplodera 184. | Argutor 21. |
| Ampedus 107. | Anoplus 165. | Aridius 81. |
| Amphibolus 122. | Anotylus 59. | Arima 201. |
| Amphichroum 62. | Anoxia 99. | Aristus 14. |
| Amphicoma 97. | Ansibaris 74. | Armidia 114. |
| Amphicyllis 74. | Anthaxia 103. | Aromia 188. |
| Amphigynus 24. | Anthrophagus 78. | Arpedium 62. |
| Amphimallus 98. | Anthicus 140. | Arrhaphipterus 111. |
| Amphotis 84. | Anthobacus 187. | Arrhaphus 97. |
| Anacaena 34. | Anthobium 63. | Arrhenocoela 202. |
| Anactodes 166. | Anthocomus 116. | Arrhenodes 178. |
| Anaerea 190. | Anthodytes 116. | Artabas 15. |
| Anaesthetis 190. | Antholinus 117. | Arthrodeis 126. |
| Anaglyptus 187. | Anthomorphus 167. | Arthrolips 76. |
| Anambus 105. | Anthenaeus 83. | Arthrostenus 166. |
| Anaspis 142. | Anthonomus 167. | Artobium 123. |
| Anatis 208. | Anthophagus 61. | Asclera 145. |
| Anatolica 126. | Anthophylax 183. | Asemum 186. |
| Anathrotus 108. | Anthracias 134. | Asida 129. |
| Anchastus 107. | Anthracus 17. | Asobiates 30. |
| Anchialus 29. | Anthrenops 90. | Aspidiphorus 124. |
| Anchicera 80. | Anthrenus 89. | Astatopteryx 76. |
| Anchodemus 24. | Anthribus 179. | Astenus 56. |
| Ancholeus 22. | Anthypna 97. | Astictus 47. |
| Anchomenidius 24. | Antidipnis 118. | Astigis 22. |
| Anchomenus 24. | Antispheodrus 23. | Astilbus 40. |
| Ancistronycha 113. | Antrocharis 70. | Astilpnus 88. |
| Ancylocheira 102. | Aparopion 164. | Astrapaeus 50. |
| Ancylopis 77. | Apate 124. | Astycops 59. |
| Ancyrophorus 60. | Apatelus 14. | Astynomus 188. |
| Anelastes 106. | Apatophysis 183. | Ataenius 96. |
| Anelastidius 106. | Aphanisticus 105. | Atelestus 118. |
| Anemia 133. | Aphaenops 11. | Atemeles 39. |
| Anidorus 139. | Aphaobius 71. | Ateuchus 93. |
| Anillosthetus 58. | Aphodius 94. | Atheta 41. 42. 43. |
| Anillus 9. | Aphthona 204. | Athous 108. |
| Anisarthron 186. | Aphyetus 119. | Atranus 13. |
| Anisodactylus 14. | Aphyllura 174. | Atritomus 83. |
| Anisoplia 100. | Apimela 40. | Atrecus 53. |
| Anisorrhynchus 163. | Apion 175. | Atomaria 79. |
| Anisoscymnus 209. | Apistus 85. | Atopa 111. |
| Anisosticta 207. | Apoderus 178. | Attactagenus 157. |
| Anisotoma 73. 74. | Apodistrus 115. | Attagenus 89. |
| Anisoxya 138. | Apolites 136. | Attalus 117. |

- | | | |
|----------------------|-------------------------|-----------------------|
| Attelabus 178. | Bidessus 28. | Bromius 196. |
| Aubeonymus 164. | Bioplanes 131. | Brontes 88. |
| Auchmeresthes 152. | Biralus 94. | Broscosoma 12. |
| Aulacochilus 77. | Bisaya 74. | Broscus 11. |
| Aulacoderus 141. | Bisnius 52. | Bruchus 121. 179. |
| Aulacophora 201. | Bittotaenia 198. | Brumus 209. |
| Aulacopus 183. | Bius 134. | Bryabius 19. |
| Auletes 177. | Blabinotus 188. | Bryaxis 65. |
| Auletobius 177. | Blapisa 128. | Brychius 28. |
| Aulobaris 174. | Blaps 128. | Bryocharis 49. |
| Aulouium 87. | Blastanus 139. | Bryoporus 49. |
| Aurigena 102. | Blastophagus 181. | Bubalocephalus 159. |
| Autalia 37. | Blechrus 27. | Bubas 94. |
| Autocera 132. | Bledioides 59. | Bulaea 207. |
| Axinopalpus 185. | Bledius 59. | Buprestis 102. |
| Axinotarsus 117. | Blemus 9. 10. | Byctiscus 178. |
| Axyraeus 156. | Blethisa 7. | Byrrhus L. 90. |
|
 | Bodilus 94. | Byrrhus Geoffr. 122. |
| B acanius 93. | Bolboceras 96. | Bythinus 66. |
| Badister 14. | Bolitobius 48. | Byturus 89. |
| Badura 43. | Bolitochara 37. |
 |
| Baeocera 77. | Bolitophagus 133. | C accobius 94. |
| Baeocrara 75. | Bonvouloiria 81. | Caccoporus 59. |
| Baeoglena 46. | Borboropora 40. | Caenopsis 150. |
| Bagooides 160. | Boreaphilus 62. | Caenoscelis 79. |
| Bagoopsis 166. | Boromorphus 135. | Cafius 51. |
| Bagous 166. | Bornazon 156. | Calais 107. |
| Balininus 167. | Bostrichus Geoffr. 124. | Calamobius 190. |
| Balanobius 167. | Bostrychus F. 182. | Calandra 174. |
| Balanomorpha 203. | Bothrideres 87. | Calathus 24. |
| Bangasternus 163. | Bothriophorus 36. | Calcar 135. |
| Baptolinus 59. | Bothriopterus 20. | Calehaenesthes 187. |
| Barathraea 193. | Bothynoderes 160. | Callicerus 40. |
| Bargus 59. | Brachida 47. | Callienemis 101. |
| Baridius 173. | Brachonyx 165. | Callidium 186. |
| Baris 173. | Brachycerus 157. | Callimoxys 185. |
| Barynotus 156. | Brachycrepis 107. | Callimus 185. |
| Baryodma 38. 39. | Brachyderes 154. | Calliope 197. |
| Barypithes 153. | Brachygluta 65. | Callisthenes 2. |
| Barytychius 165. | Brachyleptus 83. | Callistus 13. |
| Batenus 25. | Brachynus 27. | Calobius 33. |
| Bathyscia 70. | Brachyperra 159. | Caloclytus 187. |
| Batophila 204. | Brachypterooma 185. | Calodera 40. |
| Batraxis 65. | Brachypterus 83. | Calomicrus 201. |
| Batrisodes 65. | Brachypus 165. | Calopus 145. |
| Batisus 65. | Brachyta 184. | Calopterus 19. |
| Bedelia 196. | Brachytarsus 179. | Calosirus 109. |
| Belidus 59. | Brachytemnus 175. | Calosoma 2. |
| Belodera 188. | Brachytrachelus 123. | Calvia 208. |
| Bembidion 7. | Brachyusa 41. | Calypterus 123. |
| Berginus 83. | Bracteon 7. | Calyptobium 80. |
| Berosus 34. | Bradybatus 167. | Calyptomerus 74. |
| Bessobia 43. | Bradycellus 16. | Calyptopsis 126. |
| Bessopora 46. | Bradycinetus 156. | Calyptorrhina 193. |
| Betarmon 107. | Bradytus 18 | Calytis 86. |
| Bibloporus 67. | | Campa 7. |

- Camporrhinus 166.
Campylomorphus 111.
Canylus 111.
Cantharis auct. 144.
Cantharis L. 113.
Canthydrus 28.
Capnodis 102.
Carabus 4.
Caraphelles 117.
Carcinops 92.
Cardiaderus 11.
Cardiapus 203.
Cardiola 41.
Cardiomera 24.
Cardiophorus 107.
Cardoria 191.
Carenostylus 22.
Carida 138.
Carilia 184.
Carpalimus 60.
Carpoborus 181.
Carpophilus 83.
Cartallum 185.
Carterus 14.
Cartodere 81.
Caryoborus 179.
Cassida 206.
Cataphorticus 150.
Cataphronetis 134.
Cathartus 88.
Cathormiocerus 156.
Catopomorphus 71.
Catops 71.
Catomus 136.
Catoptria 1.
Caustrophus 155.
Cebrio 111.
Cechenus 2.
Celia 18.
Celidus 116.
Celox 110.
Centorus 134.
Centroc nemis 55.
Centroglossa 47.
Centrotoma 64.
Cephalostenus 128.
Cephennarium 68.
Cephennium 68.
Cerallus 120.
Cerambyx 187.
Ceramis 78.
Cerandria 134.
Ceranota 38.
Ceraphelles 117.
Ceratophyus 97.
Cercomorphus 179.
- Cercus 83.
Cercyon 35.
Ceritaxa 42.
Cerocoma 143.
Ceroplastus 111.
Cerophytum 106.
Ceruchus 93.
Cerylon 87.
Cetonia 101.
Ceuthocerus 93.
Ceutorhynchidius 172.
Ceutorhynchus 172.
Chaerodrys 153.
Chaetarthria 35.
Chaetida 43.
Chaetocarabus 3.
Chaetocnema 203.
Chaetomelas 2.
Chaetonyx 96.
Chaleoides 202.
Chalcoidea 198.
Chalcophora 102.
Charopus 117.
Chasmatopterus 98.
Chelonitis 208.
Cheirodes 133.
Cheironitis 94.
Cheunium 64.
Cheporus 20.
Chevrieria 62.
Chevrolatia 68.
Chilocorus 208.
Chilomenes 209.
Chiloneus 153.
Chilopora 40.
Chiron 96.
Chirosis 126.
Chilotoma 193.
Chitona 146.
Chlaenius 13.
Chlööbius 157.
Chlorophanus 157.
Chloropterus 196.
Chlorodium 8.
Chlorostola 193.
Choerorrhinus 174.
Choleva 71.
Choragus 179.
Choristopsis 126.
Chromoderus 160.
Chromonotus 160.
Chromosomas 161.
Chrysanthia 146.
Chrysobothrys 104.
Chrysocarabus 4.
Chrysochares 196.
- Chrysochus 196.
Chrysolina 198.
Chrysomela 198.
Chrysomorpha 198.
Cicindela 1.
Cicones 87.
Cidnorrhinus 171.
Cilea 47.
Cillenum 7.
Cillenus 7.
Cimberis 178.
Cimbiodyta 34.
Cionus 169.
Cis 125.
Cistela 90.
Cistela F. 137.
Cittobium 123.
Clambus 74.
Clanoptilus 116.
Claudius 122.
Claviger 68.
Clemmus 78.
Cleonus 160.
Cleopus 169.
Cleroides 120.
Clerus 120.
Clibanarius 25.
Clinidium 87.
Clinocara 138.
Clitobius 134.
Clivina 12.
Cluvia 185.
Clypeaster 76.
Clytanthus 187.
Clytra 193.
Clytus 186.
Cnecus 123.
Cnemeplatia 132.
Cnemidotus 28.
Cnemogonus 171.
Cneomorphus 156.
Cneorrhinus 156.
Coccidula 208.
Coccinella 207.
Coccoptypes 182.
Codocera 96.
Coeculus 102.
Coelambus 29.
Coeliastes 171.
Coeliodes 171.
Coelometopus 134.
Coelopterus 209.
Coelostethus 163.
Coelostoma 35.
Coenocara 124.
Coenoptera 185.

Colaphosoma 198.
Colaphus 197.
Colaspidea 196.
Colaspidema 197.
Colchis 165.
Colenis 74.
Colobicus 87.
Colobopterus 94.
Colon 72.
Colophotia 113.
Colotes 118.
Colpodota 44.
Colpotus 131.
Colposcelis 126.
Colposis 146.
Coluocera 80.
Colydium 87.
Colymbetes 32.
Comazus 74.
Combocerus 77.
Compsidia 190.
Compsochilus 61.
Conalia 141.
Conchopterus 185.
Coniatus 160.
Coninomus 81.
Coniophagus 124.
Conithassa 81.
Conizonia 191.
Conocetus 153.
Conoderus 68.
Conopalpus 139.
Conorrhynchus 160.
Conosoma 48.
Conurus 48.
Copelatus 31.
Coprismorphus 94.
Copris 94.
Coprophilus 61.
Coproporus 47.
Coprothassa 44.
Coptocephala 193.
Coptochirus 94.
Coptodera 8.
Coptosia 191.
Coraebus 104.
Corsyra 26.
Corticaria 81.
Corticarina 82.
Corticeus 134.
Corticinus 86.
Cortodera 184.
Corylophus 76.
Corymbites 109.
Coryna 144.
Corynetes 121.

Corynetops 121.
Coryphium 62.
Coryssomerus 173.
Cosciniopterus 19.
Cosmiocomus 120.
Cossonus 174.
Cossyphus 134.
Cotaster 174.
Coxelus 86.
Cratarea 38.
Cratomerus 103.
Cratonychus 108.
Cratoparis 179.
Crenophilus 34.
Crenitis 34.
Creophilus 51.
Crepidodera 202.
Crepidophorus 108.
Crioccephalus 186.
Crioceris 192.
Criolis 145.
Criomorphus 186.
Cryobius 21.
Cryphalus 181.
Crypharis 166.
Cryptamorpha 88.
Cryptarcha 85.
Crypticus 131.
Cryptocephalum 54.
Cryptocephalus 194.
Cryptocephalus 107.
Cryptophagus 79.
Cryptophilus 79.
Cryptopleurum 35.
Cryptorrhynchus 166.
Cryptotrichus 23.
Crypturgus 181.
Cteniopus 137.
Ctenistes 64.
Ctenocarabus 4.
Ctenomastax 57.
Ctenonychus 110.
Ctenopus 145.
Cucujus 87.
Cumatotomicus 182.
Curimus 90.
Cyamophthalmus 186.
Cybisteter 32.
Cybocephalus 74.
Cybramus 85.
Cyhrus 2.
Cyclonotum 35.
Cyclops 146.
Cylidrus 120.
Cylindrinotus 136.
Cylindrocephalus 53.

Cylindrodera 1.
Cylindrogaster 58.
Cylindromorphus 105.
Cylletron 62.
Cyllidium 35.
Cyllodes 85.
Cymba 86.
Cymindis 26.
Cymindoidea 26.
Cynegetis 208.
Cypha 47.
Cyphea 45.
Cyphocleonus 161.
Cyphoderes 122.
Cyphogenia 128.
Cyphon 112.
Cyphonotus 100.
Cyphosoma 102.
Cyrtanaspis 142.
Cyrtoclytus 187.
Cyrtonastes 197.
Cyrtonotus 18.
Cyrtonus 197.
Cyrtophorus 187.
Cyrtosus 116.
Cyrtotriplax 77.
Cyrtotomicus 182.
Cyrtusa 73.
Cytillus 90.
Cytodromus 70.

Daene 77.
Dactylorrhinus 156.
Dactylosternum 35.
Dadobia 45.
Daedycorrhynchus 178.
Dailognatha 126.
Danacea 120.
Dapalinus 159.
Dapsa 77.
Daptus 16.
Daseillus 111.
Dasycerus 81.
Dasyglossa 45.
Dasysterna 99.
Dasytes 118.
Dasytiscus 119.
Decamera 98.
Decatocerus 66.
Dechomus 86.
Deleaster 61.
Deliphrum 62.
Deltomerus 11.
Demetrias 26.
Demosoma 46.
Dendarus 131.

- | | | |
|---------------------|---------------------|--------------------|
| Dendrobium 122. | Dinothenarus 51. | Dytiscus 32. |
| Dendroctonus 181. | Dinopsis 47. | Earota 42. |
| Dendroides 141. | Dinusa 39. | Ebaeus 117. |
| Dendrophagus 88. | Diochares 88. | Eccoptogaster 181. |
| Dendrophilus 92. | Diochus 53. | Echidnoglossa 37. |
| Denops 120. | Diodesma 86. | Echinocerus 186. |
| Denticollis 111. | Diodyrrhynchus 178. | Echinocnemus 166. |
| Derelomus 174. | Diomus 209. | Ectatotychius 168. |
| Dermestes 89. | Diorhabda 201. | Ectinus 110. |
| Dermestoides 121. | Diplagia 86. | Edaphus 58. |
| Derocala 46. | Diphyllus 78. | Edipus 49. |
| Derodontus 80. | Diplocoelus 78. | Egadroma 17. |
| Deronectes 29. | Dircaea 138. | Elachyx 75. |
| Deroplia 188. | Dirrhagus 106. | Elaphocera 100. |
| Derostichus 13. | Discerota 40. | Elaphrus 7. |
| Derotoma 88. | Disochara 46. | Elater 107. |
| Derus 22. | Disopora 41. | Elateroides 121. |
| Desimia 64. | Disopus 195. | Elleschus 168. |
| Dexiogya 38. | Ditoma 86. | Ellipsotomus 48. |
| Dia 196. | Ditomus 14. | Elmis 36. |
| Diachila 7. | Ditylus 145. | Elytrodon 151. |
| Diacanthus 110. | Divales 118. | Emadus 94. |
| Diachromus 14. | Dlochrysa 199. | Emenadia 143. |
| Dianous 57. | Dochmonota 42. | Emmepus 121. |
| Diaperis 133. | Dodecastichus 146. | Emmetrus 200. |
| Diaprysius 70. | Dolicaon 54. | Emphanes 8. |
| Diaphonus 117. | Dolichosoma 119. | Emphyllus 78. |
| Diastictus 96. | Dolichus 24. | Empleurus 33. |
| Diastixus 136. | Dolocerus 185. | Emus 51. |
| Dibolia 205. | Dolopius 110. | Enalodroma 36. |
| Dicentrius 67. | Domene 56. | Encephalus 46. |
| Dicerca 102. | Donacia 191. | Endaliscus 165. |
| Dicherosis 206. | Donus 159. | Endomychus 78. |
| Dichillus 127. | Doreadion 188. | Endophloeus 87. |
| Dichirotrichus 16. | Dorcatoma 124. | Enedreutes 178. |
| Dichirus 14. | Dorcatypus 189. | Engis 77. |
| Dichomma 126. | Dorcus 93. | Eniemus 81. |
| Dichotrachelus 158. | Dorytomus 165. | Enneadesmus 125. |
| Dieranthus 166. | Drapetes 106. | Ennearthron 125. |
| Dicropteris 9. | Drasterius 107. | Enneatoma 124. |
| Dictyalotus 125. | Drilus 116. | Enochrus 34. |
| Dictyoptera 112. | Drimeotus 70. | Enoplium 121. |
| Dictyopterus 112. | Dromaeolus 106. | Enoploderes 183. |
| Dierobia 65. | Dromius 26. | Enoplopus 135. |
| Diestota 45. | Drusilla 40. | Enoplurus 34. |
| Dilacra 41. | Drymochares 185. | Enoptostomus 65. |
| Dilamus 135. | Drymoporus 48. | Entomogonus 135. |
| Dilus 185. | Dryocoetes 182. | Entomoscelis 197. |
| Dima 110. | Dryophilus 122. | Entoxylon 87. |
| Dimalia 96. | Dryops 36. | Entypus 125. |
| Dimetrota 43. | Dryops Fab. 145. | Epaphius 10. |
| Dinaraea 45. | Dryophthorus 174. | Epauleucus 121. |
| Dinarda 39. | Drypta 27. | Ephimeropus 165. |
| Dineria 128. | Dupophilus 36. | Ephistemus 80. |
| Dinoderus 125. | Dyschirius 12. | Epicauta 144. |
| Dinodes 13. | Dyticus 32. | |

- | | | | | | |
|------------------|------|------------------|------|------------------|------------|
| Epicometis | 101. | Eunectes | 32. | Geodromicus | 61. |
| Epierus | 91. | Euphanias | 61. | Geodytes | 68. |
| Epilachna | 208. | Euplectus | 67. | Geonemus | 156. |
| Epipedia | 45. | Eupleurus | 94. | Georyssus | 36. |
| Episernus | 122. | Europhilus | 25. | Geostiba | 41. 44. |
| Epitrix | 202 | Eurostus | 121. | Geotrogus | 99. |
| Epomis | 13. | Eurychirus | 149. | Geotrupes | 97. |
| Epomotylus | 59. | Eurylophus | 46. | Geraudryus | 136. |
| Epuraea | 83. | Euryommatus | 173. | Geranorrhinus | 165. |
| Erchomus | 47. | Eurythyrea | 103. | Gibbium | 121. |
| Erelus | 134. | Euryptilium | 75. | Glaphyrus | 97. |
| Eremotes | 175. | Euryporus | 49. | Glaresis | 96. |
| Eretes | 32. | Euryusa | 37. | Glaridorrhinus | 166. |
| Eretmotes | 92. | Eusomostrophus | 154. | Gleosoma | 76. |
| Ergates | 183. | Eusomus | 154. | Glischrochilus | 85. |
| Erichsonius | 52. | Eusphalerum | 63. | Globicornis | 89. |
| Eridraulus | 125. | Eustemmus | 70. | Glycia | 25. |
| Erigenus | 27. | Eustolus | 152. | Glymma | 93. |
| Eriotonus | 14. | Eustrophus | 138. | Glyptoderes | 181. |
| Erirrhinomorphus | 159. | Eutaphrus | 122. | Glyptoma | 64. |
| Erirrhinus | 164. | Eutheca | 124. | Glyptomerus | 55. |
| Eristhetus | 58. | Euthia | 68. | Glyptoterus | 20. |
| Ernobius | 123. | Euthiconus | 68. | Gnaptor | 128. |
| Ernocharis | 137. | Euthoron | 170. | Gnathocerus | 134. |
| Ernoporus | 182. | Eutroctes | 17. | Gnathoneus | 92. |
| Erodius | 126. | Evaniocera | 142. | Gnathosia | 126. |
| Eros | 112. | Exilia | 185. | Gnorimus | 101. |
| Erycus | 164. | Exoecentrus | 188. | Gnypeta | 41. |
| Erytus | 94. | Exochomus | 208. | Goërius | 51. |
| Eryx | 137. | F alagria | 41. | Golgia | 77. |
| Esamus | 157. | Fallacia | 184. | Gonioctena | 200. |
| Esarcus | 87. | Faronus | 68. | Goniomena | 200. |
| Esolus | 36. | Farsus | 106. | Gonocephalum | 132. |
| Esymus | 94. | Feronia | 22. | Gonoceletonus | 161. |
| Etheothassa | 63. | Florilinus | 90. | Gonodera | 137. |
| Euaesthetus | 58. | Formicomus | 140. | Gracilia | 185. |
| Euboeus | 136. | Foucartia | 153. | Grammoptera | 184. |
| Eubria | 112. | Foudrasia | 202. | Graphicota | 171. |
| Eubrychius | 171. | G abrius | 52. | Graphoderes | 32. |
| Euchirus | 100. | Galeruca | 201. | Graptodera | 203. |
| Eucinetus | 112. | Galerucella | 201. | Gronops | 158. |
| Kuenemis | 106. | Gasterocerus | 166. | Gryphinus | 76. |
| Euconnus | 69. | Gastrallus | 122. | Grypidius | 164. |
| Eudectus | 62. | Gasthraema | 137. | Grypocarus | 108. |
| Eudesis | 70. | Gastroidea | 197. | Gyninетron | 169. |
| Eudipnus | 152. | Gastrophysa | 197. | Gymnomorphus | 150. |
| Eudolus | 94 | Gaurambe | 86. | Gymnopleurus | 94. |
| Eudromus | 7. | Gauropterous | 54. | Gymnusa | 47. |
| Euglenes | 139. | Gaurotes | 184. | Gynaudiomorphus | 14. |
| Eugnathus | 63. | Gebleria | 128. | Gynaudrophthalma | 193. |
| Eulasia | 97. | Gefyrobius | 53. | Gynocharis | 86. |
| Eulissus | 54. | Geobius | 61. | Gynopterus | 121. |
| Eumecops | 160. | Geocharis | 9. | Gyrinus | 32. |
| Eunicerus | 70. | | | Gyrohypnus | Thoms. 53. |
| Eumolpus | 196. | | | Gyrohypnus | Steph. 54. |
| Eumiyceterus | 174. | | | Gyropaena | 46. |

Habrocerus 47.
Habroloma 105.
Hadrambe 73.
Hadraule 125.
Hadrobregnus 122.
Hadrocaraibus 2.
Hadrognathus 63.
Hadropontus 172.
Hadrotoma 89.
Hadrus 133.
Haemonia 191.
Haliplus 28.
Hallomenus 138.
Halobrechta 43.
Halonomus 134.
Halophagus 165.
Halosimus 144.
Haltica 203.
Halyzia 208.
Hammaticherus 187.
Hapalaraea 63.
Hapalogluta 118.
Hapalus 144.
Haplochrus 116.
Haplida 98.
Haplocrenemus 119.
Haploderus 60.
Haploglossa 38.
Haplolophus 79.
Haptoderus 21.
Harmonia 208.
Harpalus 15.
Harpognathus 62.
Hedobia 123.
Hedyphanes 136.
Hegeter 112.
Heledona 133.
Helenophorus 128.
Heliocatamenus 86.
Heliopates 131.
Heliotaurus 137.
Helladia 191.
Helocerus 90.
Helochares 34.
Heiodes Latr. 111.
Heiodes Payk. 200.
Helophorus 33.
Helops 135.
Hemisphaera 34.
Hendecatomus 125.
Henicocerus 33.
Henicopus 118.
Henoticus 79.
Ileptaulacus 96.
Hermoeophaga 204.
Herophila 189.

Herophydrus 29.
Hesperophanes 185.
Hesperophilus 59.
Hesperus 52.
Hetaerius 92.
Heterhelus 83.
Heterocerus 36.
Heterocnemis Alb. 101.
Heterocnemis Mor. 196.
Heteroderes 107.
Heterognathus 70.
Heteronoma 44.
Heteronyx 68.
Heterophaga 134.
Heterophilus 133.
Heteroplus 122.
Heterostomus 83.
Heterota 40.
Heterothops 49.
Hexalus 96.
Hexarthrum 175.
Heydeneonymus 156.
Hilara 44.
Hippodamia 206.
Hippuriphila 202.
Hister 91.
Hispa 206.
Hispalis 14.
Holcorrhinus 151.
Hololepta 91.
Holoparamecus 80.
Homalister 92.
Homalisus 112.
Homalium 62.
Homaloplia 98.
Homalopus 194.
Homalota 41. 42.
Homapterus 153.
Homoeoeryphalus 182.
Homoeotarsus 54.
Homoeodipuis 118.
Homoeusa 39.
Homopthalmus 122.
Hoplia 98.
Hoplocephala 133.
Hoplosia 190.
Hoplonotus 38.
Hoplosoma 198.
Hybalus 96.
Hybosorus 96.
Hycleus 144.
Hydaticus 32.
Hydnobius 73.
Hydrachna 28.
Hydraena 33.
Hydrobius 34.

Hydrocanthus 28.
Hydrochares 34.
Hydrochus 32.
Hydrocyphon 112.
Hydronomus 166.
Hydrophilus 34.
Hydroporus 29.
Hydroscapha 75.
Hydrosmeecta 41.
Hydrothassa 200.
Hydrous 34.
Hydrovatus 28.
Hypobia 28.
Hygrocarabus 4.
Hygronomia 45.
Hygropora 45.
Hylaia 78.
Hylastes 180.
Hylecoetus 121.
Hylesinus 181.
Hylota 88.
Hylobius 164.
Hylochares 106.
Hylotrupes 186.
Hylurgus 181.
Hymenalia 137.
Hymenoplia 98.
Hymenorius 137.
Hypactus 168.
Hypebaeus 117.
Hypera 159.
Hyperaspis 209.
Hyperisus 123.
Hyperomorphus 164.
Hyphydrus 29.
Hypnophila 202.
Hypoborus 182.
Hypocoelus 106.
Hypocoprus 88.
Hypocyptus 47.
Hypodasites 118.
Hypoganus 110.
Hypoglyptus 165.
Hypolithus 107.
Hypolorus 90.
Hypomedon 55.
Hypophloeus 134.
Hypoptilus 116.
Hypora 124.
Hypothenemus 182.
Hypulus 139.
Hypurus 173.

Icaris 164.
Icosium 185.
Idolus 110.

- Ileomus 162.
Ilybius 31.
Ilyobates 40.
Ilyusa 41.
Iniopachys 2.
Iphthimus 134.
Ipidea 84.
Ips 85.
Isarthron 186.
Ischnocarabus 4.
Ischnodes 107.
Ischnoglossa 38.
Ischnomera 145.
Ischnopoda 41.
Ischnosoma 49.
Isidius 81.
Isidus 109.
Isocerus 131.
Isochnus 170.
Isomira 137.
Isopedus 136.
Isorrhapis 106.
Isosoma 111.
Isotomus 187.
Ita 160.
Ityocara 40.
Judolia 184.
Julistus 119.
Julodis 102.
- K**isanthobia 103.
Kissister 92.
Kissphagus 181.
Kraatzia 38.
Kytorrhinus 179.
- L**abarrus 94.
Labidostomis 192.
Laccobius 34.
Laccophilus 28.
Lachnaea 193.
Lachnogya 127.
Lacon 106.
Lacordaireus Desbr. 156.
Lacordairius Bris. 155.
Lado 87.
Laemophloeus 88.
Laemostenus 23.
Laemotmetus 87.
Laena 135.
Lagarus 22.
Lagrina 144.
Lagria 138.
Lamia 189.
Lampra 102.
Lampria 25.
- Lamprinus 48.
Lampocarabus 3.
Lamporrhiza 113.
Lamprosoma 196.
Lampyrus 112.
Langelandia 81.
Lanorus 89.
Lareynia 36.
Laricobius 121.
Larinus 162.
Larisia 142.
Lasia 208.
Lasioderma 124.
Lasiopsis 98.
Lasiostola 130.
Lastrema 87.
Latelmis 36.
Lathelicus 133.
Lathridius 81.
Lathrimaeum 62.
Lathrium 61.
Lathrobium 54.
Lathropus 88.
Latipalpis 102.
Lebia 25.
Lechriomus 128.
Lederia 138.
Leiestes 78.
Leiochiton 12.
Leiocnemis 18.
Leiosomus 164.
Leirides 18.
Leistotrophus 51.
Leistus 6.
Lema 192.
Leperina 86.
Leptacinus 53.
Leptaleus 140.
Leptidea 185.
Leptinus 71.
Leptispa 206.
Leptocolena 129.
Leptoderus 70.
Leptolepurus 156.
Leptolinus 53.
Leptomastax 70.
Leptomorpha 206.
Leptopalpus 144.
Leptorrhabdium 183.
Leptotyphlus 58.
Lepturooides 111.
Leptura 184.
Leptusa 37.
Lepyrus 164.
Lesteva 61.
Lethonymus 145.
- Lethrus 97.
Letzneria 185.
Leucocelis 101.
Leueohimatium 79.
Leucomigus 161.
Leucoparyphus 47.
Leucosomus 161.
Lianoe 19.
Lichenum 133.
Liceinus 13.
Ligniperda 124.
Lignyodes 168.
Limarus 94.
Limnaeum 9.
Limpichus 35.
Limnius 36.
Limnobius 35.
Limobius 160.
Limodromus 24.
Limonius 108.
Limoxenus 34.
Lina 200.
Linderia 66.
Linozosta 204.
Liocleonus 161.
Lioderes 186.
Liodes 78. 74.
Liogluta 42.
Lionychus 27.
Liophloeus 156.
Liopterus 27.
Liopus 188.
Liosoma 164.
Liota 40.
Liotrichus 109.
Liozoum 123.
Liparoderus 141.
Liparthrum 181.
Liparus 163.
Lissodema 146.
Litargus 82.
Lithoblaps 128.
Litocharis 55.
Lithocryptus 148.
Lithonoma 203.
Lithophilus 78.
Litoborus 131.
Litodactylus 171.
Litororus 132.
Lixus 161.
Loberogosmus 79.
Loboderus 133.
Lobonyx 119.
Lobothorax 133.
Lobrathium 55.
Lochmaea 201.

Lomechusa 39.
Lonchosternus 13.
Longitarsus 204.
Lopha 8.
Lordithon 48.
Loricaster 74.
Lorocera 13.
Lucanus 93.
Luciola 113.
Ludius 110.
Luperus 201.
Lycoperdina 77.
Lyctus 124.
Lydus 144.
Lygistorpterus 112.
Lymexylon 121.
Lymnaeum 23.
Lyphia 134.
Lyperopherus 20.
Lyperosomus 20.
Lyperus 20.
Lyprocorre 38.
Lyprus 166.
Lyreus 87.
Lyrothorax 21.
Lyssa 144.

Machaerites 66.
Macrocephalus 179.
Macrocerus 115.
Macrodytes 32.
Macrolenes 193.
Macronychus 36.
Macropalpus 62.
Macrotarsus 159.
Macrothorax 3.
Macrotoma 183.
Magdalinus 167.
Magdalis 167.
Malachius 116.
Malacogaster 116.
Malacosoma 201.
Maladera 98.
Malchinus 115.
Mallosia 191.
Malthinus 115.
Malthodes 115.
Manicellus 17.
Mannerheimia 62.
Mantura 203.
Margarinotus 91.
Marmaropus 171.
Marolia 139.
Masoreus 25.
Mastax 28.
Mastigus 70.

Matidus 51.
Mayetia 58.
Mecaspis 161.
Mecinus 169.
Mecognathus 56.
Mecynodes 94.
Mecynotarsus 140.
Medon 55.
Megabris 143.
Megacetes 171.
Megacronus 49.
Megadontus 3.
Megaladerus 68.
Megaloscapa 43.
Megapenthes 107.
Megarthrus 64.
Megasternum 35.
Megatoma 89.
Megischia 137.
Meira 151.
Meladema 32.
Melambius 132.
Melancarabus 3.
Melandrya 139.
Melanius 21.
Melanophila 103.
Melanophthalma 82.
Melanosa 101.
Melanotus 108.
Melasia 134.
Melasis 106.
Melasoma 200.
Meleus 163.
Meligethes 84.
Melinopterus 95.
Meloë 143.
Melolontha 99.
Melybaeus 105.
Melyris 120.
Menas 26.
Menedrio 134.
Menephilus 134.
Menesia 190.
Meotica 44.
Merophysia 80.
Mesagroicus 155.
Mesalia 89.
Mesites 174.
Mesocarabus 4.
Mesocoelopus 124.
Mesodasytes 118.
Mesosa 190.
Mesothes 124.
Mesunius 56.
Metabletus 27.
Metacinops 152.

Metadasys 118.
Metadonus 159.
Metallina 7.
Metallites 153.
Metallitides 153.
Metaxya 41.
Metholcus 123.
Metoeetus 143.
Metopthalmus 81.
Metopius 110.
Metoponcus 53.
Metronectes 30.
Mezium 121.
Miarus 169.
Miccotrogus 168.
Micipsa 112.
Micralymnia 62.
Micrambe 79.
Micraspis 208.
Micrelus 172.
Micridium 75.
Micrillus 55.
Micrinus 116.
Microcara 112.
Microcera 47.
Microctilodes 83.
Microdaccus 27.
Microdera 127.
Microdes 36.
Microdota 41. 43.
Microglossa 38.
Microlarinus 163.
Microniptus 121.
Micropeplus 83.
Microphyes 170.
Microptilium 75.
Microrrhagus 106.
Microsaurus 49. 50.
Micrositus 132.
Microsporus 74.
Microtelus 127.
Microtyphlus 9.
Microus 25.
Microzoum 133.
Micuria 84.
Micrus 75.
Migneauxia 82.
Millidium 75.
Minaderus 172.
Minota 202.
Minotaurus 97.
Minyops 158.
Mirulus 79.
Mirus 67.
Miscodera 12.
Misolampus 135.

- | | | |
|-----------------------|----------------------|-----------------------|
| Mitomerus 155. | Napochus 69. | Notiomimus 123. |
| Mniophila 206. | Nassipa 142. | Notiophilus 6. |
| Molops 19. | Nastonycha 113. | Notototheeta 38. |
| Molorchus 185. | Nastus 151. | Notorrhina 186. |
| Molytes 163. | Nausibius 88. | Notoxus 139. |
| Monochammus 189. | Nazeris 56. | Novius 209. |
| Monolepta 202. | Nebria 5. | Nudobius 54. |
| Mononychus 171. | Necrobia 121. | Nycteus 112. |
| Monotoma 88. | Necrodes 73. | Nyctipates 128. |
| Monotropus 98. | Necrophilus 72. | |
| Mordella 141. | Necrophorus 73. | Oberea 190. |
| Mordelistaena 141. | Necydalis Fabr. 145. | Obrium 185. |
| Mordellochroa 141. | Necydalis Linn. 185. | Ocalea 40. |
| Morica 128. | Negastrius 107. | Ochina 123. |
| Morimus 189. | Neja 8. | Ochodaeus 96. |
| Morio 13. | Neliocarus 154. | Ochrosis 202. |
| Moronillus 76. | Nematodes 106. | Ochthebius 33. |
| Morychus 90. | Nemognatha 144. | Ochthenomus 141. |
| Murmidius 93. | Nemonyx 178. | Ochthephilus 60. |
| Myas 19. | Nemosoma 86. | Ocladius 172. |
| Mycetaea 78. | Neobium 122. | Ocnera 130. |
| Mycetina 78. | Neocleonus 161. | Octavius 58. |
| Mycetochares 137. | Neoclytus 187. | Octotemnus 125. |
| Mycetodrepa 46. | Neodorcadion 189. | Ocyrus 51. |
| Mycetoma 138. | Neognathus 56. | Ocys 9. |
| Mycetomychus 80. | Neogonus 139. | Ocyusa 46. |
| Mycetophagus 82. | Neomarius 185. | Odacantha 27. |
| Mycetophila 137. | Neoplotera 80. | Odonc nemis 136. |
| Mycetoporus 49. | Nepachys 117. | Odontaeus 96. |
| Mychophilus 78. | Nepha 8. | Odontocarus 14. |
| Mycota 42. | Nephanes 75. | Odontothethes 84. |
| Mycterus 146. | Nephodes 136. | Oedemera 145. |
| Myelophilus 181. | Nephus 209. | Oedichirus 56. |
| Mylabris auct. 143. | Nesotes 136. | Oenas 144. |
| Mylabris Geoffr. 179. | Neuraphes 69. | Oiceoptoma 72. |
| Myiacus 151. | Nialus 94. | Olibrus 77. |
| Myllaena 47. | Nicobium 122. | Oligomerus 108. |
| Mylocerus 152. | Nilina 88. | Oligota 47. |
| Myodites 143. | Nimbus 94. | Olisthaerus 64. |
| Myorrhinus 160. | Niphetodes 62. | Olistherus Seidl. 77. |
| Myosodus 20. | Niphona 190. | Olisthopus 25. |
| Myrmecinomus 88. | Niphopelta 87. | Olocrates 131. |
| Myrmecopera 40. | Niptus 121. | Olophrum 61. |
| Myrmecoxenus 78. | Nitidula 84. | Olotelus 139. |
| Myrmedonia 39. | Nivellia 184. | Omaleis 136. |
| Myrmetes 92. | Nobius 94. | Omalois 136. |
| Myrmoezia 40. | Nodostoma 196. | Omalus 136. |
| Myrrha 208. | Nomius 11. | Omaseus 21. |
| Mysia 208. | Nosodendron 90. | Omias 154. |
| | Nosodes 86. | Omophlus 137. |
| Nacerdes 145. | Nossidium 75. | Omophron 7. |
| Nalassus 135. | Noterus 28. | Omosiphora 83. |
| Namunia 68. | Nothops 167. | Omosita 84. |
| Nanodiscus 170. | Nothus 139. | Omphreus 22. |
| Nanophthalmus 68. | Notaphus 7. | Oncognathus 63. |
| Nanophyes 170. | Notaris 164. | Oncomera 145. |

- | | | |
|--|---|--|
| Oniticellus 94.
Onitis 94.
Onthophagus 94.
Ontophilus 93.
Oochrotus 131.
Oogaster 127.
Oodes 13.
Oomorphus 196.
Opatrioides 133.
Opatrium 132.
Opetiopalpus 121.
Opilo 120.
Ophonus 14.
Opsigonus 139.
Opsilia 191.
Opsimea 145.
Orchesia 138.
Orchestes 170.
Orectochilus 32.
Oreophilus 19.
Orescius 13.
Orestia 202.
Orina 199.
Orinocarabus 3.
Orites 21.
Orithales 109.
Orobittis 171.
Orochares 61.
Orodalus 94.
Oromus 94.
Orophius 125.
Orphilus 90.
Orsodacna 191.
Orthidus 51.
Orthochaetes 164.
Orthocerus 86.
Orthomus 21.
Orthoperus 76.
Orthopleura 121.
Orthotomicus 182.
Orycoecus 87.
Oryctes 101.
Oryotus 70.
Oryx 165.
Osimus 16.
Osmoderma 101.
Osphya 139.
Ostoma 86.
Othismopteryx 87.
Otbius 53.
Otho 106.
Otiastes 183.
Otiocephala 193.
Otiorrhynchus 146.
Otophorus 94.
Ouralia 44. | Ovostoma 198.
Oxylaemus 87.
Oxylia 191.
Oxymirus 183.
Oxynoptilus 28.
Oxyomus 96.
Oxyophthalmus 157.
Oxypleurus 185.
Oxypoda 45.
Oxyporus 58.
Oxystoma 175.
Oxytelus 59.
Oxythyrea 101. | Pediacus 88.
Pedilus 139.
Pedilophorus 90.
Pedinus 131.
Pedius 22.
Pelania 112.
Pelecotoma 142.
Pelenomus 171.
Pelobius 28.
Pelochares 35.
Pelochrus 117.
Pelophila 6.
Pelor 17.
Peltarium 128.
Peltis 86.
Peltodytes 28.
Pelurga 42.
Pentaphyllus 133.
Pentaria 142.
Penetretus 11.
Pentarthurum 174.
Penthicus 133.
Penthus 14.
Pentodon 100.
Percosia 19.
Percus 19.
Perieges 158.
Perigona 9.
Perileptus 9.
Perimecus 108.
Peritelus 150.
Permidius 81.
Perotis 102.
Peryphus 8.
Petrophilus 20.
Phaedon 200.
Phaenognathus 157.
Phaenogryra 47.
Phaenops 103.
Phaenotherion 178.
Phaeopterus 112.
Phalacrus 77.
Phaleria 183.
Phantazomerus 74.
Phaon 21.
Pharaxonotha 79.
Pharus 209.
Pheletes 108.
Phelister 91.
Pheropsophus 27.
Philernus 165.
Philhygra 43.
Philochthus 9.
Philonthus 52.
Philorinum 62.
Philothermus 87. |
|--|---|--|

- | | | |
|-----------------------|---------------------|---------------------|
| Philus 67. | Pittonotus 110. | Poecilonota 102. |
| Philydrus 34. | Pityophagus 86. | Poecilium 186. |
| Pbloeobium 64. | Pityophthorus 182. | Poecilus 22. |
| Phloeocaris 64. | Placusa 44. | Pogonocerus 141. |
| Phloeodroma 45. | Plagiodesma 200. | Pogonistes 11. |
| Phloeonaeus 60. | Plagiogonus 96. | Pogonochaerus 188. |
| Phloeonomus 63. | Plagiographus 161. | Polygonus 11. |
| Phloeophagus 175. | Plagionotus 186. | Polycesta 103. |
| Phloeophilus 120. | Planeustomus 61. | Polyctesis 104. |
| Phloeophthorus 181. | Planolinus 94. | Polydrusus 152. |
| Phloeopora 45. | Plastocerus 111. | Polygraphus 181. |
| Phloeopterus 61. | Plataphus 7. | Polymus 78. |
| Phloeosinus 181. | Platambus 31. | Polyodontus 56. |
| Phloeostiba 63. | Platarea 42. | Polyopsia 190. |
| Phloeostichus 88. | Plateumaris 192. | Polyphylla 99. |
| Phloeotribus 181. | Platus 15. | Polyscopus 127. |
| Phloeotrya 138. | Platyblaps 128. | Polystichus 27. |
| Phloeozezetaeus 25. | Platycerus 93. | Polystoma 39. |
| Pholeuon 70. | Platychrus 3. | Poophagus 173. |
| Pholicodes 154. | Platycis 112. | Porciolus 90. |
| Pholidus 61. | Platydema 133. | Porrhodites 62. |
| Phosphaenopterus 113. | Platyderus 23. | Porthmidius 107. |
| Phosphaenus 113. | Platydracus 51. | Porocleonus 161. |
| Phospuga 72. | Platylaemus 170. | Porostenus 114. |
| Phratora 200. | Platynaspis 209. | Potaminus 36. |
| Phryganophilus 139. | Platynomerus 23. | Potamophilus 36. |
| Phrygogora 41. | Platynus 24. | Potosia 101. |
| Phthora 134. | Platyola 38. | Prasocurus 200. |
| Phylax 132. | Platyope 130. | Pria 84. |
| Phyletus 133. | Platyprosopus 53. | Princidium 7. |
| Phylira 77. | Platypterus 20. | Prinobius 183. |
| Phyllobius 151. | Platypus 182. | Priobium 122. |
| Phyllobrotica 201. | Platyrhinus 178. | Prionocyphon 112. |
| Phyllocerus 106. | Platyscelis 131. | Prionus 183. |
| Phyllodecta 200. | Platysma 20. | Prionychus 137. |
| Phyllodrepa 63. | Platystethus 59. | Pristilophus 110. |
| Phyllognathus 101. | Platysoma 91. | Pristochira 120. |
| Phyllopertha 100. | Platytarsus 153. | Pristodactyla 24. |
| Phyllotreta 204. | Platytarus 26. | Pristonychus 23. |
| Phymatodes 186. | Platytomus 96. | Probosca 146. |
| Phymatura 37 | Plectes 2. | Procas 160. |
| Physetops 51. | Plefetroscelis 203. | Procerus 2. |
| Phytobaenus 139. | Plegaderus 93. | Procirrus 56. |
| Phytobius 171. | Pleganophorus 78. | Procrustes 2. |
| Phytodecta 200. | Pleonomus 111. | Proctophysus 194. |
| Phytoecia 190. | Pleurodirus 153. | Prognatha 64. |
| Phytonomidius 160. | Pleurophorus 96. | Pronomaea 47. |
| Phytonomus 159. | Plinthus 163. | Propomacrus 100. |
| Phytosus 45. | Plochionus 25. | Propus 70. |
| Pidonia 184. | Plumaria 123. | Propylea 208. |
| Piezoenemus 153. | Pocadius 85. | Prosodes 128. |
| Pilemia 191. | Podabrus 113. | Prostomis 87. |
| Pimelia 130. | Podagrion 202. | Protinus 64. |
| Pinophilus 56. | Podistra 115. | Psallidium 156. |
| Piochardia 39. | Podonta 137. | Psammobius 96. |
| Pissodes 164. | Podhomala 130. | Psammoecryptus 127. |

- Psammodius 96.
Psammoechus 88.
Psammoxenus 26.
Pselaphus 66.
Pseudhypera 159.
Pseudidus 52.
Pseudobium 55.
Pseudochina 124.
Pseudoclerops 120.
Pseudoclerus 120.
Pseudocistela 137.
Pseudocleonus 161.
Pseudocolaspis 196.
Pseudocryobius 21.
Pseudodactylus 111.
Pseudodasytes 119.
Pseudolamus 132.
Pseudomedon 55.
Pseudomeira 151.
Pseudomorphus 167.
Pseudomylocerus 152.
Pseudophanus 88.
Pseudophonus 15.
Pseudoplectus 67.
Pseudopristonychus 23.
Pseudopsis 64.
Pseudoptinus 121.
Pseudorthomus 21.
Pseudoscopaeus 40.
Pseudostyphlus 165.
Pseudotaphoxenus 23.
Pseudotrechus 27.
Pseudotrematodes 99.
Pseudotriphylus 82.
Psilodema 98.
Psilorrhedium 183.
Psilothrix 119.
Psiloptera 102.
Psilopus 183.
Psoa 124.
Psychidium 80.
Psychobius 19.
Psylliodes 203.
Ptenidium 75.
Pterocoma 130.
Pteroloma 72.
Pterostichus 19.
Pterotapinus 21.
Pteryx 76.
Ptilinus 123.
Ptilium 75.
Ptilophorus 142.
Ptinella 76.
Ptinomorphus 123.
Ptinus 121.
Ptinobruchus 121.
- Ptochus 151.
Ptomaphagus 71.
Ptosima 103.
Pubinus 94.
Pucerus 59.
Pullus 209.
Purpuricenus 187.
Pycnaraea 45.
Pycnidium 131.
Pyenoglypta 63.
Pycnomerus 86.
Pyenota 44.
Pyctocraerus 59.
Pygidia 114.
Pygidiphorus 134.
Pygoxyon 67.
Pylades 70.
Pyrochroa 141.
Pyropterus 112.
Pyrrhalta 201.
Pyrrhidium 186.
Pytho 146.
- Quaesticulus 70.
Quaestus 70.
Qnedius 49. 50.
- Rabigus 53.
Rabocerus 146.
Raibosceles 136.
Raphirus 50.
Raymondia 174.
Raymondionymus 174.
Reicheia 12.
Reichenbachia 65.
Rembus 14.
Remus 52.
Reveleria 81.
Rhabdorrhynchus 161.
Rhaebus 179.
Rhaesus 183.
Rhagium 183.
Rhagonycha 114.
Rhamnus 183.
Rhampholyssa 143.
Rhamphus 171.
Rhantus 31.
Rhaphidopalpus 201.
Rheochara 39.
Rhinocyllus 163.
Rhinomacer 178.
Rhinoncus 171.
Rhinosimus 146.
Rhinusa 169.
Rhipidius 142.
Rhipiphorus 143.
- Rhizobius 208.
Rhizoblaps 128.
Rhizopertha 125.
Rhizophagus 86.
Rhizotrogus 98. 99.
Rhopalocerus 86.
Rhopalodontus 125.
Rhopalomerus 187.
Rhopalomesites 175.
Rhopalopus 186.
Rhynchaenus 170.
Rhynchites 178.
Rhyncolus 175.
Rhysodes 87.
Rhyssemus 96.
Rhytideres 160.
Rhytidosomus 171.
Rhytirrhinus 158.
Riolus 36.
Rosalia 187.
Rugilus 56.
Ryaxis 65.
- Sabienus 14.
Sacium 76.
Salius 170.
Salpingus 146.
Saperda 190.
Saphanus 185.
Saprinus 92.
Sarrotrium 86.
Sauridus 50.
Scaphidema 133.
Scaphidium 76.
Scaphischema 76.
Scaphisoma 77.
Scaphium 76.
Scarabaeus 93.
Scarites 12.
Scaurus 128.
Schaumi 156.
Schistoglossa 45.
Schizochilus 51.
Sciaphilus 153.
Seimbalium 55.
Scirtes 112.
Scleron 132.
Scleropatrum 133.
Sclerophaedon 200.
Scleropterus 171.
Scolytus 181.
Scopaeus 55.
Scoponaeus 56.
Scotodes 139.
Scotodipnus 9.
Scotodytes 64.

- | | | |
|--------------------|---------------------|----------------------|
| Scotonomus 54. | Sospita 208. | Stenura 184. |
| Scotoplectus 67. | Spaniophaeus 79. | Stenus 37. |
| Scotoscopus 142. | Spanisa 142. | Stephanocleonus 161. |
| Scraptia 139. | Sparedrus 145. | Stephanoderes 182. |
| Scybalicus 14. | Spartophila 200. | Stephanophorus 161. |
| Scydmaenus 69. | Spatochus 91. | Stereocorynes 175. |
| Scymnus 209. | Spavius 78. | Stereonychus 170. |
| Scythis 126. | Spelaeochlamys 70. | Stereus 164. |
| Scythropus 153. | Spelaeodytes 12. | Sternodea 80. |
| Semanotus 186. | Spercheus 34. | Sternoplus 123. |
| Semiadalia 207. | Spermophagus 179. | Steropes 139. |
| Seminolus 90. | Sphaericus 121. | Steropus 20. |
| Semiris 40. | Sphaeridium 35. | Sternuchus 74. |
| Sepidium 130. | Sphaerites 73. | Stichoglossa 38. |
| Serica 98. | Sphaerius 74. | Stichoptera 198. |
| Sericoderus 76. | Sphaeroderma 206. | Stilbus 77. |
| Sericosomus 110. | Sphaerula 170. | Stilicus 56. |
| Sericus 110. | Sphegesthes 187. | Stolatus 163. |
| Seriscus 131. | Sphenoma 46. | Stomis 22. |
| Sermyla 202. | Sphenophorus 174. | Stomodes 150. |
| Seropalpus 138. | Sphenoptera 104. | Stomphax 96. |
| Setaria 78. | Sphiudus 124. | Strangalia 184. 185. |
| Sharpia 165. | Sphinginus 117. | Strenes 164. |
| Siagona 13. | Sphodristus 4. | Stromatium 186. |
| Siagonium 64. | Sphodroides 23. | Strongylus 85. |
| Sibinia 169. | Sphodrus 22. | Strophomorphus 154. |
| Sibynes 169. | Spirosoma 54. | Strophosomus 154. |
| Sidis 209. | Spondylis 183. | Stylosomus 196. |
| Sigorus 94. | Stagetus 124. | Styphloderes 174. |
| Silaria 142. | Stagobius 70. | Styphlotychius 165. |
| Silesis 111. | Stagonomorpha 74. | Styphlus 164. |
| Silis 114. | Staphylinus 51. | Styracoderus 20. |
| Silpha 72. | Stelidota 84. | Subeoccinella 208. |
| Silotrupes 97. | Stenagostus 108. | Subrinus 94. |
| Silusa 37. | Stenalia 141. | Sunius 56. |
| Silvanus 88. | Stenaxis 145. | Symbiotes 78. |
| Simplocaria 91. | Stenelmis 36. | Symbius 142. |
| Singilis 25. | Stenichnus 69. | Sympiezocera 186. |
| Sinodendron 93. | Stenidia 188. | Synaptus 110. |
| Sinoxylon 124. | Stenistoderus 53. | Syncalypta 90. |
| Sipalia 37. | Stenochoromus 19. | Synchita 86. |
| Sipalia Thoms. 44. | Stenocarus 171. | Synchitodes 87. |
| Sisyphus 94. | Stenocorus 183. | Synechostichus 8. |
| Sitaris 145. | Stenodera 144. | Syneta 192. |
| Sitodrepa 123. | Stenoglossa 38. | Syntomium 61. |
| Sitona 155. | Stenolophus 16. | Synuchus 24. |
| Sitones 155. | Stenomax 136. | Syrdenus 11. |
| Sitophagus 135. | Stenopterus 185. | Systenocerus 93. |
| Sitophilus 174. | Stenoria 145. | |
| Smicronyx 165. | Stenosida 127. | T achinus 48. |
| Sogines 22. | Stenosis 127. | Tachyerges 170. |
| Sognorus 64. | Stenosoma 188. | Tachyglossa 37. |
| Solenia 44 | Stenostola 190. | Tachyporus 48. |
| Solenophorus 186. | Stenostoma 146. | Tachypus 7. |
| Somoplatus 25. | Stenotrachelus 139. | Tachys 9. |
| Soronia 84. | Steuus 57. | Tachyta 9. |

- Tachyusa 41.
Tachyusida 37.
Tactocomus 110.
Tadunus 59.
Taeniolobus 12.
Taenioticha 198.
Taenosoma 60.
Tagenia 127.
Talanes 8.
Tanycnemus 156.
Tanyeraerus 59.
Tanygnathus 49.
Tanymeucus 157.
Tanyproctus 99.
Tansphyrus 165.
Tanythrix 19.
Taphoxenus 22.
Taphria 24.
Taphrorychus 182.
Tapinopterus 21.
Tapinotus 173.
Tarphius 86.
Tarsostenus 120.
Tasgius 51.
Taxicera 45.
Teinodactyla 204.
Telephorus 113.
Telmatoophilus 78.
Telopes 89.
Temnochila 86.
Temnorrhinus 160.
Tenebrio 134.
Tenebrioides 86.
Tentyria 127.
Teredus 87.
Teretrius 92.
Testedium 7.
Tetracha 1.
Tetracis 64.
Tetramelus 70.
Tetratoma 138.
Tetropium 186.
Tetropa 42.
Tetros 190.
Teuchestes 94.
Thalassophilus 10.
Thalyra 85.
Thambus 106.
Thamioecolus 172.
Thamiaraea 38.
Thamiosoma 37.
Thamnurgus 182.
Thanasimus 120.
Thanatophilus 72.
Tharops 106.
Thea 208.
- Theca 124.
Thectura 45.
Thelydrias 118.
Thermocharis 64.
Thermonectus 28.
Thermoscelis 24.
Thiasophila 38.
Thilmanus 112.
Thinobaena 42.
Thinobius 60.
Thinodromus 60.
Thinoecia 41.
Thinonoma 41.
Thinophilus 60.
Thliboptera 46.
Thoracophorus 64.
Thorectes 97.
Thorictodes 91.
Thorictus 91.
Threnosoma 198.
Throbalium 55.
Throesus 106.
Thyamis 204.
Thylacites 157.
Thymalus 86.
Tigrinellus 159.
Tillus 120.
Timarcha 197.
Tipnus 121.
Tiresias 89.
Tituboea 193.
Tolida 142.
Tolyphus 77.
Tomicus 182.
Tomoderus 140.
Tomoglossa 45.
Tomoxia 141.
Tomyrium 80.
Toplithus 167.
Torneuma 166.
Tournieria 150.
Toxotus 183.
Trachelobrachys 123.
Trachelomorphus 159.
Trachodes 165.
Trachydenus 161.
Trachyderma 130.
Trachykele 102.
Trachypachys 7.
Trachyphloeas 155.
Trachys 105.
Trachyseelis 133.
Tragosoma 183.
Traumoezia 43.
Treichus 9.
Trecticus 170.
- Trematodes 84.
Trepanes 8.
Triaena 17.
Triarthron 73.
Tribalus 92.
Tribatus 65.
Tribax 3.
Tribolium 133.
Trichis 26.
Trichius 101.
Trichodes 120.
Trichoceble 119.
Trichodermia 51.
Trichonyx 68.
Trichophorus 110.
Trichophya 47.
Trichopteryx 75.
Trigonogenius 121.
Trigonoscelis 130.
Trigonurus 64.
Trimum 67.
Trinodes 90.
Triodontia 98.
Triphyllina 82.
Triphyllus 82.
Triplax 77.
Trirhabda 201.
Tritoma Geoffr. 82.
Tritoma Fabr. 77.
Trixagus 106.
Trogaster 68.
Troginus 60.
Troglops 118.
Troglorhynchus 150.
Trogoderma 89.
Trogophloeus 60.
Trogosita 86.
Troxylon 124.
Trogus 32.
Tropideres 178.
Tropinota 101.
Tropiphorus 158.
Tropisternus 34.
Trotomma 139.
Trox 97.
Trymosternus 26.
Trypoeladus 124.
Trypodendron 182.
Trypopitys 123.
Trisibius 163.
Tychius 168.
Tychus 67.
Tyloderes 150.
Typhaea 83.
Typhlobium 55.
Typhlocharis 9.

L
Lie

Typhlocyptus 47.
Typhlodes 54.
Typhloporus 166.
Typhoeus 97.
Tyropsis 65.
Tyrus 65.
Tytthaspis 208.

Ulomina 134.
Uloma 134.
Upinella 137.
Upis 134.
Uroblaps 128.
Urodon 179.

Vadonia 184.
Valgus 102.
Velleius 49.
Vesperus 183.
Vibidia 208.
Volinus 94.
Vulda 54.

Xanthochelus 161.
Xantochroa 145.
Xantochroina 145.
Xantholinus 54.
Xanthosphaera 74.
Xenochra 39.
Xenoscelis 88.
Xenostrongylus 85.
Xenota 42.
Xenus 41.
Xeronthobius 123.
Xestobium 123.
Xyleborus 182.
Xylechinus 181.
Xyletinus 123.
Xylita 138.
Xylobius 106.
Xylocleptes 182.
Xylodrepa 72.
Xylodromus 63.
Xylographus 125.
Xylolaemus 87.
Xylopertha 125.

Xylophilus Mannh. 106.
Xylophilus Latr. 139.
Xysteus 183.
Xystylon 183.
Xyloterus 182.
Xylotrechus 186.
Xylotrogus 124.

Zabrus 17.
Zavaljus 78.
Zeteotomus 53.
Zeugophora 192.
Zeugotaenia 198.
Zibus 67.
Zilora 139.
Zonabris 143.
Zonitis 144.
Zonoptilus 61.
Zoosetha 44.
Zophosis 125.
Zuphium 27.
Zygia 120.
Zyras 39.







SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00317002 4

nhent QL591.A1H615 188

Catalogus coleopterorum Europæ et Cauca