

Gift of

Earl Blough

November 1957

# CATALOGUE FOR 1847,

OF A CHOICE COLLECTION

OF

## FLORICULTURAL, VEGETABLE, AND AGRICULTURAL SEEDS,

COMPRISING, IN ALL, UPWARDS OF

1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

**German Asters, Stocks, Zinnias, Hollyhocks,**

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED  
FAVOURITES, AND MANY NEW AND RARE SEEDS.

*In giving orders for Flower Seeds it is quite sufficient to mention the numbers  
without the names; but as the numbers are changed every year, it  
is absolutely necessary to say from the Catalogue for 1847.*

THE

LISTS OF VEGETABLE AND AGRICULTURAL SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,  
SEEDSMAN AND FLORIST,  
238, HIGH HOLBORN, LONDON.**

\*\* The German Seeds are from the usual source.

Jan. 1, 1847.

[Entered at Stationers' Hall.]

## THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; lh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; ghb. and hgh. *green or hothouse*; sa. *stove annual*; hb. *hardy biennial*; hbb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. Packets may be had of those marked 3d., &c.

**TIME OF SOWING.**—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked \*\* may be planted in the borders in May.

\* Dwarf Plants proper for the edgings of beds. \*\* Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots { ... | ... | ... | ... } indicate a repetition; *pl.* plures, many; *ex.* from.

### I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

	a. <i>Stamens (male organs) equal.</i>		c. <i>Stamens united in sets.</i>
	No. 1. Monan'dria . . . 1 <i>stamen</i>		16. Monadelphia, 1 <i>set</i> .
	2. Dian'dria . . . 2 <i>stamens</i>		17. Diadelphía, 2 <i>sets</i>
	3. Triandria . . . 3 "		18. Polyadelphia, <i>many sets</i>
	4. Tetrandria . . . 4 "		d. <i>Compound Flowers (Asters, &amp;c.)</i>
	5. Pentandria . . . 5 "		19. Syngnēsia
	6. Hexandria . . . 6 "		e. <i>Stamens on the style.</i>
	7. Heptandria . . . 7 "		20. Gynandria
	8. Octandria . . . 8 "		f. <i>Male and female separated.</i>
	9. Enneandria . . . 9 "		21. Monœ'cia, <i>on one plant</i>
	10. Decandria . . . 10 "		22. Dicœ'cia, <i>on different plants</i>
	11. Dodecandria 12 to 19 S. in the cup		g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i>
	12. Icosandria 20 or more S. on the base		23. Polygāmia, <i>many marriages</i>
	13. Polyandria, <i>many Stamens</i>		h. <i>Flowers wanting, or incomplete.</i>
	b. <i>Stamens unequal.</i>		24. Cryptogāmia, <i>hidden marriages (Ferns, Mosses, &amp;c.)</i> .
	14. Didynāmia, 2 <i>long, 2 short</i>		
	15. Tctradynāmia, 4 " 2 "		

## II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria, many stamens
No. 25. Monogýnia	. 1 style	c. On the sets of Stamens.
26. Digýnia	. 2 styles	49. Mouadclphia, 1 set
27. Di-pentagýnia	2 to 5 "	d. Styles and stamens united.
28. Trigýnia	. 3 "	50. Gynandria
29. Tctragýnia	. 4 "	e. Male and female separate.
30. Pentagýnia	. 5 "	51. Monœ'cia, on one plant
31. Hexagýnia	. 6 "	52. Dia'cia, on different plants
32. Heptagýnia	. 7 "	f. On the Polygamy.
33. Decagýnia	. 10 "	53. { Polygámia æquális, or
34. Dodecagýnia	. 12 "	Equal Polygamy
35. Polygýnia	many "	54. { Polygámia superflua
b. On the Stamens (male organs).		Superfluous Polygamy
36. Monan'dria	. 1 stamen	55. { Polygámia frustra'cia
37. Diandria	. 2 stamens	Frustrated Polygamy
38. Triandria	. 3 "	56. { Polygámia necessária
39. Tctrandria	. 4 "	Necessary Polygamy
40. Pentandria	. 5 "	57. { Polygámia segregata
41. Hexandria	. 6 "	Separated Polygamy
42. Heptandria	. 7 "	g. On the Seeds.
43. Octandria	. 8 "	58. { Gymnosper'mia
44. Enneandria	. 9 "	Naked seeds
45. Decandria	. 10 "	59. Angiosper'mia, in a capsule
46. Dodecandria	. 12 "	h. On the Pods.
47. Icosandria	. 20 "	60. Siliiculosa, a small pod
		61. Siliquosa, a long pod.

## III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthæcæ	82. Crassulæcæ	102. Linæcæ	122. Primulæcæ
63. Amaranthæcæ	83. Crucifera	103. Loasæcæ	123. Protæcæ
64. Amaryllidæcæ	84. Cucurbitæcæ	104. Lobeliæcæ	124. Ranunculæcæ
65. Apocynæcæ	85. Dipsacæcæ	105. Loranthæcæ	125. Resedæcæ
66. Aristolochidæcæ	86. Eparidæcæ	106. Lythræcæ	126. Rosæcæ
67. Asclepiadæcæ	87. Ericæcæ	107. Murantæcæ	127. Rubiæcæ
68. Balsaminæcæ	88. Euphorbiæcæ	108. Malvæcæ	128. Rutæcæ
69. Begoniæcæ	89. Ficoïdæ	109. Myrtæcæ	129. Scrophulariæcæ
70. Bignoniæcæ	90. Fumariæcæ	110. Nyctaginæ	130. Sesâmæ
71. Boraginæcæ	91. Francoæcæ	111. Nymphæcæ	131. Silenæcæ
72. Cactiæcæ	92. Graminæ	112. Onagrariæ	132. Solanæcæ
73. Campanulæcæ	93. Gentianæcæ	113. Melanthæcæ	133. Styliidiæcæ
74. Capparidæcæ	94. Geraniæcæ	114. Papaveræcæ	134. Thymelæcæ
75. Caprifoliæcæ	95. Gesneriæcæ	115. Passifloræcæ	135. Tropæolæcæ
76. Cistæcæ	96. Hydrophyllæcæ	116. Pittosporæcæ	136. Umbelliferæ
77. Cobræcæ	97. Iridæcæ	117. Plumbaginæcæ	137. Valerianæcæ
78. Commelinæcæ	98. Labiata	118. Polemoniæcæ	138. Verbenæcæ
79. Compositæ	99. Leguminosæ	119. Polygalæcæ	139. Violæcæ
80. Conifera	100. Liliæcæ	120. Polygonæcæ	140. Magnoliæcæ
81. Convolvulæcæ	101. Limpanthæcæ	121. Portulacæ	141. Zygophyllæcæ

The names of the Natural Orders ending in *ACEÆ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *Æ* only are not, as *COMPOSITÆ*, *LABIATÆ*, &c.

ASSORTMENTS  
OF  
**GERMAN FLOWER SEEDS**  
IN THE ORIGINAL SEALED PACKETS.

*These Seeds warranted to equal, if not surpass, any in the Kingdom.*

*h. signifies hardy; hh. half-hardy.*

No.		s. d.
1	24 splendid varieties of German Aster, separate, <i>hh.</i> .....	6 0
2	24 do. do. do. do. ....smaller packets	3 0
3	12 superb new Globe do. do. ....	3 0
4	12 do. do. do. do. ....smaller packets	1 6
5	12 new double Pyramidal do. do. ....	3 0
6	12 do. do. do. do. ....smaller packets	1 6
7	48 splendid German Aster, comprising Nos. 1, 3 and 5 .....	11 0
8	48 do. do. do. do. ....smaller packets	6 0
9	24 do. do. half of No. 7.....	6 0
10	24 do. do. do. ....smaller packets	3 6
11	12 beautiful new dwarf German Aster, separate .....	3 0
12	12 do. do. do. ....smaller packets	1 6
13	24 extra fine dwarf German Stock, separate .....	8 0
14	24 do. do. do. do. ....smaller packets	4 0
15	12 finest branching Nosegay do. do. ....	4 0
16	12 do. do. do. do. ....smaller packets	2 0
17	12 very fine wallflower-leaved or Prussiau Stock, separate.....	3 6
18	12 do. do. do. do. do. ....smaller packets	2 0
19	60 fine German Stock, comprising Nos. 13, 15, 17.....	17 6
20	60 do. do. do. separate .....	8 0
21	30 do. do. do. the half of No. 19 .....	9 0
22	30 do. do. do. separate .....	5 0
23	12 beautiful German Stock, all dwarf .....	5 0
24	12 do. do. do. do. ....smaller packets	2 6
25	12 finest double dwarf Rocket Larkspur, <i>h.</i> .....	3 0
26	8 do. do. tall do. ....	2 0
27	12 extra fine double Poppy, <i>h.</i> .....	2 6
28	20 beautiful double Balsam, <i>hh. or greenhouse.</i> .....	5 0
29	24 splendid <i>Zinnia elegans</i> , <i>hh.</i> .....	8 0
30	12 do. do. ....	5 0
31	12 finest varieties of Marygold, <i>hh.</i> .....	3 0
32	8 do. Elicbrysum or Xeranthemum, <i>hh.</i> .....	2 6
33	6 beautiful Salpiglossis, <i>hh.</i> .....	2 6
34	12 extra fine new varieties of <i>Phlox Drummondii</i> , <i>hh.</i> .....	5 0
35	12 finest biennial Stock, <i>hh.</i> .....	3 0
36	12 do. do. ....smaller packets	2 0
37	16 superb new Wallflower, <i>h.</i> .....	7 6
38	16 do. do. ....smaller packets	4 0
39	8 splendid new Scabious, <i>h.</i> .....	2 6
40	40 extra fine double Hollyhock, <i>h.</i> .....	6 0
41	20 do. do. ....	3 0
42	14 beautiful new Petunia, <i>hh.</i> .....	4 0

Explanations.—No. 1 to 33 are annuals; the remainder biennials or perennials.  
Other assortments will be found at page 25.

# CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, *Campanula*, 5, 25, 73, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 8.

## MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratum mexicanum* is rendered Mexican Ageratum, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue, 1847.

A — indicates a variety. ( ) That the word is not literally translated, or is superadded.		Linnean Class.	Linnean Order.	Natural Order.	Hardness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
THE ACCENTS.									
à, â, é, è, ò, ù, ý, as in <i>Acà-cia</i> , <i>Gardè-nia</i> , <i>Lupì-nus</i> , <i>Cù-phea</i> , <i>Hý-acinth</i> .									
á, é, í, ó, and ý, as in <i>Itát-ica</i> , <i>ét-egans</i> , <i>bíc-olor</i> , <i>Nemóph-ila</i> (ú does not occur).									
Scientific Name.									
No.							feet		s. d.
43	<i>Acàcia pulchella</i>	pretty	23	51	99	G. yel.	5	6-8	6
44	— — —	12 fine species, m.	...	...	...	y&w	5-6	...	2 6
45	<i>Achímenes</i> , pl. sp.	several species	14	59	95	...	div.	1	6-9
46	<i>Aconitum</i> , pl. sp.	several species	13	28	124	hp	...	2	...
47	<i>Adenandra eistoides</i>	<i>Cistus-like</i>	5	25	128	G. pink	2	5-8	1 0
48	<i>Adenóphora suaveolens</i>	fragrant	...	...	73	hpt	l. b.	...	6-8
49	<i>Adlúmia cirrhosa**</i>	tendrilled	17	41	90	...	w&p	cl.	6-7
50	<i>Adónis vernalis</i>	vernal	13	35	124	...	yel.	1	4-5
51	<i>Agapanthus umbellatus</i>	( <i>African Lily</i> )	6	25	100	G. bl.	3	1-8	1 0
52	<i>Agathæa spatulata</i>	spatulate	19	54	79	hha	...	2	7-8
53	<i>Ageratum mexicanum</i>	Mexican	...	53	...	ha	...	...	3
54	odoratum	fragrant	...	...	...	...	...	...	3
55	<i>Alonsóa grandiflora</i>	large-flowered	14	59	129	hhp+	sc.	1	6-9
56	— — —	(finest mixed)	...	...	...	s & o	...	...	6
57	<i>Alströmèria aurantiaca</i>	orange	6	25	64	...	or.	2½	6-8
58	<i>Barclayana</i>	<i>Borclay's</i>	...	...	...	...	b.o.	2	...
59	<i>Hookèri</i>	<i>Sir W. J. Hooker's</i>	...	...	...	...	l. c.	...	6
60	— pallida	pole	...	...	...	...	r & y	...	6
61	<i>Pelegrina</i>	(striped)	...	...	...	...	stri.	...	6
62	— alba	white	...	...	...	...	wh.	...	6
63	pulehella	pretty	...	...	...	...	sc.	...	6
64	pulchra (tricolor)	three-coloured	...	...	...	...	wpy	...	6
65	van Houttii	(hybrid, 20 var.)	...	...	...	...	div.	...	1 6
66	— — —	fine mixed	...	...	...	...	...	...	1 0
67	<i>Alyssum saxatile</i>	rock	15	60	83	hpt	yel.	1	4-6
68	<i>Amaranthus tricolor</i>	three-coloured	21	40	63	ta	var.	1½	7-8
69	speciosus	showy	...	...	...	...	lha	pur.	2
70	<i>Amethystea cærulea</i>	blue	2	25	98	ha	bl.	...	3



<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price
No.							feet		s. d.
71	<i>Ammobium alatum</i>	<i>winged</i>	19 53	79	ha	wh.	2	7-8	3
72	<i>Anagallis indica</i>	<i>Indian</i>	5 25	122	...	bl.	1	6-7	3
73	Breweri	<i>Brewer's</i>	...	...	...	...	...	6-9	6
74	carnea	<i>flesh-coloured</i>	...	...	...	fl.	...	...	6
75	grandiflora	<i>large-flowered</i>	...	...	...	red	...	...	6
76	Monelli	<i>Monelli's</i>	...	...	...	bl.	...	...	6
77	— — —	<i>finest mixed</i>	...	...	...	div.	...	...	6
78	<i>Anchusa capensis</i>	<i>Cape</i>	...	71	hht+	bl.	2	...	6
79	<i>ochroleuca, var. italica</i>	<i>Italian</i>	...	...	...	hp	p. b.	1 6-8	6
80	<i>Androsace carnea</i>	<i>flesh-coloured</i>	...	122	hpt+	fl.	1	7-8	3
81	<i>Anemone baldensis</i>	<i>Mount Baldo</i>	13 35	124	hp	wh.	1	5-6	6
82	coronaria	<i>(Poppy Anemone)</i>	...	...	...	div.	1	6-7	6
83	Halleri	<i>Haller's</i>	...	...	...	pur.	1	5-6	6
84	Hudsoniana	<i>(Hudson's Bay)</i>	...	...	...	wh.	1	...	6
85	micrantha	<i>(Alpine)</i>	...	...	...	w&p	1	6-7	6
86	narcissiflora	<i>Narcissus-flowerd</i>	...	...	...	wh.	1	5-6	6
87	Pulsatilla	<i>(Pasque-flower)</i>	...	...	...	vio.	1	...	6
88	sulphurea	<i>sulphur</i>	...	...	...	yel.	...	...	6
89	vernalis	<i>vernal</i>	...	...	...	wh.	...	...	6
90	vitifolia	<i>vine-leaved</i>	...	...	...	...	2	8-9	6
91	<i>Anigozanthos splendens</i>	<i>splendid</i>	6 25	100	G.	sc.	3	7-8	1 0
92	<i>Anomatheca cruenta</i>	<i>(blood-red)</i>	3 ...	97	hht+	red	1	6-8	6
93	<i>Anthericum annuum</i>	<i>annual</i>	6 ...	100	ha	yl.	3	7-8	6
94	<i>Aquilegia alpina</i>	<i>alpine</i>	13 30	124	hpt+	bl.	1	5-7	4
95	canadensis	<i>Canadian</i>	...	...	...	r & o.	1 1/2	...	4
96	— clatior	<i>— taller</i>	...	...	...	...	2	...	4
97	formosa	<i>beautiful</i>	...	...	...	...	1 1/2	...	4
98	glandulosa	<i>glandular</i>	...	...	...	w & b	...	...	4
99	grandiflora	<i>large-flowered</i>	...	...	...	bl.	...	...	4
100	hybrida	<i>hybrid</i>	...	...	...	pur.	...	...	4
101	sibirica	<i>Siberian</i>	...	...	...	bl.	...	...	4
102	Skinneri	<i>Skinner's</i>	...	...	...	...	...	...	4
103	speciosa	<i>showy</i>	...	...	...	bl.	...	...	4
104	stellata	<i>starry</i>	...	...	...	b & w	...	...	4
105	Sternbergii	<i>Sternberg's</i>	...	...	...	...	...	...	4
106	viscosa	<i>clammy</i>	...	...	...	pur.	...	...	4
107	— — —	<i>finest mixed</i>	...	...	...	div.	...	...	6
108	<i>Arabis rosea</i>	<i>rose</i>	15 61	83	...	rose	1	3-4	6
109	<i>Arctotis, sp. capensis</i>	<i>Cape species</i>	19 56	79	lha	yel.	...	7-8	3
110	<i>Arenaria, 3 sp.</i>	<i>(3 fine species)</i>	10 28	131	ha	w & r	...	4-5	6
111	<i>Argemone grandiflora</i>	<i>large-flowered</i>	13 25	114	...	wh.	2	7-8	0
112	— — —	<i>finest mixed</i>	...	...	...	y & w	...	...	6
113	<i>Aristea cyanea</i>	<i>bright blue</i>	3 ...	97	G.	bl.	1/2	5-7	6
114	<i>Aristolochia siphon**</i>	<i>tube</i>	20 41	66	hp	y. br.	cl.	7-8	6
115	<i>Asclepias arborescens</i>	<i>arborescent</i>	5 26	67	G.	wh.	8	12	6
116	curassavica	<i>Curassao</i>	...	...	...	sc.	2 1/2	7-9	6
117	<i>Asphodelus, 2 sp.</i>	<i>(2 fine species)</i>	6 25	100	hp	wh.	2	6-7	6
118	<i>Aster alpinus</i>	<i>alpine</i>	19 54	79	hpt+	pur.	3/4	5-8	4
119	Amellus	<i>Amellus</i>	...	...	...	...	1 1/2	8-9	4
120	tenellus*	<i>slender</i>	...	...	...	bl.	1	6-8	4

<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.						fect		s.d.
121	<i>Athanasia annua</i>	annual	19 53	79	ha	yel. $\frac{1}{2}$	7-8	3
122	<i>Atrúgene austriaca</i> **	Austrian	13 35	124	hp	br.y. cl.	...	6
123	capensis**	Cape	...	...	G.	...	...	6
124	Aulax, 2 sp.	(2 fine species)	22 39	123	...	yel. 2	7-9	1 0
125	Azàlea, pl. sp.	(sev. fine sp.)	5 25	87	hlp	div. div.	5-7	1 0
126	Bartònia aurea	golden	13 ...	103	ha	yel.	2 7-9	3
127	Begònia, pl. sp.	(very fine mixed)	21 48	69	G.	div. ...	...	6
128	Bellis perennis, fl. pl.	double Daisy	19 54	79	hp	...	$\frac{3}{4}$ 4-8	6
129	Bignònia rádicans**	rooting	14 59	70	hlp	or. cl.	7-9	6
130	austràlis**	Australian	...	...	...	...	...	6
131	grandiflòra**	large-flowered	...	...	G.	y.o. ...	...	1 0
132	Blumenbáchia insignis	beautiful	18 48	103	ha	w & r tr.	7-8	6
133	Bomària acutifolia**	pointed-leaved	6 25	64	hlp†	r & y. cl.	7-9	6
134	Salsilla**	Salsilla	...	...	...	g & c. ...	...	6
135	variabilis**	variable	...	...	...	div. ...	...	6
136	sp. Bolívia**	(splendid new)	...	...	...	g & d. ...	...	2 6
137	sp. Bolívia**	(new & fine, No.2)	...	...	...	...	...	1 0
138	Brachycòme iberidifolia	Iberis-leaved	19 54	79	hha	bl. 2	...	6
139	— — —	(4 var. mixed)	...	...	...	div. ...	...	1 0
140	Brachysèma latifolium	broad-leaved	10 25	99	G.	cr. 6	5-8	1 0
141	Briza gráculis	slender	3 26	92	ha	gr. 1	7-8	3
142	Brodiaza congesta	crowded (flou.)	...	25 100	hlp	bl. ...	...	6
143	Browallia clàta	tall	14 59	129	G.	pur. 2	6-8	4
144	— alba	white	...	...	...	wb. ...	...	4
145	— — —	mixed	...	...	...	p & w ...	...	4
146	Brugmansia bicolor	two-coloured	5 25	132	...	s & y. 6	7-9	1 0
147	Burchellia capensis	Cape	...	127	...	sc. 3	5-7	1 0
148	Cacàlia coccinea	scarlet	19 53	79	hha	...	$\frac{3}{4}$ 7-8	3
149	aurea	orange	...	...	...	or. ...	...	3
150	Cactus, 30 sp. et var.	(30 fine species)	12 25	72	S.	div. div.	div.	5 0
151	— — —	fine mixed	...	...	...	...	...	1 0
152	Calampelis scàbra**	rough (podded)	14 59	70	hlp	or. cl.	6-8	6
153	Calandrinia discolor	two-coloured	11 25	121	hha	rose 2	7-8	6
154	grandiflòra	large-flowered	...	...	...	p. r. ...	...	3
155	Lindleyana	Lindley's	...	...	...	...	...	6
156	speciosa	showy	...	...	...	pur. $\frac{1}{2}$	...	3
157	Calceolària pinnàta	pinnate	2 ...	129	...	yel. 1 $\frac{1}{2}$	...	4
158	rosmarinifolia	Rosmary-leaved	...	...	...	fgl ...	2 6-9	6
159	sp. Cochabamba	Cochabamba sp.	...	...	...	y & r. ...	...	1 0
160	— — —	splend. new mxd.	...	...	...	div. ...	...	1 6
161	Callichroa platyglossa	(broad-rayed)	19 56	79	hha	yel. 1	7-8	3
162	Calliopsis (Coreopsis)	(finest mixed)	... 55	...	...	div. 2	7-9	6
163	bicolor	two-coloured	...	...	...	y & b. ...	...	3
164	— atrosanguinea	dark-red	...	...	...	d. r. ...	...	3
165	— fistulosa	quilled	...	...	...	y & r. ...	...	4
166	— nigra speciosa	showy dark	...	...	...	dark ...	...	4
167	— grandiflora	large-flowered	...	...	...	y & r. ...	...	4
168	— semiplena	semi-double	...	...	...	...	...	4
169	Drummondii	Drummond's	...	...	...	y & b. 1	...	3
170	leucantha]	white-flowered	...	...	...	wh. 2	...	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
171	Campánula alàris	winged	5	25	73	hpt				3
172	bononiensis	Italian	...	...	...	...	bl.	2	7-8	3
173	carpática	Carpathian	...	...	...	...	...	$\frac{1}{2}$	...	3
174	grandiflora	large-flowered	...	...	...	...	...	1	6-8	6
175	grandis	grand	...	...	...	...	...	$\frac{1}{2}$	...	3
176	Grosseckii	Grosseck's	...	...	...	...	...	...	...	6
177	latifolia	broad-leaved	...	...	...	...	p&w	4	...	3
178	macrantha	long-flowered	...	...	...	...	pur.	3	7-9	4
179	macrostachya	long-spiked	...	...	...	hb†	bl.	1 $\frac{1}{2}$	6-8	4
180	Mèdiun	(Canterb. Bells)	...	...	...	...	...	3	7-8	3
181	— alba	white	...	...	...	...	wh.	...	...	3
182	— flore pleno	doubt (extra)	...	...	...	...	div.	...	...	6
183	persicifolia	peach-leaved	...	...	...	hpt	b&w	...	...	3
184	puleherrima	beautiful	...	...	...	...	bl.	1	...	4
185	pyramidalis	pyramidal	...	...	...	...	...	4	...	3
186	— alba	white	...	...	...	...	wh.	...	...	3
187	sibirica	Siberian	...	...	...	...	bl.	1 $\frac{1}{2}$	...	3
188	spatulata	spatulate	...	...	...	hb†	...	1	...	3
189	stricta	upright	...	...	...	...	...	2	6-7	3
190	suavèoleus	fragrant	...	...	...	hpt	...	...	7-8	4
191	thyrsoides	bunch-flowered	...	...	...	...	...	...	...	3
192	Trachèlium	(Throat-wort)	...	...	...	...	vio.	3	...	3
193	— alba	white do.	...	...	...	...	wh.	...	...	3
194	— bicolor plena	two-coloured dou.	...	...	...	...	b&w	...	...	6
195	urticifolia	nettle-leaved	...	...	...	...	bl.	...	...	3
196	Lòrei	Lore's	...	...	...	ha	...	1	...	3
197	— alba	white	...	...	...	...	wh.	...	...	3
198	pentagonia	five-angled	...	...	...	...	bl.	...	...	3
199	— alba	white	...	...	...	...	wh.	...	...	3
200	Canna coccinea	scarlet	1	...	107	S.	sc.	2	...	6
201	Carthamus tinctorius	dyers'	19	53	79	ha	or.	5	...	3
202	Catananche cærulca	blue	...	...	...	hpt	bl.	2	6-8	3
203	— bicolor	two-coloured	...	...	...	...	w&c	...	...	6
204	lutea	yellow	...	...	...	ha	yel.	1	7-8	3
205	Celsia sp. Cochabamba	Cochabamba	5	25	63	G.	wh.	1 $\frac{1}{2}$	6-9	1 0
206	Celsia crética	Cretan	14	59	132	hb	yel.	6	7-8	3
207	incarnata	flesh-coloured	...	...	...	hha†	fl.	1	...	6
208	orientalis	oriental	...	...	...	...	yel.	...	...	6
209	Centaurea americana	American	19	55	79	gha	red	2	8-9	6
210	ápula	Apulian	...	...	...	ha	yel.	...	7-8	4
211	atropurpurea	dark purple	...	...	...	hpt	pur.	...	...	4
212	depressa	(dwarf)	...	...	...	ha	bl.	1	...	3
213	involutata	involute	...	...	...	...	...	1 $\frac{1}{2}$	...	3
214	lutea	yellow	...	...	...	ha	yel.	1	...	3
215	phrygia	Phrygian	...	...	...	hpt	pur.	1 $\frac{1}{2}$	...	4
216	splendens decata	splendid	...	...	...	hb†	red	2	...	4
217	Chelone barbata	bearded	14	59	129	hpt	sc.	...	...	6
218	campanulata	bell-flowered	...	...	...	...	bl.	...	...	3
219	— alba	white	...	...	...	...	wh.	...	...	6
220	Lyoni	Lyons'	...	...	...	...	pur.	...	...	6



*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L. Ci.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hight.	M. of Flow.	Price.
221	Cineraria, pl. var.	(splendid mixed)	19 54	79	fgh	div.	2	5-7	1 6
222	Cistus, pl. sp.	(very fine mixed)	13 25	76	hhp <sup>t</sup>	...	...	6-9	1 0
223	Cladanthus arabiensis	Arabian	19 54	79	ha	ycl.	1	7-8	3
224	Clarkia elegans	elegant	8 25	112	...	li.	2	...	3
225	— rosea	rose-coloured	...	...	...	rose	...	...	3
226	— plena	double	...	...	...	l&r.	...	...	3
227	puichella	pretty	...	...	...	rose	1½	...	3
228	— alba	white	...	...	...	wh.	...	...	3
229	— grandiflora	large-flowered	...	...	...	red	...	...	3
230	— — —	mixed	...	...	...	w&r	...	...	3
231	Clématis angustifolia	narrow-leaved	13 35	124	hhp	wh.	4	5-8	6
232	erecta et var.	erect	...	...	...	...	3	6-8	6
233	flammula	(flame)	...	...	...	...	cl.	7-9	6
234	Gleblèri	Glebler's	...	...	...	...	...	...	6
235	Palläsi	Pallas's	...	...	...	...	...	...	6
236	coriäca	leather-leaved	...	...	G.	wh.	cl.	5-6	6
237	Clèdè pentaphylla	five-leaved	15 61	74	hha	...	2	7-8	4
238	spinösa	spinous	...	...	...	rose	...	...	4
239	Clianthus puniceus	scarlet	17 45	99	hhp	sc.	6	...	6
240	Clintönia elegans	elegant	16 40	104	hha	bl.	1½	...	3
241	pulchella	pretty	...	...	...	...	1	...	6
242	Clitöria Ternätca	(sky-blue)	17 45	99	S.	bl.	4	...	1 0
243	— — —	2 sp. mixed	...	...	...	l&r.	5	...	6
244	Cobaea scandens**	climbing	5 25	77	G.	pur.	cl.	7-9	6
245	Collinsia bicolor	two-coloured	14 59	129	ha	w&p	1½	7-8	3
246	— heterophylla	various-leaved	...	...	...	w&c	...	...	3
247	— ruthénica	Russian	...	...	...	...	...	...	3
248	grandiflora	large-flowered	...	...	...	p&b.	1	...	3
249	Collömia cocéinea	scarlet	5 25	118	...	sc.	...	...	3
250	Commelina caelestis	sky-blue	3 ...	78	hhp <sup>t</sup>	bl.	...	...	3
251	tuberösa	tuberose-rooted	...	...	...	...	...	...	6
252	Convolvulus, 3 sp.	(3 fine species)	...	81	G.	div.	cl.	...	6
253	Corräa pulchella	pretty	8 ...	128	...	sc.	5	5-7	1 0
254	Corydälis glauca	sea-green	17 41	90	ha	p&y.	2	7-8	3
255	lütca	yellow	...	...	hp	ycl.	1½	5-8	3
256	Cosmanthus fimbriatus	fringed	5 25	96	hha	...	...	7-8	6
257	Cosmea bipinnata	bi-pinnate	19 55	79	...	pur.	2½	8-9	6
258	Crotaläria elegans	elegant	16 45	99	G.	ycl.	3	6-8	1 0
259	— — —	fine mixed	...	...	S.	v&p.	...	...	6
260	Crucianella stylösa	(long-styled)	4 25	127	hhp <sup>t</sup>	pink	¾	...	3
261	Cüphaea strigulösa	strigulose	11 ...	106	hha	s&y.	1½	7-8	1 0
262	silenoïdes	silene-like	...	...	...	pur.	2	...	6
263	Cyclanthe pl. sp.	(finest mixed)	5 25	122	hhp	div.	½	6-9	1 0
264	Cyclanthera pedata ?	pedate-leaved	...	...	...	...	...	...	6
265	Cýtisus, 4 sp.	(4 fine species)	16 45	99	hp	ycl.	4	5-7	6
266	— 3 sp.	(3 fine species)	...	...	G.	...	...	...	6
267	Dahlia scapigera	scapè-flowering	19 54	79	hhp <sup>t</sup>	div.	1	7-9	6
268	variäbilis (Wilden.)	(double mixed)	...	...	...	...	4	...	1 0
269	Datura ceratocaula	horn-stalked, ex.	5 25	132	hha	stri.	3	...	4
270	fastuösa	showy	...	...	...	pur.	2	...	4



*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
321	<i>Digitális purpurea</i>	purple	14 59 129	hpt	pur.	3	7-9	3
322	— <i>alba</i>	white	...	...	wh.	...	...	3
323	— <i>bicornuta</i>	two-horned	...	...	...	...	...	3
324	— <i>punctata</i>	spotted	...	...	...	...	...	3
325	<i>Dillwynia glycinifolia</i>	Glycine-leaved	10 25 99	G.	o & r	2	4-6	6
326	<i>Diosma, sp. alba</i>	white	5 ... 128	...	wh.	1½	5-6	6
327	<i>Diplacus puniceus</i>	scarlet	14 59 129	hpt	sc.	2	7-8	6
328	<i>Dodecátheon Meadia</i>	Meadia	5 25 122	fg	div.	1	...	6
329	<i>Dólichos lignosus**</i>	lignous	17 45 99	G.	pur.	cl.	6-8	6
330	<i>Dracocéphalum altaianse</i>	Allaian	14 58 98	hpt	...	½	...	4
331	— <i>argencense</i>	Argum	...	...	bl.	1½	...	4
332	— <i>canariense</i>	(Balm of Gilead)	...	...	p & p	2	...	3
333	— <i>superbum</i>	superb	...	...	bl.	...	...	6
334	<i>Elichrysimum macranthum</i>	long-flowered	19 54 79	hha	fl.	...	7-8	3
335	— <i>album</i>	white	...	...	wh.	...	...	3
336	— <i>roseum</i>	rose	...	...	rose	...	...	4
337	— <i>robustum superbum</i>	superb yellow	...	...	yel.	...	...	6
338	— — —	mixed	...	...	div.	...	...	6
339	— <i>fasciculatum</i>	(bunch-flowered)	...	G.	p. y.	...	4-8	1 0
340	— <i>paniculatum</i>	panieled	...	...	wh.	...	6-8	1 0
341	— <i>speciosissimum</i>	most showy	...	...	...	6	...	1 0
342	— <i>variegatum</i>	variegated	...	...	b & w	2	...	1 0
343	— <i>vestitum</i>	clothed	...	...	wh.	...	...	1 0
344	— — —	fine mixed	...	...	w & y	...	...	1 0
345	<i>Erica ardeus</i>	glowing	8 25 87	...	car.	...	7-8	1 0
346	— <i>coccinea</i>	scarlet	...	...	sc.	...	...	1 0
347	— <i>fascicularis</i>	(bunch-flowered)	...	...	cr.	...	5-7	1 0
348	— <i>lutea</i>	yellow	...	...	yel.	...	4-6	1 0
349	— <i>Monsoniana</i>	Lady Monson's	...	...	wh.	...	7-8	1 0
350	— <i>Petiverii</i>	Peliver's	...	...	yel.	...	5-6	1 0
351	— <i>Plukenetii</i>	Ptukenet's	...	...	red	...	...	1 0
352	— <i>purpurea</i>	purple	...	...	pur.	...	7-8	1 0
353	— <i>spicata</i>	spike (flowered)	...	...	l. ye.	...	...	1 0
354	— <i>versicolor</i>	various coloured	...	...	o. r.	...	...	1 0
355	— — —	40 sp. separate	...	...	div.	...	div.	20 0
356	— — —	40 sp. mixed	...	...	...	...	...	5 0
357	— — —	fine mixed	...	...	...	...	...	2 6
358	<i>Erinus alpinus</i>	alpine	14 59 129	hpt	li.	½	4-6	3
359	<i>Eryginum giganteum</i>	gigantic	5 26 136	hp	bl.	3	7-9	6
360	<i>Erythrina Caffra</i>	Caffrarian	17 15 99	G.	sc.	6	...	1 0
361	— <i>glauca</i>	glaucous	...	S.	...	15	...	1 0
362	<i>Erysimum Peroffskianum</i>	Peroffski's	15 61 83	ha	or.	1½	6-8	3
363	— <i>Eschscholzia crœca</i>	orange	13 29 114	hpt	...	...	6-7	3
364	— <i>californica</i>	yellow	...	...	yel.	...	...	3
365	— <i>compacta</i>	compact	...	...	...	1	...	3
366	<i>Eucharidium concinnum</i>	neat	8 25 112	ha	pur.	...	7-8	6
367	— <i>grandiflorum</i>	large-flowered	...	...	...	...	...	6
368	<i>Eutoca multiflora</i>	many-flowered	5 ... 96	...	sla.	...	...	3
369	— <i>viscida</i>	viscid	...	...	bl.	...	...	3
370	— <i>Wrangeliãna</i>	Pr. Wrangel's	...	...	li.	...	...	3

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hight.	M. of Flow.	Price.	
No.							feet		s. d.	
371	Fraxinea appendiculata	appendiced	8	29	91	hb†	pink	2	7-8	6
372	Fuelisia hybrida	hybrid (extra)	...	25	112	fgh	div.	...	6-9	2 6
373	Gaillardia, pl. sp.	(fine mixed)	19	55	79	hp†	y&o	...	7-9	6
374	picta Drummondii	painted	...	...	...	hha	y&s	...	...	6
375	— coccinea	scarlet	...	...	...	...	sc.	...	...	6
376	— nana nova	new dwarf	...	...	...	...	y&s	...	...	1 0
377	Gardènia Rothmannii	Rothmann's	5	25	127	G.	p&y	8	7-8	1 0
378	Thunbergia	Thunberg's	...	...	...	...	wh.	6	2-6	1 0
379	Gentiana acaulis	stemless	...	26	93	hp†	s. bl.	$\frac{1}{2}$	4-7	6
380	eruciata	cross (flowered)	...	...	...	...	d. b.	1	6-7	6
381	macrophylla	long-leaved	...	...	...	...	...	...	...	6
382	verna	vernal	...	...	...	...	bl.	$\frac{1}{4}$	5-6	6
383	— — —	mixed	...	...	...	...	div.	div.	4-7	1 0
384	Geranium barbatum	face bearded	16	42	94	hhp	...	...	...	6
385	ranunculifolium	Ranunculus l.	...	...	...	...	...	...	...	6
386	Gesnera Cooperi	Cooper's	14	59	95	S.	sc.	$1\frac{1}{2}$	6-7	1 0
387	Gemu coccineum	scarlet	12	35	126	hhp†	...	2	6-8	3
388	sanguineum	blood red	...	...	...	...	d. s.	...	...	6
389	— — —	fine mixed	...	...	...	...	div.	...	...	6
390	Gilia achillæfolia	Milfoil-leaved	5	25	118	ha	bl.	...	7-8	3
391	capitata	head (flowering)	...	...	...	...	...	...	...	3
392	nivalis?	snow-white	...	...	...	...	wh.	$1\frac{1}{2}$	...	6
393	tricolor	three-coloured	...	...	...	...	3 co.	1	...	3
394	— albo-cerulea	white and blue	...	...	...	...	w&b	...	...	3
395	— rosea	rose	...	...	...	...	rose	...	...	3
396	Gladiolus Fischerianus	Fischer's	3	...	97	fp	...	2	...	1 0
397	floribundus	bunch-flowered	...	...	...	...	w&r	$2\frac{1}{2}$	...	6
398	Herbertianus, var.	Hon. W. Herbert	...	...	...	...	div.	2	...	1 0
399	Glaucium Fischerianum	Fischer's	13	25	114	...	...	...	...	4
400	tricolor	three-coloured	...	...	...	...	3 co.	...	...	4
401	Gloxinia candida	white	14	59	95	S.	wh.	$1\frac{1}{2}$	6-8	6
402	rúbra	red	...	...	...	...	red	...	...	6
403	— — —	finest mixed	...	...	...	...	div.	...	...	1 0
404	Godètia (Enothèra)	finest mixed, 20v.	8	25	112	ha	...	1	7-8	6
405	bifrons	two-fronted	...	...	...	...	p&c	...	...	3
406	coccinea	neat	...	...	...	...	p&r	$\frac{1}{4}$	...	3
407	densiflora	thick-flowered	...	...	...	...	pur.	...	...	3
408	insignis	distinguished	...	...	...	...	...	...	...	6
409	Lehmannii	Lehmann's	...	...	...	...	...	...	...	6
410	lépida	pretty	...	...	...	...	li.	1	7-8	3
411	Lindleyana	Dr. Lindley's	...	...	...	...	w&r	...	...	3
412	purpúrea	purple	...	...	...	...	pur.	...	...	3
413	quadricolor	four-coloured	...	...	...	...	var.	...	...	3
414	Romanzovii	Romanzow's	...	...	...	...	pur.	...	...	3
415	roseo-alba	rose and white	...	...	...	...	r&w	...	...	3
416	rubicunda	blushing	...	...	...	...	pur	...	...	3
417	Sehaminii	Sehamin's	...	...	...	...	...	...	...	6
418	tenuifolia	slender-leaved	...	...	...	...	vio.	...	...	3
419	viminea	twiggy	...	...	...	...	li.	2	...	3
420	vinosa	wine-coloured	...	...	...	...	pur.	1	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded.		U.	O.	N. O.	H. & Dur.	Col. of F.	Height	M. of Flow.	Price.	
		L.	L.	N.	Dur.	of F.	ft	in.	s. d.	
No.							feet			
421	Godëtia Willdenovii	Willdenow's	8	25	112	ha	vio.	1	7-8	3
422	Goodia lotifolia	Lotus-leaved	16	45	99	G.	yel.	3	6-7	6
423	pubescens	pubescent	...	...	...	...	...	...	...	6
424	Gypsóphila elegans	elegant	10	26	131	ha	w & p	$\frac{3}{4}$	7-8	3
425	Hebenstreitia dentata	indented	14	59	138	hha	wh.	1	6-8	4
426	tenuifolia	stender-leaved	...	...	...	...	...	...	...	4
427	Helénium Douglàsii	Douglas's	19	54	79	ha	yel.	2	7-8	3
428	Helianthemum guttatum	spotted	13	25	76	...	...	$\frac{1}{2}$	...	3
429	— — —	extra fine mixed	...	...	...	hp†	div.	1	6-8	1 0
430	Helióphila arabioïdes	Arabis-like	15	61	83	hha	bl.	$\frac{1}{2}$	7-8	6
431	fasciculáris	bundle-flowered	...	...	...	...	...	...	...	6
432	liniflora	Linum-flowered	...	...	...	...	...	...	...	6
433	Heliotrópinum peruvianum	Peruvian	5	25	71	G.	bl.	2	...	6
434	grandiflorum	large-flowered	...	...	...	...	...	...	...	6
435	Hemimicris montana	mountain	14	59	129	hha	red	$\frac{3}{4}$	...	6
436	Hierácium grandiflorum	large-flowered	19	53	79	hp†	yel.	1 $\frac{1}{2}$	...	4
437	speciosum	showy	...	...	...	...	...	...	...	4
438	Hibiscus africanus	African	16	48	108	ha	y & d	2	...	3
439	Humboldti	Humboldt's	...	...	...	...	...	...	...	6
440	palustris	marsh	...	...	...	hp†	wh.	3	...	6
441	— roseus	rose-coloured	...	...	...	...	rose	...	...	6
442	Mánihot	(fine yellow)	...	...	...	G.	yel.	...	...	6
443	militaris	(armed)	...	...	...	...	pur.	...	...	6
444	speciosus	showy	...	...	...	...	sc.	...	...	6
445	syriacus	Syrian	...	...	...	hhp†	div.	6	...	6
446	— — —	nest mixed	...	...	...	G.	...	3	...	1 0
447	Hövea Celsi	Cels's	16	45	99	...	bl.	6	6-8	1 0
448	Hümea elegans	elegant	19	53	79	hb†	red	5	6-9	6
449	Hymenopsis californica	Californian	...	54	...	hha	bl.	1	7-8	4
450	Hèberis Tenoreana	Tenore's	15	60	83	hp†	red	...	...	6
451	Impatiens, pl. sp.	3 species	5	25	68	hha	div.	3-4	7-9	6
452	Ipomæa coccinea**	scarlet	...	...	81	ghh	sc.	cl.	...	6
453	böna-nox**	good-night	...	...	...	...	w & p	...	...	6
454	Quamóclit**	(bright scarlet)	...	...	...	...	sc.	...	...	6
455	rüb-ro-cærülca**	(sky-blue) true	...	...	...	...	s. b.	...	...	2 6
456	— alba**	white	...	...	...	...	wh.	...	...	2 6
457	tyrianthina**	purple (extra)	...	...	...	...	pur.	...	...	1 6
458	sp. cochabamba**	Cochabamba	...	...	...	...	pink	...	...	1 6
459	— — —	6 species mix.**	...	...	...	...	div.	...	...	1 0
460	sp. cærülca nõva**	new large	...	...	...	hha	bl.	...	...	1 0
461	Indigófera australis	Australian	17	45	99	G.	pink	4	5-6	1 0
462	juncea	rush-leaved	...	...	...	...	red	2	6-7	1 0
463	sp. Cochabamba	(Bolivian)	...	...	...	...	rose	3	...	1 0
464	Ipomopsis Beyrichii	Beyrich's (new)	5	25	118	hb†	...	2	7-8	1 0
465	élgans	elegant	...	...	...	...	sc.	...	...	6
466	— picta	painted	...	...	...	...	...	...	...	6
467	Iris xiplioides	(splendid E. Iris)	3	...	97	hp	div.	...	6-7	1 0
468	Isópogon, 3 sp.	(3 fine species)	4	...	123	G.	pale	...	...	1 0
469	Isótoma axilláris	axillary	5	...	104	...	bl.	...	6-8	6
470	Kaulfussia amelloides	Amettus-like	19	54	79	ha	...	$\frac{3}{4}$	7-8	3



<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
471	Lantana mixta	blended	14	59	138	hhp†	var.	1½	7-9	6
472	Selloviàna	Sellow's	...	...	...	...	pur.	...	...	6
473	Lasthènia californica	Californian	19	54	79	ha	yel.	...	7-8	3
474	glabrata	smooth	...	...	...	...	...	...	...	3
475	Láthyru latifólius	broad-leaved	17	45	99	hp†	red	...	...	3
476	— albus	white	...	...	...	...	wh.	...	...	3
477	Lavatèra arborea	tree	16	48	108	hp	rosc	6	...	3
478	Salvitellensis	Salvitella	...	...	...	...	pink	2	...	3
479	Leptósiphon androsæcus	Androsace-like	5	25	118	ha	div.	4-2	...	3
480	— albus	white	...	...	...	...	wh.	...	...	3
481	densiflorus	thick-flowered	...	...	...	...	li.	1	...	3
482	Lessertia, sp. capensis	Cape species	17	45	99	hha	red	1½	6-7	6
483	Leucadendron argen-	(Silver Tree)	22	39	123	G.	yel.	6	6-8	1 0
484	— — — [tcum	10 sp. separate	...	...	...	...	...	div.	...	5 0
485	— — —	mixed	...	...	...	...	...	...	...	1 0
486	Lycæstèria formosa	beautiful	5	25	75	hp	w&p	6	7-9	6
487	Leucospermum, 4 sp.	4 species	4	...	123	G.	yel.	div.	6-8	2 0
488	Limnanthes Douglàsii	Douglas's	10	...	101	ha	w&y	¾	7-8	3
489	grandiflora	large-flowered	...	...	...	...	...	1	...	6
490	Linum austriacum	Austrian	5	30	102	hp†	bl.	...	...	3
491	grandiflorum	large-flowered	...	...	...	...	...	...	...	3
492	— album	white	...	...	...	...	wh.	...	...	3
493	perenne	perennial	...	...	...	...	bl.	2	...	3
494	Linaria alpina	alpine	14	59	129	...	...	1	...	6
495	— — —	6 sp. separate	...	...	...	ha	div.	...	...	1 0
496	Lisianthus Russellianus	Duke of Bedford's	5	25	93	G.	pur.	3	...	1 0
497	Loasa aurantiaca**	orange	18	48	103	hb†	or.	el.	6-8	6
498	Herberti**	Hon. Mr. Herbt.'s	...	...	...	...	d. o.	...	...	6
499	Pentlandia**	Pentland's	...	...	...	...	o.	...	...	6
500	tricolor	three-coloured	...	...	...	ha	3col.	1½	7-8	3
501	sp. Boliviana**	(magnificent)	...	...	...	hb†	el.	...	...	2 6
502	— — —	fine mixed	...	...	...	...	div.	...	...	6
503	Lobelia azurea	azure	5	25	104	hhp†	bl.	½	6-8	4
504	erinoïdes	Erinus-like	...	...	...	...	...	...	...	4
505	— rosea	rose-coloured	...	...	...	...	rosc	...	...	4
506	Erinus	Erinus	...	...	...	...	bl.	...	...	4
507	gracilis*	slender	...	...	...	ha	...	¾	7-8	3
508	— alba	white	...	...	...	...	wh.	...	...	3
509	— bicolor	two-coloured	...	...	...	...	w&b	...	...	3
510	cærulea	blue	...	...	...	G.	bl.	1½	...	6
511	heterophylla major	various-leaved	...	...	...	hhp†	...	...	...	6
512	ignea	(flame-coloured)	...	...	...	G.	se.	2	...	1 0
513	lutea	yellow	...	...	...	...	yel.	¾	6-7	1 0
514	pinifolia	pine-leaved	...	...	...	...	vio.	1½	7-8	6
515	ramosa	branching	...	...	...	hhp†	d. b.	...	...	6
516	siphilitica	large blue	...	...	...	...	l. b.	2	...	6
517	spartioides	Spartium-like	...	...	...	G.	bl.	1½	...	6
518	sp. Bolivia	Bolivian, sp. No. 1.	...	...	...	ghh	s & y	2	...	2 6
519	sp. Bolivia	Bolivian, sp. No. 2.	...	...	...	...	red	...	...	1 0
520	Lophospermum scandens	climbing**	14	59	129	G.	blsh.	el.	6-8	6

<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
521	— Hendersoni**	Henderson's	14	59	129	G.	spot.	cl.	6-8	6
522	crubescens**	blushing	...	...	...	...	pur.	...	...	6
523	— — —	fine mixed	...	...	...	...	r&p.	...	...	6
524	Lötus Jacobæus	St. James' Island	17	45	99	gha	dark	1½	...	6
525	Lupinus bicolor	two-coloured	16	...	...	ha	p&b.	1	7-8	3
526	Hartwegii	Hartweg's	...	...	...	...	b&w	1½	...	3
527	mexicanus	Mexican	...	...	...	...	bl.	...	...	3
528	mutabilis	variable	...	...	...	...	var.	2½	...	3
529	— Cruikshanksii	Cruikshanks	...	...	...	...	...	...	...	3
530	nanus	dwarf	...	...	...	...	p&b.	1	...	3
531	pulchellus	prelly	...	...	...	...	bl.	...	...	6
532	arboreus	tree	...	...	...	hp†	div.	4	...	3
533	élegans	elegant	...	...	...	...	b&r.	2	...	6
534	lépidus	pleasing	...	...	...	...	b&p.	1½	...	6
535	polyphyllus	many-leaved	...	...	...	...	bl.	2½	...	3
536	— albus	white	...	...	...	...	wh.	...	...	3
537	— speciosus	showy	...	...	...	...	div.	...	...	6
538	— — —	finest mixed	...	...	...	...	...	...	...	1 0
539	Lychnis chalcédónica	(searlet)	10	31	131	hp	se.	2	...	3
540	— alba et rosea	white & rose, m.	...	...	...	...	w&r	...	...	3
541	fulgens	glowing	...	...	...	hhp†	se.	1	...	6
542	Lythrum alatum	winged	11	25	106	...	pur.	2	5-9	3
543	roseum superbum	superb rose	...	...	...	...	rose	...	...	6
544	Màdia élegans	elegant	19	54	79	hha	yel.	3	7-8	3
545	Magnòlia grandiflora	large-flowered	13	35	140	hp	wh.	15	6-9	6
546	Málope triúda	trifid	16	48	108	hha	pur.	2	7-8	3
547	— grandiflora	large-flowered	...	...	...	...	...	...	...	3
548	— alba	white	...	...	...	...	wh.	...	...	3
549	Malva cordifolia	heartshaped-ld.	...	...	...	...	...	...	...	3
550	moschata	musk	...	...	...	hp†	wh.	...	...	3
551	Morèni	Moreni's	...	...	...	...	red	...	...	3
552	zebrina	zebra	...	...	...	ha	stri.	...	...	3
553	Manilca Cheiranthus	wallflower	14	59	129	hha	or.	1	6-7	6
554	pusilla	dwarf	...	...	...	...	...	...	...	6
555	Martýnia craniolària	skull (capsuled)	...	...	130	...	wh.	2½	7-8	1 0
556	fràgrans, formosa	beautiful	...	...	...	...	var.	...	...	1 0
557	proboscidea	proboscis-like	...	...	...	...	h.	...	...	6
558	Maurandya antirrhiniiflora	snappedragon fld.**	...	...	129	G.	p&w	cl.	4-9	6
559	Barclayana**	Barclay's	...	...	...	...	b&w	...	...	6
560	— rosea superba**	superb rose	...	...	...	...	rose	...	...	6
561	semperflòrens**	ever-flowering	...	...	...	...	pink	...	...	6
562	— — —	fine mixed	...	...	...	...	div.	...	...	6
563	Mesembryanthemum 2sp.	(2 Cape species)	12	27	89	hha	...	¾	7-8	6
564	glàbrum	(fine yellow)	...	...	...	...	yel.	...	...	6
565	tricolor	three-coloured?	...	...	...	...	red	½	...	6
566	— album	white	...	...	...	...	wh.	...	...	6
567	Mimòsa marginata	bordered	23	51	99	G.	pur.	2	6-8	6
568	Mimulus cardinalis	searlet	14	59	129	hlp†	sc.	...	...	3
569	moschatus	musk	...	...	...	...	yel.	½	...	3
570	rivulàris	river (side)	...	...	...	...	...	1	6-8	3

		<i>A— indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>					L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.	
571	Mimulus Gutherianus	Guther's	14	59	129	hhp†	y&r.	1	6-8	6				
572	— Heudersöni	Henderson's	...	...	...	var.	...	...	...	6				
573	— pictus	painted	...	...	...	...	...	...	...	6				
574	— Thompsonianus	Thompson's	...	...	...	...	...	...	...	6				
575	— Smithii	Smith's	...	...	...	y. s.	...	...	...	6				
576	— — — —	extra f. mixed	...	...	...	div.	...	...	...	6				
577	— — — —	6 fine var. sep.	...	...	...	...	...	...	...	2	0			
578	Mirabilis dichotoma	forked	5	25	110	...	...	...	...	6				
579	— planiflora	flat-flowered	...	...	...	...	...	...	...	6				
580	Muraltia Heisteria	Heister's	17	43	119	G.	pur.	3	5-8	6				
581	Nelumbium luteum	yellow (aquatic)	13	35	111	...	yel. tr.	6-9	1	0				
582	Nemösa barbata	bearded	14	59	129	hha	...	7-8	6					
583	— floribunda	bunch-flowered	...	...	...	w&y	...	...	...	6				
584	— strumosa	tubercled	...	...	...	...	...	...	...	6				
585	Nemöphila aurita	ear (leaved)	5	25	96	ha	pur.	2	...	3				
586	— atomaria	spotted	...	...	...	w. s.	1	...	3					
587	— eramboides ?	Crombe-like	...	...	...	b. s.	...	...	3					
588	— discoidalis	(bordered)	...	...	...	b&w	...	...	6					
589	— insignis	beautiful	...	...	...	bl.	...	...	3					
590	— alba	white	...	...	...	wh.	...	...	6					
591	— grandiflora	large-flowered	...	...	...	bl.	...	...	3					
592	— punctata	spotted	...	...	...	sp.	...	...	6					
593	— phacelioides	Phacelia-like	...	...	...	hpt	bl.	...	6					
594	Nigella hispánica	Spanish	13	30	124	ha	...	...	3					
595	Nivenia Lagopus	hare's-foot	4	25	123	G.	pur.	2	...	1	0			
596	— sceptrum	sceptre-like	...	...	...	p&p.	4	...	1	0				
597	Nolana atriplicifolia	Atriplex-leaved	5	...	132	hha	var. tr.	...	3					
598	— paradoxa	paradoxical	...	...	...	bl.	...	...	3					
599	— prostrata	trailing	...	...	...	vio.	...	...	3					
600	— tenella	stender	...	...	...	bl.	...	...	3					
601	Nuttallia grandiflora	large-flowered	16	48	108	hhp†	pink	2	...	6				
602	Nymphaea alba	white (aquatic)	13	25	111	hp	wh. tr.	6-8	1	0				
603	Oenothera Drummondii	Drummond's	8	...	112	hhp†	yel.	1	7-8	6				
604	— macrocarpa	long-fruited (ext)	...	...	...	...	...	...	1	0				
605	— odorata	sweet-scented	...	...	...	hhb†	...	2	...	3				
606	— rosea	rose-coloured	...	...	...	rose	1	...	3					
607	— Sellowii	Sellow's	...	...	...	yel.	...	...	6					
608	— speciosa	showy	...	...	...	hha	wh.	...	6					
609	— stricta	strict	...	...	...	yel.	1½	...	3					
610	— taraxacifolia	Taraxacus-fl.	...	...	...	hhp†	wh. tr.	...	6					
611	— tetraptera	four-winged	...	...	...	ha	...	...	3					
612	— villösa	villous	...	...	...	hb†	yel.	2	...	3				
613	— sp. Cochabamba	Cochabamba	...	...	...	hha	...	...	6					
614	— — — —	fine mixed	...	...	...	hhp†	div.	...	6					
615	Onönis rotundifolia [des]	round-leaved	16	45	99	...	pink	3	5-7	6				
616	Oxyra chrysanthemoi-	Chrysoth.-like	19	54	79	ha	yel.	1	7-8	3				
617	Pæonia arborea	tree	13	26	124	hp	div.	4	5-7	1	0			
618	— — — —	fi. mixed, 20 var.	...	...	...	...	...	2	6-8	1	0			
619	Papaver orientale	oriental	13	25	114	hpt	red	...	7-8	4				
620	— pulcherrimum	beautiful	...	...	...	sc.	...	...	4					

A—indicates a variety. ( ) That the word is not literally translated, or is superadded.		Cl.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
		L.	L.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet	s. d.		
621	Papaver spectabile	showy	13	25	114	hp†	sc.	2	7-8	4
622	— — —	6 sp. mixed	...	...	...	...	div.	...	...	6
623	Passiflora caribæa**	blue [bert's]	16	40	115	hp	bl.	cl.	6-9	6
624	Herbertiana**	Hon. Mr. Her-	...	...	...	G.	gr.	...	...	6
625	sp. Cochabamba**	Cochabamba	...	...	...	S.	...	...	...	1 0
626	— — —	fine mixed	...	...	...	ghh	div.	...	...	1 0
627	Patersonia glauca	glaucous	...	38	97	G.	pur.	1	5-7	6
628	Pelargonium (Geranium)	finest mixed	16	42	94	...	div.	3	6-9	1 0
629	— — —	larger packet	...	...	...	...	...	...	...	2 6
630	coccineum	scarlet, 4 var.	...	...	...	...	sc.	...	...	1 0
631	— nanum	(Tom Thumb)	...	...	...	...	...	1½	...	1 0
632	Penstemon digitalis	Digitatis-like	14	59	129	hp†	wh.	2	7-9	4
633	Chandleri	Chandler's	...	...	...	...	var.	...	...	4
634	gentianoides	Gentian-like	...	...	...	...	red	...	...	4
635	— coccineum	scarlet	...	...	...	...	sc.	...	...	4
636	hybridum	hybrid	...	...	...	...	...	...	...	4
637	luteum	yellow	...	...	...	...	yel.	...	...	4
638	Mackayianum	Mackay's	...	...	...	...	p&y.	...	...	4
639	speciosum	showy	...	...	...	...	bl.	...	...	1 0
640	pulchellum	pretty	...	...	...	...	rose	...	...	4
641	— — —	fine mixed, 12 v.	...	...	...	...	div.	...	...	1 0
642	Petunia phœnicea	purple	5	25	132	hhp†	pur.	...	6-9	3
643	violæa	violet	...	...	...	...	vio.	...	...	3
644	— alba grandiflora	large white	...	...	...	...	wh.	...	...	6
645	— grandiflora	large (violet)	...	...	...	...	vio.	...	...	6
646	— striata	striped	...	...	...	...	str.	...	...	6
647	nyctaginiflora	Nyctaga-fl.	...	...	...	...	wh.	...	...	3
648	— — —	fine n. 20 v.	...	...	...	...	div.	...	...	1 0
649	Phacelia conspicua	eonspicious	...	...	96	ha	bl.	...	7-8	3
650	— — —	two species	...	...	...	...	...	...	...	6
651	Phlox Drummondii, 20 v.	Drummond's	...	...	118	lha	div.	1½	7-9	1 0
652	— splendens	splendid	...	...	...	...	sc.	...	...	1 0
653	— pl. sp. perennans	mixed, 20 v.	...	...	...	hp†	div.	...	6-9	1 0
654	Pimelæa spectabilis	shawy	2	...	134	G.	...	3	6-8	1 0
655	sp. Australis	Australian	...	...	...	...	wh.	...	...	1 0
656	Platylobium triangulare	triangular	16	45	99	...	or.	4	6-9	6
657	Platystemon californicum	Californian	13	25	114	ha	yel.	½	7-8	6
658	Podalyria genistoides	Genista-like	16	45	99	G.	pur.	3	6-7	6
659	Podolepis gracilis	slender	19	54	79	ha	pink	1	7-8	3
660	Poinciana Gilliesii	Gillies'	10	25	99	S.	yel.	6	6-9	2 6
661	pulcherrima	most beautiful	...	...	...	...	3col.	8	...	1 0
662	2 species	2 new species	...	...	...	...	...	...	...	5 0
663	Portulaca grandiflora	large-flowered	11	...	121	hha	var.	½	7-8	6
664	splendens	splendid	...	...	...	...	c&w.	...	...	6
665	Thellusoni	Thelluson's	...	...	...	...	sc.	...	...	6
666	Potentilla formosa	beautiful	12	35	126	hp†	pur.	1½	...	3
667	atrosanguinea	dark red	...	...	...	...	d. r.	...	...	3
668	Hopwoodiana	Hopwood's	...	...	...	...	var.	...	...	6
669	insignis	beautiful	...	...	...	...	yel.	...	...	6
670	missourica	Missaurian	...	...	...	...	...	1	...	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.						feet		s. d.	
671	Potentilla splendens	splendid	12 35	126	hpt	ycl.	1	7-8	6
672	Prímula cortusoides	Cortusa-like	5 25	122	ghpt	pur.	...	5-7	6
673	farinósa	mealy	...	...	...	red	$\frac{3}{4}$	...	6
674	sinensis fimbriata	fringed Chinese	...	...	...	p&w	1	...	1 0
675	— atro-rósa	dark rose	...	...	...	ycl.	...	...	1 6
676	Pròtea, 10 species	(10 fine species)	4 ...	123	G.	div.	div.	div.	5 0
677	— — —	fine mixed	...	...	...	...	...	...	1 0
678	Psoràlea capitata	head (flowering)	17 45	99	...	pur.	2	7-8	6
679	pinnata	winged	...	...	...	bl.	6	5-7	6
680	Ramonda pyrenæica	Pyrenean	5 25	132	hlppt	pur.	2	6-8	6
681	Ranunculus asiaticus	Asiatic	13 35	124	...	div.	1	...	1 0
682	Rhodanthe Manglèsi	Capt. Mangles'	19 54	79	hha	rose	...	7-8	6
683	Rhodiola rósa	rose (scented)	22 43	82	lp	ycl.	...	5-7	6
684	Rhododendron, pl. sp.	(finest mixed)	10 25	87	...	div.	div.	5-9	1 0
685	Rudbeckia fulgida	glowing	19 55	79	hpt	ycl.	3	7-8	6
686	Salaxis, 2 species	(2 fine species)	8 25	...	G.	...	...	6-8	1 0
687	Salpiglossis Barelàyana	Barelay's	14 59	132	hha	br.	2	7-9	6
688	atropurpurea	dark purple	...	...	...	d. p.	...	...	6
689	picta	painted	...	...	...	var.	...	...	6
690	— — —	splendid mixed	...	...	...	div.	...	...	1 0
691	Salvia bicolor	two-coloured	2 25	98	hlppt	b&w	...	...	3
692	sp. capensis	Cape species	...	...	...	...	...	...	6
693	coccinea	scarlet	...	...	...	sc.	...	...	6
694	grandiflora	large-flowered	...	...	...	bl.	...	...	6
695	limbata	bordered	...	...	...	bord	...	...	3
696	Insitânica	Lusitanian	...	...	...	bl.	...	...	6
697	patens	spreading	...	...	...	s. b.	3	...	1 0
698	Sanvitalia procumbens	procumbent	19 54	79	hha	ycl.	tra.	7-8	6
699	Saponaria depressa	dwarf	10 26	131	ha	red	$\frac{1}{2}$	5-8	6
700	calabrica	Calabrian	...	...	...	..	...	...	6
701	Schizanthus Grahâmi	Graham's	14 59	129	hha	r & y	2	7-9	6
702	Hookeri	Sir W. J. Hooker's	...	...	...	r & l	...	...	6
703	retusus	retuse	...	...	...	c & y	...	...	6
704	pinnatus, pl. var.	pinnate, mixed	...	...	...	ha	div.	1 $\frac{1}{2}$	7-8
705	pinnatus	pinnate	...	...	...	lp.y.	...	...	3
706	— albus	white	...	...	...	wh.	...	...	6
707	— humilis	dwarf	...	...	...	var.	1	...	3
708	— porrigens	spreading	...	...	...	...	1 $\frac{1}{2}$	...	3
709	— Priestii	Priest's	...	...	...	pale	...	...	3
710	— — albiflorus	white, var.	...	...	...	wh.	...	...	6
711	— pulchellus	pretty	...	...	...	w&p	...	...	3
712	— venustus	beautiful	...	...	...	dark	...	...	3
713	Schizopetalon Walkeri	Walker's	15 61	83	hha	wh.	1	...	6
714	Scutellaria alpina	alpine	14 58	98	hpt	pur.	...	6-7	4
715	gorgonica latifolia	broad-leaved	...	...	...	...	...	...	4
716	lupulina bicolor	two-coloured	...	...	...	...	...	...	6
717	macrantha	long-flowered	...	...	...	bl.	3	...	6
718	peregrina	foreign	...	...	...	vio.	2	...	6
719	Sceyphantus elegans	elegant	18 48	103	hpt	ycl.	cl.	7-8	6
720	Sedum caruleum	blue	10 30	82	...	bl.	$\frac{1}{4}$	...	6



<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded.		Li.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
721	Sclágo, sp. capensis	Cape species	14	58	138	G.		6-7	6
722	Scencio Dòria	Dorian	19	54	79	hp	yel.	2½	6
723	Serrùria, 6 sp.	(6 fine species)	4	25	123	G.	pur.	2	3 0
724	Silène compacta	compact	10	28	131	ha	pink	1½	3
725	pendula	pendulous	...	...	...	...	...	1	3
726	— — —	6 fine species	...	...	...	...	div.	...	1 6
727	Solanum, sp. Bolívia	Bolivian sp.	5	25	132	G.		...	6
728	Sollya heterophylla	various-leaved	...	...	99	...	bl.	cl.	6-9
729	Sorocéphalus lanatus	woolly	4	...	123	...	pur.	3	1 0
730	Spatalla, 2 sp.	(2 fine species)	...	...	...	...	...	2	5-7
731	Sphacógync speciosa	showy	19	55	79	hha	yel.	1½	7-8
732	grandiflora	large-flowered	...	...	...	...	...	...	6
733	2 sp. capensis	Cape species	...	...	...	...	...	...	6
734	Stáchys speciosa	showy	14	58	98	hp†	sc.	1½	6-8
735	Stafic latifolia	broad-leaved	5	30	117	hp	bl.	1	5-7
736	Pseudo-arméria	(splendid)	...	...	...	hp†	red	1½	...
737	Stenactis speciosa	showy	19	54	79	...	pur.	2	6-8
738	Streptocarpus Rexii	Rex's	2	25	70	G.	bl.	½	...
739	Stylidium fruticosum	shrubby	20	37	133	...	pink	1½	5-9
740	Sutherlandia frutescens	shrubby	17	45	99	hhp†	sc.	3	7-8
741	— grandiflora	large-flowered	...	...	...	...	...	...	6
742	Swainsonia galegifolia	Galega-like m.	17	45	99	G.	r & w	2	6-8
743	Symphiandra pendula	pendulous	5	25	73	hp†	red	1	7-8
744	Tacsónia pinnatifida**	pinnate-stipuled	16	40	115	G.	rose	cl.	6-9
745	Tagètes lucida	shining	19	54	79	...	yel.	1	7-8
746	signata (tenuifolia)	distinguished	...	...	...	hha	or.	...	6
747	Telckia speciosa	showy	...	...	...	hp†	yel.	4	6-8
748	Thunbergia alata**	winged	2	25	62	gha	y & d	cl.	6-9
749	— alba**	white	...	...	...	...	w & d	...	6
750	— aurantiaca**	orange	...	...	...	...	o & d	...	6
751	— Bakeri**	Baker's	...	...	...	...	wh.	...	6
752	— Freyeri**	Freyer's	...	...	...	...	yel.	...	6
753	— mesoleuca**	white-centred	...	...	...	...	o & w	...	6
754	— — —	fine mixed	...	...	...	...	div.	...	1 0
755	Tigrídia conchiflora	shell-flowered	16	38	97	hhp†	yel.	1	7-9
756	Pavònia	Peacock	...	...	...	...	o & r	...	3
757	Trachélium cæruleum	blue	5	25	73	ghp†	bl.	2	...
758	Tropeolum brachyceras	short-horned	8	...	135	G.	yel.	cl.	1 0
759	Jarrattii	Mr. Jarratt's	...	...	...	...	s & y	...	1 0
760	pentaphyllum	five-leaved	...	...	...	...	buff	...	1 0
761	tricolorum	three-coloured	...	...	...	...	sc.	...	1 0
762	peregrinum	(Canary-bird)	...	...	...	hha	yel.	...	6
763	Veràtrum album	white	23	51	113	hp†	l. y.	4	6-8
764	nigrum	black	...	...	...	...	d. p.	...	6
765	Verbascum formosum	beautiful	5	25	132	...	yel.	2	7-8
766	phoeniceum	purple	...	...	...	...	pur.	...	3
767	Verbèna Aublètia	Aublè's	14	59	138	hhp†	li.	1	6-9
768	pulchella	pretty	...	...	...	...	bl.	...	6
769	pulcherrima	prettiest	...	...	...	...	...	...	6
770	venosa	veiny	...	...	...	...	rose	...	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
771	Verbena pl. var.	(splendid mixed)	14	59	138	hbb+	div.	1	s. d. 1 0
772	Victoria regina	Queen (aquatic)	13	35	111	S	red	tr.	20 0
773	Viscaria cœli-rosa	(Rose of heaven)	10	30	131	ha	fl.	1	7-8 3
774	oculata	(dark) eyed	...	...	...	rose	...	...	6
775	Vinca rosea et alba	rose and white	5	25	65	ghh	r & w	...	3-9 6
776	Viola odorata	fragrant	...	...	139	hpt	div.	...	5-7 6
777	Wahlenbergia capillaris	capillary	...	...	73	...	bl.	...	6-8 6
778	exilis	slender	...	...	...	ha	...	...	6
779	nudicaulis	naked-stalked	...	...	...	...	...	...	6
780	Witsenia maura	Moorish (aquatic)	3	25	97	G	y & b	4	5-9 1 0
781	Zinnia elegans	elegant	19	54	79	hha	vio.	2	7-9 6
782	— alba	white	...	...	...	wh.	...	...	6
783	— aurantiaca	orange	...	...	...	or.	...	...	6
784	— cœcinea	scarlet	...	...	...	sc.	...	...	6
785	— — splendens	splendid	...	...	...	...	...	...	6
786	— flava	yellow	...	...	...	yel.	...	...	6
687	— kermesina	crimson	...	...	...	cr.	...	...	6
788	— purpurea	purple	...	...	...	pur.	...	...	6
789	— — — —	Nos. 781 to 788.	...	...	...	div.	...	...	3 6
790	— — — —	splendid mixed	...	...	...	...	...	...	1 0
791	Zygophyllum microphyll.	small-leaved	10	25	141	G.	yel.	$\frac{1}{2}$	7-8 6
792	Morgsana [lum	Morgsana	...	...	...	...	3	...	6

The following choice Seeds from Bolivia are represented as new and very fine.  
The Annuals may be treated as half-hardy, the others as Greenhouse or Stove Plants.

793	A fine new Annual from Cochabamba, Bolivia, blue	.....	s. d. 1 6
794	A do. do. Yungas of Cochabamba, yellow	.....	1 6
795	A beautiful shrub from the Plains of Moxas, scarlet	.....	1 6
796	A do. do. Valley of Chilon, yellow	.....	1 6
797	A fine herbaceous plant from Cochabamba	.....	1 6
798	A fine papilionaceous plant, purple, do.	.....	1 6
799	A do. do. blue, do.	.....	1 6
800	A fine climber, sweet-scented, Santa Cruz, white	.....	1 6
801	From 793 to 800 inclusive	.....	10 0
802	Fine mixed Greenhouse Seeds	.....	1 0
803	Fine mixed Hothouse do.	.....	1 0
804	Australian Climbers do.	.....	1 0
805	Hoveas and other Papilionaceæ from Australia	.....	1 0

#### ADDITIONAL SEEDS, per Packet.

Casalpina, fine new species, G. ...	2 6	Kennedia rubicunda**, G. ....	0 6
Chaenostoma polyantha, G. or lh.	0 6	— prostrata**, G. ....	0 6
Chironia, 3 sp. Cape of G. H., G. .	1 0	Polygala Zeihèri, new, G. ....	1 0
Crœcus, f. mix., useful for India, &c.	0 6	Polygala, 3 Cape sp., mixed G. ...	1 0
Kennedia Marryatt**, G. ....	1 0	Stock, new Lilliputian, 4 in., hha	0 6

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Flos Adonis, White Candytuft, &c., having no affinity with the Latin, are not to be considered as translations.

A — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flw.	Price.	
No.							fect		s. d.	
806	Aster, Chinese, m.	<i>Aster sinensis, pl. var.</i>	19	54	79	hha	div.	2	8-10	3
807	quilled (German)	— <i>fistulosus, 20 v.</i>	...	...	...	...	...	...	...	6
808	— dark blue	— <i>atro-cœruleus</i>	...	...	...	d. b.	...	...	...	4
809	— light blue	— <i>late-cœruleus</i>	...	...	...	l. b.	...	...	...	4
810	— rose	— <i>roseus</i>	...	...	...	rose	...	...	...	4
811	— Turkey	— <i>turcius</i>	...	...	...	er.	...	...	...	4
812	— white	— <i>albus</i>	...	...	...	wh.	...	...	...	4
813	— red	— <i>ruber</i>	...	...	...	red	...	...	...	4
814	new globe	— <i>globosus novus</i>	...	...	...	div.	...	...	...	6
815	new pyramidal	— <i>pyramidalis</i>	...	...	...	...	...	...	...	6
816	variegated	— <i>variegatus</i>	...	...	...	...	...	...	...	6
817	new dwarf	— <i>nanus novus</i>	...	...	...	...	1	7-9	...	6
818	Auricula, alpine	<i>Primula Auricula</i>	5	25	122	hp	...	½	5-7	6
819	extra fine prize	— — —	...	...	...	hhp	...	...	...	2 6
820	Balsam, finest mixed	<i>Balsamina hortensis</i>	...	...	68	ta	...	2	7-9	6
821	double purple	— <i>purpurea plena</i>	...	...	...	par.	...	...	...	4
822	— rose	— <i>rosea plena</i>	...	...	...	rose	...	...	...	4
823	— scarlet	— <i>coœnea plena</i>	...	...	...	sc.	...	...	...	4
824	— white	— <i>alba plena</i>	...	...	...	wh.	...	...	...	4
825	— spot. & striped	<i>punctata et striata</i>	...	...	...	div.	...	...	...	6
826	— Camellia-flow.	<i>Camelliaeflora</i>	...	...	...	...	...	...	...	6
827	— dwarf scarlet	<i>coœnea nana</i>	...	...	...	sc.	1	...	...	4
828	mixed new dwarf	<i>nana nova, pl. var.</i>	...	...	...	div.	...	...	...	6
829	Candytuft, white	<i>Iberis amara</i>	15	60	83	ha	wh.	...	7-8	3
830	purple	<i>umbellata</i>	...	...	...	pur.	...	...	...	3
831	erimson	— <i>phœnicea</i>	...	...	...	er.	...	...	...	3
832	new blush	— <i>carnea nova</i>	...	...	...	rose	...	...	...	3
833	new rocket	— <i>coronaria</i>	...	...	...	wh.	...	...	...	3
834	fragrant	<i>odorata</i>	...	...	...	...	...	...	...	3
835	mixed	— — —	...	...	...	div.	...	...	...	3
836	Capsicum, 10 fine v.	<i>Capsicum annuum</i>	5	25	132	ta	...	2	7-9	6
837	Catchfly, Lobel's	<i>Silene Armeria</i>	10	28	131	ha	red	1	7-8	3
838	white	— <i>alba</i>	...	...	...	wh.	...	...	...	3
839	Cockseomb, dwarf	<i>Celosia cristata, nana</i>	5	25	63	ta	pur.	...	7-9	6
840	finest mixed	— — —	...	...	...	div.	2	...	...	6
841	Columbine, mixed	<i>Aquilegia vulgaris</i>	13	30	124	hpt	...	...	5-7	3
842	Chrysanthemum, tr.	<i>Chrysan. carinatum</i>	19	54	79	ha	3col.	1	7-8	3
843	new golden	— <i>aureum</i>	...	...	...	yel.	...	...	...	3
844	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	81	...	bl.	tr.	...	3
845	new dark (extra)	— <i>atropurpureus</i>	...	...	...	d. p.	...	...	...	6
846	white	— <i>albus</i>	...	...	...	wh.	...	...	...	3
847	mixed minor	— — —	...	...	...	div.	...	...	...	6
848	major**	<i>Ipomœa purpurea</i>	...	...	...	hha	...	cl.	7-9	3
849	— extra, 20 v.**	<i>purpurea, pl. var.</i>	...	...	...	...	...	...	...	1 0
850	— rose-colour.**	— <i>rosea</i>	...	...	...	rose	...	...	...	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
851	Convolv., spotted**	<i>Ipomœa pur. punctata</i>	5	25	81	hha	sp. cl.	7-9	3
852	— striped**	— <i>striata</i>	...	...	...	...	st.	...	3
853	— violet, dark**	— <i>violacea</i>	...	...	...	...	d.v.	...	3
854	Cyanus, extra fine	<i>Centaurea Cyanus</i>	19	55	79	ha	...	2	3
855	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	132	ta	pur.	...	3
856	white	— <i>leucocarpum</i>	...	...	...	...	wh.	...	3
857	Flos Adonis	<i>Adonis autumnalis</i>	13	35	124	ha	sc.	1 7-8	3
858	Fraxinella, 2 var.	<i>Dictamnus Fraxinella</i>	10	25	128	hp	r&w	3 7-9	6
859	French Honeysuckle	<i>Hedysarum Coronar.</i>	17	45	99	hlp+	red	2 6-8	3
860	Globe Amaranthus	<i>Gomphrena globosa</i>	5	25	63	ta	pur.	...	7-9 3
861	white	— <i>alba</i>	...	...	...	...	wh.	...	3
862	mixed, 4 var.	— — —	...	...	...	...	div.	...	6
863	Gourd, Bottle, 4 var.	<i>Cucurbita Lagendaria</i>	21	49	84	fa	wh. tr.	...	6
864	Manmoth	<i>Pepo</i>	...	...	...	...	yel.	...	6
865	orange	<i>aurantia</i>	...	...	...	...	...	...	3
866	striped pear	<i>ovata striata</i>	...	...	...	...	...	...	3
867	mixed, fine	— — —	...	...	...	...	w&y	...	6
868	Hawkweed, purple	<i>Crœpis rubra</i>	19	53	79	ha	pur.	1 7-8	3
869	yellow	<i>Tolpis barbata</i>	...	...	...	...	yel.	...	3
870	silvery	— <i>argentea</i>	...	...	...	...	wh.	...	3
871	Heartsease (Pansy)	<i>Viola tricolor, var. ex.</i>	5	25	139	hpf	div.	...	7-9 1 0
872	Hollyhock, d. rose	<i>Althœa rosea plena</i>	16	48	108	hp	rose	7	...
873	don. black	— <i>nigra plena</i>	...	...	...	...	bla.	...	3
874	— red	— <i>rubra plena</i>	...	...	...	...	red	...	3
875	— yellow	— <i>lutea plena</i>	...	...	...	...	yel.	...	3
876	12 var. sep.	— — —	...	...	...	...	div.	...	2 6
877	30 fine m.	— — —	...	...	...	...	...	...	1 0
878	large packet	— — —	...	...	...	...	...	...	2 6
879	Horn Poppy, m. scarlet	<i>Glaucium, pl. var. phœnicum</i>	13	25	114	ha	...	2 7-8	3
880	scarlet	— <i>phœnicum</i>	...	...	...	...	sc.	...	3
881	violet	<i>Rœmèria hybrida</i>	...	...	...	...	vio.	...	3
882	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	89	ta	wh. tr.	5-8	3
883	Jacobæa, d. mixed	<i>Senecio elegans, pl. va.</i>	19	54	79	hha	div.	1½ 7-8	6
884	double crimson	— <i>kermesina pl.</i>	...	...	...	...	cr.	...	4
885	— purple	— <i>purpurea plena</i>	...	...	...	...	pur.	...	4
886	— violet	— <i>violacea plena</i>	...	...	...	...	vio.	...	4
887	— white	— <i>alba plena</i>	...	...	...	...	wh.	...	4
888	Larkspur, dwarf m.	<i>Delphinium Ajacis</i>	13	28	124	...	div.	1	...
889	German, large P.	— <i>humile pl. var.</i>	...	...	...	...	...	...	6
890	dwarf blue	— <i>cœruleum</i>	...	...	...	...	bl.	...	3
891	— rose	— <i>roseum</i>	...	...	...	...	rose	...	3
892	— white	— <i>album</i>	...	...	...	...	wh.	...	3
893	— new crown	— <i>coronarium</i>	...	...	...	...	div.	...	1 0
894	tall German	<i>elatior, pl. var.</i>	...	...	...	...	...	1½	...
895	— blue	— <i>cœruleum</i>	...	...	...	...	bl.	...	6
896	— rose	— <i>roseum</i>	...	...	...	...	rose	...	3
897	— white	— <i>album</i>	...	...	...	...	wh.	...	3
898	branching Ger.	<i>Consolida, pl. var.</i>	...	...	...	...	div.	2	...
899	blue	— <i>cœruleum</i>	...	...	...	...	bl.	...	3
900	rose	— <i>roseum</i>	...	...	...	...	rose	...	3

<i>A — is employed to indicate varieties.</i>		L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
901	Larkspur, white-br.	<i>Del. cons. album</i>	13 28	124	hba	wh.	2	7-8	3
902	Lavatera, red	<i>Lavatera trimestris</i>	16 48	108	ha	red	3	...	3
903	white	— <i>alba</i>	...	...	...	wh.	...	...	3
904	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21 40	63	...	red	tr.	...	3
905	Lupinus, large blue	<i>Lupinus hirsutus</i>	16 45	99	...	bl.	2½	...	3
906	large rose	<i>pilosus</i>	...	...	...	rose	...	...	3
907	yellow	<i>luteus</i>	...	...	...	yel.	1½	...	3
908	6 var. sep.	— — —	...	...	...	div.	div.	...	1 0
909	mixed	— — —	...	...	...	...	...	...	3
910	Mallow, 5 sp. sep.	<i>Malva pl. sp.</i>	...	48	108	...	...	2	1 0
911	Marigold, French, m.	<i>Tagetes pátula</i>	19 54	79	hha	...	1½	7-9	3
912	French, dwarf	— <i>humilis</i>	...	...	...	...	...	...	3
913	— superb striped	— <i>striata superba</i>	...	...	...	...	...	...	6
914	— unique	— <i>simplex</i>	...	...	...	y&r.	...	...	3
915	African	<i>crecta, pl. var.</i>	...	...	...	div.	2	...	3
916	— lemon	— <i>citrina</i>	...	...	...	yel.	...	...	3
917	— orange	— <i>aurantiaca</i>	...	...	...	or.	...	...	3
918	Cape	<i>Catendula pluvialis</i>	...	56	...	ha	wh.	1	7-8
919	hybrid	<i>hybrida</i>	...	...	...	...	...	...	3
920	starry	<i>stellata</i>	...	...	...	yel.	...	...	3
921	superba	<i>officinalis superba</i>	...	...	...	or.	...	...	6
922	Marvel of Peru	<i>Mirabilis Jalapa</i>	5 25	110	hlp†	div.	3	...	3
923	red	— <i>rubra</i>	...	...	...	red	...	...	3
924	yellow	— <i>flava</i>	...	...	...	yel.	...	...	3
925	— striped, 4 v.	— <i>striata</i>	...	...	...	stri.	...	...	3
926	three-coloured	— <i>tricolor</i>	...	...	...	3col.	...	...	3
927	white	— <i>alba</i>	...	...	...	wh.	...	...	3
928	long-flowered	<i>longiflora</i>	...	...	...	...	...	...	3
929	12 fine var.	— — —	...	...	...	div.	...	...	1 0
930	Mignonette, oz. Gd.	<i>Reseda odorata</i>	11 28	125	ha	buff	1½	...	3
931	Nasturtions, tall**	<i>Tropaeolum Majus</i>	8 43	135	...	o&y.	cl.	...	3
932	dark red**	— <i>atrosanguineum</i>	...	...	...	d. r.	...	...	3
933	fine mixed**	— — —	...	...	...	div.	...	...	3
934	spotted**	— <i>Shillingii</i>	...	...	...	sp.	...	...	3
935	dwarf	<i>minus</i>	...	...	...	s&o.	tr.	...	3
936	Palma Christi	<i>Ricinus major</i>	21 49	88	hha	gr.	6	...	3
937	Pea, Tangier, &c.	<i>Lathyrus tingitanus</i>	17 45	99	ha	sc.	4	...	3
938	Pea, Sweet, perlb. 4s.	<i>odoratus</i>	...	...	...	div.	...	...	3
939	— black	— <i>niger</i>	...	...	...	bla.	...	...	3
940	— painted Lady	— <i>pictus</i>	...	...	...	var.	...	...	3
941	— purple	— <i>purpureus</i>	...	...	...	pur.	...	...	3
942	— scarlet	— <i>coccineus</i>	...	...	...	sc.	...	...	3
943	— striped	— <i>striatus</i>	...	...	...	str.	...	...	3
944	— white	— <i>albus</i>	...	...	...	wh.	...	...	3
945	Polyanthus, ext. fine	<i>Primula elatior</i>	5 25	122	hlp†	div.	1	4-6	1 0
946	Poppy, double, 20v.	<i>Papaver somniferum</i>	13	...	114	ha	...	2	7-8
947	Carnation	— <i>incarnatum</i>	...	...	...	fl.	...	...	3
948	fringed	— <i>fimbriatum</i>	...	...	...	div.	...	...	3
949	scarlet	— <i>coccineum</i>	...	...	...	sc.	...	...	3
950	white	— <i>album</i>	...	...	...	wh.	...	...	3



<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
951	Poppy, dwf. Fr. m.	<i>Papaver Rhæas, pl. var.</i>	13	25	114	ha	div.	1½	7-8	3
952	— fringed	— <i>frimbriatum</i>	...	...	...	...	...	...	...	3
953	— Turkey	— <i>turcicum</i>	...	...	...	...	...	...	...	3
954	Nos. 946 to 953	— — — [ <i>dracuncus</i> ]	...	...	...	...	...	...	...	1 6
955	Prince's Feather	<i>Amaranthus hypocon-</i>	21	40	63	lha	pur.	2	...	3
956	Quaking Grass	<i>Briza maxima</i>	3	26	92	ha	gr.	1½	7-9	3
957	Rocket, sweet	<i>Hesperis tristis</i>	15	61	83	hp†	wh.	...	5-8	3
958	purple and rose	<i>matronalis et var.</i>	...	...	...	...	p & r	...	...	3
959	Scabious, dwarf	<i>Scabiosa nana</i>	4	25	85	ha	div.	1	7-8	3
960	very dark	<i>atropurpurea</i>	...	...	...	hp†	pur.	2	...	3
961	splendid new, m.	— <i>grandiflora</i>	...	...	...	...	div.	...	...	1 0
962	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	99	ta	pink	...	6-9	6
963	Snappedragon, mix.	<i>Antirrhinum Majus</i>	14	59	129	hp†	div.	...	...	3
964	splend. new, 30v.	— — —	...	...	...	...	...	...	...	1 0
965	carnation	— <i>caryophylloides</i>	...	...	...	...	str.	...	...	3
966	painted	— <i>pictum</i>	...	...	...	...	var.	...	...	3
967	scarlet	— <i>coccineum</i>	...	...	...	...	sc.	...	...	3
968	Stock, 10 week, m.	<i>Mathiola annua, pl. v.</i>	15	61	83	lha	div.	1½	...	3
969	scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	3
970	intermediate	— <i>intermedia</i>	...	...	...	...	...	...	...	6
971	large	— <i>major</i>	...	...	...	...	...	1½	...	6
972	purple	— <i>purpurea</i>	...	...	...	...	pur.	1¾	...	3
973	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
974	Stock, Germ. 20v.	<i>Mathiola annua, var.</i>	...	...	...	...	div.	1	...	6
975	large packet	— — —	...	...	...	...	...	...	...	1 0
976	dwarf carmine	<i>densiflora, miniata</i>	...	...	...	...	car.	...	...	6
977	— dark carmine	— <i>atro-niniata</i>	...	...	...	...	d. e.	...	...	6
978	— dark blue	— <i>atro-carulea</i>	...	...	...	...	d. b.	...	...	6
979	— light blue	— <i>late-carulea</i>	...	...	...	...	l. b.	...	...	6
980	— crimson	— <i>kermesina</i>	...	...	...	...	cri.	...	...	6
981	— dark crimson	— <i>atrorubens</i>	...	...	...	...	d. e.	...	...	6
982	— peach-bloss.	— <i>persicifolia</i>	...	...	...	...	p. bl.	...	...	6
983	— rose-coloured	— <i>rosea</i>	...	...	...	...	rose	...	...	6
984	— yellow	— <i>lutea</i>	...	...	...	...	yel.	...	...	6
985	— violet	— <i>violacea</i>	...	...	...	...	vio.	...	...	6
986	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	6
987	Nos. 974 to 986	— — —	...	...	...	...	div.	...	...	5 0
988	wallflow.-leaved	<i>græca</i>	...	...	...	...	...	...	...	3
989	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
990	— rose	— <i>rosca</i>	...	...	...	...	rose	...	...	3
991	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
992	Stock, Brompton	<i>Mathio. simplicicaulis</i>	...	...	...	lhb	div.	...	6-8	6
993	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
994	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	3
995	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
996	Queen, m.	<i>incana</i>	...	...	...	...	div.	...	...	6
997	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
998	— scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	3
999	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
1000	Imperial, blue	— <i>imperiatis</i>	...	...	...	...	bl.	...	...	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1001	Imperial, light blue	<i>imp. læte-cærulea</i>	15	61	83	hha	l. b.	1½	6-8	6
1002	— red	— <i>rùbra</i>	...	...	...	...	red	...	...	6
1003	— rose	— <i>rosea</i>	...	...	...	...	rose	...	...	6
1004	autumnal	— <i>autumnâlis</i>	...	...	...	...	div.	...	...	6
1005	Sunflower, double	<i>Helianthus annuus</i>	19	55	79	ha	yel.	6	7-8	3
1006	dwarf	<i>indicus</i>	...	...	...	...	...	3	...	3
1007	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	83	hpt	wh.	1	6-9	3
1008	Sweet Sultan, p.	<i>Centaurea moschâta</i>	19	55	79	lha	pur.	2	7-8	3
1009	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
1010	yellow	<i>suavolens</i> [cultum	...	...	...	...	yel.	...	...	3
1011	Venus' Look.-glass	<i>Prismatocarpus Spé-</i>	5	25	73	ha	pur.	1	...	3
1012	5 var. separate	— — — [lîum	...	...	...	...	div.	...	...	1 0
1013	Venus' Navelwort	<i>Cynoglossum linifo-</i>	...	...	71	...	wh.	...	...	3
1014	Virginian Stock	<i>Malcômia marítima</i>	15	61	83	...	li.	½	6-7	3
1015	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
1016	Wallflower, dark	<i>Cheiranthus Cheiri</i>	...	...	...	hp	d. b.	2	5-8	3
1017	purple	— <i>purpureus</i>	...	...	...	...	pur.	...	...	3
1018	yellow	— <i>flavus</i>	...	...	...	...	yel.	...	...	3
1019	double mix. Ger.	<i>flöre-plèno pl. var.</i>	...	...	...	...	div.	...	...	1 0
1020	— black brown	— <i>nigrescens</i>	...	...	...	...	v. d.	...	...	6
1021	— blue	— <i>cæruleus</i>	...	...	...	...	bl.	...	...	1 0
1022	— dwarf	— <i>nânus</i>	...	...	...	...	br.	1	...	6
1023	— mixed, 20 var.	— <i>pl. var.</i>	...	...	...	...	div.	2	...	6
1024	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	132	ha	wh.	2½	7-9	3
1025	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	79	...	pur.	2	7-8	3
1026	white	— <i>album</i>	...	...	...	...	wh.	...	...	3
1027	yellow	<i>Elichrysum brac-</i>	...	...	...	lha	yel.	...	...	3
1028	new white	— <i>album</i> [teatum	...	...	...	...	wh.	...	...	3
1029	Zinnia, golden yel.	<i>Zinnia aurea</i>	...	...	...	...	yel.	...	...	3
1030	large red	<i>grandiflora</i>	...	...	...	...	red	...	...	3
1031	slender-leaved	<i>tenusifolia</i>	...	...	...	...	sc.	...	...	3
1032	mixed	— — —	...	...	...	...	div.	...	...	3

**ASSORTMENTS,**  
comprising the finest varieties.

*J. Carter begs to say that the selection must be left entirely to him.*

HARDY ANNUAL FLOWER SEEDS.					
No.		s. d.	No.		s. d.
1033	6 var. Campanula, annual ...	1 6	1041	6 var. Lupins, annual, best...	1 6
1034	6 „ Candytuft .....	1 0	1042	6 „ Nasturtion.....	1 6
1035	8 „ Clarkia & Eucharidium	1 6	1043	6 „ Nemophila .....	1 6
1036	4 „ Collinsia .....	1 0	1044	6 „ Schizanthus .....	1 6
1037	4 „ dwarf Convolvulus ...	1 0	1045	50 fine hardy Annuals .....	7 6
1038	6 „ Everlasting flowers ...	1 6	1046	25 do. ....	4 0
1039	10 „ Enothera and Godetia	2 0	1047	12 do. ....	2 0
1040	6 „ Linaria .....	1 0			

## HALF-HARDY ANNUAL FLOWER SEEDS.

No.		s. d.	No.		s. d.
1048	6 var. Calliopsis .....	1 6	1053	4 var. Nolana .....	1 0
1049	6 ,, Convolvulus major ...	1 6	1054	6 Ten-week Stock .....	1 6
1050	6 ,, Gourds .....	1 6	1055	50 fine half-hardy Annuals ...	10 0
1051	4 ,, Jacobæa .....	1 0	1056	25 extra fine do. ...	7 6
1052	10 ,, Marigold .....	2 0	1057	12 do. do. ...	4 0

## HARDY PERENNIAL FLOWER SEEDS.

1058	6 var. Aquilegia .....	1 6	1068	6 var. Lupinus, perennial ...	2 0
1059	6 ,, Campanula perennial	1 6	1069	8 ,, Marvel of Peru* .....	2 6
1060	100 ,, German Carnation, 5 seeds of each* .....	20 0	1070	8 Mimulus* .....	2 0
1061	4 ,, Delphinium, dwarf ..	1 0	1071	6 Oenothera, perennial .....	1 6
1062	6 ,, do. tall ..	1 6	1072	8 Pentstemon .....	2 6
1063	6 ,, Dianthus, dwarf ..	1 6	1073	6 Salvia* .....	2 0
1064	6 ,, Digitalis .....	1 0	1074	4 Sweet William .....	1 6
1065	30 ,, dbl. Eng. Hollyhock	6 0	1075	6 Wallflower .....	2 0
1066	15 ,, do. do. ...	3 0	1076	50 fine Perennials .....	10 0
1067	6 ,, Lobelia* .....	1 6	1077	25 very fine do. ....	6 0
			1078	12 do. do. ....	3 6

Those marked \* should be raised on heat, or they would require to be sown later than the others.

## GREENHOUSE SEEDS.

1079	6 var. Alstrœmeria .....	3 0	1083	4 var. Thunbergia** .....	1 6
1080	4 ,, Bonaria, or climbing Alstrœmeria** .....	2 0	1084	4 ,, Tropœolum** .....	3 0
1081	6 ,, Hibiscus .....	2 6	1085	12 ,, Greenhouse Seeds ...	4 0
1082	6 ,, Ipomœa** .....	4 0	1086	6 ,, do. do. ...	2 0

Those marked \*\* are climbing plants. The Tropœolums (1084) require to be carefully skinned just before sowing; also the Marty'nias, see page 15.

The above collections of Annuals, Perennials and Greenhouse Seeds are principally intended for those Ladies and Gentlemen who wish to save the time of selecting, or who may not be sufficiently acquainted with all the kinds. The collections of 50, 25 and 12 will not contain any of the sorts comprised in the other assortments; therefore no duplicates can be sent. The following extract will also be useful in making a selection.

A choice selection of Hardy and Half-hardy Annuals, and a few Biennials and Perennials that flower the same year.

Nos. 53, 55, 77, 126, 132, 138, 139, 148, 153, 161, 162, 164, 167, 169, 196, 197, 212, 226, 227, 228, 240, 241, 245, 248, 249, 256, 261, 262, 269, 277, 289, 300, 308, 316, 337, 338, 362, 363, 364, 366, 367, 369, 374, 392, 393, 404, 405, 408, 415, 436, 438, 455, 466, 467, 470, 473, 479, 481, 489, 502, 503, 507, 508, 515, 526, 529, 530, 531, 544, 547, 548, 556, 562, 564, 565, 576, 588, 589, 590, 592, 597, 599, 603, 606, 614, 615, 618, 651, 652, 657, 663, 664, 665, 690, 698, 703, 704, 706, 713, 731, 746, 774, 789, 790, 831, 834, 842, 844, 845, 849, 871, 883, 884, 913, 915, 930, 933, 938, 946, 961, 964, 969, 970, 987, 1008, 1010, &c. &c. See also the assortments Nos. 1 to 42, page 4, all of which can be strongly recommended.

SUNDRY BULBOUS ROOTS.

Those with a \* are for the open borders; those with \*\* should not be planted out till the beginning of May; those without any mark are chiefly greenhouse plants.

	Price.		Price.
	s. d.		s. d.
Achimenes, 12 in 4 fine sorts	2 6	Gesnera and Gloxinia, 1s. 6d. to	3 6
*Amaryllis bella-douina each	1 0	*Gladiolus cardinalis, large, doz.	5 0
crocata superba "	6 0	*oppositiflorus, new seedlings "	3 6
*formosissima "	0 6	*gandavensis, large, each	2 6
gloriosa, 6s. Josephiniana "	15 0	*insignis "	2 6
reginae, 5s. vittata major "	4 0	*6 fine varieties, 5s. "	1 0
sp. brasiliensis "	2 6	Hamanthus, 4 fine sp., 8s. "	2 6
sp. Bolivia, No. 1, 3s. 6d. No. 2, "	3 6	*Pancratium illyricum "	1 6
Ammocharis coranica "	6 0	*Ranunculus, finest mixed, per 100	7 6
falcata, 5s.; glauca "	5 0	*200 in 200 beautiful var.	50 0
*Anemones, finest new, per lb.	8 0	*100, 25s.; 50, 13s.; 25, 7s.; 12,	4 0
*200 splendid new, separate,	60 0	*large scarlet Turban, per 100	2 6
*100, 30s.; 50, 15s.; 25, 7s. 6d.; 12	4 0	*100 Turban in 5 varieties	5 0
*Antholyza and Watsonia, per doz.	4 0	*white, spotted & carmine, each	1 0
Arum, fine new sp. Bolivia, each	5 0	**Tigridia Pavonia, large, per doz.	2 6
Brunsvigia orientalis "	7 6	**conchiflora each	1 0
Buphane ciliaris "	5 0	**— superba, scarlet "	2 6
Coburgia fulva "	6 0	Tropaeolum Jarrattii "	3 0
Cyrtanthus obliquus "	5 0	**Tuberoses, double Italian, doz.	4 0
punicus, 5s.; spiralis "	3 6	Valota purpurea each	3 0
**Dahlia, extra fine "	1 0	*Winter Aconites 100	4 0

SEEDS OF VARIOUS FRUITS—per Packet.

No.	s. d.	No.	s. d.
1087 Currants, mixed	6	1111 Melon, Snow's Prolific	1 0
1088 Gooseberry, finest mixed	6	1112 Surdah, or Sirdar	6
1089 Melon, Beechwood, extra	1 0	1113 Sweet, of Isphahan	1 0
1090 Black Rock	6	1114 Windsor Prize, extra	1 0
1091 Cabul	1 0	1115 Cutlbert's green flesh	6
1092 Carter's green flesh	1 0	6 extra fine sorts	4 0
1093 Clark's Favourite	6	1116 Mulberry, 4 fine species	2 0
1094 Davy's Hybrid	1 0	1117 Quince	6
1095 Duke of Norfolk's	1 0	1118 Raspberry, fine red	6
1096 Early Cantalupe	6	1110 fine white	6
1097 Evans' scarlet flesh	1 0	1120 fine yellow	6
1098 Fine Netted	6	1121 Prince Albert's, new	1 0
1099 Flat Rock	6	1122 Queen Victoria	1 0
1100 Green flesh, old	6	1123 fine mixed	6
1101 — new large	1 0	1124 Strawberry, red alpine	6
1102 Hardest early Cantalupe	1 0	1125 white alpine	6
1103 Hoosainee, fine	6	1126 new alpine	6
1104 Hybrid, extra	1 0	1127 British Queen	1 0
1105 Ionian	6	1128 Elton Pine	6
1106 Netted Persian	1 0	1129 Prince Albert	1 0
1107 Persian, fine	1 0	1130 Princess Alice	1 0
1108 Sardinian	6	1131 Princess Royal	1 0
1109 Scarlet Egyptian	1 0	1132 scarlet, for preserving	6
1110 Scarlet flesh	6	1133 Water Melon, finest mixed	6

## SUNDRY PLANTS.

		£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair .....		1	4	0
	12 single plants .....	0	13	0
Picotees, extra fine, white grounds, per 12 pair .....		1	0	0
	12 single plants .....	0	11	0
	yellow grounds, per 12 pair.....	1	4	0
	12 single plants .....	0	13	0
Chrysanthemums, fine, 9s. doz., extra fine do., per doz.....		0	18	0
Fuchsias, very fine.....	10s. to	1	0	0
Geraniums, 12s., 20s., 40s., 60s. to 80s. per doz.				
Heartsease or Pansies, 12 extra fine sorts .....		1	0	0
	12 fine varieties .....	7s.	6d.	to
Pinks, extra fine, per doz. pair 8s., 50 do. single plants.....		0	16	0
Roses, finest Standards, 12 varieties, per doz. ....		1	10	0
	Half-Standards, per doz. ....	18s.	to	
	dwarf, " " .....	6s.	to	0 18 0
	climbing and Noisette, per doz. ....	9s.	&	0 12 0
Verbenas, fine, per doz. ....	7s. 6d. to	0	12	0

*To prevent J. C. from sending duplicates, he requests the names of such as are already possessed.*

## KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 31.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, Grange's wh. p. oz.	1 0
	Asparagus, giant "	0 3		early Belvidere "	1 0
11 to 6	Beans, early Mazagan p. qt.	0 6		early Caulif. B. "	1 0
	dwarf Fan "	0 6		— purple "	1 0
	early long-pod "	0 6		— white "	1 0
	Sword "	0 6		— Malta "	1 0
	Johnson's Wonderful, "	0 6		— new October "	1 6
	green long pod "	0 6		— sprouting "	1 0
	Toker "	0 6		— Waleheren "	1 6
1 to 5	largest Windsor "	0 8		Chappel's cream "	1 0
	Taylor's Windsor "	0 8		— fine white "	1 0
	green Windsor, &c. &c.	0 8		Brimstone "	1 0
4 to 6	Beet, fine large red, per oz.	0 4		dwarf Russian "	1 0
	new German red "	0 6		dwarf Siberian "	1 0
	new black "	0 6		Hampshire green "	1 0
	green "	0 3		Hampton Court "	1 0
	silver curled "	0 4		Howden's superb "	1 0
	white "	0 3		Impregnated white "	1 0
4 to 5	Borecole or Kail, brown "	0 4		Invisible "	1 0
	green curled "	0 4		new Victoria "	1 0
	purple "	0 4		Knight's protecting "	1 0
	variegated, &c. &c. "	0 6		Portsmouth "	1 0
4 to 6	Broccoli, earliest Cape "	1 0		Winter Imperial "	1 0
	white Cape "	1 0		— Snow's superb, pa.	1 6



Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
4 to 6	Broccoli, White Southampt.	1 0	1 to 8	Cauliflower, late Eng. oz.	1 6
	late white oz.	1 0		large Asiatic "	1 6
	— Miller's "	1 0		Fitch's new late "	2 6
	— purple close-h. "	1 0		late Cyprus "	1 6
	— Moxam's large wh.	1 6		Walcheren "	1 6
	Ellison's new April, pa.	2 6		new Dutch "	1 6
	late large purple oz.	1 0	3 to 6	Celery, solid white "	0 3
	— American, ext. "	1 6		solid red "	0 3
	very late d. Danish "	1 0		giant red "	0 6
	6 best for succession	6 0		giant white "	0 6
5 to 6	Brussels sprouts, extra fi., oz.	1 0		new curled or Paw "	0 6
3 to 9	Cabbage, American "	1 0		Seymour's white "	0 6
	Atkins' Matchless "	1 0		new American "	0 6
	Carter's new Matchless	1 6		large rt. Celeriac, "	0 6
	early dwarf per oz.	0 6		Cardoon, Spanish "	0 6
	— Nonpareil "	0 6		new large purple pa.	1 0
	— York "	0 6		Chervil, curled per oz.	0 4
	— Battersea "	0 6	5 to 7	Corn Salad "	0 3
	— East Ham "	0 6	2 to 9	Cress, common, per quart	1 0
	— Emperor "	0 6		triple curled "	1 6
	— Paignton "	0 6		golden "	2 0
	— Pomeranian "	1 0		Amer. perennial p. oz.	0 3
	— Plaw "	0 6		Water per pa.	0 6
	— Shilling's Queen "	1 0	1 to 6	Cucumber, fine frame "	0 6
	— Sugar-loaf "	0 6		fine long prickly "	0 6
	— Wonder, extra "	1 6		Philip's long "	0 6
	Vanack "	0 6		Stockwood "	0 6
	Wellington "	0 6		fine Ridge "	0 6
	large Imperial "	0 6		short prickly "	0 3
	— Battersea "	0 6		green Turkey "	0 6
	— York, &c. &c. "	0 6		white Turkey "	0 6
	6 best sorts, 1 oz. each	3 6		Bathonian "	1 0
	Red Dutch oz.	0 6		Cambridge Hero "	1 0
	Cabbage, drumhd. Savoy, "	0 6		Cambridge Prize "	1 0
	large green Savoy "	0 6		Carter's Champion "	1 0
	yellow Savoy "	0 6		Clarke's wh. spine "	1 0
	Braganza "	0 8		Cuthbert's * Colney	1 0
	Couve Tronchuda "	1 0		Hatch, warr. extra	
	— new curled, do. "	1 0		Cuthill's black spine*	0 6
	Pe-tsay or Chinese pa.	0 6		Improved Manchester	0 6
	Pak-choi, new Chinese	0 6		Manchester Prize "	0 6
	Turnip-rooted, oz.	0 6		Man of Kent "	0 6
	Chou de Milan, imported "	1 0		Manning's blk. spine, "	1 0
1 to 8	Carrot, early Horn "	0 4		Roman Emperor "	0 6
	early scarlet frame "	0 4		Siou House* "	0 6
	long Surrey "	0 4		Snow's white spine "	1 0
	— orange "	0 4		Stewart's Ringleader	1 0
	Altringham "	0 4		superb white spue "	1 0
	largest white "	0 3		Victoria bl. spine, 30 in.	1 0
	Cauliflower, early Eng. "	1 6		Victory of Suffolk "	0 6

\* Best for Autumn sowing.

Finest Prize varieties.

Month of Sow.	oz. ounce; qt. quart..	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
1 to 6	Cucumber, Victory of Eng.	0 6	3 to 9	Mustard, white p. quart	1 0
	Walker's Traveller pa.	0 6	3 to 8	Onion, blood-red per oz.	0 6
	Weedon's frame* "	0 6		Deptford* "	0 6
	Young's Champion "	1 0		Globe "	0 6
	6 finest varieties	5 0		— new white "	0 9
6 to 8	Endive, green curled, p. oz.	0 6		James' keeping "	0 6
	white curled "	0 6		Lisbon* "	0 6
	Batavian, white "	0 6		Pickling "	0 6
	— green "	0 6		Portugal, white "	0 6
1 to 7	French beans, dwarf dun, qt.	1 3		Reading, white "	0 6
	Fulmer's d. forcing "	1 3		Silver-skinned "	0 6
	new light, Fulmer's "	1 3		Spanish, white* "	0 6
5 to 7	Negro Major, d. "	2 6		— brown "	0 6
	Speckled dwarf, &c. "	1 3		Strasburg* "	0 6
	Scarlet Runners "	1 3		Tripoli* "	0 9
	Painted Lady "	1 6		Two-bladed "	0 6
4 to 5	Indian Corn, per pa.	0 3		Welch* "	0 6
3 to 5	Lcek, London Flag p. oz.	0 6		6 finest sorts	3 0
	new Giant "	1 0	7 to 5	Parsley, curled "	0 3
1 to 8	Lettuce, Bath Cos*	1 0		Myatt's garnishing "	0 4
	black-seeded do. do.* "	1 0		extra curled "	0 4
	broad-leaved do. do. "	1 0		Ilambro', rooted "	0 4
	Brighton Cos "	1 0	2 to 5	Parsnip, hollow-crowned "	0 3
	Ady's large Cos "	1 0		Guernsey "	0 3
	blood Cos "	1 0	9 to 5	Peas, early Kent per qt.	0 8
	brown Cos* "	1 0		— Prince Albert "	1 6
	Egyptian Cos* "	1 0		— May "	0 8
	Endive-leaved Cos "	1 0		— Shilling's Grotto "	1 6
	Florence Cos "	1 0		— Race-horse "	0 8
	green Cos "	1 0		— Warwick "	0 8
	Kensington Cos "	1 0		— d, blossom frame "	0 8
	Paris Cos "	1 0		— Nimble "	0 8
	Snow's superb pa.	1 0		— Charlton "	0 8
	white Cos oz.	1 0		— Bishop's dwarf "	0 9
	white winter Cos* "	1 0	3 to 6	Peas, later sorts per qt.	
	Silesia "	1 0		— Carter's Lilliputian	3 6
	brown Dutch* "	1 0		— — new Colossus, "	2 6
	Drumhead cabbage "	1 0		— — Victoria "	2 6
	Imperial cabbage "	1 0		— — Glory of England "	1 0
	Malta cabbage "	1 0		— — Marrow, dwarf wh.	0 8
	Marseilles cabbage "	1 0		— — tall white "	0 8
	new Winter cab.* "	1 0		— — dwarf green "	0 8
	large Mogul cab. "	1 0		— — tall green "	0 8
	Hammersmith hardy* "	1 0		— — Woodford's g., "	1 0
	new pink-edged cab.* "	1 0		— — Royal Victoria "	1 0
	Tennis ball* "	1 0		Knight's marrow, d. "	1 6
	white cabbage* "	1 0		— — dwarf green "	1 6
	8 finest sorts "	7 0			
4 and 5	Love apple or Tomato p. oz.	1 0			
	yellow "	1 0			

\* Best for Autumn Sowing

\* Best for Autumn Sowing.

\* Carter's Victoria Pea is warranted superior in flavour and size to any other.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Peas, Knight's tall, white, qt.	1 6	4 to 6	SWEET HERBS, &c.	
	— tall green „	1 6		Balm, per oz. 1s. Od. per pa	0 3
	Matchless „	0 8		Basil, sweet „	0 3
	Prussian blue „	0 8		— bush „	0 3
	Groom's superb „	1 0		Borage „	0 3
	Imperial, Bedman's, „	0 8		Buglos „	0 3
	Queen of the dwarfs „	3 6		Burnet „	0 3
	Scimitar, dwarf blue, „	0 8		Clary „	0 3
	10 ext. fine sorts	12 0		Capsicum and Chilis „	0 6
2 to 6	Potato Seed, best, per pa.	1 0		Fennel „	0 3
5 and 6	Purslain, green per oz.	0 6		Florence Fennel „	0 6
1 to 8	Radish, long frame per qt.	2 0		Hyssop „	0 3
	Wood's new frame „	2 0		Lavender „	0 3
	early scarlet „	2 0		Marjoram, sweet „	0 3
	early short topt „	2 0		— pot „	0 3
	long Salmon „	2 0	Marigold, pot „	0 3	
	white Naples „	2 6	Rosemary „	0 3	
	red Turnip „	2 0	Wormwood „	0 3	
	white Turnip „	2 0	Sage „	0 3	
	yellow Turnip, per oz.	0 3	Savory, Summer „	0 3	
	new rose olive „	0 3	— Winter „	0 3	
	new scarlet do. „	0 3	Thyme „	0 3	
	new Chinese, rose- } coloured Winter, pa. }	0 6	Fruit Seeds, see page 27.		
	Black Spanish, per oz.	0 3	ROOTS, PLANTS, &c.		
			<i>The Prices variable.</i>		
4 to 5	Rampion per pa.	0 6	Artichokes per peck		
3 to 5	Rhubarb, Victoria per oz.	1 0	Asparagus, all sorts		
	Giant „	1 0	Chives per 100		
	Tobolsk „	1 0	Garlic per lb	1 0	
	Salsafy „	0 6	Horse Radish per doz.		
	Scorzonera „	0 6	Mushroom Spawn per bush.	4 0	
2 to 5	Sea Kail per qt.	2 0	Potato, early foreign, and all other sorts.		
	Skirret per oz.	0 8	Rhubarb, Tobolsk each	1 0	
	Sorrel „	0 6	Myatt's Victoria „	1 6	
2 to 6	Spinach, round per qt.	1 0	„ Dully's scarlet „	1 6	
2 to 10	prickly „	1 0	„ 4 finest for succession	5 0	
	broad Flanders „	1 0	Rocamboles per lb.		
3 to 5	New Zealand per oz.	0 6	Shallots „	1 0	
2 to 5	Squash, 3 var. mixed per pa.	0 6	Sea Kale per 100		
	6 var. separate „	1 6	Strawberries, various „		
2 to 6	Turnip, early Dutch per oz.	0 3	Raspberries, all sorts „		
	early Mousetail „	0 3			
	— Snowball „	0 3			
3 to 9	— Nonsuch „	0 3			
	— stone „	0 3			
	yel. Altringham „	0 3			
	— Maltese „	0 3			
	— stone „	0 3			
3 to 6	Teltau, German „	0 6			
	Vegetable Marrow per pa.	0 6			

*And all other Plants and Seeds for the Kitchen Garden. Carrot, Cauliflower, Cucumber, French Beans, Lettuce, Potato, Radish and a few others, when sown early require a hot-bed frame.*

## AGRICULTURAL SEEDS.

Cabbage, largest field per lb. 2 0 | Mangel Wurzel, all sorts per lb. 1s.  
 Carrot, ext. large white " 2 6 | Turnip, 6d. to 1s. per lb.

*A separate Catalogue will be published of Agricultural Seeds.*

*Russia Mats, Garden Utensils, Netting, &c. &c.—Seeds packed for Exportation to India, &c., so as to ensure their vegetating.*

## FRUIT TREES.

	Dwarfs.		Standards.		Dwarfs, trained.		Standards, trained.	
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Apples, finest sorts .....	9	to 1 0	2 6	3 6				
Apricots, various, finest .....	1 6	2 6	3 6	6 0	10 6			
Almonds, fruit-bearing .....	1 6		3 6					
Cherries, very fine sorts .....	1 0		2 6	3 6	7 6			
Nectarines, ditto ditto .....	1 6		3 6	6 0	10 6			
Peaches, ditto ditto .....	1 6		3 6	6 0	10 6			
Pears, great variety .....	1 0		2 6	3 6	7 6			
Plums, fine sorts .....	1 0		2 6	3 6	7 6			
Medlars.....	1 0		2 6					
Quinces.....			2 6					

Gooseberries, 12 extra fine large prize varieties, 12s. 50 do. £2 0 0

Grape Vines, Pine-apple Plants, &c. &c.

\*\* A Catalogue of Genuine Dutch Bulbs will be published in Autumn.

*List of a few important and useful works on Botany, &c., to be had of all Booksellers.*

LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.

— Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.

— Encycl. of Cottage, Farm, and Villa Architecture, 1 vol. 2000 engravings, 3l.

— Supplement to do. 8vo. 7s. 6d.

— Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.

— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. 1l. 10s. plain, 3l. 6s. coloured.

— The Gardener's Magazine. In 9 vols. 8vo. 9l. 17s.

— The Suburban Horticulturist. 1 vol. 8vo. 380 engr. 16s. An excellent work.

Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, 8l. 18s. 6d.

— Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.

— LADY'S COUNTRY COMPANION, 2nd Edition, 7s. 6d.

CURTIS' Botanical Magazine, edited by Sir William Jackson Hooker, monthly; coloured 3s. 6d., plain 2s. 6d., each.

Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.

— Sertum Orchidaceum, splendidly coloured, 10 parts. 25s. each.

PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.

— Pocket Botanical Dictionary. 15s.

MAUND'S Botanic Garden, col. monthly, large 1s. 6d., small 1s.

WIRE NETTING.—Cheap and effective Fence against Hares and Rabbits; also useful as a substitute for Pea-sticks, Ornamental Arches, and other garden purposes. Prices from 5d. to 1s. per linear yard. Specimens may be seen at Mr. C. E. GYDE'S, 7½ Red Lion Court, Fleet Street, London.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

*In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1847.*