


A455.81
F762

February 1958

Range Plants of Arizona and New Mexico Names, Symbols, and Notations



Rocky Mountain Forest and Range Experiment Station
Fort Collins, Colorado Raymond Price, Director

Forest Service U. S. Department of Agriculture
(For In-Service Use)

UNITED STATES
DEPARTMENT OF AGRICULTURE
LIBRARY



BOOK NUMBER A455.81
963367 F762

USDA National Agricultural Library
NAL Building
10301 Baltimore Blvd.
Beltsville, MD 20705-2351

PLANT SYMBOL LIST FOR
RANGE PLANTS OF ARIZONA AND NEW MEXICO

963367

Introduction

This list of common and botanical names has been compiled from records of plants collected by the U. S. Forest Service in Arizona and New Mexico. It is intended to provide a tabulation of (1) accepted botanical names for the most common species, (2) common names for these species, and (3) standard symbols for use in field records.

The botanical names follow the International Code which is the code followed by the U. S. Department of Agriculture. Appropriate cross-reference and synonymy are given where names were different under the formerly used American Code. Synonyms also have been added, as necessary, to correlate with "Arizona Flora"^{1/} by Kearney and Peebles, Ed. 2, 1951, and "A Flora of Arizona and New Mexico" ^{2/} by Tidestrom and Kittell, 1941, since these two manuals are most likely to be used by research workers in the area.

One to several common names are given for most plants. In the first column of common names is the name or names that have been used in the past in the Southwest. In the second column is the common name from "Standardized Plant Names," 1942, ^{3/} or the "Check List of Native and Naturalized Trees of the United States," ^{4/} if these names are different from those in the first column. Generally the names in the second column are preferable to those in the first. For a few plants, names in the second column are marked by "%". These are suggested names to replace those in use where they are in conflict with accepted names but for which names are not listed in Standardized Plant Names.

Symbols are four letters for genera and species and five letters for varieties. The rules used in assigning symbols are as follows:

1. For genera the first four letters are used and all letters are capitalized.
2. For species the first two letters of the generic name followed by the first two letters of the species name are used and only the first letter capitalized.

^{1/} "Arizona Flora" by Thomas H. Kearney and Robert H. Peebles. Berkeley, California. 1951.

^{2/} "A Flora of Arizona and New Mexico" by Ivar Tidestrom and Sister Teresita Kittell. Washington, D. C. 1941.

^{3/} "Standardized Plant Names" by Harlan P. Kelsey and William A. Dayton. Harrisburg, Pa. 1942.

^{4/} "Check List of Native and Naturalized Trees of the United States." U. S. Dept. Agr. Handbook 41. 1953.

USDA National Agricultural Library
NAL Building
10301 Baltimore Blvd.
Beltsville, MD 20705-2351

THE PRACTICAL
TECHNIQUE OF
PHOTOGRAPHY

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

BY ERNST H. KARSH, M. A., F. R. S.

WITH 200 ILLUSTRATIONS IN THE TEXT AND 100 PLATES

IN THE FORM OF PHOTOGRAPHS AND DRAWINGS

3. For varieties the first two letters of the generic name, the first two letters of the species name, and the first letter of the variety name are used and only the first letter capitalized.
4. Where duplication of symbols occurs, numbers are added to indicate such duplication. The number is part of the symbol.

Marks used in the list are as follows:

1. Synonyms are indicated by underlining.
2. Subspecies are indicated by "ssp" between the species and subspecies names or preceding the subspecies name when it is indented under the species name.
3. Varieties are indicated by indentation of several spaces under the species name or, in writing the varietal name on the same line as the species name, the word "var." is between the species and variety names. Under the International Code the variety should always be preceded by "var."
4. Forms are indicated by "forma" between the species and form names, or preceding the form name when it is indented several spaces under the species name.

18. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.

13. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.

ANNUAL GRASS LIST

| | | | |
|--------|---------------------------------------|-----------------------------|-----------------------------------|
| Aete | <i>Aegopogon tenellus</i> (DC.) Trin. | relaxgrass | |
| ARIS | <i>Aristida</i> | three-awn | |
| Arad | <i>adscensionis</i> L. | sixweeks three-awn | |
| Arol | <i>oligantha</i> Michx. | prairie three-awn | |
| AVEN | <i>Avena</i> | oats | oat |
| Avba | <i>barbata</i> Brot. | slender oat | |
| Avfa | <i>fatua</i> L. | wild oat | |
| Avsa | <i>sativa</i> L. | oat | common oat |
| BOUT | <i>Bouteloua</i> | grama | |
| Boar | <i>aristidoides</i> (H.B.K.) Griseb. | needle grama | |
| Boba | <i>barbata</i> Lag. | sixweeks grama | |
| Bopa | <i>parryi</i> (Fourn.) Griffiths | Parry grama | |
| Bosi | <i>simplex</i> Lag. | mat grama | |
| BROM | <i>Bromus</i> | chess | brome |
| Brbr-2 | <i>brizaeformis</i> Fisch. & Mey. | rattlesnake chess | rattle brome |
| Brca-2 | <i>catharticus</i> Vahl | rescuegrass | rescue brome |
| Brja | <i>japonicus</i> Thunb. | Japanese chess | Japanese brome |
| Brmo | <i>mollis</i> L. | soft chess | |
| Brri | <i>rigidus</i> Roth | ripgut grass | ripgut brome |
| Brru-1 | <i>rubens</i> L. | foxtail chess | foxtail brome (red brome) |
| Brte-1 | <i>tectorum</i> L. | cheatgrass (downy chess) | cheatgrass brome (downy brome) |
| Cepa-1 | <i>Cenchrus pauciflorus</i> Benth. | field sandbur | mat sandbur |
| Chvi-1 | <i>Chloris virgata</i> Swartz | feather fingergrass | showy chloris |
| ECHI-1 | <i>Echinochloa</i> | cockspur | |
| Ecco | <i>colonum</i> (L.) Link | jungle-rice | Jungle-rice (shanwamillet) |
| Eccr | <i>crusgalli</i> (L.) Beauv. | barnyardgrass | barnyardgrass |
| Eccrz | <i>zelayensis</i> (H.B.K.) Hitchc. | alkali barnyardgrass | |
| Elin | <i>Eleusine indica</i> (L.) Gaertn. | goosegrass | |

THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE


THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE

THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE
THE SOUTHERN JAPANESE


ANNUAL GRASS LIST (continued)

| | | | |
|--------|---|-----------------------|-----------------------|
| ERAG | Eragrostis | | lovegrass |
| Erci-2 | cilianensis (All.) Lutati | | stinkgrass |
| Erdi-1 | diffusa Buckl. | | spreading lovegrass |
| Erlu | lutescens Scribn. | | sixweeks lovegrass |
| Erme | mexicana (Hornem.) Link | | Mexican lovegrass |
| Erne | neomexicana Vasey | | New-Mexican lovegrass |
| Erpe | pectinacea (Michx.) Nees | | Carolina lovegrass |
| Erpi | pilosa (L.) Beauv. | | India lovegrass |
| Ergr | Eriochloa gracilis (Fourn.) Hitchc. | southwestern cupgrass | |
| FEST | Festuca | | fescue |
| Feme | megalura Nutt. | | foxtail fescue |
| Feoc | octoflora Walt. | | sixweeks fescue |
| Feoch | hirtella Piper | | hairy sixweeks fescue |
| Fepa | pacifica Piper | | Pacific fescue |
| HORD | Hordeum | | barley |
| Hole | leporinum Link | | mouse barley |
| Hopu | pusillum Nutt | | little barley |
| | | | ---- |
| Laau | Lamarckia aurea (L.) Moench | | goldentop |
| LEPT | Leptochloa | | sprangletop |
| Lefi | filiformis (Lam.) Beauv. | | red sprangletop |
| Leun | uninervia (Presl) Hitchc. & Chase | | Mexican sprangletop |
| MUHL | Muhlenbergia | | muhly |
| Mude | depauperata Scribn. | | sixweeks muhly |
| Mufi-2 | filiformis (Thurb.) Rydb. | | pullup muhly |
| Mumi | minutissima (Steud.) Swallen | | littleseed muhly |
| | = <u>Sporobolus microspermus</u> of Ed. 1, Grass Manual | | |
| | = " minutissimus (Steud.) Hitchc. | | |
| Muwo | wolfii (Vasey) Rydb. | | red muhly |
| Musq | Munroa squarrosa (Nutt.) Torr. | | false-buffalograss |
| PANI | Panicum | | panicum |
| Paar | arizonicum Scribn. & Merr. | | Arizona panicum |
| Paca | capillare L. | | witchgrass |
| Pacao | occidentale Rydb. | | common witchgrass |
| Pafa | fasciculatum Swartz | | cushion witchgrass |
| Pafar | reticulatum (Torr.) Beal | | browntop panicum |
| Pahi | hirticaule Presl | | roughstalk witchgrass |
| Phca-1 | Phalaris canariensis L. | | canarygrass |



ANNUAL GRASS LIST (continued)

| | | | |
|--------|--|------------------------|-------------------------|
| POA | Poa | | bluegrass |
| Poan-1 | annua L. | | annual bluegrass |
| Pobi-1 | bigelovii Vasey & Scribn. | | Bigelow bluegrass |
| Pomo | Polypogon monspeliensis (L.) Desf. | rabbitfoot grass | rabbitfoot polypogon |
| FUCC | Puccinellia | alkali-grass | |
| Scba | Schismus barbatus (L.) Thell. | Mediterraneangrass | |
| SETA | Setaria | bristlegrass | |
| Segr | grisebachii Fourn. | Grisebach bristlegrass | |
| Selu | lutescens (Weigel) Hubb. | yellow bristlegrass | |
| Sevi | viridis (L.) Beauv. | green bristlegrass | |
| SPOR | Sporobolus | dropseed | |
| | <u>microspermus</u> See Muhlenbergia minutissima | | |
| | <u>minutissimus</u> do. | | |
| Spne-2 | neglectus Nash | puffsheath dropseed | |
| Sppa | patens Swallen | desert dropseed | |
| Sppu | pulvinatus Swallen | sixweeks dropseed | --- |
| Spva | vaginiflorus (Torr.) Wood | poverty dropseed | |
| Trbe | Tragus berteronianus Schult. | spike bur-grass | |
| Trin | Trisetum interruptum Buckl. | annual triisetum | prairie tri- setum |



PERENNIAL GRASS LIST

| | | |
|--------|--|---|
| AGRO-1 | Agropyron | wheatgrass |
| Agba | bakeri E Nels. | Baker wheatgrass |
| Agcr | cristatum (L.) Gaertn. | crested wheatgrass |
| Agda | dasytachyum (Hook.) Scribn. | Fairway wheatgrass ^{1/} |
| Agin | intermedium (Host) Beauv. | thickspike wheatgrass |
| | <u>pauciflorum</u> See A. trachycaulum | intermediate wheatgrass |
| Agps | pseudorepens Scribn. & Smith | false quackgrass |
| Agsc-2 | scribneri Vasey | spreading wheatgrass |
| Agsm | smithii Rydb. | western wheatgrass (bluestem wheatgrass) |
| Agsp | spicatum (Pursh) Scribn. & Smith | bluebunch wheatgrass bearded bluebunch wheatgrass |
| Agsu | subsecundum (Link) Hitchc. | bearded wheatgrass |
| Agtr-1 | trachycaulum (Link) Malte =A. <u>pauciflorum</u> Schwein. | slender wheatgrass |
| Agtr-2 | trichophorum (Link) Richt. | stiffhair wheatgrass pubescent wheatgrass ^{2/} |

| | | |
|--------|---|----------------------------|
| AGRO-2 | Agrostis | bentgrass |
| Agal | alba L. | redtop |
| Agex | exarata Trin. | spike bent |
| Aghi | hiemalis (Walt.) B.S.P. | winter bent |
| Agpa-1 | palustris Huds. | creeping bent |
| Agsc-1 | scabra Willd. = A. <u>hiemalis</u> of authors, NOT (Walt.) B.S.P. | winter bent |
| | NOTE: The common name of rough bentgrass is suggested for Agrostis scabra to distinguish it from winter bentgrass with which it has been confused in some manuals. | rough bentgrass |
| Agse | semiverticillata (Forsk.) C. Christ. | water bent water bentgrass |

| | | |
|------|-----------------|------------------|
| ALOP | Alopecurus | foxtail |
| Alae | aequalis Sobol. | shortawn foxtail |
| Alge | geniculatus L. | water foxtail |

1/ Fairway wheatgrass is now the recommended common name for *Agropyron cristatum*; crested wheatgrass is now the recommended common name for *Agropyron desertorum*.

2/ Pubescent wheatgrass is the common name used in the USDA (FS) Agriculture Handbook # 58 for *Agropyron trichophorum*.

C. 1860

LAWRENCE

S. J. COOPER

J. W. COOPER

PERENNIAL GRASS LIST (continued)

| | | | |
|---------------|---|--|--|
| ANDR-1 | Andropogon | | bluestem (beardgrass) (bluejoint grass) |
| Anba | barbinodis Lag. | cane bluestem | |
| Anci | cirratus Hack. | Texas bluestem | |
| Ange | gerardii Vitman = <i>A. furcatus</i> Muhl. | big bluestem | |
| Angl-1 | glomeratus (Walt.) B.S.P. | bushy beardgrass | bushy bluestem |
| Anha | hallii Hack. | sand bluestem | |
| Anhi | hirtiflorus (Nees) Kunth | | |
| Anhif | feensis (Fourn.) Hack. | Santa Fe bluestem | SantaFe bluestem |
| Anis | ischaemum L. | Turkestan bluestem | EastIndies bluestem |
| Ansa | saccharoides Swartz | silver beardgrass | silver bluestem |
| Ansc | scoparius Michx. | little bluestem | |
| ARIS Aristida | | three-awn (dogtown grass, poverty grass, needlegrass) | |
| Arar-1 | arizonica Vasey | Arizona three-awn | |
| Arba | barbata Fourn. | Havard three-awn | |
| Arca-1 | californica Thurb. | Mohave three-awn | |
| Ardi | divaricata Humb. & Bonpl. | poverty three-awn | |
| Arfe-1 | fendleriana Steud. | Fendler three-awn | |
| Argl-1 | glabrata (Vasey) Hitchc. | Santa Rita three-awn | SantaRita three-awn |
| Argl-2 | glauca (Nees) Walp. | blue three-awn | |
| Arlo-1 | longiseta Steud. | red three-awn | |
| Aror | orcuttiana Vasey | single three-awn | |
| Arpa-1 | pansa Woot. & Standl. | Wooton three-awn | |
| Arpu-1 | purpurea Nutt. | purple three-awn | |
| Arte-1 | ternipes Cav. | spidergrass | |
| Arel | Arrhenatherum elatius (L) Presl. | Tall oatgrass | |
| Besy | Beckmannia syzigachne (Steud.) Fern. | American sloughgrass | |
| Bltr | Blepharoneuron tricholepis (Torr.) Nash | pine dropseed (beardless bunchgrass) | |
| BOUT | Bouteloua | grama | |
| Bobr | breviseta Vasey | gyp grama | |
| Boch | chondrosioides (H.B.K.) Benth. | sprucetop grama | |
| Boci | curtipendula (Michx.) Torr. | side-oats grama | |
| Boel | eludens Griffiths | Santa Rita grama | SantaRita grama |
| Boer | eriopoda Torr. | black grama | black grama |
| | | | (Woollyfoot grama) |
| Bofi | filiformis (Fourn.) Griffiths | slender grama | |
| Bogr | gracilis (H.B.K.) Lag. | blue grama | |
| Bohi | hirsuta Lag. | hairy grama | |
| Bora | radicosa (Fourn.) Griffiths | purple grama | |
| Boro | rothrockii Vasey | Rothrock grama | |
| Botr | trifida Thurb | red grama | |

1
2
3
4
5
6
7
8
9

PERENNIAL GRASS LIST (continued)

| | | | |
|--------|--|-----------------------------------|-------------------------------------|
| BROM | Bromus | bromegrass | brome |
| Bran | anomalus Rupr. = <u>B. porteri</u> (Coul.) Nash | nodding brome | nodding brome (Porter brome) |
| Brbr-1 | breviaristatus Buckl. | slimleaf brome | |
| Brca-1 | carinatus Hook. & Arn. | California brome | mountain brome |
| Brci | ciliatus L. = <u>B. richardsonii</u> (Link.) | fringed brome | fringed brome (Richardson brome) |
| Brfr-1 | frondosus (Shear) Woot. & Standl. | weeping brome | |
| Brin-1 | inermis Leyss. | smooth brome (Hungarian brome) | smooth brome |
| Brla | laevipes Shear | chinook brome | |
| Brma | marginatus Nees | mountain brome | ----- |
| Brpo | polyanthus Scribn. | foothills brome | ----- |
| Brpu | <u>porteri</u> See <i>Bromus anomalus</i> | | |
| | purgans L. | Canada brome | |
| | <u>richardsonii</u> See <i>Bromus ciliatus</i> | | |
| Brte-2 | texensis (Shear) Hitchc. | Texas brome | |
| Buda | <i>Buchloe dactyloides</i> (Nutt.) Engelm. = <u>Bulbilis dactyloides</u> (Nutt.) Raf. | buffalograss | |
| CALA-1 | Calamagrostis | reedgrass | |
| Caca | canadensis (Michx.) Beauv. | bluejoint reedgrass | |
| Cain-1 | inexpansa A. Gray | northern reedgrass | |
| Casc | scopulorum M. E. Jones | Jones reedgrass | |
| Cagi | <i>Calamovilfa gigantea</i> (Nutt.) Scribn. & Merr. | big sandreed (giant reedgrass) | big sandreed |
| CHLO | Chloris | chloris | chloris (windmillgrass) |
| Chve | verticillata Nutt. | windmillgrass | tumble windmillgrass |
| Cila-2 | <i>Cinna latifolia</i> (Trevir.) Griseb. | drooping woodreed | |
| Cyda | <i>Cynodon dactylon</i> (L.) Pers. | Bermudagrass | |
| Dagl | <i>Dactylis glomerata</i> L. | orchardgrass | |
| DANT | <i>Danthonia</i> | oatgrass | danthonia |
| Dain | intermedia Vasey | timber oatgrass | timber danthonia |
| Dapa-1 | parryi Scribn. | Parry oatgrass | Parry danthonia |
| Dasp-1 | spicata (L.) Beauv. | poverty oatgrass | poverty danthonia |
| Deca | <i>Deschampsia caespitosa</i> (L.) Beauv. | tufted hairgrass | |

卷之三

• 77 •

1. *Opuntia* *leptophylla* (L.) Gray
2. *Opuntia* *arborescens* (L.) Gray
3. *Opuntia* *coahuilensis* (L.) Gray
4. *Opuntia* *coahuilensis* (L.) Gray

daed, also sp. p. 10
and sp. 11
in A. 100

1970

PERENNIAL GRASS LIST (continued)

| | | | |
|--------|--|--|--------------------------|
| DIST | Distichlis | saltgrass | |
| Dist | stricta (Torr.) Rydb. | desert saltgrass | inland saltgrass |
| ELYM | Elymus | wildrye | |
| Elca | canadensis L. | Canada wildrye | |
| Elgl | glaucus Buckl. | blue wildrye | |
| Elma | macounii Vasey | Macoun wildrye | |
| Elsa | salina M. E. Jones | Salina wildrye | |
| | NOTE: Original spelling <u>salina</u> , -- for Salina Pass, Utah, where type specimen was collected. | | |
| Eltr | triticoides Buckl. | creeping wildrye (beardless wildrye) | |
| Elvi | virginicus L. | Virginia wildrye | |
| Elba | Elyonurus barbicumis Hack. | woolspike | woolspike balsamscale |
| Ende | Enneapogon desvauxii Beauv. | spike pappusgrass (American nine-plume) | |
| ERAG | Eragrostis | lovegrass | |
| Erch-1 | chloromelas Steud. | Boer lovegrass | |
| Ercu | curvula (Schrad.) Nees | weeping lovegrass | |
| Erer | erosa Scribn. | Chihuahua lovegrass | |
| Erin-1 | intermedia Hitchc. | plains lovegrass | |
| Erle | lehmanniana Nees | Lehmann lovegrass | |
| Ertr-1 | trichodes (Nutt.) Wood | sand lovegrass | |
| FEST | Festuca | fescue | fescue |
| | | (mountain bunchgrass) | |
| Fear-1 | arizonica Vasey | Arizona fescue (pine bunchgrass, white bunchgrass) | |
| Fear-2 | arundinacea Schreb. = F. elatior arundinacea (Schreb.) Wimm. NOTE: Alta fescue is a strain of Festuca arundinacea. | Alta fescue | reed fescue |
| Feel | elatior L. | meadow fescue | |
| Feid | idahoensis Elmer | Idaho fescue | |
| Feov | ovina L. | sheep fescue | |
| Feovb | brachyphylla (Schult.) Piper | alpine fescue | |
| Feru-1 | rubra L. | red fescue | |
| Feso | sororia Piper | ravine fescue | |
| Feth | thurberi Vasey | Thurber fescue | |

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

1920-1921

Perennial Grass List (continued)

| | | |
|-------|----------------------------|---------------------|
| GLYC | Glyceria | mannagrass |
| Glbo | borealis (Nash) Batchelder | northern mannagrass |
| Glel | elata (Nash) Hitchc. | tall mannagrass |
| Glgr | grandis S. Wats. | American mannagrass |
| Glpa | pauciflora Presl. | weak mannagrass |
| Glst. | striata (Lam.) Hitchc. | fowl mannagrass |

Heco-1 *Heteropogon contortus* (L.) Beauv. tanglehead

Hiod *Hierochloë odorata* (L.) Beauv. sweetgrass

| | | |
|------|-------------------------|-------------------------------------|
| HILA | Hilaria | hilaria |
| Hibe | belangeri (Steud.) Nash | curlymesquite (creepingmesquite) |
| Hija | jamesii (Torr.) Benth. | galleta |
| Himu | mutica (Buckl.) Benth. | tobosa-grass |
| Hiri | rigida (Thurb.) Benth. | big galleta (desert galleta) |

Hola *Holcus lanatus* L. velvetgrass common velvetgrass

| | | | |
|------|---|-------------------------|-----------------|
| HORD | Hordeum | barley | barley |
| | | (foxtail, squirreltail) | |
| HoBr | brachyantherum Nevski | meadow barley | northern meadow |
| | = <i>H. nodosum</i> of authors, NOT L. | | barley % |
| | = <i>H. nodosum boreale</i> (Scribn. & Smith) Hitchc. | | |
| HoJu | jubatum L. | foxtail barley | |
| Hono | nodosum L. | - - - - - | meadow barley |

Kocr *Koeleria cristata* (L.) Pers. Junegrass prairie Junegrass

Leor *Leersia oryzoides* (L.) Swartz rice cutgrass

Ledu *Leptochloa dubia* (H.B.K.) Nees green sprangletop

Leco *Leptoloma cognatum* (Schult.) Chase fall witchgrass

| | | |
|------|------------------|--------------------|
| LOLI | Lolium | ryegrass |
| Lomu | multiflorum Lam. | Italian ryegrass |
| Lope | perenne L. | perennial ryegrass |

% Suggested common name

10
S. S. COOPER AND RAYMOND J. HANLEY

the following results were obtained:

Table I gives the results of the experiments.

The following conclusions may be drawn from these results:

(1) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(2) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(3) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(4) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(5) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(6) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(7) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(8) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(9) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(10) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(11) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(12) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(13) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(14) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(15) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(16) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(17) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(18) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

(19) The effect of the addition of water to the emulsion is to increase the rate of sedimentation.

PERENNIAL GRASS LIST (continued)

| | | |
|--------|--|-----------------------------|
| Lyph | <i>Lycurus phleoides</i> H.B.K. | wolftail (Texas-timothy) |
| MELI-1 | <i>Melica</i> | melicgrass |
| Meni | <i>nitens</i> (Scribn.) Nutt. | threeflower melic |
| Mepo | <i>porteri</i> Scribn. | Porter melic |
| MUHL | <i>Muhlenbergia</i> | muhly |
| Muan | <i>andina</i> (Nutt.) Hitchc. | foxtail muhly |
| Muar-3 | <i>arenacea</i> (Buckl.) Hitchc. | ear muhly |
| Muar-1 | <i>arenicola</i> Buckl. | sand muhly |
| Muar-2 | <i>arizonica</i> Scribn. | Arizona muhly |
| Muas | <i>asperifolia</i> (Nees & Mey.) Parodi | alkali muhly |
| Mucu | <i>cuspidata</i> (Torr.) Rydb. | stonyhills muhly |
| Mudu-1 | <i>dubia</i> Fourn. | pine muhly |
| Mudu-2 | <i>dumosa</i> Scribn. | bamboo muhly |
| Muem | <i>emersleyi</i> Vasey | bullgrass |
| Mufi-1 | <i>filiculmis</i> Vasey | slimstem muhly |
| | <i>gracillima</i> See <i>Muhlenbergia</i> | torreyi |
| Mulo | <i>longiligula</i> Hitchc. | longtongue muhly |
| Mumo-1 | <i>montana</i> (Nutt.) Hitchc. | mountain muhly |
| Mumo-2 | <i>monticola</i> Buckl. | mesa muhly |
| Mumu | <i>mundula</i> I.M.Johnston | deergrass |
| | <u>NOTE:</u> Doubtfully distinct from <i>M. rigens</i> , the accepted common name of which is deergrass. | |
| Mupa | <i>pauciflora</i> Buckl. | New-Mexican muhly |
| Mupo-2 | <i>polycaulis</i> Scribn. | cliff muhly |
| Mupo-1 | <i>porteri</i> Scribn. | bush muhly |
| | | (hoegrass, black grama*) |
| Mupu | <i>pungens</i> Thurb. | sandhill muhly |
| Mura | <i>racemosa</i> (Michx.) B.S.P. | green muhly |
| Mure | <i>repens</i> (Presl) Hitchc. | creeping muhly |
| Muri-1 | <i>richardsonis</i> (Trin.) Rydb. | mat muhly |
| Muri-3 | <i>rigens</i> (Benth.) Hitchc. | - - - |
| Muri-2 | <i>rigida</i> (H.B.K.) Kunth | purple muhly |
| Muse | <i>setifolia</i> Vasey | curlyleaf muhly |
| Muth | <i>thurberi</i> Rydb. | Thurber muhly |
| Muto | <i>torreyi</i> (Kunth) Hitchc. = <i>M. gracillima</i> Torr. | ring muhly |
| Muut | <i>utilis</i> (Torr.) Hitchc. | aparejo-grass |
| Muvi | <i>virescens</i> (H.B.K.) Kunth | screwleaf muhly |
| Muwr | <i>wrightii</i> Vasey | spike muhly |
| ORYZ | <i>Oryzopsis</i> | ricegrass |
| | <i>fimbriata</i> See <i>Piptochaetium fimbriatum</i> | |
| Orhy | <i>hymenoides</i> (Roem. & Schult.) Ricker | Indian ricegrass |
| Ormi | <i>micrantha</i> (Trin. & Rupr.) Thurb. | littleseed ricegrass |

* Frequently called black grama in grazing literature, although it is neither a grama nor a close relative of the gramas.

PERENNIAL GRASS LIST (continued)

| | | | | | |
|--------|--|----------------------|-----------------|--------------------------------|-------------------------|
| PANI | Panicum | | | panicum (panicgrass) | panicum; witchgrass |
| Pabu | bulbosum H.B.K. | | | bulb panicum | |
| Pabum | minus Vasey | | | little bulb panicum | little bulb panicum |
| Paha | hallii Vasey | | | Halls panicum | |
| Pahu | huachucae Ashe | | | Huachuca panicum | |
| Paob | obtusum H.B.K. | | | vine-mesquite | |
| Pavi | virgatum L. | | | switchgrass | |
| Pamu | Pappophorum mucronulatum Nees | | | feather pappusgrass | whiplash pappusgrass |
| Padi | Paspalum distichum L. | | | knotgrass | |
| Phar | Phalaris arundinacea L. | | | reed canarygrass | |
| PHLE | Phleum | | | timothy | |
| Phal | alpinum L. | | | alpine timothy | |
| Phpr | pratense L. | | | timothy | |
| Phco | Phragmites communis Trin. | | | common reed | |
| Pifi | Piptochaetium fimbriatum (H.B.K.) Hitchc. = <u>Oryzopsis fimbriata</u> (H.B.K.) Helmsl. | | | pinyon ricegrass | |
| POA | Poa | | | bluegrass | |
| Poam | ampla Merr. | | | big bluegrass | |
| Poar-2 | arctica R. Br. | | | arctic bluegrass | |
| Poar-1 | arida Vasey | | | plains bluegrass | |
| Poco-1 | compressa L. | | | Canada bluegrass | |
| Pofe | fendleriana (Steud.) Vasey | | | mutton bluegrass (muttongrass) | |
| Poin-1 | interior Rydb. | | | inland bluegrass | |
| Pole | leptocoma Trin. | | | bog bluegrass | |
| Polo | longiligula Scribn. & Williams | longtongue bluegrass | longtongue | | |
| | | | | | mutton bluegrass |
| Pooc | occidentalis Vasey | | | New-Mexican bluegrass | |
| Popa | palustris L. | | | fowl bluegrass | |
| Popr | pratensis L. | | | Kentucky bluegrass | |
| Pore | reflexa Vasey & Scribn. | | | nodding bluegrass | |
| Poru | rupicola Nash | | | timberline bluegrass | |
| Poin-2 | Polypogon interruptus H.B.K. | | ditch polypogon | | |



PERENNIAL GRASS LIST (continued)

| | | |
|--------|--|----------------------------------|
| Scpa | <i>Schedonnardus paniculatus</i> (Nutt.) Trel. | tumblegrass (Texas-crabgrass) |
| Scpu | <i>Schizachne purpurascens</i> (Torr.) Swallen | false-melic |
| Scbr | <i>Scleropogon brevifolius</i> Phil. | burrograss |
| SETA | <i>Setaria</i> | bristlegrass |
| Sege | <i>geniculata</i> (Lam.) Beauv. | knotroot bristlegrass |
| Sema | <i>macrostachya</i> H.B.K. | plains bristlegrass |
| SITA | <i>Sitanion</i> | squirreltail |
| Sihy | <i>hystrix</i> (Nutt.) J.G. Smith | bottlebrush squirreltail |
| Siju | <i>jubatum</i> J. G. Smith | big squirreltail |
| SORG | <i>Sorghastrum</i> | Indiangrass |
| Sonu | <i>nutans</i> (L.) Nash | yellow Indiangrass |
| Soha | <i>Sorghum halepense</i> (L.) Pers. | Johnsongrass |
| SPAR-1 | <i>Spartina</i> | cordgrass |
| Spgr | <i>gracilis</i> Trin. | alkali cordgrass |
| Sppe-1 | <i>pectinata</i> Link | prairie cordgrass |
| SPHE | <i>Sphenopholis</i> | wedgegrass |
| Spin-2 | <i>intermedia</i> Rydb. | slender wedgegrass |
| Spob | <i>obtusata</i> (Michx.) Scribn. | prairie wedgegrass |
| SPOR | <i>Sporobolus</i> | dropseed |
| Spai | <i>airoides</i> Torr. | alkali sacaton |
| Spas | <i>asper</i> (Michx.) Kunth | tall dropseed |
| Spco | <i>contractus</i> Hitchc. | spike dropseed |
| Spcr | <i>cryptandrus</i> (Torr.) A. Gray | sand dropseed |
| Spfl | <i>flexuosus</i> (Thurb.) Rydb. | mesa dropseed |
| Spgi | <i>giganteus</i> Nash | giant dropseed |
| Spin-1 | <i>interruptus</i> Vasey | black dropseed |
| Spne-1 | <i>nealleyi</i> Vasey | gypgrass |
| Spte | <i>texanus</i> Vasey | Texas dropseed |
| Spwr | <i>wrightii</i> Munro | sacaton |



PERENNIAL GRASS LIST (continued)

| | | | |
|--------|------------------------------|--------------------------|--------------------|
| STIP | Stipa | | |
| Star | arida M. E. Jones | needlegrass; | |
| Stco-2 | columbiana Macoun | feathergrass | Mormon needlegrass |
| Stco-1 | comata Trin. & Rupr. | funeral needlegrass | subalpine " |
| Stcoi | intermedia Scribn. & Tweedy | Columbia needlegrass | |
| Stcu | curvifolia Swallen | needle-and-thread | |
| Stem | eminens Cav. | Tweedy needlegrass | |
| Stle | lettermanii Vasey | Guadalupe needlegrass | |
| Stlo-1 | lobata Swallen | southwestern needlegrass | |
| Stne | neomexicana (Thurb.) Scribn. | Letterman needlegrass | |
| Stoc | occidentalis Thurb. | little-awn needlegrass | |
| Stpr | pringlei Scribn. | New-Mexican feathergrass | |
| Stro | robusta (Vasey) Scribn. | western needlegrass | |
| Stsc | scribneri Vasey | Pringle needlegrass | |
| Stsp-1 | spartea Trin. | sleepygrass | |
| Stsp-2 | speciosa Trin. & Rupr. | Scribner needlegrass | |
| Stte | tenuissima Trin. | porcupinegrass | |
| Stvi | viridula Trin. | desert needlegrass | |
| | | finestem needlegrass | |
| | | green needlegrass | |

Trse Trachypogon secundus (Presl) Scribn. crinkle-awn

Trca-1 Trichachne californica (Benth.) Chase cottontop
= Trichachne saccharata Nash

Arizona cottontop

| | | | |
|--------|--------------------------------------|---------------------------------|--|
| TRID | Tridens = <u>Triodia</u> | tridens (cottongrass) | |
| Tral-1 | albescens (Vasey) Woot. & Standl. | white tridens | |
| Trel | elongatus (Buckl.) Nash | rough tridens | |
| Trgr | grandiflorus (Vasey) Woot. & Standl. | largeflowered shortleaf tridens | |

NOTE: Big-spikelet tridens is also suggested as a common name for this species.

| | | | |
|------|-----------------------------|---------------|--|
| Trmu | muticus (Torr.) Nash | slim tridens | |
| Trpi | pilosus (Buckl.) Hitchc. | hairy tridens | |
| Trpu | pulchellus (H.B.K.) Hitchc. | fluffgrass | |

| | | | |
|------|----------------------|-------------------|---------------|
| TRIS | Trisetum | trisetum | |
| Trmo | montanum Vasey | mountain trisetum | RockyMountain |
| Trsp | spicatum (L.) Richt. | spike trisetum | trisetum |
| Trwo | wolfii Vasey | Wolfs trisetum | |

GRASSLIKE PLANTS

| | | | |
|--------|--|---------------------------------------|---------------------|
| CARE | Carex | | |
| Caal-1 | albo-nigra Mackenz. | sedge | ----- |
| Caal-2 | alma Bailey | blackhead sedge | ----- |
| Caaq | aquatilis Wahl. | alma sedge | ----- |
| Cabe | bella Bailey | water sedge | ----- |
| Cado | douglasii Boott | beautiful sedge | ----- |
| Caeb | ebenea Rydb. | Douglas sedge | |
| Cafe | festivella Mackenz. | ebony sedge | |
| Cafo | foenea Willd. = C. siccata Dewey | ovalhead sedge | |
| | | silvertop sedge | |
| Cage | geophila Mackenz. | dryland sedge | ----- |
| Caha | haydeniana Olney | cloud sedge | |
| Cahy | hystricina Muhl. | bottlebrush sedge | |
| Cane | nebraskensis Dewey | Nebraska sedge | |
| Capr | praegracilis W. Boott | silver sedge | ----- |
| Caro-2 | rostrata Stokes | beaked sedge | |
| Casi | <u>siccata</u> See C. foenea | | |
| Cavu | vulpinoidea Michx. | fox sedge | |
| CYPE | Cyperus | flat-sedge | |
| Cyac | acuminatus Torr. & Hook. | taperleaf flat-sedge | |
| Cyar | aristatus Rottb. | bearded flat-sedge | |
| Cyes | esculentus L. | chufa flat-sedge (yellow nutgrass) | |
| Cyfe-2 | fendlerianus Boeckl. | tuber flat-sedge | Fendler flat-sedge |
| Cyod | odoratus L. | goodseed flat-sedge | |
| Cypr | pringlei Britt. | pine flat-sedge | |
| Cyro | rotundus L. | nutgrass | |
| Cyru | rusbyi Britt. | hillside flat-sedge | nutgrass flat-sedge |
| ELEO | Eleocharis (also spelled Heleocharis) spikerush | | spikesedge |
| Elac | acicularis (L.) Roem. & Schult. needle spikerush | | needle spikesedge |

Juncoides See Luzula

| | | | |
|------|-----------------------|---------------------|--------------------|
| JUNC | Juncus | | |
| Juba | balticus Willd. 1/ | rush | |
| Jubu | bufonius L. | wire rush | Baltic rush |
| Juin | interior Wiegand | toad rush | |
| Jusa | saximontanus A. Nels. | inland rush | |
| Juto | torreyi Coville | Rocky Mountain rush | RockyMountain rush |
| | | bur rush | Torrey rush |

Lupa-1 Luzula parviflora (Ehrh.) Desv. millet woodrush
= Juncoides parviflorum (Ehrh.) Coville

1/ Juncus balticus is a Eurasian species represented in our area by the variety montanus Engelm.

GRASSLIKE PLANTS (continued)

| | | | |
|------|---|---|---------------------|
| SCIR | <i>Scirpus</i> | bulrush | |
| Scac | <i>acutus</i> Muhl. | tule | tule bulrush |
| Scam | <i>americanus</i> Pers. | salty bulrush | American bulrush |
| Scmi | <i>microcarpus</i> Presl | panicled bulrush | |
| TYPH | <i>Typha</i> 2/ <i>angustifolia</i> L. | cattail narrowleaf cattail | |
| Tyan | | NOTE: Material from our area so-labeled is probably referable to <i>Typha domingensis</i> . See Hotchkiss & Dozier, Taxonomy and Distribution of N. American Cat-tails, Am. Midl. Nat. 41: 237-254. 1949. | |
| Tydo | <i>domingensis</i> Pers. | | Dominican cattail % |
| Tyla | <i>latifolia</i> L. | broadleaf cattail | common cattail |

2/ This genus preferably regarded as a forb.

% Suggested common name.

FORBS LIST

| | | | |
|---|---|--|--------------|
| ABRO | Abronia | sandverbena | |
| Aban | angustifolia Greene | purple sandverbena | ----- |
| Abel | elliptica A. Nels. | pink sandverbena | |
| Abfr | fragrans Nutt. | snowball sandverbena | |
| Abvi | villosa S. Wats. | desert sandverbena | |
| ACHI | Achillea | yarrow (milfoil) | |
| Acla | lanulosa Nutt. | western yarrow | yarrow |
| ACON | Aconitum | monkshood | |
| Acba | bakeri Greene | Baker monkshood | |
| Acco-2 | columbianum Nutt. | Columbia monkshood (aconite, wolfsbane) | |
| ACTA | Actaea | baneberry | |
| Acar | arguta Nutt. | western baneberry | |
| Acarv | viridiflora (Greene) Tidestr. & Kitt. = <u>A. viridiflora</u> Greene | green western baneberry | |
| <u>Actinea</u> See Hymenoxys | | | |
| <u>Adenostegia</u> See Cordylanthus | | | |
| ADIA | Adiantum | maidenhair fern | maidenhair |
| AGAS | Agastache | giant-hyssop (horsemint) | giant-hyssop |
| Agca | cana (Hook.) Woot. & Standl. | mosquito-plant | |
| Agur | urticifolia Kuntze | nettleleaf giant-hyssop | |
| Agave See under TREES AND SHRUBS | | | |
| AGOS | Agoseris | agoseris (mountain-dandelion) | agoseris |
| Agar | arizonica Greene | Arizona agoseris | |
| Agau | aurantiaca (Hook.) Greene | orange agoseris | |
| Aggl | glauca (Pursh) D. Dietr. | pale agoseris | |
| Aggr | gracilens (A. Gray) Kuntze | slender agoseris | |
| Aghe | heterophylla (Nutt.) Greene | annual agoseris | |
| AGRI | Agrimonia | agrimony | |
| Agst | striata Michx. | roadside agrimony | |

EXTRA SHEET

REVIEWERS

REVIEWERS
REVIEWERS
REVIEWERS
REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS
REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS
REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS
REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

REVIEWERS
REVIEWERS

FORBS LIST (continued)

| | | |
|--------|---|---|
| ALIS | <i>Alisma</i> | waterplantain |
| Aloc | <i>Allenrolfea occidentalis</i> (S. Wats.) Kuntze | iodinebush (pickleweed) |
| Alin | <i>Allionia incarnata</i> L. | trailing four-o'clock (umbrellawort; wild four-o'clock) |
| ALLI | <i>Allium</i> | onion |
| Alac | <i>acuminatum</i> Hook. | tapertip onion |
| Albr | <i>brevistylum</i> S. Wats. | shortstyle onion |
| Alca | <i>canadense</i> L. | Canada garlic |
| Alce | <i>cernuum</i> Roth | nodding onion |
| AMAR | <i>Amaranthus</i> | amaranth (pigweed) |
| Ambl | <i>blitoides</i> S. Wats. | prostrate amaranth |
| Amgr | <i>graecizans</i> L. | tumbleweed amaranth |
| Ampa-1 | <i>palmeri</i> S. Wats. | carelessweed amaranth |
| Amre | <i>retroflexus</i> L. | redroot amaranth |
| ----- | | |
| AMBR | <i>Ambrosia</i> | ragweed |
| Amap | <i>aptera</i> DC | blood ragweed |
| Amar | <i>artemisifolia</i> L. | common ragweed |
| Amps | <i>psilostachya</i> DC. = <i>A. coronopifolia</i> Torr. & Gray | western ragweed |
| AMSI | <i>Amsinckia</i> | fiddleneck |
| Ampa-2 | <i>Amsonia palmeri</i> A. Gray | Palmer amsonia |
| ANAC | <i>Anacharis</i> | waterweed |
| ANAP | <i>Anaphalis</i> | pearleverlasting |
| Anma | <i>margaritacea</i> (L.) A. Gray | common pearleverlasting |
| Anmas | <i>subalpina</i> A. Gray | western pearl- everlasting |
| ----- | | western common pearleverlasting |
| ANDR-2 | <i>Androsace</i> | rockjasmine |
| Anoc | <i>occidentalis</i> Pursh | western rockjasmine |

WILLIAM H. DAVIS

Forbs List (continued)

| | | | |
|--------|--|--|---|
| ANEM | Anemone | | anemone (windflower) |
| Anca | canadensis L. | | meadow anemone |
| Ancy | cylindrica A. Gray | | candle anemone |
| Angl-2 | globosa Nutt. | | Pacific anemone |
| Anlu | ludoviciana Nutt. 1/ = <u>Pulsatilla ludoviciana</u> (Nutt.) Heller | | pasqueflower American pasqueflower |
| Antu | tuberosa Rydb. | | tuber anemone |
| | | | |
| Anpi | Angelica pinnata S. Wats. | | small-leaf angelica |
| | | | |
| ANOD | Anoda | | anoda |
| | | | |
| ANTE | Antennaria | | pussytoes |
| Anap | aprica Greene | | RockyMountain pussytoes |
| Anmi | microphylla Rydb. 2/ | | littleleaf pussytoes |
| Anpu | pulcherrima (Hook.) Greene | | showy pussytoes |
| Anro | rosea (D. C. Eaton) Greene | | rose pussytoes |
| | | | |
| Anco | Anthemis cotula L. | | camomile mayweed camomile (mayweed, dogfennel) |
| | | | |
| Anto | Anthericum torreyi Baker | | Torrey anthericum (craglilly) |
| | | | |
| ANTI | Antirrhinum | | snapdragon |
| | <u>maurandicoides</u> See Maurandia antirrhiniflora | | |
| | | | |
| APLO | Aplopappus (also spelled Haplopappus) goldenweed | | |
| Apac | acradenius (Greene) Blake | | paleleaf goldenweed |
| Apcu | cuneatus A. Gray | | wedgeleaf goldenweed |
| Aphe | heterophyllus (A. Gray) Blake | | jimmyweed |
| Apla-1 | laricifolius A. Gray | | larchleaf goldenweed |
| Apsp | spinulosus (Pursh) DC | | ironplant goldenweed |
| Apsu | suffruticosus (Nutt.) A. Gray | | singlehead goldenweed |
| Apte | tenuisectus (Greene) Blake | | burroweed |

1/ Some botanists prefer to put pasqueflowers in a separate genus, Pulsatilla. Others prefer to regard ludoviciana as a synonym of the typically Old World-arctic Anemone patens L., var. wolfgangiana (Bess.) Koch.

2/ Some botanists regard Antennaria microphylla Rydb. as a synonym of A. rosea (D.C.Eaton) Greene.

1. *Leucosphaera*
2. *Leucosphaera*
3. *Leucosphaera*
4. *Leucosphaera*
5. *Leucosphaera*
6. *Leucosphaera*

1. 2.
3. 4.

1. *Leucosphaera* 2. *Leucosphaera*

Forbs List (continued)

| | | |
|--------|---|---|
| APOC | <i>Apocynum</i> | dogbane (Indian-hemp) |
| Apan | <i>androsaemifolium</i> L. | spreading dogbane |
| Apang | <i>glabrum</i> Macoun | shiny dogbane |
| Apca | <i>cannabinum</i> L. | smooth spreading dogbane |
| Appu | <i>pumilum</i> (A. Gray) Greene | hemp dogbane |
| Apsc | <i>scopulorum</i> Greene | low dogbane |
| | | cliff dogbane |
| Apun | <i>Apodanthera undulata</i> A. Gray | gourd ("melon-loco") ----- |
| | | melon-gourd |
| | | <u>NOTE:</u> Gourd is the accepted common name for the genus <i>Lagenaria</i> . |
| AQUI | <i>Aquilegia</i> | columbine |
| Aqca | <i>caerulea</i> James | Colorado blue columbine |
| Aqcap | <i>ssp. pinetorum</i> (Tidestr.) Payson = <i>A. pinetorum</i> Tidestr. | pine columbine |
| Aqch | <i>chrysantha</i> A. Gray | golden columbine |
| Aqel | <i>elegantula</i> Greene | westernred columbine |
| | <u><i>pinetorum</i></u> See <i>A. Caerulea pinetorum</i> | |
| ARAB | <i>Arabis</i> | rockcress |
| Arbr | <i>breweri</i> S. Wats. | Brewer rockcress |
| Arca-2 | <i>canescens</i> Nutt. | silver rockcress |
| Adrr-1 | <i>drummondii</i> A. Gray | Drummond rockcress |
| Argl-3 | <i>glabra</i> (L.) Bernh. | towermustard rockcress |
| Armi-2 | <i>microphylla</i> Nutt. | littleleaf rockcress |
| Arnu | <i>nuttallii</i> B. L. Robins. | Nuttall rockcress |
| Arra. | <i>Aralia racemosa</i> L. | aralia (spikenard) American spikenard |
| Armi-1 | <i>Arctium minus</i> (HILL) Bernh. | burdock smaller burdock |
| ARCT-2 | <i>Arctomecon</i> | desertpoppy bearpoppy |
| AREN | <i>Arenaria</i> | sandwort |
| Arco-1 | <i>congesta</i> Nutt. | ballhead sandwort |
| Arfe-2 | <i>fendleri</i> A. Gray | Fendler sandwort |
| Arfo-1 | <i>formosa</i> Fisch. | fescue sandwort |
| Arsa | <i>sajanensis</i> Willd. | Siberian sandwort |
| Arui | <i>uintahensis</i> A. Nels. | Uinta sandwort |
| Arve | <i>verna</i> L. | tufted sandwort |

Forbs List (continued)

| | | | |
|-------|------------|-----------------|--------------------------|
| ARGE | Argemone | | pricklepoppy (chicalote) |
| Arpl | platyceras | Link & Otto | crested pricklepoppy |
| Arplh | hispida | (A. Gray) Prain | hedgehog pricklepoppy |

Argentina See Potentilla

| | | | |
|--------|--------------|---------------|-----------------------|
| ARIS-1 | Aristolochia | Dutchmanspipe | |
| Arwa | watsonii | Indianroot | Watson Dutch-manspipe |

| | | |
|--------|-----------------------|------------------|
| ARNI | Arnica | arnica |
| Arco-2 | cordifolia Hook | heartleaf arnica |
| Arfo-2 | foliosa Nutt. | leafy arnica |
| Arfu | fulgens Pursh | orange arnica |
| Arla | latifolia Bong. | broadleaf arnica |
| Arlo-2 | longifolia D.C. Eaton | longleaf arnica |
| Armo | mollis Hook. | hairy arnica |
| Arpa-2 | parryi A. Gray | rayless arnica |

Artemesia See TREES AND SHRUBS LIST

| | | | |
|--------|---|--|---|
| ASCL | Asclepias | milkweed | |
| | <u>capricornu</u> See <u>Asclepiodora decumbens</u> | | |
| Aser | erosa Torr. | desert milkweed | |
| Asin-1 | involucrata Engelm. | dwarf milkweed | |
| Assp-1 | speciosa Torr. | showy milkweed | |
| Assu-2 | subulata Decne | skeleton milkweed | |
| Assu-1 | subverticillata (A. Gray) Vail | horsetail milkweed (whorled milkweed) | ----- |
| | = <u>A. galiooides</u> of authors, NOT H.B.K. | | NOTE: Whorled milkweed is accepted common name of <u>Asclepias verticillata</u> . A. galiooides H.B.K. is a Mexican species and is called poison milkweed. |
| Astu | tuberosa L. | butterfly milkweed (pleurisy-root) | |

| | | | |
|------|--|--------------|----------------------|
| Asde | Asclepiodora decumbens (Nutt.) A. Gray | antelopehorn | spider antelope-horn |
| | = <u>Asclepias capricornu</u> Woodson | | |

| | | |
|------|-----------|------------|
| ASPL | Asplenium | spleenwort |
|------|-----------|------------|

Forbs List (continued)

| | | | |
|---------|-------------------|--|---|
| ASTE | Aster | | aster |
| Asab | abatus | Blake | Mohave aster |
| Asbi-2 | bigelovii | A. Gray | Bigelow aster |
| Asca | canescens | Pursh | hoary aster |
| Asco | commutatus | (Torr. & Gray) A. Gray | showy aster |
| | | | NOTE: Showy aster is the accepted common name for <i>Aster conspicuus</i> . ----- |
| Asea | eatonii | (A. Gray) Howell | Eatons aster |
| Asfo | foliaceus | Lindl. | leafybract aster |
| Ashe | hesperius | A. Gray | Siskiyou aster |
| Asin-2 | integrifolius | Nutt. | thickstem aster |
| Asla | laevis | L. | smooth aster |
| Asle-1 | leucanthemifolius | Greene | daisyleaf aster |
| Asle-2 | leucelene | Blake | babywhite aster |
| Aspe | perelegans | Nels. & Macbr. | Nuttall aster |
| Assc | scopulorum | A. Gray | crag aster |
| Assp-2 | spinosus | A. Gray | spiny aster (devilweed) |
| Asta | tanacetifolius | H.B.K. | devilweed aster tansyleaf aster |
| ASTR | Astragalus | | milkvetch-- nonpoisonous |
| Asag | agrestis | Dougl. | loco -- poisonous |
| | | = <u>A. goniatus</u> Nutt. | purple milkvetch |
| Asal-1 | allochrous | A. Gray | halfmoon loco |
| Asal-2 | alpinus | L. | alpine milkvetch |
| Asar | araneosus | See <i>Astragalus lentiginosus</i> var. araneosus | |
| Asbe | arizonicus | A. Gray | Arizona loco |
| Asbi-1 | beckwithii | Torr. & Gray | Beckwith milkvetch |
| Asca-1 | bigelovii | A. Gray | Bigelow milkvetch |
| Ascab | canadensis | L. | ----- |
| | brevidens | (Gand.) Barneby | Canada milkvetch |
| | | = <u>A. mortonii</u> of authors, NOT Nutt. | ----- |
| | | NOTE: <i>Astragalus mortonii</i> Nutt. is primarily a northwestern species, apparently not in our Intermountain or Southwestern areas; material so called is, fide Dr. Barneby, <i>A. canadensis</i> var. <i>brevidens</i> . | |
| Ascr | crassicarpus | Nutt. | groundplum milkvetch |
| Asfl | flexuosus | (Dougl.) Jones | flexible milkvetch |
| | <u>goniatus</u> | See <i>A. agrestis</i> | flexile milkvetch |
| Asha | haydenianus | A. Gray | Hayden poisonvetch |
| | <u>impensus</u> | See <i>A. kentrophyta</i> var. <i>elatus</i> | |
| Aske | kentrophyta | var. <i>elatus</i> S. Wats. | Thistle milkvetch |
| | | = <u>A. impensus</u> (Sheld.) Woot. & Standl. | |
| Asle -3 | lentiginosus | Dougl. | specklepod loco |
| Aslea | araneosus | (Sheld.) Barneby | dryplains milkvetch |
| | | = <u>A. araneosus</u> Sheld. | |
| Asled | diphusus | (A. Gray) Jones | blue loco (rattlepod) |
| | <u>mortonii</u> | See <i>A. lentiginosus</i> var. <i>araneosus</i> | |
| Asno | nothoxys | A. Gray | sheep loco |

Forbs List (continued)

| | | | |
|--------|---|------------------|--|
| | Astragalus (continued) | | |
| Asnu | nuttallianus DC. | Nuttall loco | |
| Aspa | pattersonii A. Gray | Patterson loco | |
| Aspu | purshii Dougl. | Pursh loco | |
| Assp-3 | <u>remulcus</u> See A. tephrodes var. brachylobus | | |
| | spatulatus Sheld. | tufted milkvetch | |
| Aste | tephrodes var. brachylobus (A. Gray) Barneby towline loco = A. <u>remulcus</u> M. E. Jones | | |
| Asth | thurberi A. Gray | Thurber loco | |
| Aswo | wootonii Sheld. | Wooton loco | |

Atfi *Athyrium filix-femina* (L.) Roth ladyfern

NOTE: The common name of ladyfern applicable to this species rather than to the genus.

Atriplex See TREES AND SHRUBS LIST

| | | | |
|------|---------------------------|------------|--------------------|
| BAER | Baeria | goldfields | |
| Bach | chrysostoma Fisch. & Mey. | goldfields | branchy goldfields |

| | | | |
|------|----------------------------|---|-------|
| BAHI | Bahia | bahia (ragweed) | bahia |
| | | NOTE: Ragweed is the accepted common name for Ambrosia. | |
| Badi | dissecta (A. Gray) Britton | ragleaf bahia | |
| Bane | neomexicana A. Gray | New-Mexican bahia | ----- |
| Baop | oppositifolia (Nutt.) DC. | plains bahia | |
| Bawo | woodhousei A. Gray | Woodhouse bahia | ----- |

| | | | |
|------|------------------------------|------------------|---------|
| BAIL | Baileya | baileya | baileya |
| | | (desertmarigold) | |
| Bamu | multiradiata Harv. & A. Gray | desert baileya | |

| | | | |
|--------|-------------------------|----------------------|--|
| BALS | Balsamorhiza | balsamroot | |
| Basa-2 | sagittata (Pursh) Nutt. | arrowleaf balsamroot | |

| | | | |
|------|--|-------------|----------------------|
| Baor | Barbarea orthoceras Ledeb. | wintercress | erectpod wintercress |
| | <u>Bassia hyssopifolia</u> See <i>Echinopsilon hyssopifolium</i> | | |

| | | | |
|------|-------------------------------|--------------|--|
| Bete | Bergia texana (Hook.) Seubert | Texas bergia | |
|------|-------------------------------|--------------|--|

| | | | |
|------|-------------------------------|--|---------------|
| Beer | Berula erecta (Huds.) Coville | waterparsnip | stalky berula |
| | | NOTE: Waterparsnip is the accepted common name for Sium. | |

Forbs List (continued)

| | | | |
|--|--|-------------------------------------|---------------------------|
| BIDE | Bidens | beggarticks | |
| Bibi | bigelovii A. Gray | water beggarticks | ----- |
| Bihe | heterosperma A. Gray | bur-marigold | ----- |
| Bila | laevis (L.) B.S.P. | smooth beggarticks | |
| Bile | leptocephala Sheriff | pitchfork beggarticks | ----- |
| Bite | tenuisecta A. Gray | sticktight beggarticks | ----- |
| <u>Blitum</u> See Chenopodium | | | |
| BOER | Boerhaavia | spiderling | |
| Boco-1 | coccinea Mill. | trailing spiderling | scarlet spiderling |
| Boco-2 | coulteri (Hook. f.) S. Wats. | Coulter spiderling | ----- |
| Boer-1 | erecta L. | erect spiderling | |
| BOTR | Botrychium | grapefern | |
| BRAS | Brassica | mustard | |
| Brer | eruca L. | rocketsalad (roquette) | |
| Brhi | hirta Moench | white mustard | |
| Brju | juncea (L.) Cossen | Indian mustard | India mustard |
| Brka | kaber (DC.) L. C. Wheeler | NOTE: This species comes from India | |
| Brni | nigra (L.) Koch | charlock | |
| | | black mustard | |
| Brickellia See TREES AND SHRUBS LIST | | | |
| <u>Brodiaea</u> See Dichelostemma | | | |
| BUPL | Bupleurum | thorowax | |
| Buro | rotundifolium L. | roundleaf thorowax | |
| CALA-2 | Calandrinia | rockpurslane | |
| Caam | ambigua (S. Wats.) Howell | desert rockpurslane | alkali rockpurslane |
| | <u>arizonica</u> See C. ciliata menziesii | NOTE: Since desert rockpurslane | is the generally accepted |
| | | common name for Calandrinia | |
| | | caulescens, alkali rockpurslane | |
| | | is suggested as an alternative. | |
| Caci | ciliata (Ruiz & Pavon) DC. | ----- | ----- |
| Cacim | menziesii (Hook.) Macbr. | redmaids rockpurslane | |
| | = C. <u>arizonica</u> Rydb. | | |
| | = C. <u>caulescens</u> menziesii (Hook.) A. Gray | | |
| | | NOTE: Redmaids rockpurslane is | |
| | | the generally accepted | |
| | | common name for C. ciliata | |
| | | var. menziesii, which is | |
| | | apparently the common U.S. form of | |
| | | this typically South American | |
| | | species. | |

FORBS LIST (continued)

| | | | | |
|--------|-----------|---|-------|-------------|
| CALL-1 | Callirhoe | = Malva, in part | ----- | poppymallow |
| Cale-3 | leiocarpa | R.F. Martin | | |
| | | = C. pedata (Torr. & Gray) A. Gray | | |
| | | = Malva pedata Torr. & Gray | | |
| | | ="Nuttallia pedata" of A. Gray, NOT Nutt. | | |

Callisteris collina See Gilia greeneana

| | | | |
|--------|--------------------------|---------------------|-----------------|
| CALO | Calochortus | mariposa | |
| Cagu | gunnisonii S. Wats. | Gunnison mariposa | |
| Cake | kennedyi Porter | desert mariposa | |
| Canu | nuttallii Torr. & Gray | segolily | segolily |
| Canua | aureus (S. Wats.) Ownbey | golden segolily | mariposa |
| Cale-1 | Caltha leptosepala DC. | marshmarigold | golden segolily |
| | | (elkslip) | mariposa |
| CAME | Camelina | falseflax | elkslip marsh- |
| Cami-2 | microcarpa Andr. | littlepod falseflax | marigold |
| Casa | sativa (L.) Crantz | bigseed falseflax | |

| | | | |
|--------|------------------|------------------|-------------------|
| CAMP | Campanula | bellflower | |
| Capa | parryi A. Gray | Parry bellflower | |
| Cape | petiolata A. DC. | harebell | American harebell |
| Caro-1 | rotundifolia L. | bluebell | |

Campe See Barbarea

Capnoides See Corydalis

| | | |
|------|-------------------------------------|-----------------|
| Cabu | Capsella bursa-pastoris (L.) Medic. | shepherds-purse |
|------|-------------------------------------|-----------------|

| | | | |
|--------|--------------------|--------------------------|--|
| CARD | Cardamine | bittercress | |
| Caco-2 | cordifolia A. Gray | heartleaf bittercress | |
| Cahi | hirsuta Muhl. | Pennsylvania bittercress | |

Cardaria draba See Lepidium draba

| | | | | |
|--------|---|--------------------------------------|---------------|--------------------|
| CASS | Cassia | See also under TREES AND SHRUBS LIST | senna | |
| Caco-1 | covesii A. Gray | | hairy senna | |
| Cawl | wrightii A. Gray | | partridge-pea | Wrights partridge- |
| | = Chamaecrista wrightii (A. Gray) Woot. & Standl. | | | pea |

| | | | |
|--------|-----------------|----------------------|-------------|
| CAST | Castilleja | paintbrush | Painted-cup |
| | | (painted-cup) | |
| Cafl | flava S. Wats. | yellow paintbrush | |
| Cain-2 | integra A. Gray | wholeleaf paintbrush | |

Forbs List (continued)

| | | | |
|--------|--|--------------------------------|------------------------------|
| | Castilleja (continued) | | |
| Cali-1 | <i>linariaefolia</i> Benth. | Wyoming paintbrush | |
| Calu | <i>luteovirens</i> Rydb. | yellowgreen paintbrush | |
| Cami | <i>miniata</i> Dougl. | scarlet paintbrush | |
| Carh | <i>rhexifolia</i> Rydb. | splitleaf paintbrush | |
| Case | <i>septentrionalis</i> Lindl. = <i>C. sulphurea</i> Rydb. | sulphur paintbrush | Sulfur painted-cup |
| | | | |
| Cami-1 | <i>Caucalis microcarpa</i> Hook & Arn. | false-carrot | |
| | | | |
| CENT-1 | <i>Centaurea</i> | | |
| Ceam | <i>americana</i> Nutt. | centaurea basketflower | basketflower centaurea |
| Ceca | <i>calcitrapa</i> L. | star-thistle | ----- |
| Cecy | <i>cyanus</i> L. | cornflower (bachelor's button) | |
| Ceme | <i>melitensis</i> L. <i>picris</i> See <i>C. repens</i> | Malta centaurea | Malta star-thistle |
| Cere-1 | <i>repens</i> L. = <i>C. picris</i> Pall. | Russian knapweed | Russian centaurea |
| Ceso | <i>solstitialis</i> L. | yellow centaurea | |
| | | | |
| CENT-2 | <i>Centaurium</i> | canchalagua | centaurium |
| | | | |
| CERA | <i>Cerastium</i> | | |
| Cear | <i>arvense</i> L. | mouse-ear | cerastium |
| Ceve-2 | <i>beeringianum</i> Cham. & Schlecht. | starry mouse-ear | starry cerastium |
| Cenu | <i>nutans</i> Raf. | alpine mouse-ear | ----- |
| | | powderhorn mouse-ear | ----- |
| | | | |
| CHAE | <i>Chaenactis</i> | false-yarrow | chaenactis (False-yarrow) |
| Chdo | <i>douglasii</i> (Hook.) Hook. & Arn. | Douglas false-yarrow | Douglas chaenactis |
| Chst | <i>stevioides</i> Hook. & Arn. | dryland false-yarrow | ----- |
| | | | |
| | <u><i>Chamaecrista</i></u> See <i>Cassia</i> | | |
| | | | |
| CHEI | <i>Cheilanthes</i> | lipfern | |
| | | | |
| | <u><i>Cheirinia</i></u> See <i>Erysimum</i> | | |
| | | | |
| CHEN | <i>Chenopodium</i> = <u><i>Blitum</i></u> | goosefoot (pigweed*) | |
| Chal | <i>album</i> L. | lambsquarters goosefoot | |
| Cham | <i>ambrosioides</i> L. | wormseed goosefoot | |
| Chca | <i>capitatum</i> (L.) Asch. = <u><i>Blitum capitatum</i></u> L. | strawberry-blite goosefoot | blite goosefoot |

Forbs List (continued)

| | | | |
|-------------|---|---|--------------------------------------|
| | Chenopodium (continued) | | |
| Chfr | fremontii S. Wats. | Fremont goosefoot | |
| Chin | incisum Poir. | ragleaf goosefoot | |
| Chle | leptophyllum Nutt | slimleaf goosefoot | |
| Chmu | murale L. | nettleleaf goosefoot | |
| Chpa-1 | paganum Reichenb. | pigweed goosefoot | |
| CHIM | Chimaphila | pipsissewa | |
| Chma | maculata (L.) Pursh | rock pipsissewa | |
| Chum | umbellata (L.) Nutt. | princespine pipsissewa | |
| Chorizanthe | | Turksrug | |
| | | NOTE: Turksrug is accepted common name for Chorizanthe staticoides. | |
| CHRY-2 | Chrysopsis | goldaster | |
| Chfo | foliosa Nutt. | leafy goldaster | |
| Chhi | hispida (Hook) DC. | rough goldaster | |
| Chvi-2 | villosa (Pursh) Nutt. | hairy goldaster | |
| Ciin | Cichorium intybus L. | chicory | common chicory |
| Cido | Cicuta douglasii (DC.) Coult. & Rose | waterhemlock (wild parsnip*, cowbane) | |
| CIRC | Circaea | ----- | circaeae (enchanters-night-shade) |
| Cipa | pacifica Asch. & Magn. | enchanters- | ----- |
| | NOTE: Doubtfully distinct from alpine circaeae (C. alpina). | nightshade | |
| CIRS | Cirsium | thistle | |
| Ciar | arizonicum (A. Gray) Petrak | Arizona thistle | |
| Cidr | drummondii Torr. & Gray | creamy thistle | Drummond thistle |
| Cigr | grahamii A. Gray | deep-purple thistle | ----- |
| Cila-1 | lanceolatum (L.) Hill | bull thistle | |
| Cine | neomexicanum A. Gray | lavender thistle | ----- |
| Ciro | rothrockii (A. Gray) Petrak | carmine thistle | ----- |
| Ciun | undulatum (Nutt.) Spreng. | wavyleaf thistle | |
| Citr | Cissus trifoliata L. | treebine | |
| Clrh | Clarkia rhomboidea Dougl. | polkadot clarkia | ----- |

Forbs List (continued)

| | | | |
|--------|--|---|---------------------------|
| CLAY | <i>Claytonia</i> | springbeauty | |
| | <u>chamissoi</u> See <i>Montia chamissoi</i> | | |
| Clla | <u>lanceolata</u> Pursh | lanceleaf springbeauty | |
| | <u>perfoliata</u> See <i>Montia perfoliata</i> | | |
| | Clematis See TREES AND SHRUBS LIST | | |
| CLEO | <i>Cleome</i> | beeplant (spider flower) | spiderflower |
| Cllu | <u>lutea</u> Hook. | yellow beeplant | yellow spiderflower |
| Clse | <u>serrulata</u> Pursh | RockyMountain beeplant | bee spiderflower |
| Clob | <i>Cleomella obtusifolia</i> Torr. & Frem. | Mohave stinkweed | ----- |
| Clma | <i>Clitoria mariana</i> L. | butterfly-pea | Atlantic pigeonwings |
| | Coldenia See TREES AND SHRUBS LIST | | |
| | <u>Coleosanthus</u> See <i>Brickellia</i> under TREES AND SHRUBS LIST | | |
| COLL | <i>Collinsia</i> | collinsia | |
| Copa-1 | <u>parviflora</u> Dougl. = <u><i>C. tenella</i></u> (Pursh) Piper, NOT Benth. | little-flower collinsia | |
| COLL-1 | <i>Collomia</i> = <u><i>Gilia</i></u> , in part | ----- | collomia % |
| Cogr | <u>grandiflora</u> Dougl. = <u><i>Gilia grandiflora</i></u> (Dougl.) A. Gray | bigflower gilia | bigflower collomia % |
| Coli | <u><i>linearis</i></u> Nutt. = <u><i>Gilia linearis</i></u> (Nutt.) A. Gray | slenderleaf gilia | slenderleaf collomia % |
| Copa-2 | <i>Comandra pallida</i> A. DC. = <u><i>C. umbellata</i></u> (L.) Nutt. | bastard toadflax <u>NOTE:</u> Toadflax is accepted common name for <i>Linaria</i> . | common comandra |
| COMM | <i>Commelina</i> | dayflower | |
| | <u>crispa</u> See <i>C. erecta</i> var. <i>crispa</i> | | |
| Codi | <u>dianthifolia</u> Delile | birdbill dayflower | |
| Coer | <u>erecta</u> L. | erect dayflower | |
| Coerc | <u>crispa</u> (Woot.) Palmer & Steyermark. = <u><i>C. crispa</i></u> Woot. | curlyleaf dayflower | |

% Suggested common names.

Forbs List (continued)

| | | | |
|--------|--|--------------------------|-----------------------------------|
| CONI | <i>Conioselinum</i> | hemlockparsley | |
| Cosc | <i>scopulorum</i> (A. Gray) Coulter. & Rose | hemlockparsley | RockyMountain hemlockparsley % |
| Coma-1 | <i>Conium maculatum</i> L. | poisonhemlock | |
| Come-3 | <i>Conopholis mexicana</i> A. Gray | squawroot | ----- |
| CONV | <i>Convolvulus</i> | bindweed (glorybind) | glorybind |
| Coar-1 | <i>arvensis</i> L. | field bindweed | European glorybind |
| Coin | <i>incanus</i> Vahl | climbing bindweed | Nebraska glorybind |
| Cose | <i>sepium</i> L. | hedge bindweed | hedge glorybind |
| CONY | <i>Conyzia</i> | rayless-aster | |
| | <u>NOTE:</u> Conyzia is conserved against Eschenbachia. | | |
| CORA | <i>Corallorrhiza</i> | coralroot | |
| Coma-2 | <i>maculata</i> Raf. | spotted coralroot | |
| Cost-2 | <i>striata</i> Lindl. | hooded coralroot | |
| Cowi | <i>wisteriana</i> Conrad | Wister coralroot | |
| CORD | <i>Cordylanthus</i> = <u><i>Adenostegia</i></u> | birdbeak (clubflower) | birdbeak |
| Cora-2 | <i>ramosus</i> Nutt. | brushy clubflower | bushy birdbeak |
| Cowr | <i>wrightii</i> A. Gray | plumeweed clubflower | Wright birdbeak |
| CORE | <i>Coreopsis</i> | tickseed | coreopsis |
| Coca-1 | <i>cardaminefolia</i> (DC.) Torr. & Gray | cardamine tickseed | cardamine |
| Codo | <i>douglasii</i> (DC.) H.M.Hall | Douglas tickseed | Douglas coreopsis |
| Coti | <i>tinctoria</i> Nutt. | plains tickseed | plains coreopsis |
| | <u>NOTE:</u> Tickseed is accepted common name for <i>Corispermum</i> . | | |
| CORI | <i>Corispermum</i> | bugseed | tickseed |
| Cohy | <i>hyssopifolium</i> L. | hyssopleaf bugseed | hyssopleaf |
| Coni | <i>nitidum</i> Kit. | nits bugseed | tickseed ----- |

% Suggested common name.

Forbs List (continued)

| | | |
|--------|---|--|
| CORY-1 | Corydalis = <u>Capnoides</u> | corydalis |
| Coau | aurea Willd. | golden corydalis |
| Coauo | occidentalis Engelm. = <u>C. montana</u> Engelm. | mountain corydalis |
| COSM | Cosmos | cosmos |
| CREP | Crepis | hawksbeard |
| Crac | acuminata Nutt. | tapertip hawksbeard |
| Crmo | modocensis Greene = <u>C. scopulorum</u> Coville | Yellowstone hawksbeard |
| Croc | occidentalis Nutt. | western hawksbeard |
| Crru | runcinata Torr. & Gray <u>scopulorum</u> See C. modocensis | dandelion hawksbeard |
| Modoc | | hawksbeard % |
| CROT-1 | Crotalaria | rattlebox |
| Crpu | pumila Ortega | rusty rattlebox |
| Crsa | sagittalis L. | yellow rattlebox |
| | | NOTE: Rattlebox is accepted common name for Daubentonia. |
| CROT-2 | Croton See also under TREES AND SHRUBS LIST | croton |
| Crco | corymbulosus Engelm. | leatherweed croton |
| Crte | texensis (Klotsch) Muell. | doveweed croton |
| | | Texas croton |
| CRYP | Cryptantha | hiddenflower |
| Cran | angustifolia (Torr.) Greene | desert hiddenflower |
| Crcr | crassisepala (Torr. & Gray) Greene | plains hiddenflower |
| Crfu | fulvocanescens (A. Gray) Payson | beggarlice hiddenflower |
| Crja | jamesii (Torr.) Payson | James hiddenflower |
| Crmi | micrantha (Torr.) Johnst. = <u>Eremocarya micrantha</u> (Torr.) Greene | desertnut |
| | | NOTE: Desertnut is SPN common name for the genus Eremocarya. |
| Crra | racemosa (S. Wats.) Greene | forgetmenot |
| | | hiddenflower |
| | | forgetmenot |
| | | cryptantha |
| CUCU | Cucurbita | |
| Cufo | foetidissima H.B.K. | buffalogourd (calabazilla) |
| Cupa | palmata S. Wats. | coyote-melon |
| | | ----- |

%Suggested common name.

Forbs List - (continued)

| | | | |
|--------|---|----------------------------|------------------------|
| CUSC | <i>Cuscuta</i> | dodder | |
| Cuca | <i>campestris</i> Yuncker | legume dodder | ----- |
| Cuco | <i>coryli</i> Engelm. | hazel dodder | |
| Cuin | <i>indecora</i> Choisy | bigseed dodder | bigseed alfalfa |
| | | dodder | |
| Cusa | <i>salina</i> Engelm. | saltmarsh dodder | |
| | | | |
| CYMO | <i>Cymopterus</i> | wafer-parsnip | |
| Cyfe-1 | <i>fendleri</i> A. Gray | chimaya | |
| Cymu | <i>multinervatus</i> (Coulter & Rose) | Tideström: corkwing wafer- | ----- |
| | | parsnip | |
| Cyne | <i>newberryi</i> (S. Wats.) Jones | sweetroot wafer-parsnip | ----- |
| Cypu | <i>purpureus</i> S. Wats. | purple wafer-parsnip | ----- |
| | | | |
| CYPR | <i>Cypripedium</i> | lady's slipper | |
| | | | |
| CYST | <i>Cystopteris</i> | bladderfern | |
| Cybu | <i>bulbifera</i> (L.) Bernh. | berry bladderfern | |
| Cyfr | <i>fragilis</i> (L.) Bernh. | brittle bladderfern | |
| | | | |
| DALE | <i>Dalea</i> = <i>Parosela</i> See also TREES AND SHRUBS | indigobush (pea-bush) | dalea |
| Daar | <i>argyræa</i> A. Gray | silver indigobush | silver dalea |
| Daau | <i>aurea</i> Nutt. | silktop indigobush | silktop dalea |
| Dafo | <i>formosa</i> Torr. | feather indigobush | feather dalea |
| Dafr | <i>frutescens</i> A. Gray | black indigobush | black dalea |
| Dana | <i>nana</i> Torr. | dwarf indigobush | dwarf dalea |
| Dapa-2 | <i>parryi</i> Torr. & Gray | Parry indigobush | Parry dalea |
| Dapo | <i>polygonoides</i> A. Gray | sixweeks indigobush | sixweeks dalea |
| Dasc | <i>scoparia</i> A. Gray | broom indigobush | broom dalea |
| Dawr | <i>wrightii</i> A. Gray | Wright indigobush | Wright dalea |
| | | | |
| DATU | <i>Datura</i> | datura (thornapple) | |
| Dame | <i>meteloides</i> Dunal | sacred datura | |
| Daqu | <i>quercifolia</i> H.B.K. | oakleaf datura | |
| Dast | <i>stramonium</i> L. | jimsonweed | jimsonweed datura |
| | | | |
| DAUC | <i>Daucus</i> | carrot. | |
| Dapu | <i>pusillus</i> Michx. | carrot (wild carrot) | southwestern carrot |
| | | | |
| DELP | <i>Delphinium</i> | larkspur | |
| Deal | <i>alpestre</i> Rydb. | alpine larkspur | |
| Deam | <i>amabile</i> Tidestrom | lovely larkspur | |
| Dean-1 | <i>andesicola</i> Ewan | ---- | ----- |
| Deana | <i>ssp. amplum</i> Ewan = <i>D. sierrae-blancae</i> Woot., ssp. <i>amplum</i> Ewan | | |

Forbs List (continued)

| | | |
|--------|--|---|
| | <i>Delphinium</i> (continued) | |
| Debi | bicolor Nutt. | little larkspur (purple larkspur) |
| Dege | geraniifolium Rydb. | geranium larkspur |
| Dene | nelsonii Greene <u>forma</u> pinetorum (Tidestrom) Ewan | pine larkspur = <i>D. pinetorum</i> Tidestrom |
| | <u>pinetorum</u> See <i>D. nelsonii</i> pinetorum | |
| Desc-2 | scaposum Greene | barestem larkspur |
| Desc-1 | scopulorum A. Gray | tall-mountain larkspur |
| Desi | sierrae-blancae Woot. ssp. <u>amplum</u> | White-mountain larkspur See <i>D. andesicola</i> amplum |
| Devi-1 | virescens Nutt. | plains larkspur |
| | | ----- |
| DESC-1 | <i>Descurainia</i> = <i>Sophia</i> | tansymustard |
| | <u>incisa</u> See <i>D. richardsonii</i> incisa | |
| Depi | pinnata (Walt.) Britt. | pinnate tansymustard |
| Deri | richardsonii (Sweet) Schulz, ssp. <u>incisa</u> (Engelm.) Detling = <i>Sisymbrium incisum</i> Engelm. | western tansymustard |
| | = <i>Sophia incisa</i> (Engelm.) Greene | |
| Dese | serrata (Greene) Schulz | toothed tansymustard |
| Deso | sophia (L.) Webb. | flixweed |
| | | flixweed tansymustard |
| DESM | <i>Desmanthus</i> | bundleflower |
| Deco | cooleyi (Eaton) Trel. = <i>D. jamesii</i> Torr. & Gray | James bundleflower |
| Devi-2 | virgatus (L.) Willd. | rayado bundleflower |
| DESM-1 | <i>Desmodium</i> - <u>Meibomia</u> | tickclover (beggarticks) |
| Dean | angustifolium (H.B.K.) DC. | spikeleaf tickclover |
| | | narrowleaf tickclover grassleaf tickclover% |
| | | NOTE: Beggarticks is accepted common name for Bidens. |
| Deba | batocaulon A. Gray | bat tickclover |
| | | ----- bush tickclover % |
| | | NOTE: The name <u>batocaulon</u> means bushy stem, not bat. |
| Deci | cinerascens A. Gray | ----- |
| Degr | grahamii A. Gray | Graham tickclover |
| Dene-1 | neomexicanum A. Gray | New-Mexican tickclover |
| Dero | rosei Schubert = <i>D. neomexicanum</i> of authors, NOT A. Gray | Roses tickclover NOTE: Roses tickclover is named in honor of the late Dr. J.N.Rose. |
| Desp | spicatum Rehder = <i>D. cinerascens</i> Hutchins., NOT Franch., NOR A. Gray | spike tickclover ----- NOTE: <i>Desmodium</i> spicatum is a Chinese species; its occurrence in our area is questionable. |

% Suggested common name.

Forbs List (continued)

| | | | |
|------|---|--------------------------|------------------------------|
| Dipu | <i>Dichelostemma pulchellum</i> (Salisb.) Heller = <u><i>Brodiaea congesta</i></u> J. E. Smith | bluedicks (grassnuts) | purplehead grassnuts |
| Dite | <i>Dicodia teres</i> Walt. | buttonweed | rough buttonweed |
| Ditr | <i>Disporum trachycarpum</i> (S. Wats.) Benth. | fairybells | wartberry fairy-bells |
| Diwi | <i>Dithyrea wislizenii</i> Engelm. | spectacle-pod | Wislizenius spectacle-pod |
| DODE | <i>Dodecatheon</i> | shootingstar | |
| Doal | <i>alpinum</i> (A. Gray) Greene | alpine shootingstar | |
| Docu | <i>cusickii</i> Greene | Cusick shootingstar | |
| Dode | <i>dentatum</i> Hook. | dentate shootingstar | |
| Doel | <i>ellisiae</i> Standl. | Ellis shootingstar | ----- |
| Doje | <i>jeffreyi</i> Van Houtte 1/ <i>pulchellum</i> (Raf.) Merr. | Jeffrey shootingstar | |
| Dopu | = <u><i>D. pauciflorum</i></u> (Durand) Greene | darkthroat shootingstar | |
| Dora | <i>radicatum</i> Greene | southern shootingstar | |
| Dote | <i>tetrandrum</i> Suksd. | yellowring shootingstar | |

Dolicholus See *Rhynchosia*

Dondia See *Suaeda*

| | | | |
|-------|---|-------------------------------|------------------------|
| DRAB | <i>Draba</i> | whitlowgrass (whitlowwort) | draba (whitlowwort) |
| Drau | <i>aurea</i> M. Vahl | golden whitlowgrass | golden draba |
| Drcr | <i>crassifolia</i> R. Grah. | hairy whitlowgrass | ----- |
| Drne | <i>nemorosa</i> L. | woods whitlowgrass | woods draba |
| Drst | <i>stenoloba</i> Ledeb. | | |
| Drstn | var. <i>nana</i> (Schulz) C.L.Hitchc. = <u><i>D. nitida</i></u> Greene | shiny whitlowgrass | shiny draba |

| | | | |
|------|----------------------|---|------------|
| DRAC | <i>Dracocephalum</i> | false-dragonhead NOTE: False-dragonhead is common name for Moldavica. | dragonhead |
|------|----------------------|---|------------|

| | | | |
|------|------------------------------------|-------------------|-----------------------|
| DRYM | <i>Drymaria</i> | drymary | |
| Drfe | <i>fendleri</i> S. Wats. | Fendler drymary | ----- |
| Drho | <i>holosteoides</i> Benth. | thickleaf drymary | Mexican drymary * |
| Drpa | <i>pachyphylla</i> Woot. & Standl. | poison drymary | thickleaf drymary* |

*NOTE: These two species may be synonymous, as Standardized Plant Names (p. 202) indicates.

1/ Moore given as author in some manuals; original description not yet located.

Forbs List (continued)

Drymocallis See Potentilla

| | | | |
|-------|--|---------------------------------|--|
| DRYO | Dryopteris | shieldfern | woodfern |
| | Echinocactus | See "Shrubs" | |
| | Echinocereus | See "Shrubs" | |
| Eclo | Echinocystis lobata (Michx.) Torr. & Gray | mock-cucumber | Wild mock-cucumber |
| Ecwr | Echinopepon wrightii (A. Gray) S. Wats. | spiny cucumber | ----- |
| Echy | Echinopsilon hyssopifolius (Pall.) Moq. = <u>Bassia hyssopifolia</u> (Pall.) Kuntze | smotherweed | fivehook bassia |
| | Ephedra | See "shrubs" | |
| EPIL | Epilobium | willowweed | |
| Epad | adenocaulon Hausskn. | sticky willowweed | |
| Epal | alpinum L. | alpine willowweed | |
| Epan | angustifolium L. | fireweed ("blooming-sally") | |
| Epbr | brevistylum Barbey | Sierra willowweed | |
| Epho | hornemannii Reichenb. | Hornemann willowweed | |
| Eppa | paniculatum Nutt. | autumn willowweed | |
| Epgi | Epipactis gigantea Dougl. | helleborine | stream epipactis <u>NOTE:</u> Giant helleborine is suggested if helleborine preferred to epipactis. |
| EQUI | Equisetum | horsetail | |
| Eqar | arvense L. | field horsetail | |
| Eqhy | hyemale L. | scouring-rush | |
| Eqhye | elatum (Engelm.) Morton = <u>E. praealtum</u> Raf. | stout scouring-rush | |
| Eqla | laevigatum A. Braun | smooth horsetail | |
| | <u>praealtum</u> See <u>E. hyemale elatum</u> | | |
| | <u>Eremocarya micrantha</u> | See <u>Cryptantha micrantha</u> | |

Forbs List (continued)

| | | |
|--------|--|---------------------------------------|
| ERIG | Erigeron | fleabane (wild-daisy) |
| Erca-1 | caespitosus Nutt. | tufted fleabane |
| Erca-2 | canadensis L. = <u>Conyza canadensis</u> (L.) Cronq. = <u>Leptilon canadense</u> (L.) Britt. | horseweed fleabane |
| Erca-3 | canus A. Gray | hoary fleabane |
| Erco-1 | compositus Pursh | fernleaf fleabane |
| Erco-2 | concinnus (Hook. & Arn.) Torr. | & Gray hairy fleabane |
| Erco-3 | corymbosus Nutt. | purpledaisy fleabane |
| Erco-4 | coulteri Porter | Coulter fleabane |
| Erdi-2 | divergens Torr. & Gray | spreading fleabane |
| Erea | eatonii A. Gray | Eaton fleabane |
| Erfl-1 | flagellaris A. Gray | trailing fleabane |
| Erfo | formosissimus Greene | |
| Erfov | viscidus (Rydb.) Cronquist = <u>E. viscidus</u> Rydb. | viscid fleabane |
| Ergl | glabellus Nutt. | smooth fleabane |
| Erlo | lonchophyllus Hook. | spearleaf fleabane |
| Erma | macranthus Nutt. = <u>E. speciosus</u> var. macranthus (Nutt.) Cronq. | aspen fleabane |
| Ernu-1 | nudiflorus Buckl. | sprawling fleabane |
| Erpu-1 | pulchellus Michx. | plaintain fleabane |
| Erpu-2 | pumilus Nutt. | poor-robins-plaintain low fleabane |
| Ersa | salsuginosus (Richards.) A. Gray | aster fleabane |
| Ersp | speciosus (Lindl.) DC. | Oregon fleabane |
| Ersu | subtrinervis Rydb. | three-nerve fleabane |
| Ertr-2 | trifidus Hook. | trifid fleabane |
| Erur | ursinus D. C. Eaton | bear fleabane |
| | <u>viscidus</u> See E. formosissimus | BearRiver fleabane viscidus |

| | | | |
|--------|--|-------------------------------|--------------------|
| ERIO-1 | Eriogonum | buckwheat (sulfur flowers) | eriogonum |
| Eral | alatum Torr. | winged buckwheat | wing eriogonum |
| Eran-1 | annuum Nutt. | annual buckwheat | annual eriogonum |
| Erar | aridum Greene | dryland buckwheat | dryland eriogonum |
| Erca-4 | caespitosum Nutt. | mat buckwheat | mat eriogonum |
| Erce | cernuum Nutt. | nodding buckwheat | nodding eriogonum |
| Erch | chrysocephalum A. Gray | goldball buckwheat | goldball eriogonum |
| Erfa | fasciculatum Benth. | | flattop eriogonum |
| Erfap | var. <u>polifolium</u> (Benth.) Torr. & Gray | rosemary buckwheat | rosemary eriogonum |
| | = <u>E. polifolium</u> Benth. | | |

Forbs List (continued)

| | | | |
|---------|---------------------------------------|---|--------------------------------------|
| | Eriogonum (continued) | buckwheat | eriogonum |
| Erf1-2 | flavum Nutt. | yellow buckwheat | yellow eriogonum |
| Erhi | hieracifolium Benth. | Wyeth buckwheat | ----- |
| Erin-2 | inflatum Torr. & Frem. | deserttrumpet buckwheat | deserttrumpet eriogonum |
| Erja | jamesii Benth. | antelope-sage buckwheat | James eriogonum |
| Ermi | microthecum Nutt. | slender/buckwheat | slenderbush eriogonum |
| Ernu-2 | nudum Benth. | barestem buckwheat | barestem |
| Erov | ovalifolium Nutt. | cushion buckwheat | cushion |
| Erph | pharnaceoides Torr. | wirestem buckwheat | wirestem |
| Erpi-1 | piperi Greene | Piper buckwheat | Piper eriogonum |
| Erpo | <u>polifolium</u> See E. fasciculatum | polifolium | |
| Erra | polycladon Benth. | sorrel buckwheat | sorrel eriogonum |
| Erst | racemosum Nutt. | redroot buckwheat | redroot eriogonum |
| Ersu-1 | stellatum Benth. | longray buckwheat | longray eriogonum |
| | subalpinum Greene | subalpine buckwheat | subalpine eriogonum |
| Ertr -3 | tripodium Greene | Lake buckwheat | Lake eriogonum (tripod eriogonum) |
| Erum | umbellatum Torr. | sulfur buckwheat | sulfur eriogonum |
| Ervi | vimineum Dougl. | broom buckwheat | broom eriogonum |
| Erwr | wrightii Torr. | Wright buckwheat | Wright eriogonum |
| ERIO-2 | Eriophyllum | woollydaisy | eriophyllum |
| Erco-5 | confertiflorum (DC.) A. Gray | goldenarrow | goldenarrow |
| | | woollydaisy | eriophyllum |
| EROD | Erodium | heronbill | |
| Erci-1 | cicutarium (L.) L'Her. | filaree (alfileria) alfileria (heronsbill) (Pinclover) | |
| Erte | texanum A. Gray | Texas heronbill | |

Forbs List (continued)

| | | | |
|--------|---|---|-----------------------|
| ERYS | Erysimum = <u>Cheirinia</u> = <u>Cheiranthus</u> , in part only | wallflower <u>NOTE:</u> Wallflower is accepted common name only for species properly referable to <u>Cheiranthus</u> . | erysimum |
| Eras | asperum (Nutt.) DC. | plains wallflower | plains erysimum |
| Erca-5 | capitatum (Dougl.) Greene = <u>E. elatum</u> Nutt. | western wallflower | coast erysimum |
| Erch-3 | cheiranthoides L. <u>elatum</u> See <u>E. capitatum</u> | treacle wallflower | treacle erysimum |
| Eroc | occidentale (S. Wats.) Robins. = <u>E. pumilum</u> Nutt., NOT DC. <u>pumilum</u> See <u>E. occidentale</u> | low wallflower | low erysimum |
| Erre | repandum L. | spreading wallflower | spreading erysimum |
| ERYT-1 | Erythronium | dogtooth-violet (fawnlily) | fawnlily |
| | <u>Eschenbachia</u> See Conyza | | |
| ESCH | Eschscholtzia | goldpoppy | |
| Esca | californica Cham. | California-poppy | |
| Esgl | glyptosperma Greene | desert goldpoppy | |
| Esme | mexicana Greene | Mexican goldpoppy | |
| Esmi | minutiflora S. Wats. | little goldpoppy | |
| EUPA | Eupatorium | thoroughwort | eupatorium |
| Eubr | bruneri A. Gray | joe-pye-weed | Bruner joe-pye-weed |
| Euhe-2 | herbaceum (A. Gray) Greene = <u>E. arizonicum</u> (A. Gray) | white thoroughwort Greene | ----- |
| Euma-2 | maculatum L. | spotted joe-pye-weed | |
| Euwr | wrightii A. Gray | spreading thoroughwort | ----- |
| EUPH | Euphorbia = <u>Chamaesyce</u> = <u>Dichrophyllum</u> = <u>Poinsettia</u> = <u>Tithymalus</u> = <u>Zygophyllidium</u> | spurge <u>NOTE:</u> Spurge is widely used as the common name for the whole family of Euphorbiaceae and is not distinctive for any one genus of the family. | euphorbia |
| Eual | albomarginata Torr. & Gray | rattlesnake-weed | whitemargin euphorbia |
| Euca | capitellata Engelm. | head spurge | head euphorbia |
| Eude | dentata Michx. | toothed poinsettia | toothed euphorbia |
| Eugl | glyptosperma Engelm. | ridgeseed spurge | ridgeseed euphorbia |
| Euhe-1 | heterophylla L. | painted spurge | painted euphorbia |
| Eula-2 | lathyrus L. | caper spurge | caper euphorbia |
| | Note: -us is original spelling (moleweed) | | (moleplant; moleweed) |

Forbs List (Continued)

| | | | |
|---|---|-----------------------|--------------------------------|
| | Euphorbia (continued) | spurge | euphorbia |
| Euma-1 | marginata Pursh | snow-on-the-mountain | snow-on-the-mountain euphorbia |
| Eupe | peplus L. | petty spurge | petty euphorbia |
| Epu | pulcherrima Willd. | poinsettia | common poinsettia |
| Euro | robusta (Engelm.) Small | robust spurge | robust euphorbia |
| Euse-1 | serpens H.B.K. | serpent spurge | serpent euphorbia |
| Euse-2 | serpyllifolia Pers. | thymeleaf spurge | thymeleaf euphorbia |
| Euse-3 | setiloba Engelm. | Yuma spurge | Yuma euphorbia |
| <u>Euploca convolvulacea</u> See <u>Heliotropium convolvulaceum</u> | | | |
| FLOE | Floerkea | false-mermaid | |
| FRAG | Fragaria | strawberry | |
| Frbr | bracteata Heller | bracted strawberry | |
| Frov | ovalis (Lehm.) Rydb. | wild strawberry | ----- |
| FRAN | Franseria = <u>Gaertneria</u> | bur-sage | |
| Frdu | dumosa A. Gray | white bur-sage | |
| Frer | eriocentra A. Gray | woolly bur-sage | |
| Fril | ilicifolia A. Gray | hollyleaf bur-sage | |
| Frte | tenuifolia Harv. & A. Gray | slimleaf bur-sage | |
| Frto | tomentosa A. Gray | woollyleaf bur-sage | woollyleaf bur-sage |
| <u>Frasera</u> See <u>Swertia</u> | | | |
| FRIT | Fritillaria | fritillary | |
| Frat | atropurpurea Nutt. | purplespot fritillary | |
| Frpw | pudica (Pursh) Spreng. | yellow fritillary | |
| FROE | Froelichia | snakecotton | ----- |
| | <u>Funastrum</u> See <u>Philibertia</u> | | |
| | <u>Gaertneria</u> See <u>Franseria</u> | | |
| GAIL | Gaillardia | blanketflower | gaillardiida |
| Gapi | pinnatifida Torr. | blanketflower | ----- |
| Gapu | pulchella Foug. | firewheel (rose-ring) | rose-ring gaillardia |

Forte List (continued)

| | | | |
|--------|---|------------------------------------|----------------------------------|
| GALA | Galactia | milkpea | |
| Gawr-1 | wrightii A. Gray | milkpea | Wright milkpea |
| GALI | Galium | bedstraw | |
| Gaap | aparine L. | goosegrass bedstraw | catchweed bedstraw |
| Gabo | boreale L. | northern bedstraw | |
| Gatr-1 | trifidum L. | small bedstraw | |
| Gatr-2 | triflorum Michx. | sweetscented bedstraw | |
| GAUR | Gaura | gaura (little-primrose) | |
| Gaco | coccinea Nutt. | scarlet gaura | |
| GAYO | Gayophytum | groundsmoke | |
| GENT | Gentiana | gentian | |
| Geaf | affinis Griseb. | pleated gentian | RockyMountain pleated gentian |
| Gebi | bigelovii A. Gray | Bigelow gentian | |
| Gegr | grandis (A. Gray) Holm | fringed gentian | Arizona fringed gentian % |
| Gesc | scopulorum Greene | RockyMountain gentian | |
| Geth | thermalis Kuntze | Colorado fringed gentian | RockyMountain fringed gentian |
| GERA | Geranium | geranium (cranesbill) | geranium |
| Geca | caespitosum James | purple geranium | ----- |
| Gefr | fremontii Torr. | Fremont geranium | |
| Geri | richardsonii Fisch. & Trautv. | Richardson geranium | |
| Gevi | viscosissimum Fisch. & Mey. | sticky geranium (wild geranium) | |
| GEUM | Geum = <u>Sieversia</u> | avens | |
| Geci | ciliatum Pursh | grandfathersbeard | prairiesmoke |
| | = <u>Sieversia ciliata</u> (Pursh) G. Don | | avens % |
| Gema | macrophyllum Willd. | | largeleaf avens |
| | = <u>G. oregonense</u> (Scheutz) Rydb. | Oregon avens | |
| Gest | strictum Ait. | yellow avens | |

% Suggested common name

Forbs List (continued)

| | | | |
|--------|---|--|-------------------|
| GILI | Gilia See also <i>Collomia</i> , <i>Linanthus</i> , <i>Navarretia</i> | gilia | |
| Giac | <i>achilleaefolia</i> Benth. | yarrow gilia | |
| Giag | <i>aggregata</i> (Pursh) Spreng. | skyrocket gilia | |
| | <i>androsacea</i> See <i>Linanthus androsaceus</i> | | |
| Gica | <i>capillaris</i> Kellogg | hairstem gilia | |
| Gico | <i>congesta</i> Hook. | ballhead gilia | |
| | <u>grandiflora</u> See <i>Collomia grandiflora</i> | | |
| Gigr | <i>greeniana</i> Woot. & Standl. | Greenes gilia | |
| | = <u><i>Callisteris collina</i></u> Greene, NOT Eastw. | | |
| | = <u><i>Gilia attenuata collina</i></u> (Greene) Cockerell | | |
| | <u>intertexta</u> See <i>Navarretia intertexta</i> | | |
| | <u>linearis</u> See <i>Collomia linearis</i> | | |
| Gimu | <i>multiflora</i> Nutt. | woody gilia | ----- |
| Giri | <i>rigidula</i> Benth. | blue gilia | ----- |
| Gisi | <i>sinuata</i> Dougl. | shy gilia | ----- |
| GLYC-1 | <i>Glycyrrhiza</i> | licorice | |
| Gile | <i>lepidota</i> Pursh | licorice | American licorice |
| GNAP | <i>Gnaphalium</i> | cudweed | |
| Gnch | <i>chilense</i> Spreng. | cottonbattling | cottonbatting |
| Gnpu | <i>purpureum</i> L. | fragrant cudweed | purple cudweed |
| | | NOTE: Fragrant cudweed is SPN | |
| | | common name for <i>Gnaphalium obtusifolium</i> . | |
| GOMP | <i>Gomphrena</i> | globe-amaranth | |
| Goca | <i>caespitosa</i> Torr. | ballclover | ----- |
| Goso | <i>sonorae</i> Torr. | lanceleaf globe-amaranth | ----- |
| GONO | <i>Gonolobus</i> | anglepod | ----- |
| Gopr | <i>productus</i> Torr. = <u><i>Vincetoxicum productum</i></u> (Torr.) Vail | milkvine | ----- |

Forbs List (Continued)

| | | |
|------|--|-------------------------------|
| GOOD | Goodyera | rattlesnake-plantain |
| Good | oblongifolia Raf. | western rattlesnake-plantain |
| | = <u>G. decipiens</u> (Hook.) F.T. Hubbard | |
| | = <u>Epipactis decipiens</u> (Hook.) Ames | |
| | = <u>Perarium decipiens</u> (Hook.) Piper | |
| Gore | repens (L.) R. Br. | creeping rattlesnake-plantain |
| | = <u>Epipactis repens</u> (L.) Crantz | |
| | = <u>Perarium repens</u> (L.) Salisb | |

| | | | |
|------|-------------------------|------------------|-------|
| GRIN | Grindelia | gumweed | |
| Grar | arizonica A. Gray | Arizona gumweed | ----- |
| Grsq | squarrosa (Pursh) Dunal | curlycup gumweed | |

Gutierrezia See "Shrubs"

| | | | |
|---|--------------|---------|-------|
| GYMN | Gymnocarpium | oakfern | ----- |
| NOTE: Oakfern is the SPN common name for <i>Dryopteris disjuncta</i> (Rupr.) Morton, which is now regarded (p. 46, Kearney & Peebles Fl. Ariz.) as a synonym of <i>Gymnocarpium dryopteris</i> (L.) Newm. | | | |

Gymnolomia See Viguiera

| | | | |
|------|-----------|------------|-----------|
| HABE | Habenaria | bog-orchid | habenaria |
|------|-----------|------------|-----------|

| | | | |
|------|-------------------------------------|--------------|-------|
| HALE | Halenia | spur-gentian | |
| Hare | recurva (J.E. Smith) Allen | spur-gentian | ----- |
| | = <u>H. rothrockii</u> A. Gray | | |
| | = <u>Swertia recurva</u> J.E. Smith | | |

| | | | |
|--|--------------------------------|-----------------|--|
| Hacr | Haplophyton crooksii L. Benson | cockroach-plant | |
| = <u>H. cimicidum</u> of some authors, NOT A. DC. which is a Mexican and Guatemalan species. | | | |

| | | | |
|------|---------|-----------------|------------------|
| HEDE | Hedeoma | mock-pennyroyal | false-pennyroyal |
|------|---------|-----------------|------------------|

| | | | |
|------|-------------------|-------------------|--|
| HELE | Helenium | sneezeweed | |
| Heho | hoopesii A. Gray | orange sneezeweed | |
| Hete | tenuifolium Nutt. | bitter sneezeweed | |

| | | |
|--------|--------------|----------------|
| HELI-2 | Helianthella | wood-sunflower |
|--------|--------------|----------------|

Forbs List (Continued)

| | | | |
|--------|---|---|--------------------|
| HELI-1 | <i>Helianthus annuus</i> L. | sunflower Kansas sunflower | common sunflower |
| Heci | <i>ciliaris</i> DC. | blueweed sunflower | ----- |
| Hepe | <i>peltiolaris</i> Nutt. | prairie sunflower | |
| HELI-4 | <i>Heliopsis</i> | oxeye | heliopsis |
| | | NOTE: Oxeye is the SPN common name for the genus <i>Buphthalmum</i> . | |
| Hepa | <i>parvifolia</i> A. Gray | oxeye | ----- |
| HELI-3 | <i>Heliotropium</i> | heliotrope | |
| Heco-2 | <i>convolvulaceum</i> (Nutt.) A. Gray = <i>Euploca convolvulacea</i> Nutt. | bindweed | (bindweed |
| Hecu | <i>curassavicum</i> L. | salt heliotrope (quail-plant) | (heliotrope |
| Hela | <i>Heracleum lanatum</i> Michx. | cowparsnip | common cowparsnip |
| HETE | <i>Heterotheca</i> | telegraph-plant | ----- |
| Hesu | <i>subaxillaris</i> (Lam.) Britt. | camphor-weed | ----- |
| HEUC | <i>Heuchera</i> | alumroot | |
| Hesa | <i>sanguinea</i> Engelm. | coralbells | |
| Heve | <i>versicolor</i> Greene | painted alumroot | ----- |
| HIER | <i>Hieracium</i> | hawkweed | |
| Hivu | <i>Hippuris vulgaris</i> L. | maretail | |
| Hode | <i>Hoffmannseggia densiflora</i> Benth. | hogpotato | indian rushpea |
| HUMU | <i>Humulus</i> | hop | |
| Huam | <i>americanus</i> Nutt. | hop | ----- |
| HYDR | <i>Hydrophyllum</i> | waterleaf | |
| Hyca | <i>capitatum</i> Dougl. | bluebell waterleaf | ballhead waterleaf |
| Hyoc | <i>occidentale</i> (S. Wats.) A. Gray | western squawlettuce | western waterleaf |



Forbs List (continued)

| | | | |
|--------|--|------------------------------------|--|
| HYME-2 | Hymenopappus | white-ragweed | hymenopappus |
| HYME-1 | Hymenoxyss = <u>Actinea</u> | hymenoxyss | |
| Hyac | acaulis (Pursh) K.F. Parker stemless hymenoxyss = <u>Actinea acaulis</u> (Pursh) Spreng | stemless actinea | |
| Hybi | bigelovii (A.Gray) K.F. Parker Bigelow hymenoxyss = <u>Actinea bigelovii</u> (A. Gray) Kuntze | Bigelow actinea | |
| Hybr | brandegeei (Porter) K.F. Parker Brandegee hymenoxyss = <u>Actinea brandegeei</u> (Porter) Kuntze | Brandegee actinea | |
| Hyod | odorata DC. bitterweed hymenoxyss = <u>Actinea odorata</u> (DC.) Kuntze | bitterweed actinea | |
| Hyri | richardsonii (Hook.) Cockerell pingue (Colorado rubberweed) (rubberweed) = <u>Actinea richardsonii</u> (Hook.) Kuntze | pingue (Colorado rubberweed) | pingue actinea (Colorado rubberweed) |

| | | |
|------|------------|---------------|
| HYOS | Hyoscyamus | henbane |
| Hyni | niger L. | black henbane |

| | | |
|------|--------------------------------|-------------------------------|
| HYPE | Hypericum | St. Johnswort |
| Hyan | anagalloides Cham. & Schlecht. | trailing St. Johnswort |
| Hyfo | formosum H.B.K. | southwestern St. Johnswort |

Hypopitys See Monotropa

| | | |
|------|---|-------|
| Ilgr | Iliamna grandiflora (Rydb.) Wiggins wildhollyhock = <u>Sphaeralcea grandiflora</u> Rydb. | ----- |
|------|---|-------|

| | | |
|------|--|---|
| IPOM | Ipomoea = <u>Quamoclit</u> | morningglory |
| Ipcō | coccinea L. = <u>Quamoclit coccinea</u> (L.) Moench | redstar morningglory |
| Iple | leptotoma Torr. | scarlet star- glory pinktrumpet morningglory |



Forbs List (continued)

| | | | |
|-------|---|---|----------------------------------|
| | Ipomoea (continued) | | |
| Ipolo | <i>longifolia</i> Benth. | morningglory | ----- |
| Ipth | <i>thurberi</i> A. Gray | pinkthroated morningglory purple morningglory | ----- |
| Irhe | <i>Iresine heterophylla</i> Standl. | bloodleaf | ----- |
| Irmi | <i>Iris missouriensis</i> Nutt. | flag (fleur-de-lis) | Rocky mountain iris |
| Isbr | <i>Isanthus brachiatus</i> (L.) B.S.P. = <u><i>Trichostema brachiatum</i></u> L. | bluecurls | fluxweed |
| IVA | Iva | marsh-elder | sumpweed |
| Ivax | <i>axillaris</i> Pursh | poverty marsh-elder | poverty sumpweed |
| Ivxa | <i>xanthifolia</i> Nutt. | rag marsh-elder | rag sumpweed |
| Jure | <i>Jussiaea repens</i> L. | yellowwaterweed | creeping water-primrose |
| | | NOTE: Waterweed is accepted common name for Anacharis. | |
| Kagr | <i>Kallstroemia grandiflora</i> Torr. | Arizona-poppy | Arizona-poppy caltrop % |
| KOCH | Kochia | mock-cypress | summer- cypress |
| Koam | <i>americana</i> S. Wats. | greenmolly (redsage) | greenmolly summer- cypress |
| Koamv | <i>vestita</i> S. Wats. | hairy greenmolly | gray summer-cypress |
| Kosc | = <u><i>K. vestita</i></u> (S. Wats.) Rydb. <i>scoparia</i> (L.) Schrad. | summer-cypress | Belvedere summer-cypress |
| KRIG | Krigia | dwarf-dandelion | ----- |
| Krbi | <i>biflora</i> (Walt.) Blake | dwarf-dandelion | |

% Suggested common name

Forbs List (continued)

Lacinaria See *Liatris*

| | | |
|------|-----------------------|--|
| LACT | Lactuca | lettuce (wild lettuce) |
| Lapu | pulchella (Pursh) DC. | poison lettuce chicory lettuce |
| | | NOTE: If any lettuces are actually "Poison", the name had best be re- served for <i>Lactuca virosa</i> . |
| Lase | serriola L. | prickly lettuce |

| | | |
|------|---------|-----------|
| LAPP | Lappula | stickseed |
|------|---------|-----------|

| | | |
|------|---|--|
| LATH | Lathyrus | peavine |
| Laar | arizonicus Britt. | Arizona peavine |
| Laeu | eucosmus Butters & St. John | bush peavine |
| Lagr | graminifolius (S. Wats.) | White grassleaf peavine |
| Lala | laetivirens Greene | aspen peavine ----- |
| | NOTE: <i>Lathyrus laetivirens</i> is very closely related to <i>Lathyrus leucanthus</i> Rydb., and perhaps not distinct from it; aspen peavine is the SPN common name for <i>Lathyrus leucanthus</i> . | |

Lavauxia See *Oenothera*

| | | |
|------|------------------------------------|---------------------|
| LAYI | Layia | tidytips |
| Lagl | glandulosa (Hook.) Hook. & Arn. | whitedaisy tidytips |

Leontodon See *Taraxacum*

| | | | |
|------|------------------------------------|---------------------------|------------|
| LEPI | Lepidium | See also TREES AND SHRUBS | pepperweed |
| | | LIST | |
| Ledr | draba L. | hoarycress | pepperweed |
| | = <u>Cardaria draba</u> (L.) Desv. | | whitetop |
| Lepe | perfoliatum L. | claspingleaf pepperweed | |

Leptilon canadense See *Erigeron canadensis*

| | | | |
|------|----------------------------|------------|-----------------|
| LESQ | Lesquerella | bladderpod | |
| Lemo | Leucocrinum montanum Nutt. | starlily | common starlily |

| | | | |
|------|---------|------------|---------|
| LEWI | Lewisia | bitterroot | lewisia |
|------|---------|------------|---------|

Forbs List (continued)

| | | | |
|--------|---|---|-----------------------------|
| Lipu | <i>Liatris punctata</i> Hook. | blazing-star | dotted gayfeather |
| | = <u><i>Lacinaria punctata</i></u> (Hook.) Kuntze | | |
| | | NOTE: Blazing-star is accepted common name for <i>Lentzelia</i> . | |
| Lipo | <i>Ligusticum porteri</i> Coult. & Rose | loveroot (chuchupate) | Porter <i>ligusticum</i> |
| LILI | <i>Lilium</i> | lily | |
| Lipa | | lemon lily | Parry lily |
| Lium | <i>parryi</i> S. Watson | | western orange- |
| | <i>umbellatum</i> Pursh | orange-cup lily | cup lily |
| LINA-1 | <i>Linanthus</i> = <u><i>Gilia</i></u> , in part | | |
| Lian | <i>androsaceus</i> (Steud.) Greene | trumpet gilia | |
| | = <u><i>Gilia androsacea</i></u> Steud. | | |
| Liau | <i>aureus</i> (Nutt.) Greene | yellow trumpet | |
| | = <u><i>Gilia aurea</i></u> Nutt. | | yellow gilia |
| Libi | <i>bigelovii</i> (A. Gray) Greene | painted trumpet | ----- |
| | = <u><i>Gilia bigelovii</i></u> A. Gray | | |
| Lide | <i>demissus</i> (A. Gray) Greene | bell trumpet | ----- |
| | = <u><i>Gilia demissa</i></u> A. Gray | | |
| Lidi | <i>dichotomus</i> Benth. | evening-snow | evening-snow |
| | = <u><i>Gilia dichotoma</i></u> Benth. | | gilia |
| LINA-2 | <i>Linaria</i> | toadflax | |
| Lica | <i>canadensis</i> (L.) Du Mont | bigflower toadflax | oldfield toadflax |
| Livu | <i>vulgaris</i> Mill. | butter-and-eggs | butter-and-eggs toadflax |
| Libo | <i>Linnaea borealis</i> L. | twinflower | |
| Liboa | <i>americana</i> (Forbes) Rehder | ----- | American twinflower |
| LINU | <i>Linum</i> | flax | |
| Lico | <i>Listera convallarioides</i> (Swartz) Nutt. | twayblade | ----- |
| | | NOTE: Twayblade is the SPN common name for the genus <i>Liparis</i> | |
| LITH-1 | <i>Lithophragma</i> | woodland-star | |
| Lite | <i>tenella</i> Nutt. | slender woodland-star | |

Forbs List (continued)

| | | | |
|---------|---|--|----------------------|
| LITH-2 | Lithospermum | stoneseed (gromwell) | gromwell |
| LOBE | Lobelia | lobelia | |
| Loan | anatina E. Wimm. = <u>L.</u> <u>gruina</u> of U.S. authors, NOT Cav. | bluebell lobelia | ----- |
| Loca | cardinalis L. | cardinalflower | |
| Locag | ssp. graminea (Lam.) McVaugh = <u>L.</u> <u>splendens</u> of authors, NOT Willd. | western cardinalflower | ----- |
| | <u>gruina</u> See Lobelia anatina | | |
| | <u>splendens</u> See L. cardinalis graminea | | |
| LOMA | Lomatium | biscuitroot (Indianroot) | lomatium |
| | | NOTE: Biscuitroot is used for species with bulblike edible corms; lomatium is used for those with taproots. | |
| LOTU | Lotus | deervetch (deerclover) | deervetch |
| Loco | corniculatus L. | birdsfoot deervetch | |
| Lopu | purshianus (Benth.) Clements | | |
| | & Clements | Spanish-clover | |
| Lori | rigidus (Benth.) Greene | desert deervetch | shrubby deervetch |
| Lowr | wrightii (A. Gray) Greene | red-and-yellow-pea | Wright deervetch |
| LUPI | Lupinus | lupine (wild-pea, blue-pea, blue-bean) | lupine |
| Luar-1 | argenteus Pursh | silvery lupine | |
| Luar-2 | arizonicus S. Wats. | Arizona lupine | |
| Lubr | <u>barbiger</u> See L. sericeus | shortstem lupine | |
| Luco | brevicaulis S. Wats | bajada lupine | |
| Luhi | concinnus Agardh | Hills lupine | |
| | hillii Greene | NOTE: Named in honor of Mr. Robert Hill of U.S. Forest Service, who collected the type specimen on the Coconino N.F. in 1911. | |
| Luod | odoratus Heller | Mohave lupine | |
| Lupa--2 | palmeri S. Wats. | Palmer lupine | |

Forbs List (continued)

| | | | |
|--------|--|---|-----------------------|
| | Lupinus (continued) | | |
| Lupu | pusillus Pursh | lupine (wild-pea, blue-pea, blue-bean) | lupine |
| Luru | rubens Rydb. | rusty lupine | |
| Luse | sericeus Pursh = <u>L. barbiger</u> S. Wats. | yelloweye lupine silky lupine | |
| Lush | shockleyi S. Wats. | desert lupine | |
| Lusp | sparsiflorus Benth. | Coulter lupine | |
| Lusu | succulentus Dougl. | arroya lupine | |
| Lydr | <i>Lychnis drummondii</i> (Hook.) S. Wats. campion | | Drummond campion |
| LYCO | Lycopus | bugleweed | |
| Lylu | lucidus Turcz. | bugleweed | ----- |
| LYGO | Lygodesmia | skeletonplant | |
| Lysp | spinosa Nutt. | thorn skeletonplant | |
| LYSI-1 | Lysimachia | loosestrife | |
| Lyci | ciliata L. = <u>Steironema ciliatum</u> (L.) Raf. | fringed loosestrife | |
| | | | fringed steironema |
| Mavi | Macromeria viridiflora DC. = <u>M. thurberi</u> (A. Gray) Mack. = <u>Onosmodium thurberi</u> A. Gray | marbleseed | ----- |
| MADI | Madia | tarweed | |
| Magl-1 | glomerata Hook. | cluster tarweed | |
| MALA | Malacothrix | ----- | ----- |
| Maco | coulteri A. Gray | snakes-head | ----- |
| Magl-2 | glabrata A. Gray | desert dandelion | ----- |

Forbs List (continued)

| | | | |
|---|--|-------------------------------|---------------------------|
| MALV | Malva | mallow | |
| Mane | neglecta Wallr. | running mallow | ----- |
| | = <u>M. rotundifolia</u> of authors, NOT L. | | |
| Mapa | parviflora L. | little mallow | |
| | <u>pedata</u> See <i>Callirhoe leiocarpa</i> | | |
| Mammillaria See TREES AND SHRUBS LIST | | | |
| Magi | Marah gilensis Greene | bigroot | |
| | = <u>Megarrhiza gilensis</u> Greene | | |
| Mavu | Marrubium vulgare L. | hcarhound | |
| Mamu | Marsilea mucronata A. Br. <u>Martynia</u> See Proboscidea | pepperwort (waterfern) | pepperwort |
| MATR | Matricaria | mayweed (false-camomile) | mayweed |
| Mama-1 | matricarioides (Less.) Porter | pineappleweed | |
| Raan Maurandia antirrhiniflora false-snapdragon ----- | | | |
| | Humb. & Bonpl. | | |
| | = <u>Antirrhinum maurandioides</u> A. Gray | | |
| MEDI | Medicago | medick | medic |
| Rehi | hispida Gaertn. | bur-clover medick | California bur-clover |
| Melu | lupulina L. | black medick | black medic |
| Mesa | sativa L. | alfalfa | |
| <u>Meibomia</u> See Desmodium | | | |
| MELA | Melampodium | blackfoot | |
| Mele | leucanthum Torr. & Gray | plains blackfoot | |
| | NOTE: <i>Melampodium leucanthum</i> is referred to synonymy under the older <i>Melampodium cinereum</i> DC., by some authors. | | |
| MELI-2 | Melilotus | sweetclover | |
| Meal-1 | alba Desr. | white sweetclover | |
| Mein | indica (L.) All. | sourclover (annual yellow) | annual yellow sweetclover |
| Meof | officinalis (L.) Lam. | yellow sweetclover | |
| Menodora See "Shrubs" | | | |

Forbs List (continued)

| | | | |
|--------|---|---|-------------------------------|
| MENT-2 | Mentha | | |
| Mepi | piperita L. | mint | |
| Mesp-1 | spicata L. | peppermint | |
| | | spearmint | |
| MENT-1 | Mentzelia | blazing-star | mentzelia |
| Meal-2 | albicaulis Dougl. | (stickleleaf) whitestem blazing-star | whitestem mentzelia |
| Mepu | pumila (Nutt.) Torr. & Gray | golden blazing-star | ----- |
| Meru | rusbyi Wooton | creamy glazing-star | ----- |
| MERT | Mertensia | bluebells | |
| Mibi-1 | Milla biflora Cav. | Mexican-star | |
| MIMU | Mimulus | monkeyflower | |
| Mica | cardinalis Dougl. | crimson monkey flower | |
| Migu | guttatus DC. | yellow monkeyflower | common monkeyflower |
| Mipr | primuloides Benth. | primrose monkeyflower | |
| MIRA | Mirabilis | four-o'clock | |
| Mibi-2 | bigelovii A. Gray | weakstem four-o'clock | ----- |
| Milo | longiflora L. | longneck four-o'clock | sweet four- o'clock |
| Mimu | multiflora (Torr.) A. Gray = <u>Quamoclidion</u> <u>multiflorum</u> Torr. | wild four-o'clock | Colorado four-o'clock |
| MOLD | Moldavica | dragonhead | false-dragonhead |
| Mopa | parviflora (Nutt.) Britt. = <u>Dracocephalum</u> <u>parviflorum</u> Nutt. | dragonhead | American false- dragonhead |
| Move | Mollugo verticillata L. | carpetweed (Indian-chickweed) | |
| MONA | Monarda | beebalm (horsemint) | |
| Mome | menthaefolia Graham | mintleaf beebalm | |
| Mope-2 | pectinata Nutt. | pony beebalm | |
| Monu | Monolepis nuttalliana (Schult.) Greene | patata (patota) | Nuttall monolepis |

Forbs List (continued)

| | | | |
|----------------------------------|---|-------------------------|------------------------------|
| Mola | <i>Monotropa latisquama</i> (Rydb.) Hulten = <u><i>Hypopitys latisquama</i></u> Rydb. | pinesap (Indianpipe) | Indianpipe |
| MONT | Montia = <u><i>Claytonia</i></u> , in part ----- | | Indianlettuce |
| Moch | chamissoi (Ledeb.) Durand & Jackson = <u><i>Claytonia chamissoi</i></u> Ledeb. | water spring- beauty | water Indian- lettuce % |
| Mope-l | perfoliata (Donn) Howell = <u><i>Claytonia perfoliata</i></u> Donn | minerslettuce | |
| MYOS-2 | Myosotis | forgetmenot | |
| MYOS-1 | Myosurus | mousetail | |
| Mymi | minimus L. | tiny mousetail | |
| Nama | Najas marina L. | naiad | spiny naiad |
| NAVA | Navarretia = <u><i>Gilia</i></u> , in part | | |
| Nain | intertexta (Benth.) Hook. = <u><i>Gilia intertexta</i></u> (Benth.) Steud. | woolly gilia | ----- woolly navarretia % |
| Neca | Nepeta cataria L. | catnip | |
| NICO | Nicotiana See also "Shrubs" | tobacco | |
| Niat | attenuata Torr. | coyote tobacco | |
| Nitr | trigonophylla Dunal | desert tobacco | |
| Nolina See TREES AND SHRUBS LIST | | | |

% Suggested common name

Forbs List (continued)

| | | | | |
|--------|---------------------------------|--|-------------------------------|-----------------------------------|
| OENO | Oenothera | = <u>Lavauxia</u> | evening-primrose; sundrops | evening- primrose; sundrops |
| Oebr | brevipes A. Gray | | golden evening-primrose | |
| Oeca-1 | caespitosa Nutt. | | tufted evening-primrose | |
| Oeca-2 | cardiophylla Torr. | | heartleaf evening-primrose | |
| Oecl | clavaeformis Torr. & Frém. | | brown-eyed evening-primrose | |
| Oefl | flava (A. Nels.) Garrett | | yellow evening-primrose | |
| Oeho | hookeri Torr. & Gray | | Hooker evening-primrose | |
| Oela-1 | laciñiata Hill | | cutleaf evening-primrose | |
| Oela-2 | lavandulaefolia Torr. & Gray | | lavenderleaf evening-primrose | |
| Oepa | pallida Lindl. | | pale evening-primrose | |
| Oero | rosea Ait. | | rose sundrops | |
| Oeta | taraxacoides (Woot. & Standl.) | Munz = <u>Laváuxia taraxacoides</u> | dandelion sundrops | ----- |
| | | | Woot. & Standl. | |

Onosmodium thurberi See *Macromeria viridiflora*

| | | | | |
|--------|--|--|----------------------------|----------------------------|
| OPHI | Ophioglossum | | adderstongue | |
| OROB | Orobanche | | broomrape (cancerroot) | broomrape |
| ORTH | Orthocarpus | | owlclover | |
| Orlu | luteus Nutt. | | yellow owlclover | |
| Orpu-1 | purpurascens Benth. | | escobita owlclover | |
| Orpu-2 | purpureo-albus A. Gray | | purplewhite owlclover | |
| OSMO | Osmorrhiza | | sweetroot | |
| Osob | obtusa (Coulter. & Rose) Fern. | | bluntseed sweetroot | |
| OXAL | Oxalis | | wood sorrel (sheepsour) | oxalis |
| Oxfe | Oxypolis fendleri (A. Gray) A. Heller | | cowbane | Fendler cowbane |
| Oxdi | Oxyria digyna (L.) Hill | | mountain-sorrel | alpine mountain- sorrel |
| OXYT | Oxytropis | | crazyweed (white loco) | |
| Oxla | lambertii Pursh | | Lambert crazyweed | |
| Oxor | oreophila A. Gray | | silver crazyweed | ----- |

Forbs List (continued)

| | | | |
|--------|---------------------------------|--|-----------------------------|
| PANA | Panax | ginseng | |
| PARI | Parietaria | pellitory | |
| Papa | Parnassia parviflora DC. | grass-of-parnassus | smallflower parnassia |
| Paja | Paronychia jamesii Torr. & Gray | nailwort | James nailwort |
| | <u>Parosela</u> See Dalea | | |
| Pasa | Pastinaca sativa L. | parsnip | garden parsnip |
| PECT-1 | Pectis | fetidmarigold | pectis |
| Pefi | filipes Harv. & Gray | threadstem | threadstem |
| Pepa-1 | papposa Harv. & Gray | fetidmarigold chinchweed | pectis ----- |
| PECT-2 | Pectocarya | combseed | |
| PEDI | Pedicularis | woodbetony (fernleaf) | pedicularis |
| Pegr-1 | groenlandica Retz. | elephanthead | elephanthead pedicularis |
| PELL | Pellaea | cliffbrake | |
| PENS | Penstemon See also "Shrubs" | penstemon (beard tongue) | penstemon |
| Peam | ambiguus Torr. | gilia penstemon | |
| Pean-1 | angustifolius Nutt. | narrowleaf penstemon | |
| Peba | barbatus (Cav.) Roth | beardlip penstemon | |
| Pebr | bridgesii A. Gray | Bridges penstemon | |
| Peca-2 | caespitosus Nutt. | mat penstemon | |
| Peco | comarrhenus A. Gray | dusty penstemon | |
| Pela | laevis Pennell | royal penstemon | |
| | | NOTE: Royal penstemon is the SPN common name for Penstemon speciosus Dougl.; some authors regard <u>P. laevis</u> as a synonym of <u>P. speciosus</u> . | |
| Peli | linarioides A. Gray | toadflax penstemon | |
| Peol | oliganthus Woot. & Standl. | Wooton penstemon | |
| Pepa-2 | pachyphyllus A. Gray | thickleaf penstemon | |
| Peps | pseudospectabilis Jones | desert penstemon | |
| Pest | strictus Benth. | Rocky mountain penstemon | |
| Pesu-1 | subulatus Jones | scarletbugler penstemon | ----- |
| | | NOTE: Scarletbugler penstemon is the SPN common name for <u>P. centranthifolius</u> , a California coastal species. Scarlettube penstemon is suggested for this Arizona species. | |

Forbs (continued)

| | | | |
|--------|--|--------------------------------|---|
| | Penstemon (continued) | penstemon | |
| Pesu-2 | superbus A. Nels. | Santa Rita penstemon | |
| Peut | utahensis Eastw. | Utah penstemon | |
| Pevi | virgatus A. Gray | wandbloom penstemon | |
| | <u>Peramium</u> See Goodyera | | |
| PERE | Perezia | | perezia |
| Pena | nana A. Gray | desertholly | ----- |
| Pega | Perideridia gairdneri (Hook. & Arn.) Mathias = <u>Carum gairdneri</u> (Hook. & Arn.) A. Gray | wildcaraway | yampa |
| PETA | Petalostemon = <u>Petalostemum</u> prairieclover <u>NOTE</u> ; Petalostemon is conserved against Petalostemum. | prairieclover | |
| Peca-1 | candidus (Willd.) Michx. | white prairieclover | |
| Pecao | oligophyllus (Torr.) Hermann | slender white prairieclover | |
| | <u>NOTE</u> : Plants of our area more properly referable to this variety. | | |
| Pepl | flavescens S. Wats. | yellow prairieclover | |
| Peppu | purpureus (Vent.) Rydb. | purple prairieclover | |
| Pepa-3 | Petunia parviflora Juss. | petunia | <u>NOTE</u> : mat petunia is suggested as common name for this species. |
| PHAC | Phacelia | phacelia (caterpillar-weed) | phacelia |
| Phca-2 | campanularia A. Gray | harebell phacelia | |
| Phhe | heterophylla Pursh | varileaf phacelia | |
| Phmi-1 | minor (Harv.) Thell. | bluebell phacelia | |
| Phra | ramosissima Dougl. | branching phacelia | |
| Phse | sericea (Graham) A. Gray | silky phacelia | |
| Phta | tanacetifolia Benth. | tansy phacelia | |
| PHAS | Phaseolus | bean | |
| Phac | acutifolius A. Gray | tepary bean | Texas bean |
| Phacl | latifolius Freeman | ----- | tepary bean |
| Phan | angustissimus A. Gray | slimleaf bean | |
| Phme | metcalfei Woot. & Standl. - <u>P. retusus</u> Benth., NOT Moench | Metcalf bean | |
| | <u>retusus</u> See P. metcalfei | | |

Forbs List (continued)

| | | | |
|--------|--|--|------------------|
| PHIL-1 | Philibertia = Funastrum | milkvine | philbertia |
| | | NOTE: Milkvine is the accepted common name for <i>Vincetoxicum</i> . | |
| PHLO | Phlox | phlox | |
| Phau | austromontana Coville | desert phlox | |
| Phca-3 | caespitosa Nutt. | tufted phlox | |
| Phdi | diffusa Benth. | spreading phlox | |
| Phho | hoodii Richards. | Hoods phlox | |
| Phlo | longifolia Nutt. | longleaf phlox | |
| Phna | nana Nutt. | Santa Fe phlox | |
| Phau-1 | Pholistoma auritum (Lindl.) Lilja tomatoweed = <u>Nemophila aurita</u> Lindl. | | purple nemophila |
| PHYS | Physalis | groundcherry | |
| Phhe-1 | heterophylla Nees | clammy groundcherry | |
| Phpu | pubescens L. | downy groundcherry | |
| PHYS-1 | Physaria | twinpod | |
| Pham | Phytolacca americana L. | pokeberry (poke, pigeonberry) | |
| Pitr | Pityrogramma triangularis (Kaulf.) Maxon | goldfern | |
| PLAG | Plagiobothrys | bloodweed (popcornflower) | popcornflower |
| PLAN-1 | Plantago | plantain--perennial species | |
| Pler | eriopoda Torr. | Indianwheat-- annual species | |
| Plin | insularis Eastw. | redwood plantain | |
| Plinf | fastigiata (Morris) Jeps. = <u>P. fastigiata</u> Morris | desert Indianwheat 1/ desert Indian-wheat | |
| Plla | lanceolata L. | buckhorn plantain | |
| Plma | major L. | rippleseed plantain | |
| Plpu | purshii Roem & Schult. | woolly Indianwheat | |
| Plrh | rhodosperma Decne. | redseed plantain | |
| Plvi | virginica L. | paleseed plantain | |

1/Typical P. insularis not a plant of S. W. deserts but of S. Calif. coastal islands.

Forbs List (continued)

| | | | |
|--|--|--|-----------------------------|
| Plca-1 | <i>Platystemon californicus</i> Benth. | creamcups | (creamcups (platystemon |
| Plca-2 | <i>Pluchea camphorata</i> (L.) DC. | camphor pluchea (saltmarsh-fleabane) | |
| <u>Poinsettia</u> See <i>Euphorbia</i> | | | |
| Potr-2 | <i>Polanisia trachysperma</i> Torr. & Gray | clammyweed | roughseed clammyweed |
| POLE | <i>Polemonium</i> | Jacobs-ladder | polemonium |
| Pode | <i>delicatum</i> Rydb. = <i>P. pulcherrimum</i> ssp. | skunkleaf | ----- |
| Pofi | <i>filicinum</i> Greene | <i>delicatum</i> (Rydb.) Brand fernleaf Jacobs-ladder | fernleaf polemonium |
| Pofl | <i>flavum</i> Greene | yellow Jacobs-ladder | yellow polemonium |
| Povi | <i>viscosum</i> Nutt. | sticky Jacobs-ladder | sticky polemonium |
| POLY-2 | <i>Polygala</i> | milkwort | polygala |
| Poac-2 | <i>acanthoclada</i> A. Gray | thorn milkwort | thorn polygala |
| Poal | <i>alba</i> Nutt. | white milkwort | white polygala |
| Posu | <i>subspinosa</i> S. Wats. | spiny milkwort | spiny polygala |
| POLY-5 | <i>Polygonatum</i> | Solomonseal | |
| Poco-4 | <i>Cobrense</i> (Woot. & Standl.) Gates | Solomonseal | ----- |
| POLY-3 | <i>Polygonum</i> | knotweed | |
| Poco-3 | <i>convolvulus</i> L. | cornbind | dullseed cornbind |
| Pope-1 | <i>persicaria</i> L. = <i>Persicaria mitis</i> Gilib. | smartweed | spotted ladysthumb |
| POLY-4 | <i>Polystichum</i> | hollyfern | |
| Pogr | <i>Porophyllum gracile</i> Benth. | yerba-del-venado | slender pore-leaf |
| Pool | <i>Portulaca oleracea</i> L. | purslane (pursley) | common purslane |

Forbs List (continued)

| | | | |
|-----------------------------------|--|-------------------------|----------------------|
| POTA | Potamogeton | pondweed | |
| POTE | Potentilla See also "Shrubs" | cinquefoil | |
| Poan-2 | anserina L. = <u>Argentina anserina</u> (L.) Rydb. | silverweed cinquefoil | |
| Pobi-2 | biennis Greene = <u>P. millegrana</u> S. Wats. in part, NOT Engelm. | biennial cinquefoil | |
| Poco-2 | concinna Richards. | elegant cinquefoil | |
| Podi | diversifolia Lehm. | varileaf cinquefoil | |
| Pogl | glandulosa Lindl. = <u>Drymocallis glandulosa</u> (Lindl.) Rydb. | gland cinquefoil | |
| Pohi | hippiana Lehm. | horse cinquefoil | |
| Pono | norvegica L. = <u>P. monspeliensis</u> L. | Norwegian cinquefoil | |
| Pope-2 | pensylvanica L. | Pennsylvania cinquefoil | |
| Popl | plattensis Nutt. | Platte cinquefoil | |
| Popu | pulcherrima Lehm. | beauty cinquefoil | |
| Pori | rivalis Nutt. | brook cinquefoil | |
| PRIM | Primula | primrose | |
| PROB | Proboscidea - Martynia | devilsclaws | |
| Prvu | Prunella vulgaris L. | selfheal | common selfheal |
| PSIL | Psilos trophe | paperflower | |
| PSCO | cooperi (A. Gray) Greene | whitestem paperflower | |
| Pssp | sparsiflora (A. Gray) A. Nels. | greenstem paperflower | |
| Psta | tagetinae (Nutt.) Greene | woolly paperflower | |
| PSOR | Psoralea | scurfpea | |
| Pscs | castorea S. Wats. | breadroot scurfpea | beaverbread scurfpea |
| Psla | lanceolata Pursh | lemon scurfpea | |
| Pste | tenuiflora Pursh | slender scurfpea | slimflower scurfpea |
| Ptaq | Pteridium aquilinum (L.) Kuhn | bracken | |
| Ptaqp | pubescens Underw. | western bracken | |
| PTER | Pterospora | pinedrops | |
| Ptan-2 | andromedea Nutt. | woodland pinedrops | |
| <u>Ptiloria</u> See Stephanomeria | | | |

Forbs List (continued)

| | | | |
|------|---|------------------------------|----------------------------|
| PYRO | <i>Pyrola</i> | pyrola | |
| Pyel | <i>elliptica</i> Nutt. | waxflower pyrola | |
| Pypi | <i>picta</i> J. E. Smith | whitevein pyrola | |
| | <u><i>secunda</i></u> See <i>Ramischia secunda</i> | | |
| Pymu | <i>Pyrrhopappus multicaulis</i> DC. | false-dandelion | ----- |
| | <u><i>Quamoclidion multiflorum</i></u> See <i>Mirabilis multiflora</i> | | |
| | <u><i>Quamoclit</i></u> See <i>Ipomoea</i> | | |
| Rase | <i>Ramischia secunda</i> (L.) Garcke = <u><i>Pyrola secunda</i></u> L. | sidebells-pyrola | sidebells pyrola |
| RANU | <i>Ranunculus</i> | buttercup (crowfoot) | buttercup |
| Raaq | <i>aquatalis</i> L. ^{1/} = <u><i>Batrachium aquatile</i></u> (L.) Wimm. | aquatic buttercup | watercrowfoot buttercup |
| Racy | <i>cymbalaria</i> Pursh | desert buttercup | shore buttercup |
| Rafl | <i>flammula</i> L. | creeping buttercup | spearwort buttercup |
| Rahy | <i>hydrocharoides</i> A. Gray | small-leaf aquatic buttercup | ----- |
| Rama | <i>macranthus</i> Scheele | showy buttercup | |
| RATI | <i>Ratibida</i> | prairie-coneflower | |
| RHIN | <i>Rhinanthus</i> | yellowrattle | rattleweed |
| Rhri | <i>rigidus</i> Chab. | yellowrattle | ----- |
| RHYN | <i>Rhynchosia</i> = <u><i>Dolicholus</i></u> | rosarybean | rhynchosia |
| | <i>Ricinus</i> See "Shrubs" | | |
| RIVI | <i>Rivina</i> | rougeplant | |
| Rihu | <i>humilis</i> L. | bloodberry | bloodberry rouge- plant |

1/ Typical *R. aquatalis* is an Old World species; *Ranunculus aquatalis* var. *capillaceus* (Thuill.) DC. is the name for plants of our area; *R. trichophyllus* Chaix is a synonym of this.

Forbs List (continued)

| | | | |
|--------|--|-------------------------|------------------------|
| RORI | Rorippa | rorippa | |
| Rona | nasturtium-aquaticum (L.) Schinz & Thell. | watercress | |
| Roob | obtusa (Nutt.) Britt. | fieldcress | obtuse field- cress |
| Rosy | sylvestris (L.) Besser | yellowcress | yellow fieldcress |
| RUDB | Rudbeckia | coneflower | |
| Ruhi | hirta L. | black-eyed-susan | |
| Rula | lacinata L. | cutleaf coneflower | |
| Ruoc | occidentalis Nutt. | niggerhead | |
| RUME | Rumex | dock (sorrel) | dock |
| Ruac | acetosella L. | sheep sorrel | |
| Ruco | conglomeratus Murr. | clustered dock | |
| Rucr | crispus L. | curly dock | |
| Ruhy | hymenosepalus Torr. | canaigre (wild-rhubarb) | canaigre |
| Ruob | obtusifolius L. | bitter dock | |
| SAGI-2 | Sagina | pearlwort | |
| SAGI-1 | Sagittaria | arrowhead | |
| Saka | Salsola kali L. = <u>S. pestifer</u> A. Nels. | Russianthistle | |
| SALV | Salvia See also "Shrubs" | sage | |
| Saar | arizonica A. Gray | Arizona sage | ----- |
| Saco | columbariae Benth. | chia sage | California chia |
| Sare | reflexa Hornem. | RockyMountain sage | ----- |
| SAMO | Samolus | waterpimpernel 1/ | ----- |
| SANG | Sanguisorba | burnet | |
| SAPO | Saponaria | soapwort | |
| Saof | officinalis L. | bouncing-bet | |
| Sava | vaccaria L. | cow soapwort | |
| SART | Sartwellia | gypsumweed | ----- |

1/ There are several "water-pimprenels", incl. Veronica anagallis-aquatica.

Forbs List (continued)


| | | | |
|--------------|-------------------------------|------------------------------------|------------------------------|
| SAXI | Saxifraga | saxifrage | |
| SCRO | Scrophularia | figwort | |
| SCUT Scla | Scutellaria lateriflora L. | skullcap sideflowering skullcap | Caucasian skullcap |
| SEDU Sest | Sedum stenopetalum Pursh | stonecrop wormleaf stonecrop | |
| SENE | Senecio | groundsel | |
| Sefe | fendleri A. Gray | notchedleaf groundsel | Fendler groundsel |
| Selo | longilobus Benth. | threadleaf groundsel | |
| Semu | multilobatus Torr. & Gray | lobeleaf groundsel | |
| Sene | neomexicanus A. Gray | New-Mexican groundsel | |
| Sesa | salignus DC. | willow groundsel | |
| Sesp | spartioides Torr. & Gray | broom groundsel | |
| Seti | uintahensis A. Nels | Uinta groundsel | |
| Sevu | vulgaris L. | common groundsel | |
| SIDA | Sida | sida | |
| Sihe | hederacea (Dougl.) Torr. | alkali sida | |
| Sisp | spinosa L. | prickly sida | |
| Sine | Sidalcea neomexicana A. Gray | sidalcea | New-Mexican checkermallow |
| SILE | Silene | silene | silene |
| | | (catchfly, campion*) ^{1/} | |
| Siac | acaulis L. | moss campion | moss silene |
| Sian | antirrhina L. | sleepy catchfly | sleepy silene |
| Sila | laciniiata Cav. | Mexican campion | Mexican silene |
| Sisc | scouleri Hook. | Scouler silene | |
| Sial | Sisymbrium altissimum L. | tumblemustard | |
| SISY | Sisyrinchium | blue-eyed-grass | |
| Side | demissum Greene | blue-eyed-grass | ----- |
| SIUM | Sium | waterparsnip | |
| Sisu | suave Walt. | waterparsnip | hemlock waterparsnip |

^{1/} Campion is generally accepted name for Lychnus.

Forbs List (continued)

| | | | | |
|--------|-----------------------|-------------------------------|--|-------------------------------------|
| SMIL | <i>Smilacina</i> | = <u>Vagnera</u> | smilac | Solomonplume (false-Solomonseal) |
| Smra | <i>racemosa</i> | (L.) Desf. | false-Solomonseal | feather |
| Smst | <i>stellata</i> | (L.) Desf. | starry smilac | Solomonplume starry |
| | | | | Solomonplume |
| SOLA | <i>Solanum</i> | | nightshade | |
| Soel | <i>elaeagnifolium</i> | Cav. | white horserettle (bullnettle) | silverleaf nightshade |
| Sofe | <i>fendleri</i> | A. Gray | Fendle r potato | |
| Sohe | <i>heterodoxum</i> | Dunal | melonleaf nightshade | |
| Soja | <i>jamesii</i> | Torr. | wild potato | ----- James potato % |
| Soni | <i>nigrum</i> | L. | NOTE: a true wild potato black nightshade | |
| | | | NOTE: Many plants referred to <i>Solanum nigrum</i> prove to be <i>Solanum nodiflorum</i> Jacq. | |
| Soro | <i>rostratum</i> | Dunal | buffalo-bur | buffalo-bur nightshade |
| Sotr | <i>triflorum</i> | Nutt. | cutleaf nightshade | |
| Soxa | <i>xantii</i> | A. Gray | purple nightshade | |
| SOLI | <i>Solidago</i> | | goldenrod | |
| Soal | <i>altissima</i> | L. | tall goldenrod | |
| Soca | <i>canadensis</i> | L. | Canada goldenrod | |
| Sode | <i>decumbens</i> | Greene | decumbent goldenrod | |
| Somi | <i>missouriensis</i> | Nutt. | Missouri goldenrod | |
| Sona | <i>nana</i> | Nutt. | baby goldenrod | |
| Sooc | <i>occidentalis</i> | (Nutt.) Torr. & Gray | western goldenrod | |
| Sope | <i>petradoria</i> | Blake | rock goldenrod | |
| | <u>Sophia</u> | See <i>Descurainia</i> | | |
| | <u>Sophora</u> | See "Shrubs" | | |
| SPAR-2 | <i>Sparganium</i> | | burreed | |
| SPEC | <i>Specularia</i> | = <u>Triodanis</u> | Venus-lookingglass | |
| Spbi | <i>biflora</i> | (Ruiz & Pavon) | small lookingglass | |
| | | Fisch. & Mey. | | |
| | | = <u>Triodanis biflora</u> | (Ruiz & Pavon) Greene | |
| Sppe-2 | <i>perfoliata</i> | (L.) DC. | clasping Venus-lookingglass | |
| | | = <u>Triodanis perfoliata</u> | (L.) Nieuwl. | |

% Suggested common name



Forbs List (continued)

| | | | |
|--------|--|-------------------------------|----------------------|
| SPHA | Sphaeralcea | globemallow (hollyhock) | globemallow |
| Spam | ambigua A. Gray | desertmallow | desert ' globemallow |
| Spfe | fendleri A. Gray <u>grandiflora</u> See <i>Iliamna grandiflora</i> | Fendler globemallow | ----- |
| SPIR | Spiranthes | ladies-tresses | |
| STAN | Stanleya | desertplume (princesplume) | princesplume |
| | <u>Steironema ciliatum</u> | See <i>Lysimachia ciliata</i> | |
| STEL | Stellaria | starwort (chickweed) | starwort |
| Stja | jamesiana Torr. | tuber starwort | |
| Stlo-2 | longipes Goldie | longstalk starwort | |
| Stme | media (L.) Cyrill. | chickweed | |
| STEP | Stephanomeria = <u>Ptiloria</u> | wirelettuce | |
| STRE | Streptopus | twistedstalk | |
| Stam | amplexifolius (L.) DC. | claspleaf twistedstalk | |
| SUAE | Suaeda = <u>Dondia</u> | seepweed | |
| SWER | Swertia = <u>Frasera</u> | swertia (greengentian) | swertia |
| Swpe | perennis L. = <i>S. scopolina</i> Greene | alpine-bog swertia | |
| Swra | radiata (Kellogg) Kuntze = <i>Frasera speciosa</i> Griseb. | deers-ears swertia | showy swertia |
| Swut | <u>recurva</u> See <i>Halenia recurva</i> utahensis (Jones) St. John = <i>Frasera paniculata</i> Torr. | elkweed swertia | ----- |
| TAGE | Tagetes | marigold | ----- |
| Tale | lemonii A. Gray | stinking marigold | |
| Tami | micrantha Cav. | wild marigold | little mari- gold |
| TARA | Taraxacum Taraxacum = <u>Leontodon</u> , in part | dandelion | |
| THAL | Thalictrum | meadowrue | |

Constitutive Equations

GR. 1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

GR. 1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

GR. 1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

GR. 1.000000

1.000000

1.000000

1.000000

1.000000

1.000000

1.000000


1.000000

1.000000

Forbs List (continued)

| | | | |
|--------|---|------------------------------|---|
| THEL | <i>Thelesperma</i> | greenthread | |
| Thlo | <i>longipes</i> A. Gray | cota | gota greenthread |
| Thme | <i>megapotamicum</i> (Spreng.) Kuntze | Hopi-tea | Hopi-tea greenthread |
| Thsu | <i>subnudum</i> A. Gray | Navajo-tea | Navajo-tea greenthread |
| THER | <i>Thermopsis</i> | goldenpea (big yellowpea) | thermopsis |
| Thmo-1 | <i>montana</i> Nutt. | mountain goldenpea | |
| Thpi | <i>pinetorum</i> Greene | pine goldenpea | |
| | <u>NOTE:</u> <i>Thermopsis pinetorum</i> is regarded by some botanists as a synonym of <i>T. divaricarpa</i> A. Nels. | | |
| THLA | <i>Thlaspi</i> | pennycress | |
| Thfe | <i>fendleri</i> A. Gray | candytuft | --- |
| | <u>NOTE:</u> Candytuft is the commonly accepted name for <i>Iberis</i> ; wildcandytuft or Fender pennycrest is suggested for a common name. | | |
| THYS | <i>Thysanocarpus</i> | lacepod | ----- |
| TIDE | <i>Tidestromia</i> | tidestromia | |
| Tila | <i>lanuginosa</i> (Nutt.) Standl. | annual tidestromia | woolly tidestromia |
| Tiob | <i>oblongifolia</i> (S. Wats.) Standl. | shrubby tidestromia | honeysweet tidestromia |
| | <u>NOTE:</u> Shubby tidestromia would be more descriptive of <i>Tidestromia suffruticosa</i> . | | |
| TILL | <i>Tillaea</i> | pigmyweed | pygmyweed |
| Tier | <i>erecta</i> Hook. & Arn. | pigmyweed | sand pygmyweed % |
| | <u><i>Tithymalus</i></u> See Euphorbia | | |
| TRAD | <i>Tradescantia</i> | spiderwort | |
| TRAG-2 | <i>Tragia</i> | noseburn | |
| TRAG-1 | <i>Tragopogon</i> | goatsbeard | salsify |
| Trpo | <i>porrifolius</i> L. | salsify | vegetable-oyster salsify (oysterplant) |
| Trpr-2 | <i>pratensis</i> L. | meadow goatsbeard | meadow salsify |
| | <u>NOTE:</u> Goatsbeard is accepted common name for <i>Aruncus</i> . | | |


% Suggested common names.



Forbs List (continued)

| | | |
|--------|---|---|
| TRIA | Trianthema | horse-purslane |
| Trpo-1 | portulacastrum L. | desert horse-purslane |
| Trte | Tribulus terrestris L. | puncturevine |
| | <u>Trichostema brachiatum</u> See <i>Isanthus brachiatus</i> | |
| TRIF | Trifolium | clover |
| Tral-2 | albopurpureum Torr. & Gray | rancheria clover |
| Trdu | dubium Sibth. | shamrock suckling clover <u>NOTE:</u> Shamrock is accepted common name for this species in Ireland. The shamrock of English writers is <i>Oxalis acetosella</i> L. |
| Trhy | hybridum L. | alsike clover |
| Trne | neurophyllum Greene | bighead clover Mogollon clover % <u>NOTE:</u> Bighead clover is SPN common name for <i>Trifolium macrocephalum</i> . |
| Trpr-1 | pratense L. | red clover |
| Trre | repens L. | white clover |
| TRIG | Triglochin | arrowgrass podgrass <u>NOTE:</u> Arrowgrass suitable only for those species with arrow-shaped pods. |
| | <u>Triodanis</u> See <i>Specularia</i> | |
| | <u>NOTE:</u> <i>Triodanis</i> , restored by Dr. McVaugh, is not regarded as a good genus by many botanists. | |
| URTI | Urtica | nettle |
| | <u>Vagnera</u> See <i>Smilacina</i> | |
| VALE | Valeriana | tobaccoroot; valerian |
| VERA | Veratrum | false-hellebore |
| Veca | californicum Durand | false-hellebore California false-hellebore |
| VERB-1 | Verbascum | mullein |
| Veth | thapsus L. | flannel mullein |
| Vevi | virgatum Stokes | purple-stamen mullein |

% - Suggested common name




Forbs List (continued)

| | | | |
|---|---|--|---------------------------------------|
| VERB-2 | Verbena | | verbena |
| Vebi | bipinnatifida Nutt. | | Dakota verbena |
| Vebr | bracteata Lag. & Rodr. | | bigbract verbena |
| Veha | hastata L. | | blue verbena |
| Vewr | wrightii A. Gray | | Wrights verbena |
| VERB-3 | Verbesina | | crownbeard |
| Veen | encelioides (Cav.) Benth. & Hook. | | golden crownbeard |
| VERO | Veronica | | speedwell |
| Veam | americana (Raf.) Schwein. | | American brooklime |
| Vean | anagallis-aquatica L. | | American speedwell water speedwell |
| VICI | Vicia | | vetch |
| Viam | americana Muhl. | | American vetch |
| Viex | exigua Nutt. | | slim vetch |
| Vile | leucophaea Greene | | Mogollon vetch |
| Vipu-1 | pulchella H.B.K. | | sweetclover vetch |
| Visa | sativa L. | | fodder vetch |
| | | | common vetch |
| VIGU | Viguiera = <u>Gymnolomia</u> | | goldeneye |
| Vian | annua (Jones) Blake | | annual goldeneye |
| Vico | cordifolia A. Gray | | heartleaf goldeneye |
| Vide | deltoides A. Gray | | shrubby goldeneye |
| Videp | parishii (Greene) Vasey & Rose | | ----- Parish golden- eye |
| <u>NOTE:</u> This variety only in our area. Since most goldeneye species are shrubby (some almost arborescent), delta-leaf goldeneye is suggested as a more distinctive common name than shrubby goldeneye. | | | |
| Vilo | longifolia (Robins. & Greenm.) Blak. | | longleaf goldeneye |
| Vimu | multiflora (Nutt.) Blake | | showy goldeneye |
| Viov | ovalis Blake | | ovalleaf goldeneye |
| <u>Vincetoxicum productum</u> See Gonolobus productus | | | |
| VIOL | Viola | | violet |
| Viad | adunca J. E. Smith | | hook violet |
| Vica | canadensis L. | | Canada violet |
| Vine | nephrophylla Greene | | wanderer violet |
| Vinu | nuttallii Pursh | | Nuttall violet |
| Vipe | pedatifida G. Don | | larkspur violet |
| Vipu-2 | purpurea .. Kellogg | | goosefoot violet |
| | | | prairie violet |

Forbs List (continued)

| | | | |
|--------|--|---|--------------------------|
| Wire | <i>Wislizenia refracta</i> Engelm. | jackass-clover | ----- |
| WOOD | <i>Woodsia</i> | rockfern | woodsia |
| WOOD-1 | <i>Woodwardia</i> | chainfern | |
| Wofi | <i>fimbriata</i> J. E. Smith | chainfern | giant chainfern |
| WYET | <i>Wyethia</i> | wyethia | |
| Wyam | <i>amplexicaulis</i> Nutt. | mules-ears wyethia | |
| XANT | <i>Xanthium</i> | cocklebur | |
| ZANN | <i>Zannichellia</i> | horned-pondweed | poolmat |
| Zapa | <i>palustris</i> L. | horned-pondweed | common poolmat |
| | | <u>NOTE:</u> Pondweed is the accepted common name for Potamogeton. | |
| Zala | <i>Zauschneria latifolia</i> (Hook.) Greene | hummingbird-trumpet (firechalice) | broadleaf firechalice |
| ZIGA | <i>Zigadenus</i> = <u><i>Zygadenus</i></u> | deathcamas | deathcamas |
| Ziel | <i>elegans</i> Pursh | (wild-onion, sandcorn) | |
| Zipa | <i>paniculatus</i> (Nutt.) S. Wats. | mountain deathcamas | |
| | | foothill deathcamas | |
| ZINN | <i>Zinnia</i> | zinnia | |
| Zigr | <i>grandiflora</i> Nutt | RockyMountain zinnia | |
| Zimu | <i>multiflora</i> L. | redstar zinnia | |
| | <u><i>Zygadenus</i></u> See Zigadenus | | |
| | <u><i>Zygophyllidium</i></u> See Euphorbia | | |



TREES AND SHRUBS LIST

| | | | |
|---------------------------------------|--|-----------------------------------|--------------------------|
| ABIE | Abies | | fir |
| Abco | concolor (Gord. & Glend.) Lindl. | white fir | |
| Abla | lasiocarpa (Hook.) Nutt. | subalpine fir | |
| Abla | arizonica (Merriam) Lemm. | corkbark fir | |
| ABUT | Abutilon | Indianmallow | abutilon |
| ACAC | Acacia | acacia | |
| Acan | angustissima (Mill.) Kuntze | whiteball acacia | prairie acacia |
| Acco-1 | constricta Benth. | mescat acacia (whitethorn) | mescat acacia |
| Acfa | farnesiana (L.) Willd. | sweet acacia | |
| Acgr | greggii A. Gray | catclaw acacia | |
| Acly | Acalypha lindheimeri Muell. -Arg. | crimson acalypha | Lindheimer copperleaf |
| ACAM | Acamptopappus | goldenhead | |
| Acsp | sphaerocephalus (Harv. & Gray) A. Gray | rayless goldenhead | |
| ACER | Acer | maple | |
| Acgl | glabrum Torr. | Rocky Mountain maple | |
| Acgr-1 | grandidentatum Nutt. | bigtooth maple | |
| Acne | negundo L. | boxelder | |
| <u>Adelia</u> See <u>Forestiera</u> . | | | |
| AGAV | Agave | agave | |
| Agat | atrovirens Karw. | pulque agave -- a Mexican species | |
| Agde | deserti Engelm. | desert agave | ----- |
| Agka | kaibabensis McKelvey | Kaibab agave | ----- |
| Agpa-2 | palmeri Engelm. | Palmer agave (centuryplant) | Palmer agave |
| Agpa-3 | parryi Engelm. | Parry agave (mescal) | Parry agave |
| Agpa-4 | parviflora Torr. | small-flowered agave | ----- |
| Agsc-3 | schottii Engelm. | Schott agave (amole) | ----- |
| Agut | utahensis Engelm. | Utah agave | |

| | | |
|------|--------------------|------------------------------------|
| ALNU | Alnus | alder |
| Alob | oblongifolia Torr. | Arizona alder |
| Alte | tenuifolia Nutt. | thinleaf alder (mountain alder) |

Trees and Shrubs List (continued)

| | | | |
|--------|--|--|------------------------|
| Alwr | <i>Aloysia wrightii</i> (A. Gray) Heller = <i>Lippia wrightii</i> A. Gray | Wrights lippia | Wrights lemon-verbena% |
| AMEL | <i>Amelanchier</i> 1/ <i>mormonica</i> C. K. Schneid. | serviceberry | ----- |
| Ammo | <i>oreophila</i> A. Nels. | Mormon serviceberry | ----- |
| Amor | <i>polycarpa</i> Greene | mountain serviceberry | ----- |
| Ampo | <i>utahensis</i> Koehne | cluster serviceberry | ----- |
| Amut | | Utah serviceberry | ----- |
| AMOR | <i>Amorpha</i> | amorpha | |
| Amca | <i>californica</i> Nutt. | stinkingwillow amorpha | California amorpha |
| Amfr-1 | <i>fruticosa</i> L. | indigobush amorpha | |
| Amfr-2 | <i>Amphipappus fremontii</i> Torr. & Gray | chaffbush (broomweed) | ----- |
| ANIS | <i>Anisacanthus</i> | ----- | anisacanth |
| Anth | <i>thurberi</i> (Torr.) A. Gray | desert-honeysuckle | Thurber anisacanth |
| | | NOTE: There are some true honeysuckles (<i>Lonicera</i> spp.) growing in the southwestern U.S. and northern Mexico deserts. Desert-honeysuckle not a very distinctive name. See also Beloperone. | |
| APLO | <i>Aplopappus</i> (also spelled Haplopappus) | See Forbs List. | |

% Suggested common name.

1/ Serviceberry species hard to tell apart. G. N. Jones,
 "American Species of *Amelanchier*" (Univ. Ill. Biol.
 Monog. 20: 1 - 126. 1946) regards *A. mormonica* and *A. oreophila*
 as synonyms of *A. utahensis*, and *A. polycarpa* as a synonum of
A. pumila Nutt. The Forest Service Check List reduces
A. oreophila to a synonum of *A. utahensis*. Kearney and
 Peebles, Arizona Flora, 1951, treat the species as given
 above.

Trees and Shrubs List (continued)

| | | |
|--------|--|--|
| ARBU | Arbutus | madrone |
| Arar-2 | arizonica (A. Gray) Sarg. | Arizona madrone |
| Arte-2 | texana Buckl. | Texas madrone |
| | | |
| ARCE | Arceuthobium = Razoumowskya | dwarf mistletoe |
| | | |
| ARCT-1 | Arctostaphylos | manzanita |
| Arpa-3 | patula Greene | greenleaf manzanita |
| Arpr | pringlei Parry | Pringle manzanita |
| Arpu-2 | pungens H.B.K. | pointleaf manzanita |
| Aruv | uva-ursi (L.) Spreng. | bearberry (kinnikinnick) |
| | | |
| ARTE | Artemisia | sagebrush |
| Aran | annua L. | sweet wormwood |
| Arca-3 | cana Pursh | silver sagebrush |
| Ardr-2 | dracunculoides Pursh | false-tarragon |
| | | |
| Arfi | filifolia Torr. | sand sagebrush |
| Arfr-2 | franserioides Greene | ragweed sagebrush |
| Arfr-1 | frigida Willd. | estafia |
| Arlu | ludoviciana Nutt. | Louisiana wormwood |
| Arno | nova A. Nels. | black sagebrush |
| Arpy | pygmaea A. Gray | pygmy sagebrush |
| Arsp | spinescens D. C. Eaton | budsage (button sage) |
| | | |
| Artr | tridentata Nutt. | big sagebrush |
| | | |
| ATRI | Atriplex | saltbush (saltsage, sage*, spearscale, redscale, arrowscale wedgescale) |
| | | saltbush |
| Atar | argentea Nutt. | tumbling saltbush |
| | | ----- |
| Atca | canescens (Pursh) Nutt. | NOTE: Tumbling orach is accepted common name for Atriplex rosea. fourwing saltbush (chamiza) (estafietta) |
| | | fourwing salt- bush |
| Atco | confertifolia (Torr. & Frem.) S. Wats. | shadscale |
| | | saltbush |
| Athy | hymenelytra (Torr.) S. Wats. | desertholly |
| | | saltbush |
| Atle | lentiformis (Torr.) S. Wats. | quailbrush |
| | | big saltbush (lenscale, quail- bush) |
| Atpo | polycarpa (Torr.) S. Wats. | desert saltbush (cattle-spinach) |
| | | cattle saltbush |
| | | NOTE: Allscale saltbush is another suggested common name. |

Trees and Shrubs List (continued)

| | | | |
|--------|---|--------------------------------------|-----------------------------|
| | Atriplex (continued) | | |
| Atro | rosea L. | redscale | tumbling orach |
| Atse | semibaccata R. Br. | Australian saltbush | |
| AYEN | Ayenia | ayenia | |
| Aymi | microphylla A. Gray | littleleaf ayenia | ----- |
| Aypu | pusilla L. | dwarf ayenia | |
| BACC | Baccharis | baccharis | |
| Babr | brachyphylla A. Gray | shortleaf baccharis | |
| Baem | emoryi A. Gray | Emory baccharis | |
| Bagl | glutinosa Pers. | seepwillow | seepwillow baccharis |
| Bapt | pteronioides DC. = <u>B. ramulosa</u> (DC) A. Gray | yerba-de-pasmo | yerba-de-pasmo baccharis |
| Basa-l | sarothroides A. Gray | broom baccharis | |
| Base | sergiloides A. Gray | squaw baccharis | |
| Bavi | viminea DC. | mulefat baccharis | |
| Beju | Bebbia juncea (Benth.) Greene | rush bebbia | |
| Becc | Beloperone californica Benth. | California beloperone (chuparosa) | California beloperone |
| BERB | Berberis See also Mahonia | barberry | barberry |
| Befe | fendleri A. Gray | Colorado barberry | |
| | <u>haematocarpa</u> See Mahonia haematocarpa | | |
| | repens See Mahonia repens | | |
| | <u>trifoliolata</u> See Mahonia trifoliolata | | |
| BETU | Betula | birch | |
| | <u>fontinalis</u> See B. occidentalis | | |
| Begl | glandulosa Michx. | bog birch | |
| Beoc | occidentalis Hook. = <u>B. fontinalis</u> Sarg. | water birch (red birch) | water birch |
| Bogl | Bouvardia glaberrima Engelm. = <u>B. ovata</u> A. Gray | honeysuckle bouvardia | ----- |

Trees and Shrubs List (continued)

| | | | | |
|--------|---------------------|------------------------|-------------------------|--------------------------|
| BRIC | <i>Brickellia</i> | = <i>Coleosanthus</i> | brickellbush | brickellia |
| Brca-3 | <i>californica</i> | (Torr. & Gray) A. Gray | California brickellbush | California brickellia |
| Brde | <i>desertorum</i> | Coville | desert brickellbush | desert brickellia |
| Brfl | <i>floribunda</i> | A. Gray | bigleaf brickellbush | bigleaf brickellia |
| Brfr-2 | <i>frutescens</i> | A. Gray | rigid brickellbush | rigid brickellia |
| Brgr | <i>grandiflora</i> | (Hook.) Nutt. | tasselflower | tasselflower |
| Brin-2 | <i>incana</i> | A. Gray | brickellbush | brickellia |
| Brlo | <i>longifolia</i> | S. Wats. | white brickellbush | white brickellia |
| Brmu | <i>multiflora</i> | Kellogg | longleaf brickellbush | longleaf brickellia |
| Brob | <i>oblongifolia</i> | Nutt. | Inyo brickellbush | Inyo brickellia |
| Brru-2 | <i>rusbyi</i> | A. Gray | Mohave brickellbush | Mohave brickellia |
| | | | stinking brickellbush | ----- |

| | | | | |
|-------|-------------------|----------------|-------------|-------------|
| BUME | <i>Bumelia</i> | | bumelia | |
| Bula | <i>lanuginosa</i> | (Michx.) Pers. | ----- | gum bumelia |
| Bular | <i>rigida</i> | A. Gray | gum bumelia | ----- |

NOTE: Neither SPN nor the Forest Service Check List gives a common name for this variety; stifftwig gum bumelia is suggested.

| | | | | |
|------|--------------------|-----------------|------------------|------------------|
| BURS | <i>Bursera</i> | | bursera | |
| Bufa | <i>fagaroides</i> | (H.B.K.) Engler | Fragrant bursera | |
| Bumi | <i>microphylla</i> | A. Gray | elephanttree | elephant bursera |

Caesalpinia gilliesii See *Poinciana gilliesii*

| | | | | |
|------|-------------------|---------|--------------------|-----------------|
| CALL | <i>Calliandra</i> | | calliandra | calliandra |
| Caer | <i>eriophylla</i> | Benth. | false-mesquite | false-mesquite/ |
| Cahu | <i>humilis</i> | Benth. | dwarf calliandra | |
| Care | <i>reticulata</i> | A. Gray | netvein calliandra | |

| | | | | |
|------|---------------------------|-------|---|--|
| Caho | <i>Canotia holacantha</i> | Torr. | canotia (crucifixion-thorn) | |
| | | | <u>NOTE:</u> The true crucifixion thorn is <i>Zizyphus spina-christi</i> of the Levant. | |

| | | | | |
|--------|----------------------|-----------------|-----------------------|--|
| CARL | <i>Carlowrightia</i> | | carlowrightia | |
| Caar-1 | <i>arizonica</i> | | Arizona carlowrightia | |
| Cali-2 | <i>linearifolia</i> | (Torr.) A. Gray | heath carlowrightia | |

Carnegiea See *Cereus*

Trees and Shrubs List (continued)

| | | | | |
|--------|--|-------------------------|---|----------------------------|
| CASS | Cassia | See also under Forbs. | senna | |
| Caar-2 | armata | S. Wats. | desert senna | |
| Cale-2 | leptocarpa | Benth. | slimpod senna | |
| Cawi | wislizenii | A. Gray | Wislizenus senna | |
| CEAN | Ceanothus | | ceanothus | |
| Cefe | fendleri | A. Gray | buckbrush | Fendler ceanothus |
| Cegr | greggii | A. Gray | desert ceanothus | |
| Cein-l | integerrimus | Hook. & Arn. | deerbrush | deerbrush ceanothus |
| CELT | Celtis | | hackberry | |
| Cepa-2 | pallida | Torr. | spiny hackberry (granjeno) | spiny hackberry |
| Cere | reticulata | Torr. | netleaf hackberry (paloblanco) | netleaf hackberry |
| Ceoc | Cephaelanthus occidentalis | L. | buttonbush | common buttonbush |
| CERC-2 | Cercidium | | paloverde | |
| Cefl | floridum | Benth. | blue paloverde | |
| Cemi | microphyllum | (Torr.) Rose & Johnston | yellow paloverde; littleleaf paloverde | |
| Ceoc01 | Cercis occidentalis | Torr. | California redbud | |
| CERC-1 | Cercocarpus | | mountainmahogany | cercocarpus |
| | <u>NOTE:</u> See Check List. The Forest Service has maintained that "mahogany" should be restricted to Swietenia. | | | |
| Cebe-1 | betuloides | Nutt. | birchleaf mountainmahogany | birchleaf cercocarpus |
| Cebr | breviflorus | A. Gray | hairy mountainmahogany | hairy " |
| Cein-2 | intricatus | S. Wats. | littleleaf " | littleleaf " |
| Cele | ledifolius | Nutt. | curlleaf " | curlleaf " |
| Cemo | montanus | Raf. | true " | ---- |
| CERE | Cereus | | cereus | |
| Cegi | giganteus | Engelm. | saguaro (sahuaro) | saguaro |
| | <u>= Carnegiea gigantea</u> (Engelm.) Britt. & Rose | | | |
| Chmi | Chamaebatiaria millefolium | (Torr.) Maxim. | fernbrush (tansybush) | tansybush (desertsweet) |

Trees and Shrubs List (continued)

| | | |
|---|--|----------------------------------|
| Chli | <i>Chilopsis linearis</i> (Cav.) Sweet | desertwillow |
| CHOI | <i>Choisya</i> | Mexican-orange |
| Char | <i>arizonica</i> Standl. | starleaf Mexican-orange |
| | = <u>C. dumosa arizonica</u> (Standl.) L. Benson | Arizona starleaf % |
| CHRY-1 | <i>Chrysothamnus</i> | rabbitbrush |
| Chde | <i>depressus</i> Nutt. | dwarf rabbitbrush |
| Chna | <i>nauseosus</i> (Pall.) Britt. | rubber rabbitbrush |
| Chpa-2 | <i>paniculatus</i> (A. Gray) H. M. Hall | desert rabbitbrush |
| Chpu | <i>pulchellus</i> (A. Gray) Greene | southwest rabbitbrush |
| Chte | <i>teretifolius</i> (Dur. & Hilg.) H. M. Hall | roundleaf rabbitbrush |
| Chvi-3 | <i>viscidiflorus</i> (Hook.) Nutt. | Douglas rabbitbrush |
| CLEM | <i>Clematis</i> | clematis |
| Clli | <i>ligusticifolia</i> Nutt. | virginsbower |
| | | western virgins- bower |
| Clps | <i>pseudoalpina</i> (Kuntze) A. Nels. | RockyMountain clematis |
| COLD | <i>Coldenia</i> | coldenia |
| Coca-2 | <i>canescens</i> DC. | spreading coldenia |
| Copl | <i>plicata</i> (Torr.) Coville | desertmat coldenia |
| Cora-1 | <i>Coleogyne ramosissima</i> Torr. | blackbrush |
| <u>Coleosanthus</u> See <i>Brickellia</i> | | |
| COND | <i>Condalia</i> | condalia |
| Cogl | <i>globosa</i> Johnst. | bitter condalia |
| | <u><i>lycioides</i></u> See <i>C. obtusifolia</i> | |
| Come-2 | <i>mexicana</i> Schlecht. | Mexican bluewood |
| Coob | <i>obtusifolia</i> (Hook.) Weberb. = <u><i>C. lycioides</i></u> (A. Gray) Weberb. | lotebush condalia (graythorn) |
| Cosp | <i>spathulata</i> A. Gray | squawbush |
| CORN | <i>Cornus</i> | dogwood |
| Cost-1 | <i>stolonifera</i> Michx. | red-osier dogwood |

% Suggested common name.

Trees and Shrubs List (continued)

| | | | |
|--------|--|----------------|-------------|
| CORY-2 | <i>Coryphantha</i> = <i>Mammillaria</i> , in part | | coryphantha |
| Coag | <i>aggregata</i> (Engelm.) Britt. & Rose golfball cactus | golfball cory- | phantha |
| | = <i>Mammillaria aggregata</i> Engelm. | | phantha |
| Coar-2 | <i>arizonica</i> (Engelm.) Britt. & Rose Arizona mammillaria | Arizona cory- | phantha |
| | = <i>Mammillaria arizonica</i> Engelm. | | phantha |
| Coch | <i>chlorantha</i> (Engelm.) Britt. & Rose foxtail cactus | ----- | |
| | = <i>Mammillaria chlorantha</i> Engelm. | | |
| Coro | <i>robustispina</i> (Schott) Britt. & Rose spikespine cactus | spikespine | |
| | = <i>Mammillaria robustispina</i> Schott | coryphantha | |

Covillea See *Larrea*

| | | | |
|--------|--|--|-----------|
| Come-1 | <i>Cowania mexicana</i> D. Don = <i>C. stansburiana</i> Torr. | cliffrose (quinine-bush, buckbrush) | cliffrose |
|--------|--|--|-----------|

| | | | |
|------|-------------------------|--------------------|--|
| CRAT | <i>Crataegus</i> | hawthorn | |
| Crch | <i>chrysocarpa</i> Ashe | fireberry hawthorn | |
| Crer | <i>erythropoda</i> Ashe | Cerro hawthorn | |
| Crri | <i>rivularis</i> Nutt. | river hawthorn | |

| | | | |
|--------|------------------------------------|-------------|--|
| CROT-2 | <i>Croton</i> See also under FORBS | croton | |
| Crfr | <i>fruticulosus</i> Engelm. | bush croton | |

| | | | |
|------|-------------------------|-----------------|--|
| CUPR | <i>Cupressus</i> | cypress | |
| Cuar | <i>arizonica</i> Greene | Arizona cypress | |

| | | | |
|--------|------------------------------|------------------------|--|
| Dasp-2 | <i>Dalea spinosa</i> A. Gray | smokethorn (smoketree) | |
|--------|------------------------------|------------------------|--|

Dasiphora See *Potentilla*

| | | | |
|------|--------------------------|---------------|--|
| DASY | <i>Dasyliion</i> | sotol | |
| Date | <i>texanum</i> Scheele | Texas sotol | |
| Dawh | <i>wheeleri</i> S. Wats. | Wheeler sotol | |

| | | | |
|------|-----------------------------------|---------|--------------------|
| DODO | <i>Desmanthus</i> See under FORBS | | |
| Dovi | <i>Dodonaea</i> | hopbush | hopseedbush |
| | <i>viscosa</i> Jacq. | hopbush | clammy hopseedbush |

| | | | |
|--------|--------------------------------------|-------------------------|-------|
| ECHI-3 | <i>Echinocactus</i> | echinocactus | |
| Echo | <i>horizonthalonius</i> Lemaire | devilshead echinocactus | |
| Ecpo | <i>polycephalus</i> Engelm. & Bigel. | cottontop echinocactus | |
| Ecxe | <i>xeranthemoides</i> Engelm. | shinyspine echinocactus | ----- |

Trees and Shrubs List (continued)

| | | | | |
|--------|---|------------------------|-----------------------------|------------------------|
| ECHI-2 | Echinocereus | | echinocereus | |
| Ecbo | boyce-thompsonii Orcutt | | Boyce-Thompson echinocereus | ----- |
| Ecen | engelmannii (Parry) Rümpler | " | Engelmann echinocereus | |
| Ecfe | fendleri (Engelm.) Rümpler | " | Fendler echinocereus | |
| Ecpe | pectinatus (Scheidw.) Engelm. | | comb echinocereus | |
| Ecper | rigidissimus Engelm. | | rainbow echinocereus | |
| | = <u>E. rigidissimus</u> (Engelm.) Rose | | | |
| Ecre | reichenbachii (Walp.) Haage | | lace echinocereus | |
| Ecst | stramineus (Engelm.) Rümpler | " | strawberry echinocereus | ----- |
| | = <u>Cereus stramineus</u> Engelm. | | | |
| Ectr | triglochidiatus Engelm. | | claretcup echinocereus | |
| Ecjo | Echinomastus johnsonii (Parry) Baxter; beehive cactus | | | ----- |
| | = <u>Echinocactus johnsonii</u> Parry | | | |
| | = <u>Ferocactus johnsonii</u> (Parry) Britt. & Rose | | | |
| | = <u>Thelocactus johnsonii</u> (Parry) W. T. Marsh | | | |
| ECHI-4 | Echinopsis | | hedgehog-cactus | |
| | <u>Edwinia</u> See Jamesia | | | |
| ELAE | Elaeagnus | | oleaster | |
| Elan | angustifolia L. | | Russian-olive | elaeagnus |
| ENCE | Encelia | | brittlebush | |
| Enfa | farinosa A. Gray | | white brittlebush | encelia |
| Enfr | frutescens A. Gray | | green brittlebush | bush encelia |
| EPHE | Ephedra | | ephedra | ephedra |
| | | (jointfir, Mormon-tea) | | |
| Epne | nevadensis S. Wats. | | Nevada ephedra | |
| Eptr | trifurca Torr. | | longleaf ephedra | |
| Epvi | viridis Coville | | green ephedra | |
| ERIO | Eriodictyon | | yerba-santa | |
| Eran-2 | angustifolium Nutt. | | mountainbalm | narrowleaf yerba-santa |
| | <u>Eriogonum</u> See under FORBS | | | |
| ERYT-2 | Erythrina | | coralbean | |
| Erf1-3 | flabelliformis Kearney | | southwestern coralbean | western coralbean |

Trees and Shrubs List (continued)

| | | | |
|--------|---|---|----------------------------------|
| Eula-1 | <i>Eurotia lanata</i> (Pursh) Moq. | winterfat (sweet-sage) | winterfat |
| Eypo | <i>Eysenhardtia polystachya</i> (Ortega) Sarg. | kidneywood | |
| Fapa | <i>Fallugia paradoxa</i> (D. Don) Endl. | Apache-plume | |
| FEND | <i>Fendlera</i> | Fendlerbush | |
| Feru-2 | <i>rupicola</i> A. Gray | cliff Fendlerbush | |
| FERO | <i>Ferocactus</i> | barrelcactus | |
| Feac | <i>acanthodes</i> (Lemaire) Britt. & Rose | California barrelcactus | |
| Feco | <i>covillei</i> Britt. & Rose | Coville barrelcactus | ----- |
| Fewi | <i>wislizenii</i> (Engelm.) Britt. & Rose | southwest barrelcactus (Arizona watercactus) | |
| Flce | <i>Flourensia cernua</i> DC. | tarbush | American tarbush |
| FORE | <i>Forestiera</i> = <i>Adelia</i> Michx., NOT L. | <i>forestiera</i> (adelia) | |
| Fone | <i>neomexicana</i> A. Gray | wild-olive <i>forestiera</i> | New-Mexican <i>forestiera</i> |
| Foph | <i>phillyreoides</i> (Benth.) Torr. | desert-olive <i>forestiera</i> | |
| Fosp-1 | <i>Forsellesia</i> = <i>Glossopetalon</i> l/ <i>spinescens</i> (A. Gray) Greene = <i>Glossopetalon spinescens</i> A. Gray | greasebush spiny greasebush | |
| Fosp-2 | <i>Fouquieria splendens</i> Engelm. | ocotillo | |
| FRAX | <i>Fraxinus</i> | ash | |
| Fran | <i>anomala</i> Torr. | singleleaf ash | |
| Franl. | <i>lowellii</i> (Sarg.) Little | Lowell ash | |
| Frcu | <i>cuspidata</i> Torr. | fragrant ash | |
| Frgr | <i>greggii</i> A. Gray | Gregg ash | |
| Frpa | <i>papillosa</i> Lingelsh. | Chihuahua ash | |
| Frve | <i>velutina</i> Torr. | velvet ash | |

1/ There is controversy among botanists as to whether or not *Glossopetalon* and *Glossopetalum* are both tenable. It seems clear, under Art. 70, note 4 of Rules, that the names are "orthographic variants" and that *Glossopetalon* is untenable.

Trees and Shrubs List (Continued)

| | | | |
|--------|--|---|-------------------------|
| Frca | <i>Fremontia californica</i> Torr. | <i>California fremontia</i> | |
| GARR | <i>Garrya</i> | silktassel | |
| Gafl | <i>flavescens</i> S. Wats. | yellowleaf silktassel | |
| Gawr-2 | <i>wrightii</i> Torr. | Wright silktassel | |
| | | | |
| | <u>Glossopetalon</u> | See <i>Forsellesia</i> | |
| GOSS | <i>Gossypium</i> | cotton | |
| Goth | <i>thurberi</i> Todara | desert cotton (little cotton) | Thurber cotton |
| | = <u><i>Thurberia thespesioides</i></u> | A. Gray | |
| GRAY | <i>Grayia</i> | hopsage | |
| Grbr | <i>brandegei</i> A. Gray | spineless hopsage | |
| Grsp | <i>spinosa</i> (Hook.) Moq. | spiny hopsage | |
| | | | |
| | <u>Grossularia</u> | See <i>Ribes</i> | |
| GUTI | <i>Gutierrezia</i> | snakeweed (turpentineeed, fireweed) | snakeweed |
| Guca | <i>californica</i> (DC.) Torr. & Gray | California snakeweed | |
| Gulu | <i>lucida</i> Greene | sticky snakeweed | |
| Gumi | <i>microcephala</i> (DC.) A. Gray | threadleaf snakeweed | |
| Gusa | <i>sarothrae</i> (Pursh) Britt. & Rusby | broom snakeweed | |
| HIBI | <i>Hibiscus</i> | hibiscus (rosenmallow) | hibiscus rosenmallow |
| Hico | <i>coulteri</i> Harv. | desert hibiscus | desert rosenmallow |
| Hide | <i>denudatus</i> Benth. | paleface hibiscus | paleface rosenmallow |
| Hoem | <i>Holacantha emoryi</i> A. Gray | crucifixion-thorn | holacantha |
| Hodu | <i>Holodiscus dumosus</i> (Nutt.) Heller = <u><i>Sericotheca dumosa</i></u> (Nutt.) Rydb. | rockspiraea (ocean-spray) | bush rockspirea |
| HYME-3 | <i>Hymenoclea</i> | burrobrush | |
| Hymo | <i>monogyra</i> Torr. & Gray | singlewhorl burrobrush | |
| Hysa | <i>salsola</i> Torr. & Gray | white burrobrush | |

Trees and Shrubs List (continued)

| | | | |
|------|--|----------------------------|----------------------|
| HYPY | Hyptis | brushmint | bushmint |
| Hyem | emoryi Torr. | desertlavender | Emory bushmint |
| INDI | Indigofera | indigo | |
| Insp | sphaerocarpa A. Gray | Sonora indigo | |
| Jaov | Jacobinia ovata A. Gray | redfunnel | redfunnel jacobinia |
| Jaam | Jamesia americana Torr. & Gray = <u>Edwinia americana</u> (Torr. & Gray) Heller | cliffbush | cliff jamesia |
| JANU | Janusia | janusia | |
| Jagr | gracilis A. Gray | slender janusia | |
| JATR | Jatropha | nettlespurge | |
| Jaca | cardiophylla (Torr.) Muell.-Arg. | sangre-de-Cristo | sangre-de-Cristo |
| | | | nettlespurge |
| | | | (suggested name) |
| JUGL | Juglans | walnut | |
| Juma | major (Torr.) Heller | Arizona walnut | |
| Jumi | microcarpa Berlandier | little walnut | |
| JUNI | Juniperus | juniper | |
| Juco | communis L. | dwarf juniper | common juniper |
| Jude | deppiana Steud. | alligator juniper | |
| Jumo | monosperma (Engelm.) Sarg. | one-seed juniper | |
| Juos | osteosperma (Torr.) Little | Utah juniper | |
| Jusc | scopulorum Sarg. | RockyMountain juniper | |
| Kosp | Koeberlinia spinosa Zucc. | allthorn (crown-of-thorns) | allthorn |
| KRAM | Krameria | krameria (ratany) | krameria |
| Krgr | grayi Rose & Painter | Grays krameria | |
| Krpa | parvifolia Benth. | littleleaf krameria | |
| LANT | Lantana | lantana | |
| LARR | Larrea = Covillea | creosotebush | |
| Latr | tridentata (DC.) Coville = Covillea <u>tridentata</u> (DC.) Vail | creosotebush | Coville creosotebush |

Trees and Shrubs List (continued)

Lathyrus See under Forbs

Leth Lemaireocereus thurberi (Engelm.) Britt. & Rose organpipe cactus

Lefr Lepidium fremontii S. Wats. desert pepperweed

Lepu Leptodactylon pungens (Torr.) Nutt. granite gilia
= Gilia pungens (Torr.) Benth. (shrubby-phlox)

Lippia wrightii See Aloysia wrightii

| | | |
|--------|--------------------------------|-----------------------|
| LONI | Lonicera | honeysuckle |
| Loar | arizonica Rehder | Arizona honeysuckle |
| Loin-1 | interrupta Benth. | chaparral honeysuckle |
| Loin-2 | involutcrata (Richards.) Banks | bearberry honeysuckle |
| Loja | japonica Thunb. | Japanese honeysuckle |
| Lout | utahensis S. Wats. | Utah honeysuckle |

Losc Lophocereus schottii (Engelm.) Britt. & Rose sinita -----
= Cereus schottii Engelm.

LOPH Lophophora peyote

| | | | |
|--------|--------------------|--------------------|-----------|
| LYCI | Lycium | wolfberry | wolfberry |
| | | (desertthorn) | |
| Lyan | andersonii A. Gray | Anderson wolfberry | |
| Lyco | cooperi A. Gray | Cooper wolfberry | |
| Lyfr | fremontii A. Gray | Fremont wolfberry | |
| Lypa-1 | pallidum Miers | pale wolfberry | |
| Lypa-2 | parishii A. Gray | Parish wolfberry | |
| Lyto | torreyi A. Gray | Torrey wolfberry | |

LYSI-2 Lysiloma lysiloma

| | | | |
|------|--|-------------|------------------|
| MAHO | Mahonia = <u>Berberis</u> , in part | ----- | mahonia |
| | = <u>Odostemon</u> | | |
| Maha | haematocarpa (Woot.) Fedde | red mahonia | |
| | = <u>Berberis haematocarpa</u> Woot. | | |
| | = <u>Odostemon haematocarpus</u> (Woot.) Heller | | |
| Mare | repens (Lindl.) G. Don | Oregongrape | creeping mahonia |
| | = <u>Berberis repens</u> Lindl. | | |
| | = <u>Odostemon repens</u> (Lindl.) Cockerell | | |
| Matr | trifoliolata (Moric.) Fedde | algerita | Laredo mahonia |
| | = <u>Berberis trifoliolata</u> Moric. | | |
| | = <u>Odostemon trifoliolatus</u> (Moric.) Heller | | |

Trees and Shrubs List (continued)

| | | | |
|--------|---|--|----------------|
| MAMM | <i>Mammillaria</i> | <i>mammillaria</i> | |
| | <u>aggregata</u> See <i>Coryphantha aggregata</i> | | |
| | <u>arizonica</u> See <i>Coryphantha arizonica</i> | | |
| | <u>chlorantha</u> See <i>Coryphantha chlorantha</i> | | |
| Mafa | <i>fasciculata</i> Engelm. | little fishhook mammillaria | ----- |
| Mahe | <i>heyderi</i> Muehlenpfordt | Heyder mammillaria | |
| Mama-2 | <i>macdougalii</i> Rose | MacDougal mammillaria | |
| Mami | <i>microcarpa</i> Engelm. | fishhook mammillaria | |
| Maol | <i>oliviae</i> Orcutt | Olivia mammillaria | |
| | <u>robustispina</u> See <i>Coryphantha robustispina</i> | | |
| Mawi | <i>wilcoxii</i> Toumey | Wilcox mammillaria | |
| MENO | <i>Menodora</i> | <i>menodora</i> | |
| Mesc-1 | <i>scabra</i> A. Gray | rough menodora | |
| Mesc-2 | <i>scoparia</i> Engelm. | broom menodora | |
| Mesp-2 | <i>spinescens</i> A. Gray | spiny menodora | |
| MIMO | <i>Mimosa</i> | <i>mimosa</i> | <i>mimosa</i> |
| | | (sensitiveplant) | |
| | | NOTE: Sensitiveplant is accepted | |
| | | common name for <i>Mimosa pudica</i> . | |
| Mibi-3 | <i>biuncifera</i> Benth. | wait-a-bit | catclaw mimosa |
| Midy | <i>dysocarpa</i> Benth. | velvetpod mimosa | |
| Mosc | <i>Mortonia scabrella</i> A. Gray | scurfy mortonia | ----- |
| MORU | <i>Morus</i> | mulberry | |
| Moal | <i>alba</i> L. | white mulberry | |
| Momi | <i>microphylla</i> Buckl. | Texas mulberry | |
| Nigl | <i>Nicotiana glauca</i> Graham | tree tobacco | |
| NOLI | <i>Nolina</i> | beargrass | <i>nolina</i> |
| | | NOTE: Beargrass is the accepted | |
| | | common name for <i>Xerophyllum</i> . | |
| Nomi | <i>microcarpa</i> S. Wats. | sacahuista | |
| Note | <i>texana</i> S. Wats. | Texas beargrass | Texas nolina |
| | <u>Odostemon</u> See <i>Mahonia</i> | | |
| Olte | <i>Olneya tesota</i> A. Gray | <i>tesota</i> | <i>tesota</i> |
| | | (ironwood) | |
| | | NOTE: Ironwood has been applied to | |
| | | so many different species and | |
| | | genera that it is not a | |
| | | distinctive common name. | |
| | <u>Opulaster</u> See <i>Physocarpus</i> | | |

Trees and Shrubs List (continued)

| | | | |
|--------|--------------------------------------|------------------------------------|---|
| OPUN | Opuntia | | pricklypear-- name for flat-stemmed spp. cholla -- name for cylindrical-stemmed spp. |
| Opac | acanthocarpa Engelm. & Bigel. | buckhorn cholla | |
| Opar | arbuscula Engelm. | pencil cholla | ----- |
| Opau | aurea Baxter | golden pricklypear | |
| Opba | basilaris Engelm. | beavertail cactus | beavertail prickly-pear |
| Opbi | bigelovii Engelm. | jumping cholla | Arizona jumping pricklypear |
| Opch | chlorotica Engelm. & Bigel. | pancakepear cactus | dollarjoint pricklypear |
| Opec | echinocarpa Engelm. & Bigel. | strawtop | strawtop pricklypear |
| Open | engelmannii Salm-Dyck | Engelmann pricklypear | |
| Oper | erinacea Engelm. & Bigel. | grizzlybear pricklypear | |
| Opfr | fragilis (Nutt.) Haw. | brittle pricklypear | |
| Opfu | fulgida Engelm. | cholla (canecactus) | Sonora jumping cholla |
| Opla | laevis Coul. | spineless cactus | smooth pricklypear |
| Ople | leptoaulis DC. | Christmas cactus ¹ / | tesajo |
| Oppa | parishii Orcutt | Parish cholla | |
| Oppo | polyacantha Haw. | plains pricklypear | |
| Opra | ramosissima Engelm. | Holycross cholla | |
| Opsa | santa-rita (Griffiths & Hare) Rose | Santa Rita cactus | SantaRita pricklypear |
| Opst | stanlyi Engelm. | Stanly cholla | |
| Optc | tetracantha Toumey | fourspine cholla | |
| Opve | versicolor Engelm. | deerhorn cholla | ----- |
| Opwh | whipplei Engelm. & Bigel. | Whipple cholla | |
| OSTR | Ostrya | hophornbeam | |
| Oskn | knowltonii Coville | Knowlton hophornbeam | |
| PACH | Pachistima (also spelled Pachystima) | boxleaf | pachistima |
| Pamy | myrsinites (Pursh) Raf. | myrtle boxleaf (mountain-lover) | myrtle pachistima |
| Paac | Parkinsonia aculeata L. | Jerusalem-thorn (horsebean) | Jerusalem-thorn |
| PART-1 | Parthenium | rubberbush | parthenium |
| Pain-1 | incanum H.B.K. | mariola | mariola parthenium |
| PART-2 | Parthenocissus | creeper | |
| Pain-2 | inserta (Kerner) K. Fritsch | thicket creeper | |

^{1/} This is a well-established name for *Zygocactus truncatus*, which blooms at Christmas, and which nearly every housewife has.

Trees and Shrubs List (continued)

| | | | |
|--------|---|--|------------------------------|
| | | | cactus |
| Pegr-2 | Peniocereus greggii (Engelm.) Britt.& Rose | nightblooming-cereus deerhorn/ | |
| | | NOTE: Nightblooming-cereus is the accepted common name for the genus <i>Hylocereus</i> . | |
| PENS | Penstemon See also under Forbs | | |
| Pemi-2 | microphyllus A. Gray | littleleaf penstemon | |
| PHIL-2 | Philadelphus | mockorange | |
| Phmi | microphyllus A. Gray | littleleaf mockorange | |
| PHOR | Phoradendron | mistletoe | American-mistletoe |
| Phca-4 | californicum Nutt. | mesquite mistletoe | mesquite American-mistletoe |
| Phfl | flavescens (Pursh) Nutt. | Christmas mistletoe | Christmas American-mistletoe |
| Phju | juniperinum Engelm. | juniper mistletoe | juniper American-mistletoe |
| PHYL | Phylodoce | mountainheath | |
| Phem | empetraformis (J.E.Smith) D.Don | red mountainheath | |
| PHYS-2 | Physocarpus = <u>Opulaster</u> | ninebark | |
| Phmo | monogynus (Torr.) Coulter. | mountain ninebark | |
| | = <u>Opulaster monogynus</u> (Torr.) Kuntze | | |
| PICE | Picea | spruce | |
| Pien-1 | engelmannii Parry | Engelmann spruce | |
| Pipu | pungens Engelm. | blue spruce | |
| PINU | Pinus | pine | |
| Piar | aristata Engelm. | bristlecone pine | |
| Pice | cembroides Zucc. | Mexican pinyon | |
| Pied | edulis Engelm. | pinyon | |
| Pien-2 | engelmannii Carr. | Apache pine | |
| Pifl | flexilis James | limber pine | |
| Piflr | reflexa Engelm. | Mexican white pine | ----- |
| Pile | leiophylla Schlecht. & Cham. | | |
| Pilec | chihuahuana (Engelm.) Shaw | Chihuahua pine | |
| Pimo | monophylla Torr. & Frem. | singleleaf pinyon | |
| Pipo | ponderosa Lawson | ponderosa pine | |
| Pipoa | arizonica (Engelm.) Shaw | (western yellow pine) | |
| | | Arizona pine | |

Trees & Shrubs List (continued)

| | | | |
|--------|--|---|-------------------------------|
| PLAT-2 | <i>Platanus</i> | sycamore | |
| Plwr | <i>wrightii</i> S. Wats. | Arizona sycamore | |
| PLUC | <i>Pluchea</i> See also under Forbs | pluchea (marsh-fleabane) | pluchea |
| Plse | <i>sericea</i> (Nutt.) Coville | arrowweed | arrowweed plu- chea |
| Pogi | <i>Poinciana gilliesii</i> Hook. = <u><i>Caesalpinia gilliesii</i></u> (Hook.) Wall | bird-of-paradise flower | paradise poin- ciana |
| | Polygala See under Forbs | | |
| POPU | <i>Populus</i> | cottonwood; aspen | |
| Poac-1 | <i>acuminata</i> Rydb. | lanceleaf cottonwood | |
| Poan-3 | <i>angustifolia</i> James | narrowleaf cottonwood | |
| Pofr-2 | <i>fremontii</i> S. Wats. | Fremont cottonwood | |
| Pofrw | <i>wislizenii</i> S. Wats. | Rio Grande cottonwood | |
| Posa | <i>sargentii</i> Dode | plains cottonwood | |
| Potr-1 | <i>tremuloides</i> Michx. | quaking aspen | |
| POTE | <i>Potentilla</i> See also under Forbs | cinquefoil | |
| Pofr-1 | <i>fruticosa</i> L. = <u><i>Dasiphora fruticosa</i></u> (L.) Rydb. | shrubby cinquefoil | |
| PROS | <i>Prosopis</i> | mesquite | |
| Prju | <i>juliflora</i> (Swartz) DC. | mesquite (common mesquite) | |
| Prjug | <i>glandulosa</i> (Torr.) Cockerell | honey mesquite | |
| Prjut | <i>torreyana</i> L. Benson | western honey mesquite | |
| Prjuv | <i>velutina</i> (Woot.) Sarg. | velvet mesquite | |
| Prpu | <i>pubescens</i> Benth. = <u><i>Strombocarpa pubescens</i></u> (Benth.) A. Gray | screwbean mesquite | |
| PRUN | <i>Prunus</i> | plum; cherry | |
| Pram | <i>americana</i> Marsh. | American plum (red plum) | American plum |
| Prem | <i>emarginata</i> Dougl. | bitter cherry | |
| Prse | <i>serotina</i> Ehrh. | black cherry | |
| Prser | <i>rufula</i> (Woot. & Standl.) McVaugh | southwestern black cherry (Gila chokecherry) | |
| Prvi | <i>virginiana</i> L. | chokecherry | |
| Psme | <i>Pseudotsuga menziesii</i> (Mirb.) Franco | Douglas-fir | |
| Psmeg | <i>glauca</i> (Beissn.) Franco | | Rocky Mountain Douglas-fir |

Trees and Shrubs List (continued)

Psilostrophe See under Forbs paperflower

| | | |
|--------|---------------------|--------------------|
| PTEL | Ptelea | hoptree |
| Ptan-l | angustifolia Benth. | narrowleaf hoptree |
| Ptpa | pallida Greene | pale hoptree |

Putr Purshia tridentata (Pursh) DC. bitterbrush antelope bitterbrush
(antelopebrush)

| | | |
|-------|---------------------------|----------------------------------|
| QUER | Quercus | oak |
| Quar | arizonica Sarg. | Arizona white oak |
| Quch | chrysolepis Liebm. | canyon live oak |
| Quchp | palmeri (Engelm.) Sarg. | Palmer oak |
| Quem | emoryi Torr. | Emory oak |
| Quga | gambelii Nutt. | Gambel oak (shin oak, scrub oak) |
| Qugr | grisea Liebm. | gray oak |
| Quha | havardii Rydb. | Havard oak |
| Quhy | hypoleucoides A. Camus | silverleaf oak |
| Qumu | muehlenbergii Engelm. | chinkapin oak |
| Quob | oblongifolia Torr. | Mexican blue oak |
| Quor | organensis Trel. | Organ Mountains oak |
| Qupu | pungens Liebm. | sandpaper oak |
| Qure | reticulata Humb. & Bonpl. | netleaf oak |
| Quto | toumeyi Sarg. | Toumey oak |
| Qutu | turbinella Greene | shrub live oak |
| Quun | undulata Torr. | wavyleaf oak (scrub oak) |

Razoumowskia See Arceuthobium

| | | |
|------|----------------------|---|
| RHAM | Rhamnus | buckthorn |
| Rhbe | betulaefolia Greene | birchleaf buckthorn |
| Rhca | californica Eschsch. | California buckthorn (coffeeberry) |
| Rhcr | crocea Nutt. | hollyleaf buckthorn (redberry buckthorn) |

| | | |
|------|------------------------------|----------------------------------|
| RHUS | Rhus | sumac |
| Rhch | choriophylla Woot. & Standl. | Mearns sumac |
| Rhgl | glabra L. | smooth sumac |
| Rhke | kearneyi Barkley | Kearney sumac |
| Rhla | lanceolata (A. Gray) Britt. | prairie sumac |
| Rhov | ovata S. Wats. | sugar sumac (mountain-laurel) |

| | | |
|------|--|---------------------------|
| Rhtr | <u>radicans</u> See Toxicodendron radicans | |
| | trilobata Nutt. | skunkbush (squawberry) |

Rico Ricinus communis L. castorbean

Trees and Shrubs List (Continued)

| | | |
|--------|---|--------------------------------|
| RIBE | Ribes = <u>Grossularia</u> | |
| Riau | aureum Pursh | currant; gooseberry |
| Rice | cereum Dougl. | golden currant |
| Riin-1 | inebrians Lindl. | wax currant |
| Riin-2 | inerme Rydb. | squaw currant |
| Rile | leptanthum A. Gray | whitestem gooseberry |
| Rimo | montigenum McClatchie | trumpet gooseberry |
| Ripi | pinetorum Greene | gooseberry currant |
| Riqu | quercketorum Greene | orange gooseberry |
| Rive | velutinum Greene | oakwoods gooseberry |
| Rivi | viscosissimum Pursh | desert gooseberry |
| Riwo | wolfii Rothrock | sticky currant |
| | | Rothrock currant |
| ROBI | Robinia | locust |
| Rone-1 | neomexicana A. Gray | New-Mexican locust |
| ROSA | Rosa | rose |
| Roar | arizonica Rydb. | Arizona rose |
| Rofe | fendleri Crepin | Woods rose |
| | | Fendler rose |
| | <u>NOTE:</u> If, as some botanists (such as Rehder) prefer, this is a variety of Woods rose (<u>R. woodsii</u>) the common name should be Fendler Woods rose. | |
| Roma | manca Greene | Mancos rose |
| Rone-2 | neomexicana Cockerell | New-Mexican rose |
| Rost | stellata Wooton | desert rose |
| RUBU | Rubus | blackberry; raspberry, etc. |
| Ruar | arizonicensis Focke | Arizona dewberry |
| Rule | leucodermis Dougl. | whitebark raspberry |
| Rune | neomexicanus A. Gray | New-Mexican raspberry |
| Rupa | parviflorus Nutt. | western thimbleberry |
| Rupr | procerus P. J. Muell. | Himalaya blackberry |
| Rust | strigosus Michx. | red raspberry |
| | | American red raspberry |
| SALI | Salix | willow |
| Saam | amygdaloidea Anderss. | peachleaf willow |
| Sabe | bebbiana Sarg. | Bebb willow (beaked willow) |
| Sabo | bonplandiana H.B.K. | Bonpland willow |
| Saca-2 | caudata (Nutt.) Heller | whiplash willow |
| Saex | exigua Nutt. | coyote willow |
| Sage | geyeriana Anderss. | Geyer willow (silver willow) |
| Sago | gooddingii Ball | Goodding willow (black willow) |
| Sain | interior Rowlee | sandbar willow |
| Sala-1 | laevigata Bebb | red willow |
| Sala-2 | lasiandra Benth. | Pacific willow |

Trees and Shrubs List (Continued)


| | | |
|--------|---|----------------------------------|
| | Salix (continued) | |
| Sala-3 | lasiolepis Benth. | arroyo willow (white willow) |
| Sali | ligulifolia Ball | strapleaf willow |
| Salu | lutea Nutt. | yellow willow |
| Sapa | padophylla Rydb. = <u>S. pseudomonticola</u> Ball | serviceberry willow; park willow |
| Sasc | scouleriana Barratt | Scouler willow (mountain willow) |
| Sata | taxifolia H.B.K. | yewleaf willow |
| SALV | Salvia See also under Forbs | sage |
| Saca-1 | carnosa Dougl. | desert sage |
| Samo | mohavensis Greene | Mohave sage |
| Sapi | pinguifolia (Fern.) Woot. & Standl. | blue sage |
| | | ----- |
| SAMB | Sambucus | elder |
| Sagl | glauca Nutt. = <u>S. cerulea</u> Raf. | blueberry elder |
| Same-1 | melanocarpa A. Gray | blackbead elder |
| Same-2 | mexicana Presl | Mexican elder |
| Save-1 | velutina Dur. & Hilg. | velvet elder |
| SAPI-1 | Sapindus | soapberry |
| Sadr | drummondii Hook. & Arn. | western soapberry |
| SAPI-2 | Sapium | sapium |
| Sabi | biloculare (S. Wats.) Pax | jumping-bean sapium |
| SARC | Sarcobatus | greasewood |
| Save-2 | vermiculatus (Hook.) Torr. | black greasewood |
| Scpo | Sclerocactus polyancistrus (Engelm. & Bigel.) Britt. & Rose | pineapple-cactus |
| | Senecio See under Forbs | |
| | <u>Sericotheca</u> See Holodiscus | |
| SHEP | Shepherdia | buffaloberry |
| Shar | argentea (Pursh) Nutt. | silver buffaloberry |
| Shca | canadensis (L.) Nutt. | russet buffaloberry |
| Shro | rotundifolia Parry | roundleaf buffaloberry |

Trees and Shrubs List (Continued)

| | | | |
|--------|---|---|------------------------|
| SIMM | <i>Simmondsia</i> | jojoba | |
| Sich | <i>chinensis</i> (Link) Schneid. | California jojoba | |
| SOPH | <i>Sophora</i> | sophora | |
| Soar | <i>arizonica</i> S. Wats. | Arizona sophora | |
| Sose-1 | <i>secundiflora</i> (Ortega) Lag. | mescalbean sophora | |
| Sose-2 | <i>sericea</i> Nutt. | silky sophora | |
| Sost | <i>stenophylla</i> A. Gray | fringeleaf sophora | mescalbean |
| SORB | <i>Sorbus</i> | mountainash | |
| Sodu | <i>dumosa</i> Greene | Arizona mountainash | |
| Sosc | <i>scopulina</i> Greene | Greenes mountainash | |
| Stst | <i>Stenolobium stans</i> (L.) Seem. = <i>S. incisum</i> Rose & Standl. = <u><i>Tecoma stans</i></u> (L.) H.B.K. | trumpetbush | Florida yellow-trumpet |
| | | | |
| | <u><i>Strombocarpa pubescens</i></u> | See <i>Prosopis pubescens</i> | |
| SYMP | <i>Syphoricarpos</i> | snowberry-- white fruited species | |
| | | coralberry -- red fruited species | |
| Sylo | <i>longiflorus</i> A. Gray | longflower snowberry | |
| Syor | <i>orbiculatus</i> Moench | Indian coralberry | Indiancurrant coral- |
| Syor-1 | <i>oreophilus</i> A. Gray | mountain snowberry | berry. |
| Syro-1 | <i>rotundifolius</i> A. Gray | roundleaf snowberry | |
| Syut | <i>utahensis</i> Rydb. | Utah snowberry | |
| Tape | <i>Tamarix pentandra</i> Pall. | tamarisk (saltcedar) | fivestamen tamarisk |
| | <u><i>Tecoma stans</i></u> | See <i>Stenolobium stans</i> | |
| | | NOTE: True <i>Tecoma</i> species are ornamental Australian vines. | |
| THAM | <i>Thamnosma</i> | desert-rue | |
| Thmo-2 | <i>montana</i> Torr. & Fenzl. | Mohave desert-rue (turpentine-broom) | |
| Thte | <i>texana</i> (A. Gray) Torr. | Texas desert-rue | |
| | <u><i>Thelocactus johnsonii</i></u> | See <i>Echinomastus johnsonii</i> | |
| | <u><i>Thurberia thespesioides</i></u> | See <i>Gossypium thurberi</i> | |
| Tora | <i>Toxicodendron radicans</i> L. = <u><i>Rhus radicans</i></u> (L.) Kuntze | poison-ivy | common poison-ivy |
| Trca-2 | <i>Trixis californica</i> Kellogg | American trixis | |

Trees and Shrubs List (Continued)

| | | | |
|------|---|--|-------------------------|
| Unsp | <i>Ungnadia speciosa</i> Endl. | Mexican-buckeye | |
| VACC | <i>Vaccinium</i> | blueberry; whortleberry | |
| Vace | <i>cespitosum</i> Michx. | dwarf blueberry | |
| Vaor | <i>oreophilum</i> Rydb. | Rocky Mountain whortleberry | |
| Vasc | <i>scoparium</i> Leiberg | grouse whortleberry | |
| Vaca | <i>Vauquelinia californica</i> (Torr.) Sarg. | Arizona-rosewood Torrey vauquelinia | |
| | Viguiera See under Forbs | | |
| VITI | <i>Vitis</i> | grape | |
| Viar | <i>arizonica</i> Engelm. | canyon grape | |
| Wafi | <i>Washingtonia filifera</i> (Linden) Wendl. | California palm | California washingtonia |
| YUCC | <i>Yucca</i> | yucca | yucca |
| Yuan | <i>angustissima</i> Engelm. | (Spanish-bayonet) | |
| Yuba | <i>baccata</i> Torr. | fineleaf yucca | |
| Yubr | <i>brevifolia</i> Engelm. | blue yucca | datil yucca |
| Yuel | <i>elata</i> Engelm. | Joshua-tree | Joshua-tree yucca |
| Yugl | <i>glaucha</i> Nutt. | soaptree yucca | |
| Yuha | <i>harrimaniae</i> Trel. | small soapweed | |
| Yumo | <i>mohavensis</i> Sarg. = <i>Y. schidigera</i> Roezl | Harriman yucca | |
| Yune | <i>neomexicana</i> Woot. & Standl. | Mohave yucca | |
| Yusc | <i>schottii</i> Engelm. | New-Mexican yucca | |
| Yuto | <i>torreyi</i> Shafer | hoary yucca (Spanish-bayonet) | Schotts yucca |
| ZIZI | <i>Ziziphus</i> | Torrey yucca (Spanish-dagger) | |
| Zuar | <i>Zuckia arizonica</i> Standl. | jujube | Arizona zuckia |



NATIONAL AGRICULTURAL LIBRARY



1022834468