

HP Business Inkjet 2800 series printer

2800 • 2800dt • 2800dtn



Get the most for your money with this printing solution for small work teams that features A3+ and specialty paper handling and lets you produce vibrant documents with speed and accuracy.

Exceeds expectations

- Do more—print up to A3+ sizes. Create full-color documents, in sizes from postcard to poster, on a wide variety of specialty and everyday paper and film. Print everything from newsletters and proposals to technical drawings.
- Improve efficiency with fast print speeds. Increase productivity with speeds up to 24 ppm black (21 ppm color) in Draft mode and up to 12.5 ppm black (12 ppm color) in Fast Normal (default) mode.
- Produce high-quality documents. Create outstanding color presentations and brochures with HP PhotoREt III and up to 4800 by 1200-optimized dpi on premium photo paper.
- Take control with the back-lit LCD control panel. Featuring an easy-to-understand printer menu, the control panel provides simple printer configuration, maintenance, and troubleshooting.



Low running costs

- Reduce operating costs and user intervention. Stop wasting ink with four individual high-capacity ink cartridges (one 69 ml black and three 28 ml color ink cartridges) and individual, long-life printheads.
- Increase quality, reliability, and control. HP Smart printing technology¹ in your printer and its supplies enables status monitoring and alert messages, provides continuous, automatic adjustments to optimize print quality, and ensures crisp, sharp text and vibrant images every time you print.
- Save with HP reliability. The printer's proven design and monthly duty cycle of up to 12,000 pages assures reliable performance for day-to-day printing as well as unpredictable periods of more abundant productivity.

Easy network management

- Get a professional networking solution. Small work teams of up to 10 users get sophisticated networking² capabilities and compatibility with this printer, including swift and seamless network connectivity for even the most complex network environments.
- Depend on compatibility. HP PCL 5c, HP PCL 6, and HP postscript level 3 emulation print drivers deliver reduced server load and greater compatibility.
- Manage your fleet remotely. HP's remote management software performs diagnostics, sends automatic e-mail alerts, provides job tracking and accounting, indicates pages remaining, and automates supplies ordering. HP Web Jetadmin helps you conveniently and remotely install, configure, and manage your printer.

Expandable for your business

- Print more with a 400-sheet maximum input capacity and automatic two-sided printing. Get more done with 150-sheet and 250-sheet input trays. The automatic two-sided printing unit allows you to conserve paper resources while effortlessly producing high-quality pamphlets and brochures.³
- Process complex print jobs quickly. With a powerful 256 MHz processor and 96 MB RAM (upgradeable to 544 MB), you get high-performance printing with the option to upgrade memory according to your business needs.

HP printing and imaging systems help you create powerful, professional communications easily. Printers, supplies, accessories, and services are designed together to work together and are invented to meet your business needs.

¹ Using genuine HP supplies ensures availability of all HP printing features.


² Networking is optional for the 2800 and 2800dt models.

³ The automatic two-sided printing unit and 250-sheet second paper tray are optional for the 2800 model.

HP Business Inkjet 2800 series printer

- 1 Easy-to-read back-lit LCD screen and helpful control panel buttons, including power, help, cancel, resume, and three menu navigation buttons
- 2 Four separate, long-lasting printheads and print cartridges for low-maintenance, cost-effective printing
- 3 100-sheet output tray
- 4 Up to 400-sheet input capacity with standard 150-sheet main tray and second 250-sheet tray
- 5 High-performance networking for up to ten users with the HP Jetdirect 620n Fast Ethernet print server
- 6 Built-in Full-Speed USB 2.0 and IEEE 1284-compliant parallel ports
- 7 Powerful 256 MHz processor and 96 MB RAM, expandable to 544 MB via two open DIMM slots
- 8 Automatic two-sided printing unit for professional documents with minimal user intervention

HP Business Inkjet 2800dtn printer shown



Series at a glance



HP Business Inkjet 2800

- 150-sheet main tray
- 100-sheet output tray with extender
- IEEE 1284-compliant parallel and Full-Speed USB 2.0 ports
- One open EIO slot for optional network connectivity



HP Business Inkjet 2800dt

- Base model plus:
- Automatic two-sided printing unit
 - 250-sheet tray 2 for a 400-sheet input capacity



HP Business Inkjet 2800dtn

- Base model plus:
- Automatic two-sided printing unit
 - 250-sheet tray 2 for a 400-sheet input capacity
 - HP Jetdirect 620n Fast Ethernet print server in the EIO slot

Do more for less with low cost of ownership, flexible features, and simple remote management software. Produce vibrant images and graphics up to poster-size with up to 4800 dpi printing.

Print your color office documents and marketing collateral in house

The HP Business Inkjet 2800 series printer is a low-cost business printing solution—designed to print both color and black-only office documents quickly and affordably. The printing system features four, individual, high-capacity print cartridges—you save money by replacing only empty cartridges. You can enjoy the flexibility and convenience of producing high-quality marketing collateral in-house, which reduces costs, saves time, and gives you control over the entire process.

Print enlarged or reduced documents with document-scaling technology. Choose HP resizing options before you print to scale print jobs from 25 to 400 percent with virtually no loss in print quality or resolution. Extra training and the purchase of special software is not required, saving you time and money.

Print booklets effortlessly with a booklet layout feature that automatically enables appropriate two-sided printing and reduce-to-fit options. In addition, a collation feature lets you print multiple copies of a single job, so all you need to do is fold and bind the printed pages into a booklet.

Save up to 95 percent over your local print shop!⁴

The following table shows how much you can save with the HP Business Inkjet 2800 series printer:

	HP BU 2800		Quick-print shop	
Cost	Per page	Total	Per page	Total
50 pages at 10% coverage	\$0.051	\$2.56	\$0.98	\$49.00
100 pages at 10% coverage	\$0.051	\$5.12	\$0.98	\$98.00
50 pages at 60% coverage	\$0.2580	\$12.88	\$0.98	\$49.00
100 pages at 60% coverage	\$0.2580	\$25.76	\$0.98	\$98.00



10% coverage



60% coverage

Easily manage your printing costs

The HP Business Inkjet 2800 series printer is designed for sharing. The HP Business Inkjet 2800dtn model features the HP Jetdirect 620n Fast Ethernet print server installed in the EIO slot, which provides high-performance networking with up to 6 MB per second throughput speeds and heightened security.

The remote management software included with the printer simplifies printer configuration and lets you easily manage a networked printer from any standard Web browser. In addition, the software includes job accounting, pages remaining, and diagnostics features to help you manage costs.

Job accounting allows administrators to track and monitor each users' usage (for example, the type and number of pages printed and black and color ink usage). This information can be used by administrators to track printer deployment, workload, and the purchase of supplies.

Pages remaining lets you see the estimated number of pages that can be printed with the remaining ink for full color, business color, or black text documents. You can also determine if the ink levels are sufficient to print your jobs.

Diagnostics help you perform troubleshooting and maintenance tasks, such as testing the printer's media paths, aligning printheads, and cleaning printheads. Administrators can also configure network settings.

Rely on legendary HP service and support

HP offers a variety of support options to assist you with setup and maintenance. Start with the standard one-year limited hardware warranty that includes phone support backed by award-winning HP Customer Care. To further ensure trouble-free operation and to maximize the capabilities of your printer, you can upgrade your service and support options to include extended printer maintenance.

Support barcode printing from UNIX®, SAP R/3, Oracle®, Windows and other ERPs

Turn this printer into a professional barcode printer with the optional Jetmobile BarDIMM 3.1 solution, which enables quick and versatile barcode printing from UNIX, SAP R/3, Oracle, other ERPs, Mainframes (SCS), AS/400 (SCS), and Windows. With support for more than 60 barcode types, including 2D barcodes like PDF417, and built-in quality control, you can easily produce barcoded documents without investing in specialty barcode printers. For more information, go to www.jetmobile.com.

⁴ For more information, please go to www.hp.com/sbso/productivity/color/print_cost_calc.html

HP Business Inkjet 2800 series printer


Technical specifications	HP Business Inkjet 2800 printer (C8174A)	HP Business Inkjet 2800dt printer (C8163A)	HP Business Inkjet 2800dtn printer (C8164A)
Print speed (letter and A4) ⁵	24 ppm Draft; 12.5 ppm Fast Normal; 6.5 ppm Normal; 4 ppm Best		
Color	21 ppm Draft; 12 ppm Fast Normal; 5 ppm Normal; 4 ppm Best		
Print cartridge volume	Black: 69 ml; cyan, magenta, yellow: 28 ml each		
Resolution	HP PhotoREt III, up to 4800 by 1200 optimized dpi on premium photo paper, 1200 by 600 dpi black and white		
Color calibration	ColorSync, ICC Profiles, PANTONE®		
Processor	256 MHz		
Memory	96 MB RAM (upgradeable to 544 MB with two 100-pin SDRAM DIMM) with Memory Enhancement technology (MEI)		
Duty cycle	Up to 12,000 pages per month		
Automatic duplex printing	Optional		Standard
Automatic paper sensor	Standard		
Media			
Input capacity	150-sheet main tray		150-sheet main tray, 250-sheet input tray
Output capacity	100-sheet output tray		
Custom sizes	3.54 by 5.75 in (90 by 146 mm) to 13 by 50 in (330 by 1270 mm)		
Standard sizes	Letter, legal, tabloid, super B, executive, statement, index cards, 8.5 x 13 in, envelopes (No. 10, Monarch); A3+, A3, A4, A5, A6, B4, B5, B6, C4, C5, C6, DL		
Weights	Tray 1: 16 to 76 lb (60 to 286 g/m ²) (including plain and photo media); Tray 2: 16 to 24 lb (60 to 90 g/m ²)		
Types	Tray 1: Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards (index, greeting); tray 2: plain paper only		
Connectivity			
Interfaces	IEEE 1284-compliant parallel, Full-Speed USB 2.0, one open EIO slot		IEEE 1284-compliant parallel, Full-Speed USB 2.0, HP Jetdirect 620n Fast Ethernet internal print server
Printer language	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation		
Fonts	Supports HP80 fonts (45 TrueType and 35 PostScript® fonts built-in, all postscript emulation and HP PCL 5e and HP PCL 6 accessible). Intellifont and TrueType rasterizer built into HP PCL 5e and HP PCL 6. Built-in support for Arabic, Cyrillic, Greek, Hebrew, and Ukrainian symbol sets. There are 49 symbol sets in HP PCL 5e and HP PCL 6 to support all the languages that use these characters.		
Client operating systems	Windows 98, Me, NT, 2000, XP; Mac OS 10.1.5, 10.2, 10.3 ⁶		
Network operating systems	Windows NT, Windows 2000, Windows 2003 Server, NetWare (4.2, 5.1, 6.5), NT4 Terminal Server, NT4 Terminal Server with Citrix MetaFrame v 1.8, NT4 Terminal Server with Citrix MetaFrame XP, Window 2000 Terminal Services, Windows 2000 Terminal Services with Citrix MetaFrame 1.8, Windows 2000 Terminal Services with Citrix MetaFrame XP, Windows 2003 Terminal Services, Windows 2003 Terminal Services with Citrix MetaFrame Presentation Server		
Minimum system requirements	CD ROM; Microsoft Internet Explorer v. 5 or later; Windows 98: Pentium® 90 or higher, 16 MB RAM, 130 MB on hard disk; Windows Me: Pentium 150 or higher, 32 MB RAM, 130 MB on hard disk; Windows 2000: Pentium 300, 64 MB RAM, 160 MB on hard disk; Windows XP 32: Pentium 233, 64 MB RAM, 160 MB on hard disk; Windows XP 64: Pentium 233, 128 MB RAM, 160 MB on hard disk; iMac 600 MHz, 128 MB; Power Mac G3 or later 400 MHz, 128 MB; iBook 366 MHz, 128 MB		
Dimensions (w by d by h)	26.6 by 19.6 by 7.8 in (676 by 498 by 199 mm)		26.6 by 23.1 by 10.4 in (676 by 588 by 263 mm)
Weight	29.7 lb (13.5 kg)		41.8 lb (19 kg)
What's in the box	Printer, Set up Roadmap, 4 ink cartridges (26 ml black, 28 ml color), 4 print heads, Getting Started Guide, power cord, driver CD	Printer, Set up Roadmap, 4 ink cartridges (26 ml black, 28 ml color), 4 print heads, Getting Started Guide, power cord, driver CD, automatic twosided printing unit, 250-sheet tray	Printer, Set up Roadmap, 4 ink cartridges (26 ml black, 28 ml color), 4 print heads, Getting Started Guide, power cord, driver CD, automatic twosided printing unit, 250-sheet tray, HP Jetdirect 620n Fast Ethernet internal print server (installed)

⁵ Approximate figures. Exact speed depends on system configuration, software programs, and document complexity.

⁶ Mac OS 10.3 supported only with network connections.

Environmental ranges	
Operating temperature	59 to 95 degrees F (15 to 35 degrees C)
Storage temperature	40 to 140 degrees F (-40 to 60 degrees C)
Relative humidity	15 to 80 percent, RH non-condensing
Max operating altitude	10,000 ft (3100 m)
Acoustics	
Sound power	Default mode: 6.2 B(A); Draft mode: 6.4 B(A)
Power specifications ⁷	
Input requirements	100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.2 amp
Consumption	Maximum: 67 watts
Energy Star® compliant	Powersave: less than 30 watts Standby: 12 watts
Certifications	
Safety	EN 60950/IEC 950 Compliance (International), UL Listed (USA), CSA (Canada), GS Certified (Germany), CE Marking (European Union), B (Poland), eK (Korea), S mark (Argentina), NOM-NYCE (Mexico), CCC S&E (China), PSB (Singapore)
EMC	FCC Title 47 CFR Part 15 Class B (USA) CTICK (Australia and New Zealand), VCCI (Japan), CE (European Union), BSMI (Taiwan), ICES (Canada): CCC S&E (China), MIC (Korea)
Data communications	EN 60950/IEC 950 Compliance (International), UL Listed (USA), CSA (Canada), GS Certified (Germany), CE Marking (European Union), B (Poland), eK (Korea), S mark (Argentina), NOM-NYCE (Mexico), CCC S&E (China), PSB (Singapore), GOST (Russia)
Warranty	Oneyear limited hardware warranty

⁷ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.



Postscript is a trademark of Adobe Systems Incorporated. Pantone, Inc.'s check-standard trademark for color. Pentium is a trademark or registered trademark of Intel Corporation or its subsidiaries in the United States and other countries. UNIX is a registered trademark of The Open Group. Linux is a U.S. registered trademark of Linus Torvalds. Oracle is a registered US trademark of Oracle Corporation, Redwood City, California. Energy Star and the Energy Star logo are U.S. registered marks of the United States Environmental Protection Agency. Windows, Windows NT, and Windows XP are U.S. registered trademarks of Microsoft Corporation. HP and the invent signature are trademarks of the Hewlett-Packard Company.

© Copyright 2004 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Ordering information

Product	Number
HP Business Inkjet 2800	C8174A
HP Business Inkjet 2800dt	C8163A
HP Business Inkjet 2800dtn	C8164A
Paper handling	
Automatic two-sided printing unit	C8258A
250-sheet input tray	C8261A
HP print supplies	
HP 10 Black ink cartridge (69 ml)	Supply yields at 5% coverage up to 1,750 pages C4844A
HP 11 Cyan ink cartridge (28 ml)	up to 1,750 pages C4836AN
HP 11 Magenta ink cartridge (28 ml)	up to 1,750 pages C4837AN
HP 11 Yellow ink cartridge (28 ml)	up to 1,750 pages C4838AN
HP 11 Black printhead	up to 16,000 pages C4810A
HP 11 Cyan printhead	up to 24,000 pages C4811A
HP 11 Magenta printhead	up to 24,000 pages C4812A
HP 11 Yellow printhead	up to 24,000 pages C4813A
Cables	
IEEE 1284 cable (a-b) 2 meter	C2950A
IEEE 1284 cable (a-b) 3 meter	C2951A
USB cable (a-b) 2 meter	C6518A
Connectivity	
HP Jetdirect 620n Fast Ethernet internal print server	J7934A
HP Jetdirect 625n Gigabit internal print server	J7960A
HP Jetdirect 680n 802.11b wireless Ethernet internal print server	J6058A
HP Jetdirect ew2400 802.11g wireless & Fast Ethernet external print server (USB 2.0)	J7951A
HP Jetdirect 500x TR external print server	J3264A
HP Jetdirect 500x 10/100 external print server	J3265A
HP Jetdirect 300x 10/100 external print server	J3263A
HP Jetdirect 380x 802.11b wireless external print server	J6061A
Barcode printing	
Jetmobile BarDIMM solution: www.jetmobile.com	
Supported paper	
North America: www.hp.com/go/everydaypapers	
Europe: www.hp.com/go/supplies	
Asia Pacific: www.hp.com/go/apac/printingsupplies	
Latin America: contact HP via phone:	
USA: 1-800-477-5010, Europe: +800 7644 7644, Asia: 65-6253-8500, Australia-and	
New Zealand: 61-2997-2299LAR, (Brasil): sac 0800 70 300 70	

For more information visit our website at www.hp.com

0000-0000ENUC, 12/2004

