



V.V.Vanniaperumal College for Women
Virudhunagar



About the Author



Dr. (Mrs) R. Murugalakshmi kumari, Assistant Professor of Botany in V.V.Vanniaperumal College for Women, Virudhunagar. She had a 20 years of Research experience and 10 years of teaching experience. Area of specialization is Phytoremediation, Bioremediation, Biodiversity Conservation and Mushroom cultivation. She has been received Best Women Scientist Award from Novel Academy, Pudhuchery. She is serving as a reviewer and Editor for International peer reviewed journal. She has published 20 research articles in reputed international journals. She has presented research works in more than 50 national and international seminar/conferences. She has completed minor research project :Funded by UGC sanctioned with Rs- 4,50,000. She has undergone different types of training programme on various aspects of Botany.



9 789391 987930



A Handbook on:

FLORA OF VVVC

Author

Dr. R. Murugalakshmi Kumari



V.V.VANNIAPERUMAL COLLEGE FOR WOMEN

(Belonging to Virudhunagar Hindu Nadars)



An Autonomous Institution Affiliated to Madurai Kamaraj University

Re-accredited with 'A' Grade (3rd cycle) by NAAC



VIRUDHUNAGAR.

A HANDBOOK ON: FLORA OF VVVC

Dr. R. MURUGALAKSHMI KUMARI



**DEPARTMENT OF BOTANY
V.V.VANNIAPERUMAL COLLEGE FOR WOMEN,
VIRUDHUNAGAR - 626001,
TAMILNADU, INDIA.**

JULY - 2022

A Handbook on: Flora of VVVC

Published in July 2022

©Authors

**No part of this book can be reproduced, stored in a retrieval system or transmitted in any form or any means by electronic or mechanical including photocopying, recording or otherwise without prior permission from the copyright owner.
Exceptions are allowed for the purpose of reviews.**

ISBN No: 978-93-91987-93-0



Published by

JAYALAKSHMI PUBLICATIONS

Laser Point

VPM Towers, (Next to Petrol Bunk / Royal Medicals)

TPK Main Road, Vasantha Nagar,

Madhurai 625003.



Dr. S. M. Meena Rani, Principal

V.V. Vanniaperumal College for Women

Virudhunagar-626001

Phone + 91-4562-243540 Fax: + 091-4562-248694

Email:vvvegeneral@bsnl.in

Website:www.vvcollege.org

FOREWARD

The Biodiversity is an important concept to understand the variation at genome or gene level, species level and ecosystem level. India is one of the most densely populated regions of the world and harbours two of the 38 global biodiversity hotspots; the Eastern Himalayas and the Western Ghats. These regions harbour some of the important gene pools of medicinal plants, wild varieties of cultivable crops and other species of economic importance as well as innumerable endemic and RET plant species. India is also rich in its own flora with several species of endemic plants. Biodiversity is the store house of species richness and acts as a cushion against potentially dangerous environmental changes and economic reforms. Plant genetic resources are the major biological basis of the world food security. In all means, they support the livelihoods of every life on planet earth. Hence, conservation of such a buffer is considered fundamental and provided priority in all sectors of global development. Systematic enumeration of plant would be a strategy for imparting knowledge on the plant diversity. Compilation of flora of V.V. Vanniaperumal College, campus is one such effort.

The campus of V.V. Vanniaperumal College is filled with incredible plant diversity. Necessary steps have been taken to enrich and expose the floristic diversity of V.V. Vanniaperumal College campus. This book offers a detailed information on botanical name, family, vernacular name, description including distributional status and medicinal uses of 348 species of plant found in the campus. The book would be a rich information resource for academicians of different section, nature lovers, environmentalist and persons interested in biodiversity conservation. It is hopeful that this book will stimulate the interest and provide motivation to the readers to appreciate and protect the nature which entails and determines the quality of life.

Dr. S. M. Meena Rani

Dr. S. M. MEENA RANI

PREAMBLE

V.V.Vanniaperumal College for Women, a temple of learning center founded by a great visionary Shri V.V.VanniaperumalNadar with a great objective of empowering rural women through higher education, is a saga of human endurance, commitmentand excellence for six decades.

Having started with a meager strength in 1962, the institution has grown by leaps and bounds into one of the reputed women's colleges in Tamilnadu. The strength has reached 4306 students. The college offers 20 UG Programmes, 14 PG Programmes, 6 M.Phil. Programmes and 6 Ph.D. Programmes. The college became an autonomous institution in 2009 and it was reaccredited with '**A' Grade (3rd Cycle)** in 2018 by NAAC.

Nature has bestowed on us a very rich botanical wealth and a large number of diverse types of plants grow in different parts of the country. Plants are the richest resource of drugs of traditional systems of medicine, modern medicine, food supplements, folk medicines, pharmaceutical intermediates and chemical entities for synthetic drugs. Plants used for traditional medicine contain a wide range of substances that can be used to treat chronic as well as infectious diseases. A vast knowledge of how to use the plants against different illnesses may be expected to have accumulated in areas where the use of plants is still of great importance. The immense diversity met in flowering plants of India not only provides ecological security to the nation but also contributes towards the economic benefits as important source of timber, medicine, food, vegetable, oil, gums fodder, etc., With a growing human population and a changing climate ,there is an increasing threat to the ecosystem, it is, therefore, becoming increasingly important to identify new or rare species and to measure their geographical extent as part of wider biodiversity projects.

Intensive plant explorations of any region are prerequisites for the detailed botanical account of the particular region. The urgent needs for detailed botanical accounts of several regions all over the world, in general, are mainly due to the alarming rate at which several plants are vanishing from many regions of the earth. Rapid industrialization and its attendant pollution and over-exploitation of raw materials are some of the causes for the disappearance of many plants. Therefore, it becomes necessity to make at least an prevent all the plants of a region

before being destroyed. Therefore, leads to the intensive field exploration coupled with taxonomic studies on angiosperm of V.V.Vanniaperumal College campus was carried out by the author and Dr.G.Manikandan,Assistant Professor of Botany, Sri Kaleswari College, Sivakasi. About 348 species that belong to 246 genera and 81 families were recorded from the V.V.Vanniaperumal College campus. The total number of species includes 158 herbs, 66 shrubs, 81 trees and 42 climbers. This book provides a detailed information of botanical name, family, vernacular name, the description including distributional status and medicinal uses of 347 species of plants distributed in the V.V.Vanniaperumal College campus. The book would be an information resource for Students, Plant Science Researchers, nature lovers and Environmentalist. This book will definitely invoke the interest and motivate the readers to appreciate and protect the nature.

Author

Dr.R.Murugalakshmi Kumari
Assistant Professor of Botany,
V.V.Vanniaperumal College for Women,
Virudhunagar.

ACKNOWLEDGEMENT

I would like to place on record my sincere gratitude to the DBT Star College Scheme, Department of Biotechnology, New Delhi for providing an opportunity to author a book titled “A Hand Book on: Flora of VVVC”. This study in many ways enhanced my research activities. So I owe my heartfelt thanks to the DBT.

Botanical name	<i>Abelmoschus esculentus</i> (L.) Moench
Vernacular Name	Vendai
Family	Malvaceae
Habit	Herb
Distribution	Tropical Africa and Asia
Medicinal Uses	Anti inflammatory



Botanical name	<i>Abelmoschus moschatus</i> Medik.
Vernacular Name	Verttrilaikasturi and Katukasturi
Family	Malvaceae
Habit	Herb
Distribution	Tropical Africa and Asia
Medicinal Uses	Antiseptic and Wound healing



Botanical name	<i>Abrus precatorius</i> L.
Vernacular Name	Kundumani
Family	Fabaceae
Habit	Climbing Shrub
Distribution	African, Asian and Pantropical
Medicinal Uses	Fever, Cough and Cold



Botanical name	<i>Abutilon hirtum</i> (Lam.) Sweet.
Vernacular Name	Vadathutti
Family	Malvaceae
Habit	Shrub
Distribution	Asia and Tropical Africa
Medicinal uses	Cough and Toothache



Botanical name	<i>Abutilon indicum</i> (Link) Sweet.
Vernacular Name	Thuthi
Family	Malvaceae
Habit	Shrub
Distribution	Asia and Tropical Africa
Medicinal uses	Diabetes



Botanical name	<i>Acalypha indica</i> L.
Vernacular Name	Kuppaimaeni
Family	Euphorbiaceae
Habit	Herb
Distribution	South East Asia
Medicinal uses	Asthma



Botanical name	<i>Acalypha wilkesiana</i> Mull. Arg.
Vernacular Name	Copperleaf
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and South Pacific island
Medicinal uses	Diarrhoea and Dysentery



Botanical Name	<i>Achyranthes aspera</i> L.
Vernacular Name	Nayuruvi
Family	Amaranthaceae
Habit	Herb
Distribution	Throughout the Tropical World
Medicinal Uses	Dog-bite and Jaundice



Botanical name	<i>Adenium obesum</i> (Forssk.) Roem. & Schult.
Vernacular Name	Neer Kombu
Family	Apocynaceae
Habit	Shrub
Distribution	East Africa and Asia
Medicinal Uses	Decaying teeth and Septic Wound



Botanical name	<i>Aegle marmelos</i> (L.) Correa.
Vernacular Name	Vilvam
Family	Rutaceae
Habit	Tree
Distribution	Southeast Asia
Medicinal uses	Dysentery and Diarrhoea



Botanical name	<i>Aerva javanica</i> (Burm.f.) Shult.
Vernacular Name	Perumpoolai
Family	Amaranthaceae
Habit	Herb
Distribution	Africa and South Asia
Medicinal uses	Headache and Toothache



Botanical name	<i>Aerva lanata</i> (L.) Juss. ex Schult.
Vernacular Name	Ciru-pulai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Asthma and Headache



Botanical name	<i>Aeschynomene aspera</i> L.
Vernacular Name	Aatru netti
Family	Fabaceae
Habit	Shrub
Distribution	South Asia and Himalayas
Medicinal uses	Skin diseases



Botanical name	<i>Afrohybanthus enneaspermus</i> (L.) Flicker
Vernacular Name	Orithal-thamarai
Family	Violaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Increasing sperm level



Botanical Name	<i>Allamanda blanchetii</i> A. DC.
Vernacular Name	Allamanda malar
Family	Apocynaceae
Habit	Climbing Shrub
Distribution	Around the World
Medicinal Uses	Skin allergies



Botanical name	<i>Allamanda cathartica</i> L.
Vernacular Name	Allamanda
Family	Apocynaceae
Habit	Climbing Shrub
Distribution	Tropics and Sub tropical Country
Medicinal Uses	Anti fungal and Anti viral



Botanical name	<i>Allium cepa</i> L.
Vernacular Name	Vengayam
Family	Amaryllidaceae
Habit	Bulbous herb
Distribution	Central Asia
Medicinal Uses	Fever and diabetics



Botanical name	<i>Albizia lebbeck</i> (L.) Benth.
Vernacular Name	Kattu vakai
Family	Fabaceae
Habit	Tree
Distribution	Southern and Eastern Asia
Medicinal uses	Eye and Lung problems



Botanical name	<i>Aloe vera</i> (L.) Burm.f.
Vernacular Name	Sodru Kattrali
Family	Asphodelaceae
Habit	Herb
Distribution	Africa and India
Medicinal uses	Skin problems



Botanical name	<i>Alstonia scholaris</i> (L.) R.Br.
Vernacular Name	Mukumpalai
Family	Apocynaceae
Habit	Tree
Distribution	Tropical Asia
Medicinal Uses	Tumor and Ulcer



Botanical name	<i>Alysicarpus vaginalis</i> (L.) DC
Vernacular Name	Aswenna
Family	Fabaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Malaria and Dysentery



Botanical name	<i>Alternanthera pungens</i> Kunth.
Vernacular Name	Mul-Poonanganny
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal uses	Pain killer and Asthma



Botanical Name	<i>Amaranthus blitum</i> L.
Vernacular Name	Mullukkeerai
Family	Amaranthaceae
Habit	Herb
Distribution	Subtropics and Temperate regions
Medicinal Uses	Mouth ulcer



Botanical name	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC.
Vernacular Name	Ponnangannikeerai
Family	Amaranthaceae
Habit	Herb
Distribution	Tropical Africa and South East Asia
Medicinal uses	Asthma and Hair tonic



Botanical name	<i>Amaranthus caudatus</i> L.
Vernacular Name	Thandu keerai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Australia
Medicinal uses	Astringent and Headache



Botanical name	<i>Alysicarpus monilifer</i> (L.) DC.
Vernacular Name	Kasukkotai
Family	Fabaceae
Habit	Herb
Distribution	Africa and Asia
Medicinal Uses	Stomach pain and Skin disease



Botanical name	<i>Amaranthus spinosa</i> L.
Vernacular Name	Mullukeerai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal uses	Jaundice



Botanical name	<i>Amaranthus viridis</i> L.
Vernacular Name	Kuppaikkirai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Australia
Medicinal uses	Purify the blood



Botanical name	<i>Ammannia baccifera</i> L.
Vernacular Name	Kalluruvi
Family	Lythraceae
Habit	Herb
Distribution	Tropical Asia and America
Medicinal Uses	Rheumatic pain and Hypertension



Botanical name	<i>Andrographis echiooides</i> (L.) Nees.
Vernacular Name	Kopuram thanki
Family	Acanthaceae
Habit	Herb
Distribution	Around the world
Medicinal Uses	Liver diseases



Botanical name	<i>Andrographis paniculata</i> (Burm.f.) Wall. ex Nees.
Vernacular Name	Nilavempu
Family	Acanthaceae
Habit	Herb
Distribution	Tropical Asia
Medicinal Uses	Skin disease, Fever and Cancer



Botanical Name	<i>Angelonia angustifolia</i> Benth.
Vernacular Name	Narrow leaf angelonia
Family	Plantaginaceae
Habit	Herb
Distribution	Asia, Mexico & West Indies
Medicinal Uses	Anti-inflammatory



Botanical name	<i>Anisomeles malabarica</i> (L.) R.Br. ex Sims.
Vernacular Name	Paeimiratti
Family	Lamiaceae
Habit	Shrubby herb
Distribution	South East Asia
Medicinal uses	Malaria and Dengue fever



Botanical name	<i>Annona squamosa</i> L.
Vernacular Name	Seetha pazham
Family	Annonaceae
Habit	Shrub
Distribution	North America, Asia and Africa
Medicinal uses	Headache, Tumor and Cough



Botanical name	<i>Antigonon leptopus</i> Hook. & Arn.
Vernacular Name	Kodi rose
Family	Polygonaceae
Habit	Climber
Distribution	Mexico to Central America
Medicinal Uses	Cold and Pain relief



Botanical name	<i>Araucaria columnaris</i> J.R. Forst.Hook
Vernacular name	Christmas tree
Family	Araucariaceae
Habit	Tree
Distribution	Asia and Mexico
Medicinal uses	Antimicrobial



Botanical name	<i>Asclepias curassavica</i> L.
Vernacular Name	Blood flower & Chemullichedi
Family	Apocynaceae
Habit	Herb/Shrub
Distribution	Asia and Tropical America
Medicinal Uses	Cancer



Botanical name	<i>Aristida setacea</i> Trin.
Vernacular Name	Brooom grass
Family	Poaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Anti inflammation



Botanical name	<i>Asparagus racemosus</i> Willd.
Vernacular Name	Sadavari
Family	Asparagaceae
Habit	Climber
Distribution	Asia, Tropical Africa and Australia
Medicinal uses	Antitumor



Botanical name	<i>Aristolochia bracteolata</i> Lam.
Vernacular Name	Adutinnapalai
Family	Aristolochiaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Weight loss



Botanical name	<i>Azadirachta indica</i> A. Juss.
Vernacular Name	Vembu
Family	Meliaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Skin disease



Botanical name	<i>Artobotrys hexapetalus</i> (L.f.) Bhandari
Vernacular Name	Manoranjitham
Family	Annonaceae
Habit	Shrub
Distribution	India, Sri Lanka and Indo-China
Medicinal Uses	Itching and Leucoderma



Botanical name	<i>Barleria cristata</i> L.
Vernacular Name	December poo
Family	Acanthaceae
Habit	Shrub
Distribution	Tropical Asia
Medicinal Uses	Anti-inflammatory



Botanical name	<i>Barleria cuspidata</i> Heyne ex Nees.
Vernacular Name	Mancadcurulle, Vellaimuli
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Asthma and Viral fever



Botanical name	<i>Barleria lawii</i> T. Anders.
Vernacular Name	Law's Barleria
Family	Acanthaceae
Habit	Shrub
Distribution	Asia and Africa
Medicinal uses	Fever and Asthma



Botanical name	<i>Barleria mysorensis</i> B. Heyne ex Roth.
Vernacular Name	Kundan
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Anti septic



Botanical name	<i>Barleria prionitis</i> L.
Vernacular Name	Shemmuli
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Urinary infection and Toothache



Botanical name	<i>Barleria repens</i> Nees.
Vernacular Name	Red barleria
Family	Acanthaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Anti inflammation



Botanical name	<i>Barleria rigida</i> Willd.ex Nees
Vernacular Name	Scorpion thistle
Family	Acanthaceae
Habit	Herb
Distribution	Africa and Asia
Medicinal uses	Skin Allergy



Botanical name	<i>Basella alba</i> L.
Vernacular Name	Pasalaikeerai
Family	Basellaceae
Habit	Climbing herb
Distribution	Tropical Asia and Africa
Medicinal Uses	Malaria and Dysentery



Botanical name	<i>Bauhinia tomentosa</i> L.
Vernacular Name	Iruvaji
Family	Fabaceae
Habit	Tree
Distribution	Asia, Africa and Madagascar
Medicinal Uses	Diabetics



Botanical name	<i>Biophytum sensitivum</i> (L.) Dc.
Vernacular Name	Thottal surungki
Family	Oxalidaceae
Habit	Herbs
Distribution	Asia
Medicinal uses	Snake bite



Botanical name	<i>Bougainvillea glabra</i> Choisy
Vernacular Name	Kaakitha poo
Family	Nyctaginaceae
Habit	Climbing shrub
Distribution	Asia, America - Eastern and Brazil.
Medicinal uses	Diarrhoea and Stomachache



Botanical name	<i>Blainvillea rhomboidea</i> Cass.
Vernacular Name	Para cress Flower
Family	Asteraceae
Habit	Herb
Distribution	Asia and Tropical Africa
Medicinal Uses	Anti inflammation



Botanical name	<i>Bougainvillea spectabilis</i> Willd.
Vernacular Name	Kaagitha poo
Family	Nyctaginaceae
Habit	Shrub
Distribution	Brazil
Medicinal Uses	Anti-oxidant and Anti-cancer



Botanical name	<i>Boerhavia diffusa</i> L. nom. Cons.
Vernacular Name	Mukkurrattaikoti
Family	Nyctaginaceae
Habit	Herb
Distribution	Central America, Africa & Asia
Medicinal uses	Anemia and Skin disorders



Botanical name	<i>Brachiaria ramosa</i> (L.) Stapf
Vernacular Name	Pala pul
Family	Poaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Anti-viral



Botanical name	<i>Boerhavia erecta</i> L.
Vernacular Name	Seemai Mukkurrattaikoti
Family	Nyctaginaceae
Habit	Herb
Distribution	Central America, Africa & Asia
Medicinal Uses	Jaundice



Botanical name	<i>Brassica juncea</i> (L.) Czern.
Vernacular Name	Kadugu
Family	Brassicaceae
Habit	Herb
Distribution	Central Asia
Medicinal Uses	Stomach disorders



Botanical name	<i>Cadaba fruticosa</i> (L.) Druce.
Vernacular Name	Katagatti
Family	Capparaceae
Habit	Shrub
Distribution	Africa & Asia
Medicinal Uses	Wound healing and Urinary disease



Botanical name	<i>Caesalpinia pulcherrima</i> (L.) Sw.
Vernacular Name	Mayilkontrai
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Kidney stone and Fever



Botanical name	<i>Caladium bicolor</i> Vent.
Vernacular Name	Dwarf gonathanthus
Family	Araceae
Habit	Tuberous Herb
Distribution	Asia
Medicinal Uses	Wound healing and Ulcer



Botanical name	<i>Calliandra haematocephala</i> Hassk.
Vernacular Name	Powder puff
Family	Fabaceae
Habit	Shrub
Distribution	Asia and Tropical America
Medicinal Uses	Blood purifier and Hemorrhoids



Botanical name	<i>Calophyllum inophyllum</i> L.
Vernacular Name	Punnai maram
Family	Calophyllaceae
Habit	Tree
Distribution	Asia and Tropical Africa
Medicinal Uses	HIV and Cancer



Botanical name	<i>Calotropis gigantea</i> (L.) Dryand.
Vernacular name	Erukku
Family	Apocynaceae
Habit	Shrub
Distribution	South - East Asia
Medicinal uses	Toothache and Joint pain



Botanical name	<i>Campsisi radicans</i> Seem.
Vernacular Name	Trumpet creeper
Family	Bignoniaceae
Habit	Climbing Shrub
Distribution	Asia and America
Medicinal Uses	Menstrual disorders



Botanical name	<i>Canna indica</i> L.
Vernacular name	Kalvalai
Family	Cannaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Women's menstrual problem



Botanical name	<i>Cardiospermum halicacabum</i> L.
Vernacular name	Mudakattan
Family	Sapindaceae
Habit	Climber
Distribution	Tropical Asia
Medicinal uses	Itching skin, Nervous disease and Headache



Botanical name	<i>Carica papaya</i> L.
Vernacular name	Pappali
Family	Caricaceae
Habit	Tree
Distribution	Asia, America and Southern Mexico
Medicinal uses	Cancers, Tumors and Anti-oxidant



Botanical name	<i>Carissa carandas</i> L.
Vernacular name	Kalakkai
Family	Apocynaceae
Habit	Shrub
Distribution	India, Myanmar and Pakistan
Medicinal uses	Improve digestion



Botanical Name	<i>Cassia fistula</i> L.
Vernacular Name	Sarakondrai
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Skin diseases and Dry Cough



Botanical name	<i>Casuarina equisetifolia</i> L.
Vernacular Name	Savukku
Family	Casuarinaceae
Habit	Tree
Distribution	Australia and Southeast Asia
Medicinal uses	Stomachache and Dysentery



Botanical name	<i>Catharanthus roseus</i> (L.) G. Don.
Vernacular name	Nithyakalyani
Family	Apocynaceae
Habit	Herb
Distribution	Asia and Madagascar
Medicinal uses	Cancer and Diabetes



Botanical name	<i>Celosia argentea</i> L.
Vernacular name	Kozhi kondrai Poo
Family	Amaranthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Diabetes



Botanical name	<i>Cenchrus ciliaris</i> L.
Vernacular Name	Bufful grass
Family	Poaceae
Habit	Herb
Distribution	Africa and Southern Asia
Medicinal uses	Anti-aggregate and Anti-cancer



Botanical name	<i>Centella asiatica</i> (L.) Urb.
Vernacular Name	Vallarai
Family	Apiaceae
Habit	Herb
Distribution	India, Tropical Africa
Medicinal Uses	Ulcer and Fever



Botanical name	<i>Chloris barbata</i> Sw.
Vernacular Name	Kodai pullu
Family	Poaceae
Habit	Herb
Distribution	Asia and Australia
Medicinal uses	Skin allergy and Diabetes



Botanical Name	<i>Chlorophytum comosum</i> (Thunb.) Jacques.
Vernacular Name	Silanthi Chedi
Family	Asparagaceae
Habit	Herb
Distribution	Southern Africa and Asia
Medicinal Uses	Bronchitis and Fracture



Botanical name	<i>Chrysopogon zizanioides</i> (L.) Roberty
Vernacular Name	Vetiver
Family	Poaceae
Habit	Herb
Distribution	Indo-China to Malesia
Medicinal Uses	Skin disorder



Botanical name	<i>Cissus quadrangularis</i> L.
Vernacular name	Pirandai
Family	Vitaceae
Habit	Climber
Distribution	Southeast Asia
Medicinal uses	Inflammation, Bone strength and Diabetes



Botanical name	<i>Citrullus colocynthis</i> (L.) Schrad.
Vernacular name	Kumattikai
Family	Cucurbitaceae
Habit	Herb
Distribution	North Africa and Asia
Medicinal uses	Diabetes and Cholesterol



Botanical name	<i>Citrus × aurantium</i> L.
Vernacular Name	Orange
Family	Rutaceae
Habit	Tree
Distribution	East Africa
Medicinal Uses	Anxiety and Digestion



Botanical name	<i>Citrus × limon</i> (L.) Osbeck.
Vernacular Name	Elumicchai
Family	Rutaceae
Habit	Tree
Distribution	India
Medicinal Uses	Blood pressure



Botanical name	<i>Cleome felina</i> L. f.
Vernacular name	Taivelai
Family	Cleomaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Cough, Headache and Sores



Botanical name	<i>Cleome gynandra</i> L.
Vernacular name	Nalvelai
Family	Cleomaceae
Habit	Herb
Distribution	India and Africa
Medicinal uses	Diarrhoea and Rheumatism



Botanical name	<i>Cleome viscosa</i> L.
Vernacular name	Naikkaduku
Family	Cleomaceae
Habit	Herb
Distribution	India and Africa
Medicinal uses	Ulcers and Digestive stimulant



Botanical name	<i>Clitoria ternatea</i> L.
Vernacular name	Sangupoo
Family	Fabaceae
Habit	Climbing herb
Distribution	Asia, Thailand and Malaysia
Medicinal uses	Eye problem, Snake bite and Diuretic



Botanical name	<i>Coccinia grandis</i> (L.) Voigt.
Vernacular name	Kovakkai
Family	Cucurbitaceae
Habit	Climber
Distribution	East Africa and Southern India
Medicinal uses	Leprosy, Asthma and Jaundice



Botanical name	<i>Cocos nucifera</i> L.
Vernacular name	Thennai
Family	Arecaceae
Habit	Tree
Distribution	Asia and Pacific Islands
Medicinal uses	Kidney problems



Botanical name	<i>Codiaeum variegatum</i> (L.) A. Juss.
Vernacular name	Croton
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia, Malaysia and Australia.
Medicinal uses	Rheumatism and Cancer



Botanical name	<i>Coleus amboinicus</i> Lour.
Vernacular Name	Karpuravalli
Family	Lamiaceae
Habit	Herb
Distribution	Kenya to South Africa, India
Medicinal Uses	Asthma and Bronchitis



Botanical name	<i>Colocasia gigantea</i> (Blume ex Hassk.) Hook. f.
Vernacular Name	Sembu
Family	Araceae
Habit	Herb
Distribution	Asia
Medicinal uses	Skin problems



Botanical name	<i>Combretum indicum</i> (L.) Defillipps.
Vernacular name	Rangoonmalli
Family	Combretaceae
Habit	Climbing shrubs
Distribution	Asia
Medicinal uses	Diarrhoea and Rheumatism



Botanical name	<i>Commelina benghalensis</i> L.
Vernacular name	Kanankolai
Family	Commelinaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Infertility in women and Sore feet



Botanical name	<i>Commelina forskaolii</i> Vahl.
Vernacular Name	Thaengai chedi
Family	Commelinaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Skin allergy and Throat pain



Botanical name	<i>Commelina diffusa</i> Burm. F.
Vernacular name	Thaenkai chedi
Family	Commelinaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Infertility in women and Sore feet



Botanical name	<i>Corbichonia decumbens</i> (Forssk.) Exell
Vernacular Name	Sareli
Family	Lophiocarpaceae
Habit	Herb
Distribution	Asia and Southern Africa
Medicinal uses	Headache



Botanical name	<i>Corchorus aestuans</i> L.
Vernacular Name	East Indian mallow
Family	Malvaceae
Habit	Herb
Distribution	Asia and America
Medicinal Uses	Headache and swelling



Botanical name	<i>Corchorus capsularis</i> L.
Vernacular Name	Naruvali
Family	Malvaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Dysentery and Fever



Botanical name	<i>Corchorus tridens</i> L.
Vernacular Name	Horn fruited jute
Family	Malvaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Anti oxidant and Skin allergy



Botanical name	<i>Corchorus trilocularis</i> L.
Vernacular Name	Jute
Family	Malvaceae
Habit	Herb
Distribution	India and Africa
Medicinal uses	Reducing swelling



Botanical name	<i>Cordia dichotoma</i> G. Forst.
Vernacular Name	Naruvili
Family	Boraginaceae
Habit	Tree
Distribution	Asia and Australia
Medicinal uses	Dyspepsia and Diarrhoea



Botanical name	<i>Cordyline fruticosa</i> (L.)
Vernacular Name	Palm lily
Family	Asparagaceae
Habit	Shrub
Distribution	Southeast Asia
Medicinal Uses	Fever and Diarrhea



Botanical name	<i>Cordia sebestena</i> L.
Vernacular Name	Aechinaruvihili
Family	Boraginaceae
Habit	Shrub
Distribution	Mexico to Venezuela
Medicinal Uses	Gastrointestinal Disorder



Botanical Name	<i>Coriandrum sativum</i> L.
Vernacular Name	Kothamalli
Family	Apiaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Digestive, Ulcer and Diarrhoea



Botanical name	<i>Couroupita guianensis</i> Aubl.
Vernacular Name	Naagalingam
Family	Lecythidaceae
Habit	Tree
Distribution	Tropical America
Medicinal Uses	Tumor and Hypertension



Botanical name	<i>Crossandra infundibuliformis</i> (L.) Nees.
Vernacular Name	Kanakambaram
Family	Acanthaceae
Habit	Herb
Distribution	India and Srilanka
Medicinal uses	Skin diseases



Botanical name	<i>Crotalaria angulata</i> Mill.
Vernacular Name	Rattlepod
Family	Fabaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Fever and colds



Botanical name	<i>Crotalaria juncea</i> L.
Vernacular Name	Sakkapoondu
Family	Fabaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Purify the blood



Botanical name	<i>Croton bonplandianus</i> Baill.
Vernacular Name	Eliamanaku, Railpoondu
Family	Euphorbiaceae
Habit	Herb
Distribution	South America and Asia
Medicinal uses	Joint pain and Paralysis



Botanical name	<i>Cryptostegia grandiflora</i> Roxb. ex R.Br.
Vernacular Name	Paalai
Family	Apocynaceae
Habit	Shrub
Distribution	Madagascar
Medicinal Uses	Anti-viral and Anti-oxidative



Botanical name	<i>Cucumis melo</i> L.
Vernacular Name	Thummattikai
Family	Cucurbitaceae
Habit	Climbing herb
Distribution	Asia and North America
Medicinal uses	Anti-ulcer and Renal diseases



Botanical name	<i>Cucumis sativus</i> L.
Vernacular Name	Vellarikai
Family	Cucurbitaceae
Habit	Climbing Herb
Distribution	Australia and India
Medicinal uses	Weight loss and Cancer



Botanical name	<i>Cucurbita maxima</i> Duchesne
Vernacular Name	Parangikai
Family	Cucurbitaceae
Habit	Climbing Herb
Distribution	Africa, America and Asia
Medicinal uses	Anthelmintic and Hypotensive



Botanical name	<i>Cuscuta reflexa</i> Roxb.
Vernacular name	Kodiyagundal
Family	Convolvulaceae
Habit	Climber
Distribution	Northern Europe and Asia
Medicinal uses	Head ache, Labor pain



Botanical name	<i>Cyamopsis tetragonoloba</i> (L.) Taub.
Vernacular Name	Kottavarai
Family	Fabaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Blood cholesterol and Diabetics



Botanical name	<i>Cyanotis axillaris</i> (L.) D. Don ex Sweet
Vernacular Name	Neer-pulli, Pazhukai
Family	Commelinaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Forage and vegetables



Botanical name	<i>Cyanthillium cinereum</i> (L.) H.Rob.
Vernacular Name	Naichotte poonde
Family	Asteraceae
Habit	Herb
Distribution	Asia and Australia
Medicinal Uses	Anti cancer



Botanical name	<i>Cycas revoluta</i> Thunb.
Vernacular Name	Sallaipanai
Family	Cycadaceae
Habit	Tree
Distribution	Asia and Japan
Medicinal uses	Cancer and Rheumatism



Botanical name	<i>Cyclea peltata</i> (Lam.) Hook.f. & Thomson
Vernacular Name	Padakizhangu
Family	Menispermaceae
Habit	Climber
Distribution	India and Indo-China
Medicinal Uses	Jaundice and Asthma



Botanical name	<i>Cymbopogon citratus</i> (DC.) Stapf
Vernacular Name	Karppurappul
Family	Poaceae
Habit	Herb
Distribution	India and South Africa
Medicinal Uses	Nervous and Gastrointestinal Disorder



Botanical name	<i>Cynodon dactylon</i> (L.) Pers.
Vernacular name	Arugam pull
Family	Poaceae
Habit	Creeping herb
Distribution	Asia and Africa
Medicinal uses	Immunity of body and Heart tonic



Botanical name	<i>Cyperus rotundus</i> L.
Vernacular Name	KoraiKilangu
Family	Cyperaceae
Habit	Herb
Distribution	Southern Asia and Africa
Medicinal Uses	Diuretic and Antibacterial



Botanical Name	<i>Dactyloctenium aegyptium</i> (L.) Willd.
Vernacular Name	Crow foot grass
Family	Poaceae
Habit	Herb
Distribution	India and South America
Medicinal Uses	Ulcer and urinary diseases



Botanical name	<i>Dalbergia latifolia</i> Roxb.
Vernacular name	Thothagathi
Family	Fabaceae
Habit	Tree
Distribution	South east India
Medicinal uses	Diarrhoea and Leprosy



Botanical name	<i>Dalbergia sissoo</i> Roxb.
Vernacular Name	Thotakathi
Family	Fabaceae
Habit	Tree
Distribution	Asia and Africa
Medicinal Uses	Wound healing and skin disease



Botanical name	<i>Datura innoxia</i> Mill.
Vernacular Name	Karu oomathai
Family	Solanaceae
Habit	Herb
Distribution	Africa, Asia and Australia
Medicinal uses	Asthuma and Malaria



Botanical name	<i>Datura metel</i> L.
Vernacular name	Ummathai
Family	Solanaceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal uses	Relieve pain and Asthma.



Botanical name	<i>Delonix regia</i> (Boj. ex Hook.) Raf.
Vernacular name	Myuirkondrai
Family	Fabaceae
Habit	Tree
Distribution	India and Australlia
Medicinal uses	Anti-diabetic and Anti-bacterial



Botanical Name	<i>Desmodium triflorum</i> (L.)DC.
Vernacular Name	Sirupulladi
Family	Fabaceae
Habit	Herb
Distribution	Tropical Asia
Medicinal uses	Antiseptic



Botanical name	<i>Dicliptera paniculata</i> (Forssk) I.
Darbysh.	
Vernacular name	Kattupuzakolli
Family	Acanthaceae
Habit	Herb
Distribution	India, China and Indochina
Medicinal uses	Liver disease



Botanical name	<i>Digitaria sanguinalis</i> (L.) Scop.
Vernacular name	Arisi pull
Family	Poaceae
Habit	Creeping herb
Distribution	Eurasia and India
Medicinal uses	Gonorrhea and Debility



Botanical name	<i>Digera muricata</i> (L.) Mart.
Vernacular Name	Kattukeerai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Digestive system disorders



Botanical name	<i>Diplocyclos palmatus</i> (L.) C. Jeffrey
Vernacular Name	Aivirali
Family	Cucurbitaceae
Habit	Climber
Distribution	Asia and Africa
Medicinal Uses	Stomach pain and Diarrhoea



Botanical name	<i>Dracaena angolensis</i> (Welw. ex Carrière)
Vernacular Name	Byng
Family	Asparagaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Snake bite



Botanical name	<i>Dracaena trifasciata</i> (Prain) Mabb.
Vernacular Name	Snake plant
Family	Asparagaceae
Habit	Herb
Distribution	Africa and Asia
Medicinal Uses	Snake bite and cold



Botanical Name	<i>Duranta erecta</i> L.
Vernacular Name	Sky flower
Family	Verbenaceae
Habit	Shrub
Distribution	Asia and Mexico
Medicinal uses	Fever and Skin allergy



Botanical name	<i>Dypsis lutescens</i> (H.Wendl.) Beentje & J. Dransf.
Vernacular name	Ataikkay
Family	Arecaceae
Habit	Small tree
Distribution	India and Madagascar
Medicinal uses	Skin allergy



Botanical name	<i>Echinochloa colonum</i> (L.) Link
Vernacular Name	Jungle rice
Family	Poaceae
Habit	Herb
Distribution	Tropical Asia and Africa
Medicinal uses	Anti microbial



Botanical name	<i>Eclipta prostrata</i> (L.) L.
Vernacular name	Karishalanganni
Family	Asteraceae
Habit	Herb
Distribution	Tropical America and Asia
Medicinal uses	Eye diseases and Asthma



Botanical name	<i>Eleusine indica</i> (L.) Gaertn.
Vernacular Name	Goose grass
Family	Poaceae
Habit	Herb
Distribution	Africa and Asia
Medicinal Uses	Diuretic and Hypertension



Botanical name	<i>Enicostema axillare</i> (Lam.) Raynal <i>ssp. littoralis</i> (Blume) A. Raynal
Vernacular name	Vellarugu
Family	Gentianaceae
Habit	Herb
Distribution	Tropical Africa and Southeast Asia
Medicinal uses	Dropsy and Rheumatism




Botanical Name	<i>Eragrostis viscosa</i> (Retz.) Trin.
Vernacular Name	Lovegrass
Family	Poaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Anti-bacterial activity



Botanical name	<i>Eucalyptus globulus</i> Labill.
Vernacular Name	Thailam maram
Family	Myrtaceae
Habit	Tree
Distribution	Spain, Portugal, New Zealand, California, Hawaii, Macaronesia, Uru guay, Chile and India
Medicinal uses	Decrease nasal congestion



Botanical name	<i>Euphorbia heterophylla</i> L.
Vernacular Name	Milk weeds
Family	Euphorbiaceae
Habit	Herb
Distribution	Southeast Asia
Medicinal uses	Skin tumour and Body pain



Botanical name	<i>Euphorbia hirta</i> L.
Vernacular name	Amman pachchari
Family	Euphorbiaceae
Habit	Herb
Distribution	India and Tropical America
Medicinal uses	Asthma and Throat pain



Botanical name	<i>Euphorbia hypericifolia</i> L.
Vernacular Name	Sinnamman Pachcharisi
Family	Euphorbiaceae
Habit	Herb
Distribution	Tropical America
Medicinal Uses	Pneumonia



Botanical Name	<i>Euphorbia milii</i> Des Moul.
Vernacular Name	Kritak kalli
Family	Euphorbiaceae
Habit	Shrub
Distribution	India and Madagascar
Medicinal uses	Stomach pain and Vomiting



Botanical name	<i>Euphorbia tirucalli</i> L.
Vernacular name	Thirukalli
Family	Euphorbiaceae
Habit	Tree
Distribution	India and Africa
Medicinal uses	Cough and Earache



Botanical name	<i>Euphorbia tithymaloides</i> L.
Vernacular Name	Sadhurakalli
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and Central America
Medicinal Uses	Asthma and Earache



Botanical name	<i>Euphorbia prostrata</i> Aiton.
Vernacular Name	Siththira paaladai
Family	Euphorbiaceae
Habit	Herb
Distribution	Tropical America
Medicinal Uses	Anti-hemorrhoidal



Botanical name	<i>Evolvulus alsinoides</i> (Linn.) Linn
Vernacular name	Vishnukrantha
Family	Convolvulaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Fever and Cough



Botanical name	<i>Ficus benghalensis</i> L.
Vernacular name	Allamaram
Family	Moraceae
Habit	Tree
Distribution	Asia
Medicinal uses	Dysentery and Diabetes



Botanical name	<i>Ficus benjamina</i> L.
Vernacular name	Nintamaravakai
Family	Moraceae
Habit	Tree
Distribution	Asia and Australia
Medicinal uses	Treat skin disorders



Botanical name	<i>Ficus racemosa</i> L.
Vernacular Name	Atti
Family	Moraceae
Habit	Tree
Distribution	Australia and tropical Asia
Medicinal Uses	Diarrhea and Urinary Diseases



Botanical name	<i>Ficus religiosa</i> L. Forssk.
Vernacular name	Arasamaram
Family	Moraceae
Habit	Tree
Distribution	IndoChina and Southeast Asia
Medicinal uses	Asthma and Diabetes.



Botanical name	<i>Flueggea leucopyrus</i> Willd.
Vernacular name	Pulanji
Family	Phyllanthaceae
Habit	Shrub
Distribution	India, Srilanka and Myanmmar
Medicinal uses	Cancer and Anti-oxidant



Botanical name	<i>Glinus lotoides</i> L.
Vernacular Name	Lotus sweetjuice
Family	Molluginaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Cancer and Skin disease



Botanical name	<i>Glinus oppositifolius</i> (L.) Aug. DC.
Vernacular Name	Perunthirai
Family	Molluginaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Digestion and Skin disease



Botanical name	<i>Gloriosa superba</i> L.
Vernacular name	Sengenthal malar, Kalappaikilangu
Family	Colchicaceae
Habit	Perennial Climber
Distribution	India and Africa
Medicinal uses	Gout, Snake bite, Leprosy and Cancer



Botanical Name	<i>Gmelina arborea</i> Roxb.
Vernacular Name	Kumalaamaram
Family	Lamiaceae
Habit	Tree
Distribution	Asia, Thailand and Sri lanka
Medicinal Uses	Blood purification, Cough and Ulcer



Botanical name	<i>Gomphrena celosioides</i> Mart.
Vernacular Name	Bachelors button
Family	Amaranthaceae
Habit	Herb
Distribution	Asia and South America
Medicinal Uses	Skin infections and Respiratory problems



Botanical name	<i>Gomphrena globosa</i> L.
Vernacular Name	Vadamalligai
Family	Amaranthaceae
Habit	Herb
Distribution	Asia, America and Brazil
Medicinal uses	Cough and Diabetes



Botanical name	<i>Gossypium arboreum</i> L.
Vernacular name	Parutti
Family	Malvaceae
Habit	Shrub
Distribution	Asia and East Africa
Medicinal uses	Nerve pain and Diarrhoea



Botanical name	<i>Hardwickia binata</i> Roxb.
Vernacular Name	Anjan
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Fever and Cough.



Botanical name	<i>Hemidesmus indicus</i> (L.) R. Br.
Vernacular name	Nannaari
Family	Apocynaceae
Habit	Climber
Distribution	South Asia
Medicinal uses	Anti-cancerous activity



Botanical name	<i>Hibiscus cannabinus</i> L.
Vernacular name	Pulichakeerai
Family	Malvaceae
Habit	Perennial herb
Distribution	Southern Asia
Medicinal uses	Throat disorders



Botanical name	<i>Hibiscus rosa-sinensis</i> L.
Vernacular name	Sembaruthi
Family	Malvaceae
Habit	Shrub
Distribution	East Asia
Medicinal uses	Anti-Diarrhoea



Botanical name	<i>Hibiscus rosa-sinensis</i> var. <i>Schizopetalus</i> (Dyer) Hook. F.
Vernacular Name	Sembaruthi
Family	Malvaceae
Habit	Shrub
Distribution	Asia and Tropical eastern Africa
Medicinal uses	Anti-Diarrhoea



Botanical name	<i>Holoptelea integrifolia</i> Planch.
Vernacular name	Aavimaram
Family	Ulmaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Diabetes and Leprosy



Botanical name	<i>Hydrocotyle umbellata</i> L.
Vernacular name	Dollarweed
Family	Araliaceae
Habit	Herb
Distribution	Colombia
Medicinal uses	Anti-inflammatory



Botanical name	<i>Hyptis suaveolens</i> (L.) Poit.
Vernacular Name	Kattappa
Family	Lamiaceae
Habit	Small herb
Distribution	Asia and Australia
Medicinal Uses	Treat Cold and Rheumatism



Botanical name	<i>Indigofera linnaei</i> Ali
Vernacular Name	Sheppu nerungi
Family	Fabaceae
Habit	Herb
Distribution	Southeast Asia
Medicinal Uses	Headache and Fever



Botanical name	<i>Indigofera miniata</i> Ortega
Vernacular Name	Coastal indigo
Family	Fabaceae
Habit	Herb
Distribution	Asia and Mexico
Medicinal Uses	Headache and Fever



Botanical name	<i>Indigofera prostrata</i> Willd.
Vernacular Name	Indegofera
Family	Fabaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Anti diabetic



Botanical name	<i>Indigofera tinctoria</i> L.
Vernacular Name	Avuri
Family	Fabaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Cancer



Botanical name	<i>Ipomoea aquatica</i> Forssk.
Vernacular Name	Vallal
Family	Convolvulaceae
Habit	Climbing Herb
Distribution	Southeast Asia
Medicinal Uses	Liver problem and Fever



Botanical name	<i>Ipomoea batatas</i> (L.) Lam.
Vernacular Name	Sakkaravallikkilanku
Family	Convolvulaceae
Habit	Climbing Herb
Distribution	Asia and Africa
Medicinal Uses	Diabetes and Heart disease



Botanical name	<i>Ipomoea eriocarpa</i> R.Br.
Vernacular Name	Tiny Morning Glory
Family	Convolvulaceae
Habit	Climber
Distribution	Asia and Africa
Medicinal Uses	Headache, Fever, Ulcer and Leprosy



Botanical name	<i>Ipomoea marginata</i> (Desr.) Verde.
Vernacular Name	Purple heart glory
Family	Convolvulaceae
Habit	Climber
Distribution	Africa and Asia
Medicinal Uses	Skin disease and fever



Botanical name	<i>Ipomoea obscura</i> (L.) Ker Gawl.
Vernacular Name	Kuruguttali, Siruthaali
Family	Convolvulaceae
Habit	Climber
Distribution	Asia and Africa
Medicinal uses	Dysentery and Skin allergy



Botanical name	<i>Ipomoea pes-tigridis</i> L.
Vernacular name	Punaikkirai
Family	Convolvulaceae
Habit	Climbing Herb
Distribution	Asia
Medicinal uses	Ulcer and Diuretic



Botanical name	<i>Ipomoea quamoclit</i> L.
Vernacular Name	Kebu-malligai, Mayilmanikkam
Family	Convolvulaceae
Habit	Climbing shrub
Distribution	Asia and Tropical America
Medicinal Uses	Food and Fodder



Botanical name	<i>Ixora coccinea</i> L.
Vernacular Name	Chetti
Family	Rubiaceae
Habit	Shrub
Distribution	Southeast Asia
Medicinal Uses	Diuretic and emollient



Botanical name	<i>Jacquemontia pentanthos</i> (Jacq.) G.Don.
Vernacular Name	Cluster vine
Family	Convolvulaceae
Habit	Shrub
Distribution	Asia and Tropical America
Medicinal uses	Anti oxidant and Anti inflammatory



Botanical name	<i>Jasminum angustifolium</i> (L.) Willd.
Vernacular Name	Kattumalligai
Family	Oleaceae
Habit	Climbing Shrub
Distribution	Asia
Medicinal Uses	Skin problem



Botanical name	<i>Jasminum grandiflorum</i> L.
Vernacular Name	Kattumallikai
Family	Oleaceae
Habit	Climbing Shrub
Distribution	Asia and Northeast Africa
Medicinal Uses	Sedative and Anti-septic



Botanical name	<i>Jasminium multiflorum</i> (Burm.f.) Andrews
Vernacular Name	Kasturi mallikai
Family	Oleaceae
Habit	Climber
Distribution	India and Nepal
Medicinal uses	Anti septic and Jaundice



Botanical name	<i>Jasminum officinale</i> L.
Vernacular Name	Pitchi
Family	Oleaceae
Habit	Shrubs
Distribution	Asia Minor
Medicinal Uses	Anti viral activity



Botanical name	<i>Jasminum sambac</i> (L.) Aiton
Vernacular Name	Malligai, Aduku-malligai
Family	Oleaceae
Habit	Shrubs
Distribution	Southeast Asia
Medicinal Uses	Diarrhoea and Cancer



Botanical name	<i>Jatropha curcas</i> L.
Vernacular Name	Kattamanakkku
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and Tropical America
Medicinal Uses	Anti -malarial



Botanical name	<i>Jatropha gosypifolia</i> L.
Vernacular Name	Karuathalai
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and South America
Medicinal Uses	Mouth wound and Skin allergy



Botanical name	<i>Jatropha glandulifera</i> Roxb..
Vernacular Name	Athalai
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and South America
Medicinal Uses	Mouth wound and Skin allergy



Botanical name	<i>Justicia adhatoda</i> L.
Vernacular Name	Adathodai
Family	Acanthaceae
Habit	Perennial shrub
Distribution	Asia
Medicinal Uses	Fever and Jaundice



Botanical name	<i>Justicia tranquebariensis</i> L. f.
Vernacular Name	Punnakupoodu
Family	Acanthaceae
Habit	Herb/Under shrub
Distribution	Asia
Medicinal Uses	Diuretic and Tuberculosis



Botanical name	<i>Kalanchoe gastonis-bonnieri</i> Raym. Hamet & H. Perrier
Vernacular Name	Donkey ear plant
Family	Crassulaceae
Habit	Herb
Distribution	India and Madagascar
Medicinal Uses	Ulcer, Cough and Liver disease




Botanical name	<i>Kalanchoe pinnata</i> (Lam.) Pers.
Vernacular Name	Ranakkalli
Family	Crassulaceae
Habit	Herb
Distribution	Madagascar
Medicinal Uses	Head ache and eye diseases



Botanical name	<i>Kyllinga nemoralis</i> (J.R.Forst & G.Forst.) Dandy ex Hutch. & Dalziel
Vernacular Name	Velutta nirbasi
Family	Cyperaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Diabetes



Botanical name	<i>Lablab purpureus</i> (L.) Sweet
Vernacular Name	Avarai
Family	Fabaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Vomiting



Botanical name	<i>Lannea coromandelica</i> (Houtt.) Merr.
Vernacular Name	Indian Ash tree
Family	Anacardiaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Ulcer and Stomach pain



Botanical name	<i>Lantana camara</i> var. <i>aculeata</i> (L.)
Moldenke	
Vernacular Name	Unnichedi
Family	Verbenaceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal Uses	Leprosy and chicken box.




Botanical name	<i>Lawsonia inermis</i> L.
Vernacular Name	Maruthani
Family	Lythraceae
Habit	Shrub
Distribution	Asia and Northern Africa
Medicinal Uses	Reduce body heat and Skin allergy



Botanical name	<i>Lepidagathis fasciculate</i> (Retz.) Nees.
Vernacular Name	Marathi
Family	Acanthaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Anti-inflammatory



Botanical name	<i>Leucaena leucocephala</i> (Lam.) de Wit.
Vernacular Name	Savundal maram
Family	Fabaceae
Habit	Trees
Distribution	Asia and Southern USA
Medicinal Uses	Wound healing



Botanical name	<i>Leucas aspera</i> (Willd.) Link
Vernacular Name	Thumbai
Family	Lamiaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Anti inflammatory



Botanical name	<i>Leucas urticifolia</i> (Vahl) Benth.
Vernacular Name	Perunthumbai
Family	Lamiaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Diarrhoea and Skin disease



Botanical name	<i>Limonia acidissima</i> L.
Vernacular Name	Vilampazam
Family	Rutaceae
Habit	Tree
Distribution	India
Medicinal Uses	Diarrhea and Dysentery



Botanical name	<i>Livistona chinensis</i> (Jacq.) R.Br. ex Mart.
Vernacular Name	Chinese fan palm
Family	Arecaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Anti bacterial



Botanical name	<i>Luffa acutangula</i> (L.) Roxb.
Vernacular Name	Peerkai, Pekankai
Family	Cucurbitaceae
Habit	Climber
Distribution	Asia
Medicinal Uses	Leprosy



Botanical name	<i>Luffa cylindrica</i> (L.) Roem.
Vernacular Name	Molugu-Peerkai
Family	Cucurbitaceae
Habit	Climber
Distribution	Asia and Eastern Africa
Medicinal Uses	Skin disease and Asthma



Botanical name	<i>Madhuca longifolia</i> (J.Konig) J. F. Macbr.
Vernacular Name	Illupei
Family	Sapotaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Skin diseases



Botanical name	<i>Magnolia champaca</i> (L.) Baill. ex Pierre
Vernacular Name	Chembakam
Family	Magnoliaceae
Habit	Tree
Distribution	South Asia
Medicinal uses	Gonorrhea, Purgative and Eradicating



Botanical name	<i>Malavastrum coromandelianum</i> (L.)
Vernacular Name	Clock plant
Family	Malvaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Anti inflammatory



Botanical name	<i>Mangifera indica</i> L.
Vernacular Name	Maa
Family	Anacardiaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Asthma and Cough



Botanical name	<i>Manihot esculenta</i> Crantz
Vernacular Name	Maravallikilanku
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and South America
Medicinal uses	Head ache and Hypertension



Botanical name	<i>Manilkara zapota</i> (L.) P. Royen.
Vernacular Name	Sappotta
Family	Sapotaceae
Habit	Tree
Distribution	Asia and Central America
Medicinal Uses	Inflammation



Botanical Name	<i>Martynia annua</i> L.
Vernacular Name	Puli-nagam
Family	Martyniaceae
Habit	Shrub
Distribution	Asia, Mexico and Central America
Medicinal Uses	Wound healing and Throat pain



Botanical Name	<i>Melaleuca citrina</i> (Curtis). Dum. Cours.
Vernacular Name	Bottle brush
Family	Myrtaceae
Habit	Tree
Distribution	Asia and Australia
Medicinal Uses	Skin infection and Ringworm



Botanical Name	<i>Melia azedarach</i> L.
Vernacular Name	Malaivempu
Family	Meliaceae
Habit	Tree
Distribution	Southeast Asia and Australia
Medicinal Uses	Nervous problem and Headache



Botanical Name	<i>Mentha arvensis</i> L.
Vernacular Name	Pudhina
Family	Lamiaceae
Habit	Herb
Distribution	Asia and North America
Medicinal Uses	Cough



Botanical Name	<i>Merremia tridentata</i> (L.) Haller f.
Vernacular Name	Sadaivari
Family	Convolvulaceae
Habit	Climbing Herb
Distribution	Asia and Australia
Medicinal Uses	Mouth infection



Botanical name	<i>Micrococca mercurialis</i> (L.) Benth.
Vernacular Name	Kunukkuth thukki
Family	Euphorbiaceae
Habit	Herb
Distribution	Asia and Tropical Africa
Medicinal Uses	Fever and Headache



Botanical name	<i>Millettia pinnata</i> (L.) Panigrahi
Vernacular Name	Pungai
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Bleeding piles



Botanical name	<i>Millingtonia hortensis</i> L. fil.
Vernacular Name	Panner poo
Family	Bignoniaceae
Habit	Tree
Distribution	South Asia
Medicinal uses	Asthma



Botanical Name	<i>Mimosa pudica</i> L.
Vernacular Name	Thottal churungi
Family	Fabaceae
Habit	Shrub
Distribution	India and America
Medicinal Uses	Diarrhoea and Fever



Botanical Name	<i>Mimusops elengi</i> L.
Vernacular Name	Mahilam
Family	Sapotaceae
Habit	Tree
Distribution	South India and Andaman islands
Medicinal Uses	Dental caries



Botanical Name	<i>Mirabilis jalapa</i> L.
Vernacular Name	Anthimantharai
Family	Nyctaginaceae
Habit	Herb
Distribution	India, China and America
Medicinal Uses	Inflammation



Botanical name	<i>Mitracarpus villosus</i> (Sw.) DC.
Vernacular Name	Girdlepod
Family	Rubiaceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal uses	Stress related disorders



Botanical name	<i>Mollugo nudicaulis</i> Lam.
Vernacular Name	Taraippasalai
Family	Molluginaceae
Habit	Herb
Distribution	Asia and West Africa
Medicinal Uses	Antiseptic and stomach pain



Botanical name	<i>Momordica charantia</i> L.
Vernacular Name	Pavarkai
Family	Cucurbitaceae
Habit	Climber
Distribution	Asia and Africa
Medicinal uses	Reduces blood sugar and Diabetics



Botanical name	<i>Momordica cymbalaria</i> Hook.f.
Vernacular Name	Athalakkai
Family	Cucurbitaceae
Habit	Climber
Distribution	Andhra Pradesh, Karnataka, Madhya Pradesh, Maharashtra & Tamil Nadu
Medicinal uses	Reduces blood sugar and Diabetics



Botanical name	<i>Morinda tinctoria</i> Roxb..
Vernacular Name	Manjanathi
Family	Rubiaceae
Habit	Tree
Distribution	Southern Asia
Medicinal Uses	Stomach ulcer



Botanical name	<i>Moringa oleifera</i> Lam.
Vernacular Name	Murungai
Family	Moringaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Blood pressure



Botanical name	<i>Mukia maderaspatana</i> (L.) M.Roem.
Vernacular Name	Mosi-Mosika
Family	Cucurbitaceae
Habit	Climber
Distribution	Asia
Medicinal Uses	Anti-oxidant and Skin disease



Botanical name	<i>Muntingia calabura</i> L.
Vernacular Name	Tanpazham
Family	Muntingiaceae
Habit	Tree
Distribution	Asia and America
Medicinal Uses	Ulcer and Fever



Botanical name	<i>Murraya koenigii</i> (L.) Sprengel
Vernacular Name	Kariveppilai
Family	Rutaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Diarrhoea and Vomiting



Botanical name	<i>Murraya paniculata</i> (L.) Jack.
Vernacular Name	Vengarai
Family	Rutaceae
Habit	Shrub comes under tree
Distribution	Southeast Asia
Medicinal Uses	Anti-Diarrhoea



Botanical name	<i>Musa paradisiaca</i> L.
Vernacular Name	Vazhaimaram
Family	Musaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Piles and Diarrhoea



Botanical name	<i>Nerium oleander</i> L.
Vernacular Name	Arali, Karaviram & Sevaralai
Family	Apocynaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Anticancer and Skin disease



Botanical name	<i>Nothosaerva brachiata</i> (L.) Wight
Vernacular Name	Minute Amaranth
Family	Amaranthaceae
Habit	Herb
Distribution	Southeast Asia and eastern Africa
Medicinal Uses	Skin disease and Stomach ache



Botanical name	<i>Nyctanthes arbor-tristis</i> L.
Vernacular Name	Pavizhamalli
Family	Oleaceae
Habit	Shrub
Distribution	Himalaya to Indo-China
Medicinal Uses	Sciatica and arthritis



Botanical name	<i>Ocimum basilicum</i> L.
Vernacular Name	Patchilai
Family	Lamiaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Vomiting and Ulcer



Botanical name	<i>Ocimum tenuiflorum</i> L.
Vernacular Name	Thulasi
Family	Lamiaceae
Habit	Herb under shrub
Distribution	Asia
Medicinal uses	Skin disease and Anticancer agent



Botanical name	<i>Oldenlandia umbellata</i> L.
Vernacular name	Cayaver
Family	Rubiaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Ulcer, wound, colic and Diarrhoea



Botanical Name	<i>Opuntia dillenii</i> (Ker Gawl.) Haw.
Vernacular Name	Sapaththikalli
Family	Cactaceae
Habit	Shrub
Distribution	Asia, Africa and Central America
Medicinal Uses	Anti-inflammatory



Botanical name	<i>Opuntia stricta</i> var. <i>dillenii</i> (Ker Gawl.) L. D. Benson
Vernacular Name	Sappathikkalli
Family	Cactaceae
Habit	Herb
Distribution	Asia and South Africa
Medicinal uses	Diabetes, Ulcer and Inflammation



Botanical name	<i>Orthosiphon aristatus</i> (Blume) Miq.
Vernacular name	Java tea
Family	Lamiaceae
Habit	Herb
Distribution	South east Asia
Medicinal uses	Jaundice



Botanical name	<i>Parthenium hysterophorus</i> L.
Vernacular Name	Mukuthi poo
Family	Asteraceae
Habit	Herb
Distribution	Central Asia and Malaysia
Medicinal uses	Diarrhoea and Malaria



Botanical name	<i>Passiflora foetida</i> L.
Vernacular Name	Mupparisavalli
Family	Passifloraceae
Habit	Climbing shrub
Distribution	Asia, North America and Europe
Medicinal uses	Coughs, tuberculosis, cold and worm



Botanical name	<i>Pavonia zeylanica</i> (L.) Cav.
Vernacular Name	Seevagan, Mamatti
Family	Malvaceae
Habit	Herb
Distribution	Asia and South Africa
Medicinal uses	Muscular pain



Botanical name	<i>Pedalium murex</i> L.
Vernacular Name	Peru-nerinji, Yanai Nerunchi
Family	Pedaliaceae
Habit	Herb
Distribution	Africa, Asia and Indonesia
Medicinal uses	Dysentery and Diarrhoea



Botanical name	<i>Peltophorum pterocarpum</i> (DC.) K.Heyne
Vernacular name	Konyaivakai
Family	Fabaceae
Habit	Tree
Distribution	South Asia
Medicinal uses	Anti inflammatory and Antimicrobial



Botanical name	<i>Pennisetum purpureum</i> Schumach.
Vernacular Name	Sticky grass
Family	Poaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Diuretic



Botanical name	<i>Pentanema indicum</i> (L.) Y. Ling
Vernacular Name	Sonakadi
Family	Asteraceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Stomach pain, Throat disorder and Cough



Botanical name	<i>Pergularia daemia</i> (Forssk.) Chiov.
Vernacular Name	Vaellipparuthi
Family	Asclepiadaceae
Habit	Climber
Distribution	Asia
Medicinal uses	Treatment of malarial



Botanical name	<i>Phanera purpurea</i> (L.) Benth.
Vernacular Name	Butterfly Tree
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal Uses	Asthma, colds and Cough



Botanical name	<i>Phyllanthus acidus</i> (L.) Skeels
Vernacular Name	Aranelli
Family	Phyllanthaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Fever, Malaria and Diarrhoea



Botanical name	<i>Phyllanthus amarus</i> Schumach. & Thonn.
Vernacular Name	Kilanelli
Family	Phyllanthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Jaundice



Botanical name	<i>Phyllanthus emblica</i> L.
Vernacular Name	Nelli
Family	Phyllanthaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Blood purifier, ulcer and cancer



Botanical name	<i>Phyllanthus maderaspatensis</i> L.
Vernacular name	Nil-a-nelli
Family	Phyllanthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Kidney stone, Liver health and Diabetes



Botanical name	<i>Physalis angulata</i> L.
Vernacular Name	Sodukkuthakkali
Family	Solanaceae
Habit	Herb
Distribution	Asia and America
Medicinal uses	Stomach disorder



Botanical name	<i>Physalis minima</i> L.
Vernacular Name	Sodukkuthakkali
Family	Solanaceae
Habit	Herb
Distribution	Central Asia
Medicinal uses	Ear ache and Diuretic



Botanical Name	<i>Pithecellobium dulce</i> (Roxb.) Benth.
Vernacular Name	Kodikkai
Family	Fabaceae
Habit	Tree
Distribution	Asia and America
Medicinal Uses	Diarrhoea and Dysentery



Botanical name	<i>Plumeria alba</i> L.
Vernacular name	Neela sambangki
Family	Apocynaceae
Habit	Tree
Distribution	Asia and America
Medicinal uses	Dysentery, Cough and Ulcer



Botanical name	<i>Polyalthia longifolia</i> Sonn.
Vernacular Name	Asokamaram and Nettilingam
Family	Annonaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Skin disease and Diabetes



Botanical name	<i>Polygala arvensis</i> Willd.
Vernacular Name	Milakunankai
Family	Polygalaceae
Habit	Herb
Distribution	India and Sri lanka
Medicinal Uses	Asthma and Bronchitis



Botanical name	<i>Polyscias balfouriana</i> (Andre)
L.H.Bailey	
Vernacular Name	Dinner Plate Aralia
Family	Araliaceae
Habit	Shrub
Distribution	New Guinea
Medicinal Uses	Anti-Inflammatory



Botanical name	<i>Portulaca oleracea</i> L.
Vernacular Name	Karikkirai
Family	Portulacaceae
Habit	Herb
Distribution	Southeast Asia
Medicinal uses	Abnormal uterine bleeding



Botanical name	<i>Portulaca pilosa</i> L. var. <i>grandiflora</i> (Hook.) R. Geesink.
Vernacular Name	Kattu roja
Family	Portulacaceae
Habit	Herb
Distribution	Asia and South America
Medicinal uses	Diuresis, Antipyresis and Analgesia



Botanical name	<i>Portulaca umbraticola</i> Kunth
Vernacular Name	Kattu roja
Family	Portulacaceae
Habit	Herb
Distribution	Asia and Southern Brazil
Medicinal uses	Snake and insect bites



Botanical name	<i>Pritchardia pacifica</i> Seem. & H.Wendl.
Vernacular Name	Visiri pannai
Family	Arecaceae
Habit	Tree
Distribution	Asia and Pacific islands
Medicinal uses	Anti microbial



Botanical name	<i>Prosopis cineraria</i> (L.) Druce
Vernacular Name	Vanni
Family	Fabaceae
Habit	Shrub
Distribution	Arabian Peninsula to India
Medicinal Uses	Asthma and Dysentery



Botanical name	<i>Prosopis juliflora</i> (Sw.) DC.
Vernacular Name	Seemaikaruvelam
Family	Fabaceae
Habit	Tree
Distribution	Mexico, South America and Asia
Medicinal uses	Skin allergy



Botanical name	<i>Pseuderanthemum carruthersii</i> (Seem.) Guillaumin
Vernacular Name	Golden Net Bush
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Anti Microbial and Head pain



Botanical name	<i>Pseuderanthemum maculatum</i> (G.Lodd.) I.M.Turner
Vernacular Name	Golden Net Bush
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Anti Microbial and Head pain



Botanical name	<i>Pseuderanthemum reticulatum</i> (Hort. ex Hook. fil.) Rodlk.
Vernacular Name	Nagamalli
Family	Acanthaceae
Habit	Shrub
Distribution	Asia
Medicinal Uses	Diuretic effect and Skin allergy



Botanical name	<i>Psidium guajava</i> L.
Vernacular Name	Koyya
Family	Myrtaceae
Habit	Tree
Distribution	Asia and South America
Medicinal uses	Anti inflammatory and Anti oxidant



Botanical name	<i>Punica granatum</i> L.
Vernacular Name	Mathulai
Family	Lythraceae
Habit	Shrub
Distribution	Asia and South America
Medicinal uses	Urinary, Coughs and Skin disease



Botanical name	<i>Pupalia lappacea</i> (L.) Juss.
Vernacular Name	Adai-otti
Family	Amaranthaceae
Habit	Herb
Distribution	India and Srilanka
Medicinal uses	Diuretic and Coughs



Botanical name	<i>Rhynchosia minima</i> (L.) DC.
Vernacular Name	Kaliyantuvarai
Family	Fabaceae
Habit	Climbing Herb
Distribution	Asia and Africa
Medicinal uses	General healing, heart, dysentery and Diarrhoea



Botanical Name	<i>Ricinus communis</i> L.
Vernacular Name	Amanakku
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and North eastern Africa
Medicinal Uses	Rheumatism and Worm infection



Botanical name	<i>Rosa indica</i> L.
Vernacular Name	Rose
Family	Rosaceae
Habit	Shrub
Distribution	Indo-China
Medicinal Uses	Asthma and Diarrhea



Botanical name	<i>Roystonea regia</i> (Kunth) O. F. Cook
Vernacular Name	Royal palm
Family	Arecaceae
Habit	Tree
Distribution	India, Mexico and Central America
Medicinal uses	Live stock and heart palm.



Botanical name	<i>Ruellia patula</i> Jacq.
Vernacular Name	Grandinayakam
Family	Acanthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Diuretic, hypertensive and stomach ache



Botanical name	<i>Ruellia prostrata</i> Poir.
Vernacular Name	Pottakanchi
Family	Acanthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Joint pains and kidney diseases



Botanical name	<i>Ruellia tuberosa</i> L.
Vernacular Name	Pattasu chedi
Family	Acanthaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Joint pains and Kidney diseases



Botanical name	<i>Samanea saman</i> F. Muell.
Vernacular Name	Thungumoonji
Family	Fabaceae
Habit	Tree
Distribution	Tropical America & Asia
Medicinal uses	Diarrhoea & Stomach ache



Botanical name	<i>Senna alata</i> (L.) Roxb.
Vernacular Name	Ancali, Cimaiyagatti
Family	Fabaceae
Habit	Shrub
Distribution	Asia and Mexico
Medicinal uses	Stomach pain and dysentery



Botanical name	<i>Senna alexandrina</i> Mill.
Vernacular Name	Tirunelveli senna
Family	Fabaceae
Habit	Shrub
Distribution	South India and Arabia
Medicinal uses	Diabetes and Anti-inflammation



Botanical name	<i>Senna auriculata</i> (L.) Roxb.
Vernacular Name	Avarampoo, Aavarai
Family	Fabaceae
Habit	Shrub
Distribution	Asia and Africa
Medicinal uses	Eye infection, Fever and diabetes



Botanical name	<i>Senna occidentalis</i> (L.) Link.
Vernacular Name	Ponnavirai
Family	Fabaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Skin disease and Inflammation



Botanical name	<i>Senna siamea</i> (Lam.) Irwin & Barneby
Vernacular Name	Seemai avarai
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Malaria, Laxative and Fever



Botanical name	<i>Senna tora</i> (L.) Roxb.
Vernacular Name	Tagerai
Family	Fabaceae
Habit	Shrub
Distribution	Asia and Africa
Medicinal uses	Anthelmintic and ringworm



Botanical name	<i>Sesamum indicum</i> L.
Vernacular Name	Ellu
Family	Pedaliaceae
Habit	Herb
Distribution	Asia and Northeast Africa
Medicinal uses	Anti-inflammatory and diabetes



Botanical name	<i>Sesbania bispinosa</i> (Jacq.) W. Wight
Vernacular Name	Mutcembai
Family	Fabaceae
Habit	Shrub
Distribution	Southern Asia
Medicinal uses	Skin diseases and worms



Botanical name	<i>Sesbania grandiflora</i> (L.) Poiret
Vernacular Name	Agathi
Family	Fabaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Diarrhoea, fever and dysentery



Botanical Name	<i>Sesbania sesban</i> (L.) Merr.
Vernacular Name	Citharathai
Family	Fabaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Digestive and throat pain



Botanical name	<i>Sida acuta</i> Burm. f.
Vernacular Name	Arivalmukkam
Family	Malvaceae
Habit	Herb
Distribution	Asia and Central America
Medicinal uses	Wound healing



Botanical name	<i>Sida cordata</i> (Burm. f.) Borss. Waalk.
Vernacular Name	Palampasi
Family	Malvaceae
Habit	Herb
Distribution	Asia and Africa
Medicinal uses	Gonorrhoea and Skin allergy



Botanical name	<i>Sida rhombifolia</i> L.
Vernacular name	Chitramutti
Family	Malvaceae
Habit	Herb under shrub
Distribution	Asia
Medicinal uses	Rheumatism and Headache



Botanical Name	<i>Simarouba glauca</i> DC.
Vernacular Name	Sourga maram
Family	Simaroubaceae
Habit	Tree
Distribution	Asia and South America
Medicinal Uses	Fever and Digestive



Botanical Name	<i>Solanum elaeagnifolium</i> Cav.
Vernacular Name	Silver leaf Nightshade
Family	Solanaceae
Habit	Herb
Distribution	Asia and America
Medicinal Uses	Snake bites



Botanical name	<i>Solanum lycopersicum</i> L.
Vernacular Name	Thakkali
Family	Solanaceae
Habit	Herb
Distribution	Asia and South America
Medicinal Uses	Heart attacks and Head aches



Botanical name	<i>Solanum nigrum</i> L.
Vernacular Name	Manathakkali
Family	Solanaceae
Habit	Herb
Distribution	Asia, America and Africa
Medicinal uses	Mouth ulcer and ring worm



Botanical name	<i>Solanum pubescens</i> Willd.
Vernacular name	Kattu sundai kaai
Family	Solanaceae
Habit	Shrub
Distribution	Asia
Medicinal uses	Joint pain



Botanical name	<i>Solanum trilobatum</i> L.
Vernacular Name	Thodhuvalai
Family	Solanaceae
Habit	Climbing Shrub
Distribution	South East Asia
Medicinal uses	Asthma and vomiting of blood




Botanical name	<i>Solanum torvum</i> SW.
Vernacular Name	Sundakai
Family	Solanaceae
Habit	Shrub
Distribution	Southeast Asia
Medicinal uses	Asthma, Cough, Fever and Diabetes



Botanical name	<i>Spathodea campanulata</i> P.Beaup.
Vernacular Name	Patadi
Family	Bignoniaceae
Habit	Tree
Distribution	Tropical Africa
Medicinal Uses	Malaria and Diabetes



Botanical name	<i>Spermacoce hispida</i> L.
Vernacular Name	Buttonweed
Family	Rubiaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Stomach pain and Malaria



Botanical name	<i>Spermacoce ocymoides</i> Burm.f.
Vernacular name	Purple leaved button weed
Family	Rubiaceae
Distribution	Asia, America and Africa
Habit	Herb
Medicinal uses	Headache



Botanical name	<i>Stachytarpheta indica</i> (L.) Vahl
Vernacular Name	Snakeweed
Family	Verbenaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Eye disease and Diuretic



Botanical name	<i>Stemodia viscosa</i> Roxb.
Vernacular Name	Sticky blue rod
Family	Plantaginaceae
Habit	Herb
Distribution	India and Sri Lanka
Medicinal Uses	Cold and flu fever



Botanical name	<i>Stylosanthes fruticosa</i> (Retz.) Alston
Vernacular name	Shrubby pencil flower
Family	Fabaceae
Distribution	Southern Asia and Australia
Habit	Herb
Medicinal uses	Skin allergy



0

Botanical name	<i>Swietenia mahagoni</i> (L.) Jacq.
Vernacular Name	Mahogany
Family	Meliaceae
Habit	Tree
Distribution	Tropical East Africa
Medicinal Uses	Diarrhea



Botanical name	<i>Syzygium cumini</i> (L.) Skeels
Vernacular Name	Naval
Family	Myrtaceae
Habit	Tree
Distribution	Asia and Africa
Medicinal uses	Blood sugar level and Sour



Botanical name	<i>Tabernaemontana divaricata</i> R.Br. ex Roem. & Schult.
Vernacular Name	Nandhiyavattai
Family	Apocynaceae
Habit	Shrub
Distribution	Southeast Asia
Medicinal uses	Snake bite and sore eyes



Botanical name	<i>Tabebuia rosea</i> DC.
Vernacular Name	Pink trumpet tree
Family	Bignoniaceae
Habit	Tree
Distribution	Asia and America
Medicinal uses	Fever, pain and inflammation



Botanical name	<i>Talinum fruticosum</i> (L.) Juss.
Vernacular Name	Ceylon Keerai
Family	Talinaceae
Habit	Herb
Distribution	Asia, Central America and Mexico
Medicinal uses	Kidney disorders



Botanical name	<i>Tamarindus indica</i> L.
Vernacular Name	Puliyamaram
Family	Fabaceae
Habit	Tree
Distribution	Tropical Asia and Africa
Medicinal uses	Asthma and Wound healing



Botanical name	<i>Tecoma stans</i> (L.) Juss. ex Kunth
Vernacular Name	Thangkaarali
Family	Bignoniaceae
Habit	Tree
Distribution	Asia, Mexico and South America
Medicinal uses	diabetes and stomach pains



Botanical name	<i>Tephrosia purpurea</i> (L.) Pers.
Vernacular Name	kolungi
Family	Fabaceae
Habit	Herb
Distribution	Asia
Medicinal uses	Asthma and diuretic



Botanical name	<i>Tectona grandis</i> L. f.
Vernacular Name	Thekku
Family	Lamiaceae
Habit	Tree
Distribution	Southeast Asia
Medicinal uses	Headaches and tooth aches



Botanical name	<i>Terminalia arjuna</i> (Roxb.) Wight & Arn.
Vernacular Name	Neer marudhu
Family	Combretaceae
Habit	Tree
Distribution	Asia
Medicinal uses	Heart disease



Botanical name	<i>Terminalia catappa</i> L.
Vernacular Name	Vadham maram
Family	Combretaceae
Habit	Tree
Distribution	Asia and Africa
Medicinal uses	Liver diseases and Diarrhoea



Botanical name	<i>Thespesia populnea</i> <u>(L.) Sol. ex Correa</u>
Vernacular Name	Puvarasu
Family	Malvaceae
Habit	Tree
Distribution	Southeast Asia and East Africa
Medicinal uses	Dysentery



Botanical name	<i>Thunbergia erecta</i> (Benth.) <u>T. Anderson</u>
Vernacular Name	Bush clock vein
Family	Acanthaceae
Habit	Shrubs
Distribution	Asia and Africa
Medicinal uses	Anti-inflammatory and Antioxidant



Botanical Name	<i>Tithonia diversifolia</i> (Hemsl.) A.gray
Vernacular Name	Kattu Suriyagandhi
Family	Asteraceae
Habit	Shrub
Distribution	Asia and Mexico
Medicinal uses	Skin allergy



Botanical name	<i>Tradescantia pallida</i> (Rose) D.R.Hunt.
Vernacular Name	Purple queen
Family	Commelinaceae
Habit	Herb
Distribution	Asia and Southern Mexico
Medicinal uses	Insecticidal and anti-cancer



Botanical name	<i>Tradescantia spathacea</i> Sw.
Vernacular Name	Oyster plant, boat lily
Family	Commelinaceae
Habit	Herb
Distribution	Asia and Southern Mexico
Medicinal uses	Insecticidal and anti-cancer



Botanical name	<i>Tragia plukenetii</i> Radcl. Sm.
Vernacular Name	Karumchendhatii
Family	Euphorbiaceae
Habit	Shrub
Distribution	Asia and Africa
Medicinal Uses	Skin infection



Botanical name	<i>Trianthema portulacastrum</i> L.
Vernacular Name	Sharunai
Family	Aizoaceae
Habit	Herb
Distribution	Tropical Africa
Medicinal Uses	Anemia and Diuretic



Botanical name	<i>Tribulus terrestris</i> L.
Vernacular Name	Nerunji
Family	Zygophyllaceae
Habit	Herb
Distribution	Asia and North America
Medicinal uses	Kidney stone



Botanical name	<i>Trichodesma indicum</i> (L.) R.Br.
Vernacular Name	Kavizh-thumbai
Family	Boraginaceae
Habit	Herb
Distribution	Asia and Australia
Medicinal uses	Skin disease



Botanical name	<i>Tridax procumbens</i> L.
Vernacular Name	Vettukkaya-thalai, Thatha poo
Family	Asteraceae
Habit	Herb
Distribution	Asia and Tropical America
Medicinal uses	Wound healing



Botanical name	<i>Triumfetta rhomboidea</i> Jacq.
Vernacular Name	Kaptom
Family	Malvaceae
Habit	Shrub
Distribution	Asia and South Africa
Medicinal uses	Leprosy and Diarrhoea



Botanical name	<i>Urochloa ramosa</i> (L.) T.Q.Nguyen
Vernacular Name	Pala pul
Family	Poaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Anti-viral



Botanical Name	<i>Vachellia nilotica</i> (L.) P.J.H. Hurter & Mabb.
Vernacular Name	Karuvalam
Family	Fabaceae
Habit	Tree
Distribution	South Africa and Asia
Medicinal Uses	Diarrhoea and Dysentery



Botanical name	<i>Vernonia cinerea</i> (L.) Less.
Vernacular Name	Naichotte poonde
Family	Asteraceae
Habit	Herb
Distribution	Asia and Australia
Medicinal uses	Anti cancer



Botanical name	<i>Vicoa indica</i> (L.) DC.
Vernacular Name	Sonakadi
Family	Asteraceae
Habit	Herb
Distribution	Asia and Africa
Medicinal Uses	Stomach pain, Throat disorder and Cough



Botanical name	<i>Vigna trilobata</i> (L.) verde
Vernacular Name	Wild gram
Family	Fabaceae
Habit	Climber
Distribution	Asia
Medicinal Uses	Anti microbial activity



Botanical name	<i>Vitex negundo</i> L.
Vernacular Name	Nochi
Family	Lamiaceae
Habit	Shrub
Distribution	Southern Africa and Asia
Medicinal uses	Menstrual and breast problem



Botanical name	<i>Volkameria inermis</i> L.
Vernacular Name	Perungilai
Family	Lamiaceae
Habit	Shrub
Distribution	Asia and Africa
Medicinal uses	Dysentery and Skin rashes



Botanical Name	<i>Wedelia chinensis</i> (Osbeck) Merr.
Vernacular Name	Phaeii Karisalangkanni
Family	Asteraceae
Habit	Climbing herb
Distribution	Asia and Australia
Medicinal uses	Hair growth and Skin diseases



Botanical Name	<i>Zephyranthes rosea</i> Lindl.
Vernacular Name	Rosy rain lily
Family	Amaryllidaceae
Habit	Herb
Distribution	Asia
Medicinal Uses	Therapeutic purposes



Botanical Name	<i>Ziziphus jujuba</i> Mill.
Vernacular Name	Elandhai
Family	Rhamnaceae
Habit	Shrub
Distribution	Asia and Australia
Medicinal uses	Digestive, Ulcer and Muscular strength



Botanical name	<i>Ziziphus mauritiana</i> Lam.
Vernacular Name	Ilandai
Family	Rhamnaceae
Habit	Tree
Distribution	Iran to Australia
Medicinal Uses	Liver diseases and Cough

