

**FISHERIES RESEARCH BOARD  
OF CANADA**

**MANUSCRIPT REPORT SERIES  
(BIOLOGICAL)**

No. 826

*To Lepidoptera species*  
826

**TITLE**

A BIBLIOGRAPHY OF PARASITES AND DISEASES  
OF FISHES IN CANADA: A REVISION


**AUTHORSHIP**

L. Margolis

**Establishment**

Biological Station, Nanaimo, B. C.

**Dated** July 1965



**FISHERIES RESEARCH BOARD  
OF CANADA**

**MANUSCRIPT REPORT SERIES  
(BIOLOGICAL)**

No. 826

**TITLE**

A BIBLIOGRAPHY OF PARASITES AND DISEASES  
OF FISHES IN CANADA: A REVISION

**AUTHORSHIP**

L. Margolis

**Establishment**  
Biological Station, Nanaimo, B. C.

**Dated** July 1965

## INTRODUCTION

An earlier version of this bibliographic compilation was prepared in 1957 and was placed in the Manuscript Report Series (Biological) of the Fisheries Research Board, as No. 631. Like the original, the present revision does not include references to Annual Reports of the Fisheries Research Board or to Annual Reports of the Board's Biological or Technological Stations, nor to Annual Reports of other agencies. University theses are not included either. It does, however, include the Manuscript Report Series of the Fisheries Research Board. Monographs on various groups of parasites, in which Canadian records are cited, generally have been omitted. Only original publications concerned with research on parasites or diseases of fishes from Canadian waters are listed.

Several omissions from the original version were brought to my attention; there may yet be others. I would welcome being informed of such omissions.

1. Adami, J. G. 1908. On a giant-celled rhabdomyosarcoma from the trout. Montreal Med. J., 37: 163-165.
2. Adams, J. R. 1956. A parasitic copepod (Salmincola falculata) attached to a fish heart. J. Parasitol., 42: 296.
3. Bangham, R. V. 1941. Parasites of fish of Algonquin Park lakes. Trans. Amer. Fish. Soc., 70: 161-171.
4. Bangham, R. V. 1955. Studies on fish parasites of Lake Huron and Manitoulin Island. Amer. Midland Nat., 53: 184-194.
5. Bangham, R. V. and J. R. Adams. 1954. A survey of the parasites of freshwater fishes from the mainland of British Columbia. J. Fish. Res. Bd. Canada, 11: 673-708.
6. Bangham, R. V. and G. W. Hunter III. 1939. Studies on fish parasites of Lake Erie. Distribution studies. Zoologica, 24: 385-448.
7. Bangham, R. V. and C. E. Venard. 1946. Parasites of fish of Algonquin Park lakes. Univ. Toronto Studies, Biol. Ser., No. 53 (Pub. Ontario Fish. Res. Lab., No. 65), 31-46.
8. Bell, G. R. 1961. Two epidemics of apparent kidney disease in cultured pink salmon (Oncorhynchus gorbuscha). J. Fish. Res. Bd. Canada, 18: 559-562.
9. Bell, G. 1962. Trichodinids from the gills of a new host, the lingcod Ophiodon elongatus. J. Fish. Res. Bd. Canada, 19: 515-516.
10. Bere, R. 1930. The parasitic copepods of the fish of the Passamaquoddy region. Contr. Can. Biol. Fish., 5: 423-430.
11. Bere, R. 1930. Parasitic copepods from the Vancouver Island region. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 259, 3 pp.
12. Bishop, Y.M.M. and L. Margolis. 1955. A statistical examination of Anisakis larvae (Nematoda) in herring (Clupea pallasi) of the British Columbia coast. J. Fish. Res. Bd. Canada, 12: 571-592.
13. Black, W. F. The feeding of nematode-infested Mysids to cod. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 627, 11 pp.
14. Bradley, C. 1961. The effect of electrical stimulation at low temperatures on the larvae of Phocanema decipiens. Can. J. Zool., 39: 35-42.
15. Bradley, C. 1961. The effect of certain chemicals on the response to electrical stimulation and the spontaneous rhythmical activity of larvae of Phocanema decipiens. Ibid., 39: 129-136.

16. Cameron, T.W.M. 1936. Studies on the heterophyid trematode, Apophallus venustus (Ransom, 1920) in Canada. Part I. Morphology and taxonomy. Can. J. Res., D, 14: 59-69.
17. Cameron, T.W.M. 1937. Studies on the heterophyid trematode Apophallus venustus (Ransom, 1920) in Canada. Part II. Life history and bionomics. Ibid., 15: 38-51.
18. Cameron, T.W.M. 1937. Studies on the heterophyid trematode Apophallus venustus (Ransom, 1920) in Canada. Part III. Further hosts. Ibid., 15: 275.
19. Cameron, T.W.M. 1944. The morphology, taxonomy, and life history of Metorchis conjunctus (Cobbold, 1860). Ibid., 22: 6-16.
20. Cameron, T.W.M. 1945. Fish-carried parasites in Canada. Can. J. Comp. Med., 9: 245-254, 283-286, 302-311.
21. Cameron, T.W.M. 1946. Black spot and yellow grub in fish. Rod and Gun (Canada), 48(4): 14-15; 48(5): 12-13, 44.
22. Carl, G. C. 1939. Furunculosis and another case of ichthyophthiriasis. Frog. Fish-Cult., No. 45, 47-50.
23. Choquette, L.P.E. 1947. Phyllodistomum lachancei sp. nov., a trematode from the ureters of Salvelinus fontinalis (Mitchill), with a note on its pathogenicity. Can. J. Res., D, 25: 131-134.
24. Choquette, L.P.E. 1948. Parasites of freshwater fish. IV. Internal helminths parasitic in speckled trout (Salvelinus fontinalis (Mitchill)) in rivers and lakes of the Laurentide Park, Quebec, Canada. Ibid., 26: 204-211.
25. Choquette, L.P.E. 1948. On the species of the genus Metabronema Yorke and Maplestone, 1926, parasitic in trout and char. Ibid., 26: 329-333.
26. Choquette, L.P.E. 1951. On the nematode genus Rhabdochona Railliet, 1916 (Nematoda: Spiruroidea). Can. J. Zool., 29: 1-16.
27. Choquette, L.P.E. 1951. Description of Metabronema prevosti sp. nov. with a note on the genus and a list of its species and their host and geographical distribution. Ibid., 29: 102-108.
28. Choquette, L.P.E. 1951. Parasites of freshwater fish. V. Parasitic helminths of the muskellunge, Esox m. masquinongy Mitchill, in the St. Lawrence watershed. Ibid., 29: 290-295.
29. Choquette, L.P.E. 1954. A note on the intermediate hosts of the trematode, Crepidostomum cooperi Hopkins, 1931, parasitic in speckled trout (Salvelinus fontinalis (Mitchill)) in some lakes and rivers of the Quebec Laurentide Park. Ibid., 32: 375-377.

30. Choquette, L.P.E. 1955. The life history of the nematode Metabronema salvelini (Fujita, 1920) parasitic in the speckled trout, Salvelinus fontinalis (Mitchill), in Quebec. Ibid., 33: 1-4.
31. Clemens, W. A., R. V. Boughton and J. A. Rattenbury. 1945. A preliminary report on a fishery survey of Teslin Lake, British Columbia. Rept. British Columbia Fish. Dept. for 1944, 70-75.
32. Cooper, A. R. 1914. On the systematic position of Haplobothrium globuliforme Cooper. Trans. Roy. Soc. Can., Ser. 3, 8(Sec. 4): 1-5.
33. Cooper, A. R. 1915. A new cestode from Amia calva L. Trans. Roy. Can. Inst., 10: 81-119. (Advance separate issued in 1914.)
34. Cooper, A. R. 1915. Trematodes from marine and fresh-water fishes, including one species of ectoparasitic turbellarian. Ibid., Ser. 3, 9(Sec. 4): 181-205.
35. Cooper, A. R. 1915. Contributions to the life history of Proteocephalus ambloplitis Leidy, a parasite of the black bass. Contr. Can. Biol., 1911-1914 (Fasc. II), 177-194.
36. Cooper, A. R. 1919. North American pseudophyllidean cestodes from fishes. Illinois Biol. Monographs, 4: 289-541.
37. Cooper, A. R. 1921. Trematodes and cestodes of the Canadian Arctic Expedition, 1913-18. Rep. Canadian Arctic Exped. 1913-18, 9, Parts G-H: 1-27.
38. Cox, P. 1916. Investigation of a disease of the herring (Clupea harengus) in the Gulf of St. Lawrence, 1914. Contr. Can. Biol., 1914-15, 81-85.
39. Crampton, E. W. 1960. Effect of the ingestion of Triaenophorus plerocercoids on the nutritional characteristics of whitefish fillets in the rations of puppies. J. Fish. Res. Bd. Canada, 17: 81-90.
40. Crampton, E. W., E. Donefer and D. J. Schad. 1960. Effect of the ingestion of Porrocaecum (codworm) on growth, voluntary intake and feed efficiency of beagle pups. J. Fish. Res. Bd. Canada, 17: 501-505.
41. Davis, H. S. 1924. A new myxosporidian parasite, the cause of "wormy" halibut. U.S. Bur. Fish. Doc. 957, 1-5.
42. Dechtiar, A. O. and K. H. Loftus. 1965. Two new hosts for Cyathocephalus truncatus (Pallas, 1781) (Cestoda; Cyathocephalidae) in Lake Huron. Can. J. Zool., 43: 407-408.
43. Detwiler, J. D. 1941. Parasitic infestations of fish. Can. Publ. Health J., 32: 293-300.

44. Doan, K. H. 1945. The control of jackfish, Esox lucius, in Heming Lake, Manitoba, in relation to the parasitization of whitefish by the tapeworm Triaenophorus crassus. Fish. Res. Bd. Canada, MS Repts. Biol. Sta. No. 462, 35 pp.
45. Doan, K. H. 1949. Control of the pike-whitefish tapeworm in Central Canada. Ibid., No. 479, 19 pp.
46. Doan, K. H. 1953. Control of the pike-whitefish tapeworm in Central Canada. Proc. 7th Pacific Science Congress, 4 (Zoology): 539-547.
47. Dombroski, E. 1955. Cestode and nematode infection of sockeye smolts from Babine Lake, British Columbia. J. Fish. Res. Bd. Canada, 12: 93-96.
48. Duff, D.C.B. 1930. Investigation of hatchery disease at Cultus Lake. Fish. Res. Bd. Canada, MS Repts. Biol. Sta. No. 261, 6 pp.
49. Duff, D.C.B. 1932. Furunculosis in British Columbia. Biol. Bd. Canada, Progress Repts. Pacific Sta., No. 15, 7-9.
50. Duff, D.C.B. 1932. Furunculosis or fish "boils" in game fish. Vancouver Mus. Art. Notes, 7: 16-17.
51. Duff, D.C.B. 1932. Furunculosis on the Pacific coast. Trans. Amer. Fish. Soc., 62: 249-255.
52. Duff, D.C.B. 1933. Report on the examination of Atlantic salmon eggs and brown trout eggs for presence of B. salmonicida. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., Nos. 295 and 296, 4 pp.
53. Duff, D.C.B. 1937. Dissociation in Bacillus salmonicida, with special reference to the appearance of a G form of culture. J. Bacteriol., 34: 49-67.
54. Duff, D.C.B. 1939. Some serological relationships of the S, R, and G phases of Bacillus salmonicida. Ibid., 38: 91-100.
55. Duff, D.C.B. 1942. The oral immunization of trout against Bacterium salmonicida. J. Immunol., 44: 87-94.
56. Duff, D.C.B., M. I. MacArthur and H. G. Thompson. 1940. Observations on the viability of Bacterium salmonicida. J. Fish. Res. Bd. Canada, 5: 1-7.
57. Duff, D.C.B. and B. J. Stewart. 1933. Studies on furunculosis of fish in British Columbia. Contr. Can. Biol. Fish., N.S., 8: 103-122.
58. Ekbaum, E. 1935. Über eine neue Cystidicola in der Schwimmblase von Oncorhynchus kisutch Walbaum. Zeitschr. Parasitenk., 7: 515.

59. Ekbaum, E. 1935. Notes on the species of Triaenophorus in Canada. *J. Parasitol.*, 21: 260-263.
60. Ekbaum, E. 1936. Notes on the genus Cystidicola in Canadian fishes. *Can. Field-Nat.*, 50: 8-11.
61. Ekbaum, E. 1937. On the maturation and the hatching of the eggs of the cestode Triaenophorus crassus Forel from Canadian fish. *J. Parasitol.*, 23: 293-295.
62. Ekbaum, E. 1938. Notes on the occurrence of Acanthocephala in Pacific fishes. I. Echinorhynchus gadi (Zoega) Müller in salmon and E. lageniformis sp. nov. and Corynosoma strumosum (Rudolphi) in two species of flounder. *Parasitol.*, 30: 267-274.
63. Ellis, M. F. 1930. Ichthyophonus hoferi Plehn and Mulsow, a flounder parasite new to North American waters. *Trans. Nova Scotian Inst. Sci.*, 17: 185-192.
64. Ellis, M. F. 1930. Investigations on the protozoan fish parasites of the St. Andrew's region. *Ibid.*, 17: 268-275.
65. Evans, W. S. 1963. Amphimerus pseudofelineus (Ward, 1901) Digenea: Opisthorchidae) and its second intermediate host in Manitoba. *Can. J. Zool.*, 41: 649-651.
66. Fantham, H. B. and A. Porter. 1937. Some effects of invasion by Myxosporidia on certain Canadian fishes. *J. Parasitol.*, 23: 565.
67. Fantham, H. B. and A. Porter. 1943. Plasmodium struthionis, sp. n., from Sudanese ostriches and Sarcocystis salvelini, sp. nov. from Canadian speckled trout (Salvelinus fontinalis), together with a record of a Sarcocystis in the eel pout (Zoarces angularis). *Proc. Zool. Soc., London, Ser. B.*, 113: 25-30.
68. Fantham, H. B. and A. Porter. 1948. The parasitic fauna of vertebrates in certain Canadian fresh waters, with some remarks on their ecology, structure and importance. *Ibid.*, 117: 609-649.
69. Fantham, H. B., A. Porter and L. R. Richardson. 1939. Some Myxosporidia found in certain fresh-water fishes in Quebec Province, Canada. *Parasitol.*, 31: 1-77.
70. Fantham, H. B., A. Porter and L. R. Richardson. 1940. Some more Myxosporidia observed in Canadian fishes. *Ibid.*, 32: 333-353.
71. Fantham, H. B., A. Porter and L. R. Richardson. 1941. Some Microsporidia found in certain fishes and insects in eastern Canada. *Ibid.*, 33: 186-208.

72. Fee, A. R. 1926. The Isopoda of Departure Bay and vicinity, with descriptions of new species, variations, and colour notes. Contr. Can. Biol. Fish., N.S., 3: 13-46.
73. Fraser, C. M. 1920. Copepods parasitic on fish from the Vancouver Island region. Trans. Roy. Soc. Can., Ser. 3, 13(Sec. 5): 45-68.
74. Freeman, H. C., P. L. Hoogland and P. H. Odense. 1963. The nature of an unusual amino acid-pyrimidine complex from the cod parasite, Porrocaecum decipiens. J. Fish. Res. Bd. Canada, 20: 1-11.
75. Freeman, R. S. 1961. The life history of Proteocephalus parallacticus MacLulich, 1943, from lake trout. J. Parasitol., 47(4, Sect. 2): 57.
76. Freeman, R. S. 1964. On the biology of Proteocephalus parallacticus MacLulich (Cestoda) in Algonquin Park, Canada. Can. J. Zool., 42: 387-408.
77. Freeman, R. S. 1964. Flatworm problems in fish. Can. Fish Cult., No. 32, 11-18.
78. Gowenloch, J. N. 1927. Notes on the occurrence and control of the trematode, Gyrodactylus, ectoparasitic on Fundulus. Trans. Nova Scotian Inst. Sci., 16: 126-131.
79. Gooding, R. U. and A. G. Humes. 1963. External anatomy of the female Haemobaphes cycloptera, a copepod parasite of marine fishes. J. Parasitol., 49: 663-677.
80. Hart, J. L. 1931. The food of the whitefish, Coregonus clupeaformis (Mitchill) in Ontario waters, with a note on the parasites. Contr. Can. Biol. Fish., N.S., 6: 445-454.
81. Heller, A. F. 1949. Parasites of cod and other marine fish from the Baie de Chaleur region. Can. J. Res., D, 27: 243-264.
82. Henderson, J. T. 1927. Description of a copepod gill-parasite of pike-perches in lakes of Northern Quebec, including an account of the free-swimming male and of some developmental stages. Contr. Can. Biol. Fish., N.S., 3: 235-245.
83. Henderson, J. T. 1930. A new parasitic copepod (Scolecimorpha huntsmani n. sp.). Ibid., 6: 215-224.
84. Holloway, H. L. 1957. The distribution of Neoechinorhynchus cylindratus Van Cleave in North America. Virginia J. Sci., N.S., 8: 296-297.
85. Hoffman, G. L. and C. E. Dunbar. 1961. Mortality of eastern brook trout caused by plerocercoids (Cestoda: Pseudophyllidea: Diphyllobothriidae) in the heart and viscera. J. Parasitol., 47: 399-400.

86. Hunter, G. W. III and R. V. Bangham. 1932. Studies on fish parasites of Lake Erie. I. New trematodes (Allocreadiidae). *Trans. Amer. Micr. Soc.*, 51: 137-152.
87. Hunter, G. W. III and R. V. Bangham. 1933. Studies on the fish parasites of Lake Erie. II. New Cestoda and Nematoda. *J. Parasitol.*, 19: 304-311.
88. Kabata, Z. 1961. Lernaeocera branchialis (L.) a parasitic copepod from the European and the American shores of the Atlantic. *Crustaceana*, 2: 243-249.
89. Kabata, Z. 1964. Redescription of Lernaeopoda centroscyllii Hansen, 1923 (Copepoda: Lernaeopodidae). *J. Fish. Res. Bd. Canada*, 21: 681-689.
90. Keleher, J. J. 1950. Growth, maturity and Triaenophorus parasitism in relation to taxonomy of Lake Winnipeg ciscoes (Leucichthys). *Fish. Res. Bd. Canada*, MS Repts. Biol. Sta., No. 509, 74 pp.
91. Keleher, J. J. 1952. Growth and Triaenophorus parasitism in relation to taxonomy of Lake Winnipeg ciscoes (Leucichthys). *J. Fish. Res. Bd. Canada*, 8: 469-478.
92. Keleher, J. J. 1953. Discussion of explanations and methods of study of differential infection of Lake Winnipeg ciscoes, Leucichthys, by the cestode, Triaenophorus crassus. *Fish. Res. Bd. Canada*, MS Repts. Biol. Sta., No. 545, 10 pp.
93. Kennedy, W. A. 1951. The bearing of the Great Slave Lake and the Lake Winnipeg studies on the Triaenophorus problem. *Ibid.*, No. 516, 5 pp.
94. Kohler, A. C. 1959. Growth and parasites of cod during a year in captivity. *Fish. Res. Bd. Canada*, Progress Repts. Atlantic Sta., No. 72, 3-7.
95. Kuitunen-Ekbaum, E. 1933. Philonema oncorhynchi nov. gen. et spec. *Contr. Can. Biol. Fish.*, N.S., 8: 71-75.
96. Kuitunen-Ekbaum, E. 1933. A study of the cestode genus Eubothrium of Nybelin in Canadian fishes. *Ibid.*, 8: 89-98.
97. Kuitunen-Ekbaum, E. 1933. Citharichthys stigmatus as a possible intermediate host of Gilquinia squali (Fabricius). *Ibid.*, 8: 99-101.
98. Kuitunen-Ekbaum, E. 1933. A case of dracontiasis in Pacific coastal fishes. *Ibid.*, 8: 161-168.
99. Kuitunen-Ekbaum, E. 1936. On the hatching of the eggs of the cestode Triaenophorus crassus. *Fish. Res. Bd. Canada*, MS Repts. Biol. Sta., No. 302, 5 pp.

100. Kuitunen-Ekbaum, E. 1937. Diphyllobothrium sp. - Plerocercoid in the lake trout from Algonquin Park, Ontario. Ibid., No. 301, 3 pp.
101. Kuitunen-Ekbaum, E. 1937. Intestinal parasites of the haddock in Canadian waters. Ibid., No. 303, 16 pp.
102. Kuitunen-Ekbaum, E. 1937. Notes on the biology and partial life history of the dracunculid, Philonema oncorhynchi Kuitunen-Ekbaum. Ibid., No. 304, 8 pp.
103. Kuitunen-Ekbaum, E. 1937. Notes on the occurrence of Acanthocephala in Pacific fishes. Ibid., No. 316, 10 pp.
104. Kuitunen-Ekbaum, E. 1949. The occurrence of Sarcotaces in Canada. J. Fish. Res. Bd. Canada, 7: 505-512.
105. Lachance, F. 1947. Black spot disease of bass. Part I. Distribution of the disease. Can. Fish. Cult., 1(2): 16-21.
106. Lachance, F. 1948. Black spot disease of bass. Part II. Snail host of Uvulifer ambloplitis. Ibid., 3(4): 7-15.
107. Laird, M. 1959. Caliperia brevipes n. sp. (Ciliata: Peritricha), epizoic on Raja erinacea Mitchell at Saint Andrews, New Brunswick. Can. J. Zool., 37: 283-288.
108. Laird, M. 1961. Parasites from northern Canada. II. Haematozoa of fishes. Ibid., 39: 541-548.
109. Laird, M. 1961. Trichodinids and other parasitic protozoa from the intertidal zone at Nanaimo, Vancouver Island. Ibid., 39: 833-842.
110. Lawler, G. H. 1952. A new North American host for the fish parasite Triaenophorus nodulosus (Pallas). Can. Field-Nat., 66: 111.
111. Lawler, G. H. 1953. Age, growth, production and infection with Triaenophorus nodulosus of the yellow perch, Perca flavescens (Mitchill) of Manitoba. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 521, 19 pp.
112. Lawler, G. H. 1954. Preliminary check-list of the fish parasites of Heming Lake, Manitoba. Ibid., No. 576, 6 pp.
113. Lawler, G. H. 1955. Life history studies of Triaenophorus at Heming Lake, Manitoba. Part I. The life of T. crassus and T. nodulosus in the final host, Esox lucius, with special reference to changes in infection rate from year to year. Ibid., No. 604, 17 pp.
114. Lawler, G. H. 1956. Life history studies of Triaenophorus at Heming Lake, Manitoba. Part III. Studies on eggs, coracidia and procercooids of Triaenophorus at Heming Lake. Ibid., No. 623, 16 pp.

115. Lawler, G. H. 1959. Biology and control of the pike-whitefish parasitic worm, Triaenophorus crassus, in Canada. Fish. Res. Bd. Canada, Progress Repts. Biol. Sta. and Tech. Unit, London, No. 1, 31-37.
116. Lawler, G. H. 1961. Heming Lake Experiment. Ibid., No. 2, 48-50.
117. Lawler, G. H. 1964. Incidence of Ligula intestinalis in Heming Lake fish. J. Fish. Res. Bd. Canada, 21: 549-554.
118. Lawler, G. H. and W. B. Scott. 1954. Notes on the geographical distribution and the hosts of the cestode genus Triaenophorus in North America. Ibid., 11: 884-893.
119. Lawler, G. H. and N.H.F. Watson. 1958. Limnological studies of Heming Lake, Manitoba, and two adjacent lakes. Ibid., 15: 203-218.
120. Lawler, G. H. and N.H.F. Watson. 1963. Measurements of immature stages of Triaenophorus. Ibid., 20: 1089-1093.
121. Leim, A. H. 1956. Herring mortalities in the Gulf of St. Lawrence, 1955. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 607, 9 pp.
122. Libin, M. L. 1951. Laboratory experiments on the control of the tapeworm, Triaenophorus crassus. Ibid., No. 493, 82 pp.
123. Lyster, L. L. 1939. Parasites of freshwater fish. I. Internal trematodes of commercial fish in the central St. Lawrence watershed. Can. J. Res., D, 17: 154-168.
124. Lyster, L. L. 1940. Parasites of freshwater fish. II. Parasitism of speckled and lake trout and the fish found associated with them in Lake Commandant, Que. Ibid., 18: 66-78.
125. Lyster, L. L. 1940. Apophallus imperator sp. nov., a heterophyid encysted in trout, with a contribution to its life history. Ibid., 18: 106-121.
126. McBurney, A. B. and G. H. Lawler. 1953. Plankton studies in relation to Triaenophorus in Heming Lake, Manitoba. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 546, 15 pp.
127. McCracken, F. D. and D. N. Fitzgerald. 1964. Estimates of incidence of larval nematodes in cod fillets from the southern Canadian mainland to 1963. Ibid., No. 781, 10 pp.
128. McCraw, B. M. 1952. Furunculosis of fish. U.S. Dept. Interior, Fish. Wild. Service, Spec. Sci. Rept., Fish. No. 84, 1-87.
129. McFarlane, S. H. 1934. Stephanostomum casum (Linton), a trematode possessing a uroproct. Trans. Amer. Micro. Soc., 53: 172-173.

130. McFarlane, S. H. 1935. A study of the endoparasitic trematodes from marine fishes of Departure Bay, B. C. J. Parasitol., 21: 434-435.
131. McFarlane, S. H. 1936. A study of the endoparasitic trematodes from marine fishes of Departure Bay, B. C. J. Biol. Bd. Canada, 2: 335-347.
132. M'Gonigle, R. H. 1929. Report of investigation into the cause of mortality of salmon fry at the Miramichi hatchery. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 86, 13 pp.
133. M'Gonigle, R. H. 1941. Acute catarrhal enteritis of salmonid fingerlings. Trans. Amer. Fish. Soc. for 1940, 70: 297-303.
134. MacLulich, D. A. 1943. Proteocephalus parallacticus, a new species of tapeworm from lake trout, Cristivomer namaycush. Can. J. Res., D, 21: 145-149.
135. MacLulich, D. A. 1943. Parasites of trout in Algonquin Provincial Park, Ontario. Ibid., 21: 405-412.
136. McMurtrie, G. E. and N. M. Carter. 1948. The inspection of whitefish flesh for parasitic worms. Fish. Res. Bd. Canada, Progress Repts. Pacific Sta., No. 77, 95-97.
137. Mackiewicz, J. S. 1963. Monobothrium hunteri sp. n. (Cestoidea: Caryophyllaeidae) from Catostomus commersoni (Lacépède) (Pisces: Catostomidae) in North America. J. Parasitol., 49: 723-730.
138. Mackiewicz, J. S. and R. McCrae. 1962. Hunterella nodulosa gen. n., sp. n. (Cestoidea: Caryophyllaeidae) from Catostomus commersoni (Lacépède) (Pisces: Catostomidae) in North America. Ibid., 48: 798-806.
139. Marchant, E. H. and S. Schiffman. 1946. The occurrence of a microsporidian in a new host. Can. Fish. Cult., No. 1, 18-21.
140. Margolis, L. 1951. "Red sore" disease of pike in Mont Tremblant Park district, Quebec. Ibid., No. 10, 30-31.
141. Margolis, L. 1951. Results of a bacteriological examination of a diseased sucker. Ibid., No. 11, 19-23.
142. Margolis, L. 1954. Ulcer disease and furunculosis in a Quebec trout hatchery. Ibid., No. 15, 16-17.
143. Margolis, L. 1956. Anomalous development of vitellaria in Hemirurus levinseni. Can. J. Zool., 34: 207-208.

144. Margolis, L. 1956. Report on parasite studies of sockeye and pink salmon collected in 1955, with special reference to the utilization of parasites as a means of distinguishing between Asiatic and American stocks of salmon on the high seas — a progress report on work being carried out as part of F.R.B.'s commitments to INPFC. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 624, 36 pp.
145. Margolis, L. 1957. A study of the parasites of sockeye and pink salmon with particular attention to their application in distinguishing between Asiatic and North American stocks of these fish on the high seas — Report of results of examination of 1956 samples. Ibid., No. 641, 24 pp.
146. Margolis, L. 1958. The application of parasitological data to the problem of recognizing the continent of origin of stocks of sockeye salmon in the North Pacific Ocean and adjacent seas — A summary of three years' (1955 through 1957) research. Ibid., No. 658, 15 pp.
147. Margolis, L. 1958. The occurrence of juvenile Corynosoma (Acanthocephala) in Pacific salmon (Oncorhynchus spp.). J. Fish. Res. Bd. Canada, 15: 983-990.
148. Margolis, L. 1958. The identity of the species of Lepeophtheirus (Copepoda) parasitic on Pacific salmon (genus Oncorhynchus) and Atlantic salmon (Salmo salar). Can. J. Zool., 36: 889-892.
149. Margolis, L. 1958. A new species of Lecithophyllum from North Pacific fishes with a consideration of the taxonomy of the genera Lecithophyllum, Aponurus, and Brachadena (Trematoda: Hemuiridae). Ibid., 36: 893-904.
150. Margolis, L. 1959. Report on parasitological studies of sockeye salmon collected in 1958 with some comparisons with other years. Fish. Res. Bd. Canada, MS Rept. (Biol.), No. 687, 18 pp.
151. Margolis, L. 1960. A new nematode of the genus Cucullanus (Camallanata: Cucullanidae) from a flounder, Parophrys vetulus Girard, 1854, with notes on the species from Pleuronectiformes. Can. J. Zool., 38: 839-849.
152. Margolis, L. 1960. Report on the use of parasites to determine the continental origin of sockeye salmon taken on the high seas from May to August, 1959. Fish. Res. Bd. Canada, MS Rept. (Biol.), No. 703, 18 pp.
153. Margolis, L. 1962. Lampritrema nipponicum Yamaguti (Trematoda) from new hosts in the North Pacific Ocean, the relationship of Distomum miescheri Zschokke, and the status of the family Lampritrematidae. Can. J. Zool., 40: 941-950.

154. Margolis, L. 1963. Parasites as indicators of the geographical origin of sockeye salmon, Oncorhynchus nerka (Walbaum), occurring in the North Pacific Ocean and adjacent seas. Int. North Pacific Fish. Comm., Bull. No. 11, 101-156.
155. Margolis, L. 1964. Pauvirohynchus hiodontis Dickerman, 1954 (Trematoda: Bucephalidae): a second record involving a new host and locality in Canada. Can. J. Zool., 42: 716.
156. Margolis, L. and J. R. Adams. 1956. Description of Genolinea oncorhynchi n. sp. (Trematoda: Hemiuridae) from Oncorhynchus gorbuscha in British Columbia with notes on the genus. Ibid., 34: 573-577.
157. Margolis, L. and H. L. Ching. 1965. Review of the trematode genera Bacciger and Pentagramma (Fellodistomatidae) and description of P. petrowi (Layman, 1930) n. comb. from marine fishes from the Pacific coast of Canada. Ibid., 43: 381-405.
158. Markevich, A. P. 1940. New representatives of Copepods Parasitica of the family Ergasilidae. (In Ukrainian, Russian and English summaries.) Pratsi Nauk.-Doslidn. Inst. Biol. Kiiv. Derzh. Univ., 4: 107-123.
159. Mavor, J. W. 1915. Studies on the Sporozoa of the fishes of the St. Andrews region. Contr. Can. Biol., 1911-1914 (Fasc. I), 25-38.
160. Mavor, J. W. 1915. On the occurrence of a trypanoplasma, probably Trypanoplasma borreli Laveran et Mesnil, in the blood of the common sucker, Catostomus commersonii. J. Parasitol., 2: 1-6.
161. Mavor, J. W. 1916. On the life-history of Ceratomyxa acadiensis, a new species of Myxosporidia from the eastern coast of Canada. Proc. Amer. Acad. Art. Sci., 51: 551-578.
162. Mavor, J. W. 1916. Studies on the protozoan parasites of the fishes of the Georgian Bay. Trans. Roy. Soc. Can., Ser. 3, 10(Sec. 4): 63-73.
163. Meyer, M. C. 1937. Notes on some leeches from Ontario and Quebec. Can. Field-Nat., 51: 117-119.
164. Meyer, M. C. 1940. A revision of the leeches (Piscicolidae) living on fresh-water fishes of North America. Trans. Amer. Micr. Soc., 59: 354-376.
165. Meyer, M. C. and J. P. Moore. 1954. Notes on Canadian leeches (Hirudinea), with the description of a new species. Wasmann J. Biol., 12: 63-96.
166. Miller, M. J. 1936. Bunoderina eucaliae gen. et sp. nov., a new papillose Allocreadiidae from the stickleback. Can. J. Res., D, 14: 11-14.

167. Miller, M. J. 1940. Black spot in fishes. Can. J. Comp. Med., 4: 303-305.
168. Miller, M. J. 1940. Parasites of freshwater fish. III. Further studies on the internal trematodes of fish in the central St. Lawrence watershed. Can. J. Res., D, 18: 423-434.
169. Miller, M. J. 1941. A critical study of Stafford's report on "Trematodes of Canadian Fishes" based on his trematode collection. Ibid., 19: 28-52.
170. Miller, M. J. 1941. The life history of Apophallus brevis Ransom, 1920. J. Parasitol., 27 (Supplement): 12.
171. Miller, M. J. 1942. Black spot disease of speckled trout. Rev. Can. Biol., 1: 464-471.
172. Miller, M. J. 1946. The cercaria of Apophallus brevis. Can. J. Res., D, 24: 27-29.
173. Miller, R. B. 1943. Studies on cestodes of the genus Triaenophorus from fish of Lesser Slave Lake, Alberta. I. Introduction and the life of Triaenophorus crassus Forel and T. nodulosus (Pallas) in the definitive host, Esox lucius. Can. J. Res., D, 21: 160-170.
174. Miller, R. B. 1943. Studies on cestodes of the genus Triaenophorus from fish of Lesser Slave Lake, Alberta. II. The eggs, coracidia and life in the first intermediate host of Triaenophorus crassus Forel and T. nodulosus (Pallas). Ibid., 21: 284-291.
175. Miller, R. B. 1944. Suggestions for experiments in the control of the pike-whitefish tapeworm, Triaenophorus crassus. Alberta Dept. Lands and Mines, Fisheries Branch, 15 pp.
176. Miller, R. B. 1945. Studies on cestodes of the genus Triaenophorus from fish of Lesser Slave Lake, Alberta. III. Notes on Triaenophorus nodulosus (Pallas) in the second intermediate host. Can. J. Res., D, 23: 1-5.
177. Miller, R. B. 1945. Studies on cestodes of the genus Triaenophorus from fish of Lesser Slave Lake, Alberta. IV. The life of Triaenophorus crassus Forel in the second intermediate host. Ibid., 23: 105-115.
178. Miller, R. B. 1945. Studies on cestodes of the genus Triaenophorus from fish of Lesser Slave Lake, Alberta. V. Description and life history of Triaenophorus stizostedionis n. sp. Ibid., 23: 117-127.
179. Miller, R. B. 1945. Effect of Triaenophorus on growth of two fishes. J. Fish. Res. Bd. Canada, 6: 334-337.

180. Miller, R. B. 1947. North West Canadian fisheries surveys in 1944-1945. Chapter IV. Great Bear Lake. Bull. Fish. Res. Bd. Canada, No. 72, 31-44.
181. Miller, R. B. 1948. Reduction of Triaenophorus infestation in white-fish by depletion of the cisco population. Can. J. Res., D, 26: 67-72.
182. Miller, R. B. 1950. The Square Lake experiment: an attempt to control Triaenophorus crassus by poisoning pike. Can. Fish. Cult., No. 7: 3-18.
183. Miller, R. B. 1952. A review of the Triaenophorus problem in Canadian Lakes. Bull. Fish. Res. Bd. Canada, No. 95, 1-42.
184. Miller, R. B. and W. A. Kennedy. 1948. Observations on the lake trout of Great Bear Lake. J. Fish. Res. Bd. Canada, 7: 176-189.
185. Miller, R. B. and H. B. Watkins. 1946. An experiment in the control of the cestode, Triaenophorus crassus Forel. Can. J. Res., D, 24: 175-179.
186. Mizelle, J. D. and M. A. Donahue. 1944. Studies on monogenetic trematodes. XI. Dactylogyridae from Algonquin Park fishes. Amer. Midland Nat., 31: 600-624.
187. Monaco, L. H. and J. D. Mizelle. 1955. Studies on monogenetic trematodes. XVII. The genus Dactylogyrus. Amer. Midland Nat., 53: 455-477.
188. Moore, J. P. 1921. Hirudinea of the Canadian Arctic Expedition, 1913-18. Rep. Canadian Arctic Exped. 1913-18, 9, Part C: 1-4.
189. Moore, J. P. 1922. The fresh-water leeches (Hirudinea) of southern Canada. Can. Field-Nat., 36: 6-10 and 37-39.
190. Moore, J. P. 1924. The leeches (Hirudinea) of Lake Nipigon. Univ. Toronto Studies, Biol. Ser., No. 25 (Pub. Ontario Fish. Res. Lab., No. 23), 17-31.
191. Moore, J. P. 1936. The leeches of Lake Nipissing. Can. Field-Nat., 50: 112-114.
192. Moore, J. P. and M. C. Meyer. 1951. Leeches (Hirudinea) from Alaskan and adjacent waters. Wasmann J. Biol., 9: 11-77.
193. Munroe, E. G. 1949. Notes on fish of the interior of the Labrador Peninsula. Arctic, 2: 165-173.
194. Myers, B. J. 1959. Parasites from elasmobranch hosts from the Magdalen Islands region of the Gulf of St. Lawrence. Can. J. Zool. 37: 245-246.

195. Myers, B. J. 1963. The migration of Anisakis-type larvae in experimental animals. Ibid., 41: 147-148.
196. Newton, M.V.B. 1932. The biology of Triaenophorus tricuspidatus (Bloch, 1779), in western Canada. Contr. Can. Biol., N.S., 7: 341-360.
197. Nicholson, D. 1928. Fish tapeworm. Intestinal infection in man; the infestation of fish in Manitoba lakes. Can. Med. Ass. J., 19: 25-33.
198. Nicholson, D. 1929. Variations in the fish larvae of Diphyllobothrium latum. Can. Publ. Health J., 20: 193-195.
199. Nicholson, D. 1932. The Triaenophorus parasite in the flesh of the tullibee (Leucichthys). Can. J. Res., 6: 162-165.
200. Nicholson, D. 1932. Diphyllobothrium infection in Esox lucius. Ibid., 6: 166-170.
201. Northcote, T. G. 1957. Common diseases and parasites of fresh-water fishes in British Columbia. Management Pub. No. 6, B.C. Game Commission, 1-25.
202. Oakland, G. B. 1950. Infestation rate studies. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 486, 30 pp.
203. Osborn, H. L. 1911. On the distribution and mode of occurrence in the United States and Canada of Clinostomum marginatum, a trematode parasitic in fish, frogs and birds. Biol. Bull., 20: 350-366.
204. Parker, R. R. and L. Margolis. 1964. A new species of parasitic copepod, Caligus clemensi sp. nov. (Caligoida: Caligidae), from pelagic fishes in the coastal waters of British Columbia. J. Fish. Res. Bd. Canada, 21: 873-889.
205. Parnell, I. W. 1934. Fish parasites and their importance. Trans. Amer. Fish. Soc., 64: 390-400.
206. Power, H. E. 1958. The effect of various lighting conditions on the efficiency of "candling" cod fillets for detection of parasites. J. Fish. Res. Bd. Canada, 15: 537-542.
207. Power, H. E. 1961. Slicing of fillets as an aid in detection and removal of codworms from Atlantic cod fillets. Ibid., 18: 137-140.
208. Prakash, A. and J. R. Adams. 1960. A histopathological study of the intestinal lesions induced by Echinorhynchus laeigeniformis (Acanthocephala-Echinorhynchidae) in the starry flounder. Can. J. Zool., 38: 895-897.

209. Price, J. L. 1958. Cryptic speciation in the vernalis group of Cyclopidae. Ibid., 36: 285-303.
210. Rabb, L. and L. A. McDermott. 1961. Bacterial diseases of Ontario fresh-water fish. Wildl. Dis., No. 19, 5 pp. (microcard).
211. Rabb, L. and L. A. McDermott. 1962. Bacteriological studies of freshwater fish. II. Furunculosis in Ontario fish in natural waters. J. Fish. Res. Bd. Canada, 19: 989-995.
212. Rawson, D. S. 1947. North West Canadian fisheries surveys in 1944-1945. Chapter V. Great Slave Lake. Bull. Fish. Res. Bd. Canada, No. 72, 45-68.
213. Rawson, D. S. 1947. North West Canadian fisheries surveys in 1944-45. Chapter VI. Lake Athabasca. Ibid., No. 72, 69-85.
214. Rawson, D. S. 1961. The lake trout of Lac la Ronge, Saskatchewan. J. Fish. Res. Bd. Canada, 18: 423-462.
215. Reed, G. B. and G. C. Toner. 1941. Red sore disease of pike. Can. J. Res., D, 19: 139-143.
216. Reed, G. B. and G. C. Toner. 1942. Proteus hydrophilus infections of pike, trout and frogs. Ibid., 20: 161-166.
217. Richardson, L. R. 1935. A record of Octomitus salmonis Moore from Quebec. Trans. Amer. Fish. Soc., 65: 290-292.
218. Richardson, L. R. 1936. Observations on the parasites of speckled trout in Lake Edward, Quebec. Ibid., 66: 343-356.
219. Richardson, L. R. 1937. Observations on trichodinid infection (cyclochaetosis) of Salvelinus fontinalis Mitchell. Ibid., 67: 228-231.
220. Richardson, L. R. 1937. Raphidascaris laurentianus sp. n. (Ascaroidea) from Salvelinus fontinalis (Mitchill) in Quebec. Can. J. Res., D, 15: 112-115.
221. Richardson, L. R. 1938. An account of a parasitic copepod, Salmincola salvelini sp. nov., infecting the speckled trout. Ibid., 16: 225-229.
222. Richardson, L. R. 1941. The parasites of the fishes of Lake Wakonich central northern Quebec. Trans. Amer. Fish. Soc., 71: 286-289.
223. Roberts, L. S. 1963. Ergasilus nerkae n. sp. (Copepoda: Cyclopoida) from British Columbia with a discussion of the copepods of the E. caeruleus group. Can. J. Zool. 41: 115-124.

224. Ronald, K. 1957. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. I. Echinorhynchus laurentianus sp. nov. (Acanthocephala: Echinorhynchidae). Ibid., 35: 437-439.
225. Ronald, K. 1957. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. II. Entobdella curvuncula sp. nov. (Trematoda: Capsalidae). Ibid., 35: 747-750.
226. Ronald, K. 1958. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. III. Copepoda parasitica. Ibid., 36: 1-6.
227. Ronald, K. 1958. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. IV. Cestoda. Ibid., 36: 429-434.
228. Ronald, K. 1960. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. V. Monogenea. Ibid., 38: 243-247.
229. Ronald, K. 1960. The effects of physical stimuli on the larval stage of Terranova decipiens (Krabbe, 1878) (Nematoda: Anisakidae). I. Temperature. Ibid., 38: 623-642.
230. Ronald, K. 1960. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. VI. Digenea. Ibid., 38: 923-937.
231. Ronald, K. 1963. The metazoan parasites of the Heterosomata of the Gulf of St. Lawrence. VII. Nematoda and Acanthocephala. Ibid., 41: 15-21.
232. Ronald, K. 1962. The effects of physical stimuli on the larvae of Terranova decipiens. II. Relative humidity, pressure, and gases. Ibid., 40: 1223-1227.
233. Ronald, K. 1963. The effects of physical stimuli on the larval stage of Terranova decipiens. III. Electromagnetic spectrum and galvanotaxis. Ibid., 41: 197-217.
234. Ryder, R. A. 1961. Lymphocystis as a mortality factor in a walleye population. Prog. Fish-Cult., 23: 183-186.
235. Ryerson, C.G.S. 1915. Notes on Hirudinea of Georgian Bay. Contr. Can. Biol., 1911-14 (Fasc. II), 165-175.
236. Savage, J. 1935. Copepod infection of speckled trout. Trans. Amer. Fish. Soc., 65: 334-339.
237. Savage, J. 1935. Notes on costiasis. Ibid., 65: 332-333.
238. Scott, D. M. 1950. A preliminary report on the cod-worm investigation. Fish. Res. Bd. Canada, Progress Repts. Atlantic Sta., No. 48, 10-12.

239. Scott, D. M. 1953. Experiments with the harbour seal, Phoca vitulina, a definitive host of a marine nematode, Porrocaecum decipiens. J. Fish. Res. Bd. Canada, 10: 539-547.
240. Scott, D. M. 1954. Experimental infection of Atlantic cod with a larval marine nematode from smelt. Ibid., 11: 894-900.
241. Scott, D. M. 1956. On the specific identity of the larval Porrocaecum (Nematoda) in Atlantic cod. Ibid., 13: 343-356.
242. Scott, D. M. and W. F. Black. 1960. Studies on the life-history of the ascarid Porrocaecum decipiens in the Bras d'Or Lakes, Nova Scotia, Canada. Ibid., 17: 763-774.
243. Scott, D. M. and W. R. Martin. 1957(1958). Variation in the incidence of larval nematodes in Atlantic cod fillets along the southern Canadian mainland. Ibid., 14: 975-996.
244. Scott, D. M. and W. R. Martin. 1959. The incidence of nematodes in the fillets of small cod from Lockeport, Nova Scotia, and the south-western Gulf of St. Lawrence. Ibid., 16: 213-221.
245. Scott, W.C.M. 1924. A pathological anomalous thyrecid in the barn-door skate (Raja laevis). Contr. Can. Biol., N.S., 2: 129-134.
246. Sindermann, C. J. 1956. Diseases of fishes of the western North Atlantic. IV. Fungus disease and resultant mortalities of herring in the Gulf of Saint Lawrence in 1955. Maine Dept. Sea and Shore Fish., Res. Bull. No. 25, 1-23.
247. Sindermann, C. J. 1957. Mass mortalities of marine fishes in the Gulf of St. Lawrence 1954-1956. Anat. Rec., 128: 622.
248. Sindermann, C. J. 1958. An epizootic in Gulf of Saint Lawrence fishes. Trans. Twenty-third North Amer. Wildl. Conf., 349-360.
249. Skinker, M. S. 1930. [Cystidicola canadensis, a new species of nematode from fishes.] J. Parasitol., 16: 167.
250. Skinker, M. S. 1931. A redescription of Cystidicola stigmatura (Leidy), a nematode parasitic in the swim bladder of salmonoid fishes, and a description of a new nematode genus. Trans. Amer. Micr. Soc., 50: 372-379.
251. Skinker, M. S. 1931. Three new parasitic nematode worms. Proc. U. S. Nat. Mus. (2890), 79 (Art. 24): 1-9.
252. Smedley, E. M. 1933. Nematode parasites from Canadian marine and fresh-water fishes. Contr. Can. Biol. Fish., N.S., 8: 169-179.

253. Smedley, E. M. 1934. Some parasitic nematodes from Canadian fishes. *J. Helminthol.*, 12: 205-220.
254. Stafford, J. 1904. Trematodes from Canadian fishes. *Zool. Anz.*, 27: 481-495.
255. Stafford, J. 1907. Preliminary report on the trematodes of Canadian marine fishes. *Contr. Can. Biol.*, 1902-05, 91-94.
256. Stock, V. 1915. On some of the parasitic copepods of the Bay of Fundy fish. *Ibid.*, 1911-1914 (Fasc. I), 69-71.
257. Templeman, W. and H. J. Squires. 1960. Incidence and distribution of infestation by *Sphyrion lumperi* (Krøyer) on the redfish, *Sebastes marinus* (L.), of the western North Atlantic. *J. Fish. Res. Bd. Canada*, 17: 9-31.
258. Templeman, W., H. J. Squires and A. M. Fleming. 1957(1958). Nematodes in the fillets of cod and other fishes in Newfoundland and neighbouring areas. *Ibid.*, 14: 831-897.
259. Thompson, W. F. 1916. A note on a sporozoan parasite of the halibut. *Rept. British Columbia Comm. Fish.*, for the year 1915, 127-129.
260. Tidd, W. M. and R. V. Bangham. 1945. A new species of parasitic copepod, *Ergasilus osburni*, from the burbot. *Trans. Amer. Micr. Soc.*, 64: 225-227.
261. Townsley, P. M., H. G. Wight, M. A. Scott and M. L. Hughes. 1963. The in-vitro maturation of the parasitic nematode, *Terranova decipiens*, from cod muscle. *J. Fish. Res. Bd. Canada*, 20: 743-747.
262. Turnbull, E. R. 1956. *Gyrodactylus bullatarudis* n. sp. from *Lebistes reticulatus* Peters with a study of its life cycle. *Can. J. Zool.*, 34: 583-594.
263. Van Cleave, H. J. 1920. Acanthocephala of the Canadian Arctic Expedition, 1913-1918. *Rep. Canadian Arctic Exped. 1913-18*, 9, Part E: 1-11.
264. Van Cleave, H. J. and J. E. Lynch. 1950. The circumpolar distribution of *Neoechinorhynchus rutili* an acanthocephalan parasite of freshwater fishes. *Trans. Amer. Micr. Soc.*, 69: 156-171.
265. Vergeer, T. 1928. Canadian fish, a source of the broad tapeworm of man in the United States. *J. Amer. Med. Ass.*, 90: 1687-1688.
266. Vergeer, T. 1928. Dissemination of the broad tapeworm by wild carnivora. *Can. Med. Ass. J.*, 19: 692-694.
267. Vergeer, T. 1929. The dog a reservoir of the broad tapeworm. *J. Amer. Med. Ass.*, 92: 607-608.

268. Vervoort, W. 1964. Notes on Bomolochidae (Copepoda), I. A redescription of Parabomolochus cuneatus (Fraser, 1920) and notes on its synonymy. *Crustaceana*, 6: 291-302.
269. Wardle, R. A. 1932. The Cestoda of Canadian fishes. I. The Pacific coast region. *Contr. Can. Biol. Fish.*, N.S., 7: 221-243.
270. Wardle, R. A. 1932. The Cestoda of Canadian fishes. II. The Hudson Bay drainage system. *Ibid.*, 7: 377-403.
271. Wardle, R. A. 1933. The Cestoda of Canadian fishes. III. Additions to the Pacific coastal fauna. *Ibid.*, 8: 77-87.
272. Wardle, R. A. (No date). The diseases and infections of salmonoid fishes. *Fish. Res. Bd. Canada, MS Repts. Biol. Sta.*, No. 321, 54 pp.
273. Wardle, R. A. 1933. The parasitic helminths of Canadian animals. I. The Cestodaria and Cestoda. *Can. J. Res.*, 8: 317-333.
274. Wardle, R. A. 1934. The viability of tapeworms in artificial media. *Physiol. Zool.*, 7: 36-61.
275. Wardle, R. A. 1935. Fish tape-worm. *Bull. Biol. Bd. Canada*, No. 45, 1-25.
276. Watson, N.H.F. 1963. A note on the upper lethal temperature of eggs of two species of Triaenophorus. *J. Fish. Res. Bd. Canada*, 20: 841-844.
277. Watson, N.H.F. and G. H. Lawler. 1956. Life history studies of Triaenophorus at Heming Lake, Manitoba. Part II. Incidence of Triaenophorus in the first intermediate host, Cyclops bicuspidatus. *Fish. Res. Bd. Canada, MS Repts. Biol. Sta.*, No. 622, 20 pp.
278. Watson, N.H.F. and G. H. Lawler. 1961. Studies on the eggs and first intermediate stages of Triaenophorus at Heming Lake, Manitoba. *Fish. Res. Bd. Canada, Progress Repts. Biol. Sta. and Tech. Unit*, London, No. 2, 51-52.
279. Watson, N.H.F. and G. H. Lawler. 1963. Temperature and rate of hatching of Triaenophorus eggs. *J. Fish. Res. Bd. Canada*, 20: 249-251.
280. Watson, N.H.F. and J. L. Price. 1960. Experimental infections of cyclopoid copepods with Triaenophorus crassus Forel and T. nodulosus (Pallas). *Can. J. Zool.*, 38: 345-356.
281. Welch, H. E. 1950. Triaenophorus investigation in the Thunder Bay district. *Fish. Res. Bd. Canada, MS Repts. Biol. Sta.*, No. 522, 13 pp.
282. Welch, H. E. 1952. Factors affecting the infection of the whitefish, Coregonus clupeaformis (Mitchill), by the tapeworm, Triaenophorus crassus Forel, in the Thunder Bay district of Ontario. *Ibid.*, No. 523, 87 pp.

283. Wheaton, R. R. and G.E.M. Hazen. 1951. Whitefish-Triaenophorus crassus investigations on Nesslin Lake, Saskatchewan, 1950. Ibid., No. 494, 15 pp.
284. White, F. M. 1940. Studies on the morphology of a new species of Cystidicola (Nematoda: Thelaziidae) from the swim bladder of the lake trout. J. Parasitol. 26 (Supplement): 39-40.
285. White, F. M. and R. M. Cable. 1942. Studies on the morphology of Cystidicola cristivomeri sp. nov. (Nematoda: Thelaziidae) from the swim bladder of the lake trout, Cristivomer namaycush (Walbaum). Amer. Midland Nat. 28: 416-423.
286. White, H. C. 1940. The parasitic copepod, Lepeophtheirus salmonis. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 210, Pt. XIV, 12 pp.
287. White, H. C. 1940. "Sea lice" (Lepeophtheirus) and death of salmon. J. Fish. Res. Bd. Canada, 5: 172-175.
288. White, H. C. 1942. Life history of Lepeophtheirus salmonis. Ibid., 6: 24-29.
289. White, H. C. 1942. Severe injuries from Lepeophtheirus occur during drought years. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 329, Pt. 21, 6 pp.
290. Wilson, C. B. 1912. Parasitic copepods from Nanaimo, British Columbia, including eight species new to science. Contr. Can. Biol., 1906-1910, 85-101.
291. Wilson, C. B. 1920. Argulidae from the Shubenacadie River, Nova Scotia. Can. Field-Nat., 34: 149-151.
292. Wilson, C. B. 1920. Report on the parasitic Copepoda collected during the Canadian Arctic Expedition, 1913-18. Rep. Canadian Arctic Exped. 1913-18, 7, Part L: 1-16.
293. Wilson, C. B. 1924. New North American parasitic copepods, new hosts and note on copepod nomenclature. Proc. U. S. Nat. Mus. (2507), 64 (Art. 17): 1-22.
294. Wilson, C. B. 1936. Argulus canadensis from Cape Breton Island. J. Biol. Bd. Canada, 2: 355-358.
295. Wilson, C. B. (No date). Control of the fish louse, Argulus. Fish. Res. Bd. Canada, MS Repts. Biol. Sta., No. 297, 2 pp.
296. Wolfgang, R. W. 1954. Studies of the trematode Stephanostomum baccatum (Nicoll, 1907): I. The distribution of the metacercaria in eastern Canadian flounders. J. Fish. Res. Bd. Canada, 11: 954-962.

297. Wolfgang, R. W. 1954. Studies of the trematode Stephanostomum baccatum (Nicoll, 1907): II. Biology with special reference to the stages affecting the winter flounder. Ibid., 11: 963-987.
298. Wolfgang, R. W. 1955. Studies of the trematode Stephanostomum baccatum (Nicoll, 1907). III. Its life cycle. Can. J. Zool., 33: 113-128.
299. Wolfgang, R. W. 1955. Studies of the trematode Stephanostomum baccatum (Nicoll, 1907). IV. The variation of the adult morphology and the taxonomy of the genus. Ibid., 33: 129-142.
300. Wolfgang, R. W. and B. J. Myers. 1954. Gonocerca macroformis sp. nov. (Derogetiniae: Hemiuridae) from the ovary of the cod. Ibid., 32: 25-29.
301. Wood, J. W. 1965. A report on fish disease as a possible cause of pre-spawning mortalities of Fraser River sockeye. Int. Pacific Salmon Comm., New Westminster, B. C., 24 pp.
302. Wright, A. 1936. A report of four years experience with fin rot and some remarks on octomitiasis. Prog. Fish-Cult., No. 24, 1-26.
303. Wright, R. R. 1879. Contributions to American helminthology. Proc. Can. Inst., N.S., 1: 54-75.
304. Wright, R. R. 1882. Notes on American parasitic Copepoda. Ibid., 1: 243-254.

Addendum

305. Anderson, R. C. 1960. The origin of the protuberance on the inner surface of the egg capsule of Cystidicola cristivomeri. Can. J. Zool., 38: 257-260.
306. Meyer, M. C. 1946. Further notes on the leeches (Piscicolidae) living on fresh-water fish of North America. Trans. Amer. Micro. Soc., 65: 237-249.
307. Miller, R. B. 1946. Notes on the Arctic grayling, Thymallus signifer Richardson, from Great Bear Lake. Copeia (1946), No. 4, 227-236.
308. Miller, R. B. 1954. Tapeworm infection in Lesser Slave Lake. Prog. Fish-Cult., 16: 184.
309. Moore, J. E. Notes on leeches (Hirudinea) of Alberta. Nat. Hist. Paper, Nat. Mus. Canada, No. 27, 1-15.
310. Myers, B. J. On the morphology and life history of Phocanema decipiens (Krabbe, 1878) Myers, 1959 (Nematoda: Anisakidae). Can. J. Zool., 38: 331-344.

311. Oliver, D. R. 1958. The leeches (Hirudinea) of Saskatchewan. Can. Field-Nat., 72: 161-165.
312. Strout, R. G. 1962. Geographic distribution and incidence of infection of Cryptobia (Hemoflagellate) from marine fishes. J. Parasitol., 48 (2, sect. 2), 31-32.
313. Vergeer, T. 1928. An important source of broad tapeworm in America. Science, N.S., 68(1749): 14-15.
314. Vergeer, T. 1928. New sources of broad tapeworm infestations: report of fourteenth native case. J. Amer. Med. Ass., 91: 396-397.
315. Wardle, R. A. 1933. Significant factors in the plerocercoid environment of Diphyllobothrium latum (Linn.). J. Helminthol., 11: 25-44.
316. White, F. M. 1941. Studies on the morphology of Cystidicola cristivomeri sp. nov. (Nematoda: Thelaziidae), from the swim bladder of the lake trout. Proc. Indiana Acad. Sc. for 1940, 50: 211.
317. Yanulov, K. P. 1962. Parasites as indicators of local rosefish stocks. (In Russian, English summary.) In [Soviet Fisheries Investigations in the Northwest Atlantic.] [ed. Yu. Yu. Marti]. VNIRO and PINRO, Moscow. pp. 273-283. (English Translation. B. Hershkovitz. Israel Program for Scientific Translations, Jerusalem. 1963.)