



Habitat showing on Trail 1 - *Allium peninsulare* var. *franciscanum*, *Eriophyllum lanatum* var. *arachnoideum* (WOOLLY SUNFLOWER), *Angelica tomentosa* (WOOD ANGELICA)



Allium peninsulare var. *franciscanum* (FRANCISCAN ONION)
Rare Plant Rank 1B.2 - Rare, threatened, or endangered in California and elsewhere.

2: Fairly endangered in California

State Rank: S2.2 S2: Imperiled. .2: Threatened.

JRBP is type locality reference:

New taxa and combinations in western North American Liliaceae -
D W Meneal

Phytologia 73:307-311 (1992) <http://biostor.org/reference/62583>



Angelica tomentosa (WOOD ANGELICA)
Trail 1



Eriophyllum lanatum var. *arachnoideum*
(WOOLLY SUNFLOWER)
Trail 1





Silene laciniata ssp. *californica* (*S. californica*)
CALIFORNIA PINK



Piperia species - REIN-ORCHID -
leaves seen along new alignment

One of the nicest stands of California fescue the heart could desire forms an understory beneath blue and black oaks along the way, and a short diversion on the San Francisquito Creek trail usually offers *Agrostis exarata*, *Deschampsia elongata*, and *Melica subulata* en route to a beautiful late-spring and early-summer garden growing on serpentine that cuts from the ridge to San Francisquito Creek. Here one can enjoy not only a lovely, cliffy *Melica torreyana* garden, but *Silene californica*, *Angelica tomentosa*, *Eriophyllum lanatum*, *Berberis pinnata*, *Lilium pardalinum*, *Mimulus cardinalis*, and the attractive onion for which Jasper Ridge is the type locale, *Allium peninsulare* var. *franciscanum*. Torrent sedge (*Carex nudata*) in the creek bottom and hybrid leather oaks upslope provide additional accents.

from Native Grass Viewing at
Jasper Ridge Biological Preserve's
Serpentine Grassland by John Rawlings, Spring 2008

