

ANNELIDA

CHAETOPODA

Chaetopterus varipezdatus Renier

CLASS Polychaeta

NAME

BATHY. ZONE

shore

(SHORE, PILING, DREDGED, PELAGIC, ETC.)

OBVIOUS CHARACTERS

ORDER

FAMILY Chaetopteridae

EXPOSURE TO SURF (OR, IF  
STATED, TO TIDAL CURRENTS)

(EXPOSED, SEMI-PROTECTED,  
SHELTERED)

TIDAL HORIZON (OR DEPTH IF DREDGED)

(HIGH, MEDIUM, LOW, EXTREME LOW, DREDGED)

SUMMARY OF OBSERVATIONAL DATA

TYPE OF BOTTOM

(REEF, ROCKS, BOULDERS,  
GRAVEL, SAND, MUD)

POSITION:

(ON OR UNDER  
ROCKS, WEED, IN  
SUBSTRATUM,  
ETC.)

VEGETATION:

(BARE, ROCK-  
WEED, KELP, EEL  
GRASS, ETC.)

ASSOCIATES.

COMMENSALS:

BREEDING SEA-  
SON, COLOR IN  
LIFE, ETC.:

NAME

Chaetopterus variopedatus Renier

DATE	REGION, STATION, POSITION, ETC.	BATHY- METRIC ZONE	DEPTH OR TIDAL HORIZON	EXPOSURE TO WAVE SHOCK	TYPE OF BOTTOM	NUMBER TAKEN OR OBSERVED	IDENT. (OR "FIELD")
Feb 1930	Newport Bay mudflts	shr	low	prot	mud	8	Berkeley
143.1	"	shore	"	"	"	14	Jan '31
						7	Febr '31

IF ADDITIONAL SPACE IS NEEDED, USE UNPRINTED 4 X 6 WHITE CARDS

Spirabranchnus sp cf

NAME

CLASS Polychaeta

BATHY. ZONE

shore

(SHORE, PILING, DREDGED, PELAGIC, ETC.)

ORDER

FAMILY Serpulidae

OBVIOUS CHARACTERS

EXPOSURE TO SURF (OR, IF STATED, TO TIDAL CURRENTS)

(EXPOSED, SEMI-PROTECTED, SHELTERED)

TIDAL HORIZON (OR DEPTH IF DREDGED)

(HIGH, MEDIUM, LOW, EXTREME LOW, DREDGED)

TYPE OF BOTTOM

(REEF, ROCKS, BOULDERS, GRAVEL, SAND, MUD)

SUMMARY OF OBSERVATIONAL DATA

POSITION:

(ON OR UNDER ROCKS, WEED, IN SUBSTRATUM, ETC.)

VEGETATION:

(BARE, ROCK-WEED, KELP, EEL GRASS, ETC.)

ASSOCIATES,

COMMENSALS:

BREEDING SEASON, COLOR IN LIFE, ETC.:

NAME

Spirabranchnis sp. cf

DATE	REGION, STATION, POSITION, ETC.	BATHY- METRIC ZONE	DEPTH OR TIDAL HORIZON	EXPOSURE TO WAVE SHOCK	TYPE OF BOTTOM	NUMBER TAKEN OR OBSERVED	IDENT. (OR "FIELD")
Feb 1930	Halfway house, btwn Tijuana and Ensenada	shore	upper	open	rky	abundant	Ident. by Gislen?
	The doubly gilled minute keeled tube seen in the upper and Gislen Fenr 1930, Lower Calif.	beautifully	colored	serpulid	with	EFR	EFR

IF ADDITIONAL SPACE IS NEEDED, USE UNPRINTED 4 X 6 WHITE CARDS

Mesochaetopterus taylori Potts

CLASS Polychaeta

NAME

BATHY, ZONE shore

(SHORE, PILING, DREDGED, PELAGIC, ETC.)

OBVIOUS CHARACTERS

ORDER

FAMILY Chaetopteridae

EXPOSURE TO SURF (OR, IF STATED, TO TIDAL CURRENTS)

(EXPOSED, SEMI-PROTECTED, SHELTERED)

TIDAL HORIZON (OR DEPTH IF DREDGED)

(HIGH, MEDIUM, LOW, EXTREME LOW, DREDGED)

TYPE OF BOTTOM

(REEF, ROCKS, BOULDERS, GRAVEL, SAND, MUD)

SUMMARY OF OBSERVATIONAL DATA

POSITION:

(ON OR UNDER ROCKS, WEED, IN SUBSTRATUM, ETC.)

VEGETATION:

(BARE, ROCK-WEED, KELP, EEL GRASS, ETC.)

ASSOCIATES,

COMMENSALS:

BREEDING SEASON, COLOR IN LIFE, ETC.:

NAME

Mesochaetopterus taylori Potts

# or DATE	REGION, STATION, POSITION, ETC.	BATHY- METRIC ZONE	DEPTH OR TIDAL HORIZON	EXPOSURE TO WAVE SHOCK	TYPE OF BOTTOM	NUMBER TAKEN OR OBSERVED	IDENT. (OR "FIELD")
133.2	Ensenada, Baja Calif estuary	shore	low	prot	sand	C Berkeley letter 14 Jan 1931	

IF ADDITIONAL SPACE IS NEEDED, USE UNPRINTED 4 X 6 WHITE CARDS