

**Index of *Fish Sounds* audio tracks on CDs to accompany *Sounds of Western North Atlantic Fishes* by Marie Poland Fish and William H. Mowbray, Johns Hopkins Press, 1970.** (Library of Congress Catalog Card Number 77-106135 and ISBN 8018-1130-9).

The recordings for each species may be located by track number. For species where no track number is provided (marked with a •), there are no sound recordings, but the printed volume contains some descriptive material. Nomenclature is that used by Fish and Mowbray.

Persons who wish to locate some of the more characterful sounds might wish to start with some of the following species: 047.002, 083.004, 093.006, 093.007, 093.014, 097.006, 097.013, 098.001, 098.012, 111.004, 123.002, 127.002, 170.001.

## Disk 1

	Track Number
<b>Introduction</b>	<b>1</b>
 <b>CLASS CHONDRICHTHYES CARTILAGINOUS FISHES</b>	
<b>Myliobatidae</b>	eagle rays
020.001 <i>Rhinoptera bonasus</i> (Mitchill)	<b>COWNOSE RAY 2</b>
 <b>CLASS OSTEICHTHYES BONY FISHES</b>	
<b>Elopidae</b>	tarpons
027.001 <i>Megalops atlantica</i> Valenciennes	<b>TARPON 3</b>
<b>Albulidae</b>	bonefishes
028.001 <i>Albula vulpes</i> (Linnaeus)	<b>BONEFISH 4</b>
<b>Clupeidae</b>	herrings
029.001 <i>Clupea harengus harengus</i> Linnaeus	<b>ATLANTIC HERRING 5</b>
029.002 <i>Opisthonema oglinum</i> (LeSueur)	<b>ATLANTIC THREAD HERRING 6</b>
029.003 <i>Brevoortia tyrannus</i> (Latrobe)	<b>ATLANTIC MENHADEN 7</b>
•029.004 <i>Alosa mediocris</i> (Mitchill)	<b>HICKORY SHAD •</b>
•029.005 <i>A. pseudoharengus</i> (Wilson)	<b>ALEWIFE •</b>
•029.006 <i>A. aestivalis</i> (Mitchill)	<b>BLUEBACK HERRING •</b>
029.007 <i>Dorosoma cepedianum</i> (LeSueur)	<b>GIZZARD SHAD 8</b>
<b>Aridae</b>	sea catfishes
•047.001 <i>Bagre marinus</i> (Mitchill)	<b>GAFFTOPSAIL CATFISH •</b>
047.002 <i>Galeichthys felis</i> (Linnaeus)	<b>SEA CATFISH 9</b>
<b>Anguillidae</b>	freshwater eels
049.001 <i>Anguilla rostrata</i> (LeSueur)	<b>AMERICAN EEL 1 0</b>
<b>Gadidae</b>	codfishes and hakes
063.001 <i>Merluccius bilinearis</i> (Mitchill)	<b>SILVER HAKE 1 1</b>
063.002 <i>Pollachius virens</i> (Linnaeus)	<b>POLLOCK 1 2</b>
063.003 <i>Gadus morhua</i> Linnaeus	<b>ATLANTIC COD 1 3</b>
063.004 <i>Urophycis regius</i> (Walbaum)	<b>SPOTTED HAKE 1 4</b>
063.005 <i>U. chuss</i> (Walbaum)	<b>SQUIRREL HAKE 1 5</b>
<b>Syngnathidae</b>	pipefishes and seahorses
070.001 <i>Hippocampus hudsonius</i> DeKay	<b>NORTHERN SEAHORSE 1 6</b>

<b>Holocentridae</b>	squirrelfishes and soldierfishes	
077.001 <i>Myripristis jacobus</i> Cuvier	<b>BLACKBAR SOLDIERFISH</b>	1 7
077.002 <i>Holocentrus ascensionis</i> (Osbeck)	<b>SQUIRRELFISH</b>	1 8
<b>Centropomidae</b>	snooks	
082.001 <i>Centropomus ensiferus</i> Poey	<b>SWORDSPINE SNOOK</b>	1 9
<b>Serranidae</b>	sea basses	
083.001 <i>Roccus saxatilis</i> (Walbaum)	<b>STRIPED BASS</b>	2 0
083.002 <i>Petrometopon cruentatum</i> (Lacépède)	<b>GRAYSBY</b>	2 1
083.003 <i>Cephalopholis fulva</i> (Linnaeus)	<b>CONEY</b>	2 2
083.004 <i>Epinephelus adscensionis</i> (Osbeck)	<b>ROCK HIND</b>	2 3
083.005 <i>E. striatus</i> (Bloch)	<b>NASSAU GROUPE</b>	2 4
083.006 <i>E. guttatus</i> (Linnaeus)	<b>RED HIND</b>	2 5
•083.007 <i>E. drummondhayi</i> Goode & Bean	<b>SPECKLED HIND</b>	•
083.008 <i>E. morio</i> (Valenciennes)	<b>RED GROUPE</b>	2 6
083.009 <i>E. nigritus</i> (Holbrook)	<b>WARSAW GROUPE</b>	2 7
083.010 <i>E. itajara</i> (Lichtenstein)	<b>JEW FISH</b>	2 8
083.011 <i>Alphestes afer</i> (Bloch)	<b>MUTTON HAMLET</b>	2 9
083.012 <i>Mycteroperca venenosa</i> (Linnaeus)	<b>YELLOWFIN GROUPE</b>	3 0
083.013 <i>M. bonaci</i> (Poey)	<b>BLACK GROUPE</b>	3 1
083.014 <i>M. microlepis</i> (Goode & Bean)	<b>GAG</b>	3 2
083.015 <i>M. interstitialis</i> (Poey)	<b>SCAMP</b>	3 3
•083.016 <i>Hypoplectrus unicolor</i> (Walbaum)	<b>BUTTER HAMLET</b>	•
083.017 <i>Centropristes striatus</i> (Linnaeus)	<b>BLACK SEA BASS</b>	3 4
083.018 <i>Diplectrum formosum</i> (Linnaeus)	<b>SAND PERCH</b>	3 5
083.019 <i>Serranus tigrinus</i> (Bloch)	<b>HARLEQUIN BASS</b>	3 6
083.020 <i>Rypticus saponaceus</i> (Bloch & Schneider)	<b>BLACK SOAPFISH</b>	3 7
•083.021 <i>R. bistrispinus</i> (Mitchill)	<b>TWOSPINE SOAPFISH</b>	•
<b>Lutjanidae</b>	snappers	
•085.001 <i>Hoplopagrus güntheri</i> Gill	<b>PARGO</b>	•
085.002 <i>Lutjanus griseus</i> (Linnaeus)	<b>GRAY SNAPPER</b>	3 8
085.003 <i>L. jocu</i> (Bloch & Schneider)	<b>DOG SNAPPER</b>	3 9
085.004 <i>L. apodus</i> (Walbaum)	<b>SCHOOLMASTER</b>	4 0
085.005 <i>L. analis</i> (Cuvier)	<b>MUTTON SNAPPER</b>	4 1
085.006 <i>L. synagris</i> (Linnaeus)	<b>LANE SNAPPER</b>	4 2
•085.007 <i>L. mahogoni</i> (Cuvier)	<b>MAHOGONY SNAPPER</b>	•
085.008 <i>Ocyurus chrysurus</i> (Bloch)	<b>YELLOWTAIL SNAPPER</b>	4 3
085.009 <i>Rhomboplites aurorubens</i> (Cuvier)	<b>VERMILION SNAPPER</b>	4 4
<b>Pomatomidae</b>	bluefishes	
091.001 <i>Pomatomus saltatrix</i> (Linnaeus)	<b>BLUEFISH</b>	4 5
<b>Carangidae</b>	jacks, scads, and pompanos	
093.001 <i>Oligoplites saurus</i> (Bloch & Schneider)	<b>LEATHERJACKET</b>	4 6
•093.002 <i>Naucrates ductor</i> (Linnaeus)	<b>PILOTFISH</b>	•
093.003 <i>Seriola zonata</i> (Mitchill)	<b>BANDED RUDDERFISH</b>	4 7
093.004 <i>S. dumerili</i> (Risso)	<b>GREATER AMBERJACK</b>	4 8
•093.005 <i>Elagatis bipinnulatus</i> (Quoy & Gaimard)	<b>RAINBOW RUNNER</b>	•
093.006 <i>Selar crumenophthalmus</i> (Bloch)	<b>BIGEYE SCAD</b>	4 9
093.007 <i>Caranx ruber</i> (Bloch)	<b>BAR JACK</b>	5 0
093.008 <i>C. bartholomaei</i> Cuvier	<b>YELLOW JACK</b>	5 1
093.009 <i>C. hippos</i> (Linnaeus)	<b>CREVALLE JACK</b>	5 2
093.010 <i>C. crysos</i> (Mitchill)	<b>BLUE RUNNER</b>	5 3

093.011	<i>C. latus</i> Agassiz	<b>HORSE-EYE JACK</b>	<b>5 4</b>
093.012	<i>Alectis crinitus</i> (Mitchill)	<b>AFRICAN POMPANO</b>	<b>5 5</b>
093.013	<i>Vomer setapinnis</i> (Mitchill)	<b>ATLANTIC MOONFISH</b>	<b>5 6</b>
093.014	<i>Selene vomer</i> (Linnaeus)	<b>LOOKDOWN</b>	<b>5 7</b>
093.015	<i>Chloroscombrus chrysurus</i> (Linnaeus)	<b>BUMPER</b>	<b>5 8</b>
093.016	<i>Trachinotus glaucus</i> (Bloch)	<b>PALOMETA</b>	<b>5 9</b>
•093.017	<i>T. falcatus</i> (Linnaeus)	<b>PERMIT</b>	<b>•</b>
<b>Gerridae</b>		mojarras	
096.001	<i>Eucinostomus gula</i> (Quoy & Gaimard)	<b>SILVER JENNY</b>	<b>6 0</b>
096.002	<i>E. havana</i> (Nichols)	<b>BIGEYE MOJARRA</b>	<b>6 1</b>
096.003	<i>Gerres cinereus</i> (Walbaum)	<b>YELLOWFIN MOJARRA</b>	<b>6 2</b>
096.004	<i>Diapterus rhombeus</i> Cuvier & Valenciennes	<b>RHOMBOID MOJARRA</b>	<b>6 3</b>
<b>Pomadasyidae</b>		grunts	
097.001	<i>Haemulon album</i> Cuvier	<b>MARGATE</b>	<b>6 4</b>
097.002	<i>H. macrostomum</i> Günther	<b>SPANISH GRUNT</b>	<b>6 5</b>
097.003	<i>H. parrai</i> (Desmarest)	<b>SAILORS CHOICE</b>	<b>6 6</b>
097.004	<i>H. carbonarium</i> Poey	<b>CAESAR GRUNT</b>	<b>6 7</b>
097.005	<i>H. melanurum</i> (Linnaeus)	<b>COTTONWICK</b>	<b>6 8</b>
097.006	<i>H. sciurus</i> (Shaw)	<b>BLUESTRIPED GRUNT</b>	<b>6 9</b>
097.007	<i>H. plumieri</i> (Lacépède)	<b>WHITE GRUNT</b>	<b>7 0</b>
097.008	<i>H. flavolineatum</i> (Desmarest)	<b>FRENCH GRUNT</b>	<b>7 1</b>
097.009	<i>H. aurolineatum</i> (Cuvier)	<b>TOMTATE</b>	<b>7 2</b>
•097.010	<i>H. striatum</i> (Linnaeus)	<b>COMMON TOMTATE</b>	<b>•</b>
•097.011	<i>Anisotremus surinamensis</i> (Bloch)	<b>BLACK MARGATE</b>	<b>•</b>
097.012	<i>A. virginicus</i> (Linnaeus)	<b>PORKFISH</b>	<b>7 3</b>
097.013	<i>Conodon nobilis</i> (Linnaeus)	<b>BARRED GRUNT</b>	<b>7 4</b>
097.014	<i>Pomadasyis corvinaeformis</i> (Steindachner)	<b>ROUGHNECK GRUNT</b>	<b>7 5</b>
097.015	<i>Orthopristis chrysopterus</i> (Linnaeus)	<b>PIGFISH</b>	<b>7 6</b>

# Disk 2

	Track	Number
<b>Introduction</b>		1
<b>Sciaenidae</b>	drums	
098.001 <i>Cynoscion regalis</i> (Bloch & Schneider) <sup>‡</sup>	<b>WEAKFISH</b>	2
•098.002 <i>C. nebulosus</i> (Cuvier)	<b>SPOTTED SEATROUT</b>	•
098.003 <i>C. jamaicensis</i> (Vaillant & Bocourt)	<b>MONGOLAR DRUMMER OR DIENTON</b>	3
098.004 <i>Larimus breviceps</i> Cuvier & Valenciennes	<b>CORBINO</b>	4
098.005 <i>Odontoscion dentex</i> (Cuvier)	<b>REEF CROAKER</b>	5
098.006 <i>Bairdiella chrysura</i> (Lacépède)	<b>SILVER PERCH</b>	6
098.007 <i>B. ronchus</i> (Cuvier & Valenciennes)	<b>RONCO; GROUND DRUMMER</b>	7
•098.008 <i>Stellifer lanceolatus</i> (Holbrook)	<b>STAR DRUM</b>	•
098.009 <i>Ophioscion adustus</i> (Agassiz)	<b>SNAKE CROAKER</b>	8
098.010 <i>Sciaenops ocellata</i> (Linnaeus)	<b>RED DRUM</b>	9
098.011 <i>Leiostomus xanthurus</i> Lacépède	<b>SPOT</b>	1 0
098.012 <i>Micropogon undulatus</i> (Linnaeus)	<b>ATLANTIC CROAKER</b>	1 1
•098.013 <i>Umbrina coroides</i> Cuvier	<b>SAND DRUM</b>	•
•098.014 <i>Menticirrhus saxatilis</i> (Bloch & Schneider)	<b>NORTHERN KINGFISH</b>	•
098.015 <i>Pogonias cromis</i> (Linnaeus)	<b>BLACK DRUM</b>	1 2
098.016 <i>Equetus acuminatus</i> (Bloch & Schneider)	<b>CUBBYU</b>	1 3
<b>Mullidae</b>	goatfishes	
099.001 <i>Pseudupeneus maculatus</i> (Bloch)	<b>SPOTTED GOATFISH</b>	1 4
099.002 <i>Mulloidichthys martinicus</i> (Cuvier)	<b>YELLOW GOATFISH</b>	1 5
<b>Sparidae</b>	porgies	
100.001 <i>Stenotomus chrysops</i> (Linnaeus)	<b>SCUP</b>	1 6
100.002 <i>Calamus calamus</i> (Valenciennes)	<b>SAUCEREYE PORGY</b>	1 7
100.003 <i>C. bajonado</i> (Bloch & Schneider)	<b>JOLTHEAD PORGY</b>	1 8
•100.004 <i>C. penna</i> (Valenciennes)	<b>SHEEPSHEAD PORGY</b>	•
100.005 <i>Lagodon rhomboides</i> (Linnaeus)	<b>PINFISH</b>	1 9
100.006 <i>Archosargus rhomboidalis</i> (Linnaeus)	<b>SEA BREAM</b>	2 0
•100.007 <i>A. probatocephalus</i> (Walbaum)	<b>SHEEPSHEAD</b>	•
100.008 <i>Diplodus argenteus</i> (Valenciennes)	<b>SILVER PORGY</b>	2 1
<b>Kyphosidae</b>	chubs	
103.001 <i>Kyphosus sectatrix</i> (Linnaeus)	<b>BERMUDA CHUB</b>	2 2
<b>Ephippidae</b>	spadefishes	
105.001 <i>Chaetodipterus faber</i> (Broussonet)	<b>ATLANTIC SPADEFISH</b>	2 3

<sup>‡</sup> The "chatter" sounds on this track are thought to be a misidentification of striped cusk-eel sounds. See Mann, D.A., J.D. Bowers-Altman, and R.A. Rountree. 1997. Sounds produced by the striped cusk-eel *Ophidion marginatum* (Ophidiidae) during courtship and spawning. *Copeia* 1997(3):610-612.

<b>Chaetodontidae</b>	butterflyfishes	
106.001 <i>Chaetodon ocellatus</i> Bloch	<b>SPOTFIN BUTTERFLYFISH</b>	<b>2 4</b>
106.002 <i>C. striatus</i> Linnaeus	<b>BANDED BUTTERFLYFISH</b>	<b>2 5</b>
106.003 <i>Pomacanthus aureus</i> (Bloch)	<b>GRAY ANGELFISH</b>	<b>2 6</b>
106.004 <i>P. arcuatus</i> (Linnaeus)	<b>FRENCH ANGELFISH</b>	<b>2 7</b>
106.005 <i>Holacanthus tricolor</i> (Bloch)	<b>ROCK BEAUTY</b>	<b>2 8</b>
106.006 <i>H. ciliaris</i> (Linnaeus)	<b>QUEEN ANGELFISH</b>	<b>2 9</b>
106.007 <i>H. isabelita</i> Jordan & Rutter	<b>BLUE ANGELFISH</b>	<b>3 0</b>
<b>Pomacentridae</b>	damselfishes	
109.001 <i>Eupomacentrus dorsopunicans</i> (Poey)	<b>DUSKY DAMSELFISH</b>	<b>3 1</b>
109.002 <i>E. leucostictus</i> (Müller & Troschel)	<b>BEAUGREGORY</b>	<b>3 2</b>
109.003 <i>Abudefduf saxatilis</i> (Linnaeus)	<b>SERGEANT MAJOR</b>	<b>3 3</b>
109.004 <i>Hypsypops rubicunda</i> (Girard)	<b>GARIBALDI</b>	<b>3 4</b>
<b>Labridae</b>	wrasses	
110.001 <i>Tautoglabrus adspersus</i> (Walbaum)	<b>CUNNER</b>	<b>3 5</b>
110.002 <i>Tautoga onitis</i> (Linnaeus)	<b>TAUTOG</b>	<b>3 6</b>
110.003 <i>Lachnolaimus maximus</i> (Walbaum)	<b>HOGFISH</b>	<b>3 7</b>
110.004 <i>Halichoeres radiatus</i> (Linnaeus)	<b>PUDDINGWIFE</b>	<b>3 8</b>
110.005 <i>H. bivittatus</i> (Bloch)	<b>SLIPPERY DICK</b>	<b>3 9</b>
<b>Scaridae</b>	parrotfishes	
111.001 <i>Sparisoma radians</i> (Valenciennes)	<b>BUCKTOOTH PARROTFISH</b>	<b>4 0</b>
111.002 <i>S. auroirenatum</i> (Valenciennes)	<b>REDBAND PARROTFISH</b>	<b>4 1</b>
111.003 <i>S. chrysopterum</i> (Bloch & Schneider)	<b>REDTAIL PARROTFISH</b>	<b>4 2</b>
111.004 <i>S. viride</i> (Bonnaterre)	<b>STOPLIGHT PARROTFISH</b>	<b>4 3</b>
111.005 <i>S. rubripinne</i> (Valenciennes)	<b>REDFIN PARROTFISH</b>	<b>4 4</b>
111.006 <i>Scarus vetula</i> Bloch & Schneider	<b>QUEEN PARROTFISH</b>	<b>4 5</b>
111.007 <i>S. croicensis</i> (Bloch)	<b>STRIPED PARROTFISH</b>	<b>4 6</b>
111.008 <i>S. coeruleus</i> (Bloch)	<b>BLUE PARROTFISH</b>	<b>4 7</b>
111.009 <i>S. coelestinus</i> Valenciennes	<b>PURPLE PARROTFISH</b>	<b>4 8</b>
111.010 <i>S. guacamaia</i> Cuvier	<b>RAINBOW PARROTFISH</b>	<b>4 9</b>
<b>Acanthuridae</b>	surgeonfishes	
112.001 <i>Acanthurus coeruleus</i> Bloch & Schneider	<b>BLUE TANG</b>	<b>5 0</b>
112.002 <i>A. chirurgus</i> (Bloch)	<b>DOCTORFISH</b>	<b>5 1</b>
112.003 <i>A. bahianus</i> Casteinau	<b>OCEAN SURGEON</b>	<b>5 2</b>
<b>Scombridae</b>	mackerels and tunas	
•115.001 <i>Scomber scombrus</i> Linnaeus	<b>ATLANTIC MACKEREL</b>	<b>•</b>
•115.002 <i>Auxis thazard</i> (Lacépède)	<b>FRIGATE MACKEREL</b>	<b>•</b>
•115.003 <i>Scomberomorus maculatus</i> (Mitchill)	<b>SPANISH MACKEREL</b>	<b>•</b>
•115.004 <i>S. regalis</i> (Bloch)	<b>CERO</b>	<b>•</b>
<b>Scorpaenidae</b>	scorpionfishes	
•122.001 <i>Sebastes marinus</i> (Linnaeus)	<b>REDFISH OR OCEAN PERCH</b>	<b>•</b>
•122.002 <i>Scorpaena plumieri</i> Bloch	<b>SPOTTED SCORPIONFISH</b>	<b>•</b>
<b>Triglidae</b>	searobins	
123.001 <i>Prionotus carolinus</i> (Linnaeus)	<b>NORTHERN SEAROBIN</b>	<b>5 3</b>
123.002 <i>P. evolans</i> (Linnaeus)	<b>STRIPED SEAROBIN</b>	<b>5 4</b>
<b>Cottidae</b>	sculpins	
127.001 <i>Myoxocephalus aeneus</i> (Mitchill)	<b>GRUBBY</b>	<b>5 5</b>
127.002 <i>M. octodecimspinosus</i> (Mitchill)	<b>LONGHORN SCULPIN</b>	<b>5 6</b>

•127.003 <i>Hemirhamphus americanus</i> (Gmelin)	<b>SEA RAVEN</b>	•
<b>Cyclopteridae</b>	lumpfishes	
•129.001 <i>Cyclopterus lumpus</i> Linnaeus	<b>LUMPFISH</b>	•
<b>Dactylopteridae</b>	flying gurnards	
130.001 <i>Dactylopterus volitans</i> (Linnaeus)	<b>FLYING GURNARD</b>	<b>5 7</b>
<b>Ammodytidae</b>	sand lances	
•132.001 <i>Ammodytes americanus</i> DeKay	<b>AMERICAN SAND LANCE</b>	•
<b>Uranoscopidae</b>	stargazers	
•136.001 <i>Astroscopus guttatus</i> Abbott	<b>NORTHERN STARGAZER</b>	•
<b>Zoarchidae</b>	eelpouts	
•145.001 <i>Macrozoarces americanus</i> (Bloch & Schneider)	<b>OCEAN POUT</b>	•
<b>Stromateidae</b>	butterfishes	
•151.001 <i>Peprilus paru</i> (Linnaeus)	<b>NORTHERN HARVESTFISH</b>	•
•151.002 <i>Poronotus triacanthus</i> (Peck)	<b>BUTTERFISH</b>	•
•151.003 <i>Palinurichthys perciformis</i> (Mitchill)	<b>BARRELFISH</b>	•
<b>Sphyraenidae</b>	barracudas	
154.001 <i>Sphyraena barracuda</i> (Walbaum)	<b>GREAT BARRACUDA</b>	<b>5 8</b>
•154.002 <i>S. guachancho</i> Cuvier	<b>GUAGUANCHE</b>	•
<b>Mugilidae</b>	mulletts	
•155.001 <i>Mugil brasiliensis</i> Agassiz	<b>BRAZILIAN MULLET</b>	•
•155.002 <i>M. curema</i> Valenciennes	<b>WHITE MULLET</b>	•
<b>Atherinidae</b>	silversides	
•156.001 <i>Menidia beryllina</i> (Cope)	<b>TIDEWATER SILVERSIDE</b>	•
•156.002 <i>M. menidia</i> (Linnaeus)	<b>ATLANTIC SILVERSIDE</b>	•
<b>Polynemidae</b>	threadfins	
157.001 <i>Polydactylus virginicus</i> (Linnaeus)	<b>BARBU</b>	<b>5 9</b>
<b>Bothidae</b>	lefteye flounders	
•158.001 <i>Paralichthys dentatus</i> (Linnaeus)	<b>SUMMER FLOUNDER</b>	•
•158.002 <i>Scophthalmus aquosus</i> (Mitchill)	<b>WINDOWPANE</b>	•
<b>Pleuronectidae</b>	righteye flounders	
•159.001 <i>Hippoglossoides platessoides</i> (Fabricius)	<b>AMERICAN PLAICE</b>	•
•159.002 <i>Pseudopleuronectes americanus</i> (Walbaum)	<b>WINTER FLOUNDER</b>	•
<b>Soleidae</b>	soles	
•160.001 <i>Achirus fasciatus</i> Lacépède	<b>HOGCHOKER</b>	•
<b>Echeneidae</b>	remoras	
•162.001 <i>Echeneis naucrates</i> Linnaeus	<b>SHARKSUCKER</b>	•
•162.002 <i>Remora remora</i> (Linnaeus)	<b>REMORA</b>	•
<b>Balistidae</b>	triggerfishes and filefishes	
165.001 <i>Balistes capriscus</i> Gmelin	<b>GRAY TRIGGERFISH</b>	<b>6 0</b>
165.002 <i>B. vetula</i> Linnaeus	<b>QUEEN TRIGGERFISH</b>	<b>6 1</b>
165.003 <i>Canthidermis sufflamen</i> (Mitchill)	<b>OCEAN TRIGGERFISH</b>	<b>6 2</b>

165.004	<i>Melichthys radula</i> (Solander)	<b>BLACK DURGON</b>	<b>6 3</b>
165.005	<i>Cantherines pullus</i> (Ranzani)	<b>ORANGESPOTTED FILEFISH</b>	<b>6 4</b>
165.006	<i>Monacanthus hispidus</i> (Linnaeus)	<b>PLANEHEAD FILEFISH</b>	<b>6 5</b>
165.007	<i>Alutera schoepfi</i> (Walbaum)	<b>ORANGE FILEFISH</b>	<b>6 6</b>
165.008	<i>A. scripta</i> (Osbeck)	<b>SCRAWLED FILEFISH</b>	<b>6 7</b>
<b>Ostraciidae</b>		trunkfishes	
166.001	<i>Lactophrys triqueter</i> (Linnaeus)	<b>SMOOTH TRUNKFISH</b>	<b>6 8</b>
166.002	<i>L. bicaudalis</i> (Linnaeus)	<b>SPOTTED TRUNKFISH</b>	<b>6 9</b>
166.003	<i>L. trigonus</i> (Linnaeus)	<b>TRUNKFISH</b>	<b>7 0</b>
166.004	<i>L. quadricornis</i> (Linnaeus)	<b>COWFISH</b>	<b>7 1</b>
<b>Tetraodontidae</b>		puffers	
167.001	<i>Lagocephalus laevigatus</i> (Linnaeus)	<b>SMOOTH PUFFER</b>	<b>7 2</b>
167.002	<i>Sphaeroides testudineus</i> (Linnaeus)	<b>CHECKERED PUFFER</b>	<b>7 3</b>
167.003	<i>S. maculatus</i> (Bloch & Schneider)	<b>NORTHERN PUFFER</b>	<b>7 4</b>
•167.004	<i>S. spengleri</i> (Bloch)	<b>BANDTAIL PUFFER</b>	<b>•</b>
•167.005	<i>Canthigaster rostrata</i> (Bloch)	<b>SHARPNOSE PUFFER</b>	<b>•</b>
<b>Diodontidae</b>		porcupinefishes	
168.001	<i>Diodon hystrix</i> Linnaeus	<b>PORCUPINEFISH</b>	<b>7 5</b>
168.002	<i>Chilomycterus schoepfi</i> (Walbaum)	<b>STRIPED BURRFISH</b>	<b>7 6</b>
168.003	<i>C. atinga</i> (Linnaeus)	<b>SPOTTED BURRFISH</b>	<b>7 7</b>
<b>Molidae</b>		molas	
•169.001	<i>Mola mola</i> (Linnaeus)	<b>OCEAN SUNFISH</b>	<b>•</b>
<b>Batrachoididae</b>		toadfishes	
170.001	<i>Opsanus tau</i> (Linnaeus)	<b>OYSTER TOADFISH</b>	<b>7 8</b>
170.002	<i>O. phobetron</i> Walters & Robins	<b>WEST INDIAN TOADFISH</b>	<b>7 9</b>
<b>Lophiidae</b>		goosefishes	
•171.001	<i>Lophius americanus</i> Valenciennes	<b>GOOSEFISH</b>	<b>•</b>
<b>Antennariidae</b>		frogfishes	
•172.001	<i>Histrio histrio</i> (Linnaeus)	<b>SARGASSUMFISH</b>	<b>•</b>
•172.002	<i>H. gibba</i> (Mitchill)	<b>COMMON FROGFISH</b>	<b>•</b>
•172.003	<i>Antennarius scaber</i> (Cuvier)	<b>SPLITLURE FROGFISH</b>	<b>•</b>
<b>Ogcocephalidae</b>		batfishes	
•173.001	<i>Ogcocephalus vespertilio</i> (Linnaeus)	<b>LONGNOSE BATFISH</b>	<b>•</b>
•173.002	<i>O. radiatus</i> (Mitchill)	<b>POLKA-DOT BATFISH</b>	<b>•</b>