

# Updated check-list of the seaweeds of the French coasts, Channel and Atlantic Ocean

Thomas Burel<sup>1</sup>, Michel Le Duff<sup>2</sup> & Erwan Ar Gall<sup>1</sup>

<sup>1</sup> Université de Brest, CNRS, UMR 6539, Laboratoire des sciences de l'environnement marin (LEMAR), Place Nicolas Copernic, 29280 Plouzané, France

<sup>2</sup> Université de Brest, CNRS, UMS 3113, Observatoire marin, Suivis habitats benthiques, OSU-IUEM, Rue Dumont d'Urville, 29280 Plouzané, France

## Abstract

The present study gives an updated list of macroalgal species from the Channel and Atlantic coasts of France. It includes a total of 707 macroalgal species with their taxonomic treatment.

**Keywords:** biodiversity; check-list; French Channel-Atlantic coasts; macroalgae

## Liste réactualisée des macroalgues marines des côtes françaises, de la Manche et de l'océan Atlantique

### Résumé

Cette étude est une mise à jour de la liste des espèces de macroalgues des côtes françaises de la Manche et de l'océan Atlantique. Elle inclut 707 espèces de macroalgues et leur traitement taxonomique.

**Mots-clés :** biodiversité; côtes françaises Manche-Atlantique; liste; macroalgues

## Roll nevesaet makrobezhin mor aodoù Bro-Frañs, Mor-Breizh ha Meurvor Atlantel

### Diverrañ

Un nevesadur eus roll ar spesadoù bezhin war aodoù Bro-frañs ar Meurvor Atlantel ha Mor Breizh eo ar studiadenn-mañ. Enni e vo kavet 707 spesad makrobezhin hag o zielfennadur taxonomek.

**Gerioù-alc'hwez :** aodoù Mor Breizh-Atlantel Bro-Frañs ; biolisseurter ; makrobezhin ; roll

---

### Corresponding author:

Thomas Burel (e-mail: Thomas.Burel@univ-brest.fr)

Reçu le 6 juillet 2018 ; accepté après révision le 14 janvier 2019 ; en ligne le 18 janvier 2019.

Received 6th July 2018; accepted in revised form 14th January 2019; online 18th January 2019.

## Introduction

Numbers of phycologists have studied macroalgae from the coasts of France, leading to the publication of several local check-lists: Bay of Biscay (Lancelot, 1961), Finistère (P. L. Crouan & H. M. Crouan, 1867), Roscoff (Feldmann, 1954; Feldmann & Magne, 1964), Cherbourg harbour (Le Jolis, 1864), French North Sea and Belgium (Coppejans & Kling, 1995). Published in 2007 (although based on a work achieved in 1994), the “Liste et répartition des algues marines des côtes françaises de la Manche et de l’Atlantique, îles Anglo-Normandes incluses” (Check-list and repartition of seaweeds on the French coasts of the Channel and of the Atlantic Ocean, including the British Channel Islands), results from field and bibliographic work performed by A. H. Dizerbo, botany teacher at the University of Brest together with E. Herpe, pharmacist and botanist. This was the first attempt to assess the considerable diversity of macroalgal taxa occurring in the area.


Recent progress in molecular biology has led to redefine taxonomic nomenclatures, grouping different taxa into a single species, or conversely to the recognition of new species (i.e. previously considered as cryptic species) to the list (Bárbara & Díaz Tapia, 2012). Moreover, the ongoing ecological globalisation leads to the introduction of non-native species to the coasts of Europe (Le Roux, 2008; Verlaque *et al.*, 2008; Mineur, De Clerck, *et al.*, 2010; Mineur, Le Roux, *et al.*, 2012; Stiger-Pouvreau & Thouzeau, 2015). Despite recent updates of the check-lists from European neighboring countries (United Kingdom (Brodie *et al.*, 2015), Spain (Gallardo *et al.*, 2016) and Ireland (M. D. Guiry, 2012)) together with the need for a macroalgal regional species richness database that would help to assess environmental quality (Ar Gall & Le Duff, 2014), no exhaustive inventory has been published using post-1994 data (Dizerbo & Herpe, 2007) for the Atlantic-Channel coastline of France. This inventory aims at contributing to the understanding of the changes in macroalgal diversity under the influence of climate change and/or the introduction of non native taxa. In addition, check-lists may also help cataloguing characteristic macroalgal species as metrics in the evaluation of the ecological quality of either water bodies (Water Framework Directive) or coastal biocenoses (Marine Strategy Framework Directive, Habitats Directive, Natura 2000). In this work, we therefore try to fill up this need by giving an up to date check-list of the macroalgal species of the Channel and Atlantic coasts of France.

## Materials and methods

The check-list drawn up by Dizerbo & Herpe (2007) was used as the starting point for this study. Species are listed and have been checked for their currently accepted name. The previously used authorities given in Dizerbo & Herpe (2007) have been added to the accepted authority. However, subspecies, varieties or formae are here ignored because of their large numbers and often poor description. Taxonomic classement is inferred using treatment from M. D. Guiry & G. M. Guiry (2018). Some species were excluded when recorded only once or by a single author, when the up-to-date distribution area did not match to the bibliographic data as well as when the taxon is invalid or doubtful (see Discussion). Records presented here come from new taxa recently described as well as introduced species originate from various accepted publications as well as from personal observations from the authors.

The studied area appears in Figure 1. It shows the same limits as in Dizerbo & Herpe (2007), including the southern end of the North Sea, the Channel coasts and the Atlantic Ocean coasts of France (covering approximately 4 200 km). It has to be noticed that it excludes the

Channel Islands for which macroalgae records appear in Irish and British studies (see Hardy & M. D. Guiry, 2003).



**Figure 1:** Map of studied area. Coastlines in black define the studied area. Coastlines in grey are not studied.

## Results

Results highlight a number of 333 Genera (186 for red, 102 for brown and 45 for green seaweeds), 100 Families (57 for red, 23 for brown and 20 for green seaweeds) covering 41 Orders (25 for red, 10 for brown and 6 for green seaweeds).

This census amounts to 707 the number of macroalgal species recorded (i.e. 403 red seaweeds (Rhodophyta), 183 brown seaweeds (Phaeophyceae) and 121 green seaweeds (Chlorophyta)). In Dizerbo & Herpe (2007), the number of taxa was 423 for red, 226 for brown and 153 for green seaweeds.

### Seaweed check-list:

\* corresponds to an addition to the list of Dizerbo & Herpe (2007).

**RHODOPHYTA** Wettstein, 1901**Class Porphyridiophyceae** M. Shemeel, 2001**Order Porphyridiales** Kylin, 1937**Family Porphyridiaceae** Kylin, 1937*Porphyridium* Nägeli, 1849*Porphyridium purpureum* (Bory de Saint-Vincent) K. M. Drew & R. Ross**Class Rhodellophyceae** Cavalier-Smith, 1998**Order Glaucosphaerales** E. C. Yang, J. L. Scott, H. S. Yoon & J. A. West, 2011**Family Glaucosphaeraceae** Skuja, 1954*Rhodella* L. V. Evans, 1970*Rhodella violacea* (Kornmann) Wehrmeyer  
[= *Rhodella maculata* L. V. Evans, 1970]**Class Stylonematophyceae** H. S. Yoon, K. M. Müller, R. G. Sheath, F. D. Ott & D. Bhattacharya, 2006**Order Stylonematales** K. M. Drew, 1956**Family Stylonemataceae** K. M. Drew, 1956*Chroodactylon* A. Hansgirg, 1885*Chroodactylon ornatum* (C. Agardh) Basson*Colacodium* Feldmann, 1955*Colacodium reticulatum* (Batters) Feldmann*Neevea* Batters, 1900*Neevea repens* Batters*Stylonema* Reinsch, 1875*Stylonema alsidii* (Zanardini) K. M. Drew*Stylonema cornu-cervi* Reinsch**Class Compsopogonophyceae** G. W. Saunders & Hommersand, 2004**Order Erythropeltales** Garbary, G. I. Hansen & Scagel, 1980**Family Erythrotrichiaceae** G. M. Smith, 1933*Erythrocladia* Rosenvinge, 1909*Erythrocladia polystromatica*

P. J. L. Dangeard

*Erythropeltis* F. Schmitz, 1896*Erythropeltis discigera* (Berthold) F. Schmitz*Erythrotrichia* Areschoug, 1850*Erythrotrichia carnea* (Dillwyn) J. Agardh*Erythrotrichia reflexa* (P. Crouan & H. Crouan)

Thuret ex De Toni

*Erythrotrichia welwitschii* (Ruprecht) Batters*Porphyropsis* Rosenvinge, 1909*Porphyropsis coccinea* (J. Agardh) ex Areschoug Rosenvinge*Porphyrostromium* Trevisan, 1848*Porphyrostromium boryanum* (Montagne)

P. C. Silva

*Porphyrostromium ciliare* (Carmichael)

M. J. Wynne

[= *Erythrotrichia ciliaris* (Carmichael)]

Thuret, 1863,

*Erythrotrichia nigrescens* P. J. L. Dangeard,*Erythrotrichia obscura* Berthold, 1882,*Erythrotrichia pseudopulvinata*P. J. L. Dangeard, 1968 and *Erythrocladia grisea* P. J. L. Dangeard, 1968]*Sahlingia* Trevisan, 1848*Sahlingia subintegra* (Rosenvinge) Kornmann[= *Erythrotrichia subintegra* Rosenvinge, 1909 and *Erythrocladia gibbera* P. J. L. Dangeard, 1968]**Class Bangiophyceae** Wettstein, 1901**Order Bangiales** Nägeli, 1847**Family Bangiaceae** Duby, 1830*Bangia* Lyngbye, 1819*Bangia fuscopurpurea* (Dillwyn) Lyngbye*Porphyra* C. Agardh, 1824\* *Porphyra dioica* J. Brodie & L. M. Irvine*Porphyra linearis* Greville*Porphyra purpurea* (Roth) C. Agardh*Porphyra umbilicalis* Kützing*Pyropia* J. Agardh, 1899*Pyropia drachii* (Feldmann) J. Brodie[= *Porphyra drachii* Feldmann, 1981]*Pyropia leucosticta* (Thuret) Neefus & J. Brodie[= *Porphyra leucosticta* Thuret, 1863]*Wildemania* De Toni, 1890*Wildemania miniata* (C. Agardh) Foslie[= *Porphyra miniata* (C. Agardh) C. Agardh, 1824]**Class Florideophyceae** Cronquist, 1960**Subclass Ahnfeltiophycidae** G. W. Saunders & Hommersand, 2004

**Order Ahnfeltiales** Maggs & Pueschel, 1989  
**Family Ahnfeltiaceae** Maggs & Pueschel, 1989

*Ahnfeltia* E. M. Fries, 1836

*Ahnfeltia plicata* (Hudson) Fries

**Subclass Nemaliophycidae** T. Christensen, 1978

**Order Acrochaetales** Feldmann, 1953

**Family Acrochaetiaceae** Fritsch ex W. R. Taylor, 1957

*Acrochaetium* Nägeli, 1858

*Acrochaetium alariae* (Jónsson) Bornet

[= *Audouinella alariae* (Jónsson)  
Woelkerling, 1973]

*Acrochaetium endozoicum* (Darbishire) Batters  
[= *Audouinella endozoica* (Darbishire)  
P. S. Dixon, 1976]

*Acrochaetium lorrain-smithiae* (Lyle)

L. Newton

[= *Audouinella lorrain-smithiae* (Lyle)  
P. S. Dixon, 1976]

*Acrochaetium maluinum* Hamel

[= *Audouinella maluina* (Hamel)  
G. R. South & Tittley, 1986]

*Acrochaetium microscopicum* (Nägeli ex Kützing) Nägeli  
[= *Audouinella microscopica* (Nägeli ex Kützing) Woelkerling, 1971]

*Acrochaetium moniliforme* (Rosenvinge)  
Børgesen

[= *Audouinella moniliformis* (Rosenvinge)  
Garbary, 1979]

*Acrochaetium parvulum* (Kylin) Hoyt  
[= *Audouinella parvula* (Kylin)  
P. S. Dixon, 1976]

*Acrochaetium secundatum* (Lyngbye) Nägeli  
[= *Audouinella secundata* (Lyngbye)  
P. S. Dixon, 1976 and *Audouinella virgatula* (Harvey) P. S. Dixon, 1976]

*Acrochaetium sparsum* (Harvey) Nägeli  
[= *Audouinella velutina* (Hauck)  
G. R. South & Tittley, 1986]

*Acrochaetium subpinnatum* Bornet ex Hamel  
[= *Audouinella subpinnata* (Bornet ex Hamel) Garbary, 1979]

*Grania* (Rosenvinge) Kylin, 1944

*Grania pectinata* (Kylin) Athanasiadis  
[= *Audouinella pectinata* (Kylin)  
Papenfuss, 1945]

*Kylinia* Rosenvinge, 1909

*Kylinia endophytica* (Batters) Athanasiadis  
[= *Audouinella endophytica* (Batters)  
P. S. Dixon, 1976]

*Rhodochorton* Nägeli, 1862

*Rhodochorton purpureum* (Lightfoot)  
Rosenvinge

[= *Audouinella purpurea* (Lightfoot)  
Woelkerling, 1973]

**Order Palmariales** Guiry & D. E. G. Irvine, 1978

**Family Palmariaceae** Guiry, 1974

*Palmaria* Stackhouse, 1802

*Palmaria palmata* (Linnaeus) F. Weber & D. Mohr

**Family Rhodophysemataceae** G. W. Saunders & J. L. McLachlan, 1990

*Rhodophysema* Batters, 1900

*Rhodophysema elegans* (P. Crouan & H. Crouan ex J. Agardh) P. S. Dixon  
[incl. *Rhodophysema minus* Hollenberg & I. A. Abbott, 1965]

*Rhodophysema feldmannii* Cabioch

*Rhodophysema georgei* Batters

*Rhodophysema kjellmanii* G. W. Saunders & Clayden

[= *Halosacciocolax kjellmanii* S. Lund, 1959]

**Family Meiodiscaceae** S. L. Clayden & G. W. Saunders, 2010

*Meiodiscus* G. W. Saunders & McLachlan, 1991

*Meiodiscus concrescens* (K. M. Drew)  
P. W. Gabrielson  
[= *Audouinella concrescens* (K. M. Drew)  
P. S. Dixon, 1976]

*Rubrointrusa* S. L. Clayden & G. W. Saunders, 2010

*Rubrointrusa membranacea* (Magnus)  
S. L. Clayden & G. W. Saunders  
[= *Audouinella membranacea* (Magnus)  
Papenfuss, 1945]

**Family Rhodothamniellaceae** G. W. Saunders, 1995

*Rhodothamniella* Feldmann, 1978

*Rhodothamniella floridula* (Dillwyn) Feldmann

- [= *Audouinella floridula* (Dillwyn) Woelkerling, 1971]
- Order Colaconematales** J.T. Harper & G.W. Saunders, 2002
- Family Colaconemataceae** J.T. Harper & G.W. Saunders, 2002
- Colaconema* Batters, 1896
- Colaconema asparagopsis* Chemin [= *Audouinella asparagopsis* (Chemin) P.S. Dixon, 1976]
- Colaconema bonnemaisoniae* Batters [= *Audouinella bonnemaisoniae* (Batters) P.S. Dixon, 1976]
- Colaconema caespitosum* (J. Agardh) Jackelman, Stegenga & J.J. Bolton [= *Audouinella caespitosa* (J. Agardh) P.S. Dixon, 1976]
- Colaconema chylocladiae* Batters [= *Audouinella chylocladia* (Batters) P.S. Dixon, 1976 and *Audouinella cheminii* Feldmann, 1954]
- Colaconema codicola* (Børgesen) Stegenga, J.J. Bolton & R.J. Anderson [= *Audouinella codii* (Hamel) G. Furnari, 2000]
- Colaconema corymbiferum* (Thuret) Alongi, Cormaci & G. Furnari [= *Audouinella corymbifera* (Thuret) P.S. Dixon, 1976]
- Colaconema daviesii* (Dillwyn) Stegenga [= *Audouinella daviesii* (Dillwyn) Woelkerling, 1971]
- Colaconema gynandrum* (Rosenvinge) R. Nielsen [= *Audouinella gynandra* (Rosenvinge) Garbarry, 1979]
- Colaconema hallanicum* (Kylin) Afonso-Carillo, Sanson, Sangil & Diaz-Villa [= *Audouinella polyblasta* (Rosenvinge) J.H. Price, Lawson & D.M. John, 1986]
- Colaconema infestans* (M. Howe & Hoyt) Woelkerling [= *Audouinella infestans* (M. Howe & Hoyt) P.S. Dixon, 1976]
- Colaconema leptonema* (Rosenvinge) Alongi, Cormaci & G. Furnari [= *Audouinella leptonema* (Rosenvinge) Garbarry, 1979]
- Colaconema nemalii* (De Notaris ex L. Dufour) Stegenga [= *Audouinella nemalionis* (De Notaris ex L. Dufour) P.S. Dixon, 1976]
- Colaconema savianum* (Meneghini) R. Nielsen [= *Audouinella saviana* (Meneghini) Woelkerling, 1973]
- Colaconema subtilissimum* (Kützing) Alongi, Cormaci & G. Furnari [= *Audouinella subtilissima* (Kützing) Garbarry, 1979]
- Order Nemaliales** F. Schmitz, 1892
- Family Scinaeaceae** Huisman, J.T. Harper & G.W. Saunders, 2004
- Scinaia* Bivona-Bernardi, 1822
- Scinaia furcellata* (Turner) J. Agardh
- Scinaia interrupta* (A.P. De Candolle) M.J. Wynne [= *Scinaia turgida* Chemin, 1926]
- Family Liagoraceae** Kützing, 1843
- Helminthocladia* J. Agardh, 1851
- Helminthocladia calvadosii* (J.V. Lamouroux ex Duby) Setchell
- Helminthora* J. Agardh, 1851
- Helminthora divaricata* (C. Agardh) J. Agardh
- Liagora* J.V. Lamouroux, 1812
- Liagora viscosa* (Forsskål) C. Agardh
- Nemalion* Duby, 1830
- \* *Nemalion elminthoides* (Velley) Batters
- \* *Nemalion multifidum* (Lyngbye) Chauvin
- Subclass Rhodymeniophycidae** G.W. Saunders & Hommersand, 2004
- Order Gelidiales** Kylin, 1923
- Family Gelidiaceae** Kützing, 1843
- Gelidium* J.V. Lamouroux, 1813
- \* *Gelidium attenuatum* (Turner) Thuret
- Gelidium corneum* (Hudson) J.V. Lamouroux [= *Gelidium sesquipedale* (Clemente) Thuret, 1876]
- \* *Gelidium crinale* (Hare ex Turner) Gaillon
- \* *Gelidium maggsiae* Rico & Guiry
- \* *Gelidium pulchellum* (Turner) Kützing
- Gelidium pusillum* (Stackhouse) Le Jolis
- \* *Gelidium spathulatum* (Kützing) Bornet
- Gelidium spinosum* (S.G. Gmelin) P.C. Silva [= *Gelidium latifolium* Bornet ex Hauck, 1883]

**Family Pterocladiaceae** G. P. Felicini & Perrone, 2006

*Pterocladiella* B. Santelices & Hommersand, 1997

*Pterocladiella capillacea* (S.G. Gmelin)

Santelices & Hommersand

[= *Pterocladia capillacea* (S.G. Gmelin)

Bornet, 1876]

\* *Pterocladiella melanoidea* (Schousboe ex Bornet) Santelices & Hommersand

**Family Gelidiellaceae** K.-C. Fan, 2006

*Millerella* G. H. Boo & S. M. Boo, 2016

*Millerella pannosa* (Feldmann) G. H. Boo & L. Le Gall

[= *Gelidiella tenuissima* Feldmann & Hamel, 1936]

*Gelidiella* Feldmann & G. Hamel, 1934

*Gelidiella calcicola* Maggs & Guiry

**Order Gracilariales** Fredericq & Hommersand, 1989

**Family Graciliariaceae** Nägeli, 1847

*Gracilaria* Greville, 1830

*Gracilaria bursa-pastoris* (S.G. Gmelin) P.C. Silva

[incl. *Gracilaria conferta* (Schousboe ex Montagne) Montagne, 1846]

\* *Gracilaria dura* (C. Agardh) J. Agardh

\* *Gracilaria gracilis* (Stackhouse) M. Steentoft, L. M. Irvine & W. F. Farnham

*Gracilaria multipartita* (Clemente) Harvey

\* *Gracilaria vermiculophylla* (Ohmi) Papenfuss

*Gracilariopsis* E. Y. Dawson, 1949

\* *Gracilariopsis chorda* (Holmes) Ohmi

*Gracilariopsis longissima* (S.G. Gmelin) Steentoft, L. M. Irvine & Farnham

[= *Gracilaria verrucosa* (Hudson) Papenfuss, 1950]

**Family Pterocladiophilaceae** K.-C. Fan & Papenfuss, 1959

*Gelidiocolax* N. L. Gardner, 1927

*Gelidiocolax margaritoides* (M.T. Martin & M.A. Pocock) K.-C. Fan & Papenfuss

*Holmsella* Sturz, 1926

*Holmsella pachyderma* (Reinsch) Sturz

**Order Atractophorales** Maggs, L. Le Gall, Filloromo & G.W. Saunders, 2016

**Family Atractophoraceae** Maggs, L. Le Gall & G.W. Saunders, 2016

*Atractophora* P. Crouan & H. Crouan, 1848

*Atractophora hypnoides* P. Crouan & H. Crouan [incl. sporophyte phase *Rhododiscus pulcherrimus* P. Crouan & H. Crouan, 1859]

**Order Bonnemaisoniales** Feldmann & G. Feldmann, 1952

**Family Bonnemaisoniaceae** F. Schmitz, 1892

*Asparagopsis* Montagne, 1841

*Asparagopsis armata* Harvey

[incl. sporophyte phase *Falkenbergia rufolanosa* (Harvey) F. Schmitz, 1897]

*Bonnemaisonia* C. Agardh, 1822

*Bonnemaisonia asparagooides* (Woodward) C. Agardh

[incl. sporophyte phase *Hymenoclonium serpens* (P. Crouan & H. Crouan) Batters, 1895]

*Bonnemaisonia clavata* Hamel

*Bonnemaisonia hamifera* Hariot

[incl. sporophyte phase *Trailliella intricata* Batters, 1896]

**Family Naccariaceae** Kylin, 1928

*Naccaria* Endlicher, 1836

*Naccaria wiggii* (Turner) Endlicher ex J. Agardh

**Order Acrosymphtales** R.D. Withall & G.W. Saunders, 2007

**Family Schimmelmanniaceae** G.W. Saunders & Kraft, 2016

*Schimmelmannia* Schousboe ex Kützing, 1849

*Schimmelmannia schousboei* (J. Agardh) J. Agardh

[= *Schimmelmannia ornata* Schousboe ex Kützing, 1849]

**Order Halymeniales** G.W. Saunders & Kraft, 1996

- Family Halymeniaceae** Bory de Saint-Vincent, 1828  
*Cryptonemia* J. Agardh, 1842  
*Cryptonemia seminervis* (C. Agardh) J. Agardh
- Dermocorynus* P. Crouan & H. Crouan, 1858  
*Dermocorynus dichotomus* (J. Agardh)  
Gargiulo, M. Morabito & Manghisi  
[= *Grateloupia dichotoma* J. Agardh,  
1842]  
*Dermocorynus montagnei* P. Crouan &  
H. Crouan
- Grateloupia* C. Agardh, 1822  
*Grateloupia filicina* (J. V. Lamouroux)  
C. Agardh  
\* *Grateloupia minima* P. Crouan & H. Crouan  
\* *Grateloupia subpectinata* Holmes  
\* *Grateloupia turuturu* Yamada
- Halymenia* C. Agardh, 1817  
*Halymenia latifolia* P. Crouan & H. Crouan ex  
Kützing
- Pachykeniopsis* Yamada ex Kawabata, 1954  
\* *Pachykeniopsis lanceolata* (K. Okamura)  
Y. Yamada ex S. Kawabata
- Polyopes* J. Agardh, 1849  
\* *Polyopes lancifolius* (Harvey) Kawaguchi &  
Wang
- Subclass Hildenbrandiophycidae** G. W. Saunders & Hommersand, 2004  
**Order Hildenbrandiales** Pueschel & K. M. Cole, 1982  
**Family Hildenbrandiaceae** Rabenhorst, 1868  
*Hildenbrandia* Nardo, 1834  
*Hildenbrandia crouaniorum* J. Agardh  
[previously ‘crouanii’ and incl.  
*Hildenbrandia canariensis* Børgesen,  
1929]  
\* *Hildenbrandia occidentalis* Setchell  
*Hildenbrandia rubra* (Sommerfelt) Meneghini
- Subclass Corallinophycidae** Le Gall & G. W. Saunders, 2007  
**Order Hapalidiales** W. A. Nelson, J. E. Sutherland, T. J. Farr & H. S. Yoon, 2015  
**Family Hapalidiaceae** J. E. Gray, 1865  
**Subfamily Austrolithoideae** A. S. Harvey &
- Woelkerling, 1995  
*Boreolithon* A. S. Harvey & Woelkerling, 1995  
*Boreolithon vanheurckii* (Heydrich)  
A. S. Harvey & Woelkerling  
[= *Melobesia vanheurckii* (Heydrich)  
De Toni, 1924]
- Subfamily Chorenematoideae** Woelkerling, 1987  
*Chorenema* F. Schmitz, 1889  
*Chorenema thuretii* (Bornet) F. Schmitz
- Subfamily Melobesioideae** Bizzozeri, 1885  
*Melobesia* J. V. Lamouroux, 1812  
*Melobesia membranacea* (Esper) J. V. Lamouroux
- Family Mesophyllaceae** Athanasiadis, 2017  
*Leptophytum* W. H. Adey, 1966  
*Leptophytum bisporum* (Foslie) W. H. Adey  
[= *Phamatolithon bisporum* (Foslie)  
Afonso-Carrillo, 1984]  
*Leptophytum bornetii* (Foslie) W. H. Adey
- Mesophyllum* Me. Lemoine, 1928  
\* *Mesophyllum alternans* (Foslie) Cabioch & M. L. Mendoza  
*Mesophyllum lichenoides* (J. Ellis)  
Me. Lemoine
- Order Corallinales** P. C. Silva & H. W. Johansen, 1986  
**Family Corallinaceae** J. V. Lamouroux, 1812  
**Subfamily Corallinoideae** (Areschoug) Foslie, 1908  
**Tribes Corallinae** Areschoug, 1852  
*Corallina* Linnaeus, 1758  
\* *Corallina caespitosa* R. H. Walker, J. Brodie & L. M. Irvine  
*Corallina officinalis* Linnaeus
- Ellisolandia* K. R. Hind & G. W. Saunders, 2013  
*Ellisolandia elongata* (J. Ellis & Solander)  
K. R. Hind & G. W. Saunders  
[= *Corallina elongata* J. Ellis & Solander,  
1786]
- Tribes Janieae** H. W. Johansen & P. C. Silva, 1978

- Jania** J. V. Lamouroux, 1812
- Jania longifurca* Zanardini
  - Jania rubens* (Linnaeus) J. V. Lamouroux
  - Jania squamata* (Linnaeus) J. H. Kim, Guiry & H.-G. Choi
    - [= *Haliptilon squamatum* (Linnaeus) H. W. Johansen, L. M. Irvine & A. Webster, 1973]
  - Jania virgata* (Zanardini) Montagne
    - [= *Haliptilon virgatum* (Zanardini) Garbary & H. W. Johansen, 1982]
- Subfamily Lithophylloideae** Setchell, 1943
- Tribe Dermatolitheae** Cabioch, 1972
- Titanoderma* Nägeli, 1858
    - Titanoderma laminariae* (P. Crouan & H. Crouan) Y. M. Chamberlain
    - Titanoderma pustulatum* (J. V. Lamouroux) Nägeli
      - [= *Titanoderma pustulatum* var. *confine* (P. Crouan & H. Crouan) Y. M. Chamberlain, 1991]
- Tribe Lithophylleae** Zanardini, 1844
- Lithophyllum* Philippi, 1837
    - \* *Lithophyllum bathyporum* Athanasiadis & D. L. Ballantine
    - Lithophyllum byssoides* (Lamarck) Foslie
      - [= *Lithophyllum lichenoides* Philippi, 1837]
    - Lithophyllum corallinae* (P. Crouan & H. Crouan) Heydrich
    - Lithophyllum crouaniorum* Foslie
      - [= *Lithophyllum crouanii* Chamberlain, Irvine & Walker]
    - Lithophyllum cystoseirae* (Hauck) Heydrich
    - \* *Lithophyllum hibernicum* Foslie
    - Lithophyllum incrustans* Philippi
    - Lithophyllum nitorum* W. H. Adey & P. J. Adey
    - Lithophyllum orbiculatum* (Foslie) Foslie
      - [= *Lithothamnion subtenellum* (Foslie) Me. Lemoine, 1915]
    - Lithophyllum vickersiae* Me. Lemoine
      - [= *Pseudolithophyllum vickersiae* (Me. Lemoine) Afonso-Carillo]
- Subfamily Hydrolithoideae** A. Kato & M. Baba, 2011
- Hydrolithon* (Foslie) Foslie, 1909
    - Hydrolithon boreale* (Foslie) Y. M. Chamberlain
- Hydrolithon cruciatum* (Bressan)
- Y. M. Chamberlain
- Hydrolithon farinosum* (J. V. Lamouroux) Penrose & Y. M. Chamberlain
- Hydrolithon sargassi* (Foslie) Y. M. Chamberlain
- Pneophyllum* Kützing, 1843
- Pneophyllum confervicola* (Kützing) Y. M. Chamberlain
  - Pneophyllum coronatum* (Rosanoff) Penrose
    - [= *Pneophyllum caulerpae* (Foslie) P. L. Jones & Woelkerling, 1984]
  - Pneophyllum fragile* Kützing
    - [= *Pneophyllum lejolisi* (Rosanoff) Y. M. Chamberlain, 1983]
  - Pneophyllum limitatum* (Foslie)
  - Y. M. Chamberlain
  - Pneophyllum lobescens* Y. M. Chamberlain
  - Pneophyllum myriocarpum* (P. Crouan & H. Crouan) Y. M. Chamberlain
  - \* *Pneophyllum zonale* (P. Crouan & H. Crouan) Y. M. Chamberlain
- Subfamily Metagoniolithoideae** H. W. Johansen, 1969
- Harveylithon* A. Rösler, Perfectti, V. Peña & J. C. Braga, 2016
    - Harveylithon samoënsis* (Foslie) A. Rösler, Perfectti, V. Peña & J. C. Braga
      - [= *Hydrolithon samoënsis* (Foslie) Keats & Y. M. Chamberlain, 1994]
- Subfamily Neogoniolithoideae** A. Kato & M. Baba, 2011
- Neogoniolithon* Setchell & L. R. Mason, 1943
    - Neogoniolithon brassica-florida* (Harvey) Setchell & L. R. Mason
- Subfamily Porolithoideae** A. Kato & M. Baba, 2011
- Spongites* Kützing, 1841
    - Spongites absimilis* (Foslie & M. Howe) Afonso-Carillo
      - [= *Neogoniolithon absimile* (Foslie & M. Howe) Cabioch, 1972]
- Family Lithothamniaceae** H. J. Haas, 1886
- Tribe Lithothamnieae** Foslie, 1908
- Lithothamnion* Heydrich, 1897

- Lithothamnion coralloides* (P. Crouan & H. Crouan) P. Crouan & H. Crouan  
*Lithothamnion glaciale* Kjellman  
*Lithothamnion sonderi* Hauck
- Tribe Phymatolithae** Adey & H. W. Johansen, 1972
- Phymatolithon* Foslie, 1898
- Phymatolithon brunneum* Y. M. Chamberlain
  - Phymatolithon calcareum* (Pallas) W. H. Adey & D. L. McKibbin ex Woelkerling & L. M. Irvine  
 [incl. *Lithothamnion hamelii* Me. Lemoine, 1931]
  - Phymatolithon laevigatum* (Foslie) Foslie
  - Phymatolithon lamii* (Me. Lemoine) Y. M. Chamberlain
  - Phymatolithon lenormandii* (Areschoug) Adey
  - \* *Phymatolithon lusitanicum* V. Peña
  - Phymatolithon purpureum* (P. Crouan & H. Crouan) Woelkerling & L. M. Irvine
- Order Peyssonneliales** Krayesky, Fredericq & J. N. Norris, 2009
- Family Peyssonneliaceae** Denizot, 1968
- Cruoriopsis* Dufour, 1865
  - \* *Cruoriopsis hauckii* Batters
- Peyssonnelia* Decaisne, 1841
- Peyssonnelia armorica* (P. Crouan & H. Crouan) Weber-van Bosse
  - Peyssonnelia atropurpurea* P. Crouan & H. Crouan
  - Peyssonnelia coriacea* Feldmann
  - Peyssonnelia dubyi* P. Crouan & H. Crouan
  - Peyssonnelia harveyana* P. Crouan & H. Crouan ex J. Agardh
  - Peyssonnelia immersa* Maggs & L. M. Irvine
  - Peyssonnelia squamaria* (S. G. Gmelin) Decaisne ex J. Agardh
- Order Gigartinales** F. Schmitz, 1892
- Family Calosiphoniaceae** Kylin, 1932
- Calosiphonia* P. Crouan & H. Crouan, 1852
  - Calosiphonia vermicularis* (J. Agardh) F. Schmitz
- Schmitzia* P. C. Silva, 1950
- Schmitzia neapolitana* (Berthold) P. C. Silva
- Family Caulacanthaceae** Kützing, 1843
- Catenella* Greville, 1839
- Catenella caespitosa* (Withering) L. M. Irvine
- Caulacanthus* Kützing, 1843
- \* *Caulacanthus okamurae* Yamada
  - Caulacanthus ustulatus* (Mertens ex Turner) Kützing
- Family Cruoriaceae** Kylin, 1928
- Cruoria* Fries, 1835
- Cruoria cruriiformis* (P. Crouan & H. Crouan) Denizot  
 [previously 'cruoriaformis', incl. *Cruoria purpurea* P. Crouan & H. Crouan, 1867]
  - Cruoria pellita* (Lyngbye) Fries
- Family Cystocloniaceae** Kützing, 1843
- Calliblepharis* Kützing, 1843
- Calliblepharis ciliata* (Hudson) Kützing
  - \* *Calliblepharis hypneoides* P. Díaz-Tapia, I. Bárbara & M. H. Hommersand
  - Calliblepharis jubata* (Goodenough & Woodward) Kützing
- Cystoclonium* Kützing, 1843
- Cystoclonium purpureum* (Hudson) Batters
- Hypnea* J. V. Lamouroux, 1813
- Hypnea musciformis* (Wulfen) J. V. Lamouroux
  - \* *Hypnea valentiae* (Turner) Montagne
- Rhodophyllis* Kützing, 1847
- Rhodophyllis divaricata* (Stackhouse) Papenfuss
- Family Dumontiaceae** Bory de Saint-Vincent, 1828
- Dilsea* Stackhouse, 1809
  - Dilsea carnosa* (Schmidel) Kuntze
- Dudresnaya* P. Crouan & H. Crouan, 1835
- Dudresnaya verticillata* (Withering) Le Jolis
- Dumontia* J. V. Lamouroux, 1813
- Dumontia contorta* (S. G. Gmelin) Ruprecht
- Family Furcellariaceae** Greville, 1830

- Furcellaria** J. V. Lamouroux, 1813  
*Furcellaria lumbricalis* (Hudson)  
 J. V. Lamouroux
- Halarachnion** Kützing, 1843  
*Halarachnion ligulatum* (Woodward) Kützing  
 [incl. sporophyte phase *Cruoria rosea*  
 (P. Crouan & H. Crouan) P. Crouan &  
 H. Crouan, 1867]
- Family Gigartinaceae** Bory de Saint-Vincent,  
 1828
- Chondracanthus* Kützing, 1843  
*Chondracanthus aciculatus* (Roth) Fredericq  
 [= *Gigartina aciculata* (Roth)  
 J. V. Lamouroux, 1813, incl. *Gigartina*  
*falcata* J. Agardh, 1851]  
 \* *Chondracanthus chamissoi* (C. Agardh)  
 Kützing  
*Chondracanthus teedei* (Mertens ex Roth)  
 Kützing  
 [= *Gigartina teedei* (Mertens ex Roth)  
 J. V. Lamouroux, 1813]
- Chondrus* Stackhouse, 1797  
*Chondrus crispus* Stackhouse
- Gigartina* Stackhouse, 1809  
*Gigartina pistillata* (S. G. Gmelin) Stackhouse
- Family Gloiosiphoniaceae** F. Schmitz, 1892  
*Gloiosiphonia* Carmichael, 1833  
*Gloiosiphonia capillaris* (Hudson) Carmichael
- Thuretella* F. Schmitz, 1889  
*Thuretella schousboei* (Thuret) F. Schmitz
- Family Kallymeniaceae** Kylin, 1928  
*Callocolax* F. Schmitz ex Batters, 1895  
*Callocolax neglectus* F. Schmitz ex Batters
- Kallymenia* J. Agardh, 1842  
*Kallymenia reniformis* (Turner) J. Agardh
- Meredithia* J. Agardh, 1892  
*Meredithia microphylla* (J. Agardh) J. Agardh
- Metacallophyllis* A. Vergés & L. Le Gall, 2017  
*Metacallophyllis iniata* (Hudson) A. Vergés &  
 L. Le Gall
- [= *Callophyllis laciniata* (Hudson)  
 Kützing, 1843]
- Nothokallymenia* A. Vergés & L. Le Gall, 2017  
 \* *Nothokallymenia crouaniorum* (Vergés &  
 Le Gall) Vergés & Le Gall
- Family Schmitziellaceae** Guiry, Garbary &  
 G. W. Saunders, 2012
- Schmitziella* Bornet & Batters, 1892  
*Schmitziella endophloea* Bornet & Batters
- Family Solieriaceae** J. Agardh, 1876
- Solieria* J. Agardh, 1842  
*Solieria chordalis* (C. Agardh) J. Agardh
- Family Phyllophoraceae** Willkomm, 1854
- Ahnfeltiopsis* P. C. Silva & DeCew, 1992  
 \* *Ahnfeltiopsis devoniensis* (Greville) P. C. Silva  
 & DeCew  
*Ahnfeltiopsis pusilla* (Montagne) P. C. Silva &  
 DeCew  
 [= *Gymnogongrus pusillus* (Montagne)  
 Feldmann & Mayozer, 1938]
- Coccotylus* Kützing, 1843  
*Coccotylus truncatus* (Pallas) M. J. Wynne &  
 J. N. Heine  
 [= *Phyllophora truncata* (Pallas)  
 A. D. Zinova, 1970]
- Erythrodermis* Batters, 1900  
*Erythrodermis traillii* (Holmes ex Batters)  
 Guiry & Garbary  
 [= *Phyllophora traillii* Holmes ex Batters,  
 1890]
- Gymnogongrus* C. Martius, 1833  
*Gymnogongrus crenulatus* (Turner) J. Agardh  
*Gymnogongrus griffithsiae* (Turner) C. Martius
- Gymnothamnion* J. Agardh, 1892  
*Gymnothamnion elegans* (Schousboe ex  
 C. Agardh) J. Agardh
- Mastocarpus* Kützing, 1843  
*Mastocarpus stellatus* (Stackhouse) Guiry  
 [incl. sporophyte phase *Petrocelis cruenta*  
 J. Agardh, 1851]

- Phyllophora** Greville, 1830
- Phyllophora crispa* (Hudson) P. S. Dixon
  - Phyllophora herediae* (Clemente) J. Agardh  
[previously 'herediae']
  - Phyllophora pseudoceranoïdes* (S. G. Gmelin)  
Newroth & A. R. A. Taylor ex P. S. Dixon &  
L. M. Irvine
  - Phyllophora sicula* (Kützing) Guiry &  
L. M. Irvine
- Schottera** Guiry & Hollenberg, 1975
- Schottera nicaeensis* (J. V. Lamouroux ex Duby) Guiry & Hollenberg
- Stenogramma** Harvey, 1840
- Stenogramma interruptum* (C. Agardh)  
Montagne  
[previously 'Stenogramme interrupta']
- Family Polycladaceae** Kylin, 1956
- Polyides* C. Agardh, 1822
- Polyides rotunda* (Hudson) Gaillon  
[previously 'rotundus']
- Family Sphaerococcaceae** Dumortier, 1822
- Sphaerococcus* Stackhouse, 1797
- Sphaerococcus coronopifolius* Stackhouse  
[incl. the sporophyte phase *Haematocelis*  
*fissurata* P. Crouan & H. Crouan, 1867]
- Order Nemastomatales** Kylin, 1925
- Family Nemastomataceae** Ardisson, 1869
- Itonoa* Masuda & Guiry, 1995
- Itonoa marginifera* (J. Agardh) Masuda &  
Guiry  
[= *Platoma marginiferum* (J. Agardh)  
Batters, 1902]
- Family Schizymeniaceae** Masuda & Guiry, 1995
- Schizymenia* J. Agardh, 1851
- Schizymenia dubyi* (Chauvin ex Duby)  
J. Agardh  
[incl. the sporophyte phase *Haematocelis*  
*rubens* J. Agardh, 1851]
- Order Plocamiales** G. W. Saunders & Kraft, 1994
- Family Plocamiaceae** Kützing, 1843
- Plocamium* J. V. Lamouroux, 1813
- Plocamium cartilagineum* (Linnaeus)  
P. S. Dixon
- \* *Plocamium lyngbyanum* Kützing
  - \* *Plocamium maggsiae* G. W. Saunders &  
Lehmkuhl
  - \* *Plocamium nanum* G. W. Saunders &  
Lehmkuhl
  - Plocamium raphelisianum* P. J. L. Dangeard
- Order Rhodymeniales** F. Schmitz, 1892
- Family Champiaceae** Kützing, 1843
- Champia* Desvaux, 1809
- Champia parvula* (C. Agardh) Harvey
- Chylocladia* Greville, 1833
- Chylocladia verticillata* (Lightfoot) Bliding
- Gastroclonium* Kützing, 1843
- Gastroclonium ovatum* (Hudson) Papenfuss
  - Gastroclonium reflexum* (Chauvin) Kützing
- Family Lomentariaceae** Willkomm, 1854
- Lomentaria* Lyngbye, 1854
- Lomentaria articulata* (Hudson) Lyngbye
  - Lomentaria clavellosa* (Lightfoot ex Turner)  
Gaillon
  - Lomentaria hakodatensis* Yendo
  - Lomentaria orcadensis* (Harvey) Collins
- Family Rhodymeniaceae** Harvey, 1846
- Chrysymenia* J. Agardh, 1842
- Chrysymenia ventricosa* (J. V. Lamouroux)  
J. Agardh
  - \* *Chrysymenia wrightii* (Harvey) Yamada
- Cordylecladia* J. Agardh, 1852
- Cordylecladia erecta* (Greville) J. Agardh
- Rhodymenia* Greville, 1830
- Rhodymenia ardissonei* (Kuntze) Feldmann
  - Rhodymenia coespitosella* L'Hardy-Halos
  - Rhodymenia delicatula* P. J. L. Dangeard
  - Rhodymenia holmesii* Ardisson
  - Rhodymenia pseudopalmaria* (J. V. Lamouroux)  
P. C. Silva
- Order Ceramiales** Nägeli, 1847
- Family Callithamniaceae** Kützing, 1843
- Subfamily Callithamnioideae** De Toni, 1903

- Tribe Callithamnieae** F. Schmitz & P. Hauptfleisch, 1897
- Aglaothamnion* Feldmann-Mazoyer, 1941
- Aglaothamnion bipinnatum* (P. Crouan & H. Crouan) Feldmann & G. Feldmann
- Aglaothamnion chadefaudii* L'Hardy-Halos
- Aglaothamnion cordatum* (Børgesen) Feldmann-Mazoyer
- Aglaothamnion diaphanum* L'Hardy-Halos & Maggs
- Aglaothamnion fasciculatum* (Harvey) Maggs & L'Hardy-Halos
- Aglaothamnion feldmanniae* Halos
- Aglaothamnion gailloni* (P. Crouan & H. Crouan) Halos
- Aglaothamnion priceanum* Maggs, Guiry & Ruessess
- Aglaothamnion pseudobyssoides* (P. Crouan & H. Crouan) Halos
- Aglaothamnion rabenhorstii* (Kützing) L'Hardy-Halos
- Aglaothamnion tenuissimum* (Bonnemaison) Feldmann-Mazoyer  
[= *Aglaothamnion byssoides* (Arnott ex Harvey) C.F. Boudouresque & M.M. Perret-Boudouresque, 1987]
- Aglaothamnion tripinnatum* (C. Agardh) Feldmann-Mazoyer
- Callithamnion* Lyngbye, 1819
- Callithamnion corymbosum* (Smith) Lyngbye
- Callithamnion granulatum* (Ducluzeau) C. Agardh
- Callithamnion tetragonum* (Withering) S. F. Gray
- Callithamnion tetricum* (Dillwyn) S. F. Gray
- Gaillona* Bonnemaison, 1828
- Gaillona gallica* (Nägeli) Athanasiadis  
[= *Aglaothamnion gallicum* (Nägeli) Halos ex Ardré, 1970]
- Gaillona hookeri* (Dillwyn) Athanasiadis  
[= *Aglaothamnion hookeri* (Dillwyn) Maggs & Hommersand, 1993, incl.  
*Aglaothamnion brodiei* (Harvey) Feldmann-Mazoyer, 1941]
- Gaillona rosea* (Roth) Athanasiadis  
[= *Aglaothamnion roseum* (Roth) Maggs & L'Hardy-Halos, 1993]
- Gaillona scopulorum* (C. Agardh) Athanasiadis  
[= *Aglaothamnion scopulorum* (C. Agardh) Feldmann-Mazoyer, 1941]
- Gaillona seposita* (Gunnerus) Athanasiadis  
[= *Aglaothamnion sepositum* (Gunnerus) Maggs & Hommersand, 1993]
- Sierospora* Harvey, 1846
- Sierospora interrupta* (Smith) F. Schmitz  
[= *Sierospora griffithsiana* Harvey, 1846]
- Tribe Ptiloteae** F. Schmitz & Hauptfleisch, 1897
- Plumaria* F. Schmitz, 1896
- Plumaria plumosa* (Hudson) Kuntze
- Ptilota* C. Agardh, 1817
- \* *Ptilota gunneri* P.C. Silva, Maggs & L.M. Irvine
- Subfamily Crouanioidae** De Toni, 1903
- Tribe Crouanieae** F. Schmitz & Hauptfleisch, 1897
- Crouania* J. Agardh, 1842
- Crouania attenuata* (C. Agardh) J. Agardh
- Family Wrangeliaceae** J. Agardh, 1851
- Tribe Griffithsieae** Schmitz & Hauptfleisch, 1897
- Anotrichium* Nägeli, 1862
- Anotrichium barbatum* (C. Agardh) Nägeli
- Anotrichium furcellatum* (J. Agardh) Baldock
- Bornetia* Thuret, 1855
- Bornetia secundiflora* (J. Agardh) Thuret
- Griffithsia* C. Agardh, 1817
- Griffithsia corallinoides* (Linnaeus) Trevisan
- Griffithsia devoniensis* Harvey
- Griffithsia schousboei* Montagne
- Halurus* Kützing, 1843
- Halurus equisetifolius* (Lightfoot) Kützing
- Halurus flosculosus* (J. Ellis) Maggs & Hommersand  
[= *Griffithsia flosculosa* (J. Ellis) Batters, 1902]
- Tribe Lejolisieae** Feldmann-Mazoyer, 1941
- Ptilothamnion* Thuret, 1863
- Ptilothamnion pluma* (Dillwyn) Thuret  
[incl. *Spermothamnion barbatum* (C. Agardh) Nägeli, 1862 and *Spermothamnion mesocarpum* (Carmichael)]

- Chemin]  
*Ptilothamnion sphaericum* (P. Crouan & H. Crouan ex J. Agardh) Maggs & Hommersand
- Tribe Monosporae F. Schmitz & Hauptfleisch, 1897**
- Monosporus* Solier, 1845  
*Monosporus pedicellatus* (Smith) Solier
- Tribe Spermothamnieae F. Schmitz & Hauptfleisch, 1897**
- Spermothamnion* Areschoug, 1847  
*Spermothamnion repens* (Dillwyn) Magnus  
*Spermothamnion strictum* (C. Agardh) Ardissonne
- Tribe Sphondylothamnieae Feldmann-Mazoyer, 1941**
- Sphondylothamnion* Nägeli, 1862  
*Sphondylothamnion multifidum* (Hudson) Nägeli
- Family Ceramiaceae Dumortier, 1822**
- Subfamily Ceramoideae De Toni, 1903**
- Tribe Antithamnieae Hommersand, 1963**
- Antithamnion* Nägeli, 1847  
*Antithamnion cruciatum* (C. Agardh) Nägeli  
*Antithamnion densum* (Suhr) M. Howe  
\* *Antithamnion hubbsii* E. Y. Dawson  
*Antithamnion villosum* (Kützing) Athanasiadis
- Tribe Ceramieae C. Agardh ex Greville, 1828**
- Centroceras* Kützing, 1842  
\* *Centroceras clavulatum* (C. Agardh) Montagne
- Ceramium* Roth, 1797  
*Ceramium bertholdii* Funk  
*Ceramium botryocarpum* A. W. Griffiths ex Harvey  
*Ceramium callipterum* Mazoyer  
*Ceramium ciliatum* (J. Ellis) Ducluzeau  
*Ceramium cimbricum* H. E. Petersen  
[= *Ceramium fastigiatum* Harvey, 1834]  
*Ceramium circinatum* (Kützing) J. Agardh  
*Ceramium codii* (H. Richards) Mazoyer  
*Ceramium comptum* Børgesen  
*Ceramium deslongchampsii* Chauvin ex Duby
- Ceramium diaphanum* (Lightfoot) Roth  
[incl. *Ceramium tenuissimum* (Roth) J. Agardh, 1851]  
*Ceramium echionotum* J. Agardh  
*Ceramium gaditanum* (Clemente) Cremades [= *Ceramium flabelligerum* J. Agardh, 1844]  
*Ceramium pallidum* (Kützing) Maggs & Hommersand  
[= *Ceramium armoricum* P. S. Dixon & H. M. Parkes, 1968]
- \* *Ceramium secundatum* Lyngbye  
*Ceramium shuttleworthianum* (Kützing) Rabenhorst  
*Ceramium siliquosum* (Kützing) Maggs & Hommersand  
*Ceramium tenuicorne* (Kützing) Waern  
[= *Ceramium strictum* Harvey, 1846]  
*Ceramium virgatum* Roth  
[= *Ceramium rubrum* C. Agardh, 1811]
- Gayliella* T.O. Cho, L.J. McIvor & S.M. Boo, 2008  
*Gayliella flaccida* (Harvey ex Kützing)  
T.O. Cho & L.J. McIvor  
[= *Ceramium flaccidum* (Harvey ex Kützing) Ardissonne, 1871]
- Microcladia* Greville, 1830  
*Microcladia glandulosa* (Solander ex Turner) Greville
- Tribe Dohrnielleae Feldmann-Mazoyer, 1941**
- Antithamnionella* Lyle, 1922  
*Antithamnionella floccosa* (O.F. Müller) Whittick  
*Antithamnionella spirographidis* (Schiffner) E.M. Wollaston  
*Antithamnionella ternifolia* (Hooker fil. & Harvey) Lyle  
[= *Antithamnionella sarniensis* Lyle, 1922]
- Tribe Pterothamnieae Athanasiadis, 1996**
- Pterothamnion* Nägeli, 1855  
*Pterothamnion crispum* (Ducluzeau) Nägeli  
*Pterothamnion plumula* (J. Ellis) Nägeli
- Subfamily Compsothamnioideae De Toni, 1903**
- Tribe Compsothamnieae F. Schmitz & Hauptfleisch, 1897**

- Compsothamnion** (Nägeli) F. Schmitz, 1889  
*Compsothamnion decompositum* (J. Agardh)  
 Maggs & L'Hardy-Halos  
 [incl. *Mesothamnion distichum* Halos ex  
 G. R. South & Tittley, 1986]  
*Compsothamnion gracillimum* De Toni  
*Compsothamnion thuoides* (Smith) Nägeli
- Subfamily Spongoclonioideae** De Toni, 1903  
**Tribe Spongoclonieae** F. Schmitz & Hauptfleisch, 1897
- Pleonosporium* Nägeli, 1862  
*Pleonosporium borneri* (Smith) Nägeli  
*Pleonosporium flexuosum* (C. Agardh) Bornet
- Spongoclonium* Sonder, 1853  
*Spongoclonium caribaeum* (Børgesen)  
 M. J. Wynne  
 [= *Pleonosporium caribaeum* (Børgesen)  
 R. E. Norris, 1985]
- Subfamily Spyridoideae** De Toni, 1903  
**Tribe Spyridieae** F. Schmitz & Hauptfleisch, 1897
- Spyridia* Harvey, 1833  
*Spyridia filamentosa* (Wulfen) Harvey  
 \* *Spyridia griffithsiana* (J. E. Smith)  
 G. C. Zuccarello, Prud'homme van Reine &  
 H. Stegenga
- Family Choreocolacaceae** Sturch, 1926  
**Tribe Choreocolaceae** Svedelius, 1911
- Choreocolax* Reinsch, 1875  
*Choreocolax polysiphoniae* Reinsch
- Tribe Harveyelleae** Svedelius, 1911
- Harveyella* F. Schmitz & Reinke, 1889  
*Harveyella mirabilis* (Reinsch) F. Schmitz &  
 Reinke
- Family Dasyaceae** Kützing, 1843  
**Subfamily Dasyoideae** De Toni, 1903
- Dasya* C. Agardh, 1824  
*Dasya corymbifera* J. Agardh  
*Dasya hutchinsiae* Harvey  
*Dasya ocellata* (Grateloup) Harvey  
*Dasya punicea* (Zanardini) Meneghini  
 \* *Dasya sessilis* Yamada
- Dasysiphonia* I. K. Lee & J. A. West, 1980  
 \* *Dasysiphonia japonica* (Yendo) H.-S. Kim
- Subfamily Heterosiphonioideae** H.-G. Choi,  
 Kraft, I. K. Lee & G. W. Saunders, 2002
- Heterosiphonia* Montagne, 1842  
*Heterosiphonia plumosa* (J. Ellis) Batters
- Family Delesseriaceae** Bory de Saint-Vincent, 1828
- Subfamily Delesserioidae** Stizenberger, 1860  
**Tribe Apoglosseae** Showe M. Lin, S. Fredericq &  
 M. H. Hommersand, 2012
- Apoglossocolax* Maggs & Hommersand, 1993  
 \* *Apoglossocolax pusillus* Maggs &  
 Hommersand
- Apoglossum* (J. Agardh) J. Agardh, 1898  
*Apoglossum ruscifolium* (Turner) J. Agardh
- Tribe Delesserieae** J. Agardh, 1841
- Delesseria* J. V. Lamouroux, 1813  
*Delesseria sanguinea* (Hudson)  
 J. V. Lamouroux
- Tribe Hypoglosseae** M. J. Wynne, 2001
- Hypoglossum* Kützing, 1843  
*Hypoglossum hypoglossoides* (Stackhouse)  
 Collins & Hervey
- Tribe Membranoptereae** M. J. Wynne, 2001
- Membranoptera* Stackhouse, 1809  
*Membranoptera alata* (Hudson) Stackhouse
- Subfamily Nitophylloideae** Stizenberger, 1860  
**Tribe Cryptopleureae** M. J. Wynne, 2001
- Acrosorium* Zanardini ex Kützing, 1869  
 \* *Acrosorium ciliolatum* (Harvey) Kylin
- Cryptopleura* Kützing, 1843  
*Cryptopleura ramosa* (Hudson) L. Newton  
 [incl. *Acrosorium uncinatum* (Turner)  
 Kylin, 1924]
- Gonimophyllum* Batters, 1892  
*Gonimophyllum buffhamii* Batters

- Gonimocolax** Kylin, 1924  
*Gonimocolax roscoffensis* Feldmann & G. Feldmann
- Tribe Myriogrammeae** M. S. Hommersand & S. Fredericq, 1997
- Haraldiophyllum* A. D. Zinova, 1981  
*Haraldiophyllum bonnemaisonii* (Kylin) A. D. Zinova  
[= *Myriogramme bonnemaisonii* Kylin, 1924]
- Myriogramme* Kylin, 1924  
*Myriogramme alliacea* (P. Crouan & H. Crouan) Athanasiadis  
[previously '*alliaceum*']  
*Myriogramme minuta* Kylin
- Tribe Nitophylleae** Willkomm, 1854
- Drachiella* J. Ernst & Feldmann, 1957  
*Drachiella heterocarpa* (Chauvin ex Duby) Maggs & Hommersand  
[= *Myriogramme heterocarpa* (Chauvin ex Duby) P. S. Dixon & L. M. Irvine, 1976]  
*Drachiella spectabilis* J. Ernst & Feldmann
- Nitophyllum* Greville, 1830  
*Nitophyllum punctatum* (Stackhouse) Greville
- Tribe Phycodryeae** M. J. Wynne, 2001
- Asterocolax* Feldmann & G. Feldmann, 1951  
*Asterocolax erythroglossi* Feldmann & G. Feldmann
- Erythroglossum* J. Agardh, 1898  
*Erythroglossum laciniatum* (Lightfoot) Maggs & Hommersand  
[= *Polyneura laciniata* (Lightfoot) P. S. Dixon, 1983 and *Porphyra umbilicalis* f. *laciniata* (Lightfoot) Thuret, 1863]  
\* *Erythroglossum lusitanicum* Ardré  
*Erythroglossum sandrianum* (Kützing) Kylin
- Haraldia* Feldmann, 1939  
*Haraldia lenormandii* (Derbès & Solier) Feldmann
- Phycodrys* Kützing, 1843  
*Phycodrys rubens* (Linnaeus) Batters
- Polyneura* (J. Agardh) Kylin, 1924  
*Polyneura bonnemaisonii* (C. Agardh) Maggs & Hommersand  
[= *Polyneura hilliae* (Greville) Kylin, 1924]
- Tribe Valeriemayaeae** M. J. Wynne & A. J. K. Millar, 2001
- Radicilingua* Papenfuss, 1956  
*Radicilingua thysanorhizans* (Holmes) Papenfuss
- Family Rhodomelaceae** Horaninow, 1847
- Tribe Amansieae** Schmitz & Hauptfleisch, 1897
- Halopithys* Kützing, 1843  
*Halopithys incurva* (Hudson) Batters  
[previously '*incurvus*']
- Rytiphlaea* C. Agardh, 1817  
*Rytiphlaea tinctoria* (Clemente) C. Agardh
- Tribe Bostrychiaeae** Falkenberg, 1901
- Bostrychia* Montagne, 1842  
*Bostrychia scorpioides* (Hudson) Montagne
- Tribe Chondriaeae** F. Schmitz & Falkenberg, 1897
- Chondria* C. Agardh, 1817  
*Chondria capillaris* (Hudson) M. J. Wynne  
[= *Chondria tenuissima* (Withering) C. Agardh, 1817]  
*Chondria coerulescens* (J. Agardh) Sauvageau  
*Chondria dasypylla* (Woodward) C. Agardh  
*Chondria scintillans* G. Feldmann
- Tribe Herposiphonieae** F. Schmitz & Falkenberg, 1897
- Herposiphonia* Nägeli, 1846  
\* *Herposiphonia parca* Setchell  
*Herposiphonia secunda* (C. Agardh) Ambronn
- Tribe Laurencieae** F. Schmitz, 1889
- Laurencia* J. V. Lamouroux, 1813  
*Laurencia obtusa* (Hudson) J. V. Lamouroux  
*Laurencia pyramidalis* Bory ex Kützing
- Osmundea* Stackhouse, 1809  
*Osmundea hybrida* (A. P. De Candolle)

## K. W. Nam

[= *Laurencia hybrida* (A.P. De Candolle) T. Lestiboudois, 1827]

*Osmundea oederi* (Gunnerus) G. Furnari

[= *Laurencia platycephala* Kützing, 1865]

*Osmundea osmundula* (S. G. Gmelin) K. W. Nam & Maggs

[= *Laurencia osmundula* (S. G. Gmelin) Maggs & Hommersand, 1993]

*Osmundea pinnatifida* (Hudson) Stackhouse

[= *Laurencia pinnatifida* (Hudson) J. V. Lamouroux, 1813]

\* *Osmundea truncata* (Kützing) K. W. Nam & Maggs

Tribe *Lophosiphonieae* Kylin, 1956

*Lophosiphonia* Falkenberg, 1897

*Lophosiphonia obscura* (C. Agardh) Falkenberg

[= *Lophosiphonia subadunca* (Kützing) Falkenberg, 1901]

Tribe *Ophidocladiaeae* Díaz-Tapia & Maggs, 2017

*Ophidocladus* Falkenberg, 1897

*Ophidocladus simpliciusculus* (P. Crouan & H. Crouan) Falkenberg

[= *Polysiphonia simpliciuscula* P. Crouan & H. Crouan, 1852]

Tribe *Polysiphonieae* Ardissone, 1883

*Polysiphonia* Greville, 1823

*Polysiphonia atlantica* Kapraun & J.N. Norris  
[incl. *Polysiphonia macrocarpa* Harvey, 1836]

*Polysiphonia brodiei* (Dillwyn) Sprengel  
[previously 'brodiaei']

*Polysiphonia ceramiformis* P. Crouan & H. Crouan  
[previously 'ceramiaeformis']

*Polysiphonia denudata* (Dillwyn) Greville ex Harvey

*Polysiphonia elongata* (Hudson) Sprengel

*Polysiphonia elongella* Harvey

*Polysiphonia fibrata* (Dillwyn) Harvey

*Polysiphonia fibrillosa* (Dillwyn) Sprengel

\* *Polysiphonia morrowii* Harvey

*Polysiphonia opaca* (C. Agardh) Moris & De Notaris

*Polysiphonia polyspora* (C. Agardh) Montagne

*Polysiphonia rhunensis* Thuret

*Polysiphonia stricta* (Mertens ex Dillwyn) Greville

[= *Polysiphonia urceolata* (Lightfoot ex Dillwyn) Greville, 1824]

Tribe *Pterosiphonieae* Falkenberg, 1901

*Pterosiphonia* Falkenberg, 1897

*Pterosiphonia complanata* (Clemente) Falkenberg

*Sympyocladia* Falkenberg, 1897

*Sympyocladia parasitica* (Hudson) Savoie & G. W. Saunders

[= *Pterosiphonia parasitica* (Hudson) Falkenberg, 1901]

\* *Sympyocladia tanakae* (Uwai & Masuda) Savoie & G. W. Saunders

*Xiphosiphonia* Savoie & G. W. Saunders, 2016

*Xiphosiphonia ardreana* (Maggs & Hommersand) Savoie & G. W. Saunders

[= *Pterosiphonia ardreana* Maggs & Hommersand, 1993]

*Xiphosiphonia pennata* (C. Agardh) Savoie & G. W. Saunders

[= *Pterosiphonia pennata* (C. Agardh) Sauvageau, 1897]

\* *Xiphosiphonia pinnulata* (Kützing) Savoie & G. W. Saunders

Tribe *Rhodomeleae* Schmitz & Falkenberg, 1897

*Odonthalia* Lyngbye, 1819

*Odonthalia dentata* (Linnaeus) Lyngbye

*Rhodomela* C. Agardh, 1822

*Rhodomela confervoides* (Hudson) P. C. Silva

*Rhodomela lycopodioides* (Linnaeus) C. Agardh

Tribe *Streblocladieae* Díaz-Tapia & Maggs, 2017

*Leptosiphonia* Kylin, 1956

*Leptosiphonia schousboei* (Thuret) Kylin

*Melanothamnus* Bornet & Falkenberg, 1901

*Melanothamnus collabens* (C. Agardh) Díaz-Tapia & Maggs

[= *Streblocladia collabens* (C. Agardh) Falkenberg, 1901]

*Melanothamnus ferulaceus* (Suhr ex J. Agardh) Díaz-Tapia & Maggs

- [= *Polysiphonia ferulacea* Suhr ex J. Agardh, 1863]
- Melanothamnus harveyi* (Bailey) Díaz-Tapia & Maggs  
[= *Polysiphonia insidiosa* (J. Agardh) P. Crouan & H. Crouan, 1867]
- Vertebrata* S. F. Gray, 1821
- Vertebrata byssoides* (Goodenough & Woodward) Kuntze  
[= *Brongniartella byssoides* (Goodenough & Woodward) F. Schmitz, 1893]
- Vertebrata foetidissima* (Cocks ex Bornet) Díaz-Tapia & Maggs  
[= *Polysiphonia foetidissima* Cocks ex Bornet, 1892]
- Vertebrata fruticulosa* (Wulfen) Kuntze  
[= *Polysiphonia fruticulosa* (Wulfen) Sprengel, 1827]
- Vertebrata fucoides* (Hudson) Kuntze  
[= *Polysiphonia nigrescens* (Hudson) Greville ex Harvey, 1833]
- Vertebrata furcellata* (C. Agardh) Kuntze  
[= *Polysiphonia furcellata* (C. Agardh) Harvey, 1833]
- Vertebrata hypnoides* (Welwitsch) Kuntze  
[= *Ctenosiphonia hypnoides* (Welwitsch) Falkenberg, 1897]
- Vertebrata lanosa* (Linnaeus) T. A. Christensen  
[= *Polysiphonia lanosa* (Linnaeus) Tandy, 1931]
- Vertebrata nigra* (Hudson) Díaz-Tapia & Maggs  
[= *Polysiphonia nigra* (Hudson) Batters, 1902]
- Vertebrata reptabunda* (Suhr) Díaz-Tapia & Maggs  
[= *Lophosiphonia reptabunda* (Suhr) Kylin, 1956]
- Vertebrata simulans* (Harvey) Kuntze  
[= *Polysiphonia simulans* Harvey, 1849]
- Vertebrata subulifera* (C. Agardh) Kuntze  
[= *Polysiphonia subulifera* (C. Agardh) Harvey, 1834]
- Vertebrata thuyoides* (Harvey) Kuntze  
[= *Pterosiphonia thuyoides* (Harvey) Batters, 1902]
- PHAEOPHYCEAE** Kjellman, 1891
- Order Sphacelariales** Migula, 1908
- Family Cladostephaceae** Oltmanns, 1922
- Cladostephus* C. Agardh, 1817
- Cladostephus spongiosum* (Hudson) C. Agardh  
[previously 'spongiosus']
- Chaetopteris* Kützing, 1843
- Chaetopteris plumosa* (Lyngbye) Kützing  
[= *Sphacelaria plumosa* Lyngbye, 1819]
- Herpodiscus* G. R. South, 1974
- Herpodiscus sympodiocarpus* (Sauvageau) S. G. A. Draisma, W. F. Prud'homme van Reine & H. Kawai  
[= *Sphacelaria sympodiocarpa* Sauvageau, 1900]
- Sphacelaria* Lyngbye, 1819
- Sphacelaria cirrosa* (Roth) C. Agardh
- Sphacelaria fusca* (Hudson) S. F. Gray
- Sphacelaria plumula* Zanardini
- Sphacelaria rigidula* Kützing
- Sphacelaria tribuloides* Meneghini
- Sphacelorus* Draisma, Prud'homme & H. Kawai, 2010
- Sphacelorus nanus* (Nägeli ex Kützing) Draisma, Prud'homme & H. Kawai  
[= *Sphacelaria nana* Nägeli ex Kützing, 1855, incl. *Sphacelaria britannica* Sauvageau, 1901]
- Family Sphacelodermaceae** Draisma, Prud'homme & H. Kawai, 2010
- Sphaceloderma* Kuckuck, 1894
- Sphaceloderma caespitulum* (Lyngbye) Draisma, Prud'homme & H. Kawai  
[= *Sphacelaria caespitula* Lyngbye, 1819]
- Family Stylocaulaceae** Oltmanns, 1922
- Halopteris* Kützing, 1843
- Halopteris filicina* (Grateloup) Kützing
- Halopteris scoparia* (Linnaeus) Sauvageau
- Protohalopteris* Draisma, Prud'homme & H. Kawai, 2010
- Protohalopteris radicans* (Dillwyn) Draisma, Prud'homme & H. Kawai  
[= *Sphacelaria radicans* (Dillwyn) C. Agardh, 1824]
- Order Dictyotales** Bory de Saint-Vincent, 1828
- Family Dictyotaceae** J. V. Lamouroux ex

Dumortier, 1822

**Tribe Dictyoteae** Greville, 1833

*Dictyota* J. V. Lamouroux, 1809

*Dictyota dichotoma* (Hudson) J. V. Lamouroux

*Dictyota fasciola* (Roth) J. V. Lamouroux

[= *Dilophus fasciola* (Roth) M. Howe, 1914]

*Dictyota spiralis* Montagne

[= *Dilophus spiralis* (Montagne) Hamel, 1939]

**Tribe Zonarieae** O. C. Schmidt, 1938

*Dictyopteris* J. V. Lamouroux, 1809

*Dictyopteris polypodioides* (A. P. De Candolle) J. V. Lamouroux  
[= *Dictyopteris membranacea* Batters, 1902]

*Padina* Adanson, 1763

*Padina pavonica* (Linnaeus) Thivy

*Spatoglossum* Kützing, 1843

*Spatoglossum solieri* (Chauvin ex Montagne) Kützing

*Taonia* J. Agardh, 1848

*Taonia atomaria* (Woodward) J. Agardh

**Order Scytothamnales** A. F. Peters &

M. N. Clayton, 1998

**Family Bachelotiaceae** T. Silberfeld,

M.-F. Racault, R. L. Fletcher, F. Rousseau & B. de Reviers, 2011

*Bachelotia* (Bornet) Kuckuck ex Hamel, 1939

*Bachelotia antillarum* (Grunow) Gerloff

**Order Ectocarpales** Bessey, 1907

**Family Acinetosporaceae** G. Hamel ex Feldmann, 1937

*Acinetospora* Bornet, 1892

*Acinetospora crinita* (Carmichael) Sauvageau

*Feldmannia* Hamel, 1939

*Feldmannia globifera* (Kützing) Hamel

*Feldmannia irregularis* (Kützing) Hamel

*Feldmannia lebelii* (Areschoug ex P. Crouan & H. Crouan) Hamel

[= *Feldmannia caespitula* (J. Agardh) Knoepfle-Péguy, 1970]

*Feldmannia mitchelliae* (Harvey) H.-S. Kim

[= *Hincksia mitchelliae* (Harvey) P. C. Silva, 1987]

*Feldmannia padinae* (Buffham) Hamel

*Feldmannia paradoxa* (Montagne) Hamel

*Feldmannia simplex* (P. Crouan & H. Crouan) Hamel

*Herponema* J. Agardh, 1882

*Herponema desmarestiae* (H. Gran) Cardinal

*Herponema solitarium* (Sauvageau) Hamel

*Herponema valiantei* (Bornet) Hamel

*Herponema velutinum* (Greville) J. Agardh

*Hincksia* J. E. Gray, 1864

*Hincksia fenestrata* (Berkeley ex Harvey) P. C. Silva

*Hincksia granulosa* (Smith) P. C. Silva  
[incl. *Hincksia recurvata* (Cardinal) Athanasiadis, 1996]

*Hincksia hincksiæ* (Harvey) P. C. Silva

*Hincksia ovata* (Kjellman) P. C. Silva  
[incl. *Hincksia intermedia* (Rosenvinge) P. C. Silva, 1987]

*Hincksia sandriana* (Zanardini) P. C. Silva

*Hincksia secunda* (Kützing) P. C. Silva

*Kuetzingiella* Kornmann, 1956

*Kuetzingiella battersii* (Bornet ex Sauvageau) Kornmann

*Pogotrichum* Reinke, 1892

*Pogotrichum filiforme* Reinke

*Pylaiella* Bory de Saint-Vincent, 1823

*Pylaiella littoralis* (Linnaeus) Kjellman

**Family Petrosangiaceae** Racault, Fletcher,

De Reviers, G. Y. Cho, S. M. Boo, Parente & F. Rousseau, 2009

*Petrospongium* Nägeli ex Kützing, 1858

*Petrospongium berkeleyi* (Greville) Nägeli ex Kützing

[= *Cylindrocarpus berkeleyi* (Greville) P. Crouan & H. Crouan]

**Family Chordariaceae** Greville, 1830

*Asperococcus* J. V. Lamouroux, 1813

*Asperococcus bullosus* J. V. Lamouroux

[= *Asperococcus turneri* (Dillwyn ex Smith) W. J. Hooker, 1833]

- Asperococcus ensiformis* (Delle Chiaje)  
M. J. Wynne  
[= *Asperococcus compressus*  
A. W. Griffiths ex W. J. Hooker, 1833]  
*Asperococcus fistulosus* (Hudson) W. J. Hooker  
[incl. phase *Chilionema reptans* (P. Crouan & H. Crouan) Sauvageau, 1897]  
\* *Asperococcus scaber* Kuckuck
- Chilionema* Sauvageau, 1898  
*Chilionema hispanicum* (Sauvageau)  
R. L. Fletcher  
*Chilionema ocellatum* (Kützing) Kornmann
- Chordaria* C. Agardh, 1817  
*Chordaria flagelliformis*  
(O. F. Müller) C. Agardh
- Cladosiphon* Kützing, 1843  
*Cladosiphon contortus* (Thuret) Kylin  
*Cladosiphon zosterae* (J. Agardh) Kylin
- Clathrodiscus* Hamel, 1935  
*Clathrodiscus mandoulii* (Sauvageau) Hamel  
[incl. *Myrionema mandoulii* Sauvageau, 1933]
- Climacosorus* Sauvageau, 1933  
*Climacosorus mediterraneus* Sauvageau
- Corynophlaea* Kützing, 1843  
*Corynophlaea crispa* (Harvey) Kuckuck
- Cylindrocarpus* P. Crouan & H. Crouan, 1851  
*Cylindrocarpus microscopicus* P. Crouan & H. Crouan
- Dictyosiphon* Greville, 1830  
*Dictyosiphon foeniculaceus* (Hudson) Greville  
[= *Dictyosiphon foeniculaceus* f. *hippuroides* (Lyngbye) Levring, 1940]
- Elachista* Duby, 1830  
*Elachista flaccida* (Dillwyn) Fries  
*Elachista fucicola* (Vellay) Areschoug  
*Elachista intermedia* P. Crouan & H. Crouan  
*Elachista scutulata* (Smith) Areschoug  
*Elachista stellaris* Areschoug
- Endodictyon* Gran, 1897  
*Endodictyon infestans* Gran
- Eudesme* J. Agardh, 1882
- Eudesme virescens* (Carmichael ex Berkeley) J. Agardh
- Giraudya* Derbès & Solier, 1851  
*Giraudya sphacelariooides* Derbès & Solier
- Halothrix* Reinke, 1888  
*Halothrix lumbicalis* (Kützing) Reinke
- Hecatonema* Sauvageau, 1898  
*Hecatonema terminale* (Kützing) Kylin  
[= *Hecatonema maculans* (Collins) Sauvageau, 1897], may refer to several species
- Isthmoplea* Kjellman, 1877  
*Isthmoplea sphaerophora* (Carmichael) Gobi
- Laminariocolax* Kylin, 1947  
*Laminariocolax aecidiooides* (Rosenvinge) A. F. Peters  
[= *Gononema aecidiooides* (Rosenvinge) P. M. Pedersen, 1981]  
*Laminariocolax tomentosoides* (Farlow) Kylin
- Leathesia* S. F. Gray, 1821  
*Leathesia marina* (Lyngbye) Decaisne  
[= *Leathesia difformis* Areschoug, 1847]
- Leblondiella* Hamel, 1939  
*Leblondiella densa* (Batters) Hamel
- Leptonematella* P. C. Silva, 1959  
*Leptonematella fasciculata* (Reinke) P. C. Silva
- Litosiphon* Harvey, 1849  
*Litosiphon laminariae* (Lyngbye) Harvey  
[incl. *Litosiphon pusillus* (Carmichael) Harvey, 1849 and phase *Streblonema thurettii* Sauvageau, 1936]
- Mesogloia* C. Agardh, 1817  
*Mesogloia lanosa* P. Crouan & H. Crouan  
*Mesogloia leveillei* (J. Agardh) Meneghini  
[= *Liebmannia leveillei* J. Agardh, 1842]  
*Mesogloia vermiculata* (Smith) S. F. Gray
- Microspongium* Reinke, 1888  
*Microspongium globosum* Reinke  
*Microspongium stizophorae* (P. Crouan & H. Crouan) Cormaci & G. Furnari  
[= *Streblonema stizophorae* (P. Crouan & H. Crouan) De Toni, 1897]

- Mikrosyphar* Kuckuck, 1895  
*Mikrosyphar polysiphoniae* Kuckuck  
*Mikrosyphar porphyrae* Kuckuck
- Myriactula* Kuntze, 1898  
*Myriactula areschougi* (P. Crouan & H. Crouan) Hamel  
*Myriactula chordae* (Areschoug) Levring  
*Myriactula clandestina* (P. Crouan & H. Crouan) Feldmann  
*Myriactula rivulariae* (Suhr ex Areschoug) Feldmann  
*Myriactula stellulata* (Harvey) Levring
- Myriocladia* J. Agardh, 1841  
*Myriocladia lovenii* J. Agardh  
*Myriocladia tomentosa* P. Crouan & H. Crouan
- Myrionema* Greville, 1827  
*Myrionema corunnae* Sauvageau  
*Myrionema feldmannii* Loiseaux  
*Myrionema foecundum* (Strömfelt) Sauvageau  
[= *Chilionema foecundum* (Strömfelt)  
R. L. Fletcher, 1987]  
*Myrionema magnusii* (Sauvageau) Loiseaux  
*Myrionema papillosum* Sauvageau  
*Myrionema strangulans* Greville
- Myriotrichia* Harvey, 1834  
*Myriotrichia claviformis* Harvey  
[previously 'clavaeformis', incl. phase  
*Streblonema sphaericum* (Derbès & Solier)  
Thuret, 1863]
- Pilocladus* Kornmann, 1954  
*Pilocladus volubilis* (P. Crouan & H. Crouan) Kornmann  
[= *Streblonema volabile* (P. Crouan & H. Crouan) Pringsheim, 1862]
- Protectocarpus* Kornmann, 1955  
*Protectocarpus speciosus* (Børgesen) Kornmann
- Punctaria* Greville, 1830  
*Punctaria crispata* (Kützing) Trevisan  
*Punctaria latifolia* Greville  
[incl. *Punctaria crouanii* (Thuret) Bornet  
and *Punctaria hiemalis* Kylin, 1907]
- \* *Punctaria plantaginea* (Roth) Greville  
*Punctaria tenuissima* (C. Agardh) Greville  
[incl. *Desmotrichum undulatum* (J. Agardh) Reinke, 1889 and phase
- Streblonema effusum* Kylin, 1907]
- Sauvageaugloia* Hamel ex Kylin, 1940  
*Sauvageaugloia divaricata* (Clemente) Cremades  
[= *Sauvageaugloia chordariiformis* (P. Crouan & H. Crouan) Kylin, 1940  
and *Sauvageaugloia griffithsiana* (Greville) Hamel ex Kylin, 1940]
- Spermatochnus* Kützing, 1843  
*Spermatochnus paradoxus* (Roth) Kützing
- Sphaerotrichia* Kylin, 1940  
*Sphaerotrichia divaricata* (C. Agardh) Kylin
- Stictyosiphon* Kützing, 1843  
*Stictyosiphon griffithsianus* (Le Jolis) Holmes & Batters  
*Stictyosiphon soriferus* (Reinke) Rosenvinge  
*Stictyosiphon tortilis* (Gobi) Reinke
- Stilophora* J. Agardh, 1841  
*Stilophora tenella* (Esper) P. C. Silva  
[= *Stilophora rhizodes* (C. Agardh) J. Agardh, 1841]
- Stilospsis* Kuckuck, 1929  
*Stilospsis lejolisii* (Thuret) Kuckuck & Nienburg ex Hamel
- Streblonema* Derbès & Solier, 1851  
*Streblonema breve* (Sauvageau) De Toni  
*Streblonema fasciculatum* Thuret  
*Streblonema maculans* G. R. South & Tittley  
*Streblonema parasiticum* (Sauvageau) De Toni  
*Streblonema zanardinii* (P. Crouan & H. Crouan) De Toni
- Strepsithalia* Bornet ex Sauvageau, 1896  
*Strepsithalia curvata* Sauvageau  
*Strepsithalia liagorae* Sauvageau  
*Strepsithalia liebmanniae* Miranda
- Striaria* Greville, 1828  
*Striaria attenuata* (Greville) Greville
- Ulonema* Foslie, 1893  
*Ulonema rhizophorum* Foslie
- Family Ectocarpaceae** C. Agardh, 1828  
*Ectocarpus* Lyngbye, 1819

- Ectocarpus crouaniorum* Thuret  
[= *Ectocarpus confervoides* var. *crouanii*  
A. Cardinal, 1964]
- Ectocarpus fasciculatus* Harvey  
[= *Ectocarpus fasciculatus* var.  
*fasciculatus* Harvey, 1841, *Ectocarpus draparnaldoioides* (P. Crouan & H. Crouan)  
Kjellman and *Ectocarpus fasciculatus* var.  
*pycnocarpus* Cardinal]
- Ectocarpus siliculosus* (Dillwyn) Lyngbye  
[= *Ectocarpus confervoides* var.  
*siliculosus* (Dillwyn) Farlow, 1881,  
*Ectocarpus confervoides* var. *arctus*  
(Kützing) L. Newton and *Ectocarpus confervoides* var. *confervoides* (Roth)  
Kjellmann]
- Kuckuckia* Hamel, 1939  
*Kuckuckia spinosa* (Kützing) Kornmann  
[incl. *Kuckuckia kylinii* Cardinal, 1964]
- Phaeostroma* Kuckuck, 1893  
*Phaeostroma pustulosum* Kuckuck  
[incl. *Streblonema aequale* Oltmanns,  
1894]
- Pilinia* Kützing, 1843  
*Pilinia rimosa* Kützing  
[= *Waerniella lucifuga* (Kuckuck) Kylin,  
1947]
- Pleurocladia* A. Braun, 1855  
*Pleurocladia lacustris* A. Braun  
[= *Ectocarpus maritimus* (Kjellman)  
Rosenvinge, 1910]
- Spongonema* Kützing, 1849  
*Spongonema tomentosum* (Hudson) Kützing
- Family Scytophionaceae** Farlow, 1881
- Colpomenia* (Endlicher) Derbès & Solier, 1851  
*Colpomenia peregrina* Sauvageau  
*Colpomenia sinuosa* (Mertens ex Roth) Derbès  
& Solier
- Petalonia* Derbès & Solier, 1850  
*Petalonia fascia* (O. F. Müller) Kuntze
- Planosiphon* McDevitt & G. W. Saunders, 2017  
*Planosiphon zosterifolius* (Reinke) McDevitt &  
G. W. Saunders  
[= *Petalonia zosterifolia* (Reinke)
- Kuntze, 1898]
- Scytophion* C. Agardh, 1820  
*Scytophion lomentaria* (Lyngbye) Link  
[incl. prostrate phase *Microspongium gelatinosum* Reinke, 1888]
- Sorapion* Kuckuck, 1894  
*Sorapion simulans* Kuckuck
- Strangularia* Strömfelt, 1886  
*Strangularia clavata* (Harvey) Hamel  
[= *Ralfsia disciformis* P. Crouan &  
H. Crouan, 1867]
- Strangularia spongiocarpa* (Batters) Hamel
- Sympylocarpus* Rosenvinge, 1893  
*Sympylocarpus strangulans* Rosenvinge
- Order Ralfsiales** Nakamura ex P.-E. Lim & H. Kawai, 2007
- Family Ralfsiaceae** W. G. Farlow, 1881
- Ralfsia* M. J. Berkeley, 1843  
*Ralfsia verrucosa* (Areschoug) Areschoug
- Pseudolithoderma* Svedelius, 1911  
*Pseudolithoderma extensem* (P. Crouan & H. Crouan) S. Lund  
*Pseudolithoderma roscoffense* Loiseaux  
[previously '*roscoffensis*']
- Order Sporochnales** Nakamura ex P.-E. Lim & H. Kawai, 2007
- Family Sporochnaceae** W. G. Farlow, 1881
- Carpomitra* Kützing, 1843  
*Carpomitra costata* (Stackhouse) Batters
- Sporochnus* C. Agardh, 1817  
*Sporochnus pedunculatus* (Hudson) C. Agardh
- Order Tilopteridales** Nakamura ex P.-E. Lim & H. Kawai, 2007
- Family Halosiphonaceae** W. G. Farlow, 1881
- Halosiphon* Jaasund, 1957  
*Halosiphon tomentosus* (Lyngbye) Jaasund  
[= *Chorda tomentosa* Lyngbye, 1819]
- Family Phyllariaceae** Tilden, 1935
- Phyllariopsis* E. C. Henry & G. R. South, 1987

<i>Phyllariopsis brevipes</i> (C. Agardh) E. C. Henry & G. R. South [previously ' <i>Phyllaria</i> ']	<i>Undaria pinnatifida</i> (Harvey) Suringar
<i>Saccorhiza</i> Bachelot de la Pylaie, 1830 <i>Saccorhiza polyschides</i> (Lightfoot) Batters	<b>Family Chordaceae</b> Dumortier, 1822 <i>Chorda</i> Stackhouse, 1797 <i>Chorda filum</i> (Linnaeus) Stackhouse
<i>Haplospora</i> Kjellman, 1872 <i>Haplospora globosa</i> Kjellman	<b>Family Laminariaceae</b> Bory de Saint-Vincent, 1820 <i>Laminaria</i> J. V. Lamouroux, 1813 <i>Laminaria digitata</i> (Hudson) J. V. Lamouroux <i>Laminaria hyperborea</i> (Gunnerus) Foslie <i>Laminaria ochroleuca</i> Bachelot de la Pylaie
<i>Tilopteris</i> Kützing, 1849 <i>Tilopteris mertensii</i> (Turner) Kützing	<i>Saccharina</i> Stackhouse, 1809 <i>Saccharina latissima</i> (Linnaeus) C. E. Lane, C. Mayes, Druehl & G. W. Saunders [= <i>Laminaria saccharina</i> (Linnaeus) J. V. Lamouroux, 1813]
<b>Family Cutleriaceae</b> J. W. Griffith & A. Henfrey, 1856  <i>Cutleria</i> Greville, 1830 <i>Cutleria adspersa</i> (Mertens ex Roth) De Notaris [incl. prostrate phase <i>Aglaozonia melanoidea</i> Sauvageau, 1899] <i>Cutleria multifida</i> (Turner) Greville [incl. prostrate phase <i>Aglaozonia parvula</i> (Greville) Zanardini, 1843]	<b>Order Fucales</b> Migula, 1909 <b>Family Sargassaceae</b> Kützing, 1843  <i>Bifurcaria</i> Stackhouse, 1809 <i>Bifurcaria bifurcata</i> R. Ross
<i>Zanardinia</i> Nardo ex Zanardini, 1841 <i>Zanardinia typus</i> (Nardo) P. C. Silva [previously ' <i>prototypus</i> ']	<i>Cystoseira</i> C. Agardh, 1820 <i>Cystoseira baccata</i> (S. G. Gmelin) P. C. Silva <i>Cystoseira foeniculacea</i> (Linnaeus) Greville <i>Cystoseira humilis</i> Schousboe ex Kützing <i>Cystoseira nodicaulis</i> (Withering) M. Roberts <i>Cystoseira tamariscifolia</i> (Hudson) Papenfuss <i>Cystoseira usneoides</i> (Linnaeus) M. Roberts
<b>Order Desmarestiales</b> Setchell & Gardner, 1925 <b>Family Arthrocladiaceae</b> Chauvin, 1842  <i>Arthrocladia</i> Duby, 1830 <i>Arthrocladia villosa</i> (Hudson) Duby	<i>Halidrys</i> Lyngbye, 1819 <i>Halidrys siliquosa</i> (Linnaeus) Lyngbye
<b>Family Desmarestiaceae</b> (Thuret) Kjellman, 1880  <i>Desmarestia</i> J. V. Lamouroux, 1813 <i>Desmarestia aculeata</i> (Linnaeus) J. V. Lamouroux <i>Desmarestia dudresnayi</i> J. V. Lamouroux ex Léman <i>Desmarestia ligulata</i> (Stackhouse) J. V. Lamouroux <i>Desmarestia viridis</i> (O. F. Müller) J. V. Lamouroux	<i>Sargassum</i> C. Agardh, 1820 <i>Sargassum flavifolium</i> Kützing <i>Sargassum muticum</i> (Yendo) Fensholt <i>Sargassum natans</i> (Linnaeus) Gaillón <i>Sargassum vulgare</i> C. Agardh
<b>Order Laminariales</b> Migula, 1909 <b>Family Alariaceae</b> Setchell & N. L. Gardner, 1925  <i>Alaria</i> Greville, 1830 <i>Alaria esculenta</i> (Linnaeus) Greville	<b>Family Fucaceae</b> Adanson, 1763  <i>Ascophyllum</i> Stackhouse, 1809 <i>Ascophyllum nodosum</i> (Linnaeus) Le Jolis
<i>Undaria</i> Suringar, 1873	<i>Fucus</i> Linnaeus, 1753 <i>Fucus ceranoides</i> Linnaeus <i>Fucus chalonii</i> Feldmann <i>Fucus cottonii</i> M. J. Wynne & Magne

- \* *Fucus guiryi* Zardi, Nicastro, E. S. Serrão & G. A. Pearson  
*Fucus serratus* Linnaeus  
*Fucus spiralis* Linnaeus  
*Fucus vesiculosus* Linnaeus  
[ incl. *Fucus balticus* C. Agardh, 1814]
- Pelvetia* Decaisne & Thuret, 1845  
*Pelvetia canaliculata* (Linnaeus) Decaisne & Thuret
- Family Himanthaliaceae** (Kjellman) De Toni, 1891  
*Himanthalia* Lyngbye, 1819  
*Himanthalia elongata* (Linnaeus) S. F. Gray
- CHLOROPHYTA** Pascher, 1914
- Class Trebouxiophyceae** Friedl, 1995  
**Order Prasiolales** J. H. Schaffner, 1922  
**Family Prasiolaceae** F. F. Blackman & A. G. Tansley, 1902
- Prasiola* (C. Agardh) Meneghini, 1938  
\* *Prasiola calophylla* (Carmichael ex Greville) Kützing  
\* *Prasiola furfuracea* (Mertens ex Hornemann) Trevisan  
*Prasiola stipitata* Suhr ex Jessen
- Rosenvingiella* (C. Agardh) P. C. Silva, 1957  
*Rosenvingiella polyrhiza* (Rosenvinge) P. C. Silva  
\* *Rosenvingiella radicans* (Carmichael ex Greville) (Kützing) Rindi, L. McIvor & Guiry
- Class Ulvophyceae** K. R. Mattox & K. D. Stewart, 1984  
**Order Cladophorales** Haeckel, 1894  
**Family Cladophoraceae** Wille, 1884
- Chaetomorpha* Kützing, 1845  
*Chaetomorpha aerea* (Dillwyn) Kützing  
*Chaetomorpha ligustica* (Kützing) Kützing  
[= *Chaetomorpha capillaris* (Kützing) Børgesen, 1925, incl. *Rhizoclonium arenosum* (Carmichael) Kützing, 1849 and *Rhizoclonium lubricum* Setchell & N. L. Gardner, 1919]  
*Chaetomorpha linum* (O. F. Müller) Kützing  
*Chaetomorpha melagonium* (F. Weber & D. Mohr) Kützing
- Cladophora* Kützing, 1845  
*Cladophora albida* (Nees) Kützing  
*Cladophora coelothrix* Kützing  
*Cladophora dalmatica* Kützing  
\* *Cladophora flexuosa* (O. F. Müller) Kützing  
*Cladophora fracta* (O. F. Müller ex Vahl) Kützing  
\* *Cladophora globulina* (Kützing) Kützing  
*Cladophora glomerata* (Linnaeus) Kützing  
*Cladophora hutchinsiae* (Dillwyn) Kützing  
*Cladophora laetevirens* (Dillwyn) Kützing  
*Cladophora lehmanniana* (Lindenberg) Kützing  
*Cladophora liniformis* Kützing  
*Cladophora prolifera* (Roth) Kützing  
*Cladophora retroflexa* (Bonnemaison ex P. Crouan & H. Crouan) Hamel  
\* *Cladophora ruchingeri* (C. Agardh) Kützing  
*Cladophora rupestris* (Linnaeus) Kützing  
*Cladophora sericea* (Hudson) Kützing  
*Cladophora vagabunda* (Linnaeus) Hoek
- Lychaete* J. Agardh, 1846  
*Lychaete battersii* (C. Hoek) M. J. Wynne  
[= *Cladophora battersii* C. Hoek, 1963]  
*Lychaete pellucida* (Hudson) M. J. Wynne  
[= *Cladophora pellucida* (Hudson) Kützing, 1843]  
*Lychaete pygmaea* (Reinke) M. J. Wynne  
[= *Cladophora pygmaea* Reinke, 1888]  
\* *Lychaete rhodolithicola* (Leliaert) M. J. Wynne
- Rhizoclonium* Kützing, 1843  
*Rhizoclonium riparium* (Roth) Harvey  
[incl. *Rhizoclonium kernerii* Stockmayer, 1890 and *Pseudendoclonium riparium* (Roth) Harvey]  
*Rhizoclonium tortuosum* (Dillwyn) Kützing
- Family Okellyaceae** Leliaert & Rueness, 2009  
*Okellya* Leliaert & Rueness, 2009  
*Okellya curvata* (Printz) Leliaert & Rueness  
[= *Uronema curvatum* Printz, 1926]
- Family Pithophoraceae** Wittrock, 1877  
*Aegagropila* Kützing, 1843  
\* *Aegagropila linnaei* Kützing
- Wittrockiella* Wille, 1909  
*Wittrockiella amphibia* (Collins) C. Boedeker & G. I. Hansen

- [= *Wittrockiella paradoxa* Wille, 1909]
- Order Bryopsidales** J. H. Schaffner, 1922
- Family Chaetosiphonaceae** F. F. Blackman & Tansley, 1902
- Blastophysa* Reinke, 1889  
*Blastophysa rhizopus* Reinke
- Family Bryopsidaceae** Bory de Saint-Vincent, 1829
- Bryopsis* J. V. Lamouroux, 1809  
*Bryopsis hypnoides* J. V. Lamouroux  
*Bryopsis plumosa* (Hudson) C. Agardh
- Family Codiaceae** Kützing, 1843
- Codium* Stackhouse, 1797  
*Codium adhaerens* C. Agardh  
*Codium bursa* (Oliv.) C. Agardh  
*Codium decorticatum* (Woodward) M. Howe  
*Codium fragile* (Suringar) Hariot  
*Codium tomentosum* Stackhouse  
*Codium vermilara* (Oliv.) Delle Chiaje
- Family Derbesiaceae** Hauck, 1884
- Derbesia* Solier, 1846  
*Derbesia marina* (Lyngbye) Solier  
[incl. the gametophyte phase *Halicystis ovalis* (Lyngbye) Areschoug, 1850]  
*Derbesia tenuissima* (Moris & De Notaris)  
P. Crouan & H. Crouan  
[incl. the gametophyte phase *Halicystis parvula* F. Schmitz ex Murray, 1893]
- Family Ostreobiaceae** P. C. Silva ex Maggs & J. Brodie, 2007
- Ostreobium* Bornet & Flahault, 1889  
*Ostreobium quekettii* Bornet & Flahault
- Pedobesia* MacRaild & Womersley, 1974  
*Pedobesia simplex* (Meneghini ex Kützing)  
M. J. Wynne & F. Leliaert  
[= *Pedobesia lamourouxii* (J. Agardh)  
Feldmann, Loreau, Codomier & Couté,  
1975]
- Chlorochytrium* Cohn, 1872  
*Chlorochytrium cohnii* E. P. Wright
- Sykidion* E. P. Wright, 1881  
\* *Sykidion droebakense* Wille
- Order Oltmannsiellopsidales** T. Nakayama, Shin Watanabe & I. Inouye, 1996
- Family Oltmannsiellopsidaceae** T. Nakayama, Shin Watanabe & I. Inouye, 1996
- Halochlorococcum* P. J. L. Dangeard ex Guiry, 2017  
\* *Halochlorococcum moorei* (N. L. Gardner)  
Kornmann & Sahling ex Guiry
- Neodangemannia* M. J. Wynne, G. Furnari, A. Kryvenda & T. Friedl, 2014  
*Neodangemannia microcysts* M. J. Wynne, G. Furnari, Kryvenda & Friedl  
[= *Planophila microcysts* (P. J. L. Dangeard) Kornmann & Sahling, 1983]
- Order Ulotrichales** Borzi, 1895
- Family Ulotrichaceae** Kützing, 1843
- Acrosiphonia* J. Agardh, 1846  
*Acrosiphonia arcta* (Dillwyn) Gain  
[= *Acrosiphonia arctiuscula* (Kützing)  
Jónsson and *Acrosiphonia centralis* (Lyngbye) Kjellman, 1893]  
*Acrosiphonia spinescens* (Kützing) Kjellman
- Chlorothrix* Y. Berger-Perrot, 1982  
*Chlorothrix gracilis* (Berger-Perrot)  
Berger-Perrot & Thomas  
*Chlorothrix intermedia* (Berger-Perrot)  
G. R. South & Tittley  
*Chlorothrix kornmannii* (Berger-Perrot)  
Berger-Perrot & Thomas
- Spongomorpha* Kützing, 1843  
*Spongomorpha aeruginosa* (Linnaeus) Hoek
- Ulothrix* Kützing, 1833  
*Ulothrix flacca* (Dillwyn) Thuret  
*Ulothrix implexa* (Kützing) Kützing  
*Ulothrix palusalsa* Lokhorst  
*Ulothrix speciosa* (Carmichael) Kützing  
*Ulothrix subflaccida* Wille
- Urospora* Areschoug, 1866  
*Urospora bangioides* (Harvey) Holmes & Batters  
*Urospora neglecta* (Kornmann) Lokhorst &

- Trask  
*Urospora penicilliformis* (Roth) Areschoug  
*Urospora wormskoldii* (Mertens) Rosenvinge
- Order Ulvales** Blackman & Tansley, 1902  
**Family Bolbocoleonaceae** C.J. O'Kelly & B. Rinkel, 2007
- Bolbocoleon* Pringsheim, 1863  
*Bolbocoleon piliferum* Pringsheim
- Family Capsosiphonaceae** V.J. Chapman, 1952  
*Capsosiphon* Gobi, 1879  
*Capsosiphon fulvescens* (C. Agardh) Setchell & N.L. Gardner
- Family Gayraliaceae** K.L. Vinogradova, 1969  
*Gayralia* K.L. Vinogradova, 1969  
*Gayralia oxysperma* (Kützing)  
K.L. Vinogradova ex Scagel et al.  
[= *Monostroma oxyspermum* (Kützing)  
Doty, 1947]
- Family Gomontiaceae** De Toni, 1889  
*Eugomontia* Kornmann, 1960  
*Eugomontia sacculata* Kornmann
- Gomontia* Bornet & Flahault, 1888  
*Gomontia polyrhiza* (Lagerheim) Bornet & Flahault  
[incl. *Gomontia manxiana* Chodat, 1897]
- Monostroma* Thuret, 1854  
*Monostroma grevillei* (Thuret) Wittrock
- Family Kornmanniaceae** L. Golden & K.M. Cole, 1986  
*Blidingia* Kylin, 1947  
*Blidingia chadefaudii* (Feldmann) Bliding  
*Blidingia marginata* (J. Agardh)  
P.J.L. Dangeard ex Bliding  
*Blidingia minima* (Nägeli ex Kützing) Kylin
- Kornmannia* Bliding, 1969  
\* *Kornmannia leptoderma* (Kjellman) Bliding
- Pseudendooclonium* Wille, 1901  
*Pseudendooclonium dynamenae* R. Nielsen  
*Pseudendooclonium submarinum* Wille
- Tellamia* Batters, 1895  
*Tellamia contorta* Batters
- Neostromatella* M.J. Wynne, G. Furnari & R. Nielsen, 2014  
*Neostromatella monostromatica* M.J. Wynne, G. Furnari & R. Nielsen  
[= *Stromatella monostromatica* (P.J.L. Dangeard) Kornmann & Sahling, 1985]
- Family Phaeophilaceae** D.F. Chappell, C.J. O'Kelly, L.W. Wilcox, & G.L. Floyd, 1990  
*Phaeophila* Hauck, 1876  
*Phaeophila dendroides* (P. Crouan & H. Crouan) Batters  
[incl. *Phaeophila engleri* Reinke, 1889]
- Family Ulvaceae** J.V. Lamouroux ex Dumortier, 1822  
*Ochlochaete* Thwaites, 1849  
*Ochlochaete hystrix* Thwaites  
[= *Ochlochaete ferox* Huber, 1893]
- Percursaria* Bory de Saint-Vincent, 1823  
*Percursaria percursa* (C. Agardh) Rosenvinge
- Ulva* Linnaeus, 1753  
\* *Ulva ardrea* M. Cormaci, G. Furnari & G. Alongi  
\* *Ulva australis* Areschoug  
*Ulva clathrata* (Roth) C. Agardh  
[= *Enteromorpha clathrata* (Roth) Greville, 1830, incl. *Enteromorpha musciformis* P.J.L. Dangeard, 1962 and *Enteromorpha ramulosa* (Smith) Carmichael, 1833]
- Ulva compressa* Linnaeus  
[= *Enteromorpha compressa* (Linnaeus) Nees, 1820, incl. *Enteromorpha usneoides* Bonnemaison ex J. Agardh, 1883]
- Ulva curvata* (Kützing) De Toni  
*Ulva fasciata* Delile  
*Ulva flexuosa* Wulfen  
[= *Enteromorpha flexuosa* (Wulfen) J. Agardh, 1883, incl. *Enteromorpha tubulosa* (Kützing) Kützing, 1856]
- Ulva gigantea* (Kützing) Bliding  
*Ulva intestinalis* Linnaeus  
[= *Enteromorpha intestinalis* (Linné) Link, 1820]

- Ulva kylinii* (Bliding) H. S. Hayden, Blomster, Maggs, P.C. Silva, M.J. Stanhope & J.R. Waaland  
[= *Enteromorpha kylinii* Bliding, 1948]
- Ulva lactuca* Linnaeus
- Ulva linza* Linnaeus  
[= *Enteromorpha linza* (Linnaeus)  
J. Agardh, 1883, incl. *Enteromorpha ahlneriana* Bliding, 1944 and *Ulva bertolonii* C. Agardh, 1823]
- Ulva pilifera* (Kützing) Skaloud & Leliaert  
[= *Enteromorpha pilifera* Kützing, 1856]
- Ulva prolifera* O. F. Müller  
[= *Enteromorpha prolifera* (O. F. Müller)  
J. Agardh, 1883]
- Ulva pseudocurvata* Koeman & Hoek
- Ulva pseudorotundata* Cormaci, G. Furnari & Alongi  
[= *Ulva rotundata* Bliding, 1969]
- Ulva radiata* (J. Agardh) H. S. Hayden, Blomster, Maggs, P.C. Silva, M.J. Stanhope & J.R. Waaland  
[= *Enteromorpha radiata* J. Agardh, 1883]
- Ulva ralfsii* (Harvey) Le Jolis  
[= *Enteromorpha ralfsii* Harvey, 1851]
- Ulva simplex* (K.L. Vinogradova)  
H. S. Hayden, Blomster, Maggs, P.C. Silva, M.J. Stanhope & J.R. Waaland  
[= *Enteromorpha simplex*  
(K.L. Vinogradova) R.P.T. Koeman & Hoek, 1982]
- Ulva rigida* C. Agardh  
[incl. *Ulva scandinavica* Bliding, 1969]
- Ulva torta* (Mertens) Trevisan  
[= *Enteromorpha torta* (Mertens)  
Reinbold, 1893]
- Ulvaria* Ruprecht, 1850
- Ulvaria obscura* (Kützing) Gayral ex Bliding  
[= *Monostroma obscurum* (Kützing)  
J. Agardh, 1883]
- Ulvaria splendens* (Ruprecht) K. L. Vinogradova  
[= *Monostroma fuscum* (Postels & Ruprecht) Wittrock, 1866]
- Umbraulva* E. H. Bae & I. K. Lee, 2002
- Umbraulva dangaeardii* M.J. Wynne & G. Furnari  
[= *Ulva olivascens* P.J.L. Dangeard, 1961]

**Family Ulvellaceae Schmidle, 1899**

- Epicladia* Reinke, 1889
- Epicladia flustrae* Reinke  
[= *Entocladia flustrae* (Reinke)  
W.R. Taylor, 1937]
- Epicladia perforans* (Huber) R. Nielsen  
[= *Entocladia perforans* (Huber) Levring,  
1937]
- Pseudoplingsheimia* Wille, 1909
- Pseudoplingsheimia confluenta* (Rosenvinge) Wille
- Ulrella* P. Crouan & H. Crouan, 1859
- Ulrella geniculata* (N.L. Gardner) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Pseudodictyon geniculatum*  
N.L. Gardner, 1909]
- \* *Ulrella inflata* (Ercegovic) R. Nielsen, C.J. O'Kelly & B. Wysor
- Ulrella lens* P. Crouan & H. Crouan
- Ulrella leptochaete* (Huber) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Entocladia leptochaete* (Huber)  
Burrows, 1991]
- Ulrella repens* (Pringsheim) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Acrochaeta repens* Pringsheim, 1862]
- Ulrella scutata* (Reinke) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Pringsheimiella scutata* (Reinke)  
Hoelzel ex Marchewianka]
- Ulrella setchellii* P.J.L. Dangeard
- Ulrella viridis* (Reinke) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Entocladia viridis* Reinke, 1879]
- Ulrella wittrockii* (Wille) R. Nielsen, C.J. O'Kelly & B. Wysor  
[= *Entocladia wittrockii* Wille, 1880 and  
*Chlorofilum ephemereum* P.J.L. Dangeard,  
1965]

**Family Microsporaceae Bohlin, 1901**

- Microspora* Thuret, 1850
- Microspora ficalinae* P.J.L. Dangeard

## Discussion

The specific richness remains comparable to what has been reported from neighboring countries (Table 1). With a total of 707 species, this area represents 6.5 % of the world macroalgal species number (ranging between 10 000 and 11 000 species). Such diversity may be explained by the fact that the studied area crosses a transition from the warm to the cold temperate biogeographic region (Dinter, 2001), which particularly affects the distribution of macroalgae (Ramos *et al.*, 2014).

**Table 1:** Total number of macroalgal species per group for France (Channel and Atlantic Ocean) and for two neighboring countries.

	Britain (Brodie <i>et al.</i> , 2015)	Spain, North Atlantic (Gallardo <i>et al.</i> , 2016)	France, Channel and Atlantic Ocean (this study)
Red macroalgae	347	365	403
Brown macroalgae	183	155	183
Green macroalgae	109	94	121
Total	639	614	707

The bibliographic and database analysis performed here reveals a global decrease of the total macroalgal specific richness when compared to the list by Dizerbo & Herpe (2007): the number of red macroalgal species falls from 423 to 403, from 226 to 183 for brown macroalgae and that for green macroalgae from 153 to 121. The reasons for such decrease both come from the exclusion of 92 species (following the rules given in Materials and methods): 41 red (Table 2), 21 brown (Table 3) and 30 green macroalgae (Table 4) but also by a high proportion of former recognized species pooled under a single name (e.g. *Ectocarpus* spp. or *Porphyrostromium ciliare*).

Sixty eight new macroalgal species have been added to the list (51 red, 3 brown and 14 green macroalgae). Among these, 17 are non native species, pointing out the continuous spread of alien species and the potential competitive threats for the native ones (Gouletquer, 2016). Studying the pattern of colonization of these alien species has been strongly recommended (Katsanevakis *et al.*, 2014, a work still needed for France). Several species deserve a special interest: although there is no evidence of their presence in the studied area, their occurrence is highly suspected. It is the case for species difficult to identify, recently recorded in the United Kingdom (Brodie *et al.*, 2015) such as *Ulva californica* Wille, or that have been recorded both from United Kingdom and northern Spain (Gallardo *et al.*, 2016). These are:

- *Ruthnielsenia tenuis* (Kylin) C. J. O'Kelly, B. Wynsor & W. K. Bellows.
- *Dictyota cyanoloma* Tronholm, De Clerck, A. Gómez-Garreta & Rull Lluch.
- *Cryptonemia lomatina* (Bertoloni) J. Agardh.
- *Polysiphonia devoniensis* Maggs & Hommersand.

Targetted sampling session may help to address these uncertainties.

Finally, doubtful taxa remain for which status need clarification (i.e. *Grateloupia* and *Solieria* (Le Roux, 2018), *Pylaiella* (Geoffroy, 2012), *Ectocarpus* (Montecinos *et al.*, 2017)

or the *Caulacanthus* species). This work is a mere first step for assessing macroalgal diversity at regional scale. Going further would imply creating an atlas based on the maps provided by Dizerbo & Herpe (2007) together with the improvement of identification keys including updated taxa. Genetic characterization of taxa might also be suitable in an attempt to clarify the taxonomic position of several macroalgal species (Mineur, Le Roux, *et al.*, 2012).

**Table 2:** Red macroalgal species (Rhodophyta) excluded from check-list since Dizerbo & Herpe (2007).

Red macroalgae species (Rhodophyta)	Notes
<i>Acrochaetium stizophorae</i>	Previously as <i>Audouinella stizophorae</i> Levring. Recorded once in the studied area.
<i>Acrochaetium unifilum</i>	Previously as <i>Audouinella unifila</i> (Jao) Woelkerling. Recorded once in the studied area.
<i>Acrochaetium immersum</i> (Rosenvinge) Hamel	Previously as <i>Audouinella immersa</i> (Rosenvinge) G. R. South & Tittley. Recorded once in the studied area.
<i>Acrochaetium irregulare</i> (Reinsch)	Previously as <i>Audouinella irregularis</i> (Reinsch) G. R. South & Tittley. Doubtful taxon. Recorded once in the studied area.
<i>Acrochaetium mahumetanum</i> Hamel	Previously as <i>Audouinella mahumetana</i> (Hamel) Dizerbo. Doubtful taxon. Recorded once in the studied area.
<i>Acrochaetium reductum</i> (Rosenvinge) Hamel	Previously as <i>Audouinella kylinioides</i> (Feldmann) Dizerbo. Recorded once in the studied area. Needs further investigations.
<i>Amphiroa cryptarthrodia</i> Zanardini	See <i>Amphiroa rigida</i> .
<i>Amphiroa rigida</i> J. V. Lamouroux	Both <i>Amphiroa cryptarthrodia</i> Zanardini and <i>Amphiroa rigida</i> J. V. Lamouroux are absent from the studied zone (see Lugilde <i>et al.</i> , 2016)
<i>Antithamnionella elegans</i> (Berthold) J. H. Price & D. M. John	Only one record in the studied area. In Europe, this species seems restricted to the Mediterranean sea.
<i>Asparagopsis taxiformis</i> (Delile) Trevisan	In Europe, the northern limit is in Spain.
<i>Audouinella pusillum</i> Dizerbo	Doubtful taxon. Recorded once in the studied area.
<i>Audouinella spermatochni</i> Dizerbo	Doubtful taxon. Recorded once in the studied area.
<i>Audouinella armoricanum</i> Dizerbo	Doubtful taxon.
<i>Audouinella boryana</i> Abdel-Rahman & Magne	Only obtained in culture.
<i>Audouinella laminariae</i> Dizerbo	Doubtful taxon. May be related to <i>Acrochaetium sparsum</i> (Harvey) Nägeli.
<i>Botryocladia chiajeana</i> (Meneghini) Kylin	No recent record.
<i>Ceramium boergesenii</i> H. E. Petersen	Only cited in the Channel islands.
<i>Ceramium crouanianum</i> J. Agardh	Represents several species ( <i>C. pallidum</i> and <i>C. virgatum</i> ) (Maggs & Hommersand, 1993).
<i>Ceramium derbesii</i> Solier ex Kützing	Represents several species ( <i>C. virgatum</i> and <i>C. ciliatum</i> ) (Maggs & Hommersand, 1993).
<i>Ceramium tenerrimum</i> (G. Martens) Okamura	No recent record. In Europe, this species seems restricted to the Mediterranean sea.

*... continued on the next page*

**Table 2:** (Continued)

<b>Red macroalgae species (Rhodophyta)</b>	<b>Notes</b>
<i>Ceramium tenue</i> (J. Agardh) J. Agardh	Represent several species ( <i>C. pallidum</i> , <i>C. virgatum</i> and <i>C. gaditanum</i> ) (Maggs & Hommersand, 1993).
<i>Chylocladia torulosa</i> (Kützing) Dizerbo	Doubtful taxon.
<i>Colaconema conchicola</i> Lami	Previously as <i>Audouinella conchicola</i> Lami. Doubtful taxon. Recorded once in the studied area.
<i>Colaconema emergens</i> (Rosenvinge) R. Nielsen	Previously as <i>Audouinella emergens</i> (Rosenvinge) P. S. Dixon. Only one unsure record in the studied area.
<i>Erythrotrichia elongata</i> Lami	Only one record in the studied area. Needs further investigations.
<i>Gloiocladia furcata</i> (C. Agardh) J. Agardh	Northern limit in the Iberian Peninsula.
<i>Goniotrichopsis sublittoralis</i> G. M. Smith	Only one record in the studied area. Needs further investigations.
<i>Gracilaria armata</i> (C. Agardh) Greville	Only one record in the studied area. In Europe, this species seems to be restricted to the Mediterranean sea.
<i>Gymnogongrus patens</i> (Goodenough & Woodward) J. Agardh	Needs further investigations.
<i>Herposiphonia plumosa</i> (Agardh) Nägeli	Doubtful taxon.
<i>Hildenbrandia rivularis</i> (Liebmann) J. Agardh	Freshwater macroalgae.
<i>Laurencia bronniartii</i> J. Agardh	Recorded once in the studied area. Since then, recorded in Ireland (Stokes et al., 2004).
<i>Lithophyllum dentatum</i> (Kützing) Foslie	See <i>Lithophyllum fasciculatum</i> .
<i>Lithophyllum fasciculatum</i> (Lamarck) Foslie	Specimens of both species <i>L. fasciculatum</i> and <i>L. dentatum</i> in the studied area may belong to <i>L. incrassata</i> Philippi. See Hernandez-Kantun et al. (2015).
<i>Peyssonnelia rubra</i> (Greville) J. Agardh	No recent record. In Europe, this species seems restricted to the Mediterranean sea.
<i>Polysiphonia isogona</i> Harvey	No recent record.
<i>Polysiphonia scopulorum</i> Harvey	Needs further investigations.
<i>Polysiphonia subulata</i> (Dillwyn) J. Agardh	Only one record in the studied area. Needs further investigations.
<i>Rhodymenia phylloides</i> L'Hardy-Halos	Needs further investigations. May be included in the species <i>R. delicatula</i> .
<i>Spermothamnion irregularare</i> (J. Agardh) Ardisson	No recent record. In Europe, this species seems restricted to the Mediterranean sea.

*... continued on the next page*

**Table 2:** (Continued)

Red macroalgae species (Rhodophyta)	Notes
<i>Titanoderma mediterraneum</i> (Foslie) Woelkerling	Doubtful taxon, only one record in the study area. Absent from the studied zone (see Lugilde <i>et al.</i> , 2016)

**Table 3:** Brown macroalgal species (Phaeophyceae) excluded from check-list since Dizerbo & Herpe (2007).

Brown macroalgae species (Phaeophyceae)	Notes
<i>Actinema scutellum</i> Reinsch	Doubtful taxon.
<i>Battersia plumigera</i> (Holmes ex Hauck) Draisma, Prud'homme & H. Kawai	Previously as <i>Sphacelaria plumigera</i> Holmes ex Hauck. Only listed in the Channel islands.
<i>Cutleria chilosa</i> (Falkenberg) P. C. Silva.	Previously as <i>Cutleria monoica</i> Ollivier. Northern limit by the Portugal coasts.
<i>Cystoseira compressa</i> (Esper) Gerloff & Nizamuddin	Only one occurrence in the studied area. No recent record. In Europe, this species seems very related to the Mediterranean sea.
<i>Cystoseira platyclada</i> Sauvageau	Doubtful taxon.
<i>Dictyosiphon ekmanii</i> Areschoug	Needs further investigations.
<i>Elachista globulosa</i> (C. Agardh) J. Agardh	Seems restricted to the Canary Islands.
<i>Fucus dichotomus</i> Sauvageau	Probably a variety of the complex <i>Fucus spiralis/guiryi</i> .
<i>Hecatonema aggregatum</i> (P. J. L. Dangeard) P.-M. Pedersen	Only obtained in culture.
<i>Myriactula arabica</i> (Kützing) Feldmann	No recent record in the studied area. Probably a more southern species.
<i>Omphalophyllum ulvaceum</i> Rosenvinge	Recorded once in the studied area. Southern limit in Norway.
<i>Phaeostromatella elegans</i> P. J. L. Dangeard	Treated as an invalid taxon in Wynne & Furnari (2014).
<i>Pseudolithoderma adriaticum</i> (Hauck) Verlaque	Previously <i>Lithoderma adriaticum</i> Hauck. No recent records, this species seems very related to the Mediterranean sea.
<i>Pylaiella seriata</i> Kuckuck in Dizerbo & Herpe	Doubtful taxon.
<i>Ralfsia pusilla</i> (Strömfelt) Foslie	No recent records in the studied area. Needs further investigations.
<i>Sargassum natans</i> (Linnaeus) Gaillon	Pelagic species. No recent record.
<i>Sargassum acinarium</i> (Linnaeus) Setchell	Previously <i>Sargassum linifolium</i> C. Agardh. Only one occurrence in the studied area. In Europe this species seems very related to the Mediterranean sea.
<i>Stictyosiphon adriaticus</i> Kützing	No recent record in the studied area. Needs further investigations.
<i>Streblonema ambivalens</i> P. J. L. Dangeard	Only obtained in culture.
<i>Streblonema integratum</i> P. J. L. Dangeard	Only obtained in culture.
<i>Streblonema myriocladiae</i> (P. Crouan & H. Crouan) De Toni	No recent record in the studied area.

**Table 4:** Green macroalgal species (Chlorophyta) excluded from check-list since Dizerbo & Herpe (2007).

Green macroalgae species (Chlorophyta)	Notes
<i>Bryopsis balbisiana</i> J. V. Lamouroux	Actually <i>B. duplex</i> De Notaris, with northern limit on the coasts of Portugal, unlikely to be present in the studied area.
<i>Bryopsis corymbosa</i> J. Agardh	Recorded once in the studied area. In Europe, <i>B. corymbosa</i> seems restricted to the Mediterranean sea.
<i>Bryopsis cupressoides</i> Feldmann	Recorded once in the studied area. Actually as <i>B. feldmannii</i> Gallardo & G. Furnari, which is restricted to the Mediterranean sea.
<i>Bryopsis pennata</i> J. V. Lamouroux	Recorded once in the studied area. Northern limit in Portugal.
<i>Chaetomorpha crassa</i> (C. Agardh) Kützing	Probably a variety of <i>C. linum</i> .
<i>Chlorhormidium catenatum</i> (P. J. L. Dangeard) G. R. South & Tittley	Only obtained in cultures. Treated as invalid taxon in Wynne & Furnari (2014). (as <i>Hormidium catenatum</i> P. J. L. Dangeard).
<i>Cladophora nigrescens</i> Zanardini ex Frauenfeld	Recorded once in the studied area. In Europe, the species seems only found in the Mediterranean sea.
<i>Cladophora parriaudii</i> C. Hoek	Doubtful taxon. Recorded once in the studied area.
<i>Codium effusum</i> (Rafinesque) Delle Chiaje	Cited in N.-E. Atlantic by Cabioch et al. (2014) from the Channel to the Canaries but probably much more related to the Mediterranean sea.
<i>Elaterodiscus appendiculatus</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Enteromorpha bayonnensis</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Enteromorpha coziana</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Enteromorpha dangeardii</i> H. Parriaud	Doubtful taxon. Recorded twice by a single author in the studied area.
<i>Enteromorpha hendayensis</i> P. J. L. Dangeard & H. Parriaud	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Enteromorpha limosa</i> A. Parriaud	Doubtful taxon. Recorded once in the studied area.
<i>Enteromorpha robertii-lamii</i> H. Parriaud	Doubtful taxon. Needs further investigations.
<i>Enteromorpha sancti-joannis</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Geminella marina</i> Hamel in Dizerbo & Herpe	Doubtful taxon.
<i>Gongrosira malardii</i> (Wille) Printz	Doubtful taxon. Recorded once in the studied area.
<i>Gongrosirella vermiciformis</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).

*... continued on the next page*

**Table 4:** (Continued)

Green macroalgae species (Chlorophyta)	Notes
<i>Halimeda tuna</i> (J. Ellis & Solander) J. V. Lamouroux	Recorded once in the studied area. In Europe, the species seems only found in the mediterranean sea.
<i>Pirula salina</i> (Dangeard) Printz	Unicellular to colonial taxon. Currently <i>Halofilum salinum</i> (P. A. Dangeard) Darienko & Pröschold (Xanthophyceae).
<i>Stromatella papillosa</i> (P. J. L. Dangeard) Kornmann & Sahling	Treated as invalid taxon in Wynne & Furnari (2014) (as <i>Ulrella papillosa</i> P. J. L. Dangeard).
<i>Thamniochloris atroviridis</i> P. J. L. Dangeard	Only obtained in culture. Treated as invalid taxon in Wynne & Furnari (2014).
<i>Thamniochloris ochlochaetoides</i> P. J. L. Dangeard	Only obtained in culture. Treated as invalid taxon in Wynne & Furnari (2014).
<i>Thamniochloris variabilis</i> P. J. L. Dangeard	Only obtained in culture. Treated as invalid taxon in Wynne & Furnari (2014).
<i>Ulva schousboei</i> Bornet	Doubtful taxon. Recorded once in the studied area.
<i>Ulrella protuberans</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Ulrella stellata</i> P. J. L. Dangeard	Treated as invalid taxon in Wynne & Furnari (2014).
<i>Zygomitus reticulatus</i> Bornet & Flahault	Doubtful taxon. Recorded once in the studied area.

## References

- Ar Gall, E. & Le Duff, M., 2014. Development of a quality index to evaluate the structure of macroalgal communities. *Estuarine, Coastal and Shelf Science*, **139**, pp. 99–109.  
doi:10.1016/j.ecss.2013.12.028.
- Bárbara, I. & Díaz Tapia, P., 2012. New records and additions to the seaweeds of France. *Marine Biodiversity Records*, **5** (3), pp. 1–7.  
doi:10.1017/S1755267212000589.
- Brodie, J., Wilbraham, J., Pottas, J. & Guiry, M. D., 2015. A revised check-list of the seaweeds of Britain. *Journal of the Marine Biological Association of the United Kingdom*, **96** (5), pp. 1005–1029.  
doi:10.1017/S0025315415001484.
- Cabioc'h, J., Floc'h, J.-Y., Le Toquin, A., Boudouresque, C. F., Meinesz, A. & Verlaque, M., 2014. Algues des mers d'Europe. Delachaux et Niestlé, Paris. 272 p.
- Coppejans, E. & Kling, R., 1995. Flore algologique des côtes du Nord de la France et de la Belgique. 9. Jardin botanique national de Belgique, Meise. 454 p.
- Crouan, P. L. & Crouan, H. M., 1867. Florule du Finistère (éd. Lefournier, J. B. & Lefournier, A.) Klincksieck, F., Paris. 262 p.
- Dinter, W. P., 2001. Biogeography of the OSPAR maritime area. A synopsis and synthesis of biogeographical distribution patterns described for the North-East Atlantic. Federal Agency for Nature Conservation, Bonn. 167 p.
- Dizerbo, A. H. & Herpe, E., 2007. Liste et répartition des algues marines des côtes françaises de la Manche et de l'Atlantique, îles Anglo-Normandes incluses. Anaximandre, Landreau. 315 p.
- Feldmann, J., 1954. Inventaire de la flore marine de Roscoff. Algues, champignons, lichens et spermatophytes. 6. Éditions de la Station biologique de Roscoff. 152 p.
- Feldmann, J. & Magne, F., 1964. Additions à l'inventaire de la flore marine de Roscoff : b algues, champignons, lichens. Éditions de la Station biologique de Roscoff. 28 p.
- Gallardo, T., Bárbara, I., Afonso-Carrillo, J., Bermejo, R., Altamirano, M., Gómez, A., Barceló, M. C., Rull, J., Ballesteros, E. & De la Rosa, J., 2016. Nueva lista crítica de las algas bentónicas marinas de España. *Algas, Boletín Informativo de la Sociedad Española de Ficología*, **51**, pp. 7-52.
- Geoffroy, A., 2012. Diversité génétique et délimitation d'espèces par des approches conjointes de barcoding et de génétique des populations : application à l'identification d'espèces d'algues marines nouvellement cultivées. Thèse de doctorat, Paris 6. 175 p.
- Gouilletquer, P., 2016. Guide des organismes exotiques marins. Belin, Paris. 304 p.
- Guiry, M. D., 2012. A catalogue of Irish seaweeds. A. R. G. Gantner Verlag K.G., Ruggell. 250 p.  
doi:978-3-90-599710-1.
- Guiry, M. D. & Guiry, G. M., 2018. AlgaeBase. Accessed on 2018-07-11. National University of Ireland, Galway. <<http://www.algaebase.org>>.
- Hardy, F. G. & Guiry, M. D., 2003. A check-list and atlas of the seaweeds of Britain and Ireland. British Phycological Society, London. 435 p.

- Hernandez-Kantun, J. J., Rindi, F., Adey, W. H., Heesch, S., Peña, V., Le Gall, L. & Gabrielson, P. W., 2015. Sequencing type material resolves the identity and distribution of the generitype *Lithophyllum incrustans*, and related European species *L. hibernicum* and *L. bathy-porum* (Corallinales, Rhodophyta). *Journal of Phycology*, **51** (4), pp. 791–807.  
doi:10.1111/jpy.12319.
- Katsanevakis, S., Wallentinus, I., Zenetos, A., Leppäkoski, E., Çınar, M. E., Oztürk, B., Grabowski, M., Golani, D. & Cardoso, A. C., 2014. Impacts of invasive alien marine species on ecosystem services and biodiversity: a pan-European review. *Aquatic Invasions*, **9** (4), pp. 391–423.  
doi:10.3391/ai.2014.9.4.01.
- Lancelot, A., 1961. Recherches biologiques et océanographiques sur les végétaux marins des côtes françaises entre la Loire et la Gironde. *Revue algologique*, Hors-Série 2, pp. 1-210.
- Le Jolis, A., 1864. Liste des algues marines de Cherbourg. J. B. Baillièvre et Fils, Paris. 168 p.
- Le Roux, A., 2008. Les espèces marines introduites dans le Mor-Bihan. *Penn ar Bed*, (202), pp. 26-36.
- Le Roux, A., 2018. Additions à la liste des espèces marines introduites dans le golfe du Morbihan. *Penn ar Bed*, **230**, pp. 37-60.
- Lugilde, J., Peña, V. & Bárbara, I., 2016. El orden Corallinales sensu lato (Rhodophyta) en el Atlántico ibérico : estado actual de su conocimiento. *Anales del Jardín Botánico de Madrid*, **73** (2), pp. 1-17.  
doi:10.3989/ajbm.2424.
- Maggs, C. A. & Hommersand, M. H., 1993. Seaweeds of the British Isles. Volume 1 Rhodophyta. Part 3A Ceramiales. (Ed. British Museum (Natural History)) HMSO, London. 444 p.
- Mineur, F., De Clerck, O., Le Roux, A., Maggs, C. A. & Verlaque, M., 2010. *Polyopes lancifolius* (Halymeniales, Rhodophyta), a new component of the Japanese marine flora introduced to Europe. *Phycologia*, **49** (1), pp. 86–96.  
doi:10.2216/09-45.1.
- Mineur, F., Le Roux, A., Stegenga, H., Verlaque, M. & Maggs, C. A., 2012. Four new exotic red seaweeds on European shores. *Biological Invasions*, **14** (8), pp. 1635–1641.  
doi:10.1007/s10530-012-0186-0.
- Montecinos, A. E., Couceiro, L., Peters, A. F., Desrut, A., Valero, M. & Guillemin, M.-L., 2017. Species delimitation and phylogeographic analyses in the *Ectocarpus* subgroup *siliculosus* (Ectocarpales, Phaeophyceae). *Journal of Phycology*, **53** (1), pp. 17–31.  
doi:10.1111/jpy.12452.
- Ramos, E., Puente, A., Juanes, J. A., Neto, J. M., Pedersen, A., Bartsch, I., Scanlan, C., Wilkes, R., Van den Bergh, E., Ar Gall, E. & Melo, R., 2014. Biological validation of physical coastal waters classification along the NE Atlantic region based on rocky macroalgae distribution. *Estuarine, Coastal and Shelf Science*, **147**, pp. 103–112.  
doi:10.1016/j.ecss.2014.05.036.
- Stiger-Pouvreau, V. & Thouzeau, G., 2015. Marine species introduced on the French Channel-Atlantic coasts: a review of main biological invasions and impacts. *Open Journal of Ecology*, **5** (05), pp. 227–257.  
doi:10.4236/oje.2015.55019.

- Stokes, K., O'Neill, K. & McDonald, R., 2004. Invasive species in Ireland. Quercus project QU03-01 Unpublished report to Environment & Heritage Service and National Parks & Wildlife Service, Queens University Belfast. 151 p.
- Wynne, M. J. & Furnari, G., 2014. A census of J. P. L. Dangeard's invalid taxa with proposals to resolve the nomenclatural problems of some of them. *Nova Hedwigia*, **98 (3-4)**, pp. 515–527.  
doi:10.1127/0029-5035/2014/0169.