

# Sony Ericsson txt pro™



CK15i, CK15a

# Purpose of this document

---

Sony Ericsson product White papers are intended to give an overview of a product and provide details in relevant areas of technology.

# Document history

---

## Version

May 2011	First released version	Version 1.0
----------	------------------------	-------------

This White paper is published by:

Sony Ericsson Mobile Communications AB,  
SE-221 88 Lund, Sweden

[www.sonyericsson.com](http://www.sonyericsson.com)

© Sony Ericsson Mobile Communications AB, 2010-2011. All rights reserved. You are hereby granted a license to download and/or print a copy of this document.

Any rights not expressly granted herein are reserved.

First released version (May 2011) Publication number: 1244-8896.1

This document is published by Sony Ericsson Mobile Communications AB, without any warranty\*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only.

This document may reference services or applications provided by third parties. Use of such programming or services may require separate registration with the third party provider and may be subject to additional terms of use. For applications accessed on or through a third-party website, please review such website's terms of use and applicable privacy policy in advance. Sony Ericsson does not warrant or guaranty the availability or performance of any third-party websites or offered services.

Some features described in this document are not supported by all networks and/or service providers in all areas. Please contact your network operator or service provider to determine availability of any specific service or feature and whether additional access or usage fees apply.

\*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any nature, including but not limited to lost profits or commercial loss, arising out of the use of the information in this document.

# Sony Ericsson Developer World

---

For the latest Sony Ericsson technical documentation and development tools, go to [www.sonyericsson.com/developer](http://www.sonyericsson.com/developer)

# Table of contents

<b>Product overview .....</b>	<b>5</b>
Sony Ericsson txt pro™ – Chat with a snap .....	5
Facts – dimensions, weight, performance and networks .....	6
Categorised list of features .....	8
<b>Technologies in detail .....</b>	<b>10</b>
Device-to-device communications (local) .....	10
Bluetooth™ wireless technology .....	10
Wi-Fi® .....	10
Java™ .....	11
Messaging .....	12
(MMS) Multimedia Messaging Service.....	12
Instant messaging .....	12
Email .....	12
Multimedia (audio and video) .....	13
Web browser .....	14
Trademarks and acknowledgements .....	15

# Product overview

## Sony Ericsson txt pro™ – Chat with a snap

Is anyone kick flipping at the skatepark? Are you the only one wearing orange at the party? Find out the easy way. Use the Friends app. Add your five best friends from your phonebook and see at a glance when they say smart things on Facebook™ or tell tales on Twitter™. Then text right back without the wait. Making your friends the centre of attention couldn't be easier. Enjoy!

### Chill out at the hotspot

Sony Ericsson txt pro™ has Wi-Fi®. So you can see what's cool from any hotspot. Snap a quick photo of yourself at the concert. Just to prove you got in. Then upload to everyone. Or just chill out at the café and browse around to get the low-down at high speed – without worrying about the bill if you use a free hotspot\*.

### What you want. Where you want it

Chat at the speed of life. Simply snap out the full keyboard and type away with ease. Or quickly check out the most popular videos on YouTube™ on the large 3-inch touchscreen. Fancy getting more personal? Drag and drop the apps you want to the corners you want on your Home screen. Twitter™ top right? Friends bottom left? Easy with Sony Ericsson txt pro™ – it's bursting with social power.



*\*Not all Wi-Fi® hotspots are free of charge.*

## Facts – dimensions, weight, performance and networks

---








<b>Operating system</b>	Sony Ericsson proprietary OS
<b>Processor</b>	PNX-4910
<b>Size</b>	93 x 52 x 18 mm
<b>Weight</b>	100 grams
<b>Available colours</b>	Black White Pink
<b>Main screen</b>	
Colours	262,144 colour TFT
Resolution	400x240 pixels
Size (diagonal)	3 inches
Scratch-resistant	Yes
<b>Input mechanisms</b>	
QWERTY keyboard	4 x 10
Text input	Quick text (Zi)
Touch screen	Capacitive (single touch)
Touch gesture	Single touch
Motion sensor	Accelerometer
<b>Memory</b>	
Internal phone storage	Up to 100 MB (up to 100 MB free of use memory)
RAM	64 MB
Expansion slot	microSD™, up to 32 GB
<b>Camera</b>	
Camera resolution	3.2 megapixel
Video recording	Yes, MPEG4 (QVGA)
<b>Sensors</b>	
Accelerometer	Yes
Proximity sensor	Yes
<b>Networks</b>	
CK15i	GSM GPRS/EDGE 850, 900, 1800, 1900
CK15a	GSM GPRS/EDGE 850, 900, 1800, 1900

<b>Data transfer speeds</b>	
GSM GPRS (Class 10 CS4)	Up to 85.6 kbps (download). Up to 42.8 Kbps (upload).
GSM EDGE (Class 10 MCS9)	Up to 236.8 kbps (download). Up to 118.4 Kbps (upload).
<b>Talk time</b> (GSM)	Up to 5 hours 10 min*
<b>Standby time</b> (GSM)	Up to 400 hours*
<b>Battery</b>	1000 mAh

*\*According to GSM Association Battery Life Measurement Technique.*

*Note: Battery performance may vary depending on network conditions and configuration, and phone usage.*

## Categorised list of features

 <p><b>Camera</b> 3.2 megapixel camera Send to web Video recording</p>	 <p><b>Music</b> Bluetooth™ stereo (A2DP) Clear stereo Media player Music tones (MP3/AAC) PlayNow™ service* Sony Ericsson Music Player TrackID™ music recognition</p>	 <p><b>Internet</b> Bookmarks Google™ search Web browser (Obigo™ Q7)</p>
 <p><b>Communication</b> Call list Conference calls Facebook™ application Polyphonic ringtones Speakerphone Twitter™ application Vibrating alert Friends application Google Talk™ Multiple IM</p>	 <p><b>Messaging</b> Conversations Email Instant messaging Multimedia messaging (MMS) Predictive text input Sound recorder Text messaging (SMS)</p>	 <p><b>Design</b> Auto rotation Four-corner Home screen Keyboard (on-screen, 12 key) Keyboard (QWERTY) Picture wallpaper Touchscreen</p>
 <p><b>Entertainment</b> Java™ Media browser Radio (FM radio with RDS) Video viewing</p>	 <p><b>Organiser</b> Alarm clock Calculator Calendar Flight mode Notes Phonebook Stopwatch Timer Widget manager</p>	 <p><b>Connectivity</b> 3.5 mm audio jack Bluetooth™ technology Micro USB support Modem USB mass storage USB High speed 2.0 support Wi-Fi®</p>

\* This service is not available in all markets.



# Technologies in detail

**NOTE:** The information outlined below is general and levels of compliance to standards and specifications may vary between products and markets. For more information, contact Sony Ericsson Developer World or your Sony Ericsson contact person where applicable.

## Device-to-device communications (local)

---

### Bluetooth™ wireless technology

Bluetooth™ profiles supported	Generic Access Profile Headset Profile Handsfree Profile Object Push Profile Advanced Audio Distribution Profile AVRCP V1.0
Core version and supported features	Version 2.1
Connectable devices	All products support at least one of the profiles above.

### Wi-Fi®

Supported standards	IEEE 802.11b/g and Wi-Fi®
Connectable devices	Wi-Fi® or WAPI access points
Frequency band	2.4 GHz
Data transmission rate	Up to 54 Mbps
Security	WEP 64 bit, 128bit WPA-PSK, WPA2-PSK WAPI-PSK WAPI-Certificate
Encryption	TKIP, AES

## Java™

---

Java™ Platform, Micro Edition	JSR-75 PDA Optional Packages JSR-118 J2ME Mobile Information Device Profile JSR-120 J2ME Wireless Messaging API JSR-135 J2ME Mobile Media API JSR-139 Connected Limited Device Configuration JSR-172 J2ME Web Services Specification JSR-185 Java Technology for the Wireless Industry JSR-211 Content Handler API JSR-256 Mobile sensor API
-------------------------------	--

More information: [www.sonyericsson.com/developer](http://www.sonyericsson.com/developer)

# Messaging

---

## (MMS) Multimedia Messaging Service

According to OMA Multimedia Messaging Service v1.0 + SMIL

### Email

Bearer type (IP)	GSM Data (IP) and GPRS
Character sets	BIG5 GB2312 Simplified Chinese ISO2022JP ISO-8859-1 ISO-8859-10 Nordic ISO-8859-2 Eastern Europe ISO-8859-7 Greek ISO-8859-9 Turkish KOI8 Shift JIS UCS-2/ISO10646 UCS2 USASCII UTF-8 UTF-16 Windows® 1251 Cyrillic Windows® 1252 Windows® 1254 Turkish Windows® 1255 Hebrew Note: GB2312 is available in Simplified Chinese variants only, that is, Mainland China variants. BIG5 is only available in Traditional Chinese variants, that is, Hong Kong and Taiwan variants.
OTA provisioning solution	OMA Client Provisioning 1.1
Protocols	POP3, SMTP and IMAP4

## Multimedia (audio and video)

<b>Audio Playback</b>	<b>Decoder format</b>	<b>Supported in file format</b>
	AAC AAC+ eAAC+ AMR-NB AMR-WB MP3	3GP (.3gp) AAC (.aac) MP4 (.mp4) AMR (.amr) MP3 (.mp3)
<b>Ringtone playback</b>	<b>Decoder format</b>	<b>Supported in file format</b>
	AAC AAC+ eAAC+ MP3 MIDI WMA	3GP (.3gp) AAC (.aac) MP4 (.mp4) MP3 (.mp3) SMF (.mid) WMA (.wma)
<b>Audio Recording</b>	<b>Encoder format</b>	<b>Supported in file format</b>
	AMR-NB	AMR (.amr)
<b>Image playback</b>	<b>Decoder format</b>	<b>Supported in file format</b>
	1, 4, 8, 16, 24, 32 bpp and RLE encoded formats Single and multi-frame, bitmap mask support (GIF87a format and GIF89a format) Joint Photographic Experts Group Portable Network Graphics Bitmap mask support Wireless Bitmap	BMP (.bmp)  GIF (.gif)  JPEG (.jpg)  PNG (.png)  WBMP (.wbmp)
<b>Image Capture</b>	<b>Encoder format</b>	<b>Supported in file format</b>
	Joint Photographic Experts Group	JPEG (.jpg)
<b>Video Playback</b>	<b>Decoder format</b>	<b>Supported in file format</b>
	MPEG-4 Visual Simple Profile H.263 Profile 0	3GP (.3gp); MP4 (.mp4)
<b>Video Recording</b>	<b>Encoder format</b>	<b>Supported in file format</b>
	Video: MPEG-4 Visual Simple Profile Audio: AAC-LC	3GP (.3gp)

## Web browser

---

Browser version	Obigo™ Q7
Bookmarks	Folders and sorting supported
Bookmark export/import	Bookmarks can be sent and received in vBookmark format using Bluetooth™ technology, SMS, MMS and email
Navigation/rendering	Full page PC rendering
Search	Internet Search
Browser compliancy	HTML version 4.01 XHTML Basic version 1.0 XHTML version 1.0 XHTML Mobile Profile version 1.1 WML 1.1, 1.2.1 and 1.3 CSS 2.1 ECMAScript Mobile Profile 1.0 DOM 2.0
Protocol Compliancy	HTTP/1.1

## Trademarks and acknowledgements

---

The Liquid Identity and Liquid Energy logos, PlayNow and TrackID are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB. Sony, "make.believe" is a trademark or registered trademark of Sony Corporation. Ericsson is a trademark of Telefonaktiebolaget LM Ericsson.

TrackID is powered by Gracenote Mobile MusicID. Gracenote and Gracenote Mobile MusicID are trademarks or registered trademarks of Gracenote, Inc. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sony Ericsson is under licence.

microSD and Transflash are trademarks or registered trademarks of SanDisk Corporation.

Twitter is a trademark or registered trademark of Twitter, Inc. Facebook is a trademark or registered trademark of Facebook, Inc. Obigo is a registered trademark of Obigo AB – a Teleca company. Windows is a trademark or registered trademark of Microsoft Inc.

YouTube, Google™, Google Talk™ are trademarks or registered trademarks of Google, Inc. All other company and product names may be trademarks of the respective companies with which they are associated.

Java, JavaScript and Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc., in the U.S. and other countries.

Wi-Fi is a trademark or registered trademark of the Wi-Fi Alliance.

End-user license agreement for Sun Java Platform, Micro Edition

1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sublicensed, in whole or in part.

2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders.

3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19(c) (2) as applicable.

All other trademarks and copyrights are the property of their respective owners.

Some features described herein require supporting services. Usage charges may apply for such services.