




## Twisted Pair Patchkabel

Twisted Pair Patch Cable

2016/2017  



# Patchkabel Cat.6A–GHMT zertifiziert / Cat.7


## Patch Cable Cat.6A–certified by GHMT / Cat.7

### Patchkabel Cat.6A, GHMT zertifiziert

- Cat.6A, 10G, Class EA, GHMT zertifiziert (Komponenten)
- AWG 26/7AWG Kupferader
- Paare in Metallfolie (PIMF)
- Aluminium Geflechschirm
- Mantel halogenfrei und flammwidrig
- Durchmesser: 6 mm

### Patch Cable Cat.6A, Certified by GHMT

- Cat.6A, 10G, Class EA, component certified by GHMT
- 26/7AWG copper wire
- Pairs in metal foil (PIMF)
- Aluminum wire braiding
- Low smoke zero halogen jacket
- Diameter: 6 mm



Länge Length	Grau Grey	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.50 m	CQ5022S	CQ5024S	CQ5025S	CQ5026S	CQ5027S
1.00 m	CQ5032S	CQ5034S	CQ5035S	CQ5036S	CQ5037S
1.50 m	CQ5042S	CQ5044S	CQ5045S	CQ5046S	CQ5047S
2.00 m	CQ5052S	CQ5054S	CQ5055S	CQ5056S	CQ5057S
3.00 m	CQ5062S	CQ5064S	CQ5065S	CQ5066S	CQ5067S
5.00 m	CQ5072S	CQ5074S	CQ5075S	CQ5076S	CQ5077S
7.50 m	CQ5082S	CQ5084S	CQ5085S	CQ5086S	CQ5087S
10.00 m	CQ5092S	CQ5094S	CQ5095S	CQ5096S	CQ5097S
15.00 m	CQ5102S				
20.00 m	CQ5112S				

### Patchkabel Cat.7, 600 MHz, S/FTP, PIMF, PrimeLine

- Cat.7, 600 MHz, 10 Gigabit (Rohkabel)
- S/FTP AWG 26/7 Cu, Paare in Metallfolie
- Cat.6 RJ45 Steckverbinder mit vergoldeten Kontakten
- LSZH Mantel, halogenfrei und flammwidrig
- ISO/IEC 11801, EN50173-1, TIA/EIA 568B-2.1

### Patch Cable Cat.7, 600 MHz, S/FTP, PIMF, PrimeLine

- Cat.7, 600 MHz, 10 Gigabit (raw cable)
- S/FTP AWG 26/7 Cu, pairs in metal foil
- Cat.6 RJ45 Plug with gold plated contacts
- LSZH low smoke zero halogen jacket
- ISO/IEC 11801, EN50173-1, TIA/EIA568B-2.1




Länge Length	Weiß White	Grau Grey	Schwarz Black	Orange Orange	Pink Pink
0.25 m	CQ4011S	CQ4012S	CQ4013S	CQ4018S	CQ4019S
0.50 m	CQ4021S	CQ4022S	CQ4023S	CQ4028S	CQ4029S
1.00 m	CQ4031S	CQ4032S	CQ4033S	CQ4038S	CQ4039S
1.50 m	CQ4041S	CQ4042S	CQ4043S	CQ4048S	CQ4049S
2.00 m	CQ4051S	CQ4052S	CQ4053S	CQ4058S	CQ4059S
3.00 m	CQ4061S	CQ4062S	CQ4063S	CQ4068S	CQ4069S
5.00 m	CQ4071S	CQ4072S	CQ4073S	CQ4078S	CQ4079S
7.50 m	CQ4081S	CQ4082S	CQ4083S	CQ4088S	CQ4089S
10.00 m	CQ4091S	CQ4092S	CQ4093S	CQ4098S	CQ4099S
15.00 m	CQ4101S	CQ4102S	CQ4103S	CQ4108S	CQ4109S
20.00 m	CQ4111S	CQ4112S	CQ4113S	CQ4118S	CQ4119S

# Patchkabel Cat.6A / Cat.6

## Patch Cable Cat.6A / Cat.6

### Patchkabel Cat.6A, 10G, 500 MHz S/FTP, PIMF, PrimeLine

- RJ45 Patchkabel 6A, S/FTP, AWG 26/7
- Geschirmtes Twisted-Pair-Kabel, PIMF
- Blanker Kupferdraht
- LSZH Mantel halogenfrei und flammwidrig
- ISO/IEC 11801, EN50288 und TIA/EIA 568-C.2




### Patch Cable Cat.6A, 10G, 500 MHz S/FTP, PIMF, PrimeLine

- RJ45 patch cable 6A, S/FTP, AWG 26/7
- Shielded twisted pair cable, PIMF
- Bare copper wire
- LSZH low smoke zero halogen jacket
- ISO/IEC 11801, EN50288 and TIA/EIA 568-C.2

Länge Length	Weiß White	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow	Orange Orange	Pink Pink
0.25 m	CQ3011S	CQ3012S	CQ3013S	CQ3014S	CQ3015S	CQ3016S	CQ3017S	CQ3018S	CQ3019S
0.50 m	CQ3021S	CQ3022S	CQ3023S	CQ3024S	CQ3025S	CQ3026S	CQ3027S	CQ3028S	CQ3029S
1.00 m	CQ3031S	CQ3032S	CQ3033S	CQ3034S	CQ3035S	CQ3036S	CQ3037S	CQ3038S	CQ3039S
1.50 m	CQ3041S	CQ3042S	CQ3043S	CQ3044S	CQ3045S	CQ3046S	CQ3047S	CQ3048S	CQ3049S
2.00 m	CQ3051S	CQ3052S	CQ3053S	CQ3054S	CQ3055S	CQ3056S	CQ3057S	CQ3058S	CQ3059S
3.00 m	CQ3061S	CQ3062S	CQ3063S	CQ3064S	CQ3065S	CQ3066S	CQ3067S	CQ3068S	CQ3069S
5.00 m	CQ3071S	CQ3072S	CQ3073S	CQ3074S	CQ3075S	CQ3076S	CQ3077S	CQ3078S	CQ3079S
7.50 m	CQ3081S	CQ3082S	CQ3083S	CQ3084S	CQ3085S	CQ3086S	CQ3087S	CQ3088S	CQ3089S
10.00 m	CQ3091S	CQ3092S	CQ3093S	CQ3094S	CQ3095S	CQ3096S	CQ3097S	CQ3098S	CQ3099S
15.00 m	CQ3101S	CQ3102S							
20.00 m	CQ3111S	CQ3112S							
30.00 m	CQ3121S	CQ3122S							
50.00 m	CQ3141S	CQ3142S							

### Patchkabel Cat.6, 250 MHz, S/FTP, PIMF, PrimeLine

- RJ45 Patchkabel 6, S/FTP, AWG 27/7
- Geschirmtes Twisted-Pair-Kabel, PIMF
- Blanker Kupferdraht
- LSZH Mantel, halogenfrei und flammwidrig
- ISO/IEC 11801, EN50288 und TIA/EIA 568-B.2-1



### Patch Cable Cat.6, 250 MHz, S/FTP, PIMF, PrimeLine

- RJ45 patch cable 6, S/FTP, AWG 27/7
- Shielded twisted pair cable, PIMF
- Bare copper wire
- LSZH low smoke zero halogen jacket
- ISO/IEC 11801, EN50288 and TIA/EIA 568-B.2-1

Länge Length	Weiß White	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow	Orange Orange	Pink Pink
0.25 m	CQ2011S	CQ2012S	CQ2013S	CQ2014S	CQ2015S	CQ2016S	CQ2017S	CQ2018S	CQ2019S
0.50 m	CQ2021S	CQ2022S	CQ2023S	CQ2024S	CQ2025S	CQ2026S	CQ2027S	CQ2028S	CQ2029S
1.00 m	CQ2031S	CQ2032S	CQ2033S	CQ2034S	CQ2035S	CQ2036S	CQ2037S	CQ2038S	CQ2039S
1.50 m	CQ2041S	CQ2042S	CQ2043S	CQ2044S	CQ2045S	CQ2046S	CQ2047S	CQ2048S	CQ2049S
2.00 m	CQ2051S	CQ2052S	CQ2053S	CQ2054S	CQ2055S	CQ2056S	CQ2057S	CQ2058S	CQ2059S
3.00 m	CQ2061S	CQ2062S	CQ2063S	CQ2064S	CQ2065S	CQ2066S	CQ2067S	CQ2068S	CQ2069S
5.00 m	CQ2071S	CQ2072S	CQ2073S	CQ2074S	CQ2075S	CQ2076S	CQ2077S	CQ2078S	CQ2079S
7.50 m	CQ2081S	CQ2082S	CQ2083S	CQ2084S	CQ2085S	CQ2086S	CQ2087S	CQ2088S	CQ2089S
10.00 m	CQ2091S	CQ2092S	CQ2093S	CQ2094S	CQ2095S	CQ2096S	CQ2097S	CQ2098S	CQ2099S
15.00 m	CQ2101S	CQ2102S							
20.00 m	CQ2111S	CQ2112S							
30.00 m	CQ2121S	CQ2122S							
50.00 m	CQ2141S	CQ2142S							

# Patchkabel Cat.6


## Patch Cable Cat.6

### Patchkabel Cat.6, 250 MHz, F/UTP, EconLine

- RJ45 Patchkabel C6, F/UTP, AWG 26/7
- Foliengeschirmtes Twisted-Pair-Kabel
- CCA Draht (Kupfer-Aluminiumgemisch)
- Flexibeler PVC Mantel
- TIA/EIA-568-B

### Patch Cable Cat.6, 250 MHz, F/UTP, EconLine

- RJ45 patch cable 6, F/UTP, AWG 26/7
- Foil shielded twisted pair cable
- Copper-clad aluminum wire
- Flexible PVC jacket
- TIA/EIA-568-B




Länge Length	Weiß White	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow	Orange Orange	Pink Pink
0.25 m	CP2011S	CP2012S	CP2013S	CP2014S	CP2015S	CP2016S	CP2017S	CP2018S	CP2019S
0.50 m	CP2021S	CP2022S	CP2023S	CP2024S	CP2025S	CP2026S	CP2027S	CP2028S	CP2029S
1.00 m	CP2031S	CP2032S	CP2033S	CP2034S	CP2035S	CP2036S	CP2037S	CP2038S	CP2039S
2.00 m	CP2051S	CP2052S	CP2053S	CP2054S	CP2055S	CP2056S	CP2057S	CP2058S	CP2059S
3.00 m	CP2061S	CP2062S	CP2063S	CP2064S	CP2065S	CP2066S	CP2067S	CP2068S	CP2069S
5.00 m	CP2071S	CP2072S	CP2073S	CP2074S	CP2075S	CP2076S	CP2077S	CP2078S	CP2079S
7.50 m	CP2081S	CP2082S	CP2083S	CP2084S	CP2085S	CP2086S	CP2087S	CP2088S	CP2089S
10.00 m	CP2091S	CP2092S	CP2093S	CP2094S	CP2095S	CP2096S	CP2097S	CP2098S	CP2099S
15.00 m	CP2101S	CP2102S							
20.00 m	CP2111S	CP2112S							

### Patchkabel Cat.6, 250 MHz, U/UTP, PrimeLine

- RJ45 Patchkabel 6, U/UTP, AWG 24/7
- Ungeschirmtes Twisted-Pair-Kabel
- Blanker Kupferdraht
- LSZH Mantel, halogenfrei und flammwidrig
- ISO/IEC 11801, EN50288 und TIA/EIA-568-B.2-1

### Patch Cable Cat.6, 250 MHz, U/UTP, PrimeLine

- RJ45 patch cable 6, U/UTP, AWG 24/7
- Unshielded twisted pair cable
- Bare copper wire
- LSZH low smoke zero halogen jacket
- ISO/IEC 11801, EN50288 and TIA/EIA-568-B.2-1



Länge Length	Weiß White	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.25 m	CQ2011U	CQ2012U	CQ2013U	CQ2014U	CQ2015U	CQ2016U	CQ2017U
0.50 m	CQ2021U	CQ2022U	CQ2023U	CQ2024U	CQ2025U	CQ2026U	CQ2027U
1.00 m	CQ2031U	CQ2032U	CQ2033U	CQ2034U	CQ2035U	CQ2036U	CQ2037U
2.00 m	CQ2051U	CQ2052U	CQ2053U	CQ2054U	CQ2055U	CQ2056U	CQ2057U
3.00 m	CQ2061U	CQ2062U	CQ2063U	CQ2064U	CQ2065U	CQ2066U	CQ2067U
5.00 m	CQ2071U	CQ2072U	CQ2073U	CQ2074U	CQ2075U	CQ2076U	CQ2077U
7.50 m	CQ2081U	CQ2082U	CQ2083U	CQ2084U	CQ2085U	CQ2086U	CQ2087U
10.00 m	CQ2091U	CQ2092U	CQ2093U	CQ2094U	CQ2095U	CQ2096U	CQ2097U
15.00 m	CQ2101U	CQ2102U					
20.00 m	CQ2111U	CQ2112U					
30.00 m	CQ2121U	CQ2122U					
50.00 m	CQ2141U	CQ2142U					

# Patchkabel Cat.6 / Cat.5e


## Patch Cable Cat.6 / Cat.5e

### Patchkabel Cat.6, 250 MHz, U/UTP, EconLine

- RJ45 Patchkabel 6, U/UTP, AWG 24/7
- Ungeschirmtes Twisted-Pair-Kabel
- Verkupfelter Aluminiumdraht
- Flexibeler PVC Mantel
- TIA/EIA-568-B

### Patch Cable Cat.6, 250 MHz, U/UTP, EconLine

- RJ45 patch cable 6, U/UTP, AWG 24/7
- Unshielded twisted pair cable
- Copper-clad aluminum wire
- Flexible PVC jacket
- TIA/EIA-568-B




Länge Length	Weiß White	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.25 m	CP2011U	CP2012U	CP2013U	CP2014U	CP2015U	CP2016U	CP2017U
0.50 m	CP2021U	CP2022U	CP2023U	CP2024U	CP2025U	CP2026U	CP2027U
1.00 m	CP2031U	CP2032U	CP2033U	CP2034U	CP2035U	CP2036U	CP2037U
2.00 m	CP2051U	CP2052U	CP2053U	CP2054U	CP2055U	CP2056U	CP2057U
3.00 m	CP2061U	CP2062U	CP2063U	CP2064U	CP2065U	CP2066U	CP2067U
5.00 m	CP2071U	CP2072U	CP2073U	CP2074U	CP2075U	CP2076U	CP2077U
7.50 m	CP2081U	CP2082U	CP2083U	CP2084U	CP2085U	CP2086U	CP2087U
10.00 m	CP2091U	CP2092U	CP2093U	CP2094U	CP2095U	CP2096U	CP2097U
15.00 m	CP2101U	CP2102U					
20.00 m	CP2111U	CP2112U					

### Patchkabel Cat.5e, SF/UTP

- RJ45 Patchkabel 5e, SF/UTP, AWG 26/7
- Doppelt geschirmtes Twisted-Pair-Kabel
- Verkupfelter Aluminiumdraht
- Flexibeler PVC Mantel
- TIA/EIA-568-B

### Patch Cable Cat.5e, SF/UTP

- RJ45 patch cable 5e, SF/UTP, AWG 26/7
- Double shielded twisted pair cable
- Copper-clad aluminum wire
- Flexible PVC jacket
- TIA/EIA-568-B



Länge Length	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.25 m	CP1012D	CP1013D	CP1014D	CP1015D	CP1016D	CP1017D
0.50 m	CP1022D	CP1023D	CP1024D	CP1025D	CP1026D	CP1027D
1.00 m	CP1032D	CP1033D	CP1034D	CP1035D	CP1036D	CP1037D
2.00 m	CP1052D	CP1053D	CP1054D	CP1055D	CP1056D	CP1057D
3.00 m	CP1062D	CP1063D	CP1064D	CP1065D	CP1066D	CP1067D
5.00 m	CP1072D	CP1073D	CP1074D	CP1075D	CP1076D	CP1077D
7.50 m	CP1082D	CP1083D	CP1084D	CP1085D	CP1086D	CP1087D
10.00 m	CP1092D	CP1093D	CP1094D	CP1095D	CP1096D	CP1097D
15.00 m	CP1102D					
20.00 m	CP1112D					

# Patchkabel Cat.5e

## Patch Cable Cat.5e

### Patch Cable Cat.5e, F/UTP

- RJ45 Patchkabel 5e, F/UTP, AWG 26/7
- Geschirmtes Twisted-Pair-Kabel
- Verkupfertes Aluminiumdraht
- Flexibeler PVC Mantel
- TIA/EIA-568-B




### Patchkabel Cat.5e, F/UTP

- RJ45 patch cable 5e, F/UTP, AWG 26/7
- Shielded twisted pair cable
- Copper-clad aluminum wire
- Flexible PVC jacket
- TIA/EIA-568-B

Länge Length	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.25 m	CP1012S	CP1013S	CP1014S	CP1015S	CP1016S	CP1017S
0.50 m	CP1022S	CP1023S	CP1024S	CP1025S	CP1026S	CP1027S
1.00 m	CP1032S	CP1033S	CP1034S	CP1035S	CP1036S	CP1037S
2.00 m	CP1052S	CP1053S	CP1054S	CP1055S	CP1056S	CP1057S
3.00 m	CP1062S	CP1063S	CP1064S	CP1065S	CP1066S	CP1067S
5.00 m	CP1072S	CP1073S	CP1074S	CP1075S	CP1076S	CP1077S
7.50 m	CP1082S	CP1083S	CP1084S	CP1085S	CP1086S	CP1087S
10.00 m	CP1092S	CP1093S	CP1094S	CP1095S	CP1096S	CP1097S

### Patchkabel Cat.5e, U/UTP

- RJ45 Patchkabel 5e, U/UTP, AWG 26/7
- Ungeschirmtes Twisted-Pair-Kabel
- Verkupfertes Aluminiumdraht
- Flexibeler PVC Mantel
- TIA/EIA-568-B



### Patch Cable Cat.5e U/UTP

- RJ45 patch cable 5e, U/UTP, AWG 26/7
- Unshielded twisted pair cable
- Copper-clad aluminum wire
- Flexible PVC jacket
- TIA/EIA-568-B

Länge Length	Grau Grey	Schwarz Black	Rot Red	Grün Green	Blau Blue	Gelb Yellow
0.25 m	CP1012U	CP1013U	CP1014U	CP1015U	CP1016U	CP1017U
0.50 m	CP1022U	CP1023U	CP1024U	CP1025U	CP1026U	CP1027U
1.00 m	CP1032U	CP1033U	CP1034U	CP1035U	CP1036U	CP1037U
2.00 m	CP1052U	CP1053U	CP1054U	CP1055U	CP1056U	CP1057U
3.00 m	CP1062U	CP1063U	CP1064U	CP1065U	CP1066U	CP1067U
5.00 m	CP1072U	CP1073U	CP1074U	CP1075U	CP1076U	CP1077U
7.50 m	CP1082U	CP1083U	CP1084U	CP1085U	CP1086U	CP1087U
10.00 m	CP1092U	CP1093U	CP1094U	CP1095U	CP1096U	CP1097U

# Flache Patchkabel

## Flat Patch Cable

### Patchkabel Cat.6, 250 MHz, Flach, Geschirmt (PIMF), SlimLine

- RJ45 Patchkabel Cat.6, U/FTP, AWG32, PIMF
- Geschirmtes Flachkabel, sehr schlank und flexibel
- 2x RJ45 Stecker, geschirmt, vergoldete Kontakte
- ISO/IEC 11801, EN50288 & TIA/EIA-568-B.2-1
- PVC Außenmantel
- Abmessung: 6 x 1,75 mm (BxH)

### Patch Cable Cat.6, Flat, Shielded (PIMF)

- RJ45 patch cable Cat.6, U/FTP, AWG32, PIMF
- Shielded flat cable, ultra slim & highly flexible
- 2x RJ45 shielded plugs, gold plated
- ISO/IEC 11801, EN50288 & TIA/EIA-568-B.2-1
- PVC jacketed
- Dimension: 6 x 1.75 mm (WxH)

Länge Length	Weiß White	Schwarz Black
0.25 m	CF2011S	CF2013S
0.50 m	CF2021S	CF2023S
1.00 m	CF2031S	CF2033S
2.00 m	CF2051S	CF2053S
3.00 m	CF2061S	CF2063S
5.00 m	CF2071S	CF2073S
7.50 m	CF2081S	CF2083S
10.00 m	CF2091S	CF2093S
15.00 m	CF2101S	CF2103S
20.00 m	CF2111S	CF2113S



### Patchkabel Cat.6, 250 MHz, Flach, U/UTP, SlimLine

- 2x RJ45 Patchkabel Cat.6, U/UTP, AWG 32
- Flachkabel, sehr schlank und flexibel
- Starre Ader, blanker Kupferdraht
- ISO/IEC 11801, EN50288 & TIA/EIA-568-B.2-1
- PVC Außenmantel
- Abmessung: 6 x 1,5 mm (BxH)

### Patch Cable Cat.6, Flat, U/UTP, SlimLine

- 2x RJ45 patch cable Cat.6, U/UTP, AWG 32
- Flat cable, ultra slim & highly flexible
- ISO/IEC 11801, EN50288 & TIA/EIA-568-B.2-1
- Bare copper wire
- PVC jacketed
- Dimension: 6 x 1.5 mm (WxH)

Länge Length	Weiß White	Schwarz Black
0.25 m	CF2011U	CF2013U
0.50 m	CF2021U	CF2023U
1.00 m	CF2031U	CF2033U
2.00 m	CF2051U	CF2053U
3.00 m	CF2061U	CF2063U
5.00 m	CF2071U	CF2073U
7.50 m	CF2081U	CF2083U
10.00 m	CF2091U	CF2093U
15.00 m	CF2101U	CF2103U
20.00 m	CF2111U	CF2113U



### Patchkabel Cat.5e, Flach, U/UTP, Telefon


- RJ45 Patchkabel Cat. 5e, U/UTP, AWG 30
- Ungeschirmtes Flachkabel
- CCA Ader
- Schlankes Flachkabel
- RJ45 / ISDN / 10/100BaseT

### Patch Cable Cat.5e, Flat, U/UTP, Telephone

- RJ45 patch cable Cat. 5e, U/UTP, AWG 30
- Unshielded flat cable
- CCA Wire
- Flat Cable Ultra Slim
- RJ45 / ISDN / 10/100BaseT

Länge Length	Weiß White	Schwarz Black
0.25 m	CP0132	CP0132B
0.50 m	CP0133	CP0133B
1.00 m	CP0134	CP0134B
2.00 m	CP0135	CP0135B
3.00 m	CP0136	CP0136B
5.00 m	CP0137	CP0137B
7.50 m	CP0138	CP0138B
10.00 m	CP0139	CP0139B
15.00 m	CP0140	CP0140B
20.00 m	CP0141	CP0141B





2direct GmbH  
Langenstück 5  
D-58579 Schalksmühle  
+49-2351-66887-0  
[www.logilink.de](http://www.logilink.de)